VITAL STATISTICS OF THE UNITED STATES

1974

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

HEALTH RESOURCES ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1976
(HRA) 76-1115

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*
GAIL F. FISHER, *Associate Director for the Cooperative Health Statistics System*
ELIJAH L. WHITE, *Associate Director for Data Systems*
GEORGE P. FAILLA, *Associate Director for Management*
PETER L. HURLEY, *Associate Director for Operations*
JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
ALICE M. HETZEL, *Deputy Director*
ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARVIN C. TEMPLETON, *Chief, Data Control Branch*
MICHAEL J. ZUGZDA, *Chief, Statistical Resources Branch*
RITA U. HOFFMAN, *Chief, Programming Branch*

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 - Price $17

Stock No. 017-022-00508-5

VITAL STATISTICS OF THE UNITED STATES, 1974
VOLUME II—MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Complete contents pages for Sections 7 and 8 are on pages 7-1 and 8-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1974.* Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1974. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-2	-75	-93	-111	-150	-168	-474	-484	-520
Geographic area:									
Counties	1[1]								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	1[1]	2	3			6	7[2]		9
United States	1	2	3		5		7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:												
Guam	1	2	3			6	7		9	10	11	12
Puerto Rico	1	2		4		6	7	8		10	11	12
Municipios								8				
Virgin Islands	1	2			5	6	7		9	10	11	12
Islands									9			
Specified urban place									9			
Years:												
1940-74	1											
1974 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry:												
Number of deaths	1	2	3	4	5	6	7	8[1]	9[1]			
Death rates	1											
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	10	11	12
Number of postneonatal deaths											11	12
Characteristics:												
Age of decedent			3	4	5						11	
Cause of death:												
65 selected causes of infant mortality												12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

[1]Deaths by place of occurrence and place of residence.

Section 7.
Geographic Detail for Mortality

Table		Page
7-1.	Total, infant, and neonatal deaths and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1974	7-2
7-2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1974	7-75
7-3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1974	7-93
7-4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1974	7-111
7-5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1974	7-150
7-6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1974	7-168
7-7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1974	7-474
7-8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1974	7-484
7-9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1974	7-520

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.5	0.0
Figure does not meet standards of reliability or precision	*

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Negro" are shown separately for those counties and urban places in which the 1970 populations for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
UNITED STATES ..	1,936,476	1,934,388	52,776	38,738	36,281
WHITE.....	1,699,198	1,697,295	38,249	28,692	26,365
ALL OTHER.	237,278	237,093	14,527	10,046	9,916
NEGRO..	222,996	222,948	13,584	9,475	9,125
ALABAMA.....	34,600	34,737	1,227	888	894
WHITE.....	24,449	24,556	653	493	444
ALL OTHER.	10,151	10,181	574	395	450
NEGRO..	10,139	10,170	572	393	449
AUTAUGA.....	164	221	10	9	5
WHITE.....	118	152	5	5	2
ALL OTHER.	46	69	5	4	3
NEGRO..	46	69	5	4	3
PRATTVILLE.....	---	106	5	5	2
WHITE.....	---	86	4	4	1
ALL OTHER.	---	20	1	1	1
NEGRO..	---	20	1	1	1
BALANCE OF COUNTY....	---	115	5	4	3
WHITE.....	---	66	1	1	1
ALL OTHER.	---	49	4	3	2
NEGRO..	---	49	4	3	2
BALDWIN.....	492	605	18	10	12
WHITE.....	430	517	8	5	6
ALL OTHER.	62	88	10	5	6
NEGRO..	62	88	10	5	6
BARBOUR.....	224	273	13	11	9
WHITE.....	111	154	5	5	1
ALL OTHER.	113	119	8	6	8
NEGRO..	113	119	8	6	8
BIBB.....	95	183	4	4	2
WHITE.....	66	137	2	2	2
ALL OTHER.	29	46	2	2	-
NEGRO..	29	46	2	2	-
BLOUNT.....	179	282	11	7	2
BULLOCK.....	92	142	9	7	3
WHITE.....	34	38	3	2	-
ALL OTHER.	58	104	6	5	3
NEGRO..	58	104	6	5	3
BUTLER.....	292	297	14	8	10
WHITE.....	196	190	2	1	4
ALL OTHER.	96	107	12	7	6
NEGRO..	96	107	12	7	6
CALHOUN.....	877	927	28	21	42
WHITE.....	726	766	17	13	25
ALL OTHER.	151	161	11	8	17
NEGRO..	151	161	11	8	17
ANNISTON.....	---	450	15	8	22
WHITE.....	---	326	7	3	7
ALL OTHER.	---	124	8	5	15
NEGRO..	---	124	8	5	15
BALANCE OF COUNTY....	---	477	13	13	20
CHAMBERS.....	347	391	16	13	11
WHITE.....	233	256	10	9	4
ALL OTHER.	114	135	6	4	7
NEGRO..	114	135	6	4	7
CHEROKEE.....	138	163	9	8	5
CHILTON.....	245	313	15	10	3
WHITE.....	204	270	11	7	-
ALL OTHER.	41	43	4	3	3
NEGRO..	41	43	4	3	3
CHOCTAW.....	134	170	6	3	6
WHITE.....	65	95	4	2	3
ALL OTHER.	69	75	2	1	3
NEGRO..	69	75	2	1	3
CLARKE.....	264	264	11	7	12
WHITE.....	151	158	2	1	3
ALL OTHER.	113	106	9	6	9
NEGRO..	113	106	9	6	9
CLAY.....	146	179	6	4	2
WHITE.....	122	156	5	4	2
ALL OTHER.	24	23	1	-	-
NEGRO..	24	23	1	-	-
CLEBURNE.....	58	101	2	1	3
COFFEE.....	283	308	10	5	8
WHITE.....	222	242	5	3	3
ALL OTHER.	61	66	5	2	5
NEGRO..	61	66	5	2	5
ENTERPRISE.....	---	126	5	4	4
WHITE.....	---	83	2	2	2
ALL OTHER.	---	43	3	2	2
NEGRO..	---	43	3	2	2
BALANCE OF COUNTY....	---	182	5	1	4
WHITE.....	---	159	3	1	1
ALL OTHER.	---	23	2	-	3
NEGRO..	---	23	2	-	3
ALABAMA--CON.					
COLBERT.....	482	477	9	6	5
WHITE.....	373	377	5	4	4
ALL OTHER.	109	100	4	2	1
NEGRO..	109	100	4	2	1
SHEFFIELD.....	---	146	3	2	1
WHITE.....	---	115	2	1	-
ALL OTHER.	---	31	1	1	1
NEGRO..	---	31	1	1	1
BALANCE OF COUNTY....	---	331	6	4	4
WHITE.....	---	262	3	3	4
ALL OTHER.	---	69	3	1	-
NEGRO..	---	69	3	1	-
CONECUH.....	111	185	5	2	5
WHITE.....	72	119	2	-	1
ALL OTHER.	39	66	3	2	4
NEGRO..	39	66	3	2	4
COOSA.....	47	121	7	6	3
WHITE.....	33	85	1	1	3
ALL OTHER.	14	36	6	5	-
NEGRO..	14	36	6	5	-
COVINGTON.....	414	421	12	11	10
WHITE.....	345	368	9	8	5
ALL OTHER.	69	53	3	3	5
NEGRO..	69	53	3	3	5
ANDALUSIA.....	---	122	6	6	1
WHITE.....	---	96	5	5	1
ALL OTHER.	---	26	1	1	-
NEGRO..	---	26	1	1	-
BALANCE OF COUNTY....	---	299	6	5	9
WHITE.....	---	272	4	3	4
ALL OTHER.	---	27	2	2	5
NEGRO..	---	27	2	2	5
CRENSHAW.....	137	206	7	5	4
WHITE.....	99	153	2	2	1
ALL OTHER.	38	53	5	3	3
NEGRO..	38	53	5	3	3
CULLMAN.....	395	507	9	6	17
CULLMAN.....	---	152	2	1	-
BALANCE OF COUNTY....	---	355	7	5	17
DALE.....	271	292	10	7	14
WHITE.....	219	241	8	6	10
ALL OTHER.	52	51	2	1	4
NEGRO..	51	50	2	1	4
OZARK.....	---	115	5	3	2
WHITE.....	---	87	4	3	1
ALL OTHER.	---	28	1	-	1
NEGRO..	---	28	1	-	1
BALANCE OF COUNTY....	---	177	5	4	12
WHITE.....	---	154	4	3	9
ALL OTHER.	---	23	1	1	3
NEGRO..	---	22	1	1	3
DALLAS.....	677	624	23	18	27
WHITE.....	310	275	9	8	12
ALL OTHER.	367	349	14	10	15
NEGRO..	367	349	14	10	15
SELMA.....	---	374	7	5	11
WHITE.....	---	170	2	2	6
ALL OTHER.	---	204	5	3	5
NEGRO..	---	204	5	3	5
BALANCE OF COUNTY....	---	250	16	13	16
WHITE.....	---	105	7	6	6
ALL OTHER.	---	145	9	7	10
NEGRO..	---	145	9	7	10
DE KALB.....	376	476	21	16	9
ELMORE.....	227	380	9	9	12
WHITE.....	153	272	4	4	3
ALL OTHER.	74	108	5	5	9
NEGRO..	74	108	5	5	9
ESCAMBIA.....	356	353	12	7	11
WHITE.....	229	230	2	-	8
ALL OTHER.	127	123	10	7	3
NEGRO..	125	121	10	7	3
ETOWAH.....	1,088	1,079	40	29	16
WHITE.....	919	905	36	26	10
ALL OTHER.	169	174	4	3	6
NEGRO..	169	174	4	3	6
GADSDEN.....	---	687	19	15	8
WHITE.....	---	533	15	12	4
ALL OTHER.	---	154	4	3	4
NEGRO..	---	154	4	3	4
BALANCE OF COUNTY....	---	392	21	14	8
FAYETTE.....	134	175	3	3	5
WHITE.....	116	152	3	3	2
ALL OTHER.	18	23	-	-	3
NEGRO..	18	23	-	-	3
FRANKLIN.....	283	296	10	7	8

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALABAMA—CON.					
GENEVA	167	246	5	2	7
WHITE	136	207	4	1	4
ALL OTHER	31	39	1	1	3
NEGRO	31	39	1	1	3
GREENE	141	151	5	4	6
WHITE	34	45	1	1	1
ALL OTHER	107	106	4	3	5
NEGRO	107	106	4	3	5
HALE	158	189	8	6	8
WHITE	47	77	1	1	1
ALL OTHER	111	112	7	5	7
NEGRO	111	112	7	5	7
HENRY	102	175	6	4	4
WHITE	60	115	2	1	1
ALL OTHER	42	60	4	3	3
NEGRO	42	60	4	3	3
HOUSTON	772	604	33	27	16
WHITE	584	435	18	16	9
ALL OTHER	188	169	15	11	7
NEGRO	188	169	15	11	7
DOTHAN	—	363	19	16	9
WHITE	—	247	8	7	4
ALL OTHER	—	116	11	9	5
NEGRO	—	116	11	9	5
BALANCE OF COUNTY	—	241	14	11	7
WHITE	—	188	10	9	5
ALL OTHER	—	53	4	2	2
NEGRO	—	53	4	2	2
JACKSON	336	402	20	14	13
JEFFERSON	8,034	6,668	182	147	150
WHITE	5,313	4,194	98	80	67
ALL OTHER	2,721	2,474	84	67	83
NEGRO	2,720	2,473	84	67	83
BESSEMER	—	472	18	15	8
WHITE	—	201	6	5	2
ALL OTHER	—	271	12	10	6
NEGRO	—	271	12	10	6
BIRMINGHAM	—	3,806	101	82	100
WHITE	—	2,100	42	33	37
ALL OTHER	—	1,706	59	49	63
NEGRO	—	1,705	59	49	63
FAIRFIELD	—	159	2	1	4
WHITE	—	76	1	–	1
ALL OTHER	—	83	1	1	3
NEGRO	—	83	1	1	3
HOMEWOOD	—	167	1	1	2
MOUNTAIN BROOK	—	112	–	–	–
BALANCE OF COUNTY	—	1,952	60	48	36
WHITE	—	1,561	48	41	25
ALL OTHER	—	391	12	7	11
NEGRO	—	391	12	7	11
LAMAR	129	175	5	5	3
WHITE	114	156	4	4	2
ALL OTHER	15	19	1	1	1
NEGRO	15	19	1	1	1
LAUDERDALE	701	668	18	12	14
WHITE	600	568	16	11	13
ALL OTHER	101	100	2	1	1
NEGRO	101	100	2	1	1
FLORENCE	—	353	5	4	4
WHITE	—	281	5	4	4
ALL OTHER	—	72	–	–	–
NEGRO	—	72	–	–	–
BALANCE OF COUNTY	—	315	13	8	10
LAWRENCE	181	246	8	5	9
WHITE	142	190	5	4	7
ALL OTHER	39	56	3	1	2
NEGRO	39	56	3	1	2
LEE	423	467	23	19	21
WHITE	263	280	14	11	9
ALL OTHER	160	187	9	8	12
NEGRO	160	187	9	8	12
AUBURN	—	125	8	6	8
WHITE	—	67	5	3	3
ALL OTHER	—	58	3	3	5
NEGRO	—	58	3	3	5
OPELIKA	—	170	7	7	9
WHITE	—	113	6	6	4
ALL OTHER	—	57	1	1	5
NEGRO	—	57	1	1	5
BALANCE OF COUNTY	—	172	8	6	4
WHITE	—	100	3	2	2
ALL OTHER	—	72	5	4	2
NEGRO	—	72	5	4	2
LIMESTONE	369	399	11	8	5
WHITE	307	323	6	3	4
ALL OTHER	62	76	5	5	1
NEGRO	62	76	5	5	1
ATHENS	—	147	5	5	2
WHITE	—	114	2	2	1
ALL OTHER	—	33	3	3	1
NEGRO	—	33	3	3	1
BALANCE OF COUNTY	—	252	6	3	3
WHITE	—	209	4	1	3
ALL OTHER	—	43	2	2	–
NEGRO	—	43	2	2	–
LOWNDES	49	118	7	5	9
WHITE	11	40	–	–	–
ALL OTHER	38	78	7	5	9
NEGRO	38	78	7	5	9
MACON	599	273	19	11	11
WHITE	184	51	1	–	4
ALL OTHER	415	222	18	11	7
NEGRO	414	221	17	10	7
TUSKEGEE	—	121	9	7	3
WHITE	—	12	–	–	1
ALL OTHER	—	109	9	7	2
NEGRO	—	108	8	6	2
BALANCE OF COUNTY	—	152	10	4	8
WHITE	—	39	1	–	3
ALL OTHER	—	113	9	4	5
NEGRO	—	113	9	4	5
MADISON	1,234	1,166	34	26	34
WHITE	978	899	27	22	16
ALL OTHER	256	267	7	4	18
NEGRO	255	266	6	3	17
HUNTSVILLE	—	834	28	23	21
WHITE	—	639	22	19	10
ALL OTHER	—	195	6	4	11
NEGRO	—	194	5	3	10
BALANCE OF COUNTY	—	332	6	3	13
WHITE	—	260	5	3	6
ALL OTHER	—	72	1	–	7
NEGRO	—	72	1	–	7
MARENGO	246	266	14	5	10
WHITE	91	106	2	1	–
ALL OTHER	155	160	12	4	10
NEGRO	155	160	12	4	10
MARION	245	298	13	9	2
MARSHALL	559	575	18	12	13
MOBILE	3,041	2,833	93	69	64
WHITE	1,984	1,822	41	31	38
ALL OTHER	1,057	1,011	52	38	26
NEGRO	1,056	1,010	52	38	26
MOBILE	—	1,913	54	40	37
WHITE	—	1,184	20	16	21
ALL OTHER	—	729	34	24	16
NEGRO	—	728	34	24	16
PRICHARD	—	250	9	6	6
WHITE	—	101	2	1	3
ALL OTHER	—	149	7	5	3
NEGRO	—	149	7	5	3
BALANCE OF COUNTY	—	670	30	23	21
WHITE	—	537	19	14	14
ALL OTHER	—	133	11	9	7
NEGRO	—	133	11	9	7
MONROE	207	227	10	6	5
WHITE	129	133	2	2	1
ALL OTHER	78	94	8	4	4
NEGRO	78	94	8	4	4
MONTGOMERY	2,084	1,753	84	60	65
WHITE	1,245	993	28	23	18
ALL OTHER	839	760	56	37	47
NEGRO	837	758	56	37	47
MONTGOMERY	—	1,587	73	57	55
WHITE	—	921	27	22	18
ALL OTHER	—	666	46	35	37
NEGRO	—	664	46	35	37
BALANCE OF COUNTY	—	166	11	3	10
WHITE	—	72	1	1	–
ALL OTHER	—	94	10	2	10
NEGRO	—	94	10	2	10
MORGAN	701	686	30	18	14
DECATUR	—	330	11	5	3
WHITE	—	247	2	1	1
ALL OTHER	—	83	9	4	2
NEGRO	—	83	9	4	2
BALANCE OF COUNTY	—	356	19	13	11

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
ALABAMA--CON.					
PERRY	117	193	6	5	8
WHITE	54	83	-	-	1
ALL OTHER	63	110	6	5	7
NEGRO	63	110	6	5	7
PICKENS	143	212	7	5	2
WHITE	76	124	2	2	1
ALL OTHER	67	88	5	3	1
NEGRO	67	88	5	3	1
PIKE	268	290	21	14	4
WHITE	156	161	6	5	1
ALL OTHER	112	129	15	9	3
NEGRO	111	128	15	9	3
TROY	---	111	10	8	1
WHITE	---	63	3	3	-
ALL OTHER	---	48	7	5	1
NEGRO	---	47	7	5	1
BALANCE OF COUNTY	---	179	11	6	3
WHITE	---	98	3	2	1
ALL OTHER	---	81	8	4	2
NEGRO	---	81	8	4	2
RANDOLPH	207	262	9	4	7
WHITE	151	205	4	3	6
ALL OTHER	56	57	5	1	1
NEGRO	56	57	5	1	1
RUSSELL	442	545	23	17	13
WHITE	284	331	6	5	4
ALL OTHER	158	214	17	12	9
NEGRO	158	214	17	12	9
PHENIX CITY	---	368	12	9	9
WHITE	---	248	2	2	2
ALL OTHER	---	120	10	7	7
NEGRO	---	120	10	7	7
BALANCE OF COUNTY	---	177	11	8	4
WHITE	---	83	4	3	2
ALL OTHER	---	94	7	5	2
NEGRO	---	94	7	5	2
ST. CLAIR	239	337	10	6	8
WHITE	201	297	7	4	7
ALL OTHER	38	40	3	2	1
NEGRO	38	40	3	2	1
SHELBY	286	390	14	9	4
WHITE	229	329	10	8	2
ALL OTHER	57	61	4	1	2
NEGRO	57	61	4	1	2
SUMTER	151	212	13	11	2
WHITE	42	61	1	1	-
ALL OTHER	109	151	12	10	2
NEGRO	109	151	12	10	2
TALLADEGA	588	671	40	28	21
WHITE	409	465	22	17	9
ALL OTHER	179	206	18	11	12
NEGRO	179	206	18	11	12
SYLACAUGA	---	170	4	2	5
WHITE	---	125	2	1	3
ALL OTHER	---	45	2	1	2
NEGRO	---	45	2	1	2
TALLADEGA	---	194	14	11	5
WHITE	---	120	9	8	-
ALL OTHER	---	74	5	3	5
NEGRO	---	74	5	3	5
BALANCE OF COUNTY	---	307	22	15	11
WHITE	---	220	11	8	6
ALL OTHER	---	87	11	7	5
NEGRO	---	87	11	7	5
TALLAPOOSA	484	409	14	11	11
WHITE	331	286	4	3	5
ALL OTHER	153	123	10	8	6
NEGRO	152	123	10	8	6
ALEXANDER CITY	---	122	2	1	4
WHITE	---	81	2	1	1
ALL OTHER	---	41	-	-	3
NEGRO	---	41	-	-	3
BALANCE OF COUNTY	---	287	12	10	7
WHITE	---	205	2	2	4
ALL OTHER	---	82	10	8	3
NEGRO	---	82	10	8	3
TUSCALOOSA	1,213	994	28	20	29
WHITE	887	689	12	9	15
ALL OTHER	326	305	16	11	14
NEGRO	326	305	16	11	14
TUSCALOOSA	---	574	20	15	17
WHITE	---	347	5	4	7
ALL OTHER	---	227	15	11	10
NEGRO	---	227	15	11	10
BALANCE OF COUNTY	---	420	8	5	12
WHITE	---	342	7	5	8
ALL OTHER	---	78	1	-	4
NEGRO	---	78	1	-	4
ALABAMA--CON.					
WALKER	555	703	17	12	7
JASPER	---	156	5	4	1
WHITE	---	124	3	2	-
ALL OTHER	---	32	2	2	1
NEGRO	---	32	2	2	1
BALANCE OF COUNTY	---	547	12	8	6
WASHINGTON	95	158	7	5	3
WHITE	70	115	2	1	2
ALL OTHER	25	43	5	4	1
NEGRO	25	43	5	4	1
WILCOX	113	157	8	3	9
WHITE	47	70	1	1	-
ALL OTHER	66	87	7	2	9
NEGRO	66	87	7	2	9
WINSTON	193	208	5	4	2
ALASKA[1]	1,491	1,489	126	86	83
WHITE	1,011	1,010	71	51	63
ALL OTHER	480	479	55	35	20
NEGRO	31	29	8	6	1
DIST. 1, PRINCE OF WALES	12	14	-	-	-
WHITE	5	2	-	-	-
ALL OTHER	7	12	-	-	-
NEGRO	-	-	-	-	-
DIST. 2, KETCHIKAN	75	88	3	-	-
WHITE	55	72	1	-	-
ALL OTHER	20	16	2	-	-
NEGRO	1	-	-	-	-
DIST. 3, WRANGELL-PETERSBURG	27	32	3	1	-
WHITE	20	25	3	1	-
ALL OTHER	7	7	-	-	-
NEGRO	-	-	-	-	-
DIST. 4, SITKA	71	45	4	3	2
WHITE	46	29	4	3	-
ALL OTHER	25	16	-	-	2
NEGRO	-	-	-	-	-
DIST. 5, JUNEAU	64	69	3	1	3
WHITE	53	55	2	1	2
ALL OTHER	11	14	1	-	1
NEGRO	-	-	-	-	-
DIST. 6, LYNN CANAL-ICY STRAITS	16	26	-	-	-
WHITE	12	16	-	-	-
ALL OTHER	4	10	-	-	-
NEGRO	-	-	-	-	-
DIST. 7, CORDOVA-MC CARTHY	15	14	-	-	1
WHITE	15	13	-	-	-
ALL OTHER	-	1	-	-	1
NEGRO	-	-	-	-	-
DIST. 8, VALDEZ-CHITTINA-WHITTIER	25	17	3	1	-
WHITE	22	14	2	-	-
ALL OTHER	3	3	1	1	-
NEGRO	-	-	-	-	-
DIST. 9, PALMER-WASILLA-TALKEETNA	56	53	2	1	1
DIST. 10, ANCHORAGE	523	491	46	36	37
WHITE	419	418	32	26	35
ALL OTHER	104	73	14	10	2
NEGRO	19	20	6	4	-
ANCHORAGE	---	272	19	13	19
WHITE	---	220	9	6	17
ALL OTHER	---	52	10	7	2
NEGRO	---	15	3	2	-
BALANCE OF DISTRICT	---	219	27	23	18
DIST. 11, SEWARD	32	30	1	-	3
WHITE	29	27	-	-	3
ALL OTHER	3	3	1	-	-
NEGRO	1	-	-	-	-
DIST. 12, KENAI-COOK INLET	42	57	4	2	7
DIST. 13, KODIAK	57	64	6	4	5
WHITE	43	48	4	3	4
ALL OTHER	14	16	2	1	1
NEGRO	-	-	-	-	-
DIST. 14, ALEUTIAN ISLANDS	29	28	1	1	2
WHITE	8	4	1	1	1
ALL OTHER	21	24	-	-	1
NEGRO	-	-	-	-	-
DIST. 15, BRISTOL BAY	25	26	5	2	2
WHITE	5	6	1	-	-
ALL OTHER	20	20	4	2	2
NEGRO	-	-	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALASKA--CON.					
DIST. 16, BETHEL	47	42	8	6	2
WHITE	2	2	-	-	-
ALL OTHER	45	40	8	6	2
NEGRO	-	-	-	-	-
DIST. 17, KUSKOKWIM	14	21	-	-	-
WHITE	3	4	-	-	-
ALL OTHER	11	17	-	-	-
NEGRO	-	-	-	-	-
DIST. 18, YUKON-KOYUKUK	33	46	5	4	1
WHITE	7	8	2	1	-
ALL OTHER	26	38	3	3	1
NEGRO	1	1	-	-	-
DIST. 19, FAIRBANKS	195	194	22	18	10
FAIRBANKS	---	117	13	13	-
WHITE	---	89	7	7	-
ALL OTHER	---	28	6	6	-
NEGRO	---	6	2	2	-
BALANCE OF DISTRICT	---	77	9	5	10
DIST. 20, UPPER YUKON	30	11	-	-	-
WHITE	21	2	-	-	-
ALL OTHER	9	9	-	-	-
NEGRO	-	-	-	-	-
DIST. 21, BARROW	22	26	1	-	1
WHITE	5	-	-	-	-
ALL OTHER	17	26	1	-	1
NEGRO	-	-	-	-	-
DIST. 22, KOBUK	20	21	-	-	-
WHITE	4	4	-	-	-
ALL OTHER	16	17	-	-	-
NEGRO	-	-	-	-	-
DIST. 23, NOME	41	46	6	6	3
WHITE	5	5	-	-	-
ALL OTHER	36	41	6	6	3
NEGRO	-	-	-	-	-
DIST. 24, WADE HAMPTON	20	28	3	-	3
WHITE	5	4	-	-	1
ALL OTHER	15	24	3	-	2
NEGRO	-	-	-	-	-
ARIZONA	17,396	17,050	589	393	375
WHITE	15,920	15,488	451	317	295
ALL OTHER	1,476	1,562	138	76	80
NEGRO	570	553	38	29	24
APACHE	228	312	28	15	21
WHITE	47	61	4	3	2
ALL OTHER	181	251	24	12	19
NEGRO	-	2	1	-	-
COCHISE	454	515	25	19	10
DOUGLAS	---	137	11	7	2
BALANCE OF COUNTY	---	378	14	12	8
COCONINO	351	304	35	15	18
WHITE	227	189	11	7	11
ALL OTHER	124	115	24	8	7
NEGRO	12	9	-	-	-
FLAGSTAFF	---	123	7	4	5
WHITE	---	108	7	4	5
ALL OTHER	---	15	-	-	-
NEGRO	---	8	-	-	-
BALANCE OF COUNTY	---	181	28	11	13
WHITE	---	81	4	3	6
ALL OTHER	---	100	24	8	7
NEGRO	---	1	-	-	-
GILA	285	329	14	8	11
WHITE	253	268	12	8	10
ALL OTHER	32	61	2	-	1
NEGRO	1	2	-	-	-
GRAHAM	150	178	6	5	5
WHITE	139	160	6	5	5
ALL OTHER	11	18	-	-	-
NEGRO	5	7	-	-	-
GREENLEE	63	84	3	3	6
MARICOPA	9,735	9,239	315	224	183
WHITE	9,107	8,745	275	194	156
ALL OTHER	628	494	40	30	27
NEGRO	354	347	29	24	19
CHANDLER	---	117	7	5	3
GLENDALE	---	411	17	7	14
MESA	---	783	30	25	15
PHOENIX	---	5,232	200	152	101
WHITE	---	4,877	168	127	83
ALL OTHER	---	355	32	25	18
NEGRO	---	300	26	22	16
SCOTTSDALE	---	579	6	4	8
TEMPE	---	315	10	6	11
BALANCE OF COUNTY	---	1,802	45	25	31
MOHAVE	315	361	7	4	5
NAVAJO	260	369	36	20	19
WHITE	163	174	8	6	10
ALL OTHER	97	195	28	14	9
NEGRO	7	8	-	-	-
PIMA	3,869	3,511	79	53	44
WHITE	3,637	3,277	63	45	35
ALL OTHER	232	234	16	8	9
NEGRO	117	112	7	4	4
TUCSON	---	3,022	66	45	34
WHITE	---	2,881	56	39	30
ALL OTHER	---	141	10	6	4
NEGRO	---	105	7	4	3
BALANCE OF COUNTY	---	489	13	8	10
PINAL	434	607	21	10	22
WHITE	357	499	19	8	19
ALL OTHER	77	108	2	2	3
NEGRO	26	27	1	1	-
CASA GRANDE	---	67	2	1	4
BALANCE OF COUNTY	---	540	19	9	18
WHITE	---	440	17	7	16
ALL OTHER	---	100	2	2	2
NEGRO	---	23	1	1	-
SANTA CRUZ	83	114	4	4	1
YAVAPAI	580	571	2	2	10
PRESCOTT	---	282	-	-	4
BALANCE OF COUNTY	---	289	2	2	6
YUMA	589	556	14	11	20
YUMA	---	309	8	6	6
BALANCE OF COUNTY	---	247	6	5	14
WHITE	---	220	6	5	12
ALL OTHER	---	27	-	-	2
NEGRO	---	7	-	-	-
ARKANSAS	21,915	22,226	593	419	423
WHITE	17,800	17,958	381	279	274
ALL OTHER	4,115	4,268	212	140	149
NEGRO	4,089	4,258	211	140	147
ARKANSAS	375	296	10	5	8
WHITE	258	231	7	3	6
ALL OTHER	77	65	3	2	2
NEGRO	77	65	3	2	2
STUTTGART	---	160	4	-	4
WHITE	---	121	3	-	2
ALL OTHER	---	39	1	-	2
NEGRO	---	39	1	-	2
BALANCE OF COUNTY	---	136	6	5	4
WHITE	---	110	4	3	4
ALL OTHER	---	26	2	2	-
NEGRO	---	26	2	2	-
ASHLEY	174	252	7	5	2
WHITE	111	170	4	4	-
ALL OTHER	63	82	3	1	2
NEGRO	63	82	3	1	2
BAXTER	315	294	5	4	3
BENTON	689	656	18	9	17
ROGERS	---	152	3	3	4
SPRINGDALE, PART	---	1	-	-	-
BALANCE OF COUNTY	---	503	15	6	13
BOONE	365	256	5	5	6
BRADLEY	170	179	2	1	2
WHITE	122	120	1	1	1
ALL OTHER	48	59	1	-	1
NEGRO	48	59	1	-	1
CALHOUN	58	83	2	2	3
WHITE	44	61	-	-	2
ALL OTHER	14	22	2	2	1
NEGRO	14	22	2	2	1
CARROLL	160	203	4	3	4
CHICOT	237	249	15	9	4
WHITE	96	89	3	3	1
ALL OTHER	141	160	12	6	3
NEGRO	141	159	11	6	3
CLARK	188	199	3	3	2
WHITE	133	142	2	2	2
ALL OTHER	55	57	1	1	-
NEGRO	55	57	1	1	-
CLAY	139	274	1	1	4
CLEBURNE	127	149	2	2	2
CLEVELAND	36	72	2	1	-
WHITE	25	55	1	1	-
ALL OTHER	11	17	1	-	-
NEGRO	11	17	1	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS—CON.					
COLUMBIA	296	326	11	8	2
WHITE	209	230	1	1	1
ALL OTHER	87	96	10	7	1
NEGRO	87	96	10	7	1
MAGNOLIA	—	139	5	4	—
WHITE	—	105	—	—	—
ALL OTHER	—	34	5	4	—
NEGRO	—	34	5	4	—
BALANCE OF COUNTY	—	187	6	4	2
WHITE	—	125	1	1	1
ALL OTHER	—	62	5	3	1
NEGRO	—	62	5	3	1
CONWAY	174	206	4	1	9
WHITE	149	171	3	1	6
ALL OTHER	25	35	1	—	3
NEGRO	25	35	1	—	3
CRAIGHEAD	633	567	13	9	9
JONESBORO	—	293	8	6	5
BALANCE OF COUNTY	—	274	5	3	4
CRAWFORD	208	285	9	7	7
CRITTENDEN	395	472	23	15	16
WHITE	217	210	7	6	3
ALL OTHER	178	262	16	9	13
NEGRO	178	262	16	9	13
WEST MEMPHIS	—	242	12	8	6
WHITE	—	140	6	5	2
ALL OTHER	—	102	6	3	4
NEGRO	—	102	6	3	4
BALANCE OF COUNTY	—	230	11	7	10
WHITE	—	70	1	1	1
ALL OTHER	—	160	10	6	9
NEGRO	—	160	10	6	9
CROSS	168	184	4	4	8
WHITE	132	149	2	2	3
ALL OTHER	36	35	2	2	5
NEGRO	36	35	2	2	5
DALLAS	115	145	3	2	3
WHITE	68	87	1	1	—
ALL OTHER	47	58	2	1	3
NEGRO	47	58	2	1	3
DESHA	197	210	8	6	4
WHITE	111	113	4	3	2
ALL OTHER	86	97	4	3	2
NEGRO	86	96	4	3	2
DREW	125	175	5	3	1
WHITE	83	117	3	2	—
ALL OTHER	42	58	2	1	1
NEGRO	42	58	2	1	1
FAULKNER	281	304	8	5	5
CONWAY	—	127	2	1	1
BALANCE OF COUNTY	—	177	6	4	4
WHITE	—	165	5	3	3
ALL OTHER	—	12	1	1	1
NEGRO	—	12	1	1	1
FRANKLIN	129	161	2	2	2
FULTON	155	125	1	1	5
GARLAND	986	951	17	14	11
HOT SPRINGS	—	722	10	7	6
WHITE	—	640	7	5	4
ALL OTHER	—	82	3	2	2
NEGRO	—	81	3	2	2
BALANCE OF COUNTY	—	229	7	7	5
GRANT	70	106	3	2	2
GREENE	386	308	2	2	5
PARAGOULD	—	183	2	2	2
BALANCE OF COUNTY	—	125	—	—	3
HEMPSTEAD	245	283	3	3	3
WHITE	168	190	2	2	2
ALL OTHER	77	93	1	1	1
NEGRO	77	93	1	1	1
HOT SPRING	233	268	3	3	4
WHITE	191	224	2	2	3
ALL OTHER	42	44	1	1	1
NEGRO	41	43	1	1	1
HOWARD	139	140	4	3	3
WHITE	88	108	1	1	1
ALL OTHER	51	32	3	2	2
NEGRO	51	32	3	2	2
INDEPENDENCE	248	242	3	1	3
IZARD	96	122	—	—	1
JACKSON	240	237	1	—	5
WHITE	209	209	1	—	3
ALL OTHER	31	28	—	—	2
NEGRO	31	28	—	—	2
JEFFERSON	880	898	29	24	18
WHITE	496	488	12	10	15
ALL OTHER	384	410	17	14	3
NEGRO	383	409	17	14	3
PINE BLUFF	—	708	18	14	14
WHITE	—	385	9	8	11
ALL OTHER	—	323	9	6	3
NEGRO	—	322	9	6	3
BALANCE OF COUNTY	—	190	11	10	4
WHITE	—	103	3	2	4
ALL OTHER	—	87	8	8	—
NEGRO	—	87	8	8	—
JOHNSON	164	223	5	4	3
LAFAYETTE	111	143	7	6	4
WHITE	64	85	4	4	2
ALL OTHER	47	58	3	2	2
NEGRO	47	58	3	2	2
LAWRENCE	157	210	3	3	3
LEE	151	190	8	6	4
WHITE	51	78	1	1	2
ALL OTHER	100	112	7	5	2
NEGRO	100	112	7	5	2
LINCOLN	67	134	7	4	5
WHITE	35	84	—	—	1
ALL OTHER	32	50	7	4	4
NEGRO	32	50	7	4	4
LITTLE RIVER	97	134	9	7	1
WHITE	73	103	5	4	—
ALL OTHER	24	31	4	3	1
NEGRO	24	31	4	3	1
LOGAN	143	224	2	2	4
LONOKE	176	301	7	5	6
WHITE	125	243	7	5	5
ALL OTHER	51	58	—	—	1
NEGRO	51	58	—	—	1
MADISON	90	112	1	1	1
MARION	72	117	1	—	1
MILLER	329	406	10	4	—
WHITE	234	301	7	2	—
ALL OTHER	95	105	3	2	—
NEGRO	95	105	3	2	—
TEXARKANA[2]	—	271	6	2	—
WHITE	—	197	4	1	—
ALL OTHER	—	74	2	1	—
NEGRO	—	74	2	1	—
BALANCE OF COUNTY	—	135	4	2	—
WHITE	—	104	3	1	—
ALL OTHER	—	31	1	1	—
NEGRO	—	31	1	1	—
MISSISSIPPI	528	609	22	15	13
WHITE	360	418	13	9	6
ALL OTHER	168	191	9	6	7
NEGRO	168	191	9	6	7
BLYTHEVILLE	—	230	6	5	2
WHITE	—	147	2	1	—
ALL OTHER	—	83	4	4	2
NEGRO	—	83	4	4	2
BALANCE OF COUNTY	—	379	16	10	11
WHITE	—	271	11	8	6
ALL OTHER	—	108	5	2	5
NEGRO	—	108	5	2	5
MONROE	128	180	5	3	2
WHITE	61	98	2	2	1
ALL OTHER	67	82	3	1	1
NEGRO	67	82	3	1	1
MONTGOMERY	40	86	1	—	3
NEVADA	126	158	2	2	1
WHITE	89	116	1	1	—
ALL OTHER	37	42	1	1	1
NEGRO	37	42	1	1	1
NEWTON	30	62	—	—	1
OUACHITA	351	358	7	6	7
WHITE	219	229	5	5	1
ALL OTHER	132	129	2	1	6
NEGRO	132	129	2	1	6
CAMDEN	—	196	4	3	3
WHITE	—	130	2	2	—
ALL OTHER	—	66	2	1	3
NEGRO	—	66	2	1	3
BALANCE OF COUNTY	—	162	3	3	4
WHITE	—	99	3	3	1
ALL OTHER	—	63	—	—	3
NEGRO	—	63	—	—	3
PERRY	17	54	2	2	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
ARKANSAS—CON.					
PHILLIPS	431	486	17	10	11
WHITE	179	206	2	2	–
ALL OTHER	252	280	15	8	11
NEGRO	251	279	15	8	11
HELENA	---	151	3	3	4
WHITE	---	65	–	–	–
ALL OTHER	---	86	3	3	4
NEGRO	---	85	3	3	4
WEST HELENA	---	130	2	–	1
WHITE	---	75	–	–	–
ALL OTHER	---	55	2	–	1
NEGRO	---	55	2	–	1
BALANCE OF COUNTY	---	205	12	7	6
WHITE	---	66	2	2	–
ALL OTHER	---	139	10	5	6
NEGRO	---	139	10	5	6
PIKE	95	98	1	–	1
POINSETT	103	266	5	4	9
POLK	138	182	5	4	1
POPE	255	271	7	4	4
RUSSELLVILLE	---	117	5	4	–
BALANCE OF COUNTY	---	154	2	–	4
PRAIRIE	38	120	3	3	6
WHITE	28	99	2	2	5
ALL OTHER	10	21	1	1	1
NEGRO	10	21	1	1	1
PULASKI	3,984	2,809	107	78	58
WHITE	3,057	2,117	68	50	26
ALL OTHER	927	692	39	28	32
NEGRO	924	691	39	28	32
JACKSONVILLE	---	108	11	6	6
LITTLE ROCK	---	1,618	56	44	38
WHITE	---	1,204	33	28	15
ALL OTHER	---	414	23	16	23
NEGRO	---	414	23	16	23
NORTH LITTLE ROCK	---	771	29	18	6
WHITE	---	603	17	10	4
ALL OTHER	---	168	12	8	2
NEGRO	---	167	12	8	2
BALANCE OF COUNTY	---	312	11	10	8
WHITE	---	214	7	6	3
ALL OTHER	---	98	4	4	5
NEGRO	---	98	4	4	5
RANDOLPH	139	173	3	2	–
ST. FRANCIS	249	325	16	13	10
WHITE	133	164	4	3	3
ALL OTHER	116	161	12	10	7
NEGRO	116	160	12	10	7
FORREST CITY	---	165	6	5	3
WHITE	---	89	1	1	1
ALL OTHER	---	76	5	4	2
NEGRO	---	76	5	4	2
BALANCE OF COUNTY	---	160	10	8	7
WHITE	---	75	3	2	2
ALL OTHER	---	85	7	6	5
NEGRO	---	84	7	6	5
SALINE	324	333	9	5	5
BENTON	---	176	3	3	2
BALANCE OF COUNTY	---	157	6	2	3
SCOTT	67	104	1	–	1
SEARCY	35	83	–	–	–
SEBASTIAN	1,280	820	23	18	19
FORT SMITH	---	665	19	14	16
BALANCE OF COUNTY	---	155	4	4	3
SEVIER	249	160	3	1	6
SHARP	31	127	1	1	–
STONE	64	76	2	2	–
UNION	561	548	7	3	14
WHITE	395	386	3	1	7
ALL OTHER	166	162	4	2	7
NEGRO	166	162	4	2	7
EL DORADO	---	311	5	2	9
WHITE	---	223	2	1	4
ALL OTHER	---	88	3	1	5
NEGRO	---	88	3	1	5
BALANCE OF COUNTY	---	237	2	1	5
WHITE	---	163	1	–	3
ALL OTHER	---	74	1	1	2
NEGRO	---	74	1	1	2
VAN BUREN	93	116	4	2	2
WASHINGTON	851	701	22	16	14
FAYETTEVILLE	---	235	5	3	6
SPRINGDALE, PART	---	161	8	6	3
SPRINGDALE, TOTAL	---	162	8	6	3
BALANCE OF COUNTY	---	305	9	7	5
WHITE	457	507	14	11	13

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
ARKANSAS—CON.					
WOODRUFF	88	155	9	6	3
WHITE	60	102	3	2	–
ALL OTHER	28	53	6	4	3
NEGRO	28	53	6	4	3
YELL	174	188	3	1	3
CALIFORNIA	170,672	170,403	4,265	2,963	3,016
WHITE	156,423	156,148	3,494	2,458	2,453
ALL OTHER	14,249	14,255	771	505	563
NEGRO	11,117	11,129	663	434	440
ALAMEDA	9,206	9,167	216	152	139
WHITE	7,757	7,648	136	101	96
ALL OTHER	1,449	1,519	80	51	43
NEGRO	1,251	1,327	74	46	35
ALAMEDA	---	615	12	6	4
ALBANY	---	156	2	2	1
WHITE	---	147	2	2	1
ALL OTHER	---	9	–	–	–
NEGRO	---	7	–	–	–
BERKELEY	---	859	17	14	10
WHITE	---	619	12	11	5
ALL OTHER	---	240	5	3	5
NEGRO	---	208	5	3	4
FREMONT	---	480	21	16	17
HAYWARD	---	761	19	13	17
LIVERMORE	---	224	9	6	10
NEWARK	---	106	4	3	7
OAKLAND	---	4,068	93	58	42
WHITE	---	2,904	23	14	13
ALL OTHER	---	1,164	70	44	29
NEGRO	---	1,055	65	40	28
PIEDMONT	---	106	–	–	–
PLEASANTON	---	121	8	7	2
SAN LEANDRO	---	801	5	4	4
UNION CITY	---	94	4	4	5
BALANCE OF COUNTY	---	776	22	19	20
ALPINE	9	2	–	–	–
WHITE	8	2	–	–	–
ALL OTHER	1	–	–	–	–
NEGRO	1	–	–	–	–
AMADOR	159	149	2	2	–
BUTTE	1,213	1,243	16	14	15
CHICO	---	197	2	2	–
BALANCE OF COUNTY	---	1,046	14	12	15
CALAVERAS	150	176	1	–	1
COLUSA	102	119	3	2	1
CONTRA COSTA	3,827	3,969	85	63	67
WHITE	3,514	3,666	72	54	51
ALL OTHER	313	303	13	9	16
NEGRO	286	270	13	9	14
ANTIOCH	---	202	7	4	2
CONCORD	---	503	19	14	8
EL CERRITO	---	213	2	1	3
WHITE	---	197	1	–	2
ALL OTHER	---	16	1	1	1
NEGRO	---	8	1	1	1
LAFAYETTE	---	121	2	2	2
MARTINEZ	---	140	3	3	3
PINOLE	---	45	–	–	4
PITTSBURG	---	210	7	4	8
WHITE	---	166	4	2	6
ALL OTHER	---	44	3	2	2
NEGRO	---	39	3	2	2
PLEASANT HILL	---	142	4	4	1
RICHMOND	---	701	16	11	13
WHITE	---	507	7	5	3
ALL OTHER	---	194	9	6	10
NEGRO	---	185	9	6	9
SAN PABLO	---	247	6	5	5
WALNUT CREEK	---	479	4	3	3
BALANCE OF COUNTY	---	966	15	12	15
DEL NORTE	150	158	3	2	2
EL DORADO	460	448	3	3	9
SOUTH LAKE TAHOE	---	82	1	1	6
BALANCE OF COUNTY	---	366	2	2	3
FRESNO	3,939	3,593	133	90	76
WHITE	3,601	3,277	116	77	61
ALL OTHER	338	316	17	13	15
NEGRO	236	218	15	11	10
CLOVIS	---	131	6	5	7
FRESNO	---	1,668	55	36	31
WHITE	---	1,477	44	28	24
ALL OTHER	---	191	11	8	7
NEGRO	---	168	10	7	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
FRESNO--CON.					
SANGER	—	67	2	2	1
BALANCE OF COUNTY	—	1,727	70	47	37
WHITE	—	1,606	65	43	32
ALL OTHER	—	121	5	4	5
NEGRO	—	48	4	3	1
GLENN	146	200	3	3	5
HUMBOLDT	881	904	16	7	15
EUREKA	—	336	2	1	7
BALANCE OF COUNTY	—	568	14	6	8
IMPERIAL	599	635	13	8	19
BRAWLEY	—	99	2	1	2
CALEXICO	—	69	4	2	4
EL CENTRO	—	159	2	1	5
BALANCE OF COUNTY	—	308	5	4	8
INYO	271	189	1	1	6
KERN	2,830	2,966	94	72	74
WHITE	2,586	2,729	84	66	66
ALL OTHER	244	237	10	6	8
NEGRO	197	190	6	3	6
BAKERSFIELD	—	767	19	14	17
WHITE	—	636	15	12	13
ALL OTHER	—	131	4	2	4
NEGRO	—	124	4	2	4
DELANO	—	125	6	4	3
WHITE	—	89	3	2	3
ALL OTHER	—	36	3	2	—
NEGRO	—	5	1	1	—
BALANCE OF COUNTY	—	2,074	69	54	54
WHITE	—	2,004	66	52	50
ALL OTHER	—	70	3	2	4
NEGRO	—	61	1	—	2
KINGS	425	488	26	15	17
HANFORD	—	173	10	5	5
BALANCE OF COUNTY	—	315	16	10	12
LAKE	347	430	3	1	1
LASSEN	123	157	9	8	6
LOS ANGELES	60,774	60,195	1,530	1,045	1,170
WHITE	53,652	53,050	1,136	788	889
ALL OTHER	7,122	7,145	394	257	281
NEGRO	6,165	6,196	357	232	241
ALHAMBRA	—	728	10	5	12
ARCADIA	—	434	6	4	1
ARTESIA	—	104	3	2	4
AZUSA	—	233	15	11	3
BALDWIN PARK	—	307	13	10	17
BELL	—	249	11	8	4
BELLFLOWER	—	479	17	11	8
BELL GARDENS	—	230	8	3	16
BEVERLY HILLS	—	422	2	1	—
BURBANK	—	883	15	11	8
CARSON	—	360	14	6	17
WHITE	—	291	10	3	8
ALL OTHER	—	69	4	3	9
NEGRO	—	44	4	3	5
CERRITOS	—	101	9	6	4
CLAREMONT	—	192	3	3	1
COMMERCE	—	56	3	3	2
COMPTON	—	536	53	40	26
WHITE	—	176	12	9	5
ALL OTHER	—	360	41	31	21
NEGRO	—	357	41	31	19
COVINA	—	318	14	10	1
CUDAHY	—	115	6	3	2
CULVER CITY	—	351	10	10	5
DOWNEY	—	648	20	13	12
DUARTE	—	168	6	5	2
EL MONTE	—	571	21	14	20
EL SEGUNDO	—	105	2	1	—
GARDENA	—	469	17	14	10
WHITE	—	379	10	8	8
ALL OTHER	—	90	7	6	2
NEGRO	—	34	5	4	2
GLENDALE	—	1,616	17	15	9
GLENDORA	—	243	8	6	5
HAWTHORNE	—	391	14	6	8
HERMOSA BEACH	—	138	3	2	1
HUNTINGTON PARK	—	464	12	7	7
INGLEWOOD	—	859	17	13	24
WHITE	—	722	5	5	14
ALL OTHER	—	137	12	8	10
NEGRO	—	132	12	8	10
LAKEWOOD	—	429	7	4	8
LA MIRADA	—	168	6	3	3
LA PUENTE	—	250	13	7	16
LA VERNE	—	149	5	4	2
LAWNDALE	—	159	5	4	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA—CON.					
LOS ANGELES--CON.					
LOMITA	—	172	4	4	2
LONG BEACH	—	4,306	79	48	53
WHITE	—	4,131	62	35	45
ALL OTHER	—	175	17	13	8
NEGRO	—	156	17	13	7
LOS ANGELES	—	26,315	639	433	518
WHITE	—	21,088	404	289	345
ALL OTHER	—	5,227	235	144	173
NEGRO	—	4,647	212	126	153
LYNWOOD	—	393	12	11	3
MANHATTAN BEACH	—	201	3	2	4
MAYWOOD	—	160	3	2	4
MONROVIA	—	346	7	6	6
WHITE	—	324	6	6	6
ALL OTHER	—	22	1	—	—
NEGRO	—	21	1	—	—
MONTEBELLO	—	350	10	7	9
MONTEREY PARK	—	312	9	9	2
WHITE	—	291	8	8	2
ALL OTHER	—	21	1	1	—
NEGRO	—	—	—	—	—
NORWALK	—	461	16	12	19
PALOS VERDES ESTATES	—	44	—	—	1
PARAMOUNT	—	257	14	9	15
PASADENA	—	1,445	16	14	12
WHITE	—	1,256	8	7	7
ALL OTHER	—	189	8	7	5
NEGRO	—	171	8	7	5
PICO RIVERA	—	298	8	4	10
POMONA	—	704	28	17	9
WHITE	—	640	20	11	6
ALL OTHER	—	64	8	6	3
NEGRO	—	63	8	6	3
REDONDO BEACH	—	454	12	8	8
ROSEMEAD	—	359	7	5	8
SAN DIMAS	—	122	1	—	1
SAN FERNANDO	—	182	5	3	7
SAN GABRIEL	—	321	2	1	3
SAN MARINO	—	106	1	1	1
SANTA FE SPRINGS	—	62	3	3	—
SANTA MONICA	—	1,093	5	4	6
SIERRA MADRE	—	107	3	2	1
SOUTH EL MONTE	—	64	3	1	2
SOUTH GATE	—	624	9	3	8
SOUTH PASADENA	—	231	3	3	2
TEMPLE CITY	—	293	5	4	3
TORRANCE	—	795	25	17	15
WEST COVINA	—	343	8	5	10
WHITTIER	—	830	21	15	27
BALANCE OF COUNTY	—	5,520	184	127	141
WHITE	—	5,033	146	102	108
ALL OTHER	—	487	38	25	33
NEGRO	—	414	35	23	29
MADERA	326	438	19	15	7
MADERA	—	183	8	7	3
WHITE	—	162	7	7	3
ALL OTHER	—	21	1	—	—
NEGRO	—	19	1	—	—
BALANCE OF COUNTY	—	255	11	8	4
MARIN	1,418	1,339	26	16	16
LARKSPUR	—	48	—	—	—
MILL VALLEY	—	148	2	1	1
NOVATO	—	164	5	2	10
SAN ANSELMO	—	109	3	3	—
SAN RAFAEL	—	370	6	4	—
BALANCE OF COUNTY	—	500	10	6	5
MARIPOSA	90	101	—	—	—
MENDOCINO	536	557	12	8	10
UKIAH	—	123	2	2	2
BALANCE OF COUNTY	—	434	10	6	8
MERCED	683	814	29	19	24
ATWATER	—	58	3	3	2
WHITE	—	52	2	2	1
ALL OTHER	—	6	1	1	1
NEGRO	—	5	1	1	1
MERCED	—	230	7	6	8
WHITE	—	209	7	6	4
ALL OTHER	—	21	—	—	4
NEGRO	—	20	—	—	4
BALANCE OF COUNTY	—	526	19	10	14
MODOC	72	87	1	—	—
MONO	41	36	1	1	2
MONTEREY	1,797	1,842	51	42	31
WHITE	1,668	1,711	44	36	25
ALL OTHER	129	131	7	6	6
NEGRO	61	63	6	6	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
CALIFORNIA--CON.					
MONTEREY--CON.					
MONTEREY	—	222	3	2	2
PACIFIC GROVE	—	183	2	2	-
SALINAS	—	514	12	9	10
SEASIDE	—	140	10	9	6
WHITE	—	99	5	4	4
ALL OTHER	—	41	5	5	2
NEGRO	—	34	5	5	2
BALANCE OF COUNTY	—	783	24	20	13
NAPA	1,037	859	12	9	9
NAPA	—	501	7	5	7
BALANCE OF COUNTY	—	358	5	4	2
NEVADA	398	368	6	3	8
ORANGE	9,585	10,098	327	244	236
WHITE	9,475	9,983	318	236	225
ALL OTHER	110	115	9	8	11
NEGRO	60	58	8	7	7
ANAHEIM	—	1,196	50	41	42
BREA	—	118	3	2	-
BUENA PARK	—	345	19	17	8
COSTA MESA	—	505	13	12	8
CYPRESS	—	153	6	5	4
FOUNTAIN VALLEY	—	193	4	2	7
FULLERTON	—	520	14	11	16
GARDEN GROVE	—	710	27	20	15
HUNTINGTON BEACH	—	614	19	13	14
LAGUNA BEACH	—	189	2	2	2
LA HABRA	—	253	12	9	3
LOS ALAMITOS	—	115	6	2	3
NEWPORT BEACH	—	452	3	2	2
ORANGE	—	484	15	8	13
PLACENTIA	—	111	9	7	6
SAN CLEMENTE	—	187	9	7	8
SANTA ANA	—	1,209	52	38	39
WHITE	—	1,163	46	33	36
ALL OTHER	—	46	6	5	3
NEGRO	—	39	5	4	3
SEAL BEACH	—	531	2	2	-
STANTON	—	136	5	3	6
TUSTIN	—	186	7	5	4
WESTMINSTER	—	319	8	5	7
YORBA LINDA	—	81	6	4	1
BALANCE OF COUNTY	—	1,491	36	27	28
PLACER	863	843	17	12	6
ROSEVILLE	—	215	2	1	2
BALANCE OF COUNTY	—	628	15	11	4
PLUMAS	142	143	1	1	4
RIVERSIDE	4,946	5,151	117	69	69
WHITE	4,723	4,917	100	58	61
ALL OTHER	223	234	17	11	8
NEGRO	197	208	17	11	6
BANNING	—	172	6	4	2
WHITE	—	158	3	1	2
ALL OTHER	—	14	3	3	-
NEGRO	—	14	3	3	-
CORONA	—	198	8	6	4
HEMET	—	435	1	1	-
INDIO	—	166	8	3	4
NORCO	—	61	1	-	-
PALM SPRINGS	—	325	6	3	1
RIVERSIDE	—	1,134	22	15	21
BALANCE OF COUNTY	—	2,660	65	37	37
WHITE	—	2,526	57	32	34
ALL OTHER	—	134	8	5	3
NEGRO	—	120	8	5	2
SACRAMENTO	5,276	5,096	152	104	77
WHITE	4,875	4,684	128	87	66
ALL OTHER	401	412	24	17	11
NEGRO	274	279	21	15	7
SACRAMENTO	—	3,105	92	62	36
WHITE	—	2,752	73	49	29
ALL OTHER	—	353	19	13	7
NEGRO	—	248	17	12	5
BALANCE OF COUNTY	—	1,991	60	42	41
WHITE	—	1,932	55	38	37
ALL OTHER	—	59	5	4	4
NEGRO	—	31	4	3	2
SAN BENITO	122	181	9	7	6
SAN BERNARDINO	5,938	5,788	157	114	76
WHITE	5,714	5,569	144	101	70
ALL OTHER	224	219	13	13	6
NEGRO	205	198	11	11	6
BARSTOW	—	117	2	1	1
WHITE	—	107	2	1	1
ALL OTHER	—	10	-	-	-
NEGRO	—	7	-	-	-
CALIFORNIA--CON.					
SAN BERNARDINO--CON.					
CHINO	—	122	5	5	3
COLTON	—	178	5	5	5
FONTANA	—	212	5	3	1
MONTCLAIR	—	88	3	2	2
ONTARIO	—	551	19	13	13
REDLANDS	—	311	1	1	1
RIALTO	—	187	5	3	3
SAN BERNARDINO	—	1,063	23	17	7
WHITE	—	953	18	12	6
ALL OTHER	—	110	5	5	1
NEGRO	—	104	4	4	1
UPLAND	—	267	9	8	8
VICTORVILLE	—	89	4	2	2
BALANCE OF COUNTY	—	2,603	76	54	30
WHITE	—	2,541	73	51	29
ALL OTHER	—	62	3	3	1
NEGRO	—	54	2	2	1
SAN DIEGO	11,774	11,510	313	234	213
WHITE	11,206	10,965	265	201	172
ALL OTHER	568	545	48	33	41
NEGRO	411	396	39	27	28
CARLSBAD	—	146	4	4	7
CHULA VISTA	—	584	15	10	11
CORONADO	—	139	-	-	-
EL CAJON	—	510	13	12	9
ESCONDIDO	—	477	15	12	4
IMPERIAL BEACH	—	116	7	7	2
LA MESA	—	350	5	5	3
NATIONAL CITY	—	262	15	11	14
WHITE	—	246	11	7	11
ALL OTHER	—	16	4	4	3
NEGRO	—	8	2	2	1
OCEANSIDE	—	405	24	17	14
SAN DIEGO	—	5,874	145	104	100
WHITE	—	5,447	115	83	73
ALL OTHER	—	427	30	21	27
NEGRO	—	345	27	19	20
VISTA	—	289	4	4	4
BALANCE OF COUNTY	—	2,358	66	48	45
WHITE	—	2,303	61	46	41
ALL OTHER	—	55	5	2	4
NEGRO	—	23	3	1	3
SAN FRANCISCO, COEX. WITH SAN FRANCISCO CITY	8,796	8,497	104	67	53
WHITE	7,281	7,042	47	30	24
ALL OTHER	1,515	1,455	57	37	29
NEGRO	845	792	36	21	19
SAN JOAQUIN	2,829	2,895	60	43	46
WHITE	2,558	2,617	50	36	37
ALL OTHER	271	278	10	7	9
NEGRO	145	149	9	6	7
LODI	—	390	2	1	3
MANTECA	—	150	3	3	6
STOCKTON	—	1,231	32	22	18
WHITE	—	1,034	23	15	9
ALL OTHER	—	197	9	7	9
NEGRO	—	106	8	6	7
TRACY	—	125	4	4	1
BALANCE OF COUNTY	—	999	19	13	18
WHITE	—	937	18	13	18
ALL OTHER	—	62	1	-	-
NEGRO	—	38	1	-	-
SAN LUIS OBISPO	1,093	1,110	15	10	9
SAN LUIS OBISPO	—	224	6	3	1
BALANCE OF COUNTY	—	886	9	7	8
SAN MATEO	3,691	3,978	78	50	52
WHITE	3,519	3,764	63	42	32
ALL OTHER	172	214	15	8	20
NEGRO	112	145	10	6	10
BELMONT	—	124	2	2	-
BURLINGAME	—	316	2	1	3
DALY CITY	—	416	9	5	8
WHITE	—	388	6	4	6
ALL OTHER	—	28	3	1	2
NEGRO	—	12	1	-	2
MENLO PARK	—	308	5	3	-
WHITE	—	281	3	2	-
ALL OTHER	—	27	2	1	-
NEGRO	—	25	2	1	-
MILLBRAE	—	140	1	1	1
PACIFICA	—	167	9	6	4
REDWOOD CITY	—	507	11	9	10
SAN BRUNO	—	201	8	7	5
SAN CARLOS	—	218	7	3	1
SAN MATEO	—	692	9	7	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
SAN MATEO--CON.					
SOUTH SAN FRANCISCO	---	298	5	1	5
BALANCE OF COUNTY	---	591	10	5	11
WHITE	---	518	7	3	5
ALL OTHER	---	73	3	2	6
NEGRO	---	66	3	2	5
SANTA BARBARA	2,035	2,020	45	24	37
WHITE	1,977	1,962	40	22	33
ALL OTHER	58	58	5	2	4
NEGRO	31	35	3	2	4
LOMPOC	---	151	4	2	8
SANTA BARBARA	---	948	14	11	9
SANTA MARIA	---	254	12	4	3
BALANCE OF COUNTY	---	667	15	7	17
SANTA CLARA	7,428	6,755	199	146	155
WHITE	7,137	6,515	185	138	134
ALL OTHER	291	240	14	8	21
NEGRO	164	120	10	6	14
CAMPBELL	---	221	5	4	4
CUPERTINO	---	174	6	4	4
GILROY	---	98	5	1	1
LOS ALTOS	---	224	4	2	2
LOS GATOS	---	267	9	6	2
MILPITAS	---	102	9	7	4
WHITE	---	97	8	6	3
ALL OTHER	---	5	1	1	1
NEGRO	---	3	1	1	1
MOUNTAIN VIEW	---	384	8	6	3
PALO ALTO	---	516	7	7	5
SAN JOSE	---	3,138	100	72	100
WHITE	---	2,994	89	66	86
ALL OTHER	---	144	11	6	14
NEGRO	---	81	8	4	9
SANTA CLARA	---	504	20	17	6
SARATOGA	---	174	3	3	2
SUNNYVALE	---	516	10	8	14
BALANCE OF COUNTY	---	437	13	9	8
SANTA CRUZ	1,582	1,600	30	21	11
SANTA CRUZ	---	516	10	7	2
WATSONVILLE	---	179	7	5	3
WHITE	---	167	7	5	3
ALL OTHER	---	12	-	-	-
NEGRO	---	2	-	-	-
BALANCE OF COUNTY	---	905	13	9	6
SHASTA	763	736	10	6	19
REDDING	---	213	3	3	2
BALANCE OF COUNTY	---	523	7	3	17
SIERRA	18	28	-	-	1
SISKIYOU	297	335	8	6	3
SOLANO	1,217	1,265	42	28	23
WHITE	1,106	1,142	35	23	15
ALL OTHER	111	123	7	5	8
NEGRO	89	103	6	4	7
FAIRFIELD	---	173	8	5	8
WHITE	---	161	6	3	5
ALL OTHER	---	12	2	2	3
NEGRO	---	9	2	2	3
VACAVILLE	---	146	7	2	3
VALLEJO	---	672	18	15	8
WHITE	---	573	14	12	5
ALL OTHER	---	99	4	3	3
NEGRO	---	86	3	2	2
BALANCE OF COUNTY	---	274	9	6	4
SONOMA	2,319	2,339	39	29	30
PETALUMA	---	249	2	2	4
SANTA ROSA	---	792	10	9	14
BALANCE OF COUNTY	---	1,298	27	18	12
STANISLAUS	1,953	1,920	49	31	30
MODESTO	---	684	19	13	12
TURLOCK	---	225	5	3	3
BALANCE OF COUNTY	---	1,011	25	15	15
SUTTER	270	358	14	11	1
YUBA CITY	---	147	7	6	-
BALANCE OF COUNTY	---	211	7	5	1
TEHAMA	273	326	4	2	5
TRINITY	75	82	1	-	1
TULARE	1,700	1,856	46	30	41
WHITE	1,637	1,782	45	30	41
ALL OTHER	63	74	1	-	-
NEGRO	31	36	1	-	-
PORTERVILLE	---	241	7	5	2
TULARE	---	215	4	3	5
WHITE	---	192	4	3	5
ALL OTHER	---	23	-	-	-
NEGRO	---	21	-	-	-
VISALIA	---	373	7	5	8
BALANCE OF COUNTY	---	1,027	28	17	26
TUOLUMNE	240	240	2	1	2
VENTURA	2,463	2,552	79	51	65
WHITE	2,410	2,499	75	49	61
ALL OTHER	53	53	4	2	4
NEGRO	38	36	4	2	2
CAMARILLO	---	133	3	3	1
OXNARD	---	492	31	16	21
WHITE	---	462	28	14	19
ALL OTHER	---	30	3	2	2
NEGRO	---	25	3	2	2
PORT HUENEME	---	93	3	2	1
SANTA PAULA	---	148	5	2	2
SIMI VALLEY	---	209	9	7	8
THOUSAND OAKS	---	169	7	6	5
VENTURA	---	537	2	1	8
BALANCE OF COUNTY	---	771	19	14	19
YOLO	599	701	22	15	10
DAVIS	---	98	4	2	1
WOODLAND	---	209	7	5	4
BALANCE OF COUNTY	---	394	11	8	5
YUBA	376	371	11	6	5
COLORADO	18,449	17,922	614	449	421
WHITE	17,814	17,316	576	425	386
ALL OTHER	635	606	38	24	35
NEGRO	495	489	30	21	27
ADAMS	1,003	1,042	59	40	33
ARVADA, PART	---	2	-	-	-
AURORA, PART	---	141	6	5	5
COMMERCE CITY	---	128	7	4	1
NORTH GLENN	---	112	4	3	4
THORNTON	---	111	8	6	8
WESTMINSTER	---	141	9	6	4
BALANCE OF COUNTY	---	407	25	16	11
ALAMOSA	105	92	1	-	2
ARAPAHOE	815	1,020	45	33	32
AURORA, PART	---	283	25	19	16
AURORA, TOTAL	---	424	31	24	21
ENGLEWOOD	---	358	6	4	9
LITTLETON	---	262	8	6	4
BALANCE OF COUNTY	---	117	6	4	3
ARCHULETA	14	23	2	2	-
BACA	46	51	2	1	1
BENT	117	86	3	2	1
BOULDER	822	843	20	13	29
BOULDER	---	377	8	7	10
LONGMONT	---	251	3	1	10
BALANCE OF COUNTY	---	215	9	5	9
CHAFFEE	121	113	4	3	2
CHEYENNE	26	25	1	1	-
CLEAR CREEK	29	36	1	1	2
CONEJOS	57	67	3	3	3
COSTILLA	10	32	-	-	-
CROWLEY	17	37	1	1	-
CUSTER	5	9	-	-	1
DELTA	142	189	6	4	4
DENVER, COEX. WITH DENVER CITY	6,201	4,891	126	95	97
WHITE	5,810	4,500	102	78	75
ALL OTHER	391	391	24	17	22
NEGRO	333	356	22	16	20
DOLORES	-	11	1	1	-
WHITE	-	11	1	1	-
ALL OTHER	-	-	-	-	-
NEGRO	-	-	-	-	-
DOUGLAS	44	55	-	-	2
EAGLE	41	51	2	-	3
ELBERT	18	41	2	1	-
EL PASO	1,595	1,568	99	69	55
WHITE	1,528	1,496	90	63	50
ALL OTHER	67	72	9	6	5
NEGRO	58	60	6	4	3
COLORADO SPRINGS	---	1,213	75	53	32
BALANCE OF COUNTY	---	355	24	16	23
FREMONT	332	343	9	7	5
GARFIELD	130	127	6	5	3
GILPIN	12	17	3	3	-
GRAND	35	35	3	2	3
GUNNISON	44	43	2	1	1
HINSDALE	6	4	-	-	-
HUERFANO	66	82	1	1	2
JACKSON	4	12	-	-	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
COLORADO—CON.					
JEFFERSON	1,302	1,515	40	27	38
ARVADA, PART	---	256	11	7	12
ARVADA, TOTAL	---	258	11	7	12
LAKEWOOD	---	626	14	10	9
WHEAT RIDGE	---	272	5	3	3
BALANCE OF COUNTY	---	361	10	7	14
KIOWA	24	25	-	-	-
KIT CARSON	50	65	-	-	1
LAKE	34	44	1	1	1
LA PLATA	214	181	4	3	4
DURANGO	---	100	3	2	-
BALANCE OF COUNTY	---	81	1	1	4
LARIMER	666	728	22	18	10
FORT COLLINS	---	306	8	6	4
LOVELAND	---	222	3	3	2
BALANCE OF COUNTY	---	200	11	9	4
LAS ANIMAS	169	201	2	2	3
LINCOLN	52	58	2	2	-
LOGAN	167	179	5	4	3
STERLING	---	128	5	4	1
BALANCE OF COUNTY	---	51	-	-	2
MESA	657	569	11	6	9
GRAND JUNCTION	---	301	2	1	5
BALANCE OF COUNTY	---	268	9	5	4
MINERAL	8	4	-	-	-
MOFFAT	74	71	2	2	3
MONTEZUMA	107	132	7	6	3
MONTROSE	169	175	2	1	-
MORGAN	172	208	9	6	5
OTERO	239	242	7	2	3
OURAY	6	10	-	-	-
PARK	18	21	1	1	-
PHILLIPS	47	50	2	2	-
PITKIN	40	29	1	1	-
PROWERS	95	137	6	5	3
PUEBLO	1,219	1,128	44	38	19
PUEBLO	---	1,015	42	36	16
BALANCE OF COUNTY	---	113	2	2	3
RIO BLANCO	55	45	2	1	-
RIO GRANDE	119	123	2	2	1
ROUTT	49	56	4	4	2
SAGUACHE	8	36	1	1	2
SAN JUAN	6	5	-	-	-
SAN MIGUEL	9	15	-	-	-
SEDGWICK	45	49	1	1	-
SUMMIT	21	16	-	-	1
TELLER	16	26	3	2	3
WASHINGTON	30	53	-	-	1
WELD	606	682	31	22	21
GREELEY	---	336	13	10	9
BALANCE OF COUNTY	---	346	18	12	12
YUMA	99	99	-	-	2
CONNECTICUT	26,194	26,129	572	446	344
WHITE	24,924	24,869	458	355	286
ALL OTHER	1,270	1,260	114	91	58
NEGRO	1,244	1,235	113	90	57
FAIRFIELD	6,054	6,482	137	109	99
WHITE	5,693	6,084	98	79	73
ALL OTHER	361	398	39	30	26
NEGRO	353	389	39	30	25
BRIDGEPORT	---	1,578	51	42	26
WHITE	---	1,390	27	24	20
ALL OTHER	---	188	24	18	6
NEGRO	---	185	24	18	6
DANBURY	---	464	13	9	6
DARIEN TOWN#	---	126	1	1	2
FAIRFIELD TOWN#	---	428	8	7	3
GREENWICH TOWN#	---	488	6	2	1
NORWALK	---	502	10	10	11
WHITE	---	460	7	7	9
ALL OTHER	---	42	3	3	2
NEGRO	---	40	3	3	2
SHELTON	---	183	2	2	4
STAMFORD	---	900	15	10	19
WHITE	---	815	11	7	10
ALL OTHER	---	85	4	3	9
NEGRO	---	85	4	3	9
STRATFORD TOWN#	---	466	6	6	4
TRUMBULL TOWN#	---	191	4	3	-
WESTPORT TOWN#	---	169	2	1	1
BALANCE OF COUNTY	---	987	19	16	22

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CONNECTICUT—CON.					
HARTFORD	7,001	6,872	134	105	84
WHITE	6,648	6,515	104	80	70
ALL OTHER	353	357	30	25	14
NEGRO	343	349	29	24	14
BRISTOL	---	442	15	10	8
EAST HARTFORD TOWN#	---	415	7	6	8
ENFIELD TOWN#	---	281	15	9	-
HARTFORD	---	1,490	44	39	30
WHITE	---	1,208	17	17	17
ALL OTHER	---	282	27	22	13
NEGRO	---	277	26	21	13
MANCHESTER TOWN#	---	445	4	4	5
NEW BRITAIN	---	841	10	4	11
NEWINGTON TOWN#	---	175	6	5	1
PLAINVILLE TOWN#	---	141	-	-	-
SOUTHINGTON TOWN#	---	179	2	1	2
WEST HARTFORD TOWN#	---	713	6	4	2
WETHERSFIELD TOWN#	---	262	2	2	2
WINDSOR LOCKS TOWN#	---	105	1	-	1
BALANCE OF COUNTY	---	1,383	22	21	14
LITCHFIELD	1,372	1,491	34	26	24
TORRINGTON	---	379	5	4	6
BALANCE OF COUNTY	---	1,112	29	22	18
MIDDLESEX	1,082	1,034	17	9	14
MIDDLETOWN	---	346	6	3	6
BALANCE OF COUNTY	---	688	11	6	8
NEW HAVEN	7,540	6,926	162	128	78
WHITE	7,082	6,516	120	93	63
ALL OTHER	458	410	42	35	15
NEGRO	454	407	42	35	15
ANSONIA	---	226	3	3	2
DERBY	---	119	3	2	2
EAST HAVEN TOWN#	---	187	2	1	1
HAMDEN TOWN#	---	513	4	3	3
MERIDEN	---	495	15	10	10
MILFORD	---	387	7	5	1
NAUGATUCK	---	229	6	6	7
NEW HAVEN	---	1,430	49	38	18
WHITE	---	1,175	20	14	12
ALL OTHER	---	255	29	24	6
NEGRO	---	253	29	24	6
WALLINGFORD TOWN#	---	285	6	6	2
WATERBURY	---	1,219	32	25	18
WHITE	---	1,146	24	18	9
ALL OTHER	---	73	8	7	9
NEGRO	---	73	8	7	9
WEST HAVEN TOWN#	---	512	12	10	5
BALANCE OF COUNTY	---	1,324	23	19	9
NEW LONDON	1,912	1,912	43	33	23
NEW LONDON	---	350	7	4	1
WHITE	---	320	5	3	1
ALL OTHER	---	30	2	1	-
NEGRO	---	28	2	1	-
NORWICH	---	445	11	9	3
BALANCE OF COUNTY	---	1,117	25	20	19
TOLLAND	422	594	23	20	13
VERNON TOWN#	---	169	10	8	2
BALANCE OF COUNTY	---	425	13	12	11
WINDHAM	811	818	22	16	9
WILLIMANTIC	---	88	1	1	1
BALANCE OF COUNTY	---	730	21	15	8
DELAWARE	5,191	4,986	140	107	67
WHITE	4,307	4,146	96	73	46
ALL OTHER	884	840	44	34	21
NEGRO	878	835	43	33	20
KENT	595	689	22	14	19
WHITE	480	559	14	9	14
ALL OTHER	115	130	8	5	5
NEGRO	113	128	8	5	5
DOVER	---	183	9	6	5
WHITE	---	128	4	3	3
ALL OTHER	---	55	5	3	2
NEGRO	---	55	5	3	2
BALANCE OF COUNTY	---	506	13	8	14
WHITE	---	431	10	6	11
ALL OTHER	---	75	3	2	3
NEGRO	---	73	3	2	3
NEW CASTLE	3,543	3,260	80	62	37
WHITE	2,939	2,727	64	48	24
ALL OTHER	604	533	16	14	13
NEGRO	601	531	15	13	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
DELAWARE--CON.					
NEW CASTLE--CON.					
NEWARK	---	203	11	8	3
WILMINGTON	---	1,683	34	27	14
WHITE	---	1,257	21	16	5
ALL OTHER	---	426	13	11	9
NEGRO	---	426	13	11	9
BALANCE OF COUNTY	---	1,374	35	27	20
WHITE	---	1,276	32	24	16
ALL OTHER	---	98	3	3	4
NEGRO	---	96	2	2	3
SUSSEX	1,053	1,037	38	31	11
WHITE	888	860	18	16	8
ALL OTHER	165	177	20	15	3
NEGRO	164	176	20	15	3
DISTRICT OF COLUMBIA	9,759	7,848	268	207	157
WHITE	4,507	2,676	27	25	16
ALL OTHER	5,252	5,172	241	182	141
NEGRO	5,205	5,129	240	181	138
FLORIDA	89,495	88,015	1,909	1,386	1,360
WHITE	78,488	76,986	1,137	858	885
ALL OTHER	11,007	11,029	772	528	475
NEGRO	10,954	10,978	770	527	468
ALACHUA	1,747	799	29	23	19
WHITE	1,293	524	13	11	11
ALL OTHER	454	275	16	12	8
NEGRO	453	274	16	12	8
GAINESVILLE	---	453	16	12	12
WHITE	---	303	3	2	8
ALL OTHER	---	150	13	10	4
NEGRO	---	149	13	10	4
BALANCE OF COUNTY	---	346	13	11	7
WHITE	---	221	10	9	3
ALL OTHER	---	125	3	2	4
NEGRO	---	125	3	2	4
BAKER	153	94	5	2	-
WHITE	130	79	4	2	-
ALL OTHER	23	15	1	-	-
NEGRO	23	15	1	-	-
BAY	773	706	21	17	18
WHITE	650	594	11	9	15
ALL OTHER	123	112	10	8	3
NEGRO	123	112	10	8	2
PANAMA CITY	---	454	15	11	6
WHITE	---	357	7	5	5
ALL OTHER	---	97	8	6	1
NEGRO	---	97	8	6	1
BALANCE OF COUNTY	---	252	6	6	12
BRADFORD	128	134	3	3	1
WHITE	97	99	2	2	-
ALL OTHER	31	35	1	1	1
NEGRO	31	35	1	1	1
BREVARD	1,733	1,829	41	30	35
WHITE	1,597	1,678	34	26	29
ALL OTHER	136	151	7	4	6
NEGRO	135	151	7	4	6
COCOA	---	150	4	4	5
WHITE	---	111	3	3	3
ALL OTHER	---	39	1	1	2
NEGRO	---	39	1	1	2
MELBOURNE	---	373	3	1	4
WHITE	---	336	2	1	2
ALL OTHER	---	37	1	-	2
NEGRO	---	37	1	-	2
ROCKLEDGE	---	79	2	1	3
TITUSVILLE	---	235	13	11	4
BALANCE OF COUNTY	---	992	19	13	19
BROWARD	8,833	9,101	162	124	131
WHITE	8,161	8,396	90	71	86
ALL OTHER	672	705	72	53	45
NEGRO	668	700	72	53	45
DEERFIELD BEACH	---	321	7	4	3
WHITE	---	270	2	2	2
ALL OTHER	---	51	5	2	1
NEGRO	---	51	5	2	1
FORT LAUDERDALE	---	2,528	49	39	35
WHITE	---	2,291	24	19	23
ALL OTHER	---	237	25	20	12
NEGRO	---	236	25	20	12

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
BROWARD--CON.					
HALLANDALE	---	553	8	6	4
WHITE	---	503	3	3	3
ALL OTHER	---	50	5	3	1
NEGRO	---	50	5	3	1
HOLLYWOOD	---	1,481	22	17	21
LAUDERDALE LAKES	---	222	1	1	2
MIRAMAR	---	229	5	2	2
OAKLAND PARK	---	93	2	2	2
PEMBROKE PINES	---	172	1	-	6
PLANTATION	---	187	1	1	-
POMPANO BEACH	---	775	8	4	12
WHITE	---	699	3	2	4
ALL OTHER	---	76	5	2	8
NEGRO	---	76	5	2	8
WILTON MANORS	---	130	-	-	-
BALANCE OF COUNTY	---	2,410	58	48	44
WHITE	---	2,165	31	26	26
ALL OTHER	---	245	27	22	18
NEGRO	---	242	27	22	18
CALHOUN	87	85	2	1	-
WHITE	76	74	1	1	-
ALL OTHER	11	11	1	-	-
NEGRO	11	11	1	-	-
CHARLOTTE	617	635	5	2	4
CITRUS	394	474	9	8	2
CLAY	216	347	10	6	11
COLLIER	688	619	13	7	6
NAPLES	---	259	-	-	1
BALANCE OF COUNTY	---	360	13	7	5
COLUMBIA	507	283	10	9	6
WHITE	369	203	5	4	5
ALL OTHER	138	80	5	5	1
NEGRO	138	80	5	5	1
LAKE CITY	---	128	4	4	2
WHITE	---	81	-	-	2
ALL OTHER	---	47	4	4	-
NEGRO	---	47	4	4	-
BALANCE OF COUNTY	---	155	6	5	4
WHITE	---	122	5	4	3
ALL OTHER	---	33	1	1	1
NEGRO	---	33	1	1	1
DADE	16,199	15,128	289	213	214
WHITE	14,404	13,382	153	117	121
ALL OTHER	1,795	1,746	136	96	93
NEGRO	1,783	1,735	136	96	93
CORAL GABLES	---	446	5	5	6
HIALEAH	---	841	15	12	23
HOMESTEAD	---	157	18	12	9
WHITE	---	117	8	7	7
ALL OTHER	---	40	10	5	2
NEGRO	---	40	10	5	2
MIAMI	---	4,849	79	61	80
WHITE	---	3,969	30	24	33
ALL OTHER	---	880	49	37	47
NEGRO	---	876	49	37	47
MIAMI BEACH	---	2,594	9	7	5
MIAMI SPRINGS	---	131	2	-	-
NORTH MIAMI	---	614	6	3	1
NORTH MIAMI BEACH	---	886	5	5	1
OPA-LOCKA	---	170	12	8	5
WHITE	---	98	5	4	3
ALL OTHER	---	72	7	4	2
NEGRO	---	72	7	4	2
SOUTH MIAMI	---	82	-	-	-
WHITE	---	64	-	-	-
ALL OTHER	---	18	-	-	-
NEGRO	---	18	-	-	-
BALANCE OF COUNTY	---	4,358	138	100	84
WHITE	---	3,670	70	52	45
ALL OTHER	---	688	68	48	39
NEGRO	---	683	68	48	39
DE SOTO	258	157	2	-	5
WHITE	226	131	1	-	3
ALL OTHER	32	26	1	-	2
NEGRO	32	26	1	-	2
DIXIE	28	48	1	1	-
WHITE	25	42	1	1	-
ALL OTHER	3	6	-	-	-
NEGRO	3	6	-	-	-
DUVAL, CDEX. WITH JACKSONVILLE CITY	4,903	4,816	169	118	108
WHITE	3,591	3,465	95	66	63
ALL OTHER	1,312	1,351	74	52	45
NEGRO	1,308	1,347	74	52	44

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
ESCAMBIA	1,781	1,594	70	48	46
WHITE	1,350	1,176	31	23	33
ALL OTHER	431	418	39	25	13
NEGRO	426	413	38	25	13
PENSACOLA	---	713	24	17	24
WHITE	---	453	4	4	15
ALL OTHER	---	260	20	13	9
NEGRO	---	260	20	13	9
BALANCE OF COUNTY	---	881	46	31	22
WHITE	---	723	27	19	18
ALL OTHER	---	158	19	12	4
NEGRO	---	153	18	12	4
FLAGLER	60	72	3	3	2
WHITE	47	55	1	1	1
ALL OTHER	13	17	2	2	1
NEGRO	13	17	2	2	1
FRANKLIN	71	108	1	-	2
WHITE	56	89	1	-	2
ALL OTHER	15	19	-	-	-
NEGRO	15	19	-	-	-
GADSDEN	507	358	14	7	10
WHITE	293	161	1	1	2
ALL OTHER	214	197	13	6	8
NEGRO	214	197	13	6	8
GILCHRIST	16	42	1	1	-
GLADES	17	45	1	-	-
WHITE	15	35	1	-	-
ALL OTHER	2	10	-	-	-
NEGRO	1	6	-	-	-
GULF	54	83	2	1	-
WHITE	47	68	1	-	-
ALL OTHER	7	15	1	1	-
NEGRO	7	15	1	1	-
HAMILTON	56	83	4	2	5
WHITE	35	48	1	1	3
ALL OTHER	21	35	3	1	2
NEGRO	21	35	3	1	2
HARDEE	122	207	12	7	8
WHITE	108	190	11	7	7
ALL OTHER	14	17	1	-	1
NEGRO	13	17	1	-	1
HENDRY	113	125	8	7	2
WHITE	77	91	5	4	1
ALL OTHER	36	34	3	3	1
NEGRO	33	33	3	3	1
HERNANDO	221	348	7	3	5
WHITE	201	320	6	3	3
ALL OTHER	20	28	1	-	2
NEGRO	19	27	1	-	2
HIGHLANDS	531	531	11	7	7
WHITE	465	458	5	4	3
ALL OTHER	66	73	6	3	4
NEGRO	65	72	6	3	4
HILLSBOROUGH	5,652	5,284	161	118	101
WHITE	4,850	4,510	104	77	81
ALL OTHER	802	774	57	41	20
NEGRO	801	774	57	41	20
PLANT CITY	---	189	8	6	1
WHITE	---	136	1	1	1
ALL OTHER	---	53	7	5	-
NEGRO	---	53	7	5	-
TAMPA	---	3,480	107	81	51
WHITE	---	2,826	58	46	33
ALL OTHER	---	654	49	35	18
NEGRO	---	654	49	35	18
BALANCE OF COUNTY	---	1,615	46	31	49
HOLMES	115	157	7	6	1
INDIAN RIVER	540	549	11	7	7
WHITE	468	480	5	2	4
ALL OTHER	72	69	6	5	3
NEGRO	72	69	6	5	3
VERO BEACH	---	230	5	2	3
BALANCE OF COUNTY	---	319	6	5	4
WHITE	---	258	3	2	1
ALL OTHER	---	61	3	3	3
NEGRO	---	61	3	3	3
JACKSON	316	412	11	6	4
WHITE	234	297	6	5	3
ALL OTHER	82	115	5	1	1
NEGRO	82	115	5	1	1
JEFFERSON	69	105	3	1	2
WHITE	38	58	-	-	-
ALL OTHER	31	47	3	1	2
NEGRO	31	47	3	1	2
FLORIDA--CON.					
LAFAYETTE	7	30	1	1	-
WHITE	7	28	1	1	-
ALL OTHER	-	2	-	-	-
NEGRO	-	2	-	-	-
LAKE	1,319	1,205	18	16	12
WHITE	1,168	1,060	12	10	10
ALL OTHER	151	145	6	6	2
NEGRO	150	144	6	6	2
LEESBURG	---	203	6	5	1
WHITE	---	154	3	2	-
ALL OTHER	---	49	3	3	1
NEGRO	---	49	3	3	1
BALANCE OF COUNTY	---	1,002	12	11	11
WHITE	---	906	9	8	10
ALL OTHER	---	96	3	3	1
NEGRO	---	95	3	3	1
LEE	1,593	1,681	46	35	37
WHITE	1,473	1,543	30	22	18
ALL OTHER	120	138	16	13	19
NEGRO	120	137	15	12	19
FORT MYERS	---	491	21	16	14
WHITE	---	384	9	7	4
ALL OTHER	---	107	12	9	10
NEGRO	---	107	12	9	10
BALANCE OF COUNTY	---	1,190	25	19	23
LEON	935	682	31	25	23
WHITE	626	459	20	17	8
ALL OTHER	309	223	11	8	15
NEGRO	308	222	11	8	15
TALLAHASSEE	---	454	20	17	14
WHITE	---	291	12	10	4
ALL OTHER	---	163	8	7	10
NEGRO	---	163	8	7	10
BALANCE OF COUNTY	---	228	11	8	9
WHITE	---	168	8	7	4
ALL OTHER	---	60	3	1	5
NEGRO	---	59	3	1	5
LEVY	102	180	6	6	1
WHITE	74	138	6	6	1
ALL OTHER	28	42	-	-	-
NEGRO	28	42	-	-	-
LIBERTY	11	38	1	1	-
WHITE	6	34	1	1	-
ALL OTHER	5	4	-	-	-
NEGRO	5	4	-	-	-
MADISON	109	167	5	4	3
WHITE	61	101	2	2	1
ALL OTHER	48	66	3	2	2
NEGRO	48	66	3	2	2
MANATEE	1,878	1,827	15	12	18
WHITE	1,764	1,699	9	7	15
ALL OTHER	114	128	6	5	3
NEGRO	114	128	6	5	3
BRADENTON	---	570	5	3	7
WHITE	---	510	2	1	4
ALL OTHER	---	60	3	2	3
NEGRO	---	60	3	2	3
BALANCE OF COUNTY	---	1,257	10	9	11
MARION	1,017	1,020	32	22	19
WHITE	774	767	20	15	12
ALL OTHER	243	253	12	7	7
NEGRO	243	253	12	7	6
OCALA	---	354	9	6	7
WHITE	---	261	5	4	5
ALL OTHER	---	93	4	2	2
NEGRO	---	93	4	2	2
BALANCE OF COUNTY	---	666	23	16	12
WHITE	---	506	15	11	7
ALL OTHER	---	160	8	5	5
NEGRO	---	160	8	5	4
MARTIN	555	543	9	6	9
WHITE	512	500	8	5	4
ALL OTHER	43	43	1	1	5
NEGRO	42	43	1	1	4
MONROE	446	499	17	15	16
KEY WEST	---	230	9	8	7
WHITE	---	196	8	7	6
ALL OTHER	---	34	1	1	1
NEGRO	---	32	1	1	1
BALANCE OF COUNTY	---	269	8	7	9
NASSAU	141	207	6	5	8
WHITE	100	162	5	4	7
ALL OTHER	41	45	1	1	1
NEGRO	41	45	1	1	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA—CON.					
OKALOOSA	478	539	25	23	27
FORT WALTON BEACH	—	140	5	5	7
BALANCE OF COUNTY	—	399	20	18	20
OKEECHOBEE	143	159	10	7	5
WHITE	125	137	9	6	3
ALL OTHER	18	22	1	1	2
NEGRO	17	20	1	1	2
ORANGE	3,561	3,244	81	63	78
WHITE	3,082	2,792	54	45	50
ALL OTHER	479	452	27	18	28
NEGRO	478	451	27	18	28
ORLANDO	—	1,313	35	23	31
WHITE	—	1,036	16	11	14
ALL OTHER	—	277	19	12	17
NEGRO	—	276	19	12	17
WINTER PARK	—	322	1	1	4
WHITE	—	289	–	–	3
ALL OTHER	—	33	1	1	1
NEGRO	—	33	1	1	1
BALANCE OF COUNTY	—	1,609	45	39	43
WHITE	—	1,467	38	34	33
ALL OTHER	—	142	7	5	10
NEGRO	—	142	7	5	10
OSCEOLA	493	503	8	4	6
PALM BEACH	5,571	5,446	114	88	49
WHITE	4,848	4,734	57	47	28
ALL OTHER	723	712	57	41	21
NEGRO	721	711	57	41	21
BELLE GLADE	—	164	11	7	2
WHITE	—	46	1	1	–
ALL OTHER	—	118	10	6	2
NEGRO	—	118	10	6	2
BOCA RATON	—	450	5	5	2
BOYNTON BEACH	—	413	7	5	1
WHITE	—	380	6	4	1
ALL OTHER	—	33	1	1	–
NEGRO	—	33	1	1	–
DELRAY BEACH	—	396	12	7	8
WHITE	—	300	–	–	2
ALL OTHER	—	96	12	7	6
NEGRO	—	96	12	7	6
LAKE WORTH	—	584	6	5	2
RIVIERA BEACH	—	257	15	11	4
WHITE	—	160	2	1	–
ALL OTHER	—	97	13	10	4
NEGRO	—	97	13	10	4
WEST PALM BEACH	—	1,034	21	20	9
WHITE	—	830	11	11	5
ALL OTHER	—	204	10	9	4
NEGRO	—	204	10	9	4
BALANCE OF COUNTY	—	2,148	37	28	21
WHITE	—	2,012	26	20	17
ALL OTHER	—	136	11	8	4
NEGRO	—	136	11	8	4
PASCO	1,431	1,924	22	15	12
PINELLAS	10,777	10,372	108	71	91
WHITE	10,321	9,911	64	42	57
ALL OTHER	456	461	44	29	34
NEGRO	455	460	44	29	32
CLEARWATER	—	1,126	19	16	15
WHITE	—	1,064	9	8	10
ALL OTHER	—	62	10	8	5
NEGRO	—	62	10	8	5
DUNEDIN	—	429	1	1	3
LARGO	—	536	4	2	7
PINELLAS PARK	—	375	4	1	2
ST. PETERSBURG	—	4,570	52	35	45
WHITE	—	4,226	26	18	22
ALL OTHER	—	344	26	17	23
NEGRO	—	343	26	17	21
BALANCE OF COUNTY	—	3,336	28	16	19
POLK	2,899	2,865	84	60	53
WHITE	2,468	2,411	52	37	39
ALL OTHER	431	454	32	23	14
NEGRO	430	453	32	23	14
BARTOW	—	138	7	5	2
WHITE	—	85	1	–	1
ALL OTHER	—	53	6	5	1
NEGRO	—	53	6	5	1
LAKELAND	—	700	17	11	10
WHITE	—	580	5	4	8
ALL OTHER	—	120	12	7	2
NEGRO	—	119	12	7	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA—CON.					
POLK—CON.					
WINTER HAVEN	—	287	1	1	7
WHITE	—	238	–	–	4
ALL OTHER	—	49	1	1	3
NEGRO	—	49	1	1	3
BALANCE OF COUNTY	—	1,740	59	43	34
WHITE	—	1,508	46	33	26
ALL OTHER	—	232	13	10	8
NEGRO	—	232	13	10	8
PUTNAM	402	498	15	8	13
WHITE	308	381	5	3	5
ALL OTHER	94	117	10	5	8
NEGRO	93	117	10	5	8
ST. JOHNS	368	432	12	7	8
WHITE	299	353	3	2	3
ALL OTHER	69	79	9	5	5
NEGRO	69	79	9	5	5
ST. AUGUSTINE	—	208	3	2	3
WHITE	—	176	1	1	–
ALL OTHER	—	32	2	1	3
NEGRO	—	32	2	1	3
BALANCE OF COUNTY	—	224	9	5	5
WHITE	—	177	2	1	3
ALL OTHER	—	47	7	4	2
NEGRO	—	47	7	4	2
ST. LUCIE	672	786	23	13	23
WHITE	514	589	8	7	10
ALL OTHER	158	197	15	6	13
NEGRO	156	195	15	6	13
FORT PIERCE	—	484	18	10	18
WHITE	—	308	5	5	5
ALL OTHER	—	176	13	5	13
NEGRO	—	176	13	5	13
BALANCE OF COUNTY	—	302	5	3	5
SANTA ROSA	215	291	10	9	7
SARASOTA	2,578	2,452	18	13	16
SARASOTA	—	898	10	6	9
WHITE	—	821	6	5	8
ALL OTHER	—	77	4	1	1
NEGRO	—	77	4	1	1
BALANCE OF COUNTY	—	1,554	8	7	7
SEMINOLE	878	903	26	21	24
WHITE	705	710	19	17	16
ALL OTHER	173	193	7	4	8
NEGRO	173	193	7	4	8
SANFORD	—	273	7	5	9
WHITE	—	165	4	3	4
ALL OTHER	—	108	3	2	5
NEGRO	—	108	3	2	5
BALANCE OF COUNTY	—	630	19	16	15
WHITE	—	545	15	14	12
ALL OTHER	—	85	4	2	3
NEGRO	—	85	4	2	3
SUMTER	35	230	7	4	5
WHITE	32	191	6	3	2
ALL OTHER	3	39	1	1	3
NEGRO	3	39	1	1	3
SUWANNEE	154	220	7	2	5
WHITE	119	170	3	2	2
ALL OTHER	35	50	4	–	3
NEGRO	35	50	4	–	3
TAYLOR	92	129	1	1	–
WHITE	67	89	–	–	–
ALL OTHER	25	40	1	1	–
NEGRO	25	40	1	1	–
UNION	29	63	2	2	1
WHITE	20	49	2	2	1
ALL OTHER	9	14	–	–	–
NEGRO	9	14	–	–	–
VOLUSIA	2,847	3,090	40	31	22
WHITE	2,598	2,829	24	19	12
ALL OTHER	249	261	16	12	10
NEGRO	249	261	16	12	10
DAYTONA BEACH	—	811	14	9	11
WHITE	—	660	5	3	3
ALL OTHER	—	151	9	6	8
NEGRO	—	151	9	6	8
DE LAND	—	326	9	9	2
WHITE	—	291	4	4	–
ALL OTHER	—	35	5	5	2
NEGRO	—	35	5	5	2
NEW SMYRNA BEACH	—	227	2	1	–
WHITE	—	203	2	1	–
ALL OTHER	—	24	–	–	–
NEGRO	—	24	–	–	–
ORMOND BEACH	—	301	3	2	2
BALANCE OF COUNTY	—	1,425	12	10	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
FLORIDA--CON.					
WAKULLA	46	67	2	–	4
WHITE	35	50	1	–	3
ALL OTHER	11	17	1	–	1
NEGRO	11	17	1	–	1
WALTON	113	225	7	6	1
WHITE	93	191	5	4	1
ALL OTHER	20	34	2	2	–
NEGRO	20	34	2	2	–
WASHINGTON	95	140	2	2	2
WHITE	80	108	2	2	2
ALL OTHER	15	32	–	–	–
NEGRO	15	32	–	–	–
GEORGIA	43,550	42,953	1,504	1,053	1,358
WHITE	30,826	30,330	796	587	735
ALL OTHER	12,724	12,623	708	466	623
NEGRO	12,718	12,615	708	466	617
APPLING	107	149	7	5	3
WHITE	81	112	4	3	1
ALL OTHER	26	37	3	2	2
NEGRO	26	37	3	2	2
ATKINSON	18	72	1	–	3
WHITE	15	55	–	–	1
ALL OTHER	3	17	1	–	2
NEGRO	3	17	1	–	2
BACON	97	102	4	3	2
WHITE	84	93	2	2	2
ALL OTHER	13	9	2	1	–
NEGRO	13	9	2	1	–
BAKER	8	52	2	–	1
WHITE	5	28	–	–	–
ALL OTHER	3	24	2	–	1
NEGRO	3	24	2	–	1
BALDWIN	651	258	11	6	15
WHITE	519	166	6	6	5
ALL OTHER	132	92	5	–	10
NEGRO	132	92	5	–	9
MILLEDGEVILLE	—	180	7	5	7
WHITE	—	115	5	5	–
ALL OTHER	—	65	2	–	7
NEGRO	—	65	2	–	6
BALANCE OF COUNTY	—	78	4	1	8
WHITE	—	51	1	1	5
ALL OTHER	—	27	3	–	3
NEGRO	—	27	3	–	3
BANKS	13	61	–	–	–
BARROW	155	176	4	2	–
WHITE	144	158	3	1	–
ALL OTHER	11	18	1	1	–
NEGRO	11	18	1	1	–
BARTOW	258	339	5	4	15
WHITE	218	288	5	4	12
ALL OTHER	40	51	–	–	3
NEGRO	40	51	–	–	3
BEN HILL	191	186	7	5	4
WHITE	113	122	1	–	1
ALL OTHER	78	64	6	5	3
NEGRO	78	64	6	5	3
BERRIEN	87	119	4	3	1
WHITE	72	99	4	3	1
ALL OTHER	15	20	–	–	–
NEGRO	15	20	–	–	–
BIBB	1,673	1,515	59	47	54
WHITE	1,045	935	20	14	24
ALL OTHER	628	580	39	33	30
NEGRO	628	580	39	33	30
MACON	—	1,389	54	45	50
WHITE	—	843	16	13	21
ALL OTHER	—	546	38	32	29
NEGRO	—	546	38	32	29
BALANCE OF COUNTY	—	126	5	2	4
WHITE	—	92	4	1	3
ALL OTHER	—	34	1	1	1
NEGRO	—	34	1	1	1
BLECKLEY	103	114	2	2	3
WHITE	76	87	2	2	1
ALL OTHER	27	27	–	–	2
NEGRO	27	27	–	–	2
BRANTLEY	19	61	1	1	4
WHITE	18	56	1	1	2
ALL OTHER	1	5	–	–	2
NEGRO	–	5	–	–	2
GEORGIA--CON.					
BROOKS	129	171	7	5	5
WHITE	85	100	2	2	2
ALL OTHER	44	71	5	3	3
NEGRO	44	71	5	3	3
BRYAN	20	84	3	3	3
WHITE	13	60	1	1	1
ALL OTHER	7	24	2	2	2
NEGRO	7	24	2	2	2
BULLOCH	258	286	10	6	7
WHITE	193	186	2	2	3
ALL OTHER	105	100	8	4	4
NEGRO	105	100	8	4	4
STATESBORO	—	124	2	2	4
WHITE	—	78	–	–	2
ALL OTHER	—	46	2	2	2
NEGRO	—	46	2	2	2
BALANCE OF COUNTY	—	162	8	4	3
WHITE	—	108	2	2	1
ALL OTHER	—	54	6	2	2
NEGRO	—	54	6	2	2
BURKE	222	249	13	12	4
WHITE	125	124	1	1	1
ALL OTHER	97	125	12	11	3
NEGRO	97	125	12	11	3
BUTTS	115	127	4	3	8
WHITE	76	86	3	2	4
ALL OTHER	39	41	1	1	4
NEGRO	39	41	1	1	4
CALHOUN	92	74	2	2	–
WHITE	42	34	1	1	–
ALL OTHER	50	40	1	1	–
NEGRO	50	40	1	1	–
CAMDEN	68	89	4	3	1
WHITE	43	58	2	2	–
ALL OTHER	25	31	2	1	1
NEGRO	25	31	2	1	1
CANDLER	139	85	2	2	2
WHITE	90	62	–	–	1
ALL OTHER	49	23	2	2	1
NEGRO	49	23	2	2	1
CARROLL	421	445	22	15	17
WHITE	350	374	16	11	7
ALL OTHER	71	71	6	4	10
NEGRO	70	71	6	4	10
CARROLLTON	—	110	4	4	5
WHITE	—	83	3	3	–
ALL OTHER	—	27	1	1	5
NEGRO	—	27	1	1	5
BALANCE OF COUNTY	—	335	18	11	12
WHITE	—	291	13	8	7
ALL OTHER	—	44	5	3	5
NEGRO	—	44	5	3	5
CATOOSA	404	213	10	7	7
CHARLTON	68	78	2	–	5
WHITE	43	48	–	–	2
ALL OTHER	25	30	2	–	3
NEGRO	25	30	2	–	3
CHATHAM	2,131	1,928	58	38	69
WHITE	1,306	1,135	26	18	24
ALL OTHER	825	793	32	20	45
NEGRO	824	790	32	20	45
SAVANNAH	—	1,525	43	27	55
WHITE	—	770	11	7	14
ALL OTHER	—	755	32	20	41
NEGRO	—	752	32	20	41
BALANCE OF COUNTY	—	403	15	11	14
WHITE	—	365	15	11	10
ALL OTHER	—	38	–	–	4
NEGRO	—	38	–	–	4
CHATTAHOOCHEE	167	35	4	4	1
WHITE	134	22	3	3	1
ALL OTHER	33	13	1	1	–
NEGRO	33	13	1	1	–
CHATTOOGA	187	253	7	5	3
CHEROKEE	190	289	8	5	13
CLARKE	726	505	24	17	8
WHITE	534	339	17	14	4
ALL OTHER	192	166	7	3	4
NEGRO	192	166	7	3	4
ATHENS	—	382	17	12	4
WHITE	—	243	13	11	3
ALL OTHER	—	139	4	1	1
NEGRO	—	139	4	1	1
BALANCE OF COUNTY	—	123	7	5	4
WHITE	—	96	4	3	1
ALL OTHER	—	27	3	2	3
NEGRO	—	27	3	2	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON					
CLAY	56	39	1	1	-
WHITE	35	17	1	1	-
ALL OTHER	21	22	-	-	-
NEGRO	21	22	-	-	-
CLAYTON	422	561	38	31	44
COLLEGE PARK, PART	---	48	5	4	6
FOREST PARK	---	145	2	2	8
BALANCE OF COUNTY	---	368	31	25	30
CLINCH	78	72	4	3	4
WHITE	50	46	2	2	1
ALL OTHER	28	26	2	1	3
NEGRO	28	26	2	1	3
COBB	1,333	1,327	40	26	64
MARIETTA	---	422	16	11	22
WHITE	---	356	11	8	18
ALL OTHER	---	66	5	3	4
NEGRO	---	66	5	3	4
SMYRNA	---	172	3	2	8
BALANCE OF COUNTY	---	733	21	13	34
COFFEE	255	273	13	7	4
WHITE	204	212	10	6	2
ALL OTHER	51	61	3	1	2
NEGRO	51	61	3	1	2
DOUGLAS	---	114	5	1	2
WHITE	---	79	4	1	1
ALL OTHER	---	35	1	-	1
NEGRO	---	35	1	-	1
BALANCE OF COUNTY	---	159	8	6	2
WHITE	---	133	6	5	1
ALL OTHER	---	26	2	1	1
NEGRO	---	26	2	1	1
COLQUITT	334	361	12	5	11
WHITE	260	275	4	2	1
ALL OTHER	74	86	8	3	10
NEGRO	74	86	8	3	10
MOULTRIE	---	194	5	4	7
WHITE	---	127	2	2	-
ALL OTHER	---	67	3	2	7
NEGRO	---	67	3	2	7
BALANCE OF COUNTY	---	167	7	1	4
WHITE	---	148	2	-	1
ALL OTHER	---	19	5	1	3
NEGRO	---	19	5	1	3
COLUMBIA	35	155	8	7	6
WHITE	26	120	6	5	3
ALL OTHER	9	35	2	2	3
NEGRO	9	35	2	2	3
COOK	114	120	2	1	8
WHITE	72	89	1	1	4
ALL OTHER	42	31	1	-	4
NEGRO	42	31	1	-	4
COWETA	399	359	10	5	18
WHITE	290	241	4	3	7
ALL OTHER	109	118	6	2	11
NEGRO	109	118	6	2	11
NEWNAN	---	146	6	4	6
WHITE	---	91	4	3	1
ALL OTHER	---	55	2	1	5
NEGRO	---	55	2	1	5
BALANCE OF COUNTY	---	213	4	1	12
WHITE	---	150	-	-	6
ALL OTHER	---	63	4	1	6
NEGRO	---	63	4	1	6
CRAWFORD	18	51	-	-	4
WHITE	5	25	-	-	-
ALL OTHER	13	26	-	-	4
NEGRO	13	26	-	-	4
CRISP	194	196	10	6	4
WHITE	119	108	3	2	2
ALL OTHER	75	88	7	4	2
NEGRO	75	88	7	4	2
CORDELE	---	131	9	6	2
WHITE	---	57	3	2	-
ALL OTHER	---	74	6	4	2
NEGRO	---	74	6	4	2
BALANCE OF COUNTY	---	65	1	-	2
WHITE	---	51	-	-	2
ALL OTHER	---	14	1	-	-
NEGRO	---	14	1	-	-
DADE	60	104	7	4	1
DAWSON	24	39	1	-	-
DECATUR	185	239	14	10	4
WHITE	98	141	6	6	-
ALL OTHER	87	98	8	4	4
NEGRO	87	98	8	4	4
GEORGIA--CON.					
DECATUR--CON.					
BAINBRIDGE	---	130	3	3	3
WHITE	---	76	2	2	-
ALL OTHER	---	54	1	1	3
NEGRO	---	54	1	1	3
BALANCE OF COUNTY	---	109	11	7	1
WHITE	---	65	4	4	-
ALL OTHER	---	44	7	3	1
NEGRO	---	44	7	3	1
DE KALB	3,076	2,715	117	95	93
WHITE	2,598	2,169	56	43	57
ALL OTHER	478	546	61	52	36
NEGRO	477	546	61	52	35
ATLANTA, PART	---	764	45	35	22
WHITE	---	461	12	8	8
ALL OTHER	---	303	33	27	14
NEGRO	---	303	33	27	13
DECATUR	---	442	28	24	23
WHITE	---	314	4	3	10
ALL OTHER	---	128	24	21	13
NEGRO	---	128	24	21	13
BALANCE OF COUNTY	---	1,509	44	36	48
WHITE	---	1,394	40	32	39
ALL OTHER	---	115	4	4	9
NEGRO	---	115	4	4	9
DODGE	189	228	5	4	1
WHITE	138	174	4	4	1
ALL OTHER	51	54	1	-	-
NEGRO	51	54	1	-	-
DOOLY	117	123	2	-	1
WHITE	65	74	-	-	-
ALL OTHER	52	49	2	-	1
NEGRO	52	49	2	-	1
DOUGHERTY	870	686	40	23	13
WHITE	504	367	16	13	2
ALL OTHER	366	319	24	10	11
NEGRO	366	319	24	10	11
ALBANY	---	618	35	19	13
WHITE	---	319	11	9	2
ALL OTHER	---	299	24	10	11
NEGRO	---	299	24	10	11
BALANCE OF COUNTY	---	68	5	4	-
WHITE	---	48	5	4	-
ALL OTHER	---	20	-	-	-
NEGRO	---	20	-	-	-
DOUGLAS	152	253	10	8	12
EARLY	108	172	8	4	-
WHITE	66	106	2	2	-
ALL OTHER	42	66	6	2	-
NEGRO	42	66	6	2	-
ECHOLS	3	18	-	-	-
WHITE	2	15	-	-	-
ALL OTHER	1	3	-	-	-
NEGRO	1	3	-	-	-
EFFINGHAM	74	109	3	1	7
WHITE	52	86	1	-	4
ALL OTHER	22	23	2	1	3
NEGRO	22	23	2	1	3
ELBERT	182	187	7	4	2
WHITE	140	138	3	3	-
ALL OTHER	42	49	4	1	2
NEGRO	42	49	4	1	2
EMANUEL	181	219	4	1	10
WHITE	128	159	4	1	6
ALL OTHER	53	60	-	-	4
NEGRO	53	60	-	-	4
EVANS	101	85	6	3	6
WHITE	75	51	1	-	2
ALL OTHER	26	34	5	3	4
NEGRO	26	34	5	3	4
FANNIN	37	131	3	1	3
FAYETTE	29	101	4	3	2
WHITE	28	96	4	3	1
ALL OTHER	1	5	-	-	1
NEGRO	1	5	-	-	1
FLOYD	912	756	29	21	31
WHITE	760	635	24	17	17
ALL OTHER	152	121	5	4	14
NEGRO	152	121	5	4	14
ROME	---	432	20	16	19
WHITE	---	331	15	12	7
ALL OTHER	---	101	5	4	12
NEGRO	---	101	5	4	12
BALANCE OF COUNTY	---	324	9	5	12

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA—CON.					
FORSYTH	101	155	9	5	4
FRANKLIN	117	158	7	7	1
WHITE	99	137	6	6	-
ALL OTHER	18	21	1	1	1
NEGRO	18	21	1	1	1
FULTON	6,823	5,813	204	155	129
WHITE	4,091	3,327	45	33	39
ALL OTHER	2,732	2,486	159	122	90
NEGRO	2,732	2,486	159	122	89
ATLANTA, PART	—	4,682	176	132	106
WHITE	—	2,320	26	19	26
ALL OTHER	—	2,362	150	113	80
NEGRO	—	2,362	150	113	79
ATLANTA, TOTAL	—	5,446	221	167	128
WHITE	—	2,781	38	27	34
ALL OTHER	—	2,665	183	140	94
NEGRO	—	2,665	183	140	92
COLLEGE PARK, PART	—	213	9	8	7
WHITE	—	180	5	4	4
ALL OTHER	—	33	4	4	3
NEGRO	—	33	4	4	3
COLLEGE PARK, TOTAL	—	261	14	12	13
WHITE	—	227	10	8	8
ALL OTHER	—	34	4	4	5
NEGRO	—	34	4	4	5
EAST POINT	—	335	4	2	5
BALANCE OF COUNTY	—	583	15	13	11
GILMER	83	96	2	2	4
GLASCOCK	3	27	1	1	1
WHITE	3	23	1	1	-
ALL OTHER	-	4	-	-	1
NEGRO	-	4	-	-	1
GLYNN	503	441	14	10	18
WHITE	318	278	9	6	12
ALL OTHER	185	163	5	4	6
NEGRO	185	162	5	4	6
BRUNSWICK	—	250	6	3	9
WHITE	—	118	3	1	4
ALL OTHER	—	132	3	2	5
NEGRO	—	131	3	2	5
BALANCE OF COUNTY	—	191	8	7	9
WHITE	—	160	6	5	8
ALL OTHER	—	31	2	2	1
NEGRO	—	31	2	2	1
GORDON	206	239	3	2	10
GRADY	149	204	6	3	6
WHITE	96	148	4	3	3
ALL OTHER	53	56	2	-	3
NEGRO	53	56	2	-	3
GREENE	154	144	2	2	3
WHITE	84	75	-	-	1
ALL OTHER	70	69	2	2	2
NEGRO	70	69	2	2	2
GWINNETT	404	591	24	16	22
HABERSHAM	147	192	7	6	6
HALL	598	555	26	17	9
WHITE	525	480	21	14	7
ALL OTHER	73	75	5	3	2
NEGRO	73	75	5	3	2
GAINESVILLE	—	192	7	5	5
WHITE	—	148	6	4	3
ALL OTHER	—	44	1	1	2
NEGRO	—	44	1	1	2
BALANCE OF COUNTY	—	363	19	12	4
HANCOCK	62	102	5	3	2
WHITE	17	39	-	-	-
ALL OTHER	45	63	5	3	2
NEGRO	45	63	5	3	2
HARALSON	155	184	7	4	4
HARRIS	40	117	3	3	4
WHITE	16	71	1	1	2
ALL OTHER	24	46	2	2	2
NEGRO	24	46	2	2	2
HART	144	148	5	3	1
WHITE	114	123	3	3	1
ALL OTHER	30	25	2	-	-
NEGRO	30	25	2	-	-
HEARD	32	50	1	1	2
WHITE	29	46	1	1	2
ALL OTHER	3	4	-	-	-
NEGRO	3	4	-	-	-
HENRY	87	205	9	6	6
WHITE	66	159	3	2	4
ALL OTHER	21	46	6	4	2
NEGRO	21	46	6	4	2
GEORGIA—CON.					
HOUSTON	350	398	29	22	21
WHITE	297	305	23	17	15
ALL OTHER	93	93	6	5	6
NEGRO	93	93	6	5	5
WARNER ROBINS	—	232	17	13	12
BALANCE OF COUNTY	—	166	12	9	9
WHITE	—	105	10	7	7
ALL OTHER	—	61	2	2	2
NEGRO	—	61	2	2	2
IRWIN	97	108	2	1	3
WHITE	70	80	-	-	2
ALL OTHER	27	28	2	1	1
NEGRO	27	28	2	1	1
JACKSON	187	226	5	4	2
WHITE	170	195	5	4	2
ALL OTHER	17	31	-	-	-
NEGRO	17	31	-	-	-
JASPER	50	86	1	1	2
WHITE	28	51	-	-	-
ALL OTHER	22	35	1	1	2
NEGRO	22	35	1	1	2
JEFF DAVIS	101	109	4	2	3
WHITE	72	86	4	2	-
ALL OTHER	29	23	-	-	3
NEGRO	29	23	-	-	3
JEFFERSON	200	223	6	2	14
WHITE	86	96	1	-	4
ALL OTHER	114	127	5	2	10
NEGRO	114	127	5	2	10
JENKINS	89	119	1	1	2
WHITE	48	70	1	1	1
ALL OTHER	41	49	-	-	1
NEGRO	41	49	-	-	1
JOHNSON	49	94	-	-	2
WHITE	32	74	-	-	1
ALL OTHER	17	20	-	-	1
NEGRO	17	20	-	-	1
JONES	62	95	4	4	3
WHITE	32	55	3	3	3
ALL OTHER	30	40	1	1	-
NEGRO	30	40	1	1	-
LAMAR	47	120	5	2	6
WHITE	31	84	2	2	3
ALL OTHER	16	36	3	-	3
NEGRO	16	36	3	-	3
LANIER	63	66	2	1	4
WHITE	39	47	2	1	3
ALL OTHER	24	19	-	-	1
NEGRO	24	19	-	-	1
LAURENS	598	379	7	6	9
WHITE	418	269	4	4	6
ALL OTHER	180	110	3	2	3
NEGRO	180	110	3	2	3
DUBLIN	—	188	4	4	6
WHITE	—	117	3	3	3
ALL OTHER	—	71	1	1	3
NEGRO	—	71	1	1	3
BALANCE OF COUNTY	—	191	3	2	3
WHITE	—	152	1	1	3
ALL OTHER	—	39	2	1	-
NEGRO	—	39	2	1	-
LEE	11	50	-	-	3
WHITE	4	30	-	-	2
ALL OTHER	7	20	-	-	1
NEGRO	7	20	-	-	1
LIBERTY	129	112	3	3	6
WHITE	51	44	2	2	4
ALL OTHER	78	68	1	1	2
NEGRO	78	68	1	1	2
LINCOLN	29	55	3	2	3
WHITE	17	34	-	-	-
ALL OTHER	12	21	3	2	3
NEGRO	12	21	3	2	3
LONG	8	49	1	1	-
WHITE	6	37	1	1	-
ALL OTHER	2	12	-	-	-
NEGRO	2	12	-	-	-
LOWNDES	562	486	23	15	22
WHITE	382	298	13	10	16
ALL OTHER	180	188	10	5	6
NEGRO	180	188	10	5	6

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
LOWNDES--CON.					
VALDOSTA	---	318	15	10	18
WHITE	---	181	10	7	14
ALL OTHER	---	137	5	3	4
NEGRO	---	137	5	3	4
BALANCE OF COUNTY	---	168	8	5	4
WHITE	---	117	3	3	2
ALL OTHER	---	51	5	2	2
NEGRO	---	51	5	2	2
LUMPKIN	59	59	1	1	2
MC DUFFIE	187	140	9	6	5
WHITE	107	83	1	1	2
ALL OTHER	80	57	8	5	3
NEGRO	80	57	8	5	3
MC INTOSH	24	85	3	3	-
WHITE	10	40	-	-	-
ALL OTHER	14	45	3	3	-
NEGRO	14	45	3	3	-
MACON	111	142	4	1	3
WHITE	57	61	-	-	-
ALL OTHER	54	81	4	1	3
NEGRO	54	81	4	1	3
MADISON	25	127	3	3	3
WHITE	22	111	2	2	2
ALL OTHER	3	16	1	1	1
NEGRO	3	16	1	1	1
MARION	40	51	2	1	-
WHITE	18	27	2	1	-
ALL OTHER	22	24	-	-	-
NEGRO	22	24	-	-	-
MERIWETHER	154	220	6	5	5
WHITE	85	124	1	1	1
ALL OTHER	69	96	5	4	4
NEGRO	69	96	5	4	4
MILLER	61	73	1	-	1
WHITE	42	49	-	-	1
ALL OTHER	19	24	1	-	-
NEGRO	19	24	1	-	-
MITCHELL	136	208	6	3	5
WHITE	74	126	1	1	1
ALL OTHER	62	82	5	2	4
NEGRO	62	82	5	2	4
MONROE	139	129	5	3	9
WHITE	92	74	1	1	2
ALL OTHER	47	55	4	2	7
NEGRO	47	55	4	2	7
MONTGOMERY	16	61	1	1	3
WHITE	9	43	1	1	1
ALL OTHER	7	18	-	-	2
NEGRO	7	18	-	-	2
MORGAN	85	99	2	-	3
WHITE	51	61	-	-	-
ALL OTHER	34	38	2	-	3
NEGRO	34	38	2	-	3
MURRAY	64	110	4	3	4
MUSCOGEE	1,448	1,339	51	33	41
WHITE	907	869	26	18	19
ALL OTHER	541	470	25	15	22
NEGRO	540	469	25	15	22
COLUMBUS	---	1,291	44	28	35
WHITE	---	834	21	15	15
ALL OTHER	---	457	23	13	20
NEGRO	---	456	23	13	20
BALANCE OF COUNTY	---	48	7	5	6
WHITE	---	35	5	3	4
ALL OTHER	---	13	2	2	2
NEGRO	---	13	2	2	2
NEWTON	219	275	8	6	11
WHITE	164	199	5	4	7
ALL OTHER	55	76	3	2	4
NEGRO	55	76	3	2	4
COVINGTON	---	124	4	3	4
WHITE	---	74	3	2	3
ALL OTHER	---	50	1	1	1
NEGRO	---	50	1	1	1
BALANCE OF COUNTY	---	151	4	3	7
WHITE	---	125	2	2	4
ALL OTHER	---	26	2	1	3
NEGRO	---	26	2	1	3
OCONEE	18	73	2	1	-
WHITE	17	66	2	1	-
ALL OTHER	1	7	-	-	-
NEGRO	1	7	-	-	-
OGLETHORPE	28	66	2	1	3
WHITE	18	51	-	-	-
ALL OTHER	10	15	2	1	3
NEGRO	10	15	2	1	3
PAULDING	141	161	6	5	5
PEACH	167	173	8	6	8
WHITE	69	73	3	2	3
ALL OTHER	98	100	5	4	5
NEGRO	98	100	5	4	5
PICKENS	108	119	7	6	6
PIERCE	102	119	6	5	2
WHITE	74	88	4	4	-
ALL OTHER	28	31	2	1	2
NEGRO	28	31	2	1	2
PIKE	19	64	2	-	5
WHITE	9	39	-	-	2
ALL OTHER	10	25	2	-	3
NEGRO	10	25	2	-	3
POLK	315	315	8	6	10
WHITE	272	274	6	5	8
ALL OTHER	43	41	2	1	2
NEGRO	43	41	2	1	2
PULASKI	135	110	3	-	2
WHITE	90	67	-	-	-
ALL OTHER	45	43	3	-	2
NEGRO	45	43	3	-	2
PUTNAM	114	105	2	-	3
WHITE	61	62	-	-	1
ALL OTHER	53	43	2	-	2
NEGRO	53	43	2	-	2
QUITMAN	-	28	-	-	-
WHITE	-	15	-	-	-
ALL OTHER	-	13	-	-	-
NEGRO	-	13	-	-	-
RABUN	72	87	1	1	-
RANDOLPH	114	122	3	3	4
WHITE	57	58	1	1	1
ALL OTHER	57	64	2	2	3
NEGRO	57	64	2	2	3
RICHMOND	2,407	1,439	38	28	56
WHITE	1,559	884	22	16	35
ALL OTHER	848	555	16	12	21
NEGRO	847	553	16	12	20
AUGUSTA	---	1,000	25	18	28
WHITE	---	525	12	8	13
ALL OTHER	---	475	13	10	15
NEGRO	---	473	13	10	14
BALANCE OF COUNTY	---	439	13	10	28
WHITE	---	359	10	8	22
ALL OTHER	---	80	3	2	6
NEGRO	---	80	3	2	6
ROCKDALE	144	172	4	4	4
WHITE	120	138	1	1	3
ALL OTHER	24	34	3	3	1
NEGRO	24	34	3	3	1
SCHLEY	8	41	3	1	1
WHITE	4	26	1	1	-
ALL OTHER	4	15	2	-	1
NEGRO	4	15	2	-	1
SCREVEN	123	160	1	1	2
WHITE	76	95	1	1	1
ALL OTHER	47	65	-	-	1
NEGRO	47	65	-	-	1
SEMINOLE	132	86	-	-	5
WHITE	92	62	-	-	4
ALL OTHER	40	24	-	-	1
NEGRO	40	24	-	-	1
SPALDING	439	423	10	5	22
WHITE	335	319	5	3	14
ALL OTHER	104	104	5	2	8
NEGRO	104	104	5	2	8
GRIFFIN	---	294	7	4	14
WHITE	---	211	3	2	10
ALL OTHER	---	83	4	2	4
NEGRO	---	83	4	2	4
BALANCE OF COUNTY	---	129	3	1	8
WHITE	---	108	2	1	4
ALL OTHER	---	21	1	-	4
NEGRO	---	21	1	-	4
STEPHENS	220	193	5	4	-
WHITE	197	169	5	4	-
ALL OTHER	23	24	-	-	-
NEGRO	23	24	-	-	-
STEWART	68	74	1	-	3
WHITE	28	32	-	-	1
ALL OTHER	40	42	1	-	2
NEGRO	40	42	1	-	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
GEORGIA—CON.					
SUMTER	349	294	6	4	4
WHITE	187	151	2	2	-
ALL OTHER	162	143	4	2	4
NEGRO	162	143	4	2	4
AMERICUS	---	180	4	3	3
WHITE	---	94	2	2	-
ALL OTHER	---	86	2	1	3
NEGRO	---	86	2	1	3
BALANCE OF COUNTY	---	114	2	1	1
WHITE	---	57	-	-	-
ALL OTHER	---	57	2	1	1
NEGRO	---	57	2	1	1
TALBOT	27	67	1	-	1
WHITE	7	25	-	-	-
ALL OTHER	20	42	1	-	1
NEGRO	20	42	1	-	1
TALIAFERRO	5	31	1	1	-
WHITE	2	18	-	-	-
ALL OTHER	3	13	1	1	-
NEGRO	3	13	1	1	-
TATTNALL	101	192	3	2	4
WHITE	67	149	1	1	1
ALL OTHER	34	43	2	1	3
NEGRO	34	43	2	1	3
TAYLOR	51	90	3	1	1
WHITE	30	55	3	1	-
ALL OTHER	21	35	-	-	1
NEGRO	21	35	-	-	1
TELFAIR	122	133	2	1	2
WHITE	85	92	-	-	1
ALL OTHER	37	41	2	1	1
NEGRO	37	41	2	1	1
TERRELL	125	151	7	6	7
WHITE	56	70	2	2	2
ALL OTHER	69	81	5	4	5
NEGRO	69	81	5	4	5
THOMAS	480	385	14	10	17
WHITE	283	227	6	5	6
ALL OTHER	197	158	8	5	11
NEGRO	197	158	8	5	11
THOMASVILLE	---	218	5	3	7
WHITE	---	107	-	-	2
ALL OTHER	---	111	5	3	5
NEGRO	---	111	5	3	5
BALANCE OF COUNTY	---	167	9	7	10
WHITE	---	120	6	5	4
ALL OTHER	---	47	3	2	6
NEGRO	---	47	3	2	6
TIFT	273	255	9	7	1
WHITE	199	181	3	1	-
ALL OTHER	74	74	6	6	1
NEGRO	74	74	6	6	1
TIFTON	---	126	3	2	1
WHITE	---	99	1	-	-
ALL OTHER	---	27	2	2	1
NEGRO	---	27	2	2	1
BALANCE OF COUNTY	---	129	6	5	-
WHITE	---	82	2	1	-
ALL OTHER	---	47	4	4	-
NEGRO	---	47	4	4	-
TOOMBS	198	225	7	4	10
WHITE	158	169	4	2	3
ALL OTHER	40	56	3	2	7
NEGRO	40	56	3	2	7
TOWNS	96	58	1	-	-
TREUTLEN	57	58	4	2	4
WHITE	40	39	2	1	3
ALL OTHER	17	19	2	1	1
NEGRO	17	19	2	1	1
TROUP	536	536	15	8	26
WHITE	353	361	9	6	18
ALL OTHER	183	175	6	2	8
NEGRO	183	175	6	2	8
LA GRANGE	---	305	9	6	13
WHITE	---	195	5	4	7
ALL OTHER	---	110	4	2	6
NEGRO	---	110	4	2	6
BALANCE OF COUNTY	---	231	6	2	13
WHITE	---	166	4	2	11
ALL OTHER	---	65	2	-	2
NEGRO	---	65	2	-	2
TURNER	119	124	7	6	3
WHITE	78	83	1	1	-
ALL OTHER	41	41	6	5	3
NEGRO	41	41	6	5	3
GEORGIA—CON.					
TWIGGS	38	73	2	2	2
WHITE	25	36	-	-	-
ALL OTHER	13	37	2	2	2
NEGRO	13	37	2	2	2
UNION	107	86	3	3	-
UPSON	281	245	7	5	8
WHITE	193	183	2	1	5
ALL OTHER	88	62	5	4	3
NEGRO	88	62	5	4	3
THOMASTON	---	133	3	1	3
WHITE	---	108	1	-	1
ALL OTHER	---	25	2	1	2
NEGRO	---	25	2	1	2
BALANCE OF COUNTY	---	112	4	4	5
WHITE	---	75	1	1	4
ALL OTHER	---	37	3	3	1
NEGRO	---	37	3	3	1
WALKER	226	516	15	10	12
WALTON	177	235	11	9	12
WHITE	143	189	8	7	3
ALL OTHER	34	46	3	2	9
NEGRO	34	46	3	2	9
WARE	404	368	12	8	7
WHITE	321	266	10	7	2
ALL OTHER	83	102	2	1	5
NEGRO	83	102	2	1	5
WAYCROSS	---	264	7	5	6
WHITE	---	165	5	4	1
ALL OTHER	---	99	2	1	5
NEGRO	---	99	2	1	5
BALANCE OF COUNTY	---	104	5	3	1
WARREN	15	79	-	-	2
WHITE	7	43	-	-	-
ALL OTHER	8	36	-	-	2
NEGRO	8	36	-	-	2
WASHINGTON	196	208	3	1	6
WHITE	97	102	2	1	2
ALL OTHER	99	106	1	-	4
NEGRO	99	106	1	-	4
WAYNE	208	184	4	3	1
WHITE	153	144	1	1	-
ALL OTHER	55	40	3	2	1
NEGRO	55	40	3	2	-
WEBSTER	7	28	1	1	-
WHITE	3	13	-	-	-
ALL OTHER	4	15	1	1	-
NEGRO	4	15	1	1	-
WHEELER	71	67	3	3	3
WHITE	51	53	3	3	2
ALL OTHER	20	14	-	-	1
NEGRO	20	14	-	-	1
WHITE	44	72	3	2	1
WHITFIELD	456	458	20	14	23
DALTON	---	192	9	7	8
WHITE	---	177	9	7	8
ALL OTHER	---	15	-	-	-
NEGRO	---	15	-	-	-
BALANCE OF COUNTY	---	266	11	7	15
WILCOX	35	82	-	-	1
WHITE	16	57	-	-	-
ALL OTHER	19	25	-	-	1
NEGRO	19	25	-	-	1
WILKES	137	132	-	-	3
WHITE	83	75	-	-	1
ALL OTHER	54	57	-	-	2
NEGRO	54	57	-	-	2
WILKINSON	50	108	2	1	7
WHITE	25	68	1	1	-
ALL OTHER	25	40	1	-	7
NEGRO	25	40	1	-	7
WORTH	142	175	4	1	6
WHITE	82	113	2	-	2
ALL OTHER	60	62	2	1	4
NEGRO	60	62	2	1	4
HAWAII	4,599	4,343	241	180	242
WHITE	1,577	1,361	65	50	78
ALL OTHER	3,022	2,982	176	130	164
NEGRO	30	24	4	3	12
HAWAII	508	522	21	18	20
WHITE	155	123	3	3	-
ALL OTHER	353	399	18	15	20
NEGRO	5	4	-	-	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
HAWAII--CON.					
HAWAII--CON.					
HILO[3]	——	215	10	9	11
WHITE	——	49	3	3	-
ALL OTHER	——	166	7	6	11
NEGRO	——	2	-	-	-
BALANCE OF COUNTY	——	307	11	9	9
WHITE	——	74	-	-	-
ALL OTHER	——	233	11	9	9
NEGRO	——	2	-	-	-
HONOLULU	3,517	3,248	197	146	195
WHITE	1,250	1,098	54	43	74
ALL OTHER	2,267	2,150	143	103	121
NEGRO	25	20	4	3	12
AIEA	——	46	5	4	3
WHITE	——	17	3	3	-
ALL OTHER	——	29	2	1	3
NEGRO	——	-	-	-	-
HONOLULU[3]	——	2,048	86	66	78
WHITE	——	697	16	12	24
ALL OTHER	——	1,351	70	54	54
NEGRO	——	12	2	1	4
KAILUA	——	159	10	7	3
WHITE	——	101	4	3	3
ALL OTHER	——	58	6	4	-
NEGRO	——	-	-	-	-
KANEOHE	——	175	13	12	15
WHITE	——	64	6	6	5
ALL OTHER	——	111	7	6	10
NEGRO	——	2	1	1	1
PEARL CITY	——	58	4	2	11
WHITE	——	7	-	-	3
ALL OTHER	——	51	4	2	8
NEGRO	——	1	-	-	1
SCHOFIELD BARRACKS	——	16	7	7	8
WHITE	——	11	4	4	7
ALL OTHER	——	5	3	3	1
NEGRO	——	1	-	-	1
WAHIAWA	——	91	8	7	9
WHITE	——	18	5	4	7
ALL OTHER	——	73	3	3	2
NEGRO	——	-	-	-	-
WAIPAHU	——	94	11	9	12
WHITE	——	15	4	3	6
ALL OTHER	——	79	7	6	6
NEGRO	——	-	-	-	2
BALANCE OF COUNTY	——	561	53	32	56
WHITE	——	168	12	8	19
ALL OTHER	——	393	41	24	37
NEGRO	——	4	1	1	3
KAUAI	230	229	7	4	17
WHITE	58	49	3	2	3
ALL OTHER	172	180	4	2	14
NEGRO	-	-	-	-	-
MAUI	344	344	16	12	10
WHITE	114	91	5	2	1
ALL OTHER	230	253	11	10	9
NEGRO	-	-	-	-	-
IDAHO	6,239	6,460	239	174	151
WHITE	6,137	6,357	232	169	141
ALL OTHER	102	103	7	5	10
NEGRO	24	22	2	1	4
ADA	1,216	1,016	46	33	23
BOISE CITY	——	858	37	30	20
BALANCE OF COUNTY	——	158	9	3	3
ADAMS	18	21	-	-	-
BANNOCK	413	390	16	12	10
POCATELLO	——	319	14	10	6
BALANCE OF COUNTY	——	71	2	2	4
BEAR LAKE	44	62	2	2	1
BENEWAH	67	77	2	1	-
BINGHAM	165	236	11	7	6
BLAINE	46	48	2	1	1
BOISE	18	15	1	1	-
BONNER	129	178	5	5	3
BONNEVILLE	449	378	20	17	10
IDAHO FALLS	——	303	19	16	8
BALANCE OF COUNTY	——	75	1	1	2
BOUNDARY	51	57	1	1	1
BUTTE	42	26	2	-	-
CAMAS	5	6	-	-	-
CANYON	620	637	13	9	11
CALDWELL	——	167	3	3	4
NAMPA	——	270	5	2	4
BALANCE OF COUNTY	——	200	5	4	3
IDAHO--CON.					
CARIBOU	50	50	1	1	1
CASSIA	127	132	7	6	5
CLARK	3	6	-	-	-
CLEARWATER	70	65	3	3	-
CUSTER	18	30	1	-	-
ELMORE	82	89	6	2	6
FRANKLIN	67	85	2	2	-
FREMONT	60	74	2	2	5
GEM	77	102	3	2	1
GOODING	103	118	2	-	3
IDAHO	117	114	3	2	1
JEFFERSON	40	92	9	8	4
JEROME	89	94	1	-	3
KOOTENAI	376	386	9	5	9
COEUR D ALENE	——	208	5	3	2
BALANCE OF COUNTY	——	178	4	2	7
LATAH	174	181	6	4	6
MOSCOW	——	88	2	2	3
BALANCE OF COUNTY	——	93	4	2	3
LEMHI	78	79	1	1	-
LEWIS	10	39	1	-	-
LINCOLN	29	31	-	-	1
MADISON	78	81	4	4	4
MINIDOKA	85	117	7	6	4
NEZ PERCE	275	279	7	5	2
LEWISTON	——	242	6	4	2
BALANCE OF COUNTY	——	37	1	1	-
WHITE	——	24	-	-	-
ALL OTHER	——	13	1	1	-
NEGRO	——	-	-	-	-
ONEIDA	30	46	2	-	1
OWYHEE	35	60	1	-	4
PAYETTE	70	132	2	1	1
POWER	53	40	4	4	1
SHOSHONE	148	164	7	6	3
TETON	27	28	1	1	-
TWIN FALLS	446	451	21	16	16
TWIN FALLS	——	248	9	5	8
BALANCE OF COUNTY	——	203	12	11	8
VALLEY	56	46	2	1	1
WASHINGTON	83	102	3	3	3
ILLINOIS	105,542	108,171	3,279	2,442	1,895
WHITE	91,737	94,173	2,144	1,658	1,226
ALL OTHER	13,805	13,998	1,135	784	669
NEGRO	13,539	13,738	1,109	765	641
ADAMS	1,120	977	17	14	11
QUINCY	——	726	11	8	5
BALANCE OF COUNTY	——	251	6	6	6
ALEXANDER	151	214	4	4	1
WHITE	86	147	2	2	-
ALL OTHER	65	67	2	2	1
NEGRO	65	67	2	2	1
BOND	166	186	5	2	-
BOONE	235	238	9	6	4
BELVIDERE	——	145	7	4	3
BALANCE OF COUNTY	——	93	2	2	1
BROWN	17	76	-	-	-
BUREAU	397	406	4	4	7
CALHOUN	47	99	1	1	-
CARROLL	130	209	5	5	7
CASS	150	196	4	2	3
CHAMPAIGN	1,145	885	29	21	17
WHITE	1,060	807	21	17	14
ALL OTHER	85	78	8	4	3
NEGRO	84	76	7	3	3
CHAMPAIGN	——	382	7	5	4
WHITE	——	329	5	4	2
ALL OTHER	——	53	2	1	2
NEGRO	——	52	2	1	2
RANTOUL	——	52	6	3	5
URBANA	——	199	9	6	3
WHITE	——	178	5	4	3
ALL OTHER	——	21	4	2	-
NEGRO	——	21	4	2	-
BALANCE OF COUNTY	——	252	7	7	5
CHRISTIAN	398	469	7	6	8
TAYLORVILLE	——	176	4	3	3
BALANCE OF COUNTY	——	293	3	3	5
CLARK	121	214	5	4	2
CLAY	164	218	3	2	6
CLINTON	198	293	8	6	6
CENTRALIA, PART	——	24	-	-	-
BALANCE OF COUNTY	——	269	8	6	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS—CON.					
COLES	580	538	10	8	10
CHARLESTON	—	159	4	3	2
MATTOON	—	261	1	1	4
BALANCE OF COUNTY	—	118	5	4	4
COOK	52,957	53,669	1,759	1,281	1,059
WHITE	41,420	42,012	844	652	511
ALL OTHER	11,537	11,657	915	629	548
NEGRO	11,306	11,426	893	614	528
ALSIP	—	94	3	3	2
ARLINGTON HEIGHTS, PART	—	391	17	14	3
ARLINGTON HEIGHTS, TOTAL	—	391	17	14	3
BELLWOOD	—	145	1	1	5
BENSENVILLE, PART	—	4	—	—	—
BERWYN	—	713	4	4	4
BLUE ISLAND	—	304	9	2	2
BRIDGE VIEW	—	80	6	6	1
BROOKFIELD	—	225	3	2	4
BUFFALO GROVE, PART	—	48	6	6	3
BUFFALO GROVE, TOTAL	—	50	6	6	3
CALUMET CITY	—	322	10	9	5
CALUMET PARK	—	76	—	—	—
CHICAGO, PART	—	36,556	1,345	941	810
WHITE	—	25,615	492	361	303
ALL OTHER	—	10,941	853	580	507
NEGRO	—	10,731	832	566	490
CHICAGO, TOTAL	—	36,557	1,345	941	810
WHITE	—	25,616	492	361	303
ALL OTHER	—	10,941	853	580	507
NEGRO	—	10,731	832	566	490
CHICAGO HEIGHTS	—	422	16	12	10
WHITE	—	331	6	4	2
ALL OTHER	—	91	10	8	8
NEGRO	—	90	10	8	8
CICERO	—	854	22	17	8
DEERFIELD, PART	—	6	1	1	—
DES PLAINES	—	501	13	9	6
DOLTON	—	173	4	4	2
ELGIN, PART	—	38	—	—	1
ELK GROVE VILLAGE, PART	—	80	1	1	2
ELK GROVE VILLAGE, TOTAL	—	80	1	1	2
ELMWOOD PARK	—	229	6	6	3
EVANSTON	—	826	10	7	7
WHITE	—	708	6	5	3
ALL OTHER	—	118	4	2	4
NEGRO	—	115	4	2	4
EVERGREEN PARK	—	309	3	3	1
FOREST PARK	—	224	3	2	2
FRANKLIN PARK	—	149	2	2	3
GLENCOE	—	65	1	1	—
GLENVIEW	—	258	1	1	2
HANOVER PARK, PART	—	53	6	5	4
HANOVER PARK, TOTAL	—	56	6	5	4
HARVEY	—	304	24	20	8
WHITE	—	206	8	6	5
ALL OTHER	—	98	16	14	3
NEGRO	—	98	16	14	3
HAZEL CREST	—	79	6	5	1
HICKORY HILLS	—	65	—	—	2
HINSDALE, PART	—	19	—	—	1
HOFFMAN ESTATES	—	81	7	7	2
HOMEWOOD	—	190	1	1	1
LA GRANGE	—	182	1	1	2
LA GRANGE PARK	—	145	1	1	—
LANSING	—	208	14	13	6
LINCOLNWOOD	—	97	1	1	—
LYONS	—	105	2	1	1
MARKHAM	—	99	5	5	2
WHITE	—	45	2	2	—
ALL OTHER	—	54	3	3	2
NEGRO	—	54	3	3	2
MAYWOOD	—	223	4	4	8
WHITE	—	152	—	—	—
ALL OTHER	—	71	4	4	8
NEGRO	—	71	4	4	8
MELROSE PARK	—	229	6	6	6
MIDLOTHIAN	—	109	6	5	1
MORTON GROVE	—	163	2	2	3
MOUNT PROSPECT	—	258	7	6	4
NILES	—	303	2	2	4
NORRIDGE	—	149	—	—	3
NORTHBROOK	—	205	5	5	2
NORTHLAKE, PART	—	126	—	—	3
NORTHLAKE, TOTAL	—	127	—	—	3
OAK FOREST	—	104	3	3	3
OAK LAWN	—	594	11	10	8
OAK PARK	—	726	7	5	5
PALATINE	—	211	7	5	6
PARK FOREST, PART	—	154	6	4	2
PARK FOREST, TOTAL	—	164	6	4	2
PARK RIDGE	—	375	4	4	4
RIVERDALE	—	162	2	2	2
RIVER FOREST	—	121	1	—	—
RIVER GROVE	—	89	2	1	—
RIVERSIDE	—	106	—	—	—
ROLLING MEADOWS	—	93	2	1	1
SCHAUMBURG, PART	—	89	4	4	4
SCHAUMBURG, TOTAL	—	92	6	6	5
SCHILLER PARK	—	57	2	2	2
SKOKIE	—	499	4	3	6
SOUTH HOLLAND	—	190	1	1	3
STREAMWOOD	—	69	9	5	4
SUMMIT	—	96	8	6	3
WHITE	—	77	5	4	2
ALL OTHER	—	19	3	2	1
NEGRO	—	19	3	2	1
TINLEY PARK, PART	—	128	8	7	5
TINLEY PARK, TOTAL	—	128	8	7	5
WESTCHESTER	—	138	—	—	—
WESTERN SPRINGS	—	89	3	3	3
WHEELING	—	109	6	3	2
WILMETTE	—	239	4	1	1
WINNETKA	—	88	—	—	—
WORTH	—	94	1	1	3
BALANCE OF COUNTY	—	2,560	77	66	42
WHITE	—	2,370	61	53	34
ALL OTHER	—	190	16	13	8
NEGRO	—	188	16	13	8
CRAWFORD	188	232	—	—	1
CUMBERLAND	58	121	1	1	4
DE KALB	490	489	21	19	8
DE KALB	—	151	8	8	2
BALANCE OF COUNTY	—	338	13	11	6
DE WITT	151	226	8	7	2
DOUGLAS	183	205	3	3	3
DU PAGE	3,030	3,289	104	73	53
ADDISON	—	99	10	7	11
BENSENVILLE, PART	—	126	4	3	1
BENSENVILLE, TOTAL	—	130	4	3	1
CHICAGO, PART	—	1	—	—	—
DOWNERS GROVE	—	362	5	4	1
ELK GROVE VILLAGE, PART	—	—	—	—	—
ELMHURST	—	374	5	1	—
GLENDALE HEIGHTS	—	54	6	4	1
GLEN ELLYN	—	172	6	5	4
HANOVER PARK, PART	—	3	—	—	—
HINSDALE, PART	—	126	2	1	1
HINSDALE, TOTAL	—	145	2	1	2
LOMBARD	—	235	7	4	—
NAPERVILLE	—	172	2	2	3
NORTHLAKE, PART	—	1	—	—	—
SCHAUMBURG, PART	—	3	2	2	1
VILLA PARK	—	196	4	4	1
WEST CHICAGO	—	108	7	3	3
WHEATON	—	228	5	5	5
WOODRIDGE	—	29	5	4	5
BALANCE OF COUNTY	—	1,000	34	24	16
EDGAR	255	296	4	3	1
EDWARDS	39	89	—	—	2
EFFINGHAM	353	255	4	4	2
FAYETTE	217	260	5	4	1
FORD	186	194	3	3	2
FRANKLIN	512	625	12	8	6
FULTON	427	526	6	4	4
CANTON	—	198	1	1	—
BALANCE OF COUNTY	—	328	5	3	4
GALLATIN	30	107	1	1	1
GREENE	203	253	8	6	2
GRUNDY	204	257	5	4	5
HAMILTON	136	159	—	—	1
HANCOCK	200	316	12	9	1
HARDIN	55	69	—	—	—
HENDERSON	21	85	1	1	—
HENRY	458	602	16	12	10
KEWANEE	—	234	4	1	6
BALANCE OF COUNTY	—	368	12	11	4
IROQUOIS	276	381	3	1	5
JACKSON	547	474	10	7	4
CARBONDALE	—	134	3	2	1
WHITE	—	107	1	1	—
ALL OTHER	—	27	2	1	1
NEGRO	—	27	2	1	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
ILLINOIS—CON.					
JACKSON—CON.					
MURPHYSBORO	——	136	2	2	2
BALANCE OF COUNTY	——	204	5	3	1
JASPER	59	135	3	3	3
JEFFERSON	446	418	11	7	9
MOUNT VERNON	——	256	8	6	6
BALANCE OF COUNTY	——	162	3	1	3
JERSEY	171	169	1	1	3
JO DAVIESS	141	261	7	6	—
JOHNSON	50	109	3	3	—
KANE	2,411	2,110	84	58	45
AURORA	——	758	32	22	18
CARPENTERSVILLE	——	100	9	5	3
ELGIN, PART	——	563	21	15	12
ELGIN, TOTAL	——	601	21	15	13
ST. CHARLES	——	118	9	6	2
BALANCE OF COUNTY	——	571	13	10	10
KANKAKEE	1,025	919	42	27	16
WHITE	879	787	26	17	9
ALL OTHER	146	132	16	10	7
NEGRO	146	132	16	10	7
KANKAKEE	——	380	16	9	6
WHITE	——	336	8	5	3
ALL OTHER	——	44	8	4	3
NEGRO	——	44	8	4	3
BALANCE OF COUNTY	——	539	26	18	10
WHITE	——	451	18	12	6
ALL OTHER	——	88	8	6	4
NEGRO	——	88	8	6	4
KENDALL	96	181	9	6	6
KNOX	772	664	24	19	4
GALESBURG	——	407	9	7	2
BALANCE OF COUNTY	——	257	15	12	2
LAKE	2,739	2,597	85	64	59
WHITE	2,587	2,461	73	56	53
ALL OTHER	152	136	12	8	6
NEGRO	148	134	12	8	5
ARLINGTON HEIGHTS, PART	——	—	—	—	—
BUFFALO GROVE, PART	——	2	—	—	—
DEERFIELD, PART	——	107	—	—	1
DEERFIELD, TOTAL	——	113	1	1	1
HIGHLAND PARK	——	191	6	6	1
LAKE FOREST	——	123	—	—	2
LIBERTYVILLE	——	99	2	2	3
MUNDELEIN	——	101	5	3	3
NORTH CHICAGO	——	133	4	3	5
WHITE	——	86	1	1	3
ALL OTHER	——	47	3	2	2
NEGRO	——	47	3	2	2
WAUKEGAN	——	572	29	20	14
WHITE	——	512	20	14	10
ALL OTHER	——	60	9	6	4
NEGRO	——	59	9	6	3
ZION	——	164	6	4	—
WHITE	——	144	6	4	—
ALL OTHER	——	20	—	—	—
NEGRO	——	20	—	—	—
BALANCE OF COUNTY	——	1,105	33	26	30
LA SALLE	1,197	1,205	28	22	16
LA SALLE	——	149	3	1	1
OTTAWA	——	211	3	3	4
PERU	——	126	—	—	—
STREATOR, PART	——	199	6	6	3
STREATOR, TOTAL	——	199	6	6	3
BALANCE OF COUNTY	——	520	16	12	8
LAWRENCE	217	274	4	4	—
LEE	396	349	8	7	5
DIXON	——	171	5	4	4
BALANCE OF COUNTY	——	178	3	3	1
LIVINGSTON	439	486	10	7	5
STREATOR, PART	——	—	—	—	—
BALANCE OF COUNTY	——	486	10	7	5
LOGAN	396	322	7	5	3
LINCOLN	——	182	4	3	2
BALANCE OF COUNTY	——	140	3	2	1
MC DONOUGH	394	397	11	11	1
MACOMB	——	160	2	2	—
BALANCE OF COUNTY	——	237	9	9	1
MC HENRY	827	991	27	20	21
CRYSTAL LAKE	——	121	4	3	3
WOODSTOCK	——	112	4	4	4
BALANCE OF COUNTY	——	758	19	13	14
MC LEAN	809	905	29	23	16
BLOOMINGTON	——	445	13	9	7
NORMAL	——	120	4	3	3
BALANCE OF COUNTY	——	340	12	11	6
ILLINOIS—CON.					
MACON	1,379	1,151	47	39	15
WHITE	1,312	1,079	41	35	9
ALL OTHER	67	72	6	4	6
NEGRO	66	71	6	4	6
DECATUR	——	966	38	34	10
WHITE	——	894	32	30	4
ALL OTHER	——	72	6	4	6
NEGRO	——	71	6	4	6
BALANCE OF COUNTY	——	185	9	5	5
MACOUPIN	475	676	8	7	6
MADISON	2,016	2,359	74	62	32
WHITE	1,876	2,226	63	55	22
ALL OTHER	140	133	11	7	10
NEGRO	140	131	11	7	10
ALTON	——	464	16	12	5
WHITE	——	403	8	8	2
ALL OTHER	——	61	8	4	3
NEGRO	——	59	8	4	3
COLLINSVILLE, PART	——	205	6	5	2
COLLINSVILLE, TOTAL	——	220	6	5	2
EDWARDSVILLE	——	152	2	2	1
GRANITE CITY	——	384	13	11	10
WOOD RIVER	——	117	3	2	1
BALANCE OF COUNTY	——	1,037	34	30	13
MARION	555	536	14	14	6
CENTRALIA, PART	——	211	3	3	1
WHITE	——	197	2	2	1
ALL OTHER	——	14	1	1	—
NEGRO	——	14	1	1	—
CENTRALIA, TOTAL	——	235	3	3	1
BALANCE OF COUNTY	——	325	11	11	5
MARSHALL	56	138	4	3	1
MASON	127	219	7	7	4
MASSAC	169	190	1	—	3
MENARD	75	121	7	5	1
MERCER	122	207	1	1	3
MONROE	86	183	2	2	1
MONTGOMERY	467	396	7	4	8
MORGAN	553	468	6	4	4
JACKSONVILLE	——	326	3	3	1
BALANCE OF COUNTY	——	142	3	1	3
MOULTRIE	130	184	3	2	1
OGLE	221	399	11	6	14
PEORIA	2,449	1,973	52	35	35
WHITE	2,331	1,856	42	30	28
ALL OTHER	118	117	10	5	7
NEGRO	116	116	10	5	6
PEKIN, PART	——	—	—	—	—
PEORIA	——	1,332	33	18	24
WHITE	——	1,215	23	13	17
ALL OTHER	——	117	10	5	7
NEGRO	——	116	10	5	6
BALANCE OF COUNTY	——	641	19	17	11
PERRY	274	289	9	7	5
PIATT	88	177	7	5	1
PIKE	215	257	4	4	2
POPE	18	57	—	—	1
PULASKI	43	120	3	3	3
WHITE	29	76	3	3	1
ALL OTHER	14	44	—	—	2
NEGRO	14	44	—	—	2
PUTNAM	8	37	1	—	—
RANDOLPH	441	366	10	9	5
RICHLAND	294	194	4	3	5
ROCK ISLAND	1,578	1,539	40	32	31
EAST MOLINE	——	169	4	4	2
MOLINE	——	493	10	8	8
ROCK ISLAND	——	549	16	12	8
WHITE	——	515	11	9	6
ALL OTHER	——	34	5	3	2
NEGRO	——	33	5	3	2
BALANCE OF COUNTY	——	328	10	8	13
ST. CLAIR	2,780	2,828	122	85	60
WHITE	2,185	2,073	57	41	29
ALL OTHER	595	755	65	44	31
NEGRO	593	753	65	44	30
BELLEVILLE	——	624	14	12	10
CAHOKIA	——	129	7	4	1
CENTREVILLE	——	74	3	2	1
WHITE	——	17	1	1	—
ALL OTHER	——	57	2	1	1
NEGRO	——	57	2	1	1
COLLINSVILLE, PART	——	15	—	—	—

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS—CON.					
ST. CLAIR—CON.					
EAST ST. LOUIS	——	937	70	47	29
WHITE	——	303	11	8	2
ALL OTHER	——	634	59	39	27
NEGRO	——	633	59	39	27
BALANCE OF COUNTY	——	1,049	28	20	19
SALINE	473	418	4	4	4
SANGAMON	2,070	1,679	45	30	21
SPRINGFIELD	——	1,204	37	25	16
BALANCE OF COUNTY	——	475	8	5	5
SCHUYLER	155	124	2	1	1
SCOTT	27	76	2	2	–
SHELBY	167	288	7	6	3
STARK	19	107	2	2	1
STEPHENSON	551	510	15	13	6
FREEPORT	——	314	12	10	4
BALANCE OF COUNTY	——	196	3	3	2
TAZEWELL	680	913	17	15	16
EAST PEORIA	——	156	6	4	5
MORTON	——	70	–	–	1
PEKIN, PART	——	296	4	4	6
PEKIN, TOTAL	——	298	4	4	6
BALANCE OF COUNTY	——	391	7	7	4
UNION	202	219	5	3	2
VERMILION	1,281	1,111	23	18	20
DANVILLE	——	531	9	5	12
WHITE	——	479	5	1	8
ALL OTHER	——	52	4	4	4
NEGRO	——	51	4	4	4
BALANCE OF COUNTY	——	580	14	13	8
WABASH	193	165	4	3	1
WARREN	278	249	4	2	2
MONMOUTH	——	148	2	2	1
BALANCE OF COUNTY	——	101	2	–	1
WASHINGTON	174	207	1	1	–
WAYNE	198	225	5	4	4
WHITE	210	264	4	4	3
WHITESIDE	529	589	17	15	11
ROCK FALLS	——	102	3	3	3
STERLING	——	152	6	5	4
BALANCE OF COUNTY	——	335	8	7	4
WILL	1,799	2,026	96	84	42
WHITE	1,698	1,917	76	66	37
ALL OTHER	101	109	20	18	5
NEGRO	99	107	20	18	5
JOLIET	——	879	40	36	14
WHITE	——	810	27	24	10
ALL OTHER	——	69	13	12	4
NEGRO	——	69	13	12	4
PARK FOREST, PART	——	10	–	–	–
ROMEOVILLE	——	46	6	4	1
TINLEY PARK, PART	——	–	–	–	–
BALANCE OF COUNTY	——	1,091	50	44	27
WILLIAMSON	738	652	8	8	7
MARION	——	194	2	2	3
BALANCE OF COUNTY	——	458	6	6	4
WINNEBAGO	2,197	2,088	77	53	34
WHITE	2,081	1,969	59	43	30
ALL OTHER	116	119	18	10	4
NEGRO	114	117	18	10	4
LOVES PARK	——	79	1	1	1
ROCKFORD	——	1,498	58	42	20
WHITE	——	1,397	41	32	17
ALL OTHER	——	101	17	10	3
NEGRO	——	100	17	10	3
BALANCE OF COUNTY	——	511	18	10	13
WOODFORD	222	308	7	6	4
INDIANA	48,256	48,269	1,367	1,002	931
WHITE	44,763	44,712	1,133	830	740
ALL OTHER	3,493	3,557	234	172	191
NEGRO	3,485	3,546	233	171	188
ADAMS	174	214	9	5	1
ALLEN	2,699	2,250	57	36	47
WHITE	2,520	2,072	42	27	36
ALL OTHER	179	178	15	9	11
NEGRO	179	177	15	9	11
FORT WAYNE	——	1,802	50	33	37
WHITE	——	1,625	35	24	26
ALL OTHER	——	177	15	9	11
NEGRO	——	176	15	9	11
BALANCE OF COUNTY	——	448	7	3	10
INDIANA—CON.					
BARTHOLOMEW	484	445	16	11	8
COLUMBUS	——	275	8	5	5
BALANCE OF COUNTY	——	170	8	6	3
BENTON	51	116	3	3	–
BLACKFORD	143	156	2	2	3
BOONE	224	297	11	9	5
BROWN	30	88	6	3	1
CARROLL	72	183	8	6	2
CASS	421	415	11	6	4
LOGANSPORT	——	265	7	4	3
BALANCE OF COUNTY	——	150	4	2	1
CLARK	592	644	16	14	12
CLARKSVILLE	——	77	2	2	2
JEFFERSONVILLE	——	285	6	6	6
WHITE	——	260	6	6	6
ALL OTHER	——	25	–	–	–
NEGRO	——	25	–	–	–
BALANCE OF COUNTY	——	282	8	6	4
CLAY	270	302	6	5	3
CLINTON	307	393	11	11	5
FRANKFORT	——	236	7	7	4
BALANCE OF COUNTY	——	157	4	4	1
CRAWFORD	37	117	1	1	2
DAVIESS	320	303	5	3	13
WASHINGTON	——	156	–	–	5
BALANCE OF COUNTY	——	147	5	3	8
DEARBORN	342	334	9	6	3
DECATUR	180	203	7	6	3
DE KALB	292	332	12	10	5
DELAWARE	1,131	1,057	26	21	30
MUNCIE	——	752	18	15	22
BALANCE OF COUNTY	——	305	8	6	8
DUBOIS	387	311	8	6	8
ELKHART	1,157	1,091	40	33	25
ELKHART	——	513	21	18	10
GOSHEN	——	192	5	4	5
BALANCE OF COUNTY	——	386	14	11	10
FAYETTE	251	271	7	4	7
CONNERSVILLE	——	204	6	3	6
BALANCE OF COUNTY	——	67	1	1	1
FLOYD	528	568	8	4	5
NEW ALBANY	——	455	7	3	4
BALANCE OF COUNTY	——	113	1	1	1
FOUNTAIN	65	208	3	1	5
FRANKLIN	60	155	6	3	5
FULTON	157	220	4	2	2
GIBSON	303	350	5	4	3
GRANT	820	720	16	9	13
MARION	——	434	9	5	4
WHITE	——	404	7	5	3
ALL OTHER	——	30	2	–	1
NEGRO	——	30	2	–	1
BALANCE OF COUNTY	——	286	7	4	9
GREENE	323	377	6	6	2
HAMILTON	366	449	6	4	3
HANCOCK	283	278	13	9	4
HARRISON	212	245	6	4	9
HENDRICKS	346	377	14	10	12
HENRY	423	492	16	13	6
NEW CASTLE	——	246	8	6	1
BALANCE OF COUNTY	——	246	8	7	5
HOWARD	649	682	26	19	24
KOKOMO	——	525	21	16	20
BALANCE OF COUNTY	——	157	5	3	4
HUNTINGTON	279	382	6	5	6
HUNTINGTON	——	183	4	3	4
BALANCE OF COUNTY	——	199	2	2	2
JACKSON	297	332	10	9	5
SEYMOUR	——	159	9	8	–
BALANCE OF COUNTY	——	173	1	1	5
JASPER	124	183	6	5	7
JAY	189	261	1	1	5
JEFFERSON	375	247	5	2	5
MADISON	——	134	1	–	1
BALANCE OF COUNTY	——	113	4	2	4
JENNINGS	75	154	4	3	1
JOHNSON	454	451	11	8	10
FRANKLIN	——	124	1	1	1
GREENWOOD	——	125	6	5	3
BALANCE OF COUNTY	——	202	4	2	6
KNOX	598	537	8	6	4
VINCENNES	——	262	4	4	2
BALANCE OF COUNTY	——	275	4	2	2
KOSCIUSKO	378	497	19	15	5
LAGRANGE	184	207	7	5	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
INDIANA—CON.					
LAKE	4,794	4,736	198	146	148
WHITE	3,704	3,560	104	73	59
ALL OTHER	1,090	1,176	94	73	89
NEGRO	1,090	1,175	94	73	89
CROWN POINT	—	148	2	1	5
EAST CHICAGO	—	500	19	15	13
WHITE	—	364	10	8	6
ALL OTHER	—	136	9	7	7
NEGRO	—	136	9	7	7
GARY	—	1,780	99	78	80
WHITE	—	800	21	16	11
ALL OTHER	—	980	78	62	69
NEGRO	—	979	78	62	69
GRIFFITH	—	106	4	4	3
HAMMOND	—	932	33	21	19
HIGHLAND	—	142	7	6	2
HOBART	—	171	3	2	4
MUNSTER	—	120	–	–	2
BALANCE OF COUNTY	—	837	31	19	20
LA PORTE	1,164	994	26	18	14
LA PORTE	—	262	1	–	7
MICHIGAN CITY	—	419	18	13	5
WHITE	—	358	13	8	2
ALL OTHER	—	61	5	5	3
NEGRO	—	59	4	4	3
BALANCE OF COUNTY	—	313	7	5	2
LAWRENCE	412	410	15	9	8
BEDFORD	—	179	3	2	5
BALANCE OF COUNTY	—	231	12	7	3
MADISON	1,084	1,174	20	17	31
ANDERSON	—	649	17	15	20
WHITE	—	597	13	11	15
ALL OTHER	—	52	4	4	5
NEGRO	—	52	4	4	5
ELWOOD	—	146	2	1	1
BALANCE OF COUNTY	—	379	1	1	10
WHITE	—	376	1	1	10
ALL OTHER	—	3	–	–	–
NEGRO	—	2	–	–	–
MARION	8,173	6,981	221	147	150
WHITE	6,867	5,714	150	99	95
ALL OTHER	1,306	1,267	71	48	55
NEGRO	1,306	1,267	71	48	54
BEECH GROVE	—	94	1	1	2
INDIANAPOLIS	—	6,683	213	140	142
WHITE	—	5,420	142	92	87
ALL OTHER	—	1,263	71	48	55
NEGRO	—	1,263	71	48	54
LAWRENCE	—	31	2	2	–
SPEEDWAY	—	47	–	–	3
BALANCE OF COUNTY	—	126	5	4	3
MARSHALL	378	378	13	10	5
MARTIN	49	128	2	2	3
MIAMI	231	328	12	9	8
PERU	—	166	4	3	4
BALANCE OF COUNTY	—	162	8	6	4
MONROE	546	476	21	17	10
BLOOMINGTON	—	287	14	11	8
BALANCE OF COUNTY	—	189	7	6	2
MONTGOMERY	382	371	10	7	2
CRAWFORDSVILLE	—	196	7	5	–
BALANCE OF COUNTY	—	175	3	2	2
MORGAN	227	332	7	4	7
NEWTON	80	103	2	2	1
NOBLE	254	333	9	7	9
OHIO	19	41	2	2	–
ORANGE	158	214	6	5	3
OWEN	81	140	3	3	3
PARKE	87	208	2	2	1
PERRY	215	229	5	2	4
PIKE	84	172	3	3	2
PORTER	595	663	29	27	13
PORTAGE	—	103	6	5	3
VALPARAISO	—	205	16	15	3
BALANCE OF COUNTY	—	355	7	7	7
POSEY	120	225	–	–	4
PULASKI	118	139	5	4	2
PUTNAM	210	243	4	3	4
RANDOLPH	231	309	4	3	6
RIPLEY	150	216	4	2	3
RUSH	201	225	4	2	2
ST. JOSEPH	2,335	2,230	64	50	31
WHITE	2,176	2,073	50	39	23
ALL OTHER	159	157	14	11	8
NEGRO	158	157	14	11	6
INDIANA—CON.					
ST. JOSEPH—CON.					
MISHAWAKA	—	381	11	10	10
SOUTH BEND	—	1,370	38	28	18
WHITE	—	1,219	25	18	12
ALL OTHER	—	151	13	10	6
NEGRO	—	151	13	10	6
BALANCE OF COUNTY	—	479	15	12	3
SCOTT	139	182	4	4	6
SHELBY	322	370	10	8	8
SHELBYVILLE	—	167	5	5	5
BALANCE OF COUNTY	—	203	5	3	3
SPENCER	109	220	9	7	–
STARKE	215	244	11	10	5
STEUBEN	209	242	6	6	2
SULLIVAN	289	349	7	6	4
SWITZERLAND	25	79	1	1	2
TIPPECANOE	1,137	787	19	12	12
LAFAYETTE	—	476	12	8	9
WEST LAFAYETTE	—	102	4	1	2
BALANCE OF COUNTY	—	209	3	3	1
TIPTON	169	183	2	1	3
UNION	23	65	–	–	–
VANDERBURGH	2,308	1,820	31	22	21
WHITE	2,167	1,674	24	16	20
ALL OTHER	141	146	7	6	1
NEGRO	141	146	7	6	1
EVANSVILLE	—	1,698	27	19	21
WHITE	—	1,555	20	13	20
ALL OTHER	—	143	7	6	1
NEGRO	—	143	7	6	1
BALANCE OF COUNTY	—	122	4	3	–
VERMILLION	195	264	5	3	3
VIGO	1,408	1,207	32	26	22
TERRE HAUTE	—	884	24	18	12
BALANCE OF COUNTY	—	323	8	8	10
WABASH	384	396	13	9	2
WABASH	—	155	8	5	2
BALANCE OF COUNTY	—	241	5	4	–
WARREN	75	89	2	2	–
WARRICK	117	261	12	8	5
WASHINGTON	189	191	4	4	4
WAYNE	782	715	13	9	12
RICHMOND	—	472	9	6	8
BALANCE OF COUNTY	—	243	4	3	4
WELLS	307	223	4	4	1
WHITE	169	248	10	7	5
WHITLEY	255	242	4	2	7
IOWA	28,615	28,773	575	444	419
WHITE	28,267	28,438	547	422	408
ALL OTHER	348	335	28	22	11
NEGRO	316	310	24	20	10
ADAIR	80	109	2	2	2
ADAMS	80	70	1	1	2
ALLAMAKEE	189	198	4	3	4
APPANOOSE	161	227	4	2	3
AUDUBON	57	89	1	1	3
BENTON	144	246	3	3	5
BLACK HAWK	1,242	1,071	28	21	22
CEDAR FALLS	—	227	7	4	6
WATERLOO	—	694	16	13	13
BALANCE OF COUNTY	—	150	5	4	3
BOONE	310	311	3	2	5
BOONE	—	179	3	2	1
BALANCE OF COUNTY	—	132	–	–	4
BREMER	211	234	2	2	2
BUCHANAN	145	194	3	2	4
BUENA VISTA	200	218	6	4	2
BUTLER	104	201	4	3	1
CALHOUN	139	190	4	4	2
CARROLL	270	243	6	5	4
CASS	218	225	2	2	4
CEDAR	115	177	3	3	–
CERRO GORDO	658	518	8	7	8
MASON CITY	—	346	5	5	5
BALANCE OF COUNTY	—	172	3	2	3
CHEROKEE	208	190	3	3	–
CHICKASAW	102	139	2	1	2
CLARKE	81	90	–	–	–
CLAY	197	186	4	4	1
SPENCER	—	120	1	1	1
BALANCE OF COUNTY	—	66	3	3	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
IOWA—CON.					
CLAYTON	152	231	3	3	3
CLINTON	593	584	10	7	12
CLINTON	—	375	8	5	9
BALANCE OF COUNTY	—	209	2	2	3
CRAWFORD	150	194	2	1	4
DALLAS	193	276	2	—	4
DAVIS	165	112	4	3	2
DECATUR	118	117	2	2	1
DELAWARE	163	181	4	4	2
DES MOINES	520	482	12	8	5
BURLINGTON	—	366	8	5	5
BALANCE OF COUNTY	—	116	4	3	—
DICKINSON	140	184	4	3	—
DUBUQUE	911	842	25	22	9
DUBUQUE	—	653	19	17	6
BALANCE OF COUNTY	—	189	6	5	3
EMMET	168	153	1	1	2
FAYETTE	221	284	4	3	4
FLOYD	219	206	2	2	10
FRANKLIN	182	173	1	1	1
FREMONT	135	136	2	2	1
GREENE	197	177	3	3	—
GRUNDY	76	123	3	3	3
GUTHRIE	120	181	—	—	2
HAMILTON	115	182	3	3	1
HANCOCK	105	152	1	1	6
HARDIN	205	290	2	1	2
HARRISON	126	189	—	—	4
HENRY	191	205	6	4	3
HOWARD	105	130	1	1	—
HUMBOLDT	119	143	1	1	2
IDA	114	138	3	3	1
IOWA	150	194	3	3	2
JACKSON	195	214	8	4	4
JASPER	248	353	8	6	6
NEWTON	—	158	4	4	3
BALANCE OF COUNTY	—	195	4	2	3
JEFFERSON	160	195	4	3	1
JOHNSON	1,437	382	20	14	12
IOWA CITY	—	253	14	9	4
BALANCE OF COUNTY	—	129	6	5	8
JONES	168	194	5	5	7
KEOKUK	96	186	4	4	1
KOSSUTH	143	235	4	4	3
LEE	554	468	5	5	7
FORT MADISON	—	158	3	3	—
KEOKUK	—	188	—	—	4
BALANCE OF COUNTY	—	122	2	2	3
LINN	1,408	1,380	33	24	23
CEDAR RAPIDS	—	997	26	20	15
MARION	—	102	2	1	5
BALANCE OF COUNTY	—	281	5	3	3
LOUISA	73	126	1	—	2
LUCAS	143	168	3	3	1
LYON	79	131	1	—	3
MADISON	133	166	7	5	5
MAHASKA	277	262	1	1	2
OSKALOOSA	—	163	—	—	1
BALANCE OF COUNTY	—	99	1	1	1
MARION	346	285	3	3	2
MARSHALL	398	367	9	7	4
MARSHALLTOWN	—	248	8	6	2
BALANCE OF COUNTY	—	119	1	1	2
MILLS	65	122	3	2	—
MITCHELL	184	160	4	4	1
MONONA	168	154	3	3	1
MONROE	104	116	2	1	2
MONTGOMERY	164	185	1	1	1
MUSCATINE	331	381	9	8	6
MUSCATINE	—	256	6	6	5
BALANCE OF COUNTY	—	125	3	2	1
O BRIEN	239	223	1	1	2
OSCEOLA	72	90	2	2	1
PAGE	243	249	5	4	4
PALO ALTO	134	165	5	4	4
PLYMOUTH	214	232	3	1	3
POCAHONTAS	120	146	1	1	1
POLK	2,979	2,518	66	47	33
WHITE	2,854	2,390	56	39	33
ALL OTHER	125	128	10	8	—
NEGRO	121	123	8	8	—
DES MOINES	—	2,033	57	38	27
WHITE	—	1,908	47	30	27
ALL OTHER	—	125	10	8	—
NEGRO	—	121	8	8	—
IOWA—CON.					
POLK—CON.					
URBANDALE	—	35	1	1	—
WEST DES MOINES	—	137	2	2	1
BALANCE OF COUNTY	—	313	6	6	5
POTTAWATTAMIE	703	763	23	15	14
COUNCIL BLUFFS	—	552	18	12	10
BALANCE OF COUNTY	—	211	5	3	4
POWESHIEK	203	214	4	3	3
RINGGOLD	125	104	1	1	1
SAC	142	200	4	4	3
SCOTT	1,314	1,312	45	36	29
BETTENDORF	—	133	4	3	4
DAVENPORT	—	1,021	35	28	24
BALANCE OF COUNTY	—	158	6	5	1
SHELBY	156	175	2	1	3
SIOUX	224	270	6	4	3
STORY	441	402	3	2	5
AMES	—	148	1	—	2
BALANCE OF COUNTY	—	254	2	2	3
TAMA	153	264	4	3	2
TAYLOR	50	122	1	—	3
UNION	188	189	3	2	2
VAN BUREN	107	144	—	—	—
WAPELLO	510	486	6	4	7
OTTUMWA	—	368	4	3	4
BALANCE OF COUNTY	—	118	2	1	3
WARREN	141	234	6	4	2
WASHINGTON	212	256	1	1	4
WAYNE	101	123	—	—	2
WEBSTER	583	521	12	10	11
FORT DODGE	—	362	9	7	7
BALANCE OF COUNTY	—	159	3	3	4
WINNEBAGO	151	164	3	2	1
WINNESHIEK	181	209	2	2	2
WOODBURY	1,258	1,064	30	22	18
SIOUX CITY	—	877	28	20	13
BALANCE OF COUNTY	—	187	2	2	5
WORTH	43	107	—	—	—
WRIGHT	190	212	1	1	—
KANSAS	21,686	22,235	524	401	365
WHITE	20,552	21,065	467	359	307
ALL OTHER	1,134	1,170	57	42	58
NEGRO	1,075	1,112	53	39	55
ALLEN	239	233	2	2	2
ANDERSON	116	118	3	2	1
ATCHISON	209	236	5	4	5
ATCHISON	—	168	3	3	5
BALANCE OF COUNTY	—	68	2	1	—
BARBER	103	94	2	2	2
BARTON	370	335	4	2	3
GREAT BEND	—	173	3	1	2
BALANCE OF COUNTY	—	162	1	1	1
BOURBON	345	251	7	5	1
BROWN	143	155	—	—	3
BUTLER	296	393	7	5	9
EL DORADO	—	140	1	—	3
BALANCE OF COUNTY	—	253	6	5	6
CHASE	22	52	—	—	—
CHAUTAUQUA	97	95	—	—	1
CHEROKEE	214	292	2	1	2
CHEYENNE	43	48	2	2	1
CLARK	28	32	—	—	—
CLAY	103	136	—	—	1
CLOUD	227	192	1	1	1
COFFEY	77	128	2	1	2
COMANCHE	30	46	—	—	1
COWLEY	489	471	6	4	1
ARKANSAS CITY	—	200	4	3	—
WINFIELD	—	149	1	—	—
BALANCE OF COUNTY	—	122	1	1	1
CRAWFORD	481	521	8	5	5
PITTSBURG	—	254	7	5	2
BALANCE OF COUNTY	—	267	1	—	3
DECATUR	38	54	1	1	2
DICKINSON	198	261	5	4	2
DONIPHAN	22	95	2	1	—
DOUGLAS	355	355	3	2	3
LAWRENCE	—	242	1	1	3
BALANCE OF COUNTY	—	113	2	1	—
EDWARDS	37	63	—	—	1
ELK	30	69	—	—	1
ELLIS	227	189	7	6	—
HAYS	—	109	6	5	—
BALANCE OF COUNTY	—	80	1	1	—

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KANSAS—CON.					
ELLSWORTH	81	86	3	3	2
FINNEY	162	144	5	5	2
GARDEN CITY	—	129	4	4	—
BALANCE OF COUNTY	—	15	1	1	2
FORD	285	210	4	3	4
DODGE CITY	—	146	2	2	4
BALANCE OF COUNTY	—	64	2	1	—
FRANKLIN	216	264	3	3	2
OTTAWA	—	152	3	3	1
BALANCE OF COUNTY	—	112	—	—	1
GEARY	203	206	21	14	15
WHITE	168	167	16	12	11
ALL OTHER	35	39	5	2	4
NEGRO	32	36	3	1	4
JUNCTION CITY	—	170	16	11	13
WHITE	—	140	13	10	10
ALL OTHER	—	30	3	1	3
NEGRO	—	29	2	1	3
BALANCE OF COUNTY	—	36	5	3	2
WHITE	—	27	3	2	1
ALL OTHER	—	9	2	1	1
NEGRO	—	7	1	—	1
GOVE	25	37	—	—	—
GRAHAM	49	50	1	1	2
GRANT	40	35	4	4	2
GRAY	12	45	2	2	1
GREELEY	23	20	—	—	1
GREENWOOD	110	149	2	2	—
HAMILTON	24	21	2	1	1
HARPER	113	131	4	4	—
HARVEY	395	282	7	5	6
NEWTON	—	189	5	3	5
BALANCE OF COUNTY	—	93	2	2	1
HASKELL	7	20	4	2	—
HODGEMAN	19	24	—	—	1
JACKSON	76	160	3	3	3
JEFFERSON	96	129	1	—	—
JEWELL	39	79	1	1	1
JOHNSON	772	1,246	36	27	26
LEAWOOD	—	65	—	—	—
MERRIAM	—	73	2	2	3
OLATHE	—	108	6	5	4
OVERLAND PARK	—	315	9	6	7
PRAIRIE VILLAGE	—	169	3	1	1
SHAWNEE	—	118	2	2	2
BALANCE OF COUNTY	—	398	14	11	9
KEARNY	21	22	—	—	—
KINGMAN	76	98	1	1	3
KIOWA	60	56	1	1	—
LABETTE	353	358	7	6	4
PARSONS	—	204	5	4	3
BALANCE OF COUNTY	—	154	2	2	1
LANE	13	25	—	—	—
LEAVENWORTH	549	396	11	5	8
WHITE	496	361	8	3	8
ALL OTHER	53	35	3	2	—
NEGRO	52	35	3	2	—
LEAVENWORTH	—	272	6	1	7
WHITE	—	240	4	—	7
ALL OTHER	—	32	2	1	—
NEGRO	—	32	2	1	—
BALANCE OF COUNTY	—	124	5	4	1
LINCOLN	44	54	—	—	—
LINN	59	119	6	4	—
LOGAN	28	35	—	—	1
LYON	319	290	8	5	6
EMPORIA	—	199	8	5	5
BALANCE OF COUNTY	—	91	—	—	1
MC PHERSON	285	262	3	3	4
MC PHERSON	—	107	—	—	—
BALANCE OF COUNTY	—	155	3	3	4
MARION	173	200	6	4	4
MARSHALL	213	204	4	4	1
MEADE	40	59	—	—	1
MIAMI	249	230	11	8	4
MITCHELL	118	105	2	2	3
MONTGOMERY	615	626	15	13	4
COFFEYVILLE	—	229	7	6	3
WHITE	—	208	7	6	1
ALL OTHER	—	21	—	—	2
NEGRO	—	21	—	—	2
INDEPENDENCE	—	187	5	4	1
WHITE	—	157	1	1	1
ALL OTHER	—	30	4	3	—
NEGRO	—	29	4	3	—
BALANCE OF COUNTY	—	210	3	3	—
MORRIS	87	100	—	—	2
MORTON	22	32	2	2	—
NEMAHA	104	139	1	—	4
NEOSHO	247	266	5	4	2
CHANUTE	—	157	3	2	1
BALANCE OF COUNTY	—	109	2	2	1
NESS	53	61	—	—	1
NORTON	102	98	1	1	—
OSAGE	141	201	1	1	1
OSBORNE	63	98	1	1	—
OTTAWA	95	86	1	1	1
PAWNEE	119	105	—	—	2
PHILLIPS	72	97	1	1	1
POTTAWATOMIE	172	159	3	3	1
MANHATTAN, PART	—	—	—	—	—
BALANCE OF COUNTY	—	159	3	3	1
PRATT	139	123	2	2	—
RAWLINS	36	49	2	1	2
RENO	564	629	18	14	3
HUTCHINSON	—	454	15	11	2
BALANCE OF COUNTY	—	175	3	3	1
REPUBLIC	129	136	3	3	—
RICE	156	173	1	1	1
RILEY	234	248	10	8	3
MANHATTAN, PART	—	176	8	7	3
MANHATTAN, TOTAL	—	176	8	7	3
BALANCE OF COUNTY	—	72	2	1	—
WHITE	—	70	2	1	—
ALL OTHER	—	2	—	—	—
NEGRO	—	—	—	—	—
ROOKS	91	117	4	2	—
RUSH	50	78	—	—	—
RUSSELL	111	117	3	3	—
SALINE	438	403	10	9	4
SALINA	—	347	9	8	3
BALANCE OF COUNTY	—	56	1	1	1
SCOTT	37	43	1	—	—
SEDGWICK	3,058	2,726	98	68	79
WHITE	2,858	2,533	83	57	60
ALL OTHER	200	193	15	11	19
NEGRO	190	184	15	11	19
WICHITA	—	2,411	89	61	63
WHITE	—	2,218	74	50	45
ALL OTHER	—	193	15	11	18
NEGRO	—	184	15	11	18
BALANCE OF COUNTY	—	315	9	7	16
SEWARD	137	98	6	5	6
LIBERAL	—	84	5	4	6
BALANCE OF COUNTY	—	14	1	1	—
SHAWNEE	1,703	1,327	21	16	32
WHITE	1,567	1,196	17	14	29
ALL OTHER	136	131	4	2	3
NEGRO	125	119	4	2	3
TOPEKA	—	1,190	19	15	31
WHITE	—	1,060	15	13	28
ALL OTHER	—	130	4	2	3
NEGRO	—	119	4	2	3
BALANCE OF COUNTY	—	137	2	1	1
SHERIDAN	28	37	2	1	1
SHERMAN	84	89	1	1	2
SMITH	104	103	—	—	—
STAFFORD	95	93	1	1	2
STANTON	19	23	—	—	1
STEVENS	30	41	2	1	—
SUMNER	268	308	7	6	4
THOMAS	68	69	1	1	—
TREGO	49	43	3	2	—
WABAUNSEE	50	90	2	2	—
WALLACE	12	26	—	—	—
WASHINGTON	92	131	3	2	1
WICHITA	8	19	3	3	2
WILSON	171	179	2	2	—
WOODSON	39	94	4	4	2
WYANDOTTE	1,908	1,790	51	43	43
WHITE	1,521	1,364	36	30	26
ALL OTHER	387	426	15	13	17
NEGRO	385	425	15	13	17
KANSAS CITY	—	1,702	45	37	41
WHITE	—	1,287	30	24	24
ALL OTHER	—	415	15	13	17
NEGRO	—	414	15	13	17
BALANCE OF COUNTY	—	88	6	6	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY	33,238	33,506	895	642	614
WHITE	30,298	30,582	784	570	521
ALL OTHER	2,940	2,924	111	72	93
NEGRO	2,929	2,914	110	71	91
ADAIR	156	159	1	-	3
ALLEN	157	171	5	3	3
ANDERSON	38	99	-	-	2
BALLARD	60	120	1	-	-
BARREN	422	353	6	5	2
GLASGOW	---	145	1	1	1
BALANCE OF COUNTY	---	208	5	4	1
BATH	44	103	2	2	4
BELL	416	379	10	8	8
MIDDLESBORDUGH	---	156	3	3	-
BALANCE OF COUNTY	---	223	7	5	8
BOONE	138	238	6	3	6
FLORENCE	---	79	3	1	4
BALANCE OF COUNTY	---	159	3	2	2
BOURBON	178	218	7	4	3
WHITE	148	179	4	1	2
ALL OTHER	30	39	3	3	1
NEGRO	30	39	3	3	1
BOYD	620	555	15	13	7
ASHLAND	---	352	6	6	3
BALANCE OF COUNTY	---	203	9	7	4
BOYLE	305	245	8	6	2
WHITE	270	209	7	5	1
ALL OTHER	35	36	1	1	1
NEGRO	35	36	1	1	1
DANVILLE	---	135	2	1	1
WHITE	---	104	1	-	1
ALL OTHER	---	31	1	1	-
NEGRO	---	31	1	1	-
BALANCE OF COUNTY	---	110	6	5	1
BRACKEN	34	121	2	2	1
BREATHITT	75	156	5	2	5
BRECKINRIDGE	159	170	5	4	3
BULLITT	71	163	13	10	8
BUTLER	81	133	1	1	1
CALDWELL	196	194	4	3	4
CALLOWAY	307	328	4	4	5
MURRAY	---	142	1	1	3
BALANCE OF COUNTY	---	186	3	3	2
CAMPBELL	918	962	20	16	15
FORT THOMAS	---	192	3	2	-
NEWPORT	---	332	7	6	4
BALANCE OF COUNTY	---	438	10	8	11
CARLISLE	16	63	-	-	1
CARROLL	123	102	2	1	2
CARTER	69	230	5	5	3
CASEY	92	145	4	2	3
CHRISTIAN	611	540	33	22	24
WHITE	441	364	23	14	13
ALL OTHER	170	176	10	8	11
NEGRO	169	176	10	8	11
HOPKINSVILLE	---	307	9	7	11
WHITE	---	199	3	2	6
ALL OTHER	---	108	6	5	5
NEGRO	---	108	6	5	5
BALANCE OF COUNTY	---	233	24	15	13
WHITE	---	165	20	12	7
ALL OTHER	---	68	4	3	6
NEGRO	---	68	4	3	6
CLARK	214	243	6	6	5
WINCHESTER	---	177	5	5	4
WHITE	---	156	5	5	2
ALL OTHER	---	21	-	-	2
NEGRO	---	21	-	-	2
BALANCE OF COUNTY	---	66	1	1	1
CLAY	164	177	12	6	4
CLINTON	72	84	1	-	1
CRITTENDEN	101	148	2	2	3
CUMBERLAND	90	90	4	3	2
DAVIESS	859	754	20	15	9
OWENSBORO	---	540	11	10	6
BALANCE OF COUNTY	---	214	9	5	3
EDMONSON	25	93	2	2	-
ELLIOTT	22	57	3	3	-
ESTILL	99	156	3	2	3
KENTUCKY--CON.					
FAYETTE	2,808	1,430	46	33	36
WHITE	2,477	1,173	36	27	25
ALL OTHER	331	257	10	6	11
NEGRO	329	256	10	6	11
LEXINGTON	---	1,263	44	31	34
WHITE	---	1,022	34	25	23
ALL OTHER	---	241	10	6	11
NEGRO	---	240	10	6	11
BALANCE OF COUNTY	---	167	2	2	2
FLEMING	117	154	2	2	1
FLOYD	393	384	11	7	10
FRANKLIN	275	330	4	4	5
FRANKFORT	---	215	-	-	2
WHITE	---	190	-	-	1
ALL OTHER	---	25	-	-	1
NEGRO	---	25	-	-	1
BALANCE OF COUNTY	---	115	4	4	3
FULTON	150	157	4	2	-
WHITE	122	126	1	1	-
ALL OTHER	28	31	3	1	-
NEGRO	28	31	3	1	-
GALLATIN	18	56	3	2	2
GARRARD	74	90	3	1	2
GRANT	87	127	3	3	1
GRAVES	265	409	10	7	3
MAYFIELD	---	161	4	3	1
WHITE	---	147	3	3	1
ALL OTHER	---	14	1	-	-
NEGRO	---	14	1	-	-
BALANCE OF COUNTY	---	248	6	4	2
GRAYSON	141	180	5	4	3
GREEN	78	101	1	1	4
GREENUP	216	290	11	8	2
HANCOCK	17	76	3	3	1
HARDIN	480	412	22	11	15
ELIZABETHTOWN	---	130	3	3	3
BALANCE OF COUNTY	---	282	19	8	12
HARLAN	424	451	13	11	10
HARRISON	220	179	3	3	5
HART	112	161	3	1	4
HENDERSON	378	367	12	10	5
HENDERSON	---	280	8	7	5
WHITE	---	236	6	6	4
ALL OTHER	---	44	2	1	1
NEGRO	---	44	2	1	-
BALANCE OF COUNTY	---	87	4	3	-
HENRY	54	142	5	3	-
HICKMAN	70	91	1	1	3
WHITE	69	87	1	1	3
ALL OTHER	1	4	-	-	-
NEGRO	1	4	-	-	-
HOPKINS	642	476	10	9	2
MADISONVILLE	---	222	4	3	1
WHITE	---	180	4	3	1
ALL OTHER	---	42	-	-	-
NEGRO	---	42	-	-	-
BALANCE OF COUNTY	---	254	6	6	1
JACKSON	24	85	3	3	3
JEFFERSON	7,627	6,750	161	114	125
WHITE	6,404	5,583	109	80	90
ALL OTHER	1,223	1,167	52	34	35
NEGRO	1,223	1,167	52	34	35
LOUISVILLE	---	4,604	89	58	73
WHITE	---	3,520	44	29	44
ALL OTHER	---	1,084	45	29	29
NEGRO	---	1,084	45	29	29
ST. MATTHEWS	---	1	-	-	-
SHIVELY	---	1	-	-	-
BALANCE OF COUNTY	---	2,144	72	56	52
WHITE	---	2,061	65	51	46
ALL OTHER	---	83	7	5	6
NEGRO	---	83	7	5	6
JESSAMINE	91	178	9	5	4
JOHNSON	214	242	3	1	1
KENTON	1,372	1,360	33	28	29
COVINGTON	---	761	12	9	15
ERLANGER	---	81	8	8	4
BALANCE OF COUNTY	---	518	13	11	10
KNOTT	43	126	5	2	-
KNOX	210	290	5	2	2
LARUE	72	111	2	1	2
LAUREL	272	293	9	7	8

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY—CON.					
LAWRENCE	147	140	4	4	3
LEE	41	91	2	2	1
LESLIE	61	90	6	3	1
LETCHER	224	298	10	6	6
LEWIS	39	125	2	2	1
LINCOLN	118	171	2	2	3
LIVINGSTON	77	104	1	1	-
LOGAN	228	265	6	5	2
WHITE	195	228	5	5	1
ALL OTHER	33	37	1	-	1
NEGRO	33	37	1	-	1
LYON	53	64	-	-	1
MC CRACKEN	1,012	684	17	13	6
WHITE	908	589	13	11	6
ALL OTHER	104	95	4	2	-
NEGRO	103	95	4	2	-
PADUCAH	—	477	12	8	5
WHITE	—	382	8	6	5
ALL OTHER	—	95	4	2	-
NEGRO	—	95	4	2	-
BALANCE OF COUNTY	—	207	5	5	1
MC CREARY	50	150	5	4	1
MC LEAN	66	106	4	3	2
MADISON	415	372	7	7	8
RICHMOND	—	141	1	1	2
WHITE	—	112	1	1	2
ALL OTHER	—	29	-	-	-
NEGRO	—	28	-	-	-
BALANCE OF COUNTY	—	231	6	6	6
MAGOFFIN	24	73	3	3	1
MARION	196	154	5	3	4
MARSHALL	200	220	2	1	3
MARTIN	33	82	4	1	-
MASON	304	242	7	4	2
MEADE	70	117	8	6	1
MENIFEE	7	34	-	-	-
MERCER	172	217	7	6	5
METCALFE	21	92	1	-	-
MONROE	126	139	-	-	2
MONTGOMERY	159	152	2	1	4
MORGAN	89	122	2	1	1
MUHLENBERG	309	374	15	12	8
NELSON	146	210	3	2	2
NICHOLAS	74	87	-	-	2
OHIO	217	265	5	4	-
OLDHAM	129	108	2	2	-
OWEN	90	104	1	-	4
OWSLEY	16	52	4	2	4
PENDLETON	90	122	2	2	3
PERRY	259	246	9	5	3
PIKE	715	630	24	15	28
POWELL	26	89	4	3	2
PULASKI	528	434	18	12	4
SOMERSET	—	131	7	5	-
BALANCE OF COUNTY	—	303	11	7	4
ROBERTSON	10	36	2	1	-
ROCKCASTLE	93	139	3	1	4
ROWAN	261	125	3	2	-
RUSSELL	49	121	3	3	5
SCOTT	150	193	6	4	1
SHELBY	225	230	3	1	8
WHITE	200	199	2	1	5
ALL OTHER	25	31	1	-	3
NEGRO	25	31	1	-	3
SIMPSON	108	141	2	-	3
WHITE	100	130	1	-	3
ALL OTHER	8	11	1	-	-
NEGRO	8	11	1	-	-
SPENCER	12	45	1	1	1
TAYLOR	157	173	4	4	7
TODD	74	134	-	-	3
WHITE	58	113	-	-	3
ALL OTHER	16	21	-	-	-
NEGRO	16	21	-	-	-
TRIGG	99	102	2	1	1
WHITE	85	86	1	-	1
ALL OTHER	14	16	1	1	-
NEGRO	14	16	1	1	-
TRIMBLE	15	52	2	2	1
UNION	140	177	4	3	7
WHITE	126	162	4	3	6
ALL OTHER	14	15	-	-	1
NEGRO	14	15	-	-	1
WARREN	702	543	23	20	8
BOWLING GREEN	—	322	13	12	6
WHITE	—	284	12	11	5
ALL OTHER	—	38	1	1	1
NEGRO	—	38	1	1	1
BALANCE OF COUNTY	—	221	10	8	2
WASHINGTON	49	106	3	1	3
WHITE	43	95	2	-	2
ALL OTHER	6	11	1	1	1
NEGRO	6	11	1	1	1
WAYNE	115	178	5	4	4
WEBSTER	58	209	2	2	1
WHITLEY	334	331	10	8	6
WOLFE	35	64	2	1	1
WOODFORD	145	135	4	2	2
WHITE	125	114	4	2	2
ALL OTHER	20	21	-	-	-
NEGRO	20	21	-	-	-
LOUISIANA	33,895	33,647	1,243	927	801
WHITE	22,786	22,582	603	469	373
ALL OTHER	11,109	11,065	640	458	428
NEGRO	11,073	11,033	638	457	424
ACADIA	414	517	26	22	13
WHITE	321	413	15	12	7
ALL OTHER	93	104	11	10	6
NEGRO	93	104	11	10	6
CROWLEY	—	166	4	3	4
WHITE	—	117	1	-	1
ALL OTHER	—	49	3	3	3
NEGRO	—	49	3	3	3
EUNICE, PART	—	2	1	1	-
BALANCE OF PARISH	—	349	21	18	9
WHITE	—	294	13	11	6
ALL OTHER	—	55	8	7	3
NEGRO	—	55	8	7	3
ALLEN	211	222	10	9	7
WHITE	159	173	7	7	5
ALL OTHER	52	49	3	2	2
NEGRO	51	47	3	2	2
ASCENSION	242	306	9	7	7
WHITE	169	206	4	3	5
ALL OTHER	73	100	5	4	2
NEGRO	73	100	5	4	2
ASSUMPTION	102	165	4	3	5
WHITE	62	101	1	1	-
ALL OTHER	40	64	3	2	5
NEGRO	40	64	3	2	5
AVOYELLES	371	465	18	15	6
WHITE	290	356	7	6	4
ALL OTHER	81	109	11	9	2
NEGRO	81	109	11	9	2
BEAUREGARD	225	244	12	7	4
WHITE	186	194	9	7	2
ALL OTHER	39	50	3	-	2
NEGRO	39	50	3	-	2
BIENVILLE	105	211	9	7	5
WHITE	49	117	2	1	4
ALL OTHER	56	94	7	6	1
NEGRO	56	94	7	6	1
BOSSIER	325	441	27	19	13
WHITE	245	316	20	14	8
ALL OTHER	80	125	7	5	5
NEGRO	79	124	7	5	5
BOSSIER CITY	—	231	17	12	7
SHREVEPORT, PART	—	6	-	-	-
BALANCE OF PARISH	—	204	10	7	6
WHITE	—	112	5	3	2
ALL OTHER	—	92	5	4	4
NEGRO	—	91	5	4	4
CADDO	3,265	2,357	86	61	53
WHITE	2,022	1,428	33	25	23
ALL OTHER	1,243	929	53	36	30
NEGRO	1,243	929	53	36	30
SHREVEPORT, PART	—	1,999	74	53	40
WHITE	—	1,245	30	22	16
ALL OTHER	—	754	44	31	24
NEGRO	—	754	44	31	24

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
CADDO—CON.					
SHREVEPORT, TOTAL	——	2,005	74	53	40
WHITE	——	1,248	30	22	16
ALL OTHER	——	757	44	31	24
NEGRO	——	757	44	31	24
BALANCE OF PARISH	——	358	12	8	13
WHITE	——	183	3	3	7
ALL OTHER	——	175	9	5	6
NEGRO	——	175	9	5	6
CALCASIEU	1,140	1,147	48	37	33
WHITE	866	866	26	18	14
ALL OTHER	274	281	22	19	19
NEGRO	274	281	22	19	18
LAKE CHARLES	——	649	29	22	22
WHITE	——	436	13	8	7
ALL OTHER	——	213	16	14	15
NEGRO	——	213	16	14	14
SULPHUR	——	112	5	5	3
BALANCE OF PARISH	——	386	14	10	8
WHITE	——	323	8	5	5
ALL OTHER	——	63	6	5	3
NEGRO	——	63	6	5	3
CALDWELL	138	130	3	3	3
WHITE	112	105	2	2	2
ALL OTHER	26	25	1	1	1
NEGRO	26	25	1	1	1
CAMERON	55	55	1	1	1
CATAHOULA	125	121	3	3	1
WHITE	78	89	2	2	1
ALL OTHER	47	32	1	1	—
NEGRO	47	32	1	1	—
CLAIBORNE	175	212	9	7	5
WHITE	100	114	2	2	2
ALL OTHER	75	98	7	5	3
NEGRO	75	98	7	5	3
CONCORDIA	134	218	6	3	4
WHITE	60	109	4	2	3
ALL OTHER	74	109	2	1	1
NEGRO	74	109	2	1	1
DE SOTO	153	263	6	2	6
WHITE	89	128	1	1	2
ALL OTHER	64	135	5	1	4
NEGRO	64	135	5	1	4
EAST BATON ROUGE	2,483	2,060	56	35	40
WHITE	1,628	1,297	28	22	22
ALL OTHER	855	763	28	13	18
NEGRO	852	758	28	13	18
BATON ROUGE	——	1,581	39	23	25
WHITE	——	1,026	17	12	12
ALL OTHER	——	555	22	11	13
NEGRO	——	551	22	11	13
BALANCE OF PARISH	——	479	17	12	15
WHITE	——	271	11	10	10
ALL OTHER	——	208	6	2	5
NEGRO	——	207	6	2	5
EAST CARROLL	141	152	4	—	6
WHITE	47	56	1	—	2
ALL OTHER	94	96	3	—	4
NEGRO	94	96	3	—	4
EAST FELICIANA	251	154	3	2	4
WHITE	138	75	—	—	3
ALL OTHER	113	79	3	2	1
NEGRO	113	79	3	2	1
EVANGELINE	256	334	17	12	6
WHITE	207	269	5	4	2
ALL OTHER	49	65	12	8	4
NEGRO	49	65	12	8	4
FRANKLIN	176	267	8	5	5
WHITE	117	177	3	2	1
ALL OTHER	59	90	5	3	4
NEGRO	59	90	5	3	4
GRANT	43	168	7	6	—
WHITE	26	135	6	5	—
ALL OTHER	17	33	1	1	—
NEGRO	17	33	1	1	—
IBERIA	461	503	29	24	14
WHITE	331	335	12	12	8
ALL OTHER	130	168	17	12	6
NEGRO	130	168	17	12	6
NEW IBERIA	——	281	18	15	8
WHITE	——	193	6	6	3
ALL OTHER	——	88	12	9	5
NEGRO	——	88	12	9	5
BALANCE OF PARISH	——	222	11	9	6
WHITE	——	142	6	6	5
ALL OTHER	——	80	5	3	1
NEGRO	——	80	5	3	1
IBERVILLE	243	310	10	7	7
WHITE	130	166	3	1	4
ALL OTHER	113	144	7	6	3
NEGRO	113	144	7	6	3
JACKSON	156	198	4	2	7
WHITE	107	140	2	1	2
ALL OTHER	49	58	2	1	5
NEGRO	49	58	2	1	5
JEFFERSON	2,056	2,365	100	79	58
WHITE	1,812	2,025	70	55	38
ALL OTHER	244	340	30	24	20
NEGRO	238	334	30	24	20
GRETNA	——	251	8	4	6
WHITE	——	207	4	1	4
ALL OTHER	——	44	4	3	2
NEGRO	——	44	4	3	2
HARAHAN	——	79	2	2	2
KENNER	——	168	13	12	9
WHITE	——	120	10	9	8
ALL OTHER	——	48	3	3	1
NEGRO	——	48	3	3	1
WESTWEGO	——	113	5	3	4
WHITE	——	83	4	3	1
ALL OTHER	——	30	1	—	3
NEGRO	——	30	1	—	3
BALANCE OF PARISH	——	1,754	72	58	37
WHITE	——	1,538	50	40	23
ALL OTHER	——	216	22	18	14
NEGRO	——	211	22	18	14
JEFFERSON DAVIS	280	322	14	9	6
WHITE	231	259	9	6	4
ALL OTHER	49	63	5	3	2
NEGRO	48	63	5	3	2
JENNINGS	——	133	9	5	2
WHITE	——	105	6	4	1
ALL OTHER	——	28	3	1	1
NEGRO	——	28	3	1	1
BALANCE OF PARISH	——	189	5	4	4
WHITE	——	154	3	2	3
ALL OTHER	——	35	2	2	1
NEGRO	——	35	2	2	1
LAFAYETTE	1,047	794	47	39	19
WHITE	724	579	19	15	9
ALL OTHER	323	215	28	24	10
NEGRO	323	215	28	24	10
LAFAYETTE	——	536	33	28	11
WHITE	——	367	12	9	5
ALL OTHER	——	169	21	19	6
NEGRO	——	169	21	19	6
BALANCE OF PARISH	——	258	14	11	8
WHITE	——	212	7	6	4
ALL OTHER	——	46	7	5	4
NEGRO	——	46	7	5	4
LAFOURCHE	392	452	21	16	16
WHITE	345	372	13	9	11
ALL OTHER	47	80	8	7	5
NEGRO	47	80	8	7	5
THIBODAUX	——	136	6	6	4
WHITE	——	100	4	4	3
ALL OTHER	——	36	2	2	1
NEGRO	——	36	2	2	1
BALANCE OF PARISH	——	316	15	10	12
LA SALLE	141	184	3	2	4
WHITE	127	160	2	2	1
ALL OTHER	14	24	1	—	3
NEGRO	14	24	1	—	3
LINCOLN	290	296	12	11	7
WHITE	207	195	9	9	4
ALL OTHER	83	101	3	2	3
NEGRO	83	101	3	2	3
RUSTON	——	139	5	4	3
WHITE	——	93	4	4	3
ALL OTHER	——	46	1	—	—
NEGRO	——	46	1	—	—
BALANCE OF PARISH	——	157	7	7	4
WHITE	——	102	5	5	1
ALL OTHER	——	55	2	2	3
NEGRO	——	55	2	2	3
LIVINGSTON	172	291	11	9	10
WHITE	155	263	10	9	8
ALL OTHER	17	28	1	—	2
NEGRO	17	28	1	—	2
MADISON	116	178	7	5	3
WHITE	32	57	1	1	—
ALL OTHER	84	121	6	4	3
NEGRO	84	121	6	4	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or Mqre, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
MOREHOUSE	276	303	16	12	7
WHITE	158	167	9	7	1
ALL OTHER	118	136	7	5	6
NEGRO	118	136	7	5	6
BASTROP	---	161	8	5	5
WHITE	---	90	5	3	1
ALL OTHER	---	71	3	2	4
NEGRO	---	71	3	2	4
BALANCE OF PARISH	---	142	8	7	2
WHITE	---	77	4	4	-
ALL OTHER	---	65	4	3	2
NEGRO	---	65	4	3	2
NATCHITOCHES	299	389	10	5	9
WHITE	185	229	4	4	3
ALL OTHER	114	160	6	1	6
NEGRO	114	160	6	1	6
NATCHITOCHES	---	157	4	2	5
WHITE	---	84	1	1	2
ALL OTHER	---	73	3	1	3
NEGRO	---	73	3	1	3
BALANCE OF PARISH	---	232	6	3	4
WHITE	---	145	3	3	1
ALL OTHER	---	87	3	-	3
NEGRO	---	87	3	-	3
ORLEANS, COEX. WITH NEW ORLEANS CITY	8,119	6,762	211	159	147
WHITE	4,802	3,893	51	36	30
ALL OTHER	3,317	2,869	160	123	117
NEGRO	3,312	2,866	160	123	117
OUACHITA	1,279	1,070	44	31	18
WHITE	827	714	21	16	7
ALL OTHER	452	356	23	15	11
NEGRO	452	356	23	15	11
MONROE	---	616	30	20	13
WHITE	---	345	10	8	2
ALL OTHER	---	271	20	12	11
NEGRO	---	271	20	12	11
WEST MONROE	---	217	7	6	-
WHITE	---	181	7	6	-
ALL OTHER	---	36	-	-	-
NEGRO	---	36	-	-	-
BALANCE OF PARISH	---	237	7	5	5
WHITE	---	188	4	2	5
ALL OTHER	---	49	3	3	-
NEGRO	---	49	3	3	-
PLAQUEMINES	135	162	6	5	4
WHITE	99	114	4	3	3
ALL OTHER	36	48	2	2	1
NEGRO	33	46	2	2	1
POINTE COUPEE	167	226	2	2	4
WHITE	91	129	2	2	3
ALL OTHER	76	97	-	-	1
NEGRO	76	97	-	-	1
RAPIDES	1,758	1,212	41	30	21
WHITE	1,161	804	21	16	11
ALL OTHER	597	408	20	14	10
NEGRO	595	407	19	14	10
ALEXANDRIA	---	619	21	15	10
WHITE	---	335	7	5	5
ALL OTHER	---	284	14	10	5
NEGRO	---	284	14	10	5
BALANCE OF PARISH	---	593	20	15	11
WHITE	---	469	14	11	6
ALL OTHER	---	124	6	4	5
NEGRO	---	123	5	4	5
RED RIVER	116	111	2	2	1
WHITE	90	83	2	2	-
ALL OTHER	26	28	-	-	1
NEGRO	26	28	-	-	1
RICHLAND	265	265	7	3	4
WHITE	175	173	3	2	1
ALL OTHER	90	92	4	1	3
NEGRO	90	92	4	1	3
SABINE	247	246	4	4	-
WHITE	189	198	3	3	-
ALL OTHER	58	48	1	1	-
NEGRO	58	48	1	1	-
ST. BERNARD	138	383	18	14	5
ST. CHARLES	114	212	8	8	12
WHITE	74	139	6	6	7
ALL OTHER	40	73	2	2	5
NEGRO	39	72	2	2	5
ST. HELENA	58	69	2	2	5
WHITE	34	39	1	1	2
ALL OTHER	24	30	1	1	3
NEGRO	24	30	1	1	3
LOUISIANA--CON.					
ST. JAMES	132	161	8	6	5
WHITE	76	77	2	2	4
ALL OTHER	56	84	6	4	1
NEGRO	55	84	6	4	1
ST. JOHN THE BAPTIST	98	166	8	5	8
WHITE	48	82	4	1	3
ALL OTHER	50	84	4	4	5
NEGRO	50	84	4	4	5
ST. LANDRY	551	659	30	21	18
WHITE	380	391	14	10	6
ALL OTHER	211	268	16	11	12
NEGRO	211	268	16	11	12
EUNICE, PART	---	107	3	2	3
WHITE	---	77	2	1	1
ALL OTHER	---	30	1	1	2
NEGRO	---	30	1	1	2
EUNICE, TOTAL	---	109	4	3	3
WHITE	---	79	3	2	1
ALL OTHER	---	30	1	1	2
NEGRO	---	30	1	1	2
OPELOUSAS	---	222	11	7	7
WHITE	---	105	3	3	1
ALL OTHER	---	117	8	4	6
NEGRO	---	117	8	4	6
BALANCE OF PARISH	---	330	16	12	8
WHITE	---	209	9	6	4
ALL OTHER	---	121	7	6	4
NEGRO	---	121	7	6	4
ST. MARTIN	177	254	10	9	14
WHITE	112	160	5	5	6
ALL OTHER	65	94	5	4	8
NEGRO	65	94	5	4	8
ST. MARY	426	459	19	16	28
WHITE	272	283	8	6	13
ALL OTHER	154	176	11	10	15
NEGRO	154	176	11	10	15
MORGAN CITY	---	132	7	7	10
WHITE	---	105	3	3	6
ALL OTHER	---	27	4	4	4
NEGRO	---	27	4	4	4
BALANCE OF PARISH	---	327	12	9	18
WHITE	---	178	5	3	7
ALL OTHER	---	149	7	6	11
NEGRO	---	149	7	6	11
ST. TAMMANY	575	629	18	13	19
WHITE	470	502	16	11	12
ALL OTHER	105	127	2	2	7
NEGRO	105	127	2	2	7
SLIDELL	---	134	1	1	4
WHITE	---	106	1	1	2
ALL OTHER	---	28	-	-	2
NEGRO	---	28	-	-	2
BALANCE OF PARISH	---	495	17	12	15
WHITE	---	396	15	10	10
ALL OTHER	---	99	2	2	5
NEGRO	---	99	2	2	5
TANGIPAHOA	637	706	33	22	19
WHITE	439	472	9	7	10
ALL OTHER	198	234	24	15	9
NEGRO	198	234	24	15	9
HAMMOND	---	129	11	7	1
WHITE	---	75	3	2	1
ALL OTHER	---	54	8	5	-
NEGRO	---	54	8	5	-
BALANCE OF PARISH	---	577	22	15	18
WHITE	---	397	6	5	9
ALL OTHER	---	180	16	10	9
NEGRO	---	180	16	10	9
TENSAS	67	100	4	2	2
WHITE	17	33	2	2	-
ALL OTHER	50	67	2	-	2
NEGRO	50	67	2	-	2
TERREBONNE	471	525	37	31	23
WHITE	378	411	25	22	16
ALL OTHER	93	114	12	9	7
NEGRO	82	103	11	8	6
HOUMA	---	266	14	12	12
WHITE	---	204	7	7	7
ALL OTHER	---	62	7	5	5
NEGRO	---	59	7	5	4
BALANCE OF PARISH	---	259	23	19	11
WHITE	---	207	18	15	9
ALL OTHER	---	52	5	4	2
NEGRO	---	44	4	3	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
UNION	139	201	1	–	1
WHITE	90	130	–	–	–
ALL OTHER	49	71	1	–	1
NEGRO	49	71	1	–	1
VERMILION	378	439	16	11	11
WHITE	330	386	15	10	8
ALL OTHER	48	53	1	1	3
NEGRO	48	53	1	1	3
ABBEVILLE	---	150	4	2	3
WHITE	---	112	3	1	–
ALL OTHER	---	38	1	1	3
NEGRO	---	38	1	1	3
BALANCE OF PARISH	---	289	12	9	8
WHITE	---	274	12	9	8
ALL OTHER	---	15	–	–	–
NEGRO	---	15	–	–	–
VERNON	163	285	13	10	7
WHITE	139	251	11	10	3
ALL OTHER	24	34	2	–	4
NEGRO	24	34	2	–	2
WASHINGTON	479	536	16	13	7
WHITE	320	360	8	6	2
ALL OTHER	159	176	8	7	5
NEGRO	159	176	8	7	5
BOGALUSA	---	280	7	4	1
WHITE	---	173	3	1	–
ALL OTHER	---	107	4	3	1
NEGRO	---	107	4	3	1
BALANCE OF PARISH	---	256	9	9	6
WHITE	---	187	5	5	2
ALL OTHER	---	69	4	4	4
NEGRO	---	69	4	4	4
WEBSTER	333	442	12	10	11
WHITE	224	300	3	3	7
ALL OTHER	109	142	9	7	4
NEGRO	109	142	9	7	4
MINDEN	---	171	10	8	5
WHITE	---	101	3	3	4
ALL OTHER	---	70	7	5	1
NEGRO	---	70	7	5	1
BALANCE OF PARISH	---	271	2	2	6
WHITE	---	199	–	–	3
ALL OTHER	---	72	2	2	3
NEGRO	---	72	2	2	3
WEST BATON ROUGE	52	147	9	6	3
WHITE	22	73	4	3	2
ALL OTHER	30	74	5	3	1
NEGRO	30	74	5	3	1
WEST CARROLL	76	142	3	1	3
WHITE	68	116	1	–	3
ALL OTHER	8	26	2	1	–
NEGRO	8	26	2	1	–
WEST FELICIANA	71	63	1	1	1
WHITE	28	23	–	–	1
ALL OTHER	43	40	1	1	–
NEGRO	43	40	1	1	–
WINN	175	221	4	4	6
WHITE	140	160	4	4	3
ALL OTHER	35	61	–	–	3
NEGRO	35	61	–	–	3
MAINE	10,711	10,717	243	187	104
WHITE	10,674	10,682	241	185	104
ALL OTHER	37	35	2	2	–
NEGRO	19	17	1	1	–
ANDROSCOGGIN	953	960	24	21	9
AUBURN	---	253	5	3	1
LEWISTON	---	481	11	11	4
BALANCE OF COUNTY	---	226	8	7	4
AROOSTOOK	705	742	24	19	7
CARIBOU	---	85	3	2	–
PRESQUE ISLE	---	77	2	2	–
BALANCE OF COUNTY	---	580	19	15	7
CUMBERLAND	2,380	2,106	38	28	11
PORTLAND	---	836	7	5	7
SOUTH PORTLAND	---	244	5	3	–
WESTBROOK	---	127	5	4	–
BALANCE OF COUNTY	---	899	21	16	4
FRANKLIN	203	246	8	3	7
HANCOCK	419	420	9	7	5
KENNEBEC	1,506	1,043	30	20	7
AUGUSTA	---	252	9	7	–
WATERVILLE	---	192	3	1	1
BALANCE OF COUNTY	---	599	18	12	6
KNOX	351	393	8	7	2
LINCOLN	229	294	5	3	8
OXFORD	426	477	10	10	7
PENOBSCOT	1,210	1,155	38	32	9
BANGOR	---	364	13	11	4
BALANCE OF COUNTY	---	791	25	21	5
PISCATAQUIS	160	191	3	2	1
SAGADAHOC	194	274	5	2	3
SOMERSET	425	471	6	6	3
WALDO	199	288	8	7	2
WASHINGTON	356	416	9	5	6
YORK	995	1,241	18	15	17
BIDDEFORD	---	238	2	2	2
SACO	---	103	2	2	–
SANFORD TOWN#	---	173	2	2	4
BALANCE OF COUNTY	---	727	12	9	11
MARYLAND	32,129	32,965	821	629	580
WHITE	25,755	26,527	534	407	378
ALL OTHER	6,374	6,438	287	222	202
NEGRO	6,305	6,370	280	220	193
ALLEGANY	967	978	16	13	5
CUMBERLAND	---	461	9	8	2
BALANCE OF COUNTY	---	517	7	5	3
ANNE ARUNDEL	1,487	1,965	62	45	46
WHITE	1,254	1,704	47	35	39
ALL OTHER	233	261	15	10	7
NEGRO	231	258	15	10	6
ANNAPOLIS	---	297	10	8	5
WHITE	---	206	7	5	5
ALL OTHER	---	91	3	3	–
NEGRO	---	90	3	3	–
BALANCE OF COUNTY	---	1,668	52	37	41
WHITE	---	1,498	40	30	34
ALL OTHER	---	170	12	7	7
NEGRO	---	168	12	7	6
BALTIMORE	4,432	5,146	112	92	56
WHITE	4,179	4,871	91	72	46
ALL OTHER	253	275	21	20	10
NEGRO	252	272	21	20	9
BALTIMORE CITY	12,174	10,252	226	171	158
WHITE	7,984	6,215	77	54	52
ALL OTHER	4,190	4,037	149	117	106
NEGRO	4,166	4,016	145	115	106
CALVERT	211	226	9	8	4
WHITE	158	166	2	2	2
ALL OTHER	53	60	7	6	2
NEGRO	53	60	7	6	2
CAROLINE	91	249	1	1	4
WHITE	75	203	1	1	4
ALL OTHER	16	46	–	–	–
NEGRO	16	46	–	–	–
CARROLL	613	627	14	11	12
CECIL	400	414	17	11	8
CHARLES	212	315	19	14	10
WHITE	144	217	12	9	8
ALL OTHER	68	98	7	5	2
NEGRO	68	98	7	5	2
DORCHESTER	371	384	7	5	4
WHITE	262	259	2	1	2
ALL OTHER	109	125	5	4	2
NEGRO	109	125	5	4	2
CAMBRIDGE	---	155	2	2	1
WHITE	---	97	–	–	1
ALL OTHER	---	58	2	2	–
NEGRO	---	58	2	2	–
BALANCE OF COUNTY	---	229	5	3	3
WHITE	---	162	2	1	1
ALL OTHER	---	67	3	2	2
NEGRO	---	67	3	2	2
FREDERICK	677	812	18	14	15
FREDERICK	---	268	6	4	5
WHITE	---	238	2	1	4
ALL OTHER	---	30	4	3	1
NEGRO	---	30	4	3	1
BALANCE OF COUNTY	---	544	12	10	10
GARRETT	247	259	4	3	3
HARFORD	608	771	22	18	22
WHITE	544	703	18	14	19
ALL OTHER	64	68	4	4	3
NEGRO	63	67	4	4	2
ABERDEEN	---	80	2	2	2
WHITE	---	77	2	2	1
ALL OTHER	---	3	–	–	1
NEGRO	---	3	–	–	1
BALANCE OF COUNTY	---	691	20	16	20

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MARYLAND—CON.					
HOWARD	180	405	14	7	8
KENT	170	207	2	2	3
WHITE	132	163	1	1	2
ALL OTHER	38	44	1	1	1
NEGRO	38	44	1	1	1
MONTGOMERY	3,807	3,479	77	55	62
WHITE	3,553	3,273	65	49	43
ALL OTHER	254	206	12	6	19
NEGRO	222	184	9	6	16
ROCKVILLE	—	439	10	7	11
TAKOMA PARK, PART	—	120	2	1	5
WHITE	—	111	1	1	2
ALL OTHER	—	9	1	—	3
NEGRO	—	8	—	—	3
TAKOMA PARK, TOTAL	—	159	3	2	8
WHITE	—	145	2	2	5
ALL OTHER	—	14	1	—	3
NEGRO	—	12	—	—	3
BALANCE OF COUNTY	—	2,920	65	47	46
WHITE	—	2,762	58	43	33
ALL OTHER	—	158	7	4	13
NEGRO	—	141	6	4	11
PRINCE GEORGES	2,270	3,490	137	105	107
WHITE	1,801	2,906	90	70	71
ALL OTHER	469	584	47	35	36
NEGRO	463	568	47	35	33
BOWIE	—	117	3	2	2
COLLEGE PARK	—	116	1	1	2
GREENBELT	—	68	6	5	6
HYATTSVILLE	—	461	7	5	9
LAUREL	—	142	5	5	5
NEW CARROLLTON	—	39	—	—	1
TAKOMA PARK, PART	—	39	1	1	3
BALANCE OF COUNTY	—	2,508	114	86	79
WHITE	—	1,981	72	53	50
ALL OTHER	—	527	42	33	29
NEGRO	—	514	42	33	27
QUEEN ANNES	69	195	2	2	1
WHITE	59	157	1	1	1
ALL OTHER	10	38	1	1	—
NEGRO	10	38	1	1	—
ST. MARYS	282	330	17	15	10
WHITE	234	269	14	12	9
ALL OTHER	48	61	3	3	1
NEGRO	48	61	3	3	1
SOMERSET	138	237	2	1	4
WHITE	93	148	1	1	1
ALL OTHER	45	89	1	—	3
NEGRO	45	89	1	—	3
TALBOT	510	308	7	7	3
WHITE	415	241	5	5	2
ALL OTHER	95	67	2	2	1
NEGRO	95	67	2	2	1
WASHINGTON	1,159	1,029	21	17	20
HAGERSTOWN	—	493	13	11	12
BALANCE OF COUNTY	—	536	8	6	8
WICOMICO	925	580	12	10	9
WHITE	690	446	10	9	6
ALL OTHER	235	134	2	1	3
NEGRO	233	133	2	1	3
SALISBURY	—	268	7	7	6
WHITE	—	223	6	6	4
ALL OTHER	—	45	1	1	2
NEGRO	—	45	1	1	2
BALANCE OF COUNTY	—	312	5	3	3
WHITE	—	223	4	3	2
ALL OTHER	—	89	1	—	1
NEGRO	—	88	1	—	1
WORCESTER	129	307	3	2	6
WHITE	110	241	2	1	2
ALL OTHER	19	66	1	1	4
NEGRO	19	66	1	1	4
MASSACHUSETTS	56,388	55,996	974	761	676
WHITE	54,884	54,498	880	692	635
ALL OTHER	1,504	1,498	94	69	41
NEGRO	1,401	1,400	88	65	39
BARNSTABLE	1,379	1,482	10	9	11
BERKSHIRE	1,639	1,562	32	27	13
NORTH ADAMS	—	219	1	1	1
PITTSFIELD	—	598	19	14	8
BALANCE OF COUNTY	—	745	12	12	4
MASSACHUSETTS—CON.					
BRISTOL	4,344	4,630	84	66	66
ATTLEBORO	—	304	8	6	6
FALL RIVER	—	1,125	18	13	15
NEW BEDFORD	—	1,256	22	17	11
SOMERSET TOWN#	—	153	4	3	2
TAUNTON	—	471	10	9	5
BALANCE OF COUNTY	—	1,321	22	18	27
DUKES	99	113	1	1	1
ESSEX	6,445	6,671	106	78	72
BEVERLY	—	362	9	6	4
DANVERS TOWN#	—	250	2	1	2
GLOUCESTER	—	322	5	4	6
HAVERHILL	—	595	8	7	4
LAWRENCE	—	842	20	13	13
LYNN	—	1,108	13	10	11
MARBLEHEAD TOWN#	—	205	—	—	1
METHUEN TOWN#	—	356	4	3	7
NEWBURYPORT	—	200	1	—	2
PEABODY	—	389	9	8	4
SALEM	—	463	10	7	3
SAUGUS TOWN#	—	226	—	—	2
SWAMPSCOTT TOWN#	—	159	—	—	1
BALANCE OF COUNTY	—	1,194	25	19	12
FRANKLIN	546	659	8	5	9
HAMPDEN	4,725	4,612	80	60	43
WHITE	4,584	4,463	69	52	41
ALL OTHER	141	149	11	8	2
NEGRO	141	149	11	8	2
CHICOPEE	—	534	11	7	8
HOLYOKE	—	604	8	7	13
LONGMEADOW TOWN#	—	156	2	1	2
SPRINGFIELD	—	1,881	31	23	8
WHITE	—	1,740	20	15	6
ALL OTHER	—	141	11	8	2
NEGRO	—	141	11	8	2
WESTFIELD	—	290	7	6	1
WEST SPRINGFIELD TOWN#	—	267	5	4	6
BALANCE OF COUNTY	—	880	16	12	5
HAMPSHIRE	999	1,047	16	12	18
AMHERST TOWN#	—	98	3	2	6
NORTHAMPTON	—	321	2	2	3
BALANCE OF COUNTY	—	628	11	8	9
MIDDLESEX	10,926	11,998	216	174	168
WHITE	10,827	11,869	208	169	166
ALL OTHER	99	129	8	5	2
NEGRO	90	117	5	3	2
ARLINGTON TOWN#	—	532	3	3	8
BELMONT TOWN#	—	323	3	3	1
BILLERICA TOWN#	—	127	6	6	5
BURLINGTON TOWN#	—	109	4	4	1
CAMBRIDGE	—	934	10	6	16
CHELMSFORD TOWN#	—	165	3	3	2
EVERETT	—	476	11	8	7
FRAMINGHAM TOWN#	—	484	18	15	6
LEXINGTON TOWN#	—	218	3	3	2
LOWELL	—	1,092	25	21	16
MALDEN	—	656	8	7	9
MARLBOROUGH	—	204	6	5	9
MEDFORD	—	650	6	5	3
MELROSE	—	299	6	5	5
NATICK TOWN#	—	225	4	3	2
NEWTON	—	791	3	2	5
READING TOWN#	—	176	3	3	3
SOMERVILLE	—	919	12	9	13
STONEHAM TOWN#	—	186	3	2	4
WAKEFIELD TOWN#	—	230	6	5	3
WALTHAM	—	557	12	10	8
WATERTOWN TOWN#	—	408	3	3	4
WINCHESTER TOWN#	—	151	6	4	1
WOBURN	—	284	7	5	3
BALANCE OF COUNTY	—	1,802	45	34	32
NANTUCKET	60	85	1	1	1
NORFOLK	4,364	5,298	85	71	49
BRAINTREE TOWN#	—	307	7	6	3
BROOKLINE TOWN#	—	649	1	1	2
DEDHAM TOWN#	—	222	4	4	3
HOLBROOK TOWN#	—	84	2	2	1
MILTON TOWN#	—	254	—	—	3
NEEDHAM TOWN#	—	244	2	2	1
NORWOOD TOWN#	—	285	3	2	2
QUINCY	—	985	14	8	7
RANDOLPH TOWN#	—	227	5	4	4
WELLESLEY TOWN#	—	228	1	1	3
WEYMOUTH TOWN#	—	460	13	12	5
BALANCE OF COUNTY	—	1,353	33	29	15

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MASSACHUSETTS--CON.					
PLYMOUTH	2,786	3,031	54	45	41
BROCKTON	---	903	18	14	13
ROCKLAND TOWN#	---	137	3	3	1
WHITMAN TOWN#	---	111	1	1	-
BALANCE OF COUNTY	---	1,880	32	27	27
SUFFOLK	11,799	8,353	165	124	100
WHITE	10,843	7,450	102	76	73
ALL OTHER	956	903	63	48	27
NEGRO	882	839	61	46	26
BOSTON	---	7,260	153	114	95
WHITE	---	6,366	90	66	68
ALL OTHER	---	894	63	48	27
NEGRO	---	830	61	46	26
CHELSEA	---	379	5	3	1
REVERE	---	462	5	5	3
WINTHROP TOWN#	---	252	2	2	1
WORCESTER	6,277	6,455	116	88	84
CLINTON TOWN#	---	153	3	3	1
FITCHBURG	---	518	6	5	2
GARDNER	---	211	3	3	4
LEOMINSTER	---	281	8	7	3
WORCESTER	---	2,161	39	26	22
BALANCE OF COUNTY	---	3,131	57	44	52
MICHIGAN	75,364	76,249	2,394	1,745	1,423
WHITE	65,936	66,805	1,676	1,248	1,045
ALL OTHER	9,428	9,444	718	497	378
NEGRO	9,242	9,258	709	491	370
ALCONA	52	103	1	-	1
ALGER	88	110	4	2	1
ALLEGAN	427	600	23	16	16
HOLLAND, PART	---	15	1	1	-
BALANCE OF COUNTY	---	585	22	15	16
ALPENA	317	267	8	4	8
ALPENA	---	122	1	-	6
BALANCE OF COUNTY	---	145	7	4	2
ANTRIM	102	162	2	1	2
ARENAC	146	164	5	4	1
BARAGA	120	88	4	2	2
BARRY	292	391	6	4	8
BAY	970	1,019	31	26	18
BAY CITY	---	553	14	10	4
MIDLAND, PART	---	-	-	-	1
BALANCE OF COUNTY	---	466	17	16	13
BENZIE	97	124	2	1	-
BERRIEN	1,475	1,526	59	43	32
WHITE	1,287	1,344	37	27	15
ALL OTHER	188	182	22	16	17
NEGRO	186	179	22	16	17
BENTON HARBOR	---	214	18	12	13
WHITE	---	118	2	2	-
ALL OTHER	---	96	16	10	13
NEGRO	---	96	16	10	13
NILES	---	192	6	4	3
ST. JOSEPH	---	145	4	3	3
BALANCE OF COUNTY	---	975	31	24	13
BRANCH	371	389	11	11	1
CALHOUN	1,413	1,319	37	25	16
WHITE	1,308	1,209	30	20	11
ALL OTHER	105	110	7	5	5
NEGRO	104	109	7	5	5
ALBION	---	120	4	3	3
WHITE	---	94	3	2	2
ALL OTHER	---	26	1	1	1
NEGRO	---	26	1	1	1
BATTLE CREEK	---	552	16	13	6
WHITE	---	471	11	10	3
ALL OTHER	---	81	5	3	3
NEGRO	---	80	5	3	3
BALANCE OF COUNTY	---	647	17	9	7
CASS	240	402	13	9	4
WHITE	204	347	10	8	4
ALL OTHER	36	55	3	1	-
NEGRO	34	54	3	1	-
CHARLEVOIX	88	147	6	4	-
CHEBOYGAN	147	203	7	4	6
CHIPPEWA	266	308	9	7	7
SAULT STE. MARIE	---	182	3	3	3
BALANCE OF COUNTY	---	126	6	4	4
CLARE	201	250	6	5	3
CLINTON	185	331	13	8	10
LANSING, PART	---	1	-	-	-
BALANCE OF COUNTY	---	330	13	8	10
MICHIGAN--CON.					
CRAWFORD	160	85	1	1	2
DELTA	352	439	5	5	7
ESCANABA	---	217	5	5	2
BALANCE OF COUNTY	---	222	-	-	5
DICKINSON	414	330	8	5	2
EATON	317	455	16	13	8
LANSING, PART	---	3	1	-	-
BALANCE OF COUNTY	---	452	15	13	8
EMMET	411	196	3	3	-
GENESEE	3,277	3,202	135	93	76
WHITE	2,858	2,779	82	59	49
ALL OTHER	419	423	53	34	27
NEGRO	415	419	53	34	27
FLINT	---	1,640	81	55	43
WHITE	---	1,235	30	21	16
ALL OTHER	---	405	51	34	27
NEGRO	---	402	51	34	27
BALANCE OF COUNTY	---	1,562	54	38	33
GLADWIN	106	161	-	-	1
GOGEBIC	332	334	5	4	4
GRAND TRAVERSE	660	410	11	8	3
TRAVERSE CITY	---	195	7	6	1
BALANCE OF COUNTY	---	215	4	2	2
GRATIOT	350	408	7	5	11
HILLSDALE	283	396	13	11	4
HOUGHTON	471	507	5	3	3
HURON	347	415	16	15	3
INGHAM	1,797	1,597	56	45	40
WHITE	1,717	1,513	41	36	36
ALL OTHER	80	84	15	9	4
NEGRO	77	80	14	9	3
EAST LANSING	---	130	2	1	4
LANSING, PART	---	995	41	32	22
WHITE	---	919	29	25	18
ALL OTHER	---	76	12	7	4
NEGRO	---	74	12	7	3
LANSING, TOTAL	---	999	42	32	22
WHITE	---	923	30	25	18
ALL OTHER	---	76	12	7	4
NEGRO	---	74	12	7	3
BALANCE OF COUNTY	---	472	13	12	14
IONIA	320	422	14	11	8
IOSCO	228	245	7	6	4
IRON	187	209	2	2	-
ISABELLA	314	308	6	5	5
MOUNT PLEASANT	---	117	-	-	2
BALANCE OF COUNTY	---	191	6	5	3
JACKSON	1,209	1,286	27	22	24
JACKSON	---	553	12	8	11
WHITE	---	501	8	6	9
ALL OTHER	---	52	4	2	2
NEGRO	---	51	4	2	2
BALANCE OF COUNTY	---	733	15	14	13
KALAMAZOO	1,761	1,392	45	34	29
WHITE	1,654	1,321	39	31	20
ALL OTHER	107	71	6	3	9
NEGRO	102	68	6	3	9
KALAMAZOO	---	698	26	20	17
WHITE	---	630	20	17	8
ALL OTHER	---	68	6	3	9
NEGRO	---	66	6	3	9
PORTAGE	---	134	5	3	2
BALANCE OF COUNTY	---	560	14	11	10
KALKASKA	46	86	1	1	1
KENT	3,849	3,436	100	65	81
WHITE	3,664	3,254	76	51	70
ALL OTHER	185	182	24	14	11
NEGRO	176	174	23	14	11
EAST GRAND RAPIDS	---	84	1	1	2
GRAND RAPIDS	---	2,036	64	40	49
WHITE	---	1,861	41	27	38
ALL OTHER	---	175	23	13	11
NEGRO	---	167	22	13	11
GRANDVILLE	---	76	-	-	1
KENTWOOD	---	99	2	2	4
WALKER	---	77	4	4	-
WYOMING	---	337	12	7	9
BALANCE OF COUNTY	---	727	17	11	16
KEWEENAW	3	35	-	-	2
LAKE	34	104	1	1	1
WHITE	27	79	-	-	1
ALL OTHER	7	25	1	1	-
NEGRO	7	25	1	1	-

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MICHIGAN--CON.					
LAPEER	394	415	19	11	11
LEELANAU	71	124	3	–	1
LENAWEE	676	712	17	12	12
ADRIAN	—	204	2	1	4
BALANCE OF COUNTY	—	508	15	11	8
LIVINGSTON	372	477	13	8	4
LUCE	95	67	2	2	1
MACKINAC	77	111	2	2	2
MACOMB	2,979	4,011	139	114	76
CENTER LINE	—	89	–	–	3
EAST DETROIT	—	326	3	3	7
FRASER	—	73	5	5	1
MOUNT CLEMENS	—	336	16	13	5
WHITE	—	305	12	11	5
ALL OTHER	—	31	4	2	–
NEGRO	—	28	3	1	–
ROSEVILLE	—	361	16	14	9
ST. CLAIR SHORES	—	630	13	12	7
STERLING HEIGHTS	—	309	17	9	7
WARREN	—	1,019	33	28	18
BALANCE OF COUNTY	—	868	36	30	19
MANISTEE	235	250	4	4	5
MARQUETTE	594	561	16	13	9
MARQUETTE	—	195	6	5	–
BALANCE OF COUNTY	—	366	10	8	9
MASON	243	243	4	4	3
MECOSTA	240	264	8	5	8
BIG RAPIDS	—	90	1	1	1
BALANCE OF COUNTY	—	174	7	4	7
MENOMINEE	233	258	4	3	12
MENOMINEE	—	135	2	2	5
BALANCE OF COUNTY	—	123	2	1	7
MIDLAND	399	423	16	10	14
MIDLAND, PART	—	216	7	5	8
MIDLAND, TOTAL	—	216	7	5	9
BALANCE OF COUNTY	—	207	9	5	6
MISSAUKEE	12	85	–	–	–
MONROE	626	899	33	23	26
MONROE	—	281	17	13	7
BALANCE OF COUNTY	—	618	16	10	19
MONTCALM	480	439	12	7	4
MONTMORENCY	35	105	3	2	–
MUSKEGON	1,369	1,385	47	31	25
WHITE	1,227	1,236	38	24	17
ALL OTHER	142	149	9	7	8
NEGRO	134	140	9	7	8
MUSKEGON	—	557	14	11	13
WHITE	—	491	8	6	11
ALL OTHER	—	66	6	5	2
NEGRO	—	62	6	5	2
MUSKEGON HEIGHTS	—	188	8	4	5
WHITE	—	126	5	2	1
ALL OTHER	—	62	3	2	4
NEGRO	—	60	3	2	4
NORTON SHORES	—	125	2	1	1
BALANCE OF COUNTY	—	515	23	15	6
NEWAYGO	244	302	9	6	5
OAKLAND	6,773	6,466	192	147	107
WHITE	6,431	6,215	172	133	94
ALL OTHER	342	251	20	14	13
NEGRO	332	242	19	13	12
BERKLEY	—	134	5	5	4
BEVERLY HILLS	—	72	1	–	–
BIRMINGHAM	—	255	7	5	2
CLAWSON	—	105	2	2	–
FARMINGTON	—	140	7	5	5
FERNDALE	—	275	3	2	7
HAZEL PARK	—	165	5	5	–
MADISON HEIGHTS	—	195	7	5	2
OAK PARK	—	298	4	3	3
PONTIAC	—	774	37	26	23
WHITE	—	585	21	16	11
ALL OTHER	—	189	16	10	12
NEGRO	—	188	16	10	12
ROYAL OAK	—	638	12	9	11
SOUTHFIELD	—	638	10	9	6
TROY	—	217	4	4	7
BALANCE OF COUNTY	—	2,560	88	67	37
OCEANA	163	204	6	6	2
OGEMAW	207	172	2	2	1
ONTONAGON	91	109	2	1	2
OSCEOLA	153	179	2	1	1
OSCODA	38	79	1	1	3
OTSEGO	108	112	2	2	3
OTTAWA	890	956	31	25	16
GRAND HAVEN	—	135	4	3	1
HOLLAND, PART	—	223	9	8	1
HOLLAND, TOTAL	—	238	10	9	1
BALANCE OF COUNTY	—	598	18	14	14
PRESQUE ISLE	110	128	3	1	3
ROSCOMMON	86	175	5	5	1
SAGINAW	1,989	1,768	49	39	47
WHITE	1,760	1,541	33	29	29
ALL OTHER	229	227	16	10	18
NEGRO	227	225	16	10	18
SAGINAW	—	904	32	24	27
WHITE	—	706	17	15	11
ALL OTHER	—	198	15	9	16
NEGRO	—	197	15	9	16
BALANCE OF COUNTY	—	864	17	15	20
ST. CLAIR	1,103	1,244	33	24	18
PORT HURON	—	438	14	12	8
BALANCE OF COUNTY	—	806	19	12	10
ST. JOSEPH	405	502	14	10	11
SANILAC	304	383	10	8	4
SCHOOLCRAFT	141	107	–	–	–
SHIAWASSEE	485	560	22	18	12
OWOSSO	—	203	6	5	2
BALANCE OF COUNTY	—	357	16	13	10
TUSCOLA	318	415	20	16	5
VAN BUREN	387	583	17	10	8
WASHTENAW	2,540	1,376	56	43	40
WHITE	2,302	1,240	39	30	28
ALL OTHER	238	136	17	13	12
NEGRO	228	127	15	11	12
ANN ARBOR	—	518	19	16	15
YPSILANTI	—	209	12	9	12
WHITE	—	145	3	3	5
ALL OTHER	—	64	9	6	7
NEGRO	—	62	9	6	7
BALANCE OF COUNTY	—	649	25	18	13
WAYNE	25,128	25,076	841	592	462
WHITE	18,182	17,955	346	240	221
ALL OTHER	6,946	7,121	495	352	241
NEGRO	6,894	7,072	494	351	237
ALLEN PARK	—	291	5	5	2
DEARBORN	—	1,010	10	9	14
DEARBORN HEIGHTS	—	465	6	4	7
DETROIT	—	16,623	589	407	301
WHITE	—	10,068	139	91	86
ALL OTHER	—	6,555	450	316	215
NEGRO	—	6,516	449	315	213
ECORSE	—	165	4	4	1
WHITE	—	101	1	1	–
ALL OTHER	—	64	3	3	1
NEGRO	—	64	3	3	1
GARDEN CITY	—	179	6	4	3
GROSSE POINTE FARMS	—	120	1	1	1
GROSSE POINTE PARK	—	145	4	3	1
GROSSE POINTE WOODS	—	191	2	2	1
HAMTRAMCK	—	394	8	4	5
WHITE	—	358	7	4	3
ALL OTHER	—	36	1	–	2
NEGRO	—	36	1	–	2
HARPER WOODS	—	189	1	1	1
HIGHLAND PARK	—	404	16	14	11
WHITE	—	238	–	–	1
ALL OTHER	—	166	16	14	10
NEGRO	—	164	16	14	10
INKSTER	—	257	20	15	11
WHITE	—	108	8	6	4
ALL OTHER	—	149	12	9	7
NEGRO	—	149	12	9	6
LINCOLN PARK	—	387	7	7	11
LIVONIA	—	630	14	11	5
MELVINDALE	—	100	4	2	2
PLYMOUTH	—	154	7	6	3
RIVER ROUGE	—	193	8	5	3
WHITE	—	128	6	4	1
ALL OTHER	—	65	2	1	2
NEGRO	—	65	2	1	2
RIVERVIEW	—	59	3	3	1
SOUTHGATE	—	186	1	–	4
TAYLOR	—	355	24	15	10
TRENTON	—	164	6	5	6
WAYNE	—	151	7	4	6
WESTLAND	—	389	15	9	12
WYANDOTTE	—	375	8	3	8
BALANCE OF COUNTY	—	1,500	65	49	32
WEXFORD	288	221	4	3	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MINNESOTA	34,154	33,500	806	595	512
WHITE	33,661	33,023	759	573	484
ALL OTHER	493	477	47	22	28
NEGRO	302	294	22	14	10
AITKIN	140	180	1	-	3
ANOKA	567	612	50	31	20
ANOKA	---	95	1	-	2
BLAINE, PART	---	70	6	1	3
BLAINE, TOTAL	---	70	6	1	3
COLUMBIA HEIGHTS	---	125	4	2	3
COON RAPIDS	---	75	13	9	3
FRIDLEY	---	91	8	6	5
BALANCE OF COUNTY	---	156	18	13	4
BECKER	273	271	6	3	7
BELTRAMI	258	254	7	6	4
WHITE	232	226	7	6	2
ALL OTHER	26	28	-	-	2
NEGRO	-	-	-	-	-
BEMIDJI	---	122	6	5	1
BALANCE OF COUNTY	---	132	1	1	3
WHITE	---	106	1	1	1
ALL OTHER	---	26	-	-	2
NEGRO	---	-	-	-	-
BENTON	110	197	6	5	4
ST. CLOUD, PART	---	36	2	1	1
BALANCE OF COUNTY	---	161	4	4	3
BIG STONE	109	96	2	2	-
BLUE EARTH	510	408	9	8	10
MANKATO	---	215	4	3	6
BALANCE OF COUNTY	---	193	5	5	4
BROWN	346	293	5	3	7
NEW ULM	---	136	2	1	3
BALANCE OF COUNTY	---	157	3	2	4
CARLTON	319	294	5	3	7
CARVER	192	205	5	4	4
CASS	174	259	7	5	4
CHIPPEWA	134	173	2	2	3
CHISAGO	193	201	7	4	1
CLAY	227	329	11	10	2
MOORHEAD	---	157	4	3	-
BALANCE OF COUNTY	---	172	7	7	2
CLEARWATER	107	118	1	1	2
COOK	40	42	-	-	-
COTTONWOOD	135	148	4	3	1
CROW WING	440	425	7	4	1
BRAINERD	---	155	-	-	-
BALANCE OF COUNTY	---	270	7	4	1
DAKOTA	502	724	30	20	20
BURNSVILLE	---	50	5	4	6
HASTINGS, PART	---	89	-	-	1
HASTINGS, TOTAL	---	89	-	-	1
INVER GROVE HEIGHTS	---	58	3	2	1
SOUTH ST. PAUL	---	181	4	2	2
WEST ST. PAUL	---	134	-	-	2
BALANCE OF COUNTY	---	212	18	12	8
DODGE	64	127	4	4	-
DOUGLAS	252	261	7	5	4
FARIBAULT	228	273	10	7	4
FILLMORE	174	253	2	2	3
FREEBORN	313	330	11	9	4
ALBERT LEA	---	196	5	4	3
BALANCE OF COUNTY	---	134	6	5	1
GOODHUE	382	372	9	8	7
RED WING	---	146	4	3	3
BALANCE OF COUNTY	---	226	5	5	4
GRANT	79	100	-	-	-
HENNEPIN	8,905	7,813	195	142	100
WHITE	8,670	7,593	168	130	88
ALL OTHER	235	220	27	12	12
NEGRO	174	168	15	10	8
BLOOMINGTON	---	326	7	3	3
BROOKLYN CENTER	---	156	9	7	5
BROOKLYN PARK	---	89	12	8	4
CRYSTAL	---	111	5	5	5
EDINA	---	293	3	2	2
GOLDEN VALLEY	---	104	2	1	2
HOPKINS	---	132	4	3	4
MINNEAPOLIS	---	5,010	103	70	41
WHITE	---	4,798	77	58	31
ALL OTHER	---	212	26	12	10
NEGRO	---	163	14	10	8
MINNETONKA	---	142	3	3	5
NEW HOPE	---	75	3	2	-
PLYMOUTH	---	84	5	5	2
RICHFIELD	---	238	5	4	5
ROBBINSDALE	---	143	-	-	1
ST. LOUIS PARK	---	394	10	9	3
BALANCE OF COUNTY	---	516	24	20	18
MINNESOTA—CON.					
HOUSTON	129	156	4	4	1
HUBBARD	145	140	3	3	2
ISANTI	172	156	4	2	3
ITASCA	322	342	10	9	8
JACKSON	146	168	4	3	1
KANABEC	113	116	1	1	3
KANDIYOHI	382	319	3	1	1
WILLMAR	---	171	2	1	-
BALANCE OF COUNTY	---	148	1	-	1
KITTSON	90	96	2	2	-
KOOCHICHING	120	148	4	2	4
LAC QUI PARLE	151	173	-	-	1
LAKE	107	108	6	4	2
LAKE OF THE WOODS	57	46	-	-	1
LE SUEUR	138	230	2	2	2
LINCOLN	124	104	3	-	-
LYON	220	238	2	-	2
MC LEOD	291	291	7	4	4
MAHNOMEN	37	55	1	1	-
WHITE	34	50	1	1	-
ALL OTHER	3	5	-	-	-
NEGRO	-	-	-	-	-
MARSHALL	82	144	2	2	1
MARTIN	246	254	5	4	2
FAIRMONT	---	132	3	3	1
BALANCE OF COUNTY	---	122	2	1	1
MEEKER	182	196	9	8	6
MILLE LACS	185	179	3	1	4
MORRISON	270	304	4	4	9
MOWER	351	415	9	8	14
AUSTIN	---	278	7	6	10
BALANCE OF COUNTY	---	137	2	2	4
MURRAY	90	117	2	1	1
NICOLLET	112	165	2	1	3
NOBLES	214	209	6	3	4
NORMAN	115	143	1	1	-
OLMSTED	1,352	503	17	12	12
ROCHESTER	---	383	10	7	8
BALANCE OF COUNTY	---	120	7	5	4
OTTER TAIL	516	536	8	6	4
FERGUS FALLS	---	141	3	3	-
BALANCE OF COUNTY	---	395	5	3	4
PENNINGTON	163	136	2	2	2
PINE	133	221	6	5	2
PIPESTONE	124	151	2	2	2
POLK	349	401	12	11	4
POPE	128	144	3	3	2
RAMSEY	4,162	3,951	83	61	49
WHITE	4,045	3,829	74	55	46
ALL OTHER	117	122	9	6	3
NEGRO	104	110	5	4	1
BLAINE, PART	---	-	-	-	-
MAPLEWOOD	---	129	6	6	6
NEW BRIGHTON	---	88	3	2	2
NORTH ST. PAUL	---	38	4	4	1
ROSEVILLE	---	185	3	3	1
ST. PAUL	---	3,166	55	38	29
WHITE	---	3,049	46	32	26
ALL OTHER	---	117	9	6	3
NEGRO	---	107	5	4	1
SHOREVIEW	---	37	2	1	-
WHITE BEAR LAKE, PART	---	133	5	3	3
WHITE BEAR LAKE, TOTAL	---	136	5	3	3
BALANCE OF COUNTY	---	175	5	4	7
RED LAKE	34	49	3	2	1
REDWOOD	158	193	3	2	6
RENVILLE	176	252	7	5	6
RICE	384	338	8	8	12
FARIBAULT	---	151	4	4	5
NORTHFIELD	---	81	2	2	1
BALANCE OF COUNTY	---	106	2	2	6
ROCK	93	99	3	2	1
ROSEAU	126	135	4	1	1
ST. LOUIS	2,453	2,354	27	18	24
DULUTH	---	1,130	15	10	12
HIBBING	---	221	2	1	2
VIRGINIA	---	164	-	-	1
BALANCE OF COUNTY	---	839	10	7	9
SCOTT	264	225	11	10	8

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MINNESOTA—CON.					
SHERBURNE	127	155	5	3	6
ST. CLOUD, PART	---	39	-	-	1
BALANCE OF COUNTY	---	116	5	3	5
SIBLEY	99	169	5	4	2
STEARNS	908	656	24	17	13
ST. CLOUD, PART	---	212	7	6	1
ST. CLOUD, TOTAL	---	287	9	7	3
BALANCE OF COUNTY	---	444	17	11	12
STEELE	232	246	6	6	3
OWATONNA	---	155	5	5	3
BALANCE OF COUNTY	---	91	1	1	-
STEVENS	93	109	4	3	3
SWIFT	139	162	3	3	4
TODD	206	243	5	5	1
TRAVERSE	66	83	-	-	-
WABASHA	189	188	4	3	2
WADENA	150	144	4	4	-
WASECA	119	172	2	2	1
WASHINGTON	323	481	14	12	18
COTTAGE GROVE	---	35	3	3	2
HASTINGS, PART	---	-	-	-	-
STILLWATER	---	103	3	3	4
WHITE BEAR LAKE, PART	---	3	-	-	-
BALANCE OF COUNTY	---	340	8	6	12
WATONWAN	130	145	2	2	3
WILKIN	155	76	3	2	1
WINONA	404	452	10	10	6
WINONA	---	319	8	8	3
BALANCE OF COUNTY	---	133	2	2	3
WRIGHT	269	399	12	6	8
YELLOW MEDICINE	166	162	2	1	4
MISSISSIPPI	22,728	23,153	1,016	708	881
WHITE	14,019	14,279	354	275	336
ALL OTHER	8,709	8,874	662	433	545
NEGRO	8,664	8,829	658	430	540
ADAMS	471	364	13	12	9
WHITE	242	170	5	4	1
ALL OTHER	229	194	8	8	8
NEGRO	229	194	8	8	8
NATCHEZ	---	251	9	8	8
WHITE	---	116	4	3	1
ALL OTHER	---	135	5	5	7
NEGRO	---	135	5	5	7
BALANCE OF COUNTY	---	113	4	4	1
WHITE	---	54	1	1	-
ALL OTHER	---	59	3	3	1
NEGRO	---	59	3	3	1
ALCORN	279	344	6	5	6
WHITE	247	304	6	5	4
ALL OTHER	32	40	-	-	2
NEGRO	32	40	-	-	2
CORINTH	---	161	2	2	4
WHITE	---	134	2	2	3
ALL OTHER	---	27	-	-	1
NEGRO	---	27	-	-	1
BALANCE OF COUNTY	---	183	4	3	2
AMITE	47	156	8	4	4
WHITE	15	90	1	1	2
ALL OTHER	32	66	7	3	2
NEGRO	32	66	7	3	2
ATTALA	185	228	6	6	6
WHITE	123	160	1	1	2
ALL OTHER	62	68	5	5	4
NEGRO	62	68	5	5	4
BENTON	13	79	2	2	-
WHITE	9	54	1	1	-
ALL OTHER	4	25	1	1	-
NEGRO	4	25	1	1	-
BOLIVAR	480	526	32	22	22
WHITE	151	163	2	1	10
ALL OTHER	329	363	30	21	12
NEGRO	326	359	29	20	12
CLEVELAND	---	141	6	5	8
WHITE	---	61	1	-	4
ALL OTHER	---	80	5	5	4
NEGRO	---	78	4	4	4
BALANCE OF COUNTY	---	385	26	17	14
WHITE	---	102	1	1	6
ALL OTHER	---	283	25	16	8
NEGRO	---	281	25	16	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI—CON.					
CALHOUN	130	183	4	3	4
WHITE	105	157	1	1	-
ALL OTHER	25	26	3	2	4
NEGRO	25	26	3	2	4
CARROLL	26	98	3	2	3
WHITE	14	65	-	-	1
ALL OTHER	12	33	3	2	2
NEGRO	12	33	3	2	2
CHICKASAW	188	202	7	6	4
WHITE	138	148	4	3	1
ALL OTHER	50	54	3	3	3
NEGRO	50	54	3	3	3
CHOCTAW	72	95	-	-	2
WHITE	44	74	-	-	2
ALL OTHER	28	21	-	-	-
NEGRO	28	21	-	-	-
CLAIBORNE	77	115	7	7	1
WHITE	16	33	1	1	-
ALL OTHER	61	82	6	6	1
NEGRO	61	82	6	6	1
CLARKE	110	205	7	4	4
WHITE	70	132	2	2	2
ALL OTHER	40	73	5	2	2
NEGRO	40	73	5	2	2
CLAY	160	196	11	9	5
WHITE	88	101	3	3	2
ALL OTHER	72	95	8	6	3
NEGRO	72	95	8	6	3
COAHOMA	483	457	15	11	24
WHITE	184	157	1	1	3
ALL OTHER	299	300	14	10	21
NEGRO	296	296	14	10	21
CLARKSDALE	---	281	9	7	14
WHITE	---	108	1	1	3
ALL OTHER	---	173	8	6	11
NEGRO	---	171	8	6	11
BALANCE OF COUNTY	---	176	6	4	10
WHITE	---	49	-	-	-
ALL OTHER	---	127	6	4	10
NEGRO	---	125	6	4	10
COPIAH	206	288	13	6	12
WHITE	105	159	2	2	3
ALL OTHER	101	129	11	4	9
NEGRO	101	129	11	4	9
COVINGTON	146	183	2	1	6
WHITE	99	130	1	1	1
ALL OTHER	47	53	1	-	5
NEGRO	46	53	1	-	5
DE SOTO	118	284	13	8	7
WHITE	54	175	8	6	6
ALL OTHER	64	109	5	2	1
NEGRO	64	109	5	2	1
FORREST	862	586	18	11	17
WHITE	633	387	10	8	10
ALL OTHER	229	199	8	3	7
NEGRO	229	199	8	3	7
HATTIESBURG, PART	---	393	13	7	12
WHITE	---	235	6	4	6
ALL OTHER	---	158	7	3	6
NEGRO	---	158	7	3	6
HATTIESBURG, TOTAL	---	393	13	7	12
WHITE	---	235	6	4	6
ALL OTHER	---	158	7	3	6
NEGRO	---	158	7	3	6
BALANCE OF COUNTY	---	193	5	4	5
WHITE	---	152	4	4	4
ALL OTHER	---	41	1	-	1
NEGRO	---	41	1	-	1
FRANKLIN	90	110	2	2	4
WHITE	59	73	-	-	2
ALL OTHER	31	37	2	2	2
NEGRO	31	37	2	2	2
GEORGE	100	113	8	3	5
WHITE	83	99	4	1	5
ALL OTHER	17	14	4	2	-
NEGRO	17	14	4	2	-
GREENE	50	96	5	2	-
WHITE	34	80	4	2	-
ALL OTHER	16	16	1	-	-
NEGRO	16	16	1	-	-
GRENADA	310	244	12	8	10
WHITE	199	133	1	1	3
ALL OTHER	111	111	11	7	7
NEGRO	111	111	11	7	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI—CON.					
HANCOCK	155	203	10	8	3
WHITE	131	175	9	8	2
ALL OTHER	24	28	1	-	1
NEGRO	23	27	1	-	1
HARRISON	1,286	1,103	53	36	55
WHITE	1,041	880	34	26	39
ALL OTHER	245	223	19	10	16
NEGRO	243	220	19	10	16
BILOXI	---	338	15	11	23
WHITE	---	270	11	9	19
ALL OTHER	---	68	4	2	4
NEGRO	---	66	4	2	4
GULFPORT	---	361	17	12	19
WHITE	---	276	8	7	10
ALL OTHER	---	85	9	5	9
NEGRO	---	84	9	5	9
BALANCE OF COUNTY	---	404	21	13	13
WHITE	---	334	15	10	10
ALL OTHER	---	70	6	3	3
NEGRO	---	70	6	3	3
HINDS	3,028	1,896	82	55	100
WHITE	1,741	1,080	25	21	32
ALL OTHER	1,287	816	57	34	68
NEGRO	1,282	816	57	34	68
JACKSON, PART	---	1,443	55	41	77
WHITE	---	859	16	16	23
ALL OTHER	---	584	39	25	54
NEGRO	---	584	39	25	54
JACKSON, TOTAL	---	1,444	55	41	77
WHITE	---	860	16	16	23
ALL OTHER	---	584	39	25	54
NEGRO	---	584	39	25	54
BALANCE OF COUNTY	---	453	27	14	23
WHITE	---	221	9	5	9
ALL OTHER	---	232	18	9	14
NEGRO	---	232	18	9	14
HOLMES	225	280	13	9	7
WHITE	61	85	1	1	1
ALL OTHER	164	195	12	8	6
NEGRO	164	195	12	8	6
HUMPHREYS	149	159	6	4	5
WHITE	40	58	-	-	2
ALL OTHER	109	101	6	4	3
NEGRO	109	100	6	4	3
ISSAQUENA	7	44	4	2	1
WHITE	-	19	-	-	1
ALL OTHER	7	25	4	2	-
NEGRO	7	25	4	2	-
ITAWAMBA	112	156	3	2	6
JACKSON	488	562	36	23	45
WHITE	381	444	17	11	32
ALL OTHER	107	118	19	12	13
NEGRO	106	118	19	12	13
MOSS POINT	---	115	17	8	11
WHITE	---	53	2	-	1
ALL OTHER	---	62	15	8	10
NEGRO	---	62	15	8	10
PASCAGOULA	---	171	12	9	14
WHITE	---	142	9	6	12
ALL OTHER	---	29	3	3	2
NEGRO	---	29	3	3	2
BALANCE OF COUNTY	---	276	7	6	20
JASPER	142	191	8	7	7
WHITE	84	117	2	2	2
ALL OTHER	58	74	6	5	5
NEGRO	58	74	6	5	5
JEFFERSON	58	97	4	3	2
WHITE	11	23	-	-	-
ALL OTHER	47	74	4	3	2
NEGRO	47	74	4	3	2
JEFFERSON DAVIS	117	161	6	2	2
WHITE	55	86	-	-	1
ALL OTHER	62	75	6	2	1
NEGRO	62	75	6	2	1
JONES	692	637	27	23	11
WHITE	494	475	14	13	2
ALL OTHER	198	162	13	10	9
NEGRO	197	161	13	10	9
LAUREL	---	303	14	10	8
WHITE	---	187	6	5	2
ALL OTHER	---	116	8	5	6
NEGRO	---	116	8	5	6
BALANCE OF COUNTY	---	334	13	13	3
WHITE	---	288	8	8	-
ALL OTHER	---	46	5	5	3
NEGRO	---	45	5	5	3
MISSISSIPPI—CON.					
KEMPER	61	106	4	3	9
WHITE	28	49	-	-	-
ALL OTHER	33	57	4	3	9
NEGRO	32	56	4	3	9
LAFAYETTE	256	197	12	9	4
WHITE	190	126	5	4	2
ALL OTHER	66	71	7	5	2
NEGRO	66	71	7	5	2
OXFORD	---	77	2	1	1
WHITE	---	64	2	1	-
ALL OTHER	---	13	-	-	1
NEGRO	---	13	-	-	1
BALANCE OF COUNTY	---	120	10	8	3
WHITE	---	62	3	3	2
ALL OTHER	---	58	7	5	1
NEGRO	---	58	7	5	1
LAMAR	57	158	5	4	5
WHITE	48	130	3	2	4
ALL OTHER	9	28	2	2	1
NEGRO	9	28	2	2	1
HATTIESBURG, PART	---	-	-	-	-
BALANCE OF COUNTY	---	158	5	4	5
WHITE	---	130	3	2	4
ALL OTHER	---	28	2	2	1
NEGRO	---	28	2	2	1
LAUDERDALE	1,065	809	44	34	24
WHITE	730	540	18	15	10
ALL OTHER	335	269	26	19	14
NEGRO	331	269	26	19	13
MERIDIAN	---	572	31	24	11
WHITE	---	366	10	9	3
ALL OTHER	---	206	21	15	8
NEGRO	---	206	21	15	8
BALANCE OF COUNTY	---	237	13	10	13
WHITE	---	174	8	6	7
ALL OTHER	---	63	5	4	6
NEGRO	---	63	5	4	5
LAWRENCE	97	126	4	2	6
WHITE	62	93	3	2	2
ALL OTHER	35	33	1	-	4
NEGRO	35	33	1	-	4
LEAKE	149	220	9	6	5
WHITE	119	167	3	2	2
ALL OTHER	30	53	6	4	3
NEGRO	28	47	4	3	3
LEE	674	496	29	23	13
WHITE	539	400	19	18	4
ALL OTHER	135	96	10	5	9
NEGRO	135	96	10	5	9
TUPELO	---	208	10	10	4
WHITE	---	166	9	9	3
ALL OTHER	---	42	1	1	1
NEGRO	---	42	1	1	1
BALANCE OF COUNTY	---	288	19	13	9
WHITE	---	234	10	9	1
ALL OTHER	---	54	9	4	8
NEGRO	---	54	9	4	8
LEFLORE	523	454	32	25	25
WHITE	233	173	9	8	3
ALL OTHER	290	281	23	17	22
NEGRO	289	281	23	17	22
GREENWOOD	---	279	18	14	15
WHITE	---	120	5	5	3
ALL OTHER	---	159	13	9	12
NEGRO	---	159	13	9	12
BALANCE OF COUNTY	---	175	14	11	10
WHITE	---	53	4	3	-
ALL OTHER	---	122	10	8	10
NEGRO	---	122	10	8	10
LINCOLN	310	334	16	13	6
WHITE	234	240	9	7	3
ALL OTHER	76	94	7	6	3
NEGRO	76	94	7	6	3
BROOKHAVEN	---	145	8	7	2
WHITE	---	90	4	4	-
ALL OTHER	---	55	4	3	2
NEGRO	---	55	4	3	2
BALANCE OF COUNTY	---	189	8	6	4
WHITE	---	150	5	3	3
ALL OTHER	---	39	3	3	1
NEGRO	---	39	3	3	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
MISSISSIPPI--CON.					
LOWNDES	415	415	18	12	16
WHITE	248	236	6	4	7
ALL OTHER	167	179	12	8	9
NEGRO	166	179	12	8	9
COLUMBUS	---	254	7	6	10
WHITE	---	139	3	2	2
ALL OTHER	---	115	4	4	8
NEGRO	---	115	4	4	8
BALANCE OF COUNTY	---	161	11	6	6
WHITE	---	97	3	2	5
ALL OTHER	---	64	8	4	1
NEGRO	---	64	8	4	1
MADISON	256	339	13	9	24
WHITE	101	128	1	1	2
ALL OTHER	155	211	12	8	22
NEGRO	155	211	12	8	22
CANTON	---	169	6	5	10
WHITE	---	67	1	1	-
ALL OTHER	---	102	5	4	10
NEGRO	---	102	5	4	10
BALANCE OF COUNTY	---	170	7	4	14
WHITE	---	61	-	-	2
ALL OTHER	---	109	7	4	12
NEGRO	---	109	7	4	12
MARION	177	238	10	7	5
WHITE	125	161	4	2	2
ALL OTHER	52	77	6	5	3
NEGRO	52	77	6	5	3
MARSHALL	174	264	9	6	5
WHITE	79	123	2	2	-
ALL OTHER	95	141	7	4	5
NEGRO	95	141	7	4	5
MONROE	357	379	16	12	15
WHITE	248	266	4	4	8
ALL OTHER	109	113	12	8	7
NEGRO	109	113	12	8	7
MONTGOMERY	178	158	8	7	7
WHITE	112	103	2	2	-
ALL OTHER	66	55	6	5	7
NEGRO	66	55	6	5	7
NESHOBA	170	255	6	4	8
WHITE	121	189	4	3	5
ALL OTHER	49	66	2	1	3
NEGRO	40	53	2	1	1
NEWTON	180	237	13	8	10
WHITE	128	170	8	5	2
ALL OTHER	52	67	5	3	8
NEGRO	50	65	5	3	8
NOXUBEE	155	178	16	11	5
WHITE	34	52	3	2	1
ALL OTHER	121	126	13	9	4
NEGRO	120	125	13	9	4
OKTIBBEHA	215	228	11	7	7
WHITE	106	118	1	1	-
ALL OTHER	109	110	10	6	7
NEGRO	108	109	9	5	7
STARKVILLE	---	88	5	5	3
WHITE	---	60	1	1	-
ALL OTHER	---	28	4	4	3
NEGRO	---	27	3	3	3
BALANCE OF COUNTY	---	140	6	2	4
WHITE	---	58	-	-	-
ALL OTHER	---	82	6	2	4
NEGRO	---	82	6	2	4
PANOLA	246	310	15	12	15
WHITE	126	169	2	1	3
ALL OTHER	120	141	13	11	12
NEGRO	120	141	13	11	12
PEARL RIVER	234	268	8	6	9
WHITE	198	222	5	3	5
ALL OTHER	36	46	3	3	4
NEGRO	36	46	3	3	4
PICAYUNE	---	98	3	3	4
WHITE	---	67	1	1	1
ALL OTHER	---	31	2	2	3
NEGRO	---	31	2	2	3
BALANCE OF COUNTY	---	170	5	3	5
PERRY	71	90	-	-	4
WHITE	58	72	-	-	2
ALL OTHER	13	18	-	-	2
NEGRO	13	18	-	-	2
PIKE	443	424	15	10	17
WHITE	260	238	3	1	6
ALL OTHER	183	186	12	9	11
NEGRO	183	186	12	9	11
MC COMB	---	185	6	4	4
WHITE	---	120	1	-	1
ALL OTHER	---	65	5	4	3
NEGRO	---	65	5	4	3
BALANCE OF COUNTY	---	239	9	6	13
WHITE	---	118	2	1	5
ALL OTHER	---	121	7	5	8
NEGRO	---	121	7	5	8
PONTOTOC	149	214	7	6	6
WHITE	135	192	5	4	5
ALL OTHER	14	22	2	2	1
NEGRO	14	22	2	2	1
PRENTISS	184	240	8	6	3
WHITE	164	217	7	5	2
ALL OTHER	20	23	1	1	1
NEGRO	20	23	1	1	1
QUITMAN	86	177	10	4	15
WHITE	21	68	1	1	4
ALL OTHER	65	109	9	3	11
NEGRO	65	109	9	3	11
RANKIN	415	346	12	10	25
WHITE	271	255	7	5	14
ALL OTHER	144	91	5	5	11
NEGRO	144	91	5	5	11
JACKSON, PART	---	1	-	-	-
BALANCE OF COUNTY	---	345	12	10	25
WHITE	---	254	7	5	14
ALL OTHER	---	91	5	5	11
NEGRO	---	91	5	5	11
SCOTT	224	245	7	3	4
WHITE	145	152	1	-	2
ALL OTHER	79	93	6	3	2
NEGRO	79	93	6	3	1
SHARKEY	57	83	5	3	4
WHITE	10	26	-	-	2
ALL OTHER	47	57	5	3	2
NEGRO	47	57	5	3	2
SIMPSON	242	227	7	6	10
WHITE	178	170	3	3	5
ALL OTHER	64	57	4	3	5
NEGRO	64	57	4	3	5
SMITH	48	150	7	5	7
WHITE	36	121	1	1	5
ALL OTHER	12	29	6	4	2
NEGRO	12	28	6	4	2
STONE	78	80	1	-	1
WHITE	64	63	-	-	1
ALL OTHER	14	17	1	-	-
NEGRO	14	17	1	-	-
SUNFLOWER	289	348	21	12	20
WHITE	97	132	2	1	5
ALL OTHER	192	216	19	11	15
NEGRO	190	215	19	11	15
TALLAHATCHIE	186	231	6	3	4
WHITE	73	104	-	-	1
ALL OTHER	113	127	6	3	3
NEGRO	113	127	6	3	3
TATE	90	178	9	5	6
WHITE	47	102	1	-	-
ALL OTHER	43	76	8	5	6
NEGRO	43	76	8	5	6
TIPPAH	168	192	6	5	5
WHITE	141	161	3	3	4
ALL OTHER	27	31	3	2	1
NEGRO	27	31	3	2	1
TISHOMINGO	129	182	4	2	1
TUNICA	100	131	6	5	8
WHITE	25	34	2	2	-
ALL OTHER	75	97	4	3	8
NEGRO	75	97	4	3	8
UNION	216	217	11	8	5
WHITE	174	182	6	4	1
ALL OTHER	42	35	5	4	4
NEGRO	42	35	5	4	4
WALTHALL	145	162	8	5	5
WHITE	88	99	-	-	4
ALL OTHER	57	63	8	5	1
NEGRO	57	63	8	5	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI—CON.					
WARREN	653	539	35	24	25
WHITE	338	269	9	5	8
ALL OTHER	315	270	26	19	17
NEGRO	315	270	26	19	17
VICKSBURG	—	380	23	17	12
WHITE	—	175	2	1	2
ALL OTHER	—	205	21	16	10
NEGRO	—	205	21	16	10
BALANCE OF COUNTY	—	159	12	7	13
WHITE	—	94	7	4	6
ALL OTHER	—	65	5	3	7
NEGRO	—	65	5	3	7
WASHINGTON	791	757	41	26	44
WHITE	328	304	15	12	10
ALL OTHER	463	453	26	14	34
NEGRO	460	449	26	14	34
GREENVILLE	—	308	22	14	28
WHITE	—	217	10	8	5
ALL OTHER	—	291	12	6	23
NEGRO	—	289	12	6	23
BALANCE OF COUNTY	—	249	19	12	16
WHITE	—	87	5	4	5
ALL OTHER	—	162	14	8	11
NEGRO	—	160	14	8	11
WAYNE	177	184	9	7	7
WHITE	121	124	2	1	3
ALL OTHER	56	60	7	6	4
NEGRO	56	60	7	6	4
WEBSTER	94	115	5	3	8
WHITE	77	93	3	3	2
ALL OTHER	17	22	2	—	6
NEGRO	17	22	2	—	6
WILKINSON	146	131	2	2	3
WHITE	64	51	—	—	—
ALL OTHER	82	80	2	2	3
NEGRO	82	80	2	2	3
WINSTON	203	225	8	4	7
WHITE	132	139	2	2	4
ALL OTHER	71	86	6	2	3
NEGRO	70	85	6	2	3
YALOBUSHA	95	161	7	6	3
WHITE	67	115	2	1	1
ALL OTHER	28	46	5	5	2
NEGRO	28	46	5	5	2
YAZOO	238	314	15	10	12
WHITE	117	139	4	3	—
ALL OTHER	121	175	11	7	12
NEGRO	121	175	11	7	11
YAZOO CITY	—	154	6	3	8
WHITE	—	60	2	1	—
ALL OTHER	—	94	4	2	8
NEGRO	—	94	4	2	7
BALANCE OF COUNTY	—	160	9	7	4
WHITE	—	79	2	2	—
ALL OTHER	—	81	7	5	4
NEGRO	—	81	7	5	4
MISSOURI	51,672	50,652	1,173	877	802
WHITE	46,338	45,521	867	647	610
ALL OTHER	5,334	5,131	306	230	192
NEGRO	5,287	5,084	305	229	190
ADAIR	399	229	8	7	4
KIRKSVILLE	—	149	7	7	3
BALANCE OF COUNTY	—	80	1	—	1
ANDREW	77	132	—	—	4
ATCHISON	144	124	2	2	1
AUDRAIN	365	286	8	6	1
MEXICO	—	157	2	1	1
BALANCE OF COUNTY	—	129	6	5	—
BARRY	256	322	6	5	4
BARTON	115	162	2	1	2
BATES	158	221	6	4	4
BENTON	99	166	4	2	3
BOLLINGER	46	127	2	2	—
BOONE	1,220	513	10	10	5
COLUMBIA	—	327	8	8	3
BALANCE OF COUNTY	—	186	2	2	2
BUCHANAN	1,386	1,138	25	20	17
ST. JOSEPH	—	1,042	22	18	14
BALANCE OF COUNTY	—	96	3	2	3
BUTLER	872	494	9	8	6
POPLAR BLUFF	—	294	6	5	1
BALANCE OF COUNTY	—	200	3	3	5
CALDWELL	57	144	—	—	2
CALLAWAY	300	272	5	3	6
FULTON	—	127	2	1	3
WHITE	—	111	2	1	1
ALL OTHER	—	16	—	—	2
NEGRO	—	16	—	—	2
JEFFERSON CITY, PART.	—	—	—	—	—
BALANCE OF COUNTY	—	145	3	2	3
CAMDEN	88	193	8	5	1
CAPE GIRARDEAU	634	452	11	9	15
CAPE GIRARDEAU	—	271	6	5	11
BALANCE OF COUNTY	—	181	5	4	4
CARROLL	115	208	5	5	3
CARTER	28	61	1	1	2
CASS	214	331	12	5	10
CEDAR	126	149	2	2	3
CHARITON	74	170	2	2	—
CHRISTIAN	47	165	6	5	2
CLARK	43	118	1	1	2
CLAY	815	786	23	15	19
GLADSTONE	—	65	1	1	—
INDEPENDENCE, PART.	—	—	—	—	—
KANSAS CITY, PART.	—	314	8	6	10
LIBERTY	—	117	5	1	3
BALANCE OF COUNTY	—	290	9	7	6
CLINTON	179	188	5	4	5
COLE	664	383	8	6	5
JEFFERSON CITY, PART.	—	267	6	5	3
JEFFERSON CITY, TOTAL	—	267	6	5	3
BALANCE OF COUNTY	—	116	2	1	2
COOPER	158	191	4	4	1
CRAWFORD	181	213	2	1	3
DADE	61	102	1	—	1
DALLAS	92	183	4	3	4
DAVIESS	91	143	2	2	2
DE KALB	42	101	—	—	—
DENT	149	202	3	2	3
DOUGLAS	68	121	4	4	3
DUNKLIN	392	513	18	13	9
FRANKLIN	502	631	8	6	11
GASCONADE	151	189	1	—	4
GENTRY	129	130	1	1	1
GREENE	2,456	1,586	45	33	18
SPRINGFIELD	—	1,291	31	22	15
BALANCE OF COUNTY	—	295	14	11	3
GRUNDY	168	181	—	—	1
HARRISON	103	156	3	3	2
HENRY	339	316	3	2	—
HICKORY	23	82	—	—	—
HOLT	40	115	1	1	—
HOWARD	132	136	5	4	2
HOWELL	338	301	6	5	4
IRON	155	126	2	1	—
JACKSON	7,319	6,301	160	114	135
WHITE	6,182	5,211	102	76	79
ALL OTHER	1,137	1,090	58	38	56
NEGRO	1,129	1,082	58	38	56
GRANDVIEW	—	80	3	1	5
INDEPENDENCE, PART.	—	815	22	17	14
INDEPENDENCE, TOTAL	—	815	22	17	14
KANSAS CITY, PART.	—	4,776	117	80	100
WHITE	—	3,698	60	43	44
ALL OTHER	—	1,078	57	37	56
NEGRO	—	1,074	57	37	56
KANSAS CITY, TOTAL	—	5,129	127	88	110
WHITE	—	4,051	70	51	53
ALL OTHER	—	1,078	57	37	57
NEGRO	—	1,074	57	37	57
LEE'S SUMMIT	—	180	3	3	3
RAYTOWN	—	208	5	4	4
BALANCE OF COUNTY	—	242	10	9	9
JASPER	1,112	1,088	25	15	12
CARTHAGE	—	170	2	—	2
JOPLIN, PART	—	532	16	10	4
JOPLIN, TOTAL	—	564	16	10	4
BALANCE OF COUNTY	—	386	7	5	6
JEFFERSON	510	830	30	23	23
JOHNSON	251	271	12	9	11
WARRENSBURG	—	106	5	4	—
BALANCE OF COUNTY	—	165	7	5	11
KNOX	50	104	1	1	1
LACLEDE	274	246	8	4	2
LAFAYETTE	320	363	1	1	8
LAWRENCE	349	360	5	2	8
LEWIS	61	139	4	4	5
LINCOLN	212	228	4	3	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSOURI—CON.					
LINN	286	280	3	2	2
LIVINGSTON	317	241	3	3	2
MC DONALD	31	168	4	3	2
MACON	190	267	6	5	2
MADISON	133	153	2	2	4
MARIES	15	65	1	1	2
MARION	473	401	6	4	5
HANNIBAL, PART	—	276	5	3	3
HANNIBAL, TOTAL	—	280	5	3	3
BALANCE OF COUNTY	—	125	1	1	2
MERCER	41	64	2	2	2
MILLER	97	207	3	2	6
MISSISSIPPI	116	203	4	2	6
WHITE	88	164	3	2	5
ALL OTHER	28	39	1	—	1
NEGRO	28	39	1	—	1
MONITEAU	53	140	5	3	3
MONROE	83	149	5	4	—
MONTGOMERY	60	178	1	1	2
MORGAN	92	160	2	1	1
NEW MADRID	128	292	7	5	8
WHITE	105	241	4	3	3
ALL OTHER	23	51	3	2	5
NEGRO	23	51	3	2	5
SIKESTON, PART	—	4	—	—	—
BALANCE OF COUNTY	—	288	7	5	8
WHITE	—	237	4	3	3
ALL OTHER	—	51	3	2	5
NEGRO	—	51	3	2	5
NEWTON	421	376	6	3	6
JOPLIN, PART	—	32	—	—	—
BALANCE OF COUNTY	—	344	6	3	6
NODAWAY	208	250	3	1	5
OREGON	83	137	4	3	—
OSAGE	34	121	3	2	3
OZARK	35	99	2	1	1
PEMISCOT	330	372	15	10	9
WHITE	209	251	7	5	6
ALL OTHER	121	121	8	5	3
NEGRO	121	121	8	5	3
PERRY	169	170	1	—	4
PETTIS	511	452	6	5	5
SEDALIA	—	352	4	4	3
BALANCE OF COUNTY	—	100	2	1	2
PHELPS	358	299	6	3	1
ROLLA	—	97	—	—	1
BALANCE OF COUNTY	—	202	6	3	—
PIKE	218	242	5	4	4
PLATTE	102	215	7	7	2
KANSAS CITY, PART	—	39	2	2	—
BALANCE OF COUNTY	—	176	5	5	2
POLK	130	237	4	3	1
PULASKI	177	217	19	12	11
PUTNAM	96	105	—	—	4
RALLS	32	85	1	1	1
HANNIBAL, PART	—	4	—	—	—
BALANCE OF COUNTY	—	81	1	1	1
RANDOLPH	330	317	8	4	1
MOBERLY	—	216	6	3	—
BALANCE OF COUNTY	—	101	2	1	1
RAY	160	222	2	1	2
REYNOLDS	24	75	2	2	2
RIPLEY	121	141	2	2	2
ST. CHARLES	660	638	25	20	22
ST. CHARLES	—	316	14	12	8
BALANCE OF COUNTY	—	322	11	8	14
ST. CLAIR	165	174	1	1	—
ST. FRANCOIS	618	502	12	9	6
ST. LOUIS	6,324	7,349	146	113	89
WHITE	5,989	6,954	114	89	73
ALL OTHER	335	395	32	24	16
NEGRO	325	390	31	23	16
BALLWIN	—	78	2	2	1
BELLEFONTAINE NEIGHBORS	—	141	—	—	—
BERKELEY	—	90	4	3	2
BRENTWOOD	—	75	—	—	1
BRIDGETON	—	90	2	2	1
CLAYTON	—	174	—	—	—
CRESTWOOD	—	90	1	1	—
FERGUSON	—	241	4	4	5
FLORISSANT	—	472	13	13	9
HAZELWOOD	—	95	3	3	2
JENNINGS	—	227	2	2	3
KIRKWOOD	—	299	—	—	5
LADUE	—	82	1	1	—
MAPLEWOOD	—	131	4	2	—
MISSOURI—CON.					
ST. LOUIS—CON.					
OVERLAND	—	254	11	8	2
RICHMOND HEIGHTS	—	177	1	1	1
WHITE	—	166	—	—	1
ALL OTHER	—	11	1	1	—
NEGRO	—	11	1	1	—
ST. ANN	—	138	6	6	—
UNIVERSITY CITY	—	511	9	9	2
WHITE	—	455	3	3	1
ALL OTHER	—	56	6	6	1
NEGRO	—	56	6	6	1
WEBSTER GROVES	—	267	4	4	—
BALANCE OF COUNTY	—	3,717	79	52	55
WHITE	—	3,472	63	42	42
ALL OTHER	—	245	16	10	13
NEGRO	—	243	16	10	13
ST. LOUIS CITY	10,816	8,200	235	184	124
WHITE	7,888	5,468	57	41	40
ALL OTHER	2,928	2,732	178	143	84
NEGRO	2,919	2,715	178	143	84
STE. GENEVIEVE	105	138	3	2	4
SALINE	336	383	8	7	2
MARSHALL	—	178	5	5	1
BALANCE OF COUNTY	—	205	3	2	1
SCHUYLER	33	75	2	2	—
SCOTLAND	97	92	1	1	—
SCOTT	453	358	13	11	12
SIKESTON, PART	—	154	7	6	8
WHITE	—	126	6	6	7
ALL OTHER	—	28	1	—	1
NEGRO	—	28	1	—	1
SIKESTON, TOTAL	—	158	7	6	8
WHITE	—	130	6	6	7
ALL OTHER	—	28	1	—	1
NEGRO	—	28	1	—	1
BALANCE OF COUNTY	—	204	6	5	4
SHANNON	42	89	—	—	—
SHELBY	71	140	1	1	1
STODDARD	225	324	9	5	4
STONE	51	129	1	1	2
SULLIVAN	114	158	2	2	2
TANEY	190	212	2	2	—
TEXAS	238	237	4	2	3
VERNON	282	243	5	5	2
WARREN	75	152	5	5	2
WASHINGTON	86	172	6	3	5
WAYNE	63	152	1	—	1
WEBSTER	77	165	3	3	3
WORTH	29	51	1	1	—
WRIGHT	119	237	3	2	4
MONTANA	6,500	6,558	202	154	127
WHITE	6,208	6,255	181	144	112
ALL OTHER	292	303	21	10	15
NEGRO	15	14	1	1	—
BEAVERHEAD	75	96	2	2	—
BIG HORN	81	106	9	6	5
WHITE	39	59	2	2	2
ALL OTHER	42	47	7	4	3
NEGRO	3	2	—	—	—
BLAINE	44	69	2	2	—
WHITE	29	52	—	—	—
ALL OTHER	15	17	2	2	—
NEGRO	—	—	—	—	—
BROADWATER	28	31	3	3	—
CARBON	65	85	—	—	1
CARTER	25	23	2	1	—
CASCADE	686	620	25	20	24
GREAT FALLS	—	515	19	16	14
BALANCE OF COUNTY	—	105	6	4	10
CHOUTEAU	42	52	—	—	—
CUSTER	208	139	5	4	—
DANIELS	33	37	—	—	1
DAWSON	67	80	3	3	2
DEER LODGE	232	143	2	1	3
FALLON	23	27	—	—	1
FERGUS	158	159	—	—	1
FLATHEAD	394	408	11	9	3
KALISPELL	—	157	2	2	—
BALANCE OF COUNTY	—	251	9	7	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MONTANA—CON.					
GALLATIN	210	213	7	6	4
BOZEMAN	---	113	5	5	2
BALANCE OF COUNTY	---	100	2	1	2
GARFIELD	12	15	-	-	1
GLACIER	93	108	6	1	3
WHITE	52	58	2	1	-
ALL OTHER	41	50	4	-	3
NEGRO	-	-	-	-	-
GOLDEN VALLEY	3	15	-	-	-
GRANITE	20	28	-	-	1
HILL	147	143	7	3	3
WHITE	134	133	5	3	2
ALL OTHER	13	10	2	-	1
NEGRO	-	-	-	-	-
HAVRE	---	103	4	2	2
BALANCE OF COUNTY	---	40	3	1	1
WHITE	---	33	2	1	1
ALL OTHER	---	7	1	-	-
NEGRO	---	-	-	-	-
JEFFERSON	59	53	1	1	-
JUDITH BASIN	7	24	-	-	-
LAKE	154	179	5	4	3
WHITE	131	152	5	4	3
ALL OTHER	23	27	-	-	-
NEGRO	-	-	-	-	-
LEWIS AND CLARK	379	320	12	12	2
HELENA	---	212	8	8	2
BALANCE OF COUNTY	---	108	4	4	-
LIBERTY	23	18	2	1	1
LINCOLN	70	103	12	11	3
MC CONE	15	18	-	-	-
MADISON	50	61	2	2	-
MEAGHER	23	36	-	-	-
MINERAL	21	25	1	1	2
MISSOULA	526	456	14	10	13
MISSOULA	---	321	8	6	6
BALANCE OF COUNTY	---	135	6	4	7
MUSSELSHELL	32	51	2	1	-
PARK	145	148	1	1	3
PETROLEUM	2	6	-	-	-
PHILLIPS	45	59	-	-	1
PONDERA	58	68	-	-	-
POWDER RIVER	10	22	1	1	-
POWELL	64	72	3	3	-
PRAIRIE	13	23	-	-	1
RAVALLI	154	180	6	5	1
RICHLAND	99	104	2	1	1
ROOSEVELT	99	110	3	3	4
WHITE	65	65	2	2	1
ALL OTHER	34	45	1	1	3
NEGRO	-	-	-	-	-
ROSEBUD	50	80	1	1	1
WHITE	42	59	1	1	-
ALL OTHER	8	21	-	-	1
NEGRO	-	-	-	-	-
SANDERS	89	96	1	1	1
SHERIDAN	57	62	2	1	1
SILVER BOW	452	496	8	7	11
BUTTE	---	318	6	5	6
BALANCE OF COUNTY	---	178	2	2	5
STILLWATER	63	48	-	-	-
SWEET GRASS	36	39	-	-	-
TETON	48	62	1	-	-
TOOLE	38	51	1	1	-
TREASURE	2	9	1	1	1
VALLEY	94	109	4	1	3
WHEATLAND	36	32	1	-	-
WIBAUX	1	11	-	-	-
YELLOWSTONE	840	729	31	23	21
BILLINGS	---	532	17	11	17
BALANCE OF COUNTY	---	197	14	12	4
YELLOWSTONE NATIONAL PARK	-	1	-	-	-
NEBRASKA	15,107	15,025	364	275	237
WHITE	14,651	14,588	321	244	218
ALL OTHER	456	437	43	31	19
NEGRO	358	352	36	26	13
ADAMS	388	327	5	3	3
HASTINGS	---	278	5	3	-
BALANCE OF COUNTY	---	49	-	-	3
ANTELOPE	121	130	-	-	3
ARTHUR	-	3	-	-	-
BANNER	-	2	1	1	-
BLAINE	2	10	-	-	1
BOONE	80	110	4	2	-
BOX BUTTE	93	101	-	-	4
BOYD	52	50	-	-	1
BROWN	64	59	-	-	1
BUFFALO	309	303	9	9	4
KEARNEY	---	153	6	6	2
BALANCE OF COUNTY	---	150	3	3	2
BURT	84	143	1	-	1
BUTLER	64	118	3	2	1
CASS	112	210	3	1	4
CEDAR	66	140	5	4	2
CHASE	59	66	1	-	1
CHERRY	99	93	2	1	1
CHEYENNE	115	114	2	2	3
CLAY	50	102	2	1	-
COLFAX	115	139	3	3	-
CUMING	123	129	1	1	1
CUSTER	177	182	3	2	-
DAKOTA	47	135	5	3	5
DAWES	132	121	5	5	1
DAWSON	208	217	8	4	1
DEUEL	8	31	-	-	1
DIXON	60	82	1	1	3
DODGE	363	362	10	5	3
FREMONT	---	250	7	4	-
BALANCE OF COUNTY	---	112	3	1	3
DOUGLAS	4,376	3,498	107	83	67
WHITE	4,018	3,156	73	60	54
ALL OTHER	358	342	34	23	13
NEGRO	323	324	33	23	10
OMAHA	---	3,373	105	81	63
WHITE	---	3,031	71	58	50
ALL OTHER	---	342	34	23	13
NEGRO	---	324	33	23	10
BALANCE OF COUNTY	---	125	2	2	4
DUNDY	46	38	-	-	-
FILLMORE	97	119	1	1	1
FRANKLIN	69	79	1	1	1
FRONTIER	33	44	1	1	-
FURNAS	57	99	2	2	-
GAGE	302	305	2	1	2
BEATRICE	---	156	1	-	1
BALANCE OF COUNTY	---	149	1	1	1
GARDEN	39	41	-	-	-
GARFIELD	41	38	1	1	-
GOSPER	2	16	-	-	-
GRANT	1	11	-	-	1
GREELEY	10	47	-	-	1
HALL	602	452	21	16	8
GRAND ISLAND	---	342	12	8	5
BALANCE OF COUNTY	---	110	9	8	3
HAMILTON	129	112	3	3	2
HARLAN	50	67	-	-	-
HAYES	3	12	-	-	-
HITCHCOCK	23	47	1	1	-
HOLT	113	122	5	4	2
HOOKER	22	18	-	-	-
HOWARD	95	92	4	4	4
JEFFERSON	121	140	-	-	2
JOHNSON	76	71	1	1	-
KEARNEY	58	81	1	1	-
KEITH	84	80	1	-	3
KEYA PAHA	1	18	1	1	-
KIMBALL	32	39	3	3	1
KNOX	123	156	1	1	2
LANCASTER	1,586	1,330	33	24	22
LINCOLN	---	1,215	32	23	21
BALANCE OF COUNTY	---	115	1	1	1
LINCOLN	274	284	5	4	11
NORTH PLATTE	---	200	4	3	7
BALANCE OF COUNTY	---	84	1	1	4
LOGAN	3	10	-	-	1
LOUP	2	6	-	-	-
MC PHERSON	1	4	-	-	-
MADISON	364	301	7	5	5
NORFOLK	---	156	3	2	4
BALANCE OF COUNTY	---	145	4	3	1
MERRICK	71	101	-	-	2
MORRILL	53	70	1	1	2
NANCE	65	67	1	1	1
NEMAHA	58	77	-	-	2
NUCKOLLS	88	101	-	-	-
OTOE	186	200	3	1	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
NEBRASKA--CON.					
PAWNEE	51	58	-	-	-
PERKINS	37	38	-	-	-
PHELPS	117	118	1	1	-
PIERCE	116	113	2	2	-
PLATTE	230	233	5	3	1
COLUMBUS	——	154	-	-	1
BALANCE OF COUNTY	——	79	5	3	-
POLK	65	87	2	2	-
RED WILLOW	133	133	4	1	4
RICHARDSON	208	221	3	3	3
ROCK	24	25	-	-	1
SALINE	200	174	-	-	1
SARPY	121	250	22	19	12
BELLEVUE	——	86	5	5	3
BALANCE OF COUNTY	——	164	17	14	9
SAUNDERS	99	180	5	4	4
SCOTTS BLUFF	315	301	3	3	4
SCOTTSBLUFF	——	137	1	1	2
BALANCE OF COUNTY	——	164	2	2	2
SEWARD	133	149	3	1	3
SHERIDAN	112	114	7	7	2
SHERMAN	49	65	2	-	-
SIOUX	1	11	-	-	-
STANTON	23	64	1	1	-
THAYER	76	114	1	1	1
THOMAS	2	17	1	1	-
THURSTON	104	109	3	1	2
WHITE	92	78	1	-	-
ALL OTHER	12	31	2	1	2
NEGRO	-	-	-	-	-
VALLEY	69	88	3	2	1
WASHINGTON	137	142	4	3	4
WAYNE	68	97	1	1	2
WEBSTER	90	99	3	1	1
WHEELER	2	8	1	1	-
YORK	138	145	6	6	1
NEVADA	4,656	4,338	182	121	81
WHITE	4,321	4,012	139	91	64
ALL OTHER	335	326	43	30	17
NEGRO	249	247	39	27	11
CHURCHILL	102	105	2	1	3
CLARK	2,351	2,214	114	76	48
WHITE	2,125	1,988	76	49	35
ALL OTHER	226	226	38	27	13
NEGRO	213	215	38	27	11
HENDERSON	---	114	3	1	1
LAS VEGAS	——	1,121	52	37	22
WHITE	---	985	31	21	15
ALL OTHER	——	136	21	16	7
NEGRO	——	131	21	16	5
NORTH LAS VEGAS	——	259	28	19	12
WHITE	---	187	14	10	6
ALL OTHER	---	72	14	9	6
NEGRO	——	69	14	9	6
BALANCE OF COUNTY	---	720	31	19	13
DOUGLAS	21	64	-	-	3
ELKO	136	117	7	5	5
WHITE	127	107	7	5	2
ALL OTHER	9	10	-	-	3
NEGRO	4	4	-	-	-
ESMERALDA	11	11	-	-	-
EUREKA	9	12	-	-	-
HUMBOLDT	58	77	2	1	-
WHITE	51	69	1	1	-
ALL OTHER	7	8	1	-	-
NEGRO	2	2	-	-	-
LANDER	18	33	1	1	-
LINCOLN	13	21	-	-	1
LYON	66	101	2	1	-
MINERAL	40	65	3	2	-
WHITE	31	55	3	2	-
ALL OTHER	9	10	-	-	-
NEGRO	1	3	-	-	-
NYE	53	68	4	2	2
ORMSBY, COEX. WITH CARSON CITY	173	140	4	2	4
PERSHING	23	31	1	1	-
STOREY	3	8	-	-	-
WASHOE	1,492	1,182	39	27	13
RENO	---	866	27	19	8
SPARKS	——	203	4	2	-
BALANCE OF COUNTY	——	113	8	6	5
WHITE PINE	87	89	3	2	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
NEW HAMPSHIRE	7,673	7,723	162	121	103
WHITE	7,650	7,701	160	119	102
ALL OTHER	23	22	2	2	1
NEGRO	21	20	2	2	1
BELKNAP	411	435	10	9	6
LACONIA	---	203	6	6	2
BALANCE OF COUNTY	---	232	4	3	4
CARROLL	281	307	4	3	1
CHESHIRE	364	480	6	3	4
KEENE	---	192	2	1	2
BALANCE OF COUNTY	---	288	4	2	2
COOS	380	416	7	6	3
BERLIN	---	201	3	2	1
BALANCE OF COUNTY	---	215	4	4	2
GRAFTON	950	615	11	9	3
HILLSBOROUGH	2,283	2,188	43	36	27
MANCHESTER	---	1,114	8	7	11
NASHUA	---	480	20	17	6
BALANCE OF COUNTY	---	594	15	12	10
MERRIMACK	1,086	968	18	11	14
CONCORD	---	418	3	-	3
BALANCE OF COUNTY	---	550	15	11	11
ROCKINGHAM	961	1,280	33	26	25
PORTSMOUTH	---	251	5	4	5
BALANCE OF COUNTY	---	1,029	28	22	20
STRAFFORD	712	721	23	13	11
DOVER	---	238	6	5	3
ROCHESTER	---	209	7	2	3
BALANCE OF COUNTY	---	274	10	6	5
SULLIVAN	245	313	7	5	9
CLAREMONT	---	141	4	3	2
BALANCE OF COUNTY	---	172	3	2	7
NEW JERSEY	65,786	67,160	1,510	1,129	1,036
WHITE	59,149	60,364	1,038	811	788
ALL OTHER	6,637	6,796	472	318	248
NEGRO	6,492	6,653	461	311	240
ATLANTIC	2,882	2,672	56	45	31
WHITE	2,404	2,182	38	31	22
ALL OTHER	478	490	18	14	9
NEGRO	476	488	18	14	9
ATLANTIC CITY	——	1,104	20	16	11
WHITE	---	751	9	8	5
ALL OTHER	——	353	11	8	6
NEGRO	——	353	11	8	6
HAMMONTON	——	101	4	3	4
MARGATE CITY	——	150	2	1	-
PLEASANTVILLE	——	222	4	3	5
WHITE	——	163	-	-	2
ALL OTHER	——	59	4	3	3
NEGRO	——	58	4	3	3
VENTNOR CITY	——	196	3	3	2
BALANCE OF COUNTY	——	899	23	19	9
BERGEN	6,079	7,584	101	77	85
WHITE	5,888	7,366	94	72	77
ALL OTHER	191	218	7	5	8
NEGRO	182	208	7	5	7
BERGENFIELD	——	242	4	2	4
CLIFFSIDE PARK	——	218	1	1	2
DUMONT	——	167	2	2	1
EAST PATERSON	——	155	3	3	-
ENGLEWOOD	——	248	9	7	3
WHITE	——	159	6	5	2
ALL OTHER	——	89	3	2	1
NEGRO	——	89	3	2	1
FAIR LAWN	——	308	5	2	3
FAIRVIEW	——	118	-	-	-
FORT LEE	——	279	5	4	2
GARFIELD	——	301	4	2	2
GLEN ROCK	——	107	2	2	-
HACKENSACK	——	368	7	5	7
WHITE	——	330	6	5	4
ALL OTHER	——	38	1	-	3
NEGRO	——	37	1	-	3
HASBROUCK HEIGHTS	——	139	-	-	-
HILLSDALE	——	78	2	2	2
LODI	——	191	3	3	2
LYNDHURST TWP#	——	213	1	-	2
MAYWOOD	——	120	-	-	1
NEW MILFORD	——	195	2	1	1
NORTH ARLINGTON	——	179	2	1	1
OAKLAND	——	69	2	2	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
BERGEN--CON.					
PALISADES PARK	—	133	2	2	3
PARAMUS	—	180	2	1	2
RAMSEY	—	68	3	3	3
RIDGEFIELD	—	126	1	1	1
RIDGEFIELD PARK	—	119	1	1	2
RIDGEWOOD	—	206	4	3	1
RIVER EDGE	—	123	2	2	—
RUTHERFORD	—	238	—	—	2
SADDLE BROOK TWP#	—	120	4	3	1
TEANECK TWP#	—	339	6	6	7
WHITE	—	299	4	4	5
ALL OTHER	—	40	2	2	2
NEGRO	—	40	2	2	2
TENAFLY	—	128	—	—	—
WALDWICK	—	72	—	—	1
WALLINGTON	—	123	2	1	1
WASHINGTON TWP#	—	34	1	—	—
WESTWOOD	—	103	—	—	1
WYCKOFF TWP#	—	87	2	1	3
BALANCE OF COUNTY	—	1,690	17	14	24
BURLINGTON	2,278	2,162	76	60	54
WHITE	2,070	1,957	56	44	41
ALL OTHER	208	205	20	16	13
NEGRO	206	203	20	16	12
BURLINGTON	—	118	1	1	3
WHITE	—	88	1	1	3
ALL OTHER	—	30	—	—	—
NEGRO	—	30	—	—	—
CINNAMINSON TWP#	—	93	—	—	2
MAPLE SHADE TWP#	—	174	3	3	2
MOUNT HOLLY TWP#	—	129	7	6	2
WHITE	—	108	4	3	—
ALL OTHER	—	21	3	3	2
NEGRO	—	21	3	3	2
NEW HANOVER TWP#	—	4	—	—	—
WHITE	—	3	—	—	—
ALL OTHER	—	1	—	—	—
NEGRO	—	1	—	—	—
WILLINGBORO TWP#	—	159	10	8	7
WHITE	—	129	3	2	3
ALL OTHER	—	30	7	6	4
NEGRO	—	30	7	6	4
BALANCE OF COUNTY	—	1,485	55	42	38
WHITE	—	1,378	45	35	32
ALL OTHER	—	107	10	7	6
NEGRO	—	105	10	7	6
CAMDEN	4,165	4,357	113	86	77
WHITE	3,649	3,832	71	56	58
ALL OTHER	516	525	42	30	19
NEGRO	514	524	42	30	17
AUDUBON	—	116	1	1	2
BELLMAWR	—	115	3	3	3
CAMDEN	—	1,175	55	35	22
WHITE	—	785	21	13	9
ALL OTHER	—	390	34	22	13
NEGRO	—	390	34	22	13
CHERRY HILL TWP#	—	395	8	6	8
COLLINGSWOOD	—	219	—	—	1
GLOUCESTER CITY	—	165	4	3	2
GLOUCESTER TWP#	—	191	6	5	4
HADDONFIELD	—	141	2	2	2
HADDON TWP#	—	165	1	1	1
LINDENWOLD	—	106	4	4	4
PENNSAUKEN TWP#	—	338	3	2	5
RUNNEMEDE	—	80	1	1	4
BALANCE OF COUNTY	—	1,151	25	23	19
CAPE MAY	861	1,062	8	5	10
OCEAN CITY	—	210	—	—	1
BALANCE OF COUNTY	—	852	8	5	9
CUMBERLAND	1,304	1,275	31	23	34
WHITE	1,157	1,133	21	16	24
ALL OTHER	147	142	10	7	10
NEGRO	144	140	10	7	10
BRIDGETON	—	237	8	6	6
WHITE	—	184	5	4	1
ALL OTHER	—	53	3	2	5
NEGRO	—	53	3	2	5
MILLVILLE	—	291	6	4	7
VINELAND	—	135	4	4	13
BALANCE OF COUNTY	—	612	13	9	8
WHITE	—	540	7	5	6
ALL OTHER	—	72	6	4	2
NEGRO	—	70	6	4	2
ESSEX	10,060	9,318	248	156	115
WHITE	7,732	6,958	110	81	70
ALL OTHER	2,328	2,360	138	75	45
NEGRO	2,258	2,283	131	70	45
BELLEVILLE	—	353	4	4	4
BLOOMFIELD	—	598	14	10	3
CEDAR GROVE TWP#	—	86	—	—	—
EAST ORANGE	—	490	17	15	13
WHITE	—	305	3	3	2
ALL OTHER	—	185	14	12	11
NEGRO	—	181	13	11	11
IRVINGTON	—	849	11	8	7
LIVINGSTON TWP#	—	155	1	1	4
MAPLEWOOD TWP#	—	271	1	1	1
MILLBURN TWP#	—	183	3	1	2
MONTCLAIR	—	470	5	4	8
WHITE	—	356	3	3	2
ALL OTHER	—	114	2	1	6
NEGRO	—	114	2	1	6
NEWARK	—	3,650	153	83	50
WHITE	—	1,966	61	41	27
ALL OTHER	—	1,684	92	42	23
NEGRO	—	1,627	90	42	23
NUTLEY	—	304	4	3	1
ORANGE	—	442	12	9	9
WHITE	—	311	4	3	6
ALL OTHER	—	131	8	6	3
NEGRO	—	129	8	6	3
SOUTH ORANGE	—	172	1	1	2
VERONA	—	120	—	—	3
WEST CALDWELL	—	65	1	1	—
WEST ORANGE	—	461	9	8	3
BALANCE OF COUNTY	—	649	12	7	5
GLOUCESTER	1,341	1,496	42	34	26
WHITE	1,236	1,366	38	31	24
ALL OTHER	105	130	4	3	2
NEGRO	104	128	4	3	2
GLASSBORO	—	107	2	2	1
WHITE	—	80	2	2	1
ALL OTHER	—	27	—	—	—
NEGRO	—	27	—	—	—
PITMAN	—	96	—	—	—
WOODBURY	—	167	4	3	2
WHITE	—	149	4	3	2
ALL OTHER	—	18	—	—	—
NEGRO	—	18	—	—	—
BALANCE OF COUNTY	—	1,126	36	29	23
WHITE	—	1,043	32	26	21
ALL OTHER	—	83	4	3	2
NEGRO	—	81	4	3	2
HUDSON	5,843	6,592	176	136	142
WHITE	5,327	6,024	101	78	95
ALL OTHER	516	568	75	58	47
NEGRO	508	556	74	57	47
BAYONNE	—	795	15	12	10
HARRISON	—	152	5	4	—
HOBOKEN	—	458	12	10	12
JERSEY CITY	—	2,898	118	87	75
WHITE	—	2,375	47	33	35
ALL OTHER	—	523	71	54	40
NEGRO	—	516	70	53	40
KEARNY	—	384	—	—	6
NORTH BERGEN TWP#	—	553	4	3	8
SECAUCUS	—	132	2	2	1
UNION CITY	—	530	8	7	10
WEEHAWKEN TWP#	—	129	2	2	4
WEST NEW YORK	—	383	5	4	9
BALANCE OF COUNTY	—	178	5	5	7
HUNTERDON	490	606	16	12	7
MERCER	3,341	2,858	84	63	58
WHITE	2,939	2,462	45	35	25
ALL OTHER	402	396	39	28	33
NEGRO	399	395	39	28	30
EWING TWP#	—	292	1	1	2
HAMILTON TWP#	—	681	10	8	12
PRINCETON	—	89	1	1	1
WHITE	—	72	1	1	1
ALL OTHER	—	17	—	—	—
NEGRO	—	17	—	—	—
TRENTON	—	1,265	53	37	37
WHITE	—	968	18	12	7
ALL OTHER	—	297	35	25	30
NEGRO	—	297	35	25	27
BALANCE OF COUNTY	—	531	19	16	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY—CON.					
MIDDLESEX	3,550	4,201	93	71	62
WHITE	3,333	3,995	73	57	52
ALL OTHER	217	206	20	14	10
NEGRO	208	199	19	13	9
CARTERET	—	181	1	1	4
EAST BRUNSWICK TWP#	—	174	6	3	4
EDISON TWP#	—	227	10	7	8
HIGHLAND PARK	—	125	2	2	–
MADISON TWP#	—	205	4	4	6
METUCHEN	—	133	2	1	1
MIDDLESEX	—	103	2	1	1
NEW BRUNSWICK	—	361	13	8	9
WHITE	—	283	6	4	5
ALL OTHER	—	78	7	4	4
NEGRO	—	77	7	4	4
PERTH AMBOY	—	450	13	11	7
PISCATAWAY TWP#	—	191	4	4	3
WHITE	—	162	–	–	3
ALL OTHER	—	29	4	4	–
NEGRO	—	28	4	4	–
SAYREVILLE	—	186	4	3	2
SOUTH PLAINFIELD	—	130	1	1	2
SOUTH RIVER	—	147	1	1	1
WOODBRIDGE TWP#	—	630	11	9	5
BALANCE OF COUNTY	—	958	19	15	9
MONMOUTH	4,660	4,364	100	79	61
WHITE	4,275	4,000	69	53	54
ALL OTHER	385	364	31	26	7
NEGRO	378	357	30	26	7
ASBURY PARK	—	298	7	6	4
WHITE	—	220	2	2	4
ALL OTHER	—	78	5	4	–
NEGRO	—	78	5	4	–
EATONTOWN	—	98	6	6	7
FREEHOLD	—	141	2	2	1
HAZLET TWP#	—	125	2	1	–
LONG BRANCH	—	302	17	10	9
WHITE	—	260	10	6	6
ALL OTHER	—	42	7	4	3
NEGRO	—	41	6	4	3
MATAWAN TWP#	—	111	6	5	1
WHITE	—	90	5	4	1
ALL OTHER	—	21	1	1	–
NEGRO	—	20	1	1	–
MIDDLETOWN TWP#	—	356	6	5	5
NEPTUNE TWP#	—	332	5	5	2
WHITE	—	281	2	2	1
ALL OTHER	—	51	3	3	1
NEGRO	—	51	3	3	1
OCEAN TWP#	—	148	4	3	4
RED BANK	—	205	–	–	1
WHITE	—	173	–	–	1
ALL OTHER	—	32	–	–	–
NEGRO	—	32	–	–	–
BALANCE OF COUNTY	—	2,248	45	36	27
WHITE	—	2,149	36	28	25
ALL OTHER	—	99	9	8	2
NEGRO	—	95	9	8	2
MORRIS	3,151	2,661	63	52	46
WHITE	3,065	2,589	59	49	44
ALL OTHER	86	72	4	3	2
NEGRO	83	69	4	3	2
DOVER	—	166	4	3	5
MADISON	—	121	–	–	1
MORRISTOWN	—	241	4	3	1
WHITE	—	206	1	1	–
ALL OTHER	—	35	3	2	1
NEGRO	—	35	3	2	1
PARSIPPANY-TROY HILLS TWP#	—	188	13	9	11
PEQUANNOCK TWP#	—	83	2	1	–
BALANCE OF COUNTY	—	1,862	40	36	28
OCEAN	3,036	3,204	54	42	48
BRICK TWP#	—	392	10	6	7
DOVER TWP#	—	544	6	5	10
LAKEWOOD TWP#	—	499	8	7	7
WHITE	—	464	4	4	7
ALL OTHER	—	35	4	3	–
NEGRO	—	35	4	3	–
POINT PLEASANT	—	228	2	1	2
BALANCE OF COUNTY	—	1,541	28	23	22
NEW JERSEY—CON.					
PASSAIC	4,487	4,359	96	66	66
WHITE	4,151	4,007	70	56	53
ALL OTHER	336	352	26	10	13
NEGRO	332	348	25	10	13
CLIFTON	—	862	7	4	7
HAWTHORNE	—	217	–	–	–
LITTLE FALLS TWP#	—	105	3	3	–
PASSAIC	—	599	14	10	7
WHITE	—	535	11	9	4
ALL OTHER	—	64	3	1	3
NEGRO	—	63	3	1	3
PATERSON	—	1,506	47	27	33
WHITE	—	1,237	27	18	23
ALL OTHER	—	269	20	9	10
NEGRO	—	269	20	9	10
POMPTON LAKES	—	94	1	1	–
RINGWOOD	—	52	1	–	5
TOTOWA	—	80	–	–	–
WAYNE TWP#	—	325	7	6	2
WEST PATERSON	—	59	1	1	1
BALANCE OF COUNTY	—	460	15	14	11
SALEM	577	594	11	8	12
WHITE	492	501	10	7	6
ALL OTHER	85	93	1	1	6
NEGRO	85	93	1	1	6
SOMERSET	1,302	1,372	19	15	16
BOUND BROOK	—	125	1	1	–
BRIDGEWATER TWP#	—	131	4	3	1
FRANKLIN TWP#	—	205	5	5	2
WHITE	—	170	3	3	2
ALL OTHER	—	35	2	2	–
NEGRO	—	33	2	2	–
MANVILLE	—	77	2	1	1
NORTH PLAINFIELD	—	149	1	1	5
SOMERVILLE	—	154	1	–	–
WHITE	—	138	–	–	–
ALL OTHER	—	16	1	–	–
NEGRO	—	16	1	–	–
BALANCE OF COUNTY	—	531	5	4	7
SUSSEX	736	734	17	14	8
UNION	4,882	4,922	89	69	67
WHITE	4,462	4,455	63	48	47
ALL OTHER	420	467	26	21	20
NEGRO	411	460	26	21	20
BERKELEY HEIGHTS TWP#	—	59	–	–	–
CLARK TWP#	—	119	1	1	–
CRANFORD TWP#	—	197	5	5	3
ELIZABETH	—	1,184	34	26	26
WHITE	—	1,050	23	16	18
ALL OTHER	—	134	11	10	8
NEGRO	—	131	11	10	8
HILLSIDE TWP#	—	223	3	3	2
LINDEN	—	366	8	5	5
WHITE	—	333	6	3	3
ALL OTHER	—	33	2	2	2
NEGRO	—	33	2	2	2
NEW PROVIDENCE	—	89	3	3	–
PLAINFIELD	—	459	12	8	8
WHITE	—	329	3	2	3
ALL OTHER	—	130	9	6	5
NEGRO	—	130	9	6	5
RAHWAY	—	255	8	4	4
WHITE	—	221	5	2	4
ALL OTHER	—	34	3	2	–
NEGRO	—	34	3	2	–
ROSELLE	—	198	1	1	2
WHITE	—	174	1	1	1
ALL OTHER	—	24	–	–	1
NEGRO	—	24	–	–	1
ROSELLE PARK	—	118	–	–	1
SCOTCH PLAINS TWP#	—	122	–	–	–
SPRINGFIELD TWP#	—	167	2	2	–
SUMMIT	—	244	4	3	3
UNION TWP#	—	607	3	3	3
WESTFIELD	—	256	2	2	5
BALANCE OF COUNTY	—	259	3	3	5
WARREN	761	767	17	16	11
PHILLIPSBURG	—	221	5	5	2
BALANCE OF COUNTY	—	546	12	11	9

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW MEXICO	8,029	8,030	389	259	199
WHITE	7,090	7,197	314	222	162
ALL OTHER	939	833	75	37	37
NEGRO	158	149	16	12	7
BERNALILLO	2,806	2,174	79	51	43
WHITE	2,588	2,093	71	47	39
ALL OTHER	218	81	8	4	4
NEGRO	55	42	7	4	3
ALBUQUERQUE	—	2,109	77	50	39
WHITE	—	2,053	70	46	35
ALL OTHER	—	56	7	4	4
NEGRO	—	42	7	4	3
BALANCE OF COUNTY	—	65	2	1	4
CATRON	7	18	–	–	–
CHAVES	426	431	18	14	10
ROSWELL	—	381	12	10	6
BALANCE OF COUNTY	—	50	6	4	4
COLFAX	110	138	3	3	2
CURRY	298	296	25	20	5
CLOVIS	—	250	20	16	4
BALANCE OF COUNTY	—	46	5	4	1
DE BACA	48	24	–	–	–
DONA ANA	368	470	19	14	19
LAS CRUCES	—	262	11	6	4
BALANCE OF COUNTY	—	208	8	8	15
EDDY	379	424	22	16	7
ARTESIA	—	104	9	6	3
CARLSBAD	—	280	10	7	3
BALANCE OF COUNTY	—	40	3	3	1
GRANT	192	184	10	8	5
GUADALUPE	28	41	–	–	1
HARDING	3	9	–	–	–
HIDALGO	55	55	8	7	1
LEA	281	328	28	20	13
HOBBS	—	186	18	12	8
BALANCE OF COUNTY	—	142	10	8	5
LINCOLN	63	58	4	4	3
LOS ALAMOS	46	53	2	1	1
LUNA	133	145	3	3	1
MC KINLEY	438	390	32	15	12
WHITE	116	104	4	3	4
ALL OTHER	322	286	28	12	8
NEGRO	3	3	–	–	–
GALLUP	—	118	5	4	5
WHITE	—	90	3	3	4
ALL OTHER	—	28	2	1	1
NEGRO	—	3	–	–	–
BALANCE OF COUNTY	—	272	27	11	7
WHITE	—	14	1	–	–
ALL OTHER	—	258	26	11	7
NEGRO	—	–	–	–	–
MORA	18	52	1	1	–
OTERO	195	239	17	12	11
ALAMOGORDO	—	140	13	10	6
BALANCE OF COUNTY	—	99	4	2	5
WHITE	—	71	4	2	4
ALL OTHER	—	28	–	–	1
NEGRO	—	1	–	–	–
QUAY	118	132	4	2	1
RIO ARRIBA	161	220	11	5	10
WHITE	150	197	8	4	8
ALL OTHER	11	23	3	1	2
NEGRO	–	–	–	–	–
ROOSEVELT	100	141	5	1	5
PORTALES	—	104	4	1	3
BALANCE OF COUNTY	—	37	1	–	2
SANDOVAL	80	210	10	5	3
WHITE	42	118	2	2	2
ALL OTHER	38	92	8	3	1
NEGRO	–	1	–	–	–
SAN JUAN	355	382	35	21	20
WHITE	188	235	19	15	9
ALL OTHER	167	147	16	6	11
NEGRO	–	–	–	–	–
FARMINGTON	—	160	15	12	4
BALANCE OF COUNTY	—	222	20	9	16
WHITE	—	89	6	4	7
ALL OTHER	—	133	14	5	9
NEGRO	—	–	–	–	–
SAN MIGUEL	265	189	11	7	5
SANTA FE	472	431	12	9	5
SANTA FE	—	336	6	4	3
BALANCE OF COUNTY	—	95	6	5	2
SIERRA	121	144	5	2	–
SOCORRO	83	93	6	6	4
TAOS	137	165	2	1	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW MEXICO—CON.					
TORRANCE	20	56	1	1	–
UNION	48	56	1	–	1
VALENCIA	175	282	15	10	7
WHITE	147	232	14	9	5
ALL OTHER	28	50	1	1	2
NEGRO	5	1	–	–	–
NEW YORK	176,007	176,959	3,894	2,908	2,895
WHITE	156,843	157,779	2,647	2,017	2,097
ALL OTHER	19,164	19,180	1,247	891	798
NEGRO	18,301	18,336	1,185	846	759
ALBANY	3,771	3,134	57	44	29
WHITE	3,610	2,994	45	35	26
ALL OTHER	161	140	12	9	3
NEGRO	155	134	10	7	3
ALBANY	—	1,591	35	26	14
WHITE	—	1,459	23	17	11
ALL OTHER	—	132	12	9	3
NEGRO	—	128	10	7	3
COHOES	—	229	1	1	2
WATERVLIET	—	173	1	1	–
BALANCE OF COUNTY	—	1,141	20	16	13
ALLEGANY	332	440	20	15	10
BROOME	2,155	2,001	29	24	36
BINGHAMTON	—	791	10	9	17
ENDICOTT	—	203	5	5	2
JOHNSON CITY	—	227	2	1	3
BALANCE OF COUNTY	—	780	12	9	14
CATTARAUGUS	850	907	19	16	22
OLEAN	—	299	5	5	2
BALANCE OF COUNTY	—	608	14	11	20
CAYUGA	766	817	25	18	13
AUBURN	—	390	8	6	4
BALANCE OF COUNTY	—	427	17	12	9
CHAUTAUQUA	1,433	1,569	23	20	26
DUNKIRK	—	207	1	1	2
FREDONIA	—	83	1	1	–
JAMESTOWN	—	489	7	6	6
BALANCE OF COUNTY	—	790	14	12	18
CHEMUNG	1,027	994	20	12	21
ELMIRA	—	489	3	1	7
BALANCE OF COUNTY	—	505	17	11	14
CHENANGO	361	446	10	7	10
CLINTON	615	582	10	7	18
PLATTSBURGH	—	179	2	2	4
BALANCE OF COUNTY	—	403	8	5	14
COLUMBIA	676	646	11	6	8
CORTLAND	513	487	14	13	4
CORTLAND	—	233	8	8	2
BALANCE OF COUNTY	—	254	6	5	2
DELAWARE	543	542	7	6	6
DUTCHESS	2,234	1,898	38	28	22
WHITE	2,104	1,805	30	24	20
ALL OTHER	130	93	8	4	2
NEGRO	126	90	8	4	2
BEACON	—	161	5	3	5
WHITE	—	146	4	2	5
ALL OTHER	—	15	1	1	–
NEGRO	—	15	1	1	–
POUGHKEEPSIE	—	483	11	8	3
WHITE	—	437	6	5	2
ALL OTHER	—	46	5	3	1
NEGRO	—	45	5	3	1
BALANCE OF COUNTY	—	1,254	22	17	14
ERIE	11,530	10,960	241	174	147
WHITE	10,593	10,021	174	127	106
ALL OTHER	937	939	67	47	41
NEGRO	886	886	64	44	38
BUFFALO	—	5,808	128	91	76
WHITE	—	4,944	69	49	37
ALL OTHER	—	864	59	42	39
NEGRO	—	833	57	40	37
DEPEW	—	139	1	–	7
HAMBURG	—	114	1	1	6
KENMORE	—	226	1	1	4
LACKAWANNA	—	293	7	5	2
WHITE	—	262	5	3	1
ALL OTHER	—	31	2	2	1
NEGRO	—	31	2	2	1
LANCASTER	—	122	2	1	–
TONAWANDA	—	197	7	5	4
BALANCE OF COUNTY	—	4,061	94	70	48
ESSEX	323	428	7	6	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK—CON.					
FRANKLIN	499	529	4	1	7
FULTON	545	658	7	6	8
GLOVERSVILLE	—	273	3	3	2
JOHNSTOWN	—	143	–	–	3
BALANCE OF COUNTY	—	242	4	3	3
GENESEE	678	536	14	11	8
BATAVIA	—	185	7	4	2
BALANCE OF COUNTY	—	351	7	7	6
GREENE	375	497	5	5	5
HAMILTON	35	69	1	1	1
HERKIMER	704	786	18	12	16
JEFFERSON	1,048	1,041	24	21	15
WATERTOWN	—	426	6	6	8
BALANCE OF COUNTY	—	615	18	15	7
LEWIS	215	265	2	1	4
LIVINGSTON	323	458	4	4	7
MADISON	499	538	23	19	10
ONEIDA	—	141	9	8	–
BALANCE OF COUNTY	—	397	14	11	10
MONROE	6,250	5,950	136	108	125
WHITE	5,910	5,604	97	76	91
ALL OTHER	340	346	39	32	34
NEGRO	330	338	35	28	32
ROCHESTER	—	3,324	93	71	75
WHITE	—	2,989	56	41	44
ALL OTHER	—	335	37	30	31
NEGRO	—	332	35	28	31
BALANCE OF COUNTY	—	2,626	43	37	50
MONTGOMERY	659	735	5	3	6
AMSTERDAM	—	358	–	–	2
BALANCE OF COUNTY	—	377	5	3	4
NASSAU	10,714	11,447	178	135	186
WHITE	10,185	10,894	127	96	156
ALL OTHER	529	553	51	39	30
NEGRO	509	533	48	37	28
EAST ROCKAWAY	—	110	1	1	–
FLORAL PARK	—	178	2	1	–
FREEPORT	—	373	12	11	3
WHITE	—	310	4	4	3
ALL OTHER	—	63	8	7	–
NEGRO	—	62	8	7	–
GARDEN CITY	—	243	6	5	3
GLEN COVE	—	211	2	–	5
GREAT NECK	—	145	–	–	–
HEMPSTEAD	—	407	15	10	15
WHITE	—	291	4	2	4
ALL OTHER	—	116	11	8	11
NEGRO	—	115	11	8	11
LONG BEACH	—	663	4	3	7
LYNBROOK	—	218	6	4	3
MALVERNE	—	94	–	–	–
MASSAPEQUA PARK	—	146	1	–	2
MINEOLA	—	194	3	3	2
NEW HYDE PARK	—	93	–	–	1
ROCKVILLE CENTRE	—	271	1	1	–
VALLEY STREAM	—	378	4	4	5
WESTBURY	—	159	6	4	12
BALANCE OF COUNTY	—	7,564	115	88	128
WHITE	—	7,274	89	67	116
ALL OTHER	—	290	26	21	12
NEGRO	—	278	25	20	10
NEW YORK CITY	79,788	81,728	1,933	1,415	1,289
WHITE	64,930	66,712	1,005	754	714
ALL OTHER	14,858	15,016	928	661	575
NEGRO	14,257	14,410	894	635	551
BRONX BOR., BRONX CO.	—	13,870	419	285	265
WHITE	—	11,289	224	153	147
ALL OTHER	—	2,581	195	132	118
NEGRO	—	2,548	191	131	112
BROOKLYN BOR., KINGS CO.	—	25,294	741	565	506
WHITE	—	20,589	365	291	250
ALL OTHER	—	4,705	376	274	256
NEGRO	—	4,623	372	270	251
MANHATTAN BOR., NEW YORK CO.	—	19,271	369	276	199
WHITE	—	13,850	175	131	108
ALL OTHER	—	5,421	194	145	91
NEGRO	—	5,021	179	132	83
QUEENS BOR., QUEENS CO.	—	20,618	330	230	274
WHITE	—	18,450	186	134	177
ALL OTHER	—	2,168	144	96	97
NEGRO	—	2,083	135	89	92
RICHMOND BOR., RICHMOND CO.	—	2,675	74	59	45
WHITE	—	2,534	55	45	32
ALL OTHER	—	141	19	14	13
NEGRO	—	135	17	13	13

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK—CON.					
NIAGARA	2,156	2,230	46	36	47
WHITE	2,071	2,145	38	30	38
ALL OTHER	85	85	8	6	9
NEGRO	69	70	6	6	8
LOCKPORT	—	331	6	4	4
NIAGARA FALLS	—	936	21	18	28
WHITE	—	874	15	13	20
ALL OTHER	—	62	6	5	8
NEGRO	—	57	5	5	7
NORTH TONAWANDA	—	326	4	4	7
BALANCE OF COUNTY	—	637	15	10	8
ONEIDA	2,838	2,574	62	48	34
ROME	—	389	8	4	3
UTICA	—	1,124	35	28	12
BALANCE OF COUNTY	—	1,061	19	16	19
ONONDAGA	4,330	4,009	82	63	101
WHITE	4,192	3,871	67	51	86
ALL OTHER	138	138	15	12	15
NEGRO	121	122	13	12	15
SYRACUSE	—	2,117	39	26	52
WHITE	—	2,000	25	14	37
ALL OTHER	—	117	14	12	15
NEGRO	—	111	13	12	15
BALANCE OF COUNTY	—	1,892	43	37	49
ONTARIO	867	740	18	14	16
CANANDAIGUA	—	115	2	2	1
GENEVA	—	184	5	4	3
BALANCE OF COUNTY	—	441	11	8	12
ORANGE	2,380	2,287	56	45	21
WHITE	2,269	2,188	44	37	21
ALL OTHER	111	99	12	8	–
NEGRO	109	97	12	8	–
MIDDLETOWN	—	292	7	7	2
NEWBURGH	—	348	13	10	2
WHITE	—	290	7	7	2
ALL OTHER	—	58	6	3	–
NEGRO	—	56	6	3	–
BALANCE OF COUNTY	—	1,647	36	28	17
ORLEANS	295	355	8	5	10
OSWEGO	776	936	31	22	10
FULTON	—	145	4	3	1
OSWEGO	—	228	6	5	–
BALANCE OF COUNTY	—	563	21	14	9
OTSEGO	632	614	11	8	12
ONEONTA	—	126	2	1	1
BALANCE OF COUNTY	—	488	9	7	11
PUTNAM	396	467	16	12	3
RENSSELAER	1,436	1,636	33	21	24
RENSSELAER	—	162	7	5	3
TROY	—	847	13	7	15
BALANCE OF COUNTY	—	627	13	9	6
ROCKLAND	1,815	1,594	36	26	30
WHITE	1,708	1,508	32	23	25
ALL OTHER	107	86	4	3	5
NEGRO	103	83	4	3	4
SPRING VALLEY	—	183	8	7	5
WHITE	—	150	5	4	4
ALL OTHER	—	33	3	3	1
NEGRO	—	33	3	3	–
BALANCE OF COUNTY	—	1,411	28	19	25
WHITE	—	1,358	27	19	21
ALL OTHER	—	53	1	–	4
NEGRO	—	50	1	–	4
ST. LAWRENCE	1,107	1,097	29	24	27
MASSENA	—	140	4	4	4
OGDENSBURG	—	138	–	–	5
BALANCE OF COUNTY	—	819	25	20	18
SARATOGA	625	1,103	21	18	18
SARATOGA SPRINGS	—	220	3	2	1
BALANCE OF COUNTY	—	883	18	16	17
SCHENECTADY	1,732	1,659	26	22	25
SCHENECTADY	—	1,061	17	15	14
BALANCE OF COUNTY	—	598	9	7	11
SCHOHARIE	295	295	2	2	2
SCHUYLER	127	184	7	4	3
SENECA	363	348	3	2	3
STEUBEN	1,038	1,084	24	20	16
CORNING	—	175	3	3	–
HORNELL	—	187	2	2	6
BALANCE OF COUNTY	—	722	19	15	10

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
NEW YORK--CON.					
SUFFOLK	10,077	8,747	233	175	218
WHITE	9,549	8,316	201	154	189
ALL OTHER	528	431	32	21	29
NEGRO	495	410	28	18	28
BABYLON	---	148	8	8	1
LINDENHURST	---	250	4	-	6
PATCHOGUE	---	167	6	5	5
BALANCE OF COUNTY	---	8,182	215	162	206
WHITE	---	7,758	184	142	177
ALL OTHER	---	424	31	20	29
NEGRO	---	404	27	17	28
SULLIVAN	685	767	19	14	9
TIOGA	213	373	12	8	4
TOMPKINS	503	535	16	11	14
ITHACA	---	225	9	6	10
BALANCE OF COUNTY	---	310	7	5	4
ULSTER	1,317	1,512	31	25	36
KINGSTON	---	385	8	8	6
BALANCE OF COUNTY	---	1,127	23	17	30
WARREN	844	601	14	9	-
GLENS FALLS	---	274	9	6	-
BALANCE OF COUNTY	---	327	5	3	-
WASHINGTON	321	514	7	5	3
WAYNE	553	735	17	13	25
NEWARK	---	97	-	-	4
BALANCE OF COUNTY	---	638	17	13	21
WESTCHESTER	8,276	8,283	139	111	115
WHITE	7,554	7,526	100	80	86
ALL OTHER	722	757	39	31	29
NEGRO	703	739	35	28	29
DOBBS FERRY	---	73	1	1	2
MAMARONECK	---	160	3	3	1
MOUNT VERNON	---	812	16	12	15
WHITE	---	570	5	3	5
ALL OTHER	---	242	11	9	10
NEGRO	---	240	10	8	10
NEW ROCHELLE	---	710	9	7	10
WHITE	---	598	6	4	7
ALL OTHER	---	112	3	3	3
NEGRO	---	111	3	3	3
OSSINING	---	189	5	2	6
WHITE	---	170	3	2	6
ALL OTHER	---	19	2	-	-
NEGRO	---	19	2	-	-
PEEKSKILL	---	287	8	7	3
WHITE	---	258	5	4	3
ALL OTHER	---	29	3	3	-
NEGRO	---	28	3	3	-
PORT CHESTER	---	284	7	6	4
WHITE	---	255	5	4	2
ALL OTHER	---	29	2	2	2
NEGRO	---	29	2	2	2
RYE	---	179	5	4	1
SCARSDALE	---	170	1	-	2
TARRYTOWN	---	89	1	1	-
WHITE PLAINS	---	544	12	8	10
WHITE	---	476	8	6	5
ALL OTHER	---	68	4	2	5
NEGRO	---	67	3	2	5
YONKERS	---	2,012	26	22	26
WHITE	---	1,906	21	18	19
ALL OTHER	---	106	5	4	7
NEGRO	---	102	5	4	7
BALANCE OF COUNTY	---	2,774	45	38	35
WHITE	---	2,644	38	32	33
ALL OTHER	---	130	7	6	2
NEGRO	---	124	6	5	2
WYOMING	358	349	8	6	2
YATES	191	243	2	1	4
NORTH CAROLINA	46,366	46,278	1,639	1,180	1,180
WHITE	34,491	34,344	953	713	651
ALL OTHER	11,875	11,934	686	467	529
NEGRO	11,567	11,619	657	450	508
ALAMANCE	747	910	22	14	29
WHITE	627	743	13	10	16
ALL OTHER	120	167	9	4	13
NEGRO	120	167	9	4	13
BURLINGTON	---	363	8	5	12
WHITE	---	303	4	3	6
ALL OTHER	---	60	4	2	6
NEGRO	---	60	4	2	6
BALANCE OF COUNTY	---	547	14	9	17
WHITE	---	440	9	7	10
ALL OTHER	---	107	5	2	7
NEGRO	---	107	5	2	7
N. CAROLINA--CON.					
ALEXANDER	103	158	1	1	1
ALLEGHANY	115	107	4	4	-
ANSON	176	234	9	6	9
WHITE	101	117	1	1	3
ALL OTHER	75	117	8	5	6
NEGRO	75	117	8	5	6
ASHE	173	206	4	4	3
AVERY	146	148	7	6	1
BEAUFORT	425	415	8	7	6
WHITE	300	277	2	2	2
ALL OTHER	125	138	6	5	4
NEGRO	125	138	6	5	4
BERTIE	157	261	8	7	8
WHITE	64	129	1	1	2
ALL OTHER	93	132	7	6	6
NEGRO	93	132	7	6	6
BLADEN	207	308	15	7	6
WHITE	114	183	8	5	1
ALL OTHER	93	125	7	2	5
NEGRO	90	124	7	2	5
BRUNSWICK	132	244	16	16	20
WHITE	98	166	15	15	12
ALL OTHER	34	78	1	1	8
NEGRO	32	77	1	1	8
BUNCOMBE	2,181	1,684	47	36	25
WHITE	1,910	1,462	37	29	18
ALL OTHER	271	222	10	7	7
NEGRO	268	221	10	7	7
ASHEVILLE	---	896	14	10	10
WHITE	---	696	4	3	4
ALL OTHER	---	200	10	7	6
NEGRO	---	199	10	7	6
BALANCE OF COUNTY	---	788	33	26	15
BURKE	634	479	19	15	18
HICKORY, PART	---	-	-	-	-
MORGANTON	---	108	4	4	1
WHITE	---	92	2	2	1
ALL OTHER	---	16	2	2	-
NEGRO	---	16	2	2	-
BALANCE OF COUNTY	---	371	15	11	17
CABARRUS	645	680	11	7	13
WHITE	535	565	7	6	7
ALL OTHER	110	115	4	1	6
NEGRO	110	115	4	1	6
CONCORD	---	218	4	2	-
WHITE	---	170	2	2	-
ALL OTHER	---	48	2	-	-
NEGRO	---	48	2	-	-
BALANCE OF COUNTY	---	462	7	5	13
WHITE	---	395	5	4	7
ALL OTHER	---	67	2	1	6
NEGRO	---	67	2	1	6
CALDWELL	360	463	22	18	12
LENOIR	---	134	3	2	4
WHITE	---	115	2	2	4
ALL OTHER	---	19	1	-	-
NEGRO	---	19	1	-	-
BALANCE OF COUNTY	---	329	19	16	8
CAMDEN	8	49	-	-	1
WHITE	6	31	-	-	-
ALL OTHER	2	18	-	-	1
NEGRO	2	18	-	-	1
CARTERET	373	363	15	12	10
WHITE	318	313	11	8	9
ALL OTHER	55	50	4	4	1
NEGRO	55	50	4	4	1
CASWELL	46	177	4	3	4
WHITE	29	105	1	-	2
ALL OTHER	17	72	3	3	2
NEGRO	17	72	3	3	2
CATAWBA	751	761	36	25	17
HICKORY, PART	---	270	10	6	3
WHITE	---	234	4	2	2
ALL OTHER	---	36	6	4	1
NEGRO	---	36	6	4	1
HICKORY, TOTAL	---	270	10	6	3
WHITE	---	234	4	2	2
ALL OTHER	---	36	6	4	1
NEGRO	---	36	6	4	1
BALANCE OF COUNTY	---	491	26	19	14
CHATHAM	199	306	5	2	4
WHITE	152	222	4	2	1
ALL OTHER	47	84	1	-	3
NEGRO	47	84	1	-	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
CHEROKEE	135	186	1	1	5
CHOWAN	167	125	3	3	3
WHITE	96	75	1	1	1
ALL OTHER	71	50	2	2	2
NEGRO	71	50	2	2	2
CLAY	19	73	1	1	3
CLEVELAND	749	663	35	23	19
WHITE	603	510	20	14	12
ALL OTHER	146	153	15	9	7
NEGRO	146	153	15	9	7
SHELBY	—	187	7	4	6
WHITE	—	124	3	2	2
ALL OTHER	—	63	4	2	4
NEGRO	—	63	4	2	4
BALANCE OF COUNTY	—	476	28	19	13
WHITE	—	386	17	12	10
ALL OTHER	—	90	11	7	3
NEGRO	—	90	11	7	3
COLUMBUS	339	470	18	9	18
WHITE	228	315	10	7	7
ALL OTHER	111	155	8	2	11
NEGRO	110	150	8	2	11
CRAVEN	541	513	31	25	23
WHITE	350	330	21	16	7
ALL OTHER	191	183	10	9	16
NEGRO	191	183	10	9	15
NEW BERN	—	207	9	8	2
WHITE	—	121	3	2	–
ALL OTHER	—	86	6	6	2
NEGRO	—	86	6	6	2
BALANCE OF COUNTY	—	306	22	17	21
WHITE	—	209	18	14	7
ALL OTHER	—	97	4	3	14
NEGRO	—	97	4	3	13
CUMBERLAND	1,372	1,153	99	67	59
WHITE	879	774	64	46	33
ALL OTHER	493	379	35	21	26
NEGRO	479	369	35	21	25
FAYETTEVILLE	—	576	38	24	22
WHITE	—	340	19	13	9
ALL OTHER	—	236	19	11	13
NEGRO	—	232	19	11	13
BALANCE OF COUNTY	—	577	61	43	37
WHITE	—	434	45	33	24
ALL OTHER	—	143	16	10	13
NEGRO	—	137	16	10	12
CURRITUCK	40	117	6	6	6
WHITE	31	92	3	3	4
ALL OTHER	9	25	3	3	2
NEGRO	9	25	3	3	2
DARE	54	84	2	1	2
DAVIDSON	519	724	18	17	16
WHITE	453	632	13	12	11
ALL OTHER	66	92	5	5	5
NEGRO	66	91	5	5	5
HIGH POINT, PART	—	2	–	–	–
LEXINGTON	—	171	2	2	1
WHITE	—	143	2	2	1
ALL OTHER	—	28	–	–	–
NEGRO	—	27	–	–	–
THOMASVILLE	—	137	5	5	9
WHITE	—	97	2	2	4
ALL OTHER	—	40	3	3	5
NEGRO	—	40	3	3	5
BALANCE OF COUNTY	—	414	11	10	6
DAVIE	142	184	4	2	5
WHITE	117	156	4	2	3
ALL OTHER	25	28	–	–	2
NEGRO	25	28	–	–	2
DUPLIN	229	370	7	5	16
WHITE	152	254	3	2	6
ALL OTHER	77	116	4	3	10
NEGRO	77	116	4	3	10
DURHAM	2,482	1,235	26	18	19
WHITE	1,629	763	10	8	8
ALL OTHER	853	472	16	10	11
NEGRO	838	470	16	10	11
CHAPEL HILL, PART	—	–	–	–	–
DURHAM	—	983	18	14	16
WHITE	—	562	4	4	5
ALL OTHER	—	421	14	10	11
NEGRO	—	419	14	10	11
BALANCE OF COUNTY	—	252	8	4	3
WHITE	—	201	6	4	3
ALL OTHER	—	51	2	–	–
NEGRO	—	51	2	–	–
EDGECOMBE	358	533	22	16	9
WHITE	187	267	6	5	3
ALL OTHER	171	266	16	11	6
NEGRO	171	266	16	11	6
ROCKY MOUNT, PART	—	191	6	3	3
WHITE	—	80	1	–	1
ALL OTHER	—	111	5	3	2
NEGRO	—	111	5	3	2
BALANCE OF COUNTY	—	342	16	13	6
WHITE	—	187	5	5	2
ALL OTHER	—	155	11	8	4
NEGRO	—	155	11	8	4
FORSYTH	2,676	1,893	49	41	43
WHITE	2,025	1,307	25	22	19
ALL OTHER	651	586	24	19	24
NEGRO	649	583	24	19	23
WINSTON-SALEM	—	1,303	34	27	32
WHITE	—	761	12	10	9
ALL OTHER	—	542	22	17	23
NEGRO	—	540	22	17	23
BALANCE OF COUNTY	—	590	15	14	11
FRANKLIN	161	254	8	8	8
WHITE	99	151	2	2	5
ALL OTHER	62	103	6	6	3
NEGRO	62	103	6	6	3
GASTON	962	1,254	55	40	32
WHITE	805	1,061	45	34	25
ALL OTHER	157	193	10	6	7
NEGRO	157	192	10	6	7
GASTONIA	—	489	25	15	12
WHITE	—	383	19	12	9
ALL OTHER	—	106	6	3	3
NEGRO	—	105	6	3	3
BALANCE OF COUNTY	—	765	30	25	20
WHITE	—	678	26	22	16
ALL OTHER	—	87	4	3	4
NEGRO	—	87	4	3	4
GATES	22	79	4	3	–
WHITE	8	39	1	1	–
ALL OTHER	14	40	3	2	–
NEGRO	14	40	3	2	–
GRAHAM	15	53	–	–	–
GRANVILLE	300	314	11	8	9
WHITE	209	199	5	3	4
ALL OTHER	91	115	6	5	5
NEGRO	91	115	6	5	5
GREENE	31	118	3	2	1
WHITE	13	62	–	–	–
ALL OTHER	18	56	3	2	1
NEGRO	18	56	3	2	1
GUILFORD	2,615	2,471	82	66	59
WHITE	2,034	1,876	38	31	38
ALL OTHER	581	595	44	35	21
NEGRO	578	592	43	34	21
GREENSBORO	—	1,274	48	35	35
WHITE	—	889	20	15	20
ALL OTHER	—	385	28	20	15
NEGRO	—	382	27	19	15
HIGH POINT, PART	—	630	14	13	10
WHITE	—	494	2	2	8
ALL OTHER	—	136	12	11	2
NEGRO	—	136	12	11	2
HIGH POINT, TOTAL	—	633	14	13	10
WHITE	—	496	2	2	8
ALL OTHER	—	137	12	11	2
NEGRO	—	137	12	11	2
BALANCE OF COUNTY	—	567	20	18	14
WHITE	—	493	16	14	10
ALL OTHER	—	74	4	4	4
NEGRO	—	74	4	4	4
HALIFAX	567	595	21	17	11
WHITE	338	333	5	5	3
ALL OTHER	249	262	16	12	8
NEGRO	249	259	16	12	8
ROANOKE RAPIDS	—	151	4	4	2
WHITE	—	135	3	3	2
ALL OTHER	—	16	1	1	–
NEGRO	—	16	1	1	–
BALANCE OF COUNTY	—	444	17	13	9
WHITE	—	198	2	2	1
ALL OTHER	—	246	15	11	8
NEGRO	—	243	15	11	8
HARNETT	423	479	20	18	15
WHITE	326	357	13	12	6
ALL OTHER	97	122	7	6	9
NEGRO	93	120	7	6	9

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
HAYWOOD	406	400	9	7	7
HENDERSON	521	494	4	3	11
HERTFORD	315	241	9	8	1
WHITE	159	113	3	3	-
ALL OTHER	156	128	6	5	1
NEGRO	156	128	6	5	1
HOKE	154	153	7	4	8
WHITE	82	70	-	-	2
ALL OTHER	72	83	7	4	6
NEGRO	61	71	4	3	6
HYDE	26	66	1	-	2
WHITE	17	50	-	-	1
ALL OTHER	9	16	1	-	1
NEGRO	9	16	1	-	1
IREDELL	645	703	35	26	13
WHITE	522	558	20	14	5
ALL OTHER	123	145	15	12	8
NEGRO	123	145	15	12	8
STATESVILLE	—	214	10	9	5
WHITE	—	148	4	4	1
ALL OTHER	—	66	6	5	4
NEGRO	—	66	6	5	4
BALANCE OF COUNTY	—	489	25	17	8
WHITE	—	410	16	10	4
ALL OTHER	—	79	9	7	4
NEGRO	—	79	9	7	4
JACKSON	165	188	8	3	3
WHITE	155	174	6	2	2
ALL OTHER	10	14	2	1	1
NEGRO	2	3	1	1	-
JOHNSTON	398	661	21	12	14
WHITE	306	523	9	5	10
ALL OTHER	92	138	12	7	4
NEGRO	92	138	12	7	4
JONES	24	94	3	3	4
WHITE	10	61	-	-	1
ALL OTHER	14	33	3	3	3
NEGRO	14	33	3	3	3
LEE	362	316	8	7	7
WHITE	281	247	7	7	5
ALL OTHER	81	69	1	-	2
NEGRO	81	69	1	-	2
SANFORD	—	146	2	1	2
WHITE	—	118	1	1	2
ALL OTHER	—	28	1	-	-
NEGRO	—	28	1	-	-
BALANCE OF COUNTY	—	170	6	6	5
WHITE	—	129	6	6	3
ALL OTHER	—	41	-	-	2
NEGRO	—	41	-	-	2
LENOIR	544	513	22	11	8
WHITE	319	277	5	3	1
ALL OTHER	225	236	17	8	7
NEGRO	224	235	17	8	7
KINSTON	—	272	10	3	6
WHITE	—	124	2	-	1
ALL OTHER	—	148	8	3	5
NEGRO	—	148	8	3	5
BALANCE OF COUNTY	—	241	12	8	2
WHITE	—	153	3	3	-
ALL OTHER	—	88	9	5	2
NEGRO	—	87	9	5	2
LINCOLN	236	312	12	6	8
WHITE	209	274	9	5	7
ALL OTHER	27	38	3	1	1
NEGRO	27	38	3	1	1
MC DOWELL	157	256	7	5	4
MACON	136	164	2	1	6
MADISON	49	143	1	1	1
MARTIN	177	243	8	6	6
WHITE	89	128	2	2	3
ALL OTHER	88	115	6	4	3
NEGRO	88	115	6	4	3
MECKLENBURG	3,423	2,881	100	80	68
WHITE	2,535	2,044	47	34	33
ALL OTHER	888	837	53	46	35
NEGRO	887	836	53	46	35
CHARLOTTE	—	2,202	78	62	60
WHITE	—	1,477	30	21	28
ALL OTHER	—	725	48	41	32
NEGRO	—	724	48	41	32
BALANCE OF COUNTY	—	679	22	18	8
WHITE	—	567	17	13	5
ALL OTHER	—	112	5	5	3
NEGRO	—	112	5	5	3
N. CAROLINA—CON.					
MITCHELL	95	131	2	2	3
MONTGOMERY	193	223	4	4	4
WHITE	151	175	1	1	3
ALL OTHER	42	48	3	3	1
NEGRO	42	48	3	3	1
MOORE	532	428	12	8	14
WHITE	415	322	10	6	10
ALL OTHER	117	106	2	2	4
NEGRO	116	105	2	2	4
NASH	656	564	12	6	15
WHITE	380	347	4	4	5
ALL OTHER	276	217	8	2	10
NEGRO	275	217	8	2	10
ROCKY MOUNT, PART	—	225	5	4	2
WHITE	—	155	3	3	1
ALL OTHER	—	70	2	1	1
NEGRO	—	70	2	1	1
ROCKY MOUNT, TOTAL	—	416	11	7	5
WHITE	—	235	4	3	2
ALL OTHER	—	181	7	4	3
NEGRO	—	181	7	4	3
BALANCE OF COUNTY	—	339	7	2	13
WHITE	—	192	1	1	4
ALL OTHER	—	147	6	1	9
NEGRO	—	147	6	1	9
NEW HANOVER	992	804	21	15	19
WHITE	704	568	17	11	12
ALL OTHER	288	236	4	4	7
NEGRO	285	236	4	4	7
WILMINGTON	—	497	10	6	9
WHITE	—	303	7	3	5
ALL OTHER	—	194	3	3	4
NEGRO	—	194	3	3	4
BALANCE OF COUNTY	—	307	11	9	10
NORTHAMPTON	91	242	9	7	13
WHITE	48	117	3	3	1
ALL OTHER	43	125	6	4	12
NEGRO	43	125	6	4	12
ONSLOW	366	448	53	37	19
WHITE	291	359	44	29	14
ALL OTHER	75	89	9	8	5
NEGRO	71	85	9	8	4
JACKSONVILLE	—	92	11	7	1
WHITE	—	74	10	6	1
ALL OTHER	—	18	1	1	-
NEGRO	—	18	1	1	-
BALANCE OF COUNTY	—	356	42	30	18
WHITE	—	285	34	23	13
ALL OTHER	—	71	8	7	5
NEGRO	—	67	8	7	4
ORANGE	790	340	8	4	9
WHITE	490	258	6	3	3
ALL OTHER	300	82	2	1	6
NEGRO	292	82	2	1	5
CHAPEL HILL, PART	—	94	3	1	4
WHITE	—	73	2	1	-
ALL OTHER	—	21	1	-	4
NEGRO	—	21	1	-	3
CHAPEL HILL, TOTAL	—	94	3	1	4
WHITE	—	73	2	1	-
ALL OTHER	—	21	1	-	4
NEGRO	—	21	1	-	3
BALANCE OF COUNTY	—	246	5	3	5
WHITE	—	185	4	2	3
ALL OTHER	—	61	1	1	2
NEGRO	—	61	1	1	2
PAMLICO	41	99	2	2	1
WHITE	27	70	-	-	1
ALL OTHER	14	29	2	2	-
NEGRO	14	29	2	2	-
PASQUOTANK	407	274	12	6	11
WHITE	294	178	6	3	5
ALL OTHER	113	96	6	3	6
NEGRO	113	96	6	3	6
ELIZABETH CITY	—	178	9	5	8
WHITE	—	114	5	3	5
ALL OTHER	—	64	4	2	3
NEGRO	—	64	4	2	3
BALANCE OF COUNTY	—	96	3	1	3
WHITE	—	64	1	-	-
ALL OTHER	—	32	2	1	3
NEGRO	—	32	2	1	3
PENDER	171	189	6	5	3
WHITE	92	106	1	1	1
ALL OTHER	79	83	5	4	2
NEGRO	79	83	5	4	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
N. CAROLINA—CON.					
PERQUIMANS	35	98	2	2	1
WHITE	24	64	–	–	1
ALL OTHER	11	34	2	2	–
NEGRO	11	34	2	2	–
PERSON	214	270	2	2	5
WHITE	139	181	1	1	4
ALL OTHER	75	89	1	1	1
NEGRO	75	89	1	1	1
PITT	712	685	44	32	10
WHITE	400	386	15	13	3
ALL OTHER	312	299	29	19	7
NEGRO	312	299	29	19	7
GREENVILLE	—	231	13	10	5
WHITE	—	112	5	5	2
ALL OTHER	—	119	8	5	3
NEGRO	—	119	8	5	3
BALANCE OF COUNTY	—	454	31	22	5
WHITE	—	274	10	8	1
ALL OTHER	—	180	21	14	4
NEGRO	—	180	21	14	4
POLK	195	149	6	6	–
WHITE	169	129	6	6	–
ALL OTHER	26	20	–	–	–
NEGRO	26	20	–	–	–
RANDOLPH	435	656	16	10	17
ASHEBORO	—	164	4	3	2
WHITE	—	140	4	3	2
ALL OTHER	—	24	–	–	–
NEGRO	—	24	–	–	–
HIGH POINT, PART	—	1	–	–	–
BALANCE OF COUNTY	—	491	12	7	15
RICHMOND	310	474	27	22	12
WHITE	207	325	16	16	4
ALL OTHER	103	149	11	6	8
NEGRO	103	149	11	6	8
ROBESON	836	856	46	29	33
WHITE	400	397	10	8	5
ALL OTHER	436	459	36	21	28
NEGRO	272	249	16	7	17
LUMBERTON	—	165	7	6	5
WHITE	—	114	5	5	2
ALL OTHER	—	51	2	1	3
NEGRO	—	42	2	1	3
BALANCE OF COUNTY	—	691	39	23	28
WHITE	—	283	5	3	3
ALL OTHER	—	408	34	20	25
NEGRO	—	207	14	6	14
ROCKINGHAM	664	805	35	21	25
WHITE	515	646	29	18	12
ALL OTHER	149	159	6	3	13
NEGRO	149	159	6	3	13
EDEN	—	204	4	1	3
WHITE	—	178	2	1	2
ALL OTHER	—	26	2	–	1
NEGRO	—	26	2	–	1
REIDSVILLE	—	171	5	2	4
WHITE	—	112	4	1	1
ALL OTHER	—	59	1	1	3
NEGRO	—	59	1	1	3
BALANCE OF COUNTY	—	430	26	18	18
WHITE	—	356	23	16	9
ALL OTHER	—	74	3	2	9
NEGRO	—	74	3	2	9
ROWAN	827	839	19	16	10
WHITE	655	670	8	6	9
ALL OTHER	172	169	11	10	1
NEGRO	171	169	11	10	1
SALISBURY	—	255	5	5	–
WHITE	—	177	1	1	–
ALL OTHER	—	78	4	4	–
NEGRO	—	78	4	4	–
BALANCE OF COUNTY	—	584	14	11	10
WHITE	—	493	7	5	9
ALL OTHER	—	91	7	6	1
NEGRO	—	91	7	6	1
RUTHERFORD	409	476	20	14	11
WHITE	356	406	13	10	8
ALL OTHER	53	70	7	4	3
NEGRO	53	69	6	4	3
SAMPSON	391	494	10	8	14
WHITE	251	339	4	3	4
ALL OTHER	140	155	6	5	10
NEGRO	136	151	6	5	10
N. CAROLINA—CON.					
SCOTLAND	302	279	13	6	8
WHITE	140	142	5	2	4
ALL OTHER	162	137	8	4	4
NEGRO	137	130	8	4	2
STANLY	348	458	13	8	7
WHITE	300	402	12	8	6
ALL OTHER	48	56	1	–	1
NEGRO	48	56	1	–	1
ALBEMARLE	—	140	3	1	1
WHITE	—	116	3	1	1
ALL OTHER	—	24	–	–	–
NEGRO	—	24	–	–	–
BALANCE OF COUNTY	—	318	10	7	6
WHITE	—	286	9	7	5
ALL OTHER	—	32	1	–	1
NEGRO	—	32	1	–	1
STOKES	116	220	5	4	4
SURRY	462	469	15	9	8
SWAIN	92	85	5	2	1
WHITE	71	66	2	1	–
ALL OTHER	21	19	3	1	1
NEGRO	–	–	–	–	–
TRANSYLVANIA	128	151	6	5	4
TYRRELL	44	49	1	1	–
WHITE	28	30	–	–	–
ALL OTHER	16	19	1	1	–
NEGRO	16	19	1	1	–
UNION	360	483	21	12	22
WHITE	289	391	11	7	10
ALL OTHER	71	92	10	5	12
NEGRO	71	92	10	5	12
MONROE	—	144	5	3	5
WHITE	—	101	2	–	1
ALL OTHER	—	43	3	3	4
NEGRO	—	43	3	3	4
BALANCE OF COUNTY	—	339	16	9	17
WHITE	—	290	9	7	9
ALL OTHER	—	49	7	2	8
NEGRO	—	49	7	2	8
VANCE	361	351	8	4	15
WHITE	215	204	2	1	5
ALL OTHER	146	147	6	3	10
NEGRO	145	146	6	3	10
HENDERSON	—	174	1	–	4
WHITE	—	95	1	–	1
ALL OTHER	—	79	–	–	3
NEGRO	—	79	–	–	3
BALANCE OF COUNTY	—	177	7	4	11
WHITE	—	109	1	1	4
ALL OTHER	—	68	6	3	7
NEGRO	—	67	6	3	7
WAKE	1,975	1,763	58	36	43
WHITE	1,420	1,266	30	18	29
ALL OTHER	555	497	28	18	14
NEGRO	555	497	28	18	14
RALEIGH	—	969	29	20	21
WHITE	—	680	15	12	14
ALL OTHER	—	289	14	8	7
NEGRO	—	289	14	8	7
BALANCE OF COUNTY	—	794	29	16	22
WHITE	—	586	15	6	15
ALL OTHER	—	208	14	10	7
NEGRO	—	208	14	10	7
WARREN	94	201	4	2	3
WHITE	34	85	1	1	–
ALL OTHER	60	116	3	1	3
NEGRO	60	116	3	1	3
WASHINGTON	106	153	7	5	10
WHITE	60	84	2	2	3
ALL OTHER	46	69	5	3	7
NEGRO	46	69	5	3	7
WATAUGA	210	183	2	2	4
WAYNE	793	725	27	21	24
WHITE	503	452	17	12	11
ALL OTHER	290	273	10	9	13
NEGRO	289	271	10	9	13
GOLDSBORO	—	325	10	9	8
WHITE	—	162	4	4	3
ALL OTHER	—	163	6	5	5
NEGRO	—	163	6	5	5
BALANCE OF COUNTY	—	400	17	12	16
WHITE	—	290	13	8	8
ALL OTHER	—	110	4	4	8
NEGRO	—	108	4	4	8
WILKES	285	437	16	12	10

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
WILSON	816	626	22	15	22
WHITE	510	374	8	7	6
ALL OTHER	306	252	14	8	16
NEGRO	306	252	14	8	16
WILSON	—	354	13	11	11
WHITE	—	195	7	6	4
ALL OTHER	—	159	6	5	7
NEGRO	—	159	6	5	7
BALANCE OF COUNTY	—	272	9	4	11
WHITE	—	179	1	1	2
ALL OTHER	—	93	8	3	9
NEGRO	—	93	8	3	9
YADKIN	133	226	5	3	4
YANCEY	85	154	7	5	3
NORTH DAKOTA	5,928	5,766	170	142	108
WHITE	5,757	5,610	153	132	91
ALL OTHER	171	156	17	10	17
NEGRO	8	7	2	1	1
ADAMS	60	29	–	–	–
BARNES	152	165	1	1	–
BENSON	42	104	5	3	3
WHITE	29	70	1	1	–
ALL OTHER	13	34	4	2	3
NEGRO	–	–	–	–	–
BILLINGS	3	2	–	–	–
BOTTINEAU	100	117	1	1	–
BOWMAN	45	46	1	1	–
BURKE	8	46	–	–	–
BURLEIGH	530	299	12	10	8
BISMARCK	—	256	9	7	7
BALANCE OF COUNTY	—	43	3	3	1
CASS	1,046	579	21	16	4
FARGO	—	409	16	13	2
BALANCE OF COUNTY	—	170	5	3	2
CAVALIER	66	84	3	2	2
DICKEY	138	89	1	1	–
DIVIDE	56	60	1	1	–
DUNN	10	45	–	–	1
EDDY	42	40	–	–	2
EMMONS	34	51	1	1	1
FOSTER	37	51	2	1	1
GOLDEN VALLEY	19	23	–	–	1
GRAND FORKS	575	442	25	21	14
GRAND FORKS	—	292	15	13	10
BALANCE OF COUNTY	—	150	10	8	4
GRANT	24	53	1	1	2
GRIGGS	46	60	2	2	–
HETTINGER	10	47	–	–	–
KIDDER	15	45	–	–	–
LA MOURE	25	97	1	–	1
LOGAN	12	38	–	–	–
MC HENRY	18	92	1	1	2
MC INTOSH	65	60	–	–	–
MC KENZIE	28	49	2	2	1
MC LEAN	94	118	3	2	3
MERCER	66	73	1	1	2
MORTON	107	200	10	9	6
MANDAN	—	93	4	4	3
BALANCE OF COUNTY	—	107	6	5	3
MOUNTRAIL	86	106	6	6	1
NELSON	64	87	–	–	–
OLIVER	4	16	1	1	–
PEMBINA	129	152	5	4	1
PIERCE	96	65	4	4	2
RAMSEY	186	153	2	2	2
RANSOM	69	99	1	1	1
RENVILLE	38	48	1	1	1
RICHLAND	87	196	7	7	3
ROLETTE	99	107	3	3	4
WHITE	63	64	–	–	1
ALL OTHER	36	43	3	3	3
NEGRO	–	–	–	–	–
SARGENT	9	61	3	3	–
SHERIDAN	6	35	–	–	1
SIOUX	29	34	3	1	4
WHITE	6	8	–	–	–
ALL OTHER	23	26	3	1	4
NEGRO	–	–	–	–	–
SLOPE	3	11	–	–	1
STARK	212	154	5	5	5
DICKINSON	—	81	1	1	4
BALANCE OF COUNTY	—	73	4	4	1
STEELE	9	36	1	–	–
STUTSMAN	251	210	4	4	6
JAMESTOWN	—	123	3	3	5
BALANCE OF COUNTY	—	87	1	1	1
TOWNER	47	41	–	–	–
TRAILL	124	132	–	–	1
WALSH	148	185	6	5	1
WARD	511	394	14	9	19
MINOT	—	239	6	2	13
BALANCE OF COUNTY	—	155	8	7	6
WELLS	72	80	2	2	–
WILLIAMS	176	160	7	7	1
WILLISTON	—	103	7	7	1
BALANCE OF COUNTY	—	57	–	–	–
OHIO	98,964	99,254	2,590	1,887	1,712
WHITE	89,433	89,693	2,047	1,503	1,376
ALL OTHER	9,531	9,561	543	384	336
NEGRO	9,439	9,469	539	381	328
ADAMS	228	275	9	6	4
ALLEN	1,414	1,041	41	28	28
LIMA	—	621	31	22	20
WHITE	—	559	22	14	11
ALL OTHER	—	62	9	8	9
NEGRO	—	62	9	8	9
BALANCE OF COUNTY	—	420	10	6	8
ASHLAND	366	403	13	9	5
ASHLAND	—	204	6	4	2
BALANCE OF COUNTY	—	199	7	5	3
ASHTABULA	864	976	23	16	26
ASHTABULA	—	265	5	3	6
CONNEAUT	—	146	2	2	2
BALANCE OF COUNTY	—	565	16	11	18
ATHENS	459	464	8	6	10
ATHENS	—	97	1	1	3
BALANCE OF COUNTY	—	367	7	5	7
AUGLAIZE	268	334	8	7	7
BELMONT	901	1,029	14	11	7
MARTINS FERRY	—	173	1	1	–
BALANCE OF COUNTY	—	856	13	10	7
BROWN	298	295	6	5	12
BUTLER	1,718	1,750	58	39	43
WHITE	1,621	1,646	49	33	38
ALL OTHER	97	104	9	6	5
NEGRO	97	104	9	6	5
FAIRFIELD	—	137	3	2	1
HAMILTON	—	615	20	10	19
MIDDLETOWN	—	428	15	11	7
WHITE	—	381	13	9	6
ALL OTHER	—	47	2	2	1
NEGRO	—	47	2	2	1
OXFORD	—	50	1	1	4
BALANCE OF COUNTY	—	520	19	15	12
CARROLL	100	204	3	–	2
CHAMPAIGN	254	334	5	2	4
URBANA	—	127	4	2	–
BALANCE OF COUNTY	—	207	1	–	4
CLARK	1,490	1,456	44	34	26
WHITE	1,341	1,297	35	26	21
ALL OTHER	149	159	9	8	5
NEGRO	148	158	9	8	5
SPRINGFIELD	—	1,002	30	23	19
WHITE	—	852	21	15	14
ALL OTHER	—	150	9	8	5
NEGRO	—	150	9	8	5
BALANCE OF COUNTY	—	454	14	11	7
CLERMONT	396	737	28	19	8
CLINTON	366	362	3	3	4
WILMINGTON	—	131	1	1	3
BALANCE OF COUNTY	—	231	2	2	1
COLUMBIANA	1,215	1,201	29	18	25
EAST LIVERPOOL	—	277	12	7	4
SALEM	—	165	2	2	4
BALANCE OF COUNTY	—	759	15	9	17
COSHOCTON	369	369	12	10	5
COSHOCTON	—	169	5	4	2
BALANCE OF COUNTY	—	200	7	6	3
CRAWFORD	467	512	14	13	11
BUCYRUS	—	169	7	7	6
GALION	—	139	2	2	2
BALANCE OF COUNTY	—	204	5	4	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
OHIO--CON.					
CUYAHOGA	17,560	16,976	372	276	249
WHITE	14,372	13,803	219	164	151
ALL OTHER	3,188	3,173	153	112	98
NEGRO	3,153	3,140	152	111	96
BAY VILLAGE	—	118	3	2	-
BEDFORD	—	143	4	3	4
BEDFORD HEIGHTS	—	87	2	2	1
BEREA	—	150	3	3	3
BROADVIEW HEIGHTS	—	65	1	1	1
BROOKLYN	—	94	-	-	-
BROOK PARK	—	96	2	-	3
CLEVELAND	—	8,587	246	179	142
WHITE	—	5,674	116	85	57
ALL OTHER	—	2,913	130	94	85
NEGRO	—	2,892	130	94	85
CLEVELAND HEIGHTS	—	609	5	5	5
EAST CLEVELAND	—	340	12	9	8
WHITE	—	201	-	-	2
ALL OTHER	—	139	12	9	6
NEGRO	—	139	12	9	5
EUCLID	—	664	5	5	5
FAIRVIEW PARK	—	206	5	4	2
GARFIELD HEIGHTS	—	377	7	2	6
LAKEWOOD	—	828	9	5	9
LYNDHURST	—	184	1	-	2
MAPLE HEIGHTS	—	302	6	4	2
MAYFIELD HEIGHTS	—	238	4	4	3
MIDDLEBURG HEIGHTS	—	97	-	-	7
NORTH OLMSTED	—	195	5	4	1
NORTH ROYALTON	—	80	1	1	4
PARMA	—	842	18	18	14
PARMA HEIGHTS	—	237	3	3	1
ROCKY RIVER	—	264	1	1	-
SEVEN HILLS	—	77	3	3	1
SHAKER HEIGHTS	—	348	3	2	2
WHITE	—	323	1	-	1
ALL OTHER	—	25	2	2	1
NEGRO	—	25	2	2	1
SOLON	—	64	1	1	1
SOUTH EUCLID	—	283	5	4	1
STRONGSVILLE	—	115	1	1	2
UNIVERSITY HEIGHTS	—	144	1	-	2
WARRENSVILLE HEIGHTS	—	93	-	-	2
WHITE	—	84	-	-	2
ALL OTHER	—	9	-	-	-
NEGRO	—	9	-	-	-
WESTLAKE	—	149	-	-	1
BALANCE OF COUNTY	—	900	15	10	14
DARKE	401	539	11	6	10
GREENVILLE	—	192	1	-	1
BALANCE OF COUNTY	—	347	10	6	9
DEFIANCE	319	305	6	2	11
DEFIANCE	—	138	4	2	3
BALANCE OF COUNTY	—	167	2	-	8
DELAWARE	399	393	18	12	7
DELAWARE	—	177	12	8	2
WESTERVILLE, PART	—	7	1	1	1
BALANCE OF COUNTY	—	209	5	3	4
ERIE	837	766	20	13	10
SANDUSKY	—	437	10	6	7
WHITE	—	404	6	5	5
ALL OTHER	—	33	4	1	2
NEGRO	—	33	4	1	2
BALANCE OF COUNTY	—	329	10	7	3
FAIRFIELD	623	720	18	12	18
LANCASTER	—	354	10	7	9
BALANCE OF COUNTY	—	366	8	5	9
FAYETTE	337	300	10	6	4
WASHINGTON	—	190	5	4	1
BALANCE OF COUNTY	—	110	5	2	3
FRANKLIN	7,548	6,659	238	173	123
WHITE	6,542	5,638	177	130	86
ALL OTHER	1,006	1,021	61	43	37
NEGRO	997	1,013	60	42	36
BEXLEY	—	116	1	1	-
COLUMBUS	—	4,739	164	112	91
WHITE	—	3,763	108	74	55
ALL OTHER	—	976	56	38	36
NEGRO	—	970	55	37	35
GAHANNA	—	66	7	7	1
GROVE CITY	—	108	6	6	4
REYNOLDSBURG, PART	—	71	2	2	1
REYNOLDSBURG, TOTAL	—	72	2	2	1
UPPER ARLINGTON	—	270	3	3	-
FRANKLIN--CON.					
WESTERVILLE, PART	—	95	3	3	1
WESTERVILLE, TOTAL	—	102	4	4	2
WHITEHALL	—	93	4	4	1
WORTHINGTON	—	84	3	2	1
BALANCE OF COUNTY	—	1,017	45	33	23
FULTON	220	333	9	8	14
GALLIA	545	291	9	8	8
GEAUGA	369	464	14	11	14
GREENE	735	791	30	22	16
FAIRBORN	—	162	15	11	5
XENIA	—	286	6	4	4
WHITE	—	247	6	4	3
ALL OTHER	—	39	-	-	1
NEGRO	—	38	-	-	1
BALANCE OF COUNTY	—	343	9	7	7
GUERNSEY	440	425	11	10	10
CAMBRIDGE	—	184	7	7	5
BALANCE OF COUNTY	—	241	4	3	5
HAMILTON	9,780	8,901	196	151	140
WHITE	8,212	7,331	130	108	98
ALL OTHER	1,568	1,570	66	43	42
NEGRO	1,555	1,555	66	43	41
CHEVIOT	—	154	-	-	4
CINCINNATI	—	5,569	132	97	81
WHITE	—	4,162	71	55	45
ALL OTHER	—	1,407	61	42	36
NEGRO	—	1,395	61	42	35
FOREST PARK	—	30	2	1	1
NORTH COLLEGE HILL	—	107	1	1	-
NORWOOD	—	331	5	5	7
READING	—	94	3	3	-
SHARONVILLE	—	42	3	3	1
BALANCE OF COUNTY	—	2,574	50	41	46
WHITE	—	2,418	46	41	40
ALL OTHER	—	156	4	-	6
NEGRO	—	154	4	-	6
HANCOCK	681	560	15	13	17
FINDLAY	—	336	13	11	8
FOSTORIA, PART	—	35	-	-	1
BALANCE OF COUNTY	—	189	2	2	8
HARDIN	358	347	6	3	4
HARRISON	144	218	2	-	6
HENRY	266	280	8	5	6
HIGHLAND	278	400	4	1	7
HOCKING	166	227	2	-	3
HOLMES	292	203	5	5	7
HURON	393	488	12	7	7
NORWALK	—	136	3	2	4
BALANCE OF COUNTY	—	352	9	5	3
JACKSON	192	336	5	2	8
JEFFERSON	896	1,030	19	11	12
STEUBENVILLE	—	376	7	5	-
WHITE	—	334	3	3	-
ALL OTHER	—	42	4	2	-
NEGRO	—	42	4	2	-
BALANCE OF COUNTY	—	654	12	6	12
KNOX	498	490	9	8	9
MOUNT VERNON	—	220	5	5	3
BALANCE OF COUNTY	—	270	4	3	6
LAKE	1,230	1,345	42	28	26
EASTLAKE	—	123	2	1	2
MENTOR	—	232	9	8	4
PAINESVILLE	—	179	10	9	4
WHITE	—	158	10	9	3
ALL OTHER	—	21	-	-	1
NEGRO	—	20	-	-	1
WICKLIFFE	—	109	1	1	3
WILLOUGHBY	—	150	3	1	2
WILLOWICK	—	125	4	2	1
BALANCE OF COUNTY	—	427	13	6	10
LAWRENCE	423	624	19	16	10
IRONTON	—	239	4	4	2
BALANCE OF COUNTY	—	385	15	12	8
LICKING	887	1,019	18	14	18
NEWARK	—	515	9	6	8
REYNOLDSBURG, PART	—	1	-	-	-
BALANCE OF COUNTY	—	503	9	8	10
LOGAN	331	444	6	4	5
BELLEFONTAINE	—	134	2	2	-
BALANCE OF COUNTY	—	310	4	2	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
OHIO—CON.					
LORAIN	2,009	1,994	75	66	46
WHITE	1,882	1,863	54	48	41
ALL OTHER	127	131	21	18	5
NEGRO	127	131	21	18	5
AVON LAKE	—	98	3	3	1
ELYRIA	—	462	18	16	12
WHITE	—	413	8	7	11
ALL OTHER	—	49	10	9	1
NEGRO	—	49	10	9	1
LORAIN	—	679	24	19	15
WHITE	—	619	15	12	13
ALL OTHER	—	60	9	7	2
NEGRO	—	60	9	7	2
NORTH RIDGEVILLE	—	78	6	4	—
BALANCE OF COUNTY	—	677	24	24	18
LUCAS	5,681	5,069	140	103	78
WHITE	5,098	4,476	81	62	55
ALL OTHER	583	593	59	41	23
NEGRO	572	582	58	40	23
MAUMEE	—	112	2	1	—
OREGON	—	160	2	2	2
SYLVANIA	—	111	2	2	—
TOLEDO	—	4,222	127	94	69
WHITE	—	3,660	68	53	46
ALL OTHER	—	562	59	41	23
NEGRO	—	551	58	40	23
BALANCE OF COUNTY	—	464	7	4	7
MADISON	205	269	11	7	4
MAHONING	2,717	3,200	80	61	53
WHITE	2,344	2,755	52	41	39
ALL OTHER	373	445	28	20	14
NEGRO	373	445	28	20	14
ALLIANCE, PART	—	1	—	—	—
CAMPBELL	—	130	2	2	3
WHITE	—	115	2	2	3
ALL OTHER	—	15	—	—	—
NEGRO	—	15	—	—	—
STRUTHERS	—	127	3	3	4
YOUNGSTOWN, PART	—	1,777	53	42	26
WHITE	—	1,365	25	22	13
ALL OTHER	—	412	28	20	13
NEGRO	—	412	28	20	13
YOUNGSTOWN, TOTAL	—	1,779	53	42	26
WHITE	—	1,367	25	22	13
ALL OTHER	—	412	28	20	13
NEGRO	—	412	28	20	13
BALANCE OF COUNTY	—	1,165	22	14	20
MARION	628	634	14	10	15
MARION	—	427	12	9	8
BALANCE OF COUNTY	—	207	2	1	7
MEDINA	685	616	13	7	18
BRUNSWICK	—	81	3	3	1
MEDINA	—	118	2	1	3
WADSWORTH	—	108	2	1	3
BALANCE OF COUNTY	—	309	6	2	11
MEIGS	156	263	5	5	5
MERCER	259	353	8	7	8
MIAMI	751	771	29	21	13
PIQUA	—	238	8	3	5
TROY	—	185	5	5	4
BALANCE OF COUNTY	—	348	16	13	4
MONROE	60	163	5	5	1
MONTGOMERY	5,391	4,771	154	106	81
WHITE	4,587	3,995	107	77	54
ALL OTHER	804	776	47	29	27
NEGRO	799	771	46	29	27
CENTERVILLE	—	65	1	1	2
DAYTON	—	2,559	89	61	39
WHITE	—	1,865	55	39	17
ALL OTHER	—	694	34	22	22
NEGRO	—	692	34	22	22
KETTERING	—	435	11	6	5
MIAMISBURG	—	120	2	1	2
OAKWOOD	—	103	—	—	1
VANDALIA	—	46	1	1	—
WEST CARROLLTON	—	61	3	3	3
BALANCE OF COUNTY	—	1,382	47	33	29
MORGAN	124	146	3	—	1
MORROW	201	219	11	9	3
MUSKINGUM	1,110	904	22	15	12
ZANESVILLE	—	485	14	9	8
BALANCE OF COUNTY	—	419	8	6	4
NOBLE	70	122	1	1	1
OTTAWA	227	368	8	8	6
PAULDING	120	201	5	2	6
PERRY	105	350	7	4	6
PICKAWAY	292	348	9	6	5
CIRCLEVILLE	—	135	2	1	2
BALANCE OF COUNTY	—	213	7	5	3
PIKE	222	229	6	3	3
PORTAGE	699	859	25	14	10
KENT	—	132	3	1	3
RAVENNA	—	134	6	3	—
BALANCE OF COUNTY	—	593	16	10	7
PREBLE	160	312	7	4	5
PUTNAM	107	251	11	9	7
RICHLAND	1,124	1,145	33	26	21
MANSFIELD	—	700	27	23	9
WHITE	—	636	19	15	8
ALL OTHER	—	64	8	8	1
NEGRO	—	64	8	8	1
BALANCE OF COUNTY	—	445	6	3	12
ROSS	683	567	9	8	8
CHILLICOTHE	—	288	4	4	3
BALANCE OF COUNTY	—	279	5	4	5
SANDUSKY	532	597	21	16	12
FREMONT	—	233	12	10	6
BALANCE OF COUNTY	—	364	9	6	6
SCIOTO	986	956	21	17	14
PORTSMOUTH	—	420	7	7	6
BALANCE OF COUNTY	—	536	14	10	8
SENECA	376	537	18	13	7
FOSTORIA, PART	—	114	3	1	2
FOSTORIA, TOTAL	—	158	3	1	3
TIFFIN	—	210	9	8	2
BALANCE OF COUNTY	—	213	6	4	3
SHELBY	280	356	9	4	3
SIDNEY	—	164	3	2	2
BALANCE OF COUNTY	—	192	6	2	1
STARK	3,909	3,531	79	66	51
WHITE	3,714	3,330	70	57	44
ALL OTHER	195	201	9	9	7
NEGRO	195	200	9	9	7
ALLIANCE, PART	—	309	8	6	9
WHITE	—	281	6	4	8
ALL OTHER	—	28	2	2	1
NEGRO	—	27	2	2	1
ALLIANCE, TOTAL	—	310	8	6	9
WHITE	—	282	6	4	8
ALL OTHER	—	28	2	2	1
NEGRO	—	27	2	2	1
CANTON	—	1,309	26	24	14
WHITE	—	1,192	24	22	8
ALL OTHER	—	117	2	2	6
NEGRO	—	117	2	2	6
MASSILLON	—	426	11	9	4
NORTH CANTON	—	116	4	3	—
BALANCE OF COUNTY	—	1,371	30	24	24
SUMMIT	4,866	4,910	107	75	76
WHITE	4,423	4,459	81	57	52
ALL OTHER	443	451	26	18	24
NEGRO	442	448	26	18	23
AKRON	—	2,894	58	39	46
WHITE	—	2,480	35	23	24
ALL OTHER	—	414	23	16	22
NEGRO	—	412	23	16	22
BARBERTON	—	342	12	10	10
CUYAHOGA FALLS	—	369	9	7	3
NORTON	—	78	2	—	1
STOW	—	135	4	2	2
TALLMADGE	—	88	—	—	1
BALANCE OF COUNTY	—	1,004	22	17	13
TRUMBULL	2,292	2,007	59	43	37
WHITE	2,135	1,904	51	38	32
ALL OTHER	157	103	8	5	5
NEGRO	157	103	8	5	5
GIRARD	—	138	1	1	—
NILES	—	238	10	6	5
WARREN	—	646	22	16	14
WHITE	—	569	14	11	9
ALL OTHER	—	77	8	5	5
NEGRO	—	77	8	5	5
YOUNGSTOWN, PART	—	2	—	—	—
WHITE	—	2	—	—	—
ALL OTHER	—	—	—	—	—
NEGRO	—	—	—	—	—
BALANCE OF COUNTY	—	983	26	20	18
TUSCARAWAS	783	891	21	15	20
DOVER	—	122	4	4	2
NEW PHILADELPHIA	—	191	6	5	5
BALANCE OF COUNTY	—	578	11	6	13
UNION	208	253	4	1	7
VAN WERT	324	347	12	7	9
VAN WERT	—	137	3	2	7
BALANCE OF COUNTY	—	210	9	5	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO—CON.					
VINTON	40	121	5	5	2
WARREN	255	544	20	15	18
FRANKLIN	—	84	3	2	7
BALANCE OF COUNTY	—	460	17	13	11
WASHINGTON	532	539	14	11	10
MARIETTA	—	213	3	2	2
BALANCE OF COUNTY	—	326	11	9	8
WAYNE	626	741	18	12	10
WOOSTER	—	213	5	3	1
BALANCE OF COUNTY	—	528	13	9	9
WILLIAMS	287	341	12	8	5
WOOD	375	636	18	13	5
BOWLING GREEN	—	100	–	–	1
FOSTORIA, PART	—	9	–	–	–
BALANCE OF COUNTY	—	527	18	13	4
WYANDOT	186	207	9	6	4
OKLAHOMA	26,440	27,237	741	530	447
WHITE	23,798	24,548	589	442	343
ALL OTHER	2,642	2,689	152	88	104
NEGRO	1,898	1,923	119	73	59
ADAIR	109	170	8	4	2
WHITE	86	135	4	3	1
ALL OTHER	23	35	4	1	1
NEGRO	–	–	–	–	–
ALFALFA	72	101	2	1	–
ATOKA	99	127	4	4	2
WHITE	89	113	3	3	2
ALL OTHER	10	14	1	1	–
NEGRO	6	8	1	1	–
BEAVER	44	57	–	–	1
BECKHAM	280	272	3	2	3
BLAINE	171	209	5	2	1
WHITE	156	182	3	2	–
ALL OTHER	15	27	2	–	1
NEGRO	11	12	1	–	–
BRYAN	277	343	6	6	7
DURANT	—	156	2	2	2
BALANCE OF COUNTY	—	187	4	4	5
CADDO	232	361	13	8	7
WHITE	193	296	8	7	3
ALL OTHER	39	65	5	1	4
NEGRO	5	9	–	–	1
CANADIAN	223	315	13	12	5
EL RENO	—	167	4	4	–
WHITE	—	155	3	3	–
ALL OTHER	—	12	1	1	–
NEGRO	—	11	1	1	–
OKLAHOMA CITY, PART	—	–	–	–	–
BALANCE OF COUNTY	—	148	9	8	5
CARTER	547	516	14	11	11
WHITE	490	448	10	8	9
ALL OTHER	57	68	4	3	2
NEGRO	45	53	4	3	2
ARDMORE	—	347	10	7	7
WHITE	—	293	6	4	7
ALL OTHER	—	54	4	3	–
NEGRO	—	43	4	3	–
BALANCE OF COUNTY	—	169	4	4	4
WHITE	—	155	4	4	2
ALL OTHER	—	14	–	–	2
NEGRO	—	10	–	–	2
CHEROKEE	164	206	6	3	2
WHITE	127	181	5	3	–
ALL OTHER	37	25	1	–	2
NEGRO	1	1	–	–	–
CHOCTAW	184	260	5	4	7
WHITE	150	209	1	1	2
ALL OTHER	34	51	4	3	5
NEGRO	29	42	3	3	3
CIMARRON	37	51	2	–	2
CLEVELAND	536	523	14	11	26
MOORE	—	89	4	3	3
NORMAN	—	334	9	7	19
OKLAHOMA CITY, PART	—	15	–	–	–
BALANCE OF COUNTY	—	85	1	1	4
COAL	55	77	–	–	1
OKLAHOMA—CON.					
COMANCHE	664	608	43	28	24
WHITE	550	521	30	21	18
ALL OTHER	114	87	13	7	6
NEGRO	64	61	11	6	4
LAWTON	—	479	33	21	20
WHITE	—	411	23	16	14
ALL OTHER	—	68	10	5	6
NEGRO	—	58	9	5	4
BALANCE OF COUNTY	—	129	10	7	4
WHITE	—	110	7	5	4
ALL OTHER	—	19	3	2	–
NEGRO	—	3	2	1	–
COTTON	42	100	–	–	2
CRAIG	220	203	5	3	2
WHITE	212	195	5	3	2
ALL OTHER	8	8	–	–	–
NEGRO	6	5	–	–	–
CREEK	458	529	12	8	10
SAPULPA	—	205	7	3	1
WHITE	—	177	5	3	1
ALL OTHER	—	28	2	–	–
NEGRO	—	23	2	–	–
BALANCE OF COUNTY	—	324	5	5	9
CUSTER	297	246	9	6	6
DELAWARE	196	231	2	2	1
WHITE	170	200	2	2	–
ALL OTHER	26	31	–	–	1
NEGRO	–	–	–	–	–
DEWEY	43	80	–	–	1
ELLIS	92	74	–	–	–
GARFIELD	734	607	11	9	13
ENID	—	496	9	7	13
BALANCE OF COUNTY	—	111	2	2	–
GARVIN	303	349	16	15	1
GRADY	316	357	5	4	5
CHICKASHA	—	197	5	4	3
WHITE	—	173	5	4	2
ALL OTHER	—	24	–	–	1
NEGRO	—	23	–	–	–
BALANCE OF COUNTY	—	160	–	–	2
GRANT	46	96	–	–	1
GREER	113	131	3	3	1
HARMON	58	70	1	1	–
HARPER	57	58	1	1	–
HASKELL	101	140	1	1	–
HUGHES	195	201	2	2	3
WHITE	168	177	2	2	3
ALL OTHER	27	24	–	–	–
NEGRO	7	5	–	–	–
JACKSON	222	250	8	6	5
ALTUS	—	169	3	2	5
WHITE	—	153	3	2	5
ALL OTHER	—	16	–	–	–
NEGRO	—	13	–	–	–
BALANCE OF COUNTY	—	81	5	4	–
JEFFERSON	94	129	5	4	–
JOHNSTON	103	125	1	–	1
WHITE	92	110	–	–	1
ALL OTHER	11	15	1	–	–
NEGRO	4	6	1	–	–
KAY	561	576	13	12	8
PONCA CITY	—	312	10	9	3
BALANCE OF COUNTY	—	264	3	3	5
KINGFISHER	124	158	6	5	4
KIOWA	159	171	4	3	6
LATIMER	92	88	1	1	2
LE FLORE	271	416	10	7	3
LINCOLN	244	312	8	8	3
LOGAN	223	272	3	–	4
WHITE	197	241	3	–	2
ALL OTHER	26	31	–	–	2
NEGRO	26	31	–	–	2
LOVE	57	74	3	2	–
MC CLAIN	142	176	4	2	3
OKLAHOMA CITY, PART	—	1	–	–	–
BALANCE OF COUNTY	—	175	4	2	3
MC CURTAIN	279	399	9	6	6
WHITE	208	312	6	5	5
ALL OTHER	71	87	3	1	1
NEGRO	56	65	2	1	1
MC INTOSH	90	186	3	3	1
WHITE	80	155	2	2	1
ALL OTHER	10	31	1	1	–
NEGRO	7	19	1	1	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
OKLAHOMA--CON.					
MAJOR	84	95	3	2	1
MARSHALL	99	139	-	-	-
MAYES	235	289	8	8	6
WHITE	221	264	7	7	3
ALL OTHER	14	25	1	1	3
NEGRO	-	-	-	-	-
MURRAY	193	195	3	2	1
MUSKOGEE	998	802	14	9	12
WHITE	802	623	8	5	8
ALL OTHER	196	179	6	4	4
NEGRO	181	169	6	4	1
MUSKOGEE	---	566	7	4	7
WHITE	---	428	2	1	4
ALL OTHER	---	138	5	3	3
NEGRO	---	130	5	3	1
BALANCE OF COUNTY	---	236	7	5	5
WHITE	---	195	6	4	4
ALL OTHER	---	41	1	1	1
NEGRO	---	39	1	1	-
NOBLE	84	129	-	-	1
NOWATA	115	148	3	2	1
WHITE	109	141	3	2	1
ALL OTHER	6	7	-	-	-
NEGRO	6	7	-	-	-
OKFUSKEE	100	157	4	3	1
WHITE	81	122	3	2	-
ALL OTHER	19	35	1	1	1
NEGRO	18	24	1	1	1
OKLAHOMA	5,597	4,626	198	134	94
WHITE	4,954	4,088	148	105	62
ALL OTHER	643	538	50	29	32
NEGRO	563	496	43	25	22
BETHANY	---	111	4	2	5
DEL CITY	---	140	6	4	7
EDMOND	---	136	5	5	4
MIDWEST CITY	---	271	12	6	5
OKLAHOMA CITY, PART	---	3,688	157	108	68
WHITE	---	3,239	116	85	43
ALL OTHER	---	449	41	23	25
NEGRO	---	414	35	20	16
OKLAHOMA CITY, TOTAL	---	3,704	157	108	68
WHITE	---	3,252	116	85	43
ALL OTHER	---	452	41	23	25
NEGRO	---	417	35	20	16
THE VILLAGE	---	4	-	-	-
BALANCE OF COUNTY	---	276	14	9	5
OKMULGEE	384	486	9	7	5
WHITE	299	376	7	6	2
ALL OTHER	85	110	2	1	3
NEGRO	59	80	1	-	3
OKMULGEE	---	216	6	5	4
WHITE	---	154	6	5	2
ALL OTHER	---	62	-	-	2
NEGRO	---	54	-	-	2
BALANCE OF COUNTY	---	270	3	2	1
WHITE	---	222	1	1	-
ALL OTHER	---	48	2	1	1
NEGRO	---	26	1	-	1
OSAGE	222	345	7	6	2
WHITE	193	306	7	6	2
ALL OTHER	29	39	-	-	-
NEGRO	9	11	-	-	-
BARTLESVILLE, PART	---	-	-	-	-
WHITE	---	-	-	-	-
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
TULSA, PART	---	5	-	-	-
WHITE	---	5	-	-	-
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	340	7	6	2
WHITE	---	301	7	6	2
ALL OTHER	---	39	-	-	-
NEGRO	---	11	-	-	-
OTTAWA	300	382	8	4	4
MIAMI	---	165	1	1	2
BALANCE OF COUNTY	---	217	7	3	2
PAWNEE	155	179	5	4	2
PAYNE	398	419	11	8	14
STILLWATER	---	192	8	6	2
BALANCE OF COUNTY	---	227	3	2	12
OKLAHOMA--CON.					
PITTSBURG	467	439	13	10	7
WHITE	425	404	13	10	5
ALL OTHER	42	35	-	-	2
NEGRO	33	26	-	-	-
MC ALESTER	---	233	3	2	4
WHITE	---	209	3	2	3
ALL OTHER	---	24	-	-	1
NEGRO	---	20	-	-	-
BALANCE OF COUNTY	---	206	10	8	3
PONTOTOC	386	342	4	3	2
ADA	---	209	2	2	2
BALANCE OF COUNTY	---	133	2	1	-
POTTAWATOMIE	548	565	12	5	8
OKLAHOMA CITY, PART	---	-	-	-	-
SHAWNEE	---	365	8	3	6
BALANCE OF COUNTY	---	200	4	2	2
PUSHMATAHA	103	128	-	-	1
ROGER MILLS	27	44	1	1	1
ROGERS	242	257	10	8	3
SEMINOLE	296	388	4	1	2
WHITE	230	300	4	1	1
ALL OTHER	66	88	-	-	1
NEGRO	39	44	-	-	-
SEQUOYAH	159	262	6	4	2
WHITE	146	238	3	1	2
ALL OTHER	13	24	3	3	-
NEGRO	5	13	1	1	-
STEPHENS	400	440	5	4	3
DUNCAN	---	214	2	2	1
BALANCE OF COUNTY	---	226	3	2	2
TEXAS	101	143	11	10	-
TILLMAN	108	163	4	3	5
WHITE	92	142	2	2	4
ALL OTHER	16	21	2	1	1
NEGRO	15	20	2	1	1
TULSA	4,003	3,522	98	71	57
WHITE	3,555	3,126	74	59	42
ALL OTHER	448	396	24	12	15
NEGRO	395	365	23	12	9
BROKEN ARROW	---	94	2	1	2
SAND SPRINGS	---	112	1	1	2
TULSA, PART	---	2,993	90	65	50
WHITE	---	2,614	66	53	36
ALL OTHER	---	379	24	12	14
NEGRO	---	352	23	12	9
TULSA, TOTAL	---	2,998	90	65	50
WHITE	---	2,619	66	53	36
ALL OTHER	---	379	24	12	14
NEGRO	---	352	23	12	9
BALANCE OF COUNTY	---	323	5	4	3
WAGONER	166	239	-	-	2
WHITE	144	200	-	-	2
ALL OTHER	22	39	-	-	-
NEGRO	18	32	-	-	-
WASHINGTON	416	417	5	5	8
BARTLESVILLE, PART	---	290	3	3	7
BARTLESVILLE, TOTAL	---	290	3	3	7
BALANCE OF COUNTY	---	127	2	2	1
WASHITA	56	152	1	1	6
WOODS	108	145	3	1	1
WOODWARD	224	200	7	4	2
OREGON	20,363	20,335	488	330	278
WHITE	19,924	19,903	455	311	257
ALL OTHER	439	432	33	19	21
NEGRO	269	265	20	12	12
BAKER	178	198	2	1	2
BENTON	326	307	10	7	5
ALBANY, PART	---	2	-	-	-
CORVALLIS	---	193	6	4	2
BALANCE OF COUNTY	---	112	4	3	3
CLACKAMAS	1,243	1,457	37	28	22
LAKE OSWEGO, PART	---	124	1	1	1
LAKE OSWEGO, TOTAL	---	124	1	1	1
MILWAUKEE, PART	---	200	4	4	3
MILWAUKEE, TOTAL	---	203	4	4	3
PORTLAND, PART	---	4	-	-	-
BALANCE OF COUNTY	---	1,129	32	23	18
CLATSOP	339	371	4	3	4
ASTORIA	---	138	2	2	1
BALANCE OF COUNTY	---	233	2	1	3
COLUMBIA	189	259	7	4	2
COOS	471	494	16	10	5
COOS BAY	---	136	8	6	2
BALANCE OF COUNTY	---	358	8	4	3
CROOK	122	133	5	5	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OREGON--CON.					
CURRY	98	129	3	3	1
DESCHUTES	384	353	13	10	1
BEND	---	145	4	4	1
BALANCE OF COUNTY	---	208	9	6	-
DOUGLAS	648	662	20	12	11
ROSEBURG	---	185	4	4	-
BALANCE OF COUNTY	---	477	16	8	11
GILLIAM	13	22	-	-	-
GRANT	44	51	-	-	1
HARNEY	60	66	2	2	1
HOOD RIVER	140	161	4	2	4
JACKSON	1,021	1,041	23	15	13
ASHLAND	---	133	1	1	1
MEDFORD	---	380	8	7	3
BALANCE OF COUNTY	---	528	14	7	9
JEFFERSON	58	85	4	1	2
WHITE	46	66	2	1	1
ALL OTHER	12	19	2	-	1
NEGRO	-	-	-	-	-
JOSEPHINE	501	539	14	8	6
GRANTS PASS	---	224	3	2	2
BALANCE OF COUNTY	---	315	11	6	4
KLAMATH	441	429	15	12	5
KLAMATH FALLS	---	182	6	5	3
BALANCE OF COUNTY	---	247	9	7	2
LAKE	54	70	2	1	-
LANE	1,691	1,629	57	35	35
EUGENE	---	714	26	20	18
SPRINGFIELD	---	292	10	6	5
BALANCE OF COUNTY	---	623	21	9	12
LINCOLN	241	302	5	4	3
LINN	519	607	15	13	5
ALBANY, PART	---	184	5	5	2
ALBANY, TOTAL	---	186	5	5	2
BALANCE OF COUNTY	---	423	10	8	3
MALHEUR	252	210	8	4	4
MARION	1,535	1,519	32	24	16
SALEM, PART	---	845	11	8	9
SALEM, TOTAL	---	944	14	11	11
BALANCE OF COUNTY	---	674	21	16	7
MORROW	33	50	1	-	1
MULTNOMAH	6,780	6,043	131	86	77
WHITE	6,488	5,750	115	77	64
ALL OTHER	292	293	16	9	13
NEGRO	228	241	16	9	10
LAKE OSWEGO, PART	---	-	-	-	-
MILWAUKEE, PART	---	3	-	-	-
PORTLAND, PART	---	4,717	93	59	63
WHITE	---	4,435	77	50	51
ALL OTHER	---	282	16	9	12
NEGRO	---	239	16	9	10
PORTLAND, TOTAL	---	4,726	93	59	64
WHITE	---	4,444	77	50	52
ALL OTHER	---	282	16	9	12
NEGRO	---	239	16	9	10
BALANCE OF COUNTY	---	1,323	38	27	14
POLK	258	348	10	9	5
SALEM, PART	---	99	3	3	2
BALANCE OF COUNTY	---	249	7	6	3
SHERMAN	6	15	-	-	1
TILLAMOOK	188	213	4	4	1
UMATILLA	468	494	9	6	11
PENDLETON	---	142	2	1	2
BALANCE OF COUNTY	---	352	7	5	9
UNION	197	201	1	-	5
WALLOWA	57	63	-	-	3
WASCO	245	222	5	2	1
CITY OF THE DALLES	---	149	4	2	-
BALANCE OF COUNTY	---	73	1	-	1
WASHINGTON	1,149	1,153	22	13	16
BEAVERTON	---	157	2	1	3
HILLSBORO	---	165	4	3	1
LAKE OSWEGO, PART	---	-	-	-	-
PORTLAND, PART	---	5	-	-	1
BALANCE OF COUNTY	---	826	16	9	11
WHEELER	3	19	-	-	2
YAMHILL	411	420	7	6	5
MC MINNVILLE	---	119	2	1	1
BALANCE OF COUNTY	---	301	5	5	4
PENNSYLVANIA	122,793	122,984	2,590	2,017	1,915
WHITE	111,462	111,695	2,015	1,596	1,531
ALL OTHER	11,331	11,289	575	421	384
NEGRO	11,252	11,216	565	415	377
ADAMS	439	588	19	12	8
ALLEGHENY	18,145	16,836	278	218	218
WHITE	16,320	15,065	199	160	161
ALL OTHER	1,825	1,771	79	58	57
NEGRO	1,813	1,761	79	58	57
BALDWIN	---	172	3	3	2
BELLEVUE	---	161	2	2	-
BETHEL PARK	---	179	4	4	3
BRENTWOOD	---	126	2	1	3
CARNEGIE	---	157	3	3	1
CASTLE SHANNON	---	86	2	2	1
CLAIRTON	---	184	-	-	2
WHITE	---	141	-	-	1
ALL OTHER	---	43	-	-	1
NEGRO	---	43	-	-	1
DORMONT	---	136	3	3	3
DUQUESNE	---	167	2	2	-
WHITE	---	139	-	-	-
ALL OTHER	---	28	2	2	-
NEGRO	---	28	2	2	-
HARRISON TWP#	---	146	7	6	1
MC KEES ROCKS	---	142	2	1	5
MC KEESPORT	---	593	9	7	8
WHITE	---	542	7	6	5
ALL OTHER	---	51	2	1	3
NEGRO	---	51	2	1	3
MONROEVILLE	---	188	6	5	9
MOUNT LEBANON TWP#	---	361	5	4	1
MUNHALL	---	185	3	2	1
NORTH BRADDOCK	---	157	2	2	1
WHITE	---	141	-	-	-
ALL OTHER	---	16	2	2	1
NEGRO	---	16	2	2	1
NORTH VERSAILLE TWP#	---	98	2	2	-
PENN HILLS TWP#	---	457	8	8	3
PITTSBURGH	---	6,612	100	76	100
WHITE	---	5,278	47	39	55
ALL OTHER	---	1,334	53	37	45
NEGRO	---	1,329	53	37	45
PLEASANT HILLS	---	73	3	3	1
PLUM	---	106	3	3	2
ROSS TWP#	---	264	3	1	1
SCOTT TWP#	---	208	6	4	1
SHALER TWP#	---	243	4	3	2
STOWE TWP#	---	109	-	-	1
SWISSVALE	---	172	1	1	-
UPPER ST. CLAIR TWP#	---	71	1	1	2
WEST MIFFLIN	---	210	3	2	4
WHITEHALL	---	128	1	-	-
WILKINSBURG	---	377	8	8	3
WHITE	---	344	3	3	1
ALL OTHER	---	33	5	5	2
NEGRO	---	32	5	5	2
BALANCE OF COUNTY	---	4,568	80	59	57
WHITE	---	4,377	69	52	55
ALL OTHER	---	191	11	7	2
NEGRO	---	188	11	7	2
ARMSTRONG	580	861	13	10	15
BEAVER	1,569	1,942	42	34	35
WHITE	1,453	1,809	36	30	32
ALL OTHER	116	133	6	4	3
NEGRO	115	132	6	4	3
ALIQUIPPA	---	271	4	3	3
WHITE	---	201	2	2	3
ALL OTHER	---	70	2	1	-
NEGRO	---	70	2	1	-
AMBRIDGE	---	175	2	2	1
BEAVER FALLS	---	191	5	5	4
WHITE	---	168	4	4	3
ALL OTHER	---	23	1	1	1
NEGRO	---	23	1	1	1
ELLWOOD CITY, PART	---	11	-	-	-
BALANCE OF COUNTY	---	1,294	31	24	27
BEDFORD	288	427	7	4	12
BERKS	2,972	3,121	48	37	49
READING	---	1,252	15	13	27
BALANCE OF COUNTY	---	1,869	33	24	22
BLAIR	1,932	1,647	37	29	24
ALTOONA	---	883	17	13	15
BALANCE OF COUNTY	---	764	20	16	9
BRADFORD	748	607	14	9	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PENNSYLVANIA--CON.					
BUCKS	2,907	3,131	84	74	69
BENSALEM TWP#	---	224	12	12	8
BRISTOL	---	168	5	4	5
BRISTOL TWP#	---	307	12	8	1
FALLS TWP#	---	142	2	2	1
LOWER SOUTHAMPTON TWP#	---	80	1	1	-
MIDDLETOWN TWP#	---	121	3	3	-
MORRISVILLE	---	103	1	1	-
UPPER SOUTHAMPTON TWP#	---	33	1	1	-
WARMINSTER TWP#	---	162	5	4	3
BALANCE OF COUNTY	---	1,791	42	38	51
BUTLER	1,105	1,212	29	19	26
BUTLER	---	243	2	1	4
BALANCE OF COUNTY	---	969	27	18	22
CAMBRIA	2,011	2,054	44	36	37
JOHNSTOWN	---	704	17	13	24
BALANCE OF COUNTY	---	1,350	27	23	13
CAMERON	36	64	2	2	1
CARBON	496	654	12	8	7
CENTRE	752	610	21	18	15
STATE COLLEGE	---	91	3	3	3
BALANCE OF COUNTY	---	519	18	15	12
CHESTER	2,119	2,178	66	53	47
WHITE	1,920	1,981	53	41	38
ALL OTHER	199	197	13	12	9
NEGRO	198	196	13	12	9
COATESVILLE	---	162	6	6	4
WHITE	---	129	-	-	1
ALL OTHER	---	33	6	6	3
NEGRO	---	33	6	6	3
PHOENIXVILLE	---	172	6	4	1
WEST CHESTER	---	219	8	7	10
WHITE	---	182	7	7	6
ALL OTHER	---	37	1	-	4
NEGRO	---	37	1	-	4
BALANCE OF COUNTY	---	1,625	46	36	32
WHITE	---	1,504	40	30	30
ALL OTHER	---	121	6	6	2
NEGRO	---	120	6	6	2
CLARION	221	355	3	1	4
CLEARFIELD	736	915	13	11	21
DU BOIS	---	130	1	1	5
BALANCE OF COUNTY	---	785	12	10	16
CLINTON	336	378	13	12	6
LOCK HAVEN	---	138	4	4	1
BALANCE OF COUNTY	---	240	9	8	5
COLUMBIA	690	653	14	8	12
BERWICK	---	166	4	2	3
BLOOMSBURG	---	103	1	-	4
BALANCE OF COUNTY	---	384	9	6	5
CRAWFORD	843	899	25	20	9
MEADVILLE	---	214	7	5	1
BALANCE OF COUNTY	---	685	18	15	8
CUMBERLAND	1,317	1,333	19	14	17
CARLISLE	---	206	3	1	3
BALANCE OF COUNTY	---	1,127	16	13	14
DAUPHIN	2,958	2,406	57	45	37
WHITE	2,689	2,130	40	34	28
ALL OTHER	269	276	17	11	9
NEGRO	267	274	17	11	9
HARRISBURG	---	973	23	16	23
WHITE	---	743	10	8	14
ALL OTHER	---	230	13	8	9
NEGRO	---	229	13	8	9
LOWER PAXTON TWP#	---	169	4	2	1
BALANCE OF COUNTY	---	1,264	30	27	13
DELAWARE	5,401	5,678	98	77	59
WHITE	4,936	5,201	77	63	46
ALL OTHER	465	477	21	14	13
NEGRO	462	475	21	14	12
ASTON TWP#	---	83	2	-	-
CHESTER	---	609	17	11	11
WHITE	---	336	6	5	3
ALL OTHER	---	273	11	6	8
NEGRO	---	273	11	6	8
COLLINGDALE	---	90	5	3	2
DARBY	---	173	6	5	4
WHITE	---	152	6	5	4
ALL OTHER	---	21	-	-	-
NEGRO	---	21	-	-	-
DARBY TWP#	---	41	2	1	1
WHITE	---	23	1	1	-
ALL OTHER	---	18	1	-	1
NEGRO	---	18	1	-	1
PENNSYLVANIA--CON.					
DELAWARE--CON.					
HAVERFORD TWP#	---	501	3	1	3
LANSDOWNE	---	153	-	-	-
MARPLE TWP#	---	178	2	2	-
NETHER PROVIDENCE TWP#	---	77	-	-	-
RADNOR TWP#	---	179	-	-	-
RIDLEY TWP#	---	186	3	2	-
SPRINGFIELD TWP#	---	204	-	-	-
UPPER CHICHESTER TWP#	---	50	1	-	-
UPPER DARBY TWP#	---	935	14	13	3
YEADON	---	159	-	-	4
WHITE	---	145	-	-	4
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
BALANCE OF COUNTY	---	2,060	43	39	31
ELK	368	378	6	4	3
ERIE	2,753	2,503	74	48	56
ERIE	---	1,374	34	23	32
MILLCREEK TWP#	---	242	7	4	3
BALANCE OF COUNTY	---	887	33	21	21
FAYETTE	1,747	1,922	44	27	38
CONNELLSVILLE	---	175	3	3	5
UNIONTOWN	---	289	3	1	6
BALANCE OF COUNTY	---	1,458	38	23	27
FOREST	20	52	2	2	-
FRANKLIN	857	957	14	9	23
CHAMBERSBURG	---	203	1	-	5
WAYNESBORO	---	119	1	1	2
BALANCE OF COUNTY	---	635	12	8	16
FULTON	104	104	4	4	4
GREENE	361	475	8	7	7
HUNTINGDON	331	400	7	7	7
INDIANA	621	773	7	4	18
INDIANA	---	110	-	-	2
BALANCE OF COUNTY	---	663	7	4	16
JEFFERSON	476	565	12	10	9
JUNIATA	113	207	2	2	4
LACKAWANNA	3,080	3,034	62	49	29
CARBONDALE	---	191	3	2	4
DUNMORE	---	220	10	3	1
SCRANTON	---	1,452	26	25	10
BALANCE OF COUNTY	---	1,171	23	19	14
LANCASTER	3,020	2,952	66	48	43
COLUMBIA	---	144	4	3	2
LANCASTER	---	636	22	18	10
LANCASTER TWP#	---	120	1	1	-
BALANCE OF COUNTY	---	2,052	39	26	31
LAWRENCE	1,154	1,121	28	24	22
ELLWOOD CITY, PART	---	107	-	-	1
ELLWOOD CITY, TOTAL	---	118	-	-	1
NEW CASTLE	---	517	17	15	10
BALANCE OF COUNTY	---	497	11	9	11
LEBANON	916	871	18	13	16
LEBANON	---	277	5	4	6
BALANCE OF COUNTY	---	594	13	9	10
LEHIGH	3,408	2,595	37	33	43
ALLENTOWN	---	1,361	24	21	20
BETHLEHEM, PART	---	184	1	1	1
EMMAUS	---	89	-	-	2
BALANCE OF COUNTY	---	961	12	11	20
LUZERNE	4,362	4,438	84	71	45
HAZLETON	---	413	5	4	4
KINGSTON	---	203	3	3	-
NANTICOKE	---	205	2	2	3
PITTSTON	---	161	1	1	1
WILKES-BARRE	---	861	20	15	5
BALANCE OF COUNTY	---	2,595	53	46	32
LYCOMING	1,231	1,206	35	26	22
WILLIAMSPORT	---	442	9	6	3
BALANCE OF COUNTY	---	764	26	20	19
MC KEAN	533	607	19	14	17
BRADFORD	---	167	2	1	4
BALANCE OF COUNTY	---	440	17	13	13
MERCER	1,352	1,276	18	13	22
FARRELL	---	137	2	1	2
WHITE	---	108	-	-	1
ALL OTHER	---	29	2	1	1
NEGRO	---	29	2	1	1
SHARON	---	264	4	4	2
BALANCE OF COUNTY	---	875	12	8	18
MIFFLIN	494	460	4	3	7
LEWISTOWN	---	155	1	1	2
BALANCE OF COUNTY	---	305	3	2	5
MONROE	596	536	14	11	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
PENNSYLVANIA—CON.					
MONTGOMERY	6,561	5,708	119	94	73
WHITE	6,165	5,455	105	84	64
ALL OTHER	396	253	14	10	9
NEGRO	392	250	12	8	8
ABINGTON TWP#	—	480	11	9	3
CHELTENHAM TWP#	—	364	5	4	2
CONSHOHOCKEN	—	130	2	2	1
EAST NORRITON TWP#	—	79	2	1	–
LANSDALE	—	189	5	5	4
LOWER MERION TWP#	—	620	6	4	1
LOWER MORELAND TWP#	—	45	–	–	–
NORRISTOWN	—	472	20	16	10
WHITE	—	415	17	14	8
ALL OTHER	—	57	3	2	2
NEGRO	—	56	2	1	2
PLYMOUTH TWP#	—	64	–	–	–
POTTSTOWN	—	302	7	6	6
SPRINGFIELD TWP#	—	209	1	–	–
UPPER MORELAND TWP#	—	147	2	1	2
WEST NORRITON TWP#	—	84	2	2	–
BALANCE OF COUNTY	—	2,523	56	44	44
MONTOUR	713	182	6	5	3
NORTHAMPTON	1,445	2,259	40	27	31
BETHLEHEM, PART	—	602	13	10	8
BETHLEHEM, TOTAL	—	786	14	11	9
EASTON	—	357	9	7	9
BALANCE OF COUNTY	—	1,300	18	10	14
NORTHUMBERLAND	872	1,244	20	16	17
SHAMOKIN	—	198	1	–	4
SUNBURY	—	178	7	6	1
BALANCE OF COUNTY	—	868	12	10	12
PERRY	141	304	4	2	8
PHILADELPHIA, COEX. WITH PHILADELPHIA CITY	22,661	22,463	583	457	382
WHITE	15,765	15,442	237	204	157
ALL OTHER	6,896	7,021	346	253	225
NEGRO	6,860	6,985	339	249	221
PIKE	90	173	–	–	2
POTTER	162	157	5	3	4
SCHUYLKILL	2,026	2,132	33	26	26
POTTSVILLE	—	234	5	5	4
BALANCE OF COUNTY	—	1,898	28	21	22
SNYDER	173	262	3	3	6
SOMERSET	863	884	13	9	17
SULLIVAN	44	67	1	1	2
SUSQUEHANNA	303	376	11	10	12
TIOGA	310	384	10	6	5
UNION	389	285	9	8	2
VENANGO	702	719	24	19	14
OIL CITY	—	220	6	5	6
BALANCE OF COUNTY	—	499	18	14	8
WARREN	540	516	16	14	10
WARREN	—	175	9	8	2
BALANCE OF COUNTY	—	341	7	6	8
WASHINGTON	2,091	2,248	52	38	37
CANONSBURG	—	128	2	2	4
WASHINGTON	—	289	4	4	6
WHITE	—	257	3	3	4
ALL OTHER	—	32	1	1	2
NEGRO	—	32	1	1	2
BALANCE OF COUNTY	—	1,831	46	32	27
WAYNE	324	353	9	8	5
WESTMORELAND	3,208	3,515	58	51	47
GREENSBURG	—	260	4	4	3
HEMPFIELD TWP#	—	256	6	5	1
JEANNETTE	—	172	2	1	–
LATROBE	—	126	3	2	2
LOWER BURRELL	—	76	2	2	2
MONESSEN	—	158	1	1	–
NEW KENSINGTON	—	226	6	5	2
NORTH HUNTINGTON TWP#	—	160	6	6	–
BALANCE OF COUNTY	—	2,081	28	25	37
WYOMING	170	238	5	2	4
YORK	2,507	2,534	46	38	30
HANOVER	—	195	3	2	2
SPRING GARDEN TWP#	—	94	–	–	–
YORK	—	631	11	10	10
WHITE	—	573	4	3	10
ALL OTHER	—	58	7	7	–
NEGRO	—	57	7	7	–
BALANCE OF COUNTY	—	1,614	32	26	18
RHODE ISLAND	9,155	9,107	177	138	99
WHITE	8,919	8,871	157	124	93
ALL OTHER	236	236	20	14	6
NEGRO	213	214	20	14	6
BRISTOL	166	334	9	8	3
BARRINGTON TOWN#	—	116	6	5	–
BRISTOL TOWN#	—	125	1	1	3
WARREN TOWN#	—	93	2	2	–
BALANCE OF COUNTY	—	–	–	–	–
KENT	1,015	1,272	31	21	24
WARWICK	—	789	19	14	13
WEST WARWICK TOWN#	—	216	5	1	8
BALANCE OF COUNTY	—	267	7	6	3
NEWPORT	504	632	8	5	8
MIDDLETOWN TOWN#	—	88	3	2	3
NEWPORT	—	296	5	3	3
BALANCE OF COUNTY	—	248	–	–	2
PROVIDENCE	6,812	6,201	115	94	50
WHITE	6,615	6,011	98	82	45
ALL OTHER	197	190	17	12	5
NEGRO	183	177	17	12	5
CENTRAL FALLS	—	233	10	9	–
CRANSTON	—	716	11	8	6
CUMBERLAND TOWN#	—	204	1	1	2
EAST PROVIDENCE	—	473	8	7	5
NORTH PROVIDENCE TOWN#	—	212	4	4	–
PAWTUCKET	—	927	16	12	5
PROVIDENCE	—	2,140	49	41	19
WHITE	—	1,979	33	30	17
ALL OTHER	—	161	16	11	2
NEGRO	—	151	16	11	2
WOONSOCKET	—	527	10	7	7
BALANCE OF COUNTY	—	769	6	5	6
WASHINGTON	658	668	14	10	14
NORTH KINGSTOWN TOWN#	—	132	3	2	3
BALANCE OF COUNTY	—	536	11	8	11
SOUTH CAROLINA	23,776	24,211	1,025	723	725
WHITE	15,598	15,959	490	375	323
ALL OTHER	8,178	8,252	535	348	402
NEGRO	8,159	8,239	535	348	397
ABBEVILLE	168	221	9	8	6
WHITE	108	155	4	3	1
ALL OTHER	60	66	5	5	5
NEGRO	60	66	5	5	5
AIKEN	534	807	30	23	20
WHITE	359	570	18	15	9
ALL OTHER	175	237	12	8	11
NEGRO	175	237	12	8	11
AIKEN	—	162	6	5	3
WHITE	—	97	2	2	1
ALL OTHER	—	65	4	3	2
NEGRO	—	65	4	3	2
NORTH AUGUSTA	—	105	2	1	3
BALANCE OF COUNTY	—	540	22	17	14
WHITE	—	384	15	13	5
ALL OTHER	—	156	7	4	9
NEGRO	—	156	7	4	9
ALLENDALE	97	93	1	–	1
WHITE	39	40	–	–	–
ALL OTHER	58	53	1	–	1
NEGRO	57	52	1	–	1
ANDERSON	1,057	1,083	44	30	26
WHITE	854	874	27	19	15
ALL OTHER	203	209	17	11	11
NEGRO	203	209	17	11	11
ANDERSON	—	353	16	10	5
WHITE	—	263	9	6	2
ALL OTHER	—	90	7	4	3
NEGRO	—	90	7	4	3
BALANCE OF COUNTY	—	730	28	20	21
WHITE	—	611	18	13	13
ALL OTHER	—	119	10	7	8
NEGRO	—	119	10	7	8
BAMBERG	123	165	5	4	8
WHITE	53	87	1	1	4
ALL OTHER	70	78	4	3	4
NEGRO	70	78	4	3	4
BARNWELL	151	191	12	8	4
WHITE	80	108	4	2	3
ALL OTHER	71	83	8	6	1
NEGRO	71	83	8	6	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
S. CAROLINA—CON.					
BEAUFORT	276	302	15	10	14
WHITE	140	168	10	8	6
ALL OTHER	136	134	5	2	8
NEGRO	136	134	5	2	7
BERKELEY	236	406	21	15	15
WHITE	135	253	9	6	6
ALL OTHER	101	153	12	9	9
NEGRO	101	151	12	9	9
CALHOUN	44	102	2	2	3
WHITE	18	54	1	1	-
ALL OTHER	26	48	1	1	3
NEGRO	26	48	1	1	3
CHARLESTON	2,531	1,961	99	65	51
WHITE	1,504	1,133	48	32	29
ALL OTHER	1,027	828	51	33	22
NEGRO	1,023	826	51	33	21
CHARLESTON	—	918	25	16	18
WHITE	—	513	9	4	9
ALL OTHER	—	405	16	12	9
NEGRO	—	405	16	12	9
BALANCE OF COUNTY	—	1,043	74	49	33
WHITE	—	620	39	28	20
ALL OTHER	—	423	35	21	13
NEGRO	—	421	35	21	12
CHEROKEE	305	376	12	4	9
WHITE	241	297	6	4	6
ALL OTHER	64	79	6	-	3
NEGRO	64	79	6	-	3
GAFFNEY	—	146	2	-	2
WHITE	—	103	1	-	2
ALL OTHER	—	43	1	-	-
NEGRO	—	43	1	-	-
BALANCE OF COUNTY	—	230	10	4	7
WHITE	—	194	5	4	4
ALL OTHER	—	36	5	-	3
NEGRO	—	36	5	-	3
CHESTER	265	347	19	14	11
WHITE	157	214	8	8	5
ALL OTHER	108	133	11	6	6
NEGRO	108	133	11	6	6
CHESTERFIELD	246	350	20	14	13
WHITE	158	246	8	6	6
ALL OTHER	88	104	12	8	7
NEGRO	88	104	12	8	7
CLARENDON	232	272	11	8	14
WHITE	89	109	3	3	2
ALL OTHER	143	163	8	5	12
NEGRO	143	163	8	5	12
COLLETON	278	318	6	4	7
WHITE	172	186	2	1	1
ALL OTHER	106	132	4	3	6
NEGRO	108	132	4	3	6
DARLINGTON	514	558	38	27	9
WHITE	304	331	13	13	3
ALL OTHER	210	227	25	14	6
NEGRO	210	226	25	14	6
DILLON	204	306	19	10	14
WHITE	110	173	4	3	2
ALL OTHER	94	133	15	7	12
NEGRO	92	132	15	7	12
DORCHESTER	237	305	15	10	14
WHITE	149	182	7	5	7
ALL OTHER	88	123	8	5	7
NEGRO	88	123	8	5	7
EDGEFIELD	122	176	9	5	6
WHITE	57	92	1	-	2
ALL OTHER	65	84	8	5	4
NEGRO	65	84	8	5	4
FAIRFIELD	126	213	7	4	5
WHITE	47	89	1	1	2
ALL OTHER	79	124	6	3	3
NEGRO	79	124	6	3	3
FLORENCE	1,084	936	48	42	49
WHITE	656	571	21	18	13
ALL OTHER	428	365	27	24	36
NEGRO	428	365	27	24	36
FLORENCE	—	342	14	12	18
WHITE	—	190	5	4	5
ALL OTHER	—	152	9	8	13
NEGRO	—	152	9	8	13
BALANCE OF COUNTY	—	594	34	30	31
WHITE	—	381	16	14	8
ALL OTHER	—	213	18	16	23
NEGRO	—	213	18	16	23
GEORGETOWN	372	374	18	12	14
WHITE	210	193	8	7	5
ALL OTHER	162	181	10	5	9
NEGRO	162	181	10	5	9
GEORGETOWN	—	130	3	3	3
WHITE	—	60	2	2	3
ALL OTHER	—	70	1	1	-
NEGRO	—	70	1	1	-
BALANCE OF COUNTY	—	244	15	9	11
WHITE	—	133	6	5	2
ALL OTHER	—	111	9	4	9
NEGRO	—	111	9	4	9
GREENVILLE	2,346	2,184	63	41	60
WHITE	1,875	1,740	44	30	39
ALL OTHER	471	444	19	11	21
NEGRO	470	442	19	11	21
GREENVILLE	—	735	15	7	25
WHITE	—	454	4	2	10
ALL OTHER	—	281	11	5	15
NEGRO	—	279	11	5	15
GREER, PART	—	98	1	1	-
WHITE	—	86	1	1	-
ALL OTHER	—	12	-	-	-
NEGRO	—	12	-	-	-
GREER, TOTAL	—	126	1	1	1
WHITE	—	103	1	1	-
ALL OTHER	—	23	-	-	1
NEGRO	—	23	-	-	1
BALANCE OF COUNTY	—	1,351	47	33	35
WHITE	—	1,200	39	27	29
ALL OTHER	—	151	8	6	6
NEGRO	—	151	8	6	6
GREENWOOD	655	558	15	9	12
WHITE	462	390	8	5	3
ALL OTHER	193	168	7	4	9
NEGRO	193	168	7	4	9
GREENWOOD	—	276	10	6	8
WHITE	—	177	5	4	2
ALL OTHER	—	99	5	2	6
NEGRO	—	99	5	2	6
BALANCE OF COUNTY	—	282	5	3	4
WHITE	—	213	3	1	1
ALL OTHER	—	69	2	2	3
NEGRO	—	69	2	2	3
HAMPTON	158	199	11	7	6
WHITE	86	115	6	6	1
ALL OTHER	72	84	5	1	5
NEGRO	72	84	5	1	5
HORRY	715	701	30	20	26
WHITE	534	537	17	11	13
ALL OTHER	181	164	13	9	13
NEGRO	180	164	13	9	12
JASPER	81	124	6	3	7
WHITE	43	49	3	2	2
ALL OTHER	38	75	3	1	5
NEGRO	38	75	3	1	5
KERSHAW	283	374	19	11	2
WHITE	164	229	9	7	1
ALL OTHER	119	145	10	4	1
NEGRO	119	145	10	4	1
LANCASTER	318	352	17	14	14
WHITE	230	253	8	7	6
ALL OTHER	88	99	9	7	8
NEGRO	88	99	9	7	8
LAURENS	391	501	22	16	16
WHITE	271	349	11	6	7
ALL OTHER	120	152	11	10	9
NEGRO	120	152	11	10	9
LAURENS	—	124	5	5	-
WHITE	—	71	-	-	-
ALL OTHER	—	53	5	5	-
NEGRO	—	53	5	5	-
BALANCE OF COUNTY	—	377	17	11	16
WHITE	—	278	11	6	7
ALL OTHER	—	99	6	5	9
NEGRO	—	99	6	5	9
LEE	126	190	16	12	2
WHITE	51	81	2	1	-
ALL OTHER	75	109	14	11	2
NEGRO	75	109	14	11	2
LEXINGTON	550	731	23	17	22
WHITE	440	607	18	14	15
ALL OTHER	110	124	5	3	7
NEGRO	110	124	5	3	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
S. CAROLINA—CON.					
MC CORMICK	32	71	5	4	5
WHITE	15	34	–	–	1
ALL OTHER	17	37	5	4	4
NEGRO	17	37	5	4	4
MARION	431	371	26	17	17
WHITE	226	173	7	6	7
ALL OTHER	205	198	19	11	10
NEGRO	204	198	19	11	10
MARLBORO	295	298	14	11	7
WHITE	171	173	3	1	3
ALL OTHER	124	125	11	10	4
NEGRO	122	124	11	10	4
NEWBERRY	273	350	7	4	12
WHITE	179	241	2	2	7
ALL OTHER	94	109	5	2	5
NEGRO	94	109	5	2	5
OCONEE	323	374	12	11	14
WHITE	270	320	11	10	11
ALL OTHER	53	54	1	1	3
NEGRO	53	54	1	1	3
ORANGEBURG	798	748	33	23	25
WHITE	406	356	10	8	5
ALL OTHER	392	392	23	15	20
NEGRO	390	391	23	15	20
ORANGEBURG	—	153	4	3	5
WHITE	—	97	2	2	–
ALL OTHER	—	56	2	1	5
NEGRO	—	56	2	1	5
BALANCE OF COUNTY	—	595	29	20	20
WHITE	—	259	8	6	5
ALL OTHER	—	336	21	14	15
NEGRO	—	335	21	14	15
PICKENS	422	487	22	17	5
EASLEY	—	103	3	1	1
WHITE	—	82	1	–	1
ALL OTHER	—	21	2	1	–
NEGRO	—	21	2	1	–
BALANCE OF COUNTY	—	384	19	16	4
RICHLAND	2,948	1,811	51	34	45
WHITE	1,870	1,136	24	16	16
ALL OTHER	1,078	675	27	18	29
NEGRO	1,077	674	27	18	28
COLUMBIA	—	1,058	22	13	25
WHITE	—	679	8	5	7
ALL OTHER	—	379	14	8	18
NEGRO	—	379	14	8	17
BALANCE OF COUNTY	—	753	29	21	20
WHITE	—	457	16	11	9
ALL OTHER	—	296	13	10	11
NEGRO	—	295	13	10	11
SALUDA	72	133	4	2	3
WHITE	47	80	–	–	–
ALL OTHER	25	53	4	2	3
NEGRO	25	53	4	2	3
SPARTANBURG	1,591	1,722	58	48	40
WHITE	1,224	1,333	37	33	24
ALL OTHER	367	389	21	15	16
NEGRO	367	389	21	15	16
GREER, PART	—	28	–	–	1
WHITE	—	17	–	–	–
ALL OTHER	—	11	–	–	1
NEGRO	—	11	–	–	1
SPARTANBURG	—	544	20	18	9
WHITE	—	357	9	8	5
ALL OTHER	—	187	11	10	4
NEGRO	—	187	11	10	4
BALANCE OF COUNTY	—	1,150	38	30	30
WHITE	—	959	28	25	19
ALL OTHER	—	191	10	5	11
NEGRO	—	191	10	5	11
SUMTER	556	584	32	21	22
WHITE	260	269	16	12	8
ALL OTHER	296	315	16	9	14
NEGRO	296	315	16	9	14
SUMTER	—	276	17	11	8
WHITE	—	126	10	8	1
ALL OTHER	—	150	7	3	7
NEGRO	—	150	7	3	7
BALANCE OF COUNTY	—	308	15	10	14
WHITE	—	143	6	4	7
ALL OTHER	—	165	9	6	7
NEGRO	—	165	9	6	7
S. CAROLINA—CON.					
UNION	274	319	20	17	6
WHITE	194	222	8	7	2
ALL OTHER	80	97	12	10	4
NEGRO	80	97	12	10	4
UNION	—	117	7	5	3
WHITE	—	84	4	4	1
ALL OTHER	—	33	3	1	2
NEGRO	—	33	3	1	2
BALANCE OF COUNTY	—	202	13	12	3
WHITE	—	138	4	3	1
ALL OTHER	—	64	9	9	2
NEGRO	—	64	9	9	2
WILLIAMSBURG	225	338	23	15	23
WHITE	87	137	5	4	8
ALL OTHER	138	201	18	11	15
NEGRO	138	201	18	11	15
YORK	711	829	36	30	21
WHITE	497	585	18	16	12
ALL OTHER	214	244	18	14	9
NEGRO	213	243	18	14	8
ROCK HILL	—	366	18	15	10
WHITE	—	227	8	8	5
ALL OTHER	—	139	10	7	5
NEGRO	—	139	10	7	5
BALANCE OF COUNTY	—	463	18	15	11
WHITE	—	358	10	8	7
ALL OTHER	—	105	8	7	4
NEGRO	—	104	8	7	3
SOUTH DAKOTA	6,525	6,581	222	156	110
WHITE	6,167	6,177	177	132	94
ALL OTHER	358	404	45	24	16
NEGRO	10	9	2	–	–
AURORA	12	42	–	–	–
BEADLE	239	212	3	2	–
HURON	—	151	1	1	–
BALANCE OF COUNTY	—	61	2	1	–
BENNETT	20	36	2	1	–
WHITE	7	16	–	–	–
ALL OTHER	13	20	2	1	–
NEGRO	–	–	–	–	–
BON HOMME	108	108	1	–	–
BROOKINGS	134	162	4	2	3
BROOKINGS	—	84	2	1	1
BALANCE OF COUNTY	—	78	2	1	2
BROWN	393	289	13	10	6
ABERDEEN	—	222	11	9	4
BALANCE OF COUNTY	—	67	2	1	2
BRULE	58	60	3	2	2
BUFFALO	13	30	1	–	1
WHITE	2	4	–	–	–
ALL OTHER	11	26	1	–	1
NEGRO	–	–	–	–	–
BUTTE	104	112	7	4	–
CAMPBELL	5	17	–	–	–
CHARLES MIX	103	126	2	2	1
CLARK	28	71	–	–	1
CLAY	85	102	5	4	3
CODINGTON	262	217	8	8	3
WATERTOWN	—	174	6	6	3
BALANCE OF COUNTY	—	43	2	2	–
CORSON	32	44	6	3	–
WHITE	15	18	2	1	–
ALL OTHER	17	26	4	2	–
NEGRO	–	–	–	–	–
CUSTER	59	42	–	–	–
DAVISON	292	207	11	6	4
MITCHELL	—	176	9	4	3
BALANCE OF COUNTY	—	31	2	2	1
DAY	82	93	3	2	4
DEUEL	50	73	–	–	1
DEWEY	22	48	3	2	1
WHITE	3	24	1	1	1
ALL OTHER	19	24	2	1	–
NEGRO	–	–	–	–	–
DOUGLAS	34	53	5	5	–
EDMUNDS	51	70	2	2	–
FALL RIVER	170	113	2	2	2
FAULK	18	42	2	2	–
GRANT	79	107	5	3	2
GREGORY	67	77	2	1	–
HAAKON	28	30	–	–	–
HAMLIN	48	93	1	1	2
HAND	54	57	–	–	–
HANSON	6	43	–	–	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
SOUTH DAKOTA—CON.					
HARDING	7	16	1	–	–
HUGHES	125	94	3	2	1
HUTCHINSON	155	133	–	–	2
HYDE	9	20	1	–	1
JACKSON	22	14	–	–	–
JERAULD	45	39	1	1	–
JONES	4	16	–	–	–
KINGSBURY	117	118	–	–	–
LAKE	112	106	3	3	1
LAWRENCE	161	183	7	4	5
LINCOLN	79	113	1	–	–
SIOUX FALLS, PART	---	1	–	–	–
BALANCE OF COUNTY	---	112	1	–	–
LYMAN	16	45	2	1	2
WHITE	10	36	1	1	1
ALL OTHER	6	9	1	–	1
NEGRO	1	1	–	–	–
MC COOK	48	97	2	1	1
MC PHERSON	30	42	1	1	–
MARSHALL	54	75	1	–	2
MEADE	143	120	2	1	3
MELLETTE	3	20	–	–	–
WHITE	1	11	–	–	–
ALL OTHER	2	9	–	–	–
NEGRO	–	–	–	–	–
MINER	27	65	1	1	1
MINNEHAHA	1,147	758	26	21	13
SIOUX FALLS, PART	---	602	23	19	10
SIOUX FALLS, TOTAL	---	603	23	19	10
BALANCE OF COUNTY	---	156	3	2	3
MOODY	77	97	1	1	1
PENNINGTON	492	421	30	19	15
RAPID CITY	---	314	20	12	12
BALANCE OF COUNTY	---	107	10	7	3
PERKINS	20	36	–	–	–
POTTER	51	47	2	2	–
ROBERTS	107	149	2	1	1
WHITE	87	130	2	1	–
ALL OTHER	20	19	–	–	1
NEGRO	–	–	–	–	–
SANBORN	16	51	2	2	1
SHANNON	41	86	7	6	4
WHITE	4	6	–	–	–
ALL OTHER	37	80	7	6	4
NEGRO	–	–	–	–	–
SPINK	90	112	–	–	2
STANLEY	4	20	1	1	–
SULLY	3	15	1	1	–
TODD	54	66	9	4	7
WHITE	1	6	–	–	1
ALL OTHER	53	60	9	4	6
NEGRO	–	–	–	–	–
TRIPP	85	104	7	6	3
TURNER	88	124	–	–	–
UNION	40	113	2	2	1
WALWORTH	60	74	1	1	1
WASHABAUGH	2	9	3	2	–
WHITE	1	2	–	–	–
ALL OTHER	1	7	3	2	–
NEGRO	–	–	–	–	–
YANKTON	331	193	11	8	5
YANKTON	---	129	8	6	3
BALANCE OF COUNTY	---	64	3	2	2
ZIEBACH	4	14	–	–	1
WHITE	2	6	–	–	–
ALL OTHER	2	8	–	–	1
NEGRO	–	–	–	–	–
TENNESSEE	41,822	39,425	1,110	828	851
WHITE	34,178	32,262	757	572	599
ALL OTHER	7,644	7,163	353	256	252
NEGRO	7,630	7,147	351	255	250
ANDERSON	480	491	21	17	9
OAK RIDGE, PART	---	148	7	6	–
OAK RIDGE, TOTAL	---	149	7	6	–
BALANCE OF COUNTY	---	343	14	11	9
BEDFORD	239	280	9	9	3
WHITE	204	237	6	6	2
ALL OTHER	35	43	3	3	1
NEGRO	35	43	3	3	1
SHELBYVILLE	---	144	6	6	1
WHITE	---	120	5	5	–
ALL OTHER	---	24	1	1	1
NEGRO	---	24	1	1	1
BALANCE OF COUNTY	---	136	3	3	2
TENNESSEE—CON.					
BENTON	155	189	5	4	4
BLEDSOE	70	80	1	–	1
BLOUNT	578	598	17	14	14
MARYVILLE	---	208	6	5	4
BALANCE OF COUNTY	---	390	11	9	10
BRADLEY	474	442	18	12	9
CLEVELAND	---	273	10	7	5
BALANCE OF COUNTY	---	169	8	5	4
CAMPBELL	247	305	9	6	10
CANNON	89	96	2	1	2
CARROLL	225	310	9	6	3
WHITE	192	271	7	5	2
ALL OTHER	33	39	2	1	1
NEGRO	33	39	2	1	1
CARTER	314	403	16	14	15
ELIZABETHTON	---	119	1	1	3
BALANCE OF COUNTY	---	284	15	13	12
CHEATHAM	44	123	2	1	4
CHESTER	55	98	1	1	2
WHITE	46	88	1	1	1
ALL OTHER	9	10	–	–	1
NEGRO	9	10	–	–	1
CLAIBORNE	221	234	6	3	4
CLAY	35	61	–	–	2
COCKE	229	302	11	10	13
COFFEE	312	286	6	5	8
TULLAHOMA, PART	---	122	3	3	1
TULLAHOMA, TOTAL	---	124	3	3	1
BALANCE OF COUNTY	---	164	3	2	7
CROCKETT	76	183	2	2	2
WHITE	55	146	2	2	1
ALL OTHER	21	37	–	–	1
NEGRO	21	37	–	–	1
CUMBERLAND	258	217	6	5	6
DAVIDSON, COEX. WITH NASHVILLE CITY	5,532	4,122	100	75	90
WHITE	4,308	3,044	55	40	59
ALL OTHER	1,224	1,078	45	35	31
NEGRO	1,224	1,076	44	34	31
DECATUR	78	110	3	2	2
DE KALB	170	171	6	6	5
DICKSON	256	243	4	2	3
DYER	412	398	4	3	9
WHITE	349	338	2	2	7
ALL OTHER	63	60	2	1	2
NEGRO	63	60	2	1	2
DYERSBURG	---	187	3	2	5
WHITE	---	142	2	2	4
ALL OTHER	---	45	1	–	1
NEGRO	---	45	1	–	1
BALANCE OF COUNTY	---	211	1	1	4
FAYETTE	124	197	8	7	8
WHITE	54	86	1	1	2
ALL OTHER	70	111	7	6	6
NEGRO	70	111	7	6	6
FENTRESS	122	140	6	3	4
FRANKLIN	252	291	6	3	6
TULLAHOMA, PART	---	2	–	–	–
BALANCE OF COUNTY	---	289	6	3	6
GIBSON	482	567	12	8	11
WHITE	381	447	5	4	9
ALL OTHER	101	120	7	4	2
NEGRO	101	120	7	4	2
HUMBOLDT	---	126	5	4	1
WHITE	---	84	1	1	1
ALL OTHER	---	42	4	3	–
NEGRO	---	42	4	3	–
BALANCE OF COUNTY	---	441	7	4	10
WHITE	---	363	4	3	8
ALL OTHER	---	78	3	1	2
NEGRO	---	78	3	1	2
GILES	189	274	4	2	4
WHITE	161	233	1	–	2
ALL OTHER	28	41	3	2	2
NEGRO	28	41	3	2	2
GRAINGER	58	145	2	2	4
GREENE	494	433	14	11	5
GREENVILLE	---	146	4	4	–
BALANCE OF COUNTY	---	287	10	7	5
GRUNDY	67	132	2	2	1
HAMBLEN	390	385	10	8	5
MORRISTOWN	---	213	7	6	1
BALANCE OF COUNTY	---	172	3	2	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at baginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TENNESSEE—CON.					
HAMILTON	2,832	2,532	78	52	58
WHITE	2,276	1,972	47	32	42
ALL OTHER	556	560	31	20	16
NEGRO	555	559	31	20	16
CHATTANOOGA	—	1,769	51	32	38
WHITE	—	1,227	21	12	22
ALL OTHER	—	542	30	20	16
NEGRO	—	541	30	20	16
EAST RIDGE	—	159	3	2	2
RED BANK	—	91	2	1	-
BALANCE OF COUNTY	—	513	22	17	18
HANCOCK	49	57	1	1	2
HARDEMAN	189	227	13	11	6
WHITE	133	166	4	3	2
ALL OTHER	56	61	9	8	4
NEGRO	56	61	9	8	4
HARDIN	154	213	11	7	1
HAWKINS	192	370	9	6	11
KINGSPORT, PART	—	2	-	-	-
BALANCE OF COUNTY	—	368	9	6	11
HAYWOOD	160	183	6	4	4
WHITE	88	87	1	1	2
ALL OTHER	72	96	5	3	2
NEGRO	72	96	5	3	2
HENDERSON	176	214	5	3	6
WHITE	163	195	5	3	4
ALL OTHER	13	19	-	-	2
NEGRO	13	19	-	-	2
HENRY	347	331	2	2	1
WHITE	302	288	1	1	-
ALL OTHER	45	43	1	1	1
NEGRO	45	43	1	1	1
HICKMAN	81	135	3	3	-
HOUSTON	71	71	2	2	3
HUMPHREYS	131	173	1	1	3
JACKSON	83	100	2	1	2
JEFFERSON	190	235	3	2	11
JOHNSON	56	107	4	2	3
KNOX	3,439	2,640	73	57	51
WHITE	3,097	2,320	64	53	39
ALL OTHER	342	320	9	4	12
NEGRO	342	320	9	4	12
KNOXVILLE	—	1,823	42	34	33
WHITE	—	1,525	34	30	21
ALL OTHER	—	298	8	4	12
NEGRO	—	298	8	4	12
BALANCE OF COUNTY	—	817	31	23	18
LAKE	36	103	3	3	1
WHITE	25	82	2	2	1
ALL OTHER	11	21	1	1	-
NEGRO	11	21	1	1	-
LAUDERDALE	173	258	10	9	8
WHITE	108	175	5	4	5
ALL OTHER	65	83	5	5	3
NEGRO	65	83	5	5	3
LAWRENCE	270	315	7	6	4
LEWIS	47	74	7	3	1
LINCOLN	270	294	4	3	3
WHITE	236	259	3	3	1
ALL OTHER	34	35	1	-	2
NEGRO	34	35	1	-	2
LOUDON	167	268	9	8	6
MC MINN	353	373	18	11	9
ATHENS	—	126	3	3	4
BALANCE OF COUNTY	—	247	15	8	5
MC NAIRY	167	226	4	2	3
MACON	114	152	2	2	1
MADISON	1,133	781	28	25	15
WHITE	781	503	9	8	7
ALL OTHER	352	278	19	17	8
NEGRO	352	278	19	17	8
JACKSON	—	548	23	20	13
WHITE	—	341	5	4	5
ALL OTHER	—	207	18	16	8
NEGRO	—	207	18	16	8
BALANCE OF COUNTY	—	233	5	5	2
WHITE	—	162	4	4	2
ALL OTHER	—	71	1	1	-
NEGRO	—	71	1	1	-
MARION	171	220	3	2	5
MARSHALL	201	207	5	1	4
WHITE	179	195	5	1	4
ALL OTHER	22	12	-	-	-
NEGRO	22	12	-	-	-
MAURY	481	492	8	7	11
WHITE	381	385	5	4	7
ALL OTHER	100	107	3	3	4
NEGRO	99	107	3	3	4
COLUMBIA	—	256	4	3	6
WHITE	—	198	3	2	2
ALL OTHER	—	58	1	1	4
NEGRO	—	58	1	1	4
BALANCE OF COUNTY	—	236	4	4	5
WHITE	—	187	2	2	5
ALL OTHER	—	49	2	2	-
NEGRO	—	49	2	2	-
MEIGS	18	61	1	1	2
MONROE	225	249	9	6	5
MONTGOMERY	407	441	19	14	15
WHITE	311	331	16	12	10
ALL OTHER	96	110	3	2	5
NEGRO	95	109	3	2	4
CLARKSVILLE	—	265	13	10	12
WHITE	—	188	11	9	7
ALL OTHER	—	77	2	1	5
NEGRO	—	76	2	1	4
BALANCE OF COUNTY	—	176	6	4	3
WHITE	—	143	5	3	3
ALL OTHER	—	33	1	1	-
NEGRO	—	33	1	1	-
MOORE	11	38	1	-	1
MORGAN	42	143	6	5	-
OBION	454	433	10	8	4
UNION CITY	—	164	2	2	1
WHITE	—	137	2	2	-
ALL OTHER	—	27	-	-	1
NEGRO	—	27	-	-	1
BALANCE OF COUNTY	—	269	8	6	3
OVERTON	165	172	2	1	3
PERRY	64	73	3	3	1
PICKETT	16	47	2	2	-
POLK	145	127	6	5	3
PUTNAM	355	377	12	9	8
COOKEVILLE	—	132	3	3	2
BALANCE OF COUNTY	—	245	9	6	6
RHEA	165	212	3	2	3
ROANE	321	368	4	2	10
OAK RIDGE, PART	—	1	-	-	-
BALANCE OF COUNTY	—	367	4	2	10
ROBERTSON	294	333	3	2	5
WHITE	257	289	3	2	5
ALL OTHER	37	44	-	-	-
NEGRO	37	44	-	-	-
RUTHERFORD	581	509	9	8	15
WHITE	507	433	9	8	12
ALL OTHER	74	76	-	-	3
NEGRO	74	76	-	-	3
MURFREESBORO	—	243	4	3	9
WHITE	—	200	4	3	6
ALL OTHER	—	43	-	-	3
NEGRO	—	43	-	-	3
BALANCE OF COUNTY	—	266	5	5	6
WHITE	—	233	5	5	6
ALL OTHER	—	33	-	-	-
NEGRO	—	33	-	-	-
SCOTT	178	162	3	2	5
SEQUATCHIE	65	59	-	-	-
SEVIER	183	255	6	4	6
SHELBY	8,716	6,714	239	179	176
WHITE	5,288	3,814	79	66	57
ALL OTHER	3,428	2,900	160	113	119
NEGRO	3,420	2,894	160	113	118
MEMPHIS	—	6,267	219	162	158
WHITE	—	3,516	64	54	46
ALL OTHER	—	2,751	155	108	112
NEGRO	—	2,746	155	108	112
MILLINGTON	—	50	4	3	5
BALANCE OF COUNTY	—	397	16	14	13
WHITE	—	257	12	10	8
ALL OTHER	—	140	4	4	5
NEGRO	—	140	4	4	5
SMITH	131	137	4	3	3
STEWART	32	101	1	-	-
SULLIVAN	1,447	1,118	24	18	20
BRISTOL[4]	—	263	5	3	4
KINGSPORT, PART	—	348	6	6	3
KINGSPORT, TOTAL	—	350	6	6	3
BALANCE OF COUNTY	—	507	13	9	13

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TENNESSEE--CON.					
SUMNER	367	532	21	13	14
GALLATIN	---	128	4	2	3
WHITE	---	89	1	-	2
ALL OTHER	---	39	3	2	1
NEGRO	---	39	3	2	1
BALANCE OF COUNTY	---	404	17	11	11
TIPTON	218	298	12	8	6
WHITE	141	202	8	6	4
ALL OTHER	77	96	4	2	2
NEGRO	77	96	4	2	2
TROUSDALE	50	77	4	4	-
WHITE	41	61	2	2	-
ALL OTHER	9	16	2	2	-
NEGRO	9	16	2	2	-
UNICOI	93	149	-	-	3
UNION	44	81	2	2	-
VAN BUREN	13	31	-	-	-
WARREN	256	292	5	4	6
MC MINNVILLE	---	132	2	1	2
BALANCE OF COUNTY	---	160	3	3	4
WASHINGTON	1,185	741	18	15	16
JOHNSON CITY	---	370	11	8	7
BALANCE OF COUNTY	---	371	7	7	9
WAYNE	96	149	3	3	2
WEAKLEY	290	367	7	6	7
WHITE	160	188	5	3	1
WILLIAMSON	253	304	10	5	5
WHITE	224	264	8	4	4
ALL OTHER	29	40	2	1	1
NEGRO	29	40	2	1	1
WILSON	322	430	13	11	5
WHITE	275	366	10	8	3
ALL OTHER	47	64	3	3	2
NEGRO	47	64	3	3	2
LEBANON	---	183	4	4	3
WHITE	---	143	1	1	1
ALL OTHER	---	40	3	3	2
NEGRO	---	40	3	3	2
BALANCE OF COUNTY	---	247	9	7	2
TEXAS	100,981	99,491	3,764	2,772	2,440
WHITE	86,777	85,352	2,915	2,179	1,897
ALL OTHER	14,204	14,139	849	593	543
NEGRO	14,104	14,065	840	587	529
ANDERSON	356	407	8	6	2
WHITE	251	290	5	4	2
ALL OTHER	105	117	3	2	-
NEGRO	105	117	3	2	-
PALESTINE	---	219	3	3	2
WHITE	---	155	1	1	2
ALL OTHER	---	64	2	2	-
NEGRO	---	64	2	2	-
BALANCE OF COUNTY	---	188	5	3	-
WHITE	---	135	4	3	-
ALL OTHER	---	53	1	-	-
NEGRO	---	53	1	-	-
ANDREWS	99	65	5	3	2
ANGELINA	589	549	19	15	10
WHITE	486	460	15	12	9
ALL OTHER	103	89	4	3	1
NEGRO	103	89	4	3	1
LUFKIN	---	258	11	8	3
WHITE	---	191	7	5	3
ALL OTHER	---	67	4	3	-
NEGRO	---	67	4	3	-
BALANCE OF COUNTY	---	291	8	7	7
ARANSAS	33	120	3	3	2
ARCHER	42	75	2	2	-
ARMSTRONG	12	24	-	-	-
ATASCOSA	190	210	9	7	8
AUSTIN	194	215	1	1	3
WHITE	158	176	1	1	2
ALL OTHER	36	39	-	-	1
NEGRO	36	39	-	-	1
BAILEY	51	67	2	2	1
BANDERA	38	69	1	1	-
BASTROP	202	273	4	3	7
WHITE	152	207	3	2	4
ALL OTHER	50	66	1	1	3
NEGRO	50	66	1	1	3
BAYLOR	82	75	1	1	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
BEE	212	222	12	10	4
BEEVILLE	---	148	10	8	3
BALANCE OF COUNTY	---	74	2	2	1
BELL	1,499	975	56	40	48
WHITE	1,299	846	37	29	34
ALL OTHER	200	129	19	11	14
NEGRO	198	126	17	9	13
KILLEEN	---	179	31	23	22
WHITE	---	152	22	17	14
ALL OTHER	---	27	9	6	8
NEGRO	---	26	9	6	8
TEMPLE	---	392	9	5	9
WHITE	---	326	4	3	5
ALL OTHER	---	66	5	2	4
NEGRO	---	66	5	2	4
BALANCE OF COUNTY	---	404	16	12	17
WHITE	---	368	11	9	15
ALL OTHER	---	36	5	3	2
NEGRO	---	34	3	1	1
BEXAR	7,365	6,549	274	215	189
WHITE	6,665	5,933	255	198	161
ALL OTHER	700	616	19	17	28
NEGRO	674	599	18	16	26
SAN ANTONIO	---	5,769	236	188	166
WHITE	---	5,173	219	173	139
ALL OTHER	---	596	17	15	27
NEGRO	---	581	17	15	25
BALANCE OF COUNTY	---	780	38	27	23
BLANCO	51	59	1	1	1
BORDEN	1	4	-	-	-
BOSQUE	188	187	4	4	-
BOWIE	744	680	21	18	9
WHITE	583	533	13	11	5
ALL OTHER	161	147	8	7	4
NEGRO	161	147	8	7	4
TEXARKANA[5]	---	337	7	5	4
WHITE	---	249	4	2	3
ALL OTHER	---	88	3	3	1
NEGRO	---	88	3	3	1
BALANCE OF COUNTY	---	343	14	13	5
WHITE	---	284	9	9	2
ALL OTHER	---	59	5	4	3
NEGRO	---	59	5	4	3
BRAZORIA	546	722	28	20	18
WHITE	471	638	22	17	15
ALL OTHER	75	84	6	3	3
NEGRO	75	84	6	3	3
ALVIN	---	79	5	3	3
FREEPORT	---	92	3	3	2
WHITE	---	78	2	2	2
ALL OTHER	---	14	1	1	-
NEGRO	---	14	1	1	-
LAKE JACKSON	---	55	-	-	-
BALANCE OF COUNTY	---	496	20	14	13
WHITE	---	427	15	12	10
ALL OTHER	---	69	5	2	3
NEGRO	---	69	5	2	3
BRAZOS	391	411	16	13	12
WHITE	296	308	12	10	11
ALL OTHER	95	103	4	3	1
NEGRO	95	103	4	3	1
BRYAN	---	296	11	8	8
WHITE	---	220	7	5	7
ALL OTHER	---	76	4	3	1
NEGRO	---	76	4	3	1
COLLEGE STATION	---	53	2	2	4
BALANCE OF COUNTY	---	62	3	3	-
WHITE	---	45	3	3	-
ALL OTHER	---	17	-	-	-
NEGRO	---	17	-	-	-
BREWSTER	86	51	1	-	-
BRISCOE	6	36	4	3	-
BROOKS	68	49	3	2	-
BROWN	332	339	10	8	6
BROWNWOOD	---	245	6	4	5
BALANCE OF COUNTY	---	94	4	4	1
BURLESON	73	143	6	5	3
WHITE	59	97	1	1	2
ALL OTHER	14	46	5	4	1
NEGRO	14	46	5	4	1
BURNET	164	181	1	1	1
CALDWELL	189	232	7	5	6
WHITE	150	187	5	5	4
ALL OTHER	39	45	2	-	2
NEGRO	39	45	2	-	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at baginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
CALHOUN	116	113	4	2	2
PORT LAVACA	—	77	2	1	2
BALANCE OF COUNTY	—	36	2	1	–
CALLAHAN	66	119	1	1	2
CAMERON	1,235	1,176	87	62	58
BROWNSVILLE	—	452	38	27	32
HARLINGEN	—	274	19	16	13
SAN BENITO	—	146	11	7	6
BALANCE OF COUNTY	—	304	19	12	7
CAMP	128	125	4	4	3
WHITE	83	82	2	2	1
ALL OTHER	45	43	2	2	2
NEGRO	45	43	2	2	2
CARSON	46	64	1	1	1
CASS	290	323	13	13	14
WHITE	222	247	9	9	6
ALL OTHER	68	76	4	4	8
NEGRO	68	76	4	4	8
CASTRO	54	61	4	1	1
CHAMBERS	90	112	8	8	5
WHITE	63	92	6	6	5
ALL OTHER	27	20	2	2	–
NEGRO	27	20	2	2	–
CHEROKEE	486	430	7	3	3
WHITE	383	331	5	1	3
ALL OTHER	103	99	2	2	–
NEGRO	103	99	2	2	–
CHILDRESS	96	105	1	1	2
CLAY	75	101	2	2	–
COCHRAN	21	30	3	1	–
COKE	27	38	1	1	1
COLEMAN	156	183	6	4	1
COLLIN	430	565	25	22	27
MC KINNEY	—	167	9	7	10
WHITE	—	149	4	3	7
ALL OTHER	—	18	5	4	3
NEGRO	—	18	5	4	3
PLANO	—	103	9	9	7
RICHARDSON, PART	—	2	1	1	1
BALANCE OF COUNTY	—	293	6	5	9
COLLINGSWORTH	61	84	2	2	1
COLORADO	254	216	3	2	5
WHITE	200	155	2	1	3
ALL OTHER	54	61	1	1	2
NEGRO	54	61	1	1	2
COMAL	252	248	3	2	11
NEW BRAUNFELS	—	179	2	1	9
BALANCE OF COUNTY	—	69	1	1	2
COMANCHE	146	184	3	3	4
CONCHO	29	33	1	1	–
COOKE	250	275	6	2	2
GAINESVILLE	—	181	4	2	2
BALANCE OF COUNTY	—	94	2	–	–
CORYELL	141	234	14	8	7
WHITE	136	227	12	7	5
ALL OTHER	5	7	2	1	2
NEGRO	5	6	2	1	1
COPPERAS COVE	—	41	8	4	7
BALANCE OF COUNTY	—	193	6	4	–
WHITE	—	187	4	3	–
ALL OTHER	—	6	2	1	–
NEGRO	—	5	2	1	–
COTTLE	32	34	–	–	1
WHITE	32	33	–	–	–
ALL OTHER	–	1	–	–	1
NEGRO	–	1	–	–	1
CRANE	41	47	5	4	1
CROCKETT	21	32	3	3	–
CROSBY	80	88	4	3	3
CULBERSON	23	22	4	2	2
DALLAM	12	60	–	–	2
DALLAS	10,671	9,910	411	312	288
WHITE	8,683	8,042	264	208	189
ALL OTHER	1,988	1,868	147	104	99
NEGRO	1,978	1,857	146	104	97
BALCH SPRINGS	—	55	8	7	2
CARROLLTON, PART	—	103	13	9	5
CARROLLTON, TOTAL	—	106	13	9	5
DALLAS	—	7,154	263	198	202
WHITE	—	5,369	124	99	106
ALL OTHER	—	1,785	139	99	96
NEGRO	—	1,777	138	99	95
DUNCANVILLE	—	95	7	7	2
FARMERS BRANCH	—	101	8	7	6
GARLAND	—	390	29	24	20
TEXAS—CON.					
DALLAS—CON.					
GRAND PRAIRIE, PART	—	286	23	17	11
GRAND PRAIRIE, TOTAL	—	300	25	19	11
HIGHLAND PARK	—	124	2	2	–
IRVING	—	475	21	15	13
LANCASTER	—	94	1	1	1
MESQUITE	—	264	12	7	7
RICHARDSON, PART	—	185	6	5	7
RICHARDSON, TOTAL	—	187	7	6	8
UNIVERSITY PARK	—	223	6	5	4
BALANCE OF COUNTY	—	361	12	8	8
DAWSON	132	170	1	–	6
LAMESA	—	141	–	–	4
BALANCE OF COUNTY	—	29	1	–	2
DEAF SMITH	109	125	9	7	7
HEREFORD	—	105	7	5	4
BALANCE OF COUNTY	—	20	2	2	3
DELTA	47	107	1	1	–
WHITE	39	94	–	–	–
ALL OTHER	8	13	1	1	–
NEGRO	7	12	1	1	–
DENTON	472	537	11	8	10
CARROLLTON, PART	—	3	–	–	–
DENTON	—	252	5	3	1
BALANCE OF COUNTY	—	282	6	5	9
DE WITT	215	278	3	–	1
WHITE	190	240	1	–	1
ALL OTHER	25	38	2	–	–
NEGRO	25	38	2	–	–
DICKENS	21	54	–	–	–
DIMMIT	73	90	8	5	2
DONLEY	31	53	–	–	1
DUVAL	30	93	3	3	3
EASTLAND	354	330	4	3	2
ECTOR	649	623	33	24	22
ODESSA	—	559	29	20	21
BALANCE OF COUNTY	—	64	4	4	1
EDWARDS	13	20	–	–	–
ELLIS	429	554	20	15	14
WHITE	346	443	10	9	10
ALL OTHER	83	111	10	6	4
NEGRO	83	111	10	6	4
ENNIS	—	150	9	5	1
WHITE	—	112	3	2	1
ALL OTHER	—	38	6	3	–
NEGRO	—	38	6	3	–
WAXAHACHIE	—	144	3	3	6
WHITE	—	112	2	2	5
ALL OTHER	—	32	1	1	1
NEGRO	—	32	1	1	1
BALANCE OF COUNTY	—	260	8	7	7
WHITE	—	219	5	5	4
ALL OTHER	—	41	3	2	3
NEGRO	—	41	3	2	3
EL PASO	2,569	2,337	156	109	111
WHITE	2,475	2,262	146	101	103
ALL OTHER	94	75	10	8	8
NEGRO	73	67	9	7	6
EL PASO	—	2,194	140	99	105
WHITE	—	2,127	131	92	97
ALL OTHER	—	67	9	7	8
NEGRO	—	61	8	6	6
BALANCE OF COUNTY	—	143	16	10	6
ERATH	228	247	3	1	1
FALLS	358	265	3	3	1
WHITE	271	199	2	2	–
ALL OTHER	87	66	1	1	1
NEGRO	87	66	1	1	1
FANNIN	316	351	7	6	4
FAYETTE	165	267	6	5	–
WHITE	145	226	5	4	–
ALL OTHER	20	41	1	1	–
NEGRO	20	41	1	1	–
FISHER	67	81	2	2	4
FLOYD	81	98	8	6	3
FOARD	25	34	1	1	2
FORT BEND	252	416	21	12	15
WHITE	230	328	14	10	11
ALL OTHER	62	88	7	2	4
NEGRO	61	87	7	2	4
HOUSTON, PART	—	–	–	–	–
ROSENBURG	—	102	4	2	2
BALANCE OF COUNTY	—	314	17	10	13
WHITE	—	239	11	9	10
ALL OTHER	—	75	6	1	3
NEGRO	—	74	6	1	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
FRANKLIN	94	97	1	—	3
FREESTONE	215	198	4	4	1
WHITE	159	147	4	4	1
ALL OTHER	56	51	—	—	—
NEGRO	56	51	—	—	—
FRIO	73	106	4	4	2
GAINES	51	82	4	4	4
GALVESTON	1,766	1,438	47	28	35
WHITE	1,300	1,086	24	14	24
ALL OTHER	466	352	23	14	11
NEGRO	465	350	23	14	10
GALVESTON	—	679	25	16	14
WHITE	—	468	11	7	10
ALL OTHER	—	211	14	9	4
NEGRO	—	211	14	9	3
LA MARQUE	—	108	1	1	5
WHITE	—	81	—	—	4
ALL OTHER	—	27	1	1	1
NEGRO	—	26	1	1	1
LEAGUE CITY	—	37	2	1	1
TEXAS CITY	—	299	10	7	8
WHITE	—	229	6	4	5
ALL OTHER	—	70	4	3	3
NEGRO	—	70	4	3	3
BALANCE OF COUNTY	—	315	9	3	7
WHITE	—	272	5	2	4
ALL OTHER	—	43	4	1	3
NEGRO	—	42	4	1	3
GARZA	42	69	4	3	3
GILLESPIE	174	169	3	3	1
GLASSCOCK	1	7	—	—	—
GOLIAD	64	68	2	2	—
WHITE	58	59	2	2	—
ALL OTHER	6	9	—	—	—
NEGRO	6	9	—	—	—
GONZALES	186	232	5	3	5
WHITE	155	193	5	3	5
ALL OTHER	31	39	—	—	—
NEGRO	31	39	—	—	—
GRAY	262	286	9	7	2
PAMPA	—	228	8	6	2
BALANCE OF COUNTY	—	58	1	1	—
GRAYSON	1,096	981	14	10	13
DENISON	—	335	3	3	4
WHITE	—	293	3	3	2
ALL OTHER	—	42	—	—	2
NEGRO	—	42	—	—	2
SHERMAN	—	302	8	4	7
WHITE	—	269	6	3	6
ALL OTHER	—	33	2	1	1
NEGRO	—	32	2	1	1
BALANCE OF COUNTY	—	344	3	3	2
GREGG	972	881	28	19	11
WHITE	744	696	17	12	6
ALL OTHER	228	185	11	7	5
NEGRO	228	185	11	7	5
LONGVIEW	—	521	19	12	6
WHITE	—	400	11	7	3
ALL OTHER	—	121	8	5	3
NEGRO	—	121	8	5	3
BALANCE OF COUNTY	—	360	9	7	5
WHITE	—	296	6	5	3
ALL OTHER	—	64	3	2	2
NEGRO	—	64	3	2	2
GRIMES	147	205	3	1	3
WHITE	102	145	3	1	3
ALL OTHER	45	60	—	—	—
NEGRO	45	60	—	—	—
GUADALUPE	263	344	14	6	15
SEGUIN	—	172	8	4	6
WHITE	—	142	7	4	4
ALL OTHER	—	30	1	—	2
NEGRO	—	30	1	—	2
BALANCE OF COUNTY	—	172	6	2	9
HALE	333	315	24	15	11
PLAINVIEW	—	201	16	11	9
BALANCE OF COUNTY	—	114	8	4	2
HALL	59	71	—	—	4
WHITE	54	65	—	—	3
ALL OTHER	5	6	—	—	1
NEGRO	5	6	—	—	1
HAMILTON	139	136	1	1	—
HANSFORD	23	48	4	2	1
HARDEMAN	82	84	2	2	—
WHITE	77	76	2	2	—
ALL OTHER	5	8	—	—	—
NEGRO	5	8	—	—	—
HARDIN	188	296	23	19	4
WHITE	154	247	20	17	4
ALL OTHER	34	49	3	2	—
NEGRO	34	49	3	2	—
HARRIS	14,710	12,862	556	394	358
WHITE	11,475	9,855	363	263	237
ALL OTHER	3,235	3,007	193	131	121
NEGRO	3,214	2,992	191	130	119
BAYTOWN	—	324	19	16	8
BELLAIRE	—	147	3	3	3
DEER PARK	—	67	5	5	—
GALENA PARK	—	75	2	1	—
WHITE	—	62	2	1	—
ALL OTHER	—	13	—	—	—
NEGRO	—	13	—	—	—
HOUSTON, PART	—	10,254	421	292	280
WHITE	—	7,380	238	169	164
ALL OTHER	—	2,874	183	123	116
NEGRO	—	2,861	181	122	114
HOUSTON, TOTAL	—	10,255	421	292	280
WHITE	—	7,381	238	169	164
ALL OTHER	—	2,874	183	123	116
NEGRO	—	2,861	181	122	114
PASADENA	—	515	26	20	19
SOUTH HOUSTON	—	68	3	3	2
WEST UNIVERSITY PLACE	—	62	1	1	—
BALANCE OF COUNTY	—	1,350	76	53	46
WHITE	—	1,252	68	47	42
ALL OTHER	—	98	8	6	4
NEGRO	—	96	8	6	4
HARRISON	445	552	23	13	5
WHITE	235	301	4	3	2
ALL OTHER	210	251	19	10	3
NEGRO	209	250	19	10	3
MARSHALL	—	309	10	5	2
WHITE	—	175	2	2	2
ALL OTHER	—	134	8	3	—
NEGRO	—	133	8	3	—
BALANCE OF COUNTY	—	243	13	8	3
WHITE	—	126	2	1	—
ALL OTHER	—	117	11	7	3
NEGRO	—	117	11	7	3
HARTLEY	74	24	2	1	—
HASKELL	73	109	2	2	1
HAYS	170	235	9	7	5
SAN MARCOS	—	155	6	6	2
BALANCE OF COUNTY	—	80	3	1	3
HEMPHILL	43	34	3	1	2
HENDERSON	345	415	12	11	3
WHITE	292	356	9	9	3
ALL OTHER	53	59	3	2	—
NEGRO	53	59	3	2	—
HIDALGO	1,396	1,414	100	70	94
EDINBURG	—	134	6	2	5
MC ALLEN	—	316	22	17	20
MISSION	—	107	5	4	4
PHARR	—	120	8	5	6
WESLACO	—	154	13	11	10
BALANCE OF COUNTY	—	503	46	31	49
HILL	361	386	6	4	2
WHITE	320	349	5	3	2
ALL OTHER	41	37	1	1	—
NEGRO	41	37	1	1	—
HOCKLEY	80	142	6	5	4
LEVELLAND	—	88	3	2	2
BALANCE OF COUNTY	—	54	3	3	2
HOOD	64	114	2	1	—
HOPKINS	260	293	6	3	—
WHITE	237	270	3	2	—
ALL OTHER	23	23	3	1	—
NEGRO	23	23	3	1	—
SULPHUR SPRINGS	—	172	4	2	—
WHITE	—	155	2	1	—
ALL OTHER	—	17	2	1	—
NEGRO	—	17	2	1	—
BALANCE OF COUNTY	—	121	2	1	—
HOUSTON	195	220	2	1	2
WHITE	144	146	—	—	—
ALL OTHER	51	74	2	1	2
NEGRO	51	74	2	1	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
HOWARD	494	314	12	11	7
BIG SPRING	—	247	7	6	5
BALANCE OF COUNTY	—	67	5	5	2
HUDSPETH	15	15	1	1	–
HUNT	481	560	15	11	6
WHITE	419	489	13	9	2
ALL OTHER	62	71	2	2	4
NEGRO	62	71	2	2	4
GREENVILLE	—	268	6	4	3
WHITE	—	222	5	3	1
ALL OTHER	—	46	1	1	2
NEGRO	—	46	1	1	2
BALANCE OF COUNTY	—	292	9	7	3
WHITE	—	267	8	6	1
ALL OTHER	—	25	1	1	2
NEGRO	—	25	1	1	2
HUTCHINSON	164	231	6	4	3
BORGER	—	153	5	3	1
BALANCE OF COUNTY	—	78	1	1	2
IRION	1	13	1	1	–
JACK	66	99	3	2	–
JACKSON	96	129	–	–	3
WHITE	76	104	–	–	3
ALL OTHER	20	25	–	–	–
NEGRO	20	25	–	–	–
JASPER	229	253	6	5	3
WHITE	181	207	5	4	3
ALL OTHER	48	46	1	1	–
NEGRO	48	46	1	1	–
JEFF DAVIS	7	16	–	–	–
JEFFERSON	2,340	2,173	79	66	58
WHITE	1,757	1,568	38	33	30
ALL OTHER	583	605	41	33	28
NEGRO	582	604	41	33	28
BEAUMONT	—	1,121	44	36	34
WHITE	—	737	16	15	13
ALL OTHER	—	384	28	21	21
NEGRO	—	384	28	21	21
GROVES	—	120	3	3	4
NEDERLAND	—	104	6	5	4
PORT ARTHUR	—	598	17	16	11
WHITE	—	388	4	4	4
ALL OTHER	—	210	13	12	7
NEGRO	—	210	13	12	7
PORT NECHES	—	78	6	4	2
BALANCE OF COUNTY	—	152	3	2	3
WHITE	—	143	3	2	3
ALL OTHER	—	9	–	–	–
NEGRO	—	8	–	–	–
JIM HOGG	14	61	–	–	–
JIM WELLS	277	279	9	8	9
ALICE	—	195	9	8	9
BALANCE OF COUNTY	—	84	–	–	–
JOHNSON	421	515	17	14	10
CLEBURNE	—	237	7	5	2
FORT WORTH, PART	—	–	–	–	1
WHITE	—	–	–	–	1
ALL OTHER	—	–	–	–	–
NEGRO	—	–	–	–	–
BALANCE OF COUNTY	—	278	10	9	7
JONES	236	228	5	5	3
ABILENE, PART	—	–	–	–	–
BALANCE OF COUNTY	—	228	5	5	3
KARNES	132	163	6	4	2
KAUFMAN	537	426	9	5	7
WHITE	457	340	5	3	4
ALL OTHER	80	86	4	2	3
NEGRO	80	86	4	2	3
TERRELL	—	163	6	4	3
WHITE	—	114	2	2	–
ALL OTHER	—	49	4	2	3
NEGRO	—	49	4	2	3
BALANCE OF COUNTY	—	263	3	1	4
WHITE	—	226	3	1	4
ALL OTHER	—	37	–	–	–
NEGRO	—	37	–	–	–
KENDALL	76	104	2	–	4
KENEDY	2	1	–	–	–
KENT	2	8	–	–	–
KERR	533	310	3	1	1
KERRVILLE	—	232	3	1	–
BALANCE OF COUNTY	—	78	–	–	1
KIMBLE	52	67	2	2	1
KING	3	1	–	–	–
KINNEY	11	26	1	1	–
KLEBERG	221	231	10	8	9
KINGSVILLE	—	206	8	7	9
BALANCE OF COUNTY	—	25	2	1	–
KNOX	91	101	1	1	–
LAMAR	568	505	9	4	4
WHITE	482	421	5	2	1
ALL OTHER	86	84	4	2	3
NEGRO	86	84	4	2	3
PARIS	—	364	6	3	2
WHITE	—	295	3	1	1
ALL OTHER	—	69	3	2	1
NEGRO	—	69	3	2	1
BALANCE OF COUNTY	—	141	3	1	2
WHITE	—	126	2	1	–
ALL OTHER	—	15	1	–	2
NEGRO	—	15	1	–	2
LAMB	138	189	8	4	8
LAMPASAS	115	137	1	1	4
LA SALLE	31	61	2	1	1
LAVACA	264	280	3	2	3
LEE	85	104	1	1	–
WHITE	67	78	1	1	–
ALL OTHER	18	26	–	–	–
NEGRO	18	26	–	–	–
LEON	39	141	1	1	2
WHITE	23	97	–	–	2
ALL OTHER	16	44	1	1	–
NEGRO	16	44	1	1	–
LIBERTY	357	395	14	11	10
WHITE	303	310	8	7	5
ALL OTHER	54	85	6	4	5
NEGRO	54	85	6	4	5
LIMESTONE	214	265	3	2	5
WHITE	169	202	1	1	3
ALL OTHER	45	63	2	1	2
NEGRO	45	63	2	1	2
LIPSCOMB	6	37	–	–	1
LIVE OAK	28	69	3	2	–
LLANO	91	132	–	–	1
LOVING	2	1	–	–	–
LUBBOCK	1,658	1,314	80	59	27
WHITE	1,530	1,192	66	51	22
ALL OTHER	128	122	14	8	5
NEGRO	128	122	14	8	5
LUBBOCK	—	1,084	59	43	21
WHITE	—	978	48	35	16
ALL OTHER	—	106	11	8	5
NEGRO	—	106	11	8	5
BALANCE OF COUNTY	—	230	21	16	6
LYNN	44	79	2	1	–
MC CULLOCH	134	143	3	2	2
MC LENNAN	1,704	1,722	47	36	28
WHITE	1,388	1,400	32	28	15
ALL OTHER	316	322	15	8	13
NEGRO	316	322	15	8	13
WACO	—	1,228	38	29	22
WHITE	—	956	25	23	10
ALL OTHER	—	272	13	6	12
NEGRO	—	272	13	6	12
BALANCE OF COUNTY	—	494	9	7	6
MC MULLEN	2	10	–	–	–
MADISON	142	116	–	–	–
WHITE	111	89	–	–	–
ALL OTHER	31	27	–	–	–
NEGRO	31	27	–	–	–
MARION	103	125	1	–	1
WHITE	49	72	–	–	1
ALL OTHER	54	53	1	–	–
NEGRO	54	53	1	–	–
MARTIN	25	31	3	3	1
MASON	41	56	–	–	2
MATAGORDA	251	276	5	4	6
WHITE	199	216	5	4	5
ALL OTHER	52	60	–	–	1
NEGRO	52	60	–	–	1
BAY CITY	—	126	5	4	4
WHITE	—	91	5	4	3
ALL OTHER	—	35	–	–	1
NEGRO	—	35	–	–	1
BALANCE OF COUNTY	—	150	–	–	2
WHITE	—	125	–	–	2
ALL OTHER	—	25	–	–	–
NEGRO	—	25	–	–	–
MAVERICK	129	133	12	11	7
EAGLE PASS	—	123	11	10	7
BALANCE OF COUNTY	—	10	1	1	–

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
TEXAS—CON.					
MEDINA	145	198	9	3	9
MENARD	45	49	1	1	-
MIDLAND	394	442	23	18	13
WHITE	347	383	14	10	11
ALL OTHER	47	59	9	8	2
NEGRO	46	58	9	8	2
MIDLAND	---	405	22	18	12
WHITE	---	346	13	10	10
ALL OTHER	---	59	9	8	2
NEGRO	---	58	9	8	2
BALANCE OF COUNTY	---	37	1	-	1
MILAM	204	292	3	2	5
WHITE	170	241	2	1	3
ALL OTHER	34	51	1	1	2
NEGRO	34	51	1	1	2
MILLS	73	83	1	1	-
MITCHELL	105	118	7	7	2
MONTAGUE	217	242	5	3	4
MONTGOMERY	347	502	17	13	6
WHITE	291	439	14	11	5
ALL OTHER	56	63	3	2	1
NEGRO	56	63	3	2	1
CONROE	---	170	5	5	2
WHITE	---	133	4	4	2
ALL OTHER	---	37	1	1	-
NEGRO	---	37	1	1	-
HOUSTON, PART	---	1	-	-	-
BALANCE OF COUNTY	---	331	12	8	4
WHITE	---	305	10	7	3
ALL OTHER	---	26	2	1	1
NEGRO	---	26	2	1	1
MOORE	91	88	2	2	1
MORRIS	179	172	4	3	4
WHITE	134	127	3	2	3
ALL OTHER	45	45	1	1	1
NEGRO	45	45	1	1	1
MOTLEY	5	27	-	-	2
NACOGDOCHES	385	409	9	8	5
WHITE	295	322	5	4	1
ALL OTHER	90	87	4	4	4
NEGRO	90	87	4	4	4
NACOGDOCHES	---	228	6	5	2
WHITE	---	172	2	1	-
ALL OTHER	---	56	4	4	2
NEGRO	---	56	4	4	2
BALANCE OF COUNTY	---	181	3	3	3
WHITE	---	150	3	3	1
ALL OTHER	---	31	-	-	2
NEGRO	---	31	-	-	2
NAVARRO	476	490	13	10	1
WHITE	377	393	6	4	-
ALL OTHER	99	97	7	6	1
NEGRO	99	97	7	6	1
CORSICANA	---	314	9	7	1
WHITE	---	247	6	4	-
ALL OTHER	---	67	3	3	1
NEGRO	---	67	3	3	1
BALANCE OF COUNTY	---	176	4	3	-
WHITE	---	146	-	-	-
ALL OTHER	---	30	4	3	-
NEGRO	---	30	4	3	-
NEWTON	46	89	2	1	4
WHITE	23	55	1	-	3
ALL OTHER	23	34	1	1	1
NEGRO	23	34	1	1	1
NOLAN	160	183	6	5	2
SWEETWATER	---	137	6	5	2
BALANCE OF COUNTY	---	46	-	-	-
NUECES	1,916	1,708	85	65	77
WHITE	1,801	1,596	77	62	63
ALL OTHER	115	112	8	3	14
NEGRO	114	110	8	3	14
CORPUS CHRISTI	---	1,487	72	55	65
WHITE	---	1,383	64	52	51
ALL OTHER	---	104	8	3	14
NEGRO	---	102	8	3	14
ROBSTOWN	---	99	7	5	11
BALANCE OF COUNTY	---	122	6	5	1
OCHILTREE	62	70	3	3	-
OLDHAM	7	23	-	-	1
ORANGE	365	528	26	21	11
ORANGE	---	221	11	10	6
WHITE	---	164	8	7	4
ALL OTHER	---	57	3	3	2
NEGRO	---	57	3	3	2
BALANCE OF COUNTY	---	307	15	11	5
PALO PINTO	259	270	6	5	7
MINERAL WELLS, PART	---	163	5	4	7
MINERAL WELLS, TOTAL	---	163	5	4	7
BALANCE OF COUNTY	---	107	1	1	-
PANOLA	270	245	5	2	-
WHITE	206	191	3	-	-
ALL OTHER	64	54	2	2	-
NEGRO	64	54	2	2	-
PARKER	236	278	2	2	3
MINERAL WELLS, PART	---	-	-	-	-
WEATHERFORD	---	162	1	1	2
BALANCE OF COUNTY	---	116	1	1	1
PARMER	33	70	1	1	1
PECOS	83	83	2	1	3
POLK	143	222	11	8	1
WHITE	119	165	6	5	-
ALL OTHER	24	57	5	3	1
NEGRO	24	55	5	3	1
POTTER	1,466	942	45	33	28
AMARILLO, PART	---	927	45	33	27
AMARILLO, TOTAL	---	1,150	52	38	32
BALANCE OF COUNTY	---	15	-	-	1
PRESIDIO	20	45	1	1	-
RAINS	13	63	-	-	-
RANDALL	130	293	9	7	6
AMARILLO, PART	---	223	7	5	5
BALANCE OF COUNTY	---	70	2	2	1
REAGAN	14	17	2	2	-
REAL	7	24	-	-	1
RED RIVER	185	232	6	3	1
WHITE	149	180	3	2	-
ALL OTHER	36	52	3	1	1
NEGRO	36	52	3	1	1
REEVES	84	108	11	8	8
PECOS	---	79	7	4	6
BALANCE OF COUNTY	---	29	4	4	2
REFUGIO	21	47	4	3	-
WHITE	20	46	4	3	-
ALL OTHER	1	1	-	-	-
NEGRO	1	1	-	-	-
ROBERTS	1	11	-	-	-
ROBERTSON	130	198	3	3	7
WHITE	85	131	2	2	2
ALL OTHER	45	67	1	1	5
NEGRO	45	67	1	1	5
ROCKWALL	9	56	-	-	1
WHITE	7	50	-	-	1
ALL OTHER	2	6	-	-	-
NEGRO	2	6	-	-	-
RUNNELS	79	142	1	1	1
RUSK	351	448	8	4	11
WHITE	265	329	3	2	6
ALL OTHER	86	119	5	2	5
NEGRO	86	119	5	2	5
HENDERSON	---	116	1	1	4
WHITE	---	77	-	-	2
ALL OTHER	---	39	1	1	2
NEGRO	---	39	1	1	2
BALANCE OF COUNTY	---	332	7	3	7
WHITE	---	252	3	2	4
ALL OTHER	---	80	4	1	3
NEGRO	---	80	4	1	3
SABINE	59	93	3	2	2
WHITE	51	74	2	1	2
ALL OTHER	8	19	1	1	-
NEGRO	8	19	1	1	-
SAN AUGUSTINE	76	102	-	-	3
WHITE	52	65	-	-	1
ALL OTHER	24	37	-	-	2
NEGRO	24	37	-	-	2
SAN JACINTO	16	76	1	-	-
WHITE	7	49	1	-	-
ALL OTHER	9	27	-	-	-
NEGRO	9	27	-	-	-
SAN PATRICIO	330	378	25	20	12
SAN SABA	84	104	3	1	1
SCHLEICHER	25	26	1	-	1
SCURRY	126	147	5	2	4
SNYDER	---	117	4	2	4
BALANCE OF COUNTY	---	30	1	-	-
SHACKELFORD	42	61	3	3	-
SHELBY	220	306	7	4	2
WHITE	162	237	5	3	1
ALL OTHER	58	69	2	1	1
NEGRO	58	69	2	1	1
SHERMAN	4	21	2	2	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
SMITH	1,248	1,035	34	26	27
WHITE	965	768	18	14	19
ALL OTHER	283	267	16	12	8
NEGRO	283	267	16	12	8
TYLER	—	593	20	14	17
WHITE	—	446	10	6	12
ALL OTHER	—	147	10	8	5
NEGRO	—	147	10	8	5
BALANCE OF COUNTY	—	442	14	12	10
WHITE	—	322	8	8	7
ALL OTHER	—	120	6	4	3
NEGRO	—	120	6	4	3
SOMERVELL	48	53	1	1	-
STARR	90	132	11	7	16
STEPHENS	121	139	3	1	1
STERLING	13	12	-	-	-
STONEWALL	13	36	1	-	-
SUTTON	35	45	2	1	2
SWISHER	82	108	5	4	5
TARRANT	6,029	5,715	212	154	110
WHITE	5,265	4,940	168	123	81
ALL OTHER	764	775	44	31	29
NEGRO	763	774	44	31	28
ARLINGTON	—	502	31	22	13
BEDFORD	—	47	2	2	1
EULESS	—	78	4	2	6
FORT WORTH, PART	—	3,857	123	91	66
WHITE	—	3,115	83	63	38
ALL OTHER	—	742	40	28	28
NEGRO	—	741	40	28	28
FORT WORTH, TOTAL	—	3,857	123	91	67
WHITE	—	3,115	83	63	39
ALL OTHER	—	742	40	28	28
NEGRO	—	741	40	28	28
GRAND PRAIRIE, PART	—	14	2	2	-
WHITE	—	9	-	-	-
ALL OTHER	—	5	2	2	-
NEGRO	—	5	2	2	-
HALTOM CITY	—	184	7	4	5
HURST	—	119	8	5	-
NORTH RICHLAND HILLS	—	91	6	4	-
WHITE SETTLEMENT	—	55	2	2	3
BALANCE OF COUNTY	—	768	27	20	16
TAYLOR	957	787	25	23	22
ABILENE, PART	—	683	23	21	22
ABILENE, TOTAL	—	683	23	21	22
BALANCE OF COUNTY	—	104	2	2	-
TERRELL	8	17	1	1	-
TERRY	105	114	9	6	4
THROCKMORTON	25	39	-	-	-
TITUS	201	214	10	9	4
WHITE	173	183	7	6	2
ALL OTHER	28	31	3	3	2
NEGRO	28	31	3	3	2
TOM GREEN	837	771	22	15	16
SAN ANGELO	—	695	19	12	16
BALANCE OF COUNTY	—	76	3	3	-
TRAVIS	2,437	2,153	93	72	36
WHITE	2,067	1,834	72	54	30
ALL OTHER	370	319	21	18	6
NEGRO	370	319	21	18	6
AUSTIN	—	1,872	79	61	32
WHITE	—	1,573	59	44	26
ALL OTHER	—	299	20	17	6
NEGRO	—	299	20	17	6
BALANCE OF COUNTY	—	281	14	11	4
TRINITY	92	146	3	2	-
WHITE	64	111	2	2	-
ALL OTHER	28	35	1	-	-
NEGRO	28	35	1	-	-
TYLER	138	182	9	7	1
WHITE	122	163	8	7	1
ALL OTHER	16	19	1	-	-
NEGRO	14	19	1	-	-
UPSHUR	152	254	4	3	4
WHITE	120	201	3	2	3
ALL OTHER	32	53	1	1	1
NEGRO	32	53	1	1	1
UPTON	26	43	-	-	1
UVALDE	138	164	7	7	3
UVALDE	—	102	4	4	3
BALANCE OF COUNTY	—	62	3	3	-
VAL VERDE	199	205	18	14	13
DEL RIO	—	193	16	13	12
BALANCE OF COUNTY	—	12	2	1	1
VAN ZANDT	204	355	8	5	4
VICTORIA	499	465	20	15	10
VICTORIA	—	356	16	11	10
BALANCE OF COUNTY	—	109	4	4	-
WALKER	235	200	5	4	5
WHITE	155	127	3	2	2
ALL OTHER	80	73	2	2	3
NEGRO	80	73	2	2	3
HUNTSVILLE	—	99	2	1	2
WHITE	—	71	2	1	2
ALL OTHER	—	28	-	-	-
NEGRO	—	28	-	-	-
BALANCE OF COUNTY	—	101	3	3	3
WHITE	—	56	1	1	-
ALL OTHER	—	45	2	2	3
NEGRO	—	45	2	2	3
WALLER	92	118	4	3	3
WHITE	55	64	1	1	-
ALL OTHER	37	54	3	2	3
NEGRO	37	54	3	2	3
WARD	62	95	-	-	3
WASHINGTON	299	293	7	6	3
WHITE	219	210	3	3	1
ALL OTHER	80	83	4	3	2
NEGRO	80	83	4	3	2
WEBB	564	548	26	19	26
LAREDO	—	533	24	17	26
BALANCE OF COUNTY	—	15	2	2	-
WHARTON	365	325	11	7	6
WHITE	287	250	9	6	5
ALL OTHER	78	75	2	1	1
NEGRO	78	75	2	1	1
WHEELER	89	97	5	3	3
WICHITA	1,197	1,082	42	28	1
WHITE	1,056	980	37	25	1
ALL OTHER	101	102	5	3	-
NEGRO	100	100	5	3	-
WICHITA FALLS	—	874	34	23	1
WHITE	—	777	30	21	1
ALL OTHER	—	97	4	2	-
NEGRO	—	95	4	2	-
BALANCE OF COUNTY	—	208	8	5	-
WILBARGER	177	196	2	2	3
WHITE	163	180	1	1	3
ALL OTHER	14	16	1	1	-
NEGRO	14	16	1	1	-
VERNON	—	168	2	2	2
WHITE	—	156	1	1	2
ALL OTHER	—	12	1	1	-
NEGRO	—	12	1	1	-
BALANCE OF COUNTY	—	28	-	-	1
WILLACY	83	144	7	5	6
WILLIAMSON	413	479	5	3	7
WHITE	381	435	5	3	6
ALL OTHER	32	44	-	-	1
NEGRO	32	44	-	-	1
WILSON	125	149	4	3	3
WINKLER	68	72	4	3	4
WISE	181	239	4	3	-
WOOD	309	331	6	6	1
WHITE	274	285	2	2	1
ALL OTHER	35	46	4	4	-
NEGRO	35	46	4	4	-
YOAKUM	46	48	5	3	1
YOUNG	231	243	3	1	1
ZAPATA	20	44	1	1	6
ZAVALA	69	94	6	4	5
UTAH	7,705	7,384	366	271	284
WHITE	7,523	7,205	345	261	268
ALL OTHER	182	179	21	10	16
NEGRO	58	51	1	1	2
BEAVER	35	33	-	-	-
BOX ELDER	144	209	8	7	3
BRIGHAM CITY	—	116	6	5	2
BALANCE OF COUNTY	—	93	2	2	1
CACHE	299	303	11	10	11
LOGAN	—	170	5	4	5
BALANCE OF COUNTY	—	133	6	6	6
CARBON	162	166	8	7	3
DAGGETT	5	3	-	-	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
UTAH--CON.					
DAVIS	219	394	28	22	28
BOUNTIFUL	——	135	8	6	8
CLEARFIELD	——	34	4	4	2
WHITE	——	34	4	4	2
ALL OTHER	——	–	–	–	–
NEGRO	——	–	–	–	–
LAYTON	——	50	7	5	2
BALANCE OF COUNTY	——	175	9	7	16
DUCHESNE	95	87	4	2	3
EMERY	26	50	2	2	2
GARFIELD	21	22	–	–	2
GRAND	34	25	1	1	–
IRON	99	83	2	2	6
JUAB	63	62	3	2	–
KANE	32	31	1	1	1
MILLARD	53	71	1	1	–
MORGAN	12	30	1	–	–
PIUTE	5	14	–	–	–
RICH	4	13	–	–	–
SALT LAKE	3,803	3,165	154	115	112
MURRAY	——	144	9	4	2
SALT LAKE CITY	——	1,870	55	43	55
BALANCE OF COUNTY	——	1,151	90	68	55
SAN JUAN	66	66	14	5	8
WHITE	32	24	–	–	–
ALL OTHER	34	42	14	5	8
NEGRO	–	–	–	–	–
SANPETE	95	138	1	1	–
SEVIER	73	100	1	1	2
SUMMIT	40	48	1	1	–
TOOELE	106	134	7	5	9
TOOELE	——	93	6	4	3
BALANCE OF COUNTY	——	41	1	1	6
UINTAH	80	107	6	4	6
WHITE	72	84	5	4	5
ALL OTHER	8	23	1	–	1
NEGRO	–	–	–	–	–
UTAH	840	827	74	56	47
OREM	——	126	20	17	12
PROVO	——	266	32	25	15
BALANCE OF COUNTY	——	435	22	14	20
WASATCH	58	46	–	–	1
WASHINGTON	155	152	9	6	5
WAYNE	7	16	–	–	2
WEBER	1,074	989	29	20	32
OGDEN	——	761	21	15	24
ROY	——	72	3	1	2
BALANCE OF COUNTY	——	156	5	4	6
VERMONT	4,427	4,398	97	78	66
WHITE	4,418	4,385	97	78	66
ALL OTHER	9	13	–	–	–
NEGRO	7	10	–	–	–
ADDISON	152	208	4	2	–
BENNINGTON	344	338	7	6	1
CALEDONIA	247	254	7	5	7
CHITTENDEN	913	684	20	17	12
BURLINGTON	——	334	10	9	5
BALANCE OF COUNTY	——	350	10	8	7
ESSEX	18	82	1	1	2
FRANKLIN	331	348	5	2	6
GRAND ISLE	10	40	–	–	–
LAMOILLE	132	126	3	2	3
ORANGE	144	177	4	4	5
ORLEANS	216	228	6	6	6
RUTLAND	562	554	13	12	8
RUTLAND	——	243	5	4	4
BALANCE OF COUNTY	——	311	8	8	4
WASHINGTON	520	508	8	7	8
BARRE	——	150	2	2	2
BALANCE OF COUNTY	——	358	6	5	6
WINDHAM	375	376	11	9	1
WINDSOR	463	475	8	5	7
VIRGINIA	39,725	40,358	1,201	908	1,062
WHITE	30,450	31,152	783	595	687
ALL OTHER	9,275	9,206	418	313	375
NEGRO	9,222	9,154	409	308	363
ACCOMACK	210	426	9	4	7
WHITE	160	302	3	1	2
ALL OTHER	50	124	6	3	5
NEGRO	50	124	6	3	5
VIRGINIA--CON.					
ALBEMARLE	890	333	7	5	5
WHITE	680	275	7	5	3
ALL OTHER	210	58	–	–	2
NEGRO	208	57	–	–	2
ALLEGHANY	70	112	1	1	1
AMELIA	38	76	–	–	4
WHITE	17	40	–	–	3
ALL OTHER	21	36	–	–	1
NEGRO	21	36	–	–	1
AMHERST	162	213	9	7	6
WHITE	139	165	4	4	4
ALL OTHER	23	48	5	3	2
NEGRO	22	48	5	3	2
APPOMATTOX	54	133	–	–	3
WHITE	46	109	–	–	1
ALL OTHER	8	24	–	–	2
NEGRO	8	24	–	–	2
ARLINGTON#	970	1,159	23	18	18
WHITE	899	1,078	18	13	18
ALL OTHER	71	81	5	5	–
NEGRO	70	78	5	5	–
AUGUSTA	295	357	6	5	12
BATH	59	81	4	3	1
WHITE	51	69	3	2	1
ALL OTHER	8	12	1	1	–
NEGRO	8	12	1	1	–
BEDFORD	106	256	6	5	7
WHITE	96	216	5	4	5
ALL OTHER	10	40	1	1	2
NEGRO	10	40	1	1	2
BLAND	13	52	2	2	1
BOTETOURT	97	167	5	4	3
BRUNSWICK	82	223	4	2	6
WHITE	26	96	–	–	1
ALL OTHER	56	127	4	2	5
NEGRO	56	127	4	2	5
BUCHANAN	177	260	11	8	7
BUCKINGHAM	36	114	–	–	2
WHITE	24	84	–	–	–
ALL OTHER	12	30	–	–	2
NEGRO	12	30	–	–	2
CAMPBELL	120	342	8	6	20
WHITE	91	265	5	4	13
ALL OTHER	29	77	3	2	7
NEGRO	29	77	3	2	6
CAROLINE	53	129	4	3	4
WHITE	30	71	3	2	3
ALL OTHER	23	58	1	1	1
NEGRO	23	58	1	1	1
CARROLL	67	208	1	–	4
CHARLES CITY	27	66	4	3	–
WHITE	11	18	–	–	–
ALL OTHER	16	48	4	3	–
NEGRO	15	47	4	3	–
CHARLOTTE	58	137	3	2	6
WHITE	32	79	2	1	3
ALL OTHER	26	58	1	1	3
NEGRO	26	58	1	1	3
CHESTERFIELD	162	461	19	15	14
WHITE	141	409	16	13	12
ALL OTHER	21	52	3	2	2
NEGRO	21	52	3	2	1
CLARKE	128	100	2	2	1
WHITE	108	85	2	2	–
ALL OTHER	20	15	–	–	1
NEGRO	20	15	–	–	1
CRAIG	12	46	–	–	–
CULPEPER	178	187	4	4	3
WHITE	150	150	4	4	2
ALL OTHER	28	37	–	–	1
NEGRO	28	37	–	–	1
CUMBERLAND	22	68	1	1	1
WHITE	12	28	–	–	–
ALL OTHER	10	40	1	1	1
NEGRO	10	40	1	1	1
DICKENSON	51	135	6	4	7
DINWIDDIE	223	140	2	2	8
WHITE	107	79	–	–	3
ALL OTHER	116	61	2	2	5
NEGRO	116	61	2	2	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA—CON.					
ESSEX	167	106	1	-	3
WHITE	105	66	1	-	1
ALL OTHER	62	40	-	-	2
NEGRO	61	39	-	-	2
FAIRFAX	1,507	1,972	75	47	58
WHITE	1,425	1,874	65	41	44
ALL OTHER	82	98	10	6	14
NEGRO	69	90	8	6	12
VIENNA	---	93	5	3	2
BALANCE OF COUNTY	---	1,879	70	44	56
WHITE	---	1,789	62	39	42
ALL OTHER	---	90	8	5	14
NEGRO	---	82	6	5	12
FAUQUIER	215	260	8	6	6
WHITE	162	201	7	6	4
ALL OTHER	53	59	1	-	2
NEGRO	53	59	1	-	2
FLOYD	31	95	2	1	3
FLUVANNA	49	85	1	1	1
WHITE	36	55	1	1	-
ALL OTHER	13	30	-	-	1
NEGRO	13	30	-	-	1
FRANKLIN	173	260	6	4	7
WHITE	153	235	4	2	7
ALL OTHER	20	25	2	2	-
NEGRO	20	25	2	2	-
FREDERICK	32	230	6	5	5
GILES	159	189	5	4	2
GLOUCESTER	64	140	2	1	4
WHITE	52	106	1	1	4
ALL OTHER	12	34	1	-	-
NEGRO	12	34	1	-	-
GOOCHLAND	25	76	1	-	5
WHITE	11	45	-	-	1
ALL OTHER	14	31	1	-	4
NEGRO	14	31	1	-	4
GRAYSON	59	168	3	2	3
GREENE	26	53	-	-	3
WHITE	18	40	-	-	3
ALL OTHER	8	13	-	-	-
NEGRO	8	13	-	-	-
GREENSVILLE	34	109	4	3	5
WHITE	16	40	2	1	1
ALL OTHER	18	69	2	2	4
NEGRO	18	69	2	2	4
HALIFAX	81	263	5	4	7
WHITE	48	153	3	2	3
ALL OTHER	33	110	2	2	4
NEGRO	33	110	2	2	4
HANOVER	124	348	11	8	13
WHITE	97	282	9	6	11
ALL OTHER	27	66	2	2	2
NEGRO	27	66	2	2	2
HENRICO	1,017	1,205	41	34	35
WHITE	897	1,108	29	22	27
ALL OTHER	120	97	12	12	8
NEGRO	119	96	11	11	8
HENRY	100	328	17	16	18
WHITE	78	243	11	10	10
ALL OTHER	22	85	6	6	8
NEGRO	22	85	6	6	8
HIGHLAND	17	32	-	-	1
ISLE OF WIGHT	46	198	9	7	6
WHITE	19	85	4	3	2
ALL OTHER	27	113	5	4	4
NEGRO	27	113	5	4	4
JAMES CITY	252	113	3	2	4
WHITE	161	65	2	1	2
ALL OTHER	91	48	1	1	2
NEGRO	89	48	1	1	2
KING AND QUEEN	29	68	3	3	2
WHITE	19	42	1	1	-
ALL OTHER	10	26	2	2	2
NEGRO	10	26	2	2	2
KING GEORGE	32	82	3	1	2
WHITE	27	64	3	1	1
ALL OTHER	5	18	-	-	1
NEGRO	5	18	-	-	1
KING WILLIAM	42	87	1	1	-
WHITE	17	46	1	1	-
ALL OTHER	25	41	-	-	-
NEGRO	25	39	-	-	-
LANCASTER	66	125	1	-	3
WHITE	39	79	-	-	1
ALL OTHER	27	46	1	-	2
NEGRO	27	46	1	-	2
LEE	171	272	6	5	7
LOUDOUN	212	318	13	9	14
WHITE	180	268	11	7	11
ALL OTHER	32	50	2	2	3
NEGRO	32	49	1	1	2
LOUISA	125	194	4	2	3
WHITE	84	128	2	-	2
ALL OTHER	41	66	2	2	1
NEGRO	41	66	2	2	1
LUNENBURG	65	152	3	2	2
WHITE	38	93	2	2	-
ALL OTHER	27	59	1	-	2
NEGRO	27	59	1	-	2
MADISON	59	92	1	-	3
WHITE	49	67	-	-	1
ALL OTHER	10	25	1	-	2
NEGRO	10	25	1	-	2
MATHEWS	72	116	3	2	-
WHITE	56	94	3	2	-
ALL OTHER	16	22	-	-	-
NEGRO	16	22	-	-	-
MECKLENBURG	326	355	7	4	13
WHITE	189	219	6	3	4
ALL OTHER	137	136	1	1	9
NEGRO	137	136	1	1	9
MIDDLESEX	53	99	2	1	2
WHITE	39	71	-	-	2
ALL OTHER	14	28	2	1	-
NEGRO	14	28	2	1	-
MONTGOMERY	255	319	6	5	11
NANSEMOND[6]	-	16	1	-	-
WHITE	-	10	1	-	-
ALL OTHER	-	6	-	-	-
NEGRO	-	6	-	-	-
NELSON	57	134	4	4	1
WHITE	43	99	2	2	1
ALL OTHER	14	35	2	2	-
NEGRO	14	35	2	2	-
NEW KENT	15	49	1	-	4
WHITE	11	26	-	-	4
ALL OTHER	4	23	1	-	-
NEGRO	4	23	1	-	-
NORTHAMPTON	302	208	5	4	1
WHITE	190	122	1	-	-
ALL OTHER	112	86	4	4	1
NEGRO	112	86	4	4	1
NORTHUMBERLAND	58	131	-	-	1
WHITE	44	96	-	-	1
ALL OTHER	14	35	-	-	-
NEGRO	14	35	-	-	-
NOTTOWAY	123	184	4	3	2
WHITE	73	115	1	1	1
ALL OTHER	50	69	3	2	1
NEGRO	50	69	3	2	1
ORANGE	127	182	1	-	6
WHITE	109	154	1	-	3
ALL OTHER	18	28	-	-	3
NEGRO	18	28	-	-	3
PAGE	155	207	1	1	3
PATRICK	149	140	4	3	5
PITTSYLVANIA	180	546	24	16	20
WHITE	123	384	12	10	11
ALL OTHER	57	162	12	6	9
NEGRO	57	162	12	6	9
POWHATAN	40	76	1	1	-
WHITE	27	52	-	-	-
ALL OTHER	13	24	1	1	-
NEGRO	13	23	1	1	-
PRINCE EDWARD	278	181	6	6	2
WHITE	175	98	3	3	-
ALL OTHER	103	83	3	3	2
NEGRO	103	83	3	3	2
PRINCE GEORGE	49	77	4	4	4
WHITE	37	52	2	2	4
ALL OTHER	12	25	2	2	-
NEGRO	12	25	2	2	-
PRINCE WILLIAM	465	489	43	36	27
PULASKI	236	293	6	5	7
PULASKI	---	117	2	1	3
BALANCE OF COUNTY	---	176	4	4	4
RAPPAHANNOCK	17	60	1	1	2
WHITE	15	50	1	1	2
ALL OTHER	2	10	-	-	-
NEGRO	2	10	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA--CON.					
RICHMOND	18	76	2	1	2
WHITE	12	61	2	1	1
ALL OTHER	6	15	-	-	1
NEGRO	6	15	-	-	1
ROANOKE	261	472	14	13	12
ROCKBRIDGE	59	161	4	3	2
ROCKINGHAM	133	419	13	10	12
RUSSELL	175	265	6	5	4
SCOTT	73	239	5	3	3
SHENANDOAH	245	282	4	2	4
SMYTH	372	260	9	7	7
SOUTHAMPTON	45	184	6	3	1
WHITE	16	87	1	1	-
ALL OTHER	29	97	5	2	1
NEGRO	29	97	5	2	1
SPOTSYLVANIA	72	166	7	6	4
WHITE	52	134	4	4	2
ALL OTHER	20	32	3	2	2
NEGRO	20	32	3	2	2
STAFFORD	63	168	11	7	5
SURRY	20	56	2	1	4
WHITE	5	25	-	-	1
ALL OTHER	15	31	2	1	3
NEGRO	15	31	2	1	3
SUSSEX	26	101	5	4	5
WHITE	11	48	-	-	1
ALL OTHER	15	53	5	4	4
NEGRO	15	53	5	4	4
TAZEWELL	396	475	16	13	7
WARREN	180	216	4	4	1
WASHINGTON	370	393	4	3	9
WESTMORELAND	62	147	3	2	1
WHITE	40	106	3	2	1
ALL OTHER	22	41	-	-	-
NEGRO	22	41	-	-	-
WISE	259	414	14	9	12
WYTHE	223	253	5	4	2
YORK	36	194	5	4	1
WHITE	23	140	3	2	1
ALL OTHER	13	54	2	2	-
NEGRO	13	54	2	2	-
INDEPENDENT CITIES[7]					
ALEXANDRIA	1,032	866	33	26	33
WHITE	878	707	18	14	22
ALL OTHER	154	159	15	12	11
NEGRO	148	156	14	12	11
BEDFORD	165	108	3	2	-
WHITE	130	83	3	2	-
ALL OTHER	35	25	-	-	-
NEGRO	35	25	-	-	-
BRISTOL[8]	159	195	2	1	4
BUENA VISTA	21	52	1	1	1
CHARLOTTESVILLE	401	393	14	10	11
WHITE	329	296	9	7	6
ALL OTHER	72	97	5	3	5
NEGRO	72	96	5	3	5
CHESAPEAKE	175	759	32	27	23
WHITE	121	538	15	13	12
ALL OTHER	54	221	17	14	11
NEGRO	54	219	17	14	11
CLIFTON FORGE	245	71	-	-	-
WHITE	222	59	-	-	-
ALL OTHER	23	12	-	-	-
NEGRO	23	12	-	-	-
COLONIAL HEIGHTS	24	111	-	-	1
COVINGTON	20	128	7	6	3
WHITE	17	116	5	4	3
ALL OTHER	3	12	2	2	-
NEGRO	3	12	2	2	-
DANVILLE	863	502	14	10	15
WHITE	599	364	4	3	9
ALL OTHER	264	138	10	7	6
NEGRO	264	138	10	7	6
EMPORIA	147	68	3	3	2
WHITE	76	44	-	-	1
ALL OTHER	71	24	3	3	1
NEGRO	71	24	3	3	1
FAIRFAX	209	126	5	3	4
FALLS CHURCH	17	144	4	4	6
VIRGINIA--CON.					
INDEPENDENT CITIES--CON.					
FRANKLIN	174	78	5	3	1
WHITE	89	35	2	1	-
ALL OTHER	85	43	3	2	1
NEGRO	85	43	3	2	1
FREDERICKSBURG	494	199	7	7	4
WHITE	395	163	6	6	4
ALL OTHER	99	36	1	1	-
NEGRO	99	36	1	1	-
GALAX	172	70	1	1	4
HAMPTON	904	808	37	30	46
WHITE	547	552	25	22	24
ALL OTHER	357	256	12	8	22
NEGRO	355	254	12	8	21
HARRISONBURG	480	143	1	1	-
HOPEWELL	202	204	10	9	1
WHITE	164	159	7	6	1
ALL OTHER	38	45	3	3	-
NEGRO	38	45	3	3	-
LEXINGTON	138	72	1	-	1
WHITE	125	63	-	-	1
ALL OTHER	13	9	1	-	-
NEGRO	13	9	1	-	-
LYNCHBURG	1,165	692	12	10	14
WHITE	907	532	6	6	6
ALL OTHER	258	160	6	4	8
NEGRO	258	160	6	4	7
MARTINSVILLE	314	170	3	1	4
WHITE	237	124	2	1	3
ALL OTHER	77	46	1	-	1
NEGRO	77	46	1	-	1
NEWPORT NEWS	1,246	996	37	30	38
WHITE	819	605	22	16	24
ALL OTHER	427	391	15	14	14
NEGRO	427	390	15	14	13
NORFOLK	3,202	2,531	107	86	61
WHITE	1,946	1,512	53	44	33
ALL OTHER	1,256	1,019	54	42	28
NEGRO	1,248	1,013	53	41	27
NORTON	174	50	3	2	-
PETERSBURG	607	517	13	13	16
WHITE	351	266	5	5	2
ALL OTHER	256	251	8	8	14
NEGRO	256	251	8	8	14
PORTSMOUTH	1,482	1,118	38	28	26
WHITE	974	639	8	6	8
ALL OTHER	508	479	30	22	18
NEGRO	503	477	30	22	18
RADFORD	186	84	2	2	-
RICHMOND	4,737	2,995	67	50	76
WHITE	3,078	1,747	23	17	20
ALL OTHER	1,659	1,248	44	33	56
NEGRO	1,654	1,244	44	33	56
ROANOKE	1,544	1,279	23	14	14
WHITE	1,297	1,013	13	8	7
ALL OTHER	247	266	10	6	7
NEGRO	247	266	10	6	7
SALEM	721	233	5	3	5
SOUTH BOSTON	337	105	2	1	5
WHITE	202	71	1	-	2
ALL OTHER	135	34	1	1	3
NEGRO	135	34	1	1	3
STAUNTON	335	240	1	1	4
WHITE	305	203	-	-	3
ALL OTHER	30	37	1	1	1
NEGRO	30	37	1	1	1
SUFFOLK[8]	473	461	18	12	6
WHITE	217	211	5	4	4
ALL OTHER	256	250	13	8	2
NEGRO	256	250	13	8	2
VIRGINIA BEACH	684	906	36	28	36
WHITE	553	753	31	24	30
ALL OTHER	131	153	5	4	6
NEGRO	128	150	5	4	6
WAYNESBORO	241	153	1	-	3
WILLIAMSBURG	188	91	4	2	6
WHITE	124	67	2	2	4
ALL OTHER	64	24	2	-	2
NEGRO	64	24	2	-	2
WINCHESTER	663	236	10	7	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
WASHINGTON	30,051	29,827	759	537	459
WHITE	28,931	28,726	674	474	403
ALL OTHER	1,120	1,101	85	63	56
NEGRO	515	520	44	33	26
ADAMS	63	71	4	2	2
ASOTIN	159	171	4	4	–
BENTON	472	469	12	9	16
KENNEWICK	—	149	7	5	7
RICHLAND	—	168	–	–	4
BALANCE OF COUNTY	—	152	5	4	5
CHELAN	471	401	4	2	5
WENATCHEE	—	221	2	1	–
BALANCE OF COUNTY	—	180	2	1	5
CLALLAM	387	413	16	12	3
PORT ANGELES	—	184	8	6	–
BALANCE OF COUNTY	—	229	8	6	3
CLARK	1,181	1,154	27	21	19
VANCOUVER	—	524	11	8	6
BALANCE OF COUNTY	—	630	16	13	13
COLUMBIA	48	51	1	–	2
COWLITZ	511	552	17	11	8
KELSO	—	123	8	5	–
LONGVIEW	—	254	3	3	5
BALANCE OF COUNTY	—	175	6	3	3
DOUGLAS	46	116	2	2	2
FERRY	22	30	2	2	–
WHITE	17	17	–	–	–
ALL OTHER	5	13	2	2	–
NEGRO	–	–	–	–	–
FRANKLIN	171	183	12	8	10
PASCO	—	143	6	6	4
WHITE	—	130	5	5	3
ALL OTHER	—	13	1	1	1
NEGRO	—	12	1	1	1
BALANCE OF COUNTY	—	40	6	2	6
GARFIELD	22	29	–	–	–
GRANT	284	339	14	10	6
MOSES LAKE	—	109	5	4	1
BALANCE OF COUNTY	—	230	9	6	5
GRAYS HARBOR	634	681	14	8	7
ABERDEEN	—	262	3	–	3
HOQUIAM	—	108	4	3	1
BALANCE OF COUNTY	—	311	7	5	3
ISLAND	154	210	10	9	5
JEFFERSON	89	115	2	1	1
KING	9,969	9,440	186	132	140
WHITE	9,391	8,868	152	105	117
ALL OTHER	578	572	34	27	23
NEGRO	327	339	24	19	13
AUBURN	—	155	6	3	5
BELLEVUE	—	322	7	4	8
KENT	—	149	2	1	3
KIRKLAND	—	131	2	1	4
MERCER ISLAND CITY	—	80	–	–	2
REDMOND	—	75	1	1	2
RENTON	—	218	4	2	3
SEATTLE	—	5,776	81	64	62
WHITE	—	5,260	53	43	41
ALL OTHER	—	516	28	21	21
NEGRO	—	317	23	18	13
BALANCE OF COUNTY	—	2,534	83	56	51
KITSAP	873	924	28	18	14
BREMERTON	—	362	10	7	4
BALANCE OF COUNTY	—	562	18	11	10
KITTITAS	178	184	2	1	2
ELLENSBURG	—	86	2	1	–
BALANCE OF COUNTY	—	98	–	–	2
KLICKITAT	100	121	4	3	–
LEWIS	470	517	12	7	7
CENTRALIA	—	189	–	–	–
BALANCE OF COUNTY	—	328	12	7	7
LINCOLN	86	107	1	1	1
MASON	172	208	10	8	3
OKANOGAN	270	281	5	4	1
PACIFIC	187	209	1	1	–
PEND OREILLE	84	79	2	2	1
PIERCE	3,408	3,374	129	86	63
WHITE	3,270	3,238	105	70	52
ALL OTHER	138	136	24	16	11
NEGRO	89	87	16	10	7
PUYALLUP	—	225	4	2	2
WASHINGTON—CON.					
PIERCE—CON.					
TACOMA	—	1,794	44	31	25
WHITE	—	1,701	35	25	19
ALL OTHER	—	93	9	6	6
NEGRO	—	67	8	5	4
BALANCE OF COUNTY	—	1,355	81	53	36
WHITE	—	1,316	66	43	31
ALL OTHER	—	39	15	10	5
NEGRO	—	20	8	5	3
SAN JUAN	45	55	–	–	–
SKAGIT	608	584	12	10	14
SKAMANIA	29	45	–	–	–
SNOHOMISH	1,664	1,887	58	37	28
EDMONDS	—	189	1	1	1
EVERETT	—	578	12	5	9
LYNNWOOD	—	123	5	3	2
MOUNTLAKE TERRACE	—	47	3	3	–
BALANCE OF COUNTY	—	950	37	25	16
SPOKANE	3,231	2,812	74	55	32
SPOKANE	—	2,015	41	31	19
BALANCE OF COUNTY	—	797	33	24	13
STEVENS	134	182	4	4	5
THURSTON	713	741	14	10	13
OLYMPIA	—	313	8	6	5
BALANCE OF COUNTY	—	428	6	4	8
WAHKIAKUM	28	39	1	1	3
WALLA WALLA	611	501	9	6	2
WALLA WALLA	—	335	3	2	1
BALANCE OF COUNTY	—	166	6	4	1
WHATCOM	804	801	22	18	13
BELLINGHAM	—	478	10	8	9
BALANCE OF COUNTY	—	323	12	10	4
WHITMAN	199	231	6	5	2
PULLMAN	—	45	3	2	–
BALANCE OF COUNTY	—	186	3	3	2
YAKIMA	1,474	1,520	38	27	29
YAKIMA	—	653	15	10	7
BALANCE OF COUNTY	—	867	23	17	22
WEST VIRGINIA	19,652	19,558	527	421	314
WHITE	18,552	18,470	498	397	293
ALL OTHER	1,100	1,088	29	24	21
NEGRO	1,096	1,087	29	24	20
BARBOUR	166	178	4	1	2
BERKELEY	689	422	6	5	10
MARTINSBURG	—	254	2	1	3
BALANCE OF COUNTY	—	168	4	4	7
BOONE	208	258	9	8	9
BRAXTON	109	179	3	3	2
BROOKE	90	269	5	3	4
WEIRTON, PART	—	33	–	–	–
BALANCE OF COUNTY	—	236	5	3	4
CABELL	1,776	1,252	32	22	18
HUNTINGTON, PART	—	912	20	11	10
HUNTINGTON, TOTAL	—	968	20	11	11
BALANCE OF COUNTY	—	340	12	11	8
CALHOUN	79	98	1	1	1
CLAY	45	109	3	3	1
DODDRIDGE	33	97	3	2	1
FAYETTE	538	722	17	11	14
WHITE	487	642	14	8	12
ALL OTHER	51	80	3	3	2
NEGRO	51	80	3	3	2
GILMER	22	77	3	3	2
GRANT	105	88	2	2	–
GREENBRIER	343	429	10	9	6
HAMPSHIRE	96	149	1	1	1
HANCOCK	341	422	15	11	7
WEIRTON, PART	—	232	5	4	5
WEIRTON, TOTAL	—	265	5	4	5
BALANCE OF COUNTY	—	190	10	7	2
HARDY	29	91	1	1	2
HARRISON	1,026	926	19	12	17
CLARKSBURG	—	386	5	4	7
BALANCE OF COUNTY	—	540	14	8	10
JACKSON	130	166	4	4	6
JEFFERSON	164	244	5	4	3
WHITE	140	204	2	1	2
ALL OTHER	24	40	3	3	1
NEGRO	24	40	3	3	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WEST VIRGINIA—CON.					
KANAWHA	2,502	2,304	48	38	26
WHITE	2,313	2,101	42	35	23
ALL OTHER	189	203	6	3	3
NEGRO	187	203	6	3	3
CHARLESTON	—	981	14	10	10
WHITE	—	839	9	7	7
ALL OTHER	—	142	5	3	3
NEGRO	—	142	5	3	3
ST. ALBANS	—	165	7	7	2
SOUTH CHARLESTON	—	148	2	2	1
BALANCE OF COUNTY	—	1,010	25	19	13
LEWIS	302	227	6	5	3
LINCOLN	68	200	10	7	4
LOGAN	425	503	22	20	11
MC DOWELL	496	600	22	17	11
WHITE	375	452	16	11	7
ALL OTHER	121	148	6	6	4
NEGRO	121	148	6	6	4
MARION	643	761	11	10	11
FAIRMONT	—	357	4	3	5
BALANCE OF COUNTY	—	404	7	7	6
MARSHALL	327	398	11	9	4
MOUNDSVILLE	—	169	4	2	1
BALANCE OF COUNTY	—	229	7	7	3
MASON	153	213	12	9	7
MERCER	943	745	21	18	11
BLUEFIELD [8]	—	234	8	6	-
WHITE	—	178	6	5	-
ALL OTHER	—	56	2	1	-
NEGRO	—	56	2	1	-
BALANCE OF COUNTY	—	511	13	12	11
MINERAL	153	247	8	7	1
MINGO	236	361	18	17	16
MONONGALIA	1,013	576	15	11	8
MORGANTOWN	—	280	2	2	2
BALANCE OF COUNTY	—	296	13	9	6
MONROE	29	130	-	-	-
MORGAN	81	117	3	3	3
NICHOLAS	203	242	8	6	7
OHIO	1,107	801	15	11	7
WHEELING	—	700	10	7	3
BALANCE OF COUNTY	—	101	5	4	4
PENDLETON	21	77	3	3	1
PLEASANTS	32	67	1	1	5
POCAHONTAS	116	108	4	3	2
PRESTON	273	289	6	6	3
PUTNAM	93	225	12	11	4
RALEIGH	1,265	884	31	27	14
WHITE	1,080	749	27	24	13
ALL OTHER	185	135	4	3	1
NEGRO	185	135	4	3	1
BECKLEY	—	325	16	14	4
WHITE	—	248	14	13	3
ALL OTHER	—	77	2	1	1
NEGRO	—	77	2	1	1
BALANCE OF COUNTY	—	559	15	13	10
RANDOLPH	430	298	9	9	4
RITCHIE	69	156	4	2	3
ROANE	188	164	6	4	1
SUMMERS	208	207	4	4	4
TAYLOR	141	173	6	5	2
TUCKER	55	93	2	1	1
TYLER	79	131	3	2	-
UPSHUR	177	205	3	3	3
WAYNE	337	373	7	4	4
HUNTINGTON, PART	—	56	-	-	1
BALANCE OF COUNTY	—	317	7	4	3
WEBSTER	98	141	4	3	2
WETZEL	177	213	7	4	4
WIRT	18	61	-	-	2
WOOD	1,103	849	25	20	12
PARKERSBURG	—	575	17	14	5
VIENNA	—	81	1	1	3
BALANCE OF COUNTY	—	193	7	5	4
WYOMING	102	243	17	15	7
WISCONSIN	41,027	40,865	906	668	580
WHITE	40,053	39,905	816	612	507
ALL OTHER	974	960	90	56	73
NEGRO	801	787	79	51	59
ADAMS	137	145	1	1	1
ASHLAND	241	239	4	3	2
BARRON	395	413	7	6	5
BAYFIELD	111	169	2	2	-
WISCONSIN—CON.					
BROWN	1,401	1,147	28	23	14
DE PERE	—	94	1	-	1
GREEN BAY	—	740	17	15	8
BALANCE OF COUNTY	—	313	10	8	5
BUFFALO	79	125	1	1	1
BURNETT	115	164	2	2	-
CALUMET	196	226	5	3	2
APPLETON, PART	—	14	1	-	-
BALANCE OF COUNTY	—	212	4	3	2
CHIPPEWA	414	436	19	17	12
CHIPPEWA FALLS	—	119	4	3	4
EAU CLAIRE, PART	—	8	-	-	-
BALANCE OF COUNTY	—	309	15	14	8
CLARK	250	336	5	4	5
COLUMBIA	450	496	11	9	7
CRAWFORD	162	171	4	3	-
DANE	2,682	1,897	58	44	19
MADISON	—	1,097	25	16	15
MONONA	—	58	2	2	-
BALANCE OF COUNTY	—	742	31	26	4
DODGE	742	709	9	5	14
BEAVER DAM	—	184	2	-	4
WATERTOWN, PART	—	43	-	-	1
BALANCE OF COUNTY	—	482	7	5	9
DOOR	203	246	9	7	3
DOUGLAS	476	539	17	13	5
SUPERIOR	—	413	13	11	2
BALANCE OF COUNTY	—	126	4	2	3
DUNN	209	269	8	6	4
MENOMONIE	—	86	2	1	1
BALANCE OF COUNTY	—	183	6	5	3
EAU CLAIRE	726	602	17	16	9
EAU CLAIRE, PART	—	427	13	12	6
EAU CLAIRE, TOTAL	—	435	13	12	6
BALANCE OF COUNTY	—	175	4	4	3
FLORENCE	30	43	1	1	2
FOND DU LAC	797	815	19	15	14
FOND DU LAC	—	426	13	11	10
BALANCE OF COUNTY	—	389	6	4	4
FOREST	40	85	-	-	3
GRANT	412	459	8	7	12
GREEN	390	314	3	-	5
GREEN LAKE	140	209	6	3	3
IOWA	173	211	6	3	3
IRON	30	102	5	2	-
JACKSON	160	193	4	3	3
JEFFERSON	400	548	13	11	7
WATERTOWN, PART	—	132	3	2	-
WATERTOWN, TOTAL	—	175	3	2	1
WHITEWATER, PART	—	3	-	-	-
BALANCE OF COUNTY	—	413	10	9	7
JUNEAU	141	225	7	4	2
KENOSHA	943	1,033	25	21	18
KENOSHA	—	758	17	15	10
BALANCE OF COUNTY	—	275	8	6	8
KEWAUNEE	136	174	5	5	5
LA CROSSE	1,085	773	17	13	3
LA CROSSE	—	550	11	8	1
BALANCE OF COUNTY	—	223	6	5	2
LAFAYETTE	103	172	4	2	-
LANGLADE	191	212	5	4	-
LINCOLN	290	305	8	4	3
MANITOWOC	753	814	8	5	10
MANITOWOC	—	424	4	2	5
TWO RIVERS	—	144	-	-	1
BALANCE OF COUNTY	—	246	4	3	4
MARATHON	745	835	34	22	17
MARSHFIELD, PART	—	1	1	-	-
WAUSAU	—	380	12	9	7
BALANCE OF COUNTY	—	454	21	13	10
MARINETTE	417	416	8	8	7
MARINETTE	—	186	2	2	-
BALANCE OF COUNTY	—	230	6	6	7
MARQUETTE	52	128	4	4	1
MENOMINEE	9	29	-	-	-
WHITE	2	10	-	-	-
ALL OTHER	7	19	-	-	-
NEGRO	-	-	-	-	-
MILWAUKEE	10,241	9,849	191	124	138
WHITE	9,544	9,149	122	82	81
ALL OTHER	697	700	69	42	57
NEGRO	665	670	67	41	52
BROWN DEER	—	62	1	1	-
CUDAHY	—	143	2	-	1
FRANKLIN	—	54	2	1	-
GLENDALE	—	197	-	-	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1974—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WISCONSIN—CON.					
MILWAUKEE—CON.					
GREENDALE	---	57	1	-	1
GREENFIELD	---	186	2	1	2
MILWAUKEE, PART	---	7,027	151	99	116
WHITE	---	6,335	83	57	59
ALL OTHER	---	692	68	42	57
NEGRO	---	666	66	41	52
MILWAUKEE, TOTAL	---	7,027	151	99	116
WHITE	---	6,335	83	57	59
ALL OTHER	---	692	68	42	57
NEGRO	---	666	66	41	52
OAK CREEK	---	86	2	2	-
ST. FRANCIS	---	67	3	3	-
SHOREWOOD	---	220	2	-	1
SOUTH MILWAUKEE	---	168	7	4	3
WAUWATOSA	---	600	6	4	3
WEST ELLIS	---	669	9	6	8
WHITEFISH BAY	---	121	1	1	-
BALANCE OF COUNTY	---	192	2	2	1
MONROE	392	319	6	5	5
OCONTO	237	306	6	5	6
ONEIDA	402	306	3	2	5
OUTAGAMIE	991	939	28	23	17
APPLETON, PART	---	460	10	7	6
APPLETON, TOTAL	---	474	11	7	6
KAUKAUNA	---	122	2	2	-
BALANCE OF COUNTY	---	357	16	14	11
OZAUKEE	307	406	9	9	8
MEQUON	---	86	1	1	3
BALANCE OF COUNTY	---	320	8	8	5
PEPIN	60	73	2	2	1
PIERCE	135	254	8	8	7
POLK	333	306	13	8	5
PORTAGE	370	364	7	4	5
STEVENS POINT	---	163	2	2	3
BALANCE OF COUNTY	---	201	5	2	2
PRICE	185	218	1	1	4
RACINE	1,360	1,377	34	25	26
WHITE	1,305	1,316	25	18	18
ALL OTHER	55	61	9	7	8
NEGRO	54	60	9	7	7
RACINE	---	851	19	13	19
WHITE	---	795	10	6	12
ALL OTHER	---	56	9	7	7
NEGRO	---	55	9	7	7
BALANCE OF COUNTY	---	526	15	12	7
RICHLAND	149	167	2	2	1
ROCK	1,109	1,170	24	18	9
BELOIT	---	328	7	5	3
JANESVILLE	---	394	4	4	3
BALANCE OF COUNTY	---	448	13	9	3
RUSK	126	164	6	5	7
ST. CROIX	278	305	10	8	2
SAUK	418	419	12	9	3
SAWYER	132	135	3	1	1
SHAWANO	322	392	9	5	8
SHEBOYGAN	981	992	14	8	13
SHEBOYGAN	---	567	8	4	5
BALANCE OF COUNTY	---	425	6	4	8
TAYLOR	159	165	6	6	2
TREMPEALEAU	232	291	3	2	4
VERNON	305	308	4	1	1
VILAS	140	172	3	3	1
WALWORTH	490	617	10	8	6
WHITEWATER, PART	---	70	1	1	1
WHITEWATER, TOTAL	---	73	1	1	1
BALANCE OF COUNTY	---	547	9	7	5
WASHBURN	170	152	1	1	2
WASHINGTON	443	498	18	15	8
MILWAUKEE, PART	---	-	-	-	-
WEST BEND	---	145	2	2	-
BALANCE OF COUNTY	---	353	16	13	8
WAUKESHA	1,530	1,493	35	29	25
BROOKFIELD	---	180	2	-	3
MENOMONEE FALLS	---	160	4	4	4
MUSKEGO	---	55	1	1	-
NEW BERLIN	---	109	1	1	2
WAUKESHA	---	300	13	12	6
BALANCE OF COUNTY	---	689	14	11	10
WAUPACA	506	520	8	4	10
WAUSHARA	171	196	2	1	2
WINNEBAGO	1,063	1,047	22	17	14
MENASHA	---	131	4	2	-
NEENAH	---	173	5	4	3
OSHKOSH	---	494	7	5	6
BALANCE OF COUNTY	---	249	6	6	5
WOOD	864	521	9	7	13
MARSHFIELD, PART	---	136	2	2	1
MARSHFIELD, TOTAL	---	137	3	2	1
WISCONSIN RAPIDS	---	180	2	2	7
BALANCE OF COUNTY	---	205	5	3	5
WYOMING	3,090	3,142	104	74	79
WHITE	3,002	3,054	102	73	74
ALL OTHER	88	88	2	1	5
NEGRO	23	24	-	-	2
ALBANY	159	162	4	3	4
LARAMIE	---	140	4	3	3
BALANCE OF COUNTY	---	22	-	-	1
BIG HORN	82	103	3	2	5
CAMPBELL	73	75	3	2	3
CARBON	149	163	7	7	2
CONVERSE	61	64	2	2	5
CROOK	9	34	-	-	-
FREMONT	234	229	9	6	7
WHITE	189	183	8	6	4
ALL OTHER	45	46	1	-	3
NEGRO	-	-	-	-	-
GOSHEN	53	112	2	2	1
HOT SPRINGS	80	87	-	-	-
JOHNSON	53	64	-	-	2
LARAMIE	548	474	17	10	12
CHEYENNE	---	394	15	10	10
BALANCE OF COUNTY	---	80	2	-	2
LINCOLN	51	77	4	3	5
NATRONA	459	463	23	17	8
CASPER	---	362	18	14	5
BALANCE OF COUNTY	---	101	5	3	3
NIOBRARA	18	30	-	-	1
PARK	145	152	5	4	7
PLATTE	63	86	4	1	-
SHERIDAN	277	254	3	2	1
SHERIDAN	---	180	2	1	1
BALANCE OF COUNTY	---	74	1	1	-
SUBLETTE	13	19	-	-	2
SWEETWATER	263	263	13	10	9
ROCK SPRINGS	---	170	7	7	4
BALANCE OF COUNTY	---	93	6	3	5
TETON	48	30	-	-	2
UINTA	97	65	1	-	1
WASHAKIE	60	77	3	2	1
WESTON	55	59	1	1	1

#Classified as urban under special rule; see Technical Appendix.
[1]"Districts" shown are election districts, the nearest equivalent to counties.
[2]Includes data for Texarkana, Ark., only.
[3]The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4]Includes data for Bristol, Tenn., only.
[5]Includes data for Texarkana, Tex., only.
[6]On January 1, 1974, Nansemond merged with the independent city of Suffolk; deaths shown for Nansemond should be added to those for Suffolk.
[7]Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8]Includes data for Bristol, Va., only.
[9]Includes data for Bluefield, W. Va., only.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
UNITED STATES	1,934,388	52,776	16.7	38,738	12.3	36,281	11.5
WHITE	1,697,295	38,249	14.8	28,692	11.1	26,365	10.2
ALL OTHER	237,093	14,527	24.9	10,046	17.2	9,916	17.0
URBAN PLACES	1,094,914	29,760	17.3	21,901	12.8	19,858	11.6
WHITE	926,616	19,431	15.0	14,587	11.2	13,066	10.1
ALL OTHER	168,298	10,329	24.7	7,314	17.5	6,792	16.2
BALANCE OF AREA	839,474	23,016	15.9	16,837	11.7	16,423	11.4
WHITE	770,679	18,818	14.7	14,105	11.0	13,299	10.4
ALL OTHER	68,795	4,198	25.3	2,732	16.5	3,124	18.8
METROPOLITAN COUNTIES	1,260,577	34,624	16.3	25,518	12.0	23,447	11.1
WHITE	1,092,684	24,176	14.3	18,109	10.7	16,580	9.8
ALL OTHER	167,893	10,448	24.3	7,409	17.2	6,867	16.0
URBAN PLACES	937,935	25,433	17.2	18,662	12.6	16,983	11.5
WHITE	787,768	16,164	14.7	12,073	10.9	10,977	10.0
ALL OTHER	150,167	9,269	24.5	6,589	17.4	6,006	15.9
BALANCE OF AREA	322,642	9,191	14.4	6,856	10.7	6,464	10.1
WHITE	304,916	8,012	13.7	6,036	10.3	5,603	9.6
ALL OTHER	17,726	1,179	22.7	820	15.8	861	16.6
NONMETROPOLITAN COUNTIES	673,811	18,152	17.4	13,220	12.7	12,834	12.3
WHITE	604,611	14,073	15.9	10,583	11.9	9,785	11.0
ALL OTHER	69,200	4,079	26.4	2,637	17.1	3,049	19.8
URBAN PLACES	156,979	4,327	18.3	3,239	13.7	2,875	12.2
WHITE	138,848	3,267	16.7	2,514	12.8	2,089	10.7
ALL OTHER	18,131	1,060	26.1	725	17.9	786	19.4
BALANCE OF AREA	516,832	13,825	17.2	9,981	12.4	9,959	12.4
WHITE	465,763	10,806	15.6	8,069	11.7	7,696	11.1
ALL OTHER	51,069	3,019	26.5	1,912	16.8	2,263	19.9
ALABAMA	34,737	1,227	20.6	888	14.9	894	15.0
WHITE	24,556	653	16.8	493	12.7	444	11.5
ALL OTHER	10,181	574	27.8	395	19.1	450	21.8
URBAN PLACES	14,882	484	19.3	374	14.9	364	14.5
WHITE	9,314	218	15.1	174	12.0	147	10.2
ALL OTHER	5,568	266	25.1	200	18.9	217	20.5
BALANCE OF AREA	19,855	743	21.6	514	14.9	530	15.4
WHITE	15,242	435	17.9	319	13.1	297	12.2
ALL OTHER	4,613	308	30.6	195	19.4	233	23.1
METROPOLITAN COUNTIES	17,515	553	18.4	416	13.8	411	13.6
WHITE	11,903	291	15.1	226	11.7	187	9.7
ALL OTHER	5,612	262	24.2	190	17.5	224	20.7
URBAN PLACES	11,232	347	18.4	273	14.5	270	14.3
WHITE	6,844	148	14.1	119	11.4	108	10.3
ALL OTHER	4,388	199	23.7	154	18.3	162	19.3
BALANCE OF AREA	6,283	206	18.3	143	12.7	141	12.5
WHITE	5,059	143	16.2	107	12.1	79	9.0
ALL OTHER	1,224	63	25.9	36	14.8	62	25.5
NONMETROPOLITAN COUNTIES	17,222	674	23.0	472	16.1	483	16.5
WHITE	12,653	362	18.6	267	13.7	257	13.2
ALL OTHER	4,569	312	31.7	205	20.8	226	23.0
URBAN PLACES	3,650	137	22.2	101	16.3	94	15.2
WHITE	2,470	70	17.6	55	13.9	39	9.8
ALL OTHER	1,180	67	30.3	46	20.8	55	24.9
BALANCE OF AREA	13,572	537	23.2	371	16.0	389	16.8
WHITE	10,183	292	18.8	212	13.7	218	14.0
ALL OTHER	3,389	245	32.1	159	20.8	171	22.4
ALASKA	1,489	126	17.9	86	12.2	83	11.8
WHITE	1,010	71	14.2	51	10.2	63	12.6
ALL OTHER	479	55	26.6	35	16.9	20	9.7
URBAN PLACES	389	32	17.5	26	14.2	19	10.4
WHITE	309	16	11.6	13	9.4	17	12.4
ALL OTHER	80	16	35.2	13	28.6	2	4.4
BALANCE OF AREA	1,100	94	18.0	60	11.5	64	12.3
WHITE	701	55	15.2	38	10.5	46	12.7
ALL OTHER	399	39	24.1	22	13.6	18	11.1
METROPOLITAN ELECTION DISTRICTS[1]	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
URBAN PLACES	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
BALANCE OF AREA	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
NONMETROPOLITAN ELECTION DISTRICTS[1]	1,489	126	17.9	86	12.2	83	11.8
WHITE	1,010	71	14.2	51	10.2	63	12.6
ALL OTHER	479	55	26.6	35	16.9	20	9.7
URBAN PLACES	389	32	17.5	26	14.2	19	10.4
WHITE	309	16	11.6	13	9.4	17	12.4
ALL OTHER	80	16	35.2	13	28.6	2	4.4
BALANCE OF AREA	1,100	94	18.0	60	11.5	64	12.3
WHITE	701	55	15.2	38	10.5	46	12.7
ALL OTHER	399	39	24.1	22	13.6	18	11.1

[1] County equivalents.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
ARIZONA	17,050	589	14.8	393	9.9	375	9.4
WHITE	15,488	451	13.4	317	9.4	295	8.8
ALL OTHER	1,562	138	22.3	76	12.3	80	12.9
URBAN PLACES	11,377	364	14.3	262	10.3	207	8.1
WHITE	10,786	319	13.7	228	9.8	178	7.7
ALL OTHER	591	45	20.2	34	15.3	29	13.0
BALANCE OF AREA	5,673	225	15.7	131	9.1	168	11.7
WHITE	4,702	132	12.7	89	8.6	117	11.3
ALL OTHER	971	93	23.5	42	10.6	51	12.9
METROPOLITAN COUNTIES	12,750	394	14.1	277	9.9	227	8.1
WHITE	12,022	338	13.3	239	9.4	191	7.5
ALL OTHER	728	56	22.1	38	15.0	36	14.2
URBAN PLACES	10,459	336	14.4	244	10.5	186	8.0
WHITE	9,923	291	13.7	210	9.9	160	7.5
ALL OTHER	536	45	22.3	34	16.8	26	12.9
BALANCE OF AREA	2,291	58	12.6	33	7.2	41	8.9
WHITE	2,099	47	11.5	29	7.1	31	7.6
ALL OTHER	192	11	21.4	4	7.8	10	19.5
NONMETROPOLITAN COUNTIES	4,300	195	16.3	116	9.7	148	12.4
WHITE	3,466	113	13.6	78	9.4	104	12.5
ALL OTHER	834	82	22.5	38	10.4	44	12.1
URBAN PLACES	918	28	12.8	18	8.2	21	9.6
WHITE	863	28	14.1	18	9.1	18	9.1
ALL OTHER	55	–	–	–	–	3	14.9
BALANCE OF AREA	3,382	167	17.1	98	10.0	127	13.0
WHITE	2,603	85	13.5	60	9.5	86	13.6
ALL OTHER	779	82	23.8	38	11.0	41	11.9
ARKANSAS	22,226	593	17.2	419	12.1	423	12.2
WHITE	17,958	381	14.7	279	10.8	274	10.6
ALL OTHER	4,268	212	24.5	140	16.2	149	17.2
URBAN PLACES	8,032	232	17.6	163	12.4	141	10.7
WHITE	6,195	143	15.7	104	11.4	80	8.8
ALL OTHER	1,837	89	21.6	59	14.4	61	14.8
BALANCE OF AREA	14,194	361	16.9	256	12.0	282	13.2
WHITE	11,763	238	14.1	175	10.4	194	11.5
ALL OTHER	2,431	123	27.2	81	17.9	88	19.4
METROPOLITAN COUNTIES	6,023	210	17.7	151	12.7	123	10.4
WHITE	4,466	128	15.6	93	11.3	71	8.6
ALL OTHER	1,557	82	22.6	58	16.0	52	14.3
URBAN PLACES	4,559	154	18.1	109	12.8	88	10.4
WHITE	3,386	95	16.8	70	12.4	50	8.9
ALL OTHER	1,173	59	20.7	39	13.7	38	13.3
BALANCE OF AREA	1,464	56	16.7	42	12.5	35	10.4
WHITE	1,080	33	12.8	23	8.9	21	8.2
ALL OTHER	384	23	29.5	19	24.4	14	17.9
NONMETROPOLITAN COUNTIES	16,203	383	16.9	268	11.8	300	13.2
WHITE	13,492	253	14.3	186	10.5	203	11.5
ALL OTHER	2,711	130	25.9	82	16.4	97	19.4
URBAN PLACES	3,473	78	16.6	54	11.5	53	11.3
WHITE	2,809	48	13.9	34	9.9	30	8.7
ALL OTHER	664	30	23.8	20	15.9	23	18.2
BALANCE OF AREA	12,730	305	16.9	214	11.9	247	13.7
WHITE	10,683	205	14.4	152	10.7	173	12.1
ALL OTHER	2,047	100	26.7	62	16.5	74	19.7
CALIFORNIA	170,403	4,265	13.7	2,963	9.5	3,016	9.7
WHITE	156,148	3,494	13.2	2,458	9.3	2,453	9.3
ALL OTHER	14,255	771	16.0	505	10.5	563	11.7
URBAN PLACES	128,278	3,176	13.6	2,215	9.5	2,246	9.6
WHITE	115,716	2,498	13.0	1,767	9.2	1,768	9.2
ALL OTHER	12,562	678	16.2	448	10.7	478	11.4
BALANCE OF AREA	42,125	1,089	13.9	748	9.5	770	9.8
WHITE	40,432	996	13.8	691	9.6	685	9.5
ALL OTHER	1,693	93	15.1	57	9.2	85	13.8
METROPOLITAN COUNTIES	155,338	3,947	13.7	2,750	9.6	2,760	9.6
WHITE	141,601	3,196	13.3	2,254	9.4	2,215	9.2
ALL OTHER	13,737	751	16.2	496	10.7	545	11.7
URBAN PLACES	124,461	3,082	13.6	2,147	9.5	2,179	9.6
WHITE	112,064	2,413	13.0	1,704	9.2	1,707	9.2
ALL OTHER	12,397	669	16.2	443	10.7	472	11.4
BALANCE OF AREA	30,877	865	14.3	603	10.0	581	9.6
WHITE	29,537	783	14.1	550	9.9	508	9.2
ALL OTHER	1,340	82	16.0	53	10.4	73	14.3
NONMETROPOLITAN COUNTIES	15,065	318	12.9	213	8.6	256	10.4
WHITE	14,547	298	12.9	204	8.8	238	10.3
ALL OTHER	518	20	12.4	9	5.6	18	11.2
URBAN PLACES	3,817	94	13.6	68	9.8	67	9.7
WHITE	3,652	85	13.4	63	9.9	61	9.6
ALL OTHER	165	9	16.4	5	9.1	6	10.9
BALANCE OF AREA	11,248	224	12.6	145	8.1	189	10.6
WHITE	10,895	213	12.7	141	8.4	177	10.6
ALL OTHER	353	11	10.3	4	3.8	12	11.3

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
COLORADO	17,922	614	15.7	449	11.5	421	10.8
WHITE	17,316	576	15.7	425	11.6	386	10.5
ALL OTHER	606	38	16.0	24	10.1	35	14.7
URBAN PLACES	11,832	391	16.1	291	12.0	261	10.8
WHITE	11,300	358	16.1	269	12.1	230	10.3
ALL OTHER	532	33	16.8	22	11.2	31	15.8
BALANCE OF AREA	6,090	223	15.1	158	10.7	160	10.8
WHITE	6,016	218	15.2	156	10.9	156	10.9
ALL OTHER	74	5	12.1	2	4.8	4	9.7
METROPOLITAN COUNTIES	12,007	433	15.4	315	11.2	303	10.8
WHITE	11,453	397	15.3	292	11.2	271	10.4
ALL OTHER	554	36	16.6	23	10.6	32	14.7
URBAN PLACES	10,439	357	16.4	265	12.1	240	11.0
WHITE	9,916	324	16.3	243	12.2	209	10.5
ALL OTHER	523	33	17.2	22	11.5	31	16.2
BALANCE OF AREA	1,568	76	12.0	50	7.9	63	10.0
WHITE	1,537	73	12.0	49	8.1	62	10.2
ALL OTHER	31	3	11.5	1	3.8	1	3.8
NONMETROPOLITAN COUNTIES	5,915	181	16.6	134	12.3	118	10.8
WHITE	5,863	179	16.7	133	12.4	115	10.7
ALL OTHER	52	2	9.8	1	4.9	3	14.6
URBAN PLACES	1,393	34	13.9	26	10.7	21	8.6
WHITE	1,384	34	14.2	26	10.9	21	8.8
ALL OTHER	9	-	-	-	-	-	-
BALANCE OF AREA	4,522	147	17.4	108	12.8	97	11.5
WHITE	4,479	145	17.5	107	12.9	94	11.3
ALL OTHER	43	2	13.0	1	6.5	3	19.5
CONNECTICUT	26,129	572	15.6	446	12.1	344	9.4
WHITE	24,869	458	14.2	355	11.0	286	8.9
ALL OTHER	1,260	114	25.1	91	20.0	58	12.7
URBAN PLACES	18,368	409	17.0	315	13.1	235	9.7
WHITE	17,207	298	14.9	227	11.4	182	9.1
ALL OTHER	1,156	111	26.9	88	21.3	53	12.8
BALANCE OF AREA	7,766	163	12.9	131	10.4	109	8.6
WHITE	7,662	160	13.1	128	10.5	104	8.5
ALL OTHER	104	3	7.1	3	7.1	5	11.9
METROPOLITAN COUNTIES	20,280	433	15.7	342	12.4	261	9.4
WHITE	19,115	322	13.7	252	10.7	206	8.7
ALL OTHER	1,165	111	27.2	90	22.0	55	13.5
URBAN PLACES	16,586	369	17.1	286	13.2	216	10.0
WHITE	15,489	261	14.7	199	11.2	165	9.3
ALL OTHER	1,097	108	28.2	87	22.7	51	13.3
BALANCE OF AREA	3,694	64	10.5	56	9.2	45	7.4
WHITE	3,626	61	10.5	53	9.1	41	7.0
ALL OTHER	68	3	11.9	3	11.9	4	15.9
NONMETROPOLITAN COUNTIES	5,849	139	15.3	104	11.4	83	9.1
WHITE	5,754	136	15.8	103	11.9	80	9.3
ALL OTHER	95	3	6.5	1	2.2	3	6.5
URBAN PLACES	1,777	40	15.7	29	11.4	19	7.5
WHITE	1,718	37	16.5	28	12.5	17	7.6
ALL OTHER	59	3	10.2	1	3.4	2	6.8
BALANCE OF AREA	4,072	99	15.1	75	11.4	64	9.8
WHITE	4,036	99	15.5	75	11.7	63	9.9
ALL OTHER	36	-	-	-	-	1	5.9
DELAWARE	4,986	140	16.9	107	12.9	67	8.1
WHITE	4,146	96	15.0	73	11.4	46	7.2
ALL OTHER	840	44	23.6	34	18.2	21	11.3
URBAN PLACES	2,069	54	26.3	41	20.0	22	10.7
WHITE	1,579	36	31.5	27	23.6	11	9.6
ALL OTHER	490	18	19.8	14	15.4	11	12.1
BALANCE OF AREA	2,917	86	13.8	66	10.6	45	7.2
WHITE	2,567	60	11.4	46	8.7	35	6.6
ALL OTHER	350	26	27.3	20	21.0	10	10.5
METROPOLITAN COUNTIES	3,260	80	14.8	62	11.4	37	6.8
WHITE	2,727	64	14.8	48	11.1	24	5.5
ALL OTHER	533	16	14.7	14	12.8	13	11.9
URBAN PLACES	1,886	45	28.8	35	22.4	17	10.9
WHITE	1,451	32	40.0	24	30.0	8	10.0
ALL OTHER	435	13	17.1	11	14.5	9	11.8
BALANCE OF AREA	1,374	35	9.1	27	7.0	20	5.2
WHITE	1,276	32	9.1	24	6.8	16	4.5
ALL OTHER	98	3	9.0	3	9.0	4	12.0
NONMETROPOLITAN COUNTIES	1,726	60	21.0	45	15.7	30	10.5
WHITE	1,419	32	15.3	25	12.0	22	10.5
ALL OTHER	307	28	36.3	20	25.9	8	10.4
URBAN PLACES	183	9	18.3	6	12.2	5	10.2
WHITE	128	4	11.7	3	8.8	3	8.8
ALL OTHER	55	5	33.3	3	20.0	2	13.3
BALANCE OF AREA	1,543	51	21.6	39	16.5	25	10.6
WHITE	1,291	28	16.1	22	12.6	19	10.9
ALL OTHER	252	23	37.0	17	27.3	6	9.6

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
DISTRICT OF COLUMBIA	7,848	268	26.7	207	20.6	157	15.6
WHITE	2,676	27	20.5	25	19.0	16	12.2
ALL OTHER	5,172	241	27.6	182	20.9	141	16.2
URBAN PLACES	7,848	268	26.7	207	20.6	157	15.6
WHITE	2,676	27	20.5	25	19.0	16	12.2
ALL OTHER	5,172	241	27.6	182	20.9	141	16.2
BALANCE OF AREA	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
METROPOLITAN	7,848	268	26.7	207	20.6	157	15.6
WHITE	2,676	27	20.5	25	19.0	16	12.2
ALL OTHER	5,172	241	27.6	182	20.9	141	16.2
URBAN PLACES	7,848	268	26.7	207	20.6	157	15.6
WHITE	2,676	27	20.5	25	19.0	16	12.2
ALL OTHER	5,172	241	27.6	182	20.9	141	16.2
BALANCE OF AREA	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
NONMETROPOLITAN	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
URBAN PLACES	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
BALANCE OF AREA	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
FLORIDA	88,015	1,909	17.3	1,386	12.6	1,360	12.3
WHITE	76,986	1,137	13.9	858	10.5	885	10.8
ALL OTHER	11,029	772	27.0	528	18.4	475	16.6
URBAN PLACES	48,084	984	16.7	717	12.2	706	12.0
WHITE	41,176	500	12.6	380	9.6	415	10.4
ALL OTHER	6,908	484	25.4	337	17.7	291	15.2
BALANCE OF AREA	39,931	925	17.9	669	13.0	654	12.7
WHITE	35,810	637	15.2	478	11.4	470	11.2
ALL OTHER	4,121	288	30.2	191	20.0	184	19.3
METROPOLITAN COUNTIES	57,660	1,250	17.1	921	12.6	891	12.2
WHITE	50,326	707	13.2	540	10.1	561	10.5
ALL OTHER	7,334	543	27.4	381	19.2	330	16.7
URBAN PLACES	39,808	799	16.1	584	11.8	571	11.5
WHITE	34,255	410	12.1	310	9.2	336	10.0
ALL OTHER	5,553	389	24.6	274	17.3	235	14.8
BALANCE OF AREA	17,852	451	19.0	337	14.2	320	13.5
WHITE	16,071	297	15.1	230	11.7	225	11.4
ALL OTHER	1,781	154	38.7	107	26.9	95	23.9
NONMETROPOLITAN COUNTIES	30,355	659	17.8	465	12.6	469	12.7
WHITE	26,660	430	15.2	318	11.3	324	11.5
ALL OTHER	3,695	229	26.0	147	16.7	145	16.5
URBAN PLACES	8,276	185	20.1	133	14.4	135	14.7
WHITE	6,921	90	15.1	70	11.7	79	13.3
ALL OTHER	1,355	95	29.2	63	19.4	56	17.2
BALANCE OF AREA	22,079	474	17.0	332	11.9	334	12.0
WHITE	19,739	340	15.3	248	11.1	245	11.0
ALL OTHER	2,340	134	24.1	84	15.1	89	16.0
GEORGIA	42,953	1,504	18.1	1,053	12.6	1,358	16.3
WHITE	30,330	796	14.7	587	10.8	735	13.6
ALL OTHER	12,623	708	24.3	466	16.0	623	21.4
URBAN PLACES	18,005	667	22.2	483	16.1	556	18.5
WHITE	10,842	257	17.9	190	13.2	227	15.8
ALL OTHER	7,163	410	26.1	293	18.7	329	21.0
BALANCE OF AREA	24,948	837	15.7	570	10.7	802	15.1
WHITE	19,488	539	13.5	397	10.0	508	12.8
ALL OTHER	5,460	298	22.2	173	12.9	294	21.9
METROPOLITAN COUNTIES	18,863	717	17.7	528	13.1	619	15.3
WHITE	12,785	338	13.1	247	9.6	343	13.3
ALL OTHER	6,078	379	26.0	281	19.3	276	19.0
URBAN PLACES	13,278	506	22.2	370	16.3	400	17.6
WHITE	7,768	155	14.9	113	10.9	157	15.1
ALL OTHER	5,510	351	28.3	257	20.8	243	19.6
BALANCE OF AREA	5,585	211	11.9	158	8.9	219	12.4
WHITE	5,017	183	11.8	134	8.6	186	12.0
ALL OTHER	568	28	12.9	24	11.0	33	15.2
NONMETROPOLITAN COUNTIES	24,090	787	18.4	525	12.2	739	17.2
WHITE	17,545	458	16.2	340	12.0	392	13.8
ALL OTHER	6,545	329	22.6	185	12.7	347	23.8
URBAN PLACES	4,727	161	22.1	113	15.5	156	21.4
WHITE	3,074	102	25.6	77	19.3	70	17.6
ALL OTHER	1,653	59	17.8	36	10.9	86	26.0
BALANCE OF AREA	19,363	626	17.6	412	11.6	583	16.4
WHITE	14,471	356	14.6	263	10.8	322	13.2
ALL OTHER	4,892	270	24.0	149	13.2	261	23.2

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
HAWAII	4,343	241	15.5	180	11.6	242	15.6
WHITE	1,361	65	15.4	50	11.9	78	18.5
ALL OTHER	2,982	176	15.6	130	11.5	164	14.5
URBAN PLACES	2,902	154	15.7	123	12.6	150	15.3
WHITE	979	45	17.0	38	14.4	55	20.8
ALL OTHER	1,923	109	15.2	85	11.9	95	13.3
BALANCE OF AREA	1,441	87	15.3	57	10.0	92	16.1
WHITE	382	20	12.7	12	7.6	23	14.6
ALL OTHER	1,059	67	16.2	45	10.9	69	16.7
METROPOLITAN COUNTIES	3,248	197	15.7	146	11.6	195	15.5
WHITE	1,098	54	14.9	43	11.8	74	20.4
ALL OTHER	2,150	143	16.0	103	11.6	121	13.6
URBAN PLACES	2,687	144	15.5	114	12.2	139	14.9
WHITE	930	42	16.4	35	13.6	55	21.4
ALL OTHER	1,757	102	15.1	79	11.7	84	12.5
BALANCE OF AREA	561	53	16.4	32	9.9	56	17.3
WHITE	168	12	11.3	8	7.5	19	17.9
ALL OTHER	393	41	18.9	24	11.0	37	17.0
NONMETROPOLITAN COUNTIES	1,095	44	14.9	34	11.5	47	15.9
WHITE	263	11	19.0	7	12.1	4	6.9
ALL OTHER	832	33	13.9	27	11.4	43	18.1
URBAN PLACES	215	10	20.5	9	18.4	11	22.5
WHITE	49	3	40.5	3	40.5	–	–
ALL OTHER	166	7	16.9	6	14.5	11	26.6
BALANCE OF AREA	880	34	13.8	25	10.1	36	14.6
WHITE	214	8	15.8	4	7.9	4	7.9
ALL OTHER	666	26	13.3	21	10.7	32	16.3
IDAHO	6,460	239	15.3	174	11.1	151	9.7
WHITE	6,357	232	15.2	169	11.1	141	9.2
ALL OTHER	103	7	19.4	5	13.9	10	27.7
URBAN PLACES	2,703	100	17.0	75	12.7	57	9.7
WHITE	2,673	99	17.1	74	12.8	52	9.0
ALL OTHER	30	1	9.4	1	9.4	5	47.2
BALANCE OF AREA	3,757	139	14.3	99	10.2	94	9.7
WHITE	3,684	133	14.0	95	10.0	89	9.4
ALL OTHER	73	6	23.5	4	15.7	5	19.6
METROPOLITAN COUNTIES	1,016	48	20.5	33	14.7	23	10.2
WHITE	1,010	45	20.4	32	14.5	20	9.1
ALL OTHER	6	1	27.0	1	27.0	3	81.1
URBAN PLACES	858	37	20.9	30	17.0	20	11.3
WHITE	852	36	20.7	29	16.7	17	9.8
ALL OTHER	6	1	34.5	1	34.5	3	103.4
BALANCE OF AREA	158	9	18.9	3	6.3	3	6.3
WHITE	158	9	19.3	3	6.4	3	6.4
ALL OTHER	–	–	–	–	–	–	–
NONMETROPOLITAN COUNTIES	5,444	193	14.4	141	10.5	128	9.6
WHITE	5,347	187	14.3	137	10.5	121	9.3
ALL OTHER	97	6	18.5	4	12.3	7	21.6
URBAN PLACES	1,845	63	15.3	45	10.9	37	9.0
WHITE	1,821	63	15.6	45	11.1	35	8.6
ALL OTHER	24	–	–	–	–	2	26.0
BALANCE OF AREA	3,599	130	14.1	96	10.4	91	9.8
WHITE	3,526	124	13.8	92	10.2	86	9.6
ALL OTHER	73	6	24.3	4	16.2	5	20.2
ILLINOIS	108,171	3,279	19.4	2,442	14.4	1,895	11.2
WHITE	94,173	2,144	16.3	1,658	12.6	1,226	9.3
ALL OTHER	13,998	1,135	29.9	784	20.6	669	17.6
URBAN PLACES	75,271	2,450	21.0	1,779	15.3	1,408	12.1
WHITE	61,965	1,363	16.9	1,035	12.9	765	9.5
ALL OTHER	13,306	1,087	30.2	744	20.7	643	17.9
BALANCE OF AREA	32,900	829	15.7	663	12.6	487	9.2
WHITE	32,208	781	15.4	623	12.3	461	9.1
ALL OTHER	692	48	24.5	40	20.4	26	13.3
METROPOLITAN COUNTIES	82,150	2,719	19.8	1,999	14.5	1,574	11.4
WHITE	68,707	1,621	16.1	1,243	12.3	932	9.2
ALL OTHER	13,443	1,098	30.0	756	20.7	642	17.5
URBAN PLACES	69,087	2,320	21.3	1,677	15.4	1,332	12.2
WHITE	56,034	1,255	17.0	949	12.8	708	9.6
ALL OTHER	13,053	1,065	30.3	728	20.7	624	17.7
BALANCE OF AREA	13,063	399	14.0	322	11.3	242	8.5
WHITE	12,673	366	13.5	294	10.9	224	8.3
ALL OTHER	390	33	23.3	28	19.7	18	12.7
NONMETROPOLITAN COUNTIES	26,021	560	17.7	443	14.0	321	10.1
WHITE	25,466	523	17.3	415	13.7	294	9.7
ALL OTHER	555	37	26.7	28	20.2	27	19.5
URBAN PLACES	6,184	130	17.6	102	13.8	76	10.3
WHITE	5,931	108	16.6	86	13.2	57	8.7
ALL OTHER	253	22	26.0	16	18.9	19	22.4
BALANCE OF AREA	19,837	430	17.7	341	14.0	245	10.1
WHITE	19,535	415	17.5	329	13.9	237	10.0
ALL OTHER	302	15	27.7	12	22.2	8	14.8

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
INDIANA	48,269	1,367	16.4	1,002	12.0	931	11.2
WHITE	44,712	1,133	15.3	830	11.2	740	10.0
ALL OTHER	3,557	234	25.3	172	18.6	191	20.7
URBAN PLACES	26,475	809	18.5	588	13.5	563	12.9
WHITE	23,051	580	16.6	421	12.1	381	10.9
ALL OTHER	3,424	229	25.9	167	18.9	182	20.6
BALANCE OF AREA	21,794	558	14.1	414	10.5	368	9.3
WHITE	21,661	553	14.1	409	10.4	359	9.2
ALL OTHER	133	5	12.8	5	12.8	9	23.1
METROPOLITAN COUNTIES	28,559	845	16.6	612	12.0	594	11.7
WHITE	25,340	631	14.8	454	10.6	419	9.8
ALL OTHER	3,219	214	26.0	158	19.2	175	21.2
URBAN PLACES	20,555	635	18.3	460	13.3	454	13.1
WHITE	17,396	424	16.0	305	11.5	284	10.7
ALL OTHER	3,159	211	26.2	155	19.2	170	21.1
BALANCE OF AREA	8,004	210	12.9	152	9.3	140	8.6
WHITE	7,944	207	12.9	149	9.3	135	8.4
ALL OTHER	60	3	16.3	3	16.3	5	27.2
NONMETROPOLITAN COUNTIES	19,710	522	16.1	390	12.1	337	10.4
WHITE	19,372	502	16.0	376	12.0	321	10.2
ALL OTHER	338	20	20.0	14	14.0	16	16.0
URBAN PLACES	5,920	174	19.1	128	14.1	109	12.0
WHITE	5,655	156	18.8	116	14.0	97	11.7
ALL OTHER	265	18	22.7	12	15.2	12	15.2
BALANCE OF AREA	13,790	348	15.0	262	11.3	228	9.8
WHITE	13,717	346	15.0	260	11.3	224	9.7
ALL OTHER	73	2	9.7	2	9.7	4	19.4
IOWA	28,773	575	14.3	444	11.0	419	10.4
WHITE	28,438	547	14.0	422	10.8	408	10.4
ALL OTHER	335	28	25.8	22	20.3	11	10.1
URBAN PLACES	11,149	289	16.6	215	12.3	177	10.2
WHITE	10,845	263	16.0	195	11.8	166	10.1
ALL OTHER	304	26	27.1	20	20.8	11	11.5
BALANCE OF AREA	17,624	286	12.6	229	10.1	242	10.6
WHITE	17,593	284	12.5	227	10.0	242	10.7
ALL OTHER	31	2	16.1	2	16.1	-	-
METROPOLITAN COUNTIES	8,950	250	16.0	187	12.0	148	9.5
WHITE	8,692	229	15.4	170	11.5	141	9.5
ALL OTHER	258	21	25.8	17	20.9	7	8.6
URBAN PLACES	7,461	215	17.4	159	12.9	124	10.0
WHITE	7,207	194	16.8	142	12.3	117	10.1
ALL OTHER	254	21	26.5	17	21.5	7	8.8
BALANCE OF AREA	1,489	35	10.7	28	8.5	24	7.3
WHITE	1,485	35	10.7	28	8.6	24	7.4
ALL OTHER	4	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	19,823	325	13.2	257	10.5	271	11.0
WHITE	19,746	318	13.1	252	10.4	267	11.0
ALL OTHER	77	7	25.9	5	18.5	4	14.8
URBAN PLACES	3,688	74	14.6	56	11.0	53	10.4
WHITE	3,638	69	14.1	53	10.8	49	10.0
ALL OTHER	50	5	29.8	3	17.9	4	23.8
BALANCE OF AREA	16,135	251	12.9	201	10.3	218	11.2
WHITE	16,108	249	12.8	199	10.3	218	11.2
ALL OTHER	27	2	19.6	2	19.6	-	-
KANSAS	22,235	524	15.9	401	12.2	365	11.1
WHITE	21,065	467	15.6	359	12.0	307	10.2
ALL OTHER	1,170	57	19.2	42	14.2	58	19.6
URBAN PLACES	10,788	302	15.9	222	11.7	224	11.8
WHITE	9,749	252	15.4	186	11.4	173	10.6
ALL OTHER	1,039	50	19.1	36	13.8	51	19.5
BALANCE OF AREA	11,447	222	15.9	179	12.8	141	10.1
WHITE	11,316	215	15.8	173	12.7	134	9.8
ALL OTHER	131	7	20.2	6	17.3	7	20.2
METROPOLITAN COUNTIES	7,482	213	14.6	159	10.9	189	13.0
WHITE	6,711	179	14.2	133	10.6	149	11.9
ALL OTHER	771	34	17.0	26	13.0	40	20.0
URBAN PLACES	6,291	176	15.0	129	11.0	155	13.2
WHITE	5,536	142	14.4	103	10.5	117	11.9
ALL OTHER	755	34	17.6	26	13.5	38	19.7
BALANCE OF AREA	1,191	37	13.2	30	10.7	34	12.1
WHITE	1,175	37	13.5	30	11.0	32	11.7
ALL OTHER	16	-	-	-	-	2	29.4
NONMETROPOLITAN COUNTIES	14,753	311	16.9	242	13.2	176	9.6
WHITE	14,354	288	16.6	226	13.0	158	9.1
ALL OTHER	399	23	23.9	16	16.6	18	18.7
URBAN PLACES	4,497	126	17.5	93	12.9	69	9.6
WHITE	4,213	110	16.9	83	12.8	56	8.6
ALL OTHER	284	16	23.4	10	14.6	13	19.0
BALANCE OF AREA	10,256	185	16.6	149	13.3	107	9.6
WHITE	10,141	178	16.4	143	13.1	102	9.4
ALL OTHER	115	7	25.2	6	21.6	5	18.0

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
KENTUCKY	33,506	895	16.7	642	12.0	614	11.5
WHITE	30,582	784	16.1	570	11.7	521	10.7
ALL OTHER	2,924	111	23.2	72	15.0	93	19.4
URBAN PLACES	11,347	256	16.7	191	12.4	188	12.2
WHITE	9,404	180	14.7	140	11.4	133	10.9
ALL OTHER	1,943	76	24.3	51	16.3	55	17.6
BALANCE OF AREA	22,159	639	16.8	451	11.8	426	11.2
WHITE	21,178	604	16.6	430	11.8	388	10.7
ALL OTHER	981	35	21.1	21	12.7	38	22.9
METROPOLITAN COUNTIES	12,416	313	15.4	232	11.4	232	11.4
WHITE	10,820	245	14.1	187	10.7	182	10.4
ALL OTHER	1,596	68	23.3	45	15.4	50	17.1
URBAN PLACES	8,486	191	16.5	138	12.0	148	12.8
WHITE	6,997	130	14.4	98	10.9	105	11.7
ALL OTHER	1,489	61	24.0	40	15.8	43	16.9
BALANCE OF AREA	3,930	122	13.9	94	10.7	84	9.5
WHITE	3,823	115	13.7	89	10.6	77	9.2
ALL OTHER	107	7	18.3	5	13.1	7	18.3
NONMETROPOLITAN COUNTIES	21,090	582	17.6	410	12.4	382	11.5
WHITE	19,762	539	17.3	383	12.3	339	10.9
ALL OTHER	1,328	43	23.0	27	14.5	43	23.0
URBAN PLACES	2,861	65	17.0	53	13.9	40	10.5
WHITE	2,407	50	15.5	42	13.0	28	8.7
ALL OTHER	454	15	25.4	11	18.6	12	20.3
BALANCE OF AREA	18,229	517	17.7	357	12.2	342	11.7
WHITE	17,355	489	17.5	341	12.2	311	11.1
ALL OTHER	874	28	21.9	16	12.5	31	24.3
LOUISIANA	33,647	1,243	18.9	927	14.1	801	12.2
WHITE	22,582	603	15.1	469	11.7	373	9.3
ALL OTHER	11,065	640	24.7	458	17.7	428	16.5
URBAN PLACES	16,705	617	20.2	455	14.9	376	12.3
WHITE	10,468	243	15.9	182	11.9	136	8.9
ALL OTHER	6,237	374	24.4	273	17.8	240	15.7
BALANCE OF AREA	16,942	626	17.8	472	13.4	425	12.1
WHITE	12,114	360	14.6	287	11.6	237	9.6
ALL OTHER	4,828	266	25.2	185	17.5	188	17.8
METROPOLITAN PARISHES[1]	18,008	655	17.8	487	13.3	405	11.0
WHITE	11,986	300	14.1	224	10.5	167	7.8
ALL OTHER	6,022	355	23.0	263	17.1	238	15.4
URBAN PLACES	13,454	474	19.4	350	14.3	293	12.0
WHITE	8,397	181	15.5	133	11.4	97	8.3
ALL OTHER	5,057	293	22.9	217	16.9	196	15.3
BALANCE OF AREA	4,554	181	14.8	137	11.2	112	9.2
WHITE	3,589	119	12.4	91	9.5	70	7.3
ALL OTHER	965	62	23.8	46	17.7	42	16.1
NONMETROPOLITAN PARISHES[1]	15,639	588	20.2	440	15.1	396	13.6
WHITE	10,596	303	16.3	245	13.2	206	11.1
ALL OTHER	5,043	285	27.2	195	18.6	190	18.1
URBAN PLACES	3,251	143	23.5	105	17.2	83	13.6
WHITE	2,071	62	17.3	49	13.6	39	10.9
ALL OTHER	1,180	81	32.3	56	22.3	44	17.6
BALANCE OF AREA	12,388	445	19.3	335	14.6	313	13.6
WHITE	8,525	241	16.0	196	13.0	167	11.1
ALL OTHER	3,863	204	25.6	139	17.4	146	18.3
MAINE	10,717	243	16.1	187	12.4	104	6.9
WHITE	10,682	241	16.1	185	12.4	104	7.0
ALL OTHER	35	2	12.7	2	12.7	–	–
URBAN PLACES	3,425	69	15.9	55	12.6	23	5.3
WHITE	3,410	69	16.0	55	12.8	23	5.3
ALL OTHER	15	–	–	–	–	–	–
BALANCE OF AREA	7,292	174	16.2	132	12.3	81	7.5
WHITE	7,272	172	16.2	130	12.2	81	7.6
ALL OTHER	20	2	16.5	2	16.5	–	–
METROPOLITAN COUNTIES	2,106	38	13.9	28	10.2	11	4.0
WHITE	2,100	38	14.0	28	10.3	11	4.0
ALL OTHER	6	–	–	–	–	–	–
URBAN PLACES	1,207	17	12.9	12	9.1	7	5.3
WHITE	1,203	17	13.0	12	9.2	7	5.3
ALL OTHER	4	–	–	–	–	–	–
BALANCE OF AREA	899	21	14.8	16	11.3	4	2.8
WHITE	897	21	14.9	16	11.4	4	2.8
ALL OTHER	2	–	–	–	–	–	–
NONMETROPOLITAN COUNTIES	8,611	205	16.6	159	12.8	93	7.5
WHITE	8,582	203	16.6	157	12.8	93	7.6
ALL OTHER	29	2	14.4	2	14.4	–	–
URBAN PLACES	2,218	52	17.2	43	14.2	16	5.3
WHITE	2,207	52	17.3	43	14.3	16	5.3
ALL OTHER	11	–	–	–	–	–	–
BALANCE OF AREA	6,393	153	16.4	116	12.4	77	8.2
WHITE	6,375	151	16.3	114	12.3	77	8.3
ALL OTHER	18	2	18.0	2	18.0	–	–

[1] County equivalents.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MARYLAND	32,965	821	15.4	629	11.8	580	10.8
WHITE	26,527	534	13.7	407	10.4	378	9.7
ALL OTHER	6,438	287	19.9	222	15.4	202	14.0
URBAN PLACES	13,815	310	18.0	240	13.9	235	13.6
WHITE	9,411	140	15.7	109	12.2	112	12.6
ALL OTHER	4,404	170	20.3	131	15.7	123	14.7
BALANCE OF AREA	19,150	511	14.1	389	10.7	345	9.5
WHITE	17,116	394	13.1	298	9.9	266	8.8
ALL OTHER	2,034	117	19.3	91	15.0	79	13.0
METROPOLITAN COUNTIES	26,549	681	15.3	515	11.6	479	10.8
WHITE	21,032	429	13.5	321	10.1	297	9.4
ALL OTHER	5,517	252	19.7	194	15.2	182	14.2
URBAN PLACES	12,170	273	17.6	208	13.4	209	13.5
WHITE	7,934	111	14.8	84	11.2	89	11.9
ALL OTHER	4,236	162	20.1	124	15.4	120	14.9
BALANCE OF AREA	14,379	408	14.1	307	10.6	270	9.3
WHITE	13,098	318	13.1	237	9.8	208	8.6
ALL OTHER	1,281	90	18.9	70	14.7	62	13.0
NONMETROPOLITAN COUNTIES	6,416	140	15.7	114	12.8	101	11.3
WHITE	5,495	105	14.4	86	11.8	81	11.1
ALL OTHER	921	35	21.6	28	17.2	20	12.3
URBAN PLACES	1,645	37	21.2	32	18.4	26	14.9
WHITE	1,477	29	20.4	25	17.6	23	16.2
ALL OTHER	168	8	25.0	7	21.9	3	9.4
BALANCE OF AREA	4,771	103	14.4	82	11.4	75	10.5
WHITE	4,018	76	13.0	61	10.4	58	9.9
ALL OTHER	753	27	20.7	21	16.1	17	13.0
MASSACHUSETTS	55,996	974	13.9	761	10.9	676	9.6
WHITE	54,498	880	13.6	692	10.7	635	9.8
ALL OTHER	1,498	94	17.9	69	13.1	41	7.8
URBAN PLACES	40,723	701	14.8	542	11.4	471	9.9
WHITE	39,355	611	14.4	476	11.2	432	10.2
ALL OTHER	1,368	90	18.5	66	13.6	39	8.0
BALANCE OF AREA	15,273	273	12.0	219	9.6	205	9.0
WHITE	15,143	269	12.0	216	9.7	203	9.1
ALL OTHER	130	4	10.1	3	7.6	2	5.1
METROPOLITAN COUNTIES	53,657	954	14.1	745	11.0	654	9.7
WHITE	52,198	860	13.8	676	10.8	613	9.8
ALL OTHER	1,459	94	18.2	69	13.3	41	7.9
URBAN PLACES	40,723	701	14.8	542	11.4	471	9.9
WHITE	39,355	611	14.4	476	11.2	432	10.2
ALL OTHER	1,368	90	18.5	66	13.6	39	8.0
BALANCE OF AREA	12,934	253	12.5	203	10.0	183	9.1
WHITE	12,843	249	12.5	200	10.1	181	9.1
ALL OTHER	91	4	12.4	3	9.3	2	6.2
NONMETROPOLITAN COUNTIES	2,339	20	7.9	16	6.3	22	8.7
WHITE	2,300	20	8.2	16	6.5	22	9.0
ALL OTHER	39	–	–	–	–	–	–
URBAN PLACES	–	–	–	–	–	–	–
WHITE	–	–	–	–	–	–	–
ALL OTHER	–	–	–	–	–	–	–
BALANCE OF AREA	2,339	20	7.9	16	6.3	22	8.7
WHITE	2,300	20	8.2	16	6.5	22	9.0
ALL OTHER	39	–	–	–	–	–	–
MICHIGAN	76,249	2,394	17.4	1,745	12.7	1,423	10.3
WHITE	66,805	1,676	14.8	1,248	11.0	1,045	9.2
ALL OTHER	9,444	718	29.3	497	20.3	378	15.4
URBAN PLACES	44,733	1,468	19.1	1,060	13.8	878	11.4
WHITE	35,892	794	14.6	594	10.9	518	9.5
ALL OTHER	8,841	674	29.6	466	20.4	360	15.8
BALANCE OF AREA	31,516	926	15.3	685	11.3	545	9.0
WHITE	30,913	882	15.0	654	11.1	527	8.9
ALL OTHER	603	44	25.9	31	18.3	18	10.6
METROPOLITAN COUNTIES	55,070	1,830	17.8	1,331	12.9	1,096	10.6
WHITE	46,266	1,161	14.5	867	10.8	747	9.3
ALL OTHER	8,804	669	29.4	464	20.4	349	15.4
URBAN PLACES	41,181	1,365	19.1	979	13.7	808	11.3
WHITE	32,605	716	14.5	529	10.7	468	9.5
ALL OTHER	8,576	649	29.8	450	20.7	340	15.6
BALANCE OF AREA	13,889	465	14.7	352	11.1	288	9.1
WHITE	13,661	445	14.5	338	11.0	279	9.1
ALL OTHER	228	20	20.9	14	14.7	9	9.4
NONMETROPOLITAN COUNTIES	21,179	564	16.3	414	11.9	327	9.4
WHITE	20,539	515	15.7	381	11.6	298	9.1
ALL OTHER	640	49	28.0	33	18.9	29	16.6
URBAN PLACES	3,552	103	17.9	81	14.1	70	12.2
WHITE	3,287	78	16.4	65	13.7	50	10.5
ALL OTHER	265	25	24.8	16	15.9	20	19.8
BALANCE OF AREA	17,627	461	16.0	333	11.5	257	8.9
WHITE	17,252	437	15.5	316	11.2	248	8.8
ALL OTHER	375	24	32.4	17	22.9	9	12.1

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MINNESOTA	33,500	806	14.4	595	10.7	512	9.2
WHITE	33,023	759	14.2	573	10.7	484	9.0
ALL OTHER	477	47	21.7	22	10.1	28	12.9
URBAN PLACES	16,922	394	14.5	287	10.6	223	8.2
WHITE	16,558	357	14.0	268	10.5	205	8.0
ALL OTHER	364	37	23.0	19	11.8	18	11.2
BALANCE OF AREA	16,578	412	14.4	308	10.8	289	10.1
WHITE	16,465	402	14.3	305	10.9	279	10.0
ALL OTHER	113	10	17.9	3	5.4	10	17.9
METROPOLITAN COUNTIES	16,767	427	13.7	306	9.9	245	7.9
WHITE	16,394	389	13.3	287	9.8	228	7.8
ALL OTHER	373	38	22.3	19	11.1	17	10.0
URBAN PLACES	14,237	330	13.9	232	9.8	181	7.6
WHITE	13,876	293	13.2	213	9.6	165	7.4
ALL OTHER	361	37	23.4	19	12.0	16	10.1
BALANCE OF AREA	2,530	97	13.2	74	10.1	64	8.7
WHITE	2,518	96	13.3	74	10.3	63	8.7
ALL OTHER	12	1	8.2	-	-	1	8.2
NONMETROPOLITAN COUNTIES	16,733	379	15.3	289	11.7	267	10.8
WHITE	16,629	370	15.2	286	11.8	256	10.6
ALL OTHER	104	9	19.5	3	6.5	11	23.8
URBAN PLACES	2,685	64	18.5	55	15.9	42	12.1
WHITE	2,682	64	18.6	55	16.0	40	11.6
ALL OTHER	3	-	-	-	-	2	76.9
BALANCE OF AREA	14,048	315	14.8	234	11.0	225	10.6
WHITE	13,947	306	14.7	231	11.1	216	10.4
ALL OTHER	101	9	20.6	3	6.9	9	20.6
MISSISSIPPI	23,153	1,016	23.0	708	16.0	881	20.0
WHITE	14,279	354	15.4	275	12.0	336	14.6
ALL OTHER	8,874	662	31.3	433	20.5	545	25.8
URBAN PLACES	7,076	316	23.1	233	17.0	310	22.6
WHITE	4,153	117	17.5	96	14.3	104	15.5
ALL OTHER	2,923	199	28.4	137	19.5	206	29.4
BALANCE OF AREA	16,077	700	23.0	475	15.6	571	18.8
WHITE	10,126	237	14.5	179	11.0	232	14.2
ALL OTHER	5,951	463	32.8	296	21.0	339	24.0
METROPOLITAN COUNTIES	3,345	147	18.5	101	12.7	180	22.7
WHITE	2,215	66	14.1	52	11.1	85	18.1
ALL OTHER	1,130	81	25.0	49	15.1	95	29.3
URBAN PLACES	2,143	87	17.5	64	12.9	119	23.9
WHITE	1,406	35	13.1	32	11.9	52	19.4
ALL OTHER	737	52	22.7	32	14.0	67	29.3
BALANCE OF AREA	1,202	60	20.2	37	12.5	61	20.6
WHITE	809	31	15.4	20	10.0	33	16.4
ALL OTHER	393	29	30.3	17	17.8	28	29.3
NONMETROPOLITAN COUNTIES	19,808	869	24.0	607	16.8	701	19.4
WHITE	12,064	288	15.7	223	12.2	251	13.7
ALL OTHER	7,744	581	32.5	384	21.5	450	25.2
URBAN PLACES	4,933	229	26.2	169	19.3	191	21.9
WHITE	2,747	82	20.4	64	16.0	52	13.0
ALL OTHER	2,186	147	31.1	105	22.2	139	29.4
BALANCE OF AREA	14,875	640	23.3	438	16.0	510	18.6
WHITE	9,317	206	14.4	159	11.1	199	13.9
ALL OTHER	5,558	434	33.0	279	21.2	311	23.6
MISSOURI	50,652	1,173	16.8	877	12.6	802	11.5
WHITE	45,521	867	14.9	647	11.1	610	10.5
ALL OTHER	5,131	306	26.9	230	20.2	192	16.9
URBAN PLACES	24,788	622	19.6	479	15.1	381	12.0
WHITE	20,474	355	15.8	273	12.1	227	10.1
ALL OTHER	4,314	267	28.9	206	22.3	154	16.7
BALANCE OF AREA	25,864	551	14.6	398	10.5	421	11.1
WHITE	25,047	512	14.3	374	10.5	383	10.7
ALL OTHER	817	39	18.2	24	11.2	38	17.7
METROPOLITAN COUNTIES	28,518	726	16.4	550	12.5	475	10.8
WHITE	24,139	453	13.3	342	10.0	314	9.2
ALL OTHER	4,379	273	27.0	208	20.5	161	15.9
URBAN PLACES	21,402	543	19.5	420	15.1	337	12.1
WHITE	17,311	286	15.1	222	11.7	191	10.1
ALL OTHER	4,091	257	28.8	198	22.2	146	16.4
BALANCE OF AREA	7,116	183	11.2	130	8.0	138	8.5
WHITE	6,828	167	11.1	120	8.0	123	8.2
ALL OTHER	288	16	13.3	10	8.3	15	12.5
NONMETROPOLITAN COUNTIES	22,134	447	17.6	327	12.8	327	12.8
WHITE	21,382	414	17.1	305	12.6	296	12.2
ALL OTHER	752	33	26.1	22	17.4	31	24.5
URBAN PLACES	3,386	79	20.3	59	15.2	44	11.3
WHITE	3,163	69	19.4	51	14.3	36	10.1
ALL OTHER	223	10	31.0	8	24.8	8	24.8
BALANCE OF AREA	18,748	368	17.1	268	12.4	283	13.1
WHITE	18,219	345	16.7	254	12.3	260	12.6
ALL OTHER	529	23	24.5	14	14.9	23	24.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MONTANA	6,558	202	16.5	154	12.6	127	10.4
WHITE	6,255	181	16.4	144	13.0	112	10.1
ALL OTHER	303	21	17.5	10	8.4	15	12.5
URBAN PLACES	2,271	69	17.3	55	13.8	49	12.3
WHITE	2,231	66	17.8	53	14.3	45	12.1
ALL OTHER	40	3	10.8	2	7.2	4	14.3
BALANCE OF AREA	4,287	133	16.1	99	12.0	78	9.4
WHITE	4,024	115	15.6	91	12.4	67	9.1
ALL OTHER	263	18	19.6	8	8.7	11	12.0
METROPOLITAN COUNTIES	1,349	56	17.8	43	13.6	45	14.3
WHITE	1,321	54	18.4	42	14.3	42	14.3
ALL OTHER	28	2	9.1	1	4.5	3	13.6
URBAN PLACES	1,047	36	16.5	27	12.4	31	14.2
WHITE	1,022	35	17.4	26	12.9	29	14.4
ALL OTHER	25	1	5.9	1	5.9	2	11.8
BALANCE OF AREA	302	20	20.5	16	16.4	14	14.3
WHITE	299	19	20.5	16	17.3	13	14.0
ALL OTHER	3	1	20.0	-	-	1	20.0
NONMETROPOLITAN COUNTIES	5,209	146	16.0	111	12.2	82	9.0
WHITE	4,934	127	15.6	102	12.5	70	8.6
ALL OTHER	275	19	19.4	9	9.2	12	12.3
URBAN PLACES	1,224	33	18.2	28	15.5	18	9.9
WHITE	1,209	31	18.2	27	15.9	16	9.4
ALL OTHER	15	2	18.3	1	9.2	2	18.3
BALANCE OF AREA	3,985	113	15.5	83	11.4	64	8.8
WHITE	3,725	96	14.9	75	11.7	54	8.4
ALL OTHER	260	17	19.6	8	9.2	10	11.5
NEBRASKA	15,025	364	15.4	275	11.6	237	10.0
WHITE	14,588	321	14.4	244	10.9	218	9.8
ALL OTHER	437	43	31.3	31	22.5	19	13.8
URBAN PLACES	6,500	181	15.5	136	11.6	109	9.3
WHITE	6,121	144	13.6	110	10.4	93	8.8
ALL OTHER	379	37	31.9	26	22.4	16	13.8
BALANCE OF AREA	8,525	183	15.3	139	11.6	128	10.7
WHITE	8,467	177	15.0	134	11.4	125	10.6
ALL OTHER	58	6	27.8	5	23.1	3	13.9
METROPOLITAN COUNTIES	5,213	167	15.3	129	11.8	106	9.7
WHITE	4,839	128	13.1	101	10.4	90	9.2
ALL OTHER	374	39	33.2	28	23.8	16	13.6
URBAN PLACES	4,674	142	16.2	109	12.5	87	9.9
WHITE	4,309	105	13.8	83	10.9	71	9.3
ALL OTHER	365	37	33.2	26	23.3	16	14.3
BALANCE OF AREA	539	25	11.5	20	9.2	19	8.7
WHITE	530	23	10.9	18	8.5	19	9.0
ALL OTHER	9	2	33.3	2	33.3	-	-
NONMETROPOLITAN COUNTIES	9,812	197	15.4	146	11.4	131	10.2
WHITE	9,749	193	15.3	143	11.4	128	10.2
ALL OTHER	63	4	20.0	3	15.0	3	15.0
URBAN PLACES	1,826	39	13.2	27	9.1	22	7.4
WHITE	1,812	39	13.4	27	9.2	22	7.5
ALL OTHER	14	-	-	-	-	-	-
BALANCE OF AREA	7,986	158	16.1	119	12.1	109	11.1
WHITE	7,937	154	15.9	116	12.0	106	11.0
ALL OTHER	49	4	25.6	3	19.2	3	19.2
NEVADA	4,338	182	20.3	121	13.5	81	9.0
WHITE	4,012	139	18.2	91	11.9	64	8.4
ALL OTHER	326	43	31.9	30	22.3	17	12.6
URBAN PLACES	2,703	118	21.3	80	14.4	47	8.5
WHITE	2,446	81	18.2	54	12.1	34	7.6
ALL OTHER	257	37	34.3	26	24.1	13	12.1
BALANCE OF AREA	1,635	64	18.7	41	12.0	34	9.9
WHITE	1,566	58	18.4	37	11.7	30	9.5
ALL OTHER	69	6	22.2	4	14.8	4	14.8
METROPOLITAN COUNTIES	3,396	153	21.2	103	14.3	61	8.5
WHITE	3,119	112	18.7	74	12.4	48	8.0
ALL OTHER	277	41	33.8	29	23.9	13	10.7
URBAN PLACES	2,563	114	21.8	78	14.9	43	8.2
WHITE	2,309	77	18.5	52	12.5	30	7.2
ALL OTHER	254	37	34.7	26	24.4	13	12.2
BALANCE OF AREA	833	39	19.8	25	12.7	18	9.2
WHITE	810	35	19.2	22	12.1	18	9.9
ALL OTHER	23	4	27.4	3	20.5	-	-
NONMETROPOLITAN COUNTIES	942	29	16.4	18	10.2	20	11.3
WHITE	893	27	16.6	17	10.4	16	9.8
ALL OTHER	49	2	14.7	1	7.4	4	29.4
URBAN PLACES	140	4	13.2	2	6.6	4	13.2
WHITE	137	4	13.8	2	6.9	4	13.8
ALL OTHER	3	-	-	-	-	-	-
BALANCE OF AREA	802	25	17.1	16	10.9	16	10.9
WHITE	756	23	17.2	15	11.2	12	9.0
ALL OTHER	46	2	16.1	1	8.1	4	32.3

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEW HAMPSHIRE	7,723	162	13.9	121	10.4	103	8.8
WHITE	7,701	160	13.9	119	10.3	102	8.9
ALL OTHER	22	2	16.9	2	16.9	1	8.5
URBAN PLACES	3,447	64	13.6	47	10.0	38	8.1
WHITE	3,434	62	13.4	45	9.7	37	8.0
ALL OTHER	13	2	27.0	2	27.0	1	13.5
BALANCE OF AREA	4,276	98	14.1	74	10.7	65	9.4
WHITE	4,267	98	14.2	74	10.7	65	9.4
ALL OTHER	9	-	-	-	-	-	-
METROPOLITAN COUNTIES	2,188	43	11.6	36	9.7	27	7.3
WHITE	2,186	43	11.7	36	9.8	27	7.3
ALL OTHER	2	-	-	-	-	-	-
URBAN PLACES	1,594	28	12.1	24	10.4	17	7.3
WHITE	1,593	28	12.2	24	10.5	17	7.4
ALL OTHER	1	-	-	-	-	-	-
BALANCE OF AREA	594	15	10.8	12	8.7	10	7.2
WHITE	593	15	10.8	12	8.7	10	7.2
ALL OTHER	1	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,535	119	15.0	85	10.7	76	9.6
WHITE	5,515	117	14.9	83	10.6	75	9.6
ALL OTHER	20	2	22.2	2	22.2	1	11.1
URBAN PLACES	1,853	36	15.1	23	9.6	21	8.8
WHITE	1,841	34	14.5	21	9.0	20	8.5
ALL OTHER	12	2	41.7	2	41.7	1	20.8
BALANCE OF AREA	3,682	83	15.0	62	11.2	55	9.9
WHITE	3,674	83	15.1	62	11.3	55	10.0
ALL OTHER	8	-	-	-	-	-	-
NEW JERSEY	67,160	1,510	15.9	1,129	11.9	1,036	10.9
WHITE	60,364	1,038	13.6	811	10.6	788	10.3
ALL OTHER	6,796	472	25.5	318	17.2	248	13.4
URBAN PLACES	47,648	1,086	16.6	784	12.0	743	11.4
WHITE	41,839	666	13.6	503	10.3	526	10.8
ALL OTHER	5,809	420	25.7	281	17.2	217	13.3
BALANCE OF AREA	19,512	424	14.3	345	11.6	293	9.9
WHITE	18,525	372	13.5	308	11.2	262	9.5
ALL OTHER	987	52	23.9	37	17.0	31	14.3
METROPOLITAN COUNTIES	51,617	1,203	16.7	891	12.4	824	11.5
WHITE	45,589	793	14.2	620	11.1	597	10.7
ALL OTHER	6,028	410	25.2	271	16.7	227	14.0
URBAN PLACES	39,575	917	17.5	655	12.5	620	11.9
WHITE	34,316	544	14.4	410	10.9	417	11.1
ALL OTHER	5,259	373	25.5	245	16.8	203	13.9
BALANCE OF AREA	12,042	286	14.6	236	12.0	204	10.4
WHITE	11,273	249	13.9	210	11.7	180	10.0
ALL OTHER	769	37	22.5	26	15.8	24	14.6
NONMETROPOLITAN COUNTIES	15,543	307	13.3	238	10.3	212	9.2
WHITE	14,775	245	11.8	191	9.2	191	9.2
ALL OTHER	768	62	27.1	47	20.5	21	9.2
URBAN PLACES	8,073	169	13.0	129	9.9	123	9.5
WHITE	7,523	122	10.9	93	8.3	109	9.7
ALL OTHER	550	47	26.7	36	20.4	14	7.9
BALANCE OF AREA	7,470	138	13.7	109	10.8	89	8.8
WHITE	7,252	123	12.9	98	10.3	82	8.6
ALL OTHER	218	15	28.5	11	20.9	7	13.3
NEW MEXICO	8,030	389	18.2	259	12.1	199	9.3
WHITE	7,197	314	17.6	222	12.4	162	9.1
ALL OTHER	833	75	21.8	37	10.8	37	10.8
URBAN PLACES	4,430	200	17.5	138	12.1	88	7.7
WHITE	4,246	181	17.2	125	11.9	78	7.4
ALL OTHER	184	19	21.0	13	14.4	10	11.0
BALANCE OF AREA	3,600	189	19.1	121	12.3	111	11.2
WHITE	2,951	133	18.1	97	13.2	84	11.4
ALL OTHER	649	56	22.1	24	9.5	27	10.7
METROPOLITAN COUNTIES	2,174	79	13.1	51	8.5	43	7.1
WHITE	2,093	71	12.8	47	8.5	39	7.0
ALL OTHER	81	8	16.7	4	8.3	4	8.3
URBAN PLACES	2,109	77	13.7	50	8.9	39	6.9
WHITE	2,053	70	13.4	46	8.8	35	6.7
ALL OTHER	56	7	18.1	4	10.4	4	10.4
BALANCE OF AREA	65	2	5.0	1	2.5	4	10.0
WHITE	40	1	3.3	1	3.3	4	13.1
ALL OTHER	25	1	10.6	-	-	-	-
NONMETROPOLITAN COUNTIES	5,856	310	20.3	208	13.6	156	10.2
WHITE	5,104	243	19.7	175	14.2	123	10.0
ALL OTHER	752	67	22.7	33	11.2	33	11.2
URBAN PLACES	2,321	123	21.1	88	15.1	49	8.4
WHITE	2,193	111	20.9	79	14.9	43	8.1
ALL OTHER	128	12	23.1	9	17.3	6	11.6
BALANCE OF AREA	3,535	187	19.7	120	12.7	107	11.3
WHITE	2,911	132	18.8	96	13.6	80	11.4
ALL OTHER	624	55	22.6	24	9.8	27	11.1

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEW YORK	176,959	3,894	16.3	2,908	12.1	2,895	12.1
WHITE	157,779	2,647	14.0	2,017	10.7	2,097	11.1
ALL OTHER	19,180	1,247	24.8	891	17.7	798	15.8
URBAN PLACES	120,416	2,713	17.8	2,009	13.2	1,892	12.4
WHITE	102,538	1,561	14.8	1,181	11.2	1,160	11.0
ALL OTHER	17,878	1,152	24.8	828	17.8	732	15.8
BALANCE OF AREA	56,543	1,181	13.5	899	10.3	1,003	11.5
WHITE	55,241	1,086	13.0	836	10.0	937	11.2
ALL OTHER	1,302	95	24.4	63	16.2	66	16.9
METROPOLITAN COUNTIES	151,236	3,365	16.5	2,503	12.2	2,506	12.3
WHITE	132,540	2,155	13.9	1,634	10.5	1,725	11.1
ALL OTHER	18,696	1,210	24.8	869	17.8	781	16.0
URBAN PLACES	113,429	2,582	17.9	1,902	13.2	1,800	12.5
WHITE	95,782	1,450	14.7	1,088	11.0	1,076	10.9
ALL OTHER	17,647	1,132	24.8	814	17.8	724	15.8
BALANCE OF AREA	37,807	783	13.0	601	10.0	706	11.8
WHITE	36,758	705	12.4	546	9.6	649	11.4
ALL OTHER	1,049	78	24.5	55	17.3	57	17.9
NONMETROPOLITAN COUNTIES	25,723	529	15.0	405	11.5	389	11.1
WHITE	25,239	492	14.6	383	11.4	372	11.0
ALL OTHER	484	37	25.1	22	14.9	17	11.5
URBAN PLACES	6,987	131	16.6	107	13.6	92	11.7
WHITE	6,756	111	15.6	93	13.1	84	11.8
ALL OTHER	231	20	26.1	14	18.3	8	10.5
BALANCE OF AREA	18,736	398	14.6	298	10.9	297	10.9
WHITE	18,483	381	14.3	290	10.9	288	10.8
ALL OTHER	253	17	24.0	8	11.3	9	12.7
NORTH CAROLINA	46,278	1,639	19.5	1,180	14.0	1,180	14.0
WHITE	34,344	953	16.5	713	12.3	651	11.3
ALL OTHER	11,934	686	25.9	467	17.7	529	20.0
URBAN PLACES	15,507	490	20.5	352	14.7	346	14.5
WHITE	10,509	225	16.1	162	11.6	164	11.8
ALL OTHER	4,998	265	26.6	190	19.0	182	18.2
BALANCE OF AREA	30,771	1,149	19.0	828	13.7	834	13.8
WHITE	23,835	728	16.6	551	12.6	487	11.1
ALL OTHER	6,936	421	25.6	277	16.8	347	21.1
METROPOLITAN COUNTIES	15,833	548	17.8	404	13.1	407	13.2
WHITE	11,701	319	15.0	236	11.1	233	10.9
ALL OTHER	4,132	229	24.3	168	17.8	174	18.5
URBAN PLACES	9,733	295	18.8	218	13.9	226	14.4
WHITE	6,517	121	13.5	87	9.7	105	11.7
ALL OTHER	3,216	174	25.9	131	19.5	121	18.0
BALANCE OF AREA	6,100	253	16.9	186	12.4	181	12.1
WHITE	5,184	198	16.1	149	12.1	128	10.4
ALL OTHER	916	55	20.5	37	13.8	53	19.8
NONMETROPOLITAN COUNTIES	30,445	1,091	20.4	776	14.5	773	14.4
WHITE	22,643	634	17.4	477	13.1	418	11.5
ALL OTHER	7,802	457	26.8	299	17.6	355	20.8
URBAN PLACES	5,774	195	23.8	134	16.3	120	14.6
WHITE	3,992	104	21.0	75	15.1	59	11.9
ALL OTHER	1,782	91	28.0	59	18.2	61	18.8
BALANCE OF AREA	24,671	896	19.8	642	14.2	653	14.4
WHITE	18,651	530	16.8	402	12.7	359	11.4
ALL OTHER	6,020	366	26.6	240	17.4	294	21.3
NORTH DAKOTA	5,766	170	17.0	142	14.2	108	10.8
WHITE	5,610	153	16.7	132	14.4	91	9.9
ALL OTHER	156	17	20.9	10	12.3	17	20.9
URBAN PLACES	1,596	61	15.8	50	13.0	45	11.7
WHITE	1,577	58	15.9	49	13.5	43	11.8
ALL OTHER	19	3	13.9	1	4.6	2	9.3
BALANCE OF AREA	4,170	109	17.8	92	15.0	63	10.3
WHITE	4,033	95	17.2	83	15.0	48	8.7
ALL OTHER	137	14	23.4	9	15.0	15	25.0
METROPOLITAN COUNTIES	579	21	18.0	16	13.7	4	3.4
WHITE	574	21	18.6	16	14.1	4	3.5
ALL OTHER	5	–	–	–	–	–	–
URBAN PLACES	409	16	19.7	13	16.0	2	2.5
WHITE	405	16	20.5	13	16.6	2	2.6
ALL OTHER	4	–	–	–	–	–	–
BALANCE OF AREA	170	5	14.0	3	8.4	2	5.6
WHITE	169	5	14.3	3	8.6	2	5.7
ALL OTHER	1	–	–	–	–	–	–
NONMETROPOLITAN COUNTIES	5,187	149	16.9	126	14.3	104	11.8
WHITE	5,036	132	16.4	116	14.5	87	10.8
ALL OTHER	151	17	21.8	10	12.8	17	21.8
URBAN PLACES	1,187	45	14.8	37	12.2	43	14.1
WHITE	1,172	42	14.7	36	12.6	41	14.4
ALL OTHER	15	3	16.1	1	5.4	2	10.8
BALANCE OF AREA	4,000	104	18.0	89	15.4	61	10.6
WHITE	3,864	90	17.4	80	15.5	46	8.9
ALL OTHER	136	14	23.6	9	15.2	15	25.3

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
OHIO	99,254	2,590	16.1	1,887	11.7	1,712	10.7
WHITE	89,693	2,047	14.7	1,503	10.8	1,376	9.9
ALL OTHER	9,561	543	25.1	384	17.8	336	15.5
URBAN PLACES	61,674	1,649	18.0	1,221	13.3	998	10.9
WHITE	52,845	1,142	15.9	858	12.0	696	9.7
ALL OTHER	8,829	507	25.4	363	18.2	302	15.1
BALANCE OF AREA	37,580	941	13.7	666	9.7	714	10.4
WHITE	36,848	905	13.5	645	9.6	680	10.1
ALL OTHER	732	36	22.1	21	12.9	34	20.8
METROPOLITAN COUNTIES	74,507	2,004	16.5	1,473	12.2	1,242	10.3
WHITE	65,391	1,480	14.7	1,099	10.9	931	9.3
ALL OTHER	9,116	524	25.4	374	18.1	311	15.1
URBAN PLACES	53,833	1,451	17.9	1,070	13.2	867	10.7
WHITE	45,244	957	15.6	714	11.6	576	9.4
ALL OTHER	8,589	494	25.5	356	18.4	291	15.1
BALANCE OF AREA	20,674	553	13.7	403	10.0	375	9.3
WHITE	20,147	523	13.4	385	9.9	355	9.1
ALL OTHER	527	30	23.5	18	14.1	20	15.7
NONMETROPOLITAN COUNTIES	24,747	586	14.8	414	10.5	470	11.9
WHITE	24,302	567	14.7	404	10.5	445	11.6
ALL OTHER	445	19	19.0	10	10.0	25	25.0
URBAN PLACES	7,841	198	18.2	151	13.9	131	12.1
WHITE	7,601	185	18.1	144	14.1	120	11.8
ALL OTHER	240	13	20.2	7	10.9	11	17.1
BALANCE OF AREA	16,906	388	13.5	263	9.2	339	11.8
WHITE	16,701	382	13.5	260	9.2	325	11.5
ALL OTHER	205	6	16.8	3	8.4	14	39.2
OKLAHOMA	27,237	741	17.5	530	12.5	447	10.5
WHITE	24,548	589	17.0	442	12.7	343	9.9
ALL OTHER	2,689	152	19.7	88	11.4	104	13.5
URBAN PLACES	12,971	413	17.3	289	12.1	254	10.7
WHITE	11,562	316	16.4	235	12.2	194	10.1
ALL OTHER	1,409	97	21.2	54	11.8	60	13.1
BALANCE OF AREA	14,266	328	17.6	241	12.9	193	10.4
WHITE	12,986	273	17.7	207	13.4	149	9.6
ALL OTHER	1,280	55	17.4	34	10.8	44	13.9
METROPOLITAN COUNTIES	11,146	401	17.5	281	12.2	223	9.7
WHITE	9,966	307	16.5	228	12.2	166	8.9
ALL OTHER	1,180	94	21.7	53	12.2	57	13.1
URBAN PLACES	8,843	334	18.0	230	12.4	186	10.0
WHITE	7,875	255	17.2	188	12.7	135	9.1
ALL OTHER	968	79	21.5	42	11.4	51	13.9
BALANCE OF AREA	2,303	67	15.0	51	11.4	37	8.3
WHITE	2,091	52	13.7	40	10.5	31	8.2
ALL OTHER	212	15	22.7	11	16.6	6	9.1
NONMETROPOLITAN COUNTIES	16,091	340	17.5	249	12.8	224	11.5
WHITE	14,582	282	17.5	214	13.3	177	11.0
ALL OTHER	1,509	58	17.1	35	10.3	47	13.9
URBAN PLACES	4,128	79	14.8	59	11.1	68	12.8
WHITE	3,687	61	13.8	47	10.6	59	13.3
ALL OTHER	441	18	20.2	12	13.5	9	10.1
BALANCE OF AREA	11,963	261	18.4	190	13.4	156	11.0
WHITE	10,895	221	19.0	167	14.3	118	10.1
ALL OTHER	1,068	40	16.0	23	9.2	38	15.2
OREGON	20,335	488	15.0	330	10.1	278	8.5
WHITE	19,903	455	14.8	311	10.1	257	8.3
ALL OTHER	432	33	19.5	19	11.2	21	12.4
URBAN PLACES	9,637	209	16.8	149	12.0	126	10.1
WHITE	9,314	184	16.1	134	11.8	112	9.8
ALL OTHER	323	25	23.8	15	14.3	14	13.3
BALANCE OF AREA	10,698	279	13.9	181	9.0	152	7.6
WHITE	10,589	271	13.9	177	9.1	145	7.5
ALL OTHER	109	8	12.5	4	6.2	7	10.9
METROPOLITAN COUNTIES	12,149	289	15.0	195	10.1	171	8.9
WHITE	11,816	270	15.0	183	10.2	156	8.7
ALL OTHER	333	19	15.7	12	9.9	15	12.4
URBAN PLACES	7,325	154	16.9	105	11.5	106	11.6
WHITE	7,025	136	16.6	94	11.5	93	11.4
ALL OTHER	300	18	19.4	11	11.8	13	14.0
BALANCE OF AREA	4,824	135	13.3	90	8.9	65	6.4
WHITE	4,791	134	13.6	89	9.0	63	6.4
ALL OTHER	33	1	3.5	1	3.5	2	7.1
NONMETROPOLITAN COUNTIES	8,186	199	15.0	135	10.2	107	8.0
WHITE	8,087	185	14.4	128	10.0	101	7.9
ALL OTHER	99	14	29.3	7	14.6	6	12.6
URBAN PLACES	2,312	55	16.4	44	13.2	20	6.0
WHITE	2,289	48	14.9	40	12.4	19	5.9
ALL OTHER	23	7	58.8	4	33.6	1	8.4
BALANCE OF AREA	5,874	144	14.5	91	9.1	87	8.7
WHITE	5,798	137	14.3	88	9.2	82	8.5
ALL OTHER	76	7	19.5	3	8.4	5	13.9

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
PENNSYLVANIA	122,984	2,590	17.1	2,017	13.3	1,915	12.6
WHITE	111,695	2,015	15.2	1,596	12.1	1,531	11.6
ALL OTHER	11,289	575	30.0	421	22.0	384	20.0
URBAN PLACES	64,900	1,384	19.1	1,089	15.0	969	13.4
WHITE	54,688	874	15.9	716	13.0	611	11.1
ALL OTHER	10,212	510	29.1	373	21.3	358	20.4
BALANCE OF AREA	58,084	1,206	15.3	928	11.7	946	12.0
WHITE	57,007	1,141	14.7	880	11.4	920	11.9
ALL OTHER	1,077	65	40.0	48	29.5	26	16.0
METROPOLITAN COUNTIES	96,727	2,041	17.4	1,604	13.7	1,453	12.4
WHITE	85,833	1,482	15.0	1,192	12.1	1,082	11.0
ALL OTHER	10,894	559	30.1	412	22.2	371	20.0
URBAN PLACES	59,848	1,286	19.2	1,012	15.1	881	13.1
WHITE	49,801	783	15.7	644	12.9	531	10.6
ALL OTHER	10,047	503	29.2	368	21.4	350	20.3
BALANCE OF AREA	36,879	755	15.0	592	11.8	572	11.4
WHITE	36,032	699	14.3	548	11.2	551	11.3
ALL OTHER	847	56	41.5	44	32.6	21	15.6
NONMETROPOLITAN COUNTIES	26,257	549	16.1	413	12.1	462	13.6
WHITE	25,862	533	15.9	404	12.1	449	13.4
ALL OTHER	395	16	26.8	9	15.1	13	21.7
URBAN PLACES	5,052	98	18.4	77	14.5	88	16.5
WHITE	4,887	91	18.2	72	14.4	80	16.0
ALL OTHER	165	7	21.8	5	15.6	8	24.9
BALANCE OF AREA	21,205	451	15.7	336	11.7	374	13.0
WHITE	20,975	442	15.5	332	11.7	369	13.0
ALL OTHER	230	9	32.5	4	14.4	5	18.1
RHODE ISLAND	9,107	177	15.5	138	12.1	99	8.7
WHITE	8,871	157	14.8	124	11.7	93	8.7
ALL OTHER	236	20	26.7	14	18.7	6	8.0
URBAN PLACES	7,287	153	17.6	119	13.7	77	8.9
WHITE	7,068	133	16.6	105	13.1	71	8.9
ALL OTHER	219	20	29.0	14	20.3	6	8.7
BALANCE OF AREA	1,820	24	8.9	19	7.0	22	8.1
WHITE	1,803	24	9.1	19	7.2	22	8.3
ALL OTHER	17	-	-	-	-	-	-
METROPOLITAN COUNTIES	7,807	155	17.1	123	13.5	77	8.5
WHITE	7,610	137	16.1	110	13.0	72	8.5
ALL OTHER	197	18	30.3	13	21.9	5	8.4
URBAN PLACES	6,771	142	18.6	112	14.7	68	8.9
WHITE	6,577	124	17.6	99	14.0	63	8.9
ALL OTHER	194	18	91.0	13	22.4	5	8.6
BALANCE OF AREA	1,036	13	9.0	11	7.6	9	6.2
WHITE	1,033	13	9.1	11	7.7	9	6.3
ALL OTHER	3	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	1,300	22	9.6	15	6.5	22	9.6
WHITE	1,261	20	9.3	14	6.5	21	9.8
ALL OTHER	39	2	13.0	1	6.5	1	6.5
URBAN PLACES	516	11	10.6	7	6.7	9	8.6
WHITE	491	9	9.7	6	6.4	8	8.6
ALL OTHER	25	2	18.2	1	9.1	1	9.1
BALANCE OF AREA	784	11	8.7	8	6.3	13	10.3
WHITE	770	11	9.0	8	6.6	13	10.7
ALL OTHER	14	-	-	-	-	-	-
SOUTH CAROLINA	24,211	1,025	21.1	723	14.9	725	14.9
WHITE	15,959	490	16.6	375	12.7	323	10.9
ALL OTHER	8,252	535	28.2	348	18.3	402	21.2
URBAN PLACES	6,034	190	19.6	132	13.6	147	15.2
WHITE	3,772	81	16.5	60	12.2	57	11.6
ALL OTHER	2,262	109	22.9	72	15.1	90	18.9
BALANCE OF AREA	18,177	835	21.5	591	15.2	578	14.9
WHITE	12,187	409	16.6	315	12.8	266	10.8
ALL OTHER	5,990	426	29.9	276	19.4	312	21.9
METROPOLITAN COUNTIES	8,387	309	16.6	212	11.4	218	11.7
WHITE	5,864	180	14.2	128	10.1	119	9.4
ALL OTHER	2,523	129	21.8	84	14.2	99	16.7
URBAN PLACES	3,179	74	14.2	44	8.4	75	14.4
WHITE	2,000	26	10.0	14	5.4	31	12.0
ALL OTHER	1,179	48	18.3	30	11.4	44	16.8
BALANCE OF AREA	5,208	235	17.5	168	12.5	143	10.7
WHITE	3,864	154	15.2	114	11.3	88	8.7
ALL OTHER	1,344	81	24.6	54	16.4	55	16.7
NONMETROPOLITAN COUNTIES	15,824	716	23.9	511	17.1	507	16.9
WHITE	10,095	310	18.4	247	14.7	204	12.1
ALL OTHER	5,729	406	31.0	264	20.2	303	23.2
URBAN PLACES	2,855	116	25.9	88	19.7	72	16.1
WHITE	1,772	55	23.6	46	19.8	26	11.2
ALL OTHER	1,083	61	28.4	42	19.6	46	21.4
BALANCE OF AREA	12,969	600	23.6	423	16.6	435	17.1
WHITE	8,323	255	17.6	201	13.9	178	12.3
ALL OTHER	4,646	345	31.5	222	20.3	257	23.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
SOUTH DAKOTA	6,581	222	19.8	156	13.9	110	9.8
WHITE	6,177	177	18.2	132	13.6	94	9.7
ALL OTHER	404	45	30.4	24	16.2	16	10.8
URBAN PLACES	1,853	80	22.9	58	16.6	36	10.3
WHITE	1,817	74	22.6	55	16.8	36	11.0
ALL OTHER	36	6	26.7	3	13.3	-	-
BALANCE OF AREA	4,728	142	18.4	98	12.7	74	9.6
WHITE	4,360	103	16.0	77	12.0	58	9.0
ALL OTHER	368	39	31.1	21	16.7	16	12.7
METROPOLITAN COUNTIES	758	26	17.4	21	14.0	13	8.7
WHITE	750	25	17.3	20	13.8	13	9.0
ALL OTHER	8	1	20.4	1	20.4	-	-
URBAN PLACES	602	23	19.4	19	16.0	10	8.4
WHITE	595	22	19.3	18	15.8	10	8.8
ALL OTHER	7	1	20.4	1	20.4	-	-
BALANCE OF AREA	156	3	9.7	2	6.5	3	9.7
WHITE	155	3	9.7	2	6.5	3	9.7
ALL OTHER	1	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,823	196	20.2	135	13.9	97	10.0
WHITE	5,427	152	18.4	112	13.6	81	9.8
ALL OTHER	396	44	30.7	23	16.1	16	11.2
URBAN PLACES	1,251	57	24.7	39	16.9	26	11.3
WHITE	1,222	52	24.4	37	17.4	26	12.2
ALL OTHER	29	5	28.4	2	11.4	-	-
BALANCE OF AREA	4,572	139	18.8	96	13.0	71	9.6
WHITE	4,205	100	16.3	75	12.2	55	9.0
ALL OTHER	367	39	31.1	21	16.7	16	12.7
TENNESSEE	39,425	1,110	17.3	828	12.9	851	13.2
WHITE	32,262	757	15.1	572	11.4	599	11.9
ALL OTHER	7,163	353	25.2	256	18.3	252	18.0
URBAN PLACES	19,130	557	18.3	421	13.8	416	13.7
WHITE	13,662	274	14.1	217	11.2	211	10.9
ALL OTHER	5,468	283	25.6	204	18.5	205	18.6
BALANCE OF AREA	20,295	553	16.3	407	12.0	435	12.9
WHITE	18,600	483	15.6	355	11.5	388	12.6
ALL OTHER	1,695	70	23.8	52	17.7	47	16.0
METROPOLITAN COUNTIES	18,059	562	18.0	418	13.4	417	13.3
WHITE	13,034	308	14.7	238	11.4	236	11.3
ALL OTHER	5,025	254	24.5	180	17.4	181	17.5
URBAN PLACES	14,948	442	18.2	326	13.4	336	13.8
WHITE	10,171	194	13.5	151	10.5	160	11.1
ALL OTHER	4,777	248	25.1	175	17.7	176	17.8
BALANCE OF AREA	3,111	120	17.2	92	13.2	81	11.6
WHITE	2,863	114	17.5	87	13.4	76	11.7
ALL OTHER	248	6	12.3	5	10.2	5	10.2
NONMETROPOLITAN COUNTIES	21,366	548	16.6	410	12.4	434	13.2
WHITE	19,228	449	15.3	334	11.4	363	12.4
ALL OTHER	2,138	99	27.3	76	20.9	71	19.6
URBAN PLACES	4,182	115	18.7	95	15.4	80	13.0
WHITE	3,491	80	16.1	66	13.2	51	10.2
ALL OTHER	691	35	29.8	29	24.7	29	24.7
BALANCE OF AREA	17,184	433	16.1	315	11.7	354	13.2
WHITE	15,737	369	15.1	268	11.0	312	12.8
ALL OTHER	1,447	64	26.1	47	19.1	42	17.1
TEXAS	99,491	3,764	17.8	2,772	13.1	2,440	11.6
WHITE	85,352	2,915	16.4	2,179	12.2	1,897	10.7
ALL OTHER	14,139	849	25.7	593	18.0	543	16.5
URBAN PLACES	61,503	2,568	17.4	1,900	12.9	1,706	11.6
WHITE	51,433	1,916	15.8	1,441	11.9	1,283	10.6
ALL OTHER	10,070	652	24.8	459	17.5	423	16.1
BALANCE OF AREA	37,988	1,196	18.8	872	13.7	734	11.6
WHITE	33,919	999	17.6	738	13.0	614	10.8
ALL OTHER	4,069	197	29.3	134	19.9	120	17.8
METROPOLITAN COUNTIES	65,307	2,771	17.2	2,050	12.7	1,823	11.3
WHITE	55,409	2,116	15.7	1,592	11.8	1,399	10.4
ALL OTHER	9,898	655	24.9	458	17.4	424	16.1
URBAN PLACES	53,516	2,270	17.3	1,686	12.8	1,514	11.5
WHITE	44,542	1,680	15.6	1,267	11.8	1,125	10.5
ALL OTHER	8,974	590	24.8	419	17.6	389	16.3
BALANCE OF AREA	11,791	501	16.8	364	12.2	309	10.4
WHITE	10,867	436	16.0	325	11.9	274	10.0
ALL OTHER	924	65	26.3	39	15.8	35	14.2
NONMETROPOLITAN COUNTIES	34,184	993	19.9	722	14.4	617	12.3
WHITE	29,943	799	18.5	587	13.6	498	11.5
ALL OTHER	4,241	194	29.0	135	20.2	119	17.8
URBAN PLACES	7,987	298	18.3	214	13.2	192	11.8
WHITE	6,891	236	17.1	174	12.6	158	11.4
ALL OTHER	1,096	62	25.5	40	16.4	34	14.0
BALANCE OF AREA	26,197	695	20.6	508	15.1	425	12.6
WHITE	23,052	563	19.1	413	14.0	340	11.5
ALL OTHER	3,145	132	31.0	95	22.3	85	20.0

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
UTAH	7,384	366	12.2	271	9.0	284	9.5
WHITE	7,205	345	11.9	261	9.0	268	9.2
ALL OTHER	179	21	22.6	10	10.8	16	17.2
URBAN PLACES	3,837	176	12.5	133	9.5	132	9.4
WHITE	3,752	171	12.6	128	9.4	128	9.4
ALL OTHER	85	5	10.5	5	10.5	4	8.4
BALANCE OF AREA	3,547	190	11.9	138	8.7	152	9.6
WHITE	3,453	174	11.3	133	8.6	140	9.1
ALL OTHER	94	16	35.3	5	11.0	12	26.5
METROPOLITAN COUNTIES	5,375	285	12.3	213	9.2	219	9.4
WHITE	5,284	280	12.4	208	9.2	215	9.5
ALL OTHER	91	5	8.4	5	8.4	4	6.8
URBAN PLACES	3,458	159	12.5	120	9.4	122	9.6
WHITE	3,377	154	12.5	115	9.3	118	9.6
ALL OTHER	81	5	11.4	5	11.4	4	9.1
BALANCE OF AREA	1,917	126	12.0	93	8.9	97	9.3
WHITE	1,907	126	12.2	93	9.0	97	9.4
ALL OTHER	10	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	2,009	81	12.1	58	8.6	65	9.7
WHITE	1,921	65	10.2	53	8.3	53	8.3
ALL OTHER	88	16	47.3	5	14.8	12	35.5
URBAN PLACES	379	17	13.0	13	10.0	10	7.7
WHITE	375	17	13.4	13	10.3	10	7.9
ALL OTHER	4	-	-	-	-	-	-
BALANCE OF AREA	1,630	64	11.8	45	8.3	55	10.2
WHITE	1,546	48	9.4	40	7.8	43	8.4
ALL OTHER	84	16	53.3	5	16.7	12	40.0
VERMONT	4,398	97	14.1	78	11.3	66	9.6
WHITE	4,385	97	14.2	78	11.4	66	9.6
ALL OTHER	13	-	-	-	-	-	-
URBAN PLACES	727	17	19.7	15	17.4	11	12.7
WHITE	723	17	19.9	15	17.6	11	12.9
ALL OTHER	4	-	-	-	-	-	-
BALANCE OF AREA	3,671	80	13.3	63	10.5	55	9.1
WHITE	3,662	80	13.3	63	10.5	55	9.2
ALL OTHER	9	-	-	-	-	-	-
METROPOLITAN COUNTIES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
URBAN PLACES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
NONMETROPOLITAN COUNTIES	4,398	97	14.1	78	11.3	66	9.6
WHITE	4,385	97	14.2	78	11.4	66	9.6
ALL OTHER	13	-	-	-	-	-	-
URBAN PLACES	727	17	19.7	15	17.4	11	12.7
WHITE	723	17	19.9	15	17.6	11	12.9
ALL OTHER	4	-	-	-	-	-	-
BALANCE OF AREA	3,671	80	13.3	63	10.5	55	9.1
WHITE	3,662	80	13.3	63	10.5	55	9.2
ALL OTHER	9	-	-	-	-	-	-
VIRGINIA	40,358	1,201	16.9	908	12.8	1,062	14.9
WHITE	31,152	783	14.4	595	11.0	687	12.6
ALL OTHER	9,206	418	24.9	313	18.7	375	22.4
URBAN PLACES	18,097	551	18.0	429	14.0	474	15.5
WHITE	12,897	300	14.3	236	11.3	261	12.5
ALL OTHER	5,200	251	25.9	193	19.9	213	21.9
BALANCE OF AREA	22,261	650	16.1	479	11.8	588	14.5
WHITE	18,255	483	14.5	359	10.7	426	12.8
ALL OTHER	4,006	167	23.6	120	17.0	162	22.9
METROPOLITAN COUNTIES	21,675	726	16.4	564	12.7	630	14.2
WHITE	16,234	450	13.5	347	10.4	387	11.6
ALL OTHER	5,441	276	25.3	217	19.9	243	22.3
URBAN PLACES	15,537	487	17.6	382	13.8	420	15.2
WHITE	10,776	258	13.8	204	10.9	223	12.0
ALL OTHER	4,761	229	25.4	178	19.8	197	21.9
BALANCE OF AREA	6,138	239	14.3	182	10.9	210	12.6
WHITE	5,458	192	13.0	143	9.7	164	11.1
ALL OTHER	680	47	24.7	39	20.5	46	24.2
NONMETROPOLITAN COUNTIES	18,683	475	17.8	344	12.9	432	16.1
WHITE	14,918	333	15.9	248	11.9	300	14.4
ALL OTHER	3,765	142	24.2	96	16.4	132	22.5
URBAN PLACES	2,560	64	21.5	47	15.8	54	18.1
WHITE	2,121	42	18.5	32	14.1	38	16.7
ALL OTHER	439	22	31.3	15	21.3	16	22.7
BALANCE OF AREA	16,123	411	17.3	297	12.5	378	15.9
WHITE	12,797	291	15.6	216	11.6	262	14.1
ALL OTHER	3,326	120	23.2	81	15.7	116	22.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
WASHINGTON	29,827	759	15.2	537	10.7	459	9.2
WHITE	28,726	674	14.8	474	10.4	403	8.8
ALL OTHER	1,101	85	18.9	63	14.0	56	12.5
URBAN PLACES	16,583	321	15.0	229	10.7	204	9.5
WHITE	15,810	272	14.5	194	10.3	166	8.8
ALL OTHER	773	49	18.6	35	13.3	38	14.4
BALANCE OF AREA	13,244	438	15.3	308	10.8	255	8.9
WHITE	12,916	402	15.0	280	10.5	237	8.9
ALL OTHER	328	36	19.4	28	15.1	18	9.7
METROPOLITAN COUNTIES	18,667	474	15.1	331	10.5	282	9.0
WHITE	17,866	409	14.5	285	10.1	242	8.6
ALL OTHER	801	65	20.0	46	14.1	40	12.3
URBAN PLACES	12,401	224	14.4	160	10.3	153	9.9
WHITE	11,696	179	13.5	128	9.7	123	9.3
ALL OTHER	705	45	19.9	32	14.1	30	13.3
BALANCE OF AREA	6,266	250	15.8	171	10.8	129	8.1
WHITE	6,170	230	15.5	157	10.6	119	8.0
ALL OTHER	96	20	20.2	14	14.2	10	10.1
NONMETROPOLITAN COUNTIES	11,160	285	15.3	206	11.0	177	9.5
WHITE	10,860	265	15.2	189	10.8	161	9.2
ALL OTHER	300	20	16.1	17	13.7	16	12.9
URBAN PLACES	4,182	97	16.5	69	11.7	51	8.7
WHITE	4,114	93	16.9	66	12.0	43	7.8
ALL OTHER	68	4	10.6	3	8.0	8	21.2
BALANCE OF AREA	6,978	188	14.7	137	10.7	126	9.9
WHITE	6,746	172	14.5	123	10.3	118	9.9
ALL OTHER	232	16	18.4	14	16.1	8	9.2
WEST VIRGINIA	19,558	527	18.9	421	15.1	314	11.3
WHITE	18,470	498	18.7	397	14.9	293	11.0
ALL OTHER	1,088	29	22.9	24	18.9	21	16.5
URBAN PLACES	5,888	117	18.3	88	13.8	62	9.7
WHITE	5,398	104	17.9	79	13.6	53	9.1
ALL OTHER	490	13	22.2	9	15.4	9	15.4
BALANCE OF AREA	13,670	410	19.1	333	15.5	252	11.7
WHITE	13,072	394	18.9	318	15.3	240	11.5
ALL OTHER	598	16	23.4	15	22.0	12	17.6
METROPOLITAN COUNTIES	5,819	133	16.6	98	12.2	70	8.7
WHITE	5,484	125	16.5	93	12.2	63	8.3
ALL OTHER	335	8	18.8	5	11.7	7	16.4
URBAN PLACES	3,396	62	17.0	43	11.8	33	9.0
WHITE	3,121	55	16.6	38	11.5	27	8.2
ALL OTHER	275	7	20.5	5	14.6	6	17.5
BALANCE OF AREA	2,423	71	16.3	55	12.6	37	8.5
WHITE	2,363	70	16.3	55	12.8	36	8.4
ALL OTHER	60	1	11.9	–	–	1	11.9
NONMETROPOLITAN COUNTIES	13,739	394	19.8	323	16.3	244	12.3
WHITE	12,986	373	19.6	304	16.0	230	12.1
ALL OTHER	753	21	24.9	19	22.5	14	16.6
URBAN PLACES	2,492	55	20.2	45	16.5	29	10.6
WHITE	2,277	49	19.7	41	16.5	26	10.5
ALL OTHER	215	6	24.6	4	16.4	3	12.3
BALANCE OF AREA	11,247	339	19.8	278	16.2	215	12.6
WHITE	10,709	324	19.6	263	15.9	204	12.3
ALL OTHER	538	15	25.0	15	25.0	11	18.4
WISCONSIN	40,865	906	13.9	668	10.2	580	8.9
WHITE	39,905	816	13.5	612	10.1	507	8.4
ALL OTHER	960	90	18.6	56	11.6	73	15.1
URBAN PLACES	21,048	429	13.0	305	9.3	288	8.7
WHITE	20,233	346	12.1	252	8.8	222	7.8
ALL OTHER	815	83	18.9	53	12.1	66	15.1
BALANCE OF AREA	19,817	477	14.8	363	11.2	292	9.0
WHITE	19,672	470	14.8	360	11.3	285	9.0
ALL OTHER	145	7	15.3	3	6.5	7	15.3
METROPOLITAN COUNTIES	21,224	487	13.2	359	9.7	297	8.0
WHITE	20,399	403	12.4	305	9.4	230	7.1
ALL OTHER	825	84	19.2	54	12.4	67	15.4
URBAN PLACES	16,647	347	12.9	243	9.1	226	8.4
WHITE	15,851	266	11.8	191	8.5	160	7.1
ALL OTHER	796	81	19.2	52	12.3	66	15.6
BALANCE OF AREA	4,577	140	13.8	116	11.4	71	7.0
WHITE	4,548	137	13.7	114	11.4	70	7.0
ALL OTHER	29	3	21.6	2	14.4	1	7.2
NONMETROPOLITAN COUNTIES	19,641	419	14.8	309	10.9	283	10.0
WHITE	19,506	413	14.9	307	11.1	277	10.0
ALL OTHER	135	6	12.5	2	4.2	6	12.5
URBAN PLACES	4,401	82	13.4	62	10.2	62	10.2
WHITE	4,382	80	13.5	61	10.3	62	10.4
ALL OTHER	19	2	12.6	1	6.3	–	–
BALANCE OF AREA	15,240	337	15.2	247	11.2	221	10.0
WHITE	15,124	333	15.3	246	11.3	215	9.9
ALL OTHER	116	4	12.5	1	3.1	6	18.8

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[See headnote at beginning of table]

Area and color	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
WYOMING	3,142	104	15.9	74	11.3	79	12.1
WHITE	3,054	102	16.2	73	11.6	74	11.8
ALL OTHER	88	2	8.1	1	4.0	5	20.2
URBAN PLACES	1,246	46	19.4	35	14.8	23	9.7
WHITE	1,214	45	19.6	34	14.8	21	9.1
ALL OTHER	32	1	13.2	1	13.2	2	26.3
BALANCE OF AREA	1,896	58	13.9	39	9.4	56	13.4
WHITE	1,840	57	14.3	39	9.8	53	13.3
ALL OTHER	56	1	5.8	-	-	3	17.5
METROPOLITAN COUNTIES	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
URBAN PLACES	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
BALANCE OF AREA	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---
NONMETROPOLITAN COUNTIES	3,142	104	15.9	74	11.3	79	12.1
WHITE	3,054	102	16.2	73	11.6	74	11.8
ALL OTHER	88	2	8.1	1	4.0	5	20.2
URBAN PLACES	1,246	46	19.4	35	14.8	23	9.7
WHITE	1,214	45	19.6	34	14.8	21	9.1
ALL OTHER	32	1	13.2	1	13.2	2	26.3
BALANCE OF AREA	1,896	58	13.9	39	9.4	56	13.4
WHITE	1,840	57	14.3	39	9.8	53	13.3
ALL OTHER	56	1	5.8	-	-	3	17.5

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UNITED STATES	1,934,388	52,776	9,831	14,636	47,803	43,468	63,399	160,733	302,197	450,461	500,239	288,332	513
MALE	1,071,627	30,305	5,587	9,164	35,729	29,983	39,758	102,393	194,525	269,772	245,162	108,913	336
FEMALE	862,761	22,471	4,244	5,472	12,074	13,485	23,641	58,340	107,672	180,689	255,077	179,419	177
WHITE	1,697,295	38,249	7,425	11,767	38,009	31,874	47,364	131,220	259,671	396,570	463,773	271,014	359
MALE	936,640	22,209	4,269	7,376	28,626	22,053	29,942	84,547	169,162	239,912	226,682	101,627	235
FEMALE	760,655	16,040	3,156	4,391	9,383	9,821	17,422	46,673	90,509	156,658	237,091	169,387	124
ALL OTHER	237,093	14,527	2,406	2,869	9,794	11,594	16,035	29,513	42,526	53,891	36,466	17,318	154
MALE	134,987	8,096	1,318	1,788	7,103	7,930	9,816	17,846	25,363	29,860	18,480	7,286	101
FEMALE	102,106	6,431	1,088	1,081	2,691	3,664	6,219	11,667	17,163	24,031	17,986	10,032	53
METROPOLITAN COUNTIES	1,260,577	34,624	6,365	9,141	30,981	29,990	43,616	112,031	202,663	290,731	320,912	179,192	331
MALE	688,046	19,797	3,607	5,670	22,907	20,534	27,079	70,537	128,850	170,578	158,131	65,135	221
FEMALE	572,531	14,827	2,758	3,471	8,074	9,456	16,537	41,494	73,813	120,153	167,781	114,057	110
WHITE	1,092,684	24,176	4,703	7,154	23,983	21,117	31,385	89,473	171,898	253,560	296,643	168,353	239
MALE	592,122	13,999	2,695	4,457	17,836	14,450	19,527	56,891	110,500	149,932	140,979	60,700	156
FEMALE	500,562	10,177	2,008	2,697	6,147	6,667	11,858	32,582	61,398	103,628	155,664	107,653	83
ALL OTHER	167,893	10,448	1,662	1,987	6,998	8,873	12,231	22,558	30,765	37,171	24,269	10,839	92
MALE	95,924	5,798	912	1,213	5,071	6,084	7,552	13,646	18,350	20,646	12,152	4,435	65
FEMALE	71,969	4,650	750	774	1,927	2,789	4,679	8,912	12,415	16,525	12,117	6,404	27
NONMETROPOLITAN COUNTIES	673,811	18,152	3,466	5,495	16,822	13,478	19,783	48,702	99,534	159,730	179,327	109,140	182
MALE	383,581	10,508	1,980	3,494	12,822	9,449	12,679	31,856	65,675	99,194	92,031	43,778	115
FEMALE	290,230	7,644	1,486	2,001	4,000	4,029	7,104	16,846	33,859	60,536	87,296	65,362	67
WHITE	604,611	14,073	2,722	4,613	14,026	10,757	15,979	41,747	87,773	143,010	167,130	102,661	120
MALE	344,518	8,210	1,574	2,919	10,790	7,603	10,415	27,656	58,662	89,980	85,703	40,927	79
FEMALE	260,093	5,863	1,148	1,694	3,236	3,154	5,564	14,091	29,111	53,030	81,427	61,734	41
ALL OTHER	69,200	4,079	744	882	2,796	2,721	3,804	6,955	11,761	16,720	12,197	6,479	62
MALE	39,063	2,298	406	575	2,032	1,846	2,264	4,200	7,013	9,214	6,328	2,851	36
FEMALE	30,137	1,781	338	307	764	875	1,540	2,755	4,748	7,506	5,869	3,628	26
ALABAMA	34,737	1,227	210	345	962	927	1,356	3,286	5,710	8,410	7,916	4,386	2
MALE	19,595	683	116	211	718	624	854	2,108	3,710	5,016	3,878	1,675	2
FEMALE	15,142	544	94	134	244	303	502	1,178	2,000	3,394	4,038	2,711	-
WHITE	24,556	653	115	232	612	567	867	2,243	3,972	5,907	6,052	3,335	1
MALE	14,027	374	64	151	466	385	569	1,511	2,697	3,641	2,919	1,249	1
FEMALE	10,529	279	51	81	146	182	298	732	1,275	2,266	3,133	2,086	-
ALL OTHER	10,181	574	95	113	350	360	489	1,043	1,738	2,503	1,864	1,051	1
MALE	5,568	309	52	60	252	239	285	597	1,013	1,375	959	426	1
FEMALE	4,613	265	43	53	98	121	204	446	725	1,128	905	625	-
METROPOLITAN COUNTIES	17,515	553	108	178	475	464	703	1,764	2,984	4,361	3,821	2,103	1
MALE	9,694	310	63	110	345	287	429	1,086	1,897	2,546	1,870	750	1
FEMALE	7,821	243	45	68	130	177	274	678	1,087	1,815	1,951	1,353	-
WHITE	11,903	291	56	114	295	268	428	1,136	1,982	2,910	2,815	1,607	1
MALE	6,653	163	33	78	213	165	273	724	1,324	1,751	1,363	565	1
FEMALE	5,250	128	23	36	82	103	155	412	658	1,159	1,452	1,042	-
ALL OTHER	5,612	262	52	64	180	196	275	628	1,002	1,451	1,006	496	-
MALE	3,041	147	30	32	132	122	156	362	573	795	507	185	-
FEMALE	2,571	115	22	32	48	74	119	266	429	656	499	311	-
NONMETROPOLITAN COUNTIES	17,222	674	102	167	487	463	653	1,522	2,726	4,049	4,095	2,283	1
MALE	9,901	373	53	101	373	337	425	1,022	1,813	2,470	2,008	925	1
FEMALE	7,321	301	49	66	114	126	228	500	913	1,579	2,087	1,358	-
WHITE	12,653	362	59	118	317	299	439	1,107	1,990	2,997	3,237	1,728	-
MALE	7,374	211	31	73	253	220	296	787	1,373	1,890	1,556	684	-
FEMALE	5,279	151	28	45	64	79	143	320	617	1,107	1,681	1,044	-
ALL OTHER	4,569	312	43	49	170	164	214	415	736	1,052	858	555	1
MALE	2,527	162	22	28	120	117	129	235	440	580	452	241	1
FEMALE	2,042	150	21	21	50	47	85	180	296	472	406	314	-
ALASKA	1,489	126	32	56	155	127	157	195	232	193	144	71	1
MALE	1,020	78	16	34	125	104	114	123	165	134	81	45	1
FEMALE	469	48	16	22	30	23	43	72	67	59	63	26	-
WHITE	1,010	71	21	32	94	78	96	142	172	147	107	49	1
MALE	714	48	9	19	81	64	77	90	128	107	59	31	1
FEMALE	296	23	12	13	13	14	19	52	44	40	48	18	-
ALL OTHER	479	55	11	24	61	49	61	53	60	46	37	22	-
MALE	306	30	7	15	44	40	37	33	37	27	22	14	-
FEMALE	173	25	4	9	17	9	24	20	23	19	15	8	-
MET. ELECTION DISTRICTS[1]	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
NONMET. ELECTION DISTRICTS[1]	1,489	126	32	56	155	127	157	195	232	193	144	71	1
MALE	1,020	78	16	34	125	104	114	123	165	134	81	45	1
FEMALE	469	48	16	22	30	23	43	72	67	59	63	26	-
WHITE	1,010	71	21	32	94	78	96	142	172	147	107	49	1
MALE	714	48	9	19	81	64	77	90	128	107	59	31	1
FEMALE	296	23	12	13	13	14	19	52	44	40	48	18	-
ALL OTHER	479	55	11	24	61	49	61	53	60	46	37	22	-
MALE	306	30	7	15	44	40	37	33	37	27	22	14	-
FEMALE	173	25	4	9	17	9	24	20	23	19	15	8	-

[1] County equivalents.

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ARIZONA	17,050	589	156	177	699	543	703	1,504	2,782	4,112	3,918	1,850	17
MALE	10,336	330	90	110	535	378	465	971	1,847	2,647	2,166	781	16
FEMALE	6,714	259	66	67	164	165	238	533	935	1,465	1,752	1,069	1
WHITE	15,488	451	121	143	545	403	564	1,330	2,572	3,873	3,736	1,735	15
MALE	9,360	250	68	86	415	280	374	864	1,711	2,501	2,065	732	14
FEMALE	6,128	201	53	57	130	123	190	466	861	1,372	1,671	1,003	1
ALL OTHER	1,562	138	35	34	154	140	139	174	210	239	182	115	2
MALE	976	80	22	24	120	98	91	107	136	146	101	49	2
FEMALE	586	58	13	10	34	42	48	67	74	93	81	66	-
METROPOLITAN COUNTIES	12,750	394	112	110	471	353	481	1,087	2,050	3,205	3,073	1,408	6
MALE	7,601	222	63	65	353	242	310	695	1,346	2,031	1,685	583	6
FEMALE	5,149	172	49	45	118	111	171	392	704	1,174	1,388	825	-
WHITE	12,022	338	100	98	413	306	414	1,004	1,944	3,060	2,978	1,362	5
MALE	7,161	191	54	58	310	214	262	646	1,280	1,942	1,633	566	5
FEMALE	4,861	147	46	40	103	92	152	358	664	1,118	1,345	796	-
ALL OTHER	728	56	12	12	58	47	67	83	106	145	95	46	1
MALE	440	31	9	7	43	28	48	49	66	89	52	17	1
FEMALE	288	25	3	5	15	19	19	34	40	56	43	29	-
NONMETROPOLITAN COUNTIES	4,300	195	44	67	228	190	222	417	732	907	845	442	11
MALE	2,735	108	27	45	182	136	155	276	501	616	481	198	10
FEMALE	1,565	87	17	22	46	54	67	141	231	291	364	244	1
WHITE	3,466	113	21	45	132	97	150	326	628	813	758	373	10
MALE	2,199	59	14	28	105	66	112	218	431	559	432	166	9
FEMALE	1,267	54	7	17	27	31	38	108	197	254	326	207	1
ALL OTHER	834	82	23	22	96	93	72	91	104	94	87	69	1
MALE	536	49	13	17	77	70	43	58	70	57	49	32	1
FEMALE	298	33	10	5	19	23	29	33	34	37	38	37	-
ARKANSAS	22,226	593	129	177	474	430	639	1,564	3,356	5,535	5,812	3,517	-
MALE	12,745	336	71	119	357	306	412	1,016	2,254	3,382	3,044	1,448	-
FEMALE	9,481	257	58	58	117	124	227	548	1,102	2,153	2,768	2,069	-
WHITE	17,958	381	94	123	352	337	458	1,248	2,772	4,360	4,835	2,998	-
MALE	10,344	227	50	77	270	245	307	832	1,900	2,731	2,501	1,204	-
FEMALE	7,614	154	44	46	82	92	151	416	872	1,629	2,334	1,794	-
ALL OTHER	4,268	212	35	54	122	93	181	316	584	1,175	977	519	-
MALE	2,401	109	21	42	87	61	105	184	354	651	543	244	-
FEMALE	1,867	103	14	12	35	32	76	132	230	524	434	275	-
METROPOLITAN COUNTIES	6,023	210	36	57	151	156	201	500	1,012	1,400	1,487	813	-
MALE	3,347	105	23	35	119	107	134	326	652	822	728	296	-
FEMALE	2,676	105	13	22	32	49	67	174	360	578	759	517	-
WHITE	4,466	128	20	36	98	115	138	378	781	982	1,149	641	-
MALE	2,495	72	13	21	77	82	99	253	515	594	544	225	-
FEMALE	1,971	56	7	15	21	33	39	125	266	388	605	416	-
ALL OTHER	1,557	82	16	21	53	41	63	122	231	418	338	172	-
MALE	852	33	10	14	42	25	35	73	137	228	184	71	-
FEMALE	705	49	6	7	11	16	28	49	94	190	154	101	-
NONMETROPOLITAN COUNTIES	16,203	383	93	120	323	274	438	1,064	2,344	4,135	4,325	2,704	-
MALE	9,398	231	48	84	238	199	278	690	1,602	2,560	2,316	1,152	-
FEMALE	6,805	152	45	36	85	75	160	374	742	1,575	2,009	1,552	-
WHITE	13,492	253	74	87	254	222	320	870	1,991	3,378	3,686	2,357	-
MALE	7,849	155	37	56	193	163	208	579	1,385	2,137	1,957	979	-
FEMALE	5,643	98	37	31	61	59	112	291	606	1,241	1,729	1,378	-
ALL OTHER	2,711	130	19	33	69	52	118	194	353	757	639	347	-
MALE	1,549	76	11	28	45	36	70	111	217	423	359	173	-
FEMALE	1,162	54	8	5	24	16	48	83	136	334	280	174	-
CALIFORNIA	170,403	4,265	949	1,250	4,824	4,616	5,972	14,659	26,361	37,527	43,003	26,936	41
MALE	93,062	2,491	537	762	3,581	3,156	3,698	9,068	16,598	22,551	20,707	9,882	31
FEMALE	77,341	1,774	412	488	1,243	1,460	2,274	5,591	9,763	14,976	22,296	17,054	10
WHITE	156,148	3,494	826	1,075	4,116	3,768	4,902	12,781	23,894	34,559	40,848	25,847	38
MALE	84,565	2,060	472	651	3,091	2,591	3,025	7,903	15,058	20,703	19,618	9,363	30
FEMALE	71,583	1,434	354	424	1,025	1,177	1,877	4,878	8,836	13,856	21,230	16,484	8
ALL OTHER	14,255	771	123	175	708	848	1,070	1,878	2,467	2,968	2,155	1,089	3
MALE	8,497	431	65	111	490	565	673	1,165	1,540	1,848	1,089	519	1
FEMALE	5,758	340	58	64	218	283	397	713	927	1,120	1,066	570	2
METROPOLITAN COUNTIES	155,338	3,947	867	1,118	4,370	4,223	5,521	13,577	24,035	33,975	39,152	24,521	32
MALE	84,100	2,297	488	683	3,235	2,872	3,409	8,380	15,050	20,183	18,613	8,868	22
FEMALE	71,238	1,650	379	435	1,135	1,351	2,112	5,197	8,985	13,792	20,539	15,653	10
WHITE	141,601	3,196	748	966	3,695	3,396	4,482	11,761	21,641	31,141	37,089	23,477	29
MALE	75,941	1,877	425	574	2,768	2,322	2,752	7,255	13,566	18,428	17,577	8,376	21
FEMALE	65,660	1,319	323	372	927	1,074	1,730	4,506	8,075	12,713	19,512	15,101	8
ALL OTHER	13,737	751	119	172	675	827	1,039	1,816	2,394	2,834	2,063	1,044	3
MALE	8,159	420	63	109	467	550	657	1,125	1,484	1,755	1,036	492	1
FEMALE	5,578	331	56	63	208	277	382	691	910	1,079	1,027	552	2
NONMETROPOLITAN COUNTIES	15,065	318	82	132	454	393	451	1,082	2,326	3,552	3,851	2,415	9
MALE	8,962	194	49	79	346	284	289	688	1,548	2,368	2,094	1,014	9
FEMALE	6,103	124	33	53	108	109	162	394	778	1,184	1,757	1,401	-
WHITE	14,547	298	78	129	421	372	420	1,020	2,253	3,418	3,759	2,370	9
MALE	8,624	183	47	77	323	269	273	648	1,492	2,275	2,041	987	9
FEMALE	5,923	115	31	52	98	103	147	372	761	1,143	1,718	1,383	-
ALL OTHER	518	20	4	3	33	21	31	62	73	134	92	45	-
MALE	338	11	2	2	23	15	16	40	56	93	53	27	-
FEMALE	180	9	2	1	10	6	15	22	17	41	39	18	-

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
COLORADO	17,922	614	111	163	635	523	682	1,478	2,547	3,628	4,486	3,053	2
MALE	9,949	353	63	101	481	375	449	916	1,640	2,211	2,171	1,188	1
FEMALE	7,973	261	48	62	154	148	233	562	907	1,417	2,315	1,865	1
WHITE	17,316	576	100	156	596	475	623	1,409	2,465	3,518	4,398	2,998	2
MALE	9,599	330	58	97	448	350	408	869	1,591	2,153	2,126	1,168	1
FEMALE	7,717	246	42	59	148	125	215	540	874	1,365	2,272	1,830	1
ALL OTHER	606	38	11	7	39	48	59	69	82	110	88	55	-
MALE	350	23	5	4	33	25	41	47	49	58	45	20	-
FEMALE	256	15	6	3	6	23	18	22	33	52	43	35	-
METROPOLITAN COUNTIES	12,007	433	77	106	415	374	485	1,113	1,776	2,363	2,949	1,915	1
MALE	6,540	248	40	66	309	262	321	674	1,126	1,397	1,408	689	-
FEMALE	5,467	185	37	40	106	112	164	439	650	966	1,541	1,226	1
WHITE	11,453	397	66	102	382	329	428	1,051	1,696	2,263	2,871	1,867	1
MALE	6,220	227	35	63	281	239	281	629	1,077	1,345	1,370	673	-
FEMALE	5,233	170	31	39	101	90	147	422	619	918	1,501	1,194	1
ALL OTHER	554	36	11	4	33	45	57	62	80	100	78	48	-
MALE	320	21	5	3	28	23	40	45	49	52	38	16	-
FEMALE	234	15	6	1	5	22	17	17	31	48	40	32	-
NONMETROPOLITAN COUNTIES	5,915	181	34	57	220	149	197	365	771	1,265	1,537	1,138	1
MALE	3,409	105	23	35	172	113	128	242	514	814	763	499	1
FEMALE	2,506	76	11	22	48	36	69	123	257	451	774	639	-
WHITE	5,863	179	34	54	214	146	195	358	769	1,255	1,527	1,131	1
MALE	3,379	103	23	34	167	111	127	240	514	808	756	495	1
FEMALE	2,484	76	11	20	47	35	68	118	255	447	771	636	-
ALL OTHER	52	2	-	3	6	3	2	7	2	10	10	7	-
MALE	30	2	-	1	5	2	1	2	-	6	7	4	-
FEMALE	22	-	-	2	1	1	1	5	2	4	3	3	-
CONNECTICUT	26,129	572	107	132	439	416	721	2,114	4,195	5,818	7,240	4,369	6
MALE	13,988	332	68	80	312	268	454	1,307	2,717	3,413	3,455	1,579	3
FEMALE	12,141	240	39	52	127	148	267	807	1,478	2,405	3,785	2,790	3
WHITE	24,869	458	98	115	393	348	604	1,936	3,971	5,577	7,070	4,293	6
MALE	13,271	263	60	70	278	223	381	1,188	2,587	3,282	3,385	1,551	3
FEMALE	11,598	195	38	45	115	125	223	748	1,384	2,295	3,685	2,742	3
ALL OTHER	1,260	114	9	17	46	68	117	178	224	241	170	76	-
MALE	717	69	8	10	34	45	73	119	130	131	70	28	-
FEMALE	543	45	1	7	12	23	44	59	94	110	100	48	-
METROPOLITAN COUNTIES	20,280	433	78	96	323	319	546	1,645	3,283	4,451	5,695	3,407	4
MALE	10,847	254	45	58	234	195	346	1,009	2,146	2,587	2,745	1,225	3
FEMALE	9,433	179	33	38	89	124	200	636	1,137	1,864	2,950	2,182	1
WHITE	19,115	322	70	82	283	257	442	1,476	3,069	4,234	5,541	3,335	4
MALE	10,187	186	38	49	204	154	282	898	2,023	2,470	2,682	1,198	3
FEMALE	8,928	136	32	33	79	103	160	578	1,046	1,764	2,859	2,137	1
ALL OTHER	1,165	111	8	14	40	62	104	169	214	217	154	72	-
MALE	660	68	7	9	30	41	64	111	123	117	63	27	-
FEMALE	505	43	1	5	10	21	40	58	91	100	91	45	-
NONMETROPOLITAN COUNTIES	5,849	139	29	36	116	97	175	469	912	1,367	1,545	962	2
MALE	3,141	78	23	22	78	73	108	298	571	826	710	354	-
FEMALE	2,708	61	6	14	38	24	67	171	341	541	835	608	2
WHITE	5,754	136	28	33	110	91	162	460	902	1,343	1,529	958	2
MALE	3,084	77	22	21	74	69	99	290	564	812	703	353	-
FEMALE	2,670	59	6	12	36	22	63	170	338	531	826	605	2
ALL OTHER	95	3	1	3	6	6	13	9	10	24	16	4	-
MALE	57	1	1	1	4	4	9	8	7	14	7	1	-
FEMALE	38	2	-	2	2	2	4	1	3	10	9	3	-
DELAWARE	4,986	140	28	44	119	110	190	483	824	1,175	1,209	658	6
MALE	2,758	68	18	30	89	72	123	303	525	722	571	233	4
FEMALE	2,228	72	10	14	30	38	67	180	299	453	638	425	2
WHITE	4,146	96	20	34	87	77	137	367	654	971	1,098	603	2
MALE	2,243	43	11	22	68	47	89	233	417	598	509	205	1
FEMALE	1,903	53	9	12	19	30	48	134	237	373	589	398	1
ALL OTHER	840	44	8	10	32	33	53	116	170	204	111	55	4
MALE	515	25	7	8	21	25	34	70	108	124	62	28	3
FEMALE	325	19	1	2	11	8	19	46	62	80	49	27	1
METROPOLITAN COUNTIES	3,260	80	18	29	72	72	132	328	556	772	774	423	4
MALE	1,768	36	10	19	57	42	85	202	353	463	357	142	2
FEMALE	1,492	44	8	10	15	30	47	126	203	309	417	281	2
WHITE	2,727	64	15	22	54	53	93	248	456	629	702	389	2
MALE	1,445	29	8	14	44	30	59	154	287	380	314	125	1
FEMALE	1,282	35	7	8	10	23	34	94	169	249	388	264	1
ALL OTHER	533	16	3	7	18	19	39	80	100	143	72	34	2
MALE	323	7	2	5	13	12	26	48	66	83	43	17	1
FEMALE	210	9	1	2	5	7	13	32	34	60	29	17	1
NONMETROPOLITAN COUNTIES	1,726	60	10	15	47	38	58	155	268	403	435	235	2
MALE	990	32	8	11	32	30	38	101	172	259	214	91	2
FEMALE	736	28	2	4	15	8	20	54	96	144	221	144	-
WHITE	1,419	32	5	12	33	24	44	119	198	342	396	214	-
MALE	798	14	3	8	24	17	30	79	130	218	195	80	-
FEMALE	621	18	2	4	9	7	14	40	68	124	201	134	-
ALL OTHER	307	28	5	3	14	14	14	36	70	61	39	21	2
MALE	192	18	5	3	8	13	8	22	42	41	19	11	2
FEMALE	115	10	-	-	6	1	6	14	28	20	20	10	-

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DISTRICT OF COLUMBIA	7,848	268	44	47	181	304	484	960	1,442	1,664	1,554	891	9
MALE	4,246	156	30	34	125	212	313	577	900	916	710	266	7
FEMALE	3,602	112	14	13	56	92	171	383	542	748	844	625	2
WHITE	2,676	27	5	5	29	38	54	147	344	616	841	566	4
MALE	1,261	17	3	5	22	25	30	88	219	327	368	153	4
FEMALE	1,415	10	2	-	7	13	24	59	125	289	473	413	-
ALL OTHER	5,172	241	39	42	152	266	430	813	1,098	1,048	713	325	5
MALE	2,985	139	27	29	103	187	283	489	681	589	342	113	3
FEMALE	2,187	102	12	13	49	79	147	324	417	459	371	212	2
METROPOLITAN	7,848	268	44	47	181	304	484	960	1,442	1,664	1,554	891	9
MALE	4,246	156	30	34	125	212	313	577	900	916	710	266	7
FEMALE	3,602	112	14	13	56	92	171	383	542	748	844	625	2
WHITE	2,676	27	5	5	29	38	54	147	344	616	841	566	4
MALE	1,261	17	3	5	22	25	30	88	219	327	368	153	4
FEMALE	1,415	10	2	-	7	13	24	59	125	289	473	413	-
ALL OTHER	5,172	241	39	42	152	266	430	813	1,098	1,048	713	325	5
MALE	2,985	139	27	29	103	187	283	489	681	589	342	113	3
FEMALE	2,187	102	12	13	49	79	147	324	417	459	371	212	2
NONMETROPOLITAN	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FLORIDA	88,015	1,909	451	601	1,893	1,805	2,684	6,797	13,366	23,641	23,553	11,297	18
MALE	51,073	1,087	262	372	1,401	1,253	1,645	4,300	8,461	14,631	12,900	4,748	13
FEMALE	36,942	822	189	229	492	552	1,039	2,497	4,905	9,010	10,653	6,549	5
WHITE	76,986	1,137	315	441	1,406	1,278	1,839	5,355	11,134	21,005	22,257	10,808	11
MALE	44,672	669	183	267	1,039	899	1,147	3,429	7,114	13,133	12,263	4,522	7
FEMALE	32,314	468	132	174	367	379	692	1,926	4,020	7,872	9,994	6,286	4
ALL OTHER	11,029	772	136	160	487	527	845	1,442	2,232	2,636	1,296	489	7
MALE	6,401	418	79	105	362	354	498	871	1,347	1,498	637	226	6
FEMALE	4,628	354	57	55	125	173	347	571	885	1,138	659	263	1
METROPOLITAN COUNTIES	57,660	1,250	278	396	1,236	1,190	1,762	4,473	8,645	15,140	15,858	7,422	10
MALE	33,114	699	160	252	915	838	1,080	2,808	5,441	9,197	8,621	3,097	6
FEMALE	24,546	551	118	144	321	352	682	1,665	3,204	5,943	7,237	4,325	4
WHITE	50,326	707	188	290	898	787	1,179	3,443	7,134	13,445	15,107	7,141	7
MALE	28,851	417	110	180	665	562	733	2,188	4,524	8,238	8,255	2,976	3
FEMALE	21,475	290	78	110	233	225	446	1,255	2,610	5,207	6,852	4,165	4
ALL OTHER	7,334	543	90	106	338	403	583	1,030	1,511	1,695	751	281	3
MALE	4,263	282	50	72	250	276	347	620	917	959	366	121	3
FEMALE	3,071	261	40	34	88	127	236	410	594	736	385	160	-
NONMETROPOLITAN COUNTIES	30,355	659	173	205	657	615	922	2,324	4,721	8,501	7,695	3,875	8
MALE	17,959	388	102	120	486	415	565	1,492	3,020	5,434	4,279	1,651	7
FEMALE	12,396	271	71	85	171	200	357	832	1,701	3,067	3,416	2,224	1
WHITE	26,660	430	127	151	508	491	660	1,912	4,000	7,560	7,150	3,667	4
MALE	15,821	252	73	87	374	337	414	1,241	2,590	4,895	4,008	1,546	4
FEMALE	10,839	178	54	64	134	154	246	671	1,410	2,665	3,142	2,121	-
ALL OTHER	3,695	229	46	54	149	124	262	412	721	941	545	208	4
MALE	2,138	136	29	33	112	78	151	251	430	539	271	105	3
FEMALE	1,557	93	17	21	37	46	111	161	291	402	274	103	1
GEORGIA	42,953	1,504	296	436	1,404	1,424	2,105	4,519	7,702	10,092	8,852	4,599	20
MALE	24,009	852	164	283	1,017	965	1,310	2,913	5,000	5,899	4,040	1,556	10
FEMALE	18,944	652	132	153	387	459	795	1,606	2,702	4,193	4,812	3,043	10
WHITE	30,330	796	177	299	921	790	1,216	2,956	5,139	6,986	7,130	3,912	8
MALE	17,201	458	94	196	682	565	800	2,011	3,553	4,291	3,225	1,322	4
FEMALE	13,129	338	83	103	239	225	416	945	1,586	2,695	3,905	2,590	4
ALL OTHER	12,623	708	119	137	483	634	889	1,563	2,563	3,106	1,722	687	12
MALE	6,808	394	70	87	335	400	510	902	1,447	1,608	815	234	6
FEMALE	5,815	314	49	50	148	234	379	661	1,116	1,498	907	453	6
METROPOLITAN COUNTIES	18,863	717	110	190	639	704	1,038	2,276	3,517	4,184	3,636	1,847	5
MALE	10,298	419	58	119	456	455	622	1,444	2,188	2,370	1,589	574	4
FEMALE	8,565	298	52	71	183	249	416	832	1,329	1,814	2,047	1,273	1
WHITE	12,785	338	76	126	409	385	570	1,446	2,249	2,764	2,864	1,554	4
MALE	7,025	197	41	83	297	261	353	972	1,489	1,627	1,223	479	3
FEMALE	5,760	141	35	43	112	124	217	474	760	1,137	1,641	1,075	1
ALL OTHER	6,078	379	34	64	230	319	468	830	1,268	1,420	772	293	1
MALE	3,273	222	17	36	159	194	269	472	699	743	366	95	1
FEMALE	2,805	157	17	28	71	125	199	358	569	677	406	198	-
NONMETROPOLITAN COUNTIES	24,090	787	186	246	765	720	1,067	2,243	4,185	5,908	5,216	2,752	15
MALE	13,711	433	106	164	561	510	688	1,469	2,812	3,529	2,451	982	6
FEMALE	10,379	354	80	82	204	210	379	774	1,373	2,379	2,765	1,770	9
WHITE	17,545	458	101	173	512	405	646	1,510	2,890	4,222	4,266	2,358	4
MALE	10,176	261	53	113	385	304	447	1,039	2,064	2,664	2,002	843	1
FEMALE	7,369	197	48	60	127	101	199	471	826	1,558	2,264	1,515	3
ALL OTHER	6,545	329	85	73	253	315	421	733	1,295	1,686	950	394	11
MALE	3,535	172	53	51	176	206	241	430	748	865	449	139	5
FEMALE	3,010	157	32	22	77	109	180	303	547	821	501	255	6

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
HAWAII	4,343	241	30	44	153	144	187	456	766	924	839	557	2
MALE	2,649	142	18	28	103	90	119	305	499	605	446	292	2
FEMALE	1,694	99	12	16	50	54	68	151	267	319	393	265	-
WHITE	1,361	65	6	18	48	67	55	153	246	290	268	143	2
MALE	800	33	4	9	31	46	39	104	165	187	134	46	2
FEMALE	561	32	2	9	17	21	16	49	81	103	134	97	-
ALL OTHER	2,982	176	24	26	105	77	132	303	520	634	571	414	-
MALE	1,849	109	14	19	72	44	80	201	334	418	312	246	-
FEMALE	1,133	67	10	7	33	33	52	102	186	216	259	168	-
METROPOLITAN COUNTIES	3,248	197	23	35	119	119	149	359	591	647	604	403	2
MALE	1,986	117	14	23	78	76	98	244	393	415	323	203	2
FEMALE	1,262	80	9	12	41	43	51	115	198	232	281	200	-
WHITE	1,098	54	6	13	38	57	43	127	207	223	210	118	2
MALE	640	26	4	8	24	41	30	84	142	139	107	33	2
FEMALE	458	28	2	5	14	16	13	43	65	84	103	85	-
ALL OTHER	2,150	143	17	22	81	62	106	232	384	424	394	285	-
MALE	1,346	91	10	15	54	35	68	160	251	276	216	170	-
FEMALE	804	52	7	7	27	27	38	72	133	148	178	115	-
NONMETROPOLITAN COUNTIES	1,095	44	7	9	34	25	38	97	175	277	235	154	-
MALE	663	25	4	5	25	14	21	61	106	190	123	89	-
FEMALE	432	19	3	4	9	11	17	36	69	87	112	65	-
WHITE	263	11	-	5	10	10	12	26	39	67	58	25	-
MALE	160	7	-	1	7	5	9	20	23	48	27	13	-
FEMALE	103	4	-	4	3	5	3	6	16	19	31	12	-
ALL OTHER	832	33	7	4	24	15	26	71	136	210	177	129	-
MALE	503	18	4	4	18	9	12	41	83	142	96	76	-
FEMALE	329	15	3	-	6	6	14	30	53	68	81	53	-
IDAHO	6,460	239	54	88	239	158	209	452	870	1,400	1,635	1,111	5
MALE	3,834	143	29	57	188	114	145	289	572	901	895	498	3
FEMALE	2,626	96	25	31	51	44	64	163	298	499	740	613	2
WHITE	6,357	232	52	85	230	151	197	441	859	1,385	1,622	1,098	5
MALE	3,767	138	28	54	180	110	139	283	564	890	888	490	3
FEMALE	2,590	94	24	31	50	41	58	158	295	495	734	608	2
ALL OTHER	103	7	2	3	9	7	12	11	11	15	13	13	-
MALE	67	5	1	3	8	4	6	6	8	11	7	8	-
FEMALE	36	2	1	-	1	3	6	5	3	4	6	5	-
METROPOLITAN COUNTIES	1,016	46	5	8	28	18	22	77	136	228	266	182	-
MALE	564	31	1	5	20	8	12	50	88	135	138	76	-
FEMALE	452	15	4	3	8	10	10	27	48	93	128	106	-
WHITE	1,010	45	5	8	27	18	22	75	136	228	264	182	-
MALE	559	30	1	5	19	8	12	48	88	135	137	76	-
FEMALE	451	15	4	3	8	10	10	27	48	93	127	106	-
ALL OTHER	6	1	-	-	1	-	-	2	-	-	2	-	-
MALE	5	1	-	-	1	-	-	2	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-
NONMETROPOLITAN COUNTIES	5,444	193	49	80	211	140	187	375	734	1,172	1,369	929	5
MALE	3,270	112	28	52	168	106	133	239	484	766	757	422	3
FEMALE	2,174	81	21	28	43	34	54	136	250	406	612	507	2
WHITE	5,347	187	47	77	203	133	175	366	723	1,157	1,358	916	5
MALE	3,208	108	27	49	161	102	127	235	476	755	751	414	3
FEMALE	2,139	79	20	28	42	31	48	131	247	402	607	502	2
ALL OTHER	97	6	2	3	8	7	12	9	11	15	11	13	-
MALE	62	4	1	3	7	4	6	4	8	11	6	8	-
FEMALE	35	2	1	-	1	3	6	5	3	4	5	5	-
ILLINOIS	108,171	3,279	514	732	2,579	2,411	3,706	9,111	16,890	24,441	28,287	16,214	7
MALE	59,378	1,871	280	447	1,926	1,673	2,306	5,844	10,960	14,519	13,465	6,081	6
FEMALE	48,793	1,408	234	285	653	738	1,400	3,267	5,930	9,922	14,822	10,133	1
WHITE	94,173	2,144	360	556	1,935	1,590	2,545	7,126	14,510	21,611	26,447	15,343	6
MALE	51,407	1,239	191	339	1,448	1,096	1,584	4,620	9,533	12,978	12,616	5,758	5
FEMALE	42,766	905	169	217	487	494	961	2,506	4,977	8,633	13,831	9,585	1
ALL OTHER	13,998	1,135	154	176	644	821	1,161	1,985	2,380	2,830	1,840	871	1
MALE	7,971	632	89	108	478	577	722	1,224	1,427	1,541	849	323	1
FEMALE	6,027	503	65	68	166	244	439	761	953	1,289	991	548	-
METROPOLITAN COUNTIES	82,150	2,719	429	583	2,070	2,063	3,155	7,612	13,466	18,498	20,524	11,025	6
MALE	45,125	1,548	239	359	1,549	1,428	1,560	4,861	8,677	10,845	9,594	4,060	5
FEMALE	37,025	1,171	190	224	521	635	1,195	2,751	4,789	7,653	10,930	6,965	1
WHITE	68,707	1,621	277	410	1,448	1,258	2,013	5,687	11,174	15,799	18,796	10,219	5
MALE	37,462	938	151	253	1,086	861	1,247	3,671	7,303	9,376	8,807	3,765	4
FEMALE	31,245	683	126	157	362	397	766	2,016	3,871	6,423	9,989	6,454	1
ALL OTHER	13,443	1,098	152	173	622	805	1,142	1,925	2,292	2,699	1,728	806	1
MALE	7,663	610	88	106	463	567	713	1,190	1,374	1,469	787	295	1
FEMALE	5,780	488	64	67	159	238	429	735	918	1,230	941	511	-
NONMETROPOLITAN COUNTIES	26,021	560	85	149	509	348	551	1,499	3,424	5,943	7,763	5,189	1
MALE	14,253	323	41	88	377	245	346	983	2,283	3,674	3,871	2,021	1
FEMALE	11,768	237	44	61	132	103	205	516	1,141	2,269	3,892	3,168	-
WHITE	25,466	523	83	146	487	332	532	1,439	3,336	5,812	7,651	5,124	1
MALE	13,945	301	40	86	362	235	337	949	2,230	3,602	3,809	1,993	1
FEMALE	11,521	222	43	60	125	97	195	490	1,106	2,210	3,842	3,131	-
ALL OTHER	555	37	2	3	22	16	19	60	88	131	112	65	-
MALE	308	22	1	2	15	10	9	34	53	72	62	28	-
FEMALE	247	15	1	1	7	6	10	26	35	59	50	37	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
INDIANA	48,269	1,367	247	372	1,066	955	1,490	3,832	7,223	10,956	12,952	7,798	11
MALE	26,456	763	138	235	796	639	935	2,444	4,704	6,552	6,357	2,886	7
FEMALE	21,813	604	109	137	270	316	555	1,388	2,519	4,404	6,595	4,912	4
WHITE	44,712	1,133	203	328	934	786	1,264	3,365	6,607	10,179	12,373	7,534	6
MALE	24,421	637	113	210	705	517	805	2,178	4,316	6,120	6,054	2,763	3
FEMALE	20,291	496	90	118	229	269	459	1,187	2,291	4,059	6,319	4,771	3
ALL OTHER	3,557	234	44	44	132	169	226	467	616	777	579	264	5
MALE	2,035	126	25	25	91	122	130	266	388	432	303	123	4
FEMALE	1,522	108	19	19	41	47	96	201	228	345	276	141	1
METROPOLITAN COUNTIES	28,559	845	153	222	663	636	946	2,514	4,458	6,540	7,339	4,235	8
MALE	15,623	476	86	139	490	429	593	1,588	2,908	3,829	3,559	1,521	5
FEMALE	12,936	369	67	83	173	207	353	926	1,550	2,711	3,780	2,714	3
WHITE	25,340	631	114	184	544	484	743	2,085	3,899	5,836	6,817	4,000	3
MALE	13,767	357	63	117	408	320	477	1,345	2,558	3,427	3,281	1,413	1
FEMALE	11,573	274	51	67	136	164	266	740	1,341	2,409	3,536	2,587	2
ALL OTHER	3,219	214	39	38	119	152	203	429	559	704	522	235	5
MALE	1,856	119	23	22	82	109	116	243	350	402	278	108	4
FEMALE	1,363	95	16	16	37	43	87	186	209	302	244	127	1
NONMETROPOLITAN COUNTIES	19,710	522	94	150	403	319	544	1,318	2,765	4,416	5,613	3,563	3
MALE	10,833	287	52	96	306	210	342	856	1,796	2,723	2,798	1,365	2
FEMALE	8,877	235	42	54	97	109	202	462	969	1,693	2,815	2,198	1
WHITE	19,372	502	89	144	390	302	521	1,280	2,708	4,343	5,556	3,534	3
MALE	10,654	280	50	93	297	197	328	833	1,758	2,693	2,773	1,350	2
FEMALE	8,718	222	39	51	93	105	193	447	950	1,650	2,783	2,184	1
ALL OTHER	338	20	5	6	13	17	23	38	57	73	57	29	–
MALE	179	7	2	3	9	13	14	23	38	30	25	15	–
FEMALE	159	13	3	3	4	4	9	15	19	43	32	14	–
IOWA	28,773	575	106	198	634	384	620	1,637	3,615	6,273	8,699	6,026	6
MALE	15,702	321	60	132	485	260	396	1,068	2,410	3,890	4,397	2,280	3
FEMALE	13,071	254	46	66	149	124	224	569	1,205	2,383	4,302	3,746	3
WHITE	28,438	547	101	196	626	379	597	1,596	3,565	6,195	8,642	5,988	6
MALE	15,505	306	58	131	477	255	378	1,039	2,383	3,842	4,367	2,266	3
FEMALE	12,933	241	43	65	149	124	219	557	1,182	2,353	4,275	3,722	3
ALL OTHER	335	28	5	2	8	5	23	41	50	78	57	38	–
MALE	197	15	2	1	8	5	18	29	27	48	30	14	–
FEMALE	138	13	3	1	–	–	5	12	23	30	27	24	–
METROPOLITAN COUNTIES	8,950	250	43	63	211	146	249	661	1,272	2,010	2,477	1,567	1
MALE	4,753	131	26	40	156	97	154	437	821	1,221	1,132	537	1
FEMALE	4,197	119	17	23	55	49	95	224	451	789	1,345	1,030	–
WHITE	8,692	229	38	63	205	143	232	628	1,229	1,950	2,434	1,540	1
MALE	4,602	120	24	40	150	94	142	413	798	1,186	1,108	526	1
FEMALE	4,090	109	14	23	55	49	90	215	431	764	1,326	1,014	–
ALL OTHER	258	21	5	–	6	3	17	33	43	60	43	27	–
MALE	151	11	2	–	6	3	12	24	23	35	24	11	–
FEMALE	107	10	3	–	–	–	5	9	20	25	19	16	–
NONMETROPOLITAN COUNTIES	19,823	325	63	135	423	238	371	976	2,343	4,263	6,222	4,459	5
MALE	10,949	190	34	92	329	163	242	631	1,589	2,669	3,265	1,743	2
FEMALE	8,874	135	29	43	94	75	129	345	754	1,594	2,957	2,716	3
WHITE	19,746	318	63	133	421	236	365	968	2,336	4,245	6,208	4,448	5
MALE	10,903	186	34	91	327	161	236	626	1,585	2,656	3,259	1,740	2
FEMALE	8,843	132	29	42	94	75	129	342	751	1,589	2,949	2,708	3
ALL OTHER	77	7	–	2	2	2	6	8	7	18	14	11	–
MALE	46	4	–	1	2	2	6	5	4	13	6	3	–
FEMALE	31	3	–	1	–	–	–	3	3	5	8	8	–
KANSAS	22,235	524	93	149	489	380	548	1,399	2,767	4,818	6,503	4,562	3
MALE	12,180	293	53	87	381	275	344	888	1,825	2,971	3,305	1,756	2
FEMALE	10,055	231	40	62	108	105	204	511	942	1,847	3,198	2,806	1
WHITE	21,065	467	83	137	455	332	479	1,279	2,607	4,553	6,241	4,429	3
MALE	11,567	268	46	81	354	248	300	818	1,735	2,832	3,182	1,701	2
FEMALE	9,498	199	37	56	101	84	179	461	872	1,721	3,059	2,728	1
ALL OTHER	1,170	57	10	12	34	48	69	120	160	265	262	133	–
MALE	613	25	7	6	27	27	44	70	90	139	123	55	–
FEMALE	557	32	3	6	7	21	25	50	70	126	139	78	–
METROPOLITAN COUNTIES	7,482	213	47	56	206	177	281	660	1,048	1,601	1,948	1,245	–
MALE	4,082	119	33	35	158	121	178	408	687	972	935	436	–
FEMALE	3,400	94	14	21	48	56	103	252	361	629	1,013	809	–
WHITE	6,711	179	38	48	180	142	231	575	944	1,422	1,784	1,168	–
MALE	3,683	105	27	31	138	104	148	360	627	874	861	408	–
FEMALE	3,028	74	11	17	42	38	83	215	317	548	923	760	–
ALL OTHER	771	34	9	8	26	35	50	85	104	179	164	77	–
MALE	399	14	6	4	20	17	30	48	60	98	74	28	–
FEMALE	372	20	3	4	6	18	20	37	44	81	90	49	–
NONMETROPOLITAN COUNTIES	14,753	311	46	93	283	203	267	739	1,719	3,217	4,555	3,317	3
MALE	8,098	174	20	52	223	154	166	480	1,138	1,999	2,370	1,320	2
FEMALE	6,655	137	26	41	60	49	101	259	581	1,218	2,185	1,997	1
WHITE	14,354	288	45	89	275	190	248	704	1,663	3,131	4,457	3,261	3
MALE	7,884	163	19	50	216	144	152	458	1,108	1,958	2,321	1,293	2
FEMALE	6,470	125	26	39	59	46	96	246	555	1,173	2,136	1,968	1
ALL OTHER	399	23	1	4	8	13	19	35	56	86	98	56	–
MALE	214	11	1	2	7	10	14	22	30	41	49	27	–
FEMALE	185	12	–	2	1	3	5	13	26	45	49	29	–

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
KENTUCKY	33,506	895	159	249	719	678	1,114	2,734	5,164	7,846	8,820	5,123	5
MALE	18,995	501	92	161	540	475	728	1,838	3,440	4,795	4,387	2,035	3
FEMALE	14,511	394	67	88	179	203	386	896	1,724	3,051	4,433	3,088	2
WHITE	30,582	784	131	224	654	587	966	2,447	4,664	7,083	8,195	4,844	3
MALE	17,395	448	77	145	490	409	642	1,672	3,159	4,368	4,079	1,904	2
FEMALE	13,187	336	54	79	164	178	324	775	1,505	2,715	4,116	2,940	1
ALL OTHER	2,924	111	28	25	65	91	148	287	500	763	625	279	2
MALE	1,600	53	15	16	50	66	86	166	281	427	308	131	1
FEMALE	1,324	58	13	9	15	25	62	121	219	336	317	148	1
METROPOLITAN COUNTIES	12,416	313	54	93	211	254	427	1,204	2,101	2,975	3,052	1,730	2
MALE	6,755	176	30	64	154	176	279	808	1,350	1,721	1,409	586	2
FEMALE	5,661	137	24	29	57	78	148	396	751	1,254	1,643	1,144	-
WHITE	10,820	245	40	76	177	202	342	1,032	1,810	2,546	2,749	1,600	1
MALE	5,869	143	23	53	131	140	231	704	1,184	1,473	1,260	526	1
FEMALE	4,951	102	17	23	46	62	111	328	626	1,073	1,489	1,074	-
ALL OTHER	1,596	68	14	17	34	52	85	172	291	429	303	130	1
MALE	886	33	7	11	23	36	48	104	166	248	149	60	1
FEMALE	710	35	7	6	11	16	37	68	125	181	154	70	-
NONMETROPOLITAN COUNTIES	21,090	582	105	156	508	424	687	1,530	3,063	4,871	5,768	3,393	3
MALE	12,240	325	62	97	386	299	449	1,030	2,090	3,074	2,978	1,449	1
FEMALE	8,850	257	43	59	122	125	238	500	973	1,797	2,790	1,944	2
WHITE	19,762	539	91	148	477	385	624	1,415	2,854	4,537	5,446	3,244	2
MALE	11,526	305	54	92	359	269	411	968	1,975	2,895	2,819	1,378	1
FEMALE	8,236	234	37	56	118	116	213	447	879	1,642	2,627	1,866	1
ALL OTHER	1,328	43	14	8	31	39	63	115	209	334	322	149	1
MALE	714	20	8	5	27	30	38	62	115	179	159	71	-
FEMALE	614	23	6	3	4	9	25	53	94	155	163	78	1
LOUISIANA	33,647	1,243	224	341	1,096	948	1,322	3,101	5,808	8,445	7,361	3,751	7
MALE	18,977	750	130	229	841	646	828	2,001	3,737	4,943	3,536	1,330	6
FEMALE	14,670	493	94	112	255	302	494	1,100	2,071	3,502	3,825	2,421	1
WHITE	22,582	603	120	206	646	516	756	1,964	3,882	5,664	5,419	2,803	3
MALE	12,931	388	76	143	512	368	482	1,347	2,631	3,498	2,542	941	3
FEMALE	9,651	215	44	63	134	148	274	617	1,251	2,166	2,877	1,862	-
ALL OTHER	11,065	640	104	135	450	432	566	1,137	1,926	2,781	1,942	948	4
MALE	6,046	362	54	86	329	278	346	654	1,106	1,445	994	389	3
FEMALE	5,019	278	50	49	121	154	220	483	820	1,336	948	559	1
METROPOLITAN PARISHES[1]	18,008	655	116	171	595	538	751	1,829	3,219	4,521	3,835	1,775	3
MALE	10,028	395	65	110	441	383	470	1,183	2,078	2,586	1,755	560	2
FEMALE	7,980	260	51	61	154	155	281	646	1,141	1,935	2,080	1,215	1
WHITE	11,986	300	65	108	324	271	421	1,144	2,099	3,034	2,854	1,365	1
MALE	6,719	192	43	68	245	204	267	786	1,431	1,815	1,268	399	1
FEMALE	5,267	108	22	40	79	67	154	358	668	1,219	1,586	966	-
ALL OTHER	6,022	355	51	63	271	267	330	685	1,120	1,487	981	410	2
MALE	3,309	203	22	42	196	179	203	397	647	771	487	161	1
FEMALE	2,713	152	29	21	75	88	127	288	473	716	494	249	1
NONMETROPOLITAN PARISHES[1]	15,639	588	108	170	501	410	571	1,272	2,589	3,924	3,526	1,976	4
MALE	8,949	355	65	119	400	263	358	818	1,659	2,357	1,781	770	4
FEMALE	6,690	233	43	51	101	147	213	454	930	1,567	1,745	1,206	-
WHITE	10,596	303	55	98	322	245	335	820	1,783	2,630	2,565	1,438	2
MALE	6,212	196	33	75	267	164	215	561	1,200	1,683	1,274	542	2
FEMALE	4,384	107	22	23	55	81	120	259	583	947	1,291	896	-
ALL OTHER	5,043	285	53	72	179	165	236	452	806	1,294	961	538	2
MALE	2,737	159	32	44	133	99	143	257	459	674	507	228	2
FEMALE	2,306	126	21	28	46	66	93	195	347	620	454	310	-
MAINE	10,717	243	46	80	198	173	270	757	1,575	2,475	2,973	1,927	-
MALE	5,883	143	27	54	142	117	172	488	1,006	1,514	1,478	742	-
FEMALE	4,834	100	19	26	56	56	98	269	569	961	1,495	1,185	-
WHITE	10,682	241	44	79	195	171	268	754	1,571	2,468	2,970	1,921	-
MALE	5,858	141	26	53	141	115	171	486	1,003	1,508	1,476	738	-
FEMALE	4,824	100	18	26	54	56	97	268	568	960	1,494	1,183	-
ALL OTHER	35	2	2	1	3	2	2	3	4	7	3	6	-
MALE	25	2	1	1	1	2	1	2	3	6	2	4	-
FEMALE	10	-	1	-	2	-	1	1	1	1	1	2	-
METROPOLITAN COUNTIES	2,106	38	4	11	35	33	51	164	317	476	585	392	-
MALE	1,110	19	3	10	24	19	29	97	193	306	276	134	-
FEMALE	996	19	1	1	11	14	22	67	124	170	309	258	-
WHITE	2,100	38	4	10	35	33	51	163	317	473	584	392	-
MALE	1,105	19	3	9	24	19	29	97	193	303	275	134	-
FEMALE	995	19	1	1	11	14	22	66	124	170	309	258	-
ALL OTHER	6	-	-	1	-	-	-	1	-	3	1	-	-
MALE	5	-	-	1	-	-	-	-	-	3	1	-	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-
NONMETROPOLITAN COUNTIES	8,611	205	42	69	163	140	219	593	1,258	1,999	2,388	1,535	-
MALE	4,773	124	24	44	118	98	143	391	813	1,208	1,202	608	-
FEMALE	3,838	81	18	25	45	42	76	202	445	791	1,186	927	-
WHITE	8,582	203	40	69	160	138	217	591	1,254	1,995	2,386	1,529	-
MALE	4,753	122	23	44	117	96	142	389	810	1,205	1,201	604	-
FEMALE	3,829	81	17	25	43	42	75	202	444	790	1,185	925	-
ALL OTHER	29	2	2	-	3	2	2	2	4	4	2	6	-
MALE	20	2	1	-	1	2	1	2	3	3	1	4	-
FEMALE	9	-	1	-	2	-	1	-	1	1	1	2	-

[1] County equivalents.

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MARYLAND	32,965	821	146	267	923	889	1,321	3,419	5,885	7,784	7,431	4,054	25
MALE	18,383	477	89	168	684	627	838	2,160	3,785	4,700	3,492	1,346	17
FEMALE	14,582	344	57	99	239	262	483	1,259	2,100	3,084	3,939	2,708	8
WHITE	26,527	534	96	186	640	539	845	2,510	4,646	6,328	6,532	3,660	11
MALE	14,538	320	61	122	471	375	542	1,595	3,001	3,807	3,046	1,192	6
FEMALE	11,989	214	35	64	169	164	303	915	1,645	2,521	3,486	2,468	5
ALL OTHER	6,438	287	50	81	283	350	476	909	1,239	1,456	899	394	14
MALE	3,845	157	28	46	213	252	296	565	784	893	446	154	11
FEMALE	2,593	130	22	35	70	98	180	344	455	563	453	240	3
METROPOLITAN COUNTIES	26,549	681	119	230	725	740	1,124	2,869	4,841	6,207	5,841	3,149	23
MALE	14,709	393	72	138	540	520	711	1,797	3,090	3,744	2,703	986	15
FEMALE	11,840	288	47	92	185	220	413	1,072	1,751	2,463	3,138	2,163	8
WHITE	21,032	429	77	159	483	430	698	2,060	3,790	4,958	5,094	2,844	10
MALE	11,431	257	49	100	350	296	448	1,297	2,436	2,979	2,340	874	5
FEMALE	9,601	172	28	59	133	134	250	763	1,354	1,979	2,754	1,970	5
ALL OTHER	5,517	252	42	71	242	310	426	809	1,051	1,249	747	305	13
MALE	3,278	136	23	38	190	224	263	500	654	765	363	112	10
FEMALE	2,239	116	19	33	52	86	163	309	397	484	384	193	3
NONMETROPOLITAN COUNTIES	6,416	140	27	37	198	149	197	550	1,044	1,577	1,590	905	2
MALE	3,674	84	17	30	144	107	127	363	695	956	789	360	2
FEMALE	2,742	56	10	7	54	42	70	187	349	621	801	545	-
WHITE	5,495	105	19	27	157	109	147	450	856	1,370	1,438	816	1
MALE	3,107	63	12	22	121	79	94	298	565	828	706	318	1
FEMALE	2,388	42	7	5	36	30	53	152	291	542	732	498	-
ALL OTHER	921	35	8	10	41	40	50	100	188	207	152	89	1
MALE	567	21	5	8	23	28	33	65	130	128	83	42	1
FEMALE	354	14	3	2	18	12	17	35	58	79	69	47	-
MASSACHUSETTS	55,996	974	207	297	1,036	873	1,445	4,084	8,277	12,755	16,095	9,939	14
MALE	29,342	586	117	188	779	594	923	2,588	5,286	7,501	7,300	3,473	7
FEMALE	26,654	388	90	109	257	279	522	1,496	2,991	5,254	8,795	6,466	7
WHITE	54,498	880	180	275	980	783	1,291	3,889	8,070	12,500	15,848	9,788	14
MALE	28,432	527	104	177	739	524	816	2,468	5,151	7,366	7,154	3,399	7
FEMALE	26,066	353	76	98	241	259	475	1,421	2,919	5,134	8,694	6,389	7
ALL OTHER	1,498	94	27	22	56	90	154	195	207	255	247	151	-
MALE	910	59	13	11	40	70	107	120	135	135	146	74	-
FEMALE	588	35	14	11	16	20	47	75	72	120	101	77	-
METROPOLITAN COUNTIES	53,657	954	197	287	1,001	846	1,401	3,968	7,954	12,144	15,385	9,507	13
MALE	28,087	575	112	181	749	575	895	2,512	5,078	7,142	6,935	3,326	7
FEMALE	25,570	379	85	106	252	271	506	1,456	2,876	5,002	8,450	6,181	6
WHITE	52,198	860	170	266	945	758	1,248	3,776	7,750	11,900	15,150	9,362	13
MALE	27,199	516	99	170	709	505	789	2,393	4,945	7,012	6,798	3,256	7
FEMALE	24,999	344	71	96	236	253	459	1,383	2,805	4,888	8,352	6,106	6
ALL OTHER	1,459	94	27	21	56	88	153	192	204	244	235	145	-
MALE	888	59	13	11	40	70	106	119	133	130	137	70	-
FEMALE	571	35	14	10	16	18	47	73	71	114	98	75	-
NONMETROPOLITAN COUNTIES	2,339	20	10	10	35	27	44	116	323	611	710	432	1
MALE	1,255	11	5	7	30	19	28	76	208	359	365	147	-
FEMALE	1,084	9	5	3	5	8	16	40	115	252	345	285	1
WHITE	2,300	20	10	9	35	25	43	113	320	600	698	426	1
MALE	1,233	11	5	7	30	19	27	75	206	354	356	143	-
FEMALE	1,067	9	5	2	5	6	16	38	114	246	342	283	1
ALL OTHER	39	-	-	1	-	2	1	3	3	11	12	6	-
MALE	22	-	-	-	-	-	1	1	2	5	9	4	-
FEMALE	17	-	-	1	-	2	-	2	1	6	3	2	-
MICHIGAN	76,249	2,394	434	646	2,332	2,020	2,592	6,842	12,077	16,950	19,360	10,602	-
MALE	43,063	1,400	262	401	1,746	1,411	1,604	4,299	7,833	10,307	9,705	4,095	-
FEMALE	33,186	994	172	245	586	609	988	2,543	4,244	6,643	9,655	6,507	-
WHITE	66,805	1,676	341	548	1,763	1,315	1,916	5,511	10,410	15,082	18,133	10,110	-
MALE	37,400	986	206	336	1,336	902	1,182	3,483	6,785	9,217	9,068	3,899	-
FEMALE	29,405	690	135	212	427	413	734	2,028	3,625	5,865	9,065	6,211	-
ALL OTHER	9,444	718	93	98	569	705	676	1,331	1,667	1,868	1,227	492	-
MALE	5,663	414	56	65	410	509	422	816	1,048	1,090	637	196	-
FEMALE	3,781	304	37	33	159	196	254	515	619	778	590	296	-
METROPOLITAN COUNTIES	55,070	1,830	339	444	1,802	1,655	2,059	5,371	8,953	11,922	13,613	7,082	-
MALE	31,026	1,057	204	279	1,341	1,146	1,260	3,392	5,797	7,117	6,736	2,697	-
FEMALE	24,044	773	135	165	461	509	799	1,979	3,156	4,805	6,877	4,385	-
WHITE	46,266	1,161	249	360	1,261	971	1,412	4,095	7,404	10,193	12,517	6,643	-
MALE	25,736	676	150	224	953	694	852	2,615	4,821	6,102	6,168	2,521	-
FEMALE	20,530	485	99	136	308	317	560	1,480	2,583	4,091	6,349	4,122	-
ALL OTHER	8,804	669	90	84	541	684	647	1,276	1,549	1,729	1,096	439	-
MALE	5,290	381	54	55	388	492	408	777	976	1,015	568	176	-
FEMALE	3,514	288	36	29	153	192	239	499	573	714	528	263	-
NONMETROPOLITAN COUNTIES	21,179	564	95	202	530	365	533	1,471	3,124	5,028	5,747	3,520	-
MALE	12,037	343	58	122	405	265	344	907	2,036	3,190	2,969	1,398	-
FEMALE	9,142	221	37	80	125	100	189	564	1,088	1,838	2,778	2,122	-
WHITE	20,539	515	92	188	502	344	504	1,416	3,006	4,889	5,616	3,467	-
MALE	11,664	310	56	112	383	248	330	868	1,964	3,115	2,900	1,378	-
FEMALE	8,875	205	36	76	119	96	174	548	1,042	1,774	2,716	2,089	-
ALL OTHER	640	49	3	14	28	21	29	55	118	139	131	53	-
MALE	373	33	2	10	22	17	14	39	72	75	69	20	-
FEMALE	267	16	1	4	6	4	15	16	46	64	62	33	-

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MINNESOTA	33,500	806	140	284	794	509	703	2,002	4,329	7,170	10,191	6,567	5
MALE	18,540	459	75	169	605	347	432	1,299	2,838	4,392	5,280	2,639	5
FEMALE	14,960	347	65	115	189	162	271	703	1,491	2,778	4,911	3,928	-
WHITE	33,023	759	134	272	761	477	673	1,944	4,262	7,088	10,117	6,531	5
MALE	18,267	436	73	161	580	325	415	1,263	2,796	4,349	5,243	2,621	5
FEMALE	14,756	323	61	111	181	152	258	681	1,466	2,739	4,874	3,910	-
ALL OTHER	477	47	6	12	33	32	30	58	67	82	74	36	-
MALE	273	23	2	8	25	22	17	36	42	43	37	18	-
FEMALE	204	24	4	4	8	10	13	22	25	39	37	18	-
METROPOLITAN COUNTIES	16,767	427	65	160	423	288	425	1,153	2,356	3,468	4,891	3,107	4
MALE	8,870	253	31	95	303	192	260	728	1,514	1,992	2,366	1,132	4
FEMALE	7,897	174	34	65	120	96	165	425	842	1,476	2,525	1,975	-
WHITE	16,394	389	59	151	397	263	402	1,105	2,301	3,408	4,838	3,077	4
MALE	8,656	232	29	90	283	175	246	699	1,477	1,960	2,343	1,118	4
FEMALE	7,738	157	30	61	114	88	156	406	824	1,448	2,495	1,959	-
ALL OTHER	373	38	6	9	26	25	23	48	55	60	53	30	-
MALE	214	21	2	5	20	17	14	29	37	32	23	14	-
FEMALE	159	17	4	4	6	8	9	19	18	28	30	16	-
NONMETROPOLITAN COUNTIES	16,733	379	75	124	371	221	278	849	1,973	3,702	5,300	3,460	1
MALE	9,670	206	44	74	302	155	172	571	1,324	2,400	2,914	1,507	1
FEMALE	7,063	173	31	50	69	66	106	278	649	1,302	2,386	1,953	-
WHITE	16,629	370	75	121	364	214	271	839	1,961	3,680	5,279	3,454	1
MALE	9,611	204	44	71	297	150	169	564	1,319	2,389	2,900	1,503	1
FEMALE	7,018	166	31	50	67	64	102	275	642	1,291	2,379	1,951	-
ALL OTHER	104	9	-	3	7	7	7	10	12	22	21	6	-
MALE	59	2	-	3	5	5	3	7	5	11	14	4	-
FEMALE	45	7	-	-	2	2	4	3	7	11	7	2	-
MISSISSIPPI	23,153	1,016	151	245	643	576	878	1,887	3,425	5,551	5,484	3,289	8
MALE	13,112	564	89	164	475	396	557	1,224	2,232	3,369	2,738	1,300	4
FEMALE	10,041	452	62	81	168	180	321	663	1,193	2,182	2,746	1,989	4
WHITE	14,279	354	59	117	331	299	490	1,202	2,176	3,445	3,717	2,089	-
MALE	8,288	209	39	79	246	210	337	817	1,505	2,205	1,856	785	-
FEMALE	5,991	145	20	38	85	89	153	385	671	1,240	1,861	1,304	-
ALL OTHER	8,874	662	92	128	312	277	388	685	1,249	2,106	1,767	1,200	8
MALE	4,824	355	50	85	229	186	220	407	727	1,164	882	515	4
FEMALE	4,050	307	42	43	83	91	168	278	522	942	885	685	4
METROPOLITAN COUNTIES	3,345	147	20	42	100	109	158	359	554	796	683	374	3
MALE	1,918	82	14	30	77	71	103	229	367	490	311	142	2
FEMALE	1,427	65	6	12	23	38	55	130	187	306	372	232	1
WHITE	2,215	66	14	22	58	60	94	240	386	511	512	252	-
MALE	1,289	40	9	19	44	35	61	161	266	327	241	86	-
FEMALE	926	26	5	3	14	25	33	79	120	184	271	166	-
ALL OTHER	1,130	81	6	20	42	49	64	119	168	285	171	122	3
MALE	629	42	5	11	33	36	42	68	101	163	70	56	2
FEMALE	501	39	1	9	9	13	22	51	67	122	101	66	1
NONMETROPOLITAN COUNTIES	19,808	869	131	203	543	467	720	1,528	2,871	4,755	4,801	2,915	5
MALE	11,194	482	75	134	398	325	454	995	1,865	2,879	2,427	1,158	2
FEMALE	8,614	387	56	69	145	142	266	533	1,006	1,876	2,374	1,757	3
WHITE	12,064	288	45	95	273	239	396	962	1,790	2,934	3,205	1,837	-
MALE	6,999	169	30	60	202	175	276	656	1,239	1,878	1,615	699	-
FEMALE	5,065	119	15	35	71	64	120	306	551	1,056	1,590	1,138	-
ALL OTHER	7,744	581	86	108	270	228	324	566	1,081	1,821	1,596	1,078	5
MALE	4,195	313	45	74	196	150	178	339	626	1,001	812	459	2
FEMALE	3,549	268	41	34	74	78	146	227	455	820	784	619	3
MISSOURI	50,652	1,173	196	350	1,029	927	1,341	3,482	7,083	11,877	14,250	8,932	12
MALE	27,573	670	124	206	787	626	863	2,278	4,602	7,179	6,944	3,285	9
FEMALE	23,079	503	72	144	242	301	478	1,204	2,481	4,698	7,306	5,647	3
WHITE	45,521	867	137	299	833	728	1,055	2,893	6,189	10,656	13,355	8,500	9
MALE	24,679	494	90	179	632	490	670	1,936	4,089	6,513	6,486	3,093	7
FEMALE	20,842	373	47	120	201	238	385	957	2,100	4,143	6,869	5,407	2
ALL OTHER	5,131	306	59	51	196	199	286	589	894	1,221	895	432	3
MALE	2,894	176	34	27	155	136	193	342	513	666	458	192	2
FEMALE	2,237	130	25	24	41	63	93	247	381	555	437	240	1
METROPOLITAN COUNTIES	28,518	726	110	190	625	590	873	2,322	4,286	6,692	7,625	4,475	4
MALE	15,025	423	64	103	471	400	552	1,496	2,710	3,850	3,482	1,470	4
FEMALE	13,493	303	46	87	154	190	321	826	1,576	2,842	4,143	3,005	-
WHITE	24,139	453	60	143	445	410	618	1,786	3,515	5,663	6,892	4,152	2
MALE	12,570	266	36	79	326	277	386	1,189	2,276	3,290	3,111	1,332	2
FEMALE	11,569	187	24	64	119	133	232	597	1,239	2,373	3,781	2,820	-
ALL OTHER	4,379	273	50	47	180	180	255	536	771	1,029	733	323	2
MALE	2,455	157	28	24	145	123	166	307	434	560	371	138	2
FEMALE	1,924	116	22	23	35	57	89	229	337	469	362	185	-
NONMETROPOLITAN COUNTIES	22,134	447	86	160	404	337	468	1,160	2,797	5,185	6,625	4,457	8
MALE	12,548	247	60	103	316	226	311	782	1,892	3,329	3,462	1,815	5
FEMALE	9,586	200	26	57	88	111	157	378	905	1,856	3,163	2,642	3
WHITE	21,382	414	77	156	388	318	437	1,107	2,674	4,993	6,463	4,348	7
MALE	12,109	228	54	100	306	213	284	747	1,813	3,223	3,375	1,761	5
FEMALE	9,273	186	23	56	82	105	153	360	861	1,770	3,088	2,587	2
ALL OTHER	752	33	9	4	16	19	31	53	123	192	162	109	1
MALE	439	19	6	3	10	13	27	35	79	106	87	54	-
FEMALE	313	14	3	1	6	6	4	18	44	86	75	55	1

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MONTANA	6,558	202	49	67	251	142	206	473	950	1,274	1,740	1,202	2
MALE	3,891	125	29	44	181	103	123	325	620	840	946	553	2
FEMALE	2,667	77	20	23	70	39	83	148	330	434	794	649	-
WHITE	6,255	181	44	61	218	117	172	439	911	1,226	1,706	1,178	2
MALE	3,702	111	28	41	157	87	102	305	597	809	923	540	2
FEMALE	2,553	70	16	20	61	30	70	134	314	417	783	638	-
ALL OTHER	303	21	5	6	33	25	34	34	39	48	34	24	-
MALE	189	14	1	3	24	16	21	20	23	31	23	13	-
FEMALE	114	7	4	3	9	9	13	14	16	17	11	11	-
METROPOLITAN COUNTIES	1,349	56	5	11	51	28	40	114	210	267	352	215	-
MALE	779	34	3	8	37	19	24	76	139	166	186	87	-
FEMALE	570	22	2	3	14	9	16	38	71	101	166	128	-
WHITE	1,321	54	5	10	50	27	38	108	203	263	351	212	-
MALE	762	32	3	7	37	18	23	74	133	165	186	84	-
FEMALE	559	22	2	3	13	9	15	34	70	98	165	128	-
ALL OTHER	28	2	-	1	1	1	2	6	7	4	1	3	-
MALE	17	2	-	1	-	1	1	2	6	1	-	3	-
FEMALE	11	-	-	-	1	-	1	4	1	3	1	-	-
NONMETROPOLITAN COUNTIES	5,209	146	44	56	200	114	166	359	740	1,007	1,388	987	2
MALE	3,112	91	26	36	144	84	99	249	481	674	760	466	2
FEMALE	2,097	55	18	20	56	30	67	110	259	333	628	521	-
WHITE	4,934	127	39	51	168	90	134	331	708	963	1,355	966	2
MALE	2,940	79	25	34	120	69	79	231	464	644	737	456	2
FEMALE	1,994	48	14	17	48	21	55	100	244	319	618	510	-
ALL OTHER	275	19	5	5	32	24	32	28	32	44	33	21	-
MALE	172	12	1	2	24	15	20	18	17	30	23	10	-
FEMALE	103	7	4	3	8	9	12	10	15	14	10	11	-
NEBRASKA	15,025	364	56	118	351	264	317	865	1,830	3,188	4,538	3,134	-
MALE	8,139	203	36	74	259	168	191	567	1,191	1,936	2,278	1,236	-
FEMALE	6,886	161	20	44	92	96	126	298	639	1,252	2,260	1,898	-
WHITE	14,588	321	51	110	331	235	283	811	1,756	3,113	4,478	3,099	-
MALE	7,881	181	31	70	243	146	172	529	1,149	1,892	2,245	1,223	-
FEMALE	6,707	140	20	40	88	89	111	282	607	1,221	2,233	1,876	-
ALL OTHER	437	43	5	8	20	29	34	54	74	75	60	35	-
MALE	258	22	5	4	16	22	19	38	42	44	33	13	-
FEMALE	179	21	-	4	4	7	15	16	32	31	27	22	-
METROPOLITAN COUNTIES	5,213	167	27	45	145	138	152	385	764	1,120	1,382	888	-
MALE	2,769	89	18	25	104	85	84	242	487	661	668	306	-
FEMALE	2,444	78	9	20	41	53	68	143	277	459	714	582	-
WHITE	4,839	128	22	38	129	116	124	341	695	1,055	1,333	858	-
MALE	2,549	70	13	21	91	69	68	211	448	623	639	296	-
FEMALE	2,290	58	9	17	38	47	56	130	247	432	694	562	-
ALL OTHER	374	39	5	7	16	22	28	44	69	65	49	30	-
MALE	220	19	5	4	13	16	16	31	39	38	29	10	-
FEMALE	154	20	-	3	3	6	12	13	30	27	20	20	-
NONMETROPOLITAN COUNTIES	9,812	197	29	73	206	126	165	480	1,066	2,068	3,156	2,246	-
MALE	5,370	114	18	49	155	83	107	325	704	1,275	1,610	930	-
FEMALE	4,442	83	11	24	51	43	58	155	362	793	1,546	1,316	-
WHITE	9,749	193	29	72	202	119	159	470	1,061	2,058	3,145	2,241	-
MALE	5,332	111	18	49	152	77	104	318	701	1,269	1,606	927	-
FEMALE	4,417	82	11	23	50	42	55	152	360	789	1,539	1,314	-
ALL OTHER	63	4	-	1	4	7	6	10	5	10	11	5	-
MALE	38	3	-	-	3	6	3	7	3	6	4	3	-
FEMALE	25	1	-	1	1	1	3	3	2	4	7	2	-
NEVADA	4,338	182	33	40	172	173	241	516	863	963	809	337	9
MALE	2,653	107	23	21	132	113	142	335	558	616	440	159	7
FEMALE	1,685	75	10	19	40	60	99	181	305	347	369	178	2
WHITE	4,012	139	27	34	140	148	209	471	812	925	773	327	7
MALE	2,461	83	18	17	108	97	123	314	526	591	422	156	6
FEMALE	1,551	56	9	17	32	51	86	157	286	334	351	171	1
ALL OTHER	326	43	6	6	32	25	32	45	51	38	36	10	2
MALE	192	24	5	4	24	16	19	21	32	25	18	3	1
FEMALE	134	19	1	2	8	9	13	24	19	13	18	7	1
METROPOLITAN COUNTIES	3,396	153	23	28	134	134	196	418	697	743	616	248	6
MALE	2,058	90	16	15	102	88	110	262	447	472	333	118	5
FEMALE	1,338	63	7	13	32	46	86	156	250	271	283	130	1
WHITE	3,119	112	18	22	109	114	169	377	649	709	592	242	6
MALE	1,896	67	11	11	84	77	94	243	417	450	321	116	5
FEMALE	1,223	45	7	11	25	37	75	134	232	259	271	126	1
ALL OTHER	277	41	5	6	25	20	27	41	48	34	24	6	-
MALE	162	23	5	4	18	11	16	19	30	22	12	2	-
FEMALE	115	18	-	2	7	9	11	22	18	12	12	4	-
NONMETROPOLITAN COUNTIES	942	29	10	12	38	39	45	98	166	220	193	89	3
MALE	595	17	7	6	30	25	32	73	111	144	107	41	2
FEMALE	347	12	3	6	8	14	13	25	55	76	86	48	1
WHITE	893	27	9	12	31	34	40	94	163	216	181	85	1
MALE	565	16	7	6	24	20	29	71	109	141	101	40	1
FEMALE	328	11	2	6	7	14	11	23	54	75	80	45	-
ALL OTHER	49	2	1	-	7	5	5	4	3	4	12	4	2
MALE	30	1	-	-	6	5	3	2	2	3	6	1	1
FEMALE	19	1	1	-	1	-	2	2	1	1	6	3	1

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
NEW HAMPSHIRE	7,723	162	30	50	148	111	187	560	1,122	1,870	2,199	1,283	1
MALE	4,271	90	15	36	115	79	112	382	740	1,154	1,085	463	-
FEMALE	3,452	72	15	14	33	32	75	178	382	716	1,114	820	1
WHITE	7,701	160	29	49	148	109	186	558	1,121	1,866	2,192	1,283	-
MALE	4,259	88	15	35	115	78	111	380	739	1,152	1,083	463	-
FEMALE	3,442	72	14	14	33	31	75	178	382	714	1,109	820	-
ALL OTHER	22	2	1	1	-	2	1	2	1	4	7	-	1
MALE	12	2	-	1	-	1	1	2	1	2	2	-	-
FEMALE	10	-	1	-	-	1	-	-	-	2	5	-	1
METROPOLITAN COUNTIES	2,188	43	15	12	40	27	71	162	332	504	637	345	-
MALE	1,189	23	5	10	27	19	46	110	218	306	301	124	-
FEMALE	999	20	10	2	13	8	25	52	114	198	336	221	-
WHITE	2,186	43	15	12	40	27	71	162	331	504	636	345	-
MALE	1,188	23	5	10	27	19	46	110	217	306	301	124	-
FEMALE	998	20	10	2	13	8	25	52	114	198	335	221	-
ALL OTHER	2	-	-	-	-	-	-	-	1	-	1	-	-
MALE	1	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-
NONMETROPOLITAN COUNTIES	5,535	119	15	38	108	84	116	398	790	1,366	1,562	938	1
MALE	3,082	67	10	26	88	60	66	272	522	848	784	339	-
FEMALE	2,453	52	5	12	20	24	50	126	268	518	778	599	1
WHITE	5,515	117	14	37	108	82	115	396	790	1,362	1,556	938	-
MALE	3,071	65	10	25	88	59	65	270	522	846	782	339	-
FEMALE	2,444	52	4	12	20	23	50	126	268	516	774	599	-
ALL OTHER	20	2	1	1	-	2	1	2	-	4	6	-	1
MALE	11	2	-	1	-	1	1	2	-	2	2	-	-
FEMALE	9	-	1	-	-	1	-	-	-	2	4	-	1
NEW JERSEY	67,160	1,510	300	386	1,249	1,253	2,089	5,960	11,009	15,982	18,089	9,296	37
MALE	36,211	842	162	225	927	857	1,278	3,736	6,929	9,395	8,414	3,420	26
FEMALE	30,949	668	138	161	322	396	811	2,224	4,080	6,587	9,675	5,876	11
WHITE	60,364	1,038	203	298	973	859	1,543	5,006	9,834	14,583	17,142	8,857	28
MALE	32,335	586	106	174	717	582	953	3,156	6,223	8,607	7,954	3,257	20
FEMALE	28,029	452	97	124	256	277	590	1,850	3,611	5,976	9,188	5,600	8
ALL OTHER	6,796	472	97	88	276	394	546	954	1,175	1,399	947	439	9
MALE	3,876	256	56	51	210	275	325	580	706	788	460	163	6
FEMALE	2,920	216	41	37	66	119	221	374	469	611	487	276	3
METROPOLITAN COUNTIES	51,617	1,203	231	289	975	1,001	1,593	4,577	8,475	12,109	13,848	7,286	30
MALE	27,750	668	123	171	727	693	973	2,878	5,340	7,082	6,386	2,688	21
FEMALE	23,867	535	108	118	248	308	620	1,699	3,135	5,027	7,462	4,598	9
WHITE	45,589	793	145	206	731	642	1,097	3,721	7,436	10,874	13,009	6,913	22
MALE	24,315	451	78	122	541	442	678	2,355	4,716	6,392	5,971	2,558	16
FEMALE	21,274	342	72	84	190	200	419	1,366	2,720	4,482	7,038	4,355	6
ALL OTHER	6,028	410	86	83	244	359	496	856	1,039	1,235	839	373	8
MALE	3,435	217	50	49	186	251	295	523	624	690	415	130	5
FEMALE	2,593	193	36	34	58	108	201	333	415	545	424	243	3
NONMETROPOLITAN COUNTIES	15,543	307	69	97	274	252	496	1,383	2,534	3,873	4,241	2,010	7
MALE	8,461	174	39	54	200	164	305	858	1,589	2,313	2,028	732	5
FEMALE	7,082	133	30	43	74	88	191	525	945	1,560	2,213	1,278	2
WHITE	14,775	245	58	92	242	217	446	1,285	2,398	3,709	4,133	1,944	6
MALE	8,020	135	33	52	176	140	275	801	1,507	2,215	1,983	699	4
FEMALE	6,755	110	25	40	66	77	171	484	891	1,494	2,150	1,245	2
ALL OTHER	768	62	11	5	32	35	50	98	136	164	108	66	1
MALE	441	39	6	2	24	24	30	57	82	98	45	33	1
FEMALE	327	23	5	3	8	11	20	41	54	66	63	33	-
NEW MEXICO	8,030	389	90	129	438	317	415	777	1,221	1,658	1,652	942	2
MALE	4,723	220	49	81	336	242	277	479	766	1,002	868	401	2
FEMALE	3,307	169	41	48	102	75	138	298	455	656	784	541	-
WHITE	7,197	314	65	106	351	244	313	679	1,122	1,550	1,564	888	1
MALE	4,207	184	35	69	266	186	209	422	704	936	819	376	1
FEMALE	2,990	130	30	37	85	58	104	257	418	614	745	512	-
ALL OTHER	833	75	25	23	87	73	102	98	99	108	88	54	1
MALE	516	36	14	12	70	56	68	57	62	66	49	25	1
FEMALE	317	39	11	11	17	17	34	41	37	42	39	29	-
METROPOLITAN COUNTIES	2,174	79	22	26	121	92	100	243	371	457	442	221	-
MALE	1,278	46	13	15	88	67	71	151	225	282	222	98	-
FEMALE	896	33	9	11	33	25	29	92	146	175	220	123	-
WHITE	2,093	71	21	24	116	84	89	234	355	447	435	217	-
MALE	1,222	43	12	14	84	59	64	143	215	273	219	96	-
FEMALE	871	28	9	10	32	25	25	91	140	174	216	121	-
ALL OTHER	81	8	1	2	5	8	11	9	16	10	7	4	-
MALE	56	3	1	1	4	8	7	8	10	9	3	2	-
FEMALE	25	5	-	1	1	-	4	1	6	1	4	2	-
NONMETROPOLITAN COUNTIES	5,856	310	68	103	317	225	315	534	850	1,201	1,210	721	2
MALE	3,445	174	36	66	248	175	206	328	541	720	646	303	2
FEMALE	2,411	136	32	37	69	50	109	206	309	481	564	418	-
WHITE	5,104	243	44	82	235	160	224	445	767	1,103	1,129	671	1
MALE	2,985	141	23	55	182	127	145	279	489	663	600	280	1
FEMALE	2,119	102	21	27	53	33	79	166	278	440	529	391	-
ALL OTHER	752	67	24	21	82	65	91	89	83	98	81	50	1
MALE	460	33	13	11	66	48	61	49	52	57	46	23	1
FEMALE	292	34	11	10	16	17	30	40	31	41	35	27	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
NEW YORK	176,959	3,894	647	1,057	3,518	3,836	5,604	14,188	27,439	42,246	48,473	25,944	113
MALE	94,335	2,206	378	626	2,626	2,582	3,455	8,789	17,001	24,236	22,832	9,539	65
FEMALE	82,624	1,688	269	431	892	1,254	2,149	5,399	10,438	18,010	25,641	16,405	48
WHITE	157,779	2,647	468	808	2,650	2,600	3,890	11,396	23,947	38,372	46,017	24,902	82
MALE	83,488	1,510	272	473	2,007	1,764	2,404	7,057	15,009	22,160	21,635	9,155	42
FEMALE	74,291	1,137	196	335	643	836	1,486	4,339	8,938	16,212	24,382	15,747	40
ALL OTHER	19,180	1,247	179	249	868	1,236	1,714	2,792	3,492	3,874	2,456	1,042	31
MALE	10,847	696	106	153	619	818	1,051	1,732	1,992	2,076	1,197	384	23
FEMALE	8,333	551	73	96	249	418	663	1,060	1,500	1,798	1,259	658	8
METROPOLITAN COUNTIES	151,236	3,365	537	858	3,013	3,472	4,974	12,515	23,674	36,072	41,228	21,432	95
MALE	80,301	1,880	312	508	2,227	2,342	3,075	7,713	14,599	20,438	19,253	7,898	56
FEMALE	70,935	1,485	225	350	786	1,130	1,899	4,802	9,075	15,634	21,975	13,535	39
WHITE	132,540	2,155	362	617	2,165	2,263	3,302	9,779	20,261	32,307	38,837	20,424	68
MALE	69,748	1,206	209	360	1,624	1,540	2,041	6,019	12,659	18,437	18,090	7,527	36
FEMALE	62,792	949	153	257	541	723	1,261	3,760	7,602	13,870	20,747	12,897	32
ALL OTHER	18,696	1,210	175	241	848	1,209	1,672	2,736	3,413	3,765	2,391	1,009	27
MALE	10,553	674	103	148	603	802	1,034	1,694	1,940	2,001	1,163	371	20
FEMALE	8,143	536	72	93	245	407	638	1,042	1,473	1,764	1,228	638	7
NONMETROPOLITAN COUNTIES	25,723	529	110	199	505	364	630	1,673	3,765	6,174	7,245	4,511	18
MALE	14,034	326	66	118	399	240	380	1,076	2,402	3,798	3,579	1,641	9
FEMALE	11,689	203	44	81	106	124	250	597	1,363	2,376	3,666	2,870	9
WHITE	25,239	492	106	191	485	337	588	1,617	3,686	6,065	7,180	4,478	14
MALE	13,740	304	63	113	383	224	363	1,038	2,350	3,723	3,545	1,628	6
FEMALE	11,499	188	43	78	102	113	225	579	1,336	2,342	3,635	2,850	8
ALL OTHER	484	37	4	8	20	27	42	56	79	109	65	33	4
MALE	294	22	3	5	16	16	17	38	52	75	34	13	3
FEMALE	190	15	1	3	4	11	25	18	27	34	31	20	1
NORTH CAROLINA	46,278	1,639	279	419	1,386	1,309	2,028	4,868	8,194	10,883	10,074	5,192	7
MALE	26,543	956	144	262	1,019	922	1,340	3,237	5,457	6,444	4,855	1,902	5
FEMALE	19,735	683	135	157	367	387	688	1,631	2,737	4,439	5,219	3,290	2
WHITE	34,344	953	165	286	892	769	1,237	3,320	5,857	8,139	8,271	4,454	1
MALE	19,686	577	89	178	659	548	819	2,281	3,991	4,979	3,943	1,621	1
FEMALE	14,658	376	76	108	233	221	418	1,039	1,866	3,160	4,328	2,833	–
ALL OTHER	11,934	686	114	133	494	540	791	1,548	2,337	2,744	1,803	738	6
MALE	6,857	379	55	84	360	374	521	956	1,466	1,465	912	281	4
FEMALE	5,077	307	59	49	134	166	270	592	871	1,279	891	457	2
METROPOLITAN COUNTIES	15,833	548	89	131	419	451	749	1,775	2,779	3,629	3,415	1,844	4
MALE	8,908	313	44	78	303	321	475	1,183	1,819	2,123	1,626	621	2
FEMALE	6,925	235	45	53	116	130	274	592	960	1,506	1,789	1,223	2
WHITE	11,701	319	50	96	286	250	436	1,200	1,964	2,697	2,804	1,598	1
MALE	6,556	189	25	57	207	182	273	821	1,305	1,627	1,332	537	1
FEMALE	5,145	130	25	39	79	68	163	379	659	1,070	1,472	1,061	–
ALL OTHER	4,132	229	39	35	133	201	313	575	815	932	611	246	3
MALE	2,352	124	19	21	96	139	202	362	514	496	294	84	1
FEMALE	1,780	105	20	14	37	62	111	213	301	436	317	162	2
NONMETROPOLITAN COUNTIES	30,445	1,091	190	288	967	858	1,279	3,093	5,415	7,254	6,659	3,348	3
MALE	17,635	643	100	184	716	601	865	2,054	3,638	4,321	3,229	1,281	3
FEMALE	12,810	448	90	104	251	257	414	1,039	1,777	2,933	3,430	2,067	–
WHITE	22,643	634	115	190	606	519	801	2,120	3,893	5,442	5,467	2,856	–
MALE	13,130	388	64	121	452	366	546	1,460	2,686	3,352	2,611	1,084	–
FEMALE	9,513	246	51	69	154	153	255	660	1,207	2,090	2,856	1,772	–
ALL OTHER	7,802	457	75	98	361	339	478	973	1,522	1,812	1,192	492	3
MALE	4,505	255	36	63	264	235	319	594	952	969	618	197	3
FEMALE	3,297	202	39	35	97	104	159	379	570	843	574	295	–
NORTH DAKOTA	5,766	170	27	39	172	85	122	341	775	1,328	1,599	1,108	–
MALE	3,426	101	17	27	127	65	77	233	533	889	874	483	–
FEMALE	2,340	69	10	12	45	20	45	108	242	439	725	625	–
WHITE	5,610	153	25	35	155	67	112	324	758	1,303	1,581	1,097	–
MALE	3,320	91	17	25	114	52	71	221	522	866	864	477	–
FEMALE	2,290	62	8	10	41	15	41	103	236	437	717	620	–
ALL OTHER	156	17	2	4	17	18	10	17	17	25	18	11	–
MALE	106	10	–	2	13	13	6	12	11	23	10	6	–
FEMALE	50	7	2	2	4	5	4	5	6	2	8	5	–
METROPOLITAN COUNTIES	579	21	4	2	19	7	16	42	74	122	155	117	–
MALE	347	16	4	2	12	6	10	32	52	77	83	53	–
FEMALE	232	5	–	–	7	1	6	10	22	45	72	64	–
WHITE	574	21	4	2	19	6	16	40	74	121	155	116	–
MALE	343	16	4	2	12	5	10	30	52	76	83	53	–
FEMALE	231	5	–	–	7	1	6	10	22	45	72	63	–
ALL OTHER	5	–	–	–	–	1	–	2	–	1	–	1	–
MALE	4	–	–	–	–	1	–	2	–	1	–	–	–
FEMALE	1	–	–	–	–	–	–	–	–	–	–	1	–
NONMETROPOLITAN COUNTIES	5,187	149	23	37	153	78	106	299	701	1,206	1,444	991	–
MALE	3,079	85	13	25	115	59	67	201	481	812	791	430	–
FEMALE	2,108	64	10	12	38	19	39	98	220	394	653	561	–
WHITE	5,036	132	21	33	136	61	96	284	684	1,182	1,426	981	–
MALE	2,977	75	13	23	102	47	61	191	470	790	781	424	–
FEMALE	2,059	57	8	10	34	14	35	93	214	392	645	557	–
ALL OTHER	151	17	2	4	17	17	10	15	17	24	18	10	–
MALE	102	10	–	2	13	12	6	10	11	22	10	6	–
FEMALE	49	7	2	2	4	5	4	5	6	2	8	4	–

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
OHIO	99,254	2,590	466	685	2,203	1,880	2,996	8,262	15,950	22,486	26,391	15,339	6
MALE	54,006	1,464	269	445	1,611	1,255	1,830	5,130	10,233	13,228	12,771	5,765	5
FEMALE	45,248	1,126	197	240	592	625	1,166	3,132	5,717	9,258	13,620	9,574	1
WHITE	89,693	2,047	378	588	1,817	1,464	2,362	6,999	14,178	20,314	24,860	14,681	5
MALE	48,674	1,190	230	393	1,363	968	1,434	4,409	9,183	12,045	11,965	5,490	4
FEMALE	41,019	857	148	195	454	496	928	2,590	4,995	8,269	12,895	9,191	1
ALL OTHER	9,561	543	88	97	386	416	634	1,263	1,772	2,172	1,531	658	1
MALE	5,332	274	39	52	248	287	396	721	1,050	1,183	806	275	1
FEMALE	4,229	269	49	45	138	129	238	542	722	989	725	383	-
METROPOLITAN COUNTIES	74,507	2,004	344	496	1,678	1,460	2,366	6,521	12,412	17,014	19,371	10,836	5
MALE	40,462	1,129	187	324	1,227	981	1,456	4,047	7,895	9,924	9,261	4,027	4
FEMALE	34,045	875	157	172	451	479	910	2,474	4,517	7,090	10,110	6,809	1
WHITE	65,391	1,480	261	402	1,307	1,060	1,748	5,302	10,712	14,942	17,944	10,229	4
MALE	35,368	866	151	275	987	701	1,068	3,345	6,894	8,794	8,505	3,779	3
FEMALE	30,023	614	110	127	320	359	680	1,957	3,818	6,148	9,439	6,450	1
ALL OTHER	9,116	524	83	94	371	400	618	1,219	1,700	2,072	1,427	607	1
MALE	5,094	263	36	49	240	280	388	702	1,001	1,130	756	248	1
FEMALE	4,022	261	47	45	131	120	230	517	699	942	671	359	-
NONMETROPOLITAN COUNTIES	24,747	586	122	189	525	420	630	1,741	3,538	5,472	7,020	4,503	1
MALE	13,544	335	82	121	384	274	374	1,083	2,338	3,304	3,510	1,738	1
FEMALE	11,203	251	40	68	141	146	256	658	1,200	2,168	3,510	2,765	-
WHITE	24,302	567	117	186	510	404	614	1,697	3,466	5,372	6,916	4,452	1
MALE	13,306	324	79	118	376	267	366	1,064	2,289	3,251	3,460	1,711	1
FEMALE	10,996	243	38	68	134	137	248	633	1,177	2,121	3,456	2,741	-
ALL OTHER	445	19	5	3	15	16	16	44	72	100	104	51	-
MALE	238	11	3	3	8	7	8	19	49	53	50	27	-
FEMALE	207	8	2	-	7	9	8	25	23	47	54	24	-
OKLAHOMA	27,237	741	158	198	609	524	799	1,935	3,812	6,413	7,325	4,697	26
MALE	15,124	433	88	123	459	347	518	1,266	2,505	3,914	3,634	1,821	16
FEMALE	12,113	308	70	75	150	177	281	669	1,307	2,499	3,691	2,876	10
WHITE	24,548	589	130	171	502	425	686	1,679	3,381	5,809	6,853	4,307	16
MALE	13,639	339	78	109	379	286	444	1,091	2,260	3,582	3,411	1,649	11
FEMALE	10,909	250	52	62	123	139	242	588	1,121	2,227	3,442	2,658	5
ALL OTHER	2,689	152	28	27	107	99	113	256	431	604	472	390	10
MALE	1,485	94	10	14	80	61	74	175	245	332	223	172	5
FEMALE	1,204	58	18	13	27	38	39	81	186	272	249	218	5
METROPOLITAN COUNTIES	11,146	401	81	108	312	255	420	964	1,732	2,471	2,767	1,621	14
MALE	6,160	224	47	69	227	159	273	606	1,153	1,469	1,326	597	10
FEMALE	4,986	177	34	39	85	96	147	358	579	1,002	1,441	1,024	4
WHITE	9,966	307	64	90	252	212	349	844	1,523	2,232	2,588	1,495	10
MALE	5,483	172	40	58	179	135	224	528	1,025	1,337	1,240	538	7
FEMALE	4,483	135	24	32	73	77	125	316	498	895	1,348	957	3
ALL OTHER	1,180	94	17	18	60	43	71	120	209	239	179	126	4
MALE	677	52	7	11	48	24	49	78	128	132	86	59	3
FEMALE	503	42	10	7	12	19	22	42	81	107	93	67	1
NONMETROPOLITAN COUNTIES	16,091	340	77	90	297	269	379	971	2,080	3,942	4,558	3,076	12
MALE	8,964	209	41	54	232	188	245	660	1,352	2,445	2,308	1,224	6
FEMALE	7,127	131	36	36	65	81	134	311	728	1,497	2,250	1,852	6
WHITE	14,582	282	66	81	250	213	337	835	1,858	3,577	4,265	2,812	6
MALE	8,156	167	38	51	200	151	220	563	1,235	2,245	2,171	1,111	4
FEMALE	6,426	115	28	30	50	62	117	272	623	1,332	2,094	1,701	2
ALL OTHER	1,509	58	11	9	47	56	42	136	222	365	293	264	6
MALE	808	42	3	3	32	37	25	97	117	200	137	113	2
FEMALE	701	16	8	6	15	19	17	39	105	165	156	151	4
OREGON	20,335	488	105	147	562	431	540	1,521	3,047	4,608	5,409	3,476	1
MALE	11,598	292	59	92	435	298	351	956	2,010	2,896	2,825	1,383	1
FEMALE	8,737	196	46	55	127	133	189	565	1,037	1,712	2,584	2,093	-
WHITE	19,903	455	99	143	536	403	504	1,471	2,967	4,530	5,361	3,433	1
MALE	11,327	272	58	90	415	278	322	930	1,952	2,849	2,798	1,362	1
FEMALE	8,576	183	41	53	121	125	182	541	1,015	1,681	2,563	2,071	-
ALL OTHER	432	33	6	4	26	28	36	50	80	78	48	43	-
MALE	271	20	1	2	20	20	29	26	58	47	27	21	-
FEMALE	161	13	5	2	6	8	7	24	22	31	21	22	-
METROPOLITAN COUNTIES	12,149	289	53	78	330	258	312	933	1,816	2,588	3,305	2,186	1
MALE	6,648	164	28	52	250	173	193	574	1,172	1,569	1,641	831	1
FEMALE	5,501	125	25	26	80	85	119	359	644	1,019	1,664	1,355	-
WHITE	11,816	270	47	75	313	238	284	889	1,746	2,526	3,268	2,159	1
MALE	6,439	155	27	51	238	158	167	551	1,120	1,532	1,619	820	1
FEMALE	5,377	115	20	24	75	80	117	338	626	994	1,649	1,339	-
ALL OTHER	333	19	6	3	17	20	28	44	70	62	37	27	-
MALE	209	9	1	1	12	15	26	23	52	37	22	11	-
FEMALE	124	10	5	2	5	5	2	21	18	25	15	16	-
NONMETROPOLITAN COUNTIES	8,186	199	52	69	232	173	228	588	1,231	2,020	2,104	1,290	-
MALE	4,950	128	31	40	185	125	158	382	838	1,327	1,184	552	-
FEMALE	3,236	71	21	29	47	48	70	206	393	693	920	738	-
WHITE	8,087	185	52	68	223	165	220	582	1,221	2,004	2,093	1,274	-
MALE	4,888	117	31	39	177	120	155	379	832	1,317	1,179	542	-
FEMALE	3,199	68	21	29	46	45	65	203	389	687	914	732	-
ALL OTHER	99	14	-	1	9	8	8	6	10	16	11	16	-
MALE	62	11	-	1	8	5	3	3	6	10	5	10	-
FEMALE	37	3	-	-	1	3	5	3	4	6	6	6	-

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PENNSYLVANIA	122,984	2,590	456	730	2,238	1,982	3,307	9,879	20,222	30,458	33,408	17,701	13
MALE	66,837	1,468	256	430	1,678	1,381	2,091	6,323	12,884	17,760	15,978	6,580	8
FEMALE	56,147	1,122	200	300	560	601	1,216	3,556	7,338	12,698	17,430	11,121	5
WHITE	111,695	2,015	366	618	1,835	1,471	2,551	8,341	18,144	27,731	31,617	16,994	12
MALE	60,303	1,140	212	367	1,375	1,009	1,619	5,378	11,640	16,264	15,007	6,284	8
FEMALE	51,392	875	154	251	460	462	932	2,963	6,504	11,467	16,610	10,710	4
ALL OTHER	11,289	575	90	112	403	511	756	1,538	2,078	2,727	1,791	707	1
MALE	6,534	328	44	63	303	372	472	945	1,244	1,496	971	296	-
FEMALE	4,755	247	46	49	100	139	284	593	834	1,231	820	411	1
METROPOLITAN COUNTIES	96,727	2,041	361	565	1,732	1,596	2,717	8,061	16,180	23,848	26,012	13,603	11
MALE	52,317	1,164	208	324	1,294	1,121	1,697	5,146	10,281	13,759	12,331	4,985	7
FEMALE	44,410	877	153	241	438	475	1,020	2,915	5,899	10,089	13,681	8,618	4
WHITE	85,833	1,482	271	455	1,344	1,098	1,977	6,567	14,156	21,222	24,316	12,935	10
MALE	46,007	844	164	261	1,000	757	1,234	4,224	9,071	12,329	11,405	4,711	7
FEMALE	39,826	638	107	194	344	341	743	2,343	5,085	8,893	12,911	8,224	3
ALL OTHER	10,894	559	90	110	388	498	740	1,494	2,024	2,626	1,696	668	1
MALE	6,310	320	44	63	294	364	463	922	1,210	1,430	926	274	-
FEMALE	4,584	239	46	47	94	134	277	572	814	1,196	770	394	1
NONMETROPOLITAN COUNTIES	26,257	549	95	165	506	386	590	1,818	4,042	6,610	7,396	4,098	2
MALE	14,520	304	48	106	384	260	394	1,177	2,603	4,001	3,647	1,595	1
FEMALE	11,737	245	47	59	122	126	196	641	1,439	2,609	3,749	2,503	1
WHITE	25,862	533	95	163	491	373	574	1,774	3,988	6,509	7,301	4,059	2
MALE	14,296	296	48	106	375	252	385	1,154	2,569	3,935	3,602	1,573	1
FEMALE	11,566	237	47	57	116	121	189	620	1,419	2,574	3,699	2,486	1
ALL OTHER	395	16	-	2	15	13	16	44	54	101	95	39	-
MALE	224	8	-	-	9	8	9	23	34	66	45	22	-
FEMALE	171	8	-	2	6	5	7	21	20	35	50	17	-
RHODE ISLAND	9,107	177	37	52	138	131	201	741	1,426	2,188	2,537	1,479	-
MALE	4,828	99	22	30	101	90	115	464	895	1,276	1,215	521	-
FEMALE	4,279	78	15	22	37	41	86	277	531	912	1,322	958	-
WHITE	8,871	157	33	50	129	117	182	709	1,392	2,148	2,495	1,459	-
MALE	4,682	82	20	29	93	81	105	441	874	1,257	1,190	510	-
FEMALE	4,189	75	13	21	36	36	77	268	518	891	1,305	949	-
ALL OTHER	236	20	4	2	9	14	19	32	34	40	42	20	-
MALE	146	17	2	1	8	9	10	23	21	19	25	11	-
FEMALE	90	3	2	1	1	5	9	9	13	21	17	9	-
METROPOLITAN COUNTIES	7,807	155	27	43	113	111	167	642	1,226	1,894	2,166	1,263	-
MALE	4,112	88	15	26	81	73	95	398	775	1,096	1,023	442	-
FEMALE	3,695	67	12	17	32	38	72	244	451	798	1,143	821	-
WHITE	7,610	137	23	41	105	98	154	616	1,195	1,860	2,133	1,248	-
MALE	3,992	72	13	25	74	65	88	381	757	1,081	1,003	433	-
FEMALE	3,618	65	10	16	31	33	66	235	438	779	1,130	815	-
ALL OTHER	197	18	4	2	8	13	13	26	31	34	33	15	-
MALE	120	16	2	1	7	8	7	17	18	15	20	9	-
FEMALE	77	2	2	1	1	5	6	9	13	19	13	6	-
NONMETROPOLITAN COUNTIES	1,300	22	10	9	25	20	34	99	200	294	371	216	-
MALE	716	11	7	4	20	17	20	66	120	180	192	79	-
FEMALE	584	11	3	5	5	3	14	33	80	114	179	137	-
WHITE	1,261	20	10	9	24	19	28	93	197	288	362	211	-
MALE	690	10	7	4	19	16	17	60	117	176	187	77	-
FEMALE	571	10	3	5	5	3	11	33	80	112	175	134	-
ALL OTHER	39	2	-	-	1	1	6	6	3	6	9	5	-
MALE	26	1	-	-	1	1	3	6	3	4	5	2	-
FEMALE	13	1	-	-	-	-	3	-	-	2	4	3	-
SOUTH CAROLINA	24,211	1,025	178	287	841	800	1,222	2,763	4,756	5,759	4,401	2,164	15
MALE	13,857	609	92	185	642	564	754	1,828	3,067	3,323	2,088	699	6
FEMALE	10,354	416	86	102	199	236	468	935	1,689	2,436	2,313	1,465	9
WHITE	15,959	490	99	158	504	402	644	1,681	2,940	3,765	3,460	1,812	4
MALE	9,213	293	52	100	391	288	414	1,175	2,028	2,300	1,605	566	1
FEMALE	6,746	197	47	58	113	114	230	506	912	1,465	1,855	1,246	3
ALL OTHER	8,252	535	79	129	337	398	578	1,082	1,816	1,994	941	352	11
MALE	4,644	316	40	85	251	276	340	653	1,039	1,023	483	133	5
FEMALE	3,608	219	39	44	86	122	238	429	777	971	458	219	6
METROPOLITAN COUNTIES	8,387	309	73	98	310	295	450	1,009	1,654	1,947	1,475	764	3
MALE	4,744	184	33	64	228	215	270	660	1,054	1,084	706	245	1
FEMALE	3,643	125	40	34	82	80	180	349	600	863	769	519	2
WHITE	5,864	180	49	55	203	161	244	667	1,089	1,349	1,206	659	2
MALE	3,345	103	24	37	153	114	146	456	733	800	571	207	1
FEMALE	2,519	77	25	18	50	47	98	211	356	549	635	452	1
ALL OTHER	2,523	129	24	43	107	134	206	342	565	598	269	105	1
MALE	1,399	81	9	27	75	101	124	204	321	284	135	38	-
FEMALE	1,124	48	15	16	32	33	82	138	244	314	134	67	1
NONMETROPOLITAN COUNTIES	15,824	716	105	189	531	505	772	1,754	3,102	3,812	2,926	1,400	12
MALE	9,113	425	59	121	414	349	484	1,168	2,013	2,239	1,382	454	5
FEMALE	6,711	291	46	68	117	156	288	586	1,089	1,573	1,544	946	7
WHITE	10,095	310	50	103	301	241	400	1,014	1,851	2,416	2,254	1,153	2
MALE	5,868	190	28	63	238	174	268	719	1,295	1,500	1,034	359	-
FEMALE	4,227	120	22	40	63	67	132	295	556	916	1,220	794	2
ALL OTHER	5,729	406	55	86	230	264	372	740	1,251	1,396	672	247	10
MALE	3,245	235	31	58	176	175	216	449	718	739	348	95	5
FEMALE	2,484	171	24	28	54	89	156	291	533	657	324	152	5

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SOUTH DAKOTA	6,581	222	41	53	172	110	172	380	787	1,388	1,914	1,341	1
MALE	3,757	126	21	33	127	81	112	248	533	882	1,043	551	-
FEMALE	2,824	96	20	20	45	29	60	132	254	506	871	790	1
WHITE	6,177	177	27	44	148	82	131	332	736	1,320	1,868	1,311	1
MALE	3,521	102	12	28	110	63	86	220	496	844	1,020	540	-
FEMALE	2,656	75	15	16	38	19	45	112	240	476	848	771	1
ALL OTHER	404	45	14	9	24	28	41	48	51	68	46	30	-
MALE	236	24	9	5	17	18	26	28	37	38	23	11	-
FEMALE	168	21	5	4	7	10	15	20	14	30	23	19	-
METROPOLITAN COUNTIES	758	26	5	6	11	10	18	60	89	143	219	171	-
MALE	391	15	2	4	8	9	12	43	58	82	104	54	-
FEMALE	367	11	3	2	3	1	6	17	31	61	115	117	-
WHITE	750	25	3	6	11	10	18	57	87	143	219	171	-
MALE	384	14	1	4	8	9	12	40	56	82	104	54	-
FEMALE	366	11	2	2	3	1	6	17	31	61	115	117	-
ALL OTHER	8	1	2	-	-	-	-	3	2	-	-	-	-
MALE	7	1	1	-	-	-	-	3	2	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,823	196	36	47	161	100	154	320	698	1,245	1,695	1,170	1
MALE	3,366	111	19	29	119	72	100	205	475	800	939	497	-
FEMALE	2,457	85	17	18	42	28	54	115	223	445	756	673	1
WHITE	5,427	152	24	38	137	72	113	275	649	1,177	1,649	1,140	1
MALE	3,137	88	11	24	102	54	74	180	440	762	916	486	-
FEMALE	2,290	64	13	14	35	18	39	95	209	415	733	654	1
ALL OTHER	396	44	12	9	24	28	41	45	49	68	46	30	-
MALE	229	23	8	5	17	18	26	25	35	38	23	11	-
FEMALE	167	21	4	4	7	10	15	20	14	30	23	19	-
TENNESSEE	39,425	1,110	190	321	1,029	1,053	1,393	3,455	6,237	9,563	9,587	5,485	2
MALE	22,091	613	100	207	765	719	902	2,268	4,075	5,733	4,641	2,067	1
FEMALE	17,334	497	90	114	264	334	491	1,187	2,162	3,830	4,946	3,418	1
WHITE	32,262	757	140	263	825	793	1,082	2,722	4,940	7,688	8,244	4,807	1
MALE	18,216	414	75	170	621	548	720	1,822	3,367	4,713	3,978	1,788	-
FEMALE	14,046	343	65	93	204	245	362	900	1,573	2,975	4,266	3,019	1
ALL OTHER	7,163	353	50	58	204	260	311	733	1,297	1,875	1,343	678	1
MALE	3,875	199	25	37	144	171	182	446	708	1,020	663	279	1
FEMALE	3,288	154	25	21	60	89	129	287	589	855	680	399	-
METROPOLITAN COUNTIES	18,059	562	86	124	461	503	654	1,725	3,009	4,371	4,187	2,376	1
MALE	9,728	303	44	80	333	335	405	1,098	1,862	2,551	1,894	823	-
FEMALE	8,331	259	42	44	128	168	249	627	1,147	1,820	2,293	1,553	1
WHITE	13,034	308	51	89	318	316	427	1,191	2,072	3,022	3,282	1,957	1
MALE	7,053	160	27	59	228	216	277	784	1,357	1,827	1,467	651	-
FEMALE	5,981	148	24	30	90	100	150	407	715	1,195	1,815	1,306	1
ALL OTHER	5,025	254	35	35	143	187	227	584	937	1,349	905	419	-
MALE	2,675	143	17	21	105	119	128	314	505	724	427	172	-
FEMALE	2,350	111	18	14	38	68	99	220	432	625	478	247	-
NONMETROPOLITAN COUNTIES	21,366	548	104	197	568	550	739	1,730	3,228	5,192	5,400	3,109	1
MALE	12,363	310	56	127	432	384	497	1,170	2,213	3,182	2,747	1,244	1
FEMALE	9,003	238	48	70	136	166	242	560	1,015	2,010	2,653	1,865	-
WHITE	19,228	449	89	174	507	477	655	1,531	2,868	4,666	4,962	2,850	-
MALE	11,163	254	48	111	393	332	443	1,038	2,010	2,886	2,511	1,137	-
FEMALE	8,065	195	41	63	114	145	212	493	858	1,780	2,451	1,713	-
ALL OTHER	2,138	99	15	23	61	73	84	199	360	526	438	259	1
MALE	1,200	56	8	16	39	52	54	132	203	296	236	107	1
FEMALE	938	43	7	7	22	21	30	67	157	230	202	152	-
TEXAS	99,491	3,764	699	927	3,015	2,722	3,666	8,586	15,486	23,081	23,875	13,654	16
MALE	56,222	2,173	405	609	2,261	1,928	2,271	5,555	10,069	13,982	11,932	5,025	12
FEMALE	43,269	1,591	294	318	754	794	1,395	3,031	5,417	9,099	11,943	8,629	4
WHITE	85,352	2,915	540	754	2,481	2,121	2,848	7,030	13,112	19,456	21,454	12,627	14
MALE	48,351	1,709	320	490	1,884	1,508	1,778	4,646	8,704	12,016	10,698	4,587	11
FEMALE	37,001	1,206	220	264	597	613	1,070	2,384	4,408	7,440	10,756	8,040	3
ALL OTHER	14,139	849	159	173	534	601	818	1,556	2,374	3,625	2,421	1,027	2
MALE	7,871	464	85	119	377	420	493	909	1,365	1,966	1,234	438	1
FEMALE	6,268	385	74	54	157	181	325	647	1,009	1,659	1,187	589	1
METROPOLITAN COUNTIES	65,307	2,771	529	692	2,137	2,081	2,773	6,431	10,565	14,752	14,450	8,118	8
MALE	36,714	1,600	301	462	1,572	1,496	1,704	4,119	6,794	8,768	7,017	2,876	5
FEMALE	28,593	1,171	228	230	565	585	1,069	2,312	3,771	5,984	7,433	5,242	3
WHITE	55,409	2,116	413	558	1,761	1,600	2,133	5,200	8,812	12,357	12,968	7,484	7
MALE	31,162	1,255	238	370	1,304	1,147	1,311	3,409	5,779	7,467	6,274	2,603	5
FEMALE	24,247	861	175	188	457	453	822	1,791	3,033	4,890	6,694	4,881	2
ALL OTHER	9,898	655	116	134	376	481	640	1,231	1,753	2,395	1,482	634	1
MALE	5,552	345	63	92	268	349	393	710	1,015	1,301	743	273	-
FEMALE	4,346	310	53	42	108	132	247	521	738	1,094	739	361	1
NONMETROPOLITAN COUNTIES	34,184	993	170	235	878	641	893	2,155	4,921	8,329	9,425	5,536	8
MALE	19,508	573	104	147	689	432	567	1,436	3,275	5,214	4,915	2,149	7
FEMALE	14,676	420	66	88	189	209	326	719	1,646	3,115	4,510	3,387	1
WHITE	29,943	799	127	196	720	521	715	1,830	4,300	7,099	8,486	5,143	7
MALE	17,189	454	82	120	580	361	467	1,237	2,925	4,549	4,424	1,984	6
FEMALE	12,754	345	45	76	140	160	248	593	1,375	2,550	4,062	3,159	1
ALL OTHER	4,241	194	43	39	158	120	178	325	621	1,230	939	393	1
MALE	2,319	119	22	27	109	71	100	199	350	665	491	165	1
FEMALE	1,922	75	21	12	49	49	78	126	271	565	448	228	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UTAH	7,384	366	79	103	257	192	232	559	1,019	1,631	1,805	1,138	3
MALE	4,146	213	50	68	181	126	150	340	675	1,005	884	452	2
FEMALE	3,238	153	29	35	76	66	82	219	344	626	921	686	1
WHITE	7,205	345	74	95	240	171	217	543	1,003	1,601	1,786	1,127	3
MALE	4,041	205	48	61	171	116	139	332	663	984	874	446	2
FEMALE	3,164	140	26	34	69	55	78	211	340	617	912	681	1
ALL OTHER	179	21	5	8	17	21	15	16	16	30	19	11	-
MALE	105	8	2	7	10	10	11	8	12	21	10	6	-
FEMALE	74	13	3	1	7	11	4	8	4	9	9	5	-
METROPOLITAN COUNTIES	5,375	285	60	73	176	142	180	430	754	1,208	1,280	786	1
MALE	2,987	165	38	47	121	94	117	259	491	736	617	301	1
FEMALE	2,388	120	22	26	55	48	63	171	263	472	663	485	-
WHITE	5,284	280	57	70	169	132	174	421	744	1,187	1,267	782	1
MALE	2,929	162	37	44	117	90	111	254	483	720	610	300	1
FEMALE	2,355	118	20	26	52	42	63	167	261	467	657	482	-
ALL OTHER	91	5	3	3	7	10	6	9	10	21	13	4	-
MALE	58	3	1	3	4	4	6	5	8	16	7	1	-
FEMALE	33	2	2	-	3	6	-	4	2	5	6	3	-
NONMETROPOLITAN COUNTIES	2,009	81	19	30	81	50	52	129	265	423	525	352	2
MALE	1,159	48	12	21	60	32	33	81	184	269	267	151	1
FEMALE	850	33	7	9	21	18	19	48	81	154	258	201	1
WHITE	1,921	65	17	25	71	39	43	122	259	414	519	345	2
MALE	1,112	43	11	17	54	26	28	78	180	264	264	146	1
FEMALE	809	22	6	8	17	13	15	44	79	150	255	199	1
ALL OTHER	88	16	2	5	10	11	9	7	6	9	6	7	-
MALE	47	5	1	4	6	6	5	3	4	5	3	5	-
FEMALE	41	11	1	1	4	5	4	4	2	4	3	2	-
VERMONT	4,398	97	16	41	96	61	103	253	649	1,080	1,211	789	2
MALE	2,453	65	9	32	72	44	68	157	429	690	599	287	1
FEMALE	1,945	32	7	9	24	17	35	96	220	390	612	502	1
WHITE	4,385	97	16	41	95	59	103	252	647	1,077	1,208	788	2
MALE	2,443	65	9	32	71	42	68	157	427	687	597	287	1
FEMALE	1,942	32	7	9	24	17	35	95	220	390	611	501	1
ALL OTHER	13	-	-	-	1	2	-	1	2	3	3	1	-
MALE	10	-	-	-	1	2	-	-	2	3	2	-	-
FEMALE	3	-	-	-	-	-	-	1	-	-	1	1	-
METROPOLITAN COUNTIES	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
NONMETROPOLITAN COUNTIES	4,398	97	16	41	96	61	103	253	649	1,080	1,211	789	2
MALE	2,453	65	9	32	72	44	68	157	429	690	599	287	1
FEMALE	1,945	32	7	9	24	17	35	96	220	390	612	502	1
WHITE	4,385	97	16	41	95	59	103	252	647	1,077	1,208	788	2
MALE	2,443	65	9	32	71	42	68	157	427	687	597	287	1
FEMALE	1,942	32	7	9	24	17	35	95	220	390	611	501	1
ALL OTHER	13	-	-	-	1	2	-	1	2	3	3	1	-
MALE	10	-	-	-	1	2	-	-	2	3	2	-	-
FEMALE	3	-	-	-	-	-	-	1	-	-	1	1	-
VIRGINIA	40,358	1,201	210	366	1,015	1,081	1,616	4,251	7,058	9,501	9,111	4,935	13
MALE	22,930	718	113	224	769	770	1,037	2,771	4,638	5,737	4,373	1,773	7
FEMALE	17,428	483	97	142	246	311	579	1,480	2,420	3,764	4,738	3,162	6
WHITE	31,152	783	141	267	783	752	1,092	3,029	5,247	7,223	7,556	4,272	7
MALE	17,591	469	79	167	593	534	737	2,023	3,502	4,450	3,555	1,480	2
FEMALE	13,561	314	62	100	190	218	355	1,006	1,745	2,773	4,001	2,792	5
ALL OTHER	9,206	418	69	99	232	329	524	1,222	1,811	2,278	1,555	663	6
MALE	5,339	249	34	57	176	236	300	748	1,136	1,287	818	293	5
FEMALE	3,867	169	35	42	56	93	224	474	675	991	737	370	1
METROPOLITAN COUNTIES	21,675	726	125	209	556	633	943	2,541	3,934	4,946	4,642	2,413	7
MALE	12,068	428	68	133	410	433	605	1,635	2,541	2,897	2,134	779	5
FEMALE	9,607	298	57	76	146	200	338	906	1,393	2,049	2,508	1,634	2
WHITE	16,234	450	89	148	432	426	600	1,728	2,828	3,616	3,809	2,105	3
MALE	8,916	268	47	96	314	293	412	1,140	1,850	2,152	1,705	638	1
FEMALE	7,318	182	42	52	118	133	188	588	978	1,464	2,104	1,467	2
ALL OTHER	5,441	276	36	61	124	207	343	813	1,106	1,330	833	308	4
MALE	3,152	160	21	37	96	140	193	495	691	745	429	141	4
FEMALE	2,289	116	15	24	28	67	150	318	415	585	404	167	-
NONMETROPOLITAN COUNTIES	18,683	475	85	157	459	448	673	1,710	3,124	4,555	4,469	2,522	6
MALE	10,862	290	45	91	359	337	432	1,136	2,097	2,840	2,239	994	2
FEMALE	7,821	185	40	66	100	111	241	574	1,027	1,715	2,230	1,528	4
WHITE	14,918	333	52	119	351	326	492	1,301	2,419	3,607	3,747	2,167	4
MALE	8,675	201	32	71	279	241	325	883	1,652	2,298	1,850	842	1
FEMALE	6,243	132	20	48	72	85	167	418	767	1,309	1,897	1,325	3
ALL OTHER	3,765	142	33	38	108	122	181	409	705	948	722	355	2
MALE	2,187	89	13	20	80	96	107	253	445	542	389	152	1
FEMALE	1,578	53	20	18	28	26	74	156	260	406	333	203	1

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
WASHINGTON	29,827	759	147	224	761	657	850	2,347	4,720	6,550	7,624	5,182	6
MALE	16,738	439	81	154	574	443	526	1,477	3,041	4,051	3,878	2,069	5
FEMALE	13,089	320	66	70	187	214	324	870	1,679	2,499	3,746	3,113	1
WHITE	28,726	674	123	210	701	581	756	2,187	4,527	6,371	7,475	5,115	6
MALE	16,042	393	72	144	529	394	463	1,369	2,914	3,932	3,795	2,032	5
FEMALE	12,684	281	51	66	172	187	293	818	1,613	2,439	3,680	3,083	1
ALL OTHER	1,101	85	24	14	60	76	94	160	193	179	149	67	-
MALE	696	46	9	10	45	49	63	108	127	119	83	37	-
FEMALE	405	39	15	4	15	27	31	52	66	60	66	30	-
METROPOLITAN COUNTIES	18,667	474	87	129	487	423	535	1,550	2,953	4,007	4,718	3,301	3
MALE	10,205	276	51	86	367	286	322	962	1,901	2,435	2,282	1,235	2
FEMALE	8,462	198	36	43	120	137	213	588	1,052	1,572	2,436	2,066	1
WHITE	17,866	409	71	121	447	369	469	1,428	2,810	3,884	4,603	3,252	3
MALE	9,700	241	44	80	338	249	278	884	1,803	2,351	2,220	1,210	2
FEMALE	8,166	168	27	41	109	120	191	544	1,007	1,533	2,383	2,042	1
ALL OTHER	801	65	16	8	40	54	66	122	143	123	115	49	-
MALE	505	35	7	6	29	37	44	78	98	84	62	25	-
FEMALE	296	30	9	2	11	17	22	44	45	39	53	24	-
NONMETROPOLITAN COUNTIES	11,160	285	60	95	274	234	315	797	1,767	2,543	2,906	1,881	3
MALE	6,533	163	30	68	207	157	204	515	1,140	1,616	1,596	834	3
FEMALE	4,627	122	30	27	67	77	111	282	627	927	1,310	1,047	-
WHITE	10,860	265	52	89	254	212	287	759	1,717	2,487	2,872	1,863	3
MALE	6,342	152	28	64	191	145	185	485	1,111	1,581	1,575	822	3
FEMALE	4,518	113	24	25	63	67	102	274	606	906	1,297	1,041	-
ALL OTHER	300	20	8	6	20	22	28	38	50	56	34	18	-
MALE	191	11	2	4	16	12	19	30	29	35	21	12	-
FEMALE	109	9	6	2	4	10	9	8	21	21	13	6	-
WEST VIRGINIA	19,558	527	85	121	378	350	565	1,676	3,224	4,692	5,078	2,860	2
MALE	11,183	300	39	85	300	268	358	1,072	2,080	2,821	2,645	1,215	-
FEMALE	8,375	227	46	36	78	82	207	604	1,144	1,871	2,433	1,645	2
WHITE	18,470	498	80	114	359	326	517	1,566	3,030	4,386	4,845	2,747	2
MALE	10,547	282	36	79	285	247	334	1,010	1,963	2,647	2,510	1,154	-
FEMALE	7,923	216	44	35	74	79	183	556	1,067	1,739	2,335	1,593	2
ALL OTHER	1,088	29	5	7	19	24	48	110	194	306	233	113	-
MALE	636	18	3	6	15	21	24	62	117	174	135	61	-
FEMALE	452	11	2	1	4	3	24	48	77	132	98	52	-
METROPOLITAN COUNTIES	5,819	133	27	35	95	94	177	536	1,015	1,374	1,509	824	-
MALE	3,240	77	15	24	74	77	114	311	650	814	761	323	-
FEMALE	2,579	56	12	11	21	17	63	225	365	560	748	501	-
WHITE	5,484	125	26	33	91	82	156	497	946	1,288	1,441	799	-
MALE	3,049	72	14	22	70	66	102	294	606	773	721	309	-
FEMALE	2,435	53	12	11	21	16	54	203	340	515	720	490	-
ALL OTHER	335	8	1	2	4	12	21	39	69	86	68	25	-
MALE	191	5	1	2	4	11	12	17	44	41	40	14	-
FEMALE	144	3	-	-	-	1	9	22	25	45	28	11	-
NONMETROPOLITAN COUNTIES	13,739	394	58	86	283	256	388	1,140	2,209	3,318	3,569	2,036	2
MALE	7,943	223	24	61	226	191	244	761	1,430	2,007	1,884	892	-
FEMALE	5,796	171	34	25	57	65	144	379	779	1,311	1,685	1,144	2
WHITE	12,986	373	54	81	268	244	361	1,069	2,084	3,098	3,404	1,948	2
MALE	7,498	210	22	57	215	181	232	716	1,357	1,874	1,789	845	-
FEMALE	5,488	163	32	24	53	63	129	353	727	1,224	1,615	1,103	2
ALL OTHER	753	21	4	5	15	12	27	71	125	220	165	88	-
MALE	445	13	2	4	11	10	12	45	73	133	95	47	-
FEMALE	308	8	2	1	4	2	15	26	52	87	70	41	-
WISCONSIN	40,865	906	166	278	942	661	976	2,590	5,668	9,528	12,034	7,113	3
MALE	22,925	539	97	168	709	464	576	1,691	3,749	5,847	6,185	2,898	2
FEMALE	17,940	367	69	110	233	197	400	899	1,919	3,681	5,849	4,215	1
WHITE	39,905	816	139	255	876	598	884	2,463	5,504	9,357	11,940	7,071	2
MALE	22,362	481	81	154	660	422	533	1,608	3,645	5,756	6,139	2,881	2
FEMALE	17,543	335	58	101	216	176	351	855	1,859	3,601	5,801	4,190	-
ALL OTHER	960	90	27	23	66	63	92	127	164	171	94	42	1
MALE	563	58	16	14	49	42	43	83	104	91	46	17	-
FEMALE	397	32	11	9	17	21	49	44	60	80	48	25	1
METROPOLITAN COUNTIES	21,224	487	102	161	519	408	589	1,552	3,096	4,905	6,069	3,335	1
MALE	11,675	280	58	91	389	209	345	1,001	2,047	2,910	2,996	1,268	1
FEMALE	9,549	207	44	70	130	119	244	551	1,049	1,995	3,073	2,067	-
WHITE	20,399	403	76	142	462	352	512	1,436	2,953	4,767	5,995	3,300	1
MALE	11,190	225	42	80	348	252	311	926	1,955	2,838	2,959	1,253	1
FEMALE	9,209	178	34	62	114	100	201	510	998	1,929	3,036	2,047	-
ALL OTHER	825	84	26	19	57	56	77	116	143	138	74	35	-
MALE	485	55	16	11	41	37	34	75	92	72	37	15	-
FEMALE	340	29	10	8	16	19	43	41	51	66	37	20	-
NONMETROPOLITAN COUNTIES	19,641	419	64	117	423	253	387	1,038	2,572	4,623	5,965	3,778	2
MALE	11,250	259	39	77	320	175	231	690	1,702	2,937	3,189	1,630	1
FEMALE	8,391	160	25	40	103	78	156	348	870	1,686	2,776	2,148	1
WHITE	19,506	413	63	113	414	246	372	1,027	2,551	4,590	5,945	3,771	1
MALE	11,172	256	39	74	312	170	222	682	1,690	2,918	3,180	1,628	1
FEMALE	8,334	157	24	39	102	76	150	345	861	1,672	2,765	2,143	-
ALL OTHER	135	6	1	4	9	7	15	11	21	33	20	7	1
MALE	78	3	-	3	8	5	9	8	12	19	9	2	-
FEMALE	57	3	1	1	1	2	6	3	9	14	11	5	1

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1974—Con.

[For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
WYOMING	3,142	104	27	28	147	93	113	233	462	683	789	462	1
MALE	1,892	55	15	21	104	71	77	149	301	455	431	212	1
FEMALE	1,250	49	12	7	43	22	36	84	161	228	358	250	–
WHITE	3,054	102	24	28	138	82	103	224	452	671	776	453	1
MALE	1,837	53	12	21	98	65	73	144	293	447	423	207	1
FEMALE	1,217	49	12	7	40	17	30	80	159	224	353	246	–
ALL OTHER	88	2	3	–	9	11	10	9	10	12	13	9	–
MALE	55	2	3	–	6	6	4	5	8	8	8	5	–
FEMALE	33	–	–	–	3	5	6	4	2	4	5	4	–
METROPOLITAN COUNTIES	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
NONMETROPOLITAN COUNTIES	3,142	104	27	28	147	93	113	233	462	683	789	462	1
MALE	1,892	55	15	21	104	71	77	149	301	455	431	212	1
FEMALE	1,250	49	12	7	43	22	36	84	161	228	358	250	–
WHITE	3,054	102	24	28	138	82	103	224	452	671	776	453	1
MALE	1,837	53	12	21	98	65	73	144	293	447	423	207	1
FEMALE	1,217	49	12	7	40	17	30	80	159	224	353	246	–
ALL OTHER	88	2	3	–	9	11	10	9	10	12	13	9	–
MALE	55	2	3	–	6	6	4	5	8	8	8	5	–
FEMALE	33	–	–	–	3	5	6	4	2	4	5	4	–

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UNITED STATES, 229 AREAS	1,260,577	34,624	6,365	9,141	30,981	29,990	43,616	112,031	202,663	290,731	320,912	179,192	331
MALE	688,046	19,797	3,607	5,670	22,907	20,534	27,079	70,537	128,850	170,578	153,131	65,135	221
FEMALE	572,531	14,827	2,758	3,471	8,074	9,456	16,537	41,494	73,813	120,153	167,781	114,057	110
WHITE	1,092,684	24,176	4,703	7,154	23,983	21,117	31,385	89,473	171,898	253,560	296,643	168,353	239
MALE	592,122	13,999	2,695	4,457	17,836	14,450	19,527	56,891	110,500	149,932	140,979	60,700	156
FEMALE	500,562	10,177	2,008	2,697	6,147	6,667	11,858	32,582	61,398	103,628	155,664	107,653	83
ALL OTHER	167,893	10,448	1,662	1,987	6,998	8,873	12,231	22,558	30,765	37,171	24,269	10,839	92
MALE	95,924	5,798	912	1,213	5,071	6,084	7,552	13,646	18,350	20,646	12,152	4,435	65
FEMALE	71,969	4,650	750	774	1,927	2,789	4,679	8,912	12,415	16,525	12,117	6,404	27
ABILENE, TEX	1,015	30	9	6	22	28	38	78	128	244	263	169	-
MALE	582	20	5	3	18	20	23	53	81	164	134	61	-
FEMALE	433	10	4	3	4	8	15	25	47	80	129	108	-
WHITE	963	25	7	6	20	26	34	73	120	228	258	166	-
MALE	549	16	5	3	16	18	20	50	77	154	130	60	-
FEMALE	414	9	2	3	4	8	14	23	43	74	128	106	-
ALL OTHER	52	5	2	-	2	2	4	5	8	16	5	3	-
MALE	33	4	-	-	2	2	3	3	4	10	4	1	-
FEMALE	19	1	2	-	-	-	1	2	4	6	1	2	-
AKRON, OHIO	5,769	132	28	36	147	128	204	525	942	1,301	1,513	812	1
MALE	3,280	79	11	26	107	83	120	338	603	791	789	333	-
FEMALE	2,489	53	17	10	40	45	84	187	339	510	724	479	1
WHITE	5,296	104	22	34	123	101	175	464	859	1,195	1,433	785	1
MALE	3,007	64	9	24	96	66	100	303	549	728	747	321	-
FEMALE	2,289	40	13	10	27	35	75	161	310	467	686	464	1
ALL OTHER	473	28	6	2	24	27	29	61	83	106	80	27	-
MALE	273	15	2	2	11	17	20	35	54	63	42	12	-
FEMALE	200	13	4	-	13	10	9	26	29	43	38	15	-
ALBANY, GA	686	40	7	10	18	23	39	78	134	151	121	65	-
MALE	393	25	2	9	10	14	22	52	86	93	54	26	-
FEMALE	293	15	5	1	8	9	17	26	48	58	67	39	-
WHITE	367	16	5	7	9	7	24	47	65	78	71	38	-
MALE	221	10	2	7	5	5	16	33	44	51	30	18	-
FEMALE	146	6	3	-	4	2	8	14	21	27	41	20	-
ALL OTHER	319	24	2	3	9	16	15	31	69	73	50	27	-
MALE	172	15	-	2	5	9	6	19	42	42	24	8	-
FEMALE	147	9	2	1	4	7	9	12	27	31	26	19	-
ALBANY-SCHENECTADY-TROY, N.Y	7,532	137	32	45	118	125	175	528	1,162	1,832	2,145	1,233	-
MALE	3,928	82	21	27	89	89	108	305	746	1,055	997	409	-
FEMALE	3,604	55	11	18	29	36	67	223	416	777	1,148	824	-
WHITE	7,320	122	27	35	110	113	163	498	1,112	1,803	2,123	1,214	-
MALE	3,795	73	19	21	83	79	102	281	719	1,037	983	398	-
FEMALE	3,525	49	8	14	27	34	61	217	393	766	1,140	816	-
ALL OTHER	212	15	5	10	8	12	12	30	50	29	22	19	-
MALE	133	9	2	6	6	10	6	24	27	18	14	11	-
FEMALE	79	6	3	4	2	2	6	6	23	11	8	8	-
ALBUQUERQUE, N. MEX	2,174	79	22	26	121	92	100	243	371	457	442	221	-
MALE	1,278	46	13	15	88	67	71	151	225	282	222	98	-
FEMALE	896	33	9	11	33	25	29	92	146	175	220	123	-
WHITE	2,093	71	21	24	116	84	89	234	355	447	435	217	-
MALE	1,222	43	12	14	84	59	64	143	215	273	219	96	-
FEMALE	871	28	9	10	32	25	25	91	140	174	216	121	-
ALL OTHER	81	8	1	2	5	8	11	9	16	10	7	4	-
MALE	56	3	1	1	4	8	7	8	10	9	3	2	-
FEMALE	25	5	-	1	1	-	4	1	6	1	4	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J	5,621	94	18	34	79	98	140	434	879	1,364	1,563	918	-
MALE	3,052	57	12	18	57	64	91	284	557	808	759	345	-
FEMALE	2,569	37	6	16	22	34	49	150	322	556	804	573	-
WHITE	5,541	87	17	32	77	87	133	426	867	1,349	1,550	916	-
MALE	2,999	55	11	17	56	54	85	277	551	798	752	343	-
FEMALE	2,542	32	6	15	21	33	48	149	316	551	798	573	-
ALL OTHER	80	7	1	2	2	11	7	8	12	15	13	2	-
MALE	53	2	1	1	1	10	6	7	6	10	7	2	-
FEMALE	27	5	-	1	1	1	1	1	6	5	6	-	-
ALTOONA, PA	1,647	37	8	11	28	25	27	124	234	443	467	243	-
MALE	886	23	4	8	21	17	18	82	135	262	238	78	-
FEMALE	761	14	4	3	7	8	9	42	99	181	229	165	-
WHITE	1,624	35	8	9	27	25	25	121	232	437	464	241	-
MALE	876	22	4	7	21	17	17	81	133	261	236	77	-
FEMALE	748	13	4	2	6	8	8	40	99	176	228	164	-
ALL OTHER	23	2	-	2	1	-	2	3	2	6	3	2	-
MALE	10	1	-	1	-	-	1	1	2	1	2	1	-
FEMALE	13	1	-	1	1	-	1	2	-	5	1	1	-
AMARILLO, TEX	1,235	54	10	18	43	35	53	117	202	295	276	132	-
MALE	736	38	3	9	35	22	33	82	130	192	142	50	-
FEMALE	499	16	7	9	8	13	20	35	72	103	134	82	-
WHITE	1,150	44	8	17	41	28	50	109	182	279	265	127	-
MALE	687	32	3	8	33	17	32	76	120	183	135	48	-
FEMALE	463	12	5	9	8	11	18	33	62	96	130	79	-
ALL OTHER	85	10	2	1	2	7	3	8	20	16	11	5	-
MALE	49	6	-	1	2	5	1	6	10	9	7	2	-
FEMALE	36	4	2	-	-	2	2	2	10	7	4	3	-
ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF	10,098	327	74	91	307	266	391	890	1,508	2,072	2,631	1,539	2
MALE	5,425	191	39	55	229	179	250	566	935	1,183	1,236	561	1
FEMALE	4,673	136	35	36	78	87	141	324	573	889	1,395	978	1
WHITE	9,983	318	73	90	301	252	382	870	1,496	2,061	2,613	1,525	2
MALE	5,360	186	38	54	223	171	245	554	930	1,177	1,229	552	1
FEMALE	4,623	132	35	36	78	81	137	316	566	884	1,384	973	1
ALL OTHER	115	9	1	1	6	14	9	20	12	11	18	14	-
MALE	65	5	1	1	6	8	5	12	5	6	7	9	-
FEMALE	50	4	-	-	-	6	4	8	7	5	11	5	-
ANDERSON, IND	1,174	20	7	7	27	27	24	98	187	292	302	182	1
MALE	651	12	6	3	21	18	20	60	116	171	152	72	-
FEMALE	523	8	1	4	6	9	4	38	71	121	150	110	1
WHITE	1,119	16	4	5	26	23	21	89	179	286	292	177	1
MALE	618	10	4	2	20	14	18	56	110	167	147	70	-
FEMALE	501	6	-	3	6	9	3	33	69	119	145	107	1
ALL OTHER	55	4	3	2	1	4	3	9	8	6	10	5	-
MALE	33	2	2	1	1	4	2	4	6	4	5	2	-
FEMALE	22	2	1	1	-	-	1	5	2	2	5	3	-
ANN ARBOR, MICH	1,376	56	12	9	64	52	54	129	209	252	331	208	-
MALE	767	36	5	8	50	38	31	83	130	154	154	78	-
FEMALE	609	20	7	1	14	14	23	46	79	98	177	130	-
WHITE	1,240	39	9	9	53	46	46	109	187	227	314	201	-
MALE	684	28	4	8	42	33	25	70	117	140	144	73	-
FEMALE	556	11	5	1	11	13	21	39	70	87	170	128	-
ALL OTHER	136	17	3	-	11	6	8	20	22	25	17	7	-
MALE	83	8	1	-	8	5	6	13	13	14	10	5	-
FEMALE	53	9	2	-	3	1	2	7	9	11	7	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
APPLETON-OSHKOSH, WIS	2,212	55	15	14	60	33	72	127	296	512	630	398	-
MALE	1,245	35	11	9	45	25	38	85	190	326	321	160	-
FEMALE	967	20	4	5	15	8	34	42	106	186	309	238	-
WHITE	2,200	54	15	14	60	33	71	126	296	509	628	394	-
MALE	1,239	35	11	9	45	25	37	84	190	324	320	159	-
FEMALE	961	19	4	5	15	8	34	42	106	185	308	235	-
ALL OTHER	12	1	-	-	-	-	1	1	-	3	2	4	-
MALE	6	-	-	-	-	-	1	1	-	2	1	1	-
FEMALE	6	1	-	-	-	-	-	-	-	1	1	3	-
ASHEVILLE, N.C	1,684	47	6	8	26	31	54	160	278	399	418	257	-
MALE	959	29	3	5	19	23	37	115	185	250	212	81	-
FEMALE	725	18	3	3	7	8	17	45	93	149	206	176	-
WHITE	1,462	37	5	8	22	20	42	139	227	348	373	241	-
MALE	839	23	3	5	17	17	31	101	151	220	196	75	-
FEMALE	623	14	2	3	5	3	11	38	76	128	177	166	-
ALL OTHER	222	10	1	-	4	11	12	21	51	51	45	16	-
MALE	120	6	-	-	2	6	6	14	34	30	16	6	-
FEMALE	102	4	1	-	2	5	6	7	17	21	29	10	-
ATLANTA, GA	11,007	423	69	109	402	452	649	1,358	2,008	2,321	2,075	1,140	1
MALE	6,006	248	34	66	283	291	403	859	1,264	1,313	916	329	-
FEMALE	5,001	175	35	43	119	161	246	499	744	1,008	1,159	811	1
WHITE	7,780	188	47	74	264	267	367	892	1,366	1,626	1,690	998	1
MALE	4,230	107	22	47	188	179	234	595	893	954	730	281	-
FEMALE	3,550	81	25	27	76	88	133	297	473	672	960	717	1
ALL OTHER	3,227	235	22	35	138	185	282	466	642	695	385	142	-
MALE	1,776	141	12	19	95	112	169	264	371	359	186	48	-
FEMALE	1,451	94	10	16	43	73	113	202	271	336	199	94	-
ATLANTIC CITY, N.J	2,672	56	11	16	39	40	73	202	358	679	791	404	3
MALE	1,434	34	4	10	31	25	43	122	224	396	391	152	2
FEMALE	1,238	22	7	6	8	15	30	80	134	283	400	252	1
WHITE	2,182	38	7	11	27	24	46	142	288	559	684	353	3
MALE	1,175	22	1	7	22	14	30	89	176	339	341	132	2
FEMALE	1,007	16	6	4	5	10	16	53	112	220	343	221	1
ALL OTHER	490	18	4	5	12	16	27	60	70	120	107	51	-
MALE	259	12	3	3	9	11	13	33	48	57	50	20	-
FEMALE	231	6	1	2	3	5	14	27	22	63	57	31	-
AUGUSTA, GA.-S.C	2,246	68	13	20	75	89	100	278	438	530	443	191	1
MALE	1,219	39	6	14	52	62	56	178	268	289	191	63	1
FEMALE	1,027	29	7	6	23	27	44	100	170	241	252	128	-
WHITE	1,454	40	11	15	47	47	47	169	265	333	331	149	-
MALE	819	23	5	13	28	36	23	122	179	197	139	54	-
FEMALE	635	17	6	2	19	11	24	47	86	136	192	95	-
ALL OTHER	792	28	2	5	28	42	53	109	173	197	112	42	1
MALE	400	16	1	1	24	26	33	56	89	92	52	9	1
FEMALE	392	12	1	4	4	16	20	53	84	105	60	33	-
AUSTIN, TEX	2,153	93	14	21	86	84	84	173	342	456	481	317	2
MALE	1,181	50	7	16	62	64	62	115	213	253	238	100	1
FEMALE	972	43	7	5	24	20	22	58	129	203	243	217	1
WHITE	1,834	72	12	19	68	68	70	141	298	372	424	289	1
MALE	1,011	36	6	14	49	52	50	98	191	211	211	92	1
FEMALE	823	36	6	5	19	16	20	43	107	161	213	197	-
ALL OTHER	319	21	2	2	18	16	14	32	44	84	57	28	1
MALE	170	14	1	2	13	12	12	17	22	42	27	8	-
FEMALE	149	7	1	-	5	4	2	15	22	42	30	20	1

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
BAKERSFIELD, CALIF	2,966	94	30	26	97	79	111	265	492	720	679	373	-
MALE	1,756	58	18	15	75	56	66	165	311	477	361	154	-
FEMALE	1,210	36	12	11	22	23	45	100	181	243	318	219	-
WHITE	2,729	84	28	25	92	76	103	237	444	654	635	351	-
MALE	1,604	52	17	15	73	54	63	148	283	424	331	144	-
FEMALE	1,125	32	11	10	19	22	40	89	161	230	304	207	-
ALL OTHER	237	10	2	1	5	3	8	28	48	66	44	22	-
MALE	152	6	1	-	2	2	3	17	28	53	30	10	-
FEMALE	85	4	1	1	3	1	5	11	20	13	14	12	-
BALTIMORE, MD	19,166	450	75	156	486	510	782	2,051	3,506	4,679	4,228	2,224	19
MALE	10,700	257	45	90	371	364	500	1,287	2,229	2,842	1,990	714	11
FEMALE	8,466	193	30	66	115	146	282	764	1,277	1,837	2,238	1,510	8
WHITE	14,467	260	44	100	293	265	435	1,356	2,569	3,575	3,589	1,973	8
MALE	7,922	157	29	59	217	182	286	856	1,653	2,173	1,683	624	3
FEMALE	6,545	103	15	41	76	83	149	500	916	1,402	1,906	1,349	5
ALL OTHER	4,699	190	31	56	193	245	347	695	937	1,104	639	251	11
MALE	2,778	100	16	31	154	182	214	431	576	669	307	90	8
FEMALE	1,921	90	15	25	39	63	133	264	361	435	332	161	3
BATON ROUGE, LA	2,060	56	24	15	87	76	105	209	375	491	401	221	-
MALE	1,178	33	15	9	66	48	74	141	255	281	193	63	-
FEMALE	882	23	9	6	21	28	31	68	120	210	208	158	-
WHITE	1,297	28	14	11	44	34	59	131	216	302	285	173	-
MALE	746	18	11	7	32	25	44	95	161	183	127	43	-
FEMALE	551	10	3	4	12	9	15	36	55	119	158	130	-
ALL OTHER	763	28	10	4	43	42	46	78	159	189	116	48	-
MALE	432	15	4	2	34	23	30	46	94	98	66	20	-
FEMALE	331	13	6	2	9	19	16	32	65	91	50	28	-
BAY CITY, MICH	1,019	31	8	12	26	24	36	66	156	241	266	153	-
MALE	572	18	4	11	23	17	22	36	101	149	131	60	-
FEMALE	447	13	4	1	3	7	14	30	55	92	135	93	-
WHITE	1,010	31	8	12	26	23	36	65	154	240	264	151	-
MALE	567	18	4	11	23	16	22	36	99	149	130	59	-
FEMALE	443	13	4	1	3	7	14	29	55	91	134	92	-
ALL OTHER	9	-	-	-	-	1	-	1	2	1	2	2	-
MALE	5	-	-	-	-	1	-	-	2	-	1	1	-
FEMALE	4	-	-	-	-	-	-	1	-	1	1	1	-
BEAUMONT-PORT ARTHUR-ORANGE, TEX	2,701	105	12	13	59	56	96	279	446	719	591	325	-
MALE	1,529	67	6	8	41	39	57	184	293	415	287	132	-
FEMALE	1,172	38	6	5	18	17	39	95	153	304	304	193	-
WHITE	2,038	61	8	10	43	31	62	179	335	533	488	288	-
MALE	1,164	41	4	6	30	25	36	122	231	328	231	110	-
FEMALE	874	20	4	4	13	6	26	57	104	205	257	178	-
ALL OTHER	663	44	4	3	16	25	34	100	111	186	103	37	-
MALE	365	26	2	2	11	14	21	62	62	87	56	22	-
FEMALE	298	18	2	1	5	11	13	38	49	99	47	15	-
BILLINGS, MONT	729	31	3	9	30	14	21	64	111	136	186	124	-
MALE	425	18	2	6	21	10	14	41	78	87	97	51	-
FEMALE	304	13	1	3	9	4	7	23	33	49	89	73	-
WHITE	719	31	3	8	29	14	20	61	109	136	185	123	-
MALE	420	18	2	5	21	10	14	40	76	87	97	50	-
FEMALE	299	13	1	3	8	4	6	21	33	49	88	73	-
ALL OTHER	10	-	-	1	1	-	1	3	2	-	1	1	-
MALE	5	-	-	1	-	-	-	1	2	-	-	1	-
FEMALE	5	-	-	-	1	-	1	2	-	-	1	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
BILOXI-GULFPORT, MISS	1,103	53	9	16	43	27	64	127	173	251	221	116	3
MALE	654	33	7	11	36	18	43	85	106	161	106	46	2
FEMALE	449	20	2	5	7	9	21	42	67	90	115	70	1
WHITE	880	34	7	11	29	21	47	98	139	204	197	93	-
MALE	532	22	5	9	25	14	35	72	91	129	97	33	-
FEMALE	348	12	2	2	4	7	12	26	48	75	100	60	-
ALL OTHER	223	19	2	5	14	6	17	29	34	47	24	23	3
MALE	122	11	2	2	11	4	8	13	15	32	9	13	2
FEMALE	101	8	-	3	3	2	9	16	19	15	15	10	1
BINGHAMTON, N.Y.-PA	2,750	52	10	19	40	41	63	193	436	642	798	453	3
MALE	1,483	31	5	10	34	25	34	121	276	400	383	162	2
FEMALE	1,267	21	5	9	6	16	29	72	160	242	415	291	1
WHITE	2,725	50	10	19	39	40	60	186	432	640	795	452	2
MALE	1,465	31	5	10	33	24	32	115	272	399	382	161	1
FEMALE	1,260	19	5	9	6	16	28	71	160	241	413	291	1
ALL OTHER	25	2	-	-	1	1	3	7	4	2	3	1	1
MALE	18	-	-	-	1	1	2	6	4	1	1	1	1
FEMALE	7	2	-	-	-	-	1	1	-	1	2	-	-
BIRMINGHAM, ALA	7,761	213	41	66	224	178	279	760	1,300	1,968	1,791	941	-
MALE	4,286	112	28	39	172	118	168	470	813	1,148	872	346	-
FEMALE	3,475	101	13	27	52	60	111	290	487	820	919	595	-
WHITE	5,152	123	25	43	135	100	162	472	848	1,264	1,290	690	-
MALE	2,870	70	18	31	102	68	103	299	565	752	623	239	-
FEMALE	2,282	53	7	12	33	32	59	173	283	512	667	451	-
ALL OTHER	2,609	90	16	23	89	78	117	288	452	704	501	251	-
MALE	1,416	42	10	8	70	50	65	171	248	396	249	107	-
FEMALE	1,193	48	6	15	19	28	52	117	204	308	252	144	-
BLOOMINGTON-NORMAL, ILL	905	29	3	4	24	11	21	54	123	193	272	171	-
MALE	466	15	2	1	22	9	12	31	84	119	106	65	-
FEMALE	439	14	1	3	2	2	9	23	39	74	166	106	-
WHITE	886	27	3	4	23	10	19	53	121	189	268	169	-
MALE	459	15	2	1	21	8	10	31	83	118	105	65	-
FEMALE	427	12	1	3	2	2	9	22	38	71	163	104	-
ALL OTHER	19	2	-	-	1	1	2	1	2	4	4	2	-
MALE	7	-	-	-	1	1	2	-	1	1	1	-	-
FEMALE	12	2	-	-	-	-	-	1	1	3	3	2	-
BOISE CITY, IDAHO	1,016	46	5	8	28	18	22	77	136	228	266	182	-
MALE	564	31	1	5	20	8	12	50	88	135	138	76	-
FEMALE	452	15	4	3	8	10	10	27	48	93	128	106	-
WHITE	1,010	45	5	8	27	18	22	75	136	228	264	182	-
MALE	559	30	1	5	19	8	12	48	88	135	137	76	-
FEMALE	451	15	4	3	8	10	10	27	48	93	127	106	-
ALL OTHER	6	1	-	-	1	-	-	2	-	-	2	-	-
MALE	5	1	-	-	1	-	-	2	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-
BOSTON-LOWELL-LAWRENCE, MASS	32,320	572	112	168	624	538	942	2,410	4,740	7,301	9,153	5,752	8
MALE	16,865	342	54	105	457	374	619	1,542	3,004	4,270	4,073	2,021	4
FEMALE	15,455	230	58	63	167	164	323	868	1,736	3,031	5,080	3,731	4
WHITE	31,213	497	91	151	582	467	819	2,270	4,591	7,112	8,978	5,647	8
MALE	16,193	297	46	97	427	317	536	1,455	2,906	4,166	3,972	1,970	4
FEMALE	15,020	200	45	54	155	150	283	815	1,685	2,946	5,006	3,677	4
ALL OTHER	1,107	75	21	17	42	71	123	140	149	189	175	105	-
MALE	672	45	8	8	30	57	83	87	98	104	101	51	-
FEMALE	435	30	13	9	12	14	40	53	51	85	74	54	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
BRIDGEPORT-STAMFORD-NORWALK, CONN	6,482	137	20	34	119	97	177	541	1,049	1,388	1,793	1,125	2
MALE	3,376	79	12	26	89	61	113	322	659	786	829	399	1
FEMALE	3,106	58	8	8	30	36	64	219	390	602	964	726	1
WHITE	6,084	98	17	30	106	83	147	489	950	1,321	1,739	1,102	2
MALE	3,158	58	9	24	78	49	93	290	607	752	809	388	1
FEMALE	2,926	40	8	6	28	34	54	199	343	569	930	714	1
ALL OTHER	398	39	3	4	13	14	30	52	99	67	54	23	-
MALE	218	21	3	2	11	12	20	32	52	34	20	11	-
FEMALE	180	18	-	2	2	2	10	20	47	33	34	12	-
BROCKTON, MASS	3,031	54	23	23	65	59	89	260	436	655	825	539	3
MALE	1,570	30	12	13	52	42	52	153	276	391	371	175	3
FEMALE	1,461	24	11	10	13	17	37	107	160	264	454	364	-
WHITE	2,961	52	23	22	60	54	86	256	427	650	802	526	3
MALE	1,525	29	12	12	49	38	49	150	270	390	356	167	3
FEMALE	1,436	23	11	10	11	16	37	106	157	260	446	359	-
ALL OTHER	70	2	-	1	5	5	3	4	9	5	23	13	-
MALE	45	1	-	1	3	4	3	3	6	1	15	8	-
FEMALE	25	1	-	-	2	1	-	1	3	4	8	5	-
BROWNSVILLE-HARLINGEN-SAN BENITO, TEX	1,176	87	13	14	38	34	40	91	173	300	252	133	1
MALE	690	59	7	10	26	23	21	54	104	192	135	59	-
FEMALE	486	28	6	4	12	11	19	37	69	108	117	74	1
WHITE	1,164	87	13	14	38	34	38	90	171	295	252	131	1
MALE	683	59	7	10	26	23	21	54	102	188	135	58	-
FEMALE	481	28	6	4	12	11	17	36	69	107	117	73	1
ALL OTHER	12	-	-	-	-	-	2	1	2	5	-	2	-
MALE	7	-	-	-	-	-	-	-	2	4	-	1	-
FEMALE	5	-	-	-	-	-	2	1	-	1	-	1	-
BRYAN-COLLEGE STATION, TEX	411	16	3	6	10	17	16	29	59	95	108	52	-
MALE	221	5	2	2	7	14	10	17	38	52	56	18	-
FEMALE	190	11	1	4	3	3	6	12	21	43	52	34	-
WHITE	308	12	2	4	7	15	10	19	47	64	85	43	-
MALE	177	5	1	2	5	12	8	12	33	36	45	18	-
FEMALE	131	7	1	2	2	3	2	7	14	28	40	25	-
ALL OTHER	103	4	1	2	3	2	6	10	12	31	23	9	-
MALE	44	-	1	-	2	2	2	5	5	16	11	-	-
FEMALE	59	4	-	2	1	-	4	5	7	15	12	9	-
BUFFALO, N.Y	13,190	287	35	76	233	224	387	1,126	2,234	3,180	3,639	1,762	7
MALE	7,109	169	16	43	180	151	237	707	1,426	1,825	1,735	619	1
FEMALE	6,081	118	19	33	53	73	150	419	808	1,355	1,904	1,143	6
WHITE	12,166	212	25	56	193	162	293	992	2,043	2,968	3,505	1,713	4
MALE	6,468	123	12	30	152	107	177	611	1,315	1,684	1,660	597	-
FEMALE	5,698	89	13	26	41	55	116	381	728	1,284	1,845	1,116	4
ALL OTHER	1,024	75	10	20	40	62	94	134	191	212	134	49	3
MALE	641	46	4	13	28	44	60	96	111	141	75	22	1
FEMALE	383	29	6	7	12	18	34	38	80	71	59	27	2
CANTON, OHIO	3,531	79	23	30	68	52	105	267	595	756	1,036	520	-
MALE	1,898	45	11	20	55	32	68	162	356	439	516	194	-
FEMALE	1,633	34	12	10	13	20	37	105	239	317	520	326	-
WHITE	3,330	70	20	27	62	44	94	240	550	711	999	513	-
MALE	1,796	40	11	18	51	25	61	150	332	415	500	193	-
FEMALE	1,534	30	9	9	11	19	33	90	218	296	499	320	-
ALL OTHER	201	9	3	3	6	8	11	27	45	45	37	7	-
MALE	102	5	-	2	4	7	7	12	24	24	16	1	-
FEMALE	99	4	3	1	2	1	4	15	21	21	21	6	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
CEDAR RAPIDS, IOWA	1,380	33	2	17	30	21	43	93	201	311	349	280	-
MALE	756	19	2	10	25	14	27	58	132	196	173	100	-
FEMALE	624	14	-	7	5	7	16	35	69	115	176	180	-
WHITE	1,360	33	2	17	30	21	41	91	198	306	345	276	-
MALE	743	19	2	10	25	14	26	57	129	193	169	99	-
FEMALE	617	14	-	7	5	7	15	34	69	113	176	177	-
ALL OTHER	20	-	-	-	-	-	2	2	3	5	4	4	-
MALE	13	-	-	-	-	-	1	1	3	3	4	1	-
FEMALE	7	-	-	-	-	-	1	1	-	2	-	3	-
CHAMPAIGN-URBANA, ILL	885	29	3	6	27	10	22	73	151	181	209	174	-
MALE	450	15	2	3	18	5	15	46	100	112	80	54	-
FEMALE	435	14	1	3	9	5	7	27	51	69	129	120	-
WHITE	807	21	3	4	23	8	19	61	139	157	202	170	-
MALE	404	11	2	3	16	4	13	36	92	97	77	53	-
FEMALE	403	10	1	1	7	4	6	25	47	60	125	117	-
ALL OTHER	78	8	-	2	4	2	3	12	12	24	7	4	-
MALE	46	4	-	-	2	1	2	10	8	15	3	1	-
FEMALE	32	4	-	2	2	1	1	2	4	9	4	3	-
CHARLESTON, S.C	2,367	120	21	38	118	96	150	296	467	529	346	186	-
MALE	1,324	67	10	28	87	72	87	195	282	289	152	55	-
FEMALE	1,043	53	11	10	31	24	63	101	185	240	194	131	-
WHITE	1,386	57	13	19	72	50	63	159	263	285	256	149	-
MALE	784	28	8	13	55	36	37	115	164	178	110	40	-
FEMALE	602	29	5	6	17	14	26	44	99	107	146	109	-
ALL OTHER	981	63	8	19	46	46	87	137	204	244	90	37	-
MALE	540	39	2	15	32	36	50	80	118	111	42	15	-
FEMALE	441	24	6	4	14	10	37	57	86	133	48	22	-
CHARLESTON, W. VA	2,304	48	6	13	50	46	74	243	440	552	528	304	-
MALE	1,305	28	3	9	37	38	42	142	289	324	267	126	-
FEMALE	999	20	3	4	13	8	32	101	151	228	261	178	-
WHITE	2,101	42	5	12	47	36	65	221	394	501	491	287	-
MALE	1,186	24	2	8	34	29	37	133	260	301	243	115	-
FEMALE	915	18	3	4	13	7	28	88	134	200	248	172	-
ALL OTHER	203	6	1	1	3	10	9	22	46	51	37	17	-
MALE	119	4	1	1	3	9	5	9	29	23	24	11	-
FEMALE	84	2	-	-	-	1	4	13	17	28	13	6	-
CHARLOTTE, N.C	3,364	121	18	34	104	118	160	400	553	766	677	413	-
MALE	1,880	72	10	19	75	83	89	270	361	442	326	133	-
FEMALE	1,484	49	8	15	29	35	71	130	192	324	351	280	-
WHITE	2,435	58	10	20	75	48	81	254	378	567	573	371	-
MALE	1,344	33	5	11	57	33	45	173	244	335	285	123	-
FEMALE	1,091	25	5	9	18	15	36	81	134	232	288	248	-
ALL OTHER	929	63	8	14	29	70	79	146	175	199	104	42	-
MALE	536	39	5	8	18	50	44	97	117	107	41	10	-
FEMALE	393	24	3	6	11	20	35	49	58	92	63	32	-
CHATTANOOGA, TENN.-GA	3,048	93	15	25	76	96	98	274	528	748	697	398	-
MALE	1,670	46	8	14	57	60	67	177	341	438	311	151	-
FEMALE	1,378	47	7	11	19	36	31	97	187	310	386	247	-
WHITE	2,460	61	11	19	69	68	79	221	386	583	596	367	-
MALE	1,356	26	6	10	52	44	56	149	259	353	264	137	-
FEMALE	1,104	35	5	9	17	24	23	72	127	230	332	230	-
ALL OTHER	588	32	4	6	7	28	19	53	142	165	101	31	-
MALE	314	20	2	4	5	16	11	28	82	85	47	14	-
FEMALE	274	12	2	2	2	12	8	25	60	80	54	17	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
CHICAGO, ILL	64,682	2,155	337	450	1,667	1,748	2,615	6,298	10,832	14,516	15,903	8,159	2
MALE	35,696	1,223	187	274	1,249	1,223	1,641	4,018	6,975	8,474	7,390	3,040	2
FEMALE	28,986	932	150	176	418	525	974	2,280	3,857	6,042	8,513	5,119	-
WHITE	52,706	1,198	205	303	1,096	1,015	1,582	4,546	8,783	12,139	14,390	7,447	2
MALE	28,840	684	110	180	825	702	999	2,936	5,752	7,178	6,699	2,773	2
FEMALE	23,866	514	95	123	271	313	583	1,610	3,031	4,961	7,691	4,674	-
ALL OTHER	11,976	957	132	147	571	733	1,033	1,752	2,049	2,377	1,513	712	-
MALE	6,856	539	77	94	424	521	642	1,082	1,223	1,296	691	267	-
FEMALE	5,120	418	55	53	147	212	391	670	826	1,081	822	445	-
CINCINNATI, OHIO-KY.-IND	13,076	312	60	89	266	241	376	1,101	2,106	3,225	3,360	1,940	-
MALE	6,926	184	36	61	184	163	217	680	1,359	1,869	1,541	632	-
FEMALE	6,150	128	24	28	82	78	159	421	747	1,356	1,819	1,308	-
WHITE	11,428	244	49	74	212	183	280	896	1,765	2,789	3,096	1,840	-
MALE	6,011	149	29	53	156	119	168	557	1,154	1,630	1,404	592	-
FEMALE	5,417	95	20	21	56	64	112	339	611	1,159	1,692	1,248	-
ALL OTHER	1,648	68	11	15	54	58	96	205	341	436	264	100	-
MALE	915	35	7	8	28	44	49	123	205	239	137	40	-
FEMALE	733	33	4	7	26	14	47	82	136	197	127	60	-
CLEVELAND, OHIO	19,401	441	76	128	395	391	639	1,787	3,445	4,396	5,042	2,659	2
MALE	10,565	254	37	80	285	283	418	1,108	2,169	2,521	2,391	1,017	2
FEMALE	8,836	187	39	48	110	108	221	679	1,276	1,875	2,651	1,642	-
WHITE	16,187	288	49	93	247	226	380	1,327	2,847	3,704	4,575	2,450	1
MALE	8,730	172	30	62	180	159	243	838	1,822	2,142	2,145	936	1
FEMALE	7,457	116	19	31	67	67	137	489	1,025	1,562	2,430	1,514	-
ALL OTHER	3,214	153	27	35	148	165	259	460	598	692	467	209	1
MALE	1,835	82	7	18	105	124	175	270	347	379	246	81	1
FEMALE	1,379	71	20	17	43	41	84	190	251	313	221	128	-
COLORADO SPRINGS, COLO	1,568	99	11	18	82	60	65	147	209	290	369	217	1
MALE	867	59	4	12	63	39	41	89	127	164	188	81	-
FEMALE	701	40	7	6	19	21	24	58	82	126	181	136	1
WHITE	1,496	90	10	17	72	52	56	133	204	285	361	215	1
MALE	820	57	4	11	54	34	35	77	123	161	183	81	-
FEMALE	676	33	6	6	18	18	21	56	81	124	178	134	1
ALL OTHER	72	9	1	1	10	8	9	14	5	5	8	2	-
MALE	47	2	-	1	9	5	6	12	4	3	5	-	-
FEMALE	25	7	1	-	1	3	3	2	1	2	3	2	-
COLUMBIA, MO	513	10	2	7	10	19	18	31	74	116	127	99	-
MALE	290	7	1	4	8	12	14	25	43	68	69	39	-
FEMALE	223	3	1	3	2	7	4	6	31	48	58	60	-
WHITE	461	8	1	5	10	16	14	28	67	107	113	92	-
MALE	256	5	1	3	8	10	10	22	39	61	59	38	-
FEMALE	205	3	-	2	2	6	4	6	28	46	54	54	-
ALL OTHER	52	2	1	2	-	3	4	3	7	9	14	7	-
MALE	34	2	-	1	-	2	4	3	4	7	10	1	-
FEMALE	18	-	1	1	-	1	-	-	3	2	4	6	-
COLUMBIA, S.C	2,542	74	18	27	84	91	137	323	522	580	443	242	1
MALE	1,446	44	10	17	58	62	79	208	336	320	231	81	-
FEMALE	1,096	30	8	10	26	29	58	115	186	260	212	161	1
WHITE	1,743	42	8	16	46	43	71	207	325	408	373	204	-
MALE	1,014	24	5	11	33	25	44	141	226	241	199	65	-
FEMALE	729	18	3	5	13	18	27	66	99	167	174	139	-
ALL OTHER	799	32	10	11	38	48	66	116	197	172	70	38	1
MALE	432	20	5	6	25	37	35	67	110	79	32	16	-
FEMALE	367	12	5	5	13	11	31	49	87	93	38	22	1

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
COLUMBUS, GA.-ALA	1,919	78	11	23	55	66	108	239	372	467	331	169	-
MALE	1,065	42	8	12	47	36	67	150	242	265	142	54	-
FEMALE	854	36	3	11	8	30	41	89	130	202	189	115	-
WHITE	1,222	35	4	10	34	25	55	156	223	302	248	130	-
MALE	677	18	2	6	28	13	34	95	161	174	104	42	-
FEMALE	545	17	2	4	6	12	21	61	62	128	144	88	-
ALL OTHER	697	43	7	13	21	41	53	83	149	165	83	39	-
MALE	388	24	6	6	19	23	33	55	81	91	38	12	-
FEMALE	309	19	1	7	2	18	20	28	68	74	45	27	-
COLUMBUS, OHIO	7,400	265	40	57	182	154	270	704	1,196	1,636	1,816	1,079	1
MALE	3,985	159	25	39	131	94	162	436	760	917	877	384	1
FEMALE	3,415	106	15	18	51	60	108	268	436	719	939	695	-
WHITE	6,361	204	28	47	148	106	206	578	995	1,412	1,631	1,005	1
MALE	3,424	127	20	34	110	65	127	358	640	808	778	356	1
FEMALE	2,937	77	8	13	38	41	79	220	355	604	853	649	-
ALL OTHER	1,039	61	12	10	34	48	64	126	201	224	185	74	-
MALE	561	32	5	5	21	29	35	78	120	109	99	28	-
FEMALE	478	29	7	5	13	19	29	48	81	115	86	46	-
CORPUS CHRISTI, TEX	2,086	110	18	21	77	80	82	206	344	504	414	230	-
MALE	1,162	65	9	11	57	52	46	136	198	285	215	88	-
FEMALE	924	45	9	10	20	28	36	70	146	219	199	142	-
WHITE	1,963	102	17	19	72	74	72	191	318	476	398	224	-
MALE	1,099	61	8	10	53	47	40	131	185	271	207	86	-
FEMALE	864	41	9	9	19	27	32	60	133	205	191	138	-
ALL OTHER	123	8	1	2	5	6	10	15	26	28	16	6	-
MALE	63	4	1	1	4	5	6	5	13	14	8	2	-
FEMALE	60	4	-	1	1	1	4	10	13	14	8	4	-
DALLAS, TEX	12,048	476	100	145	366	410	507	1,218	1,938	2,684	2,691	1,513	-
MALE	6,781	264	57	98	270	280	315	784	1,257	1,605	1,292	559	-
FEMALE	5,267	212	43	47	96	130	192	434	681	1,079	1,399	954	-
WHITE	9,897	308	71	104	285	288	361	956	1,544	2,187	2,407	1,386	-
MALE	5,566	181	42	71	207	191	218	631	1,028	1,331	1,163	503	-
FEMALE	4,331	127	29	33	78	97	143	325	516	856	1,244	883	-
ALL OTHER	2,151	168	29	41	81	122	146	262	394	497	284	127	-
MALE	1,215	83	15	27	63	89	97	153	229	274	129	56	-
FEMALE	936	85	14	14	18	33	49	109	165	223	155	71	-
DAVENPORT-ROCK ISLAND-MOLINE, IOWA-ILL	3,453	101	19	22	84	63	100	221	548	771	951	573	-
MALE	1,873	54	8	15	60	39	57	149	353	476	453	209	-
FEMALE	1,580	47	11	7	24	24	43	72	195	295	498	364	-
WHITE	3,349	87	16	22	83	57	90	216	523	755	940	560	-
MALE	1,812	47	7	15	59	34	51	144	337	469	448	201	-
FEMALE	1,537	40	9	7	24	23	39	72	186	286	492	359	-
ALL OTHER	104	14	3	-	1	6	10	5	25	16	11	13	-
MALE	61	7	1	-	1	5	6	5	16	7	5	8	-
FEMALE	43	7	2	-	-	1	4	-	9	9	6	5	-
DAYTON, OHIO	6,645	220	34	47	173	151	255	649	1,112	1,477	1,622	905	-
MALE	3,587	113	21	34	129	103	167	392	716	860	759	293	-
FEMALE	3,058	107	13	13	44	48	88	257	396	617	863	612	-
WHITE	5,802	171	25	37	132	122	191	533	942	1,296	1,508	845	-
MALE	3,113	91	14	29	101	85	122	327	613	757	699	275	-
FEMALE	2,689	80	11	8	31	37	69	206	329	539	809	570	-
ALL OTHER	843	49	9	10	41	29	64	116	170	181	114	60	-
MALE	474	22	7	5	28	18	45	65	103	103	60	18	-
FEMALE	369	27	2	5	13	11	19	51	67	78	54	42	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DECATUR, ILL	1,151	47	5	6	17	19	34	74	163	282	317	187	-
WHITE	1,079	41	4	3	15	12	28	71	151	271	305	178	-
MALE	572	26	2	2	9	8	16	43	101	153	146	66	-
FEMALE	507	15	2	1	6	4	12	28	50	118	159	112	-
ALL OTHER	72	6	1	3	2	7	6	3	12	11	12	9	-
MALE	38	3	1	1	2	4	4	2	9	4	3	5	-
FEMALE	34	3	-	2	-	3	2	1	3	7	9	4	-
DENVER, COLO	9,311	290	59	78	303	287	375	872	1,407	1,825	2,289	1,526	-
WHITE	8,864	263	50	75	280	250	331	827	1,336	1,742	2,226	1,484	-
MALE	4,759	139	28	46	207	187	216	489	850	1,035	1,037	525	-
FEMALE	4,105	124	22	29	73	63	115	338	486	707	1,189	959	-
ALL OTHER	447	27	9	3	23	37	44	45	71	83	63	42	-
MALE	256	19	5	2	19	18	30	31	43	44	31	14	-
FEMALE	191	8	4	1	4	19	14	14	28	39	32	28	-
DES MOINES, IOWA	2,518	66	15	11	57	44	79	229	361	569	689	398	-
WHITE	2,390	56	13	11	54	44	72	210	345	531	667	387	-
MALE	1,248	30	9	9	38	31	46	134	225	319	281	126	-
FEMALE	1,142	26	4	2	16	13	26	76	120	212	386	261	-
ALL OTHER	128	10	2	-	3	-	7	19	16	38	22	11	-
MALE	80	6	2	-	3	-	5	16	11	23	9	5	-
FEMALE	48	4	-	-	-	-	2	3	5	15	13	6	-
DETROIT, MICH	35,553	1,172	196	260	1,216	1,152	1,384	3,741	6,101	7,728	8,613	3,990	-
WHITE	28,113	651	128	193	753	574	855	2,648	4,780	6,253	7,674	3,604	-
MALE	15,853	375	82	119	564	399	522	1,710	3,127	3,722	3,822	1,411	-
FEMALE	12,260	276	46	74	189	175	333	938	1,653	2,531	3,852	2,193	-
ALL OTHER	7,440	521	68	67	463	578	529	1,093	1,321	1,475	939	386	-
MALE	4,473	297	43	43	328	424	331	667	833	871	483	153	-
FEMALE	2,967	224	25	24	135	154	198	426	488	604	456	233	-
DUBUQUE, IOWA	842	25	4	8	17	14	18	58	127	172	259	140	-
WHITE	840	25	4	8	17	14	18	58	126	171	259	140	-
MALE	430	16	3	5	14	8	9	41	81	103	111	39	-
FEMALE	410	9	1	3	3	6	9	17	45	68	148	101	-
ALL OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-
MALE	1	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-
DULUTH-SUPERIOR, MINN.-WIS	2,893	44	8	17	73	36	60	190	440	614	842	569	-
WHITE	2,871	42	8	15	68	36	59	188	438	609	839	569	-
MALE	1,646	25	6	12	54	25	39	120	294	371	445	255	-
FEMALE	1,225	17	2	3	14	11	20	68	144	238	394	314	-
ALL OTHER	22	2	-	2	5	-	1	2	2	5	3	-	-
MALE	13	1	-	1	2	-	-	1	-	5	3	-	-
FEMALE	9	1	-	1	3	-	1	1	2	-	-	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DURHAM, N.C	1,575	34	5	12	35	45	65	173	293	385	344	183	1
MALE	857	20	3	6	21	36	41	127	182	220	150	51	-
FEMALE	718	14	2	6	14	9	24	46	111	165	194	132	1
WHITE	1,021	16	1	6	24	24	41	97	170	235	260	147	-
MALE	533	9	1	5	12	18	24	72	107	139	105	41	-
FEMALE	488	7	-	1	12	6	17	25	63	96	155	106	-
ALL OTHER	554	18	4	6	11	21	24	76	123	150	84	36	1
MALE	324	11	2	1	9	18	17	55	75	81	45	10	-
FEMALE	230	7	2	5	2	3	7	21	48	69	39	26	1
EL PASO, TEX	2,337	156	27	32	91	67	112	222	353	512	487	278	-
MALE	1,291	86	14	25	64	50	64	128	209	311	237	103	-
FEMALE	1,046	70	13	7	27	17	48	94	144	201	250	175	-
WHITE	2,262	146	24	32	86	64	104	212	344	497	481	272	-
MALE	1,246	82	12	25	60	48	60	123	201	301	235	99	-
FEMALE	1,016	64	12	7	26	16	44	89	143	196	246	173	-
ALL OTHER	75	10	3	-	5	3	8	10	9	15	6	6	-
MALE	45	4	2	-	4	2	4	5	8	10	2	4	-
FEMALE	30	6	1	-	1	1	4	5	1	5	4	2	-
ERIE, PA	2,503	74	7	29	47	32	52	179	416	593	694	380	-
MALE	1,346	43	3	17	31	24	34	119	253	348	333	141	-
FEMALE	1,157	31	4	12	16	8	18	60	163	245	361	239	-
WHITE	2,425	70	7	26	45	30	48	165	404	572	684	374	-
MALE	1,296	41	3	15	31	22	32	106	244	334	329	139	-
FEMALE	1,129	29	4	11	14	8	16	59	160	238	355	235	-
ALL OTHER	78	4	-	3	2	2	4	14	12	21	10	6	-
MALE	50	2	-	2	-	2	2	13	9	14	4	2	-
FEMALE	28	2	-	1	2	-	2	1	3	7	6	4	-
EUGENE, OREG	1,629	57	12	15	63	41	40	113	249	332	440	267	-
MALE	913	29	6	11	45	28	28	68	163	201	223	111	-
FEMALE	716	28	6	4	18	13	12	45	86	131	217	156	-
WHITE	1,621	57	10	15	63	40	38	113	248	330	440	267	-
MALE	908	29	5	11	45	27	27	68	162	200	223	111	-
FEMALE	713	28	5	4	18	13	11	45	86	130	217	156	-
ALL OTHER	8	-	2	-	-	1	2	-	1	2	-	-	-
MALE	5	-	1	-	-	1	1	-	1	1	-	-	-
FEMALE	3	-	1	-	-	-	1	-	-	1	-	-	-
EVANSVILLE, IND.-KY	2,448	55	11	10	26	43	67	176	388	551	701	420	-
MALE	1,298	32	6	6	21	32	39	119	251	324	326	142	-
FEMALE	1,150	23	5	4	5	11	28	57	137	227	375	278	-
WHITE	2,256	46	11	10	25	35	60	155	353	501	657	403	-
MALE	1,194	28	6	6	20	28	35	103	233	299	301	135	-
FEMALE	1,062	18	5	4	5	7	25	52	120	202	356	268	-
ALL OTHER	192	9	-	-	1	8	7	21	35	50	44	17	-
MALE	104	4	-	-	1	4	4	16	18	25	25	7	-
FEMALE	88	5	-	-	-	4	3	5	17	25	19	10	-
FALL RIVER-NEW BEDFORD, MASS	4,630	84	16	29	78	63	75	347	733	1,076	1,347	782	-
MALE	2,414	44	11	19	60	37	44	220	473	627	616	263	-
FEMALE	2,216	40	5	10	18	26	31	127	260	449	731	519	-
WHITE	4,559	81	16	28	76	60	67	335	723	1,065	1,335	773	-
MALE	2,374	42	11	18	58	34	39	215	466	622	608	261	-
FEMALE	2,185	39	5	10	18	26	28	120	257	443	727	512	-
ALL OTHER	71	3	-	1	2	3	8	12	10	11	12	9	-
MALE	40	2	-	1	2	3	5	5	7	5	8	2	-
FEMALE	31	1	-	-	-	-	3	7	3	6	4	7	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
FARGO-MOORHEAD, N. DAK.-MINN	908	32	4	4	28	8	25	68	111	192	256	180	-
MALE	532	22	4	3	20	6	15	48	75	119	140	80	-
FEMALE	376	10	-	1	8	2	10	20	36	73	116	100	-
WHITE	902	32	4	4	27	7	25	66	111	191	256	179	-
MALE	527	22	4	3	19	5	15	46	75	118	140	80	-
FEMALE	375	10	-	1	8	2	10	20	36	73	116	99	-
ALL OTHER	6	-	-	-	1	1	-	2	-	1	-	1	-
MALE	5	-	-	-	1	1	-	2	-	1	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-
FAYETTEVILLE, N.C	1,153	99	19	10	57	53	83	154	188	211	193	85	1
MALE	652	49	8	5	46	39	54	91	133	116	86	24	1
FEMALE	501	50	11	5	11	14	29	63	55	95	107	61	-
WHITE	774	64	11	6	38	32	43	107	126	141	140	65	1
MALE	437	34	5	3	34	24	28	64	90	80	57	17	1
FEMALE	337	30	6	3	4	8	15	43	36	61	83	48	-
ALL OTHER	379	35	8	4	19	21	40	47	62	70	53	20	-
MALE	215	15	3	2	12	15	26	27	43	36	29	7	-
FEMALE	164	20	5	2	7	6	14	20	19	34	24	13	-
FLINT, MICH	3,617	154	29	35	123	119	163	359	539	767	867	462	-
MALE	2,024	89	17	19	93	84	91	218	351	448	448	166	-
FEMALE	1,593	65	12	16	30	35	72	141	188	319	419	296	-
WHITE	3,191	101	24	32	101	83	120	295	471	690	821	453	-
MALE	1,774	62	15	17	77	57	63	183	309	405	423	163	-
FEMALE	1,417	39	9	15	24	26	57	112	162	285	398	290	-
ALL OTHER	426	53	5	3	22	36	43	64	68	77	46	9	-
MALE	250	27	2	2	16	27	28	35	42	43	25	3	-
FEMALE	176	26	3	1	6	9	15	29	26	34	21	6	-
FORT LAUDERDALE-HOLLYWOOD, FLA	9,101	162	46	48	163	159	228	620	1,293	2,775	2,668	937	2
MALE	5,404	81	26	31	119	115	127	374	810	1,741	1,574	405	1
FEMALE	3,697	81	20	17	44	44	101	246	483	1,034	1,094	532	1
WHITE	8,396	90	33	38	118	104	163	513	1,155	2,650	2,616	914	2
MALE	4,974	44	18	22	87	76	89	310	722	1,664	1,547	394	1
FEMALE	3,422	46	15	16	31	28	74	203	433	986	1,069	520	1
ALL OTHER	705	72	13	10	45	55	65	107	138	125	52	23	-
MALE	430	37	8	9	32	39	38	64	88	77	27	11	-
FEMALE	275	35	5	1	13	16	27	43	50	48	25	12	-
FORT SMITH, ARK.-OKLA	1,783	48	10	11	34	38	64	122	253	410	478	314	1
MALE	1,002	25	5	6	27	30	50	85	170	251	234	118	1
FEMALE	781	23	5	5	7	8	14	37	83	159	244	196	-
WHITE	1,661	39	9	10	33	35	58	114	236	379	455	292	1
MALE	937	23	5	5	26	28	45	80	156	234	222	112	1
FEMALE	724	16	4	5	7	7	13	34	80	145	233	180	-
ALL OTHER	122	9	1	1	1	3	6	8	17	31	23	22	-
MALE	65	2	-	1	1	2	5	5	14	17	12	6	-
FEMALE	57	7	1	-	-	1	1	3	3	14	11	16	-
FORT WAYNE, IND	2,250	57	15	16	51	42	59	183	332	507	603	385	-
MALE	1,210	26	10	8	35	29	40	117	206	309	298	132	-
FEMALE	1,040	31	5	8	16	13	19	66	126	198	305	253	-
WHITE	2,072	42	9	11	44	35	49	154	302	476	574	376	-
MALE	1,115	19	6	5	32	26	33	104	187	291	285	127	-
FEMALE	957	23	3	6	12	9	16	50	115	185	289	249	-
ALL OTHER	178	15	6	5	7	7	10	29	30	31	29	9	-
MALE	95	7	4	3	3	3	7	13	19	18	13	5	-
FEMALE	83	8	2	2	4	4	3	16	11	13	16	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
FORT WORTH, TEX	6,230	229	40	52	182	163	229	614	998	1,367	1,474	882	-
MALE	3,436	140	21	29	136	111	136	388	650	792	736	297	-
FEMALE	2,794	89	19	23	46	52	93	226	348	575	738	585	-
WHITE	5,435	180	27	48	151	135	184	501	859	1,164	1,360	826	-
MALE	2,994	110	15	26	114	92	105	324	569	691	677	271	-
FEMALE	2,441	70	12	22	37	43	79	177	290	473	683	555	-
ALL OTHER	795	49	13	4	31	28	45	113	139	203	114	56	-
MALE	442	30	6	3	22	19	31	64	81	101	59	26	-
FEMALE	353	19	7	1	9	9	14	49	58	102	55	30	-
FRESNO, CALIF	3,593	133	18	39	113	112	129	289	548	713	914	583	2
MALE	2,114	77	10	26	84	84	82	191	362	446	475	275	2
FEMALE	1,479	56	8	13	29	28	47	98	186	267	439	308	-
WHITE	3,277	116	18	36	109	97	117	260	487	646	851	538	2
MALE	1,903	68	10	25	80	74	72	173	323	396	436	244	2
FEMALE	1,374	48	8	11	29	23	45	87	164	250	415	294	-
ALL OTHER	316	17	-	3	4	15	12	29	61	67	63	45	-
MALE	211	9	-	1	4	10	10	18	39	50	39	31	-
FEMALE	105	8	-	2	-	5	2	11	22	17	24	14	-
GADSDEN, ALA	1,079	40	-	8	20	26	46	105	186	261	242	145	-
MALE	595	23	-	4	15	15	31	70	111	155	111	60	-
FEMALE	484	17	-	4	5	11	15	35	75	106	131	85	-
WHITE	905	36	-	6	14	19	31	79	152	215	214	139	-
MALE	495	21	-	3	10	11	23	57	90	127	96	57	-
FEMALE	410	15	-	3	4	8	8	22	62	88	118	82	-
ALL OTHER	174	4	-	2	6	7	15	26	34	46	28	6	-
MALE	100	2	-	1	5	4	8	13	21	28	15	3	-
FEMALE	74	2	-	1	1	3	7	13	13	18	13	3	-
GAINESVILLE, FLA	799	29	6	11	36	29	31	80	146	193	156	82	-
MALE	449	19	4	6	26	18	21	55	89	113	69	29	-
FEMALE	350	10	2	5	10	11	10	25	57	80	87	53	-
WHITE	524	13	4	7	22	16	17	55	92	122	114	62	-
MALE	293	5	3	3	18	10	12	39	60	73	50	20	-
FEMALE	231	8	1	4	4	6	5	16	32	49	64	42	-
ALL OTHER	275	16	2	4	14	13	14	25	54	71	42	20	-
MALE	156	14	1	3	8	8	9	16	29	40	19	9	-
FEMALE	119	2	1	1	6	5	5	9	25	31	23	11	-
GALVESTON-TEXAS CITY, TEX	1,438	47	10	9	51	41	54	161	281	343	300	141	-
MALE	806	25	4	6	35	28	38	103	170	208	144	45	-
FEMALE	632	22	6	3	16	13	16	58	111	135	156	96	-
WHITE	1,086	24	7	5	41	27	37	117	221	256	234	117	-
MALE	608	12	1	4	30	15	27	79	141	155	108	36	-
FEMALE	478	12	6	1	11	12	10	38	80	101	126	81	-
ALL OTHER	352	23	3	4	10	14	17	44	60	87	66	24	-
MALE	198	13	3	2	5	13	11	24	29	53	36	9	-
FEMALE	154	10	-	2	5	1	6	20	31	34	30	15	-
GARY-HAMMOND-EAST CHICAGO, IND	5,399	227	38	50	186	162	250	600	929	1,193	1,223	535	6
MALE	3,120	120	22	32	138	115	157	378	612	701	606	235	4
FEMALE	2,279	107	16	18	48	47	93	222	317	492	617	300	2
WHITE	4,221	133	21	37	121	98	155	422	724	951	1,071	486	2
MALE	2,430	71	14	26	95	65	103	272	480	562	528	213	1
FEMALE	1,791	62	7	11	26	33	52	150	244	389	543	273	1
ALL OTHER	1,178	94	17	13	65	64	95	178	205	242	152	49	4
MALE	690	49	8	6	43	50	54	106	132	139	78	22	3
FEMALE	488	45	9	7	22	14	41	72	73	103	74	27	1

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
GRAND RAPIDS, MICH	4,392	131	28	38	105	75	114	340	608	928	1,210	815	-
MALE	2,325	67	15	22	75	41	68	220	398	547	591	281	-
FEMALE	2,067	64	13	16	30	34	46	120	210	381	619	534	-
WHITE	4,205	107	21	35	94	65	99	318	577	891	1,191	807	-
MALE	2,215	57	11	20	66	37	58	207	376	528	579	276	-
FEMALE	1,990	50	10	15	28	28	41	111	201	363	612	531	-
ALL OTHER	187	24	7	3	11	10	15	22	31	37	19	8	-
MALE	110	10	4	2	9	4	10	13	22	19	12	5	-
FEMALE	77	14	3	1	2	6	5	9	9	18	7	3	-
GREAT FALLS, MONT	620	25	2	2	21	14	19	50	99	131	166	91	-
MALE	354	16	1	2	16	9	10	35	61	79	89	36	-
FEMALE	266	9	1	-	5	5	9	15	38	52	77	55	-
WHITE	602	23	2	2	21	13	18	47	94	127	166	89	-
MALE	342	14	1	2	16	8	9	34	57	78	89	34	-
FEMALE	260	9	1	-	5	5	9	13	37	49	77	55	-
ALL OTHER	18	2	-	-	-	1	1	3	5	4	-	2	-
MALE	12	2	-	-	-	1	1	1	4	1	-	2	-
FEMALE	6	-	-	-	-	-	-	2	1	3	-	-	-
GREEN BAY, WIS	1,147	28	13	9	27	18	38	82	154	277	330	171	-
MALE	638	12	8	5	20	12	24	55	96	167	169	70	-
FEMALE	509	16	5	4	7	6	14	27	58	110	161	101	-
WHITE	1,136	26	13	9	27	18	37	79	152	276	328	171	-
MALE	631	11	8	5	20	12	23	53	95	167	167	70	-
FEMALE	505	15	5	4	7	6	14	26	57	109	161	101	-
ALL OTHER	11	2	-	-	-	-	1	3	2	1	2	-	-
MALE	7	1	-	-	-	-	1	2	1	-	2	-	-
FEMALE	4	1	-	-	-	-	-	1	1	1	-	-	-
GREENSBORO-WINSTON SALEM-HIGH POINT, N.C	5,246	152	26	39	114	121	254	563	934	1,242	1,197	603	1
MALE	2,943	89	8	25	81	83	171	360	607	736	568	214	1
FEMALE	2,303	63	18	14	33	38	83	203	327	506	629	389	-
WHITE	4,009	82	13	31	76	82	148	392	699	938	1,005	543	-
MALE	2,246	50	2	18	53	58	98	262	467	573	478	187	-
FEMALE	1,763	32	11	13	23	24	50	130	232	365	527	356	-
ALL OTHER	1,237	70	13	8	38	39	106	171	235	304	192	60	1
MALE	697	39	6	7	28	25	73	98	140	163	90	27	1
FEMALE	540	31	7	1	10	14	33	73	95	141	102	33	-
GREENVILLE, S.C	2,671	85	26	26	81	74	133	299	503	638	549	255	2
MALE	1,514	54	11	14	67	56	85	195	330	365	255	81	1
FEMALE	1,157	31	15	12	14	18	48	104	173	273	294	174	1
WHITE	2,165	63	21	16	67	48	91	241	389	509	479	239	2
MALE	1,206	38	9	9	57	36	55	157	264	291	213	76	1
FEMALE	959	25	12	7	10	12	36	84	125	218	266	163	1
ALL OTHER	506	22	5	10	14	26	42	58	114	129	70	16	-
MALE	308	16	2	5	10	20	30	38	66	74	42	5	-
FEMALE	198	6	3	5	4	6	12	20	48	55	28	11	-
HAMILTON-MIDDLETOWN, OHIO	1,750	58	7	8	41	39	58	149	299	396	467	228	-
MALE	947	30	5	4	35	27	26	96	189	236	212	87	-
FEMALE	803	28	2	4	6	12	32	53	110	160	255	141	-
WHITE	1,646	49	6	6	35	37	52	139	276	372	455	219	-
MALE	892	28	4	3	33	25	24	93	174	222	203	83	-
FEMALE	754	21	2	3	2	12	28	46	102	150	252	136	-
ALL OTHER	104	9	1	2	6	2	6	10	23	24	12	9	-
MALE	55	2	1	1	2	2	2	3	15	14	9	4	-
FEMALE	49	7	-	1	4	-	4	7	8	10	3	5	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
HARRISBURG, PA	4,043	80	13	21	86	51	104	322	697	976	1,051	641	1
MALE	2,184	51	8	11	62	38	65	205	473	554	505	212	-
FEMALE	1,859	29	5	10	24	13	39	117	224	422	546	429	1
WHITE	3,753	63	9	19	76	41	84	285	639	906	1,010	620	1
MALE	2,016	41	6	10	56	34	53	184	428	519	484	201	-
FEMALE	1,737	22	3	9	20	7	31	101	211	387	526	419	1
ALL OTHER	290	17	4	2	10	10	20	37	58	70	41	21	-
MALE	168	10	2	1	6	4	12	21	45	35	21	11	-
FEMALE	122	7	2	1	4	6	8	16	13	35	20	10	-
HARTFORD-NEW BRITAIN-BRISTOL, CONN	6,872	134	28	26	97	125	204	564	1,110	1,542	1,903	1,138	1
MALE	3,697	76	14	13	73	71	126	361	738	909	915	400	1
FEMALE	3,175	58	14	13	24	54	78	203	372	633	988	738	-
WHITE	6,515	104	26	22	84	96	168	503	1,058	1,472	1,860	1,121	1
MALE	3,489	57	13	11	65	56	105	313	704	871	899	394	1
FEMALE	3,026	47	13	11	19	40	63	190	354	601	961	727	-
ALL OTHER	357	30	2	4	13	29	36	61	52	70	43	17	-
MALE	208	19	1	2	8	15	21	48	34	38	16	6	-
FEMALE	149	11	1	2	5	14	15	13	18	32	27	11	-
HONOLULU, HAWAII	3,248	197	23	35	119	119	149	359	591	647	604	403	2
MALE	1,986	117	14	23	78	76	98	244	393	415	323	203	2
FEMALE	1,262	80	9	12	41	43	51	115	198	232	281	200	-
WHITE	1,098	54	6	13	38	57	43	127	207	223	210	118	2
MALE	640	26	4	8	24	41	30	84	142	139	107	33	2
FEMALE	458	28	2	5	14	16	13	43	65	84	103	85	-
ALL OTHER	2,150	143	17	22	81	62	106	232	384	424	394	285	-
MALE	1,346	91	10	15	54	35	68	160	251	276	216	170	-
FEMALE	804	52	7	7	27	27	38	72	133	148	178	115	-
HOUSTON, TEX	14,897	636	138	166	598	599	834	1,720	2,690	3,185	2,856	1,473	2
MALE	8,575	353	93	116	446	437	500	1,111	1,765	1,853	1,382	517	2
FEMALE	6,322	283	45	50	152	162	334	609	925	1,332	1,474	956	-
WHITE	11,570	421	102	109	457	425	576	1,286	2,065	2,429	2,407	1,291	2
MALE	6,639	243	71	75	348	309	346	854	1,388	1,428	1,148	427	2
FEMALE	4,931	178	31	34	109	116	230	432	677	1,001	1,259	864	-
ALL OTHER	3,327	215	36	57	141	174	258	434	625	756	449	182	-
MALE	1,936	110	22	41	98	128	154	257	377	425	234	90	-
FEMALE	1,391	105	14	16	43	46	104	177	248	331	215	92	-
HUNTINGTON-ASHLAND, W.VA.-KY.-OHIO	2,804	73	20	23	44	43	79	248	443	671	754	406	-
MALE	1,555	42	11	18	37	32	51	145	281	406	369	163	-
FEMALE	1,249	31	9	5	7	11	28	103	162	265	385	243	-
WHITE	2,702	72	20	21	43	40	72	240	426	638	731	399	-
MALE	1,506	42	11	16	36	29	49	141	270	390	361	161	-
FEMALE	1,196	30	9	5	7	11	23	99	156	248	370	238	-
ALL OTHER	102	1	-	2	1	3	7	8	17	33	23	7	-
MALE	49	-	-	2	1	3	2	4	11	16	8	2	-
FEMALE	53	1	-	-	-	-	5	4	6	17	15	5	-
HUNTSVILLE, ALA	1,565	45	13	30	47	58	93	183	262	360	301	173	-
MALE	894	25	8	18	28	28	58	112	183	217	150	67	-
FEMALE	671	20	5	12	19	30	35	71	79	143	151	106	-
WHITE	1,222	33	7	22	38	40	72	145	192	282	244	147	-
MALE	717	19	5	13	22	20	46	92	139	176	127	58	-
FEMALE	505	14	2	9	16	20	26	53	53	106	117	89	-
ALL OTHER	343	12	6	8	9	18	21	38	70	78	57	26	-
MALE	177	6	3	5	6	8	12	20	44	41	23	9	-
FEMALE	166	6	3	3	3	10	9	18	26	37	34	17	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
INDIANAPOLIS, IND	9,535	293	52	70	213	213	348	839	1,518	2,176	2,378	1,434	1
MALE	5,137	184	25	44	159	135	202	531	1,006	1,252	1,121	477	1
FEMALE	4,398	109	27	26	54	78	146	308	512	924	1,257	957	-
WHITE	8,244	221	43	57	177	158	274	678	1,288	1,877	2,156	1,315	-
MALE	4,404	136	20	36	132	100	164	441	866	1,082	1,005	422	-
FEMALE	3,840	85	23	21	45	58	110	237	422	795	1,151	893	-
ALL OTHER	1,291	72	9	13	36	55	74	161	230	299	222	119	1
MALE	733	48	5	8	27	35	38	90	140	170	116	55	1
FEMALE	558	24	4	5	9	20	36	71	90	129	106	64	-
JACKSON, MICH	1,286	27	6	13	34	23	35	99	190	293	323	243	-
MALE	691	14	4	9	26	14	24	57	110	186	162	85	-
FEMALE	595	13	2	4	8	9	11	42	80	107	161	158	-
WHITE	1,231	22	6	13	32	19	31	93	180	283	313	239	-
MALE	658	10	4	9	25	13	21	52	104	177	158	85	-
FEMALE	573	12	2	4	7	6	10	41	76	106	155	154	-
ALL OTHER	55	5	-	-	2	4	4	6	10	10	10	4	-
MALE	33	4	-	-	1	1	3	5	6	9	4	-	-
FEMALE	22	1	-	-	1	3	1	1	4	1	6	4	-
JACKSON, MISS	2,242	94	11	26	57	82	94	232	381	545	462	258	-
MALE	1,264	49	7	19	41	53	60	144	261	329	205	96	-
FEMALE	978	45	4	7	16	29	34	88	120	216	257	162	-
WHITE	1,335	32	7	11	29	39	47	142	247	307	315	159	-
MALE	757	18	4	10	19	21	26	89	175	198	144	53	-
FEMALE	578	14	3	1	10	18	21	53	72	109	171	106	-
ALL OTHER	907	62	4	15	28	43	47	90	134	238	147	99	-
MALE	507	31	3	9	22	32	34	55	86	131	61	43	-
FEMALE	400	31	1	6	6	11	13	35	48	107	86	56	-
JACKSONVILLE, FLA	4,816	169	41	61	173	141	215	530	932	1,184	891	478	1
MALE	2,654	93	22	37	128	98	124	333	580	689	405	144	1
FEMALE	2,162	76	19	24	45	43	91	197	352	495	486	334	-
WHITE	3,465	95	23	48	118	87	126	336	654	841	717	420	-
MALE	1,928	59	14	30	87	61	77	217	424	508	328	123	-
FEMALE	1,537	36	9	18	31	26	49	119	230	333	389	297	-
ALL OTHER	1,351	74	18	13	55	54	89	194	278	343	174	58	1
MALE	726	34	8	7	41	37	47	116	156	181	77	21	1
FEMALE	625	40	10	6	14	17	42	78	122	162	97	37	-
JERSEY CITY, N.J	6,592	176	22	36	129	129	185	589	1,231	1,603	1,709	778	5
MALE	3,600	103	11	20	105	89	122	380	755	935	784	292	4
FEMALE	2,992	73	11	16	24	40	63	209	476	668	925	486	1
WHITE	6,024	101	13	30	101	89	130	517	1,129	1,501	1,648	760	5
MALE	3,263	61	6	17	81	65	83	339	690	876	755	286	4
FEMALE	2,761	40	7	13	20	24	47	178	439	625	893	474	1
ALL OTHER	568	75	9	6	28	40	55	72	102	102	61	18	-
MALE	337	42	5	3	24	24	39	41	65	59	29	6	-
FEMALE	231	33	4	3	4	16	16	31	37	43	32	12	-
JOHNSTOWN, PA	2,938	57	14	16	51	46	60	218	531	711	775	458	1
MALE	1,690	27	8	8	35	33	39	154	350	426	407	202	1
FEMALE	1,248	30	6	8	16	13	21	64	181	285	368	256	-
WHITE	2,883	48	13	16	49	46	56	216	523	707	757	451	1
MALE	1,663	24	7	8	34	33	36	154	343	425	398	200	1
FEMALE	1,220	24	6	8	15	13	20	62	180	282	359	251	-
ALL OTHER	55	9	1	-	2	-	4	2	8	4	18	7	-
MALE	27	3	1	-	1	-	3	-	7	1	9	2	-
FEMALE	28	6	-	-	1	-	1	2	1	3	9	5	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
KALAMAZOO, MICH	1,392	45	7	14	34	27	49	110	191	303	380	232	-
MALE	752	25	3	8	25	19	33	76	132	185	163	83	-
FEMALE	640	20	4	6	9	8	16	34	59	118	217	149	-
WHITE	1,321	39	7	11	30	22	43	102	173	293	371	230	-
MALE	713	22	3	6	23	15	31	70	122	177	161	83	-
FEMALE	608	17	4	5	7	7	12	32	51	116	210	147	-
ALL OTHER	71	6	-	3	4	5	6	8	18	10	9	2	-
MALE	39	3	-	2	2	4	2	6	10	8	2	-	-
FEMALE	32	3	-	1	2	1	4	2	8	2	7	2	-
KANSAS CITY, MO.-KANS	10,669	289	54	90	258	231	351	953	1,555	2,320	2,868	1,700	-
MALE	5,721	161	29	50	199	170	223	623	1,024	1,337	1,311	594	-
FEMALE	4,948	128	25	40	59	61	128	330	531	983	1,557	1,106	-
WHITE	9,129	216	39	65	200	184	269	774	1,314	1,953	2,574	1,541	-
MALE	4,874	122	23	35	159	136	172	513	872	1,145	1,170	527	-
FEMALE	4,255	94	16	30	41	48	97	261	442	808	1,404	1,014	-
ALL OTHER	1,540	73	15	25	58	47	82	179	241	367	294	159	-
MALE	847	39	6	15	40	34	51	110	152	192	141	67	-
FEMALE	693	34	9	10	18	13	31	69	89	175	153	92	-
KENOSHA, WIS	1,033	25	3	6	28	17	26	79	153	231	297	168	-
MALE	552	16	1	2	22	15	18	48	90	124	151	65	-
FEMALE	481	9	2	4	6	2	8	31	63	107	146	103	-
WHITE	1,023	25	3	5	27	17	26	77	150	230	296	167	-
MALE	550	16	1	2	21	15	18	47	90	124	151	65	-
FEMALE	473	9	2	3	6	2	8	30	60	106	145	102	-
ALL OTHER	10	-	-	1	1	-	-	2	3	1	1	1	-
MALE	2	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE	8	-	-	1	-	-	-	1	3	1	1	1	-
KNOXVILLE, TENN	3,729	111	16	24	105	84	116	319	642	899	903	510	-
MALE	2,068	61	9	15	76	59	68	212	411	533	432	192	-
FEMALE	1,661	50	7	9	29	25	48	107	231	366	471	318	-
WHITE	3,360	99	16	20	91	72	103	282	564	806	833	474	-
MALE	1,877	56	9	14	66	53	62	189	366	491	392	179	-
FEMALE	1,483	43	7	6	25	19	41	93	198	315	441	295	-
ALL OTHER	369	12	-	4	14	12	13	37	78	93	70	36	-
MALE	191	5	-	1	10	6	6	23	45	42	40	13	-
FEMALE	178	7	-	3	4	6	7	14	33	51	30	23	-
LA CROSSE, WIS	773	17	-	4	11	11	10	46	83	187	247	157	-
MALE	428	10	-	1	9	8	4	27	52	105	136	76	-
FEMALE	345	7	-	3	2	3	6	19	31	82	111	81	-
WHITE	773	17	-	4	11	11	10	46	83	187	247	157	-
MALE	428	10	-	1	9	8	4	27	52	105	136	76	-
FEMALE	345	7	-	3	2	3	6	19	31	82	111	81	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE, LA	794	47	6	5	30	18	31	74	137	184	155	107	-
MALE	453	30	4	3	26	14	18	50	95	103	70	40	-
FEMALE	341	17	2	2	4	4	13	24	42	81	85	67	-
WHITE	579	19	4	5	25	12	22	55	95	137	127	78	-
MALE	339	13	3	3	22	10	11	36	70	81	60	30	-
FEMALE	240	6	1	2	3	2	11	19	25	56	67	48	-
ALL OTHER	215	28	2	-	5	6	9	19	42	47	28	29	-
MALE	114	17	1	-	4	4	7	14	25	22	10	10	-
FEMALE	101	11	1	-	1	2	2	5	17	25	18	19	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
LAFAYETTE-WEST LAFAYETTE, IND	787	19	2	5	22	13	20	65	110	159	223	149	-
MALE	438	11	1	2	20	9	17	40	74	91	117	56	-
FEMALE	349	8	1	3	2	4	3	25	36	68	106	93	-
WHITE	773	19	2	5	22	13	19	62	108	156	219	148	-
MALE	431	11	1	2	20	9	16	39	73	90	114	56	-
FEMALE	342	8	1	3	2	4	3	23	35	66	105	92	-
ALL OTHER	14	-	-	-	-	-	1	3	2	3	4	1	-
MALE	7	-	-	-	-	-	1	1	1	1	3	-	-
FEMALE	7	-	-	-	-	-	-	2	1	2	1	1	-
LAKE CHARLES, LA	1,147	48	8	18	32	33	47	118	223	306	203	111	-
MALE	676	33	6	11	28	26	33	75	140	181	105	38	-
FEMALE	471	15	2	7	4	7	14	43	83	125	98	73	-
WHITE	866	26	7	14	21	21	26	91	174	237	164	85	-
MALE	517	16	5	9	19	15	20	62	112	146	83	30	-
FEMALE	349	10	2	5	2	6	6	29	62	91	81	55	-
ALL OTHER	281	22	1	4	11	12	21	27	49	69	39	26	-
MALE	159	17	1	2	9	11	13	13	28	35	22	8	-
FEMALE	122	5	-	2	2	1	8	14	21	34	17	18	-
LANCASTER, PA	2,952	66	17	26	49	43	65	198	396	687	839	566	-
MALE	1,555	36	10	15	38	32	41	117	255	412	386	213	-
FEMALE	1,397	30	7	11	11	11	24	81	141	275	453	353	-
WHITE	2,905	63	17	25	49	40	64	191	387	674	834	561	-
MALE	1,527	34	10	15	38	30	40	113	250	404	382	211	-
FEMALE	1,378	29	7	10	11	10	24	78	137	270	452	350	-
ALL OTHER	47	3	-	1	-	3	1	7	9	13	5	5	-
MALE	28	2	-	-	-	2	1	4	5	8	4	2	-
FEMALE	19	1	-	1	-	1	-	3	4	5	1	3	-
LANSING, MICH	2,383	85	22	25	78	63	85	191	319	507	627	381	-
MALE	1,274	51	14	14	58	35	47	127	204	293	298	133	-
FEMALE	1,109	34	8	11	20	28	38	64	115	214	329	248	-
WHITE	2,296	70	19	23	72	58	76	180	309	491	619	379	-
MALE	1,210	40	11	13	53	32	40	118	196	282	293	132	-
FEMALE	1,086	30	8	10	19	26	36	62	113	209	326	247	-
ALL OTHER	87	15	3	2	6	5	9	11	10	16	8	2	-
MALE	64	11	3	1	5	3	7	9	8	11	5	1	-
FEMALE	23	4	-	1	1	2	2	2	2	5	3	1	-
LAREDO, TEX	548	26	6	6	11	14	14	43	72	140	134	80	2
MALE	319	15	4	4	8	13	10	30	51	81	63	39	1
FEMALE	229	11	2	2	3	1	4	13	21	59	71	41	1
WHITE	547	25	6	6	11	14	14	43	72	140	134	80	2
MALE	319	15	4	4	8	13	10	30	51	81	63	39	1
FEMALE	228	10	2	2	3	1	4	13	21	59	71	41	1
ALL OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-
LAS VEGAS, NEV	2,214	114	17	20	104	95	143	287	458	490	351	133	2
MALE	1,359	67	12	11	78	59	79	178	288	321	193	71	2
FEMALE	855	47	5	9	26	36	64	109	170	169	158	62	-
WHITE	1,988	76	13	15	81	78	118	257	424	465	331	128	2
MALE	1,228	44	8	8	62	49	64	167	268	305	182	69	2
FEMALE	760	32	5	7	19	29	54	90	156	160	149	59	-
ALL OTHER	226	38	4	5	23	17	25	30	34	25	20	5	-
MALE	131	23	4	3	16	10	15	11	20	16	11	2	-
FEMALE	95	15	-	2	7	7	10	19	14	9	9	3	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
LAWTON, OKLA	608	43	6	14	24	20	28	50	103	135	117	68	-
MALE	356	27	4	11	19	12	19	34	79	76	48	27	-
FEMALE	252	16	2	3	5	8	9	16	24	59	69	41	-
WHITE	521	30	5	13	17	16	17	37	93	124	107	62	-
MALE	298	17	4	10	13	10	13	24	71	69	44	23	-
FEMALE	223	13	1	3	4	6	4	13	22	55	63	39	-
ALL OTHER	87	13	1	1	7	4	11	13	10	11	10	6	-
MALE	58	10	-	1	6	2	6	10	8	7	4	4	-
FEMALE	29	3	1	-	1	2	5	3	2	4	6	2	-
LEXINGTON, KY	1,430	46	10	7	24	29	48	165	245	313	338	205	-
MALE	794	30	5	3	16	19	32	113	153	188	155	80	-
FEMALE	636	16	5	4	8	10	16	52	92	125	183	125	-
WHITE	1,173	36	7	6	19	22	31	143	206	238	288	177	-
MALE	652	25	3	2	12	14	23	99	129	145	135	65	-
FEMALE	521	11	4	4	7	8	8	44	77	93	153	112	-
ALL OTHER	257	10	3	1	5	7	17	22	39	75	50	28	-
MALE	142	5	2	1	4	5	9	14	24	43	20	15	-
FEMALE	115	5	1	-	1	2	8	8	15	32	30	13	-
LIMA, OHIO	1,639	64	7	12	46	23	39	105	239	346	419	339	-
MALE	909	36	6	6	34	17	22	80	156	208	208	136	-
FEMALE	730	28	1	6	12	6	17	25	83	138	211	203	-
WHITE	1,572	54	5	10	44	22	36	99	227	333	408	334	-
MALE	865	32	4	5	33	16	19	77	149	198	199	133	-
FEMALE	707	22	1	5	11	6	17	22	78	135	209	201	-
ALL OTHER	67	10	2	2	2	1	3	6	12	13	11	5	-
MALE	44	4	2	1	1	1	3	3	7	10	9	3	-
FEMALE	23	6	-	1	1	-	-	3	5	3	2	2	-
LINCOLN, NEBR	1,330	33	6	12	25	35	36	86	167	269	394	267	-
MALE	669	15	4	6	13	20	18	51	104	158	190	90	-
FEMALE	661	18	2	6	12	15	18	35	63	111	204	177	-
WHITE	1,306	30	5	12	24	34	34	82	162	265	392	266	-
MALE	656	14	3	6	12	19	17	49	102	155	190	89	-
FEMALE	650	16	2	6	12	15	17	33	60	110	202	177	-
ALL OTHER	24	3	1	-	1	1	2	4	5	4	2	1	-
MALE	13	1	1	-	1	1	1	2	2	3	-	1	-
FEMALE	11	2	-	-	-	-	1	2	3	1	2	-	-
LITTLE ROCK-NORTH LITTLE ROCK, ARK	3,142	116	14	28	86	84	103	285	558	698	768	402	-
MALE	1,747	67	9	17	65	56	68	186	370	393	370	146	-
FEMALE	1,395	49	5	11	21	28	35	99	188	305	398	256	-
WHITE	2,441	76	10	18	51	66	77	223	443	524	628	325	-
MALE	1,361	46	7	10	37	46	53	147	301	300	301	113	-
FEMALE	1,080	30	3	8	14	20	24	76	142	224	327	212	-
ALL OTHER	701	40	4	10	35	18	26	62	115	174	140	77	-
MALE	386	21	2	7	28	10	15	39	69	93	69	33	-
FEMALE	315	19	2	3	7	8	11	23	46	81	71	44	-
LORAIN-ELYRIA, OHIO	1,994	75	8	14	67	41	73	181	315	430	471	319	-
MALE	1,107	38	6	9	49	28	43	116	221	262	206	129	-
FEMALE	887	37	2	5	18	13	30	65	94	168	265	190	-
WHITE	1,863	54	6	12	60	36	64	163	297	409	456	306	-
MALE	1,026	28	4	8	44	25	37	107	208	248	195	122	-
FEMALE	837	26	2	4	16	11	27	56	89	161	261	184	-
ALL OTHER	131	21	2	2	7	5	9	18	18	21	15	13	-
MALE	81	10	2	1	5	3	6	9	13	14	11	7	-
FEMALE	50	11	-	1	2	2	3	9	5	7	4	6	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
LOS ANGELES-LONG BEACH, CALIF	60,195	1,530	317	367	1,539	1,691	2,215	5,391	9,382	12,836	15,192	9,733	2
MALE	31,493	891	176	225	1,110	1,137	1,380	3,299	5,823	7,402	6,789	3,261	-
FEMALE	28,702	639	141	142	429	554	835	2,092	3,559	5,434	8,403	6,472	2
WHITE	53,050	1,136	247	282	1,167	1,217	1,628	4,451	8,155	11,439	14,160	9,166	2
MALE	27,426	673	141	169	863	826	1,011	2,711	5,084	6,601	6,333	3,014	-
FEMALE	25,624	463	106	113	304	391	617	1,740	3,071	4,838	7,827	6,152	2
ALL OTHER	7,145	394	70	85	372	474	587	940	1,227	1,397	1,032	567	-
MALE	4,067	218	35	56	247	311	369	588	739	801	456	247	-
FEMALE	3,078	176	35	29	125	163	218	352	488	596	576	320	-
LOUISVILLE, KY.-IND	7,962	185	32	66	148	189	305	775	1,336	1,924	1,939	1,061	2
MALE	4,323	103	19	44	104	133	193	511	859	1,108	895	352	2
FEMALE	3,639	82	13	22	44	56	112	264	477	816	1,044	709	-
WHITE	6,736	132	21	54	122	147	243	636	1,097	1,597	1,719	967	1
MALE	3,645	76	14	36	87	103	157	431	727	917	782	314	1
FEMALE	3,091	56	7	18	35	44	86	205	370	680	937	653	-
ALL OTHER	1,226	53	11	12	26	42	62	139	239	327	220	94	1
MALE	678	27	5	8	17	30	36	80	132	191	113	38	1
FEMALE	548	26	6	4	9	12	26	59	107	136	107	56	-
LUBBOCK, TEX	1,214	80	12	18	46	40	53	124	219	279	270	173	-
MALE	731	43	8	15	31	33	35	76	144	176	121	49	-
FEMALE	583	37	4	3	15	7	18	48	75	103	149	124	-
WHITE	1,192	66	10	17	42	33	46	105	199	254	253	167	-
MALE	665	39	8	14	29	28	33	64	133	159	112	46	-
FEMALE	527	27	2	3	13	5	13	41	66	95	141	121	-
ALL OTHER	122	14	2	1	4	7	7	19	20	25	17	6	-
MALE	66	4	-	1	2	5	2	12	11	17	9	3	-
FEMALE	56	10	2	-	2	2	5	7	9	8	8	3	-
LYNCHBURG, VA	1,247	29	11	7	31	34	47	105	200	323	286	173	1
MALE	702	14	8	4	23	32	30	71	129	196	136	58	1
FEMALE	545	15	3	3	8	2	17	34	71	127	150	115	-
WHITE	962	15	7	5	23	20	29	78	149	246	235	155	-
MALE	526	7	5	3	15	19	20	55	97	149	108	48	-
FEMALE	436	8	2	2	8	1	9	23	52	97	127	107	-
ALL OTHER	285	14	4	2	8	14	18	27	51	77	51	18	1
MALE	176	7	3	1	8	13	10	16	32	47	28	10	1
FEMALE	109	7	1	1	-	1	8	11	19	30	23	8	-
MACON, GA	1,913	88	12	12	51	63	99	221	366	429	383	187	2
MALE	1,064	52	9	7	34	48	51	150	216	257	182	56	2
FEMALE	849	36	3	5	17	15	48	71	150	172	201	131	-
WHITE	1,240	43	10	7	30	32	58	129	217	272	290	150	2
MALE	722	32	9	4	22	26	33	95	145	173	133	48	2
FEMALE	518	11	1	3	8	6	25	34	72	99	157	102	-
ALL OTHER	673	45	2	5	21	31	41	92	149	157	93	37	-
MALE	342	20	-	3	12	22	18	55	71	84	49	8	-
FEMALE	331	25	2	2	9	9	23	37	78	73	44	29	-
MADISON, WIS	1,897	58	15	21	58	44	32	142	255	391	539	342	-
MALE	1,023	35	7	9	40	28	20	84	177	226	272	125	-
FEMALE	874	23	8	12	18	16	12	58	78	165	267	217	-
WHITE	1,875	55	12	20	56	43	31	138	252	390	537	341	-
MALE	1,009	32	6	9	38	27	19	80	176	226	271	125	-
FEMALE	866	23	6	11	18	16	12	58	76	164	266	216	-
ALL OTHER	22	3	3	1	2	1	1	4	3	1	2	1	-
MALE	14	3	1	-	2	1	1	4	1	-	1	-	-
FEMALE	8	-	2	1	-	-	-	-	2	1	1	1	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
MANCHESTER, N.H	2,188	43	15	12	40	27	71	162	332	504	637	345	–
MALE	1,189	23	5	10	27	19	46	110	218	306	301	124	–
FEMALE	999	20	10	2	13	8	25	52	114	198	336	221	–
WHITE	2,186	43	15	12	40	27	71	162	331	504	636	345	–
MALE	1,188	23	5	10	27	19	46	110	217	306	301	124	–
FEMALE	998	20	10	2	13	8	25	52	114	198	335	221	–
ALL OTHER	2	–	–	–	–	–	–	–	1	–	1	–	–
MALE	1	–	–	–	–	–	–	–	1	–	–	–	–
FEMALE	1	–	–	–	–	–	–	–	–	–	1	–	–
MANSFIELD, OHIO	1,145	33	6	5	29	22	31	82	173	296	298	170	–
MALE	642	19	3	4	19	15	16	50	113	192	150	61	–
FEMALE	503	14	3	1	10	7	15	32	60	104	148	109	–
WHITE	1,080	25	6	4	25	20	29	73	164	284	282	168	–
MALE	611	14	3	3	16	14	15	45	111	187	142	61	–
FEMALE	469	11	3	1	9	6	14	28	53	97	140	107	–
ALL OTHER	65	8	–	1	4	2	2	9	9	12	16	2	–
MALE	31	5	–	1	3	1	1	5	2	5	8	–	–
FEMALE	34	3	–	–	1	1	1	4	7	7	8	2	–
MC ALLEN-PHARR-EDINBURG, TEX	1,414	100	22	26	62	35	51	101	204	322	310	181	–
MALE	804	63	11	15	50	28	31	63	119	187	164	73	–
FEMALE	610	37	11	11	12	7	20	38	85	135	146	108	–
WHITE	1,401	99	21	26	62	34	51	100	202	318	307	181	–
MALE	794	62	10	15	50	27	31	62	117	185	162	73	–
FEMALE	607	37	11	11	12	7	20	38	85	133	145	108	–
ALL OTHER	13	1	1	–	–	1	–	1	2	4	3	–	–
MALE	10	1	1	–	–	1	–	1	2	2	2	–	–
FEMALE	3	–	–	–	–	–	–	–	–	2	1	–	–
MEMPHIS, TENN.-ARK	7,186	262	44	50	187	194	291	710	1,196	1,765	1,606	881	–
MALE	3,797	133	25	35	136	131	161	435	713	1,017	714	297	–
FEMALE	3,389	129	19	15	51	63	130	275	483	748	892	584	–
WHITE	4,024	86	14	27	90	90	151	403	653	897	1,019	594	–
MALE	2,104	42	6	20	65	58	90	255	428	532	434	174	–
FEMALE	1,920	44	8	7	25	32	61	148	225	365	585	420	–
ALL OTHER	3,162	176	30	23	97	104	140	307	543	868	587	287	–
MALE	1,693	91	19	15	71	73	71	180	285	485	280	123	–
FEMALE	1,469	85	11	8	26	31	69	127	258	383	307	164	–
MIAMI, FLA	15,128	289	66	98	306	292	474	1,182	2,255	3,851	4,311	2,003	1
MALE	8,578	157	35	58	214	202	286	770	1,408	2,273	2,308	866	1
FEMALE	6,550	132	31	40	92	90	188	412	847	1,578	2,003	1,137	–
WHITE	13,382	153	36	64	213	184	312	913	1,884	3,503	4,164	1,955	1
MALE	7,511	88	17	34	143	125	194	601	1,173	2,063	2,231	841	1
FEMALE	5,871	65	19	30	70	59	118	312	711	1,440	1,933	1,114	–
ALL OTHER	1,746	136	30	34	93	108	162	269	371	348	147	48	–
MALE	1,067	69	18	24	71	77	92	169	235	210	77	25	–
FEMALE	679	67	12	10	22	31	70	100	136	138	70	23	–
MIDLAND, TEX	442	23	4	5	17	18	22	50	59	94	90	60	–
MALE	236	16	3	4	10	9	12	23	40	61	38	20	–
FEMALE	206	7	1	1	7	9	10	27	19	33	52	40	–
WHITE	383	14	2	5	13	11	20	44	51	81	82	60	–
MALE	201	9	2	4	7	6	10	20	35	55	33	20	–
FEMALE	182	5	–	1	6	5	10	24	16	26	49	40	–
ALL OTHER	59	9	2	1	4	7	2	6	8	13	8	–	–
MALE	35	7	1	–	3	3	2	3	5	6	5	–	–
FEMALE	24	2	1	1	1	4	–	3	3	7	3	–	–

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MILWAUKEE, WIS	12,246	253	48	94	277	243	359	948	1,857	2,873	3,498	1,795	1
MALE	6,667	144	27	56	203	167	213	626	1,239	1,684	1,659	648	1
FEMALE	5,579	109	21	38	74	76	146	322	618	1,189	1,839	1,147	-
WHITE	11,540	184	28	78	229	194	292	846	1,732	2,751	3,437	1,768	1
MALE	6,249	100	13	46	170	135	186	561	1,154	1,621	1,628	634	1
FEMALE	5,291	84	15	32	59	59	106	285	578	1,130	1,809	1,134	-
ALL OTHER	706	69	20	16	48	49	67	102	125	122	61	27	-
MALE	418	44	14	10	33	32	27	65	85	63	31	14	-
FEMALE	288	25	6	6	15	17	40	37	40	59	30	13	-
MINNEAPOLIS-ST. PAUL, MINN	13,581	372	58	137	342	247	348	936	1,893	2,825	3,953	2,466	4
MALE	7,082	218	25	80	242	163	215	590	1,211	1,604	1,867	863	4
FEMALE	6,499	154	33	57	100	84	133	346	682	1,221	2,086	1,603	-
WHITE	13,228	336	52	130	321	222	326	890	1,839	2,769	3,903	2,436	4
MALE	6,880	198	23	76	224	146	201	562	1,174	1,576	1,847	849	4
FEMALE	6,348	138	29	54	97	76	125	328	665	1,193	2,056	1,587	-
ALL OTHER	353	36	6	7	21	25	22	46	54	56	50	30	-
MALE	202	20	2	4	18	17	14	28	37	28	20	14	-
FEMALE	151	16	4	3	3	8	8	18	17	28	30	16	-
MOBILE, ALA	3,438	111	27	38	68	100	127	343	600	896	731	376	1
MALE	1,924	65	12	25	64	64	76	211	385	533	370	118	1
FEMALE	1,514	46	15	13	24	36	51	132	215	363	361	258	-
WHITE	2,339	49	16	25	55	57	80	202	400	594	556	304	1
MALE	1,314	25	6	17	42	32	53	135	271	366	274	92	1
FEMALE	1,025	24	10	8	13	25	27	67	129	228	282	212	-
ALL OTHER	1,099	62	11	13	33	43	47	141	200	302	175	72	-
MALE	610	40	6	8	22	32	23	76	114	167	96	26	-
FEMALE	489	22	5	5	11	11	24	65	86	135	79	46	-
MODESTO, CALIF	1,920	49	12	11	54	53	59	149	260	433	512	327	1
MALE	1,117	30	7	6	45	32	36	96	176	278	268	142	1
FEMALE	803	19	5	5	9	21	23	53	84	155	244	185	-
WHITE	1,892	47	12	11	53	52	59	145	256	427	507	322	1
MALE	1,103	30	7	6	44	32	36	93	174	276	265	139	1
FEMALE	789	17	5	5	9	20	23	52	82	151	242	183	-
ALL OTHER	28	2	-	-	1	1	-	4	4	6	5	5	-
MALE	14	-	-	-	1	-	-	3	2	2	3	3	-
FEMALE	14	2	-	-	-	1	-	1	2	4	2	2	-
MONROE, LA	1,070	44	8	14	25	33	46	97	182	271	224	126	-
MALE	616	26	3	8	17	22	25	60	123	163	114	55	-
FEMALE	454	18	5	6	8	11	21	37	59	108	110	71	-
WHITE	714	21	4	7	18	22	26	63	121	175	164	93	-
MALE	406	17	2	1	11	17	11	42	84	103	79	39	-
FEMALE	308	4	2	6	7	5	15	21	37	72	85	54	-
ALL OTHER	356	23	4	7	7	11	20	34	61	96	60	33	-
MALE	210	9	1	7	6	5	14	18	39	60	35	16	-
FEMALE	146	14	3	-	1	6	6	16	22	36	25	17	-
MONTGOMERY, ALA	2,133	93	17	24	51	54	91	222	375	480	440	286	-
MALE	1,133	52	7	16	31	33	50	140	235	260	218	91	-
FEMALE	1,000	41	10	8	20	21	41	82	140	220	222	195	-
WHITE	1,265	32	4	13	24	29	51	135	220	288	275	194	-
MALE	678	17	1	9	15	17	27	87	147	164	131	63	-
FEMALE	587	15	3	4	9	12	24	48	73	124	144	131	-
ALL OTHER	868	61	13	11	27	25	40	87	155	192	165	92	-
MALE	455	35	6	7	16	16	23	53	88	96	87	28	-
FEMALE	413	26	7	4	11	9	17	34	67	96	78	64	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
MUNCIE, IND	1,057	26	6	13	28	20	38	95	168	262	251	150	-
MALE	581	19	3	10	18	15	27	63	110	150	111	55	-
FEMALE	476	7	3	3	10	5	11	32	58	112	140	95	-
WHITE	978	24	5	10	27	18	34	87	151	238	241	143	-
MALE	527	18	2	7	17	13	23	58	97	135	106	51	-
FEMALE	451	6	3	3	10	5	11	29	54	103	135	92	-
ALL OTHER	79	2	1	3	1	2	4	8	17	24	10	7	-
MALE	54	1	1	3	1	2	4	5	13	15	5	4	-
FEMALE	25	1	-	-	-	-	-	3	4	9	5	3	-
MUSKEGON-MUSKEGON HEIGHTS, MICH	1,385	47	11	12	27	34	39	115	211	313	365	211	-
MALE	751	28	6	9	24	20	24	55	132	182	177	94	-
FEMALE	634	19	5	3	3	14	15	60	79	131	188	117	-
WHITE	1,236	38	9	12	20	22	27	96	188	276	352	196	-
MALE	668	21	6	9	18	12	17	44	121	166	167	87	-
FEMALE	568	17	3	3	2	10	10	52	67	110	185	109	-
ALL OTHER	149	9	2	-	7	12	12	19	23	37	13	15	-
MALE	83	7	-	-	6	8	7	11	11	16	10	7	-
FEMALE	66	2	2	-	1	4	5	8	12	21	3	8	-
NASHVILLE-DAVIDSON, TENN	5,084	134	21	36	127	156	190	506	807	1,195	1,202	709	1
MALE	2,753	75	12	22	94	105	133	328	503	700	548	233	-
FEMALE	2,331	59	9	14	33	51	57	178	304	495	654	476	1
WHITE	3,888	83	13	30	94	108	123	348	590	902	989	607	1
MALE	2,111	44	9	19	68	77	89	233	385	545	447	195	-
FEMALE	1,777	39	4	11	26	31	34	115	205	357	542	412	1
ALL OTHER	1,196	51	8	6	33	48	67	158	217	293	213	102	-
MALE	642	31	3	3	26	28	44	95	118	155	101	38	-
FEMALE	554	20	5	3	7	20	23	63	99	138	112	64	-
NEW HAVEN-WATERBURY, CONN	6,926	162	30	36	107	97	165	540	1,124	1,521	1,999	1,144	1
MALE	3,774	99	19	19	72	63	107	326	749	892	1,001	426	1
FEMALE	3,152	63	11	17	35	34	58	214	375	629	998	718	-
WHITE	6,516	120	27	30	93	78	127	484	1,061	1,441	1,942	1,112	1
MALE	3,540	71	16	14	61	49	84	295	712	847	974	416	1
FEMALE	2,976	49	11	16	32	29	43	189	349	594	968	696	-
ALL OTHER	410	42	3	6	14	19	38	56	63	80	57	32	-
MALE	234	28	3	5	11	14	23	31	37	45	27	10	-
FEMALE	176	14	-	1	3	5	15	25	26	35	30	22	-
NEW ORLEANS, LA	10,139	347	56	92	339	294	435	1,081	1,869	2,592	2,154	877	3
MALE	5,557	202	31	60	247	218	264	694	1,191	1,463	927	258	2
FEMALE	4,582	145	25	32	92	76	171	387	678	1,129	1,227	619	1
WHITE	6,786	153	29	54	171	148	243	656	1,207	1,773	1,642	709	1
MALE	3,720	92	19	35	127	118	152	446	808	1,048	679	195	1
FEMALE	3,066	61	10	19	44	30	91	210	399	725	963	514	-
ALL OTHER	3,353	194	27	38	168	146	192	425	662	819	512	168	2
MALE	1,837	110	12	25	120	100	112	248	383	415	248	63	1
FEMALE	1,516	84	15	13	48	46	80	177	279	404	264	105	1
NEW YORK, N.Y	111,799	2,519	391	610	2,311	2,843	3,943	9,456	17,428	26,896	30,041	15,284	77
MALE	59,206	1,393	226	360	1,693	1,922	2,458	5,829	10,600	15,080	13,926	5,672	47
FEMALE	52,593	1,126	165	250	618	921	1,485	3,627	6,828	11,816	16,115	9,612	30
WHITE	94,956	1,465	240	412	1,546	1,742	2,444	6,981	14,358	23,469	27,873	14,369	57
MALE	49,783	812	133	240	1,147	1,194	1,535	4,321	8,862	13,286	12,879	5,342	32
FEMALE	45,173	653	107	172	399	548	909	2,660	5,496	10,183	14,994	9,027	25
ALL OTHER	16,843	1,054	151	198	765	1,101	1,499	2,475	3,070	3,427	2,168	915	20
MALE	9,423	581	93	120	546	728	923	1,508	1,738	1,794	1,047	330	15
FEMALE	7,420	473	58	78	219	373	576	967	1,332	1,633	1,121	585	5

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
NEWARK, N.J	16,901	400	85	82	372	396	595	1,472	2,732	3,878	4,436	2,446	7
MALE	9,026	221	50	48	278	285	358	918	1,723	2,256	1,991	895	3
FEMALE	7,875	179	35	34	94	111	237	554	1,009	1,622	2,445	1,551	4
WHITE	14,002	232	45	47	231	189	312	1,048	2,227	3,315	4,063	2,289	4
MALE	7,348	135	27	30	169	135	192	647	1,419	1,936	1,817	839	2
FEMALE	6,654	97	18	17	62	54	120	401	808	1,379	2,246	1,450	2
ALL OTHER	2,899	168	40	35	141	207	283	424	505	563	373	157	3
MALE	1,678	86	23	18	109	150	166	271	304	320	174	56	1
FEMALE	1,221	82	17	17	32	57	117	153	201	243	199	101	2
NEWPORT NEWS-HAMPTON, VA	1,998	79	10	22	68	81	104	259	409	439	368	159	-
MALE	1,181	45	4	14	44	59	59	163	270	271	202	50	-
FEMALE	817	34	6	8	24	22	45	96	139	168	166	109	-
WHITE	1,297	50	6	9	46	49	63	159	267	266	256	126	-
MALE	763	27	3	5	31	38	36	104	179	169	136	35	-
FEMALE	534	23	3	4	15	11	27	55	88	97	120	91	-
ALL OTHER	701	29	4	13	22	32	41	100	142	173	112	33	-
MALE	418	18	1	9	13	21	23	59	91	102	66	15	-
FEMALE	283	11	3	4	9	11	18	41	51	71	46	18	-
NORFOLK-PORTSMOUTH, VA	5,314	213	33	62	121	150	241	659	1,041	1,232	1,046	514	2
MALE	2,934	131	14	39	89	107	149	398	644	706	485	170	2
FEMALE	2,380	82	19	23	32	43	92	261	397	526	561	344	-
WHITE	3,442	107	23	43	80	93	128	380	621	783	772	412	-
MALE	1,881	64	8	28	60	67	90	239	391	462	351	121	-
FEMALE	1,561	43	15	15	20	26	38	141	230	321	421	291	-
ALL OTHER	1,872	106	10	19	41	57	113	279	420	449	274	102	2
MALE	1,053	67	6	11	29	40	59	159	253	244	134	49	2
FEMALE	819	39	4	8	12	17	54	120	167	205	140	53	-
ODESSA, TEX	623	33	4	8	29	20	29	78	125	134	112	51	-
MALE	393	18	1	5	22	13	21	47	93	100	50	23	-
FEMALE	230	15	3	3	7	7	8	31	32	34	62	28	-
WHITE	593	31	3	8	27	17	29	71	122	126	108	51	-
MALE	376	17	1	5	21	11	21	44	91	94	48	23	-
FEMALE	217	14	2	3	6	6	8	27	31	32	60	28	-
ALL OTHER	30	2	1	-	2	3	-	7	3	8	4	-	-
MALE	17	1	-	-	1	2	-	3	2	6	2	-	-
FEMALE	13	1	1	-	1	1	-	4	1	2	2	-	-
OGDEN, UTAH	989	29	10	14	29	27	27	84	144	235	232	158	-
MALE	573	17	4	9	19	19	15	51	100	148	126	65	-
FEMALE	416	12	6	5	10	8	12	33	44	87	106	93	-
WHITE	960	29	9	13	25	24	27	82	140	227	227	157	-
MALE	557	17	4	8	17	17	15	51	97	142	124	65	-
FEMALE	403	12	5	5	8	7	12	31	43	85	103	92	-
ALL OTHER	29	-	1	1	4	3	-	2	4	8	5	1	-
MALE	16	-	-	1	2	2	-	-	3	6	2	-	-
FEMALE	13	-	1	-	2	1	-	2	1	2	3	1	-
OKLAHOMA CITY, OKLA	5,464	225	41	54	183	129	208	514	857	1,191	1,264	785	13
MALE	3,048	126	28	38	127	80	125	329	569	720	619	278	9
FEMALE	2,416	99	13	16	56	49	83	185	288	471	645	507	4
WHITE	4,904	174	34	43	146	105	173	455	751	1,087	1,194	733	9
MALE	2,716	99	24	30	100	67	101	289	504	665	578	253	6
FEMALE	2,188	75	10	13	46	38	72	166	247	422	616	480	3
ALL OTHER	560	51	7	11	37	24	35	59	106	104	70	52	4
MALE	332	27	4	8	27	13	24	40	65	55	41	25	3
FEMALE	228	24	3	3	10	11	11	19	41	49	29	27	1

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
OMAHA, NEBR.-IOWA	4,511	152	21	40	138	105	129	350	655	985	1,187	749	-
MALE	2,431	80	15	22	103	66	74	227	425	581	573	265	-
FEMALE	2,080	72	6	18	35	39	55	123	230	404	614	484	-
WHITE	4,159	116	17	33	124	85	103	310	590	924	1,138	719	-
MALE	2,223	62	11	18	92	52	59	198	387	545	543	256	-
FEMALE	1,936	54	6	15	32	33	44	112	203	379	595	463	-
ALL OTHER	352	36	4	7	14	20	26	40	65	61	49	30	-
MALE	208	18	4	4	11	14	15	29	38	36	30	9	-
FEMALE	144	18	-	3	3	6	11	11	27	25	19	21	-
ORLANDO, FLA	4,147	107	25	34	132	129	166	416	684	944	929	581	-
MALE	2,355	61	13	26	104	93	103	254	460	560	454	227	-
FEMALE	1,792	46	12	8	28	36	63	162	224	384	475	354	-
WHITE	3,502	73	19	29	101	90	109	331	548	774	873	555	-
MALE	1,981	47	11	23	80	65	69	208	371	464	426	217	-
FEMALE	1,521	26	8	6	21	25	40	123	177	310	447	338	-
ALL OTHER	645	34	6	5	31	39	57	85	136	170	56	26	-
MALE	374	14	2	3	24	28	34	46	89	96	28	10	-
FEMALE	271	20	4	2	7	11	23	39	47	74	28	16	-
OWENSBORO, KY	754	20	5	6	16	15	22	63	136	165	187	119	-
MALE	421	8	2	4	14	13	16	40	82	107	87	48	-
FEMALE	333	12	3	2	2	2	6	23	54	58	100	71	-
WHITE	707	18	5	5	15	15	19	58	130	156	172	114	-
MALE	392	8	2	4	13	13	15	37	77	102	77	44	-
FEMALE	315	10	3	1	2	2	4	21	53	54	95	70	-
ALL OTHER	47	2	-	1	1	-	3	5	6	9	15	5	-
MALE	29	-	-	-	1	-	1	3	5	5	10	4	-
FEMALE	18	2	-	1	-	-	2	2	1	4	5	1	-
OXNARD-VENTURA, CALIF	2,552	79	19	27	74	66	100	242	374	547	623	400	1
MALE	1,391	43	10	12	57	54	56	147	243	326	295	147	1
FEMALE	1,161	36	9	15	17	12	44	95	131	221	328	253	-
WHITE	2,499	75	17	27	72	65	94	233	369	532	619	395	1
MALE	1,363	41	10	12	56	53	52	142	241	318	293	144	1
FEMALE	1,136	34	7	15	16	12	42	91	128	214	326	251	-
ALL OTHER	53	4	2	-	2	1	6	9	5	15	4	5	-
MALE	28	2	-	-	1	1	4	5	2	8	2	3	-
FEMALE	25	2	2	-	1	-	2	4	3	7	2	2	-
PATTERSON-CLIFTON-PASSAIC, N.J	11,943	197	43	61	171	180	317	1,016	1,929	2,788	3,385	1,854	2
MALE	6,288	106	23	35	126	121	192	612	1,227	1,629	1,539	676	2
FEMALE	5,655	91	20	26	45	59	125	404	702	1,159	1,846	1,178	-
WHITE	11,373	164	32	48	153	144	269	939	1,823	2,664	3,320	1,816	1
MALE	5,973	94	17	24	113	93	162	566	1,164	1,570	1,502	667	1
FEMALE	5,400	70	15	24	40	51	107	373	659	1,094	1,818	1,149	-
ALL OTHER	570	33	11	13	18	36	48	77	106	124	65	38	1
MALE	315	12	6	11	13	20	30	46	63	59	37	9	1
FEMALE	255	21	5	2	5	8	18	31	43	65	28	29	-
PENSACOLA, FLA	1,885	80	16	17	58	48	77	215	346	452	395	181	-
MALE	1,126	45	13	10	44	35	53	129	237	274	213	73	-
FEMALE	759	35	3	7	14	13	24	86	109	178	182	108	-
WHITE	1,443	38	14	11	46	34	57	148	260	336	341	158	-
MALE	892	24	12	8	37	27	39	95	182	219	187	62	-
FEMALE	551	14	2	3	9	7	18	53	78	117	154	96	-
ALL OTHER	442	42	2	6	12	14	20	67	86	116	54	23	-
MALE	234	21	1	2	7	8	14	34	55	55	26	11	-
FEMALE	208	21	1	4	5	6	6	33	31	61	28	12	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PEORIA, ILL	3,194	76	16	24	63	47	95	207	460	720	889	597	-
MALE	1,696	44	8	17	46	36	50	139	292	433	425	206	-
FEMALE	1,498	32	8	7	17	11	45	68	168	287	464	391	-
WHITE	3,076	66	13	20	60	39	85	195	436	701	872	589	-
MALE	1,662	40	6	15	44	31	45	131	277	427	421	205	-
FEMALE	1,434	26	7	5	16	8	40	64	159	274	451	384	-
ALL OTHER	118	10	3	4	3	8	10	12	24	19	17	8	-
MALE	54	4	2	2	2	5	5	8	15	6	4	1	-
FEMALE	64	6	1	2	1	3	5	4	9	13	13	7	-
PETERSBURG-COLONIAL HEIGHTS, VA	1,049	29	4	4	21	27	52	130	199	251	222	109	1
MALE	619	16	3	2	18	18	37	94	132	152	105	41	1
FEMALE	430	13	1	2	3	9	15	36	67	99	117	68	-
WHITE	666	14	2	2	12	14	23	65	131	161	163	79	-
MALE	381	6	2	1	10	9	19	51	93	97	70	23	-
FEMALE	285	8	-	1	2	5	4	14	38	64	93	56	-
ALL OTHER	383	15	2	2	9	13	29	65	68	90	59	30	1
MALE	238	10	1	1	8	9	18	43	39	55	35	18	1
FEMALE	145	5	1	1	1	4	11	22	29	35	24	12	-
PHILADELPHIA, PA.-N.J	47,173	1,181	209	313	969	967	1,612	4,332	7,863	11,399	12,233	6,077	18
MALE	25,385	651	113	189	733	684	1,005	2,734	4,918	6,517	5,670	2,157	14
FEMALE	21,788	530	96	124	236	283	607	1,598	2,945	4,882	6,563	3,920	4
WHITE	38,283	710	134	217	632	541	978	3,084	6,204	9,296	10,906	5,566	15
MALE	20,237	383	78	131	468	370	620	1,954	3,945	5,359	4,954	1,963	12
FEMALE	18,046	327	56	86	164	171	358	1,130	2,259	3,937	5,952	3,603	3
ALL OTHER	8,890	471	75	96	337	426	634	1,248	1,659	2,103	1,327	511	3
MALE	5,148	268	35	58	265	314	385	780	973	1,158	716	194	2
FEMALE	3,742	203	40	38	72	112	249	468	686	945	611	317	1
PHOENIX, ARIZ	9,239	315	87	95	327	239	358	815	1,496	2,276	2,204	1,023	4
MALE	5,548	185	49	54	246	167	234	520	995	1,445	1,216	433	4
FEMALE	3,691	130	38	41	81	72	124	295	501	831	988	590	-
WHITE	8,745	275	79	86	284	210	313	757	1,425	2,178	2,144	991	3
MALE	5,250	159	43	48	214	151	203	486	953	1,384	1,185	421	3
FEMALE	3,495	116	36	38	70	59	110	271	472	794	959	570	-
ALL OTHER	494	40	8	9	43	29	45	58	71	98	60	32	1
MALE	298	26	6	6	32	16	31	34	42	61	31	12	1
FEMALE	196	14	2	3	11	13	14	24	29	37	29	20	-
PINE BLUFF, ARK	898	29	5	11	18	19	29	62	135	251	227	112	-
MALE	479	12	1	6	13	12	20	33	84	145	117	36	-
FEMALE	419	17	4	5	5	7	9	29	51	106	110	76	-
WHITE	488	12	1	6	9	10	14	35	82	114	130	75	-
MALE	265	5	-	3	7	7	12	21	55	69	63	23	-
FEMALE	223	7	1	3	2	3	2	14	27	45	67	52	-
ALL OTHER	410	17	4	5	9	9	15	27	53	137	97	37	-
MALE	214	7	1	3	6	5	8	12	29	76	54	13	-
FEMALE	196	10	3	2	3	4	7	15	24	61	43	24	-
PITTSBURGH, PA	24,541	430	75	115	402	322	622	2,100	4,260	5,998	6,678	3,538	1
MALE	13,415	252	44	59	299	214	378	1,369	2,720	3,433	3,263	1,384	-
FEMALE	11,126	178	31	56	103	108	244	731	1,540	2,565	3,415	2,154	1
WHITE	22,442	336	59	99	344	244	523	1,821	3,895	5,456	6,292	3,372	1
MALE	12,199	196	33	50	259	162	306	1,209	2,502	3,133	3,038	1,311	-
FEMALE	10,243	140	26	49	85	82	217	612	1,393	2,323	3,254	2,061	1
ALL OTHER	2,099	94	16	16	58	78	99	279	365	542	386	166	-
MALE	1,216	56	11	9	40	52	72	160	218	300	225	73	-
FEMALE	883	38	5	7	18	26	27	119	147	242	161	93	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PITTSFIELD, MASS	1,562	32	4	11	22	14	33	93	233	334	488	298	-
MALE	838	21	4	7	17	9	20	61	149	205	235	110	-
FEMALE	724	11	-	4	5	5	13	32	84	129	253	188	-
WHITE	1,545	32	3	11	21	14	33	89	231	331	486	294	-
MALE	831	21	3	7	16	9	20	60	149	205	233	108	-
FEMALE	714	11	-	4	5	5	13	29	82	126	253	186	-
ALL OTHER	17	-	1	-	1	-	-	4	2	3	2	4	-
MALE	7	-	1	-	1	-	-	1	-	-	2	2	-
FEMALE	10	-	-	-	-	-	-	3	2	3	-	2	-
PORTLAND, MAINE	2,106	38	4	11	35	33	51	164	317	476	585	392	-
MALE	1,110	19	3	10	24	19	29	97	193	306	276	134	-
FEMALE	996	19	1	1	11	14	22	67	124	170	309	258	-
WHITE	2,100	38	4	10	35	33	51	163	317	473	584	392	-
MALE	1,105	19	3	9	24	19	29	97	193	303	275	134	-
FEMALE	995	19	1	1	11	14	22	66	124	170	309	258	-
ALL OTHER	6	-	-	1	-	-	-	1	-	3	1	-	-
MALE	5	-	-	1	-	-	-	-	-	3	1	-	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-
PORTLAND, OREG.-WASH	9,807	217	40	64	244	203	267	783	1,505	2,100	2,598	1,785	1
MALE	5,356	127	23	40	188	136	163	484	969	1,269	1,278	678	1
FEMALE	4,451	90	17	24	56	67	104	299	536	831	1,320	1,107	-
WHITE	9,485	200	36	61	229	184	242	736	1,437	2,041	2,560	1,758	1
MALE	5,153	120	23	39	177	122	141	457	918	1,233	1,255	667	1
FEMALE	4,332	80	13	22	52	62	101	279	519	808	1,305	1,091	-
ALL OTHER	322	17	4	3	15	19	25	47	68	59	38	27	-
MALE	203	7	-	1	11	14	22	27	51	36	23	11	-
FEMALE	119	10	4	2	4	5	3	20	17	23	15	16	-
PROVIDENCE, R.I	7,807	155	27	43	113	111	167	642	1,226	1,894	2,166	1,263	-
MALE	4,112	88	15	26	81	73	95	398	775	1,096	1,023	442	-
FEMALE	3,695	67	12	17	32	38	72	244	451	798	1,143	821	-
WHITE	7,610	137	23	41	105	98	154	616	1,195	1,860	2,133	1,248	-
MALE	3,992	72	13	25	74	65	88	381	737	1,081	1,003	433	-
FEMALE	3,618	65	10	16	31	33	66	235	438	779	1,130	815	-
ALL OTHER	197	18	4	2	8	13	13	26	31	34	33	15	-
MALE	120	16	2	1	7	8	7	17	18	15	20	9	-
FEMALE	77	2	2	1	1	5	6	9	13	19	13	6	-
PROVO-OREM, UTAH	827	74	9	11	28	12	22	57	109	186	204	115	-
MALE	437	42	6	6	17	9	15	40	64	108	82	48	-
FEMALE	390	32	3	5	11	3	7	17	45	78	122	67	-
WHITE	825	74	9	10	28	12	21	57	109	186	204	115	-
MALE	435	42	6	5	17	9	14	40	64	108	82	48	-
FEMALE	390	32	3	5	11	3	7	17	45	78	122	67	-
ALL OTHER	2	-	-	1	-	-	1	-	-	-	-	-	-
MALE	2	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
PUEBLO, COLO	1,128	44	7	10	30	27	45	94	160	248	291	172	-
MALE	658	31	3	6	20	18	34	65	106	154	152	69	-
FEMALE	470	13	4	4	10	9	11	29	54	94	139	103	-
WHITE	1,093	44	6	10	30	27	41	91	156	236	284	168	-
MALE	641	31	3	6	20	18	30	63	104	149	150	67	-
FEMALE	452	13	3	4	10	9	11	28	52	87	134	101	-
ALL OTHER	35	-	1	-	-	-	4	3	4	12	7	4	-
MALE	17	-	-	-	-	-	4	2	2	5	2	2	-
FEMALE	18	-	1	-	-	-	-	1	2	7	5	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
RACINE, WIS	1,377	34	7	12	44	38	45	94	212	302	379	210	-
MALE	800	22	4	8	37	31	24	59	144	191	203	77	-
FEMALE	577	12	3	4	7	7	21	35	68	111	176	133	-
WHITE	1,316	25	4	11	39	32	38	90	203	293	373	208	-
MALE	764	15	3	7	33	27	20	57	139	185	201	77	-
FEMALE	552	10	1	4	6	5	18	33	64	108	172	131	-
ALL OTHER	61	9	3	1	5	6	7	4	9	9	6	2	-
MALE	36	7	1	1	4	4	4	2	5	6	2	-	-
FEMALE	25	2	2	-	1	2	3	2	4	3	4	2	-
RALEIGH, N.C	1,763	58	9	14	58	49	85	207	322	383	384	193	1
MALE	1,008	28	6	9	42	33	53	144	218	216	186	73	-
FEMALE	755	30	3	5	16	16	32	63	104	167	198	120	1
WHITE	1,266	30	5	14	41	26	54	135	231	291	296	143	-
MALE	727	16	4	9	27	19	32	95	160	167	140	58	-
FEMALE	539	14	1	5	14	7	22	40	71	124	156	85	-
ALL OTHER	497	28	4	-	17	23	31	72	91	92	88	50	1
MALE	281	12	2	-	15	14	21	49	58	49	46	15	-
FEMALE	216	16	2	-	2	9	10	23	33	43	42	35	1
READING, PA	3,121	48	6	13	57	43	84	226	472	795	890	487	-
MALE	1,687	31	5	8	40	27	59	135	311	478	428	165	-
FEMALE	1,434	17	1	5	17	16	25	91	161	317	462	322	-
WHITE	3,059	45	5	12	56	40	79	221	464	776	879	482	-
MALE	1,650	29	5	8	39	25	54	131	307	465	424	163	-
FEMALE	1,409	16	-	4	17	15	25	90	157	311	455	319	-
ALL OTHER	62	3	1	1	1	3	5	5	8	19	11	5	-
MALE	37	2	-	-	1	2	5	4	4	13	4	2	-
FEMALE	25	1	1	1	-	1	-	1	4	6	7	3	-
RENO, NEV	1,182	39	6	8	30	39	53	131	239	253	265	115	4
MALE	699	23	4	4	24	29	31	84	159	151	140	47	3
FEMALE	483	16	2	4	6	10	22	47	80	102	125	68	1
WHITE	1,131	36	5	7	28	36	51	120	225	244	261	114	4
MALE	668	23	3	3	22	28	30	76	149	145	139	47	3
FEMALE	463	13	2	4	6	8	21	44	76	99	122	67	1
ALL OTHER	51	3	1	1	2	3	2	11	14	9	4	1	-
MALE	31	-	1	1	2	1	1	8	10	6	1	-	-
FEMALE	20	3	-	-	-	2	1	3	4	3	3	1	-
RICHMOND, VA	5,009	138	21	40	96	134	191	566	851	1,227	1,148	596	1
MALE	2,736	83	11	26	77	82	128	392	577	694	499	167	-
FEMALE	2,273	55	10	14	19	52	63	174	274	533	649	429	1
WHITE	3,546	77	12	19	62	72	102	350	577	850	907	517	1
MALE	1,905	50	6	14	47	42	74	253	403	496	381	139	-
FEMALE	1,641	27	6	5	15	30	28	97	174	354	526	378	1
ALL OTHER	1,463	61	9	21	34	62	89	216	274	377	241	79	-
MALE	831	33	5	12	30	40	54	139	174	198	118	28	-
FEMALE	632	28	4	9	4	22	35	77	100	179	123	51	-
ROANOKE, VA	1,984	42	7	12	53	55	64	201	316	464	516	254	-
MALE	1,126	20	5	8	39	41	39	128	213	286	249	98	-
FEMALE	858	22	2	4	14	14	25	73	103	178	267	156	-
WHITE	1,682	30	5	11	52	44	47	153	244	392	470	234	-
MALE	953	17	4	7	38	32	29	101	166	243	227	89	-
FEMALE	729	13	1	4	14	12	18	52	78	149	243	145	-
ALL OTHER	302	12	2	1	1	11	17	48	72	72	46	20	-
MALE	173	3	1	1	1	9	10	27	47	43	22	9	-
FEMALE	129	9	1	-	-	2	7	21	25	29	24	11	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
ROCHESTER, MINN	503	17	-	5	13	8	15	35	72	91	144	103	-
MALE	266	9	-	2	10	7	5	18	45	57	79	34	-
FEMALE	237	8	-	3	3	1	10	17	27	34	65	69	-
WHITE	503	17	-	5	13	8	15	35	72	91	144	103	-
MALE	266	9	-	2	10	7	5	18	45	57	79	34	-
FEMALE	237	8	-	3	3	1	10	17	27	34	65	69	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCHESTER, N.Y	7,498	165	35	55	161	124	215	578	1,069	1,562	2,175	1,356	3
MALE	3,981	96	19	33	120	79	124	352	687	936	1,017	516	2
FEMALE	3,517	69	16	22	41	45	91	226	382	626	1,158	840	1
WHITE	7,111	123	26	47	137	95	170	511	1,015	1,504	2,139	1,342	2
MALE	3,756	68	15	27	105	63	95	305	653	908	1,004	512	1
FEMALE	3,355	55	11	20	32	32	75	206	362	596	1,135	830	1
ALL OTHER	387	42	9	8	24	29	45	67	54	58	36	14	1
MALE	225	28	4	6	15	16	29	47	34	28	13	4	1
FEMALE	162	14	5	2	9	13	16	20	20	30	23	10	-
ROCKFORD, ILL	2,326	86	13	21	54	46	77	193	345	481	605	404	1
MALE	1,251	53	8	14	41	27	43	126	219	282	287	151	-
FEMALE	1,075	33	5	7	13	19	34	67	126	199	318	253	1
WHITE	2,206	68	10	18	47	40	67	173	328	463	592	399	1
MALE	1,177	44	6	14	36	24	36	113	206	270	279	149	-
FEMALE	1,029	24	4	4	11	16	31	60	122	193	313	250	1
ALL OTHER	120	18	3	3	7	6	10	20	17	18	13	5	-
MALE	74	9	2	-	5	3	7	13	13	12	8	2	-
FEMALE	46	9	1	3	2	3	3	7	4	6	5	3	-
SACRAMENTO, CALIF	6,640	191	39	58	190	156	230	645	1,129	1,527	1,501	973	1
MALE	3,851	116	22	39	142	103	137	402	756	981	766	387	-
FEMALE	2,789	75	17	19	48	53	93	243	373	546	735	586	1
WHITE	6,191	166	37	56	176	141	204	581	1,033	1,438	1,430	929	-
MALE	3,562	101	21	38	136	90	120	360	690	920	725	361	-
FEMALE	2,629	65	16	18	40	51	84	221	343	518	705	568	-
ALL OTHER	449	25	2	2	14	15	26	64	96	89	71	44	1
MALE	289	15	1	1	6	13	17	42	66	61	41	26	-
FEMALE	160	10	1	1	8	2	9	22	30	28	30	18	1
SAGINAW, MICH	1,768	49	13	21	61	62	68	137	277	409	417	254	-
MALE	1,023	32	9	13	46	36	50	88	183	269	195	102	-
FEMALE	745	17	4	8	15	26	18	49	94	140	222	152	-
WHITE	1,541	33	11	15	46	35	49	107	237	370	388	250	-
MALE	885	21	8	8	33	21	37	72	156	246	182	101	-
FEMALE	656	12	3	7	13	14	12	35	81	124	206	149	-
ALL OTHER	227	16	2	6	15	27	19	30	40	39	29	4	-
MALE	138	11	1	5	13	15	13	16	27	23	13	1	-
FEMALE	89	5	1	1	2	12	6	14	13	16	16	3	-
ST. JOSEPH, MO	1,138	25	2	12	21	12	16	78	147	291	324	209	1
MALE	607	11	-	6	14	7	8	51	98	174	157	80	1
FEMALE	531	14	2	6	7	5	8	27	49	117	167	129	-
WHITE	1,106	24	2	11	20	12	14	76	143	284	314	205	1
MALE	589	11	-	5	13	7	7	50	96	171	150	78	1
FEMALE	517	13	2	6	7	5	7	26	47	113	164	127	-
ALL OTHER	32	1	-	1	1	-	2	2	4	7	10	4	-
MALE	18	-	-	1	1	-	1	1	2	3	7	2	-
FEMALE	14	1	-	-	-	-	1	1	2	4	3	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ST. LOUIS, MO.-ILL	22,835	640	101	146	527	483	752	1,919	3,528	5,476	5,985	3,272	6
MALE	12,144	373	63	85	393	312	471	1,219	2,220	3,162	2,772	1,068	6
FEMALE	10,691	267	38	61	134	171	281	700	1,308	2,314	3,213	2,204	-
WHITE	18,786	354	51	108	358	292	503	1,418	2,810	4,525	5,339	3,025	3
MALE	9,878	214	35	66	253	186	307	934	1,826	2,636	2,451	967	3
FEMALE	8,908	140	16	42	105	106	196	484	984	1,889	2,888	2,058	-
ALL OTHER	4,049	286	50	38	169	191	249	501	718	951	646	247	3
MALE	2,266	159	28	19	140	126	164	285	394	526	321	101	3
FEMALE	1,783	127	22	19	29	65	85	216	324	425	325	146	-
SALEM, OREG	1,867	42	5	8	52	29	41	116	255	424	563	332	-
MALE	998	26	2	7	38	20	26	67	159	252	280	121	-
FEMALE	869	16	3	1	14	9	15	49	96	172	283	211	-
WHITE	1,852	39	5	8	50	29	38	115	253	420	563	332	-
MALE	988	24	2	7	37	20	23	67	158	249	280	121	-
FEMALE	864	15	3	1	13	9	15	48	95	171	283	211	-
ALL OTHER	15	3	-	-	2	-	3	1	2	4	-	-	-
MALE	10	2	-	-	1	-	3	-	1	3	-	-	-
FEMALE	5	1	-	-	1	-	-	1	1	1	-	-	-
SALINAS-MONTEREY, CALIF	1,842	51	12	16	62	48	59	163	308	422	441	260	-
MALE	1,017	34	6	9	50	37	38	99	189	256	213	86	-
FEMALE	825	17	6	7	12	11	21	64	119	166	228	174	-
WHITE	1,711	44	12	14	49	43	48	148	284	393	421	255	-
MALE	922	29	6	8	38	33	32	91	169	232	201	83	-
FEMALE	789	15	6	6	11	10	16	57	115	161	220	172	-
ALL OTHER	131	7	-	2	13	5	11	15	24	29	20	5	-
MALE	95	5	-	1	12	4	6	8	20	24	12	3	-
FEMALE	36	2	-	1	1	1	5	7	4	5	8	2	-
SALT LAKE CITY, UTAH	3,559	182	41	48	119	103	131	289	501	787	844	513	1
MALE	1,977	106	28	32	85	66	87	168	327	480	409	188	1
FEMALE	1,582	76	13	16	34	37	44	121	174	307	435	325	-
WHITE	3,499	177	39	47	116	96	126	282	495	774	836	510	1
MALE	1,937	103	27	31	83	64	82	163	322	470	404	187	1
FEMALE	1,562	74	12	16	33	32	44	119	173	304	432	323	-
ALL OTHER	60	5	2	1	3	7	5	7	6	13	8	3	-
MALE	40	3	1	1	2	2	5	5	5	10	5	1	-
FEMALE	20	2	1	-	1	5	-	2	1	3	3	2	-
SAN ANGELO, TEX	771	22	4	4	12	10	20	56	120	184	197	142	-
MALE	424	15	2	3	11	8	11	29	78	112	103	52	-
FEMALE	347	7	2	1	1	2	9	27	42	72	94	90	-
WHITE	732	19	4	4	11	9	17	51	115	172	190	140	-
MALE	403	14	2	3	10	7	8	28	78	104	98	51	-
FEMALE	329	5	2	1	1	2	9	23	37	68	92	89	-
ALL OTHER	39	3	-	-	1	1	3	5	5	12	7	2	-
MALE	21	1	-	-	1	1	3	1	-	8	5	1	-
FEMALE	18	2	-	-	-	-	-	4	5	4	2	1	-
SAN ANTONIO, TEX	6,893	288	62	87	231	220	258	616	994	1,555	1,660	921	1
MALE	3,781	171	28	59	170	169	168	413	630	922	767	283	1
FEMALE	3,112	117	34	28	61	51	90	203	364	633	893	638	-
WHITE	6,236	266	54	77	212	186	223	542	883	1,395	1,531	866	1
MALE	3,454	162	25	52	158	145	150	373	571	843	706	268	1
FEMALE	2,782	104	29	25	54	41	73	169	312	552	825	598	-
ALL OTHER	657	22	8	10	19	34	35	74	111	160	129	55	-
MALE	327	9	3	7	12	24	18	40	59	79	61	15	-
FEMALE	330	13	5	3	7	10	17	34	52	81	68	40	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF	10,939	274	86	82	301	231	332	790	1,604	2,662	2,927	1,643	7
MALE	6,204	149	46	44	230	151	196	485	1,036	1,598	1,579	685	5
FEMALE	4,735	125	40	38	71	80	136	305	568	1,064	1,348	958	2
WHITE	10,486	244	82	76	283	205	302	731	1,544	2,548	2,847	1,617	7
MALE	5,943	133	43	41	218	137	183	448	998	1,534	1,532	671	5
FEMALE	4,543	111	39	35	65	68	119	283	546	1,014	1,315	946	2
ALL OTHER	453	30	4	6	18	26	30	59	60	114	80	26	-
MALE	261	16	3	3	12	14	13	37	38	64	47	14	-
FEMALE	192	14	1	3	6	12	17	22	22	50	33	12	-
SAN DIEGO, CALIF	11,510	313	66	77	399	287	360	952	1,767	2,593	2,860	1,829	7
MALE	6,251	184	40	50	295	195	223	563	1,031	1,574	1,400	691	5
FEMALE	5,259	129	26	27	104	92	137	389	736	1,019	1,460	1,138	2
WHITE	10,965	265	55	63	360	258	323	876	1,687	2,492	2,778	1,802	6
MALE	5,930	152	33	41	266	177	201	522	989	1,508	1,357	679	5
FEMALE	5,035	113	22	22	94	81	122	354	698	984	1,421	1,123	1
ALL OTHER	545	48	11	14	39	29	37	76	80	101	82	27	1
MALE	321	32	7	9	29	18	22	41	42	66	43	12	-
FEMALE	224	16	4	5	10	11	15	35	38	35	39	15	1
SAN FRANCISCO-OAKLAND, CALIF	26,950	509	100	150	699	806	939	2,438	4,268	5,945	6,819	4,272	5
MALE	14,591	296	54	92	516	556	587	1,506	2,655	3,557	3,251	1,518	3
FEMALE	12,359	213	46	58	183	250	352	932	1,613	2,388	3,568	2,754	2
WHITE	23,428	343	75	113	536	594	688	1,953	3,604	5,162	6,296	4,059	5
MALE	12,432	202	41	67	394	408	419	1,206	2,232	3,062	2,973	1,425	3
FEMALE	10,996	141	34	46	142	186	269	747	1,372	2,100	3,323	2,634	2
ALL OTHER	3,522	166	25	37	163	212	251	485	664	783	523	213	-
MALE	2,159	94	13	25	122	148	168	300	423	495	278	93	-
FEMALE	1,363	72	12	12	41	64	83	185	241	288	245	120	-
SAN JOSE, CALIF	6,755	199	44	90	250	217	295	628	995	1,349	1,607	1,079	2
MALE	3,591	116	24	57	187	138	181	374	620	781	735	376	2
FEMALE	3,164	83	20	33	63	79	114	254	375	568	872	703	-
WHITE	6,515	185	43	81	235	198	270	601	967	1,314	1,571	1,049	1
MALE	3,437	111	23	51	177	126	163	357	599	754	715	360	1
FEMALE	3,078	74	20	30	58	72	107	244	368	560	856	689	-
ALL OTHER	240	14	1	9	15	19	25	27	28	35	36	30	1
MALE	154	5	1	6	10	12	18	17	21	27	20	16	1
FEMALE	86	9	-	3	5	7	7	10	7	8	16	14	-
SANTA BARBARA, CALIF	2,020	45	6	16	63	46	52	175	268	457	527	364	1
MALE	1,093	25	5	11	45	30	27	116	176	282	241	134	1
FEMALE	927	20	1	5	18	16	25	59	92	175	286	230	-
WHITE	1,962	40	6	15	59	44	49	169	264	440	518	357	1
MALE	1,057	22	5	11	44	28	27	112	174	269	235	129	1
FEMALE	905	18	1	4	15	16	22	57	90	171	283	228	-
ALL OTHER	58	5	-	1	4	2	3	6	4	17	9	7	-
MALE	36	3	-	-	1	2	-	4	2	13	6	5	-
FEMALE	22	2	-	1	3	-	3	2	2	4	3	2	-
SANTA ROSA, CALIF	2,339	39	9	15	75	51	57	143	340	575	621	413	1
MALE	1,283	20	7	6	55	39	34	92	204	342	322	161	1
FEMALE	1,056	19	2	9	20	12	23	51	136	233	299	252	-
WHITE	2,299	37	9	14	74	50	52	140	332	567	615	408	1
MALE	1,257	18	7	5	55	39	31	90	199	336	317	159	1
FEMALE	1,042	19	2	9	19	11	21	50	133	231	298	249	-
ALL OTHER	40	2	-	1	1	1	5	3	8	8	6	5	-
MALE	26	2	-	1	-	-	3	2	5	6	5	2	-
FEMALE	14	-	-	-	1	1	2	1	3	2	1	3	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SAVANNAH, GA	1,928	58	12	21	57	46	75	210	383	507	387	171	1
MALE	1,010	37	6	15	39	28	43	127	227	273	147	67	1
FEMALE	918	21	6	6	18	18	32	83	156	234	240	104	-
WHITE	1,135	26	6	13	33	19	27	117	204	270	282	135	1
MALE	605	16	3	8	25	13	16	76	134	153	108	52	1
FEMALE	530	10	3	5	8	6	11	41	72	117	174	83	-
ALL OTHER	793	32	6	8	24	27	48	93	177	237	105	36	-
MALE	405	21	3	7	14	15	27	51	93	120	39	15	-
FEMALE	388	11	3	1	10	12	21	42	84	117	66	21	-
SCRANTON, PA	3,034	62	13	12	19	30	57	212	523	808	917	381	-
MALE	1,569	38	9	5	13	24	35	135	334	453	401	122	-
FEMALE	1,465	24	4	7	6	6	22	77	189	355	516	259	-
WHITE	3,014	61	12	11	18	29	55	211	521	804	912	380	-
MALE	1,556	38	8	5	12	23	34	134	333	451	397	121	-
FEMALE	1,458	23	4	6	6	6	21	77	188	353	515	259	-
ALL OTHER	20	1	1	1	1	1	2	1	2	4	5	1	-
MALE	13	-	1	-	1	1	1	1	1	2	4	1	-
FEMALE	7	1	-	1	-	-	1	-	1	2	1	-	-
SEATTLE-EVERETT, WASH	11,327	244	54	80	298	280	312	973	1,813	2,397	2,843	2,031	2
MALE	6,177	143	28	55	222	189	179	614	1,175	1,449	1,372	749	2
FEMALE	5,150	101	26	25	76	91	133	359	638	948	1,471	1,282	-
WHITE	10,734	208	42	74	272	237	269	880	1,709	2,295	2,757	1,989	2
MALE	5,801	124	23	50	205	158	148	557	1,101	1,382	1,324	727	2
FEMALE	4,933	84	19	24	67	79	121	323	608	913	1,433	1,262	-
ALL OTHER	593	36	12	6	26	43	43	93	104	102	86	42	-
MALE	376	19	5	5	17	31	31	57	74	67	48	22	-
FEMALE	217	17	7	1	9	12	12	36	30	35	38	20	-
SHERMAN-DENISON, TEX	981	14	1	6	18	13	18	76	146	241	267	181	-
MALE	516	7	1	3	13	7	11	45	97	145	118	69	-
FEMALE	465	7	-	3	5	6	7	31	49	96	149	112	-
WHITE	899	12	1	5	16	11	15	69	129	222	248	171	-
MALE	480	6	1	2	12	7	9	43	87	136	111	66	-
FEMALE	419	6	-	3	4	4	6	26	42	86	137	105	-
ALL OTHER	82	2	-	1	2	2	3	7	17	19	19	10	-
MALE	36	1	-	1	1	-	2	2	10	9	7	3	-
FEMALE	46	1	-	-	1	2	1	5	7	10	12	7	-
SHREVEPORT, LA	2,798	113	14	27	82	84	87	250	433	677	698	333	-
MALE	1,548	71	6	19	57	55	56	163	274	395	346	106	-
FEMALE	1,250	42	8	8	25	29	31	87	159	282	352	227	-
WHITE	1,744	53	7	17	45	34	45	148	286	410	472	227	-
MALE	991	36	3	13	34	19	29	105	196	254	240	62	-
FEMALE	753	17	4	4	11	15	16	43	90	156	232	165	-
ALL OTHER	1,054	60	7	10	37	50	42	102	147	267	226	106	-
MALE	557	35	3	6	23	36	27	58	78	141	106	44	-
FEMALE	497	25	4	4	14	14	15	44	69	126	120	62	-
SIOUX CITY, IOWA-NEBR	1,199	35	5	7	35	28	22	62	169	287	334	214	1
MALE	652	18	2	4	26	18	12	40	104	173	172	82	1
FEMALE	547	17	3	3	9	10	10	22	65	114	162	132	-
WHITE	1,181	34	5	7	33	27	21	60	168	283	330	212	1
MALE	644	18	2	4	24	17	11	40	104	171	170	82	1
FEMALE	537	16	3	3	9	10	10	20	64	112	160	130	-
ALL OTHER	18	1	-	-	2	1	1	2	1	4	4	2	-
MALE	8	-	-	-	2	1	1	-	-	2	2	-	-
FEMALE	10	1	-	-	-	-	-	2	1	2	2	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SIOUX FALLS, S. DAK	758	26	5	6	11	10	18	60	89	143	219	171	-
MALE	391	15	2	4	8	9	12	43	58	82	104	54	-
FEMALE	367	11	3	2	3	1	6	17	31	61	115	117	-
WHITE	750	25	3	6	11	10	18	57	87	143	219	171	-
MALE	384	14	1	4	8	9	12	40	56	82	104	54	-
FEMALE	366	11	2	2	3	1	6	17	31	61	115	117	-
ALL OTHER	8	1	2	-	-	-	-	3	2	-	-	-	-
MALE	7	1	1	-	-	-	-	3	2	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH BEND, IND	2,608	77	13	27	44	57	67	217	363	619	701	423	-
MALE	1,455	33	7	19	29	38	49	130	246	383	367	154	-
FEMALE	1,153	44	6	8	15	19	18	87	117	236	334	269	-
WHITE	2,449	63	12	25	39	48	59	201	345	583	669	405	-
MALE	1,363	28	6	18	26	31	44	121	234	362	348	145	-
FEMALE	1,086	35	6	7	13	17	15	80	111	221	321	260	-
ALL OTHER	159	14	1	2	5	9	8	16	18	36	32	18	-
MALE	92	5	1	1	3	7	5	9	12	21	19	9	-
FEMALE	67	9	-	1	2	2	3	7	6	15	13	9	-
SPOKANE, WASH	2,812	74	15	15	49	54	80	193	422	600	765	545	-
MALE	1,520	37	8	12	36	33	52	108	270	378	384	202	-
FEMALE	1,292	37	7	3	13	21	28	85	152	222	381	343	-
WHITE	2,752	70	12	15	45	50	70	187	411	594	754	544	-
MALE	1,477	36	7	12	32	30	44	103	261	372	378	202	-
FEMALE	1,275	34	5	3	13	20	26	84	150	222	376	342	-
ALL OTHER	60	4	3	-	4	4	10	6	11	6	11	1	-
MALE	43	1	1	-	4	3	8	5	9	6	6	-	-
FEMALE	17	3	2	-	-	1	2	1	2	-	5	1	-
SPRINGFIELD, ILL	1,679	45	6	11	32	27	52	126	246	407	425	302	-
MALE	889	28	3	6	25	18	38	82	160	229	206	94	-
FEMALE	790	17	3	5	7	9	14	44	86	178	219	208	-
WHITE	1,568	33	6	11	29	26	42	112	227	379	411	292	-
MALE	835	21	3	6	22	17	29	77	150	217	201	92	-
FEMALE	733	12	3	5	7	9	13	35	77	162	210	200	-
ALL OTHER	111	12	-	-	3	1	10	14	19	28	14	10	-
MALE	54	7	-	-	3	1	9	5	10	12	5	2	-
FEMALE	57	5	-	-	-	-	1	9	9	16	9	8	-
SPRINGFIELD, MO	1,586	45	9	8	36	31	40	105	210	348	445	309	-
MALE	826	28	6	5	26	21	27	63	130	211	207	102	-
FEMALE	760	17	3	3	10	10	13	42	80	137	238	207	-
WHITE	1,552	43	8	8	36	30	38	102	204	340	440	303	-
MALE	807	27	5	5	26	20	26	62	125	207	204	100	-
FEMALE	745	16	3	3	10	10	12	40	79	133	236	203	-
ALL OTHER	34	2	1	-	-	1	2	3	6	8	5	6	-
MALE	19	1	1	-	-	1	1	1	5	4	3	2	-
FEMALE	15	1	-	-	-	-	1	2	1	4	2	4	-
SPRINGFIELD, OHIO	1,456	44	7	11	29	25	35	114	215	323	401	252	-
MALE	726	23	3	6	14	13	20	71	130	176	187	83	-
FEMALE	730	21	4	5	15	12	15	43	85	147	214	169	-
WHITE	1,297	35	6	10	23	22	28	98	194	287	362	232	-
MALE	651	19	3	5	12	12	16	65	119	162	167	71	-
FEMALE	646	16	3	5	11	10	12	33	75	125	195	161	-
ALL OTHER	159	9	1	1	6	3	7	16	21	36	39	20	-
MALE	75	4	-	1	2	1	4	6	11	14	20	12	-
FEMALE	84	5	1	-	4	2	3	10	10	22	19	8	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
SPRINGFIELD-HOLYOKE, MASS	5,659	96	23	22	74	74	129	414	869	1,307	1,673	977	1
MALE	2,962	62	16	17	56	48	85	260	573	768	737	340	-
FEMALE	2,697	34	7	5	18	26	44	154	296	539	936	637	1
WHITE	5,507	84	19	20	72	66	116	388	841	1,274	1,660	966	1
MALE	2,864	53	13	16	55	43	74	240	554	750	732	334	-
FEMALE	2,643	31	6	4	17	23	42	148	287	524	928	632	1
ALL OTHER	152	12	4	2	2	8	13	26	28	33	13	11	-
MALE	98	9	3	1	1	5	11	20	19	18	5	6	-
FEMALE	54	3	1	1	1	3	2	6	9	15	8	5	-
STEUBINVILLE-WEIRTON, OHIO-W. VA	1,721	39	7	12	34	22	46	148	333	406	429	245	-
MALE	976	20	2	10	27	17	29	87	207	251	222	104	-
FEMALE	745	19	5	2	7	5	17	61	126	155	207	141	-
WHITE	1,636	32	7	9	32	21	42	136	321	383	409	244	-
MALE	927	14	2	8	26	17	27	82	198	240	210	103	-
FEMALE	709	18	5	1	6	4	15	54	123	143	199	141	-
ALL OTHER	85	7	-	3	2	1	4	12	12	23	20	1	-
MALE	49	6	-	2	1	-	2	5	9	11	12	1	-
FEMALE	36	1	-	1	1	1	2	7	3	12	8	-	-
STOCKTON, CALIF	2,895	60	13	26	84	55	105	236	462	650	777	427	-
MALE	1,723	38	8	18	68	41	64	166	307	424	418	171	-
FEMALE	1,172	22	5	8	16	14	41	70	155	226	359	256	-
WHITE	2,617	50	13	24	75	50	84	207	416	575	720	403	-
MALE	1,526	32	8	17	61	37	51	149	276	360	379	156	-
FEMALE	1,091	18	5	7	14	13	33	58	140	215	341	247	-
ALL OTHER	278	10	-	2	9	5	21	29	46	75	57	24	-
MALE	197	6	-	1	7	4	13	17	31	64	39	15	-
FEMALE	81	4	-	1	2	1	8	12	15	11	18	9	-
SYRACUSE, N.Y	5,483	136	23	37	110	69	129	440	862	1,277	1,538	857	5
MALE	3,025	66	16	22	82	45	76	280	561	771	775	327	4
FEMALE	2,458	70	7	15	28	24	53	160	301	506	763	530	1
WHITE	5,336	121	23	33	102	67	117	423	830	1,252	1,517	848	3
MALE	2,947	61	16	20	76	43	68	270	542	757	767	325	2
FEMALE	2,389	60	7	13	26	24	49	153	288	495	750	523	1
ALL OTHER	147	15	-	4	8	2	12	17	32	25	21	9	2
MALE	78	5	-	2	6	2	8	10	19	14	8	2	2
FEMALE	69	10	-	2	2	-	4	7	13	11	13	7	-
TACOMA, WASH	3,374	129	14	25	111	74	107	305	525	742	814	527	1
MALE	1,889	78	12	13	88	53	67	195	337	455	386	205	-
FEMALE	1,485	51	2	12	23	21	40	110	188	287	428	322	1
WHITE	3,238	105	13	23	101	67	96	286	498	730	797	521	1
MALE	1,812	63	11	12	80	50	62	183	323	447	379	202	-
FEMALE	1,426	42	2	11	21	17	34	103	175	283	418	319	1
ALL OTHER	136	24	1	2	10	7	11	19	27	12	17	6	-
MALE	77	15	1	1	8	3	5	12	14	8	7	3	-
FEMALE	59	9	-	1	2	4	6	7	13	4	10	3	-
TALLAHASSEE, FLA	682	31	9	7	27	24	35	68	135	147	120	79	-
MALE	373	20	7	6	20	17	20	33	85	79	63	23	-
FEMALE	309	11	2	1	7	7	15	35	50	68	57	56	-
WHITE	459	20	7	4	20	14	14	37	89	91	93	70	-
MALE	258	14	5	4	15	11	10	15	58	57	52	17	-
FEMALE	201	6	2	-	5	3	4	22	31	34	41	53	-
ALL OTHER	223	11	2	3	7	10	21	31	46	56	27	9	-
MALE	115	6	2	2	5	6	10	18	27	22	11	6	-
FEMALE	108	5	-	1	2	4	11	13	19	34	16	3	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
TAMPA-ST. PETERSBURG, FLA	15,656	269	46	88	230	252	363	1,009	2,056	4,040	4,841	2,460	2
MALE	8,963	145	27	58	183	180	235	635	1,302	2,475	2,666	1,057	-
FEMALE	6,693	124	19	30	47	72	128	374	754	1,565	2,175	1,403	2
WHITE	14,421	168	37	73	190	188	274	848	1,807	3,740	4,693	2,401	2
MALE	8,251	95	21	48	151	138	177	535	1,156	2,304	2,592	1,034	-
FEMALE	6,170	73	16	25	39	50	97	313	651	1,436	2,101	1,367	2
ALL OTHER	1,235	101	9	15	40	64	89	161	249	300	148	59	-
MALE	712	50	6	10	32	42	58	100	146	171	74	23	-
FEMALE	523	51	3	5	8	22	31	61	103	129	74	36	-
TERRE HAUTE, IND	2,122	50	8	9	37	34	30	124	292	510	634	394	-
MALE	1,127	29	6	5	29	19	18	82	186	294	316	143	-
FEMALE	995	21	2	4	8	15	12	42	106	216	318	251	-
WHITE	2,065	45	6	9	35	32	29	122	282	501	617	387	-
MALE	1,089	26	4	5	27	17	17	82	178	290	305	138	-
FEMALE	976	19	2	4	8	15	12	40	104	211	312	249	-
ALL OTHER	57	5	2	-	2	2	1	2	10	9	17	7	-
MALE	38	3	2	-	2	2	1	-	8	4	11	5	-
FEMALE	19	2	-	-	-	-	-	2	2	5	6	2	-
TEXARKANA, TEXAS-ARK	1,086	31	3	12	22	29	34	97	172	262	285	139	-
MALE	610	17	2	8	19	20	23	61	104	161	139	56	-
FEMALE	476	14	1	4	3	9	11	36	68	101	146	83	-
WHITE	834	20	3	10	12	18	19	71	132	200	230	119	-
MALE	468	11	2	7	11	13	13	46	81	128	110	46	-
FEMALE	366	9	1	3	1	5	6	25	51	72	120	73	-
ALL OTHER	252	11	-	2	10	11	15	26	40	62	55	20	-
MALE	142	6	-	1	8	7	10	15	23	33	29	10	-
FEMALE	110	5	-	1	2	4	5	11	17	29	26	10	-
TOLEDO, OHIO-MICH	6,604	191	35	36	178	127	179	549	1,020	1,522	1,814	953	-
MALE	3,582	108	15	20	140	82	115	353	640	902	872	335	-
FEMALE	3,022	83	20	16	38	45	64	196	380	620	942	618	-
WHITE	5,988	129	28	31	151	103	143	465	924	1,377	1,722	915	-
MALE	3,238	81	14	19	121	66	93	304	583	820	823	314	-
FEMALE	2,750	48	14	12	30	37	50	161	341	557	899	601	-
ALL OTHER	616	62	7	5	27	24	36	84	96	145	92	38	-
MALE	344	27	1	1	19	16	22	49	57	82	49	21	-
FEMALE	272	35	6	4	8	8	14	35	39	63	43	17	-
TOPEKA, KANS	1,327	21	9	5	23	32	47	100	156	308	394	232	-
MALE	718	16	7	3	20	21	32	61	100	190	188	80	-
FEMALE	609	5	2	2	3	11	15	39	56	118	206	152	-
WHITE	1,196	17	8	4	20	28	41	87	135	272	363	221	-
MALE	648	13	6	3	17	21	28	52	88	168	174	78	-
FEMALE	548	4	2	1	3	7	13	35	47	104	189	143	-
ALL OTHER	131	4	1	1	3	4	6	13	21	36	31	11	-
MALE	70	3	1	-	3	-	4	9	12	22	14	2	-
FEMALE	61	1	-	1	-	4	2	4	9	14	17	9	-
TRENTON, N.J	2,858	84	13	7	38	44	92	270	464	667	773	405	1
MALE	1,521	51	7	3	22	32	55	185	288	382	347	148	1
FEMALE	1,337	33	6	4	16	12	37	85	176	285	426	257	-
WHITE	2,462	45	7	5	28	31	66	200	399	591	715	375	-
MALE	1,312	27	4	3	17	24	43	144	249	344	317	140	-
FEMALE	1,150	18	3	2	11	7	23	56	150	247	398	235	-
ALL OTHER	396	39	6	2	10	13	26	70	65	76	58	30	1
MALE	209	24	3	-	5	8	12	41	39	38	30	8	1
FEMALE	187	15	3	2	5	5	14	29	26	38	28	22	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
TUCSON, ARIZ	3,511	79	25	15	144	114	123	272	554	929	869	385	2
MALE	2,053	37	14	11	107	75	76	175	351	586	469	150	2
FEMALE	1,458	42	11	4	37	39	47	97	203	343	400	235	-
WHITE	3,277	63	21	12	129	96	101	247	519	882	834	371	2
MALE	1,911	32	11	10	96	63	59	160	327	558	448	145	2
FEMALE	1,366	31	10	2	33	33	42	87	192	324	386	226	-
ALL OTHER	234	16	4	3	15	18	22	25	35	47	35	14	-
MALE	142	5	3	1	11	12	17	15	24	28	21	5	-
FEMALE	92	11	1	2	4	6	5	10	11	19	14	9	-
TULSA, OKLA	4,396	117	32	37	94	94	158	359	686	982	1,187	650	-
MALE	2,355	61	14	20	73	58	108	217	441	570	550	243	-
FEMALE	2,041	56	18	17	21	36	50	142	245	412	637	407	-
WHITE	3,906	90	23	31	79	81	134	315	601	869	1,091	592	-
MALE	2,091	47	11	18	59	50	90	192	392	508	509	215	-
FEMALE	1,815	43	12	13	20	31	44	123	209	361	582	377	-
ALL OTHER	490	27	9	6	15	13	24	44	85	113	96	58	-
MALE	264	14	3	2	14	8	18	25	49	62	41	28	-
FEMALE	226	13	6	4	1	5	6	19	36	51	55	30	-
TUSCALOOSA, ALA	994	28	3	8	36	33	43	92	149	253	228	121	-
MALE	578	21	2	5	27	21	31	47	98	160	119	47	-
FEMALE	416	7	1	3	9	12	12	45	51	93	109	74	-
WHITE	689	12	3	3	22	18	22	59	106	180	174	90	-
MALE	400	9	2	3	16	14	14	27	66	119	91	39	-
FEMALE	289	3	1	-	6	4	8	32	40	61	83	51	-
ALL OTHER	305	16	-	5	14	15	21	33	43	73	54	31	-
MALE	178	12	-	2	11	7	17	20	32	41	28	8	-
FEMALE	127	4	-	3	3	8	4	13	11	32	26	23	-
TYLER, TEX	1,035	34	8	5	20	22	38	80	175	254	258	141	-
MALE	594	16	6	4	11	18	25	49	115	161	137	52	-
FEMALE	441	18	2	1	9	4	13	31	60	93	121	89	-
WHITE	768	18	5	3	12	11	26	63	125	181	211	113	-
MALE	446	7	4	3	7	9	18	38	88	119	114	39	-
FEMALE	322	11	1	-	5	2	8	25	37	62	97	74	-
ALL OTHER	267	16	3	2	8	11	12	17	50	73	47	28	-
MALE	148	9	2	1	4	9	7	11	27	42	23	13	-
FEMALE	119	7	1	1	4	2	5	6	23	31	24	15	-
UTICA-ROME, N.Y	3,360	80	13	18	49	50	74	222	529	771	997	557	-
MALE	1,790	49	9	14	38	33	45	135	329	436	477	225	-
FEMALE	1,570	31	4	4	11	17	29	87	200	335	520	332	-
WHITE	3,302	73	13	17	47	48	67	216	517	759	990	555	-
MALE	1,755	44	9	13	37	32	39	132	322	431	472	224	-
FEMALE	1,547	29	4	4	10	16	28	84	195	328	518	331	-
ALL OTHER	58	7	-	1	2	2	7	6	12	12	7	2	-
MALE	35	5	-	1	1	1	6	3	7	5	5	1	-
FEMALE	23	2	-	-	1	1	1	3	5	7	2	1	-
VALLEJO-NAPA, CALIF	2,124	54	22	27	63	59	87	181	330	474	521	306	-
MALE	1,200	29	16	18	47	40	52	113	226	276	264	119	-
FEMALE	924	25	6	9	16	19	35	68	104	198	257	187	-
WHITE	1,997	46	21	19	54	54	79	159	303	453	508	301	-
MALE	1,116	27	15	14	40	37	46	99	205	261	256	116	-
FEMALE	881	19	6	5	14	17	33	60	98	192	252	185	-
ALL OTHER	127	8	1	8	9	5	8	22	27	21	13	5	-
MALE	84	2	1	4	7	3	6	14	21	15	8	3	-
FEMALE	43	6	-	4	2	2	2	8	6	6	5	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
VINELAND-MILLVILLE-BRIDGETON, N.J	1,275	31	6	14	25	23	36	103	203	307	341	185	1
WHITE	695	16	3	11	16	17	21	62	131	189	163	66	-
MALE	580	15	3	3	9	6	15	41	72	118	178	119	1
FEMALE	1,133	21	4	11	20	18	28	82	171	277	321	180	-
ALL OTHER	617	10	2	10	14	14	18	51	113	169	153	63	-
MALE	516	11	2	1	6	4	10	31	58	108	168	117	-
FEMALE	142	10	2	3	5	5	8	21	32	30	20	5	1
	78	6	1	1	2	3	3	11	18	20	10	3	-
	64	4	1	2	3	2	5	10	14	10	10	2	1
WACO, TEX	1,722	47	4	11	27	37	56	122	240	434	467	277	-
WHITE	922	27	4	10	17	27	30	77	158	250	230	92	-
MALE	800	20	-	1	10	10	26	45	82	184	237	185	-
FEMALE	1,400	32	1	8	19	28	41	93	188	343	403	244	-
ALL OTHER	745	17	1	7	10	20	23	60	122	204	201	80	-
MALE	655	15	-	1	9	8	18	33	66	139	202	164	-
FEMALE	322	15	3	3	8	9	15	29	52	91	64	33	-
	177	10	3	3	7	7	7	17	36	46	29	12	-
	145	5	-	-	1	2	8	12	16	45	35	21	-
WASHINGTON, D.C.-MD.-VA	19,891	678	124	180	573	680	1,058	2,356	3,608	4,107	4,140	2,372	15
WHITE	10,783	401	79	121	404	457	677	1,448	2,284	2,349	1,836	715	12
MALE	9,108	277	45	59	169	223	381	908	1,324	1,758	2,304	1,657	3
FEMALE	13,494	339	69	121	364	332	513	1,354	2,324	2,830	3,272	1,968	8
ALL OTHER	7,051	206	41	84	259	221	326	840	1,473	1,613	1,413	568	7
MALE	6,443	133	28	37	105	111	187	514	851	1,217	1,859	1,400	1
FEMALE	6,397	339	55	59	209	348	545	1,002	1,284	1,277	868	404	7
	3,732	195	38	37	145	236	351	608	811	736	423	147	5
	2,665	144	17	22	64	112	194	394	473	541	445	257	2
WATERLOO, IOWA	1,071	28	9	4	20	14	22	74	163	252	292	193	-
WHITE	556	13	4	3	16	11	15	46	93	155	138	62	-
MALE	515	15	5	1	4	3	7	28	70	97	154	131	-
FEMALE	1,026	23	8	4	18	13	20	65	154	246	284	191	-
ALL OTHER	532	11	4	3	14	10	13	40	91	152	132	62	-
MALE	494	12	4	1	4	3	7	25	63	94	152	129	-
FEMALE	45	5	1	-	2	1	2	9	9	6	8	2	-
	24	2	-	-	2	1	2	6	2	3	6	-	-
	21	3	1	-	-	-	-	3	7	3	2	2	-
WEST PALM BEACH, FLA	5,446	114	23	32	111	116	173	353	798	1,554	1,547	621	4
WHITE	3,212	78	13	20	77	80	111	225	470	993	869	273	3
MALE	2,234	36	10	12	34	36	62	128	328	561	678	348	1
FEMALE	4,734	57	15	16	70	70	107	262	645	1,388	1,496	606	2
ALL OTHER	2,763	41	9	8	47	49	66	168	378	886	842	268	1
MALE	1,971	16	6	8	23	21	41	94	267	502	654	338	1
FEMALE	712	57	8	16	41	46	66	91	153	166	51	15	2
	449	37	4	12	30	31	45	57	92	107	27	5	2
	263	20	4	4	11	15	21	34	61	59	24	10	-
WHEELING, W. VA.-OHIO	2,228	40	5	15	22	27	60	156	356	517	653	377	-
WHITE	1,205	25	2	10	19	17	40	92	238	301	315	146	-
MALE	1,023	15	3	5	3	10	20	64	118	216	338	231	-
FEMALE	2,176	40	5	15	22	26	57	147	350	504	641	369	-
ALL OTHER	1,167	25	2	10	19	17	37	85	235	290	305	142	-
MALE	1,009	15	3	5	3	9	20	62	115	214	336	227	-
FEMALE	52	-	-	-	-	1	3	9	6	13	12	8	-
	38	-	-	-	-	-	3	7	3	11	10	4	-
	14	-	-	-	-	1	-	2	3	2	2	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
WICHITA, KANSAS	3,119	105	15	26	92	74	121	256	455	666	738	571	-
MALE	1,694	56	12	17	68	51	71	153	299	416	364	187	-
FEMALE	1,425	49	3	9	24	23	50	103	156	250	374	384	-
WHITE	2,919	90	12	24	87	62	98	229	433	628	701	555	-
MALE	1,597	49	9	16	64	46	61	141	289	394	346	182	-
FEMALE	1,322	41	3	8	23	16	37	88	144	234	355	373	-
ALL OTHER	200	15	3	2	5	12	23	27	22	38	37	16	-
MALE	97	7	3	1	4	5	10	12	10	22	18	5	-
FEMALE	103	8	-	1	1	7	13	15	12	16	19	11	-
WICHITA FALLS, TEX	1,157	44	5	6	26	23	47	110	163	239	320	174	-
MALE	639	26	3	3	20	18	29	71	106	152	149	62	-
FEMALE	518	18	2	3	6	5	18	39	57	87	171	112	-
WHITE	1,055	39	5	6	21	18	40	94	150	213	301	168	-
MALE	574	23	3	3	16	14	25	59	97	136	137	61	-
FEMALE	481	16	2	3	5	4	15	35	53	77	164	107	-
ALL OTHER	102	5	-	-	5	5	7	16	13	26	19	6	-
MALE	65	3	-	-	4	4	4	12	9	16	12	1	-
FEMALE	37	2	-	-	1	1	3	4	4	10	7	5	-
WILKES-BARRE--HAZELTON, PA	4,438	84	14	19	53	47	81	336	841	1,236	1,256	471	-
MALE	2,478	46	9	12	44	34	48	224	571	733	589	168	-
FEMALE	1,960	38	5	7	9	13	33	112	270	503	667	303	-
WHITE	4,412	80	13	18	52	47	80	331	836	1,232	1,252	471	-
MALE	2,463	43	8	11	43	34	47	221	567	732	589	168	-
FEMALE	1,949	37	5	7	9	13	33	110	269	500	663	303	-
ALL OTHER	26	4	1	1	1	-	1	5	5	4	4	-	-
MALE	15	3	1	1	1	-	1	3	4	1	-	-	-
FEMALE	11	1	-	-	-	-	-	2	1	3	4	-	-
WILMINGTON, DEL.-N.J.-MD	4,268	108	27	38	104	94	164	418	743	1,031	986	551	4
MALE	2,357	54	12	24	84	56	106	257	470	626	471	195	2
FEMALE	1,911	54	15	14	20	38	58	161	273	405	515	356	2
WHITE	3,614	88	20	26	82	71	120	325	617	854	900	509	2
MALE	1,963	44	9	15	68	41	79	202	389	523	421	171	1
FEMALE	1,651	44	11	11	14	30	41	123	228	331	479	338	1
ALL OTHER	654	20	7	12	22	23	44	93	126	177	86	42	2
MALE	394	10	3	9	16	15	27	55	81	103	50	24	1
FEMALE	260	10	4	3	6	8	17	38	45	74	36	18	1
WILMINGTON, N.C	1,048	37	6	14	25	34	48	118	211	243	202	110	-
MALE	609	26	6	9	19	24	30	76	133	143	98	45	-
FEMALE	439	11	-	5	6	10	18	42	78	100	104	65	-
WHITE	734	32	5	11	10	18	27	76	133	177	157	88	-
MALE	430	24	5	6	7	13	15	54	86	113	71	36	-
FEMALE	304	8	-	5	3	5	12	22	47	64	86	52	-
ALL OTHER	314	5	1	3	15	16	21	42	78	66	45	22	-
MALE	179	2	1	3	12	11	15	22	47	30	27	9	-
FEMALE	135	3	-	-	3	5	6	20	31	36	18	13	-
WORCESTER, MASS	6,455	116	19	34	138	98	133	444	943	1,471	1,899	1,159	1
MALE	3,438	76	15	20	107	65	75	276	603	881	903	417	-
FEMALE	3,017	40	4	14	31	33	58	168	340	590	996	742	1
WHITE	6,413	114	18	34	134	97	127	438	937	1,468	1,889	1,156	1
MALE	3,412	74	14	20	104	64	71	273	600	879	897	416	-
FEMALE	3,001	40	4	14	30	33	56	165	337	589	992	740	1
ALL OTHER	42	2	1	-	4	1	6	6	6	3	10	3	-
MALE	26	2	1	-	3	1	4	3	3	2	6	1	-
FEMALE	16	-	-	-	1	-	2	3	3	1	4	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of Census for 1970. For further explanation of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
YORK, PA	3,122	65	10	21	65	61	76	230	480	773	828	512	1
MALE	1,688	32	7	13	44	43	48	144	306	463	397	190	1
FEMALE	1,434	33	3	8	21	18	28	86	174	310	431	322	–
WHITE	3,028	55	10	21	65	58	71	223	456	754	811	503	1
MALE	1,639	27	7	13	44	41	43	141	295	454	388	185	1
FEMALE	1,389	28	3	8	21	17	28	82	161	300	423	318	–
ALL OTHER	94	10	–	–	–	3	5	7	24	19	17	9	–
MALE	49	5	–	–	–	2	5	3	11	9	9	5	–
FEMALE	45	5	–	–	–	1	–	4	13	10	8	4	–
YOUNGSTOWN-WARREN, OHIO	5,207	139	17	29	88	92	147	451	905	1,163	1,382	793	1
MALE	2,851	73	11	19	68	63	93	277	571	666	670	339	1
FEMALE	2,356	66	6	10	20	29	54	174	334	497	712	454	–
WHITE	4,659	103	15	24	75	63	112	372	819	1,036	1,287	752	1
MALE	2,552	54	9	17	56	44	71	233	528	597	622	320	1
FEMALE	2,107	49	6	7	19	19	41	139	291	439	665	432	–
ALL OTHER	548	36	2	5	13	29	35	79	86	127	95	41	–
MALE	299	19	2	2	12	19	22	44	43	69	48	19	–
FEMALE	249	17	–	3	1	10	13	35	43	58	47	22	–
STANDARD CONSOLIDATED AREAS													
NEW YORK, N.Y.—NORTHEASTERN NEW JERSEY[1]	152,808	3,404	578	825	3,102	3,665	5,275	13,156	24,352	36,424	40,917	21,018	92
MALE	81,138	1,886	331	482	2,293	2,490	2,277	8,113	14,963	20,629	18,849	7,768	57
FEMALE	71,670	1,518	247	343	809	1,175	1,998	5,043	9,389	15,795	22,068	13,250	35
WHITE	131,659	2,051	359	572	2,138	2,267	3,368	10,081	20,511	32,152	38,225	19,867	68
MALE	69,235	1,152	201	330	1,589	1,551	2,107	6,231	12,758	18,367	17,552	7,357	40
FEMALE	62,424	899	158	242	549	716	1,261	3,850	7,753	13,785	20,673	12,510	28
ALL OTHER	21,149	1,353	219	253	964	1,398	1,907	3,075	3,841	4,272	2,692	1,151	24
MALE	11,903	734	130	152	704	939	1,170	1,882	2,205	2,262	1,297	411	17
FEMALE	9,246	619	89	101	260	459	737	1,193	1,636	2,010	1,395	740	7
CHICAGO, ILL.—NORTHWESTERN INDIANA[2]	70,081	2,382	375	509	1,853	1,910	2,865	6,898	11,761	15,709	17,126	8,694	8
MALE	38,816	1,343	209	306	1,387	1,338	1,798	4,396	7,587	9,175	7,996	3,275	6
FEMALE	31,265	1,039	166	194	466	572	1,067	2,502	4,174	6,534	9,130	5,419	2
WHITE	56,927	1,331	226	340	1,217	1,113	1,737	4,968	9,507	13,090	15,461	7,933	4
MALE	31,270	755	124	206	920	767	1,102	3,208	6,232	7,740	7,227	2,986	3
FEMALE	25,657	576	102	134	297	346	635	1,760	3,275	5,350	8,234	4,947	1
ALL OTHER	13,154	1,051	149	160	636	797	1,128	1,930	2,254	2,619	1,665	761	4
MALE	7,546	588	85	100	467	571	696	1,188	1,355	1,435	769	289	3
FEMALE	5,608	463	64	60	169	226	432	742	899	1,184	896	472	1

[1]Comprised of four standard metropolitan statistical areas--New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.--and two nonmetropolitan counties--Middlesex and Somerset Counties, N.J.
[2]Comprised of two standard metropolitan statistical areas--Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	ALL CAUSES	1,934,388	52,776	3,468	2,431	2,188	1,744	62,607	6,627	8,009	21,982	25,821
2	MALE	1,071,627	30,305	1,893	1,404	1,264	1,026	35,892	4,014	5,150	16,229	19,500
3	FEMALE	862,761	22,471	1,575	1,027	924	718	26,715	2,613	2,859	5,753	6,321
4	WHITE	1,697,295	38,249	2,530	1,829	1,712	1,354	45,674	5,221	6,546	18,144	19,865
5	MALE	936,640	22,209	1,385	1,084	1,009	791	26,478	3,165	4,211	13,458	15,168
6	FEMALE	760,655	16,040	1,145	745	703	563	19,196	2,056	2,335	4,686	4,697
7	ALL OTHER	237,093	14,527	938	602	476	390	16,933	1,406	1,463	3,838	5,956
8	MALE	134,987	8,096	508	320	255	235	9,414	849	939	2,771	4,332
9	FEMALE	102,106	6,431	430	282	221	155	7,519	557	524	1,067	1,624
10	BACILLARY DYSENTERY AND AMEBIASIS 004,006	57	5	2	1	1	-	9	5	3	2	-
11	MALE	39	5	1	-	1	-	7	2	2	1	-
12	FEMALE	18	-	1	1	-	-	2	3	1	1	-
13	WHITE	44	4	-	-	1	-	5	3	3	1	-
14	MALE	33	4	-	-	1	-	5	2	2	1	-
15	FEMALE	11	-	-	-	-	-	-	1	1	-	-
16	ALL OTHER	13	1	2	1	-	-	4	2	-	1	-
17	MALE	6	1	1	-	-	-	2	-	-	-	-
18	FEMALE	7	-	1	1	-	-	2	2	-	1	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2,255	682	68	21	13	8	792	20	14	12	15
20	MALE	1,037	390	32	11	9	4	446	13	8	7	8
21	FEMALE	1,218	292	36	10	4	4	346	7	6	5	7
22	WHITE	1,777	396	49	11	11	8	475	15	12	8	13
23	MALE	801	232	25	7	8	4	276	9	7	6	6
24	FEMALE	976	164	24	4	3	4	199	6	5	2	7
25	ALL OTHER	478	286	19	10	2	-	317	5	2	4	2
26	MALE	236	158	7	4	1	-	170	4	1	1	2
27	FEMALE	242	128	12	6	1	-	147	1	1	3	-
28	TUBERCULOSIS, ALL FORMS 010-019	3,513	11	2	7	2	1	23	3	3	9	26
29	MALE	2,432	6	-	4	1	1	12	1	2	3	10
30	FEMALE	1,081	5	2	3	1	-	11	2	1	6	16
31	WHITE	2,395	8	1	2	1	-	12	1	1	6	9
32	MALE	1,645	4	-	1	-	-	5	1	-	3	2
33	FEMALE	750	4	1	1	1	-	7	-	1	3	7
34	ALL OTHER	1,118	3	1	5	1	1	11	2	2	3	17
35	MALE	787	2	-	3	1	1	7	-	2	-	8
36	FEMALE	331	1	1	2	-	-	4	2	-	3	9
37	TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	2,775	6	1	1	-	-	8	1	-	5	19
38	MALE	1,980	3	-	1	-	-	4	-	-	3	7
39	FEMALE	795	3	1	-	-	-	4	1	-	2	12
40	WHITE	1,890	5	-	-	-	-	5	-	-	4	5
41	MALE	1,343	2	-	-	-	-	2	-	-	3	1
42	FEMALE	547	3	-	-	-	-	3	-	-	1	4
43	ALL OTHER	885	1	1	1	-	-	3	1	-	1	14
44	MALE	637	1	-	1	-	-	2	-	-	-	6
45	FEMALE	248	-	1	-	-	-	1	1	-	1	8
46	TUBERCULOSIS, OTHER FORMS 013-019	738	5	1	6	2	1	15	2	3	4	7
47	MALE	452	3	-	3	1	1	8	1	2	-	3
48	FEMALE	286	2	1	3	1	-	7	1	1	4	4
49	WHITE	505	3	1	2	1	-	7	1	1	2	4
50	MALE	302	2	-	1	-	-	3	1	-	-	1
51	FEMALE	203	1	1	1	1	-	4	-	1	2	3
52	ALL OTHER	233	2	-	4	1	1	8	1	2	2	3
53	MALE	150	1	-	2	1	1	5	-	2	-	2
54	FEMALE	83	1	-	2	-	-	3	1	-	2	1
55	WHOOPING COUGH 033	14	13	-	1	-	-	14	-	-	-	-
56	MALE	4	4	-	-	-	-	4	-	-	-	-
57	FEMALE	10	9	-	1	-	-	10	-	-	-	-
58	WHITE	11	11	-	-	-	-	11	-	-	-	-
59	MALE	4	4	-	-	-	-	4	-	-	-	-
60	FEMALE	7	7	-	-	-	-	7	-	-	-	-
61	ALL OTHER	3	2	-	1	-	-	3	-	-	-	-
62	MALE	-	-	-	-	-	-	-	-	-	-	-
63	FEMALE	3	2	-	1	-	-	3	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	22	1	1	-	1	-	3	1	1	1	2
65	MALE	16	1	1	-	-	-	2	1	1	1	2
66	FEMALE	6	-	-	-	1	-	1	-	-	-	-
67	WHITE	18	1	-	-	1	-	2	1	1	1	1
68	MALE	14	1	-	-	-	-	1	1	1	1	1
69	FEMALE	4	-	-	-	1	-	1	-	-	-	-
70	ALL OTHER	4	-	1	-	-	-	1	-	-	-	1
71	MALE	2	-	1	-	-	-	1	-	-	-	1
72	FEMALE	2	-	-	-	-	-	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS 036	305	47	47	20	10	7	131	28	24	28	14
74	MALE	173	28	24	14	5	3	74	18	14	16	11
75	FEMALE	132	19	23	6	5	4	57	10	10	12	3
76	WHITE	228	34	37	16	6	6	99	17	16	22	8
77	MALE	123	19	19	11	3	2	54	11	10	12	6
78	FEMALE	105	15	18	5	3	4	45	6	6	10	2
79	ALL OTHER	77	13	10	4	4	1	32	11	8	6	6
80	MALE	50	9	5	3	2	1	20	7	4	4	5
81	FEMALE	27	4	5	1	2	-	12	4	4	2	1

Age, Color, and Sex: United States, 1974

Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
22,155	21,313	24,871	38,528	64,086	96,647	128,619	173,578	211,375	239,086	253,489	246,750	178,275	83,627	22,500	3,930	513	1
15,763	14,220	15,801	23,957	40,674	61,719	83,091	111,434	131,841	137,931	131,977	113,185	71,847	29,329	6,692	1,045	336	2
6,392	7,093	9,070	14,571	23,412	34,928	45,528	62,144	79,534	101,155	121,512	133,565	106,428	54,298	15,808	2,885	177	3
16,496	15,378	18,226	29,138	51,477	79,743	109,933	149,738	185,272	211,290	232,675	231,098	168,358	78,712	20,801	3,143	359	4
11,793	10,260	11,619	18,323	33,020	51,527	71,691	97,471	116,919	122,993	120,945	105,737	67,394	27,367	6,069	797	235	5
4,703	5,118	6,607	10,815	18,457	28,216	38,242	52,267	68,353	88,305	111,730	125,361	100,964	51,345	14,732	2,346	124	6
5,659	5,935	6,645	9,390	12,609	16,904	18,686	23,840	26,103	27,788	20,814	15,652	9,917	4,915	1,699	787	154	7
3,970	3,960	4,182	5,634	7,654	10,192	11,400	13,963	14,922	14,938	11,032	7,448	4,453	1,962	623	248	101	8
1,689	1,975	2,463	3,756	4,955	6,712	7,286	9,877	11,181	12,850	9,782	8,204	5,464	2,953	1,076	539	53	9
2	1	-	2	5	-	5	1	5	7	3	4	2	1	-	-	-	10
1	-	-	2	5	-	4	1	4	5	1	3	1	-	-	-	-	11
1	1	-	-	-	-	1	-	1	2	2	1	1	1	-	-	-	12
2	-	-	2	3	-	4	1	5	7	2	3	2	1	-	-	-	13
1	-	-	2	3	-	3	1	4	5	1	2	1	-	-	-	-	14
1	-	-	-	-	-	1	-	1	2	1	1	1	1	-	-	-	15
-	1	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	16
-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	17
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	18
16	14	24	33	42	49	68	97	131	157	218	234	176	98	36	7	2	19
8	8	12	9	19	21	29	44	62	72	79	90	61	30	7	3	1	20
8	6	12	24	23	28	39	53	69	85	139	144	115	68	29	4	1	21
13	10	18	24	38	35	58	79	118	134	197	221	173	96	32	6	2	22
8	5	11	5	18	18	25	37	53	64	70	85	60	29	5	3	1	23
5	5	7	19	20	17	33	42	65	70	127	136	113	67	27	3	1	24
3	4	6	9	4	14	10	18	13	23	21	13	3	2	4	1	-	25
-	3	1	4	1	3	4	7	9	8	9	5	1	1	2	-	-	26
3	1	5	5	3	11	6	11	4	15	12	8	2	1	2	1	-	27
45	76	73	152	227	262	361	403	456	442	372	308	190	59	19	2	2	28
24	48	47	107	171	195	266	307	321	316	252	192	118	28	10	-	2	29
21	28	26	45	56	67	95	96	135	126	120	116	72	31	9	2	-	30
14	20	21	65	132	155	240	266	343	339	292	255	163	45	15	-	1	31
5	10	12	48	95	119	179	207	236	238	197	163	98	19	7	-	1	32
9	10	9	17	37	36	61	59	107	101	95	92	65	26	8	-	-	33
31	56	52	87	95	107	121	137	113	103	80	53	27	14	4	2	1	34
19	38	35	59	76	76	87	100	85	78	55	29	20	9	3	-	1	35
12	18	17	28	19	31	34	37	28	25	25	24	7	5	1	2	-	36
35	62	63	119	177	209	291	310	366	338	292	250	160	52	14	2	2	37
19	38	41	86	139	157	222	245	266	251	203	163	100	25	9	-	2	38
16	24	22	33	38	52	69	65	100	87	89	87	60	27	5	2	-	39
12	17	20	56	100	121	194	195	279	258	224	210	139	39	11	-	1	40
5	9	12	43	77	93	149	159	199	187	158	139	84	16	6	-	1	41
7	8	8	13	23	28	45	36	80	71	66	71	55	23	5	-	-	42
23	45	43	63	77	88	97	115	87	80	68	40	21	13	3	2	1	43
14	29	29	43	62	64	73	86	67	64	45	24	16	9	3	-	1	44
9	16	14	20	15	24	24	29	20	16	23	16	5	4	-	2	-	45
10	14	10	33	50	53	70	93	90	104	80	58	30	7	5	-	-	46
5	10	6	21	32	38	44	62	55	65	49	29	18	3	1	-	-	47
5	4	4	12	18	15	26	31	35	39	31	29	12	4	4	-	-	48
2	3	1	9	32	34	46	71	64	81	68	45	24	6	4	-	-	49
-	1	-	5	18	26	30	48	37	51	39	24	14	3	1	-	-	50
2	2	1	4	14	8	16	23	27	30	29	21	10	3	3	-	-	51
8	11	9	24	18	19	24	22	26	23	12	13	6	1	1	-	-	52
5	9	6	16	14	12	14	14	18	14	10	5	4	-	-	-	-	53
3	2	3	8	4	7	10	8	8	9	2	8	2	1	1	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	1	1	1	2	-	3	1	1	2	-	-	1	-	-	-	64
-	-	-	1	1	2	-	1	1	1	1	-	-	1	-	-	-	65
-	1	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	66
-	1	-	1	1	2	-	3	1	1	1	-	-	1	-	-	-	67
-	-	-	1	1	2	-	1	1	1	1	-	-	1	-	-	-	68
-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	69
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	72
8	4	3	6	10	9	4	9	9	6	7	4	1	-	-	-	-	73
5	3	1	3	5	5	2	6	1	5	1	3	-	-	-	-	-	74
3	1	2	3	5	4	2	3	8	1	6	1	1	-	-	-	-	75
6	2	2	5	7	8	3	7	8	6	7	4	1	-	-	-	-	76
3	1	-	2	5	4	1	4	1	5	1	3	-	-	-	-	-	77
3	1	2	3	2	4	2	3	7	1	6	1	1	-	-	-	-	78
2	2	1	1	3	1	1	2	1	-	-	-	-	-	-	-	-	79
2	2	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-	80
-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	SEPTICEMIA-038	5,243	910	35	14	9	7	975	31	30	43	37
2	MALE	2,854	526	23	9	2	4	564	13	20	18	18
3	FEMALE	2,389	384	12	5	7	3	411	18	10	25	19
4	WHITE	4,096	620	21	11	6	5	663	26	16	30	25
5	MALE	2,214	364	13	7	2	3	389	9	9	13	11
6	FEMALE	1,882	256	8	4	4	2	274	17	7	17	14
7	ALL OTHER	1,147	290	14	3	3	2	312	5	14	13	12
8	MALE	640	162	10	2	-	1	175	4	11	5	7
9	FEMALE	507	128	4	1	3	1	137	1	3	8	5
10	ACUTE POLIONYELITIS-040-043	3	-	-	-	-	-	-	-	-	-	-
11	MALE	2	-	-	-	-	-	-	-	-	-	-
12	FEMALE	1	-	-	-	-	-	-	-	-	-	-
13	WHITE	2	-	-	-	-	-	-	-	-	-	-
14	MALE	1	-	-	-	-	-	-	-	-	-	-
15	FEMALE	1	-	-	-	-	-	-	-	-	-	-
16	ALL OTHER	1	-	-	-	-	-	-	-	-	-	-
17	MALE	1	-	-	-	-	-	-	-	-	-	-
18	FEMALE	-	-	-	-	-	-	-	-	-	-	-
19	MEASLES-055	20	3	2	2	6	-	13	3	2	1	-
20	MALE	11	-	1	1	6	-	8	-	1	1	-
21	FEMALE	9	3	1	1	-	-	5	3	1	-	-
22	WHITE	11	-	-	2	3	-	5	2	2	1	-
23	MALE	7	-	-	1	3	-	4	-	1	1	-
24	FEMALE	4	-	-	1	-	-	1	2	1	-	-
25	ALL OTHER	9	3	2	-	3	-	8	1	-	-	-
26	MALE	4	-	1	-	3	-	4	-	-	-	-
27	FEMALE	5	3	1	-	-	-	4	1	-	-	-
28	SYPHILIS AND ITS SEQUELAE-090-097	300	7	-	-	-	-	7	-	-	1	1
29	MALE	175	3	-	-	-	-	3	-	-	1	1
30	FEMALE	125	4	-	-	-	-	4	-	-	-	-
31	WHITE	170	3	-	-	-	-	3	-	-	1	1
32	MALE	99	1	-	-	-	-	1	-	-	1	1
33	FEMALE	71	2	-	-	-	-	2	-	-	-	-
34	ALL OTHER	130	4	-	-	-	-	4	-	-	-	-
35	MALE	76	2	-	-	-	-	2	-	-	-	-
36	FEMALE	54	2	-	-	-	-	2	-	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	3,990	287	53	42	32	44	458	102	113	113	148
38	MALE	2,025	154	31	18	20	23	246	56	58	51	63
39	FEMALE	1,965	133	22	24	12	21	212	46	55	62	85
40	WHITE	3,197	224	36	32	25	38	355	90	99	93	108
41	MALE	1,652	117	22	13	16	21	189	48	48	46	51
42	FEMALE	1,545	107	14	19	9	17	166	42	51	47	57
43	ALL OTHER	793	63	17	10	7	6	103	12	14	20	40
44	MALE	373	37	9	5	4	2	57	8	10	5	12
45	FEMALE	420	26	8	5	3	4	46	4	4	15	28
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	360,472	115	140	178	228	239	900	1,041	960	1,285	1,422
47	MALE	196,746	63	70	107	121	136	497	612	549	778	875
48	FEMALE	163,726	52	70	71	107	103	403	429	411	507	547
49	WHITE	321,169	90	124	156	203	212	785	904	823	1,092	1,229
50	MALE	174,149	49	65	91	106	117	428	535	473	669	775
51	FEMALE	147,020	41	59	65	97	95	357	369	350	423	454
52	ALL OTHER	39,303	25	16	22	25	27	115	137	137	193	193
53	MALE	22,597	14	5	16	15	19	69	77	76	109	100
54	FEMALE	16,706	11	11	6	10	8	46	60	61	84	93
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	7,968	-	1	-	-	-	1	4	6	18	11
56	MALE	5,686	-	-	-	-	-	-	3	5	15	7
57	FEMALE	2,282	-	1	-	-	-	1	1	1	3	4
58	WHITE	6,998	-	1	-	-	-	1	4	5	15	6
59	MALE	4,968	-	-	-	-	-	-	3	5	14	3
60	FEMALE	2,030	-	1	-	-	-	1	1	-	1	3
61	ALL OTHER	970	-	-	-	-	-	-	-	1	3	5
62	MALE	718	-	-	-	-	-	-	-	-	1	4
63	FEMALE	252	-	-	-	-	-	-	-	1	2	1
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	98,913	9	10	6	7	2	34	16	22	38	93
65	MALE	52,290	5	6	4	1	-	16	9	12	24	51
66	FEMALE	46,623	4	4	2	6	2	18	7	10	14	42
67	WHITE	87,622	7	10	4	6	2	29	15	14	25	64
68	MALE	45,796	4	6	3	1	-	14	8	10	17	34
69	FEMALE	41,826	3	4	1	5	2	15	7	4	8	30
70	ALL OTHER	11,291	2	-	2	1	-	5	1	8	13	29
71	MALE	6,494	1	-	1	-	-	2	1	2	7	17
72	FEMALE	4,797	1	-	1	1	-	3	-	6	6	12
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	83,475	2	1	1	2	2	8	6	10	15	27
74	MALE	65,304	1	1	1	1	1	5	4	4	10	18
75	FEMALE	18,171	1	-	-	1	1	3	2	6	5	9
76	WHITE	74,403	2	1	1	2	2	8	4	9	13	26
77	MALE	57,956	1	1	1	1	1	5	2	4	8	18
78	FEMALE	16,447	1	-	-	1	1	3	2	5	5	8
79	ALL OTHER	9,072	-	-	-	-	-	-	2	1	2	1
80	MALE	7,348	-	-	-	-	-	-	2	-	2	-
81	FEMALE	1,724	-	-	-	-	-	-	-	1	-	1

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
61	69	61	88	139	238	285	368	487	581	600	575	380	150	36	7	2	1
34	31	30	54	77	129	163	219	275	331	327	302	169	65	13	1	1	2
27	38	31	34	62	109	122	149	212	250	273	273	211	85	23	6	1	3
46	48	37	57	89	176	213	278	393	463	525	514	337	127	28	5	–	4
26	19	19	35	50	93	121	169	224	264	281	267	149	53	12	1	–	5
20	29	18	22	39	83	92	109	169	199	244	247	188	74	16	4	–	6
15	21	24	31	50	62	72	90	94	118	75	61	43	23	8	2	2	7
8	12	11	19	27	36	42	50	51	67	46	35	20	12	1	–	1	8
7	9	13	12	23	26	30	40	43	51	29	26	23	11	7	2	1	9
1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	10
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	11
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	12
–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	13
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	14
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	15
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
1	–	2	2	9	13	21	44	60	51	49	28	10	1	–	–	–	28
1	–	2	–	5	6	13	27	37	29	30	17	3	–	–	–	–	29
–	–	–	2	4	7	8	17	23	22	19	11	7	1	–	–	–	30
–	–	1	1	1	5	8	22	35	32	31	21	8	–	–	–	–	31
–	–	1	–	–	1	5	13	24	19	18	13	2	–	–	–	–	32
–	–	–	1	1	4	3	9	11	13	13	8	6	–	–	–	–	33
1	–	1	1	8	8	13	22	25	19	18	7	2	1	–	–	–	34
1	–	1	–	5	5	8	14	13	10	12	4	1	–	–	–	–	35
–	–	–	1	3	3	5	8	12	9	6	3	1	1	–	–	–	36
130	135	122	179	200	280	269	295	380	297	268	250	153	70	21	6	1	37
65	61	54	91	113	136	135	166	211	176	121	131	64	18	8	–	1	38
65	74	68	88	87	144	134	129	169	121	147	119	89	52	13	6	–	39
97	91	66	115	154	216	204	246	322	253	234	223	140	66	20	5	–	40
53	46	33	57	95	108	104	134	176	156	105	120	58	17	8	–	–	41
44	45	33	58	59	108	100	112	146	97	129	103	82	49	12	5	–	42
33	44	56	64	46	64	65	49	58	44	34	27	13	4	1	1	1	43
12	15	21	34	18	28	31	32	35	20	16	11	6	1	–	–	1	44
21	29	35	30	28	36	34	17	23	24	18	16	7	3	1	1	–	45
1,855	2,595	4,338	8,191	16,591	27,171	37,101	48,154	52,979	51,867	45,315	33,998	17,679	5,779	1,099	116	36	46
953	1,168	1,835	3,594	7,926	13,975	20,146	27,903	31,396	30,103	25,324	17,639	8,513	2,467	426	46	21	47
902	1,427	2,503	4,597	8,665	13,196	16,955	20,251	21,583	21,764	19,991	16,359	9,166	3,312	673	70	15	48
1,611	2,231	3,611	6,776	14,066	23,199	32,439	42,348	47,229	46,356	41,747	31,666	16,575	5,377	993	84	28	49
856	1,038	1,559	2,964	6,651	11,742	17,384	24,449	27,858	26,777	23,122	16,274	7,895	2,280	367	35	18	50
755	1,193	2,052	3,812	7,415	11,457	15,055	17,899	19,371	19,579	18,625	15,392	8,680	3,097	626	49	10	51
244	364	727	1,415	2,525	3,972	4,662	5,806	5,750	5,511	3,568	2,332	1,104	402	106	32	8	52
97	130	276	630	1,275	2,233	2,762	3,454	3,538	3,326	2,202	1,365	618	187	59	11	3	53
147	234	451	785	1,250	1,739	1,900	2,352	2,212	2,185	1,366	967	486	215	47	21	5	54
14	24	67	194	464	765	1,111	1,343	1,185	964	806	559	305	101	21	5	–	55
8	15	49	138	335	565	810	991	882	699	561	361	182	48	10	2	–	56
6	9	18	56	129	200	301	352	303	265	245	198	123	53	11	3	–	57
11	19	42	125	349	612	965	1,197	1,073	878	751	532	290	98	20	5	–	58
8	12	30	89	259	452	691	878	798	636	516	342	173	48	9	2	–	59
3	7	12	36	90	160	274	319	275	242	235	190	117	50	11	3	–	60
3	5	25	69	115	153	146	146	112	86	55	27	15	3	1	–	–	61
–	3	19	49	76	113	119	113	84	63	45	19	9	–	1	–	–	62
3	2	6	20	39	40	27	33	28	23	10	8	6	3	–	–	–	63
186	368	714	1,429	3,175	5,832	8,720	12,408	14,689	15,656	14,568	11,899	6,466	2,154	397	37	12	64
95	208	373	783	1,815	3,381	5,144	7,285	8,385	8,305	7,316	5,403	2,750	790	126	12	7	65
91	160	341	646	1,360	2,451	3,576	5,123	6,304	7,351	7,252	6,496	3,716	1,364	271	25	5	66
129	299	575	1,145	2,596	4,818	7,432	10,666	12,943	13,873	13,355	11,142	6,076	2,027	362	27	10	67
69	170	302	626	1,480	2,751	4,352	6,246	7,318	7,341	6,612	5,029	2,545	740	116	9	7	68
60	129	273	519	1,116	2,067	3,080	4,420	5,625	6,532	6,743	6,113	3,531	1,287	246	18	3	69
57	69	139	284	579	1,014	1,288	1,742	1,746	1,783	1,213	757	390	127	35	10	2	70
26	38	71	157	335	630	792	1,039	1,067	964	704	374	205	50	10	3	–	71
31	31	68	127	244	384	496	703	679	819	509	383	185	77	25	7	2	72
65	207	646	1,868	4,484	7,815	11,125	14,339	14,656	12,216	8,743	4,776	1,896	490	69	5	9	73
40	132	443	1,287	3,197	5,852	8,466	11,377	11,970	10,065	7,072	3,700	1,321	289	44	2	6	74
25	75	203	581	1,287	1,963	2,659	2,962	2,686	2,151	1,671	1,076	575	201	25	3	3	75
55	177	525	1,515	3,736	6,592	9,709	12,773	13,261	11,095	8,153	4,453	1,781	445	62	4	7	76
34	111	356	1,033	2,639	4,879	7,305	10,092	10,787	9,112	6,589	3,447	1,236	255	38	1	5	77
21	66	169	482	1,097	1,713	2,404	2,681	2,474	1,983	1,564	1,006	545	190	24	3	2	78
10	30	121	353	748	1,223	1,418	1,566	1,395	1,121	590	323	115	45	7	1	2	79
6	21	87	254	558	973	1,161	1,285	1,183	953	483	253	85	34	6	1	1	80
4	9	34	99	190	250	255	281	212	168	107	70	30	11	1	–	1	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--CON.											
1	MALIGNANT NEOPLASN OF BREAST----------174	32,424	-	-	-	-	-	-	-	2	2	24
2	MALE----	292	-	-	-	-	-	-	-	2	1	1
3	FEMALE---	32,132	-	-	-	-	-	-	-	-	1	23
4	WHITE----------	29,408	-	-	-	-	-	-	-	2	1	10
5	MALE----	252	-	-	-	-	-	-	-	2	-	1
6	FEMALE---	29,156	-	-	-	-	-	-	-	-	1	9
7	ALL OTHER----------	3,016	-	-	-	-	-	-	-	-	1	14
8	MALE----	40	-	-	-	-	-	-	-	-	1	-
9	FEMALE---	2,976	-	-	-	-	-	-	-	-	-	14
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS----180-187	43,111	1	2	4	5	1	13	7	22	92	220
11	MALE----	20,192	1	1	1	4	1	8	3	5	54	149
12	FEMALE---	22,919	-	1	3	1	-	5	4	17	38	71
13	WHITE----------	37,051	1	2	3	5	-	11	5	20	78	199
14	MALE----	17,141	1	1	1	4	-	7	3	5	52	145
15	FEMALE---	19,910	-	1	2	1	-	4	2	15	26	54
16	ALL OTHER----------	6,060	-	-	1	-	1	2	2	2	14	21
17	MALE----	3,051	-	-	-	-	1	1	-	-	2	4
18	FEMALE---	3,009	-	-	1	-	-	1	2	2	12	17
19	MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	16,457	3	8	5	13	18	47	41	7	18	17
20	MALE----	10,986	2	3	4	7	11	27	19	4	9	12
21	FEMALE---	5,471	1	5	1	6	7	20	22	3	9	5
22	WHITE----------	15,148	3	8	4	12	16	43	31	5	12	8
23	MALE----	10,188	2	3	3	6	10	24	16	2	7	4
24	FEMALE---	4,960	1	5	1	6	6	19	15	3	5	4
25	ALL OTHER----------	1,309	-	-	1	1	2	4	10	2	6	9
26	MALE----	798	-	-	1	1	1	3	3	2	2	8
27	FEMALE---	511	-	-	-	-	1	1	7	-	4	1
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES----------170-173,190-199	43,620	58	68	95	105	99	425	353	362	503	478
29	MALE----	22,925	31	34	57	54	48	224	198	190	282	311
30	FEMALE---	20,695	27	34	38	51	51	201	155	172	221	167
31	WHITE----------	39,016	43	59	81	93	90	366	288	312	428	429
32	MALE----	20,491	22	31	46	48	42	189	165	161	241	283
33	FEMALE---	18,525	21	28	35	45	48	177	123	151	187	146
34	ALL OTHER----------	4,604	15	9	14	12	9	59	65	50	75	49
35	MALE----	2,434	9	3	11	6	6	35	33	29	41	28
36	FEMALE---	2,170	6	6	3	6	3	24	32	21	34	21
37	LEUKEMIA----------204-207	14,575	39	43	63	81	97	323	518	402	380	279
38	MALE----	8,231	20	21	37	46	59	183	299	235	239	161
39	FEMALE---	6,344	19	22	26	35	38	140	219	167	141	118
40	WHITE----------	13,390	32	38	59	72	85	286	469	346	335	245
41	MALE----	7,558	17	20	34	40	51	162	267	205	207	141
42	FEMALE---	5,832	15	18	25	32	34	124	202	141	128	104
43	ALL OTHER----------	1,185	7	5	4	9	12	37	49	56	45	34
44	MALE----	673	3	1	3	6	8	21	32	30	32	20
45	FEMALE---	512	4	4	1	3	4	16	17	26	13	14
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES----------200-203,208,209	19,929	3	7	4	15	20	49	96	127	219	273
47	MALE----	10,840	3	4	3	8	16	34	77	92	144	165
48	FEMALE---	9,089	-	3	1	7	4	15	19	35	75	108
49	WHITE----------	18,133	2	5	4	13	17	41	88	110	185	242
50	MALE----	9,799	2	3	3	6	13	27	71	79	123	146
51	FEMALE---	8,334	-	2	1	7	4	14	17	31	62	96
52	ALL OTHER----------	1,796	1	2	-	2	3	8	8	17	34	31
53	MALE----	1,041	1	1	-	2	3	7	6	13	21	19
54	FEMALE---	755	-	1	-	-	-	1	2	4	13	12
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE----------210-239	5,060	61	11	18	13	13	116	58	80	91	55
56	MALE----	2,448	34	7	11	6	9	67	24	36	53	28
57	FEMALE---	2,612	27	4	7	7	4	49	34	44	38	27
58	WHITE----------	4,404	50	9	14	12	11	96	44	64	72	42
59	MALE----	2,152	25	6	8	5	7	51	19	29	45	21
60	FEMALE---	2,252	25	3	6	7	4	45	25	35	27	21
61	ALL OTHER----------	656	11	2	4	1	2	20	14	16	19	13
62	MALE----	296	9	1	3	1	2	16	5	7	8	7
63	FEMALE---	360	2	1	1	-	-	4	9	9	11	6
64	DIABETES MELLITUS----------250	37,329	14	3	3	4	-	24	24	37	72	134
65	MALE----	15,136	7	2	2	1	-	12	8	12	31	64
66	FEMALE---	22,193	7	1	1	3	-	12	16	25	41	70
67	WHITE----------	31,349	11	3	3	3	-	20	21	32	56	109
68	MALE----	13,013	5	2	2	1	-	10	7	10	26	53
69	FEMALE---	18,336	6	1	1	2	-	10	14	22	30	56
70	ALL OTHER----------	5,980	3	-	-	1	-	4	3	5	16	25
71	MALE----	2,123	2	-	-	-	-	2	1	2	5	11
72	FEMALE---	3,857	1	-	-	1	-	2	2	3	11	14
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES----------260-269	2,527	99	7	2	3	3	114	9	6	9	10
74	MALE----	1,143	63	5	1	3	1	73	7	4	4	4
75	FEMALE---	1,384	36	2	1	-	2	41	2	2	5	6
76	WHITE----------	2,127	54	4	1	2	1	62	7	6	7	6
77	MALE----	923	32	3	-	2	1	38	6	4	3	1
78	FEMALE---	1,204	22	1	1	-	-	24	1	2	4	5
79	ALL OTHER----------	400	45	3	1	1	2	52	2	-	2	4
80	MALE----	220	31	2	1	1	-	35	1	-	1	3
81	FEMALE---	180	14	1	-	-	2	17	1	-	1	1

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
139	403	769	1,402	2,684	3,724	4,175	4,249	4,015	3,521	3,019	2,297	1,329	539	117	13	1	1
–	2	2	9	13	16	33	42	38	40	28	36	21	6	2	–	–	2
139	401	767	1,393	2,671	3,708	4,142	4,207	3,977	3,481	2,991	2,261	1,308	533	115	13	1	3
123	329	641	1,174	2,356	3,278	3,800	3,866	3,661	3,247	2,855	2,184	1,252	509	111	8	1	4
–	2	2	6	9	15	27	39	31	38	24	32	18	5	1	–	–	5
123	327	639	1,168	2,347	3,263	3,773	3,827	3,630	3,209	2,831	2,152	1,234	504	110	8	1	6
16	74	128	228	328	446	375	383	354	274	164	113	77	30	6	5	–	7
–	–	–	3	4	1	6	3	7	2	4	4	3	1	1	–	–	8
16	74	128	225	324	445	369	380	347	272	160	109	74	29	5	5	–	9
295	358	579	991	1,662	2,538	3,404	4,646	5,750	6,492	6,509	5,388	3,005	929	182	22	7	10
139	101	72	70	132	283	718	1,534	2,634	3,658	4,133	3,645	2,088	622	124	16	4	11
156	257	507	921	1,530	2,255	2,686	3,112	3,116	2,834	2,376	1,743	917	307	58	6	3	12
256	292	439	812	1,405	2,165	2,881	3,895	4,841	5,454	5,753	4,812	2,735	824	156	15	3	13
139	98	67	66	111	225	572	1,199	2,129	2,971	3,588	3,207	1,888	556	98	13	2	14
117	194	372	746	1,294	1,940	2,309	2,696	2,712	2,483	2,165	1,605	847	268	58	2	1	15
39	66	140	179	257	373	523	751	909	1,038	756	576	270	105	26	7	4	16
–	3	5	4	21	58	146	335	505	687	545	438	200	66	26	3	2	17
39	63	135	175	236	315	377	416	404	351	211	138	70	39	–	4	2	18
28	50	82	212	460	897	1,311	1,990	2,494	2,670	2,552	2,055	1,067	381	73	4	1	19
19	27	52	151	329	659	919	1,400	1,745	1,811	1,680	1,267	604	214	35	2	1	20
9	23	30	61	131	238	392	590	749	859	872	788	463	167	38	2	–	21
19	41	72	175	414	793	1,185	1,799	2,278	2,455	2,410	1,947	1,023	367	66	4	1	22
13	23	49	122	301	588	838	1,284	1,614	1,675	1,601	1,207	581	204	32	2	1	23
6	18	23	53	113	205	347	515	664	780	809	740	442	163	34	2	–	24
9	9	10	37	46	104	126	191	216	215	142	108	44	14	7	–	–	25
6	4	3	29	28	71	81	116	131	136	79	60	23	10	3	–	–	26
3	5	7	8	18	33	45	75	85	79	63	48	21	4	4	–	–	27
508	590	819	1,247	2,294	3,478	4,430	5,495	5,725	5,623	4,729	3,622	2,039	721	155	23	1	28
297	325	450	683	1,270	1,989	2,453	3,072	3,199	2,987	2,278	1,564	828	271	44	10	–	29
211	265	369	564	1,024	1,489	1,977	2,423	2,526	2,636	2,451	2,058	1,211	450	111	13	1	30
465	535	733	1,088	1,989	3,049	3,929	4,831	5,112	5,002	4,334	3,373	1,920	675	139	18	1	31
274	297	399	608	1,103	1,747	2,179	2,707	2,868	2,664	2,088	1,448	772	256	36	6	–	32
191	238	334	480	886	1,302	1,750	2,124	2,244	2,338	2,246	1,925	1,148	419	103	12	1	33
43	55	86	159	305	429	501	664	613	621	395	249	119	46	16	5	–	34
23	28	51	75	167	242	274	365	331	323	190	116	56	15	8	4	–	35
20	27	35	84	138	187	227	299	282	298	205	133	63	31	8	1	–	36
284	268	276	349	483	736	959	1,292	1,591	1,804	1,849	1,642	818	265	53	3	1	37
153	160	151	172	278	412	555	806	955	1,039	1,034	840	402	132	22	2	1	38
131	108	125	177	205	324	404	486	636	765	815	802	416	133	31	1	–	39
244	240	240	308	435	667	857	1,159	1,459	1,682	1,756	1,566	789	253	51	2	1	40
135	143	133	151	254	369	495	732	889	966	968	799	387	131	21	2	1	41
109	97	107	157	181	298	362	427	570	716	788	767	402	122	30	–	–	42
40	28	36	41	48	69	102	133	132	122	93	76	29	12	2	1	–	43
18	17	18	21	24	43	60	74	66	73	66	41	15	1	1	–	–	44
22	11	18	20	24	26	42	59	66	49	27	35	14	11	1	1	–	45
336	327	386	499	885	1,386	1,866	2,392	2,874	2,921	2,540	1,760	754	199	32	4	4	46
202	198	243	301	557	818	1,048	1,396	1,588	1,499	1,222	823	317	95	19	–	2	47
134	129	143	198	328	568	818	996	1,286	1,422	1,318	937	437	104	13	4	2	48
309	299	344	434	786	1,225	1,681	2,162	2,601	2,670	2,380	1,657	709	179	26	1	4	49
184	182	221	263	495	716	925	1,272	1,424	1,374	1,136	763	295	85	16	–	2	50
125	117	123	171	291	509	756	890	1,177	1,296	1,244	894	414	94	10	1	2	51
27	28	42	65	99	161	185	230	273	251	160	103	45	20	6	3	–	52
18	16	22	38	62	102	123	124	164	125	86	60	22	10	3	–	–	53
9	12	20	27	37	59	62	106	109	126	74	43	23	10	3	3	–	54
87	96	117	171	268	379	483	522	593	639	563	405	217	98	17	2	3	55
46	34	56	75	136	180	261	255	303	302	278	196	83	27	6	1	1	56
41	62	61	96	132	199	222	267	290	337	285	209	134	71	11	1	2	57
66	77	96	134	221	311	427	447	526	570	513	379	202	96	16	2	3	58
37	28	48	62	113	146	229	220	278	279	252	181	79	27	6	1	1	59
29	49	48	72	108	165	198	227	248	291	261	198	123	69	10	1	2	60
21	19	21	37	47	68	56	75	67	69	50	26	15	2	1	–	–	61
9	6	8	13	23	34	32	35	25	23	26	15	4	–	–	–	–	62
12	13	13	24	24	34	24	40	42	46	24	11	11	2	1	–	–	63
225	330	384	585	1,035	1,669	2,523	3,670	5,160	5,880	5,960	5,282	3,074	1,043	192	23	3	64
107	178	208	317	569	770	1,240	1,721	2,242	2,293	2,206	1,766	1,000	330	55	7	–	65
118	152	176	268	466	899	1,283	1,949	2,918	3,587	3,754	3,516	2,074	713	137	16	3	66
174	254	287	385	742	1,187	1,923	2,904	4,189	4,898	5,277	4,871	2,889	953	161	16	1	67
80	136	167	224	435	590	1,009	1,447	1,914	1,990	1,968	1,651	946	299	48	3	–	68
94	118	120	161	307	597	914	1,457	2,275	2,908	3,309	3,220	1,943	654	113	13	1	69
51	76	97	200	293	482	600	766	971	982	683	411	185	90	31	7	2	70
27	42	41	93	134	180	231	274	328	303	238	115	54	31	7	4	–	71
24	34	56	107	159	302	369	492	643	679	445	296	131	59	24	3	2	72
15	17	15	29	35	67	108	119	188	254	326	440	397	253	88	27	1	73
7	12	8	12	20	34	57	72	89	138	166	175	141	87	29	4	–	74
8	5	7	17	15	33	51	47	99	116	160	265	256	166	59	23	1	75
11	13	9	22	24	52	84	92	156	208	281	385	367	234	80	20	1	76
5	10	6	10	12	29	44	54	71	111	138	147	126	79	26	3	–	77
6	3	3	12	12	23	40	38	85	97	143	238	241	155	54	17	1	78
4	4	6	7	11	15	24	27	32	46	45	55	30	19	8	7	–	79
2	2	2	2	8	5	13	18	18	27	28	28	15	8	3	1	–	80
2	2	4	5	3	10	11	9	14	19	17	27	15	11	5	6	–	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	ANEMIAS—280-285	3,312	31	42	19	20	9	121	48	71	72	65
2	MALE	1,577	19	27	10	7	7	70	24	36	43	39
3	FEMALE	1,735	12	15	9	13	2	51	24	35	29	26
4	WHITE	2,602	15	16	4	7	6	48	21	44	40	24
5	MALE	1,217	10	9	3	2	5	29	12	21	23	16
6	FEMALE	1,385	5	7	1	5	1	19	9	23	17	8
7	ALL OTHER	710	16	26	15	13	3	73	27	27	32	41
8	MALE	360	9	18	7	5	2	41	12	15	20	23
9	FEMALE	350	7	8	8	8	1	32	15	12	12	18
10	MENINGITIS—320	1,539	567	105	59	40	20	791	41	27	34	15
11	MALE	843	316	61	37	22	9	445	24	12	25	12
12	FEMALE	696	251	44	22	18	11	346	17	15	9	3
13	WHITE	1,058	366	72	44	27	14	523	30	17	23	10
14	MALE	597	213	45	31	15	6	310	18	9	15	7
15	FEMALE	461	153	27	13	12	8	213	12	8	8	3
16	ALL OTHER	481	201	33	15	13	6	268	11	10	11	5
17	MALE	246	103	16	6	7	3	135	6	3	10	5
18	FEMALE	235	98	17	9	6	3	133	5	7	1	-
19	MAJOR CARDIOVASCULAR DISEASES—390-448	1,010,926	855	179	91	61	48	1,234	249	394	728	1,044
20	MALE	534,436	476	90	45	32	27	670	130	214	456	584
21	FEMALE	476,490	379	89	46	29	21	564	119	180	272	460
22	WHITE	909,804	553	112	72	46	41	824	197	307	554	766
23	MALE	481,888	319	55	35	24	22	455	102	174	350	444
24	FEMALE	427,916	234	57	37	22	19	369	95	133	204	322
25	ALL OTHER	101,122	302	67	19	15	7	410	52	87	174	278
26	MALE	52,548	157	35	10	8	5	215	28	40	106	140
27	FEMALE	48,574	145	32	9	7	2	195	24	47	68	138
28	DISEASES OF HEART—390-398,402,404,410-429	738,171	661	133	61	39	29	923	137	215	440	652
29	MALE	411,492	364	65	28	18	17	492	72	110	288	386
30	FEMALE	326,679	297	68	33	21	12	431	65	105	152	266
31	WHITE	667,787	423	82	48	29	24	606	100	157	322	457
32	MALE	373,592	245	39	22	13	14	333	52	86	216	287
33	FEMALE	294,195	178	43	26	16	10	273	48	71	106	170
34	ALL OTHER	70,384	238	51	13	10	5	317	37	58	118	195
35	MALE	37,900	119	26	6	5	3	159	20	24	72	99
36	FEMALE	32,484	119	25	7	5	2	158	17	34	46	96
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	13,302	3	4	2	2	3	14	17	46	73	116
38	MALE	5,969	1	3	-	-	2	6	10	19	43	59
39	FEMALE	7,333	2	1	2	2	1	8	7	27	30	57
40	WHITE	12,103	1	3	1	2	2	9	9	24	43	73
41	MALE	5,354	1	2	-	-	1	4	5	12	28	40
42	FEMALE	6,749	-	1	1	2	1	5	4	12	15	33
43	ALL OTHER	1,199	2	1	1	-	1	5	8	22	30	43
44	MALE	615	-	1	-	-	1	2	5	7	15	19
45	FEMALE	584	2	-	1	-	-	3	3	15	15	24
46	HYPERTENSIVE HEART DISEASE—402	7,167	2	1	-	-	-	3	-	-	3	7
47	MALE	2,933	-	-	-	-	-	-	-	-	2	5
48	FEMALE	4,234	2	1	-	-	-	3	-	-	1	2
49	WHITE	5,542	1	1	-	-	-	2	-	-	2	5
50	MALE	2,228	-	-	-	-	-	-	-	-	2	3
51	FEMALE	3,314	1	1	-	-	-	2	-	-	-	2
52	ALL OTHER	1,625	1	-	-	-	-	1	-	-	1	2
53	MALE	705	-	-	-	-	-	-	-	-	-	2
54	FEMALE	920	1	-	-	-	-	1	-	-	1	-
55	HYPERTENSIVE HEART AND RENAL DISEASE—404	4,916	-	-	-	-	-	-	-	1	1	4
56	MALE	2,176	-	-	-	-	-	-	-	1	1	3
57	FEMALE	2,740	-	-	-	-	-	-	-	-	-	1
58	WHITE	4,194	-	-	-	-	-	-	-	1	-	2
59	MALE	1,829	-	-	-	-	-	-	-	1	-	1
60	FEMALE	2,365	-	-	-	-	-	-	-	-	-	1
61	ALL OTHER	722	-	-	-	-	-	-	-	-	1	2
62	MALE	347	-	-	-	-	-	-	-	-	1	2
63	FEMALE	375	-	-	-	-	-	-	-	-	-	-
64	ISCHEMIC HEART DISEASE—410-413	664,854	16	3	1	1	1	22	4	18	54	113
65	MALE	373,765	7	-	-	-	1	8	2	8	33	79
66	FEMALE	291,089	9	3	1	1	-	14	2	10	21	34
67	WHITE	606,137	13	3	1	1	1	19	3	13	43	81
68	MALE	341,980	6	-	-	-	1	7	1	7	27	64
69	FEMALE	264,157	7	3	1	1	-	12	2	6	16	17
70	ALL OTHER	58,717	3	-	-	-	-	3	1	5	11	32
71	MALE	31,785	1	-	-	-	-	1	1	1	6	15
72	FEMALE	26,932	2	-	-	-	-	2	-	4	5	17
73	ACUTE MYOCARDIAL INFARCTION—410	334,196	13	3	-	1	1	18	2	10	36	59
74	MALE	208,871	7	-	-	-	1	8	2	5	22	41
75	FEMALE	125,325	6	3	-	1	-	10	-	5	14	18
76	WHITE	309,760	10	3	-	1	1	15	1	6	28	43
77	MALE	194,808	6	-	-	-	1	7	1	4	17	35
78	FEMALE	114,952	4	3	-	1	-	8	-	2	11	8
79	ALL OTHER	24,436	3	-	-	-	-	3	1	4	8	16
80	MALE	14,063	1	-	-	-	-	1	1	1	5	6
81	FEMALE	10,373	2	-	-	-	-	2	-	3	3	10

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
78	59	50	65	72	121	145	231	267	381	453	467	350	157	33	6	–	1
43	28	29	28	32	57	73	130	140	175	207	208	153	52	7	3	–	2
35	31	21	37	40	64	72	101	127	206	246	259	197	105	26	3	–	3
31	20	18	41	41	85	112	193	213	330	412	427	324	143	30	5	–	4
16	8	10	18	19	41	58	108	108	155	188	191	141	45	7	3	–	5
15	12	8	23	22	44	54	85	105	175	224	236	183	98	23	2	–	6
47	39	32	24	31	36	33	38	54	51	41	40	26	14	3	1	–	7
27	20	19	10	13	16	15	22	32	20	19	17	12	7	–	–	–	8
20	19	13	14	18	20	18	16	22	31	22	23	14	7	3	1	–	9
13	18	22	35	43	69	68	66	90	75	54	37	36	3	1	1	–	10
7	13	12	22	27	42	40	31	50	29	32	11	8	–	1	–	–	11
6	5	10	13	16	27	28	35	40	46	22	26	28	3	–	1	–	12
7	13	13	20	36	42	48	53	75	53	42	24	27	1	1	–	–	13
2	10	6	13	23	28	25	27	42	21	27	6	7	–	1	–	–	14
5	3	7	7	13	14	23	26	33	32	15	18	20	1	–	–	–	15
6	5	9	15	7	27	20	13	15	22	12	13	9	2	–	1	–	16
5	3	6	9	4	14	15	4	8	8	5	5	1	–	–	–	–	17
1	2	3	6	3	13	5	9	7	14	7	8	8	2	–	1	–	18
1,475	2,666	5,103	11,276	22,862	38,995	57,005	83,628	110,833	137,476	157,792	166,038	128,558	63,001	17,384	3,027	158	19
879	1,662	3,420	7,979	16,779	28,393	40,810	56,977	70,760	78,367	78,708	71,924	49,057	20,941	4,880	766	80	20
596	1,004	1,683	3,297	6,083	10,602	16,195	26,651	40,073	59,109	79,084	94,114	79,501	42,060	12,504	2,261	78	21
1,022	1,834	3,778	8,650	18,476	32,332	48,829	72,071	97,066	121,631	145,276	156,088	121,823	59,554	16,154	2,460	112	22
622	1,190	2,655	6,450	14,135	24,406	35,918	50,384	63,265	70,251	72,512	67,563	46,256	19,652	4,458	589	57	23
400	644	1,123	2,200	4,341	7,926	12,911	21,687	33,801	51,380	72,764	88,525	75,567	39,902	11,696	1,871	55	24
453	832	1,325	2,626	4,386	6,663	8,176	11,557	13,767	15,845	12,516	9,950	6,735	3,447	1,230	567	46	25
257	472	765	1,529	2,644	3,987	4,892	6,593	7,495	8,116	6,196	4,361	2,801	1,289	422	177	23	26
196	360	560	1,097	1,742	2,676	3,284	4,964	6,272	7,729	6,320	5,589	3,934	2,158	808	390	23	27
898	1,895	3,776	8,896	18,852	32,465	47,305	67,936	86,940	102,646	111,950	112,907	84,840	41,188	11,193	2,004	113	28
592	1,286	2,783	6,766	14,674	24,843	35,138	47,796	57,016	60,010	57,588	50,258	33,467	14,042	3,290	537	58	29
306	609	993	2,130	4,178	7,622	12,167	20,140	29,924	42,636	54,362	62,649	51,373	27,146	7,903	1,467	55	30
609	1,323	2,864	7,092	15,635	27,543	41,232	59,507	77,240	91,718	103,586	106,363	80,424	38,916	10,383	1,630	80	31
408	945	2,219	5,660	12,655	21,754	31,409	42,850	51,598	54,231	53,345	47,302	31,607	13,168	3,005	420	42	32
201	378	645	1,432	2,980	5,789	9,823	16,657	25,642	37,487	50,241	59,061	48,817	25,748	7,378	1,210	38	33
289	572	912	1,804	3,217	4,922	6,073	8,429	9,700	10,928	8,364	6,544	4,416	2,272	810	374	33	34
184	341	564	1,106	2,019	3,089	3,729	4,946	5,418	5,779	4,243	2,956	1,860	874	285	117	16	35
105	231	348	698	1,198	1,833	2,344	3,483	4,282	5,149	4,121	3,588	2,556	1,398	525	257	17	36
138	200	277	437	730	1,131	1,453	1,825	2,067	1,758	1,356	935	502	188	30	7	2	37
68	111	129	199	367	602	743	871	946	730	514	328	155	56	10	2	1	38
70	89	148	238	363	529	710	954	1,121	1,028	842	607	347	132	20	5	1	39
100	150	213	355	617	1,010	1,330	1,694	1,942	1,661	1,274	902	487	176	28	5	1	40
48	84	101	161	319	530	671	790	880	683	474	312	148	53	10	1	–	41
52	66	112	194	298	480	659	904	1,062	978	800	590	339	123	18	4	1	42
38	50	64	82	113	121	123	131	125	97	82	33	15	12	2	2	1	43
20	27	28	38	48	72	72	81	66	47	40	16	7	3	–	1	1	44
18	23	36	44	65	49	51	50	59	50	42	17	8	9	2	1	–	45
12	28	50	98	195	318	425	648	860	1,028	1,102	1,113	817	355	95	10	–	46
8	11	31	50	101	182	227	353	452	480	381	337	223	74	15	1	–	47
4	17	19	48	94	136	198	295	408	548	721	776	594	281	80	9	–	48
8	12	21	51	108	191	270	440	626	753	932	976	740	313	83	9	–	49
5	5	12	29	59	127	161	247	345	354	317	287	204	57	14	–	–	50
3	7	9	22	49	64	109	193	281	399	615	689	536	256	69	9	–	51
4	16	29	47	87	127	155	208	234	275	170	137	77	42	12	1	–	52
3	6	19	21	42	55	66	106	107	126	64	50	19	17	1	1	–	53
1	10	10	26	45	72	89	102	127	149	106	87	58	25	11	–	–	54
1	8	15	23	62	95	134	241	410	542	755	1,024	923	514	148	14	1	55
1	4	9	13	25	54	78	124	221	286	346	408	374	175	48	4	1	56
–	4	6	10	37	41	56	117	189	256	409	616	549	339	100	10	–	57
–	5	4	11	38	55	79	166	302	438	658	945	857	489	132	11	1	58
–	2	3	7	17	31	52	86	169	229	312	371	340	164	40	3	1	59
–	3	1	4	21	24	27	80	133	209	346	574	517	325	92	8	–	60
1	3	11	12	24	40	55	75	108	104	97	79	66	25	16	3	–	61
1	2	6	6	8	23	26	38	52	57	34	37	34	11	8	1	–	62
–	1	5	6	16	17	29	37	56	47	63	42	32	14	8	2	–	63
318	1,122	2,744	7,309	16,118	28,321	41,906	60,764	78,496	93,522	102,662	103,673	77,919	37,661	10,196	1,807	105	64
245	844	2,194	5,844	13,016	22,293	31,781	43,487	52,155	55,157	53,133	46,338	30,794	12,830	2,981	491	52	65
73	278	550	1,465	3,102	6,028	10,125	17,277	26,341	38,365	49,529	57,335	47,125	24,831	7,215	1,316	53	66
228	834	2,197	5,950	13,588	24,295	36,893	53,680	70,187	84,049	95,388	97,910	74,048	35,692	9,484	1,481	74	67
178	663	1,829	4,988	11,380	19,723	28,658	39,299	47,486	50,144	49,429	43,717	29,161	12,065	2,727	389	38	68
50	171	368	962	2,208	4,572	8,235	14,381	22,701	33,905	45,959	54,193	44,887	23,627	6,757	1,092	36	69
90	288	547	1,359	2,530	4,026	5,013	7,084	8,309	9,473	7,274	5,763	3,871	1,969	712	326	31	70
67	181	365	856	1,636	2,570	3,123	4,188	4,669	5,013	3,704	2,621	1,633	765	254	102	14	71
23	107	182	503	894	1,456	1,890	2,896	3,640	4,460	3,570	3,142	2,238	1,204	458	224	17	72
193	750	1,854	4,953	11,113	19,210	27,742	38,556	47,620	51,185	49,787	41,923	26,026	10,314	2,394	408	43	73
155	569	1,547	4,081	9,208	15,575	21,593	28,411	32,684	31,532	27,184	20,121	11,238	3,935	794	142	24	74
38	181	307	872	1,905	3,635	6,149	10,145	14,936	19,653	22,603	21,802	14,788	6,379	1,600	266	19	75
152	596	1,575	4,280	9,818	17,248	25,357	35,305	43,914	47,306	47,062	39,961	24,787	9,737	2,224	316	29	76
122	469	1,348	3,632	8,338	14,272	20,066	26,400	30,566	29,406	25,718	19,178	10,679	3,699	725	109	17	77
30	127	227	648	1,480	2,976	5,291	8,905	13,348	17,900	21,344	20,783	14,108	6,038	1,499	207	12	78
41	154	279	673	1,295	1,962	2,385	3,251	3,706	3,879	2,725	1,962	1,239	577	170	92	14	79
33	100	199	449	870	1,303	1,527	2,011	2,118	2,126	1,466	943	559	236	69	33	7	80
8	54	80	224	425	659	858	1,240	1,588	1,753	1,259	1,019	680	341	101	59	7	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MAJOR CARDIOVASCULAR DISEASES--CON.											
	DISEASES OF HEART--CON.											
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE--411	4,418	-	-	-	-	-	-	-	3	6	3
2	MALE	2,844	-	-	-	-	-	-	-	-	4	1
3	FEMALE	1,574	-	-	-	-	-	-	-	3	2	2
4	WHITE	3,812	-	-	-	-	-	-	-	2	6	2
5	MALE	2,460	-	-	-	-	-	-	-	-	4	1
6	FEMALE	1,352	-	-	-	-	-	-	-	2	2	1
7	ALL OTHER	606	-	-	-	-	-	-	-	1	-	1
8	MALE	384	-	-	-	-	-	-	-	-	-	-
9	FEMALE	222	-	-	-	-	-	-	-	1	-	1
10	CHRONIC ISCHEMIC HEART DISEASE--412	326,065	3	-	1	-	-	4	2	5	12	51
11	MALE	161,947	-	-	-	-	-	-	-	3	7	37
12	FEMALE	164,118	3	-	1	-	-	4	2	2	5	14
13	WHITE	292,406	3	-	1	-	-	4	2	5	9	36
14	MALE	144,618	-	-	-	-	-	-	-	3	6	28
15	FEMALE	147,788	3	-	1	-	-	4	2	2	3	8
16	ALL OTHER	33,659	-	-	-	-	-	-	-	-	3	15
17	MALE	17,329	-	-	-	-	-	-	-	-	1	9
18	FEMALE	16,330	-	-	-	-	-	-	-	-	2	6
19	ANGINA PECTORIS--413	175	-	-	-	-	-	-	-	-	-	-
20	MALE	103	-	-	-	-	-	-	-	-	-	-
21	FEMALE	72	-	-	-	-	-	-	-	-	-	-
22	WHITE	159	-	-	-	-	-	-	-	-	-	-
23	MALE	94	-	-	-	-	-	-	-	-	-	-
24	FEMALE	65	-	-	-	-	-	-	-	-	-	-
25	ALL OTHER	16	-	-	-	-	-	-	-	-	-	-
26	MALE	9	-	-	-	-	-	-	-	-	-	-
27	FEMALE	7	-	-	-	-	-	-	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY--424,428	4,895	28	16	7	1	2	54	10	18	34	44
29	MALE	2,397	12	7	5	1	1	26	5	10	25	30
30	FEMALE	2,498	16	9	2	-	1	28	5	8	9	14
31	WHITE	4,307	19	9	6	1	2	37	5	12	27	34
32	MALE	2,099	9	3	4	1	1	18	3	7	21	21
33	FEMALE	2,208	10	6	2	-	1	19	2	5	6	13
34	ALL OTHER	588	9	7	1	-	-	17	5	6	7	10
35	MALE	298	3	4	1	-	-	8	2	3	4	9
36	FEMALE	290	6	3	-	-	-	9	3	3	3	1
37	ALL OTHER FORMS OF HEART DISEASE--420-423,425-427,429	43,037	612	109	51	35	23	830	106	132	275	368
38	MALE	24,252	344	55	23	17	13	452	55	72	184	210
39	FEMALE	18,785	268	54	28	18	10	378	51	60	91	158
40	WHITE	35,504	389	66	40	25	19	539	83	107	207	262
41	MALE	20,102	229	34	18	12	11	304	43	59	138	158
42	FEMALE	15,402	160	32	22	13	8	235	40	48	69	104
43	ALL OTHER	7,533	223	43	11	10	4	291	23	25	68	106
44	MALE	4,150	115	21	5	5	2	148	12	13	46	52
45	FEMALE	3,383	108	22	6	5	2	143	11	12	22	54
46	HYPERTENSION--400,401,403	6,894	-	-	-	-	1	1	1	2	5	12
47	MALE	3,490	-	-	-	-	-	-	1	1	3	6
48	FEMALE	3,404	-	-	-	-	1	1	-	1	2	6
49	WHITE	5,461	-	-	-	-	1	1	1	2	5	8
50	MALE	2,757	-	-	-	-	-	-	1	1	3	5
51	FEMALE	2,704	-	-	-	-	1	1	-	1	2	3
52	ALL OTHER	1,433	-	-	-	-	-	-	-	-	-	4
53	MALE	733	-	-	-	-	-	-	-	-	-	1
54	FEMALE	700	-	-	-	-	-	-	-	-	-	3
55	CEREBROVASCULAR DISEASES--430-438	207,424	153	44	25	20	18	260	96	153	241	294
56	MALE	90,394	91	23	13	14	10	151	50	88	137	150
57	FEMALE	117,030	62	21	12	6	8	109	46	65	104	144
58	WHITE	182,626	97	30	20	15	16	178	82	128	191	230
59	MALE	78,749	58	16	10	11	8	103	42	75	109	116
60	FEMALE	103,877	39	14	10	4	8	75	40	53	82	114
61	ALL OTHER	24,798	56	14	5	5	2	82	14	25	50	64
62	MALE	11,645	33	7	3	3	2	48	8	13	28	34
63	FEMALE	13,153	23	7	2	2	-	34	6	12	22	30
64	CEREBRAL HEMORRHAGE--431	30,515	73	14	6	6	7	106	31	45	59	84
65	MALE	14,001	48	8	3	4	4	67	17	22	29	48
66	FEMALE	16,514	25	6	3	2	3	39	14	23	30	36
67	WHITE	25,982	44	11	4	4	5	68	26	35	46	56
68	MALE	11,747	31	6	2	3	2	44	14	18	21	33
69	FEMALE	14,235	13	5	2	1	3	24	12	17	25	23
70	ALL OTHER	4,533	29	3	2	2	2	38	5	10	13	28
71	MALE	2,254	17	2	1	1	2	23	3	4	8	15
72	FEMALE	2,279	12	1	1	1	-	15	2	6	5	13
73	CEREBRAL THROMBOSIS--433	53,542	6	1	3	-	1	11	3	8	9	13
74	MALE	23,075	2	1	1	-	1	5	2	4	6	-
75	FEMALE	30,467	4	-	2	-	-	6	1	4	3	13
76	WHITE	48,309	4	1	1	-	1	7	3	5	7	10
77	MALE	20,666	1	1	-	-	1	3	2	3	4	-
78	FEMALE	27,643	3	-	1	-	-	4	1	2	3	10
79	ALL OTHER	5,233	2	-	2	-	-	4	-	3	2	3
80	MALE	2,409	1	-	1	-	-	2	-	1	2	-
81	FEMALE	2,824	1	-	1	-	-	2	-	2	-	3

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
7	20	47	109	204	336	440	545	603	560	534	462	312	158	51	13	5	1
7	19	28	89	158	251	337	406	429	357	317	221	134	54	20	7	5	2
–	1	19	20	46	85	103	139	174	203	217	241	178	104	31	6	–	3
4	13	30	84	163	281	360	461	528	473	487	423	287	145	49	10	4	4
4	13	17	71	125	217	283	350	383	309	290	201	120	45	18	5	4	5
–	–	13	13	38	64	77	111	145	164	197	222	167	100	31	5	–	6
3	7	17	25	41	55	80	84	75	87	47	39	25	13	2	3	1	7
3	6	11	18	33	34	54	56	46	48	27	20	14	9	2	2	1	8
–	1	6	7	8	21	26	28	29	39	20	19	11	4	–	1	–	9
118	352	840	2,243	4,799	8,768	13,716	21,644	30,251	41,749	52,317	61,260	51,558	27,184	7,750	1,385	57	10
83	256	616	1,672	3,649	6,461	9,846	14,656	19,026	23,251	25,620	25,984	19,411	8,838	2,166	342	23	11
35	96	224	571	1,150	2,307	3,870	6,988	11,225	18,498	26,697	35,276	32,147	18,346	5,584	1,043	34	12
72	225	589	1,584	3,605	6,761	11,168	17,896	25,726	36,246	47,816	57,499	48,953	25,805	7,210	1,154	41	13
52	181	461	1,284	2,916	5,230	8,304	12,536	16,522	20,413	23,410	24,326	18,353	8,318	1,983	275	17	14
20	44	128	300	689	1,531	2,864	5,360	9,204	15,833	24,406	33,173	30,600	17,487	5,227	879	24	15
46	127	251	659	1,194	2,007	2,548	3,748	4,525	5,503	4,501	3,761	2,605	1,379	540	231	16	16
31	75	155	388	733	1,231	1,542	2,120	2,504	2,838	2,210	1,658	1,058	520	183	67	6	17
15	52	96	271	461	776	1,006	1,628	2,021	2,665	2,291	2,103	1,547	859	357	164	10	18
–	–	3	4	2	7	8	19	22	28	24	28	23	5	1	1	–	19
–	–	3	2	1	6	5	14	16	17	12	12	11	3	1	–	–	20
–	–	–	2	1	1	3	5	6	11	12	16	12	2	–	1	–	21
–	–	3	2	2	5	8	18	19	24	23	27	21	5	1	1	–	22
–	–	3	1	1	4	5	13	15	16	11	12	9	3	1	–	–	23
–	–	–	1	1	1	3	5	4	8	12	15	12	2	–	1	–	24
–	–	–	2	–	2	–	1	3	4	1	1	2	–	–	–	–	25
–	–	–	1	–	2	–	1	1	1	1	–	2	–	–	–	–	26
–	–	–	1	–	–	–	–	2	3	–	1	–	–	–	–	–	27
46	51	63	92	141	203	240	352	435	555	610	738	652	406	119	30	2	28
31	31	39	56	78	125	160	210	252	307	283	306	245	134	34	9	1	29
15	20	24	36	63	78	80	142	183	248	327	432	407	272	85	21	1	30
30	36	45	75	113	174	203	288	372	486	549	684	619	382	113	21	2	31
21	23	32	43	64	109	132	174	219	273	252	290	232	126	32	6	1	32
9	13	13	32	49	65	71	114	153	213	297	394	387	256	81	15	1	33
16	15	18	17	28	29	37	64	63	69	61	54	33	24	6	9	–	34
10	8	7	13	14	16	28	36	33	34	31	16	13	8	2	3	–	35
6	7	11	4	14	13	9	28	30	35	30	38	20	16	4	6	–	36
383	486	627	937	1,606	2,397	3,147	4,106	4,672	5,241	5,465	5,424	4,027	2,064	605	136	3	37
239	285	381	604	1,087	1,587	2,149	2,751	2,990	3,050	2,931	2,541	1,676	773	202	30	3	38
144	201	246	333	519	810	998	1,355	1,682	2,191	2,534	2,883	2,351	1,291	403	106	–	39
243	286	384	650	1,171	1,818	2,457	3,239	3,811	4,331	4,785	4,946	3,673	1,864	543	103	2	40
156	168	242	432	816	1,234	1,735	2,254	2,499	2,548	2,561	2,325	1,522	703	182	21	2	41
87	118	142	218	355	584	722	985	1,312	1,783	2,224	2,621	2,151	1,161	361	82	–	42
140	200	243	287	435	579	690	867	861	910	680	478	354	200	62	33	1	43
83	117	139	172	271	353	414	497	491	502	370	216	154	70	20	9	1	44
57	83	104	115	164	226	276	370	370	408	310	262	200	130	42	24	–	45
31	52	84	122	197	271	343	493	642	856	1,060	1,121	1,005	447	125	22	2	46
17	27	43	67	111	154	191	280	357	490	539	519	444	185	47	6	2	47
14	25	41	55	86	117	152	213	285	366	521	602	561	262	78	16	–	48
14	21	30	43	94	140	212	340	468	661	931	1,003	934	418	112	21	2	49
10	9	16	23	49	83	121	200	279	399	474	452	412	174	39	5	2	50
4	12	14	20	45	57	91	140	189	262	457	551	522	244	73	16	–	51
17	31	54	79	103	131	131	153	174	195	129	118	71	29	13	1	–	52
7	18	27	44	62	71	70	80	78	91	65	67	32	11	8	1	–	53
10	13	27	35	41	60	61	73	96	104	64	51	39	18	5	–	–	54
444	611	1,071	1,958	3,205	5,208	7,490	11,937	18,317	26,956	35,827	41,061	32,475	15,183	4,014	593	30	55
209	294	513	959	1,638	2,714	4,156	6,635	10,024	13,536	15,794	16,201	11,319	4,664	1,013	138	11	56
235	317	558	999	1,567	2,494	3,334	5,302	8,293	13,420	20,033	24,860	21,156	10,519	3,001	455	19	57
324	406	750	1,305	2,255	3,781	5,759	9,328	14,956	22,920	32,470	38,376	30,665	14,309	3,728	465	20	58
156	193	360	641	1,141	1,990	3,226	5,285	8,327	11,629	14,242	15,126	10,602	4,360	921	99	6	59
168	213	390	664	1,114	1,791	2,533	4,043	6,629	11,291	18,228	23,250	20,063	9,949	2,807	366	14	60
120	205	321	653	950	1,427	1,731	2,609	3,361	4,036	3,357	2,685	1,810	874	286	128	10	61
53	101	153	318	497	724	930	1,350	1,697	1,907	1,552	1,075	717	304	92	39	5	62
67	104	168	335	453	703	801	1,259	1,664	2,129	1,805	1,610	1,093	570	194	89	5	63
107	155	326	643	1,049	1,661	2,066	2,807	3,475	4,204	4,612	4,488	3,029	1,256	255	50	7	64
52	85	177	343	581	906	1,133	1,521	1,850	2,018	1,963	1,716	1,016	374	60	17	6	65
55	70	149	300	468	755	933	1,286	1,625	2,186	2,649	2,772	2,013	882	195	33	1	66
77	80	196	392	686	1,200	1,578	2,271	2,913	3,625	4,214	4,204	2,855	1,194	230	31	5	67
40	42	108	218	384	665	863	1,243	1,565	1,737	1,782	1,609	943	355	53	6	4	68
37	38	88	174	302	535	715	1,028	1,348	1,888	2,432	2,595	1,912	839	177	25	1	69
30	75	130	251	363	461	488	536	562	579	398	284	174	62	25	19	2	70
12	43	69	125	197	241	270	278	285	281	181	107	73	19	7	11	2	71
18	32	61	126	166	220	218	258	277	298	217	177	101	43	18	8	–	72
29	32	57	125	319	610	1,166	2,483	4,268	7,108	9,985	11,910	9,570	4,457	1,207	164	8	73
14	18	29	67	190	361	732	1,441	2,423	3,649	4,373	4,738	3,309	1,378	306	29	1	74
15	14	28	58	129	249	434	1,042	1,845	3,459	5,612	7,172	6,261	3,079	901	135	7	75
17	25	45	80	223	439	893	1,932	3,547	6,155	9,128	11,243	9,083	4,213	1,123	125	6	76
6	16	23	39	134	265	578	1,151	2,071	3,214	3,986	4,461	3,111	1,299	279	21	–	77
11	9	22	41	89	174	315	781	1,476	2,941	5,142	6,782	5,972	2,914	844	104	6	78
12	7	12	45	96	171	273	551	721	953	857	667	487	244	84	39	2	79
8	2	6	28	56	96	154	290	352	435	387	277	198	79	27	8	1	80
4	5	6	17	40	75	119	261	369	518	470	390	289	165	57	31	1	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MAJOR CARDIOVASCULAR DISEASES—CON.											
	CEREBROVASCULAR DISEASES—CON.											
1	CEREBRAL EMBOLISM—434	910	–	–	–	2	–	2	–	–	2	2
2	MALE	399	–	–	–	1	–	1	–	–	1	2
3	FEMALE	511	–	–	–	1	–	1	–	–	1	–
4	WHITE	827	–	–	–	2	–	2	–	–	2	1
5	MALE	355	–	–	–	1	–	1	–	–	1	1
6	FEMALE	472	–	–	–	1	–	1	–	–	1	–
7	ALL OTHER	83	–	–	–	–	–	–	–	–	–	1
8	MALE	44	–	–	–	–	–	–	–	–	–	1
9	FEMALE	39	–	–	–	–	–	–	–	–	–	–
10	ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	122,457	74	29	16	12	10	141	62	100	171	195
11	MALE	52,919	41	14	9	9	5	78	31	62	101	100
12	FEMALE	69,538	33	15	7	3	5	63	31	38	70	95
13	WHITE	107,508	49	18	15	9	10	101	53	88	136	163
14	MALE	45,981	26	9	8	7	5	55	26	54	83	82
15	FEMALE	61,527	23	9	7	2	5	46	27	34	53	81
16	ALL OTHER	14,949	25	11	1	3	–	40	9	12	35	32
17	MALE	6,938	15	5	1	2	–	23	5	8	18	18
18	FEMALE	8,011	10	6	–	1	–	17	4	4	17	14
19	ARTERIOSCLEROSIS—440	32,239	1	–	–	–	–	1	1	–	–	1
20	MALE	13,229	1	–	–	–	–	1	1	–	–	1
21	FEMALE	19,010	–	–	–	–	–	–	–	–	–	–
22	WHITE	29,913	1	–	–	–	–	1	1	–	–	1
23	MALE	12,150	1	–	–	–	–	1	1	–	–	1
24	FEMALE	17,763	–	–	–	–	–	–	–	–	–	–
25	ALL OTHER	2,326	–	–	–	–	–	–	–	–	–	–
26	MALE	1,079	–	–	–	–	–	–	–	–	–	–
27	FEMALE	1,247	–	–	–	–	–	–	–	–	–	–
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	26,198	40	2	5	2	–	49	14	24	42	85
29	MALE	15,831	20	2	4	–	–	26	6	15	28	41
30	FEMALE	10,367	20	–	1	2	–	23	8	9	14	44
31	WHITE	24,017	32	–	4	2	–	38	13	20	36	70
32	MALE	14,640	15	–	3	–	–	18	6	12	22	35
33	FEMALE	9,377	17	–	1	2	–	20	7	8	14	35
34	ALL OTHER	2,181	8	2	1	–	–	11	1	4	6	15
35	MALE	1,191	5	2	1	–	–	8	–	3	6	6
36	FEMALE	990	3	–	–	–	–	3	1	1	–	9
37	ACUTE BRONCHITIS AND BRONCHIOLITIS—466	750	116	26	16	9	5	172	10	10	8	6
38	MALE	408	71	16	11	6	4	108	5	4	4	5
39	FEMALE	342	45	10	5	3	1	64	5	6	4	1
40	WHITE	647	81	13	11	5	5	115	7	8	8	5
41	MALE	351	50	9	6	4	4	73	4	4	4	4
42	FEMALE	296	31	4	5	1	1	42	3	4	4	1
43	ALL OTHER	103	35	13	5	4	–	57	3	2	–	1
44	MALE	57	21	7	5	2	–	35	1	–	–	1
45	FEMALE	46	14	6	–	2	–	22	2	2	–	–
46	INFLUENZA AND PNEUMONIA—470-474,480-486	54,777	2,613	299	153	98	69	3,232	224	265	319	348
47	MALE	29,787	1,462	170	72	54	33	1,791	112	148	181	201
48	FEMALE	24,990	1,151	129	81	44	36	1,441	112	117	138	147
49	WHITE	47,760	1,645	189	102	70	54	2,060	182	211	261	279
50	MALE	25,504	912	107	55	38	28	1,140	93	116	153	163
51	FEMALE	22,256	733	82	47	32	26	920	89	95	108	116
52	ALL OTHER	7,017	968	110	51	28	15	1,172	42	54	58	69
53	MALE	4,283	550	63	17	16	5	651	19	32	28	38
54	FEMALE	2,734	418	47	34	12	10	521	23	22	30	31
55	INFLUENZA—470-474	2,201	36	7	7	4	9	63	13	26	14	20
56	MALE	989	19	4	3	2	3	31	4	13	10	6
57	FEMALE	1,212	17	3	4	2	6	32	9	13	4	14
58	WHITE	2,049	28	5	6	4	7	50	12	23	13	17
59	MALE	905	16	3	2	2	3	26	4	11	9	6
60	FEMALE	1,144	12	2	4	2	4	24	8	12	4	11
61	ALL OTHER	152	8	2	1	–	2	13	1	3	1	3
62	MALE	84	3	1	1	–	–	5	–	2	1	–
63	FEMALE	68	5	1	–	–	2	8	1	1	–	3
64	PNEUMONIA—480-486	52,576	2,577	292	146	94	60	3,169	211	239	305	328
65	MALE	28,798	1,443	166	69	52	30	1,760	108	135	171	195
66	FEMALE	23,778	1,134	126	77	42	30	1,409	103	104	134	133
67	WHITE	45,711	1,617	184	96	66	47	2,010	170	188	248	262
68	MALE	24,599	896	104	53	36	25	1,114	89	105	144	157
69	FEMALE	21,112	721	80	43	30	22	896	81	83	104	105
70	ALL OTHER	6,865	960	108	50	28	13	1,159	41	51	57	66
71	MALE	4,199	547	62	16	16	5	646	19	30	27	38
72	FEMALE	2,666	413	46	34	12	8	513	22	21	30	28
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	26,880	84	24	16	9	8	141	29	41	70	78
74	MALE	20,170	57	11	11	5	7	91	12	22	40	36
75	FEMALE	6,710	27	13	5	4	1	50	17	19	30	42
76	WHITE	25,237	54	16	12	7	8	97	17	28	46	47
77	MALE	18,966	38	6	7	4	7	62	8	16	22	26
78	FEMALE	6,271	16	10	5	3	1	35	9	12	24	21
79	ALL OTHER	1,643	30	8	4	2	–	44	12	13	24	31
80	MALE	1,204	19	5	4	1	–	29	4	6	18	10
81	FEMALE	439	11	3	–	1	–	15	8	7	6	21

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
5	2	6	10	14	34	49	76	105	129	153	138	102	64	15	2	–	1
3	1	3	4	9	12	21	46	62	60	64	42	38	26	4	–	–	2
2	1	3	6	5	22	28	30	43	69	89	96	64	38	11	2	–	3
4	2	4	8	13	29	43	63	90	119	142	133	96	60	14	2	–	4
2	1	3	2	8	10	18	38	52	55	57	41	35	26	4	–	–	5
2	1	1	6	5	19	25	25	38	64	85	92	61	34	10	2	–	6
1	–	2	2	1	5	6	13	15	10	11	5	6	4	1	–	–	7
1	–	–	2	1	2	3	8	10	5	7	1	3	–	–	–	–	8
–	–	2	–	–	3	3	5	5	5	4	4	3	4	1	–	–	9
303	422	682	1,180	1,823	2,903	4,209	6,571	10,469	15,515	21,077	24,525	19,774	9,406	2,537	377	15	10
140	190	304	545	858	1,435	2,270	3,627	5,689	7,809	9,394	9,705	6,956	2,886	643	92	4	11
163	232	378	635	965	1,468	1,939	2,944	4,780	7,706	11,683	14,820	12,818	6,520	1,894	285	11	12
226	299	505	825	1,333	2,113	3,245	5,062	8,406	13,021	18,986	22,796	18,631	8,842	2,361	307	9	13
108	134	226	382	615	1,050	1,767	2,853	4,639	6,623	8,417	9,015	6,513	2,680	585	72	2	14
118	165	279	443	718	1,063	1,478	2,209	3,767	6,398	10,569	13,781	12,118	6,162	1,776	235	7	15
77	123	177	355	490	790	964	1,509	2,063	2,494	2,091	1,729	1,143	564	176	70	6	16
32	56	78	163	243	385	503	774	1,050	1,186	977	690	443	206	58	20	2	17
45	67	99	192	247	405	461	735	1,013	1,308	1,114	1,039	700	358	118	50	4	18
3	4	11	35	82	168	341	806	1,458	2,819	4,572	7,095	7,642	5,061	1,761	371	7	19
2	2	5	22	55	106	231	492	864	1,476	2,125	2,936	2,732	1,649	446	79	4	20
1	2	6	13	27	62	110	314	594	1,343	2,447	4,159	4,910	3,412	1,315	292	3	21
1	3	10	22	62	134	280	677	1,214	2,469	4,186	6,695	7,324	4,851	1,658	317	7	22
1	2	4	14	45	90	189	424	740	1,312	1,935	2,757	2,586	1,567	415	62	4	23
–	1	6	8	17	44	91	253	474	1,157	2,251	3,938	4,738	3,284	1,243	255	3	24
2	1	1	13	20	34	61	129	244	350	386	400	318	210	103	54	–	25
1	–	1	8	10	16	42	68	124	164	190	179	146	82	31	17	–	26
1	1	–	5	10	18	19	61	120	186	196	221	172	128	72	37	–	27
99	104	161	265	526	883	1,526	2,456	3,476	4,199	4,383	3,854	2,596	1,122	291	37	6	28
59	53	76	165	301	576	1,094	1,774	2,499	2,855	2,662	2,010	1,095	401	84	6	5	29
40	51	85	100	225	307	432	682	977	1,344	1,721	1,844	1,501	721	207	31	1	30
74	81	124	188	430	734	1,346	2,219	3,188	3,863	4,103	3,651	2,476	1,060	273	27	3	31
47	41	56	112	245	489	973	1,625	2,321	2,680	2,516	1,926	1,049	383	78	3	3	32
27	40	68	76	185	245	373	594	867	1,183	1,587	1,725	1,427	677	195	24	–	33
25	23	37	77	96	149	180	237	288	336	280	203	120	62	18	10	3	34
12	12	20	53	56	87	121	149	178	175	146	84	46	18	6	3	2	35
13	11	17	24	40	62	59	88	110	161	134	119	74	44	12	7	1	36
8	7	5	13	21	26	36	47	70	74	71	72	44	35	15	–	–	37
2	4	3	1	8	14	23	25	40	40	43	42	17	15	5	–	–	38
6	3	2	12	13	12	13	22	30	34	28	30	27	20	10	–	–	39
6	5	4	9	20	20	31	44	64	70	68	71	44	33	15	–	–	40
2	2	2	–	8	11	21	25	36	38	40	41	17	14	5	–	–	41
4	3	2	9	12	9	10	19	28	32	28	30	27	19	10	–	–	42
2	2	1	4	1	6	5	3	6	4	3	1	–	2	–	–	–	43
–	2	1	1	–	3	2	–	4	2	3	1	–	1	–	–	–	44
2	–	–	3	1	3	3	3	2	2	–	–	–	1	–	–	–	45
344	407	536	768	1,175	1,623	2,153	3,044	4,012	5,294	7,629	9,314	7,890	4,455	1,424	304	17	46
198	237	324	467	712	994	1,470	1,989	2,603	3,274	4,393	4,792	3,537	1,776	489	89	10	47
146	170	212	301	463	629	683	1,055	1,409	2,020	3,236	4,522	4,353	2,679	935	215	7	48
246	260	325	506	834	1,232	1,735	2,526	3,399	4,593	6,990	8,769	7,488	4,252	1,335	269	8	49
136	143	183	296	483	732	1,162	1,633	2,199	2,852	3,991	4,487	3,330	1,683	449	75	5	50
110	117	142	210	351	500	573	893	1,200	1,741	2,999	4,202	4,158	2,569	806	194	3	51
98	147	211	262	341	391	418	518	613	701	639	545	402	203	89	35	9	52
62	94	141	171	229	262	308	356	404	422	402	305	207	93	40	14	5	53
36	53	70	91	112	129	110	162	209	279	237	240	195	110	49	21	4	54
15	11	14	23	50	52	76	96	144	203	289	420	364	216	78	14	–	55
11	6	7	16	20	24	47	49	85	115	136	177	126	84	18	4	–	56
4	5	7	7	30	28	29	47	59	88	153	243	238	132	60	10	–	57
14	9	10	17	43	47	68	84	129	180	276	404	355	211	75	12	–	58
10	6	4	11	16	23	39	43	76	99	130	171	120	81	18	2	–	59
4	3	6	6	27	24	29	41	53	81	146	233	235	130	57	10	–	60
1	2	4	6	7	5	8	12	15	23	13	16	9	5	3	2	–	61
1	–	3	5	4	1	8	6	9	16	6	6	6	3	–	2	–	62
–	2	1	1	3	4	–	6	6	7	7	10	3	2	3	–	–	63
329	396	522	745	1,125	1,571	2,077	2,948	3,868	5,091	7,340	8,894	7,526	4,239	1,346	290	17	64
187	231	317	451	692	970	1,423	1,940	2,518	3,159	4,257	4,615	3,411	1,692	471	85	10	65
142	165	205	294	433	601	654	1,008	1,350	1,932	3,083	4,279	4,115	2,547	875	205	7	66
232	251	315	489	791	1,185	1,667	2,442	3,270	4,413	6,714	8,365	7,133	4,041	1,260	257	8	67
126	137	179	285	467	709	1,123	1,590	2,123	2,753	3,861	4,316	3,210	1,602	431	73	5	68
106	114	136	204	324	476	544	852	1,147	1,660	2,853	4,049	3,923	2,439	829	184	3	69
97	145	207	256	334	386	410	506	598	678	626	529	393	198	86	33	9	70
61	94	138	166	225	261	300	350	395	406	396	299	201	90	40	12	5	71
36	51	69	90	109	125	110	156	203	272	230	230	192	108	46	21	4	72
60	68	126	263	536	1,128	1,992	3,339	4,583	5,025	4,449	3,058	1,367	427	86	10	4	73
29	41	59	141	319	732	1,364	2,482	3,549	4,020	3,525	2,385	996	272	45	7	3	74
31	27	67	122	217	396	628	857	1,034	1,005	924	673	371	155	41	3	1	75
39	50	74	195	457	1,015	1,836	3,130	4,328	4,805	4,286	2,967	1,319	412	82	5	2	76
19	32	33	104	274	648	1,247	2,318	3,338	3,844	3,394	2,314	958	262	41	4	2	77
20	18	41	91	183	367	589	812	990	961	892	653	361	150	41	1	–	78
21	18	52	68	79	113	156	209	255	220	163	91	48	15	4	5	2	79
10	9	26	37	45	84	117	164	211	176	131	71	38	10	4	3	1	80
11	9	26	31	34	29	39	45	44	44	32	20	10	5	–	2	1	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	BRONCHITIS, EMPHYSEMA, AND ASTHMA—CON.											
1	CHRONIC AND UNQUALIFIED BRONCHITIS——490,491	5,097	73	12	8	6	4	103	11	12	17	20
2	MALE——	3,561	50	6	6	3	3	68	7	8	8	9
3	FEMALE——	1,536	23	6	2	3	1	35	4	4	9	11
4	WHITE——	4,772	46	9	6	6	4	71	9	10	15	10
5	MALE——	3,327	33	3	4	3	3	46	5	6	7	6
6	FEMALE——	1,445	13	6	2	3	1	25	4	4	8	4
7	ALL OTHER——	325	27	3	2	–	–	32	2	2	2	10
8	MALE——	234	17	3	2	–	–	22	2	2	1	3
9	FEMALE——	91	10	–	–	–	–	10	–	–	1	7
10	EMPHYSEMA——492	19,907	9	3	2	–	1	15	–	8	7	8
11	MALE——	15,794	6	–	1	–	1	8	–	2	6	6
12	FEMALE——	4,113	3	3	1	–	–	7	–	6	1	2
13	WHITE——	18,990	7	3	2	–	1	13	–	4	5	7
14	MALE——	15,011	4	–	1	–	1	6	–	2	5	5
15	FEMALE——	3,979	3	3	1	–	–	7	–	2	–	2
16	ALL OTHER——	917	2	–	–	–	–	2	–	4	2	1
17	MALE——	783	2	–	–	–	–	2	–	–	1	1
18	FEMALE——	134	–	–	–	–	–	–	–	4	1	–
19	ASTHMA——493	1,876	2	9	6	3	3	23	18	21	46	50
20	MALE——	815	1	5	4	2	3	15	5	12	26	21
21	FEMALE——	1,061	1	4	2	1	–	8	13	9	20	29
22	WHITE——	1,475	1	4	4	1	3	13	8	14	26	30
23	MALE——	628	1	3	2	1	3	10	3	8	10	15
24	FEMALE——	847	–	1	2	–	–	3	5	6	16	15
25	ALL OTHER——	401	1	5	2	2	–	10	10	7	20	20
26	MALE——	187	–	2	2	1	–	5	2	4	16	6
27	FEMALE——	214	1	3	–	1	–	5	8	3	4	14
28	PEPTIC ULCER——531-533	7,069	29	2	4	3	–	38	5	5	12	25
29	MALE——	4,469	22	1	1	2	–	26	3	3	7	18
30	FEMALE——	2,600	7	1	3	1	–	12	2	2	5	7
31	WHITE——	6,395	13	2	4	2	–	21	4	5	11	18
32	MALE——	3,998	10	1	1	1	–	13	3	3	6	11
33	FEMALE——	2,397	3	1	3	1	–	8	1	2	5	7
34	ALL OTHER——	674	16	–	–	1	–	17	1	–	1	7
35	MALE——	471	12	–	–	1	–	13	–	–	1	7
36	FEMALE——	203	4	–	–	–	–	4	1	–	–	–
37	APPENDICITIS——540-543	864	6	4	6	3	2	21	16	25	21	18
38	MALE——	513	2	2	4	2	1	11	10	13	14	11
39	FEMALE——	351	4	2	2	1	1	10	6	12	7	7
40	WHITE——	715	5	4	5	2	2	18	12	20	14	15
41	MALE——	416	1	2	4	1	1	9	6	10	9	9
42	FEMALE——	299	4	2	1	1	1	9	6	10	5	6
43	ALL OTHER——	149	1	–	1	1	–	3	4	5	7	3
44	MALE——	97	1	–	–	1	–	2	4	3	5	2
45	FEMALE——	52	–	–	1	–	–	1	–	2	2	1
46	HERNIA AND INTESTINAL OBSTRUCTION——550-553,560	6,506	497	15	13	8	4	537	13	16	24	31
47	MALE——	2,746	264	7	11	6	2	290	8	10	18	18
48	FEMALE——	3,760	233	8	2	2	2	247	5	6	6	13
49	WHITE——	5,736	420	11	11	7	3	452	11	11	20	22
50	MALE——	2,344	219	4	9	5	2	239	7	7	15	13
51	FEMALE——	3,392	201	7	2	2	1	213	4	4	5	9
52	ALL OTHER——	770	77	4	2	1	1	85	2	5	4	9
53	MALE——	402	45	3	2	1	–	51	1	3	3	5
54	FEMALE——	368	32	1	–	–	1	34	1	2	1	4
55	CIRRHOSIS OF LIVER——571	33,319	34	8	2	3	2	49	8	15	43	112
56	MALE——	21,806	21	4	1	1	–	27	5	7	21	68
57	FEMALE——	11,513	13	4	1	2	2	22	3	8	22	44
58	WHITE——	27,743	26	5	2	1	2	36	7	11	32	68
59	MALE——	18,322	16	2	1	1	–	20	4	5	18	45
60	FEMALE——	9,421	10	3	1	–	2	16	3	6	14	23
61	ALL OTHER——	5,576	8	3	–	2	–	13	1	4	11	44
62	MALE——	3,484	5	2	–	–	–	7	1	2	3	23
63	FEMALE——	2,092	3	1	–	2	–	6	–	2	8	21
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS——574,575	3,194	1	–	–	–	–	1	–	–	5	11
65	MALE——	1,394	1	–	–	–	–	1	–	–	1	5
66	FEMALE——	1,800	–	–	–	–	–	–	–	–	4	6
67	WHITE——	2,937	1	–	–	–	–	1	–	–	2	10
68	MALE——	1,283	1	–	–	–	–	1	–	–	–	4
69	FEMALE——	1,654	–	–	–	–	–	–	–	–	2	6
70	ALL OTHER——	257	–	–	–	–	–	–	–	–	3	1
71	MALE——	111	–	–	–	–	–	–	–	–	1	1
72	FEMALE——	146	–	–	–	–	–	–	–	–	2	–
73	NEPHRITIS AND NEPHROSIS——580-584	8,068	21	4	4	2	8	39	24	33	57	105
74	MALE——	4,328	11	4	3	1	4	23	13	14	33	66
75	FEMALE——	3,740	10	–	1	1	4	16	11	19	24	39
76	WHITE——	5,907	15	3	2	2	4	26	15	22	35	54
77	MALE——	3,219	6	3	1	1	2	13	8	10	19	36
78	FEMALE——	2,688	9	–	1	1	2	13	7	12	16	18
79	ALL OTHER——	2,161	6	1	2	–	4	13	9	11	22	51
80	MALE——	1,109	5	1	2	–	2	10	5	4	14	30
81	FEMALE——	1,052	1	–	–	–	2	3	4	7	8	21

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
13	12	24	48	99	203	356	562	747	883	856	626	341	121	40	3	–	1
7	9	9	23	63	127	227	384	561	677	614	449	218	71	19	3	–	2
6	3	15	25	36	76	129	178	186	206	242	177	123	50	21	–	–	3
12	11	17	36	92	185	328	520	697	835	825	610	328	120	39	2	–	4
7	8	6	15	57	113	208	351	522	642	593	438	206	71	18	2	–	5
5	3	11	21	35	72	120	169	175	193	232	172	122	49	21	–	–	6
1	1	7	12	7	18	28	42	50	48	31	16	13	1	1	1	–	7
–	1	3	8	6	14	19	33	39	35	21	11	12	–	1	1	–	8
1	–	4	4	1	4	9	9	11	13	10	5	1	1	–	–	–	9
8	19	47	130	329	767	1,444	2,556	3,596	3,949	3,413	2,301	981	277	41	7	4	10
2	15	33	91	223	537	1,049	2,003	2,878	3,254	2,835	1,871	762	188	24	4	3	11
6	4	14	39	106	230	395	553	718	695	578	430	219	89	17	3	1	12
5	16	33	104	295	710	1,361	2,427	3,424	3,802	3,295	2,232	950	264	38	3	2	13
1	13	21	70	195	487	975	1,891	2,728	3,125	2,731	1,814	738	179	21	2	2	14
4	3	12	34	100	223	386	536	696	677	564	418	212	85	17	1	–	15
3	3	14	26	34	57	83	129	172	147	118	69	31	13	3	4	2	16
1	2	12	21	28	50	74	112	150	129	104	57	24	9	3	2	1	17
2	1	2	5	6	7	9	17	22	18	14	12	7	4	–	2	1	18
39	37	55	85	108	158	192	221	240	193	180	131	45	29	5	–	–	19
20	17	17	27	33	68	88	95	110	89	76	65	16	13	2	–	–	20
19	20	38	58	75	90	104	126	130	104	104	66	29	16	3	–	–	21
22	23	24	55	70	120	147	183	207	168	166	125	41	28	5	–	–	22
11	11	6	19	22	48	64	76	88	77	70	62	14	12	2	–	–	23
11	12	18	36	48	72	83	107	119	91	96	63	27	16	3	–	–	24
17	14	31	30	38	38	45	38	33	25	14	6	4	1	–	–	–	25
9	6	11	8	11	20	24	19	22	12	6	3	2	1	–	–	–	26
8	8	20	22	27	18	21	19	11	13	8	3	2	–	–	–	–	27
43	51	82	160	245	399	574	804	898	949	1,011	892	607	215	48	4	2	28
29	39	59	111	180	287	411	541	619	617	620	485	301	95	17	–	1	29
14	12	23	49	65	112	163	263	279	332	391	407	306	120	31	4	1	30
35	37	57	127	202	334	512	721	784	877	960	858	579	204	44	3	2	31
23	29	38	92	145	242	357	487	540	571	585	463	286	89	14	–	1	32
12	8	19	35	57	92	155	234	244	306	375	395	293	115	30	3	1	33
8	14	25	33	43	65	62	83	114	72	51	34	28	11	4	1	–	34
6	10	21	19	35	45	54	54	79	46	35	22	15	6	3	–	–	35
2	4	4	14	8	20	8	29	35	26	16	12	13	5	1	1	–	36
11	13	14	21	32	57	58	87	89	101	101	93	55	24	6	1	–	37
6	9	9	14	20	34	41	53	58	60	60	43	30	15	2	–	–	38
5	4	5	7	12	23	17	34	31	41	41	50	25	9	4	1	–	39
8	9	11	17	24	43	45	70	69	77	93	90	51	23	5	1	–	40
4	6	7	12	15	26	30	43	44	47	55	42	26	14	2	–	–	41
4	3	4	5	9	17	15	27	25	30	38	48	25	9	3	1	–	42
3	4	3	4	8	14	13	17	20	24	8	3	4	1	1	–	–	43
2	3	2	2	5	8	11	10	14	13	5	1	4	1	–	–	–	44
1	1	1	2	3	6	2	7	6	11	3	2	–	–	1	–	–	45
29	38	46	84	141	220	300	409	609	755	943	1,084	804	336	74	13	–	46
15	21	21	38	64	99	134	192	296	345	379	397	262	108	27	4	–	47
14	17	25	46	77	121	166	217	313	410	564	687	542	228	47	9	–	48
20	25	29	62	104	174	254	340	508	663	856	1,023	765	316	70	11	–	49
11	11	13	25	46	75	110	154	250	300	333	366	244	96	25	4	–	50
9	14	16	37	58	99	144	186	258	363	523	657	521	220	45	7	–	51
9	13	17	22	37	46	46	69	101	92	87	61	39	20	4	2	–	52
4	10	8	13	18	24	24	38	46	45	46	31	18	12	2	–	–	53
5	3	9	9	19	22	22	31	55	47	41	30	21	8	2	2	–	54
332	925	1,562	2,675	4,200	5,005	5,102	4,824	3,896	2,312	1,283	646	248	65	9	–	8	55
206	598	1,007	1,704	2,754	3,273	3,355	3,226	2,696	1,518	779	391	127	32	5	–	7	56
126	327	555	971	1,446	1,732	1,747	1,598	1,200	794	504	255	121	33	4	–	1	57
177	495	977	1,899	3,268	4,156	4,431	4,312	3,578	2,166	1,206	613	238	61	8	–	4	58
112	337	642	1,238	2,181	2,732	2,931	2,889	2,479	1,426	733	369	122	30	5	–	4	59
65	158	335	661	1,087	1,424	1,500	1,423	1,099	740	473	244	116	31	3	–	–	60
155	430	585	776	932	849	671	512	318	146	77	33	10	4	1	–	4	61
94	261	365	466	573	541	424	337	217	92	46	22	5	2	–	–	3	62
61	169	220	310	359	308	247	175	101	54	31	11	5	2	1	–	1	63
12	21	27	35	67	103	141	217	328	449	519	587	435	175	53	8	–	64
4	8	9	15	27	54	63	121	170	219	244	244	140	52	12	5	–	65
8	13	18	20	40	49	78	96	158	230	275	343	295	123	41	3	–	66
11	16	18	25	55	88	123	198	300	407	485	558	420	161	51	8	–	67
3	7	6	11	21	48	51	111	158	204	225	236	137	44	11	5	–	68
8	9	12	14	34	40	72	87	142	203	260	322	283	117	40	3	–	69
1	5	9	10	12	15	18	19	28	42	34	29	15	14	2	–	–	70
1	1	3	4	6	6	12	10	12	15	19	8	3	8	1	–	–	71
–	4	6	6	6	9	6	9	16	27	15	21	12	6	1	–	–	72
101	103	145	232	338	471	593	832	922	1,044	1,063	992	644	267	58	4	1	73
62	63	80	127	174	255	323	427	513	577	595	514	321	128	20	–	–	74
39	40	65	105	164	216	270	405	409	467	468	478	323	139	38	4	1	75
57	61	83	127	191	277	374	570	668	769	870	859	564	233	48	3	1	76
35	39	47	75	112	155	213	306	382	440	482	445	277	110	15	–	–	77
22	22	36	52	79	122	161	264	286	329	388	414	287	123	33	3	1	78
44	42	62	105	147	194	219	262	254	275	193	133	80	34	10	1	–	79
27	24	33	52	62	100	110	121	131	137	113	69	44	18	5	–	–	80
17	18	29	53	85	94	109	141	123	138	80	64	36	16	5	1	–	81

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	NEPHRITIS AND NEPHROSIS--CON.											
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	1,541	17	3	2	-	5	27	8	7	12	13
2	MALE	838	10	3	1	-	2	16	3	1	7	10
3	FEMALE	703	7	-	1	-	3	11	5	6	5	3
4	WHITE	1,252	12	2	1	-	3	18	7	4	9	5
5	MALE	684	5	2	-	-	2	9	3	1	5	3
6	FEMALE	568	7	-	1	-	1	9	4	3	4	2
7	ALL OTHER	289	5	1	1	-	2	9	1	3	3	8
8	MALE	154	5	1	1	-	-	7	-	-	2	7
9	FEMALE	135	-	-	-	-	2	2	1	3	1	1
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	6,527	4	1	2	2	3	12	16	26	45	92
11	MALE	3,490	1	1	2	1	2	7	10	13	26	56
12	FEMALE	3,037	3	-	-	1	1	5	6	13	19	36
13	WHITE	4,655	3	1	1	2	1	8	8	18	26	49
14	MALE	2,535	1	1	1	1	-	4	5	9	14	33
15	FEMALE	2,120	2	-	-	1	1	4	3	9	12	16
16	ALL OTHER	1,872	1	-	1	-	2	4	8	8	19	43
17	MALE	955	-	-	1	-	2	3	5	4	12	23
18	FEMALE	917	1	-	-	-	-	1	3	4	7	20
19	INFECTIONS OF KIDNEY--590	5,451	10	4	-	-	-	14	2	7	17	19
20	MALE	2,311	5	4	-	-	-	9	-	2	4	10
21	FEMALE	3,140	5	-	-	-	-	5	2	5	13	9
22	WHITE	4,645	6	2	-	-	-	8	2	7	14	16
23	MALE	1,958	2	2	-	-	-	4	-	2	4	9
24	FEMALE	2,687	4	-	-	-	-	4	2	5	10	7
25	ALL OTHER	806	4	2	-	-	-	6	-	-	3	3
26	MALE	353	3	2	-	-	-	5	-	-	-	1
27	FEMALE	453	1	-	-	-	-	1	-	-	3	2
28	HYPERPLASIA OF PROSTATE--600	1,377	-	-	-	-	-	-	-	-	-	-
29	MALE	1,377	-	-	-	-	-	-	-	-	-	-
30	WHITE	1,209	-	-	-	-	-	-	-	-	-	-
31	MALE	1,209	-	-	-	-	-	-	-	-	-	-
32	ALL OTHER	168	-	-	-	-	-	-	-	-	-	-
33	MALE	168	-	-	-	-	-	-	-	-	-	-
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	462	-	-	-	-	-	-	-	2	67	111
35	FEMALE	462	-	-	-	-	-	-	-	2	67	111
36	WHITE	257	-	-	-	-	-	-	-	-	30	56
37	FEMALE	257	-	-	-	-	-	-	-	-	30	56
38	ALL OTHER	205	-	-	-	-	-	-	-	2	37	55
39	FEMALE	205	-	-	-	-	-	-	-	2	37	55
40	ABORTIONS--640-645	27	-	-	-	-	-	-	-	-	6	5
41	FEMALE	27	-	-	-	-	-	-	-	-	6	5
42	WHITE	13	-	-	-	-	-	-	-	-	3	2
43	FEMALE	13	-	-	-	-	-	-	-	-	3	2
44	ALL OTHER	14	-	-	-	-	-	-	-	-	3	3
45	FEMALE	14	-	-	-	-	-	-	-	-	3	3
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	435	-	-	-	-	-	-	-	2	61	106
47	FEMALE	435	-	-	-	-	-	-	-	2	61	106
48	WHITE	244	-	-	-	-	-	-	-	-	27	54
49	FEMALE	244	-	-	-	-	-	-	-	-	27	54
50	ALL OTHER	191	-	-	-	-	-	-	-	2	34	52
51	FEMALE	191	-	-	-	-	-	-	-	2	34	52
52	CONGENITAL ANOMALIES--740-759	13,526	8,607	506	291	219	175	9,798	479	339	374	282
53	MALE	7,326	4,748	262	153	116	87	5,366	251	169	212	152
54	FEMALE	6,200	3,859	244	138	103	88	4,432	228	170	162	130
55	WHITE	11,323	7,119	404	241	181	141	8,086	406	292	317	236
56	MALE	6,101	3,912	210	126	98	68	4,414	212	147	175	127
57	FEMALE	5,222	3,207	194	115	83	73	3,672	194	145	142	109
58	ALL OTHER	2,203	1,488	102	50	38	34	1,712	73	47	57	46
59	MALE	1,225	836	52	27	18	19	952	39	22	37	25
60	FEMALE	978	652	50	23	20	15	760	34	25	20	21
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	28,786	28,712	10	2	1	-	28,725	3	1	3	3
62	MALE	16,717	16,671	8	2	-	-	16,681	3	-	1	3
63	FEMALE	12,069	12,041	2	-	1	-	12,044	-	1	2	-
64	WHITE	20,871	20,821	9	2	-	-	20,832	3	1	2	2
65	MALE	12,305	12,275	8	2	-	-	12,285	3	-	-	2
66	FEMALE	8,566	8,546	1	-	-	-	8,547	-	1	2	-
67	ALL OTHER	7,915	7,891	1	-	1	-	7,893	-	-	1	1
68	MALE	4,412	4,396	-	-	-	-	4,396	-	-	1	1
69	FEMALE	3,503	3,495	1	-	1	-	3,497	-	-	-	-
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	15,974	15,929	8	2	-	-	15,939	1	1	1	1
71	MALE	9,498	9,466	6	2	-	-	9,474	1	-	1	1
72	FEMALE	6,476	6,463	2	-	-	-	6,465	-	1	-	-
73	WHITE	11,865	11,836	7	2	-	-	11,845	1	1	-	1
74	MALE	7,173	7,153	6	2	-	-	7,161	1	-	-	1
75	FEMALE	4,692	4,683	1	-	-	-	4,684	-	1	-	-
76	ALL OTHER	4,109	4,093	1	-	-	-	4,094	-	-	1	-
77	MALE	2,325	2,313	-	-	-	-	2,313	-	-	1	-
78	FEMALE	1,784	1,780	1	-	-	-	1,781	-	-	-	-

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
15	17	26	35	48	68	99	159	207	203	219	211	102	49	15	1	–	1
10	10	13	23	23	36	47	78	133	113	124	116	50	22	3	–	–	2
5	7	13	12	25	32	52	81	74	90	95	95	52	27	12	1	–	3
9	8	16	19	36	47	75	129	164	176	192	193	89	42	13	1	–	4
7	5	9	15	19	24	41	60	105	99	107	107	44	19	2	–	–	5
2	3	7	4	17	23	34	69	59	77	85	86	45	23	11	1	–	6
6	9	10	16	12	21	24	30	43	27	27	18	13	7	2	–	–	7
3	5	4	8	4	12	6	18	28	14	17	9	6	3	1	–	–	8
3	4	6	8	8	9	18	12	15	13	10	9	7	4	1	–	–	9
86	86	119	197	290	403	494	673	715	841	844	781	542	218	43	3	1	10
52	53	67	104	151	219	276	349	380	464	471	398	271	106	17	–	–	11
34	33	52	93	139	184	218	324	335	377	373	383	271	112	26	3	1	12
48	53	67	108	155	230	299	441	504	593	678	666	475	191	35	2	1	13
28	34	38	60	93	131	172	246	277	341	375	338	233	91	13	–	–	14
20	19	29	48	62	99	127	195	227	252	303	328	242	100	22	2	1	15
38	33	52	89	135	173	195	232	211	248	166	115	67	27	8	1	–	16
24	19	29	44	58	88	104	103	103	123	96	60	38	15	4	–	–	17
14	14	23	45	77	85	91	129	108	125	70	55	29	12	4	1	–	18
25	24	30	67	97	132	189	359	536	782	932	1,015	754	353	88	9	–	19
9	9	11	20	37	53	90	164	260	352	390	418	292	136	39	6	–	20
16	15	19	47	60	79	99	195	276	430	542	597	462	217	49	3	–	21
17	10	19	45	67	94	138	265	410	646	823	946	707	326	80	5	–	22
7	5	8	14	23	43	68	125	198	294	334	388	265	125	38	4	–	23
10	5	11	31	44	51	70	140	212	352	489	558	442	201	42	1	–	24
8	14	11	22	30	38	51	94	126	136	109	69	47	27	8	4	–	25
2	4	3	6	14	10	22	39	62	58	56	30	27	11	1	2	–	26
6	10	8	16	16	28	29	55	64	78	53	39	20	16	7	2	–	27
–	–	–	–	2	5	20	48	113	191	258	310	259	136	35	–	–	28
–	–	–	–	2	5	20	48	113	191	258	310	259	136	35	–	–	29
–	–	–	–	–	4	13	41	88	157	225	277	243	130	31	–	–	30
–	–	–	–	–	4	13	41	88	157	225	277	243	130	31	–	–	31
–	–	–	–	2	1	7	7	25	34	33	33	16	6	4	–	–	32
–	–	–	–	2	1	7	7	25	34	33	33	16	6	4	–	–	33
116	90	48	24	3	–	–	–	–	–	–	–	–	–	–	–	–	34
116	90	48	24	3	–	–	–	–	–	–	–	–	–	–	–	–	35
70	51	29	18	2	–	–	–	–	–	–	–	–	–	–	–	–	36
70	51	29	18	2	–	–	–	–	–	–	–	–	–	–	–	–	37
46	39	19	6	1	–	–	–	–	–	–	–	–	–	–	–	–	38
46	39	19	6	1	–	–	–	–	–	–	–	–	–	–	–	–	39
8	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	40
8	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	42
2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	43
6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
108	85	46	23	3	–	–	–	–	–	–	–	–	–	–	–	–	46
108	85	46	23	3	–	–	–	–	–	–	–	–	–	–	–	–	47
68	47	28	17	2	–	–	–	–	–	–	–	–	–	–	–	–	48
68	47	28	17	2	–	–	–	–	–	–	–	–	–	–	–	–	49
40	38	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–	50
40	38	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–	51
251	178	155	171	209	214	232	226	213	151	118	73	35	14	3	2	9	52
142	92	85	98	106	120	119	104	111	64	63	41	18	5	1	–	7	53
109	86	70	73	103	94	113	122	102	87	55	32	17	9	2	2	2	54
210	150	135	140	181	192	204	207	194	136	110	68	32	13	3	2	9	55
115	76	74	80	88	108	107	94	101	55	58	40	17	5	1	–	7	56
95	74	61	60	93	84	97	113	93	81	52	28	15	8	2	2	2	57
41	28	20	31	28	22	28	19	19	15	8	5	3	1	–	–	–	58
27	16	11	18	18	12	12	10	10	9	5	1	1	–	–	–	–	59
14	12	9	13	10	10	16	9	9	6	3	4	2	1	–	–	–	60
–	1	3	1	1	–	3	1	1	7	1	1	–	–	–	–	31	61
–	–	3	1	1	–	2	1	–	4	1	–	–	–	–	–	16	62
–	1	–	–	–	–	1	–	1	3	–	1	–	–	–	–	15	63
–	1	3	–	1	–	3	1	1	3	1	–	–	–	–	–	17	64
–	–	3	–	1	–	2	1	–	–	1	–	–	–	–	–	7	65
–	1	–	–	–	–	1	–	1	3	–	–	–	–	–	–	10	66
–	–	–	1	–	–	–	–	–	4	–	1	–	–	–	–	14	67
–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	9	68
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	69
–	–	3	1	1	–	2	1	1	4	1	1	–	–	–	–	16	70
–	–	3	1	1	–	2	1	–	3	1	–	–	–	–	–	9	71
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	7	72
–	–	3	–	1	–	2	1	1	1	1	–	–	–	–	–	7	73
–	–	3	–	1	–	2	1	–	–	1	–	–	–	–	–	2	74
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	5	75
–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	–	9	76
–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	7	77
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	78

Table 7-5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.											
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY----REMAINDER OF 760-778	12,812	12,783	2	-	1	-	12,786	2	-	2	2
2	MALE	7,219	7,205	2	-	-	-	7,207	2	-	-	2
3	FEMALE	5,593	5,578	-	-	1	-	5,579	-	-	2	-
4	WHITE	9,006	8,985	2	-	-	-	8,987	2	-	2	1
5	MALE	5,132	5,122	2	-	-	-	5,124	2	-	-	1
6	FEMALE	3,874	3,863	-	-	-	-	3,863	-	-	2	-
7	ALL OTHER	3,806	3,798	-	-	1	-	3,799	-	-	-	1
8	MALE	2,087	2,083	-	-	-	-	2,083	-	-	-	1
9	FEMALE	1,719	1,715	-	-	1	-	1,716	-	-	-	-
10	SYMPTOMS AND ILL-DEFINED CONDITIONS----780-796	31,145	4,700	195	88	59	40	5,082	113	173	685	1,057
11	MALE	18,443	2,795	114	52	32	19	3,012	67	105	475	777
12	FEMALE	12,702	1,905	81	36	27	21	2,070	46	68	210	280
13	WHITE	22,042	3,024	118	52	39	24	3,257	71	131	491	725
14	MALE	13,108	1,878	66	31	18	11	2,004	42	79	335	539
15	FEMALE	8,934	1,146	52	21	21	13	1,253	29	52	156	186
16	ALL OTHER	9,103	1,676	77	36	20	16	1,825	42	42	194	332
17	MALE	5,335	917	48	21	14	8	1,008	25	26	140	238
18	FEMALE	3,768	759	29	15	6	8	817	17	16	54	94
19	ALL OTHER DISEASES----RESIDUAL	118,396	1,911	389	258	216	185	2,959	719	863	1,373	1,890
20	MALE	66,614	1,121	206	146	109	106	1,688	399	476	864	1,180
21	FEMALE	51,782	790	183	112	107	79	1,271	320	387	509	710
22	WHITE	101,685	1,383	308	201	179	152	2,223	606	725	1,090	1,344
23	MALE	57,060	817	161	116	93	84	1,271	333	402	712	852
24	FEMALE	44,625	566	147	85	86	68	952	273	323	378	492
25	ALL OTHER	16,711	528	81	57	37	33	736	113	138	283	546
26	MALE	9,554	304	45	30	16	22	417	66	74	152	328
27	FEMALE	7,157	224	36	27	21	11	319	47	64	131	218
28	ACCIDENTS----E800-E949	104,622	1,453	1,125	978	1,005	774	5,335	3,126	3,911	12,484	11,716
29	MALE	73,209	823	632	591	638	496	3,180	2,077	2,818	9,866	9,660
30	FEMALE	31,413	630	493	387	367	278	2,155	1,049	1,093	2,618	2,056
31	WHITE	89,332	1,034	875	746	800	574	4,029	2,377	3,237	11,142	10,066
32	MALE	62,100	588	496	466	524	372	2,446	1,584	2,318	8,784	8,335
33	FEMALE	27,232	446	379	280	276	202	1,583	793	919	2,358	1,731
34	ALL OTHER	15,290	419	250	232	205	200	1,306	749	674	1,342	1,650
35	MALE	11,109	235	136	125	114	124	734	493	500	1,082	1,325
36	FEMALE	4,181	184	114	107	91	76	572	256	174	260	325
37	MOTOR VEHICLE ACCIDENTS----E810-E823	46,402	224	304	339	353	326	1,546	1,547	1,785	8,401	7,504
38	MALE	34,133	102	161	179	199	194	835	974	1,177	6,417	6,085
39	FEMALE	12,269	122	143	160	154	132	711	573	608	1,984	1,419
40	WHITE	40,391	189	252	251	289	248	1,229	1,172	1,550	7,749	6,655
41	MALE	29,634	87	133	130	165	151	666	737	1,012	5,907	5,403
42	FEMALE	10,757	102	119	121	124	97	563	435	538	1,842	1,252
43	ALL OTHER	6,011	35	52	88	64	78	317	375	235	652	849
44	MALE	4,499	15	28	49	34	43	169	237	165	510	682
45	FEMALE	1,512	20	24	39	30	35	148	138	70	142	167
46	ALL OTHER ACCIDENTS----E800-E807, E825-E949	58,220	1,229	821	639	652	448	3,789	1,579	2,126	4,083	4,212
47	MALE	39,076	721	471	412	439	302	2,345	1,103	1,641	3,449	3,575
48	FEMALE	19,144	508	350	227	213	146	1,444	476	485	634	637
49	WHITE	48,941	845	623	495	511	326	2,800	1,205	1,687	3,393	3,411
50	MALE	32,466	501	363	336	359	221	1,780	847	1,306	2,877	2,932
51	FEMALE	16,475	344	260	159	152	105	1,020	358	381	516	479
52	ALL OTHER	9,279	384	198	144	141	122	989	374	439	690	801
53	MALE	6,610	220	108	76	80	81	565	256	335	572	643
54	FEMALE	2,669	164	90	68	61	41	424	118	104	118	158
55	SUICIDE----E950-E959	25,683	---	---	---	---	---	---	1	187	1,489	2,796
56	MALE	18,595	---	---	---	---	---	---	-	145	1,160	2,218
57	FEMALE	7,088	---	---	---	---	---	---	1	42	329	578
58	WHITE	23,923	---	---	---	---	---	---	1	168	1,349	2,472
59	MALE	17,263	---	---	---	---	---	---	-	133	1,064	1,961
60	FEMALE	6,660	---	---	---	---	---	---	1	35	285	511
61	ALL OTHER	1,760	---	---	---	---	---	---	-	19	140	324
62	MALE	1,332	---	---	---	---	---	---	-	12	96	257
63	FEMALE	428	---	---	---	---	---	---	-	7	44	67
64	HOMICIDE----E960-E978	21,465	166	102	81	67	46	462	137	262	2,024	3,553
65	MALE	16,747	78	53	51	35	24	241	76	172	1,528	2,826
66	FEMALE	4,718	88	49	30	32	22	221	61	90	496	727
67	WHITE	10,648	92	56	45	39	29	261	90	162	975	1,589
68	MALE	7,992	47	30	30	21	15	143	53	108	695	1,238
69	FEMALE	2,656	45	26	15	18	14	118	37	54	280	351
70	ALL OTHER	10,817	74	46	36	28	17	201	47	100	1,049	1,964
71	MALE	8,755	31	23	21	14	9	98	23	64	833	1,588
72	FEMALE	2,062	43	23	15	14	8	103	24	36	216	376
73	OTHER EXTERNAL CAUSES----E980-E999	5,161	108	58	41	43	27	277	55	89	406	672
74	MALE	3,570	58	24	25	21	19	147	40	73	311	527
75	FEMALE	1,591	50	34	16	22	8	130	15	16	95	145
76	WHITE	3,821	70	31	25	24	14	164	31	64	298	490
77	MALE	2,609	38	14	19	12	9	92	25	53	228	399
78	FEMALE	1,212	32	17	6	12	5	72	6	11	70	91
79	ALL OTHER	1,340	38	27	16	19	13	113	24	25	108	182
80	MALE	961	20	10	6	9	10	55	15	20	83	128
81	FEMALE	379	18	17	10	10	3	58	9	5	25	54

Age, Color, and Sex: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 YEARS	30–34 YEARS	35–39 YEARS	40–44 YEARS	45–49 YEARS	50–54 YEARS	55–59 YEARS	60–64 YEARS	65–69 YEARS	70–74 YEARS	75–79 YEARS	80–84 YEARS	85–89 YEARS	90–94 YEARS	95–99 YEARS	100+ YEARS	NOT STATED	
–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	15	1
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	7	2
–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	8	3
–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	10	4
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5
–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	5	6
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	5	7
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	9
840	718	778	1,037	1,340	1,686	1,872	2,520	2,591	2,603	2,371	2,203	1,750	1,092	401	153	80	10
581	459	469	612	858	1,113	1,290	1,641	1,704	1,543	1,262	1,101	734	411	133	39	57	11
259	259	309	425	482	573	582	879	887	1,060	1,109	1,102	1,016	681	268	114	23	12
533	437	475	626	906	1,197	1,384	1,820	1,900	1,803	1,817	1,736	1,398	873	324	79	59	13
375	277	280	367	571	812	969	1,233	1,272	1,077	967	854	573	319	105	18	40	14
158	160	195	259	335	385	415	587	628	726	850	882	825	554	219	61	19	15
307	281	303	411	434	489	488	700	691	800	554	467	352	219	77	74	21	16
206	182	189	245	287	301	321	408	432	466	295	247	161	92	28	21	17	17
101	99	114	166	147	188	167	292	259	334	259	220	191	127	49	53	4	18
1,869	1,947	2,285	3,428	4,847	6,998	8,643	11,539	14,030	15,038	14,836	12,887	8,036	3,344	743	100	22	19
1,065	1,103	1,279	1,906	2,741	4,051	5,161	7,096	8,566	8,830	8,305	6,623	3,642	1,329	259	35	16	20
804	844	1,006	1,522	2,106	2,947	3,482	4,443	5,464	6,208	6,531	6,264	4,394	2,015	484	65	6	21
1,283	1,258	1,494	2,377	3,666	5,547	7,270	9,937	12,378	13,407	13,597	12,034	7,555	3,118	682	80	14	22
725	694	817	1,320	2,052	3,212	4,323	6,143	7,624	7,923	7,600	6,182	3,383	1,223	233	28	8	23
558	564	677	1,057	1,614	2,335	2,947	3,794	4,754	5,484	5,997	5,852	4,172	1,895	449	52	6	24
586	689	791	1,051	1,181	1,451	1,373	1,602	1,652	1,631	1,239	853	481	226	61	20	8	25
340	409	462	586	689	839	838	953	942	907	705	441	259	106	26	7	8	26
246	280	329	465	492	612	535	649	710	724	534	412	222	120	35	13	–	27
7,832	5,604	4,461	4,650	5,131	5,222	5,017	4,964	4,747	4,576	4,748	4,735	3,803	1,867	516	98	79	28
6,381	4,482	3,502	3,530	3,837	3,828	3,604	3,444	3,099	2,737	2,469	2,200	1,558	689	150	29	69	29
1,451	1,122	959	1,120	1,294	1,394	1,413	1,520	1,648	1,839	2,279	2,535	2,245	1,178	366	69	10	30
6,581	4,580	3,604	3,732	4,186	4,356	4,251	4,235	4,103	3,999	4,385	4,468	3,624	1,763	481	74	59	31
5,410	3,674	2,844	2,829	3,124	3,165	3,023	2,924	2,638	2,362	2,259	2,053	1,472	644	139	21	52	32
1,171	906	760	903	1,062	1,191	1,228	1,311	1,465	1,637	2,126	2,415	2,152	1,119	342	53	7	33
1,251	1,024	857	918	945	866	766	729	644	577	363	267	179	104	35	24	20	34
971	808	658	701	713	663	581	520	461	375	210	147	86	45	11	8	17	35
280	216	199	217	232	203	185	209	183	202	153	120	93	59	24	16	3	36
4,535	2,969	2,198	2,132	2,209	2,148	1,937	1,865	1,603	1,468	1,245	819	374	85	8	1	23	37
3,624	2,335	1,707	1,581	1,661	1,547	1,347	1,296	1,043	923	738	504	251	63	4	1	20	38
911	634	491	551	548	601	590	569	560	545	507	315	123	22	4	–	3	39
3,923	2,497	1,819	1,782	1,885	1,819	1,655	1,617	1,405	1,278	1,153	761	341	76	8	1	16	40
3,148	1,973	1,416	1,311	1,410	1,291	1,140	1,112	886	783	675	461	227	57	4	1	14	41
775	524	403	471	475	528	515	505	519	495	478	300	114	19	4	–	2	42
612	472	379	350	324	329	282	248	198	190	92	58	33	9	–	–	7	43
476	362	291	270	251	256	207	184	157	140	63	43	24	6	–	–	6	44
136	110	88	80	73	73	75	64	41	50	29	15	9	3	–	–	1	45
3,297	2,635	2,263	2,518	2,922	3,074	3,080	3,099	3,144	3,108	3,503	3,916	3,429	1,782	508	97	56	46
2,757	2,147	1,795	1,949	2,176	2,281	2,257	2,148	2,056	1,814	1,731	1,696	1,307	626	146	28	49	47
540	488	468	569	746	793	823	951	1,088	1,294	1,772	2,220	2,122	1,156	362	69	7	48
2,658	2,083	1,785	1,950	2,301	2,537	2,596	2,618	2,698	2,721	3,232	3,707	3,283	1,687	473	73	43	49
2,262	1,701	1,428	1,518	1,714	1,874	1,883	1,812	1,752	1,579	1,584	1,592	1,245	587	135	20	38	50
396	382	357	432	587	663	713	806	946	1,142	1,648	2,115	2,038	1,100	338	53	5	51
639	552	478	568	621	537	484	481	446	387	271	209	146	95	35	24	13	52
495	446	367	431	462	407	374	336	304	235	147	104	62	39	11	8	11	53
144	106	111	137	159	130	110	145	142	152	124	105	84	56	24	16	2	54
2,557	2,101	1,854	1,969	2,288	2,369	2,110	1,735	1,421	1,127	843	525	226	71	8	–	6	55
1,901	1,503	1,283	1,250	1,482	1,573	1,507	1,278	1,061	877	659	431	189	65	7	–	6	56
656	598	571	719	806	796	603	457	360	250	184	94	37	6	1	–	–	57
2,274	1,870	1,721	1,833	2,196	2,264	2,030	1,673	1,359	1,090	813	511	219	69	7	–	4	58
1,681	1,335	1,181	1,153	1,419	1,494	1,445	1,232	1,008	848	633	420	182	64	6	–	4	59
593	535	540	680	777	770	585	441	351	242	180	91	37	5	1	–	–	60
283	231	133	136	92	105	80	62	62	37	30	14	7	2	1	–	2	61
220	168	102	97	63	79	62	46	53	29	26	11	7	1	1	–	2	62
63	63	31	39	29	26	18	16	9	8	4	3	–	1	–	–	–	63
3,179	2,528	2,018	1,725	1,479	1,307	840	713	457	336	224	121	51	19	4	–	26	64
2,561	2,025	1,619	1,371	1,220	1,052	673	565	336	221	139	67	25	8	3	–	19	65
618	503	399	354	259	255	167	148	121	115	85	54	26	11	1	–	7	66
1,452	1,160	949	836	764	662	468	426	289	219	165	103	39	17	3	–	19	67
1,149	898	739	649	607	513	357	318	193	136	101	52	18	7	3	–	15	68
303	262	210	187	157	149	111	108	96	83	64	51	21	10	–	–	4	69
1,727	1,368	1,069	889	715	645	372	287	168	117	59	18	12	2	1	–	7	70
1,412	1,127	880	722	613	539	316	247	143	85	38	15	7	1	–	–	4	71
315	241	189	167	102	106	56	40	25	32	21	3	5	1	1	–	3	72
534	407	381	390	394	358	297	260	220	158	107	72	44	17	3	–	20	73
391	280	265	257	246	237	202	177	155	100	60	44	28	11	1	–	18	74
143	127	116	133	148	121	95	83	65	58	47	28	16	6	2	–	2	75
377	288	262	266	321	283	238	212	173	130	88	66	42	13	2	–	13	76
272	193	175	167	194	180	157	139	116	83	48	42	26	7	1	–	12	77
105	95	87	99	127	103	81	73	57	47	40	24	16	6	1	–	1	78
157	119	119	124	73	75	59	48	47	28	19	6	2	4	1	–	7	79
119	87	90	90	52	57	45	38	39	17	12	2	2	4	–	–	6	80
38	32	29	34	21	18	14	10	8	11	7	4	–	–	1	–	1	81

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama																							
	All causes	34,737	1,227	210	144	201	435	527	463	464	538	818	1,379	1,907	2,343	3,367	4,071	4,339	4,056	3,860	2,610	1,325	451	2
	White—Male	14,027	374	64	62	89	226	240	186	199	230	339	623	888	1,142	1,555	1,895	1,746	1,602	1,317	812	372	65	1
	Female	10,529	279	51	31	50	72	74	86	96	117	181	326	406	514	761	1,014	1,252	1,439	1,694	1,226	644	216	–
	All other—Male	5,568	309	52	22	38	93	159	132	107	111	174	256	341	425	588	664	711	542	417	248	124	54	1
	Female	4,613	265	43	29	24	44	54	59	62	80	124	174	272	262	463	498	630	473	432	324	185	116	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	62	27	4	1	–	–	–	–	–	–	–	1	2	–	3	3	8	6	5	1	1	–	–
	White—Male	18	10	1	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	1	–	1	–	–
	Female	20	3	1	–	–	–	–	–	–	–	–	–	1	–	–	2	4	4	4	1	–	–	–
	All other—Male	12	6	2	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	12	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
010–019	Tuberculosis, all forms	83	–	–	–	–	–	–	–	–	2	3	5	4	9	10	12	16	12	6	2	1	1	–
	White—Male	35	–	–	–	–	–	–	–	–	–	–	3	1	5	6	5	8	3	2	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	1	–	1	1	–
	All other—Male	24	–	–	–	–	–	–	–	–	2	2	1	1	2	2	5	4	4	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	2	1	2	–	–	–	–
010–012	Tuberculosis of respiratory system	70	–	–	–	–	–	–	–	–	2	2	3	4	7	10	10	12	11	6	2	1	–	–
	White—Male	31	–	–	–	–	–	–	–	–	–	–	2	1	4	6	4	7	3	2	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	–	1	–	–
	All other—Male	22	–	–	–	–	–	–	–	–	2	2	1	1	2	2	4	4	3	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	1	2	–	–	–	–
013–019	Tuberculosis, other forms	13	–	–	–	–	–	–	–	–	–	1	2	–	2	–	2	4	1	–	–	–	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	–	5	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Male	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
038	Septicemia	89	24	–	–	–	–	1	1	6	1	1	1	1	2	8	4	8	8	7	10	5	1	–
	White—Male	28	8	–	–	–	–	1	–	–	–	1	1	1	–	2	1	2	3	3	2	3	–	–
	Female	31	4	–	–	–	–	–	1	4	–	–	–	–	–	4	1	3	5	2	6	1	–	–
	All other—Male	16	9	–	–	–	–	–	–	2	–	–	–	–	–	1	2	1	–	–	1	–	–	–
	Female	14	3	–	–	–	–	–	–	–	1	–	–	–	2	1	–	2	–	2	1	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	99	11	4	–	5	3	1	4	6	4	6	8	7	6	3	10	6	7	3	3	–	2	–
	White—Male	26	1	1	–	1	1	–	1	1	–	2	–	4	4	1	4	–	3	2	–	–	–	–
	Female	29	2	1	–	3	2	1	1	2	–	2	1	1	–	2	4	2	2	–	1	–	2	–
	All other—Male	20	5	–	–	1	–	–	–	3	–	2	3	1	2	–	–	1	–	–	2	–	–	–
	Female	24	3	2	–	–	–	–	2	–	4	–	4	1	–	–	2	3	2	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,680	2	11	18	16	32	33	32	53	77	143	316	465	613	799	859	794	630	461	223	79	22	2
	White—Male	2,354	1	2	10	7	7	18	8	19	21	41	129	176	275	340	415	350	254	174	76	27	3	1
	White—Female	1,883	1	7	6	5	12	9	16	19	38	59	115	161	181	245	243	241	222	178	91	27	7	–
	All other—Male	803	–	2	–	2	5	2	2	3	9	21	35	57	98	108	124	122	100	62	33	9	8	1
	All other—Female	640	–	–	2	2	8	4	6	12	9	22	37	71	59	106	77	81	54	47	23	16	4	–
140–149	Of buccal cavity and pharynx	96	–	–	–	–	–	–	–	–	2	3	6	9	11	13	16	13	16	4	3	–	–	–
	White—Male	45	–	–	–	–	–	–	–	–	–	2	2	4	7	6	9	6	6	2	1	–	–	–
	White—Female	20	–	–	–	–	–	–	–	–	1	1	1	1	1	3	2	4	3	2	1	–	–	–
	All other—Male	22	–	–	–	–	–	–	–	–	1	–	1	2	2	4	3	3	5	–	1	–	–	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	–	2	2	1	–	2	–	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,377	–	–	–	–	1	2	2	11	10	25	54	98	135	181	197	223	182	156	65	27	8	–
	White—Male	505	–	–	–	–	–	–	–	5	2	11	21	40	58	61	81	89	56	51	18	10	2	–
	White—Female	477	–	–	–	–	–	–	–	3	4	7	19	27	39	55	59	73	74	69	36	9	3	–
	All other—Male	230	–	–	–	–	1	1	2	1	3	5	7	17	24	36	38	34	29	18	8	5	1	–
	All other—Female	165	–	–	–	–	–	1	–	2	1	2	7	14	14	29	19	27	23	18	3	3	2	–
160–163	Of respiratory system	1,367	–	–	–	–	–	–	1	3	11	31	93	147	200	227	263	186	106	68	23	6	2	–
	White—Male	891	–	–	–	–	–	–	–	2	10	16	53	84	136	157	187	112	71	50	13	–	–	–
	White—Female	193	–	–	–	–	–	–	1	1	–	7	17	29	17	30	32	24	19	8	4	4	–	–
	All other—Male	238	–	–	–	–	–	–	–	–	–	7	19	25	41	34	37	45	13	8	5	2	2	–
	All other—Female	45	–	–	–	–	–	–	–	–	1	1	4	9	6	6	7	5	3	2	1	–	–	–
174	Of breast	485	–	–	–	–	–	1	6	8	11	22	44	62	70	69	58	48	38	27	17	2	2	–
	White—Male	4	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
	White—Female	356	–	–	–	–	–	–	5	8	8	16	34	43	55	51	42	38	27	20	9	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other—Female	123	–	–	–	–	–	–	1	–	3	6	8	19	15	17	16	10	10	7	7	2	2	–
180–187	Of genital organs	757	–	–	–	–	1	6	2	7	13	26	28	48	57	91	112	100	115	70	57	18	4	2
	White—Male	224	–	–	–	–	–	4	–	1	–	1	1	3	11	18	30	48	49	24	23	10	–	1
	White—Female	268	–	–	–	–	–	1	1	1	11	16	22	30	22	34	43	22	26	21	15	2	1	–
	All other—Male	137	–	–	–	–	–	–	–	–	–	1	–	1	8	10	25	16	36	23	12	1	3	1
	All other—Female	128	–	–	–	–	1	1	1	5	2	8	5	14	16	29	14	14	4	2	7	5	–	–
188, 189	Of urinary organs	211	–	1	1	–	–	–	2	1	1	3	5	13	13	24	36	35	29	31	11	3	2	–
	White—Male	114	–	–	–	–	–	–	–	1	1	2	5	9	7	15	22	21	15	10	4	1	1	–
	White—Female	54	–	1	–	–	–	–	2	–	–	–	–	2	3	5	8	9	11	7	3	2	1	–
	All other—Male	24	–	–	–	–	–	–	–	–	–	1	–	2	3	2	2	4	1	7	2	–	–	–
	All other—Female	19	–	–	1	–	–	–	–	–	–	–	–	–	–	2	4	1	2	7	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	853	1	4	6	7	14	15	8	18	17	21	62	60	77	121	105	114	82	70	32	16	3	–
	White—Male	346	–	–	3	4	3	10	5	8	4	5	30	26	32	48	50	48	31	22	12	5	–	–
	White—Female	324	1	3	2	2	7	3	1	6	10	9	17	18	24	44	36	42	37	37	15	8	2	–
	All other—Male	88	–	1	–	–	1	1	–	1	3	3	6	6	14	14	8	12	10	4	3	–	1	–
	All other—Female	95	–	–	1	1	3	1	2	3	–	4	9	10	7	15	11	12	4	7	2	3	–	–
204–207	Leukemia	237	1	3	10	8	8	5	7	1	5	7	8	15	16	29	29	22	27	21	11	3	1	–
	White—Male	109	1	1	6	3	4	2	2	1	2	3	6	4	9	9	15	10	14	12	5	–	–	–
	White—Female	89	–	2	4	3	2	3	4	–	1	2	1	9	5	9	11	9	11	6	6	1	–	–
	All other—Male	15	–	–	–	1	1	–	–	–	1	1	–	1	2	6	1	–	–	–	–	–	1	–
	All other—Female	24	–	–	–	1	1	–	1	–	1	1	1	1	–	5	2	3	2	3	–	2	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	297	–	3	1	1	8	4	4	4	7	5	16	13	34	44	43	53	35	14	4	4	–	–
	White—Male	116	–	1	1	–	–	1	1	1	2	1	9	6	15	25	21	16	12	3	–	1	–	–
	White—Female	102	–	1	–	–	3	2	2	–	3	1	4	2	15	14	10	20	14	8	2	1	–	–
	All other—Male	47	–	1	–	1	2	–	–	1	1	3	2	3	4	2	10	8	5	2	1	1	–	–
	All other—Female	32	–	–	–	–	3	1	1	2	1	–	1	2	–	3	2	9	4	1	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	99	1	–	1	3	–	3	7	1	2	5	10	9	11	11	11	14	5	4	–	–	1	–
	White—Male	29	–	–	–	–	–	2	2	1	–	2	4	4	3	2	3	3	1	1	–	–	1	–
	White—Female	42	1	–	–	1	–	1	3	–	1	–	3	2	7	6	6	5	4	2	–	–	–	–
	All other—Male	11	–	–	–	1	–	–	1	–	1	1	1	–	1	2	1	1	–	1	–	–	–	–
	All other—Female	17	–	–	1	1	–	–	1	–	–	2	2	3	–	1	1	5	–	–	–	–	–	–
250	Diabetes mellitus	714	–	–	1	1	1	2	7	7	7	15	32	53	33	91	113	123	92	72	41	21	2	–
	White—Male	169	–	–	1	1	–	–	2	–	2	4	8	11	10	22	30	27	25	14	5	6	1	–
	White—Female	258	–	–	–	–	–	2	2	1	2	3	10	12	7	29	32	42	38	44	24	10	–	–
	All other—Male	85	–	–	–	–	–	–	2	3	–	3	3	16	6	8	17	12	9	4	2	–	–	–
	All other—Female	202	–	–	–	–	1	–	1	3	3	5	11	14	10	32	34	42	20	10	10	5	1	–
260–269	Avitaminoses and other nutritional deficiencies	48	2	–	–	–	1	–	–	–	1	1	–	1	2	3	4	4	9	12	4	2	2	–
	White—Male	12	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	3	2	2	1	–	–
	White—Female	15	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	4	1	–	1	–
	All other—Male	12	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	5	–	1	–	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	2	1	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
280–285	Anemias	68	2	4	2	1	4	2	2	2	–	3	4	3	2	3	6	6	10	8	2	–	2	
	White Male	19	–	–	–	–	1	2	–	–	–	–	2	–	1	1	2	2	3	5	–	–	–	
	Female	20	1	–	1	–	1	–	–	–	–	–	–	1	–	–	2	3	6	2	2	–	1	
	All other Male	18	1	4	–	1	–	–	2	2	–	2	1	–	1	1	–	1	1	1	–	–	–	
	Female	11	–	–	1	–	2	–	–	–	–	1	1	2	–	1	1	1	–	–	–	–	1	
320	Meningitis	41	16	3	1	1	2	–	–	1	1	–	2	1	2	2	6	3	–	–	–	–	–	
	White Male	18	7	2	1	–	1	–	–	1	–	–	2	–	–	–	3	1	–	–	–	–	–	
	Female	11	4	1	–	–	–	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–	
	All other Male	6	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	6	2	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	
390–448	Major cardiovascular diseases	17,173	9	7	5	11	22	25	31	63	90	228	495	718	1,038	1,608	2,115	2,483	2,517	2,584	1,843	949	332	
	White Male	6,955	2	2	1	3	8	9	6	21	39	109	249	381	558	800	1,004	1,023	998	859	572	260	51	
	Female	5,640	3	2	2	5	6	3	9	8	14	36	92	98	177	302	512	724	919	1,183	900	489	156	
	All other Male	2,304	1	2	–	1	4	4	8	19	19	46	96	131	182	275	324	370	309	248	146	78	41	
	Female	2,274	3	1	2	2	4	9	8	15	18	37	58	108	121	231	275	366	291	294	225	122	84	
390–398, 402, 404, 410–429	Diseases of heart	11,580	6	6	2	8	14	12	14	42	62	160	371	551	811	1,234	1,532	1,707	1,620	1,621	1,084	536	187	
	White Male	5,179	2	2	1	2	5	5	4	15	34	98	213	335	480	651	791	747	668	581	359	150	36	
	Female	3,610	1	1	1	3	3	1	2	5	7	21	60	62	132	230	386	506	591	719	515	283	81	
	All other Male	1,449	1	2	–	1	3	3	6	10	13	29	72	88	113	200	192	225	185	148	89	47	22	
	Female	1,342	2	1	–	2	3	3	2	12	8	12	26	66	86	153	163	229	176	173	121	56	48	
390–398	Active rheumatic fever and chronic rheumatic heart disease	139	–	1	–	2	1	4	1	2	2	5	8	12	12	19	18	19	17	12	3	1	–	
	White Male	51	–	1	–	–	–	1	–	–	–	1	3	7	4	9	7	9	6	2	1	–	–	
	Female	43	–	–	–	1	–	–	–	–	–	1	1	1	5	4	7	7	7	8	–	1	–	
	All other Male	21	–	–	–	–	–	1	–	–	1	3	2	2	1	3	2	2	2	1	1	–	–	
	Female	24	–	–	–	1	1	2	1	2	1	–	2	2	2	3	2	1	2	1	1	–	–	
402	Hypertensive heart disease	128	–	–	–	–	–	–	–	2	1	3	3	6	5	14	24	18	13	18	9	9	3	
	White Male	27	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	3	3	6	2	3	–	
	Female	30	–	–	–	–	–	–	–	–	1	1	–	–	–	1	4	4	6	6	3	2	2	
	All other Male	21	–	–	–	–	–	–	–	–	–	1	1	–	–	3	7	4	2	2	–	1	–	
	Female	50	–	–	–	–	–	–	–	2	–	1	1	5	4	8	8	7	2	4	4	3	1	
404	Hypertensive heart and renal disease	86	–	–	–	–	–	–	–	–	–	1	2	3	4	7	11	15	9	12	12	9	1	
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	5	7	–	5	3	–	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	1	8	4	3	–	
	All other Male	16	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	5	–	2	2	1	1	
	Female	13	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	1	2	1	2	–	
410–413	Ischemic heart disease	9,769	–	–	–	1	2	2	4	19	48	106	290	454	672	1,037	1,281	1,466	1,417	1,414	940	462	154	
	White Male	4,423	–	–	–	–	1	1	1	10	29	68	180	283	412	555	673	644	586	508	316	127	29	
	Female	3,125	–	–	–	–	–	–	1	1	5	13	45	53	106	200	328	442	523	632	456	251	69	
	All other Male	1,156	–	–	–	–	–	1	2	4	11	17	49	70	93	167	148	187	159	125	67	38	18	
	Female	1,065	–	–	–	1	1	–	–	4	3	8	16	48	61	115	132	193	149	149	101	46	38	
410	Acute myocardial infarction	5,852	–	–	–	1	1	1	3	16	42	83	228	360	514	738	890	886	766	690	405	175	53	
	White Male	3,006	–	–	–	–	–	1	1	9	27	58	151	236	336	424	508	428	351	264	144	51	17	
	Female	1,724	–	–	–	–	–	–	1	1	4	10	34	41	82	153	228	272	287	323	186	86	16	
	All other Male	616	–	–	–	–	–	–	1	3	9	14	32	50	60	93	85	101	71	43	29	17	8	
	Female	506	–	–	–	1	1	–	–	3	2	1	11	33	36	68	69	85	57	60	46	21	12	
411	Other acute and subacute forms of ischemic heart disease	34	–	–	–	–	1	–	–	–	2	1	1	3	5	8	4	3	4	1	1	–	–	
	White Male	13	–	–	–	–	1	–	–	–	–	1	–	–	3	4	2	–	2	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	1	–	1	1	–	–	
	All other Male	6	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	
412	Chronic ischemic heart disease	3,879	–	–	–	–	–	1	1	3	4	22	60	91	153	291	386	577	647	723	532	287	101	
	White Male	1,402	–	–	–	–	–	–	–	1	2	9	29	47	73	127	162	216	233	244	171	76	12	
	Female	1,391	–	–	–	–	–	–	–	–	–	3	10	10	24	45	99	169	236	308	269	165	53	
	All other Male	533	–	–	–	–	–	1	1	1	1	3	16	19	31	73	63	86	88	82	37	21	10	
	Female	553	–	–	–	–	–	–	–	1	1	7	5	15	25	46	62	106	90	89	55	25	26	
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	104	–	2	–	–	1	–	1	1	1	–	3	2	2	5	9	20	14	20	11	7	5	
	White Male	39	–	1	–	–	–	–	1	–	1	–	1	1	1	1	6	10	6	5	2	1	2	
	Female	47	–	1	–	–	1	–	–	–	–	–	1	–	1	1	1	6	6	13	8	6	2	
	All other Male	12	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	4	1	1	1	–	1	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,354	6	3	2	5	10	6	8	18	10	45	65	74	116	152	189	169	150	145	109	48	24	–
	White Male	608	2	–	1	2	4	3	2	5	4	29	28	42	60	80	96	76	60	60	33	16	5	–
	White Female	339	1	–	1	2	2	1	1	4	1	6	13	7	20	23	43	42	48	52	44	20	8	–
	All other Male	223	1	2	–	1	3	1	4	5	1	7	18	16	18	26	32	23	21	17	18	7	2	–
	All other Female	184	2	1	–	–	1	1	1	4	4	3	6	9	18	23	18	28	21	16	14	5	9	–
400, 401, 403	Hypertension	173	–	–	–	–	–	4	–	1	3	3	13	18	16	21	13	23	26	16	11	3	2	–
	White Male	46	–	–	–	–	–	2	–	–	–	–	3	3	5	6	5	7	9	3	3	–	–	–
	White Female	29	–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	3	5	6	5	1	–	–
	All other Male	53	–	–	–	–	–	–	–	1	1	1	3	5	7	9	5	5	7	4	3	1	1	–
	All other Female	45	–	–	–	–	–	2	–	–	2	1	6	9	2	4	1	8	5	3	–	1	1	–
430–438	Cerebrovascular diseases	4,538	3	1	3	3	8	7	13	17	24	59	97	134	185	297	484	634	744	800	611	316	98	–
	White Male	1,392	–	–	–	1	3	2	1	6	5	9	27	34	60	110	165	216	265	231	165	80	12	–
	White Female	1,650	2	1	1	2	3	1	5	3	6	14	29	33	39	58	107	187	270	380	307	153	49	–
	All other Male	711	–	–	–	–	1	1	1	6	5	13	20	34	58	61	111	124	106	84	46	25	15	–
	All other Female	785	1	–	2	–	1	3	6	2	8	23	21	33	28	68	101	107	103	105	93	58	22	–
431	Cerebral hemorrhage	720	1	–	–	–	5	2	4	4	6	23	29	41	45	66	99	105	106	80	70	26	8	–
	White Male	214	–	–	–	–	1	1	–	1	–	3	6	12	13	27	33	24	38	27	20	6	2	–
	White Female	239	–	–	–	–	2	–	1	1	2	6	7	14	12	14	22	41	35	38	30	12	2	–
	All other Male	131	–	–	–	–	1	–	–	2	1	7	6	10	13	11	19	28	16	6	7	2	2	–
	All other Female	136	1	–	–	–	1	1	3	–	3	7	10	5	7	14	25	12	17	9	13	6	2	–
433	Cerebral thrombosis	1,160	1	–	1	1	–	2	1	3	3	2	4	17	34	62	94	165	208	238	185	108	31	–
	White Male	355	–	–	–	1	–	–	–	1	–	1	2	2	13	20	35	61	67	69	51	29	3	–
	White Female	470	1	–	1	–	–	–	–	1	–	–	2	3	3	8	23	55	89	114	99	53	18	–
	All other Male	155	–	–	–	–	–	–	–	1	1	1	–	6	12	14	16	25	31	25	12	9	2	–
	All other Female	180	–	–	–	–	2	1	–	2	–	–	6	6	20	20	24	21	30	23	17	8	–	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	4	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,648	1	1	2	2	3	3	8	10	15	34	64	75	104	167	290	364	426	482	356	182	59	–
	White Male	818	–	–	–	–	2	1	1	4	5	5	19	19	34	61	97	131	158	135	94	45	7	–
	White Female	939	1	1	–	2	1	1	4	1	4	8	20	16	24	36	61	91	145	228	178	88	29	–
	All other Male	422	–	–	–	–	–	1	1	3	3	5	14	18	31	36	76	71	58	53	27	14	11	–
	All other Female	469	–	–	2	–	–	–	2	2	3	16	11	22	15	34	56	71	65	66	57	35	12	–
440	Arteriosclerosis	503	–	–	–	–	–	–	–	–	–	2	3	2	5	16	31	63	66	96	108	70	41	–
	White Male	159	–	–	–	–	–	–	–	–	–	1	1	1	3	9	10	28	21	27	34	21	3	–
	White Female	238	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	17	34	49	61	41	24	–
	All other Male	43	–	–	–	–	–	–	–	–	–	1	–	–	1	–	7	6	10	5	4	3	–	–
	All other Female	63	–	–	–	–	–	–	–	–	–	–	2	–	–	3	8	12	5	10	8	4	11	–
441–448	Other diseases of arteries, arterioles, and capillaries	379	–	–	–	–	–	2	4	3	1	4	11	13	21	40	55	56	61	51	29	24	4	–
	White Male	179	–	–	–	–	–	–	1	–	–	1	5	8	10	24	33	25	35	17	11	9	–	–
	White Female	113	–	–	–	–	–	1	2	–	1	–	2	1	3	8	11	11	19	29	12	11	2	–
	All other Male	48	–	–	–	–	–	–	1	2	–	2	1	4	3	5	9	10	5	2	3	1	–	–
	All other Female	39	–	–	–	–	–	1	–	1	–	1	3	–	5	3	2	10	2	3	3	3	2	–
466	Acute bronchitis and bronchiolitis	13	–	2	–	–	–	1	–	–	–	–	1	1	1	2	1	1	1	1	1	–	–	–
	White Male	6	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	840	87	20	5	5	1	11	3	7	11	13	20	26	28	57	52	90	100	108	103	67	26	–
	White Male	316	14	3	2	1	1	4	2	3	4	4	9	10	10	29	32	32	48	39	39	28	2	–
	White Female	274	12	1	2	–	–	2	–	2	3	4	4	6	11	8	9	29	34	51	44	33	19	–
	All other Male	139	32	9	–	2	–	2	–	1	1	2	3	7	5	14	7	21	11	10	10	1	1	–
	All other Female	111	29	7	1	2	–	3	1	1	3	3	4	3	2	6	4	8	7	8	10	5	4	–
470–474	Influenza	58	3	3	–	1	1	1	–	1	1	–	–	3	–	6	6	9	3	8	6	4	2	–
	White Male	17	–	–	–	–	1	–	–	–	–	–	–	–	–	3	5	3	1	2	1	1	–	–
	White Female	18	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	5	4	3	1	–
	All other Male	10	1	1	–	–	–	–	–	–	1	–	–	1	–	2	1	2	–	1	–	–	–	–
	All other Female	13	2	1	–	1	–	1	–	1	–	–	–	1	–	1	–	2	1	–	1	–	1	–
480–486	Pneumonia	782	84	17	5	4	–	10	3	6	10	13	20	23	28	51	46	81	97	100	97	63	24	–
	White Male	299	14	3	2	1	–	4	2	3	4	4	9	10	10	26	27	29	47	37	38	27	2	–
	White Female	256	12	–	2	–	–	2	–	2	3	4	4	5	11	8	9	27	33	46	40	30	18	–
	All other Male	129	31	8	–	2	–	2	–	1	–	2	3	6	5	12	6	19	11	9	10	1	1	–
	All other Female	98	27	6	1	1	–	2	1	–	3	3	4	2	2	5	4	6	6	8	9	5	3	–
490–493	Bronchitis, emphysema, and asthma	423	–	–	1	–	–	–	1	–	2	3	12	25	32	50	90	70	62	42	25	8	–	–
	White Male	295	–	–	1	–	–	–	–	–	1	2	7	18	18	35	66	53	46	30	16	2	–	–
	White Female	86	–	–	–	–	–	–	–	–	–	–	3	3	11	7	18	9	12	11	6	6	–	–
	All other Male	28	–	–	–	–	–	–	–	–	–	1	1	2	2	7	4	6	4	–	1	–	–	–
	All other Female	14	–	–	–	–	–	–	1	–	1	–	1	2	1	1	2	2	–	1	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
490, 491	Chronic and unqualified bronchitis	81	–	–	–	–	–	–	–	–	–	–	–	6	7	7	18	14	10	10	7	2	–	
	White Male	53	–	–	–	–	–	–	–	–	–	–	–	3	3	4	13	11	5	7	6	1	–	
	Female	22	–	–	–	–	–	–	–	–	–	–	–	2	3	2	4	1	5	3	1	1	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
492	Emphysema	314	–	–	–	–	–	–	1	–	1	2	10	17	22	37	70	54	48	30	17	5	–	
	White Male	237	–	–	–	–	–	–	–	–	1	2	7	15	14	30	53	42	39	23	10	1	–	
	Female	55	–	–	–	–	–	–	–	–	–	–	3	–	6	3	13	8	6	7	5	4	–	
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	2	1	4	4	3	3	–	1	–	–	
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	
493	Asthma	28	–	–	1	–	–	–	–	–	1	1	2	2	3	6	2	2	4	2	1	1	–	
	White Male	5	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	1	1	–	1	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	1	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–	1	1	–	–	
531–533	Peptic ulcer	100	–	–	–	–	–	1	–	–	1	3	6	7	9	13	14	20	6	12	8	–	–	
	White Male	39	–	–	–	–	–	–	–	–	–	1	2	4	4	8	5	8	–	5	2	–	–	
	Female	29	–	–	–	–	–	–	–	–	–	1	1	2	3	–	3	5	4	4	6	–	–	
	All other Male	24	–	–	–	–	–	1	–	–	1	–	3	1	2	2	4	6	2	2	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	1	–	1	–	–	–	
540–543	Appendicitis	21	–	–	–	2	–	–	–	–	–	–	1	1	1	5	3	6	2	–	–	–	–	
	White Male	9	–	–	–	1	–	–	–	–	–	–	1	1	1	2	–	2	1	–	–	–	–	
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	104	10	–	–	–	–	2	–	–	–	4	7	7	2	3	15	11	12	19	7	5	–	
	White Male	34	5	–	–	–	–	–	–	–	–	3	1	3	1	3	6	3	3	5	–	1	–	
	Female	41	5	–	–	–	–	–	–	–	–	1	5	1	–	–	3	4	4	11	5	2	–	
	All other Male	20	–	–	–	–	–	2	–	–	–	–	–	2	1	–	2	3	4	2	2	2	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	1	1	1	–	–	–	
571	Cirrhosis of liver	367	–	1	–	2	–	1	5	12	11	35	48	58	62	50	34	26	13	7	–	2	–	
	White Male	183	–	–	–	–	–	–	2	6	4	15	27	35	33	26	16	11	6	2	–	–	–	
	Female	112	–	1	–	2	–	–	1	2	2	9	12	15	22	14	11	10	6	3	–	2	–	
	All other Male	47	–	–	–	–	–	1	–	3	3	7	5	7	4	3	7	4	1	2	–	–	–	
	Female	25	–	–	–	–	–	–	2	1	2	4	4	1	3	7	–	1	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	48	–	–	–	–	–	–	1	1	1	1	1	1	3	3	5	7	7	10	3	3	1	
	White Male	18	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	2	3	6	1	1	1	
	Female	21	–	–	–	–	–	–	1	–	1	1	1	–	1	1	3	3	4	3	2	–	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	
580–584	Nephritis and nephrosis	208	–	–	–	–	2	2	4	1	8	6	11	15	18	20	27	31	23	17	11	9	3	
	White Male	48	–	–	–	–	1	1	1	–	3	–	2	5	2	8	6	5	6	4	1	2	1	
	Female	42	–	–	–	–	–	–	–	–	–	1	2	1	2	3	5	7	4	7	4	5	1	
	All other Male	60	–	–	–	–	–	1	2	–	3	3	4	2	8	6	7	10	5	5	2	2	–	
	Female	58	–	–	–	–	1	–	1	1	2	2	3	7	6	3	9	9	8	1	4	–	1	
580, 581	Acute nephritis and nephrotic syndrome	30	–	–	–	–	1	1	–	1	2	1	1	2	3	2	5	5	3	1	1	1	–	
	White Male	11	–	–	–	–	1	1	–	–	1	–	–	2	1	1	–	2	1	–	1	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	
	All other Male	9	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	2	–	–	1	–	
	Female	6	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	1	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	178	–	–	–	–	1	1	4	–	6	5	10	13	15	18	22	26	20	16	10	8	3	
	White Male	37	–	–	–	–	–	–	1	–	2	–	2	3	1	7	6	3	5	4	–	2	1	
	Female	38	–	–	–	–	–	–	–	–	–	1	1	1	2	3	4	6	4	6	4	5	1	
	All other Male	51	–	–	–	–	–	1	2	–	2	3	4	2	7	5	5	9	3	5	2	1	–	
	Female	52	–	–	–	–	1	–	1	–	2	1	3	7	5	3	7	8	8	1	4	–	1	
590	Infections of kidney	168	1	–	–	–	–	1	–	1	1	–	4	3	2	15	18	27	25	34	24	11	1	
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	6	7	13	5	2	1	
	Female	76	1	–	–	–	–	1	–	–	–	–	2	1	–	6	5	10	10	18	16	6	–	
	All other Male	24	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	4	6	3	2	1	–	
	Female	25	–	–	–	–	–	–	–	1	1	–	–	2	–	2	7	7	2	–	1	2	–	
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	4	6	6	6	2	–	
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	5	5	1	–	
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	1	1	1	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	3	5	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	14	–	–	–	–	2	4	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	3	5	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	13	–	–	–	–	2	4	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	273	192	16	6	9	8	3	7	2	2	4	2	6	6	2	4	–	1	2	1	–	–	–
	White.....Male	102	73	4	2	2	5	2	–	1	1	1	–	2	3	2	2	–	1	1	–	–	–	–
	Female	87	59	5	1	2	2	–	4	1	1	3	2	3	1	–	2	–	–	1	–	–	–	–
	All other.....Male	53	41	4	1	3	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	31	19	3	2	2	–	1	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	649	649	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	209	209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	138	138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	153	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	389	389	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	260	260	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,901	108	12	4	5	14	25	24	29	42	74	87	128	141	216	221	218	162	168	113	75	35	–
	White.....Male	570	17	3	2	2	5	8	11	8	12	23	33	53	59	75	76	56	44	37	26	19	1	–
	Female	358	19	–	1	2	2	4	–	5	9	13	17	21	19	36	30	37	36	44	30	17	16	–
	All other.....Male	545	39	4	1	–	4	9	11	10	9	20	24	31	37	72	78	74	36	45	21	17	3	–
	Female	428	33	5	–	1	3	4	2	6	12	18	13	23	26	33	37	51	46	42	36	22	15	–
Residual	All other diseases	2,004	45	23	16	17	25	33	28	40	40	65	91	130	144	199	274	247	226	180	115	55	11	–
	White.....Male	791	17	8	9	6	14	11	10	10	15	21	33	50	68	91	133	98	90	59	35	12	1	–
	Female	663	11	7	4	6	3	6	6	13	16	20	21	36	40	59	83	75	76	87	60	24	10	–
	All other.....Male	316	11	3	1	3	4	9	8	10	2	10	20	25	20	34	36	40	36	18	17	9	–	–
	Female	234	6	5	2	2	4	7	4	7	7	14	17	19	16	15	22	34	24	16	3	10	–	–
E800–E949	Accidents	2,399	40	89	81	110	261	256	181	137	140	117	129	123	108	135	125	95	89	83	61	30	9	–
	White.....Male	1,237	9	32	32	57	162	145	107	88	85	68	73	69	52	64	51	38	35	41	21	6	2	–
	Female	487	14	23	13	22	33	33	28	24	19	16	20	23	16	27	30	29	35	33	26	21	2	–
	All other.....Male	479	7	15	18	22	52	71	38	19	28	25	24	21	34	34	31	19	8	4	7	1	1	–
	Female	196	10	19	18	9	14	7	8	6	8	8	12	10	6	10	13	9	11	5	7	2	4	–
E810–E823	Motor vehicle accidents	1,099	6	32	46	50	160	167	97	75	71	53	56	43	48	52	53	40	28	13	9	–	–	–
	White.....Male	613	2	10	16	27	105	103	60	52	46	31	35	27	20	25	13	18	11	9	3	–	–	–
	Female	207	3	11	5	12	24	26	15	12	8	11	7	6	9	11	18	12	12	3	2	–	–	–
	All other.....Male	219	–	7	11	7	25	34	19	9	14	10	10	6	18	14	18	10	3	1	3	–	–	–
	Female	60	1	4	14	4	6	4	3	2	3	1	4	4	1	2	4	–	2	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,300	34	57	35	60	101	89	84	62	69	64	73	80	60	83	72	55	61	70	52	30	9	–
	White.....Male	624	7	22	16	30	57	42	47	36	39	37	38	42	32	39	38	20	24	32	18	6	2	–
	Female	280	11	12	8	10	9	7	13	12	11	5	13	17	7	16	12	17	23	30	24	21	2	–
	All other.....Male	260	7	8	7	15	27	37	19	10	14	15	14	15	16	20	13	9	5	3	4	1	1	–
	Female	136	9	15	4	5	8	3	5	4	5	7	8	6	5	8	9	9	9	5	6	2	4	–
E950–E959	Suicide	362	. . .	. . .	–	5	12	29	23	28	28	27	37	53	33	30	23	8	16	8	2	–	–	–
	White.....Male	242	. . .	. . .	–	2	8	16	13	17	20	18	21	39	21	23	18	7	11	6	2	–	–	–
	Female	74	. . .	. . .	–	1	3	5	6	6	7	6	10	11	8	3	1	1	5	1	–	–	–	–
	All other.....Male	32	. . .	. . .	–	1	1	5	4	3	1	1	4	3	3	3	2	–	–	1	–	–	–	–
	Female	14	. . .	. . .	–	1	–	3	–	2	–	2	2	–	1	1	2	–	–	–	–	–	–	–
E960–E978	Homicide	558	1	4	1	5	39	84	85	57	57	58	43	47	26	20	12	12	6	1	–	–	–	–
	White.....Male	162	1	1	1	4	10	17	19	19	19	22	11	13	8	3	6	5	3	–	–	–	–	–
	Female	48	–	–	–	–	6	4	4	7	2	5	5	4	2	4	2	2	1	–	–	–	–	–
	All other.....Male	291	–	3	–	–	19	52	47	27	28	28	24	28	13	11	4	5	1	1	–	–	–	–
	Female	57	–	–	–	1	4	11	15	4	8	3	3	2	3	2	–	–	1	–	–	–	–	–
E980–E999	Other external causes	83	–	5	–	3	4	6	10	6	8	3	5	12	8	6	4	1	1	–	1	–	–	–
	White.....Male	38	–	1	–	2	2	3	2	3	3	2	3	6	4	3	3	1	–	–	–	–	–	–
	Female	15	–	1	–	–	1	2	2	1	1	1	–	2	3	1	–	–	–	–	–	–	–	–
	All other.....Male	24	–	2	–	1	–	–	5	2	4	–	2	4	1	1	1	–	–	–	1	–	–	–
	Female	6	–	1	–	–	1	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska																							
	All causes	1,489	126	32	23	33	67	88	64	63	71	86	94	101	109	123	110	83	82	62	40	25	6	1
	White Male	714	48	9	9	10	33	48	37	27	35	42	38	52	48	80	62	45	34	25	20	7	4	1
	White Female	296	23	12	3	10	6	7	5	9	6	13	23	29	25	19	22	18	29	19	9	9	–	–
	All other Male	306	30	7	7	8	19	25	19	21	20	17	17	16	21	16	16	11	9	13	6	7	1	–
	All other Female	173	25	4	4	5	9	8	3	6	10	14	16	4	15	8	10	9	10	5	5	2	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	2	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	2	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	181	–	2	–	1	3	–	–	4	3	10	17	21	26	28	23	14	11	9	7	2	–	–
	White—Male	80	–	–	–	–	1	–	–	–	1	3	4	11	7	21	11	8	5	3	3	2	–	–
	Female	55	–	1	–	1	–	–	–	3	2	6	6	6	9	6	7	3	3	–	2	–	–	–
	All other—Male	21	–	–	–	–	1	–	–	–	–	–	1	3	6	1	2	1	–	4	2	–	–	–
	Female	25	–	1	–	–	1	–	–	1	–	1	6	1	4	–	3	2	3	2	–	–	–	–
140–149	Of buccal cavity and pharynx	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	1	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	40	–	–	–	–	2	–	–	–	–	1	5	4	8	5	2	5	4	1	3	–	–	–
	White—Male	14	–	–	–	–	1	–	–	–	–	–	2	1	2	4	–	2	1	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	1	1	–	–	–	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	1	2	4	1	1	–	–	1	2	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–
160–163	Of respiratory system	51	–	–	–	–	–	–	–	–	1	4	2	12	5	12	7	5	1	1	–	1	–	–
	White—Male	33	–	–	–	–	–	–	–	–	1	1	1	7	2	10	4	4	1	1	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	3	–	5	1	2	–	–	–	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
174	Of breast	18	–	–	–	–	–	–	–	2	1	2	5	–	2	1	2	2	–	–	1	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	1	2	2	–	1	1	2	2	–	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	12	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	1	2	–	3	–	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	2	–	–	–	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	36	–	1	–	–	–	–	–	2	1	1	4	4	8	2	6	–	1	6	–	–	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	1	1	2	2	1	2	–	–	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	2	1	–	1	–	4	1	3	–	–	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–
	Female	10	–	1	–	–	–	–	–	–	–	–	2	1	2	–	1	–	1	2	–	–	–	–
204–207	Leukemia	7	–	1	–	1	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	4	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	15	–	–	–	–	–	–	–	–	–	–	5	–	1	5	–	1	1	2	–	–	–	–
	White—Male	9	–	–	–	–	–	–	–	–	–	–	3	–	–	4	–	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
280–285	Anemias	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	4	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	414	2	1	–	–	3	–	2	6	10	24	22	30	40	43	58	46	48	35	22	18	4	
	White Male	216	1	–	–	–	1	–	1	2	6	12	12	14	24	26	34	25	23	14	14	5	2	
	Female	101	–	1	–	–	–	–	–	–	1	3	6	11	7	7	10	10	18	15	5	7	–	
	All other Male	58	–	–	–	–	1	–	1	2	2	4	2	4	5	7	9	6	4	4	1	5	1	
	Female	39	1	–	–	–	1	–	–	2	1	5	2	1	4	3	5	5	3	2	2	1	1	
390–398, 402, 404, 410–429	Diseases of heart	296	2	–	–	–	1	–	–	5	7	17	19	24	31	35	47	30	30	21	13	10	4	
	White Male	164	1	–	–	–	–	–	–	1	5	10	12	12	22	22	26	16	15	11	8	1	2	
	Female	61	–	–	–	–	–	–	–	–	1	2	4	8	3	5	8	6	9	7	3	5	–	
	All other Male	44	–	–	–	–	1	–	–	2	1	3	1	4	3	6	9	4	3	2	1	3	1	
	Female	27	1	–	–	–	–	–	–	2	–	2	2	–	3	2	4	4	3	1	1	1	1	
390–398	Active rheumatic fever and chronic rheumatic heart disease	7	–	–	–	–	–	–	–	–	1	2	–	–	1	1	1	–	1	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
402	Hypertensive heart disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	230	–	–	–	–	1	–	–	3	4	11	12	23	24	29	38	23	23	18	13	5	3	
	White Male	139	–	–	–	–	–	–	–	1	3	9	10	11	18	20	22	15	11	9	8	–	2	
	Female	51	–	–	–	–	–	–	–	–	1	–	2	8	2	4	7	4	9	7	3	4	–	
	All other Male	30	–	–	–	–	1	–	–	1	–	2	–	4	3	4	7	2	3	1	1	1	–	
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	–	1	1	–	1	
410	Acute myocardial infarction	141	–	–	–	–	1	–	–	2	3	6	7	20	19	23	29	8	11	7	2	1	2	
	White Male	88	–	–	–	–	–	–	–	1	2	6	7	9	14	15	15	7	5	3	2	–	2	
	Female	29	–	–	–	–	–	–	–	–	1	–	–	7	2	3	7	1	4	3	–	1	–	
	All other Male	18	–	–	–	–	1	–	–	–	–	–	–	4	2	4	5	–	2	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	–	1	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	88	–	–	–	–	–	–	–	1	1	5	5	2	5	6	9	15	12	11	11	4	1	
	White Male	50	–	–	–	–	–	–	–	–	1	3	3	1	4	5	7	8	6	6	6	–	–	
	Female	22	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	3	5	4	3	3	–	
	All other Male	12	–	–	–	–	–	–	–	1	–	2	–	–	1	–	2	2	1	1	1	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	54	1	–	–	–	–	–	–	2	2	4	7	1	6	5	8	4	6	3	–	5	–	–
	White Male	23	1	–	–	–	–	–	–	–	2	1	2	1	4	2	3	–	4	2	–	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	1	–	–	–	1	–	–
	All other Male	11	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	2	–	1	–	2	–	–
	All other Female	13	–	–	–	–	–	–	–	1	–	2	2	–	1	1	2	1	2	–	–	1	–	–
400, 401, 403	Hypertension	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	96	–	1	–	–	2	–	2	1	3	6	3	6	8	6	10	11	16	10	7	4	–	–
	White Male	40	–	–	–	–	1	–	1	1	1	2	–	2	2	2	7	7	6	3	4	1	–	–
	White Female	35	–	1	–	–	–	–	–	–	–	1	2	3	3	2	2	2	9	6	2	2	–	–
	All other Male	9	–	–	–	–	–	–	1	–	1	–	1	–	2	1	–	1	1	–	–	1	–	–
	All other Female	12	–	–	–	–	1	–	–	–	1	3	–	1	1	1	1	1	–	1	1	–	–	–
431	Cerebral hemorrhage	13	–	–	–	–	1	–	–	1	–	3	1	1	–	1	–	3	–	2	–	–	–	–
	White Male	6	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	2	–	1	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	2	–	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	71	–	1	–	–	1	–	2	–	3	3	2	5	8	5	9	7	9	6	7	3	–	–
	White Male	29	–	–	–	–	–	–	1	–	1	2	–	2	2	1	7	4	4	1	4	–	–	–
	White Female	24	–	1	–	–	–	–	–	–	–	–	2	2	3	2	1	1	4	4	2	2	–	–
	All other Male	8	–	–	–	–	–	–	1	–	1	–	–	–	2	1	–	1	1	–	–	1	–	–
	All other Female	10	–	–	–	–	1	–	–	–	1	1	–	1	1	1	1	1	–	1	1	–	–	–
440	Arteriosclerosis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	4	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	10	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	3	1	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	42	6	3	–	–	–	1	–	–	1	–	2	3	1	6	2	3	6	1	6	1	–	–
	White Male	18	2	1	–	–	–	–	–	–	1	–	–	1	1	5	2	1	3	–	1	–	–	–
	White Female	9	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	1	3	–	1	1	–	–
	All other Male	10	2	1	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	1	2	–	–	–
	All other Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
470–474	Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	40	6	3	–	–	–	1	–	–	1	–	2	3	1	5	2	3	5	1	6	1	–	–
	White Male	17	2	1	–	–	–	–	–	–	1	–	–	1	1	5	2	1	2	–	1	–	–	–
	White Female	9	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	1	3	–	1	1	–	–
	All other Male	10	2	1	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	1	2	–	–	–
	All other Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
490–493	Bronchitis, emphysema, and asthma	13	1	–	–	–	–	–	–	1	–	–	–	–	1	1	3	2	1	2	1	–	–	–
	White Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	1	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
490, 491	Chronic and unqualified bronchitis	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	6	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	35	–	–	–	–	–	–	–	2	1	2	3	9	8	7	2	1	–	–	–	–	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	1	4	4	5	2	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	1	4	1	2	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	23	17	1	–	–	–	2	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White.....Male	7	5	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	50	19	1	–	1	–	1	2	–	–	2	2	2	–	5	2	4	1	2	2	2	2	–
	White.....Male	21	11	–	–	–	–	1	2	–	–	–	–	1	–	2	–	2	–	–	–	–	2	–
	Female	5	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
	All other.....Male	16	5	–	–	–	–	–	–	–	–	1	1	–	–	2	1	1	1	2	1	1	–	–
	Female	8	3	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	1	–	–	–
Residual	All other diseases	126	3	3	4	1	3	8	3	3	10	9	14	16	16	9	9	3	3	6	1	2	–	–
	White.....Male	49	1	–	2	1	2	4	–	–	1	2	5	6	6	6	6	2	–	4	1	–	–	–
	Female	21	2	1	1	–	–	1	–	–	–	1	2	6	3	–	2	–	1	1	–	–	–	–
	All other.....Male	32	–	1	–	–	–	2	3	2	6	3	4	3	3	2	1	–	–	1	–	1	–	–
	Female	24	–	1	1	–	1	1	–	1	3	3	3	1	4	1	–	1	2	–	–	1	–	–
E800–E949	Accidents	397	8	19	18	25	46	55	42	38	39	24	20	17	14	16	5	4	4	2	–	–	–	1
	White.....Male	224	5	8	6	9	26	33	30	20	23	16	11	12	6	10	3	2	2	1	–	–	–	1
	Female	48	1	5	2	8	5	3	2	5	3	2	4	1	3	2	–	–	1	1	–	–	–	–
	All other.....Male	101	2	4	7	5	14	14	8	12	10	6	4	4	5	3	1	2	–	–	–	–	–	–
	Female	24	–	2	3	3	1	5	2	1	3	–	1	–	–	1	1	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	75	–	3	2	7	17	11	5	6	8	3	4	2	2	4	–	–	1	–	–	–	–	–
	White.....Male	44	–	1	1	5	14	4	3	3	4	1	2	2	–	3	–	–	1	–	–	–	–	–
	Female	12	–	2	1	–	2	1	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
	All other.....Male	13	–	–	–	–	1	5	1	2	1	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	322	8	16	16	18	29	44	37	32	31	21	16	15	12	12	5	4	3	2	–	–	–	1
	White.....Male	180	5	7	5	4	12	29	27	17	19	15	9	10	6	7	3	2	1	1	–	–	–	1
	Female	36	1	3	1	8	3	2	1	4	3	1	2	1	2	2	–	–	1	1	–	–	–	–
	All other.....Male	88	2	4	7	5	13	9	7	10	9	5	4	4	4	2	1	2	–	–	–	–	–	–
	Female	18	–	2	3	1	1	4	2	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–
E950–E959	Suicide	41	...	...	–	1	6	15	8	2	2	3	2	1	–	–	–	1	–	–	–	–	–	–
	White.....Male	18	...	...	–	–	2	5	3	1	1	2	2	1	–	–	–	1	–	–	–	–	–	–
	Female	3	...	...	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	16	...	...	–	–	2	9	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	34	–	–	–	3	–	2	4	3	2	11	3	1	1	2	2	–	–	–	–	–	–	–
	White.....Male	12	–	–	–	–	–	1	1	1	1	6	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other.....Male	13	–	–	–	2	–	–	–	2	1	3	3	–	1	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	1	–	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	17	–	–	1	1	4	4	2	2	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	White.....Male	7	–	–	1	–	–	3	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona																							
	All causes	17,050	589	156	75	102	309	390	293	250	278	425	575	929	1,265	1,517	2,012	2,100	2,106	1,812	1,159	534	157	17
	White—Male	9,360	250	68	33	53	177	238	157	123	151	223	313	551	794	917	1,258	1,243	1,189	876	502	183	47	14
	Female	6,128	201	53	27	30	70	60	67	56	62	128	181	285	373	488	647	725	819	852	596	316	91	1
	All other—Male	976	80	22	9	15	51	69	49	49	46	45	51	56	60	76	69	77	60	41	31	14	4	2
	Female	586	58	13	6	4	11	23	20	22	19	29	30	37	38	36	38	55	38	43	30	21	15	–
004, 006	Bacillary dysentery and amebiasis	4	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	37	18	5	–	–	–	1	–	1	1	1	–	–	2	–	1	2	2	2	1	–	–	–
	White—Male	12	4	2	–	–	–	–	–	–	1	1	–	–	–	–	1	2	1	–	–	–	–	–
	Female	9	5	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other—Male	11	7	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	5	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	55	–	–	–	–	–	1	–	2	–	5	7	2	7	3	9	3	5	5	4	1	1	–
	White—Male	24	–	–	–	–	–	1	–	1	–	2	2	2	3	–	6	2	1	3	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	2	2	–	2	2	1	–	2	–	1	1	–	–
	All other—Male	13	–	–	–	–	–	–	–	1	–	1	3	–	1	1	1	1	2	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	1	–
010–012	Tuberculosis of respiratory system	39	–	–	–	–	–	–	–	2	–	3	3	1	7	2	6	3	4	3	3	1	1	–
	White—Male	19	–	–	–	–	–	–	–	1	–	1	1	1	3	–	5	2	1	3	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–	–	2	–	1	1	–	–
	All other—Male	9	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	1	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
013–019	Tuberculosis, other forms	16	–	–	–	–	–	1	–	–	–	2	4	1	–	1	3	–	1	2	1	–	–	–
	White—Male	5	–	–	–	–	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	61	16	2	–	1	1	–	1	–	1	4	4	2	4	3	4	2	5	7	3	1	–	–
	White—Male	24	4	1	–	1	1	–	–	–	–	1	2	1	1	2	2	1	4	2	1	–	–	–
	Female	21	6	–	–	–	–	–	–	–	–	3	1	1	2	–	2	–	–	4	1	1	–	–
	All other—Male	8	3	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–	–	–
	Female	8	3	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	70	10	3	1	3	3	1	6	3	2	2	3	3	4	3	6	10	3	3	–	–	1	–
	White—Male	30	2	1	1	1	1	–	3	1	–	–	2	3	1	2	4	6	2	–	–	–	–	–
	Female	28	4	2	–	2	2	–	2	1	1	1	–	–	3	1	2	4	–	3	–	–	–	–
	All other—Male	5	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	1	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,052	2	11	9	12	15	12	15	23	32	63	122	207	342	440	505	460	381	241	114	39	7	–
	White—Male	1,643	1	3	4	8	5	9	4	10	15	20	47	102	184	228	310	264	231	122	57	15	4	–
	White—Female	1,214	1	7	4	2	8	3	10	7	16	36	61	96	133	180	174	164	135	109	48	18	2	–
	All other—Male	98	–	–	–	2	2	–	–	3	–	2	4	5	12	17	14	17	9	3	6	2	–	–
	All other—Female	97	–	1	1	–	–	–	1	3	1	5	10	4	13	15	7	15	6	7	3	4	1	–
140–149	Of buccal cavity and pharynx	70	–	–	–	–	–	–	–	–	–	1	2	5	15	14	10	7	8	2	6	–	–	–
	White—Male	51	–	–	–	–	–	–	–	–	–	–	2	4	9	9	8	7	7	1	4	–	–	–
	White—Female	16	–	–	–	–	–	–	–	–	–	1	–	1	5	4	1	–	1	1	2	–	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	780	–	–	–	–	1	–	1	3	8	12	21	38	82	112	128	135	116	68	34	18	3	–
	White—Male	401	–	–	–	–	–	–	–	1	4	6	12	19	49	58	70	67	66	27	14	7	1	–
	White—Female	311	–	–	–	–	1	–	–	1	4	5	7	15	26	38	52	53	43	40	17	8	1	–
	All other—Male	37	–	–	–	–	–	–	–	–	–	1	2	2	4	11	3	7	5	–	1	1	–	–
	All other—Female	31	–	–	–	–	–	–	1	1	–	–	–	2	3	5	3	8	2	1	2	2	1	–
160–163	Of respiratory system	740	–	–	–	–	–	–	–	1	4	16	27	67	102	123	144	122	76	43	11	3	1	–
	White—Male	551	–	–	–	–	–	–	–	–	2	9	15	45	76	87	108	99	66	31	10	2	1	–
	White—Female	162	–	–	–	–	–	–	–	–	1	7	10	19	22	31	31	20	9	10	1	1	–	–
	All other—Male	19	–	–	–	–	–	–	–	–	–	–	1	3	3	2	4	3	1	2	–	–	–	–
	All other—Female	8	–	–	–	–	–	–	–	1	1	–	1	–	1	3	1	–	–	–	–	–	–	–
174	Of breast	251	–	–	–	–	–	–	4	3	4	11	26	25	34	34	30	29	24	15	9	3	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	White—Female	236	–	–	–	–	–	–	4	3	4	10	20	24	31	34	29	27	24	15	9	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	12	–	–	–	–	–	–	–	–	–	1	5	1	3	–	–	1	–	–	–	1	–	–
180–187	Of genital organs	361	–	–	–	–	–	5	2	3	4	8	17	21	26	50	58	55	45	36	22	7	2	–
	White—Male	168	–	–	–	–	–	5	1	3	–	–	1	1	8	15	33	27	29	24	14	6	1	–
	White—Female	151	–	–	–	–	–	–	1	–	4	5	12	20	13	28	20	20	15	9	3	–	1	–
	All other—Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	–	1	5	–	–	–
	All other—Female	25	–	–	–	–	–	–	–	–	–	3	4	–	5	5	1	3	1	2	–	1	–	–
188, 189	Of urinary organs	134	–	–	–	–	–	–	–	1	–	1	1	14	10	18	27	15	24	12	8	3	–	–
	White—Male	90	–	–	–	–	–	–	–	–	–	–	–	10	7	16	20	10	16	7	4	–	–	–
	White—Female	37	–	–	–	–	–	–	–	–	–	–	–	4	3	2	6	5	7	4	4	2	–	–
	All other—Male	5	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	1	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	414	1	7	2	4	7	3	3	5	5	9	19	24	48	54	56	59	56	33	15	4	–	–
	White—Male	208	–	1	1	1	1	2	1	2	2	3	10	14	19	26	35	33	34	16	7	–	–	–
	White—Female	181	1	5	–	1	5	1	2	1	3	6	9	10	25	27	19	21	19	14	8	4	–	–
	All other—Male	12	–	–	–	2	1	–	–	2	–	–	–	–	3	–	–	2	2	–	–	–	–	–
	All other—Female	13	–	1	1	–	–	–	–	–	–	–	–	–	1	1	2	3	1	3	–	–	–	–
204–207	Leukemia	125	1	4	7	5	5	2	3	3	3	3	2	3	6	15	19	11	12	15	4	1	1	–
	White—Male	70	1	2	3	4	3	1	1	2	3	1	1	2	5	7	11	6	4	10	2	–	1	–
	White—Female	50	–	2	4	1	2	1	2	1	–	1	1	–	1	6	8	5	8	5	1	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	177	–	–	–	3	2	2	2	4	4	2	7	10	19	20	33	27	20	17	5	–	–	–
	White—Male	101	–	–	–	3	1	1	1	2	4	1	5	7	11	10	24	14	9	6	2	–	–	–
	White—Female	70	–	–	–	–	–	1	1	1	–	1	2	3	7	10	8	13	9	11	3	–	–	–
	All other—Male	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	–	1	1	2	1	–	2	1	3	1	1	3	5	6	4	10	5	6	2	1	1	1
	White—Male	28	–	–	1	1	–	–	1	–	1	1	1	3	4	2	2	4	2	4	–	1	–	–
	White—Female	24	–	–	–	–	1	–	–	1	2	–	–	–	1	4	2	5	3	2	1	–	1	1
	All other—Male	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other—Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	271	–	–	–	–	1	3	1	2	3	8	8	19	17	28	34	51	39	30	17	10	–	–
	White—Male	94	–	–	–	–	–	1	1	1	1	3	1	7	8	11	14	14	11	8	8	5	–	–
	White—Female	131	–	–	–	–	1	1	–	–	1	2	4	7	4	12	15	28	24	19	8	5	–	–
	All other—Male	20	–	–	–	–	–	–	–	1	1	2	2	3	1	1	2	4	2	1	–	–	–	–
	All other—Female	26	–	–	–	–	–	1	–	–	–	1	1	2	4	4	3	5	2	2	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	30	4	1	1	–	–	–	–	–	–	1	–	–	1	–	2	1	3	9	5	1	1	–
	White—Male	13	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	3	–	1	–
	White—Female	13	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	5	2	1	–	–
	All other—Male	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona – Con.																							
280–285	Anemias	19	–	–	–	1	–	–	–	–	1	–	–	–	1	2	1	6	2	3	1	1	–	–
	White Male	7	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	2	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	18	6	4	2	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	1	–	–	–
	White Male	6	1	1	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	1	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	7,519	11	5	3	4	3	6	13	16	34	109	175	354	456	651	975	1,087	1,225	1,134	786	357	114	1
	White Male	4,181	3	1	1	3	3	1	7	4	24	73	123	238	324	433	625	650	666	527	324	117	33	1
	Female	2,998	2	3	1	1	–	3	4	6	7	25	41	93	111	185	306	391	514	567	435	229	74	–
	All other Male	199	3	1	1	–	–	1	2	3	3	9	7	12	12	26	28	28	24	23	12	3	1	–
	Female	141	3	–	–	–	–	1	–	3	–	2	4	11	9	7	16	18	21	17	15	8	6	–
390–398, 402, 404, 410–429	Diseases of heart	5,530	10	3	1	2	2	5	8	11	24	92	151	295	375	548	780	798	841	766	506	240	71	1
	White Male	3,218	3	1	–	1	2	1	3	3	20	61	110	216	280	375	513	485	464	352	217	86	24	1
	Female	2,080	1	1	–	1	–	2	3	3	2	20	32	64	80	149	237	280	346	389	277	149	44	–
	All other Male	149	3	1	1	–	–	1	2	3	2	9	7	10	9	19	22	24	17	12	5	1	1	–
	Female	83	3	–	–	–	–	1	–	2	–	2	2	5	6	5	8	9	14	13	7	4	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	133	1	–	–	1	–	–	1	1	–	6	10	17	15	20	24	17	7	7	4	2	–	–
	White Male	53	1	–	–	1	–	–	–	1	–	2	3	8	9	7	8	6	2	3	–	2	–	–
	Female	67	–	–	–	–	–	–	–	–	–	2	5	8	4	11	15	10	4	4	4	–	–	–
	All other Male	7	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	–	–	–	–	–
402	Hypertensive heart disease	59	–	–	–	–	–	–	–	–	2	3	3	5	1	9	6	7	7	9	4	3	–	–
	White Male	21	–	–	–	–	–	–	–	–	2	1	1	2	–	5	3	3	3	–	1	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	3	3	9	3	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	4	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,941	–	–	–	–	–	1	4	7	18	75	121	243	337	484	702	724	774	703	465	216	66	1
	White Male	2,945	–	–	–	–	–	–	3	2	17	53	97	185	255	345	469	449	438	331	199	78	23	1
	Female	1,832	–	–	–	–	–	–	1	2	1	15	20	49	70	122	209	248	310	354	254	135	42	–
	All other Male	111	–	–	–	–	–	1	–	2	–	7	3	6	9	15	17	20	14	11	5	1	–	–
	Female	53	–	–	–	–	–	–	–	1	–	–	1	3	3	2	7	7	12	7	7	2	1	–
410	Acute myocardial infarction	2,265	–	–	–	–	–	–	2	3	10	44	77	138	171	266	371	369	351	267	145	44	7	–
	White Male	1,456	–	–	–	–	–	–	1	–	9	30	65	113	126	187	259	242	207	123	70	20	4	–
	Female	750	–	–	–	–	–	–	1	1	1	11	10	21	42	69	102	118	136	139	72	24	3	–
	All other Male	43	–	–	–	–	–	–	–	1	–	3	2	3	3	9	6	7	4	4	1	–	–	–
	Female	16	–	–	–	–	–	–	–	1	–	–	–	1	–	1	4	2	4	1	2	–	–	–
411	Other acute and subacute forms of ischemic heart disease	333	–	–	–	–	–	–	–	1	3	16	25	46	50	57	54	33	29	15	4	–	–	–
	White Male	255	–	–	–	–	–	–	–	–	3	12	19	33	38	47	39	26	22	13	3	–	–	–
	Female	58	–	–	–	–	–	–	–	–	–	2	4	10	11	9	9	4	6	2	1	–	–	–
	All other Male	15	–	–	–	–	–	–	–	1	–	2	1	3	–	1	4	2	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,342	–	–	–	–	–	1	2	3	5	15	19	59	116	161	276	322	394	421	316	172	59	1
	White Male	1,234	–	–	–	–	–	–	2	2	5	11	13	39	91	111	171	181	209	195	126	58	19	1
	Female	1,023	–	–	–	–	–	–	–	1	–	2	6	18	17	44	97	126	168	213	181	111	39	–
	All other Male	53	–	–	–	–	–	1	–	–	–	2	–	–	6	5	7	11	9	7	4	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	4	8	6	5	2	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	28	–	–	–	–	1	1	1	–	–	1	1	–	–	4	3	–	8	2	3	2	1	–
	White Male	7	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	1	1	1	–
	Female	19	–	–	–	–	–	–	1	–	–	–	1	–	–	2	2	–	8	2	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
420–423, 425–427, 429	All other forms of heart disease	357	9	3	1	1	1	3	2	3	4	7	15	30	22	30	43	49	42	41	30	17	4	–
	White Male	187	2	1	–	–	1	1	–	–	1	4	8	21	16	16	31	27	19	18	16	5	–	–
	Female	127	1	1	–	1	–	2	1	1	1	3	5	6	5	11	9	18	20	16	14	10	2	–
	All other Male	25	3	1	1	–	–	–	1	1	2	–	2	1	–	2	3	3	3	1	–	–	1	–
	Female	18	3	–	–	–	–	–	–	1	–	–	–	2	1	1	–	1	–	6	–	2	1	–
400, 401, 403	Hypertension	47	–	–	–	–	–	–	–	–	–	–	–	3	4	2	4	8	6	10	6	2	2	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	3	4	9	4	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	1	–	2	1	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,503	1	2	1	2	1	1	5	4	10	16	21	48	64	81	143	227	296	268	212	73	27	–
	White Male	693	–	–	–	2	1	–	4	–	4	11	10	17	29	42	81	126	147	112	82	18	7	–
	Female	728	1	2	1	–	–	1	1	3	5	5	9	24	29	31	52	89	142	146	119	51	17	–
	All other Male	35	–	–	–	–	–	–	–	–	1	–	–	1	3	6	4	3	5	7	4	1	–	–
	Female	47	–	–	–	–	–	–	–	1	–	–	2	6	3	2	6	9	2	3	7	3	3	–
431	Cerebral hemorrhage	202	1	–	–	–	–	1	1	3	2	4	5	14	17	16	32	28	30	30	14	2	2	–
	White Male	91	–	–	–	–	–	–	1	–	1	4	2	8	8	9	17	14	12	10	5	–	–	–
	Female	102	1	–	–	–	–	1	–	2	1	–	2	5	8	7	14	13	18	19	7	2	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	2	–	–	–
433	Cerebral thrombosis	258	–	–	–	–	–	–	–	–	1	2	1	1	6	11	19	48	52	58	39	15	5	–
	White Male	123	–	–	–	–	–	–	–	–	1	–	1	1	5	2	14	24	24	29	18	3	1	–
	Female	126	–	–	–	–	–	–	–	–	–	2	–	–	1	8	4	23	26	29	18	11	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	3	1	1	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,032	–	2	1	2	1	–	4	1	7	10	15	32	38	53	91	148	213	179	159	56	20	–
	White Male	473	–	–	–	2	1	–	3	–	2	7	7	8	14	30	50	86	111	72	59	15	6	–
	Female	496	–	2	1	–	–	–	1	1	4	3	7	19	19	16	33	52	97	98	94	38	11	–
	All other Male	29	–	–	–	–	–	–	–	–	1	–	–	1	3	6	3	3	3	6	2	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	1	4	2	1	5	7	2	3	4	2	3	–
440	Arteriosclerosis	234	–	–	–	–	–	–	–	–	–	–	–	–	1	2	13	14	39	68	49	34	14	–
	White Male	101	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	8	18	39	16	10	2	–
	Female	118	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	16	25	31	24	11	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	1	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	205	–	–	1	–	–	–	–	1	–	1	3	8	12	18	35	40	43	22	13	8	–	–
	White Male	140	–	–	1	–	–	–	–	1	–	1	3	3	11	14	23	28	33	15	5	2	–	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	4	1	3	11	11	9	7	6	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	23	2	7	3	1	1	1	–	–	–	1	2	1	–	–	1	–	3	–	–	–	–	–
	White Male	13	1	4	1	1	–	1	–	–	–	–	2	1	–	–	–	–	2	–	–	–	–	–
	Female	7	1	1	1	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	485	16	3	–	–	3	1	1	1	7	6	14	15	21	38	41	44	63	87	60	48	16	–
	White Male	265	4	2	–	–	2	1	–	–	4	2	7	6	17	22	25	28	43	53	30	16	3	–
	Female	165	6	1	–	–	1	–	1	–	3	1	4	5	1	12	12	10	20	30	25	24	9	–
	All other Male	32	4	–	–	–	–	–	–	1	–	2	2	2	2	4	2	5	–	1	2	3	2	–
	Female	23	2	–	–	–	–	–	–	–	–	1	1	2	1	–	2	1	–	3	3	5	2	–
470–474	Influenza	16	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	3	1	3	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	469	16	3	–	–	3	1	1	1	7	6	14	14	20	36	39	42	63	84	59	45	15	–
	White Male	257	4	2	–	–	2	1	–	–	4	2	7	6	16	20	24	26	43	52	30	15	3	–
	Female	157	6	1	–	–	1	–	1	–	3	1	4	4	1	12	11	10	20	28	24	22	8	–
	All other Male	32	4	–	–	–	–	–	–	1	–	2	2	2	2	4	2	5	–	1	2	3	2	–
	Female	23	2	–	–	–	–	–	–	–	–	1	1	2	1	–	2	1	–	3	3	5	2	–
490–493	Bronchitis, emphysema, and asthma	415	1	1	1	1	2	1	1	1	2	7	9	22	53	40	85	64	67	45	8	3	1	–
	White Male	314	–	–	1	1	–	–	–	–	1	5	4	18	35	33	62	52	57	37	6	1	1	–
	Female	92	1	1	–	–	1	–	1	1	–	2	4	4	16	7	23	12	9	8	1	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	1	1	–	–
	Female	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
490, 491	Chronic and unqualified bronchitis	89	1	1	1	–	1	1	1	–	–	–	–	4	8	6	20	13	12	15	3	2	–	–
	White Male	62	–	–	1	–	–	–	–	–	–	–	–	4	4	4	13	11	10	13	1	1	–	–
	White Female	24	1	1	–	–	1	–	1	–	–	–	–	–	3	2	7	2	2	2	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	291	–	–	–	1	–	–	–	–	2	6	7	16	36	30	59	48	51	29	4	1	1	–
	White Male	233	–	–	–	1	–	–	–	–	1	4	4	12	25	28	46	39	45	23	4	–	1	–
	White Female	54	–	–	–	–	–	–	–	–	–	2	3	4	10	2	13	9	5	6	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	35	–	–	–	–	1	–	–	1	–	1	2	2	9	4	6	3	4	1	1	–	–	–
	White Male	19	–	–	–	–	–	–	–	1	–	1	–	2	6	1	3	2	2	1	1	–	–	–
	White Female	14	–	–	–	–	–	–	–	1	–	–	1	–	3	3	3	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	61	–	–	–	–	–	–	–	1	–	–	–	4	8	13	6	11	3	10	3	2	–	–
	White Male	38	–	–	–	–	–	–	–	1	–	–	–	2	6	3	5	9	2	5	3	2	–	–
	White Female	23	–	–	–	–	–	–	–	–	–	–	–	2	2	10	1	2	1	5	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	–	1	–	–	1	–	3	–	1	2	1	2	1	–	–	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	1	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	48	6	–	–	–	1	–	–	–	–	2	2	1	2	–	5	5	6	6	9	3	–	–
	White Male	23	2	–	–	–	–	–	–	–	–	–	2	1	–	–	4	2	4	3	4	1	–	–
	White Female	21	2	–	–	–	1	–	–	–	–	2	–	–	2	–	1	2	2	3	5	1	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
571	Cirrhosis of liver	395	–	–	–	–	–	3	8	19	34	32	43	61	68	50	38	17	13	6	2	1	–	–
	White Male	226	–	–	–	–	–	1	2	7	15	16	22	34	45	31	27	12	8	6	–	–	–	–
	White Female	100	–	–	–	–	–	–	3	1	4	9	14	17	16	15	10	4	5	–	2	–	–	–
	All other Male	41	–	–	–	–	–	2	2	9	10	3	2	3	6	2	–	1	–	–	–	1	–	–
	All other Female	28	–	–	–	–	–	–	1	2	5	4	5	7	1	2	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	33	–	–	–	–	–	–	–	1	–	–	1	–	2	2	4	4	7	8	2	1	1	–
	White Male	19	–	–	–	–	–	–	–	1	–	–	1	–	1	1	3	4	5	1	1	1	–	–
	White Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
580–584	Nephritis and nephrosis	63	–	–	1	–	1	–	–	3	1	1	3	2	4	7	7	12	6	6	2	7	–	–
	White Male	28	–	–	–	–	1	–	–	1	–	1	1	2	2	3	5	4	3	2	–	3	–	–
	White Female	24	–	–	–	–	–	–	–	–	1	–	1	–	2	3	1	7	2	3	1	3	–	–
	All other Male	5	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	All other Female	6	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	–	–	1	–	–	–	–	1	–	–	1	1	2	1	1	3	2	–	–	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	49	–	–	–	–	1	–	–	2	1	1	2	1	2	6	6	9	4	6	2	6	–	–
	White Male	20	–	–	–	–	1	–	–	1	–	1	1	1	–	2	4	3	1	2	–	3	–	–
	White Female	20	–	–	–	–	–	–	–	–	1	–	–	–	2	3	1	5	2	3	1	2	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–	–
590	Infections of kidney	55	–	–	–	–	1	–	–	–	1	1	1	3	2	1	3	10	9	11	9	3	–	–
	White Male	17	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	2	4	4	2	–	–	–
	White Female	30	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	6	4	7	6	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	2	1	–	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	157	110	12	4	3	4	4	3	1	1	–	1	3	2	5	1	2	–	–	1	–	–	–
	White.....Male	76	48	8	3	2	1	3	–	1	–	–	1	2	2	3	–	1	–	–	1	–	–	–
	Female	66	49	4	1	1	2	1	3	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–
	All other.....Male	7	5	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	274	273	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	129	128	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	166	166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	108	107	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	40	39	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	297	62	5	–	2	4	6	7	7	6	9	10	12	9	21	29	19	29	19	15	16	6	4
	White.....Male	118	28	1	–	–	–	3	1	–	1	1	4	2	6	11	12	14	12	6	7	4	3	2
	Female	78	16	2	–	–	1	1	3	2	–	1	3	5	2	2	8	3	9	7	5	8	–	–
	All other.....Male	68	9	2	–	2	2	1	2	5	4	7	3	4	–	6	5	1	6	3	2	1	1	2
	Female	33	9	–	–	–	1	1	1	–	1	–	–	1	1	2	4	1	2	3	1	3	2	–
Residual	All other diseases	1,362	21	11	9	12	19	31	27	31	23	41	43	86	127	122	164	200	167	115	78	32	2	1
	White.....Male	737	8	5	3	3	12	20	14	11	10	20	21	45	75	77	93	115	94	59	37	13	1	1
	Female	491	7	5	5	5	7	6	7	10	6	13	14	29	44	37	61	69	63	48	37	18	–	–
	All other.....Male	80	3	–	–	3	–	2	4	4	4	5	7	8	4	6	8	11	5	4	1	1	–	–
	Female	54	3	1	1	1	–	3	2	6	3	3	1	4	4	2	2	5	5	4	3	–	1	–
E800–E949	Accidents	1,463	24	76	36	50	179	207	125	89	65	81	77	78	81	48	50	53	48	45	30	6	6	9
	White.....Male	853	12	37	16	25	111	126	78	63	42	49	41	48	46	28	28	33	28	16	13	3	1	9
	Female	304	7	22	13	17	33	25	13	9	7	16	14	12	20	11	13	10	17	25	13	3	4	–
	All other.....Male	227	2	9	6	6	28	45	24	14	10	7	17	14	14	8	9	5	3	4	2	–	–	–
	Female	79	3	8	1	2	7	11	10	3	6	9	5	4	1	1	–	5	–	–	2	–	1	–
E810–E823	Motor vehicle accidents	705	3	25	14	26	117	126	73	47	30	44	41	41	23	15	24	25	15	11	4	–	1	–
	White.....Male	408	1	9	7	10	70	73	42	31	18	27	23	24	15	12	15	15	9	4	2	–	1	–
	Female	125	1	8	4	11	24	19	8	4	1	8	6	7	5	2	4	4	5	3	1	–	–	–
	All other.....Male	121	–	4	2	4	17	26	17	9	6	4	9	7	2	1	5	2	1	4	1	–	–	–
	Female	51	1	4	1	1	6	8	6	3	5	5	3	3	1	–	–	4	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	758	21	51	22	24	62	81	52	42	35	37	36	37	58	33	26	28	33	34	26	6	5	9
	White.....Male	445	11	28	9	15	41	53	36	32	24	22	18	24	31	16	13	18	19	12	11	3	–	9
	Female	179	6	14	9	6	9	6	5	5	6	8	8	5	15	9	9	6	12	22	12	3	4	–
	All other.....Male	106	2	5	4	2	11	19	7	5	4	3	8	7	12	7	4	3	2	–	1	–	–	–
	Female	28	2	4	–	1	1	3	4	–	1	4	2	1	–	1	–	1	–	–	2	–	1	–
E950–E959	Suicide	394	. . .	. . .	–	5	32	57	48	21	33	25	32	33	26	21	24	17	7	10	3	–	–	–
	White.....Male	265	. . .	. . .	–	4	21	38	26	9	25	13	19	24	21	16	18	16	5	9	1	–	–	–
	Female	98	. . .	. . .	–	1	5	13	13	10	6	10	13	9	4	3	6	1	2	–	2	–	–	–
	All other.....Male	28	. . .	. . .	–	–	6	5	8	2	2	1	–	–	1	2	–	–	–	1	–	–	–	–
	Female	3	. . .	. . .	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	243	3	6	2	5	29	41	26	22	24	16	11	13	14	9	10	5	3	1	2	–	–	1
	White.....Male	133	1	1	1	2	13	25	16	12	9	8	7	8	9	6	9	1	1	1	2	–	–	1
	Female	37	1	5	1	1	3	3	4	4	5	2	2	2	2	–	–	2	–	–	–	–	–	–
	All other.....Male	59	–	–	–	2	12	11	5	3	8	4	2	3	3	2	–	2	2	–	–	–	–	–
	Female	14	1	–	–	–	1	2	1	3	2	2	–	–	–	1	1	–	–	–	–	–	–	–
E980–E999	Other external causes	61	4	2	1	–	7	11	8	3	4	5	5	4	3	2	1	–	1	–	–	–	–	–
	White.....Male	30	2	1	–	–	5	7	4	–	2	5	2	1	–	1	–	–	–	–	–	–	–	–
	Female	22	2	–	1	–	2	2	3	3	1	–	2	2	2	1	1	–	–	–	–	–	–	–
	All other.....Male	7	–	–	–	–	–	2	1	–	1	–	1	1	–	–	–	–	1	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas																							
	All causes	22,226	593	129	79	98	257	217	251	179	249	390	629	935	1,363	1,993	2,606	2,929	2,911	2,901	2,098	1,090	329	–
	White Male	10,344	227	50	27	50	150	120	142	103	100	207	332	500	808	1,092	1,349	1,382	1,285	1,216	741	368	95	–
	White Female	7,614	154	44	22	24	46	36	51	41	66	85	173	243	341	531	720	909	1,101	1,233	1,076	561	157	–
	All other Male	2,401	109	21	20	22	45	42	37	24	51	54	74	110	138	216	306	345	294	249	144	75	25	–
	All other Female	1,867	103	14	10	2	16	19	21	11	32	44	50	82	76	154	231	293	231	203	137	86	52	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	32	13	3	–	–	–	–	–	–	–	–	–	–	–	–	4	3	2	2	3	1	1	–
	White Male	11	4	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	–	–
	White Female	10	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	1	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Female	8	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	34	–	–	–	–	–	–	–	–	1	1	3	1	5	2	6	3	6	4	1	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	1	2	2	5	1	2	2	1	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	1	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	1	1	–	2	–	1	–	1	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
010–012	Tuberculosis of respiratory system	25	–	–	–	–	–	–	–	–	1	–	3	1	3	1	4	2	5	3	1	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	1	2	1	4	1	2	2	1	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
013–019	Tuberculosis, other forms	9	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	79	20	–	–	–	1	–	3	1	1	1	2	5	4	2	8	11	4	12	4	–	–	–
	White Male	30	7	–	–	–	–	–	1	–	–	1	1	2	2	–	3	4	2	5	2	–	–	–
	White Female	24	2	–	–	–	–	–	1	1	1	–	–	1	1	1	4	3	1	6	2	–	–	–
	All other Male	11	4	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	–	–	–	–
	All other Female	14	7	–	–	–	1	–	1	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	58	3	2	3	1	1	2	–	2	2	1	5	1	5	6	4	2	6	8	3	1	–	–
	White Male	20	2	1	–	–	–	–	–	1	–	–	2	–	2	2	2	2	–	4	1	1	–	–
	White Female	24	1	–	1	1	–	1	–	1	1	1	3	–	1	3	1	–	6	3	–	–	–	–
	All other Male	8	–	1	1	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–	1	–	–	–
	All other Female	6	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,970	–	6	7	11	16	22	20	12	49	85	173	231	372	506	670	612	516	375	198	71	18	–
	White—Male	1,873	–	1	2	6	10	11	10	5	16	32	71	106	204	273	351	281	228	163	71	29	3	–
	White—Female	1,410	–	3	5	3	4	8	7	5	23	37	71	85	128	158	197	204	189	147	92	36	8	–
	All other—Male	409	–	1	–	2	–	2	–	1	1	9	18	23	22	37	82	72	65	46	21	4	3	–
	All other—Female	278	–	1	–	–	2	1	3	1	9	7	13	17	18	38	40	55	34	19	14	2	4	–
140–149	Of buccal cavity and pharynx	74	–	–	–	–	–	–	–	–	–	1	3	2	8	14	12	15	7	6	4	–	2	–
	White—Male	44	–	–	–	–	–	–	–	–	–	1	2	1	4	11	7	9	5	2	1	–	1	–
	White—Female	21	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	5	1	3	3	–	1	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	960	–	–	–	–	2	1	2	–	9	12	35	43	76	97	160	164	152	116	61	26	4	–
	White—Male	382	–	–	–	–	–	–	–	–	4	7	13	16	41	43	76	59	54	37	20	11	1	–
	White—Female	377	–	–	–	–	1	1	2	–	3	3	13	14	29	29	49	59	67	61	31	14	1	–
	All other—Male	109	–	–	–	–	–	–	–	–	–	2	4	12	4	8	22	21	21	11	4	–	–	–
	All other—Female	92	–	–	–	–	1	–	–	–	2	–	5	1	2	17	13	25	10	7	6	1	2	–
160–163	Of respiratory system	1,012	–	–	–	1	–	–	–	4	8	25	51	78	127	180	193	144	121	54	20	5	1	–
	White—Male	749	–	–	–	1	–	–	–	2	6	17	31	54	103	135	147	105	88	44	13	3	–	–
	White—Female	142	–	–	–	–	–	–	–	1	1	5	14	16	17	26	21	19	16	3	2	1	–	–
	All other—Male	98	–	–	–	–	–	–	–	1	–	2	5	6	3	16	23	17	15	6	2	1	1	–
	All other—Female	23	–	–	–	–	–	–	–	–	1	1	1	2	4	3	2	3	2	1	3	–	–	–
174	Of breast	298	–	–	–	–	–	–	–	–	9	14	17	30	37	36	39	34	33	27	17	5	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Female	252	–	–	–	–	–	–	–	–	8	12	17	25	32	32	30	27	27	24	14	4	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	All other—Female	42	–	–	–	–	–	–	–	–	1	2	–	5	5	4	7	7	6	2	2	1	–	–
180–187	Of genital organs	475	–	–	–	–	–	4	5	3	11	9	18	22	28	43	95	64	66	64	31	9	3	–
	White—Male	175	–	–	–	–	–	2	3	–	1	–	4	3	7	9	26	27	34	35	18	6	–	–
	White—Female	171	–	–	–	–	–	2	–	2	6	8	9	16	13	24	41	17	13	12	4	2	2	–
	All other—Male	83	–	–	–	–	–	–	–	–	–	–	–	–	3	3	21	15	15	16	8	1	1	–
	All other—Female	46	–	–	–	–	–	–	2	1	4	1	5	3	5	7	7	5	4	1	1	–	–	–
188, 189	Of urinary organs	158	–	–	1	–	–	–	–	–	1	1	9	12	9	15	26	31	19	20	9	5	–	–
	White—Male	88	–	–	1	–	–	–	–	–	–	–	3	10	4	15	16	17	9	8	4	1	–	–
	White—Female	44	–	–	–	–	–	–	–	–	1	–	3	1	3	–	5	9	7	8	3	4	–	–
	All other—Male	15	–	–	–	–	–	–	–	–	–	1	3	–	2	–	3	2	2	1	1	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	3	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	575	–	5	3	3	6	6	5	2	6	15	25	31	52	73	90	83	71	43	33	15	8	–
	White—Male	238	–	1	1	–	5	3	1	2	2	5	10	17	22	35	47	36	17	18	9	6	1	–
	White—Female	238	–	2	2	1	–	2	3	–	4	6	10	9	22	31	31	30	36	17	21	7	4	–
	All other—Male	63	–	1	–	2	–	1	–	–	–	2	3	3	7	5	7	11	10	5	3	2	1	–
	All other—Female	36	–	1	–	–	1	–	1	–	–	2	2	2	1	2	5	6	8	3	–	–	2	–
204–207	Leukemia	177	–	1	2	6	4	4	4	1	2	2	5	5	13	17	19	33	27	21	8	3	–	–
	White—Male	85	–	–	–	4	4	2	2	1	1	1	2	1	9	9	12	11	14	9	2	1	–	–
	White—Female	71	–	1	2	2	–	1	2	–	–	1	2	3	4	3	5	17	12	9	5	2	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	1	2	–	–	–	–
	All other—Female	10	–	–	–	–	–	1	–	–	1	–	–	1	–	2	1	2	–	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	241	–	–	1	1	4	7	4	2	3	6	10	8	22	31	36	44	20	24	15	3	–	–
	White—Male	111	–	–	–	1	1	4	4	–	2	1	6	4	14	16	19	17	7	10	4	1	–	–
	White—Female	94	–	–	1	–	3	2	–	2	–	2	3	1	6	10	12	21	10	10	9	2	–	–
	All other—Male	20	–	–	–	–	–	1	–	–	1	2	1	1	1	2	3	3	–	3	2	–	–	–
	All other—Female	16	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	3	3	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	51	–	–	1	–	1	1	1	–	–	2	4	3	3	9	9	11	3	1	2	–	–	–
	White—Male	23	–	–	–	–	–	–	–	–	–	–	1	2	3	5	4	4	2	1	1	–	–	–
	White—Female	12	–	–	1	–	1	–	–	–	–	–	1	–	–	1	3	3	1	–	1	–	–	–
	All other—Male	6	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–
	All other—Female	10	–	–	–	–	–	–	1	–	–	1	2	1	–	1	2	2	–	–	–	–	–	–
250	Diabetes mellitus	414	–	–	–	–	1	1	6	1	4	5	5	22	37	41	55	66	58	56	32	21	3	–
	White—Male	108	–	–	–	–	1	–	2	–	–	1	3	6	16	13	7	10	18	17	8	5	1	–
	White—Female	182	–	–	–	–	–	1	3	1	1	–	2	8	8	12	28	32	27	29	21	8	1	–
	All other—Male	37	–	–	–	–	–	–	–	–	–	–	–	2	6	4	5	7	4	4	2	3	–	–
	All other—Female	87	–	–	–	–	–	–	1	–	3	4	–	6	7	12	15	17	9	6	1	5	1	–
260–269	Avitaminoses and other nutritional deficiencies	27	2	–	–	–	–	–	–	1	1	–	2	1	1	–	2	2	4	5	4	2	–	–
	White—Male	10	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	1	–	2	1	–	–
	White—Female	12	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	3	2	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other—Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
280–285	Anemias	47	–	4	1	1	2	–	–	–	1	1	–	1	2	4	5	4	9	7	2	2	1	–
	White Male	14	–	1	–	1	–	–	–	–	–	–	–	–	–	2	2	1	2	3	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	4	1	1	1	1	–
	All other Male	12	–	1	1	–	2	–	–	–	1	–	–	1	–	–	1	1	2	2	–	–	–	–
	Female	8	–	2	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	1	–	–	–	–
320	Meningitis	19	9	3	3	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	White Male	6	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,705	12	6	2	3	9	16	13	18	61	117	216	409	636	993	1,326	1,651	1,794	1,907	1,475	799	242	–
	White Male	5,351	6	2	1	1	5	10	7	9	34	72	130	236	396	551	702	794	770	769	522	258	76	–
	Female	4,302	3	3	1	–	1	1	1	5	6	18	46	82	136	246	347	504	718	853	777	438	116	–
	All other Male	1,091	3	1	–	2	1	4	4	2	9	14	22	45	69	122	150	194	162	143	81	47	16	–
	Female	961	–	–	–	–	2	1	1	2	12	13	18	46	35	74	127	159	144	142	95	56	34	–
390–398, 402, 404, 410–429	Diseases of heart	7,958	8	4	1	2	6	12	10	14	46	87	165	324	498	779	990	1,136	1,212	1,161	891	471	141	–
	White Male	3,962	2	1	1	1	5	9	5	8	30	58	113	205	338	463	560	573	546	502	334	161	47	–
	Female	2,717	3	2	–	–	–	1	–	4	3	10	28	59	93	185	253	356	458	497	452	248	65	–
	All other Male	705	3	1	–	1	–	1	4	–	5	11	14	35	42	84	103	115	110	85	52	27	12	–
	Female	574	–	–	–	–	1	1	1	2	8	8	10	25	25	47	74	92	98	77	53	35	17	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	78	–	1	–	–	–	–	1	1	6	5	4	9	10	11	7	5	7	4	4	2	1	–
	White Male	32	–	–	–	–	–	–	1	–	2	2	1	4	4	6	3	2	4	2	–	–	1	–
	Female	37	–	1	–	–	–	–	–	1	1	2	1	5	6	5	2	2	3	2	4	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	89	–	–	–	–	–	–	–	–	–	–	–	2	4	6	13	13	9	20	14	6	2	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	6	5	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	5	5	6	4	1	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	5	1	1	–	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	2	8	3	1	1	–
404	Hypertensive heart and renal disease	62	–	–	–	–	–	–	–	–	2	–	–	1	–	3	3	10	6	13	13	7	4	–
	White Male	27	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	5	3	5	5	2	3	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	7	8	5	–	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–
410–413	Ischemic heart disease	6,697	–	–	–	–	–	–	2	8	29	63	133	269	413	654	857	989	1,039	997	742	390	112	–
	White Male	3,424	–	–	–	–	–	–	2	7	20	45	96	179	291	399	496	516	475	439	283	139	37	–
	Female	2,307	–	–	–	–	–	–	–	1	–	7	24	45	71	156	223	309	405	435	373	204	54	–
	All other Male	539	–	–	–	–	–	–	–	–	4	4	10	23	33	63	82	90	85	71	46	20	8	–
	Female	427	–	–	–	–	–	–	–	–	5	7	3	22	18	36	56	74	74	52	40	27	13	–
410	Acute myocardial infarction	4,048	–	–	–	–	–	–	1	7	19	56	114	220	330	502	616	638	584	479	310	140	32	–
	White Male	2,290	–	–	–	–	–	–	1	6	16	42	82	146	240	319	375	364	285	216	129	57	12	–
	Female	1,253	–	–	–	–	–	–	–	1	–	5	21	42	57	117	149	187	237	212	141	69	15	–
	All other Male	301	–	–	–	–	–	–	–	–	2	4	8	17	24	43	55	49	36	30	24	7	2	–
	Female	204	–	–	–	–	–	–	–	–	1	5	3	15	9	23	37	38	26	21	16	7	3	–
411	Other acute and subacute forms of ischemic heart disease	18	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	–	1	5	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,627	–	–	–	–	–	–	1	1	10	7	19	47	81	148	238	350	453	512	431	249	80	–
	White Male	1,125	–	–	–	–	–	–	1	1	4	3	14	32	51	80	118	151	188	221	154	82	25	–
	Female	1,046	–	–	–	–	–	–	–	–	–	2	3	2	14	37	74	122	168	220	231	134	39	–
	All other Male	237	–	–	–	–	–	–	–	–	2	–	2	6	9	20	27	41	49	40	22	13	6	–
	Female	219	–	–	–	–	–	–	–	–	4	2	–	7	7	11	19	36	48	31	24	20	10	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	59	–	1	–	1	–	1	–	–	1	–	1	3	2	4	5	6	7	10	9	7	1	–
	White Male	20	–	–	–	–	1	–	–	–	1	–	–	1	1	2	3	1	2	3	3	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	–	3	5	4	–	–
	All other Male	9	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	2	2	–	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	2	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	973	8	2	1	1	6	11	7	5	8	19	27	40	69	101	105	113	144	117	109	59	21	–
	White Male	440	2	1	1	1	5	8	2	1	6	11	16	20	40	52	56	48	61	47	38	18	6	–
	White Female	295	3	1	–	–	–	1	–	2	2	1	3	8	15	22	20	34	43	45	56	29	10	–
	All other Male	135	3	–	–	–	–	1	4	–	–	6	3	10	8	18	17	18	22	10	6	6	3	–
	All other Female	103	–	–	–	–	1	1	1	2	–	1	5	2	6	9	12	13	18	15	9	6	2	–
400, 401, 403	Hypertension	93	–	–	–	–	–	–	–	1	2	1	2	6	6	4	4	10	17	18	14	7	1	–
	White Male	32	–	–	–	–	–	–	–	1	–	1	–	–	3	3	2	3	5	7	4	3	–	–
	White Female	32	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	7	7	8	2	1	–
	All other Male	18	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	3	3	4	–	2	–	–
	All other Female	11	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	1	2	–	2	–	–	–
430–438	Cerebrovascular diseases	2,983	3	1	–	1	2	3	2	3	11	26	42	64	110	183	268	431	474	588	453	238	80	–
	White Male	1,075	3	1	–	–	–	1	1	–	3	11	13	22	43	68	109	173	178	205	148	71	25	–
	White Female	1,259	–	–	–	–	1	–	1	1	3	7	17	18	37	54	73	128	216	281	247	134	41	–
	All other Male	318	–	–	–	1	–	2	–	2	2	3	7	8	21	35	42	69	41	46	25	12	2	–
	All other Female	331	–	–	–	–	1	–	–	–	3	5	5	16	9	26	44	61	39	56	33	21	12	–
431	Cerebral hemorrhage	398	2	–	–	–	1	2	–	3	3	4	10	17	27	28	36	65	50	66	48	29	7	–
	White Male	145	2	–	–	–	–	1	–	–	1	1	4	5	10	8	11	23	25	24	19	11	–	–
	White Female	151	–	–	–	–	1	–	–	1	–	1	5	3	9	10	11	18	18	30	24	14	6	–
	All other Male	48	–	–	–	–	–	1	–	2	–	–	1	3	5	6	8	11	4	4	1	2	–	–
	All other Female	54	–	–	–	–	–	–	–	–	2	2	–	6	3	4	6	13	3	8	4	2	1	–
433	Cerebral thrombosis	477	–	–	–	–	–	–	–	–	1	3	1	4	10	16	40	80	71	104	76	53	18	–
	White Male	156	–	–	–	–	–	–	–	–	–	1	–	1	5	5	17	33	21	34	20	14	5	–
	White Female	200	–	–	–	–	–	–	–	–	1	1	–	1	2	4	12	17	38	51	38	27	8	–
	All other Male	60	–	–	–	–	–	–	–	–	–	1	1	–	3	5	6	17	5	10	8	3	1	–
	All other Female	61	–	–	–	–	–	–	–	–	–	–	–	2	–	2	5	13	7	9	10	9	4	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	1	4	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,098	1	1	–	1	1	1	2	–	7	19	30	43	73	139	190	286	352	417	325	155	55	–
	White Male	770	1	1	–	–	–	–	1	–	2	9	8	16	28	55	81	117	131	146	108	46	20	–
	White Female	904	–	–	–	–	–	–	1	–	2	5	12	14	26	40	49	93	160	200	183	92	27	–
	All other Male	209	–	–	–	1	–	1	–	–	2	2	5	5	13	24	27	41	32	32	16	7	1	–
	All other Female	215	–	–	–	–	1	–	–	–	1	3	5	8	6	20	33	35	29	39	18	10	7	–
440	Arteriosclerosis	384	–	–	–	–	–	–	–	–	–	1	1	3	3	6	19	32	54	100	86	62	17	–
	White Male	133	–	–	–	–	–	–	–	–	–	1	–	3	1	2	6	15	21	36	25	19	4	–
	White Female	190	–	–	–	–	–	–	–	–	–	–	–	–	1	3	8	10	22	50	51	38	7	–
	All other Male	34	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	4	7	8	4	5	2	–
	All other Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	6	6	–	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	287	1	1	1	–	1	1	1	–	2	2	6	12	19	21	45	42	37	40	31	21	3	–
	White Male	149	1	–	–	–	–	–	1	–	1	1	4	6	11	15	25	30	20	19	11	4	–	–
	White Female	104	–	1	1	–	–	–	–	–	–	1	1	3	5	3	12	7	15	18	19	16	2	–
	All other Male	16	–	–	–	–	1	1	–	–	1	–	–	1	2	3	2	3	1	–	–	1	–	–
	All other Female	18	–	–	–	–	–	–	–	–	–	–	1	2	1	–	6	2	1	3	1	–	1	–
466	Acute bronchitis and bronchiolitis	10	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	–	1	1	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	1	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	561	37	10	2	5	5	2	5	4	4	3	13	9	20	29	37	53	73	102	76	50	22	–
	White Male	268	14	1	1	3	3	1	2	1	1	2	11	7	14	11	23	28	39	50	29	22	5	–
	White Female	193	11	3	–	1	–	1	3	2	3	1	–	1	–	9	10	15	23	33	37	24	16	–
	All other Male	58	8	3	1	1	–	–	–	1	–	–	1	1	5	7	3	5	8	10	3	1	–	–
	All other Female	42	4	3	–	–	2	–	–	–	–	–	1	–	1	2	1	5	3	9	7	3	1	–
470–474	Influenza	13	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1	4	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	White Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
480–486	Pneumonia	548	36	10	2	5	5	2	5	4	4	3	13	9	19	27	37	51	72	101	72	49	22	–
	White Male	264	14	1	1	3	3	1	2	1	1	2	11	7	13	11	23	27	38	50	28	22	5	–
	White Female	187	10	3	–	1	–	1	3	2	3	1	–	1	–	8	10	15	23	33	34	23	16	–
	All other Male	57	8	3	1	1	–	–	–	1	–	–	1	1	5	7	3	4	8	10	3	1	–	–
	All other Female	40	4	3	–	–	2	–	–	–	–	–	1	–	1	1	1	5	3	8	7	3	1	–
490–493	Bronchitis, emphysema, and asthma	298	2	–	1	–	2	–	1	–	2	3	4	7	16	40	50	66	52	35	12	3	2	–
	White Male	219	1	–	–	–	–	–	–	–	–	1	1	4	13	35	38	52	40	24	9	1	–	–
	White Female	52	–	–	–	–	1	–	–	–	2	1	2	3	2	4	8	9	11	5	2	1	1	–
	All other Male	19	–	–	–	–	1	–	–	–	–	1	–	–	1	–	4	4	1	6	1	–	–	–
	All other Female	8	1	–	1	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
490, 491	Chronic and unqualified bronchitis	53	2	–	–	–	–	–	–	–	1	1	1	2	1	8	10	8	10	7	1	–	1	–
	White—Male	33	1	–	–	–	–	–	–	–	–	–	–	1	1	8	9	6	5	2	–	–	–	–
	White—Female	15	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	1	5	3	1	–	1	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
	All other—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	229	–	–	–	–	–	–	1	–	–	2	2	4	15	29	37	55	41	28	11	3	1	–
	White—Male	181	–	–	–	–	–	–	–	–	–	1	1	3	12	26	28	44	34	22	9	1	–	–
	White—Female	30	–	–	–	–	–	–	–	–	–	–	1	1	2	3	6	7	6	2	1	1	–	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	3	1	4	1	–	–	–
	All other—Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
493	Asthma	16	–	–	1	–	2	–	–	–	1	–	1	1	–	3	3	3	1	–	–	–	–	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	White—Female	7	–	–	–	–	1	–	–	–	1	–	–	1	–	1	2	1	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	62	–	1	–	–	–	–	1	–	–	2	3	1	6	9	6	8	7	9	5	4	–	–
	White—Male	31	–	1	–	–	–	–	–	–	–	2	1	1	2	7	–	5	3	5	1	3	–	–
	White—Female	24	–	–	–	–	–	–	1	–	–	–	1	–	4	2	4	2	2	3	4	1	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
540–543	Appendicitis	10	–	–	–	–	–	–	–	–	1	–	–	–	–	–	5	2	1	1	–	–	–	–
	White—Male	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	1	1	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	65	6	–	–	–	–	–	–	1	1	–	1	1	3	3	5	14	10	15	2	2	1	–
	White—Male	19	2	–	–	–	–	–	–	–	1	–	–	1	2	–	1	4	1	6	1	–	–	–
	White—Female	33	2	–	–	–	–	–	–	1	–	–	–	–	1	1	3	7	7	8	1	1	1	–
	All other—Male	7	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	1	–	–
571	Cirrhosis of liver	185	–	–	–	–	1	–	–	3	13	11	21	24	34	22	28	14	6	1	4	3	–	–
	White—Male	95	–	–	–	–	–	–	–	2	5	5	11	13	17	12	14	9	3	1	1	2	–	–
	White—Female	59	–	–	–	–	1	–	–	1	1	2	8	10	11	9	7	4	3	–	2	–	–	–
	All other—Male	17	–	–	–	–	–	–	–	–	7	1	1	1	1	1	3	1	–	–	1	–	–	–
	All other—Female	14	–	–	–	–	–	–	–	–	–	3	1	–	5	–	4	–	–	–	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	33	–	–	–	–	–	1	–	–	1	–	–	1	1	3	5	3	5	6	5	1	1	–
	White—Male	17	–	–	–	–	–	1	–	–	–	–	–	1	–	3	4	3	2	1	1	–	1	–
	White—Female	14	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	2	4	4	1	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	127	–	1	–	1	2	2	1	1	2	2	5	4	1	17	19	23	13	11	14	6	2	–
	White—Male	51	–	1	–	–	–	–	1	1	1	2	3	1	1	6	8	7	4	6	4	4	1	–
	White—Female	35	–	–	–	–	–	1	–	–	1	–	–	1	–	5	6	7	5	2	6	1	–	–
	All other—Male	26	–	–	–	1	2	–	–	–	–	–	–	1	–	5	4	4	3	3	3	–	–	–
	All other—Female	15	–	–	–	–	–	1	–	–	–	–	2	1	–	1	1	5	1	–	1	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	26	–	1	–	–	–	–	–	–	–	–	–	3	–	3	5	4	4	4	1	1	–	–
	White—Male	16	–	1	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	4	1	1	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	101	–	–	–	1	2	2	1	1	2	2	5	1	1	14	14	19	9	7	13	5	2	–
	White—Male	35	–	–	–	–	–	–	1	1	1	2	3	–	1	4	6	5	2	2	3	3	1	–
	White—Female	27	–	–	–	–	–	1	–	–	1	–	–	–	–	4	3	5	4	2	6	1	–	–
	All other—Male	24	–	–	–	1	2	–	–	–	–	–	–	–	–	5	4	4	2	3	3	–	–	–
	All other—Female	15	–	–	–	–	–	1	–	–	–	–	2	1	–	1	1	5	1	–	1	1	1	–
590	Infections of kidney	75	–	–	–	1	–	–	–	1	–	1	–	1	2	3	13	4	18	8	16	5	2	–
	White—Male	26	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	8	2	7	–	1	–
	White—Female	27	–	–	–	1	–	–	–	–	–	–	–	–	–	1	5	–	4	4	7	5	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	–	–	–
	All other—Female	14	–	–	–	–	–	–	–	1	–	1	–	1	–	1	3	2	4	–	–	–	1	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	1	–	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	132	83	9	3	3	4	3	7	1	4	2	–	1	4	1	–	4	1	1	–	1	–	–
	White Male	50	31	3	1	1	2	3	3	–	–	1	–	–	4	–	–	–	1	–	–	–	–	–
	Female	51	28	5	–	1	1	–	4	1	4	1	–	1	–	1	–	3	–	1	–	–	–	–
	All other Male	19	15	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	12	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	297	297	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	176	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	843	63	4	–	2	5	3	4	4	13	13	20	36	45	75	96	113	97	97	87	47	19	–
	White Male	319	14	–	–	1	1	–	3	3	4	7	10	18	22	39	51	41	39	29	24	11	2	–
	Female	219	18	1	–	–	3	2	–	1	3	1	3	10	6	11	17	25	26	32	38	17	5	–
	All other Male	170	12	3	–	1	1	–	1	–	4	2	7	6	12	16	15	26	16	18	14	10	6	–
	Female	135	19	–	–	–	–	1	–	–	2	3	–	2	5	9	13	21	16	18	11	9	6	–
Residual	All other diseases	1,290	20	8	8	12	12	14	24	13	18	32	43	62	72	129	152	177	163	165	106	49	11	–
	White Male	616	9	3	4	6	6	4	6	6	6	17	24	32	38	66	76	88	86	84	32	19	4	–
	Female	479	4	4	4	5	2	3	11	5	6	6	14	19	22	44	49	66	54	74	61	21	5	–
	All other Male	116	6	–	–	–	2	2	4	–	5	3	3	8	8	10	15	12	15	5	10	8	–	–
	Female	79	1	1	–	1	2	5	3	2	1	6	2	3	4	9	12	11	8	2	3	1	2	–
E800–E949	Accidents	1,264	19	67	45	50	150	99	100	67	35	53	68	73	64	67	73	62	50	59	42	18	3	–
	White Male	743	10	33	16	25	99	69	77	48	19	31	35	44	46	44	34	31	25	31	17	8	1	–
	Female	258	4	20	9	11	26	12	9	6	7	8	17	14	12	14	19	15	11	21	17	5	1	–
	All other Male	188	3	11	14	13	21	16	9	11	8	9	10	13	6	6	11	9	9	4	4	1	–	–
	Female	75	2	3	6	1	4	2	5	2	1	5	6	2	–	3	9	7	5	3	4	4	1	–
E810–E823	Motor vehicle accidents	538	4	25	17	22	84	60	46	38	13	19	31	38	29	24	32	27	11	11	6	1	–	–
	White Male	331	3	11	4	12	59	41	36	27	7	12	18	22	19	14	14	13	8	7	3	1	–	–
	Female	114	1	12	5	4	16	9	4	4	4	2	9	10	8	8	7	8	–	2	1	–	–	–
	All other Male	72	–	2	7	5	7	9	3	6	2	4	4	6	2	1	5	5	2	1	1	–	–	–
	Female	21	–	–	1	1	2	1	3	1	–	1	–	–	–	1	6	1	1	1	1	–	–	–
E800–E807, E825–E949	All other accidents	726	15	42	28	28	66	39	54	29	22	34	37	35	35	43	41	35	39	48	36	17	3	–
	White Male	412	7	22	12	13	40	28	41	21	12	19	17	22	27	30	20	18	17	24	14	7	1	–
	Female	144	3	8	4	7	10	3	5	2	3	6	8	4	4	6	12	7	11	19	16	5	1	–
	All other Male	116	3	9	7	8	14	7	6	5	6	5	6	7	4	5	6	4	7	3	3	1	–	–
	Female	54	2	3	5	–	2	1	2	1	1	4	6	2	–	2	3	6	4	2	3	4	1	–
E950–E959	Suicide	223	...	...	–	–	17	14	19	22	12	25	16	21	20	16	13	13	7	6	1	1	–	–
	White Male	156	...	...	–	–	14	9	13	14	6	16	15	13	16	11	9	9	3	6	1	1	–	–
	Female	50	...	...	–	–	1	4	3	8	5	6	–	7	3	5	4	3	1	–	–	–	–	–
	All other Male	14	...	...	–	–	1	–	3	–	1	3	–	1	1	–	–	1	3	–	–	–	–	–
	Female	3	...	...	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	238	2	1	2	5	23	29	34	23	19	28	20	17	7	10	9	3	2	2	2	–	–	–
	White Male	97	1	–	1	3	5	9	11	10	5	16	9	9	3	5	4	2	1	2	1	–	–	–
	Female	26	–	1	–	1	5	1	5	2	–	2	2	1	2	2	1	–	1	–	–	–	–	–
	All other Male	95	–	–	–	1	11	16	14	8	12	10	9	5	2	2	3	1	–	–	1	–	–	–
	Female	20	1	–	1	–	2	3	4	3	2	–	–	2	–	1	1	–	–	–	–	–	–	–
E980–E999	Other external causes	59	3	2	1	3	4	6	11	3	3	2	3	3	3	4	5	–	1	2	–	–	–	–
	White Male	32	2	–	–	3	3	3	6	2	–	1	2	2	3	2	3	–	–	–	–	–	–	–
	Female	11	1	1	–	–	–	–	2	–	1	1	1	–	–	1	1	–	–	2	–	–	–	–
	All other Male	11	–	–	1	–	1	1	2	1	2	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	5	–	1	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California																							
	All causes	170,403	4,265	949	691	649	2,016	2,808	2,437	2,179	2,387	3,585	5,815	8,844	11,558	14,803	17,461	20,066	21,726	21,277	16,546	7,951	2,439	41
	White—Male	84,565	2,060	472	299	352	1,269	1,822	1,418	1,173	1,166	1,859	3,062	4,841	6,465	8,593	9,895	10,808	10,479	9,139	6,253	2,499	611	30
	Female	71,583	1,434	354	212	212	485	540	578	599	748	1,129	1,923	2,955	3,962	4,874	6,123	7,733	10,011	11,219	9,618	5,153	1,713	8
	All other—Male	8,497	431	65	53	58	181	309	295	270	304	369	510	655	711	829	945	903	674	415	328	145	46	1
	Female	5,758	340	58	37	27	81	137	146	137	169	228	320	393	420	507	498	622	562	504	347	154	69	2
004, 006	Bacillary dysentery and amebiasis	8	–	–	–	1	–	–	1	–	–	2	–	–	–	1	1	–	–	–	1	1	–	–
	White—Male	5	–	–	–	1	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	184	57	11	3	2	2	–	–	–	1	1	10	4	3	8	8	12	24	18	13	6	1	–
	White—Male	78	25	6	1	1	1	–	–	–	–	–	7	2	1	3	6	4	5	10	5	1	–	–
	Female	86	17	4	2	1	1	–	–	–	1	–	3	1	2	4	2	7	19	8	8	5	1	–
	All other—Male	10	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	10	6	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	252	1	1	–	2	–	2	5	2	1	7	9	18	23	31	33	38	33	23	16	6	1	–
	White—Male	138	–	1	–	–	–	–	1	1	1	3	5	5	15	16	18	26	17	16	11	1	1	–
	Female	61	1	–	–	1	–	1	1	–	–	1	1	6	5	6	11	7	7	6	4	3	–	–
	All other—Male	37	–	–	–	1	–	1	3	–	–	2	3	5	1	4	3	5	6	–	1	2	–	–
	Female	16	–	–	–	–	–	–	–	1	–	1	–	2	2	5	1	–	3	1	–	–	–	–
010–012	Tuberculosis of respiratory system	186	1	–	–	–	–	–	3	2	1	6	7	16	19	18	26	25	25	18	13	6	–	–
	White—Male	104	–	–	–	–	–	–	1	1	1	2	4	5	13	8	15	19	12	14	8	1	–	–
	Female	45	1	–	–	–	–	–	1	–	–	1	1	5	4	3	9	4	5	4	4	3	–	–
	All other—Male	25	–	–	–	–	–	–	1	–	–	2	2	4	1	3	2	2	5	–	1	2	–	–
	Female	12	–	–	–	–	–	–	–	1	–	1	–	2	1	4	–	–	3	–	–	–	–	–
013–019	Tuberculosis, other forms	66	–	1	–	2	–	2	2	–	–	1	2	2	4	13	7	13	8	5	3	–	1	–
	White—Male	34	–	1	–	–	–	–	–	–	–	1	1	–	2	8	3	7	5	2	3	–	1	–
	Female	16	–	–	–	1	–	1	–	–	–	–	–	1	1	3	2	3	2	2	–	–	–	–
	All other—Male	12	–	–	–	1	–	1	2	–	–	–	1	1	–	1	1	3	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
033	Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	5	1	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White—Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	17	1	5	1	2	2	1	–	1	–	–	–	1	1	–	–	–	2	–	–	–	–	–
	White—Male	6	–	3	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	All other—Male	5	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	314	80	3	2	1	3	3	5	4	3	3	6	16	16	20	34	21	37	29	23	3	2	–
	White—Male	164	42	–	1	–	–	–	3	2	–	1	2	7	4	13	21	17	22	17	9	3	–	–
	Female	113	24	2	1	1	2	2	2	2	2	1	3	7	6	5	12	4	13	10	13	–	1	–
	All other—Male	25	9	–	–	–	1	1	–	–	1	1	1	2	5	1	–	–	1	1	1	–	–	–
	Female	12	5	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	26	–	–	–	–	–	–	–	–	1	1	–	1	1	2	3	6	1	6	4	–	–	–
	White—Male	13	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	–	6	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	3	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	351	20	16	7	13	6	15	16	14	11	14	10	36	25	27	31	34	20	15	11	6	4	–
	White—Male	150	9	8	3	6	2	5	8	6	2	4	5	15	9	13	13	17	10	7	4	2	2	–
	Female	139	6	7	3	7	3	8	4	6	3	5	4	14	7	10	13	14	9	4	6	4	2	–
	All other—Male	35	3	1	1	–	–	1	2	1	3	4	–	2	5	3	5	–	1	2	1	–	–	–
	Female	27	2	–	–	–	1	1	2	1	3	1	1	5	4	1	–	3	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	33,638	7	73	114	96	119	142	187	255	401	805	1,559	2,617	3,640	4,466	4,673	4,733	4,180	3,154	1,749	559	108	1
	White—Male	16,453	2	35	57	56	68	89	95	114	151	308	640	1,109	1,650	2,313	2,475	2,500	2,162	1,574	811	213	31	–
	White—Female	14,425	2	33	39	28	37	38	69	109	194	378	715	1,227	1,664	1,774	1,818	1,871	1,759	1,426	850	324	69	1
	All other—Male	1,622	1	4	10	6	8	10	11	15	18	59	108	160	189	225	269	224	155	83	48	14	5	–
	All other—Female	1,138	2	1	8	6	6	5	12	17	38	60	96	121	137	154	111	138	104	71	40	8	3	–
140–149	Of buccal cavity and pharynx	815	–	–	–	–	–	2	1	2	9	14	42	72	113	146	128	111	84	51	30	8	2	–
	White—Male	513	–	–	–	–	–	–	1	–	5	2	28	40	67	92	84	75	68	33	16	2	–	–
	White—Female	230	–	–	–	–	–	–	–	1	3	5	7	22	35	43	36	31	12	15	12	6	2	–
	All other—Male	50	–	–	–	–	–	2	–	1	1	4	5	7	8	8	6	3	3	1	1	–	–	–
	All other—Female	22	–	–	–	–	–	–	–	–	–	3	2	3	3	3	2	2	1	2	1	–	–	–
150–159	Of digestive organs and peritoneum	8,875	–	1	3	5	1	8	15	31	57	125	291	523	852	1,114	1,231	1,385	1,299	1,079	610	201	44	–
	White—Male	4,198	–	–	2	3	–	2	6	15	25	58	138	245	437	599	617	660	599	467	242	71	12	–
	White—Female	3,833	–	1	1	2	1	3	3	8	18	38	99	203	313	409	502	595	599	552	335	121	30	–
	All other—Male	514	–	–	–	–	–	2	2	5	8	23	30	46	59	63	89	74	58	31	18	6	–	–
	All other—Female	330	–	–	–	–	–	1	4	3	6	6	24	29	43	43	23	56	43	29	15	3	2	–
160–163	Of respiratory system	8,038	–	4	–	–	3	4	7	19	53	191	408	728	1,075	1,360	1,392	1,173	846	504	214	50	7	–
	White—Male	5,371	–	3	–	–	1	3	5	9	33	99	233	446	643	914	987	845	621	360	139	26	4	–
	White—Female	2,027	–	1	–	–	1	–	1	6	13	69	119	204	334	343	301	242	179	124	66	23	1	–
	All other—Male	514	–	–	–	–	1	–	–	4	4	17	43	62	82	80	89	72	35	17	6	–	2	–
	All other—Female	126	–	–	–	–	–	1	1	–	3	6	13	16	16	23	15	14	11	3	3	1	–	–
174	Of breast	3,123	–	–	–	–	–	2	15	39	81	133	260	370	441	402	367	343	268	216	120	56	10	–
	White—Male	16	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	2	1	6	1	–	–	–
	White—Female	2,872	–	–	–	–	–	1	12	33	69	110	229	336	412	370	345	319	256	203	112	55	10	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	234	–	–	–	–	–	1	3	6	12	23	29	34	27	31	20	22	11	7	7	1	–	–
180–187	Of genital organs	3,867	–	2	1	3	10	26	20	36	44	92	144	259	315	411	454	579	585	468	309	94	15	–
	White—Male	1,630	–	1	1	1	7	22	12	17	7	10	8	30	49	113	191	290	329	299	187	49	7	–
	White—Female	1,917	–	1	–	1	3	4	7	16	31	69	116	213	236	261	226	229	211	149	100	37	7	–
	All other—Male	154	–	–	–	–	–	–	–	–	–	–	2	1	10	14	19	42	30	13	15	7	1	–
	All other—Female	166	–	–	–	1	–	–	1	3	6	13	18	15	20	23	18	18	15	7	7	1	–	–
188, 189	Of urinary organs	1,548	–	2	–	1	2	2	4	6	9	33	43	82	132	199	198	239	244	183	124	36	9	–
	White—Male	982	–	–	–	1	–	–	1	6	6	19	23	57	81	131	133	168	155	105	72	21	3	–
	White—Female	474	–	2	–	–	1	1	2	–	3	6	16	18	41	53	50	60	76	76	49	15	5	–
	All other—Male	62	–	–	–	–	–	1	1	–	–	6	3	3	6	11	10	8	8	2	2	–	1	–
	All other—Female	30	–	–	–	–	1	–	–	–	–	2	1	4	4	4	5	3	5	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	4,094	4	35	33	22	55	47	55	56	84	133	213	363	455	482	510	501	447	342	177	63	17	–
	White—Male	2,031	2	13	13	14	33	31	33	31	42	73	112	191	232	252	256	264	198	146	72	20	3	–
	White—Female	1,755	1	17	14	6	13	15	21	19	36	50	80	138	190	184	207	206	229	175	100	42	12	–
	All other—Male	174	–	4	2	1	4	1	1	5	1	6	15	21	16	30	31	16	10	7	2	–	1	–
	All other—Female	134	1	1	4	1	5	–	–	1	5	4	6	13	17	16	16	15	10	14	3	1	1	–
204–207	Leukemia	1,369	3	25	65	51	29	29	29	33	32	38	59	72	77	125	129	144	172	140	89	25	3	–
	White—Male	745	–	16	30	29	17	16	14	18	16	15	33	35	46	82	77	79	88	76	47	10	1	–
	White—Female	525	1	9	24	17	11	10	9	12	10	21	19	31	25	36	43	60	74	57	39	15	2	–
	All other—Male	57	1	–	7	2	1	2	3	–	2	2	4	5	4	3	5	4	6	4	2	–	–	–
	All other—Female	42	1	–	4	3	–	1	3	3	4	–	3	1	2	4	4	1	4	3	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,909	–	4	12	14	19	22	41	33	32	46	99	148	180	227	264	258	235	171	76	26	1	1
	White—Male	967	–	2	11	8	10	15	23	18	17	32	63	65	94	129	128	117	103	82	35	14	1	–
	White—Female	792	–	2	–	2	7	4	14	14	11	10	30	62	78	75	108	129	123	75	37	10	–	1
	All other—Male	96	–	–	1	3	2	2	4	–	2	1	6	15	3	16	20	5	5	8	2	1	–	–
	All other—Female	54	–	–	–	1	–	1	–	1	2	3	–	6	5	7	8	7	4	6	2	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	488	7	8	6	8	10	6	6	8	17	16	30	38	43	39	55	58	65	38	19	8	3	–
	White—Male	206	2	4	3	3	6	3	2	3	6	9	14	12	21	17	27	27	24	15	4	2	2	–
	White—Female	235	3	3	3	2	3	3	3	5	11	4	11	25	16	14	19	28	37	23	15	6	1	–
	All other—Male	28	2	1	–	3	1	–	1	–	–	1	4	1	4	3	4	1	2	–	–	–	–	–
	All other—Female	19	–	–	–	–	–	–	–	–	–	2	1	–	2	5	5	2	2	–	–	–	–	–
250	Diabetes mellitus	2,431	–	1	4	–	2	10	19	23	35	49	67	96	147	216	302	386	378	364	229	82	21	–
	White—Male	878	–	1	1	–	–	5	6	9	13	20	29	32	63	96	123	147	112	120	70	26	5	–
	White—Female	1,260	–	–	3	–	2	4	10	10	18	16	25	49	58	92	133	192	221	212	153	48	14	–
	All other—Male	115	–	–	–	–	–	1	1	3	1	6	6	7	8	10	20	14	22	9	1	5	1	–
	All other—Female	178	–	–	–	–	–	–	2	1	3	7	7	8	18	18	26	33	23	23	5	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	218	2	2	–	1	–	1	1	1	–	4	2	7	13	10	13	19	29	38	31	28	16	–
	White—Male	74	1	1	–	–	–	1	–	1	–	2	–	1	6	5	4	7	10	14	10	6	5	–
	White—Female	125	1	–	–	1	–	–	1	–	–	1	–	6	4	4	9	10	17	20	20	20	11	–
	All other—Male	9	–	1	–	–	–	–	–	–	–	1	2	–	1	1	–	1	1	1	–	–	–	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	3	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California — Con.																							
280–285	Anemias	249	2	10	5	8	4	5	7	4	1	2	3	9	8	20	16	30	41	36	28	10	–	–
	White Male	103	1	1	2	3	3	1	–	1	–	–	–	4	2	10	10	16	21	13	12	3	–	–
	Female	111	–	3	–	3	–	1	2	–	1	1	1	3	6	9	6	10	20	22	16	7	–	–
	All other Male	20	–	4	2	1	1	2	3	1	–	1	1	2	–	1	–	1	–	–	–	–	–	–
	Female	15	1	2	1	1	–	1	2	2	–	–	1	–	–	–	–	3	–	1	–	–	–	–
320	Meningitis	128	44	21	3	5	3	3	1	1	5	–	4	3	4	7	10	5	4	3	1	–	1	–
	White Male	59	18	11	3	1	2	2	–	1	2	–	2	2	2	3	5	1	3	–	–	–	1	–
	Female	42	14	7	–	3	1	1	–	–	2	–	1	–	1	3	5	1	–	2	1	–	–	–
	All other Male	15	6	1	–	1	–	–	1	–	1	–	1	–	1	–	–	1	1	1	–	–	–	–
	Female	12	6	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
390–448	Major cardiovascular diseases	87,255	68	30	18	29	52	94	147	250	419	950	1,881	3,297	4,762	6,696	8,847	11,225	13,587	14,476	12,262	6,192	1,969	4
	White Male	41,887	31	12	3	13	30	48	70	121	206	608	1,200	2,176	3,115	4,262	5,224	6,029	6,274	5,804	4,347	1,850	461	3
	Female	39,476	26	13	13	13	31	44	72	121	186	405	717	1,187	1,804	2,876	4,339	6,584	8,060	7,431	4,123	1,418	1	–
	All other Male	3,288	5	3	1	2	4	4	18	34	59	97	158	266	284	398	472	496	369	265	221	99	33	–
	Female	2,604	6	2	1	1	5	11	15	23	33	59	118	138	176	232	275	361	360	347	263	120	57	1
390–398, 402, 404, 410–429	Diseases of heart	62,751	50	25	9	11	34	61	91	173	303	774	1,571	2,753	3,953	5,483	6,851	8,230	9,539	9,636	8,000	3,950	1,250	4
	White Male	32,120	24	10	1	3	21	28	48	95	168	536	1,081	1,933	2,730	3,660	4,195	4,587	4,579	3,992	2,900	1,219	307	3
	Female	26,457	18	11	6	7	6	24	21	33	64	117	267	514	876	1,358	2,113	3,049	4,472	5,247	4,774	2,593	887	–
	All other Male	2,456	4	2	1	–	4	3	13	29	48	82	136	205	230	301	349	374	258	189	149	61	18	–
	Female	1,718	4	2	1	1	3	6	9	16	23	39	87	101	117	164	194	220	230	208	177	77	38	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,496	–	2	–	1	4	9	13	16	20	33	47	108	132	178	220	232	200	148	95	33	5	–
	White Male	605	–	–	–	–	3	4	6	9	4	16	27	56	64	85	91	85	62	52	30	9	2	–
	Female	798	–	1	–	–	–	4	4	4	11	11	15	40	56	84	122	140	129	93	60	21	3	–
	All other Male	52	–	1	–	–	–	1	2	3	1	3	3	9	6	6	3	5	5	1	2	1	–	–
	Female	41	–	–	–	1	1	–	1	–	4	3	2	3	6	3	4	2	4	2	3	2	–	–
402	Hypertensive heart disease	627	–	–	–	–	–	–	–	3	2	10	15	29	46	46	73	82	99	89	85	37	11	–
	White Male	197	–	–	–	–	–	–	–	1	–	6	5	17	20	18	25	30	32	25	14	4	–	–
	Female	330	–	–	–	–	–	–	–	–	–	1	3	5	14	17	33	38	59	56	62	32	10	–
	All other Male	44	–	–	–	–	–	–	–	–	1	2	3	4	6	5	8	8	3	1	3	–	–	–
	Female	56	–	–	–	–	–	–	–	2	1	1	4	3	6	6	7	6	5	7	6	1	1	–
404	Hypertensive heart and renal disease	232	–	–	–	–	–	1	–	1	–	–	2	3	7	11	29	28	46	50	32	18	3	1
	White Male	89	–	–	–	–	–	–	–	–	–	–	1	1	2	5	12	11	19	25	10	2	–	1
	Female	118	–	–	–	–	–	1	–	1	–	–	1	2	1	4	9	15	24	22	20	15	3	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	2	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	2	–	6	2	3	1	–	–	–	–
410–413	Ischemic heart disease	57,868	1	–	1	2	1	6	32	99	222	669	1,383	2,469	3,585	5,045	6,326	7,626	8,910	9,040	7,532	3,725	1,191	3
	White Male	30,056	1	–	–	–	1	5	23	62	139	488	1,004	1,781	2,535	3,433	3,963	4,317	4,333	3,760	2,748	1,166	295	2
	Female	24,149	–	–	1	2	–	–	6	15	35	85	198	424	754	1,196	1,872	2,762	4,126	4,914	4,484	2,432	843	–
	All other Male	2,176	–	–	–	–	–	–	2	15	37	65	115	178	198	269	322	345	242	176	138	57	17	–
	Female	1,487	–	–	–	–	–	1	1	7	11	31	66	86	98	147	169	202	209	190	162	70	36	1
410	Acute myocardial infarction	23,977	1	–	–	1	1	4	20	54	118	378	762	1,330	1,854	2,562	3,234	3,563	3,803	3,100	2,118	833	240	1
	White Male	14,079	1	–	–	–	1	3	15	37	82	298	593	1,023	1,389	1,825	2,104	2,120	1,991	1,381	859	283	74	–
	Female	8,637	–	–	–	1	–	–	4	7	18	42	108	213	364	580	945	1,222	1,671	1,608	1,182	515	157	–
	All other Male	797	–	–	–	–	–	–	1	7	15	27	41	58	68	108	121	148	78	66	40	16	3	–
	Female	464	–	–	–	–	–	1	–	3	3	11	20	36	33	49	64	73	63	45	37	19	6	1
411	Other acute and subacute forms of ischemic heart disease	219	–	–	–	–	–	–	–	1	2	5	5	8	20	28	38	28	21	27	16	13	7	–
	White Male	127	–	–	–	–	–	–	–	1	1	4	2	5	15	20	23	19	15	13	5	4	–	–
	Female	74	–	–	–	–	–	–	–	–	–	1	2	3	3	6	11	5	5	14	10	8	6	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	3	1	–	1	1	1	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
412	Chronic ischemic heart disease	33,663	–	–	1	1	–	2	12	44	102	286	616	1,131	1,711	2,455	3,052	4,033	5,085	5,912	5,395	2,879	944	2
	White Male	15,844	–	–	–	–	–	2	8	24	56	186	409	753	1,131	1,588	1,835	2,177	2,326	2,365	1,882	879	221	2
	Female	15,436	–	–	1	1	–	–	2	8	17	42	88	208	387	610	915	1,535	2,450	3,292	3,291	1,909	680	–
	All other Male	1,363	–	–	–	–	–	–	1	8	22	38	73	120	128	159	197	194	163	110	97	40	13	–
	Female	1,020	–	–	–	–	–	–	1	4	7	20	46	50	65	98	105	127	146	145	125	51	30	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	3	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	366	3	3	3	2	7	10	9	10	9	11	19	17	26	29	27	36	49	37	32	24	3	–
	White Male	156	1	1	1	1	5	5	2	5	3	4	6	10	11	15	12	20	21	15	11	6	1	–
	Female	162	2	1	1	1	–	4	4	2	3	4	8	6	9	11	12	12	26	18	20	16	2	–
	All other Male	31	–	1	1	–	2	1	2	1	1	3	2	1	5	3	1	3	1	1	–	2	–	–
	Female	17	–	–	–	–	–	–	1	2	2	–	3	–	1	–	2	1	1	3	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California – Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,162	46	20	5	6	22	35	37	44	50	51	105	127	157	174	176	226	235	272	224	113	37	–
	White Male	1,017	22	9	–	2	12	14	17	18	22	22	38	68	98	104	92	124	112	115	87	32	9	–
	White Female	900	16	9	4	4	6	15	7	11	15	16	42	37	42	46	65	82	108	144	128	77	26	–
	All other Male	142	4	–	–	–	2	1	7	10	8	9	13	13	13	16	13	13	7	8	4	–	1	–
	All other Female	103	4	2	1	–	2	5	6	5	5	4	12	9	4	8	6	7	8	5	5	4	1	–
400, 401, 403	Hypertension	524	–	–	–	–	–	–	3	2	6	9	9	18	19	32	42	69	79	94	89	41	12	–
	White Male	246	–	–	–	–	–	–	1	1	–	4	4	9	6	14	20	46	37	43	40	15	6	–
	White Female	220	–	–	–	–	–	–	1	1	4	3	–	3	7	12	14	16	37	46	46	24	6	–
	All other Male	28	–	–	–	–	–	–	1	–	2	–	1	4	4	1	4	3	3	3	1	1	–	–
	All other Female	30	–	–	–	–	–	–	–	–	–	2	4	2	2	5	4	4	2	2	2	1	–	–
430–438	Cerebrovascular diseases	18,759	14	5	7	13	17	28	42	56	93	140	245	423	610	902	1,473	2,278	3,183	3,836	3,270	1,628	496	–
	White Male	7,122	7	2	2	8	8	17	16	19	33	54	88	169	264	418	697	1,029	1,263	1,384	1,097	441	106	–
	White Female	10,285	5	2	5	4	7	6	20	27	44	57	116	173	252	351	615	1,035	1,736	2,281	2,055	1,128	366	–
	All other Male	632	–	1	–	1	–	1	3	4	7	12	18	50	40	76	99	94	78	58	51	29	10	–
	All other Female	720	2	–	–	–	2	4	3	6	9	17	23	31	54	57	62	120	106	113	67	30	14	–
431	Cerebral hemorrhage	2,227	6	1	2	4	4	10	8	8	19	47	84	148	160	217	272	307	347	307	179	80	17	–
	White Male	849	3	1	–	2	1	8	5	3	7	21	33	61	60	92	115	138	112	110	57	18	2	–
	White Female	1,131	2	–	2	2	2	–	1	4	7	17	32	56	73	91	125	132	209	184	118	60	14	–
	All other Male	125	–	–	–	–	–	1	1	–	1	5	8	19	14	23	19	17	6	6	4	1	–	–
	All other Female	122	1	–	–	–	1	1	1	1	4	4	11	12	13	11	13	20	20	7	–	1	1	–
433	Cerebral thrombosis	5,407	–	1	–	–	–	–	6	3	6	15	27	53	100	173	385	668	993	1,218	1,077	519	163	–
	White Male	2,093	–	–	–	–	–	–	2	2	3	7	14	21	53	98	197	297	411	439	357	157	35	–
	White Female	2,971	–	–	–	–	–	–	3	–	3	6	10	22	35	52	149	301	532	720	670	349	119	–
	All other Male	161	–	1	–	–	–	–	1	–	–	2	1	6	6	16	25	30	21	20	20	7	5	–
	All other Female	182	–	–	–	–	–	–	–	1	–	–	2	4	6	7	14	40	29	39	30	6	4	–
434	Cerebral embolism	88	–	–	–	–	–	–	1	–	2	–	3	2	1	3	10	11	17	20	11	6	1	–
	White Male	29	–	–	–	–	–	–	–	–	1	–	2	–	1	1	5	3	8	4	3	–	1	–
	White Female	56	–	–	–	–	–	–	1	–	–	–	1	2	–	2	5	8	9	15	7	6	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	11,037	8	3	5	9	13	18	27	45	66	78	131	220	349	509	806	1,292	1,826	2,291	2,003	1,023	315	–
	White Male	4,151	4	1	2	6	7	9	9	14	22	26	39	87	150	227	380	591	732	831	680	266	68	–
	White Female	6,127	3	2	3	2	5	6	15	23	34	34	73	93	144	206	336	594	986	1,362	1,260	713	233	–
	All other Male	345	–	–	–	1	–	–	1	4	6	5	9	25	20	37	55	47	51	32	26	21	5	–
	All other Female	414	1	–	–	–	1	3	2	4	4	13	10	15	35	39	35	60	57	66	37	23	9	–
440	Arteriosclerosis	2,689	–	–	–	–	–	–	1	1	–	1	7	18	29	57	124	231	373	529	660	472	186	–
	White Male	989	–	–	–	–	–	–	–	1	–	–	5	12	17	27	69	110	164	191	211	144	38	–
	White Female	1,561	–	–	–	–	–	–	–	–	–	1	2	5	8	22	41	106	185	316	422	313	140	–
	All other Male	71	–	–	–	–	–	–	1	–	–	–	–	1	3	7	7	7	11	9	15	7	3	–
	All other Female	68	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	8	13	13	12	8	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,532	4	–	2	5	1	5	10	18	17	26	49	85	151	222	357	417	413	381	243	101	25	–
	White Male	1,410	–	–	–	2	1	3	5	5	5	14	22	53	98	143	243	257	231	194	99	31	4	–
	White Female	953	3	–	2	2	–	1	2	11	9	8	20	22	44	61	93	133	154	170	134	65	19	–
	All other Male	101	1	–	–	1	–	–	–	1	2	3	3	6	7	13	13	18	19	6	5	1	2	–
	All other Female	68	–	–	–	–	–	1	3	1	1	1	4	4	2	5	8	9	9	11	5	4	–	–
466	Acute bronchitis and bronchiolitis	91	9	5	2	–	–	–	2	1	3	3	5	5	3	9	8	10	11	5	4	4	2	–
	White Male	43	5	3	1	–	–	–	–	–	1	–	1	2	1	5	3	6	6	3	2	3	1	–
	White Female	40	4	1	–	–	–	–	1	1	2	2	3	3	1	4	5	3	4	2	2	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Female	6	–	1	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
470–475, 480–486	Influenza and pneumonia	4,173	190	46	26	24	28	15	29	27	33	63	81	122	163	232	287	389	531	728	618	384	156	1
	White Male	1,983	79	15	16	8	11	11	13	8	15	29	33	56	105	126	157	216	281	357	265	126	55	1
	White Female	1,873	70	25	8	13	13	2	10	10	8	21	27	44	41	84	106	145	220	352	333	245	96	–
	All other Male	203	25	2	1	1	2	2	5	7	8	8	12	13	15	14	20	21	18	9	10	7	3	–
	All other Female	114	16	4	1	2	2	–	1	2	2	5	9	9	2	8	4	7	12	10	10	6	2	–
470–474	Influenza	131	–	1	1	2	1	1	2	–	–	2	3	2	6	2	5	13	13	24	37	11	5	–
	White Male	48	–	1	1	1	–	–	1	–	–	1	1	–	3	–	2	7	6	7	12	4	1	–
	White Female	77	–	–	–	1	1	1	1	–	–	1	1	2	1	1	2	5	7	17	25	7	4	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	4,042	190	45	25	22	27	14	27	27	33	61	78	120	157	230	282	376	518	704	581	373	151	1
	White Male	1,935	79	14	15	7	11	11	12	8	15	28	32	56	102	126	155	209	275	350	253	122	54	1
	White Female	1,796	70	25	8	12	12	1	9	10	8	20	26	42	40	83	104	140	213	335	308	238	92	–
	All other Male	198	25	2	1	1	2	2	5	7	8	8	11	13	13	14	19	20	18	9	10	7	3	–
	All other Female	113	16	4	1	2	2	–	1	2	2	5	9	9	2	7	4	7	12	10	10	6	2	–
490–493	Bronchitis, emphysema, and asthma	2,787	6	11	2	1	12	10	6	5	17	21	64	110	172	352	434	536	479	310	170	56	13	–
	White Male	1,826	2	5	–	1	3	3	2	3	5	11	23	59	101	213	301	386	336	216	117	38	1	–
	White Female	830	3	3	2	–	6	5	3	1	8	6	28	41	64	119	118	136	129	87	46	14	11	–
	All other Male	101	1	2	–	–	3	–	1	1	1	3	6	9	7	18	11	11	9	7	6	4	1	–
	All other Female	30	–	1	–	–	–	2	–	–	3	1	7	1	–	2	4	3	5	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
490, 491	Chronic and unqualified bronchitis	500	6	5	1	–	4	–	1	2	3	7	12	19	23	59	59	94	90	58	37	14	6	–
	White—Male	285	2	2	–	–	2	–	1	1	1	4	2	10	9	29	38	60	54	39	21	9	1	–
	White—Female	187	3	2	1	–	2	–	–	–	1	1	9	7	13	25	19	31	32	18	13	5	5	–
	All other—Male	21	1	1	–	–	–	–	–	1	–	1	1	2	1	5	1	1	2	1	3	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	2	2	–	–	–	–	–
492	Emphysema	2,102	–	3	–	–	–	–	1	–	5	11	33	73	138	273	354	419	372	243	130	40	7	–
	White—Male	1,486	–	2	–	–	–	–	–	–	4	6	17	44	91	180	251	318	279	172	95	27	–	–
	White—Female	546	–	1	–	–	–	–	1	–	1	4	12	24	45	81	90	91	84	65	32	9	6	–
	All other—Male	61	–	–	–	–	–	–	–	–	–	1	3	5	2	11	10	9	7	6	2	4	1	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	2	–	1	–	–	–
493	Asthma	185	–	3	1	1	8	10	4	3	9	3	19	18	11	20	21	23	17	9	3	2	–	–
	White—Male	55	–	1	–	1	1	3	1	2	–	1	4	5	1	4	12	8	3	5	1	2	–	–
	White—Female	97	–	–	1	–	4	5	2	1	6	1	7	10	6	13	9	14	13	4	1	–	–	–
	All other—Male	19	–	1	–	–	3	–	1	–	1	1	2	2	4	2	–	1	–	–	1	–	–	–
	All other—Female	14	–	1	–	–	–	2	–	–	2	–	6	1	–	1	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	680	–	–	–	–	1	4	3	7	9	10	19	36	52	59	72	101	100	105	64	34	3	1
	White—Male	381	–	–	–	–	–	2	1	6	6	7	11	26	30	35	46	58	50	55	33	15	–	–
	White—Female	258	–	–	–	–	1	2	2	1	1	3	7	9	16	19	20	37	45	47	28	16	3	1
	All other—Male	26	–	–	–	–	–	–	–	–	2	–	1	–	5	3	3	4	3	–	3	2	–	–
	All other—Female	15	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	2	3	–	1	–	–
540–543	Appendicitis	79	2	3	2	–	1	1	–	2	2	3	3	4	8	6	7	5	12	10	4	4	–	–
	White—Male	41	–	2	1	–	1	1	–	1	1	3	1	1	5	4	2	3	7	3	2	3	–	–
	White—Female	33	2	1	1	–	–	–	–	–	1	–	2	1	3	2	3	2	5	7	2	1	–	–
	All other—Male	5	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	569	47	3	2	1	4	4	3	6	6	5	11	12	26	37	53	80	77	93	60	29	10	–
	White—Male	230	17	3	1	–	4	3	1	4	2	2	5	5	11	17	17	39	30	41	18	6	4	–
	White—Female	291	23	–	1	1	–	–	2	1	3	2	5	6	9	19	29	38	42	46	36	23	5	–
	All other—Male	21	2	–	–	–	–	–	–	1	–	–	1	1	4	–	–	3	2	4	3	–	–	–
	All other—Female	27	5	–	–	–	–	1	–	–	1	1	–	–	2	1	7	–	3	2	3	–	1	–
571	Cirrhosis of liver	4,673	1	1	–	1	6	12	30	114	193	377	604	747	764	706	540	304	182	58	23	10	–	–
	White—Male	2,731	–	–	–	–	3	7	15	61	104	196	352	417	436	438	346	185	121	30	15	5	–	–
	White—Female	1,459	1	1	–	1	2	3	9	28	49	117	178	246	249	230	161	98	49	24	8	5	–	–
	All other—Male	333	–	–	–	–	–	1	6	16	24	45	53	56	58	24	25	16	8	1	–	–	–	–
	All other—Female	150	–	–	–	–	1	1	–	9	16	19	21	28	21	14	8	5	4	3	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	256	–	–	–	–	2	–	4	–	–	5	7	6	9	16	18	35	37	47	42	23	5	–
	White—Male	108	–	–	–	–	–	–	–	–	–	3	2	3	3	11	9	19	12	19	19	7	1	–
	White—Female	131	–	–	–	–	1	–	4	–	–	1	4	3	5	2	9	16	21	25	23	13	4	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	3	1	–	1	–	–
	All other—Female	8	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	1	2	–	2	–	–
580–584	Nephritis and nephrosis	490	1	2	1	2	3	3	5	9	9	8	14	26	40	52	63	61	61	74	42	9	5	–
	White—Male	239	–	1	1	–	2	1	3	3	3	4	11	13	18	23	27	28	35	36	24	4	2	–
	White—Female	179	–	1	–	2	1	1	–	4	2	3	3	6	11	22	26	24	21	33	12	5	2	–
	All other—Male	37	1	–	–	–	–	–	1	1	2	1	–	4	5	3	5	4	4	3	3	–	–	–
	All other—Female	35	–	–	–	–	–	1	1	1	2	–	–	3	6	4	5	5	1	2	3	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	94	1	1	–	–	3	–	1	1	1	–	2	4	6	10	14	7	12	19	7	2	3	–
	White—Male	38	–	–	–	–	2	–	1	1	–	–	1	2	3	2	4	4	6	7	2	2	1	–
	White—Female	46	–	1	–	–	1	–	–	–	–	–	1	1	1	8	9	3	6	10	4	–	1	–
	All other—Male	6	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	396	–	1	1	2	–	3	4	8	8	8	12	22	34	42	49	54	49	55	35	7	2	–
	White—Male	201	–	1	1	–	–	1	2	2	3	4	10	11	15	21	23	24	29	29	22	2	1	–
	White—Female	133	–	–	–	2	–	1	–	4	2	3	2	5	10	14	17	21	15	23	8	5	1	–
	All other—Male	31	–	–	–	–	–	–	1	1	2	1	–	3	4	3	4	4	4	1	3	–	–	–
	All other—Female	31	–	–	–	–	–	1	1	1	1	–	–	3	5	4	5	5	1	2	2	–	–	–
590	Infections of kidney	431	–	–	–	–	5	3	6	2	3	6	10	10	16	30	54	64	59	82	55	21	5	–
	White—Male	150	–	–	–	–	2	3	2	1	–	–	–	4	6	10	23	24	18	32	19	5	1	–
	White—Female	245	–	–	–	–	3	–	2	1	3	5	6	6	9	16	23	37	37	46	34	13	4	–
	All other—Male	21	–	–	–	–	–	–	1	–	–	1	2	–	1	3	4	2	3	1	2	1	–	–
	All other—Female	15	–	–	–	–	–	–	1	–	–	–	2	–	–	1	4	1	1	3	–	2	–	–
600	Hyperplasia of prostate	88	–	–	–	–	–	–	–	–	–	–	1	–	–	1	8	10	12	21	21	11	3	–
	White—Male	79	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	9	8	20	21	11	3	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	4	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	37	–	–	–	–	4	7	10	8	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	24	–	–	–	–	4	3	8	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	13	–	–	–	–	–	4	2	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
640–645	Abortions	4	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	33	–	–	–	–	3	7	9	7	5	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	21	–	–	–	–	3	3	7	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	12	–	–	–	–	–	4	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	1,275	822	110	49	32	39	23	16	11	15	12	16	23	23	19	21	12	15	11	4	1	1	–
	White..... Male	622	406	48	23	19	17	10	6	7	8	6	5	12	13	7	14	6	7	6	2	–	–	–
	Female	523	318	49	24	12	19	10	9	2	5	5	9	11	10	12	7	5	8	5	1	1	1	–
	All other..... Male	68	45	9	2	1	2	2	–	1	1	1	2	–	–	–	–	1	–	–	1	–	–	–
	Female	62	53	4	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,074	2,070	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	1,021	1,018	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	682	682	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	214	213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	157	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,186	1,182	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	594	591	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	390	390	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	129	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	888	888	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	427	427	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	292	292	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	933	506	13	3	3	11	27	26	16	16	24	26	22	34	30	29	25	27	33	25	25	4	8
	White..... Male	438	254	3	2	1	5	21	11	6	5	9	13	13	18	15	15	9	9	14	7	3	1	4
	Female	325	134	8	1	2	5	3	8	5	5	11	8	6	15	10	13	12	16	18	18	21	3	3
	All other..... Male	93	69	–	–	–	–	2	2	2	4	1	4	2	1	2	–	2	1	–	–	1	–	–
	Female	77	49	2	–	–	1	1	5	3	2	3	1	1	–	3	1	2	1	1	–	–	–	1
Residual	All other diseases	9,834	184	110	60	78	117	176	182	141	193	284	405	573	716	918	1,137	1,258	1,200	1,061	686	288	66	1
	White..... Male	4,843	86	52	31	43	64	94	101	58	80	116	172	286	354	476	602	682	626	509	277	111	22	1
	Female	4,058	60	43	24	24	35	51	57	54	67	105	174	206	288	352	443	479	502	513	377	164	40	–
	All other..... Male	523	18	6	2	5	12	14	8	15	30	38	35	40	50	51	62	56	40	17	17	5	2	–
	Female	410	20	9	3	6	6	17	16	14	16	25	24	41	24	39	30	41	32	22	15	8	2	–
E800–E949	Accidents	10,349	100	412	269	296	1,115	1,418	981	705	498	497	520	510	483	480	430	403	384	356	298	140	38	16
	White..... Male	6,294	47	230	138	175	788	1,032	678	456	315	298	307	310	275	270	241	203	190	145	122	48	11	15
	Female	2,824	29	136	77	80	241	199	152	137	96	123	139	139	155	153	156	160	174	199	166	86	26	1
	All other..... Male	853	17	22	33	32	62	128	101	82	66	51	52	39	38	45	24	30	15	6	6	4	–	–
	Female	378	7	24	21	9	24	59	50	30	21	25	22	22	15	12	9	10	5	6	4	2	1	–
E810–E823	Motor vehicle accidents	4,283	19	140	157	156	735	759	450	302	198	188	194	193	176	164	123	120	94	61	37	10	–	7
	White..... Male	2,834	9	75	74	86	530	581	323	204	128	120	130	117	99	106	67	60	55	37	22	5	–	6
	Female	1,024	8	51	46	55	169	104	78	67	47	47	45	55	48	38	43	49	34	21	14	4	–	1
	All other..... Male	304	1	7	25	12	24	55	36	24	18	14	14	15	19	15	11	8	3	1	1	1	–	–
	Female	121	1	7	12	3	12	19	13	7	5	7	5	6	10	5	2	3	2	2	–	–	–	–
E800–E807, E825–E949	All other accidents	6,066	81	272	112	140	380	659	531	403	300	309	326	317	307	316	307	283	290	295	261	130	38	9
	White..... Male	3,460	38	155	64	89	258	451	355	252	187	178	177	193	176	164	174	143	135	108	100	43	11	9
	Female	1,800	21	85	31	25	72	95	74	70	49	76	94	84	107	115	113	111	140	178	152	82	26	–
	All other..... Male	549	16	15	8	20	38	73	65	58	48	37	38	24	19	30	13	22	12	5	5	3	–	–
	Female	257	6	17	9	6	12	40	37	23	16	18	17	16	5	7	7	7	3	4	4	2	1	–
E950–E959	Suicide	3,683	...	...	–	17	195	422	404	318	285	264	297	352	278	238	224	163	115	67	35	6	2	1
	White..... Male	2,225	...	...	–	11	129	268	255	185	163	146	160	191	166	147	132	119	71	51	24	5	1	1
	Female	1,245	...	...	–	6	48	115	111	107	104	105	123	151	102	84	84	40	42	14	8	1	–	–
	All other..... Male	148	...	...	–	–	8	30	26	17	10	8	11	8	8	5	7	3	2	1	3	–	1	–
	Female	65	...	...	–	–	10	9	12	9	8	5	3	2	2	2	1	1	–	1	–	–	–	–
E960–E978	Homicide	2,062	28	40	18	23	256	365	305	219	186	127	120	119	71	63	37	34	18	15	7	5	–	6
	White..... Male	973	11	21	9	8	123	189	136	102	69	66	55	62	28	34	21	15	10	5	3	2	–	4
	Female	366	10	11	8	10	37	49	52	30	30	16	18	14	22	17	9	13	5	8	2	3	–	2
	All other..... Male	590	3	5	–	3	75	105	98	69	73	38	42	33	17	12	6	5	3	2	1	–	–	–
	Female	133	4	3	1	2	21	22	19	18	14	7	5	10	4	–	1	1	–	–	1	–	–	–
E980–E999	Other external causes	271	6	8	2	3	14	35	30	25	18	20	31	23	14	12	13	9	5	1	1	–	–	1
	White..... Male	122	3	4	–	2	5	22	9	13	7	6	7	14	6	8	5	7	2	1	–	–	–	1
	Female	103	2	1	1	1	5	8	11	9	8	9	20	7	5	4	6	2	3	–	1	–	–	–
	All other..... Male	29	1	2	1	–	2	4	6	2	–	2	3	2	3	–	1	–	–	–	–	–	–	–
	Female	17	–	1	–	–	2	1	4	1	3	3	1	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado																							
	All causes	**17,922**	**614**	**111**	**73**	**90**	**271**	**364**	**264**	**259**	**300**	**382**	**601**	**877**	**1,070**	**1,477**	**1,704**	**1,924**	**2,127**	**2,359**	**1,826**	**937**	**290**	**2**
	White Male	9,599	330	58	41	56	191	257	185	165	179	229	345	524	677	914	1,069	1,084	1,082	1,044	749	340	79	1
	White Female	7,717	246	42	28	31	68	80	64	61	93	122	220	320	357	517	582	783	992	1,280	1,047	578	205	1
	All other Male	350	23	5	2	2	10	23	7	18	22	19	21	26	26	23	29	29	35	10	10	9	1	–
	All other Female	256	15	6	2	1	2	4	8	15	6	12	15	7	10	23	24	28	18	25	20	10	5	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	27	14	1	1	–	–	1	–	–	–	–	1	–	–	1	1	–	1	4	1	1	–	–
	White Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	19	6	1	1	–	–	1	–	–	–	–	1	–	–	1	1	–	1	4	1	1	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	25	–	–	–	–	–	–	–	1	–	–	–	5	–	3	3	3	4	2	3	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	5	–	3	1	3	1	2	2	–	–	–
	White Female	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	2	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	17	–	–	–	–	–	–	–	1	–	–	–	4	–	3	2	2	1	2	2	–	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	4	–	3	1	2	1	2	2	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	53	13	–	–	–	–	–	1	–	–	1	4	2	3	2	4	5	9	6	–	2	1	–
	White Male	29	7	–	–	–	–	–	1	–	–	–	2	–	1	1	3	3	7	3	–	1	–	–
	White Female	19	5	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	2	2	–	1	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	46	6	5	2	2	3	1	–	3	2	2	–	2	2	5	1	2	2	2	2	–	2	–
	White Male	25	3	2	2	–	2	1	–	1	–	1	–	2	–	4	–	2	–	2	2	–	1	–
	White Female	19	3	2	–	2	1	–	–	2	1	1	–	–	2	1	1	–	2	–	–	–	1	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,037	3	7	9	13	11	21	26	27	52	75	138	236	310	402	383	402	352	325	174	61	10	–
	White—Male	1,501	2	3	5	5	5	12	15	13	23	30	51	106	157	220	198	234	170	145	78	26	3	–
	White—Female	1,433	–	2	4	6	4	9	9	12	25	38	80	120	142	173	170	161	171	175	92	33	7	–
	All other—Male	57	1	1	–	1	1	–	–	1	2	4	1	6	9	4	7	4	8	5	2	–	–	–
	All other—Female	46	–	1	–	1	1	–	2	1	2	3	6	4	2	5	8	3	3	–	2	2	–	–
140–149	Of buccal cavity and pharynx	38	–	–	–	–	–	–	–	–	–	1	1	4	4	8	5	6	3	3	2	1	–	–
	White—Male	23	–	–	–	–	–	–	–	–	–	–	1	3	4	8	2	2	1	–	1	1	–	–
	White—Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	3	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	853	–	1	–	1	–	1	4	7	10	12	21	51	73	105	120	119	115	129	62	19	3	–
	White—Male	401	–	–	–	–	–	1	3	4	3	6	9	28	40	64	55	61	48	49	23	7	–	–
	White—Female	418	–	1	–	–	–	–	1	3	6	5	9	21	27	37	56	56	65	78	38	12	3	–
	All other—Male	20	–	–	–	–	–	–	–	–	1	1	1	1	6	1	5	1	1	2	–	–	–	–
	All other—Female	14	–	–	–	1	–	–	–	–	–	–	2	1	–	3	4	1	1	–	1	–	–	–
160–163	Of respiratory system	585	1	–	–	–	–	2	–	3	5	14	36	54	88	106	82	90	53	34	14	2	1	–
	White—Male	417	1	–	–	–	–	2	–	2	4	9	18	39	64	73	61	74	38	22	8	2	–	–
	White—Female	150	–	–	–	–	–	–	–	1	1	5	17	12	20	30	20	15	13	10	5	–	1	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	1	2	2	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–
174	Of breast	304	–	–	–	–	–	1	2	3	14	13	20	39	40	45	27	31	27	18	16	7	1	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Female	296	–	–	–	–	–	1	2	3	12	12	19	39	40	45	25	31	26	18	16	6	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	2	1	1	–	–	–	1	–	1	–	–	1	–	–
180–187	Of genital organs	369	–	–	–	1	1	3	3	3	6	6	14	29	28	32	40	49	50	55	32	14	3	–
	White—Male	175	–	–	–	–	–	2	2	1	4	–	2	3	8	13	18	25	29	34	22	10	2	–
	White—Female	182	–	–	–	1	1	1	–	–	2	6	11	24	20	19	22	22	20	20	8	4	1	–
	All other—Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	1	2	–	–	–
	All other—Female	6	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	153	–	–	–	–	–	–	–	1	1	3	6	9	14	19	24	22	22	16	13	2	1	–
	White—Male	94	–	–	–	–	–	–	–	1	1	3	3	6	9	10	15	15	14	9	5	2	1	–
	White—Female	52	–	–	–	–	–	–	–	–	–	–	3	1	5	9	6	7	6	7	8	–	–	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	404	2	4	4	8	6	5	8	6	10	18	26	35	38	55	43	42	38	29	21	6	–	–
	White—Male	218	1	2	2	4	2	3	5	2	7	7	13	20	20	36	21	29	17	14	12	1	–	–
	White—Female	173	–	1	2	4	2	2	3	4	2	8	13	14	18	19	21	12	20	15	9	4	–	–
	All other—Male	7	1	1	–	–	1	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	1	–	–	1	–	–
204–207	Leukemia	148	–	2	5	2	3	4	5	2	1	3	2	6	12	10	21	11	20	23	9	6	1	–
	White—Male	80	–	1	3	–	2	1	3	2	1	2	–	1	6	6	14	10	12	8	5	3	–	–
	White—Female	61	–	–	2	1	1	3	1	–	–	1	2	5	5	2	7	1	7	15	4	3	1	–
	All other—Male	3	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other—Female	4	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	183	–	–	–	1	1	5	4	2	5	5	12	9	13	22	21	32	24	18	5	4	–	–
	White—Male	92	–	–	–	1	1	3	2	1	3	3	5	6	6	10	11	18	11	9	2	–	–	–
	White—Female	89	–	–	–	–	–	2	2	1	2	1	6	3	7	12	10	14	13	9	3	4	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	58	–	1	1	–	1	–	1	1	4	1	3	4	4	12	6	6	6	2	4	1	–	–
	White—Male	18	–	–	–	–	1	–	1	–	–	1	1	2	2	2	1	2	2	2	1	–	–	–
	White—Female	40	–	1	1	–	–	–	–	1	4	–	2	2	2	10	5	4	4	–	3	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	337	–	–	–	3	–	–	1	4	5	5	11	7	19	22	45	59	50	52	36	15	3	–
	White—Male	132	–	–	–	–	–	–	–	2	2	2	8	4	9	9	18	15	19	22	16	5	1	–
	White—Female	185	–	–	–	3	–	–	1	2	3	2	3	3	8	9	20	39	30	30	20	10	2	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	3	–	–	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	28	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	8	7	3	2	–
	White—Male	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	2	1	–
	White—Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	6	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado – Con.																							
280–285	Anemias	20	1	–	–	–	1	–	–	–	–	–	–	1	1	1	1	4	3	2	–	4	1	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	1	–	1	–	–
	Female	11	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	3	1	–	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	17	6	3	–	–	1	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–
	White Male	8	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	8	1	1	–	–	1	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	8,531	12	4	4	1	9	8	19	25	56	87	206	296	414	638	849	1,021	1,245	1,484	1,265	668	218	2
	White Male	4,363	6	3	1	1	7	3	12	14	37	63	138	213	303	427	557	562	611	618	500	227	59	1
	Female	3,950	5	1	2	–	2	5	7	5	13	17	55	74	100	191	273	425	607	841	742	430	154	1
	All other Male	110	–	–	1	–	–	–	–	2	6	5	8	7	8	13	9	16	18	4	7	5	1	–
	Female	108	1	–	–	–	–	–	–	4	–	2	5	2	3	7	10	18	9	21	16	6	4	–
390–398, 402, 404, 410–429	Diseases of heart	6,141	9	3	1	1	7	5	8	20	43	64	170	250	357	508	693	762	880	980	803	436	140	1
	White Male	3,401	4	3	–	1	5	3	5	11	33	53	123	194	269	352	471	445	442	438	346	159	44	–
	Female	2,586	4	–	1	–	2	2	3	4	7	7	37	49	79	144	206	291	417	526	442	272	92	1
	All other Male	77	–	–	–	–	–	–	–	2	3	3	7	6	7	8	9	12	12	3	4	1	–	–
	Female	77	1	–	–	–	–	–	–	3	–	1	3	1	2	4	7	14	9	13	11	4	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	166	–	–	–	1	2	–	1	1	4	3	6	13	18	28	27	26	15	14	5	2	–	–
	White Male	85	–	–	–	1	–	–	–	–	2	1	1	9	9	11	16	13	10	9	1	2	–	–
	Female	78	–	–	–	–	2	–	1	1	2	2	5	4	9	15	10	13	5	5	4	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	47	–	–	–	–	–	–	–	–	–	–	1	1	4	4	5	7	5	8	8	3	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	3	–	2	–	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	4	4	6	8	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	39	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	5	9	9	6	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	5	2	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	4	4	7	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	5,426	1	–	–	–	–	2	2	12	29	57	140	212	313	433	618	667	803	873	735	400	128	1
	White Male	3,044	1	–	–	–	–	1	2	7	24	48	109	174	239	312	425	403	405	390	321	142	41	–
	Female	2,251	–	–	–	–	–	1	–	2	4	5	22	33	65	112	180	241	379	470	400	253	83	1
	All other Male	66	–	–	–	–	–	–	–	2	1	3	6	4	7	6	8	10	11	3	4	1	–	–
	Female	65	–	–	–	–	–	–	–	1	–	1	3	1	2	3	5	13	8	10	10	4	4	–
410	Acute myocardial infarction	2,836	1	–	–	–	–	1	1	11	24	42	114	162	234	298	428	372	402	373	244	107	22	–
	White Male	1,794	1	–	–	–	–	1	1	6	21	38	89	134	186	214	304	247	207	177	117	42	9	–
	Female	993	–	–	–	–	–	–	–	2	2	3	18	26	46	79	121	114	189	194	123	63	13	–
	All other Male	27	–	–	–	–	–	–	–	2	1	–	4	2	2	3	2	5	5	–	1	–	–	–
	Female	22	–	–	–	–	–	–	–	1	–	1	3	–	–	2	1	6	1	2	3	2	–	–
411	Other acute and subacute forms of ischemic heart disease	43	–	–	–	–	–	1	–	–	1	3	2	1	–	7	4	9	4	5	3	3	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	3	2	1	–	6	3	8	2	1	1	–	–	–
	Female	14	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	2	4	2	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,547	–	–	–	–	–	–	1	1	4	12	24	49	79	128	186	286	397	495	488	290	106	1
	White Male	1,223	–	–	–	–	–	–	1	1	3	7	18	39	53	92	118	148	196	212	203	100	32	–
	Female	1,244	–	–	–	–	–	–	–	–	1	2	4	7	19	33	59	126	188	272	275	187	70	1
	All other Male	37	–	–	–	–	–	–	–	–	–	3	2	2	5	2	5	5	6	3	3	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	7	7	8	7	2	4	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	30	–	–	–	–	–	–	–	–	1	–	1	–	–	4	–	2	4	8	4	5	1	–
	White Male	11	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	1	3	1	2	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	3	5	3	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
420–423, 425–427, 429	All other forms of heart disease	433	8	3	1	–	5	3	5	7	9	4	22	24	22	36	40	58	48	68	42	20	8	–
	White—Male	233	3	3	–	–	5	2	3	4	6	4	13	11	18	23	24	25	25	29	21	12	2	–
	White—Female	182	4	–	1	–	–	1	2	1	1	–	8	11	4	12	15	30	22	36	20	8	6	–
	All other—Male	9	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	2	1	–	–	–	–	–
	All other—Female	9	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	3	1	–	–	–
400, 401, 403	Hypertension	58	–	–	–	–	–	–	–	–	–	1	–	1	4	3	3	6	7	12	15	5	1	–
	White—Male	26	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	3	3	8	1	1	–
	White—Female	28	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	3	8	6	4	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
430–438	Cerebrovascular diseases	1,674	3	1	2	–	2	2	9	3	11	20	29	35	40	84	107	183	261	366	319	150	47	–
	White—Male	649	2	–	–	–	2	–	6	2	4	9	11	14	23	44	53	77	120	132	99	44	7	–
	White—Female	979	1	1	1	–	–	2	3	1	4	9	15	19	15	33	51	101	138	229	215	102	39	–
	All other—Male	23	–	–	1	–	–	–	–	–	3	1	1	1	1	4	–	2	3	–	2	3	1	–
	All other—Female	23	–	–	–	–	–	–	–	–	–	1	2	1	1	3	3	3	–	5	3	1	–	–
431	Cerebral hemorrhage	195	1	–	1	–	–	1	1	–	4	9	6	12	11	17	17	27	19	35	23	9	2	–
	White—Male	79	1	–	–	–	–	–	–	–	–	6	1	6	6	12	8	6	10	14	7	2	–	–
	White—Female	107	–	–	1	–	–	1	1	–	2	2	2	5	4	5	9	20	9	21	16	7	2	–
	All other—Male	4	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	–	–	–	–	–
433	Cerebral thrombosis	309	–	–	–	–	–	–	–	–	2	1	4	2	5	7	18	40	46	86	73	20	5	–
	White—Male	126	–	–	–	–	–	–	–	–	1	–	1	1	5	5	12	16	21	39	18	7	–	–
	White—Female	174	–	–	–	–	–	–	–	–	1	–	3	1	–	1	5	22	25	45	55	11	5	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,166	2	1	1	–	2	1	8	3	5	10	19	21	24	58	72	116	195	245	222	121	40	–
	White—Male	442	1	–	–	–	2	–	6	2	3	3	9	7	12	26	33	55	89	79	73	35	7	–
	White—Female	696	1	1	–	–	–	1	2	1	1	7	10	13	11	26	37	59	103	163	144	84	32	–
	All other—Male	15	–	–	1	–	–	–	–	–	1	–	–	1	–	4	–	1	3	–	2	1	1	–
	All other—Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	3	3	1	–	–
440	Arteriosclerosis	389	–	–	–	–	–	–	–	–	–	–	1	2	4	8	11	27	53	88	109	57	28	1
	White—Male	146	–	–	–	–	–	–	–	–	–	–	1	1	3	5	6	16	25	27	37	18	6	1
	White—Female	237	–	–	–	–	–	–	–	–	–	–	–	1	1	3	5	10	28	59	70	38	22	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	269	–	–	1	–	–	1	2	2	2	2	6	8	9	35	35	43	44	38	19	20	2	–
	White—Male	141	–	–	1	–	–	1	1	1	–	1	3	3	6	24	25	21	21	18	10	5	1	–
	White—Female	120	–	–	–	–	–	1	1	–	2	1	3	5	3	10	10	20	21	19	9	14	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	1	–	–
	All other—Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	12	1	–	–	–	–	–	–	–	–	–	–	–	5	–	1	1	–	1	2	1	–	–
	White—Male	9	1	–	–	–	–	–	–	–	–	–	–	–	5	–	1	1	–	–	1	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	658	22	6	1	1	5	2	2	4	2	7	18	24	24	34	40	49	94	124	109	64	26	–
	White—Male	339	12	5	–	1	4	1	1	2	–	4	11	12	16	25	29	34	53	50	47	27	5	–
	White—Female	301	8	1	1	–	1	1	1	1	1	2	6	9	7	7	11	14	39	74	61	35	21	–
	All other—Male	13	1	–	–	–	–	–	–	1	1	–	1	3	1	1	–	1	2	–	–	1	–	–
	All other—Female	5	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–
470–474	Influenza	47	–	1	–	–	–	–	–	–	–	1	–	–	1	3	7	2	5	12	10	5	–	–
	White—Male	23	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	2	1	5	5	3	–	–
	White—Female	24	–	1	–	–	–	–	–	–	–	–	–	–	1	1	3	–	4	7	5	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	611	22	5	1	1	5	2	2	4	2	6	18	24	23	31	33	47	89	112	99	59	26	–
	White—Male	316	12	5	–	1	4	1	1	2	–	3	11	12	16	23	25	32	52	45	42	24	5	–
	White—Female	277	8	–	1	–	1	1	1	1	1	2	6	9	6	6	8	14	35	67	56	33	21	–
	All other—Male	13	1	–	–	–	–	–	–	1	1	–	1	3	1	1	–	1	2	–	–	1	–	–
	All other—Female	5	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	353	4	–	–	1	1	–	–	–	1	5	3	16	29	56	53	61	58	46	16	1	2	–
	White—Male	263	2	–	–	–	–	–	–	–	–	2	2	10	25	39	43	46	40	40	12	1	1	–
	White—Female	84	1	–	–	1	1	–	–	–	1	3	1	6	3	17	9	14	16	6	4	–	1	–
	All other—Male	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado — Con.																							
490, 491	Chronic and unqualified bronchitis	59	3	–	–	–	1	–	–	–	–	1	1	2	6	11	4	10	5	8	6	–	1	
	White Male	39	1	–	–	–	–	–	–	–	–	–	1	2	5	8	3	6	3	8	2	–	–	
	Female	19	1	–	–	–	1	–	–	–	–	1	–	–	1	3	1	4	2	–	4	–	1	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	270	1	–	–	–	–	–	–	–	1	1	1	12	21	39	47	50	50	35	10	1	1	
	White Male	218	1	–	–	–	–	–	–	–	–	1	1	8	19	30	39	40	36	31	10	1	1	
	Female	48	–	–	–	–	–	–	–	–	1	–	–	4	1	9	8	9	12	4	–	–	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	24	–	–	–	1	–	–	–	–	–	3	1	2	2	6	2	1	3	3	–	–	–	
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	–	–	–	
	Female	17	–	–	–	1	–	–	–	–	–	2	1	2	1	5	–	1	2	2	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	60	1	–	–	–	–	–	–	–	2	1	4	6	3	4	7	6	7	13	6	–	–	
	White Male	25	–	–	–	–	–	–	–	–	1	1	2	5	2	4	–	4	1	4	1	–	–	
	Female	32	–	–	–	–	–	–	–	–	1	–	1	1	1	–	6	2	6	9	5	–	–	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
540–543	Appendicitis	6	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	70	7	–	1	–	1	1	–	–	–	–	3	6	2	2	1	8	11	16	5	5	1	
	White Male	24	1	–	1	–	1	–	–	–	–	–	–	3	2	1	–	3	4	6	–	1	1	
	Female	43	5	–	–	–	–	1	–	–	–	–	3	3	–	1	1	4	6	10	5	4	–	
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
571	Cirrhosis of liver	337	–	–	–	–	–	3	1	8	22	36	31	63	47	49	43	16	10	3	4	1	–	
	White Male	203	–	–	–	–	–	1	1	2	12	24	19	36	31	29	27	9	7	2	3	–	–	
	Female	116	–	–	–	–	–	1	–	2	8	8	8	27	15	19	15	7	3	1	1	1	–	
	All other Male	11	–	–	–	–	–	1	–	2	2	1	3	–	1	–	1	–	–	–	–	–	–	
	Female	7	–	–	–	–	–	–	–	2	–	3	1	–	–	1	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	34	–	–	–	–	–	–	–	–	–	–	–	3	3	4	2	2	6	8	5	1	–	
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	3	4	3	–	–	
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	3	4	2	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	52	–	–	–	–	–	–	–	–	1	4	1	1	6	4	5	8	5	9	6	1	1	
	White Male	27	–	–	–	–	–	–	–	–	–	2	–	1	4	3	1	5	2	4	5	–	–	
	Female	24	–	–	–	–	–	–	–	–	1	2	1	–	2	1	4	2	3	5	1	1	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	3	1	–	1	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	39	–	–	–	–	–	–	–	–	1	4	1	1	5	2	3	5	5	6	5	1	–	
	White Male	20	–	–	–	–	–	–	–	–	–	2	–	1	4	1	1	3	2	2	4	–	–	
	Female	18	–	–	–	–	–	–	–	–	1	2	1	–	1	1	2	1	3	4	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
590	Infections of kidney	42	2	–	–	–	–	–	–	–	–	1	1	–	–	1	7	1	4	12	4	8	1	
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	2	2	4	1	
	Female	26	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	1	3	10	2	4	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	3	4	–	
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	3	4	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	8	–	–	–	–	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado – Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	–	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	7	–	–	–	–	–	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	159	107	10	4	5	4	4	1	3	4	3	2	4	3	–	1	2	–	1	1	–	–	–
	White..... Male	70	52	2	1	3	–	2	1	1	1	2	–	1	3	–	–	–	–	–	1	–	–	–
	Female	79	50	5	3	2	3	2	–	2	2	1	2	3	–	–	1	2	–	1	–	–	–	–
	All other..... Male	7	2	3	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	310	308	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	177	175	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	180	178	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	113	111	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	242	63	8	1	2	6	15	10	10	10	10	14	12	11	10	10	9	13	6	12	7	3	–
	White..... Male	130	34	3	–	2	4	11	5	7	7	5	13	5	4	5	8	3	5	3	5	1	–	–
	Female	94	26	3	1	–	2	2	1	2	3	3	1	7	6	4	2	4	8	3	7	6	3	–
	All other..... Male	8	2	–	–	–	–	2	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	10	1	2	–	–	–	–	3	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Residual	All other diseases	1,404	22	8	4	11	14	27	12	18	27	27	52	85	95	139	173	184	168	167	106	54	11	–
	White..... Male	823	12	2	1	8	10	16	5	11	17	18	26	49	51	92	126	111	102	98	41	23	4	–
	Female	534	9	6	3	3	4	6	6	5	8	7	24	31	39	43	44	70	59	67	64	29	7	–
	All other..... Male	26	1	–	–	–	–	3	–	1	1	1	1	4	4	1	3	1	3	1	–	1	–	–
	Female	21	–	–	–	–	–	2	1	1	1	1	1	1	1	3	–	2	4	1	1	1	–	–
E800–E949	Accidents	1,313	17	49	41	41	163	193	110	84	64	51	59	55	50	54	43	48	52	49	49	33	8	–
	White..... Male	906	10	31	27	28	125	155	88	66	48	37	45	34	32	27	31	28	32	24	20	16	2	–
	Female	351	5	16	11	13	33	28	20	15	13	11	10	17	15	25	8	18	20	24	29	15	5	–
	All other..... Male	37	–	–	1	–	4	8	1	1	3	3	3	4	2	1	3	1	–	–	–	2	–	–
	Female	19	2	2	2	–	1	2	1	2	–	–	1	–	1	1	1	1	–	1	–	–	1	–
E810–E823	Motor vehicle accidents	627	2	17	22	18	117	129	70	54	31	24	23	17	22	18	19	16	15	7	5	1	–	–
	White..... Male	451	1	10	14	12	85	100	56	41	24	17	18	10	12	7	15	9	10	5	4	1	–	–
	Female	153	1	7	5	6	31	22	13	11	4	6	5	5	8	11	3	7	5	2	1	–	–	–
	All other..... Male	17	–	–	1	–	1	5	1	1	3	1	–	2	1	–	1	–	–	–	–	–	–	–
	Female	6	–	–	2	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	686	15	32	19	23	46	64	40	30	33	27	36	38	28	36	24	32	37	42	44	32	8	–
	White..... Male	455	9	21	13	16	40	55	32	25	24	20	27	24	20	20	16	19	22	19	16	15	2	–
	Female	198	4	9	6	7	2	6	7	4	9	5	5	12	7	14	5	11	15	22	28	15	5	–
	All other..... Male	20	–	–	–	–	3	3	–	–	–	2	3	2	1	1	2	1	–	–	–	2	–	–
	Female	13	2	2	–	–	1	–	1	1	–	–	1	–	–	1	1	1	–	1	–	–	1	–
E950–E959	Suicide	447	. . .	. . .	–	5	33	53	50	37	32	52	33	33	30	24	16	17	17	9	5	1	–	–
	White..... Male	301	. . .	. . .	–	4	23	33	37	28	23	29	16	23	21	16	12	10	15	5	5	1	–	–
	Female	129	. . .	. . .	–	–	10	16	10	6	6	23	17	9	9	7	4	7	1	4	–	–	–	–
	All other..... Male	15	. . .	. . .	–	1	–	4	3	2	3	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	2	. . .	. . .	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	155	–	6	3	3	13	23	19	27	16	9	11	10	7	2	2	1	1	2	–	–	–	–
	White..... Male	94	–	3	2	2	7	15	13	15	8	4	7	8	6	1	1	–	1	1	–	–	–	–
	Female	26	–	2	1	1	3	3	3	2	3	1	2	2	1	–	–	1	–	1	–	–	–	–
	All other..... Male	27	–	–	–	–	3	5	2	7	3	3	2	–	–	1	1	–	–	–	–	–	–	–
	Female	8	–	1	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	59	4	1	–	1	4	9	8	5	–	4	6	5	1	4	3	3	1	–	–	–	–	–
	White..... Male	35	1	–	–	1	2	7	5	3	–	3	3	3	–	2	3	2	–	–	–	–	–	–
	Female	21	3	1	–	–	1	2	3	1	–	1	3	1	1	2	–	1	1	–	–	–	–	–
	All other..... Male	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut																							
	All causes	26,129	572	107	64	68	195	244	194	222	263	458	851	1,263	1,881	2,314	2,719	3,099	3,618	3,622	2,680	1,253	436	6
	White..... Male	13,271	263	60	35	35	123	155	109	114	138	243	487	701	1,163	1,424	1,615	1,667	1,773	1,612	1,028	409	114	3
	Female	11,598	195	38	21	24	57	58	61	64	75	148	281	467	622	762	998	1,297	1,755	1,930	1,609	823	310	3
	All other..... Male	717	69	8	3	7	9	25	15	30	32	41	54	65	54	76	65	66	45	25	16	5	7	–
	Female	543	45	1	5	2	6	6	9	14	18	26	29	30	42	52	41	69	45	55	27	16	5	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	40	8	1	1	–	–	–	–	–	–	4	1	1	2	1	1	5	8	6	–	1	–	–
	White..... Male	12	2	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	4	3	–	–	–	–
	Female	20	1	–	–	–	–	–	–	–	–	2	1	1	2	1	–	5	3	3	–	1	–	–
	All other..... Male	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	31	–	–	–	–	–	–	–	1	1	1	–	2	5	3	6	4	1	4	2	–	1	–
	White..... Male	18	–	–	–	–	–	–	–	–	1	–	–	1	2	–	4	4	1	3	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	24	–	–	–	–	–	–	–	–	1	1	–	2	5	2	5	3	–	2	2	–	1	–
	White..... Male	14	–	–	–	–	–	–	–	–	1	–	–	1	2	–	3	3	–	2	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	2	–	–	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	80	11	1	–	–	–	1	–	–	2	1	2	4	3	5	9	12	10	11	7	1	–	–
	White..... Male	38	8	–	–	–	–	1	–	–	1	1	1	3	1	3	4	5	4	4	2	–	–	–
	Female	38	3	–	–	–	–	–	–	–	–	–	1	1	2	2	5	6	6	6	5	1	–	–
	All other..... Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	58	4	1	1	2	1	1	2	1	2	5	4	3	4	4	9	2	5	1	2	3	1	–
	White..... Male	22	3	1	–	–	1	1	1	1	1	1	1	3	1	–	2	1	2	1	1	–	1	–
	Female	31	1	–	1	2	1	–	1	–	–	2	3	–	3	4	6	–	3	–	1	3	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,684	3	16	15	9	10	21	24	39	56	123	255	411	629	732	777	799	714	599	318	112	21	1
	White—Male	2,896	–	12	8	5	9	12	12	13	21	53	113	191	328	395	431	427	397	270	148	46	5	–
	Female	2,546	3	4	4	4	1	8	10	23	26	56	129	196	274	295	319	339	301	315	162	62	14	1
	All other—Male	145	–	–	–	–	–	1	2	2	4	5	7	19	14	25	18	25	10	7	4	–	2	–
	Female	97	–	–	3	–	–	–	–	1	5	9	6	5	13	17	9	8	6	7	4	4	–	–
140–149	Of buccal cavity and pharynx	151	–	–	–	–	–	–	–	–	–	1	7	18	30	30	14	17	8	13	9	3	1	–
	White—Male	98	–	–	–	–	–	–	–	–	–	1	3	12	20	19	9	11	5	11	6	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	2	4	9	8	5	6	2	2	3	2	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–	1	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,739	–	1	–	–	–	3	2	1	8	23	45	93	179	223	247	271	232	230	126	47	8	–
	White—Male	883	–	–	–	–	–	2	1	1	5	10	24	51	108	127	145	132	124	78	54	20	1	–
	Female	782	–	1	–	–	–	1	–	–	2	10	14	36	60	85	94	127	103	147	68	27	7	–
	All other—Male	49	–	–	–	–	–	–	1	–	1	1	4	6	8	6	5	10	2	2	3	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	2	3	–	3	5	3	2	3	3	1	–	–	–
160–163	Of respiratory system	1,179	–	–	–	–	–	–	–	8	10	26	73	106	147	183	197	164	143	79	30	10	2	1
	White—Male	844	–	–	–	–	–	–	–	3	6	13	46	66	98	137	150	128	110	60	19	7	1	–
	Female	281	–	–	–	–	–	–	–	5	3	11	25	33	42	36	40	27	27	17	10	3	1	1
	All other—Male	45	–	–	–	–	–	–	–	–	1	1	1	6	4	9	7	8	5	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	1	1	–	–	–	–	–
174	Of breast	550	–	–	–	–	–	–	3	7	16	18	50	59	69	59	64	64	50	50	30	10	1	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	1	–	–	–
	Female	523	–	–	–	–	–	–	3	6	14	15	50	56	67	55	61	62	46	49	28	10	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	–	–	–	–	–	–	–	1	2	3	–	3	2	3	1	2	1	1	1	–	–	–
180–187	Of genital organs	581	–	–	–	–	2	3	2	3	5	8	21	36	45	72	76	85	95	68	42	14	4	–
	White—Male	249	–	–	–	–	2	1	1	1	1	1	3	4	6	21	27	34	63	43	32	8	1	–
	Female	303	–	–	–	–	–	2	1	2	3	5	17	32	36	46	44	46	32	23	9	3	2	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	–	2	–	–	1	–
	Female	18	–	–	–	–	–	–	–	–	1	2	1	–	3	3	3	1	–	–	1	3	–	–
188, 189	Of urinary organs	263	–	–	–	–	–	1	–	1	2	1	5	13	26	32	41	39	30	45	22	4	1	–
	White—Male	177	–	–	–	–	–	–	–	–	–	–	4	11	17	22	28	31	20	31	10	3	–	–
	Female	72	–	–	–	–	–	1	–	1	–	1	1	2	7	7	11	6	9	13	11	1	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	–	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	689	1	6	5	5	2	5	8	9	7	23	34	54	83	83	85	85	82	63	31	15	3	–
	White—Male	351	–	4	2	3	2	2	5	5	5	15	20	32	46	43	45	42	39	21	13	5	2	–
	Female	312	1	2	–	2	–	2	3	3	2	6	13	18	36	36	37	42	41	39	18	10	1	–
	All other—Male	17	–	–	–	–	–	1	–	1	–	2	–	4	1	3	3	–	1	1	–	–	–	–
	Female	9	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	–	–	–	–
204–207	Leukemia	230	2	8	10	3	3	6	2	5	3	6	10	13	16	14	17	35	31	24	14	7	1	–
	White—Male	134	–	8	6	2	2	4	2	1	3	3	5	7	11	7	10	24	18	12	8	1	–	–
	Female	89	2	–	4	1	1	2	–	3	–	2	5	5	5	7	6	9	13	12	6	5	1	–
	All other—Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	302	–	1	–	1	3	3	7	5	5	17	10	19	34	36	36	39	43	27	14	2	–	–
	White—Male	153	–	–	–	–	3	3	3	2	1	10	8	8	22	18	15	25	15	14	5	1	–	–
	Female	141	–	1	–	1	–	–	3	3	2	6	2	10	12	15	21	14	28	13	9	1	–	–
	All other—Male	5	–	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	84	1	–	–	–	–	1	1	–	3	–	2	6	12	13	11	11	10	7	5	–	–	1
	White—Male	42	–	–	–	–	–	–	–	–	1	–	1	2	8	6	7	6	6	3	1	–	–	1
	Female	34	–	–	–	–	–	1	1	–	1	–	1	3	2	6	2	5	4	4	4	–	–	–
	All other—Male	5	1	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
250	Diabetes mellitus	507	–	1	–	–	1	–	2	1	4	5	10	24	29	48	61	68	97	84	48	20	4	–
	White—Male	180	–	1	–	–	–	–	1	1	–	2	5	8	11	26	28	27	23	25	16	6	–	–
	Female	296	–	–	–	–	1	–	1	–	2	2	4	9	16	17	29	39	71	56	32	13	4	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	–	–	2	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	2	–	1	5	1	5	2	2	3	1	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	21	1	–	–	–	–	–	–	–	–	–	–	–	1	4	1	–	4	5	3	2	–	–
	White—Male	13	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	3	3	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	–	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
280–285	Anemias	26	–	–	–	–	1	–	–	–	–	–	1	1	1	2	2	1	2	7	5	2	1	–
	White Male	12	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	1	4	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	3	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	17	6	3	–	–	–	–	–	1	–	–	1	1	–	1	1	–	1	–	2	–	–	–
	White Male	7	3	1	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	7	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	13,779	4	6	3	6	8	9	12	25	56	139	320	483	796	1,101	1,359	1,706	2,209	2,344	1,895	944	351	3
	White Male	6,880	3	3	–	5	4	4	6	13	37	98	224	319	570	747	858	910	1,015	993	690	292	87	2
	Female	6,422	–	3	2	1	3	5	4	6	12	28	61	127	186	304	451	721	1,134	1,302	1,176	639	256	1
	All other Male	230	–	–	–	–	1	–	1	3	4	12	25	23	25	31	26	27	27	8	9	5	3	–
	Female	247	1	–	1	–	–	–	1	3	3	1	10	14	15	19	24	48	33	41	20	8	5	–
390–398, 402, 404, 410–429	Diseases of heart	10,058	4	5	2	5	6	5	8	15	44	110	269	389	673	906	1,105	1,282	1,567	1,569	1,232	628	234	–
	White Male	5,388	3	2	–	5	3	4	5	10	33	87	203	281	506	646	705	716	746	689	489	200	55	–
	Female	4,335	–	3	1	–	2	1	3	3	6	16	37	81	138	222	361	518	779	847	726	417	174	–
	All other Male	172	–	–	–	–	1	–	–	2	4	6	21	20	19	23	22	18	18	8	5	4	1	–
	Female	163	1	–	1	–	–	–	–	–	1	1	8	7	10	15	17	30	24	25	12	7	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	173	–	–	–	1	–	1	–	1	4	2	14	13	22	21	28	23	17	17	8	–	1	–
	White Male	75	–	–	–	1	–	–	–	–	2	–	7	5	13	7	17	4	8	7	3	–	1	–
	Female	87	–	–	–	–	–	1	–	1	2	2	5	6	8	12	10	18	8	10	4	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	142	–	–	–	–	–	–	–	–	1	4	2	3	8	19	20	16	22	24	18	3	2	–
	White Male	71	–	–	–	–	–	–	–	–	–	2	1	1	5	8	15	13	6	12	6	1	1	–
	Female	63	–	–	–	–	–	–	–	–	–	2	1	2	2	8	5	3	15	10	12	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
404	Hypertensive heart and renal disease	39	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	3	6	9	9	1	3	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	4	3	1	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	5	6	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	8,881	–	–	–	–	–	2	4	9	31	93	221	328	566	764	957	1,150	1,408	1,411	1,129	592	216	–
	White Male	4,748	–	–	–	–	–	2	2	6	27	81	176	247	435	564	616	654	671	596	441	183	47	–
	Female	3,877	–	–	–	–	–	–	2	2	2	8	24	59	112	174	309	457	703	787	674	398	166	–
	All other Male	125	–	–	–	–	–	–	–	1	2	4	17	17	13	15	16	13	13	7	3	4	–	–
	Female	131	–	–	–	–	–	–	–	–	–	–	4	5	6	11	16	26	21	21	11	7	3	–
410	Acute myocardial infarction	4,380	–	–	–	–	–	1	2	6	21	66	157	242	405	508	590	661	663	540	349	129	40	–
	White Male	2,688	–	–	–	–	–	1	1	3	19	55	126	185	317	387	392	401	332	246	168	45	10	–
	Female	1,566	–	–	–	–	–	–	1	2	1	7	18	44	78	107	179	242	315	284	178	80	30	–
	All other Male	69	–	–	–	–	–	–	–	1	1	4	10	10	8	8	10	9	5	1	1	1	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	3	3	2	6	9	9	11	9	2	3	–	–
411	Other acute and subacute forms of ischemic heart disease	16	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	4	1	1	2	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,483	–	–	–	–	–	1	2	3	9	27	64	86	159	253	367	487	740	870	779	461	175	–
	White Male	2,051	–	–	–	–	–	1	1	3	7	26	50	62	116	175	224	252	337	349	273	138	37	–
	Female	2,302	–	–	–	–	–	–	1	–	1	1	6	15	34	66	130	214	385	503	495	316	135	–
	All other Male	56	–	–	–	–	–	–	–	–	1	–	7	7	5	7	6	4	8	6	2	3	–	–
	Female	74	–	–	–	–	–	–	–	–	–	–	1	2	4	5	7	17	10	12	9	4	3	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	41	–	–	–	–	–	–	1	2	–	–	–	5	6	7	–	4	4	4	4	4	–	–
	White Male	28	–	–	–	–	–	–	1	2	–	–	–	4	6	5	–	1	2	4	1	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	–	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
420–423, 425–427, 429	All other forms of heart disease	782	4	5	2	4	6	2	3	3	8	11	32	38	71	93	96	86	110	104	64	28	12	–
	White—Male	449	3	2	–	4	3	2	2	2	4	4	19	23	47	61	54	43	57	66	35	13	5	–
	White—Female	274	–	3	1	–	2	–	1	–	2	4	7	12	16	25	36	35	47	35	27	15	6	–
	All other—Male	34	–	–	–	–	1	–	–	1	1	2	3	2	6	3	5	4	3	1	2	–	–	–
	All other—Female	25	1	–	1	–	–	–	–	–	1	1	3	1	2	4	1	4	3	2	–	–	1	–
400, 401, 403	Hypertension	96	–	–	–	–	–	–	–	1	1	2	1	3	6	8	8	9	12	16	19	7	2	1
	White—Male	43	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	5	7	6	12	6	–	1
	White—Female	48	–	–	–	–	–	–	–	1	–	1	–	2	6	5	4	4	5	10	7	1	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,735	–	1	1	1	2	2	4	9	8	25	44	75	85	147	189	323	488	578	472	209	71	1
	White—Male	1,046	–	1	–	–	1	–	1	3	3	10	19	29	43	71	112	141	184	210	134	62	21	1
	White—Female	1,579	–	–	1	1	1	2	1	2	4	11	22	40	35	67	68	159	291	354	328	145	47	–
	All other—Male	42	–	–	–	–	–	–	1	1	–	4	3	2	3	6	3	6	7	–	3	1	2	–
	All other—Female	68	–	–	–	–	–	–	1	3	1	–	–	4	4	3	6	17	6	14	7	1	1	–
431	Cerebral hemorrhage	447	–	–	–	1	–	–	–	3	3	7	17	26	29	46	39	63	71	67	53	17	5	–
	White—Male	185	–	–	–	–	–	–	–	1	–	4	12	11	14	22	23	22	27	23	14	9	3	–
	White—Female	236	–	–	–	1	–	–	–	1	2	–	4	12	11	20	13	40	43	42	38	8	1	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	3	1	1	2	2	1	1	1	–	–	–	1	–
	All other—Female	13	–	–	–	–	–	–	–	1	1	–	–	2	2	2	2	–	–	2	1	–	–	–
433	Cerebral thrombosis	914	–	–	–	–	–	–	–	1	1	2	5	5	14	40	54	112	179	216	185	76	24	–
	White—Male	353	–	–	–	–	–	–	–	1	–	1	2	1	10	21	35	58	67	81	50	20	6	–
	White—Female	535	–	–	–	–	–	–	–	–	1	1	2	4	4	17	17	48	105	131	132	55	18	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	–	1	1	–	–
	All other—Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	4	2	–	–	–
434	Cerebral embolism	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	3	1	2	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	White—Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,362	–	1	1	–	2	2	4	5	4	16	22	43	41	60	96	145	238	292	233	114	42	1
	White—Male	505	–	1	–	–	1	–	1	1	3	5	5	17	19	28	54	60	90	105	70	32	12	1
	White—Female	799	–	–	1	–	1	2	1	1	1	10	16	23	19	29	38	69	143	179	157	81	28	–
	All other—Male	20	–	–	–	–	–	–	1	1	–	1	1	1	1	3	1	4	3	–	2	–	1	–
	All other—Female	38	–	–	–	–	–	–	1	2	–	–	–	2	2	–	3	12	2	8	4	1	1	–
440	Arteriosclerosis	491	–	–	–	–	–	–	–	–	–	–	–	3	3	11	17	30	59	111	129	88	39	1
	White—Male	180	–	–	–	–	–	–	–	–	–	–	–	1	1	6	11	12	25	50	44	21	9	–
	White—Female	297	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	16	31	59	84	67	30	1
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	1	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	399	–	–	–	–	–	2	–	–	3	2	6	13	29	29	40	62	83	70	43	12	5	–
	White—Male	223	–	–	–	–	–	–	–	–	1	1	2	7	20	23	26	36	53	38	11	3	2	–
	White—Female	163	–	–	–	–	–	2	–	–	2	–	2	4	6	6	14	24	28	32	31	9	3	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	1	–	1	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	1	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	10	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	2	1	2	–	–	–
	White—Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	811	14	5	4	3	2	4	5	8	4	11	19	19	23	46	68	77	119	165	125	63	26	1
	White—Male	413	6	2	3	–	–	3	1	6	1	6	6	12	17	26	41	49	65	86	50	26	7	–
	White—Female	357	5	2	1	2	1	1	4	2	2	3	7	5	5	15	23	26	50	74	74	36	18	1
	All other—Male	31	1	1	–	1	–	–	–	–	1	2	4	1	–	5	4	1	4	4	1	–	1	–
	All other—Female	10	2	–	–	–	1	–	–	–	–	–	2	1	1	–	–	1	–	1	–	1	–	–
470–474	Influenza	39	1	–	–	–	–	–	2	1	–	1	–	1	1	1	2	1	6	7	6	8	1	–
	White—Male	14	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	2	2	–	4	–	–
	White—Female	24	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	4	5	6	4	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	772	13	5	4	3	2	4	3	7	4	10	19	18	22	45	66	76	113	158	119	55	25	1
	White—Male	399	6	2	3	–	–	3	1	5	1	5	6	11	16	25	41	48	63	84	50	22	7	–
	White—Female	333	4	2	1	2	1	1	2	2	2	3	7	5	5	15	22	26	46	69	68	32	17	1
	All other—Male	30	1	1	–	1	–	–	–	–	1	2	4	1	–	5	3	1	4	4	1	–	1	–
	All other—Female	10	2	–	–	–	1	–	–	–	–	–	2	1	1	–	–	1	–	1	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	300	–	–	–	–	–	–	1	3	–	1	7	8	19	28	46	60	60	43	18	6	–	–
	White—Male	215	–	–	–	–	–	–	–	3	–	–	1	5	14	20	30	45	48	35	11	3	–	–
	White—Female	81	–	–	–	–	–	–	1	–	–	1	6	3	5	8	13	14	12	8	7	3	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut – Con.																							
490, 491	Chronic and unqualified bronchitis	59	–	–	–	–	–	–	–	2	–	1	1	1	3	6	5	5	17	8	7	3	–	
	White Male	45	–	–	–	–	–	–	–	2	–	–	1	1	1	3	4	4	14	7	5	3	–	
	Female	14	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	1	3	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	224	–	–	–	–	–	–	–	1	–	–	3	5	15	20	40	53	42	32	10	3	–	
	White Male	163	–	–	–	–	–	–	–	1	–	–	–	3	12	17	26	40	33	25	6	–	–	
	Female	58	–	–	–	–	–	–	–	–	–	–	3	2	3	3	11	13	9	7	4	3	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
493	Asthma	17	–	–	–	–	–	–	1	–	–	–	3	2	1	2	1	2	1	3	1	–	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	3	–	–	–	
	Female	9	–	–	–	–	–	–	1	–	–	–	3	1	–	2	1	–	–	–	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	84	–	–	–	1	1	–	1	–	1	1	5	5	6	9	7	8	12	12	9	4	2	
	White Male	49	–	–	–	–	1	–	1	–	–	1	3	3	2	8	6	6	4	6	4	2	2	
	Female	31	–	–	–	1	–	–	–	–	–	–	1	2	4	–	1	2	8	6	4	2	–	
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
540–543	Appendicitis	9	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–	2	1	1	–	
	White Male	4	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	60	2	1	–	–	–	1	1	–	–	–	1	1	2	2	6	7	10	16	5	3	2	
	White Male	29	1	1	–	–	–	1	–	–	–	–	1	1	1	2	4	1	4	9	1	–	2	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	5	6	4	3	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
571	Cirrhosis of liver	512	1	–	–	–	–	1	5	12	20	31	68	72	86	78	61	45	16	12	4	–	–	
	White Male	314	–	–	–	–	–	–	1	4	9	17	44	42	59	48	41	27	9	10	3	–	–	
	Female	165	–	–	–	–	–	1	3	4	7	10	15	27	22	28	20	18	7	2	1	–	–	
	All other Male	19	1	–	–	–	–	–	1	3	2	–	5	3	2	2	–	–	–	–	–	–	–	
	Female	14	–	–	–	–	–	–	–	1	2	4	4	–	3	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	41	–	–	–	–	–	–	–	1	–	–	–	2	–	2	5	4	5	11	8	2	1	
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	5	3	2	1	1	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	8	5	1	–	
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
580–584	Nephritis and nephrosis	79	–	–	–	1	–	–	1	–	1	2	2	1	10	8	8	7	16	12	7	2	1	
	White Male	35	–	–	–	1	–	–	–	–	1	1	2	–	6	3	5	3	5	5	3	–	–	
	Female	35	–	–	–	–	–	–	1	–	–	–	–	1	2	3	3	3	10	6	4	1	1	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	–	
580, 581	Acute nephritis and nephrotic syndrome	11	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	1	1	1	1	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	68	–	–	–	1	–	–	1	–	1	2	2	1	8	8	7	6	13	11	6	1	–	
	White Male	32	–	–	–	1	–	–	–	–	1	1	2	–	5	3	5	3	4	5	2	–	–	
	Female	28	–	–	–	–	–	–	1	–	–	–	–	1	2	3	2	2	8	5	4	–	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	–	
590	Infections of kidney	57	–	–	–	–	–	–	–	–	–	–	–	–	6	3	7	7	7	11	10	6	–	
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	5	5	3	2	–	
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	6	2	6	6	4	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	–	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	162	91	19	5	3	6	2	3	4	2	3	5	6	–	4	4	2	1	1	–	–	1	–
	White.....Male	80	43	10	2	2	3	–	3	2	1	1	2	5	–	1	2	1	1	1	–	–	–	–
	Female	63	36	8	2	–	3	2	–	1	–	1	3	1	–	3	1	1	–	–	–	–	1	–
	All other.....Male	12	9	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	7	3	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	345	345	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	150	150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	195	195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	223	42	10	2	1	8	12	6	11	14	15	9	11	15	10	11	11	19	7	4	2	3	–
	White.....Male	104	25	6	1	–	3	9	4	3	3	8	6	6	4	2	5	7	6	3	1	1	1	–
	Female	98	9	4	1	1	3	3	2	5	7	5	3	4	10	8	6	4	13	4	3	1	2	–
	All other.....Male	10	2	–	–	–	1	–	–	2	2	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	11	6	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,610	28	12	7	6	18	10	24	25	23	44	56	107	132	129	184	193	233	190	132	51	6	–
	White.....Male	821	12	7	6	3	12	4	11	9	14	12	22	45	69	79	100	102	133	105	55	19	2	–
	Female	673	10	5	1	3	4	1	9	10	3	18	22	52	53	39	75	77	96	82	77	32	4	–
	All other.....Male	71	5	–	–	–	1	2	1	2	5	11	8	8	4	6	8	7	2	1	–	–	–	–
	Female	45	1	–	–	–	1	3	3	4	1	3	4	2	6	5	1	7	2	2	–	–	–	–
E800–E949	Accidents	1,018	8	26	24	29	109	122	59	44	38	37	45	58	56	51	53	53	52	58	54	28	14	–
	White.....Male	600	5	15	13	14	71	87	36	30	29	24	32	33	35	32	24	26	30	26	22	10	6	–
	Female	340	2	10	8	10	31	23	14	6	6	8	11	19	18	16	26	24	22	31	30	17	8	–
	All other.....Male	62	1	1	2	5	5	11	6	8	3	3	2	4	3	2	2	3	–	–	1	–	–	–
	Female	16	–	–	1	–	2	1	3	–	–	2	–	2	–	1	1	–	–	1	1	1	–	–
E810–E823	Motor vehicle accidents	419	1	10	11	12	77	80	38	24	16	13	22	24	19	16	22	14	3	13	4	–	–	–
	White.....Male	276	–	6	6	3	50	61	25	16	12	10	16	17	12	10	11	8	2	9	2	–	–	–
	Female	119	1	4	5	7	23	14	11	4	2	3	6	6	6	5	10	5	1	4	2	–	–	–
	All other.....Male	21	–	–	–	2	2	5	2	4	2	–	–	1	1	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	599	7	16	13	17	32	42	21	20	22	24	23	34	37	35	31	39	49	45	50	28	14	–
	White.....Male	324	5	9	7	11	21	26	11	14	17	14	16	16	23	22	13	18	28	17	20	10	6	–
	Female	221	1	6	3	3	8	9	3	2	4	5	5	13	12	11	16	19	21	27	28	17	8	–
	All other.....Male	41	1	1	2	3	3	6	4	4	1	3	2	3	2	2	1	2	–	–	1	–	–	–
	Female	13	–	–	1	–	–	1	3	–	–	2	–	2	–	–	1	–	–	1	1	1	–	–
E950–E959	Suicide	266	...	...	–	2	16	30	24	25	17	28	19	21	30	17	12	13	2	6	4	–	–	–
	White.....Male	189	...	...	–	2	12	20	22	21	11	14	10	12	24	15	10	11	1	3	1	–	–	–
	Female	64	...	...	–	–	3	6	1	2	4	12	9	9	6	1	2	2	1	3	3	–	–	–
	All other.....Male	12	...	...	–	–	–	4	1	2	2	2	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	114	1	2	1	1	7	20	13	10	13	8	10	5	10	5	3	1	1	2	1	–	–	–
	White.....Male	45	–	–	–	–	3	7	5	3	4	4	6	2	6	2	–	1	–	2	–	–	–	–
	Female	31	–	–	1	–	3	4	4	3	2	1	1	2	3	2	3	–	1	–	1	–	–	–
	All other.....Male	28	–	2	–	1	1	7	3	3	6	2	2	1	–	–	–	–	–	–	–	–	–	–
	Female	10	1	–	–	–	–	2	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	85	1	3	–	4	6	8	8	10	6	3	6	7	3	5	5	3	3	2	2	–	–	–
	White.....Male	46	1	1	–	3	4	5	5	4	3	–	5	3	1	2	3	3	1	2	–	–	–	–
	Female	28	–	–	–	–	2	3	3	2	3	1	1	3	2	2	2	–	2	–	2	–	–	–
	All other.....Male	9	–	2	–	–	–	–	–	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware																							
	All causes	4,986	140	28	17	27	60	59	52	58	70	120	183	300	352	472	537	638	638	571	395	189	74	6
	White—Male	2,243	43	11	10	12	35	33	25	22	37	52	78	155	180	237	286	312	277	232	136	57	12	1
	Female	1,903	53	9	4	8	14	5	13	17	15	33	57	77	107	130	155	218	285	304	231	117	50	1
	All other—Male	515	25	7	3	5	7	14	13	12	13	21	31	39	45	63	62	62	44	18	12	9	7	3
	Female	325	19	1	–	2	4	7	1	7	5	14	17	29	20	42	34	46	32	17	16	6	5	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–
	White—Male	4	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	–	1	–	–	1	1	–	1	3	–	1	3	–	–	–	–	1
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	8	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	–	–	1
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	11	–	–	–	–	–	–	1	–	–	1	1	–	1	3	–	1	2	–	–	–	–	1
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	8	–	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	–	–	–	–	–	1
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	8	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	2	–	–	–	2	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other—Male	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,061	–	2	2	3	5	2	6	8	14	30	61	81	127	151	146	135	125	93	52	16	2	–
	White..... Male	482	–	2	1	1	3	1	1	3	6	10	20	40	61	64	80	73	56	40	20	–	–	–
	Female	395	–	–	1	–	–	1	5	3	4	13	26	27	46	48	46	37	51	44	28	14	1	–
	All other..... Male	110	–	–	–	2	1	–	–	2	2	2	10	8	9	23	15	18	10	5	1	1	1	–
	Female	74	–	–	–	–	1	–	–	–	2	5	5	6	11	16	5	7	8	4	3	1	–	–
140–149	Of buccal cavity and pharynx	25	–	–	–	–	–	–	–	1	–	–	1	3	4	4	5	5	2	–	–	–	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	1	3	3	2	3	3	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	2	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	293	–	–	–	–	–	–	–	1	2	7	16	15	34	40	38	39	44	27	24	4	2	–
	White..... Male	139	–	–	–	–	–	–	–	–	1	5	7	4	14	16	25	19	23	15	10	–	–	–
	Female	98	–	–	–	–	–	–	–	–	–	2	5	5	12	14	9	10	16	8	12	4	1	–
	All other..... Male	34	–	–	–	–	–	–	–	1	1	–	3	4	4	6	3	7	2	2	–	–	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	2	4	4	1	3	3	2	2	–	–	–
160–163	Of respiratory system	256	–	–	–	–	–	–	–	–	4	6	16	29	36	49	43	31	23	17	2	–	–	–
	White..... Male	169	–	–	–	–	–	–	–	–	3	4	7	23	21	31	29	23	14	12	2	–	–	–
	Female	43	–	–	–	–	–	–	–	–	–	1	2	3	7	9	8	4	4	5	–	–	–	–
	All other..... Male	35	–	–	–	–	–	–	–	–	–	1	5	2	4	9	5	4	5	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	2	1	4	–	1	–	–	–	–	–	–	–
174	Of breast	92	–	–	–	–	–	–	1	1	1	9	9	9	7	12	5	9	7	12	7	3	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	79	–	–	–	–	–	–	1	1	–	7	8	8	7	7	5	9	6	11	6	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	2	1	1	–	5	–	–	1	1	1	–	–	–
180–187	Of genital organs	125	–	–	–	–	–	1	–	–	2	2	7	7	10	20	16	21	15	11	9	4	–	–
	White..... Male	35	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	10	9	3	5	–	–	–
	Female	58	–	–	–	–	–	1	–	–	2	–	6	6	7	8	6	6	5	5	3	3	–	–
	All other..... Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	3	–	3	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	2	1	–	1	5	2	2	1	–	–	1	–	–
188, 189	Of urinary organs	60	–	–	–	–	1	–	–	–	–	–	3	7	3	4	4	11	14	7	4	2	–	–
	White..... Male	35	–	–	–	–	–	–	–	–	–	–	3	5	1	2	3	6	9	5	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	5	2	3	1	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	124	–	2	–	2	1	1	1	2	3	5	7	8	18	14	22	8	11	13	3	3	–	–
	White..... Male	53	–	2	–	–	1	1	1	1	1	1	1	4	11	6	12	4	1	5	1	–	–	–
	Female	54	–	–	–	–	–	–	–	–	2	3	5	2	7	6	7	2	8	7	2	3	–	–
	All other..... Male	13	–	–	–	2	–	–	–	1	–	1	1	1	–	2	2	1	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–
204–207	Leukemia	36	–	–	1	1	3	–	4	3	2	–	1	1	3	2	3	5	3	3	1	–	–	–
	White..... Male	15	–	–	–	1	2	–	–	2	1	–	1	–	2	1	–	4	–	–	1	–	–	–
	Female	17	–	–	1	–	–	–	4	1	–	–	–	–	1	1	3	–	3	3	–	–	–	–
	All other..... Male	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	50	–	–	1	–	–	–	–	–	–	1	1	2	12	6	10	6	6	3	2	–	–	–
	White..... Male	21	–	–	1	–	–	–	–	–	–	–	–	1	8	3	4	4	–	–	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	2	2	3	2	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	13	1	1	1	–	–	1	–	–	–	1	–	1	1	1	2	–	2	1	–	–	–	–
	White..... Male	8	1	1	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	154	–	–	–	–	–	–	–	–	–	1	3	8	9	16	20	23	32	26	11	4	1	–
	White..... Male	58	–	–	–	–	–	–	–	–	–	–	1	3	4	9	6	8	12	13	2	–	–	–
	Female	68	–	–	–	–	–	–	–	–	–	–	1	3	4	3	9	11	13	12	8	4	–	–
	All other..... Male	16	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	2	3	–	1	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	4	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	7	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–
	White..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware — Con.																							
280–285	Anemias	11	–	–	–	1	1	–	–	–	–	–	–	–	–	–	3	1	–	2	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
320	Meningitis	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,527	–	1	–	1	2	3	5	7	14	41	64	126	141	212	270	381	391	372	286	155	53	2
	White Male	1,131	–	–	–	1	1	–	3	2	7	23	35	78	83	116	146	176	163	139	97	52	9	–
	Female	1,044	–	1	–	–	–	–	1	2	3	7	14	18	31	55	73	142	187	213	169	90	37	1
	All other Male	192	–	–	–	–	1	1	1	–	3	6	10	17	20	21	28	30	24	10	8	8	3	1
	Female	160	–	–	–	–	–	2	–	3	1	5	5	13	7	20	23	33	17	10	12	5	4	–
390–398, 402, 404, 410–429	Diseases of heart	2,012	–	1	–	–	2	3	4	7	8	28	53	108	123	175	224	316	302	276	225	114	41	2
	White Male	928	–	–	–	–	1	–	2	2	5	20	33	69	76	96	125	144	127	107	76	37	8	–
	Female	802	–	1	–	–	–	–	1	2	–	3	10	13	24	48	61	120	143	151	131	67	26	1
	All other Male	154	–	–	–	–	1	1	1	–	2	3	6	15	17	19	20	26	17	8	8	6	3	1
	Female	128	–	–	–	–	–	2	–	3	1	2	4	11	6	12	18	26	15	10	10	4	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	29	–	–	–	–	1	1	–	1	–	1	3	3	5	5	5	1	2	1	–	–	–	–
	White Male	11	–	–	–	–	1	–	–	–	–	1	–	1	2	2	3	1	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	3	3	2	–	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	6	6	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	6	1	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,862	–	–	–	–	1	–	3	4	6	26	45	101	110	162	203	298	288	256	211	105	41	2
	White Male	878	–	–	–	–	–	–	2	2	4	19	31	66	71	92	115	138	124	99	70	37	8	–
	Female	743	–	–	–	–	–	–	–	1	–	3	7	12	19	42	54	114	137	144	125	58	26	1
	All other Male	131	–	–	–	–	1	–	1	–	1	3	5	14	14	16	18	23	14	3	8	6	3	1
	Female	110	–	–	–	–	–	–	–	1	1	1	2	9	6	12	16	23	13	10	8	4	4	–
410	Acute myocardial infarction	844	–	–	–	–	–	–	2	2	4	16	29	67	72	106	102	150	111	94	54	25	10	–
	White Male	462	–	–	–	–	–	–	2	1	3	12	24	49	49	68	64	69	56	37	21	6	1	–
	Female	290	–	–	–	–	–	–	–	1	–	1	1	7	14	26	24	65	49	52	29	15	6	–
	All other Male	49	–	–	–	–	–	–	–	–	–	3	3	6	5	7	9	8	1	1	2	2	2	–
	Female	43	–	–	–	–	–	–	–	–	1	–	1	5	4	5	5	8	5	4	2	2	1	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	1,013	–	–	–	–	1	–	1	2	2	10	16	34	38	55	101	147	176	162	155	80	31	2
	White Male	415	–	–	–	–	–	–	1	1	7	7	17	22	24	51	69	68	62	48	31	7	–	
	Female	451	–	–	–	–	–	–	–	–	–	2	6	5	5	15	30	49	88	92	95	43	20	1
	All other Male	81	–	–	–	–	1	–	1	–	1	–	2	8	9	9	9	14	13	2	6	4	1	1
	Female	66	–	–	–	–	–	–	–	1	–	1	1	4	2	7	11	15	7	6	6	2	3	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	10	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	1	–	1	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
420–423, 425–427, 429	All other forms of heart disease	83	–	1	–	–	–	2	1	1	2	–	3	4	5	6	15	9	5	12	12	5	–	–
	White Male	31	–	–	–	–	–	–	–	–	1	–	2	2	1	2	7	3	1	6	6	–	–	–
	Female	28	–	1	–	–	–	–	1	–	–	–	1	–	1	2	5	3	2	3	4	5	–	–
	All other Male	15	–	–	–	–	–	1	–	–	1	–	–	1	3	2	2	1	1	3	–	–	–	–
	Female	9	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	2	1	–	2	–	–	–
400, 401, 403	Hypertension	18	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	5	1	3	5	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	356	–	–	–	1	–	–	1	–	4	10	6	11	12	27	37	51	69	66	35	21	5	–
	White Male	135	–	–	–	1	–	–	1	–	1	2	–	6	4	14	17	26	28	18	11	5	1	–
	Female	166	–	–	–	–	–	–	–	–	2	2	2	3	4	5	10	18	33	47	23	13	4	–
	All other Male	32	–	–	–	–	–	–	–	–	1	3	3	–	3	2	7	3	7	1	–	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	3	1	2	1	6	3	4	1	–	1	1	–	–
431	Cerebral hemorrhage	52	–	–	–	1	–	–	–	–	2	1	–	5	5	7	6	8	5	4	4	4	–	–
	White Male	27	–	–	–	1	–	–	–	–	1	–	–	2	1	6	5	3	3	3	1	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	3	2	1	3	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–	–	–	–
433	Cerebral thrombosis	89	–	–	–	–	–	–	–	–	–	–	1	1	3	8	10	16	17	16	11	5	1	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	8	7	5	4	1	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	7	6	11	7	3	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	4	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	212	–	–	–	–	–	–	1	–	2	9	5	4	4	12	20	27	47	45	20	12	4	–
	White Male	73	–	–	–	–	–	–	1	–	–	2	–	3	1	5	8	15	18	10	6	3	1	–
	Female	107	–	–	–	–	–	–	–	–	2	2	2	1	2	3	5	8	25	34	13	7	3	–
	All other Male	20	–	–	–	–	–	–	–	–	–	3	2	–	1	1	5	3	3	1	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	2	1	–	–	3	2	1	1	–	1	1	–	–
440	Arteriosclerosis	79	–	–	–	–	–	–	–	–	–	–	–	2	2	2	5	6	10	16	19	11	6	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	5	5	9	6	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	10	9	5	6	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	62	–	–	–	–	–	–	–	–	2	3	5	4	2	8	4	7	5	13	4	4	1	–
	White Male	30	–	–	–	–	–	–	–	–	1	1	2	2	–	5	3	3	2	9	–	2	–	–
	Female	27	–	–	–	–	–	–	–	–	1	2	2	1	2	2	1	3	2	4	4	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	140	5	1	–	1	1	2	1	1	5	2	4	6	4	11	15	13	22	22	9	7	7	1
	White Male	69	–	1	–	1	1	1	–	–	3	–	1	3	1	7	9	7	14	12	3	3	2	–
	Female	47	2	–	–	–	–	–	1	1	–	2	1	3	3	1	4	1	5	9	6	4	4	–
	All other Male	20	2	–	–	–	–	–	–	–	2	–	–	–	–	3	2	5	3	1	–	–	1	1
	Female	4	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	White Male	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	135	5	–	–	1	1	1	1	1	5	2	4	6	4	11	15	12	21	22	9	6	7	1
	White Male	64	–	–	–	1	1	–	–	–	3	–	1	3	1	7	9	6	13	12	3	2	2	–
	Female	47	2	–	–	–	–	–	1	1	–	2	1	3	3	1	4	1	5	9	6	4	4	–
	All other Male	20	2	–	–	–	–	–	–	–	2	–	–	–	–	3	2	5	3	1	–	–	1	1
	Female	4	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	67	–	–	–	–	1	–	–	–	–	1	–	2	2	10	11	15	12	9	3	1	–	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	2	1	7	7	10	6	7	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	6	2	1	–	–	–
	All other Male	5	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware — Con.																							
490, 491	Chronic and unqualified bronchitis	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	4	2	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	49	–	–	–	–	–	–	–	–	–	1	–	2	2	7	8	11	8	7	2	1	–	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	2	1	6	6	8	4	5	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	2	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	10	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	–	–	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	15	2	1	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	1	–	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–
	Female	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
571	Cirrhosis of liver	106	–	–	–	–	–	–	2	4	4	9	11	20	17	14	11	9	2	2	–	–	–	1
	White Male	57	–	–	–	–	–	–	–	2	3	4	4	8	10	9	6	8	1	1	–	–	–	1
	Female	23	–	–	–	–	–	–	1	1	–	1	2	7	4	3	2	1	–	1	–	–	–	–
	All other Male	19	–	–	–	–	–	–	1	–	1	3	3	3	2	2	3	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	1	2	2	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	23	–	–	–	–	–	–	–	–	1	–	1	1	2	–	5	6	2	1	2	–	2	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–
	Female	12	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	2	1	1	–	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	17	–	–	–	–	–	–	–	–	1	–	–	–	2	–	5	3	2	1	1	–	2	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	1	1	1	–	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
590	Infections of kidney	10	–	–	–	–	–	–	–	–	–	1	–	1	2	–	2	–	2	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	42	29	–	2	3	–	–	–	1	1	–	–	1	1	1	2	–	–	–	1	–	–	–
	White.....Male	14	7	–	2	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–
	Female	20	15	–	–	2	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other.....Male	4	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	42	18	1	–	–	2	–	1	–	3	1	2	1	2	3	2	2	–	2	2	–	–	–
	White.....Male	21	9	1	–	–	2	–	–	–	2	–	2	1	–	1	1	–	–	1	1	–	–	–
	Female	11	4	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	1	1	–	–	–
	All other.....Male	7	3	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	271	3	6	2	4	4	4	4	7	8	11	13	25	18	30	33	32	28	23	12	1	3	–
	White.....Male	112	1	1	2	1	1	2	2	3	2	3	5	7	9	10	21	16	13	10	3	–	–	–
	Female	103	–	3	–	2	2	1	1	2	2	3	6	9	6	11	9	14	11	11	7	1	2	–
	All other.....Male	36	1	2	–	–	1	1	1	1	2	3	1	5	3	7	3	1	1	1	1	–	1	–
	Female	20	1	–	–	1	–	–	–	1	2	2	1	4	–	2	–	1	3	1	1	–	–	–
E800–E949	Accidents	219	–	10	7	13	29	27	16	12	8	11	12	10	7	8	6	7	9	11	9	3	4	–
	White.....Male	114	–	2	5	7	20	18	11	5	7	5	7	4	2	5	3	3	2	3	4	1	–	–
	Female	61	–	3	1	4	5	1	3	1	–	4	2	3	3	3	2	3	6	7	5	2	3	–
	All other.....Male	38	–	4	1	2	3	8	2	6	1	2	3	1	1	–	1	1	1	1	–	–	–	–
	Female	6	–	1	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–
E810–E823	Motor vehicle accidents	115	–	3	3	6	21	19	12	10	6	7	4	5	4	1	4	3	3	4	–	–	–	–
	White.....Male	63	–	–	2	3	16	13	7	4	5	3	2	2	1	–	1	1	1	2	–	–	–	–
	Female	26	–	1	–	2	2	1	3	1	–	3	1	2	2	1	2	1	2	2	–	–	–	–
	All other.....Male	24	–	1	1	1	3	5	2	5	1	1	1	1	–	–	1	1	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	104	–	7	4	7	8	8	4	2	2	4	8	5	3	7	2	4	6	7	9	3	4	–
	White.....Male	51	–	2	3	4	4	5	4	1	2	2	5	2	1	5	2	2	1	1	4	1	–	–
	Female	35	–	2	1	2	3	–	–	–	–	1	1	1	1	2	–	2	4	5	5	2	3	–
	All other.....Male	14	–	3	–	1	–	3	–	1	–	1	2	–	1	–	–	–	1	1	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
E950–E959	Suicide	61	...	...	–	–	4	3	3	5	7	4	6	9	9	3	2	3	2	–	1	–	–	–
	White.....Male	44	...	...	–	–	1	3	3	4	5	3	3	7	6	2	1	3	2	–	1	–	–	–
	Female	17	...	...	–	–	3	–	–	1	2	1	3	2	3	1	1	–	–	–	–	–	–	–
	All other.....Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	63	–	–	2	–	6	12	9	9	3	3	5	5	3	2	1	–	–	2	–	–	–	1
	White.....Male	23	–	–	–	–	4	5	4	2	1	1	–	1	1	1	1	–	–	2	–	–	–	–
	Female	9	–	–	–	–	1	–	–	4	1	1	1	1	–	–	–	–	–	–	–	–	–	–
	All other.....Male	22	–	–	2	–	–	3	4	3	1	1	3	2	2	1	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	1	4	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1
E980–E999	Other external causes	21	1	–	–	1	2	4	3	3	1	3	–	–	2	1	–	–	–	–	–	–	–	–
	White.....Male	11	–	–	–	–	2	2	1	1	1	2	–	–	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other.....Male	5	1	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia																							
	All causes	**7,848**	**268**	**44**	**26**	**21**	**47**	**134**	**149**	**155**	**201**	**283**	**403**	**557**	**653**	**789**	**817**	**847**	**814**	**740**	**523**	**248**	**120**	**9**
	White Male	1,261	17	3	3	2	3	19	8	17	11	19	29	59	93	126	159	168	185	183	109	31	13	4
	White Female	1,415	10	2	–	–	1	6	6	7	12	12	22	37	63	62	126	163	216	257	244	113	56	–
	All other Male	2,985	139	27	15	14	31	72	99	88	126	157	208	281	309	372	298	291	219	123	70	32	11	3
	All other Female	2,187	102	12	8	5	12	37	36	43	52	95	144	180	188	229	234	225	194	177	100	72	40	2
004, 006	Bacillary dysentery and amebiosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	2	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	37	–	–	–	–	1	–	1	–	2	2	2	4	–	8	7	3	4	1	1	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	19	–	–	–	–	–	–	–	–	2	–	2	3	–	4	3	2	2	–	–	1	–	–
	All other Female	9	–	–	–	–	1	–	1	–	–	1	–	1	–	1	3	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	32	–	–	–	–	–	–	1	–	2	2	1	4	–	8	5	2	4	1	1	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	16	–	–	–	–	–	–	–	–	2	–	1	3	–	4	2	1	2	–	–	1	–	–
	All other Female	7	–	–	–	–	–	–	1	–	–	1	–	1	–	1	2	–	–	–	1	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	49	5	–	–	1	2	–	–	–	–	–	3	–	1	6	5	5	9	5	5	2	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	–	–	–	–
	White Female	11	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	2	4	1	–	–
	All other Male	17	3	–	–	1	1	–	–	–	–	–	–	–	1	5	2	1	2	–	1	–	–	–
	All other Female	13	2	–	–	–	1	–	–	–	–	–	3	–	–	–	2	2	1	1	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	34	2	2	–	–	–	3	2	2	1	–	3	4	4	–	4	–	3	3	1	–	–	–
	White Male	4	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	11	1	–	–	–	–	–	1	–	1	–	2	3	1	–	2	–	–	–	–	–	–	–
	All other Female	17	–	1	–	–	–	2	1	2	–	–	1	1	3	–	2	–	2	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,535	–	4	3	1	1	5	7	11	31	32	76	143	177	221	228	223	159	129	61	14	6	3
	White—Male	252	–	–	1	1	–	1	–	4	1	4	5	10	19	31	46	43	34	32	17	1	1	1
	White—Female	278	–	2	–	–	–	1	–	1	4	–	6	9	29	17	56	43	40	38	24	6	2	–
	All other—Male	585	–	2	1	–	1	2	4	3	15	12	30	64	78	107	76	92	48	31	14	4	1	–
	All other—Female	420	–	–	1	–	–	1	3	3	11	16	35	60	51	66	50	45	37	28	6	3	2	2
140–149	Of buccal cavity and pharynx	56	–	–	–	–	–	–	–	–	4	1	4	8	7	10	8	5	6	1	2	–	–	–
	White—Male	17	–	–	–	–	–	–	–	–	1	–	–	1	2	4	3	2	2	1	1	–	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	–	1	–	–	–
	All other—Male	26	–	–	–	–	–	–	–	–	3	1	3	6	2	3	4	2	2	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	415	–	–	–	–	–	–	1	5	5	2	15	34	49	57	68	63	43	47	20	2	3	1
	White—Male	67	–	–	–	–	–	–	–	2	–	–	2	2	5	5	16	10	7	10	6	–	1	1
	White—Female	68	–	–	–	–	–	–	–	–	–	–	–	1	6	3	13	15	7	15	7	1	–	–
	All other—Male	163	–	–	–	–	–	–	1	2	3	2	8	18	21	30	19	22	18	13	5	1	–	–
	All other—Female	117	–	–	–	–	–	–	–	1	2	–	5	13	17	19	20	16	11	9	2	–	2	–
160–163	Of respiratory system	335	–	–	–	–	–	–	1	1	5	8	20	32	55	64	50	48	22	20	7	2	–	–
	White—Male	73	–	–	–	–	–	–	–	1	–	1	2	2	8	13	14	15	6	9	2	–	–	–
	White—Female	33	–	–	–	–	–	–	–	–	–	–	1	–	8	4	6	4	5	2	2	1	–	–
	All other—Male	191	–	–	–	–	–	–	–	–	4	5	13	24	35	37	29	28	8	5	3	–	–	–
	All other—Female	38	–	–	–	–	–	–	1	–	1	2	4	6	4	10	1	1	3	4	–	1	–	–
174	Of breast	147	–	–	–	–	–	–	–	1	9	6	15	16	17	13	25	19	12	8	5	–	1	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Female	72	–	–	–	–	–	–	–	–	3	–	5	3	6	4	16	14	8	7	5	–	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	73	–	–	–	–	–	–	–	1	6	6	10	13	10	9	9	4	4	1	–	–	–	–
180–187	Of genital organs	228	–	1	–	–	–	1	1	1	1	4	9	21	18	23	30	36	29	30	15	6	–	2
	White—Male	28	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	3	8	8	5	1	–	–
	White—Female	35	–	–	–	–	–	–	–	–	–	–	–	2	4	–	7	5	6	7	3	1	–	–
	All other—Male	76	–	1	–	–	–	–	–	–	–	–	–	6	2	11	13	21	6	9	5	2	–	–
	All other—Female	89	–	–	–	–	–	–	1	–	1	4	9	13	12	12	9	7	9	6	2	2	–	2
188, 189	Of urinary organs	64	–	–	–	–	–	–	–	1	1	–	4	7	6	6	12	8	11	5	2	1	–	–
	White—Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	3	–	–	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	1	–	1	–	–	–
	All other—Male	28	–	–	–	–	–	–	–	–	1	–	2	3	4	6	3	3	3	1	1	1	–	–
	All other—Female	15	–	–	–	–	–	–	–	1	–	–	2	2	2	–	2	2	3	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	183	–	2	1	–	–	3	1	2	4	8	5	17	19	27	19	34	21	12	4	2	2	–
	White—Male	30	–	–	–	–	–	–	–	–	–	3	–	2	2	3	6	8	4	1	1	–	–	–
	White—Female	29	–	1	–	–	–	1	–	1	1	–	–	2	2	2	4	2	7	2	1	2	1	–
	All other—Male	70	–	1	1	–	–	1	1	1	2	3	3	5	12	12	7	13	4	3	–	–	1	–
	All other—Female	54	–	–	–	–	–	1	–	–	1	2	2	8	3	10	2	11	6	6	2	–	–	–
204–207	Leukemia	42	–	1	2	1	1	–	1	–	2	1	1	1	2	6	6	3	8	2	3	1	–	–
	White—Male	7	–	–	1	1	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–
	White—Female	14	–	1	–	–	–	–	–	–	–	–	–	–	1	2	2	–	3	2	2	1	–	–
	All other—Male	13	–	–	–	–	1	–	–	–	2	–	–	–	1	4	–	2	3	–	–	–	–	–
	All other—Female	8	–	–	1	–	–	–	1	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	65	–	–	–	–	–	1	2	–	–	2	3	7	4	15	10	7	7	4	3	–	–	–
	White—Male	16	–	–	–	–	–	–	–	–	–	–	1	1	2	6	3	1	1	–	1	–	–	–
	White—Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	3	2	–	–	–
	All other—Male	17	–	–	–	–	–	1	2	–	–	1	1	2	–	4	1	1	4	–	–	–	–	–
	All other—Female	21	–	–	–	–	–	–	–	–	–	1	1	4	1	5	4	3	1	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	16	–	1	–	–	–	–	2	–	–	1	1	1	2	3	1	2	1	1	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	White—Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other—Male	6	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
250	Diabetes mellitus	160	1	–	–	–	–	1	1	1	3	5	6	14	17	18	15	25	25	16	8	2	2	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	5	6	4	1	–	–	–
	White—Female	27	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	5	7	6	1	–	–
	All other—Male	51	–	–	–	–	–	–	1	1	2	3	1	6	5	7	8	7	9	–	1	–	–	–
	All other—Female	61	–	–	–	–	–	1	–	–	1	2	4	7	10	8	6	9	5	5	–	1	2	–
260–269	Avitaminoses and other nutritional deficiencies	12	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	2	4	–	1	1	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	2	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia – Con.																							
280–285	Anemias	15	–	–	1	–	–	1	1	–	–	–	1	1	–	1	2	4	2	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–
320	Meningitis	14	2	2	–	–	–	1	–	–	2	1	–	1	3	–	–	–	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	1	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	6	1	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	3,323	1	2	–	4	2	8	12	18	39	74	115	185	252	341	354	414	457	431	347	169	96	2
	White Male	571	–	–	–	–	–	1	1	–	1	4	7	24	38	54	65	79	93	104	68	21	10	1
	Female	778	–	–	–	–	–	1	–	–	1	1	5	10	17	29	42	78	137	157	167	84	49	–
	All other Male	997	–	1	–	2	2	4	7	11	24	41	58	96	118	141	124	127	107	65	44	16	8	1
	Female	977	1	1	–	2	–	2	4	7	13	28	45	55	79	117	123	130	120	105	68	48	29	–
390–398, 402, 404, 410–429	Diseases of heart	2,328	–	–	–	3	2	8	9	10	27	60	86	148	198	257	261	297	311	277	208	100	65	1
	White Male	431	–	–	–	–	–	1	1	–	1	4	7	20	35	48	50	62	64	66	44	17	10	1
	Female	503	–	–	–	–	–	1	–	–	–	1	2	9	14	22	33	54	86	99	102	48	32	–
	All other Male	732	–	–	–	1	2	4	5	6	18	32	43	84	89	101	93	97	81	40	22	10	4	–
	Female	662	–	–	–	2	–	2	3	4	8	23	34	35	60	86	85	84	80	72	40	25	19	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	49	–	–	–	1	–	–	2	1	1	1	2	–	6	6	7	7	3	5	4	2	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	–	1	–	–
	All other Male	15	–	–	–	–	–	–	–	1	–	1	1	–	3	4	1	2	1	–	1	–	–	–
	Female	17	–	–	–	1	–	–	2	–	1	–	1	–	1	1	4	2	–	1	1	1	1	–
402	Hypertensive heart disease	41	–	–	–	–	–	–	–	1	–	–	4	3	2	–	8	8	4	3	4	3	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
	All other Male	9	–	–	–	–	–	–	–	1	–	–	2	–	–	–	3	2	1	–	–	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	2	2	2	–	5	5	2	2	3	2	1	–
404	Hypertensive heart and renal disease	31	–	–	–	–	–	1	–	–	1	–	2	–	2	2	1	3	7	4	5	2	1	–
	White Male	7	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	2	–	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	2	–	–	–	–
410–413	Ischemic heart disease	2,034	–	–	–	1	–	2	3	4	17	47	68	133	175	226	235	263	283	252	181	84	59	1
	White Male	397	–	–	–	–	–	–	–	–	1	4	6	18	33	42	47	60	60	62	36	17	10	1
	Female	461	–	–	–	–	–	–	–	–	–	1	2	8	12	20	32	46	83	92	94	41	30	–
	All other Male	628	–	–	–	1	–	2	3	2	9	25	34	77	78	90	84	85	70	36	20	8	4	–
	Female	548	–	–	–	–	–	–	–	2	7	17	26	30	52	74	72	72	70	62	31	18	15	–
410	Acute myocardial infarction	545	–	–	–	1	–	1	–	1	1	12	10	21	44	59	71	85	85	69	52	23	10	–
	White Male	152	–	–	–	–	–	–	–	–	–	1	3	5	16	16	21	22	22	21	19	5	1	–
	Female	143	–	–	–	–	–	–	–	–	–	–	–	1	3	9	15	21	26	29	22	11	6	–
	All other Male	139	–	–	–	1	–	1	–	–	1	9	5	9	15	18	20	26	20	6	4	3	1	–
	Female	111	–	–	–	–	–	–	–	1	–	2	2	6	10	16	15	16	17	13	7	4	2	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
412	Chronic ischemic heart disease	1,484	–	–	–	–	–	1	3	3	16	35	58	112	131	167	163	178	197	182	128	61	48	1
	White Male	243	–	–	–	–	–	–	–	–	1	3	3	13	17	26	26	38	37	41	17	12	8	1
	Female	317	–	–	–	–	–	–	–	–	–	1	2	7	9	11	17	25	57	63	71	30	24	–
	All other Male	488	–	–	–	–	–	1	3	2	8	16	29	68	63	72	63	59	50	30	16	5	3	–
	Female	436	–	–	–	–	–	–	–	1	7	15	24	24	42	58	57	56	53	48	24	14	13	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	17	–	–	–	1	1	1	–	–	1	1	–	1	2	4	2	1	–	–	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia – Con.																							
420–423, 425–427, 429	All other forms of heart disease	156	–	–	–	–	1	4	4	4	7	11	10	11	11	19	8	15	14	13	13	8	3	–
	White Male	12	–	–	–	–	–	–	1	–	–	–	–	–	1	3	–	1	1	2	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	3	4	3	1	–
	All other Male	70	–	–	–	–	1	2	2	2	7	5	6	7	7	6	5	7	8	3	1	1	–	–
	Female	57	–	–	–	–	–	2	1	2	–	6	4	3	2	9	3	4	5	5	5	4	2	–
400, 401, 403	Hypertension	38	–	–	–	–	–	–	–	2	1	–	3	3	4	3	3	4	1	4	6	4	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	3	–	3	1	–	–	1	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	2	–	–	–	2	1	1	3	4	–	2	2	–	–	–
430–438	Cerebrovascular diseases	657	1	1	–	–	–	–	2	6	8	12	25	28	41	69	68	75	86	93	83	46	13	–
	White Male	97	–	–	–	–	–	–	–	–	–	–	–	2	3	5	13	11	17	25	19	2	–	–
	Female	183	–	–	–	–	–	–	–	–	–	–	3	–	3	7	6	18	34	38	43	23	8	–
	All other Male	178	–	–	–	–	–	–	1	5	5	7	12	12	20	33	23	22	12	12	9	4	1	–
	Female	199	1	1	–	–	–	–	1	1	3	5	10	14	15	24	26	24	23	18	12	17	4	–
431	Cerebral hemorrhage	114	–	–	–	–	–	–	–	4	2	9	4	7	12	13	16	11	16	7	7	4	2	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	2	–	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	10	3	4	3	2	–
	All other Male	44	–	–	–	–	–	–	–	4	1	6	2	4	9	7	4	2	2	1	1	1	–	–
	Female	26	–	–	–	–	–	–	–	–	1	3	2	2	1	2	8	2	2	3	–	–	–	–
433	Cerebral thrombosis	160	–	–	–	–	–	–	–	–	1	–	7	2	6	16	15	19	21	33	28	6	6	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	6	8	9	–	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	5	8	17	15	4	4	–
	All other Male	36	–	–	–	–	–	–	–	–	1	–	4	–	4	8	7	4	1	5	2	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	2	2	2	4	4	7	6	3	2	2	2	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	383	1	1	–	–	–	–	2	2	5	3	14	19	23	40	37	45	49	53	48	36	5	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	–	1	3	3	6	4	9	17	8	2	–	–
	Female	95	–	–	–	–	–	–	–	–	–	–	2	–	1	1	5	10	16	18	24	16	2	–
	All other Male	98	–	–	–	–	–	–	1	1	3	1	6	8	7	18	12	16	9	6	6	3	1	–
	Female	137	1	1	–	–	–	–	1	1	2	2	6	10	12	18	14	15	15	12	10	15	2	–
440	Arteriosclerosis	206	–	–	–	–	–	–	–	–	–	–	–	1	3	5	11	26	44	40	45	15	16	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	8	9	4	1	–	–
	Female	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	13	14	17	7	7	–
	All other Male	41	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	8	8	11	2	3	–
	Female	73	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	14	15	9	13	5	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	94	–	1	–	1	–	–	1	–	3	2	1	5	6	7	11	12	15	17	5	4	2	1
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	4	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	3	5	1	2	2	–
	All other Male	37	–	1	–	1	–	–	1	–	–	2	–	–	4	4	7	4	6	4	2	–	–	1
	Female	26	–	–	–	–	–	–	–	–	2	–	1	3	2	3	3	4	2	4	1	1	–	–
466	Acute bronchitis and bronchiolitis	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	268	7	1	1	2	–	3	2	8	6	7	17	15	24	17	14	29	31	41	24	13	5	1
	White Male	51	1	–	–	–	–	–	–	–	–	–	3	5	4	1	1	6	7	12	6	5	–	–
	Female	50	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	6	4	14	15	4	2	–
	All other Male	99	2	1	1	1	–	2	2	5	3	4	8	7	14	8	11	11	11	6	1	–	–	1
	Female	68	3	–	–	1	–	1	–	3	3	3	5	3	4	7	2	6	9	9	2	4	3	–
470–474	Influenza	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
480–486	Pneumonia	264	7	1	1	2	–	3	2	8	6	7	16	15	24	17	14	27	31	41	24	13	4	1
	White Male	51	1	–	–	–	–	–	–	–	–	–	3	5	4	1	1	6	7	12	6	5	–	–
	Female	49	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	5	4	14	15	4	2	–
	All other Male	97	2	1	1	1	–	2	2	5	3	4	7	7	14	8	11	10	11	6	1	–	–	1
	Female	67	3	–	–	1	–	1	–	3	3	3	5	3	4	7	2	6	9	9	2	4	2	–
490–493	Bronchitis, emphysema, and asthma	55	–	1	–	–	1	–	–	1	2	2	2	1	6	5	7	9	10	5	2	1	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	5	7	2	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	3	–	1	–	–
	All other Male	16	–	1	–	–	1	–	–	1	2	1	1	–	3	2	1	1	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
490, 491	Chronic and unqualified bronchitis	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	–	–	1	–	
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	37	–	–	–	–	–	–	–	–	–	2	1	–	5	4	7	5	6	5	2	–	–	
	White..... Male	18	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	3	4	2	1	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	3	–	–	–	
	All other..... Male	9	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	–	1	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	9	–	1	–	–	1	–	–	1	2	–	–	1	–	1	–	2	–	–	–	–	–	
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other..... Male	5	–	1	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	1	1	2	1	5	3	3	2	–	2	1	2	1	1	
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
	All other..... Male	17	–	–	–	–	–	–	–	1	1	2	1	2	3	2	2	–	–	–	1	1	1	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	1	
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
550–553, 560	Hernia and intestinal obstruction	37	–	–	–	–	–	1	–	–	–	2	2	–	–	3	5	4	6	6	5	3	–	
	White..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	2	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	3	2	–	
	All other..... Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	2	1	–	1	–	
	Female	8	–	–	–	–	–	1	–	–	–	1	1	–	–	–	3	–	–	2	–	–	–	
571	Cirrhosis of liver	449	–	–	–	–	–	1	7	21	39	52	92	68	61	45	32	22	4	4	–	1	–	
	White..... Male	52	–	–	–	–	–	–	–	1	1	2	9	8	11	6	6	5	1	1	–	1	–	
	Female	38	–	–	–	–	–	–	1	1	3	5	4	5	4	4	3	7	–	1	–	–	–	
	All other..... Male	236	–	–	–	–	–	–	2	8	27	25	51	33	34	28	17	7	2	2	–	–	–	
	Female	123	–	–	–	–	–	1	4	11	8	20	28	22	12	7	6	3	1	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	4	1	1	–	–	–	
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	
	All other..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
580–584	Nephritis and nephrosis	54	–	–	–	–	–	1	1	2	–	3	4	5	7	5	6	7	8	2	2	1	–	
	White..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other..... Male	35	–	–	–	–	–	1	1	2	–	–	4	3	5	2	4	6	5	1	1	–	–	
	Female	14	–	–	–	–	–	–	–	–	–	2	–	1	2	2	1	1	2	1	1	1	–	
580, 581	Acute nephritis and nephrotic syndrome	8	–	–	–	–	–	–	–	1	–	2	–	3	–	–	1	–	–	1	–	–	–	
	White..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other..... Male	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	46	–	–	–	–	–	1	1	1	–	1	4	2	7	5	5	7	8	1	2	1	–	
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other..... Male	32	–	–	–	–	–	1	1	1	–	–	4	2	5	2	4	6	5	–	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	2	1	1	1	–	
590	Infections of kidney	27	1	–	–	–	–	–	–	1	–	–	–	–	1	4	5	4	4	2	2	3	–	
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	
	All other..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–	–	–	–	
	Female	10	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1	1	1	1	1	–	
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	2	–	1	
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	
	All other..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other..... Female	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
640–645	Abortions	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	54	30	3	2	1	–	3	2	1	–	1	–	–	7	1	–	–	–	2	–	–	–	1
	White.....Male	6	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
	Female	5	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	All other.....Male	24	13	3	2	1	–	–	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	19	11	–	–	–	–	2	–	1	–	–	–	–	4	–	–	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	173	173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	99	31	4	1	1	1	7	5	4	4	4	7	1	4	3	6	2	6	4	1	3	–	–
	White.....Male	9	–	–	–	–	–	1	1	1	–	1	–	–	1	–	3	–	1	–	–	–	–	–
	Female	16	1	–	–	–	1	–	–	–	1	1	3	–	1	1	2	1	1	1	–	2	–	–
	All other.....Male	46	18	4	1	1	–	4	1	1	2	2	4	1	1	–	1	–	2	3	–	–	–	–
	Female	28	12	–	–	–	–	2	3	2	1	–	–	–	1	2	–	1	2	–	1	1	–	–
Residual	All other diseases	640	–	3	1	4	5	16	16	21	18	30	31	60	45	61	81	63	56	60	41	24	3	1
	White.....Male	100	–	1	–	1	–	3	1	2	1	1	2	4	7	7	20	11	13	16	7	2	–	1
	Female	88	–	–	–	–	–	–	1	1	–	2	1	5	2	4	9	8	13	16	17	8	1	–
	All other.....Male	258	–	2	–	2	3	8	9	11	12	15	17	30	24	39	26	22	17	11	4	5	1	–
	Female	194	–	–	1	1	2	5	5	7	5	12	11	21	12	11	26	22	13	17	13	9	1	–
E800–E949	Accidents	323	8	13	15	5	10	22	21	19	16	24	18	21	20	23	25	12	13	15	13	7	3	–
	White.....Male	62	–	1	2	–	2	7	1	4	4	1	1	6	3	9	6	3	6	3	2	–	1	–
	Female	43	–	–	–	–	–	2	1	1	–	2	1	2	1	3	5	4	4	7	6	3	1	–
	All other.....Male	155	4	7	10	5	4	8	15	12	10	16	11	12	10	9	9	4	2	2	2	3	–	–
	Female	63	4	5	3	–	4	5	4	2	2	5	5	1	6	2	5	1	1	3	3	1	1	–
E810–E823	Motor vehicle accidents	82	1	4	8	3	4	13	8	7	4	4	5	6	3	3	4	3	1	1	–	–	–	–
	White.....Male	15	–	–	–	–	1	4	–	1	1	–	–	3	1	1	2	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–	–
	All other.....Male	45	1	2	6	3	1	6	7	5	2	3	3	1	1	1	1	1	–	1	–	–	–	–
	Female	16	–	2	2	–	2	2	1	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	241	7	9	7	2	6	9	13	12	12	20	13	15	17	20	21	9	12	14	13	7	3	–
	White.....Male	47	–	1	2	–	1	3	1	3	3	1	1	3	2	8	4	2	6	3	2	–	1	–
	Female	37	–	–	–	–	1	1	1	1	–	2	–	1	1	2	5	3	3	7	6	3	1	–
	All other.....Male	110	3	5	4	2	3	2	8	7	8	13	8	11	9	8	8	3	2	1	2	3	–	–
	Female	47	4	3	1	–	2	3	3	1	1	4	4	–	5	2	4	1	1	3	3	1	1	–
E950–E959	Suicide	77	. . .	. . .	–	–	5	7	17	7	3	4	3	5	3	4	5	4	4	3	1	1	–	1
	White.....Male	20	. . .	. . .	–	–	1	1	3	3	–	2	–	–	–	2	3	2	2	1	–	–	–	–
	Female	16	. . .	. . .	–	–	–	1	–	2	1	–	–	1	2	2	2	1	1	2	1	–	–	–
	All other.....Male	35	. . .	. . .	–	–	2	4	14	2	2	2	2	3	1	–	–	1	1	–	–	–	–	1
	Female	6	. . .	. . .	–	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
E960–E978	Homicide	275	3	3	2	2	16	47	47	32	27	29	18	17	9	8	5	3	1	2	4	–	–	–
	White.....Male	16	–	–	–	–	–	1	1	1	2	2	1	1	3	2	–	–	1	–	1	–	–	–
	Female	9	–	–	–	–	–	1	2	–	1	–	1	–	–	–	1	1	–	1	1	–	–	–
	All other.....Male	202	1	1	–	1	16	33	36	27	18	25	13	15	5	5	3	2	–	1	–	–	–	–
	Female	48	2	2	2	1	–	12	8	4	6	2	3	1	1	1	1	–	–	–	2	–	–	–
E980–E999	Other external causes	55	2	3	–	–	1	6	3	5	7	7	1	3	4	5	2	2	2	1	–	1	–	–
	White.....Male	7	–	–	–	–	–	1	–	1	1	–	–	–	2	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other.....Male	38	1	2	–	–	1	5	3	3	4	5	1	3	1	4	2	–	2	–	–	1	–	–
	Female	6	1	1	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida																							
	All causes	**88,015**	**1,909**	**451**	**282**	**319**	**898**	**995**	**900**	**905**	**1,038**	**1,646**	**2,775**	**4,022**	**5,519**	**7,847**	**10,892**	**12,749**	**12,526**	**11,027**	**7,263**	**3,121**	**913**	**18**
	White..... Male	44,672	669	183	111	156	505	534	477	422	435	712	1,378	2,051	2,918	4,196	6,079	7,054	6,798	5,465	3,086	1,167	269	7
	Female.....	32,314	468	132	91	83	186	181	162	217	263	429	775	1,151	1,635	2,385	3,509	4,363	4,919	5,075	3,883	1,816	587	4
	All other..... Male	6,401	418	79	52	53	155	207	171	183	205	293	380	491	613	734	755	743	414	223	141	61	24	6
	Female.....	4,628	354	57	28	27	52	73	90	83	135	212	242	329	353	532	549	589	395	264	153	77	33	1
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	101	35	2	–	1	–	–	–	–	2	5	1	5	4	5	6	4	6	12	9	4	–	–
	White..... Male	27	5	1	–	–	–	–	–	–	2	–	–	4	2	1	1	–	5	2	3	1	–	–
	Female.....	39	3	1	–	1	–	–	–	–	–	4	1	–	2	1	5	3	1	8	6	3	–	–
	All other..... Male	19	16	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	Female.....	16	11	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	–
010–019	Tuberculosis, all forms	154	–	–	–	–	–	1	2	4	2	10	10	14	17	17	31	14	9	14	8	1	–	–
	White..... Male	59	–	–	–	–	–	–	–	–	–	2	2	4	6	6	11	9	5	10	4	–	–	–
	Female.....	29	–	–	–	–	–	–	–	1	–	1	2	1	1	3	9	2	4	4	1	–	–	–
	All other..... Male	57	–	–	–	–	–	–	1	3	1	5	6	8	9	7	10	3	–	–	3	1	–	–
	Female.....	9	–	–	–	–	–	1	1	–	1	2	–	1	1	1	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	125	–	–	–	–	–	1	2	3	2	8	9	13	15	12	23	12	5	12	7	1	–	–
	White..... Male	50	–	–	–	–	–	–	–	–	–	2	1	4	6	4	10	8	4	8	3	–	–	–
	Female.....	18	–	–	–	–	–	–	–	–	–	1	2	–	1	2	5	1	1	4	1	–	–	–
	All other..... Male	49	–	–	–	–	–	–	1	3	1	3	6	8	8	5	7	3	–	–	3	1	–	–
	Female.....	8	–	–	–	–	–	1	1	–	1	2	–	1	–	1	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	29	–	–	–	–	–	–	–	1	–	2	1	1	2	5	8	2	4	2	1	–	–	–
	White..... Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	1	–	–	–
	Female.....	11	–	–	–	–	–	–	–	1	–	–	–	1	–	1	4	1	3	–	–	–	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	2	–	–	1	2	3	–	–	–	–	–	–	–
	Female.....	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	–	5	1	1	1	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White..... Male	6	–	3	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female.....	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	5	–	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	257	46	4	1	3	2	3	3	5	2	5	4	13	16	19	22	27	28	30	17	6	1	–
	White..... Male	121	17	2	1	1	1	1	1	2	–	1	1	2	6	10	12	16	19	18	6	3	1	–
	Female.....	72	9	–	–	–	1	1	1	–	1	2	1	4	4	5	6	7	8	8	11	3	–	–
	All other..... Male	38	12	2	–	2	–	1	–	2	1	2	–	4	3	2	4	1	1	2	–	–	–	–
	Female.....	26	8	–	–	–	–	–	1	1	1	–	2	3	3	2	–	3	–	2	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	23	1	–	–	–	1	–	1	–	–	–	–	–	4	5	3	5	3	–	–	–	–	–
	White..... Male	7	–	–	–	–	1	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–
	Female.....	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	All other..... Male	10	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	3	2	–	–	–	–	–
	Female.....	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	169	6	8	–	4	11	10	2	4	5	5	12	7	12	18	20	13	9	12	9	2	–	–
	White..... Male	82	2	2	–	2	6	4	–	–	2	3	6	4	7	9	14	10	3	4	4	–	–	–
	Female.....	54	2	2	–	2	3	2	1	1	2	–	2	3	2	3	6	3	5	8	5	2	–	–
	All other..... Male	15	2	1	–	–	1	1	–	–	–	–	1	–	2	6	–	–	1	–	–	–	–	–
	Female.....	18	–	3	–	–	1	3	1	3	1	2	3	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	17,648	3	22	46	37	47	44	76	94	179	336	679	1,128	1,606	2,212	2,952	2,996	2,434	1,701	791	223	42	–
	White—Male	9,154	1	8	24	16	23	23	41	33	59	112	256	492	720	1,098	1,577	1,698	1,490	965	401	95	22	–
	White—Female	6,802	–	11	14	16	15	16	23	46	82	155	291	448	658	855	1,119	1,046	834	675	361	118	19	–
	All other—Male	1,024	1	2	5	4	9	2	5	8	16	30	70	107	143	168	163	162	62	40	21	5	1	–
	All other—Female	668	1	1	3	1	–	3	7	7	22	39	62	81	85	91	93	90	48	21	8	5	–	–
140–149	Of buccal cavity and pharynx	459	–	–	–	–	1	–	1	–	–	10	23	38	63	81	87	58	40	27	17	12	1	–
	White—Male	268	–	–	–	–	–	–	1	–	–	6	12	18	30	45	58	35	29	18	10	5	1	–
	White—Female	148	–	–	–	–	1	–	–	–	–	1	4	14	25	28	25	17	10	9	7	7	–	–
	All other—Male	32	–	–	–	–	–	–	–	–	–	2	2	4	8	8	2	5	1	–	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	–	–	1	5	2	–	–	2	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,709	–	–	–	1	2	3	10	16	39	62	138	213	354	530	801	884	733	570	263	80	10	–
	White—Male	2,318	–	–	–	–	1	–	5	6	13	27	60	102	168	251	391	461	388	299	113	28	5	–
	White—Female	1,941	–	–	–	–	1	–	4	7	18	22	47	70	131	202	339	343	315	249	141	48	4	–
	All other—Male	280	–	–	–	1	–	1	–	2	4	9	15	28	38	54	47	40	14	14	9	3	1	–
	All other—Female	170	–	–	–	–	–	2	1	1	4	4	16	13	17	23	24	40	16	8	–	1	–	–
160–163	Of respiratory system	4,641	–	–	–	–	–	–	3	8	20	95	216	381	541	732	870	786	568	283	113	20	5	–
	White—Male	3,262	–	–	–	–	–	–	2	4	10	43	115	233	339	504	646	591	466	215	80	10	4	–
	White—Female	947	–	–	–	–	–	–	1	4	3	31	57	81	128	158	159	140	85	60	31	8	1	–
	All other—Male	359	–	–	–	–	–	–	–	–	6	14	39	56	61	58	55	48	12	6	2	2	–	–
	All other—Female	73	–	–	–	–	–	–	–	–	1	7	5	11	13	12	10	7	5	2	–	–	–	–
174	Of breast	1,361	–	–	–	–	1	–	5	13	34	46	93	156	155	190	192	150	130	118	58	18	2	–
	White—Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	2	3	1	–	–	–
	White—Female	1,245	–	–	–	–	–	–	5	12	26	37	80	138	143	172	183	138	123	114	55	17	2	–
	All other—Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	101	–	–	–	–	–	–	–	1	8	9	13	17	12	18	6	8	5	1	2	1	–	–
180–187	Of genital organs	2,157	–	–	–	1	5	8	13	20	27	44	73	99	163	215	308	376	339	271	147	38	10	–
	White—Male	951	–	–	–	–	3	4	9	5	4	1	5	4	27	57	111	185	210	187	109	24	6	–
	White—Female	905	–	–	–	1	1	3	1	11	13	34	56	67	102	120	140	135	104	69	32	12	4	–
	All other—Male	147	–	–	–	–	1	1	–	–	2	–	1	5	12	20	29	44	17	10	5	–	–	–
	All other—Female	154	–	–	–	–	–	–	3	4	8	9	11	23	22	18	28	12	8	5	1	2	–	–
188, 189	Of urinary organs	856	–	2	5	1	1	1	2	–	–	6	16	33	54	100	126	163	161	107	51	24	3	–
	White—Male	564	–	–	2	–	1	–	–	–	–	4	10	24	27	63	80	112	119	77	28	16	1	–
	White—Female	237	–	2	1	1	–	–	1	–	–	1	5	5	23	24	38	41	37	28	20	8	2	–
	All other—Male	29	–	–	1	–	–	–	1	–	–	1	–	1	2	9	4	6	2	1	1	–	–	–
	All other—Female	26	–	–	1	–	–	1	–	–	–	–	1	3	2	4	4	4	3	1	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,901	2	10	16	10	16	14	20	19	34	44	75	135	174	219	317	303	232	147	84	22	8	–
	White—Male	941	1	3	7	7	9	10	11	8	20	17	32	69	87	103	149	150	131	75	39	9	4	–
	White—Female	769	–	4	4	3	5	4	6	7	12	19	26	50	62	92	137	131	86	64	41	12	4	–
	All other—Male	102	1	2	3	–	2	–	2	3	1	2	8	8	10	14	17	13	9	5	2	–	–	–
	All other—Female	89	–	1	2	–	–	–	1	1	1	6	9	8	15	10	14	9	6	3	2	1	–	–
204–207	Leukemia	651	1	8	23	22	11	10	12	7	15	14	13	14	41	49	95	111	96	74	28	6	1	–
	White—Male	363	–	3	14	7	4	5	8	4	6	3	6	10	18	28	57	73	60	44	11	2	–	–
	White—Female	238	–	5	8	11	3	5	1	1	8	7	5	4	16	19	33	35	29	28	15	4	1	–
	All other—Male	31	–	–	1	3	4	–	2	2	1	1	1	–	4	1	3	1	4	2	1	–	–	–
	All other—Female	19	1	–	–	1	–	–	1	–	–	3	1	–	3	1	2	2	3	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	913	–	2	2	2	10	8	10	11	10	15	32	59	61	96	156	165	135	104	30	3	2	–
	White—Male	474	–	2	1	2	5	4	5	6	6	11	16	31	24	47	83	87	85	47	10	1	1	–
	White—Female	372	–	–	1	–	4	4	4	4	2	3	11	19	28	40	65	66	45	54	19	2	1	–
	All other—Male	42	–	–	–	–	1	–	–	1	2	1	4	5	8	4	5	5	3	2	1	–	–	–
	All other—Female	25	–	–	–	–	–	–	1	–	–	–	1	4	1	5	3	7	2	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	206	4	–	1	2	2	–	6	4	6	9	9	8	17	17	29	24	35	15	8	9	1	–
	White—Male	87	2	–	–	1	1	–	2	2	3	4	4	1	5	5	14	12	18	5	5	2	1	–
	White—Female	89	2	–	1	–	–	–	3	1	–	1	3	3	9	9	13	10	14	10	3	7	–	–
	All other—Male	16	–	–	–	1	–	–	–	1	1	1	1	2	3	2	2	2	–	–	–	–	–	–
	All other—Female	14	–	–	–	–	1	–	1	–	2	3	1	2	–	1	–	–	3	–	–	–	–	–
250	Diabetes mellitus	1,453	1	–	1	1	5	4	5	17	15	21	40	54	81	143	216	226	245	225	120	27	6	–
	White—Male	551	–	–	–	–	2	–	4	8	5	8	11	16	34	60	79	80	104	89	38	10	3	–
	White—Female	631	–	–	1	1	2	3	1	5	4	3	11	14	22	46	84	100	119	120	75	17	3	–
	All other—Male	89	1	–	–	–	–	1	–	1	–	2	10	11	10	9	15	13	10	4	2	–	–	–
	All other—Female	182	–	–	–	–	1	–	–	3	6	8	8	13	15	28	38	33	12	12	5	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	146	7	–	–	–	1	2	1	2	–	3	3	1	5	6	13	17	19	30	16	14	6	–
	White—Male	61	4	–	–	–	1	–	1	1	–	2	–	1	3	4	6	6	6	14	4	6	2	–
	White—Female	58	–	–	–	–	–	1	–	–	–	1	1	–	1	1	6	7	9	11	10	7	3	–
	All other—Male	15	2	–	–	–	–	1	–	–	–	–	2	–	–	1	–	2	2	2	1	1	1	–
	All other—Female	12	1	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	2	3	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
260–285	Anemias	199	–	8	2	3	7	4	2	4	–	4	4	7	9	17	18	25	29	30	19	4	3	–
	White—Male	76	–	2	–	1	1	–	1	–	–	1	1	2	2	8	7	13	15	14	7	–	1	–
	Female	75	–	–	–	1	1	–	–	1	–	1	1	3	3	5	7	8	13	14	11	4	2	–
	All other—Male	28	–	4	–	–	4	2	1	–	–	–	1	–	2	3	3	4	1	2	1	–	–	–
	Female	20	–	2	2	1	1	2	–	3	–	2	1	2	2	1	1	–	–	–	–	–	–	–
320	Meningitis	63	22	15	–	–	3	–	–	–	1	3	–	4	3	1	5	3	2	–	1	–	–	–
	White—Male	20	6	5	–	–	–	–	–	–	–	2	–	–	2	1	2	1	1	–	–	–	–	–
	Female	17	6	4	–	–	1	–	–	–	–	–	–	3	–	–	1	–	1	–	1	–	–	–
	All other—Male	13	5	3	–	–	1	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	13	5	3	–	–	1	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	44,907	37	15	15	16	35	37	47	94	186	408	905	1,479	2,237	3,607	5,528	7,203	7,598	7,247	5,174	2,337	697	5
	White—Male	23,045	11	2	4	7	15	11	21	44	85	219	570	868	1,370	2,079	3,194	3,977	3,968	3,436	2,086	858	198	2
	Female	17,483	7	5	4	2	6	8	8	21	40	68	165	278	484	916	1,617	2,475	3,132	3,506	2,902	1,375	462	2
	All other—Male	2,265	9	3	4	2	9	8	5	13	31	65	100	173	240	322	389	398	239	117	78	44	16	–
	Female	2,114	10	5	3	5	5	10	13	16	30	56	70	140	143	290	328	353	259	188	108	60	21	1
390–398, 402, 404, 410–429	Diseases of heart	32,357	25	10	13	9	20	19	32	67	136	317	722	1,217	1,850	2,880	4,327	5,371	5,340	4,795	3,297	1,459	447	4
	White—Male	17,706	9	1	4	2	7	3	14	30	72	194	509	790	1,210	1,771	2,645	3,088	2,930	2,349	1,396	555	126	1
	Female	11,715	6	2	3	2	3	4	6	13	21	43	105	200	371	685	1,203	1,777	2,101	2,253	1,786	833	296	2
	All other—Male	1,560	3	2	3	2	7	5	2	9	22	43	66	130	176	228	261	277	155	80	48	31	10	–
	Female	1,376	7	5	3	3	3	7	10	15	21	37	42	97	93	196	218	229	154	113	67	40	15	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	665	–	1	3	3	5	5	9	4	17	12	34	41	62	79	125	93	82	65	18	6	1	–
	White—Male	290	–	–	1	–	1	2	3	1	4	3	16	23	25	39	41	46	40	37	6	1	1	–
	Female	313	–	1	–	–	–	–	3	2	5	4	14	14	31	36	76	44	39	27	12	5	–	–
	All other—Male	34	–	–	1	2	3	1	1	1	2	4	2	3	5	2	5	1	1	–	–	–	–	–
	Female	28	–	–	1	1	1	2	2	–	6	1	2	1	1	2	3	2	2	1	–	–	–	–
402	Hypertensive heart disease	235	–	–	–	–	–	–	–	1	4	2	4	7	19	24	34	36	37	35	21	11	–	–
	White—Male	77	–	–	–	–	–	–	–	–	1	1	2	4	9	5	15	14	12	6	6	2	–	–
	Female	100	–	–	–	–	–	–	–	–	1	–	–	1	2	8	8	14	21	23	15	7	–	–
	All other—Male	22	–	–	–	–	–	–	–	–	1	–	–	1	4	6	5	2	1	2	–	–	–	–
	Female	36	–	–	–	–	–	–	–	1	1	1	2	1	4	5	6	6	3	4	–	2	–	–
404	Hypertensive heart and renal disease	124	–	–	–	–	–	–	–	–	–	–	2	2	1	9	12	12	11	22	28	19	6	–
	White—Male	52	–	–	–	–	–	–	–	–	–	–	–	2	–	1	8	6	5	7	11	9	3	–
	Female	50	–	–	–	–	–	–	–	–	–	–	2	–	–	3	3	2	4	12	12	9	3	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	3	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	1	1	2	1	–	–
410–413	Ischemic heart disease	29,810	1	–	–	–	4	2	9	44	89	266	635	1,080	1,669	2,621	3,982	5,011	5,003	4,492	3,104	1,376	418	4
	White—Male	16,564	1	–	–	–	2	–	5	24	57	177	463	722	1,122	1,654	2,484	2,914	2,763	2,215	1,321	522	117	1
	Female	10,736	–	–	–	–	1	2	–	8	11	30	77	163	315	601	1,070	1,642	1,964	2,106	1,680	788	276	2
	All other—Male	1,340	–	–	–	–	–	–	1	6	13	34	59	110	155	194	236	243	138	72	40	29	10	–
	Female	1,170	–	–	–	–	1	–	3	6	8	25	36	85	77	172	192	212	138	99	63	37	15	1
410	Acute myocardial infarction	13,899	1	–	–	–	3	1	5	29	51	144	383	653	958	1,476	2,210	2,551	2,300	1,735	980	339	79	1
	White—Male	8,551	1	–	–	–	2	–	4	16	36	102	306	468	694	986	1,458	1,611	1,332	923	449	135	27	1
	Female	4,541	–	–	–	–	1	1	–	7	6	17	42	103	183	368	596	809	881	781	508	190	48	–
	All other—Male	474	–	–	–	–	–	–	–	3	6	15	22	50	61	73	91	80	42	15	10	4	2	–
	Female	333	–	–	–	–	–	–	1	3	3	10	13	32	20	49	65	51	45	16	13	10	2	–
411	Other acute and subacute forms of ischemic heart disease	190	–	–	–	–	–	–	–	1	2	8	7	11	14	20	29	30	22	24	13	7	2	–
	White—Male	103	–	–	–	–	–	–	–	–	–	7	1	6	9	11	22	10	14	13	8	2	–	–
	Female	63	–	–	–	–	–	–	–	–	–	–	3	4	2	4	7	14	7	10	5	5	2	–
	All other—Male	18	–	–	–	–	–	–	–	1	2	1	3	–	3	4	–	3	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	1	–	–	–	–
412	Chronic ischemic heart disease	15,712	–	–	–	–	1	1	4	14	36	114	245	416	697	1,123	1,741	2,429	2,678	2,733	2,110	1,030	337	3
	White—Male	7,908	–	–	–	–	–	–	1	8	21	68	156	248	419	657	1,003	1,293	1,416	1,279	864	385	90	–
	Female	6,125	–	–	–	–	–	1	–	1	5	13	32	56	130	227	466	818	1,074	1,315	1,166	593	226	2
	All other—Male	848	–	–	–	–	–	–	1	2	5	18	34	60	91	117	145	160	95	57	30	25	8	–
	Female	831	–	–	–	–	1	–	2	3	5	15	23	52	57	122	127	158	93	82	50	27	13	1
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	–	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	147	1	3	–	–	1	1	1	2	4	2	7	5	6	8	16	18	21	28	17	4	2	–
	White—Male	60	–	–	–	–	1	–	–	1	2	1	4	2	5	5	6	6	7	14	5	1	–	–
	Female	68	1	–	–	–	–	–	1	–	–	1	1	3	1	2	8	8	12	14	12	2	2	–
	All other—Male	9	–	1	–	–	–	1	–	–	1	–	1	–	–	1	–	2	1	–	–	1	–	–
	Female	10	–	2	–	–	–	–	–	1	1	–	1	–	–	–	2	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,376	23	6	10	6	10	11	13	16	22	35	40	82	93	139	158	201	186	153	109	43	20	–
	White Male	663	8	1	3	2	3	1	6	4	8	12	24	37	49	67	91	102	103	70	47	20	5	–
	White Female	448	5	1	3	2	2	2	2	3	4	8	11	19	22	35	38	67	61	71	55	22	15	–
	All other Male	146	3	1	2	–	4	3	–	2	5	5	4	16	12	23	15	28	13	4	5	1	–	–
	All other Female	119	7	3	2	2	1	5	5	7	5	10	1	10	10	14	14	4	9	8	2	–	–	–
400, 401, 403	Hypertension	300	–	–	–	–	–	1	1	2	2	6	6	13	15	20	32	50	42	49	37	19	4	1
	White Male	108	–	–	–	–	–	1	–	–	–	2	–	–	4	4	10	18	18	22	20	8	–	1
	White Female	108	–	–	–	–	–	–	–	–	1	1	1	2	2	4	9	18	15	23	17	11	4	–
	All other Male	43	–	–	–	–	–	–	1	1	1	3	5	6	2	5	4	8	6	1	–	–	–	–
	All other Female	41	–	–	–	–	–	–	–	1	–	–	–	5	7	7	9	6	3	3	–	–	–	–
430–438	Cerebrovascular diseases	9,568	10	5	2	6	13	12	9	19	39	75	143	209	295	553	901	1,376	1,751	1,910	1,443	641	156	–
	White Male	3,851	1	1	–	4	7	4	3	10	8	21	44	74	110	210	378	613	773	838	501	209	42	–
	White Female	4,560	1	3	1	–	2	3	1	7	15	20	49	65	92	190	337	568	824	991	882	404	105	–
	All other Male	550	5	1	1	–	2	3	2	2	8	16	23	35	53	77	101	96	65	21	23	12	4	–
	All other Female	607	3	–	–	2	2	2	3	–	8	18	27	35	40	76	85	99	89	60	37	16	5	–
431	Cerebral hemorrhage	1,104	5	3	1	1	3	6	1	5	14	23	52	61	68	114	140	178	169	136	91	27	6	–
	White Male	452	–	–	–	1	2	1	1	3	2	6	17	21	25	44	59	82	87	64	29	7	1	–
	White Female	442	1	3	–	–	–	2	–	2	5	5	16	13	14	40	51	82	65	65	58	17	3	–
	All other Male	108	2	–	1	–	1	1	–	–	4	9	7	14	15	17	20	7	8	1	–	1	–	–
	All other Female	102	2	–	–	–	–	2	–	–	3	3	12	13	14	13	10	7	9	6	4	2	2	–
433	Cerebral thrombosis	2,787	–	–	–	1	1	–	1	–	4	3	20	31	57	128	256	393	547	637	462	198	48	–
	White Male	1,196	–	–	–	–	–	–	–	–	1	1	8	14	27	52	121	189	241	305	167	62	8	–
	White Female	1,335	–	–	–	–	–	–	–	–	1	1	5	6	12	33	88	154	266	314	286	129	40	–
	All other Male	128	–	–	–	–	1	–	–	–	1	–	3	8	11	25	24	26	15	8	4	2	–	–
	All other Female	128	–	–	–	1	–	–	1	–	1	1	4	3	7	18	23	24	25	10	5	5	–	–
434	Cerebral embolism	50	–	–	–	–	–	–	–	–	–	2	–	4	3	4	9	6	7	11	2	2	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	1	3	4	2	–	–	–
	White Female	24	–	–	–	–	–	–	–	–	–	1	–	3	2	–	3	4	4	6	–	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,627	5	2	1	4	9	6	7	14	21	47	71	113	167	307	496	799	1,028	1,126	888	414	102	–
	White Male	2,185	1	1	–	3	5	3	2	7	5	14	19	39	57	111	194	341	442	465	303	140	33	–
	White Female	2,759	–	–	1	–	2	1	1	5	9	13	28	43	64	117	195	328	489	606	538	257	62	–
	All other Male	311	3	1	–	–	–	2	2	2	3	6	13	13	27	34	56	63	42	12	19	9	4	–
	All other Female	372	1	–	–	1	2	–	2	–	4	14	11	18	19	45	51	67	55	43	28	8	3	–
440	Arteriosclerosis	1,309	–	–	–	–	–	–	–	–	2	3	4	6	19	31	76	138	199	315	284	158	74	–
	White Male	544	–	–	–	–	–	–	–	–	2	–	2	3	10	17	34	71	84	129	110	56	26	–
	White Female	664	–	–	–	–	–	–	–	–	–	1	1	1	4	8	22	50	98	171	164	99	45	–
	All other Male	51	–	–	–	–	–	–	–	–	–	1	1	–	5	3	9	8	8	8	6	–	2	–
	All other Female	50	–	–	–	–	–	–	–	–	–	1	–	2	–	3	11	9	9	7	4	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,373	2	–	–	1	2	5	5	6	7	7	30	34	58	123	192	268	266	178	113	60	16	–
	White Male	836	1	–	–	1	1	3	4	4	3	2	15	21	36	77	127	187	163	98	59	30	4	–
	White Female	436	–	–	–	–	1	1	1	1	3	3	9	10	15	29	46	62	94	68	53	28	12	–
	All other Male	61	1	–	–	–	–	–	–	1	–	2	5	2	4	9	14	9	5	7	1	1	–	–
	All other Female	40	–	–	–	–	–	1	–	–	1	–	1	1	3	8	5	10	4	5	–	1	–	–
466	Acute bronchitis and bronchiolitis	34	3	2	–	–	1	–	–	1	–	1	1	–	3	3	7	5	1	2	2	2	–	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	–	1	–	–	–	–
	White Female	18	–	1	–	–	1	–	–	–	–	1	1	–	1	2	2	4	1	–	2	2	–	–
	All other Male	6	2	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,151	113	31	7	12	14	11	11	19	18	32	70	77	110	139	206	211	326	322	240	126	56	–
	White Male	1,001	24	9	–	4	5	6	6	4	5	9	33	30	54	61	101	109	177	179	121	47	17	–
	White Female	771	22	6	5	5	6	2	1	8	4	2	15	25	24	36	74	63	126	129	110	76	32	–
	All other Male	236	29	9	2	1	–	1	3	4	7	19	12	17	20	32	25	23	15	8	4	3	2	–
	All other Female	143	38	7	–	2	3	2	1	3	2	2	10	5	12	10	6	16	8	6	5	–	5	–
470–474	Influenza	53	3	–	–	1	–	–	–	–	–	1	1	1	2	3	6	8	6	8	10	3	–	–
	White Male	23	2	–	–	–	–	–	–	–	–	–	1	–	2	1	3	3	3	3	4	1	–	–
	White Female	22	–	–	–	1	–	–	–	–	–	–	–	1	–	1	3	3	3	5	4	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	1	–	–
	All other Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
480–486	Pneumonia	2,098	110	31	7	11	14	11	11	19	18	31	69	76	108	136	200	203	320	314	230	123	56	–
	White Male	978	22	9	–	4	5	6	6	4	5	9	32	30	52	60	98	106	174	176	117	46	17	–
	White Female	749	22	6	5	4	6	2	1	8	4	2	15	24	24	35	71	60	123	124	106	75	32	–
	All other Male	231	29	9	2	1	–	1	3	4	7	18	12	17	20	31	25	22	15	8	3	2	2	–
	All other Female	140	37	7	–	2	3	2	1	3	2	2	10	5	12	10	6	15	8	6	4	–	5	–
490–493	Bronchitis, emphysema, and asthma	1,434	4	2	–	1	2	3	3	6	10	7	20	55	96	157	237	303	267	153	84	18	5	1
	White Male	989	1	1	–	–	1	1	–	3	1	2	12	24	55	103	162	223	205	117	64	11	3	–
	White Female	345	–	1	–	1	–	–	2	1	3	–	7	23	27	40	61	65	54	35	16	7	2	–
	All other Male	79	1	–	–	–	1	1	1	1	4	3	–	7	12	13	13	11	7	–	3	–	–	1
	All other Female	21	2	–	–	–	–	1	–	1	2	2	1	1	2	1	1	4	1	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida – Con.																							
490, 491	Chronic and unqualified bronchitis	210	3	1	–	–	–	–	–	1	–	–	5	8	13	20	22	43	40	36	12	6	–	
	White Male	141	1	1	–	–	–	–	–	1	–	–	4	4	8	11	16	30	30	23	7	5	–	
	Female	59	–	–	–	–	–	–	–	–	–	–	1	4	4	5	6	11	10	13	4	1	–	
	All other Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	1	–	–	
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
492	Emphysema	1,144	–	1	–	–	–	–	1	2	5	5	13	39	73	130	201	254	220	112	71	11	5	1
	White Male	827	–	–	–	–	–	–	–	2	1	2	7	18	43	90	143	191	173	91	57	6	3	
	Female	250	–	1	–	–	–	–	1	–	1	–	6	15	21	31	46	51	39	20	11	5	2	
	All other Male	61	–	–	–	–	–	–	–	–	3	3	–	6	8	9	12	10	7	–	2	–	–	1
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	–	–	
493	Asthma	80	1	–	–	1	2	3	2	3	5	2	2	8	10	7	14	6	7	5	1	1	–	
	White Male	21	–	–	–	–	1	1	–	–	–	–	1	2	4	2	3	2	2	3	–	–	–	
	Female	36	–	–	–	1	–	–	1	1	2	–	–	4	2	4	9	3	5	2	1	1	–	
	All other Male	11	–	–	–	–	1	1	1	1	1	–	–	1	3	1	1	–	–	–	–	–	–	
	Female	12	1	–	–	–	–	1	–	1	2	2	1	1	1	–	1	1	–	–	–	–	–	
531–533	Peptic ulcer	290	1	–	–	1	–	2	2	4	4	8	12	17	22	29	50	42	38	29	20	8	1	
	White Male	152	–	–	–	1	–	–	2	3	2	4	5	8	13	19	24	23	21	14	11	2	–	
	Female	97	–	–	–	–	–	1	–	–	–	3	2	5	5	7	19	10	16	15	7	6	1	
	All other Male	32	–	–	–	–	–	1	–	1	2	1	4	3	4	3	5	5	1	–	2	–	–	
	Female	9	1	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	–	–	–	–	–	
540–543	Appendicitis	39	–	–	–	2	1	1	2	1	1	–	4	3	3	2	4	3	5	2	3	1	1	
	White Male	19	–	–	–	–	1	1	–	–	1	–	1	2	1	–	1	–	4	2	3	1	1	
	Female	10	–	–	–	1	–	–	1	–	–	–	2	1	–	1	2	2	–	–	–	–	–	
	All other Male	7	–	–	–	1	–	–	1	1	–	–	1	–	2	–	1	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	248	14	4	1	2	2	2	2	–	2	3	6	8	10	23	20	30	39	38	27	13	2	
	White Male	80	5	–	1	1	1	1	1	–	–	1	2	1	3	8	9	13	10	10	9	4	–	
	Female	133	5	3	–	–	1	–	1	–	–	–	2	5	7	9	8	14	25	25	18	8	2	
	All other Male	17	2	–	–	–	–	–	–	–	2	1	1	2	–	4	1	1	1	2	–	–	–	
	Female	18	2	1	–	1	–	1	–	–	–	1	1	–	–	2	2	2	3	1	–	1	–	
571	Cirrhosis of liver	1,657	–	–	–	–	1	2	13	32	54	113	196	245	279	239	212	136	80	38	13	3	1	
	White Male	857	–	–	–	–	1	1	3	10	20	42	101	117	130	121	135	99	43	28	4	1	1	
	Female	576	–	–	–	–	1	1	1	14	12	34	59	93	115	93	70	34	29	10	9	2	–	
	All other Male	127	–	–	–	–	–	–	2	2	8	21	22	22	22	17	4	1	6	–	–	–	–	
	Female	97	–	–	–	–	–	–	7	6	14	16	14	13	12	8	3	2	2	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	133	–	–	–	–	–	1	–	1	1	2	1	7	6	13	10	27	20	22	13	7	2	
	White Male	56	–	–	–	–	–	1	–	1	1	1	1	2	3	5	6	16	7	10	2	–	–	
	Female	68	–	–	–	–	–	–	–	–	–	–	–	3	3	7	3	9	12	11	11	7	2	
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	2	1	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	383	2	–	3	4	3	5	2	7	5	16	15	19	29	34	44	52	61	44	27	10	1	
	White Male	156	–	–	–	2	–	2	2	2	1	4	5	6	10	10	18	23	36	20	14	1	–	
	Female	117	1	–	2	1	1	–	–	–	–	4	2	4	6	10	17	15	17	19	10	7	1	
	All other Male	52	1	–	1	–	1	1	–	3	2	2	5	5	6	6	3	8	5	3	–	–	–	
	Female	58	–	–	–	1	1	2	–	2	2	6	3	4	7	8	6	6	3	2	3	2	–	
580, 581	Acute nephritis and nephrotic syndrome	85	2	–	1	2	1	2	–	1	1	4	2	2	8	6	10	10	19	11	2	1	–	
	White Male	39	–	–	–	–	1	–	1	1	–	–	1	3	2	7	5	13	5	–	–	–	–	
	Female	25	1	–	1	1	–	–	–	–	–	–	1	2	3	1	3	4	6	1	1	–	–	
	All other Male	11	1	–	–	–	1	1	–	–	–	1	1	1	1	1	1	1	1	–	–	–	–	
	Female	10	–	–	–	1	–	–	–	–	–	3	–	–	2	–	1	1	1	–	1	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	298	–	–	2	2	2	3	2	6	4	12	13	17	21	28	34	42	42	33	25	9	1	
	White Male	117	–	–	–	2	–	1	2	1	–	4	5	5	7	8	11	18	23	15	14	1	–	
	Female	92	–	–	1	–	1	–	–	–	–	4	1	4	4	7	16	12	13	13	9	6	1	
	All other Male	41	–	–	1	–	–	–	–	3	2	1	4	4	5	5	2	7	4	3	–	–	–	
	Female	48	–	–	–	–	1	2	–	2	2	3	3	4	5	8	5	5	2	2	2	2	–	
590	Infections of kidney	262	–	–	–	1	1	–	1	3	–	2	4	5	8	13	26	45	56	51	29	14	3	
	White Male	104	–	–	–	–	–	–	1	–	–	–	2	2	–	3	11	18	21	26	14	5	1	
	Female	121	–	–	–	1	1	–	–	2	–	1	1	–	5	4	10	20	31	22	14	7	2	
	All other Male	19	–	–	–	–	–	–	–	1	–	–	1	–	1	3	2	4	4	2	–	1	–	
	Female	18	–	–	–	–	–	–	–	–	–	1	–	3	2	3	3	3	–	1	1	1	–	
600	Hyperplasia of prostate	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	10	11	14	9	5	1	
	White Male	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	8	10	11	8	5	1	
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	1	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	3	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	
	White Female	7	–	–	–	–	–	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	5	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	3	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	7	–	–	–	–	–	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	5	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	476	279	43	20	11	9	9	9	10	7	4	7	3	12	14	16	12	3	5	–	3	–	–
	White.....Male	197	116	17	11	5	3	3	1	3	2	1	1	–	5	6	10	6	3	3	–	1	–	–
	Female	177	97	15	7	4	4	4	4	5	5	3	3	3	3	6	5	5	–	2	–	2	–	–
	All other.....Male	63	39	7	1	2	2	–	4	2	–	–	2	–	1	2	1	–	–	–	–	–	–	–
	Female	39	27	4	1	–	–	2	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,028	1,027	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White.....Male	375	374	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	247	247	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	221	221	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	567	566	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White.....Male	220	219	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	461	461	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,467	154	14	2	1	16	13	28	12	12	50	71	82	108	153	168	162	129	107	92	63	26	4
	White.....Male	615	49	4	–	–	5	5	11	3	2	16	32	46	46	78	89	71	60	44	24	23	6	1
	Female	445	27	4	1	1	7	4	10	4	6	9	20	15	23	35	41	51	40	45	54	30	17	1
	All other.....Male	214	44	1	1	–	3	2	4	4	2	13	11	9	19	24	22	20	13	9	6	4	1	2
	Female	193	34	5	–	–	1	2	3	1	2	12	8	12	20	16	16	20	16	9	8	6	2	–
Residual	All other diseases	5,595	75	46	31	21	51	66	66	73	98	146	212	286	385	558	684	816	783	644	381	139	33	1
	White.....Male	2,748	28	24	9	14	29	26	25	27	23	55	78	129	189	278	372	445	424	323	191	55	4	–
	Female	2,035	16	13	16	4	11	20	18	20	33	39	69	89	119	178	231	290	302	290	169	82	26	–
	All other.....Male	456	16	6	3	3	8	14	12	14	22	27	36	40	43	52	45	50	30	20	12	1	1	1
	Female	356	15	3	3	–	3	6	11	12	20	25	29	28	34	50	36	31	27	11	9	1	2	–
E800–E949	Accidents	4,542	63	211	142	165	497	417	300	246	198	213	241	247	245	244	228	239	221	196	135	67	25	2
	White.....Male	2,556	19	99	57	87	324	299	198	159	122	122	136	146	143	127	133	119	99	85	51	23	7	1
	Female	1,159	21	60	37	37	96	58	37	44	30	37	46	55	57	67	52	87	107	101	75	42	13	–
	All other.....Male	615	12	34	34	27	65	52	49	40	32	40	42	35	40	39	35	18	6	6	5	1	2	1
	Female	212	11	18	14	14	12	8	16	3	14	14	17	11	5	11	8	15	9	4	4	1	3	–
E810–E823	Motor vehicle accidents	2,172	11	75	71	78	349	265	185	133	119	117	118	111	106	108	99	87	63	46	20	10	1	–
	White.....Male	1,284	4	26	29	42	234	190	110	83	70	66	63	67	63	57	60	39	36	25	13	6	1	–
	Female	518	6	24	17	25	77	45	33	28	18	26	25	23	25	36	23	36	23	18	7	3	–	–
	All other.....Male	266	–	12	16	6	33	25	28	20	18	17	19	15	15	12	15	9	3	2	–	1	–	–
	Female	104	1	13	9	5	5	5	14	2	13	8	11	6	3	3	1	3	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,370	52	136	71	87	148	152	115	113	79	96	123	136	139	136	129	152	158	150	115	57	24	2
	White.....Male	1,272	15	73	28	45	90	109	88	76	52	56	73	79	80	70	73	80	63	60	38	17	6	1
	Female	641	15	36	20	12	19	13	4	16	12	11	21	32	32	31	29	51	84	83	68	39	13	–
	All other.....Male	349	12	22	18	21	32	27	21	20	14	23	23	20	25	27	20	9	3	4	5	–	2	1
	Female	108	10	5	5	9	7	3	2	1	1	6	6	5	2	8	7	12	8	3	4	1	3	–
E950–E959	Suicide	1,362	. . .	. . .	–	10	63	132	126	95	85	93	127	139	115	105	96	70	46	35	12	13	–	–
	White.....Male	870	. . .	. . .	–	7	47	83	84	54	51	52	75	82	72	71	58	47	36	29	10	12	–	–
	Female	414	. . .	. . .	–	2	13	32	31	27	27	38	44	54	40	32	35	23	8	5	2	1	–	–
	All other.....Male	58	. . .	. . .	–	1	2	15	6	9	7	2	5	2	3	1	3	–	2	–	–	–	–	–
	Female	20	. . .	. . .	–	–	1	2	5	5	–	1	3	1	–	1	–	–	–	1	–	–	–	–
E960–E978	Homicide	1,261	9	13	7	17	99	197	169	142	129	120	94	87	63	43	25	20	17	6	3	–	–	1
	White.....Male	427	2	2	4	5	25	51	61	52	43	37	32	32	28	18	17	7	5	4	1	–	–	1
	Female	141	2	4	2	3	12	19	13	10	9	12	13	9	8	8	4	5	7	1	–	–	–	–
	All other.....Male	554	3	4	–	8	44	100	74	67	64	54	43	40	23	14	2	7	4	1	2	–	–	–
	Female	139	2	3	1	1	18	27	21	13	13	17	6	6	4	3	2	1	1	–	–	–	–	–
E980–E999	Other external causes	240	3	6	2	3	19	23	16	22	15	26	26	22	14	9	9	9	6	3	1	2	–	4
	White.....Male	114	2	2	–	2	10	14	11	10	5	12	10	10	6	3	4	4	3	2	1	1	–	2
	Female	80	1	2	1	–	4	6	2	5	5	10	11	10	6	5	2	4	3	1	–	1	–	1
	All other.....Male	33	–	1	1	–	5	2	1	5	3	3	4	1	2	1	2	1	–	–	–	–	–	1
	Female	13	–	1	–	1	–	1	2	2	2	1	1	1	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia																							
	All causes	42,953	1,504	296	193	243	650	754	681	743	860	1,245	1,850	2,669	3,297	4,405	4,907	5,185	4,668	4,184	2,781	1,330	488	20
	White—Male	17,201	458	94	78	118	335	347	297	268	325	475	821	1,190	1,527	2,026	2,173	2,118	1,771	1,454	856	371	95	4
	Female	13,129	338	83	51	52	117	122	99	126	171	245	390	555	661	925	1,174	1,521	1,849	2,056	1,548	783	259	4
	All other—Male	6,808	394	70	43	44	133	202	186	214	217	293	350	552	653	794	841	767	522	293	133	58	43	6
	Female	5,815	314	49	21	29	65	83	99	135	147	232	289	372	456	660	719	779	526	381	244	118	91	6
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	81	32	4	1	–	–	1	–	3	2	1	1	2	3	3	3	2	6	7	5	3	2	–
	White—Male	25	6	2	–	–	–	1	–	1	1	–	–	1	1	2	1	2	1	4	1	1	–	–
	Female	15	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	2	4	2	1	–
	All other—Male	25	15	2	1	–	–	–	–	1	1	1	–	–	1	–	2	–	1	–	–	–	–	–
	Female	16	9	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	2	1	–	–	1	–
010–019	Tuberculosis, all forms	95	1	1	–	–	–	–	3	4	4	2	7	7	16	14	10	13	5	7	1	–	–	–
	White—Male	28	1	–	–	–	–	–	–	–	–	–	4	3	4	4	1	4	3	4	–	–	–	–
	Female	17	–	1	–	–	–	–	–	–	–	–	1	1	1	2	2	5	1	2	1	–	–	–
	All other—Male	34	–	–	–	–	–	–	2	2	2	2	2	2	7	7	5	1	1	1	–	–	–	–
	Female	16	–	–	–	–	–	–	1	2	2	–	–	1	4	1	2	3	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	78	1	–	–	–	–	–	2	3	4	–	7	6	13	11	9	10	4	7	1	–	–	–
	White—Male	26	1	–	–	–	–	–	–	–	–	–	4	3	4	3	1	4	2	4	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	4	1	2	1	–	–	–
	All other—Male	27	–	–	–	–	–	–	2	1	2	–	2	1	5	7	4	1	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	2	2	–	–	1	3	–	2	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	17	–	1	–	–	–	–	1	1	–	2	–	1	3	3	1	3	1	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other—Male	7	–	–	–	–	–	–	–	1	–	2	–	1	2	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	–	2	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	170	33	2	2	1	2	1	1	1	3	4	7	8	5	16	16	25	12	13	8	7	3	–
	White—Male	42	10	1	–	–	–	–	–	–	2	3	2	1	–	4	3	5	3	4	1	2	1	–
	Female	55	4	–	1	1	–	–	1	–	–	–	2	4	3	4	2	12	5	6	6	4	–	–
	All other—Male	46	14	1	1	–	2	–	–	–	–	1	3	1	2	4	6	4	3	3	–	1	–	–
	Female	27	5	–	–	–	–	1	–	1	1	–	–	2	–	4	5	4	1	–	1	–	2	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	17	1	–	–	–	–	–	–	–	1	–	–	1	–	3	6	2	1	2	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other—Male	7	1	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	104	6	6	3	5	6	4	3	3	2	4	10	9	7	11	6	6	7	2	3	1	–	–
	White—Male	38	1	3	1	2	4	–	1	1	2	2	4	1	3	5	1	2	4	1	–	–	–	–
	Female	33	4	3	2	2	1	1	1	1	–	–	2	2	1	3	2	1	2	1	3	1	–	–
	All other—Male	12	1	–	–	1	–	–	–	–	–	–	2	3	1	2	–	2	–	–	–	–	–	–
	Female	21	–	–	–	–	1	3	1	1	–	2	2	3	2	1	3	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,720	2	19	32	17	31	36	44	59	109	210	388	595	755	982	1,043	866	719	473	232	92	15	1
	White—Male	2,722	1	7	15	5	9	16	21	16	27	67	134	220	315	445	465	361	284	195	92	24	2	1
	Female	2,239	–	6	9	5	7	11	11	27	42	74	155	197	209	283	283	267	282	201	109	52	9	–
	All other—Male	954	1	3	5	4	9	6	5	4	12	26	43	100	130	135	172	138	101	40	12	7	1	–
	Female	805	–	3	3	3	6	3	7	12	28	43	56	78	101	119	123	100	52	37	19	9	3	–
140–149	Of buccal cavity and pharynx	180	–	–	–	–	–	1	1	1	–	8	14	22	22	36	19	22	17	6	9	2	–	–
	White—Male	86	–	–	–	–	–	–	1	–	–	6	7	10	7	19	12	9	7	3	4	1	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	3	4	8	9	2	8	8	3	5	1	–	–
	All other—Male	31	–	–	–	–	–	1	–	–	–	2	2	8	6	5	2	3	2	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	2	–	1	3	3	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,651	–	1	–	–	1	6	7	6	18	35	81	119	166	239	253	246	211	145	81	32	4	–
	White—Male	568	–	1	–	–	–	1	3	4	6	12	32	46	54	88	93	82	66	50	25	5	–	–
	Female	595	–	–	–	–	–	1	2	2	7	10	27	27	49	76	71	85	95	72	44	25	2	–
	All other—Male	270	–	–	–	–	1	3	–	–	3	4	13	25	31	42	53	45	38	8	4	–	–	–
	Female	218	–	–	–	–	–	1	2	–	2	9	9	21	32	33	36	34	12	15	8	2	2	–
160–163	Of respiratory system	1,613	–	–	1	–	1	1	2	4	24	44	111	168	238	272	299	203	141	72	22	8	1	1
	White—Male	1,047	–	–	–	–	–	1	–	1	13	26	62	95	153	188	213	141	93	44	13	3	–	1
	Female	225	–	–	–	–	–	–	1	3	3	4	24	28	29	26	29	29	21	18	7	2	1	–
	All other—Male	289	–	–	1	–	1	–	1	–	5	10	20	38	50	48	52	29	23	8	1	2	–	–
	Female	52	–	–	–	–	–	–	–	–	3	4	5	7	6	10	5	4	4	2	1	1	–	–
174	Of breast	574	–	–	–	–	–	2	11	23	30	59	81	64	92	63	59	39	27	12	8	4	–	–
	White—Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	429	–	–	–	–	–	1	7	15	18	48	58	46	72	50	38	35	21	10	7	3	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	139	–	–	–	–	–	1	4	8	10	11	23	16	20	12	21	4	5	2	1	1	–	–
180–187	Of genital organs	871	–	2	–	–	2	5	6	10	18	38	34	58	70	104	131	124	124	90	39	13	3	–
	White—Male	245	–	–	–	–	1	4	3	1	–	2	1	4	6	28	32	46	40	47	24	5	1	–
	Female	320	–	1	–	–	–	1	1	3	5	19	21	37	27	42	42	38	47	23	8	4	1	–
	All other—Male	140	–	–	–	–	–	–	1	1	–	–	–	3	13	16	26	29	25	17	4	4	1	–
	Female	166	–	1	–	–	1	–	2	5	12	17	12	14	24	18	31	11	12	3	3	–	–	–
188, 189	Of urinary organs	265	–	1	–	–	–	1	–	1	2	4	4	22	28	35	40	34	38	28	23	4	–	–
	White—Male	129	–	–	–	–	–	–	–	–	1	1	1	11	14	21	17	19	19	11	13	1	–	–
	Female	80	–	1	–	–	–	–	–	–	–	–	2	2	5	8	14	12	13	13	8	2	–	–
	All other—Male	31	–	–	–	–	–	1	–	1	–	1	–	9	6	4	3	1	3	1	–	1	–	–
	Female	25	–	–	–	–	–	–	–	–	1	2	1	–	3	2	6	2	3	3	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	942	2	7	11	7	12	6	14	15	13	29	58	74	110	135	144	104	91	60	34	14	2	–
	White—Male	369	1	3	6	1	3	3	8	7	4	12	21	29	51	56	61	35	32	21	10	5	–	–
	Female	328	–	2	3	2	5	3	5	5	7	12	19	23	32	39	39	37	37	30	19	7	2	–
	All other—Male	121	1	2	1	2	3	–	1	2	1	5	5	12	15	15	24	17	8	5	2	–	–	–
	Female	124	–	–	1	2	1	–	–	1	1	–	13	10	12	25	20	15	14	4	3	2	–	–
204–207	Leukemia	271	–	6	15	8	11	4	7	6	3	11	10	21	18	28	39	25	23	22	5	8	1	–
	White—Male	118	–	2	5	3	5	1	3	2	1	4	3	11	7	18	16	10	11	10	2	3	1	–
	Female	91	–	1	5	2	2	3	1	3	2	5	4	7	4	4	16	6	11	9	3	3	–	–
	All other—Male	29	–	1	3	2	2	–	2	–	–	2	1	1	3	3	2	5	1	1	–	–	–	–
	Female	33	–	2	2	1	2	–	1	1	–	–	2	2	4	3	5	4	–	2	–	2	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	353	–	2	5	2	4	12	5	5	8	11	17	30	39	41	55	49	35	23	7	3	–	–
	White—Male	157	–	1	4	1	–	6	3	1	2	3	7	14	22	27	21	19	16	8	1	1	–	–
	Female	120	–	1	1	1	–	3	–	4	3	6	7	11	9	7	20	14	15	12	5	1	–	–
	All other—Male	40	–	–	–	–	2	1	1	–	2	1	2	4	5	2	9	9	1	–	1	–	–	–
	Female	36	–	–	–	–	2	2	1	–	1	1	1	1	3	5	5	7	3	3	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	105	–	3	1	3	1	3	3	3	1	7	4	12	9	14	7	12	9	11	2	–	–	–
	White—Male	32	–	2	–	1	–	–	–	2	–	1	–	3	3	4	3	2	3	7	1	–	–	–
	Female	36	–	1	–	–	–	1	1	–	1	3	2	4	4	5	2	6	2	3	1	–	–	–
	All other—Male	19	–	–	1	2	1	2	–	–	–	2	–	3	1	3	2	–	2	–	–	–	–	–
	Female	18	–	–	–	–	–	–	2	1	–	1	2	2	1	2	–	4	2	1	–	–	–	–
250	Diabetes mellitus	696	–	–	–	1	3	4	4	6	19	22	24	47	63	78	128	106	77	61	42	7	4	–
	White—Male	188	–	–	–	1	–	1	1	1	6	4	9	10	12	26	31	27	23	21	13	1	1	–
	Female	214	–	–	–	–	1	–	1	2	1	2	3	10	14	10	48	33	29	31	24	3	2	–
	All other—Male	74	–	–	–	–	–	2	1	1	5	9	1	8	7	13	9	10	4	2	1	–	1	–
	Female	220	–	–	–	–	2	1	1	2	7	7	11	19	30	29	40	36	21	7	4	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	60	11	–	–	1	–	–	–	–	–	3	–	3	2	5	6	5	6	8	6	4	–	–
	White—Male	12	2	–	–	1	–	–	–	–	–	–	–	–	–	1	2	1	1	2	2	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	4	4	3	–	–
	All other—Male	18	6	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	2	2	–	–	–	–
	Female	14	3	–	–	–	–	–	–	–	–	2	–	1	–	2	–	3	2	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia – Con.																							
280–285	Anemias	81	1	4	2	1	–	–	3	4	2	3	5	7	5	6	5	5	16	8	4	–	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2	2	4	2	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	8	4	3	–	–	–
	All other Male	21	–	1	2	1	–	–	1	3	–	1	2	1	1	3	1	1	2	1	–	–	–	–
	Female	24	1	3	–	–	–	–	2	1	2	2	2	1	2	2	2	–	2	1	1	–	–	–
320	Meningitis	61	25	12	4	1	2	1	–	–	–	2	–	3	1	2	4	3	1	–	–	–	–	–
	White Male	18	4	7	2	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
	Female	10	6	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	17	7	1	2	–	2	1	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–
	Female	16	8	2	–	–	–	–	–	–	–	–	–	2	–	–	1	3	–	–	–	–	–	–
390–448	Major cardiovascular diseases	21,783	12	8	8	8	23	29	52	94	172	360	689	1,135	1,609	2,299	2,761	3,197	3,035	2,879	2,030	1,008	366	9
	White Male	8,519	5	2	2	4	8	10	13	27	66	161	359	585	771	1,056	1,214	1,268	1,101	942	584	273	68	–
	Female	7,275	–	3	2	2	5	7	6	20	26	54	85	155	267	400	620	942	1,243	1,477	1,165	603	192	1
	All other Male	2,925	2	2	3	–	5	6	17	26	40	81	122	239	328	448	469	470	313	185	94	39	33	3
	Female	3,064	5	1	1	2	5	6	16	21	40	64	123	156	243	395	458	517	378	275	187	93	73	5
390–398, 402, 404, 410–429	Diseases of heart	14,886	9	4	5	2	15	18	31	62	108	276	543	917	1,264	1,731	2,035	2,173	1,977	1,769	1,186	555	200	6
	White Male	6,506	2	1	2	1	5	7	9	23	53	143	324	526	668	891	955	963	776	602	366	151	38	–
	Female	4,561	–	2	1	–	3	3	4	11	12	36	54	126	208	292	457	590	791	894	658	323	96	–
	All other Male	1,959	2	1	1	–	2	4	12	20	24	57	82	164	235	308	324	308	196	119	56	20	21	3
	Female	1,860	5	–	1	1	5	4	6	8	19	40	83	101	153	240	299	312	214	154	106	61	45	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	176	–	–	2	1	4	3	3	5	7	12	14	10	23	16	21	19	16	12	4	4	–	–
	White Male	59	–	–	–	–	–	1	2	–	2	3	7	3	11	6	9	8	5	2	–	–	–	–
	Female	72	–	–	–	–	1	–	–	3	1	8	2	4	6	4	9	9	9	9	4	3	–	–
	All other Male	24	–	–	1	–	–	1	1	2	1	–	2	2	5	4	2	1	1	1	–	–	–	–
	Female	21	–	–	1	1	3	1	–	–	3	1	3	1	1	2	1	1	1	–	–	1	–	–
402	Hypertensive heart disease	202	1	–	–	–	–	–	1	–	–	3	5	14	16	23	33	33	32	22	10	8	2	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	2	2	4	6	2	3	3	3	–	–	–
	Female	58	–	–	–	–	–	–	1	–	–	1	–	1	4	5	7	10	14	10	1	3	1	–
	All other Male	53	–	–	–	–	–	–	–	–	–	1	3	6	5	5	9	12	6	3	1	2	–	–
	Female	66	1	–	–	–	–	–	–	–	–	1	2	5	4	9	11	9	9	6	5	3	1	–
404	Hypertensive heart and renal disease	127	–	–	–	–	–	–	–	–	–	–	2	3	8	8	11	18	27	24	19	4	3	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	8	5	5	–	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	8	12	16	10	4	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	4	2	1	1	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	1	5	2	4	3	5	2	3	–	3	–
410–413	Ischemic heart disease	12,863	1	–	–	–	1	2	13	38	82	221	447	783	1,066	1,527	1,782	1,912	1,733	1,550	1,049	484	166	6
	White Male	5,836	–	–	–	–	–	1	1	15	45	122	273	473	593	825	872	889	703	536	319	135	34	–
	Female	3,980	–	–	–	–	1	–	3	6	10	21	45	103	173	257	404	512	692	785	594	288	86	–
	All other Male	1,568	–	–	–	–	–	–	8	12	17	47	63	127	181	251	264	250	165	101	47	15	17	3
	Female	1,479	1	–	–	–	–	1	1	5	10	31	66	80	119	194	242	261	173	128	89	46	29	3
410	Acute myocardial infarction	7,739	1	–	–	–	1	–	7	25	62	173	351	571	766	1,057	1,152	1,165	964	754	454	182	49	5
	White Male	4,035	–	–	–	–	–	–	–	13	40	105	236	384	473	627	623	585	431	289	156	59	14	–
	Female	2,206	–	–	–	–	1	–	2	4	7	19	34	76	132	188	266	326	393	376	251	108	23	–
	All other Male	805	–	–	–	–	–	–	5	7	10	28	37	72	95	143	136	128	73	36	22	4	6	3
	Female	693	1	–	–	–	–	–	–	1	5	21	44	39	66	99	127	126	67	53	25	11	6	2
411	Other acute and subacute forms of ischemic heart disease	57	–	–	–	–	–	–	1	1	1	2	2	5	7	6	6	12	5	4	4	1	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	1	1	3	1	4	4	6	3	–	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	3	–	2	1	–	–	–
	All other Male	13	–	–	–	–	–	–	1	1	–	1	–	1	4	1	1	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	–	–	–
412	Chronic ischemic heart disease	5,063	–	–	–	–	–	2	5	12	19	46	94	207	293	463	624	734	763	791	591	301	117	1
	White Male	1,773	–	–	–	–	–	1	1	2	5	16	36	86	119	193	245	297	269	247	161	75	20	–
	Female	1,761	–	–	–	–	–	–	1	2	2	2	10	26	40	68	138	183	298	406	342	180	63	–
	All other Male	750	–	–	–	–	–	2	4	7	18	26	54	82	107	127	120	92	64	25	11	11	–	–
	Female	779	–	–	–	–	–	1	1	4	5	10	22	41	52	95	114	134	104	74	63	35	23	1
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	91	2	–	–	–	1	1	–	–	2	3	2	5	2	7	9	15	9	15	10	5	3	–
	White Male	35	1	–	–	–	–	1	–	–	1	1	2	3	1	2	2	4	2	7	5	2	1	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	4	5	3	3	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	1	–	–	–
	Female	24	1	–	–	–	1	–	–	–	1	1	–	1	1	3	3	4	2	3	1	–	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974—Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,427	5	4	3	1	9	12	14	19	17	37	73	102	150	150	179	176	160	146	94	50	26	–
	White..... Male	524	1	1	2	1	5	4	6	8	5	17	42	44	60	53	63	57	55	49	34	14	3	–
	Female	375	–	2	1	–	1	3	–	2	1	5	6	17	25	24	35	47	60	69	46	22	9	–
	All other..... Male	287	2	1	–	–	2	3	3	6	6	9	14	28	42	43	43	38	21	13	6	3	4	–
	Female	241	2	–	–	–	1	2	5	3	5	6	11	13	23	30	38	34	24	15	8	11	10	–
400, 401, 403	Hypertension	172	–	–	–	–	–	–	3	4	9	6	9	11	14	16	24	23	21	16	13	2	1	–
	White..... Male	43	–	–	–	–	–	–	–	–	–	1	2	3	3	3	4	8	8	7	3	–	1	–
	Female	39	–	–	–	–	–	–	–	1	1	–	1	–	2	2	6	7	6	5	6	2	–	–
	All other..... Male	43	–	–	–	–	–	–	1	2	4	2	3	6	3	4	7	5	2	2	2	–	–	–
	Female	47	–	–	–	–	–	–	2	1	4	3	3	2	6	7	7	3	5	2	2	–	–	–
430–438	Cerebrovascular diseases	5,606	3	4	3	5	6	9	13	25	51	70	121	177	280	459	614	851	857	919	669	353	114	3
	White..... Male	1,540	3	1	–	3	2	2	2	4	13	14	29	39	76	114	205	231	251	271	168	92	20	–
	Female	2,259	–	1	1	1	1	3	2	6	12	17	28	23	51	92	146	307	378	490	409	224	66	1
	All other..... Male	805	–	1	2	–	3	2	3	4	11	19	30	65	77	118	128	138	98	57	27	13	9	–
	Female	1,002	–	1	–	1	–	2	6	11	15	20	34	50	76	135	135	175	130	101	65	24	19	2
431	Cerebral hemorrhage	948	2	3	–	3	1	2	3	6	19	18	40	65	72	109	109	143	140	112	73	25	3	–
	White..... Male	263	2	1	–	2	–	1	1	1	5	4	12	15	15	32	36	37	40	30	20	9	–	–
	Female	311	–	–	–	–	1	–	1	1	3	3	8	6	19	17	24	52	61	58	44	13	–	–
	All other..... Male	180	–	1	–	–	–	–	–	1	6	6	6	24	24	31	23	26	16	12	1	–	3	–
	Female	194	–	1	–	1	–	1	1	3	5	5	14	20	14	29	26	28	23	12	8	3	–	–
433	Cerebral thrombosis	1,367	–	–	–	–	–	–	–	2	2	7	17	21	52	93	150	212	206	261	196	103	43	2
	White..... Male	400	–	–	–	–	–	–	–	1	1	2	5	4	19	23	57	63	54	89	49	24	9	–
	Female	590	–	–	–	–	–	–	–	–	1	–	3	3	7	21	33	84	90	133	120	72	22	1
	All other..... Male	159	–	–	–	–	–	–	–	1	–	3	4	8	14	25	24	21	35	11	7	3	3	–
	Female	218	–	–	–	–	–	–	–	–	–	2	5	6	12	24	36	44	27	28	20	4	9	1
434	Cerebral embolism	20	–	–	–	–	–	–	–	–	1	1	–	–	2	2	3	4	4	–	2	1	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	3	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,271	1	1	3	2	5	7	10	17	29	44	64	91	154	255	352	492	507	546	398	224	68	1
	White..... Male	870	1	–	–	1	2	1	1	2	7	8	12	20	41	58	110	131	156	152	98	58	11	–
	Female	1,349	–	1	1	1	–	3	1	5	8	13	17	14	24	54	89	168	224	299	244	139	44	–
	All other..... Male	466	–	–	2	–	3	2	3	2	5	10	20	33	39	62	81	91	47	34	19	10	3	–
	Female	586	–	–	–	–	–	1	5	8	9	13	15	24	50	81	72	102	80	61	37	17	10	1
440	Arteriosclerosis	621	–	–	–	–	–	–	–	1	–	2	2	6	14	33	34	76	106	110	123	72	42	–
	White..... Male	194	–	–	–	–	–	–	–	–	–	1	–	2	6	10	15	28	33	36	37	20	6	–
	Female	276	–	–	–	–	–	–	–	1	–	–	–	1	2	7	6	23	44	55	69	42	26	–
	All other..... Male	61	–	–	–	–	–	–	–	–	–	1	1	2	3	8	7	10	10	6	6	4	3	–
	Female	90	–	–	–	–	–	–	–	–	–	–	1	1	3	8	6	15	19	13	11	6	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	498	–	–	–	1	2	2	5	2	4	6	14	24	37	60	54	74	74	65	39	26	9	–
	White..... Male	236	–	–	–	1	1	2	–	–	2	4	15	18	38	35	38	33	26	10	10	3	–	–
	Female	140	–	–	–	1	1	1	–	1	1	1	2	5	4	7	5	15	24	33	23	12	4	–
	All other..... Male	57	–	–	–	–	–	1	–	1	2	6	2	10	10	3	9	7	1	3	2	–	–	–
	Female	65	–	–	–	–	–	2	1	2	1	2	2	5	5	11	12	10	5	3	2	2	–	–
466	Acute bronchitis and bronchiolitis	9	2	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	3	–	–
	White..... Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,301	137	23	5	8	3	6	11	13	38	41	35	59	65	95	100	132	142	175	111	66	35	1
	White..... Male	473	26	6	1	3	1	3	4	1	12	10	9	13	28	42	43	66	70	74	32	21	8	–
	Female	420	24	5	3	1	1	3	2	3	8	7	10	18	11	19	18	32	46	75	69	41	23	1
	All other..... Male	248	46	7	–	2	1	–	3	5	10	16	12	17	20	25	27	18	16	16	4	2	1	–
	Female	160	41	5	1	2	–	–	2	4	8	8	4	11	6	9	12	16	10	10	6	2	3	–
470–474	Influenza	72	1	2	1	1	–	2	1	–	1	2	2	2	1	2	4	12	11	14	8	2	3	–
	White..... Male	31	–	1	1	–	–	1	1	–	1	–	1	–	–	–	1	7	4	7	5	–	1	–
	Female	32	1	–	–	–	–	1	–	–	–	1	–	2	1	2	2	4	4	7	3	2	2	–
	All other..... Male	5	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–
480–486	Pneumonia	1,229	136	21	4	7	3	4	10	13	37	39	33	57	64	93	96	120	131	161	103	64	32	1
	White..... Male	442	26	5	–	3	1	2	3	1	11	10	8	13	28	42	42	59	66	67	27	21	7	–
	Female	388	23	5	3	1	1	2	2	3	8	6	10	16	10	17	16	28	42	68	66	39	21	1
	All other..... Male	243	46	6	–	1	1	–	3	5	10	16	11	17	20	25	26	17	16	16	4	2	1	–
	Female	156	41	5	1	2	–	–	2	4	8	7	4	11	6	9	12	16	7	10	6	2	3	–
490–493	Bronchitis, emphysema, and asthma	586	2	3	1	–	5	4	–	5	5	7	17	38	58	79	100	93	72	56	29	8	4	–
	White..... Male	381	–	–	1	–	2	–	–	2	1	1	10	21	27	58	71	75	49	38	20	3	2	–
	Female	129	–	1	–	–	1	–	–	1	2	3	3	9	22	13	13	13	15	17	9	5	2	–
	All other..... Male	53	2	1	–	–	2	2	–	–	1	1	1	5	7	7	13	4	7	–	–	–	–	–
	Female	23	–	1	–	–	–	2	–	2	1	2	3	3	2	1	3	1	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
490, 491	Chronic and unqualified bronchitis	116	1	–	–	–	–	1	–	–	1	1	7	7	11	16	15	16	10	14	11	3	2	–
	White Male	66	–	–	–	–	–	–	–	–	–	–	5	5	5	9	11	12	4	7	7	–	1	–
	Female	37	–	–	–	–	–	–	–	–	1	1	2	1	3	5	1	4	4	7	4	3	1	–
	All other Male	8	1	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
492	Emphysema	414	1	–	–	–	1	–	–	2	1	2	5	25	41	59	79	74	60	41	17	5	1	–
	White Male	301	–	–	–	–	1	–	–	2	1	1	5	15	20	47	58	61	44	30	12	3	1	–
	Female	76	–	–	–	–	–	–	–	–	–	1	–	8	15	7	10	8	10	10	5	2	–	–
	All other Male	32	1	–	–	–	–	–	–	–	–	–	–	1	6	5	10	4	5	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
493	Asthma	56	–	3	1	–	4	3	–	3	3	4	5	6	6	4	6	3	2	1	1	–	1	–
	White Male	14	–	–	1	–	1	–	–	–	–	–	–	1	2	2	2	2	1	1	1	–	–	–
	Female	16	–	1	–	–	1	–	–	1	1	1	1	–	4	1	2	1	1	–	–	–	1	–
	All other Male	13	–	1	–	–	2	2	–	–	1	1	1	3	–	1	1	–	–	–	–	–	–	–
	Female	13	–	1	–	–	–	1	–	2	1	2	3	2	–	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	122	1	1	–	–	–	1	1	1	4	4	5	13	17	16	19	15	9	4	9	2	–	–
	White Male	72	–	1	–	–	–	1	–	1	–	3	4	6	13	8	12	11	7	3	1	1	–	–
	Female	31	–	–	–	–	–	–	1	–	3	–	–	4	2	5	4	3	2	1	5	1	–	–
	All other Male	13	1	–	–	–	–	–	–	–	1	1	1	1	2	1	3	–	–	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–	–	1	–	–	–
540–543	Appendicitis	25	–	–	–	3	2	1	1	–	–	1	2	3	–	3	2	1	2	2	1	1	–	–
	White Male	7	–	–	–	1	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	1	–	–
	Female	7	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–
	All other Male	9	–	–	–	1	2	–	–	–	–	–	2	1	–	1	1	–	–	–	1	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	135	11	1	–	2	1	–	–	3	3	3	6	4	7	9	17	22	14	22	9	1	–	–
	White Male	37	4	–	–	1	–	–	–	–	1	1	2	1	1	1	7	7	2	6	2	1	–	–
	Female	56	4	–	–	1	1	–	–	1	1	1	2	1	3	2	5	7	8	13	6	–	–	–
	All other Male	27	3	1	–	–	–	–	–	1	1	–	1	1	3	4	2	4	2	3	1	–	–	–
	Female	15	–	–	–	–	–	–	–	1	–	1	1	1	–	2	3	4	2	–	–	–	–	–
571	Cirrhosis of liver	629	–	–	–	1	2	2	10	24	39	84	93	98	87	85	53	28	12	8	1	1	–	1
	White Male	322	–	–	–	1	–	–	3	8	10	40	44	56	53	53	30	13	6	4	1	–	–	–
	Female	135	–	–	–	–	1	–	1	3	12	10	19	17	18	18	15	11	5	4	–	1	–	–
	All other Male	94	–	–	–	–	–	2	5	8	10	14	16	13	12	5	5	3	–	–	–	–	–	1
	Female	78	–	–	–	–	1	–	1	5	7	20	14	12	4	9	3	1	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	60	–	–	–	–	–	–	–	–	3	–	2	4	3	5	10	12	10	5	3	3	–	–
	White Male	22	–	–	–	–	–	–	–	–	1	–	–	2	2	2	5	4	2	2	1	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	7	5	3	2	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	1	2	–	–	–	–	–
580–584	Nephritis and nephrosis	258	–	3	5	1	–	11	1	5	3	15	18	25	15	38	26	34	22	19	12	3	1	1
	White Male	60	–	1	1	–	–	2	–	1	–	1	4	5	–	13	8	9	7	6	1	1	–	–
	Female	47	–	–	–	–	–	2	1	–	1	3	1	1	5	6	4	7	3	7	4	–	1	1
	All other Male	86	–	1	3	–	–	4	–	2	–	6	5	9	7	10	13	11	5	5	4	1	–	–
	Female	65	–	1	1	1	–	3	–	2	2	5	8	10	3	9	1	7	7	1	3	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	30	–	1	–	–	–	1	–	1	–	1	3	1	–	3	6	5	2	3	1	2	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
	All other Male	8	–	–	–	–	–	1	–	–	–	–	1	–	–	1	3	1	–	–	1	–	–	–
	Female	8	–	1	–	–	–	–	–	1	–	1	2	–	–	–	–	1	1	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	228	–	2	5	1	–	10	1	4	3	14	15	24	15	35	20	29	20	16	11	1	1	1
	White Male	50	–	1	1	–	–	2	–	1	–	1	4	4	–	11	5	7	6	6	1	–	–	–
	Female	43	–	–	–	–	–	2	1	–	1	3	1	1	5	6	4	6	3	4	4	–	1	1
	All other Male	78	–	1	3	–	–	3	–	2	–	6	4	9	7	9	10	10	5	5	3	1	–	–
	Female	57	–	–	1	1	–	3	–	1	2	4	6	10	3	9	1	6	6	1	3	–	–	–
590	Infections of kidney	182	–	–	–	–	–	1	1	1	2	4	5	7	9	19	21	28	28	29	17	6	4	–
	White Male	54	–	–	–	–	–	1	–	–	–	–	2	2	2	4	8	11	9	6	6	3	–	–
	Female	72	–	–	–	–	–	–	–	–	–	–	1	2	3	5	7	9	11	18	10	3	3	–
	All other Male	25	–	–	–	–	–	–	–	–	2	1	–	2	1	3	5	3	6	2	–	–	–	–
	Female	31	–	–	–	–	–	–	1	1	–	3	2	1	3	7	1	5	2	3	1	–	1	–
600	Hyperplasia of prostate	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	6	8	4	1	3	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	6	3	1	3	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	2	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	26	–	–	–	–	4	4	5	10	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	20	–	–	–	–	4	4	4	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
640–645	Abortions	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	24	–	–	–	–	3	3	5	10	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	18	–	–	–	–	3	3	4	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	337	214	36	17	7	13	8	2	4	7	8	3	6	3	1	3	3	1	1	–	–	–	–
	White—Male	124	71	13	9	4	3	2	1	–	6	3	2	3	2	–	1	3	–	1	–	–	–	–
	Female	115	77	11	7	1	5	2	–	3	–	3	1	1	1	–	2	–	1	–	–	–	–	–
	All other—Male	46	34	4	–	–	3	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
	Female	52	32	8	1	2	2	3	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	792	784	2	–	–	1	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–
	White—Male	263	262	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	166	165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Male	200	196	–	–	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	163	161	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	461	457	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	White—Male	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	119	116	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	74	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	331	327	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White—Male	102	101	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Male	81	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	89	88	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	672	110	5	1	3	3	3	11	8	13	23	38	37	38	68	59	64	44	60	44	22	15	3
	White—Male	196	31	1	–	–	–	1	2	2	2	8	14	17	14	26	20	17	9	13	13	4	1	1
	Female	161	21	–	–	2	1	–	–	1	4	4	2	4	6	7	10	12	17	25	23	15	6	1
	All other—Male	177	31	3	1	1	1	1	7	2	3	7	13	8	15	21	20	20	12	6	2	–	3	–
	Female	138	27	1	–	–	1	1	2	3	4	4	9	8	3	14	9	15	6	16	6	3	5	1
Residual	All other diseases	2,922	52	22	19	28	38	56	49	64	73	124	165	239	268	332	343	333	278	232	123	63	18	3
	White—Male	1,165	18	6	7	13	16	18	11	16	13	35	58	89	126	153	159	146	121	80	50	24	4	2
	Female	910	13	10	9	9	12	17	14	12	14	32	36	58	48	103	96	106	112	111	57	30	11	–
	All other—Male	452	13	4	2	3	1	10	9	19	27	21	40	56	56	47	51	35	26	18	7	5	1	1
	Female	395	8	2	1	3	9	11	15	17	19	36	31	36	38	29	37	46	19	23	9	4	2	–
E800–E949	Accidents	3,132	63	123	88	138	389	357	257	209	152	157	180	186	152	140	104	127	101	83	82	25	18	1
	White—Male	1,604	14	36	38	73	244	218	156	114	86	75	86	94	88	74	49	54	39	27	29	5	5	–
	Female	652	17	37	18	27	60	53	26	21	29	27	34	34	28	22	27	39	39	46	43	16	9	–
	All other—Male	647	19	31	19	27	66	69	61	59	32	43	48	48	26	30	17	26	9	7	4	2	3	1
	Female	229	13	19	13	11	19	17	14	15	5	12	12	10	10	14	11	8	14	3	6	2	1	–
E810–E823	Motor vehicle accidents	1,579	10	46	49	75	266	248	164	126	81	76	79	86	67	55	36	50	32	18	12	1	1	1
	White—Male	871	2	10	21	41	166	153	101	66	43	44	43	49	36	28	18	23	13	9	5	–	–	–
	Female	310	4	20	12	18	50	39	18	14	19	14	13	14	16	10	12	14	14	5	3	–	1	–
	All other—Male	306	2	12	8	10	38	45	37	35	17	16	19	21	9	15	4	10	1	3	2	1	–	1
	Female	92	2	4	8	6	12	11	8	11	2	2	4	2	6	2	2	3	4	1	2	–	–	–
E800–E807, E825–E949	All other accidents	1,553	53	77	39	63	123	109	93	83	71	81	101	100	85	85	68	77	69	65	70	24	17	–
	White—Male	733	12	26	17	32	78	65	55	48	43	31	43	45	52	46	31	31	26	18	24	5	5	–
	Female	342	13	17	6	9	10	14	8	7	10	13	21	20	12	12	15	25	25	41	40	16	8	–
	All other—Male	341	17	19	11	17	28	24	24	24	15	27	29	27	17	15	13	16	8	4	2	1	3	–
	Female	137	11	15	5	5	7	6	6	4	3	10	8	8	4	12	9	5	10	2	4	2	1	–
E950–E959	Suicide	673	...	...	–	4	47	67	63	67	63	54	72	55	57	43	30	26	16	6	3	–	–	–
	White—Male	445	...	...	–	3	30	36	36	37	45	35	47	31	46	33	25	22	11	5	3	–	–	–
	Female	150	...	...	–	1	11	14	18	15	12	14	20	19	6	8	4	2	5	1	–	–	–	–
	All other—Male	56	...	...	–	–	4	12	8	11	5	2	2	2	5	2	1	2	–	–	–	–	–	–
	Female	22	...	...	–	–	2	5	1	4	1	3	3	3	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,045	4	15	2	8	71	149	149	148	132	96	72	65	41	34	23	15	16	2	–	3	–	–
	White—Male	288	1	2	1	3	16	33	45	36	41	22	26	21	14	9	7	4	5	1	–	1	–	–
	Female	108	1	3	–	–	10	10	13	12	11	7	9	8	6	5	4	2	4	1	–	2	–	–
	All other—Male	494	1	8	1	2	32	83	64	70	62	53	33	30	17	16	10	6	6	–	–	–	–	–
	Female	155	1	2	–	3	13	23	27	30	18	14	4	6	4	4	2	3	1	–	–	–	–	–
E980–E999	Other external causes	35	–	1	–	–	3	5	5	3	6	3	2	1	2	3	1	–	–	–	–	–	–	–
	White—Male	18	–	1	–	–	2	4	3	2	3	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–
	All other—Male	8	–	–	–	–	1	1	1	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii																							
	All causes	4,343	241	30	24	20	73	80	82	62	80	107	183	273	356	410	459	465	451	388	340	166	51	2
	White—Male	800	33	4	7	2	14	17	29	17	18	21	42	62	82	83	90	97	74	60	27	16	3	2
	Female	561	32	2	6	3	4	13	14	7	5	11	17	32	36	45	53	50	70	64	56	28	13	–
	All other—Male	1,849	109	14	8	11	40	32	21	23	34	46	82	119	140	194	212	206	170	142	148	82	16	–
	Female	1,133	67	10	3	4	15	18	18	15	23	29	42	60	98	88	104	112	137	122	109	40	19	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	10	4	–	–	–	1	–	1	–	1	–	–	–	1	–	1	–	–	–	–	1	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	13	3	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	2	1	1	–	1	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other—Male	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	16	–	1	1	–	1	–	–	3	–	–	1	4	–	–	–	2	1	–	1	1	–	–
	White—Male	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	6	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	1	–	–	–
	Female	7	–	1	–	–	1	–	–	1	–	–	–	2	–	–	–	1	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	932	–	2	4	2	4	8	5	7	14	33	47	80	119	129	120	111	103	74	48	19	3	–
	White Male	152	–	–	1	1	–	1	–	–	2	4	6	13	20	24	31	17	16	11	4	1	–	–
	White Female	137	–	1	1	–	–	1	–	–	–	7	7	15	14	24	17	15	18	8	7	2	–	–
	All other Male	380	–	1	2	1	2	1	3	2	4	10	17	34	48	51	50	55	39	25	23	12	–	–
	All other Female	263	–	–	–	–	2	5	2	5	8	12	17	18	37	30	22	24	30	30	14	4	3	–
140–149	Of buccal cavity and pharynx	40	–	–	–	–	–	–	–	–	–	4	3	2	8	7	4	8	1	3	–	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	1	–	1	–	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	1	–	1	–	–	–	–
	All other Male	17	–	–	–	–	–	–	–	–	–	2	1	2	3	2	2	4	1	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	317	–	–	–	–	–	–	–	2	4	4	12	23	41	52	36	46	39	27	24	5	2	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	1	2	7	3	8	6	3	1	1	1	–	–
	White Female	40	–	–	–	–	–	–	–	–	–	–	2	3	3	7	6	5	7	2	5	–	–	–
	All other Male	157	–	–	–	–	–	–	–	1	2	3	6	14	21	27	15	28	16	11	10	3	–	–
	All other Female	87	–	–	–	–	–	–	–	1	2	1	3	4	10	15	7	7	13	13	8	1	2	–
160–163	Of respiratory system	213	–	–	–	–	–	–	–	2	1	8	13	25	23	33	28	21	25	20	10	3	1	–
	White Male	55	–	–	–	–	–	–	–	–	–	1	3	6	5	11	9	7	9	4	–	–	–	–
	White Female	16	–	–	–	–	–	–	–	–	–	1	–	2	2	4	2	–	3	2	–	–	–	–
	All other Male	94	–	–	–	–	–	–	–	1	1	3	6	13	12	13	12	9	7	6	8	3	–	–
	All other Female	48	–	–	–	–	–	–	–	1	–	3	4	4	4	5	5	5	6	8	2	–	1	–
174	Of breast	58	–	–	–	–	–	–	–	1	1	6	8	10	11	8	5	2	4	–	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	26	–	–	–	–	–	–	–	–	–	4	4	4	3	6	2	–	2	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	32	–	–	–	–	–	–	–	1	1	2	4	6	8	2	3	2	2	–	1	–	–	–
180–187	Of genital organs	91	–	–	–	1	–	1	–	2	3	2	6	4	12	7	14	7	14	9	5	4	–	–
	White Male	13	–	–	–	1	–	–	–	–	–	1	–	1	1	1	3	–	1	2	2	–	–	–
	White Female	19	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	4	5	1	1	–	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	4	2	3	–	–
	All other Female	41	–	–	–	–	–	1	–	2	3	1	5	1	10	3	5	2	5	2	–	1	–	–
188, 189	Of urinary organs	34	–	–	–	–	–	–	–	–	–	–	1	–	3	8	6	8	2	4	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	2	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	1	–	3	3	5	5	–	1	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	96	–	1	2	1	–	2	3	–	2	8	3	9	12	6	11	14	13	5	3	1	–	–
	White Male	21	–	–	–	–	–	–	–	–	1	1	1	3	6	2	4	1	2	–	–	–	–	–
	White Female	12	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	3	–	–	1	–	–	–
	All other Male	40	–	1	2	1	–	1	3	–	1	1	2	1	3	–	5	6	9	2	2	–	–	–
	All other Female	23	–	–	–	–	–	1	–	–	–	5	–	3	3	1	–	4	2	3	–	1	–	–
204–207	Leukemia	32	–	1	1	–	2	3	1	–	2	1	–	–	3	4	6	2	3	–	2	1	–	–
	White Male	7	–	–	1	–	–	1	–	–	1	–	–	–	–	1	2	–	–	–	1	–	–	–
	White Female	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	All other Male	14	–	–	–	–	1	–	–	–	–	1	–	–	1	3	3	2	2	–	–	1	–	–
	All other Female	7	–	–	–	–	1	2	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	51	–	–	1	–	2	2	1	–	1	–	1	7	6	4	10	3	2	6	2	3	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	1	–	–	–	–
	White Female	8	–	–	1	–	–	1	–	–	–	–	–	2	–	1	1	–	–	2	–	–	–	–
	All other Male	22	–	–	–	–	1	–	–	–	–	–	1	4	5	1	5	–	1	1	1	2	–	–
	All other Female	14	–	–	–	–	1	1	1	–	1	–	–	–	1	1	2	1	1	2	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	11	1	–	–	–	–	–	–	–	1	–	–	2	1	–	–	3	2	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
	All other Female	5	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–
250	Diabetes mellitus	101	–	–	–	–	–	–	1	1	–	2	3	7	12	11	12	19	10	9	8	5	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	–	–	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	5	3	–	–	–
	All other Male	36	–	–	–	–	–	–	1	1	–	2	2	–	5	6	3	7	1	–	4	4	–	–
	All other Female	45	–	–	–	–	–	–	–	–	–	–	1	6	7	3	8	7	7	3	1	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	15	–	–	–	–	–	1	–	–	1	–	–	–	1	–	2	1	1	2	5	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	7	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	3	1	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii – Con.																							
280–285	Anemias	7	–	1	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
320	Meningitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,879	4	–	1	1	5	2	4	7	16	36	72	111	155	190	231	241	245	215	200	110	33	–
	White Male	347	–	–	1	–	1	–	–	–	2	8	18	30	43	36	42	58	46	35	13	11	3	–
	Female	223	–	–	–	–	–	1	1	1	2	2	2	5	12	13	23	23	36	36	38	19	9	–
	All other Male	809	1	–	–	–	3	–	1	3	9	17	40	58	64	103	108	103	88	78	74	49	10	–
	Female	500	3	–	–	1	1	1	2	3	3	9	12	18	36	38	58	57	75	66	75	31	11	–
390–398, 402, 404, 410–429	Diseases of heart	1,389	3	–	1	–	3	1	3	5	15	27	60	98	128	154	171	166	175	146	139	70	24	–
	White Male	292	–	–	1	–	1	–	–	–	1	7	17	29	39	31	34	42	42	25	11	9	3	–
	Female	159	–	–	–	–	–	1	–	1	2	1	1	3	10	11	15	18	24	28	26	11	7	–
	All other Male	600	–	–	–	–	1	–	1	3	9	13	34	51	52	83	82	70	58	48	55	34	6	–
	Female	338	3	–	–	–	1	–	2	1	3	6	8	15	27	29	40	36	51	45	47	16	8	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	35	–	–	1	–	1	–	1	2	2	2	3	7	4	3	2	2	2	1	1	–	1	–
	White Male	8	–	–	1	–	1	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	1	–
	Female	6	–	–	–	–	–	–	–	1	1	–	–	–	1	2	–	1	–	–	–	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	3	4	1	–	2	–	–	1	1	–	–	–
	Female	9	–	–	–	–	–	–	1	1	1	2	–	1	1	–	–	1	1	–	–	–	–	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	3	4	1	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–
404	Hypertensive heart and renal disease	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
410–413	Ischemic heart disease	1,260	–	–	–	–	1	–	1	2	9	20	52	83	117	136	159	159	165	136	132	65	23	–
	White Male	269	–	–	–	–	–	–	–	–	1	6	17	24	38	27	32	41	39	23	11	8	2	–
	Female	144	–	–	–	–	–	–	–	–	–	1	–	3	9	8	15	17	22	26	25	11	7	–
	All other Male	544	–	–	–	–	1	–	1	2	7	10	28	43	48	75	74	67	56	44	51	31	6	–
	Female	303	–	–	–	–	–	–	–	–	1	3	7	13	22	26	38	34	48	43	45	15	8	–
410	Acute myocardial infarction	601	–	–	–	–	1	–	–	–	5	8	35	41	61	69	83	82	75	53	52	29	7	–
	White Male	127	–	–	–	–	–	–	–	–	1	1	10	11	19	14	14	22	17	10	3	3	2	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	4	3	8	7	12	11	9	3	1	–
	All other Male	277	–	–	–	–	1	–	–	–	3	5	22	24	27	39	42	36	20	16	25	15	2	–
	Female	139	–	–	–	–	–	–	–	–	1	2	3	6	11	13	19	17	26	16	15	8	2	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
412	Chronic ischemic heart disease	652	–	–	–	–	–	–	1	2	4	12	17	42	56	67	75	77	90	80	79	34	16	–
	White Male	141	–	–	–	–	–	–	–	–	–	5	7	13	19	13	18	19	22	13	8	4	–	–
	Female	85	–	–	–	–	–	–	–	–	–	1	–	3	5	5	6	10	10	15	16	8	6	–
	All other Male	265	–	–	–	–	–	–	1	2	4	5	6	19	21	36	32	31	36	27	26	15	4	–
	Female	161	–	–	–	–	–	–	–	–	–	1	4	7	11	13	19	17	22	25	29	7	6	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	10	–	–	–	–	–	1	–	–	–	1	–	1	–	3	1	1	–	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
420–423, 425–427, 429	All other forms of heart disease	61	3	–	–	–	1	–	1	1	4	3	5	5	4	10	5	4	4	4	4	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	1	–	2	–	3	1	1	1	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	2	1	–	–	–
	All other Male	29	–	–	–	–	–	–	–	1	2	1	3	3	2	5	4	2	1	1	2	2	–	–
	All other Female	17	3	–	–	–	1	–	1	–	1	1	1	–	2	2	–	1	1	1	1	1	–	–
400, 401, 403	Hypertension	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	1	2	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	1	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–
430–438	Cerebrovascular diseases	392	–	–	–	1	2	–	1	2	1	8	12	9	21	33	41	58	58	58	48	33	6	–
	White Male	43	–	–	–	–	–	–	–	–	1	1	1	1	3	5	4	13	3	8	2	1	–	–
	White Female	50	–	–	–	–	–	–	1	–	–	1	1	1	1	2	4	4	11	6	9	7	2	–
	All other Male	167	–	–	–	–	2	–	–	–	–	4	6	5	8	18	22	23	23	26	15	12	3	–
	All other Female	132	–	–	–	1	–	–	–	2	–	2	4	2	9	8	11	18	21	18	22	13	1	–
431	Cerebral hemorrhage	96	–	–	–	1	–	–	–	–	–	3	7	4	7	10	15	18	11	13	5	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	4	2	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
	All other Male	48	–	–	–	–	–	–	–	–	–	1	4	3	4	7	12	4	6	7	–	–	–	–
	All other Female	32	–	–	–	1	–	–	–	–	–	1	2	–	2	3	2	8	2	5	4	2	–	–
433	Cerebral thrombosis	85	–	–	–	–	–	–	–	1	–	–	1	1	2	8	6	11	16	16	10	11	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	1	3	1	1	–	–
	White Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	2	3	2	1	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	3	5	6	5	3	1	–
	All other Female	25	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	4	5	5	1	5	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	210	–	–	–	–	2	–	1	1	1	5	4	4	12	15	20	29	30	29	33	20	4	–
	White Male	17	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	5	–	5	1	–	–	–
	White Female	30	–	–	–	–	–	–	1	–	–	1	1	1	1	2	2	2	5	3	5	5	1	–
	All other Male	88	–	–	–	–	2	–	–	–	–	3	2	2	3	6	9	16	11	13	10	9	2	–
	All other Female	75	–	–	–	–	–	–	–	1	–	1	1	1	7	5	7	6	14	8	17	6	1	–
440	Arteriosclerosis	31	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	4	5	5	8	5	2	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	1	–
	All other Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	3	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	56	1	–	–	–	–	1	–	–	–	–	–	3	6	3	16	11	5	6	4	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	1	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	1	–	–	–
	All other Male	28	1	–	–	–	–	–	–	–	–	–	–	1	4	2	4	8	4	3	1	–	–	–
	All other Female	15	–	–	–	–	–	1	–	–	–	–	–	1	–	1	5	2	1	2	2	–	–	–
466	Acute bronchitis and bronchiolitis	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	160	8	3	–	1	–	–	2	1	4	–	3	2	5	7	15	12	25	19	31	15	7	–
	White Male	19	2	–	–	–	–	–	1	–	–	–	–	1	2	1	–	2	1	3	5	1	–	–
	White Female	26	1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	5	4	2	5	3	–
	All other Male	74	2	1	–	1	–	–	–	1	1	–	1	1	2	4	8	4	14	10	13	8	3	–
	All other Female	41	3	2	–	–	–	–	–	–	3	–	2	–	1	2	5	3	5	2	11	1	1	–
470–474	Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	155	8	3	–	1	–	–	2	1	4	–	3	2	4	7	13	11	25	19	31	15	6	–
	White Male	17	2	–	–	–	–	–	1	–	–	–	–	1	1	1	–	1	1	3	5	1	–	–
	White Female	26	1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	5	4	2	5	3	–
	All other Male	71	2	1	–	1	–	–	–	1	1	–	1	1	2	4	6	4	14	10	13	8	2	–
	All other Female	41	3	2	–	–	–	–	–	–	3	–	2	–	1	2	5	3	5	2	11	1	1	–
490–493	Bronchitis, emphysema, and asthma	55	–	–	–	–	1	–	–	–	–	1	–	1	2	8	11	6	7	9	8	–	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	1	1	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	All other Male	32	–	–	–	–	1	–	–	–	–	–	–	1	–	2	4	4	6	6	7	–	1	–
	All other Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	–	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
490, 491	Chronic and unqualified bronchitis	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	1	3	–	1	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	3	–	1	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
492	Emphysema	32	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	3	5	8	5	–	–	
	White—Male	10	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other—Male	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	5	4	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	
493	Asthma	9	–	–	–	–	1	–	–	–	–	1	–	–	–	3	3	1	–	–	–	–	–	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	All other—Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	
531–533	Peptic ulcer	16	–	–	–	–	–	–	–	–	–	–	1	4	1	–	1	2	2	1	1	2	1	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	2	1	1	–	2	1	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	8	–	–	–	–	–	1	–	–	–	–	–	–	–	1	4	–	–	1	1	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
571	Cirrhosis of liver	66	–	–	–	–	–	–	1	2	2	3	7	10	12	14	4	3	5	2	1	–	–	
	White—Male	24	–	–	–	–	–	–	–	1	2	1	2	4	3	5	3	2	–	1	–	–	–	
	Female	11	–	–	–	–	–	–	–	1	–	1	3	1	2	2	–	1	–	–	–	–	–	
	All other—Male	22	–	–	–	–	–	–	1	–	–	1	1	5	4	7	1	–	2	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	3	1	1	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	3	2	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	
580–584	Nephritis and nephrosis	21	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–	4	5	4	1	1	–	
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
	All other—Male	12	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	3	3	2	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	19	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–	3	5	4	–	1	–	
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	
	All other—Male	10	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	2	3	2	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	
590	Infections of kidney	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	3	5	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	–	
600	Hyperplasia of prostate	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Female	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	71	51	6	2	1	1	1	1	–	1	–	1	2	2	–	2	–	–	–	–	–	–	–
	White..... Male	10	8	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	6	–	–	1	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	All other..... Male	33	25	5	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	17	12	1	1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	65	18	1	–	–	2	2	1	–	3	3	4	–	7	5	3	7	1	2	3	1	2	–
	White..... Male	11	2	–	–	–	–	–	–	–	2	1	1	–	2	1	–	1	–	–	1	–	–	–
	Female	8	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–
	All other..... Male	27	7	1	–	–	1	1	–	–	1	1	3	–	2	2	2	3	–	1	1	1	–	–
	Female	19	6	–	–	–	1	1	1	–	–	1	–	–	3	1	–	1	1	1	–	–	2	–
Residual	All other diseases	250	6	6	4	2	3	8	8	1	8	7	13	14	18	22	30	25	29	26	13	5	2	–
	White..... Male	44	–	2	1	–	–	–	2	–	1	1	3	3	3	7	5	6	4	4	1	1	–	–
	Female	34	1	1	2	–	–	–	2	–	–	–	1	–	4	1	4	3	7	4	1	2	1	–
	All other..... Male	110	3	2	1	1	3	5	2	1	5	5	6	4	5	10	17	7	11	10	9	2	1	–
	Female	62	2	1	–	1	–	3	2	–	2	1	3	7	6	4	4	9	7	8	2	–	–	–
E800–E949	Accidents	258	6	8	12	10	38	21	21	17	13	12	17	17	6	12	10	15	3	11	7	2	–	–
	White..... Male	77	1	2	3	1	9	8	12	7	5	3	6	6	3	2	1	3	1	2	2	–	–	–
	Female	32	2	–	3	2	4	4	4	3	1	1	2	3	–	1	1	–	–	1	–	–	–	–
	All other..... Male	104	1	2	4	6	20	7	3	6	4	7	5	6	2	5	8	7	1	5	3	2	–	–
	Female	45	2	4	2	1	5	2	2	1	3	1	4	2	1	4	–	5	1	3	2	–	–	–
E810–E823	Motor vehicle accidents	121	1	3	9	7	26	13	8	9	4	4	7	3	4	8	5	7	1	1	1	–	–	–
	White..... Male	26	–	2	2	–	5	4	2	3	1	2	2	–	1	2	–	–	–	–	–	–	–	–
	Female	17	1	–	2	2	3	3	2	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	All other..... Male	58	–	–	3	5	16	4	3	4	2	1	2	1	2	2	5	6	–	1	1	–	–	–
	Female	20	–	1	2	–	2	2	1	1	1	–	2	1	1	4	–	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	137	5	5	3	3	12	8	13	8	9	8	10	14	2	4	5	8	2	10	6	2	–	–
	White..... Male	51	1	–	1	1	4	4	10	4	4	1	4	6	2	–	1	3	1	2	2	–	–	–
	Female	15	1	–	1	–	1	1	2	2	1	–	1	2	–	1	1	–	–	1	–	–	–	–
	All other..... Male	46	1	2	1	1	4	3	–	2	2	6	3	5	–	3	3	1	1	4	2	2	–	–
	Female	25	2	3	–	1	3	–	1	–	2	1	2	1	–	–	–	4	–	3	2	–	–	–
E950–E959	Suicide	98	...	...	–	1	6	15	19	10	8	3	4	10	5	3	4	2	2	4	2	–	–	–
	White..... Male	28	...	...	–	–	–	3	8	4	2	–	4	4	–	2	–	–	–	1	–	–	–	–
	Female	15	...	...	–	–	–	1	4	2	2	–	–	2	1	–	1	1	–	1	–	–	–	–
	All other..... Male	36	...	...	–	–	5	9	3	3	3	1	–	1	4	1	2	1	–	1	2	–	–	–
	Female	19	...	...	–	1	1	2	4	1	1	2	–	3	–	–	1	–	2	1	–	–	–	–
E960–E978	Homicide	60	–	–	–	–	6	10	11	10	6	3	3	1	3	2	2	1	–	–	–	–	–	2
	White..... Male	16	–	–	–	–	–	1	4	1	2	–	1	–	3	1	–	1	–	–	–	–	–	2
	Female	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	30	–	–	–	–	4	6	5	6	4	2	2	–	–	–	1	–	–	–	–	–	–	–
	Female	11	–	–	–	–	2	1	2	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	47	1	1	–	1	3	7	7	3	2	4	4	4	2	1	2	3	2	–	–	–	–	–
	White..... Male	18	–	–	–	–	2	4	2	2	–	3	1	1	1	–	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
	All other..... Male	13	–	1	–	1	–	–	2	–	2	–	1	1	1	1	1	2	–	–	–	–	–	–
	Female	11	1	–	–	–	1	2	2	1	–	1	–	1	–	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho																							
	All causes	6,460	239	54	44	44	127	112	81	77	92	117	185	267	363	507	668	732	757	878	696	317	98	5
	White Male	3,767	138	28	24	30	97	83	58	52	61	78	117	166	227	337	435	455	428	460	325	132	33	3
	White Female	2,590	94	24	19	12	26	24	20	21	26	32	66	92	130	165	225	270	320	414	363	182	63	2
	All other Male	67	5	1	1	2	4	4	1	3	2	4	–	6	4	4	5	6	4	3	4	2	2	–
	All other Female	36	2	1	–	–	–	1	2	1	3	3	2	3	2	1	3	1	5	1	4	1	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	11	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	1	–	1
	White Male	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	14	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	2	–	–	–
	White Male	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	White Female	4	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	1	2	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,070	–	4	4	3	6	6	8	12	17	21	48	74	86	119	161	156	131	142	54	15	3	–
	White Male	596	–	3	1	–	2	6	6	8	11	18	36	46	74	93	89	81	81	24	9	2	–
	White Female	461	–	1	3	2	4	–	2	6	9	10	29	35	39	45	67	66	49	60	28	5	1	–
	All other Male	10	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	1	1	1	1	1	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–
140–149	Of buccal cavity and pharynx	17	–	–	–	–	–	–	–	–	–	–	–	3	2	4	3	4	–	–	–	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	281	–	–	–	–	–	–	–	2	2	4	5	18	17	24	47	44	42	44	24	7	1	–
	White Male	155	–	–	–	–	–	–	–	1	1	3	2	10	10	15	24	26	25	23	10	4	1	–
	White Female	123	–	–	–	–	–	–	–	1	1	1	3	7	7	9	22	18	17	20	14	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	200	–	–	–	–	–	–	–	2	3	5	8	16	25	30	36	23	28	20	4	–	–	–
	White Male	163	–	–	–	–	–	–	–	2	3	3	5	11	19	26	32	21	24	15	2	–	–	–
	White Female	34	–	–	–	–	–	–	–	–	–	2	3	4	5	4	4	2	4	5	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	96	–	–	–	–	–	–	1	1	4	4	11	11	8	11	10	14	9	5	6	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White Female	93	–	–	–	–	–	–	1	1	4	4	10	10	8	11	10	14	8	5	6	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	158	–	–	–	–	1	2	–	5	1	4	13	6	11	12	17	27	18	29	8	3	1	–
	White Male	85	–	–	–	–	–	2	–	2	–	1	2	1	2	7	9	17	12	20	7	2	1	–
	White Female	69	–	–	–	–	1	–	–	3	1	3	11	5	9	5	8	9	5	9	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
188, 189	Of urinary organs	51	–	–	–	–	–	–	1	–	–	–	3	3	5	2	9	6	9	12	1	–	–	–
	White Male	33	–	–	–	–	–	–	1	–	–	–	1	1	4	1	5	4	7	8	1	–	–	–
	White Female	18	–	–	–	–	–	–	–	–	–	–	2	2	1	1	4	2	2	4	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	142	–	3	–	2	3	3	2	–	7	2	5	8	12	15	25	21	10	16	6	2	–	–
	White Male	74	–	2	–	–	1	3	2	–	4	2	4	4	6	8	13	10	5	7	2	1	–	–
	White Female	67	–	1	–	2	2	–	–	–	3	–	–	4	6	7	12	11	5	9	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	52	–	1	4	1	1	1	2	2	–	1	–	4	2	5	4	7	6	6	3	2	–	–
	White Male	33	–	1	1	–	–	1	1	1	–	1	–	4	1	4	3	5	3	4	1	2	–	–
	White Female	18	–	–	3	–	1	–	1	1	–	–	–	–	1	1	1	2	3	2	2	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	73	–	–	–	–	1	–	2	–	–	1	3	5	4	16	10	10	9	10	2	–	–	–
	White Male	43	–	–	–	–	1	–	2	–	–	1	3	3	2	10	6	6	4	4	1	–	–	–
	White Female	30	–	–	–	–	–	–	–	–	–	–	–	2	2	6	4	4	5	6	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	23	1	–	2	–	1	–	1	1	–	2	–	1	4	3	2	1	–	2	1	1	–	–
	White Male	12	1	–	1	–	1	–	1	1	–	1	–	–	1	3	1	–	–	–	–	1	–	–
	White Female	11	–	–	1	–	–	–	–	–	–	1	–	1	3	–	1	1	–	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	114	–	1	–	–	–	–	–	2	4	2	4	4	7	15	13	13	18	19	6	5	1	–
	White Male	41	–	–	–	–	–	–	–	1	–	1	2	1	3	5	6	5	8	5	2	2	–	–
	White Female	67	–	1	–	–	–	–	–	1	2	–	2	3	4	10	6	8	8	14	4	3	1	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	3	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
280–285	Anemias	11	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	2	2	2	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	
	Female	7	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	6	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	3,214	3	1	5	1	4	4	6	3	11	23	62	97	153	266	361	400	457	559	498	227	72	1
	White Male	1,831	1	1	1	–	3	3	4	2	10	18	50	75	107	193	247	248	254	278	222	91	23	–
	Female	1,354	1	–	4	1	1	1	2	1	1	4	12	21	44	70	111	148	199	279	272	134	47	1
	All other Male	20	1	–	–	–	–	–	–	–	–	1	–	1	2	3	2	4	1	1	1	1	2	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,270	2	1	2	–	3	2	4	2	7	19	52	83	127	209	287	292	322	359	324	136	37	–
	White Male	1,369	1	1	–	–	2	2	3	1	7	18	45	66	95	162	208	179	179	186	141	59	14	–
	Female	880	–	–	2	–	1	–	1	1	–	–	7	16	31	45	77	110	140	171	181	75	22	–
	All other Male	15	1	–	–	–	–	–	–	–	–	1	–	1	1	2	1	3	1	1	1	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	72	–	–	–	–	1	–	–	–	1	1	–	4	8	11	13	7	9	8	3	4	2	–
	White Male	32	–	–	–	–	1	–	–	–	1	1	–	1	2	5	7	4	3	5	–	1	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	–	3	6	5	6	3	5	3	3	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
402	Hypertensive heart disease	20	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	1	7	4	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	1	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	3	4	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	7	3	–	
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	5	3	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,976	–	1	1	–	1	1	–	1	6	18	45	69	105	175	251	264	277	324	287	118	32	
	White Male	1,211	–	1	–	–	1	1	–	1	6	17	38	57	84	143	189	163	155	166	127	49	13	
	Female	750	–	–	1	–	–	–	–	–	–	–	7	12	20	31	61	98	120	156	159	67	18	
	All other Male	11	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	1	1	1	1	1	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	
410	Acute myocardial infarction	1,167	–	1	–	–	1	1	–	1	4	17	39	56	81	141	188	173	172	155	98	30	9	–
	White Male	808	–	1	–	–	1	1	–	1	4	16	33	47	66	120	150	113	103	80	54	13	5	–
	Female	351	–	–	–	–	–	–	–	–	–	–	6	9	15	21	38	58	67	74	43	16	4	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	803	–	–	1	–	–	–	–	–	2	1	6	12	23	33	62	91	104	169	188	88	23	–
	White Male	399	–	–	–	–	–	–	–	–	2	1	5	9	17	22	39	50	51	86	73	36	8	–
	Female	397	–	–	1	–	–	–	–	–	–	–	1	3	5	10	22	40	53	82	115	51	14	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	1	7	–	4	2	–	–
	White Male	8	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	2	–	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	–	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
420–423, 425–427, 429	All other forms of heart disease	163	2	–	1	–	1	1	3	1	–	–	7	8	12	22	15	17	24	19	19	8	3	–
	White Male	97	1	–	–	–	–	1	2	–	–	–	7	6	8	14	9	12	15	10	8	4	–	–
	Female	62	–	–	1	–	1	–	1	1	–	–	–	1	4	8	5	5	9	9	10	4	3	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
400, 401, 403	Hypertension	20	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	2	3	4	3	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	686	1	–	2	1	–	2	2	–	4	4	9	13	20	37	52	79	99	150	129	61	20	1
	White Male	328	–	–	1	–	–	1	1	–	3	–	4	8	8	18	24	50	58	65	59	23	5	–
	Female	352	1	–	1	1	–	1	1	–	1	4	5	5	11	18	27	28	41	85	69	38	14	1
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
431	Cerebral hemorrhage	89	1	–	1	–	–	–	–	–	1	1	2	6	7	9	12	9	10	13	13	4	–	–
	White Male	41	–	–	1	–	–	–	–	–	1	–	1	4	4	4	4	6	4	4	7	1	–	–
	Female	48	1	–	–	–	–	–	–	–	–	1	1	2	3	5	8	3	6	9	6	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	131	–	–	–	–	–	–	–	–	–	–	1	–	2	7	8	22	24	30	26	8	3	–
	White Male	70	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	17	15	12	13	5	–	–
	Female	58	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	4	9	18	12	3	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
434	Cerebral embolism	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	461	–	–	1	1	–	2	2	–	3	3	5	7	11	20	30	48	65	107	89	49	17	1
	White Male	214	–	–	–	–	–	1	1	–	2	–	2	4	3	10	15	27	39	49	39	17	5	–
	Female	244	–	–	1	1	–	1	1	–	1	3	3	3	7	9	14	21	26	58	50	32	12	1
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	131	–	–	–	–	–	–	–	1	–	–	–	–	1	4	5	9	14	27	35	23	12	–
	White Male	54	–	–	–	–	–	–	–	1	–	–	–	–	1	3	3	5	4	10	17	6	4	–
	Female	75	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	9	17	17	17	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	107	–	–	1	–	1	–	–	–	–	–	1	–	4	13	14	18	19	19	7	7	3	–
	White Male	71	–	–	–	–	1	–	–	–	–	–	1	–	3	9	11	13	11	16	3	3	–	–
	Female	36	–	–	1	–	–	–	–	–	–	–	–	–	1	4	3	5	8	3	4	4	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	181	8	3	–	1	1	2	3	–	1	1	2	4	8	7	11	11	16	29	33	29	11	–
	White Male	100	6	1	–	1	1	1	2	–	–	1	2	3	3	–	7	7	9	20	19	12	5	–
	Female	80	2	2	–	–	–	1	1	–	1	–	–	–	5	7	4	4	7	9	14	17	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	8	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	173	8	2	–	1	1	2	3	–	1	1	2	4	7	7	11	11	15	28	31	28	10	–
	White Male	99	6	1	–	1	1	1	2	–	–	1	2	3	3	–	7	7	8	20	19	12	5	–
	Female	73	2	1	–	–	–	1	1	–	1	–	–	–	4	7	4	4	7	8	12	16	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	116	–	–	–	1	–	1	2	–	–	–	–	6	10	13	19	23	22	8	10	1	–	–
	White Male	91	–	–	–	1	–	1	2	–	–	–	–	2	7	9	18	22	14	7	7	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	3	2	4	1	–	8	1	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
490, 491	Chronic and unqualified bronchitis	22	–	–	–	–	–	–	1	–	–	–	–	2	–	3	1	3	7	3	2	–	–	
	White—Male	15	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	3	3	2	2	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	4	1	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	85	–	–	–	–	–	–	–	–	–	–	–	3	9	9	17	19	14	5	8	1	–	
	White—Male	71	–	–	–	–	–	–	–	–	–	–	–	2	7	6	16	18	11	5	5	1	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	3	–	3	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	9	–	–	–	1	–	1	1	–	–	–	–	1	1	1	1	1	1	–	–	–	–	
	White—Male	5	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	–	1	–	1	–	3	2	2	6	1	3	5	1	–	
	White—Male	14	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	3	–	3	2	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	–	3	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	35	4	–	–	–	–	–	–	–	–	–	1	–	3	3	3	5	7	5	3	1	–	
	White—Male	15	2	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	3	2	1	–	–	
	Female	20	2	–	–	–	–	–	–	–	–	–	–	–	3	3	1	1	4	3	2	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	79	–	–	–	–	–	–	–	1	6	8	7	14	15	7	10	3	6	1	–	1	–	
	White—Male	39	–	–	–	–	–	–	–	–	3	4	2	6	10	3	4	2	3	1	–	1	–	
	Female	30	–	–	–	–	–	–	–	1	1	1	4	7	4	3	5	1	3	–	–	–	–	
	All other—Male	5	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	12	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	–	–	2	–	1	–	
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	1	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	36	–	–	–	–	–	1	1	1	1	1	1	1	3	2	2	1	4	8	6	2	1	
	White—Male	20	–	–	–	–	–	–	1	–	1	1	–	–	2	1	1	–	1	4	6	1	1	
	Female	16	–	–	–	–	–	1	–	1	–	–	1	1	1	1	1	1	3	4	–	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	8	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	2	2	1	–	
	White—Male	6	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	2	–	–	
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	28	–	–	–	–	–	1	–	–	1	1	1	1	2	2	2	1	4	6	4	1	1	
	White—Male	14	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	1	2	4	1	1	
	Female	14	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	1	3	4	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	13	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	2	2	1	2	1	–	
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	53	38	5	2	1	2	2	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	White.....Male	29	22	2	1	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	23	16	3	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	97	21	–	–	3	2	–	–	1	3	2	2	3	2	7	3	7	9	18	10	4	–	–
	White.....Male	48	8	–	–	2	2	–	–	–	2	2	1	3	2	3	1	5	4	9	4	–	–	–
	Female	45	11	–	–	1	–	–	–	1	1	–	1	–	–	3	2	2	5	8	6	4	–	–
	All other.....Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Residual	All other diseases	381	7	5	7	2	4	4	4	4	9	9	7	20	23	28	37	65	52	47	36	8	3	–
	White.....Male	233	3	2	5	1	3	3	1	2	4	5	2	12	14	18	24	39	36	31	21	6	1	–
	Female	139	4	2	2	1	1	1	2	1	5	2	5	7	9	10	13	26	15	16	13	2	2	–
	All other.....Male	5	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–
E800–E949	Accidents	632	15	31	23	32	96	71	44	41	26	25	31	31	23	19	22	21	18	23	15	17	6	2
	White.....Male	436	7	17	15	25	77	54	33	34	21	19	26	20	17	14	11	15	6	12	5	6	1	1
	Female	184	8	14	7	6	18	15	9	6	4	6	5	10	6	5	10	6	11	11	10	11	5	1
	All other.....Male	9	–	–	1	1	1	2	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	315	4	11	11	13	67	45	22	25	15	13	12	17	12	10	11	13	5	5	2	1	–	1
	White.....Male	210	1	4	8	8	49	30	15	19	12	7	10	10	8	7	6	9	1	5	1	–	–	–
	Female	100	3	7	3	4	17	13	6	6	3	6	2	7	4	3	5	4	4	–	1	1	–	1
	All other.....Male	4	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	317	11	20	12	19	29	26	22	16	11	12	19	14	11	9	11	8	13	18	13	16	6	1
	White.....Male	226	6	13	7	17	28	24	18	15	9	12	16	10	9	7	5	6	5	7	4	6	1	1
	Female	84	5	7	4	2	1	2	3	–	1	–	3	3	2	2	5	2	7	11	9	10	5	–
	All other.....Male	5	–	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	127	...	...	–	–	8	12	9	5	7	14	13	7	12	6	12	10	6	2	4	–	–	–
	White.....Male	91	...	...	–	–	4	7	7	3	6	8	7	5	8	6	10	8	6	2	4	–	–	–
	Female	29	...	...	–	–	1	4	2	1	1	6	6	2	3	–	1	2	–	–	–	–	–	–
	All other.....Male	6	...	...	–	–	3	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	43	3	–	–	–	1	7	2	4	5	8	4	2	2	–	1	1	1	1	–	–	–	1
	White.....Male	34	2	–	–	–	1	7	1	2	4	6	4	1	2	–	1	1	1	–	–	–	–	1
	Female	9	1	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–	1	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	9	1	1	–	–	1	1	–	1	1	–	1	–	–	1	–	–	1	–	–	–	–	–
	White.....Male	6	–	–	–	–	1	1	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois																							
	All causes	**108,171**	**3,279**	**514**	**315**	**417**	**1,176**	**1,403**	**1,236**	**1,175**	**1,505**	**2,201**	**3,664**	**5,447**	**7,248**	**9,642**	**11,461**	**12,980**	**14,218**	**14,069**	**10,150**	**4,680**	**1,384**	**7**
	White..... Male	51,407	1,239	191	151	188	661	787	592	504	658	926	1,773	2,847	4,066	5,467	6,317	6,661	6,704	5,912	3,864	1,566	328	5
	Female	42,766	905	169	82	135	253	234	237	257	357	604	998	1,508	2,111	2,866	3,742	4,891	6,440	7,391	5,779	2,867	939	1
	All other..... Male	7,971	632	89	51	57	191	287	296	281	313	409	565	659	653	774	787	754	518	331	208	89	26	1
	Female	6,027	503	65	31	37	71	95	111	133	177	262	328	433	418	535	615	674	556	435	299	158	91	–
004, 006	Bacillary dysentery and amebiasis	8	1	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	–	–	–	–
	White..... Male	6	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	98	35	2	–	–	1	1	–	–	2	–	3	2	4	6	8	5	12	7	5	4	1	–
	White..... Male	37	15	1	–	–	1	–	–	–	1	–	–	1	1	3	5	1	3	1	2	1	1	–
	Female	49	11	1	–	–	–	1	–	–	–	–	3	1	2	3	3	4	8	6	3	3	–	–
	All other..... Male	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	172	–	–	–	–	1	–	5	9	3	12	17	10	22	20	18	16	19	11	8	1	–	–
	White..... Male	88	–	–	–	–	1	–	–	2	1	4	4	5	14	14	9	11	9	9	5	–	–	–
	Female	27	–	–	–	–	–	–	1	–	–	–	1	–	3	1	8	3	4	2	3	1	–	–
	All other..... Male	41	–	–	–	–	–	–	2	6	1	6	11	4	3	4	1	2	1	–	–	–	–	–
	Female	16	–	–	–	–	–	–	2	1	1	2	1	1	2	1	–	–	5	–	–	–	–	–
010–012	Tuberculosis of respiratory system	139	–	–	–	–	1	–	4	8	2	6	14	9	19	14	14	14	16	9	8	1	–	–
	White..... Male	73	–	–	–	–	1	–	–	2	1	2	3	5	13	10	8	9	7	7	5	–	–	–
	Female	22	–	–	–	–	–	–	1	–	–	–	1	–	1	–	6	3	4	2	3	1	–	–
	All other..... Male	32	–	–	–	–	–	–	2	5	1	3	9	3	3	3	–	2	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	1	1	–	1	1	1	2	1	–	–	4	–	–	–	–	–
013–019	Tuberculosis, other forms	33	–	–	–	–	–	–	1	1	1	6	3	1	3	6	4	2	3	2	–	–	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	2	1	–	1	4	1	2	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–
	All other..... Male	9	–	–	–	–	–	–	–	1	–	3	2	1	–	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
033	Whooping cough	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	16	1	4	2	–	2	–	2	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–
	White..... Male	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	9	–	3	1	–	2	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other..... Male	3	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	202	47	2	2	2	–	2	5	3	3	4	4	7	10	17	18	12	20	20	19	4	1	–
	White..... Male	105	20	1	1	1	–	1	3	1	1	2	3	5	8	10	6	3	15	12	9	2	1	–
	Female	55	8	1	1	–	–	–	1	1	1	–	–	2	2	4	8	5	5	7	8	1	–	–
	All other..... Male	25	10	–	–	1	–	–	1	1	1	1	1	–	–	1	4	2	–	1	1	–	–	–
	Female	17	9	–	–	–	–	1	–	–	–	1	–	–	–	2	–	2	–	–	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	All other..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	180	12	5	6	1	4	6	5	10	8	9	11	13	8	17	15	14	14	9	9	3	1	–
	White..... Male	78	4	2	5	–	1	5	2	2	3	2	5	7	4	9	7	6	6	5	3	–	–	–
	Female	68	4	2	1	1	3	1	2	3	2	2	4	4	3	6	4	7	7	3	6	2	1	–
	All other..... Male	16	1	1	–	–	–	–	–	3	2	2	2	1	–	1	2	–	–	1	–	–	–	–
	Female	18	3	–	–	–	–	–	1	2	1	3	–	1	1	1	2	1	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,953	8	47	37	45	68	66	86	155	296	453	919	1,539	2,082	2,717	2,874	2,803	2,535	1,865	985	303	69	1
	White—Male	9,465	4	25	24	20	32	37	41	62	98	138	353	639	980	1,398	1,512	1,414	1,257	873	419	118	20	1
	White—Female	8,196	2	14	9	18	28	20	36	66	140	218	382	616	832	971	1,064	1,086	1,091	884	509	170	40	–
	All other—Male	1,283	1	6	3	3	4	6	3	7	23	38	94	152	159	218	169	175	116	66	29	7	4	–
	All other—Female	1,009	1	2	1	4	4	3	6	20	35	59	90	132	111	130	129	128	71	42	28	8	5	–
140–149	Of buccal cavity and pharynx	450	–	–	–	–	–	–	2	1	7	15	39	53	59	73	77	41	40	24	15	3	1	–
	White—Male	276	–	–	–	–	–	–	2	1	3	6	18	28	41	52	49	25	24	17	8	2	–	–
	White—Female	112	–	–	–	–	–	–	–	–	1	4	11	11	10	17	19	12	12	7	6	1	1	–
	All other—Male	43	–	–	–	–	–	–	–	–	3	4	4	11	7	2	5	3	3	–	1	–	–	–
	All other—Female	19	–	–	–	–	–	–	–	–	–	1	6	3	1	2	4	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,666	–	1	–	1	1	3	6	19	37	77	157	359	532	737	798	891	859	656	392	122	17	1
	White—Male	2,653	–	1	–	1	–	1	1	10	16	26	83	161	267	379	413	406	407	265	158	50	7	1
	White—Female	2,308	–	–	–	–	–	2	3	5	14	30	45	114	183	229	296	373	390	350	203	65	6	–
	All other—Male	389	–	–	–	–	–	–	1	3	5	8	20	47	54	83	43	57	33	18	15	2	–	–
	All other—Female	316	–	–	–	–	1	–	1	1	2	13	9	37	28	46	46	55	29	23	16	5	4	–
160–163	Of respiratory system	4,532	–	–	–	1	–	2	7	13	50	96	286	421	627	802	761	658	442	243	96	22	5	–
	White—Male	3,088	–	–	–	–	–	2	4	6	24	46	158	250	410	563	564	495	325	170	55	13	3	–
	White—Female	879	–	–	–	1	–	–	3	4	12	24	61	93	134	143	126	97	79	58	35	7	2	–
	All other—Male	453	–	–	–	–	–	–	–	2	11	20	46	59	66	85	59	55	33	13	2	2	–	–
	All other—Female	112	–	–	–	–	–	–	–	1	3	6	21	19	17	11	12	11	5	2	4	–	–	–
174	Of breast	1,877	–	–	–	–	–	–	5	26	51	83	154	197	232	258	218	190	182	159	81	33	8	–
	White—Male	10	–	–	–	–	–	–	–	1	–	–	–	–	–	4	1	2	–	2	–	–	–	–
	White—Female	1,678	–	–	–	–	–	–	5	20	37	71	125	170	201	232	196	177	175	150	79	32	8	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	186	–	–	–	–	–	–	–	5	14	12	27	27	30	22	21	11	7	7	2	1	–	–
180–187	Of genital organs	2,482	–	–	–	–	5	12	16	25	55	65	98	145	190	246	340	360	377	327	156	46	19	–
	White—Male	939	–	–	–	–	2	9	7	4	5	3	6	13	27	71	123	151	193	197	96	26	6	–
	White—Female	1,232	–	–	–	–	2	3	6	14	38	50	73	108	134	145	176	155	148	102	51	18	9	–
	All other—Male	140	–	–	–	–	–	–	–	–	–	–	2	2	9	16	23	25	30	23	5	1	4	–
	All other—Female	171	–	–	–	–	1	–	3	7	12	12	17	22	20	14	18	29	6	5	4	1	–	–
188, 189	Of urinary organs	932	–	1	1	–	1	1	1	3	5	9	26	60	71	130	154	144	128	109	62	21	5	–
	White—Male	572	–	1	–	–	1	–	–	2	2	5	17	34	49	85	102	91	81	65	27	8	2	–
	White—Female	285	–	–	1	–	–	1	–	–	1	3	4	12	17	30	40	39	45	42	34	13	3	–
	All other—Male	44	–	–	–	–	–	–	1	–	–	1	3	8	5	4	8	11	1	1	1	–	–	–
	All other—Female	31	–	–	–	–	–	–	–	1	2	–	2	6	–	11	4	3	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,099	4	21	8	18	30	20	19	40	41	61	104	178	203	277	260	270	250	165	92	29	9	–
	White—Male	989	1	12	2	7	13	11	11	22	23	32	51	88	108	140	127	121	107	65	39	8	1	–
	White—Female	900	1	7	4	8	15	6	8	14	16	19	36	65	76	109	105	127	118	91	48	19	8	–
	All other—Male	100	1	–	2	2	2	2	–	–	1	1	9	13	9	11	13	14	10	6	3	1	–	–
	All other—Female	110	1	2	–	1	–	1	–	4	1	9	8	12	10	17	15	8	15	3	2	1	–	–
204–207	Leukemia	838	4	18	22	19	21	17	13	15	20	25	19	51	58	59	99	93	123	91	51	15	5	–
	White—Male	441	3	9	18	9	8	8	6	5	7	11	7	26	33	35	53	52	68	50	24	8	1	–
	White—Female	325	1	6	2	7	10	4	5	7	10	12	10	16	21	16	38	35	51	37	27	7	3	–
	All other—Male	46	–	3	1	–	2	3	1	2	3	1	2	6	2	6	5	3	3	3	–	–	–	–
	All other—Female	26	–	–	1	3	1	2	1	1	–	1	–	3	2	2	3	3	1	1	–	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	1,077	–	6	6	6	10	11	17	13	30	22	36	75	110	135	167	156	134	91	40	12	–	–
	White—Male	497	–	2	4	3	8	6	10	11	18	9	13	39	45	69	80	71	52	42	12	3	–	–
	White—Female	477	–	1	2	2	1	4	6	2	11	5	17	27	56	50	68	71	73	47	26	8	–	–
	All other—Male	65	–	3	–	1	–	1	–	–	–	3	6	6	6	11	13	7	3	2	2	1	–	–
	All other—Female	38	–	–	–	–	1	–	1	–	1	5	–	3	3	5	6	7	6	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	279	7	3	1	2	11	1	7	8	8	11	15	28	27	23	34	19	29	21	18	5	1	–
	White—Male	120	2	1	–	–	7	–	5	3	6	5	9	9	14	10	16	10	6	11	6	–	–	–
	White—Female	129	2	1	–	2	3	–	1	4	1	3	4	14	11	11	16	9	20	9	12	5	1	–
	All other—Male	17	3	1	–	–	–	1	1	–	–	1	1	4	2	–	–	–	2	1	–	–	–	–
	All other—Female	13	–	–	1	–	1	–	–	1	1	2	1	1	–	2	2	–	1	–	–	–	–	–
250	Diabetes mellitus	2,004	1	–	1	4	4	11	12	14	30	32	51	101	157	193	261	336	348	257	141	44	6	–
	White—Male	758	–	–	–	1	2	4	6	8	10	12	17	50	57	83	106	130	122	96	41	12	1	–
	White—Female	980	1	–	1	2	1	4	3	5	12	8	16	23	63	86	124	168	194	152	86	27	4	–
	All other—Male	86	–	–	–	–	1	2	2	–	5	5	6	10	17	7	9	8	5	3	4	2	–	–
	All other—Female	180	–	–	–	1	–	1	1	1	3	7	12	18	20	17	22	30	27	6	10	3	1	–
260–269	Avitaminoses and other nutritional deficiencies	108	2	–	–	–	2	4	–	2	1	3	3	3	8	5	7	10	9	25	12	9	3	–
	White—Male	34	–	–	–	–	–	–	–	1	–	1	1	1	3	2	3	3	4	5	3	6	1	–
	White—Female	54	1	–	–	–	1	3	–	–	–	1	1	1	3	1	2	6	5	17	7	3	2	–
	All other—Male	8	1	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–	–	–	1	–	–	–
	All other—Female	12	–	–	–	–	1	1	–	–	–	1	–	1	–	2	1	1	–	3	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
280–285	Anemias	166	1	3	3	5	7	4	5	2	6	3	3	7	7	11	13	15	25	24	15	6	1	
	White Male	62	–	–	1	1	1	–	1	–	2	2	1	3	3	4	4	4	14	10	7	4	–	
	Female	71	–	–	–	1	2	2	1	–	–	1	–	3	3	7	8	11	10	13	7	1	1	
	All other Male	16	–	2	1	1	2	–	1	1	4	–	1	1	–	–	1	–	1	–	–	–	–	
	Female	17	1	1	1	2	2	2	2	1	–	–	1	–	1	–	–	–	–	1	1	1	–	
320	Meningitis	67	22	10	1	3	1	1	1	–	2	1	5	5	1	4	3	1	2	1	3	–	–	
	White Male	31	6	4	–	1	1	–	–	–	1	–	3	4	–	4	2	1	2	1	1	–	–	
	Female	15	8	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	
	All other Male	13	4	3	–	–	–	1	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	
	Female	8	4	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	59,717	144	47	12	27	41	88	108	203	366	749	1,516	2,414	3,397	4,945	6,276	7,772	9,140	9,975	7,661	3,721	1,115	
	White Male	28,060	32	18	4	7	15	31	44	70	165	357	849	1,427	2,144	2,991	3,575	3,957	4,148	3,945	2,825	1,204	252	
	Female	25,381	24	12	5	11	10	26	25	44	57	148	282	476	739	1,270	1,922	2,943	4,310	5,495	4,478	2,329	775	
	All other Male	3,220	47	10	1	3	8	16	23	58	82	134	247	307	306	384	429	442	303	205	132	64	19	
	Female	3,056	41	7	2	6	8	15	16	31	62	110	138	204	208	300	350	430	379	330	226	124	69	
390–398, 402, 404, 410–429	Diseases of heart	45,562	129	39	7	18	28	60	63	157	295	609	1,277	2,053	2,828	4,083	5,073	5,985	6,710	7,231	5,467	2,682	768	
	White Male	22,315	24	14	1	5	10	23	24	58	143	309	762	1,274	1,852	2,566	2,952	3,095	3,125	2,912	2,087	901	178	
	Female	18,385	21	9	4	6	7	11	12	28	37	103	195	360	558	998	1,518	2,221	3,087	3,932	3,119	1,634	525	
	All other Male	2,585	44	9	–	2	6	14	17	45	71	108	210	260	254	312	337	345	232	153	101	50	15	
	Female	2,277	40	7	2	5	5	12	10	26	44	89	110	159	164	207	266	324	266	234	160	97	50	
390–398	Active rheumatic fever and chronic rheumatic heart disease	705	1	1	1	2	6	5	4	14	15	23	50	71	85	104	114	80	65	39	13	11	1	
	White Male	277	–	–	–	–	3	1	2	7	4	7	18	30	44	45	43	24	23	13	8	5	–	
	Female	360	–	1	1	1	1	2	1	1	7	9	23	30	35	55	64	53	41	24	5	6	–	
	All other Male	37	–	–	–	–	–	1	1	4	3	2	3	6	3	4	4	3	1	1	–	–	1	
	Female	31	1	–	–	1	2	1	–	2	1	5	6	5	3	–	3	–	–	1	–	–	–	
402	Hypertensive heart disease	623	–	–	–	–	–	2	–	4	6	8	30	34	47	76	74	71	96	71	65	31	8	
	White Male	174	–	–	–	–	–	–	–	–	–	–	5	10	14	24	21	25	38	20	12	5	–	
	Female	267	–	–	–	–	–	1	–	1	1	1	3	6	8	24	31	27	40	48	50	20	6	
	All other Male	81	–	–	–	–	–	1	–	2	3	3	10	6	10	17	8	8	8	1	1	2	1	
	Female	101	–	–	–	–	–	–	–	1	2	4	12	12	15	11	14	11	10	2	2	4	1	
404	Hypertensive heart and renal disease	331	–	–	–	–	–	1	–	–	1	1	2	11	10	10	17	32	58	70	79	31	8	
	White Male	124	–	–	–	–	–	–	–	–	–	–	–	3	5	4	7	14	22	28	28	9	4	
	Female	170	–	–	–	–	–	–	–	–	–	–	1	2	4	5	5	11	33	38	48	19	4	
	All other Male	16	–	–	–	–	–	1	–	–	–	1	1	2	1	1	2	3	1	2	–	1	–	
	Female	21	–	–	–	–	–	–	–	–	1	–	–	4	–	–	3	4	2	2	3	2	–	
410–413	Ischemic heart disease	40,409	1	–	–	2	2	11	10	68	189	462	1,006	1,671	2,384	3,514	4,490	5,432	6,147	6,729	5,085	2,496	710	
	White Male	20,253	–	–	–	2	1	4	3	32	117	265	659	1,117	1,619	2,298	2,706	2,864	2,889	2,733	1,951	833	160	
	Female	16,639	1	–	–	–	1	2	2	15	20	71	143	272	466	843	1,326	2,031	2,844	3,669	2,905	1,533	495	
	All other Male	1,834	–	–	–	–	–	3	5	14	29	73	138	183	184	222	253	269	184	132	90	43	12	
	Female	1,683	–	–	–	–	–	2	–	7	23	53	66	99	115	151	205	268	230	195	139	87	43	
410	Acute myocardial infarction	20,975	1	–	–	1	2	5	5	50	138	348	778	1,279	1,750	2,375	2,936	3,051	3,030	2,691	1,659	701	175	
	White Male	11,962	–	–	–	1	1	4	2	23	89	213	524	893	1,234	1,614	1,847	1,759	1,554	1,178	708	273	45	
	Female	7,310	1	–	–	–	1	–	1	12	15	50	97	191	327	552	857	1,079	1,316	1,413	888	392	118	
	All other Male	1,000	–	–	–	–	–	1	2	9	20	55	108	136	117	139	137	112	82	46	24	9	3	
	Female	703	–	–	–	–	–	–	–	6	14	30	49	59	72	70	95	101	78	54	39	27	9	
411	Other acute and subacute forms of ischemic heart disease	136	–	–	–	–	–	–	1	–	1	1	2	5	9	11	14	23	15	25	15	13	1	
	White Male	64	–	–	–	–	–	–	1	–	1	1	2	2	4	6	6	12	10	10	4	4	1	
	Female	62	–	–	–	–	–	–	–	–	–	–	–	3	5	5	6	7	4	15	10	7	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	
412	Chronic ischemic heart disease	19,293	–	–	–	1	–	6	4	18	50	113	225	387	625	1,128	1,538	2,358	3,102	4,012	3,410	1,782	534	
	White Male	8,224	–	–	–	1	–	–	–	9	27	51	132	222	381	678	852	1,093	1,325	1,545	1,238	556	114	
	Female	9,266	–	–	–	–	–	2	1	3	5	21	46	78	134	286	463	945	1,524	2,240	2,007	1,134	377	
	All other Male	829	–	–	–	–	–	2	3	5	9	18	30	47	67	83	114	156	102	86	65	33	9	
	Female	974	–	–	–	–	–	2	–	1	9	23	17	40	43	81	109	164	151	141	100	59	34	
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	273	1	–	1	–	1	2	5	2	4	3	4	14	15	19	25	26	42	43	36	22	8	
	White Male	116	–	–	–	–	1	1	4	–	3	3	2	9	7	11	13	14	14	14	12	7	1	
	Female	141	–	–	–	–	–	–	–	2	–	–	2	5	8	8	12	10	23	27	24	14	6	
	All other Male	6	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	2	–	–	–	–	
	Female	10	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	1	1	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,221	126	38	5	14	19	39	44	69	80	112	185	252	287	360	353	344	302	279	189	91	33	–
	White Male	1,371	24	14	1	3	5	17	15	19	19	34	78	105	163	184	162	154	139	104	76	42	13	–
	White Female	808	20	8	3	5	5	6	9	9	9	22	23	45	37	63	80	89	106	126	87	42	14	–
	All other Male	611	44	9	–	2	6	7	10	25	35	29	58	63	56	68	70	61	36	17	10	4	1	–
	All other Female	431	38	7	1	4	3	9	10	16	17	27	26	39	31	45	41	40	21	32	16	3	5	–
400, 401, 403	Hypertension	524	–	–	–	–	–	1	2	3	5	8	17	15	22	41	37	56	78	99	92	35	13	–
	White Male	230	–	–	–	–	–	–	–	–	–	2	6	4	9	16	16	28	41	41	48	15	4	–
	White Female	212	–	–	–	–	–	–	–	–	2	1	6	4	8	12	12	21	29	51	40	20	6	–
	All other Male	45	–	–	–	–	–	1	1	3	1	2	4	4	3	8	6	5	2	2	2	–	1	–
	All other Female	37	–	–	–	–	–	–	1	–	2	3	1	3	2	5	3	2	6	5	2	–	2	–
430–438	Cerebrovascular diseases	10,762	13	8	5	9	13	20	38	38	58	116	186	297	440	681	919	1,380	1,884	2,121	1,603	718	215	–
	White Male	4,165	6	4	3	2	5	7	19	10	21	40	64	120	209	318	438	611	757	775	503	209	44	–
	White Female	5,436	3	3	1	5	3	11	11	15	14	40	65	100	149	227	332	595	986	1,229	1,018	475	154	–
	All other Male	507	3	1	1	1	2	–	3	8	9	18	32	36	47	57	74	82	55	41	25	11	1	–
	All other Female	654	1	–	–	1	3	2	5	5	14	18	25	41	35	79	75	92	86	76	57	23	16	–
431	Cerebral hemorrhage	2,061	5	1	1	3	4	4	11	10	27	38	62	111	130	201	208	262	324	324	213	97	25	–
	White Male	812	3	–	–	–	1	1	5	1	8	12	21	48	55	93	96	116	130	116	71	29	6	–
	White Female	993	1	1	–	2	2	1	3	2	5	13	18	37	46	71	85	120	178	193	136	64	15	–
	All other Male	118	–	–	1	1	1	–	2	5	7	7	14	14	13	14	15	7	8	5	3	1	–	–
	All other Female	138	1	–	–	–	–	2	1	2	7	6	9	12	16	23	12	19	8	10	3	3	4	–
433	Cerebral thrombosis	3,279	1	1	–	2	–	1	2	2	3	7	18	26	84	156	240	437	625	770	578	246	80	–
	White Male	1,267	–	1	–	–	–	–	2	1	–	4	4	11	40	77	118	195	261	273	178	81	21	–
	White Female	1,692	1	–	–	1	–	1	–	1	3	–	9	8	24	45	85	180	307	459	363	153	52	–
	All other Male	152	–	–	–	–	–	–	–	–	–	2	3	4	11	16	19	32	22	22	15	5	1	–
	All other Female	168	–	–	–	1	–	–	–	–	–	1	2	3	9	18	18	30	35	16	22	7	6	–
434	Cerebral embolism	45	–	–	–	–	–	–	–	–	–	1	1	3	2	5	1	4	11	8	5	3	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	3	3	2	1	–	–
	White Female	25	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	2	7	5	3	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,377	7	6	4	4	9	15	25	26	28	70	105	157	224	319	470	677	924	1,019	807	372	109	–
	White Male	2,069	3	3	3	2	4	6	12	8	13	24	38	61	113	145	223	298	363	383	252	98	17	–
	White Female	2,726	1	2	1	2	1	9	8	12	6	26	38	53	78	110	162	293	494	572	516	256	86	–
	All other Male	236	3	1	–	–	1	–	1	3	2	9	15	18	23	27	40	43	24	14	7	5	–	–
	All other Female	346	–	–	–	–	3	–	4	3	7	11	14	25	10	37	45	43	43	50	32	13	6	–
440	Arteriosclerosis	1,622	–	–	–	–	–	–	–	–	–	3	6	6	23	27	68	146	266	354	380	245	98	–
	White Male	612	–	–	–	–	–	–	–	–	–	–	5	2	14	15	42	76	107	126	135	69	21	–
	White Female	925	–	–	–	–	–	–	–	–	–	1	1	1	8	6	21	58	135	210	236	172	76	–
	All other Male	38	–	–	–	–	–	–	–	–	–	2	–	2	–	3	4	4	11	6	3	2	1	–
	All other Female	47	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	8	13	12	6	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,247	2	–	–	–	–	7	5	5	8	13	30	43	84	113	179	205	202	170	119	41	21	–
	White Male	738	2	–	–	–	–	1	1	2	1	6	12	27	60	76	127	147	118	91	52	10	5	–
	White Female	423	–	–	–	–	–	4	2	1	4	3	15	11	16	27	39	48	73	73	65	28	14	–
	All other Male	45	–	–	–	–	–	1	2	2	1	4	1	5	2	4	8	6	3	3	1	1	1	–
	All other Female	41	–	–	–	–	–	1	–	–	2	–	2	–	6	6	5	4	8	3	1	2	1	–
466	Acute bronchitis and bronchiolitis	31	5	1	1	–	–	1	1	1	–	–	1	3	1	1	4	2	1	4	3	1	–	–
	White Male	14	1	1	1	–	–	–	–	1	–	–	–	1	1	1	1	2	–	3	1	–	–	–
	White Female	11	2	–	–	–	–	1	1	–	–	–	1	1	–	–	1	–	–	1	2	1	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	All other Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	3,068	163	24	14	21	19	36	23	18	22	58	61	86	131	153	249	281	436	552	408	225	88	–
474, 480–486	White Male	1,399	42	4	8	9	8	23	8	8	7	18	21	40	70	82	126	145	226	276	165	84	29	–
	White Female	1,179	51	7	5	9	3	9	4	4	6	15	19	23	25	39	72	84	168	236	222	127	51	–
	All other Male	289	35	5	–	3	4	3	5	2	6	13	14	20	33	23	28	30	25	19	14	6	1	–
	All other Female	201	35	8	1	–	4	1	6	4	3	12	7	3	3	9	23	22	17	21	7	8	7	–
470–474	Influenza	84	2	–	1	–	1	1	1	–	1	2	1	–	3	4	4	3	12	24	14	8	2	–
	White Male	33	1	–	1	–	1	1	–	–	–	1	–	–	2	3	3	2	4	9	2	3	–	–
	White Female	49	1	–	–	–	–	–	–	–	1	1	1	–	–	1	1	1	8	15	12	5	2	–
	All other Male	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,984	161	24	13	21	18	35	22	18	21	56	60	86	128	149	245	278	424	528	394	217	86	–
	White Male	1,366	41	4	7	9	7	22	8	8	7	17	21	40	68	79	123	143	222	267	163	81	29	–
	White Female	1,130	50	7	5	9	3	9	4	4	5	14	18	23	25	38	71	83	160	221	210	122	49	–
	All other Male	287	35	5	–	3	4	3	4	2	6	13	14	20	32	23	28	30	25	19	14	6	1	–
	All other Female	201	35	8	1	–	4	1	6	4	3	12	7	3	3	9	23	22	17	21	7	8	7	–
490–493	Bronchitis, emphysema, and asthma	1,472	6	4	1	5	5	7	5	6	4	12	31	51	112	172	263	277	262	153	72	17	7	–
	White Male	1,039	4	3	–	1	3	2	2	2	1	3	13	33	76	123	187	205	207	115	45	11	3	–
	White Female	340	–	1	–	3	–	1	–	1	1	7	12	12	30	42	61	59	46	31	25	4	4	–
	All other Male	65	1	–	1	–	2	1	1	2	1	1	4	6	3	5	11	11	7	5	2	1	–	–
	All other Female	28	1	–	–	1	–	3	2	1	1	1	2	–	3	2	4	2	2	2	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
490, 491	Chronic and unqualified bronchitis	253	4	3	–	1	2	2	2	1	1	1	3	13	15	26	43	44	45	23	16	5	3	–
	White.....Male	166	2	2	–	–	1	–	2	1	–	–	3	8	10	17	29	28	33	17	8	3	2	–
	Female	70	–	1	–	1	–	–	–	–	1	1	–	4	4	8	12	12	11	6	6	2	1	–
	All other.....Male	13	1	–	–	–	1	1	–	–	–	–	–	1	1	1	1	4	–	–	2	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
492	Emphysema	1,116	2	–	–	–	–	1	–	1	1	6	22	35	89	139	208	221	205	121	51	10	4	–
	White.....Male	839	2	–	–	–	–	1	–	–	–	2	10	25	63	103	155	171	168	96	35	7	1	–
	Female	225	–	–	–	–	–	–	–	–	–	3	7	8	24	30	43	41	30	19	16	1	3	–
	All other.....Male	43	–	–	–	–	–	–	–	1	1	1	4	2	2	4	8	7	7	5	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	1	–	1	–	–
493	Asthma	103	–	1	1	4	3	4	3	4	2	5	6	3	8	7	12	12	12	9	5	2	–	–
	White.....Male	34	–	1	–	1	2	1	–	1	1	1	–	–	3	3	3	6	6	2	2	1	–	–
	Female	45	–	–	–	2	–	1	–	1	–	3	5	–	2	4	6	6	5	6	3	1	–	–
	All other.....Male	9	–	–	1	–	1	–	1	1	–	–	–	3	–	–	2	–	–	–	–	–	–	–
	Female	15	–	–	–	1	–	2	2	1	1	1	1	–	3	–	1	–	1	1	–	–	–	–
531–533	Peptic ulcer	455	2	–	–	–	–	3	1	4	6	9	20	32	42	48	57	60	67	52	38	8	6	–
	White.....Male	259	–	–	–	–	–	1	–	4	3	4	8	22	29	32	36	34	40	26	15	4	1	–
	Female	155	–	–	–	–	–	–	–	–	2	3	8	8	9	12	14	22	23	24	21	4	5	–
	All other.....Male	32	2	–	–	–	–	2	1	–	1	–	4	2	4	2	4	4	3	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	2	–	–	–	2	3	–	1	–	1	–	–	–
540–543	Appendicitis	50	–	–	1	2	1	2	–	–	–	2	4	6	2	8	5	7	6	3	1	–	–	–
	White.....Male	26	–	–	–	1	–	1	–	–	–	–	3	2	1	3	3	5	6	1	–	–	–	–
	Female	17	–	–	–	1	–	1	–	–	–	2	–	4	–	4	1	1	–	2	1	–	–	–
	All other.....Male	4	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	365	26	1	–	–	–	1	3	1	5	10	6	12	22	23	37	40	58	59	43	17	1	–
	White.....Male	138	11	1	–	–	–	–	–	–	2	2	1	4	4	13	18	17	24	23	12	5	1	–
	Female	177	7	–	–	–	–	1	–	–	–	4	2	7	15	9	11	20	29	33	27	12	–	–
	All other.....Male	26	5	–	–	–	–	–	2	1	1	4	1	–	–	1	3	2	3	1	2	–	–	–
	Female	24	3	–	–	–	–	–	1	–	2	–	2	1	3	–	5	1	2	2	2	–	–	–
571	Cirrhosis of liver	1,853	2	–	–	1	1	4	18	43	97	153	231	247	288	273	206	136	83	48	18	4	–	–
	White.....Male	1,042	1	–	–	1	–	1	7	13	40	72	119	151	158	168	136	88	46	31	7	3	–	–
	Female	500	–	–	–	–	–	–	2	6	16	46	61	53	94	74	46	43	31	17	10	1	–	–
	All other.....Male	192	1	–	–	–	–	–	6	15	24	26	33	26	22	16	18	3	1	–	1	–	–	–
	Female	119	–	–	–	–	1	3	3	9	17	9	18	17	14	15	6	2	5	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	203	–	–	–	–	–	2	1	3	6	3	5	5	6	17	25	23	30	41	30	6	–	–
	White.....Male	86	–	–	–	–	–	–	–	–	2	2	1	3	5	9	15	7	10	18	12	2	–	–
	Female	107	–	–	–	–	–	2	1	–	2	1	4	2	1	7	10	14	19	22	18	4	–	–
	All other.....Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	1	1	1	–	–	–	–
580–584	Nephritis and nephrosis	433	2	–	–	–	4	5	14	5	10	13	21	33	29	42	43	55	57	48	33	16	3	–
	White.....Male	164	1	–	–	–	3	3	5	1	1	6	1	11	10	15	19	22	27	19	14	6	–	–
	Female	151	1	–	–	–	–	–	3	2	4	2	4	8	8	15	11	16	22	26	17	10	2	–
	All other.....Male	51	–	–	–	–	–	1	3	1	5	2	6	8	4	2	6	5	6	1	1	–	–	–
	Female	67	–	–	–	–	1	1	3	1	–	3	10	6	7	10	7	12	2	2	1	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	84	2	–	–	–	–	–	4	1	2	4	1	8	5	7	7	5	21	9	6	2	–	–
	White.....Male	39	1	–	–	–	–	–	1	–	–	2	–	4	2	2	5	2	12	5	2	1	–	–
	Female	25	1	–	–	–	–	–	1	–	1	–	–	1	2	5	–	3	5	2	3	1	–	–
	All other.....Male	14	–	–	–	–	–	–	1	1	1	2	–	2	1	–	1	–	4	1	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	349	–	–	–	–	4	5	10	4	8	9	20	25	24	35	36	50	36	39	27	14	3	–
	White.....Male	125	–	–	–	–	3	3	4	1	1	4	1	7	8	13	14	20	15	14	12	5	–	–
	Female	126	–	–	–	–	–	2	2	2	3	2	4	7	6	10	11	13	17	24	14	9	2	–
	All other.....Male	37	–	–	–	–	–	1	2	–	4	–	6	6	3	2	5	5	2	–	1	–	–	–
	Female	61	–	–	–	–	1	1	2	1	–	3	9	5	7	10	6	12	2	1	–	–	1	–
590	Infections of kidney	296	–	–	–	–	–	1	1	–	2	3	7	8	8	16	34	45	36	60	49	22	4	–
	White.....Male	128	–	–	–	–	–	–	1	–	–	–	2	4	1	7	15	19	18	24	28	8	1	–
	Female	132	–	–	–	–	–	1	–	–	–	2	2	4	3	7	12	19	16	34	17	12	3	–
	All other.....Male	15	–	–	–	–	–	–	–	–	1	–	1	–	3	2	2	3	–	–	3	–	–	–
	Female	21	–	–	–	–	–	–	–	–	1	1	2	–	1	–	5	4	2	2	1	2	–	–
600	Hyperplasia of prostate	82	–	–	–	–	–	–	–	–	–	–	1	–	–	6	9	16	14	17	9	9	1	–
	White.....Male	76	–	–	–	–	–	–	–	–	–	–	–	–	–	5	7	16	14	15	9	9	1	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	28	–	–	–	–	2	4	10	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	15	–	–	–	–	1	2	7	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	13	–	–	–	–	1	2	3	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois — Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	27	–	–	–	–	2	4	9	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–
	White—Female	15	–	–	–	–	1	2	7	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	12	–	–	–	–	1	2	2	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	756	513	66	24	16	22	13	10	9	8	7	11	11	9	11	9	4	7	3	3	–	–	–
	White—Male	324	221	25	8	4	15	5	5	2	6	3	6	5	6	5	–	–	5	2	1	–	–	–
	Female	275	174	28	9	11	5	6	3	5	1	2	3	5	3	4	8	3	2	1	2	–	–	–
	All other—Male	87	65	9	3	–	2	2	–	–	–	2	1	1	–	–	1	1	–	–	–	–	–	–
	Female	70	53	4	4	1	2	–	–	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,836	1,834	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Male	726	726	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	497	495	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	343	343	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	270	270	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,203	1,202	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White—Male	472	472	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	306	305	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Male	239	239	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	186	186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	633	632	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	254	254	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	191	190	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,122	273	54	31	44	150	226	176	126	119	106	103	108	100	104	97	92	68	60	47	22	11	5
	White—Male	991	96	12	7	21	70	122	72	57	50	40	54	63	57	58	53	49	34	38	21	11	2	4
	Female	471	53	18	9	11	32	25	22	16	14	22	18	24	25	29	32	29	31	20	24	8	9	–
	All other—Male	496	74	15	9	9	38	63	68	41	42	38	27	17	15	11	11	12	1	2	–	2	–	1
	Female	164	50	9	6	3	10	16	14	12	13	6	4	4	3	6	1	2	2	–	2	1	–	–
Residual	All other diseases	5,495	99	52	43	47	87	110	121	101	125	162	221	347	411	490	612	661	690	545	363	165	43	–
	White—Male	2,479	30	20	21	22	43	56	41	37	55	50	86	147	200	244	298	346	326	255	137	55	10	–
	Female	2,184	33	23	16	21	27	15	36	28	34	50	82	131	145	173	222	259	308	259	198	98	26	–
	All other—Male	473	22	3	4	4	12	26	27	26	23	33	32	36	41	49	50	30	27	11	12	4	1	–
	Female	359	14	6	2	–	5	13	17	10	13	29	21	33	25	24	42	26	29	20	16	8	6	–
E800–E949	Accidents	4,381	57	159	127	156	540	475	341	233	195	213	221	221	227	211	209	191	193	182	143	65	22	–
	White—Male	2,618	22	63	69	87	376	351	231	138	113	138	133	139	138	122	125	106	103	76	65	19	4	–
	Female	1,125	21	48	24	35	114	72	49	46	36	32	46	51	62	62	64	64	76	94	71	43	15	–
	All other—Male	485	7	30	23	24	40	40	52	43	35	36	36	28	14	19	14	16	9	10	5	3	1	–
	Female	153	7	18	11	10	10	12	9	6	11	7	6	3	13	8	6	5	5	2	2	–	2	–
E810–E823	Motor vehicle accidents	1,846	10	48	57	61	357	287	188	114	85	92	91	79	79	82	59	55	55	35	12	–	–	–
	White—Male	1,193	2	20	30	37	249	212	140	74	48	57	61	54	41	45	37	26	31	22	7	–	–	–
	Female	469	8	18	12	16	92	53	29	26	19	20	20	17	33	30	20	20	20	12	4	–	–	–
	All other—Male	140	–	4	11	5	12	18	16	13	11	13	7	6	3	6	2	7	4	1	1	–	–	–
	Female	44	–	6	4	3	4	4	3	1	7	2	3	2	2	1	–	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,535	47	111	70	95	183	188	153	119	110	121	130	142	148	129	150	136	138	147	131	65	22	–
	White—Male	1,425	20	43	39	50	127	139	91	64	65	81	72	85	97	77	88	80	72	54	58	19	4	–
	Female	656	13	30	12	19	22	19	20	20	17	12	26	34	29	32	44	44	56	82	67	43	15	–
	All other—Male	345	7	26	12	19	28	22	36	30	24	23	29	22	11	13	12	9	5	9	4	3	1	–
	Female	109	7	12	7	7	6	8	6	5	4	5	3	1	11	7	6	3	5	2	2	–	2	–
E950–E959	Suicide	867	. . .	. . .	–	9	40	93	80	60	65	59	80	80	77	53	47	59	36	19	8	2	–	–
	White—Male	578	. . .	. . .	–	6	27	62	57	41	44	35	50	44	53	34	29	42	27	19	6	2	–	–
	Female	221	. . .	. . .	–	2	5	20	14	13	16	19	25	30	23	18	14	13	7	–	2	–	–	–
	All other—Male	51	. . .	. . .	–	1	7	9	8	3	4	4	3	4	1	–	3	2	2	–	–	–	–	–
	Female	17	. . .	. . .	–	–	1	2	1	3	1	1	2	2	–	1	1	2	–	–	–	–	–	–
E960–E978	Homicide	1,090	2	20	6	21	130	192	171	123	85	85	68	53	43	40	19	13	9	6	2	1	–	1
	White—Male	309	–	5	–	3	39	51	51	38	32	18	18	15	17	11	1	6	1	2	1	–	–	–
	Female	102	2	6	–	5	9	18	14	8	3	7	7	3	2	4	3	1	5	2	1	1	–	1
	All other—Male	559	–	4	4	5	65	105	84	63	45	54	35	30	23	24	12	4	1	1	–	–	–	–
	Female	120	–	5	2	8	17	18	22	14	5	6	8	5	1	1	3	2	2	1	–	–	–	–
E980–E999	Other external causes	305	13	7	2	6	32	44	24	30	27	27	23	15	14	15	4	9	8	1	4	–	–	–
	White—Male	161	1	3	2	2	16	31	10	13	14	12	11	12	10	7	1	8	4	–	4	–	–	–
	Female	70	5	2	–	1	6	3	9	4	7	8	9	2	4	7	–	–	2	1	–	–	–	–
	All other—Male	53	3	–	–	3	7	9	3	7	5	7	3	–	–	1	3	–	2	–	–	–	–	–
	Female	21	4	2	–	–	3	1	2	6	1	–	–	1	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana																							
	All causes	**48,269**	**1,367**	**247**	**166**	**206**	**487**	**579**	**512**	**443**	**585**	**905**	**1,515**	**2,317**	**3,019**	**4,204**	**5,073**	**5,883**	**6,411**	**6,541**	**4,839**	**2,281**	**678**	**11**
	White Male	24,421	637	113	90	120	328	377	287	230	305	500	856	1,322	1,818	2,498	2,970	3,150	3,215	2,839	1,831	743	189	3
	White Female	20,291	496	90	52	66	123	106	134	135	183	276	458	729	958	1,333	1,727	2,332	2,880	3,439	2,851	1,473	447	3
	All other Male	2,035	126	25	11	14	17	74	70	52	62	68	103	163	150	238	221	211	171	132	75	32	16	4
	All other Female	1,522	108	19	13	6	19	22	21	26	35	61	98	103	93	135	155	190	145	131	82	33	26	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	55	12	3	–	–	1	–	3	1	–	3	–	3	–	3	2	5	5	5	4	5	–	–
	White Male	21	5	1	–	–	1	–	2	–	–	1	–	1	–	1	1	1	2	3	1	1	–	–
	White Female	25	2	1	–	–	–	–	1	1	–	2	–	1	–	2	1	2	3	2	3	4	–	–
	All other Male	4	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
010–019	Tuberculosis, all forms	69	–	–	–	–	–	1	1	2	3	5	9	3	7	6	9	7	6	6	2	2	–	–
	White Male	36	–	–	–	–	–	–	1	1	–	2	4	2	7	5	4	5	2	3	–	–	–	–
	White Female	22	–	–	–	–	–	1	–	–	1	1	3	1	–	1	2	2	4	2	2	2	–	–
	All other Male	8	–	–	–	–	–	–	–	1	1	1	1	–	–	–	3	–	–	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	59	–	–	–	–	–	1	1	1	3	5	9	2	7	4	8	5	5	6	–	2	–	–
	White Male	34	–	–	–	–	–	–	1	1	–	2	4	2	7	4	4	4	2	3	–	–	–	–
	White Female	16	–	–	–	–	–	1	–	–	1	1	3	–	–	–	2	1	3	2	–	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	2	1	–	2	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	–	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	5	–	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	113	14	2	–	1	1	2	–	2	3	2	4	6	5	4	15	10	24	11	6	1	–	–
	White Male	41	6	–	–	–	–	2	–	1	1	1	–	5	1	1	6	6	7	1	2	1	–	–
	White Female	52	8	2	–	1	1	–	–	1	2	1	1	–	3	1	7	3	11	8	2	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	3	1	–	–	–	–
	All other Female	12	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	3	1	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	2	–	–	2	3	2	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	93	10	9	5	2	1	3	2	3	1	5	4	4	1	6	11	4	6	8	3	3	2	–
	White Male	37	2	5	3	–	1	1	1	3	–	3	2	2	1	2	3	3	2	2	1	–	1	–
	White Female	42	3	4	2	1	1	2	–	–	1	2	1	1	–	3	6	1	3	5	2	3	1	–
	All other Male	8	3	–	–	1	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	All other Female	6	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,707	4	13	13	32	33	36	41	71	108	210	406	712	887	1,199	1,251	1,168	1,066	843	450	135	28	1
	White—Male	4,372	2	9	9	17	22	23	16	27	45	85	191	312	429	639	717	609	584	383	196	47	10	–
	White—Female	3,663	1	3	3	12	7	11	23	33	52	100	179	320	383	453	438	472	422	413	238	86	13	1
	All other—Male	370	1	–	1	2	1	–	–	3	4	10	9	47	40	63	62	48	38	27	12	1	1	–
	All other—Female	302	–	1	–	1	3	2	2	8	7	15	27	33	35	44	34	39	22	20	4	1	4	–
140–149	Of buccal cavity and pharynx	169	–	–	–	1	2	–	–	2	1	4	9	14	37	21	24	17	11	14	10	2	–	–
	White—Male	115	–	–	–	1	2	–	–	1	–	3	5	8	27	18	18	12	7	6	6	1	–	–
	White—Female	32	–	–	–	–	–	–	–	1	–	–	1	2	3	2	3	5	3	7	4	1	–	–
	All other—Male	17	–	–	–	–	–	–	–	–	1	1	2	3	6	1	2	–	–	1	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,266	–	–	–	–	1	2	3	10	20	39	64	142	192	313	310	333	336	269	161	61	9	1
	White—Male	1,059	–	–	–	–	1	1	2	4	13	19	29	71	93	159	165	154	169	92	69	15	3	–
	White—Female	1,031	–	–	–	–	–	1	1	4	6	15	26	51	83	122	113	156	150	164	88	45	5	1
	All other—Male	99	–	–	–	–	–	–	–	1	1	2	3	15	6	15	20	15	11	8	2	–	–	–
	All other—Female	77	–	–	–	–	–	–	–	1	–	3	6	5	10	17	12	8	6	5	2	1	1	–
160–163	Of respiratory system	2,021	–	–	–	–	–	–	2	8	18	52	125	207	258	358	346	271	218	99	48	8	3	–
	White—Male	1,502	–	–	–	–	–	–	–	4	9	36	87	138	182	269	275	213	179	77	27	5	1	–
	White—Female	370	–	–	–	–	–	–	2	4	7	12	29	45	52	57	52	39	31	17	18	3	2	–
	All other—Male	116	–	–	–	–	–	–	–	1	4	1	17	19	28	17	15	7	4	3	–	–	–	–
	All other—Female	33	–	–	–	–	–	–	–	–	1	–	8	7	5	4	2	4	1	1	–	–	–	–
174	Of breast	759	–	–	–	–	–	1	4	8	16	31	56	108	101	98	76	91	62	63	31	9	4	–
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–	–
	White—Female	694	–	–	–	–	–	–	4	7	13	25	51	97	92	92	71	83	57	60	30	9	3	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	58	–	–	–	–	–	1	–	1	3	6	5	11	8	4	4	8	3	2	1	–	1	–
180–187	Of genital organs	1,084	–	1	–	1	3	5	13	13	15	28	50	75	81	115	146	149	150	149	69	18	3	–
	White—Male	438	–	1	–	–	2	4	7	2	1	2	1	10	11	28	63	75	83	91	43	12	2	–
	White—Female	537	–	–	–	1	–	1	6	6	11	23	44	61	62	70	66	63	52	45	21	5	–	–
	All other—Male	51	–	–	–	–	–	–	–	–	–	–	1	–	1	7	9	4	11	11	5	1	1	–
	All other—Female	58	–	–	–	–	1	–	–	5	3	3	4	4	7	10	8	7	4	2	–	–	–	–
188, 189	Of urinary organs	430	1	1	–	–	–	–	1	1	3	7	16	25	31	57	73	58	70	48	26	9	3	–
	White—Male	268	1	1	–	–	–	–	–	–	2	3	13	17	21	31	52	33	43	32	17	2	–	–
	White—Female	132	–	–	–	–	–	–	–	1	1	3	2	4	8	23	17	20	21	15	9	7	1	–
	All other—Male	19	–	–	–	–	–	–	–	–	–	1	1	2	2	2	3	4	4	–	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	1	–	–	–	–	2	–	1	1	1	2	1	–	–	2	–
170–173, 190–199	Of all other and unspecified sites	1,159	3	5	1	15	13	11	8	21	25	31	55	90	126	150	156	130	128	104	65	16	6	–
	White—Male	549	1	1	1	7	6	9	3	11	13	13	34	40	61	88	76	65	54	40	18	4	4	–
	White—Female	532	1	3	–	5	6	1	5	9	11	15	17	44	58	49	68	55	70	57	44	12	2	–
	All other—Male	45	1	–	–	2	–	–	–	1	1	2	1	4	4	9	9	7	1	1	2	–	–	–
	All other—Female	33	–	1	–	1	1	1	–	–	–	1	3	2	3	4	3	3	3	6	1	–	–	–
204–207	Leukemia	360	–	3	8	10	7	12	3	4	6	7	14	14	18	32	44	47	42	57	23	9	–	–
	White—Male	207	–	3	5	7	5	6	1	4	4	4	9	7	13	17	26	26	24	29	11	6	–	–
	White—Female	134	–	–	3	3	1	6	1	–	2	2	5	4	4	13	16	17	16	26	12	3	–	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	2	1	–	–	–	–
	All other—Female	10	–	–	–	–	1	–	1	–	–	1	–	1	–	1	1	3	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	459	–	3	4	5	7	5	7	4	4	11	17	37	43	55	76	72	49	40	17	3	–	–
	White—Male	228	–	3	3	2	6	3	3	1	3	5	13	21	20	27	41	31	24	15	5	2	–	–
	White—Female	201	–	–	–	3	–	2	4	1	1	5	4	12	21	25	32	34	22	22	12	1	–	–
	All other—Male	13	–	–	1	–	1	–	–	1	–	–	–	4	1	–	1	2	1	1	–	–	–	–
	All other—Female	17	–	–	–	–	–	–	–	1	–	1	–	–	1	3	2	5	2	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	141	1	4	1	2	4	1	2	6	2	4	8	13	12	16	15	14	15	12	5	4	–	–
	White—Male	61	1	3	–	1	1	–	1	1	1	2	2	6	7	7	4	8	9	5	1	1	–	–
	White—Female	70	–	1	1	–	2	1	1	4	–	2	6	7	4	7	10	5	6	7	3	3	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	1	–	–	–
	All other—Female	4	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	1,129	1	–	–	–	1	4	9	8	6	15	31	38	60	114	157	179	193	178	90	34	10	1
	White—Male	416	1	–	–	–	1	2	3	5	2	10	13	16	29	42	64	68	66	56	27	10	1	–
	White—Female	617	–	–	–	–	–	2	4	–	1	5	13	17	24	60	72	105	115	111	57	24	7	–
	All other—Male	48	–	–	–	–	–	–	2	2	2	–	3	2	5	6	10	3	5	4	3	–	1	–
	All other—Female	48	–	–	–	–	–	–	–	1	1	–	2	3	2	6	11	3	7	7	3	–	1	1
260–269	Avitaminoses and other nutritional deficiencies	69	4	–	–	–	–	–	2	–	–	2	1	3	2	4	3	5	10	8	14	9	2	–
	White—Male	23	1	–	–	–	–	–	2	–	–	–	1	2	1	2	–	2	2	4	2	3	1	–
	White—Female	36	–	–	–	–	–	–	–	–	–	2	–	–	1	1	3	1	5	4	12	6	1	–
	All other—Male	8	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–
	All other—Female	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
280–285	Anemias	85	–	2	–	1	2	–	1	3	1	1	2	3	4	8	2	10	13	17	9	5	1	–
	White Male	33	–	1	–	1	1	–	1	–	–	–	–	2	2	4	1	5	5	6	3	1	–	–
	Female	41	–	–	–	–	–	–	–	3	–	–	1	1	1	3	1	4	7	9	6	4	1	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	–	–	–	–
	Female	6	–	1	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–
320	Meningitis	43	19	10	2	–	–	–	–	1	–	–	1	1	3	–	3	1	1	1	–	–	–	–
	White Male	21	9	6	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–
	Female	12	3	2	2	–	–	–	–	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–
	All other Male	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	26,360	21	17	9	9	19	23	37	63	102	301	552	962	1,386	2,076	2,739	3,536	4,072	4,515	3,624	1,761	535	1
	White Male	13,058	9	5	5	5	13	11	16	28	63	197	373	638	942	1,323	1,646	1,889	1,983	1,900	1,320	544	148	–
	Female	11,781	10	8	2	4	3	8	15	18	25	60	114	214	339	577	901	1,410	1,893	2,453	2,200	1,168	359	–
	All other Male	839	1	4	–	–	–	2	3	12	7	26	36	72	61	119	109	127	100	76	47	26	10	1
	Female	682	1	–	2	–	3	2	3	5	7	18	29	38	44	57	83	110	96	86	57	23	18	–
390–398, 402, 404, 410–429	Diseases of heart	18,296	15	12	5	5	13	18	23	45	82	244	458	811	1,152	1,632	2,084	2,518	2,753	2,863	2,210	1,040	312	1
	White Male	9,696	7	3	3	2	10	8	11	19	57	179	333	569	821	1,086	1,294	1,426	1,385	1,238	835	326	84	–
	Female	7,533	6	5	1	3	1	6	9	14	17	32	72	164	257	410	654	941	1,241	1,507	1,306	679	208	–
	All other Male	607	1	4	–	–	–	2	1	8	4	19	31	53	45	93	77	83	66	60	29	22	8	1
	Female	460	1	–	1	–	2	2	2	4	4	14	22	25	29	43	59	68	61	58	40	13	12	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	343	–	1	–	1	3	5	5	7	9	18	17	31	38	51	39	47	34	21	10	6	–	–
	White Male	151	–	1	–	1	3	1	2	3	4	9	8	17	21	27	22	17	7	5	2	1	–	–
	Female	167	–	–	–	–	–	3	2	4	3	8	7	8	16	19	16	28	25	15	8	5	–	–
	All other Male	16	–	–	–	–	–	1	1	–	–	1	1	4	–	4	1	1	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	2	–	1	2	1	1	–	1	–	1	–	–	–	–
402	Hypertensive heart disease	147	–	–	–	–	–	–	–	–	–	1	2	6	13	13	24	22	22	19	18	7	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	2	6	5	8	7	2	3	5	1	–	–
	Female	88	–	–	–	–	–	–	–	–	–	1	–	2	6	5	12	13	18	13	13	5	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	2	–	2	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	2	1	–	–	–	–
404	Hypertensive heart and renal disease	335	–	–	–	–	–	–	–	–	–	1	4	7	6	7	19	24	54	66	88	44	15	–
	White Male	136	–	–	–	–	–	–	–	–	–	1	1	4	1	5	10	13	23	26	28	15	9	–
	Female	186	–	–	–	–	–	–	–	–	–	–	2	2	3	1	9	10	30	38	57	28	6	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	1	1	–	–	–
410–413	Ischemic heart disease	16,326	–	–	–	1	3	3	7	24	62	199	407	709	1,023	1,481	1,903	2,296	2,491	2,603	1,950	893	270	1
	White Male	8,832	–	–	–	–	2	2	6	12	47	155	310	514	750	1,003	1,199	1,321	1,273	1,139	747	284	68	–
	Female	6,580	–	–	–	1	–	–	1	5	11	20	57	133	207	360	579	842	1,101	1,359	1,141	579	184	–
	All other Male	518	–	–	–	–	–	–	–	6	4	13	25	44	41	79	68	74	61	53	23	18	8	1
	Female	396	–	–	–	–	1	1	–	1	–	11	15	18	25	39	57	59	56	52	39	12	10	–
410	Acute myocardial infarction	9,102	–	–	–	1	1	–	4	16	50	156	319	532	745	1,050	1,281	1,408	1,358	1,137	715	267	61	1
	White Male	5,609	–	–	–	–	1	–	4	11	40	131	253	413	580	730	859	859	753	555	303	100	17	–
	Female	3,122	–	–	–	1	–	–	–	3	8	15	44	92	132	259	366	496	555	550	398	161	42	–
	All other Male	236	–	–	–	–	–	–	–	2	2	9	17	21	20	44	37	29	28	17	4	4	1	1
	Female	135	–	–	–	–	–	–	–	–	–	1	5	6	13	17	19	24	22	15	10	2	1	–
411	Other acute and subacute forms of ischemic heart disease	49	–	–	–	–	1	1	–	–	–	1	1	3	3	2	2	9	10	7	3	4	2	–
	White Male	25	–	–	–	–	1	–	–	–	–	1	1	3	2	2	–	7	3	3	–	2	2	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	4	3	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,173	–	–	–	–	1	2	3	8	12	42	87	173	275	429	620	878	1,123	1,459	1,232	622	207	–
	White Male	3,196	–	–	–	–	–	2	2	1	7	23	56	97	168	271	340	454	517	581	444	184	49	–
	Female	3,437	–	–	–	–	–	–	1	2	3	5	13	41	75	101	212	344	539	805	740	414	142	–
	All other Male	282	–	–	–	–	–	–	–	4	2	4	8	23	21	35	31	45	33	36	19	14	7	–
	Female	258	–	–	–	–	1	–	–	1	–	10	10	12	11	22	37	35	34	37	29	10	9	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	198	2	–	1	–	3	–	–	1	3	2	3	4	11	6	9	28	33	26	32	22	12	–
	White Male	89	1	–	–	–	2	–	–	–	2	2	1	1	8	4	7	17	17	11	7	6	3	–
	Female	100	1	–	–	–	1	–	–	–	–	–	2	2	3	2	2	9	16	14	24	16	8	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–
	Female	5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
420–423, 425–427, 429	All other forms of heart disease	947	13	11	4	3	4	10	11	13	8	23	25	54	61	74	90	101	119	128	112	68	15	–
	White—Male	449	6	2	3	1	3	5	3	4	4	12	13	31	35	42	48	51	63	54	46	19	4	–
	Female	412	5	5	1	2	–	3	6	5	3	3	4	17	22	23	36	39	51	68	63	46	10	–
	All other—Male	50	1	4	–	–	1	–	–	1	–	5	3	4	2	8	5	4	3	4	3	2	–	–
	Female	36	1	–	–	–	1	1	2	3	1	3	5	2	2	1	1	7	2	2	–	1	1	–
400, 401, 403	Hypertension	184	–	–	–	–	–	–	1	1	–	1	2	6	6	17	14	22	24	41	29	18	2	–
	White—Male	81	–	–	–	–	–	–	–	–	–	–	2	–	2	8	7	13	11	20	11	7	–	–
	Female	83	–	–	–	–	–	–	–	–	–	–	–	2	2	5	4	9	13	19	16	11	2	–
	All other—Male	11	–	–	–	–	–	–	1	–	1	–	2	–	3	1	–	–	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	2	2	1	2	–	–	–	1	–	–	–
430–438	Cerebrovascular diseases	6,029	5	5	3	3	4	3	11	16	16	47	80	116	174	344	495	802	1,050	1,222	1,025	473	135	–
	White—Male	2,457	2	2	1	2	1	2	3	8	5	16	33	48	80	182	247	358	459	481	355	134	38	–
	Female	3,209	3	3	1	1	2	1	6	4	6	24	36	41	72	129	203	368	532	707	648	330	92	–
	All other—Male	177	–	–	–	–	–	–	2	3	2	5	5	16	10	20	24	39	27	9	11	3	1	–
	Female	186	–	–	1	–	1	–	–	1	3	2	6	11	12	13	21	37	32	25	11	6	4	–
431	Cerebral hemorrhage	1,022	1	2	1	1	–	1	2	3	5	19	27	37	50	87	90	152	161	175	142	48	18	–
	White—Male	440	1	2	1	1	–	–	1	–	2	7	12	15	23	42	47	74	66	72	57	11	6	–
	Female	509	–	–	–	–	–	1	1	1	1	8	10	14	19	40	35	66	83	99	83	37	11	–
	All other—Male	37	–	–	–	–	–	–	–	1	1	3	2	4	5	1	5	7	7	–	–	–	1	–
	Female	36	–	–	–	–	–	–	–	1	1	1	3	4	3	4	3	5	5	4	2	–	–	–
433	Cerebral thrombosis	1,403	–	1	–	–	–	–	2	2	–	1	6	11	27	80	113	183	249	304	272	116	36	–
	White—Male	570	–	–	–	–	–	–	–	1	–	–	2	4	18	39	56	94	108	113	89	36	10	–
	Female	776	–	1	–	–	–	–	–	1	–	1	3	5	9	35	51	75	127	185	179	78	26	–
	All other—Male	26	–	–	–	–	–	–	2	–	–	–	–	1	–	3	3	8	4	2	3	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	6	10	4	1	2	–	–
434	Cerebral embolism	28	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	8	4	2	3	–	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	1	1	2	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	3	–	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,576	4	2	2	2	4	2	7	11	11	27	47	67	97	175	290	461	632	739	609	306	81	–
	White—Male	1,435	1	–	–	1	1	2	2	7	3	9	19	28	39	100	143	186	284	295	207	86	22	–
	Female	1,908	3	2	1	1	2	–	5	2	5	15	23	22	44	53	116	225	315	420	386	213	55	–
	All other—Male	114	–	–	–	–	–	–	–	2	1	2	3	11	5	16	16	24	16	7	8	3	–	–
	Female	119	–	–	1	–	1	–	–	–	2	1	2	6	9	6	15	26	17	17	8	4	4	–
440	Arteriosclerosis	1,198	–	–	1	–	–	–	–	–	–	2	3	2	12	26	61	98	146	281	287	201	78	–
	White—Male	445	–	–	1	–	–	–	–	–	–	1	1	2	7	11	37	30	71	108	91	64	21	–
	Female	713	–	–	–	–	–	–	–	–	–	–	1	–	4	15	19	65	69	167	186	133	54	–
	All other—Male	23	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	5	4	5	1	1	–
	Female	17	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	2	5	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	653	1	–	–	1	2	2	2	1	4	7	9	27	42	57	85	96	99	108	73	29	8	–
	White—Male	379	–	–	–	1	2	1	2	1	1	1	4	19	32	36	61	62	57	53	28	13	5	–
	Female	243	1	–	–	–	–	1	–	–	2	4	5	7	4	18	21	27	38	53	44	15	3	–
	All other—Male	21	–	–	–	–	–	–	–	–	1	1	–	1	5	3	3	3	2	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	4	2	1	–	1	–	–
466	Acute bronchitis and bronchiolitis	13	1	1	1	1	–	–	–	–	–	–	1	1	1	2	–	1	1	1	–	–	1	–
	White—Male	8	1	–	–	1	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,192	78	10	6	8	14	6	6	5	12	15	23	44	41	67	80	98	166	207	149	118	39	–
	White—Male	604	30	1	–	2	7	2	1	2	4	9	10	28	30	46	50	55	91	103	73	49	11	–
	Female	468	28	5	2	5	6	3	2	2	3	4	7	10	10	13	22	31	68	93	66	63	25	–
	All other—Male	61	9	2	2	1	–	1	3	1	3	–	4	4	–	5	3	3	5	8	4	2	1	–
	Female	59	11	2	2	–	1	–	–	–	2	2	2	2	1	3	5	9	2	3	6	4	2	–
470–474	Influenza	45	–	1	1	1	–	–	–	–	1	–	–	1	2	2	4	2	6	12	8	2	2	–
	White—Male	18	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	6	2	1	–	–
	Female	23	–	1	1	1	–	–	–	–	1	–	–	1	–	1	–	1	2	5	6	1	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–
480–486	Pneumonia	1,147	78	9	5	7	14	6	6	5	11	15	23	43	39	65	76	96	160	195	141	116	37	–
	White—Male	586	30	1	–	2	7	2	1	2	4	9	10	28	28	45	48	54	88	97	71	48	11	–
	Female	445	28	4	1	4	6	3	2	2	2	4	7	9	10	12	22	30	66	88	60	62	23	–
	All other—Male	61	9	2	2	1	–	1	3	1	3	–	4	4	–	5	3	3	5	8	4	2	1	–
	Female	55	11	2	2	–	1	–	–	–	2	2	2	2	1	3	3	9	1	2	6	4	2	–
490–493	Bronchitis, emphysema, and asthma	689	5	–	1	2	–	2	2	–	3	6	18	39	49	82	111	120	107	92	37	13	–	–
	White—Male	511	1	–	–	1	–	1	1	–	–	3	9	25	22	53	87	103	89	79	28	9	–	–
	Female	153	2	–	1	–	–	–	–	–	3	2	9	12	26	22	21	14	16	12	9	4	–	–
	All other—Male	14	1	–	–	–	–	–	1	–	–	1	–	1	1	4	2	1	2	–	–	–	–	–
	Female	11	1	–	–	1	–	1	–	–	–	–	–	1	–	3	1	2	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
490, 491	Chronic and unqualified bronchitis	112	5	–	–	1	–	–	–	–	1	2	3	6	6	11	14	16	16	18	10	3	–	–
	White—Male	83	1	–	–	1	–	–	–	–	–	1	–	5	4	9	12	13	13	15	7	2	–	–
	Female	26	2	–	–	–	–	–	–	–	1	1	3	1	2	1	2	3	3	3	3	1	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	540	–	–	–	1	–	1	–	–	1	4	11	28	40	66	93	100	86	72	27	10	–	–
	White—Male	413	–	–	–	–	–	1	–	–	–	2	8	19	17	42	72	89	73	62	21	7	–	–
	Female	108	–	–	–	–	–	–	–	–	1	1	3	8	22	18	18	8	11	9	6	3	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	1	–	1	1	4	2	1	2	–	–	–	–	–
	Female	7	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	2	–	1	–	–	–	–
493	Asthma	37	–	–	1	–	–	1	2	–	1	–	4	5	3	5	4	4	5	2	–	–	–	–
	White—Male	15	–	–	–	–	–	1	–	–	–	–	1	1	1	2	3	1	3	2	–	–	–	–
	Female	19	–	–	1	–	–	–	–	–	1	–	3	3	2	3	1	3	2	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	169	–	–	1	–	–	1	1	2	3	4	2	11	17	22	18	19	24	19	19	5	1	–
	White—Male	89	–	–	1	–	–	–	–	–	1	4	1	8	10	12	8	9	16	9	9	1	–	–
	Female	70	–	–	–	–	–	1	1	1	2	–	–	3	7	8	8	8	8	10	8	4	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–
540–543	Appendicitis	26	–	2	1	2	–	1	–	1	–	–	3	1	1	–	4	1	1	5	1	2	–	–
	White—Male	10	–	1	–	1	–	1	–	–	–	–	1	1	1	–	1	–	–	1	–	2	–	–
	Female	14	–	1	1	1	–	–	–	1	–	–	2	–	–	–	1	1	1	4	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	170	17	2	1	1	–	–	–	–	–	–	3	6	6	8	17	21	24	28	24	12	–	–
	White—Male	67	9	2	1	1	–	–	–	–	–	–	1	3	1	5	4	7	11	11	7	4	–	–
	Female	95	8	–	–	–	–	–	–	–	–	–	1	1	4	3	12	13	13	16	16	8	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
571	Cirrhosis of liver	574	2	–	–	–	–	1	8	5	19	40	67	76	94	104	75	40	18	15	6	4	–	–
	White—Male	362	2	–	–	–	–	1	5	1	8	25	40	48	61	72	50	27	10	8	4	–	–	–
	Female	152	–	–	–	–	–	–	1	1	7	7	14	18	25	25	21	12	8	7	2	4	–	–
	All other—Male	38	–	–	–	–	–	–	2	2	2	4	6	7	8	4	3	–	–	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	1	2	4	7	3	–	3	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	80	–	–	–	–	–	–	–	1	–	2	3	2	4	4	9	13	16	13	8	4	1	–
	White—Male	39	–	–	–	–	–	–	–	–	–	1	2	2	4	2	5	8	6	4	4	1	–	–
	Female	39	–	–	–	–	–	–	–	1	–	1	1	–	–	2	3	5	10	9	3	3	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	190	–	–	1	–	3	2	3	3	3	1	8	13	19	11	17	16	31	28	19	11	1	–
	White—Male	79	–	–	–	–	1	–	–	1	–	–	5	6	5	7	9	7	15	8	9	6	–	–
	Female	85	–	–	1	–	2	2	2	2	1	–	2	3	8	2	7	8	14	16	9	5	1	–
	All other—Male	14	–	–	–	–	–	–	1	–	1	–	1	2	3	1	–	–	2	3	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	1	–	2	3	1	1	1	–	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	49	–	–	1	–	1	1	–	–	1	–	4	2	5	–	3	5	9	7	6	3	1	–
	White—Male	22	–	–	–	–	–	–	–	–	–	–	2	2	1	–	2	2	5	4	2	2	–	–
	Female	22	–	–	1	–	1	1	–	–	–	–	2	–	2	–	1	3	4	2	3	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	141	–	–	–	–	2	1	3	3	2	1	4	11	14	11	14	11	22	21	13	8	–	–
	White—Male	57	–	–	–	–	1	–	1	1	–	–	3	4	4	7	7	5	10	4	7	4	–	–
	Female	63	–	–	–	–	1	1	2	2	1	–	–	3	6	2	6	5	10	14	6	4	–	–
	All other—Male	13	–	–	–	–	–	–	1	–	1	–	1	2	3	1	–	–	2	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	1	–	–	–	–
590	Infections of kidney	152	–	–	–	–	–	–	2	–	–	2	1	5	5	8	11	21	26	30	26	10	5	–
	White—Male	53	–	–	–	–	–	–	1	–	–	1	1	1	2	4	2	11	4	9	10	4	3	–
	Female	86	–	–	–	–	–	–	1	–	–	1	–	2	3	2	5	8	21	20	16	5	2	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	1	1	–	1	–	–
600	Hyperplasia of prostate	30	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	6	9	7	2	3	–
	White—Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	9	7	2	1	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	2	–	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	6	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	2	–	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	6	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	4	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	374	249	22	18	5	11	12	10	5	2	7	8	1	3	7	3	2	6	1	1	–	–	1
	White..... Male	180	122	7	10	3	9	8	4	2	1	1	5	1	3	1	1	–	1	–	–	–	–	1
	Female	159	106	14	4	1	2	2	4	3	1	3	2	–	–	6	2	2	5	1	1	–	–	–
	All other..... Male	16	12	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	19	9	1	3	1	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	727	723	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	330	329	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	261	259	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other..... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	63	62	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	416	413	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	206	205	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	150	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other..... Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	27	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	311	310	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	124	124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	111	110	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	471	99	1	–	1	9	17	6	11	11	8	17	17	17	21	38	25	42	44	42	32	12	1
	White..... Male	227	52	1	–	1	6	14	2	7	4	1	7	12	11	11	20	12	21	18	16	9	2	–
	Female	191	29	–	–	–	3	3	3	2	4	3	9	4	5	8	15	9	17	23	24	21	9	–
	All other..... Male	27	12	–	–	–	–	–	1	1	1	1	1	1	–	–	1	2	2	–	1	1	1	1
	Female	26	6	–	–	–	–	–	–	1	2	3	–	–	1	2	2	2	2	3	1	1	–	–
Residual	All other diseases	2,761	52	36	18	28	29	35	43	37	47	77	100	163	198	274	322	356	379	299	182	63	21	2
	White..... Male	1,375	25	15	8	11	17	11	19	16	14	39	38	83	116	157	177	183	197	139	72	31	5	2
	Female	1,156	19	13	8	16	10	18	17	14	21	26	42	61	64	87	128	152	167	148	103	27	15	–
	All other..... Male	129	4	7	2	1	–	4	4	4	8	6	6	10	13	19	10	11	9	5	4	2	–	–
	Female	101	4	1	–	–	2	2	3	3	4	6	14	9	5	11	7	10	6	7	3	3	1	–
E800–E949	Accidents	2,570	46	94	81	103	290	272	190	120	140	116	121	112	115	101	94	160	126	125	105	42	15	2
	White..... Male	1,645	26	49	49	71	209	208	142	95	101	73	82	73	73	70	60	93	61	58	34	13	5	–
	Female	748	14	29	23	22	73	44	37	16	28	34	25	34	30	28	28	52	60	64	67	29	10	1
	All other..... Male	121	3	10	4	9	6	17	10	5	8	7	8	3	11	2	5	8	–	3	1	–	–	1
	Female	56	3	6	5	1	2	3	1	4	3	2	6	2	1	1	1	7	5	–	3	–	–	–
E810–E823	Motor vehicle accidents	1,222	7	39	39	39	198	184	137	78	77	65	50	57	47	50	30	52	40	21	9	3	–	–
	White..... Male	835	6	15	21	24	139	144	105	63	57	39	35	35	31	39	17	27	22	10	4	2	–	–
	Female	324	1	19	16	11	57	33	27	10	15	21	11	18	13	11	10	20	17	9	4	1	–	–
	All other..... Male	47	–	5	–	3	1	7	5	3	4	4	2	3	3	–	2	3	–	2	–	–	–	–
	Female	16	–	–	2	1	1	–	–	2	1	1	2	1	–	–	1	2	1	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,348	39	55	42	64	92	88	53	42	63	51	71	55	68	51	64	108	86	104	96	39	15	2
	White..... Male	810	20	34	28	47	70	64	37	32	44	34	47	38	42	31	43	66	39	48	30	11	5	–
	Female	424	13	10	7	11	16	11	10	6	13	13	14	16	17	17	18	32	43	55	63	28	10	1
	All other..... Male	74	3	5	4	6	5	10	5	2	4	3	6	–	8	2	3	5	–	1	1	–	–	1
	Female	40	3	6	3	–	1	3	1	2	2	1	4	1	1	1	–	5	4	–	2	–	–	–
E950–E959	Suicide	591	...	...	–	3	24	52	47	39	53	39	68	40	57	38	46	37	22	17	5	4	–	–
	White..... Male	438	...	...	–	2	20	45	31	28	33	25	46	25	46	26	37	30	20	15	5	4	–	–
	Female	136	...	...	–	1	4	2	14	10	16	12	21	15	11	12	9	6	2	1	–	–	–	–
	All other..... Male	14	...	...	–	–	–	4	2	1	3	2	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	...	...	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	460	5	8	5	4	27	78	76	41	50	33	48	28	19	12	12	4	5	3	1	–	1	–
	White..... Male	175	1	2	2	2	10	26	28	10	19	14	19	15	8	5	6	–	4	3	–	–	1	–
	Female	67	3	4	1	1	4	4	4	11	10	5	3	1	6	2	2	4	1	–	1	–	–	–
	All other..... Male	180	–	1	–	8	39	37	19	19	10	23	10	5	5	4	–	–	–	–	–	–	–	–
	Female	38	1	2	1	1	5	9	7	1	2	4	3	2	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	140	4	4	2	1	16	30	15	10	15	7	4	9	5	5	5	6	–	1	–	–	–	1
	White..... Male	75	3	2	2	–	10	21	10	2	8	3	2	3	2	–	3	5	–	1	–	–	–	–
	Female	38	1	2	–	1	3	2	2	7	5	3	1	3	3	3	1	1	–	–	–	–	–	–
	All other..... Male	17	–	–	–	–	2	6	2	1	1	–	1	2	–	–	1	–	–	–	–	–	–	1
	Female	10	–	2	–	–	1	1	1	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa																							
	All causes	**28,773**	**575**	**106**	**82**	**116**	**329**	**305**	**203**	**181**	**240**	**380**	**655**	**982**	**1,510**	**2,105**	**2,766**	**3,507**	**4,097**	**4,602**	**3,526**	**1,886**	**614**	**6**
	White Male	15,505	306	58	49	82	231	246	134	121	146	232	406	633	989	1,394	1,757	2,085	2,212	2,155	1,397	694	175	3
	Female	12,933	241	43	31	34	93	56	67	57	84	135	234	323	498	684	974	1,379	1,854	2,421	2,108	1,180	434	3
	All other Male	197	15	2	1	–	5	3	2	3	9	9	7	22	14	13	22	26	16	14	9	4	1	–
	Female	138	13	3	1	–	–	–	–	–	1	4	8	4	9	14	13	17	15	12	12	8	4	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	5	3	–	2	–	–	–	–	–	–	1	–	2	5	1	5	6	4	4	–	–	–
	White Male	21	3	3	–	1	–	–	–	–	–	–	–	–	–	4	–	1	4	3	2	–	–	–
	Female	17	2	–	–	1	–	–	–	–	–	–	1	–	2	1	1	4	2	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	26	–	–	–	–	–	–	–	–	–	1	1	3	–	3	6	3	1	1	3	2	2	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	3	1	–	2	2	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	1	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	20	–	–	–	–	–	–	–	–	–	–	1	2	–	2	5	2	1	1	3	2	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	1	–	2	2	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	47	8	–	1	–	–	–	–	1	–	1	1	2	2	3	3	4	6	10	2	2	1	–
	White Male	23	3	–	–	–	–	–	–	–	–	1	–	1	1	1	3	4	4	3	2	–	–	–
	Female	22	3	–	1	–	–	–	–	1	–	–	1	1	1	2	–	–	2	7	–	2	1	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	56	4	2	3	2	3	3	1	2	3	3	2	4	1	5	6	2	2	5	2	1	–	–
	White Male	37	2	2	1	2	1	2	–	1	2	2	1	4	1	3	4	2	–	5	2	–	–	–
	Female	17	2	–	2	–	2	1	1	1	–	–	1	–	–	2	2	–	2	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,347	–	15	19	10	20	24	32	21	48	111	186	326	460	629	704	813	744	643	362	146	33	1
	White—Male	2,875	–	8	12	5	8	18	11	9	17	49	84	170	251	364	394	459	419	338	173	74	11	1
	White—Female	2,414	–	7	7	5	11	6	21	12	31	60	98	151	206	254	299	344	320	302	187	72	21	–
	All other—Male	37	–	–	–	–	1	–	–	–	–	2	2	5	1	4	9	8	3	2	–	–	–	–
	All other—Female	21	–	–	–	–	–	–	–	–	–	–	2	–	2	7	2	2	2	1	2	–	1	–
140–149	Of buccal cavity and pharynx	91	–	–	–	–	–	1	–	–	–	1	3	8	9	22	12	10	11	7	5	1	1	–
	White—Male	63	–	–	–	–	–	1	–	–	–	1	2	7	5	14	8	7	7	7	3	–	1	–
	White—Female	25	–	–	–	–	–	–	–	–	–	–	1	1	4	5	4	3	4	–	2	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,617	–	–	2	–	1	1	3	3	17	19	41	92	119	175	203	260	240	238	132	53	18	–
	White—Male	836	–	–	1	–	–	–	–	2	8	12	19	52	72	104	110	132	125	111	61	21	6	–
	White—Female	765	–	–	1	–	–	1	3	1	9	7	21	39	46	69	89	125	114	127	70	32	11	–
	All other—Male	11	–	–	–	–	1	–	–	–	–	–	1	1	1	1	3	2	1	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–
160–163	Of respiratory system	1,039	–	–	1	–	1	–	1	2	4	22	48	76	129	170	175	160	136	70	32	11	–	1
	White—Male	851	–	–	1	–	1	–	–	1	1	20	30	62	104	146	144	140	115	56	22	7	–	1
	White—Female	171	–	–	–	–	–	–	1	1	3	2	18	11	24	20	27	19	18	13	10	4	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	–	3	–	1	4	1	2	1	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–
174	Of breast	484	–	–	–	–	–	–	2	4	8	25	31	42	57	57	57	58	57	45	26	10	5	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–
	White—Female	479	–	–	–	–	–	–	2	4	8	25	31	42	56	56	57	55	57	45	26	10	5	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	713	–	1	–	–	2	8	2	2	6	20	18	24	41	58	93	106	122	102	68	38	2	–
	White—Male	354	–	–	–	–	2	7	1	–	1	3	3	1	9	16	38	53	81	64	44	29	2	–
	White—Female	351	–	1	–	–	–	1	1	2	5	17	13	23	31	41	54	51	41	37	24	9	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	1	–	–	–	–
188, 189	Of urinary organs	282	–	1	–	–	–	–	–	1	–	2	5	12	19	32	36	56	41	47	17	11	2	–
	White—Male	194	–	1	–	–	–	–	–	–	–	2	5	9	12	21	30	37	31	31	8	7	–	–
	White—Female	85	–	–	–	–	–	–	–	1	–	–	–	3	7	11	6	17	10	15	9	4	2	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	532	–	6	3	6	8	5	17	5	6	12	17	47	44	55	72	63	60	56	36	11	3	–
	White—Male	267	–	4	–	3	2	3	6	3	3	8	10	28	27	33	36	34	29	22	13	2	1	–
	White—Female	259	–	2	3	3	6	2	11	2	3	3	7	18	17	22	35	27	31	34	22	9	2	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
204–207	Leukemia	239	–	7	9	2	3	4	2	2	4	2	8	6	11	23	25	38	26	40	18	8	1	–
	White—Male	136	–	3	8	1	2	4	1	1	2	1	5	1	8	11	11	24	11	25	11	5	1	–
	White—Female	103	–	4	1	1	1	–	1	1	2	1	3	5	3	12	14	14	15	15	7	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	350	–	–	4	2	5	5	5	2	3	8	15	19	31	37	31	62	51	38	28	3	1	–
	White—Male	169	–	–	2	1	1	3	3	2	2	2	10	10	13	18	17	29	20	22	11	3	–	–
	White—Female	176	–	–	2	1	4	2	2	–	1	5	4	9	18	18	13	33	30	16	17	–	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	1	–	1	3	–	1	1	–	–	–	1	3	10	5	6	5	7	5	5	3	–	–
	White—Male	29	1	–	–	2	–	–	–	–	–	–	–	2	7	3	3	2	3	3	2	1	–	–
	White—Female	25	–	–	–	1	–	1	1	–	–	–	1	1	3	2	3	3	4	1	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
250	Diabetes mellitus	560	–	–	–	–	–	4	3	6	8	8	7	16	36	37	71	81	101	90	59	28	5	–
	White—Male	239	–	–	–	–	–	3	2	5	4	7	5	7	16	20	34	29	44	33	21	8	1	–
	White—Female	314	–	–	–	–	–	1	1	1	4	–	2	8	18	16	37	52	56	56	38	20	4	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	37	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	8	5	7	7	1	–
	White—Male	16	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	–	4	3	1	–
	White—Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	5	3	4	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95+ years and over	Not stated
	Iowa—Con.																							
280–285	Anemias	46	–	–	–	–	–	–	–	–	–	–	3	–	1	2	4	2	6	8	15	3	2	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	5	8	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1	3	3	7	2	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	12	2	1	–	–	3	1	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–
	White—Male	7	1	–	–	–	2	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	Female	4	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,200	8	5	2	9	7	12	17	31	50	114	268	383	674	1,031	1,471	2,005	2,546	3,145	2,535	1,412	473	2
	White—Male	8,387	4	3	–	4	4	8	7	16	39	84	202	285	498	733	975	1,209	1,347	1,400	940	496	132	1
	Female	7,674	4	2	2	5	2	4	10	14	9	26	62	86	164	290	482	772	1,187	1,728	1,581	905	338	1
	All other—Male	71	–	–	–	–	1	–	–	1	1	2	2	9	6	4	5	13	5	10	7	4	1	–
	Female	68	–	–	–	–	–	–	–	–	1	2	2	3	6	4	9	11	7	7	7	7	2	–
390–398, 402, 404, 410–429	Diseases of heart	11,393	7	4	–	6	5	7	14	22	41	93	239	328	585	855	1,165	1,478	1,752	2,028	1,584	889	289	2
	White—Male	6,267	3	2	–	2	3	5	6	14	32	77	190	256	441	622	798	924	966	943	596	304	82	1
	Female	5,031	4	2	–	4	1	2	8	7	7	12	46	63	134	227	355	541	780	1,074	982	577	204	1
	All other—Male	51	–	–	–	–	1	–	–	1	1	2	2	7	5	3	5	5	4	6	4	4	1	–
	Female	44	–	–	–	–	–	–	–	–	1	2	1	2	5	3	7	8	2	5	2	4	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	180	–	–	–	1	1	–	2	3	3	3	12	16	17	22	24	29	21	14	11	1	–	–
	White—Male	76	–	–	–	–	–	–	–	2	2	1	6	6	8	12	14	12	7	2	3	1	–	–
	Female	103	–	–	–	1	–	–	2	1	1	2	6	10	9	10	10	17	14	12	8	–	–	–
	All other—Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	92	–	–	–	–	–	1	–	–	–	2	3	3	1	4	7	11	23	16	11	9	1	–
	White—Male	37	–	–	–	–	–	1	–	–	–	1	2	2	1	2	3	6	8	7	3	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	5	15	8	8	8	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
404	Hypertensive heart and renal disease	116	–	–	–	–	–	–	–	–	–	–	–	–	2	2	7	6	24	28	23	19	5	–
	White—Male	51	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	14	12	8	6	1	–
	Female	63	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	10	16	15	13	4	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
410–413	Ischemic heart disease	10,275	–	–	–	1	2	–	4	12	31	77	201	291	538	778	1,071	1,370	1,595	1,842	1,417	793	251	1
	White—Male	5,748	–	–	–	–	2	–	2	8	27	66	169	233	418	577	744	864	889	870	529	276	74	–
	Female	4,449	–	–	–	1	–	–	2	4	3	8	30	50	112	196	318	495	700	963	882	509	175	1
	All other—Male	44	–	–	–	–	–	–	–	–	–	2	1	7	4	3	4	4	4	6	4	4	1	–
	Female	34	–	–	–	–	–	–	–	–	1	1	1	1	4	2	5	7	2	3	2	4	1	–
410	Acute myocardial infarction	5,913	–	–	–	–	–	–	2	9	26	59	174	242	437	595	780	900	923	882	551	272	61	–
	White—Male	3,721	–	–	–	–	–	–	–	6	22	54	149	199	347	446	550	591	550	461	218	108	20	–
	Female	2,154	–	–	–	–	–	–	2	3	3	3	23	38	86	144	225	302	372	417	332	163	41	–
	All other—Male	24	–	–	–	–	–	–	–	–	–	2	1	5	2	3	4	2	–	3	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	5	1	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	31	–	–	–	1	1	–	–	–	–	–	1	1	1	2	2	2	5	8	3	3	1	–
	White—Male	15	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	1	4	3	1	1	1	–
	Female	16	–	–	–	1	–	–	–	–	–	–	–	1	–	1	2	1	1	5	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,330	–	–	–	–	1	–	2	3	5	18	26	48	100	181	289	467	667	952	863	518	189	1
	White—Male	2,012	–	–	–	–	1	–	2	2	5	12	19	34	70	130	194	272	335	406	310	167	53	–
	Female	2,278	–	–	–	–	–	–	–	1	–	5	7	11	26	51	91	191	327	541	548	344	134	1
	All other—Male	20	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	4	3	3	3	1	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	1	2	–	4	2	1	2	2	4	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	135	–	1	–	–	–	1	1	1	1	2	4	–	–	8	6	6	11	32	34	18	8	1
	White—Male	55	–	1	–	–	–	1	1	1	–	2	2	–	–	6	2	3	5	9	16	4	1	1
	Female	80	–	–	–	–	–	–	–	–	1	–	2	–	–	2	4	3	6	23	18	14	7	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
420–423, 425–427, 429	All other forms of heart disease	595	7	3	–	4	2	5	7	6	6	9	19	18	27	41	50	56	78	96	88	49	24	–
	White Male	300	3	1	–	2	1	3	3	3	3	7	11	15	13	24	31	35	43	43	37	16	6	–
	White Female	284	4	2	–	2	1	2	4	2	2	2	7	3	12	16	17	20	35	52	51	33	17	–
	All other Male	6	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	1	–
400, 401, 403	Hypertension	136	–	–	–	–	–	–	–	2	1	–	–	1	2	8	8	9	24	29	28	18	6	–
	White Male	63	–	–	–	–	–	–	–	–	–	–	–	–	2	5	5	5	9	16	14	6	1	–
	White Female	71	–	–	–	–	–	–	–	2	1	–	–	1	–	3	3	4	15	13	12	12	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430–438	Cerebrovascular diseases	3,591	1	1	2	2	2	4	2	5	7	17	20	44	61	136	240	398	622	853	692	365	117	–
	White Male	1,545	1	1	–	2	1	3	1	1	6	6	6	23	35	85	135	203	287	343	246	132	28	–
	White Female	2,010	–	–	2	–	1	1	1	4	1	11	14	18	24	49	103	186	330	505	441	230	89	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	6	–	4	2	–	–	–
	All other Female	20	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	5	1	3	3	–	–
431	Cerebral hemorrhage	409	–	–	1	–	–	2	–	1	1	4	7	12	12	31	36	48	80	84	59	24	7	–
	White Male	162	–	–	–	–	–	1	–	–	–	1	4	8	8	20	11	25	32	23	17	11	1	–
	White Female	244	–	–	1	–	–	1	–	1	1	3	3	4	4	11	25	22	48	59	42	13	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
433	Cerebral thrombosis	862	–	–	–	–	–	–	–	–	2	–	1	4	11	29	45	90	142	227	172	102	37	–
	White Male	374	–	–	–	–	–	–	–	–	2	–	–	3	7	20	32	43	69	94	61	36	7	–
	White Female	480	–	–	–	–	–	–	–	–	–	–	1	1	3	8	13	45	72	132	109	66	30	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
434	Cerebral embolism	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	3	6	1	2	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	1	1	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	5	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,298	1	1	1	2	2	2	2	4	4	13	12	28	38	76	157	256	396	539	455	238	71	–
	White Male	1,000	1	1	–	2	1	2	1	1	4	5	2	12	20	45	91	134	183	225	167	84	19	–
	White Female	1,273	–	–	1	–	1	–	1	3	–	8	10	13	17	30	64	116	209	312	285	151	52	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	5	–	2	1	–	–	–
	All other Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	4	–	2	3	–	–
440	Arteriosclerosis	654	–	–	–	–	–	–	–	–	–	2	–	2	5	8	17	50	81	147	168	122	52	–
	White Male	270	–	–	–	–	–	–	–	–	–	1	–	1	4	4	9	26	44	55	61	48	17	–
	White Female	379	–	–	–	–	–	–	–	–	–	1	–	1	1	4	8	22	36	91	106	74	35	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	426	–	–	–	1	–	1	1	2	1	2	9	8	21	24	41	70	67	88	63	18	9	–
	White Male	242	–	–	–	–	–	–	–	1	1	–	6	5	16	17	28	51	41	43	23	6	4	–
	White Female	183	–	–	–	1	–	1	1	1	–	2	2	3	5	7	13	19	26	45	40	12	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	1	3	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	1	–	–	–
	White Male	5	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	White Female	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	983	26	4	–	5	9	9	7	5	3	10	11	18	31	29	61	71	141	203	180	113	47	–
	White Male	502	10	2	–	5	6	4	4	4	2	6	5	11	22	18	43	40	76	97	81	49	17	–
	White Female	471	13	2	–	–	3	5	3	1	1	4	4	7	8	11	18	30	65	105	98	64	29	–
	All other Male	6	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–
	All other Female	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–
470–474	Influenza	77	1	1	–	–	1	1	–	1	–	1	–	3	1	2	2	4	9	19	17	13	1	–
	White Male	36	1	1	–	–	–	–	–	1	–	1	–	1	1	1	1	1	3	9	8	6	1	–
	White Female	41	–	–	–	–	1	1	–	–	–	–	–	2	–	1	1	3	6	10	9	7	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	906	25	3	–	5	8	8	7	4	3	9	11	15	30	27	59	67	132	184	163	100	46	–
	White Male	466	9	1	–	5	6	4	4	3	2	5	5	10	21	17	42	39	73	88	73	43	16	–
	White Female	430	13	2	–	–	2	4	3	1	1	4	4	5	8	10	17	27	59	95	89	57	29	–
	All other Male	6	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–
	All other Female	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–
490–493	Bronchitis, emphysema, and asthma	490	–	1	–	–	1	–	–	–	–	1	12	13	33	64	73	92	91	74	29	5	1	–
	White Male	416	–	–	–	–	1	–	–	–	–	–	6	11	28	51	65	81	77	67	24	5	–	–
	White Female	66	–	1	–	–	–	–	–	–	–	1	6	2	5	11	6	9	12	7	5	–	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
490, 491	Chronic and unqualified bronchitis	78	–	1	–	–	–	–	–	–	–	–	1	1	2	7	10	18	10	20	8	–	–	–
	White—Male	63	–	–	–	–	–	–	–	–	–	–	1	1	2	7	8	16	6	17	5	–	–	–
	White—Female	13	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	3	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	393	–	–	–	–	1	–	–	–	–	–	9	12	30	55	59	68	78	54	21	5	1	–
	White—Male	344	–	–	–	–	1	–	–	–	–	–	5	10	25	43	55	62	69	50	19	5	–	–
	White—Female	44	–	–	–	–	–	–	–	–	–	–	4	2	5	10	4	4	8	4	2	–	1	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	19	–	–	–	–	–	–	–	–	–	1	2	–	1	2	4	6	3	–	–	–	–	–
	White—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	–	–	–	–	–
	White—Female	9	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	3	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	104	–	1	–	–	–	–	1	–	1	1	2	5	7	12	9	20	16	14	12	3	–	–
	White—Male	66	–	–	–	–	–	–	1	–	1	1	2	4	6	8	7	16	7	8	5	–	–	–
	White—Female	38	–	1	–	–	–	–	–	–	–	–	–	1	1	4	2	4	9	6	7	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	13	–	–	2	–	1	–	–	–	–	–	–	–	1	2	1	3	–	1	1	1	–	–
	White—Male	8	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	2	–	1	1	1	–	–
	White—Female	5	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	127	7	–	–	–	1	–	–	–	–	1	3	5	6	1	12	16	21	20	18	15	1	–
	White—Male	42	3	–	–	–	1	–	–	–	–	–	1	2	3	–	3	6	9	5	5	3	1	–
	White—Female	84	4	–	–	–	–	–	–	–	–	1	2	3	3	1	9	9	12	15	13	12	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	234	1	1	–	1	1	–	–	1	5	13	15	32	38	46	36	21	14	4	5	–	–	–
	White—Male	157	1	–	–	1	–	–	–	1	3	7	13	25	30	29	23	13	6	2	3	–	–	–
	White—Female	70	–	–	–	–	1	–	–	–	1	5	2	5	7	17	12	8	8	2	2	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
	All other—Female	3	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	62	–	–	–	–	–	–	–	–	–	–	2	2	3	5	7	6	9	12	7	7	2	–
	White—Male	27	–	–	–	–	–	–	–	–	–	–	2	2	1	4	3	3	5	5	1	–	1	–
	White—Female	35	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	3	4	7	6	7	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	100	–	–	–	2	1	5	–	2	3	–	2	3	6	9	11	13	12	16	10	4	1	–
	White—Male	49	–	–	–	2	1	4	–	2	1	–	1	2	3	5	5	6	6	4	6	1	–	–
	White—Female	47	–	–	–	–	–	–	–	–	2	–	–	1	3	4	5	7	5	12	4	3	1	–
	All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	24	–	–	–	–	1	2	–	–	–	–	1	–	–	5	4	1	1	4	2	2	1	–
	White—Male	12	–	–	–	–	1	1	–	–	–	–	1	–	–	2	2	1	–	2	2	–	–	–
	White—Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	2	–	2	1	–
	All other—Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	76	–	–	–	2	–	3	–	2	3	–	1	3	6	4	7	12	11	12	8	2	–	–
	White—Male	37	–	–	–	2	–	3	–	2	1	–	–	2	3	3	3	5	6	2	4	1	–	–
	White—Female	36	–	–	–	–	–	–	–	–	2	–	–	1	3	1	3	7	4	10	4	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
590	Infections of kidney	73	–	–	–	–	–	–	–	1	–	1	–	–	3	4	8	9	14	10	13	9	1	–
	White—Male	27	–	–	–	–	–	–	–	1	–	–	–	–	–	1	4	4	6	6	2	3	–	–
	White—Female	44	–	–	–	–	–	–	–	–	–	1	–	–	3	2	4	4	8	4	11	6	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
600	Hyperplasia of prostate	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	6	8	7	1	2	–
	White—Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	6	8	7	1	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	5	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	5	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	175	105	10	6	3	7	2	1	3	4	4	4	3	4	6	6	3	2	2	–	–	–	–
	White.....Male	93	60	3	3	3	4	1	1	1	2	1	3	1	2	3	5	–	–	–	–	–	–	–
	Female	76	41	6	3	–	3	1	–	2	2	3	1	2	2	2	1	3	2	2	–	–	–	–
	All other.....Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	336	332	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
	White.....Male	185	183	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	137	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	157	154	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	93	91	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	179	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	78	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	122	43	2	–	2	3	–	3	1	1	–	2	2	3	3	3	9	7	10	14	9	5	–
	White.....Male	56	20	–	–	2	1	–	1	–	1	–	1	1	3	1	3	4	3	4	6	4	1	–
	Female	62	22	–	–	–	2	–	2	1	–	–	1	–	–	2	–	5	4	6	8	5	4	–
	All other.....Male	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,550	21	12	9	11	21	15	13	21	19	34	43	74	94	116	163	217	230	209	144	65	19	–
	White.....Male	820	8	7	5	6	11	7	7	11	8	19	16	39	49	77	108	123	120	109	63	22	5	–
	Female	709	10	5	4	5	10	8	6	10	11	15	25	35	43	38	53	92	104	99	79	43	14	–
	All other.....Male	12	2	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	–	1	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	3	1	1	–	–	–
E800–E949	Accidents	1,512	11	42	38	64	209	186	95	62	62	49	56	50	56	61	69	70	90	88	87	49	18	–
	White.....Male	1,036	7	28	27	47	161	164	76	52	42	38	44	35	38	45	46	46	49	38	32	19	2	–
	Female	447	4	13	10	17	47	22	17	8	15	10	11	12	17	15	22	22	38	48	54	29	16	–
	All other.....Male	24	–	1	1	–	1	–	2	2	5	1	1	3	1	–	1	1	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–
E810–E823	Motor vehicle accidents	726	–	18	19	31	151	131	57	34	35	30	32	26	34	29	27	20	22	18	9	3	–	–
	White.....Male	527	–	12	14	19	112	111	43	27	25	21	23	19	23	18	14	15	13	10	6	2	–	–
	Female	191	–	6	4	12	39	20	13	6	8	8	8	6	11	11	13	5	9	8	3	1	–	–
	All other.....Male	8	–	–	1	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	786	11	24	19	33	58	55	38	28	27	19	24	24	22	32	42	50	68	70	78	46	18	–
	White.....Male	509	7	16	13	28	49	53	33	25	17	17	21	16	15	27	32	31	36	28	26	17	2	–
	Female	256	4	7	6	5	8	2	4	2	7	2	3	6	6	4	9	17	29	40	51	28	16	–
	All other.....Male	16	–	1	–	–	1	–	1	1	3	–	–	2	1	–	1	1	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–
E950–E959	Suicide	323	. . .	. . .	–	1	22	32	19	14	28	20	25	29	35	15	19	28	16	15	4	1	–	–
	White.....Male	253	. . .	. . .	–	1	18	26	16	11	21	13	17	23	27	12	15	24	13	11	4	1	–	–
	Female	68	. . .	. . .	–	–	4	5	3	3	7	7	8	6	8	3	4	4	2	4	–	–	–	–
	All other.....Male	2	. . .	. . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	. . .	. . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	67	–	3	–	1	15	4	7	8	2	5	1	6	2	6	3	3	–	–	–	–	–	1
	White.....Male	38	–	1	–	1	7	2	6	6	–	3	–	4	–	5	–	2	–	–	–	–	–	1
	Female	16	–	2	–	–	6	1	1	2	1	–	–	–	1	–	1	1	–	–	–	–	–	–
	All other.....Male	13	–	–	–	–	2	1	–	–	1	2	1	2	1	1	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	26	–	1	–	–	4	5	2	1	1	1	4	2	–	1	4	–	–	–	–	–	–	–
	White.....Male	19	–	–	–	–	4	5	2	–	1	1	1	1	–	1	3	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas																							
	All causes	**22,235**	**524**	**93**	**65**	**84**	**225**	**264**	**192**	**188**	**226**	**322**	**529**	**870**	**1,118**	**1,649**	**2,183**	**2,635**	**3,122**	**3,381**	**2,677**	**1,379**	**506**	**3**
	White Male	11,567	268	46	28	53	166	188	131	117	131	169	311	507	703	1,032	1,366	1,466	1,635	1,547	1,061	479	161	2
	Female	9,498	199	37	28	28	45	56	42	42	69	110	176	285	343	529	706	1,015	1,333	1,726	1,535	864	329	1
	All other Male	613	25	7	5	1	13	14	10	17	20	24	18	52	44	46	59	80	72	51	37	13	5	–
	Female	557	32	3	4	2	1	6	9	12	6	19	24	26	28	42	52	74	82	57	44	23	11	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	33	3	1	–	–	–	1	–	–	–	2	–	–	–	1	1	2	7	9	2	3	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	4	–	2	–	–
	Female	21	1	1	–	–	–	1	–	–	–	1	–	–	–	–	1	1	6	5	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	26	–	–	–	–	–	–	–	1	–	–	1	2	2	4	6	3	2	1	4	–	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	1	1	3	4	1	2	–	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	21	–	–	–	–	–	–	–	1	–	–	1	1	1	3	6	2	1	1	4	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	1	–	3	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	50	6	1	1	–	–	–	2	1	–	–	1	2	1	7	4	5	6	8	2	2	1	–
	White Male	24	1	–	–	–	–	–	1	1	–	–	–	2	1	3	4	3	2	3	–	2	1	–
	Female	22	4	1	1	–	–	–	–	–	–	–	1	–	–	4	–	1	3	5	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	54	6	2	2	1	–	2	2	–	–	2	3	2	4	1	7	1	4	8	4	3	–	–
	White Male	31	4	1	–	–	–	–	2	–	–	2	2	1	3	1	3	1	4	3	3	1	–	–
	Female	20	2	1	2	1	–	2	–	–	–	–	1	1	–	–	4	–	–	3	1	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,953	2	5	15	8	15	23	16	19	34	81	144	265	347	453	549	585	553	461	260	97	21	–
	White—Male	2,038	1	3	5	4	15	16	5	8	12	36	63	108	177	241	323	324	310	231	107	38	11	–
	Female	1,686	–	2	6	4	–	5	10	9	20	42	70	133	153	178	200	228	212	207	140	57	10	–
	All other—Male	128	1	–	3	–	–	1	–	1	2	1	5	12	9	21	16	21	15	11	8	1	–	–
	Female	101	–	–	1	–	–	1	1	1	–	2	6	12	8	13	10	12	16	12	5	1	–	–
140–149	Of buccal cavity and pharynx	53	–	–	–	–	1	–	–	–	–	–	5	2	10	8	7	8	5	5	2	–	–	–
	White—Male	36	–	–	–	–	1	–	–	–	–	–	1	–	8	5	6	7	4	3	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	1	1	2	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,061	–	1	–	–	–	2	1	3	6	10	25	55	82	108	138	177	155	162	99	27	10	–
	White—Male	515	–	–	–	–	–	1	–	2	2	7	12	25	47	61	79	94	63	75	35	6	6	–
	Female	485	–	1	–	–	–	1	1	1	4	3	11	26	32	39	51	74	79	79	59	20	4	–
	All other—Male	28	–	–	–	–	–	–	–	–	–	–	1	2	3	4	4	3	7	2	2	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	2	–	4	4	6	6	6	3	1	–	–
160–163	Of respiratory system	873	–	–	–	–	–	–	1	1	4	16	40	80	98	134	160	142	118	50	17	12	–	–
	White—Male	648	–	–	–	–	–	–	1	–	3	9	27	48	73	100	116	114	103	38	10	6	–	–
	Female	168	–	–	–	–	–	–	–	1	–	6	11	24	19	24	35	15	13	9	5	6	–	–
	All other—Male	50	–	–	–	–	–	–	–	–	1	1	2	6	5	9	8	12	2	2	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	1	–	–	–	–
174	Of breast	376	–	–	–	–	–	1	4	3	7	14	28	34	48	49	33	48	45	31	19	10	2	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	353	–	–	–	–	–	–	4	2	7	12	26	32	44	45	32	47	43	31	16	10	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	–	–	–	–	–	1	–	1	–	2	2	2	4	4	1	1	2	–	2	–	–	–
180–187	Of genital organs	498	–	–	–	–	1	4	4	4	2	10	13	27	34	44	56	73	84	80	43	15	4	–
	White—Male	229	–	–	–	–	1	4	2	1	–	1	1	1	7	13	23	42	51	44	25	10	3	–
	Female	229	–	–	–	–	–	–	1	3	1	9	10	23	26	27	31	23	24	29	17	4	1	–
	All other—Male	20	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	5	4	4	1	1	–	–
	Female	20	–	–	–	–	–	–	1	–	–	–	2	3	1	1	1	3	5	3	–	–	–	–
188, 189	Of urinary organs	189	–	–	–	–	–	1	–	–	1	4	4	6	13	18	36	27	30	25	14	10	–	–
	White—Male	124	–	–	–	–	–	1	–	–	1	2	2	4	8	10	25	18	23	17	7	6	–	–
	Female	55	–	–	–	–	–	–	–	–	–	2	1	2	5	7	8	8	5	6	7	4	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	486	1	4	7	6	5	10	2	2	6	17	18	33	33	60	65	55	50	60	33	16	3	–
	White—Male	269	–	3	3	3	5	8	2	2	3	11	13	16	21	37	43	27	24	27	14	6	1	–
	Female	199	–	1	3	3	–	2	–	–	3	6	5	12	10	20	21	28	24	31	18	10	2	–
	All other—Male	9	1	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	1	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–	1	1	–	–	–	–
204–207	Leukemia	183	1	–	5	2	5	4	3	2	2	2	3	7	13	12	21	25	30	21	18	6	1	–
	White—Male	105	1	–	1	1	5	2	–	1	1	2	1	3	4	7	14	12	23	14	9	4	–	–
	Female	72	–	–	3	1	–	1	3	–	1	–	2	4	9	4	7	13	6	7	8	2	1	–
	All other—Male	5	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	234	–	–	3	–	3	1	1	4	6	8	8	21	16	20	33	30	36	27	15	1	1	–
	White—Male	111	–	–	1	–	3	–	–	2	2	4	6	11	9	8	17	10	19	13	5	–	1	–
	Female	111	–	–	–	–	–	1	1	2	4	4	2	9	6	9	14	19	17	13	9	1	–	–
	All other—Male	6	–	–	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	–	–
	Female	6	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	36	1	–	–	–	–	–	–	–	2	–	–	2	3	4	9	5	4	4	1	1	–	–
	White—Male	13	1	–	–	–	–	–	–	–	1	–	–	1	1	1	2	2	3	–	–	1	–	–
	Female	23	–	–	–	–	–	–	–	–	1	–	–	1	2	3	7	3	1	4	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	463	–	–	1	1	2	3	4	10	3	8	16	16	16	46	51	74	62	75	57	16	2	–
	White—Male	188	–	–	–	1	1	1	3	5	1	4	8	11	6	14	18	25	23	30	27	9	1	–
	Female	239	–	–	1	–	1	1	1	4	1	1	5	4	10	27	25	43	36	43	28	7	1	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	1	2	–	–	–
	Female	25	–	–	–	–	–	1	–	1	1	3	3	1	–	3	5	5	1	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	44	1	–	–	–	–	–	–	1	1	–	–	1	1	–	2	2	4	9	10	5	7	–
	White—Male	8	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	–	2	1	–	–	–
	Female	34	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	3	6	9	5	7	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
280–285	Anemias	39	–	1	–	–	–	1	–	–	–	1	1	2	1	2	3	7	4	6	5	4	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	2	4	1	–	–
	Female	19	–	1	–	–	–	1	–	–	–	–	–	2	–	2	–	4	1	3	1	3	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
320	Meningitis	13	6	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	White Male	6	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	6	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	12,154	5	6	5	5	7	5	6	21	56	96	180	355	499	778	1,133	1,509	1,932	2,257	1,911	1,012	375	1
	White Male	6,141	1	3	3	3	6	2	4	12	34	56	130	248	352	541	743	857	982	996	728	330	110	1
	Female	5,482	3	2	2	1	1	3	–	8	18	21	38	80	115	207	329	565	857	1,199	1,125	652	255	1
	All other Male	259	1	1	–	–	–	–	1	–	2	9	5	21	20	17	32	44	40	32	23	9	2	–
	Female	272	–	–	–	1	–	–	1	1	2	10	7	6	12	13	29	43	53	30	35	21	8	–
390–398, 402, 404, 410–429	Diseases of heart	8,627	5	1	2	–	3	4	5	16	40	79	149	298	414	639	907	1,145	1,337	1,477	1,238	636	232	–
	White Male	4,639	1	–	2	–	3	2	3	10	26	51	117	227	309	461	612	671	703	663	496	209	73	–
	Female	3,627	3	–	–	–	–	2	–	5	12	17	25	49	84	159	248	411	577	770	706	406	153	–
	All other Male	184	1	1	–	–	–	–	1	–	1	6	4	17	12	14	24	30	27	23	16	5	2	–
	Female	177	–	–	–	–	–	–	1	1	1	5	3	5	9	5	23	33	30	21	20	16	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	121	–	–	–	–	–	1	–	2	2	3	2	8	12	18	18	20	16	13	3	2	1	–
	White Male	54	–	–	–	–	–	1	–	1	1	1	1	5	5	8	8	12	6	3	1	–	1	–
	Female	64	–	–	–	–	–	–	–	1	1	2	1	3	7	9	9	7	10	10	2	2	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	66	–	–	–	–	–	–	–	–	–	2	1	2	2	11	4	5	11	12	8	4	4	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	1	1	2	3	–	1	–
	Female	44	–	–	–	–	–	–	–	–	–	2	1	–	–	5	1	4	10	10	4	4	3	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
404	Hypertensive heart and renal disease	57	–	–	–	–	–	–	–	–	–	1	1	–	1	–	4	9	6	9	15	8	3	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	4	4	6	2	1	–
	Female	28	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	2	5	8	6	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
410–413	Ischemic heart disease	7,905	–	–	–	–	–	1	3	10	35	64	137	261	379	580	842	1,059	1,248	1,367	1,141	568	210	–
	White Male	4,303	–	–	–	–	–	–	2	6	25	47	109	200	288	431	575	621	662	621	458	192	66	–
	Female	3,277	–	–	–	–	–	1	–	3	8	8	21	42	73	135	224	380	532	704	651	357	138	–
	All other Male	164	–	–	–	–	–	–	1	–	1	4	4	15	10	10	22	27	26	23	14	5	2	–
	Female	161	–	–	–	–	–	–	–	1	1	5	3	4	8	4	21	31	28	19	18	14	4	–
410	Acute myocardial infarction	4,397	–	–	–	–	–	1	3	8	32	53	113	217	307	434	613	663	676	626	420	181	50	–
	White Male	2,727	–	–	–	–	–	–	2	4	23	40	93	170	244	332	431	411	398	311	192	63	13	–
	Female	1,531	–	–	–	–	–	1	–	3	7	6	14	32	52	96	159	229	261	304	216	114	37	–
	All other Male	76	–	–	–	–	–	–	1	–	1	3	3	12	7	5	12	11	10	5	5	1	–	–
	Female	63	–	–	–	–	–	–	–	1	1	4	3	3	4	1	11	12	7	6	7	3	–	–
411	Other acute and subacute forms of ischemic heart disease	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,493	–	–	–	–	–	–	–	2	3	11	24	44	71	145	227	393	570	739	718	386	160	–
	White Male	1,570	–	–	–	–	–	–	–	2	2	7	16	30	43	99	143	208	264	310	264	129	53	–
	Female	1,737	–	–	–	–	–	–	–	–	1	2	7	10	21	38	64	150	269	398	434	242	101	–
	All other Male	88	–	–	–	–	–	–	–	–	–	1	1	3	3	5	10	16	16	18	9	4	2	–
	Female	98	–	–	–	–	–	–	–	–	–	1	–	1	4	3	10	19	21	13	11	11	4	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	77	1	–	–	–	1	–	1	–	1	1	–	2	1	7	3	7	10	17	8	12	5	–
	White Male	40	–	–	–	–	1	–	1	–	–	–	–	1	1	4	3	5	6	7	6	3	2	–
	Female	36	1	–	–	–	–	–	–	–	1	1	–	–	–	3	–	2	4	10	2	9	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	401	4	1	2	–	2	2	1	4	2	8	8	25	19	23	36	45	46	59	63	42	9	–
	White Male	199	1	–	2	–	2	1	–	3	–	3	7	19	14	15	20	26	24	26	22	12	2	–
	Female	178	2	–	–	–	–	1	–	1	2	3	1	4	4	7	13	16	19	31	39	28	7	–
	All other Male	13	1	1	–	–	–	–	–	–	–	2	–	2	–	1	1	2	1	–	2	–	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	1	2	2	–	2	–	–
400, 401, 403	Hypertension	101	–	–	–	–	–	–	–	–	–	–	1	–	3	8	10	13	15	16	27	7	1	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	1	–	1	5	5	10	6	6	12	3	1	–
	Female	48	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	3	8	10	15	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,587	–	3	3	5	4	1	1	4	12	14	27	50	70	101	171	261	455	587	498	234	85	1
	White Male	1,074	–	2	1	3	3	–	1	2	7	4	10	18	33	56	93	121	205	248	166	75	26	–
	Female	1,379	–	1	2	1	1	1	–	2	5	4	12	28	27	37	65	119	227	324	314	152	56	1
	All other Male	57	–	–	–	–	–	–	–	–	–	2	1	3	7	2	7	13	6	8	6	2	–	–
	Female	77	–	–	–	1	–	–	–	–	–	4	4	1	3	6	6	8	17	7	12	5	3	–
431	Cerebral hemorrhage	405	–	–	–	1	1	–	–	–	4	3	10	11	26	26	40	49	84	72	56	19	3	–
	White Male	171	–	–	–	–	–	–	–	–	3	2	2	5	12	17	19	20	39	26	20	5	1	–
	Female	211	–	–	–	1	1	–	–	–	1	–	7	5	11	7	19	26	39	44	34	14	2	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	1	–	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	5	2	–	–	–	–
433	Cerebral thrombosis	579	–	1	–	1	1	–	–	1	–	1	2	8	12	13	31	46	105	145	123	62	26	1
	White Male	242	–	1	–	1	1	–	–	1	–	–	1	3	7	7	19	25	48	57	43	19	9	–
	Female	303	–	–	–	–	–	–	–	–	–	–	–	3	4	4	10	17	51	86	70	42	15	1
	All other Male	18	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	3	2	1	4	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	4	1	6	–	2	–
434	Cerebral embolism	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	3	1	4	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	3	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,588	–	2	3	3	2	1	1	3	8	10	15	30	32	61	99	165	263	367	318	149	56	–
	White Male	654	–	1	1	2	2	–	1	1	4	2	7	10	14	32	54	75	116	165	103	48	16	–
	Female	857	–	1	2	–	–	1	–	2	4	4	5	19	12	25	36	76	136	191	209	95	39	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	–	–	3	–	5	7	3	7	–	1	–	–
	Female	48	–	–	–	1	–	–	–	–	–	3	3	1	1	4	4	7	8	4	6	5	1	–
440	Arteriosclerosis	482	–	–	–	–	–	–	–	–	–	–	1	–	3	7	9	38	61	107	104	108	44	–
	White Male	185	–	–	–	–	–	–	–	–	–	–	1	–	3	4	4	19	30	45	40	32	7	–
	Female	279	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	17	25	59	62	74	36	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	2	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	357	–	2	–	–	–	–	–	1	4	3	2	7	9	23	36	52	64	70	44	27	13	–
	White Male	193	–	1	–	–	–	–	–	–	1	1	1	3	6	15	29	36	38	34	14	11	3	–
	Female	149	–	1	–	–	–	–	–	1	1	–	1	3	3	7	7	15	20	36	28	16	10	–
	All other Male	6	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	3	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	3	–	2	–	–	–
466	Acute bronchitis and bronchiolitis	8	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	2	–	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	695	22	7	3	5	4	5	1	3	6	6	4	14	16	26	45	62	97	124	133	77	35	–
	White Male	351	12	4	1	3	3	2	–	2	3	3	3	8	9	17	32	35	54	58	59	30	13	–
	Female	319	8	2	2	1	1	2	–	1	2	2	1	5	6	8	13	21	40	64	72	47	21	–
	All other Male	17	2	1	–	1	–	1	–	–	1	–	–	1	1	–	–	3	3	–	2	–	1	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	3	–	2	–	–	–	–
470–474	Influenza	79	1	1	1	2	–	–	–	–	2	–	2	3	2	2	5	9	7	16	13	10	3	–
	White Male	38	1	–	–	1	–	–	–	–	2	–	1	1	1	1	3	6	4	9	4	4	–	–
	Female	41	–	1	1	1	–	–	–	–	–	–	1	2	1	1	2	3	3	7	9	6	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	616	21	6	2	3	4	5	1	3	4	6	2	11	14	24	40	53	90	108	120	67	32	–
	White Male	313	11	4	1	2	3	2	–	2	1	3	2	7	8	16	29	29	50	49	55	26	13	–
	Female	278	8	1	1	–	1	2	–	1	2	2	–	3	5	7	11	18	37	57	63	41	18	–
	All other Male	17	2	1	–	1	–	1	–	–	1	–	–	1	1	–	–	3	3	–	2	–	1	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	3	–	2	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	346	2	–	2	2	–	2	–	1	2	–	3	7	23	44	60	60	65	43	19	10	1	–
	White Male	268	2	–	1	–	–	1	–	1	–	–	2	5	18	31	48	49	49	38	16	6	1	–
	Female	72	–	–	1	2	–	1	–	–	1	–	1	1	4	12	12	11	14	5	3	4	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
490, 491	Chronic and unqualified bronchitis	47	2	–	–	1	–	–	–	–	–	–	2	1	4	3	4	8	14	5	2	1	–	–
	White Male	32	2	–	–	–	–	–	–	–	–	–	2	–	2	2	4	6	8	4	1	1	–	–
	Female	15	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	2	6	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	274	–	–	–	–	–	–	–	1	–	–	1	5	18	37	53	50	46	37	17	8	1	–
	White Male	228	–	–	–	–	–	–	–	1	–	–	–	5	15	29	43	43	39	33	15	4	1	–
	Female	42	–	–	–	–	–	–	–	–	–	–	1	–	2	7	10	7	5	4	2	4	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	25	–	–	2	1	–	2	–	–	2	–	–	1	1	4	3	2	5	1	–	1	–	–
	White Male	8	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	2	1	–	1	–	–
	Female	15	–	–	1	1	–	1	–	–	1	–	–	–	–	4	2	2	3	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	92	–	–	–	1	1	–	1	–	–	–	2	2	7	9	13	3	14	21	8	9	1	–
	White Male	51	–	–	–	1	1	–	1	–	–	–	1	2	5	5	10	1	8	8	4	4	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	2	6	12	3	5	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
540–543	Appendicitis	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	91	9	–	–	–	1	–	1	1	–	–	2	2	1	8	7	10	11	22	9	6	1	–
	White Male	39	6	–	–	–	–	–	1	–	–	–	1	–	–	2	4	5	3	10	3	4	–	–
	Female	43	3	–	–	–	–	–	–	–	–	–	1	–	1	4	3	4	6	12	6	2	1	–
	All other Male	5	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	217	–	–	–	–	–	–	–	3	6	12	18	30	31	48	24	20	11	9	3	1	1	–
	White Male	144	–	–	–	–	–	–	–	1	4	7	11	18	19	35	19	14	6	7	1	1	1	–
	Female	61	–	–	–	–	–	–	–	–	2	2	5	9	11	13	5	5	5	2	2	–	–	–
	All other Male	10	–	–	–	–	–	–	–	2	–	3	1	3	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	35	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	5	4	3	9	5	2	–
	White Male	13	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	3	2	1	2	–	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	7	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	81	–	–	–	–	1	–	–	–	1	–	1	2	3	4	7	10	14	12	15	10	1	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	4	6	5	9	6	1	–
	Female	38	–	–	–	–	–	–	–	–	1	–	–	2	1	2	5	4	6	7	6	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	3	2	2	2	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	67	–	–	–	–	1	–	–	–	1	–	–	2	1	4	6	7	12	10	13	9	1	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	4	3	8	6	1	–
	Female	33	–	–	–	–	–	–	–	–	1	–	–	2	–	2	5	2	6	7	5	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590	Infections of kidney	75	–	–	–	–	–	1	–	–	–	2	1	–	3	2	12	11	12	14	7	4	6	–
	White Male	28	–	–	–	–	–	–	–	–	–	1	1	–	–	–	4	3	3	6	3	2	5	–
	Female	29	–	–	–	–	–	1	–	–	–	1	–	–	–	1	5	5	5	6	3	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	1	4	2	1	–	1	–
600	Hyperplasia of prostate	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	3	3	3	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	3	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	6	–	–	–	–	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	140	83	11	6	1	3	3	6	2	1	3	3	2	2	2	6	3	2	1	–	–	–	–
	White.....Male	72	39	9	2	–	1	2	3	1	1	2	1	2	1	2	4	–	1	1	–	–	–	–
	Female	61	40	2	4	1	2	1	3	–	–	1	1	–	–	–	2	3	1	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	298	298	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	180	180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	193	44	3	–	1	4	3	–	2	4	2	–	4	3	11	13	11	23	18	23	13	11	–
	White.....Male	84	22	1	–	1	4	1	–	–	–	1	–	2	2	8	5	6	12	6	6	5	2	–
	Female	93	17	2	–	–	–	1	–	2	3	1	–	1	1	1	7	3	11	11	17	7	8	–
	All other.....Male	9	3	–	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–	–	1	–	–
	Female	7	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	1	–
Residual	All other diseases	1,373	22	7	6	8	13	17	9	14	17	24	51	63	70	119	146	186	205	188	127	60	21	–
	White.....Male	697	14	3	3	5	9	10	1	6	9	8	22	30	41	70	83	92	114	96	52	19	10	–
	Female	590	6	3	3	3	2	6	7	2	6	13	23	27	21	38	58	86	83	84	71	39	9	–
	All other.....Male	42	–	1	–	–	2	1	–	4	–	2	2	3	7	3	2	3	3	4	2	1	2	–
	Female	44	2	–	–	–	–	–	1	2	2	1	4	3	1	8	3	5	5	4	2	1	–	–
E800–E949	Accidents	1,202	13	42	22	48	149	145	90	60	45	46	47	56	43	44	54	48	65	73	61	33	17	1
	White.....Male	793	6	19	11	33	111	113	75	48	34	34	33	39	38	31	34	28	33	28	28	13	3	1
	Female	345	5	16	6	14	32	25	10	7	6	10	11	11	4	12	19	17	30	44	33	20	13	–
	All other.....Male	44	1	4	2	–	6	7	2	3	5	2	2	5	1	1	–	1	2	–	–	–	–	–
	Female	20	1	3	3	1	–	–	3	2	–	–	1	1	–	–	1	2	–	1	–	–	1	–
E810–E823	Motor vehicle accidents	540	2	16	9	35	95	88	58	29	23	24	23	27	22	16	20	17	16	13	3	3	–	1
	White.....Male	387	1	5	5	25	65	72	46	25	18	16	17	18	18	13	11	10	11	6	2	2	–	1
	Female	132	1	8	2	10	28	16	9	3	2	7	5	6	4	3	9	7	4	6	1	1	–	–
	All other.....Male	13	–	1	1	–	2	–	1	–	3	1	1	2	–	–	–	–	1	–	–	–	–	–
	Female	8	–	2	1	–	–	–	2	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	662	11	26	13	13	54	57	32	31	22	22	24	29	21	28	34	31	49	60	58	30	17	–
	White.....Male	406	5	14	6	8	46	41	29	23	16	18	16	21	20	18	23	18	22	22	26	11	3	–
	Female	213	4	8	4	4	4	9	1	4	4	3	6	5	–	9	10	10	26	38	32	19	13	–
	All other.....Male	31	1	3	1	–	4	7	1	3	2	1	1	3	1	1	–	1	1	–	–	–	–	–
	Female	12	1	1	2	1	–	–	1	1	–	–	1	–	–	–	1	2	–	–	–	–	1	–
E950–E959	Suicide	298	...	...	–	1	12	26	25	25	25	20	35	28	24	25	19	9	11	8	2	3	–	–
	White.....Male	224	...	...	–	1	10	24	22	19	21	8	22	23	17	18	14	6	8	7	1	3	–	–
	Female	66	...	...	–	–	2	1	2	4	4	10	13	5	6	7	4	3	3	1	1	–	–	–
	All other.....Male	5	...	...	–	–	–	1	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	141	1	2	1	1	6	21	18	18	17	13	11	9	7	4	6	1	3	1	–	–	–	1
	White.....Male	70	1	1	1	–	2	13	7	10	9	4	7	3	3	3	4	–	–	1	–	–	–	1
	Female	23	–	1	–	1	1	5	5	1	–	3	2	1	1	1	–	–	1	–	–	–	–	–
	All other.....Male	40	–	–	–	–	3	1	5	5	7	5	2	5	2	–	2	1	2	–	–	–	–	–
	Female	8	–	–	–	–	–	2	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	52	–	1	–	1	6	5	10	3	5	3	3	3	8	3	1	–	–	–	–	–	–	–
	White.....Male	28	–	1	–	1	3	3	6	2	1	2	2	2	4	–	1	–	–	–	–	–	–	–
	Female	18	–	–	–	–	2	–	3	1	3	1	1	1	3	3	–	–	–	–	–	–	–	–
	All other.....Male	5	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky																							
	All causes	33,506	895	159	110	139	361	358	339	339	443	671	1,072	1,662	2,127	3,037	3,679	4,167	4,431	4,389	3,161	1,519	443	5
	White Male	17,395	448	77	54	91	249	241	210	199	267	375	639	1,033	1,321	1,838	2,136	2,232	2,145	1,934	1,235	535	134	2
	Female	13,187	336	54	41	38	87	77	85	93	125	199	318	457	606	899	1,194	1,521	1,951	2,165	1,765	905	270	1
	All other Male	1,600	53	15	9	7	17	33	29	37	30	56	64	102	115	166	196	231	171	137	82	34	15	1
	Female	1,324	58	13	6	3	8	7	15	10	21	41	51	70	85	134	153	183	164	153	79	45	24	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	31	12	–	–	–	–	–	1	–	–	–	–	–	1	–	3	4	2	5	3	–	–	–
	White Male	16	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	–	–	–
	Female	11	2	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	1	2	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	97	–	–	–	–	–	1	1	4	1	7	8	2	2	9	15	14	11	15	6	–	1	–
	White Male	47	–	–	–	–	–	–	1	–	1	3	5	1	1	7	5	7	5	7	3	–	1	–
	Female	38	–	–	–	–	–	–	–	2	–	2	3	1	1	1	8	5	4	8	3	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	2	–	2	–	–	–	1	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	73	–	–	–	–	–	1	1	3	1	5	7	1	2	6	11	12	8	11	3	–	1	–
	White Male	33	–	–	–	–	–	–	1	–	1	3	4	–	1	5	2	6	3	5	1	–	1	–
	Female	30	–	–	–	–	–	–	–	2	–	1	3	1	1	–	7	4	3	6	2	–	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	24	–	–	–	–	–	–	–	1	–	2	1	1	–	3	4	2	3	4	3	–	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	1	2	2	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	94	20	–	–	1	2	–	2	1	1	1	1	7	3	7	7	11	11	10	6	2	1	–
	White Male	48	9	–	–	–	–	–	1	1	–	1	–	4	3	2	3	9	7	6	2	–	–	–
	Female	30	6	–	–	1	2	–	1	–	–	–	–	1	–	2	3	1	4	3	4	1	1	–
	All other Male	5	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	11	2	–	–	–	–	–	–	–	1	–	–	2	–	2	1	1	–	1	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	81	9	7	3	2	2	5	–	1	4	4	2	4	7	4	6	9	7	4	–	–	1	–
	White Male	37	3	6	1	2	–	2	–	1	2	–	2	1	4	1	3	5	2	1	–	–	1	–
	Female	38	6	–	2	–	1	3	–	–	2	4	–	3	2	3	2	3	4	3	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	3	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,895	1	20	19	19	22	27	33	50	88	145	277	439	611	812	855	803	755	506	297	98	18	–
	White—Male	3,000	–	9	8	11	12	12	10	23	51	63	122	238	331	452	464	415	367	227	141	36	8	–
	White—Female	2,329	1	10	9	8	9	12	18	23	33	64	130	159	224	262	311	296	324	243	130	56	7	–
	All other—Male	331	–	1	–	–	–	1	1	3	1	8	12	22	39	57	49	51	42	21	18	2	3	–
	All other—Female	235	–	–	2	–	1	2	4	1	3	10	13	20	17	41	31	41	22	15	8	4	–	–
140–149	Of buccal cavity and pharynx	148	–	–	–	–	2	–	1	–	2	4	11	18	20	19	18	16	17	11	8	1	–	–
	White—Male	96	–	–	–	–	2	–	–	–	1	3	7	10	14	12	15	12	10	4	5	1	–	–
	White—Female	36	–	–	–	–	–	–	–	–	1	1	3	4	3	4	2	3	6	6	3	–	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1	1	–	1	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,608	1	1	1	1	1	5	3	8	12	31	46	89	134	200	248	237	246	192	112	35	5	–
	White—Male	736	–	1	1	–	–	3	3	4	9	14	18	57	60	94	119	117	101	67	51	16	1	–
	White—Female	704	1	–	–	1	1	1	–	4	3	10	24	24	50	69	103	93	125	117	55	19	4	–
	All other—Male	98	–	–	–	–	–	1	–	–	–	4	1	5	20	19	14	15	15	1	3	–	–	–
	All other—Female	70	–	–	–	–	–	–	–	–	–	3	3	3	4	18	12	12	5	7	3	–	–	–
160–163	Of respiratory system	1,540	–	–	–	–	1	–	1	9	13	37	90	142	226	284	250	214	158	65	40	8	2	–
	White—Male	1,129	–	–	–	–	1	–	1	5	9	24	65	103	162	228	196	164	105	37	25	2	2	–
	White—Female	265	–	–	–	–	–	–	–	2	3	8	17	23	49	31	31	28	34	22	11	6	–	–
	All other—Male	111	–	–	–	–	–	–	–	1	–	2	4	11	12	18	19	18	18	4	4	–	–	–
	All other—Female	35	–	–	–	–	–	–	–	1	1	3	4	5	3	7	4	4	1	2	–	–	–	–
174	Of breast	425	–	–	–	–	–	–	5	6	6	26	39	45	45	59	54	42	50	28	12	7	1	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	White—Female	379	–	–	–	–	–	–	4	6	5	24	36	43	42	50	47	35	44	26	10	6	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	43	–	–	–	–	–	–	1	–	1	2	3	2	3	7	7	7	5	2	2	1	–	–
180–187	Of genital organs	747	–	–	–	1	–	9	11	3	13	14	26	40	55	77	106	115	117	91	48	14	7	–
	White—Male	292	–	–	–	–	–	5	1	–	1	1	1	1	11	23	42	47	67	52	31	6	3	–
	White—Female	374	–	–	–	1	–	2	8	3	12	11	24	36	41	48	57	55	36	25	9	5	1	–
	All other—Male	47	–	–	–	–	–	–	–	–	–	–	–	1	–	6	3	7	8	11	6	2	3	–
	All other—Female	34	–	–	–	–	–	2	2	–	–	2	1	2	3	–	4	6	6	3	2	1	–	–
188, 189	Of urinary organs	254	–	1	–	–	–	–	–	–	3	4	7	17	25	38	33	39	42	29	11	5	–	–
	White—Male	148	–	1	–	–	–	–	–	–	2	1	7	12	15	21	22	18	26	17	4	2	–	–
	White—Female	86	–	–	–	–	–	–	–	–	–	2	–	4	8	12	8	17	16	10	6	3	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	1	–	2	1	–	–	–
	All other—Female	9	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	3	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	653	–	10	12	3	6	7	6	13	21	18	38	54	70	78	77	73	61	49	38	17	2	–
	White—Male	316	–	5	5	1	5	3	4	6	13	13	16	33	47	36	34	24	24	26	15	5	1	–
	White—Female	280	–	5	5	2	1	4	2	6	7	5	17	15	20	30	39	36	34	21	20	10	1	–
	All other—Male	30	–	–	–	–	–	–	–	1	1	–	4	3	2	7	2	6	–	2	2	–	–	–
	All other—Female	27	–	–	2	–	–	–	–	–	–	–	1	3	1	5	2	7	3	–	1	2	–	–
204–207	Leukemia	230	–	6	6	9	7	4	1	7	5	6	7	15	12	22	24	25	25	23	18	7	1	–
	White—Male	113	–	2	2	6	3	1	–	5	3	4	2	10	7	15	11	9	11	12	6	3	1	–
	White—Female	103	–	3	4	3	4	3	1	2	2	1	4	5	4	5	8	15	14	10	11	4	–	–
	All other—Male	8	–	1	–	–	–	–	–	–	–	1	–	–	–	–	4	1	–	–	1	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	290	–	2	–	5	5	2	5	4	13	5	13	19	24	35	45	42	39	18	10	4	–	–
	White—Male	167	–	–	–	4	1	–	1	3	13	3	6	12	15	21	25	24	22	12	4	1	–	–
	White—Female	102	–	2	–	1	3	2	3	–	–	2	5	5	7	13	16	14	15	6	5	3	–	–
	All other—Male	15	–	–	–	–	–	–	1	1	–	–	2	1	2	1	3	2	1	–	1	–	–	–
	All other—Female	6	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	70	–	1	–	1	1	1	–	3	2	3	3	4	11	8	2	7	4	10	9	–	–	–
	White—Male	34	–	1	–	–	–	–	–	–	–	–	2	4	4	4	2	5	2	5	5	–	–	–
	White—Female	29	–	–	–	1	1	1	–	2	–	3	1	–	5	3	–	2	2	5	3	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	628	1	–	1	1	1	3	6	7	7	12	7	29	31	73	86	107	97	93	49	12	5	–
	White—Male	207	1	–	–	–	–	1	2	5	4	4	2	11	7	18	29	42	30	32	17	1	1	–
	White—Female	345	–	–	1	1	1	1	4	2	2	4	3	11	18	45	48	52	62	47	32	9	2	–
	All other—Male	25	–	–	–	–	–	1	–	–	–	1	2	3	2	3	3	6	1	2	–	1	–	–
	All other—Female	51	–	–	–	–	–	–	–	–	1	3	–	4	4	7	6	7	4	12	–	1	2	–
260–269	Avitaminoses and other nutritional deficiencies	42	2	–	–	–	–	1	–	–	–	–	1	–	3	3	8	7	3	3	6	5	–	–
	White—Male	18	2	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	1	–	4	2	–	–
	White—Female	19	–	–	–	–	–	1	–	–	–	–	–	–	1	1	5	2	2	2	2	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
280–285	Anemias	63	–	3	–	1	–	–	–	2	–	–	1	1	4	–	6	12	6	14	10	3	–	–
	White Male	23	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	5	3	5	4	1	–	–
	Female	29	–	–	–	1	–	–	–	1	–	–	–	–	1	–	4	6	1	8	6	1	–	–
	All other Male	4	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	Female	7	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	1	–	–
320	Meningitis	16	3	3	1	–	–	–	–	–	–	–	1	1	–	2	4	–	1	–	–	–	–	–
	White Male	11	2	2	1	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	18,256	8	9	3	9	17	19	26	59	99	201	411	718	1,003	1,522	2,002	2,474	2,828	3,037	2,296	1,159	353	3
	White Male	9,192	5	4	2	6	10	12	14	27	59	127	272	501	677	984	1,209	1,325	1,332	1,290	838	398	99	1
	Female	7,622	2	4	1	2	7	2	8	21	27	47	92	140	231	400	614	917	1,274	1,563	1,337	706	226	1
	All other Male	731	–	1	–	1	–	2	2	10	9	17	24	49	52	71	93	125	100	84	56	25	9	1
	Female	711	1	–	–	–	–	3	2	1	4	10	23	28	43	67	86	107	122	100	65	30	19	–
390–398, 402, 404, 410–429	Diseases of heart	13,174	5	5	2	4	6	13	16	41	77	164	359	593	828	1,245	1,569	1,835	1,976	2,012	1,475	720	227	2
	White Male	7,005	3	1	1	3	4	8	10	19	51	114	243	440	577	832	986	1,006	970	870	556	244	66	1
	Female	5,118	2	4	1	–	2	1	3	14	16	27	72	100	176	301	450	670	848	1,022	832	435	142	–
	All other Male	559	–	–	–	1	–	2	2	7	6	16	23	34	42	57	70	91	83	56	44	18	6	1
	Female	492	–	–	–	–	–	2	1	1	4	7	21	19	33	55	63	68	75	64	43	23	13	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	155	–	–	–	–	2	–	1	7	6	5	9	20	21	18	16	20	12	8	7	3	–	–
	White Male	71	–	–	–	–	1	–	–	2	2	3	4	12	12	10	9	8	6	1	–	1	–	–
	Female	79	–	–	–	–	1	–	–	5	4	2	5	6	9	8	7	11	6	7	7	1	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
402	Hypertensive heart disease	84	1	–	–	–	–	–	–	1	1	3	3	2	5	8	5	15	10	15	10	3	2	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	6	4	1	2	–	–	–
	Female	41	1	–	–	–	–	–	–	1	–	1	1	1	1	3	2	6	4	10	6	2	2	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	1	1	4	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	2	1	–	1	1	–	–
404	Hypertensive heart and renal disease	107	–	–	–	–	–	–	–	–	–	–	–	2	2	3	7	17	19	23	16	15	3	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	8	6	7	8	5	–	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	7	11	12	6	10	2	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	1	–
410–413	Ischemic heart disease	11,622	–	–	–	–	1	4	8	27	58	131	301	505	735	1,092	1,425	1,628	1,770	1,791	1,317	631	196	2
	White Male	6,269	–	–	–	–	–	2	7	15	44	95	214	388	519	741	890	906	885	784	504	217	57	1
	Female	4,479	–	–	–	–	1	–	1	5	7	18	53	74	158	256	412	587	753	910	740	381	123	–
	All other Male	462	–	–	–	–	–	1	–	6	4	13	16	27	32	51	65	75	68	42	40	15	6	1
	Female	412	–	–	–	–	–	1	–	1	3	5	18	16	26	44	58	60	64	55	33	18	10	–
410	Acute myocardial infarction	6,961	–	–	–	–	–	3	7	24	54	113	264	426	613	855	1,001	1,004	982	840	513	201	59	2
	White Male	4,238	–	–	–	–	–	1	6	13	42	85	191	345	450	608	663	584	540	406	214	74	15	1
	Female	2,232	–	–	–	–	–	–	1	5	5	15	44	47	117	184	269	350	377	398	270	110	40	–
	All other Male	277	–	–	–	–	–	1	–	5	4	9	14	21	25	36	40	42	37	16	16	8	2	1
	Female	214	–	–	–	–	–	1	–	1	3	4	15	13	21	27	29	28	28	20	13	9	2	–
411	Other acute and subacute forms of ischemic heart disease	37	–	–	–	–	1	1	1	–	1	–	2	3	2	1	7	3	9	2	2	2	–	–
	White Male	21	–	–	–	–	–	1	1	–	–	–	–	2	2	1	4	3	6	–	–	1	–	–
	Female	15	–	–	–	–	1	–	–	–	1	–	2	1	–	–	2	–	3	2	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,621	–	–	–	–	–	–	–	3	3	18	35	76	120	235	417	620	778	949	802	428	137	–
	White Male	2,006	–	–	–	–	–	–	–	2	2	10	23	41	67	131	223	318	339	378	290	142	42	–
	Female	2,231	–	–	–	–	–	–	–	–	1	3	7	26	41	72	141	237	372	510	468	270	83	–
	All other Male	184	–	–	–	–	–	–	–	1	–	4	2	6	7	15	24	33	31	26	24	7	4	–
	Female	198	–	–	–	–	–	–	–	–	–	1	3	3	5	17	29	32	36	35	20	9	8	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	92	1	1	–	–	1	–	–	–	–	3	1	4	3	11	3	10	13	19	8	10	4	–
	White Male	38	–	–	–	–	1	–	–	–	–	1	1	1	1	6	1	6	2	12	3	1	2	–
	Female	45	1	1	–	–	–	–	–	–	–	2	–	3	2	3	2	3	6	7	4	9	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,114	3	4	2	4	2	9	7	6	12	22	45	60	62	113	113	145	152	156	117	58	22	–
	White Male	566	3	1	1	3	2	6	3	2	5	15	24	39	41	71	80	72	67	65	39	20	7	–
	White Female	420	–	3	1	–	–	1	2	3	5	4	13	15	6	28	25	56	68	76	69	32	13	–
	All other Male	68	–	–	–	1	–	1	1	1	2	2	5	5	8	5	4	12	9	8	1	3	–	–
	All other Female	60	–	–	–	–	–	1	1	–	–	1	3	1	7	9	4	5	8	7	8	3	2	–
400, 401, 403	Hypertension	120	–	–	–	–	1	1	–	1	–	3	2	6	5	4	12	16	22	17	17	9	4	–
	White Male	58	–	–	–	–	1	1	–	–	–	1	1	3	3	2	6	9	14	6	5	4	2	–
	White Female	47	–	–	–	–	–	–	–	1	–	1	1	–	2	2	3	3	8	9	10	5	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–
	All other Female	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	4	–	1	1	–	–	–
430–438	Cerebrovascular diseases	3,925	3	4	1	5	10	4	10	15	18	30	36	100	133	213	340	513	691	769	619	319	91	1
	White Male	1,611	2	3	1	3	5	2	4	7	7	9	19	47	70	112	173	244	275	291	210	107	20	–
	White Female	1,991	–	–	–	2	5	1	5	5	10	18	14	34	45	78	134	210	360	423	382	202	62	1
	All other Male	146	–	1	–	–	–	–	–	3	1	1	1	13	8	12	16	30	15	27	9	6	3	–
	All other Female	177	1	–	–	–	–	1	1	–	–	2	2	6	10	11	17	29	41	28	18	4	6	–
431	Cerebral hemorrhage	575	2	–	1	–	3	2	2	1	3	10	9	35	45	40	67	82	89	81	63	31	9	–
	White Male	249	1	–	1	–	2	2	2	–	2	4	5	17	22	16	36	37	34	29	21	16	2	–
	White Female	268	–	–	–	–	1	–	–	–	1	5	3	12	13	20	27	38	48	40	40	14	6	–
	All other Male	25	–	–	–	–	–	–	–	1	–	–	1	3	5	1	2	4	2	3	1	1	1	–
	All other Female	33	1	–	–	–	–	–	–	–	–	1	–	3	5	3	2	3	5	9	1	–	–	–
433	Cerebral thrombosis	921	–	–	–	–	2	1	1	2	2	1	1	8	19	39	71	117	188	191	160	95	23	–
	White Male	382	–	–	–	–	1	–	–	–	–	–	1	6	13	25	43	55	77	76	56	25	4	–
	White Female	463	–	–	–	–	1	1	1	2	1	–	–	2	5	5	23	47	98	99	98	65	15	–
	All other Male	34	–	–	–	–	–	–	–	–	1	1	–	–	–	6	3	8	4	6	2	2	1	–
	All other Female	42	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	7	9	10	4	3	3	–
434	Cerebral embolism	13	–	–	–	–	–	–	1	–	–	–	–	1	2	2	1	3	–	3	–	–	–	–
	White Male	8	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	2	–	1	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,416	1	4	–	5	5	1	6	12	13	19	26	56	67	132	201	311	414	494	396	193	59	1
	White Male	972	1	3	–	3	2	–	1	7	5	5	13	23	34	70	93	150	164	185	133	66	14	–
	White Female	1,255	–	–	–	2	3	–	4	3	8	13	11	20	26	52	84	124	214	282	244	123	41	1
	All other Male	87	–	1	–	–	–	–	–	2	–	–	–	10	3	5	11	18	9	18	6	3	1	–
	All other Female	102	–	–	–	–	–	1	1	–	–	1	2	3	4	5	13	19	27	9	13	1	3	–
440	Arteriosclerosis	595	–	–	–	–	–	–	–	–	1	1	–	3	5	19	31	41	73	161	146	90	24	–
	White Male	269	–	–	–	–	–	–	–	–	–	–	–	3	3	13	12	19	33	87	52	37	10	–
	White Female	295	–	–	–	–	–	–	–	–	1	1	–	–	2	5	15	15	33	68	91	50	14	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	2	–	–	–
	All other Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	6	1	3	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	442	–	–	–	–	–	1	–	2	3	3	14	16	32	41	50	69	66	78	39	21	7	–
	White Male	249	–	–	–	–	–	1	–	1	1	3	9	8	24	25	32	47	40	36	15	6	1	–
	White Female	171	–	–	–	–	–	–	–	1	–	–	5	6	6	14	12	19	25	41	22	14	6	–
	All other Male	12	–	–	–	–	–	–	–	–	2	–	–	–	2	1	5	1	–	–	–	1	–	–
	All other Female	10	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	1	1	2	–	–	–
466	Acute bronchitis and bronchiolitis	8	1	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	–	–	–
	White Male	5	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
	White Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	933	55	11	3	1	4	6	10	4	10	15	12	26	38	43	70	102	121	168	138	77	19	–
	White Male	464	29	4	2	1	3	1	7	2	4	5	7	11	22	23	40	48	60	90	64	35	6	–
	White Female	393	19	5	–	–	1	4	3	1	5	7	2	10	14	14	24	42	55	68	69	39	11	–
	All other Male	50	3	1	–	–	–	1	–	1	1	3	2	4	1	5	5	10	5	3	2	1	2	–
	All other Female	26	4	1	1	–	–	–	–	–	–	–	1	1	1	1	1	2	1	7	3	2	–	–
470–474	Influenza	31	–	–	–	–	1	–	1	–	–	–	–	–	2	–	4	5	1	7	3	6	1	–
	White Male	12	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	3	–	2	–	2	1	–
	White Female	18	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	2	1	5	2	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	902	55	11	3	1	3	6	9	4	10	15	12	26	36	43	66	97	120	161	135	71	18	–
	White Male	452	29	4	2	1	3	1	6	2	4	5	7	11	21	23	38	45	60	88	64	33	5	–
	White Female	375	19	5	–	–	–	4	3	1	5	7	2	10	13	14	22	40	54	63	67	35	11	–
	All other Male	49	3	1	–	–	–	1	–	1	1	3	2	4	1	5	5	10	5	3	1	1	2	–
	All other Female	26	4	1	1	–	–	–	–	–	–	–	1	1	1	1	1	2	1	7	3	2	–	–
490–493	Bronchitis, emphysema, and asthma	432	2	2	–	1	1	–	1	–	2	5	12	26	31	56	70	77	67	49	20	9	1	–
	White Male	299	2	1	–	–	–	–	–	–	1	–	10	16	20	35	52	60	52	30	15	4	1	–
	White Female	106	–	1	–	–	1	–	1	–	1	4	2	9	9	16	11	14	15	12	5	5	–	–
	All other Male	18	–	–	–	1	–	–	–	–	–	–	–	1	–	4	5	2	–	5	–	–	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
490, 491	Chronic and unqualified bronchitis	73	2	1	–	–	–	–	–	–	–	2	1	2	7	10	10	10	15	9	3	1	–	
	White Male	46	2	–	–	–	–	–	–	–	–	–	1	1	6	4	8	5	10	6	2	1	–	
	Female	23	–	1	–	–	–	–	–	–	–	1	–	1	1	5	2	4	5	2	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	
492	Emphysema	324	–	–	–	–	–	–	1	–	1	3	9	22	19	44	55	63	49	36	14	7	1	
	White Male	241	–	–	–	–	–	–	–	–	–	–	9	14	12	31	42	53	40	24	12	3	1	
	Female	66	–	–	–	–	–	–	1	–	1	3	–	7	6	10	8	8	9	7	2	4	–	
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	–	4	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	
493	Asthma	35	–	1	–	1	1	–	–	–	1	–	2	2	5	2	5	4	3	4	3	1	–	
	White Male	12	–	1	–	–	–	–	–	–	1	–	–	1	2	–	2	2	2	–	1	–	–	
	Female	17	–	–	–	–	1	–	–	–	–	–	2	1	2	1	1	2	1	3	2	1	–	
	All other Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	127	–	–	–	–	–	1	–	–	1	5	2	11	14	16	15	13	20	17	8	4	–	
	White Male	88	–	–	–	–	–	1	–	–	1	4	1	9	14	8	10	8	16	12	2	2	–	
	Female	29	–	–	–	–	–	–	–	–	–	1	–	1	–	5	3	4	3	5	5	2	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	
540–543	Appendicitis	18	1	–	–	–	–	–	1	–	–	–	–	1	–	1	1	3	5	–	5	–	–	
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	–	3	–	–	
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	110	11	2	–	–	1	1	–	–	–	–	2	5	6	11	7	11	16	19	11	7	–	
	White Male	51	5	2	–	–	1	–	–	–	–	–	–	1	3	8	3	4	5	7	8	4	–	
	Female	50	6	–	–	–	–	1	–	–	–	–	1	3	3	3	1	5	9	12	3	3	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	1	–	–	–	–	
571	Cirrhosis of liver	390	1	–	–	–	3	2	2	7	25	30	50	68	56	45	37	35	14	13	2	–	–	
	White Male	241	1	–	–	–	2	2	–	3	11	22	36	44	39	26	27	17	6	4	1	–	–	
	Female	117	–	–	–	–	–	–	1	2	9	5	11	20	15	17	5	16	7	8	1	–	–	
	All other Male	14	–	–	–	–	–	–	1	–	3	1	1	1	2	–	4	1	–	–	–	–	–	
	Female	18	–	–	–	–	1	–	–	2	2	2	2	3	–	2	1	1	1	1	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	67	–	–	–	–	–	–	1	–	–	–	2	5	2	3	9	3	16	10	11	5	–	
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	3	8	3	3	2	–	
	Female	35	–	–	–	–	–	–	1	–	–	–	2	3	1	–	4	–	7	6	8	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
580–584	Nephritis and nephrosis	127	1	–	–	–	–	–	1	2	2	3	7	4	9	11	19	12	15	18	17	5	1	
	White Male	62	1	–	–	–	–	–	1	–	2	1	2	3	4	6	9	6	7	8	8	3	1	
	Female	41	–	–	–	–	–	–	–	–	–	2	3	1	2	4	6	1	7	4	9	2	–	
	All other Male	17	–	–	–	–	–	–	–	1	–	–	1	–	1	1	3	5	1	4	–	–	–	
	Female	7	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	2	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	33	–	–	–	–	–	–	1	–	2	1	–	2	3	2	11	1	1	4	4	1	–	
	White Male	19	–	–	–	–	–	–	1	–	2	1	–	1	1	–	5	–	1	4	2	1	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	–	–	2	–	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	94	1	–	–	–	–	–	–	2	–	2	7	2	6	9	8	11	14	14	13	4	1	
	White Male	43	1	–	–	–	–	–	–	–	–	–	2	2	3	6	4	6	6	4	6	2	1	
	Female	31	–	–	–	–	–	–	–	–	–	2	3	–	–	3	3	–	7	4	7	2	–	
	All other Male	13	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	5	1	4	–	–	–	
	Female	7	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	2	–	–	–	
590	Infections of kidney	121	–	–	–	–	–	–	1	–	2	2	2	4	2	8	11	17	24	27	12	8	1	
	White Male	52	–	–	–	–	–	–	1	–	1	–	–	–	1	3	3	8	9	14	6	5	1	
	Female	59	–	–	–	–	–	–	–	–	–	2	2	4	–	4	4	8	15	12	6	2	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	1	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	
600	Hyperplasia of prostate	38	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	9	4	11	5	4	2	
	White Male	34	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	9	4	10	4	3	2	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	1	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	6	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	3	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	1	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	6	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	3	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	259	186	17	11	3	4	2	2	2	3	1	4	5	5	3	6	3	1	1	–	–	–	–
	White..... Male	137	92	10	7	3	2	1	1	–	2	1	1	4	4	3	3	2	–	1	–	–	–	–
	Female	99	79	5	4	–	1	1	1	2	1	–	2	1	–	–	1	1	–	–	–	–	–	–
	All other..... Male	12	9	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	11	6	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	446	446	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	217	217	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	172	172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	263	263	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	132	132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	183	183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	285	65	1	–	–	3	2	2	4	4	10	8	5	11	24	16	34	18	27	22	19	10	–
	White..... Male	149	37	–	–	–	2	1	1	3	1	6	4	4	8	15	12	16	11	11	10	4	3	–
	Female	106	21	1	–	–	1	1	–	1	3	2	–	2	5	2	16	6	14	12	12	6	–	–
	All other..... Male	12	2	–	–	–	–	–	1	–	1	–	2	1	–	3	–	–	1	1	–	–	–	–
	Female	18	5	–	–	–	–	–	–	–	1	1	–	–	1	1	2	2	–	1	–	3	1	–
Residual	All other diseases	2,107	31	15	16	13	15	27	23	26	37	53	78	136	140	221	277	265	284	230	142	60	18	–
	White..... Male	1,136	14	8	8	4	9	13	12	16	17	24	44	71	78	133	157	159	159	124	61	17	8	–
	Female	783	12	5	6	5	4	10	5	6	13	15	25	49	49	74	97	82	111	91	77	39	8	–
	All other..... Male	112	3	2	2	3	–	4	1	3	3	8	5	9	7	8	16	16	9	7	3	2	1	–
	Female	76	2	–	–	1	2	–	5	1	4	6	4	7	6	6	7	8	5	8	1	2	1	–
E800–E949	Accidents	1,927	32	62	48	83	232	197	130	87	88	97	106	97	77	95	106	93	77	85	81	41	12	1
	White..... Male	1,239	16	28	24	62	177	152	100	69	65	67	74	67	55	61	63	45	35	30	30	17	2	–
	Female	530	8	21	17	19	46	30	21	13	19	22	24	23	15	27	28	37	33	47	49	22	9	–
	All other..... Male	116	6	8	7	2	9	14	7	5	4	6	7	5	6	5	5	6	7	5	1	1	–	–
	Female	42	2	5	–	–	–	1	2	–	–	2	1	2	1	2	10	5	2	3	1	1	1	1
E810–E823	Motor vehicle accidents	797	3	20	27	33	143	131	73	42	41	49	37	40	31	31	32	20	22	14	6	–	1	1
	White..... Male	547	1	10	13	25	101	102	55	30	31	29	23	27	23	20	21	12	14	6	3	–	1	–
	Female	198	2	7	10	7	36	21	14	10	7	17	11	10	6	9	9	7	6	6	3	–	–	–
	All other..... Male	48	–	3	4	1	6	7	4	2	3	3	3	2	2	2	1	1	2	2	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1
E800–E807, E825–E949	All other accidents	1,130	29	42	21	50	89	66	57	45	47	48	69	57	46	64	74	73	55	71	75	41	11	–
	White..... Male	692	15	18	11	37	76	50	45	39	34	38	51	40	32	41	42	33	21	24	27	17	1	–
	Female	332	6	14	7	12	10	9	7	3	12	5	13	13	9	18	19	30	27	41	46	22	9	–
	All other..... Male	68	6	5	3	1	3	7	3	3	1	3	4	3	4	3	4	5	5	3	1	1	–	–
	Female	38	2	5	–	–	–	–	2	–	–	2	1	1	1	2	9	5	2	3	1	1	1	–
E950–E959	Suicide	421	...	...	–	1	17	22	35	36	33	35	34	38	37	38	26	34	16	15	3	1	–	–
	White..... Male	307	...	...	–	1	11	17	24	24	21	25	26	25	28	28	21	24	15	13	3	1	–	–
	Female	91	...	...	–	–	4	1	9	7	9	8	6	13	9	9	5	8	1	2	–	–	–	–
	All other..... Male	20	...	...	–	–	1	4	2	5	3	2	1	–	–	–	–	2	–	–	–	–	–	–
	Female	3	...	...	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	338	3	3	5	2	27	34	54	36	31	35	31	24	16	17	8	5	5	1	1	–	–	–
	White..... Male	198	1	–	1	1	16	23	31	19	21	18	23	13	9	12	2	4	3	–	1	–	–	–
	Female	52	–	–	1	–	5	6	7	7	3	4	4	4	3	3	3	–	2	–	–	–	–	–
	All other..... Male	67	1	1	–	–	6	4	14	9	5	10	3	5	3	2	2	1	–	1	–	–	–	–
	Female	21	1	2	3	1	–	1	2	1	2	3	1	2	1	–	1	–	–	–	–	–	–	–
E980–E999	Other external causes	60	1	–	–	–	5	5	5	8	3	7	9	1	6	3	4	–	2	–	–	–	–	1
	White..... Male	39	1	–	–	–	4	3	3	5	3	4	4	1	4	–	4	–	2	–	–	–	–	1
	Female	13	–	–	–	–	1	1	2	3	–	2	3	–	1	–	–	–	–	–	–	–	–	–
	All other..... Male	7	–	–	–	–	–	1	–	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana																							
	All causes	33,647	1,243	224	152	189	506	590	491	457	540	782	1,255	1,846	2,448	3,360	4,127	4,218	3,864	3,497	2,246	1,123	382	7
	White Male	12,931	388	76	65	78	241	271	202	166	193	289	544	803	1,127	1,504	1,839	1,659	1,400	1,142	599	264	78	3
	White Female	9,651	215	44	26	37	64	70	71	77	96	178	245	372	517	734	956	1,210	1,403	1,474	1,129	569	164	1
	All other Male	6,046	362	54	37	49	150	179	143	135	165	181	273	381	474	632	690	755	553	441	229	105	55	3
	All other Female	5,019	278	50	24	25	51	70	75	79	86	134	193	290	330	490	642	694	508	440	289	185	85	1
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	40	17	1	–	1	–	–	–	–	1	–	–	–	1	2	3	4	2	2	4	–	2	–
	White Male	8	3	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	–	–	–
	White Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–
	All other Male	16	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	2	–
	All other Female	9	5	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	84	2	1	–	–	–	1	1	4	–	–	3	8	10	20	11	9	4	6	3	1	–	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	2	2	4	9	5	4	3	3	–	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	2	2	1	–	–
	All other Male	31	1	1	–	–	–	1	3	–	–	1	3	4	9	4	3	–	1	–	–	–	–	–
	All other Female	10	1	–	–	–	–	1	–	1	–	–	–	2	–	2	2	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	74	1	1	–	–	–	1	1	4	–	–	3	7	8	16	11	9	4	5	2	1	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	2	2	3	6	5	4	3	3	–	–	–	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	1	1	1	–	–
	All other Male	30	1	1	–	–	–	–	1	3	–	–	1	3	3	9	4	3	–	1	–	–	–	–
	All other Female	7	–	–	–	–	–	1	–	1	–	–	–	1	–	1	2	–	–	–	1	–	–	–
013–019	Tuberculosis, other forms	10	1	–	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	15	2	6	3	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	121	24	1	2	4	1	2	1	–	3	3	2	10	9	9	8	12	11	6	8	4	1	–
	White Male	30	8	–	–	–	–	–	–	–	–	1	1	2	1	3	1	5	3	4	1	–	–	–
	White Female	20	1	–	2	–	–	1	–	–	–	–	1	2	1	–	3	2	2	1	2	1	1	–
	All other Male	46	10	1	–	2	–	1	1	–	2	1	–	6	4	4	2	3	4	–	3	2	–	–
	All other Female	25	5	–	–	2	1	–	–	–	1	1	–	–	3	2	2	2	2	1	2	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	1	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	74	6	6	4	2	2	2	2	1	–	2	1	5	5	9	5	8	4	4	4	2	–	–
	White Male	22	2	2	3	–	1	–	–	–	–	–	–	1	1	3	3	2	1	1	1	1	–	–
	White Female	22	2	1	–	1	–	–	1	1	–	1	–	2	2	3	1	2	2	1	1	1	–	–
	All other Male	14	2	3	–	1	–	–	1	–	–	1	–	1	–	3	1	1	–	–	–	–	–	–
	All other Female	16	–	–	1	–	1	2	–	–	–	–	1	1	2	–	–	3	1	2	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,967	1	24	20	16	20	29	35	41	82	159	308	442	644	882	986	868	660	470	202	60	18	–
	White—Male	2,471	–	12	6	7	7	11	13	15	22	46	113	180	270	371	454	379	270	199	75	18	3	–
	White—Female	1,717	–	6	5	5	6	11	11	12	30	60	92	118	161	242	252	231	208	150	81	28	8	–
	All other—Male	1,004	1	2	6	2	5	2	5	8	11	23	48	82	129	162	153	151	106	75	21	9	3	–
	All other—Female	775	–	4	3	2	2	5	6	6	19	30	55	62	84	107	127	107	76	46	25	5	4	–
140–149	Of buccal cavity and pharynx	137	–	–	–	–	–	–	–	–	–	5	7	17	21	20	19	12	14	16	3	3	–	–
	White—Male	71	–	–	–	–	–	–	–	–	–	1	4	8	11	10	10	6	9	9	1	2	–	–
	White—Female	20	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	4	1	3	1	–	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	–	3	2	7	5	3	3	1	2	3	–	–	–	–
	All other—Female	17	–	–	–	–	–	–	–	–	–	1	1	1	2	3	3	1	2	1	1	1	–	–
150–159	Of digestive organs and peritoneum	1,491	–	–	–	–	1	–	5	3	17	28	60	75	133	224	267	231	196	153	72	19	7	–
	White—Male	550	–	–	–	–	–	–	2	–	4	8	24	30	55	87	104	80	62	61	26	6	1	–
	White—Female	452	–	–	–	–	–	–	–	1	10	8	13	14	20	61	79	67	77	61	28	11	2	–
	All other—Male	275	–	–	–	–	–	–	1	1	1	6	13	20	36	47	53	45	29	13	8	1	1	–
	All other—Female	214	–	–	–	–	1	–	2	1	2	6	10	11	22	29	31	39	28	18	10	1	3	–
160–163	Of respiratory system	1,606	–	–	–	1	–	1	6	4	20	46	102	169	227	289	291	231	131	61	22	4	1	–
	White—Male	977	–	–	–	–	–	–	3	3	8	25	56	99	131	178	193	156	77	35	13	–	–	–
	White—Female	226	–	–	–	1	–	1	–	–	3	10	19	23	33	36	39	27	18	7	7	2	–	–
	All other—Male	316	–	–	–	–	–	–	2	1	6	9	19	36	50	60	39	44	28	17	2	2	1	–
	All other—Female	87	–	–	–	–	–	–	1	–	3	2	8	11	13	15	20	4	8	2	–	–	–	–
174	Of breast	426	–	–	–	–	–	1	–	5	10	21	36	47	46	80	55	47	29	31	10	5	3	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White—Female	303	–	–	–	–	–	1	–	1	8	14	21	32	32	63	36	31	24	25	8	5	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	121	–	–	–	–	–	–	–	4	2	7	15	15	14	17	19	15	4	6	2	–	1	–
180–187	Of genital organs	671	–	1	1	1	2	6	7	4	8	23	27	26	51	57	110	108	98	85	43	12	1	–
	White—Male	204	–	1	1	–	–	2	2	–	1	1	–	–	10	14	37	35	39	41	15	4	1	–
	White—Female	201	–	–	–	1	1	2	4	4	2	15	17	15	21	19	27	27	18	13	13	2	–	–
	All other—Male	134	–	–	–	–	1	–	–	–	–	–	1	1	6	10	21	31	26	23	9	5	–	–
	All other—Female	132	–	–	–	–	–	2	1	–	5	7	9	10	14	14	25	15	15	8	6	1	–	–
188, 189	Of urinary organs	217	–	4	4	1	–	–	–	1	1	4	8	11	19	27	40	37	27	20	8	3	2	–
	White—Male	119	–	2	2	–	–	–	–	1	1	–	4	7	10	12	27	20	16	14	1	2	–	–
	White—Female	59	–	–	1	–	–	–	–	–	–	2	3	2	6	5	9	9	7	6	6	1	2	–
	All other—Male	22	–	1	1	1	–	–	–	–	–	1	1	1	3	5	4	2	2	–	–	–	–	–
	All other—Female	17	–	1	–	–	–	–	–	–	–	1	–	1	–	5	–	6	2	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	876	–	7	6	8	9	13	10	10	18	23	49	70	93	123	120	111	94	73	26	10	3	–
	White—Male	311	–	4	–	4	2	4	3	4	6	7	14	27	33	43	49	36	35	28	9	3	–	–
	White—Female	283	–	3	2	3	2	5	4	4	5	10	15	23	25	36	30	36	36	23	14	5	2	–
	All other—Male	160	–	–	3	–	4	2	1	1	3	2	11	15	22	28	24	17	10	14	1	1	1	–
	All other—Female	122	–	–	1	1	1	2	2	1	4	4	9	5	13	16	17	22	13	8	2	1	–	–
204–207	Leukemia	258	1	12	9	4	7	4	4	6	5	3	8	4	19	25	35	41	38	19	11	2	1	–
	White—Male	108	–	5	3	2	4	2	1	2	2	1	4	–	6	11	14	18	19	6	6	1	1	–
	White—Female	88	–	3	2	–	3	1	2	1	2	1	2	2	9	8	13	15	13	7	3	1	–	–
	All other—Male	35	1	1	2	1	–	–	1	3	–	–	1	–	3	3	3	5	6	4	1	–	–	–
	All other—Female	27	–	3	2	1	–	1	–	–	1	1	1	2	1	3	5	3	–	2	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	285	–	–	–	1	1	4	3	8	3	6	11	23	35	37	49	50	33	12	7	2	–	–
	White—Male	129	–	–	–	1	1	3	2	5	–	3	7	9	14	16	20	27	12	5	4	–	–	–
	White—Female	85	–	–	–	–	–	1	1	1	–	–	2	6	12	10	16	15	14	5	1	1	–	–
	All other—Male	33	–	–	–	–	–	–	–	2	1	2	–	2	4	6	6	6	3	1	–	–	–	–
	All other—Female	38	–	–	–	–	–	–	–	–	2	1	2	6	5	5	7	2	4	1	2	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	104	2	1	3	3	2	–	1	1	2	2	5	14	7	18	11	14	9	5	4	–	–	–
	White—Male	33	2	–	–	2	1	–	–	–	1	–	–	2	2	6	6	5	3	1	2	–	–	–
	White—Female	34	–	1	1	–	–	–	1	1	1	1	1	3	2	6	2	7	5	1	1	–	–	–
	All other—Male	19	–	–	1	–	1	–	–	–	–	1	1	6	2	3	2	–	–	2	–	–	–	–
	All other—Female	18	–	–	1	1	–	–	–	–	–	–	3	3	1	3	1	2	1	1	1	–	–	–
250	Diabetes mellitus	805	–	–	–	1	3	2	2	6	9	11	23	45	67	106	141	133	99	87	47	17	6	–
	White—Male	176	–	–	–	–	–	1	–	1	2	3	2	16	19	25	30	24	18	19	11	4	1	–
	White—Female	294	–	–	–	–	–	1	–	2	2	1	5	13	16	28	49	55	50	45	18	6	3	–
	All other—Male	105	–	–	–	–	–	–	–	3	–	4	8	3	11	22	17	13	8	7	8	–	1	–
	All other—Female	230	–	–	–	1	3	–	2	–	5	3	8	13	21	31	45	41	23	16	10	7	1	–
260–269	Avitaminoses and other nutritional deficiencies	43	1	–	–	–	1	–	–	–	–	–	1	1	1	3	8	8	5	3	6	4	1	–
	White—Male	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	White—Female	14	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	1	2	4	2	–	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	2	1	1	1	–	–
	All other—Female	11	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	–	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
280–285	Anemias	82	1	4	1	1	3	2	3	2	2	2	4	2	5	7	10	4	10	12	5	2	–	–
	White Male	22	1	–	–	–	–	1	–	–	1	1	1	1	2	2	1	–	4	4	2	1	–	–
	Female	18	–	1	–	–	1	–	1	–	–	1	–	–	–	1	4	1	1	6	–	1	–	–
	All other Male	24	–	2	1	1	1	1	2	1	1	–	–	1	2	2	3	2	1	2	1	–	–	–
	Female	18	–	1	–	–	1	–	–	1	–	–	3	–	1	2	2	1	4	–	2	–	–	–
320	Meningitis	40	13	11	–	1	–	–	–	–	–	–	–	3	–	2	3	2	2	2	1	–	–	–
	White Male	7	3	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–
	All other Male	10	5	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
	Female	19	5	7	–	1	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–	–	–
390–448	Major cardiovascular diseases	17,194	17	9	3	9	23	35	47	68	123	262	508	827	1,148	1,681	2,272	2,577	2,446	2,374	1,633	847	285	–
	White Male	6,378	3	3	2	1	9	14	11	19	51	108	249	391	563	791	1,034	935	830	712	409	183	60	–
	Female	5,458	2	1	–	2	5	6	14	10	18	49	63	126	212	311	493	739	920	1,063	849	449	126	–
	All other Male	2,710	8	2	1	3	6	8	8	16	35	55	120	171	209	318	384	464	349	277	167	72	37	–
	Female	2,648	4	3	–	3	3	7	14	23	19	50	76	139	164	261	361	439	347	322	208	143	62	–
390–398, 402, 404, 410–429	Diseases of heart	12,397	13	7	2	4	13	23	30	47	92	188	408	683	948	1,337	1,717	1,908	1,686	1,539	1,029	541	182	–
	White Male	4,955	3	3	2	–	5	8	8	18	38	91	229	349	499	669	845	718	603	461	254	106	46	–
	Female	3,690	1	1	–	1	3	4	7	5	11	33	43	104	164	238	353	546	614	674	526	291	71	–
	All other Male	1,906	5	–	–	1	5	6	5	9	29	37	87	126	163	238	261	338	220	196	103	49	28	–
	Female	1,846	4	3	–	2	–	5	10	15	14	27	49	104	122	192	258	306	249	208	146	95	37	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	122	–	1	1	1	2	2	3	3	5	5	12	15	10	13	11	21	9	3	2	3	–	–
	White Male	45	–	–	1	–	1	–	1	2	1	1	6	6	3	5	5	8	3	1	–	1	–	–
	Female	44	–	–	–	–	–	2	2	–	1	2	2	3	5	6	6	9	2	–	2	2	–	–
	All other Male	14	–	–	–	1	1	–	–	–	2	1	–	2	2	1	–	1	2	1	–	–	–	–
	Female	19	–	1	–	–	–	–	–	1	1	1	4	4	–	1	–	3	2	1	–	–	–	–
402	Hypertensive heart disease	139	–	–	–	–	–	–	–	–	2	1	1	12	9	14	20	27	18	18	13	1	3	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	1	2	1	3	5	5	3	3	1	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	4	5	6	4	–	3	–
	All other Male	41	–	–	–	–	–	–	–	–	2	–	–	4	1	6	8	9	5	3	3	–	–	–
	Female	48	–	–	–	–	–	–	–	–	–	1	–	4	7	5	5	9	5	6	5	1	–	–
404	Hypertensive heart and renal disease	83	–	–	–	–	–	–	–	–	–	1	2	2	2	6	6	16	10	19	13	4	2	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	4	2	3	3	–	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	7	2	7	4	1	–	–
	All other Male	22	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	3	3	4	5	1	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	3	5	1	2	–	–
410–413	Ischemic heart disease	11,098	–	–	–	2	–	6	12	34	64	168	367	614	854	1,226	1,565	1,715	1,527	1,382	922	486	154	–
	White Male	4,561	–	–	–	–	–	3	4	13	32	89	210	329	464	643	789	651	550	421	228	99	36	–
	Female	3,326	–	–	–	–	–	–	2	4	5	26	34	91	140	219	321	503	564	612	478	266	61	–
	All other Male	1,655	–	–	–	–	–	1	2	7	20	30	82	107	144	207	231	297	195	179	86	43	24	–
	Female	1,556	–	–	–	2	–	2	4	10	7	23	41	87	106	157	224	264	218	170	130	78	33	–
410	Acute myocardial infarction	5,544	–	–	–	2	–	2	9	25	42	113	252	397	561	753	855	891	674	514	291	127	36	–
	White Male	2,727	–	–	–	–	–	–	2	12	23	62	160	238	331	444	495	395	265	177	80	35	8	–
	Female	1,492	–	–	–	–	–	–	2	3	3	16	23	59	96	148	179	277	258	220	141	54	13	–
	All other Male	738	–	–	–	–	–	–	2	5	11	19	47	61	85	99	96	122	77	62	30	15	7	–
	Female	587	–	–	–	2	–	2	3	5	5	16	22	39	49	62	85	97	74	55	40	23	8	–
411	Other acute and subacute forms of ischemic heart disease	16	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	1	2	2	1	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	2	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	5,537	–	–	–	–	–	4	3	9	22	55	114	215	292	470	709	823	851	865	630	358	117	–
	White Male	1,826	–	–	–	–	–	3	2	1	9	27	49	90	133	197	294	256	283	242	148	64	28	–
	Female	1,829	–	–	–	–	–	–	–	1	2	10	11	31	44	70	142	225	306	391	337	211	48	–
	All other Male	916	–	–	–	–	–	1	–	2	9	11	35	46	59	108	135	175	118	117	56	28	16	–
	Female	966	–	–	–	–	–	–	1	5	2	7	19	48	56	95	138	167	144	115	89	55	25	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	110	2	–	–	–	1	–	–	1	2	2	1	3	3	10	12	14	11	12	18	13	5	–
	White Male	30	1	–	–	–	1	–	–	–	1	–	–	–	2	4	3	7	3	4	2	–	2	–
	Female	41	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	3	4	5	11	8	1	–
	All other Male	13	1	–	–	–	–	–	–	–	–	1	–	1	–	2	1	2	1	–	3	–	1	–
	Female	26	–	–	–	–	–	–	–	1	1	–	–	1	–	3	4	2	3	3	2	5	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
420–423, 425–427, 429	All other forms of heart disease	845	11	6	1	1	10	15	15	9	19	11	25	37	70	68	103	115	111	105	61	34	18	–
	White Male	277	2	3	1	–	3	5	3	3	4	1	11	10	29	14	41	43	42	29	20	6	7	–
	White Female	229	1	1	–	1	3	2	3	1	5	4	5	7	18	11	19	20	37	44	27	14	6	–
	All other Male	161	4	–	–	–	4	5	3	2	5	4	5	12	15	19	21	26	14	9	6	5	2	–
	All other Female	178	4	2	–	–	–	3	6	3	5	2	4	8	8	24	22	26	18	23	8	9	3	–
400, 401, 403	Hypertension	116	–	–	–	–	–	1	–	3	3	4	3	8	7	12	14	14	9	21	13	4	–	–
	White Male	20	–	–	–	–	–	–	–	1	–	–	–	1	2	1	3	3	4	3	1	1	–	–
	White Female	36	–	–	–	–	–	1	–	–	–	–	–	2	1	3	4	1	2	11	9	2	–	–
	All other Male	32	–	–	–	–	–	–	–	1	1	2	2	4	2	6	2	3	2	5	2	–	–	–
	All other Female	28	–	–	–	–	–	–	–	1	2	2	1	1	2	2	5	7	1	2	1	1	–	–
430–438	Cerebrovascular diseases	3,697	4	2	1	4	9	9	14	18	25	64	90	108	164	264	420	525	596	666	440	202	72	–
	White Male	1,043	–	–	–	1	3	5	3	–	11	15	18	30	46	85	139	158	165	198	107	51	8	–
	White Female	1,351	1	–	–	1	2	1	4	5	7	15	19	14	41	58	103	155	242	312	235	99	37	–
	All other Male	639	3	2	1	2	1	2	3	6	5	13	27	34	39	64	95	102	107	60	47	19	7	–
	All other Female	664	–	–	–	–	3	1	4	7	2	21	26	30	38	57	83	110	82	96	51	33	20	–
431	Cerebral hemorrhage	527	–	1	1	1	2	2	3	4	9	18	33	30	35	62	75	62	62	71	34	16	6	–
	White Male	146	–	–	–	–	1	–	1	–	5	5	5	7	12	16	26	17	19	23	5	4	–	–
	White Female	157	–	–	–	1	1	–	1	1	–	6	5	4	8	13	23	17	24	25	15	10	3	–
	All other Male	117	–	1	1	–	–	2	1	–	4	2	10	12	8	19	11	12	13	10	9	–	2	–
	All other Female	107	–	–	–	–	–	–	–	3	–	5	13	7	7	14	15	16	6	13	5	2	1	–
433	Cerebral thrombosis	714	–	–	–	1	–	–	2	1	–	4	5	6	20	35	78	87	141	163	101	54	16	–
	White Male	203	–	–	–	–	–	–	–	–	–	1	1	2	5	12	30	28	35	50	25	13	1	–
	White Female	314	–	–	–	–	–	–	1	1	–	1	–	2	4	10	15	33	70	84	56	26	11	–
	All other Male	106	–	–	–	1	–	–	–	–	–	1	3	1	4	7	25	12	21	13	11	7	–	–
	All other Female	91	–	–	–	–	–	–	1	–	–	1	1	1	7	6	8	14	15	16	9	8	4	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,448	4	1	–	2	7	7	9	13	16	42	52	72	109	166	266	373	391	432	305	131	50	–
	White Male	692	–	–	–	1	2	5	2	–	6	9	12	21	29	57	83	113	109	125	77	34	7	–
	White Female	878	1	–	–	–	1	1	2	3	7	8	14	8	29	35	65	104	148	203	164	62	23	–
	All other Male	412	3	1	–	1	1	–	2	6	1	10	14	21	27	37	58	76	73	37	27	12	5	–
	All other Female	466	–	–	–	–	3	1	3	4	2	15	12	22	24	37	60	80	61	67	37	23	15	–
440	Arteriosclerosis	581	–	–	–	–	–	–	–	–	–	–	1	5	6	28	45	65	88	107	116	91	29	–
	White Male	180	–	–	–	–	–	–	–	–	–	–	–	1	3	14	12	19	29	36	36	24	6	–
	White Female	255	–	–	–	–	–	–	–	–	–	–	–	1	1	3	11	23	37	46	66	50	17	–
	All other Male	75	–	–	–	–	–	–	–	–	–	–	1	1	2	5	12	14	11	13	10	4	2	–
	All other Female	71	–	–	–	–	–	–	–	–	–	–	–	2	–	6	10	9	11	12	4	13	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	403	–	–	–	1	1	2	3	–	3	6	6	23	23	40	76	65	67	41	35	9	2	–
	White Male	180	–	–	–	–	1	1	–	–	2	2	2	10	13	22	35	37	29	14	11	1	–	–
	White Female	126	–	–	–	–	–	–	3	–	–	1	1	5	5	9	22	14	25	20	13	7	1	–
	All other Male	58	–	–	–	–	–	–	–	–	–	3	3	6	3	5	14	7	9	3	5	–	–	–
	All other Female	39	–	–	–	1	–	1	–	–	1	–	–	2	2	4	5	7	4	4	6	1	1	–
466	Acute bronchitis and bronchiolitis	14	–	3	–	1	–	–	–	1	–	–	1	–	1	3	1	1	1	1	–	–	–	–
	White Male	5	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	All other Male	4	–	1	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	813	92	18	4	2	11	8	11	10	14	18	28	27	45	51	69	76	90	103	75	41	19	1
	White Male	282	17	6	–	1	3	3	1	5	3	4	7	7	23	22	28	33	40	32	24	17	6	–
	White Female	237	15	4	1	1	3	2	4	1	–	2	8	9	11	13	15	19	27	44	33	16	9	–
	All other Male	169	31	3	1	–	3	1	4	3	8	6	11	5	6	11	12	10	17	19	9	7	2	–
	All other Female	125	29	5	2	–	2	2	2	1	3	6	2	6	5	5	14	14	6	8	9	1	2	1
470–474	Influenza	21	–	1	–	–	1	–	–	–	1	1	1	1	2	2	2	1	4	2	1	1	–	–
	White Male	7	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	1	–	–	–
	White Female	9	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	2	1	1	–	–	–
	All other Male	4	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	792	92	17	4	2	10	8	11	10	13	17	27	26	43	49	67	75	86	101	74	40	19	1
	White Male	275	17	5	–	1	3	3	1	5	3	4	7	6	23	22	27	32	38	32	24	16	6	–
	White Female	228	15	4	1	1	3	2	4	1	–	2	7	9	9	11	15	19	25	43	32	16	9	–
	All other Male	165	31	3	1	–	2	1	4	3	7	5	11	5	6	11	12	10	17	18	9	7	2	–
	All other Female	124	29	5	2	–	2	2	2	1	3	6	2	6	5	5	13	14	6	8	9	1	2	1
490–493	Bronchitis, emphysema, and asthma	422	4	–	2	–	–	3	5	–	4	10	9	19	37	57	76	69	73	32	14	6	2	–
	White Male	261	1	–	–	–	–	–	–	–	–	1	5	12	14	48	50	51	55	23	7	2	–	–
	White Female	85	–	–	–	–	–	1	1	–	–	2	2	4	12	10	13	11	11	6	6	4	2	–
	All other Male	53	2	–	2	–	–	1	1	–	2	5	1	2	9	5	10	5	5	3	–	–	–	–
	All other Female	23	1	–	–	–	–	1	3	–	2	2	1	1	2	2	3	2	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
490, 491	Chronic and unqualified bronchitis	77	4	–	2	–	–	–	1	–	3	4	1	5	3	10	8	8	12	10	3	3	–	
	White Male	36	1	–	–	–	–	–	–	–	–	–	1	1	1	5	5	4	8	7	1	2	–	
	Female	21	–	–	–	–	–	–	–	–	–	1	–	3	1	4	1	3	3	2	2	1	–	
	All other Male	14	2	–	2	–	–	–	–	–	2	3	–	–	–	1	2	–	1	1	–	–	–	
	Female	6	1	–	–	–	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–	–	–	
492	Emphysema	311	–	–	–	–	–	1	–	–	–	2	8	10	29	42	65	60	59	21	10	2	2	
	White Male	219	–	–	–	–	–	–	–	–	–	–	4	9	12	35	44	47	47	15	6	–	–	
	Female	52	–	–	–	–	–	–	–	–	–	–	2	1	9	4	12	7	6	4	3	2	2	
	All other Male	32	–	–	–	–	–	1	–	–	–	2	1	–	8	2	7	5	4	2	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	–	1	–	–	
493	Asthma	34	–	–	–	–	–	2	4	–	1	4	–	4	5	5	3	1	2	1	1	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	1	–	–	–	
	Female	12	–	–	–	–	–	1	1	–	–	1	–	–	2	2	–	1	2	–	1	1	–	
	All other Male	7	–	–	–	–	–	–	1	–	–	–	–	2	1	2	1	–	–	–	–	–	–	
	Female	9	–	–	–	–	–	1	2	–	1	2	–	–	1	1	1	–	–	–	–	–	–	
531–533	Peptic ulcer	106	1	–	–	–	–	1	2	3	6	2	2	9	7	15	14	18	9	11	5	–	1	
	White Male	61	–	–	–	–	–	–	1	1	2	1	2	5	4	11	10	10	5	7	2	–	–	
	Female	21	–	–	–	–	–	–	–	1	–	1	–	1	1	2	2	2	3	4	3	–	1	
	All other Male	15	–	–	–	–	–	1	1	1	3	–	–	1	1	1	1	4	1	–	–	–	–	
	Female	9	1	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	–	–	–	–	–	
540–543	Appendicitis	16	–	1	–	–	–	–	–	–	–	1	–	1	2	1	–	2	4	4	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	–	–	–	
	All other Male	5	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
550–553, 560	Hernia and intestinal obstruction	120	14	–	–	–	–	1	1	–	2	4	4	4	7	6	18	14	13	13	7	10	2	
	White Male	43	7	–	–	–	–	1	1	–	–	1	–	1	5	2	6	7	4	4	2	2	–	
	Female	42	3	–	–	–	–	–	–	–	2	2	1	1	1	3	4	4	6	6	4	4	1	
	All other Male	17	3	–	–	–	–	–	–	–	–	–	2	1	1	1	5	1	–	1	1	1	–	
	Female	18	1	–	–	–	–	–	–	–	–	1	1	1	–	–	3	2	3	2	–	3	1	
571	Cirrhosis of liver	399	1	–	–	–	–	2	5	11	15	39	49	60	54	57	48	28	18	7	4	1	–	
	White Male	197	–	–	–	–	–	–	3	1	4	18	28	27	25	37	30	15	5	2	1	1	–	
	Female	103	–	–	–	–	–	1	–	1	2	9	10	14	15	15	11	10	10	3	2	–	–	
	All other Male	69	–	–	–	–	–	1	1	5	4	10	8	15	11	2	4	3	2	2	1	–	–	
	Female	30	1	–	–	–	–	–	1	4	5	2	3	4	3	3	3	–	1	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	57	–	–	–	–	1	–	–	–	–	–	1	1	4	1	5	13	7	11	10	1	2	
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	3	4	3	–	–	
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	4	5	6	1	2	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	
	Female	8	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	2	–	1	1	–	–	
580–584	Nephritis and nephrosis	221	2	–	–	2	3	2	3	3	6	10	7	19	14	19	22	30	27	23	18	10	1	
	White Male	54	–	–	–	2	3	–	1	–	2	4	–	3	4	4	2	7	7	9	3	3	–	
	Female	54	1	–	–	–	–	1	–	–	–	3	–	2	2	4	5	7	11	4	9	5	–	
	All other Male	46	–	–	–	–	–	–	–	3	1	1	3	8	5	4	4	4	5	4	3	1	–	
	Female	67	1	–	–	–	–	1	2	–	3	2	4	6	3	7	11	12	4	6	3	1	1	
580, 581	Acute nephritis and nephrotic syndrome	28	1	–	–	–	–	–	–	–	1	–	1	2	–	4	4	5	3	4	–	3	–	
	White Male	6	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	–	1	–	–	–	
	Female	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	3	–	
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	1	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	193	1	–	–	2	3	2	3	3	5	10	6	17	14	15	18	25	24	19	18	7	1	
	White Male	48	–	–	–	2	3	–	1	–	1	4	–	1	4	3	2	6	7	8	3	3	–	
	Female	44	–	–	–	–	–	1	–	–	–	3	–	2	2	4	4	5	10	2	9	2	–	
	All other Male	42	–	–	–	–	–	–	–	3	1	1	3	8	5	2	3	4	4	4	3	1	–	
	Female	59	1	–	–	–	–	1	2	–	3	2	3	6	3	6	9	10	3	5	3	1	1	
590	Infections of kidney	125	–	1	–	–	1	–	1	1	–	1	3	1	5	9	13	14	24	22	14	11	4	
	White Male	35	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	6	9	8	–	2	2	
	Female	51	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	4	11	10	14	6	–	
	All other Male	17	–	1	–	–	–	–	–	–	–	1	–	–	2	2	2	4	2	1	–	1	1	
	Female	22	–	–	–	–	–	–	1	1	–	–	1	1	1	5	4	–	2	3	–	2	1	
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	2	4	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	3	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	1	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	6	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	1	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	6	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	302	201	26	8	5	14	5	6	5	3	7	4	3	3	3	3	2	3	1	–	–	–	–
	White..... Male	112	77	7	2	2	2	4	2	–	3	3	2	2	2	–	1	2	1	–	–	–	–	–
	Female	77	51	6	2	3	3	1	2	1	–	1	1	–	1	2	1	–	1	1	–	–	–	–
	All other..... Male	67	41	11	1	–	7	–	1	3	–	1	–	–	–	–	1	–	1	–	–	–	–	–
	Female	46	32	2	3	–	2	–	1	1	–	2	1	1	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	679	679	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	212	212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	200	200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	148	148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	397	397	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	282	282	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	328	49	3	–	1	5	1	1	2	3	6	8	16	17	20	23	37	30	35	33	20	16	2
	White..... Male	88	12	1	–	–	1	–	–	1	1	–	5	5	8	10	10	8	10	8	3	2	1	2
	Female	89	4	–	–	–	1	–	–	–	1	2	–	7	2	4	5	8	12	12	19	8	4	–
	All other..... Male	65	19	2	–	–	3	–	–	1	–	3	–	–	6	1	3	9	3	5	4	4	2	–
	Female	86	14	–	–	1	–	1	1	–	1	1	3	4	1	5	5	12	5	10	7	6	9	–
Residual	All other diseases	2,094	57	24	22	27	33	44	39	43	53	68	99	143	167	214	247	263	213	183	90	51	13	1
	White..... Male	758	20	10	5	9	6	18	11	10	8	17	29	51	66	86	98	106	85	74	29	16	4	–
	Female	602	5	6	4	11	8	6	4	8	13	15	29	34	49	52	66	72	76	71	46	24	3	–
	All other..... Male	371	15	1	7	3	10	9	13	10	17	17	20	28	27	39	40	44	31	25	4	5	5	1
	Female	363	17	7	6	4	9	11	11	15	15	19	21	30	25	37	43	41	21	13	11	6	1	–
E800–E949	Accidents	2,278	52	77	78	105	275	277	180	141	117	106	101	105	133	109	94	84	81	68	53	30	9	3
	White..... Male	1,161	17	30	46	51	170	164	103	81	55	56	54	54	80	47	36	37	30	20	20	8	1	1
	Female	386	10	14	9	12	32	21	16	22	17	15	16	19	16	23	19	19	31	33	26	12	4	–
	All other..... Male	545	14	17	15	36	63	75	44	24	38	29	27	27	28	27	29	23	13	7	4	1	2	2
	Female	186	11	16	8	6	10	17	17	14	7	6	4	5	9	12	10	5	7	8	3	9	2	–
E810–E823	Motor vehicle accidents	832	4	30	31	40	144	131	83	50	44	36	33	34	39	37	28	30	21	10	6	1	–	–
	White..... Male	447	–	13	17	18	91	81	50	26	21	20	20	15	19	17	12	11	8	2	5	1	–	–
	Female	135	1	3	4	6	23	15	6	10	6	6	5	9	9	8	4	9	7	4	–	–	–	–
	All other..... Male	189	1	6	5	14	23	26	19	7	14	9	7	10	9	10	10	10	5	3	1	–	–	–
	Female	61	2	8	5	2	7	9	8	7	3	1	1	–	2	2	2	–	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,446	48	47	47	65	131	146	97	91	73	70	68	71	94	72	66	54	60	58	47	29	9	3
	White..... Male	714	17	17	29	33	79	83	53	55	34	36	34	39	61	30	24	26	22	18	15	7	1	1
	Female	251	9	11	5	6	9	6	10	12	11	9	11	10	7	15	15	10	24	29	26	12	4	–
	All other..... Male	356	13	11	10	22	40	49	25	17	24	20	20	17	19	17	19	13	8	4	3	1	2	2
	Female	125	9	8	3	4	3	8	9	7	4	5	3	5	7	10	8	5	6	7	3	9	2	–
E950–E959	Suicide	407	...	...	–	1	24	43	52	32	26	29	37	41	31	34	22	16	7	8	3	1	–	–
	White..... Male	280	...	...	–	1	18	30	33	13	20	16	27	26	24	24	20	14	5	5	3	1	–	–
	Female	82	...	...	–	–	1	7	11	9	5	10	9	10	6	9	1	2	1	1	–	–	–	–
	All other..... Male	38	...	...	–	–	4	5	6	8	1	3	1	5	1	–	1	–	1	2	–	–	–	–
	Female	7	...	...	–	–	1	1	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	622	4	6	2	4	77	118	85	76	62	40	41	36	22	19	13	8	8	1	–	–	–	–
	White..... Male	145	1	–	1	1	17	20	20	18	14	9	11	11	6	5	7	1	3	–	–	–	–	–
	Female	48	–	1	1	1	2	9	2	6	4	3	5	3	3	2	1	3	2	–	–	–	–	–
	All other..... Male	344	2	3	–	1	44	73	51	44	39	19	21	15	12	11	5	2	1	1	–	–	–	–
	Female	85	1	2	–	1	14	16	12	8	5	9	4	7	1	1	–	2	2	–	–	–	–	–
E980–E999	Other external causes	43	–	1	–	–	5	9	6	3	7	–	4	4	1	2	–	1	–	–	–	–	–	–
	White..... Male	20	–	1	–	–	1	4	2	1	3	–	3	3	–	2	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	2	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other..... Male	10	–	–	–	–	3	–	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	3	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine																							
	All causes	10,717	243	46	42	38	111	87	96	77	102	168	299	458	654	921	1,219	1,256	1,517	1,456	1,161	578	188	–
	White Male	5,858	141	26	24	29	81	60	67	48	63	108	190	296	411	592	776	732	819	657	481	211	46	–
	White Female	4,824	100	18	18	8	29	25	29	27	37	60	108	160	241	327	440	520	697	797	676	366	141	–
	All other Male	25	2	1	–	1	–	1	–	2	1	–	–	2	2	1	3	3	1	1	2	1	1	–
	All other Female	10	–	1	–	–	1	1	–	–	1	–	1	–	–	1	–	1	–	1	2	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	11	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	2	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	12	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	2	1	–	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	1	–	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	3	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	18	3	–	–	–	–	–	–	–	1	1	1	1	1	–	2	3	–	1	4	–	–	–
	White Male	15	2	–	–	–	–	–	–	–	1	1	1	1	–	–	2	2	–	1	4	–	–	–
	White Female	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	22	1	–	1	1	–	–	–	–	–	–	–	2	3	1	6	1	1	2	2	1	–	–
	White Male	9	–	–	1	1	–	–	–	–	–	–	–	1	1	–	3	1	–	–	2	–	–	–
	White Female	13	1	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,036	2	5	5	2	6	4	4	17	21	37	79	144	168	281	326	299	252	196	128	48	12	–
	White..... Male	1,109	1	4	3	2	3	1	2	8	11	17	33	75	94	158	197	168	143	100	69	19	1	–
	Female	924	1	1	2	–	3	3	2	8	10	20	45	69	74	123	129	131	109	96	59	29	10	–
	All other..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	46	–	–	–	–	–	–	–	–	–	1	2	5	5	6	2	5	10	5	4	1	–	–
	White..... Male	40	–	–	–	–	–	–	–	–	–	1	1	4	5	5	2	5	9	5	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	608	–	–	–	–	1	–	–	2	5	10	15	32	51	80	92	107	80	65	48	15	5	–
	White..... Male	326	–	–	–	–	1	–	–	2	3	8	7	23	31	47	58	52	39	28	22	5	–	–
	Female	282	–	–	–	–	–	–	–	–	2	2	8	9	20	33	34	55	41	37	26	10	5	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	443	–	–	–	–	–	–	–	–	1	5	18	42	49	82	91	68	49	22	14	2	–	–
	White..... Male	358	–	–	–	–	–	–	–	–	1	5	14	33	37	66	77	57	40	18	10	–	–	–
	Female	85	–	–	–	–	–	–	–	–	–	–	4	9	12	16	14	11	9	4	4	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	192	–	–	–	–	–	–	–	3	4	5	14	24	24	23	19	21	19	13	10	9	4	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	190	–	–	–	–	–	–	–	3	4	5	13	24	24	23	19	21	19	13	9	9	4	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	237	–	–	–	–	–	1	1	2	1	5	10	13	10	23	39	38	33	28	23	10	–	–
	White..... Male	111	–	–	–	–	–	–	–	1	1	–	–	–	–	6	18	18	23	17	18	9	–	–
	Female	126	–	–	–	–	–	1	1	1	–	5	10	13	10	17	21	20	10	11	5	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	112	–	–	–	–	–	–	–	4	1	1	–	9	5	19	10	15	20	15	9	3	1	–
	White..... Male	75	–	–	–	–	–	–	–	3	1	1	–	5	5	12	6	11	11	12	7	1	–	–
	Female	36	–	–	–	–	–	–	–	1	–	–	–	4	–	7	4	4	9	3	2	2	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	206	1	3	1	1	1	1	1	2	5	3	10	13	13	25	39	30	19	22	10	5	1	–
	White..... Male	102	1	2	1	1	–	–	1	1	3	–	6	7	9	9	22	17	7	9	4	2	–	–
	Female	104	–	1	–	–	1	1	–	1	2	3	4	6	4	16	17	13	12	13	6	3	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	80	1	2	4	–	4	1	2	1	1	4	2	1	2	8	8	7	12	14	4	2	–	–
	White..... Male	42	–	2	2	–	2	–	1	1	1	1	1	–	1	5	5	3	8	6	2	1	–	–
	Female	38	1	–	2	–	2	1	1	–	–	3	1	1	1	3	3	4	4	8	2	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	112	–	–	–	1	–	1	–	3	3	3	8	5	9	15	26	8	10	12	6	1	1	–
	White..... Male	54	–	–	–	1	–	1	–	–	1	1	4	3	6	8	9	5	6	5	2	1	1	–
	Female	57	–	–	–	–	–	–	–	2	2	2	4	2	3	7	17	3	4	7	4	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	32	–	–	1	–	–	–	3	1	–	3	–	2	5	1	1	6	3	1	2	3	–	–
	White..... Male	13	–	–	–	–	–	–	1	1	–	1	–	1	3	–	–	3	2	1	–	–	–	–
	Female	19	–	–	1	–	–	–	2	–	–	2	–	1	2	1	1	3	1	–	2	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	196	–	–	–	–	–	1	1	1	2	5	5	6	10	24	29	25	34	25	24	4	–	–
	White..... Male	86	–	–	–	–	–	–	–	–	2	3	2	3	7	16	11	11	18	6	7	–	–	–
	Female	110	–	–	–	–	–	1	1	1	–	2	3	3	3	8	18	14	16	19	17	4	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	21	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	3	3	3	6	1	1	–
	White..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	1	–
	Female	13	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	1	4	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
280–285	Anemias	19	–	–	–	1	–	–	1	–	–	1	–	1	–	2	3	–	5	5	–	–	–	
	White—Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	1	–	–	–	
	Female	14	–	–	–	1	–	–	1	–	–	–	–	1	–	–	2	–	5	4	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	5,779	2	3	2	2	2	4	10	7	27	52	93	191	312	419	629	710	950	984	812	427	141	
	White—Male	3,059	1	3	1	2	2	3	6	4	15	37	74	142	215	297	412	412	494	424	327	155	33	
	Female	2,703	1	–	1	–	–	1	4	3	11	15	19	48	95	121	214	296	455	558	482	271	108	
	All other—Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	1	1	2	1	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	
390–398, 402, 404, 410–429	Diseases of heart	4,277	–	2	2	1	1	2	8	6	22	46	79	162	262	346	534	560	685	660	540	275	84	
	White—Male	2,396	–	2	1	1	1	2	5	3	15	35	65	128	190	250	354	321	368	288	234	108	25	
	Female	1,871	–	–	1	–	–	–	3	3	6	11	14	34	71	95	178	237	317	371	304	167	59	
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	2	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	64	–	–	–	–	–	–	1	1	–	–	2	6	3	12	15	10	4	7	2	–	1	
	White—Male	33	–	–	–	–	–	–	–	–	–	–	1	4	2	10	10	2	1	2	1	–	–	
	Female	31	–	–	–	–	–	–	1	1	–	–	1	2	1	2	5	8	3	5	1	–	1	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	37	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	11	8	7	2	1	
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	4	1	2	–	–	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	7	7	5	2	1	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	42	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	3	9	5	8	4	4	
	White—Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	8	2	2	2	–	
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	1	3	6	2	4	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	3,881	–	–	–	–	–	1	3	4	18	40	73	147	248	310	481	516	623	602	490	254	71	
	White—Male	2,203	–	–	–	–	–	1	3	3	13	34	62	120	181	223	317	305	339	268	216	99	19	
	Female	1,669	–	–	–	–	–	–	–	1	5	6	11	27	66	86	162	209	284	333	272	155	52	
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	2	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
410	Acute myocardial infarction	2,385	–	–	–	–	–	1	3	3	15	36	61	133	191	249	367	350	391	282	199	86	18	
	White—Male	1,475	–	–	–	–	–	1	3	2	11	30	53	109	141	182	254	209	211	139	92	35	3	
	Female	909	–	–	–	–	–	–	–	1	4	6	8	24	49	67	113	141	180	143	107	51	15	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	1	1	–	
	White—Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	1,487	–	–	–	–	–	–	–	1	2	4	12	14	57	61	113	165	228	320	290	167	53	
	White—Male	722	–	–	–	–	–	–	–	1	1	4	9	11	40	41	62	95	125	129	124	64	16	
	Female	757	–	–	–	–	–	–	–	–	1	–	3	3	17	19	49	68	103	190	164	103	37	
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	–	–	–	–	–	–	–	–	–	1	–	1	–	1	5	4	3	10	9	5	1	
	White—Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	2	2	2	1	
	Female	26	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	2	8	7	3	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
420–423, 425–427, 429	All other forms of heart disease	213	–	2	2	1	1	1	4	1	4	5	3	8	10	19	26	23	35	28	24	10	6	–
	White Male	116	–	2	1	1	1	1	2	–	2	1	2	4	7	13	20	10	15	13	11	5	5	–
	Female	96	–	–	1	–	–	–	2	1	1	4	1	4	3	6	6	13	20	15	13	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	29	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	5	4	8	4	1	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	–	–	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	2	6	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,106	1	1	–	1	1	2	1	–	5	5	8	23	40	52	75	110	216	244	198	94	29	–
	White Male	474	1	1	–	1	1	1	–	–	–	2	6	11	19	30	40	61	99	100	69	27	5	–
	Female	627	–	–	–	–	–	1	1	–	5	3	2	11	20	22	34	49	116	143	129	67	24	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	208	–	–	–	–	–	–	1	–	–	1	1	3	11	18	17	18	40	43	38	15	2	–
	White Male	87	–	–	–	–	–	–	–	–	–	1	–	2	5	11	6	8	21	19	10	4	–	–
	Female	121	–	–	–	–	–	–	1	–	–	–	1	1	6	7	11	10	19	24	28	11	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	249	–	–	–	–	1	–	–	–	–	–	2	4	5	5	18	27	49	63	48	20	7	–
	White Male	100	–	–	–	–	1	–	–	–	–	–	2	1	3	4	10	15	25	25	10	4	–	–
	Female	148	–	–	–	–	–	–	–	–	–	–	–	3	2	1	7	12	24	38	38	16	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	645	1	1	–	1	–	2	–	–	5	4	5	16	24	29	39	64	126	137	112	59	20	–
	White Male	285	1	1	–	1	–	1	–	–	–	1	4	8	11	15	24	37	53	55	49	19	5	–
	Female	356	–	–	–	–	–	1	–	–	5	3	1	7	12	14	15	27	72	81	63	40	15	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	215	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	9	24	45	53	47	24	–
	White Male	80	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	8	11	18	16	15	2	–
	Female	133	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	13	27	36	31	22	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	152	1	–	–	–	–	–	1	1	–	1	4	6	8	15	12	26	21	27	17	10	2	–
	White Male	97	–	–	–	–	–	–	1	1	–	–	3	3	5	13	10	18	14	16	8	5	–	–
	Female	55	1	–	–	–	–	–	–	–	–	1	1	3	3	2	2	8	7	11	9	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	340	8	2	1	–	–	3	–	1	1	2	7	11	9	19	28	17	62	58	61	36	14	–
	White Male	171	5	1	1	–	–	1	–	–	1	5	6	5	14	17	11	35	27	25	14	3	–	
	Female	169	3	1	–	–	–	2	–	1	1	1	2	5	4	5	11	6	27	31	36	22	11	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	32	–	1	–	–	–	–	–	–	1	1	2	2	1	–	1	1	3	5	10	3	1	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	2	3	2	–	–
	Female	21	–	1	–	–	–	–	–	–	1	1	–	–	1	–	1	1	3	3	7	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	308	8	1	1	–	–	3	–	1	–	1	5	9	8	19	27	16	59	53	51	33	13	–
	White Male	160	5	1	1	–	–	1	–	–	–	1	3	4	5	14	17	11	35	25	22	12	3	–
	Female	148	3	–	–	–	–	2	–	1	–	–	2	5	3	5	10	5	24	28	29	21	10	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	191	–	–	–	–	–	–	–	–	–	2	7	6	14	20	32	33	36	25	12	4	–	–
	White Male	143	–	–	–	–	–	–	–	–	–	–	4	5	8	11	23	25	32	22	9	4	–	–
	Female	47	–	–	–	–	–	–	–	–	–	2	3	1	6	9	9	7	4	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
490, 491	Chronic and unqualified bronchitis	43	–	–	–	–	–	–	–	–	–	–	1	–	1	4	8	8	10	6	3	2	–	
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	7	7	6	2	2	–	
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	3	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	138	–	–	–	–	–	–	–	–	–	–	6	5	12	16	23	23	25	18	8	2	–	
	White Male	109	–	–	–	–	–	–	–	–	–	–	4	4	7	10	18	18	24	15	7	2	–	
	Female	29	–	–	–	–	–	–	–	–	–	–	2	1	5	6	5	5	1	3	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	10	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	2	1	1	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
531–533	Peptic ulcer	32	–	1	–	–	–	–	–	–	1	–	2	2	2	2	2	5	8	3	4	–	–	
	White Male	21	–	–	–	–	–	–	–	–	–	–	2	2	2	1	2	3	4	2	3	–	–	
	Female	11	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	2	4	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	45	2	–	–	–	–	1	–	–	–	1	–	–	3	4	3	4	9	7	7	2	2	
	White Male	14	1	–	–	–	–	–	–	–	–	1	–	–	2	2	1	2	2	1	–	2	–	
	Female	31	1	–	–	–	–	1	–	–	–	–	–	–	1	2	2	2	7	6	7	–	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	178	1	–	–	–	1	–	–	4	6	12	20	22	31	31	27	11	7	2	3	–	–	
	White Male	108	–	–	–	–	–	–	–	3	4	6	12	14	16	22	18	6	4	1	2	–	–	
	Female	69	1	–	–	–	1	–	–	1	2	6	8	8	15	8	9	5	3	1	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	17	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	1	2	6	–	2	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	5	–	2	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	32	–	–	–	–	–	–	–	–	–	–	–	–	3	5	1	3	8	5	3	4	–	
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	2	4	1	3	1	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	4	–	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	2	–	1	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	23	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	6	3	3	3	–	
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	4	–	3	1	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	–	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	25	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	5	6	2	–	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	4	1	–	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	75	46	6	–	3	2	2	3	3	–	2	1	1	–	2	4	–	–	–	–	–	–	–
	White Male	44	28	3	–	2	–	1	2	1	–	1	1	1	–	1	3	–	–	–	–	–	–	–
	Female	30	17	3	–	1	2	1	1	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	67	20	1	–	–	2	1	–	1	1	1	4	–	–	4	4	5	4	4	3	8	4	–
	White Male	44	18	1	–	–	1	–	–	1	1	1	3	–	–	2	3	4	3	2	–	2	2	–
	Female	23	2	–	–	–	1	1	–	–	–	–	1	–	–	2	1	1	1	2	3	6	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	679	10	2	3	3	8	7	4	9	11	9	24	29	47	69	91	78	95	99	52	25	4	–
	White Male	371	2	1	3	1	6	4	2	5	7	7	14	17	26	35	60	52	56	47	17	8	1	–
	Female	304	8	1	–	1	2	3	2	4	3	2	10	11	21	34	31	26	39	52	34	17	3	–
	All other Male	3	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E800–E949	Accidents	558	10	22	28	23	82	49	50	15	15	23	29	27	27	22	16	36	25	19	24	11	5	–
	White Male	380	5	12	15	18	63	37	41	12	12	20	20	19	18	18	11	22	13	8	7	5	4	–
	Female	173	5	8	13	5	18	11	9	3	3	3	9	8	9	4	5	13	12	11	17	6	1	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	214	–	3	4	9	57	30	30	9	8	10	9	7	7	5	1	12	10	3	–	–	–	–
	White Male	157	–	1	1	5	48	23	23	8	6	9	6	5	4	4	–	7	5	2	–	–	–	–
	Female	57	–	2	3	4	9	7	7	1	2	1	3	2	3	1	1	5	5	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	344	10	19	24	14	25	19	20	6	7	13	20	20	20	17	15	24	15	16	24	11	5	–
	White Male	223	5	11	14	13	15	14	18	4	6	11	14	14	14	14	11	15	8	6	7	5	4	–
	Female	116	5	6	10	1	9	4	2	2	1	2	6	6	6	3	4	8	7	10	17	6	1	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	139	...	...	–	3	3	11	14	13	13	11	25	10	7	9	4	5	3	5	2	1	–	–
	White Male	103	...	...	–	3	3	9	12	8	9	9	17	8	6	5	3	3	2	4	1	1	–	–
	Female	34	...	...	–	–	–	1	2	4	4	2	8	2	1	4	1	2	1	1	1	–	–	–
	All other Male	2	...	...	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	27	–	–	–	–	1	3	5	5	1	5	–	1	–	2	–	3	1	–	–	–	–	–
	White Male	15	–	–	–	–	1	3	1	5	–	2	–	–	–	1	–	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	4	–	1	3	–	1	–	1	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	15	–	–	–	–	2	1	1	–	2	–	2	1	2	1	–	–	1	1	1	–	–	–
	White Male	10	–	–	–	–	1	1	–	–	1	–	2	1	2	1	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland																							
	All causes	**32,965**	**821**	**146**	**130**	**137**	**436**	**487**	**418**	**471**	**467**	**854**	**1,366**	**2,053**	**2,596**	**3,289**	**3,843**	**3,941**	**3,923**	**3,508**	**2,521**	**1,162**	**371**	**25**
	White Male	14,538	320	61	55	67	216	255	188	187	195	347	645	950	1,318	1,683	1,934	1,873	1,701	1,345	804	305	83	6
	White Female	11,989	214	35	32	32	93	76	73	91	94	209	362	553	736	909	1,142	1,379	1,677	1,809	1,493	742	233	5
	All other Male	3,845	157	28	23	23	94	119	120	132	106	190	223	342	333	451	480	413	277	169	97	38	19	11
	All other Female	2,593	130	22	20	15	33	37	37	61	72	108	136	208	209	246	287	276	268	185	127	77	36	3
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	23	8	–	1	–	–	–	–	–	1	2	1	–	–	1	1	2	2	–	3	1	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
	White Female	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	–	2	1	–	–
	All other Female	6	4	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	75	–	–	–	–	–	1	1	–	2	4	6	7	1	13	11	10	7	8	4	–	–	–
	White Male	31	–	–	–	–	–	–	1	–	1	–	3	3	–	5	8	4	4	1	1	–	–	–
	White Female	15	–	–	–	–	–	–	–	–	–	1	2	1	–	1	2	2	–	3	3	–	–	–
	All other Male	21	–	–	–	–	–	1	–	–	1	2	1	2	–	6	1	3	1	3	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	2	1	–	–	–	–
010–012	Tuberculosis of respiratory system	64	–	–	–	–	–	1	1	–	2	4	5	6	1	9	9	9	7	6	4	–	–	–
	White Male	25	–	–	–	–	–	–	1	–	1	–	3	2	–	2	6	4	4	1	1	–	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	–	3	3	–	–	–
	All other Male	19	–	–	–	–	–	1	–	–	1	2	1	2	–	5	1	3	1	2	–	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	2	–	–	–	–	–
013–019	Tuberculosis, other forms	11	–	–	–	–	–	–	–	–	–	–	1	1	–	4	2	1	–	2	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	155	10	–	–	4	–	1	5	3	–	2	4	7	10	15	15	24	22	19	12	2	–	–
	White Male	53	3	–	–	2	–	–	3	1	–	1	1	2	3	7	3	11	5	7	4	–	–	–
	White Female	58	2	–	–	–	–	–	1	–	–	1	2	1	3	3	6	8	13	10	6	2	–	–
	All other Male	30	4	–	–	2	–	1	1	–	–	–	–	3	3	2	4	4	3	2	1	–	–	–
	All other Female	14	1	–	–	–	–	–	–	2	–	–	1	1	1	3	2	1	1	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	88	1	–	–	1	3	6	4	5	3	4	5	7	7	5	7	11	8	6	2	1	2	–
	White Male	34	1	–	–	1	–	3	1	1	1	1	3	2	2	3	4	5	2	3	–	–	1	–
	White Female	37	–	–	–	–	2	1	2	3	1	2	1	1	5	1	3	5	5	2	1	1	1	–
	All other Male	7	–	–	–	–	–	1	–	–	1	–	1	3	–	–	–	–	1	–	–	–	–	–
	All other Female	10	–	–	–	–	1	1	1	1	–	1	–	1	–	1	–	1	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,705	1	7	24	21	15	31	43	60	72	199	370	609	784	954	1,016	924	707	514	245	90	19	–
	White—Male	2,995	–	3	11	13	3	15	19	25	29	66	131	232	369	447	507	452	325	224	92	25	7	–
	White—Female	2,501	1	2	8	4	9	5	16	27	33	80	165	236	272	317	322	306	272	236	130	51	9	–
	All other—Male	709	–	–	2	2	2	8	5	2	2	25	31	87	84	130	113	103	61	29	14	7	2	–
	All other—Female	500	–	2	3	2	1	3	3	6	8	28	43	54	59	60	74	63	49	25	9	7	1	–
140–149	Of buccal cavity and pharynx	172	–	–	–	–	–	1	–	–	1	8	22	18	26	17	26	22	13	11	5	2	–	–
	White—Male	96	–	–	–	–	–	–	–	–	1	3	13	10	17	10	16	14	4	7	1	–	–	–
	White—Female	46	–	–	–	–	–	1	–	–	–	1	3	4	3	5	5	8	8	4	2	2	–	–
	All other—Male	22	–	–	–	–	–	–	–	–	–	3	3	3	4	2	4	–	1	–	2	–	–	–
	All other—Female	8	–	–	–	–	–	–	–	–	–	1	3	1	2	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,687	–	–	1	1	–	3	6	4	13	20	63	110	178	229	271	255	222	166	102	35	8	–
	White—Male	729	–	–	–	1	–	2	3	2	9	8	27	44	92	111	122	113	90	53	40	10	2	–
	White—Female	642	–	–	1	–	–	–	1	1	2	7	23	36	53	65	92	91	92	98	54	22	4	–
	All other—Male	189	–	–	–	–	–	1	2	1	–	1	9	22	22	39	34	25	22	6	4	–	1	–
	All other—Female	127	–	–	–	–	–	–	–	–	2	4	4	8	11	14	23	26	18	9	4	3	1	–
160–163	Of respiratory system	1,686	–	–	–	–	–	–	1	2	7	64	98	188	238	299	282	240	149	81	25	11	1	–
	White—Male	1,054	–	–	–	–	–	–	1	2	4	29	50	98	150	187	193	166	100	58	12	3	1	–
	White—Female	331	–	–	–	–	–	–	–	–	3	15	24	40	45	54	51	40	30	12	11	6	–	–
	All other—Male	241	–	–	–	–	–	–	–	–	–	13	12	40	36	51	35	30	12	9	1	2	–	–
	All other—Female	60	–	–	–	–	–	–	–	–	–	7	12	10	7	7	3	4	7	2	1	–	–	–
174	Of breast	613	–	–	–	–	–	–	1	13	15	31	59	77	80	85	81	59	52	30	21	6	3	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White—Female	512	–	–	–	–	–	–	1	10	13	24	50	62	72	74	66	44	47	24	18	5	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	All other—Female	97	–	–	–	–	–	–	–	3	2	7	8	15	8	11	15	13	5	6	3	1	–	–
180–187	Of genital organs	792	–	–	1	–	1	4	10	9	9	23	43	66	79	93	98	128	102	77	38	7	4	–
	White—Male	264	–	–	–	–	–	4	4	3	–	2	2	9	10	27	29	49	50	48	23	2	2	–
	White—Female	343	–	–	1	–	1	–	5	5	8	17	31	41	48	42	38	45	26	20	10	3	2	–
	All other—Male	109	–	–	–	–	–	–	–	–	–	–	–	6	6	14	23	25	19	9	5	2	–	–
	All other—Female	76	–	–	–	–	–	–	1	1	1	4	10	10	15	10	8	9	7	–	–	–	–	–
188, 189	Of urinary organs	327	–	–	–	–	–	4	2	–	–	4	5	27	37	41	65	44	37	37	12	11	1	–
	White—Male	204	–	–	–	–	–	2	–	–	–	3	4	17	24	29	43	28	22	20	7	4	1	–
	White—Female	82	–	–	–	–	–	–	–	–	–	1	–	6	9	10	11	10	12	13	4	6	–	–
	All other—Male	29	–	–	–	–	–	2	1	–	–	–	1	4	2	–	8	6	–	3	1	1	–	–
	All other—Female	12	–	–	–	–	–	–	1	–	–	–	–	–	2	2	3	–	3	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	864	–	2	12	4	9	7	10	13	15	34	54	80	98	127	128	99	77	57	25	11	2	–
	White—Male	383	–	–	5	2	2	3	5	7	9	12	24	32	48	53	67	46	40	19	4	4	1	–
	White—Female	324	–	1	4	1	4	1	4	3	4	10	23	32	29	46	40	36	29	35	19	2	1	–
	All other—Male	76	–	–	1	–	2	2	1	1	2	8	4	10	10	15	7	7	2	1	1	2	–	–
	All other—Female	81	–	1	2	1	1	1	–	2	–	4	3	6	11	13	14	10	6	2	1	3	–	–
204–207	Leukemia	246	1	5	10	10	5	8	7	8	4	9	7	13	19	21	23	30	24	30	8	4	–	–
	White—Male	120	–	3	6	6	1	3	2	3	2	4	3	7	13	11	14	18	10	11	2	1	–	–
	White—Female	94	1	1	2	3	4	2	3	5	1	4	2	5	4	7	6	9	11	15	6	3	–	–
	All other—Male	14	–	–	1	1	–	1	1	–	–	–	1	–	2	2	1	3	1	–	–	–	–	–
	All other—Female	18	–	1	1	–	–	2	1	–	1	1	1	1	–	1	2	–	2	4	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	318	–	–	–	6	–	4	6	11	8	6	19	30	29	42	42	47	31	25	9	3	–	–
	White—Male	143	–	–	–	4	–	1	4	8	4	5	7	15	15	19	23	17	9	8	3	1	–	–
	White—Female	127	–	–	–	–	–	1	2	3	2	1	9	10	9	14	13	23	17	15	6	2	–	–
	All other—Male	27	–	–	–	1	–	2	–	–	–	–	1	2	2	7	1	6	4	1	–	–	–	–
	All other—Female	21	–	–	–	1	–	–	–	–	2	–	2	3	3	2	5	1	1	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	136	1	1	4	3	3	–	2	3	2	5	11	14	14	9	20	15	17	8	4	–	–	–
	White—Male	63	1	–	3	2	1	–	1	–	2	2	5	7	7	4	7	8	6	6	1	–	–	–
	White—Female	50	–	1	1	1	1	–	1	2	–	3	4	4	5	2	8	4	8	2	3	–	–	–
	All other—Male	7	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	2	1	–	–	–	–	–
	All other—Female	16	–	–	–	–	–	–	–	1	–	–	1	2	2	3	4	1	2	–	–	–	–	–
250	Diabetes mellitus	790	–	–	–	1	1	5	3	6	3	12	18	35	68	80	121	134	112	105	62	19	5	–
	White—Male	262	–	–	–	–	–	2	–	2	–	7	8	14	29	25	43	43	34	34	16	4	1	–
	White—Female	341	–	–	–	1	1	3	1	1	2	3	5	11	19	26	43	57	56	58	41	11	2	–
	All other—Male	70	–	–	–	–	–	–	1	2	1	–	4	1	9	11	12	11	8	6	1	2	1	–
	All other—Female	117	–	–	–	–	–	–	1	1	–	2	1	9	11	18	23	23	14	7	4	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	44	1	–	–	–	–	–	–	–	2	–	1	3	4	1	1	4	3	8	10	4	2	–
	White—Male	13	1	–	–	–	–	–	–	–	2	–	–	–	1	1	–	1	1	2	2	1	1	–
	White—Female	20	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	2	1	4	7	1	1	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	1	–	1	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
280–285	Anemias	62	–	–	5	–	3	3	1	1	1	1	1	3	5	4	5	8	5	3	6	5	2	–
	White Male	17	–	–	2	–	–	2	–	–	–	–	1	1	1	2	1	1	1	1	4	–	–	–
	Female	24	–	–	–	–	1	–	–	–	–	1	–	1	2	1	2	5	3	1	2	4	1	–
	All other Male	6	–	–	–	–	1	–	1	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–
	Female	15	–	–	3	–	1	1	–	1	–	–	–	1	2	–	–	2	1	1	–	1	1	–
320	Meningitis	48	11	4	–	–	1	2	2	–	–	2	–	3	5	3	4	4	2	5	–	–	–	–
	White Male	20	4	1	–	–	–	2	–	–	–	2	–	1	1	–	4	2	1	2	–	–	–	–
	Female	9	2	–	–	–	1	–	1	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–
	All other Male	7	–	2	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–
	Female	12	5	1	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	–	–	–	–
390–448	Major cardiovascular diseases	16,332	9	1	5	5	12	17	25	68	92	240	491	820	1,123	1,560	1,965	2,171	2,386	2,339	1,818	879	302	4
	White Male	7,247	5	–	2	3	8	6	9	34	36	124	298	460	636	871	1,028	1,016	1,017	838	562	228	65	1
	Female	6,517	2	–	1	1	2	3	7	7	18	42	72	154	261	377	560	794	1,066	1,289	1,093	573	194	1
	All other Male	1,430	1	–	2	–	1	8	5	17	21	45	69	132	135	199	240	216	137	97	66	23	15	1
	Female	1,138	1	1	–	1	1	–	4	10	17	29	52	74	91	113	137	145	166	115	97	55	28	1
390–398, 402, 404, 410–429	Diseases of heart	12,739	8	1	2	3	5	12	19	56	64	186	419	681	939	1,321	1,589	1,720	1,821	1,698	1,320	657	214	4
	White Male	5,946	4	–	–	2	3	5	7	29	29	114	271	417	567	763	858	833	793	628	403	173	46	1
	Female	4,861	2	–	–	–	2	1	4	5	10	27	52	117	206	306	449	606	804	918	793	424	134	1
	All other Male	1,098	1	–	2	–	–	6	5	14	15	31	58	99	101	169	180	174	99	68	46	16	13	1
	Female	834	1	1	–	1	–	–	3	8	10	14	38	48	65	83	102	107	125	84	78	44	21	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	249	–	–	–	–	1	2	1	5	6	9	18	29	34	38	37	28	15	14	9	2	–	1
	White Male	104	–	–	–	–	1	1	–	4	1	4	6	13	13	14	18	14	7	4	2	2	–	–
	Female	120	–	–	–	–	–	–	1	–	3	1	8	14	18	19	17	13	8	10	7	–	–	1
	All other Male	14	–	–	–	–	–	1	–	–	1	1	4	1	2	3	1	–	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	1	3	–	1	1	2	1	1	–	–	–	–	–	–
402	Hypertensive heart disease	88	–	–	–	–	–	–	–	–	1	1	4	8	6	18	10	10	10	13	3	4	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	2	3	1	8	2	2	2	6	–	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	2	3	3	6	5	4	6	7	1	3	–	–
	All other Male	11	–	–	–	–	–	–	–	–	1	1	–	2	1	3	1	2	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	2	–	–	–
404	Hypertensive heart and renal disease	71	–	–	–	–	–	–	–	–	–	–	–	1	4	4	11	5	8	18	10	9	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	3	2	6	1	4	3	3	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	13	6	6	1	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	3	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–
410–413	Ischemic heart disease	11,465	–	–	–	1	–	1	9	35	40	152	354	603	818	1,152	1,426	1,595	1,677	1,542	1,246	604	207	3
	White Male	5,438	–	–	–	1	–	–	4	22	21	103	244	377	511	694	780	775	736	580	384	161	44	1
	Female	4,370	–	–	–	–	–	–	2	5	6	20	38	92	166	245	396	561	743	827	747	393	129	–
	All other Male	945	–	–	–	–	–	1	3	6	10	21	42	88	87	144	162	163	86	60	43	15	13	1
	Female	712	–	–	–	–	–	–	–	2	3	8	30	46	54	69	88	96	112	75	72	35	21	1
410	Acute myocardial infarction	5,071	–	–	–	–	–	1	4	15	20	85	215	355	493	648	759	760	690	528	338	127	31	2
	White Male	2,882	–	–	–	–	–	–	2	11	15	62	167	251	343	444	451	418	314	228	129	43	3	1
	Female	1,704	–	–	–	–	–	–	1	2	–	10	27	55	99	143	223	272	321	263	187	78	23	–
	All other Male	287	–	–	–	–	–	1	1	1	4	9	15	32	30	42	48	45	30	16	11	1	1	–
	Female	198	–	–	–	–	–	–	–	1	1	4	6	17	21	19	37	25	25	21	11	5	4	1
411	Other acute and subacute forms of ischemic heart disease	52	–	–	–	–	–	–	–	–	1	2	3	5	6	5	6	8	6	4	1	5	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	2	2	4	5	3	2	5	2	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	2	1	3	–	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
412	Chronic ischemic heart disease	6,341	–	–	–	1	–	–	5	20	19	65	136	243	319	499	661	826	981	1,010	907	472	176	1
	White Male	2,528	–	–	–	1	–	–	2	11	6	39	75	122	163	247	327	352	420	351	254	117	41	–
	Female	2,649	–	–	–	–	–	–	1	3	5	10	11	37	66	100	170	287	421	561	560	311	106	–
	All other Male	655	–	–	–	–	–	–	2	5	6	12	27	56	57	102	113	118	54	44	32	14	12	1
	Female	509	–	–	–	–	–	–	–	1	2	4	23	28	33	50	51	69	86	54	61	30	17	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	258	–	–	1	–	–	2	4	4	5	8	16	11	27	41	28	18	34	32	11	14	2	–
	White Male	144	–	–	–	–	–	2	2	1	4	4	10	9	20	24	19	14	16	15	1	3	–	–
	Female	85	–	–	–	–	–	–	–	–	–	2	2	1	6	11	7	4	14	16	10	10	2	–
	All other Male	20	–	–	1	–	–	–	1	2	1	2	2	1	1	5	1	–	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	1	1	–	–	2	–	–	1	1	–	2	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
420–423, 425–427, 429	All other forms of heart disease	608	8	1	1	2	4	7	5	12	12	16	27	29	50	68	77	64	77	79	41	24	4	–
	White Male	209	4	–	–	1	2	2	1	2	3	3	9	15	19	21	33	27	28	20	13	4	2	–
	White Female	212	2	–	–	–	2	1	1	–	1	4	2	7	13	23	22	21	32	45	22	12	2	–
	All other Male	100	1	–	1	–	–	4	1	6	2	6	10	6	9	14	13	8	8	7	3	1	–	–
	All other Female	87	1	1	–	1	–	–	2	4	6	3	6	1	9	10	9	8	9	7	3	7	–	–
400, 401, 403	Hypertension	103	–	–	–	–	–	–	–	2	1	4	4	7	11	7	12	9	16	12	13	4	1	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	3	2	4	1	5	8	2	5	1	–	–
	White Female	34	–	–	–	–	–	–	–	1	–	–	1	2	–	–	6	4	5	6	5	3	1	–
	All other Male	25	–	–	–	–	–	–	–	1	1	3	2	1	7	2	4	–	1	2	1	–	–	–
	All other Female	13	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	–	2	2	2	–	–	–
430–438	Cerebrovascular diseases	2,587	1	–	3	1	6	4	6	7	23	45	52	116	131	170	265	342	413	466	341	146	49	–
	White Male	869	1	–	2	1	4	1	2	2	6	8	21	33	48	72	115	124	144	139	101	36	9	–
	White Female	1,224	–	–	1	–	–	1	3	1	7	13	14	31	42	48	78	148	207	277	215	100	38	–
	All other Male	252	–	–	–	–	1	2	–	2	4	11	8	29	19	26	44	35	30	25	13	3	–	–
	All other Female	242	–	–	–	–	1	–	1	2	6	13	9	23	22	24	28	35	32	25	12	7	2	–
431	Cerebral hemorrhage	412	1	–	2	–	2	2	–	2	6	18	15	41	47	34	47	51	50	53	31	8	2	–
	White Male	129	1	–	1	–	1	–	–	1	1	2	5	13	16	11	20	17	20	12	6	1	1	–
	White Female	169	–	–	1	–	–	1	–	–	1	4	1	7	17	13	12	24	25	35	20	7	1	–
	All other Male	61	–	–	–	–	1	1	–	1	1	5	5	15	6	4	7	7	3	3	2	–	–	–
	All other Female	53	–	–	–	–	–	–	–	–	3	7	4	6	8	6	8	3	2	3	3	–	–	–
433	Cerebral thrombosis	570	–	–	–	–	–	–	–	–	1	3	6	12	9	27	68	68	112	111	100	37	16	–
	White Male	202	–	–	–	–	–	–	–	–	1	1	4	6	6	11	27	24	41	36	32	10	3	–
	White Female	307	–	–	–	–	–	–	–	–	–	1	2	3	1	9	28	32	61	66	66	25	13	–
	All other Male	34	–	–	–	–	–	–	–	–	–	1	–	1	1	3	11	5	4	6	2	–	–	–
	All other Female	27	–	–	–	–	–	–	–	–	–	–	–	2	1	4	2	7	6	3	–	2	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	2	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,596	–	–	1	1	4	2	6	5	16	24	31	62	73	108	149	222	250	300	210	101	31	–
	White Male	537	–	–	1	1	3	1	2	1	4	5	12	14	26	50	67	83	83	91	63	25	5	–
	White Female	742	–	–	–	–	–	–	3	1	6	8	11	21	22	26	38	91	120	174	129	68	24	–
	All other Male	155	–	–	–	–	–	1	–	1	3	5	3	12	12	18	26	23	23	16	9	3	–	–
	All other Female	162	–	–	–	–	1	–	1	2	3	6	5	15	13	14	18	25	24	19	9	5	2	–
440	Arteriosclerosis	466	–	–	–	–	–	–	–	–	1	1	2	4	11	12	29	38	64	106	106	61	31	–
	White Male	177	–	–	–	–	–	–	–	–	–	–	1	3	4	6	9	18	30	44	39	15	8	–
	White Female	244	–	–	–	–	–	–	–	–	–	1	–	1	4	4	14	17	26	59	60	40	18	–
	All other Male	25	–	–	–	–	–	–	–	–	1	–	–	–	2	–	5	3	4	1	5	3	1	–
	All other Female	20	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	4	2	2	3	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	437	–	–	–	1	1	1	–	3	3	4	14	12	31	50	70	62	72	57	38	11	7	–
	White Male	224	–	–	–	–	1	–	–	3	1	2	5	4	15	26	45	36	42	25	14	3	2	–
	White Female	154	–	–	–	1	–	1	–	–	1	1	5	3	9	19	13	19	24	29	20	6	3	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	1	3	6	2	7	4	3	1	1	1	1	–
	All other Female	29	–	–	–	–	–	–	–	–	1	1	3	2	1	3	5	3	3	2	3	1	1	–
466	Acute bronchitis and bronchiolitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	707	19	8	5	5	4	3	4	11	13	15	20	23	34	48	62	72	109	82	103	55	11	1
	White Male	271	9	2	–	1	1	–	–	3	1	5	4	9	16	23	28	35	51	36	26	18	3	–
	White Female	284	6	1	2	–	–	3	3	3	1	4	5	6	8	15	17	21	36	39	73	34	7	–
	All other Male	105	3	3	2	1	3	–	1	5	8	4	8	6	8	7	14	10	14	2	3	1	1	1
	All other Female	47	1	2	1	3	–	–	–	–	3	2	3	2	2	3	3	6	8	5	1	2	–	–
470–474	Influenza	39	1	–	–	–	–	–	–	–	–	1	1	1	2	–	5	5	10	5	4	3	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	1	–	1	1	–	4	3	6	1	–	–	–	–
	White Female	19	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	4	4	3	1	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
480–486	Pneumonia	668	18	8	5	5	4	3	4	11	13	14	19	22	32	48	57	67	99	77	99	52	10	1
	White Male	255	9	2	–	1	1	–	–	3	1	4	4	9	15	23	24	32	45	35	26	18	3	–
	White Female	265	6	1	2	–	–	3	3	3	1	4	4	5	7	15	16	19	35	35	69	31	6	–
	All other Male	102	2	3	2	1	3	–	1	5	8	4	8	6	8	7	14	10	12	2	3	1	1	1
	All other Female	46	1	2	1	3	–	–	–	–	3	2	3	2	2	3	3	6	7	5	1	2	–	–
490–493	Bronchitis, emphysema, and asthma	326	–	–	–	1	1	1	1	2	1	4	4	18	28	43	57	51	59	32	18	4	1	–
	White Male	211	–	–	–	–	1	–	–	–	–	2	3	10	16	29	35	41	39	22	11	2	–	–
	White Female	79	–	–	–	–	–	–	–	2	–	1	–	5	9	8	14	7	17	8	5	2	1	–
	All other Male	26	–	–	–	–	–	–	1	–	–	1	–	2	3	4	6	3	3	2	1	–	–	–
	All other Female	10	–	–	–	1	–	1	–	–	1	–	1	1	–	2	2	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
490, 491	Chronic and unqualified bronchitis	80	–	–	–	–	1	–	–	1	1	–	1	2	6	9	15	10	18	9	5	2	–	
	White Male	53	–	–	–	–	1	–	–	–	–	–	1	1	4	6	10	7	14	6	3	–	–	
	Female	19	–	–	–	–	–	–	–	1	–	–	–	1	2	1	3	2	3	3	1	2	–	
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	
492	Emphysema	221	–	–	–	1	–	–	–	1	–	3	2	13	17	27	37	41	41	22	13	2	1	
	White Male	150	–	–	–	–	–	–	–	–	–	2	1	8	11	19	24	34	25	16	8	2	–	
	Female	50	–	–	–	–	–	–	–	1	–	–	–	3	4	6	7	5	14	5	4	–	1	
	All other Male	16	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	2	2	1	1	–	–	
	Female	5	–	–	–	1	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	
493	Asthma	25	–	–	–	–	–	1	1	–	–	1	1	3	5	7	5	–	–	1	–	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	–	–	–	–	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	3	1	4	–	–	–	–	–	–	
	All other Male	5	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	1	–	–	–	
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	103	1	–	–	–	–	2	1	–	–	3	6	5	12	14	14	9	11	18	3	3	1	
	White Male	49	1	–	–	–	–	2	–	–	–	2	3	3	5	8	8	4	8	4	1	–	–	
	Female	40	–	–	–	–	–	–	–	–	–	1	2	1	5	3	5	3	2	13	2	2	1	
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	1	–	–	–	–	
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	1	–	
540–543	Appendicitis	15	–	–	1	–	–	–	1	–	–	–	1	1	2	2	2	2	1	1	1	–	–	
	White Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	119	9	2	–	–	–	1	1	1	1	1	2	4	7	7	6	12	24	8	26	6	1	
	White Male	42	6	–	–	–	–	–	–	–	–	1	1	2	–	1	2	6	8	4	11	1	–	
	Female	61	3	1	–	–	–	1	–	–	1	1	1	1	2	3	3	5	15	4	15	4	1	
	All other Male	9	–	1	–	–	–	–	–	1	–	–	–	–	3	2	1	1	–	–	–	–	–	
	Female	7	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	–	1	–	–	1	–	
571	Cirrhosis of liver	725	–	–	1	–	1	2	5	21	36	77	99	118	109	111	67	47	18	9	2	2	–	
	White Male	352	–	–	–	–	–	–	1	5	8	28	40	61	65	58	39	29	11	6	1	–	–	
	Female	172	–	–	1	–	–	–	–	3	9	13	27	25	27	29	16	12	6	2	1	1	–	
	All other Male	127	–	–	–	–	–	1	2	7	9	25	21	19	10	16	11	4	1	–	–	1	–	
	Female	74	–	–	–	–	1	1	2	6	10	11	11	13	7	8	1	2	–	1	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	55	–	–	–	–	–	–	–	–	–	–	2	2	6	5	8	9	9	5	6	2	1	
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	4	2	–	1	–	
	Female	34	–	–	–	–	–	–	–	–	–	–	2	1	5	2	6	4	5	2	5	1	1	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	
580–584	Nephritis and nephrosis	167	–	–	–	–	1	–	1	2	7	5	5	24	13	13	19	27	16	19	11	4	–	
	White Male	48	–	–	–	–	–	–	–	1	1	1	2	3	4	2	5	10	7	7	5	–	–	
	Female	61	–	–	–	–	–	–	–	–	1	–	3	10	7	6	6	10	3	8	6	1	–	
	All other Male	37	–	–	–	–	1	–	1	1	3	4	–	7	–	3	3	5	6	2	–	1	–	
	Female	21	–	–	–	–	–	–	–	–	2	–	–	4	2	2	5	2	–	2	–	2	–	
580, 581	Acute nephritis and nephrotic syndrome	30	–	–	–	–	–	–	–	1	3	–	1	2	2	4	2	6	2	4	1	2	–	
	White Male	14	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	2	2	2	1	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	2	–	–	–	
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	1	–	
	Female	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	137	–	–	–	–	1	–	1	1	4	5	4	22	11	9	17	21	14	15	10	2	–	
	White Male	34	–	–	–	–	–	–	–	1	–	1	1	3	3	–	3	8	5	5	4	–	–	
	Female	52	–	–	–	–	–	–	–	–	1	–	3	9	6	4	6	7	3	6	6	1	–	
	All other Male	33	–	–	–	–	1	–	1	–	3	4	–	6	–	3	3	4	6	2	–	–	–	
	Female	18	–	–	–	–	–	–	–	–	–	–	–	4	2	2	5	2	–	2	–	1	–	
590	Infections of kidney	53	–	1	–	–	–	1	–	–	–	2	2	3	2	1	3	10	5	13	8	2	–	
	White Male	12	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	2	1	4	1	1	–	
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	5	2	7	6	1	–	
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	1	1	–	–	
	Female	8	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	3	–	1	–	–	–	
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	4	9	1	2	1	–	
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	7	–	2	1	–	
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	
	White Female	4	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	
	All other Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	White.....Female	4	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	All other.....Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	241	147	28	8	4	8	4	3	4	4	3	3	4	7	4	–	3	2	4	1	–	–	–
	White.....Male	104	65	15	2	1	2	3	2	–	2	1	2	–	2	2	–	1	1	3	–	–	–	–
	Female	80	44	9	4	2	3	–	–	2	1	1	1	4	4	2	–	2	1	–	–	–	–	–
	All other.....Male	32	22	3	1	1	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	25	16	1	1	–	2	–	1	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	470	464	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
	White.....Male	168	167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	118	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	All other.....Male	101	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	Female	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	245	241	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
	White.....Male	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	53	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	225	223	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White.....Male	79	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	60	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	442	82	14	1	5	22	33	28	26	23	24	23	26	23	11	17	20	16	17	9	11	5	6
	White.....Male	162	29	6	–	2	8	14	10	6	8	7	6	12	6	4	9	9	9	7	2	5	1	2
	Female	113	22	2	–	–	4	4	2	4	6	7	5	7	11	5	4	6	4	7	6	4	3	–
	All other.....Male	115	17	2	–	3	8	12	16	6	7	6	10	4	6	2	3	4	2	3	1	–	–	3
	Female	52	14	4	1	–	2	3	–	10	2	4	2	3	–	–	1	1	1	–	–	2	1	1
Residual	All other diseases	2,333	30	14	15	23	30	39	38	34	59	82	122	168	201	254	276	285	269	206	129	45	11	3
	White.....Male	993	17	8	7	8	13	16	14	9	22	15	54	54	84	123	133	143	115	96	46	13	3	–
	Female	760	9	4	5	9	9	8	6	11	5	23	22	53	60	75	82	93	108	75	67	29	6	1
	All other.....Male	348	3	2	1	2	5	8	11	9	20	26	33	33	35	37	37	33	26	16	8	1	–	2
	Female	232	1	–	2	4	3	7	7	5	12	18	13	28	22	19	24	16	20	19	8	2	2	–
E800–E949	Accidents	1,640	20	57	59	52	228	170	124	110	63	86	88	70	78	65	103	59	79	62	35	24	7	1
	White.....Male	877	9	22	27	30	142	117	80	59	40	48	42	37	43	34	41	30	30	27	13	5	1	–
	Female	384	3	13	9	11	41	24	14	14	8	15	20	13	18	16	33	18	42	30	19	17	5	1
	All other.....Male	276	5	13	14	8	35	24	23	32	7	18	24	14	15	9	20	6	4	3	1	1	–	–
	Female	103	3	9	9	3	10	5	7	5	8	5	2	6	2	6	9	5	3	2	2	1	1	–
E810–E823	Motor vehicle accidents	756	3	18	28	22	163	111	79	66	33	41	39	25	24	22	29	18	26	4	5	–	–	–
	White.....Male	445	2	5	13	11	104	80	51	37	20	24	25	10	14	10	12	10	14	2	1	–	–	–
	Female	168	1	6	7	7	36	21	11	10	7	7	11	9	3	4	9	4	11	1	3	–	–	–
	All other.....Male	110	–	4	6	3	16	8	13	15	5	9	3	5	6	5	6	4	1	1	–	–	–	–
	Female	33	–	3	2	1	7	2	4	4	1	1	–	1	1	3	2	–	–	–	1	–	–	–
E800–E807, E825–E949	All other accidents	884	17	39	31	30	65	59	45	44	30	45	49	45	54	43	74	41	53	58	30	24	7	1
	White.....Male	432	7	17	14	19	38	37	29	22	20	24	17	27	29	24	29	20	16	25	12	5	1	–
	Female	216	2	7	2	4	5	3	3	4	1	8	9	4	15	12	24	14	31	29	16	17	5	1
	All other.....Male	166	5	9	8	5	19	16	10	17	2	9	21	9	9	4	14	2	3	2	1	1	–	–
	Female	70	3	6	7	2	3	3	3	1	7	4	2	5	1	3	7	5	3	2	1	1	1	–
E950–E959	Suicide	435	...	...	–	6	33	61	39	48	31	31	41	36	21	28	21	12	16	9	1	–	–	1
	White.....Male	274	...	...	–	3	20	43	21	27	24	19	23	24	14	16	14	8	11	6	1	–	–	–
	Female	107	...	...	–	1	9	12	13	8	4	6	14	8	7	8	6	4	4	3	–	–	–	–
	All other.....Male	44	...	...	–	1	1	5	4	12	3	6	2	3	–	4	1	–	1	–	–	–	–	1
	Female	10	...	...	–	1	3	1	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	503	2	3	1	5	51	89	71	55	42	41	30	33	24	30	10	5	5	4	–	–	–	2
	White.....Male	152	–	1	–	1	8	25	21	11	15	13	11	10	9	11	6	4	2	2	–	–	–	2
	Female	45	2	–	–	1	8	7	4	2	3	1	3	3	2	5	–	–	2	2	–	–	–	–
	All other.....Male	253	–	1	1	3	28	45	40	34	20	22	14	18	10	12	4	–	1	–	–	–	–	–
	Female	53	–	1	–	–	7	12	6	8	4	5	2	2	3	2	–	1	–	–	–	–	–	–
E980–E999	Other external causes	128	3	5	–	1	17	14	12	11	9	8	10	10	6	7	6	4	1	2	–	–	1	1
	White.....Male	46	1	2	–	–	8	5	5	3	3	1	3	2	3	4	3	1	1	1	–	–	–	–
	Female	28	1	2	–	1	2	4	–	2	1	2	5	3	–	2	1	1	–	1	–	–	–	–
	All other.....Male	41	–	–	–	–	7	4	7	3	2	4	2	4	3	1	2	2	–	–	–	–	–	–
	Female	13	1	1	–	–	–	1	–	3	3	1	–	1	–	–	–	–	–	–	–	–	1	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts																							
	All causes	55,996	974	207	143	154	483	553	474	399	543	902	1,596	2,488	3,495	4,782	5,803	6,952	8,006	8,089	6,044	2,907	988	14
	White Male	28,432	527	104	85	92	341	398	301	223	288	528	957	1,511	2,165	2,986	3,529	3,837	3,806	3,348	2,264	900	235	7
	Female	26,066	353	76	48	50	123	118	125	134	186	289	557	864	1,235	1,684	2,155	2,979	4,058	4,636	3,699	1,954	736	7
	All other Male	910	59	13	7	4	16	24	36	34	50	57	48	72	64	71	66	69	86	60	38	28	8	–
	Female	588	35	14	3	8	3	13	12	8	19	28	34	41	31	41	53	67	56	45	43	25	9	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	37	7	2	–	–	–	–	1	–	–	1	2	2	1	1	3	2	1	5	4	2	3	–
	White Male	10	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	1	2	–	2	–
	Female	25	5	2	–	–	–	–	1	–	–	–	1	2	1	–	1	2	1	4	2	2	1	–
	All other Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	75	–	–	–	–	–	–	–	1	–	8	5	5	5	4	11	13	12	5	4	–	2	–
	White Male	52	–	–	–	–	–	–	–	–	–	4	4	5	4	2	8	12	8	1	3	–	1	–
	Female	15	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	1	3	3	1	–	1	–
	All other Male	6	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	62	–	–	–	–	–	–	–	1	–	6	4	4	5	4	8	12	10	3	3	–	2	–
	White Male	45	–	–	–	–	–	–	–	–	–	3	4	4	4	2	7	11	6	1	2	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	1	1	–	1	–
	All other Male	5	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	13	–	–	–	–	–	–	–	–	–	2	1	1	–	–	3	1	2	2	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	206	19	–	–	1	3	–	–	2	1	–	6	8	10	14	24	29	26	36	18	6	3	–
	White Male	105	10	–	–	1	1	–	–	1	–	–	3	3	8	9	11	17	11	17	8	4	1	–
	Female	83	5	–	–	–	–	–	–	1	1	–	1	4	2	5	12	10	13	18	8	1	2	–
	All other Male	8	1	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	2	–	1	–	–	–
	Female	10	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	1	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	87	4	5	3	3	–	6	1	2	–	–	6	4	6	3	12	7	5	8	9	2	1	–
	White Male	45	3	3	3	3	–	4	1	–	–	–	4	2	2	1	6	3	1	3	4	1	1	–
	Female	39	1	2	–	–	–	1	–	2	–	–	2	2	4	2	5	3	4	5	5	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	11,221	2	26	28	15	27	37	59	68	105	225	438	751	1,060	1,411	1,546	1,602	1,598	1,266	667	231	57	2
	White—Male	5,728	1	14	20	9	16	21	26	30	41	108	186	353	541	767	884	862	820	619	303	90	16	1
	Female	5,227	1	10	7	6	10	15	26	36	54	105	235	376	490	610	630	711	741	630	357	137	39	1
	All other—Male	164	–	1	1	–	1	–	1	–	5	6	9	14	22	24	18	17	24	13	3	3	2	–
	Female	102	–	1	–	–	–	1	6	2	5	6	8	8	7	10	14	12	13	4	4	1	–	–
140–149	Of buccal cavity and pharynx	267	–	–	–	–	–	1	–	2	1	6	10	33	32	53	50	31	19	18	6	4	1	–
	White—Male	189	–	–	–	–	–	1	–	2	–	4	7	20	24	35	37	27	13	11	4	3	1	–
	Female	71	–	–	–	–	–	–	–	–	1	–	3	13	5	17	12	4	6	7	2	1	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,385	–	–	–	–	1	1	7	7	23	48	75	185	271	382	480	505	567	477	248	84	24	–
	White—Male	1,680	–	–	–	–	1	–	2	5	11	29	42	93	157	207	280	256	256	205	107	23	6	–
	Female	1,628	–	–	–	–	–	1	3	1	10	16	28	84	106	165	190	243	299	265	140	61	16	–
	All other—Male	46	–	–	–	–	–	–	1	–	1	–	4	5	6	7	5	3	6	6	–	–	2	–
	Female	31	–	–	–	–	–	–	1	1	1	3	1	3	2	3	5	3	6	1	1	–	–	–
160–163	Of respiratory system	2,417	–	–	–	1	1	–	1	4	17	63	115	197	298	392	395	383	286	169	77	16	2	–
	White—Male	1,813	–	–	–	1	1	–	–	3	8	43	70	140	225	297	310	291	221	138	56	9	–	–
	Female	542	–	–	–	–	–	–	1	1	8	18	40	50	64	85	79	83	57	29	20	5	2	–
	All other—Male	50	–	–	–	–	–	–	–	–	–	2	3	6	7	10	5	7	7	2	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	2	1	2	–	1	2	1	–	1	1	–	–
174	Of breast	1,079	–	–	–	–	–	2	4	12	14	36	88	108	125	136	134	126	109	114	44	23	3	1
	White—Male	5	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	1	–	–	–
	Female	1,051	–	–	–	–	–	2	3	11	13	35	85	103	125	134	129	123	106	113	42	23	3	1
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	–	–	–	–	–	–	1	1	1	–	3	3	–	2	4	3	3	1	1	–	–	–
180–187	Of genital organs	1,273	–	–	–	–	2	3	11	6	12	24	45	73	97	127	152	161	206	191	116	39	8	–
	White—Male	559	–	–	–	–	2	1	4	2	1	2	3	13	17	30	59	79	123	123	67	27	6	–
	Female	672	–	–	–	–	–	1	6	4	9	20	39	59	77	92	89	78	75	64	47	10	2	–
	All other—Male	26	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	3	7	4	2	2	–	–
	Female	16	–	–	–	–	–	1	1	–	2	2	2	1	1	3	1	1	1	–	–	–	–	–
188, 189	Of urinary organs	496	–	–	–	–	1	1	1	2	1	7	11	18	34	57	58	84	89	63	49	17	3	–
	White—Male	316	–	–	–	–	–	1	1	2	–	5	8	13	24	44	36	51	59	35	26	11	–	–
	Female	173	–	–	–	–	–	–	–	–	1	2	3	5	9	13	20	32	29	27	23	6	3	–
	All other—Male	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,317	1	12	11	6	7	13	20	17	21	27	64	86	126	155	158	190	172	117	78	24	12	–
	White—Male	656	–	8	8	1	4	9	11	9	11	15	37	49	57	85	87	99	77	54	25	9	1	–
	Female	633	1	4	3	5	3	4	8	8	7	10	26	35	66	65	68	88	91	63	52	15	11	–
	All other—Male	18	–	–	–	–	–	–	–	–	3	2	1	2	2	3	–	2	2	–	1	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	–	1	2	3	1	2	–	–	–	–	–
204–207	Leukemia	408	1	13	14	6	9	9	8	8	5	9	11	18	27	42	44	41	45	59	24	12	3	–
	White—Male	227	1	6	9	6	4	5	4	4	2	6	7	10	12	31	25	22	26	28	13	5	1	–
	Female	175	–	5	4	–	5	4	3	4	3	3	4	8	15	11	19	18	19	30	11	7	2	–
	All other—Male	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	579	–	1	3	2	6	7	7	10	11	5	19	33	50	67	75	81	105	58	25	12	1	1
	White—Male	283	–	–	3	1	4	4	4	3	8	3	12	13	25	38	49	37	45	25	4	3	1	1
	Female	282	–	1	–	1	2	3	2	7	2	1	7	19	23	28	24	42	59	32	20	9	–	–
	All other—Male	10	–	–	–	–	–	–	–	–	1	1	–	1	2	1	2	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	178	1	2	3	3	4	1	–	2	3	7	11	15	18	14	19	26	26	16	4	3	–	–
	White—Male	91	–	–	1	2	2	–	–	1	2	2	5	5	9	9	12	12	18	8	2	1	–	–
	Female	83	1	2	2	1	2	–	–	1	1	5	6	9	9	5	6	13	8	8	2	2	–	–
	All other—Male	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
250	Diabetes mellitus	1,114	1	2	–	–	–	1	9	5	5	12	22	44	54	100	133	164	193	198	114	47	10	–
	White—Male	448	–	–	–	–	–	1	6	1	3	9	12	20	32	50	66	70	71	53	40	11	3	–
	Female	637	1	1	–	–	–	–	3	4	1	2	9	22	20	45	62	91	119	141	74	35	7	–
	All other—Male	16	–	–	–	–	–	–	–	–	1	1	1	1	1	4	2	1	1	2	–	1	–	–
	Female	13	–	1	–	–	–	–	–	–	–	–	–	1	1	1	3	2	2	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	47	2	1	–	1	–	–	–	–	1	3	–	1	5	–	2	5	4	5	13	2	2	–
	White—Male	18	–	–	–	1	–	–	–	–	–	1	–	1	2	–	2	1	2	2	6	–	–	–
	Female	27	2	–	–	–	–	–	–	–	1	2	–	–	3	–	–	3	2	3	7	2	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts — Con.																							
280–285	Anemias	86	1	1	–	4	2	1	–	–	–	–	3	1	4	4	5	10	11	14	14	11	–	–
	White—Male	32	–	–	–	–	1	1	–	–	–	–	1	–	1	3	4	6	4	4	6	1	–	–
	White—Female	50	–	–	–	4	1	–	–	–	–	–	2	1	3	1	1	4	5	10	8	10	–	–
	All other—Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
320	Meningitis	37	11	3	–	1	1	–	–	–	1	2	1	–	6	2	1	2	3	1	2	–	–	–
	White—Male	18	5	1	–	1	–	–	–	–	–	–	1	–	5	2	–	–	2	–	1	–	–	–
	White—Female	13	4	1	–	–	1	–	–	–	1	1	–	–	1	–	–	2	–	1	1	–	–	–
	All other—Male	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	29,863	13	11	11	9	22	26	42	48	132	289	606	1,031	1,543	2,280	2,989	3,872	4,793	5,186	4,123	2,108	724	5
	White—Male	14,592	10	4	5	4	13	13	27	27	76	207	437	744	1,078	1,538	1,881	2,150	2,171	2,007	1,422	619	158	1
	White—Female	14,685	2	5	5	3	7	9	11	18	39	64	135	242	425	691	1,048	1,646	2,559	3,118	2,647	1,453	554	4
	All other—Male	319	1	–	–	1	2	4	2	3	12	13	16	28	27	28	31	37	35	30	26	19	4	–
	All other—Female	267	–	2	1	1	–	–	2	–	5	5	18	17	13	23	29	39	28	31	28	17	8	–
390–398, 402, 404, 410–429	Diseases of heart	22,293	10	7	7	6	10	16	31	31	97	234	509	866	1,324	1,892	2,369	2,948	3,513	3,673	2,824	1,433	490	3
	White—Male	11,548	8	2	3	2	6	10	23	20	62	176	386	666	949	1,321	1,561	1,685	1,652	1,459	1,012	428	116	1
	White—Female	10,316	1	4	3	2	3	6	5	10	22	46	96	161	341	534	764	1,210	1,812	2,170	1,778	979	367	2
	All other—Male	244	1	–	–	1	1	–	1	1	9	11	14	27	23	21	23	30	27	24	14	13	3	–
	All other—Female	185	–	1	1	1	–	–	2	–	4	1	13	12	11	16	21	23	22	20	20	13	4	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	413	–	–	–	2	2	3	7	2	4	11	18	31	33	47	65	56	52	46	23	11	–	–
	White—Male	159	–	–	–	–	–	3	5	–	–	6	10	19	17	16	25	21	14	12	8	3	–	–
	White—Female	246	–	–	–	1	2	–	2	2	2	5	6	12	16	31	38	34	38	34	15	8	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
402	Hypertensive heart disease	299	–	–	–	–	–	–	1	1	2	2	12	17	10	20	29	45	53	56	33	17	1	–
	White—Male	108	–	–	–	–	–	–	–	–	1	1	6	13	6	11	13	18	12	17	8	2	–	–
	White—Female	172	–	–	–	–	–	–	–	1	–	1	5	2	4	5	15	23	38	38	25	14	1	–
	All other—Male	8	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	1	1	–	–	1	–	–
	All other—Female	11	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	3	2	1	–	–	–	–
404	Hypertensive heart and renal disease	81	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	10	17	23	13	9	3	–
	White—Male	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	6	7	7	1	–	–
	White—Female	52	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	11	15	6	8	3	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410–413	Ischemic heart disease	20,225	–	2	–	–	1	4	9	23	76	197	448	743	1,192	1,725	2,128	2,699	3,216	3,358	2,606	1,328	467	3
	White—Male	10,592	–	–	–	–	1	2	9	17	53	157	351	595	874	1,231	1,432	1,570	1,527	1,337	928	398	109	1
	White—Female	9,307	–	2	–	–	–	2	–	5	15	30	77	120	289	467	659	1,089	1,652	1,986	1,649	911	352	2
	All other—Male	188	–	–	–	–	–	–	–	1	5	9	10	19	21	15	18	25	19	21	13	9	3	–
	All other—Female	138	–	–	–	–	–	–	–	–	3	1	10	9	8	12	19	15	18	14	16	10	3	–
410	Acute myocardial infarction	10,102	–	2	–	–	–	3	8	18	52	138	328	506	828	1,154	1,295	1,490	1,577	1,368	897	334	104	–
	White—Male	5,915	–	–	–	–	–	1	8	13	40	113	261	421	604	829	890	892	789	583	338	110	23	–
	White—Female	4,027	–	2	–	–	–	2	–	4	8	21	53	73	204	307	387	581	775	768	543	219	80	–
	All other—Male	87	–	–	–	–	–	–	–	1	3	3	7	6	15	10	8	8	7	8	7	3	1	–
	All other—Female	73	–	–	–	–	–	–	–	–	1	1	7	6	5	8	10	9	6	9	9	2	–	–
411	Other acute and subacute forms of ischemic heart disease	47	–	–	–	–	–	–	–	–	2	–	–	3	5	3	5	8	8	7	4	2	–	–
	White—Male	28	–	–	–	–	–	–	–	–	1	–	–	2	4	2	3	7	6	2	1	–	–	–
	White—Female	19	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	2	5	3	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	10,070	–	–	–	–	1	1	1	5	22	59	120	234	358	568	828	1,198	1,631	1,982	1,704	992	363	3
	White—Male	4,647	–	–	–	–	1	1	1	4	12	44	90	172	265	400	539	670	732	752	589	288	86	1
	White—Female	5,257	–	–	–	–	–	–	–	1	6	9	24	46	84	159	270	505	875	1,212	1,102	690	272	2
	All other—Male	101	–	–	–	–	–	–	–	–	2	6	3	13	6	5	10	17	12	13	6	6	2	–
	All other—Female	65	–	–	–	–	–	–	–	–	2	–	3	3	3	4	9	6	12	5	7	8	3	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	92	–	1	–	1	1	–	3	–	5	4	–	3	8	6	9	8	11	12	12	6	2	–
	White—Male	52	–	1	–	1	1	–	2	–	3	3	–	1	5	4	6	6	7	2	6	3	1	–
	White—Female	37	–	–	–	–	–	–	–	–	2	1	–	2	2	2	3	2	4	9	6	3	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,183	10	4	7	3	6	9	11	5	10	20	31	71	81	92	135	130	164	178	137	62	17	–
	White Male	611	8	1	3	1	4	5	7	3	5	9	19	38	47	59	83	67	86	84	55	21	6	–
	White Female	502	1	2	3	1	1	4	3	2	3	9	8	25	30	27	48	56	69	88	77	35	10	–
	All other Male	42	1	–	–	1	1	–	1	–	1	2	3	6	1	4	4	3	7	3	1	3	–	–
	All other Female	28	–	1	1	–	–	–	–	–	1	–	1	2	3	2	–	4	2	3	4	3	1	–
400, 401, 403	Hypertension	199	–	–	–	–	1	–	1	1	2	–	5	5	5	11	16	21	38	34	36	18	5	–
	White Male	93	–	–	–	–	1	–	–	–	1	–	4	3	3	3	10	12	22	10	15	8	1	–
	White Female	97	–	–	–	–	–	–	1	–	–	–	–	2	1	8	6	7	16	23	19	10	4	–
	All other Male	6	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	2	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
430–438	Cerebrovascular diseases	5,634	1	4	4	3	10	9	8	11	28	51	82	138	182	293	452	692	985	1,156	935	453	135	2
	White Male	2,168	–	2	2	2	6	2	2	5	13	27	42	62	100	164	221	330	367	399	284	121	17	–
	White Female	3,345	1	1	2	1	3	3	5	5	14	18	34	70	77	119	216	346	607	747	635	325	114	2
	All other Male	56	–	–	–	–	1	4	1	1	–	2	2	1	4	5	8	5	6	4	8	3	1	–
	All other Female	65	–	1	–	–	–	–	–	–	1	4	4	5	1	5	7	11	5	6	8	4	3	–
431	Cerebral hemorrhage	1,174	–	1	1	2	1	2	–	1	10	23	23	64	73	109	120	156	205	187	146	38	11	1
	White Male	477	–	–	–	2	–	1	–	–	5	13	12	27	39	56	59	73	77	59	46	8	–	–
	White Female	672	–	–	1	–	–	–	–	1	5	6	8	35	31	51	57	81	128	127	100	29	11	1
	All other Male	14	–	–	–	–	1	1	–	–	–	2	1	–	3	2	2	1	–	1	–	–	–	–
	All other Female	11	–	1	–	–	–	–	–	–	–	2	2	2	–	–	2	1	–	–	–	1	–	–
433	Cerebral thrombosis	1,774	–	–	–	–	–	–	1	–	1	6	8	10	22	51	113	209	333	417	347	206	50	–
	White Male	670	–	–	–	–	–	–	–	–	1	3	3	8	13	31	54	103	130	152	108	53	11	–
	White Female	1,074	–	–	–	–	–	–	1	–	–	3	5	2	8	17	56	102	200	262	231	150	37	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	5	1	1	–
	All other Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	3	3	2	1	–
434	Cerebral embolism	37	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	9	5	7	4	5	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	4	2	3	1	2	–	–
	White Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	4	3	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,649	1	3	3	1	9	7	7	10	17	21	51	64	87	131	217	318	442	545	438	204	72	1
	White Male	1,006	–	2	2	–	6	1	2	5	7	10	27	27	48	76	107	150	158	185	129	58	6	–
	White Female	1,578	1	1	1	1	3	3	4	4	9	9	21	33	38	50	102	158	276	354	301	144	64	1
	All other Male	31	–	–	–	–	–	3	1	1	–	–	1	1	1	2	5	3	5	3	3	2	–	–
	All other Female	34	–	–	–	–	–	–	–	–	1	2	2	3	–	3	3	7	3	3	5	–	2	–
440	Arteriosclerosis	948	1	–	–	–	–	–	–	–	–	–	–	7	6	16	45	77	120	190	232	169	85	–
	White Male	365	1	–	–	–	–	–	–	–	–	–	–	4	4	9	21	36	56	79	78	54	23	–
	White Female	573	–	–	–	–	–	–	–	–	–	–	–	3	2	5	24	39	64	109	153	113	61	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	789	1	–	–	–	1	1	2	5	5	4	10	15	26	68	107	134	137	133	96	35	9	–
	White Male	418	1	–	–	–	–	1	2	2	–	4	5	9	22	41	68	87	74	60	33	8	1	–
	White Female	354	–	–	–	–	1	–	–	3	3	–	5	6	4	25	38	44	60	69	62	26	8	–
	All other Male	8	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	2	1	1	1	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	3	–	–	–	–
466	Acute bronchitis and bronchiolitis	24	5	1	–	1	1	–	–	–	–	–	–	–	–	1	2	1	5	3	2	1	1	–
	White Male	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Female	17	1	–	–	1	1	–	–	–	–	–	–	–	–	1	2	1	3	3	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	2,367	55	18	5	9	6	7	11	16	23	29	42	66	81	136	146	239	335	438	421	204	80	–
474, 480–486	White Male	1,193	33	7	1	4	4	4	9	3	12	16	23	39	52	85	104	146	180	207	178	69	17	–
	White Female	1,088	13	6	4	5	2	2	2	8	7	7	14	20	26	49	38	88	146	223	237	129	62	–
	All other Male	51	5	1	–	–	–	–	–	4	3	4	4	3	3	1	3	3	6	5	2	3	1	–
	All other Female	35	4	4	–	–	–	1	–	1	1	2	1	4	–	1	1	2	3	3	4	3	–	–
470–474	Influenza	39	–	–	–	1	–	–	–	–	–	–	–	1	2	2	4	–	2	9	10	5	3	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	4	2	1	–	–
	White Female	26	–	–	–	1	–	–	–	–	–	–	–	–	1	1	3	–	1	5	8	3	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,328	55	18	5	8	6	7	11	16	23	29	42	65	79	134	142	239	333	429	411	199	77	–
	White Male	1,182	33	7	1	4	4	4	9	3	12	16	23	38	52	84	103	146	179	203	176	68	17	–
	White Female	1,062	13	6	4	4	2	2	2	8	7	7	14	20	25	48	35	88	145	218	229	126	59	–
	All other Male	49	5	1	–	–	–	–	–	4	3	4	4	3	2	1	3	3	6	5	2	2	1	–
	All other Female	35	4	4	–	–	–	1	–	1	1	2	1	4	–	1	1	2	3	3	4	3	–	–
490–493	Bronchitis, emphysema, and asthma	619	–	–	1	3	3	2	1	2	–	7	9	23	44	60	105	130	103	80	31	11	4	–
	White Male	443	–	–	–	2	1	–	–	1	–	3	4	13	29	44	78	99	84	56	20	6	3	–
	White Female	166	–	–	1	–	1	1	1	–	–	4	5	8	14	15	27	31	18	24	10	5	1	–
	All other Male	6	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–
	All other Female	4	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts — Con.																							
490, 491	Chronic and unqualified bronchitis	137	–	–	1	2	–	1	1	–	–	2	3	4	7	10	16	27	31	15	11	3	3	–
	White Male	101	–	–	–	2	–	–	–	–	–	1	2	4	4	7	12	20	28	11	7	1	2	–
	Female	35	–	–	1	–	–	1	1	–	–	1	1	–	3	3	4	7	2	4	4	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	416	–	–	–	–	1	–	–	–	–	2	6	13	33	42	76	93	66	59	18	6	1	–
	White Male	317	–	–	–	–	1	–	–	–	–	1	2	7	24	34	60	74	55	42	13	3	1	–
	Female	97	–	–	–	–	–	–	–	–	–	1	4	5	8	8	16	19	11	17	5	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
493	Asthma	66	–	–	–	1	2	1	–	2	–	3	–	6	4	8	13	10	6	6	2	2	–	–
	White Male	25	–	–	–	–	–	–	–	1	–	1	–	2	1	3	6	5	1	3	–	2	–	–
	Female	34	–	–	–	–	1	–	–	–	–	2	–	3	3	4	7	5	5	3	1	–	–	–
	All other Male	4	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	191	–	–	–	–	–	–	1	2	2	6	4	10	11	26	19	26	35	25	18	4	2	–
	White Male	104	–	–	–	–	–	–	–	1	–	5	3	9	11	12	9	10	22	10	11	1	–	–
	Female	81	–	–	–	–	–	–	1	–	1	1	1	1	–	13	9	16	12	14	7	3	2	–
	All other Male	4	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
540–543	Appendicitis	22	–	–	1	–	–	–	–	2	–	–	–	1	1	–	2	4	6	–	2	2	1	–
	White Male	13	–	–	1	–	–	–	–	2	–	–	–	–	1	–	–	3	2	–	1	2	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	188	6	–	1	–	–	2	1	1	–	–	2	5	11	10	10	21	35	40	30	13	–	–
	White Male	71	5	–	1	–	–	1	1	–	–	–	2	1	3	6	6	12	11	11	6	5	–	–
	Female	112	1	–	–	–	–	–	–	1	–	–	–	2	7	4	4	9	23	29	24	8	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	1,107	–	–	–	–	–	2	10	24	55	69	132	118	189	169	152	98	48	27	11	3	–	–
	White Male	685	–	–	–	–	–	2	5	14	23	42	79	72	133	115	97	59	22	14	7	1	–	–
	Female	375	–	–	–	–	–	–	4	4	21	20	47	41	55	50	53	38	23	13	4	2	–	–
	All other Male	34	–	–	–	–	–	–	1	5	10	5	3	4	–	3	1	1	1	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	1	2	3	1	1	1	1	–	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	91	–	–	–	–	–	–	–	1	1	2	1	2	1	7	10	15	12	13	17	6	3	–
	White Male	32	–	–	–	–	–	–	–	–	1	–	–	–	–	3	5	7	4	7	4	1	–	–
	Female	57	–	–	–	–	–	–	–	1	–	1	1	1	1	4	5	8	8	6	13	5	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	204	–	2	–	–	1	–	3	1	1	5	7	3	19	13	25	25	32	33	21	11	2	–
	White Male	103	–	1	–	–	–	–	2	1	1	4	6	1	7	7	16	12	12	20	6	6	1	–
	Female	93	–	1	–	–	1	–	–	–	–	1	1	–	10	5	9	12	19	13	15	5	1	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	35	–	2	–	–	–	–	–	–	–	2	1	–	4	2	4	3	4	9	1	2	1	–
	White Male	23	–	1	–	–	–	–	–	–	–	2	–	–	3	2	4	2	1	5	1	2	–	–
	Female	12	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	4	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	169	–	–	–	–	1	–	3	1	1	3	6	3	15	11	21	22	28	24	20	9	1	–
	White Male	80	–	–	–	–	–	–	2	1	1	2	6	1	4	5	12	10	11	15	5	4	1	–
	Female	81	–	–	–	–	1	–	–	–	–	1	–	–	9	5	9	11	16	9	15	5	–	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
590	Infections of kidney	128	–	–	1	–	–	–	–	1	–	–	1	2	4	8	12	19	18	26	22	10	4	–
	White Male	53	–	–	–	–	–	–	–	1	–	–	–	–	2	2	7	9	5	12	10	5	–	–
	Female	72	–	–	1	–	–	–	–	–	–	–	1	2	1	5	5	10	13	14	12	4	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	5	8	8	6	–	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	5	8	8	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	294	166	26	15	8	7	14	5	5	4	3	3	6	4	5	8	6	6	–	3	–	–	–
	White.....Male	150	85	12	8	4	5	7	1	1	2	1	1	5	3	2	4	4	3	–	2	–	–	–
	Female	129	70	14	6	3	2	5	4	4	2	2	2	1	1	3	4	2	3	–	1	–	–	–
	All other.....Male	11	8	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	566	564	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
	White.....Male	308	307	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	209	208	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	287	286	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White.....Male	161	160	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	279	278	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	147	147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	432	55	4	2	2	19	38	25	17	18	22	25	24	26	23	29	18	21	25	23	11	3	2
	White.....Male	228	34	1	1	1	14	29	15	7	6	10	12	12	12	10	22	8	11	6	11	3	1	2
	Female	189	16	3	1	1	5	6	10	9	11	12	11	12	13	13	7	10	10	18	12	7	2	–
	All other.....Male	7	2	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	8	3	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–
Residual	All other diseases	3,410	42	21	16	17	33	43	38	34	51	84	102	183	229	328	359	458	489	415	301	117	48	2
	White.....Male	1,771	20	13	9	8	19	27	15	23	26	38	63	99	119	203	207	246	249	188	139	42	17	1
	Female	1,499	13	7	5	8	14	12	18	7	12	30	34	72	101	118	144	198	229	219	153	74	30	1
	All other.....Male	84	8	–	1	–	–	1	4	3	9	7	3	7	4	5	5	7	8	7	5	–	–	–
	Female	56	1	1	1	1	–	3	1	1	4	9	2	5	5	2	3	7	3	1	4	1	1	–
E800–E949	Accidents	2,552	16	72	55	72	301	252	160	100	78	65	108	116	115	119	143	135	155	201	155	95	37	2
	White.....Male	1,561	7	43	35	48	225	200	124	75	51	44	70	81	79	82	73	67	72	86	60	25	12	2
	Female	888	7	21	16	17	70	43	22	18	22	16	31	26	34	34	69	66	78	113	93	68	24	–
	All other.....Male	79	1	5	3	1	6	7	12	7	4	5	7	8	1	2	1	2	3	2	–	1	1	–
	Female	24	1	3	1	6	–	2	2	–	1	–	–	1	1	1	–	–	2	–	2	1	–	–
E810–E823	Motor vehicle accidents	1,001	3	18	23	36	235	187	96	51	42	25	39	43	40	36	43	26	24	24	7	2	–	1
	White.....Male	699	1	13	14	23	179	152	76	34	30	15	24	29	28	24	19	10	13	10	3	1	–	1
	Female	269	2	5	8	11	53	31	14	14	11	8	13	9	11	12	24	15	10	14	3	1	–	–
	All other.....Male	28	–	–	1	–	3	3	5	3	1	2	2	5	1	–	–	1	1	–	–	–	–	–
	Female	5	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,551	13	54	32	36	66	65	64	49	36	40	69	73	75	83	100	109	131	177	148	93	37	1
	White.....Male	862	6	30	21	25	46	48	48	41	21	29	46	52	51	58	54	57	59	76	57	24	12	1
	Female	619	5	16	8	6	17	12	8	4	11	8	18	17	23	22	45	51	68	99	90	67	24	–
	All other.....Male	51	1	5	2	1	3	4	7	4	3	3	5	3	–	2	1	1	2	2	–	1	1	–
	Female	19	1	3	1	4	–	1	1	–	1	–	–	1	1	1	–	–	2	–	1	1	–	–
E950–E959	Suicide	480	. . .	. . .	–	1	27	64	55	34	37	35	34	46	33	29	31	18	19	12	4	1	–	–
	White.....Male	342	. . .	. . .	–	1	24	49	38	20	26	22	24	35	23	23	22	15	9	7	3	1	–	–
	Female	130	. . .	. . .	–	–	3	14	17	12	11	10	10	11	10	6	8	3	9	5	1	–	–	–
	All other.....Male	7	. . .	. . .	–	–	–	–	–	2	–	3	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	. . .	. . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	270	3	6	1	2	22	43	45	25	24	24	20	17	13	10	2	2	6	2	2	–	1	–
	White.....Male	155	2	2	–	1	12	28	26	10	17	12	13	11	8	6	–	2	3	1	–	–	1	–
	Female	47	1	–	–	1	3	8	4	6	1	2	4	4	3	3	1	–	3	1	2	–	–	–
	All other.....Male	56	–	3	1	–	6	5	14	7	4	7	3	2	2	1	1	–	–	–	–	–	–	–
	Female	12	–	1	–	–	1	2	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	57	–	3	–	1	4	13	6	6	1	4	6	4	1	4	–	1	2	–	1	–	–	–
	White.....Male	36	–	2	–	1	4	10	5	4	1	–	3	–	–	3	–	1	1	–	1	–	–	–
	Female	17	–	–	–	–	–	2	–	2	–	3	3	4	1	1	–	–	1	–	–	–	–	–
	All other.....Male	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan																							
	All causes	**76,249**	**2,394**	**434**	**306**	**340**	**1,043**	**1,289**	**1,047**	**973**	**980**	**1,612**	**2,734**	**4,108**	**5,281**	**6,796**	**7,965**	**8,985**	**9,667**	**9,693**	**6,765**	**3,011**	**826**	–
	White..... Male	37,400	986	206	156	180	633	703	500	402	450	732	1,336	2,147	2,927	3,858	4,465	4,752	4,772	4,296	2,673	995	231	–
	Female	29,405	690	135	97	115	208	219	194	219	259	475	802	1,226	1,546	2,079	2,596	3,269	4,200	4,865	3,799	1,882	530	–
	All other..... Male	5,663	414	56	33	32	141	269	259	250	168	254	385	431	516	532	550	540	382	255	127	49	20	–
	Female	3,781	304	37	20	13	61	98	94	102	103	151	211	304	292	327	354	424	313	277	166	85	45	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	97	33	2	–	–	–	1	1	–	–	4	–	–	10	3	8	4	12	9	4	4	2	–
	White..... Male	37	14	–	–	–	–	1	1	–	–	–	–	–	4	1	3	2	6	2	–	2	1	–
	Female	47	11	1	–	–	–	–	–	–	–	3	–	–	4	2	4	2	6	7	4	2	1	–
	All other..... Male	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	143	–	1	–	–	1	1	1	2	5	10	11	12	23	13	13	19	16	7	4	4	–	–
	White..... Male	65	–	–	–	–	–	–	–	–	–	2	5	7	10	4	6	12	11	4	3	1	–	–
	Female	20	–	–	–	–	1	–	–	–	–	–	1	2	4	2	5	1	1	2	1	–	–	–
	All other..... Male	42	–	–	–	–	1	1	–	1	1	5	3	3	8	6	2	4	3	1	–	3	–	–
	Female	16	–	1	–	–	–	–	–	1	4	3	2	–	1	1	–	2	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	110	–	–	–	–	–	1	1	2	5	8	9	9	19	10	10	10	15	5	2	4	–	–
	White..... Male	50	–	–	–	–	–	–	–	–	–	2	4	5	9	4	5	6	10	3	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	–	1	1	1	–	–	–
	All other..... Male	37	–	–	–	–	–	1	1	1	1	5	3	2	7	5	2	2	3	1	–	3	–	–
	Female	11	–	–	–	–	–	–	–	1	4	1	1	–	1	–	–	2	1	–	–	–	–	–
013–019	Tuberculosis, other forms	33	–	1	–	–	1	–	–	–	–	2	2	3	4	3	3	9	1	2	2	–	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	6	1	1	2	–	–	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	1	–	1	–	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	7	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	7	4	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	190	38	6	3	1	2	2	4	5	3	4	4	12	9	15	16	15	18	20	5	7	1	–
	White..... Male	75	12	3	–	–	1	–	–	–	2	1	3	4	8	7	11	7	9	6	–	1	–	–
	Female	67	11	1	2	–	1	1	2	4	–	–	–	6	1	5	3	4	9	8	4	4	1	–
	All other..... Male	35	12	2	1	1	–	1	2	1	–	2	1	–	–	2	1	3	–	3	1	2	–	–
	Female	13	3	–	–	–	–	–	–	–	1	1	–	2	–	1	1	1	–	3	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	1	1	–	–
	White..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Remainder of 000–136	Other infective and parasitic diseases	139	10	5	2	2	3	7	10	5	3	10	7	10	15	11	8	8	6	11	4	2	–	–
	White..... Male	60	6	3	1	–	2	1	3	4	–	2	5	5	5	5	5	6	–	6	1	–	–	–
	Female	49	1	1	1	2	–	3	4	–	–	4	2	2	6	5	3	1	4	5	3	2	–	–
	All other..... Male	13	1	–	–	–	–	1	2	–	–	4	–	1	1	–	–	1	2	–	–	–	–	–
	Female	17	2	1	–	–	1	2	1	1	3	–	–	2	3	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,251	4	43	45	39	56	63	73	107	181	350	745	1,142	1,537	1,942	2,026	1,964	1,694	1,286	700	214	40	–
	White—Male	6,937	–	21	30	20	23	35	38	35	74	132	267	476	704	1,016	1,042	1,072	921	616	316	86	13	–
	White—Female	5,736	3	14	12	17	21	17	31	55	80	171	349	492	616	693	747	683	664	586	345	117	23	–
	All other—Male	931	1	6	1	1	6	8	–	3	8	25	69	94	131	140	168	124	71	46	21	6	2	–
	All other—Female	647	–	2	2	1	6	3	4	14	19	22	60	80	86	93	69	85	38	38	18	5	2	–
140–149	Of buccal cavity and pharynx	312	–	–	1	1	–	–	1	1	4	7	22	25	42	59	48	33	28	23	10	4	3	–
	White—Male	201	–	–	1	1	–	–	1	–	2	3	13	15	27	40	37	25	16	13	5	1	1	–
	White—Female	78	–	–	–	–	–	–	–	–	1	–	3	6	14	13	8	5	11	10	3	2	2	–
	All other—Male	21	–	–	–	–	–	–	–	1	–	2	4	3	–	4	3	2	1	–	1	–	–	–
	All other—Female	12	–	–	–	–	–	–	–	–	1	2	2	1	1	2	–	1	–	–	1	1	–	–
150–159	Of digestive organs and peritoneum	3,847	–	3	–	–	–	2	9	14	23	76	139	251	353	518	524	600	563	446	233	79	14	–
	White—Male	1,856	–	–	–	–	–	–	1	7	9	31	60	128	167	272	258	299	287	199	98	34	6	–
	White—Female	1,556	–	1	–	–	–	1	5	4	8	35	54	75	121	187	201	234	240	220	121	42	7	–
	All other—Male	245	–	1	–	–	–	1	–	1	3	6	12	29	35	32	48	34	18	13	9	2	1	–
	All other—Female	190	–	1	–	–	–	–	3	2	3	4	13	19	30	27	17	33	18	14	5	1	–	–
160–163	Of respiratory system	3,275	–	1	–	1	–	–	1	8	29	72	185	300	486	550	568	478	326	175	74	20	1	–
	White—Male	2,232	–	1	–	1	–	–	1	3	18	45	93	189	296	391	396	354	257	124	53	9	1	–
	White—Female	593	–	–	–	–	–	–	–	4	8	14	47	54	102	85	101	65	53	35	15	10	–	–
	All other—Male	374	–	–	–	–	–	–	–	1	3	10	36	38	72	69	66	49	16	9	4	1	–	–
	All other—Female	76	–	–	–	–	–	–	–	–	–	3	9	19	16	5	5	10	–	7	2	–	–	–
174	Of breast	1,307	–	–	–	–	–	1	4	23	33	63	122	173	175	158	158	117	110	78	62	23	7	–
	White—Male	10	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	–	1	1	–	–	–
	White—Female	1,175	–	–	–	–	–	–	4	16	26	57	106	157	158	135	145	104	106	74	57	23	7	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
	All other—Female	119	–	–	–	–	–	1	–	7	7	5	16	16	15	21	11	11	3	3	3	–	–	–
180–187	Of genital organs	1,702	–	1	1	2	5	8	16	8	26	37	71	108	130	171	237	252	262	206	110	45	6	–
	White—Male	647	–	1	1	1	–	5	8	1	6	3	3	7	21	41	81	113	142	122	66	23	2	–
	White—Female	821	–	–	–	1	4	–	7	4	15	29	53	86	94	107	116	98	89	62	38	16	2	–
	All other—Male	115	–	–	–	–	–	1	–	–	–	–	1	5	5	10	22	24	25	15	3	3	1	–
	All other—Female	119	–	–	–	–	1	2	1	3	5	5	14	10	10	13	18	17	6	7	3	3	1	–
188, 189	Of urinary organs	673	–	2	2	1	2	–	1	3	2	8	22	44	52	88	97	112	98	82	42	13	2	–
	White—Male	428	–	2	1	–	–	–	1	–	2	3	19	29	34	54	59	80	65	47	24	7	1	–
	White—Female	200	–	–	–	1	1	–	–	3	–	3	3	9	16	25	27	25	31	32	17	6	1	–
	All other—Male	23	–	–	–	–	–	–	–	–	–	2	–	2	1	3	7	4	1	2	1	–	–	–
	All other—Female	22	–	–	1	–	1	–	–	–	–	–	–	4	1	6	4	3	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,728	2	17	12	16	25	22	19	20	31	51	105	140	170	225	208	202	168	158	118	17	2	–
	White—Male	834	–	6	10	7	9	13	13	8	19	23	39	67	84	118	116	111	86	62	39	4	–	–
	White—Female	752	2	7	–	8	11	6	6	11	8	25	51	62	68	84	72	82	70	90	74	13	2	–
	All other—Male	79	–	4	1	1	2	3	–	–	2	2	12	6	10	10	12	5	5	2	2	–	–	–
	All other—Female	63	–	–	1	–	3	–	–	1	2	1	3	5	8	13	8	4	7	4	3	–	–	–
204–207	Leukemia	590	2	17	27	16	15	16	11	11	10	15	30	40	46	54	56	69	55	60	30	8	2	–
	White—Male	315	–	11	15	8	8	8	7	4	6	8	20	13	29	29	29	37	34	26	18	4	1	–
	White—Female	228	1	5	12	7	2	6	4	7	4	5	7	19	13	20	21	28	19	32	11	4	1	–
	All other—Male	26	1	1	–	–	4	2	–	–	–	–	2	5	–	3	4	1	2	1	–	–	–	–
	All other—Female	21	–	–	–	1	1	–	–	–	–	2	1	3	4	2	2	3	–	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	817	–	2	2	2	9	14	11	19	23	21	49	61	83	119	130	101	84	58	21	5	3	–
	White—Male	414	–	–	2	2	6	9	6	12	12	15	20	28	45	69	64	51	34	22	12	4	1	–
	White—Female	333	–	1	–	–	3	4	5	6	10	3	25	24	30	37	56	42	45	31	9	1	1	–
	All other—Male	45	–	–	–	–	–	1	–	–	–	3	2	6	7	9	6	5	2	4	–	–	–	–
	All other—Female	25	–	1	–	–	–	–	–	1	1	–	2	3	1	4	4	3	3	1	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	159	2	–	–	3	3	2	5	4	3	7	11	8	17	13	26	19	19	11	4	2	–	–
	White—Male	66	1	–	–	2	2	–	2	–	1	3	2	4	10	5	12	8	8	5	1	–	–	–
	White—Female	66	–	–	–	1	–	2	1	2	1	4	5	2	6	7	9	7	9	5	3	2	–	–
	All other—Male	11	1	–	–	–	1	–	–	1	–	–	3	–	1	–	3	–	–	1	–	–	–	–
	All other—Female	16	–	–	–	–	–	–	2	1	1	–	1	2	–	1	2	4	2	–	–	–	–	–
250	Diabetes mellitus	1,945	1	–	1	1	1	7	9	11	20	22	49	91	115	177	264	286	322	320	174	62	12	–
	White—Male	739	–	–	–	1	1	3	3	5	6	7	27	32	56	79	108	101	121	106	63	18	2	–
	White—Female	1,001	1	–	–	–	–	3	6	4	11	12	8	39	36	69	127	158	174	201	105	39	8	–
	All other—Male	82	–	–	–	–	–	–	–	2	1	2	6	6	12	14	10	10	10	4	1	3	1	–
	All other—Female	123	–	–	1	–	–	1	–	–	2	1	8	14	11	15	19	17	17	9	5	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	98	2	1	–	–	1	–	1	1	–	–	2	3	3	1	9	10	14	17	19	12	2	–
	White—Male	35	–	–	–	–	–	–	–	1	–	–	–	1	–	1	4	6	6	3	10	2	1	–
	White—Female	50	–	1	–	–	1	–	–	–	–	–	2	2	1	–	4	3	7	11	9	8	1	–
	All other—Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–
	All other—Female	6	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
280–285	Anemias	143	2	3	4	2	5	7	1	3	2	4	1	12	5	9	8	22	22	12	14	4	1	
	White—Male	48	–	1	2	–	2	1	–	1	–	2	–	3	3	3	4	10	8	1	6	1	–	
	Female	61	–	1	–	1	–	1	–	1	1	2	1	5	2	4	3	11	11	7	7	2	1	
	All other—Male	21	2	1	1	1	2	4	–	–	–	–	–	3	–	1	1	–	2	1	1	1	–	
	Female	13	–	–	1	–	1	1	1	1	1	–	–	1	–	1	–	1	1	3	–	–	–	
320	Meningitis	60	25	7	–	–	2	1	1	2	2	1	3	2	1	3	1	1	–	4	3	1	–	
	White—Male	21	13	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	17	5	2	–	–	–	–	–	–	–	1	3	–	–	1	1	–	–	2	2	–	–	
	All other—Male	14	5	1	–	–	2	1	–	–	1	–	–	1	1	–	–	1	–	1	–	–	–	
	Female	8	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	1	1	–	
390–448	Major cardiovascular diseases	39,417	24	13	13	14	26	53	55	104	197	462	917	1,685	2,370	3,323	4,259	5,295	6,101	6,613	4,924	2,309	660	
	White—Male	19,308	10	4	9	6	9	22	17	47	105	257	562	1,051	1,496	1,994	2,495	2,772	2,883	2,830	1,824	737	178	
	Female	16,504	5	5	4	4	12	12	15	21	48	89	181	349	541	923	1,280	1,968	2,791	3,446	2,894	1,481	435	
	All other—Male	1,940	5	2	–	2	2	10	13	20	21	67	119	167	206	248	266	302	219	144	87	27	13	
	Female	1,665	4	2	–	2	3	9	10	16	23	49	55	118	127	158	218	253	208	193	119	64	34	
390–398, 402, 404, 410–429	Diseases of heart	29,247	15	9	6	8	14	25	31	66	132	354	751	1,413	1,999	2,706	3,346	3,987	4,402	4,616	3,375	1,556	436	
	White—Male	15,013	7	3	4	5	5	10	10	34	79	222	507	937	1,309	1,658	2,041	2,128	2,137	2,015	1,275	506	121	
	Female	11,581	2	4	2	1	4	2	7	11	29	56	130	261	430	722	949	1,446	1,952	2,371	1,942	979	281	
	All other—Male	1,458	3	–	–	1	2	7	10	12	10	43	81	132	163	196	200	233	167	102	65	22	9	
	Female	1,195	3	2	–	1	3	6	4	9	14	33	33	83	97	130	156	180	146	128	93	49	25	
390–398	Active rheumatic fever and chronic rheumatic heart disease	541	–	–	2	–	3	5	6	10	9	19	24	58	59	85	91	69	46	30	16	8	1	
	White—Male	211	–	–	–	–	–	1	–	2	4	7	12	23	23	41	38	28	17	7	4	4	–	
	Female	256	–	–	2	–	1	–	1	2	3	8	9	24	30	36	48	35	20	22	11	4	–	
	All other—Male	39	–	–	–	–	1	2	2	3	1	2	1	9	4	3	2	4	4	1	–	–	–	
	Female	35	–	–	–	–	1	2	3	3	1	2	2	2	2	5	3	2	5	–	1	–	1	
402	Hypertensive heart disease	344	–	–	–	–	–	–	1	–	2	6	12	16	16	28	30	57	55	55	52	11	3	
	White—Male	103	–	–	–	–	–	–	1	–	1	2	3	5	9	11	10	19	14	12	12	2	2	
	Female	185	–	–	–	–	–	–	–	–	1	1	7	–	5	12	11	29	34	39	36	9	1	
	All other—Male	21	–	–	–	–	–	–	–	–	–	–	–	4	–	3	5	5	3	1	–	–	–	
	Female	35	–	–	–	–	–	–	–	–	–	3	2	7	2	2	4	4	4	3	4	–	–	
404	Hypertensive heart and renal disease	117	–	–	–	–	–	–	–	–	–	–	–	4	4	7	14	11	16	24	24	10	3	
	White—Male	45	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	7	7	9	11	3	–	
	Female	54	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	4	5	14	12	7	2	
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	1	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	1	1	–	–	
410–413	Ischemic heart disease	26,750	–	–	–	–	–	7	9	43	101	294	677	1,272	1,831	2,466	3,082	3,663	4,077	4,281	3,100	1,443	404	
	White—Male	13,977	–	–	–	–	–	4	5	29	67	198	476	873	1,233	1,545	1,920	1,981	1,996	1,885	1,188	466	111	
	Female	10,476	–	–	–	–	–	1	2	5	21	39	101	220	366	631	842	1,311	1,805	2,181	1,778	910	263	
	All other—Male	1,285	–	–	–	–	–	1	1	4	6	37	74	111	150	177	179	213	152	96	56	21	7	
	Female	1,012	–	–	–	–	–	1	1	5	7	20	26	68	82	113	141	158	124	119	78	46	23	
410	Acute myocardial infarction	14,130	–	–	–	–	–	3	4	33	71	206	496	887	1,272	1,654	1,953	2,102	2,032	1,858	1,065	403	91	
	White—Male	8,419	–	–	–	–	–	1	3	26	51	152	377	668	928	1,116	1,319	1,220	1,065	889	426	146	32	
	Female	4,822	–	–	–	–	–	1	–	3	15	26	79	141	252	420	503	739	869	884	596	240	54	
	All other—Male	511	–	–	–	–	–	–	1	2	2	20	28	52	62	71	68	80	56	43	22	4	–	
	Female	378	–	–	–	–	–	1	–	2	3	8	12	26	30	47	63	63	42	42	21	13	5	
411	Other acute and subacute forms of ischemic heart disease	71	–	–	–	–	–	–	–	–	–	1	3	5	4	8	11	12	2	13	6	5	1	
	White—Male	40	–	–	–	–	–	–	–	–	–	–	3	4	3	5	7	8	–	3	4	2	1	
	Female	28	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	4	2	9	2	3	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	12,538	–	–	–	–	–	4	5	10	30	86	178	379	555	802	1,117	1,548	2,042	2,408	2,028	1,034	312	
	White—Male	5,514	–	–	–	–	–	3	2	3	16	46	96	201	302	423	593	753	931	992	758	317	78	
	Female	5,621	–	–	–	–	–	–	2	2	6	12	22	77	113	209	336	567	933	1,287	1,179	667	209	
	All other—Male	770	–	–	–	–	–	1	–	2	4	16	46	59	88	105	110	133	96	52	34	17	7	
	Female	633	–	–	–	–	–	–	1	3	4	12	14	42	52	65	78	95	82	77	57	33	18	
413	Angina pectoris	11	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	2	1	1	–	
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	110	–	2	–	1	1	–	1	1	1	1	4	4	7	7	9	15	20	21	8	4	3	
	White—Male	49	–	–	–	1	–	–	–	–	1	–	3	2	3	2	5	8	11	10	1	1	1	
	Female	52	–	1	–	–	1	–	1	–	–	1	1	1	2	4	4	6	7	11	7	3	2	
	All other—Male	7	–	–	–	–	–	–	–	1	–	–	–	1	2	1	–	1	1	–	–	–	–	
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,385	15	7	4	7	10	13	14	12	19	34	34	59	82	113	120	172	188	205	175	80	22	–
	White—Male	628	7	3	4	4	5	5	4	3	6	15	13	34	41	56	63	85	92	92	59	30	7	–
	White—Female	558	2	3	–	1	2	1	3	4	4	7	12	15	26	37	38	61	81	104	98	46	13	–
	All other—Male	98	3	–	–	1	1	4	7	4	3	4	6	4	5	12	12	10	7	4	9	1	1	–
	All other—Female	101	3	1	–	1	2	3	–	1	6	8	3	6	10	8	7	16	8	5	9	3	1	–
400, 401, 403	Hypertension	272	–	–	–	–	1	–	1	1	2	9	10	10	15	18	21	32	42	44	38	22	6	–
	White—Male	102	–	–	–	–	1	–	–	–	2	1	2	3	4	7	10	10	18	12	21	9	2	–
	White—Female	116	–	–	–	–	–	–	–	–	–	1	3	2	5	6	9	12	18	28	16	12	4	–
	All other—Male	34	–	–	–	–	–	–	1	1	–	5	3	4	1	3	2	6	4	3	1	–	–	–
	All other—Female	20	–	–	–	–	–	–	–	–	–	2	2	1	5	2	–	4	2	1	–	1	–	–
430–438	Cerebrovascular diseases	7,650	7	4	6	6	10	20	20	31	51	85	131	226	280	458	704	997	1,328	1,524	1,125	498	139	–
	White—Male	3,089	2	1	4	1	3	8	6	10	21	30	44	90	137	221	329	456	547	611	392	144	32	–
	White—Female	3,786	2	1	2	3	7	7	7	9	12	27	42	79	84	168	264	425	686	830	693	340	98	–
	All other—Male	384	2	2	–	1	–	3	2	6	9	17	28	25	35	45	55	55	44	34	17	2	2	–
	All other—Female	391	1	–	–	1	–	2	5	6	9	11	17	32	24	24	56	61	51	49	23	12	7	–
431	Cerebral hemorrhage	1,106	2	4	2	3	2	4	7	7	20	31	46	75	84	105	133	148	153	138	95	41	6	–
	White—Male	451	–	1	2	–	–	1	1	2	7	10	16	30	39	46	62	60	60	61	38	13	2	–
	White—Female	481	1	1	–	1	2	2	3	–	4	8	9	25	21	44	52	66	83	72	55	28	4	–
	All other—Male	93	1	2	–	1	–	1	1	3	6	6	13	7	15	13	11	7	4	1	1	–	–	–
	All other—Female	81	–	–	–	1	–	–	2	2	3	7	8	13	9	2	8	15	6	4	1	–	–	–
433	Cerebral thrombosis	2,284	1	–	–	–	1	1	1	2	3	6	13	38	50	128	201	330	429	503	375	149	53	–
	White—Male	934	–	–	–	–	–	–	–	1	2	1	6	14	23	62	97	158	170	214	131	45	10	–
	White—Female	1,156	–	–	–	–	1	1	–	–	–	–	4	16	15	47	65	143	231	264	230	99	40	–
	All other—Male	93	1	–	–	–	–	–	–	–	–	4	3	3	7	8	17	17	14	10	8	–	1	–
	All other—Female	101	–	–	–	–	–	–	1	1	1	1	–	5	5	11	22	12	14	15	6	5	2	–
434	Cerebral embolism	26	–	–	–	–	–	1	1	–	–	1	–	1	1	–	3	8	3	3	3	1	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	1	1	–	–	–
	White—Female	13	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	5	2	2	1	1	–	–
	All other—Male	3	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	4,234	4	–	4	3	7	14	11	22	28	47	72	112	145	225	367	511	743	880	652	307	80	–
	White—Male	1,694	2	–	2	1	3	7	5	7	12	19	22	45	75	113	167	235	316	335	222	86	20	–
	White—Female	2,136	1	–	2	2	4	4	4	9	8	18	29	38	47	77	147	211	370	492	407	212	54	–
	All other—Male	195	–	–	–	–	–	1	–	3	3	7	12	15	13	24	27	31	26	23	7	2	1	–
	All other—Female	209	1	–	–	–	–	2	2	3	5	3	9	14	10	11	26	34	31	30	16	7	5	–
440	Arteriosclerosis	1,191	–	–	–	–	–	–	–	–	2	3	2	6	15	31	56	106	150	275	286	187	72	–
	White—Male	474	–	–	–	–	–	–	–	–	1	2	1	4	9	23	28	50	68	111	98	57	22	–
	White—Female	672	–	–	–	–	–	–	–	–	1	1	1	1	3	7	20	49	77	155	183	128	46	–
	All other—Male	20	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	3	1	2	3	1	2	–
	All other—Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	4	7	2	1	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,057	2	–	1	–	1	8	3	6	10	11	23	30	61	110	132	173	179	154	100	46	7	–
	White—Male	630	1	–	1	–	–	4	1	3	2	2	8	17	37	85	87	128	113	81	38	21	1	–
	White—Female	349	1	–	–	–	1	3	1	1	6	4	5	6	19	20	38	36	58	62	60	22	6	–
	All other—Male	44	–	–	–	–	–	–	–	1	2	2	7	5	4	3	6	5	3	3	1	2	–	–
	All other—Female	34	–	–	–	–	–	1	1	1	–	3	3	2	1	2	1	4	5	8	1	1	–	–
466	Acute bronchitis and bronchiolitis	23	4	3	–	1	–	–	–	1	–	1	–	1	–	1	3	3	1	3	1	–	–	–
	White—Male	11	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	3	–	–	–	–
	White—Female	10	1	1	–	1	–	–	–	1	–	1	–	1	–	–	3	–	–	–	1	–	–	–
	All other—Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,694	83	24	6	13	9	15	14	16	12	22	38	52	68	108	111	174	249	291	226	124	39	–
	White—Male	787	33	11	–	5	7	8	5	2	1	7	13	20	31	58	60	85	125	149	114	40	13	–
	White—Female	660	27	6	4	7	2	3	5	6	5	6	16	15	23	28	31	58	96	121	101	78	22	–
	All other—Male	164	16	3	–	1	–	3	3	4	5	7	4	13	13	13	14	20	19	15	6	2	3	–
	All other—Female	83	7	4	2	–	–	1	1	4	1	2	5	4	1	9	6	11	9	6	5	4	1	–
470–474	Influenza	57	2	–	3	1	–	–	–	–	–	2	3	–	1	2	3	5	8	9	8	7	3	–
	White—Male	23	1	–	–	–	–	–	–	–	–	1	1	–	–	1	1	2	4	4	3	2	3	–
	White—Female	32	1	–	3	1	–	–	–	–	–	1	2	–	1	1	1	3	4	5	5	4	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	1,637	81	24	3	12	9	15	14	16	12	20	35	52	67	106	108	169	241	282	218	117	36	–
	White—Male	764	32	11	–	5	7	8	5	2	1	6	12	20	31	57	59	83	121	145	111	38	10	–
	White—Female	628	26	6	1	6	2	3	5	6	5	5	14	15	22	27	30	55	92	116	96	74	22	–
	All other—Male	163	16	3	–	1	–	3	3	4	5	7	4	13	13	13	13	20	19	15	6	2	3	–
	All other—Female	82	7	4	2	–	–	1	1	4	1	2	5	4	1	9	6	11	9	6	5	3	1	–
490–493	Bronchitis, emphysema, and asthma	1,164	2	3	1	–	2	1	2	1	5	18	18	54	88	144	197	214	182	139	68	22	3	–
	White—Male	845	1	–	–	–	1	–	1	1	2	10	12	25	57	110	149	163	137	109	49	16	2	–
	White—Female	256	1	1	–	–	1	1	1	–	–	6	3	20	24	27	38	45	38	27	17	6	–	–
	All other—Male	50	–	1	–	–	–	–	–	–	3	2	2	8	5	6	10	6	4	1	1	–	1	–
	All other—Female	13	–	1	1	–	–	–	–	–	–	–	1	1	2	1	–	–	3	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
490, 491	Chronic and unqualified bronchitis	217	2	1	–	–	1	–	1	1	–	6	5	9	13	32	30	34	36	24	17	5	–	–
	White—Male	150	1	–	–	–	1	–	1	1	–	3	2	4	8	24	24	26	23	18	10	4	–	–
	Female	57	1	–	–	–	–	–	–	–	–	2	3	5	5	5	4	8	11	5	7	1	–	–
	All other—Male	7	–	1	–	–	–	–	–	–	–	1	–	–	–	3	2	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
492	Emphysema	878	–	–	–	–	–	–	–	–	4	9	10	40	67	107	161	169	140	106	46	16	3	–
	White—Male	674	–	–	–	–	–	–	–	–	2	7	9	19	46	82	125	134	111	87	38	12	2	–
	Female	163	–	–	–	–	–	–	–	–	–	1	–	14	16	21	28	30	25	18	6	4	–	–
	All other—Male	36	–	–	–	–	–	–	–	–	2	1	1	7	3	3	8	5	4	–	1	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	1	–	–	–
493	Asthma	69	–	2	1	–	1	1	1	–	1	3	3	5	8	5	6	11	6	9	5	1	–	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	1	2	3	4	–	3	3	4	1	–	–	–
	Female	36	–	1	–	–	1	1	1	–	–	3	–	1	3	1	6	7	2	4	4	1	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	1	–	1	–	–	–	–
	Female	5	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	271	4	1	–	–	1	1	5	3	1	4	8	22	29	28	29	35	31	36	22	8	3	–
	White—Male	164	2	–	–	–	1	–	4	2	1	2	7	14	19	18	18	24	19	18	12	3	–	–
	Female	84	–	1	–	–	–	1	–	–	–	1	1	4	10	9	7	10	10	17	7	4	2	–
	All other—Male	14	2	–	–	–	–	1	1	1	–	1	–	2	–	–	2	1	2	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	2	1	1	–
540–543	Appendicitis	30	–	–	–	2	–	–	1	1	1	1	2	1	1	4	2	3	3	3	3	1	1	–
	White—Male	12	–	–	–	–	–	–	1	–	–	1	1	1	1	2	2	–	1	1	1	–	–	–
	Female	14	–	–	–	1	–	–	–	1	1	–	–	–	–	2	–	2	2	1	2	1	1	–
	All other—Male	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	281	28	1	–	–	2	2	2	1	1	4	4	13	14	13	26	29	52	42	31	14	2	–
	White—Male	104	15	–	–	–	1	–	1	–	–	1	1	7	5	5	10	10	16	15	11	5	1	–
	Female	151	7	1	–	–	–	2	–	–	–	2	1	5	9	7	14	14	34	25	20	9	1	–
	All other—Male	17	4	–	–	–	1	–	–	1	1	1	1	–	–	–	2	2	2	2	–	–	–	–
	Female	9	2	–	–	–	–	–	1	–	–	–	1	1	–	1	–	3	–	–	–	–	–	–
571	Cirrhosis of liver	1,647	3	3	–	1	3	5	21	53	63	132	231	262	266	206	194	90	67	32	13	2	–	–
	White—Male	858	2	1	–	–	1	1	6	10	20	50	107	142	146	126	123	56	41	18	7	1	–	–
	Female	384	–	2	–	1	2	2	5	3	9	31	51	62	55	48	50	22	22	13	5	1	–	–
	All other—Male	272	–	–	–	–	–	1	9	27	23	30	46	40	45	24	16	8	3	–	–	–	–	–
	Female	133	1	–	–	–	–	1	1	13	11	21	27	18	20	8	5	4	1	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	97	–	–	–	–	–	2	–	–	1	1	–	3	6	12	6	21	18	14	9	3	1	–
	White—Male	35	–	–	–	–	–	1	–	–	–	–	–	3	1	4	1	8	8	8	1	–	–	–
	Female	53	–	–	–	–	–	–	–	–	–	1	–	–	2	7	5	11	9	6	8	3	1	–
	All other—Male	4	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	–	–	–	–	–	–
580–584	Nephritis and nephrosis	290	1	1	1	1	1	10	3	9	8	8	12	17	20	30	26	27	46	38	22	9	–	–
	White—Male	123	–	–	1	1	–	6	–	4	3	3	4	7	8	5	9	14	26	20	9	3	–	–
	Female	93	–	–	–	–	–	–	1	3	2	3	2	1	3	14	12	8	11	17	11	5	–	–
	All other—Male	33	1	1	–	–	1	1	2	–	1	1	2	2	4	7	1	3	4	1	1	–	–	–
	Female	41	–	–	–	–	–	3	–	2	2	1	4	7	5	4	4	2	5	–	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	64	1	1	1	–	–	–	1	–	–	2	1	–	3	11	5	8	12	9	6	3	–	–
	White—Male	23	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	7	6	5	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	–	–	–	5	4	1	4	4	4	1	–	–
	All other—Male	9	1	1	–	–	–	–	1	–	–	1	–	–	–	4	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	–	1	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	226	–	–	–	1	1	10	2	9	8	6	11	17	17	19	21	19	34	29	16	6	–	–
	White—Male	100	–	–	–	1	–	6	–	4	3	3	4	7	7	4	9	7	20	15	8	2	–	–
	Female	69	–	–	–	–	–	–	1	3	2	2	2	1	3	9	8	7	7	13	7	4	–	–
	All other—Male	24	–	–	–	–	1	1	1	–	1	–	2	2	4	3	1	3	3	1	1	–	–	–
	Female	33	–	–	–	–	–	3	–	2	2	1	3	7	3	3	3	2	4	–	–	–	–	–
590	Infections of kidney	158	–	–	–	–	–	1	–	1	2	3	2	3	11	10	15	17	30	24	30	6	3	–
	White—Male	60	–	–	–	–	–	1	–	–	1	1	1	–	8	6	4	7	5	8	14	2	2	–
	Female	83	–	–	–	–	–	–	–	–	1	1	–	3	2	3	10	7	21	15	15	4	1	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	4	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	2	–	–	1	–	–	–
600	Hyperplasia of prostate	40	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	9	11	4	4	1	–
	White—Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	7	11	4	4	1	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	3	6	3	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	8	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	10	–	–	–	–	2	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	3	6	3	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	8	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	10	–	–	–	–	2	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	569	368	51	25	14	10	10	9	4	3	7	10	8	8	13	11	10	3	4	1	–	–	–
	White Male	247	153	26	13	3	4	6	4	2	2	5	3	5	4	5	6	–	2	3	1	–	–	–
	Female	226	146	20	8	7	3	4	5	1	1	1	5	1	4	6	4	8	1	1	–	–	–	–
	All other Male	62	48	2	4	1	2	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	Female	34	21	3	–	3	1	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,311	1,311	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	548	548	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	363	363	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	214	214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	186	186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	684	684	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	312	312	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	178	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	627	627	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	236	236	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	596	269	7	2	2	14	19	10	11	9	10	20	19	10	21	19	25	25	41	35	18	10	–
	White Male	253	102	5	–	1	4	5	6	5	3	2	7	9	7	10	10	15	13	26	18	2	3	–
	Female	194	57	1	1	1	4	10	1	3	4	6	8	7	3	9	9	8	9	15	16	16	6	–
	All other Male	75	57	1	–	–	2	2	1	2	–	2	2	3	–	1	–	1	1	–	–	–	–	–
	Female	74	53	–	1	–	4	2	2	1	2	–	3	–	–	1	–	1	2	–	1	–	1	–
Residual	All other diseases	4,550	95	45	28	41	66	139	134	124	112	171	245	290	315	426	446	501	491	472	282	106	21	–
	White Male	2,162	42	23	13	20	30	53	32	33	47	65	104	125	158	236	237	264	265	225	141	40	9	–
	Female	1,601	29	13	10	18	17	24	26	31	29	50	75	107	109	137	162	178	180	211	126	60	9	–
	All other Male	476	15	6	2	3	8	42	49	43	24	33	38	26	35	36	28	32	25	21	6	4	–	–
	Female	311	9	3	3	–	11	20	27	17	12	23	28	32	13	17	19	27	21	15	9	2	3	–
E800–E949	Accidents	4,221	64	200	167	181	605	488	302	214	161	176	185	209	211	166	169	134	171	191	138	66	23	–
	White Male	2,554	22	102	86	107	447	370	215	139	104	106	110	123	118	94	98	72	85	77	49	25	5	–
	Female	1,146	19	57	54	52	107	82	44	41	29	37	38	59	56	49	53	45	81	103	86	38	16	–
	All other Male	389	17	24	21	17	45	27	31	30	20	25	30	19	27	16	14	15	3	6	1	1	–	–
	Female	132	6	17	6	5	6	9	12	4	8	8	7	8	10	7	4	2	2	5	2	2	2	–
E810–E823	Motor vehicle accidents	1,931	9	63	82	81	424	329	181	126	76	82	66	84	81	53	55	46	46	34	12	1	–	–
	White Male	1,295	2	30	45	49	310	254	129	88	58	50	46	50	43	27	33	25	27	18	10	1	–	–
	Female	468	4	23	27	25	89	60	29	24	10	23	14	23	26	20	21	16	17	15	2	–	–	–
	All other Male	129	3	4	8	6	23	12	16	11	6	8	6	8	9	3	1	4	1	–	–	–	–	–
	Female	39	–	6	2	1	2	3	7	3	2	1	–	3	3	3	–	1	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,290	55	137	85	100	181	159	121	88	85	94	119	125	130	113	114	88	125	157	126	65	23	–
	White Male	1,259	20	72	41	58	137	116	86	51	46	56	64	73	75	67	65	47	58	59	39	24	5	–
	Female	678	15	34	27	27	18	22	15	17	19	14	24	36	30	29	32	29	64	88	84	38	16	–
	All other Male	260	14	20	13	11	22	15	15	19	14	17	24	11	18	13	13	11	2	6	1	1	–	–
	Female	93	6	11	4	4	4	6	5	1	6	7	7	5	7	4	4	1	1	4	2	2	2	–
E950–E959	Suicide	1,181	...	...	–	10	80	143	150	110	75	86	113	100	80	64	46	36	46	25	13	3	1	–
	White Male	778	...	...	–	10	55	102	95	66	44	50	69	59	53	44	36	25	38	17	12	3	–	–
	Female	311	...	...	–	–	17	25	35	30	24	28	41	36	25	18	7	9	7	7	1	–	1	–
	All other Male	65	...	...	–	–	5	11	15	12	4	2	3	4	1	1	3	2	1	1	–	–	–	–
	Female	27	...	...	–	–	3	5	5	2	3	6	–	1	1	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,244	4	10	7	9	132	264	200	163	92	76	79	69	43	29	18	16	15	10	6	2	–	–
	White Male	322	–	2	–	1	34	66	52	38	26	16	18	19	13	12	7	4	7	4	1	2	–	–
	Female	109	1	4	1	2	17	17	6	7	6	10	5	5	2	3	5	6	3	4	5	–	–	–
	All other Male	663	2	2	3	4	58	149	121	96	53	41	50	37	23	12	4	3	3	2	–	–	–	–
	Female	150	1	2	3	2	23	32	21	22	7	9	6	8	5	2	2	3	2	–	–	–	–	–
E980–E999	Other external causes	194	8	2	1	2	14	39	30	14	16	15	16	8	6	9	3	–	1	4	5	1	–	–
	White Male	95	2	–	1	2	7	21	13	4	7	7	7	5	2	5	3	–	–	4	4	1	–	–
	Female	35	–	1	–	–	1	7	5	4	5	3	4	1	2	1	–	–	–	–	1	–	–	–
	All other Male	42	3	1	–	–	6	6	9	5	2	3	2	1	–	3	–	–	1	–	–	–	–	–
	Female	22	3	–	–	–	–	5	3	1	2	2	3	1	2	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota																							
	All causes	**33,500**	**806**	**140**	**124**	**160**	**379**	**415**	**271**	**238**	**287**	**416**	**810**	**1,192**	**1,775**	**2,554**	**3,260**	**3,910**	**4,852**	**5,339**	**4,032**	**1,920**	**615**	**5**
	White Male	18,267	436	73	72	89	276	304	185	140	171	244	505	758	1,140	1,656	2,039	2,310	2,623	2,620	1,719	713	189	5
	White Female	14,756	323	61	47	64	93	88	70	82	104	154	279	402	604	862	1,176	1,563	2,186	2,688	2,294	1,193	423	–
	All other Male	273	23	2	4	4	8	17	11	11	6	11	14	22	23	19	26	17	21	16	10	8	–	–
	All other Female	204	24	4	1	3	2	6	5	5	6	7	12	10	8	17	19	20	22	15	9	6	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	49	18	1	1	–	–	–	1	1	–	–	–	–	1	2	1	4	3	5	4	5	2	–
	White Male	15	5	–	1	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	1	–	–	–
	White Female	32	11	1	–	–	–	–	1	1	–	–	–	–	–	1	1	2	1	3	3	5	2	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	29	–	–	–	–	–	–	–	–	–	–	1	3	3	4	3	7	1	2	2	2	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	4	–	1	2	–	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	1	1	–	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	17	–	–	–	–	–	–	–	–	–	–	1	3	1	–	2	4	–	1	2	2	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	1	2	–	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	3	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	70	13	2	1	–	–	–	–	–	–	2	–	8	4	3	4	8	6	7	7	5	–	–
	White Male	35	7	–	–	–	–	–	–	–	–	1	–	4	3	1	2	5	3	4	3	2	–	–
	White Female	32	4	2	1	–	–	–	–	–	–	1	–	4	1	1	2	3	3	3	4	3	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	59	4	2	2	1	–	1	–	–	2	–	3	8	4	6	7	5	8	2	–	–	4	–
	White Male	16	–	–	1	–	–	–	–	–	1	–	2	3	1	2	2	1	2	1	–	–	–	–
	White Female	38	4	–	1	–	–	1	–	–	1	–	–	5	3	3	5	4	6	1	–	–	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	2	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,180	1	11	20	23	18	23	28	40	54	101	234	375	531	723	854	867	897	787	439	127	27	–
	White—Male	3,250	–	6	12	9	15	11	16	15	21	39	116	185	266	406	481	483	466	419	219	56	9	–
	White—Female	2,860	1	5	8	14	3	11	11	23	33	58	111	183	258	308	363	381	423	361	217	70	18	–
	All other—Male	35	–	–	–	–	–	1	–	–	–	1	2	4	6	4	5	3	3	3	2	1	–	–
	All other—Female	35	–	–	–	–	–	–	1	2	–	3	5	3	1	5	5	–	5	4	1	–	–	–
140–149	Of buccal cavity and pharynx	119	–	1	–	–	–	–	–	–	–	3	1	11	15	22	17	14	14	13	5	3	–	–
	White—Male	92	–	–	–	–	–	–	–	–	–	3	1	8	11	18	11	13	12	11	3	1	–	–
	White—Female	27	–	1	–	–	–	–	–	–	–	–	–	3	4	4	6	1	2	2	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,801	–	–	–	–	–	1	–	8	12	23	50	104	124	192	257	268	278	268	168	43	5	–
	White—Male	943	–	–	–	–	–	–	–	2	7	10	30	58	65	116	147	138	131	139	80	19	1	–
	White—Female	835	–	–	–	–	–	–	–	5	5	12	17	43	58	75	106	129	144	126	88	23	4	–
	All other—Male	12	–	–	–	–	–	1	–	–	–	–	–	3	1	–	2	1	1	2	–	1	–	–
	All other—Female	11	–	–	–	–	–	–	–	1	–	1	3	–	–	1	2	–	2	1	–	–	–	–
160–163	Of respiratory system	1,112	–	–	–	–	1	–	2	5	5	11	54	87	150	172	206	170	126	80	30	11	2	–
	White—Male	853	–	–	–	–	–	–	1	2	4	7	41	56	113	144	159	141	98	63	18	4	2	–
	White—Female	240	–	–	–	–	1	–	1	2	1	3	11	29	32	26	44	29	27	16	11	7	–	–
	All other—Male	14	–	–	–	–	–	–	–	–	–	1	1	1	4	2	2	–	1	1	1	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–
174	Of breast	624	–	–	–	–	–	–	1	7	6	19	32	53	79	81	71	70	73	74	35	16	7	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	White—Female	613	–	–	–	–	–	–	1	7	6	18	32	51	79	80	70	70	72	70	34	16	7	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	1	–	–	–	–
180–187	Of genital organs	798	–	–	–	–	1	2	2	7	12	12	24	32	45	76	102	105	156	129	72	16	5	–
	White—Male	428	–	–	–	–	1	2	1	3	1	1	1	5	8	22	50	63	103	95	54	13	5	–
	White—Female	364	–	–	–	–	–	–	1	4	11	10	23	27	37	54	51	41	52	33	17	3	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
188, 189	Of urinary organs	325	–	1	1	–	1	–	3	1	1	–	9	14	19	26	44	61	55	50	29	10	–	–
	White—Male	214	–	1	1	–	1	–	2	–	–	–	6	9	14	22	29	39	36	31	16	7	–	–
	White—Female	110	–	–	–	–	–	–	1	1	1	–	3	5	5	4	15	21	19	19	13	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	631	1	6	6	12	5	9	8	4	10	18	29	38	54	71	73	71	77	72	47	17	3	–
	White—Male	317	–	3	3	5	4	4	4	4	4	10	15	25	31	39	40	36	33	28	23	6	–	–
	White—Female	307	1	3	3	7	1	5	3	–	6	8	13	13	23	28	33	35	44	43	24	11	3	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
204–207	Leukemia	325	–	3	12	8	8	4	5	1	3	6	15	13	17	32	30	43	39	49	29	6	2	–
	White—Male	167	–	2	7	2	7	1	3	–	1	4	9	8	8	18	20	20	18	21	14	4	–	–
	White—Female	154	–	1	5	6	1	3	2	1	2	2	6	5	8	14	9	23	19	28	15	2	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	445	–	–	1	3	2	7	7	7	5	9	20	23	28	51	54	65	79	52	24	5	3	–
	White—Male	231	–	–	1	2	2	4	5	4	4	4	13	16	16	27	25	33	34	28	10	2	1	–
	White—Female	210	–	–	–	1	–	3	2	3	1	5	6	7	12	23	29	32	44	24	13	3	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	73	1	–	–	1	1	–	–	2	1	2	3	6	9	8	9	10	4	7	4	5	–	–
	White—Male	31	–	–	–	–	1	–	–	–	1	–	2	1	6	5	3	3	3	4	1	1	–	–
	White—Female	40	1	–	–	1	–	–	–	1	–	2	1	5	3	3	5	7	1	3	3	4	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	516	–	–	–	1	2	2	3	5	4	4	12	14	32	36	51	91	91	95	53	19	1	–
	White—Male	212	–	–	–	–	1	1	2	2	2	3	7	9	14	11	25	27	37	41	22	7	1	–
	White—Female	293	–	–	–	1	1	1	–	3	2	1	5	4	16	24	25	61	52	54	31	12	–	–
	All other—Male	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	49	2	–	–	–	–	–	–	–	–	–	2	–	1	3	5	4	5	5	13	7	2	–
	White—Male	26	2	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	4	4	5	3	–	–
	White—Female	23	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	1	1	8	4	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
280–285	Anemias	51	–	1	1	1	–	–	–	1	–	–	2	1	1	3	6	7	8	7	9	3	–	–
	White Male	27	–	1	–	1	–	–	–	–	–	–	–	1	1	3	2	2	4	5	5	2	–	–
	Female	23	–	–	1	–	–	–	–	1	–	–	1	–	–	–	4	5	4	2	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	20	6	2	1	–	–	1	–	–	–	–	–	1	–	1	1	3	1	1	2	–	–	–
	White Male	13	4	2	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–
	Female	6	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	18,271	10	6	7	6	8	13	21	30	78	147	291	495	795	1,220	1,692	2,242	3,029	3,527	2,806	1,376	468	4
	White Male	9,852	8	3	6	3	5	7	13	15	57	106	227	376	584	846	1,126	1,367	1,638	1,687	1,152	488	134	4
	Female	8,259	2	2	1	3	3	6	6	15	20	33	55	108	202	365	541	854	1,364	1,825	1,645	878	331	–
	All other Male	95	–	1	–	–	–	–	1	–	–	8	5	8	8	5	15	9	15	9	6	5	–	–
	Female	65	–	–	–	–	–	–	1	–	1	–	4	3	1	4	10	12	12	6	3	5	3	–
390–398, 402, 404, 410–429	Diseases of heart	12,697	8	2	3	4	3	7	13	21	51	118	252	415	657	1,009	1,336	1,672	2,089	2,240	1,707	811	277	2
	White Male	7,358	7	–	2	3	2	3	10	12	42	91	206	337	499	736	915	1,069	1,179	1,121	727	307	88	2
	Female	5,225	1	2	1	1	1	4	3	9	8	21	38	69	151	267	403	588	890	1,111	972	498	187	–
	All other Male	68	–	–	–	–	–	–	–	–	–	6	5	7	7	4	11	3	12	4	5	4	–	–
	Female	46	–	–	–	–	–	–	–	–	1	–	3	2	–	2	7	12	8	4	3	2	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	304	–	–	–	–	–	–	3	2	8	5	20	10	26	41	45	35	46	35	20	7	1	–
	White Male	131	–	–	–	–	–	–	3	–	5	1	12	6	8	20	20	18	20	11	5	2	–	–
	Female	169	–	–	–	–	–	–	–	2	3	4	7	4	18	20	25	16	25	24	15	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
402	Hypertensive heart disease	125	–	–	–	–	–	–	–	–	1	1	1	3	2	5	10	14	20	25	16	22	5	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	1	3	2	3	5	8	6	8	2	2	–	–
	Female	85	–	–	–	–	–	–	–	–	1	1	–	–	–	2	5	6	14	17	14	20	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	65	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	7	15	10	14	7	4	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	8	5	5	5	2	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	7	5	8	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	11,454	–	–	–	–	1	1	2	8	38	102	212	380	579	905	1,201	1,534	1,898	2,054	1,574	717	246	2
	White Male	6,747	–	–	–	–	–	1	1	7	34	85	186	313	455	679	839	991	1,084	1,038	677	275	80	2
	Female	4,610	–	–	–	–	1	–	1	1	3	11	23	59	117	221	347	530	797	1,008	891	436	164	–
	All other Male	58	–	–	–	–	–	–	–	–	–	6	2	7	7	4	8	3	10	4	3	4	–	–
	Female	39	–	–	–	–	–	–	–	–	1	–	1	1	–	1	7	10	7	4	3	2	2	–
410	Acute myocardial infarction	5,772	–	–	–	–	1	1	2	7	24	61	151	259	377	567	733	871	1,009	887	546	218	58	–
	White Male	3,735	–	–	–	–	–	1	1	6	24	49	137	216	302	437	531	592	586	468	260	101	24	–
	Female	2,002	–	–	–	–	1	–	1	1	–	9	13	39	73	128	195	276	419	414	285	116	32	–
	All other Male	18	–	–	–	–	–	–	–	–	–	3	1	3	2	1	3	–	2	2	–	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	3	2	3	1	–	2	–
411	Other acute and subacute forms of ischemic heart disease	65	–	–	–	–	–	–	–	–	1	–	–	3	3	5	10	8	11	11	7	5	1	–
	White Male	41	–	–	–	–	–	–	–	–	1	–	–	3	2	4	7	6	7	7	3	1	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	4	4	4	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,612	–	–	–	–	–	–	–	1	12	41	61	118	199	332	458	655	877	1,154	1,021	494	187	2
	White Male	2,968	–	–	–	–	–	–	–	1	8	36	49	94	151	237	301	393	491	562	414	173	56	2
	Female	2,582	–	–	–	–	–	–	–	–	3	2	10	20	43	92	149	252	373	589	602	316	131	–
	All other Male	40	–	–	–	–	–	–	–	–	–	3	1	4	5	3	5	3	8	2	3	3	–	–
	Female	22	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	7	5	1	2	2	–	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	95	–	–	–	1	–	–	–	1	–	4	3	3	7	5	8	9	10	16	13	14	1	–
	White Male	38	–	–	–	1	–	–	–	–	–	2	–	1	4	2	4	5	2	7	7	3	–	–
	Female	56	–	–	–	–	–	–	–	1	–	2	3	2	3	3	3	4	8	9	6	11	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	654	8	2	3	3	2	6	8	10	4	6	16	19	42	51	67	73	100	100	70	44	20	–
	White Male	371	7	–	2	2	2	2	6	5	3	3	7	14	30	32	45	43	59	52	31	20	6	–
	Female	272	1	2	1	1	–	4	2	5	1	3	5	4	12	19	20	29	39	48	38	24	14	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	2	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	94	–	–	–	–	–	–	–	–	–	–	2	1	3	3	5	9	19	25	16	10	1	–
	White Male	44	–	–	–	–	–	–	–	–	–	–	2	–	2	3	4	7	8	8	7	3	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	11	16	9	7	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	4,340	1	4	4	2	5	6	4	8	22	25	32	75	100	171	281	454	756	1,026	844	394	124	2
	White Male	1,899	–	3	4	–	3	4	–	2	14	13	16	37	57	79	156	226	365	446	323	119	30	2
	Female	2,402	1	–	–	2	2	2	2	6	8	10	16	37	41	90	119	222	384	574	521	272	93	–
	All other Male	22	–	1	–	–	–	–	1	–	–	2	–	–	1	–	4	6	3	4	–	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	–	4	2	–	3	1	–
431	Cerebral hemorrhage	556	–	2	–	1	1	2	–	–	5	7	7	24	28	38	53	85	99	101	66	32	4	1
	White Male	249	–	2	–	–	1	2	–	–	4	2	6	13	14	15	37	40	49	40	16	6	1	1
	Female	307	–	–	–	1	–	–	–	–	1	5	1	11	14	23	16	45	50	61	50	26	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	943	–	–	–	–	–	–	–	–	–	–	1	7	10	35	49	101	168	240	192	107	33	–
	White Male	422	–	–	–	–	–	–	–	–	–	–	–	3	6	19	29	54	70	113	81	37	10	–
	Female	516	–	–	–	–	–	–	–	–	–	–	1	4	4	15	19	46	97	126	111	70	23	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
434	Cerebral embolism	14	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	1	2	3	3	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
	Female	9	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,827	1	2	4	1	3	4	4	8	17	18	24	44	61	96	178	267	487	682	583	255	87	1
	White Male	1,223	–	1	4	–	2	2	–	2	10	11	10	21	37	45	90	131	245	292	224	76	19	1
	Female	1,570	1	–	–	1	1	2	2	6	7	5	14	22	22	50	83	131	236	385	359	176	67	–
	All other Male	18	–	1	–	–	–	–	1	–	–	2	–	–	1	–	3	5	2	3	–	–	–	–
	Female	16	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	–	4	2	–	3	1	–
440	Arteriosclerosis	683	–	–	–	–	–	–	–	–	1	–	–	2	11	7	16	43	78	161	179	128	57	–
	White Male	275	–	–	–	–	–	–	–	–	–	–	–	–	9	5	8	19	30	70	72	49	13	–
	Female	405	–	–	–	–	–	–	–	–	1	–	–	2	2	2	7	24	48	91	106	78	44	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	457	1	–	–	–	–	–	4	1	4	4	5	2	24	30	54	64	87	75	60	33	9	–
	White Male	276	1	–	–	–	–	–	3	1	1	2	3	2	17	23	43	46	56	42	23	10	3	–
	Female	179	–	–	–	–	–	–	1	–	3	2	1	–	7	6	11	18	31	33	37	23	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	14	2	1	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	1	1	–	–
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	Female	8	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–486	Influenza and pneumonia	1,155	28	10	1	4	–	4	2	3	8	8	11	11	23	49	50	94	159	257	240	145	48	–
	White Male	580	11	7	–	2	–	3	–	1	3	2	3	5	15	38	34	66	83	118	111	62	16	–
	Female	558	13	3	1	2	–	1	2	2	5	4	6	6	7	10	15	28	76	137	126	82	32	–
	All other Male	9	2	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	1	–	1	–	–
	Female	8	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	3	–	–	–
470–474	Influenza	115	2	1	–	2	–	2	–	–	–	–	4	–	3	7	8	9	16	24	23	12	2	–
	White Male	59	1	1	–	1	–	1	–	–	–	–	1	–	2	5	7	5	8	11	8	6	2	–
	Female	54	–	–	–	1	–	1	–	–	–	–	3	–	1	2	1	4	8	13	15	5	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,040	26	9	1	2	–	2	2	3	8	8	7	11	20	42	42	85	143	233	217	133	46	–
	White Male	521	10	6	–	1	–	2	–	1	3	2	2	5	13	33	27	61	75	107	103	56	14	–
	Female	504	13	3	1	1	–	–	2	2	5	4	3	6	6	8	14	24	68	124	111	77	32	–
	All other Male	8	2	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	1	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	3	–	–	–
490–493	Bronchitis, emphysema, and asthma	435	1	1	–	–	1	–	–	2	2	3	8	14	22	44	67	82	85	59	30	11	3	–
	White Male	315	–	–	–	–	–	–	–	–	1	1	4	8	18	37	45	66	62	44	19	8	2	–
	Female	117	1	1	–	–	1	–	–	2	1	2	4	6	4	7	21	16	21	15	11	3	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
490, 491	Chronic and unqualified bronchitis	105	1	1	–	–	1	–	–	–	1	–	1	1	4	12	17	14	22	11	14	3	2	–
	White Male	64	–	–	–	–	–	–	–	–	–	–	1	1	3	9	11	11	14	5	7	1	1	–
	Female	41	1	1	–	–	1	–	–	–	1	–	–	–	1	3	6	3	8	6	7	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	288	–	–	–	–	–	–	–	–	1	2	3	9	14	28	42	66	57	44	14	7	1	–
	White Male	229	–	–	–	–	–	–	–	–	1	1	1	6	12	25	31	53	46	36	10	6	1	–
	Female	56	–	–	–	–	–	–	–	–	–	1	2	3	2	3	10	13	9	8	4	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	42	–	–	–	–	–	–	–	2	–	1	4	4	4	4	8	2	6	4	2	1	–	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	2	1	3	3	3	2	2	3	2	1	–	–
	Female	20	–	–	–	–	–	–	–	2	–	1	2	3	1	1	5	–	4	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	124	1	–	–	–	–	–	–	1	1	4	3	5	7	12	12	10	27	18	16	5	2	–
	White Male	72	–	–	–	–	–	–	–	–	1	3	3	3	5	9	9	6	15	10	4	2	2	–
	Female	50	1	–	–	–	–	–	–	1	–	1	–	2	2	3	3	4	11	7	12	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
540–543	Appendicitis	16	–	1	–	–	–	1	–	–	–	–	–	–	1	1	3	3	2	1	1	2	–	–
	White Male	9	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	1	2	1	–	1	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	128	8	–	–	1	1	–	2	1	1	1	–	3	5	6	16	9	16	24	18	13	3	–
	White Male	45	5	–	–	–	–	–	2	1	–	1	–	–	3	1	6	5	5	8	5	3	–	–
	Female	80	2	–	–	1	1	–	–	–	1	–	–	2	2	5	10	4	11	15	13	10	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
571	Cirrhosis of liver	415	1	–	–	–	1	1	2	11	12	23	37	42	72	78	67	30	19	14	4	1	–	–
	White Male	267	1	–	–	–	1	1	1	8	7	15	19	22	46	57	46	18	13	9	2	1	–	–
	Female	135	–	–	–	–	–	–	1	2	4	7	16	20	24	18	20	11	6	4	2	–	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	75	–	–	–	–	1	–	–	1	–	–	–	–	–	8	1	7	12	18	17	7	3	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	3	8	6	9	4	–	–
	Female	38	–	–	–	–	1	–	–	1	–	–	–	–	–	2	1	4	4	11	8	3	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	101	–	1	1	–	1	–	–	1	1	1	4	2	4	12	12	19	8	12	16	5	1	–
	White Male	56	–	1	1	–	1	–	–	–	1	1	3	–	1	7	4	13	7	7	8	1	–	–
	Female	43	–	–	–	–	–	–	–	1	–	–	1	2	1	5	8	6	1	5	8	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	23	–	1	1	–	–	–	–	–	1	1	1	–	–	3	2	5	–	4	2	1	1	–
	White Male	14	–	1	1	–	–	–	–	–	1	1	–	–	–	3	1	3	–	1	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	3	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	78	–	–	–	–	1	–	–	1	–	–	3	2	4	9	10	14	8	8	14	4	–	–
	White Male	42	–	–	–	–	1	–	–	–	–	–	3	–	1	4	3	10	7	6	6	1	–	–
	Female	34	–	–	–	–	–	–	–	1	–	–	–	2	1	5	7	4	1	2	8	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
590	Infections of kidney	63	–	–	–	–	–	–	–	–	–	–	1	–	3	2	5	7	12	17	9	4	3	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	2	2	7	3	2	1	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	10	10	6	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	33	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	4	9	5	3	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	4	9	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	238	153	19	6	10	5	5	2	3	3	4	4	4	1	5	4	3	5	2	–	–	–	–
	White..... Male	136	83	10	3	8	3	2	1	3	1	3	2	2	1	4	2	1	5	2	–	–	–	–
	Female	96	64	9	3	2	2	3	1	–	2	1	2	2	–	1	2	2	–	–	–	–	–	–
	All other..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	438	438	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	248	248	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	175	175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	234	234	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	136	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	204	204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	112	112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	298	75	2	–	3	2	5	1	2	5	3	4	7	6	15	25	21	31	26	32	25	8	–
	White..... Male	149	45	–	–	1	–	3	1	–	3	2	1	3	6	8	14	13	17	11	13	7	1	–
	Female	130	20	1	–	2	2	2	–	2	–	1	3	4	–	6	11	8	13	14	17	17	7	–
	All other..... Male	9	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–
	Female	10	4	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	2	–	–	–
Residual	All other diseases	2,059	28	19	18	17	18	20	18	11	22	28	58	82	120	183	240	258	287	309	197	102	24	–
	White..... Male	1,110	13	11	10	11	11	16	10	6	14	13	23	54	73	112	140	155	155	150	82	37	14	–
	Female	914	12	7	7	4	5	3	7	3	8	14	35	22	45	69	98	98	132	157	114	64	10	–
	All other..... Male	20	1	–	1	–	1	–	–	2	–	–	–	5	2	1	1	3	–	2	1	–	–	–
	Female	15	2	1	–	2	1	1	1	–	–	1	–	1	–	1	1	2	–	–	–	1	–	–
E800–E949	Accidents	1,910	12	50	60	79	247	242	127	84	56	47	77	78	93	90	93	90	111	120	99	44	11	–
	White..... Male	1,273	2	27	36	45	183	197	97	66	39	35	55	60	60	63	66	45	66	67	39	20	5	–
	Female	588	8	22	21	31	63	38	25	13	13	12	19	14	31	23	25	44	44	53	59	24	6	–
	All other..... Male	42	1	1	2	3	1	7	5	4	3	–	2	3	2	3	2	1	1	–	1	–	–	–
	Female	7	1	–	1	–	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	867	5	12	25	37	178	163	73	50	30	20	42	33	40	39	38	27	22	22	10	–	1	–
	White..... Male	606	1	8	13	20	127	133	53	39	22	15	27	25	24	25	26	16	11	15	5	–	1	–
	Female	243	4	3	11	16	51	28	18	9	6	5	14	7	15	12	11	10	11	7	5	–	–	–
	All other..... Male	14	–	1	–	1	–	2	2	1	2	–	1	–	1	1	1	1	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,043	7	38	35	42	69	79	54	34	26	27	35	45	53	51	55	63	89	98	89	44	10	–
	White..... Male	667	1	19	23	25	56	64	44	27	17	20	28	35	36	38	40	29	55	52	34	20	4	–
	Female	345	4	19	10	15	12	10	7	4	7	7	5	7	16	11	14	34	33	46	54	24	6	–
	All other..... Male	28	1	–	2	2	1	5	3	3	1	–	1	3	1	2	1	–	1	–	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	400	. . .	. . .	–	4	47	56	42	24	25	28	42	20	23	28	18	16	14	7	3	1	1	1
	White..... Male	305	. . .	. . .	–	4	41	45	32	14	14	15	28	16	21	25	13	11	14	6	3	1	1	1
	Female	84	. . .	. . .	–	–	2	9	9	9	10	13	13	4	1	3	5	5	–	1	–	–	–	–
	All other..... Male	7	. . .	. . .	–	–	3	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	. . .	. . .	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	128	3	4	4	6	17	31	14	10	10	3	1	5	4	3	3	6	1	2	1	–	–	–
	White..... Male	49	1	2	–	3	9	9	6	5	4	–	1	3	2	–	–	3	–	–	1	–	–	–
	Female	47	1	2	3	3	6	12	4	1	3	2	–	2	1	1	3	1	–	2	–	–	–	–
	All other..... Male	22	–	–	1	–	2	7	3	3	2	1	–	–	1	2	–	–	–	–	–	–	–	–
	Female	10	1	–	–	–	–	3	1	1	1	–	–	–	–	–	–	2	1	–	–	–	–	–
E980–E999	Other external causes	86	–	4	–	2	8	9	6	4	2	7	12	8	9	6	7	2	–	–	–	–	–	–
	White..... Male	56	–	2	–	1	4	8	4	4	1	4	7	2	7	6	5	1	–	–	–	–	–	–
	Female	25	–	2	–	–	3	1	2	–	1	2	5	6	1	–	1	1	–	–	–	–	–	–
	All other..... Male	4	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi																							
	All causes	**23,153**	**1,016**	**151**	**117**	**128**	**307**	**336**	**263**	**313**	**328**	**550**	**768**	**1,119**	**1,388**	**2,037**	**2,645**	**2,906**	**2,833**	**2,651**	**1,951**	**928**	**410**	**8**
	White Male	8,288	209	39	38	41	132	114	98	112	117	220	337	480	606	899	1,104	1,101	1,007	849	520	212	53	–
	White Female	5,991	145	20	17	21	41	44	43	46	53	100	158	227	271	400	543	697	899	962	790	374	140	–
	All other Male	4,824	355	50	39	46	102	127	88	98	89	131	161	246	293	434	561	603	462	420	291	135	89	4
	All other Female	4,050	307	42	23	20	32	51	34	57	69	99	112	166	218	304	437	505	465	420	350	207	128	4
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	55	32	4	–	–	1	1	–	–	2	–	–	3	–	–	1	2	2	3	2	1	1	–
	White Male	6	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
	White Female	10	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	3	–	1	1	–
	All other Male	18	16	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	21	13	2	–	–	1	–	–	–	–	–	–	2	–	–	–	–	2	–	1	–	–	–
010–019	Tuberculosis, all forms	45	–	–	–	–	–	2	–	1	2	2	1	2	3	4	5	4	6	6	4	3	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	5	3	1	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	2	–	–
	All other Male	18	–	–	–	–	–	–	–	1	1	2	1	1	1	4	3	–	–	2	2	–	–	–
	All other Female	5	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	35	–	–	–	–	–	2	–	–	2	2	–	2	3	4	4	2	3	5	3	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	2	2	–	1	–	–
	White Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	2	–	–
	All other Male	16	–	–	–	–	–	–	–	–	1	2	–	1	1	4	3	–	–	2	2	–	–	–
	All other Female	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	10	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	2	3	1	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	70	19	–	3	–	1	–	–	–	1	1	1	4	1	9	4	9	3	7	4	2	1	–
	White Male	21	5	–	1	–	–	–	–	–	–	–	–	1	–	5	2	2	1	2	1	1	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	2	1	2	–	1	1	–
	All other Male	18	8	–	1	–	–	–	–	–	1	1	1	–	–	1	2	2	–	1	–	–	–	–
	All other Female	18	6	–	1	–	1	–	–	–	–	–	–	–	–	1	–	3	1	2	3	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	53	4	2	3	1	2	4	2	–	–	5	2	–	1	2	7	6	5	6	–	1	–	–
	White Male	22	1	–	3	–	1	1	1	–	–	1	2	–	–	–	2	4	3	3	–	–	–	–
	White Female	7	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–
	All other Male	14	2	1	–	1	–	–	–	–	–	2	–	–	–	1	4	1	1	1	–	–	–	–
	All other Female	10	–	1	–	–	1	2	1	–	–	2	–	–	1	–	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,723	–	5	11	10	22	15	18	35	50	104	148	284	365	499	562	584	427	338	163	65	18	–
	White.....Male	1,445	–	4	4	3	5	5	7	13	16	41	54	100	145	224	241	239	159	115	52	17	1	–
	Female	1,066	–	1	1	2	6	5	7	12	11	38	60	94	103	122	134	152	143	100	51	18	6	–
	All other.....Male	685	–	–	3	2	8	2	–	4	5	11	17	54	67	93	112	114	68	70	37	13	5	–
	Female	527	–	–	3	3	3	3	4	6	18	14	17	36	50	60	75	79	57	53	23	17	6	–
140–149	Of buccal cavity and pharynx	66	–	–	–	–	1	–	–	–	–	4	3	9	8	13	7	8	6	6	–	1	–	–
	White.....Male	39	–	–	–	–	1	–	–	–	–	2	1	6	4	8	4	7	2	4	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	2	1	–	1	–	–
	All other.....Male	11	–	–	–	–	–	–	–	–	–	–	2	2	3	2	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	955	–	–	–	1	1	1	1	10	8	24	27	54	78	121	144	163	132	108	60	17	5	–
	White.....Male	325	–	–	–	–	–	–	–	3	6	10	8	20	32	49	53	54	41	30	16	3	–	–
	Female	298	–	–	–	–	–	–	–	3	–	7	12	18	21	31	36	50	50	43	21	4	2	–
	All other.....Male	171	–	–	–	–	–	–	–	2	1	5	3	11	14	26	34	29	16	15	11	3	1	–
	Female	161	–	–	–	1	1	1	1	2	1	2	4	5	11	15	21	30	25	20	12	7	2	–
160–163	Of respiratory system	941	–	–	–	–	–	1	–	1	6	24	50	92	118	180	176	138	80	46	19	9	1	–
	White.....Male	564	–	–	–	–	–	1	–	1	2	11	28	48	68	111	114	91	53	24	9	3	–	–
	Female	136	–	–	–	–	–	–	–	–	–	6	10	15	19	25	14	17	11	10	6	3	–	–
	All other.....Male	196	–	–	–	–	–	–	–	–	2	4	8	23	29	34	41	24	16	9	4	1	1	–
	Female	45	–	–	–	–	–	–	–	–	2	3	4	6	2	10	7	6	–	3	–	2	–	–
174	Of breast	258	–	–	–	–	–	1	1	6	10	16	13	37	42	30	30	17	23	16	10	4	2	–
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	172	–	–	–	–	–	–	1	4	4	8	12	26	28	22	21	12	16	9	6	2	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	83	–	–	–	–	–	1	–	2	6	8	1	11	13	6	9	5	7	7	4	2	1	–
180–187	Of genital organs	534	–	–	–	–	1	2	3	5	11	7	18	26	42	48	70	95	69	72	44	18	3	–
	White.....Male	148	–	–	–	–	1	–	2	2	–	–	–	2	8	7	19	31	27	24	16	8	1	–
	Female	149	–	–	–	–	–	1	–	2	3	7	14	15	12	14	24	19	17	11	7	3	–	–
	All other.....Male	135	–	–	–	–	1	–	–	–	–	–	–	3	4	13	15	32	16	26	17	7	1	–
	Female	102	–	–	–	–	–	–	1	1	8	–	4	6	18	14	12	13	9	11	4	–	1	–
188, 189	Of urinary organs	128	–	–	2	–	1	–	1	–	1	4	1	6	12	12	18	27	14	22	6	–	1	–
	White.....Male	55	–	–	–	–	–	–	–	–	1	3	1	2	6	6	9	12	3	9	3	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	8	5	5	1	–	–	–
	All other.....Male	26	–	–	1	–	–	–	–	–	–	–	–	3	3	2	2	5	3	5	1	–	1	–
	Female	19	–	–	1	–	1	–	1	–	–	–	–	–	1	1	5	2	3	3	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	501	–	2	5	4	5	4	7	8	10	16	26	45	42	62	65	80	51	35	17	13	4	–
	White.....Male	168	–	1	1	2	1	2	5	5	4	8	11	15	16	23	22	17	17	13	3	2	–	–
	Female	159	–	1	1	1	2	2	2	2	3	6	9	16	11	17	17	29	18	8	9	3	2	–
	All other.....Male	93	–	–	1	–	1	–	–	–	2	2	3	7	11	13	14	18	7	9	3	2	–	–
	Female	81	–	–	2	1	1	–	–	1	1	–	3	7	4	9	12	16	9	5	2	6	2	–
204–207	Leukemia	163	–	3	3	4	6	5	2	1	2	3	4	6	6	10	21	28	33	18	4	3	1	–
	White.....Male	71	–	3	2	1	1	2	–	–	2	2	2	2	4	4	9	16	10	7	3	1	–	–
	Female	52	–	–	–	1	2	2	2	–	–	1	1	1	1	2	6	7	14	8	1	2	1	–
	All other.....Male	26	–	–	1	1	3	1	–	1	–	–	–	3	1	2	3	2	6	2	–	–	–	–
	Female	14	–	–	–	1	–	–	–	–	–	–	1	–	–	2	3	3	3	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	177	–	–	1	1	7	1	3	4	2	6	6	9	17	23	31	28	19	15	3	–	1	–
	White.....Male	72	–	–	1	–	1	–	–	2	1	5	3	5	6	14	11	11	6	4	2	–	–	–
	Female	61	–	–	–	–	2	–	2	1	1	1	2	2	8	6	12	9	10	5	–	–	–	–
	All other.....Male	27	–	–	1	1	4	–	–	1	–	–	1	2	2	1	3	4	2	4	1	–	1	–
	Female	17	–	–	–	–	–	1	1	–	–	–	–	–	1	2	5	4	1	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	46	–	1	–	3	2	3	2	1	3	1	2	1	2	3	7	5	6	3	1	–	–	–
	White.....Male	10	–	1	–	–	–	–	–	–	–	1	–	–	–	–	3	1	3	1	–	–	–	–
	Female	17	–	–	–	3	–	–	–	–	1	–	1	1	2	3	2	1	1	2	–	–	–	–
	All other.....Male	7	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	12	–	–	–	–	2	2	–	–	1	–	1	–	–	–	2	2	1	–	1	–	–	–
250	Diabetes mellitus	422	1	–	–	1	–	5	–	7	5	9	16	19	25	39	80	69	61	43	27	8	6	1
	White.....Male	81	–	–	–	–	–	–	–	4	2	1	6	2	8	9	14	11	9	9	5	1	–	–
	Female	119	–	–	–	1	–	1	–	1	–	–	2	4	6	8	23	21	20	15	13	3	1	–
	All other.....Male	68	–	–	–	–	–	–	–	1	2	4	5	5	4	7	19	7	4	5	2	1	2	–
	Female	154	1	–	–	–	–	4	–	1	1	4	3	8	7	15	24	30	28	14	7	3	3	1
260–269	Avitaminoses and other nutritional deficiencies	20	3	–	–	–	–	1	–	–	–	–	–	2	–	1	–	3	1	4	1	2	2	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	–
	All other.....Male	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
280–285	Anemias	43	1	–	2	2	1	3	1	–	2	1	–	–	2	–	6	3	5	4	7	3	–	–
	White Male	9	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–	2	–	2	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	1	–	–
	All other Male	11	1	–	–	–	1	1	1	–	–	–	–	–	1	–	–	1	2	1	1	1	–	–
	Female	13	–	–	2	1	–	2	–	–	1	1	–	–	–	–	3	–	1	1	1	–	–	–
320	Meningitis	21	10	2	–	1	1	–	1	–	1	–	–	1	2	1	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Male	10	3	1	–	1	1	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–
	Female	6	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,361	22	8	2	7	9	21	19	45	65	175	300	449	585	956	1,346	1,573	1,746	1,729	1,370	654	277	3
	White Male	4,082	2	1	1	3	5	6	3	12	22	80	145	214	272	426	605	599	604	524	371	144	43	–
	Female	3,327	3	–	–	–	1	6	4	7	11	20	35	68	76	165	259	389	602	705	590	286	100	–
	All other Male	1,970	10	3	1	3	3	3	7	11	19	40	66	93	128	204	258	313	263	233	172	86	52	2
	Female	1,982	7	4	–	1	–	6	5	15	13	35	54	74	109	161	224	272	277	267	237	138	82	1
390–398, 402, 404, 410–429	Diseases of heart	7,737	16	7	1	3	4	9	9	32	42	130	230	346	446	730	998	1,086	1,150	1,086	848	393	169	2
	White Male	3,035	1	1	–	2	3	3	3	9	16	69	124	183	228	362	485	433	414	352	229	89	29	–
	Female	2,185	1	–	–	–	–	3	1	4	5	13	22	48	61	123	194	281	391	432	375	170	61	–
	All other Male	1,298	9	3	1	–	1	–	4	10	14	28	46	68	87	137	172	209	174	141	102	59	32	1
	Female	1,219	5	3	–	1	–	3	1	9	7	20	38	47	70	108	147	163	171	161	142	75	47	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	74	–	1	–	1	–	4	–	5	–	4	9	4	10	9	5	8	5	5	3	1	–	–
	White Male	29	–	1	–	–	–	–	–	1	–	2	5	2	3	5	3	4	–	2	1	–	–	–
	Female	21	–	–	–	–	–	1	–	2	–	1	1	1	4	3	1	2	1	3	1	–	–	–
	All other Male	10	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	1	2	–	1	1	–	–
	Female	14	–	–	–	1	–	3	–	–	–	1	3	–	3	–	–	1	2	–	–	–	–	–
402	Hypertensive heart disease	100	–	–	–	–	–	–	–	1	–	4	2	3	9	9	16	14	11	16	11	2	2	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	–	1	1	–	6	4	2	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	1	5	3	4	–	–	–
	All other Male	31	–	–	–	–	–	–	–	1	–	–	–	1	2	6	3	7	1	6	3	1	–	–
	Female	34	–	–	–	–	–	–	–	–	–	2	1	1	6	2	5	2	3	6	3	1	2	–
404	Hypertensive heart and renal disease	47	–	–	–	–	–	–	–	–	–	2	2	4	2	1	4	4	3	11	8	4	2	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	2	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	6	2	1	2	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	3	4	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	2	1	1	–	–	2	–	2	–	1	1	–	–
410–413	Ischemic heart disease	6,690	2	–	–	–	–	–	4	19	35	96	181	277	370	625	879	959	1,028	964	753	350	146	2
	White Male	2,686	–	–	–	–	–	–	1	6	16	51	105	154	202	321	436	382	379	318	208	81	26	–
	Female	1,966	–	–	–	–	–	–	1	1	2	11	15	39	53	109	181	259	355	388	342	160	50	–
	All other Male	1,028	1	–	–	–	–	–	2	5	13	21	33	48	63	108	138	177	147	115	82	46	28	1
	Female	1,010	1	–	–	–	–	–	–	7	4	13	28	36	52	87	124	141	147	143	121	63	42	1
410	Acute myocardial infarction	3,909	2	–	–	–	–	–	2	14	25	65	136	213	274	441	611	592	550	458	336	138	51	1
	White Male	1,844	–	–	–	–	–	–	1	6	14	38	91	134	168	253	335	257	230	170	98	38	11	–
	Female	1,061	–	–	–	–	–	–	1	1	1	9	12	29	41	76	129	160	185	188	150	61	18	–
	All other Male	538	1	–	–	–	–	–	–	4	9	10	18	33	39	65	73	103	64	51	40	17	10	1
	Female	466	1	–	–	–	–	–	–	3	1	8	15	17	26	47	74	72	71	49	48	22	12	–
411	Other acute and subacute forms of ischemic heart disease	37	–	–	–	–	–	–	–	–	–	2	2	6	3	4	5	4	6	–	3	2	–	–
	White Male	22	–	–	–	–	–	–	–	–	–	2	1	3	3	4	4	1	3	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
412	Chronic ischemic heart disease	2,742	–	–	–	–	–	–	2	5	10	29	43	58	93	179	263	362	472	506	414	210	95	1
	White Male	818	–	–	–	–	–	–	–	–	2	11	13	17	31	63	97	123	146	148	109	43	15	–
	Female	900	–	–	–	–	–	–	–	–	1	2	3	9	12	33	51	98	169	200	192	98	32	–
	All other Male	484	–	–	–	–	–	–	2	1	4	11	14	14	24	43	65	73	82	64	41	28	18	–
	Female	540	–	–	–	–	–	–	–	4	3	5	13	18	26	40	50	68	75	94	72	41	30	1
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	63	–	–	–	–	–	1	1	–	1	–	3	3	6	1	6	5	5	8	12	8	3	–
	White Male	18	–	–	–	–	–	1	–	–	–	–	2	1	3	–	3	–	1	1	3	1	2	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	4	3	6	3	5	1	–
	All other Male	10	–	–	–	–	–	–	1	–	–	–	–	1	3	1	2	–	–	1	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	6	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
420–423, 425–427, 429	All other forms of heart disease	763	14	6	1	2	4	4	4	7	6	24	33	55	49	85	88	96	98	82	61	28	16	–
	White Male	275	1	–	–	2	3	2	2	2	–	15	12	23	18	36	36	42	31	28	15	6	1	–
	White Female	143	1	–	–	–	–	2	–	1	3	–	4	7	3	10	10	14	27	26	23	4	8	–
	All other Male	205	8	3	1	–	1	–	1	2	1	7	12	16	19	20	27	22	24	16	12	9	4	–
	All other Female	140	4	3	–	–	–	–	1	2	2	2	5	9	9	19	15	18	16	12	11	9	3	–
400, 401, 403	Hypertension	126	–	–	–	–	–	1	2	–	2	6	4	4	5	14	16	16	15	16	19	4	2	–
	White Male	29	–	–	–	–	–	1	–	–	–	2	–	1	2	2	3	4	5	4	3	2	–	–
	White Female	25	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	2	4	8	5	–	2	–
	All other Male	31	–	–	–	–	–	–	–	–	1	1	3	1	2	7	5	3	1	3	2	2	–	–
	All other Female	41	–	–	–	–	–	–	2	–	1	2	–	1	1	5	7	7	5	1	9	–	–	–
430–438	Cerebrovascular diseases	2,950	6	1	1	4	3	7	8	11	16	37	62	84	115	183	286	408	491	521	408	219	78	1
	White Male	825	1	–	1	1	1	1	–	2	5	9	20	25	31	50	94	133	147	136	113	43	12	–
	White Female	931	2	–	–	–	–	2	3	3	4	6	10	16	12	39	52	92	173	224	167	99	27	–
	All other Male	560	1	–	–	3	2	1	3	1	2	10	17	22	35	54	75	88	79	72	58	23	13	1
	All other Female	634	2	1	–	–	–	3	2	5	5	12	15	21	37	40	65	95	92	89	70	54	26	–
431	Cerebral hemorrhage	447	3	–	–	3	–	3	2	2	6	13	21	21	26	39	48	68	55	62	50	21	4	–
	White Male	110	1	–	–	1	–	–	–	–	2	1	8	7	9	9	13	19	12	14	10	3	1	–
	White Female	139	–	–	–	–	–	–	2	1	1	3	6	5	2	12	9	13	21	33	23	8	–	–
	All other Male	103	–	–	–	2	–	1	–	–	1	4	5	4	6	14	17	17	11	6	10	4	1	–
	All other Female	95	2	–	–	–	–	2	–	1	2	5	2	5	9	4	9	19	11	9	7	6	2	–
433	Cerebral thrombosis	604	1	–	–	–	1	1	–	–	–	1	9	14	24	42	48	76	116	116	80	51	23	1
	White Male	189	–	–	–	–	–	–	–	–	–	–	3	4	6	14	18	26	42	34	26	12	4	–
	White Female	192	1	–	–	–	–	1	–	–	–	–	1	2	2	9	9	20	36	52	33	19	7	–
	All other Male	100	–	–	–	–	1	–	–	–	–	–	4	5	8	8	11	18	15	15	7	3	4	1
	All other Female	123	–	–	–	–	–	–	–	–	–	1	1	3	8	11	10	12	23	15	14	17	8	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	3	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,891	2	1	1	1	2	3	6	9	10	23	32	48	65	101	190	264	318	342	275	147	51	–
	White Male	523	–	–	1	–	1	1	–	2	3	8	9	13	16	27	63	88	93	87	76	28	7	–
	White Female	596	1	–	–	–	–	1	1	2	3	3	3	9	8	17	34	59	114	139	110	72	20	–
	All other Male	357	1	–	–	1	1	–	3	1	1	6	8	13	21	32	47	53	53	51	41	16	8	–
	All other Female	415	–	1	–	–	–	1	2	4	3	6	12	13	20	25	46	64	58	65	48	31	16	–
440	Arteriosclerosis	298	–	–	–	–	–	–	–	–	–	1	2	2	3	11	16	28	44	66	70	31	24	–
	White Male	88	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	12	16	24	17	7	2	–
	White Female	118	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	5	20	28	34	15	9	–
	All other Male	41	–	–	–	–	–	–	–	–	–	1	–	–	2	3	3	8	5	5	7	2	5	–
	All other Female	51	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	3	3	9	12	7	8	–
441–448	Other diseases of arteries, arterioles, and capillaries	250	–	–	–	–	2	4	–	2	5	1	2	13	16	18	30	35	46	40	25	7	4	–
	White Male	105	–	–	–	–	1	1	–	1	1	–	1	5	10	9	17	17	22	8	9	3	–	–
	White Female	68	–	–	–	–	1	1	–	–	2	–	1	2	3	2	8	9	14	13	9	2	1	–
	All other Male	40	–	–	–	–	–	2	–	–	2	–	–	2	2	3	3	5	4	12	3	–	2	–
	All other Female	37	–	–	–	–	–	–	–	1	–	1	–	4	1	4	2	4	6	7	4	2	1	–
466	Acute bronchitis and bronchiolitis	5	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	556	69	19	2	4	5	7	7	6	4	6	2	14	23	32	40	60	60	76	60	43	15	2
	White Male	185	8	4	–	2	1	1	–	3	1	2	–	6	8	17	17	24	24	35	13	17	2	–
	White Female	155	8	1	–	–	–	4	5	–	1	2	1	4	6	4	7	13	15	24	34	19	7	–
	All other Male	120	33	4	2	2	2	1	2	–	2	1	1	1	4	7	11	13	10	10	6	3	4	1
	All other Female	96	20	10	–	–	2	1	–	3	–	1	–	3	5	4	5	10	11	7	7	4	2	1
470–474	Influenza	23	–	–	–	1	–	–	–	2	–	–	–	1	2	–	1	6	1	5	2	1	1	–
	White Male	6	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	1	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	2	–	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–
480–486	Pneumonia	533	69	19	2	3	5	7	7	4	4	6	2	13	21	32	39	54	59	71	58	42	14	2
	White Male	179	8	4	–	1	1	1	–	2	1	2	–	6	8	17	17	23	23	34	13	16	2	–
	White Female	147	8	1	–	–	–	4	5	–	1	2	1	3	5	4	6	12	15	23	32	19	6	–
	All other Male	115	33	4	2	2	2	1	2	–	2	1	1	1	3	7	11	10	10	9	6	3	4	1
	All other Female	92	20	10	–	–	2	1	–	2	–	1	–	3	5	4	5	9	11	5	7	4	2	1
490–493	Bronchitis, emphysema, and asthma	245	4	–	–	–	–	2	–	–	1	1	4	10	23	32	44	40	36	26	17	5	–	–
	White Male	163	2	–	–	–	–	–	–	–	–	1	3	6	12	21	31	30	27	19	9	2	–	–
	White Female	46	–	–	–	–	–	1	–	–	–	–	1	4	6	5	7	4	6	4	6	2	–	–
	All other Male	30	1	–	–	–	–	–	–	–	–	–	–	–	4	6	6	6	3	2	2	–	–	–
	All other Female	6	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
490, 491	Chronic and unqualified bronchitis	49	4	–	–	–	–	2	–	–	–	1	–	1	8	6	4	7	6	6	4	–	–	–
	White Male	31	2	–	–	–	–	–	–	–	–	1	–	1	5	5	2	6	4	2	3	–	–	–
	Female	8	–	–	–	–	–	1	–	–	–	–	–	–	2	1	2	1	–	1	–	–	–	–
	All other Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
492	Emphysema	181	–	–	–	–	–	–	–	–	–	–	3	9	11	24	37	32	28	19	13	5	–	–
	White Male	128	–	–	–	–	–	–	–	–	–	–	2	5	7	16	28	24	22	16	6	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	1	4	3	3	4	3	5	3	6	2	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	5	5	5	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
493	Asthma	15	–	–	–	–	–	–	–	–	1	–	1	–	4	2	3	1	2	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	72	1	–	–	–	–	–	–	–	1	2	3	3	5	10	12	5	19	8	3	–	–	–
	White Male	28	–	–	–	–	–	–	–	–	1	1	2	1	2	4	4	4	6	2	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	1	–	–	3	2	–	6	5	1	–	–	–
	All other Male	18	1	–	–	–	–	–	–	–	–	–	–	1	3	3	5	1	3	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	–	1	–	–	–
540–543	Appendicitis	11	–	–	1	–	–	–	–	–	–	–	1	3	–	1	1	3	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	All other Male	6	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	69	3	–	–	–	1	–	–	2	1	4	–	2	2	5	11	7	9	11	8	3	–	–
	White Male	13	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	4	1	–	–
	Female	27	1	–	–	–	–	–	–	1	–	1	–	1	1	2	4	3	4	5	4	–	–	–
	All other Male	18	–	–	–	–	1	–	–	–	–	3	–	1	1	1	4	1	3	1	–	2	–	–
	Female	11	1	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	1	4	–	–	–	–
571	Cirrhosis of liver	198	–	–	–	1	1	1	1	3	13	12	30	28	27	32	24	12	6	4	2	1	–	–
	White Male	102	–	–	–	–	–	1	–	1	3	6	16	14	20	19	8	6	4	3	–	1	–	–
	Female	52	–	–	–	–	–	–	1	2	3	1	10	9	4	7	7	5	2	–	1	–	–	–
	All other Male	31	–	–	–	–	1	–	–	–	4	2	4	4	–	5	9	1	–	1	–	–	–	–
	Female	13	–	–	–	1	–	–	–	–	3	3	–	1	3	1	–	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	42	–	–	–	–	–	–	–	–	–	2	2	1	1	2	4	9	7	5	3	4	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	4	3	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	2	1	3	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	2	–	–	–	–	3	3	–	–	–	1	–	–
580–584	Nephritis and nephrosis	136	–	–	–	–	1	–	1	3	2	3	5	11	8	16	27	15	14	13	11	4	2	–
	White Male	26	–	–	–	–	–	–	–	1	–	–	–	1	1	–	5	6	4	3	3	1	1	–
	Female	32	–	–	–	–	1	–	–	–	1	1	5	2	1	3	2	2	2	6	3	2	1	–
	All other Male	46	–	–	–	–	–	–	1	2	1	1	–	7	3	7	11	4	4	1	3	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	1	3	6	9	3	4	3	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	24	–	–	–	–	–	–	–	1	1	–	3	–	–	2	7	2	1	4	2	1	–	–
	White Male	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	1	2	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	3	–	–	–	2	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	112	–	–	–	–	1	–	1	2	1	3	2	11	8	14	20	13	13	9	9	3	2	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	4	3	1	3	–	1	–
	Female	25	–	–	–	–	1	–	–	–	–	1	2	2	1	3	–	2	2	5	3	2	1	–
	All other Male	43	–	–	–	–	–	–	1	2	1	1	–	7	3	6	10	4	4	–	3	1	–	–
	Female	27	–	–	–	–	–	–	–	–	–	1	–	1	3	5	7	3	4	3	–	–	–	–
590	Infections of kidney	112	–	–	–	–	–	4	–	1	1	1	2	2	2	6	12	20	21	17	16	4	3	–
	White Male	32	–	–	–	–	–	2	–	–	–	–	1	1	2	1	1	5	9	7	2	1	–	–
	Female	32	–	–	–	–	–	1	–	–	1	–	1	–	–	1	4	6	5	4	6	1	2	–
	All other Male	29	–	–	–	–	–	1	–	–	–	1	–	1	–	1	4	4	6	5	4	1	1	–
	Female	19	–	–	–	–	–	–	–	1	–	–	–	–	–	3	3	5	1	1	4	1	–	–
600	Hyperplasia of prostate	30	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	3	6	8	2	1	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	3	4	4	–	1	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	1	3	3	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	–	3	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
640–645	Abortions	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	1	3	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	7	–	–	–	–	–	3	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	169	112	18	7	3	5	3	2	2	1	2	3	2	1	5	1	1	1	–	–	–	–	–
	White..... Male	52	34	7	1	–	4	–	1	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–
	Female	43	27	4	2	1	1	–	–	2	–	–	1	–	–	4	–	1	–	–	–	–	–	–
	All other..... Male	48	33	5	1	–	–	3	1	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–
	Female	26	18	2	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	542	542	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	168	168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	296	296	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	246	246	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,682	117	8	3	5	13	14	9	22	25	47	66	86	111	168	193	223	172	150	115	70	64	1
	White..... Male	411	13	1	1	–	3	2	3	2	6	13	13	34	41	69	58	59	32	34	13	9	5	–
	Female	228	9	1	1	–	1	–	2	2	4	3	10	7	17	25	29	26	30	21	16	10	14	–
	All other..... Male	573	56	5	1	3	7	7	3	11	7	16	23	27	34	43	57	84	57	55	41	20	16	–
	Female	470	39	1	–	2	2	5	1	7	8	15	20	18	19	31	49	54	53	40	45	31	29	1
Residual	All other diseases	1,283	34	13	5	5	20	17	17	29	18	49	56	67	103	111	160	167	158	126	92	28	8	–
	White..... Male	470	8	3	1	–	5	7	3	5	3	13	23	28	43	47	58	66	71	54	25	7	–	–
	Female	347	2	2	3	1	4	2	3	5	4	13	12	14	25	25	43	48	45	37	44	12	3	–
	All other..... Male	255	12	4	1	3	3	5	3	13	6	11	11	12	20	25	30	26	28	20	14	5	3	–
	Female	211	12	4	–	1	8	3	8	6	5	12	10	13	15	14	29	27	14	15	9	4	2	–
E800–E949	Accidents	1,518	35	66	77	80	177	145	116	95	57	70	70	90	63	67	65	63	51	58	39	24	9	1
	White..... Male	704	5	17	26	32	97	70	60	46	30	40	41	53	33	34	34	23	25	21	13	4	–	–
	Female	234	4	11	10	11	21	16	13	6	5	10	7	10	11	15	10	13	12	21	15	11	2	–
	All other..... Male	420	13	23	27	29	54	50	34	33	16	16	20	25	14	12	16	15	6	7	4	2	3	1
	Female	160	13	15	14	8	5	9	9	10	6	4	2	2	5	6	5	12	8	9	7	7	4	–
E810–E823	Motor vehicle accidents	697	6	20	32	28	102	91	75	52	33	40	31	42	26	26	26	27	18	16	4	2	–	–
	White..... Male	363	1	7	10	11	53	53	44	29	17	25	19	23	14	13	14	11	10	7	2	–	–	–
	Female	105	1	5	4	7	15	11	8	1	5	6	2	7	7	6	4	6	3	6	–	1	–	–
	All other..... Male	174	–	5	12	7	30	22	18	16	8	7	10	12	4	5	6	6	3	2	1	–	–	–
	Female	55	4	3	6	3	4	5	5	6	3	2	–	–	1	2	2	4	2	1	1	1	–	–
E800–E807, E825–E949	All other accidents	821	29	46	45	52	75	54	41	43	24	30	39	48	37	41	39	36	33	42	35	22	9	1
	White..... Male	341	4	10	16	21	44	17	16	17	13	15	22	30	19	21	20	12	15	14	11	4	–	–
	Female	129	3	6	6	4	6	5	5	5	–	4	5	3	4	9	6	7	9	15	15	10	2	–
	All other..... Male	246	13	18	15	22	24	28	16	17	8	9	10	13	10	7	10	9	3	5	3	2	3	1
	Female	105	9	12	8	5	1	4	4	4	3	2	2	2	4	4	3	8	6	8	6	6	4	–
E950–E959	Suicide	213	...	...	–	1	12	19	18	21	19	20	21	17	18	16	12	8	6	1	2	1	1	–
	White..... Male	135	...	...	–	–	6	12	9	12	14	13	14	13	8	11	6	7	5	1	2	1	1	–
	Female	46	...	...	–	1	3	1	4	5	3	6	6	3	9	1	3	–	1	–	–	–	–	–
	All other..... Male	28	...	...	–	–	2	6	4	2	2	1	1	1	1	4	3	1	–	–	–	–	–	–
	Female	4	...	...	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	331	3	3	–	2	28	59	43	32	45	28	26	16	11	13	6	9	3	2	2	–	–	–
	White..... Male	74	–	–	–	–	3	6	8	8	12	6	11	3	4	4	3	3	2	–	1	–	–	–
	Female	25	–	–	–	–	2	5	2	3	7	2	1	–	1	–	–	–	–	1	1	–	–	–
	All other..... Male	183	2	1	–	2	17	42	30	18	19	15	9	7	6	8	2	4	1	–	–	–	–	–
	Female	49	1	2	–	–	6	6	3	3	7	5	5	6	–	1	1	2	–	1	–	–	–	–
E980–E999	Other external causes	57	1	1	1	–	3	7	3	7	6	3	5	2	4	4	6	2	1	–	–	1	–	–
	White..... Male	29	–	–	–	–	1	1	3	5	4	1	2	–	3	3	2	2	1	–	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	3	1	–	1	2	–	–	–	–	–	–	–
	All other..... Male	17	1	1	1	–	2	4	–	1	2	2	–	1	1	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri																							
	All causes	**50,652**	**1,173**	**196**	**153**	**197**	**497**	**532**	**443**	**484**	**510**	**831**	**1,403**	**2,079**	**2,918**	**4,165**	**5,462**	**6,415**	**7,042**	**7,208**	**5,410**	**2,693**	**829**	**12**
	White..... Male	24,679	494	90	71	108	308	324	244	246	262	408	757	1,179	1,651	2,438	3,124	3,389	3,408	3,078	1,977	870	246	7
	Female	20,842	373	47	59	61	109	92	101	137	142	243	386	571	867	1,233	1,756	2,387	3,128	3,741	3,184	1,708	515	2
	All other..... Male	2,894	176	34	12	15	65	90	65	71	76	117	153	189	245	268	321	345	269	189	105	57	30	2
	Female	2,237	130	25	11	13	15	26	33	30	30	63	107	140	155	226	261	294	237	200	144	58	38	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	55	15	2	–	1	–	1	–	1	–	1	–	–	4	2	3	7	8	2	4	2	2	–
	White..... Male	28	6	–	–	1	–	1	–	–	–	–	–	–	1	2	3	5	4	1	3	1	–	–
	Female	19	6	2	–	–	–	–	–	–	–	1	–	–	2	–	–	2	2	–	1	1	2	–
	All other..... Male	7	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	96	–	–	–	–	–	2	–	–	2	–	7	8	12	9	10	15	13	8	8	2	–	–
	White..... Male	55	–	–	–	–	–	–	–	–	–	–	2	7	7	7	4	9	11	3	4	1	–	–
	Female	25	–	–	–	–	–	1	–	–	–	–	2	–	3	1	4	3	2	4	4	1	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	2	–	2	–	2	–	1	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	3	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	69	–	–	–	–	–	2	–	–	2	–	7	6	9	5	6	9	9	7	7	–	–	–
	White..... Male	37	–	–	–	–	–	–	–	–	–	–	2	5	4	4	2	6	7	3	4	–	–	–
	Female	17	–	–	–	–	–	1	–	–	–	–	2	–	3	–	2	1	2	3	3	–	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	2	–	2	–	2	–	1	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	2	–	–	–	–	–	–
013–019	Tuberculosis, other forms	27	–	–	–	–	–	–	–	–	–	–	–	2	3	4	4	6	4	1	1	2	–	–
	White..... Male	18	–	–	–	–	–	–	–	–	–	–	–	2	3	3	2	3	4	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
036	Meningococcal infections	8	–	2	–	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White..... Male	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	115	23	–	–	1	1	–	–	–	2	2	4	3	7	10	4	13	11	17	10	5	2	–
	White..... Male	48	9	–	–	1	–	–	–	–	–	–	1	1	3	7	1	8	4	7	5	–	1	–
	Female	45	8	–	–	–	–	–	–	–	1	1	1	1	1	3	2	3	6	7	5	5	1	–
	All other..... Male	10	2	–	–	–	–	–	–	–	–	–	2	–	2	–	1	1	1	1	–	–	–	–
	Female	12	4	–	–	–	1	–	–	–	1	1	–	1	1	–	–	1	–	2	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	109	8	3	3	2	1	5	3	1	2	3	5	7	9	8	13	5	10	9	9	3	–	–
	White..... Male	46	2	–	–	–	1	2	1	–	–	1	2	3	4	4	6	3	4	8	4	1	–	–
	Female	39	6	–	3	2	–	3	2	1	–	–	2	1	4	2	5	–	2	–	4	2	–	–
	All other..... Male	14	–	2	–	–	–	–	–	–	2	2	–	1	1	1	2	–	2	1	–	–	–	–
	Female	10	–	1	–	–	–	–	–	–	–	–	1	2	–	1	–	2	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,931	3	11	23	24	27	39	48	59	92	189	386	608	847	1,154	1,362	1,320	1,154	902	481	172	28	2
	White—Male	4,354	2	6	12	11	16	25	22	24	30	71	151	272	399	618	744	695	570	415	202	61	7	1
	Female	3,673	1	4	7	10	10	12	19	30	47	92	172	251	355	421	467	490	497	422	255	94	17	–
	All other—Male	542	–	1	2	–	1	1	3	3	12	9	31	53	51	67	102	78	61	39	14	11	3	–
	Female	362	–	–	2	3	–	1	4	2	3	17	32	32	42	48	49	57	26	26	10	6	1	1
140–149	Of buccal cavity and pharynx	195	–	–	–	–	–	–	–	–	2	5	8	20	18	34	33	16	27	17	12	3	–	–
	White—Male	129	–	–	–	–	–	–	–	–	1	3	1	13	14	27	22	11	17	9	9	2	–	–
	Female	41	–	–	–	–	–	–	–	–	–	2	1	2	3	5	9	3	8	6	1	1	–	–
	All other—Male	22	–	–	–	–	–	–	–	–	1	–	6	4	–	2	2	2	2	2	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	2,359	–	–	–	1	–	3	2	7	17	44	79	114	184	276	352	353	380	309	165	61	11	1
	White—Male	1,055	–	–	–	–	–	2	–	3	5	11	35	54	87	146	176	159	165	135	57	17	3	–
	Female	1,031	–	–	–	1	–	1	1	3	8	24	29	40	72	92	123	154	178	153	105	41	6	–
	All other—Male	164	–	–	–	–	–	–	1	1	4	4	5	15	12	20	39	23	26	10	2	1	1	–
	Female	109	–	–	–	–	–	–	–	–	–	5	10	5	13	18	14	17	11	11	1	2	1	1
160–163	Of respiratory system	2,068	–	–	–	–	2	2	–	2	17	42	107	167	245	363	390	326	224	115	50	12	3	1
	White—Male	1,500	–	–	–	–	1	1	–	2	10	25	66	112	168	269	296	261	172	81	29	5	1	1
	Female	365	–	–	–	–	1	1	–	–	2	8	27	34	44	62	59	37	42	24	18	4	2	–
	All other—Male	164	–	–	–	–	–	–	–	–	5	4	12	18	24	26	29	22	9	10	2	3	–	–
	Female	39	–	–	–	–	–	–	–	–	–	5	2	3	9	6	6	6	1	–	1	–	–	–
174	Of breast	744	–	–	–	–	–	–	3	9	13	26	59	81	87	105	96	91	70	45	40	17	2	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	673	–	–	–	–	–	–	3	8	12	20	47	73	82	100	85	80	68	41	37	15	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	69	–	–	–	–	–	–	–	1	1	6	12	8	5	5	10	10	2	4	3	2	–	–
180–187	Of genital organs	1,069	–	–	–	2	1	6	9	5	11	23	40	50	88	117	159	162	144	138	81	30	3	–
	White—Male	396	–	–	–	–	–	3	3	1	–	3	2	6	10	24	55	73	77	70	51	17	1	–
	Female	538	–	–	–	2	1	3	4	4	10	20	36	37	72	73	78	61	52	54	22	9	–	–
	All other—Male	74	–	–	–	–	–	–	–	–	–	–	–	1	2	11	14	15	11	7	8	3	2	–
	Female	61	–	–	–	–	–	–	2	–	1	–	2	6	4	9	12	13	4	7	–	1	–	–
188, 189	Of urinary organs	390	1	1	3	–	–	1	–	–	1	6	8	21	35	39	69	62	58	46	27	9	3	–
	White—Male	234	1	–	1	–	–	–	–	–	1	4	6	16	20	29	51	37	30	20	13	4	1	–
	Female	127	–	1	2	–	–	–	–	–	–	1	1	4	11	6	14	22	22	23	14	4	2	–
	All other—Male	22	–	–	–	–	–	1	–	–	–	–	1	1	3	2	3	3	5	2	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,240	1	8	11	13	9	12	15	20	16	24	55	94	126	137	176	172	138	129	55	24	5	–
	White—Male	617	1	5	5	6	6	8	7	9	6	15	28	43	70	74	100	89	66	54	16	9	–	–
	Female	515	–	3	3	4	2	3	5	9	9	8	18	37	45	50	65	68	65	68	35	13	5	–
	All other—Male	57	–	–	1	–	1	–	1	1	1	1	6	7	4	5	9	8	6	4	1	1	–	–
	Female	51	–	–	2	3	–	1	2	1	–	–	3	7	7	8	2	7	1	3	3	1	–	–
204–207	Leukemia	347	1	2	7	6	10	7	11	10	5	8	10	19	24	34	29	48	37	45	25	9	–	–
	White—Male	180	–	1	5	4	6	5	8	5	3	4	3	7	12	19	15	26	15	22	15	5	–	–
	Female	149	1	–	2	2	4	2	3	4	1	4	5	8	10	15	12	20	21	22	9	4	–	–
	All other—Male	9	–	1	–	–	–	–	–	1	–	–	–	3	1	–	1	1	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	1	1	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	519	–	–	2	2	5	8	8	6	10	11	20	42	40	49	58	90	76	58	26	7	1	–
	White—Male	243	–	–	1	1	3	6	4	4	4	6	10	21	18	30	29	39	28	24	12	2	1	–
	Female	234	–	–	–	1	2	2	3	2	5	5	8	16	16	18	22	45	41	31	14	3	–	–
	All other—Male	28	–	–	1	–	–	–	1	–	1	–	1	4	5	1	4	3	2	3	–	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	3	5	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	88	4	–	2	–	1	–	2	–	3	1	4	3	8	12	4	15	12	7	5	5	–	–
	White—Male	34	–	–	–	–	–	–	1	–	1	–	2	1	5	6	1	3	7	2	3	2	–	–
	Female	47	4	–	1	–	–	–	1	–	2	–	2	2	2	5	3	11	4	5	2	3	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	5	–	–	1	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	956	–	1	1	–	2	2	4	13	9	8	24	35	60	73	140	140	159	131	103	44	7	–
	White—Male	338	–	1	–	–	–	–	2	7	4	2	11	16	24	34	58	38	50	43	34	11	3	–
	Female	478	–	–	1	–	2	2	–	5	3	3	5	11	15	29	64	75	84	82	65	29	3	–
	All other—Male	51	–	–	–	–	–	–	1	1	–	2	5	3	10	3	6	9	11	–	–	–	–	–
	Female	89	–	–	–	–	–	–	1	–	2	1	3	5	11	7	12	18	14	6	4	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	95	4	–	–	1	–	–	1	–	1	–	1	1	3	3	6	6	15	15	17	15	6	–
	White—Male	33	2	–	–	1	–	–	–	–	–	–	–	–	2	1	–	3	5	8	5	5	1	–
	Female	50	1	–	–	–	–	–	–	–	–	–	1	–	–	1	5	2	7	7	11	10	5	–
	All other—Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	1	–	–	1	1	1	1	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
280–285	Anemias	93	–	1	1	3	–	–	2	–	3	2	1	6	6	5	8	9	13	15	8	7	3	–
	White Male	45	–	–	–	1	–	–	1	–	1	1	–	4	4	1	4	7	7	6	5	2	1	–
	Female	35	–	–	1	1	–	–	–	–	1	–	–	2	1	2	4	2	5	8	2	4	2	–
	All other Male	7	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–	1	1	–	1	–	–
	Female	6	–	1	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–
320	Meningitis	26	8	3	1	1	1	–	–	–	–	–	–	2	–	1	4	2	3	–	–	–	–	–
	White Male	12	2	2	–	1	1	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–
	Female	12	6	–	1	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	27,319	15	5	4	4	16	22	30	73	98	223	492	819	1,231	1,966	2,800	3,700	4,410	4,912	3,855	1,995	646	3
	White Male	12,806	7	1	3	3	8	8	12	34	63	123	316	530	769	1,181	1,620	1,920	2,081	1,981	1,352	610	185	1
	Female	12,303	3	2	2	1	6	10	9	19	17	53	90	163	290	541	878	1,430	2,039	2,689	2,335	1,313	412	1
	All other Male	1,109	3	1	1	–	1	2	5	13	10	29	45	61	106	130	146	190	135	113	66	31	20	1
	Female	1,101	2	1	–	–	1	2	4	7	8	18	41	65	66	114	156	160	155	129	102	41	29	–
390–398, 402, 404, 410–429	Diseases of heart	19,635	13	4	3	1	9	16	20	52	76	181	398	678	1,019	1,582	2,195	2,733	3,085	3,286	2,544	1,316	423	1
	White Male	9,769	5	1	1	1	6	5	6	28	51	111	279	455	673	991	1,323	1,461	1,513	1,395	933	409	122	–
	Female	8,299	3	2	1	–	3	7	8	10	11	39	59	126	213	400	657	1,014	1,379	1,745	1,494	860	267	1
	All other Male	826	3	1	1	–	–	2	5	10	9	22	30	50	85	105	106	143	95	74	48	23	14	–
	Female	741	2	–	–	–	–	2	1	4	5	9	30	47	48	86	109	115	98	72	69	24	20	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	335	–	1	–	–	1	4	8	3	5	11	17	31	30	41	53	38	35	32	14	8	3	–
	White Male	127	–	–	–	–	1	2	2	1	2	–	10	13	13	15	21	18	12	8	6	2	1	–
	Female	176	–	–	–	–	–	2	4	1	2	9	6	17	12	21	29	15	19	23	8	6	2	–
	All other Male	11	–	1	–	–	–	–	1	1	–	–	–	–	2	2	1	1	2	–	–	–	–	–
	Female	21	–	–	–	–	–	–	1	–	1	2	1	1	3	3	2	4	2	1	–	–	–	–
402	Hypertensive heart disease	183	–	–	–	–	–	–	–	1	–	3	1	5	8	14	20	26	28	35	25	12	5	–
	White Male	52	–	–	–	–	–	–	–	–	–	1	–	1	6	6	5	7	8	8	9	1	–	–
	Female	94	–	–	–	–	–	–	–	–	–	–	–	–	1	5	5	11	15	25	16	11	5	–
	All other Male	15	–	–	–	–	–	–	–	1	–	2	–	3	1	–	4	3	–	1	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	–	3	6	5	5	1	–	–	–	–
404	Hypertensive heart and renal disease	195	–	–	–	–	–	–	–	–	–	2	2	3	6	5	16	17	18	50	37	26	13	–
	White Male	87	–	–	–	–	–	–	–	–	–	1	2	1	5	2	8	6	9	22	17	9	5	–
	Female	92	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	7	8	26	18	17	8	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	3	–	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–
410–413	Ischemic heart disease	17,513	1	1	–	–	4	2	7	38	61	141	335	576	911	1,409	1,958	2,476	2,806	2,957	2,297	1,180	352	1
	White Male	8,822	–	–	–	–	3	1	3	25	45	103	245	409	613	908	1,202	1,337	1,382	1,258	831	353	104	–
	Female	7,385	1	1	–	–	1	–	1	6	7	22	41	85	183	345	581	922	1,254	1,569	1,365	783	217	1
	All other Male	704	–	–	–	–	–	1	3	4	7	14	27	41	75	89	84	126	89	67	43	21	14	–
	Female	602	–	–	–	–	–	1	–	3	2	2	22	41	40	67	91	91	81	63	58	23	17	–
410	Acute myocardial infarction	8,881	1	1	–	–	4	1	3	21	44	112	229	425	650	951	1,241	1,398	1,407	1,174	747	374	97	1
	White Male	5,141	–	–	–	–	3	1	2	14	35	84	171	320	460	652	814	802	752	551	319	125	36	–
	Female	3,235	1	1	–	–	1	–	1	5	5	19	31	68	127	224	355	530	588	588	405	234	51	1
	All other Male	286	–	–	–	–	–	–	–	1	2	9	16	17	45	48	36	40	32	20	10	7	3	–
	Female	219	–	–	–	–	–	–	–	1	2	–	11	20	18	27	36	26	35	15	13	8	7	–
411	Other acute and subacute forms of ischemic heart disease	62	–	–	–	–	–	–	–	–	1	–	1	2	7	4	6	7	8	13	9	4	–	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	1	1	4	4	5	4	3	8	4	–	–	–
	Female	22	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	4	5	4	4	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	8,538	–	–	–	–	–	1	4	17	15	29	105	148	254	449	708	1,068	1,389	1,764	1,532	801	254	–
	White Male	3,629	–	–	–	–	–	–	1	11	9	19	73	87	149	248	380	530	626	698	503	227	68	–
	Female	4,114	–	–	–	–	–	–	–	1	1	3	10	17	55	120	225	388	661	971	952	545	165	–
	All other Male	414	–	–	–	–	–	–	3	3	5	5	11	23	29	41	48	85	56	47	33	14	11	–
	Female	381	–	–	–	–	–	1	–	2	–	2	11	21	21	40	55	65	46	48	44	15	10	–
413	Angina pectoris	32	–	–	–	–	–	–	–	–	1	–	–	1	–	5	3	3	2	6	9	1	1	–
	White Male	18	–	–	–	–	–	–	–	–	1	–	–	1	–	4	3	1	1	1	5	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	5	4	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	145	–	–	–	–	–	1	–	–	1	6	6	2	1	7	15	14	14	25	21	21	11	–
	White Male	70	–	–	–	–	–	–	–	–	1	2	1	2	1	3	14	5	11	7	9	11	3	–
	Female	66	–	–	–	–	–	1	–	–	–	3	3	–	–	1	–	7	3	18	12	10	8	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,264	12	2	3	1	4	9	5	10	9	18	37	61	63	106	133	162	184	187	150	69	39	–
	White Male	611	5	1	1	1	2	2	1	2	3	4	21	29	35	57	73	88	91	92	61	33	9	–
	White Female	486	2	1	1	–	2	4	3	3	2	5	9	23	16	26	38	52	80	84	75	33	27	–
	All other Male	82	3	–	1	–	–	2	1	4	2	4	3	5	7	13	14	9	4	5	3	2	–	–
	All other Female	85	2	–	–	–	–	1	–	1	2	5	4	4	5	10	8	13	9	6	11	1	3	–
400, 401, 403	Hypertension	198	–	–	–	–	–	1	2	2	–	1	6	7	8	13	12	23	37	46	24	10	6	–
	White Male	83	–	–	–	–	–	–	1	1	–	–	2	2	2	2	8	10	19	20	8	5	3	–
	White Female	77	–	–	–	–	–	1	–	1	–	–	–	2	3	5	1	8	13	21	16	4	2	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	3	–	1	4	1	2	3	3	–	–	1	–
	All other Female	20	–	–	–	–	–	–	1	–	–	1	1	3	2	2	2	3	2	2	–	1	–	–
430–438	Cerebrovascular diseases	5,828	2	1	–	3	6	5	7	16	18	35	68	104	166	293	469	749	1,034	1,253	994	472	133	–
	White Male	2,238	2	–	–	2	1	3	4	4	9	10	24	53	75	136	212	344	419	447	314	141	38	–
	White Female	3,092	–	–	–	1	3	2	1	6	5	13	24	29	58	116	186	335	535	741	637	312	88	–
	All other Male	213	–	–	–	–	1	–	–	3	1	6	10	9	18	17	31	35	36	23	14	7	2	–
	All other Female	285	–	1	–	–	1	–	2	3	3	6	10	13	15	24	40	35	44	42	29	12	5	–
431	Cerebral hemorrhage	865	1	–	–	1	2	1	3	7	6	10	23	34	41	72	92	124	135	162	94	43	14	–
	White Male	362	1	–	–	–	–	–	2	1	4	2	11	17	19	44	41	53	57	67	24	17	2	–
	White Female	434	–	–	–	1	2	1	–	3	1	4	8	8	15	22	39	66	68	92	67	26	11	–
	All other Male	32	–	–	–	–	–	–	–	2	1	2	3	4	5	3	6	1	2	1	2	–	–	–
	All other Female	37	–	–	–	–	–	–	1	1	–	2	1	5	2	3	6	4	8	2	1	–	1	–
433	Cerebral thrombosis	1,535	–	–	–	–	1	–	–	–	–	–	4	9	19	60	110	194	291	353	312	153	29	–
	White Male	547	–	–	–	–	–	–	–	–	–	–	2	4	9	24	48	94	111	109	94	41	11	–
	White Female	854	–	–	–	–	1	–	–	–	–	–	–	2	6	24	45	74	156	225	200	104	17	–
	All other Male	51	–	–	–	–	–	–	–	–	–	–	1	2	1	6	6	9	10	7	6	3	–	–
	All other Female	83	–	–	–	–	–	–	–	–	–	–	1	1	3	6	11	17	14	12	12	5	1	–
434	Cerebral embolism	49	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	7	10	4	12	8	–	–
	White Male	21	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	3	3	–	3	5	–	–
	White Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	4	9	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,379	1	1	–	2	3	4	4	9	11	25	41	61	105	159	263	424	598	734	576	268	90	–
	White Male	1,308	1	–	–	2	1	3	2	3	4	8	11	32	46	66	120	194	248	271	193	78	25	–
	White Female	1,779	–	–	–	–	–	1	1	3	4	9	16	19	37	70	101	192	306	420	361	179	60	–
	All other Male	128	–	–	–	–	1	–	–	1	–	4	6	3	12	8	19	24	23	15	6	4	2	–
	All other Female	164	–	1	–	–	1	–	1	2	3	4	8	7	10	15	23	14	21	28	16	7	3	–
440	Arteriosclerosis	959	–	–	–	–	–	–	–	–	–	1	1	1	6	25	44	77	136	221	217	163	66	1
	White Male	340	–	–	–	–	–	–	–	–	–	–	–	1	3	16	26	31	54	75	71	45	17	1
	White Female	562	–	–	–	–	–	–	–	–	–	–	1	–	2	8	12	40	73	126	141	114	45	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	–	9	3	1	2	–
	All other Female	34	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	9	11	2	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	699	–	–	1	–	1	–	1	3	4	5	19	29	32	53	80	118	118	106	76	34	18	1
	White Male	376	–	–	–	–	1	–	1	1	3	2	11	19	16	36	51	74	76	44	26	10	5	–
	White Female	273	–	–	1	–	–	–	–	2	1	1	6	6	14	12	22	33	39	56	47	23	10	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	2	2	1	4	4	7	1	4	1	–	1	1
	All other Female	21	–	–	–	–	–	–	–	–	–	1	–	2	1	1	3	4	2	2	2	1	2	–
466	Acute bronchitis and bronchiolitis	14	2	–	–	–	–	1	–	–	–	–	–	–	–	1	3	–	3	2	1	1	–	–
	White Male	8	1	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	1	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,385	50	12	5	2	7	6	6	6	14	21	15	36	36	72	95	153	200	256	220	126	47	–
	White Male	657	20	6	3	1	5	1	4	2	6	6	8	19	29	40	44	93	97	117	89	50	17	–
	White Female	577	9	3	1	1	1	3	–	3	2	9	2	11	3	18	33	43	88	126	121	73	27	–
	All other Male	103	15	2	–	–	1	1	1	1	6	4	5	5	1	10	13	11	10	6	6	3	2	–
	All other Female	48	6	1	1	–	–	1	1	–	–	2	–	1	3	4	5	6	5	7	4	–	1	–
470–474	Influenza	70	1	1	–	1	1	1	–	–	–	–	1	2	3	3	3	6	10	15	8	10	4	–
	White Male	33	–	1	–	–	1	1	–	–	–	–	1	2	3	1	3	2	4	7	3	3	1	–
	White Female	33	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	5	8	5	7	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
480–486	Pneumonia	1,315	49	11	5	1	6	5	6	6	14	21	14	34	33	69	92	147	190	241	212	116	43	–
	White Male	624	20	5	3	1	4	–	4	2	6	6	7	17	26	39	41	91	93	110	86	47	16	–
	White Female	544	8	3	1	–	1	3	–	3	2	9	2	11	3	18	33	40	83	118	116	66	24	–
	All other Male	102	15	2	–	–	1	1	1	1	6	4	5	5	1	9	13	11	10	6	6	3	2	–
	All other Female	45	6	1	1	–	–	1	1	–	–	2	–	1	3	3	5	5	4	7	4	–	1	–
490–493	Bronchitis, emphysema, and asthma	705	–	3	–	2	2	2	3	1	1	9	15	20	48	100	113	134	121	93	22	14	2	–
	White Male	531	–	2	–	–	–	1	1	–	–	2	11	12	29	78	87	106	98	77	18	8	1	–
	White Female	141	–	1	–	–	2	–	–	–	–	4	3	6	16	18	22	24	21	14	4	5	1	–
	All other Male	17	–	–	–	1	–	–	–	–	–	2	–	1	1	2	3	3	1	2	–	1	–	–
	All other Female	16	–	–	–	1	–	1	2	1	1	1	1	1	2	2	1	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
490, 491	Chronic and unqualified bronchitis	116	–	1	–	1	–	1	1	–	–	2	2	3	5	13	18	20	18	23	2	5	1	–
	White Male	83	–	–	–	–	–	1	1	–	–	–	1	2	2	10	14	15	13	20	–	4	–	–
	White Female	28	–	1	–	–	–	–	–	–	–	–	1	1	3	2	3	5	5	3	2	1	1	–
	All other Male	4	–	–	–	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	550	–	–	–	1	–	–	–	–	–	4	12	16	37	83	92	111	99	67	20	7	1	–
	White Male	442	–	–	–	–	–	–	–	–	–	2	10	10	26	67	73	90	85	57	18	3	1	–
	White Female	92	–	–	–	–	–	–	–	–	–	2	2	5	10	14	16	17	13	8	2	3	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	–	1	–	–
	All other Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
493	Asthma	39	–	2	–	–	2	1	2	1	1	3	1	1	6	4	3	3	4	3	–	2	–	–
	White Male	6	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–
	White Female	21	–	–	–	–	2	–	–	–	–	2	–	–	3	2	3	2	3	3	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	11	–	–	–	–	–	1	2	1	1	–	1	1	2	1	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	199	1	–	–	–	–	2	1	–	2	3	3	8	14	23	30	27	31	20	22	12	–	–
	White Male	116	–	–	–	–	–	2	–	–	–	2	2	4	9	13	19	18	22	11	9	5	–	–
	White Female	66	–	–	–	–	–	–	–	–	1	–	–	1	4	8	8	8	8	8	13	7	–	–
	All other Male	10	–	–	–	–	–	–	1	–	–	–	1	2	1	–	2	1	1	1	–	–	–	–
	All other Female	7	1	–	–	–	–	–	–	–	1	1	–	1	–	2	1	–	–	–	–	–	–	–
540–543	Appendicitis	18	–	1	–	1	1	–	–	1	–	–	–	2	1	2	4	2	–	2	–	–	1	–
	White Male	9	–	–	–	–	1	–	–	1	–	–	–	–	1	–	2	2	–	2	–	–	–	–
	White Female	6	–	–	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	174	12	1	–	–	–	–	–	2	–	–	2	3	11	15	13	23	20	29	29	10	4	–
	White Male	53	3	–	–	–	–	–	–	–	–	–	–	–	3	6	7	7	5	10	9	2	1	–
	White Female	100	3	–	–	–	–	–	–	1	–	–	2	2	7	8	4	13	14	16	19	8	3	–
	All other Male	11	4	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	1	–	–	–
	All other Female	10	2	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	2	–	–	–	–
571	Cirrhosis of liver	532	–	–	1	–	–	1	1	25	25	32	56	68	96	77	72	39	19	13	4	2	–	1
	White Male	315	–	–	–	–	–	–	–	9	11	16	35	47	57	51	41	27	11	7	2	1	–	–
	White Female	127	–	–	1	–	–	1	1	6	6	8	10	10	17	15	26	11	7	6	1	1	–	–
	All other Male	60	–	–	–	–	–	–	–	7	5	5	7	6	16	8	3	1	1	–	–	–	–	1
	All other Female	30	–	–	–	–	–	–	–	3	3	3	4	5	6	3	2	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	104	–	–	–	–	–	–	–	–	–	–	1	4	5	5	13	15	17	16	19	7	2	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	–	2	2	1	8	10	9	8	4	2	1	–
	White Female	54	–	–	–	–	–	–	–	–	–	–	1	1	3	3	5	4	8	8	15	5	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	214	1	–	–	2	1	4	1	–	3	5	9	7	11	21	22	26	36	33	18	12	2	–
	White Male	85	–	–	–	–	–	2	–	–	–	2	2	2	3	8	9	13	17	15	3	8	1	–
	White Female	84	1	–	–	1	1	–	–	–	1	–	1	2	3	7	10	10	15	14	14	4	–	–
	All other Male	23	–	–	–	–	–	2	–	–	1	1	2	2	4	–	2	1	4	2	1	–	1	–
	All other Female	22	–	–	–	1	–	–	1	–	1	2	4	1	1	6	1	2	–	2	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	35	1	–	–	1	1	2	–	–	2	–	1	2	1	3	4	3	7	3	2	2	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	4	2	–	1	–	–
	White Female	16	1	–	–	–	1	–	–	–	1	–	–	1	–	1	2	2	3	1	2	1	–	–
	All other Male	4	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Female	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	179	–	–	–	1	–	2	1	–	1	5	8	5	10	18	18	23	29	30	16	10	2	–
	White Male	72	–	–	–	–	–	2	–	–	–	2	1	2	2	6	8	12	13	13	3	7	1	–
	White Female	68	–	–	–	1	–	–	–	–	–	–	1	1	3	6	8	8	12	13	12	3	–	–
	All other Male	19	–	–	–	–	–	–	–	–	1	1	2	1	4	–	1	1	4	2	1	–	1	–
	All other Female	20	–	–	–	–	–	–	1	–	–	2	4	1	1	6	1	2	–	2	–	–	–	–
590	Infections of kidney	155	–	–	–	–	2	–	–	1	1	3	2	1	4	6	9	24	26	25	32	16	3	–
	White Male	55	–	–	–	–	–	–	–	–	1	–	1	1	3	1	3	6	11	11	10	5	2	–
	White Female	77	–	–	–	–	2	–	–	–	–	3	–	–	–	4	4	11	13	12	19	9	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	1	–	–
	All other Female	18	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	6	2	2	3	1	1	–
600	Hyperplasia of prostate	47	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	8	7	10	11	5	1	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	7	6	10	11	5	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	2	1	1	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	2	1	1	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	5	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	6	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	327	208	28	16	10	5	4	4	7	5	6	3	7	7	3	4	3	3	–	2	–	1	1
	White.....Male	150	96	13	10	2	1	2	1	2	2	3	1	3	4	2	4	–	1	–	2	–	–	1
	Female	114	71	7	5	7	2	2	3	4	2	–	2	2	3	–	–	2	1	–	–	–	1	–
	All other.....Male	40	25	5	1	1	1	–	–	1	1	1	–	2	–	–	–	1	1	–	–	–	–	–
	Female	23	16	3	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	628	628	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	270	270	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	191	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	345	345	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	283	283	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,563	102	5	3	2	5	11	14	13	15	30	45	100	96	155	181	195	186	164	135	68	35	3
	White.....Male	853	35	2	1	1	3	5	8	8	11	18	26	64	65	100	113	114	95	87	59	25	11	2
	Female	499	34	1	1	1	–	4	4	3	4	5	15	20	18	32	52	52	73	62	61	37	19	1
	All other.....Male	113	18	1	–	–	1	1	–	1	–	4	3	10	9	14	9	13	11	7	8	1	2	–
	Female	98	15	1	1	–	1	1	2	1	–	3	1	6	4	9	7	16	7	8	7	5	3	–
Residual	All other diseases	2,933	41	21	26	25	28	25	34	50	49	82	105	148	193	245	372	381	389	360	234	101	24	–
	White.....Male	1,470	18	12	7	9	14	11	12	17	22	39	50	79	100	137	232	206	201	165	90	38	11	–
	Female	1,116	12	5	13	12	6	7	15	21	17	27	28	41	66	74	106	134	161	169	131	59	12	–
	All other.....Male	187	5	3	2	1	6	4	2	6	6	12	20	17	15	15	14	25	12	13	5	3	1	–
	Female	160	6	1	4	3	2	3	5	6	4	4	7	11	12	19	20	16	15	13	8	1	–	–
E800–E949	Accidents	2,487	41	83	66	101	292	236	143	119	91	121	112	107	125	120	121	102	138	145	147	62	13	2
	White.....Male	1,536	17	40	37	68	219	184	104	85	59	76	80	68	81	86	68	57	65	67	47	24	2	2
	Female	712	15	20	21	21	60	30	27	22	23	22	17	25	32	20	39	40	62	76	97	35	8	–
	All other.....Male	169	3	14	6	9	11	16	11	7	9	19	11	10	9	12	10	2	4	–	2	3	1	–
	Female	70	6	9	2	3	2	6	1	5	–	4	4	4	3	2	4	3	7	2	1	–	2	–
E810–E823	Motor vehicle accidents	1,020	6	26	27	34	187	152	96	58	45	55	50	46	54	39	39	25	42	24	12	1	1	1
	White.....Male	696	2	10	12	20	135	120	76	43	29	39	32	32	30	26	25	17	26	13	7	–	1	1
	Female	249	4	9	8	12	46	21	18	11	15	9	11	11	19	8	10	7	14	11	5	–	–	–
	All other.....Male	54	–	2	5	2	4	8	1	3	1	5	6	2	3	5	4	1	1	–	–	1	–	–
	Female	21	–	5	2	–	2	3	1	1	–	2	1	1	2	–	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,467	35	57	39	67	105	84	47	61	46	66	62	61	71	81	82	77	96	121	135	61	12	1
	White.....Male	840	15	30	25	48	84	64	28	42	30	37	48	36	51	60	43	40	39	54	40	24	1	1
	Female	463	11	11	13	9	14	9	9	11	8	13	6	14	13	12	29	33	48	65	92	35	8	–
	All other.....Male	115	3	12	1	7	7	8	10	4	8	14	5	8	6	7	6	1	3	–	2	2	1	–
	Female	49	6	4	–	3	–	3	–	4	–	2	3	3	1	2	4	3	6	2	1	–	2	–
E950–E959	Suicide	620	...	...	–	5	33	63	59	52	45	39	62	40	50	52	39	29	30	11	8	3	–	–
	White.....Male	443	...	...	–	5	25	47	42	38	34	23	36	28	33	39	33	20	22	11	5	2	–	–
	Female	146	...	...	–	–	7	8	14	12	9	13	23	12	15	13	6	7	5	–	2	–	–	–
	All other.....Male	23	...	...	–	–	–	6	–	2	2	3	1	–	2	–	–	2	3	–	1	1	–	–
	Female	8	...	...	–	–	1	2	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	490	5	8	–	5	61	87	67	42	34	44	41	30	19	14	9	9	4	5	4	2	–	–
	White.....Male	163	3	2	–	2	11	21	22	12	12	20	16	13	6	7	5	5	2	3	1	–	–	–
	Female	46	1	–	–	1	6	5	3	3	4	1	5	2	3	2	1	3	2	2	1	1	–	–
	All other.....Male	249	1	3	–	1	40	55	37	25	16	21	16	14	10	5	3	–	–	–	1	1	–	–
	Female	32	–	3	–	1	4	6	5	2	2	2	4	1	–	–	–	1	–	–	1	–	–	–
E980–E999	Other external causes	144	2	6	–	2	8	17	19	13	11	7	8	6	11	6	7	10	2	5	2	2	–	–
	White.....Male	71	1	2	–	–	3	11	11	7	5	3	4	2	7	4	4	3	–	2	1	1	–	–
	Female	43	1	1	–	1	2	3	3	4	2	1	2	3	4	2	3	6	–	3	1	1	–	–
	All other.....Male	22	–	1	–	1	3	2	4	2	3	2	1	–	–	–	–	1	2	–	–	–	–	–
	Female	8	–	2	–	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana																							
	All causes	**6,558**	**202**	**49**	**32**	**35**	**126**	**125**	**72**	**70**	**96**	**110**	**189**	**284**	**397**	**553**	**617**	**657**	**801**	**939**	**746**	**344**	**112**	**2**
	White—Male	3,702	111	28	17	24	71	86	44	43	41	61	119	186	230	367	411	398	449	474	346	147	47	2
	White—Female	2,553	70	16	12	8	34	27	17	13	33	37	52	82	140	174	187	230	334	449	386	192	60	—
	All other—Male	189	14	1	1	2	14	10	7	9	13	8	12	8	16	7	9	22	13	10	9	1	3	—
	All other—Female	114	7	4	2	1	7	2	4	5	9	4	6	8	11	5	10	7	5	6	5	4	2	—
004, 006	Bacillary dysentery and amebiasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
008, 009	Enteritis and other diarrheal diseases	9	3	1	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—
	White—Male	4	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	White—Female	3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	All other—Male	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010–019	Tuberculosis, all forms	16	—	—	—	—	—	—	—	—	3	—	1	2	2	—	3	2	—	2	1	—	—	—
	White—Male	7	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	2	—	2	—	—	—	—
	White—Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	All other—Male	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	All other—Female	6	—	—	—	—	—	—	—	—	2	—	1	—	1	—	2	—	—	—	—	—	—	—
010–012	Tuberculosis of respiratory system	13	—	—	—	—	—	—	—	—	2	—	—	2	1	—	3	2	—	2	1	—	—	—
	White—Male	7	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	2	—	2	—	—	—	—
	White—Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	All other—Male	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	All other—Female	4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—
013–019	Tuberculosis, other forms	3	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
033	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
034	Streptococcal sore throat and scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
036	Meningococcal infections	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
038	Septicemia	14	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2	4	2	—	—	—
	White—Male	10	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	4	1	—	—	—
	White—Female	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
040–043	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
090–097	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of 000–136	Other infective and parasitic diseases	7	2	—	1	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
	White—Male	5	1	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—Female	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	All other—Male	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,124	–	3	2	2	4	3	7	8	14	23	43	68	115	159	156	152	118	138	89	17	3	–
	White—Male	613	–	1	1	1	3	–	4	3	3	8	25	29	54	96	92	90	73	73	47	8	2	–
	Female	476	–	2	1	1	1	3	3	3	10	14	18	35	54	60	60	57	40	64	40	9	1	–
	All other—Male	15	–	–	–	–	–	–	–	1	–	–	–	–	4	1	2	3	2	1	1	–	–	–
	Female	20	–	–	–	–	–	–	–	1	1	1	–	4	3	2	2	2	3	–	1	–	–	–
140–149	Of buccal cavity and pharynx	19	–	–	–	1	–	–	–	–	–	1	1	1	–	2	6	3	1	–	3	–	–	–
	White—Male	12	–	–	–	1	–	–	–	–	–	1	1	–	–	2	2	2	–	–	3	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	326	–	–	–	–	–	–	–	–	1	6	14	18	22	46	38	42	36	57	36	9	1	–
	White—Male	152	–	–	–	–	–	–	–	–	1	1	9	10	9	27	22	16	21	20	12	3	1	–
	Female	165	–	–	–	–	–	–	–	–	–	5	5	7	11	18	16	24	14	37	22	6	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–
160–163	Of respiratory system	255	–	–	–	–	1	–	–	1	3	1	13	16	38	43	39	41	25	23	9	2	–	–
	White—Male	199	–	–	–	–	1	–	–	1	2	1	7	11	25	35	29	38	20	21	6	2	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	6	5	10	7	7	3	4	2	3	–	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
174	Of breast	87	–	–	–	–	–	–	–	2	3	4	3	9	11	8	17	13	4	6	5	2	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	83	–	–	–	–	–	–	–	1	3	4	3	8	11	7	16	13	4	6	5	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	150	–	–	–	–	–	–	2	–	4	3	2	8	13	18	14	23	21	22	16	2	2	–
	White—Male	76	–	–	–	–	–	–	1	–	–	–	1	–	–	8	7	13	15	15	14	1	1	–
	Female	66	–	–	–	–	–	–	1	–	3	2	1	6	12	10	7	8	5	7	2	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	2	–	–	–	–	–	–
188, 189	Of urinary organs	56	–	1	–	–	–	–	–	–	–	1	2	2	8	5	15	7	5	4	5	1	–	–
	White—Male	44	–	1	–	–	–	–	–	–	–	1	2	2	6	3	12	7	4	1	4	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	1	2	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	110	–	1	–	1	1	2	2	2	2	3	4	9	15	19	12	11	13	7	6	–	–	–
	White—Male	57	–	–	–	–	–	1	1	1	–	1	3	5	10	10	6	6	7	4	3	–	–	–
	Female	52	–	1	–	1	1	2	1	1	2	2	1	4	5	9	6	5	5	3	3	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
204–207	Leukemia	41	–	1	2	–	1	1	1	–	1	1	–	3	1	5	4	6	1	10	2	1	–	–
	White—Male	24	–	–	1	–	1	–	1	–	–	–	–	–	–	4	4	4	1	5	2	1	–	–
	Female	17	–	1	1	–	–	1	–	–	1	1	–	3	1	1	–	2	–	5	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	80	–	–	–	–	1	–	2	3	–	3	4	2	7	13	11	6	12	9	7	–	–	–
	White—Male	47	–	–	–	–	1	–	1	1	–	3	2	1	4	6	9	4	5	7	3	–	–	–
	Female	30	–	–	–	–	–	–	1	1	–	–	2	1	2	7	2	2	6	2	4	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	12	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	2	3	–	1	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	3	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	103	–	–	1	–	–	1	–	1	1	–	1	5	4	12	11	10	18	19	13	6	–	–
	White—Male	39	–	–	–	–	–	1	–	1	1	–	1	–	2	7	5	2	5	6	5	3	–	–
	Female	63	–	–	1	–	–	–	–	–	–	–	–	4	2	5	6	8	13	13	8	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana — Con.																							
280–285	Anemias	13	1	–	–	1	–	–	–	–	–	–	–	–	1	1	1	2	–	3	1	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–
	Female	8	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	5	1	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,167	2	1	–	–	5	6	3	5	17	32	59	101	159	231	290	354	476	590	491	254	89	2
	White Male	1,772	1	–	–	–	2	1	2	3	11	21	42	77	98	170	203	217	260	289	233	106	34	2
	Female	1,316	1	1	–	–	3	5	–	2	5	7	15	20	52	58	79	120	209	291	251	145	52	–
	All other Male	52	–	–	–	–	–	–	1	–	1	3	1	3	8	3	3	13	5	5	4	–	2	–
	Female	27	–	–	–	–	–	–	–	–	–	1	1	1	1	–	5	4	2	5	3	3	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,209	1	–	–	–	3	5	2	4	12	23	49	93	130	182	229	270	330	370	288	160	56	2
	White Male	1,321	1	–	–	–	1	1	1	3	8	17	39	76	89	142	165	171	181	186	145	70	23	2
	Female	826	–	–	–	–	2	4	–	1	3	3	9	14	35	38	57	86	143	175	136	88	32	–
	All other Male	40	–	–	–	–	–	–	1	–	1	2	1	3	5	2	2	10	4	5	4	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	3	2	4	3	2	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	49	–	–	–	–	–	1	–	–	–	3	1	1	8	8	7	9	5	3	2	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	4	2	1	1	–	–	–
	Female	34	–	–	–	–	–	1	–	–	–	2	1	1	6	6	5	5	3	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	27	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	5	7	6	1	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	3	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	5	3	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,854	–	–	–	–	1	1	1	2	7	14	40	75	105	147	193	229	283	325	253	135	43	–
	White Male	1,123	–	–	–	–	–	1	1	2	5	12	33	62	75	114	144	145	156	166	129	58	20	–
	Female	688	–	–	–	–	1	–	–	–	2	1	6	11	25	31	45	74	122	154	118	76	22	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	1	2	4	2	1	9	3	2	4	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	3	2	1	1	–
410	Acute myocardial infarction	1,008	–	–	–	–	1	1	1	1	4	12	28	57	84	106	146	142	158	126	94	42	5	–
	White Male	680	–	–	–	–	–	1	1	1	2	10	22	47	61	83	110	95	99	68	56	23	1	–
	Female	304	–	–	–	–	1	–	–	–	2	1	5	8	19	21	32	41	58	56	37	19	4	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	1	2	4	2	1	6	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	13	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	–	1	–	4	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	3	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	833	–	–	–	–	–	–	–	1	3	1	11	18	20	40	45	87	124	199	155	92	37	–
	White Male	435	–	–	–	–	–	–	–	1	3	1	10	15	14	31	33	50	57	98	70	34	18	–
	Female	380	–	–	–	–	–	–	–	–	–	–	1	3	5	9	12	33	63	98	81	57	18	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	3	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	1	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	28	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	4	8	4	–	1	4	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	4	4	3	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	1	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	245	1	–	–	–	2	3	1	2	5	6	8	15	16	26	20	26	28	28	26	22	8	2
	White—Male	153	1	–	–	–	1	–	–	1	3	4	6	12	11	25	14	16	17	14	12	11	3	2
	White—Female	73	–	–	–	–	1	3	–	1	1	–	2	2	4	1	3	7	10	10	13	10	5	–
	All other—Male	11	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	1	1	3	–	–	–	–
	All other—Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	–	1	1	1	–	–
400, 401, 403	Hypertension	17	–	1	–	–	–	–	–	–	–	–	1	–	–	–	3	1	2	3	5	1	–	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–
	White—Female	12	–	1	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	3	2	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	669	1	–	–	–	2	–	1	1	5	9	7	6	23	33	47	58	102	163	136	58	17	–
	White—Male	311	–	–	–	–	1	–	1	–	3	4	2	–	6	15	32	31	56	73	58	24	5	–
	White—Female	345	1	–	–	–	1	–	–	1	2	4	4	5	15	18	15	23	46	89	78	33	10	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	–	–	–	2	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	1	–	–
431	Cerebral hemorrhage	72	1	–	–	–	–	–	–	–	1	2	1	3	6	8	7	8	9	11	9	5	1	–
	White—Male	35	–	–	–	–	–	–	–	–	1	1	1	–	2	5	5	5	4	6	4	1	–	–
	White—Female	36	1	–	–	–	–	–	–	–	–	1	–	2	4	3	2	3	5	5	5	4	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	141	–	–	–	–	–	–	–	–	1	1	2	–	4	3	9	7	21	37	34	20	2	–
	White—Male	67	–	–	–	–	–	–	–	–	1	–	–	–	2	1	6	5	11	17	15	9	–	–
	White—Female	70	–	–	–	–	–	–	–	–	–	1	2	–	1	2	3	2	10	19	19	10	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	453	–	–	–	–	2	–	1	1	3	5	4	3	13	21	31	43	72	114	93	33	14	–
	White—Male	208	–	–	–	–	1	–	1	–	1	3	1	–	2	8	21	21	41	50	39	14	5	–
	White—Female	237	–	–	–	–	1	–	–	1	2	1	2	3	10	13	10	18	31	64	54	19	8	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	1	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	173	–	–	–	–	–	–	–	–	–	–	1	1	–	5	3	9	21	38	49	30	16	–
	White—Male	76	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	6	9	19	20	10	6	–
	White—Female	94	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	11	19	29	20	10	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	99	–	–	–	–	–	1	–	–	–	–	1	1	6	11	8	16	21	16	13	5	–	–
	White—Male	59	–	–	–	–	–	–	–	–	–	–	–	–	3	11	3	9	13	11	7	2	–	–
	White—Female	39	–	–	–	–	–	1	–	–	–	–	1	1	2	–	5	7	8	5	6	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	White—Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	White—Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	205	7	2	2	1	2	–	–	2	–	2	2	2	5	2	20	14	36	34	40	23	9	–
	White—Male	106	4	–	1	–	1	–	–	1	–	1	1	1	4	1	13	7	21	18	17	9	6	–
	White—Female	88	3	2	1	1	1	–	–	–	–	–	1	1	–	1	6	6	14	14	22	13	2	–
	All other—Male	8	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	1	1	1	–	1	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
470–474	Influenza	12	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	2	2	1	2	1	–
	White—Male	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	193	7	2	2	1	1	–	–	2	–	1	1	2	5	2	19	14	34	32	39	21	8	–
	White—Male	102	4	–	1	–	–	–	–	1	–	1	1	1	4	1	12	7	20	18	17	8	6	–
	White—Female	81	3	2	1	1	1	–	–	–	–	–	–	1	–	1	6	6	13	12	21	12	1	–
	All other—Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	1	–	1	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	118	1	–	–	–	1	1	–	–	1	–	1	–	13	26	17	17	19	13	6	1	1	–
	White—Male	85	1	–	–	–	1	1	–	–	–	–	1	–	8	17	13	13	13	11	4	1	1	–
	White—Female	29	–	–	–	–	–	–	–	–	1	–	–	–	5	8	3	4	4	2	2	–	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana – Con.																							
490, 491	Chronic and unqualified bronchitis	14	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	4	1	–	1	–
	White Male	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	93	–	–	–	–	1	–	–	–	1	–	1	–	11	22	13	14	16	8	5	1	–	–
	White Male	69	–	–	–	–	1	–	–	–	1	–	1	–	7	14	11	11	12	7	4	1	–	–
	Female	20	–	–	–	–	–	–	–	–	1	–	–	–	4	7	1	3	2	1	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
493	Asthma	11	–	–	–	–	–	1	–	–	–	–	–	–	2	3	1	2	1	1	–	–	–	–
	White Male	6	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	13	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	1	2	2	–	2	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	2	2	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	26	3	–	–	–	–	–	–	–	1	–	1	1	–	4	1	4	3	2	4	2	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	1	1	–	1	–	–
	Female	17	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	4	2	1	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	99	–	–	–	–	–	–	3	3	7	10	14	11	11	17	8	7	4	3	1	–	–	–
	White Male	53	–	–	–	–	–	–	1	1	1	4	3	8	9	8	5	6	4	3	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	3	3	2	2	7	3	1	–	–	1	–	–	–
	All other Male	16	–	–	–	–	–	–	1	–	4	2	6	1	–	2	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	1	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	16	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	–	3	2	2	1	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	21	–	–	–	–	–	–	–	–	1	1	3	1	1	2	1	–	5	2	2	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	2	2	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	3	–	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	15	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	5	2	1	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	3	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	13	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	4	3	–	2	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	56	33	6	2	2	1	1	2	–	1	1	–	1	1	–	1	–	–	1	2	–	1	–
	White..... Male	36	20	5	–	2	1	–	1	–	1	1	–	1	–	–	1	–	–	1	1	–	1	–
	Female	17	10	1	2	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	All other..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	116	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	217	15	1	–	1	3	2	2	–	2	3	4	11	17	20	25	25	24	30	23	7	2	–
	White..... Male	127	7	–	–	–	1	1	1	–	–	1	4	8	15	18	17	16	15	16	4	3	–	–
	Female	81	4	–	–	1	1	1	1	–	2	2	–	3	1	2	8	9	9	14	17	4	2	–
	All other..... Male	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	4	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Residual	All other diseases	417	4	7	1	5	6	8	3	1	8	9	13	26	36	33	45	37	62	62	36	14	1	–
	White..... Male	225	1	5	–	4	4	3	–	1	1	6	7	17	16	16	32	19	33	34	20	6	–	–
	Female	164	2	2	1	1	1	2	3	–	6	3	3	7	15	15	11	15	28	27	15	7	–	–
	All other..... Male	17	–	–	–	–	1	3	–	–	–	–	2	2	1	1	1	2	1	1	1	1	–	–
	Female	11	1	–	–	–	–	–	–	–	1	–	1	–	4	1	1	1	–	–	–	–	1	–
E800–E949	Accidents	558	7	25	21	20	83	77	30	35	29	18	31	30	12	30	19	23	16	15	26	9	2	–
	White..... Male	364	2	15	14	14	48	61	21	25	18	12	21	25	9	19	12	16	11	6	9	6	–	–
	Female	137	4	7	4	3	23	9	2	5	4	4	8	4	2	11	6	6	5	9	16	3	2	–
	All other..... Male	39	–	1	1	2	9	5	5	4	5	2	1	–	1	–	1	1	–	–	1	–	–	–
	Female	18	1	2	2	1	3	2	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	284	4	12	13	8	56	49	18	18	16	9	18	14	6	14	7	9	7	3	3	–	–	–
	White..... Male	177	2	6	8	5	27	36	12	14	9	6	11	11	3	8	4	7	5	1	2	–	–	–
	Female	73	2	4	3	2	20	8	2	3	4	2	5	2	2	6	3	1	2	2	–	–	–	–
	All other..... Male	20	–	–	–	1	7	4	2	–	1	1	1	–	1	–	–	1	–	–	1	–	–	–
	Female	14	–	2	2	–	2	1	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	274	3	13	8	12	27	28	12	17	13	9	13	16	6	16	12	14	9	12	23	9	2	–
	White..... Male	187	–	9	6	9	21	25	9	11	9	6	10	14	6	11	8	9	6	5	7	6	–	–
	Female	64	2	3	1	1	3	1	–	2	–	2	3	2	–	5	3	5	3	7	16	3	2	–
	All other..... Male	19	–	1	1	1	2	1	3	4	4	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	122	...	...	–	–	9	21	13	8	5	7	7	15	10	8	8	2	2	3	3	–	1	–
	White..... Male	88	...	...	–	–	3	15	8	6	3	4	7	13	8	6	6	2	1	2	3	–	1	–
	Female	25	...	...	–	–	1	4	4	1	2	3	–	2	2	2	2	–	1	1	–	–	–	–
	All other..... Male	6	...	...	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	40	–	1	2	–	5	1	6	6	2	2	3	5	1	1	1	1	1	2	–	–	–	–
	White..... Male	19	–	1	–	–	2	–	4	2	–	2	2	3	1	1	–	–	1	–	–	–	–	–
	Female	13	–	–	2	–	2	1	2	2	1	–	–	1	–	–	1	–	–	1	–	–	–	–
	All other..... Male	8	–	–	–	–	1	–	–	2	1	–	1	1	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	26	–	1	–	1	6	4	2	1	2	1	3	–	2	–	1	–	1	–	1	–	–	–
	White..... Male	16	–	1	–	1	4	3	2	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska																							
	All causes	15,025	364	56	42	76	179	172	141	123	119	198	333	532	738	1,092	1,384	1,804	2,211	2,327	1,905	940	289	–
	White—Male	7,881	181	31	23	47	128	115	75	71	69	103	188	341	468	681	843	1,049	1,138	1,107	818	323	82	–
	White—Female	6,707	140	20	14	26	44	44	49	40	42	69	123	159	250	357	502	719	1,028	1,205	1,065	610	201	–
	All other—Male	258	22	5	3	1	6	10	14	8	4	15	16	22	12	30	25	19	27	6	7	3	3	–
	All other—Female	179	21	–	2	2	1	3	3	4	4	11	6	10	8	24	14	17	18	9	15	4	3	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	14	2	–	–	–	–	–	–	–	1	1	–	–	1	1	–	1	1	4	1	–	1	–
	White—Male	7	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	1	–	1	–
	White—Female	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	3	2	1	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	1	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	20	5	–	–	–	–	–	–	1	–	1	–	–	2	1	1	2	3	3	1	–	–	–
	White—Male	10	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	–	–	–	–
	White—Female	10	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	1	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	28	4	2	–	3	–	1	2	1	2	1	1	3	1	1	1	2	2	–	1	–	–	–
	White—Male	10	3	1	–	1	–	–	1	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–
	White—Female	17	1	1	–	2	–	1	1	1	–	1	–	3	1	–	1	1	2	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,657	2	7	6	15	11	16	8	20	27	36	93	143	222	308	353	409	388	329	193	58	13	–
	White—Male	1,401	1	6	3	8	7	8	3	11	12	10	44	71	103	167	203	225	218	179	96	25	1	–
	White—Female	1,194	1	1	2	7	4	8	5	8	14	25	45	64	113	129	142	176	160	149	96	33	12	–
	All other—Male	35	–	–	–	–	–	–	–	–	–	–	3	4	3	8	6	5	5	1	–	–	–	–
	All other—Female	27	–	–	1	–	–	–	–	1	1	1	1	4	3	4	2	3	5	–	1	–	–	–
140–149	Of buccal cavity and pharynx	60	–	–	1	–	–	–	–	–	1	1	1	6	6	5	7	12	10	8	1	–	1	–
	White—Male	44	–	–	1	–	–	–	–	–	1	1	–	3	6	3	4	10	9	6	–	–	–	–
	White—Female	16	–	–	–	–	–	–	–	–	–	–	1	3	–	2	3	2	1	2	1	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	809	1	–	–	–	–	–	3	4	3	4	28	37	49	80	108	131	118	142	71	22	8	–
	White—Male	398	1	–	–	–	–	–	1	4	1	1	15	20	24	44	61	62	59	71	26	8	–	–
	White—Female	395	–	–	–	–	–	–	2	–	2	3	11	15	24	31	45	67	57	71	45	14	8	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	1	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	1	–	–	–	–	–
160–163	Of respiratory system	483	–	–	–	–	–	–	–	1	6	5	19	38	65	71	77	84	71	31	11	4	–	–
	White—Male	369	–	–	–	–	–	–	–	–	3	3	13	26	46	56	61	73	51	24	11	2	–	–
	White—Female	95	–	–	–	–	–	–	–	1	3	2	5	7	16	13	13	9	17	7	–	2	–	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	–	1	3	2	2	3	2	3	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
174	Of breast	222	–	–	–	–	–	–	–	3	5	9	13	10	30	32	28	36	24	19	8	4	1	–
	White—Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	214	–	–	–	–	–	–	–	2	4	9	13	9	29	31	28	34	23	19	8	4	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	2	–	–	–	–	–	–
180–187	Of genital organs	320	–	1	–	–	–	3	1	4	3	4	8	17	17	30	38	42	58	44	41	8	1	–
	White—Male	166	–	1	–	–	–	2	–	1	–	–	2	1	5	10	18	23	32	31	33	6	1	–
	White—Female	143	–	–	–	–	–	1	1	3	2	3	6	16	12	18	18	17	23	13	8	2	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	2	–	–	–	–	–
188, 189	Of urinary organs	141	–	1	–	–	–	–	–	–	1	2	–	4	11	20	21	19	25	19	13	5	–	–
	White—Male	93	–	1	–	–	–	–	–	–	–	1	–	3	8	12	18	12	17	11	7	3	–	–
	White—Female	45	–	–	–	–	–	–	–	–	1	1	–	1	3	7	3	7	8	7	5	2	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	296	–	3	2	1	5	6	1	4	4	5	17	13	25	45	35	42	32	24	25	7	–	–
	White—Male	153	–	2	2	–	3	2	–	3	4	2	10	7	8	26	19	22	19	11	10	3	–	–
	White—Female	139	–	1	–	1	2	4	1	1	–	3	6	6	17	18	16	20	11	13	15	4	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
204–207	Leukemia	151	1	2	3	12	5	2	1	2	1	3	1	5	4	12	13	24	23	24	8	3	2	–
	White—Male	85	–	2	–	6	3	1	–	2	–	1	1	3	1	7	7	17	16	12	4	2	–	–
	White—Female	64	1	–	2	6	2	1	1	–	1	2	–	2	2	5	6	7	7	12	4	1	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	175	–	–	–	2	1	5	2	2	3	3	6	13	15	13	26	19	27	18	15	5	–	–
	White—Male	91	–	–	–	2	1	3	2	1	2	1	3	8	5	9	15	6	14	13	5	1	–	–
	White—Female	83	–	–	–	–	–	2	–	1	1	2	3	5	10	4	10	13	13	5	10	4	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	35	2	–	–	1	–	–	–	–	1	–	1	–	2	2	4	5	8	3	3	3	–	–
	White—Male	15	2	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	–	1	–	–
	White—Female	20	–	–	–	1	–	–	–	–	1	–	1	–	2	1	–	3	6	–	3	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	293	–	–	–	–	1	1	8	1	3	2	5	14	16	27	37	42	47	46	23	17	3	–
	White—Male	113	–	–	–	–	–	–	1	1	2	1	1	7	9	9	19	19	15	13	9	5	2	–
	White—Female	168	–	–	–	–	1	1	7	–	1	1	3	6	7	16	14	22	31	31	14	12	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	20	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	2	4	5	3	1	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	–
	White—Female	13	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	5	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
280–285	Anemias	15	–	1	–	–	1	–	–	1	–	–	1	–	–	–	1	2	1	3	1	3	–	–
	White Male	7	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	1	–	–
	Female	6	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
320	Meningitis	6	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	White Male	5	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	8,265	8	4	2	4	7	10	7	9	30	52	106	210	315	514	723	1,011	1,343	1,578	1,408	697	227	–
	White Male	4,203	4	2	1	1	2	4	2	7	18	32	70	156	243	355	459	587	660	713	591	234	62	–
	Female	3,894	3	2	1	3	3	6	5	2	8	15	32	43	64	127	247	402	657	855	802	457	160	–
	All other Male	97	–	–	–	–	2	–	–	–	2	3	4	9	5	16	11	12	18	4	6	2	3	–
	Female	71	1	–	–	–	–	–	–	–	2	2	–	2	3	16	6	10	8	6	9	4	2	–
390–398, 402, 404, 410–429	Diseases of heart	5,730	5	3	1	2	3	7	4	8	20	39	90	171	257	422	560	733	908	1,042	892	425	138	–
	White Male	3,088	2	1	1	–	2	4	2	6	15	28	65	131	209	304	366	435	462	490	384	145	36	–
	Female	2,525	3	2	–	2	1	3	2	2	3	7	22	31	45	93	181	285	428	545	496	275	99	–
	All other Male	72	–	–	–	–	–	–	–	–	1	2	3	8	2	13	10	8	14	4	4	1	2	–
	Female	45	–	–	–	–	–	–	–	–	1	2	–	1	1	12	3	5	4	3	8	4	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	108	–	–	–	–	–	1	–	–	1	2	3	6	17	18	16	18	11	9	4	2	–	–
	White Male	55	–	–	–	–	–	1	–	–	–	–	–	1	13	9	8	9	6	5	2	1	–	–
	Female	51	–	–	–	–	–	–	–	–	1	1	3	4	4	9	8	9	5	4	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	58	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	8	14	11	8	5	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	2	3	3	4	1	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	11	8	4	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	117	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	7	15	31	33	22	5	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	6	10	9	7	1	–
	Female	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	8	21	24	15	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	5,074	–	–	–	–	–	–	2	4	15	31	76	149	220	371	510	648	812	932	796	383	125	–
	White Male	2,776	–	–	–	–	–	–	1	3	12	26	57	117	180	274	339	388	419	450	348	130	32	–
	Female	2,196	–	–	–	–	–	–	1	1	2	3	16	25	37	75	160	247	379	475	436	249	90	–
	All other Male	64	–	–	–	–	–	–	–	–	1	1	3	7	2	11	9	8	11	4	4	1	2	–
	Female	38	–	–	–	–	–	–	–	–	–	1	–	–	1	11	2	5	3	3	8	3	1	–
410	Acute myocardial infarction	2,777	–	–	–	–	–	–	1	3	12	24	55	102	145	260	351	402	482	457	306	138	39	–
	White Male	1,657	–	–	–	–	–	–	1	2	10	22	42	79	116	206	235	249	270	225	135	51	14	–
	Female	1,084	–	–	–	–	–	–	–	1	1	2	11	19	29	44	114	148	207	228	169	86	25	–
	All other Male	25	–	–	–	–	–	–	–	–	1	–	2	4	–	6	2	3	4	2	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	1	2	2	–	–	–
411	Other acute and subacute forms of ischemic heart disease	23	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	2	5	3	3	2	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	2	3	2	1	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,274	–	–	–	–	–	–	1	1	3	6	21	47	73	110	157	244	325	472	487	243	84	–
	White Male	1,103	–	–	–	–	–	–	–	1	2	4	15	38	62	67	103	138	146	223	210	77	17	–
	Female	1,106	–	–	–	–	–	–	1	–	1	–	5	6	8	31	45	98	170	246	267	163	65	–
	All other Male	38	–	–	–	–	–	–	–	–	–	1	1	3	2	5	7	5	7	2	4	–	1	–
	Female	27	–	–	–	–	–	–	–	–	–	1	–	–	1	7	2	3	2	1	6	3	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	56	–	–	–	–	–	1	–	–	–	1	1	–	–	2	3	8	9	12	11	5	3	–
	White Male	21	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	4	2	4	5	3	–	–
	Female	35	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	4	7	8	6	2	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
420–423, 425–427, 429	All other forms of heart disease	317	5	3	1	2	3	5	2	4	4	5	9	16	17	26	25	44	47	47	40	8	4	–
	White Male	177	2	1	1	–	2	2	1	3	3	2	7	13	13	17	16	28	26	18	16	3	3	–
	Female	130	3	2	–	2	1	3	1	1	–	2	2	2	4	8	7	16	18	29	24	4	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	1	–	–
400, 401, 403	Hypertension	65	–	–	–	1	–	–	–	–	–	–	2	1	1	5	5	9	12	12	10	5	2	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	6	7	6	6	2	–	–
	Female	26	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	3	4	6	4	3	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,895	2	1	1	1	3	1	3	1	8	12	12	32	44	64	128	219	334	406	379	193	51	–
	White Male	801	1	1	–	1	–	–	–	1	1	4	4	21	26	36	66	110	142	164	147	59	17	–
	Female	1,054	–	–	1	–	1	1	3	–	5	7	8	10	13	23	59	102	186	240	229	133	33	–
	All other Male	20	–	–	–	–	2	–	–	–	1	1	–	–	3	2	1	3	3	–	2	1	1	–
	Female	20	1	–	–	–	–	–	–	–	1	–	–	1	2	3	2	4	3	2	1	–	–	–
431	Cerebral hemorrhage	264	1	–	–	1	–	–	–	–	3	2	2	12	16	14	23	47	40	51	32	17	3	–
	White Male	119	1	–	–	1	–	–	–	–	–	–	1	7	9	7	7	25	17	27	12	4	1	–
	Female	137	–	–	–	–	–	–	–	–	2	2	1	5	3	6	15	21	23	24	20	13	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–	–
433	Cerebral thrombosis	431	1	–	–	–	–	–	–	–	–	–	2	7	4	9	28	54	81	91	99	43	12	–
	White Male	194	–	–	–	–	–	–	–	–	–	–	1	6	3	6	17	31	35	34	40	16	5	–
	Female	226	–	–	–	–	–	–	–	–	–	–	1	–	–	3	10	21	43	57	57	27	7	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	3	4	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,187	–	1	1	–	3	1	3	1	5	10	7	13	23	39	76	118	210	260	248	132	36	–
	White Male	482	–	1	–	–	–	–	–	1	1	4	1	8	14	21	41	54	89	102	95	39	11	–
	Female	685	–	–	1	–	1	1	3	–	3	5	6	5	9	14	34	60	118	157	152	92	24	–
	All other Male	13	–	–	–	–	2	–	–	–	1	1	–	–	–	2	–	2	2	–	1	1	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–	–	–
440	Arteriosclerosis	342	–	–	–	–	–	–	–	–	–	–	–	2	1	2	10	16	52	75	93	61	30	–
	White Male	142	–	–	–	–	–	–	–	–	–	–	–	2	–	1	7	10	25	27	43	19	8	–
	Female	198	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	5	27	48	50	42	21	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	233	1	–	–	–	1	2	–	–	2	1	2	4	12	21	20	34	37	43	34	13	6	–
	White Male	139	1	–	–	–	–	–	–	–	2	–	–	2	8	13	16	26	24	26	11	9	1	–
	Female	91	–	–	–	–	1	2	–	–	–	1	2	2	4	8	4	7	12	16	23	4	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	507	13	2	6	1	2	3	4	1	2	4	9	13	15	20	18	33	94	82	103	65	17	–
	White Male	246	5	–	2	1	1	1	1	–	1	2	5	7	12	11	10	18	52	39	47	24	7	–
	Female	245	7	2	3	–	1	2	2	1	1	–	3	5	3	8	7	14	40	43	53	41	9	–
	All other Male	8	1	–	1	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	2	–	2	–	1	–
470–474	Influenza	47	1	–	2	1	1	1	–	–	–	–	1	–	1	3	3	4	7	5	8	8	1	–
	White Male	14	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	2	1	3	–	4	–	–
	Female	33	–	–	2	–	–	1	–	–	–	–	1	–	1	3	2	2	6	2	8	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	460	12	2	4	–	1	2	4	1	2	4	8	13	14	17	15	29	87	77	95	57	16	–
	White Male	232	4	–	2	–	–	1	1	–	1	2	5	7	12	11	9	16	51	36	47	20	7	–
	Female	212	7	2	1	–	1	1	2	1	1	–	2	5	2	5	5	12	34	41	45	37	8	–
	All other Male	8	1	–	1	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	2	–	2	–	1	–
490–493	Bronchitis, emphysema, and asthma	225	1	–	–	–	–	–	1	–	–	1	6	10	14	30	29	48	39	28	14	4	–	–
	White Male	177	–	–	–	–	–	–	–	–	–	–	4	8	9	22	21	43	33	22	12	3	–	–
	Female	43	–	–	–	–	–	–	1	–	–	1	1	2	5	8	6	5	6	5	2	1	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
490, 491	Chronic and unqualified bronchitis	54	1	–	–	–	–	–	–	–	–	–	2	1	6	8	4	7	10	8	5	2	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	2	1	3	6	1	7	8	6	4	1	–	–
	White Female	12	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	2	1	1	1	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	157	–	–	–	–	–	–	–	–	–	1	3	8	6	19	23	39	27	20	9	2	–	–
	White Male	134	–	–	–	–	–	–	–	–	–	–	2	6	5	15	20	35	25	16	8	2	–	–
	White Female	21	–	–	–	–	–	–	–	–	–	1	–	2	1	4	2	4	2	4	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	14	–	–	–	–	–	–	1	–	–	–	1	1	2	3	2	2	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
	White Female	10	–	–	–	–	–	–	1	–	–	–	1	–	1	2	2	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	76	1	–	–	–	–	–	–	–	–	1	2	4	7	9	5	8	10	16	8	4	1	–
	White Male	47	–	–	–	–	–	–	–	–	–	1	–	4	4	9	3	7	4	9	5	–	1	–
	White Female	28	–	–	–	–	–	–	–	–	–	–	2	–	3	–	2	1	6	7	3	4	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	–	–	1	–	–	–	–	1	2	–	1	1	–	3	3	–	–	–	–
	White Male	10	–	–	–	–	–	1	–	–	–	–	1	2	–	1	1	–	2	2	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	55	5	–	1	1	–	–	1	–	–	–	–	1	1	3	7	4	13	11	2	2	3	–
	White Male	23	2	–	–	–	–	–	1	–	–	–	–	–	–	2	3	1	7	5	–	1	1	–
	White Female	31	3	–	1	1	–	–	–	–	–	–	–	1	1	1	4	3	5	6	2	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	167	–	–	–	–	–	–	2	2	4	17	17	24	24	17	27	19	10	4	–	–	–	–
	White Male	96	–	–	–	–	–	–	1	1	2	8	6	15	15	11	17	11	7	2	–	–	–	–
	White Female	56	–	–	–	–	–	–	–	1	1	5	7	7	8	5	10	8	2	2	–	–	–	–
	All other Male	6	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	30	–	–	–	–	–	–	1	–	–	–	4	2	–	3	2	4	3	5	4	1	1	–
	White Male	10	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	3	–	1	–	–	1	–
	White Female	18	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	1	2	4	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	50	–	–	–	–	–	–	–	–	–	1	–	3	–	3	10	5	9	12	3	4	–	–
	White Male	22	–	–	–	–	–	–	–	–	–	1	–	2	–	–	3	2	4	6	1	3	–	–
	White Female	26	–	–	–	–	–	–	–	–	–	–	–	1	–	2	7	2	5	6	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	40	–	–	–	–	–	–	–	–	–	–	–	3	–	2	8	5	7	10	2	3	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	2	3	5	–	3	–	–
	White Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	6	2	4	5	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
590	Infections of kidney	35	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	3	8	9	2	3	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	1	3	1	–	–
	White Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	7	6	1	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	3	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	96	61	3	4	2	2	3	4	–	–	1	2	1	1	2	2	4	2	–	1	1	–	–
	White.....Male	52	30	2	2	2	2	3	2	–	–	–	1	1	1	1	1	2	1	–	–	1	–	–
	Female	40	28	1	2	–	–	–	2	–	–	–	1	–	–	1	1	2	1	–	1	–	–	–
	All other.....Male	3	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	205	204	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	105	104	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	114	113	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	61	60	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	112	25	1	1	–	1	1	1	3	–	–	2	4	4	10	5	13	12	11	6	8	4	–
	White.....Male	58	14	1	–	–	1	–	1	1	–	–	1	2	2	8	3	10	3	6	2	2	1	–
	Female	49	6	–	1	–	–	1	–	2	–	–	1	2	2	2	2	3	9	5	4	6	3	–
	All other.....Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	947	14	10	3	7	7	9	21	11	11	19	29	40	69	77	102	131	146	117	75	41	8	–
	White.....Male	495	3	5	2	3	4	5	8	4	5	8	11	24	40	43	55	77	88	63	33	11	3	–
	Female	419	8	3	1	3	2	3	12	5	6	8	16	14	25	33	43	52	56	53	42	29	5	–
	All other.....Male	20	1	2	–	–	1	1	–	1	–	1	1	2	3	1	2	1	2	–	–	1	–	–
	Female	13	2	–	–	1	–	–	1	1	–	2	1	–	1	–	2	1	–	1	–	–	–	–
E800–E949	Accidents	880	13	23	18	38	121	88	56	44	25	47	47	39	24	48	40	41	55	47	37	23	6	–
	White.....Male	565	8	10	13	27	92	63	41	29	20	32	35	30	15	28	26	25	24	26	13	6	2	–
	Female	267	5	10	2	9	28	18	11	12	4	7	9	6	8	17	12	15	30	21	22	17	4	–
	All other.....Male	33	–	3	2	1	–	6	3	2	1	5	3	1	1	2	2	–	1	–	–	–	–	–
	Female	15	–	–	1	1	1	1	1	1	–	3	–	2	–	1	–	1	–	–	2	–	–	–
E810–E823	Motor vehicle accidents	409	2	12	7	13	82	68	32	29	14	27	23	19	8	22	14	12	14	9	1	1	–	–
	White.....Male	270	1	6	5	8	58	46	21	18	12	17	18	13	3	13	7	11	5	7	–	1	–	–
	Female	117	1	6	1	5	24	17	9	9	1	5	3	5	4	8	6	1	9	2	1	–	–	–
	All other.....Male	16	–	–	1	–	–	5	1	1	1	2	2	–	1	1	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	471	11	11	11	25	39	20	24	15	11	20	24	20	16	26	26	29	41	38	36	22	6	–
	White.....Male	295	7	4	8	19	34	17	20	11	8	15	17	17	12	15	19	14	19	19	13	5	2	–
	Female	150	4	4	1	4	4	1	2	3	3	2	6	1	4	9	6	14	21	19	21	17	4	–
	All other.....Male	17	–	3	1	1	–	1	2	1	–	3	1	1	–	1	1	–	1	–	–	–	–	–
	Female	9	–	–	1	1	1	1	–	–	–	–	–	1	–	1	–	1	–	–	2	–	–	–
E950–E959	Suicide	160	...	...	–	2	16	26	9	14	7	9	3	12	15	11	9	10	9	5	3	–	–	–
	White.....Male	127	...	...	–	2	15	23	6	12	5	6	3	8	9	7	8	9	8	4	2	–	–	–
	Female	31	...	...	–	–	1	2	2	2	2	3	–	4	6	4	1	1	1	1	1	–	–	–
	All other.....Male	1	...	...	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	62	–	1	–	1	6	10	15	10	4	4	3	5	1	–	–	–	2	–	–	–	–	–
	White.....Male	25	–	1	–	1	1	5	5	3	2	1	2	1	1	–	–	–	2	–	–	–	–	–
	Female	9	–	–	–	–	2	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	27	–	–	–	–	3	3	9	5	–	2	1	4	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	22	2	–	–	1	3	2	1	3	2	1	1	1	1	1	–	1	1	–	–	–	1	–
	White.....Male	14	1	–	–	1	2	2	1	2	–	1	–	1	1	1	–	1	–	–	–	–	–	–
	Female	7	1	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada																							
	All causes	**4,338**	**182**	**33**	**16**	**24**	**78**	**94**	**87**	**86**	**109**	**132**	**250**	**266**	**379**	**484**	**467**	**496**	**448**	**361**	**205**	**103**	**29**	**9**
	White Male	2,461	83	18	9	8	48	60	42	55	58	65	146	168	235	291	286	305	245	177	104	38	14	6
	White Female	1,551	56	9	5	12	16	16	30	21	38	48	73	84	118	168	158	176	183	168	94	63	14	1
	All other Male	192	24	5	2	2	12	12	10	6	5	14	16	5	16	16	16	9	12	6	2	1	–	1
	All other Female	134	19	1	–	2	2	6	5	4	8	5	15	9	10	9	7	6	8	10	5	1	1	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	7	2	–	–	–	1	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	808	–	1	–	1	2	5	4	5	17	20	56	64	111	132	122	115	80	41	21	9	1	1
	White—Male	446	–	1	–	–	2	3	2	–	6	7	24	35	65	67	73	73	45	24	12	5	1	1
	White—Female	322	–	–	–	1	–	1	1	4	10	11	25	25	40	58	44	39	34	16	9	4	–	–
	All other—Male	20	–	–	–	–	–	–	–	–	–	1	3	1	4	4	4	1	1	1	–	–	–	–
	All other—Female	20	–	–	–	–	–	1	1	1	1	1	4	3	2	3	1	2	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	18	–	–	–	–	–	1	–	–	–	–	–	1	4	5	2	3	2	–	–	–	–	–
	White—Male	9	–	–	–	–	–	1	–	–	–	–	–	1	1	2	1	1	2	–	–	–	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	201	–	–	–	–	–	1	–	1	3	5	12	12	23	28	26	35	23	21	8	2	–	1
	White—Male	103	–	–	–	–	–	–	–	–	3	3	4	6	11	12	16	21	8	13	5	–	–	1
	White—Female	85	–	–	–	–	–	–	–	1	–	2	6	5	9	14	9	13	14	7	3	2	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	1	1	–	–	–	–
	All other—Female	6	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–
160–163	Of respiratory system	218	–	–	–	–	–	–	–	–	1	5	14	25	37	44	37	30	15	7	2	1	–	–
	White—Male	167	–	–	–	–	–	–	–	–	1	3	8	18	29	31	29	25	14	7	1	1	–	–
	White—Female	42	–	–	–	–	–	–	–	–	–	2	4	7	7	10	5	5	1	–	1	–	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
174	Of breast	76	–	–	–	–	–	–	–	3	3	5	9	11	8	18	5	6	3	3	1	1	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	White—Female	68	–	–	–	–	–	–	–	2	3	5	7	8	8	16	5	6	3	3	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	75	–	–	–	–	2	–	–	–	2	3	5	5	6	4	10	14	13	3	6	2	–	–
	White—Male	29	–	–	–	–	2	–	–	–	–	–	1	–	1	1	2	6	8	1	5	2	–	–
	White—Female	43	–	–	–	–	–	–	–	–	2	2	4	4	5	3	8	7	5	2	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	35	–	–	–	–	–	–	–	–	1	–	3	1	6	6	6	5	5	–	1	–	1	–
	White—Male	29	–	–	–	–	–	–	–	–	–	–	3	–	6	4	6	5	4	–	–	–	1	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	115	–	–	–	1	–	2	3	1	5	2	9	5	16	16	25	12	12	4	2	–	–	–
	White—Male	67	–	–	–	–	–	2	2	–	2	1	5	5	10	8	13	9	6	3	1	–	–	–
	White—Female	42	–	–	–	1	–	–	1	1	3	–	3	–	4	8	11	2	6	1	1	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
204–207	Leukemia	28	–	1	–	–	–	–	1	–	1	–	1	3	3	2	6	4	2	1	1	2	–	–
	White—Male	16	–	1	–	–	–	–	–	–	–	–	–	2	2	1	4	3	1	–	1	2	–	–
	White—Female	11	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	1	1	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	42	–	–	–	–	–	1	–	–	1	–	3	1	8	9	5	6	5	2	–	1	–	–
	White—Male	23	–	–	–	–	–	–	–	–	–	–	3	1	5	7	2	3	2	–	–	–	–	–
	White—Female	19	–	–	–	–	–	1	–	–	1	–	–	–	3	2	3	3	3	2	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	14	2	1	–	–	–	–	–	1	–	1	1	–	2	–	–	2	3	1	–	–	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–
	White—Female	8	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	2	1	–	–	–	–
	All other—Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	56	–	–	–	–	–	–	1	–	4	1	2	6	1	5	8	8	5	10	3	2	–	–
	White—Male	24	–	–	–	–	–	–	1	–	3	–	–	3	–	2	5	3	2	3	2	–	–	–
	White—Female	23	–	–	–	–	–	–	–	–	–	1	1	2	–	2	3	4	2	5	1	2	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	1	–	1	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–
	White—Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
280–285	Anemias	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,862	1	1	1	–	–	2	2	8	17	24	83	96	154	214	231	270	271	238	148	78	20	3
	White Male	1,083	–	–	1	–	–	2	2	3	11	13	61	72	104	136	145	164	145	116	71	26	9	2
	Female	685	1	1	–	–	–	–	–	3	4	7	14	21	40	65	73	97	112	113	72	50	11	1
	All other Male	51	–	–	–	–	–	–	–	1	–	2	4	2	7	8	7	6	8	4	1	1	–	–
	Female	43	–	–	–	–	–	–	–	1	2	2	4	1	3	5	6	3	6	5	4	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,300	1	1	–	–	–	2	–	5	13	17	62	74	124	167	177	189	180	145	82	48	12	1
	White Male	798	–	–	–	–	–	2	–	2	10	10	53	56	84	114	120	116	103	71	36	16	5	–
	Female	441	1	1	–	–	–	–	–	1	2	5	5	15	32	44	48	68	69	67	44	31	7	1
	All other Male	34	–	–	–	–	–	–	–	1	–	–	3	2	6	6	5	3	3	3	1	1	–	–
	Female	27	–	–	–	–	–	–	–	1	1	2	1	1	2	3	4	2	5	4	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	31	–	–	–	–	–	–	–	1	–	1	2	3	5	7	3	5	3	–	–	–	1	–
	White Male	15	–	–	–	–	–	–	–	1	–	–	–	1	3	2	3	2	3	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	1	2	3	–	3	–	–	–	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	9	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	3	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,156	–	–	–	–	–	1	–	4	11	13	56	64	109	148	159	172	159	134	72	44	9	1
	White Male	725	–	–	–	–	–	1	–	1	9	8	51	49	78	107	109	107	89	67	31	13	5	–
	Female	380	–	–	–	–	–	–	–	1	2	4	4	13	23	35	42	60	62	60	39	30	4	1
	All other Male	30	–	–	–	–	–	–	–	1	–	–	1	2	6	4	5	3	3	3	1	1	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	–	–	2	2	3	2	5	4	1	–	–	–
410	Acute myocardial infarction	708	–	–	–	–	–	–	–	3	8	13	44	44	89	106	111	111	76	61	28	8	5	1
	White Male	495	–	–	–	–	–	–	–	–	7	8	41	40	63	79	81	81	49	28	12	3	3	–
	Female	186	–	–	–	–	–	–	–	1	1	4	2	4	19	24	26	28	24	30	15	5	2	1
	All other Male	17	–	–	–	–	–	–	–	1	–	–	1	–	5	2	4	1	1	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	1	2	1	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	–	–	5	1	2	–	–	–	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	438	–	–	–	–	–	1	–	1	3	–	12	14	19	40	48	61	82	73	44	36	4	–
	White Male	224	–	–	–	–	–	1	–	1	2	–	10	6	14	27	28	26	39	39	19	10	2	–
	Female	191	–	–	–	–	–	–	–	–	1	–	2	7	4	10	16	32	38	30	24	25	2	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	2	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	3	–	–	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	12	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	2	–	2	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
420–423, 425–427, 429	All other forms of heart disease	89	1	1	–	–	–	1	–	–	1	2	3	7	7	9	11	12	13	9	8	3	1	–
	White Male	49	–	–	–	–	–	1	–	–	1	2	2	6	3	4	5	7	8	4	4	2	–	–
	White Female	37	1	1	–	–	–	–	–	–	–	–	–	1	4	4	5	5	5	5	4	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
400, 401, 403	Hypertension	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	2	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	450	–	–	1	–	–	–	1	2	4	4	15	21	20	37	37	65	82	78	49	26	7	1
	White Male	220	–	–	1	–	–	–	1	–	1	2	5	16	12	15	15	36	39	36	27	9	4	1
	White Female	204	–	–	–	–	–	–	–	2	2	2	7	5	7	19	18	25	37	40	20	17	3	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	5	1	–	–	–	–
	All other Female	14	–	–	–	–	–	–	–	–	1	–	3	–	1	2	2	1	1	1	2	–	–	–
431	Cerebral hemorrhage	57	–	–	–	–	–	–	1	1	2	2	4	6	4	8	6	7	4	5	3	3	–	1
	White Male	27	–	–	–	–	–	–	1	–	–	–	1	6	3	2	1	3	3	3	2	1	–	1
	White Female	25	–	–	–	–	–	–	–	1	1	2	2	–	1	5	4	4	1	2	–	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–
433	Cerebral thrombosis	83	–	–	–	–	–	–	–	–	–	–	1	2	4	3	4	11	22	16	15	4	1	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	6	10	7	7	1	–	–
	White Female	41	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	3	10	8	8	3	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	308	–	–	1	–	–	–	–	1	2	2	9	13	11	26	27	47	56	57	31	19	6	–
	White Male	155	–	–	1	–	–	–	–	–	1	2	8	7	13	13	27	26	26	18	7	4	–	–
	White Female	138	–	–	–	–	–	–	–	1	1	–	5	5	4	11	11	18	26	30	12	12	2	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	–	–	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	1	1	–	–	–
440	Arteriosclerosis	40	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	5	5	7	13	2	1	1
	White Male	20	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	4	1	4	5	–	–	1
	White Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	7	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	62	–	–	–	–	–	–	1	1	–	3	5	1	10	6	13	10	4	5	2	1	–	–
	White Male	39	–	–	–	–	–	–	1	1	–	1	2	–	8	4	8	7	2	3	1	1	–	–
	White Female	18	–	–	–	–	–	–	–	–	–	–	2	1	1	1	5	3	2	2	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	5	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	White Male	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	91	7	–	–	–	–	2	2	1	1	1	3	5	3	8	8	10	14	10	8	6	2	–
	White Male	54	4	–	–	–	–	–	1	1	1	1	3	3	2	7	5	5	9	2	5	3	2	–
	White Female	31	2	–	–	–	–	1	1	–	–	–	–	2	1	1	3	5	4	6	2	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Female	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
470–474	Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	91	7	–	–	–	–	2	2	1	1	1	3	5	3	8	8	10	14	10	8	6	2	–
	White Male	54	4	–	–	–	–	–	1	1	1	1	3	3	2	7	5	5	9	2	5	3	2	–
	White Female	31	2	–	–	–	–	1	1	–	–	–	–	2	1	1	3	5	4	6	2	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Female	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	88	–	–	–	1	1	1	–	–	1	–	4	4	7	10	21	15	10	11	2	–	–	–
	White Male	54	–	–	–	–	–	1	–	–	–	–	2	3	4	6	13	10	7	6	2	–	–	–
	White Female	34	–	–	–	1	1	–	–	–	1	–	2	1	3	4	8	5	3	5	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
490, 491	Chronic and unqualified bronchitis	9	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	–	–	1	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	75	–	–	–	1	–	1	–	–	–	–	4	4	3	8	19	14	10	9	2	–	–	
	White Male	48	–	–	–	–	–	1	–	–	–	–	2	3	2	5	12	9	7	5	2	–	–	
	Female	27	–	–	–	1	–	–	–	–	–	–	2	1	1	3	7	5	3	4	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	10	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	2	–	2	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
540–543	Appendicitis	4	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
	White Male	3	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	18	2	–	–	–	–	–	1	–	–	1	–	2	1	1	3	2	2	2	1	–	–	
	White Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	
	Female	10	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	1	1	2	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	128	–	–	–	–	–	–	2	1	5	19	25	18	25	17	6	1	3	5	1	–	–	
	White Male	67	–	–	–	–	–	–	–	–	3	8	8	13	14	9	4	1	2	4	1	–	–	
	Female	43	–	–	–	–	–	–	–	1	1	7	12	5	7	8	1	–	–	1	–	–	–	
	All other Male	10	–	–	–	–	–	–	2	–	–	2	2	–	2	–	1	–	1	–	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	1	2	–	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	1	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	13	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	1	1	1	1	–	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	12	–	–	–	–	–	–	–	–	–	–	1	–	3	3	1	1	1	1	1	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	31	21	2	1	1	–	1	1	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
	White Male	11	8	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	16	11	–	1	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	99	98	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	23	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	63	62	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	16	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	55	18	2	–	–	–	2	2	–	–	–	1	2	3	2	5	5	5	4	2	1	–	1
	White Male	28	8	–	–	–	–	1	–	–	–	–	1	1	2	2	4	2	3	2	1	–	–	1
	Female	22	7	1	–	–	–	–	2	–	–	–	–	1	1	–	1	3	2	2	1	1	–	–
	All other Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	359	10	2	–	3	9	8	12	8	15	16	28	25	28	52	29	40	36	19	11	3	4	1
	White Male	207	6	1	–	3	6	3	4	3	4	9	17	12	19	36	17	30	20	9	7	–	1	–
	Female	115	1	–	–	–	1	4	4	1	8	5	6	11	7	14	11	10	15	9	3	3	2	–
	All other Male	19	1	1	–	–	2	–	2	2	2	2	2	–	1	2	1	–	–	–	–	–	–	1
	Female	18	2	–	–	–	–	1	2	2	1	–	3	2	1	–	–	–	1	1	1	–	1	–
E800–E949	Accidents	387	9	20	13	14	42	39	31	35	24	25	27	15	23	19	18	11	7	8	3	2	–	2
	White Male	241	3	12	7	5	32	28	16	28	13	14	19	14	14	11	10	3	4	4	–	2	–	2
	Female	108	4	7	4	7	4	7	12	5	8	7	4	1	8	7	6	7	3	4	3	–	–	–
	All other Male	33	2	1	2	1	4	4	3	2	2	4	4	–	–	1	2	1	–	–	–	–	–	–
	Female	5	–	–	–	1	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	185	2	4	7	10	27	25	19	19	13	12	14	6	8	6	6	4	2	–	–	–	–	1
	White Male	113	2	2	4	3	21	15	10	15	7	7	9	6	4	3	3	1	–	–	–	–	–	1
	Female	52	–	1	3	7	4	6	7	3	3	4	3	–	3	2	2	2	2	–	–	–	–	–
	All other Male	18	–	1	–	–	2	4	2	1	2	1	2	–	–	1	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	202	7	16	6	4	15	14	12	16	11	13	13	9	15	13	12	7	5	8	3	2	–	1
	White Male	128	1	10	3	2	11	13	6	13	6	7	10	8	10	8	7	2	4	4	–	2	–	1
	Female	56	4	6	1	–	–	1	5	2	5	3	1	1	5	5	4	5	1	4	3	–	–	–
	All other Male	15	2	–	2	1	2	–	1	1	–	3	2	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	155	...	...	–	2	8	19	13	18	20	14	11	16	11	8	2	6	4	2	1	–	–	–
	White Male	100	...	...	–	–	5	15	7	15	12	7	8	7	7	5	2	4	3	2	1	–	–	–
	Female	46	...	...	–	1	3	2	4	3	6	6	3	9	3	3	–	2	1	–	–	–	–	–
	All other Male	6	...	...	–	1	–	2	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	78	3	2	–	1	13	13	13	7	3	5	3	6	1	2	3	1	1	–	–	–	–	1
	White Male	35	1	2	–	–	3	5	5	5	3	4	2	2	–	2	1	–	–	–	–	–	–	–
	Female	21	2	–	–	1	5	–	5	1	–	1	1	2	1	–	1	–	1	–	–	–	–	–
	All other Male	17	–	–	–	–	5	5	3	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
E980–E999	Other external causes	17	–	1	1	–	2	2	1	2	2	2	2	1	–	–	1	–	–	–	–	–	–	–
	White Male	8	–	1	1	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire																							
	All causes	7,723	162	30	28	22	80	68	57	54	68	119	246	314	476	646	870	1,000	1,164	1,035	816	344	123	1
	White Male	4,259	88	15	19	16	58	57	43	35	47	64	169	211	305	434	550	602	602	481	315	116	32	–
	White Female	3,442	72	14	8	6	22	11	14	17	20	55	77	101	171	211	318	396	557	552	501	228	91	–
	All other Male	12	2	–	1	–	–	–	–	1	1	–	–	2	–	1	1	1	1	1	–	–	–	–
	All other Female	10	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	4	1	–	–	–	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	5	–	–	–	–	–	–	–	1	–	1	–	2	–	2	3	1	–	–	1	–	–
	White Male	6	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	White Female	10	2	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	17	–	2	1	–	–	–	1	1	–	–	–	2	2	2	1	2	1	1	–	1	–	–
	White Male	8	–	1	1	–	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–	–	–
	White Female	9	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–	2	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,560	1	3	5	3	8	2	3	10	9	24	59	103	158	190	210	226	234	178	102	29	3	–
	White—Male	878	–	1	3	2	3	–	1	6	6	11	35	60	84	117	122	147	129	90	47	13	1	–
	Female	679	1	2	1	1	5	2	2	3	3	13	24	43	74	73	88	78	105	88	55	16	2	–
	All other—Male	3	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	48	–	–	–	–	–	–	–	–	–	–	1	4	5	12	3	9	5	6	3	–	–	–
	White—Male	41	–	–	–	–	–	–	–	–	–	–	–	4	4	12	1	8	4	5	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	444	–	–	–	–	–	–	–	3	1	6	11	24	41	52	54	68	77	58	36	11	2	–
	White—Male	219	–	–	–	–	–	–	–	1	1	3	9	15	21	30	28	35	34	22	17	2	1	–
	Female	225	–	–	–	–	–	–	–	2	–	3	2	9	20	22	26	33	43	36	19	9	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	345	–	–	–	–	–	–	–	2	1	3	17	25	48	62	53	59	39	25	10	1	–	–
	White—Male	287	–	–	–	–	–	–	–	1	1	3	13	21	35	53	43	54	33	21	9	1	–	–
	Female	56	–	–	–	–	–	–	–	1	–	–	4	4	13	9	10	4	6	4	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	116	–	–	–	–	–	–	–	–	3	7	2	8	8	13	16	14	21	16	5	3	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	115	–	–	–	–	–	–	–	–	3	7	2	8	8	13	16	13	21	16	5	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	181	–	–	–	–	2	–	–	1	2	2	7	11	14	14	17	23	40	22	21	5	–	–
	White—Male	91	–	–	–	–	2	–	–	1	2	–	1	2	2	1	10	16	26	15	10	3	–	–
	Female	90	–	–	–	–	–	–	–	–	–	2	6	9	12	13	7	7	14	7	11	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	101	–	–	–	–	–	–	–	–	–	–	3	2	8	7	17	15	21	16	8	4	–	–
	White—Male	77	–	–	–	–	–	–	–	–	–	–	2	1	8	5	13	11	18	13	2	4	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	4	3	3	6	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	170	1	2	2	–	5	–	1	2	–	2	10	21	21	16	26	22	13	11	10	4	1	–
	White—Male	76	–	–	1	–	1	–	–	2	–	2	6	12	10	6	12	12	5	2	3	2	–	–
	Female	94	1	2	1	–	4	–	1	–	–	–	4	9	11	10	14	10	8	9	7	2	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	63	–	–	3	2	1	–	1	1	1	3	3	2	1	4	11	4	7	14	5	–	–	–
	White—Male	38	–	–	2	1	–	–	–	1	1	2	2	2	–	3	6	4	5	7	2	–	–	–
	Female	24	–	–	–	1	1	–	1	–	–	1	1	–	1	1	5	–	2	7	3	–	–	–
	All other—Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	92	–	1	–	1	–	2	1	1	1	1	5	6	12	10	13	12	11	10	4	1	–	–
	White—Male	48	–	1	–	1	–	–	1	1	1	1	2	3	4	7	9	6	4	5	1	1	–	–
	Female	44	–	–	–	–	–	2	–	–	–	–	3	3	8	3	4	6	7	5	3	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	16	–	–	1	–	–	–	–	–	–	–	1	–	2	2	2	1	3	2	2	–	–	–
	White—Male	5	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	2	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	187	–	–	–	–	–	–	–	1	2	3	4	6	9	14	31	24	43	27	20	3	–	–
	White—Male	77	–	–	–	–	–	–	–	–	2	3	1	4	5	9	14	7	14	11	5	2	–	–
	Female	110	–	–	–	–	–	–	–	1	–	–	3	2	4	5	17	17	29	16	15	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	2	3	1	–	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
280–285	Anemias	13	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	1	–	5	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–	4	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	4,022	–	2	–	–	1	3	4	8	19	36	92	120	199	276	450	551	672	660	566	257	105	1
	White Male	2,132	–	–	–	–	–	2	2	3	12	24	72	92	151	203	306	324	332	298	203	84	24	–
	Female	1,880	–	2	–	–	1	1	2	4	7	12	20	27	48	72	143	226	337	361	363	173	81	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1
	Female	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	1	–	–	–	1
390–398, 402, 404, 410–429	Diseases of heart	2,784	–	1	–	–	1	2	2	6	12	29	81	107	164	216	337	401	456	414	333	160	61	1
	White Male	1,585	–	–	–	–	–	2	2	3	10	21	65	82	130	167	233	245	239	193	122	56	15	–
	Female	1,192	–	1	–	–	1	–	–	2	2	8	16	24	34	49	103	155	215	221	211	104	46	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	–	–	–	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	55	–	–	–	–	–	–	–	1	1	1	5	6	2	4	10	7	9	5	2	2	–	–
	White Male	22	–	–	–	–	–	–	–	1	–	1	1	3	2	2	7	2	2	2	–	–	–	–
	Female	32	–	–	–	–	–	–	–	–	1	1	4	3	–	2	3	5	6	3	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
402	Hypertensive heart disease	34	–	–	–	–	–	–	–	1	–	1	–	2	1	2	4	8	10	1	3	1	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	3	1	1	2	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	5	9	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	26	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	6	5	6	2	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	3	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	2	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,530	–	–	–	–	–	1	2	3	11	23	74	93	153	197	312	362	410	385	301	143	59	1
	White Male	1,465	–	–	–	–	–	1	2	2	10	18	62	72	122	154	218	230	220	177	108	54	15	–
	Female	1,060	–	–	–	–	–	–	–	–	1	5	12	20	31	43	93	132	189	208	193	89	44	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1
410	Acute myocardial infarction	1,431	–	–	–	–	–	1	1	2	9	20	56	78	125	142	223	222	229	168	98	45	11	1
	White Male	896	–	–	–	–	–	1	1	2	8	16	47	60	99	115	153	137	125	80	30	19	3	–
	Female	532	–	–	–	–	–	–	–	–	1	4	9	17	26	27	70	85	103	88	68	26	8	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
411	Other acute and subacute forms of ischemic heart disease	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	5	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	4	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,087	–	–	–	–	–	–	1	1	2	3	17	15	28	54	89	138	179	217	198	98	47	–
	White Male	561	–	–	–	–	–	–	1	–	2	2	14	12	23	38	65	93	93	97	74	35	12	–
	Female	524	–	–	–	–	–	–	–	–	–	1	3	3	5	16	23	45	86	120	124	63	35	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	26	–	–	–	–	–	–	–	1	–	1	–	1	2	1	–	3	4	2	7	4	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	1	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	3	1	6	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
420–423, 425–427, 429	All other forms of heart disease	113	–	1	–	–	1	1	–	–	–	3	2	5	5	12	10	17	17	16	14	8	1	–
	White Male	65	–	–	–	–	–	1	–	–	–	2	2	5	5	9	6	5	11	9	8	2	–	–
	White Female	47	–	1	–	–	1	–	–	–	–	1	–	–	–	3	4	11	6	7	6	6	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	39	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	6	5	2	10	3	3	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	3	1	2	–	1	–
	White Female	23	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	1	8	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	900	–	1	–	–	–	1	2	2	6	6	10	9	31	39	76	116	166	194	161	55	25	–
	White Male	385	–	–	–	–	–	–	–	–	2	2	6	7	17	21	46	60	68	78	55	18	5	–
	White Female	512	–	1	–	–	–	1	2	2	4	4	4	2	14	17	30	56	97	115	106	37	20	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
431	Cerebral hemorrhage	155	–	1	–	–	–	1	–	–	3	2	–	2	11	10	16	27	25	33	17	5	2	–
	White Male	67	–	–	–	–	–	–	–	–	1	1	–	1	6	5	11	12	7	14	7	2	–	–
	White Female	88	–	1	–	–	–	1	–	–	2	1	–	1	5	5	5	15	18	19	10	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	254	–	–	–	–	–	–	1	–	–	1	2	3	7	9	19	31	47	57	48	19	10	–
	White Male	118	–	–	–	–	–	–	–	–	–	1	1	3	4	4	13	17	23	24	18	9	1	–
	White Female	136	–	–	–	–	–	–	1	–	–	–	1	–	3	5	6	14	24	33	30	10	9	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	491	–	–	–	–	–	–	1	2	3	3	8	4	13	20	41	58	94	104	96	31	13	–
	White Male	200	–	–	–	–	–	–	–	–	1	–	5	3	7	12	22	31	38	40	30	7	4	–
	White Female	288	–	–	–	–	–	–	1	2	2	3	3	1	6	7	19	27	55	63	66	24	9	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
440	Arteriosclerosis	179	–	–	–	–	–	–	–	–	–	–	–	–	–	10	7	11	22	33	49	32	15	–
	White Male	66	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	4	10	15	17	8	2	–
	White Female	113	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	7	12	18	32	24	13	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	120	–	–	–	–	–	–	–	–	1	1	1	2	4	9	24	17	23	17	13	7	1	–
	White Male	80	–	–	–	–	–	–	–	–	–	1	1	2	4	8	19	12	12	11	7	2	1	–
	White Female	40	–	–	–	–	–	–	–	–	1	–	–	–	–	1	5	5	11	6	6	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	186	4	–	1	–	1	1	–	1	1	4	3	7	6	10	12	17	33	33	32	15	5	–
	White Male	104	2	–	1	–	1	1	–	1	1	1	1	5	3	4	9	11	26	17	11	7	2	–
	White Female	80	2	–	–	–	–	–	–	–	–	3	2	2	3	6	3	6	5	16	21	8	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	179	4	–	1	–	1	1	–	1	1	4	3	7	6	10	11	16	31	32	31	15	4	–
	White Male	99	2	–	1	–	1	1	–	1	1	1	1	5	3	4	8	10	24	17	11	7	1	–
	White Female	78	2	–	–	–	–	–	–	–	–	3	2	2	3	6	3	6	5	15	20	8	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	133	–	–	–	–	–	–	–	–	–	1	–	3	9	23	23	28	22	13	10	1	–	–
	White Male	99	–	–	–	–	–	–	–	–	–	1	–	3	7	14	16	23	19	10	6	–	–	–
	White Female	34	–	–	–	–	–	–	–	–	–	–	–	–	2	9	7	5	3	3	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire – Con.																							
490, 491	Chronic and unqualified bronchitis	32	–	–	–	–	–	–	–	–	–	–	–	–	1	7	5	6	5	3	5	–	–	
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	3	2	3	–	–	
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	2	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	94	–	–	–	–	–	–	–	–	–	–	–	2	6	15	18	21	17	9	5	1	–	
	White Male	76	–	–	–	–	–	–	–	–	–	–	–	2	6	11	13	17	16	8	3	–	–	
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	4	5	4	1	1	2	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	7	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	–	1	–	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	26	–	–	–	–	–	–	–	–	–	1	1	–	2	6	1	6	6	2	1	–	–	
	White Male	19	–	–	–	–	–	–	–	–	–	–	1	–	2	5	1	5	3	2	–	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	23	1	–	–	–	2	–	–	–	–	–	–	1	–	–	3	3	6	5	2	–	–	
	White Male	9	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	3	1	1	–	–	
	Female	14	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	3	4	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	126	–	1	–	–	–	–	1	1	2	6	17	16	16	26	18	13	8	–	–	–	1	
	White Male	84	–	1	–	–	–	–	–	1	2	1	15	11	12	14	11	9	6	–	–	–	1	
	Female	42	–	–	–	–	–	–	1	–	–	5	2	5	4	12	7	4	2	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	15	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	3	2	4	1	–	
	White Male	9	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	3	1	1	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	22	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	5	4	2	3	–	–	
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	1	1	–	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	16	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	4	3	2	2	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	1	–	–	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	5	1	2	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	2	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	52	29	4	4	2	1	–	1	1	1	1	1	–	2	–	–	–	3	1	1	–	–	–
	White.....Male	25	17	1	1	1	1	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	27	12	3	3	1	–	–	–	–	1	1	–	–	2	–	–	–	2	1	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	91	90	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	51	50	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	46	45	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	25	24	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	203	18	–	–	–	1	2	–	3	8	12	10	16	28	22	26	23	16	8	6	4	–	
	White.....Male	127	10	–	–	–	–	2	–	2	3	10	6	13	21	17	17	10	8	5	1	2	–	
	Female	76	8	–	–	–	1	–	–	1	5	2	4	3	7	5	9	13	8	3	5	2	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Residual	All other diseases	460	6	6	3	1	5	6	5	5	7	11	17	19	30	42	57	68	69	51	31	19	2	–
	White.....Male	250	3	5	3	1	2	4	4	2	6	3	10	13	13	27	29	38	38	22	20	6	1	–
	Female	209	3	1	–	–	3	2	1	3	1	8	7	6	17	15	28	30	31	28	11	13	1	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	352	4	11	12	13	45	41	25	14	13	12	22	8	10	17	14	16	18	25	21	8	3	–
	White.....Male	228	1	5	8	9	39	36	21	13	11	8	10	5	5	8	8	8	9	11	11	1	1	–
	Female	122	3	5	4	4	6	5	4	1	2	4	12	2	5	9	6	8	9	14	10	7	2	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	153	–	1	6	7	35	36	16	5	4	5	14	4	1	2	4	6	2	4	1	–	–	–
	White.....Male	115	–	1	4	3	30	31	14	5	4	3	6	2	1	–	2	4	1	3	1	–	–	–
	Female	37	–	–	2	4	5	5	2	–	–	2	8	1	–	2	2	2	1	1	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	199	4	10	6	6	10	5	9	9	9	7	8	4	9	15	10	10	16	21	20	8	3	–
	White.....Male	113	1	4	4	6	9	5	7	8	7	5	4	3	4	8	6	4	8	8	10	1	1	–
	Female	85	3	5	2	–	1	–	2	1	2	2	4	1	5	7	4	6	8	13	10	7	2	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	112	. . .	. . .	–	–	7	12	11	7	6	11	12	12	6	6	11	4	3	2	2	–	–	–
	White.....Male	82	. . .	. . .	–	–	5	12	10	4	4	8	9	7	3	6	7	3	1	2	1	–	–	–
	Female	29	. . .	. . .	–	–	2	–	1	3	2	3	3	5	3	–	3	1	2	–	1	–	–	–
	All other.....Male	1	. . .	. . .	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	. . .	. . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	24	–	–	1	1	7	1	2	2	3	–	2	–	1	1	1	–	2	–	–	–	–	–
	White.....Male	12	–	–	1	1	4	1	1	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	11	–	–	–	–	3	–	1	–	2	–	1	–	1	1	1	–	1	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	12	–	1	–	1	2	–	1	3	1	1	1	–	–	–	–	1	–	–	–	–	–	–
	White.....Male	9	–	1	–	1	2	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey																							
	All causes	67,160	1,510	300	167	219	546	703	619	634	767	1,322	2,285	3,675	4,776	6,233	7,385	8,597	9,366	8,723	5,938	2,562	796	37
	White..... Male	32,335	586	106	74	100	328	389	316	266	337	616	1,157	1,999	2,696	3,527	4,185	4,422	4,326	3,628	2,246	796	215	20
	Female	28,029	452	97	53	71	119	137	125	152	200	390	707	1,143	1,547	2,064	2,513	3,463	4,500	4,688	3,457	1,629	514	8
	All other..... Male	3,876	256	56	23	28	70	140	131	144	139	186	262	318	343	363	424	364	272	188	94	44	25	6
	Female	2,920	216	41	17	20	29	37	47	72	91	130	159	215	190	279	263	348	268	219	141	93	42	3
004, 006	Bacillary dysentery and amebiasis	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	63	16	5	–	–	–	–	1	–	2	–	2	2	–	3	6	6	6	7	3	4	–	–
	White..... Male	23	4	2	–	–	–	–	–	–	–	–	1	1	–	1	4	4	1	3	1	1	–	–
	Female	24	4	–	–	–	–	–	1	–	1	–	1	–	–	1	2	1	4	4	2	3	–	–
	All other..... Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	4	2	–	–	–	–	–	–	1	–	–	1	–	1	–	1	1	–	–	–	–	–
010–019	Tuberculosis, all forms	147	–	2	–	–	1	–	3	2	4	6	7	13	20	20	11	17	17	8	14	–	2	–
	White..... Male	66	–	–	–	–	–	–	–	–	–	–	1	6	4	11	7	12	10	5	10	–	–	–
	Female	27	–	–	–	–	–	–	1	–	–	1	3	–	8	2	2	2	3	1	2	–	2	–
	All other..... Male	37	–	1	–	–	–	–	–	1	3	3	3	5	4	5	2	2	4	2	2	–	–	–
	Female	17	–	1	–	–	1	–	2	1	1	2	–	2	4	2	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	117	–	1	–	–	–	–	3	1	3	4	6	11	13	16	8	16	15	5	14	–	1	–
	White..... Male	58	–	–	–	–	–	–	–	–	–	–	1	4	3	10	6	11	9	4	10	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	2	–	5	–	1	2	2	–	2	–	1	–
	All other..... Male	31	–	–	–	–	–	–	–	1	3	2	3	5	3	4	1	2	4	1	2	–	–	–
	Female	11	–	1	–	–	–	–	2	–	–	1	–	2	2	2	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	30	–	1	–	–	1	–	–	1	1	2	1	2	7	4	3	1	2	3	–	–	1	–
	White..... Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	1	1	–	–	1	–
	All other..... Male	6	–	1	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–	–
	Female	6	–	–	–	–	1	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	1	4	–	–	4	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	White..... Male	5	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	4	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	4	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	200	17	3	2	1	–	1	2	1	–	6	9	12	12	16	20	21	28	23	16	5	5	–
	White..... Male	85	5	2	–	–	–	–	1	–	–	3	4	5	1	11	9	10	9	10	10	2	3	–
	Female	82	6	–	2	–	–	1	1	–	–	2	1	4	9	3	9	8	15	12	6	2	1	–
	All other..... Male	20	3	–	–	–	–	–	–	–	–	1	1	3	2	2	1	3	3	1	–	–	–	–
	Female	13	3	1	–	1	–	–	–	1	–	–	3	–	–	–	1	–	1	–	–	1	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	115	8	7	2	3	2	9	5	6	3	4	9	8	5	2	14	6	7	8	3	4	–	–
	White..... Male	47	3	2	1	2	–	3	2	–	1	1	4	1	1	1	11	2	3	6	2	1	–	–
	Female	39	3	3	–	1	2	4	3	–	–	1	3	4	1	–	1	3	4	2	1	3	–	–
	All other..... Male	15	1	1	1	–	–	1	–	2	2	2	–	1	1	1	2	–	–	–	–	–	–	–
	Female	14	1	1	–	–	–	1	–	4	–	–	2	2	2	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	13,985	–	24	30	35	51	39	61	92	169	316	677	1,147	1,498	1,836	2,021	2,008	1,795	1,283	676	181	45	1
	White—Male	6,783	–	9	17	17	30	18	31	39	61	102	270	486	702	925	1,083	1,055	900	627	316	76	18	1
	White—Female	5,980	–	14	9	13	19	15	22	39	83	159	318	530	652	719	767	791	787	598	330	90	25	–
	All other—Male	716	–	1	1	2	2	1	5	5	10	23	49	80	95	113	107	98	66	33	16	8	1	–
	All other—Female	506	–	–	3	3	–	5	3	9	15	32	40	51	49	79	64	64	42	25	14	7	1	–
140–149	Of buccal cavity and pharynx	333	–	–	–	1	–	1	1	1	–	8	18	30	57	55	49	46	33	23	7	1	2	–
	White—Male	212	–	–	–	1	–	–	1	1	–	–	13	20	30	36	33	34	22	13	6	1	1	–
	White—Female	88	–	–	–	–	–	–	–	–	–	3	3	7	20	14	13	9	9	8	1	–	1	–
	All other—Male	26	–	–	–	–	–	1	–	–	–	2	2	2	7	4	3	1	2	2	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	2	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,349	–	1	1	–	2	1	6	11	27	45	146	287	380	560	665	687	649	528	265	71	16	1
	White—Male	2,058	–	–	1	–	2	1	2	4	12	20	68	132	199	289	338	320	301	227	109	25	7	1
	White—Female	1,904	–	1	–	–	–	–	2	5	10	16	49	122	145	209	257	306	312	276	147	39	8	–
	All other—Male	230	–	–	–	–	–	–	–	–	4	5	22	19	25	40	42	32	23	10	4	3	1	–
	All other—Female	157	–	–	–	–	–	–	2	2	1	4	7	14	11	22	28	29	13	15	5	4	–	–
160–163	Of respiratory system	3,136	–	1	–	–	1	–	1	7	21	70	161	279	389	546	550	488	338	193	66	22	3	–
	White—Male	2,192	–	–	–	–	–	–	1	4	12	33	98	179	266	370	404	370	243	150	49	12	1	–
	White—Female	639	–	1	–	–	1	–	–	1	5	26	37	56	83	116	103	76	71	37	15	9	2	–
	All other—Male	246	–	–	–	–	–	–	–	2	2	9	19	40	36	43	37	38	13	5	1	1	–	–
	All other—Female	59	–	–	–	–	–	–	–	–	2	2	7	4	4	17	6	4	11	1	1	–	–	–
174	Of breast	1,369	–	–	–	–	–	–	2	12	33	65	130	172	208	173	161	126	122	79	63	17	6	–
	White—Male	16	–	–	–	–	–	–	–	–	–	1	–	2	2	–	2	3	3	1	2	–	–	–
	White—Female	1,248	–	–	–	–	–	–	2	9	27	51	119	157	194	156	147	116	115	76	60	14	5	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	All other—Female	103	–	–	–	–	–	–	–	3	6	12	11	13	12	17	12	7	4	2	1	2	1	–
180–187	Of genital organs	1,525	–	–	–	1	4	6	5	10	22	41	61	112	137	174	186	236	227	169	112	20	2	–
	White—Male	580	–	–	–	–	2	1	2	–	1	3	6	12	20	40	74	109	123	98	72	15	2	–
	White—Female	783	–	–	–	1	2	3	2	7	18	31	49	87	101	110	95	105	78	59	31	4	–	–
	All other—Male	80	–	–	–	–	–	–	–	–	–	–	1	2	6	13	7	12	21	9	8	1	–	–
	All other—Female	82	–	–	–	–	–	2	1	3	3	7	5	11	10	11	10	10	5	3	1	–	–	–
188, 189	Of urinary organs	628	–	–	–	1	2	–	1	1	7	12	21	32	56	70	80	97	111	80	45	6	6	–
	White—Male	396	–	–	–	–	1	–	1	–	4	9	11	22	40	49	51	58	72	48	24	1	5	–
	White—Female	196	–	–	–	1	1	–	–	1	3	2	9	9	9	18	24	31	36	29	18	4	1	–
	All other—Male	20	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	5	2	1	2	1	–	–
	All other—Female	16	–	–	–	–	–	–	–	–	–	–	1	1	4	–	3	3	1	2	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,413	–	15	10	15	19	13	13	21	30	38	79	131	148	161	170	177	160	112	65	30	6	–
	White—Male	685	–	6	5	6	9	4	6	11	14	17	38	65	84	80	89	88	71	49	28	14	1	–
	White—Female	626	–	8	4	7	8	7	3	9	11	17	33	54	52	67	71	80	80	60	34	16	5	–
	All other—Male	60	–	1	–	1	2	–	4	1	3	1	4	8	8	9	8	4	3	2	1	–	–	–
	All other—Female	42	–	–	1	1	–	2	–	–	2	3	4	4	4	5	2	5	6	1	2	–	–	–
204–207	Leukemia	532	–	5	17	13	16	4	13	14	13	15	20	31	43	41	63	60	72	52	28	9	3	–
	White—Male	275	–	1	10	7	11	2	8	10	7	9	9	16	20	26	38	28	29	19	16	8	1	–
	White—Female	223	–	4	5	4	5	2	5	3	5	4	10	14	17	11	18	28	41	32	12	1	2	–
	All other—Male	17	–	–	1	1	–	–	–	–	–	2	–	1	4	–	5	1	1	1	–	–	–	–
	All other—Female	17	–	–	1	1	–	–	–	1	1	–	1	–	2	4	2	3	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	700	–	2	2	4	7	14	19	15	16	22	41	73	80	56	97	91	83	47	25	5	1	–
	White—Male	369	–	2	1	3	5	10	10	9	11	10	27	38	41	35	54	45	36	22	10	–	–	–
	White—Female	273	–	–	–	–	2	3	8	4	4	9	9	24	31	18	39	40	45	21	12	3	1	–
	All other—Male	35	–	–	–	–	–	1	2	1	2	1	1	8	6	1	3	5	1	3	–	1	–	–
	All other—Female	23	–	–	1	1	–	1	–	–	–	1	4	3	2	2	1	1	1	1	3	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	158	2	1	2	2	–	1	3	2	4	7	12	12	16	13	19	27	11	15	7	2	–	–
	White—Male	82	2	–	1	–	–	1	2	1	3	2	4	5	11	5	11	15	4	10	3	2	–	–
	White—Female	59	–	–	–	1	–	–	1	1	1	2	7	4	4	8	8	10	7	3	2	–	–	–
	All other—Male	7	–	1	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	1	–	–	–	–
	All other—Female	10	–	–	1	1	–	–	–	–	–	2	–	2	–	–	–	1	–	1	2	–	–	–
250	Diabetes mellitus	1,431	–	–	–	2	3	7	7	11	9	22	43	70	119	133	176	222	231	215	106	43	11	1
	White—Male	543	–	–	–	–	1	3	–	4	7	6	21	24	61	59	67	86	85	67	33	17	2	–
	White—Female	722	–	–	–	–	1	3	3	5	1	6	15	24	47	53	83	114	126	140	68	24	8	1
	All other—Male	54	–	–	–	1	1	1	1	2	–	5	4	7	2	8	10	8	3	1	–	–	–	–
	All other—Female	112	–	–	–	1	–	–	3	–	1	5	3	15	9	13	16	14	17	7	5	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	70	3	2	–	–	1	–	–	1	–	1	1	4	3	3	3	8	14	13	5	4	4	–
	White—Male	26	–	2	–	–	–	–	–	–	–	–	–	–	1	3	–	4	8	5	1	2	–	–
	White—Female	33	1	–	–	–	1	–	–	1	–	–	1	3	2	–	1	4	5	6	2	2	4	–
	All other—Male	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	1	–	–	–
	All other—Female	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
280–285	Anemias	121	1	4	–	3	2	1	2	–	3	7	3	2	3	10	12	10	16	16	17	9	–	–
	White Male	38	–	1	–	1	1	1	–	–	–	2	2	–	1	6	3	2	7	3	6	2	–	–
	Female	57	–	–	–	2	1	–	–	–	1	3	1	1	2	3	4	6	8	11	9	5	–	–
	All other Male	15	1	1	–	–	–	–	2	–	1	1	–	–	–	1	5	2	–	–	1	–	–	–
	Female	11	–	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	2	1	2	–	–
320	Meningitis	47	16	6	1	–	2	–	–	1	1	2	–	–	1	2	4	3	1	5	2	–	–	–
	White Male	15	7	1	1	–	–	–	–	–	1	–	–	–	–	1	1	–	1	2	–	–	–	–
	Female	24	7	3	–	–	1	–	–	–	–	1	–	–	1	1	3	3	–	3	1	–	–	–
	All other Male	6	2	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–448	Major cardiovascular diseases	36,484	11	7	5	14	24	36	55	88	177	437	886	1,575	2,202	3,147	3,972	5,028	5,931	5,923	4,336	1,989	628	13
	White Male	17,564	8	3	1	6	6	17	18	45	94	267	559	1,039	1,441	1,939	2,350	2,554	2,628	2,317	1,539	567	159	7
	Female	16,092	–	2	2	7	13	14	16	16	33	77	171	323	522	909	1,272	2,060	2,967	3,326	2,626	1,320	411	5
	All other Male	1,469	3	1	1	1	1	4	12	14	30	55	101	130	156	160	207	193	162	121	66	28	22	1
	Female	1,359	–	1	1	–	4	1	9	13	20	38	55	83	83	139	143	221	174	159	105	74	36	–
390–398, 402, 404, 410–429	Diseases of heart	28,276	9	3	3	5	11	15	32	63	137	357	762	1,353	1,892	2,646	3,244	3,886	4,464	4,390	3,125	1,420	449	10
	White Male	14,276	7	3	1	1	3	9	10	37	84	243	517	937	1,282	1,702	1,962	2,025	2,020	1,758	1,143	411	115	6
	Female	11,891	–	–	1	3	4	5	5	8	19	48	121	258	418	719	1,009	1,560	2,203	2,432	1,848	935	291	4
	All other Male	1,129	2	–	–	1	1	1	9	12	25	37	78	101	125	131	166	153	113	85	51	21	17	–
	Female	980	–	–	1	–	3	–	8	6	9	29	46	57	67	94	107	148	128	115	83	53	26	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	539	–	–	2	–	3	4	5	8	5	11	29	60	68	96	86	64	57	31	9	1	–	–
	White Male	191	–	–	1	–	–	1	2	3	2	7	14	32	25	33	30	19	15	6	1	–	–	–
	Female	310	–	–	–	–	1	3	1	2	2	1	12	28	41	58	50	41	38	23	8	1	–	–
	All other Male	20	–	–	–	–	–	–	1	1	1	2	2	–	2	2	6	1	1	1	–	–	–	–
	Female	18	–	–	1	–	2	–	1	2	–	1	1	–	–	3	–	3	3	1	–	–	–	–
402	Hypertensive heart disease	238	–	–	–	–	–	–	3	2	7	3	7	21	16	20	25	33	34	42	19	2	4	–
	White Male	75	–	–	–	–	–	–	1	1	1	1	1	7	3	10	12	12	13	8	4	–	1	–
	Female	112	–	–	–	–	–	–	1	–	–	1	2	8	7	6	7	11	19	31	14	2	3	–
	All other Male	22	–	–	–	–	–	–	1	1	4	1	1	3	3	1	3	3	1	–	–	–	–	–
	Female	29	–	–	–	–	–	–	–	–	2	–	3	3	3	3	3	7	1	3	1	–	–	–
404	Hypertensive heart and renal disease	111	–	–	–	–	–	–	–	1	4	–	6	3	4	6	15	16	10	25	15	5	1	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	–	–	2	1	7	9	5	6	9	2	–	–
	Female	48	–	–	–	–	–	–	–	–	1	–	2	1	–	3	5	5	5	18	5	2	1	–
	All other Male	15	–	–	–	–	–	–	–	1	2	–	2	2	1	2	3	2	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	1	1	1	–	–
410–413	Ischemic heart disease	26,362	1	–	–	–	3	4	8	37	98	321	669	1,206	1,723	2,443	3,022	3,649	4,215	4,166	2,996	1,362	429	10
	White Male	13,504	1	–	–	–	1	4	3	24	71	229	472	869	1,214	1,612	1,869	1,920	1,929	1,676	1,102	392	110	6
	Female	11,008	–	–	–	–	1	–	1	4	11	39	90	200	347	630	910	1,455	2,063	2,303	1,770	902	278	4
	All other Male	983	–	–	–	–	–	–	3	6	12	28	68	87	106	120	144	142	105	79	46	21	16	–
	Female	867	–	–	–	–	1	–	1	3	4	25	39	50	56	81	99	132	118	108	78	47	25	–
410	Acute myocardial infarction	12,701	1	–	–	–	1	2	7	24	65	225	448	833	1,126	1,531	1,761	1,912	1,912	1,509	918	327	96	3
	White Male	7,443	1	–	–	–	–	2	2	17	50	170	341	624	822	1,081	1,175	1,076	939	673	345	98	25	2
	Female	4,502	–	–	–	–	–	–	1	2	7	28	56	136	218	363	482	723	895	778	539	212	61	1
	All other Male	425	–	–	–	–	–	–	3	4	7	15	32	47	53	47	63	64	43	26	14	6	1	–
	Female	331	–	–	–	–	1	–	1	1	1	12	19	26	33	40	41	49	35	32	20	11	9	–
411	Other acute and subacute forms of ischemic heart disease	64	–	–	–	–	–	–	–	–	1	1	2	6	8	5	8	9	7	13	3	–	1	–
	White Male	27	–	–	–	–	–	–	–	–	1	–	1	4	2	2	5	4	4	2	1	–	1	–
	Female	28	–	–	–	–	–	–	–	–	–	1	1	1	5	1	2	3	3	9	2	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
412	Chronic ischemic heart disease	13,592	–	–	–	–	2	2	1	13	32	95	219	367	589	907	1,251	1,727	2,295	2,643	2,075	1,035	332	7
	White Male	6,030	–	–	–	–	1	2	1	7	20	59	130	241	390	529	688	839	985	1,000	756	294	84	4
	Female	6,478	–	–	–	–	1	–	–	2	4	10	33	63	124	266	426	729	1,165	1,516	1,229	690	217	3
	All other Male	551	–	–	–	–	–	–	–	2	5	13	36	40	52	71	79	77	62	52	32	15	15	–
	Female	533	–	–	–	–	–	–	–	2	3	13	20	23	23	41	58	82	83	75	58	36	16	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	66	–	–	–	1	–	–	–	2	2	–	5	8	3	3	4	7	6	9	7	5	4	–
	White Male	33	–	–	–	–	–	–	–	2	1	–	4	5	1	1	2	5	4	6	1	1	–	–
	Female	26	–	–	–	1	–	–	–	–	1	–	1	3	–	2	1	1	1	3	5	4	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
420–423, 425–427, 429	All other forms of heart disease	960	8	3	1	4	5	7	16	13	21	22	46	55	78	78	92	117	142	117	79	45	11	–
	White—Male	432	6	3	–	1	2	4	4	7	9	6	26	24	37	45	42	60	54	56	26	16	4	–
	White—Female	387	–	–	1	2	2	2	2	2	4	7	14	18	23	20	36	47	77	54	46	24	6	–
	All other—Male	84	2	–	–	1	1	1	4	3	6	6	5	9	12	6	9	4	6	5	4	–	–	–
	All other—Female	57	–	–	–	–	–	–	6	1	2	3	1	4	6	7	5	6	5	2	3	5	1	–
400, 401, 403	Hypertension	197	–	–	–	–	–	–	1	1	1	4	8	4	7	13	15	21	38	37	28	16	3	–
	White—Male	89	–	–	–	–	–	–	–	–	1	–	4	2	5	5	7	11	15	21	8	9	1	–
	White—Female	83	–	–	–	–	–	–	1	–	–	–	2	–	1	5	6	6	19	14	20	7	2	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	4	1	1	–	1	1	1	2	2	–	–	–	–
	All other—Female	12	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	3	2	–	–	–	–	–
430–438	Cerebrovascular diseases	6,376	2	4	2	5	11	19	21	20	36	67	93	174	242	376	570	897	1,159	1,227	943	395	110	3
	White—Male	2,380	1	–	–	2	3	7	8	7	8	19	26	71	113	160	284	386	452	416	291	101	24	1
	White—Female	3,396	–	2	1	3	7	8	10	7	14	28	40	53	90	153	222	418	626	740	621	274	78	1
	All other—Male	281	1	1	1	–	–	3	2	2	5	12	20	27	26	25	35	31	39	30	12	5	3	1
	All other—Female	319	–	1	–	–	1	1	1	4	9	8	7	23	13	38	29	62	42	41	19	15	5	–
431	Cerebral hemorrhage	1,051	2	–	–	1	2	4	3	4	10	24	28	53	85	87	133	166	164	151	86	40	6	2
	White—Male	405	1	–	–	1	–	1	1	2	3	6	8	24	33	31	67	76	59	49	30	11	1	1
	White—Female	515	–	–	–	–	1	–	1	–	3	8	9	11	37	42	57	74	95	94	50	28	5	–
	All other—Male	72	1	–	–	–	–	2	1	1	2	6	9	7	9	7	6	10	4	1	4	1	–	1
	All other—Female	59	–	–	–	–	1	1	–	1	2	4	2	11	6	7	3	6	6	7	2	–	–	–
433	Cerebral thrombosis	2,101	–	–	–	–	–	1	2	–	3	4	11	32	43	115	161	325	401	456	366	133	47	1
	White—Male	779	–	–	–	–	–	–	–	–	1	2	5	17	24	44	81	140	158	163	102	34	8	–
	White—Female	1,164	–	–	–	–	–	1	2	–	2	1	1	7	10	52	66	150	222	269	254	92	34	1
	All other—Male	65	–	–	–	–	–	–	–	–	–	1	4	4	7	7	10	7	9	11	3	1	1	–
	All other—Female	93	–	–	–	–	–	–	–	–	–	–	1	4	2	12	4	28	12	13	7	6	4	–
434	Cerebral embolism	36	–	–	–	–	–	–	–	–	–	–	1	3	4	5	–	5	9	5	2	2	–	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	2	3	–	–	1	–	–
	White—Female	25	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	3	6	5	2	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,188	–	4	2	4	9	14	16	16	23	39	53	86	110	169	276	401	585	615	489	220	57	–
	White—Male	1,185	–	–	–	1	3	6	7	5	4	11	13	29	54	83	136	168	232	204	159	55	15	–
	White—Female	1,692	–	2	1	3	6	7	7	7	9	19	29	33	41	56	99	191	303	372	315	153	39	–
	All other—Male	144	–	1	1	–	–	1	1	1	3	5	7	16	10	11	19	14	26	18	5	3	2	–
	All other—Female	167	–	1	–	–	–	–	1	3	7	4	4	8	5	19	22	28	24	21	10	9	1	–
440	Arteriosclerosis	767	–	–	–	–	–	1	–	–	–	1	4	7	7	31	31	71	111	155	161	132	55	–
	White—Male	297	–	–	–	–	–	1	–	–	–	1	–	3	5	16	20	35	43	58	59	38	18	–
	White—Female	432	–	–	–	–	–	–	–	–	–	–	4	3	1	11	8	30	63	92	98	89	33	–
	All other—Male	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	4	3	2	2	–
	All other—Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	1	1	1	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	868	–	–	–	4	2	1	1	4	3	8	19	37	54	81	112	153	159	114	79	26	11	–
	White—Male	522	–	–	–	3	–	–	–	1	1	4	12	26	36	56	77	97	98	64	38	8	1	–
	White—Female	290	–	–	–	1	2	1	–	1	–	1	4	9	12	21	27	46	56	48	39	15	7	–
	All other—Male	24	–	–	–	–	–	–	1	–	–	2	2	1	4	1	4	5	4	–	–	–	–	–
	All other—Female	32	–	–	–	–	–	–	–	2	2	1	1	1	2	3	4	5	1	2	2	3	3	–
466	Acute bronchitis and bronchiolitis	35	5	3	1	1	1	–	1	1	–	1	–	1	–	3	4	4	2	3	2	2	–	–
	White—Male	16	2	2	1	–	–	–	–	–	–	–	–	1	–	2	3	2	1	1	–	1	–	–
	White—Female	14	1	–	–	–	1	–	1	1	–	1	–	–	–	–	1	2	1	2	2	1	–	–
	All other—Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,752	76	27	10	3	16	14	16	33	20	35	57	56	77	104	131	205	237	280	205	109	41	–
	White—Male	844	24	9	5	3	8	9	10	16	7	18	27	25	40	58	66	117	122	135	89	42	14	–
	White—Female	730	23	8	4	–	5	2	2	6	4	12	11	20	25	36	52	75	106	136	114	64	25	–
	All other—Male	108	17	7	1	–	2	2	2	8	4	2	13	9	9	6	10	5	4	4	1	2	–	–
	All other—Female	70	12	3	–	–	1	1	2	3	5	3	6	2	3	4	3	8	5	5	1	1	2	–
470–474	Influenza	40	–	1	1	1	1	–	–	–	1	–	2	2	2	3	3	4	9	6	2	1	1	–
	White—Male	18	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	2	5	4	1	–	1	–
	White—Female	20	–	1	1	–	1	–	–	–	1	–	1	2	1	–	3	2	4	1	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
480–486	Pneumonia	1,712	76	26	9	2	15	14	16	33	19	35	55	54	75	101	128	201	228	274	203	108	40	–
	White—Male	826	24	9	5	2	8	9	10	16	7	18	26	25	39	56	66	115	117	131	88	42	13	–
	White—Female	710	23	7	3	–	4	2	2	6	3	12	10	18	24	36	49	73	102	135	113	63	25	–
	All other—Male	108	17	7	1	–	2	2	2	8	4	2	13	9	9	6	10	5	4	4	1	2	–	–
	All other—Female	68	12	3	–	–	1	1	2	3	5	3	6	2	3	3	3	8	5	4	1	1	2	–
490–493	Bronchitis, emphysema, and asthma	745	–	1	1	1	2	3	1	2	6	7	8	30	57	92	119	138	140	95	32	9	1	–
	White—Male	502	–	–	–	–	1	1	1	1	–	1	1	12	37	61	82	96	108	68	28	4	–	–
	White—Female	191	–	–	1	–	–	2	–	–	–	3	4	9	14	27	33	32	29	27	4	5	1	–
	All other—Male	29	–	1	–	–	1	–	–	–	3	1	2	5	2	1	4	6	3	–	–	–	–	–
	All other—Female	23	–	–	–	1	–	–	–	1	3	2	1	4	4	3	–	4	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
490, 491	Chronic and unqualified bronchitis	166	–	1	–	–	–	1	–	–	–	1	2	10	14	22	24	30	33	21	7	–	–	–
	White Male	106	–	–	–	–	–	1	–	–	–	–	–	4	8	12	18	20	24	13	6	–	–	–
	Female	49	–	–	–	–	–	–	–	–	–	1	1	4	3	10	6	7	8	8	1	–	–	–
	All other Male	8	–	1	–	–	–	–	–	–	–	–	1	2	2	–	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
492	Emphysema	535	–	–	–	–	–	–	–	1	3	5	5	16	39	62	91	105	106	70	24	7	1	–
	White Male	386	–	–	–	–	–	–	–	1	–	1	1	7	27	47	64	76	83	54	22	3	–	–
	Female	123	–	–	–	–	–	–	–	–	–	1	3	5	11	13	23	23	21	16	2	4	1	–
	All other Male	17	–	–	–	–	–	–	–	–	1	1	1	2	–	1	4	5	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	2	2	–	2	1	1	–	1	–	–	–	–	–	–
493	Asthma	44	–	–	1	1	2	2	1	1	3	1	1	4	4	8	4	3	1	4	1	2	–	–
	White Male	10	–	–	–	–	1	–	1	–	–	–	–	1	2	2	–	–	1	1	–	1	–	–
	Female	19	–	–	1	–	–	2	–	–	–	1	–	–	–	4	4	2	–	3	1	1	–	–
	All other Male	4	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	11	–	–	–	1	–	–	–	1	1	–	1	2	2	2	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	265	1	–	1	–	–	1	–	1	4	6	9	18	20	30	40	34	32	39	19	6	4	–
	White Male	147	–	–	–	–	–	–	–	1	1	4	7	11	13	19	27	14	13	24	8	3	2	–
	Female	93	1	–	1	–	–	–	–	–	1	1	1	4	3	8	9	19	16	13	11	3	2	–
	All other Male	21	–	–	–	–	–	1	–	–	2	1	–	3	3	3	3	1	2	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
540–543	Appendicitis	22	1	–	–	1	2	1	–	1	1	1	–	–	5	1	2	1	–	4	1	–	–	–
	White Male	8	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	1	–	3	–	–	–	–
	Female	8	1	–	–	1	1	–	–	–	–	–	–	–	2	–	1	–	–	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	210	12	–	–	–	–	–	–	–	3	5	5	4	7	15	23	13	28	49	32	13	1	–
	White Male	69	4	–	–	–	–	–	–	–	–	1	2	1	1	5	9	8	9	16	8	5	–	–
	Female	123	6	–	–	–	–	–	–	–	–	4	2	3	4	10	11	5	15	31	24	7	1	–
	All other Male	7	1	–	–	–	–	–	–	–	2	–	1	–	1	–	1	–	–	–	–	1	–	–
	Female	11	1	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	4	2	–	–	–	–
571	Cirrhosis of liver	1,293	1	–	1	–	3	3	20	39	52	100	139	193	185	186	148	117	60	30	7	5	1	3
	White Male	694	1	–	1	–	1	–	8	8	21	43	61	105	109	104	104	69	34	15	3	4	1	2
	Female	386	–	–	–	–	1	–	3	6	10	24	38	63	60	64	31	43	25	13	4	1	–	–
	All other Male	128	–	–	–	–	–	2	6	18	12	17	25	15	10	11	8	3	1	–	–	–	–	–
	Female	85	–	–	–	–	1	1	3	7	9	16	15	10	6	7	5	2	–	2	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	124	–	–	–	–	–	–	–	1	–	1	1	–	7	7	13	17	30	21	17	9	–	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	1	–	3	4	9	9	14	4	4	2	–	–
	Female	70	–	–	–	–	–	–	–	1	–	1	–	–	4	2	3	8	15	17	13	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–
580–584	Nephritis and nephrosis	277	–	–	–	1	3	3	4	5	6	16	11	19	24	20	32	31	44	28	22	6	2	–
	White Male	117	–	–	–	–	–	1	2	2	3	6	1	8	7	10	15	16	18	13	12	2	1	–
	Female	90	–	–	–	–	1	–	1	2	2	2	3	5	9	7	5	10	18	12	8	4	1	–
	All other Male	40	–	–	–	–	2	2	1	–	–	5	3	3	5	2	10	3	3	1	–	–	–	–
	Female	30	–	–	–	1	–	–	–	1	1	3	4	3	3	1	2	2	5	2	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	62	–	–	–	–	1	–	–	–	1	4	3	3	4	5	8	10	14	3	4	1	1	–
	White Male	27	–	–	–	–	–	–	–	–	–	1	–	1	1	2	4	6	6	2	3	–	1	–
	Female	23	–	–	–	–	–	–	–	–	1	1	2	–	2	3	1	4	6	1	1	1	–	–
	All other Male	8	–	–	–	–	1	–	–	–	–	2	1	1	–	–	3	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	215	–	–	–	1	2	3	4	5	5	12	8	16	20	15	24	21	30	25	18	5	1	–
	White Male	90	–	–	–	–	–	1	2	2	3	5	1	7	6	8	11	10	12	11	9	2	–	–
	Female	67	–	–	–	–	1	–	1	2	1	1	1	5	7	4	4	6	12	11	7	3	1	–
	All other Male	32	–	–	–	–	1	2	1	–	–	3	2	2	5	2	7	3	3	1	–	–	–	–
	Female	26	–	–	–	1	–	–	–	1	1	3	4	2	2	1	2	2	3	2	2	–	–	–
590	Infections of kidney	161	–	–	–	2	–	1	1	1	1	1	2	5	5	10	11	19	36	31	24	9	2	–
	White Male	61	–	–	–	2	–	–	–	–	1	–	–	1	2	6	3	12	10	12	10	2	–	–
	Female	74	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	3	22	18	13	6	2	–
	All other Male	10	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	2	1	1	1	1	–	–
	Female	16	–	–	–	–	–	1	–	1	–	–	1	3	2	2	1	2	3	–	–	–	–	–
600	Hyperplasia of prostate	63	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	5	13	18	11	5	1	–
	White Male	61	–	–	–	–	–	–	–	–	–	–	–	–	–	4	5	4	13	18	11	5	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	1	2	3	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	–	–	–	–	1	2	3	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	–	1	2	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	9	–	–	–	–	1	2	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	419	256	39	16	8	16	10	10	6	4	5	13	7	8	6	6	4	1	1	–	2	–	1
	White.....Male	167	105	12	3	5	7	3	4	4	1	2	5	4	4	1	2	3	–	1	–	–	–	1
	Female	177	102	19	9	2	6	5	4	1	3	2	6	3	3	4	4	1	1	–	–	2	–	–
	All other.....Male	36	23	3	1	1	1	2	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	39	26	5	3	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	868	864	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
	White.....Male	346	344	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	255	254	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	149	148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	480	479	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White.....Male	216	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	137	136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	388	385	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	White.....Male	130	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	78	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	636	136	15	7	4	38	75	39	31	28	22	30	22	27	26	29	20	31	22	18	8	5	3
	White.....Male	256	44	6	5	1	14	38	17	9	9	7	11	12	13	11	17	7	16	10	5	3	–	1
	Female	176	24	5	1	3	8	11	8	5	6	7	9	6	10	12	9	11	13	9	11	4	4	–
	All other.....Male	137	34	2	–	–	14	22	10	13	9	6	9	1	3	3	3	2	1	2	1	–	–	2
	Female	67	34	2	1	–	2	4	4	4	4	2	1	3	1	–	–	–	1	1	1	1	1	–
Residual	All other diseases	3,576	44	26	13	26	47	53	51	71	76	92	157	243	244	353	410	442	471	408	239	83	27	–
	White.....Male	1,624	17	9	4	8	26	28	20	29	27	35	57	106	113	171	218	219	226	177	94	29	11	–
	Female	1,466	9	7	6	14	12	15	13	15	20	31	58	82	94	141	140	178	222	207	137	51	14	–
	All other.....Male	283	10	7	3	2	2	6	16	15	18	14	20	32	24	23	33	25	13	14	2	2	2	–
	Female	203	8	3	–	2	7	4	2	12	11	12	22	23	13	18	19	20	10	10	6	1	–	–
E800–E949	Accidents	2,653	29	109	73	97	249	276	199	120	102	133	117	134	146	130	110	138	153	151	112	52	16	7
	White.....Male	1,461	12	39	34	49	186	174	133	62	61	74	71	85	85	76	55	68	65	58	44	23	3	4
	Female	756	6	31	17	23	34	49	22	26	14	22	29	29	46	37	41	58	81	89	65	24	13	–
	All other.....Male	314	4	22	15	18	22	41	38	26	21	29	14	15	10	11	10	6	5	3	1	2	–	1
	Female	122	7	17	7	7	7	12	6	6	6	8	3	5	5	6	4	6	2	1	2	3	–	2
E810–E823	Motor vehicle accidents	1,123	1	23	38	40	166	173	114	58	52	68	51	56	60	44	37	44	42	29	20	6	–	1
	White.....Male	706	1	4	16	18	130	116	81	35	31	38	36	37	36	28	16	25	21	15	16	5	–	1
	Female	246	–	9	10	13	23	35	16	9	7	11	8	10	17	11	15	15	19	13	4	1	–	–
	All other.....Male	120	–	8	9	5	9	14	14	10	10	13	5	6	5	3	4	3	1	1	–	–	–	–
	Female	51	–	2	3	4	4	8	3	4	4	6	2	3	2	2	2	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,530	28	86	35	57	83	103	85	62	50	65	66	78	86	86	73	94	111	122	92	46	16	6
	White.....Male	755	11	35	18	31	56	58	52	27	30	36	35	48	49	48	39	43	44	43	28	18	3	3
	Female	510	6	22	7	10	11	14	6	17	7	11	21	19	29	26	26	43	62	76	61	23	13	–
	All other.....Male	194	4	14	6	13	13	27	24	16	11	16	9	9	5	8	6	3	4	2	1	2	–	1
	Female	71	7	15	4	3	3	4	3	2	2	2	1	2	3	4	2	5	1	1	2	3	–	2
E950–E959	Suicide	540	...	...	–	6	28	60	49	38	29	49	45	63	52	23	23	33	20	14	6	2	–	–
	White.....Male	356	...	...	–	3	26	43	33	20	18	30	28	43	31	13	14	23	13	12	5	1	–	–
	Female	150	...	...	–	2	2	6	10	13	10	15	15	19	19	9	9	10	7	2	1	1	–	–
	All other.....Male	27	...	...	–	–	–	11	3	4	1	3	1	1	2	1	–	–	–	–	–	–	–	–
	Female	7	...	...	–	1	–	–	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	511	3	10	1	8	41	88	68	70	51	26	29	23	21	22	13	16	7	9	2	1	–	2
	White.....Male	191	1	5	–	3	12	32	25	22	16	9	12	10	9	14	5	7	6	3	–	–	–	–
	Female	72	–	1	1	2	8	7	7	11	5	4	4	3	1	2	4	5	1	4	–	1	–	1
	All other.....Male	200	1	3	–	2	18	42	28	33	19	11	13	6	8	5	3	3	–	2	2	–	–	1
	Female	48	1	1	–	1	3	7	8	4	11	2	–	4	3	1	1	1	–	–	–	–	–	–
E980–E999	Other external causes	154	7	4	–	1	9	19	18	7	9	14	12	12	10	13	6	4	2	2	3	–	–	2
	White.....Male	83	2	1	–	–	7	16	9	3	4	3	7	8	5	4	4	3	1	1	3	–	–	2
	Female	43	4	2	–	–	–	1	3	2	2	8	5	3	4	4	2	1	1	1	–	–	–	–
	All other.....Male	22	1	–	–	1	2	2	5	1	2	3	–	1	–	4	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico																							
	All causes	8,030	389	90	50	79	204	234	172	145	208	207	336	441	541	680	775	883	847	805	565	298	79	2
	White—Male	4,207	184	35	26	43	126	140	102	84	109	100	165	257	305	399	452	484	449	370	256	97	23	1
	White—Female	2,990	130	30	17	20	45	40	33	25	43	61	124	133	196	222	273	341	352	393	280	183	49	–
	All other—Male	516	36	14	2	10	27	43	30	26	35	33	27	30	25	37	29	37	29	20	15	9	1	1
	All other—Female	317	39	11	5	6	6	11	7	10	21	13	20	21	15	22	21	21	17	22	14	9	6	–
004, 006	Bacillary dysentery and amebiasis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	22	8	1	–	–	–	–	–	–	–	1	–	–	2	–	1	2	2	2	1	1	1	–
	White—Male	5	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	White—Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	1	1	1	–
	All other—Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
010–019	Tuberculosis, all forms	23	–	–	–	–	–	1	–	–	1	–	2	–	–	–	3	4	4	5	3	–	–	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	4	–	–	–	–
	White—Female	6	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
010–012	Tuberculosis of respiratory system	18	–	–	–	–	–	–	–	–	1	–	1	–	–	–	3	3	4	3	3	–	–	–
	White—Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	2	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	White—Female	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	32	9	1	1	–	1	–	–	–	2	1	2	1	1	4	–	5	2	2	–	–	–	–
	White—Male	11	3	–	–	–	1	–	–	–	1	1	–	1	1	–	–	2	1	1	–	–	–	–
	White—Female	12	2	–	1	–	1	–	–	–	–	–	–	–	–	4	–	3	–	1	–	–	–	–
	All other—Male	6	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	3	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	25	3	2	2	1	1	–	–	1	–	1	–	4	1	–	1	5	2	1	–	–	–	–
	White—Male	12	–	–	1	–	1	–	–	1	–	–	–	3	1	–	1	2	2	–	–	–	–	–
	White—Female	12	3	2	1	–	–	–	–	–	–	1	–	1	–	–	–	3	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,289	–	8	7	7	10	10	12	11	23	30	65	102	135	190	165	187	144	103	61	14	5	–
	White—Male	622	–	3	2	3	5	7	8	4	11	12	20	44	58	101	88	97	78	40	30	8	3	–
	White—Female	603	–	3	4	3	4	3	4	7	10	17	44	51	73	77	70	79	61	57	28	6	2	–
	All other—Male	33	–	1	–	1	–	–	–	–	–	1	–	2	1	7	2	8	3	5	2	–	–	–
	All other—Female	31	–	1	1	–	1	–	–	–	2	–	1	5	3	5	5	3	2	1	1	–	–	–
140–149	Of buccal cavity and pharynx	22	–	–	–	–	–	–	–	–	2	–	–	2	1	9	1	2	3	1	1	–	–	–
	White—Male	15	–	–	–	–	–	–	–	–	1	–	–	1	1	7	1	2	2	–	–	–	–	–
	White—Female	6	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	1	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	362	–	2	–	1	1	–	–	2	6	9	12	28	35	52	52	64	42	30	18	8	–	–
	White—Male	163	–	2	–	1	1	–	–	–	3	5	6	14	18	28	19	34	15	6	8	3	–	–
	White—Female	176	–	–	–	–	–	–	–	2	3	4	6	9	17	21	29	26	23	21	10	5	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	2	2	–	–	–	–
	All other—Female	12	–	–	–	–	–	–	–	–	–	–	–	3	–	2	2	2	2	1	–	–	–	–
160–163	Of respiratory system	253	–	–	1	–	–	–	–	–	4	6	12	26	32	57	43	29	24	11	8	–	–	–
	White—Male	165	–	–	–	–	–	–	–	–	3	3	7	16	21	37	28	20	17	8	5	–	–	–
	White—Female	80	–	–	1	–	–	–	–	–	1	2	5	9	11	16	15	8	7	3	2	–	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	1	–	–	1	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
174	Of breast	118	–	–	–	–	–	–	1	2	2	4	16	14	16	12	6	14	12	11	7	1	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	112	–	–	–	–	–	–	1	2	2	4	15	14	14	10	6	14	11	11	7	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–
180–187	Of genital organs	176	–	–	1	–	1	2	1	2	4	1	14	12	20	25	16	19	24	17	11	2	4	–
	White—Male	77	–	–	–	–	1	2	–	1	–	–	–	–	2	10	10	8	17	11	11	2	2	–
	White—Female	89	–	–	–	–	–	–	1	1	2	1	14	11	16	14	6	9	6	6	–	2	2	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–
	All other—Female	5	–	–	1	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	64	–	1	–	–	–	–	–	1	–	–	3	4	6	8	12	11	6	8	2	1	1	–
	White—Male	49	–	1	–	–	–	–	–	–	–	–	3	4	5	4	10	8	5	5	2	1	1	–
	White—Female	15	–	–	–	–	–	–	–	1	–	–	–	–	1	4	2	3	1	3	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	183	–	–	3	1	6	3	7	2	3	4	6	13	18	14	24	31	20	17	10	1	–	–
	White—Male	92	–	–	–	–	3	3	5	2	2	1	3	7	7	7	15	15	11	6	4	1	–	–
	White—Female	80	–	–	3	–	2	–	2	–	1	3	3	6	11	7	7	13	9	9	4	–	–	–
	All other—Male	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–
	All other—Female	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
204–207	Leukemia	54	–	5	2	5	2	2	2	2	–	1	–	1	3	5	7	8	4	4	1	–	–	–
	White—Male	31	–	–	2	2	–	1	2	1	–	–	–	–	3	4	3	6	4	3	–	–	–	–
	White—Female	20	–	3	–	3	2	1	–	1	–	1	–	1	–	1	3	2	–	1	1	–	–	–
	All other—Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	57	–	–	–	–	–	3	1	–	2	5	2	2	4	8	4	9	9	4	3	1	–	–
	White—Male	29	–	–	–	–	–	1	1	–	2	3	1	2	1	4	2	4	6	1	–	1	–	–
	White—Female	25	–	–	–	–	–	2	–	–	–	2	1	–	3	3	2	4	3	2	3	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	29	–	2	–	–	2	–	–	–	–	1	3	1	5	5	1	3	2	3	1	–	–	–
	White—Male	19	–	2	–	–	2	–	–	–	–	–	3	–	4	3	–	3	–	1	1	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	2	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
250	Diabetes mellitus	170	–	–	–	–	–	–	1	2	3	3	6	11	18	20	24	21	17	29	6	8	1	–
	White—Male	63	–	–	–	–	–	–	1	2	3	1	2	3	5	11	6	7	6	11	4	1	–	–
	White—Female	91	–	–	–	–	–	–	–	–	–	1	4	6	10	7	15	12	10	16	2	7	1	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	1	–	2	3	1	1	–	1	1	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	20	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	2	9	–	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	White—Female	12	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	7	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
280–285	Anemias	10	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	1	2	2	1	–	–	
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	14	8	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	
	White Male	6	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	2,904	9	6	–	2	4	9	4	4	24	36	80	126	179	246	328	377	452	425	353	193	47	
	White Male	1,543	4	1	–	2	–	5	3	3	14	19	50	92	113	166	204	216	233	192	153	61	12	
	Female	1,224	1	2	–	–	–	4	1	1	7	12	24	25	56	65	111	143	205	218	190	125	34	
	All other Male	74	3	2	–	–	4	–	–	–	–	2	1	5	6	9	9	10	11	5	5	2	–	
	Female	63	1	1	–	–	–	–	–	–	3	3	5	4	4	6	4	8	3	10	5	5	1	
390–398, 402, 404, 410–429	Diseases of heart	1,926	5	6	–	2	4	6	4	3	16	32	64	96	143	191	252	240	298	245	194	94	31	
	White Male	1,115	2	1	–	2	–	3	3	2	11	18	43	74	97	132	164	141	163	122	86	41	10	
	Female	717	–	2	–	–	–	3	1	1	3	9	16	15	39	49	78	88	125	111	105	52	20	
	All other Male	58	2	2	–	–	4	–	–	–	–	2	1	3	6	6	8	8	8	5	2	1	–	
	Female	36	1	1	–	–	–	–	–	–	2	3	4	4	1	4	2	3	2	7	1	–	1	
390–398	Active rheumatic fever and chronic rheumatic heart disease	53	–	–	–	–	3	1	1	1	2	5	5	4	7	6	8	4	2	3	–	–	1	
	White Male	17	–	–	–	–	–	–	1	–	1	3	1	2	3	2	2	–	–	2	–	–	–	
	Female	25	–	–	–	–	–	1	–	1	1	1	3	1	4	3	4	3	2	1	–	–	–	
	All other Male	6	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	1	
402	Hypertensive heart disease	19	–	–	–	–	–	1	–	–	–	–	–	–	–	2	5	–	3	3	4	–	1	
	White Male	10	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	1	3	2	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	1	–	1	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	13	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	2	3	–	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,632	–	–	–	–	–	–	1	1	12	23	51	82	124	165	220	206	256	212	175	82	22	
	White Male	982	–	–	–	–	–	–	1	1	10	12	40	68	88	120	150	127	146	99	76	37	7	
	Female	598	–	–	–	–	–	–	–	–	–	7	9	11	32	39	64	72	105	102	98	44	15	
	All other Male	30	–	–	–	–	–	–	–	–	–	2	1	–	4	5	5	4	4	4	–	1	–	
	Female	22	–	–	–	–	–	–	–	–	2	2	1	3	–	1	1	3	1	7	1	–	–	
410	Acute myocardial infarction	906	–	–	–	–	–	–	1	1	9	16	41	62	87	116	140	124	120	98	61	21	9	
	White Male	598	–	–	–	–	–	–	1	1	7	10	31	50	60	83	101	82	76	52	33	9	2	
	Female	276	–	–	–	–	–	–	–	–	–	2	8	9	25	29	37	37	40	42	28	12	7	
	All other Male	16	–	–	–	–	–	–	–	–	–	2	1	–	2	3	2	2	3	1	–	–	–	
	Female	16	–	–	–	–	–	–	–	–	2	2	1	3	–	1	–	3	1	3	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	1	–	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	717	–	–	–	–	–	–	–	–	3	7	10	20	37	47	79	80	134	113	113	61	13	
	White Male	377	–	–	–	–	–	–	–	–	3	2	9	18	28	35	48	43	69	46	43	28	5	
	Female	320	–	–	–	–	–	–	–	–	–	5	1	2	7	10	27	35	64	60	69	32	8	
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	1	3	–	1	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	29	–	1	–	–	–	–	1	–	–	–	–	2	2	2	2	7	4	1	6	1	–	
	White Male	17	–	–	–	–	–	–	1	–	–	–	–	2	1	1	2	3	2	–	4	1	–	
	Female	11	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	4	2	1	2	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
420–423, 425–427, 429	All other forms of heart disease	180	5	5	–	2	1	4	1	1	2	4	8	7	10	13	16	21	31	23	9	10	7	–
	White—Male	83	2	1	–	2	–	2	–	1	–	3	2	1	5	7	8	10	13	17	4	2	3	–
	Female	69	–	1	–	–	–	2	1	–	2	1	4	3	3	4	6	8	13	5	4	8	4	–
	All other—Male	19	2	2	–	–	1	–	–	–	–	–	–	2	1	–	2	3	4	1	1	–	–	–
	Female	9	1	1	–	–	–	–	–	–	–	–	2	1	1	2	–	–	1	–	–	–	–	–
400, 401, 403	Hypertension	31	–	–	–	–	–	–	–	–	1	–	–	2	4	3	4	1	4	5	2	4	1	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	1	1	2	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	3	3	2	4	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	725	2	–	–	–	–	3	–	1	6	3	14	22	29	39	54	114	109	135	120	66	8	–
	White—Male	310	2	–	–	–	–	2	–	1	3	1	6	12	13	25	27	61	46	49	49	12	1	–
	Female	382	–	–	–	–	–	1	–	–	3	2	7	8	14	10	26	46	60	83	66	49	7	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	2	2	–	2	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	5	1	3	3	4	–	–
431	Cerebral hemorrhage	119	1	–	–	–	–	2	–	1	3	–	3	3	9	5	15	19	18	22	12	5	1	–
	White—Male	54	1	–	–	–	–	1	–	1	2	–	1	2	3	4	9	8	6	8	6	1	1	–
	Female	60	–	–	–	–	–	1	–	–	1	–	1	1	5	1	6	10	12	13	5	4	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	1	–	–	–
433	Cerebral thrombosis	155	1	–	–	–	–	–	–	–	–	–	–	3	6	12	8	29	23	26	29	16	2	–
	White—Male	76	1	–	–	–	–	–	–	–	–	–	–	2	4	10	7	17	9	12	11	3	–	–
	Female	73	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	11	13	14	17	12	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	448	–	–	–	–	–	1	–	–	2	3	11	16	14	21	31	66	68	87	79	44	5	–
	White—Male	179	–	–	–	–	–	1	–	–	1	1	5	8	6	10	11	36	31	29	32	8	–	–
	Female	247	–	–	–	–	–	–	–	–	1	2	6	6	8	8	19	25	35	56	44	32	5	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	2	1	–	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	1	3	–	–
440	Arteriosclerosis	129	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	9	24	24	30	27	7	–
	White—Male	53	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	4	12	9	15	7	1	–
	Female	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	11	15	13	19	6	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	93	2	–	–	–	–	–	–	–	1	1	2	5	1	13	13	13	17	16	7	2	–	–
	White—Male	54	–	–	–	–	–	–	–	–	–	–	1	3	1	7	8	9	11	10	3	1	–	–
	Female	37	1	–	–	–	–	–	–	–	1	1	1	2	–	5	5	4	6	6	4	1	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White—Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	257	20	1	1	3	1	2	1	–	2	4	5	6	14	16	20	21	30	47	34	21	8	–
	White—Male	127	7	–	–	2	–	–	–	–	–	2	1	2	11	12	12	12	19	23	15	7	2	–
	Female	94	8	–	–	–	1	1	–	–	1	–	4	3	1	3	7	7	11	18	13	11	5	–
	All other—Male	24	4	1	–	1	–	1	1	–	–	2	–	–	1	1	1	2	–	4	2	3	–	–
	Female	12	1	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	2	4	–	1	–
470–474	Influenza	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
	White—Male	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	252	20	1	1	2	1	2	1	–	2	4	5	6	14	16	20	21	28	46	34	21	7	–
	White—Male	124	7	–	–	1	–	–	–	–	–	2	1	2	11	12	12	12	17	23	15	7	2	–
	Female	92	8	–	–	–	1	1	–	–	1	–	4	3	1	3	7	7	11	17	13	11	4	–
	All other—Male	24	4	1	–	1	–	1	1	–	–	2	–	–	1	1	1	2	–	4	2	3	–	–
	Female	12	1	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	2	4	–	1	–
490–493	Bronchitis, emphysema, and asthma	177	2	–	–	–	–	1	–	–	1	3	4	9	15	16	37	41	26	13	8	1	–	–
	White—Male	131	2	–	–	–	–	1	–	–	1	2	1	4	12	13	26	30	22	10	6	1	–	–
	Female	42	–	–	–	–	–	–	–	–	–	1	3	4	3	3	10	9	4	3	2	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
490, 491	Chronic and unqualified bronchitis	33	2	–	–	–	–	1	–	–	–	1	–	2	2	2	6	12	1	2	2	–	–	–
	White Male	23	2	–	–	–	–	1	–	–	–	–	–	1	1	2	4	9	–	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
492	Emphysema	132	–	–	–	–	–	–	–	–	1	2	3	4	11	13	28	27	25	11	6	1	–	–
	White Male	100	–	–	–	–	–	–	–	–	1	2	1	2	9	10	19	20	22	9	4	1	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	2	2	2	3	8	7	3	2	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	12	–	–	–	–	–	–	–	–	–	–	1	3	2	1	3	2	–	–	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	24	–	–	1	–	–	–	1	1	–	–	–	–	3	4	6	3	3	1	1	–	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	2	2	–	1	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	–	2	2	1	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	2	1	–	1	–	–	–
	White Male	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	45	5	1	–	1	1	–	–	–	–	2	1	2	2	–	3	9	3	9	3	3	–	–
	White Male	20	3	–	–	–	1	–	–	–	–	–	–	1	1	–	2	5	2	4	–	1	–	–
	Female	21	2	1	–	–	–	–	–	–	–	1	1	1	–	–	1	3	1	5	3	2	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	208	–	–	–	1	–	2	5	6	21	20	27	27	30	24	16	12	10	6	–	1	–	–
	White Male	116	–	–	–	–	–	1	2	3	11	12	14	13	15	15	10	10	6	4	–	–	–	–
	Female	49	–	–	–	–	–	–	1	–	3	3	6	10	9	5	5	2	3	2	–	–	–	–
	All other Male	27	–	–	–	–	–	1	2	1	4	4	4	2	4	3	1	–	1	–	–	–	–	–
	Female	16	–	–	–	1	–	–	–	2	3	1	3	2	2	1	–	–	–	–	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	31	–	–	–	–	–	–	–	2	1	1	1	–	2	–	1	7	7	4	2	2	1	–
	White Male	10	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	3	2	1	1	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	2	2	1	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	1	1	–	–	1	–
580–584	Nephritis and nephrosis	35	–	–	–	–	1	–	–	–	–	1	1	2	4	4	7	6	6	2	–	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	1	1	2	–	5	2	4	1	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	3	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	26	–	–	–	–	1	–	–	–	–	1	1	1	2	4	5	3	5	2	–	1	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	1	1	1	1	–	3	2	3	1	–	–	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	1	1	2	1	–	1	1	3	–	2	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	2	–	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	94	66	12	4	2	–	2	–	–	1	1	–	2	3	–	1	–	–	–	–	–	–	–
	White Male	54	41	5	2	1	–	1	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–
	Female	27	16	5	2	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	All other Male	4	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	9	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	176	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxia and hypoxic conditions	112	112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	370	46	3	1	1	6	11	6	5	10	6	14	21	20	46	28	34	30	39	18	19	6	–
	White Male	183	18	1	1	–	3	6	4	2	5	2	8	13	13	24	12	22	15	19	9	3	3	–
	Female	121	19	1	–	1	3	4	1	–	2	–	2	4	6	17	9	7	8	16	5	14	2	–
	All other Male	43	5	1	–	–	–	–	–	2	2	3	4	4	1	5	4	3	3	2	2	2	–	–
	Female	23	4	–	–	–	–	1	1	1	1	1	–	–	–	–	3	2	4	2	2	–	1	–
Residual	All other diseases	766	11	6	6	4	11	24	18	22	33	35	49	48	50	65	88	100	68	69	35	21	3	–
	White Male	362	4	2	2	1	6	9	8	10	8	14	22	22	27	33	50	48	31	39	19	7	–	–
	Female	280	3	3	4	2	4	5	5	5	6	7	15	13	21	25	30	47	30	26	15	12	2	–
	All other Male	73	2	–	–	–	1	8	4	6	12	7	7	6	1	4	5	4	3	1	1	1	–	–
	Female	51	2	1	–	1	–	2	1	1	7	7	5	7	1	3	3	1	4	3	–	1	1	–
E800–E949	Accidents	906	15	42	25	41	124	127	76	55	52	35	45	53	36	26	31	24	25	34	21	11	6	2
	White Male	538	6	19	17	22	81	82	52	35	30	23	27	36	22	11	18	12	12	15	8	6	3	1
	Female	191	4	11	5	13	24	13	7	7	9	4	8	10	6	6	9	11	10	18	11	3	2	–
	All other Male	131	1	8	2	4	15	26	13	9	12	8	5	6	6	6	3	1	1	1	2	–	1	1
	Female	46	4	4	1	2	4	6	4	4	1	–	5	1	2	3	1	–	2	–	–	2	–	–
E810–E823	Motor vehicle accidents	492	4	21	10	25	91	96	51	30	29	14	26	32	20	10	12	9	3	6	2	1	–	–
	White Male	299	–	10	7	14	56	59	34	16	16	8	16	23	13	5	7	6	2	5	2	–	–	–
	Female	87	1	6	3	7	21	10	3	4	6	3	3	6	3	1	4	3	1	1	–	1	–	–
	All other Male	77	1	1	–	2	11	21	11	7	6	3	4	3	3	3	1	–	–	–	–	–	–	–
	Female	29	2	4	–	2	3	6	3	3	1	–	3	–	1	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	414	11	21	15	16	33	31	25	25	23	21	19	21	16	16	19	15	22	28	19	10	6	2
	White Male	239	6	9	10	8	25	23	18	19	14	15	11	13	9	6	11	6	10	10	6	6	3	1
	Female	104	3	5	2	6	3	3	4	3	3	1	5	4	3	5	5	8	9	17	11	2	2	–
	All other Male	54	–	7	2	2	4	5	2	2	6	5	1	3	3	3	2	1	1	1	2	–	1	1
	Female	17	2	–	1	–	1	–	1	1	–	–	2	1	1	2	1	–	2	–	–	2	–	–
E950–E959	Suicide	192	...	...	–	6	24	24	17	15	23	10	17	13	13	7	6	6	7	3	1	–	–	–
	White Male	139	...	...	–	5	18	16	8	13	18	4	10	12	11	5	4	5	7	2	1	–	–	–
	Female	39	...	...	–	–	3	5	7	1	3	6	6	1	2	2	1	1	–	1	–	–	–	–
	All other Male	13	...	...	–	–	3	3	2	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	1	...	...	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	128	4	1	1	7	16	12	24	18	8	10	9	9	4	1	2	1	1	–	–	–	–	–
	White Male	76	1	–	1	4	9	8	15	9	7	6	4	5	3	1	2	–	1	–	–	–	–	–
	Female	17	–	1	–	–	3	1	3	4	–	1	1	2	1	–	–	–	–	–	–	–	–	–
	All other Male	30	–	–	–	3	4	2	5	5	1	3	4	2	–	–	–	1	–	–	–	–	–	–
	Female	5	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	36	2	–	–	1	–	7	6	3	1	2	3	1	1	2	3	3	–	1	–	–	–	–
	White Male	14	1	–	–	1	–	4	1	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	2	–	1	1	2	–	–	–	2	–	–	1	–	–	–	–
	All other Male	12	1	–	–	–	–	2	3	2	–	1	–	–	–	–	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York																							
	All causes	**176,959**	**3,894**	**647**	**503**	**554**	**1,456**	**2,062**	**1,858**	**1,978**	**2,216**	**3,388**	**5,673**	**8,515**	**11,520**	**15,919**	**19,514**	**22,732**	**24,645**	**23,828**	**16,385**	**7,287**	**2,272**	**113**
	White Male	83,488	1,510	272	209	264	871	1,136	912	852	920	1,484	2,767	4,290	6,136	8,873	10,633	11,527	11,591	10,044	6,179	2,360	616	42
	White Female	74,291	1,137	196	160	175	280	363	402	434	566	920	1,667	2,672	3,718	5,220	6,979	9,233	11,637	12,745	9,600	4,622	1,525	40
	All other Male	10,847	696	106	80	73	218	401	368	450	464	587	761	971	974	1,018	1,058	1,018	735	462	258	91	35	23
	All other Female	8,333	551	73	54	42	87	162	176	242	266	397	478	582	692	808	844	954	682	577	348	214	96	8
004, 006	Bacillary dysentery and amebiasis	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	154	41	3	1	–	1	2	3	2	–	5	3	1	5	6	14	14	11	19	13	7	2	1
	White Male	61	11	1	–	–	1	1	3	–	–	1	1	–	4	2	5	9	4	9	6	2	1	–
	White Female	72	14	2	–	–	–	1	–	1	–	3	1	1	1	4	8	5	7	10	7	5	1	1
	All other Male	11	9	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	10	7	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	357	–	1	–	–	1	2	5	11	12	17	25	28	38	44	44	39	37	27	19	5	2	–
	White Male	162	–	–	–	–	1	1	–	1	3	5	8	12	18	24	27	17	22	11	10	1	1	–
	White Female	75	–	–	–	–	–	–	2	2	2	1	3	3	5	8	9	10	11	11	7	1	–	–
	All other Male	83	–	1	–	–	–	1	2	7	5	8	10	9	10	7	7	9	2	2	2	1	–	–
	All other Female	37	–	–	–	–	–	–	1	1	2	3	4	4	5	5	1	3	2	3	–	2	1	–
010–012	Tuberculosis of respiratory system	293	–	–	–	–	1	2	4	7	12	16	20	22	30	38	39	29	32	21	15	4	1	–
	White Male	134	–	–	–	–	1	1	–	1	3	5	6	9	12	23	23	11	19	9	9	1	1	–
	White Female	59	–	–	–	–	–	–	2	1	2	–	1	3	4	5	9	8	9	8	6	1	–	–
	All other Male	69	–	–	–	–	–	1	1	4	5	8	9	8	9	5	7	8	2	1	–	1	–	–
	All other Female	31	–	–	–	–	–	–	1	1	2	3	4	2	5	5	–	2	2	3	–	1	–	–
013–019	Tuberculosis, other forms	64	–	1	–	–	–	–	1	4	–	1	5	6	8	6	5	10	5	6	4	1	1	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	2	3	6	1	4	6	3	2	1	–	–	–
	White Female	16	–	–	–	–	–	–	–	1	–	1	2	–	1	3	–	2	2	3	1	–	–	–
	All other Male	14	–	1	–	–	–	–	1	3	–	–	1	1	1	2	–	1	–	1	2	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	1	1	–
033	Whooping cough	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	3	4	3	1	3	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	White Male	8	1	2	2	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	White Female	8	2	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	487	58	5	–	2	2	3	5	4	6	7	13	20	26	36	58	54	73	53	37	18	6	1
	White Male	209	19	3	–	–	1	1	4	–	2	–	3	7	15	13	29	23	35	26	17	9	2	–
	White Female	179	15	–	–	1	1	1	–	2	4	2	5	7	6	12	20	22	31	23	16	7	4	–
	All other Male	54	13	2	–	1	–	–	1	1	–	1	2	3	2	7	5	8	3	3	1	1	–	–
	All other Female	45	11	–	–	–	–	1	–	1	–	4	3	3	3	4	4	1	4	1	3	1	–	1
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	20	–	–	–	–	–	–	–	–	–	–	–	2	1	4	3	4	5	–	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	2	–	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	323	14	6	6	10	6	12	9	12	7	21	17	20	29	34	32	29	23	16	16	2	1	1
	White Male	120	6	1	1	3	3	5	–	3	–	7	5	4	10	14	17	16	11	8	6	–	–	–
	White Female	137	5	4	3	5	2	3	6	4	4	5	7	14	11	14	11	7	12	8	10	1	1	–
	All other Male	31	2	–	2	1	–	1	–	2	–	4	2	1	5	3	3	3	–	–	–	1	–	1
	All other Female	35	1	1	–	1	1	3	3	3	3	5	3	1	3	3	1	3	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	35,435	8	51	94	83	112	116	137	257	356	724	1,596	2,570	3,531	4,691	5,207	5,426	4,714	3,392	1,708	543	111	8
	White—Male	16,611	3	26	40	30	65	65	58	94	109	227	603	1,032	1,526	2,300	2,650	2,796	2,357	1,597	765	228	35	5
	Female	15,414	3	18	39	35	34	37	63	120	189	349	750	1,180	1,529	1,883	2,087	2,165	2,086	1,619	867	286	73	2
	All other—Male	1,904	–	5	9	11	6	6	2	14	22	66	139	203	274	290	284	267	161	92	42	10	1	–
	Female	1,506	2	2	6	7	7	8	14	29	36	82	104	155	202	218	186	198	110	84	34	19	2	1
140–149	Of buccal cavity and pharynx	758	–	–	–	–	–	–	1	6	7	14	52	68	107	132	123	91	74	55	15	12	1	–
	White—Male	456	–	–	–	–	–	–	–	3	1	4	29	46	58	77	83	62	45	32	10	5	1	–
	Female	183	–	–	–	–	–	–	–	1	–	3	10	4	30	32	29	19	25	19	4	7	–	–
	All other—Male	90	–	–	–	–	–	–	–	1	4	4	10	13	13	21	10	7	4	3	–	–	–	–
	Female	29	–	–	–	–	–	–	1	1	2	3	3	5	6	2	1	3	–	1	1	–	–	–
150–159	Of digestive organs and peritoneum	10,953	2	2	1	–	3	11	11	30	54	137	345	652	947	1,378	1,634	1,841	1,690	1,300	650	216	45	4
	White—Male	5,118	1	1	–	–	1	5	6	11	18	60	155	296	475	710	822	912	759	544	260	71	9	2
	Female	4,750	–	1	–	–	1	4	4	11	25	46	127	238	325	504	660	768	821	687	363	129	35	1
	All other—Male	625	–	–	1	–	1	2	–	6	5	15	42	66	95	94	88	89	68	34	16	3	–	–
	Female	460	1	–	–	–	–	–	1	2	6	16	21	52	52	70	64	72	42	35	11	13	1	1
160–163	Of respiratory system	7,756	–	–	2	–	–	3	6	20	52	166	399	693	951	1,237	1,340	1,214	899	493	213	56	11	1
	White—Male	5,185	–	–	1	–	–	2	4	9	25	80	212	386	575	852	932	886	662	362	151	39	6	1
	Female	1,789	–	–	1	–	–	1	2	8	17	43	111	200	244	257	291	233	192	114	55	15	5	–
	All other—Male	618	–	–	–	–	–	–	–	2	9	30	62	84	100	102	93	79	36	12	7	2	–	–
	Female	164	–	–	–	–	–	–	–	1	1	13	14	23	32	26	24	16	9	5	–	–	–	–
174	Of breast	3,565	–	–	–	–	–	4	11	37	79	142	285	393	457	463	456	418	365	244	140	58	13	–
	White—Male	31	–	–	–	–	–	–	–	–	–	–	2	1	3	6	3	7	1	5	3	–	–	–
	Female	3,267	–	–	–	–	–	1	9	29	70	120	255	353	414	421	423	390	352	230	132	56	12	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	265	–	–	–	–	–	3	2	8	9	22	28	38	40	35	30	21	12	9	5	2	1	–
180–187	Of genital organs	3,885	–	1	1	4	10	10	19	36	35	81	145	236	336	470	509	590	592	469	260	70	10	1
	White—Male	1,488	–	–	–	1	8	6	9	8	3	1	9	17	57	110	192	262	324	273	161	41	6	–
	Female	1,939	–	1	–	2	–	4	6	19	22	65	116	192	228	298	250	250	222	153	82	24	4	1
	All other—Male	192	–	–	–	–	–	–	–	–	–	–	3	5	9	20	36	46	27	30	13	3	–	–
	Female	266	–	–	1	1	2	–	4	9	10	15	17	22	42	42	31	32	19	13	4	2	–	–
188, 189	Of urinary organs	1,649	–	3	4	–	1	–	2	6	7	10	56	77	108	196	254	284	278	219	97	38	8	1
	White—Male	1,052	–	1	3	–	1	–	2	2	4	1	40	50	71	137	162	189	176	126	56	25	5	1
	Female	510	–	1	1	–	–	–	–	3	3	5	14	25	22	46	79	77	93	88	38	12	3	–
	All other—Male	51	–	1	–	–	–	–	–	–	–	4	1	1	10	7	9	8	5	2	2	1	–	–
	Female	36	–	–	–	–	–	–	–	1	–	–	1	1	5	6	4	10	4	3	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	3,665	2	23	35	31	42	34	28	50	68	93	179	278	355	472	461	537	414	319	184	49	11	–
	White—Male	1,690	1	11	14	7	19	23	14	25	27	46	83	136	150	232	240	258	181	131	68	22	2	–
	Female	1,626	–	8	12	16	16	8	12	20	36	31	73	104	163	192	179	235	205	174	108	26	8	–
	All other—Male	181	–	2	5	5	3	1	–	1	1	7	7	28	29	26	26	19	12	6	2	–	1	–
	Female	168	1	2	4	3	4	2	2	4	4	9	16	10	13	22	16	25	16	8	6	1	–	–
204–207	Leukemia	1,291	4	17	42	36	33	30	25	24	20	31	44	60	99	109	134	173	176	135	75	19	5	–
	White—Male	665	1	11	17	14	22	17	5	13	8	13	24	32	50	63	73	94	101	64	30	11	2	–
	Female	523	3	5	22	15	10	9	14	8	8	13	16	24	37	34	50	65	69	68	42	8	3	–
	All other—Male	58	–	1	2	5	1	2	2	2	1	2	4	3	7	9	4	7	4	1	1	–	–	–
	Female	45	–	–	1	2	–	2	4	1	3	3	–	1	5	3	7	7	2	2	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	1,913	–	5	9	12	23	24	34	48	34	50	91	113	171	234	296	278	226	158	74	25	7	1
	White—Male	926	–	2	5	8	14	12	18	23	23	22	49	68	87	113	143	126	108	60	26	14	4	1
	Female	827	–	2	3	2	7	10	16	21	8	23	28	40	66	99	126	128	107	86	43	9	3	–
	All other—Male	87	–	1	1	1	1	1	–	2	2	4	10	2	11	10	18	12	5	4	1	1	–	–
	Female	73	–	–	–	1	1	1	–	2	1	1	4	3	7	12	9	12	6	8	4	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	570	4	5	7	9	8	5	6	14	10	16	25	35	49	65	77	84	76	44	19	8	4	–
	White—Male	262	1	2	2	3	5	1	3	5	5	4	10	13	20	29	37	40	49	21	8	4	–	–
	Female	235	3	2	3	6	1	3	2	6	3	5	9	14	19	28	32	36	24	21	10	4	4	–
	All other—Male	23	–	–	1	–	2	1	–	1	–	2	2	3	4	1	2	1	1	1	1	–	–	–
	Female	50	–	1	1	–	–	–	1	2	2	5	4	5	6	7	6	7	2	1	–	–	–	–
250	Diabetes mellitus	3,675	1	1	2	2	2	12	15	31	17	52	92	150	262	345	485	586	650	561	307	92	10	–
	White—Male	1,323	–	1	1	1	1	4	1	7	9	25	37	56	105	152	194	201	226	169	103	28	2	–
	Female	1,785	1	–	1	1	1	5	8	12	4	12	28	46	94	130	221	278	351	348	180	58	6	–
	All other—Male	209	–	–	–	–	–	1	2	4	2	5	15	18	27	22	27	39	28	13	6	–	–	–
	Female	358	–	–	–	–	–	2	4	8	2	10	12	30	36	41	43	68	45	31	18	6	2	–
260–269	Avitaminoses and other nutritional deficiencies	153	3	2	–	–	–	–	2	2	1	2	3	5	11	6	14	16	21	28	18	9	9	1
	White—Male	66	2	1	–	–	–	–	–	2	1	1	2	5	3	3	5	8	7	14	5	5	2	–
	Female	70	–	–	–	–	–	–	1	–	–	1	–	–	7	2	7	6	9	14	12	4	6	1
	All other—Male	11	1	–	–	–	–	–	1	–	–	–	1	–	–	1	2	1	3	–	1	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
280–285	Anemias	292	2	2	5	7	7	8	11	5	3	6	6	9	12	20	18	35	36	52	30	14	4	–
	White—Male	114	1	–	3	1	2	3	3	–	–	1	3	3	3	7	9	15	17	25	13	3	2	–
	Female	130	–	–	1	1	3	–	3	1	2	2	3	3	7	11	8	15	18	25	15	11	1	–
	All other—Male	19	–	1	–	2	1	1	3	2	1	2	–	2	1	1	–	–	–	1	1	–	–	–
	Female	29	1	1	1	3	1	4	2	2	–	1	–	1	1	1	1	5	1	1	1	–	1	–
320	Meningitis	114	24	9	4	3	–	–	1	3	1	5	3	5	9	5	8	11	13	8	2	–	–	–
	White—Male	45	12	4	2	1	–	–	–	1	–	2	1	3	4	2	3	3	7	–	–	–	–	–
	Female	35	3	2	1	–	–	–	1	–	–	1	1	–	5	3	3	8	3	2	2	–	–	–
	All other—Male	15	6	3	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	1	–	–	–	–
	Female	19	3	–	1	2	–	–	–	2	–	1	1	–	–	–	1	–	3	5	–	–	–	–
390–448	Major cardiovascular diseases	93,070	52	16	14	25	60	75	111	190	417	961	1,942	3,434	5,091	7,659	10,119	12,886	15,177	15,927	11,667	5,467	1,742	38
	White—Male	43,905	14	9	4	10	28	32	47	88	219	540	1,195	2,115	3,190	4,705	5,717	6,520	6,835	6,389	4,128	1,669	438	13
	Female	42,187	18	3	5	12	22	24	28	37	86	188	349	749	1,256	2,159	3,450	5,366	7,562	8,920	7,140	3,587	1,207	19
	All other—Male	3,612	10	2	3	3	7	11	21	40	65	141	253	349	393	434	502	490	386	257	153	62	26	4
	Female	3,366	10	2	2	–	3	8	15	25	47	92	145	221	252	361	450	510	394	361	246	149	71	2
390–398, 402, 404, 410–429	Diseases of heart	73,077	40	8	7	13	39	43	64	125	323	740	1,621	2,931	4,343	6,454	8,345	10,312	11,740	11,962	8,620	4,027	1,291	29
	White—Male	35,922	12	6	1	6	20	17	30	68	184	473	1,065	1,921	2,837	4,079	4,836	5,327	5,427	4,862	3,117	1,279	344	11
	Female	31,843	13	1	3	5	13	12	15	18	56	120	245	577	987	1,737	2,778	4,232	5,721	6,630	5,198	2,597	873	12
	All other—Male	2,825	8	–	2	2	4	9	14	26	52	94	206	271	325	353	395	376	297	204	118	45	20	4
	Female	2,487	7	1	1	–	2	5	5	13	31	53	105	162	194	285	336	377	295	266	187	106	54	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,452	–	–	–	4	6	13	11	18	30	54	80	135	174	207	251	217	121	79	40	10	1	1
	White—Male	550	–	–	–	1	2	4	4	9	13	22	36	62	75	81	96	64	40	27	10	4	–	–
	Female	774	–	–	–	2	2	2	5	5	11	21	32	62	78	114	141	140	76	46	30	6	1	–
	All other—Male	63	–	–	–	1	1	3	2	1	5	5	4	5	14	7	5	5	1	3	–	–	–	1
	Female	65	–	–	–	–	1	4	–	3	1	6	8	6	7	5	9	8	4	3	–	–	–	–
402	Hypertensive heart disease	698	–	–	–	–	1	1	1	2	3	10	20	28	44	59	86	113	106	113	76	23	12	–
	White—Male	241	–	–	–	–	1	–	–	1	1	2	6	10	17	27	43	43	33	33	19	4	1	–
	Female	322	–	–	–	–	–	–	1	–	–	2	4	7	11	14	21	48	62	72	52	17	11	–
	All other—Male	59	–	–	–	–	–	1	–	–	2	4	6	5	7	7	11	7	3	3	1	2	–	–
	Female	76	–	–	–	–	–	–	–	1	–	2	4	6	9	11	11	15	8	5	4	–	–	–
404	Hypertensive heart and renal disease	235	–	–	–	–	–	–	–	1	–	4	5	5	2	15	23	23	37	48	39	25	8	–
	White—Male	96	–	–	–	–	–	–	–	–	–	3	–	1	–	5	12	10	14	27	16	6	2	–
	Female	125	–	–	–	–	–	–	–	1	–	–	2	1	–	8	11	13	20	21	23	19	6	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–	–	2	–	–	–	–	–
410–413	Ischemic heart disease	67,688	–	–	–	1	7	10	27	73	245	616	1,421	2,606	3,934	5,900	7,656	9,595	11,045	11,295	8,173	3,833	1,225	26
	White—Male	33,648	–	–	–	1	4	5	17	46	156	418	971	1,775	2,649	3,820	4,499	5,025	5,136	4,600	2,970	1,219	326	11
	Female	29,394	–	–	–	–	2	3	3	5	34	84	187	459	847	1,527	2,494	3,895	5,363	6,258	4,924	2,471	827	11
	All other—Male	2,471	–	–	–	–	–	2	3	14	33	76	177	246	278	310	359	335	276	191	107	43	19	2
	Female	2,175	–	–	–	–	1	–	4	8	22	38	86	126	160	243	304	340	270	246	172	100	53	2
410	Acute myocardial infarction	29,395	–	–	–	1	3	2	14	37	138	327	777	1,459	2,179	3,142	3,926	4,569	4,719	4,266	2,545	990	290	11
	White—Male	16,346	–	–	–	1	2	–	12	24	97	253	585	1,078	1,568	2,172	2,411	2,551	2,252	1,879	1,008	353	93	7
	Female	11,517	–	–	–	–	–	1	2	3	15	43	100	253	453	778	1,273	1,800	2,294	2,255	1,458	603	182	4
	All other—Male	846	–	–	–	–	–	1	–	7	18	21	66	88	103	113	139	102	88	53	33	10	4	–
	Female	686	–	–	–	–	1	–	–	3	8	10	26	40	55	79	103	116	85	79	46	24	11	–
411	Other acute and subacute forms of ischemic heart disease	406	–	–	–	–	–	–	1	2	2	5	12	27	39	55	66	46	62	38	34	15	2	–
	White—Male	238	–	–	–	–	–	–	–	1	1	3	6	18	29	37	44	26	32	19	15	6	1	–
	Female	140	–	–	–	–	–	–	–	–	1	–	5	6	7	12	16	19	29	17	19	8	1	–
	All other—Male	14	–	–	–	–	–	–	1	1	–	1	1	1	2	4	1	–	–	1	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	2	1	2	5	1	1	1	–	–	–	–
412	Chronic ischemic heart disease	37,882	–	–	–	–	4	8	12	34	105	284	632	1,119	1,715	2,702	3,664	4,980	6,264	6,989	5,594	2,828	933	15
	White—Male	17,061	–	–	–	–	2	5	5	21	58	162	380	678	1,052	1,611	2,044	2,448	2,852	2,700	1,947	860	232	4
	Female	17,735	–	–	–	–	2	2	1	2	18	41	82	200	386	736	1,205	2,076	3,040	3,986	3,447	1,860	644	7
	All other—Male	1,611	–	–	–	–	–	1	2	6	15	54	110	157	173	193	219	233	188	137	74	32	15	2
	Female	1,475	–	–	–	–	–	–	4	5	14	27	60	84	104	162	196	223	184	166	126	76	42	2
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	241	2	1	–	2	3	4	5	5	3	6	6	14	11	22	27	34	25	32	29	7	2	1
	White—Male	106	1	1	–	1	2	2	1	3	1	3	4	7	7	12	15	12	12	8	12	2	–	–
	Female	116	1	–	–	1	1	–	1	1	1	3	1	5	3	9	11	18	13	24	15	5	2	1
	All other—Male	11	–	–	–	–	–	2	2	1	1	–	1	–	–	1	–	2	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	2	1	–	1	2	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,763	38	7	7	6	22	15	20	26	42	50	89	143	178	251	302	330	406	395	263	129	43	1
	White Male	1,281	11	5	1	3	11	6	8	9	13	25	48	66	89	134	171	173	192	167	90	44	15	–
	Female	1,112	12	1	3	2	8	7	5	6	10	10	19	43	48	65	100	118	187	209	154	79	26	–
	All other Male	215	8	–	2	1	3	1	7	10	11	9	18	13	25	26	20	27	16	7	9	–	1	1
	Female	155	7	1	1	–	–	1	–	1	8	6	4	21	16	26	11	12	11	12	10	6	1	–
400, 401, 403	Hypertension	514	–	–	1	–	–	–	1	3	5	7	15	16	21	25	58	56	90	91	91	23	11	–
	White Male	230	–	–	1	–	–	–	–	1	3	3	2	8	10	14	29	31	33	42	38	12	3	–
	Female	230	–	–	–	–	–	–	–	–	–	1	5	4	7	6	22	19	53	44	51	10	8	–
	All other Male	23	–	–	–	–	–	–	–	1	–	1	5	2	1	3	1	3	1	3	1	1	–	–
	Female	31	–	–	–	–	–	–	1	1	2	2	3	2	3	2	6	3	3	2	1	–	–	–
430–438	Cerebrovascular diseases	15,130	8	8	5	12	18	21	35	55	76	182	259	405	577	900	1,317	1,973	2,675	3,043	2,270	1,007	279	5
	White Male	5,741	1	3	2	4	5	9	13	16	26	52	108	147	252	426	591	864	1,050	1,099	757	264	52	–
	Female	8,052	3	2	1	7	9	8	11	16	26	57	83	152	224	348	540	905	1,476	1,825	1,443	701	210	5
	All other Male	630	2	2	1	1	3	2	5	13	12	39	39	58	54	64	88	93	72	41	23	13	5	–
	Female	707	2	1	1	–	1	2	6	10	12	34	29	48	47	62	98	111	77	78	47	29	12	–
431	Cerebral hemorrhage	2,553	4	3	3	4	8	7	9	18	22	58	97	136	158	271	279	370	373	400	214	101	18	–
	White Male	977	1	2	1	–	2	4	2	3	10	21	41	52	67	135	116	164	138	122	71	24	1	–
	Female	1,295	1	–	1	4	4	2	3	5	5	10	29	49	64	101	131	176	220	264	138	73	15	–
	All other Male	148	2	1	–	–	2	–	2	5	5	16	21	21	16	13	15	16	5	4	2	1	1	–
	Female	133	–	–	1	–	–	1	2	5	2	11	6	14	11	22	17	14	10	10	3	3	1	–
433	Cerebral thrombosis	4,180	–	–	–	2	–	–	1	1	4	7	17	46	86	169	306	529	822	965	776	354	93	2
	White Male	1,610	–	–	–	1	–	–	–	–	1	1	11	23	42	86	167	263	326	334	246	91	18	–
	Female	2,368	–	–	–	1	–	–	–	1	2	2	2	12	32	67	106	227	461	615	512	252	74	2
	All other Male	93	–	–	–	–	–	–	1	–	–	1	3	6	6	9	17	18	15	8	7	2	–	–	–
	Female	109	–	–	–	–	–	–	–	–	1	3	1	5	6	7	16	21	20	8	11	9	1	–
434	Cerebral embolism	77	–	–	–	–	–	–	–	–	–	–	3	1	6	7	9	14	13	7	10	6	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	2	–	–	3	5	8	3	4	3	2	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	1	6	2	1	4	7	3	7	4	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	8,320	4	5	2	6	10	14	25	36	50	117	142	222	327	453	723	1,060	1,467	1,671	1,270	546	167	3
	White Male	3,124	–	1	1	3	3	5	11	13	15	30	54	72	143	202	303	429	583	639	437	147	33	–
	Female	4,352	2	2	–	2	5	6	8	10	19	45	51	90	122	178	302	498	788	943	786	372	120	3
	All other Male	384	–	1	1	1	2	2	8	7	22	15	31	32	41	54	58	51	29	14	10	4	–	–
	Female	460	2	1	–	–	1	1	4	5	9	20	22	29	30	32	64	75	45	60	33	17	10	–
440	Arteriosclerosis	2,122	–	–	–	–	–	–	–	–	–	1	7	16	29	56	100	156	317	505	477	325	130	3
	White Male	771	–	–	–	–	–	–	–	–	–	–	3	6	14	29	48	71	129	213	137	92	28	1
	Female	1,241	–	–	–	–	–	–	–	–	–	–	–	4	7	21	38	74	174	279	325	219	98	2
	All other Male	50	–	–	–	–	–	–	–	–	–	–	–	3	3	2	9	7	7	7	8	3	1	–
	Female	60	–	–	–	–	–	–	–	–	–	1	4	3	5	4	5	4	7	6	7	11	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,227	4	–	1	–	3	11	11	7	13	31	40	66	121	224	299	389	355	326	209	85	31	1
	White Male	1,241	1	–	–	–	3	6	4	3	6	12	17	33	77	157	213	227	196	173	79	22	11	1
	Female	821	2	–	1	–	–	4	2	3	4	10	16	12	31	47	72	136	138	142	123	60	18	–
	All other Male	84	–	–	–	–	–	–	2	–	1	7	3	15	10	12	9	11	9	2	3	–	–	–
	Female	81	1	–	–	–	–	1	3	1	2	2	4	6	3	8	5	15	12	9	4	3	2	–
466	Acute bronchitis and bronchiolitis	88	15	5	–	2	2	1	1	–	–	3	3	1	4	3	9	5	12	8	8	4	2	–
	White Male	37	6	–	–	–	2	–	–	–	–	–	1	1	3	2	6	2	5	2	4	3	–	–
	Female	39	3	3	–	2	–	–	1	–	–	1	2	–	1	1	2	3	7	6	4	1	2	–
	All other Male	8	5	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	6,230	198	48	18	11	29	33	33	49	66	74	110	176	237	334	512	612	924	1,141	939	478	203	5
	White Male	2,791	55	19	9	2	12	14	7	16	24	36	42	76	120	167	255	306	474	518	392	171	74	2
	Female	2,716	53	14	7	4	13	12	8	14	20	20	28	60	77	112	179	236	377	563	509	291	118	1
	All other Male	419	57	8	2	3	1	3	14	10	16	13	26	27	24	29	41	42	46	32	19	1	4	1
	Female	304	33	7	–	2	3	4	4	9	6	5	14	13	16	26	37	28	27	28	19	15	7	1
470–474	Influenza	124	–	2	–	1	–	–	–	1	–	–	1	4	10	6	10	9	10	24	24	15	7	–
	White Male	51	–	–	–	–	–	–	–	–	–	–	1	2	8	2	4	3	4	10	10	6	1	–
	Female	69	–	2	–	1	–	–	–	1	–	–	–	2	2	4	5	6	6	12	14	9	5	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
480–486	Pneumonia	6,106	198	46	18	10	29	33	33	48	66	74	109	172	227	328	502	603	914	1,117	915	463	196	5
	White Male	2,740	55	19	9	2	12	14	7	16	24	36	41	74	112	165	251	303	470	508	382	165	73	2
	Female	2,647	53	12	7	3	13	12	8	13	20	20	28	58	75	108	174	230	371	551	495	282	113	1
	All other Male	416	57	8	2	3	1	3	14	10	16	13	26	27	24	29	40	42	46	31	19	1	3	1
	Female	303	33	7	–	2	3	4	4	9	6	5	14	13	16	26	37	28	27	27	19	15	7	1
490–493	Bronchitis, emphysema, and asthma	2,085	3	6	4	3	9	9	4	5	17	26	33	75	138	243	345	379	366	244	117	45	13	1
	White Male	1,423	1	5	–	1	4	6	1	1	5	7	22	35	76	153	232	276	292	179	89	31	6	1
	Female	522	–	–	1	–	1	2	1	2	5	9	6	30	48	73	94	83	62	59	27	13	6	–
	All other Male	94	1	1	–	1	1	1	1	1	1	3	3	9	10	14	16	15	8	5	1	1	1	–
	Female	46	1	–	3	1	3	–	1	1	6	7	2	1	4	3	3	5	4	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
490, 491	Chronic and unqualified bronchitis	442	3	4	–	1	2	2	–	1	5	3	11	15	32	38	59	83	76	51	32	16	8	–
	White Male	299	1	4	–	–	1	2	–	–	3	1	8	9	17	20	42	60	59	34	23	11	4	–
	Female	121	–	–	–	–	1	–	–	1	1	2	3	4	11	16	14	18	16	16	9	5	4	–
	All other Male	15	1	–	–	1	–	–	–	–	–	–	–	2	3	1	2	4	–	1	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	–	–	–	–
492	Emphysema	1,487	–	–	–	1	1	2	1	2	4	7	19	45	94	185	265	280	284	185	80	27	4	1
	White Male	1,077	–	–	–	–	–	1	–	–	1	4	14	24	55	126	182	211	229	143	64	20	2	1
	Female	336	–	–	–	–	–	1	–	–	2	2	3	16	34	47	70	58	44	37	15	6	1	–
	All other Male	64	–	–	–	–	–	–	1	1	1	1	2	5	4	12	11	11	8	4	1	1	1	–
	Female	10	–	–	–	1	1	–	–	1	–	–	–	–	1	–	2	–	3	1	–	–	–	–
493	Asthma	156	–	2	4	1	6	5	3	2	8	16	3	15	12	20	21	16	6	8	5	2	1	–
	White Male	47	–	1	–	1	3	3	1	1	1	2	–	2	4	7	8	5	4	2	2	–	–	–
	Female	65	–	–	1	–	–	1	1	1	2	5	–	10	3	10	10	7	2	6	3	2	1	–
	All other Male	15	–	1	–	–	1	1	–	–	–	2	1	2	3	1	3	–	–	–	–	–	–	–
	Female	29	–	–	3	–	2	–	1	–	5	7	2	1	2	2	–	4	–	–	–	–	–	–
531–533	Peptic ulcer	807	5	1	–	–	2	–	2	5	7	17	26	34	52	98	106	129	113	109	72	24	5	–
	White Male	455	2	–	–	–	–	–	–	1	4	8	16	16	27	57	64	83	69	55	38	14	1	–
	Female	284	1	1	–	–	2	–	1	2	–	2	7	10	19	33	30	37	41	53	33	9	3	–
	All other Male	44	2	–	–	–	–	–	–	1	1	4	2	6	6	5	9	3	3	–	–	1	1	–
	Female	24	–	–	–	–	–	–	1	1	2	3	1	2	–	3	3	6	–	1	1	–	–	–
540–543	Appendicitis	79	–	1	1	1	3	–	1	–	4	3	1	5	4	6	9	6	14	11	7	2	–	–
	White Male	44	–	1	–	1	1	–	–	–	1	3	1	3	1	4	7	3	9	4	4	1	–	–
	Female	28	–	–	–	–	2	–	–	–	1	–	–	1	3	–	2	3	5	7	3	1	–	–
	All other Male	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	579	38	3	1	–	1	3	3	6	5	1	18	21	24	41	48	75	80	90	81	30	10	–
	White Male	218	15	3	1	–	1	1	–	2	1	–	3	8	7	23	23	30	25	30	33	8	4	–
	Female	303	17	–	–	–	–	1	2	2	3	1	9	10	12	14	15	36	53	59	44	20	5	–
	All other Male	26	2	–	–	–	–	1	1	2	–	–	3	1	1	3	2	4	2	–	2	1	1	–
	Female	32	4	–	–	–	–	–	–	–	1	–	3	2	4	1	8	5	–	1	2	1	–	–
571	Cirrhosis of liver	3,905	4	–	1	2	4	33	66	182	256	332	521	552	499	514	453	265	126	67	24	2	–	2
	White Male	1,937	–	–	1	–	2	13	20	60	80	128	238	277	251	285	296	173	68	34	10	–	–	1
	Female	952	3	–	–	1	1	7	3	19	46	63	109	131	139	148	119	70	48	31	12	2	–	–
	All other Male	646	1	–	–	1	1	6	28	66	83	87	108	107	61	54	20	13	6	2	1	–	–	1
	Female	370	–	–	–	–	–	7	15	37	47	54	66	37	48	27	18	9	4	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	276	–	–	–	–	–	1	–	4	1	2	9	5	15	14	31	40	47	49	37	14	7	–
	White Male	107	–	–	–	–	–	1	–	2	–	1	3	2	4	7	13	13	19	19	16	4	3	–
	Female	147	–	–	–	–	–	–	–	2	1	1	2	2	9	7	14	22	24	30	19	10	4	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	1	3	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	4	1	–	2	–	–	–
580–584	Nephritis and nephrosis	778	3	2	3	3	3	18	10	7	7	24	40	34	57	92	71	87	114	115	68	17	3	–
	White Male	324	–	1	1	–	1	3	3	3	3	4	14	8	24	34	32	40	56	58	33	5	1	–
	Female	261	2	–	2	–	1	3	1	–	–	6	12	13	15	31	19	26	41	45	31	11	2	–
	All other Male	95	1	1	–	1	1	7	4	2	3	7	7	8	6	13	10	8	8	5	2	1	–	–
	Female	98	–	–	–	2	–	5	2	2	1	7	7	5	12	14	10	13	9	7	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	178	3	–	2	1	–	1	2	1	–	3	2	6	13	26	17	23	26	36	13	3	–	–
	White Male	71	–	–	–	–	–	–	1	–	–	1	1	1	5	9	10	13	10	15	5	–	–	–
	Female	78	2	–	2	–	–	–	–	–	–	1	1	3	4	11	4	7	15	18	7	3	–	–
	All other Male	11	1	–	–	–	–	–	–	–	–	1	–	1	–	3	1	1	1	1	1	–	–	–
	Female	18	–	–	–	1	–	1	1	1	–	–	–	1	4	3	2	2	–	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	600	–	2	1	2	3	17	8	6	7	21	38	28	44	66	54	64	88	79	55	14	3	–
	White Male	253	–	1	1	–	1	3	2	3	3	3	13	7	19	25	22	27	46	43	28	5	1	–
	Female	183	–	–	–	–	1	3	1	–	–	5	11	10	11	20	15	19	26	27	24	8	2	–
	All other Male	84	–	1	–	1	1	7	4	2	3	6	7	7	6	10	9	7	7	4	1	1	–	–
	Female	80	–	–	–	1	–	4	1	1	1	7	7	4	8	11	8	11	9	5	2	–	–	–
590	Infections of kidney	427	1	–	–	1	–	1	–	1	3	3	8	12	14	25	36	76	95	69	59	17	6	–
	White Male	160	–	–	–	–	–	–	–	–	3	1	1	3	3	11	15	27	41	35	17	2	1	–
	Female	220	1	–	–	1	–	1	–	–	–	–	5	4	8	9	16	38	46	30	42	15	4	–
	All other Male	20	–	–	–	–	–	–	1	–	–	–	1	2	1	4	3	5	3	–	–	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	2	1	3	2	1	2	6	5	4	–	–	1	–
600	Hyperplasia of prostate	136	–	–	–	–	–	–	–	–	–	–	–	1	3	7	13	24	18	28	29	11	2	–
	White Male	125	–	–	–	–	–	–	–	–	–	–	–	1	3	6	10	22	18	25	27	11	2	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	3	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	42	–	–	–	–	5	12	12	8	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	21	–	–	–	–	5	6	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	21	–	–	–	–	5	7	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
640–645	Abortions	4	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	38	–	–	–	–	5	11	11	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	18	–	–	–	–	–	4	5	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	20	–	–	–	–	5	7	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	1,038	601	118	44	31	28	25	22	15	14	15	17	14	18	18	19	14	10	9	1	2	–	3
	White.....Male	457	272	55	19	11	12	10	11	3	4	9	7	6	6	6	7	3	6	6	1	1	–	2
	Female	407	218	42	16	17	8	10	7	9	10	5	8	6	10	11	10	11	4	3	–	1	–	1
	All other.....Male	99	64	10	7	–	5	4	4	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	Female	75	47	11	2	3	3	1	–	1	–	–	2	1	2	–	2	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,241	2,229	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	8
	White.....Male	894	892	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	Female	632	627	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3
	All other.....Male	396	394	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	Female	319	316	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,214	1,206	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	5
	White.....Male	483	481	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	Female	335	333	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other.....Male	215	213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	Female	181	179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Remainder of 760–778	Other causes of mortality in early infancy	1,027	1,023	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3
	White.....Male	411	411	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	297	294	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2
	All other.....Male	181	181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	138	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	2,531	386	47	17	26	161	297	231	162	134	136	155	141	136	122	87	77	73	59	38	14	11	21
	White.....Male	1,074	119	14	9	12	97	140	114	63	46	39	56	59	80	61	43	35	30	28	9	6	4	10
	Female	781	87	14	1	9	17	53	48	40	43	56	66	58	42	53	34	39	41	30	29	8	5	8
	All other.....Male	402	90	17	3	2	35	75	38	39	24	18	14	19	8	4	7	3	2	1	–	–	–	3
	Female	274	90	2	4	3	12	29	31	20	21	23	19	5	6	4	3	–	–	–	–	–	2	–
Residual	All other diseases	10,521	99	73	45	67	139	243	241	242	233	348	416	577	711	957	1,178	1,274	1,334	1,227	735	314	65	3
	White.....Male	4,846	36	29	23	31	66	109	103	79	70	127	161	234	328	490	651	637	666	563	311	109	23	–
	Female	4,021	33	22	15	22	31	37	59	55	54	89	132	189	258	331	421	504	566	591	392	182	37	1
	All other.....Male	950	21	11	6	8	29	66	51	66	62	83	66	91	70	71	61	71	54	33	20	7	1	2
	Female	704	9	11	1	6	13	31	28	42	47	49	57	63	55	65	45	62	48	40	12	16	4	–
E800–E949	Accidents	5,967	67	153	190	202	552	591	401	283	233	222	278	293	279	314	312	332	365	397	304	135	51	13
	White.....Male	3,423	32	75	75	124	404	452	287	184	143	136	164	158	157	186	175	152	177	170	119	37	11	5
	Female	1,817	20	47	61	44	94	86	75	40	36	37	68	78	86	91	111	152	169	216	176	91	36	3
	All other.....Male	509	10	20	32	26	41	45	32	42	43	34	35	40	22	26	18	18	8	7	3	2	–	5
	Female	218	5	11	22	8	13	8	7	17	11	15	11	17	14	11	8	10	11	4	6	5	4	–
E810–E823	Motor vehicle accidents	2,575	7	50	107	115	374	399	260	148	131	107	137	119	98	115	101	100	101	59	31	10	–	6
	White.....Male	1,632	2	19	32	67	281	302	185	95	80	68	88	63	59	68	63	42	52	32	24	8	–	2
	Female	633	3	18	41	30	67	68	56	21	25	19	28	34	31	36	31	51	43	24	6	1	–	–
	All other.....Male	223	2	9	21	12	19	27	16	22	21	12	18	14	5	7	5	4	3	2	–	–	–	4
	Female	87	–	4	13	6	7	2	3	10	5	8	3	8	3	4	2	3	3	1	1	1	–	–
E800–E807, E825–E949	All other accidents	3,392	60	103	83	87	178	192	141	135	102	115	141	174	181	199	211	232	264	338	273	125	51	7
	White.....Male	1,791	30	56	43	57	123	150	102	89	63	68	76	95	98	118	112	110	125	138	95	29	11	3
	Female	1,184	17	29	20	14	27	18	19	19	11	18	40	44	55	55	80	101	126	192	170	90	36	3
	All other.....Male	286	8	11	11	14	22	18	16	20	22	22	17	26	17	19	13	14	5	5	3	2	–	1
	Female	131	5	7	9	2	6	6	4	7	6	7	8	9	11	7	6	7	8	3	5	4	4	–
E950–E959	Suicide	1,331	...	...	–	7	69	134	126	113	103	104	105	123	123	90	78	57	49	32	11	5	2	–
	White.....Male	884	...	...	–	3	53	88	81	76	69	59	66	79	85	57	53	37	37	26	8	5	2	–
	Female	331	...	...	–	3	11	34	27	21	23	33	34	33	28	29	21	16	11	4	3	–	–	–
	All other.....Male	83	...	...	–	1	3	11	15	13	6	9	5	7	3	3	2	2	1	2	–	–	–	–
	Female	33	...	...	–	–	2	1	3	3	5	3	–	4	7	1	2	2	–	–	–	–	–	–
E960–E978	Homicide	1,860	14	17	11	24	173	292	277	256	198	152	128	88	57	57	44	33	23	9	3	2	1	1
	White.....Male	734	3	2	5	11	64	117	102	104	69	68	61	32	22	32	14	14	9	3	–	1	1	–
	Female	204	2	3	–	6	24	26	26	19	13	14	7	10	5	4	16	14	6	6	2	1	–	–
	All other.....Male	743	3	5	4	5	70	123	119	105	98	59	48	45	25	14	12	4	3	–	–	–	–	1
	Female	179	6	7	2	2	15	26	30	28	18	11	12	1	5	7	2	1	5	–	1	–	–	–
E980–E999	Other external causes	1,360	18	66	31	32	73	133	123	109	101	109	78	83	84	69	82	61	44	37	15	6	–	6
	White.....Male	659	6	18	10	19	43	69	64	57	50	45	42	41	41	41	40	24	18	20	7	2	–	2
	Female	267	4	17	3	4	9	12	23	19	13	13	16	18	17	18	19	23	19	11	7	2	–	–
	All other.....Male	310	4	17	10	7	15	35	29	28	30	38	15	17	19	8	19	7	3	2	1	2	–	4
	Female	124	4	14	8	2	6	17	7	5	8	13	5	7	7	2	4	7	4	4	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina																							
	All causes	**46,278**	**1,639**	**279**	**200**	**219**	**635**	**751**	**670**	**639**	**779**	**1,249**	**1,978**	**2,890**	**3,526**	**4,668**	**5,364**	**5,519**	**5,227**	**4,847**	**3,201**	**1,513**	**478**	**7**
	White..... Male	19,686	577	89	81	97	325	334	267	281	304	515	902	1,379	1,716	2,275	2,560	2,419	2,116	1,827	1,095	432	94	1
	Female	14,658	376	76	62	46	121	112	105	116	159	259	432	607	774	1,092	1,438	1,722	2,114	2,214	1,688	864	281	–
	All other..... Male	6,857	379	55	34	50	135	225	212	162	210	311	404	552	661	805	765	700	553	359	176	73	32	4
	Female	5,077	307	59	23	26	54	80	86	80	106	164	240	352	375	496	601	678	444	447	242	144	71	2
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	43	8	2	2	1	–	–	–	–	1	1	1	1	2	5	4	2	5	4	3	1	–	–
	White..... Male	8	–	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	2	–	–	–
	Female	19	2	1	–	–	–	–	–	–	1	1	–	–	1	3	2	2	3	2	1	–	–	–
	All other..... Male	10	5	–	1	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	1	–	–
010–019	Tuberculosis, all forms	108	–	–	–	–	1	–	1	1	1	1	9	7	11	19	14	14	13	7	6	2	1	–
	White..... Male	35	–	–	–	–	–	–	–	–	–	–	2	3	4	6	5	6	6	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	3	3	2	2	–	–	–
	All other..... Male	42	–	–	–	–	1	–	1	–	1	1	5	4	5	8	5	4	4	3	1	–	–	–
	Female	14	–	–	–	–	1	–	–	1	–	–	1	–	–	3	2	1	–	1	2	1	1	–
010–012	Tuberculosis of respiratory system	78	–	–	–	–	1	–	1	1	1	1	4	4	8	18	11	8	10	3	5	1	1	–
	White..... Male	26	–	–	–	–	–	–	–	–	–	–	2	1	3	5	5	3	6	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	1	2	–	–	–
	All other..... Male	31	–	–	–	–	–	–	1	–	1	1	2	3	4	8	3	4	2	1	1	–	–	–
	Female	10	–	–	–	–	1	–	–	1	–	–	–	–	–	3	1	–	–	1	1	1	1	–
013–019	Tuberculosis, other forms	30	–	–	–	–	–	–	–	–	–	–	5	3	3	1	3	6	3	4	1	1	–	–
	White..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	1	–	–	–	–
	All other..... Male	11	–	–	–	–	–	–	–	–	–	–	3	1	1	–	2	–	2	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	15	1	–	4	2	3	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	White..... Male	7	1	–	2	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	155	29	4	–	–	1	3	5	3	3	4	6	11	9	12	16	16	12	8	8	5	–	–
	White..... Male	43	8	–	–	–	–	1	2	–	2	–	1	2	2	2	4	7	4	5	2	1	–	–
	Female	54	10	1	–	–	–	1	1	–	–	1	3	4	4	5	5	4	4	2	6	3	–	–
	All other..... Male	29	4	–	–	–	–	–	1	1	1	2	2	2	3	3	2	3	3	1	–	1	–	–
	Female	29	7	3	–	–	1	1	1	2	–	1	–	3	–	2	5	2	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	1	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	119	11	6	3	1	3	4	4	2	10	7	6	7	14	6	10	9	6	6	3	1	–	–
	White..... Male	42	4	1	–	1	2	–	3	–	4	3	1	4	7	2	4	3	1	2	–	–	–	–
	Female	37	4	4	1	–	–	3	–	2	1	2	1	1	1	2	6	2	2	2	2	1	–	–
	All other..... Male	19	2	1	2	–	–	1	–	–	2	1	1	1	4	–	–	2	1	–	1	–	–	–
	Female	21	1	–	–	–	1	–	1	–	3	1	3	1	2	2	–	2	2	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,537	7	15	20	20	42	39	50	63	109	222	413	638	794	1,079	1,178	1,023	827	615	269	83	29	2
	White Male	3,241	2	7	12	9	17	16	21	27	29	89	141	262	336	482	533	460	382	259	118	33	6	–
	White Female	2,601	3	4	5	5	10	11	15	28	47	75	174	202	268	343	390	329	286	241	111	34	20	–
	All other Male	976	–	2	2	1	9	4	9	1	10	28	46	97	119	155	144	145	105	66	20	9	3	1
	All other Female	719	2	2	1	5	6	8	5	7	23	30	52	77	71	99	111	89	54	49	20	7	–	1
140–149	Of buccal cavity and pharynx	180	–	–	1	–	2	1	–	–	1	7	14	12	25	18	33	17	22	18	7	2	–	–
	White Male	97	–	–	1	–	1	–	–	–	–	3	6	5	16	8	23	10	12	7	4	1	–	–
	White Female	38	–	–	–	–	–	–	–	–	–	–	1	2	2	4	6	4	6	9	3	1	–	–
	All other Male	34	–	–	–	–	–	–	–	–	1	4	4	5	7	4	3	2	3	1	–	–	–	–
	All other Female	11	–	–	–	–	1	1	–	–	–	–	3	–	–	2	1	1	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,778	2	3	–	–	2	2	8	5	16	39	76	112	166	231	282	272	231	197	98	28	8	–
	White Male	718	1	1	–	–	–	1	4	4	5	17	34	43	83	90	115	105	90	79	37	8	1	–
	White Female	648	1	1	–	–	–	–	1	1	6	10	25	32	43	70	100	105	95	89	48	14	7	–
	All other Male	223	–	–	–	–	2	–	3	–	2	7	9	22	24	43	34	30	26	13	5	3	–	–
	All other Female	189	–	1	–	–	–	1	–	–	3	5	8	15	16	28	33	32	20	16	8	3	–	–
160–163	Of respiratory system	1,726	–	–	–	–	–	1	3	8	15	51	79	222	232	331	311	223	139	71	30	4	4	2
	White Male	1,131	–	–	–	–	–	–	1	4	9	33	43	136	136	231	218	154	104	43	15	3	1	–
	White Female	245	–	–	–	–	–	1	1	3	3	6	20	29	34	38	35	28	16	18	9	1	3	–
	All other Male	295	–	–	–	–	–	–	1	–	2	9	14	48	56	55	48	35	16	6	4	–	–	1
	All other Female	55	–	–	–	–	–	–	–	1	1	3	2	9	6	7	10	6	3	4	2	–	–	1
174	Of breast	666	–	–	–	–	–	2	4	8	27	32	75	75	85	87	100	56	50	37	19	5	4	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	530	–	–	–	–	–	–	3	5	20	22	57	54	72	72	79	50	41	31	15	5	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Female	134	–	–	–	–	–	2	1	3	7	10	18	21	13	14	21	6	9	5	4	–	–	–
180–187	Of genital organs	1,018	1	–	–	–	3	7	10	10	16	27	45	56	77	125	151	155	154	114	43	19	5	–
	White Male	334	1	–	–	–	1	3	3	1	1	4	4	5	5	31	51	55	78	53	25	10	3	–
	White Female	364	–	–	–	–	–	3	6	7	7	17	28	33	50	54	53	37	32	24	10	3	–	–
	All other Male	183	–	–	–	–	–	–	–	–	–	1	1	2	5	20	28	43	36	34	6	5	2	–
	All other Female	137	–	–	–	–	2	1	1	2	8	5	12	16	17	20	19	20	8	3	2	1	–	–
188, 189	Of urinary organs	306	–	–	2	–	–	–	–	1	2	4	13	9	34	44	66	49	37	28	13	3	1	–
	White Male	150	–	–	–	–	–	–	–	1	1	2	6	5	20	19	30	26	17	12	9	2	–	–
	White Female	94	–	–	1	–	–	–	–	–	1	1	2	2	8	15	24	11	12	11	4	1	1	–
	All other Male	43	–	–	–	–	–	–	–	–	–	1	4	2	5	7	7	10	4	3	–	–	–	–
	All other Female	19	–	–	1	–	–	–	–	–	–	–	1	–	1	3	5	2	4	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,147	4	5	6	9	25	16	14	17	18	41	76	101	110	150	152	162	109	76	32	18	6	–
	White Male	495	–	3	3	4	11	8	7	10	10	20	32	43	49	63	59	74	46	30	16	6	1	–
	White Female	408	2	2	1	3	8	3	3	6	4	13	27	34	38	55	57	58	41	29	12	8	4	–
	All other Male	121	–	–	2	–	4	3	2	1	3	2	10	10	12	19	19	13	13	5	1	1	1	–
	All other Female	123	2	–	–	2	2	2	2	–	1	6	7	14	11	13	17	17	9	12	3	3	–	–
204–207	Leukemia	300	–	5	9	6	8	7	9	8	4	5	12	27	18	35	26	30	33	40	16	1	1	–
	White Male	133	–	1	6	1	4	4	4	4	1	1	7	13	8	14	11	15	11	20	7	1	–	–
	White Female	114	–	1	3	2	1	2	1	4	1	2	5	10	5	13	12	12	18	13	8	–	1	–
	All other Male	36	–	2	–	–	2	–	3	–	1	2	–	4	4	5	2	3	4	3	1	–	–	–
	All other Female	17	–	1	–	3	1	1	1	–	1	–	–	–	1	3	1	–	–	4	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	416	–	2	2	5	2	3	2	6	10	16	23	24	47	58	57	59	52	34	11	3	–	–
	White Male	182	–	2	2	4	–	–	2	3	2	9	9	12	19	25	26	21	24	15	5	2	–	–
	White Female	160	–	–	–	–	1	2	–	2	5	4	9	6	16	22	24	24	25	17	2	1	–	–
	All other Male	40	–	–	–	1	1	1	–	–	1	2	4	4	6	2	3	9	3	–	3	–	–	–
	All other Female	34	–	–	–	–	–	–	–	1	2	1	1	2	6	9	4	5	–	2	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	136	2	1	2	2	2	6	5	1	5	9	6	11	8	18	12	11	14	12	5	2	2	–
	White Male	47	–	1	–	1	1	3	2	–	2	2	1	5	3	7	7	4	4	3	1	–	–	–
	White Female	59	1	–	1	–	1	3	2	1	1	5	3	3	4	5	2	5	8	8	3	2	1	–
	All other Male	11	–	–	1	–	–	–	–	–	–	–	1	1	1	4	2	–	1	–	–	–	–	–
	All other Female	19	1	–	–	1	–	–	1	–	2	2	1	2	–	2	1	2	1	1	1	–	1	–
250	Diabetes mellitus	985	1	–	1	2	2	4	14	12	16	24	46	56	86	120	139	168	129	89	60	9	7	–
	White Male	276	–	–	1	–	–	1	4	3	7	5	17	11	13	42	42	43	38	26	17	2	4	–
	White Female	375	1	–	–	1	2	3	2	3	3	8	7	19	30	42	40	73	58	37	36	7	3	–
	All other Male	130	–	–	–	1	–	–	5	2	4	7	10	13	12	15	18	16	15	9	3	–	–	–
	All other Female	204	–	–	–	–	–	–	3	4	2	4	12	13	31	21	39	36	18	17	4	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	54	3	–	–	–	–	–	–	–	2	–	1	1	3	5	4	4	7	9	5	7	3	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	4	1	1	–	–	–
	White Female	19	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	2	6	2	–
	All other Male	15	1	–	–	–	–	–	–	–	–	–	–	1	1	5	2	–	–	2	2	1	–	–
	All other Female	9	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	4	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
280–285	Anemias	83	1	2	–	2	3	4	5	3	2	4	3	6	4	9	4	5	10	9	4	3	–	
	White Male	24	–	–	–	1	1	1	1	–	1	–	–	1	–	4	–	2	2	5	2	3	–	
	Female	14	–	–	–	–	–	–	1	–	–	1	–	1	1	2	1	–	3	2	2	–	–	
	All other Male	19	1	1	–	1	1	2	–	1	1	1	2	–	1	1	2	–	3	1	–	–	–	
	Female	26	–	1	–	–	1	1	3	2	–	2	1	4	2	2	1	3	2	1	–	–	–	
320	Meningitis	41	22	5	–	–	1	–	–	–	1	1	1	4	2	1	1	–	1	–	1	–	–	
	White Male	12	4	1	–	–	1	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–	
	Female	5	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	12	8	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	
	Female	12	6	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	
390–448	Major cardiovascular diseases	23,743	17	14	4	9	15	20	31	96	168	330	761	1,232	1,710	2,413	3,018	3,357	3,359	3,353	2,327	1,168	341	
	White Male	10,038	5	3	1	1	7	7	6	36	71	162	424	681	926	1,239	1,467	1,422	1,272	1,185	746	317	60	
	Female	8,172	1	6	3	4	2	4	8	12	29	57	102	177	267	469	743	1,059	1,448	1,614	1,282	683	202	
	All other Male	2,929	7	2	–	1	3	5	15	32	44	71	151	223	319	428	448	422	329	233	117	53	26	
	Female	2,604	4	3	–	3	3	4	2	16	24	40	84	151	198	277	360	454	310	321	182	115	53	
390–398, 402, 404, 410–429	Diseases of heart	16,726	11	10	3	8	10	13	16	65	120	258	610	972	1,383	1,883	2,238	2,410	2,243	2,155	1,402	717	199	
	White Male	7,696	4	2	1	1	5	4	4	34	61	146	384	598	810	1,030	1,164	1,048	901	795	479	189	36	
	Female	5,453	1	5	2	3	1	3	5	8	17	43	70	123	214	359	562	778	933	1,028	751	429	118	
	All other Male	1,971	4	1	–	1	3	4	7	18	28	51	100	157	225	312	299	293	218	140	62	32	16	
	Female	1,606	2	2	–	3	1	2	–	5	14	18	56	94	134	182	213	291	191	192	110	67	29	
390–398	Active rheumatic fever and chronic rheumatic heart disease	275	–	–	–	4	1	3	3	5	14	6	24	26	38	42	49	23	19	10	6	2	–	
	White Male	108	–	–	–	1	1	1	1	2	6	4	9	12	18	16	18	5	8	5	1	–	–	
	Female	109	–	–	–	–	–	1	2	–	3	2	9	10	15	14	21	12	9	4	5	2	–	
	All other Male	30	–	–	–	1	–	1	–	2	2	–	3	3	3	8	3	4	–	–	–	–	–	
	Female	28	–	–	–	2	–	–	–	1	3	–	3	1	2	4	7	2	2	1	–	–	–	
402	Hypertensive heart disease	124	–	1	–	–	–	–	–	–	1	2	10	2	9	18	13	28	11	15	9	3	2	
	White Male	27	–	–	–	–	–	–	–	–	1	–	1	–	3	4	3	9	2	1	2	–	1	
	Female	32	–	1	–	–	–	–	–	–	–	–	3	–	1	4	3	5	3	5	5	2	–	
	All other Male	26	–	–	–	–	–	–	–	–	–	2	3	1	3	4	1	2	5	4	–	–	1	
	Female	39	–	–	–	–	–	–	–	–	–	–	3	1	2	6	6	12	1	5	2	1	–	
404	Hypertensive heart and renal disease	139	–	–	–	–	–	–	–	2	3	1	3	4	2	19	13	17	23	25	14	11	2	
	White Male	43	–	–	–	–	–	–	–	1	–	–	–	1	1	3	4	5	8	11	5	4	–	
	Female	38	–	–	–	–	–	–	–	–	–	–	–	2	–	4	4	2	5	10	6	3	2	
	All other Male	28	–	–	–	–	–	–	–	1	2	1	–	1	1	6	1	5	4	1	2	3	–	
	Female	30	–	–	–	–	–	–	–	–	1	–	3	–	–	6	4	5	6	3	1	1	–	
410–413	Ischemic heart disease	15,128	–	–	–	1	1	2	3	37	77	219	516	872	1,241	1,702	2,048	2,222	2,052	1,994	1,303	652	186	
	White Male	7,073	–	–	–	–	–	1	1	19	43	130	339	557	744	948	1,090	992	824	729	448	176	32	
	Female	4,954	–	–	–	–	1	–	1	4	12	30	52	98	186	320	511	708	864	960	702	393	112	
	All other Male	1,729	–	–	–	–	–	1	1	12	16	43	85	139	202	277	270	263	194	128	57	26	15	
	Female	1,372	–	–	–	1	–	–	–	2	6	16	40	78	109	157	177	259	170	177	96	57	27	
410	Acute myocardial infarction	8,610	–	–	–	–	1	2	2	25	53	168	378	643	887	1,163	1,327	1,346	1,039	853	480	191	52	
	White Male	4,667	–	–	–	–	–	1	1	15	33	109	273	450	599	709	769	672	457	343	175	55	6	
	Female	2,478	–	–	–	–	1	–	1	3	7	22	33	71	130	234	325	424	446	390	247	112	32	
	All other Male	876	–	–	–	–	–	1	–	6	10	26	52	84	107	144	138	127	76	62	25	10	8	
	Female	589	–	–	–	–	–	–	–	1	3	11	20	38	51	76	95	123	60	58	33	14	6	
411	Other acute and subacute forms of ischemic heart disease	136	–	–	–	1	–	–	1	–	3	7	4	18	21	20	19	19	9	8	2	2	2	
	White Male	64	–	–	–	–	–	–	–	–	–	5	2	9	11	10	13	6	4	2	1	1	–	
	Female	30	–	–	–	–	–	–	–	–	–	1	–	3	2	1	2	7	4	6	1	1	2	
	All other Male	29	–	–	–	–	–	–	1	–	2	–	1	3	6	7	3	5	1	–	–	–	–	
	Female	13	–	–	–	1	–	–	–	–	1	1	1	3	2	2	1	1	–	–	–	–	–	
412	Chronic ischemic heart disease	6,378	–	–	–	–	–	–	–	12	21	44	134	211	332	518	702	857	1,003	1,132	821	459	132	
	White Male	2,339	–	–	–	–	–	–	–	4	10	16	64	98	133	228	308	314	362	384	272	120	26	
	Female	2,445	–	–	–	–	–	–	–	1	5	7	19	24	54	85	184	277	414	563	454	280	78	
	All other Male	824	–	–	–	–	–	–	–	6	4	17	32	52	89	126	129	131	117	66	32	16	7	
	Female	770	–	–	–	–	–	–	–	1	2	4	19	37	56	79	81	135	110	119	63	43	21	
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	112	–	1	–	–	–	–	1	5	1	2	7	6	8	12	13	16	13	14	7	5	1	
	White Male	43	–	1	–	–	–	–	–	3	1	1	3	2	3	7	2	6	3	8	2	–	1	
	Female	37	–	–	–	–	–	–	–	–	–	1	3	2	2	–	6	6	6	3	4	4	–	
	All other Male	18	–	–	–	–	–	–	1	1	–	–	1	1	1	3	4	1	4	1	–	–	–	
	Female	14	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	3	–	2	1	1	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
420–423, 425–427, 429	All other forms of heart disease	948	11	8	3	3	8	8	9	16	24	28	50	62	85	90	102	104	125	97	63	44	8	–
	White Male	402	4	1	1	–	4	2	2	9	10	11	32	26	41	52	47	31	56	41	21	9	2	–
	White Female	283	1	4	2	3	–	2	2	4	2	10	3	11	10	17	17	45	46	46	29	25	4	–
	All other Male	140	4	1	–	–	3	2	5	2	8	5	8	12	15	14	20	18	11	6	3	3	–	–
	All other Female	123	2	2	–	–	1	2	–	1	4	2	7	13	19	7	18	10	12	4	10	7	2	–
400, 401, 403	Hypertension	240	–	–	–	–	–	1	2	6	3	7	10	18	18	27	36	28	28	28	14	9	5	–
	White Male	52	–	–	–	–	–	–	–	–	–	–	2	3	2	7	7	6	9	11	3	1	1	–
	White Female	55	–	–	–	–	–	1	–	1	–	1	1	2	2	3	3	6	9	10	8	5	3	–
	All other Male	71	–	–	–	–	–	–	1	3	–	4	3	8	10	10	13	10	5	3	–	–	1	–
	All other Female	62	–	–	–	–	–	–	1	2	3	2	4	5	4	7	13	6	5	4	3	3	–	–
430–438	Cerebrovascular diseases	5,530	3	3	1	1	3	4	10	22	38	55	117	208	250	415	624	756	910	956	728	328	98	–
	White Male	1,784	–	1	–	–	–	2	1	1	8	11	29	65	83	147	236	286	291	306	207	92	18	–
	White Female	2,190	–	1	1	1	1	–	3	3	9	12	25	43	41	92	153	233	435	474	415	193	55	–
	All other Male	748	2	–	–	–	–	1	5	10	15	15	41	53	71	94	117	99	85	72	48	14	6	–
	All other Female	808	1	1	–	–	2	1	1	8	6	17	22	47	55	82	118	138	99	104	58	29	19	–
431	Cerebral hemorrhage	747	2	1	–	–	2	2	4	5	12	23	32	65	64	78	95	117	97	71	50	20	7	–
	White Male	244	–	–	–	–	–	1	1	–	2	5	5	24	21	34	39	35	34	22	14	6	1	–
	White Female	250	–	1	–	–	–	–	1	–	1	5	8	10	12	14	23	42	47	38	32	12	4	–
	All other Male	130	2	–	–	–	–	1	2	3	6	5	13	19	15	15	17	17	8	4	1	–	2	–
	All other Female	123	–	–	–	–	2	–	–	2	3	8	6	12	16	15	16	23	8	7	3	2	–	–
433	Cerebral thrombosis	1,491	–	–	–	–	–	–	4	–	3	3	15	28	47	102	166	210	244	299	230	111	29	–
	White Male	493	–	–	–	–	–	–	–	–	–	1	4	9	12	38	55	83	79	109	63	35	5	–
	White Female	620	–	–	–	–	–	–	1	–	1	–	3	9	5	18	43	70	117	145	131	64	13	–
	All other Male	168	–	–	–	–	–	–	3	–	2	2	4	4	15	25	31	22	21	17	15	4	3	–
	All other Female	210	–	–	–	–	–	–	–	–	–	–	4	6	15	21	37	35	27	28	21	8	8	–
434	Cerebral embolism	17	–	–	–	–	–	–	–	–	–	–	–	–	2	3	3	–	4	3	–	–	2	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	4	1	–	–	1	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
430, 432, 435–438	All other cerebrovascular diseases	3,275	1	2	1	1	1	2	2	17	23	29	70	115	137	232	360	429	565	583	448	197	60	–
	White Male	1,038	–	1	–	–	–	1	–	1	6	5	20	32	49	74	141	168	174	174	130	51	11	–
	White Female	1,317	–	–	1	1	1	–	1	3	7	7	14	24	24	60	85	121	271	290	252	117	38	–
	All other Male	447	–	–	–	–	–	–	–	7	7	8	24	30	40	53	69	60	56	50	32	10	1	–
	All other Female	473	1	1	–	–	–	1	1	6	3	9	12	29	24	45	65	80	64	69	34	19	10	–
440	Arteriosclerosis	663	–	–	–	–	–	–	–	–	–	1	3	4	15	28	43	77	97	133	126	102	34	–
	White Male	213	–	–	–	–	–	–	–	–	–	1	1	2	7	14	17	31	31	41	31	33	4	–
	White Female	307	–	–	–	–	–	–	–	–	–	–	–	–	3	6	11	27	41	67	83	47	22	–
	All other Male	66	–	–	–	–	–	–	–	–	–	–	2	1	4	6	6	10	14	9	4	7	3	–
	All other Female	77	–	–	–	–	–	–	–	–	–	–	–	1	1	2	9	9	11	16	8	15	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	584	3	1	–	–	2	2	3	3	7	9	21	30	44	60	77	86	81	81	57	12	5	–
	White Male	293	1	–	–	–	2	1	1	1	2	4	8	13	24	41	43	51	40	32	26	2	1	–
	White Female	167	–	–	–	–	–	–	–	–	3	1	6	9	7	9	14	15	30	35	25	9	4	–
	All other Male	73	1	1	–	–	–	–	2	1	1	1	5	4	9	6	13	10	7	9	3	–	–	–
	All other Female	51	1	–	–	–	–	1	–	1	1	3	2	4	4	4	7	10	4	5	3	1	–	–
466	Acute bronchitis and bronchiolitis	20	6	1	–	1	–	–	–	–	–	–	1	–	3	–	1	3	–	2	2	–	–	–
	White Male	9	3	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	1	–	–	–
	White Female	8	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,286	64	23	5	8	6	4	8	17	19	30	30	70	69	81	105	115	161	181	159	90	41	–
	White Male	523	20	4	2	2	2	1	2	9	3	5	7	24	24	41	55	52	80	81	68	31	10	–
	White Female	428	9	8	1	3	2	1	3	1	5	6	9	14	20	12	21	31	60	76	72	46	28	–
	All other Male	212	20	5	–	2	2	2	1	5	8	13	11	24	23	19	17	22	14	11	8	4	1	–
	All other Female	123	15	6	2	1	–	–	2	2	3	6	3	8	2	9	12	10	7	13	11	9	2	–
470–474	Influenza	55	1	1	–	1	–	–	–	1	2	1	2	4	–	2	4	4	10	10	6	6	–	–
	White Male	23	1	–	–	–	–	–	–	1	–	–	1	1	–	2	2	2	6	2	1	4	–	–
	White Female	23	–	–	–	1	–	–	–	–	1	1	–	2	–	–	1	2	4	7	3	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other Female	6	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	1	–	–
480–486	Pneumonia	1,231	63	22	5	7	6	4	8	16	17	29	28	66	69	79	101	111	151	171	153	84	41	–
	White Male	500	19	4	2	2	2	1	2	8	3	5	6	23	24	39	53	50	74	79	67	27	10	–
	White Female	405	9	8	1	2	2	1	3	1	4	5	9	12	20	12	20	29	56	69	69	45	28	–
	All other Male	209	20	5	–	2	2	2	1	5	7	13	11	24	23	19	16	22	14	11	7	4	1	–
	All other Female	117	15	5	2	1	–	–	2	2	3	6	2	7	2	9	12	10	7	12	10	8	2	–
490–493	Bronchitis, emphysema, and asthma	597	2	1	2	1	–	6	3	2	4	5	19	42	47	81	106	116	76	53	23	6	2	–
	White Male	408	–	–	–	–	–	2	–	1	1	1	7	25	31	46	83	92	55	44	14	5	1	–
	White Female	110	–	1	–	1	–	1	2	–	–	–	6	9	11	21	16	14	13	7	7	1	–	–
	All other Male	56	2	–	–	–	–	1	1	–	1	1	3	7	5	11	6	8	7	2	1	–	–	–
	All other Female	23	–	–	2	–	–	2	–	1	2	3	3	1	–	3	1	2	1	–	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	129	2	–	–	1	–	3	2	–	–	–	2	8	14	12	23	25	15	14	5	2	1	–
	White—Male	86	–	–	–	–	–	1	–	–	–	–	1	5	10	5	18	20	11	10	2	2	1	–
	Female	28	–	–	–	1	–	1	2	–	–	–	1	1	4	5	2	2	2	4	3	–	–	–
	All other—Male	12	2	–	–	–	–	1	–	–	–	–	–	2	–	2	3	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
492	Emphysema	405	–	1	–	–	–	1	–	–	1	2	9	27	27	64	75	85	55	37	16	4	1	–
	White—Male	308	–	–	–	–	–	1	–	–	1	–	4	17	21	40	61	72	42	34	12	3	–	–
	Female	60	–	1	–	–	–	–	–	–	–	–	3	5	3	15	11	9	8	1	3	1	–	–
	All other—Male	31	–	–	–	–	–	–	–	–	–	1	1	5	3	7	2	4	5	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	1	–
493	Asthma	63	–	–	2	–	–	2	1	2	3	3	8	7	6	5	8	6	6	2	2	–	–	–
	White—Male	14	–	–	–	–	–	–	–	1	–	1	2	3	–	1	4	–	2	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	2	3	4	1	3	3	3	2	1	–	–	–
	All other—Male	13	–	–	–	–	–	–	1	–	1	–	2	–	2	2	1	3	1	–	–	–	–	–
	Female	14	–	–	2	–	–	2	–	1	2	2	2	1	–	1	–	–	–	–	1	–	–	–
531–533	Peptic ulcer	134	1	–	–	–	1	–	–	2	3	6	9	10	15	11	22	16	13	15	7	2	1	–
	White—Male	69	–	–	–	–	1	–	–	–	1	4	7	6	5	6	7	10	7	8	6	–	1	–
	Female	37	–	–	–	–	–	–	–	–	–	1	2	1	5	1	9	5	5	5	1	2	–	–
	All other—Male	20	1	–	–	–	–	–	–	2	2	–	–	3	2	3	4	1	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	–	1	–	–	–	–	–
540–543	Appendicitis	12	–	–	–	–	–	2	1	–	–	1	1	1	1	3	1	–	–	–	1	–	–	–
	White—Male	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other—Male	4	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	155	15	1	–	2	–	1	–	2	–	4	6	13	4	19	14	12	21	22	11	4	4	–
	White—Male	50	6	1	–	1	–	1	–	1	–	1	4	3	2	5	5	4	5	7	3	–	1	–
	Female	62	5	–	–	–	–	–	–	1	–	1	1	5	–	5	7	4	10	12	5	3	3	–
	All other—Male	23	3	–	–	–	–	–	–	–	–	2	–	3	1	6	2	2	2	1	–	1	–	–
	Female	20	1	–	–	1	–	–	–	–	–	–	1	2	1	3	–	2	4	2	3	–	–	–
571	Cirrhosis of liver	714	1	–	–	2	–	3	6	27	48	85	113	131	106	82	61	32	13	3	1	–	–	–
	White—Male	339	–	–	–	1	–	1	2	8	23	35	48	63	51	43	32	18	10	3	1	–	–	–
	Female	165	–	–	–	–	–	–	–	3	7	16	21	34	29	24	17	11	3	–	–	–	–	–
	All other—Male	128	–	–	–	1	–	1	1	9	12	18	29	20	15	12	8	2	–	–	–	–	–	–
	Female	82	1	–	–	–	–	1	3	7	6	16	15	14	11	3	4	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	69	–	–	–	–	–	–	1	–	1	1	2	4	3	5	7	8	11	15	6	2	3	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	3	5	2	1	–	–
	Female	38	–	–	–	–	–	–	–	–	1	1	–	3	1	2	3	4	7	9	3	1	3	–
	All other—Male	5	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–
580–584	Nephritis and nephrosis	256	2	1	–	2	2	2	5	7	7	10	13	22	29	37	35	31	19	12	16	2	2	–
	White—Male	77	1	–	–	–	–	–	1	3	1	2	2	5	9	13	13	11	4	5	7	–	–	–
	Female	58	–	–	–	2	1	–	–	–	1	–	2	5	4	5	10	8	8	3	6	1	2	–
	All other—Male	64	1	1	–	–	1	2	3	1	4	4	3	4	12	8	6	5	5	1	3	–	–	–
	Female	57	–	–	–	–	–	–	1	3	1	4	6	8	4	11	6	7	2	3	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	34	2	–	–	–	–	–	–	1	1	–	2	2	2	6	6	7	3	–	2	–	–	–
	White—Male	12	1	–	–	–	–	–	–	–	–	–	1	–	–	2	4	3	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	–	–	2	–	–	–
	All other—Male	7	1	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	222	–	1	–	2	2	2	5	6	6	10	11	20	27	31	29	24	16	12	14	2	2	–
	White—Male	65	–	–	–	–	–	–	1	3	1	2	1	5	9	11	9	8	3	5	7	–	–	–
	Female	48	–	–	–	2	1	–	–	–	1	–	2	3	3	3	9	6	8	3	4	1	2	–
	All other—Male	57	–	1	–	–	1	2	3	–	3	4	3	4	11	7	6	4	4	1	3	–	–	–
	Female	52	–	–	–	–	–	–	1	3	1	4	5	8	4	10	5	6	1	3	–	1	–	–
590	Infections of kidney	169	–	–	–	–	–	–	2	2	1	4	5	5	10	17	18	22	30	27	18	6	2	–
	White—Male	52	–	–	–	–	–	–	–	1	–	1	2	–	4	3	7	9	9	12	3	1	–	–
	Female	72	–	–	–	–	–	–	–	1	–	–	1	2	3	4	5	7	15	14	13	5	2	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	1	1	1	2	4	2	1	3	1	–	–	–	–
	Female	29	–	–	–	–	–	–	2	–	1	2	1	2	1	6	4	5	3	–	2	–	–	–
600	Hyperplasia of prostate	27	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	6	8	5	2	–	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	7	3	2	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	4	5	2	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	7	–	–	–	–	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	11	–	–	–	–	3	3	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	4	5	2	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	11	–	–	–	–	3	3	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	345	222	32	7	11	9	9	13	4	2	3	4	4	5	5	4	6	3	1	–	–	–	1
	White Male	135	88	11	3	4	3	6	3	2	–	1	–	3	1	4	1	4	–	–	–	–	–	1
	Female	128	82	12	2	2	5	2	4	2	1	2	3	–	4	1	2	–	3	1	–	–	–	–
	All other Male	37	23	4	1	3	–	1	2	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	45	29	5	1	2	1	–	4	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	930	927	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	White Male	343	343	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	200	200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	214	212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	173	172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	505	504	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	206	206	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	115	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	425	423	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White Male	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	99	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	88	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	678	187	13	2	6	10	17	24	18	17	36	27	44	35	46	41	31	41	28	26	19	10	–
	White Male	230	47	3	–	3	5	8	9	7	6	10	14	18	14	21	21	9	16	6	7	5	1	–
	Female	154	25	2	1	1	3	2	2	2	4	9	4	6	11	10	11	8	12	13	12	12	4	–
	All other Male	164	65	3	1	1	1	4	7	7	5	10	5	13	6	10	4	7	9	2	2	1	1	–
	Female	130	50	5	–	1	1	3	6	2	2	7	4	7	4	5	5	7	4	7	5	1	4	–
Residual	All other diseases	3,125	51	35	32	26	29	47	44	54	73	147	187	246	266	330	363	366	318	262	171	60	18	–
	White Male	1,344	23	10	12	7	11	13	6	16	22	51	78	108	124	163	173	170	155	115	65	17	5	–
	Female	938	11	11	12	8	11	10	13	14	14	26	37	55	58	80	106	116	113	119	84	33	7	–
	All other Male	504	11	8	5	7	3	14	10	14	25	48	46	52	54	54	49	39	30	17	15	2	1	–
	Female	339	6	6	3	4	4	10	15	10	12	22	26	31	30	33	35	41	20	11	7	8	5	–
E800–E949	Accidents	3,224	52	113	114	107	411	373	261	172	157	183	194	185	174	167	140	111	105	93	62	38	12	–
	White Male	1,557	21	44	46	58	237	182	139	95	83	83	86	81	87	80	70	55	35	34	24	12	5	–
	Female	622	14	23	35	15	60	47	31	22	15	22	28	37	28	37	30	30	44	40	36	24	4	–
	All other Male	795	11	24	21	30	91	115	76	44	47	63	61	54	50	40	30	15	16	6	–	1	–	–
	Female	250	6	22	12	4	23	29	15	11	12	15	19	13	9	10	10	11	10	13	2	1	3	–
E810–E823	Motor vehicle accidents	1,592	10	51	71	55	286	255	158	89	82	89	73	83	63	77	49	42	34	15	7	3	–	–
	White Male	815	4	17	25	34	180	128	82	48	43	42	36	35	31	38	22	21	15	8	4	2	–	–
	Female	279	6	12	24	11	46	34	24	13	8	9	13	15	10	19	12	7	11	1	3	1	–	–
	All other Male	376	–	10	14	8	45	73	44	21	26	30	18	27	17	17	9	9	5	3	–	–	–	–
	Female	122	–	12	8	2	15	20	8	7	5	8	6	6	5	3	6	5	3	3	–	–	–	–
E800–E807, E825–E949	All other accidents	1,632	42	62	43	52	125	118	103	83	75	94	121	102	111	90	91	69	71	78	55	35	12	–
	White Male	742	17	27	21	24	57	54	57	47	40	41	50	46	56	42	48	34	20	26	20	10	5	–
	Female	343	8	11	11	4	14	13	7	9	7	13	15	22	18	18	18	23	33	39	33	23	4	–
	All other Male	419	11	14	7	22	46	42	32	23	21	33	43	27	33	23	21	6	11	3	–	1	–	–
	Female	128	6	10	4	2	8	9	7	4	7	7	13	7	4	7	4	6	7	10	2	1	3	–
E950–E959	Suicide	666	. . .	. . .	–	7	30	67	51	59	47	59	58	79	74	64	22	22	17	9	–	1	–	–
	White Male	455	. . .	. . .	–	5	17	45	33	43	27	36	37	52	52	46	18	20	14	9	–	1	–	–
	Female	149	. . .	. . .	–	2	10	8	10	11	13	17	17	21	17	14	4	2	3	–	–	–	–	–
	All other Male	52	. . .	. . .	–	–	3	10	7	4	6	6	3	5	5	3	–	–	–	–	–	–	–	–
	Female	10	. . .	. . .	–	–	–	4	1	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	731	4	5	1	5	50	121	124	85	73	65	44	48	36	22	21	14	7	4	1	–	–	1
	White Male	227	–	1	–	1	14	37	29	27	20	23	16	17	12	11	7	8	2	1	1	–	–	–
	Female	84	–	3	–	1	11	14	8	11	14	4	5	3	2	1	4	–	1	2	–	–	–	–
	All other Male	332	2	1	–	–	18	56	67	37	34	33	19	21	18	10	9	4	1	1	–	–	–	1
	Female	88	2	–	1	3	7	14	20	10	5	5	4	7	4	–	1	2	3	–	–	–	–	–
E980–E999	Other external causes	94	3	4	1	2	10	12	9	4	5	5	10	11	5	8	–	2	2	–	1	–	–	–
	White Male	37	1	1	1	1	4	7	2	2	1	–	4	4	2	4	–	1	2	–	–	–	–	–
	Female	20	1	–	–	–	2	–	1	–	–	3	4	4	1	1	–	1	–	–	1	–	–	–
	All other Male	27	–	1	–	1	3	5	5	2	2	1	1	2	2	2	–	–	–	–	–	–	–	–
	Female	10	1	2	–	–	1	–	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota																							
	All causes	**5,766**	**170**	**27**	**21**	**18**	**86**	**86**	**46**	**39**	**43**	**79**	**145**	**196**	**294**	**481**	**603**	**725**	**769**	**830**	**655**	**354**	**99**	–
	White Male	3,320	91	17	13	12	57	57	29	23	24	47	92	129	192	330	401	465	444	420	305	140	32	–
	Female	2,290	62	8	5	5	24	17	5	10	15	26	45	58	94	142	191	246	314	403	347	210	63	–
	All other Male	106	10	–	2	–	4	9	8	5	3	3	5	7	6	5	9	14	4	6	3	1	2	–
	Female	50	7	2	1	1	1	3	4	1	1	3	3	2	2	4	2	–	7	1	–	3	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	15	2	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	4	3	–	1	–
	White Male	8	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	–
	Female	7	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	–	–	–	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	13	–	–	–	–	–	–	–	1	–	–	–	–	2	2	4	–	–	3	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	3	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,044	–	2	3	2	2	5	3	1	8	17	43	63	81	141	141	154	149	123	67	29	10	–
	White—Male	580	–	2	2	2	2	3	2	1	3	7	19	32	40	86	83	93	76	72	39	9	7	–
	White—Female	451	–	–	1	–	–	1	–	–	5	10	24	30	39	52	56	59	72	51	28	20	3	–
	All other—Male	7	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	1	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	18	–	–	–	–	1	–	–	–	1	–	–	1	2	3	2	–	3	2	3	–	–	–
	White—Male	14	–	–	–	–	1	–	–	–	1	–	–	1	2	2	2	–	1	2	2	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	292	–	–	–	–	–	1	1	–	2	1	12	15	22	38	42	39	48	34	26	9	2	–
	White—Male	166	–	–	–	–	–	–	1	–	–	1	7	10	12	23	27	21	28	19	15	1	1	–
	White—Female	123	–	–	–	–	–	–	–	–	2	–	5	5	9	15	15	17	20	15	11	8	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	173	–	–	–	–	–	–	–	–	2	2	7	17	13	36	25	32	19	9	5	5	1	–
	White—Male	130	–	–	–	–	–	–	–	–	1	2	5	11	8	31	22	26	13	6	4	1	–	–
	White—Female	37	–	–	–	–	–	–	–	–	1	–	2	5	5	4	1	5	5	3	1	4	1	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
174	Of breast	89	–	–	–	–	–	–	–	–	–	–	5	6	7	13	13	9	11	11	6	5	3	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	88	–	–	–	–	–	–	–	–	–	–	5	6	7	13	12	9	11	11	6	5	3	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	163	–	–	–	–	–	–	–	–	2	2	4	10	7	20	21	27	23	28	15	3	1	–
	White—Male	88	–	–	–	–	–	–	–	–	–	–	–	–	3	7	9	18	16	18	13	3	1	–
	White—Female	75	–	–	–	–	–	–	–	–	2	2	4	10	4	13	12	9	7	10	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	68	–	–	–	–	–	–	1	–	–	–	3	2	5	6	5	14	17	11	2	–	2	–
	White—Male	45	–	–	–	–	–	–	–	–	–	–	1	1	4	5	3	11	9	8	1	–	2	–
	White—Female	22	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	3	8	3	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	122	–	–	–	1	–	1	1	1	1	5	8	5	9	13	21	15	11	17	5	6	2	–
	White—Male	64	–	–	–	1	–	–	1	1	1	3	3	4	5	9	11	8	4	8	–	4	1	–
	White—Female	57	–	–	–	–	–	1	–	–	–	2	5	1	3	4	10	7	7	9	5	2	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
204–207	Leukemia	52	–	2	2	–	–	2	–	–	–	1	1	2	4	4	3	7	4	10	5	3	2	–
	White—Male	33	–	2	1	–	–	2	–	–	–	–	1	2	3	3	–	4	2	8	3	–	2	–
	White—Female	18	–	–	1	–	–	–	–	–	–	1	–	–	1	–	3	3	2	2	2	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	67	–	–	1	1	1	1	–	–	–	1	2	4	6	8	13	9	13	6	1	–	–	–
	White—Male	40	–	–	1	1	1	1	–	–	–	1	2	3	3	6	9	5	3	3	1	–	–	–
	White—Female	27	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	4	10	3	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	1	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	95	–	–	–	–	1	1	–	–	1	2	–	1	7	4	9	20	12	25	6	6	–	–
	White—Male	44	–	–	–	–	1	1	–	–	1	1	–	1	3	2	3	7	6	13	2	3	–	–
	White—Female	47	–	–	–	–	–	–	–	–	–	1	–	–	4	1	5	13	5	11	4	3	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	2	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota – Con.																							
280–285	Anemias	11	–	–	–	–	–	–	1	–	–	–	–	–	1	3	–	2	1	2	1	–	–	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,060	1	–	1	1	1	1	2	8	8	25	54	78	129	227	339	422	488	529	440	250	56	–
	White Male	1,793	–	–	–	–	–	–	2	6	5	18	44	63	99	168	238	281	297	261	200	94	17	–
	Female	1,231	1	–	–	1	1	1	–	2	3	5	8	13	26	56	99	136	183	264	240	155	37	–
	All other Male	24	–	–	–	–	–	–	–	–	–	1	2	1	4	2	1	5	2	4	–	1	1	–
	Female	12	–	–	1	–	–	–	–	–	–	1	–	1	–	1	1	–	6	–	–	–	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,220	1	–	1	–	–	–	1	7	7	21	47	66	112	184	278	319	359	345	295	150	27	–
	White Male	1,374	–	–	–	–	–	–	1	6	5	15	38	57	90	139	201	221	217	176	143	56	9	–
	Female	816	1	–	–	–	–	–	–	1	2	4	7	8	18	42	76	95	135	165	152	93	17	–
	All other Male	20	–	–	–	–	–	–	–	–	–	1	2	1	4	2	–	3	1	4	–	1	1	–
	Female	10	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	6	–	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	42	–	–	–	–	–	–	–	–	1	1	2	3	5	5	6	6	7	3	3	–	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	2	2	1	2	5	3	3	1	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	1	1	–	1	4	3	1	3	4	2	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	22	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	5	3	7	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	4	–	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	5	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	7	3	1	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	3	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,980	–	–	–	–	–	–	–	6	5	16	42	53	98	167	261	288	322	304	260	135	23	–
	White Male	1,245	–	–	–	–	–	–	–	5	4	12	33	48	83	128	188	205	199	155	126	51	8	–
	Female	708	–	–	–	–	–	–	–	1	1	3	7	4	11	36	72	80	117	145	134	83	14	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	2	1	4	2	–	3	1	4	–	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	5	–	–	–	–	–
410	Acute myocardial infarction	1,234	–	–	–	–	–	–	–	5	4	13	35	46	74	134	186	214	189	165	109	51	9	–
	White Male	838	–	–	–	–	–	–	–	4	3	11	29	43	63	107	141	149	130	84	48	23	3	–
	Female	379	–	–	–	–	–	–	–	1	1	1	5	2	9	25	44	62	57	79	61	27	5	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	3	–	2	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	18	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	5	2	2	–	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	3	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	728	–	–	–	–	–	–	–	1	1	3	7	6	23	30	73	72	128	137	149	84	14	–
	White Male	394	–	–	–	–	–	–	–	1	1	1	4	4	19	18	45	56	66	69	77	28	5	–
	Female	324	–	–	–	–	–	–	–	–	–	2	2	2	2	11	28	16	58	66	72	56	9	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	16	1	–	1	–	–	–	–	1	–	–	1	–	2	2	–	–	3	2	3	–	–	–
	White Male	7	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	1	2	–	–	–
	Female	8	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	141	–	–	–	–	–	–	1	–	1	4	2	10	5	8	10	23	15	26	19	13	4	–
	White Male	80	–	–	–	–	–	–	1	–	1	3	2	7	4	7	8	12	6	15	9	4	1	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	11	8	11	10	9	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
400, 401, 403	Hypertension	21	–	–	–	–	–	–	–	–	1	–	–	1	–	2	3	2	–	3	6	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	2	2	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	1	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	618	–	–	–	1	1	1	–	1	–	2	6	10	12	30	44	77	109	145	98	64	17	–
	White Male	310	–	–	–	–	–	–	–	–	–	1	5	4	4	21	26	45	65	67	40	25	7	–
	Female	304	–	–	–	1	1	1	–	1	–	1	1	5	8	9	17	32	43	78	58	39	9	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
431	Cerebral hemorrhage	89	–	–	–	1	–	–	–	–	–	1	3	3	3	6	11	10	17	17	11	5	1	–
	White Male	44	–	–	–	–	–	–	–	–	–	1	3	1	2	5	8	2	10	6	2	3	1	–
	Female	45	–	–	–	1	–	–	–	–	–	–	–	2	1	1	3	8	7	11	9	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	132	–	–	–	–	–	–	–	–	–	–	1	–	2	6	10	15	22	40	16	16	4	–
	White Male	63	–	–	–	–	–	–	–	–	–	–	1	–	1	5	5	9	11	16	5	9	1	–
	Female	67	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	10	24	11	7	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	395	–	–	–	–	1	1	–	1	–	1	2	7	7	17	23	51	70	88	71	43	12	–
	White Male	203	–	–	–	–	–	–	–	–	–	–	1	3	1	11	13	34	44	45	33	13	5	–
	Female	190	–	–	–	–	1	1	–	1	–	1	1	3	6	6	10	17	26	43	38	30	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
440	Arteriosclerosis	116	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	12	8	22	33	25	9	–
	White Male	50	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	9	6	8	12	9	1	–
	Female	64	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	14	21	16	8	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	85	–	–	–	–	–	–	1	–	–	1	1	1	5	9	10	12	12	14	8	8	3	–
	White Male	50	–	–	–	–	–	–	1	–	–	1	1	1	5	6	6	6	9	8	3	3	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	6	3	6	5	5	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	227	7	2	1	2	2	1	–	1	5	–	2	2	6	3	10	21	19	39	60	30	14	–
	White Male	91	2	2	–	1	1	1	–	–	1	–	1	–	6	–	5	11	6	16	21	15	2	–
	Female	129	4	–	1	1	1	–	–	1	4	–	1	2	–	3	4	8	13	23	38	14	11	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
470–474	Influenza	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	4	2	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	217	7	2	1	2	2	1	–	–	5	–	2	2	6	3	10	20	18	35	58	30	13	–
	White Male	87	2	2	–	1	1	1	–	–	1	–	1	–	6	–	5	11	5	14	20	15	2	–
	Female	123	4	–	1	1	1	–	–	–	4	–	1	2	–	3	4	7	13	21	37	14	10	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	85	1	–	–	–	–	–	–	1	–	1	1	3	6	16	17	17	13	5	2	2	–	–
	White Male	58	–	–	–	–	–	–	–	1	–	1	–	–	3	11	13	15	9	3	2	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	3	3	5	2	1	4	2	–	1	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	16	1	–	–	–	–	–	–	–	–	–	–	–	2	2	5	–	3	3	–	–	–	
	White—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–	1	1	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	–	–	
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	60	–	–	–	–	–	–	–	–	–	1	1	3	3	11	10	17	9	2	2	1	–	
	White—Male	44	–	–	–	–	–	–	–	–	–	1	–	2	2	7	7	15	8	2	2	–	–	
	Female	13	–	–	–	–	–	–	–	–	–	–	1	3	1	4	2	1	1	–	–	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
493	Asthma	9	–	–	–	–	–	–	–	1	–	–	–	–	1	3	2	–	1	–	–	1	–	
	White—Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	26	1	–	–	–	–	–	–	–	–	1	–	1	2	4	4	5	1	2	5	–	–	
	White—Male	19	1	–	–	–	–	–	–	–	–	1	–	1	1	4	3	5	1	–	3	–	–	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	24	4	–	–	–	–	–	–	–	–	1	–	–	3	2	–	3	2	4	3	2	–	
	White—Male	14	3	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	1	3	–	–	
	Female	10	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	3	–	2	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	55	–	–	–	–	1	–	2	2	1	1	8	2	6	10	6	9	1	6	–	–	–	
	White—Male	34	–	–	–	–	–	–	1	–	1	–	5	2	3	6	6	6	–	4	–	–	–	
	Female	14	–	–	–	–	1	–	–	1	–	–	1	–	2	3	–	3	1	2	–	–	–	
	All other—Male	7	–	–	–	–	–	–	1	1	–	1	2	–	1	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	5	1	–	–	
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	3	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	30	–	–	–	–	1	–	–	–	–	1	–	1	2	2	4	2	2	8	4	3	–	
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	1	5	3	3	–	
	Female	9	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	1	3	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	3	1	1	–	
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	
	Female	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	21	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	2	–	5	3	2	–	
	White—Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	3	2	2	–	
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	2	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	4	7	1	–	
	White—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	4	1	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	1	
	White—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	1	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
640–645	Abortions	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	56	41	3	3	–	3	1	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	White.....Male	32	23	–	3	–	2	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	19	14	2	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	37	8	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	5	6	6	3	3	–
	White.....Male	18	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	2	2	–	–
	Female	18	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	3	2	3	1	3	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	302	2	3	2	2	6	2	3	–	4	7	6	15	17	31	32	43	49	39	25	11	3	–
	White.....Male	165	1	–	2	2	3	–	2	–	2	4	3	11	12	17	17	24	29	20	11	4	1	–
	Female	120	–	3	–	–	2	2	–	–	1	1	2	3	5	13	12	17	19	18	13	7	2	–
	All other.....Male	13	1	–	–	–	1	–	1	–	1	1	1	1	–	1	2	2	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–
E800–E949	Accidents	408	2	11	9	11	56	56	27	18	13	11	15	20	19	24	21	17	19	18	21	13	7	–
	White.....Male	269	1	8	5	7	40	40	17	11	8	7	10	13	15	19	18	13	12	8	10	6	1	–
	Female	101	–	2	2	3	12	10	3	3	2	3	2	4	4	5	3	4	7	9	11	6	6	–
	All other.....Male	23	1	–	2	–	3	6	3	3	2	–	–	2	–	–	–	–	–	1	–	–	–	–
	Female	15	–	1	–	1	1	–	4	1	1	1	3	1	–	–	–	–	–	–	–	1	–	–
E810–E823	Motor vehicle accidents	183	–	2	4	4	40	44	16	10	5	7	6	10	8	8	7	4	6	–	2	–	–	–
	White.....Male	125	–	1	3	2	29	31	11	4	2	4	5	7	7	5	5	3	4	–	2	–	–	–
	Female	36	–	1	1	1	8	8	–	3	1	2	–	2	1	3	2	1	2	–	–	–	–	–
	All other.....Male	14	–	–	–	–	3	5	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	1	–	–	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	225	2	9	5	7	16	12	11	8	8	4	9	10	11	16	14	13	13	18	19	13	7	–
	White.....Male	144	1	7	2	5	11	9	6	7	6	3	5	6	8	14	13	10	8	8	8	6	1	–
	Female	65	–	1	1	2	4	2	3	–	1	1	2	2	3	2	1	3	5	9	11	6	6	–
	All other.....Male	9	1	–	2	–	–	1	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–
	Female	7	–	1	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–
E950–E959	Suicide	74	...	...	–	–	6	13	6	5	3	8	12	5	5	2	2	3	1	2	–	1	–	–
	White.....Male	51	...	...	–	–	5	9	3	3	3	4	8	4	4	2	1	2	1	1	–	1	–	–
	Female	17	...	...	–	–	1	–	2	2	–	4	4	1	1	–	1	–	–	1	–	–	–	–
	All other.....Male	5	...	...	–	–	–	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	12	–	1	–	–	2	4	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–
	White.....Male	8	–	1	–	–	2	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	–	1	–	–	2	1	1	–	–	3	1	1	1	1	1	–	–	–	–	1	–	–
	White.....Male	6	–	1	–	–	1	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
	All other.....Male	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio																							
	All causes	**99,254**	**2,590**	**466**	**302**	**383**	**1,059**	**1,144**	**950**	**930**	**1,121**	**1,875**	**3,228**	**5,034**	**6,920**	**9,030**	**10,478**	**12,008**	**13,198**	**13,193**	**9,494**	**4,481**	**1,364**	**6**
	White..... Male	48,674	1,190	230	162	231	675	688	528	440	537	897	1,705	2,704	4,027	5,156	5,837	6,208	6,256	5,709	3,622	1,494	374	4
	Female.....	41,019	857	148	83	112	232	222	222	274	337	591	997	1,593	2,112	2,883	3,550	4,719	6,040	6,855	5,479	2,800	912	1
	All other..... Male	5,332	274	39	29	23	102	146	139	148	159	237	298	423	466	584	583	600	496	310	174	73	28	1
	Female.....	4,229	269	49	28	17	50	88	61	68	88	150	228	314	315	407	508	481	406	319	219	114	50	–
004, 006	Bacillary dysentery and amebiasis.....	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases.....	99	28	4	1	–	–	–	–	–	2	–	3	2	3	6	4	10	7	9	11	6	3	–
	White..... Male	27	11	2	1	–	–	–	–	–	1	–	–	–	–	2	–	4	1	3	1	1	–	–
	Female.....	56	7	1	–	–	–	–	–	–	1	–	2	1	3	2	4	6	5	6	10	5	3	–
	All other..... Male	8	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	Female.....	8	5	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms.....	135	–	1	–	–	–	2	–	4	2	2	6	10	12	15	16	22	17	18	4	3	1	–
	White..... Male	67	–	–	–	–	–	–	–	2	1	–	4	4	7	12	7	9	10	9	1	1	–	–
	Female.....	33	–	–	–	–	–	–	–	1	1	–	–	2	1	1	5	6	5	5	3	2	1	–
	All other..... Male	25	–	1	–	–	–	1	–	1	–	1	2	2	4	1	3	5	2	2	–	–	–	–
	Female.....	10	–	–	–	–	–	1	–	–	–	1	–	2	–	1	1	2	–	2	–	–	–	–
010–012	Tuberculosis of respiratory system.....	105	–	–	–	–	–	–	–	4	1	1	5	6	10	12	12	18	13	15	4	3	1	–
	White..... Male	51	–	–	–	–	–	–	–	2	1	–	3	2	5	10	5	6	8	7	1	1	–	–
	Female.....	26	–	–	–	–	–	–	–	1	–	–	–	2	1	1	3	5	3	4	3	2	1	–
	All other..... Male	22	–	–	–	–	–	–	–	1	–	1	2	1	4	1	3	5	2	2	–	–	–	–
	Female.....	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	–
013–019	Tuberculosis, other forms.....	30	–	1	–	–	–	2	–	–	1	1	1	4	2	3	4	4	4	3	–	–	–	–
	White..... Male	16	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	3	2	2	–	–	–	–
	Female.....	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	2	1	–	–	–	–
	All other..... Male	3	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female.....	4	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
033	Whooping cough.....	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever.....	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections.....	22	6	5	2	2	–	2	1	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–
	White..... Male	11	3	2	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	8	3	1	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia.....	215	38	3	1	1	4	1	1	4	3	2	5	5	14	13	16	28	29	23	17	5	2	–
	White..... Male	91	16	–	1	–	2	1	–	1	1	1	2	2	5	9	8	14	8	11	8	1	–	–
	Female.....	90	12	1	–	1	2	–	1	2	1	–	2	2	5	3	7	11	18	11	8	3	–	–
	All other..... Male	11	2	–	–	–	–	–	–	–	–	–	1	1	2	–	1	2	1	–	–	–	1	–
	Female.....	23	8	2	–	–	–	–	–	1	1	1	–	–	2	1	–	1	2	1	1	1	1	–
040–043	Acute poliomyelitis.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles.....	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae.....	31	–	–	–	–	–	–	–	–	–	–	–	3	2	5	6	6	7	1	1	–	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	3	1	1	–	–	–
	Female.....	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	–	–	–	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1	2	–	–	–	–	–
	Female.....	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases.....	172	15	5	4	5	6	6	4	7	4	6	7	11	17	18	14	12	8	16	4	2	1	–
	White..... Male	75	9	3	2	2	3	2	2	1	1	2	3	7	7	7	4	6	1	10	2	1	–	–
	Female.....	76	4	2	2	3	2	1	2	4	2	3	2	4	7	8	8	5	7	6	2	1	1	–
	All other..... Male	11	2	–	–	–	1	2	–	–	–	1	1	–	–	2	1	1	–	–	–	–	–	–
	Female.....	10	–	–	–	–	–	1	–	2	1	–	1	–	3	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	18,403	10	54	54	53	60	67	101	125	204	441	908	1,560	2,006	2,507	2,534	2,511	2,271	1,728	858	285	65	1
	White—Male	8,915	7	24	32	31	32	35	48	54	81	158	380	667	945	1,286	1,333	1,297	1,121	844	395	119	25	1
	Female	7,725	1	28	17	19	20	22	43	66	99	225	411	678	836	969	929	986	996	787	413	149	31	–
	All other—Male	1,020	1	1	2	2	4	4	4	2	11	30	62	105	140	149	156	145	98	66	28	6	4	–
	Female	743	1	1	3	1	4	6	6	3	13	28	55	110	85	103	116	83	56	31	22	11	5	–
140–149	Of buccal cavity and pharynx	389	–	–	–	–	3	–	1	2	5	9	24	38	65	61	53	45	32	30	16	3	2	–
	White—Male	245	–	–	–	–	2	–	–	1	4	3	14	20	40	44	39	31	17	18	11	1	–	–
	Female	99	–	–	–	–	–	–	1	1	–	2	4	11	17	13	6	10	15	10	5	2	2	–
	All other—Male	32	–	–	–	–	1	–	–	–	–	4	3	5	6	2	5	4	–	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	3	2	2	2	3	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,069	–	1	1	–	2	3	11	18	31	67	174	342	442	627	728	763	754	623	333	124	25	–
	White—Male	2,402	–	–	1	–	2	–	5	10	16	23	92	159	234	323	360	369	340	286	130	41	11	–
	Female	2,141	–	1	–	–	–	1	5	6	11	32	52	119	150	230	268	326	363	307	185	73	12	–
	All other—Male	293	–	–	–	–	–	–	–	1	2	10	16	31	37	38	55	42	29	19	9	4	–	–
	Female	233	–	–	–	–	–	2	1	1	2	2	14	33	21	36	45	26	22	11	9	6	2	–
160–163	Of respiratory system	4,334	1	–	–	1	–	1	2	4	32	92	264	448	649	783	696	583	408	252	100	16	2	–
	White—Male	3,001	–	–	–	1	–	–	1	2	13	58	165	275	415	543	507	446	307	182	72	12	2	–
	Female	879	1	–	–	–	–	1	1	2	12	23	63	106	155	151	125	84	72	56	23	4	–	–
	All other—Male	375	–	–	–	–	–	–	–	–	7	9	27	54	65	72	52	45	27	14	3	–	–	–
	Female	79	–	–	–	–	–	–	–	–	–	2	9	13	14	17	12	8	2	–	2	–	–	–
174	Of breast	1,671	–	–	–	–	–	2	7	27	34	71	142	213	231	223	178	177	176	92	61	30	7	–
	White—Male	12	–	–	–	–	–	–	–	1	–	–	–	–	1	2	3	2	1	1	–	1	–	–
	Female	1,529	–	–	–	–	–	1	6	26	29	64	127	184	215	208	160	167	166	86	57	27	6	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
	Female	127	–	–	–	–	–	1	1	–	5	7	13	29	15	13	15	8	8	5	4	2	1	–
180–187	Of genital organs	2,209	–	1	1	1	1	5	19	19	33	59	96	149	180	248	285	311	325	277	137	48	14	–
	White—Male	846	–	1	–	–	–	1	10	8	6	2	5	9	37	61	102	136	180	163	86	32	7	–
	Female	1,125	–	–	1	1	1	3	8	11	24	48	82	125	123	157	146	136	112	90	37	15	5	–
	All other—Male	117	–	–	–	–	–	1	–	–	–	–	2	–	7	12	16	26	24	16	10	1	2	–
	Female	121	–	–	–	–	–	–	1	–	3	9	7	15	13	18	21	13	9	8	4	–	–	–
188, 189	Of urinary organs	877	–	2	–	–	2	–	1	2	6	14	30	46	76	101	133	130	146	114	49	22	3	–
	White—Male	512	–	1	–	–	–	–	–	2	4	5	15	31	42	66	80	80	84	60	28	13	1	–
	Female	304	–	1	–	–	2	–	–	–	2	8	13	9	24	30	40	45	55	46	19	9	1	–
	All other—Male	34	–	–	–	–	–	–	1	–	–	1	1	5	5	3	7	2	3	4	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	1	1	5	2	6	3	4	4	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	2,080	5	26	18	23	31	28	19	29	32	70	120	200	223	291	238	257	201	158	83	24	4	–
	White—Male	1,007	4	10	8	9	17	21	12	15	16	37	54	103	117	156	119	121	87	55	34	12	–	–
	Female	900	–	14	6	13	10	5	6	12	14	26	53	78	88	112	98	103	103	99	46	12	2	–
	All other—Male	90	1	1	1	–	2	1	–	1	1	2	8	6	8	14	14	17	7	3	2	–	1	–
	Female	83	–	1	3	1	2	1	1	1	1	5	5	13	10	9	7	16	4	1	1	–	1	–
204–207	Leukemia	739	4	21	24	19	13	17	16	13	11	21	25	39	46	51	75	97	105	76	46	13	6	1
	White—Male	389	3	9	14	15	5	10	9	6	7	12	16	22	19	25	50	48	52	35	22	6	3	1
	Female	301	–	12	9	3	6	4	5	6	3	7	7	15	19	21	22	45	50	38	21	5	3	–
	All other—Male	31	–	–	1	1	1	2	1	–	1	1	1	2	6	3	1	3	2	3	2	–	–	–
	Female	18	1	–	–	–	1	1	1	1	–	1	1	–	2	2	2	1	1	–	1	2	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,035	–	3	10	9	8	11	25	11	20	38	33	85	94	122	148	148	124	106	33	5	2	–
	White—Male	501	–	3	9	6	3	11	9	15	18	19	48	40	66	73	64	53	44	12	1	1	–	–
	Female	447	–	–	1	2	1	7	11	2	4	15	10	31	45	47	64	70	60	55	20	2	–	–
	All other—Male	45	–	–	–	1	–	–	2	–	–	3	2	2	6	5	6	6	5	5	–	1	1	–
	Female	42	–	–	–	–	1	1	1	–	1	2	2	4	3	4	5	8	6	2	1	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	237	1	3	1	3	5	3	1	5	3	4	16	22	17	26	29	41	24	16	10	7	–	–
	White—Male	93	1	2	–	1	–	2	1	1	2	–	8	10	9	10	14	16	8	5	2	1	–	–
	Female	118	–	1	1	2	4	–	–	4	–	4	6	10	7	12	14	20	12	8	7	6	–	–
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	2	3	–	–	–	–
	Female	16	–	–	–	–	1	1	–	–	1	–	1	2	1	2	1	3	2	–	1	–	–	–
250	Diabetes mellitus	2,215	–	1	1	3	5	8	11	11	24	25	82	85	152	223	309	332	366	329	177	62	9	–
	White—Male	810	–	–	–	1	2	5	5	5	12	8	45	33	67	86	122	126	123	97	53	17	3	–
	Female	1,142	–	1	1	2	2	2	6	5	6	9	23	31	59	97	144	171	209	214	111	43	6	–
	All other—Male	91	–	–	–	–	1	–	–	–	2	7	5	12	6	16	13	13	12	3	–	1	–	–
	Female	172	–	–	–	–	–	1	–	1	4	1	9	9	20	24	30	22	22	15	13	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	131	4	1	2	–	–	–	1	–	1	–	4	2	6	6	7	17	11	23	29	10	7	–
	White—Male	54	3	1	1	–	–	–	–	–	–	–	2	2	2	4	4	8	5	6	13	2	1	–
	Female	65	–	–	–	–	–	–	1	–	1	–	1	–	2	2	3	9	4	15	16	8	3	–
	All other—Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–
	Female	7	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
280–285	Anemias	171	3	7	2	2	4	1	5	2	–	2	3	7	8	10	7	22	27	29	15	13	2	–
	White—Male	74	1	2	–	2	2	–	3	–	–	1	1	2	1	7	2	8	13	14	8	6	1	–
	Female	75	1	–	–	–	1	–	–	1	–	1	2	4	6	3	4	13	13	13	6	6	1	–
	All other—Male	11	1	4	1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–
	Female	11	–	1	1	–	1	1	1	1	–	–	–	1	–	–	1	–	1	1	1	–	–	–
320	Meningitis	78	39	8	3	1	1	–	1	–	1	3	2	1	3	4	5	3	2	–	1	–	–	–
	White—Male	30	17	5	1	–	1	–	1	–	–	1	2	1	–	–	–	1	–	–	–	–	–	–
	Female	31	9	2	1	1	–	–	–	–	1	2	–	–	2	4	5	2	1	–	1	–	–	–
	All other—Male	8	5	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	9	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	53,781	44	19	12	33	36	54	52	140	256	591	1,191	2,056	3,237	4,417	5,640	7,034	8,395	9,036	6,987	3,485	1,065	1
	White—Male	25,975	20	9	7	22	20	19	23	61	140	360	750	1,355	2,141	2,729	3,210	3,608	3,876	3,731	2,514	1,098	282	–
	Female	23,686	13	6	4	8	5	23	14	49	67	125	256	433	761	1,204	1,860	2,811	3,966	4,906	4,193	2,251	730	1
	All other—Male	2,138	7	3	–	1	9	3	8	19	31	61	108	162	196	276	287	313	292	177	121	50	14	–
	Female	1,982	4	1	1	2	2	9	7	11	18	45	77	106	139	208	283	302	261	222	159	86	39	–
390–398, 402, 404, 410–429	Diseases of heart	39,407	35	12	8	20	28	34	29	99	194	484	1,007	1,734	2,725	3,634	4,485	5,317	5,927	6,130	4,575	2,249	680	1
	White—Male	19,981	16	6	5	13	14	13	14	47	122	323	679	1,208	1,872	2,316	2,608	2,767	2,814	2,578	1,659	722	185	–
	Female	16,344	11	4	3	5	5	12	5	27	34	82	186	305	588	944	1,440	2,091	2,708	3,270	2,724	1,440	459	1
	All other—Male	1,641	5	2	–	1	7	3	6	15	28	45	85	142	158	215	236	228	217	121	88	31	8	–
	Female	1,441	3	–	–	1	2	6	4	10	10	34	57	79	107	159	201	231	188	161	104	56	28	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	683	–	–	–	2	2	6	11	13	18	28	41	55	85	103	103	82	66	39	18	10	1	–
	White—Male	282	–	–	–	2	1	2	5	7	8	11	16	19	41	50	48	35	20	13	1	3	–	–
	Female	346	–	–	–	–	–	2	4	4	9	13	18	27	39	50	47	43	43	24	17	5	1	–
	All other—Male	28	–	–	–	–	1	–	1	1	1	2	3	5	4	2	5	1	2	–	–	–	–	–
	Female	27	–	–	–	–	–	2	1	1	–	2	4	4	1	1	3	3	1	2	–	2	–	–
402	Hypertensive heart disease	364	–	–	–	–	–	1	–	2	8	4	7	18	21	31	39	48	56	50	49	27	3	–
	White—Male	121	–	–	–	–	–	1	–	–	2	2	2	10	5	16	18	17	20	14	9	4	1	–
	Female	178	–	–	–	–	–	–	–	1	3	–	1	3	4	9	15	24	29	32	36	19	2	–
	All other—Male	33	–	–	–	–	–	–	–	–	3	–	2	1	6	5	2	3	5	2	2	2	–	–
	Female	32	–	–	–	–	–	–	–	1	–	2	2	4	6	1	4	4	2	2	2	2	–	–
404	Hypertensive heart and renal disease	481	–	–	–	–	–	–	–	–	1	1	5	13	20	33	41	59	67	95	79	53	14	–
	White—Male	181	–	–	–	–	–	–	–	–	1	–	2	4	10	15	17	22	26	27	37	17	3	–
	Female	219	–	–	–	–	–	–	–	–	–	–	2	3	3	10	11	22	27	60	37	35	9	–
	All other—Male	36	–	–	–	–	–	–	–	–	–	–	–	4	2	4	7	8	5	3	2	–	1	–
	Female	45	–	–	–	–	–	–	–	–	–	1	1	2	5	4	6	7	9	5	3	1	1	–
410–413	Ischemic heart disease	35,853	1	1	–	2	2	6	10	56	135	417	897	1,549	2,472	3,304	4,120	4,914	5,463	5,659	4,192	2,031	621	1
	White—Male	18,460	–	–	–	1	1	3	7	31	96	294	632	1,124	1,737	2,139	2,428	2,581	2,626	2,412	1,529	648	171	–
	Female	14,736	1	1	–	1	–	1	1	11	14	58	144	236	512	830	1,300	1,924	2,481	2,993	2,493	1,312	422	1
	All other—Male	1,427	–	–	–	–	1	1	2	10	17	38	76	125	135	190	214	208	188	110	80	26	6	–
	Female	1,230	–	–	–	–	–	1	–	4	8	27	45	64	88	145	178	201	168	144	90	45	22	–
410	Acute myocardial infarction	16,781	–	1	–	–	2	5	7	34	88	270	598	977	1,567	2,022	2,376	2,447	2,452	2,076	1,244	490	125	–
	White—Male	9,995	–	–	–	–	1	3	5	22	68	215	448	759	1,181	1,425	1,516	1,393	1,284	957	506	176	36	–
	Female	5,915	–	1	–	–	–	1	1	7	9	39	102	151	308	491	706	918	1,070	1,042	688	296	85	–
	All other—Male	486	–	–	–	–	1	–	1	4	10	12	33	46	51	63	80	64	59	33	20	7	2	–
	Female	385	–	–	–	–	–	1	–	1	1	4	15	21	27	43	74	72	39	44	30	11	2	–
411	Other acute and subacute forms of ischemic heart disease	184	–	–	–	–	–	–	–	2	–	4	9	13	12	23	24	22	25	24	16	5	5	–
	White—Male	110	–	–	–	–	–	–	–	2	–	2	5	10	10	17	15	13	15	12	7	1	1	–
	Female	66	–	–	–	–	–	–	–	–	–	2	2	2	2	6	8	7	10	11	8	4	4	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–	–	–
412	Chronic ischemic heart disease	18,882	1	–	–	2	–	1	3	20	47	142	290	558	893	1,259	1,720	2,444	2,985	3,558	2,931	1,536	491	1
	White—Male	8,353	–	–	–	1	–	–	2	7	28	77	179	355	546	697	897	1,174	1,326	1,443	1,016	471	134	–
	Female	8,753	1	–	–	1	–	–	–	4	5	17	40	83	202	333	586	999	1,401	1,939	1,796	1,012	333	1
	All other—Male	937	–	–	–	–	1	1	6	7	26	42	78	84	127	133	143	129	77	60	19	4	–	–
	Female	839	–	–	–	–	–	–	3	7	22	29	42	61	102	104	128	129	99	59	34	20	–	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	1	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	198	2	1	1	2	4	2	1	3	1	3	8	12	4	14	15	13	26	33	32	15	6	–
	White—Male	84	1	–	1	1	1	1	–	1	–	2	3	6	2	7	8	6	11	11	14	7	1	–
	Female	92	1	–	–	–	1	–	–	2	–	–	4	4	2	5	7	5	13	17	18	8	5	–
	All other—Male	11	–	1	–	–	1	1	1	–	1	1	1	1	–	1	–	–	2	–	–	–	–	–
	Female	11	–	–	–	1	1	–	–	–	–	–	–	1	–	1	–	2	–	5	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,828	32	10	7	14	20	19	7	25	31	31	49	87	123	149	167	201	249	254	205	113	35	–
	White Male	853	15	6	4	9	11	6	2	8	15	14	24	45	77	89	89	106	111	101	69	43	9	–
	White Female	773	9	3	3	4	4	9	–	9	8	11	17	32	28	40	60	73	115	144	123	61	20	–
	All other Male	106	5	1	–	1	4	1	2	4	6	4	3	6	11	13	8	8	15	6	4	3	1	–
	All other Female	96	3	–	–	–	1	3	3	4	2	2	5	4	7	7	10	14	8	3	9	6	5	–
400, 401, 403	Hypertension	363	–	–	–	1	–	–	2	2	4	6	10	9	17	24	39	51	62	62	42	22	10	–
	White Male	162	–	–	–	1	–	–	1	1	1	1	–	3	10	13	21	28	27	30	11	12	2	–
	White Female	150	–	–	–	–	–	–	–	1	2	1	4	3	4	8	12	16	29	24	30	9	7	–
	All other Male	31	–	–	–	–	–	–	1	–	–	3	6	1	3	1	2	4	3	5	–	1	1	–
	All other Female	20	–	–	–	–	–	–	–	–	1	1	–	2	–	2	4	3	3	3	1	–	–	–
430–438	Cerebrovascular diseases	10,690	8	7	4	8	6	18	18	36	49	85	147	247	396	570	862	1,320	1,899	2,214	1,734	816	246	–
	White Male	4,293	4	3	2	5	5	5	5	11	10	30	56	108	192	281	422	612	786	851	602	234	69	–
	White Female	5,584	1	2	1	2	–	10	9	20	30	37	58	104	146	201	330	578	992	1,284	1,062	550	167	–
	All other Male	380	2	1	–	–	1	–	1	4	3	9	15	15	29	47	42	71	60	35	29	12	4	–
	All other Female	433	1	1	1	1	–	3	3	1	6	9	18	20	29	41	68	59	61	44	41	20	6	–
431	Cerebral hemorrhage	1,568	4	1	2	4	1	1	5	9	6	28	50	58	92	148	167	189	256	243	197	87	20	–
	White Male	620	2	1	–	2	–	–	2	2	–	13	21	27	48	66	84	76	94	84	66	25	7	–
	White Female	810	–	–	1	1	–	1	3	3	5	9	18	23	32	60	66	92	149	153	123	61	10	–
	All other Male	64	1	–	–	–	1	–	–	3	–	2	7	5	7	9	4	12	7	2	2	–	2	–
	All other Female	74	1	–	1	1	–	–	–	1	1	4	4	3	5	13	13	9	6	4	6	1	1	–
433	Cerebral thrombosis	2,928	–	–	1	–	–	2	–	–	4	7	16	38	76	134	223	398	573	647	492	239	78	–
	White Male	1,219	–	–	1	–	–	–	–	–	1	2	11	17	40	69	110	176	235	272	195	72	18	–
	White Female	1,499	–	–	–	–	–	1	–	–	2	4	2	15	24	42	83	184	295	344	286	157	60	–
	All other Male	106	–	–	–	–	–	–	–	–	–	–	1	5	8	17	12	24	19	14	4	2	–	–
	All other Female	104	–	–	–	–	–	1	–	–	1	1	2	1	4	6	18	14	24	17	7	8	–	–
434	Cerebral embolism	45	–	–	–	–	1	1	–	1	1	1	–	1	3	1	5	3	7	7	9	3	1	–
	White Male	15	–	–	–	–	1	1	–	1	1	–	–	–	2	1	1	2	1	1	2	–	1	–
	White Female	26	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	5	6	6	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,149	4	6	1	4	4	14	13	26	38	49	81	150	225	287	467	730	1,063	1,317	1,036	487	147	–
	White Male	2,439	2	2	1	3	4	4	3	8	8	15	24	64	102	145	227	358	456	494	339	137	43	–
	White Female	3,249	1	2	–	1	–	8	6	17	23	24	38	65	89	99	178	301	543	781	647	329	97	–
	All other Male	208	1	1	–	–	–	–	1	1	3	6	7	5	14	21	26	35	33	19	23	10	2	–
	All other Female	253	–	1	–	–	–	2	3	–	4	4	12	16	20	22	36	36	31	23	27	11	5	–
440	Arteriosclerosis	1,933	–	–	–	–	–	–	–	–	–	1	1	8	16	45	72	166	281	408	483	337	115	–
	White Male	754	–	–	–	–	–	–	–	–	–	–	–	5	10	24	37	83	129	160	179	105	22	–
	White Female	1,090	–	–	–	–	–	–	–	–	–	–	–	3	5	15	28	71	139	228	292	220	89	–
	All other Male	38	–	–	–	–	–	–	–	–	–	1	1	–	–	4	2	4	8	11	2	5	–	–
	All other Female	51	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	8	5	9	10	7	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,388	1	–	–	4	2	2	3	3	9	15	26	58	83	144	182	180	226	222	153	61	14	–
	White Male	785	–	–	–	3	1	1	3	2	7	6	15	31	57	95	122	118	120	112	63	25	4	–
	White Female	518	1	–	–	1	–	1	–	1	1	5	8	18	18	36	50	55	98	100	85	32	8	–
	All other Male	48	–	–	–	–	1	–	–	–	–	3	1	4	6	9	5	6	4	5	2	1	1	–
	All other Female	37	–	–	–	–	–	–	–	–	1	1	2	5	2	4	5	1	4	5	3	3	1	–
466	Acute bronchitis and bronchiolitis	38	8	2	–	–	–	–	–	–	–	–	1	1	1	1	4	3	4	7	1	2	3	–
	White Male	15	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	–	2	2	–
	White Female	20	4	1	–	–	–	–	–	–	–	–	1	1	1	1	2	2	2	3	1	–	1	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,473	119	25	9	17	15	21	15	17	17	25	67	68	113	148	176	264	347	390	375	159	86	–
	White Male	1,212	55	20	4	9	7	10	6	6	9	11	27	33	71	75	93	142	194	197	162	57	24	–
	White Female	1,013	39	3	4	6	6	5	8	3	2	7	24	25	27	48	59	96	134	168	198	94	57	–
	All other Male	148	14	1	–	–	1	4	1	4	1	5	8	5	12	18	20	18	10	12	7	3	4	–
	All other Female	100	11	1	1	2	1	2	–	4	5	2	8	5	3	7	4	8	9	13	8	5	1	–
470–474	Influenza	131	3	2	–	–	2	1	–	–	1	–	3	–	4	5	9	17	17	29	20	10	8	–
	White Male	50	–	–	–	–	2	–	–	–	–	–	–	–	1	2	4	9	9	15	6	1	1	–
	White Female	77	3	2	–	–	–	1	–	–	–	–	3	–	3	2	4	8	7	14	14	9	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	2,342	116	23	9	17	13	20	15	17	16	25	64	68	109	143	167	247	330	361	355	149	78	–
	White Male	1,162	55	20	4	9	5	10	6	6	9	11	27	33	70	73	89	133	185	182	156	56	23	–
	White Female	936	36	1	4	6	6	4	8	3	2	7	21	25	24	46	55	88	127	154	184	85	50	–
	All other Male	146	14	1	–	–	1	4	1	4	1	5	8	5	12	17	20	18	9	12	7	3	4	–
	All other Female	98	11	1	1	2	1	2	–	4	4	2	8	5	3	7	3	8	9	13	8	5	1	–
490–493	Bronchitis, emphysema, and asthma	1,550	5	4	–	1	2	2	3	4	9	19	25	73	112	196	288	291	229	176	79	26	6	–
	White Male	1,103	3	1	–	1	1	1	2	4	2	6	13	37	70	133	221	225	175	132	54	17	5	–
	White Female	354	1	2	–	–	–	–	1	–	5	5	9	31	37	47	50	50	46	38	22	9	1	–
	All other Male	76	1	1	–	–	–	1	–	–	1	3	1	4	5	13	15	15	8	5	3	–	–	–
	All other Female	17	–	–	–	–	1	–	–	–	1	5	2	1	–	3	2	1	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
490, 491	Chronic and unqualified bronchitis	344	3	2	–	1	2	1	1	1	2	3	4	18	31	39	57	60	46	41	20	9	3	–
	White Male	221	2	–	–	1	1	–	1	1	–	1	3	9	17	19	40	46	32	27	14	4	3	–
	Female	103	–	1	–	–	–	–	–	–	2	1	1	8	13	16	13	11	13	13	6	5	–	–
	All other Male	13	1	1	–	–	–	1	–	–	–	–	–	1	1	1	3	3	1	–	–	–	–	–
	Female	7	–	–	–	–	1	–	–	–	–	1	–	–	–	3	1	–	–	1	–	–	–	–
492	Emphysema	1,136	2	–	–	–	–	–	–	2	5	9	15	46	77	150	223	226	174	131	58	17	1	–
	White Male	863	1	–	–	–	–	–	–	2	2	5	8	25	53	112	179	178	141	103	40	13	1	–
	Female	212	1	–	–	–	–	–	–	–	2	1	6	19	20	27	33	35	26	23	15	4	–	–
	All other Male	59	–	–	–	–	–	–	–	–	1	2	1	2	4	11	11	12	7	5	3	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
493	Asthma	70	–	2	–	–	–	1	2	1	2	7	6	9	4	7	8	5	9	4	1	–	2	–
	White Male	19	–	1	–	–	–	1	1	1	–	–	2	3	–	2	2	1	2	2	–	–	1	–
	Female	39	–	1	–	–	–	–	1	–	1	3	2	4	4	4	4	4	7	2	1	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	3	2	1	–	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	357	2	2	–	1	–	–	4	2	6	10	15	17	30	36	27	50	55	46	40	13	1	–
	White Male	207	1	1	–	1	–	–	2	1	3	4	10	11	18	23	20	35	36	20	16	5	–	–
	Female	123	–	1	–	–	–	–	2	1	1	3	3	1	9	10	7	14	18	23	22	7	1	–
	All other Male	20	1	–	–	–	–	–	–	–	2	2	2	3	3	2	–	–	1	3	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	1	1	–	–
540–543	Appendicitis	51	–	–	1	1	3	2	–	–	1	1	1	1	3	3	8	3	7	9	4	2	1	–
	White Male	24	–	–	–	–	2	–	–	–	1	–	–	1	1	2	5	2	3	4	3	–	–	–
	Female	20	–	–	1	1	1	2	–	–	–	1	–	–	–	–	3	–	3	5	1	1	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	352	28	2	1	2	2	2	1	1	3	1	6	9	21	22	42	35	43	58	51	18	4	–
	White Male	119	13	1	–	1	2	1	1	–	1	–	–	2	9	6	16	7	19	17	16	7	–	–
	Female	202	14	–	–	–	–	1	–	–	1	1	4	6	10	12	22	25	19	40	35	10	2	–
	All other Male	9	–	–	–	1	–	–	–	1	–	–	2	–	–	1	1	1	1	–	–	1	–	–
	Female	22	1	1	1	–	–	–	–	–	1	–	–	1	2	3	3	2	4	1	–	–	2	–
571	Cirrhosis of liver	1,441	3	1	1	–	2	3	8	25	62	101	174	211	224	231	184	95	72	34	9	1	–	–
	White Male	815	1	1	1	–	1	1	4	7	21	48	94	111	132	137	124	65	43	17	7	–	–	–
	Female	416	2	–	–	–	1	1	3	4	14	20	43	68	70	73	48	24	27	15	2	1	–	–
	All other Male	120	–	–	–	–	–	–	–	9	20	19	17	21	13	13	3	3	–	2	–	–	–	–
	Female	90	–	–	–	–	–	1	1	5	7	14	20	11	9	8	9	3	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	140	–	–	–	–	–	1	–	–	2	2	–	7	5	8	11	16	26	35	20	6	1	–
	White Male	51	–	–	–	–	–	–	–	–	–	1	–	2	–	5	6	9	6	14	6	2	–	–
	Female	81	–	–	–	–	–	1	–	–	2	1	–	5	3	3	5	6	17	20	13	4	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
580–584	Nephritis and nephrosis	434	1	–	1	–	3	2	7	4	9	9	21	33	34	46	48	53	54	55	31	17	6	–
	White Male	195	–	–	1	–	1	2	2	3	3	3	9	12	10	25	27	27	19	31	11	8	1	–
	Female	155	1	–	–	–	2	–	2	–	2	2	7	14	8	14	10	18	26	21	19	7	2	–
	All other Male	38	–	–	–	–	–	–	1	1	3	2	2	4	6	2	3	3	5	1	–	2	3	–
	Female	46	–	–	–	–	–	–	2	–	1	2	3	3	10	5	8	5	4	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	65	–	–	–	–	–	–	–	–	1	3	4	5	6	5	10	9	9	8	3	1	1	–
	White Male	30	–	–	–	–	–	–	–	–	–	1	3	1	1	4	5	3	4	6	1	1	–	–
	Female	24	–	–	–	–	–	–	–	–	1	1	1	2	4	–	2	4	4	2	2	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	1	–	–	–	1	–
582–584	Chronic and unqualified nephritis and renal sclerosis	369	1	–	1	–	3	2	7	4	8	6	17	28	28	41	38	44	45	47	28	16	5	–
	White Male	165	–	–	1	–	1	2	2	3	3	2	6	11	9	21	22	24	15	25	10	7	1	–
	Female	131	1	–	–	–	2	–	2	–	1	1	6	12	4	14	8	14	22	19	17	7	1	–
	All other Male	35	–	–	–	–	–	–	1	1	3	2	2	4	6	2	1	2	5	1	–	2	3	–
	Female	38	–	–	–	–	–	–	2	–	1	1	3	1	9	4	7	4	3	2	1	–	–	–
590	Infections of kidney	278	–	–	–	1	1	–	–	1	3	5	2	6	6	23	26	39	50	56	37	19	3	–
	White Male	107	–	–	–	–	–	–	–	1	–	1	1	3	3	5	10	14	20	25	14	7	3	–
	Female	143	–	–	–	1	1	–	–	–	2	2	–	–	3	14	11	21	27	28	21	12	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	–	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	2	1	2	–	3	2	1	2	3	1	–	–	–
600	Hyperplasia of prostate	84	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	12	18	13	19	10	1	–
	White Male	77	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	11	15	12	18	10	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	20	–	–	–	–	2	9	3	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	13	–	–	–	–	–	6	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	19	–	–	–	–	2	8	3	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	13	–	–	–	–	–	6	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	6	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	691	409	66	26	25	26	20	16	4	5	10	15	14	8	17	10	9	6	4	–	1	–	–
	White..... Male	332	192	35	9	12	16	10	11	3	3	6	8	8	4	6	2	3	3	1	–	–	–	–
	Female	261	160	17	13	10	7	5	3	1	1	4	7	5	3	9	7	4	3	1	–	1	–	–
	All other..... Male	48	31	6	2	1	1	2	–	–	1	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	50	26	8	2	2	2	3	2	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,440	1,437	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	661	658	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	Female	463	463	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	749	746	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	White..... Male	366	363	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	Female	240	240	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	691	691	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	295	295	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	223	223	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,301	182	17	6	16	63	62	47	52	54	66	75	71	91	80	90	59	63	78	67	41	18	3
	White..... Male	664	91	8	6	9	39	42	26	24	25	28	35	32	60	48	52	30	26	31	32	12	6	2
	Female	426	53	3	–	6	11	8	8	15	14	20	25	21	21	22	30	24	33	43	33	24	12	–
	All other..... Male	126	21	4	–	1	7	8	7	7	8	12	8	12	5	7	7	5	2	2	–	2	–	1
	Female	85	17	2	–	–	6	4	6	6	7	6	7	6	5	3	1	–	2	2	2	3	–	–
Residual	All other diseases	5,886	134	45	37	43	80	84	94	87	96	157	216	354	402	627	673	758	731	673	388	158	49	–
	White..... Male	2,807	55	14	19	25	45	43	33	28	34	59	84	152	218	333	358	387	357	312	172	64	15	–
	Female	2,358	46	22	12	13	23	25	34	34	38	54	78	147	139	225	232	293	305	321	198	85	34	–
	All other..... Male	416	18	3	2	3	7	8	21	15	15	26	29	25	25	48	45	46	41	24	11	4	–	–
	Female	305	15	6	4	2	5	8	6	10	9	18	25	30	20	21	38	32	28	16	7	5	–	–
E800–E949	Accidents	4,547	54	165	126	150	560	480	279	211	175	197	197	204	221	179	193	205	268	293	240	120	30	–
	White..... Male	2,771	27	87	71	98	404	355	216	151	124	116	125	123	142	110	117	100	126	130	96	48	5	–
	Female	1,339	20	50	25	36	120	83	39	35	33	46	43	48	53	50	58	86	127	152	142	69	24	–
	All other..... Male	285	1	11	19	10	30	30	20	17	12	22	17	25	16	13	13	11	8	6	1	2	1	–
	Female	152	6	17	11	6	6	12	4	8	6	13	12	8	10	6	5	8	7	5	1	1	–	–
E810–E823	Motor vehicle accidents	1,837	9	62	68	61	359	297	157	121	89	78	72	83	84	65	56	52	52	53	13	6	–	–
	White..... Male	1,243	4	33	34	42	256	221	125	90	67	49	54	49	52	36	36	29	25	25	11	5	–	–
	Female	459	5	21	19	17	90	62	25	21	15	18	15	25	21	22	15	17	24	24	2	1	–	–
	All other..... Male	92	–	3	9	2	11	9	6	6	5	7	3	8	6	4	4	3	3	3	–	–	–	–
	Female	43	–	5	6	–	2	5	1	4	2	4	–	1	5	3	1	3	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,710	45	103	58	89	201	183	122	90	86	119	125	121	137	114	137	153	216	240	227	114	30	–
	White..... Male	1,528	23	54	37	56	148	134	91	61	57	67	71	74	90	74	81	71	101	105	85	43	5	–
	Female	880	15	29	6	19	30	21	14	14	18	28	28	23	32	28	43	69	103	128	140	68	24	–
	All other..... Male	193	1	8	10	8	19	21	14	11	7	15	14	17	10	9	9	8	5	3	1	2	1	–
	Female	109	6	12	5	6	4	7	3	4	4	9	12	7	5	3	4	5	7	4	1	1	–	–
E950–E959	Suicide	1,357	...	...	–	11	81	134	128	104	80	108	110	118	118	116	86	57	47	32	17	10	–	–
	White..... Male	891	...	...	–	9	59	95	79	61	41	59	72	67	79	71	67	44	36	27	17	8	–	–
	Female	361	...	...	–	1	12	21	33	29	27	39	37	45	32	41	17	11	9	5	–	2	–	–
	All other..... Male	77	...	...	–	1	8	12	12	10	9	7	1	4	5	3	2	2	1	–	–	–	–	–
	Female	28	...	...	–	–	2	6	4	4	3	3	–	2	2	1	–	–	1	–	–	–	–	–
E960–E978	Homicide	960	12	17	10	10	85	161	151	110	84	71	60	70	42	33	14	16	9	3	2	–	–	–
	White..... Male	299	2	8	4	4	28	52	50	24	24	17	18	23	16	13	6	5	4	1	–	–	–	–
	Female	122	2	5	2	1	10	13	20	16	10	10	9	6	4	5	–	2	4	1	2	–	–	–
	All other..... Male	415	4	2	1	3	30	68	62	60	42	37	28	31	20	12	7	7	1	–	–	–	–	–
	Female	124	4	2	3	2	17	28	19	10	8	7	5	10	2	3	1	2	–	1	–	–	–	–
E980–E999	Other external causes	159	7	8	1	2	13	17	16	8	12	14	14	12	9	8	6	4	5	3	–	–	–	–
	White..... Male	89	3	3	1	2	8	10	12	2	6	6	11	4	7	5	1	3	2	3	–	–	–	–
	Female	33	1	1	–	–	2	3	1	2	4	5	2	4	2	–	4	–	2	–	–	–	–	–
	All other..... Male	22	2	–	–	–	3	3	2	2	1	2	1	3	–	1	1	1	–	–	–	–	–	–
	Female	15	1	4	–	–	–	1	1	2	1	1	–	1	–	2	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma																							
	All causes	**27,237**	**741**	**158**	**92**	**106**	**295**	**314**	**273**	**251**	**320**	**479**	**770**	**1,165**	**1,593**	**2,219**	**2,961**	**3,452**	**3,646**	**3,679**	**2,876**	**1,359**	**462**	**26**
	White..... Male	13,639	339	78	44	65	192	187	155	131	182	262	431	660	940	1,320	1,748	1,834	1,795	1,616	1,090	440	119	11
	Female	10,909	250	52	32	30	66	57	62	77	94	148	229	359	460	661	952	1,275	1,597	1,845	1,573	808	277	5
	All other..... Male	1,485	94	10	10	4	28	52	35	26	30	44	75	100	114	131	147	185	118	105	92	57	23	5
	Female	1,204	58	18	6	7	9	18	21	17	14	25	35	46	79	107	114	158	136	113	121	54	43	5
004, 006	Bacillary dysentery and amebiasis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	42	10	1	–	–	–	–	–	–	–	–	–	2	2	–	2	2	8	8	3	4	–	–
	White..... Male	16	4	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	4	3	–	1	–	–
	Female	19	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	5	3	3	–	–
	All other..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	52	–	–	–	–	–	–	–	–	1	5	3	1	8	7	5	3	7	8	4	–	–	–
	White..... Male	29	–	–	–	–	–	–	–	–	1	2	3	–	4	4	4	1	2	5	3	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	3	1	1	–	–	–
	All other..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	2	–	–	–	–
010–012	Tuberculosis of respiratory system	44	–	–	–	–	–	–	–	–	1	4	2	–	7	6	4	3	5	8	4	–	–	–
	White..... Male	26	–	–	–	–	–	–	–	–	1	2	2	–	3	3	4	1	2	5	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	1	1	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	2	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	2	–	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	90	14	1	–	–	–	1	1	2	3	–	4	5	3	5	13	11	8	10	4	4	1	–
	White..... Male	41	7	1	–	–	–	–	–	–	1	–	3	1	–	3	8	5	5	5	1	1	–	–
	Female	34	6	–	–	–	–	–	1	2	1	–	–	2	3	2	5	3	1	3	2	3	–	–
	All other..... Male	12	–	–	–	–	–	1	–	–	1	–	1	2	–	–	–	3	2	2	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	49	5	1	3	–	1	1	3	1	1	1	1	4	1	7	4	2	5	5	2	1	–	–
	White..... Male	27	2	–	1	–	–	1	3	1	–	–	1	2	1	5	3	1	3	2	1	–	–	–
	Female	18	2	1	2	–	1	–	–	–	1	1	–	2	–	1	1	1	1	3	–	1	–	–
	All other..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,742	2	15	9	14	18	20	25	38	67	114	194	316	424	563	719	736	619	458	294	72	22	3
	White Male	2,400	1	7	5	7	10	13	9	12	30	46	83	158	195	296	420	387	333	226	125	24	12	1
	Female	1,936	1	6	3	6	7	2	14	23	32	58	97	130	178	214	243	280	250	201	140	41	9	1
	All other Male	216	–	1	1	–	–	3	–	1	3	4	7	14	32	29	27	38	20	18	15	2	–	1
	Female	190	–	1	–	1	1	2	2	2	2	6	7	14	19	24	29	31	16	13	14	5	1	–
140–149	Of buccal cavity and pharynx	101	–	–	–	1	–	–	–	–	1	4	7	5	10	19	11	16	10	9	4	2	2	–
	White Male	66	–	–	–	1	–	–	–	–	1	3	3	2	5	13	10	12	7	6	1	1	1	–
	Female	23	–	–	–	–	–	–	–	–	–	1	2	2	2	4	1	3	1	3	2	1	1	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	1	2	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,138	–	–	2	2	–	1	3	5	12	17	30	53	88	128	172	198	160	138	94	28	7	–
	White Male	499	–	–	–	1	–	1	2	3	2	9	12	38	28	66	79	87	69	62	29	8	3	–
	Female	524	–	–	2	–	–	–	1	2	8	5	15	13	44	49	77	85	81	67	55	16	4	–
	All other Male	62	–	–	–	–	–	–	–	–	2	1	3	2	12	9	9	13	3	4	3	1	–	–
	Female	53	–	–	–	1	–	–	–	–	–	2	–	–	4	4	7	13	7	5	7	3	–	–
160–163	Of respiratory system	1,169	–	–	–	–	–	–	–	1	12	21	45	104	147	186	210	191	140	76	28	5	2	1
	White Male	882	–	–	–	–	–	–	–	1	9	13	32	73	106	136	177	145	113	52	23	–	1	1
	Female	210	–	–	–	–	–	–	–	–	3	6	10	24	28	38	24	30	22	17	4	3	1	–
	All other Male	54	–	–	–	–	–	–	–	–	–	2	2	7	10	6	6	10	4	5	1	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	3	6	3	6	1	2	–	1	–	–
174	Of breast	376	–	–	–	–	–	–	4	4	7	22	27	39	44	44	45	46	31	36	22	5	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	349	–	–	–	–	–	–	4	3	6	22	26	35	39	40	40	46	30	33	21	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	–	–	–	–	–	–	–	1	1	–	1	3	5	4	5	–	1	3	1	1	–	–
180–187	Of genital organs	616	–	–	–	–	2	5	5	7	9	15	23	30	30	58	83	99	103	76	54	10	6	1
	White Male	266	–	–	–	–	2	4	1	–	4	–	4	1	7	12	40	45	55	51	28	8	4	–
	Female	275	–	–	–	–	–	–	3	6	5	10	17	22	20	39	34	40	40	19	17	2	1	–
	All other Male	39	–	–	–	–	–	–	–	1	–	1	–	1	–	2	6	9	5	6	7	–	–	1
	Female	36	–	–	–	–	–	1	1	–	–	4	2	6	3	5	3	5	3	–	2	–	1	–
188, 189	Of urinary organs	191	–	1	1	–	2	–	–	1	1	2	4	12	12	25	38	31	26	13	17	4	1	–
	White Male	120	–	–	–	–	2	–	–	1	1	2	2	9	5	14	26	19	18	7	11	3	–	–
	Female	58	–	1	1	–	–	–	–	–	–	–	2	3	5	7	11	11	5	5	5	1	1	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	3	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	674	1	11	2	7	5	5	6	12	11	22	33	45	57	64	98	85	82	66	46	12	4	–
	White Male	307	–	6	2	3	1	3	2	4	4	12	14	20	24	32	58	35	37	25	20	2	3	–
	Female	306	1	3	–	4	3	–	3	7	6	10	17	22	25	25	31	41	38	38	21	10	1	–
	All other Male	26	–	1	–	–	–	1	–	–	–	–	1	2	4	5	2	4	3	1	2	–	–	–
	Female	35	–	1	–	–	1	1	1	1	1	–	1	1	4	2	7	5	4	2	3	–	–	–
204–207	Leukemia	210	1	3	4	3	6	7	4	7	5	3	12	10	12	13	26	27	27	24	12	4	–	–
	White Male	123	1	1	3	2	4	5	3	3	5	1	8	7	7	11	15	17	14	12	3	1	–	–
	Female	81	–	2	–	1	2	1	1	4	–	2	4	2	5	1	9	10	13	12	9	3	–	–
	All other Male	5	–	–	1	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	267	–	–	–	1	3	2	3	1	9	8	13	18	24	26	36	43	40	20	17	2	–	1
	White Male	136	–	–	–	–	1	–	1	–	4	6	8	7	13	12	15	27	29	11	10	1	–	–
	Female	110	–	–	–	1	2	1	2	1	4	2	4	7	10	11	16	14	20	7	6	1	–	1
	All other Male	9	–	–	–	–	–	1	–	–	1	–	–	–	1	1	3	–	–	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	4	–	2	2	2	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	71	–	1	2	1	1	–	1	1	1	1	11	6	5	7	8	6	8	8	3	–	–	–
	White Male	32	–	1	–	–	–	–	1	–	–	1	6	2	3	3	3	1	5	4	2	–	–	–
	Female	32	–	–	2	1	1	–	–	–	1	–	5	3	2	3	3	4	3	3	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–	–	–	–
250	Diabetes mellitus	414	1	1	1	–	3	–	2	2	3	6	4	17	29	39	51	63	68	61	43	17	3	–
	White Male	116	1	1	1	–	3	–	–	–	1	3	–	4	5	8	24	20	18	12	13	1	1	–
	Female	215	–	–	–	–	–	–	1	2	1	1	2	7	12	20	18	29	34	41	30	15	2	–
	All other Male	34	–	–	–	–	–	–	1	–	1	1	1	5	6	3	5	5	4	2	–	–	–	–
	Female	49	–	–	–	–	–	–	–	–	–	1	1	1	6	8	4	9	12	6	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	41	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	11	8	3	7	7	2	–
	White Male	21	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	4	2	4	2	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	1	2	5	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
280–285	Anemias	48	–	–	–	1	–	–	2	2	1	–	1	–	4	6	4	5	4	7	5	4	2	–
	White Male	17	–	–	–	–	–	–	–	1	–	–	–	–	3	5	2	1	–	2	2	1	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	3	4	3	2	2	1	–
	All other Male	4	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	8	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	1	–
320	Meningitis	27	13	2	4	–	–	–	–	1	–	–	1	1	2	–	1	–	1	–	1	–	–	–
	White Male	11	4	2	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	1	–	–	–
	Female	8	4	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,500	19	1	4	3	5	11	21	18	49	120	252	461	716	1,125	1,564	2,020	2,240	2,461	2,037	1,011	348	14
	White Male	7,014	6	–	3	1	2	2	11	11	29	76	166	303	476	702	918	1,056	1,046	1,042	764	312	82	6
	Female	6,220	1	–	–	1	2	4	6	6	16	31	45	98	159	294	505	767	1,041	1,283	1,126	619	214	2
	All other Male	651	5	–	1	–	1	2	2	–	3	9	29	44	44	75	81	104	69	64	59	41	16	2
	Female	615	7	1	–	1	–	3	2	1	1	4	12	16	37	54	60	93	84	72	88	39	36	4
390–398, 402, 404, 410–429	Diseases of heart	10,179	13	1	2	3	5	5	17	14	35	98	214	377	596	888	1,200	1,505	1,529	1,551	1,270	635	209	12
	White Male	5,274	3	–	1	1	2	–	10	10	25	67	150	260	400	592	751	811	740	694	491	212	48	6
	Female	4,006	1	–	–	1	2	1	4	3	9	20	34	69	128	211	350	551	675	766	681	372	126	2
	All other Male	483	3	–	1	–	1	2	2	–	1	8	22	38	41	50	58	82	48	44	41	27	13	1
	Female	416	6	1	–	1	–	2	1	1	–	3	8	10	27	35	41	61	66	47	57	24	22	3
390–398	Active rheumatic fever and chronic rheumatic heart disease	122	1	–	1	1	1	2	2	3	4	4	6	9	12	11	24	17	14	7	1	2	–	–
	White Male	49	–	–	–	–	–	–	–	1	3	2	1	4	7	4	11	10	4	2	–	–	–	–
	Female	54	–	–	–	1	–	–	1	1	1	1	4	3	5	6	9	6	9	5	1	1	–	–
	All other Male	10	–	–	1	–	1	2	–	–	–	–	–	1	–	–	3	1	1	–	–	–	–	–
	Female	9	1	–	–	–	–	–	1	1	–	1	1	1	–	1	1	–	–	–	–	1	–	–
402	Hypertensive heart disease	109	–	–	–	–	–	–	–	–	–	1	–	3	4	4	12	14	25	15	22	7	2	–
	White Male	44	–	–	–	–	–	–	–	–	–	1	–	2	3	1	6	6	10	3	8	3	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	6	10	10	13	4	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	1	1	–	–	–
404	Hypertensive heart and renal disease	104	–	–	–	–	–	–	–	–	–	–	2	1	1	7	9	13	14	20	26	9	2	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	2	–	–	3	2	8	5	7	17	5	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	4	5	10	7	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	1	1	–	1	–
410–413	Ischemic heart disease	9,084	1	–	–	–	2	2	7	9	26	87	188	337	545	817	1,093	1,348	1,375	1,404	1,107	540	184	12
	White Male	4,781	1	–	–	–	1	–	3	7	19	61	141	239	372	553	698	739	677	627	418	180	39	6
	Female	3,544	–	–	–	–	1	–	2	2	6	16	24	60	110	190	308	486	604	697	604	319	113	2
	All other Male	426	–	–	–	–	–	–	2	–	1	8	19	31	39	45	51	72	44	39	37	24	13	1
	Female	333	–	–	–	–	–	2	–	–	–	2	4	7	24	29	36	51	50	41	48	17	19	3
410	Acute myocardial infarction	5,160	1	–	–	–	1	–	3	5	19	60	128	236	364	551	732	840	779	688	494	194	60	5
	White Male	2,996	1	–	–	–	–	–	1	3	14	42	97	170	269	387	493	480	415	340	200	73	9	2
	Female	1,762	–	–	–	–	1	–	–	2	4	13	17	42	69	125	191	285	313	306	254	102	37	1
	All other Male	240	–	–	–	–	–	–	2	–	1	4	12	20	18	23	27	47	29	19	17	15	6	–
	Female	162	–	–	–	–	–	–	–	–	–	1	2	4	8	16	21	28	22	23	23	4	8	2
411	Other acute and subacute forms of ischemic heart disease	449	–	–	–	–	1	–	1	2	1	6	27	31	47	66	63	70	52	31	27	16	3	5
	White Male	264	–	–	–	–	1	–	1	2	–	3	18	24	32	44	40	40	24	17	10	3	1	4
	Female	128	–	–	–	–	–	–	–	–	1	–	4	4	8	15	16	23	22	11	14	9	1	–
	All other Male	40	–	–	–	–	–	–	–	–	–	3	4	3	5	5	2	6	2	3	2	3	1	1
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	1	4	–	1	1	–	–
412	Chronic ischemic heart disease	3,472	–	–	–	–	–	2	3	2	6	21	33	70	134	200	298	438	543	684	586	330	120	2
	White Male	1,519	–	–	–	–	–	–	1	2	5	16	26	45	71	122	165	219	238	269	208	104	28	–
	Female	1,653	–	–	–	–	–	2	–	–	1	3	3	14	33	50	101	178	268	380	336	208	75	1
	All other Male	146	–	–	–	–	–	–	–	–	–	1	3	8	16	17	22	19	13	17	18	6	6	–
	Female	154	–	–	–	–	–	2	–	–	–	1	1	3	14	11	10	22	24	18	24	12	11	1
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	60	1	–	–	–	–	–	1	1	–	–	2	3	3	2	7	5	3	10	11	7	4	–
	White Male	26	1	–	–	–	–	–	1	1	–	–	1	2	1	1	4	–	2	4	5	1	2	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	4	1	5	5	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
420–423, 425–427, 429	All other forms of heart disease	700	10	1	1	2	2	1	7	1	5	6	16	24	31	47	55	108	98	95	103	70	17	–
	White Male	324	1	–	1	1	1	–	6	1	3	3	5	13	17	30	30	48	42	51	43	23	5	–
	Female	291	1	–	–	–	1	1	1	–	2	3	5	5	10	11	19	45	46	39	51	40	11	–
	All other Male	35	3	–	–	–	–	–	–	–	–	–	3	5	2	3	2	8	2	2	3	2	–	–
	Female	50	5	1	–	1	–	–	–	–	–	–	3	1	2	3	4	7	8	3	6	5	1	–
400, 401, 403	Hypertension	93	–	–	–	–	–	–	–	–	–	1	–	2	2	4	10	11	11	10	18	12	9	3	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	6	5	5	4	3	2	–
	Female	42	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	4	4	10	7	6	1	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	1	1	4	1	1	1	1	1	–	–	–
430–438	Cerebrovascular diseases	3,336	6	–	1	–	–	5	2	3	12	17	31	58	91	177	295	407	565	709	586	278	92	1
	White Male	1,312	3	–	1	–	–	2	–	1	3	6	15	28	54	82	129	181	233	267	212	75	20	–
	Female	1,737	–	–	–	–	–	2	2	2	7	9	9	21	25	66	130	179	302	408	336	179	60	–
	All other Male	133	2	–	–	–	–	–	–	–	1	1	5	5	3	16	19	21	16	15	17	9	2	1
	Female	154	1	–	–	–	–	1	–	–	1	1	2	4	9	13	17	26	14	19	21	15	10	–
431	Cerebral hemorrhage	434	4	–	1	–	–	3	1	–	6	4	10	23	17	28	57	58	67	71	54	27	3	–
	White Male	167	2	–	1	–	–	1	–	–	1	1	6	8	6	12	26	25	26	30	17	4	1	–
	Female	220	–	–	–	–	–	1	1	–	3	1	2	8	5	12	27	25	38	40	33	22	2	–
	All other Male	23	2	–	–	–	–	–	–	–	1	1	2	4	1	3	2	2	3	–	2	–	–	–
	Female	24	–	–	–	–	–	1	–	–	1	1	–	3	5	1	2	6	–	1	2	1	–	–
433	Cerebral thrombosis	683	–	–	–	–	–	–	–	2	–	1	3	6	13	39	52	78	113	164	125	63	24	–
	White Male	269	–	–	–	–	–	–	–	1	–	–	2	5	8	22	20	38	45	57	51	18	2	–
	Female	364	–	–	–	–	–	–	–	1	–	1	1	–	4	13	27	33	60	101	68	39	16	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	3	2	3	1	–
	Female	34	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	5	6	3	4	3	5	–
434	Cerebral embolism	25	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	2	2	9	1	3	1	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	3	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	6	–	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,194	2	–	–	–	–	2	1	1	6	12	18	29	59	107	184	269	383	465	406	185	64	1
	White Male	867	1	–	–	–	–	1	–	–	2	5	7	15	38	47	82	118	162	177	143	52	17	–
	Female	1,139	–	–	–	–	–	1	1	1	4	7	6	13	16	40	75	119	202	261	235	117	41	–
	All other Male	93	–	–	–	–	–	–	–	–	–	–	3	–	2	10	17	17	11	12	13	6	1	1
	Female	95	1	–	–	–	–	–	–	–	–	–	2	1	3	10	10	15	8	15	15	10	5	–
440	Arteriosclerosis	535	–	–	–	–	–	–	–	–	–	1	1	8	3	14	21	42	81	137	118	67	42	–
	White Male	202	–	–	–	–	–	–	–	–	–	1	1	5	3	9	11	20	35	55	34	17	11	–
	Female	290	–	–	–	–	–	–	–	–	–	–	–	1	–	2	7	18	39	75	77	45	26	–
	All other Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	5	3	1	5	1	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	2	4	6	–	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	357	–	–	1	–	–	1	2	1	1	4	4	16	22	36	37	55	55	46	51	22	2	1
	White Male	193	–	–	1	–	–	–	1	–	1	2	–	10	17	18	22	38	33	21	23	5	1	–
	Female	145	–	–	–	–	–	1	–	1	–	2	1	6	5	13	13	15	21	24	25	17	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	2	–	–	4	2	1	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	1	1	3	–	–	1
466	Acute bronchitis and bronchiolitis	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	852	55	8	1	5	6	–	3	4	7	13	12	20	28	28	54	77	123	155	141	78	34	–
	White Male	399	19	6	1	2	1	–	2	1	4	4	6	13	13	15	33	46	71	70	47	32	13	–
	Female	365	16	2	–	2	4	–	1	1	–	6	2	5	8	11	18	24	43	80	82	43	17	–
	All other Male	62	15	–	–	1	1	–	–	1	3	2	2	2	7	2	3	4	2	5	5	3	4	–
	Female	26	5	–	–	–	–	–	–	1	–	1	2	–	–	–	–	3	7	–	7	–	–	–
470–474	Influenza	43	–	1	–	1	–	–	1	–	–	–	1	–	3	4	2	5	11	4	5	4	1	–
	White Male	14	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	4	4	–	2	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	1	7	4	3	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	809	55	7	1	4	6	–	2	4	7	13	11	20	25	24	52	72	112	151	136	74	33	–
	White Male	385	19	5	1	1	1	–	1	1	4	4	6	13	13	15	32	42	67	70	45	32	13	–
	Female	338	16	2	–	2	4	–	1	1	–	6	2	5	6	7	17	23	36	76	79	39	16	–
	All other Male	61	15	–	–	1	1	–	–	1	3	2	2	2	6	2	3	4	2	5	5	3	4	–
	Female	25	5	–	–	–	–	–	–	1	–	1	1	–	–	–	–	3	7	–	7	–	–	–
490–493	Bronchitis, emphysema, and asthma	324	1	1	–	–	1	–	1	2	–	1	5	8	37	37	59	62	57	33	13	3	2	1
	White Male	244	1	1	–	–	–	–	1	1	–	1	4	5	26	28	43	51	46	26	7	3	1	–
	Female	64	–	–	–	–	1	–	1	1	–	–	1	–	8	7	14	10	10	5	6	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	1	1	1	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
490, 491	Chronic and unqualified bronchitis	43	1	1	–	–	–	–	–	–	–	–	1	1	6	3	9	6	7	3	5	–	–	
	White—Male	28	1	1	–	–	–	–	–	–	–	–	1	–	6	1	7	3	5	2	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	–	4	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	
492	Emphysema	262	–	–	–	–	–	–	–	1	–	1	3	6	29	32	48	54	49	26	7	3	2	1
	White—Male	209	–	–	–	–	–	–	–	1	–	1	3	4	20	26	35	47	40	22	6	3	1	
	Female	42	–	–	–	–	–	–	–	–	–	–	–	–	7	5	11	7	8	3	1	–	–	
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	1	1	–	–	1	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
493	Asthma	19	–	–	–	–	1	–	1	1	–	–	1	1	2	2	2	2	1	4	1	–	–	
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	–	–	–	
	Female	11	–	–	–	–	1	–	1	1	–	–	1	–	1	1	1	1	–	2	1	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	121	–	–	–	–	–	–	–	2	–	5	4	4	11	13	19	13	18	10	17	3	2	
	White—Male	65	–	–	–	–	–	–	–	1	–	1	3	2	8	5	12	10	11	7	4	1	–	
	Female	44	–	–	–	–	–	–	–	–	–	3	1	–	3	5	4	3	6	3	12	2	2	
	All other—Male	6	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	1	–	–	–	–	
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	1	–	–	
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	108	6	1	–	–	–	–	–	1	–	–	1	2	3	6	6	20	23	21	11	5	2	
	White—Male	47	2	1	–	–	–	–	–	1	–	–	–	1	3	2	3	9	11	10	3	–	1	
	Female	55	2	–	–	–	–	–	–	–	–	–	1	1	–	4	3	8	12	11	7	5	1	
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	
571	Cirrhosis of liver	341	1	–	–	–	–	2	5	8	18	19	38	64	45	53	40	24	13	6	4	1	–	
	White—Male	191	1	–	–	–	–	1	1	3	10	10	20	32	27	32	24	16	10	2	1	1	–	
	Female	92	–	–	–	–	–	–	–	1	3	6	9	18	13	14	12	8	1	4	3	–	–	
	All other—Male	33	–	–	–	–	–	1	2	1	3	3	5	6	3	4	3	–	2	–	–	–	–	
	Female	25	–	–	–	–	–	–	2	3	2	–	4	8	2	3	1	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	44	–	–	–	–	–	–	–	1	–	1	2	1	1	4	6	9	3	8	6	1	1	
	White—Male	16	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	5	1	1	3	–	–	
	Female	21	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	2	2	6	3	–	1	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–	–	–	
580–584	Nephritis and nephrosis	143	–	–	–	–	–	2	3	–	2	7	2	5	9	18	11	21	20	18	17	5	3	
	White—Male	59	–	–	–	–	–	–	1	–	1	3	–	3	5	3	7	14	7	6	9	–	–	
	Female	49	–	–	–	–	–	–	–	–	1	2	–	2	2	9	3	4	11	6	5	2	2	
	All other—Male	20	–	–	–	–	–	1	–	–	–	2	2	–	2	3	–	3	–	3	2	1	1	
	Female	15	–	–	–	–	–	1	2	–	–	–	–	–	–	3	1	–	2	3	1	2	–	
580, 581	Acute nephritis and nephrotic syndrome	23	–	–	–	–	–	–	1	–	–	2	–	–	3	2	2	3	5	–	1	2	2	
	White—Male	11	–	–	–	–	–	–	1	–	–	2	–	–	1	1	1	3	1	–	1	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	4	–	–	1	1	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	120	–	–	–	–	–	2	2	–	2	5	2	5	6	16	9	18	15	18	16	3	1	
	White—Male	48	–	–	–	–	–	–	–	–	1	1	–	3	4	2	6	11	6	6	8	–	–	
	Female	39	–	–	–	–	–	–	–	–	1	2	–	2	–	8	2	4	7	6	5	1	1	
	All other—Male	19	–	–	–	–	–	1	–	–	–	2	2	–	2	3	–	3	–	3	2	1	–	
	Female	14	–	–	–	–	–	1	2	–	–	–	–	–	–	3	1	–	2	3	1	1	–	
590	Infections of kidney	116	–	–	–	–	–	1	–	–	–	–	1	1	4	6	9	11	20	30	19	13	1	
	White—Male	52	–	–	–	–	–	1	–	–	–	–	–	–	1	4	2	3	10	15	6	9	1	
	Female	49	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	6	10	14	11	2	–	
	All other—Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	–	1	2	1	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	1	–	
600	Hyperplasia of prostate	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	2	–	
	White—Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	2	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	White—Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	174	109	15	5	4	2	8	1	2	1	5	4	6	1	2	2	–	3	2	2	–	–	–
	White.....Male	84	54	8	3	2	–	2	1	1	–	4	2	1	–	1	2	–	1	1	1	–	–	–
	Female	74	43	7	2	2	1	6	–	1	1	–	1	5	1	1	–	–	2	–	1	–	–	–
	All other.....Male	10	8	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	6	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	409	407	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	198	196	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	148	148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	242	241	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	131	130	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	167	166	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	67	66	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	358	44	3	4	–	5	13	9	13	6	5	14	14	15	23	19	30	32	28	37	24	17	3
	White.....Male	153	21	1	1	–	2	6	5	3	3	3	4	4	7	15	9	19	10	14	13	10	2	1
	Female	151	10	1	2	–	2	3	2	8	2	1	6	10	5	5	7	11	17	12	21	11	14	1
	All other.....Male	31	7	–	–	–	1	3	2	1	1	1	2	–	1	1	1	–	4	1	2	2	–	1
	Female	23	6	1	1	–	–	1	–	1	–	–	2	–	2	2	2	–	1	1	1	1	1	–
Residual	All other diseases	1,773	28	10	5	12	19	18	21	17	32	39	66	91	113	159	232	224	246	229	136	64	11	1
	White.....Male	926	10	7	2	5	8	8	11	6	15	17	31	45	74	107	137	126	132	103	54	27	1	–
	Female	679	7	2	3	6	6	8	6	8	11	15	23	35	32	40	74	76	100	113	75	29	9	1
	All other.....Male	92	8	–	–	–	–	1	1	3	2	2	12	7	3	8	11	14	6	6	3	5	–	–
	Female	76	3	1	–	1	5	1	3	–	4	5	–	4	4	4	10	8	8	7	4	3	1	–
E800–E949	Accidents	1,687	22	83	47	58	182	147	104	76	77	73	86	89	95	76	97	78	88	98	64	38	9	–
	White.....Male	1,050	8	36	24	41	134	100	74	58	54	53	60	54	66	52	61	45	45	47	23	12	3	–
	Female	438	6	29	14	11	33	20	11	11	13	12	14	25	19	21	30	21	35	46	38	25	4	–
	All other.....Male	136	5	8	6	3	13	23	14	6	7	6	6	10	7	1	6	5	4	2	3	–	1	–
	Female	63	3	10	3	3	2	4	5	1	3	2	6	–	3	2	–	7	4	3	–	1	1	–
E810–E823	Motor vehicle accidents	755	8	30	22	26	127	97	65	44	39	37	44	41	36	28	34	25	24	19	8	1	–	–
	White.....Male	488	3	12	11	18	91	63	44	34	27	26	30	21	23	19	20	15	13	15	2	1	–	–
	Female	161	3	11	8	5	25	15	7	4	7	5	9	14	8	7	11	5	10	3	4	–	–	–
	All other.....Male	81	–	5	3	–	9	15	10	5	5	5	2	6	5	1	3	3	1	1	2	–	–	–
	Female	25	2	2	–	3	2	4	4	1	–	1	3	–	–	1	–	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	932	14	53	25	32	55	50	39	32	38	36	42	48	59	48	63	53	64	79	56	37	9	–
	White.....Male	562	5	24	13	23	43	37	30	24	27	27	30	33	43	33	41	30	32	32	21	11	3	–
	Female	277	3	18	6	6	8	5	4	7	6	7	5	11	11	14	19	16	25	43	34	25	4	–
	All other.....Male	55	5	3	3	3	4	8	4	1	2	1	4	4	2	–	3	2	3	1	1	–	1	–
	Female	38	1	8	3	–	–	–	1	–	3	1	3	–	3	1	–	5	4	3	–	1	1	–
E950–E959	Suicide	370	. . .	. . .	–	1	26	43	37	29	27	30	35	30	26	21	25	17	11	7	2	1	–	2
	White.....Male	248	. . .	. . .	–	1	17	30	22	17	17	22	18	19	18	18	20	10	10	6	–	1	–	2
	Female	102	. . .	. . .	–	–	6	6	13	10	10	6	17	10	8	3	4	6	1	1	1	–	–	–
	All other.....Male	13	. . .	. . .	–	–	3	4	1	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–
	Female	7	. . .	. . .	–	–	–	3	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	267	3	8	5	7	22	38	31	26	22	29	23	14	8	10	9	3	4	–	1	1	1	2
	White.....Male	138	1	3	1	6	13	18	14	11	15	13	14	6	4	8	6	1	3	–	–	–	–	1
	Female	39	2	2	2	1	2	6	3	2	1	5	2	4	–	1	3	1	1	–	1	–	–	–
	All other.....Male	72	–	1	2	–	6	13	11	10	5	11	6	3	2	–	–	1	–	–	–	–	–	1
	Female	18	–	2	–	–	1	1	3	3	1	–	1	1	2	1	–	–	–	–	–	1	1	–
E980–E999	Other external causes	42	–	4	–	–	4	8	–	5	1	5	3	3	3	3	–	1	–	1	–	–	1	–
	White.....Male	24	–	1	–	–	2	5	–	2	1	3	2	3	1	2	–	–	1	–	–	–	1	–
	Female	6	–	1	–	–	–	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other.....Male	7	–	–	–	–	2	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	2	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon																							
	All causes	**20,335**	**488**	**105**	**61**	**86**	**265**	**297**	**235**	**196**	**242**	**298**	**558**	**963**	**1,252**	**1,795**	**2,161**	**2,447**	**2,670**	**2,739**	**2,081**	**1,048**	**347**	**1**
	White Male	11,327	272	58	39	51	198	217	156	122	141	181	344	586	787	1,165	1,380	1,469	1,470	1,328	871	389	102	1
	Female	8,576	183	41	22	31	57	64	63	62	84	98	200	341	428	587	743	938	1,171	1,392	1,185	647	239	–
	All other Male	271	20	1	–	2	7	13	13	7	12	17	8	18	25	33	25	22	18	9	14	4	3	–
	Female	161	13	5	–	2	3	3	3	5	5	2	6	18	12	10	13	18	11	10	11	8	3	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	20	1	3	–	–	–	–	1	–	–	–	1	–	–	–	2	1	3	4	3	1	–	–
	White Male	7	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
	Female	12	1	1	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	2	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	31	1	–	1	–	–	–	–	–	–	1	2	4	4	2	3	3	2	6	2	–	–	–
	White Male	16	–	–	1	–	–	–	–	–	–	1	1	2	3	1	2	2	1	2	–	–	–	–
	Female	13	1	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	1	4	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	23	1	–	–	–	–	–	–	–	–	1	2	2	2	2	2	3	1	6	1	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	2	1	2	–	–	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	4	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	1	–	–	–	–	–	–	–	–	2	2	–	1	–	1	–	1	–	–	–
	White Male	4	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	28	8	–	–	–	1	–	–	1	–	–	–	–	3	1	3	3	2	3	1	1	1	–
	White Male	12	2	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1	1	–	–	–	–
	Female	16	6	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	1	2	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	47	1	–	1	2	–	2	2	3	3	2	3	1	5	3	5	3	5	2	3	–	1	–
	White Male	30	1	–	1	2	–	1	1	1	2	2	3	1	3	1	4	1	2	2	2	–	–	–
	Female	16	–	–	–	–	–	1	–	2	1	–	–	–	2	2	1	2	3	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,685	4	9	9	9	17	12	25	27	47	61	141	269	354	487	543	509	500	369	192	91	10	–
	White—Male	2,006	2	5	4	4	11	6	18	12	19	23	61	141	186	287	319	293	287	195	90	39	4	–
	White—Female	1,613	2	4	5	4	4	5	6	15	26	36	75	118	161	194	214	207	210	171	100	51	5	–
	All other—Male	37	–	–	–	1	–	1	1	–	2	2	1	6	5	4	5	6	1	–	1	1	–	–
	All other—Female	29	–	–	–	–	2	–	–	–	–	–	4	4	2	2	5	3	2	3	1	–	1	–
140–149	Of buccal cavity and pharynx	89	–	–	–	–	–	–	1	–	–	1	3	11	10	23	10	11	7	5	4	3	–	–
	White—Male	61	–	–	–	–	–	–	1	–	–	1	–	7	7	19	6	8	5	3	2	2	–	–
	White—Female	28	–	–	–	–	–	–	–	–	–	–	3	4	3	4	4	3	2	2	2	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	992	–	–	–	–	–	–	4	2	8	13	24	65	77	136	142	146	154	108	79	30	4	–
	White—Male	514	–	–	–	–	–	–	3	1	5	8	11	32	40	78	85	72	81	57	32	9	–	–
	White—Female	455	–	–	–	–	–	–	–	1	2	4	12	31	37	55	53	71	72	48	46	20	3	–
	All other—Male	13	–	–	–	–	–	–	1	–	1	1	–	2	–	2	3	2	–	–	–	1	–	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	3	1	–	1	–
160–163	Of respiratory system	884	–	–	–	–	1	–	–	2	6	10	38	81	105	157	168	124	103	65	16	8	–	–
	White—Male	686	–	–	–	–	1	–	–	1	4	6	29	63	75	119	128	109	82	53	13	3	–	–
	White—Female	184	–	–	–	–	–	–	–	1	2	4	8	13	27	36	37	15	21	12	3	5	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	3	2	2	1	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	–
174	Of breast	322	–	–	–	–	–	–	–	2	5	11	33	29	42	39	42	35	36	28	11	7	2	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	317	–	–	–	–	–	–	–	2	5	11	32	28	42	38	42	34	35	28	11	7	2	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
180–187	Of genital organs	454	–	–	–	–	1	2	5	6	6	8	14	20	39	38	59	67	88	54	32	13	2	–
	White—Male	221	–	–	–	–	1	1	3	4	1	–	2	3	8	13	28	34	56	31	23	11	2	–
	White—Female	227	–	–	–	–	–	1	2	2	5	8	11	17	31	25	29	31	32	23	8	2	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
188, 189	Of urinary organs	178	1	–	1	–	–	–	–	–	1	–	2	9	13	20	30	25	31	26	9	8	2	–
	White—Male	126	–	–	–	–	–	–	–	–	1	–	1	6	11	15	25	17	22	16	5	5	2	–
	White—Female	51	1	–	1	–	–	–	–	–	–	–	–	3	2	5	5	8	9	10	4	3	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	377	2	6	3	4	4	4	5	8	15	9	16	31	40	36	46	51	31	28	23	15	–	–
	White—Male	188	1	4	1	2	2	2	3	2	4	4	11	19	25	21	24	27	11	13	8	4	–	–
	White—Female	181	1	2	2	2	2	2	2	6	11	5	5	11	13	15	21	22	18	15	15	11	–	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
204–207	Leukemia	145	1	3	5	5	7	1	2	3	3	4	–	8	10	13	16	12	20	19	10	3	–	–
	White—Male	74	1	1	3	2	5	–	2	2	1	–	–	3	8	9	7	6	10	7	4	3	–	–
	White—Female	68	–	2	2	2	1	1	–	1	1	4	–	5	2	4	9	6	10	12	6	–	–	–
	All other—Male	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	244	–	–	–	–	4	5	8	4	3	5	11	15	18	25	30	38	30	36	8	4	–	–
	White—Male	135	–	–	–	–	2	3	6	2	3	4	7	8	12	13	16	20	19	15	3	2	–	–
	White—Female	102	–	–	–	–	1	1	2	2	–	–	4	6	4	12	14	17	11	21	5	2	–	–
	All other—Male	5	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	58	2	1	–	–	1	–	2	1	–	4	4	5	4	2	10	5	6	4	4	3	–	–
	White—Male	29	2	1	–	–	1	–	–	–	–	2	1	3	3	1	5	2	3	1	2	2	–	–
	White—Female	29	–	–	–	–	–	–	2	1	–	2	3	2	1	1	5	3	3	3	2	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	270	–	–	–	–	–	–	3	2	5	5	4	12	12	20	33	42	49	59	19	2	3	–
	White—Male	107	–	–	–	–	–	–	–	1	4	3	3	4	4	10	14	19	19	18	7	1	–	–
	White—Female	156	–	–	–	–	–	–	3	1	1	2	1	7	8	10	16	22	28	41	12	1	3	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	32	–	–	–	–	–	–	2	–	–	–	–	–	–	2	2	3	7	6	4	5	1	–
	White—Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	5	4	2	–	–	–
	White—Female	15	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	2	2	2	5	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
280–285	Anemias	26	–	1	1	–	–	–	1	1	1	–	1	–	–	1	1	1	1	4	10	1	1	–
	White Male	9	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	2	3	1	–	–
	Female	17	–	1	1	–	–	–	1	–	1	–	–	–	–	1	1	1	–	2	7	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	15	7	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–
	White Male	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	6	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,651	10	1	3	2	5	6	8	22	42	87	180	373	541	838	1,111	1,387	1,659	1,831	1,525	755	265	–
	White Male	5,730	4	1	3	2	3	4	5	13	28	65	135	249	376	588	737	840	890	841	613	259	74	–
	Female	4,759	5	–	–	–	2	1	3	6	11	18	42	111	150	230	360	523	751	975	897	487	187	–
	All other Male	94	–	–	–	–	–	1	–	–	3	3	3	6	9	15	12	11	11	8	7	2	3	–
	Female	68	1	–	–	–	–	–	–	3	–	1	–	7	6	5	2	13	7	7	8	7	1	–
390–398, 402, 404, 410–429	Diseases of heart	7,430	7	–	–	1	3	4	5	14	34	74	149	313	456	669	892	1,029	1,125	1,134	898	451	172	–
	White Male	4,293	2	–	–	1	2	2	4	10	26	59	117	220	337	492	604	649	633	532	393	159	51	–
	Female	3,035	5	–	–	–	1	1	1	3	6	12	31	83	109	162	279	361	483	596	496	288	118	–
	All other Male	67	–	–	–	–	–	1	–	–	2	3	1	6	9	13	8	9	7	1	4	1	2	–
	Female	35	–	–	–	–	–	–	–	1	–	–	–	4	1	2	1	10	2	5	5	3	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	181	–	–	–	–	2	1	–	4	4	7	8	13	12	24	26	25	19	22	10	2	2	–
	White Male	70	–	–	–	–	1	–	–	3	1	3	4	5	3	10	9	14	8	3	6	–	–	–
	Female	109	–	–	–	–	1	–	–	1	3	4	4	8	9	14	17	10	11	19	4	2	2	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	60	–	–	–	–	–	–	–	–	–	1	3	2	6	2	8	7	8	7	11	4	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	2	1	3	1	6	3	2	1	4	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	1	1	1	3	1	2	3	6	6	7	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	93	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	7	12	25	23	14	4	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	8	11	9	6	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	13	14	8	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410–413	Ischemic heart disease	6,764	–	–	–	–	–	–	2	8	29	61	127	285	416	621	815	952	1,044	1,029	814	408	153	–
	White Male	3,984	–	–	–	–	–	–	2	6	24	53	104	209	317	467	559	605	597	492	361	140	48	–
	Female	2,686	–	–	–	–	–	–	–	2	3	5	22	66	89	140	248	330	439	532	444	264	102	–
	All other Male	61	–	–	–	–	–	–	–	–	2	3	1	6	9	12	7	7	6	1	4	1	2	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	4	1	2	1	10	2	4	5	3	1	–
410	Acute myocardial infarction	2,719	–	–	–	–	–	–	–	5	12	33	58	151	207	291	410	420	427	342	237	101	25	–
	White Male	1,726	–	–	–	–	–	–	–	3	9	28	48	119	165	221	278	264	251	183	117	32	8	–
	Female	966	–	–	–	–	–	–	–	2	2	3	10	27	41	67	128	153	175	157	116	68	17	–
	All other Male	17	–	–	–	–	–	–	–	–	1	2	–	3	1	3	3	2	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	2	3	1	–	–
411	Other acute and subacute forms of ischemic heart disease	19	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	2	4	–	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	2	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,023	–	–	–	–	–	–	2	3	17	28	69	134	208	326	403	530	614	685	572	305	127	–
	White Male	2,245	–	–	–	–	–	–	2	3	15	25	56	90	151	242	279	341	344	308	242	107	40	–
	Female	1,712	–	–	–	–	–	–	–	–	1	2	12	39	48	73	120	175	263	374	326	195	84	–
	All other Male	43	–	–	–	–	–	–	–	–	1	1	1	3	8	9	4	5	5	1	2	1	2	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	9	2	2	2	2	1	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	42	–	–	–	–	–	1	–	1	–	1	–	1	3	1	3	5	6	10	6	3	1	–
	White Male	23	–	–	–	–	–	1	–	1	–	–	–	1	3	1	2	2	3	5	3	1	1	–
	Female	19	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	3	3	5	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
420–423, 425–427, 429	All other forms of heart disease	290	7	–	–	1	1	2	3	1	1	4	10	12	19	19	35	33	36	41	34	20	11	–
	White Male	149	2	–	–	1	1	2	2	–	1	3	6	4	11	12	26	21	15	20	10	10	2	–
	Female	137	5	–	–	–	–	–	1	–	–	1	4	8	8	6	8	12	20	21	24	10	9	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	58	–	–	–	–	–	–	1	–	1	1	–	1	2	8	5	7	12	8	8	3	1	–
	White Male	34	–	–	–	–	–	–	1	–	–	1	–	1	–	5	4	5	7	4	5	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	5	4	3	2	1	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,387	3	1	3	1	1	2	2	8	6	10	24	52	62	117	153	259	395	539	462	216	71	–
	White Male	1,017	2	1	3	1	1	2	–	3	1	4	14	23	31	62	88	133	185	226	152	68	17	–
	Female	1,333	–	–	–	–	–	–	2	3	5	5	8	27	28	52	62	125	204	307	305	146	54	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	2	5	2	–	–	–
	Female	22	1	–	–	–	–	–	–	2	–	1	–	2	3	2	1	–	4	1	3	2	–	–
431	Cerebral hemorrhage	267	3	–	2	1	–	–	1	1	–	4	7	12	18	26	38	27	37	42	33	15	–	–
	White Male	125	2	–	2	1	–	–	–	1	–	2	2	5	8	15	25	13	17	20	10	2	–	–
	Female	140	–	–	–	–	–	–	1	–	–	2	5	7	10	11	13	14	20	22	22	13	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
433	Cerebral thrombosis	571	–	–	–	–	–	–	–	1	–	–	4	9	11	23	32	65	92	129	135	49	21	–
	White Male	234	–	–	–	–	–	–	–	1	–	–	3	7	6	12	19	32	46	49	43	11	5	–
	Female	329	–	–	–	–	–	–	–	–	–	–	1	1	3	10	11	33	46	80	91	37	16	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	1	–	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	2	–	–	1	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,539	–	1	1	–	1	2	1	6	6	6	13	28	32	68	82	165	266	368	293	151	49	–
	White Male	654	–	1	1	–	1	2	–	1	1	2	9	10	17	35	44	86	122	157	99	54	12	–
	Female	858	–	–	–	–	–	–	1	3	5	3	2	17	14	31	37	78	138	205	191	96	37	–
	All other Male	12	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	2	5	1	–	–	–
	Female	15	–	–	–	–	–	–	–	2	–	1	–	1	1	2	–	–	4	1	2	1	–	–
440	Arteriosclerosis	455	–	–	–	–	–	–	–	–	–	–	–	–	6	10	16	47	67	89	126	73	21	–
	White Male	194	–	–	–	–	–	–	–	–	–	–	–	–	1	7	12	24	28	43	47	26	6	–
	Female	249	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	21	38	44	78	44	14	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	321	–	–	–	–	1	–	–	–	1	2	7	7	15	34	45	45	60	61	31	12	–	–
	White Male	192	–	–	–	–	–	–	–	–	1	1	4	5	7	22	29	29	37	36	16	5	–	–
	Female	122	–	–	–	–	1	–	–	–	–	1	3	1	8	11	15	15	21	24	15	7	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
	White Male	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	598	13	2	1	–	2	5	3	3	1	2	6	14	23	31	36	58	74	116	108	73	27	–
	White Male	304	7	1	1	–	2	2	1	1	–	2	3	9	16	17	24	31	37	64	45	33	8	–
	Female	283	2	1	–	–	–	1	2	2	1	–	3	5	7	14	12	26	37	51	61	39	19	–
	All other Male	7	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
470–474	Influenza	33	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	2	3	5	9	3	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	2	2	5	–	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	3	4	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	565	13	2	1	–	2	5	3	3	1	2	5	12	21	28	35	56	71	111	99	70	25	–
	White Male	288	7	1	1	–	2	2	1	1	–	2	2	8	15	16	23	30	35	62	40	33	7	–
	Female	266	2	1	–	–	–	1	2	2	1	–	3	4	6	12	12	25	36	48	57	36	18	–
	All other Male	7	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	367	–	–	–	–	–	–	1	–	1	–	5	13	26	51	76	77	49	50	15	3	–	–
	White Male	268	–	–	–	–	–	–	–	–	1	–	4	7	16	39	55	57	38	39	11	1	–	–
	Female	95	–	–	–	–	–	–	–	–	–	–	1	6	9	12	21	19	10	11	4	2	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
490, 491	Chronic and unqualified bronchitis	63	–	–	–	–	–	–	–	–	1	–	2	2	2	7	15	14	11	6	3	–	–	
	White Male	47	–	–	–	–	–	–	–	–	1	–	1	1	2	6	9	12	8	5	2	–	–	
	Female	16	–	–	–	–	–	–	–	–	–	–	1	1	–	1	6	2	3	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	277	–	–	–	–	–	–	–	–	–	–	2	10	21	41	56	60	37	37	12	1	–	
	White Male	209	–	–	–	–	–	–	–	–	–	–	2	6	13	32	44	44	29	30	9	–	–	
	Female	65	–	–	–	–	–	–	–	–	–	–	–	4	7	9	12	15	7	7	3	1	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
493	Asthma	27	–	–	–	–	–	–	1	–	–	–	1	1	3	3	5	3	1	7	–	2	–	
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	4	–	1	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	–	3	–	1	–	
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	64	1	–	–	–	–	1	–	–	–	–	3	3	3	8	13	9	9	7	5	1	1	
	White Male	38	1	–	–	–	–	1	–	–	–	–	2	–	1	5	8	5	5	5	3	1	1	
	Female	22	–	–	–	–	–	–	–	–	–	–	1	2	2	3	3	3	4	2	2	–	–	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
540–543	Appendicitis	14	1	–	–	1	1	–	–	1	1	1	–	–	–	3	1	2	1	–	–	1	–	
	White Male	6	1	–	–	1	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–	–	–	
	Female	7	–	–	–	–	1	–	–	–	–	1	–	–	–	2	1	–	1	–	–	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	58	3	–	–	–	–	–	–	1	–	–	–	3	2	2	6	3	6	14	10	5	3	
	White Male	30	2	–	–	–	–	–	–	–	–	–	–	2	1	1	4	2	3	6	5	2	2	
	Female	28	1	–	–	–	–	–	–	1	–	–	–	1	1	1	2	1	3	8	5	3	1	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	363	1	2	–	–	–	1	1	–	10	11	45	68	62	67	46	25	14	5	4	–	1	
	White Male	226	–	–	–	–	–	–	–	–	3	6	27	43	41	45	32	17	8	2	2	–	–	
	Female	111	–	1	–	–	–	1	1	–	4	4	16	21	16	16	12	8	6	3	2	–	–	
	All other Male	17	1	–	–	–	–	–	–	–	1	1	2	1	3	6	2	–	–	–	–	–	–	
	Female	9	–	1	–	–	–	–	–	–	2	–	–	3	2	–	–	–	–	–	–	–	1	
574, 575	Cholelithiasis, cholecystitis and cholangitis	29	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	4	8	3	3	3	1	
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	6	1	1	–	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	2	2	2	2	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	57	2	–	–	–	–	1	1	–	2	3	1	1	5	5	5	11	13	2	3	2	–	
	White Male	34	1	–	–	–	–	–	1	–	1	2	1	1	2	4	3	7	7	1	2	1	–	
	Female	21	1	–	–	–	–	1	–	–	1	–	–	–	3	1	2	4	5	1	1	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	14	2	–	–	–	–	–	1	–	1	1	–	–	–	1	1	3	3	–	1	–	–	
	White Male	8	1	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	2	–	1	–	–	
	Female	6	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	43	–	–	–	–	–	1	–	–	1	2	1	1	5	4	4	8	10	2	2	2	–	
	White Male	26	–	–	–	–	–	–	–	–	1	1	1	1	2	4	2	6	5	1	1	1	–	
	Female	15	–	–	–	–	–	1	–	–	–	–	–	–	3	–	2	2	4	1	1	1	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
590	Infections of kidney	54	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	12	9	12	6	5	1	
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	4	3	1	2	1	
	Female	32	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	7	5	9	5	3	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	3	2	–	
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	4	3	2	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	148	94	8	3	5	6	2	1	3	3	–	1	5	4	4	3	4	1	–	1	–	–	–
	White.....Male	83	54	5	3	–	4	1	1	1	2	–	–	4	2	2	2	2	–	–	–	–	–	–
	Female	62	39	3	–	4	2	1	–	2	1	–	1	1	1	2	1	2	1	–	1	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	221	220	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	87	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	67	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	106	105	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	48	47	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	305	86	3	–	–	6	7	1	1	–	5	10	17	16	26	15	21	28	25	15	14	8	1
	White.....Male	169	54	2	–	–	2	4	–	1	–	4	5	8	11	15	9	6	16	14	8	6	3	1
	Female	118	26	1	–	–	4	2	1	–	–	–	5	7	4	8	5	14	11	11	6	8	5	–
	All other.....Male	11	3	–	–	–	–	1	–	–	–	1	–	–	1	1	1	1	1	–	1	–	–	–
	Female	7	3	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Residual	All other diseases	1,240	15	10	–	6	10	10	20	16	21	19	31	71	91	125	152	181	159	142	99	47	15	–
	White.....Male	701	11	2	–	6	9	4	10	11	10	4	14	38	53	72	94	104	95	82	48	28	6	–
	Female	515	3	7	–	–	–	5	10	5	9	12	16	32	35	51	55	75	63	60	49	19	9	–
	All other.....Male	18	1	1	–	–	1	–	–	–	–	3	–	1	3	1	2	2	1	–	2	–	–	–
	Female	6	–	–	–	–	–	1	–	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–
E800–E949	Accidents	1,379	14	62	40	57	171	171	101	72	62	56	75	62	54	68	63	57	51	60	44	31	8	–
	White.....Male	964	8	38	24	33	138	137	74	56	43	45	60	49	38	45	41	43	26	31	22	10	3	–
	Female	371	6	20	16	22	29	30	21	12	15	8	13	10	14	20	22	14	24	29	20	21	5	–
	All other.....Male	31	–	–	–	1	4	4	5	3	3	3	1	2	1	3	–	–	1	–	–	–	–	–
	Female	13	–	4	–	1	–	–	1	1	1	–	1	1	1	–	–	–	–	–	2	–	–	–
E810–E823	Motor vehicle accidents	670	4	20	13	29	121	111	59	46	42	29	31	22	27	26	22	24	12	17	13	2	–	–
	White.....Male	485	3	14	9	12	95	90	42	34	28	23	19	18	19	16	17	18	7	9	10	2	–	–
	Female	168	1	6	4	15	24	20	15	10	11	5	10	4	7	9	5	6	5	8	3	–	–	–
	All other.....Male	14	–	–	–	1	2	1	2	2	2	1	1	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	709	10	42	27	28	50	60	42	26	20	27	44	40	27	42	41	33	39	43	31	29	8	–
	White.....Male	479	5	24	15	21	43	47	32	22	15	22	41	31	19	29	24	25	19	22	12	8	3	–
	Female	203	5	14	12	7	5	10	6	2	4	3	3	6	7	11	17	8	19	21	17	21	5	–
	All other.....Male	17	–	–	–	–	2	3	3	1	1	2	–	2	–	2	–	–	1	–	–	–	–	–
	Female	10	–	4	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	2	–	–	–
E950–E959	Suicide	355	...	...	–	3	24	44	35	27	23	23	31	27	30	27	19	20	9	11	1	1	–	–
	White.....Male	263	...	...	–	2	16	36	30	17	16	16	16	17	23	21	15	19	9	8	1	1	–	–
	Female	90	...	...	–	1	7	8	5	10	7	7	15	10	7	6	3	1	–	3	–	–	–	–
	All other.....Male	2	...	...	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	121	–	–	2	1	11	21	18	10	10	13	7	6	3	11	5	3	–	–	–	–	–	–
	White.....Male	62	–	–	2	1	6	11	9	4	5	5	4	3	2	4	3	3	–	–	–	–	–	–
	Female	33	–	–	–	–	4	6	4	2	2	4	2	3	–	5	1	–	–	–	–	–	–	–
	All other.....Male	22	–	–	–	–	–	3	5	3	3	3	1	–	1	2	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	74	1	–	–	–	8	13	9	5	9	5	6	6	2	6	2	–	1	–	–	1	–	–
	White.....Male	40	–	–	–	–	6	10	6	2	5	1	3	4	–	1	1	–	1	–	–	–	–	–
	Female	28	–	–	–	–	1	1	2	2	4	4	3	2	2	5	1	–	–	–	–	1	–	–
	All other.....Male	6	1	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania																							
	All causes	**122,984**	**2,590**	**456**	**328**	**402**	**1,076**	**1,162**	**984**	**998**	**1,184**	**2,123**	**3,782**	**6,097**	**8,622**	**11,600**	**14,371**	**16,087**	**17,149**	**16,259**	**11,266**	**4,920**	**1,515**	**13**
	White—Male	60,303	1,140	212	164	203	674	701	531	478	566	1,053	2,057	3,321	5,011	6,629	8,040	8,224	8,087	6,920	4,248	1,637	399	8
	White—Female	51,392	875	154	111	140	221	239	216	246	329	603	1,057	1,906	2,722	3,782	5,069	6,398	8,013	8,597	6,609	3,090	1,011	4
	All other—Male	6,534	328	44	27	36	139	164	182	190	185	287	421	524	565	679	713	783	614	357	193	68	35	–
	All other—Female	4,755	247	46	26	23	42	58	55	84	104	180	247	346	324	510	549	682	435	385	216	125	70	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	88	18	5	2	–	1	1	–	3	–	–	2	–	2	6	5	11	10	11	4	3	4	–
	White—Male	39	7	2	2	–	–	1	–	2	–	–	–	–	–	3	2	7	4	5	1	3	–	–
	White—Female	42	6	3	–	–	1	–	–	1	–	–	2	–	2	3	3	4	4	6	3	–	4	–
	All other—Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	255	–	–	1	–	–	2	5	4	4	12	20	21	24	25	35	39	22	26	9	6	–	–
	White—Male	128	–	–	–	–	–	–	1	–	1	9	9	5	11	14	17	21	13	15	6	6	–	–
	White—Female	45	–	–	–	–	–	–	–	–	–	–	2	4	6	5	7	8	4	8	1	–	–	–
	All other—Male	57	–	–	–	–	–	1	4	3	3	1	6	7	5	4	9	7	4	1	2	–	–	–
	All other—Female	25	–	–	1	–	–	1	–	1	–	2	3	5	2	2	2	3	1	2	–	–	–	–
010–012	Tuberculosis of respiratory system	209	–	–	1	–	–	2	4	4	2	12	14	18	21	18	29	34	17	21	7	5	–	–
	White—Male	108	–	–	–	–	–	–	1	–	1	9	8	4	10	9	16	19	9	13	4	5	–	–
	White—Female	35	–	–	–	–	–	–	–	–	–	–	–	3	6	4	6	6	3	6	1	–	–	–
	All other—Male	44	–	–	–	–	–	1	3	3	1	1	3	6	4	3	6	6	4	1	2	–	–	–
	All other—Female	22	–	–	1	–	–	1	–	1	–	2	3	5	1	2	1	3	1	1	–	–	–	–
013–019	Tuberculosis, other forms	46	–	–	–	–	–	–	1	–	2	–	6	3	3	7	6	5	5	5	2	1	–	–
	White—Male	20	–	–	–	–	–	–	–	–	–	–	1	1	1	5	1	2	4	2	2	1	–	–
	White—Female	10	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	2	1	2	–	–	–	–
	All other—Male	13	–	–	–	–	–	–	1	–	2	–	3	1	1	1	3	1	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	3	2	2	1	1	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–
	White—Male	5	1	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	White—Female	6	1	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other—Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	435	52	5	2	1	3	1	2	7	2	9	12	13	23	34	42	68	51	50	39	19	–	–
	White—Male	168	23	3	1	–	2	–	1	2	1	4	7	5	12	15	13	21	16	18	16	8	–	–
	White—Female	182	14	1	–	1	1	1	1	4	–	2	2	5	7	12	21	34	27	26	15	8	–	–
	All other—Male	46	7	–	1	–	–	–	–	1	1	1	2	3	2	4	1	8	6	4	3	2	–	–
	All other—Female	39	8	1	–	–	–	–	–	–	–	2	1	–	2	3	7	5	2	2	5	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	22	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	2	4	4	–	–	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	1	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	232	15	9	3	7	8	7	6	7	5	7	13	19	10	16	26	16	20	17	11	9	1	–
	White—Male	101	8	4	2	4	2	1	2	1	1	3	8	7	5	7	10	11	11	5	4	5	–	–
	White—Female	96	7	1	–	2	5	5	2	2	1	2	4	10	3	7	13	4	8	9	7	3	1	–
	All other—Male	15	–	2	–	1	–	1	2	1	1	1	1	1	1	1	–	–	–	2	–	–	–	–
	All other—Female	20	–	2	1	–	1	–	–	3	2	1	–	1	1	1	3	1	1	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	23,100	9	38	61	57	65	67	99	113	237	470	1,033	1,748	2,471	3,114	3,502	3,327	3,004	2,213	1,066	352	54	–
	White—Male	11,169	3	17	26	28	36	37	39	46	84	180	432	748	1,178	1,594	1,830	1,654	1,539	1,053	502	126	17	–
	Female	9,850	4	19	29	22	23	22	46	51	118	218	444	783	1,071	1,229	1,368	1,340	1,266	1,036	525	205	31	–
	All other—Male	1,202	–	1	4	5	4	4	11	5	14	30	78	124	131	171	186	196	131	73	21	10	3	–
	Female	879	2	1	2	2	2	4	3	11	21	42	79	93	91	120	118	137	68	51	18	11	3	–
140–149	Of buccal cavity and pharynx	452	–	–	1	–	1	–	–	2	5	13	27	42	58	83	63	47	53	32	18	6	1	–
	White—Male	312	–	–	–	–	1	–	–	1	2	11	22	28	41	62	43	28	34	23	11	4	1	–
	Female	102	–	–	1	–	–	–	–	1	1	2	4	6	11	17	13	13	17	9	5	2	–	–
	All other—Male	30	–	–	–	–	–	–	–	–	2	–	1	4	6	4	6	4	2	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	2	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	6,610	1	2	–	1	3	3	9	22	37	89	222	362	582	829	1,039	1,064	997	789	407	136	16	–
	White—Male	3,138	–	1	–	–	2	–	3	14	16	38	112	172	309	419	540	499	462	336	158	52	5	–
	Female	2,878	1	1	–	–	1	2	1	5	14	38	75	140	205	319	412	459	471	413	230	81	10	–
	All other—Male	332	–	–	–	–	–	1	3	2	3	5	23	34	39	51	50	54	36	19	12	–	–	–
	Female	262	–	–	–	1	–	–	2	1	4	8	12	16	29	40	37	52	28	21	7	3	1	–
160–163	Of respiratory system	4,981	–	–	–	–	1	3	4	10	36	92	260	445	699	867	903	691	558	274	109	27	2	–
	White—Male	3,475	–	–	–	–	–	3	1	8	17	51	156	283	462	607	677	511	418	195	73	13	–	–
	Female	981	–	–	–	–	1	–	2	1	14	14	58	90	162	171	146	121	101	54	34	10	2	–
	All other—Male	424	–	–	–	–	–	–	1	–	2	17	34	57	61	72	71	51	33	20	2	3	–	–
	Female	101	–	–	–	–	–	–	–	1	3	10	12	15	14	17	9	8	6	5	–	1	–	–
174	Of breast	2,223	–	–	–	1	–	1	8	16	35	88	185	274	298	299	308	230	195	147	92	40	6	–
	White—Male	25	–	–	–	1	–	–	–	–	–	1	–	3	2	3	4	1	2	4	4	–	–	–
	Female	2,034	–	–	–	–	–	1	7	14	32	75	160	243	277	276	283	210	186	140	85	39	6	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	162	–	–	–	–	–	–	1	2	3	12	25	28	19	19	21	19	7	2	3	1	–	–
180–187	Of genital organs	2,666	–	–	–	2	8	15	21	20	30	41	85	164	255	271	356	393	432	339	172	56	6	–
	White—Male	1,114	–	–	–	1	3	12	14	4	5	3	5	20	52	80	122	182	241	221	121	26	2	–
	Female	1,253	–	–	–	1	4	2	7	14	17	30	68	124	181	162	196	145	145	87	46	22	2	–
	All other—Male	157	–	–	–	–	–	–	–	–	–	1	1	4	5	9	23	43	38	23	4	4	2	–
	Female	142	–	–	–	–	1	1	–	2	8	7	11	16	17	20	15	23	8	8	1	4	–	–
188, 189	Of urinary organs	1,043	–	5	3	1	–	2	2	3	6	12	22	74	90	124	155	168	145	141	61	24	5	–
	White—Male	662	–	3	1	–	–	–	2	1	5	9	15	49	60	86	100	102	88	88	39	10	4	–
	Female	308	–	2	–	–	–	1	–	1	1	–	4	20	25	27	40	56	48	48	22	12	1	–
	All other—Male	37	–	–	–	1	–	1	–	–	–	2	1	3	3	5	9	8	3	–	–	1	–	–
	Female	36	–	–	2	–	–	–	–	1	–	1	2	2	2	6	6	2	6	5	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	3,072	5	19	21	20	20	22	31	22	47	77	159	237	324	411	424	420	359	276	125	39	14	–
	White—Male	1,415	1	8	9	10	13	12	12	11	19	42	75	117	162	201	208	180	168	100	55	9	3	–
	Female	1,415	3	10	10	10	6	9	16	8	21	29	61	94	145	180	177	194	175	167	65	27	8	–
	All other—Male	129	–	1	2	–	1	1	3	1	6	4	13	15	8	18	17	25	7	4	–	2	1	–
	Female	113	1	–	–	–	–	–	–	2	1	2	10	11	9	12	22	21	9	5	5	1	2	–
204–207	Leukemia	843	3	10	29	24	22	6	11	6	20	21	22	57	60	82	85	110	105	103	48	15	4	–
	White—Male	422	2	4	12	11	13	3	3	1	10	6	14	24	35	52	49	47	61	43	23	7	2	–
	Female	365	–	5	16	8	7	3	7	2	9	15	5	31	22	24	32	54	38	54	23	8	2	–
	All other—Male	33	–	–	1	4	1	–	1	1	–	–	1	2	2	4	3	5	3	4	1	–	–	–
	Female	23	1	1	–	1	1	–	–	2	1	–	2	–	1	2	1	4	3	2	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,210	–	2	7	8	10	15	13	12	21	37	51	93	105	148	169	204	160	112	34	9	–	–
	White—Male	606	–	1	4	5	4	7	4	6	10	19	33	52	55	84	87	104	65	43	18	5	–	–
	Female	514	–	1	2	3	4	4	6	5	9	15	9	35	43	53	69	88	85	64	15	4	–	–
	All other—Male	58	–	–	1	–	2	1	3	1	1	1	4	5	7	7	7	6	9	2	1	–	–	–
	Female	32	–	–	–	–	–	3	–	–	1	2	5	1	–	4	6	6	1	3	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	386	2	2	5	6	7	3	3	9	6	13	11	30	41	47	48	38	46	36	22	8	3	–
	White—Male	182	1	1	3	–	4	3	3	2	3	5	7	11	14	22	26	18	24	20	11	3	1	–
	Female	174	–	–	1	6	2	–	–	5	2	7	3	16	22	24	19	18	19	14	9	5	2	–
	All other—Male	20	1	1	1	–	–	–	–	–	1	1	1	3	4	1	1	1	3	1	–	–	–	–
	Female	10	–	–	–	–	1	–	–	2	–	–	–	–	1	–	2	1	–	1	2	–	–	–
250	Diabetes mellitus	2,523	–	–	3	3	1	6	10	23	17	31	64	111	186	234	335	407	463	340	223	52	14	–
	White—Male	846	–	–	1	1	–	3	5	13	6	11	23	48	91	99	124	140	130	87	51	12	1	–
	Female	1,449	–	–	1	2	1	3	5	7	9	12	22	45	72	109	176	231	303	233	166	39	13	–
	All other—Male	76	–	–	–	–	–	–	–	3	1	4	6	4	11	10	12	11	8	4	2	–	–	–
	Female	152	–	–	1	–	–	–	–	–	1	4	13	14	12	16	23	25	22	16	4	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	152	2	1	2	–	–	–	1	1	–	3	1	4	8	10	11	17	30	28	21	10	2	–
	White—Male	61	–	1	1	–	–	–	–	–	–	1	1	1	3	2	9	9	16	7	7	3	–	–
	Female	76	2	–	–	–	–	–	1	–	–	2	–	3	4	8	2	5	11	20	12	4	2	–
	All other—Male	10	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	2	1	1	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania – Con.																							
280–285	Anemias	200	3	4	2	2	2	3	3	5	4	5	2	7	13	13	25	32	26	18	24	6	1	–
	White Male	91	2	3	1	–	1	1	1	3	1	1	–	2	9	7	13	11	13	11	6	4	1	–
	Female	79	–	1	1	1	–	–	–	1	–	3	1	1	2	5	8	18	12	7	16	2	–	–
	All other Male	14	1	–	–	1	1	–	2	1	1	–	–	2	1	–	2	1	–	–	1	–	–	–
	Female	16	–	–	–	–	–	2	–	–	2	1	1	2	1	1	2	2	1	–	1	–	–	–
320	Meningitis	76	26	8	1	–	2	1	–	4	1	3	8	7	–	3	3	4	2	–	2	–	1	–
	White Male	31	12	3	1	–	2	–	–	1	1	1	5	2	–	–	–	1	1	–	1	–	–	–
	Female	28	11	3	–	–	–	1	–	1	–	1	2	2	–	2	3	1	1	–	–	–	–	–
	All other Male	10	2	1	–	–	–	–	–	2	–	1	1	3	–	–	–	–	–	–	–	–	–	–
	Female	7	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	1	–
390–448	Major cardiovascular diseases	66,743	50	27	15	27	49	62	77	141	274	643	1,380	2,440	3,839	5,544	7,658	9,276	10,767	11,146	8,242	3,825	1,254	7
	White Male	32,274	25	10	8	15	30	30	41	79	156	405	924	1,623	2,558	3,433	4,417	4,737	4,852	4,481	2,913	1,215	319	3
	Female	30,443	19	12	6	9	10	22	20	42	67	143	279	573	990	1,663	2,684	3,843	5,384	6,249	5,086	2,480	858	4
	All other Male	2,048	2	4	–	1	5	6	9	15	31	57	112	134	169	247	296	332	289	176	102	38	23	–
	Female	1,978	4	1	1	2	4	4	7	5	20	38	65	110	122	201	261	364	242	240	141	92	54	–
390–398, 402, 404, 410–429	Diseases of heart	50,507	42	16	6	14	30	42	46	109	215	513	1,152	2,086	3,205	4,583	6,094	7,115	7,874	7,981	5,814	2,685	879	6
	White Male	25,527	19	4	4	7	18	23	24	62	135	352	829	1,472	2,250	2,927	3,620	3,721	3,611	3,268	2,089	862	228	2
	Female	22,155	18	9	1	6	6	13	14	31	44	103	201	446	734	1,339	2,080	2,906	3,913	4,422	3,550	1,722	593	4
	All other Male	1,483	1	3	–	1	3	2	7	12	24	38	82	103	131	173	210	241	194	125	84	33	16	–
	Female	1,342	4	–	1	–	3	4	1	4	12	20	40	65	90	144	184	247	156	166	91	68	42	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	966	–	–	–	3	6	12	9	16	15	32	58	104	103	142	172	110	87	50	33	12	2	–
	White Male	401	–	–	–	1	2	6	2	7	7	11	29	49	49	54	83	45	27	15	10	3	1	–
	Female	504	–	–	–	2	1	6	5	8	5	19	20	46	50	85	82	56	55	32	23	8	1	–
	All other Male	29	–	–	–	–	2	–	1	1	–	–	5	5	1	2	4	2	3	3	–	–	–	–
	Female	32	–	–	–	–	1	–	1	–	3	2	4	4	3	1	3	7	2	–	–	1	–	–
402	Hypertensive heart disease	393	–	–	–	–	–	–	1	1	1	3	14	15	19	36	61	53	63	67	36	15	8	–
	White Male	133	–	–	–	–	–	–	1	–	1	2	5	8	9	14	25	24	19	13	9	2	1	–
	Female	197	–	–	–	–	–	–	–	–	–	1	3	5	5	17	23	18	33	49	25	12	6	–
	All other Male	33	–	–	–	–	–	–	–	–	–	–	4	1	1	1	7	8	6	3	2	–	–	–
	Female	30	–	–	–	–	–	–	–	1	–	–	2	1	4	4	6	3	5	2	–	1	1	–
404	Hypertensive heart and renal disease	332	–	–	–	–	–	–	–	–	–	2	3	4	11	11	25	36	56	72	67	34	11	–
	White Male	109	–	–	–	–	–	–	–	–	–	–	1	2	5	7	9	16	20	24	18	6	1	–
	Female	205	–	–	–	–	–	–	–	–	–	–	2	1	3	2	13	18	34	48	47	28	9	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	–	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	2	–	1	–	1	–
410–413	Ischemic heart disease	45,868	3	–	–	1	5	6	18	68	167	431	1,004	1,804	2,876	4,145	5,538	6,531	7,254	7,360	5,373	2,472	806	6
	White Male	23,581	1	–	–	1	3	5	13	46	116	319	755	1,341	2,070	2,718	3,359	3,461	3,370	3,041	1,947	802	211	2
	Female	19,927	2	–	–	–	2	1	1	13	27	69	161	343	624	1,153	1,845	2,648	3,584	4,055	3,270	1,582	543	4
	All other Male	1,241	–	–	–	–	–	–	4	7	20	29	65	76	112	153	178	207	164	108	74	29	15	–
	Female	1,119	–	–	–	–	–	–	–	2	4	14	23	44	70	121	156	215	136	156	82	59	37	–
410	Acute myocardial infarction	24,169	2	–	–	1	4	3	11	46	125	342	775	1,404	2,114	2,872	3,611	3,799	3,641	2,937	1,727	589	163	3
	White Male	14,176	1	–	–	1	2	3	7	33	95	262	604	1,090	1,561	1,952	2,333	2,131	1,834	1,288	686	240	52	1
	Female	8,890	1	–	–	–	2	–	–	7	17	53	115	246	449	764	1,126	1,475	1,674	1,543	984	331	101	2
	All other Male	640	–	–	–	–	–	–	4	5	11	18	45	45	66	88	89	104	82	46	27	4	6	–
	Female	463	–	–	–	–	–	–	–	1	2	9	11	23	38	68	63	89	51	60	30	14	4	–
411	Other acute and subacute forms of ischemic heart disease	222	–	–	–	–	–	–	1	2	3	6	5	14	16	13	34	33	34	27	23	7	4	–
	White Male	129	–	–	–	–	–	–	1	2	1	5	4	10	15	7	26	22	19	9	4	3	1	–
	Female	81	–	–	–	–	–	–	–	–	1	1	–	4	1	4	6	10	13	15	19	4	3	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–
412	Chronic ischemic heart disease	21,471	1	–	–	–	1	3	6	20	39	82	224	386	744	1,260	1,893	2,699	3,578	4,396	3,622	1,875	639	3
	White Male	9,276	–	–	–	–	1	2	5	11	20	52	147	241	494	759	1,000	1,308	1,517	1,744	1,257	559	158	1
	Female	10,951	1	–	–	–	–	1	1	6	9	14	46	93	172	385	713	1,163	1,897	2,497	2,266	1,246	439	2
	All other Male	593	–	–	–	–	–	–	–	2	8	11	19	31	46	64	88	102	80	61	47	25	9	–
	Female	651	–	–	–	–	–	–	–	1	2	5	12	21	32	52	92	126	84	94	52	45	33	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	322	1	4	1	–	2	3	1	1	4	2	3	17	17	23	32	45	42	52	42	23	7	–
	White Male	145	–	2	1	–	2	2	–	–	1	1	1	9	9	11	15	21	22	19	19	8	2	–
	Female	165	–	2	–	–	–	1	1	1	2	1	2	5	8	10	15	23	19	33	22	15	5	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–
	Female	8	1	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,626	38	12	5	10	17	21	17	23	28	43	70	142	179	226	266	340	372	380	263	129	45	–
	White Male	1,158	18	2	3	5	11	10	8	9	10	19	38	63	108	123	129	154	153	156	86	41	12	–
	Female	1,157	16	7	1	4	3	5	7	9	10	13	13	46	44	72	102	143	188	205	163	77	29	–
	All other Male	169	1	3	–	1	1	2	2	4	4	8	8	19	16	15	19	23	20	11	7	4	1	–
	Female	142	3	–	1	–	2	4	–	1	4	3	11	14	11	16	16	20	11	8	7	7	3	–
400, 401, 403	Hypertension	354	–	–	–	–	1	–	1	4	5	4	13	14	18	26	29	57	55	56	55	13	3	–
	White Male	153	–	–	–	–	–	–	–	1	2	–	3	5	7	19	16	22	29	21	22	4	2	–
	Female	155	–	–	–	–	1	–	–	2	1	1	4	6	7	5	9	25	23	32	31	7	1	–
	All other Male	18	–	–	–	–	–	–	–	1	–	1	3	1	2	1	2	6	–	1	–	–	–	–
	Female	28	–	–	–	–	–	–	1	–	2	2	3	2	2	1	2	4	3	2	2	2	–	–
430–438	Cerebrovascular diseases	11,986	6	9	8	13	15	14	25	24	47	114	182	280	495	721	1,218	1,602	2,193	2,374	1,678	740	227	1
	White Male	4,758	4	5	3	8	11	5	14	15	17	46	74	111	224	339	580	704	884	900	549	213	51	1
	Female	6,263	1	3	5	3	2	7	6	6	18	36	62	106	212	265	505	733	1,160	1,377	1,086	507	163	–
	All other Male	456	1	–	–	–	1	2	2	2	6	16	24	26	33	67	67	68	81	39	11	4	6	–
	Female	509	–	1	–	2	1	–	3	1	6	16	22	37	26	50	66	97	68	58	32	16	7	–
431	Cerebral hemorrhage	1,812	1	2	1	1	1	1	3	7	7	38	65	89	151	144	247	244	284	288	154	63	20	1
	White Male	725	–	1	1	–	1	–	1	4	2	16	24	41	69	60	126	105	109	103	41	17	3	1
	Female	908	–	1	–	–	–	1	1	–	2	8	19	28	59	65	99	122	160	176	108	44	15	–
	All other Male	93	1	–	–	–	–	–	–	2	3	8	11	10	13	12	13	5	9	4	1	1	–	–
	Female	86	–	–	–	1	–	–	1	1	–	6	11	10	10	7	9	12	6	5	4	1	2	–
433	Cerebral thrombosis	3,489	–	1	–	–	1	1	3	4	3	7	23	46	75	176	319	462	686	769	592	238	83	–
	White Male	1,408	–	–	–	–	1	–	2	3	3	1	11	19	36	84	149	224	285	294	194	76	26	–
	Female	1,841	–	–	–	–	–	1	–	1	–	2	8	17	32	60	139	196	358	443	377	156	51	–
	All other Male	106	–	–	–	–	–	–	1	–	–	3	2	6	3	17	11	19	21	13	5	2	3	–
	Female	134	–	1	–	–	–	–	–	–	–	1	2	4	4	15	20	23	22	19	16	4	3	–
434	Cerebral embolism	61	–	–	–	–	–	–	1	–	–	2	1	1	5	4	16	4	8	12	5	1	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	1	–	1	2	3	8	1	2	4	2	1	–	–
	Female	31	–	–	–	–	–	–	1	–	–	1	1	–	2	1	6	3	4	8	3	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,624	5	6	7	12	13	12	18	13	37	67	93	144	264	397	636	892	1,215	1,305	927	438	123	–
	White Male	2,600	4	4	2	8	9	5	11	8	12	28	39	50	117	192	297	374	488	499	312	119	22	–
	Female	3,483	1	2	5	3	2	5	4	5	16	25	34	61	119	139	261	412	638	750	598	307	96	–
	All other Male	254	–	–	–	–	1	2	1	–	3	5	11	10	17	38	41	44	50	22	5	1	3	–
	Female	287	–	–	–	1	1	–	2	–	6	9	9	23	11	28	37	62	39	34	12	11	2	–
440	Arteriosclerosis	2,186	–	–	–	–	–	–	1	–	2	–	5	5	17	53	84	195	325	513	544	315	127	–
	White Male	868	–	–	–	–	–	–	–	–	1	–	5	2	9	31	46	101	145	196	189	112	31	–
	Female	1,246	–	–	–	–	–	–	–	–	1	–	–	3	8	21	31	87	167	300	337	199	92	–
	All other Male	28	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	8	6	1	1	–
	Female	44	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	5	8	9	12	3	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,710	2	2	1	–	3	6	4	4	5	12	28	55	104	161	233	307	320	222	151	72	18	–
	White Male	968	2	1	1	–	1	2	3	1	1	7	13	33	68	117	155	189	183	96	64	24	7	–
	Female	624	–	–	–	–	1	2	–	3	3	3	12	12	29	33	59	92	121	118	82	45	9	–
	All other Male	63	–	1	–	–	1	2	–	–	1	2	3	4	3	5	13	15	9	3	1	–	–	–
	Female	55	–	–	–	–	–	–	1	–	–	–	–	6	4	6	6	11	7	5	4	3	2	–
466	Acute bronchitis and bronchiolitis	36	4	1	–	–	–	–	–	–	–	1	–	–	2	5	6	4	1	8	3	1	–	–
	White Male	17	1	1	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1	4	1	1	–	–
	Female	17	1	–	–	–	–	–	–	–	–	1	–	–	1	4	3	1	–	4	2	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,019	112	22	13	16	24	23	17	19	27	43	67	103	119	204	230	335	449	510	411	201	74	–
	White Male	1,436	47	11	5	6	9	12	6	8	10	20	28	46	55	109	139	191	235	234	166	78	21	–
	Female	1,227	44	7	6	8	11	9	3	4	8	11	24	29	39	64	60	103	168	246	225	112	46	–
	All other Male	216	15	1	1	1	1	1	4	5	4	9	10	18	16	23	19	23	31	15	14	4	1	–
	Female	140	6	3	1	1	3	1	4	2	5	3	5	10	9	8	12	18	15	15	6	7	6	–
470–474	Influenza	72	–	1	1	2	1	2	1	–	–	–	2	2	3	2	3	7	4	22	9	6	4	–
	White Male	32	–	1	1	1	1	–	1	–	–	–	–	1	1	2	1	2	2	12	2	2	2	–
	Female	37	–	–	–	–	–	1	–	–	–	–	2	1	2	–	2	5	2	9	7	4	2	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,947	112	21	12	14	23	21	16	19	27	43	65	101	116	202	227	328	445	488	402	195	70	–
	White Male	1,404	47	10	4	5	8	12	5	8	10	20	28	45	54	107	138	189	233	222	164	76	19	–
	Female	1,190	44	7	6	8	11	8	3	4	8	11	22	28	37	64	58	98	166	237	218	108	44	–
	All other Male	214	15	1	1	–	1	1	4	5	4	9	10	18	16	23	19	23	31	14	14	4	1	–
	Female	139	6	3	1	1	3	–	4	2	5	3	5	10	9	8	12	18	15	15	6	7	6	–
490–493	Bronchitis, emphysema, and asthma	1,298	2	2	3	4	6	3	2	1	3	15	29	60	99	156	225	253	216	135	59	23	2	–
	White Male	938	1	1	–	3	–	1	2	1	2	6	14	34	71	111	175	192	162	104	44	14	–	–
	Female	294	1	1	2	–	4	1	–	–	–	5	9	24	21	38	41	53	43	28	13	9	1	–
	All other Male	54	–	–	1	1	2	–	–	–	1	4	5	2	5	4	8	6	9	3	2	–	1	–
	Female	12	–	–	–	–	–	1	–	–	–	–	1	–	2	3	1	2	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
490, 491	Chronic and unqualified bronchitis	219	2	2	2	1	2	1	–	–	–	1	6	9	16	24	44	30	32	24	11	10	2	–
	White Male	140	1	1	–	1	–	–	–	–	–	–	4	6	7	18	30	18	25	17	7	5	–	–
	Female	70	1	1	2	–	2	–	–	–	–	–	1	3	7	5	12	12	7	7	4	5	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	1	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
492	Emphysema	970	–	–	–	1	–	–	1	–	3	10	17	41	72	120	171	206	165	105	46	12	–	–
	White Male	750	–	–	–	1	–	–	1	–	2	5	8	25	59	88	141	163	128	83	37	9	–	–
	Female	177	–	–	–	–	–	–	–	–	–	3	6	15	9	28	24	36	27	19	7	3	–	–
	All other Male	39	–	–	–	–	–	–	–	–	1	2	3	1	4	3	6	6	8	3	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
493	Asthma	109	–	–	1	2	4	2	1	1	–	4	6	10	11	12	10	17	19	6	2	1	–	–
	White Male	48	–	–	–	1	–	1	1	1	–	1	2	3	5	5	4	11	9	4	–	–	–	–
	Female	47	–	–	–	–	2	1	–	–	–	2	2	6	5	5	5	5	9	2	2	1	–	–
	All other Male	9	–	–	1	1	2	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	428	–	–	–	–	2	1	3	2	3	7	15	22	34	55	67	51	79	50	28	8	1	–
	White Male	269	–	–	–	–	1	1	2	1	2	3	6	13	27	41	47	31	43	34	13	3	1	–
	Female	132	–	–	–	–	–	–	–	1	1	3	6	7	6	13	14	15	31	15	15	5	–	–
	All other Male	20	–	–	–	–	1	–	1	–	–	–	3	1	1	–	4	5	3	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	2	–	–	–	–	–
540–543	Appendicitis	52	–	1	1	2	1	1	–	1	–	–	2	7	3	10	4	6	5	5	3	–	–	–
	White Male	27	–	1	–	1	1	–	–	1	–	–	1	4	2	6	2	2	3	2	1	–	–	–
	Female	23	–	–	1	1	–	1	–	–	–	–	1	3	1	3	2	3	2	3	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
550–553, 560	Hernia and intestinal obstruction	398	29	2	1	–	–	–	1	1	2	6	5	15	21	22	45	45	59	62	58	16	8	–
	White Male	152	11	–	–	–	–	–	–	–	–	3	2	6	11	3	25	22	23	11	26	4	5	–
	Female	207	12	2	1	–	–	–	1	1	1	–	3	8	8	14	12	21	32	47	29	12	3	–
	All other Male	21	5	–	–	–	–	–	–	–	1	1	–	–	1	3	4	2	3	1	–	–	–	–
	Female	18	1	–	–	–	–	–	–	–	–	2	–	1	1	2	4	–	1	3	3	–	–	–
571	Cirrhosis of liver	1,946	1	–	–	1	3	6	11	43	77	143	201	302	299	301	251	153	69	56	23	4	2	–
	White Male	1,180	1	–	–	1	2	2	4	14	39	71	128	170	192	197	170	96	44	32	15	1	1	–
	Female	496	–	–	–	–	–	1	2	8	14	29	36	83	81	75	67	48	20	20	8	3	1	–
	All other Male	177	–	–	–	–	–	2	4	10	17	29	24	33	16	20	9	7	4	2	–	–	–	–
	Female	93	–	–	–	–	1	1	1	11	7	14	13	16	10	9	5	2	1	2	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	159	1	–	–	–	–	–	1	–	1	2	3	8	10	9	11	24	28	33	23	5	–	–
	White Male	67	1	–	–	–	–	–	1	–	–	1	–	6	2	4	4	12	7	22	6	1	–	–
	Female	81	–	–	–	–	–	–	–	–	–	1	3	2	6	4	7	10	21	8	15	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	–	–	–
580–584	Nephritis and nephrosis	518	2	2	2	3	4	4	10	6	8	12	20	34	30	52	60	81	69	70	33	9	7	–
	White Male	216	1	–	1	1	2	–	1	4	4	3	7	11	18	17	25	33	36	32	14	6	–	–
	Female	191	1	1	1	–	–	3	6	1	3	5	5	11	5	23	25	25	26	26	14	3	7	–
	All other Male	57	–	1	–	1	2	1	2	1	–	2	1	8	4	4	6	9	3	7	5	–	–	–
	Female	54	–	–	–	1	–	–	1	–	1	2	7	4	3	8	4	14	4	5	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	106	1	1	1	–	1	2	–	3	3	–	3	2	3	19	12	16	19	14	5	–	1	–
	White Male	42	1	–	1	–	1	–	–	2	1	–	2	–	2	4	7	8	6	6	1	–	–	–
	Female	45	–	–	–	–	–	1	–	1	1	–	–	–	1	11	3	8	10	5	3	–	1	–
	All other Male	10	–	1	–	–	–	1	–	–	–	–	–	1	–	1	2	–	2	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	1	2	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	412	1	1	1	3	3	2	10	3	5	12	17	32	27	33	48	65	50	56	28	9	6	–
	White Male	174	–	–	–	1	1	–	1	2	3	3	5	11	16	13	18	25	30	26	13	6	–	–
	Female	146	1	1	1	–	–	2	6	–	2	5	5	11	4	12	22	17	16	21	11	3	6	–
	All other Male	47	–	–	–	1	2	–	2	1	–	2	1	7	4	3	4	9	1	6	4	–	–	–
	Female	45	–	–	–	1	–	–	1	–	–	2	6	3	3	5	4	14	3	3	–	–	–	–
590	Infections of kidney	239	3	1	–	–	1	2	2	–	1	2	5	6	8	23	18	45	39	38	29	13	3	–
	White Male	101	2	–	–	–	–	1	–	–	–	2	2	4	5	10	5	21	14	13	13	6	3	–
	Female	113	1	–	–	–	1	1	2	–	1	–	1	2	3	10	7	18	21	22	16	7	–	–
	All other Male	12	–	1	–	–	–	–	–	–	–	–	–	–	–	1	4	2	3	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	2	–	–	2	2	4	1	2	–	–	–	–
600	Hyperplasia of prostate	55	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	13	15	13	5	–	–
	White Male	52	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	12	14	13	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	4	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	4	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	5	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	638	372	70	22	24	16	11	12	10	9	8	6	13	26	14	7	10	4	3	–	1	–	–
	White.....Male	293	172	32	9	9	10	3	7	6	4	3	3	6	16	3	2	3	2	2	–	1	–	–
	Female	262	145	28	12	11	4	8	4	3	4	4	3	5	8	9	5	7	1	1	–	–	–	–
	All other.....Male	49	33	3	–	3	2	–	1	1	1	–	–	1	2	1	–	–	1	–	–	–	–	–
	Female	34	22	7	1	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,565	1,555	2	–	–	–	1	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	3
	White.....Male	697	692	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2
	Female	515	513	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other.....Male	208	206	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	145	144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	799	795	1	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
	White.....Male	375	373	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	259	258	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other.....Male	100	99	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	766	760	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3
	White.....Male	322	319	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	Female	256	255	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other.....Male	108	107	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780–796	Symptoms and ill-defined conditions	2,656	191	15	5	3	6	19	14	29	53	119	170	241	267	323	314	289	214	185	125	57	16	1
	White.....Male	973	70	7	3	2	3	6	2	7	16	32	52	96	114	129	132	86	76	73	41	18	7	1
	Female	551	55	2	–	–	1	7	1	2	1	11	15	23	36	52	62	67	60	71	55	26	4	–
	All other.....Male	720	34	4	1	1	1	4	7	12	24	53	74	76	87	83	75	83	50	23	17	8	3	–
	Female	412	32	2	1	–	1	2	4	8	12	23	29	46	30	59	45	53	28	18	12	5	2	–
Residual	All other diseases	8,231	81	56	33	52	78	80	80	110	115	170	294	442	639	912	1,085	1,185	1,106	920	565	183	45	–
	White.....Male	4,446	36	28	15	22	38	34	34	38	37	74	146	231	341	529	658	697	625	511	266	70	16	–
	Female	2,896	24	22	12	22	26	31	20	38	39	51	99	145	222	271	335	383	402	359	267	105	23	–
	All other.....Male	521	10	2	3	2	7	9	17	19	21	27	34	44	52	57	50	65	48	32	15	4	3	–
	Female	368	11	4	3	6	7	6	9	15	18	18	15	22	24	55	42	40	31	18	17	4	3	–
E800–E949	Accidents	5,113	44	162	135	177	596	520	338	251	176	193	239	239	284	329	261	285	292	248	219	101	23	1
	White.....Male	3,103	20	83	78	103	448	380	250	169	123	120	153	143	175	182	137	141	144	105	101	41	6	1
	Female	1,451	11	47	34	52	112	91	59	42	30	40	52	59	63	106	96	121	127	129	107	58	15	–
	All other.....Male	391	6	18	13	14	23	36	24	31	19	25	28	26	39	28	15	18	10	9	8	–	1	–
	Female	168	7	14	10	8	13	13	5	9	4	8	6	11	7	13	13	5	11	5	3	2	1	–
E810–E823	Motor vehicle accidents	2,247	3	57	69	91	423	362	219	137	79	89	110	93	97	123	84	71	71	40	20	8	1	–
	White.....Male	1,524	3	33	37	57	315	270	163	101	57	56	70	56	64	68	48	34	48	24	13	7	–	–
	Female	539	–	18	20	29	92	63	41	23	13	20	28	25	25	42	34	29	18	13	4	1	1	–
	All other.....Male	138	–	4	9	3	9	20	11	10	8	12	10	9	7	9	2	7	2	3	3	–	–	–
	Female	46	–	2	3	2	7	9	4	3	1	1	2	3	1	4	–	1	3	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,866	41	105	66	86	173	158	119	114	97	104	129	146	187	206	177	214	221	208	199	93	22	1
	White.....Male	1,579	17	50	41	46	133	110	87	68	66	64	83	87	111	114	89	107	96	81	88	34	6	1
	Female	912	11	29	14	23	20	28	18	19	17	20	24	34	38	64	62	92	109	116	103	57	14	–
	All other.....Male	253	6	14	4	11	14	16	13	21	11	13	18	17	32	19	13	11	8	6	5	–	1	–
	Female	122	7	12	7	6	6	4	1	6	3	7	4	8	6	9	13	4	8	5	3	2	1	–
E950–E959	Suicide	1,294	...	...	–	4	53	144	123	98	80	119	107	136	120	89	69	63	50	26	11	2	–	–
	White.....Male	881	...	...	–	2	45	115	80	59	55	68	69	77	81	65	47	52	34	20	10	2	–	–
	Female	318	...	...	–	1	3	15	28	21	20	43	33	47	37	20	17	11	15	6	1	–	–	–
	All other.....Male	69	...	...	–	1	4	9	11	12	4	5	5	8	2	2	5	–	1	–	–	–	–	–
	Female	26	...	...	–	–	1	5	4	6	1	3	–	4	–	2	–	–	–	–	–	–	–	–
E960–E978	Homicide	861	11	18	13	12	126	135	128	94	60	67	56	54	22	29	13	12	5	5	–	1	–	–
	White.....Male	233	3	1	6	5	27	40	37	16	14	18	22	18	7	10	1	4	–	3	–	1	–	–
	Female	101	2	3	4	1	10	11	10	7	8	7	2	10	3	8	6	4	3	2	–	–	–	–
	All other.....Male	440	1	5	–	4	82	72	74	60	31	30	27	23	10	11	5	3	2	–	–	–	–	–
	Female	87	5	9	3	2	7	12	7	11	7	12	5	3	2	–	1	1	–	–	–	–	–	–
E980–E999	Other external causes	243	2	1	1	–	21	55	35	15	17	18	16	14	18	11	9	3	5	1	–	–	–	1
	White.....Male	117	–	–	1	–	11	30	12	5	6	9	8	4	11	8	3	3	4	1	–	–	–	1
	Female	40	1	–	–	–	5	4	5	3	1	2	4	6	3	1	4	–	1	–	–	–	–	–
	All other.....Male	64	1	–	–	–	4	17	9	7	8	5	3	3	3	2	2	–	–	–	–	–	–	–
	Female	22	–	1	–	–	1	4	9	–	2	2	1	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island																							
	All causes	**9,107**	**177**	**37**	**24**	**28**	**54**	**84**	**53**	**78**	**86**	**115**	**276**	**465**	**596**	**830**	**1,001**	**1,187**	**1,285**	**1,252**	**890**	**442**	**147**	–
	White..... Male	4,682	82	20	15	14	36	57	35	46	40	65	155	286	351	523	624	633	628	562	324	138	48	–
	Female	4,189	75	13	8	13	13	23	13	23	35	42	105	163	230	288	357	534	638	667	555	298	96	–
	All other..... Male	146	17	2	–	1	4	4	5	4	6	4	10	13	8	13	7	12	12	13	6	3	2	–
	Female	90	3	2	1	–	1	–	–	5	5	4	6	3	7	6	13	8	7	10	5	3	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	11	3	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	1	1	2	–	–
	White..... Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	7	1	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	10	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	1	2	–	–	1	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	2	–	–	1	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	26	1	1	–	–	–	1	–	1	1	–	1	–	3	2	–	2	4	4	3	1	1	–
	White..... Male	13	–	–	–	–	–	–	–	1	1	–	–	–	2	2	–	2	2	2	1	–	–	–
	Female	11	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	2	1	2	1	1	–
	All other..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	16	–	–	–	–	–	–	1	–	1	–	1	1	–	1	3	2	4	–	–	2	–	–
	White..... Male	8	–	–	–	–	–	–	1	–	1	–	1	1	–	–	3	1	2	–	–	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	2	–	–	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,902	–	5	7	8	5	5	4	11	17	23	70	141	195	258	264	284	279	192	94	28	12	–
	White—Male	1,008	–	3	5	4	4	4	2	4	7	13	32	70	92	153	158	142	155	99	42	14	5	–
	White—Female	860	–	2	2	3	1	1	2	6	9	9	37	67	99	102	100	137	121	89	52	14	7	–
	All other—Male	21	–	–	–	1	–	–	–	–	–	1	1	2	3	3	2	3	2	3	–	–	–	–
	All other—Female	13	–	–	–	–	–	–	–	1	1	–	–	2	1	–	4	2	1	1	–	–	–	–
140–149	Of buccal cavity and pharynx	44	–	–	–	–	–	–	–	–	1	–	1	3	7	4	9	8	8	–	2	–	1	–
	White—Male	35	–	–	–	–	–	–	–	–	–	–	–	3	7	4	7	5	7	–	1	–	1	–
	White—Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	–	1	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	592	–	–	–	–	–	–	–	3	1	4	17	35	54	79	78	106	92	74	39	8	2	–
	White—Male	297	–	–	–	–	–	–	–	1	–	3	11	18	27	47	43	47	48	30	16	5	1	–
	White—Female	285	–	–	–	–	–	–	–	1	–	1	6	17	25	30	34	58	44	42	23	3	1	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–
160–163	Of respiratory system	392	–	–	–	–	–	–	–	2	1	8	14	38	49	76	73	48	44	31	7	1	–	–
	White—Male	313	–	–	–	–	–	–	–	1	–	7	11	26	38	61	58	39	42	25	5	–	–	–
	White—Female	73	–	–	–	–	–	–	–	1	1	–	3	11	10	14	14	9	2	5	2	1	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
174	Of breast	181	–	–	–	–	–	–	–	1	1	3	9	17	25	18	21	32	26	12	11	4	1	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	White—Female	176	–	–	–	–	–	–	–	1	1	3	9	16	23	18	20	31	26	12	11	4	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
180–187	Of genital organs	216	–	–	–	–	–	1	–	1	3	4	11	14	22	24	25	24	41	24	14	4	4	–
	White—Male	99	–	–	–	–	–	–	–	–	–	–	–	3	3	11	13	13	25	15	10	4	2	–
	White—Female	113	–	–	–	–	–	1	–	1	3	4	11	11	19	13	12	8	16	8	4	–	2	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	102	–	–	–	–	–	–	–	–	1	–	2	5	3	13	18	8	22	20	5	3	2	–
	White—Male	70	–	–	–	–	–	–	–	–	1	–	1	4	3	10	14	6	13	12	5	1	–	–
	White—Female	28	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	1	7	8	–	2	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	203	–	3	2	3	2	3	3	2	5	3	10	13	18	25	23	32	21	18	13	4	–	–
	White—Male	106	–	1	2	3	1	3	1	1	3	2	4	10	6	9	14	20	10	9	4	3	–	–
	White—Female	97	–	2	–	–	1	–	2	1	2	1	6	3	12	16	9	12	11	9	9	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	59	–	2	3	4	2	–	–	1	2	–	1	4	3	9	4	10	4	7	1	1	1	–
	White—Male	34	–	2	1	1	2	–	–	1	1	–	–	1	1	6	2	6	2	6	–	1	1	–
	White—Female	23	–	–	2	2	–	–	–	–	1	–	1	3	1	3	2	4	2	1	1	–	–	–
	All other—Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	113	–	–	2	1	1	1	1	1	2	1	5	12	14	10	13	16	21	6	2	3	1	–
	White—Male	51	–	–	2	–	1	1	1	–	2	1	5	5	5	5	7	5	8	2	1	–	–	–
	White—Female	58	–	–	–	1	–	–	–	1	–	–	–	5	9	5	5	11	12	4	1	3	1	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	37	–	2	–	–	–	3	–	1	1	–	2	2	1	7	4	7	1	3	2	1	–	–
	White—Male	16	–	1	–	–	–	2	–	–	–	–	2	–	1	3	4	1	–	–	1	1	–	–
	White—Female	21	–	1	–	–	–	1	–	1	1	–	–	2	–	4	–	6	1	3	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	202	–	–	–	–	–	–	–	–	3	1	3	7	11	22	28	25	33	37	22	8	2	–
	White—Male	83	–	–	–	–	–	–	–	–	3	–	3	3	6	13	12	11	9	11	6	4	2	–
	White—Female	114	–	–	–	–	–	–	–	–	–	1	–	3	4	9	14	14	24	25	16	4	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
280–285	Anemias	17	–	1	–	–	–	–	1	–	–	–	1	–	1	2	1	2	3	2	3	–	–	–
	White Male	9	–	1	–	–	–	–	1	–	–	–	1	–	1	1	1	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	White Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	4,993	4	1	1	3	2	3	3	14	24	41	97	210	279	408	543	689	778	821	624	329	119	–
	White Male	2,493	1	1	1	–	–	1	1	6	14	28	70	150	191	265	342	375	364	344	210	93	36	–
	Female	2,403	3	–	–	3	2	2	2	6	8	9	20	51	83	138	190	303	401	465	404	232	81	–
	All other Male	52	–	–	–	–	–	–	–	–	1	2	4	8	1	4	4	7	7	6	5	2	1	–
	Female	45	–	–	–	–	–	–	–	2	1	2	3	1	4	1	7	4	6	6	5	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	4,039	3	1	–	1	1	3	2	12	18	32	80	185	243	350	461	568	613	633	485	261	87	–
	White Male	2,088	1	1	–	–	–	1	1	6	10	26	61	139	168	233	293	307	291	277	170	76	27	–
	Female	1,887	2	–	–	1	1	2	1	5	6	4	15	37	71	114	161	252	315	349	310	182	59	–
	All other Male	34	–	–	–	–	–	–	–	–	1	–	2	8	1	2	2	5	4	4	3	2	–	–
	Female	30	–	–	–	–	–	–	–	1	1	2	2	1	3	1	5	4	3	3	2	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	81	–	–	–	–	–	–	1	–	1	1	4	5	16	12	19	13	5	1	3	–	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	1	3	2	3	3	10	3	–	–	–	–	–	–
	Female	54	–	–	–	–	–	–	1	–	1	–	–	3	12	9	9	10	5	1	3	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	34	–	–	–	–	–	–	–	–	–	1	1	1	1	5	5	7	3	6	3	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	1	–	1	3	3	4	–	1	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	3	5	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	5	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,713	–	–	–	–	–	1	–	9	13	29	72	172	211	313	415	515	581	592	456	249	85	–
	White Male	1,935	–	–	–	–	–	1	–	6	10	24	54	132	156	214	265	281	278	259	157	72	26	–
	Female	1,725	–	–	–	–	–	–	–	3	3	4	15	32	52	96	144	226	297	326	295	174	58	–
	All other Male	30	–	–	–	–	–	–	–	–	–	–	2	7	–	2	2	5	4	4	2	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	1	1	3	1	4	3	2	3	2	1	1	–
410	Acute myocardial infarction	1,862	–	–	–	–	–	–	–	5	9	18	48	124	151	208	259	287	290	256	122	63	22	–
	White Male	1,075	–	–	–	–	–	–	–	2	7	15	36	96	111	149	170	161	140	120	44	21	3	–
	Female	760	–	–	–	–	–	–	–	3	2	2	9	23	38	58	86	124	145	133	77	41	19	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	2	4	–	1	–	1	3	1	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	1	2	–	3	1	2	2	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	148	–	–	–	–	–	–	–	2	–	8	9	15	15	15	23	17	15	15	9	2	3	–
	White Male	92	–	–	–	–	–	–	–	2	–	6	8	10	12	8	16	13	6	8	2	–	1	–
	Female	53	–	–	–	–	–	–	–	–	–	2	1	4	2	6	7	4	9	7	7	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,701	–	–	–	–	–	1	–	2	4	3	15	33	45	90	133	209	276	321	325	184	60	–
	White Male	767	–	–	–	–	–	1	–	2	3	3	10	26	33	57	79	106	132	131	111	51	22	–
	Female	911	–	–	–	–	–	–	–	–	1	–	5	5	12	32	51	97	143	186	211	131	37	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	1	3	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	1	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	–	–	1	3	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
420–423, 425–427, 429	All other forms of heart disease	185	3	1	–	1	1	2	1	3	4	1	3	7	14	18	19	25	23	29	21	7	2	–
	White Male	101	1	1	–	–	–	–	1	–	–	–	3	5	8	11	14	17	13	13	10	3	1	–
	Female	75	2	–	–	1	1	2	–	2	2	–	–	1	6	7	4	7	9	16	10	4	1	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	1	1	–	–	–	–	–
400, 401, 403	Hypertension	28	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	4	8	5	4	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	3	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	717	–	–	1	2	1	–	1	2	4	9	11	20	30	40	62	90	122	139	109	51	23	–
	White Male	279	–	–	1	–	–	–	–	–	3	2	6	9	18	19	33	45	50	43	31	11	8	–
	Female	410	–	–	–	2	1	–	1	1	1	5	3	11	11	20	26	43	66	91	74	39	15	–
	All other Male	14	–	–	–	–	–	–	–	–	–	2	1	–	–	1	2	2	3	2	1	–	–	–
	Female	14	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	3	3	3	1	–	–
431	Cerebral hemorrhage	103	–	–	1	–	–	–	–	1	–	2	4	4	9	11	10	14	17	16	9	5	–	–
	White Male	46	–	–	1	–	–	–	–	–	–	–	3	–	5	3	6	7	9	9	2	1	–	–
	Female	53	–	–	–	–	–	–	–	1	–	1	–	4	4	7	4	7	8	6	7	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	211	–	–	–	–	–	–	–	–	–	2	–	5	3	9	18	20	39	56	36	16	7	–
	White Male	71	–	–	–	–	–	–	–	–	–	–	–	4	2	5	13	7	14	14	9	2	1	–
	Female	137	–	–	–	–	–	–	–	–	–	2	–	1	1	4	5	13	23	41	27	14	6	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	399	–	–	–	2	1	–	1	1	4	5	7	11	18	18	33	55	66	67	64	30	16	–
	White Male	161	–	–	–	–	–	–	–	–	3	2	3	5	11	10	14	31	27	20	20	8	7	–
	Female	217	–	–	–	2	1	–	1	–	1	2	3	6	6	8	16	22	35	44	40	21	9	–
	All other Male	9	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	2	1	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	3	2	3	1	–	–
440	Arteriosclerosis	102	–	–	–	–	–	–	–	–	–	–	3	3	2	7	4	10	16	24	18	9	6	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	2	1	1	5	3	8	6	11	5	3	1	–
	Female	56	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	2	10	13	13	6	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	107	1	–	–	–	–	–	–	–	2	–	2	2	4	10	14	18	23	17	7	4	3	–
	White Male	69	–	–	–	–	–	–	–	–	1	–	1	1	4	8	12	13	14	9	3	3	–	–
	Female	35	1	–	–	–	–	–	–	–	1	–	1	1	–	1	1	5	9	8	4	1	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	242	5	3	–	–	1	1	–	2	3	2	12	8	11	10	18	24	23	53	37	24	5	–
	White Male	116	3	–	–	–	–	–	–	1	1	–	4	4	7	5	8	12	10	34	19	6	2	–
	Female	114	1	2	–	–	1	1	–	–	1	2	8	4	4	4	9	11	12	17	17	17	3	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	1	–	–	–
	Female	5	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–
470–474	Influenza	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	237	5	3	–	–	1	1	–	2	3	2	10	8	11	10	18	23	23	52	36	24	5	–
	White Male	116	3	–	–	–	–	–	–	1	1	–	4	4	7	5	8	12	10	34	19	6	2	–
	Female	109	1	2	–	–	1	1	–	–	1	2	6	4	4	4	9	10	12	16	16	17	3	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	1	–	–	–
	Female	5	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	97	–	–	–	–	–	–	–	1	1	3	2	3	6	14	16	18	11	16	5	1	–	–
	White Male	69	–	–	–	–	–	–	–	1	–	1	1	1	3	10	14	13	8	12	4	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	1	2	3	3	2	5	3	4	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
490, 491	Chronic and unqualified bronchitis	21	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	3	5	2	3	–	–	
	White—Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	4	2	2	–	–	
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	66	–	–	–	–	–	–	–	–	–	1	2	3	4	8	12	14	6	13	2	1	–	
	White—Male	49	–	–	–	–	–	–	–	–	–	–	1	1	2	7	11	10	4	10	2	1	–	
	White—Female	17	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	4	2	3	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	10	–	–	–	–	–	–	–	1	1	2	–	–	2	2	–	1	–	1	–	–	–	
	White—Male	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
531–533	Peptic ulcer	22	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	3	4	3	2	–	–	
	White—Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	3	4	2	1	–	–	
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	6	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	
	White—Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	37	3	1	–	–	–	–	–	1	–	1	1	–	2	1	4	6	7	5	3	1	1	
	White—Male	13	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	4	4	2	–	–	–	
	White—Female	22	2	–	–	–	–	–	–	–	–	1	1	–	2	1	3	2	3	3	3	1	–	
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	164	–	–	1	–	–	–	–	7	6	11	29	19	24	18	20	11	10	6	2	–	–	
	White—Male	97	–	–	1	–	–	–	–	5	3	6	13	10	12	13	15	9	6	3	1	–	–	
	White—Female	59	–	–	–	–	–	–	–	2	1	5	13	9	12	4	5	2	4	1	1	–	–	
	All other—Male	6	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	2	–	–	–	
	All other—Female	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	7	3	2	1	–	
	White—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	1	1	–	–	
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	32	–	–	–	–	–	–	–	–	1	1	2	1	2	3	6	3	4	5	3	1	–	
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	1	–	
	White—Female	22	–	–	–	–	–	–	–	–	1	1	2	–	1	–	4	3	3	4	3	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	2	2	1	–	
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	
	White—Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	2	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	21	–	–	–	–	–	–	–	–	1	1	2	1	1	3	3	2	3	3	1	–	–	
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	
	White—Female	14	–	–	–	–	–	–	–	–	1	1	2	–	–	–	2	2	3	2	1	–	–	
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	4	3	–	
	White—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	2	–	
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–																						
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	46	27	6	1	–	1	1	1	3	–	–	2	1	–	1	–	1	–	1	–	–	–	–
	White—Male	22	12	3	1	–	–	1	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	22	13	3	–	–	1	–	–	1	–	–	2	–	–	–	–	1	–	1	–	–	–	–
	All other—Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	30	13	1	1	–	–	–	–	1	–	–	2	1	1	1	2	2	4	1	–	–	–	–
	White—Male	20	6	1	1	–	–	–	–	–	–	–	2	1	1	1	2	2	2	1	–	–	–	–
	Female	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other—Male	4	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	554	9	2	3	3	2	8	7	7	6	16	27	33	33	50	64	73	74	67	49	18	3	–
	White—Male	296	4	1	1	–	1	3	3	6	3	7	12	22	16	33	41	42	35	34	22	9	1	–
	Female	238	3	1	2	3	–	5	4	1	2	8	11	10	15	13	23	29	38	33	27	8	2	–
	All other—Male	12	1	–	–	–	1	–	–	–	–	1	2	1	1	2	–	1	1	–	–	1	–	–
	Female	8	1	–	–	–	–	–	–	–	1	–	2	–	1	2	–	1	–	–	–	–	–	–
E800–E949	Accidents	355	4	10	9	12	35	37	17	16	9	9	9	19	14	17	15	19	26	24	30	20	4	–
	White—Male	209	1	5	5	9	24	30	13	11	4	5	7	12	10	12	13	7	13	10	11	5	2	–
	Female	130	3	3	4	3	8	6	2	4	4	3	2	7	3	3	2	11	12	14	19	15	2	–
	All other—Male	12	–	1	–	–	3	1	2	–	1	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	134	2	4	3	5	24	27	10	8	6	7	3	11	2	5	3	3	7	2	2	–	–	–
	White—Male	90	–	3	1	5	17	22	8	6	2	3	2	6	1	4	2	2	4	1	1	–	–	–
	Female	40	2	1	2	–	6	5	1	2	3	3	1	5	1	1	1	1	3	1	1	–	–	–
	All other—Male	3	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	221	2	6	6	7	11	10	7	8	3	2	6	8	12	12	12	16	19	22	28	20	4	–
	White—Male	119	1	2	4	4	7	8	5	5	2	2	5	6	9	8	11	5	9	9	10	5	2	–
	Female	90	1	2	2	3	2	1	1	2	1	–	1	2	2	2	1	10	9	13	18	15	2	–
	All other—Male	9	–	1	–	–	2	1	1	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E950–E959	Suicide	100	...	...	–	–	3	12	12	10	11	4	7	13	8	2	6	6	3	2	1	–	–	–
	White—Male	65	...	...	–	–	3	9	11	7	3	3	3	7	6	2	3	3	2	2	1	–	–	–
	Female	33	...	...	–	–	–	3	1	2	7	1	4	6	2	–	3	3	1	–	–	–	–	–
	All other—Male	1	...	...	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	35	–	2	–	1	2	9	6	2	–	2	4	1	2	2	1	–	1	–	–	–	–	–
	White—Male	21	–	2	–	1	2	4	3	–	–	2	2	1	1	2	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	10	–	–	–	–	–	3	3	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	15	–	–	1	1	3	3	–	1	–	1	2	1	–	1	–	–	1	–	–	–	–	–
	White—Male	8	–	–	–	–	2	2	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina																							
	All causes	24,211	1,025	178	130	157	381	460	404	396	517	705	1,107	1,656	2,078	2,678	2,868	2,891	2,357	2,044	1,338	605	221	15
	White..... Male	9,213	293	52	35	65	192	199	148	140	170	244	473	702	898	1,130	1,217	1,083	898	707	366	161	39	1
	Female	6,746	197	47	30	28	62	51	53	61	94	136	187	319	402	510	653	812	887	968	768	356	122	3
	All other..... Male	4,644	316	40	42	43	89	162	149	127	156	184	269	384	454	585	536	487	305	178	80	30	23	5
	Female	3,608	219	39	23	21	38	48	54	68	97	141	178	251	324	453	462	509	267	191	124	58	37	6
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	39	16	3	1	–	–	–	1	1	–	–	–	1	–	2	3	5	2	1	1	–	2	–
	White..... Male	8	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3	1	–	–	–	–	–
	Female	7	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	All other..... Male	9	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	15	5	3	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	1	–	–	2	–
010–019	Tuberculosis, all forms	66	1	–	–	–	–	1	3	5	3	6	6	9	7	6	4	7	3	2	2	1	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	1	4	2	1	2	2	–	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	–	–	–	–	–	–
	All other..... Male	33	1	–	–	–	–	1	1	2	2	5	4	4	2	4	–	2	3	–	1	1	–	–
	Female	13	–	–	–	–	–	–	2	2	1	1	1	–	3	1	1	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	52	–	–	–	–	–	1	2	5	1	5	5	8	5	3	4	5	3	2	2	1	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	4	2	–	2	2	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other..... Male	27	–	–	–	–	–	1	–	2	1	4	4	3	2	3	–	2	3	–	1	1	–	–
	Female	8	–	–	–	–	–	–	2	2	–	1	1	–	1	–	1	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	14	1	–	–	–	–	–	1	–	2	1	1	1	2	3	–	2	–	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other..... Male	6	1	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	2	2	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	White..... Male	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	76	14	3	–	–	–	–	–	3	2	1	1	5	7	6	6	11	8	3	3	2	–	1
	White..... Male	24	8	1	–	–	–	–	–	–	–	–	–	1	2	1	–	3	4	3	1	–	–	–
	Female	21	1	1	–	–	–	–	–	1	–	–	1	1	2	2	3	4	3	–	2	–	–	1
	All other..... Male	14	1	1	–	–	–	–	–	2	1	1	–	–	–	1	2	3	–	–	–	1	–	–
	Female	17	4	–	–	–	–	–	–	–	1	–	–	3	3	2	1	1	1	–	–	1	–	1
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	51	4	1	1	2	1	1	4	–	7	3	3	5	5	4	4	–	3	–	2	1	–	–
	White..... Male	11	1	–	–	1	–	1	–	–	–	–	–	–	3	1	1	–	1	–	1	1	–	–
	Female	16	1	–	1	–	1	–	2	–	–	–	3	3	–	1	1	–	2	–	1	–	–	–
	All other..... Male	11	–	–	–	–	–	2	–	2	1	–	–	1	1	2	2	–	–	–	–	–	–	–
	Female	13	2	1	–	1	–	–	–	–	5	2	–	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,781	3	15	12	14	16	17	34	32	79	109	221	387	471	563	570	475	359	242	114	38	8	2
	White.....Male	1,426	1	7	5	1	5	5	10	10	20	22	85	135	178	216	253	191	151	85	32	13	–	1
	Female	1,227	1	6	5	3	3	5	12	14	30	36	67	124	149	135	149	157	133	108	65	19	5	1
	All other.....Male	640	1	1	1	7	3	6	2	2	10	24	37	75	85	119	98	75	50	36	5	1	2	–
	Female	488	–	1	1	3	5	1	10	6	19	27	32	53	59	93	70	52	25	13	12	5	1	–
140–149	Of buccal cavity and pharynx	96	–	–	–	1	–	–	1	1	1	5	3	8	17	15	13	8	9	6	6	2	–	–
	White.....Male	52	–	–	–	–	–	–	–	1	–	2	5	10	7	9	6	5	3	2	2	–	–	–
	Female	22	–	–	–	–	–	–	1	1	–	1	–	1	3	2	2	1	4	2	4	–	–	–
	All other.....Male	14	–	–	–	–	–	–	–	–	–	3	1	1	4	3	1	1	–	–	–	–	–	–
	Female	8	–	–	–	1	–	–	–	–	–	1	–	1	–	3	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	914	–	–	–	–	1	2	4	2	14	21	40	84	103	133	170	118	106	65	35	12	3	1
	White.....Male	312	–	–	–	–	–	–	–	–	3	4	14	28	37	52	69	37	31	22	10	5	–	–
	Female	294	–	–	–	–	–	–	–	2	5	9	5	27	24	27	45	38	46	36	20	6	3	1
	All other.....Male	173	–	–	–	–	–	2	1	–	3	7	11	22	24	31	29	20	18	4	1	–	–	–
	Female	135	–	–	–	–	1	–	3	–	3	1	10	7	18	23	27	23	11	3	4	1	–	–
160–163	Of respiratory system	908	–	–	1	–	–	–	1	1	11	27	76	123	137	152	158	104	66	40	6	5	–	–
	White.....Male	548	–	–	–	–	–	–	1	1	7	10	48	56	82	93	114	64	46	23	3	–	–	–
	Female	139	–	–	–	–	–	–	–	–	2	4	13	23	20	20	10	19	11	11	2	4	–	–
	All other.....Male	191	–	–	1	–	–	–	–	–	2	10	13	39	31	34	31	17	7	5	–	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	3	2	5	4	5	3	4	2	1	1	–	–	–
174	Of breast	334	–	–	–	–	–	–	7	5	14	18	25	48	48	44	37	42	19	13	12	2	–	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	243	–	–	–	–	–	–	3	3	9	7	20	30	37	31	32	34	16	12	9	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	88	–	–	–	–	–	–	4	2	5	11	5	18	10	13	4	8	3	1	2	2	–	–
180–187	Of genital organs	488	–	–	–	–	2	1	5	5	13	13	24	34	52	85	66	64	56	46	16	3	2	1
	White.....Male	115	–	–	–	–	–	–	1	–	1	–	–	2	4	12	20	23	24	18	7	2	–	1
	Female	158	–	–	–	–	–	–	3	3	4	6	16	16	25	20	20	16	11	12	6	–	–	–
	All other.....Male	125	–	–	–	–	–	–	–	–	–	–	2	5	9	30	19	22	18	16	2	–	2	–
	Female	90	–	–	–	–	2	1	1	2	8	7	6	11	14	23	7	3	3	–	1	1	–	–
188, 189	Of urinary organs	149	–	2	1	–	–	1	–	1	2	4	4	13	10	22	17	28	18	15	5	5	1	–
	White.....Male	66	–	–	–	–	–	–	–	–	1	2	3	6	5	8	8	14	11	5	2	1	–	–
	Female	44	–	1	1	–	–	–	–	–	1	–	–	3	4	6	5	9	3	5	2	3	1	–
	All other.....Male	17	–	1	–	–	–	1	–	1	–	1	–	1	1	3	2	2	1	3	–	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	1	1	3	–	5	2	3	3	2	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	520	1	5	8	4	5	4	11	6	15	13	32	48	56	72	69	60	53	30	20	7	1	–
	White.....Male	207	1	2	4	1	2	3	7	3	6	3	14	24	26	26	21	24	21	11	5	3	–	–
	Female	177	–	2	3	–	–	1	4	1	6	6	9	16	14	17	21	19	27	13	13	4	1	–
	All other.....Male	64	–	–	–	3	1	–	–	–	2	2	6	4	9	13	10	9	2	2	1	–	–	–
	Female	72	–	1	1	–	2	–	–	2	1	2	3	4	7	16	17	8	3	4	1	–	–	–
204–207	Leukemia	164	1	7	2	6	7	2	2	5	5	5	5	10	21	19	16	18	14	11	7	1	–	–
	White.....Male	50	–	4	1	–	2	1	–	2	1	2	–	5	5	6	4	9	8	–	–	–	–	–
	Female	74	1	3	1	2	3	1	1	2	3	3	2	2	11	8	5	7	5	8	5	1	–	–
	All other.....Male	21	–	–	–	2	2	–	–	1	1	–	1	2	2	2	3	1	1	3	–	–	–	–
	Female	19	–	–	–	2	–	–	1	–	–	–	2	1	3	3	4	1	–	–	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	208	1	1	–	3	1	7	3	6	4	3	12	19	27	21	24	33	18	16	7	1	1	–
	White.....Male	74	–	1	–	–	1	1	1	4	–	1	4	9	9	12	7	14	5	3	2	–	–	–
	Female	76	–	–	–	1	–	3	–	2	–	–	2	6	11	4	9	14	10	9	4	1	–	–
	All other.....Male	34	1	–	–	2	–	3	1	–	2	1	3	1	4	3	3	3	3	3	1	–	–	–
	Female	24	–	–	–	–	–	–	1	–	2	1	3	3	3	2	5	2	–	1	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	61	–	2	1	2	5	1	1	1	1	2	1	8	5	8	2	11	4	4	2	–	–	–
	White.....Male	15	–	1	–	1	1	1	–	–	–	1	1	2	3	–	–	2	1	1	–	–	–	–
	Female	23	–	–	–	1	2	–	–	1	–	1	–	1	–	4	1	5	2	3	2	–	–	–
	All other.....Male	8	–	–	–	–	–	–	1	–	1	–	–	1	–	2	–	2	1	–	–	–	–	–
	Female	15	–	1	1	–	2	–	–	–	–	–	–	4	2	2	1	2	–	–	–	–	–	–
250	Diabetes mellitus	580	1	–	–	–	3	–	6	10	4	20	24	41	69	84	100	82	55	44	30	5	2	–
	White.....Male	141	1	–	–	–	–	–	2	3	–	3	2	11	16	23	32	9	14	12	12	–	1	–
	Female	181	–	–	–	–	1	–	1	1	2	2	5	9	16	20	29	25	28	23	18	1	–	–
	All other.....Male	89	–	–	–	–	1	–	2	5	–	7	10	6	11	10	13	13	6	5	–	–	–	–
	Female	169	–	–	–	–	1	–	1	1	2	8	7	15	26	31	26	35	7	4	–	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	26	3	2	–	–	–	–	–	1	–	–	–	3	2	2	2	2	2	5	2	–	–	–
	White.....Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	3	1	–	–	–
	All other.....Male	10	2	1	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	1	–	–	–	–
	Female	5	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
280–285	Anemias	58	1	–	1	5	4	–	6	3	4	–	3	5	2	3	6	8	2	2	2	1	–	–
	White Male	10	–	–	–	–	1	–	–	–	–	–	1	1	1	–	2	2	1	1	–	–	–	–
	Female	13	1	–	–	2	1	–	–	–	–	–	–	2	–	–	1	2	1	1	2	–	–	–
	All other Male	18	–	–	1	2	2	–	1	2	2	–	1	–	–	2	3	2	–	–	–	–	–	–
	Female	17	–	–	–	1	–	–	5	1	2	–	1	2	1	1	–	2	–	–	–	1	–	–
320	Meningitis	32	17	7	1	–	–	2	1	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–
	White Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	4	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	9	6	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	11	4	4	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,985	14	5	4	12	11	18	35	61	115	228	419	651	1,004	1,441	1,602	1,791	1,536	1,395	985	470	180	8
	White Male	4,585	4	1	–	3	3	6	8	14	41	95	189	313	468	663	694	644	557	466	264	120	32	–
	Female	3,643	5	2	–	1	2	2	6	8	12	31	44	85	135	237	336	498	601	676	569	290	101	2
	All other Male	1,941	2	1	1	3	5	6	14	19	33	56	111	149	245	302	294	313	182	103	60	23	18	1
	Female	1,816	3	1	3	5	1	4	7	20	29	46	75	104	156	239	278	336	196	150	92	37	29	5
390–398, 402, 404, 410–429	Diseases of heart	8,382	10	5	3	7	4	14	21	38	77	174	334	512	784	1,109	1,174	1,212	1,009	899	602	281	107	6
	White Male	3,530	4	1	–	–	1	5	6	11	32	84	171	276	397	554	538	468	388	321	176	76	21	–
	Female	2,377	3	2	–	1	1	1	2	6	7	22	30	68	99	187	254	329	387	422	331	164	59	2
	All other Male	1,316	2	1	1	2	1	5	10	9	22	37	82	107	178	219	193	208	112	68	34	14	11	–
	Female	1,159	1	1	2	4	1	3	3	12	16	31	51	61	110	149	189	207	122	88	61	27	16	4
390–398	Active rheumatic fever and chronic rheumatic heart disease	117	–	–	1	4	2	3	–	2	8	7	4	9	21	17	12	9	10	7	–	1	–	–
	White Male	44	–	–	–	–	1	–	–	–	5	1	2	6	7	6	6	4	3	3	–	–	–	–
	Female	35	–	–	–	1	–	–	–	1	2	2	1	1	6	5	3	3	5	4	–	1	–	–
	All other Male	20	–	–	1	1	–	2	–	–	–	2	1	1	4	4	3	–	1	–	–	–	–	–
	Female	18	–	–	–	2	1	1	–	1	1	2	–	1	4	2	–	2	1	–	–	–	–	–
402	Hypertensive heart disease	81	–	–	–	–	–	–	1	1	–	–	1	5	7	19	6	17	7	8	6	2	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	5	2	–	–	2	1	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	2	1	–	–	–
	All other Male	33	–	–	–	–	–	–	1	–	–	–	–	3	2	8	3	10	2	2	1	1	–	–
	Female	26	–	–	–	–	–	–	–	1	–	–	1	1	3	4	1	7	3	2	3	–	–	–
404	Hypertensive heart and renal disease	74	–	–	–	–	1	1	1	1	1	3	2	1	6	8	15	6	8	7	6	5	2	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	3	–	2	–	–
	Female	19	–	–	–	–	–	–	–	–	–	2	–	–	1	–	2	1	3	2	4	3	1	–
	All other Male	21	–	–	–	–	1	1	1	–	–	–	1	1	2	2	6	2	2	1	1	–	–	–
	Female	23	–	–	–	–	–	–	–	1	1	1	–	–	2	5	6	3	1	1	1	–	1	–
410–413	Ischemic heart disease	7,373	–	–	–	–	1	2	12	25	52	145	277	443	669	979	1,041	1,078	919	829	546	249	100	6
	White Male	3,191	–	–	–	–	–	1	5	11	19	76	149	239	365	508	495	428	362	288	158	67	20	–
	Female	2,138	–	–	–	–	1	–	–	2	4	17	23	57	77	164	227	302	352	401	303	150	56	2
	All other Male	1,087	–	–	–	–	–	–	6	6	19	28	64	95	139	183	164	174	97	61	31	11	9	–
	Female	957	–	–	–	–	–	1	1	6	10	24	41	52	88	124	155	174	108	79	54	21	15	4
410	Acute myocardial infarction	4,202	–	–	–	–	–	1	7	18	39	104	205	310	464	652	664	573	471	370	222	70	32	–
	White Male	2,173	–	–	–	–	–	–	4	11	15	64	121	186	290	384	361	272	223	139	77	20	6	–
	Female	1,066	–	–	–	–	–	–	–	1	4	11	17	42	56	104	153	168	168	176	114	36	16	–
	All other Male	565	–	–	–	–	–	–	3	3	12	19	43	59	76	107	77	67	45	29	16	5	4	–
	Female	398	–	–	–	–	–	1	–	3	8	10	24	23	42	57	73	66	35	26	15	9	6	–
411	Other acute and subacute forms of ischemic heart disease	56	–	–	–	–	1	–	–	1	1	1	2	3	12	7	5	7	8	3	4	–	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	1	–	–	5	5	2	3	4	–	1	–	–	–
	Female	18	–	–	–	–	1	–	–	–	–	–	1	1	1	1	2	2	4	2	2	–	1	–
	All other Male	11	–	–	–	–	–	–	–	1	–	–	–	2	4	1	1	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	–	–	1	–	–	–
412	Chronic ischemic heart disease	3,112	–	–	–	–	–	1	5	6	12	39	70	130	193	320	371	497	440	456	320	179	67	6
	White Male	995	–	–	–	–	–	1	1	–	4	10	28	53	70	119	132	152	135	149	80	47	14	–
	Female	1,053	–	–	–	–	–	–	–	1	–	6	5	14	20	59	71	132	180	223	187	114	39	2
	All other Male	511	–	–	–	–	–	–	3	2	7	9	21	34	59	75	86	106	52	31	15	6	5	–
	Female	553	–	–	–	–	–	–	1	3	1	14	16	29	44	67	82	107	73	53	38	12	9	4
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	65	–	–	–	1	–	1	–	–	2	1	3	–	4	6	9	14	7	5	5	7	–	–
	White Male	18	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	4	3	1	2	2	–	–
	Female	20	–	–	–	–	–	1	–	–	–	–	1	–	1	2	1	4	2	2	3	3	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	2	1	–	–	1	–	–
	Female	16	–	–	–	1	–	–	–	–	1	–	1	–	–	2	3	4	1	2	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	672	10	5	2	2	–	7	7	9	14	18	47	54	77	80	91	88	58	43	39	17	4	–
	White—Male	252	4	1	–	–	–	4	1	–	7	6	19	31	22	33	31	32	18	24	15	4	–	–
	White—Female	157	3	2	–	–	–	–	2	3	1	1	5	9	14	14	21	19	23	11	20	7	2	–
	All other—Male	144	2	1	–	1	–	2	2	3	3	7	15	7	28	21	15	20	9	4	1	1	2	–
	All other—Female	119	1	1	2	1	–	1	2	3	3	4	8	7	13	12	24	17	8	4	3	5	–	–
400, 401, 403	Hypertension	103	–	–	–	–	–	–	1	3	7	11	4	2	12	5	8	16	12	8	8	4	2	–
	White—Male	22	–	–	–	–	–	–	1	–	–	3	–	–	3	1	2	3	2	1	3	1	2	–
	White—Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	2	2	1	–	–
	All other—Male	35	–	–	–	–	–	–	–	1	4	5	3	2	4	2	2	5	2	3	2	–	–	–
	All other—Female	30	–	–	–	–	–	–	–	2	3	3	1	–	5	1	3	6	1	2	1	2	–	–
430–438	Cerebrovascular diseases	2,886	3	–	1	5	6	4	10	16	30	36	69	119	178	275	350	471	420	398	310	134	49	2
	White—Male	797	–	–	–	3	2	1	1	3	9	6	13	29	51	83	115	134	129	122	60	27	9	–
	White—Female	1,020	1	–	–	–	1	1	2	1	4	7	11	13	31	37	72	144	171	202	201	95	26	–
	All other—Male	513	–	–	–	1	3	1	4	7	7	12	24	36	60	73	82	90	54	27	21	5	5	1
	All other—Female	556	2	–	1	1	–	1	3	5	10	11	21	41	36	82	81	103	66	47	28	7	9	1
431	Cerebral hemorrhage	468	1	–	–	1	2	–	3	6	12	13	23	42	47	49	68	72	47	39	23	12	8	–
	White—Male	133	–	–	–	1	1	–	–	1	3	–	4	12	15	17	25	20	16	10	5	3	–	–
	White—Female	127	–	–	–	–	1	–	2	–	3	1	3	3	6	7	17	21	16	21	14	8	4	–
	All other—Male	94	–	–	–	–	–	–	–	4	2	5	9	15	15	7	12	15	5	2	2	–	1	–
	All other—Female	114	1	–	–	–	–	–	1	1	4	7	7	12	11	18	14	16	10	6	2	1	3	–
433	Cerebral thrombosis	691	–	–	–	–	–	–	–	–	1	1	11	13	30	60	67	119	113	127	94	43	12	–
	White—Male	203	–	–	–	–	–	–	–	–	1	–	1	–	11	23	20	35	38	50	16	7	1	–
	White—Female	267	–	–	–	–	–	–	–	–	–	1	1	2	7	13	35	46	60	66	29	7	–	–
	All other—Male	124	–	–	–	–	–	–	–	–	–	1	8	9	15	15	15	23	17	5	9	5	2	–
	All other—Female	97	–	–	–	–	–	–	–	–	–	–	1	3	2	15	19	26	12	12	3	2	2	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	4	–	–	–	–	–	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,716	2	–	1	4	4	4	7	10	17	22	35	64	100	162	213	276	260	232	193	79	29	2
	White—Male	456	–	–	–	2	1	1	1	2	5	6	8	17	25	41	69	77	75	62	39	17	8	–
	White—Female	624	1	–	–	–	–	1	–	1	1	6	7	9	23	23	42	86	109	121	121	58	15	–
	All other—Male	293	–	–	–	1	3	1	4	3	5	6	7	12	30	50	54	52	32	20	10	–	2	1
	All other—Female	343	1	–	1	1	–	1	2	4	6	4	13	26	22	48	48	61	44	29	23	4	4	1
440	Arteriosclerosis	280	–	–	–	–	–	–	–	1	–	–	3	3	5	13	20	46	46	51	39	37	16	–
	White—Male	74	–	–	–	–	–	–	–	–	–	–	1	1	3	3	8	13	14	10	14	7	–	–
	White—Female	126	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	12	20	30	21	25	10	–
	All other—Male	35	–	–	–	–	–	–	–	–	–	–	1	1	–	1	6	7	6	4	3	4	2	–
	All other—Female	45	–	–	–	–	–	–	–	1	–	–	–	1	2	5	3	14	6	7	1	1	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	334	1	–	–	–	1	–	3	3	1	7	9	15	25	39	50	46	49	39	26	14	6	–
	White—Male	162	–	–	–	–	–	–	–	–	–	2	4	7	14	22	31	26	24	12	11	9	–	–
	White—Female	104	1	–	–	–	–	–	2	1	1	2	2	4	5	8	6	11	16	20	14	5	6	–
	All other—Male	42	–	–	–	–	1	–	–	2	–	2	1	3	3	7	11	3	8	1	–	–	–	–
	All other—Female	26	–	–	–	–	–	–	1	–	–	1	2	1	3	2	2	6	1	6	1	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White—Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	619	75	16	7	4	5	3	9	5	7	19	19	43	28	36	50	64	68	79	52	22	8	–
	White—Male	201	11	5	1	2	2	–	2	1	1	2	5	16	7	11	14	31	31	33	15	10	1	–
	White—Female	172	6	2	3	–	–	–	3	2	–	3	4	4	6	10	10	17	22	36	29	11	4	–
	All other—Male	154	34	6	1	2	1	2	1	1	5	9	7	18	13	11	16	7	9	7	3	–	1	–
	All other—Female	92	24	3	2	–	2	1	3	1	1	5	3	5	2	4	10	9	6	3	5	1	2	–
470–474	Influenza	18	4	–	1	–	–	–	–	1	–	1	–	–	1	1	3	2	1	–	3	–	–	–
	White—Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	2	–	–	–
	White—Female	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–
	All other—Male	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	601	71	16	6	4	5	3	9	4	7	18	19	43	27	35	47	62	67	79	49	22	8	–
	White—Male	194	10	5	1	2	2	–	2	–	1	2	5	16	7	10	13	31	30	33	13	10	1	–
	White—Female	167	5	2	3	–	–	–	3	2	–	3	4	4	5	10	9	16	22	36	28	11	4	–
	All other—Male	151	33	6	1	2	1	2	1	1	5	8	7	18	13	11	16	6	9	7	3	–	1	–
	All other—Female	89	23	3	1	–	2	1	3	1	1	5	3	5	2	4	9	9	6	3	5	1	2	–
490–493	Bronchitis, emphysema, and asthma	302	3	–	–	–	–	1	–	–	2	2	12	21	27	34	48	66	46	28	6	5	1	–
	White—Male	216	1	–	–	–	–	–	–	–	1	2	6	14	18	25	35	49	36	21	4	3	1	–
	White—Female	42	–	–	–	–	–	–	–	–	1	–	3	3	4	4	5	11	3	6	2	–	–	–
	All other—Male	31	1	–	–	–	–	–	–	–	–	–	1	3	1	5	7	5	5	1	–	2	–	–
	All other—Female	13	1	–	–	–	–	1	–	–	–	–	2	1	4	–	1	1	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	55	3	–	–	–	–	–	–	–	–	–	–	4	6	7	10	10	7	6	2	–	–	
	White.....Male	32	1	–	–	–	–	–	–	–	–	–	–	2	5	3	5	7	5	3	1	–	–	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	3	1	–	–	
	All other.....Male	9	1	–	–	–	–	–	–	–	–	–	–	1	–	2	4	1	–	–	–	–	–	
	Female	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	
492	Emphysema	225	–	–	–	–	–	–	–	–	1	2	9	14	16	27	36	53	38	21	4	4	–	
	White.....Male	178	–	–	–	–	–	–	–	–	–	2	6	11	12	22	28	42	31	18	3	3	–	
	Female	27	–	–	–	–	–	–	–	–	1	–	2	2	2	2	5	8	2	2	1	–	–	
	All other.....Male	19	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	5	1	–	1	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
493	Asthma	22	–	–	–	–	–	1	–	–	1	–	3	3	5	–	2	3	1	1	–	1	1	
	White.....Male	6	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–	1	
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–	
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	
	Female	8	–	–	–	–	–	1	–	–	–	–	2	–	3	–	–	1	1	–	–	–	–	
531–533	Peptic ulcer	67	–	–	–	–	1	1	2	2	3	4	2	2	5	14	8	8	7	4	4	–	–	
	White.....Male	33	–	–	–	–	–	–	1	1	2	2	1	1	2	7	4	3	5	1	3	–	–	
	Female	14	–	–	–	–	1	1	–	1	–	–	–	–	2	1	1	3	1	2	1	–	–	
	All other.....Male	16	–	–	–	–	–	–	1	1	–	2	1	1	1	4	3	–	1	1	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	
540–543	Appendicitis	13	–	–	–	1	–	–	–	–	–	–	–	3	1	2	3	–	1	2	–	–	–	
	White.....Male	5	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	85	13	3	–	1	–	–	2	–	–	3	5	8	6	8	6	7	9	5	7	1	1	
	White.....Male	22	3	1	–	1	–	–	–	–	–	1	2	4	1	1	2	2	2	2	–	–	–	
	Female	34	7	1	–	–	–	–	1	–	–	1	–	1	–	2	2	3	6	2	6	1	1	
	All other.....Male	15	2	1	–	–	–	–	–	–	–	–	2	2	3	3	2	–	–	–	–	–	–	
	Female	14	1	–	–	–	–	–	1	–	–	1	1	1	2	2	–	2	1	1	1	–	–	
571	Cirrhosis of liver	310	–	–	–	–	1	2	3	8	18	37	43	68	44	38	24	11	6	3	3	1	–	
	White.....Male	152	–	–	–	–	1	–	–	4	3	14	25	39	25	20	7	7	3	2	2	–	–	
	Female	88	–	–	–	–	–	–	–	2	5	16	6	15	14	9	12	3	3	1	1	1	–	
	All other.....Male	42	–	–	–	–	–	–	1	2	5	3	8	11	3	7	2	–	–	–	–	–	–	
	Female	28	–	–	–	–	–	2	2	–	5	4	4	3	2	2	3	1	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	–	1	1	1	2	–	5	2	7	2	9	5	3	–	
	White.....Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	1	–	–	
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	8	4	2	–	
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	2	1	–	–	1	–	
580–584	Nephritis and nephrosis	154	1	–	1	–	3	1	2	1	3	10	8	12	20	27	22	15	12	11	4	1	–	
	White.....Male	31	1	–	–	–	–	–	1	–	–	3	1	1	4	3	5	4	3	4	1	–	–	
	Female	24	–	–	–	–	–	–	1	–	–	1	1	1	4	1	5	2	1	4	2	1	–	
	All other.....Male	46	–	–	–	–	1	1	–	–	1	4	2	3	3	10	7	6	5	2	1	–	–	
	Female	53	–	–	1	–	2	–	–	1	2	2	4	7	9	13	5	3	3	1	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	17	1	–	–	–	1	–	–	1	1	1	1	2	1	–	4	3	–	–	1	–	–	
	White.....Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	All other.....Male	6	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	2	–	–	–	–	–	
	Female	5	–	–	–	–	1	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	137	–	–	1	–	2	1	2	–	2	9	7	10	19	27	18	12	12	11	3	1	–	
	White.....Male	26	–	–	–	–	–	–	1	–	–	3	1	1	3	3	3	4	3	4	–	–	–	
	Female	23	–	–	–	–	–	–	1	–	–	1	1	1	4	1	5	1	1	4	2	1	–	
	All other.....Male	40	–	–	–	–	1	1	–	–	–	3	2	3	3	10	5	4	5	2	1	–	–	
	Female	48	–	–	1	–	1	–	–	–	2	2	3	5	9	13	5	3	3	1	–	–	–	
590	Infections of kidney	87	1	–	–	–	2	1	–	–	1	–	3	10	6	7	11	8	14	13	6	3	1	
	White.....Male	15	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	5	2	2	1	–	–	
	Female	44	–	–	–	–	–	1	–	–	1	–	1	5	1	1	4	1	10	10	5	3	1	
	All other.....Male	11	1	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	1	1	–	–	–	
	Female	17	–	–	–	–	2	–	–	–	–	–	1	2	3	2	4	2	1	–	–	–	–	
600	Hyperplasia of prostate	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8	5	4	3	–	1	–	
	White.....Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	2	1	–	1	–	
	All other.....Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	2	2	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
	White.....Female	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
	All other.....Female	5	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	209	134	18	5	3	2	6	5	4	4	5	5	4	3	5	2	1	2	1	–	–	–	–
	White Male	84	55	5	2	–	2	3	1	2	2	2	4	1	–	3	1	–	1	–	–	–	–	–
	Female	48	28	5	1	1	–	1	2	1	–	1	1	2	2	1	–	1	–	1	–	–	–	–
	All other Male	36	28	3	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	23	5	1	2	–	1	–	1	2	1	–	1	1	1	1	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	546	545	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	163	162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	279	278	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	74	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	267	267	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	737	76	7	–	6	6	7	10	13	22	23	38	62	62	94	98	82	46	40	29	10	5	1
	White Male	206	15	2	–	4	2	1	2	4	3	4	14	24	20	25	28	17	19	13	3	4	2	–
	Female	130	7	3	–	–	2	2	1	1	2	4	8	6	10	10	17	17	8	13	15	3	1	–
	All other Male	228	33	1	–	1	2	4	4	4	13	6	10	19	20	30	32	24	10	9	4	–	1	1
	Female	173	21	1	–	1	–	–	3	4	4	9	6	13	12	29	21	24	9	5	7	3	1	–
Residual	All other diseases	1,505	55	23	15	12	18	38	30	45	59	66	96	121	140	157	185	146	111	98	54	28	8	–
	White Male	572	17	6	6	6	6	12	9	8	17	23	46	39	58	66	84	65	43	37	17	5	2	–
	Female	411	5	11	4	3	2	6	4	7	10	14	13	24	38	41	52	42	39	48	28	16	4	–
	All other Male	301	21	4	4	1	4	14	13	20	20	13	18	40	19	32	25	18	20	6	6	2	1	–
	Female	221	12	2	1	2	6	6	4	10	12	16	19	18	25	18	24	21	9	7	3	5	1	–
E800–E949	Accidents	1,886	44	63	81	89	238	232	145	115	102	96	111	109	101	89	68	64	51	48	23	11	5	1
	White Male	867	15	19	21	42	140	123	77	48	50	39	53	57	54	35	24	27	18	16	6	3	–	–
	Female	333	8	14	16	16	36	23	12	12	14	15	14	16	11	23	17	15	23	22	13	8	5	–
	All other Male	518	11	17	32	26	50	75	50	43	32	31	32	30	25	22	20	10	7	4	–	–	–	1
	Female	168	10	13	12	5	12	11	6	12	6	11	12	6	11	9	7	12	3	6	4	–	–	–
E810–E823	Motor vehicle accidents	864	4	19	41	44	139	148	87	56	46	40	48	43	38	32	21	26	17	10	4	–	–	1
	White Male	422	2	5	12	21	83	77	48	25	24	18	27	19	17	10	6	13	7	6	2	–	–	–
	Female	147	1	5	10	12	26	16	11	6	7	7	6	6	3	5	5	8	7	4	2	–	–	–
	All other Male	229	–	4	10	9	24	50	26	21	14	11	12	13	11	10	9	1	3	–	–	–	–	1
	Female	66	1	5	9	2	6	5	2	4	1	4	3	5	7	7	1	4	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,022	40	44	40	45	99	84	58	59	56	56	63	66	63	57	47	38	34	38	19	11	5	–
	White Male	445	13	14	9	21	57	46	29	23	26	21	26	38	37	25	18	14	11	10	4	3	–	–
	Female	186	7	9	6	4	10	7	1	6	7	8	8	10	8	18	12	7	16	18	11	8	5	–
	All other Male	289	11	13	22	17	26	25	24	22	18	20	20	17	14	12	11	9	4	4	–	–	–	–
	Female	102	9	8	3	3	6	6	4	8	5	7	9	1	4	2	6	8	3	6	4	–	–	–
E950–E959	Suicide	297	...	...	–	2	25	25	19	31	22	24	38	26	31	19	22	6	2	2	2	1	–	–
	White Male	203	...	...	–	2	18	18	11	21	11	13	23	19	23	16	16	6	2	2	1	1	–	–
	Female	67	...	...	–	–	5	2	3	6	10	8	12	6	7	3	4	–	–	–	1	–	–	–
	All other Male	22	...	...	–	–	2	5	5	2	1	2	2	1	1	–	1	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	486	1	4	–	2	31	89	79	47	52	41	40	35	30	17	9	6	2	–	–	–	–	1
	White Male	153	–	1	–	–	8	26	23	19	17	15	10	10	12	6	4	2	–	–	–	–	–	–
	Female	35	–	–	–	1	4	5	3	3	4	3	3	5	1	1	1	1	–	–	–	–	–	–
	All other Male	235	1	1	–	–	15	44	46	19	26	17	21	14	15	9	3	2	2	–	–	–	–	–
	Female	63	–	2	–	1	4	14	7	6	5	6	6	6	2	1	1	1	–	–	–	–	–	1
E980–E999	Other external causes	69	–	3	–	2	8	11	4	8	4	5	7	10	1	4	1	1	–	–	–	–	–	–
	White Male	29	–	–	–	1	3	3	1	4	2	3	3	6	–	2	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	2	2	1	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
	All other Male	24	–	2	–	1	3	2	2	3	2	2	2	1	1	2	–	1	–	–	–	–	–	–
	Female	7	–	1	–	–	–	4	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota																							
	All causes	**6,581**	**222**	**41**	**29**	**24**	**95**	**77**	**62**	**48**	**74**	**98**	**161**	**219**	**358**	**429**	**609**	**779**	**897**	**1,017**	**837**	**391**	**113**	**1**
	White Male	3,521	102	12	13	15	63	47	37	26	40	46	96	124	213	283	382	462	506	514	352	146	42	–
	White Female	2,656	75	15	11	5	21	17	10	9	15	30	47	65	121	119	196	280	363	485	466	235	70	1
	All other Male	236	24	9	2	3	8	9	11	7	14	12	13	15	18	19	16	22	12	11	8	3	–	–
	All other Female	168	21	5	3	1	3	4	4	6	5	10	5	15	6	8	15	15	16	7	11	7	1	–
004, 006	Bacillary dysentery and amebiasis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	White Male	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	3	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	11	–	1	–	–	–	–	–	–	1	2	1	1	–	1	–	–	1	1	1	1	–	–
	White Male	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,126	–	6	6	–	6	4	2	4	12	22	33	57	105	127	156	172	155	138	78	38	5	–
	White..... Male	581	–	2	2	–	4	2	–	2	5	7	13	30	49	74	79	101	86	70	34	16	5	–
	Female	500	–	3	4	–	2	2	2	2	6	14	19	23	54	45	71	64	62	67	41	19	–	–
	All other..... Male	21	–	–	–	–	–	–	–	–	1	–	1	–	1	6	3	2	2	1	2	2	–	–
	Female	24	–	1	–	–	–	–	–	–	–	1	–	4	1	2	3	5	5	–	1	1	–	–
140–149	Of buccal cavity and pharynx	22	–	–	–	–	–	–	–	–	–	–	1	1	3	1	3	4	1	4	3	1	–	–
	White..... Male	16	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	3	1	2	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	335	–	1	–	–	–	–	1	1	2	2	8	16	33	27	44	52	44	57	25	21	1	–
	White..... Male	164	–	–	–	–	–	–	–	–	1	1	1	9	18	16	19	27	25	27	10	9	1	–
	Female	161	–	1	–	–	–	–	1	1	–	–	7	6	14	9	23	25	18	30	14	12	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–	–	–
160–163	Of respiratory system	200	–	–	–	–	1	–	–	–	2	8	6	10	19	41	34	28	24	15	8	4	–	–
	White..... Male	151	–	–	–	–	1	–	–	–	1	4	6	9	15	32	29	20	19	10	3	2	–	–
	Female	38	–	–	–	–	–	–	–	–	1	4	–	1	3	6	3	6	3	5	5	1	–	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
174	Of breast	108	–	–	–	–	–	–	1	–	1	5	3	6	18	12	20	7	14	10	8	3	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	–	–	–	–	–	–	1	–	1	5	3	6	18	12	20	7	12	10	8	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
180–187	Of genital organs	155	–	–	–	–	–	1	–	1	4	3	5	7	14	14	19	27	19	20	16	3	2	–
	White..... Male	80	–	–	–	–	–	1	–	–	–	1	–	2	3	6	8	17	12	14	13	1	2	–
	Female	68	–	–	–	–	–	–	–	1	4	2	5	2	11	8	11	8	6	6	3	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–
188, 189	Of urinary organs	69	–	–	2	–	–	–	–	–	–	–	2	1	3	11	6	17	13	9	4	–	1	–
	White..... Male	48	–	–	–	–	–	–	–	–	–	–	1	1	3	8	5	12	10	6	1	–	1	–
	Female	15	–	–	2	–	–	–	–	–	–	–	1	–	–	1	1	2	2	3	3	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	121	–	2	1	–	–	1	–	1	3	1	5	9	6	11	14	24	18	11	9	4	1	–
	White..... Male	63	–	1	1	–	–	1	–	1	3	–	1	3	4	7	4	16	9	6	3	2	1	–
	Female	51	–	1	–	–	–	–	–	–	–	1	3	6	2	3	8	8	9	4	4	2	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
204–207	Leukemia	47	–	3	2	–	2	–	–	–	–	1	1	2	2	4	6	5	10	6	3	–	–	–
	White..... Male	22	–	1	–	–	2	–	–	–	–	1	1	1	1	1	5	–	5	3	2	–	–	–
	Female	24	–	1	2	–	–	–	–	–	–	–	–	1	1	3	1	5	5	3	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	69	–	–	1	–	3	2	–	1	–	2	2	5	7	6	10	8	12	6	2	2	–	–
	White..... Male	37	–	–	1	–	1	–	–	1	–	1	2	4	3	3	6	6	5	2	1	1	–	–
	Female	31	–	–	–	–	2	2	–	–	–	1	–	1	4	3	4	2	7	4	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	14	–	–	–	–	–	–	–	1	1	2	–	1	–	1	1	3	1	–	1	2	–	–
	White..... Male	4	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	3	1	–	1	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	126	–	–	–	–	1	–	2	–	3	2	4	3	9	7	13	21	17	28	13	2	1	–
	White..... Male	42	–	–	–	–	1	–	–	–	1	–	3	2	2	2	4	9	4	10	2	1	1	–
	Female	76	–	–	–	–	–	–	1	–	2	2	1	1	5	3	9	10	12	18	11	1	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
280–285	Anemias	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
320	Meningitis	11	7	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	6	3	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,561	3	3	1	3	5	2	4	3	12	23	58	99	155	207	300	430	581	695	612	280	84	1
	White Male	1,937	2	–	–	1	4	1	1	2	7	15	39	63	109	151	212	264	332	346	261	101	26	–
	Female	1,510	1	1	–	1	1	–	2	1	1	6	10	27	39	47	76	149	237	341	339	173	57	1
	All other Male	67	–	1	1	1	–	1	1	–	1	1	7	7	5	7	5	13	6	4	5	1	–	–
	Female	47	–	1	–	–	–	–	–	–	3	1	2	2	2	2	7	4	6	4	7	5	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,541	2	3	1	1	3	1	2	2	10	21	48	77	127	163	247	318	440	463	373	174	64	1
	White Male	1,451	1	–	–	–	3	1	1	1	7	14	35	57	96	116	179	202	266	220	168	65	19	–
	Female	1,006	1	1	–	1	–	–	1	1	1	5	6	12	25	40	59	103	166	236	197	106	44	1
	All other Male	52	–	1	1	–	–	–	–	–	–	1	6	7	5	5	3	10	4	4	5	–	–	–
	Female	32	–	1	–	–	–	–	–	–	2	1	1	1	1	2	6	3	4	3	3	3	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	27	–	–	1	–	–	1	–	–	–	4	1	3	4	3	2	4	2	1	–	–	1	–
	White Male	15	–	–	–	–	–	1	–	–	–	2	1	1	3	2	1	2	2	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	2	–	1	–	–	1	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	5	3	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	6	2	5	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	3	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,308	–	–	–	1	–	–	1	2	7	17	41	66	115	143	231	292	403	427	348	158	55	1
	White Male	1,336	–	–	–	–	–	–	–	1	6	12	31	51	88	103	172	185	242	207	162	58	18	–
	Female	911	–	–	–	1	–	–	1	1	1	4	5	9	21	35	52	98	153	214	181	97	37	1
	All other Male	40	–	–	–	–	–	–	–	–	–	1	4	5	5	4	3	7	4	3	4	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	2	4	3	1	3	–	–
410	Acute myocardial infarction	1,367	–	–	–	–	–	–	1	2	7	14	35	59	96	113	177	196	242	211	140	57	16	1
	White Male	908	–	–	–	–	–	–	–	1	6	10	27	46	76	86	134	134	164	115	77	22	10	–
	Female	424	–	–	–	–	–	–	1	1	1	3	5	8	17	22	39	57	72	95	61	35	6	1
	All other Male	23	–	–	–	–	–	–	–	–	–	1	2	4	2	4	1	3	4	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	2	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	9	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	2	1	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	932	–	–	–	–	–	–	–	–	–	3	6	7	19	29	54	94	159	215	206	101	39	–
	White Male	422	–	–	–	–	–	–	–	–	–	2	4	5	12	16	38	50	76	91	84	36	8	–
	Female	484	–	–	–	–	–	–	–	–	–	1	–	1	4	13	13	40	81	119	119	62	31	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	2	1	3	–	2	4	–	2	3	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	3	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	12	–	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	2	1	3	1	1	–
	White Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	155	2	2	–	–	3	–	–	–	2	–	6	8	8	16	10	18	27	25	15	7	6	–
	White Male	83	1	–	–	–	3	–	–	–	1	–	3	5	5	10	6	13	18	10	5	3	–	–
	White Female	55	1	1	–	–	–	–	–	–	–	–	1	1	3	4	3	1	9	15	7	4	5	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	3	–	–	1	–	–	–
	All other Female	8	–	1	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	2	–	1	–
400, 401, 403	Hypertension	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	6	4	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	4	2	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	769	1	–	–	2	1	1	–	1	2	2	9	21	23	31	38	83	113	175	176	78	12	–
	White Male	354	1	–	–	1	–	–	–	1	–	1	4	6	9	24	22	44	50	91	69	26	5	–
	White Female	393	–	–	–	–	1	–	–	–	–	1	4	14	13	5	13	36	62	83	104	50	7	–
	All other Male	9	–	–	–	1	–	1	–	–	1	–	–	–	–	2	2	2	–	–	–	–	–	–
	All other Female	13	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	1	1	3	2	–	–
431	Cerebral hemorrhage	106	–	–	–	–	–	1	–	–	1	–	3	6	4	9	7	15	18	12	19	9	2	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	–	3	4	6	1	7	9	3	4	4	–	–
	White Female	57	–	–	–	–	–	–	–	–	–	–	2	3	–	2	5	6	8	9	15	5	2	–
	All other Male	5	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
433	Cerebral thrombosis	170	–	–	–	–	–	–	–	–	–	–	1	3	2	7	6	21	23	43	44	16	4	–
	White Male	77	–	–	–	–	–	–	–	–	–	–	1	1	1	6	5	9	10	21	16	4	3	–
	White Female	89	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	12	13	21	26	12	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	491	1	–	–	2	1	–	–	1	1	2	5	12	17	15	25	47	72	119	112	53	6	–
	White Male	234	1	–	–	1	–	–	–	1	–	1	3	2	4	12	16	28	31	66	48	18	2	–
	White Female	247	–	–	–	–	1	–	–	–	–	1	2	9	12	2	8	18	41	53	63	33	4	–
	All other Male	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	2	–	–
440	Arteriosclerosis	130	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	16	14	30	38	20	7	–
	White Male	60	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	8	8	18	14	7	2	–
	White Female	65	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	7	4	12	23	12	5	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	104	–	–	–	–	1	–	2	–	–	–	1	–	3	10	11	12	13	21	21	8	1	–
	White Male	61	–	–	–	–	1	–	–	–	–	–	–	–	3	8	8	9	8	13	8	3	–	–
	White Female	40	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	3	4	8	13	5	1	–
	All other Male	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	207	19	1	1	–	–	5	–	1	2	1	3	1	4	10	7	21	27	34	35	25	10	–
	White Male	100	6	–	–	–	–	2	–	–	1	1	3	1	2	8	3	10	17	15	17	9	5	–
	White Female	86	2	1	–	–	–	3	–	–	–	–	–	–	1	2	3	9	9	18	17	16	5	–
	All other Male	12	5	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–	1	1	–	–	–
	All other Female	9	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
470–474	Influenza	17	1	–	–	–	–	2	–	–	–	–	–	–	–	2	–	1	3	2	3	2	1	–
	White Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	–
	White Female	10	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	2	1	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	190	18	1	1	–	–	3	–	1	2	1	3	1	4	8	7	20	24	32	32	23	9	–
	White Male	93	5	–	–	–	–	2	–	–	1	1	3	1	2	7	3	10	16	14	16	8	4	–
	White Female	76	2	1	–	–	–	1	–	–	–	–	–	–	1	1	3	8	7	17	15	15	5	–
	All other Male	12	5	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–	1	1	–	–	–
	All other Female	9	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	88	1	–	–	–	–	–	–	1	–	–	–	2	6	10	15	19	13	12	8	–	1	–
	White Male	69	–	–	–	–	–	–	–	1	–	–	–	1	3	9	12	16	9	12	5	–	1	–
	White Female	15	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	3	–	3	–	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	15	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	4	2	–	3	–	–	
	White Male	11	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	3	1	–	2	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	68	1	–	–	–	–	–	–	–	–	–	–	2	4	7	12	15	9	12	5	–	1	
	White Male	56	–	–	–	–	–	–	–	–	–	–	–	1	3	7	10	13	6	12	3	–	1	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	–	2	–	–	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
493	Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	–	1	–	–	1	3	–	5	4	2	7	1	1	–	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	3	–	4	2	1	5	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
540–543	Appendicitis	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	38	3	1	–	–	–	1	–	–	1	–	–	2	2	3	1	3	4	6	7	3	1	
	White Male	18	3	–	–	–	–	1	–	–	1	–	–	1	1	2	–	1	3	1	2	1	1	
	Female	19	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	5	5	2	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	81	–	–	–	–	–	–	–	4	2	10	13	10	10	11	9	5	5	1	1	–	–	
	White Male	34	–	–	–	–	–	–	–	1	–	2	6	2	6	7	5	1	3	1	–	–	–	
	Female	26	–	–	–	–	–	–	–	–	–	3	5	3	2	3	4	3	2	–	1	–	–	
	All other Male	10	–	–	–	–	–	–	–	2	2	1	1	2	2	–	–	–	–	–	–	–	–	
	Female	11	–	–	–	–	–	–	–	1	–	4	1	3	–	1	–	1	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	14	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	3	3	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	2	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
580–584	Nephritis and nephrosis	17	–	–	–	–	–	–	1	–	–	–	–	–	3	–	4	4	2	1	1	1	–	
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	2	1	–	–	–	
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	13	–	–	–	–	–	–	1	–	–	–	–	–	3	–	3	2	2	1	–	1	–	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	–	–	–	
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	
590	Infections of kidney	15	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	5	–	3	1	1	
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	
	Female	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Female	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	53	36	6	2	1	–	1	1	–	1	–	1	–	2	1	–	–	–	–	1	–	–	–
	White..... Male	26	18	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	1	–	–	–
	Female	22	16	2	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other..... Male	3	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	63	11	–	–	–	1	–	2	–	–	1	2	3	1	1	7	10	6	8	4	5	1	–
	White..... Male	31	4	–	–	–	1	–	–	–	–	1	1	1	1	1	5	6	4	3	1	2	–	–
	Female	20	4	–	–	–	–	–	1	–	–	–	1	–	–	–	1	2	2	2	3	3	1	–
	All other..... Male	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–	–
	Female	6	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
Residual	All other diseases	405	7	7	–	4	3	7	3	7	3	10	13	13	31	26	55	51	49	52	39	19	6	–
	White..... Male	200	2	3	–	1	1	3	1	2	2	7	7	3	16	14	30	28	26	30	14	9	1	–
	Female	170	4	3	–	3	2	4	–	4	1	–	4	6	11	10	21	20	19	20	23	10	5	–
	All other..... Male	19	1	1	–	–	–	–	1	–	–	2	2	3	3	1	1	1	2	1	–	–	–	–
	Female	16	–	–	–	–	–	–	1	1	–	1	–	1	1	1	3	2	2	1	2	–	–	–
E800–E949	Accidents	468	12	12	16	16	68	46	37	17	23	16	22	20	23	19	20	25	21	19	23	11	2	–
	White..... Male	299	6	3	9	13	48	31	31	11	15	9	17	13	16	9	12	14	13	12	10	6	1	–
	Female	100	5	3	4	1	14	3	1	2	3	1	2	3	3	7	6	10	7	6	13	5	1	–
	All other..... Male	50	1	5	1	1	4	8	4	2	5	4	2	2	3	3	2	1	1	1	–	–	–	–
	Female	19	–	1	2	1	2	4	1	2	–	2	1	2	1	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	230	4	5	5	6	50	32	24	11	14	4	13	7	13	8	8	12	8	2	4	–	–	–
	White..... Male	148	1	1	1	5	31	22	21	7	7	2	9	4	9	6	5	7	6	1	3	–	–	–
	Female	44	3	1	3	1	13	2	–	1	2	1	2	1	1	1	3	5	2	1	1	–	–	–
	All other..... Male	28	–	2	1	–	4	5	2	2	5	1	2	1	2	1	–	–	–	–	–	–	–	–
	Female	10	–	1	–	–	2	3	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	238	8	7	11	10	18	14	13	6	9	12	9	13	10	11	12	13	13	17	19	11	2	–
	White..... Male	151	5	2	8	8	17	9	10	4	8	7	8	9	7	3	7	7	7	11	7	6	1	–
	Female	56	2	2	1	–	1	1	1	1	1	–	–	2	2	6	3	5	5	5	12	5	1	–
	All other..... Male	22	1	3	–	1	–	3	2	–	–	3	–	1	1	2	2	1	1	1	–	–	–	–
	Female	9	–	–	2	1	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	68	...	...	–	–	6	9	8	8	6	6	7	4	1	1	5	4	–	3	–	–	–	–
	White..... Male	49	...	...	–	–	3	7	4	5	6	3	4	4	1	1	5	3	–	3	–	–	–	–
	Female	11	...	...	–	–	2	2	1	–	–	2	3	–	–	–	–	1	–	–	–	–	–	–
	All other..... Male	6	...	...	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	17	1	–	1	–	2	–	1	1	3	2	1	–	2	–	2	–	1	–	–	–	–	–
	White..... Male	7	–	–	1	–	–	–	–	–	1	1	1	–	2	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	7	–	–	–	–	2	–	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	6	1	1	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	White..... Male	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee																							
	All causes	39,425	1,110	190	148	173	489	540	549	504	566	827	1,359	2,096	2,594	3,643	4,638	4,925	5,033	4,554	3,342	1,610	533	2
	White Male	18,216	414	75	75	95	320	301	289	259	300	420	694	1,128	1,396	1,971	2,421	2,292	2,192	1,786	1,162	503	123	–
	Female	14,046	343	65	46	47	102	102	121	124	142	220	367	533	650	923	1,320	1,655	2,064	2,202	1,781	926	312	1
	All other Male	3,875	199	25	18	19	51	93	96	75	75	107	179	267	312	396	495	525	400	263	173	71	35	1
	Female	3,288	154	25	9	12	16	44	43	46	49	80	119	168	236	353	402	453	377	303	226	110	63	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	42	15	2	1	–	1	1	–	1	–	1	–	2	2	1	3	–	6	1	3	2	–	–
	White Male	14	6	1	1	–	–	–	–	1	–	–	–	1	1	–	1	–	1	1	–	–	–	–
	Female	17	3	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	3	2	–	–
	All other Male	7	4	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	110	–	1	–	–	–	–	2	2	–	–	4	10	7	14	14	18	18	12	6	2	–	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	2	5	4	8	11	7	6	6	3	1	–	–
	Female	30	–	1	–	–	–	–	1	1	–	–	2	1	–	2	1	6	6	5	3	1	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	3	2	3	2	5	3	1	–	–	–	–
	Female	8	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–	3	–	–	–	–	–
010–012	Tuberculosis of respiratory system	85	–	–	–	–	–	–	1	2	–	–	3	5	5	11	12	17	12	10	5	2	–	–
	White Male	41	–	–	–	–	–	–	–	–	–	–	2	2	2	6	9	7	4	5	3	1	–	–
	Female	24	–	–	–	–	–	–	1	1	–	–	1	1	–	1	1	6	5	4	2	1	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	4	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–
013–019	Tuberculosis, other forms	25	–	1	–	–	–	–	1	–	–	–	1	5	2	3	2	1	6	2	1	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	3	2	2	2	–	2	1	–	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	12	1	5	1	–	1	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	95	24	1	1	1	2	1	2	–	–	3	2	–	6	6	12	8	14	6	4	2	–	–
	White Male	33	6	–	–	1	2	–	1	–	–	2	–	–	2	3	6	3	3	2	2	–	–	–
	Female	32	12	1	1	–	–	1	–	–	1	2	–	1	1	3	1	3	3	2	2	1	–	–
	All other Male	17	5	–	–	–	–	1	–	–	–	–	–	1	1	–	2	4	2	–	–	1	–	–
	Female	13	1	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	4	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	112	5	5	4	8	6	7	5	5	2	3	8	6	2	6	13	8	6	7	4	–	2	–
	White Male	36	–	3	3	3	3	2	2	3	–	1	3	1	–	–	2	1	3	3	3	–	–	–
	Female	43	3	–	1	2	2	2	1	1	1	2	4	3	2	5	5	4	2	1	1	–	1	–
	All other Male	13	–	2	–	3	–	1	–	–	–	–	1	–	–	–	3	2	–	1	–	–	–	–
	Female	20	2	–	–	–	1	2	2	1	1	–	–	2	–	1	3	1	1	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,697	1	11	25	13	15	31	41	58	103	178	359	572	716	906	1,048	948	740	557	274	86	15	–
	White—Male	3,052	1	7	12	6	10	10	18	20	40	70	152	260	332	451	535	420	349	224	97	32	6	–
	White—Female	2,456	–	2	8	5	4	14	15	30	48	82	140	200	251	277	331	332	280	263	127	41	6	–
	All other—Male	693	–	2	4	2	1	2	3	3	7	12	43	70	65	99	114	124	66	41	28	6	1	–
	All other—Female	496	–	–	1	–	–	5	5	5	8	14	24	42	68	79	68	72	45	29	22	7	2	–
140–149	Of buccal cavity and pharynx	139	–	–	–	–	–	–	–	–	2	4	8	17	16	17	16	20	19	10	8	2	–	–
	White—Male	73	–	–	–	–	–	–	–	–	2	2	2	8	8	10	9	13	11	6	2	–	–	–
	White—Female	45	–	–	–	–	–	–	–	–	–	1	3	5	5	3	4	5	8	3	6	2	–	–
	All other—Male	17	–	–	–	–	–	–	–	–	–	–	2	4	3	3	3	1	–	1	–	–	–	–
	All other—Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,623	–	–	–	–	–	4	6	8	18	25	58	99	139	213	254	263	228	186	86	34	2	–
	White—Male	658	–	–	–	–	–	1	1	3	8	13	26	50	64	92	120	98	88	57	26	11	–	–
	White—Female	657	–	–	–	–	–	3	1	3	6	8	20	28	45	73	88	115	102	99	45	19	2	–
	All other—Male	173	–	–	–	–	–	–	2	1	1	2	7	16	15	30	28	24	23	17	6	1	–	–
	All other—Female	135	–	–	–	–	–	–	2	1	3	2	5	5	15	18	18	26	15	13	9	3	–	–
160–163	Of respiratory system	1,680	–	–	–	–	–	–	–	7	15	43	114	197	228	299	302	212	150	70	38	4	1	–
	White—Male	1,194	–	–	–	–	–	–	–	5	8	25	67	125	152	225	234	161	113	52	23	3	1	–
	White—Female	233	–	–	–	–	–	–	–	1	4	12	21	30	34	31	32	20	22	14	11	1	–	–
	All other—Male	211	–	–	–	–	–	–	–	1	3	5	23	33	33	36	33	27	11	3	3	–	–	–
	All other—Female	42	–	–	–	–	–	–	–	–	–	1	3	9	9	7	3	4	4	1	1	–	–	–
174	Of breast	576	–	–	–	–	–	–	2	7	16	31	44	69	79	74	89	62	38	37	21	6	1	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	1	–	–
	White—Female	473	–	–	–	–	–	–	2	6	15	25	36	58	61	60	73	53	31	30	19	4	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	97	–	–	–	–	–	–	–	1	1	6	8	9	17	14	15	9	7	6	2	1	1	–
180–187	Of genital organs	870	–	–	–	–	–	2	8	8	11	20	34	49	68	94	147	151	106	111	42	15	4	–
	White—Male	287	–	–	–	–	–	–	2	–	2	1	1	4	15	19	48	51	54	56	23	8	3	–
	White—Female	377	–	–	–	–	–	1	3	5	8	17	27	35	43	53	59	51	27	37	8	2	1	–
	All other—Male	117	–	–	–	–	–	–	–	–	–	–	–	–	3	8	25	38	17	15	7	4	–	–
	All other—Female	89	–	–	–	–	–	1	3	3	1	2	6	10	7	14	15	11	8	3	4	1	–	–
188, 189	Of urinary organs	264	–	–	2	–	–	–	–	1	1	8	5	16	23	30	50	42	47	23	12	3	1	–
	White—Male	152	–	–	1	–	–	–	–	–	–	7	4	8	21	14	31	23	28	8	4	2	1	–
	White—Female	71	–	–	1	–	–	–	–	1	–	1	–	4	2	6	13	9	16	14	4	–	–	–
	All other—Male	29	–	–	–	–	–	–	–	–	1	–	1	4	–	6	3	7	3	1	2	1	–	–
	All other—Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	3	–	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	904	1	7	9	5	8	18	13	16	27	31	67	86	103	112	89	104	76	74	39	15	4	–
	White—Male	401	1	5	5	1	5	8	10	7	12	17	37	42	41	61	45	36	24	27	11	5	1	–
	White—Female	339	–	2	2	3	2	6	3	8	10	11	21	27	38	24	27	43	40	40	21	9	2	–
	All other—Male	82	–	–	2	1	1	1	–	1	2	2	8	9	7	11	10	14	5	2	5	–	1	–
	All other—Female	82	–	–	–	–	–	3	–	–	3	1	1	8	17	16	7	11	7	5	2	1	–	–
204–207	Leukemia	260	–	4	13	7	4	5	3	7	3	6	9	14	18	20	44	35	35	20	9	3	1	–
	White—Male	106	–	2	5	4	2	1	1	3	2	1	1	12	6	5	25	14	11	8	2	1	–	–
	White—Female	121	–	–	5	2	2	2	2	4	1	2	6	2	12	12	14	16	21	11	4	2	1	–
	All other—Male	23	–	2	2	1	–	1	–	–	–	2	2	–	–	1	2	4	2	1	3	–	–	–
	All other—Female	10	–	–	1	–	–	1	–	–	–	1	–	–	–	2	3	1	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	381	–	–	1	1	3	2	9	4	10	10	20	25	42	47	57	59	41	26	19	4	1	–
	White—Male	176	–	–	1	1	3	–	4	2	6	4	14	9	24	25	23	24	20	9	6	1	–	–
	White—Female	140	–	–	–	–	–	2	4	2	4	5	6	11	11	15	21	20	13	15	9	2	–	–
	All other—Male	40	–	–	–	–	–	–	1	–	–	1	–	4	4	4	9	9	5	1	2	–	–	–
	All other—Female	25	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	6	3	1	2	1	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	56	1	–	1	1	1	–	2	2	2	3	4	2	5	3	6	7	3	9	3	–	1	–
	White—Male	17	–	–	–	–	–	–	1	–	–	1	1	–	2	1	4	3	2	1	1	–	–	–
	White—Female	22	1	–	1	–	–	–	–	1	2	1	–	1	3	1	1	3	1	4	1	–	1	–
	All other—Male	9	–	–	–	–	1	–	1	–	–	–	2	–	–	1	–	1	–	3	–	–	–	–
	All other—Female	8	–	–	–	1	–	–	–	1	–	1	1	1	–	–	1	–	–	1	1	–	–	–
250	Diabetes mellitus	616	1	–	–	2	1	4	5	8	7	8	16	36	46	62	113	85	98	62	50	10	2	–
	White—Male	151	–	–	–	–	–	3	–	4	5	4	4	7	12	16	27	20	27	12	8	2	–	–
	White—Female	298	–	–	–	2	1	1	4	2	1	2	6	12	15	23	51	38	58	40	35	5	2	–
	All other—Male	62	1	–	–	–	–	–	1	1	2	3	6	8	8	8	10	8	3	2	1	–	–	–
	All other—Female	105	–	–	–	–	–	–	1	1	–	–	3	11	11	15	27	17	5	7	5	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	49	1	–	–	–	–	–	–	–	–	–	1	1	3	4	5	6	8	6	9	2	3	–
	White—Male	19	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	4	3	2	1	–	–
	White—Female	23	1	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	3	2	6	1	2	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	1	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
280–285	Anemias	72	–	6	–	1	–	3	2	–	4	2	3	1	3	3	3	10	14	8	6	2	1	
	White—Male	23	–	2	–	–	–	–	–	–	1	2	–	–	2	1	2	3	4	4	2	–	–	
	Female	28	–	1	–	–	–	1	–	–	–	–	–	1	–	2	1	3	9	4	4	1	1	
	All other—Male	11	–	1	–	–	–	2	2	–	1	–	2	–	1	–	–	1	–	–	–	1	–	
	Female	10	–	2	–	1	–	–	–	–	2	–	1	–	–	–	–	3	1	–	–	–	–	
320	Meningitis	36	12	4	–	–	2	1	1	–	–	2	–	4	1	1	2	1	2	2	–	1	–	
	White—Male	13	4	1	–	–	–	1	–	–	–	1	–	3	–	–	2	–	–	1	–	–	–	
	Female	10	3	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	1	–	1	–	
	All other—Male	9	4	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	
	Female	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
390–448	Major cardiovascular diseases	21,068	13	4	7	7	14	20	50	68	136	270	491	877	1,170	1,833	2,537	3,004	3,250	3,181	2,470	1,230	434	2
	White—Male	9,456	4	1	4	3	4	11	16	31	78	142	284	536	694	1,040	1,347	1,402	1,336	1,200	852	370	101	–
	Female	7,999	4	1	2	2	8	5	13	12	25	52	93	160	220	407	692	1,018	1,390	1,575	1,334	727	258	1
	All other—Male	1,770	4	–	–	2	2	1	12	13	22	38	61	103	149	193	263	294	252	173	114	48	25	1
	Female	1,843	1	2	1	–	–	3	9	12	11	38	53	78	107	193	235	290	272	233	170	85	50	–
390–398, 402, 404, 410–429	Diseases of heart	14,599	9	4	4	4	11	15	36	50	102	216	396	746	939	1,433	1,913	2,120	2,125	2,004	1,492	713	267	
	White—Male	7,086	3	1	3	1	2	9	12	22	62	127	247	487	593	868	1,073	1,042	929	776	551	213	65	
	Female	5,124	3	1	1	2	7	3	8	9	15	35	68	124	159	305	504	694	878	961	775	417	155	
	All other—Male	1,233	2	–	–	1	2	1	9	10	16	31	47	81	113	133	193	206	160	120	64	30	14	
	Female	1,156	1	2	–	–	–	2	7	9	9	23	34	54	74	127	143	178	158	147	102	53	33	
390–398	Active rheumatic fever and chronic rheumatic heart disease	202	–	–	1	1	4	4	4	3	2	13	9	16	28	27	30	21	19	15	3	1	1	
	White—Male	75	–	–	–	–	2	2	–	3	1	4	4	5	13	8	8	12	6	4	2	1	–	
	Female	105	–	–	1	1	2	1	3	–	–	6	5	11	13	14	18	9	10	9	1	–	1	
	All other—Male	16	–	–	–	–	–	–	–	–	1	3	–	–	2	3	3	–	3	1	–	–	–	
	Female	6	–	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	–	1	–	–	–	
402	Hypertensive heart disease	78	–	–	–	–	–	–	1	–	1	2	2	2	2	6	15	9	14	13	6	4	1	
	White—Male	26	–	–	–	–	–	–	1	–	–	–	1	1	1	2	8	4	3	1	3	1	–	
	Female	34	–	–	–	–	–	–	–	–	–	2	1	–	1	1	3	1	9	11	2	2	1	
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	1	–	1	–	
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	2	–	1	–	–	
404	Hypertensive heart and renal disease	64	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	12	11	13	7	8	3	
	White—Male	20	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	6	4	4	–	2	–	
	Female	29	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	3	7	6	5	2	
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	–	1	1	
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	
410–413	Ischemic heart disease	13,425	–	–	1	–	2	4	18	36	79	186	354	693	850	1,321	1,778	1,974	1,989	1,846	1,398	655	241	
	White—Male	6,608	–	–	1	–	–	3	8	17	51	116	230	463	549	822	1,009	966	884	720	515	192	62	
	Female	4,669	–	–	–	–	1	1	3	6	11	22	56	105	138	270	460	652	814	879	728	386	137	
	All other—Male	1,103	–	–	–	–	1	–	3	7	10	25	40	77	98	118	180	189	149	108	60	26	12	
	Female	1,045	–	–	–	–	–	–	4	6	7	23	28	48	65	111	129	167	142	139	95	51	30	
410	Acute myocardial infarction	8,169	–	–	1	–	2	3	13	29	65	131	291	557	655	980	1,240	1,260	1,131	877	587	254	93	
	White—Male	4,628	–	–	1	–	–	3	8	12	46	90	203	393	454	663	783	686	539	392	245	82	28	
	Female	2,543	–	–	–	–	1	–	1	6	9	18	45	87	110	200	310	413	464	400	289	142	48	
	All other—Male	549	–	–	–	–	1	–	2	6	8	14	27	52	53	66	84	91	66	38	25	11	5	
	Female	449	–	–	–	–	–	–	2	5	2	9	16	25	38	51	63	70	62	47	28	19	12	
411	Other acute and subacute forms of ischemic heart disease	31	–	–	–	–	–	–	–	1	1	1	2	2	2	1	3	4	5	2	4	2	1	
	White—Male	19	–	–	–	–	–	–	–	1	1	1	2	1	2	1	1	2	3	1	1	1	1	
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	2	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
412	Chronic ischemic heart disease	5,223	–	–	–	–	–	1	5	6	13	54	61	134	193	339	535	709	853	967	807	399	147	
	White—Male	1,960	–	–	–	–	–	–	–	4	4	25	25	69	93	157	225	278	342	327	269	109	33	
	Female	2,116	–	–	–	–	–	1	2	–	2	4	11	17	28	70	148	238	348	478	437	243	89	
	All other—Male	554	–	–	–	–	–	–	1	1	2	11	13	25	45	52	96	98	83	70	35	15	7	
	Female	593	–	–	–	–	–	–	2	1	5	14	12	23	27	60	66	95	80	92	66	32	18	
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	160	1	–	–	1	1	–	–	–	1	1	1	3	5	10	8	23	24	30	25	17	9	
	White—Male	68	1	–	–	–	–	–	–	–	1	–	1	2	4	3	4	12	6	15	10	8	1	
	Female	69	–	–	–	–	1	–	–	–	–	1	–	1	1	2	2	8	16	10	13	8	6	
	All other—Male	12	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	1	1	3	1	1	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	2	1	–	2	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
420–423, 425–427, 429	All other forms of heart disease	670	8	4	2	2	4	7	13	11	19	14	30	30	52	67	78	81	68	87	53	28	12	–
	White Male	289	2	1	2	1	–	4	3	2	9	7	11	16	25	32	42	42	26	32	21	9	2	–
	White Female	218	3	1	–	1	3	1	2	3	4	4	6	5	6	17	20	22	26	45	25	16	8	–
	All other Male	85	2	–	–	–	1	1	6	3	5	3	7	3	12	9	4	12	6	5	3	2	1	–
	All other Female	78	1	2	–	–	–	1	2	3	1	–	6	6	9	9	12	5	10	5	4	1	1	–
400, 401, 403	Hypertension	168	–	–	–	–	–	–	–	–	1	1	1	5	13	9	18	29	29	26	20	10	6	–
	White Male	57	–	–	–	–	–	–	–	–	–	–	–	–	2	6	6	11	8	10	9	3	2	–
	White Female	50	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	6	13	12	7	4	2	–
	All other Male	31	–	–	–	–	–	–	–	–	–	–	1	1	8	1	2	4	6	2	2	2	2	–
	All other Female	30	–	–	–	–	–	–	–	–	1	1	–	3	2	2	6	8	2	2	2	1	–	–
430–438	Cerebrovascular diseases	5,186	3	–	1	1	3	5	11	15	29	46	84	110	178	334	517	718	913	932	795	376	113	2
	White Male	1,837	1	–	1	1	2	2	3	8	14	13	33	40	76	133	212	277	322	325	234	116	24	–
	White Female	2,353	–	–	–	–	1	2	3	2	8	16	23	32	50	87	164	278	428	501	462	224	71	1
	All other Male	431	2	–	–	–	–	–	3	2	6	5	12	19	23	54	62	74	67	38	44	12	7	1
	All other Female	565	–	–	–	–	–	1	2	3	1	12	16	19	29	60	79	89	96	68	55	24	11	–
431	Cerebral hemorrhage	596	2	–	–	–	2	2	3	2	6	13	23	27	48	66	75	77	84	81	46	33	5	1
	White Male	207	1	–	–	–	1	1	1	1	2	5	4	8	17	28	31	27	32	29	11	8	–	–
	White Female	241	–	–	–	–	1	–	1	–	1	3	5	7	20	15	25	34	39	40	28	18	4	–
	All other Male	68	1	–	–	–	–	–	1	–	3	–	8	5	5	10	5	10	7	5	5	2	–	1
	All other Female	80	–	–	–	–	–	1	–	1	–	5	6	7	6	13	14	6	6	7	2	5	1	–
433	Cerebral thrombosis	1,301	–	–	–	–	–	–	–	1	–	3	9	11	20	66	124	175	279	262	229	97	24	1
	White Male	463	–	–	–	–	–	–	–	1	–	1	4	2	14	30	56	72	101	90	57	28	7	–
	White Female	620	–	–	–	–	–	–	–	–	–	2	1	3	2	16	35	64	130	145	144	65	12	1
	All other Male	80	–	–	–	–	–	–	–	–	–	–	1	3	1	8	14	16	18	7	12	–	–	–
	All other Female	138	–	–	–	–	–	–	–	–	–	–	3	3	3	12	19	23	30	20	16	4	5	–
434	Cerebral embolism	17	–	–	–	–	–	–	1	–	–	–	–	1	–	–	3	2	3	2	2	2	1	–
	White Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	3	1	2	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,272	1	–	1	1	1	3	7	12	23	30	52	71	110	202	315	464	547	587	518	244	83	–
	White Male	1,158	–	–	1	1	1	1	1	6	12	7	25	30	45	75	124	177	186	205	164	80	17	–
	White Female	1,487	–	–	–	–	–	2	2	2	7	11	17	21	28	56	103	180	259	315	290	140	54	–
	All other Male	283	1	–	–	–	–	–	2	2	3	5	3	11	17	36	43	48	42	26	27	10	7	–
	All other Female	344	–	–	–	–	–	–	2	2	1	7	7	9	20	35	45	59	60	41	37	14	5	–
440	Arteriosclerosis	650	–	–	–	–	–	–	–	–	1	1	–	3	4	17	32	61	109	137	126	114	45	–
	White Male	217	–	–	–	–	–	–	–	–	–	1	–	1	2	8	17	26	35	47	38	34	8	–
	White Female	337	–	–	–	–	–	–	–	–	1	–	–	–	1	8	7	20	52	69	78	72	29	–
	All other Male	42	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	5	13	9	3	4	2	–
	All other Female	54	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	10	9	12	7	4	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	465	1	–	2	2	–	–	3	3	3	6	10	13	36	40	57	76	74	82	37	17	3	–
	White Male	259	–	–	–	1	–	–	1	1	2	1	4	8	21	25	39	46	42	42	20	4	2	–
	White Female	135	1	–	1	–	–	–	2	1	1	1	2	3	9	7	13	20	19	32	12	10	1	–
	All other Male	33	–	–	–	1	–	–	–	1	–	2	1	1	4	5	2	5	6	4	1	–	–	–
	All other Female	38	–	–	1	–	–	–	–	–	–	2	3	1	2	3	3	5	7	4	4	3	–	–
466	Acute bronchitis and bronchiolitis	12	2	–	–	–	1	–	–	–	–	–	1	2	2	1	–	2	–	1	–	–	–	–
	White Male	7	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,038	44	16	3	5	2	6	5	9	10	7	21	28	36	50	86	102	155	174	157	94	28	–
	White Male	473	16	4	2	2	1	2	2	1	4	6	11	13	13	30	41	54	78	84	65	34	10	–
	White Female	421	16	8	1	3	–	2	2	4	2	–	7	8	12	11	25	28	62	81	82	54	13	–
	All other Male	82	6	2	–	–	1	2	1	3	1	–	1	3	6	8	13	11	9	6	6	2	1	–
	All other Female	62	6	2	–	–	–	–	–	1	3	1	2	4	5	1	7	9	6	3	4	4	4	–
470–474	Influenza	76	–	–	–	1	–	–	1	–	1	–	2	1	3	3	6	7	16	12	10	7	6	–
	White Male	37	–	–	–	1	–	–	–	–	–	–	–	1	3	1	2	3	9	7	7	3	–	–
	White Female	31	–	–	–	–	–	–	1	–	1	–	1	–	–	2	4	1	5	5	2	4	5	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
480–486	Pneumonia	962	44	16	3	4	2	6	4	9	9	7	19	27	33	47	80	95	139	162	147	87	22	–
	White Male	436	16	4	2	1	1	2	2	1	4	6	11	12	10	29	39	51	69	77	58	31	10	–
	White Female	390	16	8	1	3	–	2	1	4	1	–	6	8	12	9	21	27	57	76	80	50	8	–
	All other Male	76	6	2	–	–	1	2	1	3	1	–	1	3	6	8	13	8	7	6	5	2	1	–
	All other Female	60	6	2	–	–	–	–	–	1	3	1	1	4	5	1	7	9	6	3	4	4	3	–
490–493	Bronchitis, emphysema, and asthma	573	1	1	–	2	–	1	1	3	1	9	12	34	48	81	98	82	84	80	27	8	–	–
	White Male	417	–	–	–	1	–	–	1	1	1	7	7	18	33	55	74	65	69	64	18	3	–	–
	White Female	111	1	–	–	1	–	–	–	2	–	1	4	12	9	15	15	9	13	15	9	5	–	–
	All other Male	33	–	1	–	–	–	–	–	–	–	1	1	2	4	8	8	6	2	–	–	–	–	–
	All other Female	12	–	–	–	–	–	1	–	–	–	–	–	2	2	3	1	2	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
490, 491	Chronic and unqualified bronchitis	133	–	–	–	1	–	–	–	–	1	1	2	8	16	17	19	16	17	24	7	4	–	–
	White—Male	89	–	–	–	1	–	–	–	–	1	–	2	1	11	12	14	12	13	18	3	1	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	6	4	1	3	2	4	6	4	3	–	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	1	–	1	–	4	2	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
492	Emphysema	400	1	–	–	–	–	–	–	2	–	7	9	23	26	58	72	62	64	52	20	4	–	–
	White—Male	313	–	–	–	–	–	–	–	1	–	6	5	16	21	39	58	52	54	44	15	2	–	–
	Female	67	1	–	–	–	–	–	–	1	–	1	4	5	3	13	10	6	9	7	5	2	–	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	4	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–
493	Asthma	40	–	1	–	1	–	1	1	1	–	1	1	3	6	6	7	4	3	4	–	–	–	–
	White—Male	15	–	–	–	–	–	–	1	–	–	1	–	1	1	4	2	1	2	2	–	–	–	–
	Female	11	–	–	–	1	–	–	–	1	–	–	–	1	2	1	2	1	–	2	–	–	–	–
	All other—Male	8	–	1	–	–	–	–	–	–	–	–	1	–	2	–	2	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–
531–533	Peptic ulcer	140	–	–	1	–	–	1	–	1	–	3	4	9	14	19	23	15	28	5	11	4	2	–
	White—Male	82	–	–	1	–	–	–	–	1	–	1	4	4	8	8	13	10	20	4	5	3	–	–
	Female	41	–	–	–	–	–	1	–	–	–	–	–	4	3	5	5	5	8	1	6	1	2	–
	All other—Male	13	–	–	–	–	–	–	–	–	–	1	–	–	3	6	3	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–
540–543	Appendicitis	16	–	–	–	1	–	1	1	1	–	1	–	–	1	1	–	5	2	1	1	–	–	–
	White—Male	8	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	All other—Male	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	109	6	1	–	–	–	–	1	1	1	–	3	4	8	5	17	12	15	17	13	2	3	–
	White—Male	30	3	–	–	–	–	–	–	–	–	–	2	–	3	1	6	5	2	6	2	–	–	–
	Female	55	3	1	–	–	–	–	–	–	–	–	–	2	3	2	7	5	5	11	11	2	3	–
	All other—Male	18	–	–	–	–	–	–	1	–	–	–	–	2	1	2	3	1	8	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	–	–	–	–	–	–
571	Cirrhosis of liver	437	2	–	–	–	–	2	6	12	21	36	50	63	78	58	52	28	15	10	4	–	–	–
	White—Male	237	1	–	–	–	–	1	1	6	14	17	25	33	46	35	32	17	5	3	1	–	–	–
	Female	129	1	–	–	–	–	–	4	2	3	13	16	16	20	16	14	8	8	5	3	–	–	–
	All other—Male	40	–	–	–	–	–	1	1	3	4	5	10	7	1	5	–	1	2	–	–	–	–	–
	Female	31	–	–	–	–	–	1	–	3	1	2	4	4	5	6	1	3	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	80	–	–	–	–	–	–	–	1	1	1	1	4	5	2	12	8	18	10	14	2	1	–
	White—Male	25	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	2	7	3	2	1	–	–
	Female	47	–	–	–	–	–	–	–	1	–	–	–	2	3	–	7	6	8	6	12	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	2	1	–	–	–	–
580–584	Nephritis and nephrosis	177	–	–	1	–	1	5	3	2	4	4	8	5	16	24	25	28	18	17	8	8	–	–
	White—Male	66	–	–	–	–	–	3	1	1	2	1	5	1	7	9	6	9	8	7	3	3	–	–
	Female	41	–	–	–	–	–	1	–	1	1	1	–	2	2	8	5	6	4	4	3	3	–	–
	All other—Male	32	–	–	–	–	1	1	1	–	1	–	1	2	3	3	7	5	2	3	1	1	–	–
	Female	38	–	–	1	–	–	–	1	–	–	2	2	–	4	4	7	8	4	3	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	22	–	–	–	–	–	–	1	–	–	–	1	–	2	6	2	5	2	3	–	–	–	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	2	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	155	–	–	1	–	1	5	2	2	4	4	7	5	14	18	23	23	16	14	8	8	–	–
	White—Male	55	–	–	–	–	–	3	1	1	2	1	4	1	6	5	5	7	8	5	3	3	–	–
	Female	35	–	–	–	–	–	1	–	1	1	1	–	2	2	6	4	5	2	4	3	3	–	–
	All other—Male	29	–	–	–	–	1	1	1	–	1	–	1	2	3	3	7	3	2	2	1	1	–	–
	Female	36	–	–	1	–	–	–	–	–	–	2	2	–	3	4	7	8	4	3	1	1	–	–
590	Infections of kidney	185	–	–	–	–	–	–	1	–	–	4	1	7	6	9	21	27	32	34	28	14	1	–
	White—Male	62	–	–	–	–	–	–	–	–	–	1	–	5	3	4	9	8	14	6	6	6	–	–
	Female	95	–	–	–	–	–	–	1	–	–	3	–	1	1	2	7	17	13	26	18	6	–	–
	All other—Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	1	3	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	1	2	1	1	1	–	–
600	Hyperplasia of prostate	56	–	–	–	–	–	–	–	–	–	–	–	–	2	1	8	6	11	10	11	5	2	–
	White—Male	47	–	–	–	–	–	–	–	–	–	–	–	–	2	1	7	3	11	7	10	5	1	–
	All other—Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	1	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	22	–	–	–	–	3	5	8	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	16	–	–	–	–	2	1	8	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	6	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	22	–	–	–	–	3	5	8	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	16	–	–	–	–	2	1	8	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	6	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	281	183	23	11	9	5	7	8	7	–	5	5	1	3	5	3	4	1	1	–	–	–	–
	White..... Male	124	78	11	5	5	4	1	5	4	–	1	1	–	–	3	2	2	1	1	–	–	–	–
	Female	102	65	6	3	3	1	5	2	2	–	2	4	1	3	2	1	2	–	–	–	–	–	–
	All other..... Male	27	16	5	3	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	28	24	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	615	615	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	225	225	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	330	330	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	285	285	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	711	106	8	–	2	4	6	6	6	12	14	20	42	49	87	66	72	74	57	39	33	8	–
	White..... Male	324	40	2	–	–	1	5	2	1	4	6	10	22	34	44	36	38	35	22	11	10	1	–
	Female	218	22	4	–	2	3	–	–	4	7	4	7	11	7	28	13	23	24	28	15	14	2	–
	All other..... Male	91	26	1	–	–	–	–	2	1	–	2	3	5	5	8	9	6	8	5	4	4	2	–
	Female	78	18	1	–	–	–	1	2	–	1	2	–	4	3	7	8	5	7	2	9	5	3	–
Residual	All other diseases	2,266	29	22	24	16	25	27	38	52	47	55	100	142	174	249	301	277	283	190	135	61	19	–
	White..... Male	1,024	13	5	12	7	17	10	17	17	19	26	45	65	77	121	156	133	140	74	48	19	3	–
	Female	785	7	12	11	5	5	9	11	19	14	10	27	47	48	73	92	89	103	89	67	37	10	–
	All other..... Male	248	4	2	1	1	1	3	4	8	9	13	16	19	31	29	26	29	22	14	10	3	3	–
	Female	209	5	3	–	3	2	5	6	8	5	6	12	11	18	26	27	26	18	13	10	2	3	–
E800–E949	Accidents	2,534	46	77	67	93	323	268	208	146	111	113	135	142	125	130	118	115	117	84	64	41	11	–
	White..... Male	1,514	14	34	35	59	237	184	146	106	70	78	80	93	70	77	64	50	47	36	20	13	1	–
	Female	634	15	24	17	20	57	44	32	22	19	24	32	28	35	29	32	38	57	37	39	23	10	–
	All other..... Male	255	8	7	9	8	25	28	24	13	11	8	16	18	16	15	17	16	7	5	2	2	–	–
	Female	131	9	12	6	6	4	12	6	5	11	3	7	3	4	9	5	11	6	6	3	3	–	–
E810–E823	Motor vehicle accidents	1,284	4	29	43	49	238	180	131	93	71	64	59	74	56	51	41	40	35	17	5	4	–	–
	White..... Male	857	–	13	22	30	174	121	93	70	47	41	41	51	34	35	29	22	20	9	4	1	–	–
	Female	272	2	9	11	13	51	37	19	12	12	17	11	14	15	8	11	14	11	5	–	–	–	–
	All other..... Male	105	1	2	5	3	11	16	15	6	6	5	5	8	5	6	1	2	3	2	1	2	–	–
	Female	50	1	5	5	3	2	6	4	5	6	1	2	1	2	2	–	2	1	1	–	1	–	–
E800–E807, E825–E949	All other accidents	1,250	42	48	24	44	85	88	77	53	40	49	76	68	69	79	77	75	82	67	59	37	11	–
	White..... Male	657	14	21	13	29	63	63	53	36	23	37	39	42	36	42	35	28	27	27	16	12	1	–
	Female	362	13	15	6	7	6	7	13	10	7	7	21	14	20	21	21	24	46	32	39	23	10	–
	All other..... Male	150	7	5	4	5	14	12	9	7	5	3	11	10	11	9	16	14	4	3	1	–	–	–
	Female	81	8	7	1	3	2	6	2	–	5	2	5	2	2	7	5	9	5	5	3	2	–	–
E950–E959	Suicide	543	...	...	–	5	32	50	56	30	40	40	50	60	38	52	32	31	17	9	1	–	–	–
	White..... Male	386	...	...	–	4	18	39	32	26	28	21	31	41	29	44	25	24	14	9	1	–	–	–
	Female	125	...	...	–	1	12	7	17	4	11	15	17	15	9	6	6	4	1	–	–	–	–	–
	All other..... Male	23	...	...	–	–	1	3	4	–	1	3	1	4	–	1	1	2	2	–	–	–	–	–
	Female	9	...	...	–	–	1	1	3	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–
E960–E978	Homicide	569	1	2	1	5	38	84	85	81	55	55	52	28	20	27	17	13	3	2	–	–	–	–
	White..... Male	234	1	1	–	2	13	23	35	35	31	28	21	10	10	12	4	4	3	1	–	–	–	–
	Female	60	–	–	–	1	6	9	4	11	6	4	5	3	1	3	1	5	–	1	–	–	–	–
	All other..... Male	229	–	–	1	1	13	45	40	30	14	18	21	14	7	10	11	4	–	–	–	–	–	–
	Female	46	–	1	–	1	6	7	6	5	4	5	5	1	2	2	1	–	–	–	–	–	–	–
E980–E999	Other external causes	89	1	1	–	2	12	9	12	4	7	8	7	11	7	3	1	1	1	1	–	1	–	–
	White..... Male	56	–	1	–	1	9	6	8	1	3	4	5	6	6	2	1	1	1	1	–	–	–	–
	Female	13	1	–	–	–	–	–	4	2	1	1	–	2	1	1	–	–	–	–	–	–	–	–
	All other..... Male	16	–	–	–	1	2	2	–	1	3	3	–	3	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas																							
	All causes	**99,491**	**3,764**	**699**	**401**	**526**	**1,374**	**1,641**	**1,446**	**1,276**	**1,451**	**2,215**	**3,497**	**5,089**	**6,554**	**8,932**	**10,977**	**12,104**	**12,333**	**11,542**	**8,443**	**3,894**	**1,317**	**16**
	White..... Male	48,351	1,709	320	198	292	881	1,003	843	665	698	1,080	1,830	2,816	3,737	4,967	5,912	6,104	5,856	4,842	3,077	1,197	313	11
	Female.....	37,001	1,206	220	119	145	283	314	302	311	403	667	1,012	1,372	1,783	2,625	3,344	4,096	5,083	5,673	4,761	2,425	854	3
	All other..... Male	7,871	464	85	61	58	148	229	207	213	209	284	387	522	603	762	974	992	732	502	281	103	54	1
	Female.....	6,268	385	74	23	31	62	95	94	87	141	184	268	379	431	578	747	912	662	525	324	169	96	1
004, 006	Bacillary dysentery and amebiasis.....	10	3	–	–	1	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–
	White..... Male	10	3	–	–	1	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases.....	207	59	18	1	2	–	1	2	–	3	1	3	6	2	2	16	12	19	27	25	5	3	–
	White..... Male	67	32	9	–	–	–	–	2	–	1	1	3	3	2	–	5	4	7	5	11	2	–	–
	Female.....	88	14	4	1	2	–	–	–	–	1	–	–	1	–	1	9	3	11	21	14	3	3	–
	All other..... Male	9	5	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female.....	23	8	5	–	–	–	–	–	–	1	–	–	2	–	1	1	4	1	–	–	–	–	–
010–019	Tuberculosis, all forms.....	203	4	2	1	–	2	3	1	4	8	11	12	17	19	18	25	19	23	16	14	–	3	1
	White..... Male	108	2	–	–	–	1	–	–	2	1	5	6	11	14	13	15	7	11	13	5	–	1	1
	Female.....	50	2	1	–	–	1	2	–	1	4	2	2	3	3	3	5	6	6	2	7	–	–	–
	All other..... Male	32	–	1	–	–	–	–	–	–	1	3	4	3	2	1	3	6	4	1	1	–	2	–
	Female.....	13	–	–	1	–	–	1	1	1	2	1	–	–	–	1	2	–	2	–	1	–	–	–
010–012	Tuberculosis of respiratory system.....	166	2	–	–	–	1	3	1	3	8	8	8	16	15	17	22	12	19	14	13	–	3	1
	White..... Male	93	1	–	–	–	1	–	–	1	1	5	5	10	12	12	12	5	10	11	5	–	1	1
	Female.....	40	1	–	–	–	–	2	–	1	4	2	–	3	2	3	5	4	5	2	6	–	–	–
	All other..... Male	21	–	–	–	–	–	–	–	–	1	–	3	3	1	1	3	3	2	1	1	–	2	–
	Female.....	12	–	–	–	–	–	1	1	1	2	1	–	–	–	1	2	–	2	–	1	–	–	–
013–019	Tuberculosis, other forms.....	37	2	2	1	–	1	–	–	1	–	3	4	1	4	1	3	7	4	2	1	–	–	–
	White..... Male	15	1	–	–	–	–	–	–	1	–	–	1	1	2	1	3	2	1	2	–	–	–	–
	Female.....	10	1	1	–	–	1	–	–	–	–	–	2	–	1	–	–	2	1	–	1	–	–	–
	All other..... Male	11	–	1	–	–	–	–	–	–	–	3	1	–	1	–	–	3	2	–	–	–	–	–
	Female.....	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough.....	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections.....	23	5	6	1	2	2	–	2	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–
	White..... Male	7	1	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	7	2	2	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other..... Male	6	1	1	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female.....	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia.....	339	67	8	2	1	1	3	4	1	3	9	6	19	22	15	27	34	34	41	28	9	5	–
	White..... Male	143	26	3	1	–	–	1	1	–	1	3	4	8	7	7	13	15	22	19	8	3	1	–
	Female.....	128	26	4	1	–	–	2	1	1	–	2	2	6	8	7	8	8	9	19	16	5	3	–
	All other..... Male	35	3	–	–	1	–	–	–	–	1	4	–	4	6	–	4	5	–	3	3	1	–	–
	Female.....	33	12	1	–	–	1	–	2	–	1	–	–	1	1	1	2	6	3	–	1	–	1	–
040–043	Acute poliomyelitis.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles.....	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female.....	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae.....	15	3	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	–	3	–	–	–	–
	White..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female.....	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female.....	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases.....	255	32	11	6	7	11	6	8	7	4	20	10	21	17	16	17	17	14	18	8	5	–	–
	White..... Male	103	16	6	2	3	5	–	4	3	1	6	7	5	3	10	6	12	5	7	2	–	–	–
	Female.....	115	10	4	4	4	5	4	3	1	–	10	3	11	10	5	9	4	6	11	6	5	–	–
	All other..... Male	14	1	–	–	–	–	–	–	2	1	2	–	1	3	1	–	1	2	–	–	–	–	–
	Female.....	23	5	1	–	–	1	2	1	1	2	2	–	4	1	–	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	17,751	8	45	70	52	79	78	120	155	240	466	899	1,361	1,828	2,502	2,646	2,486	2,162	1,487	753	258	56	–
	White Male	8,752	3	23	34	30	45	41	61	69	74	166	359	651	942	1,277	1,403	1,286	1,131	717	322	97	21	–
	Female	6,688	2	19	30	17	23	28	48	61	120	210	386	496	651	887	876	866	811	622	373	137	25	–
	All other Male	1,311	3	2	4	1	8	6	5	10	16	40	79	117	144	198	219	192	136	90	33	4	4	–
	Female	1,000	–	1	2	4	3	3	6	15	30	50	75	97	91	140	148	142	84	58	25	20	6	–
140–149	Of buccal cavity and pharynx	390	–	–	–	–	2	1	2	1	1	9	25	32	47	58	58	53	53	27	15	3	3	–
	White Male	252	–	–	–	–	2	–	–	1	–	4	14	21	31	40	39	33	37	18	8	3	1	–
	Female	97	–	–	–	–	–	1	1	–	1	1	6	6	11	11	14	15	13	8	7	–	2	–
	All other Male	36	–	–	–	–	–	–	–	–	–	4	5	3	4	6	5	5	3	1	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,405	1	–	2	2	5	9	18	31	38	88	154	277	392	586	660	672	619	471	271	94	15	–
	White Male	1,961	–	–	1	–	4	3	5	13	12	41	72	133	188	287	322	302	276	189	89	22	2	–
	Female	1,818	–	–	1	–	–	4	8	13	15	28	50	93	138	211	245	264	275	239	158	64	12	–
	All other Male	348	1	–	–	1	1	1	3	2	2	11	16	29	39	52	54	56	41	21	16	1	1	–
	Female	278	–	–	–	1	–	1	2	3	9	8	16	22	27	36	39	50	27	22	8	7	–	–
160–163	Of respiratory system	4,696	–	–	–	1	–	2	9	10	39	112	251	477	635	825	829	669	469	242	89	33	4	–
	White Male	3,266	–	–	–	–	–	1	4	5	21	58	144	315	451	566	607	491	360	169	51	19	4	–
	Female	877	–	–	–	–	–	1	3	2	8	33	50	96	112	171	111	118	79	51	31	11	–	–
	All other Male	455	–	–	–	–	–	–	1	3	7	14	45	55	64	73	95	50	24	17	5	2	–	–
	Female	98	–	–	–	1	–	–	1	–	3	7	12	11	8	15	16	10	6	5	2	1	–	–
174	Of breast	1,371	–	–	–	–	1	1	9	21	50	70	146	143	169	185	174	137	106	83	52	21	3	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	–	–	–	2	–	–
	Female	1,176	–	–	–	–	1	–	9	14	46	53	127	115	150	162	146	116	95	73	49	17	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	184	–	–	–	–	–	1	–	7	4	17	19	27	16	22	26	20	11	9	3	2	–	–
180–187	Of genital organs	2,116	–	–	–	–	5	11	16	19	26	62	90	102	144	246	296	345	319	255	132	39	9	–
	White Male	848	–	–	–	–	3	6	10	6	2	6	9	10	27	64	111	160	172	150	83	22	7	–
	Female	879	–	–	–	–	2	4	5	10	16	48	66	69	92	125	122	110	98	65	34	12	1	–
	All other Male	185	–	–	–	–	–	–	–	–	1	–	–	1	8	25	30	47	35	27	10	–	1	–
	Female	204	–	–	–	–	–	1	1	3	7	8	15	22	17	32	33	28	14	13	5	5	–	–
188, 189	Of urinary organs	703	–	5	2	1	1	1	–	4	3	12	27	42	54	82	95	123	105	90	41	13	2	–
	White Male	416	–	3	1	1	–	–	–	–	2	8	18	26	37	52	64	64	64	47	23	6	–	–
	Female	205	–	2	1	–	–	–	–	2	–	2	7	8	11	25	19	42	30	33	16	6	1	–
	All other Male	53	–	–	–	–	1	1	–	1	–	2	1	7	3	4	8	10	7	8	–	–	–	–
	Female	29	–	–	–	–	–	–	–	1	1	–	1	1	3	1	4	7	4	2	2	1	1	–
170–173, 190–199	Of all other and unspecified sites	2,256	6	15	23	17	29	26	30	37	45	71	118	179	239	304	315	263	241	164	83	39	12	–
	White Male	1,074	3	8	13	10	14	16	17	21	21	29	55	87	130	152	159	119	99	68	33	15	5	–
	Female	917	1	6	8	6	11	9	12	15	16	32	49	68	82	106	123	108	109	84	45	22	5	–
	All other Male	129	2	–	1	–	2	1	–	1	4	4	6	14	13	25	13	17	16	7	1	1	1	–
	Female	136	–	1	1	1	2	–	1	–	4	6	8	10	14	21	20	19	17	5	4	1	1	–
204–207	Leukemia	815	1	24	37	22	20	11	19	15	18	12	39	37	52	80	84	90	118	81	41	12	2	–
	White Male	425	–	11	16	15	12	4	10	11	5	5	22	21	24	44	45	50	63	41	21	4	1	–
	Female	314	1	11	17	6	6	5	8	1	11	4	13	14	20	27	28	34	48	36	19	5	–	–
	All other Male	48	–	2	3	–	2	2	1	2	1	2	2	1	5	4	7	5	6	2	1	–	–	–
	Female	28	–	–	1	1	–	–	–	1	1	1	2	1	3	5	4	1	1	2	–	3	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	999	–	1	6	9	16	16	17	17	20	30	49	72	96	136	135	134	132	74	29	4	6	–
	White Male	501	–	1	3	4	10	11	15	12	11	15	25	37	51	71	55	66	60	35	14	4	1	–
	Female	405	–	–	3	5	3	4	2	4	7	9	18	27	35	49	68	59	64	33	14	–	1	–
	All other Male	55	–	–	–	–	2	1	–	1	1	3	4	7	8	9	6	2	4	6	–	–	1	–
	Female	38	–	–	–	–	1	–	–	–	1	3	2	1	2	7	6	7	4	–	1	–	3	–
210–239	Benign neoplasms and neoplasms of unspecified nature	209	4	2	1	5	2	2	5	4	7	8	9	19	24	19	23	22	22	17	10	4	–	–
	White Male	88	1	–	1	2	1	1	4	1	2	3	3	9	10	11	7	12	5	9	6	–	–	–
	Female	84	2	2	–	2	–	–	–	1	5	5	5	8	8	5	11	6	9	8	4	3	–	–
	All other Male	19	1	–	–	–	–	–	–	2	–	–	1	1	4	2	2	1	5	–	–	–	–	–
	Female	18	–	–	–	1	1	1	1	–	–	–	–	1	2	1	3	3	3	–	–	1	–	–
250	Diabetes mellitus	1,810	–	1	2	3	8	6	11	22	13	24	55	85	125	194	287	302	270	214	132	45	11	–
	White Male	587	–	–	–	1	3	2	5	10	7	6	28	28	49	61	88	104	88	61	33	12	1	–
	Female	891	–	1	1	2	3	3	4	7	4	11	19	36	49	86	131	133	147	129	92	28	5	–
	All other Male	103	–	–	1	–	–	–	2	1	1	2	3	4	10	16	18	21	11	7	1	4	1	–
	Female	229	–	–	–	–	2	1	–	4	1	5	5	17	17	31	50	44	24	17	6	1	4	–
260–269	Avitaminoses and other nutritional deficiencies	159	13	1	2	–	–	–	–	1	1	1	–	6	6	9	17	18	15	26	23	15	5	–
	White Male	63	6	–	2	–	–	–	–	–	1	1	–	4	5	4	8	11	4	8	5	1	3	–
	Female	74	3	–	–	–	–	–	–	–	–	–	–	1	1	3	7	6	9	12	17	13	2	–
	All other Male	14	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	5	1	–	–	–
	Female	8	1	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	1	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
280–285	Anemias	189	4	4	2	4	2	7	5	4	3	4	3	7	8	17	17	21	25	26	13	8	5	–
	White Male	71	3	1	–	2	2	1	–	–	1	2	–	3	3	10	5	10	11	11	4	–	2	–
	Female	86	1	2	2	2	–	1	3	–	–	2	2	3	3	5	8	8	14	12	7	8	3	–
	All other Male	19	–	1	–	–	–	5	1	3	1	–	–	–	1	1	2	1	–	1	2	–	–	–
	Female	13	–	–	–	–	–	–	1	1	1	–	1	1	1	1	2	2	–	2	–	–	–	–
320	Meningitis	121	55	19	2	5	1	–	1	1	1	3	–	4	8	5	5	6	–	2	2	1	–	–
	White Male	43	20	7	1	1	1	–	–	–	–	3	–	1	5	2	1	1	–	–	–	–	–	–
	Female	40	15	5	–	3	–	–	–	1	1	–	–	2	3	2	2	4	–	1	1	–	–	–
	All other Male	19	10	4	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
	Female	19	10	3	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	1	–	–
390–448	Major cardiovascular diseases	48,702	70	19	9	17	40	69	91	147	306	652	1,187	2,038	2,855	4,142	5,566	6,845	7,395	7,553	5,954	2,790	955	2
	White Male	22,675	28	8	4	5	14	24	42	72	157	362	714	1,254	1,774	2,413	3,033	3,366	3,343	2,969	2,077	818	198	–
	Female	19,600	24	6	1	4	12	27	23	40	77	125	239	402	582	1,072	1,603	2,343	3,192	3,930	3,464	1,781	652	1
	All other Male	3,261	8	2	4	3	7	4	17	17	39	98	131	223	262	383	505	563	427	288	175	70	35	–
	Female	3,166	10	3	–	5	7	14	9	18	33	67	103	159	237	274	425	573	433	366	238	121	70	1
390–398, 402, 404, 410–429	Diseases of heart	33,897	51	12	8	12	24	44	52	105	222	504	944	1,647	2,317	3,325	4,190	4,893	4,905	4,858	3,532	1,699	552	1
	White Male	17,108	25	6	3	4	8	15	22	59	129	303	623	1,097	1,524	2,022	2,389	2,540	2,368	2,014	1,328	498	131	–
	Female	12,462	17	3	1	1	6	12	11	21	49	85	159	272	433	812	1,147	1,606	2,013	2,433	1,957	1,071	352	1
	All other Male	2,295	2	1	4	3	4	4	15	15	22	72	95	168	197	294	378	371	281	193	99	53	24	–
	Female	2,032	7	2	–	4	6	13	4	10	22	44	67	110	163	197	276	376	243	218	148	77	45	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	451	–	–	1	5	3	6	5	7	10	16	41	27	49	70	53	56	48	22	21	9	2	–
	White Male	184	–	–	1	2	1	2	1	2	4	3	14	12	32	34	17	24	22	3	8	2	–	–
	Female	209	–	–	–	–	–	–	2	3	3	11	20	11	14	30	28	27	21	19	12	6	2	–
	All other Male	27	–	–	–	1	1	–	2	1	1	1	2	2	2	5	1	4	3	–	–	1	–	–
	Female	31	–	–	–	2	1	4	–	1	2	1	5	2	1	1	7	1	2	–	1	–	–	–
402	Hypertensive heart disease	355	–	–	–	–	1	1	1	1	2	3	5	16	24	24	40	56	53	65	39	21	3	–
	White Male	115	–	–	–	–	–	–	–	–	–	1	2	7	6	7	16	21	11	22	14	6	2	–
	Female	141	–	–	–	–	–	1	–	1	1	–	1	4	6	8	11	17	24	30	22	14	1	–
	All other Male	33	–	–	–	–	–	–	1	–	–	1	1	1	5	3	5	8	3	4	–	1	–	–
	Female	66	–	–	–	–	1	–	–	–	1	1	1	4	7	6	8	10	15	9	3	–	–	–
404	Hypertensive heart and renal disease	203	–	–	–	–	–	–	–	2	1	1	6	3	8	15	18	17	33	41	33	18	7	–
	White Male	65	–	–	–	–	–	–	–	1	–	–	1	–	3	3	7	8	13	11	14	2	2	–
	Female	100	–	–	–	–	–	–	–	1	–	1	2	2	2	5	4	4	15	27	16	16	5	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	4	3	2	2	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	2	1	2	4	4	1	2	1	1	–	–	–
410–413	Ischemic heart disease	28,597	1	–	1	–	3	7	18	61	154	380	762	1,360	1,912	2,751	3,552	4,199	4,257	4,201	3,052	1,457	468	1
	White Male	14,641	–	–	–	–	3	3	8	41	102	237	532	938	1,285	1,707	2,057	2,210	2,071	1,759	1,148	431	109	–
	Female	10,501	1	–	–	–	–	2	2	8	25	49	101	202	336	664	963	1,381	1,768	2,096	1,694	910	298	1
	All other Male	1,861	–	–	1	–	–	–	6	7	19	58	81	136	154	225	321	298	231	169	86	48	21	–
	Female	1,594	–	–	–	–	–	2	2	5	8	36	48	84	137	155	211	310	187	177	124	68	40	–
410	Acute myocardial infarction	15,288	–	–	1	–	3	5	11	45	102	247	504	865	1,214	1,743	2,183	2,381	2,248	1,914	1,209	475	138	–
	White Male	8,751	–	–	–	–	3	2	5	32	75	168	381	649	882	1,140	1,330	1,353	1,159	881	490	154	47	–
	Female	5,131	–	–	–	–	–	1	2	7	16	35	66	132	207	437	607	777	916	908	656	290	74	–
	All other Male	800	–	–	1	–	–	–	3	4	9	29	35	58	69	104	151	121	104	65	26	14	7	–
	Female	606	–	–	–	–	–	2	1	2	2	15	22	26	56	62	95	130	69	60	37	17	10	–
411	Other acute and subacute forms of ischemic heart disease	130	–	–	–	–	–	–	–	–	1	2	2	8	7	9	12	20	20	23	13	8	5	–
	White Male	72	–	–	–	–	–	–	–	–	1	1	2	6	3	7	10	12	9	11	5	4	1	–
	Female	44	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	3	9	12	7	4	4	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	1	–	–	–	–	–
412	Chronic ischemic heart disease	13,171	1	–	–	–	–	2	7	16	51	131	256	487	691	998	1,354	1,798	1,987	2,264	1,828	974	325	1
	White Male	5,812	–	–	–	–	–	1	3	9	26	68	149	283	400	559	714	845	901	867	653	273	61	–
	Female	5,324	1	–	–	–	–	1	–	1	9	13	35	70	127	226	355	601	843	1,176	1,029	616	220	1
	All other Male	1,055	–	–	–	–	–	–	3	3	10	29	46	77	85	120	170	175	126	104	59	34	14	–
	Female	980	–	–	–	–	–	–	1	3	6	21	26	57	79	93	115	177	117	117	87	51	30	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	324	3	3	–	2	1	5	2	1	–	7	9	11	7	16	35	40	29	46	60	38	9	–
	White Male	128	1	1	–	1	–	1	–	–	–	2	3	7	4	7	18	18	10	21	19	14	1	–
	Female	143	1	2	–	–	–	3	–	–	–	3	2	3	2	4	8	16	12	20	38	23	6	–
	All other Male	28	–	–	–	1	–	1	1	–	–	1	2	1	1	3	6	3	3	3	2	–	–	–
	Female	25	1	–	–	–	1	–	1	1	–	1	2	–	–	2	3	3	4	2	1	1	2	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	3,967	47	9	6	5	16	25	26	33	55	97	121	230	317	449	492	525	485	483	327	156	63	–
	White—Male	1,975	24	5	2	1	4	9	13	15	23	60	71	133	194	264	274	259	241	198	125	43	17	–
	White—Female	1,368	15	1	1	1	6	6	7	8	20	21	33	50	73	101	133	161	173	241	175	102	40	–
	All other—Male	327	2	1	3	1	3	3	5	7	2	11	8	28	34	55	42	54	38	15	9	3	3	–
	All other—Female	297	6	2	–	2	3	7	1	3	10	5	9	19	16	29	43	51	33	29	18	8	3	–
400, 401, 403	Hypertension	331	–	–	–	–	1	1	5	2	9	9	10	16	19	19	39	40	61	35	45	15	5	–
	White—Male	114	–	–	–	–	–	–	5	–	4	–	5	4	7	6	14	14	24	8	15	7	1	–
	White—Female	132	–	–	–	–	1	–	–	–	–	3	3	4	5	10	12	9	28	20	26	8	3	–
	All other—Male	40	–	–	–	–	–	–	–	–	4	2	2	3	3	–	7	5	5	4	4	–	1	–
	All other—Female	45	–	–	–	–	–	1	–	2	1	4	–	5	4	3	6	12	4	3	–	–	–	–
430–438	Cerebrovascular diseases	11,405	15	7	1	4	13	16	27	33	72	121	196	307	411	627	1,058	1,541	1,980	2,103	1,783	804	285	1
	White—Male	4,097	2	2	1	1	6	5	12	11	22	50	68	118	177	278	460	604	736	716	538	239	51	–
	White—Female	5,577	5	3	–	2	4	11	9	16	28	35	64	103	119	207	369	608	959	1,189	1,114	521	211	–
	All other—Male	793	6	1	–	–	2	–	1	1	12	19	29	46	53	75	107	165	124	75	57	13	7	–
	All other—Female	938	2	1	–	1	1	–	5	5	10	17	35	40	62	67	122	164	161	123	74	31	16	1
431	Cerebral hemorrhage	1,539	10	6	1	2	1	5	14	9	30	39	63	92	100	135	177	183	247	176	163	67	19	–
	White—Male	594	2	1	1	1	1	1	5	5	11	18	21	34	50	66	80	64	93	62	50	24	4	–
	White—Female	699	3	3	–	–	–	4	3	3	8	8	20	34	24	51	72	89	121	100	101	42	13	–
	All other—Male	109	4	1	–	–	–	–	1	1	6	5	12	8	11	6	12	18	13	5	5	–	1	–
	All other—Female	137	1	1	–	1	–	–	5	–	5	8	10	16	15	12	13	12	20	9	7	1	1	–
433	Cerebral thrombosis	1,913	–	–	–	–	–	1	–	2	2	14	13	29	43	80	169	304	329	399	323	150	55	–
	White—Male	689	–	–	–	–	–	–	–	–	1	4	6	16	20	29	80	125	120	134	100	44	10	–
	White—Female	926	–	–	–	–	–	1	–	–	1	6	3	5	12	28	49	106	156	226	200	94	39	–
	All other—Male	136	–	–	–	–	–	–	–	–	–	2	–	6	7	13	17	36	24	16	10	3	2	–
	All other—Female	162	–	–	–	–	–	–	–	2	–	2	4	2	4	10	23	37	29	23	13	9	4	–
434	Cerebral embolism	34	–	–	–	–	–	–	–	1	–	–	–	2	1	2	5	5	7	3	4	2	2	–
	White—Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	2	2	–	–
	White—Female	18	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	2	5	3	1	–	2	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,919	5	1	–	2	12	10	13	21	40	68	120	184	267	410	707	1,049	1,397	1,525	1,293	585	209	1
	White—Male	2,802	–	1	–	–	5	4	7	6	10	28	41	68	107	182	298	412	521	520	386	169	37	–
	White—Female	3,934	2	–	–	2	4	6	6	12	19	21	41	63	82	127	247	411	677	860	812	385	157	–
	All other—Male	544	2	–	–	–	2	–	–	–	6	12	17	31	35	56	76	111	87	54	41	10	4	–
	All other—Female	639	1	–	–	–	1	–	–	3	5	7	21	22	43	45	86	115	112	91	54	21	11	1
440	Arteriosclerosis	1,826	–	–	–	–	–	–	–	–	–	3	10	13	24	50	103	175	265	396	470	218	99	–
	White—Male	670	–	–	–	–	–	–	–	–	–	2	6	8	15	24	51	81	119	147	149	57	11	–
	White—Female	1,004	–	–	–	–	–	–	–	–	–	–	2	3	6	16	32	66	127	225	300	151	76	–
	All other—Male	70	–	–	–	–	–	–	–	–	–	1	2	1	1	6	7	16	8	12	12	1	3	–
	All other—Female	82	–	–	–	–	–	–	–	–	–	–	–	1	2	4	13	12	11	12	9	9	9	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,243	4	–	–	1	2	8	7	7	3	15	27	55	84	121	176	196	184	161	124	54	14	–
	White—Male	686	1	–	–	–	–	4	3	2	2	7	12	27	51	83	119	127	96	84	47	17	4	–
	White—Female	425	2	–	–	1	1	4	3	3	–	2	11	20	19	27	43	54	65	63	67	30	10	–
	All other—Male	63	–	–	–	–	1	–	1	1	1	4	3	5	8	8	6	6	9	4	3	3	–	–
	All other—Female	69	1	–	–	–	–	–	–	1	–	2	1	3	6	3	8	9	14	10	7	4	–	–
466	Acute bronchitis and bronchiolitis	46	18	4	1	–	–	1	3	–	–	–	–	3	1	1	1	1	3	3	1	4	1	–
	White—Male	21	6	3	–	–	–	1	2	–	–	–	–	2	1	1	1	1	1	2	–	–	–	–
	White—Female	12	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	2	1	–
	All other—Male	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other—Female	7	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
470–474, 480–486	Influenza and pneumonia	3,010	219	51	22	24	26	18	27	22	32	44	67	68	99	142	212	279	412	489	399	249	108	1
	White—Male	1,402	104	16	11	13	12	7	12	9	7	19	27	25	46	74	124	152	218	241	159	92	33	1
	White—Female	1,249	64	17	8	8	11	8	8	8	10	16	28	27	29	45	62	85	167	218	218	145	67	–
	All other—Male	210	30	8	1	–	2	–	4	3	9	4	9	5	18	17	20	27	12	20	10	7	4	–
	All other—Female	149	21	10	2	3	1	3	3	2	6	5	3	11	6	6	6	15	15	10	12	5	4	–
470–474	Influenza	108	3	1	–	2	1	2	2	1	–	2	5	5	3	5	3	12	16	18	15	9	3	–
	White—Male	42	2	–	–	–	1	–	2	–	–	2	2	3	–	3	3	4	6	6	3	4	1	–
	White—Female	59	1	–	–	2	–	2	–	1	–	–	3	1	2	2	–	6	10	10	12	5	2	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
	All other—Female	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–
480–486	Pneumonia	2,902	216	50	22	22	25	16	25	21	32	42	62	63	96	137	209	267	396	471	384	240	105	1
	White—Male	1,360	102	16	11	13	11	7	10	9	7	17	25	22	46	71	121	148	212	235	156	88	32	1
	White—Female	1,190	63	17	8	6	11	6	8	7	10	16	25	26	27	43	62	79	157	208	206	140	65	–
	All other—Male	207	30	8	1	–	2	–	4	3	9	4	9	5	17	17	20	25	12	20	10	7	4	–
	All other—Female	145	21	9	2	3	1	3	3	2	6	5	3	10	6	6	6	15	15	8	12	5	4	–
490–493	Bronchitis, emphysema, and asthma	1,472	10	1	1	3	3	5	3	5	8	14	33	49	119	192	261	292	229	155	60	24	5	–
	White—Male	1,043	6	1	1	1	1	1	1	1	4	8	16	34	72	144	187	220	174	115	41	11	4	–
	White—Female	326	2	–	–	1	–	1	2	2	3	4	12	12	32	41	54	55	43	32	17	12	1	–
	All other—Male	85	1	–	–	1	2	1	–	2	–	1	5	2	13	6	18	15	9	8	1	–	–	–
	All other—Female	18	1	–	–	–	–	2	–	–	1	1	–	1	2	1	2	2	3	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
490, 491	Chronic and unqualified bronchitis	279	8	–	1	1	–	2	1	–	1	4	3	7	17	30	45	62	47	23	18	6	3	–
	White—Male	178	5	–	1	–	–	–	–	–	–	1	2	3	6	21	28	49	31	14	12	3	2	–
	Female	78	1	–	–	1	–	–	1	–	1	3	1	4	6	8	13	10	12	8	6	2	1	–
	All other—Male	17	1	–	–	–	–	–	–	–	–	–	–	–	5	1	3	3	3	1	–	–	–	–
	Female	6	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
492	Emphysema	1,109	1	–	–	–	1	1	1	2	3	7	25	34	89	156	205	223	176	127	41	15	2	–
	White—Male	834	–	–	–	–	–	–	–	1	2	5	13	27	61	122	157	169	142	97	28	8	2	–
	Female	214	1	–	–	–	–	1	1	1	1	1	8	5	21	29	34	42	28	23	11	7	–	–
	All other—Male	57	–	–	–	–	1	–	–	–	–	1	4	2	7	4	14	11	5	7	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
493	Asthma	84	1	1	–	2	2	2	1	3	4	3	5	8	13	6	11	7	6	5	1	3	–	–
	White—Male	31	1	1	–	1	1	1	1	–	2	2	1	4	5	1	2	2	1	4	1	–	–	–
	Female	34	–	–	–	–	–	–	–	1	1	–	3	3	5	4	7	3	3	1	–	3	–	–
	All other—Male	11	–	–	–	1	1	1	–	2	–	–	1	–	1	1	1	1	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	1	–	1	2	–	1	1	1	–	–	–	–	–
531–533	Peptic ulcer	331	1	–	–	–	2	1	4	–	3	17	19	17	20	31	45	47	56	37	23	7	1	–
	White—Male	186	1	–	–	–	1	–	3	–	1	9	12	11	14	15	26	22	33	20	17	1	–	–
	Female	105	–	–	–	–	1	–	1	–	2	3	–	3	4	12	14	20	20	15	5	5	–	–
	All other—Male	23	–	–	–	–	–	1	–	–	–	2	5	2	1	3	4	2	1	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	3	2	1	1	1	1	3	2	1	–	1	1	–
540–543	Appendicitis	53	–	4	2	–	–	1	1	–	2	1	1	2	5	5	4	8	6	4	6	–	1	–
	White—Male	23	–	3	1	–	–	–	–	–	–	1	1	1	1	5	3	2	2	2	1	–	–	–
	Female	18	–	1	–	–	–	1	–	–	1	–	–	–	2	–	–	2	4	2	4	–	1	–
	All other—Male	7	–	–	1	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	330	22	4	1	1	1	2	1	3	3	5	9	14	17	25	30	41	46	47	40	16	2	–
	White—Male	101	13	2	–	–	–	1	1	1	2	2	3	5	6	5	13	8	18	14	4	2	1	–
	Female	180	6	–	1	–	–	–	–	2	1	3	5	5	11	14	14	23	21	28	33	12	1	–
	All other—Male	28	1	2	–	1	–	1	–	–	–	–	–	3	–	2	3	5	2	3	3	2	–	–
	Female	21	2	–	–	–	1	–	–	–	–	–	1	1	–	4	–	5	5	2	–	–	–	–
571	Cirrhosis of liver	1,409	3	1	1	1	4	6	17	38	54	109	182	232	199	191	172	98	60	24	13	3	1	–
	White—Male	794	3	1	–	–	3	4	6	17	27	53	100	137	117	119	106	54	29	13	3	2	–	–
	Female	457	–	–	1	1	1	2	6	10	16	34	58	64	63	55	55	40	31	9	9	1	1	–
	All other—Male	88	–	–	–	–	–	–	1	7	7	13	14	16	11	10	5	1	–	2	1	–	–	–
	Female	70	–	–	–	–	–	–	4	4	4	9	10	15	8	7	6	3	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	180	–	–	–	–	1	1	1	2	3	1	5	3	9	11	23	23	21	40	22	8	6	–
	White—Male	69	–	–	–	–	–	–	1	1	–	–	1	2	1	5	11	8	12	14	7	3	3	–
	Female	95	–	–	–	–	–	1	–	1	3	1	3	1	7	4	11	13	5	24	14	4	3	–
	All other—Male	8	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	2	1	–	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	–	–	–
580–584	Nephritis and nephrosis	440	–	2	–	3	2	6	3	3	5	7	20	19	25	54	62	55	55	55	45	15	4	–
	White—Male	185	–	–	–	–	–	1	1	1	2	2	8	8	6	22	33	26	22	25	20	7	1	–
	Female	145	–	1	–	3	–	2	1	2	2	3	3	7	8	14	16	16	19	21	19	5	3	–
	All other—Male	56	–	–	–	–	–	1	1	–	–	2	4	2	4	8	8	7	10	3	3	3	–	–
	Female	54	–	1	–	–	2	2	–	–	1	–	5	2	7	10	5	6	4	6	3	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	103	–	1	–	1	–	–	2	1	–	1	3	6	7	8	22	15	14	12	8	1	1	–
	White—Male	51	–	–	–	–	–	–	–	–	–	1	3	–	2	5	13	10	7	7	3	–	–	–
	Female	34	–	–	–	1	–	–	1	1	–	–	–	5	2	2	5	4	3	4	4	1	1	–
	All other—Male	9	–	–	–	–	–	–	1	–	–	–	–	1	–	–	3	–	3	–	1	–	–	–
	Female	9	–	1	–	–	–	–	–	–	–	–	–	–	3	1	1	1	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	337	–	1	–	2	2	6	1	2	5	6	17	13	18	46	40	40	41	43	37	14	3	–
	White—Male	134	–	–	–	–	–	1	1	1	2	1	5	8	4	17	20	16	15	18	17	7	1	–
	Female	111	–	1	–	2	–	2	–	1	2	3	3	2	6	12	11	12	16	17	15	4	2	–
	All other—Male	47	–	–	–	–	–	1	–	–	–	2	4	1	4	8	5	7	7	3	2	3	–	–
	Female	45	–	–	–	–	2	2	–	–	1	–	5	2	4	9	4	5	3	5	3	–	–	–
590	Infections of kidney	349	1	–	–	–	2	–	3	2	1	6	9	7	6	30	28	44	62	56	47	34	11	–
	White—Male	124	–	–	–	–	1	–	–	–	–	2	1	2	3	9	7	17	25	20	19	10	8	–
	Female	179	–	–	–	–	1	–	2	–	1	2	5	4	3	16	17	16	29	31	26	24	2	–
	All other—Male	22	1	–	–	–	–	–	–	2	–	1	2	–	–	2	2	6	3	1	2	–	–	–
	Female	24	–	–	–	–	–	–	1	–	–	1	1	1	–	3	2	5	5	4	–	–	1	–
600	Hyperplasia of prostate	54	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	13	12	13	7	–	–
	White—Male	46	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	12	8	12	6	–	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	44	–	–	–	–	8	10	10	10	3	1	2	–	–	–	–	–	–	–	–	–	–	–
	White—Female	24	–	–	–	–	2	5	4	8	3	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	20	–	–	–	–	6	5	6	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
640–645	Abortions	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	40	–	–	–	–	7	9	9	9	3	1	2	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	23	–	–	–	–	2	5	4	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	17	–	–	–	–	5	4	5	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	872	617	65	23	20	22	13	16	9	10	7	11	8	11	13	10	5	7	1	2	1	1	–
	White..... Male	409	300	27	10	10	7	5	9	7	5	4	3	3	1	5	7	3	2	–	1	–	–	–
	Female	341	237	22	9	10	14	5	6	1	3	2	4	4	7	7	2	1	3	1	1	1	1	–
	All other..... Male	63	37	7	2	–	1	1	1	1	1	1	4	1	2	1	1	1	1	–	–	–	–	–
	Female	59	43	9	2	–	–	2	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,002	2,002	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	898	898	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	623	623	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	206	206	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,201	1,201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	574	574	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	385	385	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	801	801	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	324	324	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	238	238	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	99	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,776	245	31	10	9	27	32	23	26	38	52	100	141	188	294	316	298	305	258	206	116	57	4
	White..... Male	1,316	103	14	1	4	10	16	11	12	14	25	53	84	119	159	172	137	140	100	81	41	18	2
	Female	831	68	7	3	2	11	9	6	7	10	14	21	27	40	70	73	85	102	104	85	60	25	2
	All other..... Male	349	40	7	6	–	4	3	4	3	9	6	14	16	19	30	51	45	31	30	21	4	6	–
	Female	280	34	3	–	3	2	4	2	4	5	7	12	14	10	35	20	31	32	24	19	11	8	–
Residual	All other diseases	6,098	130	74	39	52	80	99	83	97	122	181	248	335	443	562	762	780	749	650	384	180	48	–
	White..... Male	2,887	61	37	19	25	45	49	27	31	42	60	105	154	224	302	393	410	366	313	150	63	11	–
	Female	2,365	47	25	11	23	23	30	31	33	45	83	85	106	145	190	267	275	301	288	210	112	35	–
	All other..... Male	451	13	7	7	3	4	8	8	16	16	20	30	43	48	34	53	53	47	23	16	1	1	–
	Female	395	9	5	2	1	8	12	17	17	19	18	28	32	26	36	49	42	35	26	8	4	1	–
E800–E949	Accidents	6,639	152	292	195	274	802	753	540	344	302	307	336	334	300	294	293	266	274	259	199	89	28	6
	White..... Male	4,112	68	144	105	172	586	551	381	227	204	194	218	204	184	189	174	156	132	116	70	25	7	5
	Female	1,602	45	88	44	52	134	114	93	61	44	70	65	83	67	58	74	69	119	127	116	59	20	–
	All other..... Male	692	26	33	34	38	68	75	50	49	40	39	40	37	31	28	33	30	21	10	4	4	1	1
	Female	233	13	27	12	12	14	13	16	7	14	4	13	10	18	19	12	11	2	6	9	1	–	–
E810–E823	Motor vehicle accidents	3,070	20	97	94	115	515	476	323	199	150	150	158	149	139	124	105	103	88	47	17	1	–	–
	White..... Male	2,035	10	41	58	68	381	355	223	129	106	96	106	87	83	85	60	66	46	27	7	1	–	–
	Female	705	6	35	22	31	105	85	66	46	24	36	34	43	32	22	33	25	34	18	8	–	–	–
	All other..... Male	251	2	12	7	12	22	28	28	20	14	17	14	17	15	11	10	10	8	2	2	–	–	–
	Female	79	2	9	7	4	7	8	6	4	6	1	4	2	9	6	2	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	3,569	132	195	101	159	287	277	217	145	152	157	178	185	161	170	188	163	186	212	182	88	28	6
	White..... Male	2,077	58	103	47	104	205	196	158	98	98	98	112	117	101	104	114	90	86	89	63	24	7	5
	Female	897	39	53	22	21	29	29	27	15	20	34	31	40	35	36	41	44	85	109	108	59	20	–
	All other..... Male	441	24	21	27	26	46	47	22	29	26	22	26	20	16	17	23	20	13	8	2	4	1	1
	Female	154	11	18	5	8	7	5	10	3	8	3	9	8	9	13	10	9	2	6	9	1	–	–
E950–E959	Suicide	1,515	...	...	–	16	97	194	181	133	87	107	130	144	130	106	64	50	40	16	19	1	–	–
	White..... Male	1,065	...	...	–	9	68	142	126	86	53	68	79	104	91	80	48	41	36	15	18	1	–	–
	Female	368	...	...	–	5	24	37	40	38	28	36	48	38	35	20	9	6	2	1	1	–	–	–
	All other..... Male	64	...	...	–	1	2	14	13	7	5	3	1	2	3	5	6	1	1	–	–	–	–	–
	Female	18	...	...	–	1	3	1	2	2	1	–	2	–	1	1	1	2	1	–	–	–	–	–
E960–E978	Homicide	1,773	13	32	5	24	141	307	267	227	179	150	134	116	59	38	34	23	15	6	2	–	–	1
	White..... Male	866	3	12	4	12	70	145	132	110	86	70	76	55	32	22	16	9	6	4	1	–	–	1
	Female	200	6	8	1	4	14	29	19	21	15	26	15	17	10	3	4	3	2	2	1	–	–	–
	All other..... Male	583	2	8	–	7	47	105	95	88	61	43	38	38	17	12	12	6	4	–	–	–	–	–
	Female	124	2	4	–	1	10	28	21	8	17	11	5	6	–	1	2	5	3	–	–	–	–	–
E980–E999	Other external causes	102	3	1	1	–	8	17	13	9	9	7	6	11	7	2	5	2	–	–	–	–	–	1
	White..... Male	63	1	–	1	–	4	10	9	5	5	5	3	8	4	2	3	2	–	–	–	–	–	1
	Female	25	–	1	–	–	3	3	1	4	3	2	1	3	2	–	2	–	–	–	–	–	–	–	–
	All other..... Male	10	–	–	–	–	1	3	3	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah																							
	All causes	**7,384**	**366**	**79**	**56**	**47**	**128**	**129**	**111**	**81**	**93**	**139**	**221**	**338**	**462**	**557**	**779**	**852**	**884**	**921**	**730**	**318**	**90**	**3**
	White—Male	4,041	205	48	32	29	83	88	69	47	57	82	127	205	291	372	489	495	459	415	319	103	24	2
	White—Female	3,164	140	26	19	15	37	32	35	20	28	50	84	127	160	180	275	342	416	496	402	213	66	1
	All other—Male	105	8	2	4	3	5	5	4	6	7	4	5	3	8	4	12	9	5	5	5	1	–	–
	All other—Female	74	13	3	1	–	3	4	3	8	1	3	5	3	3	1	3	6	4	5	4	1	–	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	20	8	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	4	1	1	2	–	–
	White—Male	8	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White—Female	10	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	3	1	–	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	2	–	–	–	–	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	25	5	–	–	–	–	–	1	–	1	–	–	1	4	1	1	–	2	4	4	1	–	–
	White—Male	13	4	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	1	3	–	–	–
	White—Female	11	1	–	–	–	–	–	1	–	1	–	–	–	2	1	–	–	1	2	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	14	5	1	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	–	–	–	–	–
	White—Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	White—Female	11	4	1	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,141	2	4	9	3	7	10	8	11	16	26	48	83	126	119	157	174	146	115	54	21	2	–
	White—Male	600	1	2	4	1	4	5	4	4	8	11	20	40	62	63	81	108	85	51	33	13	–	–
	White—Female	530	1	2	5	2	3	5	4	6	8	15	27	43	60	56	75	65	60	63	20	8	2	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	1	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	15	–	–	–	–	–	1	–	–	–	1	–	1	4	1	1	–	3	1	2	–	–	–
	White—Male	10	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	1	–	2	–	–	–
	White—Female	5	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	309	–	–	–	–	–	–	–	–	4	4	15	25	28	28	47	49	42	40	22	4	1	–
	White—Male	158	–	–	–	–	–	–	–	–	2	2	7	9	17	16	26	31	20	16	11	1	–	–
	White—Female	148	–	–	–	–	–	–	–	–	2	2	7	16	10	12	21	18	21	24	11	3	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
160–163	Of respiratory system	183	–	–	–	1	–	1	–	1	1	5	2	9	28	30	30	36	25	11	1	2	–	–
	White—Male	153	–	–	–	–	–	1	–	–	1	3	2	8	25	25	27	30	21	7	1	2	–	–
	White—Female	29	–	–	–	1	–	–	–	1	–	2	–	1	3	5	3	6	4	3	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	128	–	–	–	–	–	–	1	1	2	4	11	12	17	17	21	12	14	12	2	2	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	128	–	–	–	–	–	–	1	1	2	4	11	12	17	17	21	12	14	12	2	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	146	–	–	–	–	–	1	1	3	–	3	5	9	16	9	16	29	25	13	10	6	–	–
	White—Male	70	–	–	–	–	–	1	1	–	–	–	1	2	2	4	5	16	16	9	8	5	–	–
	White—Female	72	–	–	–	–	–	–	–	2	–	3	4	7	13	5	10	12	9	4	2	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	54	–	–	–	–	–	–	–	–	–	–	1	1	4	4	10	11	10	8	5	–	–	–
	White—Male	40	–	–	–	–	–	–	–	–	–	–	1	1	4	2	4	9	10	5	4	–	–	–
	White—Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	2	–	3	–	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	161	–	4	3	–	3	4	1	5	4	4	8	17	17	13	15	16	14	20	7	5	1	–
	White—Male	82	–	2	1	–	1	2	–	3	2	3	6	11	7	6	6	9	9	7	4	3	–	–
	White—Female	78	–	2	2	–	2	2	1	2	2	1	2	6	9	7	9	7	5	13	3	2	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	57	1	–	6	1	4	2	4	–	3	3	1	3	6	5	7	4	2	3	1	1	–	–
	White—Male	33	–	–	3	1	3	–	2	–	2	1	–	3	2	4	4	3	1	2	1	1	–	–
	White—Female	24	1	–	3	–	1	2	2	–	1	2	1	–	4	1	3	1	1	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	88	1	–	–	1	–	1	1	1	2	2	5	6	6	12	10	17	11	7	4	1	–	–
	White—Male	54	1	–	–	–	–	1	1	1	1	2	3	5	1	5	8	10	7	5	2	1	–	–
	White—Female	33	–	–	–	1	–	–	–	–	1	–	2	1	4	7	2	7	4	2	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	2	1	1	1	2	1	–	2	–	–	2	3	–	2	5	2	2	1	–	–	–
	White—Male	14	–	1	1	1	1	1	–	–	1	–	–	1	1	–	1	2	2	1	–	–	–	–
	White—Female	12	–	1	–	–	–	1	–	–	1	–	–	1	2	–	1	3	–	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	157	–	–	–	1	2	1	3	2	4	3	4	7	12	8	15	23	26	20	18	6	2	–
	White—Male	73	–	–	–	1	1	1	3	–	4	1	2	5	8	5	5	14	14	3	3	2	1	–
	White—Female	81	–	–	–	–	1	–	–	2	–	2	2	2	4	3	9	9	11	17	14	4	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	13	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	2	–	3	3	1	–
	White—Male	8	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	–	–
	White—Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
280–285	Anemias	16	–	–	1	–	–	–	–	–	1	–	–	1	–	3	1	4	1	1	3	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	1	2	–	–	–
	All other Male	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	2	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,446	7	2	3	3	3	2	6	5	12	30	75	138	176	282	391	472	519	572	484	203	59	2
	White Male	1,811	5	1	3	1	1	1	2	3	6	22	50	95	126	198	266	269	254	238	200	53	16	1
	Female	1,592	2	1	–	2	2	1	4	1	5	8	22	40	45	81	119	196	262	330	278	149	43	1
	All other Male	25	–	–	–	–	–	–	–	–	1	–	2	1	5	2	4	4	1	2	3	–	–	–
	Female	18	–	–	–	–	–	–	–	1	–	–	1	2	–	1	2	3	2	2	3	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,449	6	2	1	1	–	1	4	3	9	22	61	117	146	225	300	342	355	371	321	129	31	2
	White Male	1,379	4	1	1	1	–	–	2	2	6	18	47	87	105	167	215	196	185	159	139	34	9	1
	Female	1,046	2	1	–	–	–	1	2	–	3	4	12	28	37	55	83	143	169	211	178	94	22	1
	All other Male	18	–	–	–	–	–	–	–	–	–	–	2	1	4	2	2	3	1	–	3	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	1	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	107	–	–	–	–	–	1	1	–	1	2	5	8	10	16	15	22	8	6	10	1	1	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	2	3	4	8	10	7	4	1	3	–	–	–
	Female	64	–	–	–	–	–	1	1	–	1	2	3	5	5	8	5	15	4	5	7	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	34	–	–	–	–	–	–	–	–	1	–	1	–	1	4	3	3	7	6	5	3	–	–
	White Male	12	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	1	3	2	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	3	6	3	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	10	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	2	3	1	1	–	–
	White Male	6	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,068	–	–	–	–	–	–	–	2	5	18	47	97	120	193	249	291	314	325	271	108	26	2
	White Male	1,196	–	–	–	–	–	–	–	2	4	17	39	74	91	150	178	175	166	146	119	27	7	1
	Female	854	–	–	–	–	–	–	–	–	1	1	7	21	27	41	70	113	147	178	148	80	19	1
	All other Male	14	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	3	1	–	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
410	Acute myocardial infarction	1,049	–	–	–	–	–	–	–	2	3	12	32	69	84	132	142	164	148	138	92	24	5	2
	White Male	692	–	–	–	–	–	–	–	2	3	12	27	52	63	107	105	108	84	72	49	5	2	1
	Female	348	–	–	–	–	–	–	–	–	–	–	5	15	19	25	36	55	64	65	42	18	3	1
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
411	Other acute and subacute forms of ischemic heart disease	60	–	–	–	–	–	–	–	–	–	1	2	9	8	5	11	6	8	6	4	–	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	1	–	8	6	4	7	4	4	4	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	2	1	2	–	4	2	4	2	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	959	–	–	–	–	–	–	–	–	2	5	13	19	28	56	96	121	158	181	175	84	21	–
	White Male	465	–	–	–	–	–	–	–	–	1	4	12	14	22	39	66	63	78	70	69	22	5	–
	Female	487	–	–	–	–	–	–	–	–	1	1	–	5	6	16	30	56	79	111	104	62	16	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	2	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	22	–	–	–	–	–	–	1	–	–	–	1	–	1	–	3	2	3	3	4	2	2	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	1	1	–	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	3	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
420–423, 425–427, 429	All other forms of heart disease	208	6	2	1	–	–	–	2	1	2	2	7	11	14	12	30	23	21	28	30	14	2	–
	White Male	116	4	1	1	–	–	–	1	–	1	1	5	9	10	8	23	12	12	8	13	5	2	–
	Female	87	2	1	–	–	–	–	1	–	1	1	1	2	3	3	6	11	9	20	17	9	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	22	–	–	–	–	–	–	–	–	–	–	2	1	2	2	2	2	6	1	2	1	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	2	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	4	–	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	779	1	–	1	2	2	–	2	2	3	6	11	15	21	47	72	109	128	169	120	49	19	–
	White Male	333	1	–	1	–	–	–	–	1	–	3	3	5	13	25	42	57	53	61	48	13	7	–
	Female	431	–	–	–	2	2	–	2	1	2	3	7	9	7	22	28	49	74	105	70	36	12	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	2	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	1	2	–	–	–
431	Cerebral hemorrhage	88	1	–	–	1	–	–	–	–	–	1	6	6	3	12	8	13	11	18	5	3	–	–
	White Male	39	1	–	–	–	–	–	–	–	–	1	1	2	2	5	6	7	5	6	2	1	–	–
	Female	46	–	–	–	1	–	–	–	–	–	–	4	4	–	7	2	6	6	11	3	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	188	–	–	–	–	–	–	1	–	–	–	–	–	3	7	15	32	37	43	31	12	7	–
	White Male	81	–	–	–	–	–	–	–	–	–	–	–	–	2	5	9	16	14	18	13	2	2	–
	Female	104	–	–	–	–	–	–	1	–	–	–	–	–	1	2	4	16	23	25	17	10	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
434	Cerebral embolism	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	495	–	–	1	1	2	–	1	2	3	5	5	9	15	28	46	63	79	107	82	34	12	–
	White Male	210	–	–	1	–	–	–	–	1	–	2	2	3	9	15	25	33	34	37	33	10	5	–
	Female	276	–	–	–	1	2	–	1	1	2	3	3	5	6	13	21	27	44	68	48	24	7	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–
440	Arteriosclerosis	114	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	8	18	20	31	21	8	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	5	9	9	10	5	–	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	9	11	21	16	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	82	–	–	1	–	1	1	–	–	–	2	1	5	5	7	12	11	12	11	10	3	–	–
	White Male	46	–	–	1	–	1	1	–	–	–	1	–	2	4	6	4	9	5	8	3	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	1	3	1	1	6	1	6	3	7	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	218	10	2	3	–	–	3	2	1	–	3	5	2	6	11	11	21	25	34	46	28	4	1
	White Male	116	6	1	–	–	–	1	1	–	–	3	2	–	5	7	9	15	14	21	21	8	1	1
	Female	90	–	1	3	–	–	2	1	–	–	–	2	2	1	3	1	5	10	12	25	19	3	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	1	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	12	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	2	2	3	2	–	–
	White Male	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	206	10	2	3	–	–	3	1	1	–	2	5	2	6	11	10	21	23	32	43	26	4	1
	White Male	112	6	1	–	–	–	1	–	–	–	2	2	–	5	7	9	15	14	20	20	8	1	1
	Female	82	–	1	3	–	–	2	1	–	–	–	2	2	1	3	–	5	8	11	23	17	3	–
	All other Male	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	1	–	–
	Female	5	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	118	1	–	–	1	–	–	–	–	–	–	–	1	12	17	24	15	21	15	10	1	–	–
	White Male	98	–	–	–	1	–	–	–	–	–	–	–	1	11	16	20	12	17	12	7	1	–	–
	Female	20	1	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	4	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
490, 491	Chronic and unqualified bronchitis	23	1	–	–	–	–	–	–	–	–	–	–	–	4	3	4	3	3	3	2	–	–	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	–	4	3	4	3	2	3	2	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	82	–	–	–	–	–	–	–	–	–	–	–	1	8	12	17	11	14	11	7	1	–	–
	White—Male	72	–	–	–	–	–	–	–	–	–	–	–	1	7	12	15	8	14	9	5	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	2	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	13	–	–	–	1	–	–	–	–	–	–	–	–	–	2	3	1	4	1	1	–	–	–
	White—Male	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	30	–	1	–	–	–	–	1	–	–	1	1	1	3	2	2	5	3	4	5	1	–	–
	White—Male	17	–	–	–	–	–	–	1	–	–	1	1	–	1	2	2	2	1	2	3	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	3	2	2	2	–	–	–
	All other—Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	35	4	–	1	–	–	–	–	–	–	1	–	1	–	1	–	3	8	10	4	1	1	–
	White—Male	21	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	5	7	2	1	1	–
	Female	14	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	3	3	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	93	1	–	–	–	–	1	1	4	3	7	9	8	17	13	12	9	4	3	–	1	–	–
	White—Male	51	–	–	–	–	–	1	–	–	2	2	6	5	12	8	5	5	3	1	–	1	–	–
	Female	31	1	–	–	–	–	–	1	–	1	2	2	3	5	5	5	3	1	2	–	–	–	–
	All other—Male	5	–	–	–	–	–	–	–	2	–	1	–	–	–	–	2	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	16	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	2	2	3	3	–	1	–
	White—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	2	2	–	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	31	–	–	–	1	–	1	–	–	1	–	1	5	3	3	3	5	2	4	2	–	–	–
	White—Male	19	–	–	–	–	–	1	–	–	–	–	1	5	2	1	1	2	2	3	1	–	–	–
	Female	11	–	–	–	1	–	–	–	–	1	–	–	–	1	2	1	3	–	1	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	27	–	–	–	–	–	1	–	–	1	–	1	5	2	3	3	5	2	2	2	–	–	–
	White—Male	17	–	–	–	–	–	1	–	–	–	–	1	5	1	1	1	2	2	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	3	–	–	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	8	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	2	–	–	1	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	99	74	6	2	3	1	1	–	2	2	–	3	–	–	3	1	–	1	–	–	–	–	–
	White—Male	47	33	3	–	–	–	–	–	2	2	–	3	–	–	3	1	–	–	–	–	–	–	–
	Female	49	38	3	2	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	195	194	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	118	117	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	77	76	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	41	40	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	214	32	4	1	2	1	3	4	5	4	4	3	8	10	8	14	11	17	31	25	19	8	–
	White—Male	106	17	2	–	2	1	1	2	4	2	4	3	5	5	6	11	5	7	13	8	6	2	–
	Female	103	13	2	1	–	–	2	2	1	2	–	–	3	5	2	2	5	9	18	17	13	6	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	620	8	15	4	5	8	7	10	5	12	19	23	37	51	57	96	70	67	71	37	13	5	–
	White—Male	352	5	6	1	3	4	3	3	3	6	12	8	19	31	40	60	44	35	40	20	7	2	–
	Female	245	3	6	3	1	4	3	5	1	4	5	13	18	20	16	34	25	31	28	16	6	3	–
	All other—Male	13	–	–	–	1	–	1	2	–	1	1	1	–	–	1	1	1	1	2	–	–	–	–
	Female	10	–	3	–	–	–	–	–	1	1	1	1	–	–	–	1	–	–	1	1	–	–	–
E800–E949	Accidents	622	11	38	27	22	88	71	46	24	19	24	29	23	23	19	31	25	26	27	26	16	7	–
	White—Male	4[illegible]	6	29	20	15	64	53	32	16	16	14	17	16	15	17	15	10	11	18	9	7	1	–
	Female	1[illegible]	3	8	4	5	17	14	11	4	3	9	11	5	6	2	16	13	14	9	17	9	6	–
	All other—Male	22	1	1	2	2	5	2	1	2	–	1	1	1	2	–	–	–	1	–	–	–	–	–
	Female	13	1	–	1	–	2	2	2	2	–	–	–	1	–	–	–	2	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	273	3	21	13	11	57	47	30	15	4	11	11	6	5	9	11	8	4	5	1	–	1	–
	White—Male	187	–	14	10	6	40	36	22	10	4	8	7	4	2	8	5	4	3	4	–	–	–	–
	Female	69	2	7	1	4	12	10	7	2	–	3	4	–	3	1	6	3	1	1	1	–	1	–
	All other—Male	12	1	–	2	1	5	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	349	8	17	14	11	31	24	16	9	15	13	18	17	18	10	20	17	22	22	25	16	6	–
	White—Male	214	6	15	10	9	24	17	10	6	12	6	10	12	13	9	10	6	8	14	9	7	1	–
	Female	117	1	1	3	1	5	4	4	2	3	6	7	5	3	1	10	10	13	8	16	9	5	–
	All other—Male	10	–	1	–	1	–	2	1	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–
	Female	8	1	–	1	–	2	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E950–E959	Suicide	130	...	...	–	2	7	15	16	17	8	14	13	10	13	3	8	2	–	1	1	–	–	–
	White—Male	100	...	...	–	1	4	12	12	13	6	10	11	8	9	3	8	2	–	–	1	–	–	–
	Female	25	...	...	–	1	2	1	4	3	1	4	2	2	4	–	–	–	–	1	–	–	–	–
	All other—Male	2	...	...	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	44	1	3	–	1	5	9	6	4	4	4	1	3	–	2	1	–	–	–	–	–	–	–
	White—Male	24	1	2	–	1	1	6	4	2	3	1	–	2	–	1	–	–	–	–	–	–	–	–
	Female	13	–	1	–	–	4	1	1	1	–	2	–	1	–	1	1	–	–	–	–	–	–	–
	All other—Male	5	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	28	1	–	1	2	4	3	5	–	3	1	3	1	1	–	–	–	–	1	2	–	–	–
	White—Male	18	–	–	–	2	1	2	5	–	1	1	1	1	1	–	–	–	–	1	2	–	–	–
	Female	8	1	–	–	–	3	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont																							
	All causes	**4,398**	**97**	**16**	**15**	**26**	**54**	**42**	**35**	**26**	**46**	**57**	**121**	**132**	**246**	**403**	**491**	**589**	**620**	**591**	**456**	**242**	**91**	**2**
	White Male	2,443	65	9	10	22	40	31	25	17	33	35	72	85	161	266	329	358	319	278	167	91	29	1
	Female	1,942	32	7	5	4	14	10	9	8	13	22	48	47	85	135	161	229	299	312	288	151	62	1
	All other Male	10	–	–	–	–	–	1	1	1	–	–	–	–	–	2	1	2	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	–	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	5	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	807	–	1	3	3	3	1	4	4	7	10	31	35	77	121	113	130	112	85	41	20	6	–
	White—Male	446	–	–	2	1	2	1	1	–	4	3	14	16	41	75	69	79	64	43	19	9	3	–
	White—Female	358	–	1	1	2	1	–	3	4	3	7	17	19	36	46	43	51	47	41	22	11	3	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
140–149	Of buccal cavity and pharynx	15	–	–	–	–	–	–	–	–	–	1	1	1	2	6	–	3	1	–	–	–	–	–
	White—Male	11	–	–	–	–	–	–	–	–	–	1	1	–	1	4	–	3	1	–	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	225	–	–	–	–	–	–	1	–	2	1	5	10	19	28	32	33	35	30	18	8	3	–
	White—Male	103	–	–	–	–	–	–	1	–	2	–	1	4	11	17	15	18	14	11	6	3	–	–
	White—Female	120	–	–	–	–	–	–	–	–	–	1	4	6	8	11	16	15	20	19	12	5	3	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
160–163	Of respiratory system	192	–	–	–	–	–	–	–	–	–	1	8	7	22	35	43	34	21	17	3	1	–	–
	White—Male	159	–	–	–	–	–	–	–	–	–	–	8	5	17	30	37	25	20	14	2	1	–	–
	White—Female	33	–	–	–	–	–	–	–	–	–	1	–	2	5	5	6	9	1	3	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	81	–	–	–	–	–	–	–	3	–	3	5	6	11	10	7	14	12	8	–	2	–	–
	White—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	White—Female	79	–	–	–	–	–	–	–	3	–	3	5	6	11	9	7	14	12	7	–	2	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	98	–	–	–	–	–	–	–	–	1	1	5	2	5	10	13	16	17	16	6	4	2	–
	White—Male	53	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	10	15	10	6	3	2	–
	White—Female	45	–	–	–	–	–	–	–	–	1	1	5	2	4	7	10	6	2	6	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	35	–	–	1	–	–	–	–	–	–	1	–	3	2	4	2	8	7	4	3	–	–	–
	White—Male	28	–	–	1	–	–	–	–	–	–	–	–	2	2	4	2	7	5	3	2	–	–	–
	White—Female	7	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2	1	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	82	–	1	–	–	1	1	2	–	1	1	2	5	13	17	6	12	9	2	4	4	1	–
	White—Male	46	–	–	–	–	–	1	–	–	1	1	1	5	6	9	5	8	5	2	–	1	1	–
	White—Female	36	–	1	–	–	1	–	2	–	–	–	1	–	7	8	1	4	4	–	4	3	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	33	–	–	2	3	1	–	–	–	1	1	3	–	3	3	3	4	2	2	4	1	–	–
	White—Male	23	–	–	1	1	1	–	–	–	1	1	2	–	3	2	3	4	1	1	1	1	–	–
	White—Female	9	–	–	1	2	–	–	–	–	–	–	1	–	–	1	–	–	1	–	3	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	46	–	–	–	–	1	–	1	1	2	–	2	1	–	8	7	6	8	6	3	–	–	–
	White—Male	21	–	–	–	–	1	–	–	–	–	–	1	–	–	5	4	4	3	1	2	–	–	–
	White—Female	25	–	–	–	–	–	–	1	1	2	–	1	1	–	3	3	2	5	5	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	17	–	–	–	1	–	1	–	1	–	1	1	–	1	–	1	3	1	–	5	1	–	–
	White—Male	7	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	2	–	–	2	–	–	–
	White—Female	10	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	1	1	–	3	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	75	–	–	–	–	–	–	1	1	2	1	3	3	4	9	13	13	5	11	6	2	1	–
	White—Male	33	–	–	–	–	–	–	–	1	1	–	2	1	2	4	5	5	2	6	3	1	–	–
	White—Female	42	–	–	–	–	–	–	1	–	1	1	1	2	2	5	8	8	3	5	3	1	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
280–285	Anemias	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	2,364	1	–	1	1	1	1	1	4	15	15	42	49	103	193	257	320	398	404	321	170	67	
	White Male	1,239	–	–	–	1	–	1	1	3	11	12	31	41	79	135	178	193	189	184	109	55	16	
	Female	1,120	1	–	1	–	1	–	–	1	4	3	10	8	24	57	79	126	208	220	211	115	51	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
390–398, 402, 404, 410–429	Diseases of heart	1,741	1	–	–	–	1	–	–	2	10	15	34	42	89	156	207	231	288	289	219	111	46	
	White Male	971	–	–	–	–	–	–	–	2	9	12	30	37	70	116	147	148	145	133	78	34	10	
	Female	767	1	–	–	–	1	–	–	–	1	3	3	5	19	40	60	82	143	156	140	77	36	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
390–398	Active rheumatic fever and chronic rheumatic heart disease	31	–	–	–	–	–	–	–	–	–	–	–	1	4	2	10	6	3	1	4	–	–	
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	1	3	1	6	3	2	–	1	–	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	1	1	3	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	18	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	3	5	4	1	–	
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	3	1	–	–	
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	2	3	1	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
404	Hypertensive heart and renal disease	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
410–413	Ischemic heart disease	1,583	–	–	–	–	–	–	–	2	9	14	31	38	76	142	178	210	264	264	205	104	46	
	White Male	882	–	–	–	–	–	–	–	2	8	12	28	34	61	107	128	135	132	121	74	30	10	
	Female	698	–	–	–	–	–	–	–	–	1	2	2	4	15	35	50	74	132	143	130	74	36	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
410	Acute myocardial infarction	693	–	–	–	–	–	–	–	1	6	11	24	22	55	81	86	100	123	97	62	20	5	
	White Male	434	–	–	–	–	–	–	–	1	5	10	21	19	43	62	62	72	61	46	25	6	1	
	Female	258	–	–	–	–	–	–	–	–	1	1	2	3	12	19	24	28	62	51	37	14	4	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	882	–	–	–	–	–	–	–	1	3	3	7	16	20	61	90	109	140	165	142	84	41	
	White Male	444	–	–	–	–	–	–	–	1	3	2	7	15	17	45	64	63	71	74	49	24	9	
	Female	436	–	–	–	–	–	–	–	–	–	1	–	1	3	16	26	45	69	91	92	60	32	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	18	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	3	3	3	2	1	–	
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	2	1	1	1	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	2	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont – Con.																							
420–423, 425–427, 429	All other forms of heart disease	84	1	–	–	–	1	–	–	–	1	1	3	1	8	7	15	10	15	13	3	5	–	–
	White Male	51	–	–	–	–	–	–	–	–	1	–	2	1	6	5	12	5	9	6	1	3	–	–
	Female	33	1	–	–	–	1	–	–	–	–	1	1	–	2	2	3	5	6	7	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	2	1	4	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	446	–	–	1	1	–	1	1	2	4	–	6	6	12	27	33	71	81	87	68	35	10	–
	White Male	185	–	–	–	1	–	1	1	1	1	–	1	4	8	13	20	31	27	39	20	14	3	–
	Female	259	–	–	1	–	–	–	–	1	3	–	5	2	4	13	13	40	53	48	48	21	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	63	–	–	1	–	–	–	–	–	2	–	2	4	5	2	6	9	11	10	9	1	1	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	2	4	2	4	6	3	5	–	–	1	–
	Female	36	–	–	1	–	–	–	–	–	2	–	2	2	1	–	2	3	8	5	9	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	119	–	–	–	–	–	–	–	–	1	–	1	1	1	9	6	22	21	28	18	9	2	–
	White Male	46	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	10	6	11	7	2	1	–
	Female	72	–	–	–	–	–	–	–	–	1	–	1	–	–	4	3	12	15	17	11	7	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	264	–	–	–	1	–	1	1	2	1	–	3	1	6	16	21	40	49	49	41	25	7	–
	White Male	112	–	–	–	1	–	1	1	1	1	–	1	1	3	7	13	15	18	23	13	12	1	–
	Female	151	–	–	–	–	–	–	–	1	–	–	2	–	3	9	8	25	30	26	28	13	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	90	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	6	7	18	25	16	9	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	4	8	8	4	3	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	10	17	12	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	70	–	–	–	–	–	–	–	–	1	–	2	1	1	6	8	11	20	8	8	4	–	–
	White Male	40	–	–	–	–	–	–	–	–	1	–	–	–	–	5	7	9	11	3	3	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	2	9	5	5	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	139	2	1	–	1	–	–	–	–	–	2	2	3	5	5	8	13	14	29	33	15	6	–
	White Male	80	2	1	–	–	–	–	–	–	–	1	2	2	4	3	7	7	8	15	17	9	2	–
	Female	59	–	–	–	1	–	–	–	–	–	1	–	1	1	2	1	6	6	14	16	6	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	132	2	1	–	1	–	–	–	–	–	2	2	3	5	5	8	12	13	27	31	15	5	–
	White Male	76	2	1	–	–	–	–	–	–	–	1	2	2	4	3	7	6	8	13	16	9	2	–
	Female	56	–	–	–	1	–	–	–	–	–	1	–	1	1	2	1	6	5	14	15	6	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	57	–	–	–	–	–	–	–	–	–	1	2	2	2	6	14	11	9	4	4	2	–	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	2	1	1	6	10	9	7	3	3	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	1	1	–	4	2	2	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
490, 491	Chronic and unqualified bronchitis	15	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	1	2	1	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	36	–	–	–	–	–	–	–	–	–	–	2	–	–	3	11	10	5	2	2	1	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	2	–	–	3	8	8	5	2	2	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	19	1	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	2	4	5	–	–	–
	White Male	12	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	13	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	5	1	2	–	–
	White Male	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	61	–	–	–	–	–	–	–	–	1	6	8	6	8	9	11	8	3	–	1	–	–	–
	White Male	34	–	–	–	–	–	–	–	–	1	3	3	4	5	4	8	5	1	–	–	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	3	5	2	3	5	3	3	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	2	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	13	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	–	2	3	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	2	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	11	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	–	1	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	2	2	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	37	22	6	–	–	2	2	–	1	–	–	–	1	–	–	1	–	2	–	–	–	–	–
	White.....Male	24	15	3	–	–	–	2	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
	Female	13	7	3	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	34	7	–	–	–	–	–	–	–	1	–	–	3	4	2	1	6	3	–	2	3	2	–
	White.....Male	18	4	–	–	–	–	–	–	–	1	–	–	1	2	1	–	3	3	–	–	2	1	–
	Female	15	3	–	–	–	–	–	–	–	–	–	–	2	2	–	1	3	–	–	2	1	1	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	323	4	2	4	5	3	1	–	1	3	5	13	14	23	31	46	56	51	19	22	15	4	1
	White.....Male	195	3	2	3	5	2	–	–	1	3	2	4	8	13	20	34	35	27	9	12	9	3	–
	Female	127	1	–	1	–	1	1	–	–	–	3	9	6	10	11	12	20	24	10	10	6	1	1
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	237	4	6	7	14	40	24	20	8	7	8	10	9	11	7	8	14	9	14	11	5	1	–
	White.....Male	166	1	3	5	13	31	17	16	6	5	7	7	6	9	6	6	9	6	7	2	3	1	–
	Female	69	3	3	2	1	9	6	3	2	2	1	3	3	2	1	2	5	3	7	9	2	–	–
	All other.....Male	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	112	2	2	5	5	28	17	14	5	5	4	2	3	6	1	1	8	1	2	1	–	–	–
	White.....Male	81	1	–	3	5	21	12	12	4	3	3	1	1	5	1	1	6	1	1	–	–	–	–
	Female	31	1	2	2	–	7	5	2	1	2	1	1	2	1	–	–	2	–	1	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	125	2	4	2	9	12	7	6	3	2	4	8	6	5	6	7	6	8	12	10	5	1	–
	White.....Male	85	–	3	2	8	10	5	4	2	2	4	6	5	4	5	5	3	5	6	2	3	1	–
	Female	38	2	1	–	1	2	1	1	1	–	–	2	1	1	1	2	3	3	6	8	2	–	–
	All other.....Male	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	68	...	...	–	–	3	9	6	2	9	7	7	3	3	9	5	1	3	1	–	–	–	–
	White.....Male	53	...	...	–	–	3	8	4	1	7	5	6	3	3	5	4	1	2	1	–	–	–	–
	Female	14	...	...	–	–	–	1	2	–	2	2	1	–	–	4	1	–	1	–	–	–	–	–
	All other.....Male	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	13	–	–	–	1	2	2	3	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	White.....Male	11	–	–	–	1	2	2	3	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	6	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	–	–	–	1
	White.....Male	4	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virgina																							
	All causes	40,358	1,201	210	154	212	457	558	528	553	601	1,015	1,694	2,557	3,046	4,012	4,509	4,992	4,784	4,327	3,020	1,455	460	13
	White..... Male	17,591	469	79	65	102	289	304	275	259	268	469	784	1,239	1,500	2,002	2,225	2,225	2,004	1,551	965	419	96	2
	Female	13,561	314	62	43	57	94	96	105	113	130	225	403	603	756	989	1,204	1,569	1,909	2,092	1,660	859	273	5
	All other..... Male	5,339	249	34	29	28	53	123	111	125	125	175	327	421	498	638	637	650	473	345	184	78	31	5
	Female	3,867	169	35	17	25	21	35	37	56	78	146	180	294	292	383	443	548	398	339	211	99	60	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	41	7	2	1	–	–	1	–	–	–	1	1	1	1	6	1	3	9	4	2	1	–	–
	White..... Male	14	3	–	1	–	–	–	–	–	–	–	1	1	1	2	1	–	4	–	1	–	–	–
	Female	10	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	4	–	1	1	–	–
	All other..... Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	2	–	–	–	–
	Female	9	2	1	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	2	–	–	–	–
010–019	Tuberculosis, all forms	86	–	1	–	–	–	–	1	3	1	6	4	5	12	12	14	5	8	12	1	1	–	–
	White..... Male	26	–	–	–	–	–	–	–	–	–	1	3	2	3	4	4	1	5	3	–	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	2	–	–	–	1	2	1	2	3	1	–	–	–
	All other..... Male	30	–	–	–	–	–	–	–	1	1	3	–	1	8	7	5	2	–	2	–	–	–	–
	Female	17	–	1	–	–	–	–	–	2	–	–	1	2	1	–	3	1	1	4	–	1	–	–
010–012	Tuberculosis of respiratory system	65	–	–	–	–	–	–	–	3	–	5	3	3	10	9	11	5	4	10	1	1	–	–
	White..... Male	23	–	–	–	–	–	–	–	–	–	1	2	2	3	4	4	1	3	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	1	–	–	–
	All other..... Male	23	–	–	–	–	–	–	–	1	–	3	–	–	6	5	4	2	–	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	2	–	–	1	1	1	–	1	1	1	3	–	1	–	–
013–019	Tuberculosis, other forms	21	–	1	–	–	–	–	1	–	1	1	1	2	2	3	3	–	4	2	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	2	1	–	–	–	–
	All other..... Male	7	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	141	26	1	–	–	3	2	2	3	2	1	8	7	10	13	10	18	12	16	7	–	–	–
	White..... Male	60	11	1	–	–	2	–	1	2	1	1	1	–	4	6	5	4	9	7	5	–	–	–
	Female	32	5	–	–	–	1	1	–	–	–	–	1	4	1	–	–	7	3	7	2	–	–	–
	All other..... Male	28	8	–	–	–	–	–	1	1	–	–	3	–	2	4	3	5	–	1	–	–	–	–
	Female	21	2	–	–	–	–	1	–	–	1	–	3	3	3	3	2	2	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	3	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	All other..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	91	6	4	3	5	1	1	3	5	2	6	1	4	8	9	11	6	7	7	2	–	–	–
	White..... Male	31	3	2	1	3	–	–	2	1	1	1	1	–	2	4	5	3	1	1	–	–	–	–
	Female	24	1	–	1	2	–	1	–	1	1	1	–	1	3	1	2	–	3	4	2	–	–	–
	All other..... Male	21	2	1	–	–	1	–	–	1	–	1	–	2	1	3	4	2	2	1	–	–	–	–
	Female	15	–	1	1	–	–	–	1	2	–	3	–	1	2	1	–	1	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,483	2	24	15	31	27	28	42	66	113	197	412	664	867	1,036	1,112	1,024	830	575	289	102	26	1
	White—Male	3,211	1	9	7	14	8	18	22	25	46	71	151	279	368	459	517	471	378	218	102	40	7	–
	Female	2,709	1	11	6	7	14	5	13	29	40	80	172	240	289	347	343	341	299	258	147	51	15	1
	All other—Male	977	–	3	2	4	2	4	3	4	9	21	45	85	125	162	166	141	103	64	26	6	2	–
	Female	586	–	1	–	6	3	1	4	8	18	25	44	60	85	68	86	71	50	35	14	5	2	–
140–149	Of buccal cavity and pharynx	183	–	–	–	–	1	–	–	1	1	6	10	29	19	27	29	20	20	7	9	4	–	–
	White—Male	98	–	–	–	–	–	–	–	1	1	2	3	17	12	13	20	7	13	3	4	2	–	–
	Female	46	–	–	–	–	–	–	–	–	–	1	3	3	5	8	5	5	6	4	5	1	–	–
	All other—Male	25	–	–	–	–	–	–	–	–	–	2	3	4	2	5	3	6	–	–	–	–	–	–
	Female	14	–	–	–	–	1	–	–	–	–	1	1	5	–	1	1	2	1	–	–	1	–	–
150–159	Of digestive organs and peritoneum	1,889	–	2	2	2	1	1	5	15	19	25	68	129	187	255	305	276	265	194	97	28	13	–
	White—Male	747	–	2	1	1	–	1	1	7	9	9	26	58	75	114	117	114	104	70	26	8	4	–
	Female	698	–	–	1	–	1	–	1	3	4	6	22	35	59	78	105	98	107	95	57	18	8	–
	All other—Male	279	–	–	–	–	–	–	1	3	2	4	13	25	36	45	54	35	36	17	6	2	–	–
	Female	165	–	–	–	1	–	–	2	2	4	6	7	11	17	18	29	29	18	12	8	–	1	–
160–163	Of respiratory system	1,911	–	–	–	1	–	–	1	4	21	47	127	201	299	334	320	261	169	82	30	13	–	1
	White—Male	1,220	–	–	–	–	–	–	1	2	11	27	71	123	183	200	223	175	126	52	18	8	–	–
	Female	308	–	–	–	1	–	–	–	1	7	7	27	30	48	59	34	44	22	13	10	4	–	1
	All other—Male	313	–	–	–	–	–	–	–	–	2	11	20	37	56	60	55	36	18	15	2	1	–	–
	Female	70	–	–	–	–	–	–	–	1	1	2	9	11	12	15	8	6	3	2	–	–	–	–
174	Of breast	645	–	–	–	–	–	1	2	12	17	29	67	85	88	80	82	63	56	32	18	9	4	–
	White—Male	13	–	–	–	–	–	–	–	–	1	–	–	–	3	4	–	2	1	1	–	1	–	–
	Female	537	–	–	–	–	–	1	2	10	11	24	58	74	68	65	66	56	47	29	16	7	4	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	Female	92	–	–	–	–	–	1	–	2	5	4	9	11	17	10	15	5	8	2	2	1	–	–
180–187	Of genital organs	833	–	–	–	–	2	2	6	4	11	27	44	68	63	115	107	121	100	96	49	14	4	–
	White—Male	231	–	–	–	–	–	2	2	1	–	1	4	4	5	19	27	50	38	41	26	9	2	–
	Female	352	–	–	–	–	2	–	3	3	5	19	28	47	34	68	41	33	29	24	13	3	–	–
	All other—Male	140	–	–	–	–	–	–	–	–	–	–	1	1	7	15	24	29	28	23	10	1	1	–
	Female	110	–	–	–	–	–	–	1	–	6	7	11	16	17	13	15	9	5	8	–	1	1	–
188, 189	Of urinary organs	318	–	2	–	–	–	–	2	–	2	5	8	19	33	34	48	65	42	32	20	6	–	–
	White—Male	171	–	–	–	–	–	–	2	–	2	5	6	10	20	20	28	32	19	16	8	3	–	–
	Female	92	–	2	–	–	–	–	–	–	–	–	–	4	7	7	10	19	16	13	11	3	–	–
	All other—Male	41	–	–	–	–	–	–	–	–	–	–	–	5	2	7	8	10	7	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	–	4	–	2	4	–	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,037	1	12	4	14	9	13	14	15	26	32	68	100	118	119	130	124	96	77	42	18	5	–
	White—Male	437	–	3	2	7	2	9	7	5	15	14	32	50	49	51	60	54	39	19	12	6	1	–
	Female	408	1	5	1	3	5	2	4	9	8	11	26	35	45	41	48	46	39	47	20	9	3	–
	All other—Male	119	–	3	1	3	1	2	2	–	2	2	7	11	11	21	13	17	8	5	7	2	1	–
	Female	73	–	1	–	1	1	–	1	1	1	5	3	4	13	6	9	7	10	6	3	1	–	–
204–207	Leukemia	274	1	7	9	9	6	7	5	5	9	11	7	12	21	23	26	40	30	30	11	5	–	–
	White—Male	121	1	3	4	2	4	4	4	4	3	5	3	4	8	10	16	16	16	11	2	1	–	–
	Female	118	–	4	4	3	2	2	1	1	3	5	4	6	8	9	7	18	14	15	9	3	–	–
	All other—Male	16	–	–	1	–	–	1	–	–	2	1	–	–	3	2	–	5	–	1	–	–	–	–
	Female	19	–	–	–	4	–	–	–	–	1	–	–	2	2	2	3	1	–	3	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	393	–	1	–	5	8	4	7	10	7	15	13	21	39	49	65	54	52	25	13	5	–	–
	White—Male	173	–	1	–	4	2	2	5	5	4	8	6	13	13	28	26	21	22	5	6	2	–	–
	Female	150	–	–	–	–	4	1	2	2	2	7	4	6	15	12	27	22	19	18	6	3	–	–
	All other—Male	41	–	–	–	1	1	1	–	1	1	–	1	2	8	6	8	3	6	2	–	–	–	–
	Female	29	–	–	–	–	1	–	–	2	–	–	2	–	3	3	4	8	5	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	93	–	–	2	1	3	2	–	1	2	3	5	9	9	11	13	16	6	8	1	1	–	–
	White—Male	36	–	–	1	–	2	–	–	–	1	3	2	5	5	4	4	4	3	2	–	–	–	–
	Female	32	–	–	–	–	1	–	–	1	–	–	–	1	4	5	5	10	1	4	–	–	–	–
	All other—Male	11	–	–	–	–	–	–	–	–	1	–	1	2	–	2	1	2	1	1	–	–	–	–
	Female	14	–	–	1	1	–	2	–	–	–	–	2	1	–	–	3	–	1	1	1	1	–	–
250	Diabetes mellitus	722	–	–	–	–	4	2	2	10	13	20	33	41	44	94	91	121	96	90	45	16	–	–
	White—Male	208	–	–	–	–	3	–	1	4	7	4	13	10	16	34	33	28	21	22	9	3	–	–
	Female	278	–	–	–	–	–	–	–	3	2	7	5	11	15	26	25	52	45	48	28	11	–	–
	All other—Male	95	–	–	–	–	–	2	1	2	4	1	8	7	8	13	11	14	15	4	3	2	–	–
	Female	141	–	–	–	–	1	–	–	1	–	8	7	13	5	21	22	27	15	16	5	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	52	4	–	–	2	–	–	1	–	1	1	2	1	1	6	3	7	3	8	7	4	1	–
	White—Male	17	–	–	–	1	–	–	–	–	–	–	–	1	1	4	–	3	2	4	–	1	–	–
	Female	12	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	3	–	–
	All other—Male	12	3	–	–	–	–	–	1	–	–	–	1	–	–	–	2	3	–	1	1	–	–	–
	Female	11	1	–	–	–	–	–	–	–	1	1	1	–	–	1	1	1	–	–	3	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virgina—Con.																							
280–285	Anemias	69	2	5	2	–	1	5	1	3	1	–	–	1	3	5	5	9	10	6	9	1	–	
	White—Male	16	–	–	1	–	–	1	–	–	–	–	–	–	1	3	1	2	1	3	3	–	–	
	Female	27	–	3	–	–	–	1	–	–	–	–	–	–	1	2	2	4	8	2	3	1	–	
	All other—Male	12	–	1	1	–	1	2	1	2	–	–	–	1	–	–	1	–	–	–	2	–	–	
	Female	14	2	1	–	–	–	1	–	1	1	–	–	–	1	–	1	3	1	1	1	–	–	
320	Meningitis	31	10	2	1	1	–	–	–	1	–	1	–	1	3	1	4	4	–	1	1	–	–	
	White—Male	13	5	2	–	–	–	–	–	1	–	–	–	–	–	1	3	1	–	–	–	–	–	
	Female	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other—Male	7	1	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	
	Female	7	2	–	–	1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	
390–448	Major cardiovascular diseases	20,261	10	9	8	10	11	21	38	77	122	315	602	1,072	1,386	1,961	2,370	2,901	2,924	2,850	2,123	1,090	356	5
	White—Male	8,579	3	2	2	2	7	9	19	31	59	158	323	575	757	1,042	1,194	1,256	1,164	981	645	284	66	–
	Female	7,350	1	3	4	6	2	4	10	15	23	47	93	170	271	405	606	925	1,230	1,438	1,205	675	216	1
	All other—Male	2,283	2	1	1	1	1	8	5	18	19	63	120	192	224	294	314	354	258	204	121	54	26	3
	Female	2,049	4	3	1	1	1	–	4	13	21	47	66	135	134	220	256	366	272	227	152	77	48	1
390–398, 402, 404, 410–429	Diseases of heart	14,690	10	7	3	9	10	12	19	59	87	238	494	868	1,131	1,574	1,837	2,153	2,036	1,905	1,330	690	215	3
	White—Male	6,709	3	1	–	2	7	7	13	27	48	136	289	511	669	891	978	964	839	675	418	186	45	–
	Female	4,967	1	2	1	5	2	–	1	10	13	28	66	112	204	313	455	691	849	945	735	417	117	–
	All other—Male	1,638	2	1	1	1	–	5	3	15	15	46	94	150	164	211	226	247	174	135	85	38	22	3
	Female	1,376	4	3	1	1	1	–	2	7	11	28	45	95	94	159	178	251	174	150	92	49	31	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	209	–	1	–	1	–	2	3	9	4	18	8	23	25	24	20	26	25	7	9	3	1	
	White—Male	73	–	–	–	–	–	1	2	3	1	8	3	10	9	8	10	7	6	3	2	–	–	
	Female	103	–	1	–	–	–	–	–	3	3	6	3	9	10	11	8	18	18	3	6	3	1	
	All other—Male	17	–	–	–	–	–	1	–	2	–	1	1	2	4	2	2	–	–	1	1	–	–	
	Female	16	–	–	–	1	–	–	1	1	–	3	1	2	2	3	–	1	1	–	–	–	–	
402	Hypertensive heart disease	119	–	–	–	–	–	–	–	1	–	4	1	8	8	14	10	21	18	14	12	5	3	
	White—Male	25	–	–	–	–	–	–	–	1	–	2	1	–	2	5	5	5	2	1	1	–	–	
	Female	40	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	10	8	10	4	2	
	All other—Male	24	–	–	–	–	–	–	–	–	–	–	–	2	4	4	3	7	2	2	–	–	–	
	Female	30	–	–	–	–	–	–	–	–	–	2	–	5	1	2	2	8	4	3	1	1	1	
404	Hypertensive heart and renal disease	153	–	–	–	–	–	–	–	–	1	–	1	4	6	7	21	27	24	24	21	11	6	
	White—Male	37	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	5	9	6	3	3	2	
	Female	52	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	9	7	10	11	5	1	
	All other—Male	29	–	–	–	–	–	–	–	–	–	–	1	1	2	–	9	5	3	2	1	2	3	
	Female	35	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	8	5	6	6	1	–	
410–413	Ischemic heart disease	13,166	–	1	–	–	–	–	9	31	72	198	430	769	988	1,427	1,673	1,947	1,856	1,745	1,197	628	192	3
	White—Male	6,190	–	–	–	–	–	–	7	18	43	118	256	472	616	827	920	898	781	634	387	171	42	–
	Female	4,457	–	1	–	–	–	–	1	2	10	20	54	97	167	277	414	617	780	869	664	380	104	–
	All other—Male	1,377	–	–	–	–	–	–	1	8	11	40	80	125	130	189	185	216	145	119	71	36	18	3
	Female	1,142	–	–	–	–	–	–	–	3	8	20	40	75	75	134	154	216	150	123	75	41	28	–
410	Acute myocardial infarction	6,445	–	–	–	–	–	–	6	19	37	118	247	492	622	841	947	1,006	869	666	357	170	47	1
	White—Male	3,529	–	–	–	–	–	–	4	12	28	82	160	329	416	530	563	525	410	279	131	47	13	–
	Female	1,894	–	–	–	–	–	–	1	2	3	14	31	63	99	152	246	306	341	315	190	107	24	–
	All other—Male	601	–	–	–	–	–	–	1	4	4	14	42	65	68	98	86	94	59	40	16	6	3	1
	Female	421	–	–	–	–	–	–	–	1	2	8	14	35	39	61	52	81	59	32	20	10	7	–
411	Other acute and subacute forms of ischemic heart disease	685	–	–	–	–	–	–	–	4	11	22	61	65	90	100	87	71	70	58	29	9	8	
	White—Male	297	–	–	–	–	–	–	–	2	3	8	33	34	43	48	42	25	31	15	8	1	4	
	Female	136	–	–	–	–	–	–	–	–	1	–	8	5	14	14	15	14	19	25	13	5	3	
	All other—Male	164	–	–	–	–	–	–	–	1	4	10	18	16	24	24	20	16	15	9	6	1	–	
	Female	88	–	–	–	–	–	–	–	1	3	4	2	10	9	14	10	16	5	9	2	2	1	
412	Chronic ischemic heart disease	6,033	–	1	–	–	–	–	3	8	24	58	122	212	276	486	638	869	917	1,020	811	449	137	2
	White—Male	2,364	–	–	–	–	–	–	3	4	12	28	63	109	157	249	315	348	340	340	248	123	25	–
	Female	2,427	–	1	–	–	–	–	–	–	6	6	15	29	54	111	153	297	420	529	461	268	77	–
	All other—Male	611	–	–	–	–	–	–	–	3	3	16	20	44	38	67	79	105	71	70	49	29	15	2
	Female	631	–	–	–	–	–	–	–	1	3	8	24	30	27	59	91	119	86	81	53	29	20	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	
	White—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	169	2	–	1	1	1	1	1	1	–	6	8	13	19	12	21	23	18	19	14	7	1	
	White—Male	62	–	–	–	–	1	–	–	–	–	3	5	3	8	4	5	15	6	6	4	2	–	
	Female	41	–	–	1	1	–	–	–	1	–	–	1	2	3	2	6	3	6	5	7	2	1	
	All other—Male	36	1	–	–	–	–	1	–	–	–	2	2	4	7	3	6	4	4	1	1	–	–	
	Female	30	1	–	–	–	–	–	1	–	–	1	–	4	1	3	4	1	2	7	2	3	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	874	8	5	2	7	9	9	6	17	10	12	46	51	85	90	92	109	95	96	77	36	12	–
	White Male	322	3	1	–	2	6	6	4	5	3	5	24	25	33	45	34	34	35	25	21	10	1	–
	Female	274	1	–	–	4	2	–	–	4	–	2	8	3	21	17	23	43	28	50	37	23	8	–
	All other Male	155	1	1	1	1	–	3	2	5	4	3	10	16	17	13	21	15	20	10	11	–	1	–
	Female	123	3	3	1	–	1	–	–	3	3	2	4	7	14	15	14	17	12	11	8	3	2	–
400, 401, 403	Hypertension	147	–	–	–	–	–	–	1	–	2	5	7	17	7	13	16	21	12	14	18	10	4	–
	White Male	39	–	–	–	–	–	–	–	–	2	–	–	5	3	5	4	6	2	6	4	2	–	–
	Female	44	–	–	–	–	–	–	1	–	–	1	–	3	2	2	2	8	6	1	10	6	2	–
	All other Male	32	–	–	–	–	–	–	–	–	–	2	4	7	–	2	5	4	2	2	3	–	1	–
	Female	32	–	–	–	–	–	–	–	–	–	2	3	2	2	4	5	3	2	5	1	2	1	–
430–438	Cerebrovascular diseases	4,185	–	1	5	1	–	9	14	18	29	58	90	153	202	295	410	545	684	730	577	277	85	2
	White Male	1,298	–	1	2	–	–	2	5	4	8	15	27	43	59	103	145	198	234	221	156	63	12	–
	Female	1,852	–	–	3	1	–	4	6	5	8	15	24	48	57	73	126	175	311	400	352	182	61	1
	All other Male	489	–	–	–	–	–	3	2	3	3	12	21	28	48	67	71	79	61	52	24	13	2	–
	Female	546	–	–	–	–	–	–	1	6	10	16	18	34	38	52	68	93	78	57	45	19	10	1
431	Cerebral hemorrhage	613	–	–	1	–	–	3	4	9	12	19	32	47	55	66	70	64	79	65	58	20	9	–
	White Male	190	–	–	–	–	–	1	2	2	2	5	8	15	11	23	28	27	26	19	13	6	2	–
	Female	228	–	–	1	–	–	–	2	2	4	3	4	17	18	18	21	17	35	31	37	13	5	–
	All other Male	96	–	–	–	–	–	2	–	2	1	7	11	4	15	17	10	9	8	7	2	1	–	–
	Female	99	–	–	–	–	–	–	–	3	5	4	9	11	11	8	11	11	10	8	6	–	2	–
433	Cerebral thrombosis	1,015	–	–	–	–	–	1	–	1	–	4	14	13	33	72	96	154	186	200	147	72	22	–
	White Male	355	–	–	–	–	–	–	–	1	–	–	4	3	11	32	39	57	70	68	47	20	3	–
	Female	453	–	–	–	–	–	1	–	–	–	1	6	3	10	14	32	51	81	105	89	43	17	–
	All other Male	80	–	–	–	–	–	–	–	–	–	–	3	4	6	12	12	20	9	9	4	1	–	–
	Female	127	–	–	–	–	–	–	–	–	–	3	1	3	6	14	13	26	26	18	7	8	2	–
434	Cerebral embolism	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	4	–	2	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,547	–	1	4	1	–	5	10	8	17	35	44	93	113	155	244	323	419	463	371	185	54	2
	White Male	751	–	1	2	–	–	1	3	1	6	10	15	25	36	48	78	113	138	134	96	37	7	–
	Female	1,167	–	–	2	1	–	3	4	3	4	11	14	28	29	40	73	106	195	263	225	126	39	1
	All other Male	311	–	–	–	–	–	1	2	1	2	5	7	20	27	37	49	49	44	36	18	11	2	–
	Female	318	–	–	–	–	–	–	1	3	5	9	8	20	21	30	44	55	42	30	32	11	6	1
440	Arteriosclerosis	648	–	–	–	–	–	–	1	–	–	–	2	2	4	21	31	78	90	135	144	93	47	–
	White Male	222	–	–	–	–	–	–	1	–	–	–	2	2	–	12	17	26	35	44	48	27	8	–
	Female	301	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7	24	32	67	79	57	32	–
	All other Male	66	–	–	–	–	–	–	–	–	–	–	–	–	4	4	5	15	15	12	7	3	1	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	13	8	12	10	6	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	591	–	1	–	–	1	–	3	–	4	14	9	32	42	58	76	104	102	66	54	20	5	–
	White Male	311	–	–	–	–	–	–	–	–	1	7	5	14	26	31	50	62	54	35	19	6	1	–
	Female	186	–	1	–	–	–	–	2	–	2	3	3	7	8	14	16	27	32	25	29	13	4	–
	All other Male	58	–	–	–	–	1	–	–	–	1	3	1	7	8	10	7	9	6	3	2	–	–	–
	Female	36	–	–	–	–	–	–	1	–	–	1	–	4	–	3	3	6	10	3	4	1	–	–
466	Acute bronchitis and bronchiolitis	13	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	3	1	1	1	3	–	–
	White Male	7	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,359	42	14	2	11	8	12	13	9	23	23	48	61	73	88	123	135	211	209	152	78	24	–
	White Male	601	15	7	1	5	5	7	7	3	8	2	14	26	27	48	65	62	102	94	65	34	4	–
	Female	418	10	2	1	3	2	2	5	2	5	6	9	13	20	18	19	31	61	87	67	38	17	–
	All other Male	213	10	3	–	2	–	1	1	3	10	11	22	13	17	14	22	22	32	15	11	4	–	–
	Female	127	7	2	–	1	1	2	–	1	–	4	3	9	9	8	17	20	16	13	9	2	3	–
470–474	Influenza	59	–	–	–	–	–	1	–	–	–	1	2	1	1	3	5	4	8	12	12	5	4	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	4	4	5	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	4	6	6	4	4	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
480–486	Pneumonia	1,300	42	14	2	11	8	11	13	9	23	22	46	60	72	85	118	131	203	197	140	73	20	–
	White Male	581	15	7	1	5	5	7	7	3	8	2	14	25	27	46	62	62	98	90	60	33	4	–
	Female	390	10	2	1	3	2	2	5	2	5	6	8	13	20	18	18	29	57	81	61	34	13	–
	All other Male	207	10	3	–	2	–	1	1	3	10	10	21	13	16	13	22	22	32	14	10	4	–	–
	Female	122	7	2	–	1	1	1	–	1	–	4	3	9	9	8	16	18	16	12	9	2	3	–
490–493	Bronchitis, emphysema, and asthma	525	1	3	3	3	1	2	3	2	4	2	16	41	31	74	80	102	71	51	25	8	2	–
	White Male	339	1	1	2	1	1	–	1	–	–	2	5	27	17	50	56	76	44	34	16	5	–	–
	Female	113	–	–	–	1	–	2	–	1	2	–	4	11	10	15	11	17	18	11	6	3	1	–
	All other Male	53	–	1	–	–	–	–	1	1	2	–	5	2	2	8	9	8	6	4	3	–	1	–
	Female	20	–	1	1	1	–	–	1	–	–	–	2	1	2	1	4	1	3	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia – Con.																							
490, 491	Chronic and unqualified bronchitis	118	1	1	2	–	–	1	–	–	1	–	3	10	10	14	13	27	17	12	4	1	1	–
	White Male	73	1	–	2	–	–	–	–	–	–	–	–	6	7	9	8	17	11	9	2	1	–	–
	Female	26	–	–	–	–	–	1	–	–	–	–	1	3	2	3	2	6	3	3	1	–	1	–
	All other Male	17	–	1	–	–	–	–	–	–	1	–	2	1	–	2	3	4	2	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
492	Emphysema	353	–	–	–	1	1	–	–	–	1	1	6	27	15	53	62	73	47	37	21	7	1	–
	White Male	250	–	–	–	–	1	–	–	–	–	1	2	20	8	38	48	58	31	25	14	4	–	–
	Female	65	–	–	–	1	–	–	–	–	–	–	–	5	5	9	7	10	13	7	5	3	–	–
	All other Male	31	–	–	–	–	–	–	–	–	1	–	3	1	2	5	5	4	3	4	2	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	1	–	–	–	–
493	Asthma	54	–	2	1	2	–	1	3	2	2	1	7	4	6	7	5	2	7	2	–	–	–	–
	White Male	16	–	1	–	1	–	–	1	–	–	1	3	1	2	3	–	1	2	–	–	–	–	–
	Female	22	–	–	–	–	–	1	–	1	2	–	3	3	3	3	2	1	2	1	–	–	–	–
	All other Male	5	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	11	–	1	1	1	–	–	1	–	–	–	1	–	1	–	2	–	2	1	–	–	–	–
531–533	Peptic ulcer	129	1	–	–	1	–	–	–	1	–	4	6	10	14	16	17	12	22	12	8	4	–	1
	White Male	69	–	–	–	–	–	–	–	–	–	3	2	6	8	11	7	8	14	4	4	1	–	1
	Female	33	–	–	–	1	–	–	–	–	–	–	1	1	3	3	4	3	5	7	2	3	–	–
	All other Male	21	–	–	–	–	–	–	–	1	–	1	2	2	2	2	6	1	2	1	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	1	–	–	–
540–543	Appendicitis	11	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	2	1	3	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	120	9	–	–	1	–	–	1	–	–	1	6	7	4	10	8	14	19	15	21	3	1	–
	White Male	33	4	–	–	1	–	–	–	–	–	–	3	2	2	2	4	4	5	2	3	1	–	–
	Female	56	4	–	–	–	–	–	1	–	–	1	–	2	1	4	2	7	12	8	11	2	1	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	2	5	1	–	–	–
	Female	15	1	–	–	–	–	–	–	–	–	–	2	–	–	3	1	2	–	–	6	–	–	–
571	Cirrhosis of liver	641	–	3	1	–	3	–	15	25	26	59	97	110	92	89	66	29	17	6	3	–	–	–
	White Male	310	–	–	–	–	–	–	5	13	11	25	49	51	54	40	36	14	8	3	1	–	–	–
	Female	171	–	1	–	–	1	–	4	5	4	7	22	32	23	30	22	7	9	2	2	–	–	–
	All other Male	87	–	2	1	–	1	–	1	3	5	16	13	11	7	14	7	5	–	1	–	–	–	–
	Female	73	–	–	–	–	1	–	5	4	6	11	13	16	8	5	1	3	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	45	–	–	–	–	–	1	1	–	–	–	–	1	3	3	6	8	5	10	4	3	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	4	3	–	–	–	–
	Female	25	–	–	–	–	–	1	1	–	–	–	–	1	1	1	1	4	1	7	4	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	191	–	–	1	2	2	1	1	3	8	8	9	14	8	21	23	26	23	20	13	8	–	–
	White Male	46	–	–	–	1	–	–	–	–	3	2	2	3	2	3	7	4	9	6	2	2	–	–
	Female	58	–	–	–	1	1	–	–	1	–	2	1	2	3	7	5	9	6	11	6	3	–	–
	All other Male	44	–	–	1	–	1	–	1	1	1	1	3	3	2	7	4	9	5	–	3	2	–	–
	Female	43	–	–	–	–	–	1	–	1	4	3	3	6	1	4	7	4	3	3	2	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	31	–	–	–	1	–	–	–	–	1	–	2	2	2	4	5	5	2	5	1	1	–	–
	White Male	11	–	–	–	1	–	–	–	–	1	–	1	–	–	–	3	1	2	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	3	–	2	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	160	–	–	1	1	2	1	1	3	7	8	7	12	6	17	18	21	21	15	12	7	–	–
	White Male	35	–	–	–	–	–	–	–	–	2	2	1	3	2	3	4	3	7	4	2	2	–	–
	Female	46	–	–	–	1	1	–	–	1	–	2	1	–	1	5	4	6	6	9	6	3	–	–
	All other Male	38	–	–	1	–	1	–	1	1	1	1	2	3	2	5	3	9	5	–	2	1	–	–
	Female	41	–	–	–	–	–	1	–	1	4	3	3	6	1	4	7	3	3	2	2	1	–	–
590	Infections of kidney	105	–	–	–	–	–	–	1	1	–	2	2	2	5	10	9	21	13	22	9	6	2	–
	White Male	28	–	–	–	–	–	–	1	–	–	–	1	1	1	4	3	6	3	5	1	2	–	–
	Female	42	–	–	–	–	–	–	–	1	–	1	1	–	1	3	1	6	6	12	7	3	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	3	–	–	–	–
	Female	25	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	7	4	2	1	1	2	–
600	Hyperplasia of prostate	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	8	4	3	3	3	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	3	2	2	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	–	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	2	–	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
640–645	Abortions	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	3	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	297	194	28	6	5	13	4	8	2	4	4	7	4	3	1	5	3	1	1	3	–	–	1
	White..... Male	117	79	3	3	2	5	2	6	1	2	3	3	2	2	1	2	–	–	–	1	–	–	–
	Female	99	59	16	1	3	7	1	1	1	1	–	3	1	–	–	–	–	1	1	2	–	–	1
	All other..... Male	44	34	1	1	–	1	1	1	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–
	Female	37	22	8	1	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	691	691	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	259	259	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	182	182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	154	154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	360	360	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	146	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	331	331	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	81	81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	479	128	9	2	2	9	6	6	5	5	13	14	23	20	19	19	38	46	33	33	26	21	2
	White..... Male	173	58	5	–	1	4	1	–	2	–	5	7	9	5	9	7	15	13	8	7	10	6	1
	Female	172	26	1	1	1	3	1	1	1	2	2	5	5	9	4	9	11	25	19	21	12	12	1
	All other..... Male	72	21	2	–	–	2	3	4	1	2	1	2	6	3	4	2	8	2	4	2	2	1	–
	Female	62	23	1	1	–	–	1	1	1	1	5	–	3	3	2	1	4	6	2	3	2	2	–
Residual	All other diseases	2,775	44	26	25	19	17	41	34	45	56	102	152	189	237	330	339	334	308	250	163	49	14	1
	White..... Male	1,248	21	11	13	8	9	14	12	19	14	40	59	77	110	148	178	181	147	100	61	19	7	–
	Female	860	14	7	6	6	6	15	10	11	9	27	40	55	58	89	88	94	107	105	85	21	6	1
	All other..... Male	405	6	5	3	3	1	7	11	8	17	16	36	33	45	63	47	38	33	21	7	4	1	–
	Female	262	3	3	3	2	1	5	1	7	16	19	17	24	24	30	26	21	21	24	10	5	–	–
E800–E949	Accidents	2,557	18	72	75	102	277	284	202	141	102	133	143	169	117	126	126	107	112	97	92	47	13	2
	White..... Male	1,418	4	30	31	54	193	191	128	91	61	84	77	91	62	72	60	53	43	38	34	15	6	–
	Female	598	6	16	18	24	46	41	32	11	15	20	24	35	23	22	42	35	58	46	54	25	5	–
	All other..... Male	408	6	14	19	13	31	46	34	34	22	23	33	30	30	22	15	13	8	8	2	3	–	2
	Female	133	2	12	7	11	7	6	8	5	4	6	9	13	2	10	9	6	3	5	2	4	2	–
E810–E823	Motor vehicle accidents	1,026	2	26	37	33	192	191	112	67	43	55	59	45	35	38	34	22	22	12	1	–	–	–
	White..... Male	614	–	10	12	14	135	119	66	42	26	36	31	26	22	26	15	13	10	10	1	–	–	–
	Female	209	2	9	9	13	38	37	20	7	8	8	10	10	4	6	12	5	10	1	–	–	–	–
	All other..... Male	159	–	4	11	3	15	32	19	17	8	8	14	6	8	5	4	3	1	1	–	–	–	–
	Female	44	–	3	5	3	4	3	7	1	1	3	4	3	1	1	3	1	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,531	16	46	38	69	85	93	90	74	59	78	84	124	82	88	92	85	90	85	91	47	13	2
	White..... Male	804	4	20	19	40	58	72	62	49	35	48	46	65	40	46	45	40	33	28	33	15	6	–
	Female	389	4	7	9	11	8	4	12	4	7	12	14	25	19	16	30	30	48	45	54	25	5	–
	All other..... Male	249	6	10	8	10	16	14	15	17	14	15	19	24	22	17	11	10	7	7	2	3	–	2
	Female	89	2	9	2	8	3	3	1	4	3	3	5	10	1	9	6	5	2	5	2	4	2	–
E950–E959	Suicide	707	...	...	1	8	37	63	63	69	58	63	75	72	60	45	34	25	22	10	2	–	–	–
	White..... Male	478	...	...	–	6	30	41	41	41	37	41	50	51	36	40	21	18	18	6	1	–	–	–
	Female	160	...	...	1	–	6	12	12	18	17	16	17	17	17	2	12	5	4	3	1	–	–	–
	All other..... Male	57	...	...	–	2	1	7	9	9	3	3	6	4	6	3	1	2	–	1	–	–	–	–
	Female	12	...	...	–	–	–	3	1	1	1	3	2	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	556	3	3	3	7	36	81	82	73	51	45	45	44	31	20	16	10	2	3	1	–	–	–
	White..... Male	199	–	3	–	3	18	20	26	23	15	21	16	18	14	7	6	5	2	1	1	–	–	–
	Female	62	2	–	3	1	3	8	11	10	6	3	4	1	3	2	3	–	–	2	–	–	–	–
	All other..... Male	241	1	–	–	3	10	42	35	34	27	14	24	22	9	9	7	4	–	–	–	–	–	–
	Female	54	–	–	–	–	5	11	10	6	3	7	1	3	5	2	–	1	–	–	–	–	–	–
E980–E999	Other external causes	39	1	–	1	–	1	1	7	6	6	2	5	3	3	2	–	–	–	1	–	–	–	–
	White..... Male	15	1	–	1	–	1	–	3	2	2	2	1	1	1	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	3	1	2	–	1	–	–	1	–	–	–	1	–	–	–	–
	All other..... Male	8	–	–	–	–	–	–	1	1	1	–	1	2	1	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington																							
	All causes	**29,827**	**759**	**147**	**98**	**126**	**378**	**383**	**344**	**313**	**341**	**509**	**873**	**1,474**	**2,067**	**2,653**	**3,119**	**3,431**	**3,665**	**3,959**	**3,182**	**1,507**	**493**	**6**
	White..... Male	16,042	393	72	66	78	262	267	225	169	191	272	516	853	1,264	1,650	1,923	2,009	1,925	1,870	1,324	560	148	5
	Female	12,684	281	51	27	39	88	84	85	102	112	181	287	531	718	895	1,106	1,333	1,655	2,025	1,816	931	336	1
	All other..... Male	696	46	9	3	7	22	23	23	26	27	36	47	61	51	76	62	57	52	31	25	8	4	–
	Female	405	39	15	2	2	6	9	11	16	11	20	23	29	34	32	28	32	33	33	17	8	5	–
004, 006	Bacillary dysentery and amebiasis	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	29	4	–	–	–	–	–	–	–	–	1	1	1	2	3	2	1	3	4	2	4	1	–
	White..... Male	12	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	2	–	3	–	–
	Female	15	1	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	2	2	2	1	1	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	29	–	–	–	–	–	–	–	–	–	–	2	2	1	3	4	8	1	4	2	2	–	–
	White..... Male	20	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	7	–	4	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	24	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	6	1	4	2	2	–	–
	White..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	5	–	4	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White..... Male	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	49	9	–	1	–	–	1	1	–	1	–	1	4	2	1	7	6	3	5	4	3	–	–
	White..... Male	22	5	–	1	–	–	–	–	–	–	–	3	2	1	2	1	1	3	1	2	–	–	
	Female	26	4	–	–	–	–	1	1	–	1	–	1	1	–	–	4	5	2	2	3	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	52	3	2	2	2	4	1	–	2	3	2	5	3	1	1	5	7	1	2	3	3	–	–
	White..... Male	31	2	1	2	1	2	1	–	2	2	1	2	2	1	1	4	4	–	1	1	1	–	–
	Female	13	1	–	–	1	1	–	–	–	–	–	1	–	–	–	1	3	–	1	2	2	–	–
	All other..... Male	5	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,877	4	9	21	15	19	23	33	40	61	117	230	416	611	800	894	797	708	583	342	120	34	–
	White—Male	3,125	3	6	10	7	12	15	17	16	28	41	121	197	316	448	520	446	378	321	156	55	12	–
	White—Female	2,561	1	2	9	7	5	7	16	23	29	69	99	201	274	314	352	330	311	253	175	63	21	–
	All other—Male	112	–	1	1	1	–	1	–	–	2	3	4	12	11	22	16	10	14	6	6	1	1	–
	All other—Female	79	–	–	1	–	2	–	–	1	2	4	6	6	10	16	6	11	5	3	5	1	–	–
140–149	Of buccal cavity and pharynx	113	–	–	–	–	–	–	–	–	2	1	2	11	23	17	14	17	12	8	4	2	–	–
	White—Male	70	–	–	–	–	–	–	–	–	1	1	2	7	14	10	8	12	6	5	3	1	–	–
	White—Female	39	–	–	–	–	–	–	–	–	–	–	–	3	9	7	5	5	5	3	1	1	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,562	1	1	–	–	–	3	2	3	10	16	42	81	140	185	233	233	220	203	134	40	15	–
	White—Male	818	1	–	–	–	–	2	1	2	5	9	27	44	79	102	138	113	113	102	57	17	6	–
	White—Female	682	–	1	–	–	–	1	1	1	5	7	11	33	55	68	88	108	101	98	74	22	8	–
	All other—Male	39	–	–	–	–	–	–	–	–	–	–	3	3	3	8	6	5	4	2	3	1	1	–
	All other—Female	23	–	–	–	–	–	–	–	–	–	–	1	1	3	7	1	7	2	1	–	–	–	–
160–163	Of respiratory system	1,404	–	–	–	–	–	–	–	6	9	30	65	113	184	265	254	192	149	97	30	10	–	–
	White—Male	1,044	–	–	–	–	–	–	–	4	6	14	49	81	126	197	202	149	117	74	20	5	–	–
	White—Female	316	–	–	–	–	–	–	–	2	3	13	13	27	50	60	46	38	30	22	8	4	–	–
	All other—Male	34	–	–	–	–	–	–	–	–	–	3	1	5	5	7	5	4	2	1	1	–	–	–
	All other—Female	10	–	–	–	–	–	–	–	–	–	–	2	–	3	1	1	1	–	–	1	1	–	–
174	Of breast	543	–	–	–	–	–	–	4	10	13	23	29	66	72	67	74	59	56	31	22	12	5	–
	White—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	–	–	–	–	–
	White—Female	525	–	–	–	–	–	–	4	9	13	23	29	63	70	64	72	55	54	30	22	12	5	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	1	–	–	–	3	1	1	2	2	–	1	–	–	–	–
180–187	Of genital organs	672	–	–	–	1	1	6	1	4	7	15	17	34	47	69	89	105	97	91	59	21	8	–
	White—Male	318	–	–	–	–	1	5	1	3	2	2	–	1	13	22	34	62	56	61	36	15	4	–
	White—Female	333	–	–	–	1	–	1	–	1	3	11	16	33	32	43	51	42	40	28	21	6	4	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–
	All other—Female	15	–	–	–	–	–	–	–	–	2	2	1	–	2	2	2	–	1	1	2	–	–	–
188, 189	Of urinary organs	297	–	–	–	–	–	–	–	–	1	5	10	17	24	34	46	43	41	40	26	10	–	–
	White—Male	188	–	–	–	–	–	–	–	–	1	3	8	12	14	25	32	27	19	29	13	5	–	–
	White—Female	100	–	–	–	–	–	–	–	–	–	2	1	5	10	6	12	16	21	10	12	5	–	–
	All other—Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	1	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	699	1	3	10	9	8	7	11	8	7	22	41	54	68	86	110	77	66	53	40	15	3	–
	White—Male	354	–	3	5	5	5	4	7	3	3	11	21	29	37	42	64	43	30	21	16	5	–	–
	White—Female	329	1	–	5	4	2	3	4	5	3	11	20	22	30	41	46	34	32	31	22	10	3	–
	All other—Male	10	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	3	1	1	–	–	–
	All other—Female	6	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	1	–	1	–	–	–
204–207	Leukemia	234	1	4	10	5	6	2	7	4	3	2	9	17	13	32	23	27	25	26	13	4	1	–
	White—Male	126	1	3	4	2	2	1	4	1	2	1	4	10	5	26	12	19	11	12	2	4	–	–
	White—Female	94	–	1	4	2	3	–	3	3	1	–	5	5	7	4	11	8	11	14	11	–	1	–
	All other—Male	7	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–
	All other—Female	7	–	–	1	–	1	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	353	1	1	1	–	4	5	8	5	9	3	15	23	40	45	51	44	42	34	14	6	2	–
	White—Male	200	1	–	1	–	4	3	4	3	8	–	10	13	27	22	30	19	24	17	9	3	2	–
	White—Female	143	–	–	–	–	–	2	4	2	1	2	4	10	11	21	21	24	17	17	4	3	–	–
	All other—Male	5	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
	All other—Female	5	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspeci-fied nature	76	1	1	–	1	2	1	1	–	3	1	4	4	12	8	13	9	7	6	1	1	–	–
	White—Male	34	–	–	–	1	2	–	–	–	2	–	2	3	6	3	6	6	1	2	–	–	–	–
	White—Female	41	1	1	–	–	–	1	1	–	1	–	2	1	6	5	7	3	6	4	1	1	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	539	–	–	1	1	3	2	3	11	10	4	11	23	30	55	80	67	81	80	52	21	4	–
	White—Male	229	–	–	1	–	–	1	2	3	4	3	6	7	19	30	40	33	27	23	21	7	2	–
	White—Female	290	–	–	–	1	2	1	1	8	5	1	4	15	10	24	34	31	52	56	30	14	1	–
	All other—Male	9	–	–	–	–	1	–	–	–	1	–	1	–	1	–	2	1	1	1	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	2	1	–	1	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	58	–	–	–	–	–	–	–	2	–	–	–	4	3	3	4	6	5	11	9	10	1	–
	White—Male	21	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	2	3	3	1	5	–	–
	White—Female	35	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	3	2	8	8	5	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
280–285	Anemias	43	–	2	–	1	1	–	–	–	–	3	–	1	3	3	4	2	6	7	7	2	1	–
	White Male	17	–	1	–	–	1	–	–	–	–	1	–	1	2	1	2	1	2	2	2	1	–	–
	Female	22	–	–	–	1	–	–	–	–	–	1	–	–	1	2	2	1	3	5	4	1	1	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	15	5	2	1	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	3	–	–	–
	White Male	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	9	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,307	13	1	4	5	13	7	22	25	58	124	287	552	876	1,218	1,505	1,943	2,243	2,632	2,277	1,120	380	2
	White Male	8,043	6	1	2	2	7	4	10	17	33	86	206	377	619	812	963	1,134	1,171	1,165	913	393	120	2
	Female	6,899	5	–	2	2	4	3	9	5	18	31	63	155	224	354	501	765	1,024	1,424	1,341	715	254	
	All other Male	234	2	–	–	1	2	–	2	1	4	5	12	15	21	41	29	30	28	21	12	5	3	
	Female	131	–	–	–	–	–	–	1	2	3	2	6	5	12	11	12	14	20	22	11	7	3	
390–398, 402, 404, 410–429	Diseases of heart	10,884	7	–	3	–	8	5	12	18	41	103	230	455	740	966	1,166	1,451	1,567	1,719	1,461	707	225	
	White Male	6,099	3	–	1	–	4	3	6	14	26	77	178	331	552	686	761	860	847	791	614	266	79	
	Female	4,519	3	–	2	–	2	2	4	2	10	20	40	107	162	242	371	559	686	896	833	435	143	
	All other Male	170	1	–	–	–	2	–	1	1	2	4	9	13	16	30	24	21	20	14	9	2	1	
	Female	96	–	–	–	–	–	–	1	1	3	2	3	4	10	8	10	11	14	18	5	4	2	
390–398	Active rheumatic fever and chronic rheumatic heart disease	254	–	–	–	–	–	–	4	2	6	3	11	16	20	26	44	33	30	27	21	8	3	
	White Male	110	–	–	–	–	–	–	1	2	2	1	4	7	11	16	21	17	7	12	7	1	1	
	Female	137	–	–	–	–	–	–	1	–	3	2	5	9	9	9	23	16	22	15	14	7	2	
	All other Male	4	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–	–	
	Female	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	122	–	–	–	–	1	–	–	1	1	–	4	3	6	10	17	19	18	26	11	4	1	
	White Male	53	–	–	–	–	1	–	–	1	–	–	2	2	3	7	10	9	8	5	5	–	–	
	Female	62	–	–	–	–	–	–	–	–	–	–	2	1	3	–	6	9	9	21	6	4	1	
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	
404	Hypertensive heart and renal disease	99	–	–	–	–	–	–	–	–	–	–	–	1	–	5	4	10	14	24	31	8	2	
	White Male	38	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	5	8	11	5	1	
	Female	59	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	8	16	20	3	1	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
410–413	Ischemic heart disease	9,629	–	–	–	–	–	1	2	11	27	84	190	402	655	848	1,023	1,298	1,406	1,520	1,315	643	204	
	White Male	5,477	–	–	–	–	–	1	–	9	21	69	162	308	492	613	675	779	772	707	553	242	74	
	Female	3,930	–	–	–	–	–	–	2	1	5	11	20	80	139	205	317	490	603	786	749	395	127	
	All other Male	143	–	–	–	–	–	–	–	1	1	2	7	12	15	23	23	19	19	10	8	2	1	
	Female	79	–	–	–	–	–	–	–	–	–	2	1	2	9	7	8	10	12	17	5	4	2	
410	Acute myocardial infarction	4,537	–	–	–	–	–	–	–	7	17	59	127	260	402	508	596	718	630	591	418	171	33	
	White Male	2,887	–	–	–	–	–	–	–	6	13	50	113	210	305	390	417	463	356	286	193	73	12	
	Female	1,564	–	–	–	–	–	–	–	1	3	7	10	43	81	106	168	246	265	293	223	97	21	
	All other Male	57	–	–	–	–	–	–	–	–	1	2	3	5	9	8	8	7	5	6	2	1	–	
	Female	29	–	–	–	–	–	–	–	–	–	–	1	2	7	4	3	2	4	6	–	–	–	
411	Other acute and subacute forms of ischemic heart disease	62	–	–	–	–	–	–	–	–	1	–	3	–	4	8	8	9	4	8	8	6	3	
	White Male	30	–	–	–	–	–	–	–	–	–	–	1	–	1	5	4	4	1	5	5	3	1	
	Female	31	–	–	–	–	–	–	–	–	1	–	2	–	3	3	4	4	3	3	3	3	2	
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	5,024	–	–	–	–	–	1	2	4	9	25	60	142	248	332	418	571	771	918	889	466	168	
	White Male	2,556	–	–	–	–	–	1	–	3	8	19	48	98	185	218	253	312	415	414	355	166	61	
	Female	2,333	–	–	–	–	–	–	2	–	1	4	8	37	55	96	145	240	334	489	523	295	104	
	All other Male	85	–	–	–	–	–	–	–	1	–	–	4	7	6	15	15	11	14	4	6	1	1	
	Female	50	–	–	–	–	–	–	–	–	–	2	–	–	2	3	5	8	8	11	5	4	2	
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	–	–	–	
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	94	1	–	–	–	–	1	–	–	–	2	5	5	6	6	7	6	6	22	17	8	2	
	White Male	44	–	–	–	–	–	1	–	–	–	1	2	1	4	2	5	5	2	9	10	2	–	
	Female	49	–	–	–	–	–	–	–	–	–	1	3	4	2	4	2	1	4	13	7	6	2	
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
420–423, 425–427, 429	All other forms of heart disease	686	6	–	3	–	7	3	6	4	7	14	20	28	53	71	71	85	93	100	66	36	13	–
	White Male	377	3	–	1	–	3	1	5	2	3	6	8	13	42	46	48	46	53	50	28	16	3	–
	Female	282	3	–	2	–	2	2	1	1	2	6	10	12	9	22	21	37	40	45	37	20	10	–
	All other Male	18	–	–	–	–	2	–	–	–	–	2	2	1	1	3	1	1	–	4	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	2	–	–	2	1	–	1	1	–	1	–	–	–	–
400, 401, 403	Hypertension	82	–	–	–	–	–	–	–	1	1	1	4	2	4	7	6	11	10	9	10	11	5	–
	White Male	46	–	–	–	–	–	–	–	1	–	–	1	2	2	5	4	7	7	4	5	6	2	–
	Female	32	–	–	–	–	–	–	–	–	–	1	2	–	2	2	2	3	3	5	5	4	3	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
430–438	Cerebrovascular diseases	3,260	3	1	1	5	3	2	8	4	14	17	44	87	97	176	246	373	531	679	589	284	96	–
	White Male	1,364	1	1	1	2	2	1	2	2	6	9	21	40	48	78	137	194	239	262	210	86	22	–
	Female	1,818	1	–	–	2	1	1	5	1	7	7	19	45	43	88	103	172	280	408	370	194	71	–
	All other Male	51	1	–	–	1	–	–	1	–	1	1	3	2	4	8	4	5	6	6	3	3	2	–
	Female	27	–	–	–	–	–	–	–	1	–	–	1	–	2	2	2	2	6	3	6	1	1	–
431	Cerebral hemorrhage	378	1	1	–	1	2	–	1	–	5	3	12	26	25	39	35	55	49	61	41	16	5	–
	White Male	172	1	1	–	1	1	–	1	–	3	1	8	14	12	18	15	33	22	25	14	1	1	–
	Female	192	–	–	–	–	1	–	–	–	1	2	3	11	11	20	17	21	27	35	24	15	4	–
	All other Male	12	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	1	–	1	3	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
433	Cerebral thrombosis	812	–	–	1	–	–	1	–	–	2	–	5	8	14	31	53	90	146	199	163	76	23	–
	White Male	317	–	–	1	–	–	–	–	–	1	–	4	6	12	16	32	45	63	59	48	27	3	–
	Female	483	–	–	–	–	–	1	–	–	1	–	1	2	2	13	19	45	81	139	111	48	20	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,064	2	–	–	4	1	1	7	4	7	14	27	52	58	106	157	225	335	419	385	192	68	–
	White Male	870	–	–	–	1	1	1	2	2	2	8	9	19	24	44	89	114	153	178	148	58	18	–
	Female	1,142	1	–	–	2	–	–	5	1	5	5	15	32	30	55	67	105	172	234	235	131	47	–
	All other Male	31	1	–	–	1	–	–	1	–	–	1	2	1	2	5	1	4	4	4	–	2	2	–
	Female	21	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	2	6	3	2	1	1	–
440	Arteriosclerosis	625	–	–	–	–	–	–	–	–	–	1	2	–	4	16	28	52	65	153	159	97	48	–
	White Male	262	–	–	–	–	–	–	–	–	–	–	2	–	1	9	19	34	34	64	57	27	15	–
	Female	353	–	–	–	–	–	–	–	–	–	1	–	–	3	5	8	14	30	88	102	69	33	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	456	3	–	–	–	2	–	2	2	2	2	7	8	31	53	59	56	70	72	58	21	6	2
	White Male	272	2	–	–	–	1	–	2	–	1	–	4	4	16	34	42	39	44	44	27	8	2	2
	Female	177	1	–	–	–	1	–	–	2	1	2	2	3	14	17	17	17	25	27	31	13	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	15	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	3	2	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	1	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	789	20	10	3	1	5	2	4	2	3	8	22	21	35	35	51	58	99	141	144	95	30	–
	White Male	388	11	7	2	1	2	1	3	–	2	3	13	9	20	18	29	41	52	76	64	28	6	–
	Female	371	8	3	1	–	3	1	1	1	1	3	7	11	10	13	20	17	43	62	77	65	24	–
	All other Male	23	1	–	–	–	–	–	–	–	–	2	2	–	4	3	2	–	3	1	3	2	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	1	2	–	–	–	–
470–474	Influenza	45	1	–	–	–	–	–	1	–	–	–	3	3	–	–	2	–	9	7	8	6	5	–
	White Male	12	1	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	4	1	1	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	5	6	7	5	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	744	19	10	3	1	5	2	3	2	3	8	19	18	35	35	49	58	90	134	136	89	25	–
	White Male	376	10	7	2	1	2	1	2	–	2	3	12	8	20	18	28	41	48	75	63	27	6	–
	Female	339	8	3	1	–	3	1	1	1	1	3	5	10	10	13	19	17	38	56	70	60	19	–
	All other Male	23	1	–	–	–	–	–	–	–	–	2	2	–	4	3	2	–	3	1	3	2	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	2	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	506	2	3	–	–	–	1	–	1	1	3	9	23	45	55	93	97	79	60	24	8	1	1
	White Male	361	1	1	–	–	–	–	–	1	1	1	3	12	29	37	68	82	60	43	15	6	1	1
	Female	137	–	2	–	–	–	1	–	1	–	2	5	11	15	18	25	13	18	15	9	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
490, 491	Chronic and unqualified bronchitis	96	2	2	–	–	–	–	–	1	–	2	4	2	4	13	13	14	17	13	6	3	–	–
	White..... Male	57	1	1	–	–	–	–	–	–	–	1	2	1	3	5	10	11	11	9	1	1	–	–
	Female	34	–	1	–	–	–	–	–	1	–	1	2	1	1	8	3	1	5	3	5	2	–	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	372	–	1	–	–	–	–	–	–	1	1	4	16	39	36	73	79	57	41	18	4	1	1
	White..... Male	285	–	–	–	–	–	–	–	–	1	–	1	11	25	28	54	68	47	30	14	4	1	1
	Female	84	–	1	–	–	–	–	–	–	–	1	2	5	13	8	19	11	10	10	4	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
493	Asthma	38	–	–	–	–	–	1	–	–	–	–	1	5	2	6	7	4	5	6	–	1	–	–
	White..... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1	4	4	3	2	4	–	1	–	–
	Female	19	–	–	–	–	–	1	–	–	–	–	1	5	1	2	3	1	3	2	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	124	–	–	1	–	–	–	1	1	–	1	1	9	13	15	12	15	18	17	13	4	3	–
	White..... Male	69	–	–	1	–	–	–	–	1	–	–	1	4	10	9	7	10	12	7	6	1	–	–
	Female	54	–	–	–	–	–	–	1	–	–	1	–	5	3	6	4	5	6	10	7	3	3	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	2	–	–	–	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	82	9	1	1	–	–	–	–	–	1	–	–	–	4	6	3	8	9	17	14	6	3	–
	White..... Male	34	5	1	–	–	–	–	–	–	–	–	–	–	3	4	2	3	4	4	4	4	–	–
	Female	45	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	5	13	10	2	3	–
	All other..... Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	552	1	–	–	–	–	–	1	14	23	39	67	104	89	76	69	32	21	9	7	–	–	–
	White..... Male	328	–	–	–	–	–	–	–	6	15	23	37	58	49	53	45	21	12	6	3	–	–	–
	Female	161	–	–	–	–	–	–	–	1	3	7	20	32	32	19	21	11	8	3	4	–	–	–
	All other..... Male	39	1	–	–	–	–	–	–	5	3	5	6	8	4	4	3	–	–	–	–	–	–	–
	Female	24	–	–	–	–	–	–	1	2	2	4	4	6	4	–	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	40	–	–	–	–	–	–	–	–	1	1	–	1	1	3	4	9	5	7	8	–	–	–
	White..... Male	23	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	3	4	4	6	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	5	1	3	2	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	75	–	–	–	–	–	1	1	2	1	–	3	4	6	7	5	14	10	13	4	3	1	–
	White..... Male	40	–	–	–	–	–	1	1	1	1	–	1	2	3	3	3	9	5	4	3	3	–	–
	Female	32	–	–	–	–	–	–	–	1	–	–	2	2	1	4	2	5	5	9	–	–	1	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	2	1	–	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	66	–	–	–	–	–	1	1	2	1	–	3	2	6	6	4	12	10	11	3	3	1	–
	White..... Male	35	–	–	–	–	–	1	1	1	1	–	1	–	3	3	3	8	5	3	2	3	–	–
	Female	28	–	–	–	–	–	–	–	1	–	–	2	2	1	3	1	4	5	8	–	–	1	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
590	Infections of kidney	72	–	1	–	–	–	–	–	–	1	2	4	3	3	7	5	7	8	16	10	4	1	–
	White..... Male	25	–	1	–	–	–	–	–	–	–	–	–	2	1	3	2	2	3	6	3	2	–	–
	Female	45	–	–	–	–	–	–	–	–	1	2	4	1	1	4	2	5	5	10	7	2	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	5	3	1	1	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	3	1	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	211	126	21	4	3	12	3	4	3	5	2	3	3	7	1	9	2	1	1	1	–	–	–
	White.....Male	89	59	5	2	3	7	1	1	1	2	1	2	–	2	–	1	1	–	1	–	–	–	–
	Female	105	55	13	2	–	4	2	3	2	3	1	1	2	5	1	8	1	1	–	1	–	–	–
	All other.....Male	10	7	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	399	399	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	211	211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	238	238	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	83	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	264	115	8	–	2	4	7	6	3	4	6	7	5	7	13	9	17	11	13	13	9	4	1
	White.....Male	136	57	3	–	2	3	4	3	3	1	2	2	2	4	8	5	11	5	8	8	4	–	–
	Female	108	47	2	–	–	1	1	2	–	1	5	4	3	3	5	3	5	6	5	5	5	4	1
	All other.....Male	8	5	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	12	6	3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Residual	All other diseases	1,937	31	8	10	9	24	22	30	24	28	51	61	116	162	185	228	242	243	231	156	61	15	–
	White.....Male	1,038	23	4	5	5	14	11	18	5	13	28	22	63	74	105	147	138	133	125	72	31	2	–
	Female	824	6	4	5	2	6	10	11	9	11	16	35	45	81	77	75	95	106	103	84	30	13	–
	All other.....Male	48	1	–	–	1	3	1	1	6	3	4	4	6	4	2	3	7	1	1	–	–	–	–
	Female	27	1	–	–	1	1	–	–	4	1	3	–	2	3	1	3	2	3	2	–	–	–	–
E800–E949	Accidents	1,851	16	73	42	77	234	215	146	106	73	92	92	96	86	111	77	51	76	75	73	27	12	1
	White.....Male	1,209	6	38	35	50	178	162	110	67	50	59	58	67	57	75	45	30	35	37	35	11	3	1
	Female	504	9	22	7	22	45	40	22	30	14	19	19	18	24	32	30	16	38	35	37	16	9	–
	All other.....Male	89	–	4	–	4	9	10	7	6	8	10	12	7	2	3	2	3	1	–	1	–	–	–
	Female	49	1	9	–	1	2	3	7	3	1	4	3	4	3	1	–	2	2	3	–	–	–	–
E810–E823	Motor vehicle accidents	813	4	21	16	27	155	144	71	66	40	42	39	23	28	39	35	15	21	14	11	–	1	1
	White.....Male	528	2	8	11	16	110	108	55	39	21	26	23	15	17	25	18	8	10	9	6	–	–	1
	Female	221	2	9	5	8	36	27	12	21	13	10	11	4	10	13	15	5	10	5	4	–	1	–
	All other.....Male	46	–	3	–	2	7	7	2	4	5	3	4	3	–	1	2	1	1	–	1	–	–	–
	Female	18	–	1	–	1	2	2	2	2	1	3	1	1	1	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,038	12	52	26	50	79	71	75	40	33	50	53	73	58	72	42	36	55	61	62	27	11	–
	White.....Male	681	4	30	24	34	68	54	55	28	29	33	35	52	40	50	27	22	25	28	29	11	3	–
	Female	283	7	13	2	14	9	13	10	9	1	9	8	14	14	19	15	11	28	30	33	16	8	–
	All other.....Male	43	–	1	–	2	2	3	5	2	3	7	8	4	2	2	–	2	–	–	–	–	–	–
	Female	31	1	8	–	–	–	1	5	1	–	1	2	3	2	1	–	1	2	3	–	–	–	–
E950–E959	Suicide	531	...	...	–	4	28	59	54	47	40	31	44	53	49	34	25	25	17	14	6	1	–	–
	White.....Male	360	...	...	–	3	20	46	40	32	22	14	28	27	35	29	17	18	10	14	4	1	–	–
	Female	146	...	...	–	1	7	7	10	13	16	15	16	22	13	5	6	7	6	–	2	–	–	–
	All other.....Male	21	...	...	–	–	1	4	3	1	2	2	–	4	1	–	2	–	1	–	–	–	–	–
	Female	4	...	...	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	190	1	1	6	3	22	24	29	25	17	15	12	14	7	4	3	1	3	2	–	1	–	–
	White.....Male	98	–	–	3	2	9	13	14	13	11	8	6	6	5	2	3	–	2	1	–	–	–	–
	Female	39	–	–	1	1	9	5	6	3	4	2	1	1	2	1	–	–	1	1	–	1	–	–
	All other.....Male	42	–	–	1	–	4	5	8	7	1	4	4	6	–	1	–	1	–	–	–	–	–	–
	Female	11	1	1	1	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	82	–	1	1	1	7	14	8	2	7	6	4	11	7	3	4	1	1	1	2	–	–	1
	White.....Male	43	–	–	1	1	5	7	6	1	2	1	2	7	2	1	3	1	–	1	1	–	–	1
	Female	30	–	1	–	–	1	4	1	1	3	5	1	3	5	2	1	–	1	–	1	–	–	–
	All other.....Male	6	–	–	–	–	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia																							
	All causes	19,558	527	85	50	71	183	195	179	171	202	363	675	1,001	1,351	1,873	2,205	2,487	2,607	2,471	1,751	865	244	2
	White..... Male	10,547	282	36	34	45	135	150	122	125	121	213	415	595	828	1,135	1,334	1,313	1,345	1,165	748	340	66	1
	Female	7,923	216	44	15	20	41	33	42	37	63	120	216	340	442	625	740	999	1,128	1,207	936	489	168	2
	All other..... Male	636	18	3	1	5	5	10	13	8	8	16	25	37	46	71	73	101	82	53	40	18	3	–
	Female	452	11	2	–	1	2	2	2	1	10	14	19	29	35	42	58	74	52	46	27	18	7	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	14	5	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1	3	1	1	–	–
	White..... Male	7	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Female	7	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	40	–	–	–	–	–	–	–	–	–	1	2	4	6	4	6	4	4	3	5	1	–	–
	White..... Male	20	–	–	–	–	–	–	–	–	–	1	–	2	5	2	4	–	1	2	3	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	4	3	–	2	1	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	35	–	–	–	–	–	–	–	–	–	1	2	4	5	4	6	3	2	3	5	–	–	–
	White..... Male	19	–	–	–	–	–	–	–	–	–	1	–	2	4	2	4	–	1	2	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	3	1	–	2	–	–	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	1	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	54	8	1	1	–	–	–	–	1	–	–	–	2	5	3	7	6	6	4	9	1	–	–
	White..... Male	33	4	1	1	–	–	–	–	1	–	–	–	2	2	2	5	4	5	3	2	1	–	–
	Female	20	4	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	1	–	7	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043 1	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	32	1	1	–	1	–	1	2	1	–	3	6	4	1	–	4	1	2	2	2	–	–	–
	White..... Male	18	–	–	–	1	–	1	2	1	–	1	5	2	–	–	3	–	1	1	–	–	–	–
	Female	13	1	1	–	–	–	–	–	–	–	1	1	2	1	–	1	1	1	1	2	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,254	–	4	6	8	16	10	21	27	40	66	147	260	330	445	471	489	393	303	149	60	8	1
	White—Male	1,706	–	3	6	6	8	5	11	12	10	30	67	115	180	238	272	272	212	157	67	33	2	–
	Female	1,373	–	1	–	2	8	5	8	15	25	30	74	129	136	184	178	184	162	129	72	24	6	1
	All other—Male	98	–	–	–	–	–	–	–	–	2	3	–	8	8	14	13	21	14	10	4	1	–	–
	Female	77	–	–	–	–	–	–	2	–	3	3	6	8	6	9	8	12	5	7	6	2	–	–
140–149	Of buccal cavity and pharynx	56	–	–	–	–	1	–	–	–	2	1	2	7	9	10	7	3	6	6	2	–	–	–
	White—Male	35	–	–	–	–	1	–	–	–	–	–	2	4	7	5	5	1	5	3	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	1	1	4	2	2	1	3	–	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritaneum	781	–	–	–	–	–	1	2	8	4	12	22	41	63	92	126	129	116	85	54	22	4	–
	White—Male	395	–	–	–	–	–	1	1	3	–	7	10	16	40	48	71	69	56	40	21	12	–	–
	Female	345	–	–	–	–	–	1	1	5	2	3	11	21	22	37	48	55	55	42	30	9	4	–
	All other—Male	27	–	–	–	–	–	–	–	–	1	2	–	2	1	4	6	3	4	1	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	1	2	–	3	1	2	1	2	1	–	–	–
160–163	Of respiratory system	830	–	–	–	–	–	1	–	1	8	17	32	85	112	148	148	137	70	51	15	5	–	–
	White—Male	612	–	–	–	–	–	–	–	1	4	12	22	57	82	117	123	98	53	32	9	2	–	–
	Female	175	–	–	–	–	–	1	–	–	3	3	10	23	27	26	21	28	13	13	5	2	–	–
	All other—Male	35	–	–	–	–	–	–	–	–	1	1	–	4	3	4	3	9	4	5	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	1	–	1	–	–
174	Of breast	249	–	–	–	–	–	–	1	2	6	8	17	40	36	29	35	25	22	13	8	7	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	229	–	–	–	–	–	–	1	2	6	7	14	36	33	28	32	23	20	13	7	7	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	3	4	2	1	3	2	2	–	1	–	–	–
180–187	Of genital organs	406	–	–	–	–	–	1	2	4	6	9	20	29	30	37	38	65	59	66	27	11	2	–
	White—Male	169	–	–	–	–	–	1	1	1	–	–	3	1	6	9	12	29	39	40	18	7	2	–
	Female	211	–	–	–	–	–	–	1	3	6	8	16	27	23	26	22	31	17	20	7	4	–	–
	All other—Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	2	4	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	1	2	1	–	–	–
188, 189	Of urinary organs	132	–	–	–	–	–	–	–	1	1	1	5	9	13	22	16	25	16	15	4	3	1	–
	White—Male	80	–	–	–	–	–	–	–	–	–	1	3	8	7	11	9	16	11	11	1	2	–	–
	Female	47	–	–	–	–	–	–	–	1	1	–	2	1	5	10	7	7	5	4	3	–	1	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	503	–	3	3	3	7	5	8	5	5	13	35	29	43	73	67	74	59	33	26	10	1	1
	White—Male	254	–	2	3	2	5	2	3	3	4	7	19	19	23	32	32	42	23	14	11	8	–	–
	Female	223	–	1	–	1	2	3	4	2	1	6	15	10	16	36	32	26	34	17	13	2	1	1
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–	–	–	–
	Female	18	–	–	–	–	–	–	1	–	–	–	1	–	3	3	1	4	1	2	2	–	–	–
204–207	Leukemia	128	–	1	2	4	6	1	4	5	3	2	8	6	8	12	15	8	19	18	5	1	–	–
	White—Male	65	–	1	2	3	1	–	3	3	1	1	4	3	4	5	11	3	10	7	2	1	–	–
	Female	59	–	–	–	1	5	1	–	2	2	1	4	3	3	7	4	4	8	11	3	–	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	169	–	–	1	1	2	1	4	1	5	3	6	14	16	22	19	23	26	16	8	1	–	–
	White—Male	95	–	–	1	1	1	1	3	1	1	2	4	7	10	11	9	14	15	10	3	1	–	–
	Female	69	–	–	–	–	1	–	1	–	4	1	2	7	6	10	10	8	9	6	4	–	–	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	–	1	1	2	1	–	–	1	–	3	8	2	9	5	7	9	3	2	1	1	–	1
	White—Male	26	–	–	–	1	1	–	–	1	–	1	4	–	4	2	3	8	1	–	–	–	–	–
	Female	31	–	1	1	1	–	–	–	–	–	2	4	2	5	3	4	1	2	2	1	1	–	1
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	357	1	–	–	1	1	1	3	1	4	14	13	13	23	32	41	67	59	44	24	12	3	–
	White—Male	123	1	–	–	–	1	1	1	–	1	6	8	4	8	14	14	21	19	11	11	2	–	–
	Female	194	–	–	–	1	–	–	2	1	1	5	2	5	14	15	22	39	35	30	12	9	1	–
	All other—Male	20	–	–	–	–	–	–	–	–	2	1	1	1	–	3	4	1	3	1	1	1	1	–
	Female	20	–	–	–	–	–	–	–	–	–	2	2	3	1	–	1	6	2	2	–	–	1	–
260–269	Avitaminoses and other nutritional deficiencies	33	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	7	8	3	6	4	–
	White—Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	2	1	2	2	–
	Female	19	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	5	2	3	2	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
280–285	Anemias	27	–	–	–	1	–	–	–	–	–	–	–	2	2	2	6	3	2	3	5	1	–	
	White—Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–	1	1	1	–	
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	1	1	2	4	–	–	
	All other—Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	
320	Meningitis	11	4	3	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	
	White—Male	4	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	5	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	10,558	5	4	4	5	11	9	11	32	53	105	262	406	636	950	1,203	1,455	1,626	1,654	1,301	638	188	
	White—Male	5,520	1	–	1	3	6	7	6	22	39	67	179	281	423	613	737	749	822	734	538	241	51	
	Female	4,502	4	4	3	2	4	–	5	8	11	33	65	105	173	281	392	599	725	866	720	373	129	
	All other—Male	284	–	–	–	–	–	1	–	1	1	3	11	12	21	32	39	58	45	26	22	10	2	
	Female	252	–	–	–	–	1	1	–	1	2	2	7	8	19	24	35	49	34	28	21	14	6	
390–398, 402, 404, 410–429	Diseases of heart	7,937	5	3	2	3	3	5	8	26	42	89	221	331	539	797	950	1,108	1,203	1,140	884	443	135	
	White—Male	4,297	1	–	–	1	1	3	6	17	34	58	158	239	370	533	584	579	631	507	370	166	39	
	Female	3,255	4	3	2	2	1	–	2	7	8	27	50	78	136	219	315	450	518	601	481	260	91	
	All other—Male	212	–	–	–	–	–	1	–	1	–	2	10	8	17	24	31	44	31	17	17	7	2	
	Female	173	–	–	–	–	1	1	–	1	–	2	3	6	16	21	20	35	23	15	16	10	3	
390–398	Active rheumatic fever and chronic rheumatic heart disease	142	–	–	–	1	–	–	1	6	4	8	10	8	15	22	17	15	11	13	10	1	–	
	White—Male	63	–	–	–	–	–	–	1	4	1	1	2	5	9	11	9	5	5	6	4	–	–	
	Female	77	–	–	–	1	–	–	–	2	3	7	8	3	4	11	8	10	6	7	6	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
402	Hypertensive heart disease	65	–	–	–	–	–	–	–	–	–	–	3	2	3	5	7	6	10	14	11	4	–	
	White—Male	26	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	2	3	6	4	3	–	
	Female	35	–	–	–	–	–	–	–	–	–	–	2	2	2	2	2	2	7	8	7	1	–	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	
404	Hypertensive heart and renal disease	52	–	–	–	–	–	–	–	–	–	–	1	2	4	2	4	9	7	10	7	5	1	
	White—Male	29	–	–	–	–	–	–	–	–	–	–	–	2	4	1	4	5	3	2	5	3	–	
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	4	8	1	2	1	
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
410–413	Ischemic heart disease	7,034	1	–	–	1	–	3	5	17	31	64	185	278	468	706	836	989	1,094	1,031	799	404	122	
	White—Male	3,840	–	–	–	1	–	2	3	12	29	43	143	208	335	474	517	524	568	462	334	150	35	
	Female	2,867	1	–	–	–	–	–	2	4	2	18	32	59	112	193	278	396	477	540	434	237	82	
	All other—Male	184	–	–	–	–	–	–	–	1	–	2	8	6	12	22	24	40	28	16	16	7	2	
	Female	143	–	–	–	–	–	1	–	–	–	1	2	5	9	17	17	29	21	13	15	10	3	
410	Acute myocardial infarction	3,879	1	–	–	1	–	2	4	14	28	53	161	235	352	505	552	580	528	422	299	112	30	
	White—Male	2,395	–	–	–	1	–	1	3	10	26	39	126	183	265	361	357	329	302	198	133	47	14	
	Female	1,328	1	–	–	–	–	–	1	3	2	13	27	45	74	124	170	216	210	214	156	58	14	
	All other—Male	85	–	–	–	–	–	–	–	1	–	1	6	3	9	11	15	19	7	5	4	3	1	
	Female	71	–	–	–	–	–	1	–	–	–	–	2	4	4	9	10	16	9	5	6	4	1	
411	Other acute and subacute forms of ischemic heart disease	19	–	–	–	–	–	–	–	–	1	–	–	–	2	7	3	2	1	–	–	2	1	
	White—Male	13	–	–	–	–	–	–	–	–	1	–	–	–	2	3	3	1	1	–	–	1	1	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	1	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
412	Chronic ischemic heart disease	3,132	–	–	–	–	–	1	1	3	2	11	24	43	113	193	280	407	564	609	500	290	91	
	White—Male	1,429	–	–	–	–	–	1	–	2	2	4	17	25	67	109	156	194	265	264	201	102	20	
	Female	1,533	–	–	–	–	–	–	1	1	–	5	5	14	38	66	108	179	266	326	278	178	68	
	All other—Male	99	–	–	–	–	–	–	–	–	–	1	2	3	3	11	9	21	21	11	12	4	1	
	Female	71	–	–	–	–	–	–	–	–	–	1	–	1	5	7	7	13	12	8	9	6	2	
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
424, 428	Chronic disease of endocardium and other myocardial insufficiency	49	–	–	–	1	–	1	1	1	2	–	–	2	1	1	7	8	6	4	8	4	2	
	White—Male	23	–	–	–	–	–	–	1	–	2	–	–	2	–	1	2	5	3	2	3	2	–	
	Female	22	–	–	–	1	–	–	–	1	–	–	–	–	–	–	4	3	2	2	5	2	2	
	All other—Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	595	4	3	2	–	3	1	1	2	5	17	22	39	48	61	79	81	75	68	49	25	10	–
	White—Male	316	1	–	–	–	1	1	1	1	2	14	12	22	21	43	49	38	49	29	20	8	4	–
	White—Female	234	3	3	2	–	1	–	–	–	3	2	7	14	18	13	23	36	22	36	28	17	6	–
	All other—Male	24	–	–	–	–	–	–	–	–	–	–	2	2	4	1	7	3	3	1	1	–	–	–
	All other—Female	21	–	–	–	–	1	–	–	1	–	1	1	1	5	4	–	4	1	2	–	–	–	–
400, 401, 403	Hypertension	81	–	–	–	–	–	–	–	1	–	1	3	5	5	7	7	9	11	9	14	7	2	–
	White—Male	41	–	–	–	–	–	–	–	1	–	–	2	1	1	3	6	6	9	2	6	4	–	–
	White—Female	35	–	–	–	–	–	–	–	–	–	1	1	2	4	3	1	2	2	7	8	2	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other—Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
430–438	Cerebrovascular diseases	1,951	–	1	2	1	5	2	3	5	8	10	25	52	75	101	197	278	331	391	299	131	34	–
	White—Male	886	–	–	1	1	3	2	–	4	5	7	13	27	44	53	114	127	143	165	122	45	10	–
	White—Female	946	–	1	1	–	2	–	3	1	–	2	8	21	26	41	62	129	170	207	169	81	22	–
	All other—Male	56	–	–	–	–	–	–	–	–	1	1	–	3	3	4	6	12	11	8	4	3	–	–
	All other—Female	63	–	–	–	–	–	–	–	–	2	–	4	1	2	3	15	10	7	11	4	2	2	–
431	Cerebral hemorrhage	336	–	–	2	–	1	–	2	3	4	4	11	14	29	19	36	52	42	63	35	15	4	–
	White—Male	146	–	–	1	–	–	–	–	2	2	2	8	8	15	11	17	22	17	26	10	4	1	–
	White—Female	169	–	–	1	–	1	–	2	1	–	1	–	6	12	7	16	27	22	35	25	11	2	–
	All other—Male	10	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	3	2	–	–	–	–	–
	All other—Female	11	–	–	–	–	–	–	–	–	1	–	3	–	–	–	3	–	1	2	–	–	1	–
433	Cerebral thrombosis	526	–	–	–	–	–	–	–	–	–	–	–	4	10	25	50	66	102	115	95	50	9	–
	White—Male	243	–	–	–	–	–	–	–	–	–	–	–	3	7	13	30	28	44	53	46	15	4	–
	White—Female	263	–	–	–	–	–	–	–	–	–	–	–	–	3	12	16	34	53	59	48	33	5	–
	All other—Male	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	3	–	1	–	–
	All other—Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–	1	1	–	–
434	Cerebral embolism	11	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	1	2	1	–	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
	White—Female	7	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,078	–	–	–	1	4	2	1	2	4	6	14	33	36	57	111	158	184	212	167	65	21	–
	White—Male	493	–	–	–	1	3	2	–	2	3	5	5	16	22	29	67	76	81	85	66	25	5	–
	White—Female	507	–	–	–	–	1	–	1	–	–	1	8	14	11	22	30	67	93	113	94	37	15	–
	All other—Male	35	–	–	–	–	–	–	–	–	–	–	–	2	1	3	6	7	5	5	4	2	–	–
	All other—Female	43	–	–	–	–	–	–	–	–	1	–	1	1	2	3	8	8	5	9	3	1	1	–
440	Arteriosclerosis	311	–	–	–	–	–	–	–	–	–	–	3	6	3	10	13	28	41	68	77	48	14	–
	White—Male	135	–	–	–	–	–	–	–	–	–	–	2	5	2	4	8	13	18	32	29	20	2	–
	White—Female	164	–	–	–	–	–	–	–	–	–	–	1	1	1	6	5	11	20	33	47	28	11	–
	All other—Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–
	All other—Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	278	–	–	–	1	3	2	–	–	3	5	10	12	14	35	36	32	40	46	27	9	3	–
	White—Male	161	–	–	–	1	2	2	–	–	–	2	4	9	6	20	25	24	21	28	11	6	–	–
	White—Female	102	–	–	–	–	1	–	–	–	3	3	5	3	6	12	9	7	15	18	15	2	3	–
	All other—Male	8	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	1	–	–	–	–	–
	All other—Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	1	–	–
466	Acute bronchitis and bronchiolitis	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
	White—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	White—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other—Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	565	38	9	7	4	2	5	2	5	5	2	10	15	27	45	39	60	79	92	69	39	11	–
	White—Male	300	15	3	5	3	1	3	–	4	1	–	5	9	17	28	30	34	39	46	37	17	3	–
	White—Female	231	19	6	2	–	1	2	2	1	4	–	4	5	9	14	7	25	32	43	28	19	8	–
	All other—Male	28	3	–	–	1	–	–	–	–	–	2	1	1	1	2	1	1	6	3	4	2	–	–
	All other—Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–
470–474	Influenza	21	2	–	–	1	–	–	–	1	–	–	–	–	–	1	2	3	3	4	3	1	–	–
	White—Male	10	1	–	–	1	–	–	–	1	–	–	–	–	–	–	2	2	–	1	2	–	–	–
	White—Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	–	1	–	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	544	36	9	7	3	2	5	2	4	5	2	10	15	27	44	37	57	76	88	66	38	11	–
	White—Male	290	14	3	5	2	1	3	–	3	1	–	5	9	17	28	28	32	39	45	35	17	3	–
	White—Female	222	18	6	2	–	1	2	2	1	4	–	4	5	9	13	7	24	30	40	28	18	8	–
	All other—Male	26	3	–	–	1	–	–	–	–	–	2	1	1	1	2	1	1	5	3	3	2	–	–
	All other—Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	300	1	–	–	–	–	–	–	–	–	6	9	14	24	42	55	51	46	34	13	4	1	–
	White—Male	222	–	–	–	–	–	–	–	–	–	3	6	11	16	28	42	39	35	31	9	2	–	–
	White—Female	73	1	–	–	–	–	–	–	–	–	3	2	3	8	12	12	12	11	2	4	2	1	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
490, 491	Chronic and unqualified bronchitis	57	1	–	–	–	–	–	–	–	–	1	4	3	2	4	4	13	14	7	2	1	1	–
	White Male	40	–	–	–	–	–	–	–	–	–	1	2	3	2	3	3	8	9	7	2	–	–	–
	Female	16	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	5	5	–	–	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	222	–	–	–	–	–	–	–	–	–	3	4	8	20	35	49	37	30	25	9	2	–	–
	White Male	178	–	–	–	–	–	–	–	–	–	2	4	7	14	24	39	31	26	23	7	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	1	–	1	6	9	9	6	4	1	2	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	21	–	–	–	–	–	–	–	–	–	2	1	3	2	3	2	1	2	2	2	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	2	1	2	2	2	2	1	2	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	63	–	–	–	–	–	–	1	2	1	–	2	2	4	9	9	14	5	9	3	1	1	–
	White Male	41	–	–	–	–	–	–	1	2	1	–	2	1	3	3	7	10	4	6	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	3	1	2	1	1	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	14	–	–	–	1	–	–	–	–	–	–	–	1	2	1	1	4	–	3	–	1	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	3	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	66	3	–	–	–	–	–	–	–	–	2	3	1	8	4	4	10	5	17	3	4	2	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	2	1	4	–	–	4	1	6	1	2	–	–
	Female	42	3	–	–	–	–	–	–	–	–	2	1	–	4	3	3	5	4	11	2	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	269	–	–	–	–	–	2	1	4	9	23	44	35	32	40	29	24	15	5	4	1	1	–
	White Male	181	–	–	–	–	–	1	1	2	7	17	25	22	27	26	23	13	10	5	2	–	–	–
	Female	70	–	–	–	–	–	1	–	1	1	5	15	8	4	12	6	8	5	–	2	1	1	–
	All other Male	10	–	–	–	–	–	–	–	1	–	–	3	2	1	1	–	2	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	1	1	3	–	1	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	43	–	–	–	–	–	–	–	–	–	–	–	3	3	3	8	4	7	9	4	2	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	2	2	1	6	2	5	4	2	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	5	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	66	–	–	1	–	–	2	–	–	1	1	3	6	7	5	6	11	11	9	1	1	1	–
	White Male	36	–	–	–	–	–	1	–	–	1	–	–	4	3	4	1	7	6	8	–	1	–	–
	Female	23	–	–	1	–	–	–	–	–	–	–	2	1	3	1	4	3	5	1	1	–	1	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	–	1	–	–	–	–	–	–	1	1	2	1	1	1	–	1	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	56	–	–	1	–	–	1	–	–	1	1	3	6	6	4	4	10	10	8	1	–	–	–
	White Male	31	–	–	–	–	–	1	–	–	1	–	–	4	2	4	1	6	5	7	–	–	–	–
	Female	19	–	–	1	–	–	–	–	–	–	–	2	1	3	–	2	3	5	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
590	Infections of kidney	58	–	–	–	–	–	–	1	–	1	–	2	4	3	3	7	8	9	10	5	5	–	–
	White Male	22	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	3	3	5	3	2	–	–
	Female	32	–	–	–	–	–	–	1	–	–	–	2	2	2	1	4	5	6	4	2	3	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
600	Hyperplasia of prostate	18	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	6	7	–	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	7	–	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	124	78	12	4	5	1	2	2	1	1	3	3	4	3	–	1	1	3	–	–	–	–	–
	White.....Male	58	42	2	4	1	–	1	–	–	–	2	1	2	–	–	–	1	2	–	–	–	–	–
	Female	58	33	8	–	4	–	1	2	–	1	1	2	1	3	–	1	–	1	–	–	–	–	–
	All other.....Male	6	2	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	326	326	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	180	180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	127	127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	182	182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	100	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	144	144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	525	28	2	–	–	3	1	1	2	3	16	16	34	37	55	68	57	66	59	35	31	11	–
	White.....Male	270	17	–	–	–	2	–	1	1	3	10	7	15	26	34	45	33	27	26	11	9	3	–
	Female	216	10	1	–	–	1	1	–	1	–	4	7	15	8	17	18	20	32	30	23	20	8	–
	All other.....Male	21	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	2	4	3	1	2	–	–
	Female	18	1	1	–	–	–	–	–	–	–	2	1	2	1	3	2	2	3	–	–	–	–	–
Residual	All other diseases	1,293	19	17	6	7	11	14	14	17	13	39	60	80	106	145	163	154	175	138	75	38	2	–
	White.....Male	703	9	8	3	4	7	7	9	12	5	23	40	44	52	80	91	73	99	80	40	16	1	–
	Female	490	9	9	3	2	4	7	5	3	7	13	16	31	41	52	57	68	64	47	31	20	1	–
	All other.....Male	68	–	–	–	1	–	–	–	2	–	3	3	4	8	10	7	11	8	5	4	2	–	–
	Female	32	1	–	–	–	–	–	–	–	1	–	1	1	5	3	8	2	4	6	–	–	–	–
E800–E949	Accidents	1,006	9	25	18	33	115	117	86	46	37	44	44	67	54	51	48	43	62	49	33	15	10	–
	White.....Male	716	7	15	13	24	92	99	69	41	27	34	38	47	32	40	29	28	33	24	13	7	4	–
	Female	243	1	9	4	7	20	11	13	4	6	8	4	15	17	10	19	12	28	24	17	8	6	–
	All other.....Male	37	–	1	1	2	3	6	4	1	2	2	2	3	3	1	–	3	–	–	3	–	–	–
	Female	10	1	–	–	–	–	1	–	–	2	–	–	2	2	–	–	–	1	1	–	–	–	–
E810–E823	Motor vehicle accidents	449	1	3	14	16	77	74	58	24	20	14	19	32	20	25	16	14	12	5	5	–	–	–
	White.....Male	328	1	3	11	9	61	61	44	20	14	9	15	19	11	20	10	10	5	4	1	–	–	–
	Female	99	–	–	2	5	13	8	12	3	4	5	3	11	9	5	6	3	7	1	2	–	–	–
	All other.....Male	19	–	–	1	2	3	4	2	1	1	–	1	1	–	–	–	1	–	–	2	–	–	–
	Female	3	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	557	8	22	4	17	38	43	28	22	17	30	25	35	34	26	32	29	50	44	28	15	10	–
	White.....Male	388	6	12	2	15	31	38	25	21	13	25	23	28	21	20	19	18	28	20	12	7	4	–
	Female	144	1	9	2	2	7	3	1	1	2	3	1	4	8	5	13	9	21	23	15	8	6	–
	All other.....Male	18	–	1	–	–	–	2	2	–	1	2	1	2	3	1	–	2	–	–	1	–	–	–
	Female	7	1	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	1	1	–	–	–	–
E950–E959	Suicide	221	...	...	–	1	9	17	15	16	20	21	27	24	18	14	16	7	11	2	3	–	–	–
	White.....Male	170	...	...	–	1	9	15	11	14	16	11	17	15	15	12	14	6	9	2	3	–	–	–
	Female	46	...	...	–	–	–	2	1	2	4	9	10	9	2	2	2	1	2	–	–	–	–	–
	All other.....Male	4	...	...	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	93	–	1	1	1	5	6	12	11	13	8	5	10	5	8	1	1	2	2	1	–	–	–
	White.....Male	57	–	1	–	1	2	5	7	8	8	4	3	6	4	3	1	1	2	–	1	–	–	–
	Female	18	–	–	1	–	2	–	1	1	3	2	1	2	1	3	–	–	–	1	–	–	–	–
	All other.....Male	16	–	–	–	–	1	1	4	2	1	1	1	2	–	2	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	53	1	2	1	1	7	6	6	4	1	4	6	5	4	2	1	2	–	–	–	–	–	–
	White.....Male	39	1	2	1	–	6	3	3	4	1	3	4	5	3	1	1	1	–	–	–	–	–	–
	Female	10	–	–	–	–	1	2	1	–	–	1	2	–	1	1	–	1	–	–	–	–	–	–
	All other.....Male	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin																							
	All causes	40,865	906	166	115	163	481	461	337	324	400	576	1,047	1,543	2,332	3,336	4,449	5,079	6,031	6,003	4,429	2,057	627	3
	White Male	22,362	481	81	54	100	331	329	222	200	212	321	637	971	1,514	2,131	2,780	2,976	3,206	2,933	1,889	796	196	2
	Female	17,543	335	58	52	49	119	97	81	95	153	198	354	501	739	1,120	1,579	2,022	2,773	3,028	2,518	1,249	423	–
	All other Male	563	58	16	5	9	24	25	24	18	16	27	36	47	50	54	53	38	28	18	9	5	3	–
	Female	397	32	11	4	5	7	10	10	11	19	30	20	24	29	31	37	43	24	24	13	7	5	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	10	1	–	1	1	–	–	–	1	–	–	–	–	–	2	7	3	2	3	6	1	–
	White Male	17	5	–	–	1	1	–	–	–	–	–	–	–	–	–	1	4	1	1	1	2	–	–
	Female	20	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	2	1	2	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	45	–	–	–	1	1	–	1	1	–	1	1	2	4	3	11	7	3	3	4	1	1	–
	White Male	27	–	–	–	–	–	–	–	–	–	1	1	1	2	1	9	6	3	–	3	–	–	–
	Female	14	–	–	–	–	1	–	1	–	–	–	–	–	2	2	2	1	–	3	–	1	1	–
	All other Male	3	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
010–012	Tuberculosis of respiratory system	33	–	–	–	–	1	–	–	–	–	1	1	1	3	3	8	4	3	3	3	1	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	1	1	1	2	1	7	4	3	–	3	–	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	3	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	1	–	–	1	1	–	–	–	1	1	–	3	3	–	–	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	All other Male	3	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	2	1	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
	White Male	6	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	77	10	2	1	1	1	1	–	2	–	1	–	5	–	–	11	5	14	12	8	3	–	–
	White Male	55	5	2	–	1	–	1	–	2	–	1	–	3	–	–	10	5	11	9	5	–	–	–
	Female	20	3	–	1	–	1	–	–	–	–	–	–	2	–	–	1	–	3	3	3	3	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	74	3	3	5	–	4	1	2	2	8	2	1	5	3	9	6	6	5	5	2	2	–	–
	White Male	39	2	1	1	–	1	–	2	1	1	1	1	2	2	5	2	6	4	5	1	1	–	–
	Female	32	1	2	4	–	3	–	–	1	6	–	–	3	1	4	4	–	1	–	1	1	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,717	1	17	25	25	37	44	43	66	89	138	284	450	701	982	1,171	1,134	1,024	847	468	145	25	1
	White.....Male	4,107	1	7	16	18	24	28	25	35	41	57	134	220	387	533	646	632	542	446	233	66	15	1
	Female	3,438	–	7	9	7	11	12	15	27	44	69	141	210	289	427	503	475	475	395	234	78	10	–
	All other.....Male	88	–	1	–	–	2	2	1	2	1	2	3	13	14	15	10	17	3	2	–	–	–	–
	Female	84	–	2	–	–	–	2	2	2	3	10	6	7	11	7	12	10	4	4	1	1	–	–
140–149	Of buccal cavity and pharynx	144	–	–	–	–	–	–	–	–	1	–	15	15	22	23	17	22	10	13	5	1	–	–
	White.....Male	103	–	–	–	–	–	–	–	–	–	–	11	12	19	20	12	14	4	8	2	1	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	3	2	3	3	5	8	6	5	3	–	–	–
	All other.....Male	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,191	–	–	–	2	–	2	1	11	19	18	57	89	182	251	320	348	342	305	165	68	10	1
	White.....Male	1,135	–	–	–	2	–	2	–	4	11	8	32	50	110	142	164	190	168	148	72	25	6	1
	Female	1,012	–	–	–	–	–	–	1	6	7	7	24	35	68	102	150	145	172	155	93	43	4	–
	All other.....Male	26	–	–	–	–	–	–	–	1	–	–	–	3	3	5	2	11	–	1	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	3	1	1	1	2	4	2	2	1	–	–	–	–
160–163	Of respiratory system	1,486	–	–	–	1	–	2	1	4	6	22	65	118	180	255	301	216	166	95	47	5	2	–
	White.....Male	1,158	–	–	–	–	–	1	1	3	5	16	45	85	138	200	241	182	131	75	29	4	2	–
	Female	288	–	–	–	1	–	1	–	–	1	3	19	25	31	48	57	31	33	19	18	1	–	–
	All other.....Male	31	–	–	–	–	–	–	–	1	–	2	1	6	7	6	3	3	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	2	4	1	–	–	–	1	–	–	–	–
174	Of breast	750	–	–	–	1	–	2	2	9	12	30	51	80	62	95	109	103	77	70	35	7	5	–
	White.....Male	9	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	1	–	1	–	–	1	–
	Female	731	–	–	–	–	–	1	2	8	11	28	49	79	60	93	107	101	77	69	35	7	4	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	1	–	1	1	2	2	1	–	1	–	1	–	–	–	–	–	–
180–187	Of genital organs	956	–	–	–	–	2	4	9	8	10	13	29	43	78	104	125	159	140	130	81	18	3	–
	White.....Male	467	–	–	–	–	2	4	5	7	1	3	3	4	17	34	59	84	86	89	55	12	2	–
	Female	460	–	–	–	–	–	–	3	1	8	8	23	36	57	68	60	72	53	40	25	5	1	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	–	1	–	–	–	–
	Female	20	–	–	–	–	–	–	1	–	1	2	2	2	3	2	3	1	1	–	1	1	–	–
188, 189	Of urinary organs	411	–	2	2	–	–	–	–	–	2	6	12	10	34	51	65	62	60	54	37	14	–	–
	White.....Male	275	–	2	1	–	–	–	–	–	–	4	10	7	23	34	42	35	39	42	27	9	–	–
	Female	129	–	–	1	–	–	–	–	–	2	2	2	2	11	15	21	26	20	12	10	5	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	901	1	9	10	9	13	15	13	13	24	31	30	55	79	115	120	95	114	81	50	21	3	–
	White.....Male	472	1	4	5	7	8	8	9	6	15	19	21	38	39	59	62	54	54	29	23	9	2	–
	Female	411	–	3	5	2	5	4	2	7	9	10	9	17	37	56	56	38	60	51	27	12	1	–
	All other.....Male	6	–	–	–	–	–	2	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	Female	12	–	2	–	–	–	1	1	–	–	2	–	–	–	–	2	3	–	1	–	–	–	–
204–207	Leukemia	385	–	5	9	11	17	7	4	6	7	10	8	19	25	31	43	56	50	45	24	6	2	–
	White.....Male	231	–	1	6	8	9	4	3	5	4	3	4	12	16	16	27	33	28	30	17	3	2	–
	Female	146	–	3	3	3	6	3	1	1	3	7	3	6	9	15	15	22	22	14	7	3	–	–
	All other.....Male	4	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	493	–	1	4	1	5	12	13	15	8	8	17	21	39	57	71	73	65	54	24	5	–	–
	White.....Male	257	–	–	4	–	5	9	7	10	5	4	8	12	23	27	37	39	32	24	8	3	–	–
	Female	223	–	1	–	1	–	3	6	4	3	4	9	8	13	27	32	32	32	30	16	2	–	–
	All other.....Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	2	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	65	–	–	–	–	1	–	–	–	–	1	3	3	6	9	7	10	10	7	4	2	2	–
	White.....Male	29	–	–	–	–	–	–	–	–	–	–	1	2	4	4	3	4	4	4	1	–	2	–
	Female	34	–	–	–	–	1	–	–	–	–	1	2	1	1	4	4	6	6	3	3	2	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	773	–	–	1	–	–	2	5	4	6	11	17	20	45	69	123	136	121	121	68	21	3	–
	White.....Male	354	–	–	–	–	–	1	2	1	5	10	12	9	25	35	62	67	45	46	24	10	–	–
	Female	403	–	–	1	–	–	1	2	3	1	1	5	10	20	29	58	66	74	74	44	11	3	–
	All other.....Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	3	2	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	62	1	–	–	–	–	–	1	1	–	1	–	1	–	1	4	4	9	13	9	11	6	–
	White.....Male	29	–	–	–	–	–	–	1	1	–	1	–	1	–	1	1	3	4	5	3	5	3	–
	Female	33	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	8	6	6	3	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
280–285	Anemias	63	–	1	1	3	–	–	1	2	1	2	1	–	–	3	8	7	10	10	6	6	1	–
	White Male	25	–	–	–	3	–	–	1	–	1	–	–	–	–	1	4	4	2	4	4	1	–	–
	Female	34	–	–	1	–	–	–	–	1	–	2	1	–	–	2	2	3	8	6	2	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	31	10	7	1	1	–	–	–	–	–	1	–	2	3	2	1	1	2	–	–	–	–	–
	White Male	17	6	4	–	–	–	–	–	–	–	–	–	2	1	2	1	–	1	–	–	–	–	–
	Female	9	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	22,749	18	6	3	8	15	15	29	45	94	181	411	674	1,054	1,616	2,349	2,965	3,918	4,067	3,235	1,576	469	1
	White Male	12,267	8	3	–	5	9	10	16	26	57	121	297	501	770	1,138	1,556	1,752	2,053	1,903	1,314	594	133	1
	Female	10,163	10	2	3	3	4	5	8	13	29	41	94	150	255	441	752	1,179	1,833	2,136	1,905	971	329	–
	All other Male	178	–	1	–	–	2	–	3	3	6	11	13	15	19	21	24	14	18	13	7	5	3	–
	Female	141	–	–	–	–	–	–	2	3	2	8	7	8	10	16	17	20	14	15	9	6	4	–
390–398, 402, 404, 410–429	Diseases of heart	16,571	15	2	1	3	9	9	15	31	72	130	328	577	860	1,340	1,850	2,248	2,760	2,806	2,160	1,050	304	1
	White Male	9,404	8	–	–	1	5	7	8	21	51	97	259	451	663	970	1,259	1,350	1,483	1,372	917	397	84	1
	Female	6,947	7	1	1	2	2	2	3	6	16	20	57	105	175	340	569	877	1,255	1,416	1,232	646	215	–
	All other Male	132	–	1	–	–	2	–	3	3	4	8	8	15	15	18	13	9	13	9	6	3	2	–
	Female	88	–	–	–	–	–	–	1	1	1	5	4	6	7	12	9	12	9	9	5	4	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	283	–	–	–	1	–	1	4	1	8	8	18	21	28	31	51	51	36	13	10	1	–	–
	White Male	126	–	–	–	1	–	1	1	–	2	3	7	11	18	16	20	21	13	7	4	1	–	–
	Female	150	–	–	–	–	–	–	2	–	5	3	10	9	10	15	31	30	23	6	6	–	–	–
	All other Male	4	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	135	–	–	–	–	–	–	1	1	–	2	6	8	9	9	16	24	17	20	14	6	2	–
	White Male	56	–	–	–	–	–	–	1	–	–	1	4	4	4	4	11	10	7	5	4	–	1	–
	Female	71	–	–	–	–	–	–	–	1	–	–	1	3	4	5	5	12	10	15	10	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	1	–
404	Hypertensive heart and renal disease	98	–	–	–	–	–	–	–	–	–	2	1	–	2	3	7	9	19	17	22	12	4	–
	White Male	47	–	–	–	–	–	–	–	–	–	2	1	–	1	2	3	7	7	12	5	7	–	–
	Female	49	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	12	5	17	5	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
410–413	Ischemic heart disease	14,850	–	–	–	–	1	1	7	23	54	100	265	489	744	1,168	1,615	2,001	2,535	2,599	1,996	978	273	1
	White Male	8,420	–	–	–	–	–	1	4	19	43	81	216	398	586	849	1,110	1,198	1,364	1,255	853	366	76	1
	Female	6,251	–	–	–	–	–	–	1	2	8	11	40	76	138	293	485	787	1,149	1,328	1,133	606	194	–
	All other Male	107	–	–	–	–	1	–	1	1	2	5	7	12	14	14	12	6	13	8	6	3	2	–
	Female	72	–	–	–	–	–	–	1	1	1	3	2	3	6	12	8	10	9	8	4	3	1	–
410	Acute myocardial infarction	7,127	–	–	–	–	1	1	3	17	33	66	186	339	536	759	993	1,115	1,230	993	604	211	40	–
	White Male	4,528	–	–	–	–	–	1	3	13	28	53	155	288	435	566	696	681	710	519	278	87	15	–
	Female	2,531	–	–	–	–	–	–	–	2	5	9	28	44	93	181	291	425	514	468	323	123	25	–
	All other Male	40	–	–	–	–	1	–	–	1	–	3	3	6	6	5	3	4	3	3	1	1	–	–
	Female	28	–	–	–	–	–	–	–	1	–	1	–	1	2	7	3	5	3	3	2	–	–	–
411	Other acute and subacute forms of ischemic heart disease	89	–	–	–	–	–	–	–	–	2	1	4	4	4	13	13	7	13	14	8	4	2	–
	White Male	56	–	–	–	–	–	–	–	–	–	–	4	4	4	10	10	5	8	6	4	–	1	–
	Female	31	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	2	5	8	4	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	7,631	–	–	–	–	–	–	4	6	19	33	75	146	204	396	608	878	1,292	1,591	1,384	763	231	1
	White Male	3,833	–	–	–	–	–	–	1	6	15	28	57	106	147	273	403	511	646	729	571	279	60	1
	Female	3,689	–	–	–	–	–	–	1	–	2	2	12	32	45	109	191	360	630	852	806	479	168	–
	All other Male	66	–	–	–	–	–	–	1	–	1	2	4	6	8	9	9	2	10	5	5	2	2	–
	Female	43	–	–	–	–	–	–	1	–	1	1	2	2	4	5	5	5	6	5	2	3	1	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	140	–	–	–	–	1	1	–	1	2	2	–	6	2	6	16	13	20	25	29	8	8	–
	White Male	69	–	–	–	–	1	1	–	1	–	2	–	4	1	4	10	6	11	13	7	5	3	–
	Female	69	–	–	–	–	–	–	–	–	2	–	–	2	1	2	5	7	9	11	22	3	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,065	15	2	1	2	7	6	3	5	8	16	38	53	75	123	145	150	133	132	89	45	17	–
	White—Male	686	8	–	–	–	4	4	2	1	6	8	31	34	53	95	105	108	81	80	44	18	4	–
	Female	357	7	1	1	2	2	2	–	3	1	6	6	15	21	25	39	39	52	51	44	27	13	–
	All other—Male	17	–	1	–	–	1	–	1	1	1	2	1	1	–	3	1	3	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1	–	–	–
400, 401, 403	Hypertension	136	–	–	–	–	–	–	–	–	2	1	3	4	4	10	8	18	29	26	18	11	2	–
	White—Male	75	–	–	–	–	–	–	–	–	–	1	–	3	2	6	6	11	16	13	13	3	1	–
	Female	56	–	–	–	–	–	–	–	–	1	–	2	1	2	4	2	6	11	13	5	8	1	–
	All other—Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	4,611	2	3	2	5	6	5	11	12	16	45	69	75	153	213	384	568	883	948	774	346	91	–
	White—Male	2,082	–	2	–	4	4	2	6	4	5	20	32	40	79	126	212	305	414	399	274	129	25	–
	Female	2,448	2	1	2	1	2	3	4	6	9	19	30	33	69	81	154	252	462	543	496	214	65	–
	All other—Male	38	–	–	–	–	–	–	–	–	1	3	5	–	2	2	10	4	4	3	1	2	1	–
	Female	43	–	–	–	–	–	–	1	2	1	3	2	2	3	4	8	7	3	3	3	1	–	–
431	Cerebral hemorrhage	627	1	–	1	–	3	3	3	4	2	14	27	19	35	49	69	86	101	107	77	20	6	–
	White—Male	300	–	–	–	–	2	2	2	3	2	7	17	12	17	27	40	42	47	44	24	10	2	–
	Female	315	1	–	1	–	1	1	1	–	–	5	8	7	18	22	26	44	54	61	51	10	4	–
	All other—Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	2	1	–	–	–	1	–	–	1	2	–	–	–
433	Cerebral thrombosis	1,049	–	–	–	–	–	–	–	–	–	5	2	8	25	44	86	135	224	216	195	89	20	–
	White—Male	474	–	–	–	–	–	–	–	–	–	3	–	5	15	23	52	78	107	91	66	27	7	–
	Female	564	–	–	–	–	–	–	–	–	–	2	2	2	10	20	31	56	116	124	128	61	12	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	1	–	–	–
434	Cerebral embolism	19	–	1	–	–	–	–	–	–	–	–	1	1	–	3	3	1	4	1	1	2	1	–
	White—Male	9	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	1	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,916	1	2	1	5	3	2	8	8	14	26	39	47	93	117	226	346	554	624	501	235	64	–
	White—Male	1,299	–	1	–	4	2	–	4	1	3	10	15	23	47	75	118	185	257	264	183	91	16	–
	Female	1,560	1	1	1	1	1	2	3	6	9	12	20	23	41	37	96	151	291	357	317	142	48	–
	All other—Male	30	–	–	–	–	–	–	–	–	1	3	3	–	2	2	7	4	4	2	1	1	–	–
	Female	27	–	–	–	–	–	–	1	1	1	1	1	1	3	3	5	6	2	1	–	1	–	–
440	Arteriosclerosis	815	–	–	–	–	–	–	–	–	1	–	–	2	4	12	21	46	129	188	208	141	63	–
	White—Male	332	–	–	–	–	–	–	–	–	–	–	–	–	2	8	12	26	58	77	71	56	22	–
	Female	477	–	–	–	–	–	–	–	–	1	–	–	2	1	3	9	20	70	110	137	84	40	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	616	1	1	–	–	–	1	3	2	3	5	11	16	33	41	86	85	117	99	75	28	9	–
	White—Male	374	–	1	–	–	–	1	2	1	1	3	6	7	24	28	67	60	82	42	39	9	1	–
	Female	235	1	–	–	–	–	–	1	1	2	2	5	9	8	13	18	24	35	54	35	19	8	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
466	Acute bronchitis and bronchiolitis	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	White—Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,140	39	11	2	6	7	8	2	6	7	8	17	21	39	61	74	115	187	205	182	105	37	1
	White—Male	668	19	6	1	4	6	4	1	2	4	5	8	14	32	42	51	80	114	123	91	52	9	–
	Female	447	16	5	1	2	–	3	–	4	1	3	6	5	6	18	22	34	70	81	89	53	28	–
	All other—Male	16	2	–	–	–	–	–	–	–	2	–	3	2	–	–	1	1	3	1	1	–	–	–
	Female	9	2	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1
470–474	Influenza	81	1	2	–	–	–	1	–	–	1	1	–	3	2	4	4	9	13	15	12	8	5	–
	White—Male	44	1	1	–	–	–	1	–	–	1	1	–	3	2	1	4	8	3	6	6	5	1	–
	Female	37	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	1	10	9	6	3	4	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,059	38	9	2	6	7	7	2	6	6	7	17	18	37	57	70	106	174	190	170	97	32	1
	White—Male	624	18	5	1	4	6	3	1	2	3	4	8	11	30	41	47	72	111	117	85	47	8	–
	Female	410	16	4	1	2	–	3	–	4	1	3	6	5	6	15	22	33	60	72	83	50	24	–
	All other—Male	16	2	–	–	–	–	–	–	–	2	–	3	2	–	–	1	1	3	1	1	–	–	–
	Female	9	2	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–	–	–	1	–	–	1
490–493	Bronchitis, emphysema, and asthma	556	–	2	–	–	1	1	2	1	–	8	12	16	42	72	93	95	109	66	26	5	5	–
	White—Male	431	–	1	–	–	–	1	1	1	–	4	8	10	25	55	77	82	89	51	19	4	3	–
	Female	118	–	1	–	–	1	–	1	–	–	4	4	6	15	15	15	11	20	15	7	1	2	–
	All other—Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
490, 491	Chronic and unqualified bronchitis	92	–	2	–	–	–	–	–	–	–	–	1	2	10	5	16	16	18	11	6	2	3	–
	White Male	67	–	1	–	–	–	–	–	–	–	–	1	1	7	5	11	15	11	6	5	2	2	–
	Female	23	–	1	–	–	–	–	–	–	–	–	–	1	3	–	4	–	7	5	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
492	Emphysema	420	–	–	–	–	–	–	–	–	–	3	8	12	28	60	73	74	85	53	19	3	2	–
	White Male	340	–	–	–	–	–	–	–	–	–	1	7	7	17	47	63	64	74	44	13	2	1	–
	Female	77	–	–	–	–	–	–	–	–	–	2	1	5	10	12	10	9	11	9	6	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	44	–	–	–	–	1	1	2	1	–	5	3	2	4	7	4	5	6	2	1	–	–	–
	White Male	24	–	–	–	–	–	1	1	1	–	3	–	2	1	3	3	3	4	1	1	–	–	–
	Female	18	–	–	–	–	1	–	1	–	–	2	3	–	2	3	1	2	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	162	–	–	–	–	–	–	2	–	3	1	7	8	8	16	24	21	17	25	16	10	4	–
	White Male	100	–	–	–	–	–	–	2	–	2	1	3	5	6	13	11	13	11	15	10	6	2	–
	Female	59	–	–	–	–	–	–	–	–	1	–	4	2	2	3	11	8	6	10	6	4	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	17	–	1	–	–	1	–	–	–	–	–	–	1	1	–	1	2	1	6	2	1	–	–
	White Male	13	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	1	1	5	1	1	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	148	10	–	–	–	1	1	–	1	3	5	1	3	2	3	13	15	25	31	27	4	3	–
	White Male	50	4	–	–	–	1	1	–	–	2	4	–	–	–	–	6	5	9	11	6	–	1	–
	Female	95	6	–	–	–	–	–	–	1	1	1	1	3	1	3	7	9	15	20	21	4	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	509	1	1	–	–	–	–	1	4	18	31	53	64	79	85	68	50	31	15	7	1	–	–
	White Male	301	–	–	–	–	–	–	–	3	7	18	29	41	47	53	47	23	17	11	4	1	–	–
	Female	186	1	–	–	–	–	–	–	1	8	12	20	18	31	31	18	26	13	4	3	–	–	–
	All other Male	12	–	–	–	–	–	–	–	–	2	1	3	2	–	1	2	–	1	–	–	–	–	–
	Female	10	–	1	–	–	–	–	1	–	1	–	1	3	1	–	1	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	96	–	–	–	–	–	1	–	–	–	–	2	4	1	9	7	13	20	21	8	6	4	–
	White Male	44	–	–	–	–	–	–	–	–	–	–	–	3	1	4	4	7	9	12	2	1	1	–
	Female	49	–	–	–	–	–	1	–	–	–	–	2	–	–	5	3	5	11	8	6	5	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	137	–	1	1	2	3	2	4	2	–	3	5	8	10	6	11	22	22	19	13	2	1	–
	White Male	79	–	1	1	–	2	2	3	1	–	2	2	4	5	2	8	10	15	11	8	2	–	–
	Female	51	–	–	–	1	1	–	1	1	–	1	2	3	4	4	3	11	7	7	5	–	–	–
	All other Male	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–
580, 581	Acute nephritis and nephrotic syndrome	25	–	1	–	–	–	–	–	–	–	–	–	–	2	1	3	4	3	6	3	2	–	–
	White Male	16	–	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	5	2	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	112	–	–	1	2	3	2	4	2	–	3	5	8	8	5	8	18	19	13	10	–	1	–
	White Male	63	–	–	1	–	2	2	3	1	–	2	2	4	4	2	5	10	13	6	6	–	–	–
	Female	44	–	–	–	1	1	–	1	1	–	1	2	3	3	3	3	8	6	7	4	–	–	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
590	Infections of kidney	108	–	–	–	1	1	–	–	1	–	–	1	–	4	6	7	11	20	33	14	5	4	–
	White Male	42	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	5	9	8	8	2	2	–
	Female	61	–	–	–	1	–	–	–	–	–	–	–	–	2	4	3	6	10	24	6	3	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
600	Hyperplasia of prostate	49	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	8	9	14	2	3	–
	White Male	49	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	8	9	14	2	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	295	183	21	14	9	10	6	7	5	2	1	5	6	3	9	6	3	2	1	1	1	–	–
	White.....Male	133	93	9	3	3	2	2	5	3	2	–	2	2	1	2	1	1	1	–	1	–	–	–
	Female	144	81	10	10	5	8	3	1	1	–	1	1	4	2	7	5	2	1	1	1	–	–	–
	All other.....Male	9	5	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	9	4	1	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	468	468	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	253	253	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	245	245	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	223	223	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Male	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	277	80	9	–	1	5	4	3	3	5	2	5	4	6	4	9	14	26	22	31	22	22	–
	White.....Male	132	48	1	–	–	–	3	3	3	1	–	2	2	4	4	8	5	11	11	13	4	9	–
	Female	119	15	4	–	–	3	1	–	–	4	2	2	2	2	–	1	9	14	11	18	18	13	–
	All other.....Male	20	14	3	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	6	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	2,464	45	17	11	14	21	40	26	24	41	54	89	115	183	232	300	306	331	319	194	80	22	–
	White.....Male	1,306	25	7	5	6	15	23	13	13	12	24	43	64	105	140	169	174	179	168	91	25	5	–
	Female	1,058	9	7	6	8	4	15	11	8	24	22	34	41	68	84	121	125	148	149	102	55	17	–
	All other.....Male	61	6	3	–	–	1	2	2	3	–	2	9	8	9	5	6	2	2	1	–	–	–	–
	Female	39	5	–	–	–	1	–	–	–	5	6	3	2	1	3	4	5	2	1	1	–	–	–
E800–E949	Accidents	1,982	23	63	47	76	303	240	123	86	70	63	71	80	91	93	100	95	92	132	82	38	14	–
	White.....Male	1,309	10	37	24	46	226	195	90	60	54	41	53	54	63	62	67	60	48	68	29	14	8	–
	Female	584	11	17	15	21	71	36	27	22	11	14	14	24	24	26	29	33	44	63	52	24	6	–
	All other.....Male	62	2	6	5	7	5	7	5	3	1	6	3	1	3	4	3	–	–	–	1	–	–	–
	Female	27	–	3	3	2	1	2	1	1	4	2	1	1	1	1	1	2	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	892	4	22	14	29	224	177	73	44	32	26	30	34	29	41	32	32	23	18	6	2	–	–
	White.....Male	604	3	8	6	13	160	145	51	30	23	14	23	18	17	25	20	21	12	9	4	2	–	–
	Female	256	1	8	7	14	62	29	20	11	8	8	5	16	11	12	11	11	11	9	2	–	–	–
	All other.....Male	27	–	4	–	1	2	3	2	2	1	4	2	–	1	4	1	–	–	–	–	–	–	–
	Female	5	–	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,090	19	41	33	47	79	63	50	42	38	37	41	46	62	52	68	63	69	114	76	36	14	–
	White.....Male	705	7	29	18	33	66	50	39	30	31	27	30	36	46	37	47	39	36	59	25	12	8	–
	Female	328	10	9	8	7	9	7	7	11	3	6	9	8	13	14	18	22	33	54	50	24	6	–
	All other.....Male	35	2	2	5	6	3	4	3	1	–	2	1	1	2	–	2	–	–	–	1	–	–	–
	Female	22	–	1	2	1	1	2	1	–	4	2	1	1	1	1	1	2	–	1	–	–	–	–
E950–E959	Suicide	524	...	...	–	4	41	53	57	44	37	47	49	43	40	36	31	16	14	9	2	1	–	–
	White.....Male	367	...	...	–	4	33	43	44	34	18	26	30	25	28	26	24	12	12	5	2	1	–	–
	Female	139	...	...	–	–	5	7	8	8	18	19	19	17	12	9	7	4	2	4	–	–	–	–
	All other.....Male	13	...	...	–	–	3	3	4	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	154	2	–	1	5	23	30	22	17	10	8	6	8	6	7	5	2	1	1	–	–	–	–
	White.....Male	67	1	–	1	5	9	8	10	9	2	2	6	5	3	3	3	–	–	–	–	–	–	–
	Female	36	1	–	–	–	5	10	5	2	2	2	–	–	1	2	2	2	1	1	–	–	–	–
	All other.....Male	41	–	–	–	–	8	8	7	5	3	3	–	3	2	2	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	1	4	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	59	–	1	1	2	4	11	6	6	4	6	5	–	–	1	2	5	2	–	2	1	–	–
	White.....Male	37	–	–	1	1	1	7	3	5	3	2	4	–	–	1	2	3	1	–	2	1	–	–
	Female	12	–	–	–	1	–	2	1	1	1	3	1	–	–	–	–	1	1	–	–	–	–	–
	All other.....Male	7	–	1	–	–	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming																							
	All causes	**3,142**	**104**	**27**	**15**	**13**	**78**	**69**	**47**	**46**	**39**	**74**	**93**	**140**	**195**	**267**	**331**	**352**	**389**	**400**	**284**	**135**	**43**	**1**
	White Male	1,837	53	12	11	10	54	44	36	29	22	51	58	86	124	169	236	211	215	208	137	65	5	1
	Female	1,217	49	12	4	3	18	22	7	10	11	19	29	51	67	92	90	134	164	189	141	67	38	–
	All other Male	55	2	3	–	–	3	3	3	3	1	3	3	2	4	4	3	5	7	1	4	1	–	–
	Female	33	–	–	–	–	3	–	1	4	5	1	3	1	–	2	2	2	3	2	2	2	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
	White Male	4	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	7	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	1	–	1	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	7	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	490	–	3	–	2	4	1	2	4	9	11	17	29	49	55	75	70	67	51	27	12	2	–
	White..... Male	273	–	1	–	1	1	1	2	2	4	7	8	12	23	31	53	46	34	30	10	6	1	–
	Female	206	–	2	–	1	2	–	–	2	5	4	8	16	26	22	20	23	31	20	17	6	1	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	12	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	2	1	–	3	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	123	–	–	–	–	–	–	–	–	–	2	3	5	9	12	26	23	14	16	10	2	1	–
	White..... Male	73	–	–	–	–	–	–	–	–	–	2	2	3	5	8	17	14	6	8	6	2	–	–
	Female	49	–	–	–	–	–	–	–	–	–	–	1	2	4	4	9	9	8	7	4	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
160–163	Of respiratory system	97	–	–	–	–	–	–	–	1	2	1	4	7	16	13	17	15	16	4	1	–	–	–
	White..... Male	75	–	–	–	–	–	–	–	1	–	1	2	4	11	10	17	13	12	4	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	2	–	1	3	5	3	–	1	2	–	1	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	37	–	–	–	–	–	–	–	1	–	3	3	4	3	3	6	2	7	2	1	2	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	–	–	–	–	–	–	–	1	–	2	3	4	3	2	6	2	7	2	1	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	65	–	–	–	–	–	–	–	–	3	–	2	2	6	8	5	11	13	10	3	1	1	–
	White..... Male	34	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	7	7	9	2	1	1	–
	Female	30	–	–	–	–	–	–	–	–	2	–	2	1	5	5	3	4	6	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	27	–	1	–	–	–	–	–	–	–	–	–	2	–	4	4	6	4	3	2	1	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	2	2	1	1	–	–
	Female	11	–	1	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	1	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	64	–	2	–	1	1	1	1	–	3	3	2	4	5	9	5	6	5	8	7	1	–	–
	White..... Male	31	–	1	–	–	1	1	1	–	2	2	2	3	2	5	3	2	2	4	–	1	–	–
	Female	32	–	1	–	1	1	–	–	–	1	1	–	1	3	4	1	4	3	4	7	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
204–207	Leukemia	26	–	–	–	–	2	–	1	1	–	1	1	2	2	–	4	–	4	4	2	2	–	–
	White..... Male	14	–	–	–	–	–	–	1	1	–	1	1	1	–	–	4	–	2	1	1	1	–	–
	Female	11	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	2	3	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hemato-poietic tissues	39	–	–	–	1	1	–	–	1	1	1	2	3	6	4	6	7	2	3	1	–	–	–
	White..... Male	25	–	–	–	1	1	–	–	–	1	–	1	–	3	3	5	6	2	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	1	1	3	3	1	–	1	–	1	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	6	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	60	–	–	–	–	1	–	–	–	–	3	–	2	1	8	9	8	7	8	10	3	–	–
	White..... Male	22	–	–	–	–	–	–	–	–	–	3	–	–	1	3	4	1	6	3	–	1	–	–
	Female	36	–	–	–	–	1	–	–	–	–	–	–	2	–	4	5	7	–	5	10	2	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	2	1	1	1	–
	White..... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
280–285	Anemias	6	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	3	–	1	–	–	
	White Male	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
320	Meningitis	5	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
390–448	Major cardiovascular diseases	1,448	–	–	1	–	4	3	2	2	9	11	18	58	85	124	160	197	207	257	194	83	32	1
	White Male	818	–	–	–	–	2	1	2	1	6	9	12	39	64	85	111	114	109	126	96	37	3	1
	Female	604	–	–	1	–	2	2	–	–	2	1	4	17	20	36	47	81	94	129	94	45	29	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	1	2	1	3	–	–	–
	Female	11	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	1	2	1	1	1	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,040	–	–	1	–	–	2	1	2	7	10	14	51	71	103	129	141	141	171	124	55	16	1
	White Male	614	–	–	–	–	–	1	1	1	6	8	11	36	53	73	86	81	76	87	67	25	1	1
	Female	406	–	–	1	–	–	1	–	–	–	1	3	13	17	28	41	58	62	82	54	30	15	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	2	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	1	1	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	18	–	–	–	–	–	–	–	1	1	1	–	2	1	5	2	3	1	–	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	905	–	–	–	–	–	–	1	–	5	7	12	43	68	90	116	118	128	157	103	43	13	1
	White Male	552	–	–	–	–	–	–	1	–	4	6	10	34	52	66	78	69	67	82	59	22	1	1
	Female	338	–	–	–	–	–	–	–	–	–	–	2	8	15	23	37	47	58	74	41	21	12	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	2	1	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	1	–	–	–
410	Acute myocardial infarction	543	–	–	–	–	–	–	1	–	5	7	10	34	56	67	92	74	68	81	33	14	–	1
	White Male	364	–	–	–	–	–	–	1	–	4	6	8	25	42	53	66	42	43	45	18	10	–	1
	Female	172	–	–	–	–	–	–	–	–	–	–	2	8	13	14	26	32	24	35	14	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	357	–	–	–	–	–	–	–	–	–	–	2	9	11	23	24	43	59	74	70	29	13	–
	White Male	184	–	–	–	–	–	–	–	–	–	–	2	9	9	13	12	26	23	36	41	12	1	–
	Female	165	–	–	–	–	–	–	–	–	–	–	–	–	2	9	11	15	34	38	27	17	12	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
420–423, 425–427, 429	All other forms of heart disease	102	–	–	1	–	–	2	–	1	1	2	2	6	2	8	11	17	11	13	15	8	2	–
	White—Male	52	–	–	–	–	–	1	–	1	1	1	1	2	1	4	8	9	8	5	8	2	–	–
	White—Female	47	–	–	1	–	–	1	–	–	–	1	1	3	1	3	3	8	3	7	7	6	2	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
400, 401, 403	Hypertension	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	1	–
	White—Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–
	White—Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	298	–	–	–	–	3	–	1	–	1	–	3	6	11	16	21	38	40	77	58	16	7	–
	White—Male	147	–	–	–	–	2	–	1	–	–	–	1	2	9	9	16	22	19	34	22	9	1	–
	White—Female	146	–	–	–	–	1	–	–	–	1	–	–	4	2	6	5	16	20	43	35	7	6	–
	All other—Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
	All other—Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
431	Cerebral hemorrhage	38	–	–	–	–	1	–	1	–	–	–	–	4	4	2	1	5	4	10	5	–	1	–
	White—Male	22	–	–	–	–	1	–	1	–	–	–	–	1	4	2	–	2	1	6	4	–	–	–
	White—Female	15	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	3	2	4	1	–	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
433	Cerebral thrombosis	36	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	4	4	8	10	1	2	–
	White—Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	2	4	5	1	1	–
	White—Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	5	–	1	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	223	–	–	–	–	2	–	–	–	1	–	2	2	6	10	19	29	32	59	43	14	4	–
	White—Male	103	–	–	–	–	1	–	–	–	–	–	1	1	4	4	15	17	16	24	13	7	–	–
	White—Female	117	–	–	–	–	1	–	–	–	1	–	–	1	2	5	4	12	16	35	29	7	4	–
	All other—Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	38	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	7	8	5	5	7	–
	White—Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	4	4	2	–	–
	White—Female	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	4	1	3	7	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	65	–	–	–	–	1	1	–	–	1	1	1	1	3	4	8	13	18	1	5	6	1	–
	White—Male	36	–	–	–	–	–	–	–	–	–	1	–	1	2	2	7	10	10	1	2	–	–	–
	White—Female	28	–	–	–	–	1	1	–	–	1	–	1	–	1	2	1	3	8	–	3	5	1	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	109	7	1	–	–	2	1	1	–	–	1	4	1	3	11	7	8	15	19	10	16	2	–
	White—Male	61	4	1	–	–	2	–	1	–	–	–	3	1	1	3	6	4	10	11	6	7	1	–
	White—Female	45	2	–	–	–	–	1	–	–	–	1	1	–	2	8	1	3	4	8	4	9	1	–
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474	Influenza	8	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	2	2	–	1	–	–
	White—Male	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
	White—Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–
	All other—Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	101	7	1	–	–	2	1	–	–	–	1	4	1	3	10	6	8	13	17	10	15	2	–
	White—Male	57	4	1	–	–	2	–	–	–	–	–	3	1	1	3	6	4	8	11	6	6	1	–
	White—Female	41	2	–	–	–	–	1	–	–	–	1	1	–	2	7	–	3	4	6	4	9	1	–
	All other—Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other—Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	56	–	–	1	–	–	–	–	–	–	–	1	1	2	8	10	8	13	8	4	–	–	–
	White—Male	44	–	–	1	–	–	–	–	–	–	–	1	1	1	8	8	6	9	6	3	–	–	–
	White—Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	2	1	–	–	–
	All other—Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other—Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
490, 491	Chronic and unqualified bronchitis	10	–	–	1	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	3	–	–	
	White.....Male	6	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
492	Emphysema	44	–	–	–	–	–	–	–	–	–	–	1	1	–	8	8	7	12	6	1	–	–	
	White.....Male	38	–	–	–	–	–	–	–	–	–	–	1	1	–	8	8	6	8	5	1	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
493	Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
531–533	Peptic ulcer	22	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	3	6	2	1	1	–	
	White.....Male	14	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	5	–	1	1	–	–	
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	2	–	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
550–553, 560	Hernia and intestinal obstruction	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	1	–	–	
	White.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
571	Cirrhosis of liver	48	–	–	–	–	–	–	–	1	3	6	7	7	7	8	3	4	2	–	–	–	–	
	White.....Male	21	–	–	–	–	–	–	–	–	1	3	3	2	3	4	1	3	1	–	–	–	–	
	Female	22	–	–	–	–	–	–	–	–	–	2	3	5	4	4	2	1	1	–	–	–	–	
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	Female	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	–	
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580–584	Nephritis and nephrosis	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	3	–	2	–	
	White.....Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	2	–	1	–	
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
580, 581	Acute nephritis and nephrotic syndrome	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
582–584	Chronic and unqualified nephritis and renal sclerosis	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	2	–	2	–	
	White.....Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	2	–	1	–	
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
590	Infections of kidney	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	1	1	–	
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	White.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	All other.....Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1974–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	31	19	3	–	–	2	–	1	1	–	–	1	1	–	1	–	–	1	1	–	–	–	–
	White..... Male	19	12	2	–	–	1	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–
	Female	10	6	1	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	44	9	–	–	–	–	–	1	–	–	1	2	1	–	2	5	6	6	4	1	4	2	–
	White..... Male	21	4	–	–	–	–	–	–	–	–	–	1	1	–	2	4	2	3	1	1	2	–	–
	Female	21	5	–	–	–	–	–	1	–	–	1	1	–	–	–	1	4	3	3	–	1	2	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Residual	All other diseases	237	3	2	1	–	1	3	3	5	3	9	7	10	17	26	33	28	35	27	17	5	2	–
	White..... Male	147	2	–	1	–	1	–	2	1	1	4	3	7	7	17	27	22	20	18	11	3	–	–
	Female	79	1	2	–	–	–	3	–	2	1	5	4	3	9	9	5	5	13	9	5	1	2	–
	All other..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	–	–	1	–	–
	Female	4	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E800–E949	Accidents	359	2	12	12	7	60	44	29	21	8	23	18	19	23	14	14	10	14	12	11	4	2	–
	White..... Male	263	1	7	9	6	44	31	23	15	6	19	14	15	19	10	11	8	8	7	8	2	–	–
	Female	80	1	2	3	1	13	11	4	4	1	4	3	4	2	4	3	2	6	5	3	2	2	–
	All other..... Male	14	–	3	–	–	2	2	2	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	171	–	3	4	2	41	29	14	12	4	10	11	10	11	9	4	3	1	2	1	–	–	–
	White..... Male	125	–	2	3	1	28	23	10	9	3	9	7	8	8	7	2	2	1	1	1	–	–	–
	Female	38	–	1	1	1	12	6	3	1	–	1	3	2	1	2	2	1	–	1	–	–	–	–
	All other..... Male	6	–	–	–	–	–	–	1	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	188	2	9	8	5	19	15	15	9	4	13	7	9	12	5	10	7	13	10	10	4	2	–
	White..... Male	138	1	5	6	5	16	8	13	6	3	10	7	7	11	3	9	6	7	6	7	2	–	–
	Female	42	1	1	2	–	1	5	1	3	1	3	–	2	1	2	1	1	6	4	3	2	2	–
	All other..... Male	8	–	3	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	62	...	...	–	–	2	8	4	9	6	6	10	4	5	3	2	–	3	–	–	–	–	–
	White..... Male	48	...	...	–	–	1	6	3	8	3	4	8	4	4	3	2	–	2	–	–	–	–	–
	Female	12	...	...	–	–	1	1	1	1	2	2	2	–	1	–	–	–	1	–	–	–	–	–
	All other..... Male	1	...	...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	18	–	1	–	1	–	6	1	3	1	2	–	2	–	–	–	–	1	–	–	–	–	–
	White..... Male	11	–	1	–	–	–	4	–	2	1	1	–	1	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other..... Male	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	11	–	–	–	1	2	1	1	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–
	White..... Male	9	–	–	–	1	2	1	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	ALABAMA	ALASKA	ARIZONA	ARKANSAS	CALIFORNIA	COLORADO	CONNECTICUT	DELAWARE	DISTRICT OF COLUMBIA
ALL CAUSES	1,936,476	34,600	1,491	17,396	21,915	170,672	18,449	26,194	5,191	9,759
BACILLARY DYSENTERY AND AMEBIASIS--004,006	60	2	-	3	-	10	3	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES--008,009	2,262	63	1	39	28	185	28	39	7	12
TUBERCULOSIS, ALL FORMS--010-019	3,521	83	8	52	36	258	27	33	13	42
TUBERCULOSIS OF RESPIRATORY SYSTEM--010-012	2,781	72	5	38	27	189	19	26	11	36
TUBERCULOSIS, OTHER FORMS--013-019	740	11	3	14	9	69	8	7	2	6
WHOOPING COUGH--033	14	-	-	-	-	2	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER--034	22	1	-	-	-	5	1	1	-	-
MENINGOCOCCAL INFECTIONS--036	307	9	1	-	1	17	4	-	-	1
SEPTICEMIA--038	5,251	87	2	62	70	313	53	80	11	68
ACUTE POLIOMYELITIS--040-043	3	-	-	-	-	-	-	-	-	-
MEASLES--055	20	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE--090-097	300	5	-	2	2	26	1	4	-	4
OTHER INFECTIVE AND PARASITIC DISEASES--REMAINDER OF 000-136	4,000	97	4	67	54	356	50	57	9	40
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--140-209	360,684	5,611	158	3,030	3,816	33,800	3,128	5,737	1,135	2,266
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX--140-149	7,976	94	6	70	71	820	40	154	28	83
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM--150-159	98,965	1,370	38	780	946	8,914	868	1,751	309	556
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM--160-163	83,508	1,349	45	727	962	8,091	604	1,197	281	551
MALIGNANT NEOPLASM OF BREAST--174	32,438	475	14	247	284	3,134	308	557	92	199
MALIGNANT NEOPLASMS OF GENITAL ORGANS--180-187	43,126	752	11	362	464	3,873	382	581	133	300
MALIGNANT NEOPLASMS OF URINARY ORGANS--188,189	16,462	211	7	131	150	1,559	151	264	66	98
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES--170-173,190-199	43,666	838	30	410	555	4,114	427	702	129	270
LEUKEMIA--204-207	14,601	229	4	137	163	1,374	150	223	36	86
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--200-203,208,209	19,942	293	3	166	221	1,921	198	308	61	123
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE--210-239	5,067	90	3	56	50	493	58	83	13	32
DIABETES MELLITUS--250	37,350	700	14	278	408	2,434	344	509	153	188
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES--260-269	2,532	49	-	31	26	219	29	23	6	11
ANEMIAS--280-285	3,319	66	2	19	45	249	23	28	8	17
MENINGITIS--320	1,545	40	4	17	20	129	17	15	4	21
MAJOR CARDIOVASCULAR DISEASES--390-448	1,011,787	17,157	416	7,720	11,689	87,505	8,739	13,862	2,594	3,850
DISEASES OF HEART--390-398,402,404,410-429	738,866	11,569	296	5,713	7,977	62,941	6,262	10,089	2,064	2,740
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE--390-398	13,341	149	5	129	75	1,518	175	168	22	83
HYPERTENSIVE HEART DISEASE--402	7,173	128	-	63	88	630	47	143	16	42
HYPERTENSIVE HEART AND RENAL DISEASE--404	4,917	88	1	11	64	232	40	41	12	30
ISCHEMIC HEART DISEASE--410-413	665,449	9,752	234	5,116	6,707	58,062	5,518	8,911	1,918	2,386
ACUTE MYOCARDIAL INFARCTION--410	334,525	5,821	147	2,339	4,068	24,029	2,902	4,372	856	725
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE--411	4,422	33	2	376	14	202	43	14	5	5
CHRONIC ISCHEMIC HEART DISEASE--412	326,327	3,893	85	2,400	2,621	33,822	2,573	4,523	1,057	1,655
ANGINA PECTORIS--413	175	5	-	1	4	9	-	2	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY--424,428	4,903	101	4	27	57	365	31	41	10	14
ALL OTHER FORMS OF HEART DISEASE--420-423,425-427,429	43,083	1,351	52	367	986	2,134	451	785	86	185

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	ALABAMA	ALASKA	ARIZONA	ARKANSAS	CALIFORNIA	COLORADO	CONNECTICUT	DELAWARE	DISTRICT OF COLUMBIA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION—400,401,403	6,896	167	1	48	97	526	60	95	22	38
CEREBROVASCULAR DISEASES—430-438	207,544	4,535	98	1,521	2,961	18,794	1,729	2,780	357	712
CEREBRAL HEMORRHAGE—431	30,547	713	15	211	392	2,221	204	448	51	139
CEREBRAL THROMBOSIS—433	53,565	1,158	12	261	478	5,421	314	932	86	165
CEREBRAL EMBOLISM—434	910	10	1	10	10	88	6	12	3	-
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	122,522	2,654	70	1,039	2,081	11,064	1,205	1,388	217	408
ARTERIOSCLEROSIS—440	32,243	509	10	234	382	2,690	398	504	84	217
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	26,238	377	11	204	272	2,554	290	394	67	143
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	752	14	1	21	11	92	12	10	-	3
INFLUENZA AND PNEUMONIA—470-474,480-486	54,810	841	42	486	549	4,170	672	831	148	309
INFLUENZA—470-474	2,201	59	2	18	12	132	47	41	4	5
PNEUMONIA—480-486	52,609	782	40	468	537	4,038	625	790	144	304
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	26,898	431	13	423	278	2,785	363	305	67	69
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	5,100	82	6	94	47	497	61	61	13	15
EMPHYSEMA—492	19,917	321	6	294	217	2,102	276	227	49	45
ASTHMA—493	1,881	28	1	35	14	186	26	17	5	9
PEPTIC ULCER—531-533	7,076	100	4	60	63	678	63	83	14	35
APPENDICITIS—540-543	866	21	-	12	10	79	7	9	1	6
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	6,511	104	3	52	61	573	71	60	13	52
CIRRHOSIS OF LIVER—571	33,345	352	37	399	176	4,659	343	514	126	528
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	3,198	47	1	30	29	261	35	41	4	15
NEPHRITIS AND NEPHROSIS—580-584	8,076	202	2	64	120	487	53	82	23	59
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1,542	30	-	15	24	94	14	12	6	10
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	6,534	172	2	49	96	393	39	70	17	49
INFECTIONS OF KIDNEY—590	5,452	170	2	55	79	432	41	59	9	29
HYPERPLASIA OF PROSTATE—600	1,378	28	1	9	10	90	16	6	1	10
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	462	18	-	6	3	37	8	4	3	7
ABORTIONS—640-645	27	1	-	-	-	4	1	-	-	2
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	435	17	-	6	3	33	7	4	3	5
CONGENITAL ANOMALIES—740-759	13,606	295	17	159	116	1,286	175	159	27	130
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	28,820	639	64	274	271	2,071	335	334	73	274
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	15,992	379	34	166	163	1,183	198	144	34	107
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	12,828	260	30	108	108	888	137	190	39	167
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	31,190	1,917	50	296	847	892	238	209	40	102
ALL OTHER DISEASES—RESIDUAL	118,521	1,992	122	1,397	1,268	9,830	1,447	1,603	300	776
ACCIDENTS—E800-E949	105,078	2,386	423	1,570	1,266	10,226	1,396	957	248	350
MOTOR VEHICLE ACCIDENTS—E810-E823	46,629	1,118	74	765	525	4,204	654	400	132	91
ALL OTHER ACCIDENTS—E800-E807,E825-E949	58,449	1,268	349	805	741	6,022	742	557	116	259
SUICIDE—E950-E959	25,708	357	42	397	217	3,685	451	266	59	97
HOMICIDE—E960-E978	21,513	544	35	244	238	2,071	159	106	62	295
OTHER EXTERNAL CAUSES—E980-E999	5,172	82	19	65	57	266	59	85	20	61

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FLORIDA	GEORGIA	HAWAII	IDAHO	ILLINOIS	INDIANA	IOWA	KANSAS	KENTUCKY	LOUISIANA
ALL CAUSES	89,495	43,550	4,599	6,239	105,542	48,256	28,615	21,686	33,238	33,895
BACILLARY DYSENTERY AND AMEBIASIS—004,006	2	-	-	-	8	1	1	-	-	2
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	100	81	10	11	93	51	40	34	31	36
TUBERCULOSIS, ALL FORMS—010-019	159	92	10	3	166	68	26	24	98	85
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	126	75	6	2	136	59	19	19	75	74
TUBERCULOSIS, OTHER FORMS—013-019	33	17	4	1	30	9	7	5	23	11
WHOOPING COUGH—033	-	-	-	-	1	-	-	-	2	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	1	-	-	-	-	1	-	-	1
MENINGOCOCCAL INFECTIONS—036	15	5	1	-	13	6	2	-	4	16
SEPTICEMIA—038	261	176	13	12	194	112	47	50	87	125
ACUTE POLIOMYELITIS—040-043	1	1	-	-	-	-	-	-	-	-
MEASLES—055	1	1	-	-	1	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	22	17	-	1	9	9	2	5	6	5
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	172	106	16	8	170	89	52	48	79	78
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	17,474	6,824	945	1,006	19,405	8,633	5,274	3,776	5,788	6,012
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	452	174	41	16	429	170	86	51	143	141
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	4,673	1,681	317	268	5,535	2,259	1,601	1,023	1,605	1,506
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	4,592	1,639	218	186	4,423	1,996	1,035	834	1,498	1,624
MALIGNANT NEOPLASM OF BREAST—174	1,341	584	56	90	1,827	754	482	363	427	426
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	2,140	890	91	150	2,432	1,086	707	477	739	672
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	842	270	36	46	911	424	287	182	251	220
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	1,859	966	100	136	2,040	1,147	520	446	638	881
LEUKEMIA—204-207	647	270	35	46	778	350	222	179	214	251
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	928	350	51	68	1,030	447	334	221	273	291
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	207	113	11	22	269	139	56	39	66	103
DIABETES MELLITUS—250	1,496	723	105	114	1,949	1,137	560	465	637	820
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	149	60	15	9	104	65	39	41	42	44
ANEMIAS—280-285	199	84	7	11	159	88	44	39	62	81
MENINGITIS—320	64	61	3	6	62	43	12	11	16	42
MAJOR CARDIOVASCULAR DISEASES—390-448	45,979	22,095	2,016	3,127	58,530	26,553	16,141	11,947	18,195	17,278
DISEASES OF HEART—390-398,402,404,410-429	33,290	15,081	1,503	2,201	44,724	18,417	11,343	8,500	13,148	12,450
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	686	171	37	61	670	331	174	108	155	117
HYPERTENSIVE HEART DISEASE—402	231	204	17	20	617	146	92	64	86	140
HYPERTENSIVE HEART AND RENAL DISEASE—404	124	124	7	17	319	341	116	57	109	86
ISCHEMIC HEART DISEASE—410-413	30,739	13,025	1,364	1,923	39,676	16,467	10,254	7,812	11,594	11,149
ACUTE MYOCARDIAL INFARCTION—410	14,276	7,860	654	1,143	20,562	9,199	5,916	4,361	6,986	5,580
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	191	58	7	5	127	50	32	13	36	16
CHRONIC ISCHEMIC HEART DISEASE—412	16,263	5,103	703	773	18,984	7,216	4,306	3,437	4,569	5,552
ANGINA PECTORIS—413	9	4	-	2	3	2	-	1	3	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	152	94	12	20	263	196	135	73	90	109
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	1,358	1,463	66	160	3,179	936	572	386	1,114	849

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FLORIDA	GEORGIA	HAWAII	IDAHO	ILLINOIS	INDIANA	IOWA	KANSAS	KENTUCKY	LOUISIANA
MAJOR CARDIOVASCULAR DISEASES—CON.										
HYPERTENSION—400,401,403	302	177	11	20	517	191	133	93	117	122
CEREBROVASCULAR DISEASES—430-438	9,686	5,698	409	670	10,516	6,078	3,581	2,520	3,884	3,716
CEREBRAL HEMORRHAGE—431	1,145	970	101	88	2,014	1,036	413	391	578	536
CEREBRAL THROMBOSIS—433	2,832	1,390	86	130	3,216	1,409	853	554	909	717
CEREBRAL EMBOLISM—434	52	20	1	4	42	27	22	15	13	6
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	5,657	3,318	221	448	5,244	3,606	2,293	1,560	2,384	2,457
ARTERIOSCLEROSIS—440	1,295	633	30	135	1,578	1,209	663	490	615	583
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	1,406	506	63	101	1,195	658	421	344	431	407
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	35	9	3	1	32	13	8	9	7	14
INFLUENZA AND PNEUMONIA—470-474,480-486	2,149	1,308	161	179	3,023	1,177	1,001	685	909	833
INFLUENZA—470-474	49	72	5	8	83	45	77	77	30	24
PNEUMONIA—480-486	2,100	1,236	156	171	2,940	1,132	924	608	879	809
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	1,458	595	60	116	1,458	687	492	344	437	422
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	213	122	14	22	249	110	82	48	71	78
EMPHYSEMA—492	1,163	418	36	86	1,109	540	391	272	329	310
ASTHMA—493	82	55	10	8	100	37	19	24	37	34
PEPTIC ULCER—531-533	303	125	17	24	449	170	101	94	117	111
APPENDICITIS—540-543	41	26	4	5	50	23	13	5	18	16
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	253	134	8	31	362	167	126	83	108	124
CIRRHOSIS OF LIVER—571	1,676	648	67	72	1,829	562	232	214	373	411
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	138	58	11	13	195	82	61	29	67	57
NEPHRITIS AND NEPHROSIS—580-584	380	267	21	34	422	190	92	80	127	231
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	81	32	2	8	83	48	21	14	33	28
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	299	235	19	26	339	142	71	66	94	203
INFECTIONS OF KIDNEY—590	264	185	16	14	292	150	72	73	118	128
HYPERPLASIA OF PROSTATE—600	58	32	2	4	83	31	28	18	34	15
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	12	26	3	—	27	10	6	4	9	9
ABORTIONS—640-645	—	2	—	—	1	—	—	—	—	—
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUN—630-639,650-678	12	24	3	—	26	10	6	4	9	9
CONGENITAL ANOMALIES—740-759	476	341	71	39	714	357	172	126	246	292
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	1,030	804	142	99	1,770	722	336	254	449	672
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	571	468	62	51	1,168	409	152	143	253	392
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	459	336	80	48	602	313	184	111	196	280
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	1,540	670	70	95	2,131	448	103	180	272	312
ALL OTHER DISEASES—RESIDUAL	5,643	2,967	258	349	5,327	2,756	1,550	1,332	2,079	2,120
ACCIDENTS—E800-E949	4,808	3,147	313	653	4,056	2,544	1,506	1,178	1,927	2,328
MOTOR VEHICLE ACCIDENTS—E810-E823	2,280	1,598	138	326	1,700	1,253	722	530	812	855
ALL OTHER ACCIDENTS—E800-E807,E825-E949	2,528	1,549	175	327	2,356	1,291	784	648	1,115	1,473
SUICIDE—E950-E959	1,388	679	102	126	828	584	326	294	429	409
HOMICIDE—E960-E978	1,290	1,058	67	49	1,070	452	68	152	340	618
OTHER EXTERNAL CAUSES—E980-E999	252	31	51	6	291	137	25	53	59	45

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MAINE	MARYLAND	MASSACHUSETTS	MICHIGAN	MINNESOTA	MISSISSIPPI	MISSOURI	MONTANA	NEBRASKA	NEVADA
ALL CAUSES	10,711	32,129	56,388	75,364	34,154	22,728	51,672	6,500	15,107	4,656
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	1	-	1	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	11	16	36	96	50	53	56	9	11	2
TUBERCULOSIS, ALL FORMS—010-019	12	72	72	143	33	40	99	16	9	3
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	11	61	59	109	20	31	71	13	6	2
TUBERCULOSIS, OTHER FORMS—013-019	1	11	13	34	13	9	28	3	3	1
WHOOPING COUGH—033	-	-	-	2	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	1	-	-	2	-	-	-
MENINGOCOCCAL INFECTIONS—036	5	6	5	12	7	4	9	2	-	1
SEPTICEMIA—038	16	141	207	183	71	65	120	13	19	7
ACUTE POLIOMYELITIS—040-043	1	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	1	1	1	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	3	2	12	5	5	8	-	2	1
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	22	86	91	189	63	49	118	8	34	3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	1,994	6,404	11,446	14,096	6,370	3,597	9,286	1,097	2,694	779
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	46	157	269	311	121	68	208	19	65	17
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	599	1,597	3,437	3,803	1,836	928	2,438	323	811	197
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	439	1,565	2,456	3,245	1,124	917	2,151	247	490	208
MALIGNANT NEOPLASM OF BREAST—174	185	595	1,117	1,291	645	262	776	86	229	75
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	231	752	1,285	1,682	821	517	1,099	147	326	79
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	110	311	501	667	339	126	401	57	140	31
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	202	853	1,357	1,717	643	477	1,287	107	302	110
LEUKEMIA—204-207	72	252	432	584	356	140	379	35	157	22
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	110	322	591	796	485	162	547	76	174	40
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	30	131	188	159	76	44	94	14	35	17
DIABETES MELLITUS—250	196	776	1,108	1,929	531	417	982	105	292	61
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	20	47	44	104	49	19	97	5	19	10
ANEMIAS—280-285	19	65	92	140	51	43	98	13	15	6
MENINGITIS—320	3	42	39	59	24	18	29	5	5	3
MAJOR CARDIOVASCULAR DISEASES—390-448	5,812	16,096	29,916	38,963	18,486	11,170	27,578	3,131	8,294	2,087
DISEASES OF HEART—390-398,402,404,410-429	4,304	12,553	22,304	28,929	12,808	7,640	19,797	2,192	5,744	1,488
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	60	238	431	528	313	69	355	48	112	32
HYPERTENSIVE HEART DISEASE—402	39	88	300	342	129	99	186	28	59	10
HYPERTENSIVE HEART AND RENAL DISEASE—404	41	75	82	117	66	45	198	6	121	3
ISCHEMIC HEART DISEASE—410-413	3,910	11,292	20,220	26,467	11,550	6,594	17,630	1,840	5,072	1,327
ACUTE MYOCARDIAL INFARCTION—410	2,413	4,957	10,102	13,944	5,817	3,863	8,956	1,026	2,760	860
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	6	50	37	67	59	37	62	12	20	7
CHRONIC ISCHEMIC HEART DISEASE—412	1,489	6,284	10,075	12,445	5,669	2,692	8,578	802	2,292	459
ANGINA PECTORIS—413	2	1	6	11	5	2	34	-	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	42	271	92	108	95	65	150	29	55	12
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	212	589	1,179	1,367	655	768	1,278	241	325	104

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MAINE	MARYLAND	MASSACHUSETTS	MICHIGAN	MINNESOTA	MISSISSIPPI	MISSOURI	MONTANA	NEBRASKA	NEVADA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION--400,401,403	27	94	198	267	99	125	211	15	68	9
CEREBROVASCULAR DISEASES--430-438	1,115	2,585	5,648	7,552	4,395	2,882	5,907	658	1,906	483
CEREBRAL HEMORRHAGE--431	213	391	1,179	1,075	570	426	881	72	257	61
CEREBRAL THROMBOSIS--433	252	577	1,783	2,277	948	598	1,563	137	432	83
CEREBRAL EMBOLISM--434	4	9	37	25	13	7	50	3	12	2
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	646	1,608	2,649	4,175	2,864	1,851	3,413	446	1,205	337
ARTERIOSCLEROSIS--440	218	450	952	1,192	688	286	955	170	343	38
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	148	414	814	1,023	496	237	708	96	233	69
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	3	5	24	22	15	4	14	6	4	9
INFLUENZA AND PNEUMONIA--470-474,480-486	335	698	2,397	1,687	1,168	556	1,395	204	509	92
INFLUENZA--470-474	31	42	37	56	114	22	72	11	48	-
PNEUMONIA--480-486	304	656	2,360	1,631	1,054	534	1,323	193	461	92
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	187	320	618	1,159	438	239	715	116	219	96
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	43	80	135	214	108	48	115	15	50	9
EMPHYSEMA--492	134	217	419	878	287	177	561	90	155	81
ASTHMA--493	10	23	64	67	43	14	39	11	14	6
PEPTIC ULCER--531-533	30	92	195	266	123	66	196	15	74	11
APPENDICITIS--540-543	1	13	21	29	16	12	19	7	12	3
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	45	112	190	278	130	67	181	25	61	18
CIRRHOSIS OF LIVER--571	181	663	1,101	1,634	432	196	547	98	169	131
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574,575	16	47	92	97	78	44	112	15	31	8
NEPHRITIS AND NEPHROSIS--580-584	32	172	204	288	110	134	225	18	57	13
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	9	29	38	65	24	22	35	6	14	1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	23	143	166	223	86	112	190	12	43	12
INFECTIONS OF KIDNEY--590	24	51	128	159	66	112	157	11	37	8
HYPERPLASIA OF PROSTATE--600	3	24	34	40	32	28	47	6	13	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	-	4	1	18	6	11	12	-	3	-
ABORTIONS--640-645	-	-	-	-	-	2	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	-	4	1	18	6	9	12	-	3	-
CONGENITAL ANOMALIES--740-759	69	219	316	568	314	153	372	49	96	26
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	130	422	586	1,303	455	528	694	110	221	96
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	64	217	293	676	247	290	395	53	124	64
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	66	205	293	627	208	238	299	57	97	32
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	69	449	420	571	294	1,707	1,589	224	113	60
ALL OTHER DISEASES--RESIDUAL	676	2,293	3,462	4,489	2,119	1,236	3,001	411	954	384
ACCIDENTS--E800-E949	582	1,627	2,545	4,126	1,927	1,520	2,543	576	858	446
MOTOR VEHICLE ACCIDENTS--E810-E823	225	756	978	1,863	858	694	1,066	301	392	235
ALL OTHER ACCIDENTS--E800-E807,E825-E949	357	871	1,567	2,263	1,069	826	1,477	275	466	211
SUICIDE--E950-E959	142	420	487	1,169	403	218	627	123	163	167
HOMICIDE--E960-E978	30	492	265	1,232	122	318	490	42	61	87
OTHER EXTERNAL CAUSES--E980-E999	15	121	56	190	89	53	159	26	23	20

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW HAMPSHIRE	NEW JERSEY	NEW MEXICO	NEW YORK	NORTH CAROLINA	NORTH DAKOTA	OHIO	OKLAHOMA	OREGON	PENNSYLVANIA	RHODE ISLAND
ALL CAUSES	7,673	65,786	8,029	176,007	46,366	5,928	98,964	26,440	20,363	122,793	9,155
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	3	1	3	1	-	1	1	2	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	3	58	23	150	45	14	106	40	19	94	13
TUBERCULOSIS, ALL FORMS—010-019	4	144	24	353	111	7	134	52	30	251	13
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	117	18	291	80	4	103	44	22	206	10
TUBERCULOSIS, OTHER FORMS—013-019	2	27	6	62	31	3	31	8	8	45	3
WHOOPING COUGH—033	-	-	1	3	-	-	1	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	2	1	-	2	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	1	13	2	18	15	-	22	2	1	14	1
SEPTICEMIA—038	14	192	33	487	148	7	222	84	29	440	25
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	1	1	2	1	-	1	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	6	1	20	5	1	30	4	3	22	2
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	17	106	20	325	115	14	173	48	46	231	17
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	1,521	13,292	1,235	35,729	7,544	1,115	18,420	4,536	3,695	23,301	1,877
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	48	309	19	777	180	22	387	100	94	464	42
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	428	4,254	354	10,958	1,781	318	5,098	1,080	998	6,646	590
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	333	3,021	247	7,773	1,726	188	4,354	1,121	891	5,020	395
MALIGNANT NEOPLASM OF BREAST—174	107	1,295	109	3,596	660	100	1,673	368	323	2,251	173
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	183	1,470	160	3,906	1,015	169	2,210	586	446	2,676	216
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	99	612	57	1,664	303	68	871	187	175	1,046	100
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	166	1,272	184	3,750	1,149	128	2,051	652	378	3,104	190
LEUKEMIA—204-207	62	457	52	1,342	310	50	736	194	143	865	57
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	95	602	53	1,963	420	72	1,040	248	247	1,229	114
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	18	139	25	579	138	9	241	67	58	389	34
DIABETES MELLITUS—250	187	1,440	166	3,629	982	94	2,210	410	270	2,501	206
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	11	71	19	149	51	10	130	40	32	153	7
ANEMIAS—280-285	12	118	9	289	88	10	168	44	25	201	16
MENINGITIS—320	1	43	14	118	39	3	76	26	15	77	6
MAJOR CARDIOVASCULAR DISEASES—390-448	4,024	36,447	2,908	91,973	23,749	3,113	53,666	14,107	10,644	66,336	5,050
DISEASES OF HEART—390-398,402,404,410-429	2,791	28,199	1,931	72,250	16,723	2,250	39,298	9,896	7,435	50,205	4,085
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	51	501	54	1,441	286	45	685	113	190	980	75
HYPERTENSIVE HEART DISEASE—402	30	236	18	695	129	22	366	106	61	389	34
HYPERTENSIVE HEART AND RENAL DISEASE—404	24	110	13	228	138	20	483	103	94	333	12
ISCHEMIC HEART DISEASE—410-413	2,547	26,357	1,640	66,918	15,109	2,000	35,742	8,844	6,772	45,536	3,757
ACUTE MYOCARDIAL INFARCTION—410	1,455	12,724	908	29,045	8,631	1,247	16,668	5,038	2,700	24,019	1,876
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	11	52	8	410	131	19	181	460	18	211	154
CHRONIC ISCHEMIC HEART DISEASE—412	1,081	13,576	723	37,458	6,343	734	18,886	3,343	4,051	21,301	1,725
ANGINA PECTORIS—413	-	5	1	5	4	-	7	3	3	5	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	24	67	27	235	110	18	200	61	39	320	12
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	115	928	179	2,733	951	145	1,822	669	279	2,647	195

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW HAMPSHIRE	NEW JERSEY	NEW MEXICO	NEW YORK	NORTH CAROLINA	NORTH DAKOTA	OHIO	OKLAHOMA	OREGON	PENNSYLVANIA	RHODE ISLAND
MAJOR CARDIOVASCULAR DISEASES—CON.											
HYPERTENSION—400,401,403	42	197	29	510	240	24	369	89	58	355	29
CEREBROVASCULAR DISEASES—430-438	895	6,410	721	14,934	5,518	634	10,695	3,247	2,385	11,893	725
CEREBRAL HEMORRHAGE—431	153	1,051	126	2,541	749	87	1,565	422	267	1,789	98
CEREBRAL THROMBOSIS—433	252	2,131	150	4,099	1,483	134	2,929	653	571	3,486	217
CEREBRAL EMBOLISM—434	–	35	4	77	18	4	44	25	11	63	5
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	490	3,193	441	8,217	3,268	409	6,157	2,147	1,536	6,555	405
ARTERIOSCLEROSIS—440	176	805	130	2,064	666	115	1,926	530	449	2,174	104
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	120	836	97	2,215	602	90	1,378	345	317	1,709	107
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	2	36	4	86	20	5	39	8	7	38	2
INFLUENZA AND PNEUMONIA—470-474,480-486	179	1,742	253	6,175	1,277	231	2,483	844	591	3,018	235
INFLUENZA—470-474	8	42	4	124	56	11	134	44	31	68	4
PNEUMONIA—480-486	171	1,700	249	6,051	1,221	220	2,349	800	560	2,950	231
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	138	747	175	2,062	596	86	1,534	304	362	1,292	98
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	31	169	32	434	129	14	348	39	64	220	22
EMPHYSEMA—492	98	534	131	1,474	405	62	1,114	246	272	967	66
ASTHMA—493	9	44	12	154	62	10	72	19	26	105	10
PEPTIC ULCER—531-533	27	250	20	806	133	33	351	119	66	433	22
APPENDICITIS—540-543	2	21	9	79	11	1	51	–	14	51	6
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	22	202	40	585	157	25	354	103	60	399	38
CIRRHOSIS OF LIVER—571	124	1,261	201	3,907	713	62	1,417	321	356	1,948	170
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	15	124	32	273	71	12	140	41	30	155	16
NEPHRITIS AND NEPHROSIS—580-584	22	269	34	784	254	26	428	140	57	520	32
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	5	60	8	175	33	9	63	23	14	107	11
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	17	209	26	609	221	17	365	117	43	413	21
INFECTIONS OF KIDNEY—590	16	168	14	418	165	15	288	108	52	233	16
HYPERPLASIA OF PROSTATE—600	8	61	9	136	27	8	85	10	12	57	5
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	1	12	8	42	18	2	20	5	2	9	–
ABORTIONS—640-645	–	1	–	4	–	2	1	–	–	–	–
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	1	11	8	38	18	–	19	5	2	9	–
CONGENITAL ANOMALIES—740-759	48	346	85	1,068	345	49	694	164	155	686	48
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	68	761	169	2,288	917	114	1,449	396	227	1,626	117
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	34	404	104	1,247	499	65	765	231	117	837	65
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	34	357	65	1,041	418	49	684	165	110	789	52
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	216	599	396	2,557	659	40	1,290	351	309	2,666	29
ALL OTHER DISEASES—RESIDUAL	451	3,390	753	10,508	3,157	327	5,889	1,728	1,242	8,263	557
ACCIDENTS—E800-E949	373	2,592	979	5,810	3,318	399	4,399	1,667	1,400	5,005	348
MOTOR VEHICLE ACCIDENTS—E810-E823	170	1,101	558	2,483	1,605	168	1,786	742	693	2,157	120
ALL OTHER ACCIDENTS—E800-E807,E825-E949	203	1,491	421	3,327	1,713	231	2,613	925	707	2,848	228
SUICIDE—E950-E959	113	530	195	1,317	666	70	1,346	371	358	1,298	101
HOMICIDE—E960-E978	25	468	137	1,882	736	12	952	260	121	848	33
OTHER EXTERNAL CAUSES—E980-E999	10	134	34	1,395	93	14	152	39	73	238	15

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH CAROLINA	SOUTH DAKOTA	TENNESSEE	TEXAS	UTAH	VERMONT	VIRGINIA	WASHINGTON	WEST VIRGINIA	WISCONSIN	WYOMING
ALL CAUSES	23,776	6,525	41,822	100,981	7,705	4,427	39,725	30,051	19,652	41,027	3,090
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	11	1	-	-	2	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	37	7	49	215	24	6	42	29	13	41	5
TUBERCULOSIS, ALL FORMS—010-019	66	6	115	204	6	9	83	31	46	44	6
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	52	4	91	168	2	7	61	26	38	33	5
TUBERCULOSIS, OTHER FORMS—013-019	14	2	24	36	4	2	22	5	8	11	1
WHOOPING COUGH—033	-	-	1	1	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	1	-	-	-	-	1	-	1	-
MENINGOCOCCAL INFECTIONS—036	9	4	14	23	-	1	5	4	4	9	-
SEPTICEMIA—038	78	8	114	347	28	5	139	52	49	80	5
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	2	-	2	-	-	-	-	-	1	-
SYPHILIS AND ITS SEQUELAE—090-097	3	-	5	15	-	-	8	3	6	8	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	50	7	132	261	17	3	90	49	32	76	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	3,618	1,103	7,358	18,151	1,210	812	7,202	5,953	3,249	7,738	444
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	95	19	152	394	18	11	178	108	53	145	11
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	892	338	1,748	4,457	318	225	1,833	1,577	789	2,199	115
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	870	197	1,864	4,758	200	194	1,809	1,420	846	1,495	92
MALIGNANT NEOPLASM OF BREAST—174	323	107	602	1,404	130	76	631	546	263	747	33
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	472	144	931	2,171	151	103	804	687	419	965	60
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	145	68	289	722	58	40	312	302	123	409	23
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	490	122	1,016	2,326	171	86	1,008	711	492	901	56
LEUKEMIA—204-207	144	44	330	869	68	34	256	248	115	381	21
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	187	64	426	1,050	96	43	371	354	149	496	33
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	51	12	68	215	20	14	93	74	58	62	4
DIABETES MELLITUS—250	578	122	631	1,816	155	72	708	544	369	772	57
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	26	7	52	162	13	5	57	59	30	63	9
ANEMIAS—280-285	53	7	75	196	18	4	66	51	27	64	5
MENINGITIS—320	32	9	44	122	7	2	34	15	12	31	5
MAJOR CARDIOVASCULAR DISEASES—390-448	11,877	3,549	21,958	49,266	3,548	2,403	20,014	15,379	10,534	22,876	1,440
DISEASES OF HEART—390-398,402,404,410-429	8,318	2,558	15,154	34,341	2,523	1,776	14,532	10,928	7,901	16,660	1,045
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	112	21	213	508	119	32	201	254	133	293	14
HYPERTENSIVE HEART DISEASE—402	82	17	79	359	35	20	112	122	65	137	5
HYPERTENSIVE HEART AND RENAL DISEASE—404	74	17	64	204	12	9	154	99	50	98	5
ISCHEMIC HEART DISEASE—410-413	7,299	2,330	13,951	28,911	2,111	1,614	13,030	9,655	7,015	14,900	902
ACUTE MYOCARDIAL INFARCTION—410	4,150	1,394	8,502	15,429	1,063	703	6,368	4,534	3,861	7,156	560
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	58	10	31	123	63	7	715	60	20	90	4
CHRONIC ISCHEMIC HEART DISEASE—412	3,088	926	5,417	13,352	984	903	5,944	5,055	3,130	7,650	337
ANGINA PECTORIS—413	3	-	1	7	1	1	3	6	4	4	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	66	10	163	335	24	19	169	97	45	144	5
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	685	163	684	4,024	222	82	866	701	593	1,088	114

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH CAROLINA	SOUTH DAKOTA	TENNESSEE	TEXAS	UTAH	VERMONT	VIRGINIA	WASHINGTON	WEST VIRGINIA	WISCONSIN	WYOMING
MAJOR CARDIOVASCULAR DISEASES--CON.											
HYPERTENSION—400,401,403	98	15	176	329	23	19	142	81	84	130	7
CEREBROVASCULAR DISEASES—430-438	2,866	748	5,437	11,491	801	443	4,142	3,275	1,962	4,651	295
CEREBRAL HEMORRHAGE—431	463	109	634	1,550	90	59	608	383	331	641	40
CEREBRAL THROMBOSIS—433	682	169	1,357	1,941	189	114	997	813	532	1,055	38
CEREBRAL EMBOLISM—434	11	2	18	34	8	-	10	5	12	20	-
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	1,710	468	3,428	7,966	514	270	2,527	2,074	1,087	2,935	217
ARTERIOSCLEROSIS—440	277	129	662	1,832	113	94	635	633	312	831	35
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	318	99	529	1,273	88	71	563	462	275	604	58
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	3	2	12	47	2	1	13	14	5	4	1
INFLUENZA AND PNEUMONIA—470-474,480-486	602	206	1,126	3,035	226	135	1,315	793	569	1,154	107
INFLUENZA—470-474	16	16	78	109	13	7	56	46	21	83	7
PNEUMONIA—480-486	586	190	1,048	2,926	213	128	1,259	747	548	1,071	100
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	292	89	608	1,496	124	53	505	509	310	549	59
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	51	13	135	285	24	16	114	95	59	92	12
EMPHYSEMA—492	218	71	428	1,126	85	32	340	374	227	412	45
ASTHMA—493	23	5	45	85	15	5	51	40	24	45	2
PEPTIC ULCER—531-533	65	24	156	336	31	20	127	124	66	166	22
APPENDICITIS—540-543	14	2	15	52	3	5	13	7	13	17	1
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	80	38	118	337	39	14	116	80	58	146	8
CIRRHOSIS OF LIVER—571	294	86	480	1,436	97	63	613	565	306	507	48
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	36	13	86	184	20	12	48	39	41	93	3
NEPHRITIS AND NEPHROSIS—580-584	149	13	193	440	35	14	186	76	68	137	10
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	18	4	24	104	4	3	32	9	13	24	1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	131	9	169	336	31	11	154	67	55	113	9
INFECTIONS OF KIDNEY—590	85	16	188	350	8	18	104	75	57	108	9
HYPERPLASIA OF PROSTATE—600	22	3	60	54	4	1	26	17	18	47	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	8	1	24	44	2	-	8	3	3	3	-
ABORTIONS—640-645	-	-	-	4	-	-	2	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	8	1	24	40	2	-	6	3	3	3	-
CONGENITAL ANOMALIES—740-759	199	45	331	919	116	33	260	212	116	285	22
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	534	105	679	2,044	225	47	661	408	329	456	42
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	266	62	378	1,231	137	22	339	248	179	237	25
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	268	43	301	813	88	25	322	160	150	219	17
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	748	68	723	2,799	225	34	463	250	547	268	45
ALL OTHER DISEASES—RESIDUAL	1,439	399	2,440	6,199	647	329	2,711	1,966	1,313	2,453	219
ACCIDENTS—E800-E949	1,889	478	2,709	6,783	638	234	2,708	1,859	1,024	2,028	406
MOTOR VEHICLE ACCIDENTS—E810-E823	895	249	1,383	3,127	263	110	1,095	808	463	908	200
ALL OTHER ACCIDENTS—E800-E807, E825-E949	994	229	1,326	3,656	375	124	1,613	1,051	561	1,120	206
SUICIDE—E950-E959	294	69	554	1,511	131	62	709	535	226	532	65
HOMICIDE—E960-E978	475	19	601	1,805	47	11	566	191	96	149	22
OTHER EXTERNAL CAUSES—E980-E999	70	6	102	103	30	5	32	82	58	59	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	TOTAL, 229 AREAS	STANDARD METROPOLITAN STATISTICAL AREAS											
		ABILENE, TEX.	AKRON, OHIO	ALBANY, GA	ALBANY-SCHENECTADY-TROY, N.Y.	ALBUQUERQUE, N. MEX.	ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J.	ALTOONA, PA.	AMARILLO, TEX.	ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF.	ANDERSON, IND.	ANN ARBOR, MICH.	APPLETON-OSHKOSH, WIS.
ALL CAUSES	1,260,577	1,015	5,769	686	7,532	2,174	5,621	1,647	1,235	10,098	1,174	1,376	2,212
BACILLARY DYSENTERY AND AMEBIASIS—004,006	34	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	1,332	1	3	1	10	2	7	2	1	8	1	2	2
TUBERCULOSIS, ALL FORMS—010-019	2,368	2	14	-	16	4	7	4	3	12	1	3	-
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	1,881	2	11	-	11	2	6	4	2	11	1	2	-
TUBERCULOSIS, OTHER FORMS—013-019	487	-	3	-	5	2	1	-	1	1	-	1	-
WHOOPING COUGH—033	11	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	14	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	192	-	2	-	2	-	1	-	-	1	-	-	1
SEPTICEMIA—038	3,733	3	16	1	20	12	18	6	1	21	1	4	4
ACUTE POLIOMYELITIS—040-043	1	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	11	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	190	-	2	-	-	1	-	-	-	1	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	2,628	-	7	-	14	3	13	3	-	25	-	5	2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	244,688	173	1,096	100	1,502	424	1,071	279	207	2,101	252	291	448
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	5,638	4	21	1	25	11	18	4	2	38	2	5	5
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	67,659	36	275	24	447	123	327	76	59	523	59	81	128
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	57,240	37	248	28	363	86	236	72	51	497	54	59	78
MALIGNANT NEOPLASM OF BREAST—174	22,793	14	105	5	140	43	102	34	15	231	22	25	50
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	28,222	27	157	19	159	55	121	26	26	248	45	35	56
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	11,106	12	56	5	69	20	45	11	11	99	8	14	26
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	29,169	21	107	7	171	57	126	35	22	245	41	34	50
LEUKEMIA—204-207	9,488	16	52	4	61	16	40	10	14	95	9	15	25
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	13,373	6	75	7	67	13	56	11	7	125	12	23	30
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	3,532	1	19	-	21	9	17	9	6	26	3	3	3
DIABETES MELLITUS—250	24,312	18	116	12	143	39	108	43	14	106	37	30	59
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1,571	2	12	2	7	3	6	1	-	8	2	-	-
ANEMIAS—280-285	2,153	4	11	1	13	1	7	2	7	11	8	2	6
MENINGITIS—320	1,057	1	3	2	4	1	-	2	4	6	-	2	3
MAJOR CARDIOVASCULAR DISEASES—390-448	649,778	514	2,971	342	4,137	724	3,255	952	620	5,190	632	615	1,170
DISEASES OF HEART—390-398,402,404,410-429	481,568	351	2,089	204	3,129	471	2,500	711	461	3,746	453	420	827
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	9,410	2	60	3	42	14	52	11	7	114	9	3	9
HYPERTENSIVE HEART DISEASE—402	4,785	8	18	2	21	3	11	5	2	36	2	4	4
HYPERTENSIVE HEART AND RENAL DISEASE—404	2,595	5	7	-	13	4	8	2	1	7	5	1	7
ISCHEMIC HEART DISEASE—410-413	436,354	268	1,886	186	2,887	408	2,338	664	424	3,466	410	386	760
ACUTE MYOCARDIAL INFARCTION—410	204,327	164	917	78	1,433	194	1,210	374	285	2,024	246	248	391
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	2,977	2	10	-	5	3	6	2	-	7	2	2	4
CHRONIC ISCHEMIC HEART DISEASE—412	228,968	102	959	108	1,449	211	1,121	288	139	1,435	162	136	365
ANGINA PECTORIS—413	82	-	-	-	-	-	1	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2,711	-	9	4	12	6	17	3	1	11	6	2	7
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	25,713	68	109	9	154	36	74	26	26	112	21	24	40

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	TOTAL, 229 AREAS	STANDARD METROPOLITAN STATISTICAL AREAS											
		ABILENE, TEX.	AKRON, OHIO	ALBANY, GA	ALBANY-SCHENECTADY-TROY, N.Y.	ALBUQUERQUE, N. MEX.	ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J.	ALTOONA, PA.	AMARILLO, TEX.	ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF.	ANDERSON, IND.	ANN ARBOR, MICH.	APPLETON-OSHKOSH, WIS.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION—400,401,403	4,170	2	23	2	23	16	11	11	4	24	5	6	4
CEREBROVASCULAR DISEASES—430-438	127,866	116	638	119	711	182	536	180	112	1,153	131	151	258
CEREBRAL HEMORRHAGE—431	18,605	12	103	22	141	20	79	18	11	116	18	15	36
CEREBRAL THROMBOSIS—433	34,771	15	157	36	208	33	246	78	18	297	25	38	55
CEREBRAL EMBOLISM—434	567	-	5	-	3	-	10	1	1	16	1	-	2
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	73,923	89	373	61	359	129	201	83	82	724	87	98	165
ARTERIOSCLEROSIS—440	19,388	27	137	5	151	26	118	25	25	126	30	13	52
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	16,786	18	84	12	123	29	90	25	18	141	13	25	29
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	513	-	1	-	11	2	4	-	1	2	-	-	-
INFLUENZA AND PNEUMONIA—470-474,480-486	35,495	30	117	13	262	55	127	31	38	250	23	51	68
INFLUENZA—470-474	1,036	1	4	1	3	-	-	6	2	6	-	-	6
PNEUMONIA—480-486	34,459	29	113	12	259	55	127	25	36	244	23	51	62
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	16,723	20	71	7	111	53	61	20	37	159	17	20	36
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	3,338	-	10	2	28	16	16	5	3	21	1	8	4
EMPHYSEMA—492	12,174	17	58	5	81	32	42	12	32	131	15	10	28
ASTHMA—493	1,211	3	3	-	2	5	3	3	2	7	1	2	4
PEPTIC ULCER—531-533	4,613	3	24	1	32	7	22	4	8	40	3	4	12
APPENDICITIS—540-543	520	-	3	-	3	1	-	2	-	9	-	-	1
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	4,096	3	16	4	26	14	18	7	2	24	-	10	6
CIRRHOSIS OF LIVER—571	25,531	10	81	16	127	57	79	26	16	197	12	26	35
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	1,888	-	12	-	12	3	7	5	-	12	1	2	5
NEPHRITIS AND NEPHROSIS—580-584	5,247	6	21	7	23	8	21	2	1	18	5	4	12
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1,034	2	6	1	4	2	7	-	-	6	-	-	3
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	4,213	4	15	6	19	6	14	2	1	12	5	4	9
INFECTIONS OF KIDNEY—590	3,185	4	10	4	17	3	10	6	2	25	1	2	6
HYPERPLASIA OF PROSTATE—600	813	1	2	2	3	1	4	1	1	6	2	1	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	284	-	-	-	1	1	1	-	1	1	1	1	-
ABORTIONS—640-645	20	-	-	-	1	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	264	-	-	-	-	1	1	-	1	1	1	1	-
CONGENITAL ANOMALIES—740-759	9,153	5	37	15	34	27	17	12	16	93	10	13	15
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	18,948	20	71	15	85	34	60	23	29	184	13	33	31
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	10,446	9	39	9	47	24	38	14	19	100	7	14	9
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	8,502	11	32	6	38	10	22	9	10	84	6	19	22
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	18,716	37	429	14	48	135	19	6	4	34	13	15	12
ALL OTHER DISEASES—RESIDUAL	78,158	73	347	44	426	226	338	113	77	585	60	84	130
ACCIDENTS—E800-E949	61,153	53	149	51	307	206	224	74	88	615	52	99	115
MOTOR VEHICLE ACCIDENTS—E810-E823	25,699	24	72	18	130	106	111	29	43	256	30	57	47
ALL OTHER ACCIDENTS—E800-E807,E825-E949	35,454	29	77	33	177	100	113	45	45	359	22	42	68
SUICIDE—E950-E959	17,536	17	72	7	68	72	67	9	29	254	11	30	25
HOMICIDE—E960-E978	16,435	11	26	25	21	38	24	2	21	70	11	19	3
OTHER EXTERNAL CAUSES—E980-E999	3,965	3	8	-	26	8	7	1	1	3	2	5	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ASHEVILLE, N.C.	ATLANTA, GA.	ATLANTIC CITY, N.J.	AUGUSTA, GA.-S.C.	AUSTIN, TEX.	BAKERSFIELD, CALIF.	BALTIMORE, MD.	BATON ROUGE, LA.	BAY CITY, MICH.	BEAUMONT-PORT ARTHUR-ORANGE, TEX.	BILLINGS, MONT.	BILOXI-GULFPORT, MISS.	BINGHAMTON, N.Y.-PA.
ALL CAUSES	1,684	11,007	2,672	2,246	2,153	2,966	19,166	2,060	1,019	2,701	729	1,103	2,750
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	5	14	-	7	1	1	10	1	2	4	1	3	-
TUBERCULOSIS, ALL FORMS—010-019	4	20	5	10	6	7	38	2	2	2	-	2	2
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	15	3	7	5	6	34	1	-	-	-	2	1
TUBERCULOSIS, OTHER FORMS—013-019	2	5	2	3	1	1	4	1	2	2	-	-	1
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	3	1	-	-	3	-	-	1	-	1	-
SEPTICEMIA—038	4	60	5	8	8	9	109	5	4	7	1	6	2
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	1	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	4	-	2	-	1	3	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	3	29	8	4	2	6	50	7	1	7	-	3	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	301	1,882	479	370	400	532	3,911	376	172	523	132	197	574
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	4	49	4	9	11	8	109	10	9	15	3	6	9
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	83	435	158	92	101	125	982	81	45	138	38	46	167
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	63	433	99	103	114	146	1,017	100	41	154	37	50	130
MALIGNANT NEOPLASM OF BREAST—174	26	190	49	35	37	42	353	26	15	26	9	19	53
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	45	246	59	43	46	58	454	44	18	47	9	25	69
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	17	75	22	19	12	31	181	18	14	24	7	10	21
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	33	291	47	39	46	62	530	63	14	71	12	19	51
LEUKEMIA—204-207	8	83	15	11	15	33	117	18	6	18	4	7	34
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	22	80	26	19	18	27	168	16	10	30	13	15	40
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	7	44	7	7	9	3	79	5	4	5	1	4	7
DIABETES MELLITUS—250	40	154	46	43	28	48	528	37	20	52	10	20	50
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	4	12	1	2	4	6	28	4	1	1	-	3	2
ANEMIAS—280-285	1	21	6	2	3	5	34	-	2	6	-	3	1
MENINGITIS—320	2	16	2	4	3	2	29	8	1	2	-	1	2
MAJOR CARDIOVASCULAR DISEASES—390-448	863	5,175	1,596	1,088	992	1,485	9,380	1,103	575	1,366	328	530	1,496
DISEASES OF HEART—390-398,402,404,410-429	580	3,669	1,287	775	644	1,146	7,516	887	394	1,002	204	399	1,126
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	10	61	14	9	16	21	132	4	4	10	6	3	33
HYPERTENSIVE HEART DISEASE—402	7	49	6	8	8	18	36	3	3	23	2	4	12
HYPERTENSIVE HEART AND RENAL DISEASE—404	2	10	4	1	3	1	29	3	1	4	-	2	5
ISCHEMIC HEART DISEASE—410-413	532	3,267	1,239	709	531	1,056	6,863	833	361	853	177	297	1,047
ACUTE MYOCARDIAL INFARCTION—410	274	1,679	717	381	307	476	2,900	240	235	509	85	119	526
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1	17	1	-	3	-	20	4	-	4	1	5	2
CHRONIC ISCHEMIC HEART DISEASE—412	257	1,571	521	328	221	580	3,942	589	126	340	91	173	519
ANGINA PECTORIS—413	-	-	-	-	-	-	1	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	16	4	2	1	16	40	1	-	14	-	1	6
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	27	266	20	46	85	34	416	43	25	98	19	92	23

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ASHEVILLE, N.C.	ATLANTA, GA.	ATLANTIC CITY, N.J.	AUGUSTA, GA.-S.C.	AUSTIN, TEX.	BAKERSFIELD, CALIF.	BALTIMORE, MD.	BATON ROUGE, LA.	BAY CITY, MICH.	BEAUMONT-PORT ARTHUR-ORANGE, TEX.	BILLINGS, MONT.	BILOXI-GULFPORT, MISS.	BINGHAMTON, N.Y.-PA.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400, 401, 403	8	28	1	11	8	15	66	3	1	12	6	7	13
CEREBROVASCULAR DISEASES—430-438	218	1,201	240	243	220	242	1,324	165	156	253	82	101	270
CEREBRAL HEMORRHAGE—431	22	165	40	39	35	32	219	14	12	27	7	19	49
CEREBRAL THROMBOSIS—433	69	267	81	95	27	86	202	18	41	56	24	21	90
CEREBRAL EMBOLISM—434	-	6	1	-	-	1	7	-	1	1	1	1	-
ALL OTHER CEREBROVASCULAR DISEASES—430, 432, 435-438	127	763	118	109	158	123	896	133	102	169	50	60	131
ARTERIOSCLEROSIS—440	37	156	28	29	89	36	202	26	9	50	22	7	38
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	20	121	40	30	31	46	272	22	15	49	14	16	49
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	3	3	-	-	-	1	3	1	-	-	1	-	1
INFLUENZA AND PNEUMONIA—470-474, 480-486	50	360	48	57	62	72	396	47	24	59	24	22	89
INFLUENZA—470-474	2	14	-	3	1	2	12	4	4	-	1	-	2
PNEUMONIA—480-486	48	346	48	54	61	70	384	43	20	59	23	22	87
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	35	165	18	35	29	57	162	29	10	43	8	17	38
CHRONIC AND UNQUALIFIED BRONCHITIS—490, 491	6	52	2	7	9	13	37	3	2	4	2	3	4
EMPHYSEMA—492	25	103	11	25	18	42	107	23	8	36	5	14	33
ASTHMA—493	4	10	5	3	2	2	18	3	-	3	1	-	1
PEPTIC ULCER—531-533	9	25	9	5	3	18	54	3	4	5	2	2	8
APPENDICITIS—540-543	-	3	-	2	1	3	11	-	-	2	-	1	3
HERNIA AND INTESTINAL OBSTRUCTION—550-553, 560	4	30	8	10	8	12	65	6	7	6	6	1	14
CIRRHOSIS OF LIVER—571	18	257	57	58	32	88	440	26	16	42	13	10	41
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574, 575	4	13	2	3	1	4	23	3	-	2	3	1	4
NEPHRITIS AND NEPHROSIS—580-584	7	76	13	16	9	8	106	15	5	21	1	5	8
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580, 581	-	6	3	3	-	3	19	1	3	4	1	2	1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	7	70	10	13	9	5	87	14	2	17	-	3	8
INFECTIONS OF KIDNEY—590	2	37	6	5	4	8	27	5	4	15	2	7	11
HYPERPLASIA OF PROSTATE—600	2	8	-	3	1	2	18	-	2	3	1	-	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	4	1	-	1	-	2	-	-	2	-	-	-
ABORTIONS—640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639, 650-678	-	4	1	-	1	-	2	-	-	2	-	-	-
CONGENITAL ANOMALIES—740-759	6	95	13	24	24	23	146	15	8	17	12	14	20
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2, 769.4-772, 774-778	28	249	35	32	56	54	254	27	17	63	14	27	30
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768, 772, 776	17	123	17	22	36	35	133	18	10	32	9	16	22
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	11	126	18	10	20	19	121	9	7	31	5	11	8
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	26	106	22	46	97	3	290	4	3	60	42	39	32
ALL OTHER DISEASES—RESIDUAL	119	785	149	167	117	166	1,469	115	45	161	40	68	151
ACCIDENTS—E800-E949	93	743	77	154	163	261	823	121	73	141	68	82	117
MOTOR VEHICLE ACCIDENTS—E810-E823	33	356	41	73	72	145	334	52	39	50	35	33	54
ALL OTHER ACCIDENTS—E800-E807, E825-E949	60	387	36	81	91	116	489	69	34	91	33	49	63
SUICIDE—E950-E959	25	234	16	30	46	40	219	41	14	40	15	13	34
HOMICIDE—E960-E978	14	378	20	47	42	37	365	52	3	40	2	20	4
OTHER EXTERNAL CAUSES—E980-E999	5	5	20	3	1	4	91	2	-	3	2	1	4

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	BIRMINGHAM, ALA.	BLOOMINGTON-NORMAL, ILL.	BOISE CITY, IDAHO	BOSTON-LOWELL-LAWRENCE, MASS.	BRIDGEPORT-STAMFORD-NORWALK, CONN.	BROCKTON, MASS.	BROWNSVILLE-HARLINGEN-SAN BENITO, TEX.	BRYAN-COLLEGE STATION, TEX.	BUFFALO, N.Y.	CANTON, OHIO	CEDAR RAPIDS, IOWA	CHAMPAIGN-URBANA, ILL.	CHARLESTON, S.C.
ALL CAUSES	7,761	905	1,016	32,320	6,482	3,031	1,176	411	13,190	3,531	1,380	885	2,367
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	3	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	14	-	1	20	15	1	7	5	8	1	2	1	2
TUBERCULOSIS, ALL FORMS—010-019	11	-	-	50	7	2	6	1	15	5	2	-	7
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	9	-	-	41	6	2	4	1	12	3	2	-	4
TUBERCULOSIS, OTHER FORMS—013-019	2	-	-	9	1	-	2	-	3	2	-	-	3
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	1	-	-	4	-	-	-	-	-	-	-	-	1
SEPTICEMIA—038	21	2	4	144	18	10	5	1	36	8	2	1	11
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	1	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	1	-	-	1	3	-	-	-	1	2	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	24	2	-	51	17	6	3	-	29	5	4	3	7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	1,429	162	190	6,514	1,421	591	177	65	2,642	648	274	151	395
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	22	2	7	165	34	14	-	1	55	11	7	2	12
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	330	49	48	1,972	423	190	48	15	763	164	68	37	84
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	367	36	40	1,433	284	120	39	21	634	162	60	39	115
MALIGNANT NEOPLASM OF BREAST—174	136	17	20	629	151	51	16	4	245	55	23	17	27
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	191	19	20	711	149	68	26	9	333	73	40	16	45
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	59	4	9	284	78	26	7	3	138	33	18	14	16
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	176	12	18	760	167	62	29	5	235	81	23	15	53
LEUKEMIA—204-207	55	9	10	232	60	17	5	1	97	25	10	5	13
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	85	14	18	328	75	43	7	6	142	44	25	6	30
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	26	3	4	99	19	10	4	1	39	6	3	4	5
DIABETES MELLITUS—250	166	16	11	601	123	59	35	7	264	92	21	17	55
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	7	1	-	20	6	2	-	1	10	4	3	-	3
ANEMIAS—280-285	12	1	1	49	6	3	1	-	18	6	-	2	10
MENINGITIS—320	9	-	2	23	4	2	1	1	13	2	-	1	5
MAJOR CARDIOVASCULAR DISEASES—390-448	3,610	528	531	16,913	3,377	1,649	530	204	7,151	1,920	732	504	1,103
DISEASES OF HEART—390-398,402,404,410-429	2,337	385	361	12,843	2,432	1,225	366	146	5,312	1,401	522	346	818
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	45	8	9	271	53	16	3	2	103	25	13	3	13
HYPERTENSIVE HEART DISEASE—402	35	3	2	169	32	14	5	-	41	19	5	4	7
HYPERTENSIVE HEART AND RENAL DISEASE—404	12	6	1	34	11	6	-	-	14	4	6	3	5
ISCHEMIC HEART DISEASE—410-413	2,048	356	327	11,504	2,182	1,132	308	124	4,969	1,287	468	326	736
ACUTE MYOCARDIAL INFARCTION—410	1,237	156	180	6,037	1,020	487	179	49	2,901	556	234	205	301
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	7	-	-	22	5	1	-	-	11	5	-	1	15
CHRONIC ISCHEMIC HEART DISEASE—412	804	200	147	5,442	1,157	644	129	75	2,057	726	234	120	420
ANGINA PECTORIS—413	-	-	-	3	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	7	4	2	59	14	3	4	4	34	5	4	3	6
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	190	8	20	806	140	54	46	16	151	61	26	7	51

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	BIRMINGHAM, ALA.	BLOOMINGTON-NORMAL, ILL.	BOISE CITY, IDAHO	BOSTON-LOWELL-LAWRENCE, MASS.	BRIDGEPORT-STAMFORD-NORWALK, CONN.	BROCKTON, MASS.	BROWNSVILLE-HARLINGEN-SAN BENITO, TEX.	BRYAN-COLLEGE STATION, TEX.	BUFFALO, N.Y.	CANTON, OHIO	CEDAR RAPIDS, IOWA	CHAMPAIGN-URBANA, ILL.	CHARLESTON, S.C.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	53	3	3	86	25	16	8	2	45	14	8	6	6
CEREBROVASCULAR DISEASES—430-438	1,053	115	126	3,064	720	323	112	46	1,394	379	161	103	232
CEREBRAL HEMORRHAGE—431	116	35	12	629	106	61	26	4	199	75	18	16	34
CEREBRAL THROMBOSIS—433	299	36	23	923	205	103	21	7	515	89	24	17	53
CEREBRAL EMBOLISM—434	2	-	-	25	3	2	-	-	11	2	-	1	1
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	636	44	91	1,487	406	157	65	35	669	213	119	69	144
ARTERIOSCLEROSIS—440	88	11	20	493	102	45	28	10	197	69	18	38	19
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	79	14	21	427	98	40	16	-	203	57	23	11	28
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	4	-	-	14	1	-	1	-	6	2	-	1	-
INFLUENZA AND PNEUMONIA—470-474,480-486	173	21	31	1,470	192	102	17	16	367	104	63	19	51
INFLUENZA—470-474	11	1	1	15	7	1	2	-	9	5	3	1	-
PNEUMONIA—480-486	162	20	30	1,455	185	101	15	16	358	99	60	18	51
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	82	20	13	347	87	32	13	1	226	59	16	17	21
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	22	2	2	71	14	7	1	1	58	16	3	2	5
EMPHYSEMA—492	48	15	11	230	67	21	12	-	158	42	13	15	12
ASTHMA—493	12	3	-	46	6	4	-	-	10	1	-	-	4
PEPTIC ULCER—531-533	20	4	2	118	22	16	7	1	55	17	7	6	5
APPENDICITIS—540-543	4	-	-	11	4	1	-	-	5	1	-	1	1
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	24	7	9	98	15	8	4	-	50	14	3	3	9
CIRRHOSIS OF LIVER—571	90	11	14	663	116	64	18	1	232	56	11	20	31
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	9	2	2	56	10	5	3	-	19	4	2	1	-
NEPHRITIS AND NEPHROSIS—580-584	42	2	4	124	25	11	6	2	52	15	3	3	19
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	9	1	-	20	5	5	1	-	10	2	-	-	3
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	33	1	4	104	20	6	5	2	42	13	3	3	16
INFECTIONS OF KIDNEY—590	40	1	-	64	19	6	8	-	41	14	5	1	4
HYPERPLASIA OF PROSTATE—600	7	-	-	17	1	-	-	-	6	6	2	1	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	2	1	-	-	-	-	2	-	1	-	-	-	1
ABORTIONS—640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	2	1	-	-	-	-	2	-	1	-	-	-	1
CONGENITAL ANOMALIES—740-759	48	7	12	170	37	15	18	2	68	22	9	4	29
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	121	17	21	322	91	40	41	9	179	52	18	18	62
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	84	7	15	151	33	17	28	5	82	31	5	10	28
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	37	10	6	171	58	23	13	4	97	21	13	8	34
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	574	17	14	257	73	27	85	32	111	17	10	8	26
ALL OTHER DISEASES—RESIDUAL	517	46	69	2,103	387	150	61	17	027	208	79	46	154
ACCIDENTS—E800-E949	450	21	56	1,493	271	165	92	29	498	164	79	40	245
MOTOR VEHICLE ACCIDENTS—E810-E823	216	13	33	545	94	83	47	16	187	74	37	15	96
ALL OTHER ACCIDENTS—E800-E807, E825-E949	234	8	23	948	177	82	45	13	311	90	42	25	149
SUICIDE—E950-E959	76	9	18	266	55	39	11	4	90	45	25	8	34
HOMICIDE—E960-E978	136	2	4	197	28	11	17	9	78	28	5	4	65
OTHER EXTERNAL CAUSES—E980-E999	11	2	3	41	32	4	-	2	52	4	-	1	5

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	CHARLESTON, W. VA.	CHARLOTTE, N.C.	CHATTANOOGA, TENN.-GA.	CHICAGO, ILL.	CINCINNATI, OHIO-KY.-IND.	CLEVELAND, OHIO	COLORADO SPRINGS, COLO.	COLUMBIA, MO.	COLUMBIA, S.C.	COLUMBUS, GA.-ALA.	COLUMBUS, OHIO	CORPUS CHRISTI, TEX.	DALLAS, TEX.
ALL CAUSES	2,304	3,364	3,048	64,682	13,076	19,401	1,568	513	2,542	1,919	7,400	2,086	12,048
BACILLARY DYSENTERY AND AMEBIASIS-004,006	-	-	-	5	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-008,009	1	3	2	59	15	26	3	3	6	8	8	2	18
TUBERCULOSIS, ALL FORMS-010-019	2	7	10	113	21	23	3	1	8	5	8	5	25
TUBERCULOSIS OF RESPIRATORY SYSTEM-010-012	2	7	9	89	13	18	2	1	5	4	7	5	21
TUBERCULOSIS, OTHER FORMS-013-019	-	-	1	24	8	5	1	-	3	1	1	-	4
WHOOPING COUGH-033	-	-	-	1	1	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034	-	-	-	-	-	-	-	-	-	-	1	-	-
MENINGOCOCCAL INFECTIONS-036	2	-	1	5	5	4	-	-	1	-	1	-	10
SEPTICEMIA-038	4	13	7	135	23	52	6	-	3	14	27	3	50
ACUTE POLIOMYELITIS-040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-055	-	-	-	-	-	-	-	-	-	-	-	-	1
SYPHILIS AND ITS SEQUELAE-090-097	1	1	-	9	6	5	1	-	-	-	1	1	2
OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	5	10	9	101	87	36	2	2	7	4	13	9	22
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	427	571	571	12,170	2,630	3,814	258	96	445	306	1,353	401	2,259
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	5	15	12	299	55	94	2	2	12	10	24	4	47
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	90	130	130	3,564	754	1,148	75	26	122	78	357	106	546
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	120	135	153	2,759	713	869	48	14	120	73	346	101	605
MALIGNANT NEOPLASM OF BREAST-174	35	56	50	1,187	235	384	29	8	33	25	122	26	203
MALIGNANT NEOPLASMS OF GENITAL ORGANS-180-187	46	70	73	1,450	286	436	31	10	49	39	143	42	267
MALIGNANT NEOPLASMS OF URINARY ORGANS-188,189	15	21	32	557	108	176	7	4	11	13	61	17	75
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-170-173,190-199	81	85	71	1,255	265	398	33	23	64	40	164	53	289
LEUKEMIA-204-207	8	28	18	452	78	123	13	4	17	10	64	23	76
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-200-203,208,209	27	31	32	647	136	186	20	5	17	18	72	29	151
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-210-239	10	5	5	169	32	61	3	2	6	7	17	4	31
DIABETES MELLITUS-250	31	49	64	1,217	267	424	21	8	61	28	172	51	195
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-260-269	1	5	3	62	14	24	4	-	2	2	12	3	23
ANEMIAS-280-285	5	5	7	99	24	41	3	-	2	3	11	7	23
MENINGITIS-320	2	5	3	50	15	25	3	-	2	1	5	5	14
MAJOR CARDIOVASCULAR DISEASES-390-448	1,256	1,642	1,569	35,086	7,009	10,245	696	258	1,311	931	3,782	934	5,759
DISEASES OF HEART-390-398,402,404,410-429	997	1,182	1,090	27,519	5,294	7,838	465	172	964	618	2,641	658	4,068
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-390-398	13	22	8	434	84	158	23	5	13	5	48	13	59
HYPERTENSIVE HEART DISEASE-402	12	12	10	376	43	72	3	2	8	14	36	11	30
HYPERTENSIVE HEART AND RENAL DISEASE-404	4	6	5	127	24	23	1	-	14	2	215	7	19
ISCHEMIC HEART DISEASE-410-413	779	1,044	974	23,872	4,940	7,221	411	145	870	484	2,149	582	3,645
ACUTE MYOCARDIAL INFARCTION-410	388	498	740	12,316	1,844	2,566	197	63	516	288	1,183	259	1,581
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-411	-	3	2	71	9	59	23	-	22	10	8	6	11
CHRONIC ISCHEMIC HEART DISEASE-412	390	543	232	11,483	3,087	4,595	191	82	331	186	957	317	2,051
ANGINA PECTORIS-413	1	-	-	2	-	1	-	-	1	-	1	-	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-424,428	1	9	6	120	22	51	1	-	6	9	7	2	24
ALL OTHER FORMS OF HEART DISEASE-420-423,425-427,429	188	89	87	2,590	181	313	26	20	53	104	186	43	291

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	CHARLESTON, W. VA.	CHARLOTTE, N.C.	CHATTANOOGA, TENN.-GA.	CHICAGO, ILL.	CINCINNATI, OHIO-KY.-IND.	CLEVELAND, OHIO	COLORADO SPRINGS, COLO.	COLUMBIA, MO.	COLUMBIA, S.C.	COLUMBUS, GA.-ALA.	COLUMBUS, OHIO	CORPUS CHRISTI, TEX.	DALLAS, TEX.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	5	13	11	298	41	51	2	2	2	7	37	6	34
CEREBROVASCULAR DISEASES—430-438	204	359	382	5,918	1,284	1,790	167	73	285	258	882	209	1,280
CEREBRAL HEMORRHAGE—431	42	45	38	1,147	152	237	8	15	39	37	114	32	170
CEREBRAL THROMBOSIS—433	47	75	99	1,974	385	552	28	21	67	57	209	23	171
CEREBRAL EMBOLISM—434	2	1	-	25	3	10	1	-	1	-	1	-	1
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	113	238	245	2,772	744	991	130	37	178	164	558	154	938
ARTERIOSCLEROSIS—440	21	39	57	722	205	310	34	6	24	31	124	29	220
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	29	49	29	629	185	256	28	5	36	17	98	32	157
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	-	-	4	20	7	11	1	-	-	-	-	-	9
INFLUENZA AND PNEUMONIA—470-474,480-486	69	101	109	1,875	306	469	69	20	68	58	194	48	345
INFLUENZA—470-474	1	1	15	24	12	35	2	-	2	-	3	3	10
PNEUMONIA—480-486	68	100	94	1,851	294	434	67	20	66	58	191	45	335
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	33	57	54	739	193	224	33	8	34	26	114	40	185
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	6	17	8	136	43	45	7	4	7	3	24	7	44
EMPHYSEMA—492	24	36	42	539	143	164	26	4	26	19	82	30	131
ASTHMA—493	3	4	4	64	7	15	-	-	1	4	8	3	10
PEPTIC ULCER—531-533	8	11	8	269	54	59	4	6	8	4	27	7	32
APPENDICITIS—540-543	1	1	1	28	5	9	1	-	-	1	3	1	9
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	6	14	9	179	43	70	4	2	9	4	25	11	41
CIRRHOSIS OF LIVER—571	46	78	40	1,382	193	388	38	5	53	24	117	44	192
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	3	7	9	102	12	18	2	1	1	-	13	8	20
NEPHRITIS AND NEPHROSIS—580-584	8	30	21	273	78	96	4	2	9	16	42	9	45
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	3	6	2	60	19	15	1	-	3	4	4	4	11
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	5	24	19	213	59	81	3	2	6	12	38	5	34
INFECTIONS OF KIDNEY—590	8	11	7	165	35	49	4	2	4	10	18	6	40
HYPERPLASIA OF PROSTATE—600	1	1	2	38	16	10	5	-	-	-	4	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	1	-	18	5	6	2	-	1	1	-	2	4
ABORTIONS—640-645	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	1	-	17	5	6	2	-	1	1	-	2	4
CONGENITAL ANOMALIES—740-759	12	30	27	481	108	117	18	4	18	26	71	26	108
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	34	75	49	1,197	162	240	50	7	37	35	145	63	270
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	22	42	28	832	83	122	39	2	16	21	68	37	158
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	12	33	21	365	79	118	11	5	21	14	77	26	112
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	25	30	29	1,491	45	112	14	4	15	68	209	15	283
ALL OTHER DISEASES—RESIDUAL	135	251	151	3,287	814	1,194	111	38	145	109	468	131	748
ACCIDENTS—E800-E949	119	204	161	2,259	554	889	129	28	166	138	345	151	797
MOTOR VEHICLE ACCIDENTS—E810-E823	53	98	73	870	206	274	57	16	87	64	116	66	328
ALL OTHER ACCIDENTS—E800-E807,E825-E949	66	106	88	1,389	348	615	72	12	79	74	229	85	469
SUICIDE—E950-E959	30	56	45	504	181	267	50	9	44	25	120	55	202
HOMICIDE—E960-E978	12	80	71	884	126	360	18	4	73	59	56	41	269
OTHER EXTERNAL CAUSES—E980-E999	7	10	-	210	40	33	8	3	3	6	18	3	13

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	DAVENPORT–ROCK ISLAND–MOLINE, IOWA–ILL.	DAYTON, OHIO	DECATUR, ILL.	DENVER COLO.	DES MOINES, IOWA	DETROIT, MICH.	DUBUQUE, IOWA	DULUTH–SUPERIOR, MINN.–WIS.	DURHAM, N.C.	EL PASO, TEX.	ERIE, PA.	EUGENE, OREG.	EVANSVILLE, IND.–KY.	FALL RIVER–NEW BEDFORD, MASS.
ALL CAUSES	3,453	6,645	1,151	9,311	2,518	35,553	842	2,893	1,575	2,337	2,503	1,629	2,448	4,630
BACILLARY DYSENTERY AND AMEBIASIS—004,006	–	1	–	1	–	–	–	–	–	2	–	–	–	–
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	4	8	–	10	5	34	1	2	1	9	2	1	2	3
TUBERCULOSIS, ALL FORMS—010–019	6	11	1	15	4	91	–	3	2	8	6	2	1	11
TUBERCULOSIS OF RESPIRATORY SYSTEM—010–012	6	8	1	10	3	78	–	1	2	7	5	1	1	11
TUBERCULOSIS, OTHER FORMS—013–019	–	3	–	5	1	13	–	2	–	1	1	1	–	–
WHOOPING COUGH—033	–	–	–	–	–	1	–	–	–	–	–	–	–	–
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	–	1	–	–	–	1	–	–	–	–	–	–	–	–
MENINGOCOCCAL INFECTIONS—036	2	–	–	2	–	4	–	–	–	–	1	–	–	–
SEPTICEMIA—038	12	16	–	34	7	125	1	5	8	9	9	4	5	8
ACUTE POLIOMYELITIS—040–043	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MEASLES—055	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SYPHILIS AND ITS SEQUELAE—090–097	–	2	–	–	–	5	–	–	–	–	1	–	–	–
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000–136	6	12	3	17	8	70	2	3	2	11	5	7	1	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140–209	663	1,276	206	1,681	494	6,801	168	539	261	439	428	302	484	935
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140–149	9	22	11	26	7	159	1	13	7	9	14	10	14	11
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150–159	170	345	50	454	144	1,849	44	158	53	131	113	76	128	290
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160–163	142	325	55	314	120	1,648	35	110	69	88	104	77	109	190
MALIGNANT NEOPLASM OF BREAST—174	62	116	19	183	47	609	26	63	23	35	39	22	40	107
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180–187	98	160	21	195	63	782	13	63	33	48	49	33	54	111
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	31	49	12	81	22	309	15	24	7	16	12	14	16	43
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170–173,190–199	85	143	23	236	46	805	19	60	37	63	56	36	67	114
LEUKEMIA—204–207	29	55	8	88	18	269	6	18	15	18	22	12	24	26
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200–203,208,209	37	61	7	104	27	371	9	30	17	31	19	22	32	43
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210–239	9	9	3	35	9	77	–	6	5	7	5	4	9	13
DIABETES MELLITUS—250	68	151	28	165	44	868	19	71	26	50	42	20	58	159
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260–269	6	7	2	7	–	35	–	6	5	3	3	3	–	6
ANEMIAS—280–285	1	6	2	11	3	67	2	3	3	6	2	2	2	8
MENINGITIS—320	2	4	1	9	1	32	2	1	1	1	2	–	2	3
MAJOR CARDIOVASCULAR DISEASES—390–448	1,932	3,454	644	4,332	1,311	17,748	458	1,603	796	919	1,457	817	1,411	2,578
DISEASES OF HEART—390–398,402,404,410–429	1,456	2,476	447	3,147	951	13,753	324	1,208	575	640	1,056	547	984	1,915
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390–398	22	56	12	77	18	257	5	20	13	21	20	21	20	23
HYPERTENSIVE HEART DISEASE—402	8	19	6	21	9	149	2	10	5	12	11	4	6	40
HYPERTENSIVE HEART AND RENAL DISEASE—404	6	11	4	14	4	45	–	11	7	8	3	2	51	15
ISCHEMIC HEART DISEASE—410–413	1,331	2,259	401	2,771	873	12,707	297	1,110	510	502	951	489	870	1,765
ACUTE MYOCARDIAL INFARCTION—410	756	975	270	1,354	555	6,234	123	531	257	263	514	188	493	931
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	12	3	4	7	3	25	–	3	9	2	7	2	–	4
CHRONIC ISCHEMIC HEART DISEASE—412	563	1,281	127	1,410	315	6,443	174	576	243	237	430	299	377	829
ANGINA PECTORIS—413	–	–	–	–	–	5	–	–	1	–	–	–	–	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	10	14	8	10	4	39	1	11	5	7	7	3	3	7
ALL OTHER FORMS OF HEART DISEASE—420–423,425–427,429	79	117	16	254	43	556	19	46	35	90	64	28	34	65

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	DAVENPORT-ROCK ISLAND-MOLINE, IOWA-ILL.	DAYTON, OHIO	DECATUR, ILL.	DENVER COLO.	DES MOINES, IOWA	DETROIT, MICH.	DUBUQUE, IOWA	DULUTH-SUPERIOR, MINN.-WIS.	DURHAM, N.C.	EL PASO, TEX.	ERIE, PA.	EUGENE, OREG.	EVANSVILLE, IND.-KY.	FALL RIVER-NEW BEDFORD, MASS.
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION-----400,401,403	22	23	10	25	10	116	9	5	2	8	9	4	13	24
CEREBROVASCULAR DISEASES-----430-438	360	772	142	841	258	3,185	101	293	182	212	302	195	316	493
CEREBRAL HEMORRHAGE-----431	45	116	24	106	17	495	9	32	27	32	41	24	83	186
CEREBRAL THROMBOSIS-----433	126	178	44	154	67	1,057	47	59	54	41	91	65	66	140
CEREBRAL EMBOLISM-----434	-	-	-	1	-	12	1	2	-	-	-	2	3	1
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	189	478	74	580	174	1,621	44	200	101	139	170	104	164	166
ARTERIOSCLEROSIS-----440	48	98	19	171	49	310	13	54	18	28	56	29	69	93
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	46	85	26	148	43	384	11	43	19	31	34	42	29	53
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	-	3	-	6	1	3	-	-	-	-	-	-	1	-
INFLUENZA AND PNEUMONIA-----470-474,480-486	67	130	30	342	76	777	27	93	43	70	74	45	49	121
INFLUENZA-----470-474	1	8	-	18	6	8	-	5	2	-	1	1	2	4
PNEUMONIA-----480-486	66	122	30	324	70	769	27	88	41	70	73	44	47	117
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	54	93	28	178	53	452	20	32	21	27	34	27	31	48
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	11	18	5	35	9	80	5	8	7	1	9	2	6	6
EMPHYSEMA-----492	40	67	22	127	44	341	15	23	9	22	24	22	25	39
ASTHMA-----493	3	8	1	16	-	31	-	1	5	4	1	3	-	3
PEPTIC ULCER-----531-533	11	28	4	23	21	123	5	11	2	9	10	3	11	6
APPENDICITIS-----540-543	3	6	1	2	-	14	-	4	-	3	1	1	-	5
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	12	22	6	42	13	110	4	6	8	9	13	8	10	19
CIRRHOSIS OF LIVER-----571	50	86	11	205	29	1,090	14	52	35	61	47	27	40	83
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	6	9	4	12	5	49	3	12	1	6	2	2	2	8
NEPHRITIS AND NEPHROSIS-----580-584	14	21	2	28	6	167	-	13	10	12	16	3	10	16
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME---580,581	2	3	-	8	1	36	-	2	-	4	4	-	6	1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	12	18	2	20	5	131	-	11	10	8	12	3	4	15
INFECTIONS OF KIDNEY-----590	7	16	2	20	4	57	3	10	10	13	2	8	14	11
HYPERPLASIA OF PROSTATE-----600	5	6	1	2	2	14	-	3	1	1	1	-	4	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	2	-	6	-	7	-	-	-	2	-	1	-	-
ABORTIONS-----640-645	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	2	-	5	-	7	-	-	-	2	-	1	-	-
CONGENITAL ANOMALIES-----740-759	25	60	11	88	24	253	6	12	9	44	16	8	14	29
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	57	112	32	140	35	666	16	22	17	81	40	28	31	51
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	32	50	17	76	17	353	7	10	10	51	13	7	15	31
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	25	62	15	64	18	313	9	12	7	30	27	21	16	20
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	31	96	17	179	19	264	5	16	15	92	14	21	15	39
ALL OTHER DISEASES-----RESIDUAL	162	473	50	753	143	2,235	41	167	149	196	122	99	92	240
ACCIDENTS-----E800-E949	182	284	45	576	137	1,662	36	140	86	172	110	141	109	178
MOTOR VEHICLE ACCIDENTS-----E810-E823	83	110	18	252	50	716	16	68	35	86	49	84	51	73
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	99	174	27	324	87	946	20	72	51	86	61	57	58	105
SUICIDE-----E950-E959	39	122	10	251	44	567	8	43	23	49	29	30	16	34
HOMICIDE-----E960-E978	10	112	4	99	17	951	1	12	31	26	6	10	23	8
OTHER EXTERNAL CAUSES-----E980-E999	7	6	3	40	3	133	-	3	4	-	3	5	1	1

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	FARGO-MOORHEAD, N. DAK.-MINN.	FAYETTEVILLE, N.C.	FLINT, MICH.	FORT LAUDERDALE-HOLLYWOOD, FLA.	FORT SMITH, ARK.-OKLA.	FORT WAYNE, IND.	FORT WORTH, TEX.	FRESNO, CALIF.	GADSDEN, ALA.	GAINESVILLE, FLA.	GALVESTON-TEXAS CITY, TEX.	GARY-HAMMOND-EAST CHICAGO, IND.
ALL CAUSES	908	1,153	3,617	9,101	1,783	2,250	6,230	3,593	1,079	799	1,438	5,399
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	1
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	4	2	1	8	2	4	6	4	-	5	-	5
TUBERCULOSIS, ALL FORMS—010-019	2	4	5	13	4	2	11	10	3	2	2	8
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	3	4	13	4	2	11	9	3	2	1	6
TUBERCULOSIS, OTHER FORMS—013-019	-	1	1	-	-	-	-	1	-	-	1	2
WHOOPING COUGH—033	-	-	1	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	1	2	3	-	-	1	2	-	2	-	1
SEPTICEMIA—038	1	4	10	22	7	3	24	12	3	2	8	8
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	1	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	1	-	2	-	-	2	-	-	-	-	2
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	2	3	9	13	6	5	20	7	3	2	3	8
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	180	159	675	2,078	295	441	1,224	584	171	151	284	1,030
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	4	8	12	46	10	6	42	12	1	3	6	15
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	53	28	186	580	77	126	266	162	36	43	78	276
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	28	38	157	526	65	104	345	136	47	41	80	223
MALIGNANT NEOPLASM OF BREAST—174	15	20	59	150	18	37	96	45	18	9	13	100
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	26	16	82	266	32	47	135	73	24	19	32	144
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	17	2	27	105	12	22	47	28	3	10	13	46
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	19	23	91	201	46	53	159	59	26	16	37	150
LEUKEMIA—204-207	6	9	28	86	17	22	53	24	1	4	15	39
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	12	15	33	118	18	24	81	45	15	6	10	37
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2	7	6	29	6	4	13	15	2	3	2	14
DIABETES MELLITUS—250	14	21	108	145	26	45	111	64	13	15	34	176
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	4	1	2	15	2	2	9	6	1	2	1	7
ANEMIAS—280-285	-	-	3	19	4	4	7	1	1	2	2	13
MENINGITIS—320	1	2	3	5	4	2	5	6	1	2	3	4
MAJOR CARDIOVASCULAR DISEASES—390-448	466	513	1,829	4,669	912	1,240	3,042	1,800	618	346	696	2,620
DISEASES OF HEART—390-398,402,404,410-429	313	363	1,371	3,493	655	823	2,007	1,267	480	204	529	1,866
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	6	7	28	83	9	17	34	25	5	12	9	29
HYPERTENSIVE HEART DISEASE—402	3	1	12	16	3	12	21	17	1	6	-	14
HYPERTENSIVE HEART AND RENAL DISEASE—404	-	3	4	5	7	14	9	2	5	2	9	7
ISCHEMIC HEART DISEASE—410-413	281	328	1,250	3,276	551	730	1,792	1,182	449	155	474	1,709
ACUTE MYOCARDIAL INFARCTION—410	187	167	796	1,488	296	404	771	496	247	83	189	965
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1	15	-	49	21	5	3	52	2	2	-	5
CHRONIC ISCHEMIC HEART DISEASE—412	93	146	454	1,739	234	321	1,017	634	200	70	285	738
ANGINA PECTORIS—413	-	-	-	-	-	-	1	-	-	-	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	3	1	11	4	9	20	5	3	2	1	21
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	21	21	76	102	81	41	131	36	17	27	36	86

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	FARGO–MOORHEAD, N. DAK.–MINN.	FAYETTEVILLE, N.C.	FLINT, MICH.	FORT LAUDERDALE–HOLLYWOOD, FLA.	FORT SMITH, ARK.–OKLA.	FORT WAYNE, IND.	FORT WORTH, TEX.	FRESNO, CALIF.	GADSDEN, ALA.	GAINESVILLE, FLA.	GALVESTON–TEXAS CITY, TEX.	GARY–HAMMOND–EAST CHICAGO, IND.
MAJOR CARDIOVASCULAR DISEASES—CON.												
HYPERTENSION—400,401,403	3	6	9	33	7	9	19	10	8	4	7	22
CEREBROVASCULAR DISEASES—430–438	112	121	335	856	216	342	804	408	103	105	124	588
CEREBRAL HEMORRHAGE—431	17	10	46	127	22	62	77	50	14	12	16	112
CEREBRAL THROMBOSIS—433	32	24	98	261	37	49	112	120	60	34	18	125
CEREBRAL EMBOLISM—434	2	–	1	1	–	–	–	–	–	1	–	3
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435–438	61	87	190	467	157	231	615	238	29	58	90	348
ARTERIOSCLEROSIS—440	25	11	61	106	24	31	134	62	14	21	15	69
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441–448	13	12	53	181	10	35	78	53	13	12	21	75
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	1	–	1	3	–	–	1	–	–	–	–	2
INFLUENZA AND PNEUMONIA—470–474,480–486	34	33	76	195	50	64	202	93	23	11	44	134
INFLUENZA—470–474	3	–	2	2	1	1	9	5	–	1	–	6
PNEUMONIA—480–486	31	33	74	193	49	63	193	88	23	10	44	128
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490–493	17	7	68	149	24	33	115	52	7	15	19	69
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	4	–	14	25	6	6	35	4	1	4	5	11
EMPHYSEMA—492	11	5	50	117	17	25	79	44	5	8	14	52
ASTHMA—493	2	2	4	7	1	2	1	4	1	3	–	6
PEPTIC ULCER—531–533	7	4	12	28	4	5	23	15	6	1	3	20
APPENDICITIS—540–543	–	–	–	5	–	2	3	1	–	2	2	4
HERNIA AND INTESTINAL OBSTRUCTION—550–553,560	3	1	10	23	4	10	26	14	2	2	5	19
CIRRHOSIS OF LIVER—571	9	21	56	187	16	29	120	93	15	13	25	121
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	2	1	1	16	2	2	6	8	2	–	1	15
NEPHRITIS AND NEPHROSIS—580–584	3	8	4	38	12	10	29	11	5	4	8	21
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1	1	1	8	5	3	11	3	1	–	2	4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582–584	2	7	3	30	7	7	18	8	4	4	6	17
INFECTIONS OF KIDNEY—590	1	10	7	27	8	10	16	11	3	1	8	14
HYPERPLASIA OF PROSTATE—600	4	–	–	12	1	1	2	4	–	–	–	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–678	1	1	2	–	–	1	4	–	1	–	–	–
ABORTIONS—640–645	1	–	–	–	–	–	1	–	–	–	–	–
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–639,650–678	–	1	2	–	–	1	3	–	1	–	–	–
CONGENITAL ANOMALIES—740–759	9	19	23	50	20	16	63	34	10	6	13	42
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760–769.2,769.4–772,774–778	19	55	81	88	27	27	112	61	24	14	15	136
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764–768,772,776	14	28	35	50	21	18	75	36	12	3	10	62
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760–778	5	27	46	38	6	9	37	25	12	11	5	74
SYMPTOMS AND ILL-DEFINED CONDITIONS—780–796	4	31	32	40	113	11	55	18	18	40	14	68
ALL OTHER DISEASES—RESIDUAL	41	88	207	577	105	118	308	242	65	61	93	267
ACCIDENTS—E800–E949	58	96	240	346	87	110	344	293	54	68	89	312
MOTOR VEHICLE ACCIDENTS—E810–E823	23	45	110	165	43	54	151	160	27	29	44	144
ALL OTHER ACCIDENTS—E800–E807,E825–E949	35	51	130	181	44	56	193	133	27	39	45	168
SUICIDE—E950–E959	13	19	72	147	21	24	113	75	8	8	23	59
HOMICIDE—E960–E978	3	36	70	133	19	21	122	50	19	16	31	158
OTHER EXTERNAL CAUSES—E980–E999	3	5	3	16	2	4	11	7	1	3	10	40

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	GRAND RAPIDS, MICH.	GREAT FALLS, MONT.	GREEN BAY, WIS.	GREENSBORO-WINSTON SALEM-HIGH POINT, N.C.	GREENVILLE, S.C.	HAMILTON-MIDDLETOWN, OHIO	HARRISBURG, PA.	HARTFORD-NEW BRITAIN-BRISTOL, CONN.	HONOLULU, HAWAII	HOUSTON, TEX.	HUNTINGTON-ASHLAND, W. VA.-KY.-OHIO	HUNTSVILLE, ALA.
ALL CAUSES	4,392	620	1,147	5,246	2,671	1,750	4,043	6,872	3,248	14,897	2,804	1,565
BACILLARY DYSENTERY AND AMEBIASIS—004,006	1	-	-	-	-	-	-	-	-	1	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	7	-	3	4	2	4	4	11	8	26	6	5
TUBERCULOSIS, ALL FORMS—010-019	8	-	-	15	4	3	9	10	6	42	8	6
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	4	-	-	11	3	3	5	9	4	36	7	5
TUBERCULOSIS, OTHER FORMS—013-019	4	-	-	4	1	-	4	1	2	6	1	1
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	2	-	-	2	-	1	1	-	1	5	1	1
SEPTICEMIA—038	6	1	2	14	11	2	24	24	11	72	6	2
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	-	1	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	7	1	1	15	2	3	8	12	10	30	2	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	806	111	231	885	471	350	781	1,538	722	2,816	501	256
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	19	2	6	16	11	11	15	44	33	57	8	3
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	213	29	67	220	122	92	228	457	234	615	119	59
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	170	32	34	183	101	83	166	314	171	865	143	65
MALIGNANT NEOPLASM OF BREAST—174	77	10	26	81	42	35	61	150	45	241	33	18
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	101	16	38	123	55	37	83	147	66	316	69	34
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	41	6	8	40	31	13	33	58	32	109	25	5
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	96	8	26	140	71	41	113	202	77	345	61	41
LEUKEMIA—204-207	37	-	12	29	18	17	32	65	25	116	20	14
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	52	8	14	53	20	21	50	101	39	152	23	17
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	11	-	2	18	7	4	9	19	10	32	2	5
DIABETES MELLITUS—250	93	14	34	113	60	32	107	107	69	223	57	40
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	9	3	1	6	6	2	5	7	10	17	7	1
ANEMIAS—280-285	4	2	4	12	7	5	9	6	5	22	5	7
MENINGITIS—320	3	2	1	1	4	2	4	5	1	35	3	1
MAJOR CARDIOVASCULAR DISEASES—390-448	2,401	266	629	2,754	1,318	934	2,224	3,568	1,377	6,794	1,461	730
DISEASES OF HEART—390-398,402,404,410-429	1,725	170	453	1,935	932	661	1,652	2,559	1,040	4,874	1,085	513
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	33	7	6	36	14	5	35	48	29	68	19	4
HYPERTENSIVE HEART DISEASE—402	21	1	4	12	7	13	7	23	11	37	3	4
HYPERTENSIVE HEART AND RENAL DISEASE—404	15	-	3	10	3	10	7	9	3	8	7	5
ISCHEMIC HEART DISEASE—410-413	1,553	132	368	1,780	844	604	1,523	2,375	951	4,315	1,005	338
ACUTE MYOCARDIAL INFARCTION—410	822	69	180	1,048	581	355	991	1,048	422	1,855	460	210
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	5	3	-	5	1	1	4	5	1	20	4	-
CHRONIC ISCHEMIC HEART DISEASE—412	726	60	188	726	262	248	528	1,322	528	2,439	540	128
ANGINA PECTORIS—413	-	-	-	1	-	-	-	-	-	1	1	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	5	8	3	9	4	1	9	6	4	44	2	2
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	98	22	69	88	60	28	71	98	42	402	49	160

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	GRAND RAPIDS, MICH.	GREAT FALLS, MONT.	GREEN BAY, WIS.	GREENSBORO–WINSTON SALEM–HIGH POINT, N.C.	GREENVILLE, S.C.	HAMILTON–MIDDLETOWN, OHIO	HARRISBURG, PA.	HARTFORD–NEW BRITAIN–BRISTOL, CONN.	HONOLULU, HAWAII	HOUSTON, TEX.	HUNTINGTON–ASHLAND, W. VA.–KY.–OHIO	HUNTSVILLE, ALA.
MAJOR CARDIOVASCULAR DISEASES—CON.												
HYPERTENSION—400, 401, 403	18	1	2	20	6	5	7	22	7	40	8	11
CEREBROVASCULAR DISEASES—430–438	471	60	127	655	320	196	436	739	264	1,471	290	171
CEREBRAL HEMORRHAGE—431	62	8	25	83	44	32	57	121	61	229	23	27
CEREBRAL THROMBOSIS—433	156	8	33	195	70	26	80	265	54	312	86	41
CEREBRAL EMBOLISM—434	2	1	1	1	–	1	2	6	1	1	1	–
ALL OTHER CEREBROVASCULAR DISEASES—430, 432, 435–438	251	43	68	376	206	137	297	347	148	929	180	103
ARTERIOSCLEROSIS—440	109	21	26	68	23	53	63	131	25	244	34	23
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441–448	78	14	21	76	37	19	66	117	41	165	44	12
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	1	1	1	2	–	2	3	6	2	18	–	1
INFLUENZA AND PNEUMONIA—470–474, 480–486	99	21	27	142	78	48	106	219	114	410	65	36
INFLUENZA—470–474	6	2	3	6	3	4	5	15	4	8	–	1
PNEUMONIA—480–486	93	19	24	136	75	44	101	204	110	402	65	35
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490–493	48	12	15	59	37	32	53	77	46	173	40	18
CHRONIC AND UNQUALIFIED BRONCHITIS—490, 491	9	4	4	17	8	12	9	19	11	40	8	5
EMPHYSEMA—492	37	6	11	36	25	20	42	50	27	127	30	12
ASTHMA—493	2	2	–	6	4	–	2	8	8	6	2	1
PEPTIC ULCER—531–533	16	3	4	16	4	7	14	24	14	50	10	5
APPENDICITIS—540–543	2	–	–	1	2	–	1	2	3	6	1	1
HERNIA AND INTESTINAL OBSTRUCTION—550–553, 560	15	3	4	18	11	7	13	18	5	43	14	5
CIRRHOSIS OF LIVER—571	50	11	16	96	33	25	51	129	56	300	49	14
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574, 575	8	–	1	7	6	–	1	7	5	22	7	2
NEPHRITIS AND NEPHROSIS—580–584	13	1	4	21	18	2	15	20	14	67	8	15
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580, 581	2	–	–	6	4	1	2	1	1	15	–	3
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582–584	11	1	4	15	14	1	13	19	13	52	8	12
INFECTIONS OF KIDNEY—590	9	–	2	16	7	5	11	12	12	33	9	2
HYPERPLASIA OF PROSTATE—600	3	–	–	3	2	1	5	1	2	9	2	–
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–678	–	–	–	1	1	–	–	2	3	6	–	–
ABORTIONS—640–645	–	–	–	–	–	–	–	–	–	–	–	–
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–639, 650–678	–	–	–	1	1	–	–	2	3	6	–	–
CONGENITAL ANOMALIES—740–759	44	5	7	29	24	11	22	38	59	157	18	12
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760–769.2, 769.4–772, 774–778	56	15	17	101	41	30	46	81	109	333	39	21
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764–768, 772, 776	25	6	13	63	25	12	26	27	50	187	24	14
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760–778	31	9	4	38	16	18	20	54	59	146	15	7
SYMPTOMS AND ILL-DEFINED CONDITIONS—780–796	85	36	11	72	20	13	13	53	33	234	114	90
ALL OTHER DISEASES—RESIDUAL	247	34	49	372	191	101	252	496	186	959	196	73
ACCIDENTS—E800–E949	253	59	62	296	187	84	175	250	176	1,165	127	153
MOTOR VEHICLE ACCIDENTS—E810–E823	126	29	32	126	83	43	87	94	86	528	59	62
ALL OTHER ACCIDENTS—E800–E807, E825–E949	127	30	30	170	104	41	88	156	90	637	68	91
SUICIDE—E950–E959	63	15	17	79	55	24	60	77	83	342	31	31
HOMICIDE—E960–E978	20	3	2	64	54	13	16	36	53	438	13	22
OTHER EXTERNAL CAUSES—E980–E999	2	1	–	11	8	3	1	17	43	17	2	6

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	INDIANAPOLIS, IND.	JACKSON, MICH.	JACKSON, MISS.	JACKSONVILLE, FLA.	JERSEY CITY, N.J.	JOHNSTOWN, PA.	KALAMAZOO, MICH.	KANSAS CITY, MO.--KANS.	KENOSHA, WIS.	KNOXVILLE, TENN.	LA CROSSE, WIS.	LAFAYETTE, LA.	LAFAYETTE--WEST LAFAYETTE, IND.
ALL CAUSES	9,535	1,286	2,242	4,816	6,592	2,938	1,392	10,669	1,033	3,729	773	794	787
BACILLARY DYSENTERY AND AMEBIASIS--004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES--008,009	14	3	3	11	3	2	4	9	2	6	2	1	1
TUBERCULOSIS, ALL FORMS--010-019	19	1	5	10	27	5	2	16	2	9	2	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM--010-012	17	1	3	7	24	3	2	9	2	6	2	-	-
TUBERCULOSIS, OTHER FORMS--013-019	2	-	2	3	3	2	-	7	-	3	-	-	-
WHOOPING COUGH--033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER--034	-	-	-	-	-	-	-	2	-	-	-	-	-
MENINGOCOCCAL INFECTIONS--036	2	-	-	2	1	-	-	2	-	-	-	-	-
SEPTICEMIA--038	40	2	7	21	26	9	4	29	2	9	3	5	3
ACUTE POLIOMYELITIS--040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES--055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE--090-097	4	-	1	3	-	-	-	2	-	-	-	1	-
OTHER INFECTIVE AND PARASITIC DISEASES--REMAINDER OF 000-136	22	1	5	8	7	5	2	25	5	6	-	2	2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--140-209	1,793	237	439	869	1,306	484	280	1,935	185	640	155	154	140
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX--140-149	38	7	8	28	46	7	6	43	7	13	2	2	2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM--150-159	398	57	101	206	413	140	64	522	51	143	43	37	36
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM--160-163	494	58	113	259	322	106	72	452	40	172	29	38	34
MALIGNANT NEOPLASM OF BREAST--174	157	18	33	77	122	47	29	174	18	50	15	18	9
MALIGNANT NEOPLASMS OF GENITAL ORGANS--180-187	187	32	59	93	135	53	30	231	22	87	16	10	20
MALIGNANT NEOPLASMS OF URINARY ORGANS--188,189	79	12	17	28	45	26	13	100	11	25	11	8	7
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES--170-173,190-199	263	26	63	114	112	62	39	238	18	88	25	27	23
LEUKEMIA--204-207	81	13	23	28	54	20	11	74	8	27	4	3	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--200-203,208,209	96	14	22	36	57	23	16	101	10	35	10	11	8
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE--210-239	33	3	6	7	10	9	1	17	-	2	3	3	2
DIABETES MELLITUS--250	227	41	41	89	179	72	38	179	10	58	6	21	16
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES--260-269	8	1	-	10	7	1	3	18	-	3	1	1	1
ANEMIAS--280-285	17	3	5	10	17	2	3	14	1	7	1	2	-
MENINGITIS--320	17	2	4	5	-	2	1	6	2	5	-	1	2
MAJOR CARDIOVASCULAR DISEASES--390-448	5,031	704	980	2,265	3,621	1,662	688	5,500	590	1,774	414	348	402
DISEASES OF HEART--390-398,402,404,410-429	3,612	521	671	1,695	2,972	1,256	495	3,903	460	1,167	290	230	253
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE--390-398	76	8	14	26	49	21	8	65	2	28	8	4	4
HYPERTENSIVE HEART DISEASE--402	25	3	10	14	45	18	5	35	2	12	-	9	3
HYPERTENSIVE HEART AND RENAL DISEASE--404	31	-	5	4	15	9	2	19	4	10	-	-	1
ISCHEMIC HEART DISEASE--410-413	3,217	485	576	1,552	2,745	1,159	459	3,486	436	1,066	263	196	234
ACUTE MYOCARDIAL INFARCTION--410	1,452	207	344	508	786	628	201	1,551	202	588	145	86	129
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE--411	11	1	-	9	6	3	-	16	4	3	-	-	1
CHRONIC ISCHEMIC HEART DISEASE--412	1,754	277	232	1,035	1,952	527	258	1,918	230	475	118	110	104
ANGINA PECTORIS--413	-	-	-	-	1	1	-	1	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY--424,428	25	1	4	16	4	9	1	24	1	6	3	2	2
ALL OTHER FORMS OF HEART DISEASE--420-423,425-427,429	238	24	62	83	114	40	20	274	15	45	16	19	9

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	INDIANAPOLIS, IND.	JACKSON, MICH.	JACKSON, MISS.	JACKSONVILLE, FLA.	JERSEY CITY, N.J.	JOHNSTOWN, PA.	KALAMAZOO, MICH.	KANSAS CITY, MO.-KANS.	KENOSHA, WIS.	KNOXVILLE, TENN.	LA CROSSE, WIS.	LAFAYETTE, LA.	LAFAYETTE-WEST LAFAYETTE, IND.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION--400,401,403	29	3	6	18	19	5	2	37	6	20	2	-	3
CEREBROVASCULAR DISEASES--430-438	1,019	130	247	448	519	293	127	1,237	99	458	89	82	124
CEREBRAL HEMORRHAGE--431	156	21	54	68	95	37	16	159	21	60	19	11	17
CEREBRAL THROMBOSIS--433	203	30	67	116	142	73	30	260	27	112	22	13	37
CEREBRAL EMBOLISM--434	7	-	-	1	5	2	-	7	1	-	2	-	-
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	653	79	126	263	277	181	81	811	50	286	46	58	70
ARTERIOSCLEROSIS--440	250	33	29	56	50	65	44	181	15	88	20	27	7
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	121	17	27	48	61	43	20	142	10	41	13	9	15
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	3	1	-	2	3	-	1	4	-	1	-	-	2
INFLUENZA AND PNEUMONIA--470-474,480-486	228	34	50	122	158	70	45	262	34	90	24	24	25
INFLUENZA--470-474	7	-	1	1	1	1	1	14	2	8	-	-	-
PNEUMONIA--480-486	221	34	49	121	157	69	44	248	32	82	24	24	25
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	113	13	17	74	67	32	29	133	15	49	13	11	11
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	15	4	2	7	7	7	6	21	-	8	5	2	-
EMPHYSEMA--492	91	9	13	63	56	24	22	105	14	38	8	7	11
ASTHMA--493	7	-	2	4	4	1	1	7	1	3	-	2	-
PEPTIC ULCER--531-533	31	3	3	14	27	14	7	46	3	13	2	2	4
APPENDICITIS--540-543	3	1	-	2	2	3	-	7	-	-	-	1	-
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	32	1	3	17	28	13	2	39	4	8	5	5	2
CIRRHOSIS OF LIVER--571	127	23	32	154	158	30	15	128	24	50	14	7	10
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574,575	15	-	3	5	13	3	-	25	2	4	6	1	2
NEPHRITIS AND NEPHROSIS--580-584	38	2	5	20	32	6	4	36	5	13	4	4	3
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	9	-	-	4	6	1	-	11	2	1	2	1	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	29	2	5	16	26	5	4	25	3	12	2	3	3
INFECTIONS OF KIDNEY--590	20	2	14	16	11	4	1	30	-	21	4	1	6
HYPERPLASIA OF PROSTATE--600	3	-	3	2	5	1	1	4	1	3	-	-	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	3	-	-	-	1	-	2	5	1	-	-	-	-
ABORTIONS--640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	3	-	-	-	1	-	2	5	1	-	-	-	-
CONGENITAL ANOMALIES--740-759	93	13	19	44	36	10	12	88	8	41	5	7	8
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	128	16	48	77	110	37	24	143	13	50	5	32	7
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	81	7	27	40	58	21	12	73	6	23	3	17	3
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	47	9	21	37	52	16	12	70	7	27	2	15	4
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	75	3	143	61	105	22	14	348	7	323	1	3	24
ALL OTHER DISEASES--RESIDUAL	643	82	170	331	313	254	86	689	42	229	65	62	42
ACCIDENTS--E800-E949	447	68	148	317	201	157	79	544	47	229	28	69	51
MOTOR VEHICLE ACCIDENTS--E810-E823	197	28	68	152	61	68	36	237	20	123	10	28	19
ALL OTHER ACCIDENTS--E800-E807,E825-E949	250	40	80	165	140	89	43	307	27	106	18	41	32
SUICIDE--E950-E959	137	16	31	96	35	20	31	193	15	37	10	16	14
HOMICIDE--E960-E978	111	8	50	134	63	7	12	163	11	39	-	10	6
OTHER EXTERNAL CAUSES--E980-E999	58	2	7	18	20	2	1	28	2	10	-	-	-

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LAKE CHARLES, LA.	LANCASTER, PA.	LANSING, MICH.	LAREDO, TEX.	LAS VEGAS, NEV.	LAWTON, OKLA.	LEXINGTON, KY.	LIMA, OHIO	LINCOLN, NEBR.	LITTLE ROCK-NORTH LITTLE ROCK, ARK.	LORAIN-ELYRIA, OHIO	LOS ANGELES-LONG BEACH, CALIF.	LOUISVILLE, KY.-IND.
ALL CAUSES	1,147	2,952	2,383	548	2,214	608	1,430	1,639	1,330	3,142	1,994	60,195	7,962
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	4	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	5	1	5	3	1	2	3	1	1	2	2	72	6
TUBERCULOSIS, ALL FORMS—010-019	1	4	4	3	1	2	5	3	-	6	4	88	16
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	1	4	2	1	1	2	3	2	-	5	3	56	14
TUBERCULOSIS, OTHER FORMS—013-019	-	-	2	2	-	-	2	1	-	1	1	32	2
WHOOPING COUGH—033	-	-	-	-	-	-	1	-	-	-	-	2	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	2	-
MENINGOCOCCAL INFECTIONS—036	2	-	-	-	-	-	-	-	-	-	-	6	-
SEPTICEMIA—038	4	6	4	2	3	3	4	5	1	12	2	88	24
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	1	1	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	-	1	-	-	2	1	-	-	-	6	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	1	9	5	4	1	2	3	4	3	7	4	116	20
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	211	543	438	83	428	104	295	267	250	557	350	11,525	1,596
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	5	4	7	3	9	2	8	3	5	15	8	300	58
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	45	158	105	22	104	20	73	72	72	124	91	3,045	422
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	59	85	101	14	125	28	80	63	43	150	77	2,681	447
MALIGNANT NEOPLASM OF BREAST—174	21	66	46	9	45	11	23	20	24	44	26	1,119	128
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	21	74	47	8	41	9	30	34	23	63	40	1,317	179
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	10	25	24	8	14	4	16	17	16	23	18	533	62
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	32	83	50	12	56	18	37	34	38	85	64	1,384	172
LEUKEMIA—204-207	6	12	21	4	14	3	14	12	15	25	14	475	54
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	12	36	37	3	20	9	14	12	14	28	12	671	74
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	4	12	5	1	9	2	2	1	3	15	6	164	20
DIABETES MELLITUS—250	22	71	59	24	34	9	24	49	22	70	52	882	149
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	-	3	7	2	7	-	1	3	1	2	1	66	12
ANEMIAS—280-285	1	2	2	1	2	-	3	3	2	7	6	89	21
MENINGITIS—320	1	1	4	-	3	1	1	-	1	5	3	43	8
MAJOR CARDIOVASCULAR DISEASES—390-448	584	1,737	1,218	232	928	273	740	866	718	1,577	1,029	32,545	4,171
DISEASES OF HEART—390-398,402,404,410-429	391	1,284	859	173	644	198	560	604	457	1,098	795	23,948	2,942
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	4	23	25	1	12	4	13	6	8	12	13	437	47
HYPERTENSIVE HEART DISEASE—402	1	10	14	5	2	3	4	6	5	10	12	276	18
HYPERTENSIVE HEART AND RENAL DISEASE—404	1	4	6	1	2	-	8	1	4	8	2	81	27
ISCHEMIC HEART DISEASE—410-413	353	1,142	759	139	588	171	501	557	409	896	710	22,333	2,592
ACUTE MYOCARDIAL INFARCTION—410	158	603	373	82	410	109	256	258	188	506	305	7,495	1,606
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1	4	6	-	4	5	1	1	2	2	50	38	2
CHRONIC ISCHEMIC HEART DISEASE—412	194	534	379	57	173	57	244	298	219	388	355	14,798	983
ANGINA PECTORIS—413	-	1	1	-	1	-	-	-	-	-	-	2	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	7	3	5	8	2	3	6	3	10	7	120	17
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	30	98	52	22	32	18	31	28	28	162	51	701	241

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LAKE CHARLES, LA.	LANCASTER, PA.	LANSING, MICH.	LAREDO, TEX.	LAS VEGAS, NEV.	LAWTON, OKLA.	LEXINGTON, KY.	LIMA, OHIO	LINCOLN, NEBR.	LITTLE ROCK-NORTH LITTLE ROCK, ARK.	LORAIN-ELYRIA, OHIO	LOS ANGELES-LONG BEACH, CALIF.	LOUISVILLE, KY.-IND.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION---400,401,403	10	7	7	7	7	2	4	6	5	7	10	173	23
CEREBROVASCULAR DISEASES---430-438	141	318	262	41	235	55	145	170	193	379	171	6,825	985
CEREBRAL HEMORRHAGE---431	21	39	29	7	28	14	29	43	10	41	27	799	119
CEREBRAL THROMBOSIS---433	29	67	69	8	42	16	33	35	33	106	44	2,209	249
CEREBRAL EMBOLISM---434	-	1	-	-	1	-	-	-	3	2	-	34	2
ALL OTHER CEREBROVASCULAR DISEASES---430,432,435-438	91	211	164	26	164	25	83	92	147	230	100	3,783	615
ARTERIOSCLEROSIS---440	23	83	54	6	14	9	15	37	34	56	23	909	132
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES---441-448	19	45	36	5	28	9	16	49	29	37	30	690	89
ACUTE BRONCHITIS AND BRONCHIOLITIS---466	1	1	5	2	8	-	-	-	-	-	-	15	1
INFLUENZA AND PNEUMONIA---470-474,480-486	28	64	58	21	39	22	39	60	37	76	41	1,088	212
INFLUENZA---470-474	1	5	2	-	-	-	-	12	5	2	1	30	6
PNEUMONIA---480-486	27	59	56	21	39	22	39	48	32	74	40	1,058	206
BRONCHITIS, EMPHYSEMA, AND ASTHMA---490-493	14	27	43	10	41	11	10	15	19	38	39	757	119
CHRONIC AND UNQUALIFIED BRONCHITIS---490,491	2	7	8	3	7	-	-	2	5	7	10	149	9
EMPHYSEMA---492	12	17	31	6	32	10	8	13	14	30	25	548	99
ASTHMA---493	-	3	4	1	2	1	2	-	-	1	4	60	11
PEPTIC ULCER---531-533	4	9	8	2	5	3	6	5	6	6	3	203	27
APPENDICITIS---540-543	-	1	1	-	3	-	2	2	-	1	1	16	5
HERNIA AND INTESTINAL OBSTRUCTION---550-553,560	7	8	7	5	9	5	3	3	5	16	5	171	27
CIRRHOSIS OF LIVER---571	11	18	28	13	67	15	21	22	11	43	33	1,740	128
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS---574,575	-	7	9	1	6	2	2	1	1	7	2	79	11
NEPHRITIS AND NEPHROSIS---580-584	5	11	5	-	9	-	6	7	3	21	16	183	36
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME---580,581	1	3	-	-	1	-	-	1	-	2	1	30	10
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS---582-584	4	8	5	-	8	-	6	6	3	19	15	153	26
INFECTIONS OF KIDNEY---590	1	4	5	1	1	2	6	4	3	11	9	162	20
HYPERPLASIA OF PROSTATE---600	-	-	1	-	-	1	1	5	2	2	3	29	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM---630-678	-	-	1	-	-	-	-	1	-	1	1	19	5
ABORTIONS---640-645	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM---630-639,650-678	-	-	1	-	-	-	-	1	-	1	1	18	5
CONGENITAL ANOMALIES---740-759	17	24	21	5	13	10	15	15	11	29	7	450	65
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY---760-769.2,769.4-772,774-778	25	33	45	12	61	20	25	40	16	59	56	736	99
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS---764-768,772,776	15	20	25	8	37	10	19	19	10	32	27	425	63
OTHER CAUSES OF MORTALITY IN EARLY INFANCY---REMAINDER OF 760-778	10	13	20	4	24	10	6	21	6	27	29	311	36
SYMPTOMS AND ILL-DEFINED CONDITIONS---780-796	5	37	22	46	20	13	8	8	13	97	37	331	42
ALL OTHER DISEASES---RESIDUAL	72	158	146	33	169	45	100	114	102	190	117	3,030	513
ACCIDENTS---E800-E949	85	126	145	27	185	45	64	95	71	159	121	3,193	385
MOTOR VEHICLE ACCIDENTS---E810-E823	33	60	69	11	88	22	30	47	27	63	61	1,134	148
ALL OTHER ACCIDENTS---E800-E807,E825-E949	52	66	76	16	97	23	34	48	44	96	60	2,059	237
SUICIDE---E950-E959	20	32	59	4	92	4	19	24	20	57	28	1,255	98
HOMICIDE---E960-E978	15	1	18	10	58	11	18	14	7	56	11	984	113
OTHER EXTERNAL CAUSES---E980-E999	1	2	5	-	11	1	1	1	1	13	4	55	11

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LUBBOCK, TEX.	LYNCHBURG, VA.	MACON, GA.	MADISON, WIS.	MANCHESTER, N.H.	MANSFIELD, OHIO	MCALLEN-PHARR-EDINBURG, TEX.	MEMPHIS, TENN.-ARK.	MIAMI, FLA.	MIDLAND, TEX.	MILWAUKEE, WIS.	MINNEAPOLIS-ST. PAUL, MINN.	MOBILE, ALA.
ALL CAUSES	1,314	1,247	1,913	1,897	2,188	1,145	1,414	7,186	15,128	442	12,246	13,581	3,438
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	1	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	3	2	6	2	-	-	10	11	9	3	10	22	4
TUBERCULOSIS, ALL FORMS—010-019	3	-	7	4	1	1	11	10	29	-	20	17	11
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	-	7	3	1	1	8	7	21	-	15	10	10
TUBERCULOSIS, OTHER FORMS—013-019	1	-	-	1	-	-	3	3	8	-	5	7	1
WHOOPING COUGH—033	-	-	-	-	-	-	-	1	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	-	-	-	-	-	4	2	1	4	3	2
SEPTICEMIA—038	5	2	5	6	8	3	6	32	66	1	21	35	7
ACUTE POLIOMYELITIS—040-043	-	-	1	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	1	-	-	-	2	-	1	-	4	3	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	5	1	6	6	6	3	5	28	34	-	22	26	13
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	224	235	287	389	433	197	217	1,305	3,132	69	2,458	2,589	608
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	8	7	9	9	15	4	3	19	93	-	56	55	12
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	55	58	61	85	125	45	53	307	883	15	665	724	161
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	49	51	76	82	96	51	48	294	765	23	524	536	174
MALIGNANT NEOPLASM OF BREAST—174	19	25	28	35	32	22	15	102	264	10	250	272	47
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	20	27	26	48	52	24	28	175	353	6	268	306	62
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	8	17	14	28	35	12	12	44	158	2	106	131	21
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	34	31	45	39	42	19	32	230	320	5	305	256	88
LEUKEMIA—204-207	12	6	10	35	21	8	11	59	126	4	119	135	20
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	19	13	18	28	15	12	15	75	170	4	165	174	23
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	3	3	2	3	5	4	2	13	48	-	22	35	3
DIABETES MELLITUS—250	33	16	45	28	59	40	46	108	286	6	221	186	70
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1	2	5	2	5	1	3	7	20	-	13	24	7
ANEMIAS—280-285	2	2	3	2	1	1	2	19	41	-	17	11	12
MENINGITIS—320	1	1	2	3	-	-	3	10	6	1	13	11	6
MAJOR CARDIOVASCULAR DISEASES—390-448	609	666	973	967	1,068	611	612	3,654	7,632	187	6,585	7,111	1,792
DISEASES OF HEART—390-398,402,404,410-429	443	474	649	682	691	421	428	2,481	5,940	138	4,871	4,917	1,287
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	9	6	9	14	17	5	6	39	139	1	106	138	7
HYPERTENSIVE HEART DISEASE—402	4	1	15	6	4	3	2	12	56	2	58	55	20
HYPERTENSIVE HEART AND RENAL DISEASE—404	-	4	4	5	14	1	4	6	18	-	12	18	19
ISCHEMIC HEART DISEASE—410-413	340	440	521	625	630	393	368	2,248	5,462	95	4,482	4,450	1,166
ACUTE MYOCARDIAL INFARCTION—410	164	175	369	302	319	208	226	871	2,451	55	1,762	1,774	645
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1	30	1	1	2	1	5	3	27	1	17	19	13
CHRONIC ISCHEMIC HEART DISEASE—412	175	235	150	322	309	184	137	1,373	2,982	39	2,702	2,655	508
ANGINA PECTORIS—413	-	-	1	-	-	-	-	1	2	-	1	2	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	5	11	1	1	1	3	8	18	-	27	23	9
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	88	18	89	31	25	18	45	168	247	40	186	233	66

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LUBBOCK, TEX.	LYNCHBURG, VA.	MACON, GA.	MADISON, WIS.	MANCHESTER, N.H.	MANSFIELD, OHIO	MCALLEN-PHARR-EDINBURG, TEX.	MEMPHIS, TENN.-ARK.	MIAMI, FLA.	MIDLAND, TEX.	MILWAUKEE, WIS.	MINNEAPOLIS-ST. PAUL, MINN.	MOBILE, ALA.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	1	3	9	13	12	8	6	31	44	–	42	38	15
CEREBROVASCULAR DISEASES—430-438	123	156	242	198	258	148	147	941	1,292	37	1,322	1,684	388
CEREBRAL HEMORRHAGE—431	13	37	63	22	46	21	26	126	129	8	174	214	57
CEREBRAL THROMBOSIS—433	22	37	48	60	85	39	33	248	466	15	343	322	95
CEREBRAL EMBOLISM—434	1	–	1	–	–	–	–	2	9	–	4	9	–
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	87	82	130	116	127	83	88	565	688	14	801	1,139	236
ARTERIOSCLEROSIS—440	27	11	54	44	72	25	17	120	143	7	185	283	62
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	15	22	19	30	35	14	14	81	213	5	165	189	40
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	–	–	1	–	2	1	–	1	5	–	–	6	–
INFLUENZA AND PNEUMONIA—470-474,480-486	47	39	49	60	45	42	58	162	371	30	370	469	81
INFLUENZA—470-474	5	2	2	1	–	5	2	9	5	–	3	34	6
PNEUMONIA—480-486	42	37	47	59	45	37	56	153	366	30	367	435	75
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	32	21	39	27	31	9	14	84	211	11	146	190	57
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2	10	5	10	11	7	2	20	34	2	30	50	5
EMPHYSEMA—492	28	10	32	15	19	2	11	56	162	7	107	131	49
ASTHMA—493	2	1	2	2	1	–	1	8	15	2	9	9	3
PEPTIC ULCER—531-533	4	7	4	5	7	4	7	24	48	3	56	40	8
APPENDICITIS—540-543	–	–	–	–	2	–	1	2	5	1	5	4	–
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	4	2	5	10	1	4	2	24	36	3	40	47	7
CIRRHOSIS OF LIVER—571	19	16	22	30	42	13	20	102	309	7	178	235	46
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	1	2	2	1	3	–	1	8	27	2	28	20	4
NEPHRITIS AND NEPHROSIS—580-584	5	2	8	5	14	5	5	32	78	5	47	28	25
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1	–	3	2	3	–	2	5	30	–	8	3	3
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	4	2	5	3	11	5	3	27	48	5	39	25	22
INFECTIONS OF KIDNEY—590	6	1	9	5	3	1	7	26	47	4	36	14	9
HYPERPLASIA OF PROSTATE—600	2	–	1	2	2	2	1	10	7	1	14	7	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	–	2	2	–	–	–	1	2	2	2	1	2	–
ABORTIONS—640-645	–	1	1	–	–	–	–	–	–	–	–	–	–
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	–	1	1	–	–	–	1	2	2	2	1	2	–
CONGENITAL ANOMALIES—740-759	22	6	15	24	17	7	17	57	103	8	89	121	36
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	48	18	59	26	28	19	49	140	149	11	129	185	61
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	28	12	35	17	12	12	30	65	67	2	57	104	35
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	20	6	24	9	16	7	19	75	82	9	72	81	26
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	22	8	17	14	132	37	69	79	71	3	63	204	48
ALL OTHER DISEASES—RESIDUAL	72	87	140	131	148	61	89	541	1,122	36	847	882	192
ACCIDENTS—E800-E949	87	62	117	108	89	54	120	412	647	25	467	722	210
MOTOR VEHICLE ACCIDENTS—E810-E823	43	28	54	52	37	24	57	176	289	7	183	285	86
ALL OTHER ACCIDENTS—E800-E807,E825-E949	44	34	63	56	52	30	63	236	358	18	284	437	124
SUICIDE—E950-E959	24	23	30	30	30	20	18	101	306	10	192	182	33
HOMICIDE—E960-E978	30	21	46	7	3	5	14	171	269	12	83	92	64
OTHER EXTERNAL CAUSES—E980-E999	–	–	4	–	3	–	1	6	9	–	45	58	19

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	MODESTO, CALIF.	MONROE, LA.	MONTGOMERY, ALA.	MUNCIE, IND.	MUSKEGON-MUSKEGON HEIGHTS, MICH.	NASHVILLE-DAVIDSON, TENN.	NEW HAVEN-WATERBURY, CONN.	NEW ORLEANS, LA.	NEW YORK, N.Y.	NEWARK, N.J.	NEWPORT NEWS-HAMPTON, VA.	NORFOLK-PORTSMOUTH, VA.	ODESSA, TEX.	OGDEN, UTAH
ALL CAUSES	1,920	1,070	2,133	1,057	1,385	5,084	6,926	10,139	111,799	16,901	1,998	5,314	623	989
BACILLARY DYSENTERY AND AMEBIASIS—004,006	1	-	-	-	-	-	-	1	3	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	5	2	3	-	3	3	8	7	90	21	4	4	2	1
TUBERCULOSIS, ALL FORMS—010-019	5	3	6	4	4	15	9	35	267	49	9	16	1	-
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	4	2	5	3	2	12	6	33	223	38	6	12	1	-
TUBERCULOSIS, OTHER FORMS—013-019	1	1	1	1	2	3	3	2	44	11	3	4	-	-
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	2	-	-	-	1	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	1	-	1	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	1	-	2	-	-	2	-	7	12	2	2	1	1	-
SEPTICEMIA—038	5	2	4	7	2	10	29	39	332	70	8	21	1	4
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	1	1	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	-	-	-	2	-	1	13	-	-	1	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	3	-	11	4	3	12	15	21	206	46	3	21	3	1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	336	185	362	178	267	892	1,515	1,938	22,752	3,422	404	1,047	117	146
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	7	4	5	4	2	28	45	48	512	94	15	27	1	5
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	81	48	76	47	69	220	462	499	7,167	1,085	101	261	22	35
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	96	53	93	49	64	236	317	536	4,863	703	119	276	42	25
MALIGNANT NEOPLASM OF BREAST—174	16	7	38	14	24	85	136	146	2,370	344	31	89	11	19
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	41	26	53	16	34	115	164	202	2,374	377	48	115	11	21
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	20	7	8	12	10	34	90	75	1,019	138	18	37	3	6
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	49	24	60	17	31	92	170	265	2,420	338	36	151	18	15
LEUKEMIA—204-207	9	5	19	7	15	26	59	85	775	150	20	37	4	7
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	17	11	10	12	18	56	72	82	1,252	193	16	54	5	13
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	8	4	4	5	2	9	21	36	389	43	13	13	-	6
DIABETES MELLITUS—250	38	31	44	25	38	75	151	283	2,486	384	41	78	9	18
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1	1	3	2	2	13	4	13	86	17	-	17	1	2
ANEMIAS—280-285	3	-	5	2	4	9	8	28	196	33	2	8	1	3
MENINGITIS—320	3	3	4	2	3	3	2	8	74	10	2	2	1	-
MAJOR CARDIOVASCULAR DISEASES—390-448	985	534	1,037	553	734	2,815	3,751	5,013	57,455	8,973	893	2,596	265	455
DISEASES OF HEART—390-398,402,404,410-429	673	406	690	390	503	2,018	2,832	3,759	46,603	6,910	691	1,906	165	332
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	13	2	14	16	15	26	41	40	917	137	7	18	5	16
HYPERTENSIVE HEART DISEASE—402	6	8	5	-	9	8	20	33	476	77	5	32	3	4
HYPERTENSIVE HEART AND RENAL DISEASE—404	1	8	6	2	3	-	7	21	97	36	13	54	1	-
ISCHEMIC HEART DISEASE—410-413	621	370	633	353	450	1,867	2,306	3,420	43,345	6,364	630	1,611	111	289
ACUTE MYOCARDIAL INFARCTION—410	288	245	333	169	233	1,303	1,172	1,384	16,902	3,064	303	792	64	152
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	2	1	1	-	1	2	3	3	95	12	19	170	-	1
CHRONIC ISCHEMIC HEART DISEASE—412	331	124	299	184	216	562	1,131	2,033	26,344	3,287	308	648	47	136
ANGINA PECTORIS—413	-	-	-	-	-	-	-	-	4	1	-	1	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	12	1	2	-	2	40	10	22	103	13	-	76	1	1
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	20	17	30	19	24	77	448	223	1,665	283	36	115	44	22

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	MODESTO, CALIF.	MONROE, LA.	MONTGOMERY, ALA.	MUNCIE, IND.	MUSKEGON-MUSKEGON HEIGHTS, MICH.	NASHVILLE-DAVIDSON, TENN.	NEW HAVEN-WATERBURY, CONN.	NEW ORLEANS, LA.	NEW YORK, N.Y.	NEWARK, N.J.	NEWPORT NEWS-HAMPTON, VA.	NORFOLK-PORTSMOUTH, VA.	ODESSA, TEX.	OGDEN, UTAH
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION----400,401,403	7	6	9	2	8	18	24	29	252	54	11	18	1	2
CEREBROVASCULAR DISEASES----430-438	221	88	263	132	168	622	694	980	8,420	1,622	140	520	80	99
CEREBRAL HEMORRHAGE----431	18	19	30	28	15	68	130	122	1,405	259	22	91	15	8
CEREBRAL THROMBOSIS----433	83	7	58	35	39	143	233	200	2,122	537	34	150	19	34
CEREBRAL EMBOLISM----434	-	-	3	2	1	2	3	1	48	11	-	2	-	-
ALL OTHER CEREBROVASCULAR DISEASES----430,432,435-438	120	62	172	67	113	409	328	657	4,845	815	84	277	46	57
ARTERIOSCLEROSIS----440	50	24	44	16	30	98	109	136	1,014	182	19	79	12	11
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----441-448	34	10	31	13	25	59	92	109	1,166	205	32	73	7	11
ACUTE BRONCHITIS AND BRONCHIOLITIS----466	2	-	1	-	-	3	2	4	39	12	1	3	1	1
INFLUENZA AND PNEUMONIA----470-474,480-486	66	27	53	31	37	123	187	208	4,186	437	77	154	22	39
INFLUENZA----470-474	2	-	6	-	4	4	8	2	49	10	1	4	2	-
PNEUMONIA----480-486	64	27	47	31	33	119	179	206	4,137	427	76	150	20	39
BRONCHITIS, EMPHYSEMA, AND ASTHMA----490-493	28	20	33	14	24	76	64	116	989	173	18	61	9	15
CHRONIC AND UNQUALIFIED BRONCHITIS----490,491	4	2	4	5	2	18	16	36	206	35	5	8	2	1
EMPHYSEMA----492	22	15	28	7	22	56	47	72	668	126	12	49	7	12
ASTHMA----493	2	3	1	2	-	2	1	8	115	12	1	4	-	2
PEPTIC ULCER----531-533	11	1	9	2	5	17	18	36	522	75	6	12	4	2
APPENDICITIS----540-543	4	-	1	-	-	6	2	5	50	7	-	1	-	-
HERNIA AND INTESTINAL OBSTRUCTION----550-553,560	10	2	6	3	9	10	14	33	349	42	4	18	3	6
CIRRHOSIS OF LIVER----571	35	14	35	14	18	51	138	171	2,912	343	42	113	7	24
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----574,575	3	1	2	3	3	6	16	16	165	29	1	4	-	1
NEPHRITIS AND NEPHROSIS----580-584	8	10	17	4	4	19	20	69	566	84	14	23	-	9
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	3	2	1	-	2	3	3	8	136	19	3	4	-	1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----582-584	5	8	16	4	2	16	17	61	430	65	11	19	-	8
INFECTIONS OF KIDNEY----590	5	-	7	2	5	18	9	28	254	45	8	17	2	1
HYPERPLASIA OF PROSTATE----600	-	-	2	-	1	6	2	7	94	18	-	2	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----630-678	-	-	3	-	-	4	2	4	32	5	1	3	-	-
ABORTIONS----640-645	-	-	1	-	-	-	-	-	2	-	1	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----630-639,650-678	-	-	2	-	-	4	2	4	30	5	-	3	-	-
CONGENITAL ANOMALIES----740-759	16	11	17	11	18	29	41	91	645	125	19	47	5	14
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----760-769.2,769.4-772,774-778	20	25	46	15	22	84	90	193	1,414	210	47	121	21	13
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	11	11	30	9	13	42	45	121	786	122	24	55	16	8
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----REMAINDER OF 760-778	9	14	16	6	9	42	45	72	628	88	23	66	5	5
SYMPTOMS AND ILL-DEFINED CONDITIONS----780-796	10	42	104	9	13	28	54	51	2,068	204	15	69	34	38
ALL OTHER DISEASES----RESIDUAL	102	45	114	80	78	291	411	691	6,626	923	143	354	43	87
ACCIDENTS----E800-E949	156	74	123	57	63	265	231	596	2,992	724	124	311	53	73
MOTOR VEHICLE ACCIDENTS----E810-E823	80	33	54	24	25	139	101	155	1,216	237	49	114	24	30
ALL OTHER ACCIDENTS----E800-E807,E825-E949	76	41	69	33	38	126	130	441	1,776	487	75	197	29	43
SUICIDE----E950-E959	37	16	25	17	13	80	53	106	699	149	46	73	5	17
HOMICIDE----E960-E978	13	13	43	12	9	91	32	267	1,643	200	47	99	10	8
OTHER EXTERNAL CAUSES----E980-E999	-	4	7	1	1	17	26	17	1,189	25	4	4	1	5

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	OKLAHOMA CITY, OKLA.	OMAHA, NEBR.-IOWA	ORLANDO, FLA.	OWENSBORO, KY.	OXNARD-VENTURA, CALIF.	PATTERSON-CLIFTON-PASSAIC, N.J.	PENSACOLA, FLA.	PEORIA, ILL.	PETERSBURG-COLONIAL HEIGHTS, VA.	PHILADELPHIA, PA.-N.J.	PHOENIX, ARIZ.	PINE BLUFF, ARK.	PITTSBURGH, PA.
ALL CAUSES	5,464	4,511	4,147	754	2,552	11,943	1,885	3,194	1,049	47,173	9,239	898	24,541
BACILLARY DYSENTERY AND AMEBIASIS-004,006	-	-	1	-	-	-	-	1	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-008,009	5	4	1	-	4	10	3	2	2	31	14	-	15
TUBERCULOSIS, ALL FORMS-010-019	8	5	11	-	4	21	1	2	4	121	25	-	47
TUBERCULOSIS OF RESPIRATORY SYSTEM-010-012	7	3	8	-	2	15	-	1	3	100	21	-	40
TUBERCULOSIS, OTHER FORMS-013-019	1	2	3	-	2	6	1	1	1	21	4	-	7
WHOOPING COUGH-033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS-036	2	-	-	-	-	2	2	1	-	7	-	1	2
SEPTICEMIA-038	28	12	16	3	2	20	8	4	2	229	27	-	77
ACUTE POLIOMYELITIS-040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE-090-097	1	-	2	-	-	-	-	1	1	9	2	-	7
OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	9	9	8	3	5	13	4	3	1	99	38	-	43
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	984	847	780	145	515	2,649	379	586	204	9,353	1,741	179	4,955
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	27	23	25	3	17	43	16	9	4	195	43	4	116
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	225	237	205	44	134	816	82	149	52	2,731	457	47	1,329
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	245	203	189	45	126	584	123	147	59	2,116	407	35	1,145
MALIGNANT NEOPLASM OF BREAST-174	81	69	56	9	42	274	32	42	17	891	134	13	459
MALIGNANT NEOPLASMS OF GENITAL ORGANS-180-187	118	91	105	12	56	269	40	77	16	1,038	201	20	554
MALIGNANT NEOPLASMS OF URINARY ORGANS-188,189	34	41	26	-	26	120	14	20	7	410	78	11	249
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-170-173,190-199	155	90	96	16	67	297	49	77	30	1,207	244	35	680
LEUKEMIA-204-207	35	44	25	8	24	96	9	25	9	315	80	4	176
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-200-203,208,209	64	49	53	8	23	150	14	40	10	450	97	10	247
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-210-239	10	15	6	2	8	41	2	11	1	141	28	3	84
DIABETES MELLITUS-250	82	87	41	13	52	249	25	40	23	915	152	18	475
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-260-269	9	2	6	-	3	9	-	6	-	60	14	-	33
ANEMIAS-280-285	8	9	13	2	4	25	9	10	2	74	11	2	44
MENINGITIS-320	10	3	2	-	3	10	3	3	1	30	6	2	13
MAJOR CARDIOVASCULAR DISEASES-390-448	2,707	2,274	2,137	403	1,210	6,524	914	1,780	512	23,311	4,194	457	13,764
DISEASES OF HEART-390-398,402,404,410-429	1,893	1,625	1,561	305	831	5,037	625	1,272	363	17,843	3,058	297	10,420
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-390-398	28	38	40	4	21	108	13	24	3	339	68	2	206
HYPERTENSIVE HEART DISEASE-402	16	14	15	5	5	43	7	27	3	131	39	18	87
HYPERTENSIVE HEART AND RENAL DISEASE-404	21	10	8	4	1	11	3	11	3	84	7	-	57
ISCHEMIC HEART DISEASE-410-413	1,710	1,486	1,410	274	762	4,738	578	1,159	329	16,116	2,774	243	9,511
ACUTE MYOCARDIAL INFARCTION-410	818	711	620	157	254	2,366	304	607	132	8,660	1,225	92	4,568
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-411	244	6	3	1	3	10	3	6	44	55	300	1	42
CHRONIC ISCHEMIC HEART DISEASE-412	647	769	786	115	504	2,361	271	546	153	7,397	1,249	150	4,901
ANGINA PECTORIS-413	1	-	1	1	1	1	-	-	-	4	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-424,428	9	8	7	5	4	16	-	6	1	74	15	5	48
ALL OTHER FORMS OF HEART DISEASE-420-423,425-427,429	109	69	81	13	38	121	24	45	24	1,099	155	29	511

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	OKLAHOMA CITY, OKLA.	OMAHA, NEBR.—IOWA	ORLANDO, FLA.	OWENSBORO, KY.	OXNARD—VENTURA, CALIF.	PATTERSON—CLIFTON—PASSAIC, N.J.	PENSACOLA, FLA.	PEORIA, ILL.	PETERSBURG—COLONIAL HEIGHTS, VA.	PHILADELPHIA, PA.—N.J.	PHOENIX, ARIZ.	PINE BLUFF, ARK.	PITTSBURGH, PA.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION—400, 401, 403	13	22	11	3	5	35	9	17	8	123	30	4	68
CEREBROVASCULAR DISEASES—430–438	620	471	450	74	289	1,171	224	369	114	4,191	878	138	2,552
CEREBRAL HEMORRHAGE—431	65	73	59	9	28	161	22	71	17	623	133	17	401
CEREBRAL THROMBOSIS—433	166	132	96	18	61	396	26	55	24	1,100	144	12	819
CEREBRAL EMBOLISM—434	8	2	–	–	–	3	2	1	–	17	4	–	10
ALL OTHER CEREBROVASCULAR DISEASES—430, 432, 435–438	381	264	295	47	200	611	174	242	73	2,451	597	109	1,322
ARTERIOSCLEROSIS—440	96	79	61	7	39	128	31	68	15	573	129	11	370
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441–448	85	77	54	14	46	153	25	54	12	581	99	7	354
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	1	1	1	–	3	10	2	–	–	13	17	2	7
INFLUENZA AND PNEUMONIA—470–474, 480–486	173	181	126	27	55	393	53	106	37	1,262	236	21	597
INFLUENZA—470–474	3	10	–	1	6	9	2	4	1	15	5	1	11
PNEUMONIA—480–486	170	171	126	26	49	384	51	102	36	1,247	231	20	586
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490–493	68	85	73	4	44	134	29	51	12	441	216	8	208
CHRONIC AND UNQUALIFIED BRONCHITIS—490, 491	14	22	12	2	9	40	7	12	3	81	47	4	33
EMPHYSEMA—492	51	56	57	2	32	88	21	37	5	327	156	4	153
ASTHMA—493	3	7	4	–	3	6	1	2	4	33	13	–	22
PEPTIC ULCER—531–533	24	24	11	5	7	41	5	15	2	160	31	2	88
APPENDICITIS—540–543	–	2	1	–	6	3	2	1	–	15	3	–	14
HERNIA AND INTESTINAL OBSTRUCTION—550–553, 560	24	16	11	1	11	33	6	19	2	148	26	2	80
CIRRHOSIS OF LIVER—571	90	67	72	12	67	215	35	41	14	802	204	5	511
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574, 575	4	14	6	2	5	23	1	7	1	46	13	2	35
NEPHRITIS AND NEPHROSIS—580–584	26	15	16	–	18	35	7	15	10	197	35	6	114
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580, 581	2	7	3	–	3	8	2	2	2	44	9	–	25
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582–584	24	8	13	–	15	27	5	13	8	153	26	6	89
INFECTIONS OF KIDNEY—590	14	10	4	6	10	29	5	9	2	86	36	6	56
HYPERPLASIA OF PROSTATE—600	–	3	–	4	–	13	1	3	1	27	5	2	6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–678	3	3	1	–	–	–	–	1	–	7	2	–	1
ABORTIONS—640–645	–	–	–	–	–	–	–	–	–	1	–	–	–
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630–639, 650–678	3	3	1	–	–	–	–	1	–	6	2	–	1
CONGENITAL ANOMALIES—740–759	49	32	29	7	24	61	11	18	5	302	88	7	110
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760–769.2, 769.4–772, 774–778	119	95	64	9	33	100	43	40	22	735	155	17	260
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764–768, 772, 776	65	50	38	7	23	60	26	25	13	402	99	6	104
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760–778	54	45	26	2	10	40	17	15	9	333	56	11	156
SYMPTOMS AND ILL-DEFINED CONDITIONS—780–796	94	23	21	1	20	105	16	29	15	2,299	126	31	98
ALL OTHER DISEASES—RESIDUAL	367	296	276	50	193	634	130	185	81	3,014	730	50	1,474
ACCIDENTS—E800–E949	333	268	244	40	163	379	129	149	58	1,900	693	39	898
MOTOR VEHICLE ACCIDENTS—E810–E823	169	115	112	16	84	152	56	71	21	776	315	17	366
ALL OTHER ACCIDENTS—E800–E807, E825–E949	164	153	132	24	79	227	73	78	37	1,124	378	22	532
SUICIDE—E950–E959	107	61	75	9	63	77	24	30	14	536	212	8	244
HOMICIDE—E960–E978	93	43	82	4	13	46	29	16	20	630	128	26	135
OTHER EXTERNAL CAUSES—E980–E999	12	5	10	2	7	39	7	9	–	165	31	2	46

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	PITTSFIELD, MASS.	PORTLAND, MAINE	PORTLAND, OREG.-WASH.	PROVIDENCE, R.I.	PROVO-OREM, UTAH	PUEBLO, COLO.	RACINE, WIS.	RALEIGH, N.C.	READING, PA.	RENO, NEV.	RICHMOND, VA.	ROANOKE, VA.	ROCHESTER, MINN.	ROCHESTER, N.Y.
ALL CAUSES	1,562	2,106	9,807	7,807	827	1,128	1,377	1,763	3,121	1,182	5,009	1,984	503	7,498
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	-	5	4	8	5	2	2	1	4	-	5	3	1	3
TUBERCULOSIS, ALL FORMS—010-019	1	3	18	9	-	1	-	8	5	1	6	3	-	15
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	1	3	14	6	-	1	-	6	5	-	5	3	-	13
TUBERCULOSIS, OTHER FORMS—013-019	-	-	4	3	-	-	-	2	-	1	1	-	-	2
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	1	1	-	-	1	3	1	-	-	-	-	2
SEPTICEMIA—038	8	2	18	23	7	2	5	8	14	4	21	9	-	30
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	1	1	-	-	-	-	1	-	2	-	-	1
OTHER INFECTIVE AND PARASITIC DISEASES—RENAINDER OF 000-136	2	4	19	15	2	7	3	6	4	2	13	3	2	19
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	291	435	1,815	1,605	133	163	279	315	585	230	1,000	354	110	1,501
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	4	9	41	35	1	2	2	11	6	8	30	8	1	29
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	77	115	485	507	38	46	91	70	186	65	260	94	25	442
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	61	106	444	325	17	37	51	72	119	52	283	83	15	312
MALIGNANT NEOPLASM OF BREAST—174	29	42	153	152	15	10	23	30	60	18	85	38	13	152
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	47	44	218	190	15	22	48	31	67	22	104	41	23	178
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	9	27	87	84	3	11	15	6	25	9	39	10	5	87
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	36	46	193	162	26	19	22	69	75	39	115	42	11	149
LEUKEMIA—204-207	16	22	68	51	6	8	13	12	22	7	31	17	8	52
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	12	24	126	99	12	8	14	14	25	10	53	21	9	100
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	4	12	29	29	4	2	2	1	11	4	12	1	1	21
DIABETES MELLITUS—250	44	39	125	178	18	27	22	30	56	11	70	29	5	147
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1	8	17	6	2	5	2	1	5	1	3	2	2	8
ANEMIAS—280-285	3	3	19	15	3	1	5	4	1	1	12	1	2	12
MENINGITIS—320	2	-	6	5	-	1	-	1	1	-	3	-	-	-
MAJOR CARDIOVASCULAR DISEASES—390-448	856	1,119	5,217	4,278	374	547	750	840	1,834	543	2,470	1,034	225	3,811
DISEASES OF HEART—390-398,402,404,410-429	598	827	3,626	3,465	258	404	551	570	1,423	371	1,759	736	164	2,806
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	8	18	95	74	9	14	9	9	21	12	27	18	9	76
HYPERTENSIVE HEART DISEASE—402	8	4	19	29	4	4	4	2	8	3	11	5	3	26
HYPERTENSIVE HEART AND RENAL DISEASE—404	1	4	18	10	-	3	3	1	18	-	15	4	-	5
ISCHEMIC HEART DISEASE—410-413	546	766	3,347	3,171	223	361	438	514	1,332	335	1,579	665	141	2,537
ACUTE MYOCARDIAL INFARCTION—410	308	471	1,230	1,552	139	177	194	321	734	163	622	333	67	1,215
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	-	2	9	143	1	-	12	1	-	3	169	55	2	155
CHRONIC ISCHEMIC HEART DISEASE—412	238	293	2,107	1,474	83	184	232	191	598	168	787	277	72	1,166
ANGINA PECTORIS—413	-	-	1	2	-	-	-	1	-	1	1	-	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	1	3	15	11	1	-	1	6	2	2	8	4	1	16
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	34	32	132	170	21	22	96	38	42	19	119	40	10	146

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	PITTSFIELD, MASS.	PORTLAND, MAINE	PORTLAND, OREG.-WASH.	PROVIDENCE, R.I.	PROVO-OREM, UTAH	PUEBLO, COLO.	RACINE, WIS.	RALEIGH, N.C.	READING, PA.	RENO, NEV.	RICHMOND, VA.	ROANOKE, VA.	ROCHESTER, MINN.	ROCHESTER, N.Y.
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION--400,401,403	5	5	24	24	2	5	8	8	17	2	17	10	1	19
CEREBROVASCULAR DISEASES--430-438	179	225	1,180	613	70	92	149	207	287	140	557	213	41	739
CEREBRAL HEMORRHAGE--431	31	21	131	85	14	8	7	31	42	16	69	29	5	110
CEREBRAL THROMBOSIS--433	43	67	308	182	9	35	42	30	81	32	130	55	9	163
CEREBRAL EMBOLISM--434	2	1	5	4	1	-	2	3	-	1	1	-	-	5
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	103	136	736	342	46	49	98	143	164	91	357	129	27	461
ARTERIOSCLEROSIS--440	38	33	231	84	28	24	17	27	58	12	80	41	8	114
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	36	29	156	92	16	22	25	28	49	18	57	34	11	133
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	-	-	5	1	-	-	-	1	-	1	2	1	1	9
INFLUENZA AND PNEUMONIA--470-474,480-486	65	64	302	213	27	43	16	49	86	23	160	75	15	319
INFLUENZA--470-474	6	3	14	4	3	4	2	4	4	-	4	1	2	13
PNEUMONIA--480-486	59	61	288	209	24	39	14	45	82	23	156	74	13	306
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	19	34	161	81	14	32	20	36	30	30	63	35	7	127
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	4	8	24	17	2	3	-	6	2	2	19	7	4	29
EMPHYSEMA--492	15	25	124	54	11	28	20	25	25	28	36	25	3	87
ASTHMA--493	-	1	13	10	1	1	-	5	3	-	8	3	-	11
PEPTIC ULCER--531-533	5	7	42	19	4	4	1	6	15	4	23	8	4	36
APPENDICITIS--540-543	1	-	5	4	-	2	-	1	1	1	2	-	-	2
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	5	7	19	31	3	3	3	9	5	6	14	6	3	29
CIRRHOSIS OF LIVER--571	26	36	212	142	10	26	20	35	37	37	94	34	6	100
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574,575	2	4	14	16	-	4	2	2	6	2	5	4	1	14
NEPHRITIS AND NEPHROSIS--580-584	4	11	17	26	5	2	2	10	12	4	41	4	1	29
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	5	5	9	-	-	1	1	3	-	3	1	-	7
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	4	6	12	17	5	2	1	9	9	4	38	3	1	22
INFECTIONS OF KIDNEY--590	1	6	22	12	-	3	7	6	13	2	13	5	2	22
HYPERPLASIA OF PROSTATE--600	1	-	7	5	-	1	4	2	1	1	5	1	2	6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	-	-	-	-	1	-	-	-	-	-	-	-	-	2
ABORTIONS--640-645	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	-	-	-	-	1	-	-	-	-	-	-	-	-	2
CONGENITAL ANOMALIES--740-759	9	15	74	38	19	11	8	14	11	11	30	15	6	56
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	18	15	105	94	37	27	16	28	29	23	89	25	9	107
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	10	8	53	46	18	14	10	16	13	15	44	15	3	59
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	8	7	52	48	19	13	6	12	16	8	45	10	6	48
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	13	6	138	25	28	3	13	47	13	8	54	20	9	41
ALL OTHER DISEASES--RESIDUAL	102	154	573	500	53	89	78	136	171	103	349	129	50	540
ACCIDENTS--E800-E949	64	87	544	298	66	85	75	107	121	86	277	126	31	339
MOTOR VEHICLE ACCIDENTS--E810-E823	30	30	238	104	32	29	37	49	57	36	98	42	15	170
ALL OTHER ACCIDENTS--E800-E807,E825-E949	34	57	306	194	34	56	38	58	64	50	179	84	16	169
SUICIDE--E950-E959	12	24	154	85	6	25	26	31	37	31	83	37	7	90
HOMICIDE--E960-E978	3	5	76	32	6	9	10	23	8	11	87	19	1	34
OTHER EXTERNAL CAUSES--E980-E999	-	1	47	12	-	1	5	2	3	1	1	1	-	26

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ROCKFORD, ILL.	SACRAMENTO, CALIF.	SAGINAW, MICH.	ST. JOSEPH, MO.	ST. LOUIS, MO.-ILL.	SALEM, OREG.	SALINAS-MONTEREY, CALIF.	SALT LAKE CITY, UTAH	SAN ANGELO, TEX.	SAN ANTONIO, TEX.	SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF.	SAN DIEGO, CALIF.	SAN FRANCISCO-OAKLAND, CALIF.
ALL CAUSES	2,326	6,640	1,768	1,138	22,835	1,867	1,842	3,559	771	6,893	10,939	11,510	26,950
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	6	5	2	-	19	3	5	9	2	14	12	8	26
TUBERCULOSIS, ALL FORMS—010-019	3	12	3	1	45	3	2	3	1	17	18	15	36
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	10	2	1	36	2	2	1	1	14	12	11	28
TUBERCULOSIS, OTHER FORMS—013-019	1	2	1	-	9	1	-	2	-	3	6	4	8
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	1	1	-
MENINGOCOCCAL INFECTIONS—036	-	-	1	-	4	-	-	-	-	1	-	1	3
SEPTICEMIA—038	6	10	2	4	53	1	4	9	-	38	29	18	57
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	2	-	1	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	1	-	-	3	-	1	-	-	1	3	3	5
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	5	24	5	4	42	6	3	8	-	25	15	22	69
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	453	1,401	308	210	4,318	348	365	587	109	1,266	2,079	2,358	5,756
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	11	29	7	6	95	4	5	6	-	40	40	45	172
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	130	365	77	45	1,242	106	105	158	27	350	530	600	1,593
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	98	336	73	48	988	65	86	90	34	321	552	566	1,358
MALIGNANT NEOPLASM OF BREAST—174	50	118	29	18	387	40	37	76	12	107	168	218	588
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	57	171	43	32	482	46	40	75	16	143	249	279	630
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	20	69	12	13	181	19	16	27	3	42	109	119	232
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	45	168	33	32	543	38	44	75	9	140	262	313	659
LEUKEMIA—204-207	20	60	11	6	180	6	17	32	4	56	74	88	200
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	22	85	23	10	220	24	15	48	4	67	95	130	324
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	6	19	6	4	50	6	5	8	3	16	31	35	89
DIABETES MELLITUS—250	47	98	44	27	521	31	29	77	12	174	153	132	331
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	2	9	4	2	35	2	-	5	-	13	11	16	35
ANEMIAS—280-285	7	11	5	-	49	1	3	8	1	9	19	19	45
MENINGITIS—320	-	8	-	2	8	3	1	3	-	7	6	9	12
MAJOR CARDIOVASCULAR DISEASES—390-448	1,211	3,225	913	604	12,233	1,006	883	1,643	452	3,249	5,626	5,757	13,171
DISEASES OF HEART—390-398,402,404,410-429	826	2,399	632	442	9,084	710	621	1,157	248	2,238	3,916	3,927	9,380
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	16	68	9	13	163	13	26	60	2	47	118	119	247
HYPERTENSIVE HEART DISEASE—402	8	17	7	4	120	8	6	21	-	20	39	55	60
HYPERTENSIVE HEART AND RENAL DISEASE—404	6	7	3	5	75	10	3	2	3	17	21	13	35
ISCHEMIC HEART DISEASE—410-413	760	2,171	576	397	8,299	640	559	971	220	1,950	3,584	3,588	8,655
ACUTE MYOCARDIAL INFARCTION—410	391	1,042	323	196	3,879	273	313	431	124	1,083	1,728	1,654	3,632
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1	7	2	-	20	1	4	54	-	5	13	6	14
CHRONIC ISCHEMIC HEART DISEASE—412	368	1,122	251	201	4,399	365	242	486	95	860	1,842	1,928	5,000
ANGINA PECTORIS—413	-	-	-	-	1	1	-	-	1	2	1	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	3	11	2	6	69	7	6	9	2	14	17	27	50
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	33	125	35	17	358	32	21	94	21	190	137	125	333

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ROCKFORD, ILL.	SACRAMENTO, CALIF.	SAGINAW, MICH.	ST. JOSEPH, MO.	ST. LOUIS, MO.-ILL.	SALEM, OREG.	SALINAS-MONTEREY, CALIF.	SALT LAKE CITY, UTAH	SAN ANGELO, TEX.	SAN ANTONIO, TEX.	SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF.	SAN DIEGO, CALIF.	SAN FRANCISCO-OAKLAND, CALIF.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	16	22	16	5	100	6	4	12	1	21	45	37	84
CEREBROVASCULAR DISEASES—430-438	276	618	198	120	2,324	204	204	389	181	758	1,316	1,359	2,836
CEREBRAL HEMORRHAGE—431	26	69	28	28	378	19	30	44	15	114	164	136	383
CEREBRAL THROMBOSIS—433	91	126	49	20	794	41	65	98	24	144	382	392	839
CEREBRAL EMBOLISM—434	1	3	-	1	11	1	-	6	-	3	5	4	9
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	158	420	121	71	1,141	143	109	241	142	497	765	827	1,605
ARTERIOSCLEROSIS—440	61	83	48	18	390	55	27	45	16	147	170	200	432
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	32	103	19	19	335	31	27	40	6	85	179	234	439
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	1	6	-	-	5	-	1	1	1	-	10	6	29
INFLUENZA AND PNEUMONIA—470-474,480-486	62	183	33	20	564	56	51	88	22	206	303	300	767
INFLUENZA—470-474	3	4	5	1	15	4	1	7	1	5	4	12	20
PNEUMONIA—480-486	59	179	28	19	549	52	50	81	21	201	299	288	747
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	44	113	28	13	307	30	41	60	25	77	219	226	451
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	8	28	8	5	50	5	8	15	4	12	31	40	99
EMPHYSEMA—492	36	75	17	7	228	22	33	39	20	53	177	170	312
ASTHMA—493	-	10	3	1	29	3	-	6	1	12	11	16	40
PEPTIC ULCER—531-533	6	32	3	9	65	8	7	16	3	15	53	52	112
APPENDICITIS—540-543	-	4	-	1	8	-	2	1	-	2	4	2	11
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	5	19	11	6	73	4	6	15	4	23	42	44	102
CIRRHOSIS OF LIVER—571	38	192	26	19	329	14	45	35	10	136	248	297	895
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	7	8	1	2	41	1	1	10	-	15	15	15	54
NEPHRITIS AND NEPHROSIS—580-584	6	29	9	6	85	5	5	7	2	40	28	23	61
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1	6	5	1	7	1	1	1	1	7	6	6	13
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	5	23	4	5	78	4	4	6	1	33	22	17	48
INFECTIONS OF KIDNEY—590	11	14	7	2	57	6	4	2	1	26	26	30	62
HYPERPLASIA OF PROSTATE—600	2	3	3	1	21	3	-	2	-	1	5	4	18
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	1	1	-	-	4	-	2	1	-	2	3	3	3
ABORTIONS—640-645	-	1	-	-	-	-	-	-	-	-	1	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	1	-	-	-	4	-	2	1	-	2	2	3	3
CONGENITAL ANOMALIES—740-759	22	63	5	3	152	12	19	43	4	81	98	93	141
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	39	78	29	15	369	24	23	108	11	150	124	168	248
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	24	47	8	9	209	10	14	67	7	85	77	83	137
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	15	31	21	6	160	14	9	41	4	65	47	85	111
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	18	55	6	47	387	38	5	77	16	109	95	60	135
ALL OTHER DISEASES—RESIDUAL	143	421	115	65	1,319	110	118	326	37	485	629	679	1,673
ACCIDENTS—E800-E949	121	376	124	46	969	107	147	303	39	420	703	687	1,522
MOTOR VEHICLE ACCIDENTS—E810-E823	61	176	45	12	380	52	66	115	16	210	353	278	478
ALL OTHER ACCIDENTS—E800-E807,E825-E949	60	200	79	34	589	55	81	188	23	210	350	409	1,044
SUICIDE—E950-E959	36	141	24	14	250	26	37	70	7	103	204	292	616
HOMICIDE—E960-E978	13	61	43	6	350	9	26	19	7	169	108	105	334
OTHER EXTERNAL CAUSES—E980-E999	5	18	8	5	98	4	-	15	2	3	19	30	81

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	SAN JOSE, CALIF.	SANTA BARBARA, CALIF.	SANTA ROSA, CALIF.	SAVANNAH, GA.	SCRANTON, PA.	SEATTLE-EVERETT, WASH.	SHERMAN-DENISON, TEX.	SHREVEPORT, LA.	SIOUX CITY, IOWA-NEBR.	SIOUX FALLS, S. DAK.	SOUTH BEND, IND.	SPOKANE, WASH.	SPRINGFIELD, ILL.
ALL CAUSES	6,755	2,020	2,339	1,928	3,034	11,327	981	2,798	1,199	758	2,608	2,812	1,679
BACILLARY DYSENTERY AND AMEBIASIS—004,006	–	1	–	–	–	1	–	–	–	–	–	1	–
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	7	4	1	3	3	11	1	1	–	1	1	1	–
TUBERCULOSIS, ALL FORMS—010-019	12	1	4	4	4	10	–	8	3	1	3	7	1
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	8	1	4	4	3	7	–	7	2	1	3	7	1
TUBERCULOSIS, OTHER FORMS—013-019	4	–	–	–	1	3	–	1	1	–	–	–	–
WHOOPING COUGH—033	–	–	–	–	–	–	–	–	–	–	–	–	–
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	–	–	–	–	–	–	–	–	–	–	–	–	–
MENINGOCOCCAL INFECTIONS—036	–	–	–	1	–	–	–	–	1	–	–	1	–
SEPTICEMIA—038	12	3	4	9	5	15	2	10	1	1	6	10	2
ACUTE POLIOMYELITIS—040-043	–	–	–	–	–	–	–	–	–	–	–	–	–
MEASLES—055	–	–	–	–	–	–	–	–	–	–	–	–	–
SYPHILIS AND ITS SEQUELAE—090-097	–	–	1	1	–	2	–	2	–	–	–	–	–
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	14	6	5	6	3	24	2	5	3	–	6	3	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	1,419	414	471	322	554	2,345	161	511	215	141	482	533	328
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	34	7	9	6	14	38	1	11	4	3	11	13	8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	388	120	122	98	205	622	46	133	69	48	124	156	85
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	276	100	113	74	82	545	43	133	45	27	92	121	82
MALIGNANT NEOPLASM OF BREAST—174	152	36	38	29	60	225	13	32	20	13	49	46	38
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	151	46	61	42	68	256	22	63	17	20	70	71	36
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	66	15	19	9	27	111	9	17	15	7	24	29	15
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	200	47	59	39	53	301	15	73	23	7	62	56	43
LEUKEMIA—204-207	61	18	20	7	21	108	8	27	9	9	15	18	8
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	91	25	30	18	24	139	4	22	13	7	35	23	13
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	28	7	7	3	9	25	2	8	5	–	6	10	–
DIABETES MELLITUS—250	113	31	27	42	71	182	10	79	34	12	59	56	24
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	9	5	6	2	2	26	2	5	2	1	3	10	–
ANEMIAS—280-285	9	2	1	1	4	17	–	14	–	–	6	5	–
MENINGITIS—320	7	3	1	4	4	8	1	8	1	2	2	1	1
MAJOR CARDIOVASCULAR DISEASES—390-448	3,211	1,029	1,171	1,027	1,770	5,665	561	1,371	627	411	1,439	1,442	916
DISEASES OF HEART—390-398,402,404,410-429	2,275	711	854	733	1,401	4,019	392	939	427	276	970	972	662
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	63	27	18	9	35	89	2	15	6	1	18	16	12
HYPERTENSIVE HEART DISEASE—402	12	5	4	17	28	44	4	37	7	1	9	9	2
HYPERTENSIVE HEART AND RENAL DISEASE—404	5	3	7	7	24	18	4	10	7	2	5	34	9
ISCHEMIC HEART DISEASE—410-413	2,095	643	749	654	1,245	3,620	344	768	375	262	896	840	623
ACUTE MYOCARDIAL INFARCTION—410	872	267	389	354	595	1,460	174	317	209	131	505	458	250
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	3	1	4	6	12	14	1	2	2	2	–	2	–
CHRONIC ISCHEMIC HEART DISEASE—412	1,220	375	355	294	638	2,145	169	449	164	129	391	380	372
ANGINA PECTORIS—413	–	–	1	–	–	1	–	–	–	–	–	–	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	12	5	22	3	34	36	9	30	9	–	6	5	3
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	88	28	54	43	35	212	29	79	23	10	36	68	13

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	SAN JOSE, CALIF.	SANTA BARBARA, CALIF.	SANTA ROSA, CALIF.	SAVANNAH, GA.	SCRANTON, PA.	SEATTLE-EVERETT, WASH.	SHERMAN-DENISON, TEX.	SHREVEPORT, LA.	SIOUX CITY, IOWA-NEBR.	SIOUX FALLS, S. DAK.	SOUTH BEND, IND.	SPOKANE, WASH.	SPRINGFIELD, ILL.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION--400,401,403	18	8	7	4	8	35	3	11	4	2	8	8	13
CEREBROVASCULAR DISEASES--430-438	715	246	226	237	247	1,234	137	351	141	96	365	335	185
CEREBRAL HEMORRHAGE--431	75	22	28	35	51	164	25	58	16	22	54	39	33
CEREBRAL THROMBOSIS--433	167	70	43	84	89	293	40	63	40	18	99	59	56
CEREBRAL EMBOLISM--434	4	2	1	1	1	3	-	1	-	-	2	-	-
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	469	152	154	117	106	774	72	229	85	56	210	237	96
ARTERIOSCLEROSIS--440	107	21	44	23	70	224	14	26	40	21	66	76	34
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	96	43	40	30	44	153	15	44	15	16	30	51	22
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	3	1	-	-	-	6	-	-	-	-	-	1	1
INFLUENZA AND PNEUMONIA--470-474,480-486	222	43	88	46	41	354	29	70	50	22	62	76	42
INFLUENZA--470-474	13	1	2	-	1	13	-	1	4	-	4	4	1
PNEUMONIA--480-486	209	42	86	46	40	341	29	69	46	22	58	72	41
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	107	43	39	23	43	166	12	41	23	11	34	60	25
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	22	3	8	5	6	40	3	8	5	3	7	5	6
EMPHYSEMA--492	81	39	31	18	33	113	9	30	18	7	27	51	19
ASTHMA--493	4	1	-	-	4	13	-	3	-	1	-	4	-
PEPTIC ULCER--531-533	22	5	6	3	12	59	9	8	2	3	6	9	5
APPENDICITIS--540-543	3	1	1	2	3	2	1	5	2	-	1	1	2
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	21	4	15	4	6	33	-	7	2	7	14	6	11
CIRRHOSIS OF LIVER--571	162	48	55	22	58	267	10	36	10	12	30	48	34
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574,575	13	2	3	3	3	17	4	4	2	-	6	5	2
NEPHRITIS AND NEPHROSIS--580-584	21	9	5	14	12	24	2	25	5	2	4	8	-
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	2	1	2	1	5	3	-	3	-	-	-	1	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	19	8	3	13	7	21	2	22	5	2	4	7	-
INFECTIONS OF KIDNEY--590	10	8	4	5	5	29	4	11	2	3	3	11	3
HYPERPLASIA OF PROSTATE--600	2	2	3	2	-	8	-	3	2	-	1	-	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	2	1	-	2	-	1	-	1	-	2	1	-	-
ABORTIONS--640-645	1	-	-	1	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	1	1	-	1	-	1	-	1	-	2	1	-	-
CONGENITAL ANOMALIES--740-759	74	13	16	14	23	80	4	24	10	7	23	25	13
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	99	17	18	33	38	124	7	60	21	14	35	43	24
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	53	12	8	20	16	71	4	38	11	9	18	21	8
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	46	5	10	13	22	53	3	22	10	5	17	22	16
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	30	10	10	17	33	95	32	32	11	3	35	26	35
ALL OTHER DISEASES--RESIDUAL	417	129	167	153	234	741	58	188	70	47	149	206	79
ACCIDENTS--E800-E949	418	122	155	96	72	607	50	163	73	44	129	140	78
MOTOR VEHICLE ACCIDENTS--E810-E823	201	52	70	34	34	240	17	64	37	21	57	60	24
ALL OTHER ACCIDENTS--E800-E807,E825-E949	217	70	85	62	38	367	33	99	36	23	72	80	54
SUICIDE--E950-E959	196	42	42	15	17	245	9	34	14	10	34	49	21
HOMICIDE--E960-E978	70	13	10	48	4	99	7	60	6	1	23	13	11
OTHER EXTERNAL CAUSES--E980-E999	22	1	3	1	1	39	1	4	2	-	5	5	14

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	SPRINGFIELD, MO.	SPRINGFIELD, OHIO	SPRINGFIELD-HOLYOKE, MASS.	STEUBINVILLE-WEIRTON, OHIO-W. VA.	STOCKTON, CALIF.	SYRACUSE, N.Y.	TACOMA, WASH.	TALLAHASSEE, FLA.	TAMPA-ST. PETERSBURG, FLA.	TERRE HAUTE, IND.	TEXARKANA, TEXAS-ARK.	TOLEDO, OHIO-MICH.
ALL CAUSES	1,586	1,456	5,659	1,721	2,895	5,483	3,374	682	15,656	2,122	1,086	6,604
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	1	-	7	-	6	7	4	1	14	3	-	7
TUBERCULOSIS, ALL FORMS—010-019	3	1	3	4	5	8	2	1	12	5	1	7
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	3	1	2	3	4	5	2	-	11	4	1	6
TUBERCULOSIS, OTHER FORMS—013-019	-	-	1	1	1	3	-	1	1	1	-	1
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	-	-	-	-	-	-	-	-	-	2
SEPTICEMIA—038	1	5	13	4	5	8	5	-	39	4	6	8
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	1	-	1	-	3	-	-	5	-	-	2
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	4	2	10	2	6	10	6	1	30	2	3	7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	260	264	1,107	349	495	1,089	663	132	3,115	396	196	1,271
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	4	7	27	4	17	24	14	1	70	8	5	36
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	61	62	327	91	125	347	161	28	837	100	47	341
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	62	58	227	79	120	240	157	27	808	88	53	299
MALIGNANT NEOPLASM OF BREAST—174	22	32	105	30	53	117	61	8	251	26	13	102
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	26	28	138	46	68	131	71	24	370	63	21	139
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	11	15	56	15	22	52	37	6	179	16	11	66
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	39	30	113	43	50	87	89	28	354	57	26	138
LEUKEMIA—204-207	12	13	47	18	16	31	25	3	102	16	9	71
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	23	19	67	23	24	60	48	7	144	22	11	79
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2	7	22	1	4	18	8	1	36	2	2	10
DIABETES MELLITUS—250	24	26	124	31	53	73	56	12	205	42	7	154
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	6	1	8	7	5	7	6	2	26	4	1	9
ANEMIAS—280-285	3	3	7	2	3	9	3	2	32	5	3	12
MENINGITIS—320	3	1	2	1	2	6	1	-	2	-	1	4
MAJOR CARDIOVASCULAR DISEASES—390-448	870	807	3,060	953	1,468	2,940	1,774	284	8,439	1,219	510	3,591
DISEASES OF HEART—390-398,402,404,410-429	568	586	2,182	693	1,056	2,153	1,278	172	5,790	826	366	2,635
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	19	6	38	17	27	52	23	3	110	9	5	43
HYPERTENSIVE HEART DISEASE—402	-	2	29	8	9	19	19	-	29	8	3	25
HYPERTENSIVE HEART AND RENAL DISEASE—404	4	2	13	7	12	9	6	-	30	25	2	14
ISCHEMIC HEART DISEASE—410-413	517	551	2,002	621	961	1,870	1,151	135	5,412	729	241	2,437
ACUTE MYOCARDIAL INFARCTION—410	244	319	858	373	400	887	600	75	2,367	412	135	1,296
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	-	-	2	1	-	8	21	1	14	-	1	4
CHRONIC ISCHEMIC HEART DISEASE—412	273	231	1,142	246	561	975	528	59	3,028	317	105	1,137
ANGINA PECTORIS—413	-	1	-	1	-	-	2	-	3	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	3	5	3	9	7	11	3	20	8	4	12
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	26	22	95	37	38	196	68	31	189	47	111	104

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	SPRINGFIELD, MO.	SPRINGFIELD, OHIO	SPRINGFIELD-HOLYOKE, MASS.	STEUBINVILLE-WEIRTON, OHIO-W. VA.	STOCKTON, CALIF.	SYRACUSE, N.Y.	TACOMA, WASH.	TALLAHASSEE, FLA.	TAMPA-ST. PETERSBURG, FLA.	TERRE HAUTE, IND.	TEXARKANA, TEXAS-ARK.	TOLEDO, OHIO-MICH.
MAJOR CARDIOVASCULAR DISEASES—CON.												
HYPERTENSION—400,401,403	5	3	26	9	5	21	5	2	42	11	2	26
CEREBROVASCULAR DISEASES—430-438	222	180	678	207	301	576	363	94	2,094	297	117	683
CEREBRAL HEMORRHAGE—431	23	19	83	31	54	100	26	10	195	54	13	96
CEREBRAL THROMBOSIS—433	44	69	298	43	74	179	97	25	675	103	30	243
CEREBRAL EMBOLISM—434	2	4	5	1	7	1	2	2	18	-	-	3
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	153	88	292	132	166	296	238	57	1,206	140	74	341
ARTERIOSCLEROSIS—440	54	22	91	23	51	107	75	9	274	59	18	149
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	21	16	83	21	55	83	53	7	239	26	7	98
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	-	-	2	-	4	4	1	-	8	-	1	4
INFLUENZA AND PNEUMONIA—470-474,480-486	39	78	202	50	75	140	59	13	413	60	20	131
INFLUENZA—470-474	4	-	10	1	4	5	1	3	12	3	-	2
PNEUMONIA—480-486	35	78	192	49	71	135	58	10	401	57	20	129
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	17	21	92	26	58	92	54	7	283	34	13	159
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2	4	26	5	14	17	8	1	44	4	2	42
EMPHYSEMA—492	14	16	59	16	39	70	41	6	230	28	11	112
ASTHMA—493	1	1	7	5	5	5	5	-	9	2	-	5
PEPTIC ULCER—531-533	4	5	17	2	15	26	8	5	53	7	1	27
APPENDICITIS—540-543	-	-	2	1	3	1	-	-	3	2	-	2
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	3	4	29	10	10	19	8	3	42	5	1	26
CIRRHOSIS OF LIVER—571	15	15	131	24	96	96	71	7	260	19	8	105
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	2	2	9	4	7	13	4	1	28	1	1	11
NEPHRITIS AND NEPHROSIS—580-584	4	15	19	5	12	22	15	1	74	8	7	15
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	-	-	3	-	2	2	3	-	14	1	-	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	4	15	16	5	10	20	12	1	60	7	7	13
INFECTIONS OF KIDNEY—590	2	3	11	4	4	14	12	1	57	2	5	17
HYPERPLASIA OF PROSTATE—600	-	-	4	1	1	6	1	-	14	4	1	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	1	1	-	-	1	-	-	-	-	-	1
ABORTIONS—640-645	-	1	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	-	1	-	-	1	-	-	-	-	-	1
CONGENITAL ANOMALIES—740-759	12	10	25	9	13	29	30	9	61	18	5	47
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	25	27	58	19	34	79	63	22	144	27	17	113
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	15	12	36	11	24	36	43	12	85	24	14	63
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	10	15	22	8	10	43	20	10	59	3	3	50
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	93	1	44	10	23	50	25	62	308	16	119	33
ALL OTHER DISEASES—RESIDUAL	79	64	324	95	192	339	188	37	914	112	52	359
ACCIDENTS—E800-E949	84	67	259	80	217	270	223	45	635	92	62	294
MOTOR VEHICLE ACCIDENTS—E810-E823	41	29	93	34	105	113	101	20	303	43	30	125
ALL OTHER ACCIDENTS—E800-E807,E825-E949	43	38	166	46	112	157	122	25	332	49	32	169
SUICIDE—E950-E959	21	18	46	19	48	65	55	14	202	21	17	98
HOMICIDE—E960-E978	8	7	18	3	24	24	22	12	146	9	25	68
OTHER EXTERNAL CAUSES—E980-E999	(1	-	3	4	7	15	7	7	56	3	1	8

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	TOPEKA, KANS.	TRENTON, N.J.	TUCSON, ARIZ.	TULSA, OKLA.	TUSCALOOSA, ALA.	TYLER, TEX.	UTICA–ROME, N.Y.	VALLEJO–NAPA, CALIF.	VINELAND–MILLVILLE–BRIDGETON, N.J.	WACO, TEX.	WASHINGTON, D.C.–MD.–VA.	WATERLOO, IOWA	WEST PALM BEACH, FLA.	WHEELING, W. VA.–OHIO
ALL CAUSES	1,327	2,858	3,511	4,396	994	1,035	3,360	2,124	1,275	1,722	19,091	1,071	5,446	2,228
BACILLARY DYSENTERY AND AMEBIASIS—004,006	–	2	–	–	–	–	–	–	–	–	–	–	1	–
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	4	3	3	9	1	1	5	1	2	2	19	–	6	2
TUBERCULOSIS, ALL FORMS—010–019	5	5	17	10	5	2	2	1	3	4	52	–	12	2
TUBERCULOSIS OF RESPIRATORY SYSTEM—010–012	4	3	11	8	3	1	2	1	3	3	44	–	9	2
TUBERCULOSIS, OTHER FORMS—013–019	1	2	6	2	2	1	–	–	–	1	8	–	3	–
WHOOPING COUGH—033	–	–	–	–	–	–	–	–	–	–	–	–	–	–
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	–	–	–	–	–	–	1	–	–	–	–	–	–	–
MENINGOCOCCAL INFECTIONS—036	–	–	–	–	–	–	–	–	–	–	2	–	1	–
SEPTICEMIA—038	4	3	9	11	5	1	4	7	4	7	94	2	16	7
ACUTE POLIOMYELITIS—040–043	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MEASLES—055	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SYPHILIS AND ITS SEQUELAE—090–097	–	2	–	2	–	–	–	–	–	–	4	–	–	1
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000–136	4	6	20	6	4	2	5	6	3	5	69	1	10	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140–209	235	619	649	773	176	183	612	451	228	283	4,158	211	1,177	409
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140–149	3	18	12	21	6	3	12	6	2	7	113	4	33	9
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150–159	71	201	156	191	48	34	199	145	70	63	1,042	62	332	99
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160–163	59	133	170	224	38	43	135	111	50	64	981	53	278	112
MALIGNANT NEOPLASM OF BREAST—174	15	52	65	54	14	17	41	35	23	20	438	16	91	39
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180–187	29	80	82	81	25	29	89	38	30	33	532	29	160	46
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	12	33	31	24	2	8	28	21	10	16	198	12	57	15
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170–173,190–199	31	54	80	101	28	32	53	51	26	52	499	20	119	54
LEUKEMIA—204–207	7	20	21	35	5	8	25	21	9	17	150	6	42	15
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200–203,208,209	8	28	32	42	10	9	30	23	8	11	205	9	65	20
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210–239	2	7	15	9	3	2	9	9	1	2	68	1	12	10
DIABETES MELLITUS—250	22	64	48	63	24	20	67	34	18	24	371	23	77	53
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260–269	1	8	5	10	2	3	5	3	3	3	26	–	8	6
ANEMIAS—280–285	1	5	2	11	1	4	9	4	1	2	35	1	8	5
MENINGITIS—320	1	4	4	5	1	2	2	1	–	2	30	2	4	–
MAJOR CARDIOVASCULAR DISEASES—390–448	724	1,497	1,626	2,289	487	551	1,949	979	751	927	8,997	581	2,871	1,270
DISEASES OF HEART—390–398,402,404,410–429	516	1,127	1,264	1,646	287	408	1,426	702	592	637	6,538	374	1,942	954
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390–398	7	36	32	20	7	10	24	19	6	5	147	6	49	23
HYPERTENSIVE HEART DISEASE—402	3	6	12	9	4	4	14	4	2	5	80	2	15	5
HYPERTENSIVE HEART AND RENAL DISEASE—404	–	10	2	9	1	3	17	4	4	2	63	2	4	5
ISCHEMIC HEART DISEASE—410–413	477	1,039	1,151	1,479	259	353	1,311	630	546	449	5,641	344	1,802	872
ACUTE MYOCARDIAL INFARCTION—410	214	378	469	790	142	185	738	324	291	242	2,064	183	843	445
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	–	7	5	36	1	5	3	3	4	1	63	–	42	–
CHRONIC ISCHEMIC HEART DISEASE—412	263	654	677	652	116	163	570	303	251	206	3,514	161	917	426
ANGINA PECTORIS—413	–	–	–	1	–	–	–	–	–	–	–	–	–	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	5	5	3	9	2	–	4	9	2	6	239	2	5	1
ALL OTHER FORMS OF HEART DISEASE—420–423,425–427,429	24	31	64	120	14	38	56	36	32	170	368	18	67	48

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	TOPEKA, KANS.	TRENTON, N.J.	TUCSON, ARIZ.	TULSA, OKLA.	TUSCALOOSA, ALA.	TYLER, TEX.	UTICA-ROME, N.Y.	VALLEJO-NAPA, CALIF.	VINELAND-MILLVILLE-BRIDGETON, N.J.	WACO, TEX.	WASHINGTON, D.C.-MD.-VA.	WATERLOO, IOWA	WEST PALM BEACH, FLA.	WHEELING, W. VA.-OHIO
MAJOR CARDIOVASCULAR DISEASES—CON.														
HYPERTENSION—400,401,403	6	8	6	14	6	3	24	4	3	3	61	2	28	8
CEREBROVASCULAR DISEASES—430-438	140	277	271	511	155	111	361	204	121	229	1,706	166	654	242
CEREBRAL HEMORRHAGE—431	21	80	30	62	24	12	77	23	13	29	277	17	61	56
CEREBRAL THROMBOSIS—433	37	83	62	122	47	24	102	44	19	62	407	38	217	54
CEREBRAL EMBOLISM—434	-	2	4	1	-	1	1	1	1	-	1	-	4	1
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	82	112	175	326	84	74	181	136	88	138	1,021	111	372	131
ARTERIOSCLEROSIS—440	39	48	41	66	19	19	82	24	19	32	427	22	147	33
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	23	37	44	52	20	10	56	45	16	26	265	17	100	33
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	-	-	2	3	-	-	1	-	-	2	6	-	3	1
INFLUENZA AND PNEUMONIA—470-474,480-486	43	76	109	113	22	23	88	58	24	82	563	32	126	53
INFLUENZA—470-474	2	1	7	4	-	-	6	1	-	1	19	1	3	2
PNEUMONIA—480-486	41	75	102	109	22	23	82	57	24	81	544	31	123	51
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	32	42	113	51	12	11	52	47	12	21	193	20	87	33
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	6	12	28	2	7	5	6	6	2	3	45	4	16	5
EMPHYSEMA—492	26	28	71	47	5	6	44	38	9	17	135	16	63	26
ASTHMA—493	-	2	14	2	-	-	2	3	1	1	13	-	8	2
PEPTIC ULCER—531-533	2	10	16	23	2	6	16	8	5	5	63	4	14	6
APPENDICITIS—540-543	-	1	3	-	-	1	-	1	-	2	10	-	2	-
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	6	10	6	10	1	3	11	8	4	10	86	5	14	11
CIRRHOSIS OF LIVER—571	12	50	69	62	9	7	53	64	11	14	740	7	118	37
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	-	10	10	2	-	1	6	1	1	3	23	1	5	3
NEPHRITIS AND NEPHROSIS—580-584	2	15	8	19	4	10	10	7	5	8	109	3	23	13
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1	1	2	3	1	2	1	-	1	1	17	-	5	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	1	14	6	16	3	8	9	7	4	7	92	3	18	11
INFECTIONS OF KIDNEY—590	6	6	10	12	9	5	5	-	1	2	43	3	13	8
HYPERPLASIA OF PROSTATE—600	1	2	1	3	1	1	1	-	1	1	14	-	4	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	-	1	-	-	1	-	-	-	-	9	-	1	-
ABORTIONS—640-645	-	-	-	-	-	-	-	-	-	-	2	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	-	1	-	-	1	-	-	-	-	7	-	1	-
CONGENITAL ANOMALIES—740-759	11	19	32	29	6	4	26	18	9	11	160	7	21	12
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	11	51	31	69	13	23	37	27	15	30	403	15	72	20
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	9	23	17	44	6	11	17	17	4	13	162	10	39	8
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	2	28	14	25	7	12	20	10	11	17	241	5	33	12
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	10	49	29	39	57	10	18	12	9	20	260	7	24	18
ALL OTHER DISEASES—RESIDUAL	84	126	307	337	49	61	181	149	56	100	1,410	76	307	138
ACCIDENTS—E800-E949	56	103	223	295	65	59	152	154	82	107	1,037	44	258	72
MOTOR VEHICLE ACCIDENTS—E810-E823	24	42	121	116	23	29	70	77	45	42	407	22	131	27
ALL OTHER ACCIDENTS—E800-E807,E825-E949	32	61	102	179	42	30	82	77	37	65	630	22	127	45
SUICIDE—E950-E959	32	38	80	80	8	11	26	49	9	19	327	20	78	20
HOMICIDE—E960-E978	9	22	50	47	24	27	6	25	16	23	424	5	62	4
OTHER EXTERNAL CAUSES—E980-E999	7	3	13	4	3	-	1	-	1	1	86	-	11	7

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS								STANDARD CONSOLIDATED AREAS	
	WICHITA, KANSAS	WICHITA FALLS, TEX.	WILKES-BARRE-HAZELTON, PA.	WILMINGTON, DEL.-N.J.-MD.	WILMINGTON, N.C.	WORCESTER, MASS.	YORK, PA.	YOUNGSTOWN-WARREN, OHIO	NEW YORK, N.Y.-NORTHEASTERN NEW JERSEY	CHICAGO, ILL.-NORTHWESTERN INDIANA
ALL CAUSES	3,119	1,157	4,438	4,268	1,048	6,455	3,122	5,207	152,808	70,081
BACILLARY DYSENTERY AND AMEBIASIS-004,006	-	-	-	-	-	-	-	-	4	6
ENTERITIS AND OTHER DIARRHEAL DISEASES-008,009	5	1	2	4	-	5	2	3	132	64
TUBERCULOSIS, ALL FORMS-010-019	5	4	15	9	2	6	2	4	374	121
TUBERCULOSIS OF RESPIRATORY SYSTEM-010-012	4	4	15	8	1	3	2	3	310	95
TUBERCULOSIS, OTHER FORMS-013-019	1	-	-	1	1	3	-	1	64	26
WHOOPING COUGH-033	-	-	-	-	-	-	-	-	2	1
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034	-	-	-	-	-	-	-	-	1	-
MENINGOCOCCAL INFECTIONS-036	-	-	-	-	-	1	1	-	18	6
SEPTICEMIA-038	9	4	11	6	2	19	9	6	466	143
ACUTE POLIOMYELITIS-040-043	-	-	-	-	-	-	-	-	-	-
MEASLES-055	-	-	-	-	-	-	-	-	2	-
SYPHILIS AND ITS SEQUELAE-090-097	1	1	1	-	-	-	-	-	13	11
OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	10	6	6	9	-	6	7	5	282	109
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	568	215	750	930	167	1,250	597	985	31,432	13,200
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	5	4	23	17	4	30	10	27	726	314
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	134	53	238	260	38	369	175	280	9,878	3,840
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	129	60	139	244	41	273	114	234	6,772	2,982
MALIGNANT NEOPLASM OF BREAST-174	66	15	72	66	12	109	54	81	3,255	1,287
MALIGNANT NEOPLASMS OF GENITAL ORGANS-180-187	71	27	81	106	26	136	75	123	3,283	1,594
MALIGNANT NEOPLASMS OF URINARY ORGANS-188,189	32	17	30	52	5	55	30	40	1,390	603
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-170-173,190-199	77	11	106	104	33	169	78	114	3,292	1,405
LEUKEMIA-204-207	21	11	25	32	3	51	19	40	1,125	491
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-200-203,208,209	33	17	36	49	5	58	42	46	1,711	684
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-210-239	5	2	12	8	3	22	12	9	495	183
DIABETES MELLITUS-250	51	11	101	137	17	87	47	124	3,421	1,393
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-260-269	14	6	7	3	-	7	4	10	123	69
ANEMIAS-280-285	8	1	15	8	1	12	5	5	276	112
MENINGITIS-320	1	1	2	3	3	3	-	2	100	54
MAJOR CARDIOVASCULAR DISEASES-390-448	1,627	598	2,363	2,165	519	3,596	1,764	2,915	79,471	37,706
DISEASES OF HEART-390-398,402,404,410-429	1,176	411	1,922	1,721	378	2,667	1,345	2,113	63,791	29,385
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-390-398	23	3	34	34	6	43	37	50	1,263	463
HYPERTENSIVE HEART DISEASE-402	7	9	12	19	6	31	3	16	654	390
HYPERTENSIVE HEART AND RENAL DISEASE-404	18	1	47	12	5	9	5	10	167	134
ISCHEMIC HEART DISEASE-410-413	1,089	366	1,723	1,571	327	2,476	1,222	1,925	59,323	25,581
ACUTE MYOCARDIAL INFARCTION-410	641	222	888	698	197	1,071	666	1,112	24,226	13,281
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-411	1	1	3	2	2	15	-	7	132	76
CHRONIC ISCHEMIC HEART DISEASE-412	447	143	832	871	128	1,390	556	806	34,958	12,221
ANGINA PECTORIS-413	-	-	-	-	-	-	-	-	7	3
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-424,428	6	5	27	12	-	12	13	12	139	141
ALL OTHER FORMS OF HEART DISEASE-420-423,425-427,429	33	27	79	73	34	96	65	100	2,245	2,676

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS								STANDARD CONSOLIDATED AREAS	
	WICHITA, KANSAS	WICHITA FALLS, TEX.	WILKES-BARRE-HAZELTON, PA.	WILMINGTON, DEL.-N.J.-MD.	WILMINGTON, N.C.	WORCESTER, MASS.	YORK, PA.	YOUNGSTOWN-WARREN, OHIO	NEW YORK, N.Y.-NORTHEASTERN NEW JERSEY	CHICAGO, ILL.-NORTHWESTERN INDIANA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION---400, 401, 403	8	2	16	21	7	28	8	15	370	320
CEREBROVASCULAR DISEASES---430-438	339	152	305	299	101	642	306	572	12,222	6,506
CEREBRAL HEMORRHAGE---431	57	11	52	49	5	127	44	82	2,006	1,259
CEREBRAL THROMBOSIS---433	81	45	80	84	47	197	71	177	3,367	2,099
CEREBRAL EMBOLISM---434	1	-	3	3	-	2	1	-	72	28
ALL OTHER CEREBROVASCULAR DISEASES---430, 432, 435-438	200	96	170	163	49	316	190	313	6,777	3,120
ARTERIOSCLEROSIS---440	42	20	75	64	22	143	61	145	1,440	791
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES---441-448	62	13	45	60	11	116	44	70	1,648	704
ACUTE BRONCHITIS AND BRONCHIOLITIS---466	2	-	-	-	1	8	1	-	67	22
INFLUENZA AND PNEUMONIA---470-474, 480-486	105	42	86	106	31	306	81	101	5,318	2,009
INFLUENZA---470-474	17	3	5	4	1	2	6	1	71	30
PNEUMONIA---480-486	88	39	81	102	30	304	75	100	5,247	1,979
BRONCHITIS, EMPHYSEMA, AND ASTHMA---490-493	52	23	43	51	11	53	46	92	1,420	808
CHRONIC AND UNQUALIFIED BRONCHITIS---490, 491	9	5	6	10	-	16	12	16	297	147
EMPHYSEMA---492	36	17	30	39	10	33	33	72	978	591
ASTHMA---493	7	1	7	2	1	4	1	4	145	70
PEPTIC ULCER---531-533	11	5	13	12	6	21	13	20	689	289
APPENDICITIS---540-543	-	-	-	1	-	-	1	1	64	32
HERNIA AND INTESTINAL OBSTRUCTION---550-553, 560	10	1	14	15	5	22	12	17	474	198
CIRRHOSIS OF LIVER---571	40	16	73	96	21	102	22	85	3,756	1,503
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS---574, 575	3	2	9	4	2	6	5	9	240	117
NEPHRITIS AND NEPHROSIS---580-584	10	4	20	18	9	18	13	15	729	294
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME---580, 581	2	1	4	2	1	3	3	1	171	64
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS---582-584	8	3	16	16	8	15	10	14	558	230
INFECTIONS OF KIDNEY---590	4	7	12	6	3	25	3	13	353	179
HYPERPLASIA OF PROSTATE---600	4	1	1	1	-	8	3	-	135	39
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM---630-678	-	-	-	2	-	-	2	-	39	18
ABORTIONS---640-645	-	-	-	-	-	-	-	-	2	1
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM---630-639, 650-678	-	-	-	2	-	-	2	-	37	17
CONGENITAL ANOMALIES---740-759	26	16	19	35	8	32	16	41	895	523
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY---760-769.2, 769.4-772, 774-778	48	18	60	57	26	68	34	84	1,900	1,333
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS---764-768, 772, 776	30	15	33	31	11	35	16	52	1,056	894
OTHER CAUSES OF MORTALITY IN EARLY INFANCY---REMAINDER OF 760-778	18	3	27	26	15	33	18	32	844	439
SYMPTOMS AND ILL-DEFINED CONDITIONS---780-796	24	10	19	30	17	33	15	27	2,516	1,559
ALL OTHER DISEASES---RESIDUAL	167	73	608	239	78	350	206	272	8,790	3,554
ACCIDENTS---E800-E949	194	55	124	200	82	298	149	224	4,536	2,571
MOTOR VEHICLE ACCIDENTS---E810-E823	86	19	62	106	35	137	77	87	1,781	1,014
ALL OTHER ACCIDENTS---E800-E807, E825-E949	108	36	62	94	47	161	72	137	2,755	1,557
SUICIDE---E950-E959	65	14	35	51	13	57	39	67	1,006	563
HOMICIDE---E960-E978	33	19	11	44	18	28	11	69	1,985	1,042
OTHER EXTERNAL CAUSES---E980-E999	17	1	6	18	3	6	-	2	1,284	250

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**UNITED STATES**	1,934,388	3,513	300	11,909	360,472	98,913	83,475	32,424	43,111	16,457	14,575	71,517	37,329	1,010,926	738,171	13,302	12,083
02	URBAN PLACES	1,094,914	2,224	191	6,955	209,127	58,431	48,683	19,454	24,218	9,463	8,082	40,696	21,376	567,317	417,118	7,913	6,742
03	BALANCE OF AREA	839,474	1,289	109	4,954	151,345	40,482	34,792	12,970	18,793	6,994	6,493	30,821	15,953	443,609	321,053	5,389	5,341
04	METROPOLITAN COUNTIES	1,260,577	2,368	190	7,956	244,688	67,659	57,240	22,793	28,222	11,106	9,488	48,180	24,312	649,778	481,568	9,410	7,380
05	URBAN PLACES	937,935	1,935	156	6,042	181,443	50,886	42,505	16,939	20,810	8,139	6,871	35,293	18,235	483,057	358,427	6,950	5,610
06	BALANCE OF AREA	322,642	433	34	1,914	63,245	16,773	14,735	5,854	7,412	2,967	2,617	12,887	6,077	166,721	123,141	2,460	1,770
07	NONMETROPOLITAN COUNTIES	673,811	1,145	110	3,953	115,784	31,254	26,235	9,631	14,889	5,351	5,087	23,337	13,017	361,148	256,603	3,892	4,703
08	URBAN PLACES	156,979	289	35	913	27,684	7,545	6,178	2,515	3,508	1,324	1,211	5,403	3,141	84,260	58,691	963	1,132
09	BALANCE OF AREA	516,832	856	75	3,040	88,100	23,709	20,057	7,116	11,381	4,027	3,876	17,934	9,876	276,888	197,912	2,929	3,571
10	**ALABAMA**	34,737	83	3	260	5,680	1,377	1,367	485	757	211	237	1,246	714	17,173	11,580	139	214
11	URBAN PLACES	14,882	45	1	113	2,576	615	648	250	332	75	93	563	317	7,297	4,865	71	96
12	BALANCE OF AREA	19,855	38	2	147	3,104	762	719	235	425	136	144	683	397	9,876	6,715	68	118
13	METROPOLITAN COUNTIES	17,515	44	1	136	3,086	735	808	277	401	101	115	649	372	8,583	5,790	84	118
14	URBAN PLACES	11,232	29	1	92	2,005	486	527	194	249	54	72	423	246	5,504	3,626	57	77
15	BALANCE OF AREA	6,283	15	-	44	1,081	249	281	83	152	47	43	226	126	3,079	2,164	27	41
16	NONMETROPOLITAN COUNTIES	17,222	39	2	124	2,594	642	559	208	356	110	122	597	342	8,590	5,790	55	96
17	URBAN PLACES	3,650	16	-	21	571	129	121	56	83	21	21	140	71	1,793	1,239	14	19
18	BALANCE OF AREA	13,572	23	2	103	2,023	513	438	152	273	89	101	457	271	6,797	4,551	41	77
19	AUTAUGA	221	-	-	2	33	8	6	2	7	2	1	7	8	100	66	1	1
20	PRATTVILLE	106	-	-	1	14	2	2	1	5	-	-	4	3	50	34	1	1
21	BALANCE OF COUNTY	115	-	-	1	19	6	4	1	2	2	1	3	5	50	32	-	-
22	BALDWIN	605	1	-	7	105	30	25	6	9	9	3	23	6	327	237	2	6
23	BARBOUR	273	1	-	2	39	13	5	2	8	2	5	4	4	133	87	1	1
24	BIBB	183	1	-	1	33	7	7	6	1	-	2	10	2	88	66	2	1
25	BLOUNT	287	-	-	2	32	5	9	1	5	1	2	9	4	148	87	-	-
26	BULLOCK	142	-	-	1	13	2	2	2	1	2	1	3	1	81	57	1	1
27	BUTLER	297	1	-	2	46	9	15	3	7	1	1	10	10	119	72	-	3
28	CALHOUN	927	2	-	4	167	38	35	19	20	4	9	42	25	478	345	6	3
29	ANNISTON	450	2	-	3	80	18	14	9	10	1	3	25	17	227	166	3	1
30	BALANCE OF COUNTY	477	-	-	1	87	20	21	10	10	3	6	17	8	251	179	3	2
31	CHAMBERS	391	-	-	4	48	13	6	1	7	5	2	14	7	215	134	-	1
32	CHEROKEE	163	-	-	1	33	7	6	3	4	4	-	9	-	87	66	-	3
33	CHILTON	313	1	-	2	49	14	16	4	4	1	1	9	12	158	115	2	2
34	CHOCTAW	170	-	-	1	25	4	8	1	4	-	2	6	3	87	59	-	1
35	CLARKE	264	-	-	7	49	17	4	1	5	4	2	16	5	133	93	2	2
36	CLAY	179	1	1	1	36	7	6	3	6	2	2	10	5	84	63	1	-
37	CLEBURNE	101	-	-	1	18	4	3	1	2	-	2	6	1	42	34	-	1
38	COFFEE	308	1	-	5	64	10	11	10	6	2	8	17	3	161	115	2	2
39	ENTERPRISE	126	1	-	1	31	5	5	4	3	1	4	9	1	65	48	-	-
40	BALANCE OF COUNTY	182	-	-	4	33	5	6	6	3	1	4	8	2	96	67	2	2
41	COLBERT	477	2	-	6	61	16	10	5	12	2	1	15	14	254	185	2	2
42	SHEFFIELD	146	1	-	1	18	6	2	2	3	1	-	4	4	83	63	-	-
43	BALANCE OF COUNTY	331	1	-	5	43	10	8	3	9	1	1	11	10	171	122	2	2
44	CONECUH	185	-	-	1	25	11	3	2	3	-	-	6	2	94	68	1	1
45	COOSA	121	-	-	1	13	2	2	1	2	-	-	6	2	59	36	-	1
46	COVINGTON	421	2	-	2	77	19	20	5	13	1	2	17	8	210	137	1	3
47	ANDALUSIA	122	1	-	-	17	5	4	3	3	-	-	2	4	62	39	-	1
48	BALANCE OF COUNTY	299	1	-	2	60	14	16	2	10	1	2	15	4	148	98	1	2
49	CRENSHAW	206	1	-	-	29	8	7	2	2	1	1	8	4	105	67	-	1
50	CULLMAN	507	2	-	5	83	22	16	4	12	5	5	19	14	276	189	-	2
51	CULLMAN	152	2	-	2	27	7	6	2	1	2	2	7	3	79	55	-	1
52	BALANCE OF COUNTY	355	-	-	3	56	15	10	2	11	3	3	12	11	197	134	-	1
53	DALE	292	1	-	3	44	8	14	4	5	1	5	7	1	148	112	-	1
54	OZARK	115	1	-	1	16	1	4	1	3	1	1	5	-	59	44	-	6
55	BALANCE OF COUNTY	177	-	-	2	28	7	10	3	2	-	4	2	1	89	68	-	9
56	DALLAS	624	5	1	2	75	19	15	4	13	4	2	18	10	265	155	3	2
57	SELMA	374	5	-	1	46	10	10	3	6	2	2	13	6	161	101	2	1
58	BALANCE OF COUNTY	250	-	1	1	29	9	5	1	7	2	-	5	4	104	54	1	1
59	DE KALB	476	-	-	1	59	14	7	6	10	5	2	15	4	270	195	2	5
60	ELMORE	380	1	-	2	66	13	14	8	9	1	7	14	11	189	140	1	2
61	ESCAMBIA	353	1	-	2	57	19	16	4	5	5	2	6	12	184	119	1	3
62	ETOWAH	1,079	3	-	6	171	36	47	18	24	3	1	42	13	618	480	5	6
63	GADSDEN	687	3	-	4	109	21	30	12	15	2	1	28	7	387	301	4	3
64	BALANCE OF COUNTY	392	-	-	2	62	15	17	6	9	1	-	14	6	231	179	1	3
65	FAYETTE	175	-	-	1	28	8	5	1	5	2	-	7	5	85	53	1	-
66	FRANKLIN	296	1	-	2	46	12	6	2	6	2	8	10	8	143	96	-	-
67	GENEVA	246	-	-	1	32	10	6	4	4	-	4	4	7	140	115	-	3
68	GREENE	151	-	-	5	21	3	4	3	4	1	1	5	5	81	43	-	1
69	HALE	189	1	-	2	31	9	7	2	6	4	-	3	2	101	39	-	1
70	HENRY	175	-	-	-	25	4	8	1	5	2	3	2	2	98	54	-	-
71	HOUSTON	604	2	-	4	76	13	19	7	11	3	2	21	9	297	182	3	2
72	DOTHAN	363	1	-	1	49	10	12	4	7	3	-	13	5	173	109	1	2
73	BALANCE OF COUNTY	241	1	-	3	27	3	7	3	4	-	2	8	4	124	73	2	-
74	JACKSON	402	1	-	2	75	24	12	10	9	2	1	17	9	191	137	4	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
664,854	47,932	6,894	207,424	32,239	26,198	54,777	26,880	7,069	33,319	8,068	462	13,526	28,786	31,145	148,976	46,402	58,220	25,683	21,465	5,161	01
376,936	25,527	3,854	114,607	17,204	14,534	31,737	14,541	4,085	23,044	4,765	263	7,435	16,409	16,970	85,744	19,351	30,393	14,281	15,180	3,526	02
287,918	22,405	3,040	92,817	15,035	11,664	23,040	12,339	2,984	10,275	3,303	199	6,091	12,377	14,175	63,232	27,051	27,827	11,402	6,285	1,635	03
436,354	28,424	4,170	127,866	19,388	16,786	35,495	16,723	4,613	25,531	5,247	284	9,153	18,948	18,716	97,486	25,699	35,454	17,536	16,435	3,965	04
324,433	21,434	3,145	95,199	14,062	12,224	27,263	12,098	3,517	20,712	4,102	218	6,431	13,949	14,118	73,445	15,987	25,632	12,457	13,852	3,286	05
111,921	6,990	1,025	32,667	5,326	4,562	8,232	4,625	1,096	4,819	1,145	66	2,722	4,999	4,598	24,041	9,712	9,822	5,079	2,583	679	06
228,500	19,508	2,724	79,558	12,051	9,412	19,282	10,157	2,456	7,788	2,821	178	4,373	9,838	12,429	51,490	20,703	22,766	8,147	5,030	1,196	07
52,503	4,093	709	19,408	3,142	2,310	4,474	2,443	568	2,332	663	45	1,004	2,460	2,852	12,299	3,364	4,761	1,824	1,328	240	08
175,997	15,415	2,015	60,150	9,709	7,102	14,808	7,714	1,888	5,456	2,158	133	3,369	7,378	9,577	39,191	17,339	18,005	6,323	3,702	956	09
9,769	1,458	173	4,538	503	379	840	423	100	367	208	18	273	649	1,901	2,643	1,099	1,300	362	558	83	10
4,132	566	94	1,972	211	155	325	193	45	203	108	7	109	272	840	1,156	330	464	157	286	38	11
5,637	892	79	2,566	292	224	515	230	55	164	100	11	164	377	1,061	1,487	769	836	205	272	45	12
5,056	532	103	2,234	257	199	402	216	50	214	110	6	141	297	898	1,326	475	610	185	315	48	13
3,165	327	81	1,507	163	127	232	148	34	163	87	5	78	192	579	861	247	345	122	232	30	14
1,891	205	22	727	94	72	170	68	16	51	23	1	63	105	319	465	228	265	63	83	18	15
4,713	926	70	2,304	246	180	438	207	50	153	98	12	132	352	1,003	1,317	624	690	177	243	35	16
967	239	13	465	48	28	93	45	11	40	21	2	31	80	261	295	83	119	35	54	8	17
3,746	687	57	1,839	198	152	345	162	39	113	77	10	101	272	742	1,022	541	571	142	189	27	18
43	21	1	25	7	1	5	-	1	3	1	1	2	7	11	19	8	15	2	2	1	19
24	8	-	13	3	-	3	-	-	1	-	-	1	4	5	11	4	7	1	1	-	20
19	13	1	12	4	1	2	1	1	2	1	1	1	3	6	8	4	8	1	1	1	21
218	11	-	57	25	8	22	8	2	6	3	-	4	7	10	48	17	16	7	5	4	22
76	9	-	39	5	2	9	3	2	6	1	-	-	8	28	13	9	12	-	3	-	23
45	18	1	20	-	1	7	-	-	1	-	-	-	2	15	18	6	4	1	4	-	24
77	10	1	52	5	3	8	8	1	-	2	-	-	8	7	21	26	12	2	1	-	25
49	6	1	18	2	3	7	2	1	2	-	-	2	5	4	11	5	2	3	2	-	26
61	8	2	38	1	6	12	2	-	3	5	-	2	6	14	29	11	22	3	10	-	27
308	28	3	102	19	9	14	19	2	18	5	-	9	17	10	71	33	22	16	13	2	28
148	14	1	48	8	4	9	11	1	9	3	-	7	6	6	40	6	8	7	7	1	29
160	14	2	54	11	5	5	8	1	9	2	-	2	11	4	31	27	14	9	6	1	30
129	4	1	77	-	3	12	3	1	6	2	-	3	10	11	23	16	14	2	13	1	31
44	19	1	17	2	1	2	-	-	1	2	-	1	7	4	11	5	5	2	2	-	32
91	20	1	41	-	1	10	4	3	1	1	-	3	6	9	19	15	12	5	1	2	33
56	2	1	25	1	1	4	1	-	-	1	-	-	3	2	19	11	11	-	2	-	34
78	11	3	30	2	5	4	4	1	-	1	-	3	5	8	18	9	11	-	4	2	35
47	15	1	15	-	5	5	2	-	3	-	-	-	4	10	14	5	4	1	3	-	36
27	6	-	6	-	2	1	1	1	2	-	-	-	1	17	6	5	2	-	3	-	37
78	33	1	36	5	4	6	5	1	1	-	1	3	3	4	14	9	14	6	6	1	38
33	15	-	15	2	-	3	2	1	1	-	-	1	2	2	4	2	5	1	2	1	39
45	18	1	21	3	4	3	3	-	-	-	1	2	1	2	10	7	9	5	4	-	40
138	43	5	58	2	4	10	6	2	3	4	-	2	4	26	39	7	19	3	10	5	41
43	20	2	18	-	-	2	1	-	1	-	-	1	1	10	12	2	6	-	1	2	42
95	23	3	40	2	4	8	5	2	2	4	-	1	3	16	27	5	13	3	9	3	43
51	15	1	16	6	3	6	3	-	3	3	-	-	1	4	14	9	14	4	2	-	44
20	15	-	16	3	4	3	-	1	2	2	-	2	3	4	14	4	6	1	4	-	45
119	14	2	64	4	3	12	5	3	4	3	-	3	10	13	32	16	14	4	3	-	46
34	4	2	16	3	2	4	-	1	2	1	-	-	6	6	7	3	4	2	2	-	47
85	10	-	48	1	1	8	5	2	2	2	-	3	4	7	25	13	10	2	1	-	48
55	11	1	33	1	3	8	1	-	3	-	-	1	4	15	16	8	8	-	1	2	49
148	39	-	67	13	7	10	10	1	3	-	-	1	4	7	37	19	22	8	5	-	50
43	11	-	18	3	3	5	2	1	1	-	-	-	-	3	12	6	5	3	1	-	51
105	28	-	49	10	4	5	8	-	2	-	-	1	4	4	25	13	17	5	4	-	52
77	20	1	24	10	1	7	4	2	2	1	-	3	4	14	22	16	10	8	1	1	53
33	5	-	9	5	1	4	2	2	2	-	-	1	3	5	7	5	4	2	-	1	54
44	15	1	15	5	-	3	2	-	-	1	-	2	1	9	15	11	6	6	1	-	55
122	28	3	86	13	8	13	5	4	3	4	-	3	12	112	45	28	20	5	10	2	56
78	20	2	49	7	2	10	2	2	3	2	-	3	2	68	32	7	13	1	8	2	57
44	8	1	37	6	6	3	3	2	-	2	-	-	10	44	13	21	7	4	2	-	58
170	18	2	66	4	3	13	7	2	3	3	-	5	11	22	44	12	9	7	4	-	59
132	5	-	39	6	4	9	2	-	4	1	-	1	7	22	21	14	16	6	8	-	60
101	14	3	50	8	4	6	3	-	3	1	-	4	8	2	29	8	17	5	9	2	61
449	28	8	103	14	13	23	7	6	15	5	1	10	24	18	77	27	27	8	19	1	62
282	12	6	64	8	8	13	5	6	12	5	1	4	13	12	49	19	20	4	13	1	63
167	8	2	39	6	5	10	2	-	3	-	-	6	11	6	28	8	7	4	6	-	64
38	14	1	25	1	5	10	5	-	-	-	-	3	-	10	16	7	5	-	-	-	65
85	11	-	39	3	5	7	4	1	4	1	-	-	6	20	19	11	13	3	6	1	66
107	5	-	24	-	1	5	4	-	2	-	-	3	1	5	17	9	10	5	3	2	67
39	3	2	28	6	2	1	-	-	2	5	-	-	4	3	10	8	1	-	5	-	68
34	4	1	47	11	3	7	2	1	-	-	-	-	4	15	10	4	6	-	2	1	69
50	4	-	38	2	4	5	1	1	2	2	-	-	3	7	12	5	7	1	4	-	70
130	47	2	107	2	4	10	3	1	6	5	-	7	21	54	49	22	16	5	17	-	71
78	28	1	59	2	2	4	2	-	5	4	-	3	14	33	30	13	11	3	12	-	72
52	19	1	48	-	2	6	1	1	1	1	-	4	7	21	19	9	5	2	5	-	73
107	26	-	43	8	3	14	2	3	1	3	1	3	9	8	28	21	16	8	6	1	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ALABAMA--CON.																	
01	JEFFERSON	6,668	9	1	51	1,241	304	322	128	154	44	45	244	151	3,102	1,974	42	45
02	BESSEMER	472	-	-	4	84	28	21	8	5	2	3	17	10	216	132	5	2
03	BIRMINGHAM	3,806	4	1	32	683	161	173	73	84	23	27	142	93	1,765	1,076	24	29
04	FAIRFIELD	159	1	-	3	33	15	9	1	5	-	-	3	3	74	45	-	1
05	HOMEWOOD	167	1	-	-	37	8	11	3	5	1	1	8	4	90	62	-	1
06	MOUNTAIN BROOK	112	-	-	1	29	6	4	5	5	-	3	6	1	52	35	1	-
07	BALANCE OF COUNTY	1,952	3	-	11	375	86	104	38	50	18	11	68	40	905	624	12	13
08	LAMAR	175	-	-	-	28	6	8	-	4	2	-	8	3	101	65	-	4
09	LAUDERDALE	668	2	-	1	122	25	35	14	12	5	3	28	9	326	197	3	-
10	FLORENCE	353	-	-	-	66	14	17	8	9	2	1	15	7	179	110	2	-
11	BALANCE OF COUNTY	315	2	-	1	56	11	18	6	3	3	2	13	2	147	87	1	-
12	LAWRENCE	246	1	-	1	29	13	3	2	2	-	3	6	7	106	66	1	-
13	LEE	467	2	-	2	61	11	17	4	10	2	3	14	8	201	125	1	1
14	AUBURN	125	-	-	-	14	2	4	1	2	-	1	4	3	50	30	-	-
15	OPELIKA	170	1	-	1	27	3	7	3	7	1	1	5	4	74	49	1	1
16	BALANCE OF COUNTY	172	1	-	1	20	6	6	-	1	1	1	5	1	77	46	1	-
17	LIMESTONE	399	1	-	1	63	12	18	2	9	2	2	18	14	207	143	2	4
18	ATHENS	147	-	-	-	22	5	8	1	3	-	1	4	3	81	51	-	-
19	BALANCE OF COUNTY	252	1	-	1	41	7	10	1	6	2	1	14	11	126	92	2	4
20	LOWNDES	118	-	-	2	19	3	3	1	6	-	1	5	4	40	17	-	-
21	MACON	273	1	-	1	46	18	6	6	10	2	-	4	7	115	85	-	3
22	TUSKEGEE	121	1	-	1	22	6	4	5	4	1	-	2	2	51	36	-	2
23	BALANCE OF COUNTY	152	-	-	-	24	12	2	1	6	1	-	2	5	64	49	-	1
24	MADISON	1,166	5	-	11	193	47	47	16	25	3	12	43	26	523	370	2	5
25	HUNTSVILLE	834	4	-	6	150	34	41	14	15	1	9	36	17	378	275	2	4
26	BALANCE OF COUNTY	332	1	-	5	43	13	6	2	10	2	3	7	9	145	95	-	1
27	MARENGO	266	-	-	-	40	13	6	3	4	2	3	9	5	133	80	-	2
28	MARION	298	-	-	3	43	9	7	2	9	-	2	14	7	132	96	-	2
29	MARSHALL	575	3	-	2	81	16	20	7	8	4	6	20	6	242	159	3	2
30	MOBILE	2,833	10	-	19	503	131	149	41	53	12	17	100	64	1,465	1,050	5	33
31	MOBILE	1,913	5	-	15	346	90	99	28	39	9	11	70	42	1,000	712	4	22
32	PRICHARD	250	3	-	2	40	9	7	6	5	2	1	10	7	138	100	-	4
33	BALANCE OF COUNTY	670	2	-	2	117	32	43	7	9	1	5	20	15	327	238	1	7
34	MONROE	227	1	-	1	38	11	9	2	7	1	1	7	4	120	91	1	3
35	MONTGOMERY	1,753	5	-	18	296	63	79	30	44	7	12	61	33	848	550	13	9
36	MONTGOMERY	1,587	5	-	15	281	62	75	29	41	7	11	56	32	759	495	13	8
37	BALANCE OF COUNTY	166	-	-	3	15	1	4	1	3	-	1	5	1	89	55	-	1
38	MORGAN	686	1	-	6	109	27	33	10	10	2	4	23	10	361	282	2	-
39	DECATUR	330	-	-	3	58	14	15	4	8	1	2	14	5	173	143	1	-
40	BALANCE OF COUNTY	356	1	-	3	51	13	18	6	2	1	2	9	5	188	139	1	-
41	PERRY	193	-	-	2	25	9	6	2	2	-	-	6	2	99	53	-	1
42	PICKENS	212	-	-	1	25	6	8	2	2	2	-	5	2	125	68	-	-
43	PIKE	290	-	-	4	45	8	12	3	10	1	3	8	-	163	113	-	2
44	TROY	111	-	-	2	14	3	3	1	3	-	2	2	-	62	49	-	-
45	BALANCE OF COUNTY	179	-	-	2	31	5	9	2	7	1	1	6	-	101	64	-	2
46	RANDOLPH	262	-	-	5	28	11	3	1	5	4	1	3	9	150	99	-	-
47	RUSSELL	545	2	-	2	84	17	24	6	12	3	1	21	15	309	196	2	1
48	PHENIX CITY	368	1	-	2	53	12	16	5	6	1	-	13	8	216	133	2	1
49	BALANCE OF COUNTY	177	1	-	-	31	5	8	1	6	2	1	8	7	93	63	-	-
50	ST. CLAIR	337	-	-	-	61	15	15	4	5	3	3	16	8	137	96	2	3
51	SHELBY	390	-	-	4	57	9	13	2	12	4	3	14	5	170	119	1	-
52	SUMTER	212	-	-	1	33	9	4	3	5	1	1	10	8	113	62	1	1
53	TALLADEGA	671	1	-	4	100	29	21	5	13	6	3	23	15	301	207	4	2
54	SYLACAUGA	170	-	-	-	27	11	3	1	2	2	-	8	4	86	56	2	-
55	TALLADEGA	194	-	-	1	33	7	7	1	6	3	1	8	1	95	64	-	1
56	BALANCE OF COUNTY	307	1	-	3	40	11	11	3	5	1	2	7	10	120	87	2	1
57	TALLAPOOSA	409	-	-	5	49	13	8	7	7	1	3	10	7	230	179	1	3
58	ALEXANDER CITY	122	-	-	2	12	5	2	3	1	-	1	-	2	64	43	1	2
59	BALANCE OF COUNTY	287	-	-	3	37	8	6	4	6	1	2	10	5	166	136	-	1
60	TUSCALOOSA	994	5	-	10	176	48	38	14	25	2	5	44	24	487	287	7	5
61	TUSCALOOSA	574	1	-	7	106	30	22	8	16	2	2	26	16	271	157	2	3
62	BALANCE OF COUNTY	420	4	-	3	70	18	16	6	9	-	3	18	8	216	130	5	2
63	WALKER	703	2	-	5	131	25	32	6	25	11	7	25	10	338	244	2	2
64	JASPER	156	1	-	1	32	5	11	1	5	4	2	4	3	77	52	-	1
65	BALANCE OF COUNTY	547	1	-	4	99	20	21	5	20	7	5	21	7	261	192	2	2
66	WASHINGTON	158	-	-	1	27	4	11	1	4	-	1	6	3	84	54	-	1
67	WILCOX	157	-	-	4	17	6	1	2	4	-	1	3	2	74	58	-	-
68	WINSTON	208	-	-	2	26	1	7	1	3	2	1	11	8	122	97	-	2
69	**ALASKA**[1]	1,489	8	-	6	181	40	51	18	12	7	7	46	15	414	296	7	1
70	URBAN PLACES	389	1	-	5	47	13	12	4	2	-	2	14	7	115	76	3	1
71	BALANCE OF AREA	1,100	7	-	1	134	27	39	14	10	7	5	32	8	299	220	4	-
72	NONMETROPOLITAN COUNTIES	1,489	8	-	6	181	40	51	18	12	7	7	46	15	414	296	7	1
73	URBAN PLACES	389	1	-	5	47	13	12	4	2	-	2	14	7	115	76	3	1
74	BALANCE OF AREA	1,100	7	-	1	134	27	39	14	10	7	5	32	8	299	220	4	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,729	158	51	924	84	69	142	61	19	78	37	1	36	105	500	576	171	185	69	124	9	01
118	7	6	69	5	4	10	4	-	6	2	-	3	11	34	39	13	17	4	15	-	02
924	99	37	560	53	39	74	35	11	51	30	1	24	56	319	334	75	99	36	79	4	03
44	1	-	25	4	-	1	3	-	1	-	-	1	-	7	21	7	1	3	-	-	04
58	3	2	22	2	2	3	3	2	1	-	-	-	1	8	10	2	2	2	1	-	05
33	1	1	12	2	2	1	3	-	3	-	-	-	-	5	10	2	3	2	-	-	06
552	47	5	236	18	22	53	13	6	16	5	-	8	37	127	162	72	63	22	29	5	07
58	3	1	29	4	2	1	2	-	1	-	-	2	2	7	14	7	3	3	1	-	08
181	13	2	118	5	4	17	10	1	8	3	-	6	9	60	56	14	11	7	6	-	09
98	10	-	63	5	1	9	5	1	5	2	-	2	3	31	24	5	3	6	5	-	10
83	3	2	55	-	3	8	5	-	3	1	-	4	6	29	32	9	8	1	1	-	11
53	12	1	35	2	2	7	2	1	1	-	-	2	4	20	24	9	24	4	3	1	12
110	13	3	66	1	6	13	6	-	10	-	-	7	15	65	38	9	11	10	9	-	13
28	2	2	16	-	2	8	1	-	2	-	-	-	6	22	9	1	3	1	5	-	14
41	6	-	22	1	2	2	5	-	4	-	-	4	5	19	13	-	7	4	-	-	15
41	5	1	28	-	2	3	-	-	4	-	-	3	4	24	16	8	1	5	4	-	16
70	67	4	46	11	3	13	3	2	3	1	-	3	5	12	23	12	31	4	-	1	17
26	25	3	21	5	1	6	2	-	2	-	-	1	2	6	10	6	4	2	-	-	18
44	42	1	25	6	2	7	1	2	1	1	-	2	3	6	13	6	27	2	-	1	19
16	1	1	16	3	3	3	3	1	-	-	-	1	3	23	8	3	6	1	1	-	20
79	3	1	27	1	1	16	-	1	3	3	-	2	8	8	35	11	14	1	1	-	21
34	-	1	13	-	1	10	-	-	-	1	-	1	5	1	20	3	3	-	-	-	22
45	3	-	14	1	-	6	1	3	2	-	-	1	3	7	15	8	11	1	1	-	23
268	95	7	125	12	9	23	15	3	11	14	-	9	16	78	75	50	60	27	22	5	24
203	66	4	85	5	9	13	12	1	10	10	-	5	14	47	56	34	30	24	18	5	25
65	29	3	40	7	-	10	3	2	1	4	-	4	2	31	19	16	30	3	4	-	26
62	16	1	45	4	3	8	4	1	2	1	1	1	3	19	24	8	15	1	-	-	27
82	12	-	29	7	-	16	4	1	2	-	-	3	8	10	27	8	29	1	4	-	28
142	12	1	55	21	6	9	9	1	8	3	-	7	7	78	52	28	26	10	3	-	29
948	64	15	331	37	32	59	49	6	40	22	-	32	54	38	195	69	108	26	59	15	30
642	44	9	232	24	23	40	29	5	28	20	-	15	33	24	129	38	72	17	44	11	31
89	7	1	33	4	-	6	5	-	7	-	-	1	5	1	14	4	7	1	7	2	32
217	13	5	66	9	9	13	15	1	5	2	-	16	16	13	52	27	29	8	8	2	33
83	4	2	21	5	1	6	-	-	-	4	-	1	5	5	14	11	11	2	3	1	34
501	27	9	224	38	27	44	31	9	31	16	3	16	39	82	128	40	53	19	35	7	35
449	25	8	197	35	24	36	30	6	30	14	3	15	36	72	118	38	44	17	30	6	36
52	2	1	27	3	3	8	1	3	1	2	-	1	3	10	10	2	9	2	5	1	37
176	104	1	62	11	5	19	10	1	3	4	1	10	14	27	48	18	36	1	6	1	38
88	54	-	22	7	1	7	4	1	1	4	1	3	5	14	28	8	12	-	3	-	39
88	50	1	40	4	4	12	6	-	2	-	-	7	9	13	20	10	24	1	3	1	40
43	9	1	37	3	5	3	3	-	-	1	1	1	3	19	19	2	8	3	1	1	41
67	1	3	47	7	-	5	1	1	2	4	2	-	3	11	11	10	4	-	5	-	42
79	32	-	46	2	2	7	2	2	3	3	-	3	11	6	13	6	13	5	2	2	43
34	15	-	12	-	1	2	1	1	1	1	-	2	6	3	7	1	5	2	-	1	44
45	17	-	34	2	1	5	1	1	2	2	-	1	5	3	6	5	8	3	2	1	45
92	7	-	45	5	1	3	6	1	-	5	-	1	1	3	27	7	8	2	4	2	46
163	30	1	101	7	4	14	7	-	5	2	-	12	11	7	33	7	23	4	7	1	47
109	21	-	73	6	4	10	6	-	4	2	-	6	6	4	24	1	16	2	6	1	48
54	9	1	28	1	-	4	1	-	1	-	-	6	5	3	9	6	7	2	1	-	49
72	19	-	28	8	5	9	4	1	3	4	-	5	5	27	34	16	15	3	5	-	50
108	10	-	46	1	4	9	9	-	5	2	-	6	5	46	27	14	21	1	7	2	51
49	11	3	43	2	3	6	2	-	2	1	1	-	10	12	10	2	10	-	1	-	52
187	14	1	89	-	4	10	11	1	3	1	1	5	21	73	42	28	31	9	14	-	53
51	3	1	28	-	1	2	3	-	1	-	-	1	2	16	10	4	12	1	1	-	54
59	4	-	28	-	3	4	2	-	-	1	1	1	9	17	11	8	7	1	2	-	55
77	7	-	33	-	-	4	6	1	2	-	-	3	10	40	21	16	12	7	11	-	56
123	52	2	37	5	7	14	4	-	6	3	-	1	10	3	32	27	11	1	6	-	57
20	20	1	16	2	2	5	2	-	1	2	-	-	1	-	18	5	4	-	4	-	58
103	32	1	21	3	5	9	2	-	5	1	-	1	9	3	14	22	7	1	2	-	59
259	16	6	155	19	20	22	12	2	9	4	-	6	13	57	67	23	42	8	24	3	60
141	11	4	91	10	9	14	9	2	6	2	-	2	11	34	39	6	26	5	17	-	61
118	5	2	64	9	11	8	3	-	3	2	-	4	2	23	28	17	16	3	7	3	62
211	29	2	83	3	6	22	12	1	7	3	1	6	11	28	56	31	28	6	5	-	63
47	5	-	23	-	2	5	2	1	2	2	-	1	4	6	8	2	4	3	2	-	64
164	24	2	60	3	4	17	10	-	5	1	1	5	7	22	48	29	24	3	3	-	65
48	5	1	27	1	1	1	2	-	3	1	1	2	4	7	10	2	5	-	5	-	66
46	12	3	10	-	3	5	1	-	-	-	-	2	2	22	10	4	11	1	2	-	67
65	30	-	20	3	2	7	2	-	-	-	-	2	3	3	10	7	13	2	-	1	68
230	58	1	96	11	10	42	13	4	35	2	-	23	65	50	142	75	322	41	34	17	69
61	11	-	28	5	6	13	3	-	20	-	-	7	17	9	36	23	60	11	11	4	70
169	47	1	68	6	4	29	10	4	15	2	-	16	48	41	106	52	262	30	23	13	71
230	58	1	96	11	10	42	13	4	35	2	-	23	65	50	142	75	322	41	34	17	72
61	11	-	28	5	6	13	3	-	20	-	-	7	17	9	36	23	60	11	11	4	73
169	47	1	68	6	4	29	10	4	15	2	-	16	48	41	106	52	262	30	23	13	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ALASKA—CON.																	
01	DIST. 1, PRINCE OF WALES.	14	-	-	-	2	-	1	-	-	-	-	1	-	4	2	-	-
02	DIST. 2, KETCHIKAN.....	88	-	-	-	13	2	5	1	-	1	1	3	1	37	26	-	-
03	DIST. 3, WRANGELL-PETERSBURG.....	32	-	-	-	6	2	1	-	1	-	-	2	-	11	10	-	-
04	DIST. 4, SITKA.....	45	-	-	-	5	1	2	-	-	-	1	1	-	14	12	-	-
05	DIST. 5, JUNEAU.....	69	-	-	-	10	1	3	3	2	1	-	-	-	26	20	-	-
06	DIST. 6, LYNN CANAL-ICY STRAITS.....	26	-	-	-	1	-	-	1	-	-	-	-	1	8	5	-	-
07	DIST. 7, CORDOVA-MC CARTHY.....	14	-	-	-	2	-	1	-	-	-	-	1	1	5	4	-	-
08	DIST. 8, VALDEZ-CHITTINA-WHITTIER.....	17	-	-	-	2	1	-	-	-	1	-	-	-	4	3	-	-
09	DIST. 9, PALMER-WASILLA-TALKEETNA.....	53	-	-	-	7	1	1	-	1	-	1	3	1	24	19	-	-
10	DIST. 10, ANCHORAGE.....	491	2	-	3	66	14	18	8	5	1	2	18	8	126	91	3	1
11	ANCHORAGE.....	272	1	-	3	32	8	9	3	1	-	1	10	6	75	52	3	1
12	BALANCE OF DISTRICT..	219	1	-	-	34	6	9	5	4	1	1	8	2	51	39	-	-
13	DIST. 11, SEWARD.....	30	-	-	-	6	1	3	1	-	1	-	-	2	10	6	-	-
14	DIST. 12, KENAI-COOK INLET.....	57	-	-	-	8	2	3	-	1	-	-	2	-	20	14	1	-
15	DIST. 13, KODIAK.....	64	-	-	-	4	-	1	1	-	1	-	1	-	13	8	-	-
16	DIST. 14, ALEUTIAN ISLANDS.....	28	-	-	-	1	1	-	-	-	-	-	-	-	9	6	1	-
17	DIST. 15, BRISTOL BAY....	26	-	-	-	4	1	1	-	-	-	-	2	-	5	4	1	-
18	DIST. 16, BETHEL.....	42	2	-	-	4	1	2	1	-	-	-	-	-	6	3	-	-
19	DIST. 17, KUSKOKWIM.....	21	-	-	-	4	1	-	-	-	-	-	3	-	6	4	-	-
20	DIST. 18, YUKON-KOYUKUK..	46	1	-	-	3	1	-	-	1	-	-	1	-	11	7	-	-
21	DIST. 19, FAIRBANKS.....	194	1	-	2	21	6	7	1	1	1	1	4	1	57	37	-	-
22	FAIRBANKS.....	117	-	-	2	15	5	3	1	1	-	1	4	1	40	24	-	-
23	BALANCE OF DISTRICT..	77	1	-	-	6	1	4	-	-	1	-	-	-	17	13	-	-
24	DIST. 20, UPPER YUKON....	11	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-
25	DIST. 21, BARROW.....	26	-	-	-	3	-	1	-	-	-	1	1	-	3	2	-	-
26	DIST. 22, KOBUK.....	21	1	-	-	2	1	-	-	-	-	-	1	-	3	3	-	-
27	DIST. 23, NOME.....	46	1	-	-	6	3	1	1	-	-	-	1	-	5	5	1	-
28	DIST. 24, WADE HAMPTON...	28	-	-	1	1	-	-	-	-	-	-	1	-	4	2	-	-
29	**ARIZONA .....**	17,050	55	2	172	3,052	780	740	251	361	134	125	661	271	7,519	5,530	133	71
30	URBAN PLACES.....	11,377	32	2	101	2,126	531	518	182	250	102	94	449	171	5,165	3,791	90	53
31	BALANCE OF AREA.....	5,673	23	-	71	926	249	222	69	111	32	31	212	100	2,354	1,739	43	18
32	METROPOLITAN COUNTIES...	12,750	42	2	111	2,390	613	577	199	283	109	101	508	200	5,820	4,322	100	60
33	URBAN PLACES.....	10,459	30	2	96	1,973	497	480	169	233	94	88	412	160	4,742	3,500	86	50
34	BALANCE OF AREA.....	2,291	12	-	15	417	116	97	30	50	15	13	96	40	1,078	822	14	10
35	NONMETROPOLITAN COUNTIES	4,300	13	-	61	662	167	163	52	78	25	24	153	71	1,699	1,208	33	11
36	URBAN PLACES.....	918	2	-	5	153	34	38	13	17	8	6	37	11	423	291	4	3
37	BALANCE OF AREA.....	3,382	11	-	56	509	133	125	39	61	17	18	116	60	1,276	917	29	8
38	APACHE.....	312	2	-	10	31	11	3	2	2	-	-	13	9	52	41	2	-
39	COCHISE.....	515	1	-	6	101	27	23	8	14	2	7	20	11	209	140	1	2
40	DOUGLAS.....	137	1	-	4	27	6	6	3	4	-	2	6	5	49	34	-	-
41	BALANCE OF COUNTY....	378	-	-	2	74	21	17	5	10	2	5	14	6	160	106	1	2
42	COCONINO.....	304	1	-	6	47	11	9	2	7	3	-	15	1	92	63	3	1
43	FLAGSTAFF.....	123	-	-	-	22	5	2	-	4	2	-	9	-	46	33	1	1
44	BALANCE OF COUNTY....	181	1	-	6	25	6	7	2	3	1	-	6	1	46	30	2	-
45	GILA.....	329	2	-	3	44	13	6	6	7	3	2	7	7	130	109	7	2
46	GRAHAM.....	178	-	-	3	29	8	5	3	2	1	2	8	2	86	59	3	-
47	GREENLEE.....	84	1	-	1	20	4	3	1	3	-	1	8	1	40	30	-	-
48	MARICOPA.....	9,239	25	2	79	1,741	457	407	134	201	78	80	384	152	4,194	3,058	68	46
49	CHANDLER.....	117	-	-	-	32	7	8	3	2	-	2	10	1	55	38	2	-
50	GLENDALE.....	411	1	-	5	79	18	18	3	14	2	7	17	6	168	124	4	3
51	MESA.....	783	1	1	7	128	36	30	8	12	7	5	30	12	374	283	7	5
52	PHOENIX.....	5,232	17	-	44	968	258	227	80	119	44	47	193	83	2,329	1,670	38	23
53	SCOTTSDALE.....	579	-	1	7	118	25	21	8	12	9	5	38	14	263	185	4	5
54	TEMPE.....	315	1	-	6	66	16	20	8	6	2	4	10	6	137	102	1	1
55	BALANCE OF COUNTY....	1,802	5	-	10	350	97	83	24	36	14	10	86	30	868	656	12	9
56	MOHAVE.....	361	-	-	-	69	11	26	8	5	2	1	16	4	168	124	4	-
57	NAVAJO.....	369	3	-	17	37	11	9	1	9	1	2	4	7	104	76	1	2
58	PIMA.....	3,511	17	-	32	649	156	170	65	82	31	21	124	48	1,626	1,264	32	14
59	TUCSON.....	3,022	10	-	27	582	137	156	59	68	30	18	114	38	1,416	1,098	30	13
60	BALANCE OF COUNTY....	489	7	-	5	67	19	14	6	14	1	3	10	10	210	166	2	1
61	PINAL.....	607	2	-	9	91	26	22	10	7	3	3	20	12	235	161	5	2
62	CASA GRANDE.....	67	1	-	-	8	2	1	2	1	-	-	2	-	29	21	-	-
63	BALANCE OF COUNTY....	540	1	-	9	83	24	21	8	6	3	3	18	12	206	140	5	2
64	SANTA CRUZ.....	114	-	-	2	22	2	5	2	4	3	-	6	4	46	32	1	-
65	YAVAPAI.....	571	-	-	1	93	24	29	6	9	3	4	18	7	284	193	4	1
66	PRESCOTT.....	282	-	-	-	43	6	15	6	3	3	3	7	4	142	96	1	1
67	BALANCE OF COUNTY....	289	-	-	1	50	18	14	-	6	-	1	11	3	142	97	3	-
68	YUMA.....	556	1	-	3	78	19	23	3	9	4	2	18	6	253	180	2	1
69	YUMA.....	309	-	-	1	53	15	14	2	5	3	1	13	2	157	107	2	1
70	BALANCE OF COUNTY....	247	1	-	2	25	4	9	1	4	1	1	5	4	96	73	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	3	-	4	-	-	-	01
21	5	-	8	2	1	1	2	-	-	-	-	1	-	2	10	5	14	1	1	-	02
10	-	-	-	1	-	-	1	-	-	-	-	-	1	1	2	1	9	-	-	-	03
9	3	-	2	-	-	1	-	-	1	-	-	-	3	1	6	-	10	-	1	1	04
18	2	-	6	-	-	-	-	-	-	-	-	1	-	2	9	3	15	3	-	-	05
4	1	-	2	1	-	1	-	-	-	1	-	1	-	2	1	1	9	-	-	-	06
3	1	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	-	-	07
1	2	-	-	1	-	-	-	-	1	-	-	-	1	1	2	1	3	1	1	-	08
17	2	-	5	-	-	3	-	-	-	1	-	-	1	1	2	2	11	-	-	-	09
75	12	-	27	1	7	16	6	1	22	-	-	13	21	13	42	38	87	10	14	3	10
42	6	-	17	1	5	11	2	-	16	-	-	7	6	7	23	19	44	9	10	1	11
33	6	-	10	-	2	5	4	1	6	-	-	6	15	6	19	19	43	1	4	2	12
6	-	-	4	-	-	1	1	-	1	-	-	-	1	1	3	-	5	-	-	-	13
10	3	-	5	-	1	1	-	1	-	-	-	1	2	5	3	3	13	-	-	-	14
7	1	-	5	-	-	1	-	1	1	-	-	-	4	3	6	1	28	2	-	-	15
4	1	-	3	-	-	-	-	-	1	-	-	-	1	2	2	2	8	-	2	-	16
1	2	-	1	-	-	-	-	-	-	-	-	1	2	2	4	1	5	1	1	-	17
1	2	-	3	-	-	-	-	-	1	-	-	-	6	2	7	1	9	1	3	-	18
1	3	1	1	-	-	1	-	-	-	-	-	2	-	-	2	-	5	-	1	-	19
4	3	-	3	1	-	2	-	-	-	-	-	-	4	1	6	1	12	3	1	1	20
29	8	-	15	4	1	7	2	-	5	-	-	2	14	4	21	9	31	6	3	8	21
19	5	-	11	4	1	2	1	-	4	-	-	-	11	2	13	4	16	2	1	3	22
10	3	-	4	-	-	5	1	-	1	-	-	2	3	2	8	5	15	4	2	5	23
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5	-	1	1	24
-	2	-	1	-	-	1	-	1	-	-	-	-	-	1	2	1	10	-	1	3	25
2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	5	5	1	-	26
3	1	-	-	-	-	-	1	-	-	-	-	1	5	3	4	5	8	6	1	-	27
-	2	-	2	-	-	4	-	-	-	-	-	-	-	1	2	-	14	1	-	-	28
4,941	385	47	1,503	234	205	485	415	61	395	63	5	157	274	297	1,666	705	758	394	243	61	29
3,427	221	36	1,034	168	136	334	309	42	255	43	2	113	177	124	1,109	372	426	269	166	39	30
1,514	164	11	469	66	69	151	106	19	140	20	3	44	97	173	557	333	332	125	77	22	31
3,925	237	36	1,149	170	143	345	329	47	273	43	3	120	186	155	1,254	436	480	292	178	44	32
3,164	200	33	942	144	123	299	281	38	226	37	2	106	161	107	1,029	341	386	249	156	38	33
761	37	3	207	26	20	46	48	9	47	6	1	14	25	48	225	95	94	43	22	6	34
1,016	148	11	354	64	62	140	86	14	122	20	2	37	88	142	412	269	278	102	65	17	35
263	21	3	92	24	13	35	28	4	29	6	-	7	16	17	80	31	40	20	10	1	36
753	127	8	262	40	49	105	58	10	93	14	2	30	72	125	332	238	238	82	55	16	37
24	15	-	8	1	2	10	2	1	3	3	1	3	11	28	39	47	40	8	10	2	38
120	17	-	58	2	9	26	10	2	8	6	-	4	14	11	41	22	23	12	5	3	39
34	-	-	12	-	3	6	2	1	3	3	-	2	5	1	12	5	7	3	1	-	40
86	17	-	46	2	6	20	8	1	5	3	-	2	9	10	29	17	16	9	4	3	41
46	13	1	19	4	5	11	2	-	12	1	-	3	16	17	28	25	26	12	3	1	42
27	4	-	9	3	1	5	1	-	8	1	-	1	5	7	9	6	6	5	1	-	43
19	9	1	10	1	4	6	1	-	4	-	-	2	11	10	19	19	20	7	2	1	44
91	9	1	17	1	2	8	6	2	22	1	-	2	6	10	37	19	16	13	1	-	45
52	4	-	20	6	1	10	1	1	1	-	-	1	5	3	18	5	7	-	5	1	46
28	2	-	5	3	2	2	-	-	4	-	-	-	2	-	6	1	3	-	3	-	47
2,774	170	30	878	129	99	236	216	31	204	35	2	88	155	126	889	315	378	212	128	31	48
33	3	-	14	-	3	2	1	-	2	-	-	2	1	-	10	5	3	1	2	-	49
108	9	4	32	6	2	9	9	-	9	2	-	8	4	7	38	17	22	17	6	4	50
253	18	1	72	9	9	26	17	2	13	6	-	7	18	9	82	24	32	19	3	2	51
1,509	100	19	507	74	59	148	128	18	130	20	1	54	108	66	496	179	208	123	91	21	52
166	10	3	54	14	7	15	15	3	10	2	-	6	1	4	66	15	18	15	4	2	53
96	4	1	27	5	2	6	11	1	3	1	-	3	2	4	24	13	17	7	7	-	54
609	26	2	172	21	17	30	35	7	37	4	1	8	21	36	173	62	78	30	15	2	55
102	18	2	36	1	5	6	7	3	4	1	-	4	3	11	24	17	24	11	5	-	56
59	14	1	14	6	7	12	1	1	18	2	-	5	13	17	51	37	28	5	8	3	57
1,151	67	6	271	41	44	109	113	16	69	8	1	32	31	29	365	121	102	80	50	13	58
999	56	5	236	36	41	93	100	14	59	6	1	26	27	17	313	88	86	67	43	9	59
152	11	1	35	5	3	16	13	2	10	2	-	6	4	12	52	33	16	13	7	4	60
138	16	2	51	9	12	15	14	-	18	2	-	7	6	28	49	41	51	10	13	4	61
20	1	-	3	2	3	1	-	-	3	-	-	-	1	2	6	2	8	3	2	1	62
118	15	2	48	7	9	14	14	-	15	2	-	7	5	26	43	39	43	7	11	3	63
31	-	-	9	2	3	4	8	-	3	1	-	3	3	-	7	3	3	2	2	1	64
174	14	4	61	18	8	24	23	2	17	1	-	1	1	6	63	10	17	14	6	1	65
89	5	3	29	11	3	16	19	1	7	-	-	1	-	3	27	5	5	5	4	-	66
85	9	1	32	7	5	8	4	1	10	1	-	-	1	3	36	5	12	9	2	1	67
151	26	-	56	11	6	12	12	2	12	2	1	4	8	11	49	42	40	15	4	1	68
93	11	-	39	8	3	7	6	2	8	2	-	3	5	4	26	13	14	4	2	-	69
58	15	-	17	3	3	5	6	-	4	-	1	1	3	7	23	29	26	11	2	1	70

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**ARKANSAS**	22,226	34	2	172	3,970	960	1,012	298	475	158	177	890	414	11,705	7,958	78	151
02	URBAN PLACES	8,032	14	-	62	1,426	360	351	122	158	59	58	318	145	4,203	2,802	30	54
03	BALANCE OF AREA	14,194	20	2	110	2,544	600	661	176	317	99	119	572	269	7,502	5,156	48	97
04	METROPOLITAN COUNTIES	6,023	10	-	44	1,077	253	264	80	118	49	44	269	117	2,977	2,031	24	41
05	URBAN PLACES	4,559	7	-	35	819	198	201	66	84	36	34	200	84	2,284	1,560	17	35
06	BALANCE OF AREA	1,464	3	-	9	258	55	63	14	34	13	10	69	33	693	471	7	6
07	NONMETROPOLITAN COUNTIES	16,203	24	2	128	2,893	707	748	218	357	109	133	621	297	8,728	5,927	54	110
08	URBAN PLACES	3,473	7	-	27	607	162	150	56	74	23	24	118	61	1,919	1,242	13	19
09	BALANCE OF AREA	12,730	17	2	101	2,286	545	598	162	283	86	109	503	236	6,809	4,685	41	91
10	ARKANSAS	296	-	-	1	40	11	13	3	7	1	1	4	4	166	101	-	3
11	STUTTGART	160	-	-	1	27	9	6	3	3	1	1	4	-	82	53	-	1
12	BALANCE OF COUNTY	136	-	-	-	13	2	7	-	4	-	-	-	4	84	48	-	2
13	ASHLEY	252	-	-	-	34	6	13	-	6	1	3	5	-	130	80	-	3
14	BAXTER	294	-	-	3	62	13	14	4	9	1	4	17	7	162	118	5	2
15	BENTON	656	-	-	7	107	21	28	7	16	8	5	22	9	368	206	4	1
16	ROGERS	152	-	-	-	27	4	6	3	6	1	2	5	1	86	41	-	-
17	SPRINGDALE, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
18	BALANCE OF COUNTY	503	-	-	7	80	17	22	4	10	7	3	17	8	281	164	4	1
19	BOONE	256	-	-	-	54	6	9	9	3	4	2	21	3	135	86	1	1
20	BRADLEY	179	-	1	2	38	15	10	-	4	2	-	7	-	96	59	-	-
21	CALHOUN	83	-	-	-	17	4	3	4	2	1	-	3	2	47	33	-	-
22	CARROLL	203	1	-	2	33	4	10	4	5	1	2	7	2	115	75	-	2
23	CHICOT	249	1	-	5	36	7	9	4	5	1	2	8	5	127	72	1	1
24	CLARK	199	2	-	2	38	6	9	5	4	2	3	9	-	101	63	-	-
25	CLAY	274	-	-	3	61	6	23	4	5	1	6	16	-	152	106	2	1
26	CLEBURNE	149	-	-	-	29	7	6	2	6	3	1	4	2	85	66	-	-
27	CLEVELAND	72	-	-	1	12	4	4	-	2	1	-	1	3	39	27	-	-
28	COLUMBIA	326	-	-	4	52	13	15	1	5	-	5	13	12	179	124	1	11
29	MAGNOLIA	139	-	-	3	25	5	8	-	2	-	2	8	7	77	57	1	7
30	BALANCE OF COUNTY	187	-	-	1	27	8	7	1	3	-	3	5	5	102	67	-	4
31	CONWAY	206	-	-	1	39	11	10	1	8	1	3	5	1	106	78	1	-
32	CRAIGHEAD	567	-	-	5	108	31	26	6	9	1	10	25	6	317	184	1	3
33	JONESBORO	293	-	-	3	50	16	10	4	6	-	4	10	2	175	95	1	1
34	BALANCE OF COUNTY	274	-	-	2	58	15	16	2	3	1	6	15	4	142	89	-	2
35	CRAWFORD	285	1	-	-	46	8	14	-	4	4	4	12	8	139	93	1	-
36	CRITTENDEN	472	1	-	8	80	23	20	7	8	-	2	20	7	207	123	3	2
37	WEST MEMPHIS	242	1	-	4	44	9	13	5	4	-	2	11	4	103	58	2	1
38	BALANCE OF COUNTY	230	-	-	4	36	14	7	2	4	-	-	9	3	104	65	1	1
39	CROSS	184	-	-	-	43	11	13	2	3	-	-	14	4	88	61	-	-
40	DALLAS	145	-	-	1	28	10	5	3	4	1	2	3	4	74	58	-	1
41	DESHA	210	-	-	3	45	12	6	3	6	2	2	14	5	103	67	-	3
42	DREW	175	-	-	1	34	8	8	3	4	-	4	7	6	90	63	-	2
43	FAULKNER	304	1	-	1	48	10	11	4	8	4	3	8	4	157	113	1	-
44	CONWAY	127	-	-	1	23	5	6	2	3	1	3	3	-	76	55	1	-
45	BALANCE OF COUNTY	177	1	-	-	25	5	5	2	5	3	-	5	4	81	58	-	-
46	FRANKLIN	161	-	-	-	24	5	5	-	2	2	1	9	3	95	62	1	1
47	FULTON	125	-	-	1	17	3	7	1	2	1	-	3	4	77	51	1	1
48	GARLAND	951	4	-	4	201	55	46	21	22	7	8	42	20	515	372	3	5
49	HOT SPRINGS	722	3	-	4	133	38	29	14	16	2	3	31	14	411	282	3	5
50	BALANCE OF COUNTY	229	1	-	-	68	17	17	7	6	5	5	11	6	104	90	-	-
51	GRANT	106	-	-	1	25	5	12	1	4	-	1	2	2	49	34	-	-
52	GREENE	308	1	-	3	42	9	13	4	3	3	1	9	6	189	136	2	2
53	PARAGOULD	183	1	-	1	24	4	8	4	2	1	-	5	5	113	78	2	-
54	BALANCE OF COUNTY	125	-	-	2	18	5	5	-	1	2	1	4	1	76	58	-	2
55	HEMPSTEAD	283	-	-	2	46	12	14	5	7	1	-	7	9	148	106	2	2
56	HOT SPRING	268	1	-	-	41	9	9	3	3	-	4	13	6	159	112	-	-
57	HOWARD	140	2	-	-	24	4	4	2	5	-	1	8	2	85	61	1	-
58	INDEPENDENCE	242	1	-	-	31	6	3	4	3	2	2	11	7	168	133	-	1
59	IZARD	122	-	-	2	24	8	8	1	3	1	1	2	1	76	58	1	2
60	JACKSON	237	-	-	2	49	15	12	4	8	2	2	6	6	139	102	2	1
61	JEFFERSON	898	-	-	1	179	47	35	13	20	11	4	49	18	457	297	2	18
62	PINE BLUFF	708	-	-	1	141	40	27	11	11	10	4	38	14	360	236	2	14
63	BALANCE OF COUNTY	190	-	-	-	38	7	8	2	9	1	-	11	4	97	61	-	4
64	JOHNSON	223	-	-	3	56	14	12	6	9	2	1	12	6	107	72	-	4
65	LAFAYETTE	143	-	-	3	20	3	8	1	3	-	1	4	4	48	33	-	2
66	LAWRENCE	210	-	-	2	40	12	14	2	4	1	-	7	3	120	98	1	10
67	LEE	190	-	-	2	32	7	5	6	5	3	-	6	5	104	73	-	-
68	LINCOLN	134	-	-	1	21	8	6	-	2	-	-	5	3	79	58	1	-
69	LITTLE RIVER	134	-	-	-	30	3	6	4	6	3	1	7	1	62	51	-	3
70	LOGAN	224	1	-	-	46	7	14	4	2	3	2	14	3	121	83	2	6
71	LONOKE	301	-	-	6	49	12	12	3	8	1	1	12	7	161	93	3	1
72	MADISON	112	-	-	-	21	4	5	1	5	1	-	5	6	57	24	2	-
73	MARION	117	-	-	1	28	9	5	2	4	-	-	8	3	56	43	-	-
74	MILLER	406	-	-	4	71	13	18	6	6	6	2	20	5	193	136	2	1
75	TEXARKANA	271	-	-	1	45	10	12	4	5	4	2	8	5	135	94	2	1
76	BALANCE OF COUNTY	135	-	-	3	26	3	6	2	1	2	-	12	-	58	42	-	-
77	MISSISSIPPI	609	-	-	7	100	19	36	3	14	4	4	20	17	292	184	-	1
78	BLYTHEVILLE	230	-	-	4	38	8	12	1	5	2	1	9	4	110	68	-	-
79	BALANCE OF COUNTY	379	-	-	3	62	11	24	2	9	2	3	11	13	182	116	-	1

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
6,697	1,032	93	2,983	384	287	561	298	62	185	127	4	132	297	843	1,636	538	726	223	238	59	01
2,358	360	37	1,121	144	99	185	111	19	101	50	2	59	115	286	626	151	225	105	125	22	02
4,339	672	56	1,862	240	188	376	187	43	84	77	2	73	182	557	1,010	387	501	118	113	37	03
1,589	377	18	777	93	58	148	73	10	64	35	1	53	106	304	466	132	179	95	113	19	04
1,260	248	12	588	78	46	108	61	6	56	32	1	45	76	192	366	82	126	73	90	16	05
329	129	6	189	15	12	40	12	4	8	3	-	8	30	112	100	50	53	22	23	3	06
5,108	655	75	2,206	291	229	413	225	52	121	92	3	79	191	539	1,170	406	547	128	125	40	07
1,098	112	25	533	66	53	77	50	13	45	18	1	14	39	94	260	69	99	32	35	6	08
4,010	543	50	1,673	225	176	336	175	39	76	74	2	65	152	445	910	337	448	96	90	34	09
89	9	1	58	3	3	4	4	-	1	3	-	1	4	24	17	7	17	2	-	1	10
48	4	1	27	-	1	3	3	-	1	3	-	-	1	18	12	2	6	1	-	-	11
41	5	-	31	3	2	1	1	-	-	-	-	1	3	6	5	5	11	1	-	1	12
68	9	1	33	9	7	7	2	1	-	4	-	1	4	31	18	6	8	1	5	-	13
106	5	2	37	2	3	11	1	-	3	-	-	3	1	3	23	4	9	2	-	-	14
184	17	2	131	10	19	20	6	2	2	4	-	6	5	35	37	17	17	11	3	-	15
39	2	1	38	1	5	4	3	-	1	1	-	2	1	6	5	4	6	3	2	-	16
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
144	15	1	93	9	14	16	3	2	1	3	-	4	4	29	32	13	11	8	1	-	18
80	4	1	32	10	6	7	4	-	3	1	-	3	3	1	21	5	10	4	2	-	19
53	6	-	26	7	4	6	5	1	1	2	-	2	-	3	14	4	4	-	-	-	20
21	12	-	11	1	2	1	-	-	2	-	1	2	-	2	5	2	2	-	-	-	21
72	1	2	28	6	4	11	5	1	2	1	-	-	2	2	18	1	5	2	-	-	22
64	6	1	42	9	3	9	2	-	4	1	-	-	7	16	13	6	12	1	4	-	23
58	5	2	30	4	2	4	2	2	2	-	-	2	-	14	13	9	6	2	-	-	24
98	5	2	40	1	3	4	6	1	2	-	-	-	-	6	20	6	10	2	1	-	25
62	4	-	14	3	2	5	-	-	-	2	-	-	1	1	14	3	4	2	1	-	26
25	2	1	10	1	-	3	1	-	-	2	-	-	1	1	5	2	2	-	-	-	27
104	8	3	43	4	5	5	4	-	-	8	-	2	4	2	28	7	15	-	3	1	28
45	4	-	18	1	1	2	1	-	-	3	-	1	2	-	10	3	3	-	1	1	29
59	4	3	25	3	4	3	3	-	-	5	-	1	2	2	18	4	12	-	2	-	30
68	9	2	24	1	1	4	2	1	1	1	-	1	1	3	15	11	12	3	4	1	31
167	13	4	107	16	6	9	16	3	2	3	-	3	5	15	45	9	10	4	4	3	32
85	8	2	64	9	5	4	6	1	2	2	-	2	3	5	26	1	3	3	3	2	33
82	5	2	43	7	1	5	10	2	-	1	-	1	2	10	19	8	7	1	1	1	34
61	31	-	38	5	3	2	1	2	1	1	-	2	6	30	19	7	13	4	2	1	35
61	57	3	74	3	4	16	6	-	4	2	-	4	6	27	44	17	22	9	10	2	36
32	23	2	38	3	2	11	6	2	2	2	-	2	4	9	23	5	8	5	7	2	37
29	34	1	36	-	2	5	-	-	2	-	-	2	2	18	21	12	14	4	3	-	38
57	4	-	19	3	5	5	5	-	2	1	-	2	2	4	12	7	6	2	1	-	39
51	6	-	12	3	1	3	2	-	-	3	-	1	1	8	8	7	3	-	1	1	40
56	8	-	31	1	4	10	3	-	1	1	-	-	3	16	9	4	6	-	-	1	41
55	6	1	20	3	3	1	2	1	1	2	-	1	2	6	7	4	10	4	3	-	42
87	25	-	42	2	-	4	3	-	3	-	-	2	5	9	27	17	18	2	2	1	43
47	7	-	20	1	-	3	-	-	2	-	-	-	1	1	7	6	6	1	-	-	44
40	18	-	22	1	-	1	3	-	1	-	-	2	4	8	20	11	12	1	2	1	45
53	7	1	27	3	2	3	2	1	-	1	-	-	2	1	11	6	9	1	1	1	46
48	2	-	20	3	3	5	4	-	-	1	-	-	1	-	8	2	5	-	-	-	47
325	39	1	120	8	14	21	16	7	15	3	-	3	10	14	69	18	19	9	3	-	48
248	26	1	107	8	13	16	13	6	11	2	-	2	6	14	54	13	11	6	3	-	49
77	13	-	13	-	1	5	3	1	4	1	-	1	4	-	15	5	8	3	-	-	50
32	4	-	8	5	-	3	1	1	-	-	-	-	2	-	11	2	4	-	1	4	51
114	18	-	40	12	1	11	7	2	3	-	-	2	2	6	17	7	6	4	2	-	52
64	12	-	25	9	1	9	3	1	2	-	-	-	2	4	11	2	2	2	1	-	53
50	6	-	15	3	-	2	4	1	1	-	-	-	-	2	6	5	4	2	1	-	54
91	11	-	37	1	4	9	5	1	1	1	-	-	3	4	25	5	18	2	3	1	55
85	27	-	40	4	3	7	3	1	3	-	-	-	3	3	18	7	11	1	2	2	56
56	4	-	18	2	4	1	3	1	1	-	-	1	3	-	5	4	3	2	3	-	57
124	8	1	21	5	8	7	1	1	1	-	-	2	1	-	13	4	3	2	-	-	58
46	9	1	13	-	4	7	1	-	-	-	-	-	-	1	7	2	1	-	-	-	59
84	15	-	34	1	2	-	4	-	1	-	-	1	-	-	4	17	4	9	1	-	60
243	34	4	138	11	7	21	8	2	5	6	-	7	17	31	71	17	22	8	26	2	61
197	23	2	108	9	5	16	8	1	5	6	-	6	10	26	59	11	17	6	19	2	62
46	11	2	30	2	2	5	-	1	-	-	-	1	7	5	12	6	5	2	7	-	63
61	11	-	20	12	3	8	8	1	1	1	-	1	2	2	18	3	5	1	-	-	64
28	3	2	11	1	1	5	1	-	1	3	-	3	2	15	19	8	8	-	2	1	65
71	16	-	18	2	2	2	1	1	2	-	-	1	1	3	23	2	6	3	-	-	66
63	10	2	24	2	3	4	2	1	-	3	-	1	5	6	8	7	6	2	2	-	67
50	7	-	17	3	1	5	1	-	1	1	-	-	3	3	6	1	6	1	2	-	68
45	3	2	9	-	-	2	3	-	-	1	-	2	7	2	9	5	6	2	2	-	69
54	21	2	32	3	1	6	7	1	1	-	-	-	1	7	18	5	6	1	-	-	70
70	19	-	61	2	5	13	2	-	4	1	-	1	3	7	24	7	10	2	2	2	71
19	3	-	14	15	4	1	1	-	-	-	-	-	1	5	13	3	2	1	1	-	72
39	4	1	10	1	1	2	1	1	3	1	-	1	-	4	10	2	4	-	-	-	73
84	49	1	44	8	4	9	5	-	5	3	-	2	4	47	16	13	10	6	13	-	74
61	30	1	32	6	2	3	2	-	4	3	-	1	2	30	11	6	7	4	12	-	75
23	19	-	12	2	2	6	3	-	1	-	-	1	2	17	5	3	3	2	1	-	76
160	23	1	92	7	8	20	9	4	6	4	-	4	10	31	38	25	18	9	11	4	77
60	8	1	35	1	5	8	3	2	3	-	-	1	4	8	15	11	7	5	5	2	78
100	15	-	57	6	3	12	6	2	3	4	-	3	6	23	23	14	11	4	6	2	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ARKANSAS—CON.																	
01	MONROE	180	-	-	2	23	10	5	-	2	-	3	3	3	110	63	1	4
02	MONTGOMERY	86	-	-	-	13	3	7	1	-	-	1	1	-	47	35	1	-
03	NEVADA	158	-	-	4	26	6	3	2	4	1	-	10	-	84	66	-	2
04	NEWTON	62	-	-	-	13	2	4	1	-	-	1	5	1	32	24	-	-
05	OUACHITA	358	-	-	1	54	16	13	7	11	5	-	2	5	173	120	2	2
06	CAMDEN	196	-	-	1	29	11	8	4	3	3	-	-	3	99	69	2	-
07	BALANCE OF COUNTY	162	-	-	-	25	5	5	3	8	2	-	2	2	74	51	2	-
08	PERRY	54	-	-	-	10	2	4	-	2	1	-	1	2	32	27	1	1
09	PHILLIPS	486	1	-	8	60	18	17	1	10	3	2	9	8	278	178	1	2
10	HELENA	151	-	-	-	19	9	3	-	2	1	-	4	1	101	55	1	-
11	WEST HELENA	130	1	-	3	19	2	8	-	5	1	1	2	4	65	42	-	2
12	BALANCE OF COUNTY	205	-	-	5	22	7	6	1	3	1	1	3	3	112	81	-	2
13	PIKE	98	-	-	1	14	6	2	1	3	1	-	1	2	53	32	-	-
14	POINSETT	266	2	-	3	48	11	11	1	7	2	3	13	3	140	87	1	2
15	POLK	182	-	-	1	35	5	9	-	3	2	2	14	4	107	91	-	6
16	POPE	271	-	-	2	59	16	14	12	6	3	4	4	6	145	94	1	-
17	RUSSELLVILLE	117	-	-	-	27	7	7	5	1	3	1	3	3	60	38	-	-
18	BALANCE OF COUNTY	154	-	-	2	32	9	7	7	5	-	3	1	3	85	56	1	-
19	PRAIRIE	120	-	-	-	21	6	7	2	1	-	1	4	1	55	32	-	1
20	PULASKI	2,809	5	-	20	503	112	138	39	57	22	22	113	58	1,405	968	9	14
21	JACKSONVILLE	108	-	-	1	12	3	5	1	-	-	-	3	-	43	31	1	1
22	LITTLE ROCK	1,618	3	-	13	283	66	76	20	31	9	17	64	28	837	575	4	6
23	NORTH LITTLE ROCK	771	2	-	4	148	32	38	13	16	9	4	36	20	383	263	2	7
24	BALANCE OF COUNTY	312	-	-	2	60	11	19	5	10	4	1	10	10	142	99	2	-
25	RANDOLPH	173	-	-	-	29	8	11	-	1	-	2	7	4	106	83	-	1
26	ST. FRANCIS	325	-	-	7	56	10	13	3	14	1	2	13	9	153	118	-	2
27	FORREST CITY	165	-	-	4	31	5	8	3	7	-	2	6	5	76	59	-	1
28	BALANCE OF COUNTY	160	-	-	3	25	5	5	-	7	1	-	7	4	77	59	-	1
29	SALINE	333	1	-	1	54	12	12	5	6	1	3	15	12	172	130	3	4
30	BENTON	176	-	-	1	30	7	7	3	5	-	-	8	7	87	65	1	3
31	BALANCE OF COUNTY	157	1	-	-	24	5	5	2	1	1	3	7	5	85	65	2	1
32	SCOTT	104	1	-	-	21	7	6	3	2	-	1	2	-	54	43	-	-
33	SEARCY	83	-	-	-	16	5	2	2	4	-	1	2	2	35	17	-	-
34	SEBASTIAN	820	2	-	10	144	38	27	10	17	5	7	40	9	404	284	4	2
35	FORT SMITH	665	1	-	10	116	31	23	9	12	4	5	32	6	336	238	3	2
36	BALANCE OF COUNTY	155	1	-	-	28	7	4	1	5	1	2	8	3	68	46	1	-
37	SEVIER	160	1	-	-	33	5	7	3	1	1	3	13	5	85	63	1	9
38	SHARP	127	-	-	1	26	9	6	2	1	-	-	8	4	73	56	1	1
39	STONE	76	-	-	1	9	3	3	-	-	-	-	3	-	47	39	-	1
40	UNION	548	1	1	5	119	38	31	6	8	4	3	29	7	293	168	2	4
41	EL DORADO	311	-	-	2	69	22	17	4	3	4	2	17	2	170	96	2	2
42	BALANCE OF COUNTY	237	1	1	3	50	16	14	2	5	-	1	12	5	123	72	-	2
43	VAN BUREN	116	-	-	-	12	4	1	1	4	-	-	2	2	73	53	-	-
44	WASHINGTON	701	3	-	1	121	29	26	13	18	7	6	22	14	378	271	3	1
45	FAYETTEVILLE	235	-	-	-	33	8	6	7	5	2	2	3	2	139	95	-	-
46	SPRINGDALE, PART	161	2	-	-	33	9	8	2	5	1	-	8	8	78	58	2	-
47	SPRINGDALE, TOTAL	162	2	-	-	33	9	8	2	5	1	-	8	8	79	59	2	-
48	BALANCE OF COUNTY	305	1	-	1	55	12	12	4	8	4	4	11	4	161	118	1	1
49	WHITE	507	-	-	6	96	27	29	4	6	3	7	20	6	228	143	3	1
50	WOODRUFF	155	-	-	2	23	6	7	3	3	1	1	2	2	82	52	-	-
51	YELL	188	-	-	1	31	10	9	3	1	1	1	6	4	121	91	-	1
52	**CALIFORNIA**	170,403	252	26	883	33,638	8,875	8,038	3,123	3,867	1,548	1,369	6,818	2,431	87,255	62,751	1,496	859
53	URBAN PLACES	128,278	181	20	683	25,330	6,792	5,981	2,395	2,886	1,155	1,018	5,103	1,835	66,399	47,691	1,124	636
54	BALANCE OF AREA	42,125	71	6	200	8,308	2,083	2,057	728	981	393	351	1,715	596	20,856	15,060	372	223
55	METROPOLITAN COUNTIES	155,338	232	22	816	30,802	8,163	7,300	2,938	3,526	1,425	1,235	6,215	2,191	79,735	57,452	1,363	772
56	URBAN PLACES	124,461	177	18	660	24,604	6,602	5,796	2,353	2,791	1,132	977	4,953	1,780	64,513	46,427	1,091	614
57	BALANCE OF AREA	30,877	55	4	156	6,198	1,561	1,504	585	735	293	258	1,262	411	15,222	11,025	272	158
58	NONMETROPOLITAN COUNTIES	15,065	20	4	67	2,836	712	738	185	341	123	134	603	240	7,520	5,299	133	87
59	URBAN PLACES	3,817	4	2	23	726	190	185	42	95	23	41	150	55	1,886	1,264	33	22
60	BALANCE OF AREA	11,248	16	2	44	2,110	522	553	143	246	100	93	453	185	5,634	4,035	100	65
61	ALAMEDA	9,167	14	1	49	1,858	512	418	194	226	69	72	367	123	4,681	3,403	79	29
62	ALAMEDA	615	-	-	3	139	37	36	15	14	3	4	30	5	293	220	7	1
63	ALBANY	156	1	-	-	34	13	5	3	5	2	2	4	3	84	60	2	-
64	BERKELEY	859	1	-	4	167	46	29	24	24	5	8	31	13	463	328	3	3
65	FREMONT	480	-	-	1	112	20	26	14	13	5	10	24	6	210	158	5	-
66	HAYWARD	761	-	-	6	149	48	40	13	15	8	3	22	12	378	288	10	3
67	LIVERMORE	224	-	-	1	55	13	8	8	9	1	5	11	3	109	83	4	-
68	NEWARK	106	-	-	-	28	10	6	1	2	2	-	7	2	42	31	-	-
69	OAKLAND	4,068	8	1	22	764	212	176	63	102	29	23	159	57	2,151	1,530	31	19
70	PIEDMONT	106	-	-	-	25	4	5	2	7	-	-	7	-	69	46	1	-
71	PLEASANTON	121	-	-	1	30	10	6	3	5	1	1	4	-	55	40	3	1
72	SAN LEANDRO	801	1	-	8	173	49	33	26	13	9	10	33	15	410	304	7	1
73	UNION CITY	94	-	-	-	23	8	8	2	2	-	1	2	-	35	21	-	-
74	BALANCE OF COUNTY	776	3	-	3	159	42	40	20	15	4	5	33	7	382	294	6	2
75	ALPINE	2	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
52	7	2	40	5	-	1	6	1	-	1	-	1	3	5	6	5	12	-	-	1	01
32	2	-	11	1	1	3	1	1	-	-	-	-	-	4	9	1	4	3	-	-	02
53	13	-	13	3	2	6	1	-	2	3	-	-	1	11	9	5	1	2	3	-	03
19	3	-	8	-	-	1	1	-	-	-	-	-	-	5	5	2	1	-	1	-	04
92	26	3	35	8	7	10	6	1	3	1	-	2	4	34	38	6	11	4	4	1	05
59	10	1	19	5	5	3	4	1	2	1	-	2	1	14	21	4	7	1	3	-	06
33	16	2	16	3	2	7	2	-	1	-	-	-	3	20	17	2	4	3	1	1	07
23	3	-	4	-	1	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-	08
160	15	18	71	4	7	11	9	-	5	3	1	2	9	24	28	13	13	3	8	2	09
46	8	10	33	-	3	3	3	-	3	-	-	-	2	6	5	1	2	-	5	-	10
38	2	5	14	3	1	1	2	-	1	1	1	-	-	6	11	7	5	2	-	1	11
76	5	3	24	1	3	7	4	-	1	2	-	2	7	12	12	5	6	1	3	1	12
20	12	1	17	1	2	2	4	-	1	-	-	1	-	8	7	3	2	-	-	-	13
73	11	-	44	5	4	3	3	1	2	-	-	-	3	7	23	8	13	1	3	1	14
78	7	-	15	-	1	5	5	-	1	2	-	1	3	4	4	2	3	2	2	1	15
87	6	1	46	3	1	3	6	-	2	-	-	-	3	2	21	3	12	2	3	2	16
37	1	-	21	1	-	-	3	-	1	-	-	-	3	1	11	2	4	1	1	-	17
50	5	1	25	2	1	3	3	-	1	-	-	-	1	1	10	1	8	1	2	2	18
27	4	-	20	1	2	2	-	-	1	-	-	-	3	16	9	-	8	2	1	1	19
787	158	5	345	52	35	58	33	6	41	19	1	28	56	83	231	58	84	53	56	11	20
20	9	1	10	-	1	4	-	-	1	-	-	3	4	3	14	3	11	4	5	-	21
480	85	2	199	37	24	33	18	4	25	13	-	11	31	39	130	24	53	34	34	5	22
205	49	1	98	13	8	13	11	1	13	4	1	12	14	25	63	19	13	11	9	5	23
82	15	1	38	2	2	8	4	1	2	2	-	2	7	16	24	12	7	4	8	1	24
75	8	-	20	2	1	5	1	-	1	1	-	2	-	3	11	5	5	-	-	-	25
106	10	-	24	7	4	8	4	1	1	2	-	3	12	9	25	7	20	2	5	1	26
53	5	-	11	4	2	5	1	-	1	1	-	1	5	5	12	1	14	1	2	-	27
53	5	-	13	3	2	3	3	1	-	1	-	2	7	4	13	6	6	1	3	1	28
109	14	2	34	4	2	18	5	-	2	2	-	1	3	14	25	5	12	4	-	2	29
55	6	-	19	2	1	12	3	-	2	2	-	1	1	5	17	1	5	1	-	1	30
54	8	2	15	2	1	6	2	-	-	-	-	-	2	9	8	4	7	3	-	1	31
37	6	1	6	1	3	2	1	-	-	-	-	1	-	6	6	6	4	1	-	1	32
14	3	1	13	3	1	1	1	-	-	1	-	-	-	13	9	2	2	1	-	-	33
244	34	3	104	10	3	24	15	-	6	2	-	9	14	72	60	15	16	11	6	1	34
210	23	3	84	8	3	16	13	-	4	2	-	9	10	55	49	13	12	8	4	1	35
34	11	-	20	2	-	8	2	-	2	-	-	-	4	17	11	2	4	3	2	-	36
47	6	1	18	2	1	2	3	-	3	1	-	-	1	3	8	6	7	-	2	-	37
44	10	-	15	1	1	-	3	-	-	-	-	-	1	1	11	5	-	1	-	1	38
30	8	-	7	-	1	2	-	-	1	-	-	1	1	1	5	7	1	-	-	-	39
143	19	3	96	15	11	11	1	2	14	3	-	2	3	4	37	14	21	6	4	-	40
84	8	1	61	8	4	6	-	-	11	1	-	1	2	3	23	6	11	2	2	-	41
59	11	2	35	7	7	5	1	2	3	2	-	1	1	1	14	8	10	4	2	-	42
48	5	1	15	2	2	3	-	1	1	-	-	-	2	3	8	3	3	1	4	-	43
251	16	3	67	25	12	21	7	3	5	6	-	5	13	6	63	15	25	5	10	-	44
88	7	1	26	11	6	8	2	2	3	3	-	1	2	-	24	4	7	4	1	-	45
56	-	1	14	4	1	2	3	-	1	-	-	1	4	3	13	2	5	-	6	-	46
57	-	1	14	4	1	2	3	-	1	-	-	1	4	3	13	2	5	-	6	-	47
107	9	1	27	10	5	11	2	1	1	3	-	3	7	3	26	9	13	1	3	-	48
128	11	-	78	3	4	23	2	2	2	3	-	3	9	42	48	13	17	1	3	3	49
41	11	1	23	5	1	12	1	-	-	2	1	2	4	6	8	2	5	1	1	1	50
85	5	-	24	4	2	1	2	1	-	1	-	1	1	1	14	3	4	2	-	-	51
57,868	2,528	524	18,759	2,689	2,532	4,173	2,787	680	4,673	490	37	1,275	2,074	933	12,431	4,283	6,066	3,683	2,062	271	52
44,076	1,855	394	14,482	2,001	1,831	3,076	1,961	473	3,680	359	28	926	1,553	681	9,270	2,741	4,456	2,770	1,644	212	53
13,792	673	130	4,277	688	701	1,097	826	207	993	131	9	349	521	252	3,161	1,542	1,610	913	418	59	54
53,055	2,262	468	17,163	2,381	2,271	3,714	2,441	606	4,322	446	35	1,188	1,924	851	11,240	3,715	5,467	3,391	1,943	257	55
42,939	1,783	381	14,027	1,920	1,758	2,941	1,883	452	3,581	348	27	903	1,505	668	8,940	2,626	4,318	2,707	1,601	209	56
10,116	479	87	3,136	461	513	773	558	154	741	98	8	285	419	183	2,300	1,089	1,149	684	342	48	57
4,813	266	56	1,596	308	261	459	346	74	351	44	2	87	150	82	1,191	568	599	292	119	14	58
1,137	72	13	455	81	73	135	78	21	99	11	1	23	48	13	330	115	138	63	43	3	59
3,676	194	43	1,141	227	188	324	268	53	252	33	1	64	102	69	861	453	461	229	76	11	60
3,181	114	33	941	165	139	176	150	33	277	18	-	55	109	54	707	181	383	174	93	31	61
207	5	-	56	7	10	8	14	3	25	1	-	4	5	4	52	10	29	14	4	2	62
57	1	-	22	1	1	4	4	1	5	-	-	1	1	-	9	3	4	1	1	-	63
309	13	3	95	25	12	19	10	3	18	2	-	4	11	4	63	16	33	17	10	1	64
151	2	2	42	5	3	7	7	1	7	1	-	7	13	4	36	17	30	16	2	3	65
263	12	1	71	10	8	14	14	6	29	-	-	4	9	3	56	24	32	15	9	1	66
76	3	1	18	4	3	3	5	1	5	-	-	3	2	3	17	5	9	3	-	-	67
31	-	1	8	1	1	-	1	-	1	1	-	-	1	-	14	5	4	4	3	-	68
1,423	57	15	449	88	69	85	66	7	134	6	-	20	41	30	326	50	171	62	48	19	69
44	1	2	20	1	-	-	-	-	1	-	-	-	-	-	4	2	3	-	1	1	70
37	-	-	12	2	1	2	4	2	1	-	-	2	5	1	7	3	5	3	-	-	71
288	8	4	68	12	22	16	13	5	28	2	-	1	3	2	61	15	29	14	4	1	72
20	1	1	12	-	1	2	1	-	2	-	-	1	4	1	6	9	4	1	5	1	73
275	11	3	68	9	8	16	11	4	21	5	-	8	14	3	56	22	30	24	6	2	74
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
01	AMADOR	149	1	1	-	27	3	9	-	1	3	1	10	6	71	51	1	-
02	BUTTE	1,243	1	-	4	252	61	74	8	32	14	9	54	22	643	451	7	2
03	CHICO	197	-	-	-	41	6	11	1	8	2	-	13	4	99	71	2	1
04	BALANCE OF COUNTY	1,046	1	-	4	211	55	63	7	24	12	9	41	18	544	380	5	1
05	CALAVERAS	176	-	-	-	39	7	13	2	8	2	-	7	5	95	71	1	4
06	COLUSA	119	-	-	-	25	9	5	3	3	1	1	3	1	52	37	-	1
07	CONTRA COSTA	3,969	4	1	18	832	213	212	87	94	34	26	166	36	1,929	1,424	36	17
08	ANTIOCH	202	-	-	1	35	7	8	4	6	7	1	2	2	94	68	1	1
09	CONCORD	503	-	-	5	110	30	33	10	10	4	3	20	4	224	175	3	2
10	EL CERRITO	213	-	-	-	54	17	15	8	2	1	1	10	4	105	78	3	-
11	LAFAYETTE	121	-	-	-	25	11	3	1	4	1	-	5	-	63	45	-	-
12	MARTINEZ	140	-	-	-	34	9	10	3	3	1	2	6	-	61	50	1	-
13	PINOLE	45	-	-	1	12	1	4	1	1	1	1	3	1	21	14	-	-
14	PITTSBURG	210	-	-	1	40	7	10	3	6	-	1	13	3	96	70	3	-
15	PLEASANT HILL	142	-	-	2	30	10	9	3	1	2	-	5	1	65	48	2	-
16	RICHMOND	701	2	-	3	137	42	36	7	19	3	4	26	13	339	246	6	5
17	SAN PABLO	247	-	-	1	38	8	10	2	6	1	2	9	3	131	100	2	2
18	WALNUT CREEK	479	1	1	2	107	27	21	14	8	8	6	23	2	261	179	6	3
19	BALANCE OF COUNTY	966	1	-	2	210	44	53	31	28	5	5	44	3	469	351	9	4
20	DEL NORTE	158	-	-	-	23	5	6	-	2	2	1	7	3	72	47	1	-
21	EL DORADO	448	-	-	2	100	23	29	7	13	6	4	18	9	212	156	4	-
22	SOUTH LAKE TAHOE	82	-	-	-	20	2	9	3	1	-	-	5	2	32	26	3	-
23	BALANCE OF COUNTY	366	-	-	2	80	21	20	4	12	6	4	13	7	180	130	1	-
24	FRESNO	3,593	10	-	25	584	162	136	45	73	28	24	116	64	1,800	1,267	25	19
25	CLOVIS	131	-	-	-	27	5	8	2	1	4	2	5	2	70	54	2	-
26	FRESNO	1,668	6	-	9	262	78	63	14	35	12	8	52	24	864	615	11	10
27	SANGER	67	-	-	-	15	3	-	1	2	-	-	9	4	29	21	-	1
28	BALANCE OF COUNTY	1,727	4	-	16	280	76	65	28	35	12	14	50	34	837	577	12	8
29	GLENN	200	-	-	3	32	6	12	4	2	-	5	3	2	106	80	2	-
30	HUMBOLDT	904	1	1	1	193	52	38	14	30	8	13	38	19	414	283	7	5
31	EUREKA	336	-	1	-	69	18	14	3	13	1	7	13	5	161	102	1	1
32	BALANCE OF COUNTY	568	1	-	1	124	34	24	11	17	7	6	25	14	253	181	6	4
33	IMPERIAL	635	1	-	3	107	21	34	6	9	6	7	24	5	291	199	5	3
34	BRAWLEY	99	-	-	-	15	9	2	-	1	-	-	3	-	46	33	1	-
35	CALEXICO	69	-	-	1	12	-	2	2	1	-	4	3	-	29	26	1	1
36	EL CENTRO	159	1	-	1	31	5	13	1	4	2	1	5	1	77	48	1	-
37	BALANCE OF COUNTY	308	-	-	1	49	7	17	3	3	4	2	13	4	139	92	2	2
38	INYO	189	1	-	1	40	13	9	4	3	5	1	5	2	89	63	2	1
39	KERN	2,966	7	1	16	532	125	146	42	58	31	33	97	48	1,485	1,146	21	19
40	BAKERSFIELD	767	-	-	6	125	40	39	5	14	7	5	15	15	412	327	6	4
41	DELANO	125	-	-	1	24	4	5	1	2	1	1	10	3	58	47	1	1
42	BALANCE OF COUNTY	2,074	7	1	9	383	81	102	36	42	23	27	72	30	1,015	772	15	15
43	KINGS	488	-	-	6	75	22	19	4	10	1	4	15	14	243	150	5	2
44	HANFORD	173	-	-	2	17	4	4	-	3	-	3	3	7	92	54	3	1
45	BALANCE OF COUNTY	315	-	-	4	58	18	15	4	7	1	1	12	7	151	96	2	1
46	LAKE	430	1	-	-	81	22	21	4	9	3	5	17	2	222	153	4	6
47	LASSEN	157	1	-	2	20	4	6	3	2	-	1	4	2	69	51	1	-
48	LOS ANGELES	60,195	88	6	291	11,525	3,045	2,681	1,119	1,317	533	475	2,355	882	32,545	23,948	437	357
49	ALHAMBRA	728	-	-	3	143	47	25	14	23	8	2	24	7	441	322	2	7
50	ARCADIA	434	-	-	1	105	36	27	12	9	6	6	9	6	249	168	2	1
51	ARTESIA	104	-	1	-	22	7	4	2	2	1	2	4	3	42	30	-	-
52	AZUSA	233	-	-	1	44	11	6	5	6	-	3	13	6	116	90	2	1
53	BALDWIN PARK	307	-	-	3	49	13	10	2	5	3	1	15	4	175	120	1	1
54	BELL	249	-	-	2	55	19	11	6	3	3	1	12	6	116	102	2	-
55	BELLFLOWER	479	1	-	2	73	16	25	10	5	1	1	15	5	275	209	3	1
56	BELL GARDENS	230	-	-	1	32	11	8	6	4	1	-	2	2	124	101	4	3
57	BEVERLY HILLS	422	-	-	1	113	34	20	8	14	2	4	31	9	239	173	5	2
58	BURBANK	883	2	-	1	183	46	45	21	27	9	5	30	13	482	351	8	6
59	CARSON	360	2	-	1	76	17	18	8	5	6	3	19	6	167	135	4	2
60	CERRITOS	101	-	-	-	22	8	5	-	3	-	-	6	-	48	35	1	-
61	CLAREMONT	192	-	-	-	34	10	5	5	5	1	1	7	-	121	76	1	1
62	COMMERCE	56	-	-	1	6	-	2	2	1	-	-	1	2	25	14	-	-
63	COMPTON	536	-	-	3	96	26	23	6	12	4	4	21	5	216	150	3	4
64	COVINA	318	-	-	3	61	17	11	7	5	3	6	12	5	166	120	-	-
65	CUDAHY	115	1	-	1	17	1	5	1	3	3	1	3	1	46	42	2	1
66	CULVER CITY	351	-	-	1	70	20	11	11	9	4	2	13	3	187	126	2	-
67	DOWNEY	648	4	-	1	125	22	39	9	16	9	7	23	13	363	273	1	3
68	DUARTE	168	-	-	-	23	9	5	2	1	1	2	3	4	94	66	-	-
69	EL MONTE	571	-	-	2	121	24	32	12	8	9	7	29	7	273	200	6	6
70	EL SEGUNDO	105	-	-	-	23	2	7	1	1	2	2	8	-	57	35	-	1
71	GARDENA	469	-	-	1	104	28	32	10	12	5	3	14	9	234	164	1	-
72	GLENDALE	1,616	1	-	10	330	81	61	27	45	22	16	78	13	947	667	14	9
73	GLENDORA	243	-	-	-	55	13	10	9	6	2	6	9	4	125	93	1	2
74	HAWTHORNE	391	1	-	4	81	22	18	10	6	6	1	18	6	208	161	-	-
75	HERMOSA BEACH	138	-	1	-	31	7	8	3	2	-	-	11	-	82	54	-	-
76	HUNTINGTON PARK	464	1	-	3	83	22	14	12	12	3	3	17	5	251	194	7	6
77	INGLEWOOD	859	1	-	7	157	33	37	19	19	6	10	33	18	464	339	7	7
78	LAKEWOOD	429	-	-	5	94	17	42	7	9	1	3	15	4	218	176	10	-
79	LA MIRADA	168	1	-	3	46	14	13	7	2	2	3	5	5	75	56	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
46	4	3	10	4	3	6	1	2	4	-	-	-	2	-	10	9	4	4	-	1	01
425	17	4	151	20	17	43	40	3	22	-	-	5	11	7	83	33	44	21	9	-	02
64	4	-	23	3	2	10	6	1	4	-	-	1	2	2	9	8	8	-	2	-	03
361	13	4	128	17	15	33	34	2	18	-	-	4	9	5	74	25	36	21	7	-	04
66	-	4	17	2	1	3	2	-	2	-	-	-	-	1	11	6	4	8	-	-	05
34	2	1	10	3	1	3	3	-	3	-	-	2	2	2	12	6	4	3	1	-	06
1,328	43	8	373	57	67	96	103	16	98	7	1	32	42	20	313	116	137	104	58	6	07
62	4	-	13	7	6	5	8	3	4	-	-	2	1	2	13	10	10	6	5	1	08
164	6	2	32	5	10	17	12	2	14	-	-	4	10	3	44	19	16	12	7	-	09
74	1	-	21	4	2	7	3	-	7	-	-	2	-	1	16	4	3	7	-	-	10
43	2	-	15	2	1	5	2	-	1	-	-	2	1	1	9	6	4	3	-	-	11
46	3	1	7	-	3	4	6	-	6	-	-	2	1	-	10	7	4	4	1	-	12
14	-	-	5	-	2	1	2	-	-	-	-	-	-	-	2	3	-	1	1	-	13
64	3	-	19	5	2	3	2	1	5	-	-	2	4	5	22	7	7	7	5	-	14
45	1	-	16	-	1	4	7	-	3	-	-	-	2	-	13	3	6	5	1	-	15
227	8	1	70	9	13	14	18	2	22	2	-	3	8	5	54	13	35	10	20	1	16
95	1	1	24	3	3	6	2	-	9	2	-	1	5	1	18	7	9	8	6	-	17
167	3	1	66	4	11	10	10	1	7	-	-	3	1	-	39	8	9	15	1	1	18
327	11	2	85	18	13	20	31	7	20	3	1	13	8	2	73	29	34	26	11	3	19
38	8	-	18	5	2	7	6	1	6	-	-	-	1	8	13	4	6	4	3	1	20
146	6	1	31	13	11	15	15	1	4	1	-	3	1	-	40	18	11	13	2	1	21
23	-	-	2	3	1	1	2	-	1	-	-	1	1	-	8	6	4	4	1	-	22
123	6	1	29	10	10	14	13	1	3	1	-	2	1	-	32	12	7	9	1	1	23
1,102	41	10	408	62	53	93	52	15	93	11	-	34	61	18	308	160	133	75	50	7	24
51	1	-	15	1	-	2	2	1	1	-	-	3	2	1	8	7	4	1	-	-	25
574	20	3	197	22	27	47	24	5	47	5	-	14	21	10	151	43	70	43	22	1	26
20	-	1	5	2	-	4	2	-	2	1	-	-	2	-	4	2	-	1	1	-	27
537	20	6	191	37	26	40	24	9	43	5	-	17	36	7	145	108	59	30	27	6	28
76	2	1	18	2	5	9	2	3	6	1	-	-	1	3	13	4	7	5	3	-	29
252	19	4	89	20	18	26	16	4	24	2	-	4	7	7	87	31	39	22	6	-	30
93	7	1	40	9	9	12	6	3	12	-	-	1	1	1	37	7	12	6	2	-	31
159	12	3	49	11	9	14	10	1	12	2	-	3	6	6	50	24	27	16	4	-	32
177	14	2	75	7	8	31	7	4	26	6	-	3	6	2	59	33	37	8	5	1	33
29	3	-	10	1	2	4	3	1	6	1	-	-	1	-	7	9	4	2	-	-	34
23	1	-	2	1	-	9	-	-	4	-	-	-	2	-	6	3	3	-	-	-	35
44	3	-	27	-	2	7	1	1	6	1	-	-	1	-	18	1	10	1	1	-	36
81	7	2	36	5	4	11	3	2	10	4	-	3	2	2	28	20	20	5	4	1	37
60	1	-	21	3	2	4	8	2	7	2	-	1	1	1	9	13	4	2	2	-	38
1,056	50	15	242	36	46	72	57	18	88	8	-	23	54	3	212	145	116	40	37	4	39
301	16	6	62	9	8	21	8	6	24	-	-	7	7	-	53	35	30	8	10	-	40
46	1	-	9	2	-	3	3	-	2	1	-	1	1	-	11	5	8	2	1	1	41
709	33	9	171	25	38	48	46	12	62	7	-	15	46	3	148	105	78	30	26	3	42
136	7	4	49	34	6	14	10	1	9	3	-	5	8	4	39	21	26	3	4	3	43
47	3	1	19	16	2	6	4	-	5	-	-	3	2	2	11	8	7	2	4	1	44
89	4	3	30	18	4	8	6	1	4	3	-	2	6	2	28	13	19	1	-	2	45
133	10	-	54	6	9	18	25	1	8	-	-	2	1	2	28	14	19	6	-	-	46
47	3	-	14	2	2	5	5	2	4	-	-	2	6	1	16	12	3	4	3	-	47
22,333	821	173	6,825	909	690	1,088	757	203	1,740	183	19	450	736	331	3,864	1,134	2,059	1,255	984	55	48
300	13	5	90	14	10	17	7	9	10	1	-	4	4	6	43	9	9	12	3	-	49
160	5	3	69	4	5	5	10	-	9	1	-	-	4	1	21	4	7	10	1	-	50
28	2	-	9	1	2	5	2	1	2	1	-	-	2	1	8	4	4	2	4	-	51
80	7	3	20	2	1	2	5	-	9	1	-	1	8	3	11	6	9	8	2	1	52
115	3	1	40	11	3	2	4	-	8	1	-	6	5	4	17	9	11	4	5	-	53
98	2	1	8	1	4	5	6	-	7	1	-	1	7	2	14	7	11	6	2	1	54
197	9	-	50	9	7	10	8	3	9	1	1	5	7	3	30	9	19	18	-	-	55
91	3	-	20	2	1	7	3	-	9	1	-	2	3	1	22	6	13	1	3	-	56
160	6	1	49	12	4	5	4	3	3	-	-	1	-	-	20	1	7	12	4	-	57
326	11	4	100	11	16	11	18	3	36	1	-	5	8	4	45	20	22	20	6	3	58
122	7	3	21	4	4	6	3	2	12	1	1	4	5	3	31	13	6	9	12	-	59
31	3	-	11	1	1	2	-	-	1	1	-	4	5	-	8	4	2	3	1	-	60
73	1	-	38	5	2	4	1	1	4	2	-	-	2	3	10	4	2	4	-	-	61
14	-	2	8	1	-	3	-	1	6	-	-	1	1	-	2	3	2	1	2	-	62
131	12	3	50	4	9	10	5	-	19	1	1	9	27	10	41	19	23	7	43	1	63
117	3	-	37	7	2	8	4	1	5	-	-	2	8	4	12	14	12	9	3	1	64
38	1	-	4	-	-	3	1	-	6	-	-	2	1	3	8	9	8	2	6	-	65
120	4	1	51	4	5	8	5	1	11	2	-	2	9	1	20	6	14	5	6	-	66
262	7	-	75	8	7	12	10	-	15	2	-	4	11	4	32	9	22	15	6	-	67
63	3	1	18	7	2	6	2	-	5	2	-	1	5	-	14	4	6	2	-	-	68
185	3	1	61	7	4	6	12	4	16	1	1	4	11	4	44	17	25	11	11	1	69
32	2	-	15	3	4	-	2	1	2	-	-	-	1	1	5	4	4	3	1	1	70
155	8	1	57	7	5	8	8	1	11	1	-	7	11	1	28	6	25	7	7	-	71
627	17	5	219	31	25	25	17	6	37	3	1	9	10	4	104	17	48	25	9	-	72
86	2	-	25	4	3	1	1	-	6	-	-	4	3	2	18	10	8	4	2	-	73
157	4	1	41	1	4	9	3	6	11	-	-	2	4	3	17	7	12	12	5	-	74
54	-	-	22	6	-	-	1	1	3	2	-	1	2	-	8	3	1	1	-	1	75
176	5	2	48	4	3	13	11	4	18	1	1	5	4	3	30	9	10	10	2	-	76
316	9	1	103	10	11	11	13	-	21	3	-	6	7	3	50	14	30	22	32	-	77
156	10	1	33	4	4	9	9	-	8	-	-	5	3	2	33	8	13	15	3	-	78
51	3	-	15	2	2	-	-	-	1	-	-	3	2	-	12	5	6	7	2	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA—CON.																	
	LOS ANGELES—CON.																	
01	LA PUENTE	250	1	-	3	53	15	11	5	5	1	2	14	2	122	98	2	1
02	LA VERNE	149	-	-	1	23	3	2	4	5	2	3	4	2	91	60	-	2
03	LAWNDALE	159	1	-	1	27	5	7	2	4	-	2	7	3	82	60	1	2
04	LOMITA	172	-	-	-	35	9	5	3	7	1	3	7	4	102	65	1	2
05	LONG BEACH	4,306	6	-	22	769	218	165	79	104	31	20	152	39	2,482	1,830	27	28
06	LOS ANGELES	26,315	50	2	132	4,924	1,348	1,164	459	551	228	193	981	433	14,117	10,434	195	159
07	LYNWOOD	393	2	-	1	79	20	16	9	12	5	4	13	5	194	148	3	1
08	MANHATTAN BEACH	201	-	-	2	40	12	3	1	6	3	3	12	-	100	75	3	1
09	MAYWOOD	160	1	-	2	35	5	10	5	1	1	2	11	3	85	65	-	3
10	MONROVIA	346	-	-	-	64	17	18	5	7	2	5	10	2	215	141	1	1
11	MONTEBELLO	350	-	-	2	66	15	12	7	11	1	4	16	7	198	149	4	3
12	MONTEREY PARK	312	2	-	-	70	17	18	7	10	7	1	10	1	169	126	4	1
13	NORWALK	461	-	-	3	88	17	30	6	11	4	6	14	10	226	166	2	4
14	PALOS VERDES ESTATES	44	-	-	1	15	2	2	3	-	1	-	7	-	24	17	1	1
15	PARAMOUNT	257	1	-	2	56	11	21	5	4	2	3	10	4	117	95	7	1
16	PASADENA	1,445	-	1	1	243	65	45	20	41	17	7	48	19	885	592	12	13
17	PICO RIVERA	298	-	-	1	67	20	14	4	6	2	1	20	10	134	108	1	1
18	POMONA	704	3	-	3	109	28	21	14	17	7	3	19	13	404	263	4	2
19	REDONDO BEACH	454	-	-	2	98	23	32	4	13	4	5	17	5	240	161	4	-
20	ROSEMEAD	359	-	-	-	67	16	16	7	6	2	8	12	4	198	159	3	4
21	SAN DIMAS	122	-	-	-	26	8	6	3	4	-	1	4	4	66	52	2	-
22	SAN FERNANDO	182	-	-	1	36	6	12	6	1	-	2	9	2	99	73	4	1
23	SAN GABRIEL	321	-	-	-	72	19	16	6	9	2	3	17	3	186	134	1	1
24	SAN MARINO	106	-	-	1	27	10	3	1	3	-	1	9	1	57	42	1	1
25	SANTA FE SPRINGS	62	-	-	-	11	1	3	2	-	1	1	3	1	32	22	1	-
26	SANTA MONICA	1,093	2	-	4	215	54	55	24	23	10	6	43	25	632	462	5	9
27	SIERRA MADRE	107	-	-	-	18	7	5	1	3	1	-	1	-	67	50	-	-
28	SOUTH EL MONTE	64	-	-	-	9	3	1	-	1	-	1	3	1	27	20	1	-
29	SOUTH GATE	624	1	-	1	135	28	41	9	11	6	8	32	3	352	277	8	3
30	SOUTH PASADENA	231	-	-	2	37	6	9	1	5	1	4	11	2	148	104	3	3
31	TEMPLE CITY	293	-	-	2	58	18	12	10	5	1	2	10	2	192	143	2	2
32	TORRANCE	795	1	-	4	163	51	37	13	14	6	9	33	16	419	318	8	1
33	WEST COVINA	343	-	-	-	92	17	19	15	7	4	6	24	4	172	130	2	2
34	WHITTIER	830	-	-	4	163	31	37	22	15	6	11	41	7	471	352	6	4
35	BALANCE OF COUNTY	5,520	5	1	32	1,061	287	234	103	115	51	40	231	74	2,814	2,115	29	36
36	MADERA	438	2	1	2	78	17	24	2	9	2	6	18	7	184	135	4	4
37	MADERA	183	1	-	1	32	8	9	-	6	1	2	6	1	75	55	3	3
38	BALANCE OF COUNTY	255	1	1	1	46	9	15	2	3	1	4	12	6	109	80	1	1
39	MARIN	1,339	3	-	13	309	84	57	35	35	8	16	74	21	639	415	17	5
40	LARKSPUR	48	-	-	1	10	2	1	1	2	-	-	4	1	28	16	1	-
41	MILL VALLEY	148	1	-	2	35	9	12	1	5	-	2	6	4	74	48	-	-
42	NOVATO	164	-	-	3	40	16	8	6	2	1	3	4	4	70	46	3	3
43	SAN ANSELMO	109	-	-	1	21	5	3	3	5	1	1	3	2	64	39	1	-
44	SAN RAFAEL	370	-	-	2	81	22	15	8	7	2	4	23	4	175	114	5	-
45	BALANCE OF COUNTY	500	2	-	4	122	30	18	16	14	4	6	34	6	228	152	7	2
46	MARIPOSA	101	-	-	-	21	4	8	6	1	-	-	2	1	51	34	2	1
47	MENDOCINO	557	3	-	4	102	21	32	6	11	6	4	22	9	281	205	8	8
48	UKIAH	123	-	-	-	21	6	5	1	2	1	-	6	3	58	44	2	1
49	BALANCE OF COUNTY	434	3	-	4	81	15	27	5	9	5	4	16	6	223	161	6	7
50	MERCED	814	1	-	4	155	48	37	6	16	4	8	36	17	386	307	9	2
51	ATWATER	58	-	-	1	12	6	2	-	-	-	-	4	-	20	15	-	-
52	MERCED	230	-	-	1	44	17	8	2	2	-	2	13	5	104	80	1	-
53	BALANCE OF COUNTY	526	1	-	2	99	25	27	4	14	4	6	19	12	262	212	8	2
54	MODOC	87	-	-	-	14	2	4	-	1	-	-	7	1	47	28	1	-
55	MONO	36	-	-	-	5	3	1	1	-	-	-	-	-	9	6	-	-
56	MONTEREY	1,842	2	1	13	365	105	86	37	40	16	17	64	29	883	621	26	9
57	MONTEREY	222	-	-	2	51	14	13	5	5	3	3	8	1	111	76	2	3
58	PACIFIC GROVE	183	-	-	4	35	12	5	2	2	2	2	10	3	103	71	4	1
59	SALINAS	514	1	1	2	103	33	24	10	11	6	6	13	9	255	188	6	2
60	SEASIDE	140	-	-	-	28	5	9	2	3	2	2	5	5	54	41	2	-
61	BALANCE OF COUNTY	783	2	-	5	148	41	35	18	19	3	4	28	11	360	245	12	3
62	NAPA	859	1	-	4	176	59	42	14	17	8	9	27	13	403	286	8	2
63	NAPA	501	-	-	3	106	36	28	9	7	6	6	14	5	241	170	3	2
64	BALANCE OF COUNTY	358	1	-	1	70	23	14	5	10	2	3	13	8	162	116	5	-
65	NEVADA	368	-	-	1	86	25	20	5	10	6	4	16	1	198	138	3	6
66	ORANGE	10,098	12	1	56	2,101	523	497	231	248	59	95	408	106	5,190	3,746	114	43
67	ANAHEIM	1,196	1	1	6	259	67	64	23	21	14	11	55	14	613	436	20	8
68	BREA	118	-	-	-	25	6	7	1	3	2	3	3	2	54	42	3	2
69	BUENA PARK	345	-	-	5	55	15	20	5	4	2	2	7	3	180	136	3	1
70	COSTA MESA	505	-	-	3	94	24	23	7	14	6	4	16	4	270	194	6	1
71	CYPRESS	153	-	-	1	33	10	10	2	1	1	2	7	1	76	59	2	-
72	FOUNTAIN VALLEY	193	-	-	-	36	12	10	4	-	2	3	5	2	104	80	2	1
73	FULLERTON	520	-	-	2	111	18	26	15	10	4	5	33	5	276	192	6	4
74	GARDEN GROVE	710	-	-	3	144	39	39	17	14	6	6	23	18	364	275	6	-
75	HUNTINGTON BEACH	614	3	-	4	146	37	36	13	19	6	5	30	6	261	186	4	-
76	LAGUNA BEACH	189	-	-	1	35	8	3	6	4	3	1	10	-	105	70	3	2
77	LA HABRA	253	1	-	2	56	15	16	8	3	2	2	10	3	126	99	2	1
78	LOS ALAMITOS	115	-	-	1	29	11	4	3	2	2	3	4	2	55	44	3	-
79	NEWPORT BEACH	452	-	-	1	120	24	33	15	17	4	3	24	2	228	152	6	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
93	3	1	19	3	1	3	–	1	6	1	–	4	5	3	15	8	8	10	5	–	01
58	–	–	29	–	2	2	2	2	1	–	–	–	3	1	11	5	2	2	1	–	02
54	3	1	16	3	2	2	2	–	4	–	–	1	2	–	17	3	7	5	1	1	03
61	1	–	25	1	1	–	–	–	3	–	–	3	1	1	10	2	5	3	2	–	04
1,719	56	9	506	86	51	69	77	13	151	15	1	22	33	20	271	77	108	91	40	–	05
9,689	391	73	2,964	356	290	485	288	78	855	93	8	188	305	157	1,696	429	978	539	528	30	06
139	5	–	41	2	3	6	7	1	10	1	–	3	8	1	24	8	25	8	10	–	07
70	1	1	21	2	1	2	4	–	7	–	–	2	2	1	16	9	11	4	–	1	08
61	1	3	14	2	1	2	2	1	10	–	–	1	1	–	6	5	2	4	–	–	09
136	3	2	59	11	2	5	5	–	1	–	–	2	5	–	28	5	5	4	5	–	10
132	10	–	41	6	2	7	1	1	7	–	–	2	6	1	22	8	11	8	3	–	11
117	4	–	35	3	5	–	3	–	10	1	–	2	7	–	14	6	15	8	3	1	12
154	6	–	44	3	13	8	4	2	13	1	–	4	11	2	35	17	21	11	4	1	13
15	–	–	5	–	2	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	14
82	5	1	16	3	2	5	6	–	10	1	1	1	8	3	14	7	8	8	5	–	15
541	26	6	236	32	19	38	14	9	22	7	1	6	8	1	89	11	47	24	19	–	16
106	–	1	19	6	–	5	5	–	10	1	–	3	3	2	27	9	12	5	4	–	17
252	5	5	123	7	6	19	7	–	22	–	–	13	11	3	36	22	19	9	14	–	18
151	6	1	53	20	5	7	7	2	9	1	–	4	6	2	28	10	17	14	2	–	19
149	3	–	35	3	1	6	5	1	7	–	–	1	5	2	24	9	19	8	3	–	20
49	1	1	7	3	3	2	3	1	1	–	–	1	–	–	9	2	3	4	–	–	21
65	3	–	22	2	2	1	3	1	3	–	–	2	2	1	14	5	5	4	3	–	22
130	2	1	44	5	2	10	6	–	11	–	–	1	1	–	17	2	5	6	1	–	23
37	3	–	14	–	1	3	1	–	1	1	–	–	1	–	12	–	–	1	–	–	24
20	1	–	6	1	3	2	–	–	2	–	–	–	3	–	4	3	–	3	1	–	25
431	17	5	118	29	18	18	19	5	31	–	–	9	1	2	53	9	25	30	11	2	26
50	–	–	15	1	1	4	2	1	2	–	–	4	1	–	2	2	–	2	–	–	27
17	2	–	7	–	–	–	1	–	5	–	–	2	–	1	4	2	7	–	3	2	28
261	5	2	58	9	6	10	12	1	21	–	–	1	3	3	45	9	9	14	4	–	29
90	–	–	36	3	5	2	2	1	4	2	–	2	2	–	11	4	7	3	2	–	30
138	1	–	33	9	7	2	3	1	3	–	–	–	4	–	12	2	7	5	–	–	31
293	16	1	75	16	9	17	10	1	14	1	–	4	13	5	67	16	25	10	8	1	32
124	2	2	37	1	2	10	5	1	4	–	–	2	2	1	23	5	10	9	3	–	33
332	10	–	102	6	11	15	14	5	14	4	–	6	9	2	49	18	21	14	12	2	34
1,986	64	17	543	78	61	107	62	26	146	22	2	54	84	40	400	144	222	116	104	4	35
126	1	–	40	4	5	15	10	2	20	–	–	2	14	2	45	21	17	3	12	1	36
49	–	–	17	1	2	7	5	1	11	–	–	1	7	1	16	10	6	–	7	1	37
77	1	–	23	3	3	8	5	1	9	–	–	1	7	1	29	11	11	3	5	–	38
371	22	1	168	32	23	29	33	6	26	–	–	10	10	9	103	27	54	35	7	5	39
15	–	–	8	3	1	–	–	–	–	–	–	–	–	–	3	1	2	2	–	–	40
48	–	–	20	4	2	2	2	–	1	–	–	–	1	1	14	2	6	3	–	–	41
37	3	–	18	5	1	4	4	1	4	–	–	2	1	2	12	3	8	3	2	1	42
37	1	–	19	5	1	3	1	–	2	–	–	1	2	–	7	1	4	1	–	–	43
103	6	–	46	7	8	13	10	1	11	–	–	2	2	3	31	9	13	11	2	–	44
131	12	1	57	8	10	7	16	4	8	–	–	5	4	3	36	12	21	15	3	4	45
28	3	–	14	–	3	3	3	–	2	1	–	–	–	–	9	3	3	4	–	–	46
173	16	2	52	11	11	19	9	1	12	3	–	5	–	2	43	12	25	18	6	1	47
39	2	–	12	1	1	5	3	1	4	1	–	1	–	–	12	1	8	3	1	1	48
134	14	2	40	10	10	14	6	–	8	2	–	4	2	2	31	11	17	15	5	–	49
279	17	7	62	3	7	23	18	4	12	1	1	5	13	1	67	42	43	13	7	1	50
15	–	1	4	–	–	2	–	–	3	–	–	1	1	–	8	2	8	–	–	–	51
75	4	2	19	2	1	7	5	2	5	–	1	1	6	–	23	7	7	9	3	–	52
189	13	4	39	1	6	14	13	2	4	1	–	3	6	1	36	33	28	4	4	1	53
25	2	–	13	1	5	1	2	2	5	–	–	–	–	–	5	6	4	–	–	–	54
6	–	–	2	–	1	1	–	1	2	–	–	1	–	–	5	4	8	–	–	–	55
559	27	4	204	27	27	51	41	7	45	5	2	19	23	5	141	66	81	37	26	–	56
70	1	–	32	1	2	6	4	–	3	–	–	1	2	–	20	3	14	4	–	–	57
60	6	–	26	4	2	2	1	2	2	1	–	1	–	–	14	3	7	5	–	–	58
172	8	2	50	8	7	8	12	–	11	1	–	4	6	2	48	18	20	4	10	–	59
38	1	1	10	2	–	6	3	–	7	1	–	3	5	1	14	2	7	3	1	–	60
219	11	1	86	12	16	29	21	5	22	3	1	10	10	2	45	40	33	21	15	–	61
256	20	3	87	13	14	33	18	3	24	4	–	5	6	8	70	27	37	20	7	–	62
150	15	3	54	8	6	14	8	2	16	2	–	5	2	5	42	16	16	14	4	–	63
106	5	–	33	5	8	19	10	1	8	2	–	–	4	3	28	11	21	6	3	–	64
125	4	2	43	6	9	7	7	2	6	–	–	2	1	4	24	8	12	8	–	1	65
3,466	123	24	1,153	126	141	250	159	40	197	18	1	93	184	34	714	256	359	254	70	3	66
395	13	2	151	7	17	27	14	4	19	3	–	19	27	7	91	36	36	15	8	–	67
35	2	–	9	3	–	6	1	–	3	–	–	1	2	1	11	3	3	6	–	–	68
127	5	2	30	3	9	10	5	1	6	–	–	2	15	1	26	11	11	11	3	–	69
175	12	–	64	7	5	17	11	3	13	–	–	3	8	–	33	12	19	12	3	–	70
54	3	–	13	–	4	2	2	1	1	–	–	1	5	2	10	2	12	2	2	–	71
72	5	–	18	1	5	8	2	–	4	–	–	1	2	–	6	2	8	6	2	–	72
174	8	–	75	4	5	15	10	2	9	1	–	4	7	1	38	10	14	14	1	–	73
265	4	4	65	12	8	10	8	3	11	2	–	10	14	1	49	10	37	21	5	–	74
178	4	–	67	5	3	12	8	3	17	–	–	6	10	4	48	22	32	28	4	–	75
64	1	1	30	3	1	2	6	1	6	–	–	1	2	1	8	8	8	4	1	–	76
95	1	2	20	2	3	3	3	4	3	2	–	2	8	–	19	6	6	8	1	–	77
40	1	–	8	1	2	1	2	–	4	–	–	3	–	–	8	3	4	2	1	–	78
142	2	5	52	11	8	13	15	–	8	1	–	1	2	–	31	11	8	11	–	–	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
	ORANGE--CON.																	
01	ORANGE	484	-	-	3	89	29	17	10	14	5	6	8	7	248	173	6	1
02	PLACENTIA	111	-	-	2	22	6	2	1	2	2	1	8	-	51	37	-	2
03	SAN CLEMENTE	187	1	-	-	35	10	8	2	4	4	2	5	1	92	70	1	1
04	SANTA ANA	1,209	2	-	7	222	54	42	24	33	10	13	46	14	622	454	18	3
05	SEAL BEACH	531	1	-	2	96	30	17	15	17	1	1	15	3	334	220	10	7
06	STANTON	136	-	-	1	23	5	7	1	3	1	2	4	1	72	54	-	-
07	TUSTIN	186	-	-	1	41	8	9	10	4	1	-	9	3	80	58	1	1
08	WESTMINSTER	319	-	-	2	67	12	22	5	8	4	2	14	4	161	131	4	-
09	YORBA LINDA	81	-	-	1	17	3	5	2	1	-	2	4	-	31	24	-	-
10	BALANCE OF COUNTY	1,491	3	-	8	350	80	77	42	50	17	16	68	11	787	560	8	7
11	PLACER	843	3	-	1	164	37	42	11	23	11	7	33	20	441	331	7	6
12	ROSEVILLE	215	1	-	1	40	11	8	1	6	3	3	8	5	128	99	1	1
13	BALANCE OF COUNTY	628	2	-	-	124	26	34	10	17	8	4	25	15	313	232	6	5
14	PLUMAS	143	-	-	-	34	5	8	5	3	3	1	9	1	71	50	1	1
15	RIVERSIDE	5,151	9	-	30	994	261	265	80	123	56	40	169	72	2,669	1,826	56	26
16	BANNING	172	-	-	1	29	8	7	4	3	-	1	6	5	90	64	-	-
17	CORONA	198	-	-	1	40	10	11	1	6	5	1	6	6	96	71	2	2
18	HEMET	435	-	-	5	66	17	20	4	9	2	2	12	3	260	179	7	1
19	INDIO	166	-	-	-	32	3	12	1	5	2	-	9	3	74	53	2	2
20	NORCO	61	-	-	-	9	1	4	-	2	-	-	2	1	33	30	2	2
21	PALM SPRINGS	325	3	-	1	77	16	20	8	11	5	2	15	3	163	105	2	2
22	RIVERSIDE	1,134	1	-	5	204	57	51	21	22	12	10	31	14	585	379	21	5
23	BALANCE OF COUNTY	2,660	5	-	17	537	149	140	41	65	30	24	88	37	1,368	945	20	12
24	SACRAMENTO	5,096	6	1	32	1,083	289	256	91	130	53	41	223	75	2,460	1,843	55	14
25	SACRAMENTO	3,105	5	1	22	649	190	149	53	81	32	21	123	50	1,548	1,140	35	11
26	BALANCE OF COUNTY	1,991	1	-	10	434	99	107	38	49	21	20	100	25	912	703	20	3
27	SAN BENITO	181	1	-	-	21	6	1	2	3	1	3	5	9	91	49	1	-
28	SAN BERNARDINO	5,788	9	3	27	1,085	269	287	88	126	53	34	228	81	2,957	2,090	62	34
29	BARSTOW	117	-	-	1	27	5	13	-	1	2	-	6	3	54	46	-	-
30	CHINO	122	-	-	1	24	5	5	-	2	-	-	12	3	56	36	2	2
31	COLTON	178	-	-	1	35	10	15	1	2	-	-	7	4	87	59	1	-
32	FONTANA	212	-	-	1	52	13	15	4	4	3	-	13	5	95	73	3	1
33	MONTCLAIR	88	-	-	-	15	2	5	2	-	-	1	5	1	47	31	-	-
34	ONTARIO	551	1	-	5	87	27	17	7	11	4	5	16	9	314	211	7	1
35	REDLANDS	311	-	-	1	67	18	14	6	10	9	4	6	1	174	114	3	-
36	RIALTO	187	1	-	-	26	4	6	4	1	1	1	9	1	104	71	2	1
37	SAN BERNARDINO	1,063	3	1	7	190	52	48	20	26	7	5	32	23	524	366	10	9
38	UPLAND	267	1	1	-	43	9	11	3	7	2	-	11	4	147	103	2	-
39	VICTORVILLE	89	-	-	2	12	2	2	3	2	2	-	1	-	50	39	-	-
40	BALANCE OF COUNTY	2,603	3	1	8	507	122	136	38	60	23	18	110	27	1,305	941	32	20
41	SAN DIEGO	11,510	15	3	50	2,358	600	566	218	279	119	88	488	132	5,757	3,927	119	68
42	CARLSBAD	146	-	-	-	37	4	15	8	4	-	-	6	3	72	51	-	-
43	CHULA VISTA	584	2	-	3	131	41	30	12	14	8	5	21	4	315	230	7	5
44	CORONADO	139	-	-	-	38	16	7	3	4	2	-	6	-	66	47	2	1
45	EL CAJON	510	-	-	-	83	25	19	9	8	2	2	18	10	262	182	6	1
46	ESCONDIDO	477	-	-	3	110	29	32	9	12	2	4	22	5	227	149	2	1
47	IMPERIAL BEACH	116	-	-	-	18	1	7	2	-	-	1	7	3	58	43	2	2
48	LA MESA	350	-	-	3	64	19	15	4	12	-	2	12	1	186	123	3	2
49	NATIONAL CITY	262	-	-	2	38	9	9	4	5	3	1	7	5	129	83	3	4
50	OCEANSIDE	405	-	-	6	86	27	19	6	10	6	1	17	5	184	122	7	2
51	SAN DIEGO	5,874	9	3	23	1,169	275	280	108	142	63	47	254	63	2,955	2,014	53	39
52	VISTA	289	1	-	1	70	20	13	8	6	5	4	14	5	149	98	3	2
53	BALANCE OF COUNTY	2,358	3	-	9	514	134	120	45	62	28	21	104	28	1,154	785	31	9
54	SAN FRANCISCO, COEX. WITH SAN FRANCISCO CITY	8,497	12	2	52	1,816	563	422	170	180	74	58	349	110	4,068	2,856	62	32
55	SAN JOAQUIN	2,895	5	-	17	495	125	120	53	68	22	16	91	53	1,468	1,056	27	21
56	LODI	390	-	-	3	60	15	14	9	9	2	3	8	6	222	148	3	-
57	MANTECA	150	-	-	1	24	7	6	2	3	1	1	4	4	79	65	1	5
58	STOCKTON	1,231	5	-	7	219	52	59	21	28	6	6	47	25	610	434	8	12
59	TRACY	125	-	-	1	23	5	4	3	1	2	1	7	2	62	48	1	-
60	BALANCE OF COUNTY	999	-	-	5	169	46	37	18	27	11	5	25	16	495	361	14	4
61	SAN LUIS OBISPO	1,110	1	1	4	213	56	46	17	26	7	8	53	13	573	423	5	9
62	SAN LUIS OBISPO	224	-	1	1	37	10	7	5	3	2	3	7	4	124	82	1	1
63	BALANCE OF COUNTY	886	1	-	3	176	46	39	12	23	5	5	46	9	449	341	4	8
64	SAN MATEO	3,978	3	1	23	941	221	249	102	95	47	28	199	41	1,854	1,282	53	12
65	BELMONT	124	1	-	-	29	5	5	4	2	3	1	9	1	56	38	-	1
66	BURLINGAME	316	-	-	2	74	24	16	10	5	3	1	15	4	166	108	3	-
67	DALY CITY	416	1	1	4	99	27	27	6	7	7	4	21	1	177	124	5	1
68	MENLO PARK	308	-	-	3	60	22	10	8	8	-	-	12	5	159	98	3	1
69	MILLBRAE	140	-	-	-	45	17	6	6	3	1	3	9	1	60	50	2	-
70	PACIFICA	167	-	-	-	47	6	14	1	8	2	4	12	2	59	48	4	1
71	REDWOOD CITY	507	-	-	4	107	21	34	15	10	8	1	18	8	245	169	3	-
72	SAN BRUNO	201	-	-	-	49	11	10	5	5	2	1	15	-	102	74	1	1
73	SAN CARLOS	218	-	-	1	59	14	10	10	6	3	3	13	4	98	73	-	1
74	SAN MATEO	692	1	-	4	165	33	47	16	14	13	6	36	6	335	227	14	1
75	SOUTH SAN FRANCISCO	298	-	-	2	69	21	20	4	9	1	1	13	2	133	91	9	-
76	BALANCE OF COUNTY	591	-	-	3	138	20	50	17	18	4	3	26	7	264	182	9	5

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
161	6	1	62	7	5	18	11	2	7	-	-	2	8	1	29	11	24	16	8	-	01
33	2	-	12	1	1	-	3	-	1	1	-	3	4	2	8	4	6	3	1	-	02
65	3	1	14	3	4	6	1	3	4	-	-	8	8	1	29	2	2	2	-	-	03
419	14	1	124	20	23	34	15	5	36	3	-	12	32	3	81	36	42	27	14	2	04
196	7	3	92	6	13	18	7	3	2	1	-	-	-	2	41	3	7	9	2	-	05
52	2	-	11	5	2	7	3	-	4	1	-	1	1	-	5	1	10	3	3	-	06
53	3	-	17	4	1	5	1	1	8	-	-	3	2	4	17	8	6	5	1	-	07
122	5	1	26	2	1	7	8	-	3	-	-	3	4	1	22	11	15	9	2	-	08
24	-	-	6	-	1	3	1	-	3	-	-	2	4	-	5	6	4	2	2	-	09
525	20	1	187	19	20	26	22	4	25	3	1	13	19	2	99	28	45	38	6	1	10
307	11	4	81	12	13	17	15	5	21	2	-	8	6	3	61	22	29	21	3	1	11
96	1	-	23	3	3	3	3	1	5	-	-	1	-	-	16	-	7	4	-	-	12
211	10	4	58	9	10	14	12	4	16	2	-	7	6	3	45	22	22	17	3	1	13
37	11	-	15	4	2	1	5	-	5	-	-	-	1	-	10	13	1	1	-	-	14
1,676	68	18	625	103	97	139	96	24	99	14	2	38	46	51	382	145	175	110	52	4	15
63	1	3	16	2	5	4	4	1	3	-	-	1	4	2	11	5	5	4	2	1	16
66	1	1	17	4	3	1	-	1	6	-	-	3	4	1	16	11	1	6	5	-	17
167	4	3	59	13	6	14	15	1	7	2	-	2	1	-	39	3	10	6	-	1	18
45	4	-	17	3	1	4	2	-	6	-	-	3	-	3	14	9	8	5	3	-	19
25	1	-	2	-	1	1	1	1	-	-	-	2	-	1	3	5	2	2	-	-	20
98	3	-	42	7	9	7	6	1	7	-	-	1	2	3	21	9	12	7	2	-	21
343	10	6	157	25	18	39	21	3	21	5	1	7	12	8	88	29	47	28	15	1	22
869	44	5	315	49	54	69	47	16	49	7	1	19	23	33	190	74	90	52	25	1	23
1,656	118	16	461	61	79	134	90	26	150	24	1	48	62	48	401	127	148	110	54	16	24
1,010	84	11	305	40	52	83	49	18	101	16	-	22	39	29	234	61	81	51	36	10	25
646	34	5	156	21	27	51	41	8	49	8	1	26	23	19	167	66	67	59	18	6	26
47	1	-	29	7	6	3	3	-	6	-	-	2	5	2	21	5	11	1	-	-	27
1,908	86	27	691	67	82	164	123	29	149	14	1	60	78	44	416	208	175	94	56	15	28
46	-	1	6	1	-	4	1	1	7	-	-	1	1	1	6	7	4	-	-	-	29
30	2	-	14	6	-	1	2	-	2	-	-	1	3	2	9	7	6	5	-	-	30
51	7	1	20	1	6	6	4	1	5	1	-	3	2	-	16	3	3	5	2	-	31
65	4	-	19	2	1	9	5	1	4	-	-	-	3	3	14	4	10	2	2	2	32
31	-	1	14	1	-	2	3	-	3	-	-	-	2	1	4	5	2	1	1	1	33
196	7	3	87	7	6	9	9	1	12	2	1	13	5	5	34	14	18	6	3	3	34
111	-	1	49	4	6	9	9	2	4	-	-	1	-	1	23	10	6	2	-	1	35
66	2	1	26	2	4	5	5	1	7	-	-	-	3	3	13	8	8	-	2	-	36
329	18	9	126	8	15	35	18	3	30	2	-	11	10	10	92	34	32	17	18	3	37
96	5	1	38	2	3	5	3	-	10	1	-	3	6	-	22	4	9	6	2	-	38
37	2	1	9	-	1	1	3	-	1	-	-	1	1	2	6	7	1	-	2	-	39
850	39	8	283	33	40	78	61	19	64	8	-	27	42	16	177	105	76	50	24	5	40
3,588	152	37	1,359	200	234	300	226	52	297	23	3	93	168	60	859	278	409	292	105	30	41
48	3	-	13	4	4	2	2	-	-	-	-	-	3	-	8	2	11	4	1	1	42
213	5	-	60	16	9	11	10	5	11	1	-	3	9	2	30	16	15	11	2	3	43
39	5	-	13	3	3	2	2	1	6	-	-	-	-	-	11	1	3	9	-	-	44
171	4	4	61	6	9	10	15	-	14	2	-	5	6	3	48	15	17	15	5	-	45
141	5	2	59	10	7	12	14	3	11	1	-	2	10	2	39	13	14	7	2	2	46
38	1	-	12	1	2	-	2	1	4	-	-	5	2	-	9	7	1	4	2	-	47
116	2	1	45	10	7	12	9	-	9	3	-	4	3	-	25	9	14	8	-	-	48
73	3	1	34	4	7	8	4	2	10	-	-	3	9	1	22	4	10	8	7	-	49
105	8	2	45	5	10	10	12	1	8	-	-	6	10	3	31	14	14	11	4	-	50
1,841	81	19	713	99	110	179	105	25	165	14	2	39	80	31	451	113	215	151	65	17	51
92	1	-	35	8	8	5	4	1	2	1	-	2	3	-	19	8	9	7	2	-	52
711	34	8	269	34	58	49	47	13	57	1	1	24	33	18	166	76	86	57	15	7	53
2,626	136	28	920	127	137	353	114	40	358	25	1	23	49	30	690	76	314	199	135	30	54
961	47	5	301	51	55	75	58	15	96	12	-	13	34	23	235	105	112	48	24	7	55
140	5	-	58	11	5	12	8	2	11	1	-	1	1	1	31	12	8	9	1	1	56
53	6	1	8	4	1	6	2	1	5	-	-	-	2	-	14	6	5	1	-	-	57
394	20	3	122	25	26	33	28	5	53	4	-	4	16	16	96	31	49	17	8	5	58
45	2	-	10	3	1	2	2	2	1	1	-	3	3	-	9	5	6	2	1	-	59
329	14	1	103	8	22	22	18	5	26	6	-	5	12	6	85	51	44	19	14	1	60
386	23	1	114	19	16	24	21	8	33	2	-	5	8	2	99	32	38	28	5	-	61
71	9	-	36	3	3	4	4	1	5	2	-	2	3	1	16	6	5	6	2	-	62
315	14	1	78	16	13	20	17	7	28	-	-	3	5	1	83	26	33	22	3	1	63
1,149	68	14	434	51	73	113	51	17	136	11	1	21	38	22	317	78	156	104	41	9	64
35	2	-	12	4	2	4	1	1	3	1	-	-	1	-	12	7	3	2	1	1	65
99	6	1	51	-	6	15	1	-	9	1	-	-	1	1	25	3	9	5	-	-	66
106	12	3	37	7	6	8	4	1	19	1	1	1	5	1	39	10	22	13	7	1	67
90	4	1	46	7	7	11	4	5	6	2	-	1	3	1	26	3	5	10	2	2	68
46	2	-	8	1	1	4	1	-	6	-	-	1	-	1	8	3	4	5	1	-	69
41	2	1	9	-	1	4	-	1	10	-	-	3	5	2	17	5	6	2	4	-	70
156	10	4	58	5	9	10	9	1	29	1	-	4	6	5	33	8	20	11	5	1	71
70	2	-	22	2	4	3	3	1	4	-	-	2	5	2	10	5	5	9	-	1	72
70	2	2	19	1	3	6	4	1	1	1	-	2	2	1	20	4	10	2	1	1	73
199	13	2	75	11	20	21	9	3	18	2	-	2	5	2	62	9	21	22	5	-	74
75	7	-	31	4	7	7	7	-	13	-	-	1	1	2	28	7	21	3	2	-	75
162	6	-	66	9	7	20	8	3	18	2	-	4	4	4	37	14	30	20	13	2	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
	SAN MATEO--CON.																	
01	SANTA BARBARA	2,020	1	-	14	414	120	100	36	46	15	18	79	31	1,029	711	27	8
02	LOMPOC	151	1	-	-	27	4	9	2	1	2	1	8	1	70	45	-	1
03	SANTA BARBARA	948	-	-	9	189	53	49	18	23	6	7	33	14	492	313	15	5
04	SANTA MARIA	254	-	-	3	46	16	11	2	6	1	1	9	4	123	94	2	-
05	BALANCE OF COUNTY	667	-	-	2	152	47	31	14	16	6	9	29	12	344	259	10	2
06	SANTA CLARA	6,755	12	-	33	1,419	388	276	152	151	66	61	325	113	3,211	2,275	63	17
07	CAMPBELL	221	-	-	1	52	16	9	3	4	4	-	16	6	94	61	1	-
08	CUPERTINO	174	-	-	-	39	11	7	4	7	1	2	7	3	90	64	5	-
09	GILROY	98	1	-	1	21	4	3	1	3	1	1	8	4	41	27	1	-
10	LOS ALTOS	224	-	-	-	58	12	11	7	7	3	3	15	-	123	88	1	2
11	LOS GATOS	267	1	-	3	59	16	12	8	4	3	3	13	2	137	88	-	1
12	MILPITAS	102	1	-	-	20	7	5	1	2	-	2	3	-	40	31	1	-
13	MOUNTAIN VIEW	384	-	-	1	83	24	11	9	10	5	1	23	7	178	124	5	1
14	PALO ALTO	516	-	-	-	117	27	19	22	12	6	5	26	5	267	180	7	-
15	SAN JOSE	3,138	6	-	22	635	178	129	57	75	22	25	149	53	1,460	1,067	28	10
16	SANTA CLARA	504	1	-	1	107	33	20	11	11	7	8	17	9	242	159	2	1
17	SARATOGA	174	-	-	1	28	7	6	5	2	2	2	4	5	90	56	2	-
18	SUNNYVALE	516	2	-	-	118	33	29	12	6	7	6	25	11	228	172	5	-
19	BALANCE OF COUNTY	437	-	-	3	82	20	15	12	8	5	3	19	8	221	158	5	2
20	SANTA CRUZ	1,600	1	-	5	324	88	73	22	46	14	15	66	29	838	580	13	5
21	SANTA CRUZ	516	1	-	1	113	29	25	10	14	6	5	24	10	279	177	2	1
22	WATSONVILLE	179	-	-	2	34	14	8	1	3	1	2	5	6	84	57	1	1
23	BALANCE OF COUNTY	905	-	-	2	177	45	40	11	29	7	8	37	13	475	346	10	3
24	SHASTA	736	-	-	4	143	26	51	9	19	6	4	28	7	366	264	9	3
25	REDDING	213	-	-	-	43	8	19	4	6	3	1	2	1	109	74	4	1
26	BALANCE OF COUNTY	523	-	-	4	100	18	32	5	13	3	3	26	6	257	190	5	2
27	SIERRA	28	-	-	-	4	-	1	1	1	1	-	-	-	18	14	1	-
28	SISKIYOU	335	-	-	2	47	15	13	6	4	2	2	5	4	182	130	4	1
29	SOLANO	1,265	-	-	10	275	86	69	21	21	13	12	53	21	576	416	11	6
30	FAIRFIELD	173	-	-	2	34	8	15	1	5	-	1	4	2	64	48	1	-
31	VACAVILLE	146	-	-	1	24	5	4	3	2	1	1	8	3	73	45	1	-
32	VALLEJO	672	-	-	7	150	48	41	12	9	10	7	23	11	319	234	9	4
33	BALANCE OF COUNTY	274	-	-	-	67	25	9	5	5	2	3	18	5	120	89	-	2
34	SONOMA	2,339	4	1	10	471	122	113	38	61	19	20	98	27	1,171	854	18	11
35	PETALUMA	249	-	-	-	42	12	8	4	7	1	3	7	3	129	101	2	1
36	SANTA ROSA	792	1	-	6	167	44	41	12	19	8	7	36	12	407	295	6	3
37	BALANCE OF COUNTY	1,298	3	1	4	262	66	64	22	35	10	10	55	12	635	458	10	7
38	STANISLAUS	1,920	5	-	15	336	81	96	16	41	20	9	73	38	985	673	13	7
39	MODESTO	684	1	-	2	122	31	29	9	16	6	2	29	16	348	215	6	-
40	TURLOCK	225	-	-	2	40	11	9	2	5	2	3	8	2	129	92	3	-
41	BALANCE OF COUNTY	1,011	4	-	11	174	39	58	5	20	12	4	36	20	508	366	4	7
42	SUTTER	358	-	-	4	69	20	18	2	9	1	2	17	2	176	120	3	-
43	YUBA CITY	147	-	-	2	24	6	7	-	2	-	1	8	-	71	45	-	-
44	BALANCE OF COUNTY	211	-	-	2	45	14	11	2	7	1	1	9	2	105	75	3	-
45	TEHAMA	326	1	-	1	56	24	12	3	3	1	3	10	10	182	126	5	2
46	TRINITY	82	-	-	-	13	1	4	1	2	-	-	5	1	38	27	1	-
47	TULARE	1,856	3	-	12	329	79	81	25	43	12	18	71	23	950	641	17	20
48	PORTERVILLE	241	1	-	3	35	8	7	2	7	-	4	7	2	132	91	2	4
49	TULARE	215	-	-	-	53	12	11	4	14	2	2	8	2	104	70	2	2
50	VISALIA	373	-	-	7	73	22	22	3	5	2	4	15	2	190	114	3	4
51	BALANCE OF COUNTY	1,027	2	-	2	168	37	41	16	17	8	8	41	17	524	366	10	10
52	TUOLUMNE	240	-	-	1	54	11	11	4	5	5	2	16	7	126	97	3	-
53	VENTURA	2,552	4	-	11	515	134	126	42	56	26	24	107	52	1,210	831	21	6
54	CAMARILLO	133	-	-	1	35	10	8	5	2	3	2	5	1	61	39	-	-
55	OXNARD	492	1	-	3	89	29	15	8	11	1	7	18	17	215	141	6	1
56	PORT HUENEME	93	-	-	-	13	1	4	2	2	1	2	1	1	52	38	-	-
57	SANTA PAULA	148	-	-	3	33	8	7	1	6	3	2	6	1	77	54	2	-
58	SIMI VALLEY	209	-	-	-	48	5	17	3	7	1	2	13	6	73	52	2	-
59	THOUSAND OAKS	169	-	-	1	37	12	7	1	4	3	1	9	3	81	50	3	2
60	VENTURA	537	-	-	1	95	22	28	6	9	6	3	21	10	297	218	4	2
61	BALANCE OF COUNTY	771	3	-	2	165	47	40	16	15	8	5	34	13	354	239	4	1
62	YOLO	701	3	-	6	154	39	38	16	18	5	12	26	3	324	225	6	4
63	DAVIS	98	-	-	3	22	8	1	5	4	1	1	2	-	43	33	-	1
64	WOODLAND	209	-	-	1	42	14	12	6	4	-	2	4	1	106	67	2	1
65	BALANCE OF COUNTY	394	3	-	2	90	17	25	5	10	4	9	20	2	175	125	4	2
66	YUBA	371	-	-	1	53	13	18	3	5	1	2	11	6	173	132	3	2
67	**COLORADO**	17,922	25	1	131	3,037	853	585	304	369	153	148	625	337	8,531	6,141	166	86
68	URBAN PLACES	11,832	19	1	82	2,034	574	361	205	243	105	109	437	222	5,704	4,064	115	55
69	BALANCE OF AREA	6,090	6	-	49	1,003	279	224	99	126	48	39	188	115	2,827	2,077	51	31
70	METROPOLITAN COUNTIES	12,007	19	1	86	2,102	575	399	222	248	99	109	450	213	5,575	4,016	114	46
71	URBAN PLACES	10,439	18	1	75	1,825	502	334	191	219	91	98	390	191	4,948	3,540	95	41
72	BALANCE OF AREA	1,568	1	-	11	277	73	65	31	29	8	11	60	22	627	476	19	5

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
643	33	8	246	21	43	43	43	5	48	9	1	13	17	10	164	52	70	42	13	1	01
43	1	1	18	3	3	5	3	1	7	1	1	1	2	1	10	9	4	5	2	-	02
282	11	4	151	7	17	22	24	3	22	6	-	4	8	3	83	16	30	18	4	1	03
90	2	1	20	3	5	6	5	1	9	1	-	1	3	3	24	10	8	5	2	-	04
228	19	2	57	8	18	10	11	-	10	1	-	7	4	3	47	17	28	14	5	-	05
2,095	100	18	715	107	96	222	107	22	162	21	2	74	99	30	522	201	217	196	70	22	06
59	1	-	30	1	2	3	8	2	4	2	-	2	3	1	17	9	6	8	2	1	07
57	2	-	18	7	1	5	3	1	4	-	-	4	3	1	10	1	6	2	2	-	08
25	1	1	11	-	2	2	3	1	2	2	-	4	-	1	5	6	3	1	-	-	09
85	-	-	28	4	3	7	1	-	2	-	-	3	-	2	15	-	8	4	-	1	10
87	-	1	41	4	3	10	4	1	4	-	-	2	5	1	15	7	10	6	-	-	11
28	2	-	7	1	1	4	3	-	4	-	-	1	7	1	7	3	4	5	2	-	12
114	4	1	36	7	10	13	9	1	9	-	-	5	3	-	33	14	14	9	4	1	13
166	7	1	63	15	8	15	9	4	7	1	-	4	4	2	35	5	15	19	4	3	14
975	54	5	298	50	40	102	45	9	80	11	2	35	46	21	264	107	101	92	37	10	15
148	8	2	63	6	12	16	6	1	13	1	-	6	12	-	35	13	15	12	12	2	16
50	4	2	28	3	1	4	4	-	1	-	-	-	3	-	19	4	10	5	-	-	17
156	11	1	42	4	9	19	7	1	21	3	-	4	6	-	39	13	12	24	5	3	18
145	6	4	50	5	4	22	5	1	11	1	-	4	7	-	28	19	13	9	2	1	19
532	30	5	194	27	32	51	21	10	33	8	-	2	17	7	110	37	56	39	11	1	20
162	12	4	76	11	11	11	9	4	11	2	-	1	6	3	37	4	12	7	5	-	21
59	2	-	23	-	4	9	2	1	2	1	-	-	3	1	17	8	6	3	-	-	22
317	16	1	95	16	17	31	10	5	20	5	-	1	8	3	56	25	38	29	6	1	23
243	9	3	67	16	16	19	25	3	21	1	-	4	3	6	67	30	25	11	1	-	24
61	8	-	21	4	10	4	7	1	7	-	-	1	1	1	22	5	4	6	1	-	25
182	1	3	46	12	6	15	18	2	14	1	-	3	2	5	45	25	21	5	-	-	26
13	-	-	3	-	1	1	-	-	1	-	1	-	-	-	1	1	1	-	-	-	27
114	11	1	38	8	5	5	8	2	4	1	-	-	4	2	34	11	19	8	2	-	28
374	25	1	117	11	31	25	29	5	40	3	-	13	21	4	106	50	40	29	18	-	29
46	1	-	12	2	2	5	3	-	5	1	-	4	3	1	20	12	6	5	6	-	30
41	3	-	24	2	2	3	3	-	2	-	-	3	1	1	16	8	4	4	-	-	31
209	12	1	60	6	18	13	19	4	27	2	-	2	14	2	49	16	18	11	8	-	32
78	9	-	21	1	9	4	4	1	6	-	-	4	3	-	21	14	12	9	4	-	33
749	76	7	226	44	40	88	39	6	55	5	-	16	18	10	208	70	85	42	10	3	34
88	10	-	22	2	4	5	8	1	8	1	-	-	2	1	24	10	12	1	1	1	35
266	20	3	83	12	14	30	10	-	18	-	-	6	7	4	59	21	24	12	6	2	36
395	46	4	121	30	22	53	21	5	29	4	-	10	9	5	125	39	49	29	3	-	37
621	32	7	221	50	34	66	28	11	35	8	-	16	20	10	141	80	76	37	13	-	38
197	12	1	102	22	8	22	10	7	13	5	-	7	9	6	47	24	25	16	4	-	39
85	4	1	25	6	5	10	2	1	4	-	-	1	1	-	19	6	5	3	-	-	40
339	16	5	94	22	21	34	16	3	18	3	-	8	10	4	75	50	46	18	9	-	41
111	6	-	40	11	5	14	8	2	3	-	-	2	11	1	28	12	16	7	3	-	42
42	3	-	19	5	2	5	6	-	2	-	-	2	6	-	10	4	9	3	3	-	43
69	3	-	21	6	3	9	2	2	1	-	-	-	5	1	18	8	7	4	-	-	44
113	6	1	36	13	6	6	8	4	6	-	-	-	2	3	21	9	3	10	4	-	45
24	2	-	7	2	2	4	3	-	7	-	-	2	-	1	7	3	2	1	-	-	46
580	24	10	220	47	32	67	33	8	35	9	-	21	18	8	131	86	76	27	18	2	47
79	6	1	26	7	7	13	4	2	1	1	-	3	2	-	22	6	7	5	2	-	48
65	1	-	20	7	7	12	4	-	4	2	-	1	2	-	15	9	5	2	-	-	49
103	4	3	59	7	7	7	7	2	6	-	-	3	2	1	36	11	13	4	9	-	50
333	13	6	115	26	11	35	18	4	24	6	-	14	12	7	58	60	51	16	7	2	51
91	3	-	18	5	6	3	10	-	5	2	-	2	-	1	13	3	6	6	1	-	52
742	42	5	289	39	46	55	44	7	67	18	-	24	33	20	246	84	79	63	13	7	53
36	3	-	15	3	4	4	3	-	1	-	-	3	2	1	11	3	4	3	-	-	54
127	7	1	55	8	10	9	7	-	18	4	-	10	7	6	57	11	14	13	7	4	55
38	-	-	14	-	-	2	-	-	2	1	-	-	2	1	14	1	4	-	-	-	56
46	6	-	15	4	4	3	-	-	4	-	-	1	2	1	14	3	2	3	1	-	57
47	3	-	17	-	4	6	4	2	3	3	-	2	6	6	17	11	13	7	1	1	58
43	2	1	21	4	5	4	1	-	2	1	-	3	3	-	12	8	4	8	-	1	59
202	10	2	68	3	6	10	10	2	17	5	-	2	-	1	50	17	9	9	1	1	60
223	11	1	84	17	13	17	19	3	20	4	-	3	11	4	71	30	29	20	3	-	61
208	7	2	76	10	11	32	8	1	21	3	-	7	10	4	60	27	23	10	4	1	62
30	2	2	6	1	1	4	1	-	1	-	-	2	1	-	13	2	4	2	-	-	63
63	1	-	32	5	2	10	2	-	7	2	-	3	2	1	11	12	5	3	1	-	64
115	4	-	38	4	8	18	5	1	13	1	-	2	7	3	36	13	14	5	3	1	65
123	4	-	32	3	6	8	12	1	8	1	-	5	4	2	31	26	25	4	11	-	66
5,426	463	58	1,674	389	269	658	353	60	337	52	8	159	310	242	1,707	627	686	447	155	59	67
3,590	304	37	1,155	253	195	457	235	32	241	28	7	109	198	184	1,116	300	418	292	112	41	68
1,836	159	21	519	136	74	201	118	28	96	24	1	50	112	58	591	327	268	155	43	18	69
3,543	313	32	1,100	229	198	454	243	31	269	34	8	117	217	196	1,151	338	452	326	126	49	70
3,127	277	28	994	211	175	411	206	24	226	26	7	98	182	174	991	252	377	259	107	41	71
416	36	4	106	18	23	43	37	7	43	8	1	19	35	22	160	86	75	67	19	8	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	COLORADO—CON.																	
01	NONMETROPOLITAN COUNTIES	5,915	6	—	45	935	278	186	82	121	54	39	175	124	2,956	2,125	52	40
02	URBAN PLACES	1,393	1	—	7	209	72	27	14	24	14	11	47	31	756	524	20	14
03	BALANCE OF AREA	4,522	5	—	38	726	206	159	68	97	40	28	128	93	2,200	1,601	32	26
04	ADAMS	1,042	1	—	4	179	45	41	12	19	7	13	42	22	423	317	10	—
05	ARVADA, PART	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
06	AURORA, PART	141	—	—	—	27	6	8	2	2	1	2	6	5	58	42	—	—
07	COMMERCE CITY	128	1	—	—	22	8	4	—	5	1	1	3	2	52	37	1	—
08	NORTH GLENN	112	—	—	—	14	2	7	—	1	3	1	—	2	56	40	2	—
09	THORNTON	111	—	—	2	24	5	8	—	2	—	1	8	4	43	30	1	—
10	WESTMINSTER	141	—	—	—	22	4	2	4	1	—	5	6	4	61	44	1	—
11	BALANCE OF COUNTY	407	—	—	2	70	20	12	6	8	2	3	19	4	153	124	5	—
12	ALAMOSA	92	—	—	—	15	3	2	—	1	2	1	6	1	45	35	—	4
13	ARAPAHOE	1,020	2	—	8	203	51	37	27	25	6	10	47	15	456	320	8	2
14	AURORA, PART	283	—	—	4	51	8	8	9	6	2	4	14	5	115	85	—	2
15	AURORA, TOTAL	424	—	—	4	78	14	16	11	8	3	6	20	10	173	127	—	2
16	ENGLEWOOD	358	1	—	1	73	20	15	8	9	1	5	15	6	185	127	5	—
17	LITTLETON	262	1	—	2	59	17	9	7	8	2	1	15	2	112	76	3	—
18	BALANCE OF COUNTY	117	—	—	1	20	6	5	3	2	1	—	3	2	44	32	—	—
19	ARCHULETA	23	—	—	—	—	—	—	—	—	—	—	—	—	10	8	—	—
20	BACA	51	—	—	—	10	6	1	—	1	1	—	1	1	23	17	1	—
21	BENT	86	—	—	—	19	2	6	1	6	—	—	4	—	40	33	1	—
22	BOULDER	843	—	—	7	121	35	21	14	9	6	7	29	15	409	298	6	2
23	BOULDER	377	—	—	4	56	17	9	7	5	3	2	13	6	184	117	2	1
24	LONGMONT	251	—	—	1	35	6	7	2	3	2	4	11	6	133	112	1	1
25	BALANCE OF COUNTY	215	—	—	2	30	12	5	5	1	1	1	5	3	92	69	3	—
26	CHAFFEE	113	—	—	1	22	6	6	—	4	3	—	3	1	57	44	1	—
27	CHEYENNE	25	—	—	—	4	—	1	1	1	1	—	—	—	12	10	—	—
28	CLEAR CREEK	36	—	—	—	7	1	3	2	—	1	—	—	2	12	10	1	—
29	CONEJOS	67	—	—	2	6	1	1	1	—	—	—	3	5	31	24	—	—
30	COSTILLA	32	—	—	—	8	3	1	1	1	—	—	2	1	12	10	1	—
31	CROWLEY	37	—	—	—	5	3	1	—	—	1	—	—	—	23	19	—	1
32	CUSTER	9	—	—	—	4	2	1	—	—	—	—	—	—	3	2	—	1
33	DELTA	189	—	—	2	38	14	7	4	5	2	1	5	4	93	61	3	1
34	DENVER, COEX. WITH DENVER CITY	4,891	11	—	35	873	249	151	95	104	48	47	179	89	2,332	1,715	43	21
35	DOLORES	11	—	—	—	5	1	2	—	1	—	—	1	—	4	3	—	—
36	DOUGLAS	55	—	—	1	6	—	1	1	1	—	—	3	1	29	20	1	—
37	EAGLE	51	—	—	1	12	5	3	—	2	—	—	2	1	13	7	—	—
38	ELBERT	41	—	—	1	7	3	1	—	—	—	—	3	—	21	15	—	—
39	EL PASO	1,568	3	1	11	258	75	48	29	31	7	13	55	21	696	465	23	4
40	COLORADO SPRINGS	1,213	3	1	10	186	59	30	21	22	6	9	39	19	560	373	18	3
41	BALANCE OF COUNTY	355	—	—	1	72	16	18	8	9	1	4	16	2	136	92	5	1
42	FREMONT	343	—	—	5	52	8	19	7	6	—	2	10	2	189	126	4	1
43	GARFIELD	127	—	—	3	17	5	3	—	5	—	—	4	4	53	44	1	—
44	GILPIN	17	—	—	2	2	—	2	—	—	—	—	—	—	6	3	—	—
45	GRAND	35	—	—	—	2	—	1	1	—	—	—	—	2	13	8	—	—
46	GUNNISON	43	—	—	1	6	—	2	—	1	2	—	1	—	19	14	—	—
47	HINSDALE	4	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
48	HUERFANO	82	—	—	—	16	5	2	2	1	1	1	4	2	47	38	1	—
49	JACKSON	12	—	—	—	4	2	1	—	—	—	1	—	—	5	4	—	—
50	JEFFERSON	1,515	1	—	10	305	74	64	35	38	14	11	69	24	712	497	10	10
51	ARVADA, PART	256	—	—	—	59	15	13	4	3	7	4	13	2	98	70	2	3
52	ARVADA, TOTAL	258	—	—	—	59	15	13	4	3	7	4	13	3	98	70	2	3
53	LAKEWOOD	626	1	—	3	114	21	25	17	17	3	3	28	15	310	212	1	2
54	WHEAT RIDGE	272	—	—	3	59	19	6	6	10	2	2	14	3	147	94	3	2
55	BALANCE OF COUNTY	361	—	—	4	73	19	20	8	8	2	2	14	4	157	121	4	3
56	KIOWA	25	—	—	—	2	2	—	—	—	—	—	—	—	12	11	—	—
57	KIT CARSON	65	—	—	—	20	6	3	4	3	—	1	3	1	33	27	—	—
58	LAKE	44	—	—	1	9	2	1	1	1	—	—	4	1	12	8	—	—
59	LA PLATA	181	—	—	—	30	11	3	—	6	2	2	6	5	83	56	4	—
60	DURANGO	100	—	—	—	20	7	1	—	4	2	1	5	2	52	32	3	—
61	BALANCE OF COUNTY	81	—	—	—	10	4	2	—	2	—	1	1	3	31	24	1	—
62	LARIMER	728	—	—	6	103	26	17	7	18	5	7	23	15	375	264	9	2
63	FORT COLLINS	306	—	—	3	42	16	5	1	8	3	3	6	8	163	115	4	2
64	LOVELAND	222	—	—	1	34	4	5	4	4	—	4	13	5	120	87	2	—
65	BALANCE OF COUNTY	200	—	—	2	27	6	7	2	6	2	—	4	2	92	62	3	—
66	LAS ANIMAS	201	1	—	—	29	7	7	2	2	2	4	5	6	116	90	1	—
67	LINCOLN	58	—	—	—	10	6	—	—	1	1	1	1	1	28	23	1	—
68	LOGAN	179	1	—	2	25	11	1	5	2	1	2	3	4	97	77	3	8
69	STERLING	128	—	—	2	19	8	1	5	1	1	—	3	4	68	51	3	7
70	BALANCE OF COUNTY	51	1	—	—	6	3	—	—	1	—	2	—	—	29	26	—	1
71	MESA	569	—	—	—	100	36	21	8	8	6	6	15	9	293	204	5	3
72	GRAND JUNCTION	301	—	—	—	44	16	8	1	2	5	3	9	2	161	109	3	3
73	BALANCE OF COUNTY	268	—	—	—	56	20	13	7	6	1	3	6	7	132	95	2	—
74	MINERAL	4	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—
75	MOFFAT	71	—	—	—	8	5	—	—	1	—	—	2	2	32	19	1	—
76	MONTEZUMA	132	—	—	1	19	4	4	3	2	1	1	2	5	56	43	1	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,883	150	26	574	160	71	204	110	29	68	18	-	42	93	46	556	289	234	121	29	10	01
463	27	9	161	42	20	46	29	8	15	2	-	11	16	10	125	48	41	33	5	-	02
1,420	123	17	413	118	51	158	81	21	53	16	-	31	77	36	431	241	193	88	24	10	03
283	24	6	77	10	13	40	29	3	28	3	1	15	29	21	107	48	42	29	16	2	04
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	05
39	3	-	13	1	2	5	5	-	3	-	1	4	4	1	13	5	6	8	-	-	06
34	2	-	11	2	2	4	3	-	-	-	-	3	3	3	21	8	-	2	4	-	07
36	2	-	12	2	2	2	4	1	3	1	-	3	3	1	11	5	5	3	1	-	08
26	3	2	7	1	3	3	3	-	2	-	-	6	6	3	8	6	2	3	1	1	09
39	4	2	13	1	1	13	5	1	2	-	-	1	5	1	12	3	8	1	1	1	10
109	10	2	21	3	3	13	9	1	17	2	-	11	8	12	42	21	21	12	9	-	11
27	4	-	6	3	1	4	1	-	2	1	-	1	-	1	12	4	4	1	-	-	12
283	27	3	91	22	20	41	20	-	13	6	2	8	24	9	99	24	46	27	9	8	13
76	7	1	23	4	2	10	4	-	6	2	2	5	14	2	28	7	12	10	4	2	14
115	10	1	36	5	4	15	9	-	9	2	3	5	18	3	41	12	18	18	4	2	15
109	13	1	39	9	9	17	7	-	2	1	-	1	3	3	34	6	11	4	2	1	16
67	6	1	20	9	6	11	5	-	5	-	-	1	5	3	23	6	18	6	1	2	17
31	1	-	9	-	3	3	4	-	-	3	-	1	2	1	14	5	5	7	2	3	18
6	2	-	1	1	-	3	1	-	1	-	-	1	1	1	1	4	-	-	-	-	19
16	-	1	4	1	-	6	1	-	-	-	-	1	1	2	4	1	-	-	-	-	20
32	-	-	6	1	-	6	1	-	-	-	-	1	2	1	11	4	-	-	1	-	21
268	22	1	75	16	19	43	13	4	8	2	-	11	10	8	90	35	26	38	1	2	22
106	8	1	45	10	11	17	7	2	2	1	-	5	5	1	38	14	16	17	-	2	23
101	9	-	14	5	2	16	1	1	3	-	-	3	1	3	26	7	3	12	-	-	24
61	5	-	16	1	6	10	5	1	3	1	-	3	4	4	26	14	7	9	1	-	25
37	6	-	10	1	2	9	3	-	-	-	-	-	3	1	9	2	1	2	1	1	26
9	1	1	1	-	-	2	-	-	-	-	-	1	-	-	2	1	2	1	-	-	27
8	1	-	2	-	-	3	1	1	-	-	-	-	-	-	5	2	2	1	-	-	28
24	-	-	6	1	-	2	-	-	1	-	-	1	2	-	9	5	1	1	1	-	29
8	1	-	2	-	-	-	-	-	-	-	-	-	-	-	4	5	1	1	-	-	30
18	-	-	3	1	-	1	-	-	-	-	-	-	1	-	1	1	3	-	-	-	31
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	32
55	2	1	26	3	2	8	5	4	-	-	-	2	3	-	15	6	5	4	-	-	33
1,491	160	12	453	82	70	172	87	13	126	14	3	37	61	128	480	93	154	96	62	25	34
2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	35
18	1	-	8	1	-	4	-	-	1	1	-	-	-	-	8	1	1	2	-	-	36
5	2	-	5	-	1	-	2	-	1	-	-	-	-	1	6	3	7	3	-	1	37
13	2	-	1	2	3	1	-	-	-	2	-	-	-	2	3	1	1	1	-	-	38
411	27	2	167	34	28	69	33	4	38	4	2	18	50	14	141	57	72	50	18	8	39
335	17	1	134	27	25	63	27	2	30	3	1	16	35	11	109	31	52	35	15	4	40
76	10	1	33	7	3	6	6	2	8	1	1	2	15	3	32	26	20	15	3	4	41
119	2	3	34	18	8	11	10	1	3	2	-	1	5	3	41	5	8	2	3	-	42
32	11	-	8	-	1	7	1	-	2	1	-	3	4	-	16	5	7	4	-	-	43
3	-	-	2	1	-	2	1	-	-	-	-	-	1	-	1	-	1	1	-	-	44
7	1	-	4	1	-	-	1	-	-	-	-	-	1	-	7	6	2	-	-	1	45
9	5	-	3	-	2	1	-	1	-	-	-	1	1	1	3	5	3	-	-	1	46
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	47
34	3	-	6	3	-	-	-	-	2	2	-	-	1	1	6	1	2	2	-	-	48
4	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	49
446	31	3	145	41	26	46	29	3	30	3	-	17	16	13	123	52	56	61	11	3	50
58	7	-	20	4	4	9	9	-	6	1	-	6	5	2	22	13	12	12	-	-	51
58	7	-	20	4	4	9	9	-	7	1	-	6	5	2	22	13	12	12	-	-	52
199	10	-	58	25	15	26	10	1	9	-	-	7	5	6	49	16	20	22	9	3	53
85	4	3	42	7	1	7	3	-	3	1	-	3	1	3	21	5	6	7	-	-	54
104	10	-	25	5	6	4	7	2	12	1	-	1	5	2	31	18	18	20	2	-	55
11	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	3	3	-	-	-	56
27	-	-	3	2	1	1	4	-	1	-	-	-	-	-	1	-	3	1	-	-	57
3	5	-	2	2	-	2	-	-	-	-	-	-	1	1	2	4	5	3	1	2	58
47	5	-	16	8	3	3	4	-	7	1	-	2	2	1	14	11	7	10	1	-	59
25	4	-	11	6	3	1	2	-	1	1	-	2	1	-	9	2	3	4	-	-	60
22	1	-	5	2	-	2	2	-	6	-	-	-	1	1	5	9	4	6	1	-	61
242	11	4	77	22	8	23	9	4	9	-	-	6	13	6	63	38	31	21	5	1	62
106	3	1	42	4	1	14	4	-	1	-	-	-	6	2	32	10	12	7	2	-	63
82	3	2	15	10	6	3	2	3	5	-	-	2	1	3	18	9	8	7	1	-	64
54	5	1	20	8	1	6	3	1	3	-	-	4	6	1	13	19	11	7	2	1	65
88	1	-	18	4	4	10	5	1	4	-	-	1	2	1	16	4	2	2	1	-	66
23	-	-	3	-	2	1	-	-	3	-	-	-	2	-	1	6	4	2	-	-	67
63	3	2	12	5	1	7	-	-	3	-	-	1	3	1	11	12	8	4	-	-	68
40	1	2	11	3	1	4	-	-	3	-	-	1	3	1	9	5	5	4	-	-	69
23	2	-	1	2	-	3	-	-	-	-	-	-	-	-	2	7	3	-	-	-	70
177	19	3	75	6	5	19	16	3	4	1	-	5	1	3	49	29	22	11	2	2	71
94	9	2	42	4	4	15	12	2	4	1	-	1	1	1	27	11	10	7	2	-	72
83	10	1	33	2	1	4	4	1	-	-	-	4	-	2	22	18	12	4	-	2	73
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	74
15	3	-	9	1	3	2	1	1	1	-	-	1	1	-	9	10	2	1	-	-	75
39	2	-	9	2	2	5	4	2	2	-	-	1	3	3	12	8	7	2	2	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	COLORADO--CON.																	
01	MONTROSE	175	1	-	-	31	9	12	5	1	-	1	3	2	93	61	-	3
02	MORGAN	208	-	-	1	29	6	4	4	3	1	2	9	9	90	63	2	1
03	OTERO	242	1	-	4	35	8	9	1	7	3	1	6	7	124	105	2	1
04	OURAY	10	-	-	-	3	-	-	-	-	2	-	1	-	4	3	-	-
05	PARK	21	-	-	1	8	4	2	-	-	-	-	2	1	9	8	-	-
06	PHILLIPS	50	-	-	-	8	-	1	3	2	-	-	2	-	32	30	1	-
07	PITKIN	29	-	-	1	5	-	2	1	-	-	-	-	-	11	8	-	-
08	PROWERS	137	-	-	2	22	7	3	4	4	1	1	2	2	65	42	1	1
09	PUEBLO	1,128	1	-	11	163	46	37	10	22	11	8	29	27	547	404	14	7
10	PUEBLO	1,015	-	-	10	151	46	32	9	21	10	7	26	20	502	366	12	6
11	BALANCE OF COUNTY	113	1	-	1	12	-	5	1	1	1	1	3	7	45	38	2	1
12	RIO BLANCO	45	-	-	-	6	-	-	-	1	2	-	3	-	25	15	-	-
13	RIO GRANDE	123	-	-	-	18	5	3	1	4	1	-	4	1	65	36	-	-
14	ROUTT	56	-	-	1	6	1	2	2	1	-	-	-	1	33	25	-	2
15	SAGUACHE	36	-	-	-	4	3	1	-	-	-	-	-	1	15	11	-	1
16	SAN JUAN	5	-	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-
17	SAN MIGUEL	15	-	-	-	4	2	-	-	1	-	1	-	-	4	4	-	-
18	SEDGWICK	49	-	-	1	7	2	1	1	2	1	-	-	4	18	12	-	2
19	SUMMIT	16	-	-	1	2	-	-	-	-	1	-	1	-	4	2	-	-
20	TELLER	26	-	-	-	2	1	-	1	-	-	-	-	-	10	7	-	-
21	WASHINGTON	53	-	-	-	11	4	-	-	1	2	1	3	1	27	17	1	-
22	WELD	682	2	-	3	96	34	19	7	10	5	-	21	15	368	262	7	6
23	GREELEY	336	1	-	1	50	21	7	3	5	3	-	11	10	192	130	5	2
24	BALANCE OF COUNTY	346	1	-	2	46	13	12	4	5	2	-	10	5	176	132	2	4
25	YUMA	99	-	-	1	15	6	1	-	4	2	-	2	4	55	31	-	-
26	**CONNECTICUT**	26,129	31	4	179	5,684	1,739	1,179	550	581	263	230	1,142	507	13,779	10,058	173	181
27	URBAN PLACES	18,363	25	3	131	4,021	1,235	836	393	411	193	155	798	366	9,731	7,122	117	123
28	BALANCE OF AREA	7,766	6	1	48	1,663	504	343	157	170	70	75	344	141	4,048	2,936	56	58
29	METROPOLITAN COUNTIES	20,280	26	3	150	4,474	1,342	915	437	460	226	184	910	381	10,696	7,823	142	102
30	URBAN PLACES	16,586	23	2	124	3,647	1,106	761	358	381	181	143	717	328	8,800	6,457	109	84
31	BALANCE OF AREA	3,694	3	1	26	827	236	154	79	79	45	41	193	53	1,896	1,366	33	18
32	NONMETROPOLITAN COUNTIES	5,849	5	1	29	1,210	397	264	113	121	37	46	232	126	3,083	2,235	31	79
33	URBAN PLACES	1,777	2	1	7	374	129	75	35	30	12	12	81	38	931	665	8	39
34	BALANCE OF AREA	4,072	3	-	22	836	268	189	78	91	25	34	151	88	2,152	1,570	23	40
35	FAIRFIELD	6,482	7	3	50	1,421	423	284	151	149	78	60	276	123	3,377	2,432	53	43
36	BRIDGEPORT	1,578	1	1	16	325	98	65	28	46	16	15	57	36	819	604	6	8
37	DANBURY	464	1	-	3	97	29	21	11	12	7	2	15	12	245	175	5	5
38	DARIEN TOWN#	126	-	-	1	29	5	7	1	5	2	1	8	1	65	46	1	1
39	FAIRFIELD TOWN#	428	-	-	1	110	24	28	13	9	9	5	22	7	214	163	5	-
40	GREENWICH TOWN#	488	-	-	8	117	35	26	11	13	7	3	22	7	256	197	5	1
41	NORWALK	502	3	1	-	117	40	35	12	7	5	4	14	10	256	177	4	6
42	SHELTON	183	-	-	1	37	11	4	9	3	2	-	8	1	109	80	-	1
43	STAMFORD	900	2	-	7	194	62	34	23	20	10	5	40	19	478	332	8	5
44	STRATFORD TOWN#	466	-	-	3	99	38	14	9	9	3	7	19	9	263	188	3	3
45	TRUMBULL TOWN#	191	-	-	2	40	11	6	7	4	2	1	9	5	97	69	1	1
46	WESTPORT TOWN#	169	-	-	1	47	13	11	7	3	1	2	10	-	87	51	1	5
47	BALANCE OF COUNTY	987	-	1	7	209	57	33	20	18	14	15	52	16	488	350	14	7
48	HARTFORD	6,872	10	-	47	1,538	457	314	150	147	58	65	347	107	3,568	2,559	48	32
49	BRISTOL	442	-	-	2	93	22	19	10	14	3	5	20	5	241	167	2	4
50	EAST HARTFORD TOWN#	415	-	-	3	114	35	21	9	11	6	4	28	5	213	152	4	3
51	ENFIELD TOWN#	281	1	-	1	53	14	11	5	4	3	5	11	2	157	123	5	1
52	HARTFORD	1,490	5	-	15	301	104	61	17	33	11	9	66	22	713	531	7	3
53	MANCHESTER TOWN#	445	-	-	1	107	35	16	15	8	2	8	23	17	217	144	3	6
54	NEW BRITAIN	841	-	-	6	188	54	46	17	16	7	5	43	12	450	326	4	1
55	NEWINGTON TOWN#	175	-	-	1	44	13	10	10	1	2	-	8	2	86	68	1	-
56	PLAINVILLE TOWN#	141	-	-	-	23	6	7	3	1	2	-	4	4	88	60	1	2
57	SOUTHINGTON TOWN#	179	-	-	-	41	12	5	4	6	1	3	10	2	105	85	-	1
58	WEST HARTFORD TOWN#	713	-	-	4	167	56	35	16	16	6	8	30	10	389	261	8	3
59	WETHERSFIELD TOWN#	262	3	-	-	73	19	12	6	6	5	3	22	5	139	92	2	-
60	WINDSOR LOCKS TOWN#	105	-	-	1	25	5	5	4	2	-	3	6	3	57	48	2	1
61	BALANCE OF COUNTY	1,383	1	-	13	309	82	66	34	29	10	12	76	18	713	502	9	7
62	LITCHFIELD	1,491	1	1	6	286	89	66	28	25	9	10	59	33	788	578	5	50
63	TORRINGTON	379	-	1	2	80	25	15	8	6	3	4	19	13	208	153	-	30
64	BALANCE OF COUNTY	1,112	1	-	4	206	64	51	20	19	6	6	40	20	580	425	5	20
65	MIDDLESEX	1,034	2	-	6	227	74	53	22	30	8	11	29	16	540	398	2	10
66	MIDDLETOWN	346	1	-	3	77	26	19	8	5	4	3	12	7	177	131	-	3
67	BALANCE OF COUNTY	688	1	-	3	150	48	34	14	25	4	8	17	9	363	267	2	7
68	NEW HAVEN	6,926	9	-	53	1,515	462	317	136	164	90	59	287	151	3,751	2,832	41	27
69	ANSONIA	226	-	-	-	55	15	15	3	8	4	1	9	4	124	97	2	1
70	DERBY	119	-	-	1	31	9	8	2	2	3	2	5	4	62	44	-	1
71	EAST HAVEN TOWN#	187	-	-	2	55	13	18	7	5	2	1	9	3	89	75	2	1
72	HAMDEN TOWN#	513	-	-	5	118	21	31	13	16	10	5	22	11	291	223	1	2
73	MERIDEN	495	3	-	2	108	37	20	14	13	2	7	15	12	277	203	4	3
74	MILFORD	387	-	-	1	80	24	20	5	11	2	2	16	9	211	143	-	2
75	NAUGATUCK	229	-	-	1	54	13	10	3	8	3	2	15	6	129	93	1	1
76	NEW HAVEN	1,430	2	-	18	303	99	59	35	23	18	10	59	38	736	567	9	5
77	WALLINGFORD TOWN#	285	-	-	3	61	21	15	4	11	3	1	6	12	151	113	1	-
78	WATERBURY	1,219	1	-	8	243	86	47	14	25	17	11	43	22	691	523	8	7

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
50	8	1	22	7	2	7	6	-	3	-	-	1	1	1	13	5	9	2	-	-	01
58	2	2	21	3	1	9	5	1	3	-	-	1	-	5	28	13	4	5	1	-	02
98	4	1	15	-	3	9	4	1	4	2	-	-	-	2	16	10	11	7	2	1	03
3	-	-	1	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	04
8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	05
28	1	-	2	-	-	-	2	-	1	-	-	-	-	2	4	1	-	-	-	-	06
7	1	-	3	-	-	-	-	1	-	-	-	-	-	-	1	6	3	1	-	-	07
32	8	1	7	15	-	4	2	-	2	1	-	1	4	1	15	4	10	1	1	-	08
361	22	5	92	24	22	43	32	4	26	2	-	11	27	3	111	29	56	25	9	1	09
326	22	4	90	22	20	36	26	3	23	2	-	10	26	3	96	27	52	21	7	-	10
35	-	1	2	2	2	7	6	1	3	-	-	1	1	-	15	2	4	4	2	1	11
14	1	1	7	2	-	2	-	-	-	-	-	-	1	-	6	1	4	-	-	-	12
31	5	-	19	7	3	4	2	1	3	1	-	1	1	1	17	2	2	4	-	-	13
21	2	1	7	-	-	2	-	-	-	-	-	1	3	-	3	1	5	-	-	-	14
8	2	-	4	-	-	1	-	-	-	-	-	-	1	-	6	5	2	1	-	-	15
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	16
4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	2	-	-	-	17
9	1	-	6	-	-	-	-	-	-	-	-	1	-	-	3	6	6	1	-	-	18
2	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	5	2	-	-	-	19
7	-	-	1	2	-	-	-	-	-	-	-	-	2	1	4	4	1	2	-	-	20
15	1	-	7	3	-	-	1	-	-	-	-	-	-	-	9	4	-	-	-	-	21
239	10	4	70	22	10	13	16	6	4	1	-	7	15	5	71	29	15	11	5	-	22
116	7	2	40	15	5	9	9	3	1	-	-	5	4	3	30	11	3	4	-	-	23
123	3	2	30	7	5	4	7	3	3	1	-	2	11	2	41	18	12	7	5	-	24
23	8	-	16	6	2	5	-	1	-	-	-	-	-	-	10	2	5	1	-	-	25
8,881	823	96	2,735	491	399	811	300	84	512	79	4	162	345	223	1,942	419	599	266	114	85	26
6,254	628	69	1,944	321	275	550	201	61	365	63	4	100	246	161	1,386	233	403	161	96	56	27
2,627	195	27	791	170	124	261	99	23	147	16	-	62	99	62	556	186	196	105	18	29	28
6,863	716	71	2,153	342	307	598	228	64	383	65	4	116	262	180	1,542	289	463	185	96	75	29
5,665	599	61	1,758	275	249	483	185	55	318	56	4	87	224	146	1,256	199	368	140	86	55	30
1,198	117	10	395	67	58	115	43	9	65	9	-	29	38	34	286	90	95	45	10	20	31
2,018	107	25	582	149	92	213	72	20	129	14	-	46	83	43	400	130	136	81	18	10	32
589	29	8	186	46	26	67	16	6	47	7	-	13	22	15	130	34	35	21	10	1	33
1,429	78	17	396	103	66	146	56	14	82	7	-	33	61	28	270	96	101	60	8	9	34
2,182	154	25	720	102	98	192	87	22	116	25	-	37	91	73	472	94	177	55	28	32	35
553	37	5	163	29	18	46	19	5	31	7	-	15	34	15	114	20	37	7	21	9	36
159	6	3	54	4	9	16	5	1	9	3	-	2	7	4	34	6	13	3	2	1	37
42	2	1	15	1	2	5	1	-	2	-	-	-	1	2	14	1	-	2	-	2	38
152	6	3	40	5	3	11	3	6	10	1	-	1	7	5	29	7	13	1	-	2	39
165	26	1	44	8	6	23	8	1	11	3	-	3	2	5	21	3	18	2	-	-	40
155	12	1	68	5	5	15	10	1	10	2	-	2	8	3	38	6	13	2	-	5	41
77	2	3	19	5	2	5	2	2	2	1	-	-	2	2	12	1	3	3	-	-	42
296	23	1	112	14	19	20	9	1	15	3	-	2	8	10	73	13	32	11	2	1	43
173	9	2	56	7	10	13	6	2	5	3	-	1	6	3	34	4	7	6	2	-	44
64	3	1	20	4	3	3	4	1	4	-	-	2	3	1	16	7	2	3	-	1	45
40	5	2	27	3	4	3	3	-	-	-	-	1	1	6	12	1	4	2	-	1	46
306	23	2	102	17	17	32	17	2	17	2	-	8	12	17	75	25	35	13	1	10	47
2,375	104	22	739	131	117	219	77	24	129	20	2	38	81	53	579	94	156	77	36	17	48
156	5	3	53	5	13	10	3	4	14	1	-	1	9	5	40	7	4	3	-	-	49
136	9	1	44	7	9	11	3	-	10	-	1	1	5	3	27	4	10	3	2	-	50
108	9	-	24	6	4	5	3	-	3	1	-	7	4	7	14	4	11	5	3	-	51
506	15	3	134	27	18	58	12	5	33	5	1	6	33	22	175	15	39	13	12	5	52
122	13	2	44	18	9	14	12	1	13	1	-	4	2	2	29	5	12	4	1	3	53
311	10	4	91	17	12	29	10	3	14	3	-	4	4	3	75	9	14	11	5	1	54
64	3	-	13	3	2	4	2	-	2	-	-	1	4	2	17	1	3	2	4	-	55
57	-	-	19	4	5	3	1	1	1	-	-	-	-	-	10	2	5	2	-	1	56
82	2	2	13	1	4	7	1	1	2	-	-	1	1	1	8	4	4	1	-	-	57
245	5	1	96	17	14	26	8	5	6	1	-	4	3	2	55	5	15	11	1	1	58
89	1	1	33	7	6	5	2	1	3	3	-	-	2	1	15	1	8	-	-	1	59
43	2	1	5	2	1	1	4	-	4	-	-	-	1	-	4	2	1	-	1	1	60
456	30	4	170	17	20	46	16	3	24	5	-	9	13	5	110	35	30	22	7	4	61
511	12	4	154	29	23	69	26	5	29	4	-	8	22	11	113	39	23	20	4	3	62
122	1	-	36	14	5	14	3	1	9	2	-	1	3	5	25	6	2	2	2	-	63
389	11	4	118	15	18	55	23	4	20	2	-	7	19	6	88	33	21	18	2	3	64
362	24	1	107	19	15	29	12	4	29	4	-	9	7	9	76	21	30	8	3	2	65
120	8	-	39	4	3	6	4	1	15	2	-	4	2	3	29	3	6	4	2	-	66
242	16	1	68	15	12	23	8	3	14	2	-	5	5	6	47	18	24	4	1	2	67
2,306	458	24	694	109	92	187	64	18	138	20	2	41	90	54	491	101	130	53	32	26	68
93	1	-	22	3	2	6	3	-	6	-	-	1	1	4	16	1	4	1	-	-	69
41	2	-	14	2	2	3	-	-	2	-	-	2	2	4	6	2	-	-	-	-	70
52	20	-	13	-	1	4	2	-	9	1	1	-	1	-	11	2	2	4	-	1	71
155	65	-	56	5	7	10	2	-	5	3	-	-	4	7	43	2	6	5	1	-	72
163	33	4	51	12	7	12	8	-	13	-	-	4	7	5	24	5	9	3	2	1	73
134	7	1	54	9	4	12	5	2	9	2	-	-	4	1	26	10	6	4	4	1	74
87	4	1	28	6	1	3	-	-	4	-	-	1	5	2	13	6	4	-	1	-	75
381	172	5	134	16	14	37	12	4	27	7	-	13	25	6	118	14	37	8	12	13	76
100	12	2	28	1	7	11	8	2	7	-	-	3	2	1	15	3	5	1	-	-	77
491	17	5	128	12	23	42	8	3	24	5	1	5	18	12	76	14	21	14	8	3	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CONNECTICUT--CON.																	
	NEW HAVEN--CON.																	
01	WEST HAVEN TOWN#	512	1	-	6	98	27	19	11	10	5	3	23	11	295	237	3	-
02	BALANCE OF COUNTY	1,324	2	-	6	309	97	55	25	32	21	14	65	19	695	514	10	4
03	NEW LONDON	1,912	1	-	7	424	147	88	40	36	13	16	84	37	1,018	699	9	13
04	NEW LONDON	350	-	-	1	75	28	13	9	8	2	1	14	3	195	136	-	2
05	NORWICH	445	1	-	1	95	34	21	7	6	2	3	22	9	227	153	4	1
06	BALANCE OF COUNTY	1,117	-	-	5	254	85	54	24	22	9	12	48	25	596	410	5	10
07	TOLLAND	594	-	-	5	122	37	27	11	13	1	6	27	22	280	205	10	2
08	VERNON TOWN#	169	-	-	-	38	14	7	3	4	-	-	10	5	75	54	3	1
09	BALANCE OF COUNTY	425	-	-	5	84	23	20	8	9	1	6	17	17	205	151	7	1
10	WINDHAM	818	1	-	5	151	50	30	12	17	6	3	33	18	457	355	5	4
11	WILLIMANTIC	88	-	-	-	9	2	-	-	1	1	1	4	1	49	38	1	2
12	BALANCE OF COUNTY	730	1	-	5	142	48	30	12	16	5	2	29	17	408	317	4	2
13	**DELAWARE**	4,986	12	-	23	1,061	293	256	92	125	60	36	199	154	2,527	2,012	29	28
14	URBAN PLACES	2,069	7	-	13	463	132	108	39	52	30	11	91	64	1,015	798	14	15
15	BALANCE OF AREA	2,917	5	-	10	598	161	148	53	73	30	25	108	90	1,512	1,214	15	13
16	METROPOLITAN COUNTIES	3,260	7	-	15	719	202	179	60	85	40	23	130	115	1,644	1,310	24	24
17	URBAN PLACES	1,886	7	-	12	422	122	97	35	47	27	11	83	62	928	729	14	14
18	BALANCE OF AREA	1,374	-	-	3	297	80	82	25	38	13	12	47	53	716	581	10	10
19	NONMETROPOLITAN COUNTIES	1,726	5	-	8	342	91	77	32	40	20	13	69	39	883	702	5	4
20	URBAN PLACES	183	-	-	1	41	10	11	4	5	3	-	8	2	87	69	-	1
21	BALANCE OF AREA	1,543	5	-	7	301	81	66	28	35	17	13	61	37	796	633	5	3
22	KENT	689	-	-	4	131	29	32	14	15	13	3	25	15	349	282	1	3
23	DOVER	183	-	-	1	41	10	11	4	5	3	-	8	2	87	69	-	1
24	BALANCE OF COUNTY	506	-	-	3	90	19	21	10	10	10	3	17	13	262	213	1	2
25	NEW CASTLE	3,260	7	-	15	719	202	179	60	85	40	23	130	115	1,644	1,310	24	24
26	NEWARK	203	1	-	2	44	9	12	3	7	1	2	10	6	92	74	3	-
27	WILMINGTON	1,683	6	-	10	378	113	85	32	40	26	9	73	56	836	655	11	14
28	BALANCE OF COUNTY	1,374	-	-	3	297	80	82	25	38	13	12	47	53	716	581	10	10
29	SUSSEX	1,037	5	-	4	211	62	45	18	25	7	10	44	24	534	420	4	1
30	**DISTRICT OF COLUMBIA**	7,848	37	3	91	1,535	415	335	147	228	64	42	304	160	3,323	2,328	49	72
31	**FLORIDA**	88,015	154	23	545	17,648	4,709	4,641	1,361	2,157	856	651	3,273	1,453	44,907	32,357	665	359
32	URBAN PLACES	48,084	85	15	289	9,595	2,611	2,481	764	1,185	460	337	1,757	809	24,893	17,866	365	192
33	BALANCE OF AREA	39,931	69	8	256	8,053	2,098	2,160	597	972	396	314	1,516	644	20,014	14,491	300	167
34	METROPOLITAN COUNTIES	57,660	91	13	372	11,813	3,196	3,016	938	1,430	583	425	2,225	895	29,557	21,422	475	232
35	URBAN PLACES	39,808	62	10	241	8,032	2,227	2,050	631	982	379	287	1,476	644	20,673	14,975	321	163
36	BALANCE OF AREA	17,852	29	3	131	3,781	969	966	307	448	204	138	749	251	8,884	6,447	154	69
37	NONMETROPOLITAN COUNTIES	30,355	63	10	173	5,835	1,513	1,625	423	727	273	226	1,048	558	15,350	10,935	190	127
38	URBAN PLACES	8,276	23	5	48	1,563	384	431	133	203	81	50	281	165	4,220	2,891	44	29
39	BALANCE OF AREA	22,079	40	5	125	4,272	1,129	1,194	290	524	192	176	767	393	11,130	8,044	146	98
40	ALACHUA	799	2	-	11	151	43	41	9	19	10	4	25	15	346	204	12	8
41	GAINESVILLE	453	1	-	7	93	27	27	6	8	7	2	16	8	191	107	9	6
42	BALANCE OF COUNTY	346	1	-	4	58	16	14	3	11	3	2	9	7	155	97	3	2
43	BAKER	94	-	-	2	17	3	7	2	3	1	-	1	1	40	27	-	1
44	BAY	706	2	-	2	148	41	42	8	23	6	4	24	5	296	201	1	1
45	PANAMA CITY	454	-	-	1	85	20	23	5	18	6	1	12	3	199	134	-	-
46	BALANCE OF COUNTY	252	2	-	1	63	21	19	3	5	-	3	12	2	97	67	1	1
47	BRADFORD	134	-	-	1	22	6	5	3	3	-	1	4	3	63	50	2	1
48	BREVARD	1,829	2	1	9	396	87	123	41	39	12	19	75	36	904	640	15	5
49	COCOA	150	1	1	-	37	8	11	2	4	1	4	7	3	66	47	1	1
50	MELBOURNE	373	-	-	1	78	16	24	7	3	-	6	22	11	199	142	4	1
51	ROCKLEDGE	79	-	-	-	12	2	4	2	2	1	-	1	6	39	27	-	1
52	TITUSVILLE	235	-	-	3	52	11	20	6	5	-	1	9	3	111	79	-	1
53	BALANCE OF COUNTY	992	1	-	5	217	50	64	24	25	10	8	36	13	489	345	10	1
54	BROWARD	9,101	13	2	46	2,078	580	526	150	266	105	86	365	145	4,669	3,493	83	21
55	DEERFIELD BEACH	321	1	-	2	74	23	20	4	9	4	4	10	7	155	112	4	1
56	FORT LAUDERDALE	2,528	4	-	9	559	147	146	41	75	26	23	101	45	1,270	903	20	7
57	HALLANDALE	553	-	-	3	140	44	30	8	15	4	6	33	15	302	246	9	2
58	HOLLYWOOD	1,481	1	1	3	366	109	79	29	52	19	10	68	21	780	590	17	3
59	LAUDERDALE LAKES	222	-	-	2	58	18	15	3	6	5	2	9	-	115	89	2	2
60	MIRAMAR	229	1	-	-	53	15	10	4	11	2	-	11	1	119	89	-	-
61	OAKLAND PARK	93	-	-	-	20	5	8	-	-	-	3	4	1	51	39	2	-
62	PEMBROKE PINES	172	-	-	1	37	13	9	2	4	2	1	6	3	99	79	3	-
63	PLANTATION	187	-	-	3	53	12	13	6	6	4	5	7	2	90	72	1	-
64	POMPANO BEACH	775	2	-	7	182	48	63	9	17	8	8	29	12	397	294	8	-
65	WILTON MANORS	130	-	-	1	18	3	9	1	1	-	1	3	3	79	54	2	-
66	BALANCE OF COUNTY	2,410	4	1	15	518	143	124	43	70	31	23	84	35	1,212	926	15	6
67	CALHOUN	85	-	-	1	11	1	3	3	2	-	-	2	-	38	26	-	-
68	CHARLOTTE	635	-	-	2	114	26	25	8	23	8	6	18	5	394	301	9	1
69	CITRUS	474	1	-	2	106	33	30	6	13	5	2	17	8	255	166	4	1
70	CLAY	347	2	-	2	66	17	16	4	8	4	4	13	6	193	151	1	-
71	COLLIER	619	2	-	7	133	33	42	8	16	7	3	24	10	264	195	6	2
72	NAPLES	259	1	-	3	55	10	22	3	6	4	2	8	4	127	92	4	1
73	BALANCE OF COUNTY	360	1	-	4	78	23	20	5	10	3	1	16	6	137	103	2	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
173	61	2	43	10	3	10	6	3	8	–	–	–	8	–	42	12	6	3	2	1	01
436	64	4	123	33	21	37	10	4	24	2	–	12	13	12	101	30	30	10	2	6	02
631	46	13	215	59	32	63	14	6	48	4	–	12	28	13	119	34	51	25	6	2	03
132	2	3	36	13	7	11	2	1	8	1	–	1	4	2	21	6	9	5	4	1	04
137	11	4	50	13	7	21	4	3	11	2	–	3	8	4	34	7	10	5	–	–	05
362	33	6	129	33	18	31	8	2	29	1	–	8	16	7	64	21	32	15	2	1	06
176	17	3	52	11	9	26	8	–	6	1	–	12	13	2	50	15	12	16	2	2	07
43	7	1	16	2	2	9	2	–	2	–	–	4	5	1	15	5	5	3	–	–	08
133	10	2	36	9	7	17	6	–	4	1	–	8	8	1	35	10	7	13	2	2	09
338	8	4	54	31	13	26	12	5	17	1	–	5	13	8	42	21	20	12	3	1	10
35	–	–	9	–	2	6	1	–	2	–	–	–	–	–	6	7	3	2	2	–	11
303	8	4	45	31	11	20	11	5	15	1	–	5	13	8	36	14	17	10	1	1	12
1,862	93	18	356	79	62	140	67	10	106	23	3	42	76	42	336	115	104	61	63	21	13
724	45	9	148	38	22	57	28	5	62	12	1	19	28	18	136	32	39	23	34	13	14
1,138	48	9	208	41	40	83	39	5	44	11	2	23	48	24	200	83	65	38	29	8	15
1,195	67	14	226	55	39	82	42	6	78	15	2	29	42	22	212	66	67	42	39	16	16
658	43	8	135	35	21	45	27	5	56	11	1	18	23	14	124	30	38	22	29	12	17
537	24	6	91	20	18	37	15	1	22	4	1	11	19	8	88	36	29	20	10	4	18
667	26	4	130	24	23	58	25	4	28	8	1	13	34	20	124	49	37	19	24	5	19
66	2	1	13	3	1	12	1	–	6	1	–	1	5	4	12	2	1	1	5	1	20
601	24	3	117	21	22	46	24	4	22	7	1	12	29	16	112	47	36	18	19	4	21
271	7	1	48	10	8	30	10	2	15	4	1	5	10	10	53	17	11	7	10	5	22
66	2	1	13	3	1	12	1	–	6	1	–	1	5	4	12	2	1	1	5	1	23
205	5	–	35	7	7	18	9	2	9	3	1	4	5	6	41	15	10	6	5	4	24
1,195	67	14	226	55	39	82	42	6	78	15	2	29	42	22	212	66	67	42	39	16	25
70	1	1	14	2	1	2	3	–	4	1	–	2	6	3	14	10	8	3	1	1	26
588	42	7	121	33	20	43	24	5	52	10	1	16	17	11	110	20	30	19	28	11	27
537	24	6	91	20	18	37	15	1	22	4	1	11	19	8	88	36	29	20	10	4	28
396	19	3	82	14	15	28	15	2	13	4	–	8	24	10	71	32	26	12	14	–	29
2,034	173	38	657	206	94	268	55	25	449	54	4	54	173	99	788	82	241	77	275	55	30
29,810	1,523	300	9,568	1,309	1,373	2,151	1,434	290	1,657	383	12	476	1,028	1,467	6,982	2,172	2,370	1,362	1,261	240	31
16,509	800	171	5,420	717	719	1,233	771	164	978	227	4	246	546	693	3,872	943	1,158	721	717	125	32
13,301	723	129	4,148	592	654	918	663	126	679	156	8	230	482	774	3,110	1,229	1,212	641	544	115	33
19,782	933	191	6,217	848	879	1,430	928	179	1,155	261	4	334	673	643	4,653	1,257	1,432	950	883	137	34
13,832	659	138	4,381	577	602	1,030	639	133	830	188	1	214	433	451	3,256	738	913	608	608	104	35
5,950	274	53	1,836	271	277	400	289	46	325	73	3	120	240	192	1,397	519	519	342	275	33	36
10,028	590	109	3,351	461	494	721	506	111	502	122	8	142	355	824	2,329	915	938	412	378	103	37
2,677	141	33	1,039	140	117	203	132	31	148	39	3	32	113	242	616	205	245	113	109	21	38
7,351	449	76	2,312	321	377	518	374	80	354	83	5	110	242	582	1,713	710	693	299	269	82	39
155	29	4	105	21	12	11	15	1	13	4	–	6	14	40	75	29	39	8	16	3	40
76	16	2	65	11	6	8	10	1	9	2	–	4	7	21	44	14	18	5	9	1	41
79	13	2	40	10	6	3	5	–	4	2	–	2	7	19	31	15	21	3	7	2	42
21	5	–	8	3	2	–	1	–	–	–	–	2	1	4	7	12	3	1	1	2	43
176	23	2	75	3	15	23	15	1	7	3	–	6	14	60	43	24	35	8	9	5	44
123	11	2	51	2	10	14	9	1	4	3	–	3	10	38	33	17	19	7	7	1	45
53	12	–	24	1	5	9	6	–	3	–	–	3	4	22	10	7	16	1	2	4	46
39	8	–	12	–	1	1	2	1	4	1	–	–	3	2	13	6	6	–	5	1	47
603	17	9	194	26	35	35	27	11	30	5	1	7	26	7	144	67	58	37	21	5	48
44	1	–	15	3	1	1	–	–	3	1	1	1	3	1	9	10	3	2	6	1	49
135	2	3	40	7	7	14	6	3	4	1	–	1	1	3	26	7	5	6	6	1	50
26	–	–	7	2	3	–	2	–	2	–	–	1	1	1	7	1	5	1	–	1	51
73	5	4	21	2	5	3	5	1	5	–	–	–	11	1	13	8	10	8	1	–	52
325	9	2	111	12	19	17	14	7	16	3	–	4	10	1	89	41	35	20	8	2	53
3,276	113	33	856	106	181	195	149	28	187	38	–	50	88	40	731	165	181	147	133	16	54
101	6	1	29	2	11	11	4	1	7	3	–	2	2	–	29	7	4	6	5	1	55
845	31	14	267	38	48	52	48	8	56	7	–	13	32	13	218	49	50	44	46	5	56
231	4	2	43	3	8	8	4	1	9	3	–	1	4	2	29	5	10	3	13	1	57
547	23	4	143	11	32	32	18	8	27	7	–	12	12	6	102	21	26	24	11	3	58
82	3	–	20	3	3	1	4	1	3	1	–	–	1	2	21	1	8	4	–	–	59
85	4	–	25	2	3	7	4	–	7	2	–	3	1	2	16	4	1	4	4	–	60
37	–	1	8	3	–	2	1	–	2	–	–	–	2	–	10	1	1	1	1	–	61
72	4	1	15	1	3	6	2	–	1	–	–	–	–	1	11	5	3	3	–	–	62
67	4	–	14	3	1	4	1	–	–	1	–	1	–	–	20	4	5	2	–	1	63
278	8	2	70	11	20	12	18	4	20	3	–	2	3	2	60	9	18	14	10	–	64
51	1	1	18	3	3	4	2	–	2	1	–	–	–	1	13	1	–	4	1	–	65
880	25	7	204	26	49	56	43	5	53	10	–	16	31	11	202	58	55	38	42	5	66
25	1	–	12	–	–	3	–	–	1	–	–	–	1	3	11	9	6	1	–	–	67
280	11	4	59	9	21	15	11	3	10	1	–	1	2	1	43	12	6	12	2	1	68
156	5	3	76	3	7	6	5	2	5	5	–	5	5	1	30	8	16	10	2	2	69
143	7	3	30	4	5	1	4	–	9	1	–	2	6	3	24	9	11	3	4	1	70
179	8	3	44	8	14	14	18	4	17	–	–	4	3	13	59	25	20	8	14	4	71
83	4	1	24	2	8	4	11	–	7	–	–	–	–	5	26	4	6	3	2	1	72
96	4	2	20	6	6	10	7	4	10	–	–	4	3	8	33	21	14	5	12	3	73

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	FLORIDA—CON.																	
01	COLUMBIA	283	-	-	4	34	5	12	3	2	2	2	8	2	150	108	-	-
02	LAKE CITY	128	-	-	-	14	3	6	1	1	-	1	2	2	64	44	-	-
03	BALANCE OF COUNTY	155	-	-	4	20	2	6	2	1	2	1	6	-	86	64	-	-
04	DADE	15,128	29	1	111	3,132	883	765	264	353	158	126	583	286	7,632	5,940	139	74
05	CORAL GABLES	446	-	-	3	107	19	24	16	17	6	6	19	4	235	173	4	3
06	HIALEAH	841	2	-	10	168	50	49	13	16	12	4	24	20	404	309	5	2
07	HOMESTEAD	157	-	-	1	24	5	9	1	3	-	1	5	3	66	42	-	1
08	MIAMI	4,849	12	1	27	979	272	258	81	109	47	33	179	103	2,318	1,784	44	32
09	MIAMI BEACH	2,594	3	-	20	552	188	103	41	65	28	34	93	47	1,522	1,237	30	8
10	MIAMI SPRINGS	131	-	-	2	17	1	6	2	-	1	4	3	2	72	39	-	1
11	NORTH MIAMI	614	2	-	-	138	35	34	21	13	5	4	26	11	337	277	11	3
12	NORTH MIAMI BEACH	886	-	-	1	194	60	44	14	24	12	5	35	16	521	425	7	3
13	OPA-LOCKA	170	1	-	3	28	7	13	-	1	2	1	4	4	64	47	2	-
14	SOUTH MIAMI	82	1	-	-	12	4	4	1	1	-	2	-	4	40	34	1	1
15	BALANCE OF COUNTY	4,358	8	-	44	913	242	221	74	104	45	32	195	72	2,053	1,573	35	20
16	DE SOTO	157	-	-	1	24	11	3	2	2	-	1	5	1	86	63	1	-
17	DIXIE	48	-	-	1	6	2	1	1	1	-	-	1	1	25	21	-	-
18	DUVAL, COEX. WITH JACKSONVILLE CITY	4,816	10	3	42	869	206	259	77	93	28	28	178	89	2,265	1,695	26	18
19	ESCAMBIA	1,594	1	-	15	326	69	106	27	36	10	7	71	25	755	516	12	9
20	PENSACOLA	713	-	-	6	124	31	39	9	14	3	5	23	10	348	252	3	5
21	BALANCE OF COUNTY	881	1	-	9	202	38	67	18	22	7	2	48	15	407	264	9	4
22	FLAGLER	72	-	-	2	11	3	6	-	-	-	-	2	4	42	40	-	-
23	FRANKLIN	108	-	-	-	21	5	4	1	3	1	2	5	2	47	32	-	-
24	GADSDEN	358	1	1	6	41	11	16	-	4	2	-	8	1	165	106	1	1
25	GILCHRIST	42	-	-	-	9	3	4	-	-	1	-	1	-	21	14	1	-
26	GLADES	45	-	-	-	9	3	1	2	-	-	1	2	-	19	16	1	1
27	GULF	83	-	-	1	16	5	7	1	1	1	-	1	2	38	26	-	1
28	HAMILTON	83	-	-	1	15	5	4	2	1	-	1	2	-	37	29	1	-
29	HARDEE	207	2	1	5	23	4	9	-	3	1	2	4	7	92	65	1	2
30	HENDRY	125	-	-	2	21	8	2	3	3	1	1	3	-	54	40	1	1
31	HERNANDO	348	1	-	-	65	27	18	5	5	4	1	5	2	138	90	3	2
32	HIGHLANDS	531	1	-	4	110	24	33	6	18	5	9	15	4	280	191	3	1
33	HILLSBOROUGH	5,284	7	3	40	1,012	252	299	78	115	56	31	181	84	2,452	1,691	27	16
34	PLANT CITY	189	-	-	1	25	6	12	1	1	1	-	4	5	111	75	1	1
35	TAMPA	3,480	4	2	29	657	164	183	50	81	37	21	121	50	1,611	1,090	15	10
36	BALANCE OF COUNTY	1,615	3	1	10	330	82	104	27	33	18	10	56	29	730	526	11	5
37	HOLMES	157	1	-	1	21	6	6	-	2	1	2	4	1	89	83	3	-
38	INDIAN RIVER	549	-	-	1	121	36	31	8	20	5	2	19	8	262	178	3	2
39	VERO BEACH	230	-	-	1	51	16	10	4	7	3	2	9	2	123	84	2	-
40	BALANCE OF COUNTY	319	-	-	-	70	20	21	4	13	2	-	10	6	139	94	1	2
41	JACKSON	412	-	-	2	59	9	17	4	9	1	2	17	5	201	132	1	3
42	JEFFERSON	105	1	-	2	14	4	1	1	4	-	-	4	3	47	23	1	2
43	LAFAYETTE	30	-	-	-	7	3	1	-	2	-	-	1	-	12	5	-	-
44	LAKE	1,205	2	-	7	230	55	62	17	36	11	5	44	30	622	447	7	13
45	LEESBURG	203	-	-	4	39	5	12	8	4	3	-	7	4	98	63	-	3
46	BALANCE OF COUNTY	1,002	2	-	3	191	50	50	9	32	8	5	37	26	524	384	7	10
47	LEE	1,681	3	-	13	352	101	97	19	45	20	9	61	44	793	579	20	7
48	FORT MYERS	491	2	-	2	94	23	28	4	12	11	1	15	17	220	157	6	1
49	BALANCE OF COUNTY	1,190	1	-	11	258	78	69	15	33	9	8	46	27	573	422	14	6
50	LEON	682	1	-	2	132	28	27	8	24	6	3	36	12	284	172	3	-
51	TALLAHASSEE	454	1	-	1	89	17	15	7	16	5	3	26	9	202	127	1	-
52	BALANCE OF COUNTY	228	-	-	1	43	11	12	1	8	1	-	10	3	82	45	2	-
53	LEVY	180	1	-	-	35	5	9	3	7	2	1	8	5	88	67	-	1
54	LIBERTY	38	-	-	-	4	3	-	-	-	-	-	1	-	20	13	-	-
55	MADISON	167	-	-	-	14	4	3	3	1	-	1	2	3	102	86	-	-
56	MANATEE	1,827	1	-	7	350	101	83	23	41	20	16	66	48	950	668	7	5
57	BRADENTON	570	-	-	2	108	31	23	5	17	9	5	18	16	313	215	1	4
58	BALANCE OF COUNTY	1,257	1	-	5	242	70	60	18	24	11	11	48	32	637	453	6	1
59	MARION	1,020	2	-	8	211	44	62	13	35	9	8	40	18	473	302	5	5
60	OCALA	354	1	-	5	68	12	16	5	15	3	1	16	5	177	108	2	1
61	BALANCE OF COUNTY	666	1	-	3	143	32	46	8	20	6	7	24	13	296	194	3	4
62	MARTIN	543	3	-	2	124	27	28	8	13	15	7	26	10	269	190	4	-
63	MONROE	499	3	-	2	119	24	38	7	14	6	6	24	8	224	170	1	1
64	KEY WEST	230	2	-	1	47	8	13	2	9	4	1	10	6	104	74	-	-
65	BALANCE OF COUNTY	269	1	-	1	72	16	25	5	5	2	5	14	2	120	96	1	1
66	NASSAU	207	-	-	-	44	6	15	4	6	2	1	10	4	87	59	-	1
67	OKALOOSA	539	3	-	6	100	23	34	5	11	2	3	22	6	245	195	4	2
68	FORT WALTON BEACH	140	2	-	3	27	9	9	1	3	1	1	3	1	71	55	1	-
69	BALANCE OF COUNTY	399	1	-	3	73	14	25	4	8	1	2	19	5	174	140	3	2
70	OKEECHOBEE	159	2	-	-	26	8	5	2	3	-	-	8	4	58	37	-	-
71	ORANGE	3,244	7	1	22	610	166	142	48	87	19	19	129	26	1,673	1,218	31	21
72	ORLANDO	1,313	4	1	9	228	62	58	22	31	4	7	44	10	688	493	14	10
73	WINTER PARK	322	-	-	2	64	26	9	5	7	2	1	14	3	186	132	2	4
74	BALANCE OF COUNTY	1,609	3	-	11	318	78	75	21	49	13	11	71	13	799	593	15	7
75	OSCEOLA	503	1	-	2	87	29	26	5	7	2	5	13	11	288	232	1	3
76	PALM BEACH	5,446	12	-	34	1,177	332	278	91	160	57	42	217	77	2,871	1,942	49	19
77	BELLE GLADE	164	3	-	2	35	10	11	1	8	1	-	4	2	53	35	1	-
78	BOCA RATON	450	-	-	1	108	28	22	11	10	9	5	23	9	243	179	3	1
79	BOYNTON BEACH	413	-	-	3	85	23	19	10	15	2	2	14	6	233	168	4	2
80	DELRAY BEACH	396	2	-	1	87	28	19	8	13	5	3	11	6	202	136	2	-
81	LAKE WORTH	584	2	-	2	113	39	20	7	15	9	1	22	6	347	221	4	3

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
106	2	1	36	3	2	6	2	-	3	1	1	3	6	14	19	7	14	4	13	-	01
43	1	-	18	2	-	2	2	-	2	1	-	1	3	5	11	5	7	2	7	-	02
63	1	1	10	1	2	4	-	-	1	-	1	2	3	9	8	2	7	2	6	-	03
5,462	265	44	1,292	143	213	371	211	48	309	78	2	103	149	71	1,364	289	358	306	269	9	04
154	12	2	44	1	15	6	10	1	11	-	-	1	4	1	33	4	9	11	6	-	05
285	17	3	73	7	12	26	17	3	11	4	-	6	7	2	81	27	16	22	15	-	06
37	4	-	12	9	3	4	3	1	5	-	-	2	11	4	16	6	3	1	7	-	07
1,608	100	20	398	54	62	138	82	14	142	31	1	37	41	26	509	81	108	81	116	2	08
1,168	31	3	228	13	41	44	23	8	25	15	-	4	7	3	202	18	43	47	7	4	09
37	1	1	28	2	2	4	5	-	6	-	-	2	-	-	12	2	4	2	1	-	10
256	7	3	46	4	7	17	6	4	8	1	-	5	1	1	40	7	21	10	5	-	11
405	10	2	69	12	13	16	11	4	8	2	-	1	4	4	64	16	13	8	2	1	12
41	4	2	13	1	1	5	1	-	5	-	-	2	7	1	25	3	8	5	8	-	13
26	6	-	4	1	1	2	1	-	4	-	-	-	-	-	10	-	3	4	1	-	14
1,445	73	8	377	39	56	109	52	13	84	25	1	48	67	29	372	125	130	115	101	2	15
58	4	-	19	2	2	7	6	-	4	1	-	-	-	4	10	4	3	3	3	-	16
19	2	-	4	-	-	1	2	-	-	-	-	-	1	-	5	2	2	-	2	-	17
1,552	99	18	448	56	48	122	74	14	154	20	-	44	77	61	407	152	165	96	134	18	18
473	22	8	181	27	23	48	24	5	33	7	-	10	36	15	136	40	63	20	29	6	19
230	14	-	73	14	9	28	6	4	14	3	-	2	14	10	74	14	30	10	13	3	20
243	8	8	108	13	14	20	18	1	19	4	-	8	22	5	62	26	33	10	16	3	21
39	1	-	2	-	-	1	1	-	-	-	-	1	1	-	3	2	1	1	2	-	22
29	3	-	13	2	-	2	1	-	-	2	-	1	-	15	7	2	4	-	2	2	23
92	12	4	49	3	3	13	4	2	4	6	-	-	5	40	24	16	20	2	5	2	24
12	1	-	7	-	-	-	1	-	-	-	-	-	1	2	3	1	3	-	-	1	25
14	-	-	3	-	-	3	1	1	-	-	-	-	-	1	2	3	3	2	-	1	26
24	1	1	11	-	-	2	1	1	1	1	-	-	1	7	4	3	5	-	-	-	27
26	2	-	7	1	-	3	-	1	1	-	-	2	-	5	9	3	2	1	3	-	28
58	4	-	21	3	3	6	5	-	1	-	-	2	4	4	25	12	9	1	5	3	29
36	2	1	9	3	1	4	5	-	6	-	-	1	6	3	4	6	8	3	1	1	30
77	8	1	40	6	1	7	6	1	5	2	-	3	2	53	27	9	9	7	9	2	31
173	14	2	67	13	7	16	12	4	2	1	-	-	6	7	39	12	20	6	7	-	32
1,558	90	14	599	81	67	165	62	16	85	27	-	31	93	259	427	164	152	90	98	17	33
67	6	-	24	11	1	1	3	-	-	1	-	2	6	3	18	6	1	4	1	1	34
1,007	58	10	421	46	44	135	44	11	66	21	-	17	63	189	282	83	83	48	71	14	35
484	26	4	154	24	22	29	15	5	19	5	-	12	24	67	127	75	68	38	26	2	36
71	9	-	4	1	1	5	1	-	3	-	-	2	4	4	9	7	6	1	1	1	37
159	14	1	67	8	8	18	10	1	10	2	-	1	7	5	50	18	15	8	11	1	38
77	5	1	30	4	4	6	7	-	4	1	-	1	2	2	19	5	2	3	1	-	39
82	9	-	37	4	4	12	3	1	6	1	-	-	5	3	31	13	13	5	10	1	40
119	9	2	59	1	7	12	8	3	7	-	-	1	5	27	32	21	22	2	4	1	41
19	1	3	12	2	7	8	1	-	-	1	-	1	1	10	10	2	2	1	1	-	42
5	-	-	5	2	-	-	1	-	-	-	-	-	1	1	5	-	2	-	1	-	43
402	25	2	136	19	18	27	23	6	18	4	1	3	8	14	93	37	48	15	17	-	44
56	4	-	28	4	3	9	1	2	3	-	-	-	3	3	19	8	7	1	2	-	45
346	21	2	108	15	15	18	22	4	15	4	1	3	5	11	74	29	41	14	15	-	46
526	26	5	150	23	36	43	39	9	40	4	-	12	25	7	147	60	44	31	13	2	47
140	10	2	46	9	6	14	11	2	13	1	-	4	12	3	40	22	16	10	8	-	48
386	16	3	104	14	30	29	28	7	27	3	-	8	13	4	107	38	28	21	5	2	49
135	34	2	94	9	7	13	7	5	7	1	-	9	22	62	47	20	25	14	12	7	50
103	23	1	62	5	7	8	6	4	6	1	-	4	16	41	25	9	13	7	8	4	51
32	11	1	32	4	-	5	1	1	1	-	-	5	6	21	22	11	12	7	4	3	52
59	7	-	17	3	1	2	1	-	3	2	-	-	5	8	13	6	6	1	4	-	53
11	2	-	7	-	-	1	1	-	-	-	-	-	1	4	3	2	-	2	-	-	54
81	5	-	13	2	1	5	2	-	1	1	-	2	3	7	12	7	5	1	2	-	55
623	33	5	225	19	33	42	29	9	37	7	-	3	10	111	136	30	32	13	8	4	56
200	10	5	81	8	9	15	6	2	12	4	-	1	2	34	37	2	9	4	1	2	57
423	23	5	144	11	24	27	23	7	25	3	-	2	8	77	99	28	23	9	7	2	58
268	24	4	133	14	20	20	12	3	22	5	-	6	17	5	91	46	50	16	13	2	59
97	8	1	61	3	4	5	5	1	9	3	-	1	6	1	29	12	16	6	4	-	60
171	16	3	72	11	16	15	7	2	13	2	-	5	11	4	62	34	34	10	9	2	61
180	6	3	55	11	10	5	8	2	9	-	-	3	5	2	43	23	12	11	6	6	62
160	8	2	43	5	4	8	7	2	15	-	2	6	12	2	42	16	16	8	6	1	63
73	1	-	26	3	1	4	4	2	5	-	1	3	7	1	22	6	7	5	3	-	64
87	7	2	17	2	3	4	3	-	10	-	1	3	5	1	20	10	9	3	3	1	65
56	2	-	18	7	3	8	4	-	4	4	-	2	4	2	11	10	14	7	2	-	66
173	16	-	37	7	6	17	3	1	15	1	-	5	18	13	40	26	22	9	8	1	67
50	4	-	12	1	3	3	-	-	5	-	-	1	4	1	9	7	5	1	-	-	68
123	12	-	25	6	3	14	3	1	10	1	-	4	14	12	31	19	17	8	8	1	69
34	3	-	16	-	5	5	2	-	3	-	-	1	4	15	21	7	6	1	1	3	70
1,099	67	10	362	44	39	105	57	10	59	13	1	19	50	17	252	83	105	63	64	7	71
442	27	5	156	20	14	52	24	2	24	10	-	11	15	5	108	28	48	14	27	5	72
119	7	1	40	8	5	10	6	2	4	1	-	1	1	3	25	2	4	6	2	-	73
538	33	4	166	16	20	43	27	6	31	2	1	7	34	9	119	53	53	43	35	2	74
222	6	2	41	5	8	10	10	2	8	3	-	4	4	1	35	9	14	9	5	-	75
1,802	72	28	654	147	100	126	87	14	118	23	1	21	72	24	380	131	127	78	62	11	76
31	3	-	17	1	-	4	1	-	5	1	-	1	6	3	18	10	7	2	7	4	77
173	2	1	48	5	10	12	6	-	9	-	-	2	4	2	29	5	13	6	-	1	78
157	5	3	48	7	7	8	6	3	9	3	-	1	3	3	25	5	9	4	6	1	79
126	8	3	49	7	7	13	6	2	8	1	-	1	7	3	38	5	3	4	7	-	80
205	9	-	87	21	18	7	7	2	9	2	-	3	4	2	43	10	13	6	5	1	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	FLORIDA—CON.																	
	PALM BEACH—CON.																	
01	RIVIERA BEACH	257	-	-	3	58	17	12	4	9	2	3	11	4	118	76	4	1
02	WEST PALM BEACH	1,034	-	-	4	220	68	51	11	34	4	5	47	13	356	353	12	4
03	BALANCE OF COUNTY	2,148	5	-	18	471	119	124	39	56	25	23	85	31	1,119	774	19	8
04	PASCO	1,924	4	1	10	431	128	130	23	46	18	17	69	30	1,050	779	13	5
05	PINELLAS	10,372	5	2	43	2,103	585	509	173	255	123	71	387	121	5,987	4,099	83	43
06	CLEARWATER	1,126	-	-	6	239	74	53	23	27	11	10	41	16	632	425	10	3
07	DUNEDIN	429	1	1	3	103	31	25	3	11	4	-	29	1	262	177	4	6
08	LARGO	536	-	-	2	104	28	24	9	12	6	2	23	9	322	229	1	3
09	PINELLAS PARK	375	-	-	1	75	17	17	5	7	4	6	19	4	206	156	4	1
10	ST. PETERSBURG	4,570	1	1	18	831	232	216	63	118	48	25	129	58	2,712	1,802	26	15
11	BALANCE OF COUNTY	3,336	3	-	13	751	203	174	70	80	50	28	146	33	1,853	1,310	38	15
12	POLK	2,865	4	1	16	506	120	127	43	67	22	23	104	60	1,349	952	18	12
13	BARTOW	138	1	-	2	21	5	7	2	2	-	1	4	3	67	46	-	-
14	LAKELAND	700	1	-	4	143	40	30	14	17	6	3	33	14	322	232	2	4
15	WINTER HAVEN	287	-	-	-	48	9	10	5	9	3	3	9	6	156	100	3	-
16	BALANCE OF COUNTY	1,740	2	1	10	294	66	80	22	39	13	16	58	37	804	574	13	8
17	PUTNAM	498	1	-	3	88	21	23	7	11	3	2	21	18	264	197	5	12
18	ST. JOHNS	432	1	1	2	79	26	16	5	9	4	5	14	10	200	126	1	3
19	ST. AUGUSTINE	208	-	1	-	32	10	7	3	4	1	1	6	5	103	64	-	2
20	BALANCE OF COUNTY	224	1	-	2	47	16	9	2	5	3	4	8	5	97	62	1	1
21	ST. LUCIE	786	7	1	4	125	32	38	7	13	7	5	23	18	385	282	6	3
22	FORT PIERCE	484	7	1	2	66	14	25	2	8	3	4	10	12	240	172	4	3
23	BALANCE OF COUNTY	302	-	-	2	59	18	13	5	5	4	1	13	6	145	110	2	-
24	SANTA ROSA	291	-	-	2	53	13	17	5	4	4	2	8	-	159	109	1	1
25	SARASOTA	2,452	4	1	8	542	152	143	44	65	29	20	89	34	1,372	928	19	5
26	SARASOTA	898	3	-	4	182	53	53	17	21	6	4	28	10	511	321	6	2
27	BALANCE OF COUNTY	1,554	1	1	4	360	99	90	27	44	23	16	61	24	861	607	13	3
28	SEMINOLE	903	4	1	4	170	39	47	8	18	7	6	45	15	464	343	9	2
29	SANFORD	273	3	-	-	46	15	13	2	7	-	1	8	2	149	113	3	1
30	BALANCE OF COUNTY	630	1	1	4	124	24	34	6	11	7	5	37	13	315	230	6	1
31	SUMTER	230	1	-	2	46	9	13	2	10	4	1	7	5	111	69	2	-
32	SUWANNEE	220	1	-	1	39	13	12	1	5	2	1	5	4	99	73	-	-
33	TAYLOR	129	-	-	1	26	11	4	1	3	2	1	4	5	61	45	-	-
34	UNION	63	1	-	1	8	-	5	1	1	-	1	-	2	24	15	-	-
35	VOLUSIA	3,090	2	2	16	550	135	164	58	61	25	17	90	58	1,717	1,216	15	15
36	DAYTONA BEACH	811	2	1	7	140	43	31	16	13	8	4	25	17	454	324	3	1
37	DE LAND	326	-	1	2	55	11	12	11	6	4	1	10	6	183	121	2	1
38	NEW SMYRNA BEACH	227	-	-	1	49	13	14	1	9	2	2	8	4	112	78	1	2
39	ORMOND BEACH	301	-	-	-	60	12	21	7	8	2	1	9	5	161	112	2	-
40	BALANCE OF COUNTY	1,425	-	-	6	246	56	86	23	25	9	9	38	26	807	581	7	11
41	WAKULLA	67	-	-	-	10	3	3	-	-	-	-	4	2	30	17	-	3
42	WALTON	225	-	-	-	34	7	13	-	4	-	3	7	3	121	89	2	2
43	WASHINGTON	140	-	-	1	15	5	3	-	3	-	3	1	1	96	83	1	1
44	**GEORGIA**	42,953	95	17	363	6,720	1,651	1,613	574	871	265	271	1,475	696	21,783	14,886	176	329
45	URBAN PLACES	18,005	47	10	188	2,842	711	644	270	383	119	105	610	298	8,848	6,098	79	166
46	BALANCE OF AREA	24,948	48	7	175	3,878	940	969	304	488	146	166	865	398	12,935	8,788	97	163
47	METROPOLITAN COUNTIES	18,863	44	7	184	3,139	771	740	299	391	134	121	683	303	9,093	6,355	94	133
48	URBAN PLACES	13,278	36	6	144	2,142	530	498	204	289	93	68	460	219	6,396	4,478	65	111
49	BALANCE OF AREA	5,585	8	1	40	997	241	242	95	102	41	53	223	84	2,697	1,877	29	22
50	NONMETROPOLITAN COUNTIES	24,090	51	10	179	3,581	880	873	275	480	131	150	792	393	12,690	8,531	82	196
51	URBAN PLACES	4,727	11	4	44	700	181	146	66	94	26	37	150	79	2,452	1,620	14	55
52	BALANCE OF AREA	19,363	40	6	135	2,881	699	727	209	386	105	113	642	314	10,238	6,911	68	141
53	APPLING	149	2	-	1	19	3	4	2	6	-	-	4	2	79	58	1	-
54	ATKINSON	72	-	-	-	8	1	3	-	1	1	-	2	-	44	28	-	-
55	BACON	102	1	-	2	15	2	5	1	3	2	1	1	1	56	43	-	-
56	BAKER	52	-	-	-	6	2	3	-	-	-	1	-	3	28	14	-	-
57	BALDWIN	258	-	-	4	34	11	6	2	3	3	2	7	4	123	85	2	2
58	MILLEDGEVILLE	180	-	-	3	25	8	3	1	3	3	2	5	1	83	60	2	2
59	BALANCE OF COUNTY	78	-	-	1	9	3	3	1	-	-	-	2	3	40	25	-	-
60	BANKS	61	-	-	1	6	2	2	2	-	-	-	-	-	36	26	-	-
61	BARROW	176	-	-	1	23	4	5	4	5	1	1	3	3	88	61	-	3
62	BARTOW	339	1	-	-	59	17	13	5	10	1	3	10	5	175	112	2	1
63	BEN HILL	186	-	-	1	31	9	7	4	7	2	-	2	2	93	62	1	1
64	BERRIEN	119	1	-	-	18	2	5	1	4	-	2	4	3	58	48	-	1
65	BIBB	1,515	5	-	17	222	51	57	19	20	11	9	55	37	790	510	8	14
66	MACON	1,389	4	-	13	211	46	53	19	20	11	9	53	34	730	465	7	14
67	BALANCE OF COUNTY	126	1	-	4	11	5	4	-	-	-	-	2	3	60	45	1	-
68	BLECKLEY	114	-	-	-	14	3	3	-	2	1	1	4	4	61	41	1	2
69	BRANTLEY	61	-	-	1	9	1	5	1	1	-	-	1	1	32	25	-	2
70	BROOKS	171	1	-	-	28	5	4	3	5	3	1	7	2	90	64	-	2
71	BRYAN	84	-	-	-	19	5	8	1	1	-	-	4	2	43	32	-	1
72	BULLOCH	286	1	-	4	44	12	16	2	2	1	2	9	5	132	60	1	1
73	STATESBORO	124	-	-	-	24	6	10	2	2	1	2	1	2	57	25	1	1
74	BALANCE OF COUNTY	162	1	-	4	20	6	6	-	-	-	-	8	3	75	35	-	-
75	BURKE	249	1	-	1	27	7	5	2	5	2	1	5	3	147	79	1	3
76	BUTTS	127	-	-	-	21	5	6	1	3	1	1	4	1	68	48	-	1
77	CALHOUN	74	-	-	-	11	3	2	-	2	-	-	4	-	47	18	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
68	3	-	29	7	6	9	1	-	8	1	-	-	11	1	19	4	9	6	5	-	01
319	18	10	137	41	15	25	20	2	33	7	-	3	17	-	65	22	19	12	13	3	02
723	24	11	239	58	37	48	40	5	37	8	1	10	20	10	143	70	54	38	19	1	03
718	43	6	189	40	36	28	34	6	21	9	-	4	10	15	145	44	35	24	16	7	04
3,854	119	28	1,495	193	172	248	221	37	175	47	-	30	51	49	735	139	180	112	48	39	05
390	22	7	167	12	21	28	23	2	20	4	-	4	11	2	84	12	20	18	2	3	06
162	5	1	69	7	8	4	8	-	5	2	-	1	-	2	28	2	4	2	-	-	07
223	2	-	74	11	8	11	11	-	4	1	-	1	2	2	35	9	12	6	3	2	08
146	5	3	31	9	7	11	11	3	11	1	-	1	1	2	27	5	11	3	1	1	09
1,716	45	11	738	92	69	125	94	22	66	24	-	15	26	24	322	61	71	47	29	23	10
1,217	40	6	416	62	59	69	74	10	69	15	-	8	11	17	239	50	62	36	13	10	11
881	41	10	294	58	35	90	62	12	45	11	2	16	47	109	204	116	110	39	58	8	12
45	1	2	15	3	1	6	1	1	-	-	-	-	5	6	9	3	6	2	5	-	13
217	9	-	69	13	8	20	9	4	11	3	-	2	10	49	49	18	23	7	10	1	14
94	3	1	44	9	2	10	5	2	5	2	-	1	1	1	14	13	11	4	8	-	15
525	28	7	166	33	24	54	47	5	29	6	2	13	31	53	132	82	70	26	35	7	16
176	4	-	56	9	2	16	7	1	7	2	-	1	6	3	32	14	12	10	8	5	17
106	16	1	62	4	7	12	4	3	10	2	-	-	6	25	42	10	8	6	9	2	18
53	9	-	33	3	3	6	3	2	5	2	-	-	1	10	21	3	5	5	3	1	19
53	7	1	29	1	4	6	1	1	5	-	-	-	5	15	21	7	3	1	6	1	20
253	20	4	65	14	20	21	14	1	10	10	-	3	10	5	64	38	29	12	26	3	21
151	14	4	42	12	10	13	6	1	8	8	-	1	9	4	41	19	19	6	19	2	22
102	6	-	23	2	10	8	8	-	2	2	-	2	1	1	23	19	10	6	7	1	23
105	2	1	43	4	2	5	5	-	2	-	-	1	7	1	25	16	10	4	-	1	24
874	30	10	348	45	41	50	40	5	41	5	-	7	10	11	199	26	61	21	6	9	25
305	8	5	153	20	12	22	18	1	14	2	-	4	5	6	72	8	21	8	2	5	26
569	22	5	195	25	29	28	22	4	27	3	-	3	5	5	127	18	40	13	4	4	27
311	21	1	88	17	15	21	16	1	13	3	-	10	14	4	74	29	27	12	18	3	28
107	2	-	31	2	3	8	7	1	7	1	-	2	3	1	19	9	6	2	6	1	29
204	19	1	57	15	12	13	9	-	6	2	-	8	11	3	55	20	21	10	12	2	30
63	4	4	33	3	2	4	4	-	3	1	-	4	2	3	23	8	6	2	5	-	31
55	18	-	20	3	3	11	2	-	-	-	-	1	2	21	16	6	9	3	4	1	32
42	3	-	11	4	1	3	1	1	1	1	-	-	1	10	5	5	5	-	3	-	33
13	2	-	9	-	-	1	2	-	1	1	-	-	2	4	4	6	2	-	3	1	34
1,130	56	9	381	56	55	64	42	10	50	14	1	10	24	124	217	41	70	44	22	12	35
305	15	6	106	12	6	17	6	4	13	5	1	2	8	29	58	9	18	6	10	4	36
109	9	1	46	10	5	7	4	1	3	1	-	3	6	21	18	2	7	3	2	1	37
73	2	-	30	2	2	3	7	1	2	-	-	-	1	13	13	8	10	3	-	-	38
105	5	-	41	4	4	5	4	-	9	1	-	1	2	4	21	8	8	10	2	-	39
538	25	2	158	28	38	32	21	4	23	7	-	4	7	57	107	14	27	22	8	7	40
13	1	1	11	1	-	1	-	1	4	1	-	1	-	2	7	6	1	-	1	-	41
79	6	1	25	2	4	12	1	1	2	1	-	3	5	3	14	12	6	4	3	-	42
72	9	-	11	1	1	3	1	-	2	-	-	-	2	2	9	2	4	1	1	-	43
12,863	1,518	172	5,606	621	498	1,301	586	122	629	258	26	337	792	672	3,671	1,579	1,553	673	1,045	35	44
5,186	667	71	2,198	269	212	558	233	31	381	130	11	148	371	278	1,690	451	615	248	606	21	45
7,677	851	101	3,408	352	286	743	353	91	248	128	15	189	421	394	1,981	1,128	938	425	439	14	46
5,540	588	55	2,167	294	222	570	280	41	382	133	9	172	404	236	1,685	575	666	329	594	17	47
3,843	459	48	1,518	201	151	414	177	23	311	106	8	111	284	188	1,234	329	455	183	497	15	48
1,697	129	7	649	93	71	156	103	18	71	27	1	61	120	48	451	246	211	146	97	2	49
7,323	930	117	3,439	327	276	731	306	81	247	125	17	165	388	436	1,986	1,004	887	344	451	18	50
1,343	208	23	680	68	61	144	56	8	70	24	3	37	87	90	456	122	160	65	109	6	51
5,980	722	94	2,759	259	215	587	250	73	177	101	14	128	301	346	1,530	882	727	279	342	12	52
52	5	1	16	1	3	3	3	-	1	-	-	2	4	1	20	4	4	1	3	-	53
26	2	-	14	-	2	-	-	-	1	-	-	1	-	-	6	5	5	2	-	-	54
41	2	-	12	-	1	1	1	1	3	-	-	1	1	-	8	1	7	1	2	-	55
9	5	1	12	-	1	-	-	-	-	-	-	-	1	1	6	5	1	-	1	-	56
76	5	1	33	1	3	20	2	1	3	5	1	5	2	2	19	7	12	4	10	-	57
52	4	1	21	1	-	15	1	-	3	3	1	3	2	2	16	2	10	3	7	-	58
24	1	-	12	-	3	5	1	1	-	2	-	2	-	-	3	5	2	1	3	-	59
22	4	1	8	-	1	3	2	-	-	-	-	-	1	2	3	3	3	1	-	-	60
49	9	-	25	-	2	8	3	-	2	-	-	1	2	4	19	10	5	4	3	-	61
101	8	1	55	4	3	12	6	-	3	4	1	5	1	10	26	12	6	7	4	2	62
56	4	1	27	-	3	3	5	2	2	1	-	1	5	-	17	10	6	2	5	-	63
45	2	-	8	-	2	1	5	-	-	1	-	-	3	2	13	8	2	2	2	-	64
403	85	8	210	49	13	42	32	3	16	6	1	10	39	12	130	34	50	24	41	4	65
367	77	8	198	46	13	39	24	2	15	6	1	10	37	11	119	26	44	20	39	4	66
36	8	-	12	3	-	3	8	1	1	-	-	-	2	1	11	8	6	4	2	-	67
31	7	-	15	4	1	4	2	-	-	1	-	-	1	-	13	9	1	2	2	-	68
18	5	-	5	2	-	-	2	-	-	1	-	-	-	1	4	5	4	-	1	-	69
58	4	2	17	3	4	9	2	-	2	-	-	-	4	4	11	6	8	1	3	-	70
21	10	1	6	3	1	2	2	-	-	-	-	1	-	-	4	4	4	-	3	-	71
45	13	1	62	6	3	5	3	1	2	3	-	1	6	32	23	12	7	3	2	-	72
17	6	-	28	3	1	3	-	1	1	-	-	1	2	13	11	3	3	1	2	-	73
28	7	1	34	3	2	2	3	-	1	3	-	-	4	19	12	9	4	2	-	-	74
67	8	1	63	4	-	4	1	1	3	-	-	3	10	2	21	11	6	-	8	-	75
45	2	-	16	3	1	6	3	-	-	-	-	-	3	2	8	6	6	3	-	-	76
17	-	-	29	-	-	-	2	-	-	-	-	-	2	-	7	-	4	1	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA--CON.																	
01	CAMDEN	89	-	-	1	14	-	6	2	2	1	-	3	3	43	28	-	-
02	CANDLER	85	-	-	1	12	4	3	1	-	-	-	4	2	43	30	-	-
03	CARROLL	445	-	-	2	80	18	20	11	12	2	5	12	11	224	167	1	1
04	CARROLLTON	110	-	-	-	20	3	6	2	2	1	1	5	4	49	33	-	-
05	BALANCE OF COUNTY	335	-	-	2	60	15	14	9	10	1	4	7	7	175	134	1	1
06	CATOOSA	213	-	-	1	38	6	11	3	3	2	3	10	-	104	76	2	1
07	CHARLTON	78	-	-	-	15	3	5	2	1	1	-	3	1	44	32	1	-
08	CHATHAM	1,928	4	1	19	322	98	74	29	42	9	7	63	42	1,027	733	9	24
09	SAVANNAH	1,525	4	1	16	253	81	53	25	33	8	6	47	36	817	575	7	22
10	BALANCE OF COUNTY	403	-	-	3	69	17	21	4	9	1	1	16	6	210	158	2	2
11	CHATTAHOOCHEE	35	-	-	-	6	2	-	2	-	-	1	1	-	9	5	-	-
12	CHATTOOGA	253	-	-	2	47	14	11	4	6	2	-	10	2	125	91	-	2
13	CHEROKEE	289	1	-	5	37	12	7	2	5	2	1	8	4	153	109	1	2
14	CLARKE	505	-	-	4	84	21	16	7	10	-	1	29	7	233	139	-	2
15	ATHENS	382	-	-	4	65	19	14	6	7	-	1	18	7	177	107	-	2
16	BALANCE OF COUNTY	123	-	-	-	19	2	2	1	3	-	-	11	-	56	32	-	-
17	CLAY	39	-	-	-	4	1	2	-	-	-	-	1	1	26	6	-	-
18	CLAYTON	561	-	-	5	88	21	32	4	5	4	5	17	9	261	173	2	2
19	COLLEGE PARK, PART	48	-	-	-	10	2	3	1	1	1	-	2	-	24	17	-	-
20	FOREST PARK	145	-	-	-	23	4	14	-	-	-	1	4	1	74	43	-	1
21	BALANCE OF COUNTY	368	-	-	5	55	15	15	3	4	3	4	11	8	163	113	2	1
22	CLINCH	72	-	-	1	8	2	2	1	-	-	1	2	-	42	27	1	-
23	COBB	1,327	1	2	8	244	56	56	16	35	16	8	57	9	639	452	6	3
24	MARIETTA	422	1	1	3	81	24	15	5	13	6	2	16	1	202	132	4	-
25	SMYRNA	172	-	1	1	32	6	7	4	2	1	1	11	1	79	64	1	1
26	BALANCE OF COUNTY	733	1	-	4	131	26	34	7	20	9	5	30	7	358	256	1	2
27	COFFEE	273	1	-	1	39	9	14	4	4	-	2	6	8	147	102	1	3
28	DOUGLAS	114	1	-	1	11	5	5	-	-	-	1	-	3	63	45	1	1
29	BALANCE OF COUNTY	159	-	-	-	28	4	9	4	4	-	1	6	5	84	57	-	2
30	COLQUITT	361	3	-	1	56	14	12	7	8	2	1	12	8	181	115	2	14
31	MOULTRIE	194	2	-	1	23	10	2	3	2	-	1	5	6	104	65	2	10
32	BALANCE OF COUNTY	167	1	-	-	33	4	10	4	6	2	-	7	2	77	50	-	4
33	COLUMBIA	155	-	-	1	25	3	5	3	6	2	1	5	3	82	58	2	1
34	COOK	120	-	-	1	19	5	6	-	4	-	1	3	1	54	36	-	-
35	COWETA	359	-	-	4	44	10	15	2	6	3	-	8	-	169	118	2	1
36	NEWNAN	146	-	-	3	16	4	4	1	2	2	-	3	-	79	53	-	1
37	BALANCE OF COUNTY	213	-	-	1	28	6	11	1	4	1	-	5	-	90	65	2	-
38	CRAWFORD	51	-	-	-	7	1	2	-	1	1	-	2	-	23	14	-	-
39	CRISP	196	1	-	3	23	9	7	1	2	-	1	3	3	101	57	-	1
40	CORDELE	131	-	-	3	15	6	3	1	2	-	-	3	2	69	39	-	1
41	BALANCE OF COUNTY	65	1	-	-	8	3	4	-	-	-	1	-	1	32	18	-	-
42	DADE	104	-	-	-	11	1	1	1	2	1	1	4	4	45	31	-	-
43	DAWSON	39	-	-	-	4	-	-	1	2	-	-	1	-	19	15	-	-
44	DECATUR	239	-	-	-	32	12	9	1	7	-	-	3	2	131	99	1	3
45	BAINBRIDGE	130	-	-	-	13	6	2	1	2	-	-	2	1	78	59	-	1
46	BALANCE OF COUNTY	109	-	-	-	19	6	7	-	5	-	-	1	1	53	40	1	2
47	DE KALB	2,715	5	-	24	487	106	109	56	64	15	27	110	29	1,299	904	20	14
48	ATLANTA, PART	764	2	-	9	128	26	32	6	21	5	8	30	7	343	252	4	3
49	DECATUR	442	1	-	6	77	15	16	11	13	4	-	18	2	205	142	2	3
50	BALANCE OF COUNTY	1,509	2	-	9	282	65	61	39	30	6	19	62	20	751	510	14	8
51	DODGE	228	-	-	-	19	5	5	1	3	2	-	3	2	127	89	1	2
52	DOOLY	123	-	-	1	18	3	3	1	3	2	2	4	2	65	51	-	2
53	DOUGHERTY	686	-	-	2	100	24	28	5	19	5	4	15	12	342	204	3	2
54	ALBANY	618	-	-	2	90	20	26	5	19	4	4	12	11	308	181	3	2
55	BALANCE OF COUNTY	68	-	-	-	10	4	2	-	-	1	-	3	1	34	23	-	-
56	DOUGLAS	253	1	-	1	41	7	11	5	3	2	3	10	1	128	87	1	-
57	EARLY	172	-	-	2	22	6	6	2	2	1	1	4	8	90	48	-	3
58	ECHOLS	18	-	-	-	4	-	3	-	-	-	-	1	-	8	5	-	1
59	EFFINGHAM	109	-	-	4	16	3	5	1	-	-	-	7	-	59	49	-	3
60	ELBERT	187	1	-	-	29	4	7	7	2	1	1	7	7	108	60	1	-
61	EMANUEL	219	1	-	1	32	6	8	1	3	3	-	11	4	127	95	-	-
62	EVANS	85	-	-	1	7	1	3	1	-	-	-	2	1	43	25	1	1
63	FANNIN	131	1	-	1	20	7	6	2	-	1	1	3	1	75	48	-	-
64	FAYETTE	101	-	-	-	18	4	8	-	2	-	1	3	2	48	34	-	-
65	FLOYD	756	1	-	10	108	22	24	7	7	3	6	39	15	431	275	1	13
66	ROME	432	-	-	5	65	12	15	4	4	2	4	24	9	242	151	1	9
67	BALANCE OF COUNTY	324	1	-	5	43	10	9	3	3	1	2	15	6	189	124	-	4
68	FORSYTH	155	1	-	-	20	7	7	-	2	-	-	4	1	78	57	2	-
69	FRANKLIN	158	-	-	-	27	10	2	3	7	-	1	4	3	83	57	-	1
70	FULTON	5,813	13	2	60	950	230	207	100	131	36	37	209	98	2,696	1,950	27	40
71	ATLANTA, PART	4,682	13	2	55	737	187	153	77	112	25	27	156	80	2,159	1,585	25	37
72	ATLANTA, TOTAL	5,446	15	2	64	865	213	185	83	133	30	35	186	87	2,502	1,837	29	40
73	COLLEGE PARK, PART	213	-	-	2	42	6	11	4	2	3	1	15	4	91	62	-	-
74	COLLEGE PARK, TOTAL	261	-	-	2	52	8	14	5	3	4	1	17	4	115	79	-	-
75	EAST POINT	335	-	-	-	49	9	16	6	5	2	1	10	7	174	117	1	1
76	BALANCE OF COUNTY	583	-	-	3	122	28	27	13	12	6	8	28	7	272	186	1	2
77	GILMER	96	-	-	2	19	9	3	2	4	-	-	1	3	43	37	1	1
78	GLASCOCK	27	-	-	-	4	2	2	-	-	-	-	-	-	11	5	-	-
79	GLYNN	441	-	-	3	71	19	21	3	8	4	6	10	12	217	148	1	3
80	BRUNSWICK	250	-	-	3	44	11	10	3	7	2	5	6	8	114	84	-	1
81	BALANCE OF COUNTY	191	-	-	-	27	8	11	-	1	2	1	4	4	103	64	1	2
82	GORDON	239	-	-	2	43	13	7	3	6	1	3	10	4	118	88	-	-
83	GRADY	204	-	-	4	29	7	4	2	6	-	2	8	3	117	71	2	3

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. **For definition of areas, see Technical Appendix]**

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
19	9	1	15	-	2	2	2	-	2	2	-	1	2	2	7	4	3	-	1	-	01
28	2	1	10	-	3	2	2	-	2	-	-	-	1	-	7	3	7	1	1	-	02
152	13	2	42	6	7	12	7	2	6	-	-	5	13	8	30	17	12	9	7	-	03
27	6	1	12	1	2	3	3	-	3	-	-	-	4	3	11	4	2	3	1	-	04
125	7	1	30	5	5	9	4	2	3	-	-	5	9	5	19	13	10	6	6	-	05
59	14	-	22	2	4	14	5	-	-	-	-	1	3	3	20	7	8	4	5	-	06
28	3	-	11	1	-	4	1	-	-	-	-	-	-	-	7	6	3	-	1	-	07
654	46	4	237	23	30	46	23	3	22	14	2	14	33	17	179	34	62	15	48	1	08
508	38	4	194	17	27	39	19	3	21	12	2	11	21	13	142	24	44	6	41	-	09
146	8	-	43	6	3	7	4	-	1	2	-	3	12	4	37	10	18	9	7	1	10
5	-	-	4	-	-	2	1	-	-	-	-	-	4	-	1	3	3	3	3	-	11
79	10	3	26	2	3	12	5	1	4	1	-	3	3	3	20	12	6	2	5	-	12
97	9	-	38	3	3	8	7	1	2	-	-	2	4	4	33	13	5	9	1	-	13
127	10	3	75	8	8	13	9	1	5	5	1	5	14	31	39	10	18	10	15	1	14
97	8	2	59	3	6	10	8	-	4	3	1	3	10	24	30	5	11	8	11	1	15
30	2	1	16	5	2	3	1	1	1	2	-	2	4	7	9	5	7	2	4	-	16
5	1	-	18	2	-	-	-	-	-	-	-	1	-	4	2	-	-	-	1	-	17
160	9	2	68	9	9	15	11	3	8	2	-	8	24	3	41	28	30	12	13	-	18
16	1	1	4	1	1	-	1	-	2	-	-	2	4	-	2	2	1	-	-	-	19
38	4	-	26	4	1	2	4	-	4	-	-	1	2	1	12	5	9	2	5	-	20
106	4	1	38	4	7	13	6	3	2	2	-	5	18	2	27	21	20	10	8	-	21
21	5	-	13	1	1	6	-	-	-	-	-	-	2	3	7	2	-	-	1	-	22
420	23	3	156	14	14	30	28	4	21	5	-	10	25	12	92	77	50	47	22	1	23
121	7	3	56	6	5	11	8	-	11	2	-	4	11	2	26	21	15	14	8	1	24
61	1	-	13	1	1	2	4	-	5	-	-	-	2	4	16	8	7	5	5	-	25
238	15	-	87	7	8	17	16	4	5	3	-	6	12	6	50	48	28	28	9	-	26
95	3	3	38	1	3	8	1	1	3	2	-	7	3	5	21	10	6	6	4	-	27
42	1	3	14	-	1	5	1	1	2	-	-	1	1	3	9	5	3	3	1	-	28
53	2	-	24	1	2	3	-	-	1	2	-	6	2	2	12	5	3	3	-	-	29
79	20	2	54	7	3	12	5	1	5	1	-	1	3	2	41	16	13	6	6	-	30
42	11	2	31	5	1	8	1	-	4	1	-	-	3	1	21	9	5	1	5	-	31
37	9	-	23	2	2	4	4	1	1	-	-	1	-	1	20	7	8	5	1	-	32
50	5	-	19	2	3	4	4	1	2	-	-	1	4	1	10	6	5	4	1	-	33
28	8	1	11	2	4	7	-	1	1	-	-	-	2	2	9	4	6	2	-	-	34
105	10	-	48	3	-	5	1	2	3	1	-	-	3	3	32	21	15	9	9	-	35
47	5	-	23	3	-	-	1	-	2	-	-	-	3	3	13	13	4	4	4	-	36
58	5	-	25	-	-	5	-	2	1	1	-	-	1	-	25	19	17	11	5	-	37
11	3	-	8	1	-	-	-	-	-	1	-	-	-	-	2	4	9	1	2	-	38
48	8	-	37	7	-	16	5	1	1	-	-	-	6	3	7	5	12	4	5	-	39
33	5	-	26	4	-	8	3	-	1	-	-	-	6	1	6	2	10	1	4	-	40
15	3	-	11	3	-	8	2	1	-	-	-	-	-	2	1	3	2	3	1	-	41
26	5	-	10	4	-	5	2	-	1	-	-	2	3	4	10	8	5	2	2	-	42
13	2	-	4	-	-	1	-	-	-	-	-	-	-	1	3	5	6	-	-	-	43
86	9	2	26	3	1	6	4	-	5	1	-	-	8	2	22	6	12	3	5	-	44
52	6	1	16	1	1	2	3	-	5	1	-	-	3	1	10	-	6	3	4	-	45
34	3	1	10	2	-	4	1	-	-	-	-	-	5	1	12	6	6	-	1	-	46
814	56	6	307	46	36	66	39	6	45	14	2	32	69	25	223	86	110	72	81	1	47
220	25	3	73	7	8	20	8	-	12	5	1	9	23	13	80	17	34	17	36	-	48
124	13	3	47	8	5	12	5	-	9	4	-	5	19	4	34	11	22	8	18	-	49
470	18	-	187	31	23	34	26	6	24	5	1	18	27	8	109	58	54	47	27	1	50
71	15	-	35	3	-	9	5	-	2	1	1	-	3	4	19	19	12	3	2	-	51
45	4	1	10	2	1	5	3	1	1	-	-	-	-	-	11	5	6	-	5	-	52
186	13	2	119	5	12	13	7	1	16	7	-	15	15	14	59	18	33	7	25	-	53
163	13	2	110	4	11	12	7	1	11	7	-	14	12	14	53	14	31	7	24	-	54
23	-	-	9	1	1	1	-	-	5	-	-	1	3	-	6	4	2	-	1	-	55
76	10	-	31	6	4	9	5	-	6	-	-	2	6	2	21	9	12	3	5	1	56
44	1	1	38	1	2	4	2	2	2	1	-	4	4	1	19	3	6	1	5	-	57
4	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	4	1	-	-	-	58
39	7	-	10	-	-	7	-	1	1	-	-	1	-	3	6	5	4	-	1	-	59
54	5	6	37	3	2	2	3	2	1	3	1	2	2	1	12	-	5	2	5	1	60
89	6	-	29	2	1	8	3	3	2	1	-	1	1	5	10	8	6	4	2	-	61
20	3	-	15	3	-	6	1	1	1	-	-	1	1	2	7	4	6	2	1	-	62
45	3	-	20	5	2	4	4	1	1	-	-	-	1	3	10	3	3	2	-	1	63
31	3	-	13	-	1	1	1	1	1	-	-	2	-	-	9	6	8	3	1	-	64
236	25	6	124	14	12	19	11	-	9	6	-	2	19	4	65	17	17	8	13	1	65
127	14	2	73	8	8	7	6	-	6	3	-	2	14	3	37	4	11	6	11	1	66
109	11	4	51	6	4	12	5	-	3	3	-	-	5	1	28	13	6	2	2	-	67
54	1	1	17	-	3	7	1	-	-	-	-	2	4	6	12	8	8	2	3	1	68
53	3	1	20	1	4	1	2	2	-	-	-	-	7	-	12	9	8	3	1	-	69
1,704	179	17	599	78	52	227	81	12	174	53	2	37	118	59	563	144	183	88	250	3	70
1,371	152	11	459	61	43	193	56	9	145	47	2	28	103	52	457	102	150	61	228	3	71
1,591	177	14	532	68	51	213	64	9	157	52	3	37	126	65	537	119	184	78	264	3	72
56	6	1	26	2	-	5	3	-	10	1	-	1	6	1	24	7	6	6	4	-	73
72	7	2	30	3	1	5	4	-	12	1	-	3	10	1	26	9	7	6	4	-	74
107	8	2	48	3	4	8	7	2	10	1	-	2	2	1	32	13	10	6	11	-	75
170	13	3	66	12	5	21	15	1	9	4	-	6	7	5	50	22	17	15	7	-	76
33	2	-	5	-	1	8	1	-	1	-	-	1	1	-	5	3	2	4	3	-	77
4	1	-	5	1	-	3	-	-	-	-	-	-	1	3	2	-	1	-	2	-	78
106	38	3	54	6	6	12	8	-	10	1	-	4	8	3	48	9	17	7	10	1	79
59	24	1	27	-	2	4	3	-	7	1	-	3	2	1	31	7	10	4	7	1	80
47	14	2	27	6	4	8	5	-	3	-	-	1	6	2	17	2	7	3	3	-	81
64	24	2	21	6	1	12	2	1	2	-	-	1	1	1	19	8	16	7	2	-	82
63	3	1	41	3	1	2	1	2	6	-	-	2	3	4	12	8	7	2	1	1	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA--CON.																	
01	GREENE	144	-	-	-	14	6	2	2	2	1	-	1	4	91	62	-	-
02	GWINNETT	591	1	-	6	113	22	29	14	11	4	6	27	9	280	190	6	-
03	HABERSHAM	192	-	-	-	35	11	8	3	4	2	-	7	3	107	67	1	-
04	HALL	555	-	-	1	86	17	17	8	15	3	5	21	9	259	184	2	-
05	GAINESVILLE	192	-	-	1	29	5	7	2	8	1	2	4	3	96	70	-	-
06	BALANCE OF COUNTY	363	-	-	-	57	12	10	6	7	2	3	17	6	163	114	2	-
07	HANCOCK	102	1	-	1	17	3	3	1	4	1	-	5	2	57	50	-	-
08	HARALSON	184	-	-	3	21	2	10	2	2	1	-	4	4	90	66	-	-
09	HARRIS	117	-	-	1	15	6	3	1	2	-	1	2	1	56	32	1	-
10	HART	148	-	-	1	24	8	4	3	1	3	1	4	4	82	58	1	-
11	HEARD	50	1	-	-	4	-	1	1	-	-	1	1	1	29	22	-	-
12	HENRY	205	2	-	3	28	3	12	1	4	-	-	8	1	101	72	1	-
13	HOUSTON	398	2	1	1	65	10	19	9	6	3	1	17	8	183	139	1	5
14	WARNER ROBINS	232	2	-	1	40	3	11	8	4	2	-	12	2	98	77	1	4
15	BALANCE OF COUNTY	166	-	1	-	25	7	8	1	2	1	1	5	6	85	62	1	1
16	IRWIN	108	-	-	-	16	6	1	1	2	-	1	5	3	67	41	1	-
17	JACKSON	226	-	-	-	32	10	7	3	7	-	2	3	-	118	87	1	-
18	JASPER	86	-	-	1	11	3	-	1	3	-	-	4	2	45	32	-	1
19	JEFF DAVIS	109	1	-	2	15	6	3	-	1	-	-	5	4	62	47	-	-
20	JEFFERSON	223	-	-	5	36	12	8	2	7	3	1	3	7	112	76	1	-
21	JENKINS	119	-	-	2	18	1	7	2	5	1	-	2	1	69	40	1	1
22	JOHNSON	94	1	-	-	14	1	3	-	1	1	2	6	-	52	38	-	-
23	JONES	95	-	-	-	16	3	3	2	2	1	-	5	2	51	33	-	-
24	LAMAR	120	-	-	1	16	5	3	1	2	1	-	4	3	61	39	2	-
25	LANIER	66	-	-	1	7	1	1	1	1	-	-	3	1	36	27	-	-
26	LAURENS	379	1	-	2	57	14	17	3	6	1	1	15	3	215	166	2	14
27	DUBLIN	188	-	-	-	27	4	2	3	6	-	1	11	1	105	83	-	8
28	BALANCE OF COUNTY	191	1	-	2	30	10	15	-	-	1	-	4	2	110	83	-	6
29	LEE	50	-	-	-	8	1	2	1	-	1	1	2	2	27	14	-	2
30	LIBERTY	112	-	1	1	17	6	4	-	1	2	-	4	4	51	30	-	-
31	LINCOLN	55	-	-	-	12	2	4	1	1	1	1	2	2	29	21	-	1
32	LONG	49	1	-	-	13	3	3	2	1	2	-	2	1	26	23	-	1
33	LOWNDES	486	3	2	4	84	21	19	9	8	5	3	19	7	233	170	3	7
34	VALDOSTA	318	2	2	4	50	11	14	6	4	1	3	11	4	155	110	2	6
35	BALANCE OF COUNTY	168	1	-	-	34	10	5	3	4	4	-	8	3	78	60	1	1
36	LUMPKIN	59	-	-	1	6	1	-	2	1	-	1	1	1	33	23	1	-
37	MC DUFFIE	140	1	-	1	24	5	6	4	4	-	-	5	2	68	41	-	-
38	MC INTOSH	85	-	-	-	15	3	1	-	3	-	2	6	-	39	24	-	1
39	MACON	142	-	-	1	17	6	6	-	3	-	1	1	1	86	57	1	6
40	MADISON	127	-	-	1	22	2	8	1	5	1	1	4	5	69	46	1	-
41	MARION	51	-	-	-	9	1	-	-	2	-	1	5	2	23	14	1	-
42	MERIWETHER	220	-	-	1	32	10	9	2	7	-	-	4	3	117	72	-	5
43	MILLER	73	-	-	-	16	4	4	-	3	1	1	3	3	33	23	-	4
44	MITCHELL	208	-	1	1	24	3	8	2	3	-	1	7	2	111	67	2	2
45	MONROE	129	-	-	2	28	9	5	-	1	2	3	8	4	63	42	2	2
46	MONTGOMERY	61	1	-	3	7	2	1	1	2	-	-	1	-	33	22	-	-
47	MORGAN	99	-	-	1	23	3	6	1	5	1	4	3	1	51	29	-	-
48	MURRAY	110	-	-	-	17	7	-	2	4	-	2	2	1	58	40	-	1
49	MUSCOGEE	1,339	3	-	24	216	59	49	17	27	10	8	46	13	613	417	3	15
50	COLUMBUS	1,291	3	-	24	208	57	48	17	27	9	6	44	13	598	407	3	15
51	BALANCE OF COUNTY	48	-	-	-	8	2	1	-	-	1	2	2	-	15	10	-	-
52	NEWTON	275	-	-	4	40	8	10	4	8	2	2	6	5	135	77	1	1
53	COVINGTON	124	-	-	1	22	4	5	4	3	2	1	3	2	56	28	-	-
54	BALANCE OF COUNTY	151	-	-	3	18	4	5	-	5	-	1	3	3	79	49	1	1
55	OCONEE	73	-	-	1	9	2	2	1	2	1	-	1	-	41	26	-	1
56	OGLETHORPE	66	-	-	-	12	2	2	1	-	-	-	7	-	37	30	-	-
57	PAULDING	161	1	-	1	24	12	8	-	1	-	-	3	2	83	60	2	1
58	PEACH	173	-	-	1	22	7	6	1	5	1	-	2	2	83	65	2	11
59	PICKENS	119	-	-	-	19	4	6	3	2	-	1	3	4	66	50	-	1
60	PIERCE	119	-	-	2	17	2	6	1	1	1	-	6	2	59	40	-	-
61	PIKE	64	2	-	-	8	2	1	1	2	-	-	2	-	43	34	1	-
62	POLK	315	-	-	1	49	10	13	4	4	1	5	12	1	190	150	-	1
63	PULASKI	110	-	1	1	18	6	1	3	2	-	1	5	4	50	37	-	2
64	PUTNAM	105	1	-	-	21	4	7	2	2	-	1	5	1	43	34	-	-
65	QUITMAN	28	-	-	-	3	1	2	-	-	-	-	-	-	18	14	-	-
66	RABUN	87	-	-	-	14	1	1	4	1	1	1	5	2	49	33	1	-
67	RANDOLPH	122	1	1	1	19	8	4	-	3	2	-	2	2	66	43	-	-
68	RICHMOND	1,439	9	1	15	243	67	61	23	25	16	5	46	27	706	504	9	8
69	AUGUSTA	1,000	7	1	12	161	44	40	16	17	12	2	30	20	494	359	7	8
70	BALANCE OF COUNTY	439	2	-	3	82	23	21	7	8	4	3	16	7	212	145	2	-
71	ROCKDALE	172	-	1	1	32	7	4	2	2	1	2	14	4	81	64	2	1
72	SCHLEY	41	-	-	-	6	4	1	-	-	-	-	1	-	21	16	-	-
73	SCREVEN	160	-	-	1	22	3	7	-	4	-	-	8	-	101	66	1	6
74	SEMINOLE	86	-	-	1	5	2	-	-	1	-	-	2	-	55	36	-	-
75	SPALDING	423	1	1	9	52	17	9	5	6	1	5	9	4	223	140	1	1
76	GRIFFIN	294	-	1	4	35	12	6	4	5	1	4	3	3	158	94	1	1
77	BALANCE OF COUNTY	129	1	-	5	17	5	3	1	1	-	1	6	1	65	46	-	-
78	STEPHENS	193	-	-	1	31	7	7	3	6	1	2	5	2	96	62	2	3
79	STEWART	74	-	-	-	7	2	1	-	1	-	-	3	-	41	30	1	2
80	SUMTER	294	1	-	3	46	12	8	5	7	2	1	11	7	161	114	-	3
81	AMERICUS	180	1	-	2	25	7	4	3	3	2	1	5	2	103	75	-	2
82	BALANCE OF COUNTY	114	-	-	1	21	5	4	2	4	-	-	6	5	58	39	-	1
83	TALBOT	67	-	-	-	5	1	3	1	-	-	-	-	2	42	26	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
60	2	-	24	2	3	2	1	-	1	1	1	1	1	-	8	10	4	3	2	-	01
169	15	-	71	9	10	22	6	-	9	2	-	8	13	7	53	21	14	15	12	-	02
59	7	-	34	5	1	4	2	-	2	2	-	1	5	-	6	10	6	4	5	-	03
173	9	2	64	3	6	17	9	2	6	3	-	10	12	11	57	32	24	9	8	-	04
64	6	-	25	-	1	7	2	-	5	2	-	6	1	6	20	8	4	1	1	-	05
109	3	2	39	3	5	10	7	2	1	1	-	4	11	5	37	24	20	8	7	-	06
49	1	-	5	-	2	3	1	-	2	1	-	2	1	1	4	4	-	1	5	-	07
60	6	1	17	5	1	6	1	1	2	1	-	1	2	6	20	16	7	1	2	-	08
28	3	2	19	2	1	2	2	1	2	1	-	3	2	5	15	8	3	1	2	-	09
31	6	2	20	1	1	5	2	-	2	1	-	3	3	4	6	4	9	1	3	-	10
21	1	-	6	-	1	2	-	-	-	1	-	1	1	6	1	1	1	1	1	-	11
66	5	1	26	2	-	9	8	3	1	2	-	1	4	2	11	9	11	3	6	-	12
118	15	1	32	5	6	7	7	1	6	2	1	5	20	5	40	20	13	6	5	-	13
64	8	-	13	5	3	6	4	1	2	1	1	2	12	4	26	13	9	4	4	-	14
54	7	1	19	-	3	1	3	-	4	1	-	3	8	1	14	7	4	2	1	-	15
39	1	-	23	-	3	5	-	-	1	-	-	-	1	2	7	2	2	1	1	-	16
81	5	1	27	2	1	5	2	-	4	-	-	-	4	2	26	15	7	6	5	-	17
28	3	-	11	2	-	2	-	-	2	-	-	-	1	4	8	2	4	1	1	-	18
40	7	-	15	-	-	2	-	1	1	-	-	-	2	1	3	7	4	2	-	-	19
72	4	2	27	2	5	4	1	1	-	-	-	-	3	1	28	7	8	4	6	-	20
37	1	-	24	1	4	1	3	-	-	-	-	-	-	1	8	6	8	-	2	-	21
32	6	-	12	1	1	2	1	1	1	-	-	-	2	2	14	4	1	-	-	-	22
17	16	-	16	-	2	4	1	-	1	1	-	-	2	-	6	3	5	-	1	-	23
34	3	3	17	-	2	9	2	-	-	3	-	-	2	1	10	5	5	-	2	-	24
17	8	-	8	1	-	4	1	-	-	-	-	-	1	-	6	2	3	-	4	-	25
115	37	2	35	3	9	6	3	-	2	-	-	1	3	2	38	22	11	6	7	-	26
58	17	1	16	-	5	3	2	-	1	-	-	1	3	-	24	8	4	3	6	-	27
57	20	1	19	3	4	3	1	-	1	-	-	-	-	2	14	14	7	3	1	-	28
10	2	1	10	-	2	1	-	-	1	-	-	-	-	-	3	3	4	-	1	-	29
29	1	-	19	-	2	4	2	-	1	1	1	-	2	1	11	13	1	1	-	-	30
18	2	-	7	-	1	-	1	-	-	1	-	-	2	-	5	3	-	-	-	-	31
18	4	-	2	1	-	-	-	-	-	-	-	-	1	-	3	2	2	-	-	-	32
103	57	4	48	7	4	13	6	1	1	3	-	4	13	7	45	23	20	7	10	-	33
63	39	2	34	5	4	9	5	1	1	2	-	-	9	5	30	9	16	4	8	-	34
40	18	2	14	2	-	4	1	-	-	1	-	-	4	2	15	14	4	3	2	-	35
19	3	2	8	-	-	6	-	-	-	-	-	-	1	1	4	1	2	1	1	-	36
39	2	1	24	-	2	4	-	1	2	1	-	1	5	4	8	9	5	-	4	-	37
18	5	-	14	-	1	5	2	-	1	-	-	2	2	-	7	4	7	-	1	-	38
47	3	4	18	7	-	3	4	1	1	1	-	-	-	1	8	4	9	4	1	-	39
38	7	1	20	1	1	3	2	-	-	-	-	1	5	1	5	8	2	-	2	-	40
12	1	-	8	1	-	3	1	-	-	-	-	1	1	2	6	1	2	1	-	-	41
56	11	-	37	5	3	5	1	2	4	3	2	1	3	1	15	13	7	4	6	-	42
14	5	-	7	1	2	1	1	1	-	-	-	-	-	2	6	5	4	-	1	-	43
53	10	3	35	1	5	4	2	-	2	1	-	1	3	11	18	9	10	3	5	-	44
34	4	1	18	2	-	4	-	1	1	1	-	-	2	1	14	2	5	1	-	-	45
19	3	-	9	2	-	1	1	1	1	1	-	-	1	-	5	2	1	1	2	-	46
27	2	-	18	1	3	-	2	1	-	-	-	-	-	1	10	2	3	2	2	-	47
33	6	1	15	2	-	13	2	-	1	-	-	1	-	-	7	5	3	-	2	-	48
316	83	6	153	24	13	42	18	4	19	14	1	14	20	61	103	54	48	18	45	5	49
310	79	6	149	23	13	41	18	3	19	12	1	12	18	60	100	47	43	17	49	5	50
6	4	-	4	1	-	1	-	1	-	2	-	2	2	1	3	7	5	1	-	-	51
68	7	4	43	6	5	7	3	1	3	3	-	3	4	7	24	11	13	7	5	-	52
24	4	1	21	5	1	2	2	-	1	3	-	2	2	4	15	1	5	3	3	-	53
44	3	3	22	1	4	5	1	1	2	-	-	1	2	3	9	10	8	4	2	-	54
22	3	1	14	-	-	3	1	-	-	-	-	1	1	-	3	3	3	4	3	-	55
27	3	-	7	-	-	1	1	-	-	1	-	1	1	1	8	1	-	-	2	-	56
52	5	1	21	-	1	9	1	-	2	-	-	-	2	1	9	11	9	2	4	-	57
48	4	2	12	2	2	4	5	-	4	-	2	1	5	1	21	8	7	2	4	1	58
48	1	-	15	1	-	5	-	1	2	-	-	-	5	-	7	3	2	3	2	-	59
34	6	-	14	4	1	7	4	-	2	-	-	1	4	3	6	6	3	1	2	-	60
29	4	-	9	-	-	1	1	-	1	-	-	-	-	2	3	2	1	-	-	-	61
140	9	1	32	4	3	7	2	1	2	1	-	4	5	2	19	17	6	4	4	-	62
30	5	-	8	4	1	4	1	-	3	1	-	-	-	4	11	5	4	1	2	-	63
26	8	-	8	-	1	4	2	1	1	-	-	-	-	7	10	8	3	2	1	-	64
14	-	-	4	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-	1	-	65
31	1	-	15	1	-	1	1	-	-	-	-	-	1	-	8	3	4	2	2	-	66
40	3	1	19	2	1	3	1	-	-	-	-	1	1	15	2	2	1	1	1	-	67
451	36	5	157	18	22	38	17	2	40	10	-	13	17	11	149	38	48	19	34	2	68
317	27	4	102	13	16	24	9	2	35	8	-	10	12	8	111	19	30	10	25	2	69
134	9	1	55	5	6	14	8	-	5	2	-	3	5	3	38	19	18	9	9	-	70
60	1	-	14	1	2	-	3	1	2	2	-	-	3	-	17	8	6	5	6	-	71
14	2	-	4	-	1	2	-	1	-	-	-	-	1	2	3	-	3	-	2	-	72
58	1	3	28	4	-	3	-	-	4	1	-	2	1	1	13	1	5	3	2	-	73
28	8	-	19	-	-	-	3	-	-	1	1	-	-	2	5	4	6	1	2	-	74
135	4	1	65	7	10	21	4	1	8	2	1	1	5	3	38	13	11	13	11	1	75
91	2	-	51	4	9	14	1	1	8	-	1	1	4	1	29	8	8	6	10	1	76
44	2	1	14	3	1	7	3	-	-	2	-	-	1	2	9	5	3	7	1	-	77
56	1	1	29	1	3	10	-	1	4	2	-	-	3	-	17	14	7	1	4	-	78
25	2	-	10	-	1	1	-	-	1	-	-	-	-	9	5	1	2	3	4	-	79
101	10	2	33	6	6	8	3	-	2	1	-	3	3	3	24	8	7	1	12	1	80
65	8	2	21	2	3	6	1	-	1	1	-	2	2	1	14	7	4	-	9	-	81
36	2	-	12	4	3	2	2	-	1	1	-	1	1	2	10	1	3	1	3	1	82
24	2	-	13	2	1	-	-	-	-	2	-	-	-	4	2	4	5	-	1	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA--CON.																	
01	TALIAFERRO	31	-	-	-	4	2	-	1	-	-	-	1	-	21	14	-	-
02	TATTNALL	192	1	-	-	29	8	6	1	6	1	1	6	5	94	69	-	1
03	TAYLOR	90	-	-	-	10	2	2	-	2	2	1	1	1	56	35	-	1
04	TELFAIR	133	-	-	1	24	4	5	-	5	1	1	8	3	73	48	1	1
05	TERRELL	151	-	-	-	21	7	6	1	2	2	-	3	1	87	47	-	1
06	THOMAS	385	2	-	-	60	13	13	3	14	1	7	9	9	201	108	2	2
07	THOMASVILLE	218	2	-	-	35	9	6	1	11	-	4	4	4	109	55	1	1
08	BALANCE OF COUNTY	167	-	-	-	25	4	7	2	3	1	3	5	5	92	53	1	1
09	TIFT	255	-	-	2	39	12	10	4	1	1	1	10	7	133	92	2	4
10	TIFTON	126	-	-	1	15	4	4	3	-	1	-	3	4	71	52	1	3
11	BALANCE OF COUNTY	129	-	-	1	24	8	6	1	1	-	1	7	3	62	40	1	1
12	TOOMBS	225	1	-	3	26	2	9	-	5	-	1	9	4	129	80	-	-
13	TOWNS	58	-	-	-	10	1	3	1	2	1	-	2	1	33	21	-	1
14	TREUTLEN	58	-	-	2	9	2	4	-	-	-	-	3	1	32	22	-	-
15	TROUP	536	-	-	6	76	17	16	6	14	4	3	16	5	317	223	2	1
16	LA GRANGE	305	-	-	4	42	9	10	4	8	2	1	8	2	180	133	1	1
17	BALANCE OF COUNTY	231	-	-	2	34	8	6	2	6	2	2	8	3	137	90	1	-
18	TURNER	124	-	-	2	9	4	4	-	1	-	-	-	-	78	45	1	-
19	TWIGGS	73	-	-	-	11	3	5	-	-	-	1	2	1	40	18	-	-
20	UNION	86	-	-	-	13	6	4	1	1	-	-	1	-	49	38	-	-
21	UPSON	245	-	1	1	30	9	6	2	2	1	-	10	4	147	76	1	2
22	THOMASTON	133	-	1	-	17	5	2	1	2	1	-	6	4	82	42	1	1
23	BALANCE OF COUNTY	112	-	-	-	13	4	4	1	-	-	-	4	-	65	34	-	1
24	WALKER	516	1	-	3	83	25	19	5	6	5	3	20	10	248	174	-	6
25	WALTON	235	-	1	2	35	5	7	2	8	1	2	10	3	132	104	-	-
26	WARE	368	2	-	2	62	12	13	7	7	5	2	16	8	186	132	1	5
27	WAYCROSS	264	2	-	1	41	9	6	5	5	4	-	12	6	136	92	1	3
28	BALANCE OF COUNTY	104	-	-	1	21	3	7	2	2	1	2	4	2	50	40	-	2
29	WARREN	79	-	-	-	12	3	5	1	1	-	-	2	1	44	27	1	-
30	WASHINGTON	208	2	-	-	35	12	5	-	7	2	2	7	6	93	57	1	1
31	WAYNE	184	-	-	3	27	10	6	1	2	1	1	6	2	100	72	-	1
32	WEBSTER	28	-	-	-	1	-	-	-	-	-	-	1	-	16	9	-	-
33	WHEELER	67	-	-	1	12	2	1	1	1	1	1	5	1	40	26	1	-
34	WHITE	72	-	-	1	11	3	4	-	-	-	1	3	-	40	25	-	-
35	WHITFIELD	458	1	-	5	83	23	16	7	9	-	5	23	6	205	154	1	1
36	DALTON	192	1	-	3	41	12	6	6	6	-	3	8	1	86	65	-	-
37	BALANCE OF COUNTY	266	-	-	2	42	11	10	1	3	-	2	15	5	119	89	1	1
38	WILCOX	82	-	-	1	10	3	4	-	1	-	-	2	2	56	35	1	-
39	WILKES	132	-	-	1	21	6	10	1	1	-	1	2	3	74	33	-	-
40	WILKINSON	108	2	-	-	9	2	3	1	1	-	-	2	3	51	36	-	1
41	WORTH	175	-	-	2	17	2	7	2	3	1	-	2	6	104	58	-	2
42	**HAWAII**	4,343	8	-	40	932	317	213	58	91	34	32	187	101	1,879	1,389	35	23
43	URBAN PLACES	2,902	6	-	26	645	212	150	39	63	30	23	128	64	1,266	968	24	14
44	BALANCE OF AREA	1,441	2	-	14	287	105	63	19	28	4	9	59	37	613	421	11	9
45	METROPOLITAN COUNTIES	3,248	6	-	30	722	234	171	45	66	32	25	149	69	1,377	1,040	29	14
46	URBAN PLACES	2,687	5	-	23	607	196	144	39	54	29	22	123	56	1,165	899	24	13
47	BALANCE OF AREA	561	1	-	7	115	38	27	6	12	3	3	26	13	212	141	5	1
48	NONMETROPOLITAN COUNTIES	1,095	2	-	10	210	83	42	13	25	2	7	38	32	502	349	6	9
49	URBAN PLACES	215	1	-	3	38	16	6	-	9	1	1	5	8	101	69	-	1
50	BALANCE OF AREA	880	1	-	7	172	67	36	13	16	1	6	33	24	401	280	6	8
51	HAWAII	522	1	-	5	97	35	21	6	13	1	1	20	14	248	160	1	7
52	HILO[3]	215	1	-	3	38	16	6	-	9	1	1	5	8	101	69	-	1
53	BALANCE OF COUNTY	307	-	-	2	59	19	15	6	4	-	-	15	6	147	91	1	6
54	HONOLULU	3,248	6	-	30	722	234	171	45	66	32	25	149	69	1,377	1,040	29	14
55	AIEA	46	-	-	1	12	5	2	-	2	-	-	3	-	18	14	-	1
56	HONOLULU	2,048	4	-	19	477	153	121	34	36	22	17	94	41	915	714	20	8
57	KAILUA	159	-	-	1	35	9	9	1	3	3	1	9	6	63	49	3	2
58	KANEOHE	175	1	-	-	32	8	5	1	10	1	1	6	3	73	54	1	1
59	PEARL CITY	58	-	-	-	16	7	1	1	1	-	-	6	-	20	17	-	-
60	SCHOFIELD BARRACKS	16	-	-	2	2	-	-	1	-	-	1	-	-	2	1	-	-
61	WAHIAWA	91	-	-	-	18	9	3	-	-	2	1	3	1	39	30	-	1
62	WAIPAHU	94	-	-	-	15	5	3	1	2	1	1	2	5	35	20	-	-
63	BALANCE OF COUNTY	561	1	-	7	115	38	27	6	12	3	3	26	13	212	141	5	1
64	KAUAI	229	-	-	2	51	22	11	3	6	-	3	6	8	93	77	1	1
65	MAUI	344	1	-	3	62	26	10	4	6	1	3	12	10	161	112	4	1
66	**IDAHO**	6,460	4	1	33	1,070	281	200	96	158	51	52	232	114	3,214	2,270	72	39
67	URBAN PLACES	2,703	1	-	12	482	126	87	44	67	23	27	108	33	1,358	924	33	8
68	BALANCE OF AREA	3,757	3	1	21	588	155	113	52	91	28	25	124	81	1,856	1,346	39	31
69	METROPOLITAN COUNTIES	1,016	-	-	5	190	48	40	20	20	9	10	43	11	531	361	9	3
70	URBAN PLACES	858	-	-	4	159	42	32	15	18	7	9	36	9	457	307	9	2
71	BALANCE OF AREA	158	-	-	1	31	6	8	5	2	2	1	7	2	74	54	-	1
72	NONMETROPOLITAN COUNTIES	5,444	4	1	28	880	233	160	76	138	42	42	189	103	2,683	1,909	63	36
73	URBAN PLACES	1,845	1	-	8	323	84	55	29	49	16	18	72	24	901	617	24	6
74	BALANCE OF AREA	3,599	3	1	20	557	149	105	47	89	26	24	117	79	1,782	1,292	39	30

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
14	1	-	6	1	-	-	1	-	-	-	-	1	1	1	-	1	1	1	-	-	01
65	3	-	22	3	-	-	2	-	3	1	-	2	1	4	17	13	10	1	4	-	02
32	2	1	15	2	3	-	-	-	1	1	-	-	1	3	6	6	3	1	1	-	03
37	9	1	23	-	1	3	1	1	2	1	-	-	1	1	6	6	4	2	3	1	04
44	2	1	36	3	-	1	-	1	-	5	-	1	5	3	10	6	5	1	4	-	05
95	9	1	72	14	6	7	9	-	-	4	-	2	8	3	42	12	11	9	6	-	06
48	5	1	42	8	3	6	6	-	-	-	-	1	3	2	22	9	8	5	6	-	07
47	4	-	30	6	3	1	3	-	-	4	-	1	5	1	20	3	3	4	-	-	08
78	8	2	33	4	2	6	1	1	1	1	-	2	4	2	27	8	13	4	4	-	09
43	5	1	15	3	-	4	1	-	-	1	-	1	1	1	15	2	8	-	1	-	10
35	3	1	18	1	2	2	-	-	1	-	-	1	3	1	12	6	5	4	3	-	11
74	6	-	42	3	4	5	3	1	3	1	-	-	4	-	21	11	9	1	3	-	12
19	1	-	11	-	1	1	1	1	-	-	-	1	-	1	2	3	2	-	2	-	13
19	3	-	10	-	-	4	-	-	1	-	1	-	1	1	1	1	3	-	1	-	14
213	7	-	83	4	7	12	1	2	3	10	-	3	6	1	47	15	18	8	4	2	15
127	4	-	40	2	5	7	-	2	2	5	-	2	4	1	30	9	9	4	1	1	16
86	3	-	43	2	2	5	1	-	1	5	-	1	2	-	17	6	9	4	3	1	17
41	3	-	32	1	-	-	-	2	-	-	-	1	6	-	7	5	4	2	8	-	18
14	4	-	19	1	2	2	-	-	1	1	-	1	2	1	5	5	2	-	1	-	19
37	1	-	9	1	1	-	1	-	1	-	-	-	3	-	11	2	-	5	1	-	20
70	3	3	59	7	2	9	3	-	5	1	-	1	3	1	19	8	6	1	5	1	21
38	2	1	35	3	1	4	3	-	2	-	-	-	-	1	12	2	2	1	2	-	22
32	1	2	24	4	1	5	-	-	3	1	-	1	3	-	7	6	4	-	3	1	23
140	28	1	54	14	5	20	10	2	6	4	-	6	7	10	52	18	22	3	11	-	24
98	6	-	26	-	2	6	4	1	4	1	-	5	7	-	12	8	8	3	3	-	25
113	13	1	43	3	7	8	2	1	8	-	-	3	5	2	49	9	14	2	4	1	26
80	8	1	37	2	4	6	1	1	7	-	-	2	3	1	33	8	11	1	3	1	27
33	5	-	6	1	3	2	1	-	1	-	-	1	2	1	16	1	3	1	1	-	28
20	6	1	14	2	-	2	-	-	-	1	-	-	-	4	5	4	5	-	1	-	29
50	5	1	30	3	2	18	2	1	-	2	1	1	-	2	25	6	7	-	7	-	30
63	8	1	21	4	2	1	3	2	3	1	-	-	3	2	13	10	6	2	6	-	31
8	1	-	7	-	-	-	1	-	-	-	-	-	1	4	1	3	1	-	-	-	32
20	5	-	12	1	1	1	-	-	1	-	-	-	3	1	4	1	2	-	-	-	33
19	6	-	15	-	-	1	1	-	-	-	1	2	1	-	4	6	2	2	-	-	34
107	45	-	43	5	3	23	5	1	8	-	-	5	11	4	38	17	31	4	11	-	35
47	18	-	13	5	3	11	2	1	4	-	-	2	5	2	17	6	6	2	2	-	36
60	27	-	30	-	-	12	3	-	4	-	-	3	6	2	21	11	25	2	9	-	37
32	2	-	21	-	-	3	1	-	1	-	-	-	-	1	3	2	1	-	1	-	38
32	1	2	25	10	4	2	-	1	2	-	-	-	-	1	8	7	5	4	3	-	39
27	8	-	13	2	-	6	-	-	-	1	-	2	1	2	11	6	11	2	1	-	40
40	16	1	38	3	4	6	4	1	1	1	-	-	-	5	15	1	5	2	5	-	41
1,260	71	11	392	31	56	160	55	16	66	21	3	71	136	65	327	121	137	98	60	47	42
883	47	7	237	23	31	107	42	11	48	13	1	45	92	34	217	64	79	68	40	34	43
377	24	4	155	8	25	53	13	5	18	8	2	26	44	31	110	57	58	30	20	13	44
951	46	7	264	25	41	114	46	14	56	14	3	59	109	33	241	86	90	83	53	43	45
823	39	5	209	23	29	96	42	10	47	12	1	44	84	25	202	61	72	66	36	33	46
128	7	2	55	2	12	18	4	4	9	2	2	15	25	8	39	25	18	17	17	10	47
309	25	4	128	6	15	46	9	2	10	7	-	12	27	32	86	35	47	15	7	4	48
60	8	2	28	-	2	11	-	1	1	1	-	1	8	9	15	3	7	2	4	1	49
249	17	2	100	6	13	35	9	1	9	6	-	11	19	23	71	32	40	13	3	3	50
136	16	3	72	3	10	18	1	1	5	3	-	5	15	24	37	15	20	6	5	2	51
60	8	2	28	-	2	11	-	1	1	1	-	1	8	9	15	3	7	2	4	1	52
76	8	1	44	3	8	7	1	-	4	2	-	4	7	15	22	12	13	4	1	1	53
951	46	7	264	25	41	114	46	14	56	14	3	59	109	33	241	86	90	83	53	43	54
12	1	-	4	-	-	3	-	1	-	-	-	2	3	-	2	1	2	1	-	-	55
653	33	4	155	18	24	75	36	6	36	10	-	24	50	16	151	33	50	48	30	27	56
41	3	-	11	2	1	3	-	-	2	-	1	4	5	2	8	9	10	4	3	3	57
51	1	-	13	3	3	5	-	1	5	1	-	5	9	2	14	9	5	6	2	2	58
17	-	-	3	-	-	3	1	-	-	-	-	2	2	1	8	3	1	1	-	-	59
1	-	-	1	-	-	-	-	-	-	-	-	1	5	1	1	-	1	1	-	-	60
28	1	-	8	-	1	4	1	1	1	-	-	4	3	1	9	3	1	3	1	1	61
20	-	1	14	-	-	3	4	1	3	1	-	2	7	2	9	3	2	2	-	-	62
128	7	2	55	2	12	18	4	4	9	2	2	15	25	8	39	25	18	17	17	10	63
73	2	-	13	1	2	7	4	-	1	2	-	3	2	4	23	11	11	4	1	2	64
100	7	1	43	2	3	21	4	1	4	2	-	4	10	4	26	9	16	5	1	-	65
1,976	183	20	686	131	107	181	116	25	79	36	-	53	123	97	503	315	317	127	43	9	66
804	79	8	305	62	59	85	53	6	40	13	-	29	53	39	234	93	96	57	16	3	67
1,172	104	12	381	69	48	96	63	19	39	23	-	24	70	58	269	222	221	70	27	6	68
327	22	3	126	20	21	31	13	2	14	4	-	12	21	14	87	33	23	18	4	3	69
276	20	3	108	19	20	25	10	2	14	3	-	12	19	12	77	22	13	14	4	2	70
51	2	-	18	1	1	6	3	-	-	1	-	-	2	2	10	11	10	4	-	1	71
1,649	161	17	560	111	86	150	103	23	65	32	-	41	102	83	416	282	294	109	39	6	72
528	59	5	197	43	39	60	43	4	26	10	-	17	34	27	157	71	83	43	12	1	73
1,121	102	12	363	68	47	90	60	19	39	22	-	24	68	56	259	211	211	66	27	5	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IDAHO--CON.																	
01	ADA	1,016	-	-	5	190	48	40	20	20	9	10	43	11	531	361	9	3
02	BOISE CITY	858	-	-	4	159	42	32	15	18	7	9	36	9	457	307	9	2
03	BALANCE OF COUNTY	158	-	-	1	31	6	8	5	2	2	1	7	2	74	54	-	1
04	ADAMS	21	-	-	-	2	1	-	-	-	-	-	1	-	14	12	-	1
05	BANNOCK	390	-	-	2	63	20	6	5	8	4	5	15	8	193	135	7	-
06	POCATELLO	319	-	-	1	55	17	6	4	7	4	4	13	7	158	107	5	-
07	BALANCE OF COUNTY	71	-	-	1	8	3	1	1	1	-	1	2	1	35	28	2	-
08	BEAR LAKE	62	-	1	-	3	1	-	-	-	-	-	2	5	40	25	1	1
09	BENEWAH	77	-	-	1	12	1	2	-	3	-	1	5	2	46	37	-	1
10	BINGHAM	236	-	-	1	32	5	7	2	9	2	1	6	6	112	86	2	1
11	BLAINE	48	-	-	-	3	-	1	-	-	-	-	2	1	28	20	-	1
12	BOISE	15	-	-	-	1	-	-	-	-	-	-	1	-	8	7	-	-
13	BONNER	178	1	-	1	39	12	7	5	6	2	1	6	8	80	62	3	7
14	BONNEVILLE	378	-	-	3	72	17	10	8	13	3	4	17	2	171	129	6	2
15	IDAHO FALLS	303	-	-	3	60	14	9	7	8	3	4	15	2	132	94	4	2
16	BALANCE OF COUNTY	75	-	-	-	12	3	1	1	5	-	-	2	-	39	35	2	-
17	BOUNDARY	57	-	-	-	11	4	1	-	3	-	-	3	1	26	23	1	1
18	BUTTE	26	-	-	1	1	-	-	-	-	1	-	-	-	15	10	-	-
19	CAMAS	6	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1
20	CANYON	637	1	-	1	105	29	19	10	16	4	4	23	9	309	220	10	2
21	CALDWELL	167	-	-	-	22	6	3	3	5	2	-	3	2	88	55	2	1
22	NAMPA	270	1	-	1	47	14	8	2	6	2	4	11	2	127	97	4	1
23	BALANCE OF COUNTY	200	-	-	-	36	9	8	5	5	-	-	9	5	94	68	4	-
24	CARIBOU	50	-	-	-	10	3	3	-	2	-	-	2	-	24	14	1	-
25	CASSIA	132	-	-	1	14	6	2	2	-	-	2	2	1	49	35	2	1
26	CLARK	6	-	-	-	1	-	-	-	-	-	1	-	-	3	2	-	-
27	CLEARWATER	65	-	-	-	10	5	1	-	2	1	-	1	2	26	19	1	-
28	CUSTER	30	-	-	-	7	1	2	-	2	-	-	2	1	17	11	-	-
29	ELMORE	89	-	-	1	14	2	4	3	1	1	-	3	1	42	31	-	1
30	FRANKLIN	85	1	-	-	7	3	-	1	1	1	-	1	2	54	37	-	-
31	FREMONT	74	-	-	1	9	1	4	1	-	-	1	2	3	35	21	-	1
32	GEM	102	-	-	-	19	6	2	3	4	-	1	3	2	55	37	2	-
33	GOODING	118	-	-	1	25	4	5	2	6	1	1	6	1	55	41	1	1
34	IDAHO	114	-	-	-	21	6	5	1	1	3	-	5	3	58	48	2	-
35	JEFFERSON	92	-	-	2	8	1	2	1	1	1	2	-	1	52	41	1	3
36	JEROME	94	-	-	-	16	5	2	-	4	1	-	4	2	49	32	1	4
37	KOOTENAI	386	-	-	1	66	14	16	7	12	3	1	13	4	205	141	2	1
38	COEUR D ALENE	208	-	-	1	34	8	8	3	7	-	-	8	3	119	83	1	1
39	BALANCE OF COUNTY	178	-	-	-	32	6	8	4	5	3	1	5	1	86	58	1	-
40	LATAH	181	-	-	-	32	8	4	5	7	-	-	8	-	90	54	-	-
41	MOSCOW	88	-	-	-	18	4	3	4	3	-	-	4	-	40	26	-	-
42	BALANCE OF COUNTY	93	-	-	-	14	4	1	1	4	-	-	4	-	50	28	-	-
43	LEMHI	79	-	-	1	11	4	4	1	-	1	1	-	1	42	22	1	1
44	LEWIS	39	-	-	-	7	2	2	1	1	-	1	-	3	13	6	-	-
45	LINCOLN	31	-	-	-	4	-	-	-	-	1	-	3	-	15	7	-	-
46	MADISON	81	-	-	1	14	4	1	-	1	3	-	5	2	45	31	1	-
47	MINIDOKA	117	-	-	2	14	5	1	2	1	2	-	3	4	54	43	2	-
48	NEZ PERCE	279	-	-	2	49	8	11	6	7	4	2	11	5	134	88	5	1
49	LEWISTON	242	-	-	2	42	7	10	5	6	4	1	9	4	116	75	5	1
50	BALANCE OF COUNTY	37	-	-	-	7	1	1	1	1	-	1	2	1	18	13	-	-
51	ONEIDA	46	-	-	-	8	2	3	-	1	-	-	2	2	21	14	1	-
52	ONYHEE	60	-	-	-	12	4	5	-	1	-	1	1	-	28	23	-	-
53	PAYETTE	132	-	-	-	18	4	2	1	6	-	1	4	3	74	53	2	-
54	POWER	40	-	-	2	8	2	2	-	2	-	2	-	1	14	11	2	-
55	SHOSHONE	164	-	-	-	25	9	6	2	1	2	1	4	4	78	61	1	1
56	TETON	28	-	-	-	2	1	1	-	-	-	-	-	1	14	11	-	-
57	TWIN FALLS	451	-	-	2	82	25	12	5	13	1	8	18	10	218	155	4	1
58	TWIN FALLS	248	-	-	-	45	14	8	1	7	1	5	9	4	121	80	3	-
59	BALANCE OF COUNTY	203	-	-	2	37	11	4	4	6	-	3	9	6	97	75	1	1
60	VALLEY	46	-	-	1	9	1	2	-	3	-	-	3	-	16	11	1	-
61	WASHINGTON	102	-	-	-	14	7	4	1	-	-	-	2	2	57	40	-	2
62	**ILLINOIS**	108,171	172	11	506	19,953	5,666	4,532	1,877	2,482	932	838	3,626	2,004	59,717	45,562	705	954
63	URBAN PLACES	75,271	134	9	358	14,037	4,083	3,190	1,349	1,692	643	539	2,541	1,390	41,208	31,698	513	642
64	BALANCE OF AREA	32,900	38	2	148	5,916	1,583	1,342	528	790	289	299	1,085	614	18,509	13,864	192	312
65	METROPOLITAN COUNTIES	82,150	133	10	388	15,396	4,440	3,514	1,480	1,858	708	587	2,809	1,525	44,705	34,428	551	704
66	URBAN PLACES	69,087	125	8	331	12,929	3,761	2,948	1,257	1,555	596	479	2,333	1,265	37,693	29,163	474	596
67	BALANCE OF AREA	13,063	8	2	57	2,467	679	566	223	303	112	108	476	260	7,012	5,265	77	108
68	NONMETROPOLITAN COUNTIES	26,021	39	1	118	4,557	1,226	1,018	397	624	224	251	817	479	15,012	11,134	154	250
69	URBAN PLACES	6,184	9	1	27	1,108	322	242	92	137	47	60	208	125	3,515	2,535	39	46
70	BALANCE OF AREA	19,837	30	-	91	3,449	904	776	305	487	177	191	609	354	11,497	8,599	115	204
71	ADAMS	977	1	-	3	164	49	32	13	22	7	11	30	12	565	416	5	5
72	QUINCY	726	1	-	3	116	36	24	7	15	5	8	21	10	422	317	3	5
73	BALANCE OF COUNTY	251	-	-	-	48	13	8	6	7	2	3	9	2	143	99	2	-
74	ALEXANDER	214	-	-	-	37	7	8	3	9	1	3	6	3	124	88	-	2
75	BOND	186	-	-	1	30	11	9	-	4	1	4	1	2	122	91	-	3
76	BOONE	238	-	-	-	46	14	12	3	9	-	1	7	5	129	89	-	2
77	BELVIDERE	145	-	-	-	29	10	9	2	5	-	1	2	4	77	56	-	2
78	BALANCE OF COUNTY	93	-	-	-	17	4	3	1	4	-	-	5	1	52	33	-	-
79	BROWN	76	-	-	1	14	3	4	2	-	1	1	3	-	54	48	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
327	22	3	126	20	21	31	13	2	14	4	-	12	21	14	87	33	23	18	4	3	01
276	20	3	108	19	20	25	10	2	14	3	-	12	19	12	77	22	13	14	4	2	02
51	2	-	18	1	1	6	3	-	-	1	-	-	2	2	10	11	10	4	-	1	03
10	1	-	1	-	1	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	04
103	25	-	46	7	5	7	9	-	7	3	-	4	8	4	29	22	20	9	2	-	05
82	20	-	42	4	5	7	8	-	3	3	-	3	7	4	24	15	15	7	2	-	06
21	5	-	4	3	-	-	1	-	4	-	-	1	1	-	5	7	5	2	-	-	07
20	3	1	12	1	1	-	-	-	-	-	-	-	2	2	2	3	2	1	-	-	08
34	2	-	9	-	-	2	2	-	1	2	-	-	1	1	2	3	1	-	1	-	09
80	3	-	20	4	2	5	3	-	4	1	-	3	3	3	22	16	15	7	1	1	10
17	2	-	7	-	1	1	1	2	-	-	-	1	1	-	-	6	4	-	-	-	11
7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-	-	12
47	5	-	12	5	1	4	3	1	1	1	-	1	4	2	15	7	7	1	2	-	13
116	5	1	29	7	5	9	7	1	7	4	-	4	12	10	23	22	17	11	3	-	14
84	4	1	26	7	4	5	6	1	6	2	-	3	12	10	21	17	10	10	3	-	15
32	1	-	3	-	1	4	1	-	1	2	-	1	-	-	2	5	7	1	-	-	16
16	5	-	3	-	-	3	1	-	1	-	-	-	1	-	4	3	5	-	1	-	17
10	-	-	3	2	-	-	1	-	1	-	-	-	-	1	1	1	3	1	-	-	18
1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	19
187	21	-	65	10	14	25	15	2	5	4	-	3	8	6	64	28	35	11	4	2	20
49	3	-	23	4	6	7	6	-	-	-	-	-	3	1	15	10	9	2	1	1	21
83	9	-	22	2	6	12	6	2	3	4	-	2	2	2	33	3	17	5	1	-	22
55	9	-	20	4	2	6	3	-	2	-	-	1	3	3	16	15	9	4	2	1	23
13	-	-	9	-	1	-	-	-	-	-	-	-	1	-	5	4	6	-	-	-	24
30	2	1	10	1	2	3	3	1	1	1	-	2	4	4	13	14	11	5	4	1	25
2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	26
16	2	-	6	1	-	-	1	-	-	-	-	1	1	8	4	6	4	1	1	-	27
10	1	1	4	1	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	28
28	2	1	9	-	1	-	2	-	3	-	-	-	-	4	10	1	7	3	1	-	29
34	3	-	15	1	1	1	-	-	-	-	-	3	-	-	6	5	5	1	-	-	30
18	2	-	10	4	-	1	2	1	-	1	-	-	1	1	5	4	7	1	1	1	31
32	3	-	14	2	2	2	1	-	-	2	-	2	-	-	6	5	7	1	-	-	32
38	1	-	13	-	1	8	1	-	-	-	-	-	-	1	9	4	10	-	2	-	33
33	13	-	8	2	-	5	2	3	-	-	-	-	2	3	5	4	7	-	1	-	34
36	1	-	7	1	3	1	-	-	1	2	-	-	7	2	3	3	4	6	-	-	35
23	4	-	15	-	2	2	2	-	-	-	-	-	-	-	8	6	6	-	3	-	36
127	11	-	50	9	5	9	2	2	6	-	-	2	5	7	32	18	16	8	2	1	37
73	8	-	28	6	2	6	1	-	5	-	-	1	3	1	15	5	7	7	-	-	38
54	3	-	22	3	3	3	1	2	1	-	-	1	2	6	17	13	9	1	2	1	39
49	5	-	23	2	11	12	3	2	4	-	-	2	2	1	17	7	5	4	-	-	40
25	1	-	10	-	4	8	2	1	1	-	-	1	1	-	10	1	3	2	-	-	41
24	4	-	13	2	7	4	1	1	3	-	-	1	1	1	7	6	2	2	-	-	42
19	1	-	12	4	4	5	1	3	-	-	-	-	1	-	6	1	6	1	-	-	43
4	2	-	5	-	2	2	1	1	4	-	-	1	-	-	2	2	2	-	1	-	44
7	-	-	7	-	1	2	-	-	1	-	-	-	-	-	3	2	3	1	-	-	45
29	1	1	9	2	2	1	-	-	1	1	-	1	3	-	4	4	4	-	-	-	46
36	5	1	7	2	1	5	3	-	-	2	-	1	4	-	8	9	5	6	-	-	47
73	9	1	29	8	8	7	8	-	8	-	-	2	3	6	22	9	17	5	2	-	48
60	9	1	24	8	8	7	6	-	7	-	-	2	2	6	18	8	16	4	2	-	49
13	-	-	5	-	-	-	2	-	1	-	-	-	1	-	4	1	1	1	-	-	50
11	2	-	4	2	1	1	-	1	-	2	-	1	-	-	7	1	1	1	-	-	51
21	2	-	1	3	1	-	1	-	-	-	-	1	-	1	7	4	2	4	-	-	52
49	2	1	12	6	2	4	4	1	-	1	-	-	-	1	10	3	6	4	1	-	53
7	2	1	1	1	-	-	1	-	-	-	-	-	-	4	2	3	4	1	-	-	54
56	3	-	15	1	1	5	3	-	2	1	-	-	6	2	12	11	12	3	-	-	55
11	-	-	3	-	-	-	3	-	-	1	-	-	1	-	-	1	3	2	-	-	56
141	9	6	38	15	4	13	13	-	5	1	-	6	12	4	35	24	13	8	5	-	57
72	5	3	22	12	4	8	8	-	1	1	-	5	4	3	21	12	6	6	3	-	58
69	4	3	16	3	-	5	5	-	4	-	-	1	8	1	14	12	7	2	2	-	59
10	-	1	4	-	-	3	1	-	1	-	-	-	-	1	4	2	6	1	1	-	60
38	-	-	10	7	-	1	1	2	-	2	-	-	3	3	5	9	3	-	-	-	61
40,409	3,494	524	10,762	1,622	1,247	3,068	1,472	455	1,853	433	28	756	1,836	2,122	7,142	1,846	2,535	867	1,090	305	62
27,682	2,861	370	7,366	972	802	2,196	891	311	1,526	316	26	523	1,356	1,561	5,003	956	1,653	584	991	242	63
12,727	633	154	3,396	650	445	872	581	144	327	117	2	233	480	561	2,139	890	882	283	99	63	64
30,169	3,004	405	7,893	1,081	898	2,314	1,022	329	1,636	329	21	609	1,508	1,766	5,394	1,235	1,859	674	1,027	270	65
25,350	2,743	340	6,620	842	728	2,013	783	275	1,458	289	20	495	1,280	1,481	4,559	861	1,404	530	964	236	66
4,819	261	65	1,273	239	170	301	239	54	178	40	1	114	228	285	835	374	375	136	63	34	67
10,240	490	119	2,869	541	349	754	450	126	217	104	7	147	328	356	1,748	611	676	193	63	35	68
2,332	118	30	746	130	74	183	108	36	68	27	6	28	76	80	444	95	169	46	27	6	69
7,908	372	89	2,123	411	275	571	342	90	149	77	1	119	252	276	1,304	516	507	147	36	29	70
390	16	5	110	16	18	40	15	5	9	1	1	4	10	23	75	15	21	7	6	-	71
298	11	4	75	12	14	34	10	3	8	-	1	3	5	19	56	8	17	5	5	-	72
92	5	1	35	4	4	6	5	2	1	1	-	1	5	4	19	7	4	2	1	-	73
82	4	-	29	5	2	6	5	1	3	4	-	-	3	4	12	1	11	-	-	-	74
87	1	-	20	7	4	3	4	-	1	-	-	2	2	1	9	3	4	1	-	1	75
82	5	2	30	6	2	6	6	1	2	2	-	4	3	1	17	5	5	4	2	-	76
50	4	2	14	4	1	6	4	1	1	-	-	3	3	-	10	3	1	1	2	-	77
32	1	-	16	2	1	-	2	-	1	2	-	1	-	1	7	2	4	3	-	-	78
45	1	1	4	1	-	2	-	-	-	1	-	-	-	-	-	1	3	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS—CON.																	
01	BUREAU	406	-	-	2	66	19	14	2	8	4	8	11	8	250	187	4	1
02	CALHOUN	99	-	-	-	15	9	2	3	-	-	-	1	5	61	38	2	2
03	CARROLL	209	-	-	1	35	3	5	6	4	4	5	8	1	118	80	-	7
04	CASS	196	-	-	1	35	11	7	-	4	1	2	10	3	124	96	1	2
05	CHAMPAIGN	885	-	-	4	151	37	39	17	16	14	5	23	17	504	346	3	7
06	CHAMPAIGN	382	-	-	-	68	20	19	10	6	4	1	8	5	221	152	2	4
07	RANTOUL	52	-	-	-	12	2	3	2	2	1	1	1	-	27	19	-	1
08	URBANA	199	-	-	2	31	2	10	4	4	6	1	4	3	116	75	-	1
09	BALANCE OF COUNTY	252	-	-	2	40	13	7	1	4	3	2	10	9	140	100	1	1
10	CHRISTIAN	469	1	-	1	81	23	25	5	11	2	4	11	4	269	212	4	5
11	TAYLORVILLE	176	-	-	-	28	8	10	2	4	-	-	4	-	106	82	2	2
12	BALANCE OF COUNTY	293	1	-	1	53	15	15	3	7	2	4	7	4	163	130	2	3
13	CLARK	214	-	-	1	24	3	2	4	6	1	-	8	5	138	83	1	7
14	CLAY	218	-	-	-	39	10	10	6	5	2	2	4	3	126	90	1	1
15	CLINTON	293	1	-	1	53	10	12	2	11	2	2	14	5	159	122	1	2
16	CENTRALIA, PART	24	-	-	1	4	-	1	1	1	-	-	1	-	14	13	-	-
17	BALANCE OF COUNTY	269	1	-	-	49	10	11	1	10	2	2	13	5	145	109	1	2
18	COLES	538	-	-	2	105	30	29	4	11	3	6	22	13	315	215	4	4
19	CHARLESTON	159	-	-	1	29	6	7	1	4	1	2	8	6	92	63	2	2
20	MATTOON	261	-	-	-	48	13	14	2	4	1	3	11	5	157	105	1	1
21	BALANCE OF COUNTY	118	-	-	1	28	11	8	1	3	1	1	3	2	66	47	1	1
22	COOK	53,669	108	8	244	9,976	2,954	2,269	965	1,200	457	353	1,778	1,015	29,315	23,265	358	433
23	ALSIP	94	-	-	-	17	5	4	1	2	3	-	2	-	49	40	2	-
24	ARLINGTON HEIGHTS, PART	391	-	-	-	70	16	16	6	11	5	1	15	15	212	160	1	-
25	ARLINGTON HEIGHTS, TOTAL	391	-	-	-	70	16	16	6	11	5	1	15	15	212	160	1	-
26	BELLWOOD	145	-	-	-	34	8	10	1	6	-	1	8	4	74	59	1	1
27	BENSENVILLE, PART	4	-	-	-	2	-	-	-	1	-	-	1	-	2	2	-	-
28	BERWYN	713	-	-	1	154	47	42	13	15	4	6	27	16	412	328	7	3
29	BLUE ISLAND	304	-	-	3	62	13	15	8	11	3	3	9	7	169	139	3	1
30	BRIDGE VIEW	80	-	-	-	14	2	4	-	2	-	1	5	1	40	33	-	2
31	BROOKFIELD	225	-	-	-	54	12	12	5	11	2	3	9	5	129	105	5	2
32	BUFFALO GROVE, PART	48	-	-	-	15	3	2	2	1	-	2	5	1	20	16	-	-
33	BUFFALO GROVE, TOTAL	50	-	-	-	16	3	2	2	1	-	2	6	1	20	16	-	-
34	CALUMET CITY	322	2	-	-	61	16	14	8	4	5	2	12	10	167	129	7	1
35	CALUMET PARK	76	-	-	-	12	6	2	-	3	-	-	1	-	41	38	-	-
36	CHICAGO, PART	36,556	97	7	181	6,420	1,960	1,469	569	757	286	226	1,153	708	19,886	16,001	238	326
37	CHICAGO, TOTAL	36,557	97	7	181	6,420	1,960	1,469	569	757	286	226	1,153	708	19,886	16,001	238	326
38	CHICAGO HEIGHTS	422	-	-	2	71	23	11	1	11	6	5	14	10	223	142	3	6
39	CICERO	854	-	-	4	157	58	31	14	18	9	6	21	24	501	397	7	2
40	DEERFIELD, PART	6	-	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-
41	DES PLAINES	501	-	-	2	132	38	24	20	15	8	8	19	7	250	179	3	2
42	DOLTON	173	-	-	-	38	12	7	3	3	1	2	10	3	104	87	-	1
43	ELGIN, PART	38	-	-	1	6	-	2	1	1	-	1	1	1	19	13	1	-
44	ELK GROVE VILLAGE, PART	80	-	-	-	19	6	5	2	2	-	1	3	4	32	20	-	-
45	ELK GROVE VILLAGE, TOTAL	80	-	-	-	19	6	5	2	2	-	1	3	4	32	20	-	-
46	ELMWOOD PARK	229	-	-	-	48	19	10	5	4	4	2	4	4	125	96	2	2
47	EVANSTON	826	1	-	5	154	42	34	21	24	6	3	24	8	490	361	3	5
48	EVERGREEN PARK	309	-	-	1	78	21	20	5	12	2	1	17	5	176	136	3	2
49	FOREST PARK	224	1	-	1	41	10	13	6	4	2	2	4	2	131	97	-	-
50	FRANKLIN PARK	149	-	-	-	31	11	6	2	5	1	-	6	2	83	66	1	-
51	GLENCOE	65	1	-	-	13	1	6	-	3	-	1	2	1	33	20	-	-
52	GLENVIEW	258	-	-	2	42	8	5	9	4	3	3	10	5	157	122	2	2
53	HANOVER PARK, PART	53	-	-	-	11	2	3	1	3	-	2	-	-	19	15	1	-
54	HANOVER PARK, TOTAL	56	-	-	-	12	2	4	1	3	-	2	-	-	20	16	1	-
55	HARVEY	304	-	1	5	57	17	14	9	6	3	-	8	4	149	127	-	4
56	HAZEL CREST	79	-	-	1	19	9	3	1	2	1	-	3	-	41	30	2	-
57	HICKORY HILLS	65	-	-	-	18	3	4	1	2	1	1	6	2	33	25	-	-
58	HINSDALE, PART	19	-	-	-	5	2	1	-	-	-	-	2	-	5	3	1	-
59	HOFFMAN ESTATES	81	-	-	-	15	6	2	3	1	1	-	2	2	42	29	1	-
60	HOMEWOOD	190	-	-	-	43	16	6	2	1	5	3	10	-	110	90	2	2
61	LA GRANGE	182	-	-	1	48	16	7	3	11	3	2	6	2	106	80	2	2
62	LA GRANGE PARK	145	-	-	1	30	7	6	7	4	1	-	5	3	90	66	3	-
63	LANSING	208	-	-	-	55	10	15	10	7	2	1	10	1	100	78	2	1
64	LINCOLNWOOD	97	-	-	-	26	8	3	5	-	4	1	5	-	50	42	1	-
65	LYONS	105	-	-	1	18	6	7	1	1	-	2	1	-	69	60	1	1
66	MARKHAM	99	-	-	1	15	1	6	2	2	-	2	2	4	45	38	-	2
67	MAYWOOD	223	-	-	-	43	12	4	7	11	-	-	9	6	112	90	1	4
68	MELROSE PARK	229	-	-	1	56	20	15	2	9	2	1	7	7	113	90	1	1
69	MIDLOTHIAN	109	-	-	-	20	4	6	1	2	1	1	5	1	56	42	-	2
70	MORTON GROVE	163	-	-	-	30	8	7	5	1	1	1	7	3	96	80	1	-
71	MOUNT PROSPECT	258	-	-	1	57	14	10	5	11	1	5	11	3	133	99	4	1
72	NILES	308	-	-	-	60	17	14	2	9	7	2	9	5	186	143	2	2
73	NORRIDGE	149	-	-	-	34	11	7	5	2	1	1	7	1	87	72	1	2
74	NORTHBROOK	205	-	-	-	47	12	8	6	8	5	-	8	1	105	68	2	3
75	NORTHLAKE, PART	126	-	-	-	18	3	6	3	2	1	-	3	-	80	53	2	1
76	NORTHLAKE, TOTAL	127	-	-	-	18	3	6	3	2	1	-	3	-	81	54	2	1
77	OAK FOREST	104	-	-	-	23	7	6	3	4	-	1	2	4	48	35	1	1
78	OAK LAWN	594	-	-	1	115	36	30	12	12	7	1	17	12	376	296	2	6
79	OAK PARK	726	2	-	4	154	47	31	23	18	7	5	23	14	416	314	4	5

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
171	11	1	43	14	5	4	5	–	3	1	–	2	2	11	28	9	7	6	2	–	01
34	–	1	19	3	–	–	1	–	–	–	–	1	1	–	8	6	1	–	–	–	02
67	6	1	21	12	4	10	4	–	2	1	–	1	3	1	16	7	5	4	–	–	03
91	2	1	18	4	5	3	3	1	2	–	–	1	2	5	9	2	2	3	–	–	04
326	10	6	103	38	11	19	17	6	20	3	–	4	18	8	61	15	25	8	4	1	05
144	2	2	45	14	8	10	6	4	11	3	–	1	4	5	26	2	10	3	2	1	06
17	1	–	7	1	–	1	–	–	–	–	–	1	2	1	4	–	3	1	–	–	07
71	3	2	29	8	2	3	7	1	7	–	–	1	6	1	14	–	4	1	2	–	08
94	4	2	22	15	1	5	4	1	2	–	–	1	6	1	17	13	8	3	–	–	09
187	16	4	40	5	8	14	8	1	2	5	–	4	4	4	44	13	8	4	2	–	10
72	6	1	18	2	3	6	2	–	2	2	–	1	2	2	18	3	–	2	2	–	11
115	10	3	22	3	5	8	6	1	–	3	–	3	2	2	26	10	8	2	–	–	12
72	3	2	39	7	7	6	4	–	–	–	–	1	3	2	16	5	7	2	–	–	13
81	7	2	24	8	2	5	8	1	1	–	–	2	1	2	19	8	3	–	–	–	14
114	5	1	27	5	4	11	3	3	3	3	–	2	5	2	16	16	9	1	–	–	15
11	2	–	1	–	–	2	–	–	–	–	–	–	–	–	3	–	–	–	–	–	16
103	3	1	26	5	4	9	3	3	3	3	–	2	5	2	13	16	9	1	–	–	17
203	4	5	82	11	2	9	12	1	4	2	–	3	8	2	34	9	15	3	1	–	18
59	–	3	22	4	–	3	3	1	–	1	–	1	3	–	13	–	4	2	–	–	19
102	1	–	50	2	–	6	7	–	3	–	–	2	1	–	15	5	11	–	1	–	20
42	3	2	10	5	2	–	2	–	1	1	–	4	2	6	4	–	1	–	–	–	21
19,960	2,514	258	4,725	574	493	1,612	534	218	1,193	249	16	363	983	1,222	3,499	594	1,105	391	838	186	22
36	2	–	8	–	1	2	–	1	5	–	–	1	2	1	6	2	5	1	2	–	23
156	3	3	43	4	2	5	8	4	8	1	–	5	12	5	21	9	9	5	–	2	24
156	3	3	43	4	2	5	8	4	8	1	–	5	12	5	21	9	9	5	–	2	25
56	1	–	11	–	4	3	–	1	4	1	–	1	1	2	8	1	9	1	1	–	26
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
303	15	2	61	13	8	14	5	3	15	1	–	1	3	7	54	4	9	7	5	2	28
129	6	1	24	1	4	6	3	2	7	1	–	4	2	6	17	3	8	2	1	1	29
27	4	–	6	–	1	3	–	–	1	–	–	–	5	2	6	1	2	1	2	2	30
88	10	–	23	–	1	3	–	–	3	1	–	–	2	1	16	4	5	2	–	–	31
16	–	–	4	–	–	–	–	1	–	–	–	2	4	1	1	2	–	1	–	–	32
16	–	–	4	–	–	–	–	1	–	–	–	3	4	1	1	2	–	1	–	–	33
116	5	2	29	3	4	6	5	2	8	–	–	3	7	8	28	6	5	3	1	–	34
37	1	1	2	–	–	4	3	–	3	–	–	–	–	3	4	4	2	–	–	–	35
13,320	2,117	191	3,056	342	296	1,178	336	143	854	188	15	258	718	953	2,397	327	767	241	744	138	36
13,320	2,117	191	3,056	342	296	1,178	336	143	854	188	15	258	718	953	2,397	327	768	241	744	138	37
129	4	1	82	24	4	14	7	1	8	–	–	2	11	8	31	8	12	2	10	2	38
357	31	2	81	11	10	21	11	1	21	2	–	3	14	14	52	2	13	8	6	–	39
3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	40
167	7	2	51	11	7	10	7	4	17	2	–	6	6	3	29	9	10	4	1	2	41
81	5	1	13	3	–	4	2	–	1	1	–	1	3	2	8	2	2	–	–	2	42
12	–	–	6	–	–	–	–	–	–	–	–	1	–	3	3	1	2	1	–	–	43
17	3	–	11	1	–	3	1	–	3	–	–	–	1	1	8	1	5	1	1	–	44
17	3	–	11	1	–	3	1	–	3	–	–	–	1	1	8	1	5	1	1	–	45
87	5	–	22	3	4	8	2	3	7	1	–	1	4	1	18	1	4	–	1	1	46
327	26	3	105	9	12	32	11	1	6	2	–	3	4	10	68	3	17	5	5	1	47
127	4	2	31	5	2	4	4	3	8	1	–	–	3	–	17	2	2	2	1	2	48
94	3	1	25	4	4	7	5	–	8	1	–	–	2	7	14	1	1	2	–	–	49
62	3	–	15	1	1	2	6	–	5	–	–	1	2	4	6	1	2	2	–	2	50
18	2	–	9	1	2	3	–	–	–	–	–	1	1	2	6	–	2	2	–	–	51
116	2	–	24	9	2	7	4	3	6	–	–	–	1	4	12	7	3	3	–	2	52
14	–	–	4	–	–	1	–	–	1	1	–	3	4	–	8	2	3	–	–	–	53
15	–	–	4	–	–	1	1	–	1	1	–	3	4	–	8	2	3	–	–	–	54
115	8	–	20	–	2	6	3	2	8	1	–	1	20	8	15	8	8	3	5	–	55
24	4	–	8	2	1	2	1	–	1	–	–	3	2	–	5	1	1	1	–	1	56
25	–	–	4	4	–	–	–	–	1	1	–	1	–	–	3	3	2	–	–	1	57
2	–	–	2	–	–	–	–	–	–	–	–	1	–	1	3	2	–	2	–	–	58
27	1	–	10	1	2	–	2	–	3	–	–	2	4	2	3	1	2	1	2	–	59
85	1	–	14	5	1	5	4	–	5	–	–	–	1	2	8	2	2	3	1	4	60
76	2	–	19	5	2	3	1	1	1	1	–	2	1	1	11	1	1	1	–	–	61
60	3	–	17	5	2	2	2	–	1	–	–	–	–	1	12	–	1	2	–	–	62
69	6	–	20	1	1	2	2	–	5	–	–	3	10	4	16	6	2	2	–	–	63
39	2	–	7	1	–	2	2	1	1	–	–	–	1	1	10	–	2	–	–	1	64
52	7	–	7	1	1	1	1	2	3	–	–	1	1	–	4	–	3	1	–	–	65
34	2	–	5	–	2	5	2	1	2	1	–	1	3	2	9	3	–	1	4	–	66
79	6	1	17	–	4	9	1	–	7	4	–	2	3	8	17	5	4	–	2	–	67
82	6	–	19	1	3	9	1	–	4	2	–	2	5	5	15	5	2	–	1	1	68
37	3	–	10	2	2	2	–	–	5	1	–	–	5	1	3	7	2	3	2	1	69
72	7	2	12	1	1	4	5	1	4	–	–	2	–	1	13	2	1	1	–	–	70
90	4	3	24	3	4	4	5	2	4	2	–	–	7	5	17	5	5	5	3	–	71
135	4	3	32	5	3	6	1	3	3	–	–	–	2	5	28	1	4	1	2	1	72
66	3	–	14	–	1	5	1	1	5	–	–	1	–	–	11	2	–	–	1	–	73
58	5	–	33	1	3	10	1	1	4	1	–	2	4	7	12	3	4	2	–	1	74
49	1	1	20	2	4	5	1	–	3	–	–	–	–	4	6	–	8	1	–	–	75
50	1	1	20	2	4	5	1	–	3	–	–	–	–	4	6	–	8	1	–	–	76
33	–	1	10	1	1	4	–	–	4	–	–	–	3	1	11	2	3	–	1	–	77
273	15	4	61	8	7	14	2	4	14	3	–	3	7	4	24	6	6	1	–	2	78
281	24	5	78	8	11	22	10	–	7	2	–	1	4	8	53	6	15	2	2	4	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS--CON.																	
	COOK--CON.																	
01	PALATINE	211	-	-	-	42	8	6	4	3	4	-	17	2	111	85	1	-
02	PARK FOREST, PART	154	1	-	1	36	9	7	6	5	2	2	5	3	69	48	2	-
03	PARK FOREST, TOTAL	164	1	-	1	38	9	8	6	6	2	2	5	3	74	51	2	-
04	PARK RIDGE	375	-	-	-	87	22	20	12	12	2	3	16	9	214	157	4	1
05	RIVERDALE	162	-	-	1	30	11	7	4	5	-	1	2	2	99	76	3	-
06	RIVER FOREST	121	-	-	-	27	5	5	2	7	1	-	7	-	74	51	1	1
07	RIVER GROVE	89	-	-	-	12	5	1	2	1	1	-	2	4	56	49	-	1
08	RIVERSIDE	106	1	-	-	26	9	5	2	1	2	1	6	1	55	40	-	-
09	ROLLING MEADOWS	93	-	-	-	28	4	11	3	2	2	2	4	3	39	30	-	1
10	SCHAUMBURG, PART	89	-	-	-	25	7	9	-	3	1	-	5	1	37	27	2	-
11	SCHAUMBURG, TOTAL	92	-	-	-	25	7	9	-	3	1	-	5	1	37	27	2	-
12	SCHILLER PARK	57	-	-	1	11	2	5	1	2	1	-	-	1	23	18	1	1
13	SKOKIE	499	1	-	3	110	36	22	19	8	2	6	17	12	277	219	4	2
14	SOUTH HOLLAND	190	-	-	1	46	14	6	4	6	4	-	12	5	105	87	-	2
15	STREAMWOOD	69	-	-	1	12	2	3	-	3	-	1	3	2	28	21	-	-
16	SUMMIT	96	1	-	2	13	7	2	-	2	-	-	2	-	56	41	-	3
17	TINLEY PARK, PART	128	-	-	-	33	6	12	3	3	2	-	7	-	62	50	1	-
18	TINLEY PARK, TOTAL	128	-	-	-	33	6	12	3	3	2	-	7	-	62	50	1	-
19	WESTCHESTER	138	-	-	2	26	8	5	5	2	1	1	4	2	86	69	1	1
20	WESTERN SPRINGS	89	-	-	-	19	5	4	1	1	-	1	2	-	49	40	2	1
21	WHEELING	109	-	-	-	25	6	10	-	1	1	2	6	-	55	44	1	-
22	WILMETTE	239	-	-	2	51	14	9	7	4	2	3	12	2	132	88	1	-
23	WINNETKA	88	-	-	-	24	3	5	10	1	1	-	4	-	42	29	-	2
24	WORTH	94	-	-	-	26	4	11	1	4	1	-	5	-	49	39	1	1
25	BALANCE OF COUNTY	2,560	-	-	10	505	136	119	53	66	23	18	90	47	1,401	1,103	9	21
26	CRAWFORD	232	1	-	-	41	13	10	2	3	1	2	10	1	140	95	-	1
27	CUMBERLAND	121	-	-	-	23	7	6	1	3	-	3	3	1	76	50	2	-
28	DE KALB	489	-	-	2	90	24	20	9	10	4	4	19	7	247	179	6	4
29	DE KALB	151	-	-	-	22	5	3	2	3	-	3	6	1	76	54	1	2
30	BALANCE OF COUNTY	338	-	-	2	68	19	17	7	7	4	1	13	6	171	125	5	2
31	DE WITT	226	-	-	4	47	8	7	4	12	4	6	6	-	125	88	4	-
32	DOUGLAS	205	1	-	-	26	8	7	1	3	1	1	5	5	130	95	-	8
33	DU PAGE	3,289	-	-	13	706	204	149	80	76	29	35	133	55	1,692	1,257	20	17
34	ADDISON	99	-	-	1	18	3	4	3	3	1	2	2	-	44	35	-	1
35	BENSENVILLE, PART	126	-	-	-	30	7	8	4	2	3	1	5	1	69	49	1	-
36	BENSENVILLE, TOTAL	130	-	-	-	32	7	8	4	3	3	1	6	1	71	51	1	-
37	CHICAGO, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	DOWNERS GROVE	362	-	-	-	88	28	22	6	12	3	5	12	8	183	130	2	4
39	ELK GROVE VILLAGE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	ELMHURST	374	-	-	1	95	31	18	14	8	2	5	17	5	201	158	4	2
41	GLENDALE HEIGHTS	54	-	-	-	6	3	1	-	1	-	-	1	1	20	17	-	-
42	GLEN ELLYN	172	-	-	-	40	15	7	4	2	2	4	6	-	89	64	2	-
43	HANOVER PARK, PART	3	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-
44	HINSDALE, PART	126	-	-	3	28	4	8	3	6	1	-	6	2	68	45	1	-
45	HINSDALE, TOTAL	145	-	-	3	33	6	9	3	6	1	-	8	2	73	48	2	-
46	LOMBARD	235	-	-	1	46	8	14	4	6	3	-	11	3	142	106	3	1
47	NAPERVILLE	172	-	-	-	40	13	4	5	3	1	1	13	3	89	64	-	2
48	NORTHLAKE, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
49	SCHAUMBURG, PART	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	VILLA PARK	196	-	-	-	45	17	7	5	2	2	3	9	5	95	73	1	1
51	WEST CHICAGO	108	-	-	1	20	8	2	1	3	1	1	4	3	48	33	1	1
52	WHEATON	228	-	-	1	39	11	7	5	6	2	3	5	6	124	83	1	-
53	WOODRIDGE	29	-	-	-	9	3	1	1	-	1	-	3	-	7	6	-	-
54	BALANCE OF COUNTY	1,000	-	-	5	201	53	45	25	22	7	10	39	18	511	392	5	5
55	EDGAR	296	1	-	-	60	18	14	6	9	2	4	7	3	171	121	-	6
56	EDWARDS	89	-	-	-	13	3	4	1	-	1	2	2	1	59	49	1	4
57	EFFINGHAM	255	1	-	1	50	11	17	3	5	1	4	9	3	140	90	1	3
58	FAYETTE	260	2	-	1	46	11	12	4	9	2	2	6	3	160	114	-	1
59	FORD	194	-	-	3	36	10	9	3	4	2	1	7	4	113	90	-	-
60	FRANKLIN	625	1	-	2	101	28	21	6	23	3	6	14	13	368	289	3	2
61	FULTON	526	1	-	3	117	29	26	12	12	5	3	30	8	305	242	2	3
62	CANTON	198	1	-	3	46	13	10	1	6	1	1	14	6	106	75	2	3
63	BALANCE OF COUNTY	328	-	-	-	71	16	16	11	6	4	2	16	2	199	167	2	-
64	GALLATIN	107	-	-	1	23	5	7	3	1	1	2	4	1	57	41	-	-
65	GREENE	253	1	-	-	39	10	7	3	6	1	2	10	7	151	115	2	1
66	GRUNDY	257	1	-	1	39	10	9	3	3	1	1	12	3	151	111	3	1
67	HAMILTON	159	-	-	-	24	6	5	2	4	-	1	6	2	112	76	-	1
68	HANCOCK	316	-	-	2	39	6	9	5	5	3	1	10	4	195	136	2	10
69	HARDIN	69	1	-	-	18	4	7	1	3	-	1	2	3	31	27	-	1
70	HENDERSON	85	-	-	-	14	4	2	1	2	1	4	-	3	44	32	-	-
71	HENRY	602	2	-	2	102	24	20	14	16	3	4	21	13	356	258	4	3
72	KEWANEE	234	-	-	1	39	8	8	4	6	3	3	7	8	138	90	2	-
73	BALANCE OF COUNTY	368	2	-	1	63	16	12	10	10	-	1	14	5	218	168	2	3
74	IROQUOIS	381	-	-	1	76	22	21	7	9	9	1	7	3	222	176	2	7
75	JACKSON	474	-	1	4	87	18	20	5	16	7	2	19	9	261	180	4	3
76	CARBONDALE	134	-	1	1	23	4	6	1	3	2	1	6	4	68	48	1	-
77	MURPHYSBORO	136	-	-	1	24	6	5	2	4	1	-	6	1	84	57	-	-
78	BALANCE OF COUNTY	204	-	-	2	40	8	9	2	9	4	1	7	4	109	75	3	3
79	JASPER	135	-	-	-	20	6	6	-	1	1	1	5	2	74	56	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
82	2	-	19	5	2	9	2	-	6	-	-	-	5	5	12	5	7	5	-	-	01
44	2	-	16	3	2	1	1	1	3	1	-	-	4	1	11	11	7	2	-	1	02
47	2	-	18	3	2	1	1	2	3	1	-	-	4	1	12	11	7	2	1	1	03
150	2	3	49	2	3	11	4	2	4	1	-	-	2	2	18	2	6	7	4	-	04
70	3	1	19	1	2	2	3	-	4	-	-	-	1	3	10	4	1	1	-	-	05
49	1	1	16	2	4	4	2	-	1	-	-	-	1	1	8	1	3	-	-	-	06
45	3	1	6	-	-	3	1	3	-	-	-	-	1	1	6	-	1	-	-	1	07
35	5	-	13	-	2	4	-	2	1	2	-	-	-	1	6	3	2	1	1	-	08
25	4	-	7	-	2	1	1	-	2	-	-	-	1	1	8	2	2	3	2	-	09
21	4	-	10	-	-	2	1	1	1	-	-	-	4	3	5	5	3	1	-	-	10
21	4	-	10	-	-	3	1	1	1	-	-	-	4	3	5	6	3	1	-	-	11
15	1	1	2	1	1	3	-	-	4	-	-	-	2	3	1	3	2	2	-	1	12
210	3	3	44	4	7	18	5	1	4	-	-	-	4	3	6	35	4	8	7	1	13
80	5	-	15	2	1	5	2	-	2	1	-	-	1	3	8	7	1	1	1	1	14
20	1	1	6	-	-	1	-	-	-	1	-	-	2	5	4	7	3	1	1	-	15
32	6	-	11	3	1	1	1	1	5	-	-	-	5	4	4	1	2	-	-	-	16
44	5	-	9	2	1	3	3	-	1	1	-	-	4	3	9	2	4	-	1	-	17
44	5	-	9	2	1	3	3	-	1	1	-	-	4	3	9	2	4	-	1	-	18
65	3	-	14	3	3	4	1	-	4	-	-	-	2	-	9	-	3	1	-	-	19
32	6	-	7	2	-	1	-	-	3	-	-	-	3	1	7	1	4	1	-	-	20
40	3	-	10	-	1	1	-	-	3	-	-	-	2	2	9	4	5	2	-	-	21
77	10	1	32	5	6	8	3	-	7	1	1	-	1	5	16	2	3	4	1	-	22
24	3	-	10	-	3	3	1	1	4	-	-	-	1	1	10	-	1	1	-	-	23
36	1	-	8	1	1	3	2	-	1	-	-	-	1	2	5	-	5	-	-	-	24
1,004	69	13	223	38	24	62	36	11	39	18	-	26	42	51	148	60	57	22	20	5	25
85	9	-	43	-	2	13	4	-	3	1	-	1	-	-	16	5	6	-	-	-	26
47	1	-	22	2	2	3	2	1	-	-	-	-	1	-	7	2	4	1	-	-	27
159	10	1	48	9	10	14	5	5	8	3	-	8	11	9	50	9	14	6	1	-	28
46	5	-	17	2	3	5	2	3	4	1	-	1	6	1	22	2	4	1	-	-	29
113	5	1	31	7	7	9	3	2	4	2	-	7	5	8	28	7	10	5	1	-	30
80	4	1	27	6	3	8	7	-	1	1	-	2	5	-	16	4	3	3	-	-	31
85	2	-	25	6	4	6	5	2	3	-	-	1	3	-	10	5	5	3	-	-	32
1,154	66	9	340	43	43	81	58	13	59	10	1	40	57	79	212	87	79	32	8	7	33
30	4	-	9	-	-	1	3	1	1	-	-	3	5	5	7	6	4	-	-	-	34
43	5	-	18	2	-	6	2	1	2	-	-	-	3	3	5	3	-	-	1	-	35
45	5	-	18	2	-	6	2	1	2	-	-	-	3	3	5	3	-	-	1	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	37
119	5	-	44	5	4	9	1	1	8	-	-	1	3	11	29	8	10	-	2	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
150	2	3	37	2	1	8	4	2	9	2	1	2	1	5	22	4	6	4	1	1	40
16	1	-	3	-	-	1	2	-	2	-	-	3	4	5	5	-	3	2	-	-	41
58	4	-	19	3	3	8	2	2	4	1	-	1	5	5	10	1	3	1	-	-	42
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43
43	1	1	16	3	3	1	1	-	2	-	-	1	1	2	8	4	4	1	-	-	44
45	1	1	18	3	3	1	1	-	2	-	-	2	1	3	11	6	4	3	-	-	45
96	6	1	32	1	2	4	6	1	2	-	-	1	4	4	13	2	3	3	-	-	46
60	2	-	14	6	5	6	1	-	1	2	-	1	1	4	8	9	3	4	-	-	47
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	49
69	2	-	13	4	5	7	5	1	5	2	-	-	3	3	15	4	5	-	-	1	50
32	-	1	13	1	-	5	3	-	2	1	-	4	2	4	8	5	1	1	-	-	51
75	7	2	30	3	6	7	5	-	2	1	-	3	3	5	18	6	6	1	1	-	52
6	-	-	1	-	-	-	1	-	-	-	-	1	4	-	3	1	-	1	-	2	53
355	27	1	91	13	14	17	21	4	19	1	-	18	18	23	61	33	30	14	3	3	54
114	1	1	39	4	6	7	6	2	4	-	-	2	-	5	15	10	7	1	1	1	55
44	-	-	8	1	1	2	2	-	1	-	-	-	-	-	8	-	2	1	-	-	56
77	9	1	33	8	8	12	5	2	2	1	-	2	4	-	16	6	6	3	-	1	57
110	3	1	40	2	3	11	4	1	1	1	-	1	3	2	10	4	4	3	-	3	58
86	4	2	15	2	4	11	-	2	1	-	-	-	3	5	7	4	5	-	-	-	59
277	7	4	61	9	5	27	9	5	4	6	-	1	7	6	45	10	15	1	3	1	60
207	30	3	43	7	10	19	7	3	1	5	-	2	4	3	20	12	11	4	1	-	61
64	8	-	21	4	6	9	1	2	-	3	-	-	1	2	11	3	3	-	1	-	62
143	22	3	22	3	4	10	6	1	1	2	-	2	3	1	9	9	8	4	-	-	63
39	2	-	14	1	1	3	1	3	-	-	-	-	1	1	10	2	2	1	-	1	64
102	10	-	30	4	2	11	3	-	3	1	-	2	5	4	14	5	5	2	-	-	65
97	10	-	37	1	2	3	9	1	4	1	-	1	3	4	21	11	2	1	-	1	66
71	4	-	30	4	2	2	3	-	-	1	-	-	-	-	5	3	6	1	-	-	67
120	4	1	33	15	10	9	3	2	2	1	-	3	7	2	22	13	9	3	-	-	68
25	1	-	4	-	-	2	1	-	-	-	-	-	-	1	8	1	3	-	-	-	69
29	3	-	10	1	1	2	1	-	2	-	-	-	1	3	7	4	3	1	-	-	70
233	10	2	72	14	10	8	6	-	9	5	-	7	9	12	35	18	15	3	-	-	71
78	10	-	37	7	4	3	3	-	5	5	-	3	2	4	15	3	5	-	-	-	72
155	8	2	35	7	6	5	3	-	4	-	-	4	7	8	20	15	10	3	-	-	73
163	4	2	33	6	5	15	5	5	5	-	-	2	-	4	17	9	9	3	3	2	74
165	8	-	70	6	5	6	10	1	7	-	-	4	12	12	35	14	8	7	3	1	75
45	2	-	19	1	-	2	2	1	2	-	-	1	1	5	15	~	2	3	2	1	76
53	4	-	24	1	2	2	2	-	3	-	-	1	1	3	8	2	3	-	1	-	77
67	2	-	27	4	3	2	6	-	2	-	-	2	2	4	12	12	3	4	-	-	78
54	1	-	13	4	1	4	6	-	2	-	-	1	3	1	14	3	3	2	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS—CON.																	
01	JEFFERSON	418	4	-	2	71	25	15	5	6	4	5	11	7	229	151	5	4
02	MOUNT VERNON	256	3	-	2	42	17	6	4	5	1	2	7	6	130	83	3	1
03	BALANCE OF COUNTY	162	1	-	-	29	8	9	1	1	3	3	4	1	99	68	2	4
04	JERSEY	169	-	-	1	26	6	5	5	5	3	-	2	3	96	76	2	7
05	JO DAVIESS	261	-	-	-	44	17	5	6	5	3	2	6	6	155	112	1	5
06	JOHNSON	109	-	-	-	20	6	8	3	1	1	-	1	2	54	44	1	2
07	KANE	2,110	-	-	14	402	115	90	42	53	19	17	66	27	1,167	828	16	9
08	AURORA	758	-	-	4	140	45	33	14	12	8	4	24	10	427	276	7	4
09	CARPENTERSVILLE	100	-	-	2	17	4	9	-	1	-	2	1	1	46	35	-	1
10	ELGIN, PART	563	-	-	4	117	36	23	12	16	6	4	20	5	322	232	4	3
11	ELGIN, TOTAL	601	-	-	5	123	36	25	13	17	6	5	21	6	341	245	5	3
12	ST. CHARLES	118	-	-	-	29	7	7	4	7	1	2	1	4	55	46	-	-
13	BALANCE OF COUNTY	571	-	-	4	99	23	18	12	17	4	5	20	7	317	239	5	2
14	KANKAKEE	919	-	-	5	176	41	46	21	21	10	9	28	26	480	361	6	10
15	KANKAKEE	380	-	-	-	81	23	24	11	6	6	3	8	8	200	143	3	2
16	BALANCE OF COUNTY	539	-	-	5	95	18	22	10	15	4	6	20	18	280	218	3	8
17	KENDALL	181	-	-	1	33	13	4	3	4	-	2	7	6	92	71	1	1
18	KNOX	664	2	-	3	114	24	26	14	18	4	5	23	7	402	284	4	4
19	GALESBURG	407	2	-	1	76	17	17	9	11	2	4	16	5	242	168	2	4
20	BALANCE OF COUNTY	257	-	-	2	38	7	9	5	7	2	1	7	2	160	116	2	-
21	LAKE	2,597	4	-	22	532	149	128	44	47	29	20	115	51	1,238	919	22	25
22	ARLINGTON HEIGHTS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	BUFFALO GROVE, PART	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
24	DEERFIELD, PART	107	-	-	2	24	6	5	7	1	1	1	3	1	59	44	3	2
25	DEERFIELD, TOTAL	113	-	-	2	24	6	5	7	1	1	1	3	2	63	47	3	2
26	HIGHLAND PARK	191	-	-	1	42	19	3	4	2	2	4	8	1	102	66	2	2
27	LAKE FOREST	123	-	-	3	30	6	9	2	6	2	-	5	1	69	49	1	1
28	LIBERTYVILLE	99	-	-	3	18	7	3	1	2	-	-	5	-	46	40	-	-
29	MUNDELEIN	101	1	-	1	27	10	7	4	3	-	-	3	1	37	26	1	1
30	NORTH CHICAGO	133	-	-	-	33	8	10	2	2	3	2	6	1	63	47	-	1
31	WAUKEGAN	572	-	-	5	98	21	22	8	7	10	3	27	15	271	196	4	4
32	ZION	164	-	-	-	21	5	7	1	2	-	1	5	2	85	52	2	-
33	BALANCE OF COUNTY	1,105	3	-	7	238	67	62	15	22	11	9	52	29	506	399	9	14
34	LA SALLE	1,205	1	-	8	241	77	44	29	26	8	11	46	21	682	477	9	5
35	LA SALLE	149	-	-	-	28	11	3	7	1	-	1	5	4	85	64	2	1
36	OTTAWA	211	-	-	2	38	11	8	5	8	-	-	6	3	123	86	2	-
37	PERU	126	-	-	1	30	12	2	4	1	1	4	6	2	76	53	-	-
38	STREATOR, PART	199	1	-	-	36	11	8	2	5	2	-	8	3	116	75	2	1
39	STREATOR, TOTAL	199	1	-	-	36	11	8	2	5	2	-	8	3	116	75	2	1
40	BALANCE OF COUNTY	520	-	-	5	109	32	23	11	11	5	6	21	9	282	199	3	3
41	LAWRENCE	274	-	-	2	43	9	10	3	5	2	2	12	10	159	112	3	4
42	LEE	349	1	-	2	63	19	10	8	11	1	2	12	12	178	135	3	5
43	DIXON	171	1	-	1	34	13	5	3	5	-	2	6	6	87	69	1	3
44	BALANCE OF COUNTY	178	-	-	1	29	6	5	5	6	1	-	6	6	91	66	2	2
45	LIVINGSTON	486	-	-	-	81	22	17	7	10	4	7	14	7	269	205	5	3
46	STREATOR, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	BALANCE OF COUNTY	486	-	-	-	81	22	17	7	10	4	7	14	7	269	205	5	3
48	LOGAN	322	-	-	-	58	16	5	4	13	7	5	8	8	191	152	1	1
49	LINCOLN	182	-	-	-	30	8	2	1	6	5	5	3	2	118	93	1	1
50	BALANCE OF COUNTY	140	-	-	-	28	8	3	3	7	2	-	5	6	73	59	-	-
51	MC DONOUGH	397	-	-	3	65	18	13	6	8	2	9	9	16	229	177	5	4
52	MACOMB	160	-	-	-	27	5	4	4	3	-	5	6	5	93	64	1	1
53	BALANCE OF COUNTY	237	-	-	3	38	13	9	2	5	2	4	3	11	136	113	4	3
54	MC HENRY	991	-	-	5	187	52	42	14	22	10	14	33	19	560	433	4	6
55	CRYSTAL LAKE	121	-	-	1	21	4	5	1	1	1	2	7	1	70	55	-	-
56	WOODSTOCK	112	-	-	-	24	11	2	2	2	1	2	4	2	68	46	1	-
57	BALANCE OF COUNTY	758	-	-	4	142	37	35	11	19	8	10	22	16	422	332	3	6
58	MC LEAN	905	-	-	4	162	49	36	17	19	4	9	28	16	528	385	8	9
59	BLOOMINGTON	445	-	-	-	86	25	23	6	9	2	5	16	11	263	193	4	6
60	NORMAL	120	-	-	2	19	7	3	3	3	-	-	3	2	64	43	1	2
61	BALANCE OF COUNTY	340	-	-	2	57	17	10	8	7	2	4	9	3	201	149	3	1
62	MACON	1,151	1	-	3	206	50	55	19	21	12	8	41	28	644	447	12	10
63	DECATUR	966	1	-	3	179	44	48	16	19	8	7	37	25	542	374	12	8
64	BALANCE OF COUNTY	185	-	-	-	27	6	7	3	2	4	1	4	3	102	73	-	2
65	MACOUPIN	676	2	-	5	117	30	25	9	24	4	5	20	15	402	295	4	7
66	MADISON	2,359	2	-	13	442	130	102	24	56	21	21	88	45	1,308	956	15	24
67	ALTON	464	-	-	4	81	22	17	6	12	6	3	15	7	266	197	3	9
68	COLLINSVILLE, PART	205	-	-	1	54	13	10	2	7	4	2	16	2	115	77	1	1
69	COLLINSVILLE, TOTAL	220	-	-	1	59	14	10	2	8	4	2	19	2	124	83	1	1
70	EDWARDSVILLE	152	1	-	-	30	12	7	1	7	1	1	1	1	95	66	1	4
71	GRANITE CITY	384	1	-	4	78	26	21	2	8	2	3	16	4	198	153	3	3
72	WOOD RIVER	117	-	-	-	16	1	7	-	3	1	1	3	10	62	46	1	1
73	BALANCE OF COUNTY	1,037	-	-	4	183	56	40	13	19	7	11	37	21	572	417	6	6
74	MARION	536	1	-	2	90	26	25	7	8	6	4	14	9	301	238	3	9
75	CENTRALIA, PART	211	-	-	-	34	14	10	3	4	-	1	2	6	114	90	3	3
76	CENTRALIA, TOTAL	235	-	-	1	38	14	11	4	5	-	1	3	6	128	103	3	3
77	BALANCE OF COUNTY	325	1	-	2	56	12	15	4	4	6	3	12	3	187	148	-	6
78	MARSHALL	138	1	-	1	22	8	4	2	5	1	1	1	3	75	58	2	-
79	MASON	219	-	-	-	44	14	11	-	8	-	5	6	1	132	109	2	2
80	MASSAC	190	-	-	1	35	8	9	1	3	3	1	10	2	99	66	1	-
81	MENARD	121	1	-	1	20	9	4	-	4	1	-	2	-	68	51	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
125	17	1	54	13	10	13	9	2	3	4	-	2	5	3	37	8	12	5	2	-	01
67	13	1	33	11	2	9	8	1	3	3	-	2	4	1	23	6	8	3	2	-	02
58	4	-	21	2	8	4	1	1	-	1	-	-	2	2	14	2	4	2	-	-	03
61	6	2	13	4	1	6	5	-	1	-	-	-	1	11	12	3	4	1	-	-	04
100	6	1	32	10	-	7	8	2	2	-	-	2	4	1	13	8	8	1	-	-	05
38	3	-	8	-	2	2	1	-	-	-	-	-	3	5	9	6	5	1	-	1	06
778	25	11	270	34	24	45	39	12	40	4	-	25	31	39	133	48	61	12	8	3	07
256	9	4	127	12	8	23	19	2	19	1	-	12	11	8	48	8	23	1	5	2	08
33	2	-	9	-	2	1	-	-	4	-	-	2	3	6	9	5	3	1	-	-	09
220	5	3	68	10	9	7	5	4	14	3	-	4	7	10	33	10	14	2	1	1	10
232	5	3	74	10	9	7	5	4	14	3	-	5	7	13	36	11	16	3	1	1	11
46	-	-	6	2	1	-	1	1	-	-	-	4	3	3	11	3	3	1	-	-	12
223	9	4	60	10	4	14	14	5	3	-	-	3	7	12	37	22	18	7	2	-	13
335	10	8	75	25	11	12	12	2	13	2	-	10	18	37	53	23	27	4	12	7	14
137	1	4	32	15	6	5	6	1	4	2	-	1	8	9	27	10	9	2	5	2	15
198	9	4	43	10	5	7	6	1	9	-	-	9	10	28	26	13	18	2	7	5	16
64	5	2	17	1	1	7	9	-	1	-	-	2	5	3	6	6	7	3	-	-	17
272	4	4	76	28	10	14	7	4	3	1	-	8	12	1	47	11	19	6	3	-	18
159	3	4	51	15	4	8	6	3	2	-	-	3	5	-	27	7	13	5	2	-	19
113	1	-	25	13	6	6	1	1	1	1	-	5	7	1	20	4	6	1	1	-	20
814	58	5	258	24	32	87	51	8	44	5	-	26	42	95	193	69	72	38	12	8	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	23
36	3	-	14	1	-	1	2	-	1	-	-	-	1	7	3	3	3	-	-	-	24
39	3	-	14	2	-	1	2	-	1	-	-	1	1	7	3	3	3	-	-	-	25
60	2	1	28	1	6	4	1	-	2	-	-	1	4	8	15	3	4	2	-	1	26
43	4	-	17	1	2	2	3	-	1	-	-	-	-	2	5	-	2	5	-	-	27
37	3	-	6	-	-	4	2	1	2	-	-	2	-	4	7	1	1	6	2	-	28
24	-	-	8	-	3	7	2	-	1	-	-	1	2	7	7	4	1	2	-	-	29
42	4	-	15	-	1	3	4	1	3	2	-	1	3	1	12	1	2	-	3	-	30
176	12	-	59	8	8	20	11	3	14	1	-	9	12	18	51	15	16	7	3	3	31
42	8	1	25	7	-	10	6	-	1	-	-	1	4	4	15	6	8	1	-	-	32
354	22	3	86	6	12	36	20	3	19	2	-	10	17	50	74	36	35	12	4	4	33
439	24	7	165	17	16	28	15	6	15	4	1	4	19	23	79	20	26	9	1	2	34
59	2	1	20	-	-	3	5	1	3	2	-	-	1	2	8	-	3	4	-	-	35
80	4	3	28	3	3	4	2	3	3	1	-	-	3	7	12	2	7	-	-	1	36
49	4	-	18	4	1	1	1	-	3	1	1	1	-	1	5	3	1	-	-	-	37
66	6	2	31	3	5	1	4	-	1	1	-	1	5	-	20	5	4	1	-	-	38
66	6	2	31	3	5	1	4	-	1	1	-	1	5	-	20	5	4	1	-	-	39
185	8	1	68	7	7	19	3	2	5	-	-	2	10	13	34	10	11	4	1	1	40
102	3	4	34	8	1	8	6	-	2	1	-	4	2	2	20	8	8	1	-	-	41
126	1	-	29	4	10	8	7	4	7	1	-	3	3	6	18	13	20	2	-	1	42
64	1	-	14	2	2	4	3	2	5	1	-	1	3	2	8	2	9	2	-	-	43
62	-	-	15	2	8	4	4	2	2	-	-	2	-	4	10	11	11	-	-	1	44
190	7	1	50	8	5	24	4	1	6	2	-	4	5	4	44	19	12	4	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
190	7	1	50	8	5	24	4	1	6	2	-	4	5	4	44	19	12	4	-	-	47
142	8	1	21	13	4	12	5	-	2	1	-	1	4	7	14	5	11	1	-	2	48
87	4	-	11	11	3	3	2	-	2	1	-	1	2	5	8	1	6	1	-	-	49
55	4	1	10	2	1	9	3	-	-	-	-	-	2	2	6	4	5	-	-	2	50
165	3	-	35	14	3	5	10	3	2	-	-	-	10	2	34	3	8	6	-	1	51
62	-	-	20	8	1	2	5	1	2	-	-	-	2	1	12	2	3	5	-	-	52
103	3	-	15	6	2	3	5	2	-	-	-	-	8	1	22	1	5	1	-	1	53
410	13	9	93	10	15	21	22	5	11	1	-	7	15	24	53	22	23	8	3	5	54
53	2	1	11	2	1	3	1	2	3	-	-	1	2	3	4	3	1	2	3	-	55
45	-	4	16	1	1	-	1	2	1	-	-	2	2	2	7	1	-	-	-	-	56
312	11	4	66	7	13	18	20	1	7	1	-	4	11	19	42	18	22	6	-	5	57
356	12	3	115	11	14	21	20	4	11	2	1	7	17	17	61	13	8	9	2	2	58
180	3	3	56	3	8	13	9	-	8	1	-	2	7	10	24	4	-	3	2	2	59
38	2	-	19	1	1	1	4	2	1	-	-	2	2	2	13	3	-	3	-	-	60
138	7	-	40	7	5	7	7	2	2	1	1	3	8	5	24	6	8	3	-	-	61
401	24	10	142	19	26	30	28	4	11	2	-	11	32	17	72	18	27	10	4	3	62
338	16	9	122	14	23	25	22	2	8	2	-	9	28	12	57	14	20	10	4	3	63
63	8	1	20	5	3	5	6	2	3	-	-	2	4	5	15	4	7	-	-	-	64
275	9	5	80	15	7	16	11	2	3	1	-	-	3	15	52	12	13	4	1	2	65
854	63	10	258	50	34	51	32	4	31	7	-	22	38	59	157	49	60	17	15	7	66
168	17	2	49	12	6	10	7	1	9	1	-	7	5	7	30	2	19	3	4	1	67
75	-	-	29	4	5	7	-	-	2	-	-	3	4	5	6	2	1	2	-	1	68
81	-	-	31	5	5	7	-	-	2	-	-	3	4	5	6	2	1	3	-	1	69
55	6	1	20	4	4	3	1	1	1	1	-	-	2	2	5	3	6	-	-	-	70
144	3	2	36	3	4	6	6	-	7	2	-	4	9	11	28	14	6	5	-	1	71
35	9	1	11	3	1	1	3	1	1	1	-	-	2	2	10	3	2	1	1	1	72
377	28	4	113	24	14	24	15	1	11	2	-	8	16	32	78	25	26	6	10	3	73
217	9	5	39	8	11	18	11	4	7	3	-	3	12	1	43	14	11	4	1	1	74
80	4	-	15	5	4	10	2	1	6	1	-	-	3	1	24	4	4	1	-	-	75
91	6	-	16	5	4	12	2	1	6	1	-	-	3	1	27	4	4	1	-	-	76
137	5	5	24	3	7	8	9	3	1	2	-	3	9	-	19	10	7	3	1	1	77
56	-	-	12	3	2	3	2	-	-	-	-	-	2	-	14	4	5	2	1	-	78
103	2	2	14	3	4	7	3	-	5	-	-	-	5	1	14	3	1	2	1	-	79
61	4	2	28	2	1	9	3	2	1	-	-	-	-	3	20	4	10	1	-	-	80
50	-	-	13	3	1	8	-	1	-	1	-	-	5	4	5	3	3	1	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS—CON.																	
01	MERCER	207	-	-	1	38	10	10	3	2	2	1	10	7	121	98	-	1
02	MONROE	183	-	-	1	30	8	2	5	4	2	-	9	2	119	98	1	3
03	MONTGOMERY	396	-	-	1	62	17	18	6	5	3	5	8	4	252	188	1	1
04	MORGAN	468	-	-	3	64	13	15	8	7	3	3	15	10	293	220	2	2
05	JACKSONVILLE	326	-	-	1	42	9	12	4	4	2	-	11	7	209	152	-	1
06	BALANCE OF COUNTY	142	-	-	2	22	4	3	4	3	1	3	4	3	84	68	2	1
07	MOULTRIE	184	1	-	1	28	7	4	2	8	1	-	6	2	116	85	1	2
08	OGLE	399	-	-	1	72	18	11	7	11	4	7	14	6	213	161	2	1
09	PEORIA	1,973	1	-	9	372	98	96	27	45	14	16	76	22	1,099	767	18	21
10	PEKIN, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	PEORIA	1,332	1	-	5	264	67	70	18	35	7	11	56	12	729	515	9	19
12	BALANCE OF COUNTY	641	-	-	4	108	31	26	9	10	7	5	20	10	370	252	9	2
13	PERRY	289	1	-	3	58	16	13	7	5	2	3	12	3	168	128	2	1
14	PIATT	177	-	-	1	31	6	2	5	4	5	2	7	3	104	82	1	1
15	PIKE	257	1	-	3	33	5	8	4	5	2	2	7	2	178	107	2	-
16	POPE	57	1	-	-	10	5	3	1	-	-	1	-	3	27	20	-	-
17	PULASKI	120	1	-	1	20	7	4	1	2	-	2	4	3	63	48	-	1
18	PUTNAM	37	-	-	-	5	1	1	2	1	-	-	-	1	20	17	-	-
19	RANDOLPH	366	-	-	3	56	14	14	4	5	2	1	16	7	207	169	1	-
20	RICHLAND	194	1	-	-	27	4	9	2	4	3	2	3	4	116	96	1	2
21	ROCK ISLAND	1,539	2	-	14	304	71	61	32	39	20	15	66	29	865	689	9	3
22	EAST MOLINE	169	-	-	2	34	9	8	5	1	3	1	7	6	92	71	1	-
23	MOLINE	493	1	-	4	95	16	19	11	16	6	8	19	10	286	221	2	2
24	ROCK ISLAND	549	1	-	5	107	28	23	10	10	9	2	25	8	315	253	4	1
25	BALANCE OF COUNTY	328	-	-	3	68	18	11	6	12	2	4	15	5	172	144	2	-
26	ST. CLAIR	2,828	7	-	8	492	151	115	40	71	22	20	73	49	1,507	1,068	14	82
27	BELLEVILLE	624	1	-	-	123	35	27	15	17	8	6	15	5	372	258	4	11
28	CAHOKIA	129	-	-	-	22	7	6	2	4	-	-	3	3	53	44	-	-
29	CENTREVILLE	74	-	-	-	14	4	4	2	2	-	-	2	1	30	20	-	3
30	COLLINSVILLE, PART	15	-	-	-	5	1	-	-	1	-	-	3	-	9	6	-	-
31	EAST ST. LOUIS	937	5	-	6	133	39	28	10	20	5	7	24	16	487	356	2	46
32	BALANCE OF COUNTY	1,049	1	-	2	195	65	50	11	27	9	7	26	24	556	384	8	22
33	SALINE	418	-	-	3	79	20	17	8	17	4	3	10	14	266	202	3	11
34	SANGAMON	1,679	1	-	6	328	85	82	38	36	15	8	64	24	916	662	12	11
35	SPRINGFIELD	1,204	-	-	4	225	62	52	29	25	6	5	46	21	662	478	9	7
36	BALANCE OF COUNTY	475	1	-	2	103	23	30	9	11	9	3	18	3	254	184	3	4
37	SCHUYLER	124	-	-	-	21	4	6	5	3	1	-	2	1	85	75	-	1
38	SCOTT	76	-	-	-	16	3	3	1	5	2	1	1	2	45	33	-	-
39	SHELBY	288	-	-	-	43	12	9	4	7	1	2	8	3	167	121	4	14
40	STARK	107	-	-	-	17	5	3	2	3	-	-	4	6	66	51	1	1
41	STEPHENSON	510	-	-	3	101	25	21	7	10	7	12	19	11	287	223	4	4
42	FREEPORT	314	-	-	2	61	19	10	4	8	5	6	9	8	174	140	4	1
43	BALANCE OF COUNTY	196	-	-	1	40	6	11	3	2	2	6	10	3	113	83	-	3
44	TAZEWELL	913	1	-	2	175	38	45	11	26	6	6	43	11	491	368	6	10
45	EAST PEORIA	156	1	-	1	31	4	11	2	6	1	2	5	2	82	62	-	2
46	MORTON	70	-	-	-	10	1	-	-	2	-	-	7	1	42	36	-	-
47	PEKIN, PART	296	-	-	-	55	14	12	6	8	3	2	10	2	165	119	5	5
48	PEKIN, TOTAL	296	-	-	-	55	14	12	6	8	3	2	10	2	165	119	5	5
49	BALANCE OF COUNTY	391	-	-	1	79	19	22	3	10	2	2	21	6	202	151	1	3
50	UNION	219	1	-	2	33	11	7	4	7	2	-	2	-	132	100	-	-
51	VERMILION	1,111	2	-	3	224	69	55	14	31	11	6	38	29	593	427	1	7
52	DANVILLE	531	-	-	3	114	38	29	4	12	8	5	18	11	274	189	1	5
53	BALANCE OF COUNTY	580	2	-	-	110	31	26	10	19	3	1	20	18	319	238	-	2
54	WABASH	165	-	-	1	27	4	10	4	5	1	-	3	1	94	69	2	4
55	WARREN	249	-	-	-	37	13	10	2	3	2	-	7	5	158	110	-	9
56	MONMOUTH	148	-	-	-	19	7	3	1	2	-	-	6	3	96	65	-	8
57	BALANCE OF COUNTY	101	-	-	-	18	6	7	1	1	2	-	1	2	62	45	-	1
58	WASHINGTON	207	-	-	-	40	19	8	-	3	5	1	4	-	115	95	-	-
59	WAYNE	225	-	-	-	43	16	4	6	3	1	7	6	2	129	101	3	2
60	WHITE	264	1	-	4	34	6	9	2	6	3	-	8	3	146	118	-	3
61	WHITESIDE	589	-	-	2	100	33	20	5	11	7	7	17	19	314	231	5	2
62	ROCK FALLS	102	-	-	-	14	3	5	1	1	1	-	3	4	54	42	1	-
63	STERLING	152	-	-	-	27	9	8	1	2	3	2	2	4	84	63	1	-
64	BALANCE OF COUNTY	335	-	-	2	59	21	7	3	8	3	5	12	11	176	126	3	2
65	WILL	2,026	1	1	8	367	90	81	42	52	13	13	76	50	1,114	817	14	13
66	JOLIET	879	1	-	4	164	44	36	21	28	4	7	24	17	506	366	7	6
67	PARK FOREST, PART	10	-	-	-	2	-	1	-	1	-	-	-	-	5	3	-	-
68	ROMEOVILLE	46	-	-	-	8	2	5	-	-	-	-	1	1	18	14	1	-
69	TINLEY PARK, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	BALANCE OF COUNTY	1,091	-	1	4	193	44	39	21	23	9	6	51	32	585	434	6	7
71	WILLIAMSON	652	2	-	6	118	18	31	11	24	5	6	23	15	368	269	4	3
72	MARION	194	-	-	4	35	4	6	5	9	-	2	9	5	115	82	2	-
73	BALANCE OF COUNTY	458	2	-	2	83	14	25	6	15	5	4	14	10	253	187	2	3
74	WINNEBAGO	2,088	3	-	17	407	116	86	47	48	20	19	71	42	1,082	737	16	12
75	LOVES PARK	79	-	-	-	18	3	4	4	3	2	1	1	6	40	26	1	-
76	ROCKFORD	1,498	2	-	15	279	75	58	35	33	13	11	54	22	801	537	10	10
77	BALANCE OF COUNTY	511	1	-	2	110	38	24	8	12	5	7	16	14	241	174	5	2
78	WOODFORD	308	-	1	-	39	13	6	4	6	-	3	7	7	190	137	-	7

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
90	7	–	19	3	1	3	7	2	2	–	–	–	–	4	11	6	3	3	–	–	01
91	3	1	10	8	2	2	3	1	1	1	–	–	2	3	7	8	1	1	1	–	02
177	9	2	50	5	7	15	4	1	1	–	–	–	3	7	22	11	6	2	1	2	03
208	8	1	56	10	6	17	10	2	5	1	–	–	3	3	4	20	11	13	5	2	04
147	4	–	47	9	1	15	5	2	4	–	–	–	1	2	3	14	7	8	4	–	05
61	4	1	9	1	5	2	5	–	1	1	–	–	2	1	1	6	4	5	1	2	06
81	1	–	30	–	1	4	2	–	2	–	–	–	–	2	3	14	5	3	1	–	07
153	5	1	42	5	4	6	7	4	8	2	–	–	5	4	11	31	15	8	5	1	08
700	28	7	250	42	33	64	34	8	32	10	1	13	25	17	160	29	43	16	12	6	09
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
468	19	3	162	24	25	47	20	5	20	7	1	7	15	13	120	17	27	7	10	5	11
232	9	4	88	18	8	17	14	3	12	3	–	6	10	4	40	12	16	9	2	1	12
121	4	1	34	2	3	3	4	–	4	3	–	4	5	4	14	4	10	1	–	–	13
76	4	1	17	4	–	1	7	–	1	2	–	3	1	2	13	6	1	1	–	–	14
101	4	5	40	22	4	2	4	1	1	–	–	2	3	–	16	4	4	3	–	–	15
20	–	–	6	1	–	–	–	–	–	–	–	–	–	1	8	1	6	–	–	–	16
42	5	1	10	2	2	7	–	–	2	–	–	–	3	2	10	–	5	1	1	1	17
16	1	–	–	2	1	1	1	–	–	–	–	–	–	3	5	–	1	–	–	–	18
161	7	3	30	3	2	10	9	1	4	2	–	2	7	10	29	10	8	1	–	–	19
91	2	–	8	9	3	6	3	1	2	3	–	1	2	3	9	6	8	2	–	–	20
654	23	13	119	20	24	31	24	3	21	1	–	6	22	17	92	36	46	16	5	5	21
66	4	3	16	2	–	4	1	–	4	–	–	–	3	2	6	6	4	5	–	–	22
213	4	1	47	8	9	9	11	–	7	–	–	2	7	3	28	6	15	7	1	1	23
238	10	8	38	8	8	11	4	1	8	1	–	1	8	10	35	12	14	1	4	3	24
137	5	1	18	2	7	7	8	2	2	–	–	3	4	2	23	12	13	3	–	1	25
931	41	17	336	44	42	69	36	13	38	15	–	18	72	63	177	60	97	20	73	14	26
235	8	6	91	8	9	13	5	3	6	5	–	5	10	13	37	6	15	2	3	–	27
41	3	1	7	1	–	–	1	1	2	1	–	1	2	7	12	10	9	1	1	3	28
16	1	–	9	1	–	3	2	–	–	–	–	1	1	–	5	3	5	1	8	–	29
6	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	30
291	17	4	102	10	15	32	9	4	12	4	–	7	40	15	56	18	30	5	50	8	31
342	12	6	125	23	18	21	19	5	18	5	–	4	19	28	67	23	38	10	11	3	32
181	7	–	47	12	5	8	5	1	1	2	–	1	2	3	14	4	12	2	–	1	33
623	16	13	185	34	22	42	25	5	34	–	–	13	24	35	102	24	54	21	11	14	34
451	11	7	137	27	13	31	13	3	25	–	–	10	20	25	77	12	42	14	10	10	35
172	5	6	48	7	9	11	12	2	9	–	–	3	4	10	25	12	12	7	1	4	36
74	–	–	8	–	2	4	2	1	1	–	–	1	–	1	5	1	1	–	–	–	37
30	3	–	6	4	2	2	1	–	–	–	–	–	2	1	5	1	1	–	–	–	38
98	5	1	37	7	1	17	4	1	–	1	–	5	5	4	17	11	6	4	–	–	39
46	3	–	14	1	–	2	1	1	1	–	–	–	1	1	6	1	4	–	–	–	40
209	6	5	46	4	9	22	6	4	3	2	2	3	11	2	32	4	10	5	2	–	41
132	3	3	27	–	4	14	2	4	3	2	2	2	8	1	18	3	7	1	2	–	42
77	3	2	19	4	5	8	4	–	–	–	–	1	3	1	14	1	3	4	–	–	43
332	20	5	89	14	15	33	13	7	7	5	–	3	10	7	75	28	26	12	4	3	44
54	6	–	17	1	2	6	4	1	1	2	–	–	1	–	14	4	3	3	–	–	45
35	1	–	4	1	1	2	2	–	2	–	–	–	–	1	3	1	4	1	1	–	46
104	5	2	36	3	5	15	3	2	2	1	–	2	3	4	21	8	6	5	1	1	47
104	5	2	36	3	5	15	3	2	2	1	–	2	3	4	21	8	6	5	1	1	48
139	8	3	32	9	7	10	4	4	2	2	–	1	6	2	37	15	13	3	2	2	49
97	3	1	25	4	2	2	8	1	1	–	–	3	2	2	13	8	10	1	–	–	50
390	29	2	133	12	19	47	25	5	10	9	1	6	14	12	72	15	35	5	4	–	51
171	12	1	70	5	9	21	13	3	3	5	1	3	4	10	34	5	23	1	3	–	52
219	17	1	63	7	10	26	12	2	7	4	–	3	10	2	38	10	12	4	1	–	53
61	2	1	16	5	3	3	1	3	1	–	–	2	2	–	16	5	4	2	3	–	54
91	10	2	38	7	1	2	4	1	1	1	–	1	1	2	22	1	10	2	1	–	55
50	7	1	24	5	1	2	4	1	–	–	–	1	1	1	11	1	5	2	1	–	56
41	3	1	14	2	–	–	–	–	1	1	–	–	–	1	11	–	5	–	–	–	57
93	2	–	15	3	2	6	3	–	–	3	–	–	1	2	18	5	8	3	–	–	58
93	3	–	23	–	5	9	6	–	1	2	–	2	3	1	15	3	8	1	–	–	59
113	2	–	24	2	2	8	3	2	2	1	–	–	4	4	21	13	17	–	1	–	60
203	21	1	64	12	6	25	11	3	–	4	2	1	11	7	42	22	23	3	–	–	61
38	3	–	10	2	–	2	3	1	–	1	–	–	2	1	8	4	7	–	–	–	62
58	4	1	18	2	–	6	4	1	–	–	1	2	2	2	13	5	3	–	–	–	63
107	14	–	36	8	6	17	4	1	–	3	1	–	7	4	21	13	13	3	–	–	64
756	34	6	232	37	22	29	35	13	35	4	1	20	69	32	109	50	49	23	15	1	65
338	15	3	114	16	7	12	11	4	22	2	1	8	30	9	48	12	14	6	7	1	66
3	–	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	67
12	1	–	3	–	1	1	1	–	–	–	–	2	2	1	2	6	2	1	1	–	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
403	18	3	113	21	14	16	23	8	13	2	–	10	37	22	58	32	33	16	6	–	70
252	10	4	72	17	6	10	11	6	5	4	–	2	6	9	48	26	12	3	1	–	71
76	4	1	30	2	–	4	4	1	2	–	–	–	1	1	11	5	5	1	–	–	72
176	6	3	42	15	6	6	7	5	3	4	–	2	5	8	37	21	7	2	1	–	73
678	31	14	246	55	30	56	38	5	36	4	1	18	36	17	167	56	55	32	11	5	74
25	–	2	8	2	2	1	3	–	–	–	–	–	1	2	5	–	1	2	–	–	75
493	24	9	191	40	24	38	28	5	26	3	1	13	28	10	119	36	38	23	9	2	76
160	7	3	47	13	4	17	7	–	10	1	–	5	7	5	43	20	16	7	2	3	77
127	3	5	30	12	6	9	4	–	2	–	–	2	5	5	19	14	9	2	–	–	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**INDIANA**	48,269	69	9	268	8,707	2,266	2,021	759	1,084	430	360	1,787	1,129	26,360	18,296	343	482
02	URBAN PLACES	26,475	47	8	167	4,944	1,242	1,177	435	625	240	208	1,017	653	14,059	9,848	202	220
03	BALANCE OF AREA	21,794	22	1	101	3,763	1,024	844	324	459	190	152	770	476	12,301	8,448	141	262
04	METROPOLITAN COUNTIES	28,559	44	6	169	5,432	1,363	1,299	478	669	239	226	1,158	704	15,165	10,633	208	224
05	URBAN PLACES	20,555	36	6	133	3,932	984	941	349	497	175	158	828	514	10,771	7,619	151	165
06	BALANCE OF AREA	8,004	8	-	36	1,500	379	358	129	172	64	68	330	190	4,394	3,014	57	59
07	NONMETROPOLITAN COUNTIES	19,710	25	3	99	3,275	903	722	281	415	191	134	629	425	11,195	7,663	135	258
08	URBAN PLACES	5,920	11	2	34	1,012	258	236	86	128	65	50	189	139	3,288	2,229	51	55
09	BALANCE OF AREA	13,790	14	1	65	2,263	645	486	195	287	126	84	440	286	7,907	5,434	84	203
10	ADAMS	214	-	-	1	34	9	10	2	4	2	1	6	3	127	72	2	1
11	ALLEN	2,250	2	-	12	441	126	104	37	47	22	22	83	45	1,240	823	17	26
12	FORT WAYNE	1,802	2	-	10	363	106	89	32	36	18	19	63	39	977	654	13	24
13	BALANCE OF COUNTY	448	-	-	2	78	20	15	5	11	4	3	20	6	263	169	4	2
14	BARTHOLOMEW	445	3	-	3	66	12	18	3	6	11	3	13	15	240	162	3	-
15	COLUMBUS	275	1	-	3	47	4	13	3	6	9	1	11	12	144	101	1	-
16	BALANCE OF COUNTY	170	2	-	-	19	8	5	-	-	2	2	2	3	96	61	2	-
17	BENTON	116	-	-	-	17	5	4	3	2	-	-	3	3	72	48	1	3
18	BLACKFORD	156	1	-	2	26	10	4	2	2	1	1	6	3	96	59	-	2
19	BOONE	297	-	-	1	50	15	10	2	7	2	5	9	6	164	114	2	5
20	BROWN	88	-	-	-	14	3	2	-	3	-	1	5	3	53	38	-	1
21	CARROLL	103	1	-	-	34	18	4	1	6	1	-	4	1	107	66	2	1
22	CASS	415	-	-	1	68	15	23	5	5	4	2	14	13	222	174	-	2
23	LOGANSPORT	265	-	-	1	41	9	14	3	3	3	1	8	10	139	112	-	1
24	BALANCE OF COUNTY	150	-	-	-	27	6	9	2	2	1	1	6	3	83	62	-	1
25	CLARK	644	1	-	3	121	28	28	9	11	5	6	34	9	340	238	5	4
26	CLARKSVILLE	77	-	-	1	18	4	5	1	2	1	2	3	-	41	32	2	-
27	JEFFERSONVILLE	285	1	-	1	53	14	13	4	4	2	2	14	5	140	99	2	4
28	BALANCE OF COUNTY	282	-	-	1	50	10	10	4	5	2	2	17	4	159	107	1	-
29	CLAY	302	-	-	-	55	18	13	4	5	2	3	10	12	175	90	-	4
30	CLINTON	393	-	-	1	66	22	12	5	9	1	-	17	8	217	143	1	6
31	FRANKFORT	236	-	-	1	46	16	9	4	4	-	-	13	2	127	76	-	2
32	BALANCE OF COUNTY	157	-	-	-	20	6	3	1	5	1	-	4	6	90	67	1	4
33	CRAWFORD	117	1	-	1	19	9	2	5	3	-	-	-	1	64	47	-	-
34	DAVIESS	303	-	-	3	44	19	9	1	6	-	1	8	7	195	148	1	8
35	WASHINGTON	156	-	-	2	24	9	7	1	2	-	1	4	3	96	75	1	5
36	BALANCE OF COUNTY	147	-	-	1	20	10	2	-	4	-	-	4	4	99	73	-	3
37	DEARBORN	334	-	-	2	67	17	18	9	6	3	3	11	4	184	122	2	-
38	DECATUR	203	-	-	1	40	11	13	-	4	2	3	7	3	93	63	1	1
39	DE KALB	332	-	-	3	57	17	13	5	8	3	3	8	8	189	129	1	18
40	DELAWARE	1,057	4	-	11	178	47	49	14	16	12	7	33	25	553	390	16	2
41	MUNCIE	752	4	-	7	128	36	33	10	13	10	4	22	18	390	270	9	2
42	BALANCE OF COUNTY	305	-	-	4	50	11	16	4	3	2	3	11	7	163	120	7	-
43	DUBOIS	311	-	-	3	56	21	7	4	9	4	-	11	9	172	125	7	2
44	ELKHART	1,091	3	-	10	174	59	33	12	27	9	10	24	17	647	412	8	5
45	ELKHART	513	3	-	4	78	28	19	6	8	2	3	12	7	288	177	4	3
46	GOSHEN	192	-	-	3	26	9	4	2	5	2	3	1	3	128	76	2	1
47	BALANCE OF COUNTY	386	-	-	3	70	22	10	4	14	5	4	11	7	231	159	2	1
48	FAYETTE	271	-	-	3	54	12	13	8	5	3	3	10	6	149	107	1	3
49	CONNERSVILLE	204	-	-	3	42	10	10	6	3	2	3	8	5	117	83	1	3
50	BALANCE OF COUNTY	67	-	-	-	12	2	3	2	2	1	-	2	1	32	24	-	-
51	FLOYD	568	-	-	2	117	39	24	13	13	3	8	17	13	301	241	5	2
52	NEW ALBANY	455	-	-	1	98	32	20	12	12	3	5	14	9	235	190	4	2
53	BALANCE OF COUNTY	113	-	-	1	19	7	4	1	1	-	3	3	4	66	51	1	-
54	FOUNTAIN	208	-	-	-	27	7	5	3	7	1	-	4	4	117	73	2	-
55	FRANKLIN	155	-	-	1	27	6	9	2	6	1	1	2	4	78	56	1	-
56	FULTON	220	-	-	2	39	9	8	8	5	-	2	7	4	138	94	1	5
57	GIBSON	350	-	-	2	56	17	14	7	6	3	1	8	11	220	168	5	3
58	GRANT	720	-	1	4	122	30	28	16	17	4	6	21	17	396	274	9	23
59	MARION	434	-	1	3	78	18	20	10	11	3	3	13	12	238	172	6	21
60	BALANCE OF COUNTY	286	-	-	1	44	12	8	6	6	1	3	8	5	158	102	3	2
61	GREENE	377	1	-	1	52	17	8	7	3	2	4	11	11	247	194	-	17
62	HAMILTON	449	-	-	3	65	16	25	4	2	2	3	13	15	259	194	5	4
63	HANCOCK	278	1	-	-	48	12	13	4	4	1	2	12	11	144	95	-	3
64	HARRISON	245	-	-	-	37	12	10	4	3	2	1	5	4	143	85	-	3
65	HENDRICKS	377	-	-	3	75	19	21	6	9	2	3	15	10	206	128	-	3
66	HENRY	492	2	-	4	77	23	22	6	7	5	1	13	8	275	196	5	2
67	NEW CASTLE	246	1	-	1	36	9	13	4	2	3	-	5	5	138	97	2	1
68	BALANCE OF COUNTY	246	1	-	3	41	14	9	2	5	2	1	8	3	137	99	3	1
69	HOWARD	682	1	-	4	126	41	22	13	11	6	6	27	12	360	245	3	1
70	KOKOMO	525	1	-	3	93	27	17	10	10	5	5	19	9	279	190	3	1
71	BALANCE OF COUNTY	157	-	-	1	33	14	5	3	1	1	1	8	3	81	55	-	-
72	HUNTINGTON	382	-	-	3	58	14	7	6	8	8	4	11	8	230	151	3	-
73	HUNTINGTON	183	-	-	1	22	6	-	2	3	3	3	5	3	111	75	3	-
74	BALANCE OF COUNTY	199	-	-	2	36	8	7	4	5	5	1	6	5	119	76	-	-
75	JACKSON	332	-	-	3	57	16	16	3	5	3	5	9	11	189	140	1	2
76	SEYMOUR	159	-	-	2	28	10	9	2	1	1	2	3	6	93	65	1	2
77	BALANCE OF COUNTY	173	-	-	1	29	6	7	1	4	2	3	6	5	96	75	-	-
78	JASPER	183	1	-	1	24	7	4	2	2	-	2	7	4	101	74	3	1
79	JAY	261	-	-	1	39	7	8	3	6	2	-	13	2	154	83	3	1
80	JEFFERSON	247	-	-	3	37	8	11	4	7	4	1	2	9	113	67	-	1
81	MADISON	134	-	-	1	23	6	6	1	5	3	1	1	7	61	42	-	1
82	BALANCE OF COUNTY	113	-	-	2	14	2	5	3	2	1	-	1	2	52	25	-	-
83	JENNINGS	154	1	-	1	32	5	13	1	-	2	2	9	4	78	55	1	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
16,326	1,145	184	6,029	1,198	653	1,192	689	169	574	190	10	374	727	471	3,570	1,222	1,348	591	460	140	01
8,811	615	107	3,148	612	344	682	359	87	398	101	7	214	432	254	2,066	518	711	300	366	102	02
7,515	530	77	2,881	586	309	510	330	82	176	89	3	160	295	217	1,504	704	637	291	94	38	03
9,564	637	104	3,437	626	365	710	375	95	423	109	7	242	433	274	2,117	641	768	351	378	116	04
6,831	472	80	2,384	439	249	529	260	66	347	79	6	166	335	195	1,576	398	548	233	332	93	05
2,733	165	24	1,053	187	116	181	115	29	76	30	1	76	98	79	541	243	220	118	46	23	06
6,762	508	80	2,592	572	288	482	314	74	151	81	3	132	294	197	1,453	581	580	240	82	24	07
1,980	143	27	764	173	95	153	99	21	51	22	1	48	97	59	490	120	163	67	34	9	08
4,782	365	53	1,828	399	193	329	215	53	100	59	2	84	197	138	963	461	417	173	48	15	09
64	5	2	34	14	5	5	3	1	1	1	-	2	6	5	9	8	6	2	-	-	10
730	50	9	342	31	35	64	33	5	29	10	1	16	27	11	155	54	56	24	21	4	11
576	41	8	265	23	27	53	28	5	24	9	1	14	24	9	123	38	42	18	20	3	12
154	9	1	77	8	8	11	5	-	5	1	-	2	3	2	32	16	14	6	1	1	13
144	15	1	63	9	5	19	5	2	3	4	-	6	7	6	36	10	13	6	1	-	14
90	10	-	32	8	3	14	1	1	3	2	-	3	3	3	21	6	7	3	1	-	15
54	5	1	31	1	2	5	4	1	-	2	-	3	4	3	15	4	6	3	-	-	16
43	1	1	20	-	3	4	1	-	-	1	-	1	2	-	8	2	5	-	-	-	17
54	3	-	33	1	3	-	6	2	1	1	-	-	2	-	8	-	2	2	3	1	18
103	4	-	41	6	3	12	1	2	2	-	-	6	5	3	25	10	6	3	1	-	19
36	1	-	9	5	1	2	-	-	-	1	-	1	3	2	3	3	1	2	-	-	20
62	1	-	32	7	2	5	2	-	-	1	-	2	5	5	10	3	4	3	-	-	21
159	13	1	32	11	4	11	9	2	2	-	-	4	3	5	40	14	13	7	1	-	22
103	8	-	19	5	3	7	7	1	2	-	-	1	2	3	28	6	10	6	1	-	23
56	5	1	13	6	1	4	2	1	-	-	-	3	1	2	12	8	3	1	-	-	24
216	13	3	74	19	6	22	6	4	7	3	1	7	11	5	54	14	23	11	-	2	25
28	2	1	7	1	-	2	-	1	1	-	-	-	2	1	6	2	2	-	-	-	26
87	6	1	27	9	4	12	2	3	3	1	1	3	5	2	25	8	13	6	-	1	27
101	5	1	40	9	2	8	4	-	3	2	-	4	4	2	23	4	8	5	-	1	28
83	3	2	74	2	7	5	4	1	1	3	-	3	3	1	27	6	5	1	-	-	29
127	9	4	48	20	2	6	8	-	1	2	-	2	8	13	28	13	16	2	2	-	30
66	8	4	30	17	-	4	7	-	1	2	-	1	5	6	21	5	6	-	2	-	31
61	1	-	18	3	2	2	1	-	-	-	-	1	3	7	7	8	10	2	-	-	32
45	2	-	12	3	2	4	2	-	2	-	-	-	1	2	7	3	6	2	2	-	33
125	14	3	29	9	6	7	7	-	2	-	-	1	1	-	23	5	7	1	-	-	34
61	8	2	15	2	2	4	3	-	-	-	-	-	-	-	15	3	5	1	-	-	35
64	6	1	14	7	4	3	4	-	2	-	-	1	1	-	8	2	2	-	-	-	36
115	5	-	49	11	2	12	10	2	6	1	-	-	5	3	19	6	9	4	-	-	37
56	5	-	26	1	3	11	5	-	2	3	-	2	3	8	19	6	5	2	-	-	38
97	13	2	50	3	5	8	7	-	1	-	-	2	7	5	18	10	13	2	2	-	39
353	19	2	132	16	13	31	14	2	14	4	-	11	15	9	99	24	33	17	12	1	40
247	12	1	94	13	12	25	9	2	12	3	-	6	11	4	74	13	23	13	9	1	41
106	7	1	38	3	1	6	5	-	2	1	-	5	4	5	25	11	10	4	3	-	42
109	7	1	30	13	3	5	3	2	2	4	-	1	5	2	14	7	20	5	1	-	43
379	20	5	172	38	20	23	22	3	5	3	-	8	27	9	62	25	27	11	12	3	44
163	7	2	85	12	12	14	13	-	4	2	-	5	13	4	35	11	11	10	10	1	45
71	2	1	33	16	2	2	1	2	1	1	-	2	4	2	8	-	7	1	-	1	46
145	11	2	54	10	6	7	8	1	-	-	-	1	10	3	19	14	9	-	2	1	47
97	6	1	30	6	5	9	4	1	4	1	1	-	3	1	20	2	5	7	1	-	48
75	4	1	23	5	5	5	3	1	3	1	1	-	2	1	16	-	2	2	-	-	49
22	2	-	7	1	-	4	1	-	1	-	-	-	1	-	4	2	3	5	1	-	50
221	13	2	43	9	6	10	10	1	11	5	-	3	5	3	54	7	11	6	9	-	51
172	12	1	33	7	4	7	8	1	9	3	-	3	4	3	46	5	10	6	7	-	52
49	1	1	10	2	2	3	2	-	2	2	-	-	1	-	8	2	1	-	2	-	53
68	3	-	29	9	6	9	2	3	3	1	-	1	1	1	23	3	8	1	3	1	54
52	3	1	14	7	-	3	1	-	2	1	-	1	3	2	13	4	13	1	-	1	55
78	10	2	23	17	2	1	3	-	1	1	-	1	1	1	11	2	10	3	2	-	56
150	10	3	31	15	3	5	9	1	3	3	-	1	4	2	20	6	6	1	-	-	57
232	10	4	90	14	14	15	8	6	6	1	-	2	9	11	51	29	23	15	2	2	58
139	6	2	47	9	8	8	3	4	6	1	-	2	5	7	31	9	17	5	2	2	59
93	4	2	43	5	6	7	5	2	-	-	-	-	4	4	20	20	6	10	-	-	60
156	21	-	42	6	5	8	4	1	3	1	-	2	4	1	24	8	5	4	-	-	61
166	19	1	44	17	3	11	9	1	4	2	-	4	3	3	31	12	12	10	3	3	62
85	7	1	40	3	5	3	4	1	4	1	-	4	4	10	20	8	8	6	1	-	63
80	2	2	37	13	6	6	2	2	5	3	-	-	4	3	10	8	11	5	1	1	64
115	10	1	59	15	3	10	6	1	3	-	-	4	4	1	33	5	6	9	1	-	65
169	20	5	62	7	5	12	7	1	4	-	-	2	9	3	53	20	7	4	3	1	66
84	10	2	32	3	4	9	4	1	3	-	-	2	3	2	23	10	3	3	1	1	67
89	10	3	30	4	1	3	3	-	1	-	-	-	6	1	30	10	4	1	2	-	68
216	25	6	70	22	17	10	12	2	3	1	-	9	12	12	68	24	14	8	3	1	69
170	16	6	54	17	12	9	11	2	1	1	-	9	10	10	53	15	13	5	1	-	70
46	9	-	16	5	5	1	1	-	2	-	-	-	2	2	15	9	1	3	2	1	71
141	7	-	74	2	3	12	4	-	-	-	-	2	3	2	29	10	9	8	3	1	72
68	4	-	32	1	3	6	1	-	-	-	-	1	2	2	19	5	2	7	-	1	73
73	3	-	42	1	-	6	3	-	-	-	-	1	1	-	10	5	7	1	3	-	74
131	6	2	38	3	6	7	3	1	4	2	-	3	7	1	21	7	13	2	1	-	75
58	4	1	20	2	5	4	1	-	2	-	-	3	6	1	8	-	4	1	-	-	76
73	2	1	18	1	1	3	2	1	2	2	-	-	1	-	13	7	9	1	1	-	77
66	4	-	18	5	4	2	11	1	2	1	-	3	2	5	13	6	3	3	-	-	78
73	6	-	38	28	5	5	9	-	1	3	-	1	-	11	19	8	4	3	1	-	79
63	3	1	33	8	4	12	6	2	2	1	-	2	2	2	20	15	17	3	1	-	80
39	2	1	11	4	3	8	3	-	2	1	-	-	-	-	14	4	9	-	1	-	81
24	1	-	22	4	1	4	3	2	-	-	-	2	2	2	6	11	8	3	-	-	82
50	2	-	15	4	4	8	-	-	1	-	-	-	4	1	10	6	2	6	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	INDIANA—CON.																	
01	JOHNSON	451	1	-	5	75	13	24	8	4	3	6	17	10	260	179	3	1
02	FRANKLIN	124	-	-	1	22	5	3	5	2	1	2	4	1	75	46	-	-
03	GREENWOOD	125	1	-	3	13	1	5	1	1	-	1	4	3	75	55	-	-
04	BALANCE OF COUNTY	202	-	-	1	40	7	16	2	1	2	3	9	6	110	78	3	1
05	KNOX	537	1	-	3	93	22	21	4	15	7	6	18	18	310	188	3	2
06	VINCENNES	262	1	-	1	52	9	12	2	11	4	5	9	11	146	84	2	-
07	BALANCE OF COUNTY	275	-	-	2	41	13	9	2	4	3	1	9	7	164	104	1	2
08	KOSCIUSKO	497	-	-	1	81	25	19	6	8	5	2	16	17	285	217	3	6
09	LAGRANGE	207	-	-	3	41	8	6	4	6	5	2	10	4	115	82	2	-
10	LAKE	4,736	7	2	21	900	244	199	85	120	43	31	178	159	2,291	1,638	25	19
11	CROWN POINT	148	1	-	-	29	8	3	2	3	2	2	9	4	85	66	2	1
12	EAST CHICAGO	500	-	-	3	75	27	15	4	7	3	3	16	23	264	184	2	3
13	GARY	1,780	4	2	11	318	80	79	38	57	13	7	44	57	788	547	9	9
14	GRIFFITH	106	-	-	-	20	7	5	3	-	1	-	4	6	56	46	1	1
15	HAMMOND	932	2	-	5	180	56	36	13	19	7	7	42	31	465	332	3	3
16	HIGHLAND	142	-	-	-	27	4	4	2	8	3	1	5	4	80	65	1	-
17	HOBART	171	-	-	-	35	10	9	4	3	2	2	5	9	90	64	2	1
18	MUNSTER	120	-	-	-	31	8	4	3	1	1	2	12	4	61	44	1	-
19	BALANCE OF COUNTY	837	-	-	2	185	44	44	16	22	11	7	41	21	402	290	4	2
20	LA PORTE	994	1	2	3	181	47	34	16	32	14	6	32	20	555	403	12	3
21	LA PORTE	262	-	-	-	58	18	13	4	11	2	1	9	5	147	108	3	1
22	MICHIGAN CITY	419	1	1	1	76	15	12	9	15	5	4	16	10	220	157	5	2
23	BALANCE OF COUNTY	313	-	1	2	47	14	9	3	6	7	1	7	5	188	138	4	-
24	LAWRENCE	410	2	-	2	69	12	19	3	11	3	5	16	9	210	146	4	12
25	BEDFORD	179	1	-	1	31	6	7	2	5	3	1	7	3	94	64	4	4
26	BALANCE OF COUNTY	231	1	-	1	38	6	12	1	6	-	4	9	6	116	82	-	8
27	MADISON	1,174	1	-	2	252	59	54	22	45	8	9	55	37	632	453	9	7
28	ANDERSON	649	1	-	1	139	33	33	10	21	5	4	33	21	343	251	5	3
29	ELWOOD	146	-	-	-	24	4	4	3	8	-	1	4	3	79	51	1	1
30	BALANCE OF COUNTY	379	-	-	1	89	22	17	9	16	3	4	18	13	210	151	3	3
31	MARION	6,981	14	4	63	1,364	290	376	124	146	63	59	306	153	3,615	2,617	61	37
32	BEECH GROVE	94	-	-	1	21	7	3	1	2	2	1	5	3	55	51	-	1
33	INDIANAPOLIS	6,683	14	4	62	1,295	273	360	117	140	61	55	289	144	3,461	2,500	59	36
34	LAWRENCE	31	-	-	-	4	-	2	-	1	-	1	-	1	15	10	1	-
35	SPEEDWAY	47	-	-	-	13	3	6	-	1	-	-	3	1	24	17	1	-
36	BALANCE OF COUNTY	126	-	-	-	31	7	5	6	2	-	2	9	4	60	39	-	-
37	MARSHALL	378	-	-	2	66	19	6	6	14	6	3	12	7	229	140	4	2
38	MARTIN	128	-	-	-	24	10	4	-	1	3	3	3	1	80	62	1	5
39	MIAMI	328	-	-	3	39	8	12	4	6	2	2	5	9	188	123	1	4
40	PERU	166	-	-	2	17	4	6	1	3	-	1	2	3	97	63	-	1
41	BALANCE OF COUNTY	162	-	-	1	22	4	6	3	3	2	1	3	6	91	60	1	3
42	MONROE	476	-	-	1	93	22	23	10	9	8	4	17	7	231	151	2	3
43	BLOOMINGTON	287	-	-	-	55	14	14	6	5	5	3	8	4	147	101	2	-
44	BALANCE OF COUNTY	189	-	-	1	38	8	9	4	4	3	1	9	3	84	50	-	3
45	MONTGOMERY	371	1	-	3	67	13	15	4	12	1	7	15	8	216	138	3	1
46	CRAWFORDSVILLE	196	-	-	1	39	8	9	1	5	1	3	12	6	110	72	1	1
47	BALANCE OF COUNTY	175	1	-	2	28	5	6	3	7	-	4	3	2	106	66	2	1
48	MORGAN	332	2	-	2	65	16	16	6	7	3	2	15	8	180	132	4	-
49	NEWTON	103	-	-	-	18	5	4	1	2	1	1	4	5	53	45	-	1
50	NOBLE	333	-	-	2	47	5	10	4	8	3	1	16	18	187	135	-	-
51	OHIO	41	-	-	-	3	2	-	-	1	-	-	3	-	24	19	-	-
52	ORANGE	214	-	-	-	33	7	6	4	3	3	1	9	5	112	78	2	1
53	OWEN	140	-	-	-	27	6	6	1	3	-	-	11	6	71	43	2	2
54	PARKE	208	-	-	-	27	6	7	2	4	2	-	6	2	128	95	1	8
55	PERRY	229	1	-	1	35	15	6	2	1	2	-	9	3	134	79	1	1
56	PIKE	172	-	-	-	27	10	5	5	3	-	-	4	2	103	82	-	4
57	PORTER	663	1	-	2	130	32	24	15	24	3	8	24	17	329	228	4	2
58	PORTAGE	103	-	-	-	22	6	5	-	6	-	2	3	3	52	38	1	-
59	VALPARAISO	205	-	-	1	32	7	8	2	6	2	2	5	5	101	63	-	1
60	BALANCE OF COUNTY	355	1	-	1	76	19	11	13	12	1	4	16	9	176	127	3	1
61	POSEY	225	-	-	2	44	13	7	3	10	3	1	7	-	136	93	2	6
62	PULASKI	139	-	-	1	19	2	6	3	3	-	-	5	6	83	59	4	5
63	PUTNAM	243	-	-	-	54	16	11	2	10	1	1	13	3	143	76	1	3
64	RANDOLPH	309	-	-	1	55	19	9	7	5	3	3	9	7	163	118	-	9
65	RIPLEY	216	-	1	1	33	12	7	3	2	2	-	7	6	127	97	1	9
66	RUSH	225	-	-	1	42	12	10	5	5	-	1	9	2	134	87	-	3
67	ST. JOSEPH	2,230	3	-	11	416	105	86	43	56	18	12	96	52	1,210	830	14	12
68	MISHAWAKA	381	1	-	1	75	20	15	7	13	3	1	16	3	207	142	2	2
69	SOUTH BEND	1,370	2	-	8	246	64	43	26	33	10	7	63	41	740	512	10	7
70	BALANCE OF COUNTY	479	-	-	2	95	21	28	10	10	5	4	17	8	263	176	2	3
71	SCOTT	182	-	-	1	35	10	13	2	1	2	1	6	2	102	70	-	3
72	SHELBY	370	1	-	1	51	17	9	3	8	3	1	10	14	203	153	1	3
73	SHELBYVILLE	167	-	-	-	24	6	3	2	5	1	-	7	8	87	65	1	2
74	BALANCE OF COUNTY	203	1	-	1	27	11	6	1	3	2	1	3	6	116	88	-	1
75	SPENCER	220	1	-	1	37	10	7	4	6	2	2	6	2	129	88	2	4
76	STARKE	244	-	-	-	28	7	8	-	4	4	1	4	5	133	100	1	1
77	STEUBEN	242	1	-	2	43	8	10	3	5	2	3	12	2	141	87	2	3
78	SULLIVAN	349	1	-	-	54	17	11	4	10	3	-	9	4	222	132	4	3
79	SWITZERLAND	79	-	-	-	6	2	-	-	1	-	1	2	1	50	37	1	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
164	11	1	48	24	8	7	3	1	3	1	-	4	6	2	33	12	15	8	2	3	01
42	4	1	15	11	2	3	-	1	1	-	-	-	1	-	11	1	4	2	1	-	02
52	3	-	16	2	2	2	2	-	-	-	-	3	3	-	11	3	5	1	-	-	03
70	4	-	17	11	4	2	1	-	2	1	-	1	2	2	11	8	6	5	1	3	04
165	18	3	98	13	8	15	13	1	9	3	-	2	4	3	28	11	14	7	1	1	05
73	9	2	47	10	3	6	4	1	5	2	-	2	3	2	14	1	7	3	1	-	06
92	9	1	51	3	5	9	9	-	4	1	-	-	1	1	14	10	7	4	-	1	07
192	16	1	47	14	6	7	8	2	2	1	-	4	11	5	35	25	12	3	-	-	08
77	3	-	27	3	3	2	1	-	1	-	-	1	4	2	17	9	4	3	-	-	09
1,506	88	21	513	56	63	120	63	19	109	18	-	34	119	62	321	106	158	44	148	35	10
62	2	-	17	-	2	1	1	-	4	-	-	2	-	3	8	1	6	1	1	1	11
170	9	2	62	9	7	19	3	2	20	3	-	2	11	4	22	17	10	4	18	-	12
500	29	9	203	14	15	55	18	4	47	8	-	12	64	28	133	33	67	8	102	21	13
40	4	1	5	-	4	1	2	-	3	-	-	-	4	2	3	2	4	2	-	1	14
310	16	6	103	13	11	19	18	5	20	2	-	5	20	13	77	11	27	13	16	3	15
61	3	-	11	2	2	1	1	2	2	-	-	1	6	1	7	3	5	1	-	1	16
55	6	1	21	2	2	2	2	1	3	1	-	3	-	-	12	2	6	3	-	2	17
41	2	-	14	2	1	2	1	-	1	1	-	1	-	2	11	1	3	-	-	1	18
267	17	2	77	14	19	20	17	5	9	3	-	8	14	9	48	36	30	12	11	5	19
373	15	3	121	16	12	17	13	3	10	1	-	5	14	7	76	32	27	11	13	3	20
99	5	1	27	5	6	10	6	1	2	-	-	-	-	1	19	4	5	2	2	-	21
144	6	-	55	6	2	2	3	1	5	1	-	3	11	3	35	14	15	7	8	2	22
130	4	2	39	5	4	5	4	1	3	-	-	2	3	3	22	14	7	2	3	1	23
116	14	1	47	12	4	17	7	3	5	1	-	6	8	1	46	12	6	6	-	-	24
50	6	1	21	7	1	10	4	2	1	-	-	-	2	1	22	5	1	1	-	-	25
66	8	-	26	5	3	7	3	3	3	-	-	6	6	-	24	7	5	5	-	-	26
410	27	5	131	30	13	23	17	3	12	5	1	10	13	13	77	30	22	11	11	2	27
222	21	-	76	11	5	16	10	1	7	3	1	9	11	5	44	17	7	3	10	-	28
48	1	4	19	4	1	4	4	2	-	1	-	-	1	1	13	5	5	4	-	-	29
140	5	1	36	15	7	3	3	-	5	1	-	1	1	7	20	8	10	4	1	2	30
2,323	196	19	725	166	88	173	77	21	107	31	3	67	95	48	594	129	184	88	99	52	31
48	2	-	4	-	-	-	2	-	1	-	-	1	1	-	5	1	1	-	1	1	32
2,216	189	18	694	166	83	171	72	21	106	31	3	62	92	47	570	123	175	83	97	50	33
6	3	-	5	-	-	-	1	-	-	-	-	2	-	-	2	1	2	1	1	1	34
16	-	1	5	-	1	1	1	-	-	-	-	-	-	-	3	-	3	1	-	-	35
37	2	-	17	-	4	1	1	-	-	-	-	2	2	1	14	4	3	3	-	-	36
123	11	-	74	10	5	11	3	-	3	-	1	2	5	1	27	8	9	3	1	-	37
54	2	1	12	5	-	2	1	1	1	2	-	-	2	-	6	3	5	-	-	-	38
111	7	-	42	19	4	5	9	2	6	2	1	4	8	1	27	8	10	4	1	1	39
56	6	-	20	12	2	2	7	2	5	1	-	3	3	-	18	3	2	-	1	-	40
55	1	-	22	7	2	3	2	-	1	1	1	1	5	1	9	5	8	4	-	1	41
140	6	1	57	14	8	13	8	2	4	3	-	4	14	5	48	13	22	7	1	-	42
96	3	-	31	8	7	9	5	1	1	1	-	3	10	5	27	2	15	2	-	-	43
44	3	1	26	6	1	4	3	1	3	2	-	1	4	-	21	11	7	5	1	-	44
124	10	1	55	19	3	12	2	2	1	4	-	3	4	3	27	5	9	3	1	-	45
63	8	1	34	2	1	6	2	-	1	3	-	1	4	2	12	3	4	1	1	-	46
61	2	-	21	17	2	6	-	2	-	1	-	2	-	1	15	2	5	2	-	-	47
121	7	3	29	11	5	7	3	1	3	3	-	3	3	4	24	10	7	5	2	-	48
33	11	2	5	-	1	2	3	-	-	-	-	1	1	4	8	5	3	-	-	-	49
129	6	6	37	6	3	8	5	-	2	-	-	-	5	1	24	13	12	8	1	-	50
18	1	-	2	2	1	-	2	-	-	-	-	-	1	-	5	2	1	-	-	-	51
62	13	1	26	4	3	16	4	2	1	-	-	3	4	-	17	5	6	6	-	-	52
33	6	-	22	1	5	4	3	1	2	1	-	1	2	-	7	4	6	3	1	1	53
85	2	-	22	8	3	5	3	-	1	2	-	1	1	1	12	5	17	3	-	-	54
75	2	-	47	6	2	7	-	2	3	2	-	-	2	1	16	11	10	1	-	-	55
74	4	-	20	1	-	5	4	-	2	-	-	1	3	-	8	9	6	2	-	-	56
203	19	1	75	13	12	14	6	1	12	3	-	8	17	6	39	38	10	15	10	5	57
34	3	-	11	1	2	3	1	-	4	1	-	-	4	-	2	3	4	3	1	-	58
55	7	1	31	1	5	9	3	-	4	-	-	6	8	3	17	8	2	5	1	-	59
114	9	-	33	11	5	2	2	1	4	2	-	2	5	3	20	27	4	7	8	5	60
82	3	1	28	11	3	1	6	-	2	-	-	1	-	-	11	8	12	1	1	-	61
44	6	-	15	6	3	-	1	-	3	1	-	-	3	1	11	2	6	2	-	-	62
65	7	1	57	4	5	4	3	1	1	1	-	1	3	2	17	5	3	1	1	-	63
94	15	1	34	5	5	7	6	-	2	4	-	1	2	4	27	17	7	2	1	3	64
83	4	1	25	2	2	8	1	1	1	1	-	1	3	-	15	9	3	5	1	-	65
80	4	-	38	6	3	8	3	-	2	-	-	1	2	3	18	4	3	1	1	-	66
773	31	8	291	56	25	51	31	6	27	4	-	21	30	34	164	49	63	31	22	5	67
134	4	-	55	6	4	8	4	1	6	2	-	3	4	1	24	12	17	4	7	1	68
476	19	7	167	39	15	35	20	3	18	1	-	11	19	27	107	29	28	19	13	3	69
163	8	1	69	11	6	8	7	2	3	1	-	7	7	6	33	8	18	8	2	1	70
58	9	-	26	1	5	6	-	2	1	1	-	-	4	2	10	5	4	5	2	-	71
140	9	3	33	8	6	5	10	4	1	-	-	1	8	4	34	11	12	8	2	-	72
59	3	1	16	4	1	3	3	1	-	-	-	1	4	3	18	6	4	4	1	-	73
81	6	2	17	4	5	2	7	3	1	-	-	-	4	1	16	5	8	4	1	-	74
79	3	-	30	8	3	7	1	1	4	-	-	1	4	3	16	1	8	3	-	1	75
90	8	1	26	5	1	5	6	2	4	1	-	5	5	6	23	13	7	1	-	-	76
78	4	1	42	9	2	7	4	1	-	1	-	-	5	1	20	3	6	2	3	-	77
122	3	1	76	4	9	13	5	2	1	3	-	2	4	3	17	7	7	3	-	1	78
32	4	1	6	1	5	7	-	-	-	-	-	2	-	-	8	3	1	1	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	INDIANA—CON.																	
01	TIPPECANOE	787	-	-	6	140	36	34	9	20	7	1	33	16	402	253	4	4
02	LAFAYETTE	476	-	-	3	92	18	23	6	17	5	-	23	13	239	150	2	2
03	WEST LAFAYETTE	102	-	-	2	18	9	4	-	2	-	-	3	1	49	30	-	2
04	BALANCE OF COUNTY	209	-	-	1	30	9	7	3	1	2	1	7	2	114	73	2	-
05	TIPTON	183	-	-	-	32	8	6	5	4	2	-	7	4	109	70	1	20
06	UNION	65	-	-	1	17	6	4	1	3	-	-	3	2	33	23	2	3
07	VANDERBURGH	1,820	1	-	8	365	101	79	31	43	12	16	83	45	1,063	733	15	47
08	EVANSVILLE	1,698	1	-	5	351	99	74	31	41	12	15	79	43	986	675	13	44
09	BALANCE OF COUNTY	122	-	-	3	14	2	5	-	2	-	1	4	2	77	58	2	3
10	VERMILLION	264	2	-	1	55	11	11	5	6	2	2	18	8	145	106	-	4
11	VIGO	1,207	2	-	8	232	54	53	13	42	9	11	50	18	677	498	5	22
12	TERRE HAUTE	884	2	-	6	166	37	35	10	33	7	10	34	11	511	370	4	15
13	BALANCE OF COUNTY	323	-	-	2	66	17	18	3	9	2	1	16	7	166	128	1	7
14	WABASH	396	-	-	-	66	14	13	6	12	6	2	13	7	229	140	1	3
15	WABASH	155	-	-	-	23	4	6	1	4	2	-	6	4	84	46	1	1
16	BALANCE OF COUNTY	241	-	-	-	43	10	7	5	8	4	2	7	3	145	94	-	2
17	WARREN	89	-	-	-	13	2	4	-	3	1	-	3	1	52	40	2	1
18	WARRICK	261	-	-	-	50	12	12	2	4	2	3	15	6	141	106	3	8
19	WASHINGTON	191	-	-	-	31	9	9	1	4	4	1	3	1	115	100	-	9
20	WAYNE	715	2	-	1	122	32	22	10	11	10	10	27	11	428	288	10	6
21	RICHMOND	472	2	-	-	77	19	16	6	6	7	6	17	9	284	193	9	5
22	BALANCE OF COUNTY	243	-	-	1	45	13	6	4	5	3	4	10	2	144	95	1	1
23	WELLS	223	-	-	1	35	10	5	5	3	3	1	8	1	136	92	1	1
24	WHITE	248	-	-	1	38	11	8	6	5	-	1	7	4	129	84	3	1
25	WHITLEY	242	-	-	1	41	16	14	4	1	3	1	2	8	139	80	-	1
26	**IOWA**	28,773	26	2	144	5,347	1,617	1,039	484	713	282	239	973	560	16,200	11,393	180	208
27	URBAN PLACES	11,149	11	-	64	2,122	613	477	195	256	122	90	369	231	6,065	4,258	78	78
28	BALANCE OF AREA	17,624	15	2	80	3,225	1,004	562	289	457	160	149	604	329	10,135	7,135	102	130
29	METROPOLITAN COUNTIES	8,950	10	-	53	1,733	491	404	161	228	94	63	292	183	4,758	3,383	61	55
30	URBAN PLACES	7,461	9	-	46	1,431	391	343	128	181	83	51	254	157	3,984	2,825	56	45
31	BALANCE OF AREA	1,489	1	-	7	302	100	61	33	47	11	12	38	26	774	558	5	10
32	NONMETROPOLITAN COUNTIES	19,823	16	2	91	3,614	1,126	635	323	485	188	176	681	377	11,442	8,010	119	153
33	URBAN PLACES	3,688	2	-	18	691	222	134	67	75	39	39	115	74	2,081	1,433	22	33
34	BALANCE OF AREA	16,135	14	2	73	2,923	904	501	256	410	149	137	566	303	9,361	6,577	97	120
35	ADAIR	109	1	-	1	18	4	3	5	1	1	1	3	3	53	42	-	-
36	ADAMS	70	-	-	-	15	5	2	1	2	1	1	3	1	45	30	-	-
37	ALLAMAKEE	198	-	-	-	35	7	7	3	6	2	3	7	2	114	83	4	-
38	APPANOOSE	227	-	-	4	29	3	5	3	3	3	2	10	12	139	98	4	-
39	AUDUBON	89	-	-	1	18	8	2	2	1	2	1	2	1	43	30	1	-
40	BENTON	246	-	-	-	58	22	11	5	7	3	-	10	5	121	87	-	2
41	BLACK HAWK	1,071	-	-	3	211	62	53	16	29	12	6	33	23	581	374	6	4
42	CEDAR FALLS	227	-	-	-	47	18	7	4	6	3	2	7	3	128	68	1	3
43	WATERLOO	694	-	-	3	132	37	34	10	18	7	3	23	15	378	254	4	1
44	BALANCE OF COUNTY	150	-	-	-	32	7	12	2	5	2	1	3	5	75	52	1	-
45	BOONE	311	-	-	3	45	16	6	5	5	2	4	7	3	204	156	-	3
46	BOONE	179	-	-	1	24	8	5	3	2	1	3	2	-	114	76	-	2
47	BALANCE OF COUNTY	132	-	-	2	21	8	1	2	3	1	1	5	3	90	80	-	1
48	BREMER	234	-	-	1	55	21	6	6	4	1	3	14	2	129	82	3	1
49	BUCHANAN	194	-	-	1	31	8	5	4	7	-	1	6	4	103	75	2	-
50	BUENA VISTA	218	-	-	-	47	14	7	5	11	-	1	9	4	120	82	-	1
51	BUTLER	201	-	-	-	35	8	7	5	1	-	4	10	8	121	63	-	2
52	CALHOUN	190	-	-	3	31	6	9	4	1	1	3	7	2	111	73	3	1
53	CARROLL	243	-	-	1	38	12	8	6	5	3	1	3	10	154	106	1	3
54	CASS	225	-	-	1	51	13	10	3	8	2	1	14	5	119	77	2	4
55	CEDAR	177	1	-	-	32	9	5	2	4	5	1	6	3	105	67	-	-
56	CERRO GORDO	518	1	-	2	95	26	21	5	10	8	3	22	11	281	206	1	3
57	MASON CITY	346	-	-	2	65	18	14	5	5	7	2	14	7	188	140	1	-
58	BALANCE OF COUNTY	172	1	-	-	30	8	7	-	5	1	1	8	4	93	66	-	3
59	CHEROKEE	190	-	-	2	44	14	5	7	5	4	-	9	3	96	68	2	2
60	CHICKASAW	139	-	-	-	20	6	5	3	-	1	2	3	-	81	61	-	-
61	CLARKE	90	-	-	-	20	8	5	-	3	1	-	3	2	53	38	-	-
62	CLAY	186	-	-	-	33	10	6	2	4	2	1	8	5	106	76	-	-
63	SPENCER	120	-	-	-	26	8	5	2	4	1	1	5	4	63	42	-	-
64	BALANCE OF COUNTY	66	-	-	-	7	2	1	-	-	1	-	3	1	43	34	-	-
65	CLAYTON	231	-	-	2	46	14	6	4	7	3	2	10	7	130	90	-	1
66	CLINTON	584	-	-	4	108	37	25	8	14	7	6	11	16	335	221	5	7
67	CLINTON	375	-	-	-	66	21	16	4	8	5	4	8	14	217	140	3	5
68	BALANCE OF COUNTY	209	-	-	4	42	16	9	4	6	2	2	3	2	118	81	2	2
69	CRAWFORD	194	1	-	-	35	12	7	3	2	5	1	5	5	110	78	2	-
70	DALLAS	276	-	-	3	48	12	3	3	9	4	5	12	8	167	110	1	7
71	DAVIS	112	-	-	-	17	5	3	1	4	-	-	4	1	73	63	-	2
72	DECATUR	117	-	-	-	17	4	3	-	2	-	1	7	-	71	47	-	1
73	DELAWARE	181	-	-	1	28	6	6	6	2	1	2	5	1	122	72	-	3
74	DES MOINES	482	-	-	2	80	26	16	11	10	2	2	13	13	287	193	3	3
75	BURLINGTON	366	-	-	-	64	21	13	9	8	2	1	10	11	213	148	3	2
76	BALANCE OF COUNTY	116	-	-	2	16	5	3	2	2	-	1	3	2	74	45	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
234	11	3	124	7	15	25	11	4	10	3	-	8	7	24	60	19	32	14	6	-	01
136	10	1	74	4	10	12	7	1	7	1	-	4	6	17	36	8	18	8	4	-	02
28	-	1	15	2	1	5	1	-	-	1	-	2	-	2	11	1	5	2	2	-	03
70	1	1	35	1	4	8	3	3	3	1	-	2	1	5	13	10	9	4	-	-	04
46	3	-	24	9	6	1	1	1	2	1	-	1	1	4	13	6	4	3	-	-	05
17	1	-	6	2	2	4	-	-	-	-	-	-	-	-	6	2	-	-	-	-	06
643	28	9	247	54	20	34	22	10	35	6	-	6	18	8	105	35	31	12	16	-	07
594	24	9	232	52	18	33	18	7	35	6	-	5	15	8	99	33	27	11	15	-	08
49	4	-	15	2	2	1	4	3	-	-	-	1	3	-	6	2	4	1	1	-	09
96	6	2	30	7	-	10	5	1	4	-	-	2	1	1	10	7	8	4	-	-	10
428	43	6	117	46	10	32	20	3	13	2	-	11	19	11	83	23	29	13	9	2	11
316	35	5	87	41	8	25	18	2	9	1	-	5	15	9	56	11	23	7	5	2	12
112	8	1	30	5	2	7	2	1	4	1	-	6	4	2	27	12	6	6	4	-	13
116	20	3	74	9	3	12	4	-	1	1	-	4	4	8	29	14	11	2	-	1	14
40	4	-	31	5	2	6	2	-	1	1	-	4	4	3	13	4	5	-	-	1	15
76	16	3	43	4	1	6	2	-	-	-	-	3	5	-	16	10	6	2	-	-	16
35	2	1	10	1	-	3	2	-	2	1	-	1	1	-	2	8	1	1	1	-	17
91	4	1	26	5	3	5	2	-	2	1	-	5	6	4	12	11	12	1	2	1	18
89	2	-	13	1	1	3	1	2	-	2	-	1	3	1	12	5	4	2	2	-	19
259	13	1	104	24	11	11	11	7	2	1	-	5	7	1	53	17	23	10	2	-	20
172	7	-	65	17	9	8	8	3	1	1	-	3	5	1	38	10	13	7	2	-	21
87	6	1	39	7	2	3	3	4	1	-	1	2	2	-	15	7	10	3	-	-	22
86	4	1	39	3	1	3	2	3	2	-	-	-	-	1	20	7	4	4	1	-	23
73	7	-	27	16	2	5	5	-	4	-	-	4	4	1	31	4	11	4	2	1	24
73	6	-	47	6	6	3	6	1	2	2	-	5	1	4	14	9	4	2	-	-	25
10,275	730	136	3,591	654	426	983	490	104	234	100	5	175	336	122	2,017	726	786	323	67	26	26
3,876	226	54	1,365	224	164	392	217	49	136	39	1	87	158	63	800	211	305	143	45	10	27
6,399	504	82	2,226	430	262	591	273	55	98	61	4	88	178	59	1,217	515	481	180	22	16	28
3,065	202	42	1,043	155	135	293	174	47	94	30	-	71	142	54	656	201	256	148	39	8	29
2,568	156	36	871	138	114	248	149	41	85	25	-	64	120	51	551	155	200	104	35	6	30
497	46	6	172	17	21	45	25	6	9	5	-	7	22	3	105	46	56	44	4	2	31
7,210	528	94	2,548	499	291	690	316	57	140	70	5	104	194	68	1,361	525	530	175	28	18	32
1,308	70	18	494	86	50	144	68	8	51	14	1	23	38	12	249	56	105	39	10	4	33
5,902	458	76	2,054	413	241	546	248	49	89	56	4	81	156	56	1,112	469	425	136	18	14	34
37	5	-	9	1	1	7	2	-	-	-	-	1	1	-	13	6	3	-	-	-	35
28	2	2	10	2	1	1	-	-	-	1	-	1	1	-	3	1	-	1	-	-	36
74	5	-	22	5	4	10	4	1	1	-	-	-	3	-	13	8	5	2	-	-	37
81	13	-	29	9	3	9	4	1	2	1	-	1	2	1	13	1	8	-	-	-	38
24	5	-	10	-	3	1	2	-	-	1	-	-	1	3	12	1	1	4	-	-	39
81	4	-	31	1	2	13	5	1	1	-	-	-	3	-	19	13	3	3	1	-	40
344	20	2	166	22	17	32	20	4	7	3	-	7	15	7	89	22	22	20	5	-	41
60	4	-	49	6	5	15	2	3	-	-	-	1	3	3	11	6	1	4	-	-	42
236	13	2	99	14	9	17	16	1	7	2	-	5	9	3	62	14	15	11	4	-	43
48	3	-	18	2	3	-	2	-	-	1	-	1	3	1	16	2	6	5	1	-	44
150	3	3	35	7	3	15	2	-	1	2	-	1	1	1	14	5	13	1	-	-	45
72	2	3	28	5	2	12	1	-	1	2	-	1	1	1	9	2	9	1	-	-	46
78	1	-	7	2	1	3	1	-	-	-	-	-	-	-	5	3	4	-	-	-	47
76	2	-	33	7	7	10	6	-	-	1	-	2	1	2	17	1	7	-	-	-	48
64	9	1	23	1	3	12	1	1	3	1	-	-	2	1	11	13	9	1	-	-	49
78	3	1	28	5	4	15	-	-	-	2	-	2	3	2	16	3	3	1	-	-	50
60	1	1	52	4	1	5	6	3	2	1	-	1	2	-	5	2	6	4	-	-	51
64	5	1	26	5	6	8	3	2	1	-	-	2	3	-	16	2	4	1	-	1	52
95	7	-	41	3	4	5	2	1	2	3	-	2	3	-	7	8	4	2	1	-	53
58	13	-	31	9	2	7	2	-	-	-	-	2	2	-	25	6	5	-	-	-	54
63	4	-	29	7	2	6	-	-	1	2	-	1	2	-	15	4	3	2	-	-	55
194	8	6	57	7	5	24	11	1	10	-	-	5	5	1	37	9	15	8	1	1	56
134	5	3	37	4	4	14	8	-	8	-	-	4	3	-	22	6	11	7	1	-	57
60	3	3	20	3	1	10	3	1	2	-	-	1	2	1	15	3	4	1	-	1	58
62	2	2	18	5	3	13	2	1	1	1	-	1	1	-	11	2	12	-	-	-	59
58	3	-	18	-	2	8	2	-	1	-	-	1	1	1	14	8	1	2	-	-	60
36	2	2	11	1	1	5	3	-	1	-	-	-	-	-	4	1	1	-	-	-	61
70	6	-	26	2	2	3	3	1	1	3	-	1	3	2	14	4	5	2	-	-	62
42	-	-	17	2	2	2	3	1	1	1	-	-	1	-	11	3	4	-	-	-	63
28	6	-	9	-	-	1	-	-	-	2	-	1	2	2	3	1	1	2	-	-	64
83	6	-	24	10	6	10	1	2	1	1	-	1	2	2	15	5	3	1	1	1	65
199	10	1	91	15	7	30	11	5	6	4	1	3	5	2	28	10	13	1	2	-	66
125	7	-	64	10	3	20	7	4	6	4	-	3	3	2	15	4	9	-	1	-	67
74	3	1	27	5	4	10	4	1	-	-	1	-	2	-	13	6	4	1	1	-	68
65	11	-	22	4	6	5	5	-	1	-	-	-	-	1	17	5	7	-	-	-	69
99	3	6	39	7	5	5	8	-	1	2	-	1	-	2	15	7	4	4	3	-	70
58	3	-	7	2	1	4	1	-	-	-	-	1	2	1	7	2	1	2	-	-	71
42	4	-	19	3	2	8	1	2	-	-	-	2	2	2	8	2	3	1	-	-	72
66	3	-	46	1	3	3	-	-	1	1	-	2	3	2	8	6	4	1	-	-	73
176	11	5	65	18	6	25	12	-	7	-	-	3	5	2	28	2	11	5	-	-	74
135	8	3	52	6	4	20	9	-	6	-	-	-	5	2	24	-	7	5	-	-	75
41	3	2	13	12	2	5	3	-	1	-	-	3	-	-	4	2	4	-	-	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IOWA—CON.																	
01	DICKINSON	184	-	-	1	33	9	6	3	2	3	5	5	1	103	70	3	-
02	DUBUQUE	842	-	-	4	168	44	35	26	13	15	6	29	19	458	324	5	2
03	DUBUQUE	653	-	-	4	132	30	32	17	8	12	6	27	12	361	261	5	2
04	BALANCE OF COUNTY	189	-	-	-	36	14	3	9	5	3	-	2	7	97	63	-	-
05	EMMET	153	-	-	1	26	6	2	2	2	8	-	6	3	79	60	1	-
06	FAYETTE	284	-	-	2	58	15	14	4	13	1	3	8	5	168	128	2	2
07	FLOYD	206	-	-	2	35	11	7	4	7	1	-	5	3	114	83	-	1
08	FRANKLIN	173	-	-	-	31	9	3	4	4	4	-	7	1	122	86	-	-
09	FREMONT	136	1	-	-	17	7	4	1	2	-	2	1	-	83	71	1	1
10	GREENE	177	1	-	-	30	13	2	1	4	2	2	6	4	111	75	-	3
11	GRUNDY	123	-	-	-	25	8	5	1	6	-	2	3	2	65	43	1	2
12	GUTHRIE	181	-	-	-	28	11	3	2	6	1	-	5	5	102	71	3	-
13	HAMILTON	182	1	-	-	30	9	4	4	6	-	1	6	1	104	67	-	-
14	HANCOCK	152	-	-	-	26	5	5	2	7	2	1	4	6	81	61	2	-
15	HARDIN	290	-	-	-	52	13	7	10	8	4	2	8	8	172	128	1	1
16	HARRISON	189	-	-	-	31	10	7	2	3	1	3	5	5	115	95	1	-
17	HENRY	205	1	-	2	42	14	7	4	3	1	-	13	2	117	75	2	-
18	HOWARD	130	-	-	-	28	11	3	5	2	-	4	3	1	76	53	-	-
19	HUMBOLDT	143	-	-	1	29	10	7	4	4	-	-	4	3	76	63	-	-
20	IDA	138	-	-	2	22	7	2	-	4	2	4	3	4	87	60	-	-
21	IOWA	194	-	-	-	33	13	3	2	3	-	2	10	4	116	86	-	1
22	JACKSON	214	-	-	2	34	8	8	4	5	-	2	7	6	118	89	4	4
23	JASPER	353	-	-	1	66	18	10	6	11	3	6	12	5	196	136	1	1
24	NEWTON	158	-	-	1	33	9	4	4	4	1	5	6	3	84	63	1	1
25	BALANCE OF COUNTY	195	-	-	-	33	9	6	2	7	2	1	6	2	112	73	-	-
26	JEFFERSON	195	1	-	1	40	10	8	3	7	2	3	7	5	107	83	1	2
27	JOHNSON	382	1	-	3	94	33	20	9	8	7	4	13	5	185	129	4	-
28	IOWA CITY	253	1	-	2	62	21	13	6	4	4	3	11	3	124	81	2	-
29	BALANCE OF COUNTY	129	-	-	1	32	12	7	3	4	3	1	2	2	61	48	2	-
30	JONES	194	1	-	-	27	10	5	-	2	-	2	8	3	119	84	-	1
31	KEOKUK	186	-	-	1	32	10	3	7	3	1	2	6	2	102	83	3	3
32	KOSSUTH	235	-	-	1	40	19	3	3	4	1	2	8	7	129	98	1	1
33	LEE	468	-	-	4	81	25	18	6	8	6	6	12	8	262	194	2	5
34	FORT MADISON	158	-	-	1	18	8	3	1	1	-	2	3	-	90	66	-	1
35	KEOKUK	188	-	-	1	32	8	7	1	7	4	1	4	5	113	81	-	4
36	BALANCE OF COUNTY	122	-	-	2	31	9	8	4	-	2	3	5	3	59	47	2	-
37	LINN	1,380	2	-	8	274	68	60	23	40	18	10	55	21	732	522	13	11
38	CEDAR RAPIDS	997	-	-	4	199	41	46	17	28	16	8	43	16	536	384	11	7
39	MARION	102	1	-	1	18	6	2	1	4	1	1	3	2	52	38	-	1
40	BALANCE OF COUNTY	281	1	-	3	57	21	12	5	8	1	1	9	3	144	100	2	3
41	LOUISA	126	-	-	-	21	6	3	3	3	-	-	6	2	77	63	1	1
42	LUCAS	168	-	-	-	29	10	3	1	5	1	1	8	1	104	72	3	-
43	LYON	131	-	-	-	32	12	5	3	5	1	1	5	-	65	49	-	-
44	MADISON	166	-	-	-	28	6	6	4	3	1	1	7	2	103	73	-	1
45	MAHASKA	262	-	-	1	54	19	10	5	8	4	1	7	6	154	104	-	1
46	OSKALOOSA	163	-	-	1	39	14	7	3	6	3	-	6	6	96	56	-	1
47	BALANCE OF COUNTY	99	-	-	-	15	5	3	2	2	1	1	1	-	58	48	-	-
48	MARION	285	-	-	2	53	14	12	5	6	5	3	8	3	160	99	1	1
49	MARSHALL	367	-	-	4	74	25	12	8	6	4	3	16	8	211	130	4	5
50	MARSHALLTOWN	248	-	-	4	45	14	8	5	3	2	3	10	4	143	89	2	4
51	BALANCE OF COUNTY	119	-	-	-	29	11	4	3	3	2	-	6	4	68	41	2	1
52	MILLS	122	-	-	-	27	10	7	1	3	2	-	4	3	63	42	1	-
53	MITCHELL	160	1	-	-	23	10	3	2	1	2	1	4	-	95	67	-	1
54	MONONA	154	-	-	-	26	8	5	1	-	2	1	9	1	97	74	2	3
55	MONROE	116	-	-	1	23	6	6	1	4	-	1	5	4	62	40	3	-
56	MONTGOMERY	185	-	-	-	29	7	3	2	7	3	-	7	2	119	70	-	-
57	MUSCATINE	381	-	-	3	62	16	15	9	8	1	4	9	7	223	164	3	2
58	MUSCATINE	256	-	-	3	43	10	11	9	6	1	3	3	5	145	109	1	1
59	BALANCE OF COUNTY	125	-	-	-	19	6	4	-	2	-	1	6	2	78	55	2	1
60	O BRIEN	223	-	-	3	36	14	3	2	7	-	3	7	6	130	98	1	2
61	OSCEOLA	90	-	-	-	8	5	1	-	1	-	-	1	2	57	46	-	-
62	PAGE	249	-	1	2	48	21	10	2	7	2	1	5	3	151	114	2	3
63	PALO ALTO	165	-	-	1	29	7	8	2	5	1	-	6	5	104	73	1	-
64	PLYMOUTH	232	-	-	-	40	13	6	3	7	2	2	7	3	131	77	2	6
65	POCAHONTAS	146	-	-	-	31	10	10	1	2	2	1	5	1	77	54	2	-
66	POLK	2,518	4	-	20	494	144	120	47	63	22	18	80	44	1,311	951	18	13
67	DES MOINES	2,033	4	-	15	397	112	101	35	50	18	14	67	38	1,057	764	16	10
68	URBANDALE	35	-	-	-	10	2	2	-	2	-	1	3	-	15	13	-	1
69	WEST DES MOINES	137	-	-	3	21	5	5	4	2	2	-	3	2	77	57	-	-
70	BALANCE OF COUNTY	313	-	-	2	66	25	12	8	9	2	3	7	4	162	117	2	2
71	POTTAWATTAMIE	763	-	-	6	140	37	36	15	26	5	5	16	18	406	325	6	5
72	COUNCIL BLUFFS	552	-	-	5	98	23	28	11	17	4	2	13	16	295	235	6	3
73	BALANCE OF COUNTY	211	-	-	1	42	14	8	4	9	1	3	3	2	111	90	-	2
74	POWESHIEK	214	-	-	-	34	6	4	3	6	2	-	13	7	132	97	2	-
75	RINGGOLD	104	-	-	1	22	4	3	1	6	2	1	5	1	61	46	-	1
76	SAC	200	-	-	3	35	10	7	2	4	1	3	8	5	119	76	-	2
77	SCOTT	1,312	2	-	8	257	75	61	16	43	8	10	44	26	711	509	9	8
78	BETTENDORF	133	-	-	1	37	6	10	3	5	1	2	10	5	59	37	2	-
79	DAVENPORT	1,021	2	-	7	182	61	41	11	29	7	7	26	19	576	410	7	7
80	BALANCE OF COUNTY	158	-	-	-	38	8	10	2	9	-	1	8	2	76	62	-	1
81	SHELBY	175	-	-	1	29	9	3	5	1	1	1	9	4	100	74	1	4
82	SIOUX	270	-	-	1	64	20	7	1	16	2	5	13	5	139	103	1	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
64	3	-	31	2	-	4	5	1	-	1	-	2	3	-	14	6	10	1	-	-	01
297	20	9	101	13	11	27	20	5	14	-	-	6	16	5	55	16	20	8	1	-	02
243	11	7	73	13	7	21	17	2	12	-	-	6	12	5	44	8	13	3	1	-	03
54	9	2	28	-	4	6	3	3	2	-	-	-	4	-	11	8	7	5	-	-	04
58	1	-	12	5	2	6	2	-	1	1	-	-	2	-	17	7	4	3	1	-	05
115	6	1	32	2	5	8	3	1	1	3	-	1	2	1	16	9	6	-	-	-	06
75	7	2	22	4	3	6	6	1	-	-	1	-	1	1	22	4	6	2	2	-	07
85	1	2	27	6	1	2	1	1	-	-	-	-	1	-	9	3	1	1	-	-	08
62	3	-	11	1	1	8	4	1	2	-	-	-	2	1	10	1	4	2	-	-	09
69	3	2	27	4	3	3	1	-	2	1	-	2	1	-	6	6	8	2	-	-	10
38	2	-	15	3	4	1	3	-	1	-	-	-	3	-	11	7	3	2	-	-	11
64	4	1	25	3	2	6	4	-	1	-	-	2	-	-	17	9	3	3	-	1	12
63	4	1	28	4	4	9	6	-	2	1	-	1	1	1	13	6	5	-	-	1	13
53	6	1	15	2	2	7	4	-	2	1	-	2	1	-	6	11	4	-	1	-	14
121	5	3	30	7	4	10	6	1	5	1	-	2	1	-	18	7	7	-	-	-	15
91	3	-	16	2	2	2	2	2	2	-	-	-	-	1	15	6	7	1	-	-	16
69	4	1	29	8	4	1	2	-	1	-	-	1	3	1	16	6	5	5	-	-	17
50	3	-	20	2	1	5	1	-	2	-	-	2	-	-	10	2	3	-	-	-	18
56	7	-	8	2	3	5	4	1	-	-	-	-	1	-	11	6	4	-	-	2	19
80	10	2	18	5	2	2	3	-	1	1	-	1	2	1	8	3	-	1	-	-	20
80	5	1	23	4	2	5	1	-	1	-	-	-	3	-	12	9	7	3	-	-	21
76	5	2	18	3	6	9	5	1	-	-	-	3	5	-	17	7	5	1	-	-	22
125	9	1	40	15	4	15	4	-	5	1	-	1	5	3	29	5	13	4	-	-	23
58	3	1	14	6	-	7	1	-	3	-	-	-	3	2	12	2	6	2	-	-	24
67	6	-	26	9	4	8	4	-	2	1	-	1	2	1	17	3	7	2	-	-	25
74	6	-	21	-	3	6	5	-	1	2	-	-	3	-	15	6	3	-	-	-	26
116	9	-	45	5	6	13	6	-	3	2	-	9	11	1	19	8	14	7	-	1	27
75	4	-	35	5	3	8	6	-	3	1	-	5	6	1	13	4	10	3	-	1	28
41	5	-	10	-	3	5	-	-	-	1	-	4	5	-	6	4	4	4	-	-	29
69	14	-	22	9	4	4	5	-	1	-	-	2	5	-	13	6	5	2	1	-	30
68	9	-	12	4	3	8	2	2	1	-	-	-	4	1	19	7	5	-	-	-	31
90	6	4	21	4	2	16	3	3	1	2	-	2	3	1	10	8	6	2	-	1	32
179	8	3	50	9	6	16	11	1	6	2	-	-	4	1	33	17	11	8	3	-	33
64	1	2	17	3	2	7	3	1	1	1	-	-	2	1	19	4	3	4	3	-	34
75	2	1	22	5	4	8	7	-	3	1	-	-	-	-	10	4	2	2	-	-	35
40	5	-	11	1	-	1	1	-	2	-	-	-	2	-	4	9	6	2	-	-	36
468	30	8	161	18	23	63	16	7	11	3	-	9	18	10	97	37	42	25	5	-	37
345	21	7	113	13	19	46	10	6	8	3	-	6	16	8	67	25	27	15	5	-	38
32	5	-	9	3	2	4	2	-	-	-	-	2	-	1	10	5	2	2	-	-	39
91	4	1	39	2	2	13	4	1	3	-	-	1	2	1	20	7	13	8	-	-	40
56	5	-	12	1	1	2	2	-	-	2	-	-	-	-	8	9	-	3	-	-	41
62	7	-	26	5	1	3	1	-	1	-	-	1	2	-	11	2	6	6	1	-	42
40	9	-	13	1	2	5	1	-	1	1	1	-	-	1	6	11	7	-	-	-	43
69	3	-	20	8	2	-	3	-	-	-	-	2	2	4	10	7	4	1	-	-	44
93	10	1	39	7	3	6	4	-	1	2	-	1	-	-	15	8	7	3	-	-	45
48	7	1	30	6	3	2	2	-	-	2	-	-	-	-	9	3	2	1	-	-	46
45	3	-	9	1	-	4	2	-	1	-	-	1	-	-	6	5	5	2	-	-	47
94	3	3	53	2	3	17	7	-	1	2	-	-	2	-	21	10	5	2	-	-	48
108	13	1	49	25	6	11	4	1	5	1	-	4	4	-	25	2	9	3	-	1	49
70	13	-	33	17	4	9	4	-	4	1	-	3	4	-	18	-	6	2	-	1	50
38	-	1	16	8	2	2	-	1	1	-	-	1	-	-	7	2	3	1	-	-	51
39	2	1	18	1	1	4	1	1	-	1	-	2	2	1	8	1	5	2	-	1	52
60	6	1	22	4	1	6	3	-	-	-	-	1	3	-	13	3	11	1	-	-	53
52	17	2	18	1	2	3	5	-	1	-	-	2	2	-	6	5	5	1	-	-	54
32	5	-	9	11	2	4	3	-	3	-	-	-	-	1	8	-	7	-	-	-	55
68	2	-	33	11	5	3	6	-	1	-	-	1	1	-	12	5	5	-	1	-	56
156	3	1	53	3	2	10	3	-	4	1	1	3	5	-	27	15	11	5	1	-	57
106	1	1	32	1	2	4	3	-	4	1	1	3	3	-	21	7	9	3	1	-	58
50	2	-	21	2	-	6	-	-	-	-	-	-	2	-	6	8	2	2	-	-	59
88	7	2	23	3	4	2	1	-	2	1	-	-	1	1	24	9	3	3	1	-	60
41	5	-	6	5	-	5	1	1	-	-	-	1	2	-	6	6	1	-	-	-	61
105	4	2	18	15	2	8	3	2	1	1	-	-	3	-	18	3	4	-	1	-	62
64	8	-	23	4	4	2	-	-	1	-	-	1	3	-	8	6	5	-	-	-	63
67	2	1	45	5	3	11	3	1	4	1	-	-	1	2	12	11	12	-	-	-	64
50	2	-	15	2	6	11	1	-	-	-	-	-	1	-	9	12	2	1	-	-	65
873	47	10	258	49	43	76	53	21	29	6	-	24	35	19	181	50	87	44	17	3	66
702	36	10	201	45	37	64	45	19	26	5	-	20	27	19	146	33	69	32	15	2	67
11	1	-	2	-	-	2	-	-	-	-	-	1	1	-	2	2	2	-	-	-	68
55	2	-	19	-	1	4	4	-	1	-	-	1	2	-	10	2	4	5	1	-	69
105	8	-	36	4	5	6	4	2	2	1	-	2	5	-	23	13	12	7	1	1	70
307	7	3	53	11	14	24	19	1	4	5	-	4	14	3	69	15	15	18	1	1	71
221	5	3	37	8	12	16	14	1	4	5	-	4	11	2	55	10	11	4	-	1	72
86	2	-	16	3	2	8	5	-	-	-	-	-	3	1	14	5	4	14	1	-	73
90	5	-	27	7	1	3	-	-	-	1	-	1	3	3	14	9	5	3	-	-	74
44	1	-	9	3	3	5	-	1	1	1	-	-	1	-	8	1	1	-	-	-	75
70	4	1	31	9	2	9	1	2	2	1	-	-	3	1	13	1	5	-	-	-	76
444	48	7	169	14	12	28	24	8	20	8	-	12	26	2	86	29	38	20	5	2	77
33	2	2	19	1	-	1	-	1	4	1	-	-	3	-	12	3	3	2	1	-	78
364	32	5	142	11	8	23	19	7	15	4	-	10	20	2	66	21	29	13	4	2	79
47	14	-	8	2	4	4	5	-	1	3	-	2	3	-	8	5	6	5	-	-	80
65	4	-	24	2	-	8	3	-	1	1	-	1	1	-	15	7	4	-	-	-	81
80	20	-	29	5	2	15	5	-	-	-	-	3	3	3	18	6	7	-	-	1	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IOWA—CON.																	
01	STORY	402	1	-	1	80	22	16	4	14	6	3	15	9	220	142	3	5
02	AMES	148	-	-	1	36	12	6	1	6	3	2	6	1	75	51	2	2
03	BALANCE OF COUNTY	254	1	-	-	44	10	10	3	8	3	1	9	8	145	91	1	3
04	TAMA	264	1	-	-	46	13	8	1	8	3	4	9	4	164	111	-	12
05	TAYLOR	122	-	-	2	28	6	3	3	4	3	3	6	3	74	56	-	1
06	UNION	189	-	-	2	46	13	15	3	6	1	2	6	5	100	68	1	-
07	VAN BUREN	144	-	-	-	28	12	6	2	4	-	-	4	4	82	58	1	1
08	WAPELLO	486	-	-	1	88	29	22	7	7	3	4	16	4	283	201	4	7
09	OTTUMWA	368	-	-	1	66	23	16	4	4	2	4	13	3	216	150	4	6
10	BALANCE OF COUNTY	118	-	-	-	22	6	6	3	3	1	-	3	1	67	51	-	1
11	WARREN	234	-	-	-	37	17	4	2	5	2	-	7	3	140	82	-	5
12	WASHINGTON	256	-	-	1	51	20	6	3	8	3	3	8	6	154	109	1	3
13	WAYNE	123	-	-	-	17	4	7	2	2	-	-	2	3	84	45	-	-
14	WEBSTER	521	1	-	-	97	31	12	10	11	3	8	22	11	293	205	3	4
15	FORT DODGE	362	1	-	-	72	27	6	10	7	3	5	14	8	200	141	3	4
16	BALANCE OF COUNTY	159	-	-	-	25	4	6	-	4	-	3	8	3	93	64	-	-
17	WINNEBAGO	164	1	-	2	23	5	4	5	5	-	1	3	4	107	77	3	-
18	WINNESHIEK	209	1	-	2	40	13	2	6	9	2	1	7	1	123	86	2	1
19	WOODBURY	1,064	2	-	4	189	61	39	18	14	14	8	35	32	559	378	4	12
20	SIOUX CITY	877	2	-	3	158	50	35	15	12	12	5	29	29	450	304	4	10
21	BALANCE OF COUNTY	187	-	-	1	31	11	4	3	2	2	3	6	3	109	74	-	2
22	WORTH	107	-	-	-	20	7	3	2	4	1	2	1	1	60	36	-	-
23	WRIGHT	212	-	-	1	37	16	5	1	5	6	1	3	3	122	84	1	1
24	**KANSAS**	22,235	26	5	137	3,953	1,061	873	376	498	189	183	773	463	12,154	8,627	121	123
25	URBAN PLACES	10,788	14	3	72	2,006	523	463	197	257	113	76	377	215	5,666	4,023	65	57
26	BALANCE OF AREA	11,447	12	2	65	1,947	538	410	179	241	76	107	396	248	6,488	4,604	56	66
27	METROPOLITAN COUNTIES	7,482	12	1	55	1,429	365	340	144	177	78	56	269	130	3,872	2,784	46	46
28	URBAN PLACES	6,291	11	1	46	1,205	318	285	127	151	65	41	218	111	3,271	2,347	38	33
29	BALANCE OF AREA	1,191	1	-	9	224	47	55	17	26	13	15	51	19	601	437	8	13
30	NONMETROPOLITAN COUNTIES	14,753	14	4	82	2,524	696	533	232	321	111	127	504	333	8,282	5,843	75	77
31	URBAN PLACES	4,497	3	2	26	801	205	178	70	106	48	35	159	104	2,395	1,676	27	24
32	BALANCE OF AREA	10,256	11	2	56	1,723	491	355	162	215	63	92	345	229	5,887	4,167	48	53
33	ALLEN	233	2	-	2	32	11	8	3	3	1	2	4	2	152	113	-	2
34	ANDERSON	118	-	-	-	15	1	6	5	-	-	-	3	1	68	56	-	-
35	ATCHISON	236	1	-	-	33	3	6	3	7	3	1	10	6	129	95	2	6
36	ATCHISON	168	1	-	-	23	1	5	3	5	3	-	6	6	88	65	-	4
37	BALANCE OF COUNTY	68	-	-	-	10	2	1	-	2	-	1	4	-	41	30	2	2
38	BARBER	94	-	-	-	15	2	7	-	1	-	-	5	3	55	39	-	-
39	BARTON	335	2	-	3	70	20	18	2	11	3	4	12	7	176	125	2	1
40	GREAT BEND	173	1	-	1	35	11	12	1	2	1	-	8	3	93	72	1	-
41	BALANCE OF COUNTY	162	1	-	2	35	9	6	1	9	2	4	4	4	83	53	1	1
42	BOURBON	251	-	-	1	47	10	14	8	4	1	2	8	5	150	98	-	1
43	BROWN	155	-	-	4	18	4	1	4	3	-	-	6	3	98	68	-	3
44	BUTLER	393	-	-	1	69	12	13	4	12	7	5	16	5	220	147	2	1
45	EL DORADO	140	-	-	-	28	3	3	2	9	5	1	5	2	89	57	-	-
46	BALANCE OF COUNTY	253	-	-	1	41	9	10	2	3	2	4	11	3	131	90	2	1
47	CHASE	52	-	-	-	11	3	5	1	1	-	1	-	1	31	23	-	-
48	CHAUTAUQUA	95	-	-	-	17	5	3	1	1	2	1	4	4	54	39	1	-
49	CHEROKEE	292	2	-	4	50	10	16	7	8	2	2	5	5	164	123	2	2
50	CHEYENNE	48	-	-	-	6	4	1	-	-	-	-	1	-	36	30	-	-
51	CLARK	32	-	-	-	5	1	-	-	2	-	-	2	2	19	16	-	-
52	CLAY	136	-	-	-	22	6	5	3	3	1	1	3	1	88	65	1	3
53	CLOUD	192	-	-	1	31	8	5	3	4	2	2	7	2	117	73	1	-
54	COFFEY	128	-	-	-	15	4	3	1	1	-	-	6	1	82	55	-	1
55	COMANCHE	46	-	-	1	5	-	2	-	1	-	1	1	-	26	21	-	-
56	COWLEY	471	2	-	4	76	23	11	7	8	6	6	15	8	278	187	4	2
57	ARKANSAS CITY	200	-	-	1	36	11	4	1	6	2	4	8	5	124	80	1	1
58	WINFIELD	149	1	-	1	21	5	6	3	-	2	1	4	3	84	65	2	1
59	BALANCE OF COUNTY	122	1	-	2	19	7	1	3	2	2	1	3	-	70	42	1	-
60	CRAWFORD	521	-	-	1	85	29	17	6	13	9	2	9	12	316	231	1	2
61	PITTSBURG	254	-	-	-	38	14	5	2	5	6	1	5	10	153	121	1	1
62	BALANCE OF COUNTY	267	-	-	1	47	15	12	4	8	3	1	4	2	163	110	-	1
63	DECATUR	54	-	-	-	11	4	-	2	4	-	1	-	1	38	21	3	-
64	DICKINSON	261	-	-	1	51	16	14	2	6	4	1	8	8	132	80	3	3
65	DONIPHAN	95	-	-	1	19	6	6	1	1	-	1	4	1	52	37	-	1
66	DOUGLAS	355	-	-	4	66	19	12	7	9	-	7	12	8	189	127	2	1
67	LAWRENCE	242	-	-	2	44	16	5	5	6	-	2	10	8	127	83	2	1
68	BALANCE OF COUNTY	113	-	-	2	22	3	7	2	3	-	5	2	-	62	44	-	-
69	EDWARDS	63	-	-	-	7	2	2	1	1	-	-	1	-	41	33	-	-
70	ELK	69	-	-	-	7	2	2	-	1	-	-	2	-	48	37	-	-
71	ELLIS	189	-	-	1	38	9	6	-	7	6	2	8	4	100	67	-	1
72	HAYS	109	-	-	1	24	5	3	-	5	4	1	6	3	50	36	-	1
73	BALANCE OF COUNTY	80	-	-	-	14	4	3	-	2	2	1	2	1	50	31	-	-
74	ELLSWORTH	86	-	-	-	24	3	4	2	5	2	-	8	6	38	29	-	-
75	FINNEY	144	-	-	-	30	7	6	5	3	2	-	7	4	75	57	-	-
76	GARDEN CITY	129	-	-	-	26	5	6	5	3	1	-	6	4	67	50	-	-
77	BALANCE OF COUNTY	15	-	-	-	4	2	-	-	-	1	-	1	-	8	7	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
116	18	2	52	18	6	13	13	2	2	1	-	2	2	1	33	7	9	5	1	-	01
42	5	-	16	4	4	5	3	-	-	-	-	1	-	-	12	6	3	3	1	-	02
74	13	2	36	14	2	8	10	2	-	1	-	2	2	1	21	1	6	2	-	-	03
95	4	2	34	12	5	9	1	2	-	-	-	1	2	-	15	7	7	4	1	-	04
54	1	-	15	2	1	2	-	-	-	-	-	-	-	-	9	-	2	2	-	-	05
63	4	-	23	5	4	6	7	1	2	1	-	-	1	1	9	2	5	-	-	1	06
49	7	1	15	4	4	1	2	2	1	1	-	-	-	1	9	3	5	4	1	-	07
173	17	3	69	5	5	17	4	2	6	1	-	3	2	1	37	7	23	4	2	1	08
132	8	3	55	4	4	11	4	2	6	-	-	2	2	-	28	6	16	3	2	-	09
41	9	-	14	1	1	6	-	-	-	1	-	1	-	1	9	1	7	1	-	1	10
71	6	-	33	21	4	3	4	1	2	1	-	3	2	-	20	2	9	7	-	-	11
102	3	4	34	5	2	4	2	-	1	3	-	-	1	3	13	5	8	4	-	-	12
41	4	1	30	5	3	-	3	-	-	-	-	1	-	1	5	3	5	1	-	-	13
191	7	1	64	11	12	22	10	-	3	-	-	3	7	3	43	10	11	4	1	2	14
130	4	-	42	8	9	15	8	-	3	-	-	2	5	3	26	5	8	3	1	2	15
61	3	1	22	3	3	7	2	-	-	-	-	1	2	-	17	5	3	1	-	-	16
69	5	-	24	4	2	1	-	-	1	-	-	-	2	-	15	5	2	-	-	1	17
77	6	-	28	6	3	4	4	-	2	-	-	-	2	1	17	6	3	2	-	1	18
332	30	3	135	28	15	43	22	1	9	5	-	9	18	8	79	32	32	13	5	2	19
266	24	-	108	24	14	35	20	1	8	5	-	8	16	8	66	26	24	13	4	1	20
66	6	3	27	4	1	8	2	-	1	-	-	1	2	-	13	6	8	-	1	1	21
34	2	4	15	-	5	6	3	1	-	-	-	-	1	-	8	4	2	2	-	-	22
81	1	2	27	6	3	5	5	1	1	-	-	-	1	-	22	6	5	3	-	-	23
7,905	478	101	2,587	482	357	695	346	92	217	81	6	140	298	193	1,736	540	662	298	141	52	24
3,694	207	48	1,231	182	182	326	167	39	134	43	3	85	163	108	878	226	328	175	101	36	25
4,211	271	53	1,356	300	175	369	179	53	83	38	3	55	135	85	858	314	334	123	40	16	26
2,544	148	24	818	126	120	228	116	20	93	21	2	61	110	67	572	192	235	152	81	33	27
2,149	127	22	693	100	109	198	93	17	83	20	2	52	89	54	478	140	189	127	74	30	28
395	21	2	125	26	11	30	23	3	10	1	-	9	21	13	94	52	46	25	7	3	29
5,361	330	77	1,769	356	237	467	230	72	124	60	4	79	188	126	1,164	348	427	146	60	19	30
1,545	80	26	538	82	73	128	74	22	51	23	1	33	74	54	400	86	139	48	27	6	31
3,816	250	51	1,231	274	164	339	156	50	73	37	3	46	114	72	764	262	288	98	33	13	32
105	6	1	30	1	7	5	3	1	-	1	-	2	1	1	17	4	5	2	1	-	33
56	-	-	9	3	-	7	1	-	-	-	-	1	-	1	11	5	8	-	-	-	34
81	6	2	24	4	4	6	7	2	3	3	-	2	3	8	20	4	5	1	2	1	35
58	3	-	17	2	4	5	4	2	3	3	-	1	2	5	18	2	3	-	2	-	36
23	3	2	7	2	-	1	3	-	-	-	-	1	1	3	2	2	2	1	-	1	37
36	3	-	5	7	4	5	1	1	1	-	-	-	2	-	5	1	5	-	-	-	38
117	5	1	43	4	3	18	5	-	-	-	-	1	1	-	29	7	11	2	2	1	39
67	4	-	18	2	1	11	3	-	-	-	-	1	-	-	13	1	6	2	2	1	40
50	1	1	25	2	2	7	2	-	-	-	-	-	1	-	16	6	5	-	-	-	41
94	3	1	46	1	4	1	2	1	2	-	1	3	4	1	16	9	4	1	3	-	42
64	1	1	17	10	2	9	2	-	2	1	-	1	-	-	8	4	4	1	-	-	43
139	5	-	55	9	9	13	9	2	2	2	-	-	5	-	30	13	12	8	1	1	44
55	2	-	29	-	3	4	3	-	-	2	-	-	-	-	3	2	4	3	-	-	45
84	3	-	26	9	6	9	6	2	2	-	-	-	5	-	27	11	8	5	1	1	46
20	3	-	8	-	-	-	1	-	-	-	-	-	-	-	4	3	1	-	-	-	47
36	2	1	11	2	1	-	1	-	2	1	-	-	-	-	12	2	1	1	-	-	48
114	5	2	29	5	5	5	8	2	5	-	-	-	1	1	30	4	8	2	-	-	49
30	-	-	5	-	1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	50
16	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	51
49	10	2	16	3	2	1	3	-	2	-	-	-	-	1	9	4	3	2	-	-	52
72	-	-	36	4	4	9	2	-	2	-	-	-	1	-	16	7	2	2	-	-	53
49	5	-	20	4	3	9	3	-	1	-	-	-	1	1	9	1	3	2	-	-	54
18	3	1	3	-	1	8	-	-	-	1	-	-	-	-	3	1	1	-	-	-	55
167	14	4	60	14	13	8	7	2	2	2	-	2	3	16	42	5	11	3	-	-	56
76	2	1	29	8	6	1	2	-	1	1	-	-	3	9	12	1	4	-	-	-	57
58	4	1	11	3	4	5	3	-	1	1	-	2	-	1	19	1	4	2	-	-	58
33	8	2	20	3	3	2	2	2	-	-	-	-	-	6	11	3	3	1	-	-	59
217	11	4	69	7	5	11	6	5	6	4	-	1	4	2	37	10	10	9	2	-	60
111	8	1	25	3	3	5	3	2	3	1	-	1	4	1	16	5	9	3	-	-	61
106	3	3	44	4	2	6	3	3	3	3	-	-	-	1	21	5	1	6	2	-	62
18	-	-	15	1	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	63
68	6	4	39	6	3	9	5	1	1	-	-	3	2	-	27	10	8	2	1	-	64
34	2	1	11	2	1	3	2	-	-	1	-	1	1	2	7	3	-	2	-	-	65
120	4	-	48	9	5	6	4	2	6	2	-	3	1	8	25	14	8	4	3	2	66
78	2	-	35	6	3	4	3	2	5	2	-	1	1	8	18	7	4	3	3	-	67
42	2	-	13	3	2	2	1	-	1	-	-	2	-	-	7	7	4	1	-	2	68
32	1	-	7	1	-	1	1	-	-	-	-	-	-	-	5	2	6	-	-	-	69
35	2	-	4	6	1	-	-	2	-	-	-	-	-	1	7	-	3	1	-	-	70
60	6	1	22	3	7	4	3	1	-	-	-	2	6	2	14	4	5	4	1	-	71
32	3	-	12	2	-	2	3	-	-	-	-	2	5	1	9	2	3	3	1	-	72
28	3	1	10	1	7	2	-	1	-	-	-	-	1	1	5	2	2	1	-	-	73
28	1	2	7	-	-	1	2	-	3	-	-	1	3	-	5	2	-	1	-	-	74
54	3	2	16	-	-	3	-	-	-	1	-	-	3	1	7	1	15	1	3	-	75
48	2	2	15	-	-	3	-	-	-	1	-	-	2	1	6	1	14	1	3	-	76
6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KANSAS—CON.																	
01	FORD	210	-	-	2	37	8	2	5	7	1	2	12	4	117	88	2	3
02	DODGE CITY	146	-	-	1	26	5	2	2	5	1	-	11	1	80	58	1	1
03	BALANCE OF COUNTY	64	-	-	1	11	3	-	3	2	-	2	1	3	37	30	1	2
04	FRANKLIN	264	-	-	-	43	11	11	5	5	1	1	9	2	156	109	-	1
05	OTTAWA	152	-	-	-	27	7	5	4	4	1	1	6	2	91	61	-	1
06	BALANCE OF COUNTY	112	-	-	-	16	4	6	1	1	1	-	3	-	65	48	-	1
07	GEARY	206	-	-	4	42	12	14	2	4	2	3	5	5	73	49	-	-
08	JUNCTION CITY	170	-	-	3	36	10	13	2	4	2	1	4	4	65	43	-	-
09	BALANCE OF COUNTY	36	-	-	1	6	2	1	-	-	-	2	1	1	8	6	-	-
10	GOVE	37	-	-	-	4	2	-	-	-	1	1	-	4	23	15	-	1
11	GRAHAM	50	-	-	-	9	3	2	2	1	-	-	1	5	23	17	-	-
12	GRANT	35	-	-	-	3	1	-	1	1	-	-	-	1	16	13	-	-
13	GRAY	45	-	-	-	7	2	1	-	2	1	-	1	-	24	17	-	-
14	GREELEY	20	-	-	-	3	1	1	-	1	-	-	-	2	8	7	-	-
15	GREENWOOD	149	-	-	-	18	5	6	1	-	-	-	6	4	99	61	-	-
16	HAMILTON	21	-	-	-	4	2	-	-	1	-	1	-	-	10	8	-	-
17	HARPER	131	-	-	1	20	5	5	1	2	1	-	6	3	62	33	-	1
18	HARVEY	282	-	1	1	51	15	13	5	6	1	5	6	3	145	102	2	2
19	NEWTON	189	-	1	-	36	12	10	4	3	1	2	4	3	96	70	2	2
20	BALANCE OF COUNTY	93	-	-	1	15	3	3	1	3	-	3	2	-	49	32	-	-
21	HASKELL	20	-	-	-	1	-	-	-	-	-	1	-	1	9	5	-	-
22	HODGEMAN	24	-	-	-	3	2	-	-	1	-	-	-	2	13	7	-	-
23	JACKSON	160	-	-	1	31	15	4	2	2	1	-	7	3	88	56	-	-
24	JEFFERSON	129	-	-	-	28	9	5	2	4	1	-	7	6	61	41	-	1
25	JEWELL	79	-	-	-	10	4	1	1	3	-	-	1	2	49	31	-	-
26	JOHNSON	1,246	1	-	8	270	64	70	32	32	13	11	48	21	627	441	9	1
27	LEAWOOD	65	-	-	2	19	6	5	4	2	1	-	1	-	31	20	-	-
28	MERRIAM	73	-	-	-	17	1	4	3	3	1	-	5	-	36	27	1	-
29	OLATHE	108	-	-	1	21	4	4	4	2	2	2	3	1	56	36	1	-
30	OVERLAND PARK	315	1	-	-	65	20	20	8	8	1	2	6	6	166	118	3	-
31	PRAIRIE VILLAGE	169	-	-	1	35	13	9	2	3	1	-	7	6	84	55	1	1
32	SHAWNEE	118	-	-	-	30	6	5	4	4	1	2	8	4	61	46	1	-
33	BALANCE OF COUNTY	398	-	-	4	83	14	23	7	10	6	5	18	4	193	139	2	-
34	KEARNY	22	-	-	-	3	-	2	1	-	-	-	-	-	11	8	1	-
35	KINGMAN	98	-	-	3	20	8	3	4	2	1	-	2	3	47	25	1	1
36	KIOWA	56	-	-	-	10	1	1	1	1	1	-	5	5	29	20	-	-
37	LABETTE	358	-	-	1	56	16	13	7	5	3	1	11	5	216	170	1	2
38	PARSONS	204	-	-	-	31	9	5	6	4	1	1	5	3	119	88	1	2
39	BALANCE OF COUNTY	154	-	-	1	25	7	8	1	1	2	-	6	2	97	82	-	-
40	LANE	25	-	-	-	1	-	1	-	-	-	-	-	-	16	14	-	-
41	LEAVENWORTH	396	-	-	2	82	23	19	9	4	1	7	19	11	197	144	2	5
42	LEAVENWORTH	272	-	-	2	56	17	13	7	2	-	5	12	8	137	102	1	5
43	BALANCE OF COUNTY	124	-	-	-	26	6	6	2	2	1	2	7	3	60	42	1	-
44	LINCOLN	54	-	-	-	16	7	-	2	1	-	-	6	2	30	23	-	-
45	LINN	119	-	-	1	14	6	2	-	2	-	-	4	3	73	55	-	-
46	LOGAN	35	-	-	-	4	-	2	1	-	-	1	-	1	16	12	-	-
47	LYON	290	-	-	2	48	13	14	3	5	1	2	10	4	173	123	2	-
48	EMPORIA	199	-	-	2	38	8	11	2	4	1	2	10	1	108	75	1	-
49	BALANCE OF COUNTY	91	-	-	-	10	5	3	1	1	-	-	-	3	65	48	1	-
50	MC PHERSON	262	-	-	2	43	15	7	1	3	2	4	11	4	153	105	-	1
51	MC PHERSON	107	-	-	1	16	4	4	-	1	2	3	2	1	64	41	-	-
52	BALANCE OF COUNTY	155	-	-	1	27	11	3	1	2	-	1	9	3	89	64	-	1
53	MARION	200	-	-	-	38	7	5	8	7	2	1	8	6	114	91	1	-
54	MARSHALL	204	1	-	3	34	7	9	2	4	1	2	9	-	134	108	1	1
55	MEADE	59	-	-	1	20	7	4	2	3	-	-	4	1	18	13	-	1
56	MIAMI	230	-	1	-	40	9	7	4	5	2	5	8	4	130	93	-	-
57	MITCHELL	105	1	-	-	28	4	6	2	5	1	1	9	3	53	32	-	-
58	MONTGOMERY	626	-	1	4	107	28	26	6	18	6	5	18	14	354	228	5	2
59	COFFEYVILLE	229	-	-	2	43	10	13	2	7	5	1	5	5	125	91	1	-
60	INDEPENDENCE	187	-	1	1	28	4	6	2	6	1	4	5	6	109	60	-	1
61	BALANCE OF COUNTY	210	-	-	1	36	14	7	2	5	-	-	8	3	120	77	4	1
62	MORRIS	100	-	-	-	20	4	2	2	3	1	2	6	3	56	40	-	3
63	MORTON	32	-	-	1	8	3	2	1	-	-	1	1	-	13	10	-	-
64	NEMAHA	139	-	-	2	33	6	5	3	7	2	4	6	5	69	55	2	1
65	NEOSHO	266	-	-	1	48	13	11	3	6	3	1	11	6	163	113	-	1
66	CHANUTE	157	-	-	1	33	9	9	1	4	2	1	7	3	96	67	-	1
67	BALANCE OF COUNTY	109	-	-	-	15	4	2	2	2	1	-	4	3	67	46	-	-
68	NESS	61	-	-	1	10	2	1	2	2	-	1	2	1	32	22	-	-
69	NORTON	98	-	-	2	22	7	5	1	2	-	1	6	2	45	39	1	1
70	OSAGE	201	-	-	1	25	11	4	4	2	-	2	2	8	129	100	-	-
71	OSBORNE	98	-	-	-	15	2	3	1	-	1	2	6	1	58	45	-	-
72	OTTAWA	86	-	-	-	10	2	2	-	2	1	-	3	1	62	33	1	1
73	PAWNEE	105	-	-	-	17	2	1	5	3	-	3	3	3	60	47	2	2
74	PHILLIPS	97	-	-	2	17	3	5	-	4	-	1	4	4	48	36	-	-
75	POTTAWATOMIE	159	-	-	1	26	7	3	1	6	-	3	6	9	86	67	-	3
76	MANHATTAN, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	BALANCE OF COUNTY	159	-	-	1	26	7	3	1	6	-	3	6	9	86	67	-	3
78	PRATT	123	-	-	-	21	4	5	3	4	1	-	4	6	65	39	-	1
79	RAWLINS	49	-	-	-	5	2	-	1	1	-	-	1	-	31	23	-	1
80	RENO	629	-	-	3	104	30	22	9	16	6	4	17	19	334	240	5	5
81	HUTCHINSON	454	-	-	3	74	18	18	5	11	5	4	13	15	231	167	5	3
82	BALANCE OF COUNTY	175	-	-	-	30	12	4	4	5	1	-	4	4	103	73	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
81	2	1	26	1	1	4	2	1	3				2	1	19	8	8	1	-	1	01
54	2	1	19	1	1	1	1		3				1		18	6	5	1		1	02
27	-	-	7	-	-	3	1						1	1	1	2	3	-	-	-	03
106	2	4	26	12	5	9	3	2	1				3	1	27	6	5	4	1	1	04
59	2	4	15	8	3	5	1						3	1	14	2	4	1	-	1	05
47	-	-	11	4	2	4	2	2	1						13	4	1	3	1	-	06
48	1	-	20	3	1	5	3		3	3			12	1	25	9	4	4	8	2	07
42	1	-	18	3	1	4	3		3	3			9	1	22	7	2	2	4	-	08
6	-	-	2	-	-	1							1		3	2	2	2	2	2	09
14	-	-	6	1	1								1	1	3		1	1	-	-	10
16	1	1	3	-	2	1	1	2	1				1		5	3	1	-	-	-	11
12	1	-	1	1	1	1	1						4		6	1	-	1	1	-	12
17	-	-	4	1	2	-	1		1				2	-	4	3	1	-	2	-	13
7	-	-	1	-	-	-	2								2	2	1	-	-	-	14
61	1	1	24	8	5	2	2	2	2				2		10	3	2	3	2	-	15
7	1	-	2	-	-	-	-						1		1	-	3	1	-	-	16
30	2	-	24	3	2	13	-		2				1		12	7	3	1	1	-	17
96	2	2	32	3	6	7	6		2	2			1		33	7	11	5	1	-	18
64	2	2	19	1	4	2	4		2	2			1		21	4	7	5	1	-	19
32	-	-	13	2	2	5	2								12	3	4	-	-	-	20
5	-	-	4	-	-	1	1						1		2	1	1	-	-	-	21
5	2	1	4	-	1	-	2		1						3	-	-	-	-	-	22
52	4	-	27	3	2	8	4						1	1	11	7	3	-	1	-	23
39	1	2	13	3	2	8	5		1	-			-		10	4	2	2	1	-	24
30	1	-	15	2	1	2	1						1		5	5	2	1	-	-	25
408	23	3	140	23	20	34	20	3	17	2	1	17	19	8	83	37	44	28	3	3	26
17	3	-	7	1	3	1	1		2						6	-	1	1	-	1	27
26	-	-	6	1	2	2	1		3				2		7	1	3	1	-	-	28
33	2	-	13	4	3	5	1		1	-	1	3	3	-	5	8	1	-	1	-	29
108	7	-	34	5	9	8	5		5	1		7	4	-	16	5	16	7	1	2	30
50	3	2	23	2	2	5	2	2	3			1	1	2	11	4	3	9	-	-	31
44	1	-	14	-	1	3	-		1			1	1	-	5	4	7	1	-	-	32
130	7	1	43	10	-	10	10	1	2	1			8	6	33	15	13	9	1	-	33
6	1	-	3	-	-	1	-			1			-		5	1	-	-	-	-	34
18	5	1	18	2	1	2	2	1	-				1		9	8	2	-	-	-	35
20	-	-	3	5	1	2	1						1		2	-	3	1	2	-	36
160	7	1	34	9	2	14	5	1	2	1		1	6	4	30	6	8	2	-	-	37
81	4	1	22	7	1	6	3	1	2	1		1	4	4	19	3	5	2	-	-	38
79	3	-	12	2	1	8	2						2		11	3	3	-	-	-	39
13	1	-	1	1	-	2	-								2	2	2	-	-	-	40
124	13	-	40	8	5	9	7	3	6	1	1	5	3	7	37	4	9	5	5	2	41
85	11	-	26	5	4	7	7	2	5	1	1	1	1	5	25	1	6	3	3	1	42
39	2	-	14	3	1	2	1	1	1			4	2	2	12	3	3	2	2	1	43
23	-	-	3	1	3	2	1	1							1	-	1	-	-	-	44
53	2	1	15	1	1	4	1		2			1	3	3	6	2	5	1	-	-	45
11	1	-	4	-	-	3	2								5	1	1	-	-	-	46
118	3	-	41	4	5	7	2		2			1	5	-	18	7	19	2	-	-	47
72	2	-	30	1	2	7	2		1			1	5	-	15	3	16	-	-	-	48
46	1	-	11	3	3	-	-		1				-	-	3	4	3	2	-	-	49
97	7	3	37	5	3	15	2	1	1		1		2	1	21	2	7	7	-	-	50
37	4	1	18	2	2	2	2	1	1					1	10	2	3	3	-	-	51
60	3	2	19	3	1	13	-				1		2	-	11	-	4	4	-	-	52
83	7	1	15	3	4	7	3		2		1	2	2	-	13	2	8	2	-	-	53
104	2	-	17	8	1	2	4	2	1		1		3	3	4	6	5	1	-	-	54
9	3	-	4	-	1	3	-	1	2						8	2	3	-	-	-	55
86	7	1	13	18	5	6	1	2	2			3	6	4	20	5	2	3	1	-	56
26	6	-	9	11	1	3	2		1	2			2	1	8	1	-	-	-	-	57
211	10	10	89	14	13	23	8	2	4	3		4	12	15	47	8	10	7	3	-	58
87	3	8	18	5	3	6	3			2		2	4	2	25	1	5	3	1	-	59
56	3	-	38	3	8	5	2	1	2			2	5	10	9	2	2	1	1	-	60
68	4	2	33	6	2	12	3	1	2	1			3	3	13	5	3	3	1	-	61
31	6	-	12	2	2	7	-		1				-		4	3	4	-	-	-	62
9	1	-	1	2	-	1	1		1		1		2	-	-	2	1	1	-	-	63
51	2	-	8	6	-	6	2	1	1	2		1	-	-	9	3	5	-	-	-	64
100	12	-	38	5	7	4	3	1	6	4		2	1	-	12	2	10	2	-	1	65
63	3	-	22	3	4	2	2	1	4	2		1	-	-	7	-	3	2	-	-	66
37	9	-	16	2	3	2	1	-	2	2		1	1	-	5	2	7	-	-	1	67
19	3	-	4	1	5	5	1	1					-	1	2	4	3	-	-	-	68
36	1	-	4	2	-	5	2	1				1	1	-	10	1	4	2	-	-	69
95	5	1	22	6	-	3	4	1	2			1	1	1	15	4	5	1	1	-	70
40	5	-	10	2	1	2	1	1					-	1	13	2	3	1	-	-	71
26	5	-	23	2	4	1	-						-		7	3	1	1	-	-	72
43	-	-	5	7	1	4	3		-	1			-	1	8	1	4	1	2	-	73
33	3	-	10	1	1	3	1	1	1			2	-	-	8	2	3	1	-	-	74
62	2	-	14	3	2	4	2	2	2				3	1	8	3	8	4	-	-	75
-	-	-	-	-	-	-	-		-				-	-	-	-	-	-	-	-	76
62	2	-	14	3	2	4	2	2	2				3	1	8	3	8	4	-	-	77
35	4	4	13	6	3	5	2	-	-	1			2	4	10	4	3	-	-	-	78
22	-	-	6	2	-	1	1		1				1	-	2	-	3	3	-	-	79
222	8	2	72	9	11	17	19	6	7			4	12	2	53	18	19	7	2	3	80
153	6	-	50	6	8	10	14	4	6			3	10	1	45	13	15	6	2	2	81
69	2	2	22	3	3	7	5	2	1			1	2	1	8	5	4	1	-	1	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KANSAS--CON.																	
01	REPUBLIC	136	-	-	-	15	2	2	3	2	2	2	2	-	88	67	1	-
02	RICE	173	-	-	-	33	12	8	1	3	4	-	5	2	96	64	-	-
03	RILEY	248	1	-	2	38	11	5	5	5	3	2	7	5	118	76	1	-
04	MANHATTAN, PART	176	-	-	2	23	8	4	3	4	2	-	2	3	85	60	1	-
05	MANHATTAN, TOTAL	176	-	-	2	23	8	4	3	4	2	-	2	3	85	60	1	-
06	BALANCE OF COUNTY	72	1	-	-	15	3	1	2	1	1	2	5	2	33	16	-	-
07	ROOKS	117	-	-	1	14	5	5	1	1	-	-	2	5	70	54	-	-
08	RUSH	78	-	-	1	11	4	4	1	1	-	-	1	1	52	46	1	-
09	RUSSELL	117	-	-	1	16	7	3	2	1	-	-	3	2	74	52	2	-
10	SALINE	403	-	-	2	85	18	17	8	12	6	2	22	7	196	117	5	1
11	SALINA	347	-	-	2	72	16	13	7	11	6	1	18	6	169	96	5	1
12	BALANCE OF COUNTY	56	-	-	-	13	2	4	1	1	-	1	4	1	27	21	-	1
13	SCOTT	43	-	-	-	8	2	3	-	1	-	2	-	-	20	10	2	-
14	SEDGWICK	2,726	5	1	23	499	122	116	62	59	25	16	99	46	1,407	1,029	21	24
15	WICHITA	2,411	5	1	21	430	108	101	55	51	22	11	82	39	1,256	914	19	14
16	BALANCE OF COUNTY	315	-	-	2	69	14	15	7	8	3	5	17	7	151	115	2	10
17	SEWARD	98	-	-	-	17	-	8	3	4	-	-	2	2	42	29	2	-
18	LIBERAL	84	-	-	-	15	-	6	3	4	-	-	2	1	34	25	2	-
19	BALANCE OF COUNTY	14	-	-	-	2	-	2	-	-	-	-	-	1	8	4	-	-
20	SHAWNEE	1,327	5	-	12	235	71	59	15	29	12	7	42	22	724	516	7	3
21	TOPEKA	1,190	4	-	11	215	63	54	15	25	12	6	40	18	645	455	6	2
22	BALANCE OF COUNTY	137	1	-	1	20	8	5	-	4	-	1	2	4	79	61	1	1
23	SHERIDAN	37	-	-	-	3	2	1	-	-	-	-	-	2	20	14	-	-
24	SHERMAN	89	-	-	-	17	10	2	2	-	-	3	-	2	50	39	-	-
25	SMITH	103	-	-	-	14	8	-	2	2	1	-	1	4	72	33	2	-
26	STAFFORD	93	-	-	-	13	5	1	2	-	-	1	4	1	62	51	2	-
27	STANTON	23	-	-	-	1	-	-	-	-	-	-	1	-	15	15	-	-
28	STEVENS	41	-	-	1	8	3	2	-	-	1	-	2	1	17	15	-	-
29	SUMNER	308	-	-	2	52	17	7	4	3	1	6	14	5	179	123	2	3
30	THOMAS	69	-	-	-	15	5	6	-	-	-	-	4	5	31	26	-	-
31	TREGO	43	-	-	-	7	2	-	1	1	-	-	3	2	27	17	1	-
32	WABAUNSEE	90	1	-	1	13	5	3	-	2	-	1	2	4	60	40	-	-
33	WALLACE	26	-	-	-	2	-	-	-	-	-	-	2	2	10	9	-	-
34	WASHINGTON	131	-	-	1	22	6	5	3	5	-	1	2	2	75	55	1	1
35	WICHITA	19	-	-	-	1	1	-	-	-	-	-	-	-	9	4	-	-
36	WILSON	179	1	-	-	38	8	11	3	5	2	2	7	1	99	73	1	2
37	WOODSON	94	-	1	-	16	5	3	1	2	1	-	4	2	57	37	1	-
38	WYANDOTTE	1,790	1	-	11	356	96	82	31	45	21	17	64	36	894	651	7	17
39	KANSAS CITY	1,702	1	-	10	345	94	80	30	44	19	17	61	35	847	619	6	16
40	BALANCE OF COUNTY	88	-	-	1	11	2	2	1	1	2	-	3	1	47	32	1	1
41	**KENTUCKY**	33,506	97	4	212	5,895	1,608	1,540	425	747	254	230	1,091	628	18,256	13,174	155	191
42	URBAN PLACES	11,347	26	2	76	2,149	589	606	172	244	85	70	383	224	6,139	4,368	62	76
43	BALANCE OF AREA	22,159	71	2	136	3,746	1,019	934	253	503	169	160	708	404	12,117	8,806	93	115
44	METROPOLITAN COUNTIES	12,416	23	2	78	2,493	654	712	200	276	102	84	465	238	6,595	4,738	76	88
45	URBAN PLACES	8,486	14	1	60	1,662	447	494	130	175	66	53	297	169	4,513	3,240	52	65
46	BALANCE OF AREA	3,930	9	1	18	831	207	218	70	101	36	31	168	69	2,082	1,498	24	23
47	NONMETROPOLITAN COUNTIES	21,090	74	2	134	3,402	954	828	225	471	152	146	626	390	11,661	8,436	79	103
48	URBAN PLACES	2,861	12	1	16	487	142	112	42	69	19	17	86	55	1,626	1,128	10	11
49	BALANCE OF AREA	18,229	62	1	118	2,915	812	716	183	402	133	129	540	335	10,035	7,308	69	92
50	ADAIR	159	1	-	-	25	11	3	2	4	1	2	2	4	98	68	1	-
51	ALLEN	171	1	-	2	21	4	2	3	4	-	1	7	-	118	87	-	-
52	ANDERSON	99	1	-	-	18	10	3	2	2	-	-	1	1	45	31	1	1
53	BALLARD	120	-	-	2	22	7	4	2	3	1	2	3	2	69	50	1	-
54	BARREN	353	4	-	-	61	19	14	6	7	1	1	13	1	216	158	1	3
55	GLASGOW	145	3	-	-	23	8	5	1	3	-	1	5	-	96	72	-	1
56	BALANCE OF COUNTY	208	1	-	-	38	11	9	5	4	1	-	8	1	120	86	1	2
57	BATH	103	2	-	2	12	2	3	-	3	1	-	3	3	56	40	-	1
58	BELL	379	-	-	2	53	15	17	3	7	1	1	9	8	217	163	4	1
59	MIDDLESBOROUGH	156	-	-	-	24	8	8	1	4	1	-	2	4	98	69	2	-
60	BALANCE OF COUNTY	223	-	-	2	29	7	9	2	3	-	1	7	4	119	94	2	1
61	BOONE	238	-	-	-	51	16	16	2	4	3	-	10	6	126	90	-	2
62	FLORENCE	79	-	-	-	17	7	4	-	1	1	-	4	2	41	26	-	-
63	BALANCE OF COUNTY	159	-	-	-	34	9	12	2	3	2	-	6	4	85	64	-	2
64	BOURBON	218	1	-	2	43	13	12	1	7	3	4	3	5	104	78	1	2
65	BOYD	555	-	-	3	116	26	34	12	18	8	5	13	7	293	221	2	4
66	ASHLAND	352	-	-	2	66	14	23	9	7	2	4	7	4	202	150	2	2
67	BALANCE OF COUNTY	203	-	-	1	50	12	11	3	11	6	1	6	3	91	71	-	2
68	BOYLE	245	1	-	4	34	13	7	1	5	-	1	7	5	147	96	2	-
69	DANVILLE	135	1	-	3	22	9	4	1	4	-	-	4	5	80	46	1	-
70	BALANCE OF COUNTY	110	-	-	1	12	4	3	-	1	-	1	3	-	67	50	1	-
71	BRACKEN	121	1	-	1	25	7	3	1	5	3	-	6	2	65	50	-	1
72	BREATHITT	156	-	-	2	22	5	5	1	3	1	3	4	3	91	71	1	-
73	BRECKINRIDGE	170	-	-	4	24	6	4	2	6	-	1	5	1	108	73	2	-
74	BULLITT	163	-	-	-	34	12	9	2	4	1	1	5	2	78	66	1	-
75	BUTLER	133	1	-	3	20	8	3	2	2	-	-	5	1	77	55	-	-
76	CALDWELL	194	-	-	-	32	8	6	3	6	1	-	8	8	109	71	-	2
77	CALLOWAY	328	-	-	2	52	9	11	6	6	4	4	12	3	198	131	-	1
78	MURRAY	142	-	-	1	23	4	5	3	2	4	1	4	1	81	54	-	1
79	BALANCE OF COUNTY	186	-	-	1	29	5	6	3	4	-	3	8	2	117	77	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
64	2	-	21	-	-	5	-	2	1	-	-	-	3	1	13	-	6	2	-	-	01
57	7	2	28	-	2	10	3	1	1	-	-	-	1	3	10	4	5	2	-	2	02
74	1	1	26	9	6	16	3	2	1	2	-	6	5	1	19	9	12	4	3	1	03
58	1	-	17	4	4	14	1	1	1	1	-	6	4	1	15	8	8	2	1	-	04
58	1	-	17	4	4	14	1	1	1	1	-	6	4	1	15	8	8	2	1	-	05
16	-	1	9	5	2	2	2	1	-	1	-	-	1	-	4	1	4	2	2	1	06
53	1	1	10	4	1	6	1	-	-	-	-	1	1	-	9	3	6	-	-	-	07
42	3	-	5	1	-	2	1	-	-	-	-	1	2	-	5	2	1	-	-	1	08
46	4	1	19	-	2	4	2	1	-	-	-	1	2	-	8	1	3	2	-	-	09
102	9	4	64	5	6	20	9	3	6	2	-	4	5	1	37	9	10	5	2	-	10
84	7	4	58	5	6	18	7	3	6	2	-	4	4	1	33	8	7	3	2	-	11
18	2	-	6	-	-	2	2	-	-	-	-	-	1	-	4	1	3	2	-	-	12
8	-	-	6	3	1	-	-	-	-	1	-	1	1	-	5	5	2	1	-	-	13
950	34	8	284	33	53	92	43	9	38	8	-	26	43	24	188	73	96	57	32	16	14
851	30	8	254	31	49	85	39	9	35	8	-	22	40	22	172	53	77	51	31	15	15
99	4	-	30	2	4	7	4	-	3	-	-	4	3	2	16	20	19	6	1	1	16
26	1	-	9	3	1	3	1	1	2	-	-	2	4	-	13	6	4	-	1	-	17
22	1	-	6	2	1	3	1	1	2	-	-	1	4	-	11	6	4	-	1	-	18
4	-	-	3	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	19
477	29	6	140	39	23	43	32	2	12	2	-	11	11	10	102	24	32	32	9	7	20
421	26	6	126	36	22	39	29	2	12	2	-	11	11	6	91	20	30	29	9	6	21
56	3	-	14	3	1	4	3	-	-	-	-	-	-	4	11	4	2	3	-	1	22
11	3	-	3	-	3	2	-	-	1	-	-	-	-	-	5	1	2	-	-	-	23
37	2	-	8	1	2	3	-	2	1	-	-	-	-	-	6	2	5	-	-	-	24
30	1	-	32	3	4	3	1	-	1	1	-	-	-	-	3	1	2	1	-	-	25
48	1	-	10	-	1	2	2	-	-	-	-	-	1	1	6	3	1	-	-	1	26
14	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	-	-	-	27
15	-	-	1	1	-	4	1	1	1	-	-	-	-	1	2	-	2	1	-	-	28
100	18	1	31	19	5	9	8	3	2	3	-	-	6	1	20	5	8	4	1	-	29
25	1	-	3	2	-	3	3	-	-	1	-	-	1	-	7	-	3	-	-	-	30
14	2	-	9	1	-	-	-	-	1	-	-	-	1	1	4	-	-	-	-	-	31
37	3	-	11	7	2	3	-	-	2	-	-	-	-	-	1	1	3	-	1	-	32
8	1	-	1	-	-	1	1	-	2	-	-	-	-	-	4	3	1	-	-	-	33
47	6	-	13	5	2	2	3	-	1	3	-	1	1	-	15	2	2	1	-	-	34
3	1	-	4	1	-	-	-	-	-	-	-	-	3	1	1	3	1	-	-	-	35
66	4	-	18	4	4	5	4	-	-	-	-	-	2	1	21	-	6	1	-	-	36
32	4	-	16	1	3	2	-	-	1	-	-	-	4	4	5	2	-	-	-	-	37
570	57	7	199	22	15	46	12	4	24	7	1	7	32	25	169	45	51	27	36	6	38
544	53	6	187	20	15	46	12	4	21	7	1	7	27	24	162	43	47	25	32	6	39
26	4	1	12	2	-	-	-	-	3	-	-	-	5	1	7	2	4	2	4	-	40
11,622	1,206	120	3,925	595	442	933	432	127	390	127	9	259	446	285	2,660	797	1,130	421	338	60	41
3,864	366	34	1,399	203	135	323	140	51	193	39	5	82	134	77	905	168	323	124	156	11	42
7,758	840	86	2,526	392	307	610	292	76	197	88	4	177	312	208	1,755	629	807	297	182	49	43
4,226	348	38	1,465	187	167	313	160	50	211	49	6	111	156	64	971	223	351	156	151	15	44
2,856	267	24	1,010	133	106	247	102	39	158	31	5	62	99	43	695	125	239	97	116	9	45
1,370	81	14	455	54	61	66	58	11	53	18	1	49	57	21	276	98	112	59	35	6	46
7,396	858	82	2,460	408	275	620	272	77	179	78	3	148	290	221	1,689	574	779	265	187	45	47
1,008	99	10	389	70	29	76	38	12	35	8	-	20	35	34	210	43	84	27	40	2	48
6,388	759	72	2,071	338	246	544	234	65	144	70	3	128	255	187	1,479	531	695	238	147	43	49
56	11	-	19	8	3	1	3	-	1	-	-	1	-	-	16	6	3	-	1	-	50
81	6	1	17	10	3	8	-	-	1	1	-	-	3	2	10	1	2	-	1	-	51
29	-	2	8	2	2	4	1	2	2	-	-	1	-	3	11	1	3	3	3	-	52
48	1	4	9	4	2	4	2	-	-	3	-	-	-	-	9	3	2	1	1	-	53
136	18	2	36	13	7	6	2	-	-	2	-	2	4	2	23	12	11	5	2	-	54
69	2	-	18	4	2	-	1	-	-	-	-	-	1	-	11	5	3	1	1	-	55
67	16	2	18	9	5	6	1	-	-	2	-	2	3	2	12	7	8	4	1	-	56
31	8	-	13	2	1	3	3	1	2	-	-	1	1	1	12	1	1	2	-	-	57
108	50	-	38	10	6	9	6	2	8	-	1	3	5	4	26	7	19	1	8	-	58
53	14	-	21	5	3	2	1	1	5	-	-	3	-	1	10	-	2	-	5	-	59
55	36	-	17	5	3	7	5	1	3	-	1	-	5	3	16	7	17	1	3	-	60
82	6	-	25	7	4	-	1	1	1	1	1	5	3	2	17	11	4	8	-	-	61
25	1	-	13	-	2	-	-	1	-	-	1	2	1	1	6	2	1	4	-	-	62
57	5	-	12	7	2	-	1	-	1	1	-	3	2	1	11	9	3	4	-	-	63
69	6	-	18	6	2	8	2	1	4	-	-	2	4	2	24	3	10	2	1	-	64
197	18	3	49	5	15	10	8	2	12	-	-	6	8	7	51	12	9	10	1	-	65
133	13	3	38	5	6	4	5	2	5	-	-	4	4	5	33	7	2	7	-	-	66
64	5	-	11	-	9	6	3	-	7	-	-	2	4	2	18	5	7	3	1	-	67
90	4	2	38	9	2	7	3	-	-	1	-	-	5	-	19	7	9	1	1	1	68
44	1	-	27	6	1	4	2	-	-	-	-	-	1	-	10	1	4	1	1	-	69
46	3	2	11	3	1	3	1	-	-	1	-	-	4	-	9	6	5	-	-	1	70
42	8	-	11	3	1	4	2	-	2	2	-	1	1	1	9	3	-	1	1	-	71
68	2	-	15	3	2	4	2	1	-	-	-	2	2	1	17	3	2	2	1	1	72
68	3	-	31	2	2	-	2	-	1	-	-	1	2	3	9	4	6	2	1	2	73
57	8	-	11	1	-	4	3	1	4	-	-	2	8	2	10	4	9	2	-	-	74
48	5	-	19	3	-	13	-	-	1	-	-	-	1	-	7	3	5	1	-	-	75
68	3	2	33	-	3	6	1	1	-	3	-	-	3	3	16	5	3	1	2	1	76
116	14	1	59	4	3	9	3	4	4	1	-	-	3	4	24	7	6	6	2	-	77
48	5	1	24	2	-	8	1	2	3	-	-	-	1	3	13	1	2	1	1	-	78
68	9	-	35	2	3	1	2	2	1	1	-	-	2	1	11	6	4	5	1	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KENTUCKY—CON.																	
01	CAMPBELL	962	-	-	5	193	56	57	15	23	8	5	29	25	542	381	10	8
02	FORT THOMAS	192	-	-	2	40	13	9	6	5	1	-	6	6	103	75	2	1
03	NEWPORT	332	-	-	1	65	19	21	3	8	3	2	9	8	182	132	3	4
04	BALANCE OF COUNTY	438	-	-	2	88	24	27	6	10	4	3	14	11	257	174	5	4
05	CARLISLE	63	-	-	-	11	2	5	1	1	-	1	1	-	37	27	-	-
06	CARROLL	102	1	-	1	18	3	8	2	1	3	-	1	2	56	39	-	-
07	CARTER	230	3	-	-	38	15	6	-	7	1	2	7	5	130	92	1	1
08	CASEY	145	-	-	1	22	5	8	1	1	-	2	5	5	93	68	-	-
09	CHRISTIAN	540	1	-	4	82	29	17	8	11	4	1	12	11	282	221	1	3
10	HOPKINSVILLE	307	1	-	-	56	20	11	5	8	1	1	10	7	162	130	1	1
11	BALANCE OF COUNTY	233	-	-	4	26	9	6	3	3	3	-	2	4	120	91	-	2
12	CLARK	243	1	-	-	39	10	7	3	9	4	1	5	2	146	114	-	3
13	WINCHESTER	177	1	-	-	31	9	4	2	7	3	1	5	2	105	77	-	3
14	BALANCE OF COUNTY	66	-	-	-	8	1	3	1	2	1	-	-	-	41	37	-	-
15	CLAY	177	1	-	1	31	10	7	-	7	-	1	6	6	85	51	-	-
16	CLINTON	84	-	-	1	12	2	4	-	1	-	-	5	2	42	31	1	-
17	CRITTENDEN	148	1	-	-	17	4	1	3	4	1	1	3	3	85	64	1	-
18	CUMBERLAND	90	2	-	-	10	2	2	1	2	1	1	1	2	59	46	1	-
19	DAVIESS	754	-	-	6	145	44	45	9	12	-	8	27	13	403	305	4	9
20	OWENSBORO	540	-	-	5	101	35	32	5	9	-	3	17	10	291	218	3	8
21	BALANCE OF COUNTY	214	-	-	1	44	9	13	4	3	-	5	10	3	112	87	1	1
22	EDMONSON	93	-	-	-	14	4	6	-	-	1	-	3	2	58	39	1	-
23	ELLIOTT	57	-	-	-	4	2	1	-	1	-	-	-	1	33	24	1	-
24	ESTILL	156	1	-	-	27	7	5	2	5	1	-	7	3	96	67	-	3
25	FAYETTE	1,430	5	2	11	295	73	80	23	30	16	14	59	24	740	560	13	12
26	LEXINGTON	1,263	4	1	11	258	67	68	19	24	16	11	53	19	654	493	8	12
27	BALANCE OF COUNTY	167	1	1	-	37	6	12	4	6	-	3	6	5	86	67	5	-
28	FLEMING	154	-	-	-	20	7	8	1	2	-	-	2	2	85	61	-	-
29	FLOYD	384	-	-	4	72	21	13	4	5	4	3	22	8	190	142	1	2
30	FRANKLIN	330	-	-	3	56	15	16	6	7	3	-	9	7	173	123	3	-
31	FRANKFORT	215	-	-	3	33	9	10	6	2	1	-	5	6	124	87	1	-
32	BALANCE OF COUNTY	115	-	-	-	23	6	6	-	5	2	-	4	1	49	36	2	-
33	FULTON	157	-	-	1	24	9	6	1	3	2	2	1	4	96	58	-	2
34	GALLATIN	56	-	-	-	8	3	3	-	1	-	-	1	-	34	25	-	-
35	GARRARD	90	-	-	-	13	4	1	2	2	-	-	4	4	55	41	-	-
36	GRANT	127	-	-	-	16	6	1	2	2	1	3	1	2	74	55	-	-
37	GRAVES	409	-	-	1	63	13	14	6	8	4	3	15	6	203	140	1	1
38	MAYFIELD	161	-	-	1	24	4	5	2	4	2	-	7	4	85	56	1	-
39	BALANCE OF COUNTY	248	-	-	-	39	9	9	4	4	2	3	8	2	118	84	-	1
40	GRAYSON	180	1	-	-	31	5	8	-	2	4	-	12	1	111	91	1	-
41	GREEN	101	-	-	-	16	5	4	2	4	-	1	-	2	55	42	-	2
42	GREENUP	290	1	-	3	52	15	14	4	8	2	4	5	7	158	106	3	-
43	HANCOCK	76	-	-	-	14	2	2	1	3	-	1	5	2	36	28	1	1
44	HARDIN	412	4	-	4	58	17	12	7	8	2	2	10	4	187	129	1	-
45	ELIZABETHTOWN	130	-	-	-	14	6	2	2	1	-	1	2	3	67	43	1	-
46	BALANCE OF COUNTY	282	4	-	4	44	11	10	5	7	2	1	8	1	120	86	-	-
47	HARLAN	451	1	-	2	66	17	18	3	7	3	3	15	16	225	177	2	1
48	HARRISON	179	3	-	-	28	9	6	2	3	1	2	5	4	103	75	-	-
49	HART	161	-	-	4	20	7	1	1	3	1	1	6	2	95	72	-	1
50	HENDERSON	367	-	-	-	69	15	18	7	7	2	5	15	7	207	145	2	2
51	HENDERSON	280	-	-	-	49	10	15	5	4	1	4	10	5	161	112	2	2
52	BALANCE OF COUNTY	87	-	-	-	20	5	3	2	3	1	1	5	2	46	33	-	-
53	HENRY	142	-	-	-	19	6	3	1	3	2	-	4	2	90	59	1	4
54	HICKMAN	91	-	-	-	17	8	5	-	1	-	-	3	-	45	28	-	-
55	HOPKINS	476	3	-	3	98	18	29	7	19	1	7	17	7	250	177	1	-
56	MADISONVILLE	222	1	-	1	51	10	11	4	10	-	6	10	5	108	82	1	-
57	BALANCE OF COUNTY	254	2	-	2	47	8	18	3	9	1	1	7	2	142	95	-	-
58	JACKSON	85	-	-	-	15	5	4	-	1	-	1	4	2	51	29	1	-
59	JEFFERSON	6,750	15	-	45	1,358	355	395	106	155	54	40	253	127	3,530	2,463	37	39
60	LOUISVILLE	4,604	9	-	32	902	236	275	68	100	35	23	165	94	2,436	1,698	26	30
61	ST. MATTHEWS	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
62	SHIVELY	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
63	BALANCE OF COUNTY	2,144	6	-	13	456	119	120	38	55	19	17	88	33	1,092	764	11	9
64	JESSAMINE	178	-	-	1	31	4	9	2	6	1	1	8	3	88	73	-	2
65	JOHNSON	242	1	-	1	33	10	11	5	1	2	-	4	8	134	87	1	1
66	KENTON	1,360	3	-	8	266	69	67	26	27	11	7	59	29	754	573	8	12
67	COVINGTON	761	1	-	7	147	41	42	15	13	7	5	24	20	398	300	6	7
68	ERLANGER	81	-	-	-	17	5	5	-	4	-	1	2	1	43	35	-	-
69	BALANCE OF COUNTY	518	2	-	1	102	23	20	11	10	4	1	33	8	313	238	2	5
70	KNOTT	126	-	-	1	23	6	5	-	2	-	2	8	2	59	48	-	-
71	KNOX	290	-	-	4	51	15	16	1	5	3	2	9	4	154	126	-	-
72	LARUE	111	1	-	1	20	7	4	1	4	1	-	3	2	63	47	-	-
73	LAUREL	293	1	-	-	49	12	15	5	6	5	3	3	7	163	107	2	-
74	LAWRENCE	140	1	-	2	27	6	7	1	4	1	-	8	6	66	51	-	-
75	LEE	91	-	-	1	18	7	4	-	2	-	1	4	2	47	32	-	-
76	LESLIE	90	-	1	1	12	2	5	-	2	1	1	1	5	43	39	-	2
77	LETCHER	298	1	-	2	54	12	16	1	5	4	-	16	6	137	110	1	1
78	LEWIS	125	1	-	-	20	8	5	2	3	-	-	2	1	76	60	-	-
79	LINCOLN	171	-	-	-	28	8	6	1	5	-	-	8	7	85	67	1	-
80	LIVINGSTON	104	1	-	-	16	3	5	2	1	1	1	3	4	56	34	2	-
81	LOGAN	265	1	-	-	43	19	4	1	8	2	-	9	2	153	91	1	2
82	LYON	64	-	-	-	11	5	1	1	2	-	-	2	2	32	20	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
347	16	4	122	15	20	15	15	5	18	7	-	9	7	1	64	9	28	9	9	1	01
72	1	-	22	3	3	5	3	1	3	1	-	1	1	-	15	1	8	2	-	-	02
118	7	1	35	6	8	4	6	2	9	3	-	3	4	-	19	5	12	3	6	-	03
157	8	3	65	6	9	6	6	2	6	3	-	5	2	1	30	3	8	4	3	1	04
27	-	-	10	-	-	4	1	-	1	-	-	-	-	-	2	1	3	-	1	-	05
34	5	-	11	5	1	2	1	-	1	-	-	-	-	2	2	1	3	-	1	-	06
70	20	2	31	4	1	4	4	2	1	-	-	1	1	1	8	2	5	2	1	-	07
63	5	1	20	1	3	3	1	1	1	-	-	4	2	-	19	10	7	1	2	-	08
207	10	3	47	4	7	14	10	2	4	3	-	2	2	2	9	2	2	1	-	-	09
121	7	2	25	3	2	6	8	1	3	2	-	5	5	5	31	19	23	11	15	1	10
86	3	1	22	1	5	8	2	1	1	1	-	3	2	3	16	4	14	9	8	-	11
109	2	3	18	10	1	-	1	-	2	1	-	6	5	2	15	15	9	2	7	1	12
73	1	2	16	9	1	-	1	-	2	1	-	5	1	-	14	6	16	3	4	1	13
36	1	1	2	1	-	-	-	-	-	1	-	1	-	-	10	4	9	1	4	1	14
39	12	-	23	8	3	10	3	-	-	-	-	6	2	4	4	2	7	2	-	-	
28	2	3	8	-	-	2	1	1	-	-	-	1	-	-	12	6	7	1	1	1	15
58	5	-	10	6	5	12	1	1	-	-	-	-	2	-	8	2	10	1	-	1	16
44	1	4	5	1	3	-	-	-	-	-	-	1	2	-	7	9	5	3	1	1	17
274	18	3	74	7	14	27	4	5	12	-	-	7	9	1	8	1	2	1	-	-	18
195	12	3	57	4	9	24	4	4	10	-	-	5	5	-	67	16	24	9	4	2	19
79	6	-	17	3	5	3	-	1	2	-	-	2	4	1	49	8	14	7	2	1	20
37	1	-	15	2	2	3	-	-	-	-	-	1	1	-	18	8	10	2	2	1	21
20	3	-	8	1	-	4	-	-	-	-	-	2	-	-	10	-	3	1	-	-	22
54	10	2	20	3	4	5	2	-	-	-	-	2	1	2	8	5	2	-	1	-	23
501	34	4	145	15	16	39	10	6	21	6	-	15	25	8	121	4	4	-	-	1	24
439	34	4	130	13	14	35	9	6	20	4	-	14	24	8	109	30	34	19	18	1	25
62	-	-	15	2	2	4	1	-	1	2	-	1	1	-	12	25	31	14	16	1	26
55	6	-	22	2	-	6	-	1	1	1	-	-	2	1	15	5	3	5	2	-	27
123	16	-	39	7	2	9	2	2	2	1	-	1	7	2	41	8	10	1	-	1	28
115	5	-	41	5	4	15	2	2	7	1	-	-	2	-	36	9	20	7	6	2	29
82	4	-	30	5	2	10	1	1	6	1	-	-	-	-	18	5	15	1	1	-	30
33	1	-	11	-	2	5	1	1	1	-	-	-	2	-	18	4	6	1	-	-	31
53	3	-	32	3	3	2	1	1	2	2	-	-	2	-	9	1	9	-	1	-	32
23	2	-	8	1	-	3	-	-	-	-	-	1	2	2	7	-	7	-	2	1	33
29	12	-	13	-	1	1	1	-	-	-	-	1	1	-	3	2	3	1	-	-	34
51	4	1	14	2	2	4	-	-	-	-	-	1	1	1	7	3	1	2	-	-	35
124	14	1	53	6	3	8	3	-	-	-	-	2	2	-	10	5	4	2	2	-	36
50	5	-	24	4	1	3	4	-	-	-	-	2	5	55	19	16	11	5	2	1	37
74	9	1	29	2	2	5	3	-	-	-	-	1	2	19	7	3	3	1	1	1	38
85	5	-	19	1	-	4	2	-	-	-	-	3	2	36	12	13	8	4	1	-	39
30	10	-	11	1	1	4	2	1	1	-	-	1	2	-	9	6	9	1	-	-	40
100	3	-	41	9	2	7	3	2	1	1	-	2	-	1	8	3	4	3	1	-	41
26	-	-	4	1	3	3	-	-	2	-	-	1	8	-	17	8	12	2	4	-	42
													2	2	9	-	4	1	-	-	43
97	31	1	45	9	3	10	8	1	7	1	-	7	7	6	44	19	28	7	10	-	44
32	10	-	19	3	2	7	2	1	1	1	-	2	3	-	16	5	4	2	2	-	45
65	21	1	26	6	1	3	6	-	6	-	-	5	4	6	28	14	24	5	8	-	46
166	8	1	37	4	6	14	3	1	5	5	-	4	5	3	61	8	17	7	6	2	47
72	3	-	21	3	4	4	1	-	3	1	-	1	2	2	15	5	5	-	2	-	48
56	15	1	17	4	1	6	3	1	1	1	-	1	-	-	17	3	3	4	-	-	49
136	5	3	43	10	6	10	7	1	3	3	-	3	7	3	19	5	15	3	5	-	50
105	3	2	34	10	3	7	6	1	3	3	-	2	5	2	15	3	11	3	4	-	51
31	2	1	9	-	3	3	1	-	-	-	-	1	2	1	4	2	4	-	1	-	52
52	2	-	23	6	2	4	2	-	-	-	-	1	1	3	14	1	2	1	2	-	53
25	3	1	13	1	2	3	3	1	2	1	-	2	-	-	9	5	2	1	-	-	54
169	7	-	56	10	7	11	9	1	5	3	-	2	6	4	45	12	13	1	6	-	55
78	3	-	22	2	2	6	4	-	2	-	-	2	1	2	25	4	6	1	4	-	56
91	4	-	34	8	5	5	5	1	3	3	-	-	5	2	20	8	7	-	2	-	57
24	4	1	15	4	2	-	1	1	-	-	-	1	1	-	8	3	1	1	-	-	58
2,155	232	18	868	104	77	180	103	22	110	28	4	55	83	34	532	127	203	81	104	9	59
1,460	182	9	601	76	52	143	61	16	78	16	3	26	47	21	389	65	133	49	78	6	60
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
695	49	9	267	27	25	37	42	6	32	12	1	29	36	13	143	62	70	32	26	3	63
67	4	-	8	3	4	6	2	-	2	3	-	1	4	2	14	5	9	6	1	-	64
76	9	1	28	9	9	8	1	4	3	-	-	1	-	7	31	4	4	1	1	-	65
534	19	3	139	24	15	32	12	8	34	4	1	11	14	8	100	13	34	17	10	2	66
275	12	2	75	12	9	25	8	5	29	4	1	4	2	5	53	9	26	7	9	1	67
34	1	-	5	3	-	-	-	1	1	-	-	1	6	1	7	-	1	1	1	-	68
225	6	1	59	9	6	7	4	2	4	-	-	6	6	2	40	4	7	9	-	1	69
46	2	-	8	-	3	4	1	-	-	2	-	3	-	2	13	3	5	1	4	3	70
96	30	-	23	2	3	15	4	2	3	-	-	2	2	1	26	4	13	4	1	-	71
40	7	1	8	5	2	-	1	-	2	-	-	-	1	1	12	3	1	2	1	-	72
97	8	-	43	7	6	9	-	3	1	4	-	2	5	2	19	11	12	1	2	2	73
46	5	-	12	3	-	12	2	-	1	2	-	1	3	2	8	4	1	1	-	1	74
31	1	-	9	3	3	2	-	-	-	-	-	-	2	1	8	2	3	3	2	-	75
35	2	-	3	-	1	3	2	-	1	-	-	4	2	1	6	3	2	1	3	-	76
101	7	-	23	2	2	8	6	1	3	2	-	5	5	1	31	13	15	2	3	3	77
57	3	1	12	1	2	2	3	-	-	-	-	-	2	-	11	2	4	2	1	-	78
59	7	2	11	3	2	5	4	1	1	1	-	1	1	-	14	7	10	2	4	-	79
31	1	1	18	2	1	3	4	-	1	-	-	1	1	-	8	3	6	-	-	-	80
83	5	1	55	4	2	6	6	2	2	-	-	-	-	-	14	10	5	1	-	1	81
17	3	7	4	-	1	3	2	-	-	1	-	-	-	-	4	2	2	5	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KENTUCKY--CON.																	
01	MC CRACKEN	684	3	1	2	124	39	27	9	18	4	4	23	8	399	297	2	
02	PADUCAH	477	3	1	2	88	23	20	5	15	4	3	18	8	272	200	2	
03	BALANCE OF COUNTY	207	-	-	-	36	16	7	4	3	-	1	5	-	127	97	-	
04	MC CREARY	150	1	-	-	23	6	6	1	1	1	3	5	7	74	55	1	1
05	MC LEAN	106	1	-	-	12	6	1	-	1	1	2	1	2	66	50	-	
06	MADISON	372	1	-	6	63	21	13	2	10	6	1	10	-	222	151	-	3
07	RICHMOND	141	-	-	2	24	9	8	-	3	2	-	2	-	93	61	-	1
08	BALANCE OF COUNTY	231	1	-	4	39	12	5	2	7	4	1	8	-	129	90	-	2
09	MAGOFFIN	73	1	-	-	9	1	1	2	1	-	1	3	2	32	27	-	2
10	MARION	154	2	-	-	26	6	3	4	4	1	3	5	6	73	56	2	2
11	MARSHALL	220	-	-	2	36	4	15	1	5	2	5	4	5	131	90	-	
12	MARTIN	82	-	-	-	9	2	6	-	-	-	1	-	-	39	34	-	
13	MASON	242	1	-	-	39	8	10	2	9	4	1	5	4	154	127	-	
14	MEADE	117	-	-	2	17	6	6	2	2	-	-	1	3	35	24	1	
15	MENIFEE	34	-	-	-	8	2	2	1	3	-	-	-	-	16	12	-	
16	MERCER	217	-	-	1	33	7	8	2	6	2	2	6	6	123	86	-	1
17	METCALFE	92	3	-	1	13	7	3	1	1	-	-	1	-	62	39	-	
18	MONROE	139	-	-	1	17	4	3	1	3	2	-	4	1	95	68	-	
19	MONTGOMERY	152	-	-	1	25	8	6	3	5	1	-	2	8	87	59	1	4
20	MORGAN	122	-	-	1	21	8	3	-	6	1	1	2	-	68	55	1	5
21	MUHLENBERG	374	1	-	3	63	17	21	3	10	3	5	4	6	209	151	-	1
22	NELSON	210	1	-	-	39	8	8	-	2	5	4	12	3	111	82	-	
23	NICHOLAS	87	-	-	1	12	1	5	1	1	-	1	3	1	53	29	-	
24	OHIO	265	1	-	2	49	14	12	2	5	8	2	6	2	143	104	1	
25	OLDHAM	108	-	-	-	23	11	4	2	1	-	-	5	2	56	35	-	
26	OWEN	104	-	-	-	15	5	2	-	3	-	1	4	-	75	56	-	
27	OWSLEY	52	-	-	-	3	-	1	1	-	-	-	1	2	32	24	1	1
28	PENDLETON	122	-	-	1	19	5	5	-	5	1	1	2	3	72	59	-	
29	PERRY	246	-	-	1	37	4	10	1	5	6	1	10	3	149	120	-	1
30	PIKE	630	1	-	1	98	31	30	5	12	4	3	13	18	312	230	6	
31	POWELL	89	-	-	1	19	6	6	1	2	-	-	4	2	39	27	-	
32	PULASKI	434	3	-	2	56	16	19	3	4	2	3	9	9	246	166	3	5
33	SOMERSET	131	-	-	1	17	6	4	1	1	-	1	4	5	75	48	-	2
34	BALANCE OF COUNTY	303	3	-	1	39	10	15	2	3	2	2	5	4	171	118	3	3
35	ROBERTSON	36	-	-	-	6	1	3	1	-	-	-	1	-	20	10	1	
36	ROCKCASTLE	139	1	-	2	24	6	10	4	1	-	-	3	4	73	60	-	
37	ROWAN	125	1	-	4	24	9	3	1	5	-	3	3	-	64	37	-	
38	RUSSELL	121	-	-	1	20	4	5	1	1	-	1	8	1	70	50	1	
39	SCOTT	193	1	-	3	39	13	8	1	7	2	3	5	2	107	72	2	3
40	SHELBY	230	-	-	3	35	10	11	4	7	-	3	3	2	146	86	2	
41	SIMPSON	141	-	-	2	24	8	6	1	2	1	1	5	-	79	58	-	5
42	SPENCER	45	-	-	-	11	3	4	-	-	-	1	3	-	22	13	-	
43	TAYLOR	173	2	-	4	28	8	7	3	3	-	1	6	2	94	72	-	
44	TODD	134	-	-	1	25	9	2	1	8	-	1	4	3	76	58	-	2
45	TRIGG	102	-	-	-	14	4	2	3	-	1	2	2	1	64	46	-	1
46	TRIMBLE	52	-	-	3	9	1	3	1	1	1	-	2	2	24	18	-	
47	UNION	177	-	-	1	29	8	6	1	6	1	3	4	2	94	78	-	1
48	WARREN	543	3	-	2	92	24	24	12	14	1	2	15	11	302	188	-	3
49	BOWLING GREEN	322	3	-	2	57	17	15	9	5	1	2	8	5	180	103	-	2
50	BALANCE OF COUNTY	221	-	-	-	35	7	9	3	9	-	-	7	6	122	85	-	1
51	WASHINGTON	106	1	-	1	9	1	1	-	2	-	-	5	3	69	57	2	1
52	WAYNE	178	-	-	1	31	8	7	2	2	2	-	10	9	92	76	1	15
53	WEBSTER	209	-	-	1	36	7	9	4	2	1	5	8	2	124	93	4	2
54	WHITLEY	331	2	-	3	49	11	10	3	9	-	3	13	5	179	144	-	1
55	WOLFE	64	-	-	2	10	3	1	-	3	2	-	1	1	35	22	-	
56	WOODFORD	135	1	-	1	14	3	6	1	1	1	-	2	1	84	64	1	-
57	**LOUISIANA**	33,647	84	6	253	5,967	1,491	1,606	426	671	217	258	1,298	805	17,194	12,397	122	222
58	URBAN PLACES	16,705	47	4	122	3,040	767	797	230	349	115	119	663	465	8,430	6,139	71	129
59	BALANCE OF AREA	16,942	37	2	131	2,927	724	809	196	322	102	139	635	340	8,764	6,258	51	93
60	METROPOLITAN PARISHES	18,008	49	4	128	3,375	843	919	250	366	135	144	718	473	8,953	6,612	69	134
61	URBAN PLACES	13,454	40	4	95	2,508	639	655	192	293	97	94	538	383	6,722	4,944	57	114
62	BALANCE OF AREA	4,554	9	-	33	867	204	264	58	73	38	50	180	90	2,231	1,668	12	20
63	NONMETROPOLITAN PARISHES	15,639	35	2	125	2,592	648	687	176	305	82	114	580	332	8,241	5,785	53	88
64	URBAN PLACES	3,251	7	-	27	532	128	142	38	56	18	25	125	82	1,708	1,195	14	15
65	BALANCE OF AREA	12,388	28	2	98	2,060	520	545	138	249	64	89	455	250	6,533	4,590	39	73
66	ACADIA	517	-	-	9	91	19	29	6	11	1	3	22	10	249	161	5	1
67	CROWLEY	166	-	-	2	28	5	8	2	4	-	1	8	4	88	52	2	-
68	EUNICE, PART	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
69	BALANCE OF PARISH	349	-	-	6	63	14	21	4	7	1	2	14	6	160	108	3	1
70	ALLEN	222	-	-	1	44	12	12	3	4	2	1	10	9	103	71	-	-
71	ASCENSION	306	-	-	1	56	10	19	2	6	2	3	14	5	163	125	3	-
72	ASSUMPTION	165	-	-	2	26	7	9	4	3	1	-	2	4	85	58	-	-
73	AVOYELLES	465	1	-	3	80	15	28	1	10	6	3	17	5	249	175	-	-
74	BEAUREGARD	244	2	-	-	37	15	4	3	3	3	2	7	6	140	97	1	1
75	BIENVILLE	211	-	-	2	36	13	3	3	9	-	1	7	3	118	84	-	3
76	BOSSIER	441	-	1	3	81	16	23	3	10	2	6	21	10	206	156	6	3
77	BOSSIER CITY	231	-	1	-	51	10	15	2	6	1	4	13	3	103	83	5	-
78	SHREVEPORT, PART	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
79	BALANCE OF PARISH	204	-	-	3	30	6	8	1	4	1	2	8	6	101	72	1	3

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
262	33	4	86	4	8	12	9	2	13	3	-	5	9	5	42	13	21	6	7	-	01
175	23	3	61	4	4	10	7	2	7	2	-	4	6	4	31	3	18	4	5	-	02
87	10	1	25	-	4	2	2	-	6	1	-	1	3	1	11	10	3	2	2	-	03
43	10	1	12	3	3	-	1	1	2	1	-	-	4	-	21	6	3	2	4	-	04
38	12	-	13	1	2	1	2	-	2	-	-	-	3	1	7	3	5	-	-	1	05
137	11	1	44	16	10	7	1	1	2	-	-	2	4	1	30	6	19	6	1	-	06
53	7	-	18	11	3	2	1	-	2	-	-	1	-	-	9	1	4	1	1	-	07
84	4	1	26	5	7	5	-	1	-	-	-	1	4	1	21	5	15	5	-	-	08
21	4	1	3	-	1	6	2	-	1	-	-	-	2	2	8	4	2	-	1	1	09
46	6	-	15	2	-	4	5	-	1	-	-	2	2	1	16	7	6	1	2	-	10
82	8	-	37	1	3	7	3	1	2	1	-	1	1	2	12	7	4	5	1	-	11
25	9	-	4	-	1	4	-	1	1	-	-	1	1	1	8	3	2	1	2	1	12
126	1	-	21	2	4	5	3	-	1	1	-	1	3	1	15	1	4	9	-	-	13
22	1	1	9	1	-	4	2	-	1	-	-	1	6	1	7	5	31	2	-	-	14
10	2	-	4	-	-	1	1	-	-	-	-	1	-	-	4	-	-	2	-	1	15
81	4	-	31	4	2	6	4	1	-	-	-	-	6	1	15	6	9	5	1	-	16
33	6	-	18	4	1	2	-	-	-	-	-	-	-	-	7	1	2	1	-	-	17
65	3	-	24	1	2	3	-	-	-	2	-	-	-	-	8	5	4	2	1	-	18
48	6	1	15	8	4	2	-	-	-	-	-	-	1	-	12	4	6	2	2	2	19
42	7	-	12	1	-	5	-	-	1	-	-	-	1	-	9	1	8	5	1	1	20
123	27	2	49	4	3	11	5	3	3	-	-	5	8	-	26	13	9	7	1	1	21
77	5	2	23	1	3	5	1	-	4	-	-	1	1	1	14	15	10	2	1	1	22
26	3	-	22	1	1	4	2	1	1	-	-	1	-	-	6	-	3	1	1	-	23
101	2	2	32	2	3	19	2	-	1	1	-	-	4	1	25	2	12	1	-	-	24
31	4	-	18	2	1	1	2	-	1	1	-	-	2	1	5	8	3	2	1	-	25
55	1	1	17	-	1	1	1	-	1	-	-	1	-	-	4	1	2	1	2	-	26
17	5	-	2	5	1	-	1	1	-	-	-	1	1	-	4	3	4	-	-	-	27
55	4	-	9	3	1	5	2	-	-	1	-	-	2	-	9	-	4	2	2	-	28
109	10	-	20	3	6	4	2	-	2	-	1	3	2	2	14	8	8	4	6	-	29
206	18	2	66	10	4	23	13	3	6	4	-	4	12	3	63	17	26	12	11	3	30
23	4	-	10	1	1	6	2	1	-	-	-	1	1	1	3	4	5	2	1	1	31
136	22	1	69	7	3	16	9	4	5	1	-	2	6	4	36	13	18	1	3	-	32
40	6	1	24	1	1	7	2	3	1	-	-	1	2	2	8	2	2	1	2	-	33
96	16	-	45	6	2	9	7	1	4	1	-	1	4	2	28	11	16	-	1	-	34
9	-	-	6	4	-	2	2	-	-	-	-	2	-	1	-	1	2	-	-	-	35
43	17	-	11	1	1	4	3	-	1	1	-	-	1	2	14	3	5	1	-	-	36
25	12	-	20	1	6	3	-	1	2	-	-	1	1	1	10	5	3	2	1	3	37
40	9	-	17	-	3	3	-	1	-	1	-	-	2	1	13	-	6	1	1	-	38
64	3	2	26	5	2	7	4	-	-	1	-	-	3	-	11	4	3	6	2	-	39
77	7	1	45	13	1	5	4	-	1	1	-	1	1	2	15	4	6	5	1	1	40
46	7	1	17	2	1	2	2	1	1	-	-	3	1	1	10	6	8	2	-	-	41
12	1	-	5	2	2	-	-	-	1	-	-	-	1	-	6	2	2	-	-	-	42
67	5	-	19	-	3	8	-	-	4	-	-	1	2	1	15	2	4	5	1	-	43
49	7	-	15	1	2	3	1	1	1	2	-	-	-	-	13	5	1	2	-	-	44
41	4	1	14	1	2	2	2	-	1	-	-	1	1	1	5	2	7	1	-	-	45
16	2	-	5	1	-	3	-	-	-	-	-	-	2	1	5	1	1	1	-	-	46
71	6	-	10	6	-	7	1	1	1	-	-	3	1	1	13	11	9	3	1	-	47
168	17	4	86	17	7	18	8	2	2	-	-	7	13	3	42	13	13	7	5	-	48
90	11	1	60	11	5	11	3	1	2	-	-	4	8	-	26	5	7	3	5	-	49
78	6	3	26	6	2	7	5	1	-	-	-	3	5	3	16	8	6	4	-	-	50
53	1	-	7	3	2	-	3	-	-	-	-	-	1	1	9	1	7	-	1	-	51
48	12	1	9	2	4	5	2	-	4	1	-	3	2	-	15	3	8	1	1	-	52
68	19	-	24	2	5	5	6	1	2	1	-	1	1	-	18	2	6	1	2	-	53
121	22	-	28	3	4	14	7	-	1	-	-	5	5	6	33	11	7	3	1	-	54
22	-	-	9	3	1	-	-	-	-	-	-	1	1	1	8	1	4	-	-	-	55
54	9	-	12	6	2	8	2	-	2	-	1	3	-	-	6	3	4	5	-	-	56
11,098	955	116	3,697	581	403	813	422	106	399	221	9	302	679	328	2,709	832	1,446	407	622	43	57
5,480	459	59	1,766	271	195	402	198	55	261	124	4	135	342	121	1,407	301	671	179	384	13	58
5,618	496	57	1,931	310	208	411	224	51	138	97	5	167	337	207	1,302	531	775	228	238	30	59
5,940	469	59	1,807	262	213	404	231	54	265	128	5	165	362	137	1,489	365	743	233	417	28	60
4,427	346	48	1,391	185	154	311	164	43	215	104	3	106	268	96	1,143	233	522	149	336	9	61
1,513	123	11	416	77	59	93	67	11	50	24	2	59	94	41	346	132	221	84	81	19	62
5,158	486	57	1,890	319	190	409	191	52	134	93	4	137	317	191	1,220	467	703	174	205	15	63
1,053	113	11	375	86	41	91	34	12	46	20	1	29	74	25	264	68	149	30	48	4	64
4,105	373	46	1,515	233	149	318	157	40	88	73	3	108	243	166	956	399	554	144	157	11	65
139	16	3	62	19	4	13	13	3	6	6	-	5	16	3	49	12	19	7	6	-	66
45	5	3	21	11	1	3	3	-	2	2	-	1	2	1	15	2	9	1	3	-	67
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
93	11	-	41	8	3	10	10	3	4	4	-	4	14	2	34	10	10	6	3	-	69
66	5	-	26	1	5	4	5	2	2	3	-	1	9	2	19	6	9	2	2	-	70
108	14	-	30	5	3	6	5	-	-	3	-	1	6	2	21	13	18	3	3	-	71
54	4	1	18	5	3	5	1	1	2	2	-	-	3	-	11	9	15	1	-	-	72
164	11	1	59	8	6	13	9	2	1	2	1	2	14	1	37	17	14	9	5	-	73
91	4	-	33	7	3	7	3	2	2	-	-	2	4	4	17	7	5	2	4	-	74
77	4	-	28	2	4	8	1	1	1	2	-	2	5	2	13	2	10	1	4	-	75
137	10	-	38	6	6	8	5	2	5	5	1	6	15	4	32	19	15	14	8	1	76
72	6	-	17	2	1	6	1	1	3	3	1	4	11	1	15	8	6	9	3	1	77
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	78
64	4	-	20	4	5	2	4	1	2	2	-	2	4	3	17	11	8	5	3	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	LOUISIANA—CON.																	
01	CADDO	2,357	8	1	13	430	117	110	29	53	15	21	85	69	1,165	783	9	44
02	SHREVEPORT, PART	1,999	7	1	11	356	100	94	27	40	13	14	68	63	999	670	9	38
03	SHREVEPORT, TOTAL	2,005	7	1	11	356	100	94	27	40	13	14	68	64	1,001	671	9	38
04	BALANCE OF PARISH	358	1	-	2	74	17	16	2	13	2	7	17	6	166	113	-	6
05	CALCASIEU	1,147	1	-	12	211	45	59	21	21	10	6	49	22	584	391	4	2
06	LAKE CHARLES	649	-	-	9	118	32	31	11	10	4	3	27	16	322	212	3	2
07	SULPHUR	112	-	-	-	22	2	4	1	5	3	-	7	2	57	44	-	-
08	BALANCE OF PARISH	386	1	-	3	71	11	24	9	6	3	3	15	4	205	135	1	-
09	CALDWELL	130	-	-	1	15	5	5	2	-	-	1	2	4	79	60	-	1
10	CAMERON	55	-	-	-	11	1	6	1	-	-	-	3	-	31	25	-	-
11	CATAHOULA	121	-	-	-	18	4	6	-	2	1	3	2	4	74	37	2	1
12	CLAIBORNE	212	2	-	-	30	11	3	1	4	-	4	7	1	123	80	-	3
13	CONCORDIA	218	-	-	2	40	11	10	3	4	2	3	7	3	88	54	1	2
14	DE SOTO	263	1	-	1	47	11	11	6	7	1	3	8	5	141	76	-	3
15	EAST BATON ROUGE	2,060	2	-	13	376	81	100	26	44	18	18	89	37	1,103	887	4	6
16	BATON ROUGE	1,581	-	-	9	284	62	76	22	34	13	11	66	32	867	689	3	6
17	BALANCE OF PARISH	479	2	-	4	92	19	24	4	10	5	7	23	5	236	198	1	-
18	EAST CARROLL	152	-	-	1	23	10	1	1	8	-	-	3	5	91	61	-	5
19	EAST FELICIANA	154	-	-	1	24	5	7	2	2	-	-	8	3	80	60	1	-
20	EVANGELINE	334	1	-	2	51	15	15	4	4	2	1	10	8	161	114	1	3
21	FRANKLIN	267	1	-	2	45	6	18	1	8	2	-	10	13	144	93	-	-
22	GRANT	168	-	-	-	27	8	7	2	4	-	2	4	4	88	61	-	-
23	IBERIA	503	3	-	7	95	26	19	4	9	6	5	26	11	248	180	1	2
24	NEW IBERIA	281	2	-	2	65	15	12	3	7	5	4	19	8	127	99	1	2
25	BALANCE OF PARISH	222	1	-	5	30	11	7	1	2	1	1	7	3	121	81	-	-
26	IBERVILLE	310	-	-	4	50	17	8	2	5	1	2	15	5	163	123	1	8
27	JACKSON	198	-	-	3	28	4	9	3	2	2	-	8	1	117	67	1	2
28	JEFFERSON	2,365	3	-	18	437	112	133	30	30	16	23	93	72	1,151	883	8	7
29	GRETNA	251	1	-	1	39	9	13	2	3	1	2	9	7	131	94	1	3
30	HARAHAN	79	-	-	-	14	3	3	1	2	-	1	4	6	45	35	1	-
31	KENNER	168	3	-	-	24	6	6	2	2	-	-	8	5	65	50	1	-
32	WESTWEGO	113	-	-	-	22	6	7	1	-	1	1	6	5	49	39	-	-
33	BALANCE OF PARISH	1,754	3	-	12	338	88	104	24	23	14	19	66	49	861	665	5	4
34	JEFFERSON DAVIS	322	1	-	3	64	19	14	7	6	2	3	13	8	143	96	-	-
35	JENNINGS	133	-	-	-	22	4	4	4	2	1	1	6	5	56	42	-	-
36	BALANCE OF PARISH	189	1	-	3	42	15	10	3	4	1	2	7	3	87	54	-	-
37	LAFAYETTE	794	-	1	8	154	37	38	18	10	8	3	40	21	348	230	4	9
38	LAFAYETTE	536	-	1	7	108	28	26	14	7	6	2	25	18	232	149	2	6
39	BALANCE OF PARISH	258	-	-	1	46	9	12	4	3	2	1	15	3	116	81	2	3
40	LAFOURCHE	452	1	-	4	85	23	20	5	8	4	4	21	14	216	163	2	2
41	THIBODAUX	136	1	-	-	30	11	6	2	1	1	1	8	2	63	48	-	-
42	BALANCE OF PARISH	316	-	-	4	55	12	14	3	7	3	3	13	12	153	115	2	2
43	LA SALLE	184	1	-	1	31	7	7	1	4	-	2	10	5	97	71	-	1
44	LINCOLN	296	-	-	3	43	12	8	4	3	3	2	11	4	172	113	-	1
45	RUSTON	139	-	-	2	18	6	1	3	1	-	1	6	1	89	60	-	1
46	BALANCE OF PARISH	157	-	-	1	25	6	7	1	2	3	1	5	3	83	53	-	-
47	LIVINGSTON	291	-	1	2	50	8	23	-	7	-	1	11	2	144	113	1	-
48	MADISON	178	-	1	2	27	4	9	3	3	-	1	7	2	94	72	1	1
49	MOREHOUSE	303	1	-	4	38	10	9	4	4	1	5	5	3	170	101	-	7
50	BASTROP	161	-	-	2	15	4	4	2	2	-	1	2	2	90	56	-	5
51	BALANCE OF PARISH	142	1	-	2	23	6	5	2	2	1	4	3	1	80	45	-	2
52	NATCHITOCHES	389	3	-	2	59	17	10	4	9	1	3	15	14	225	132	1	1
53	NATCHITOCHES	157	1	-	1	23	6	3	-	5	1	2	6	5	98	55	1	-
54	BALANCE OF PARISH	232	2	-	1	36	11	7	4	4	-	1	9	9	127	77	-	1
55	ORLEANS, COEX. WITH NEW ORLEANS CITY	6,762	30	1	48	1,297	336	330	102	155	49	53	272	197	3,374	2,519	29	45
56	OUACHITA	1,070	3	-	4	185	48	53	7	26	7	5	39	31	534	406	2	16
57	MONROE	616	3	-	3	111	30	29	2	20	5	3	22	19	301	226	2	12
58	WEST MONROE	217	-	-	-	35	7	10	3	5	1	-	9	6	112	87	-	1
59	BALANCE OF PARISH	237	-	-	1	39	11	14	2	1	1	2	8	6	121	93	-	3
60	PLAQUEMINES	162	-	-	1	28	3	11	2	1	2	-	9	6	65	49	-	-
61	POINTE COUPEE	226	1	-	2	39	10	13	2	4	3	1	6	3	126	72	1	1
62	RAPIDES	1,212	1	-	11	180	47	45	15	16	7	5	45	19	649	469	3	4
63	ALEXANDRIA	619	-	-	7	94	25	25	9	8	3	1	23	10	326	230	3	2
64	BALANCE OF PARISH	593	1	-	4	86	22	20	6	8	4	4	22	9	323	239	-	2
65	RED RIVER	111	-	-	1	17	3	7	1	1	-	2	3	1	62	52	-	1
66	RICHLAND	265	3	-	4	56	15	9	5	11	2	3	11	6	152	109	1	3
67	SABINE	246	1	-	-	45	9	13	1	6	2	3	11	5	138	94	2	1
68	ST. BERNARD	383	1	-	3	93	24	27	6	7	8	6	15	6	172	126	1	1
69	ST. CHARLES	212	1	-	-	34	7	9	3	4	-	1	10	9	98	78	-	-
70	ST. HELENA	69	-	-	-	12	5	3	-	3	-	1	-	2	41	26	-	-
71	ST. JAMES	161	1	-	2	26	11	6	2	5	-	-	2	4	87	59	-	3
72	ST. JOHN THE BAPTIST	166	-	-	1	30	7	6	5	5	1	1	5	2	99	71	1	3
73	ST. LANDRY	659	-	-	3	96	27	28	8	7	3	6	17	16	353	258	4	3
74	EUNICE, PART	107	-	-	-	19	7	3	2	1	1	3	2	2	56	45	-	-
75	EUNICE, TOTAL	109	-	-	1	19	7	3	2	1	1	3	2	2	57	46	-	-
76	OPELOUSAS	222	-	-	1	34	7	11	2	4	1	3	6	8	115	87	3	-
77	BALANCE OF PARISH	330	-	-	2	43	13	14	4	2	1	-	9	6	182	126	1	3
78	ST. MARTIN	254	-	-	2	47	13	13	2	6	-	3	10	4	144	118	1	6
79	ST. MARY	459	1	-	4	81	19	22	6	10	1	6	17	17	225	182	3	1
80	MORGAN CITY	132	-	-	-	18	-	8	-	1	1	3	5	2	74	55	1	1
81	BALANCE OF PARISH	327	1	-	4	63	19	14	6	9	-	3	12	15	151	127	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
631	99	11	313	20	38	62	36	6	31	20		18	45	28	221	45	84	20	52	3	01
539	84	11	274	13	31	52	33	6	26	16		14	40	19	188	32	72	14	47	3	02
540	84	11	275	13	31	52	33	6	26	16		14	40	19	188	32	73	14	49	3	03
92	15	-	39	7	7	10	3	-	5	4		4	5	9	33	13	12	6	5	-	04
353	32	10	141	23	19	28	14	4	11	5		17	25	5	87	33	52	20	15	1	05
193	14	4	79	13	14	16	7	3	9	5		7	16	3	52	15	32	7	11	1	06
42	2	-	12	-	1	2	2	-	-	-		4	2	-	8	8	3	2	-	-	07
118	16	6	50	10	4	10	5	1	2	5		6	7	2	27	10	17	11	4	-	08
47	6	-	12	5	2	1	1	-	1	2	1	-	2	2	11	5	3	1	-	1	09
23	2	-	6	-	-	2	1	-	1	-	-	-	1	-	4	1	5	1	-	-	10
33	1	-	31	4	2	8	1	-	1	1	-	2	1	-	7	1	6	2	2	-	11
72	5	1	36	2	4	7	2	1	1	3	-	2	7	1	14	3	8	4	3	-	12
46	5	1	28	3	2	10	1	1	2	1	-	2	2	43	6	4	10	-	5	-	13
60	13	3	51	7	4	47	29	3	26	15	-	27	4	2	24	4	14	4	3	-	14
833	44	3	165	26	22	35	18	3	20	12	-	8	21	4	147	52	69	41	52	2	15
644	36	3	135	24	16	12	11	-	6	3	-	7	6	-	115	38	44	31	40	-	16
189	8	-	30	2	6										32	14	25	10	12	2	17
53	3	-	23	4	3	4	3	-	-	2	-	2	-	1	6	2	5	4	3	-	18
54	5	-	16	1	3	5	-	-	-	3	-	1	1	-	14	11	10	-	1	-	19
104	6	-	37	6	4	10	1	-	-	2	-	4	10	-	35	9	20	11	6	-	20
90	3	-	45	3	3	3	5	-	-	1	-	-	-	11	20	6	2	3	4	-	21
59	2	2	21	4	-	6	4	-	-	3	-	3	2	1	13	6	8	1	2	-	22
154	23	1	88	22	7	12	5	1	1	2	-	7	18	4	40	11	22	3	5	2	23
81	15	-	16	7	5	8	4	1	1	5	1	3	12	1	21	5	11	2	4	2	24
73	8	1	22	15	2	4	1	-	1	2	-	4	6	3	19	6	11	1	1	-	25
96	18	-	35	1	4	9	5	1	1	2	-	4	4	1	21	7	22	6	5	-	26
63	1	3	39	3	5	5	3	1	2	2	-	1	2	-	15	3	10	1	3	1	27
811	57	2	206	32	28	35	29	7	36	10	-	33	54	11	177	47	118	46	65	14	28
85	5	1	28	5	3	4	4	1	4	-	2	1	4	2	17	7	15	8	6	-	29
33	1	-	7	1	2	-	2	-	1	-	-	1	1	-	6	-	1	1	1	-	30
45	4	-	15	-	-	7	3	-	1	-	-	4	7	1	13	5	10	3	9	2	31
38	1	-	7	1	2	2	-	-	5	2	-	2	2	-	12	2	7	1	6	-	32
610	46	1	149	25	21	22	20	6	25	8	2	25	40	8	129	33	85	33	43	12	33
80	16	2	30	13	2	10	4	-	2	2	-	5	4	10	37	9	12	5	3	-	34
36	6	1	9	3	1	6	1	-	-	2	-	3	3	2	19	4	6	4	-	-	35
44	10	1	21	10	1	4	3	-	2	-	-	2	1	8	18	5	6	1	3	-	36
196	21	-	82	27	9	24	11	2	7	4	-	7	32	3	77	28	41	16	10	-	37
126	15	-	56	20	7	14	6	2	6	3	-	6	23	3	50	15	25	10	7	-	38
70	6	-	26	7	2	10	5	-	2	1	-	1	9	-	27	13	16	6	3	-	39
148	11	1	30	18	4	11	4	1	3	1	-	5	13	1	32	19	27	6	9	-	40
47	1	-	7	6	2	3	-	1	2	1	-	2	4	-	11	3	9	2	2	-	41
101	10	1	23	12	2	8	4	-	1	-	-	3	9	1	21	16	18	4	7	-	42
68	2	1	20	3	2	9	4	-	2	-	-	1	2	2	13	9	4	3	-	-	43
103	9	4	46	3	6	3	2	3	6	-	-	2	6	4	20	8	14	1	5	-	44
54	5	2	23	2	2	2	1	-	3	-	-	1	2	3	7	2	5	-	3	-	45
49	4	2	23	1	4	1	1	3	3	-	-	1	4	1	13	6	9	1	2	-	46
100	12	1	23	5	2	9	5	1	2	-	-	3	5	10	28	12	9	3	2	3	47
69	1	3	15	3	1	6	3	-	2	2	-	2	4	3	17	-	9	1	3	-	48
84	10	1	47	16	5	9	5	-	4	1	-	4	9	3	30	6	13	1	2	-	49
44	7	-	22	10	2	4	2	-	3	1	-	2	3	1	20	4	10	1	2	-	50
40	3	1	25	6	3	5	3	-	1	1	-	2	6	2	10	2	3	-	-	-	51
121	9	3	81	4	5	7	2	-	2	1	-	2	5	4	21	15	16	7	4	-	52
50	4	-	38	2	3	2	1	-	-	-	-	1	2	2	7	2	8	2	2	-	53
71	5	3	43	2	2	5	1	-	2	1	-	1	3	2	14	13	8	5	2	-	54
2,279	166	23	679	83	70	148	69	24	126	51	2	47	119	31	605	82	269	49	192	1	55
370	18	6	88	24	10	27	20	1	14	10	-	11	25	42	56	33	41	16	13	4	56
204	8	5	50	17	3	18	13	1	8	6	-	4	18	26	34	16	20	6	9	-	57
83	3	-	17	5	3	4	5	-	4	3	-	2	4	6	11	4	11	6	3	1	58
83	7	1	21	2	4	5	2	-	2	1	-	5	3	10	11	13	10	4	1	3	59
38	11	-	14	1	1	6	1	-	-	2	-	2	4	3	15	6	18	2	2	-	60
66	4	1	46	3	4	6	4	1	1	2	-	1	1	2	16	7	6	7	1	-	61
437	25	3	144	18	15	36	26	7	23	12	-	12	21	6	96	33	48	8	24	-	62
216	9	2	75	9	10	19	10	4	16	9	-	4	12	4	51	11	26	3	13	-	63
221	16	1	69	9	5	17	16	3	7	3	-	8	9	2	45	22	22	5	11	-	64
47	4	-	8	2	-	1	2	-	1	-	-	-	1	1	16	3	4	-	1	-	65
97	8	4	35	1	3	8	1	2	1	-	-	4	1	1	15	2	6	1	2	-	66
72	19	2	31	8	3	7	3	-	3	1	-	1	3	1	19	7	9	1	3	-	67
112	12	1	33	7	5	8	6	2	2	3	-	5	13	3	30	8	21	3	4	1	68
68	10	2	17	-	1	4	2	-	2	1	-	-	8	-	17	11	13	5	5	-	69
24	2	-	10	1	4	2	1	-	-	-	-	-	1	-	4	1	4	1	-	-	70
50	6	-	19	6	3	2	3	1	1	-	-	1	4	1	19	4	2	2	2	-	71
64	3	3	19	3	3	3	1	1	1	-	-	1	5	1	4	4	6	2	2	-	72
230	21	1	81	4	9	29	10	1	4	2	-	3	17	2	48	27	26	10	6	1	73
41	4	-	8	1	2	4	1	-	2	-	-	-	2	1	11	1	3	4	-	1	74
42	4	-	8	1	2	4	1	-	2	-	-	-	2	1	11	1	3	4	-	1	75
72	12	-	24	1	3	12	3	-	4	1	-	2	5	1	19	5	9	2	1	-	76
117	5	1	49	2	4	13	6	1	3	1	-	1	10	-	18	21	14	4	5	-	77
109	2	1	24	1	-	1	1	-	2	-	-	5	5	-	16	10	10	3	3	-	78
163	15	2	28	8	5	8	2	-	4	1	-	4	13	4	27	13	44	5	4	1	79
46	7	-	11	6	2	5	-	1	2	-	-	-	6	1	6	2	12	2	1	-	80
117	8	2	17	2	3	3	2	1	2	-	-	4	7	3	21	11	32	3	3	1	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	LOUISIANA—CON.																	
01	ST. TAMMANY	629	1	-	6	111	27	46	8	10	2	3	15	8	316	231	2	1
02	SLIDELL	134	-	-	2	27	8	11	2	4	-	-	2	3	63	46	1	1
03	BALANCE OF PARISH	495	1	-	4	84	19	35	6	6	2	3	13	5	253	185	1	-
04	TANGIPAHOA	706	-	-	4	103	30	20	9	9	1	6	28	6	406	283	4	-
05	HAMMOND	129	-	-	1	20	3	4	3	-	-	2	8	1	70	44	-	-
06	BALANCE OF PARISH	577	-	-	3	83	27	16	6	9	1	4	20	5	336	239	4	-
07	TENSAS	100	-	-	3	8	2	2	-	2	1	1	-	-	60	44	-	-
08	TERREBONNE	525	-	-	4	87	22	31	4	7	2	-	21	13	263	186	2	1
09	HOUMA	266	-	-	1	51	15	17	1	4	2	-	12	9	133	94	-	-
10	BALANCE OF PARISH	259	-	-	3	36	7	14	3	3	-	-	9	4	130	92	2	1
11	UNION	201	-	-	1	43	10	5	2	8	-	3	15	5	100	72	-	2
12	VERMILION	439	-	-	3	89	16	26	6	14	4	4	19	11	218	165	1	1
13	ABBEVILLE	150	-	-	1	33	7	11	1	7	-	2	5	7	71	53	-	1
14	BALANCE OF PARISH	289	-	-	2	56	9	15	5	7	4	2	14	4	147	112	1	-
15	VERNON	285	1	-	1	51	5	15	5	6	2	4	14	4	116	86	1	-
16	WASHINGTON	536	3	-	4	70	14	25	6	7	4	1	13	16	291	202	1	1
17	BOGALUSA	280	3	-	3	35	5	16	4	4	1	-	5	11	157	110	1	-
18	BALANCE OF PARISH	256	-	-	1	35	9	9	2	3	3	1	8	5	134	92	-	1
19	WEBSTER	442	3	-	5	73	21	23	2	14	1	1	11	10	252	173	5	3
20	MINDEN	171	-	-	3	27	8	9	-	5	1	-	4	5	94	64	2	3
21	BALANCE OF PARISH	271	3	-	2	46	13	14	2	9	-	1	7	5	158	109	3	-
22	WEST BATON ROUGE	147	1	-	2	30	8	10	1	4	-	-	7	3	77	50	-	-
23	WEST CARROLL	142	-	-	1	23	7	4	1	1	1	3	6	2	84	58	1	-
24	WEST FELICIANA	63	-	-	-	10	2	4	-	2	-	-	2	-	34	31	-	-
25	WINN	221	-	-	3	43	10	8	6	3	2	1	13	7	105	75	-	-
26	**MAINE**	10,717	12	-	57	2,036	608	443	192	237	112	80	364	196	5,779	4,277	64	79
27	URBAN PLACES	3,425	5	-	18	642	185	118	67	82	40	33	117	63	1,886	1,397	30	29
28	BALANCE OF AREA	7,292	7	-	39	1,394	423	325	125	155	72	47	247	133	3,893	2,880	34	50
29	METROPOLITAN COUNTIES	2,106	3	-	11	435	115	106	42	44	27	22	79	39	1,119	827	18	8
30	URBAN PLACES	1,207	2	-	7	238	65	50	27	29	16	11	40	21	665	488	12	6
31	BALANCE OF AREA	899	1	-	4	197	50	56	15	15	11	11	39	18	454	339	6	2
32	NONMETROPOLITAN COUNTIES	8,611	9	-	46	1,601	493	337	150	193	85	58	285	157	4,660	3,450	46	71
33	URBAN PLACES	2,218	3	-	11	404	120	68	40	53	24	22	77	42	1,221	909	18	23
34	BALANCE OF AREA	6,393	6	-	35	1,197	373	269	110	140	61	36	208	115	3,439	2,541	28	48
35	ANDROSCOGGIN	960	2	-	4	164	52	34	14	17	10	7	30	14	549	443	10	3
36	AUBURN	253	1	-	-	33	7	6	3	3	2	1	11	6	148	120	3	1
37	LEWISTON	481	1	-	2	90	35	17	7	8	5	5	13	4	277	217	4	1
38	BALANCE OF COUNTY	226	-	-	2	41	10	11	4	6	3	1	6	4	124	106	3	1
39	AROOSTOOK	742	-	-	5	126	43	24	14	12	8	8	17	14	378	293	2	3
40	CARIBOU	85	-	-	2	15	5	2	1	1	2	2	2	1	40	31	-	-
41	PRESQUE ISLE	77	-	-	-	14	3	2	2	3	-	1	3	-	42	34	-	-
42	BALANCE OF COUNTY	580	-	-	3	97	35	20	11	8	6	5	12	13	296	228	2	3
43	CUMBERLAND	2,106	3	-	11	435	115	106	42	44	27	22	79	39	1,119	827	18	8
44	PORTLAND	836	1	-	6	163	42	29	24	19	13	9	27	14	474	346	9	4
45	SOUTH PORTLAND	244	-	-	1	49	17	13	3	5	2	1	8	3	138	98	2	2
46	WESTBROOK	127	1	-	-	26	6	8	-	5	1	1	5	4	53	44	1	-
47	BALANCE OF COUNTY	899	1	-	4	197	50	56	15	15	11	11	39	18	454	339	6	2
48	FRANKLIN	246	-	-	3	49	8	12	8	6	5	-	10	3	129	106	1	2
49	HANCOCK	420	-	-	1	77	25	19	4	10	3	-	16	4	228	164	1	1
50	KENNEBEC	1,043	2	-	2	200	51	35	22	30	10	11	41	24	538	363	2	5
51	AUGUSTA	252	-	-	1	47	12	8	4	11	1	2	9	6	122	86	1	-
52	WATERVILLE	192	-	-	-	41	13	4	8	4	2	3	7	6	101	69	-	2
53	BALANCE OF COUNTY	599	2	-	1	112	26	23	10	15	7	6	25	12	315	208	1	3
54	KNOX	393	-	-	2	68	15	24	7	6	7	1	8	11	222	144	3	2
55	LINCOLN	294	-	-	3	63	23	18	7	5	2	-	8	9	139	112	-	2
56	OXFORD	477	-	-	2	97	37	17	6	16	4	5	12	15	250	181	2	-
57	PENOBSCOT	1,155	1	-	8	204	58	49	19	19	13	10	36	27	602	445	4	10
58	BANGOR	364	-	-	2	69	15	15	6	7	7	2	17	6	197	131	3	6
59	BALANCE OF COUNTY	791	1	-	6	135	43	34	13	12	6	8	19	21	405	314	1	4
60	PISCATAQUIS	191	-	-	-	41	13	11	2	7	2	-	6	2	108	84	-	10
61	SAGADAHOC	274	1	-	1	53	12	13	6	11	2	2	7	1	157	123	4	1
62	SOMERSET	471	-	-	3	85	25	16	11	7	6	-	20	3	278	200	2	4
63	WALDO	288	2	-	1	51	22	5	2	7	1	-	14	3	151	104	2	1
64	WASHINGTON	416	-	-	1	83	28	15	6	8	3	4	19	6	233	174	4	6
65	YORK	1,241	1	-	10	240	81	45	22	32	9	10	41	21	698	514	9	21
66	BIDDEFORD	238	1	-	1	41	13	8	4	7	4	-	5	7	133	106	3	10
67	SACO	103	-	-	1	22	7	4	2	6	-	-	3	3	63	47	-	2
68	SANFORD TOWN	173	-	-	2	32	10	2	3	3	1	6	7	3	98	68	4	1
69	BALANCE OF COUNTY	727	-	-	6	145	51	31	13	16	4	4	26	8	404	293	2	8
70	**MARYLAND**	32,965	75	3	271	6,705	1,687	1,686	613	792	327	246	1,354	790	16,332	12,739	249	159
71	URBAN PLACES	13,815	42	2	110	2,722	669	720	248	332	119	88	546	366	6,734	5,304	80	51
72	BALANCE OF AREA	19,150	33	1	161	3,983	1,018	966	365	460	208	158	808	424	9,598	7,435	169	108

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
218	10	3	62	14	6	17	12	3	8	5	-	6	7	6	57	18	33	8	6	1	01
43	1	1	14	1	1	3	1	2	2	3	-	2	-	-	17	1	6	2	-	-	02
175	9	2	48	13	5	14	11	1	6	2	-	4	7	6	40	17	27	6	6	1	03
265	14	1	102	11	9	22	5	3	3	2	-	5	18	11	50	20	20	12	16	-	04
43	1	-	22	1	3	3	1	1	2	1	-	2	5	2	6	4	5	1	4	-	05
222	13	1	80	10	6	19	4	2	1	1	-	3	13	9	44	16	15	11	12	-	06
40	4	-	13	2	1	1	2	-	-	3	1	-	2	1	8	4	3	1	3	-	07
172	11	1	41	33	2	10	6	3	4	1	-	8	21	2	42	28	21	4	7	1	08
91	3	1	18	19	1	4	3	2	2	-	-	2	8	1	17	10	15	3	4	1	09
81	8	-	23	14	1	6	3	1	2	1	-	6	13	1	25	18	6	1	3	-	10
61	9	-	22	4	2	5	3	1	1	-	-	1	-	4	22	4	8	1	1	1	11
146	17	-	47	3	3	10	4	3	3	4	-	7	7	2	41	11	20	4	1	1	12
47	5	-	16	1	1	2	-	2	-	2	-	1	1	2	17	2	6	2	1	-	13
99	12	-	31	2	2	8	4	1	3	2	-	6	6	-	24	9	14	2	-	1	14
79	6	-	20	5	5	8	4	-	4	3	-	4	6	22	23	3	23	3	8	1	15
166	34	-	71	12	6	18	5	1	7	4	-	5	8	1	52	19	19	2	10	1	16
89	20	-	40	5	2	8	3	-	4	2	-	2	3	1	26	7	9	1	5	-	17
77	14	-	31	7	4	10	2	1	3	2	-	3	5	-	26	12	10	1	5	1	18
147	18	3	60	11	5	11	2	1	2	1	-	3	6	4	25	12	23	3	6	-	19
50	9	2	25	2	1	6	1	-	2	-	-	3	4	2	11	4	6	-	3	-	20
97	9	1	35	9	4	5	1	1	-	1	-	-	2	2	14	8	17	3	3	-	21
47	3	1	16	4	6	1	-	-	-	-	-	2	2	1	12	6	7	1	2	-	22
56	1	-	26	-	-	4	1	-	-	-	-	-	1	1	12	3	7	-	1	-	23
26	5	-	2	1	-	-	-	-	2	1	-	1	-	-	4	3	6	1	-	1	24
62	13	-	28	-	2	4	3	1	1	2	-	1	3	3	22	9	11	2	1	-	25
3,881	253	29	1,106	215	152	340	191	32	178	32	-	75	134	67	849	214	344	139	27	15	26
1,280	58	13	364	70	42	105	70	9	73	13	-	23	41	8	279	50	90	32	11	7	27
2,601	195	16	742	145	110	235	121	23	105	19	-	52	93	59	570	164	254	107	16	8	28
766	35	5	225	33	29	64	34	7	36	11	-	15	15	6	194	30	57	24	5	1	29
451	19	5	138	19	15	32	21	5	23	6	-	7	8	1	126	8	25	7	4	1	30
315	16	-	87	14	14	32	13	2	13	5	-	8	7	5	68	22	32	17	1	-	31
3,115	218	24	881	182	123	276	157	25	142	21	-	60	119	61	655	184	287	115	22	14	32
829	39	8	226	51	27	73	49	4	50	7	-	16	33	7	153	42	65	25	7	6	33
2,286	179	16	655	131	96	203	108	21	92	14	-	44	86	54	502	142	222	90	15	8	34
416	14	2	80	15	9	33	28	2	20	5	-	4	18	1	55	23	24	9	3	2	35
112	4	-	23	4	1	9	12	-	3	1	-	1	3	-	17	10	6	1	-	2	36
209	3	1	44	10	5	18	10	1	12	2	-	3	9	-	23	10	13	4	2	-	37
95	7	1	13	1	3	6	6	1	5	2	-	-	6	1	15	3	5	4	1	-	38
268	20	3	65	8	9	20	16	2	17	1	-	3	17	3	66	15	44	9	2	4	39
31	-	-	6	-	3	1	2	-	3	1	-	-	2	1	10	-	3	3	-	1	40
33	1	-	7	1	-	2	-	-	5	-	-	-	1	-	7	1	3	1	-	1	41
204	19	3	52	7	6	17	14	2	9	-	-	3	14	2	49	14	38	5	2	2	42
766	35	5	225	33	29	64	34	7	36	11	-	15	15	6	194	30	57	24	5	1	43
320	13	4	106	13	5	21	14	4	13	3	-	5	1	1	87	4	17	4	3	1	44
91	3	-	27	5	8	5	6	-	3	2	-	-	4	-	23	2	5	2	1	-	45
40	3	1	5	1	2	6	1	1	7	1	-	2	3	-	16	2	3	1	-	-	46
315	16	-	87	14	14	32	13	2	13	5	-	8	7	5	68	22	32	17	1	-	47
99	4	-	18	1	4	8	3	1	2	1	-	-	1	4	22	5	7	5	3	-	48
154	8	-	53	2	9	12	5	-	5	-	-	3	5	1	34	17	21	7	-	-	49
340	16	6	131	20	18	34	26	4	24	3	-	9	18	2	75	20	37	21	2	2	50
83	2	1	32	-	3	9	6	1	6	-	-	4	6	-	22	6	11	5	-	-	51
64	3	-	26	1	5	5	5	-	6	1	-	1	1	1	10	5	4	3	1	1	52
193	11	5	73	19	10	20	15	3	12	2	-	4	11	1	43	9	22	13	1	1	53
135	4	-	55	12	11	15	6	3	5	1	-	9	3	3	27	3	6	8	1	-	54
105	5	2	17	5	3	24	8	1	6	2	-	1	2	-	20	7	5	2	2	-	55
167	12	2	52	9	6	19	8	-	3	1	-	4	8	1	36	12	13	6	1	1	56
385	46	2	117	23	15	45	9	1	18	3	-	13	22	31	87	24	45	10	4	1	57
114	8	2	48	12	4	10	4	-	7	1	-	5	8	4	27	5	14	2	2	1	58
271	38	-	69	11	11	35	5	1	11	2	-	8	14	27	60	19	31	8	2	-	59
66	8	-	15	6	3	4	3	-	3	-	-	-	2	1	14	5	7	1	-	-	60
114	4	-	29	2	3	7	3	-	4	-	-	1	1	2	19	5	16	2	-	1	61
179	15	1	48	23	6	5	5	3	11	1	-	2	4	1	37	11	17	4	-	1	62
85	16	-	36	11	-	2	8	2	5	-	-	3	6	1	32	8	8	3	-	2	63
155	9	-	51	3	5	5	11	1	4	2	-	2	2	5	37	9	7	8	-	-	64
447	37	6	114	42	22	43	18	5	15	1	-	6	10	5	94	20	30	20	4	-	65
82	11	-	11	13	3	11	3	2	5	1	-	-	2	-	19	-	8	3	1	-	66
41	4	1	11	3	1	2	1	-	2	-	-	1	-	-	6	1	-	-	1	-	67
60	3	3	18	7	2	6	6	-	1	-	-	1	1	1	12	4	3	3	-	-	68
264	19	2	74	19	16	24	8	3	7	-	-	4	7	4	57	15	19	14	2	-	69
11,465	866	103	2,587	466	437	707	326	103	725	167	7	241	470	442	2,895	756	884	435	503	128	70
4,795	378	46	1,058	159	167	315	120	42	384	90	-	75	183	213	1,325	193	371	141	318	69	71
6,670	488	57	1,529	307	270	392	206	61	341	77	7	166	287	229	1,570	563	513	294	185	59	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MARYLAND—CON.																	
01	METROPOLITAN COUNTIES...	26,549	50	3	236	5,490	1,364	1,406	514	643	267	190	1,106	658	12,909	10,164	192	120
02	URBAN PLACES.....	12,170	35	2	102	2,462	597	662	223	304	103	75	498	325	5,782	4,599	66	42
03	BALANCE OF AREA.....	14,379	15	1	134	3,028	767	744	291	339	164	115	608	333	7,127	5,565	126	78
04	NONMETROPOLITAN COUNTIES	6,416	25	-	35	1,215	323	280	99	149	60	56	248	132	3,423	2,575	57	39
05	URBAN PLACES.....	1,645	7	-	8	260	72	58	25	28	16	13	48	41	952	705	14	9
06	BALANCE OF AREA.....	4,771	18	-	27	955	251	222	74	121	44	43	200	91	2,471	1,870	43	30
07	ALLEGANY.....	978	4	-	3	175	39	43	20	23	9	7	34	18	567	456	7	2
08	CUMBERLAND.....	461	1	-	2	71	13	22	12	8	3	2	11	10	274	221	3	1
09	BALANCE OF COUNTY....	517	3	-	1	104	26	21	8	15	6	5	23	8	293	235	4	1
10	ANNE ARUNDEL.....	1,965	1	-	19	418	100	100	35	56	11	13	103	53	903	692	12	2
11	ANNAPOLIS.....	297	1	-	-	61	19	11	4	6	1	2	18	8	151	104	-	-
12	BALANCE OF COUNTY....	1,668	-	-	19	357	81	89	31	50	10	11	85	45	752	588	12	2
13	BALTIMORE.....	5,146	6	1	50	1,117	300	279	97	100	65	38	238	143	2,690	2,215	51	21
14	BALTIMORE CITY.....	10,252	31	2	91	2,034	499	548	186	251	87	52	411	286	4,855	3,893	51	32
15	CALVERT.....	226	-	-	3	39	8	4	6	2	2	3	14	5	98	79	1	-
16	CAROLINE.....	249	-	-	-	47	9	11	7	6	2	1	11	1	145	112	2	1
17	CARROLL.....	627	-	-	3	117	24	28	11	22	10	5	17	20	340	241	7	3
18	CECIL.....	414	1	-	3	84	19	24	3	6	7	3	22	7	204	166	5	4
19	CHARLES.....	315	4	-	3	80	19	22	3	11	5	4	16	6	112	82	4	1
20	DORCHESTER.....	384	5	-	1	79	30	10	8	12	-	-	19	10	199	152	2	5
21	CAMBRIDGE.....	155	3	-	1	25	10	4	3	1	-	-	7	7	85	64	1	2
22	BALANCE OF COUNTY....	229	2	-	-	54	20	6	5	11	-	-	12	3	114	88	1	3
23	FREDERICK.....	812	-	-	7	160	50	31	10	14	13	10	32	20	436	342	9	6
24	FREDERICK.....	268	-	-	1	43	12	10	5	5	6	3	2	2	164	124	5	3
25	BALANCE OF COUNTY....	544	-	-	6	117	38	21	5	9	7	7	30	18	272	218	4	3
26	GARRETT.....	259	2	-	3	35	14	6	1	4	2	-	8	8	165	115	4	4
27	HARFORD.....	771	-	-	7	137	33	37	16	16	7	5	23	18	392	308	8	3
28	ABERDEEN.....	80	-	-	-	13	3	5	1	1	-	1	2	1	46	38	3	-
29	BALANCE OF COUNTY....	691	-	-	7	124	30	32	15	15	7	4	21	17	346	270	5	3
30	HOWARD.....	405	-	-	2	88	26	25	8	9	1	4	15	8	200	167	3	4
31	KENT.....	207	-	-	1	29	8	6	3	2	-	2	8	5	110	103	1	1
32	MONTGOMERY.....	3,479	3	-	20	791	197	171	106	88	42	34	153	55	1,761	1,204	28	29
33	ROCKVILLE.....	439	-	-	3	97	22	23	12	10	3	5	22	10	214	163	4	2
34	TAKOMA PARK, PART....	120	-	-	-	30	6	12	3	2	2	1	4	4	59	44	-	2
35	TAKOMA PARK, TOTAL...	159	1	-	-	37	7	15	5	2	3	1	4	4	80	62	-	2
36	BALANCE OF COUNTY....	2,920	3	-	17	664	169	136	91	76	37	28	127	41	1,488	1,077	24	25
37	PRINCE GEORGES.....	3,490	8	-	41	704	166	194	52	95	37	36	124	68	1,564	1,198	27	22
38	BOWIE.....	117	-	-	1	25	3	6	1	6	1	2	6	1	54	46	1	2
39	COLLEGE PARK.....	116	-	-	-	42	9	16	1	6	-	1	9	-	40	28	1	-
40	GREENBELT.....	68	-	-	-	11	-	1	1	3	-	3	3	3	32	22	2	-
41	HYATTSVILLE.....	461	2	-	5	102	25	30	10	13	5	6	13	9	233	182	3	4
42	LAUREL.....	142	-	-	2	30	7	7	1	5	2	2	6	2	63	50	1	-
43	NEW CARROLLTON.....	39	-	-	-	10	3	-	1	1	1	-	4	1	14	11	-	-
44	TAKOMA PARK, PART....	39	1	-	-	7	1	3	2	-	1	-	-	-	21	18	-	-
45	BALANCE OF COUNTY....	2,508	5	-	33	477	118	131	35	61	27	22	83	52	1,107	841	19	16
46	QUEEN ANNES.....	195	-	-	-	34	6	11	3	3	-	2	9	4	109	92	-	-
47	ST. MARYS.....	330	1	-	-	62	15	15	4	12	2	2	12	7	133	89	-	-
48	SOMERSET.....	237	1	-	1	55	11	17	6	6	4	4	7	4	130	75	4	1
49	TALBOT.....	308	3	-	1	65	14	24	4	8	4	4	7	2	155	112	5	1
50	WASHINGTON.....	1,029	1	-	6	199	64	37	14	27	12	10	35	28	572	420	10	3
51	HAGERSTOWN.....	493	1	-	2	80	25	12	3	11	6	7	16	15	283	194	4	-
52	BALANCE OF COUNTY....	536	-	-	4	119	39	25	11	16	6	3	19	13	289	226	6	3
53	WICOMICO.....	580	4	-	4	96	21	27	8	13	2	4	21	13	318	220	5	10
54	SALISBURY.....	268	2	-	2	41	12	10	2	3	1	1	12	7	146	102	1	3
55	BALANCE OF COUNTY....	312	2	-	2	55	9	17	6	10	1	3	9	6	172	118	4	7
56	WORCESTER.....	307	-	-	2	60	15	16	2	6	3	3	15	1	174	126	3	4
57	**MASSACHUSETTS...**	55,996	75	2	335	11,221	3,385	2,417	1,079	1,273	496	408	2,163	1,114	29,863	22,293	413	380
58	URBAN PLACES.....	40,723	60	1	258	8,088	2,474	1,780	778	876	346	297	1,537	839	21,663	16,233	315	293
59	BALANCE OF AREA.....	15,273	15	1	77	3,133	911	637	301	397	150	111	626	275	8,200	6,060	98	87
60	METROPOLITAN COUNTIES...	53,657	73	1	324	10,688	3,225	2,304	1,030	1,211	473	389	2,056	1,074	28,652	21,430	399	369
61	URBAN PLACES.....	40,723	60	1	258	8,088	2,474	1,780	778	876	346	297	1,537	839	21,663	16,233	315	293
62	BALANCE OF AREA.....	12,934	13	-	66	2,600	751	524	252	335	127	92	519	235	6,989	5,197	84	76
63	NONMETROPOLITAN COUNTIES	2,339	2	1	11	533	160	113	49	62	23	19	107	40	1,211	863	14	11
64	URBAN PLACES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	BALANCE OF AREA.....	2,339	2	1	11	533	160	113	49	62	23	19	107	40	1,211	863	14	11
66	BARNSTABLE.....	1,482	2	1	7	366	110	75	38	41	16	12	74	29	736	512	8	6
67	BERKSHIRE.....	1,562	1	-	10	291	77	61	29	47	9	16	52	44	856	598	8	9
68	NORTH ADAMS.....	219	-	-	-	43	9	12	7	5	1	2	7	9	127	83	1	1
69	PITTSFIELD.....	598	-	-	5	116	33	23	10	18	2	8	22	18	321	222	4	5
70	BALANCE OF COUNTY....	745	1	-	5	132	35	26	12	24	6	6	23	17	408	293	3	3
71	BRISTOL.....	4,630	11	-	17	935	290	190	107	111	43	26	168	159	2,578	1,915	23	55
72	ATTLEBORO.....	304	2	-	1	63	16	12	7	11	3	1	13	4	181	132	-	-
73	FALL RIVER.....	1,125	1	-	4	220	80	48	20	20	15	4	33	36	647	487	2	8
74	NEW BEDFORD.....	1,256	4	-	6	250	72	52	34	31	9	9	43	54	685	501	10	30
75	SOMERSET TOWN#.....	153	-	-	-	40	15	6	4	3	1	2	9	8	73	55	-	2
76	TAUNTON.....	471	1	-	1	88	33	15	1	13	2	4	20	24	265	197	2	6
77	BALANCE OF COUNTY....	1,321	3	-	5	274	74	57	41	33	13	6	50	33	727	543	9	9
78	DUKES.....	113	-	-	-	20	7	4	1	3	1	-	4	1	69	47	1	1

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
9,085	767	81	1,956	346	362	558	251	80	632	138	6	208	380	386	2,395	548	695	350	460	116	01
4,136	355	43	871	120	149	276	96	36	352	83	-	66	156	204	1,195	172	334	122	304	66	02
4,949	412	38	1,085	226	213	282	155	44	280	55	6	142	224	182	1,200	376	361	228	156	50	03
2,380	99	22	631	120	75	149	75	23	93	29	1	33	90	56	500	208	189	85	43	12	04
659	23	3	187	39	18	39	24	6	32	7	-	9	27	9	130	21	37	19	14	3	05
1,721	78	19	444	81	57	110	51	17	61	22	1	24	63	47	370	187	152	66	29	9	06
435	12	1	85	18	7	19	10	2	12	4	-	5	11	1	82	22	23	16	3	1	07
212	5	1	35	11	6	7	7	1	10	2	-	3	7	1	43	5	7	8	1	1	08
223	7	-	50	7	1	12	3	1	2	2	-	2	4	-	39	17	16	8	2	-	09
646	32	14	136	25	36	41	22	4	43	5	1	30	31	32	171	67	60	27	24	13	10
98	6	3	33	6	5	6	-	-	4	3	-	4	5	5	23	10	8	3	3	2	11
548	26	11	103	19	31	35	22	4	39	2	1	26	26	27	148	57	52	24	21	11	12
2,031	112	10	338	52	75	93	43	17	65	20	1	43	69	53	425	95	89	69	45	12	13
3,529	281	37	698	96	131	224	80	30	301	75	-	53	128	183	1,045	109	288	92	285	60	14
71	7	2	12	3	2	4	1	-	13	-	-	-	6	11	17	13	14	-	2	-	15
108	1	3	24	3	3	7	1	1	2	-	-	1	1	2	17	9	11	3	1	-	16
225	6	2	74	11	12	12	4	1	4	1	-	6	7	4	48	20	20	16	3	1	17
145	12	3	22	6	7	8	2	3	7	-	-	4	7	8	36	15	16	5	2	2	18
68	9	2	20	5	3	8	3	-	4	1	-	2	12	4	22	24	15	5	7	3	19
139	6	2	32	5	8	13	3	2	3	1	-	3	4	2	36	7	7	4	4	1	20
60	1	1	14	3	3	6	3	-	2	-	-	1	2	-	12	1	3	2	2	-	21
79	5	1	18	2	5	7	-	2	1	1	-	2	2	2	24	6	4	2	2	1	22
314	13	1	80	8	5	23	11	6	8	2	-	6	7	9	65	19	17	8	6	2	23
111	5	-	35	4	1	8	3	3	4	-	-	2	3	2	18	1	7	2	5	-	24
203	8	1	45	4	4	15	8	3	4	2	-	4	4	7	47	18	10	6	1	2	25
105	2	-	36	10	4	4	1	-	1	-	-	-	3	-	16	7	9	4	1	-	26
284	13	1	52	18	13	18	11	2	20	2	-	8	14	10	66	29	22	10	1	4	27
32	3	-	5	1	2	-	1	-	5	-	-	1	1	-	6	3	2	1	-	-	28
252	10	1	47	17	11	18	10	2	15	2	-	7	13	10	60	26	20	9	1	4	29
148	12	2	26	-	5	8	2	-	7	3	-	6	5	8	31	14	10	5	7	1	30
99	2	-	3	2	2	7	1	2	5	2	-	1	1	-	19	10	11	3	-	-	31
1,006	221	6	347	78	46	78	50	10	55	16	1	24	41	34	258	90	92	65	25	10	32
135	22	1	44	1	5	13	5	-	8	1	-	4	7	4	29	10	15	10	7	2	33
30	12	-	13	2	-	3	1	-	1	1	-	-	1	2	9	3	3	1	2	-	34
43	17	-	16	2	-	6	1	-	2	1	-	-	2	2	12	4	4	1	2	-	35
841	187	5	290	75	41	62	44	10	46	14	1	20	33	28	220	77	74	54	16	8	36
1,071	78	6	263	60	37	76	37	13	130	16	3	34	78	54	315	109	98	61	68	13	37
40	3	-	6	1	1	5	-	1	1	1	-	-	1	1	14	4	4	2	-	2	38
27	-	-	12	-	-	3	1	2	3	-	-	1	-	1	12	5	1	4	1	-	39
20	-	-	7	3	-	-	-	-	4	-	-	1	5	2	6	1	-	3	-	-	40
155	20	-	42	7	2	11	6	2	19	1	-	1	3	5	32	12	8	6	4	-	41
47	2	1	6	3	3	5	1	1	4	1	-	1	4	-	13	10	3	-	2	-	42
10	1	1	2	-	-	3	1	-	1	-	-	-	-	1	3	4	1	-	-	-	43
13	5	-	3	-	-	3	-	-	1	-	-	1	-	-	3	1	1	-	-	-	44
759	47	4	185	46	31	46	28	7	97	13	3	30	64	44	232	72	80	46	61	11	45
89	3	-	10	3	4	8	3	-	2	1	-	2	1	-	17	6	3	4	-	1	46
84	5	2	28	6	8	8	4	1	7	2	-	2	11	3	25	28	21	11	3	1	47
67	3	-	40	11	4	4	5	2	6	1	-	2	1	2	11	4	3	3	2	-	48
97	9	2	28	7	6	5	3	1	4	2	1	-	7	5	31	10	6	6	1	-	49
395	12	4	107	27	14	20	16	4	16	3	-	4	15	6	75	26	27	10	-	1	50
184	6	1	63	17	8	8	7	2	11	2	-	3	9	4	38	8	15	4	-	1	51
211	6	3	44	10	6	12	9	2	5	1	-	1	6	2	37	18	12	6	-	-	52
197	8	2	87	8	1	15	8	2	7	9	-	4	9	6	47	13	10	5	9	1	53
92	6	-	40	4	-	10	4	-	5	3	-	-	6	2	19	6	5	3	6	1	54
105	2	2	47	4	1	5	4	2	2	6	-	4	3	4	28	7	5	2	3	-	55
112	7	1	39	4	4	4	5	-	3	1	-	1	1	5	20	10	12	3	4	1	56
20,225	1,275	199	5,634	948	789	2,367	619	191	1,107	204	1	294	566	432	4,246	1,001	1,551	480	270	57	57
14,643	982	122	4,098	659	551	1,773	457	150	865	160	1	202	409	311	3,155	583	1,161	309	232	46	58
5,582	293	77	1,536	289	238	594	162	41	242	44	-	92	157	121	1,091	418	390	171	38	11	59
19,425	1,237	185	5,379	903	755	2,266	591	183	1,069	192	1	280	557	413	4,062	961	1,496	454	265	55	60
14,643	982	122	4,098	659	551	1,773	457	150	865	160	1	202	409	311	3,155	583	1,161	309	232	46	61
4,782	255	63	1,281	244	204	493	134	33	204	32	-	78	148	102	907	378	335	145	33	9	62
800	38	14	255	45	34	101	28	8	38	12	-	14	9	19	184	40	55	26	5	2	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
800	38	14	255	45	34	101	28	8	38	12	-	14	9	19	184	40	55	26	5	2	65
472	26	8	167	32	17	65	15	4	20	7	-	11	4	14	127	18	34	16	4	2	66
546	35	5	179	38	36	65	19	5	26	4	-	9	18	13	122	30	34	12	3	-	67
80	1	2	34	4	4	2	7	-	4	1	-	-	1	2	17	3	2	1	-	-	68
195	18	1	71	12	15	28	6	1	6	2	-	5	11	5	44	6	16	6	2	-	69
271	16	2	74	22	17	35	6	4	16	1	-	4	6	6	61	21	16	5	1	-	70
1,765	72	24	493	93	53	121	48	6	83	16	-	29	51	39	316	73	105	34	8	1	71
125	7	2	35	7	5	7	1	-	3	-	-	1	5	3	17	6	9	1	-	-	72
465	12	3	129	23	5	18	11	3	21	7	-	7	10	15	83	13	22	6	1	-	73
441	20	9	132	28	15	36	15	2	29	4	-	6	14	9	90	15	29	5	3	-	74
51	2	-	13	3	2	3	2	-	2	-	-	2	2	-	11	4	5	-	1	-	75
182	7	2	49	7	10	18	5	-	11	2	-	4	7	1	24	7	6	5	1	1	76
501	24	8	135	25	16	39	14	1	17	3	-	9	13	11	91	28	34	17	2	-	77
42	3	1	14	1	6	3	4	-	2	-	-	1	-	-	7	1	4	1	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MASSACHUSETTS--CON.																	
01	ESSEX	6,671	5	-	33	1,301	388	277	118	175	65	48	230	116	3,750	2,805	50	43
02	BEVERLY	362	-	-	-	81	19	17	7	14	7	4	13	6	183	130	2	-
03	DANVERS TOWN#	250	-	-	2	43	7	9	4	13	2	1	7	5	148	117	-	-
04	GLOUCESTER	322	-	-	1	57	19	12	3	8	-	3	12	6	198	148	5	4
05	HAVERHILL	595	1	-	5	111	23	32	11	16	7	4	18	9	320	228	3	15
06	LAWRENCE	842	1	-	5	145	51	29	14	16	2	4	29	15	500	376	6	2
07	LYNN	1,108	1	-	7	232	87	42	20	28	14	5	36	16	620	496	5	6
08	MARBLEHEAD TOWN#	205	-	-	2	38	14	5	4	7	5	-	3	2	107	75	2	2
09	METHUEN TOWN#	356	-	-	4	63	15	16	6	6	2	4	14	8	210	154	3	1
10	NEWBURYPORT	200	1	-	1	32	12	6	3	1	2	2	6	2	130	93	1	-
11	PEABODY	389	-	-	1	77	20	16	8	10	3	2	18	13	212	158	3	-
12	SALEM	463	1	-	1	101	30	20	8	10	6	7	20	11	241	182	5	4
13	SAUGUS TOWN#	226	-	-	-	44	12	17	2	4	2	-	7	5	128	101	2	3
14	SWAMPSCOTT TOWN#	159	-	-	-	30	11	7	3	5	-	1	3	5	102	77	2	-
15	BALANCE OF COUNTY	1,194	-	-	4	247	68	49	25	37	13	11	44	13	651	470	11	6
16	FRANKLIN	659	-	-	3	133	41	31	8	16	6	5	26	9	361	275	5	4
17	HAMPDEN	4,612	2	-	27	927	271	192	97	109	51	37	170	93	2,485	1,769	28	34
18	CHICOPEE	534	1	-	2	109	33	30	15	8	3	3	17	7	312	233	3	2
19	HOLYOKE	604	-	-	3	125	43	22	11	17	4	6	22	15	333	247	2	3
20	LONGMEADOW TOWN#	156	-	-	-	27	5	7	3	2	4	1	5	-	95	62	1	-
21	SPRINGFIELD	1,881	-	-	10	375	112	74	38	43	24	12	72	41	972	648	11	16
22	WESTFIELD	290	-	-	-	51	17	9	7	6	3	4	5	5	160	122	2	6
23	WEST SPRINGFIELD TOWN#	267	-	-	2	62	14	21	4	10	5	2	6	1	148	106	4	-
24	BALANCE OF COUNTY	880	1	-	10	178	47	29	19	23	8	9	43	24	465	351	5	7
25	HAMPSHIRE	1,047	1	-	3	180	56	35	8	29	5	10	37	31	575	413	10	8
26	AMHERST TOWN#	98	-	-	-	15	4	2	-	4	-	1	4	1	56	36	3	-
27	NORTHAMPTON	321	-	-	1	59	23	11	4	5	1	4	11	11	170	125	4	4
28	BALANCE OF COUNTY	628	1	-	2	106	29	22	4	20	4	5	22	19	349	252	3	4
29	MIDDLESEX	11,998	9	1	75	2,463	755	521	234	245	112	96	500	246	6,311	4,746	104	68
30	ARLINGTON TOWN#	532	-	-	3	121	37	28	11	8	4	10	23	18	253	188	8	4
31	BELMONT TOWN#	323	-	-	6	74	20	16	6	6	4	2	20	5	180	128	3	3
32	BILLERICA TOWN#	127	-	-	1	23	3	8	1	1	3	3	4	3	66	48	-	2
33	BURLINGTON TOWN#	109	-	-	1	21	9	8	1	1	-	-	2	3	56	47	3	-
34	CAMBRIDGE	934	2	-	3	207	65	44	20	23	8	10	37	23	445	333	15	12
35	CHELMSFORD TOWN#	165	-	-	-	32	6	9	3	6	2	3	3	1	106	77	1	1
36	EVERETT	476	-	-	2	101	34	19	8	9	2	7	22	11	255	204	5	6
37	FRAMINGHAM TOWN#	484	-	1	5	91	28	19	10	7	2	2	23	9	245	189	1	1
38	LEXINGTON TOWN#	218	-	-	2	44	13	8	8	6	2	2	5	8	111	82	2	1
39	LOWELL	1,092	-	-	6	198	66	33	13	23	11	5	47	20	630	473	2	7
40	MALDEN	656	-	-	5	126	45	27	13	13	7	2	19	21	359	275	8	1
41	MARLBOROUGH	204	-	-	1	46	14	8	6	5	4	-	9	5	104	77	1	2
42	MEDFORD	650	-	-	8	129	41	27	16	6	8	2	29	12	382	281	7	5
43	MELROSE	299	1	-	1	67	22	10	6	10	1	5	13	4	172	124	3	1
44	NATICK TOWN#	225	-	-	1	47	17	11	5	4	-	1	9	4	118	81	2	2
45	NEWTON	791	-	-	5	164	50	26	16	19	10	4	39	14	405	307	5	3
46	READING TOWN#	176	1	-	2	38	9	10	4	7	2	1	5	1	96	71	-	-
47	SOMERVILLE	919	-	-	7	203	63	61	22	15	2	4	36	17	461	343	10	7
48	STONEHAM TOWN#	186	-	-	1	44	8	7	4	4	3	4	14	2	99	70	-	-
49	WAKEFIELD TOWN#	230	-	-	2	48	15	11	-	7	1	2	12	5	116	88	2	2
50	WALTHAM	557	2	-	4	91	30	18	11	9	2	4	17	14	305	240	8	-
51	WATERTOWN TOWN#	408	-	-	-	94	30	26	8	6	4	4	16	3	208	161	4	1
52	WINCHESTER TOWN#	151	-	-	1	45	12	7	12	2	3	3	6	2	67	50	1	-
53	WOBURN	284	1	-	-	53	14	10	5	8	1	2	13	4	148	112	2	2
54	BALANCE OF COUNTY	1,802	2	-	8	356	104	70	25	40	26	14	77	37	924	697	11	5
55	NANTUCKET	85	-	-	1	14	2	3	2	2	-	2	3	1	45	29	-	-
56	NORFOLK	5,298	8	-	37	1,160	341	244	135	120	59	32	229	89	2,755	2,052	47	30
57	BRAINTREE TOWN#	307	-	-	3	68	24	9	7	8	2	3	15	5	171	121	1	5
58	BROOKLINE TOWN#	649	1	-	6	157	41	26	24	16	7	10	33	8	336	265	4	3
59	DEDHAM TOWN#	222	-	-	1	55	16	13	5	6	3	-	12	4	106	85	4	-
60	HOLBROOK TOWN#	84	-	-	1	17	5	4	2	3	-	-	3	2	51	36	-	-
61	MILTON TOWN#	254	1	-	2	60	26	12	4	2	4	1	11	4	134	93	1	1
62	NEEDHAM TOWN#	244	-	-	1	46	13	10	10	3	1	2	7	9	120	99	4	-
63	NORWOOD TOWN#	285	-	-	2	64	16	12	5	7	5	-	19	6	142	93	2	1
64	QUINCY	985	4	-	4	215	60	57	24	19	13	5	37	14	535	402	7	8
65	RANDOLPH TOWN#	227	-	-	1	47	10	11	5	5	3	2	11	5	116	94	6	-
66	WELLESLEY TOWN#	228	-	-	2	41	9	11	3	7	1	-	10	4	119	86	3	1
67	WEYMOUTH TOWN#	460	-	-	5	91	25	22	9	8	4	1	22	6	247	166	2	4
68	BALANCE OF COUNTY	1,353	2	-	9	299	96	57	37	36	16	8	49	22	678	512	13	7
69	PLYMOUTH	3,031	2	-	17	591	190	120	51	68	26	17	119	59	1,649	1,225	16	20
70	BROCKTON	903	1	-	7	164	58	38	12	11	7	7	31	21	487	361	6	7
71	ROCKLAND TOWN#	137	-	-	1	22	10	3	2	2	-	2	3	3	83	63	-	1
72	WHITMAN TOWN#	111	-	-	1	28	7	8	3	3	1	1	5	4	55	42	-	-
73	BALANCE OF COUNTY	1,880	1	-	8	377	115	71	34	52	18	7	80	31	1,024	759	10	12
74	SUFFOLK	8,353	28	-	74	1,590	488	391	142	171	48	56	294	150	4,097	3,240	70	62
75	BOSTON	7,260	28	-	71	1,348	408	332	114	148	44	46	256	126	3,516	2,784	64	53
76	CHELSEA	379	-	-	1	78	22	19	5	13	3	3	13	6	188	149	2	3
77	REVERE	462	-	-	1	103	37	25	13	4	-	4	20	10	261	208	2	3
78	WINTHROP TOWN#	252	-	-	1	61	21	15	10	6	1	3	5	8	132	99	2	3

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,580	132	23	705	138	79	242	71	27	129	23	-	32	59	39	479	105	189	53	15	3	01
124	4	1	40	7	5	13	1	-	4	1	-	2	4	2	39	6	16	3	-	1	02
113	4	-	20	8	3	11	-	1	5	1	-	2	1	-	17	5	7	3	-	-	03
136	3	-	43	5	2	9	5	-	3	-	-	2	4	2	22	4	7	2	-	-	04
196	14	4	74	12	2	20	6	3	9	7	-	1	5	2	48	13	26	1	1	-	05
363	5	1	101	20	2	30	14	1	26	-	-	3	12	5	44	10	23	5	3	-	06
462	23	2	95	12	15	41	15	6	22	7	-	4	7	2	70	10	36	9	3	-	07
63	8	-	23	3	6	9	3	2	1	-	-	2	-	3	18	5	9	5	1	-	08
144	6	1	33	15	7	11	4	1	9	1	-	2	2	2	24	8	3	4	-	-	09
90	2	1	25	7	4	9	3	1	2	-	-	-	-	1	8	2	6	2	-	-	10
146	9	2	36	11	5	12	3	2	3	2	-	2	6	-	33	7	9	4	2	1	11
156	17	1	49	6	3	15	4	3	11	1	-	2	6	2	43	4	16	1	-	-	12
85	11	1	21	1	4	9	3	1	7	1	-	1	-	1	16	5	4	1	-	-	13
71	4	-	20	4	1	4	-	1	2	-	-	-	-	-	8	2	2	1	1	1	14
431	22	9	125	27	20	49	10	5	25	2	-	12	12	10	89	24	25	12	4	-	15
258	8	4	61	11	10	29	8	3	15	5	-	2	4	5	43	18	13	8	-	-	16
1,640	67	19	553	74	70	158	75	13	106	18	1	20	49	40	345	62	134	37	17	3	17
226	2	2	62	8	7	13	5	2	10	2	-	1	7	5	35	2	15	5	1	-	18
236	6	3	62	12	9	15	9	-	12	3	1	5	5	3	46	6	16	5	2	-	19
60	1	1	22	6	4	9	2	-	1	-	-	-	1	1	13	1	5	1	-	-	20
596	25	10	261	28	25	79	37	7	58	11	-	10	18	13	156	15	62	7	9	1	21
106	8	-	32	4	2	14	4	-	7	-	-	-	6	11	13	6	6	6	1	-	22
99	3	1	27	5	9	5	5	2	5	-	-	2	1	1	23	4	4	1	-	1	23
317	22	2	87	11	14	23	13	2	13	2	-	2	11	6	59	28	26	12	4	1	24
362	33	7	125	17	13	44	17	4	25	1	-	5	9	4	75	31	32	9	1	-	25
31	2	-	19	1	-	7	2	-	2	-	-	-	1	1	8	4	-	1	-	-	26
108	9	1	36	5	3	16	7	1	8	-	-	1	2	1	19	8	15	2	-	-	27
223	22	6	70	11	10	21	8	3	15	1	-	4	6	2	48	19	17	6	1	-	28
4,367	207	33	1,173	192	167	479	141	43	243	44	-	79	118	105	908	228	338	108	45	14	29
169	7	-	52	8	5	26	6	4	10	1	-	3	2	2	46	6	16	10	3	2	30
117	5	1	38	6	7	16	1	3	1	1	-	1	3	-	18	5	9	-	-	-	31
45	1	-	14	2	2	5	3	-	3	1	-	-	6	1	6	3	3	2	1	-	32
42	2	-	5	1	3	2	-	-	4	-	-	3	1	-	7	7	3	1	-	-	33
283	23	1	76	15	20	52	15	1	22	4	-	4	3	14	74	7	37	11	6	4	34
70	5	-	19	7	3	2	1	-	3	-	-	1	1	-	9	5	4	-	-	-	35
183	10	1	43	4	3	16	4	3	7	6	-	3	6	6	33	6	9	3	5	-	36
173	14	4	43	4	5	22	5	-	3	1	-	7	11	2	54	9	9	7	1	2	37
74	5	-	28	1	-	6	3	1	3	-	-	1	2	2	21	5	7	2	-	-	38
458	6	7	112	29	9	34	10	6	31	3	-	3	18	9	66	19	29	6	3	1	39
257	9	2	61	13	8	22	4	-	19	2	-	1	5	7	56	10	16	1	1	1	40
71	3	-	25	1	1	11	1	1	2	-	-	5	3	1	14	4	4	2	-	-	41
258	11	3	66	22	10	19	7	1	7	7	-	3	5	6	39	4	13	3	5	-	42
110	10	2	40	4	2	6	4	1	5	-	-	2	3	2	17	4	6	2	-	-	43
74	3	1	26	4	6	11	5	1	2	-	-	1	2	-	19	3	6	4	-	1	44
284	15	-	80	5	13	49	11	4	17	3	-	2	1	6	53	9	32	11	4	1	45
66	5	2	21	2	-	8	2	-	2	-	-	1	1	2	14	3	1	3	1	-	46
315	11	2	90	12	14	47	17	5	26	6	-	5	5	15	63	9	25	3	4	1	47
64	6	-	23	3	3	3	4	-	7	1	-	2	1	1	13	5	2	1	-	-	48
77	7	-	22	1	5	13	2	2	6	-	-	1	2	-	18	3	10	2	-	-	49
222	10	-	53	3	9	16	7	2	16	-	-	9	8	4	49	9	16	5	-	-	50
151	5	1	39	5	2	11	5	1	8	1	-	2	2	4	44	6	15	2	1	1	51
47	2	-	10	4	3	5	2	1	4	1	-	2	1	2	11	-	6	1	-	-	52
105	3	1	27	4	4	18	3	2	5	-	-	2	3	3	21	6	12	1	2	-	53
652	29	5	160	32	30	59	19	4	30	6	-	15	23	16	143	81	48	25	6	-	54
28	1	1	13	1	1	4	1	1	1	-	-	-	1	-	7	3	4	1	1	-	55
1,860	115	15	538	78	72	215	56	18	89	26	-	20	55	72	389	102	151	44	8	4	56
112	3	2	42	1	5	6	3	2	4	1	-	2	4	2	19	8	7	2	-	-	57
228	30	2	49	9	11	35	6	7	6	2	-	-	1	2	49	6	15	1	-	1	58
75	6	-	15	5	1	11	2	1	2	-	-	1	4	4	17	4	5	5	-	-	59
35	1	-	12	2	1	1	2	-	1	-	-	-	2	-	5	1	1	-	-	-	60
90	1	1	30	1	9	11	3	2	1	3	-	1	-	1	17	5	9	-	-	-	61
94	1	1	13	5	2	11	3	1	6	3	-	1	-	4	21	7	10	-	-	1	62
88	2	-	39	7	3	15	3	-	4	2	-	3	1	10	19	4	5	3	2	-	63
360	27	3	104	11	15	26	15	3	24	7	-	2	6	9	68	10	30	13	-	-	64
84	4	1	15	4	2	16	2	1	2	3	-	1	3	2	16	4	4	1	3	-	65
78	4	-	29	-	4	14	1	-	6	1	-	-	1	5	16	5	12	1	-	-	66
155	5	1	68	8	4	13	5	1	11	2	-	3	10	1	34	12	13	6	-	-	67
461	31	4	122	25	15	56	11	-	22	2	-	6	23	22	108	36	40	12	3	2	68
1,132	57	16	323	45	40	102	32	16	64	11	-	15	40	27	187	83	82	39	11	4	69
334	14	5	94	15	12	28	4	12	28	5	-	4	12	11	63	14	24	13	4	1	70
60	2	1	14	3	2	6	2	-	4	-	-	1	3	-	5	1	4	1	-	1	71
41	1	-	7	3	3	1	-	-	-	-	-	1	1	2	12	4	-	1	1	-	72
697	40	10	208	24	23	67	26	4	32	6	-	9	24	14	107	64	54	24	6	2	73
2,697	411	15	648	85	109	534	79	30	202	31	-	39	90	41	778	110	270	61	129	20	74
2,293	374	12	540	80	100	486	64	27	178	26	-	33	83	33	697	101	242	57	124	20	75
131	13	1	32	3	3	26	6	-	9	1	-	5	1	2	30	3	17	3	3	-	76
187	16	2	46	-	5	15	4	2	6	4	-	1	4	3	36	5	5	1	1	-	77
86	8	-	30	2	1	7	5	1	9	-	-	-	2	3	15	1	6	-	1	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MASSACHUSETTS—CON.																	
01	WORCESTER	6,455	6	-	31	1,250	369	273	109	136	55	51	257	87	3,596	2,667	43	40
02	CLINTON TOWN&	153	-	-	-	27	9	7	-	6	1	-	4	5	81	59	1	2
03	FITCHBURG	518	-	-	4	97	23	15	11	16	7	3	22	12	287	198	5	2
04	GARDNER	211	1	-	-	33	12	7	1	3	3	1	7	5	112	84	1	2
05	LEOMINSTER	281	-	-	6	48	10	10	6	4	1	5	12	6	150	114	5	2
06	WORCESTER	2,161	3	-	6	414	132	91	36	37	20	17	81	20	1,203	892	12	9
07	BALANCE OF COUNTY	3,131	2	-	15	631	183	143	55	70	23	26	131	39	1,763	1,320	19	23
08	**MICHIGAN**	76,249	143	11	443	14,251	3,847	3,275	1,307	1,702	673	590	2,857	1,945	39,417	29,247	541	461
09	URBAN PLACES	44,733	112	4	297	8,487	2,330	2,040	792	999	385	322	1,619	1,114	22,646	17,036	317	266
10	BALANCE OF AREA	31,516	31	7	146	5,764	1,517	1,235	515	703	288	268	1,238	831	16,771	12,211	224	195
11	METROPOLITAN COUNTIES	55,070	123	5	351	10,445	2,793	2,481	948	1,223	482	437	2,081	1,358	27,877	21,007	393	313
12	URBAN PLACES	41,181	105	4	277	7,837	2,146	1,908	718	924	343	299	1,499	1,005	20,725	15,710	285	241
13	BALANCE OF AREA	13,889	18	1	74	2,608	647	573	230	299	139	138	582	353	7,152	5,297	108	72
14	NONMETROPOLITAN COUNTIES	21,179	20	6	92	3,806	1,054	794	359	479	191	153	776	587	11,540	8,240	148	148
15	URBAN PLACES	3,552	7	-	20	650	184	132	74	75	42	23	120	109	1,921	1,326	32	23
16	BALANCE OF AREA	17,627	13	6	72	3,156	870	662	285	404	149	130	656	478	9,619	6,914	116	123
17	ALCONA	103	-	-	2	22	9	3	-	4	-	2	4	1	58	41	1	1
18	ALGER	110	-	-	1	19	4	4	1	3	1	1	5	2	68	45	1	1
19	ALLEGAN	600	-	-	4	109	24	28	11	15	6	4	21	26	311	214	4	2
20	HOLLAND, PART	15	-	-	-	2	-	-	1	-	-	1	-	-	10	5	-	-
21	BALANCE OF COUNTY	585	-	-	4	107	24	28	10	15	6	3	21	26	301	209	4	2
22	ALPENA	267	1	-	-	47	18	6	8	5	4	-	6	2	155	119	-	1
23	ALPENA	122	1	-	-	21	11	2	2	3	-	-	3	1	76	57	-	1
24	BALANCE OF COUNTY	145	-	-	-	26	7	4	6	2	4	-	3	1	79	62	-	-
25	ANTRIM	162	-	-	1	29	3	4	6	4	3	1	8	6	93	71	1	-
26	ARENAC	164	-	-	-	26	6	9	2	1	1	-	7	3	95	63	1	3
27	BARAGA	88	1	-	-	6	1	3	1	-	-	-	1	5	49	30	-	4
28	BARRY	391	1	-	4	73	20	20	6	10	4	3	10	12	203	166	6	2
29	BAY	1,019	2	-	7	172	45	41	15	18	14	6	33	20	575	394	4	4
30	BAY CITY	553	1	-	7	101	28	23	9	12	8	3	18	12	306	194	1	1
31	MIDLAND, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	BALANCE OF COUNTY	466	1	-	-	71	17	18	6	6	6	3	15	8	269	200	3	3
33	BENZIE	124	1	-	1	20	6	4	1	4	1	-	4	3	60	43	3	-
34	BERRIEN	1,526	1	-	9	294	79	63	28	36	20	13	55	37	792	562	14	14
35	BENTON HARBOR	214	-	-	-	35	11	5	4	6	2	2	5	6	95	58	1	1
36	NILES	192	-	-	3	37	11	6	4	4	3	2	7	3	103	81	2	4
37	ST. JOSEPH	145	-	-	-	39	11	10	5	5	5	1	2	3	75	60	1	-
38	BALANCE OF COUNTY	975	1	-	6	183	46	42	15	21	10	8	41	25	519	363	10	9
39	BRANCH	389	1	1	1	75	21	19	6	7	2	5	15	16	178	127	1	1
40	CALHOUN	1,319	5	-	12	237	64	47	25	33	8	7	53	42	700	499	12	18
41	ALBION	120	1	-	2	18	8	4	-	1	1	-	4	1	70	52	6	-
42	BATTLE CREEK	552	2	-	6	92	23	17	12	18	5	2	15	17	312	216	2	8
43	BALANCE OF COUNTY	647	2	-	4	127	33	26	13	14	2	5	34	24	318	231	4	10
44	CASS	402	-	-	3	83	23	16	5	11	8	3	17	4	203	134	4	1
45	CHARLEVOIX	147	1	-	1	32	13	9	-	1	3	1	5	2	76	51	2	-
46	CHEBOYGAN	203	-	-	1	27	7	6	4	3	2	1	4	5	125	96	2	2
47	CHIPPEWA	308	-	-	-	73	21	14	7	4	5	6	16	3	148	109	2	1
48	SAULT STE. MARIE	182	-	-	-	43	13	6	7	2	2	3	10	1	95	70	1	1
49	BALANCE OF COUNTY	126	-	-	-	30	8	8	-	2	3	3	6	2	53	39	1	-
50	CLARE	250	-	-	-	42	6	10	6	7	1	1	11	5	153	121	-	2
51	CLINTON	331	-	-	1	61	14	15	7	7	5	3	10	8	173	104	3	3
52	LANSING, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
53	BALANCE OF COUNTY	330	-	-	1	61	14	15	7	7	5	3	10	8	172	103	3	3
54	CRAWFORD	85	-	-	-	18	5	7	2	1	1	-	2	1	42	27	1	1
55	DELTA	439	1	-	2	85	27	14	9	9	1	3	22	17	240	171	4	-
56	ESCANABA	217	1	-	1	43	14	5	4	5	-	2	13	7	119	83	2	-
57	BALANCE OF COUNTY	222	-	-	1	42	13	9	5	4	1	1	9	10	121	88	2	-
58	DICKINSON	330	-	-	-	63	22	11	2	9	3	3	13	12	187	129	2	1
59	EATON	455	1	-	3	83	20	14	7	7	3	5	27	12	233	155	9	3
60	LANSING, PART	3	-	-	-	2	-	-	1	-	-	-	1	-	1	1	-	-
61	BALANCE OF COUNTY	452	1	-	3	81	20	14	6	7	3	5	26	12	232	154	9	3
62	ENNET	196	-	-	2	37	6	9	7	6	1	2	6	5	115	76	1	1
63	GENESEE	3,202	4	-	20	606	159	140	53	74	24	25	131	83	1,601	1,194	27	15
64	FLINT	1,640	2	-	14	320	86	79	31	35	9	13	67	42	792	582	11	6
65	BALANCE OF COUNTY	1,562	2	-	6	286	73	61	22	39	15	12	64	41	809	612	16	9
66	GLADWIN	161	-	-	1	33	13	9	1	1	2	2	5	2	93	67	-	-
67	GOGEBIC	334	-	1	2	54	17	13	4	8	1	4	7	7	198	165	2	9
68	GRAND TRAVERSE	410	1	-	-	71	19	12	8	11	4	1	16	9	211	143	1	3
69	TRAVERSE CITY	195	1	-	-	30	9	4	4	5	2	-	6	4	106	68	-	2
70	BALANCE OF COUNTY	215	-	-	-	41	10	8	4	6	2	1	10	5	105	75	1	1
71	GRATIOT	350	-	-	-	44	8	10	8	1	3	2	12	11	219	145	4	6
72	HILLSDALE	396	-	-	2	72	19	15	7	10	2	4	15	15	204	150	1	1
73	HOUGHTON	507	-	-	1	95	29	21	4	13	2	6	20	12	306	229	5	2
74	HURON	415	-	-	-	73	22	9	8	9	4	3	18	6	242	160	2	3
75	INGHAM	1,597	3	-	10	294	71	72	32	33	16	13	57	39	812	600	13	14
76	EAST LANSING	130	1	-	2	24	7	4	3	2	-	3	5	3	74	56	-	2
77	LANSING, PART	995	2	-	4	185	47	49	17	19	11	6	36	22	510	371	7	10
78	LANSING, TOTAL	999	2	-	4	187	47	49	18	19	11	6	37	22	512	373	7	10
79	BALANCE OF COUNTY	472	-	-	4	85	17	19	12	12	5	4	16	14	228	173	6	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,476	108	28	642	143	116	306	53	21	102	18	-	32	68	33	463	137	161	57	28	6	01
53	3	-	16	3	3	5	1	-	3	1	-	-	3	-	16	3	6	1	1	-	02
184	7	2	60	13	14	14	5	2	14	3	-	3	3	2	34	13	15	6	3	1	03
78	3	2	24	1	1	14	6	-	4	-	-	-	3	1	17	4	8	3	-	-	04
102	5	-	32	1	3	15	1	2	6	1	-	2	6	-	24	7	4	2	1	-	05
830	41	7	210	58	36	114	13	7	41	4	-	10	23	15	171	33	53	13	17	1	06
1,229	49	17	300	67	59	144	27	10	34	9	-	17	30	15	201	77	75	32	6	4	07
26,750	1,495	272	7,650	1,191	1,057	1,694	1,164	271	1,647	290	18	569	1,311	596	5,639	1,931	2,290	1,181	1,244	194	08
15,627	826	155	4,305	588	562	1,010	580	155	1,222	188	11	320	815	364	3,435	863	1,224	658	1,089	139	09
11,123	669	117	3,345	603	495	684	584	116	425	102	7	249	496	232	2,204	1,068	1,066	523	155	55	10
19,287	1,014	190	5,269	727	684	1,252	759	187	1,365	218	13	417	1,009	463	4,135	1,288	1,583	904	1,156	162	11
14,438	746	138	3,881	497	499	937	520	145	1,170	173	11	295	755	348	3,162	783	1,116	621	1,057	135	12
4,849	268	52	1,388	230	185	315	239	42	195	45	2	122	254	115	973	505	467	283	99	27	13
7,463	481	82	2,381	464	373	442	405	84	282	72	5	152	302	133	1,504	643	707	277	88	32	14
1,189	80	17	424	91	63	73	60	10	52	15	-	25	60	16	273	80	108	37	32	4	15
6,274	401	65	1,957	373	310	369	345	74	230	57	5	127	242	117	1,231	563	599	240	56	28	16
39	-	-	11	3	3	2	1	-	4	-	-	-	-	1	5	4	3	-	-	-	17
41	2	-	11	5	2	2	2	1	3	-	-	1	1	-	5	3	4	3	-	-	18
197	11	3	69	7	18	13	12	2	4	2	1	6	10	6	41	24	20	7	1	1	19
5	-	-	4	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	20
192	11	3	65	6	18	12	11	2	4	2	1	5	10	6	41	24	20	7	1	1	21
113	5	1	28	5	2	5	2	-	1	1	-	4	3	2	24	10	-	6	4	-	22
55	1	1	15	2	1	2	-	-	-	1	-	2	-	-	13	2	-	1	2	-	23
58	4	-	13	3	1	3	2	-	1	-	-	2	3	2	11	8	-	5	2	-	24
68	2	-	15	5	2	4	-	1	1	-	-	1	1	-	12	9	3	1	-	-	25
51	8	2	19	5	6	4	3	2	2	1	-	1	2	-	11	2	8	3	1	-	26
23	3	-	16	1	2	4	2	2	1	1	-	1	-	2	6	4	1	2	-	-	27
143	15	3	19	5	10	5	10	2	6	3	-	3	3	1	23	19	13	8	1	1	28
361	25	1	156	9	15	24	10	4	16	5	-	8	17	3	66	39	34	14	3	-	29
175	17	1	91	7	13	12	5	3	11	3	-	4	5	1	35	17	21	7	2	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
186	8	-	65	2	2	12	5	1	5	2	-	4	12	2	31	22	13	7	1	-	32
37	3	-	13	1	3	5	3	1	2	-	-	-	1	-	13	6	5	2	-	-	33
504	30	8	163	41	18	26	26	8	24	4	1	14	30	15	110	35	61	17	18	5	34
51	5	-	30	5	2	5	2	1	6	-	-	3	9	2	22	7	11	1	7	2	35
68	7	2	12	5	3	1	5	-	5	1	-	1	2	3	17	6	5	-	-	-	36
58	1	-	13	-	2	3	1	-	2	-	-	-	3	-	10	5	1	2	1	-	37
327	17	6	108	31	11	17	18	7	11	3	-	10	16	10	61	17	44	14	10	3	38
116	9	2	32	10	7	13	11	5	5	1	-	3	9	-	25	12	27	3	1	2	39
432	37	7	137	35	22	23	23	3	21	4	-	5	22	6	112	34	31	22	14	3	40
41	5	-	10	5	3	1	2	-	1	-	-	-	3	-	13	4	1	1	2	-	41
190	16	5	71	13	7	13	9	2	5	3	-	1	11	2	42	7	12	5	10	1	42
201	16	2	56	17	12	9	12	1	15	1	-	4	8	4	57	23	18	16	2	2	43
112	17	2	49	11	7	11	5	2	5	1	-	4	5	6	30	17	14	5	3	1	44
48	1	-	19	4	2	1	1	-	4	-	-	2	3	1	15	-	4	4	-	-	45
89	3	1	23	2	3	4	4	-	4	-	-	1	4	-	18	4	5	1	-	-	46
98	8	1	33	4	1	9	10	-	2	1	-	2	5	-	23	18	9	3	1	1	47
64	4	1	19	4	1	7	7	-	1	-	-	1	2	-	12	5	6	2	-	-	48
34	4	-	14	-	-	2	3	-	1	1	-	1	3	-	11	13	3	1	1	1	49
113	6	2	25	3	2	3	4	-	2	-	-	1	4	2	16	4	10	2	-	2	50
94	4	-	49	13	7	7	3	1	5	1	-	2	6	3	22	14	14	8	1	1	51
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
93	4	-	49	13	7	7	3	1	5	1	-	2	6	3	22	14	14	8	1	1	53
23	2	-	11	1	3	2	2	1	2	-	-	-	1	-	9	-	7	-	-	-	54
156	11	-	39	12	18	10	16	2	3	1	-	2	3	-	27	15	8	5	1	1	55
76	5	-	15	4	15	7	4	2	2	-	-	1	3	-	13	7	4	3	-	-	56
80	6	-	24	6	3	3	12	-	1	1	-	1	-	-	14	8	4	2	1	1	57
120	6	2	34	17	5	3	5	-	2	3	-	1	5	5	18	8	16	1	-	1	58
138	5	3	51	18	6	10	9	2	3	-	1	4	11	1	39	16	16	10	-	1	59
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
137	5	3	51	18	6	10	9	2	3	-	1	4	11	1	39	16	16	10	-	1	61
73	1	-	35	-	4	2	1	-	3	-	-	1	1	1	16	2	5	4	-	1	62
1,088	64	8	302	52	45	72	66	11	51	4	2	18	73	28	217	94	115	67	67	3	63
532	33	4	157	27	22	43	32	6	33	3	2	11	43	16	112	38	56	24	49	2	64
556	31	4	145	25	23	29	34	5	18	1	-	7	30	12	105	56	59	43	18	1	65
65	2	-	20	3	3	3	3	2	2	-	-	-	-	-	10	2	3	6	1	-	66
152	2	2	25	1	5	4	9	1	3	4	-	1	4	1	24	6	12	3	-	-	67
134	5	2	55	7	4	12	10	3	6	2	-	3	6	1	35	11	20	7	1	1	68
62	4	2	31	4	1	6	4	-	3	-	-	3	4	-	16	4	7	6	1	-	69
72	1	-	24	3	3	6	6	3	3	2	-	-	2	1	19	7	13	1	-	1	70
126	9	-	64	6	4	5	4	-	3	2	-	3	4	1	28	10	10	4	1	1	71
142	6	1	44	3	6	9	11	1	1	1	-	4	8	-	35	13	15	3	2	-	72
214	8	4	51	6	16	11	8	2	10	2	-	3	1	1	28	9	15	2	1	-	73
150	5	-	69	7	6	6	3	4	7	2	-	4	9	1	31	13	7	6	1	-	74
527	46	4	162	23	23	41	31	5	20	4	-	15	28	18	131	39	46	41	17	3	75
47	7	-	11	5	2	2	1	-	2	-	-	-	1	1	8	5	3	3	-	-	76
326	28	3	106	12	18	21	19	4	11	3	-	12	18	15	89	13	28	22	15	2	77
328	28	3	106	12	18	21	19	4	11	3	-	12	18	15	89	13	28	22	15	2	78
154	11	1	45	6	3	18	11	1	7	1	-	3	9	2	34	21	15	16	2	1	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-148,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MICHIGAN—CON.																	
01	IONIA	422	-	1	2	72	20	17	3	10	2	6	14	10	220	147	1	1
02	IOSCO	245	-	-	1	38	12	7	6	7	-	1	5	2	145	118	2	2
03	IRON	209	1	-	-	42	16	10	-	4	2	3	7	2	119	71	-	-
04	ISABELLA	308	1	1	2	52	13	9	7	8	5	-	10	4	166	121	1	3
05	MOUNT PLEASANT	117	-	-	1	21	4	4	3	4	3	-	3	3	64	46	1	-
06	BALANCE OF COUNTY	191	1	1	1	31	9	5	4	4	2	-	7	1	102	75	-	3
07	JACKSON	1,286	1	-	6	237	57	58	18	32	12	13	47	41	704	521	8	3
08	JACKSON	553	1	-	3	101	25	24	11	14	5	4	18	12	304	218	3	2
09	BALANCE OF COUNTY	733	-	-	3	136	32	34	7	18	7	9	29	29	400	303	5	1
10	KALAMAZOO	1,392	2	-	10	280	64	72	29	30	13	11	61	38	688	495	8	7
11	KALAMAZOO	698	-	-	7	139	34	35	16	15	9	4	26	16	345	234	1	1
12	PORTAGE	134	-	-	1	33	5	11	4	1	1	2	9	3	61	43	1	-
13	BALANCE OF COUNTY	560	2	-	2	108	25	26	9	14	3	5	26	19	282	218	6	7
14	KALKASKA	86	-	-	-	11	3	2	1	2	1	1	1	3	51	39	-	-
15	KENT	3,436	6	-	15	643	170	136	65	77	31	30	134	77	1,895	1,359	27	30
16	EAST GRAND RAPIDS	84	-	-	-	18	3	3	4	2	-	2	4	1	47	37	-	1
17	GRAND RAPIDS	2,036	3	-	9	369	104	78	30	45	17	16	79	40	1,157	817	16	20
18	GRANDVILLE	76	-	-	-	18	4	2	5	2	2	1	2	1	43	32	1	1
19	KENTWOOD	99	-	-	-	29	6	8	4	1	1	2	7	1	47	32	-	1
20	WALKER	77	-	-	-	17	3	4	3	3	1	-	3	2	38	29	2	-
21	WYOMING	337	-	-	2	64	16	13	8	11	3	1	12	12	172	132	3	3
22	BALANCE OF COUNTY	727	3	-	4	128	34	28	11	13	7	8	27	20	391	280	5	4
23	KEWEENAW	35	-	-	-	6	3	2	-	1	-	-	-	-	20	17	-	-
24	LAKE	104	-	-	-	26	7	3	2	7	1	3	3	1	53	38	1	3
25	LAPEER	415	1	-	3	69	27	17	6	8	3	3	5	23	228	177	1	1
26	LEELANAU	124	1	-	-	29	10	6	2	2	-	4	5	4	67	48	2	-
27	LENAWEE	712	-	-	2	131	24	27	13	16	15	3	33	24	367	251	5	2
28	ADRIAN	204	-	-	1	47	7	12	3	3	7	2	13	7	96	58	1	2
29	BALANCE OF COUNTY	508	-	-	1	84	17	15	10	13	8	1	20	17	271	193	4	2
30	LIVINGSTON	477	-	-	2	89	21	28	8	5	3	-	24	17	234	179	5	6
31	LUCE	67	-	-	-	11	3	1	2	-	-	-	5	1	39	26	-	-
32	MACKINAC	111	-	-	-	23	4	7	2	3	-	-	7	8	53	31	-	-
33	MACOMB	4,011	8	-	26	842	218	211	80	73	44	35	181	102	2,021	1,536	32	26
34	CENTER LINE	89	-	-	-	26	9	3	2	1	2	2	7	2	45	36	-	-
35	EAST DETROIT	326	-	-	5	61	19	11	5	8	1	5	12	5	187	147	3	2
36	FRASER	73	-	-	1	16	4	4	3	1	2	1	1	3	29	25	-	1
37	MOUNT CLEMENS	336	2	-	2	60	21	11	7	4	4	-	13	5	180	136	2	2
38	ROSEVILLE	361	-	-	1	81	20	21	7	7	2	5	19	12	176	126	5	1
39	ST. CLAIR SHORES	630	-	-	4	133	30	42	15	7	8	5	26	14	346	266	5	8
40	STERLING HEIGHTS	309	1	-	1	75	17	26	7	5	3	6	11	6	143	104	5	2
41	WARREN	1,019	4	-	4	213	57	57	18	24	11	6	40	32	487	380	8	5
42	BALANCE OF COUNTY	868	1	-	8	177	41	36	16	16	11	5	52	23	428	316	4	5
43	MANISTEE	250	-	-	-	52	19	13	4	3	2	4	7	9	137	96	4	2
44	MARQUETTE	561	-	-	1	95	27	24	8	12	5	1	18	15	320	232	4	8
45	MARQUETTE	195	-	-	-	30	7	8	5	1	4	-	5	8	113	83	2	1
46	BALANCE OF COUNTY	366	-	-	1	65	20	16	3	11	1	1	13	7	207	149	2	7
47	MASON	243	-	-	2	36	12	5	3	7	1	1	7	7	146	113	1	1
48	MECOSTA	264	-	-	-	35	9	3	10	6	1	-	6	11	161	132	3	1
49	BIG RAPIDS	90	-	-	-	12	2	1	4	2	1	-	2	5	57	48	1	1
50	BALANCE OF COUNTY	174	-	-	-	23	7	2	6	4	-	-	4	6	104	84	2	-
51	MENOMINEE	258	-	-	1	47	18	8	3	6	4	1	7	12	158	113	2	4
52	MENOMINEE	135	-	-	-	23	9	5	1	1	3	1	3	8	84	57	2	2
53	BALANCE OF COUNTY	123	-	-	1	24	9	3	2	5	1	-	4	4	74	56	-	2
54	MIDLAND	423	1	-	3	91	23	24	12	11	4	3	14	9	185	125	4	1
55	MIDLAND, PART	216	1	-	2	46	10	14	6	6	2	1	7	6	100	60	4	1
56	MIDLAND, TOTAL	216	1	-	2	46	10	14	6	6	2	1	7	6	100	60	4	1
57	BALANCE OF COUNTY	207	-	-	1	45	13	10	6	5	2	2	7	3	85	65	-	-
58	MISSAUKEE	85	-	-	-	10	5	-	-	2	-	-	3	1	56	37	1	-
59	MONROE	899	-	-	4	170	47	38	17	19	6	11	32	21	452	334	3	6
60	MONROE	281	-	-	-	50	15	10	7	8	1	1	8	6	139	99	1	-
61	BALANCE OF COUNTY	618	-	-	4	120	32	28	10	11	5	10	24	15	313	235	2	6
62	MONTCALM	439	-	-	5	71	22	14	6	6	1	1	21	6	258	183	3	6
63	MONTMORENCY	105	-	-	1	16	5	5	1	2	1	-	2	2	61	46	-	-
64	MUSKEGON	1,385	4	-	8	267	69	64	24	34	10	15	51	38	734	503	15	12
65	MUSKEGON	557	2	-	2	87	27	23	4	8	5	2	18	14	324	211	6	4
66	MUSKEGON HEIGHTS	188	1	-	2	38	10	10	2	7	1	1	7	5	94	59	2	1
67	NORTON SHORES	125	-	-	1	34	10	5	6	6	1	2	4	5	59	40	2	1
68	BALANCE OF COUNTY	515	1	-	3	108	22	26	12	13	3	10	22	14	257	193	5	6
69	NEWAYGO	302	-	1	-	55	21	6	5	8	2	-	13	8	163	114	1	-
70	OAKLAND	6,466	2	3	31	1,325	339	282	154	134	64	62	290	146	3,324	2,523	51	26
71	BERKLEY	134	-	-	1	31	5	5	3	4	2	-	12	1	76	64	1	1
72	BEVERLY HILLS	72	-	-	2	11	1	2	2	3	-	1	2	1	42	32	2	-
73	BIRMINGHAM	255	-	-	-	58	18	16	7	4	3	1	9	9	134	92	2	-
74	CLARKSON	105	-	-	-	24	6	5	2	3	-	1	7	3	50	40	1	-
75	FARMINGTON	140	-	-	1	27	7	5	1	4	2	-	8	5	80	59	-	-
76	FERNDALE	275	-	-	2	53	14	9	6	9	1	3	11	6	154	125	5	3
77	HAZEL PARK	165	-	-	-	25	7	7	1	1	-	1	8	3	75	54	1	1
78	MADISON HEIGHTS	195	-	-	2	38	6	16	2	2	-	1	11	13	88	70	3	2
79	OAK PARK	298	-	-	2	74	24	16	10	6	5	5	8	6	163	131	4	-
80	PONTIAC	774	1	2	3	140	36	33	15	14	7	4	31	14	365	273	4	5
81	ROYAL OAK	638	-	-	2	137	37	26	17	11	7	8	31	15	327	247	3	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
136	9	1	55	9	8	19	7	1	4	1	-	4	6	2	40	10	12	9	2	-	01
105	9	3	14	6	4	5	6	3	3	-	-	1	5	2	18	4	7	5	-	-	02
63	8	-	42	-	6	2	5	-	4	-	-	1	1	2	18	5	4	3	-	-	03
110	7	-	34	5	6	5	11	1	3	2	-	1	5	1	24	10	12	6	1	-	04
43	2	-	13	2	3	-	4	1	2	2	-	-	-	1	12	-	4	1	1	-	05
67	5	-	21	3	3	5	7	-	1	-	-	1	5	-	12	10	8	5	-	-	06
485	25	3	130	33	17	34	13	3	23	2	-	13	16	3	96	28	40	16	8	2	07
204	9	1	63	16	6	14	5	2	14	1	-	6	5	1	44	8	23	4	5	-	08
281	16	2	67	17	11	20	8	1	9	1	-	7	11	2	52	20	17	12	3	2	09
459	21	2	127	44	20	45	29	7	15	4	2	12	24	14	99	36	43	31	12	1	10
219	14	1	74	24	12	28	15	4	3	2	1	5	14	11	51	15	19	14	8	1	11
42	-	-	10	6	2	3	1	-	2	1	-	1	2	1	10	2	5	6	2	-	12
198	7	1	43	14	6	14	13	3	10	1	1	6	8	2	38	19	19	11	2	-	13
39	-	-	10	-	2	-	6	-	1	-	-	-	-	1	8	2	2	1	-	-	14
1,216	86	14	374	89	59	81	36	12	43	10	-	32	40	59	231	92	99	48	16	1	15
33	3	-	8	-	2	3	1	1	1	-	-	-	1	-	4	4	-	3	-	-	16
728	53	8	238	60	34	43	20	10	29	4	-	15	25	39	131	46	56	29	10	1	17
27	3	-	8	1	2	-	1	1	2	-	-	-	-	-	5	2	2	1	-	-	18
30	1	1	9	2	3	3	1	-	-	1	-	3	1	1	4	1	2	1	-	-	19
26	1	1	5	1	2	4	1	-	1	-	-	-	2	-	7	2	1	1	1	-	20
116	10	-	29	4	7	9	2	-	2	1	-	5	6	7	28	11	11	3	2	-	21
256	15	4	77	21	9	19	10	-	8	4	-	9	5	12	52	23	28	9	2	-	22
17	-	-	3	-	-	2	2	-	2	-	-	-	-	-	1	1	1	-	-	-	23
31	3	-	11	2	2	1	4	-	2	-	-	1	-	-	12	1	2	-	1	-	24
162	13	1	33	9	8	4	2	1	5	-	-	5	8	4	23	16	15	5	3	-	25
41	5	-	11	2	6	3	1	2	1	-	-	2	-	-	5	4	5	-	-	-	26
223	21	3	71	34	8	15	20	2	11	2	-	3	9	8	45	25	24	19	5	-	27
51	6	-	22	14	2	4	6	-	8	1	-	-	1	3	12	3	9	3	3	-	28
172	15	3	49	20	6	11	14	2	3	1	-	3	8	5	33	22	15	16	2	-	29
150	18	-	39	8	8	15	14	3	11	3	-	4	6	-	36	18	13	8	4	-	30
25	1	-	7	4	2	-	4	-	2	-	-	-	1	-	4	3	2	-	-	-	31
30	1	1	15	5	1	4	-	-	1	-	-	1	2	-	8	3	8	4	1	-	32
1,393	85	8	390	42	45	70	72	19	99	21	1	26	96	15	285	105	105	68	24	6	33
35	1	-	9	-	-	1	2	-	1	1	-	-	-	1	6	1	2	1	-	-	34
137	5	2	33	-	5	3	5	2	15	2	1	1	3	1	17	6	6	3	2	1	35
24	-	-	3	-	1	-	1	-	4	1	-	-	5	-	4	5	3	-	1	-	36
119	13	1	31	6	6	8	7	2	12	2	-	3	11	1	25	6	8	1	1	-	37
115	5	1	39	4	6	8	4	2	6	2	-	3	11	-	26	9	12	5	3	-	38
238	15	2	65	8	5	3	15	3	10	3	-	3	7	3	46	13	15	7	2	3	39
93	4	1	31	4	3	4	4	1	3	2	-	2	10	2	24	11	10	9	1	-	40
348	19	1	91	9	6	19	16	8	37	1	-	8	22	5	83	24	24	23	8	1	41
284	23	-	88	11	13	24	18	1	11	7	-	6	27	2	54	30	25	19	6	1	42
83	7	-	28	9	4	7	4	3	4	3	-	2	3	2	9	5	10	-	-	-	43
211	9	5	63	10	10	14	6	1	11	1	-	1	12	8	33	17	20	3	3	-	44
75	5	2	21	4	3	7	1	-	3	1	-	-	5	3	10	6	7	-	1	-	45
136	4	3	42	6	7	7	5	1	8	-	-	1	7	5	23	11	13	3	2	-	46
104	7	2	26	4	1	6	3	-	3	2	-	1	3	-	17	6	9	-	1	1	47
121	7	-	23	3	3	1	5	1	2	-	-	2	5	5	16	7	8	5	-	-	48
42	4	-	7	1	1	-	1	1	-	-	-	2	1	1	5	1	3	1	-	-	49
79	3	-	16	2	2	1	4	-	2	-	-	-	4	4	11	6	5	4	-	-	50
104	3	1	33	8	3	1	-	3	6	1	-	-	2	1	14	5	5	1	-	1	51
52	1	1	20	3	3	-	-	3	5	-	-	-	1	-	6	1	3	-	-	1	52
52	2	-	13	5	-	1	-	-	1	1	-	-	1	1	8	4	2	1	-	-	53
114	6	1	41	9	9	11	6	1	3	4	-	8	7	2	38	22	22	10	-	-	54
51	4	1	29	4	6	5	3	-	2	3	-	5	3	-	21	8	7	4	-	-	55
51	4	1	29	4	6	5	3	-	2	3	-	5	3	-	21	8	7	4	-	-	56
63	2	-	12	5	3	6	3	1	1	1	-	3	4	2	17	14	15	6	-	-	57
33	3	-	15	-	4	6	1	1	-	1	-	-	-	1	3	2	3	-	-	-	58
301	24	4	86	16	12	18	24	2	17	1	-	7	20	6	72	37	28	15	3	2	59
91	7	2	31	5	2	11	6	-	5	-	-	4	12	1	21	10	11	4	-	1	60
210	17	2	55	11	10	7	18	2	12	1	-	3	8	5	51	27	17	11	3	1	61
162	12	3	57	7	8	15	6	2	4	1	-	2	4	4	28	11	16	5	-	1	62
45	1	-	10	-	5	2	2	1	-	-	-	-	1	2	8	4	3	2	-	-	63
450	26	8	168	30	25	37	24	5	18	4	-	18	22	13	107	25	38	13	9	1	64
189	12	3	82	15	13	15	8	1	7	-	-	6	9	4	43	10	17	5	3	-	65
55	1	1	26	5	3	7	5	1	5	-	-	4	1	2	15	-	3	1	4	-	66
36	1	-	11	5	3	2	2	1	2	1	-	2	1	1	9	2	3	-	-	-	67
170	12	4	49	5	6	13	9	2	4	3	-	6	11	6	40	13	15	7	2	1	68
102	11	-	40	4	5	7	6	3	8	3	-	2	4	2	21	9	10	-	-	-	69
2,340	106	14	640	67	80	129	97	18	113	20	1	54	104	52	424	193	200	148	73	9	70
60	2	-	10	1	1	-	1	-	2	1	-	3	3	-	6	2	4	3	-	-	71
30	-	-	10	-	-	1	1	2	-	-	-	1	-	-	5	2	1	3	-	-	72
87	3	-	36	2	4	4	2	-	3	2	-	4	5	1	13	3	9	6	1	1	73
37	2	-	8	1	1	3	2	1	4	-	-	1	1	-	5	1	6	4	-	-	74
57	2	-	19	1	1	-	1	-	4	1	-	2	5	-	9	2	1	1	1	-	75
110	7	1	22	4	2	3	-	-	6	1	-	1	2	-	23	2	6	7	1	1	76
49	3	-	18	2	1	4	7	1	8	-	-	-	5	1	19	4	6	4	1	2	77
60	5	-	13	3	2	3	3	-	5	-	-	2	5	1	12	7	7	6	2	1	78
122	5	1	27	1	3	7	3	1	3	3	-	1	2	2	16	3	5	5	2	-	79
249	15	1	73	10	8	25	13	2	23	1	1	4	23	10	45	15	34	19	31	3	80
231	11	2	66	4	8	14	10	3	8	-	-	1	7	5	52	25	19	12	1	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MICHIGAN—CON.																	
	OAKLAND—CON.																	
01	SOUTHFIELD	638	-	-	3	150	41	.27	23	17	8	5	29	11	358	279	6	4
02	TROY	217	-	-	-	48	14	9	7	6	-	2	10	4	105	82	-	-
03	BALANCE OF COUNTY	2,560	1	1	13	509	123	106	58	50	29	30	113	55	1,307	975	19	8
04	OCEANA	204	-	-	3	33	8	8	5	2	-	1	9	4	111	79	2	1
05	OGEMAW	172	-	-	-	35	10	8	3	6	1	3	4	4	103	73	2	2
06	ONTONAGON	109	-	-	-	15	5	-	1	4	-	-	5	2	68	49	1	-
07	OSCEOLA	179	-	-	-	32	8	4	-	4	5	-	11	3	99	75	1	1
08	OSCODA	79	-	-	-	16	4	3	1	4	-	-	4	1	49	38	1	1
09	OTSEGO	112	-	-	-	25	5	2	4	4	-	2	8	5	53	35	-	-
10	OTTAWA	956	2	-	8	163	43	34	12	24	10	7	33	16	506	366	6	6
11	GRAND HAVEN	135	-	-	2	16	2	3	3	5	-	-	3	2	70	39	-	-
12	HOLLAND, PART	223	-	-	3	43	16	6	4	4	3	2	8	3	121	93	2	2
13	HOLLAND, TOTAL	238	-	-	3	45	16	6	5	4	3	3	8	3	131	98	2	2
14	BALANCE OF COUNTY	598	2	-	3	104	25	25	5	15	7	5	22	11	315	234	4	4
15	PRESQUE ISLE	128	-	-	-	29	10	6	1	5	2	1	4	-	73	50	1	-
16	ROSCOMMON	175	-	-	1	34	5	10	2	6	1	2	8	3	90	72	1	2
17	SAGINAW	1,768	3	-	10	308	77	73	29	43	12	11	63	44	913	632	9	10
18	SAGINAW	904	2	-	7	155	45	38	9	21	8	5	29	25	454	321	2	6
19	BALANCE OF COUNTY	864	1	-	3	153	32	35	20	22	4	6	34	19	459	311	7	4
20	ST. CLAIR	1,244	-	-	8	216	60	44	19	23	10	8	52	55	669	459	6	9
21	PORT HURON	438	-	-	4	75	23	19	6	4	2	4	17	21	234	154	4	2
22	BALANCE OF COUNTY	806	-	-	4	141	37	25	13	19	8	4	35	34	435	305	2	7
23	ST. JOSEPH	502	1	-	1	93	28	23	5	15	6	7	9	12	281	209	3	2
24	SANILAC	383	-	-	1	61	22	5	5	8	3	3	15	7	236	158	1	1
25	SCHOOLCRAFT	107	-	-	-	21	9	2	2	-	1	1	6	7	52	43	-	1
26	SHIAWASSEE	560	-	-	1	106	24	25	13	11	8	4	21	18	295	189	8	3
27	OWOSSO	203	-	-	-	36	11	10	3	5	-	2	5	8	112	70	2	1
28	BALANCE OF COUNTY	357	-	-	1	70	13	15	10	6	8	2	16	10	183	119	6	2
29	TUSCOLA	415	-	-	2	67	20	13	9	9	4	2	10	9	235	183	1	1
30	VAN BUREN	583	-	1	2	94	20	18	12	17	6	8	13	21	301	215	3	5
31	WASHTENAW	1,376	3	-	11	291	81	59	25	35	14	15	62	30	615	420	3	5
32	ANN ARBOR	518	-	-	5	127	30	26	19	14	6	5	27	13	211	141	2	2
33	YPSILANTI	209	2	-	2	44	16	11	1	5	2	3	6	7	94	62	1	2
34	BALANCE OF COUNTY	649	1	-	4	120	35	22	5	16	6	7	29	10	310	217	-	1
35	WAYNE	25,076	81	2	178	4,634	1,292	1,155	375	575	201	172	864	620	12,403	9,694	174	142
36	ALLEN PARK	291	-	-	1	64	18	12	4	8	2	4	16	8	146	124	3	1
37	DEARBORN	1,010	3	-	4	210	64	37	21	26	6	5	51	19	568	434	8	3
38	DEARBORN HEIGHTS	465	-	-	1	105	34	29	9	7	6	3	17	12	237	178	4	1
39	DETROIT	16,623	67	2	118	2,900	824	750	248	357	108	97	516	424	8,125	6,311	109	109
40	ECORSE	165	-	-	1	34	10	13	2	2	4	2	1	9	82	65	-	-
41	GARDEN CITY	179	-	-	2	41	9	10	2	6	4	3	7	4	85	63	-	-
42	GROSSE POINTE FARMS	120	1	-	1	30	10	2	4	5	4	1	4	2	64	49	-	1
43	GROSSE POINTE PARK	145	-	-	-	31	9	6	3	4	3	1	5	2	80	59	1	1
44	GROSSE POINTE WOODS	191	-	-	1	42	11	13	4	3	3	1	7	11	104	81	4	-
45	HAMTRAMCK	394	1	-	6	80	26	15	1	13	6	4	15	9	191	162	1	3
46	HARPER WOODS	189	-	-	-	35	11	7	1	7	1	2	6	5	115	86	4	1
47	HIGHLAND PARK	404	2	-	1	78	23	22	3	14	-	3	13	8	201	159	2	1
48	INKSTER	257	-	-	-	42	9	9	3	6	2	-	13	3	106	84	1	3
49	LINCOLN PARK	387	1	-	3	76	19	22	7	8	4	4	12	16	213	184	5	2
50	LIVONIA	630	-	-	8	131	31	25	18	19	5	6	27	14	327	250	5	2
51	MELVINDALE	100	-	-	-	17	4	6	2	1	1	2	1	6	48	38	-	1
52	PLYMOUTH	154	-	-	2	40	9	9	4	6	2	2	8	2	70	50	2	1
53	RIVER ROUGE	193	1	-	1	35	10	7	1	7	2	1	7	5	99	78	1	1
54	RIVERVIEW	59	-	-	-	14	3	2	1	3	-	1	4	-	30	26	-	-
55	SOUTHGATE	186	1	-	1	44	9	15	3	3	1	1	12	3	89	75	-	1
56	TAYLOR	355	1	-	5	76	20	22	5	8	6	4	11	2	140	118	4	1
57	TRENTON	164	-	-	2	35	12	7	1	1	5	2	7	4	75	58	2	1
58	WAYNE	151	-	-	2	39	8	9	2	7	3	1	9	3	59	50	1	2
59	WESTLAND	389	2	-	4	70	16	17	3	10	3	5	16	8	192	151	2	-
60	WYANDOTTE	375	-	-	4	73	15	26	5	12	-	4	11	9	205	165	2	1
61	BALANCE OF COUNTY	1,500	1	-	10	292	78	63	18	32	20	13	68	32	752	596	13	5
62	WEXFORD	221	1	-	1	32	7	7	2	7	1	1	7	9	127	83	-	-
63	**MINNESOTA**	33,500	29	5	186	6,180	1,801	1,112	624	798	325	325	1,195	516	18,271	12,697	304	190
64	URBAN PLACES	16,922	22	3	96	3,217	887	631	352	400	161	161	625	241	9,065	6,285	158	92
65	BALANCE OF AREA	16,578	7	2	90	2,963	914	481	272	398	164	164	570	275	9,206	6,412	146	98
66	METROPOLITAN COUNTIES	16,767	20	3	101	3,207	896	643	346	398	158	161	605	247	8,815	6,155	167	94
67	URBAN PLACES	14,237	19	3	83	2,746	767	549	299	334	133	142	522	205	7,540	5,247	136	75
68	BALANCE OF AREA	2,530	1	-	18	461	129	94	47	64	25	19	83	42	1,275	908	31	19
69	NONMETROPOLITAN COUNTIES	16,733	9	2	85	2,973	905	469	278	400	167	164	590	269	9,456	6,542	137	96
70	URBAN PLACES	2,685	3	-	13	471	120	82	53	66	28	19	103	36	1,525	1,038	22	17
71	BALANCE OF AREA	14,048	6	2	72	2,502	785	387	225	334	139	145	487	233	7,931	5,504	115	79
72	AITKIN	180	-	-	-	30	9	5	2	2	1	2	9	3	114	72	2	-
73	ANOKA	612	-	-	4	109	24	25	10	15	6	6	23	9	290	207	2	4
74	ANOKA	95	-	-	-	14	3	1	-	2	3	-	5	2	58	39	-	1
75	BLAINE, PART	70	-	-	1	13	2	3	2	1	-	3	2	-	33	22	-	-
76	BLAINE, TOTAL	70	-	-	1	13	2	3	2	1	-	3	2	-	33	22	-	-
77	COLUMBIA HEIGHTS	125	-	-	1	22	6	7	2	1	1	1	4	3	60	44	-	1
78	COON RAPIDS	75	-	-	1	13	2	2	4	3	-	-	2	-	25	20	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
259	10	1	59	11	8	10	3	2	4	1	-	7	3	6	37	15	9	12	7	-	01
77	5	1	14	2	6	5	4	-	4	2	-	1	2	1	17	10	6	7	1	-	02
912	36	7	265	25	35	50	47	6	39	8	-	26	41	25	165	102	87	59	18	1	03
74	2	-	26	2	4	7	4	-	2	1	-	2	3	8	15	7	3	1	-	-	04
65	4	1	23	3	3	2	1	-	-	-	-	3	1	-	9	8	2	2	1	1	05
47	1	-	12	5	2	2	5	-	-	-	-	2	1	-	6	5	2	1	-	-	06
69	5	1	15	4	4	4	5	1	1	1	-	3	-	2	20	4	3	1	-	-	07
35	1	-	6	5	-	-	1	1	1	-	-	-	1	-	4	1	2	2	-	-	08
31	4	-	13	3	2	2	2	-	1	-	-	1	1	-	10	5	5	2	-	-	09
337	17	4	97	20	19	18	12	4	7	3	-	12	16	26	81	34	28	15	4	1	10
36	3	-	21	2	8	5	3	-	1	-	-	-	3	2	16	6	5	4	-	-	11
88	1	-	20	4	4	4	3	-	2	2	-	2	4	10	14	3	6	1	1	1	12
93	1	-	24	5	4	5	4	-	2	2	-	3	4	10	14	3	6	1	1	1	13
213	13	4	56	14	7	9	6	4	4	1	-	10	9	14	51	25	17	10	3	-	14
48	1	-	16	4	3	4	2	-	2	-	-	-	1	1	5	4	6	1	-	-	15
59	10	-	15	2	1	2	3	1	2	-	-	3	3	1	17	6	1	5	2	1	16
576	37	16	198	48	19	33	28	3	26	9	-	5	29	6	152	45	79	24	43	8	17
297	16	7	92	25	9	17	14	2	14	4	-	2	20	2	86	14	45	9	30	2	18
279	21	9	106	23	10	16	14	1	12	5	-	3	9	4	66	31	34	15	13	6	19
426	18	7	146	39	18	18	24	-	25	5	-	5	20	6	86	46	44	9	6	2	20
142	6	2	56	15	7	4	7	-	4	1	-	3	8	1	39	11	20	4	2	-	21
284	12	5	90	24	11	14	17	-	21	4	-	2	12	5	47	35	24	5	4	2	22
193	11	2	48	9	13	8	6	3	3	2	2	5	7	3	29	17	19	8	1	1	23
144	12	1	61	9	7	7	3	1	3	-	1	2	7	5	18	12	15	3	1	-	24
37	5	1	4	2	2	1	2	-	2	-	-	-	-	1	9	3	6	1	2	-	25
170	8	3	88	9	6	16	10	2	7	3	-	6	13	1	27	17	21	14	3	-	26
63	4	-	36	3	3	7	3	-	3	2	-	2	4	-	10	3	8	3	2	-	27
107	4	3	52	6	3	9	7	2	4	1	-	4	9	1	17	14	13	11	1	-	28
172	9	2	40	3	7	7	8	-	6	-	-	4	12	-	24	15	19	6	-	1	29
192	15	1	61	18	6	15	11	2	7	-	-	7	9	8	54	19	20	10	2	-	30
386	26	6	151	13	25	51	20	4	26	4	1	13	33	15	106	57	42	30	19	5	31
129	8	1	52	3	14	10	8	1	15	1	-	5	12	9	43	20	19	14	5	-	32
55	4	-	28	3	1	7	2	1	4	1	1	1	7	1	12	10	5	2	4	2	33
202	14	5	71	7	10	34	10	2	7	2	-	7	14	5	51	27	18	14	10	3	34
8,974	404	94	2,155	201	259	578	283	86	878	126	5	173	466	197	1,984	418	641	351	854	118	35
118	2	-	16	4	2	8	6	-	5	-	-	1	3	1	20	8	7	11	-	2	36
412	11	1	107	9	17	21	13	6	16	6	-	1	7	4	65	17	22	16	10	2	37
164	9	3	39	6	11	6	6	1	12	-	-	2	3	4	34	17	10	11	2	2	38
5,804	289	64	1,490	119	141	406	158	49	664	91	5	107	332	134	1,404	208	426	170	750	83	39
60	5	-	13	2	2	1	2	-	7	-	-	2	3	-	13	3	3	-	5	-	40
59	4	-	19	1	2	1	4	-	4	3	-	1	2	2	5	7	5	10	2	1	41
48	-	-	13	-	2	2	3	-	3	-	-	1	-	-	8	-	2	3	-	-	42
56	1	3	17	-	1	1	1	1	3	-	-	2	3	-	7	-	7	5	-	2	43
75	2	1	13	4	5	4	3	1	4	2	-	-	2	-	8	1	2	6	-	-	44
150	8	1	26	-	2	11	5	1	24	4	-	1	3	2	32	4	7	6	5	2	45
78	3	-	22	2	5	4	2	1	2	-	-	1	1	1	13	2	4	2	-	1	46
150	6	3	28	10	1	7	2	2	17	1	-	1	13	4	25	5	4	3	28	2	47
75	5	1	18	1	2	9	1	3	8	3	-	9	9	4	26	6	6	5	16	1	48
172	5	1	20	4	4	8	3	1	8	-	-	2	5	2	23	6	7	8	4	1	49
236	7	3	52	11	11	17	8	3	10	1	-	6	7	5	44	16	14	14	2	3	50
35	2	-	8	-	2	4	5	-	3	-	-	2	2	-	5	2	-	5	1	-	51
46	1	1	14	1	4	5	3	-	4	-	-	-	4	1	7	4	5	5	1	1	52
71	5	2	15	1	3	2	4	-	5	-	-	2	4	2	20	5	1	4	3	-	53
25	1	-	4	-	-	3	2	-	1	1	-	1	2	-	4	-	-	-	-	1	54
70	4	-	10	-	4	4	5	1	5	1	-	1	-	3	10	8	6	1	2	1	55
109	4	1	13	5	3	5	6	3	11	1	-	5	9	3	37	23	13	7	4	4	56
52	3	2	12	-	3	3	5	-	4	-	-	1	4	-	11	6	9	4	1	-	57
47	-	-	8	1	-	4	3	1	5	-	-	-	4	4	14	4	6	2	1	-	58
146	3	1	30	3	7	7	6	2	7	2	-	4	7	4	28	15	10	19	1	1	59
160	2	1	25	8	6	6	5	1	10	3	-	6	2	3	22	8	7	7	4	-	60
556	22	5	123	9	19	29	22	9	36	7	-	14	35	14	99	43	58	27	12	8	61
73	10	-	30	8	6	5	8	-	1	-	-	2	1	1	15	6	10	-	-	2	62
11,454	749	94	4,340	683	457	1,155	435	124	415	101	4	238	438	298	2,581	867	1,043	400	128	86	63
5,700	335	55	2,128	342	255	596	225	55	288	43	2	127	211	199	1,383	292	489	219	96	53	64
5,754	414	39	2,212	341	202	559	210	69	127	58	2	111	227	99	1,198	575	554	181	32	33	65
5,579	315	45	2,031	342	242	575	228	58	290	42	2	138	214	226	1,325	366	519	227	103	61	66
4,769	267	43	1,745	292	213	502	196	49	258	33	2	109	166	195	1,153	243	408	187	88	52	67
810	48	2	286	50	29	73	32	9	32	9	-	29	48	31	172	123	111	40	15	9	68
5,875	434	49	2,309	341	215	580	207	66	125	59	2	100	224	72	1,256	501	524	173	25	25	69
931	68	12	383	50	42	94	29	6	30	10	-	18	45	4	230	49	81	32	8	1	70
4,944	366	37	1,926	291	173	486	178	60	95	49	2	82	179	68	1,026	452	443	141	17	24	71
69	1	-	36	2	4	4	1	-	1	3	-	-	-	1	13	6	3	1	-	-	72
190	11	-	60	13	10	24	8	2	10	2	-	15	20	11	44	23	22	13	5	1	73
35	3	-	14	4	1	2	5	-	3	1	-	-	-	1	5	3	-	-	1	-	74
21	1	-	6	2	3	2	-	1	2	-	-	2	1	2	6	6	1	-	-	-	75
21	1	-	6	2	3	2	-	1	2	-	-	2	1	2	6	6	1	-	-	-	76
43	-	-	11	3	2	8	-	-	3	-	-	2	-	1	10	2	12	1	-	-	77
15	3	-	3	1	1	5	1	1	1	-	-	4	5	2	5	3	3	5	1	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MINNESOTA—CON.																	
	ANOKA—CON.																	
01	FRIDLEY	91	-	-	-	17	5	4	1	2	1	2	4	3	46	33	-	1
02	BALANCE OF COUNTY	156	-	-	1	30	6	8	2	6	2	-	6	1	68	49	-	-
03	BECKER	271	-	-	3	46	11	11	5	7	2	3	7	2	156	119	-	1
04	BELTRAMI	254	-	-	2	38	12	9	4	5	-	4	4	8	141	103	2	-
05	BEMIDJI	122	-	-	-	15	5	1	2	3	-	2	2	3	71	52	1	1
06	BALANCE OF COUNTY	132	-	-	2	23	7	8	2	2	-	2	2	5	70	51	1	1
07	BENTON	197	-	-	1	32	11	2	3	3	1	3	6	3	120	87	-	-
08	ST. CLOUD, PART	36	-	-	-	3	-	1	-	-	-	-	2	-	23	19	-	-
09	BALANCE OF COUNTY	161	-	-	1	29	11	1	3	3	1	3	4	3	97	68	-	-
10	BIG STONE	96	-	-	-	26	9	8	1	2	-	1	5	-	54	37	-	2
11	BLUE EARTH	408	1	-	2	73	28	13	9	7	3	2	11	6	236	170	5	6
12	MANKATO	215	1	-	1	39	13	7	5	2	3	2	7	4	125	94	2	3
13	BALANCE OF COUNTY	193	-	-	1	34	15	6	4	5	-	-	4	2	111	76	3	3
14	BROWN	293	-	-	2	49	14	2	4	12	4	2	11	8	166	100	1	-
15	NEW ULM	136	-	-	-	27	8	1	4	6	2	-	6	2	77	44	-	-
16	BALANCE OF COUNTY	157	-	-	2	22	6	1	-	6	2	2	5	6	89	56	1	-
17	CARLTON	294	-	-	-	65	15	16	8	11	1	2	12	5	167	113	1	-
18	CARVER	205	-	-	2	32	7	3	5	8	3	-	6	4	99	70	3	-
19	CASS	259	1	1	3	37	13	9	1	4	-	3	7	1	151	104	2	-
20	CHIPPEWA	173	-	-	2	28	13	3	2	2	1	2	5	1	92	61	3	-
21	CHISAGO	201	-	-	1	26	4	6	2	6	4	-	4	2	113	86	3	-
22	CLAY	329	-	-	2	70	20	8	6	14	3	2	17	5	179	115	3	3
23	MOORHEAD	157	-	-	1	42	10	5	4	8	1	2	12	2	81	46	2	-
24	BALANCE OF COUNTY	172	-	-	1	28	10	3	2	6	2	-	5	3	98	69	1	-
25	CLEARWATER	118	-	-	1	17	7	1	3	2	-	-	4	1	74	49	1	-
26	COOK	42	-	-	-	8	2	2	2	1	-	-	1	-	25	15	-	-
27	COTTONWOOD	148	-	-	2	27	8	1	1	5	2	2	8	8	62	44	1	3
28	CROW WING	425	-	-	2	66	14	12	7	6	8	2	17	7	255	170	4	-
29	BRAINERD	155	-	-	1	24	3	5	4	2	1	-	9	2	95	61	1	-
30	BALANCE OF COUNTY	270	-	-	1	42	11	7	3	4	7	2	8	5	160	109	3	1
31	DAKOTA	724	-	-	7	152	31	31	18	20	6	12	34	11	329	234	7	4
32	BURNSVILLE	50	-	-	-	3	-	1	-	1	1	-	-	2	22	15	-	-
33	HASTINGS, PART	89	-	-	1	16	3	2	4	2	1	2	2	1	45	35	-	2
34	HASTINGS, TOTAL	89	-	-	1	16	3	2	4	2	1	2	2	1	45	35	-	2
35	INVER GROVE HEIGHTS	58	-	-	-	21	1	7	3	2	-	4	4	-	18	14	-	-
36	SOUTH ST. PAUL	181	-	-	3	38	10	6	2	8	1	1	10	3	90	65	2	2
37	WEST ST. PAUL	134	-	-	1	28	8	3	3	4	2	1	7	3	71	45	3	-
38	BALANCE OF COUNTY	212	-	-	2	46	9	12	6	3	1	4	11	2	83	60	2	-
39	DODGE	127	1	-	-	28	7	3	1	5	-	2	10	4	63	43	-	1
40	DOUGLAS	261	-	1	1	51	17	8	6	7	3	-	10	5	143	99	2	1
41	FARIBAULT	273	-	-	3	49	13	7	6	7	3	6	7	1	168	109	2	2
42	FILLMORE	253	-	-	-	42	15	7	6	3	-	2	9	2	151	113	4	2
43	FREEBORN	330	1	-	3	60	16	13	7	5	3	4	12	4	186	140	-	3
44	ALBERT LEA	196	1	-	3	43	12	11	5	4	1	3	7	2	105	78	-	3
45	BALANCE OF COUNTY	134	-	-	-	17	4	2	2	1	2	1	5	2	81	62	-	-
46	GOODHUE	372	-	-	1	74	18	8	5	12	5	3	23	5	195	113	2	1
47	RED WING	146	-	-	-	30	6	3	2	5	4	1	9	1	71	46	2	1
48	BALANCE OF COUNTY	226	-	-	1	44	12	5	3	7	1	2	14	4	124	67	-	-
49	GRANT	100	-	-	-	19	4	3	1	5	-	1	5	2	60	42	-	-
50	HENNEPIN	7,813	11	2	52	1,479	444	310	157	160	74	76	258	107	4,042	2,759	82	35
51	BLOOMINGTON	326	-	-	2	65	16	16	6	8	3	2	14	3	161	106	2	-
52	BROOKLYN CENTER	156	-	-	4	34	13	3	3	3	3	2	7	1	68	51	1	2
53	BROOKLYN PARK	89	-	-	2	18	3	4	-	5	-	-	6	-	38	32	1	-
54	CRYSTAL	111	-	-	-	18	5	6	2	1	1	2	1	2	62	48	1	1
55	EDINA	293	1	-	1	55	13	8	11	5	1	10	7	5	164	104	2	-
56	GOLDEN VALLEY	104	-	-	-	19	2	5	3	3	2	-	4	1	49	31	-	-
57	HOPKINS	132	-	-	-	29	13	1	3	6	2	1	3	2	59	38	1	-
58	MINNEAPOLIS	5,010	9	1	28	914	291	195	85	90	44	50	159	70	2,646	1,793	57	24
59	MINNETONKA	142	1	-	1	28	9	5	6	-	1	3	4	2	72	51	1	1
60	NEW HOPE	75	-	-	-	13	1	4	2	3	-	-	3	1	36	28	1	-
61	PLYMOUTH	84	-	-	-	18	2	5	4	1	3	-	3	-	36	25	1	-
62	RICHFIELD	238	-	-	2	58	16	14	7	8	2	1	10	4	115	80	3	-
63	ROBBINSDALE	143	-	-	3	34	13	9	2	4	1	1	4	2	78	50	2	2
64	ST. LOUIS PARK	394	-	1	2	83	19	19	13	10	6	1	15	4	212	144	3	1
65	BALANCE OF COUNTY	516	-	-	7	93	28	16	10	13	5	3	18	10	246	178	7	4
66	HOUSTON	156	-	-	-	31	8	7	4	2	2	2	6	1	76	58	2	-
67	HUBBARD	140	1	-	-	35	11	4	4	3	5	2	6	2	66	53	1	-
68	ISANTI	156	-	-	-	16	3	3	1	3	1	3	2	4	100	63	-	3
69	ITASCA	342	1	-	1	68	18	10	2	12	10	3	13	6	185	134	4	1
70	JACKSON	160	-	-	-	37	12	6	2	4	1	3	9	1	96	65	1	6
71	KANABEC	116	-	-	-	24	7	5	4	1	1	1	5	-	66	48	1	-
72	KANDIYOHI	319	-	-	1	63	25	9	7	3	3	2	14	4	169	119	9	-
73	WILLMAR	171	-	-	-	33	8	7	4	3	1	2	8	4	86	54	3	-
74	BALANCE OF COUNTY	148	-	-	1	30	17	2	3	-	2	-	6	-	83	65	6	1
75	KITTSON	96	-	-	-	19	5	6	2	2	2	1	1	1	50	34	-	1
76	KOOCHICHING	148	-	-	-	25	7	3	3	3	-	-	9	1	79	57	1	-
77	LAC QUI PARLE	173	-	-	-	30	12	2	3	5	1	-	7	-	115	64	2	1
78	LAKE	108	-	-	1	15	5	1	-	4	2	-	3	1	63	46	2	-
79	LAKE OF THE WOODS	46	-	-	-	4	1	-	-	3	-	-	-	4	29	17	-	1
80	LE SUEUR	230	1	-	1	46	21	5	4	8	-	-	6	4	133	104	2	1
81	LINCOLN	104	-	-	1	9	1	2	3	2	-	-	1	-	62	37	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
30	3	-	10	2	1	3	-	-	1	-	-	4	3	1	6	2	1	2	1	1	01
46	1	-	16	1	2	4	2	-	-	1	-	3	11	4	12	7	5	5	2	-	02
117	2	-	31	5	1	12	1	-	-	-	-	1	2	2	15	9	15	4	3	-	03
80	20	-	32	-	6	10	1	1	-	-	-	1	6	1	20	5	9	2	1	3	04
42	9	-	16	-	3	6	-	1	5	-	-	1	5	1	8	2	4	-	1	-	05
38	11	-	16	-	3	4	1	-	-	-	-	1	1	1	12	3	5	2	-	3	06
83	4	-	24	7	2	4	-	-	1	-	-	1	4	-	12	10	6	2	1	-	07
19	-	-	2	2	-	1	-	-	1	-	-	1	-	-	3	-	3	-	-	-	08
64	4	-	22	5	2	3	-	-	-	-	-	-	3	-	9	10	3	2	-	-	09
31	4	-	13	3	1	-	-	-	-	-	-	1	1	1	9	-	2	2	-	-	10
152	7	-	54	8	4	15	7	-	3	-	-	3	6	1	24	6	16	6	3	-	11
87	2	-	25	3	3	8	1	-	2	-	-	1	3	1	10	3	8	5	3	-	12
65	5	-	29	5	1	7	6	-	1	-	-	2	3	-	14	3	8	1	-	-	13
89	16	3	51	8	4	12	6	-	4	1	-	1	3	-	19	12	8	2	-	-	14
37	7	3	25	3	2	6	3	-	3	-	-	-	1	-	7	4	4	2	-	-	15
46	9	-	26	5	2	6	3	-	1	1	-	1	2	-	12	8	4	-	-	-	16
105	7	-	33	16	5	8	4	-	2	1	-	1	3	1	18	4	8	5	2	-	17
65	2	1	22	3	3	12	4	-	2	1	-	1	3	1	22	15	4	1	2	-	18
95	7	1	36	6	4	9	3	1	-	4	-	-	4	2	17	11	10	2	-	2	19
57	1	-	26	4	1	12	3	1	-	1	-	1	1	-	15	4	11	1	-	-	20
70	12	-	18	7	2	6	3	1	-	1	-	1	3	-	19	11	6	4	1	3	21
104	5	1	46	11	6	11	6	4	4	2	-	3	7	-	18	6	11	-	1	-	22
42	2	1	23	7	4	7	3	1	3	1	-	-	3	-	6	3	4	-	-	-	23
62	3	-	23	4	2	4	3	3	1	1	-	3	4	-	12	3	7	-	1	-	24
41	5	1	24	-	-	5	2	-	1	-	-	-	1	-	8	2	4	2	-	-	25
13	2	-	8	1	1	2	-	-	-	-	-	-	-	-	2	4	-	1	-	-	26
40	-	-	13	4	1	7	5	1	2	3	-	-	2	-	17	7	5	-	-	-	27
163	3	1	73	5	6	16	5	1	7	2	-	2	4	-	27	12	17	2	-	-	28
60	-	-	32	1	1	5	1	-	2	2	-	-	-	-	11	6	5	1	-	-	29
103	3	1	41	4	5	11	4	1	5	-	-	2	4	-	16	6	12	1	-	-	30
208	15	-	77	9	9	14	12	2	13	-	-	10	13	7	54	44	43	6	3	4	31
14	1	-	6	1	-	-	1	-	-	-	-	3	3	-	3	6	6	-	1	-	32
30	3	-	8	-	2	1	2	-	-	-	-	1	-	-	10	7	2	1	1	1	33
30	3	-	8	2	2	1	2	-	-	-	-	1	-	-	10	7	2	1	1	1	34
13	1	-	4	-	-	1	2	-	1	-	-	1	2	1	3	2	4	1	-	1	35
57	4	-	19	3	3	5	3	-	7	-	-	2	-	1	18	5	4	1	-	1	36
42	-	-	22	1	3	3	3	-	3	-	-	1	-	-	14	2	5	-	-	-	37
52	6	-	18	4	1	4	1	2	2	-	-	2	8	5	6	22	22	3	1	1	38
37	5	-	18	1	1	4	3	-	-	1	-	-	4	-	9	9	5	-	-	-	39
93	3	-	30	7	7	10	1	1	2	-	-	2	5	2	15	7	6	7	2	-	40
96	9	2	48	6	3	9	2	1	2	-	-	3	4	-	15	9	7	-	-	-	41
99	8	-	30	4	4	8	2	2	2	1	-	1	2	-	20	9	6	4	1	-	42
131	6	-	40	3	3	9	4	-	1	2	-	5	4	1	26	5	11	6	1	1	43
70	5	-	23	2	2	4	2	-	-	2	-	2	2	-	18	2	6	4	-	-	44
61	1	-	17	1	1	5	2	-	1	-	-	3	2	1	8	3	5	2	1	1	45
107	3	1	67	10	4	22	7	2	3	-	-	1	5	3	29	10	10	4	-	1	46
42	1	-	21	2	2	17	2	1	2	-	-	-	2	1	13	1	3	2	-	-	47
65	2	1	46	8	2	5	5	1	1	-	-	1	3	2	16	9	7	2	-	1	48
36	6	1	14	1	2	2	2	-	-	-	-	-	-	-	9	2	3	-	-	-	49
2,508	134	28	1,004	140	111	285	114	22	158	16	2	56	104	157	628	119	249	121	65	24	50
100	4	2	42	9	2	23	8	3	1	-	-	4	1	4	25	6	11	5	1	3	51
46	2	-	14	3	-	8	3	-	4	-	-	2	5	3	11	5	4	3	1	-	52
29	2	1	5	-	-	4	2	-	1	-	-	2	6	3	2	6	4	1	-	-	53
44	2	1	12	-	1	2	1	-	1	-	-	-	5	2	9	4	3	-	-	2	54
95	7	1	55	2	2	8	4	-	3	-	-	1	2	2	25	3	9	9	-	1	55
29	2	-	15	2	1	3	2	1	4	-	-	1	1	1	5	4	4	4	3	2	56
35	2	1	17	-	3	8	-	1	7	-	-	1	3	3	11	1	3	2	1	1	57
1,627	85	19	651	101	82	178	78	13	115	8	2	26	54	116	417	54	157	58	53	13	58
46	3	-	19	2	-	7	1	-	3	1	-	1	2	3	7	5	3	3	2	-	59
26	2	-	7	1	-	4	-	1	1	1	-	-	2	1	5	3	2	5	-	-	60
23	1	-	9	-	2	2	4	1	2	-	-	2	5	-	7	1	3	2	1	-	61
68	9	2	26	3	4	2	2	-	4	1	-	2	2	3	20	8	6	9	-	-	62
46	1	1	21	1	5	3	1	-	2	1	-	1	-	1	8	2	2	5	-	-	63
136	4	-	53	7	8	12	1	1	4	-	-	5	7	5	33	4	10	9	1	-	64
158	9	-	58	9	1	21	7	1	6	4	-	8	9	10	43	13	28	6	2	2	65
53	3	1	12	1	4	9	-	-	2	1	-	-	3	-	16	5	9	2	1	-	66
48	4	1	11	-	1	1	2	1	2	-	-	1	2	-	12	4	9	1	-	1	67
55	5	-	32	3	2	5	4	2	2	-	-	-	2	2	7	7	3	2	-	-	68
123	6	-	45	2	4	14	5	1	4	1	-	3	8	1	17	10	13	4	-	-	69
54	4	1	26	2	2	7	2	2	1	1	-	-	3	-	9	4	4	1	-	-	70
44	3	1	15	2	-	1	-	1	1	-	-	2	-	-	7	6	7	1	-	-	71
106	4	2	40	4	4	6	2	1	2	1	-	-	1	1	36	11	14	6	1	-	72
48	3	1	26	2	3	4	2	-	2	1	-	-	1	-	22	3	9	2	1	-	73
58	1	1	14	2	1	2	-	-	-	-	-	-	-	1	14	8	5	4	-	-	74
30	3	1	11	2	2	11	2	-	-	-	-	1	2	-	4	1	2	1	-	-	75
52	4	-	15	2	2	5	3	-	1	-	-	1	2	1	20	2	6	2	-	-	76
56	5	-	45	2	4	3	3	1	1	1	-	-	-	-	9	4	4	2	-	-	77
40	4	-	11	4	2	7	1	-	2	-	-	-	2	-	6	4	2	2	-	1	78
15	1	-	11	1	-	2	-	-	-	-	-	-	-	-	5	-	1	1	-	-	79
97	4	-	22	5	2	4	1	2	1	-	-	-	2	3	12	9	8	2	-	-	80
31	5	-	22	2	1	5	4	1	1	-	-	2	-	1	15	-	3	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with OR without renal disease (402,404)
	MINNESOTA—CON.																	
01	LYON	238	-	-	-	34	10	4	4	5	3	-	8	4	161	129	4	1
02	MC LEOD	291	-	-	2	59	19	7	5	7	7	3	11	5	167	106	-	2
03	MAHNOMEN	55	-	-	-	6	2	1	-	1	1	-	1	-	37	29	3	-
04	MARSHALL	144	-	-	1	22	9	2	2	1	-	2	6	1	93	57	-	1
05	MARTIN	254	-	-	2	41	12	9	3	6	1	-	10	5	152	107	1	-
06	FAIRMONT	132	-	-	1	25	7	3	2	5	1	-	7	-	78	52	-	-
07	BALANCE OF COUNTY	122	-	-	1	16	5	6	1	1	-	-	3	5	74	55	1	-
08	MEEKER	196	-	-	-	27	6	4	2	4	1	3	7	3	112	70	2	-
09	MILLE LACS	179	-	-	-	25	10	1	-	3	1	3	7	2	101	70	2	-
10	MORRISON	304	-	-	1	45	18	5	4	8	2	1	7	3	179	115	6	1
11	MOWER	415	-	-	2	79	20	10	8	13	4	2	22	11	225	157	1	1
12	AUSTIN	278	-	-	1	53	13	7	6	10	2	2	13	6	153	108	1	-
13	BALANCE OF COUNTY	137	-	-	1	26	7	3	2	3	2	-	9	5	72	49	-	1
14	MURRAY	117	-	-	-	30	8	5	1	6	-	5	5	3	60	38	-	-
15	NICOLLET	165	-	-	4	35	4	6	4	5	1	3	12	2	80	52	-	-
16	NOBLES	209	-	-	-	41	16	8	2	3	1	3	8	2	112	84	1	4
17	NORMAN	148	-	-	1	32	9	6	-	7	1	1	8	3	78	49	-	1
18	OLMSTED	503	-	-	3	110	25	15	13	23	5	8	21	5	225	164	9	3
19	ROCHESTER	383	-	-	2	86	22	10	13	17	4	5	15	4	166	123	5	2
20	BALANCE OF COUNTY	120	-	-	1	24	3	5	-	6	1	3	6	1	59	41	4	1
21	OTTER TAIL	536	-	-	4	110	38	17	13	14	4	4	20	10	281	193	4	3
22	FERGUS FALLS	141	-	-	1	29	6	7	4	4	2	-	6	3	73	44	2	-
23	BALANCE OF COUNTY	395	-	-	3	81	32	10	9	10	2	4	14	7	208	149	2	3
24	PENNINGTON	136	-	-	1	27	10	6	-	4	1	2	4	2	82	51	1	-
25	PINE	221	-	-	4	43	17	7	2	5	4	1	7	4	112	77	-	-
26	PIPESTONE	151	-	-	1	25	11	-	2	3	1	2	6	4	84	47	2	-
27	POLK	401	-	-	2	71	21	11	14	8	4	3	10	4	233	156	3	4
28	POPE	144	-	-	-	25	7	2	4	4	4	1	3	1	80	52	1	-
29	RAMSEY	3,951	6	1	20	754	207	151	79	97	39	34	147	55	2,206	1,539	42	25
30	BLAINE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	MAPLEWOOD	129	1	-	-	22	2	5	4	4	4	1	2	3	68	53	2	3
32	NEW BRIGHTON	88	-	-	-	27	3	3	2	6	4	2	7	1	37	30	1	-
33	NORTH ST. PAUL	38	-	-	-	11	2	3	1	-	3	-	2	2	17	11	-	1
34	ROSEVILLE	185	-	-	1	48	7	8	10	8	2	3	10	4	91	69	-	2
35	ST. PAUL	3,166	5	1	16	587	173	121	58	71	22	23	119	43	1,805	1,241	30	15
36	SHOREVIEW	37	-	-	-	8	3	2	1	1	-	1	-	-	22	16	2	-
37	WHITE BEAR LAKE, PART	133	-	-	2	20	6	3	2	4	1	1	3	1	69	54	3	1
38	WHITE BEAR LAKE, TOTAL	136	-	-	2	21	6	4	2	4	1	1	3	1	69	54	3	1
39	BALANCE OF COUNTY	175	-	-	1	31	11	6	1	3	3	3	4	1	97	65	4	3
40	RED LAKE	49	-	-	1	11	4	-	-	2	-	1	4	-	26	23	-	-
41	REDWOOD	193	-	-	2	34	14	2	4	4	1	1	8	3	119	81	2	-
42	RENVILLE	252	-	-	3	42	11	13	4	4	2	2	6	4	153	125	3	-
43	RICE	338	-	-	2	53	10	13	7	9	1	3	10	8	179	115	4	5
44	FARIBAULT	151	-	-	1	26	4	9	3	4	1	-	5	3	74	47	2	3
45	NORTHFIELD	81	-	-	1	6	3	-	1	1	-	-	1	1	52	34	2	1
46	BALANCE OF COUNTY	106	-	-	-	21	3	4	3	4	-	3	4	4	53	34	-	1
47	ROCK	99	-	-	1	19	4	4	2	-	3	1	5	2	50	28	2	-
48	ROSEAU	135	-	-	-	23	7	4	2	3	2	1	4	2	79	57	2	-
49	ST. LOUIS	2,354	3	-	10	438	127	84	55	55	19	16	82	51	1,300	959	17	15
50	DULUTH	1,130	2	-	6	221	59	40	23	27	10	13	49	17	626	476	7	9
51	HIBBING	221	-	-	2	38	12	6	3	6	3	1	7	12	133	102	2	1
52	VIRGINIA	164	-	-	-	36	8	7	7	4	1	-	9	2	82	57	-	1
53	BALANCE OF COUNTY	839	1	-	2	143	48	31	22	18	5	2	17	20	459	324	8	4
54	SCOTT	225	-	-	1	45	18	6	5	3	4	4	5	5	103	66	4	5
55	SHERBURNE	155	-	-	2	31	7	6	3	6	2	1	6	2	86	62	3	-
56	ST. CLOUD, PART	39	-	-	-	9	1	1	1	2	2	-	2	1	23	14	1	-
57	BALANCE OF COUNTY	116	-	-	2	22	6	5	2	4	-	1	4	1	63	48	2	-
58	SIBLEY	169	-	-	2	42	14	8	7	4	3	4	2	1	87	57	-	2
59	STEARNS	656	-	-	1	115	45	18	7	15	7	11	12	16	377	255	5	5
60	ST. CLOUD, PART	212	-	-	-	37	15	7	3	5	3	3	1	2	122	82	1	1
61	ST. CLOUD, TOTAL	287	-	-	-	49	16	9	4	7	5	3	5	3	168	115	2	1
62	BALANCE OF COUNTY	444	-	-	1	78	30	11	4	10	4	8	11	14	255	173	4	4
63	STEELE	246	1	-	1	41	10	8	4	7	2	1	9	2	150	106	2	2
64	OWATONNA	155	1	-	1	29	5	6	3	4	2	1	8	2	97	70	2	-
65	BALANCE OF COUNTY	91	-	-	-	12	5	2	1	3	-	-	1	-	53	36	-	-
66	STEVENS	109	-	-	2	16	6	3	-	4	-	1	2	1	62	44	-	-
67	SWIFT	162	-	-	-	34	8	3	1	4	5	4	9	-	97	79	2	6
68	TODD	243	-	-	2	40	6	10	6	6	3	1	8	5	143	102	-	-
69	TRAVERSE	83	-	-	1	17	6	1	1	-	2	2	5	1	45	35	-	1
70	WABASHA	188	-	-	-	30	6	5	2	7	2	4	4	5	105	70	1	1
71	WADENA	144	1	-	-	14	4	1	3	2	1	2	1	4	88	77	1	1
72	WASECA	172	-	-	-	34	6	9	4	6	-	3	6	5	98	73	2	-
73	WASHINGTON	481	-	-	3	95	18	19	8	14	6	7	23	4	244	178	5	5
74	COTTAGE GROVE	35	-	-	-	5	2	-	-	-	-	1	2	-	19	14	-	-
75	HASTINGS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	STILLWATER	103	-	-	-	23	2	5	4	5	-	2	5	-	60	42	-	3
77	WHITE BEAR LAKE, PART	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
78	BALANCE OF COUNTY	340	-	-	3	66	14	13	4	9	6	4	16	4	165	122	5	2
79	WATONWAN	145	-	-	-	27	10	4	1	3	1	1	7	3	77	56	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
120	4	1	24	2	5	3	2	1	2	-	-	1	-	1	16	5	6	2	-	1	01
101	3	2	40	14	5	8	3	-	2	-	-	3	-	3	19	5	9	3	-	-	02
19	7	-	4	4	-	2	1	1	-	-	-	1	-	-	2	4	1	-	-	-	03
47	9	-	25	11	-	6	2	1	1	-	-	1	-	2	5	3	4	2	-	-	04
102	4	1	37	5	2	8	2	-	1	-	-	-	-	5	23	8	5	-	-	-	05
49	3	-	21	3	2	5	1	-	-	-	-	-	-	3	12	3	3	-	-	-	06
53	1	1	16	2	-	3	1	1	-	-	-	-	-	2	11	5	2	-	-	-	07
64	4	-	41	1	-	3	4	2	1	1	-	-	-	7	13	5	8	3	-	1	08
63	5	-	28	2	1	9	4	-	1	-	-	-	-	1	19	8	5	1	-	1	09
106	2	-	55	6	3	14	4	1	2	1	-	-	-	3	27	10	11	2	-	1	10
128	27	2	50	5	11	10	6	1	8	2	-	2	-	8	34	9	11	5	-	2	11
91	16	1	31	5	8	8	5	-	6	1	-	1	-	6	24	4	6	3	-	1	12
37	11	1	19	-	3	2	1	1	2	1	-	1	-	2	10	5	5	2	-	1	13
36	2	-	15	4	3	4	3	-	1	-	-	1	-	-	10	4	1	-	-	-	14
46	6	1	25	1	1	6	1	2	3	1	1	-	-	4	16	4	4	4	-	-	15
78	1	-	27	-	1	15	1	2	2	1	-	3	-	3	10	5	9	2	-	-	16
46	2	-	23	6	-	7	2	2	-	1	-	-	-	1	7	3	4	1	-	-	17
141	11	1	41	8	11	15	7	4	6	1	-	6	-	9	64	15	16	7	1	-	18
107	9	1	30	4	8	14	6	4	4	1	-	4	-	6	50	9	13	7	-	-	19
34	2	-	11	4	3	1	1	-	2	-	-	2	-	3	14	6	3	-	1	-	20
165	21	3	75	2	8	24	3	2	3	1	-	3	-	4	49	15	19	4	2	-	21
37	5	2	25	1	1	7	-	-	1	1	-	1	-	2	16	3	4	-	-	-	22
128	16	1	50	1	7	17	3	2	3	-	-	2	-	2	33	12	15	4	2	-	23
49	1	1	21	7	2	-	-	-	-	-	-	1	-	1	11	1	9	-	-	-	24
71	6	-	25	7	3	7	5	1	1	-	-	1	-	4	12	10	10	4	-	1	25
40	5	-	29	8	-	4	4	1	-	-	-	-	-	2	11	6	6	1	-	-	26
144	5	-	49	20	8	13	3	2	3	1	-	5	-	5	32	12	9	5	-	-	27
49	2	-	27	-	1	4	-	-	1	1	-	-	-	3	15	6	5	1	-	1	28
1,389	83	10	491	115	51	132	50	12	47	9	-	35	38	26	313	71	98	34	17	27	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
46	2	-	8	4	3	2	-	1	1	1	-	2	4	1	11	5	4	2	-	1	31
27	2	-	6	1	-	3	2	1	1	-	-	-	2	1	4	4	4	-	-	1	32
10	-	-	3	2	1	1	-	-	-	-	-	-	4	-	1	1	-	-	-	1	33
65	2	-	15	5	2	2	3	-	2	1	-	1	2	4	14	4	4	3	-	1	34
1,128	68	7	419	97	41	114	40	9	39	7	-	22	22	20	259	41	75	25	16	20	35
13	1	-	5	1	-	1	-	-	-	-	-	-	1	-	3	-	2	-	-	-	36
46	4	1	11	2	1	6	2	1	1	-	-	6	1	-	9	8	5	2	-	-	37
46	4	1	11	2	1	6	2	1	2	-	-	6	1	-	10	8	5	2	-	-	38
54	4	2	24	3	3	3	3	-	3	-	-	4	2	-	12	8	4	2	1	3	39
17	6	-	3	-	-	1	-	-	-	-	-	2	1	-	3	-	2	2	-	-	40
70	9	2	33	2	1	2	2	1	3	1	-	-	-	3	12	3	4	4	-	-	41
113	9	-	23	1	4	12	1	2	1	1	-	1	5	1	15	7	3	1	-	-	42
102	4	4	45	7	8	9	6	5	3	2	-	5	6	1	37	8	12	2	-	-	43
40	2	3	21	-	3	4	4	3	2	-	-	4	4	-	20	-	5	1	-	-	44
30	1	-	12	5	1	2	1	-	-	1	-	1	1	-	10	3	2	-	-	-	45
32	1	1	12	2	4	3	1	2	1	1	-	1	1	1	7	5	5	1	-	-	46
22	4	-	20	2	-	4	5	2	-	-	-	1	2	-	9	3	1	-	-	-	47
50	5	-	17	3	2	2	2	-	-	2	-	-	2	1	10	3	8	1	-	-	48
884	43	5	260	40	36	80	25	10	45	11	-	8	13	13	182	60	55	38	9	3	49
439	21	2	117	15	16	37	10	7	30	6	-	3	7	4	95	16	22	17	3	1	50
93	6	1	25	1	4	3	2	1	2	1	-	1	1	-	18	2	4	1	-	-	51
53	3	2	18	1	4	12	3	-	1	2	-	-	-	1	14	5	4	2	-	-	52
299	13	-	100	23	12	28	10	2	12	2	-	4	5	8	55	37	25	18	6	2	53
51	6	2	25	9	1	7	2	1	2	1	-	3	7	-	24	12	7	5	-	-	54
53	6	-	21	3	-	1	1	1	2	1	-	2	1	1	8	9	6	1	-	-	55
13	-	-	7	2	-	1	-	-	-	-	-	-	-	-	2	1	2	-	-	-	56
40	6	-	14	1	-	-	1	1	2	1	-	2	1	1	6	8	4	1	-	-	57
52	3	1	25	3	1	6	-	-	1	1	-	1	3	3	13	3	6	-	-	-	58
235	10	4	91	19	8	18	7	2	5	3	-	9	12	3	36	18	21	10	3	-	59
76	4	1	30	7	2	6	4	-	1	1	-	4	4	-	10	5	8	5	3	-	60
108	4	1	39	11	2	8	4	-	2	1	-	5	5	-	15	6	13	5	3	-	61
159	6	3	61	12	6	12	3	2	4	2	-	5	8	3	26	13	13	5	-	-	62
102	2	-	29	10	5	6	2	-	-	1	-	3	5	-	17	9	5	3	-	-	63
66	2	-	16	7	4	1	-	-	-	-	-	1	5	-	11	2	3	2	-	-	64
36	-	-	13	3	1	5	2	-	-	1	-	2	-	-	6	7	2	1	-	-	65
42	2	1	14	1	2	3	3	2	1	2	-	3	2	-	8	2	2	-	-	-	66
64	7	-	17	-	1	12	1	-	1	1	-	-	3	1	8	2	2	-	-	-	67
96	6	-	31	6	4	6	5	-	3	1	-	1	4	1	16	2	10	2	-	2	68
32	2	-	7	1	2	3	-	1	1	-	-	-	-	-	8	4	1	1	-	-	69
61	7	2	28	2	3	11	6	-	-	-	-	-	3	1	16	4	2	5	-	-	70
71	4	-	10	-	1	6	3	-	-	-	-	-	4	1	12	7	2	2	-	-	71
66	5	-	20	2	3	4	3	1	1	-	-	1	2	1	15	3	3	-	-	1	72
155	13	-	52	6	8	14	6	2	7	1	-	5	10	3	22	28	25	8	2	2	73
13	1	-	3	2	-	-	-	-	-	-	-	1	2	-	1	-	4	2	-	1	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
37	2	-	13	2	3	6	1	1	-	-	-	1	2	1	2	1	4	-	1	-	76
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	77
105	10	-	36	2	5	8	5	1	6	1	-	3	6	2	18	27	17	6	1	1	78
52	3	1	16	4	-	5	1	2	1	1	-	-	2	-	15	6	5	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MINNESOTA--CON.																	
01	WILKIN	76	-	-	-	18	5	1	2	1	2	2	5	2	40	24	-	-
02	WINONA	452	-	-	2	69	24	8	8	9	3	3	14	-	285	201	7	5
03	WINONA	319	-	-	2	43	11	6	4	6	3	3	10	-	200	139	2	5
04	BALANCE OF COUNTY	133	-	-	-	26	13	2	4	3	-	-	4	-	85	62	5	-
05	WRIGHT	399	-	-	-	64	17	13	2	10	5	5	12	14	210	152	1	6
06	YELLOW MEDICINE	162	-	-	1	32	13	3	3	2	-	2	9	4	88	57	2	-
07	**MISSISSIPPI**	23,153	45	4	185	3,723	955	941	258	534	128	163	744	422	11,361	7,737	74	147
08	URBAN PLACES	7,076	14	2	48	1,230	311	301	96	173	48	51	250	109	3,341	2,225	24	57
09	BALANCE OF AREA	16,077	31	2	137	2,493	644	640	162	361	80	112	494	313	8,020	5,512	50	90
10	METROPOLITAN COUNTIES	3,345	7	1	28	636	147	163	52	84	27	30	133	61	1,510	1,070	17	21
11	URBAN PLACES	2,143	7	1	16	402	86	99	37	52	20	14	94	35	981	688	10	13
12	BALANCE OF AREA	1,202	-	-	12	234	61	64	15	32	7	16	39	26	529	382	7	8
13	NONMETROPOLITAN COUNTIES	19,808	38	3	157	3,087	808	778	206	450	101	133	611	361	9,851	6,667	57	126
14	URBAN PLACES	4,933	7	1	32	828	225	202	59	121	28	37	156	74	2,360	1,537	14	44
15	BALANCE OF AREA	14,875	31	2	125	2,259	583	576	147	329	73	96	455	287	7,491	5,130	43	82
16	ADAMS	364	-	-	-	70	26	21	4	5	2	2	10	10	181	125	2	5
17	NATCHEZ	251	-	-	-	50	21	13	3	2	2	2	7	8	122	83	2	4
18	BALANCE OF COUNTY	113	-	-	-	20	5	8	1	3	-	-	3	2	59	42	-	1
19	ALCORN	344	1	-	2	59	19	11	2	11	1	3	12	7	188	137	-	1
20	CORINTH	161	1	-	2	24	8	6	2	4	-	2	2	2	97	68	-	-
21	BALANCE OF COUNTY	183	-	-	-	35	11	5	-	7	1	1	10	5	91	69	-	1
22	AMITE	156	-	-	3	23	8	8	1	5	-	-	1	1	64	40	1	-
23	ATTALA	228	-	-	2	38	12	9	3	7	1	3	3	4	130	88	1	1
24	BENTON	79	-	-	2	10	2	1	-	5	1	-	1	2	37	27	-	-
25	BOLIVAR	526	1	-	4	68	23	13	3	7	7	2	13	11	264	169	1	2
26	CLEVELAND	141	-	-	1	12	3	2	1	2	1	-	3	1	75	39	-	1
27	BALANCE OF COUNTY	385	1	-	3	56	20	11	2	5	6	2	10	10	189	130	1	1
28	CALHOUN	183	-	-	1	37	7	11	1	4	2	1	11	6	88	62	-	7
29	CARROLL	98	-	-	-	10	2	3	2	2	-	-	1	2	61	48	-	-
30	CHICKASAW	202	-	-	1	26	4	7	4	5	1	-	5	4	109	78	-	-
31	CHOCTAW	95	-	-	-	12	3	3	1	2	-	1	2	1	53	41	-	-
32	CLAIBORNE	115	-	-	1	18	2	5	2	5	-	1	3	3	62	46	1	-
33	CLARKE	205	-	-	3	25	8	4	2	5	1	-	5	2	116	84	1	-
34	CLAY	196	-	-	4	37	6	13	3	5	-	2	8	3	104	77	-	-
35	COAHOMA	457	-	-	3	90	17	21	4	18	2	2	26	9	224	138	-	7
36	CLARKSDALE	281	-	-	1	57	12	13	3	10	2	1	16	5	139	88	-	7
37	BALANCE OF COUNTY	176	-	-	2	33	5	8	1	8	-	1	10	4	85	50	-	-
38	COPIAH	288	1	1	4	38	13	9	3	2	2	2	7	2	140	104	1	-
39	COVINGTON	183	-	-	-	22	5	6	-	3	-	4	4	3	93	48	-	1
40	DE SOTO	284	1	-	2	54	12	12	4	9	2	5	10	3	110	70	1	1
41	FORREST	586	4	-	3	104	22	32	8	13	5	5	19	16	267	174	1	2
42	HATTIESBURG, PART	393	4	-	2	80	18	24	7	10	3	5	13	9	179	115	-	1
43	HATTIESBURG, TOTAL	393	4	-	2	80	18	24	7	10	3	5	13	9	179	115	-	1
44	BALANCE OF COUNTY	193	-	-	1	24	4	8	1	3	2	-	6	7	88	59	1	1
45	FRANKLIN	110	-	-	3	17	3	5	2	5	-	1	1	5	58	40	1	-
46	GEORGE	113	1	-	2	24	4	6	3	2	-	3	6	-	52	42	-	-
47	GREENE	96	-	-	-	16	4	4	2	1	-	2	3	1	50	40	-	-
48	GRENADA	244	-	-	1	43	6	16	2	6	1	1	11	3	125	70	-	1
49	HANCOCK	203	-	-	1	39	10	11	3	8	2	1	4	7	82	58	1	-
50	HARRISON	1,103	2	-	13	197	46	50	19	25	10	7	40	20	530	399	3	6
51	BILOXI	338	-	-	2	52	10	17	4	6	1	1	13	8	163	121	1	2
52	GULFPORT	361	2	-	6	70	14	18	7	9	5	2	15	7	172	127	1	2
53	BALANCE OF COUNTY	404	-	-	5	75	22	15	8	10	4	4	12	5	195	151	1	2
54	HINDS	1,896	5	1	14	372	81	92	31	53	16	18	81	34	843	583	11	15
55	JACKSON, PART	1,443	5	1	8	279	62	63	26	37	14	11	66	20	646	440	8	9
56	JACKSON, TOTAL	1,444	5	1	8	280	62	64	26	37	14	11	66	20	646	440	8	9
57	BALANCE OF COUNTY	453	-	-	6	93	19	29	5	16	2	7	15	14	197	143	3	6
58	HOLMES	280	-	-	3	39	13	8	1	9	1	2	5	6	143	79	-	9
59	HUMPHREYS	159	-	-	4	21	8	3	1	3	3	-	3	3	90	65	1	1
60	ISSAQUENA	44	-	-	-	6	4	-	-	1	-	-	1	1	24	14	1	-
61	ITAWAMBA	156	1	-	2	31	6	7	2	6	-	2	8	2	97	69	-	1
62	JACKSON	562	1	-	2	99	27	25	7	16	3	1	20	8	263	194	1	3
63	MOSS POINT	115	-	-	2	22	9	2	1	5	1	-	4	1	51	38	-	1
64	PASCAGOULA	171	-	-	-	35	8	13	2	6	1	-	5	1	77	49	1	1
65	BALANCE OF COUNTY	276	1	-	-	42	10	10	4	5	1	1	11	6	135	107	-	1
66	JASPER	191	1	-	2	24	7	6	4	3	-	1	3	5	105	70	-	1
67	JEFFERSON	97	-	-	-	12	5	3	-	2	1	-	1	2	47	38	-	1
68	JEFFERSON DAVIS	161	2	-	3	22	6	4	1	3	-	1	7	7	72	57	-	-
69	JONES	637	1	-	6	118	37	30	5	10	2	5	29	8	315	213	2	9
70	LAUREL	303	1	-	1	57	19	13	2	7	1	2	13	4	149	102	1	5
71	BALANCE OF COUNTY	334	-	-	5	61	18	17	3	3	1	3	16	4	166	111	1	4
72	KEMPER	106	-	-	-	18	2	3	2	8	1	-	2	1	47	31	1	1
73	LAFAYETTE	197	-	-	-	28	9	6	3	5	1	-	4	5	95	59	-	-
74	OXFORD	77	-	-	-	12	3	3	1	2	-	-	3	3	44	27	-	-
75	BALANCE OF COUNTY	120	-	-	-	16	6	3	2	3	1	-	1	2	51	32	-	-
76	LAMAR	158	-	-	2	22	7	7	1	2	-	1	4	4	72	43	1	1
77	HATTIESBURG, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	BALANCE OF COUNTY	158	-	-	2	22	7	7	1	2	-	1	4	4	72	43	1	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
23	1	-	12	1	3	3	4	1	1	-	-	1	2	-	-	2	3	-	-	-	01
176	13	2	66	8	8	13	4	-	5	2	-	1	7	1	40	11	8	5	-	-	02
124	8	1	50	5	5	9	3	-	4	1	-	1	5	-	33	7	6	5	-	-	03
52	5	1	16	3	3	4	1	-	1	1	-	-	2	-	7	4	2	-	-	-	04
133	12	1	52	2	3	16	3	1	3	1	-	4	4	3	35	21	14	3	1	2	05
51	4	-	25	4	2	5	1	1	1	1	-	2	1	-	17	3	4	1	-	-	06
6,690	826	126	2,950	298	250	556	245	72	198	136	12	169	542	1,682	1,682	697	821	213	331	57	07
1,893	251	41	883	95	97	169	61	23	103	40	1	59	183	567	555	127	226	80	126	12	08
4,797	575	85	2,067	203	153	387	184	49	95	96	11	110	359	1,115	1,127	570	595	133	205	45	09
873	159	13	348	36	43	72	34	5	42	10	-	33	75	182	297	101	129	44	70	8	10
561	104	8	234	20	31	46	17	2	39	5	-	21	46	100	210	52	78	31	50	4	11
312	55	5	114	16	12	26	17	3	3	5	-	12	29	82	87	49	51	13	20	4	12
5,817	667	113	2,602	262	207	484	211	67	156	126	12	136	467	1,500	1,385	596	692	169	261	49	13
1,332	147	33	649	75	66	123	44	21	64	35	1	38	137	467	345	75	148	49	76	8	14
4,485	520	80	1,953	187	141	361	167	46	92	91	11	98	330	1,033	1,040	521	544	120	185	41	15
114	4	2	40	9	5	5	3	4	7	2	1	1	11	18	25	3	11	4	7	1	16
76	1	1	28	7	3	3	1	3	6	1	1	1	8	13	19	1	5	3	6	-	17
38	3	1	12	2	2	2	2	1	1	1	-	-	3	5	6	2	6	1	1	1	18
125	11	2	42	3	4	8	3	1	1	-	-	3	4	9	28	16	8	2	4	-	19
61	7	1	24	1	3	3	1	-	1	-	-	1	2	4	11	5	5	-	2	-	20
64	4	1	18	2	1	5	2	1	-	-	-	2	2	5	17	11	3	2	2	-	21
36	3	1	22	1	-	4	1	2	-	-	-	-	4	22	12	3	14	-	3	-	22
79	7	5	31	6	-	4	1	-	2	2	-	-	5	10	13	5	6	2	3	1	23
24	3	2	5	1	2	1	-	-	-	-	-	-	2	2	9	5	6	-	2	1	24
143	23	1	81	7	6	6	5	1	3	8	2	-	18	60	37	10	19	3	6	-	25
35	3	-	32	1	3	2	-	-	1	3	-	-	4	19	9	3	5	2	4	-	26
108	20	1	49	6	3	4	5	1	2	5	2	-	14	41	28	7	14	1	2	-	27
40	15	-	23	3	-	6	1	-	-	-	-	1	2	11	14	6	5	-	3	2	28
44	4	-	12	-	1	3	-	-	1	-	-	1	1	5	7	2	3	-	1	1	29
66	12	2	27	2	-	4	1	-	2	-	1	1	4	17	14	5	7	4	2	-	30
40	1	-	10	-	2	-	4	-	-	1	1	-	-	2	11	2	8	-	-	-	31
43	2	1	14	-	1	4	-	-	1	3	-	1	3	6	4	5	3	-	1	-	32
75	8	2	27	1	2	2	-	-	3	3	-	1	4	15	12	6	10	2	-	1	33
74	3	-	23	-	4	2	-	-	1	-	-	3	4	10	21	3	2	-	1	1	34
116	15	3	71	8	4	9	3	-	-	4	-	3	9	46	27	6	12	-	10	2	35
72	9	2	38	7	4	7	1	-	-	2	-	3	5	26	19	1	7	-	7	1	36
44	6	1	33	1	-	2	2	-	-	2	-	-	4	20	8	5	5	-	3	1	37
91	12	1	30	2	3	11	3	-	3	5	-	2	4	11	29	14	15	-	4	1	38
40	7	-	32	12	1	7	1	-	1	-	-	1	1	23	9	11	6	1	3	1	39
66	2	1	34	4	1	5	2	1	1	1	-	2	7	57	11	7	7	6	7	-	40
158	13	10	62	14	7	24	5	6	3	1	-	3	8	50	54	11	18	6	3	-	41
107	7	8	42	8	6	12	3	3	2	-	-	1	6	36	34	6	10	4	2	-	42
107	7	8	42	8	6	12	3	3	2	-	-	1	6	36	34	6	10	4	2	-	43
51	6	2	20	6	1	12	2	3	1	1	-	2	2	14	20	5	8	2	1	-	44
38	1	-	11	5	2	2	-	1	1	-	-	-	1	1	11	1	6	2	1	-	45
31	11	-	6	3	1	4	2	1	-	-	-	2	3	4	5	3	9	1	-	-	46
34	6	-	8	1	1	2	2	-	-	-	-	-	2	2	9	6	4	-	2	-	47
66	3	6	43	1	5	6	-	2	1	1	-	1	7	25	11	4	8	4	2	-	48
51	6	-	16	8	-	8	3	1	2	2	-	3	4	22	14	3	4	1	4	3	49
297	93	7	101	7	16	22	17	2	10	5	-	14	27	39	89	33	49	13	20	1	50
98	20	1	32	4	5	2	6	-	5	1	-	7	8	17	33	8	15	3	8	-	51
84	40	3	36	1	5	14	5	1	3	-	-	2	8	10	33	8	13	4	3	-	52
115	33	3	33	2	6	6	6	1	2	4	-	5	11	12	23	17	21	6	9	1	53
496	61	5	213	17	25	44	9	2	31	4	-	17	39	94	180	55	71	25	49	7	54
379	44	4	166	15	21	30	6	1	31	4	-	12	30	78	144	36	50	24	39	4	55
379	44	4	166	15	21	30	6	1	31	4	-	12	30	73	144	36	50	24	39	4	56
117	17	1	47	2	4	14	3	1	-	-	-	5	9	21	36	19	21	1	10	3	57
63	7	3	56	3	2	6	1	1	3	2	1	2	6	29	18	5	9	1	4	1	58
56	7	2	19	3	1	-	1	1	1	-	-	2	4	11	9	5	5	-	2	-	59
11	2	-	10	-	-	2	1	-	-	-	-	2	-	3	2	2	-	-	1	-	60
67	1	1	24	3	-	2	1	1	-	-	-	-	1	4	1	6	4	2	1	-	61
180	10	1	50	8	10	21	6	-	9	-	-	3	21	24	44	18	22	9	8	4	62
36	1	1	8	2	2	10	1	-	2	-	-	1	7	3	6	1	3	-	3	2	63
45	2	-	18	5	5	4	1	-	4	-	-	2	9	5	17	5	6	2	3	-	64
99	7	-	24	1	3	7	4	-	3	-	-	-	5	16	21	12	13	7	2	2	65
62	7	2	28	3	2	3	1	-	1	1	-	-	7	5	14	10	6	2	4	-	66
34	3	1	7	-	1	-	1	1	1	-	-	-	3	6	6	3	6	1	8	-	67
52	5	-	12	-	3	8	2	1	2	-	-	2	2	5	14	8	7	1	2	1	68
174	28	8	81	7	6	21	6	2	6	4	-	2	16	28	53	18	23	4	6	-	69
84	12	6	34	3	4	10	2	2	2	3	-	2	6	16	25	3	13	4	3	-	70
90	16	2	47	4	2	11	4	-	4	1	-	-	10	12	28	15	10	-	3	-	71
29	-	-	14	1	1	2	-	-	-	1	-	1	3	9	9	6	7	2	-	-	72
58	1	-	29	5	2	1	4	1	2	-	-	1	8	15	16	7	9	1	4	-	73
26	1	-	13	3	1	-	1	-	1	-	-	-	1	2	8	3	1	-	1	-	74
32	-	-	16	2	1	1	3	1	1	-	-	1	7	13	8	4	8	1	3	-	75
41	-	-	21	3	5	9	1	-	-	-	-	1	4	11	13	8	6	4	1	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
41	-	-	21	3	5	9	1	-	-	-	-	1	4	11	13	8	6	4	1	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSISSIPPI--CON.																	
01	LAUDERDALE	809	1	1	6	101	31	28	10	14	3	4	11	7	320	197	2	5
02	MERIDIAN	572	-	1	4	68	18	20	9	9	3	2	7	4	241	151	2	4
03	BALANCE OF COUNTY	237	1	-	2	33	13	8	1	5	-	2	4	3	79	46	-	1
04	LAWRENCE	126	-	-	-	22	3	7	2	2	1	2	5	1	63	39	-	-
05	LEAKE	220	-	-	2	41	10	7	7	9	-	1	7	4	116	75	-	3
06	LEE	496	1	-	4	74	19	20	5	8	4	1	17	4	290	215	-	5
07	TUPELO	208	-	-	1	34	6	10	2	6	2	-	8	3	114	84	-	4
08	BALANCE OF COUNTY	288	1	-	3	40	13	10	3	2	2	1	9	1	176	131	-	1
09	LEFLORE	454	-	-	2	61	21	17	4	8	2	4	5	6	250	178	2	2
10	GREENWOOD	279	-	-	1	39	14	8	4	6	1	2	4	4	154	113	2	1
11	BALANCE OF COUNTY	175	-	-	1	22	7	9	-	2	1	2	1	2	96	65	-	1
12	LINCOLN	334	1	-	3	64	20	12	5	6	2	6	13	5	148	104	1	3
13	BROOKHAVEN	145	1	-	2	33	10	4	3	3	2	5	6	1	56	44	-	1
14	BALANCE OF COUNTY	189	-	-	1	31	10	8	2	3	-	1	7	4	92	60	1	2
15	LOWNDES	415	-	-	1	62	11	17	2	15	4	-	13	6	156	86	3	2
16	COLUMBUS	254	-	-	1	37	8	9	2	9	2	-	7	5	97	48	2	1
17	BALANCE OF COUNTY	161	-	-	-	25	3	8	-	6	2	-	6	1	59	38	1	1
18	MADISON	339	-	-	1	52	11	7	10	8	-	5	11	5	161	111	2	7
19	CANTON	169	-	-	1	33	5	3	7	6	-	4	8	2	83	57	2	4
20	BALANCE OF COUNTY	170	-	-	-	19	6	4	3	2	-	1	3	3	78	54	-	3
21	MARION	238	3	1	1	35	6	10	4	5	1	1	8	4	119	73	1	-
22	MARSHALL	264	3	-	1	34	6	10	3	2	1	4	8	4	110	69	-	-
23	MONROE	379	-	-	1	38	11	8	5	5	2	2	5	9	216	158	1	8
24	MONTGOMERY	158	-	-	1	22	7	3	-	5	1	1	5	-	97	73	-	1
25	NESHOBA	255	-	-	4	42	9	9	2	4	2	1	15	7	123	77	1	2
26	NEWTON	237	-	-	3	28	15	2	2	3	-	1	5	9	137	102	3	-
27	NOXUBEE	178	1	-	4	25	4	5	1	5	1	2	7	5	67	39	-	1
28	OKTIBBEHA	228	-	-	2	29	9	10	2	7	-	-	1	6	111	75	2	4
29	STARKVILLE	88	-	-	1	10	2	3	2	3	-	-	-	2	53	31	-	3
30	BALANCE OF COUNTY	140	-	-	1	19	7	7	-	4	-	-	1	4	58	44	2	1
31	PANOLA	310	-	-	1	59	16	20	3	7	1	2	10	6	162	110	2	2
32	PEARL RIVER	268	-	-	1	39	8	13	1	2	1	2	12	1	148	108	1	-
33	PICAYUNE	98	-	-	1	15	5	5	-	1	1	1	2	-	52	40	-	-
34	BALANCE OF COUNTY	170	-	-	-	24	3	8	1	1	-	1	10	1	96	68	1	-
35	PERRY	90	-	-	-	10	4	3	-	-	1	-	2	1	57	48	-	1
36	PIKE	424	-	-	-	54	14	10	4	6	3	4	13	9	191	110	2	1
37	MC COMB	185	-	-	-	19	7	1	1	2	-	1	7	1	93	49	1	-
38	BALANCE OF COUNTY	239	-	-	-	35	7	9	3	4	3	3	6	8	98	61	1	1
39	PONTOTOC	214	-	-	-	31	8	7	2	7	1	2	4	1	131	93	2	1
40	PRENTISS	240	2	-	2	34	5	7	4	3	1	1	13	1	130	104	1	-
41	QUITMAN	177	2	-	4	34	7	4	3	4	2	3	11	2	82	50	-	1
42	RANKIN	346	-	-	1	67	20	21	2	6	1	5	12	7	137	88	3	-
43	JACKSON, PART	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
44	BALANCE OF COUNTY	345	-	-	1	66	20	20	2	6	1	5	12	7	137	88	3	-
45	SCOTT	245	3	-	2	42	8	13	2	5	1	-	13	4	131	92	1	3
46	SHARKEY	83	-	-	3	9	3	4	-	1	-	-	1	2	47	33	-	1
47	SIMPSON	227	-	-	2	39	10	17	2	2	-	2	6	1	126	84	1	-
48	SMITH	150	-	-	1	19	5	7	3	2	-	-	2	2	72	47	1	-
49	STONE	80	-	-	-	10	2	5	-	2	-	-	1	2	50	32	-	-
50	SUNFLOWER	348	-	-	7	50	10	10	2	13	5	1	9	12	187	134	-	-
51	TALLAHATCHIE	231	1	-	-	41	13	8	4	3	4	2	7	7	103	73	-	-
52	TATE	178	-	-	1	26	17	3	-	4	-	-	2	4	96	66	-	1
53	TIPPAH	192	-	-	-	24	9	5	2	1	-	-	7	7	106	83	-	1
54	TISHOMINGO	182	1	-	3	30	10	4	-	6	1	2	7	4	84	59	-	-
55	TUNICA	131	-	-	1	18	7	1	1	4	-	-	5	3	61	33	-	1
56	UNION	217	-	-	-	35	11	12	2	3	-	1	6	3	110	83	1	1
57	WALTHALL	162	2	-	2	28	5	6	1	4	2	1	9	3	88	68	-	-
58	WARREN	539	1	-	3	106	27	22	6	13	4	8	26	11	242	148	1	-
59	VICKSBURG	380	-	-	2	72	22	12	3	9	4	7	15	6	182	115	-	-
60	BALANCE OF COUNTY	159	1	-	1	34	5	10	3	4	-	1	11	5	60	33	1	-
61	WASHINGTON	757	-	-	5	130	36	40	6	20	3	5	20	11	338	212	2	6
62	GREENVILLE	508	-	-	4	93	23	31	3	14	2	3	17	8	233	152	1	6
63	BALANCE OF COUNTY	249	-	-	1	37	13	9	3	6	1	2	3	3	100	60	1	-
64	WAYNE	184	-	-	3	26	2	7	2	6	-	2	7	3	115	77	-	1
65	WEBSTER	115	-	-	2	23	7	5	-	6	-	1	4	4	58	34	-	-
66	WILKINSON	131	-	-	-	27	6	8	1	5	1	1	5	1	73	55	1	2
67	WINSTON	225	1	-	3	27	5	9	3	3	2	2	3	8	118	69	3	1
68	YALOBUSHA	161	-	-	2	18	2	8	-	2	1	1	4	4	99	62	1	1
69	YAZOO	314	-	-	7	48	9	15	2	7	1	1	13	5	139	91	-	3
70	YAZOO CITY	154	-	-	5	26	4	7	1	5	-	-	9	4	69	44	-	-
71	BALANCE OF COUNTY	160	-	-	2	22	5	8	1	2	1	1	4	1	70	47	-	3
72	**MISSOURI**	50,652	96	8	290	8,931	2,359	2,068	744	1,069	390	347	1,954	956	27,319	19,635	335	378
73	URBAN PLACES	24,788	53	5	148	4,545	1,252	1,048	406	517	205	173	944	524	13,162	9,488	180	134
74	BALANCE OF AREA	25,864	43	3	142	4,386	1,107	1,020	338	552	185	174	1,010	432	14,157	10,147	155	244

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)		
178	12	4	100	10	9	22	8	4	13	8	-	13	26	150	46	28	29	13	12	1	01
136	9	2	77	5	6	17	7	4	9	8	-	10	18	107	28	10	18	8	9	1	02
42	3	2	23	5	3	5	1	-	4	-	-	3	8	43	18	18	11	5	3	-	03
33	6	2	18	1	3	4	7	-	-	-	-	1	2	6	8	4	7	-	1	-	04
65	7	1	35	3	2	6	5	1	1	-	-	3	4	2	15	8	4	2	5	1	05
206	4	1	63	4	7	10	7	2	-	-	-	4	20	2	23	18	16	9	7	3	06
78	2	1	22	3	4	5	3	2	2	-	-	2	9	1	11	5	7	4	3	2	07
128	2	-	41	1	3	5	4	-	-	-	-	2	11	1	12	13	9	5	4	1	08
99	75	2	58	5	7	5	3	2	7	2	-	6	18	21	36	9	13	3	10	-	09
65	45	2	32	3	4	4	3	1	6	1	-	4	10	6	25	2	8	3	8	-	10
34	30	-	26	2	3	1	-	1	1	1	-	2	8	15	11	7	5	-	2	-	11
93	7	1	38	3	2	12	10	2	3	-	-	3	5	24	19	9	18	3	4	1	12
40	3	1	9	-	2	5	4	1	3	-	-	1	4	14	6	-	11	1	2	-	13
53	4	-	29	3	-	7	6	1	-	-	-	2	1	10	13	9	7	2	2	1	14
71	10	1	60	5	4	11	3	2	8	6	-	2	10	80	29	11	15	4	9	-	15
40	5	1	41	3	4	8	2	1	6	3	-	1	6	47	19	5	7	4	5	-	16
31	5	-	19	2	-	3	1	1	2	3	-	1	4	33	10	6	8	-	4	-	17
88	14	2	37	6	5	7	2	-	1	3	-	1	7	56	21	7	6	3	2	4	18
42	9	-	21	3	2	4	-	-	1	2	-	1	3	22	10	2	2	2	-	1	19
46	5	2	16	3	3	3	2	-	1	1	-	-	4	34	11	5	4	1	2	3	20
63	9	1	38	1	6	7	2	2	-	2	-	3	4	19	19	7	6	1	1	2	21
59	10	-	31	6	4	11	3	-	1	7	-	2	5	29	24	6	11	4	7	2	22
135	14	2	48	5	3	6	7	1	2	7	-	3	9	12	25	17	15	3	3	4	23
66	6	1	22	1	-	3	-	1	1	-	-	-	7	4	8	8	1	2	3	-	24
65	9	1	38	5	2	3	3	1	3	-	-	3	4	26	17	6	5	1	6	1	25
88	11	-	33	1	1	5	2	-	-	2	-	3	7	12	11	8	7	4	1	-	26
36	2	1	22	3	2	4	2	-	-	2	-	1	6	27	17	6	7	2	1	1	27
60	9	-	31	3	2	6	5	1	3	2	-	1	5	9	19	11	7	5	6	-	28
26	2	-	18	3	1	2	2	-	2	2	-	1	3	-	6	1	1	1	1	-	29
34	7	-	13	-	1	4	3	1	1	-	-	-	2	9	13	10	6	4	5	-	30
100	6	2	44	3	3	9	2	1	8	1	1	2	8	6	24	10	9	-	2	-	31
98	9	1	31	5	3	8	3	-	-	3	-	1	6	17	20	10	7	2	2	-	32
39	1	-	9	2	1	1	3	-	-	1	-	1	3	9	8	-	1	1	2	-	33
59	8	1	22	3	2	7	-	-	-	2	-	-	3	8	12	10	6	1	-	-	34
45	2	-	9	-	-	3	1	-	1	-	-	-	-	3	3	4	5	1	1	-	35
93	14	1	69	7	4	7	4	3	3	3	-	1	10	67	34	19	12	2	5	-	36
43	5	1	35	6	2	6	1	1	2	2	-	-	4	27	18	3	6	1	1	-	37
50	9	-	34	1	2	1	3	2	1	1	-	1	6	40	16	16	6	1	4	-	38
79	11	1	33	2	2	4	1	-	1	3	-	-	6	7	20	1	5	2	-	1	39
92	11	-	23	1	2	2	4	2	3	1	-	1	6	14	25	1	8	2	1	1	40
43	6	3	27	1	1	7	5	-	1	2	-	2	2	4	15	6	6	1	2	-	41
80	5	1	34	12	2	6	8	1	1	1	-	2	9	49	28	13	9	6	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
80	5	1	34	12	2	6	8	1	1	1	-	2	9	49	28	13	9	6	1	-	44
83	5	-	29	9	1	3	6	-	5	2	-	-	3	7	12	7	10	2	5	1	45
29	3	-	13	1	-	2	1	1	-	1	-	-	1	4	4	3	3	1	1	-	46
79	4	-	37	1	4	4	3	-	1	1	-	2	3	7	23	4	9	-	2	-	47
42	4	-	23	-	2	6	2	1	1	-	-	2	3	5	18	8	4	1	5	-	48
31	1	-	12	3	3	3	3	-	-	-	-	-	-	5	4	2	1	-	-	-	49
115	19	3	46	2	2	7	2	-	1	1	-	1	10	16	26	10	11	2	5	-	50
64	9	4	21	2	3	4	4	-	4	2	-	2	2	24	17	9	9	-	4	-	51
59	6	-	26	1	3	7	1	-	-	2	-	1	3	8	9	9	6	3	2	-	52
79	3	-	21	2	-	3	1	-	2	1	-	1	5	6	13	10	6	4	2	1	53
56	3	-	21	2	2	7	1	2	2	2	1	-	1	14	9	8	9	1	2	1	54
32	-	1	24	1	2	7	2	-	-	-	-	1	4	5	6	6	14	1	2	-	55
73	8	-	25	2	-	4	2	1	-	5	-	-	4	18	17	3	4	1	3	-	56
55	13	-	16	2	2	4	3	1	-	1	-	-	3	11	7	5	3	1	-	-	57
142	5	5	78	6	5	16	6	2	8	4	-	7	19	46	30	8	24	1	4	1	58
111	4	3	56	4	4	10	4	1	7	3	-	3	15	36	21	2	12	1	2	1	59
31	1	2	22	2	1	6	2	1	1	1	-	4	4	10	9	6	12	-	2	-	60
178	26	2	108	4	7	14	7	1	6	5	-	7	22	92	55	20	27	9	13	-	61
132	13	2	74	2	3	8	3	1	4	2	-	3	13	55	37	9	18	7	10	-	62
46	13	-	34	2	4	6	4	-	2	3	-	4	9	37	18	11	9	2	3	-	63
60	16	6	25	3	4	5	-	2	-	2	-	2	5	2	8	4	7	-	-	-	64
27	7	-	23	1	-	3	-	-	-	-	-	2	2	3	8	3	5	-	1	1	65
40	12	2	12	3	1	3	-	1	-	1	-	1	1	1	11	4	4	-	-	-	66
62	3	4	44	1	-	6	5	1	-	2	1	1	3	8	14	10	9	5	3	-	67
59	1	-	31	2	4	6	3	-	2	2	-	-	6	5	9	2	4	-	-	1	68
76	12	1	38	6	3	6	5	3	4	2	-	-	7	43	20	12	8	2	3	-	69
38	6	1	18	4	2	2	1	1	3	2	-	-	1	19	8	8	2	1	2	-	70
38	6	-	20	2	1	4	4	2	1	-	-	-	6	24	12	4	6	1	1	-	71
17,513	1,409	198	5,828	959	699	1,385	705	199	532	214	11	327	628	1,563	3,747	1,020	1,467	620	490	144	72
8,610	564	100	2,764	462	348	639	314	97	349	99	5	160	348	673	1,902	339	657	306	375	88	73
8,903	845	98	3,064	497	351	746	391	102	183	115	6	167	280	890	1,845	681	810	314	115	56	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI—CON.																	
01	METROPOLITAN COUNTIES...	28,518	55	5	166	5,259	1,455	1,195	482	577	232	207	1,111	608	15,129	11,053	220	140
02	URBAN PLACES.....	21,402	46	4	129	3,930	1,105	909	356	439	179	141	801	465	11,361	8,260	164	110
03	BALANCE OF AREA.....	7,116	9	1	37	1,329	350	286	126	138	53	66	310	143	3,768	2,793	56	30
04	NONMETROPOLITAN COUNTIES	22,134	41	3	124	3,672	904	873	262	492	158	140	843	348	12,190	8,582	115	238
05	URBAN PLACES.....	3,386	7	1	19	615	147	139	50	78	26	32	143	59	1,801	1,228	16	24
06	BALANCE OF AREA.....	18,748	34	2	105	3,057	757	734	212	414	132	108	700	289	10,389	7,354	99	214
07	ADAIR.....	229	-	-	-	32	10	5	5	1	1	4	6	2	130	89	4	3
08	KIRKSVILLE.....	149	-	-	-	21	7	3	4	1	1	1	4	2	82	56	2	1
09	BALANCE OF COUNTY....	80	-	-	-	11	3	2	1	-	-	3	2	-	48	33	2	2
10	ANDREW.....	132	-	-	2	22	5	2	3	4	1	-	7	2	84	64	-	1
11	ATCHISON.....	124	-	-	1	27	6	11	-	1	3	1	5	-	68	47	-	1
12	AUDRAIN.....	286	1	-	2	48	11	5	6	10	4	1	11	10	146	81	-	4
13	MEXICO.....	157	1	-	1	25	7	3	4	5	2	-	4	6	78	39	-	4
14	BALANCE OF COUNTY....	129	-	-	1	23	4	2	2	5	2	1	7	4	68	42	-	-
15	BARRY.....	322	-	-	2	54	13	10	1	14	-	1	15	2	175	115	3	8
16	BARTON.....	162	-	-	-	35	6	11	1	6	6	1	4	9	85	65	-	1
17	BATES.....	221	-	-	2	40	9	12	2	7	4	-	6	1	99	74	2	2
18	BENTON.....	166	-	-	-	33	7	10	3	2	1	-	10	5	92	62	2	-
19	BOLLINGER.....	127	-	-	-	24	8	5	3	1	1	2	4	-	77	49	1	1
20	BOONE.....	513	1	-	5	96	26	14	8	10	4	4	30	8	258	172	5	2
21	COLUMBIA.....	327	-	-	4	66	18	11	5	6	4	4	18	4	162	109	3	1
22	BALANCE OF COUNTY....	186	1	-	1	30	8	3	3	4	-	-	12	4	96	63	2	1
23	BUCHANAN.....	1,138	1	-	8	210	45	48	18	32	13	6	48	27	604	442	13	9
24	ST. JOSEPH.....	1,042	1	-	8	188	42	44	16	29	10	6	41	25	557	406	13	8
25	BALANCE OF COUNTY....	96	-	-	-	22	3	4	2	3	3	-	7	2	47	36	-	1
26	BUTLER.....	494	-	-	4	90	18	23	2	17	6	5	19	9	259	175	2	1
27	POPLAR BLUFF.....	294	-	-	1	54	13	12	1	9	2	4	13	7	146	99	2	-
28	BALANCE OF COUNTY....	200	-	-	3	36	5	11	1	8	4	1	6	2	113	76	-	1
29	CALDWELL.....	144	-	-	1	20	8	8	1	1	-	-	2	3	86	50	-	1
30	CALLAWAY.....	272	1	-	1	51	14	8	3	9	3	3	11	5	133	97	4	3
31	FULTON.....	127	1	-	-	21	6	4	1	2	2	1	5	3	60	40	2	2
32	JEFFERSON CITY, PART.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	BALANCE OF COUNTY....	145	-	-	1	30	8	4	2	7	1	2	6	2	73	57	2	1
34	CAMDEN.....	193	-	-	-	31	5	14	3	3	-	2	4	1	109	87	2	1
35	CAPE GIRARDEAU.....	452	-	-	4	90	25	23	8	7	3	6	18	5	254	165	3	6
36	CAPE GIRARDEAU.....	271	-	-	4	57	13	15	5	6	2	6	10	4	146	92	3	3
37	BALANCE OF COUNTY....	181	-	-	-	33	12	8	3	1	1	-	8	1	108	73	-	3
38	CARROLL.....	208	-	-	1	40	6	8	-	5	1	5	15	5	114	77	1	2
39	CARTER.....	61	-	-	1	9	3	3	-	1	-	-	2	2	27	18	1	-
40	CASS.....	331	1	-	1	49	17	3	5	7	1	2	14	10	189	126	1	-
41	CEDAR.....	149	-	-	2	21	7	5	2	3	1	-	3	1	88	51	-	-
42	CHARITON.....	170	-	-	1	25	8	5	2	4	1	2	3	5	99	57	-	2
43	CHRISTIAN.....	165	1	-	3	28	5	4	2	4	1	4	8	1	83	49	1	-
44	CLARK.....	118	-	-	-	17	3	5	1	2	1	-	5	2	69	50	-	-
45	CLAY.....	786	3	-	3	138	42	25	12	12	7	7	33	15	413	288	-	2
46	GLADSTONE.....	65	-	-	-	16	2	3	4	1	1	-	5	2	26	18	-	-
47	INDEPENDENCE, PART...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	KANSAS CITY, PART....	314	2	-	3	67	25	10	4	5	1	6	16	6	157	108	-	1
49	LIBERTY.....	117	-	-	-	15	5	4	1	2	1	1	1	1	75	55	-	-
50	BALANCE OF COUNTY....	290	1	-	-	40	10	8	3	4	4	-	11	6	155	107	-	1
51	CLINTON.....	188	-	-	1	26	9	4	3	5	1	-	4	2	106	83	2	5
52	COLE.....	383	-	-	4	66	12	11	9	9	3	2	20	8	217	170	3	-
53	JEFFERSON CITY, PART.	267	-	-	3	52	8	9	7	8	3	2	15	4	151	117	1	-
54	JEFFERSON CITY, TOTAL.....	267	-	-	3	52	8	9	7	8	3	2	15	4	151	117	1	-
55	BALANCE OF COUNTY....	116	-	-	1	14	4	2	2	1	-	-	5	4	66	53	2	-
56	COOPER.....	191	-	-	1	36	12	5	6	2	2	-	9	5	102	82	1	2
57	CRAWFORD.....	213	-	-	5	35	9	7	3	5	1	1	9	2	113	79	1	2
58	DADE.....	102	1	-	-	17	2	3	2	2	-	2	6	2	56	41	-	-
59	DALLAS.....	183	1	-	2	31	3	6	3	7	2	1	9	7	87	65	2	8
60	DAVIESS.....	143	-	-	-	27	6	6	-	4	1	2	8	5	80	59	1	7
61	DE KALB.....	101	-	-	-	17	4	3	1	2	1	2	4	1	63	47	-	1
62	DENT.....	202	-	-	-	30	12	8	1	2	2	1	4	1	101	83	1	2
63	DOUGLAS.....	121	-	-	-	18	3	9	-	1	1	-	4	3	70	43	1	1
64	DUNKLIN.....	513	-	-	1	69	15	21	2	12	3	4	12	12	277	207	1	2
65	FRANKLIN.....	631	-	-	1	99	30	24	8	10	4	6	17	13	352	296	1	3
66	GASCONADE.....	189	-	-	-	36	8	6	4	5	1	1	11	3	112	91	2	-
67	GENTRY.....	130	-	-	-	26	8	8	2	2	-	2	4	1	69	42	-	1
68	GREENE.....	1,586	3	-	6	260	61	62	22	26	11	12	66	24	870	568	19	4
69	SPRINGFIELD.....	1,291	3	-	5	215	54	50	18	23	10	8	52	18	717	469	16	4
70	BALANCE OF COUNTY....	295	-	-	1	45	7	12	4	3	1	4	14	6	153	99	3	-
71	GRUNDY.....	181	1	-	-	30	7	7	1	6	1	-	8	3	106	78	3	12
72	HARRISON.....	156	1	-	-	29	4	9	1	7	1	1	6	2	85	70	-	5
73	HENRY.....	316	-	-	4	55	15	16	3	6	3	1	11	3	170	122	1	2
74	HICKORY.....	82	1	-	1	15	2	6	2	2	-	-	3	2	38	23	-	-
75	HOLT.....	115	-	-	1	24	10	6	-	4	-	-	4	-	62	42	1	-
76	HOWARD.....	136	-	-	2	27	9	6	5	1	-	-	6	-	66	35	2	-
77	HOWELL.....	301	1	-	4	60	20	13	3	10	-	2	12	6	148	108	1	2
78	IRON.....	126	-	-	1	22	6	8	1	1	-	-	6	3	72	53	-	-
79	JACKSON.....	6,301	10	2	43	1,094	296	266	94	132	57	37	212	95	3,258	2,327	46	32
80	GRANDVIEW.....	80	-	-	-	13	3	3	1	2	1	2	1	2	35	25	-	-
81	INDEPENDENCE, PART...	815	1	-	2	144	33	34	12	21	9	4	31	10	454	321	8	1
82	INDEPENDENCE, TOTAL..	815	1	-	2	144	33	34	12	21	9	4	31	10	454	321	8	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
10,081	612	112	3,043	510	411	705	378	106	386	102	7	195	398	724	2,163	495	733	395	404	105	01
7,543	443	87	2,315	393	306	545	261	83	324	78	5	133	307	550	1,645	284	540	273	357	82	02
2,538	169	25	728	117	105	160	117	23	62	24	2	62	91	174	518	211	193	122	47	23	03
7,432	797	86	2,785	449	288	680	327	93	146	112	4	132	230	839	1,584	525	734	225	86	39	04
1,067	121	13	449	69	42	94	53	14	25	21	-	27	41	123	257	55	117	33	18	6	05
6,365	676	73	2,336	380	246	586	274	79	121	91	4	105	189	716	1,327	470	617	192	68	33	06
76	6	1	31	6	3	9	2	1	2	-	-	2	5	6	18	5	12	3	-	-	07
49	4	1	19	3	3	8	1	1	1	-	-	1	5	4	10	5	5	3	-	-	08
27	2	-	12	3	-	1	1	-	1	-	-	1	-	2	8	-	7	-	-	-	09
58	5	-	15	1	4	2	4	-	-	1	-	1	-	1	8	-	3	2	-	-	10
44	2	1	13	2	5	2	2	-	1	1	-	-	2	-	9	4	5	-	2	-	11
70	7	3	44	14	4	9	11	1	3	-	-	4	4	6	27	2	6	4	2	-	12
31	4	2	26	8	3	4	6	1	3	-	-	3	-	2	17	1	4	3	2	-	13
39	3	1	18	6	1	5	5	-	-	-	-	1	4	4	10	1	2	1	-	-	14
99	5	1	38	13	8	15	4	-	2	1	-	4	2	17	26	5	11	2	-	-	15
57	7	-	15	3	2	3	8	1	-	4	-	2	-	2	11	-	2	-	-	-	16
58	12	-	21	-	4	4	7	5	1	3	-	1	3	23	17	8	6	1	-	-	17
48	12	-	24	1	5	3	3	1	3	-	-	1	2	2	7	3	7	2	1	1	18
46	2	2	23	1	2	5	1	-	1	-	-	-	2	1	9	4	3	1	-	-	19
145	20	2	73	6	5	20	8	6	5	2	-	4	7	4	45	16	12	9	4	3	20
92	13	1	42	6	4	12	2	1	4	1	-	2	7	3	31	7	8	8	2	3	21
53	7	1	31	-	1	8	6	5	1	1	-	2	-	1	14	9	4	1	2	-	22
397	23	5	120	18	19	20	13	9	19	6	-	3	15	47	85	12	34	14	6	5	23
363	22	4	111	17	19	17	13	9	18	6	-	3	13	42	77	11	29	14	6	5	24
34	1	1	9	1	-	3	-	-	1	-	-	-	2	5	8	1	5	-	-	-	25
143	29	1	77	2	4	8	5	2	3	3	-	-	6	52	26	4	15	6	1	1	26
78	19	-	44	1	2	5	4	2	1	3	-	-	5	33	19	3	7	3	1	-	27
65	10	1	33	1	2	3	1	-	2	-	-	-	1	19	7	1	8	3	-	1	28
42	7	1	24	8	3	3	2	1	-	1	-	-	-	4	10	4	8	1	-	-	29
80	10	-	33	3	-	13	6	-	3	5	-	1	1	18	20	4	8	1	1	-	30
32	4	-	17	3	-	10	1	-	2	3	-	1	-	7	9	2	7	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
48	6	-	16	-	-	3	5	-	1	2	-	-	1	11	11	2	1	1	1	-	33
70	14	-	17	2	3	5	2	1	3	2	-	3	4	7	14	6	5	1	1	-	34
145	11	-	67	14	8	13	2	2	1	2	-	2	6	21	26	8	10	5	-	1	35
79	7	-	38	11	5	7	2	1	1	-	-	1	4	14	18	4	8	1	-	-	36
66	4	-	29	3	3	6	-	1	1	2	-	1	2	7	8	4	2	4	-	1	37
68	7	1	27	5	4	6	4	2	-	-	-	4	1	3	17	-	4	3	2	1	38
16	1	-	8	-	1	2	3	-	-	-	-	-	1	3	2	11	-	-	-	-	39
111	14	-	50	5	8	7	4	3	3	1	-	5	4	1	22	14	9	8	-	-	40
44	7	-	31	3	3	1	2	-	2	1	-	-	1	7	13	2	4	2	2	-	41
49	6	1	33	5	3	2	2	1	3	1	-	-	1	4	11	5	7	2	1	-	42
44	4	1	25	6	2	3	4	1	-	-	-	3	4	14	8	6	4	2	-	-	43
41	9	-	12	4	3	6	3	-	2	-	-	1	-	1	8	4	5	-	-	-	44
256	30	3	95	16	11	13	14	2	5	2	1	9	9	12	69	24	29	17	4	4	45
14	4	-	6	2	-	1	-	-	-	-	-	-	1	2	5	4	2	4	1	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
95	12	1	37	5	6	5	7	1	1	-	-	5	3	5	24	7	11	5	3	2	48
51	4	-	16	2	2	-	1	-	-	-	-	1	1	2	8	4	7	1	-	1	49
96	10	2	36	7	3	7	6	1	4	2	1	3	4	3	32	9	9	7	-	-	50
66	10	3	16	3	1	5	4	3	1	2	-	2	2	2	18	5	5	4	-	-	51
161	6	1	39	5	2	5	3	2	3	2	-	2	4	2	30	9	19	6	1	-	52
111	5	1	28	4	1	3	3	1	1	-	-	2	4	1	20	4	14	3	1	-	53
111	5	1	28	4	1	3	3	1	1	-	-	2	4	1	20	4	14	3	1	-	54
50	1	-	11	1	1	2	-	1	2	2	-	-	-	1	10	5	5	3	-	-	55
67	12	-	16	3	1	14	2	-	3	-	-	1	3	1	12	4	7	-	-	-	56
69	7	1	27	5	1	3	4	4	2	-	-	-	1	3	25	8	5	2	1	-	57
32	9	-	12	1	2	4	1	-	-	1	-	1	-	-	12	1	4	2	-	-	58
52	3	-	18	4	-	7	3	-	-	-	-	1	3	11	15	8	4	3	-	-	59
44	7	1	16	2	2	-	2	-	1	2	-	2	1	3	10	2	4	2	-	-	60
40	6	-	14	2	-	2	-	-	1	-	-	-	-	-	10	4	3	-	-	-	61
75	5	-	11	1	6	9	3	-	1	-	-	2	2	21	23	1	5	2	2	1	62
40	1	-	18	6	3	3	2	1	1	2	-	-	4	1	8	1	4	3	-	-	63
196	8	4	55	3	8	25	7	3	3	-	-	2	13	30	39	12	9	5	2	4	64
259	33	1	43	4	8	17	9	1	4	1	1	-	6	38	37	22	15	9	5	1	65
81	8	2	13	4	2	4	4	1	2	1	-	-	-	5	13	1	7	-	-	-	66
36	5	-	21	6	-	8	3	1	-	-	-	-	1	-	14	3	1	3	-	-	67
517	28	5	222	54	21	39	17	4	15	4	-	12	25	93	100	41	43	21	8	1	68
429	20	4	180	47	17	35	11	3	12	1	-	8	17	78	85	31	32	15	4	1	69
88	8	1	42	7	4	4	6	1	3	3	-	4	8	15	15	10	11	6	4	-	70
57	6	1	17	8	2	9	-	1	2	4	-	-	-	6	10	2	6	1	-	-	71
62	3	2	8	1	4	2	3	-	-	3	-	2	2	1	14	3	9	2	-	-	72
104	15	-	35	8	5	8	4	1	5	-	-	2	1	17	29	4	12	-	1	-	73
23	-	-	14	1	-	2	-	-	-	-	-	-	-	8	9	1	2	3	-	-	74
41	-	-	18	1	1	8	1	1	1	-	-	1	-	-	8	2	7	-	-	-	75
30	3	1	23	7	-	9	2	1	2	3	-	1	3	-	13	1	5	3	-	-	76
99	6	4	26	4	6	7	6	2	1	-	-	2	4	11	26	3	11	4	4	-	77
49	4	2	11	5	1	5	3	-	-	-	-	2	-	4	6	5	1	1	-	-	78
2,080	169	24	719	106	82	161	78	34	76	24	2	48	74	286	499	111	165	107	119	15	79
22	3	1	6	2	1	3	-	-	-	-	-	3	-	4	7	4	6	3	-	-	80
292	20	5	109	12	7	29	12	8	7	-	-	8	11	17	56	16	14	17	7	2	81
292	20	5	109	12	7	29	12	8	7	-	-	8	11	17	56	16	14	17	7	2	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI--CON.																	
	JACKSON--CON.																	
01	KANSAS CITY, PART	4,776	8	2	36	818	230	200	73	98	39	26	152	70	2,443	1,761	36	29
02	KANSAS CITY, TOTAL	5,129	10	2	39	890	256	212	77	104	40	32	169	76	2,621	1,883	36	30
03	LEE'S SUMMIT	180	-	-	-	40	8	9	5	3	1	3	11	6	95	53	2	-
04	RAYTOWN	208	-	-	2	32	7	8	3	2	4	1	7	2	116	85	-	1
05	BALANCE OF COUNTY	242	1	-	3	47	15	12	-	6	3	1	10	5	115	82	-	1
06	JASPER	1,088	5	-	5	190	49	51	13	21	7	13	36	12	557	394	2	12
07	CARTHAGE	170	1	-	-	34	10	8	2	5	1	3	5	3	92	61	-	-
08	JOPLIN, PART	532	2	-	3	95	22	28	7	11	3	7	17	4	276	188	-	6
09	JOPLIN, TOTAL	564	2	-	4	104	23	29	8	13	4	7	20	4	290	196	1	6
10	BALANCE OF COUNTY	386	2	-	2	61	17	15	4	5	3	3	14	5	189	145	2	6
11	JEFFERSON	830	-	-	3	150	28	42	10	12	7	11	40	24	430	333	11	4
12	JOHNSON	271	-	-	3	34	11	8	3	2	-	1	9	7	156	114	1	1
13	WARRENSBURG	106	-	-	2	14	2	4	2	1	-	1	4	2	57	40	1	-
14	BALANCE OF COUNTY	165	-	-	1	20	9	4	1	1	-	-	5	5	99	74	-	1
15	KNOX	104	-	-	-	11	6	-	2	1	-	1	1	5	68	46	1	-
16	LACLEDE	246	-	-	-	39	8	6	4	4	2	2	13	2	146	111	-	-
17	LAFAYETTE	363	1	-	3	61	17	11	2	7	2	4	18	4	209	151	1	-
18	LAWRENCE	360	3	-	-	63	17	11	3	10	2	2	18	4	195	146	2	3
19	LEWIS	139	-	-	2	27	9	6	1	2	-	-	9	1	83	55	-	-
20	LINCOLN	228	-	-	2	39	7	8	4	5	5	1	9	6	137	74	-	4
21	LINN	280	-	-	2	46	15	10	2	8	4	1	6	9	173	100	-	1
22	LIVINGSTON	241	-	-	1	39	6	9	3	8	1	1	11	4	149	104	1	6
23	MC DONALD	168	-	-	1	26	8	7	4	1	2	-	4	1	99	70	-	1
24	MACON	267	-	-	3	42	12	9	3	5	3	-	10	8	155	126	3	10
25	MADISON	153	1	-	3	21	6	5	-	3	1	2	4	3	85	67	2	-
26	MARIES	65	-	-	1	16	3	3	-	-	1	1	8	-	34	26	-	2
27	MARION	401	1	1	1	78	21	17	4	11	4	4	17	7	214	158	3	4
28	HANNIBAL, PART	276	1	1	1	60	17	16	2	8	3	3	11	6	145	108	1	4
29	HANNIBAL, TOTAL	280	1	1	1	61	17	17	2	8	3	3	11	6	148	110	1	4
30	BALANCE OF COUNTY	125	-	-	-	18	4	1	2	3	1	1	6	1	69	50	2	-
31	MERCER	64	-	-	-	7	2	1	1	2	-	-	1	1	38	31	-	1
32	MILLER	207	-	-	-	31	6	7	3	8	-	-	7	3	122	81	4	1
33	MISSISSIPPI	203	-	-	1	33	8	12	2	4	-	1	6	1	103	65	-	4
34	MONITEAU	140	-	-	2	17	4	3	1	-	4	1	4	3	78	57	-	-
35	MONROE	149	-	-	-	24	6	10	1	2	-	1	4	2	78	53	2	-
36	MONTGOMERY	178	-	-	-	27	10	5	4	-	1	-	7	2	118	93	1	3
37	MORGAN	160	-	-	2	29	8	7	1	3	-	1	9	3	91	53	2	1
38	NEW MADRID	292	1	-	-	48	11	14	5	5	2	1	10	6	145	100	-	2
39	SIKESTON, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
40	BALANCE OF COUNTY	288	1	-	-	48	11	14	5	5	2	1	10	6	144	99	-	2
41	NEWTON	376	2	-	4	61	18	10	5	11	1	1	15	4	183	127	3	-
42	JOPLIN, PART	32	-	-	1	9	1	1	1	2	1	-	3	-	14	8	1	-
43	BALANCE OF COUNTY	344	2	-	3	52	17	9	4	9	-	1	12	4	169	119	2	-
44	NODAWAY	250	-	-	1	51	18	11	7	5	2	3	5	2	143	97	1	8
45	OREGON	137	-	-	-	24	6	8	1	3	1	1	4	-	79	63	-	1
46	OSAGE	121	1	-	-	23	8	2	4	1	2	1	5	2	68	50	-	-
47	OZARK	99	-	-	-	14	4	4	2	1	-	1	2	1	55	40	1	1
48	PEMISCOT	372	2	2	1	46	11	17	2	6	2	-	8	5	194	148	4	4
49	PERRY	170	-	-	2	32	6	12	3	3	2	-	6	2	95	80	-	1
50	PETTIS	452	1	-	2	76	11	19	7	7	2	6	24	12	264	182	4	1
51	SEDALIA	352	1	-	2	60	7	13	6	6	2	4	22	9	204	143	2	1
52	BALANCE OF COUNTY	100	-	-	-	16	4	6	1	1	-	2	2	3	60	39	2	-
53	PHELPS	299	1	-	1	57	13	22	6	4	2	-	10	4	145	95	-	4
54	ROLLA	97	-	-	-	16	5	5	2	1	-	-	3	2	50	30	-	1
55	BALANCE OF COUNTY	202	1	-	1	41	8	17	4	3	2	-	7	2	95	65	-	3
56	PIKE	242	1	-	-	34	4	10	1	9	2	1	7	3	155	111	1	8
57	PLATTE	215	-	-	1	28	7	6	-	3	1	-	11	2	119	70	2	2
58	KANSAS CITY, PART	39	-	-	-	5	1	2	-	1	-	-	1	-	21	14	-	-
59	BALANCE OF COUNTY	176	-	-	1	23	6	4	-	2	1	-	10	2	98	56	2	2
60	POLK	237	-	-	2	44	12	13	3	3	2	1	10	2	140	96	-	1
61	PULASKI	217	-	-	-	32	3	7	2	6	2	1	11	1	93	64	2	5
62	PUTNAM	105	-	-	-	20	5	3	1	7	1	-	3	3	63	43	1	3
63	RALLS	85	-	-	-	16	3	6	-	4	2	-	1	1	39	25	1	1
64	HANNIBAL, PART	4	-	-	-	1	-	1	-	-	-	-	-	-	3	2	-	-
65	BALANCE OF COUNTY	81	-	-	-	15	3	5	-	4	2	-	1	1	36	23	1	1
66	RANDOLPH	317	-	-	3	51	9	11	4	9	2	1	15	4	179	125	2	3
67	MOBERLY	216	-	-	1	37	7	6	3	7	2	-	12	3	124	84	1	1
68	BALANCE OF COUNTY	101	-	-	2	14	2	5	1	2	-	1	3	1	55	41	1	2
69	RAY	222	1	-	1	33	10	2	3	10	2	1	5	8	120	79	1	-
70	REYNOLDS	75	-	-	-	12	1	4	-	2	1	1	3	2	45	27	-	-
71	RIPLEY	141	2	-	-	19	4	4	3	1	2	1	4	2	73	47	-	-
72	ST. CHARLES	638	1	-	3	105	26	21	13	14	4	6	21	7	337	237	2	2
73	ST. CHARLES	316	-	-	1	54	15	11	6	7	1	2	12	2	170	117	2	-
74	BALANCE OF COUNTY	322	1	-	2	51	11	10	7	7	3	4	9	5	167	120	-	2
75	ST. CLAIR	174	-	-	2	20	7	5	1	2	-	-	5	3	107	85	-	-
76	ST. FRANCOIS	502	1	-	3	75	18	18	6	12	4	1	16	4	277	204	3	5
77	ST. LOUIS	7,349	10	1	42	1,564	452	333	162	146	67	72	332	148	3,933	2,882	69	23
78	BALLWIN	78	-	-	-	15	6	1	1	4	1	-	2	-	39	26	-	-
79	BELLEFONTAINE NEIGHBORS	141	-	-	1	29	7	10	1	3	1	-	7	1	75	56	1	-
80	BERKELEY	90	-	-	-	22	9	3	3	2	-	-	5	2	43	36	2	-
81	BRENTWOOD	75	-	-	-	15	2	2	4	2	1	1	3	1	40	31	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,561	135	17	518	85	62	115	55	24	67	24	2	35	51	246	396	68	127	71	106	12	01
1,669	148	18	560	92	68	120	63	25	70	24	2	40	56	252	422	77	139	77	110	14	02
48	3	-	35	2	5	3	4	-	1	-	-	1	2	3	10	4	3	4	3	1	03
82	2	-	25	4	2	6	3	1	-	-	-	1	4	7	17	4	5	6	2	-	04
75	6	1	26	1	5	5	4	1	1	-	-	-	6	9	13	15	10	6	1	-	05
345	35	4	120	26	13	37	15	5	8	10	-	6	10	49	102	17	44	11	5	-	06
55	6	1	22	8	-	4	1	2	-	1	-	-	-	4	21	2	4	-	1	-	07
161	21	3	62	10	13	12	6	2	8	5	-	5	6	27	47	6	21	5	2	-	08
167	22	3	66	10	15	13	7	3	8	5	-	5	6	27	48	6	24	5	3	-	09
129	8	-	36	8	-	21	8	1	-	4	-	1	4	18	34	9	19	6	2	-	10
302	16	4	73	12	8	24	5	1	4	3	-	11	14	10	59	37	31	19	4	1	11
105	7	-	33	7	2	7	9	1	3	2	-	3	7	1	21	5	8	3	1	-	12
35	4	-	13	3	1	5	5	1	-	-	-	2	3	-	8	1	4	1	1	-	13
70	3	-	20	4	1	2	4	-	3	2	-	1	4	1	13	4	4	2	-	-	14
40	5	2	17	3	-	-	2	-	1	-	-	-	1	1	7	2	5	1	-	-	15
108	3	1	28	6	-	8	2	-	-	2	-	1	3	10	13	10	4	3	1	2	16
135	15	1	46	8	3	9	3	2	1	2	-	-	1	7	27	9	15	6	1	2	17
132	9	-	45	1	3	18	1	-	2	2	-	2	1	23	16	12	14	4	-	-	18
48	7	-	24	2	2	1	2	1	-	-	-	2	2	1	9	5	2	1	-	-	19
61	9	1	53	7	2	5	2	-	3	2	-	1	1	2	11	7	7	1	2	-	20
89	10	3	55	8	7	7	5	-	-	1	-	1	1	-	15	5	11	3	-	1	21
85	12	3	33	5	4	4	3	5	-	-	-	1	1	-	16	6	5	5	1	-	22
52	17	1	22	1	5	4	1	-	-	-	-	1	2	5	16	4	5	2	1	-	23
101	12	1	22	3	3	4	3	2	2	2	-	-	5	8	22	2	6	2	1	-	24
61	4	-	13	3	2	4	1	1	1	-	-	-	1	9	14	3	4	-	-	1	25
23	1	-	5	1	2	1	1	-	-	-	-	-	1	4	2	4	1	-	-	-	26
131	20	2	38	13	3	14	6	-	3	1	-	-	4	13	28	5	11	4	3	2	27
88	15	1	30	4	2	6	5	-	2	1	-	-	3	6	19	3	5	3	3	2	28
90	15	1	30	5	2	6	5	-	2	1	-	-	4	6	19	3	5	3	3	2	29
43	5	1	8	9	1	8	1	-	1	-	-	-	1	1	7	9	2	6	1	-	30
25	5	-	7	-	-	2	1	-	-	1	-	-	2	-	4	1	6	-	-	1	31
67	9	-	33	3	5	3	1	1	-	-	-	-	2	5	15	9	7	2	3	-	32
51	10	1	31	4	2	7	2	2	1	1	-	-	1	17	14	9	5	1	2	1	33
52	5	-	19	1	1	6	2	-	-	1	-	-	2	5	12	7	5	-	-	-	34
40	11	-	15	7	3	6	3	-	-	2	-	1	2	6	9	4	6	3	3	-	35
86	3	1	19	3	2	2	-	-	-	1	-	1	1	1	11	5	7	2	-	-	36
48	2	-	28	6	4	4	2	1	2	1	-	-	1	3	8	3	8	1	-	1	37
92	6	1	38	2	4	8	5	1	2	2	-	1	4	29	9	14	12	3	2	-	38
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	39
91	6	1	38	2	4	7	5	1	2	2	-	1	4	29	8	13	12	3	2	-	40
107	17	-	36	13	7	15	6	2	1	1	-	2	3	25	29	13	18	5	2	-	41
6	1	-	4	-	2	1	1	1	-	-	-	-	-	-	1	-	3	-	1	-	42
101	16	-	32	13	5	14	5	1	1	1	-	2	3	25	28	13	15	5	1	-	43
76	12	-	37	6	3	7	6	1	4	-	-	1	1	1	17	4	8	3	-	1	44
55	7	1	12	3	-	6	1	-	-	-	-	3	-	1	9	4	6	3	-	1	45
46	4	1	15	1	1	1	3	-	2	1	-	1	2	3	8	4	4	1	-	-	46
34	4	-	12	3	-	3	3	-	-	-	-	-	1	5	8	4	3	2	-	-	47
120	20	1	42	1	2	12	5	1	3	1	-	1	5	39	19	13	7	4	7	-	48
77	2	-	10	5	-	3	3	-	2	1	-	-	2	-	15	4	6	2	1	-	49
168	9	2	69	7	4	8	9	1	-	4	-	4	3	2	33	9	19	3	1	1	50
134	6	2	51	5	3	5	8	1	-	3	-	3	3	2	24	7	16	2	1	1	51
34	3	-	18	2	1	3	1	-	-	1	-	1	-	-	9	2	3	1	-	-	52
80	11	1	41	4	4	15	6	1	4	1	-	1	2	14	21	9	11	4	2	-	53
27	2	1	15	2	2	7	2	-	2	1	-	1	-	4	3	4	3	1	1	-	54
53	9	-	26	2	2	8	4	1	2	-	-	1	2	10	18	5	8	3	1	-	55
91	11	-	29	14	1	7	3	1	3	-	-	1	3	2	11	4	9	3	-	-	56
61	5	-	34	9	6	1	5	1	3	-	-	-	2	16	11	6	9	6	1	-	57
13	1	-	5	2	-	-	1	-	2	-	-	-	2	1	2	2	1	1	1	-	58
48	4	-	29	7	6	1	4	-	1	-	-	2	3	15	9	4	8	5	-	-	59
75	20	1	34	2	7	7	3	1	1	-	1	1	2	17	10	3	1	1	-	1	60
53	4	2	23	2	2	8	4	-	4	1	-	5	9	17	20	8	9	5	-	1	61
31	6	-	15	3	2	4	-	2	1	2	-	1	-	-	3	4	2	-	-	-	62
22	1	1	7	4	2	5	-	-	-	1	-	-	1	2	10	2	4	-	-	-	63
2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
20	1	1	7	3	2	5	4	-	-	1	-	-	1	2	10	2	4	-	-	-	65
105	15	-	47	4	3	7	2	2	1	2	-	3	3	13	26	5	10	6	-	-	66
70	12	-	34	4	2	6	2	-	1	1	-	2	1	7	17	4	7	3	-	-	67
35	3	-	13	-	1	1	-	2	-	1	-	1	2	6	9	1	3	3	-	-	68
69	9	-	28	11	2	4	2	-	1	1	-	3	1	13	17	8	6	4	-	-	69
25	2	1	13	2	2	2	1	-	-	1	-	1	1	2	4	2	1	-	1	1	70
45	2	1	22	-	3	8	2	-	-	1	-	-	2	11	13	1	5	-	2	-	71
220	13	4	71	8	17	22	8	2	3	1	-	3	18	28	47	25	13	12	1	2	72
111	4	3	40	2	8	15	4	-	2	1	-	1	11	14	19	10	5	6	-	1	73
109	9	1	31	6	9	7	4	2	1	-	-	2	7	14	28	15	8	6	1	1	74
74	11	-	20	-	2	5	1	-	-	2	-	-	1	5	7	4	14	2	1	-	75
184	12	-	55	13	5	20	10	-	6	6	-	1	7	20	33	14	16	5	4	-	76
2,682	108	21	786	121	123	144	115	20	86	29	-	54	75	97	536	135	160	109	50	41	77
24	2	-	11	-	2	2	-	-	-	-	-	1	1	1	7	1	2	7	2	-	78
53	2	-	17	-	2	1	3	1	3	2	-	-	-	1	17	1	2	1	-	3	79
33	1	-	6	-	1	4	-	-	1	-	-	-	3	-	9	1	-	2	2	1	80
30	1	-	7	1	1	1	-	-	2	2	-	-	-	1	7	-	3	2	-	1	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI--CON.																	
	ST. LOUIS--CON.																	
01	BRIDGETON	90	-	-	-	20	5	6	3	-	1	2	3	1	54	41	1	-
02	CLAYTON	174	-	-	1	44	15	6	5	4	-	2	12	2	98	69	1	1
03	CRESTWOOD	90	-	-	-	18	3	2	1	3	2	-	7	2	46	33	-	1
04	FERGUSON	241	1	-	1	63	12	19	6	5	3	3	15	5	138	95	5	-
05	FLORISSANT	472	-	-	2	105	32	25	12	4	10	3	19	14	232	165	3	-
06	HAZELWOOD	95	-	-	1	27	3	8	6	2	-	2	6	-	42	33	1	-
07	JENNINGS	227	1	-	-	55	22	17	1	3	3	2	7	8	121	98	1	2
08	KIRKWOOD	299	-	-	-	57	16	9	5	8	2	3	14	8	175	115	7	-
09	LADUE	82	1	-	-	21	9	2	2	-	-	2	6	2	41	30	1	-
10	MAPLEWOOD	131	-	-	-	29	8	5	4	2	-	2	8	2	67	44	1	-
11	OVERLAND	254	1	-	2	56	17	17	3	3	4	3	9	6	134	97	4	1
12	RICHMOND HEIGHTS	177	-	-	2	41	12	7	5	6	3	2	6	5	102	78	1	1
13	ST. ANN	138	-	-	-	23	6	5	2	-	1	2	7	2	83	60	1	1
14	UNIVERSITY CITY	511	1	-	4	95	35	15	12	10	3	4	16	16	296	210	3	-
15	WEBSTER GROVES	267	1	-	4	56	18	10	2	5	6	1	14	5	141	90	-	1
16	BALANCE OF COUNTY	3,717	4	1	24	773	215	164	84	80	26	38	166	66	1,966	1,475	36	15
17	ST. LOUIS CITY	8,200	25	2	50	1,466	425	351	130	173	56	44	287	235	4,366	3,312	51	57
18	STE. GENEVIEVE	138	-	-	-	22	8	3	1	3	-	2	5	4	69	47	1	1
19	SALINE	383	-	-	1	74	23	15	4	7	3	-	22	5	220	148	-	3
20	MARSHALL	178	-	-	-	38	16	4	2	4	1	-	11	1	98	64	-	-
21	BALANCE OF COUNTY	205	-	-	1	36	7	11	2	3	2	-	11	4	122	84	-	3
22	SCHUYLER	75	-	-	-	15	2	3	1	1	1	2	5	-	37	26	-	1
23	SCOTLAND	92	-	-	-	13	3	3	2	-	3	-	2	1	57	41	2	-
24	SCOTT	358	-	-	1	55	16	16	3	5	1	1	13	7	180	142	-	4
25	SIKESTON, PART	154	-	-	-	21	6	7	1	2	1	-	4	3	74	56	-	1
26	SIKESTON, TOTAL	158	-	-	-	21	6	7	1	2	1	-	4	3	75	57	-	1
27	BALANCE OF COUNTY	204	-	-	1	34	10	9	2	3	-	1	9	4	106	86	-	3
28	SHANNON	89	-	-	1	13	4	2	-	1	1	1	4	1	53	38	1	-
29	SHELBY	140	-	-	1	18	2	2	4	7	1	-	2	5	86	64	-	13
30	STODDARD	324	2	-	5	46	11	10	2	3	-	5	15	5	169	126	1	6
31	STONE	129	-	-	1	20	8	6	1	1	1	2	1	2	64	45	2	-
32	SULLIVAN	158	1	-	-	23	4	4	4	3	2	-	6	2	99	72	1	6
33	TANEY	212	2	-	-	39	6	8	2	12	1	-	10	2	124	88	3	1
34	TEXAS	237	2	-	1	41	8	12	2	7	-	1	11	1	146	101	-	7
35	VERNON	243	-	-	3	37	8	4	2	7	2	3	11	-	133	84	2	1
36	WARREN	152	-	-	-	28	4	7	4	3	-	2	8	1	78	56	-	1
37	WASHINGTON	172	-	-	1	22	7	4	1	2	1	1	6	3	94	63	2	1
38	WAYNE	152	1	-	-	25	6	5	-	2	4	-	8	2	81	65	1	-
39	WEBSTER	165	-	-	-	20	7	6	2	1	-	-	4	1	103	61	1	1
40	WORTH	51	-	-	-	5	1	-	-	-	-	-	4	2	30	23	-	-
41	WRIGHT	237	-	-	1	35	2	10	-	12	1	2	8	4	140	84	1	-
42	**MONTANA**	6,558	16	-	31	1,124	326	255	87	150	56	41	209	103	3,167	2,209	49	33
43	URBAN PLACES	2,271	3	-	10	397	111	98	31	49	20	16	72	38	1,089	741	17	11
44	BALANCE OF AREA	4,287	13	-	21	727	215	157	56	101	36	25	137	65	2,078	1,468	32	22
45	METROPOLITAN COUNTIES	1,349	-	-	4	243	67	69	19	25	13	4	46	24	594	374	13	3
46	URBAN PLACES	1,047	-	-	3	189	49	53	16	22	8	3	38	20	465	291	8	2
47	BALANCE OF AREA	302	-	-	1	54	18	16	3	3	5	1	8	4	129	83	5	1
48	NONMETROPOLITAN COUNTIES	5,209	16	-	27	881	259	186	68	125	43	37	163	79	2,573	1,835	36	30
49	URBAN PLACES	1,224	3	-	7	208	62	45	15	27	12	13	34	18	624	450	9	9
50	BALANCE OF AREA	3,985	13	-	20	673	197	141	53	98	31	24	129	61	1,949	1,385	27	21
51	BEAVERHEAD	96	-	-	-	21	6	5	1	1	2	1	5	2	38	23	-	-
52	BIG HORN	106	3	-	2	12	4	2	-	2	-	1	3	-	37	27	-	-
53	BLAINE	69	1	-	1	9	1	2	1	3	-	-	2	1	39	28	-	1
54	BROADWATER	31	-	-	-	7	2	1	1	1	-	-	2	-	10	8	-	-
55	CARBON	85	-	-	1	13	2	3	-	2	1	2	3	-	51	28	1	-
56	CARTER	23	-	-	-	3	-	1	1	-	-	-	1	1	9	7	-	-
57	CASCADE	620	-	-	2	111	29	32	10	16	6	-	18	14	266	170	7	1
58	GREAT FALLS	515	-	-	1	92	24	26	9	14	4	-	15	12	223	141	4	1
59	BALANCE OF COUNTY	105	-	-	1	19	5	6	1	2	2	-	3	2	43	29	3	-
60	CHOUTEAU	52	-	-	-	9	3	2	1	2	1	-	-	-	30	25	-	1
61	CUSTER	139	-	-	-	19	8	5	1	2	-	-	3	4	77	48	1	-
62	DANIELS	37	-	-	-	5	1	2	-	1	-	-	1	2	18	15	-	2
63	DAWSON	80	-	-	-	15	8	1	2	3	-	-	1	1	41	32	-	1
64	DEER LODGE	143	1	-	-	29	6	9	2	6	1	2	3	3	70	52	1	2
65	FALLON	27	-	-	-	5	3	1	-	-	1	-	-	2	13	7	-	-
66	FERGUS	159	-	-	1	19	8	4	2	3	-	-	2	3	95	66	2	-
67	FLATHEAD	408	2	-	3	86	19	18	6	10	6	6	21	10	211	146	6	2
68	KALISPELL	157	2	-	1	31	8	7	2	4	3	2	5	4	93	63	4	-
69	BALANCE OF COUNTY	251	-	-	2	55	11	11	4	6	3	4	16	6	118	83	2	2
70	GALLATIN	213	-	-	1	36	11	6	3	6	3	2	5	4	106	73	-	1
71	BOZEMAN	113	-	-	1	13	2	5	1	3	1	1	-	1	64	42	-	1
72	BALANCE OF COUNTY	100	-	-	-	23	9	1	2	3	2	1	5	3	42	31	-	-
73	GARFIELD	15	-	-	-	2	-	-	2	-	-	-	-	1	8	7	-	-
74	GLACIER	108	2	-	-	13	3	1	1	4	1	-	3	-	38	26	-	-
75	GOLDEN VALLEY	15	-	-	-	4	1	1	1	-	-	-	1	-	7	3	-	-
76	GRANITE	28	-	-	-	8	4	-	-	1	-	-	3	-	12	6	-	-
77	HILL	143	-	-	2	23	5	4	4	3	2	1	4	2	70	50	-	2
78	HAVRE	103	-	-	1	19	5	2	3	2	2	1	4	2	50	34	-	2
79	BALANCE OF COUNTY	40	-	-	1	4	-	2	1	1	-	-	-	-	20	16	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
39	1	-	13	-	-	-	-	1	-	-	-	1	2	-	5	1	5	1	-	-	01
67	-	1	22	3	3	1	1	1	1	-	-	-	-	-	16	3	-	5	-	1	02
32	-	-	12	-	1	1	-	-	-	1	-	1	-	2	7	4	3	-	-	-	03
83	7	-	30	4	9	3	3	-	5	1	-	2	3	-	8	2	2	4	1	-	04
153	9	1	50	7	9	5	7	1	9	3	-	3	8	2	35	8	3	1	-	-	05
30	2	1	6	-	2	-	1	-	2	1	-	1	2	-	6	4	6	2	-	-	06
91	4	-	16	2	5	6	3	4	2	1	-	1	1	-	14	3	4	2	1	-	07
107	1	3	46	7	4	5	4	2	7	1	-	-	3	-	19	4	12	2	-	-	08
28	1	-	10	1	-	3	1	-	-	-	-	-	-	-	8	-	1	2	-	2	09
40	3	-	17	2	4	1	3	-	-	-	-	3	1	7	9	-	3	2	1	3	10
87	5	1	23	5	8	3	4	-	7	-	-	3	4	3	18	7	3	1	-	2	11
76	-	-	21	2	1	4	2	1	2	-	-	-	1	2	9	1	5	-	-	-	12
52	6	-	17	3	3	3	1	1	1	-	-	3	3	-	10	1	2	3	1	1	13
206	1	-	70	7	9	17	5	-	3	2	-	2	8	6	26	9	8	5	4	4	14
88	1	1	34	10	6	7	8	-	2	2	-	1	1	3	25	3	6	1	1	-	15
1,363	61	13	358	67	53	77	69	8	39	13	-	33	37	63	281	75	83	55	30	20	16
3,051	153	43	757	151	103	237	102	24	163	29	3	44	146	92	653	52	213	64	202	32	17
45	-	-	18	3	1	2	1	1	1	1	1	1	2	5	12	8	5	1	1	1	18
133	12	2	63	5	2	10	5	3	2	2	-	1	6	2	23	7	14	5	2	1	19
58	6	1	31	1	1	6	4	1	2	2	-	1	4	-	6	4	5	5	1	-	20
75	6	1	32	4	1	4	1	2	-	-	-	-	2	2	17	3	9	-	1	1	21
20	5	-	9	2	-	2	1	-	1	-	-	-	1	1	8	5	2	1	1	-	22
36	3	1	14	-	1	4	-	1	-	-	-	-	1	-	8	5	2	-	-	-	23
129	9	-	29	4	5	8	6	3	3	1	-	3	8	16	33	4	16	4	6	4	24
50	5	-	15	1	2	4	2	-	2	1	-	1	3	12	17	4	4	-	3	3	25
51	5	-	15	1	2	5	2	-	2	1	-	1	3	12	18	5	4	-	3	3	26
79	4	-	14	3	3	4	4	3	1	-	-	2	5	4	16	-	12	4	3	1	27
36	1	1	12	2	-	-	2	-	-	-	-	-	-	4	5	4	6	-	-	-	28
48	3	4	14	2	2	3	2	1	-	2	-	-	1	4	4	8	2	1	-	2	29
105	14	2	29	10	2	15	8	-	2	-	-	2	5	14	29	6	10	3	1	2	30
41	2	1	11	3	4	5	2	-	2	-	-	-	1	12	9	7	2	1	-	1	31
49	16	-	24	-	3	6	2	-	-	-	-	-	1	-	13	2	8	-	-	-	32
74	10	-	30	4	2	3	1	-	1	-	-	2	1	9	14	5	4	2	-	1	33
86	8	3	31	5	6	9	3	2	2	1	-	-	2	5	9	4	8	1	-	-	34
74	7	-	43	1	5	9	4	2	4	-	-	1	4	19	10	3	7	6	1	-	35
51	4	1	19	2	-	3	1	-	2	-	-	2	3	13	8	4	8	1	-	-	36
56	4	-	23	5	3	9	4	2	1	-	-	1	2	7	13	5	5	1	1	1	37
58	6	-	12	1	3	8	1	2	1	-	-	-	-	10	10	6	4	1	-	-	38
57	2	1	34	5	2	5	2	-	1	1	-	2	1	2	11	5	9	1	1	-	39
22	1	-	3	1	3	2	1	1	-	-	-	1	1	-	6	-	2	-	-	-	40
76	7	1	50	3	2	16	4	-	1	-	-	1	1	7	12	5	8	1	1	-	4
1,854	273	17	669	173	99	205	118	13	99	21	-	56	116	217	526	284	274	122	40	26	4.
643	70	7	236	63	42	93	32	6	40	7	-	24	37	101	163	78	96	39	10	8	4:
1,211	203	10	433	110	57	112	86	7	59	14	-	32	79	116	363	206	178	83	30	18	4'
309	49	7	142	43	28	45	20	5	24	2	-	17	29	78	99	64	63	30	5	3	4!
245	36	4	115	33	22	40	15	4	19	1	-	12	19	58	73	54	46	24	4	1	4(
64	13	3	27	10	6	5	5	1	5	1	-	5	10	20	26	10	17	6	1	2	4:
1,545	224	10	527	130	71	160	98	8	75	19	-	39	87	139	427	220	211	92	35	23	4(
398	34	3	121	30	20	53	17	2	21	6	-	12	18	43	90	24	50	15	6	7	4!
1,147	190	7	406	100	51	107	81	6	54	13	-	27	69	96	337	196	161	77	29	16	5(
20	3	-	14	-	1	4	4	-	1	1	-	-	2	4	8	6	3	2	-	-	51
17	10	-	7	3	-	3	2	-	4	-	-	2	4	2	11	10	9	3	-	2	52
20	7	-	8	3	-	1	-	-	-	2	-	-	2	-	4	4	3	2	-	-	53
5	3	-	2	-	-	2	-	1	-	-	-	-	3	-	3	1	2	2	-	-	54
20	7	1	15	4	3	3	-	1	-	-	-	-	-	3	5	3	1	3	-	1	55
7	-	-	2	-	-	1	-	-	-	-	-	1	1	-	4	-	2	1	-	-	56
132	30	1	60	21	14	21	12	3	11	1	-	5	15	36	45	29	30	15	3	1	57
114	22	-	53	17	12	18	11	3	8	1	-	4	12	27	38	26	23	14	2	-	58
18	8	1	7	4	2	3	1	-	3	-	-	1	3	9	7	3	7	1	1	1	59
15	9	-	4	1	-	1	-	-	-	-	-	-	-	1	8	2	1	-	-	-	60
41	6	1	22	3	3	5	3	-	3	1	-	2	2	4	9	3	6	1	-	-	61
11	2	-	3	-	-	-	-	-	1	-	-	-	-	1	3	4	2	1	-	-	62
25	6	-	6	1	2	2	3	-	2	-	-	-	3	-	3	5	2	1	1	1	63
38	11	1	13	1	3	5	4	1	3	-	-	1	1	1	14	3	5	1	1	-	64
6	1	-	6	-	-	2	-	-	-	-	-	-	-	-	3	2	-	-	-	-	65
62	2	-	22	7	-	4	2	1	-	2	-	1	-	1	21	4	3	1	1	-	66
127	11	1	49	11	4	9	5	1	4	-	-	2	7	3	33	12	13	6	1	-	67
53	6	1	21	6	2	5	2	1	-	-	-	1	1	-	10	1	4	1	-	-	68
74	5	-	28	5	2	4	3	-	4	-	-	1	6	3	23	11	9	5	1	-	69
65	7	-	20	9	4	10	3	-	2	2	-	3	5	3	11	9	7	6	1	4	70
38	3	-	13	6	3	7	3	-	2	2	-	1	4	2	5	-	3	3	-	2	71
27	4	-	7	3	1	3	-	-	-	-	-	2	1	1	6	9	4	3	1	2	72
2	5	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	73
19	7	-	10	2	-	2	1	-	1	-	-	1	1	6	10	11	11	1	2	2	74
3	-	-	3	-	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	75
5	1	-	4	1	1	-	1	-	1	-	-	-	-	3	1	1	1	-	-	-	76
44	4	-	14	2	4	10	3	-	2	-	-	2	3	6	7	3	3	3	2	2	77
29	3	-	10	2	4	9	2	-	2	-	-	-	2	5	3	1	3	2	2	-	78
15	1	-	4	-	-	1	1	-	-	-	-	2	1	1	4	2	-	1	-	2	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with hypertensive renal disease (402,404)
	MONTANA--CON.																	
01	JEFFERSON	53	-	-	-	5	1	1	1	-	-	-	2	1	19	11	-	-
02	JUDITH BASIN	24	-	-	-	2	2	-	-	-	-	-	-	-	12	8	-	-
03	LAKE	179	-	-	1	26	5	5	3	6	1	2	4	5	92	74	2	2
04	LEWIS AND CLARK	320	-	-	1	59	20	15	4	5	2	1	12	3	140	106	6	-
05	HELENA	212	-	-	1	38	15	10	3	2	1	1	6	2	91	68	4	-
06	BALANCE OF COUNTY	108	-	-	-	21	5	5	1	3	1	-	6	1	49	38	2	-
07	LIBERTY	18	-	-	-	3	1	-	-	-	1	-	1	-	8	6	-	-
08	LINCOLN	103	-	-	-	19	6	7	2	3	-	-	1	3	43	33	1	-
09	MC CONE	18	-	-	-	-	-	-	-	-	-	-	-	1	13	10	-	-
10	MADISON	61	-	-	-	17	8	4	2	-	-	-	3	-	21	13	-	-
11	MEAGHER	36	-	-	-	6	2	1	-	-	-	-	3	-	20	16	-	-
12	MINERAL	25	-	-	-	4	1	-	-	1	1	-	1	-	12	11	-	-
13	MISSOULA	456	-	-	3	74	22	14	5	7	2	3	21	7	235	173	4	5
14	MISSOULA	321	-	-	3	49	13	9	2	7	1	3	14	7	175	128	4	3
15	BALANCE OF COUNTY	135	-	-	-	25	9	5	3	-	1	-	7	-	60	45	-	2
16	MUSSELSHELL	51	-	-	1	7	3	-	-	1	-	-	3	-	27	16	-	-
17	PARK	148	-	-	1	15	4	-	1	3	1	1	5	2	83	58	1	4
18	PETROLEUM	6	-	-	-	2	-	-	-	1	1	-	-	-	2	1	-	-
19	PHILLIPS	59	-	-	1	6	2	1	-	1	-	-	2	1	36	28	-	-
20	PONDERA	68	-	-	1	11	1	3	2	3	-	1	1	3	29	21	1	1
21	POWDER RIVER	22	-	-	-	3	-	-	1	1	-	-	1	-	8	7	-	-
22	POWELL	72	1	-	2	12	5	2	-	2	1	1	1	1	33	26	-	-
23	PRAIRIE	23	-	-	-	7	3	3	-	1	-	-	-	-	14	9	-	-
24	RAVALLI	180	-	-	1	31	9	7	4	5	-	1	5	1	102	82	3	1
25	RICHLAND	104	-	-	1	17	4	7	-	1	3	-	2	3	55	40	1	1
26	ROOSEVELT	110	1	-	-	23	6	5	-	4	1	1	6	1	49	33	-	-
27	ROSEBUD	80	1	-	1	17	6	3	1	4	-	-	3	-	30	19	-	-
28	SANDERS	96	-	-	-	17	7	4	1	3	-	-	2	-	46	29	1	-
29	SHERIDAN	62	1	-	-	12	2	3	1	1	2	2	1	2	31	26	-	-
30	SILVER BOW	496	1	-	-	94	31	20	8	14	5	6	10	4	236	174	3	1
31	BUTTE	318	1	-	-	58	19	12	4	9	4	5	5	2	151	115	1	1
32	BALANCE OF COUNTY	178	-	-	-	36	12	8	4	5	1	1	5	2	85	59	2	-
33	STILLWATER	48	1	-	1	7	1	3	-	-	1	-	2	-	27	17	-	1
34	SWEET GRASS	39	-	-	-	9	1	3	1	2	1	1	-	1	22	13	-	-
35	TETON	62	-	-	-	6	-	1	-	3	1	1	-	-	40	23	-	-
36	TOOLE	51	-	-	-	10	4	3	-	-	1	-	2	-	31	23	-	-
37	TREASURE	9	-	-	-	1	-	-	-	-	-	-	1	-	6	3	1	-
38	VALLEY	109	1	-	-	17	6	3	2	2	-	1	3	4	47	34	1	-
39	WHEATLAND	32	-	-	-	4	1	-	-	1	-	-	2	-	15	9	1	-
40	WIBAUX	11	-	-	1	-	-	-	-	-	-	-	-	-	9	6	-	-
41	YELLOWSTONE	729	-	-	2	132	38	37	9	9	7	4	28	10	328	204	6	2
42	BILLINGS	532	-	-	2	97	25	27	7	8	4	3	23	8	242	150	4	1
43	BALANCE OF COUNTY	197	-	-	-	35	13	10	2	1	3	1	5	2	86	54	2	1
44	YELLOWSTONE NATIONAL PARK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	**NEBRASKA**	15,025	9	2	63	2,657	809	483	222	320	141	151	531	293	8,265	5,730	108	175
46	URBAN PLACES	6,500	7	-	27	1,208	337	257	99	135	72	71	237	113	3,390	2,325	50	41
47	BALANCE OF AREA	8,525	2	2	36	1,449	472	226	123	185	69	80	294	180	4,875	3,405	58	134
48	METROPOLITAN COUNTIES	5,213	6	-	25	983	280	216	80	91	53	55	208	93	2,654	1,806	42	30
49	URBAN PLACES	4,674	5	-	20	892	259	195	71	81	50	51	185	78	2,393	1,631	38	24
50	BALANCE OF AREA	539	1	-	5	91	21	21	9	10	3	4	23	15	261	175	4	6
51	NONMETROPOLITAN COUNTIES	9,812	3	2	38	1,674	529	267	142	229	88	96	323	200	5,611	3,924	66	145
52	URBAN PLACES	1,826	2	-	7	316	78	62	28	54	22	20	52	35	997	694	12	17
53	BALANCE OF AREA	7,986	1	2	31	1,358	451	205	114	175	66	76	271	165	4,614	3,230	54	128
54	ADAMS	327	-	-	1	47	13	11	4	4	4	5	6	7	192	131	-	1
55	HASTINGS	278	-	-	1	39	12	10	4	3	3	5	2	6	168	115	-	1
56	BALANCE OF COUNTY	49	-	-	-	8	1	1	-	1	1	-	4	1	24	16	-	-
57	ANTELOPE	130	-	-	1	19	7	4	-	4	-	-	4	-	88	65	1	-
58	ARTHUR	3	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-
59	BANNER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	BLAINE	10	-	-	-	1	1	-	-	-	-	-	-	-	7	5	-	-
61	BOONE	110	-	-	-	18	7	3	3	-	1	1	3	3	58	38	1	-
62	BOX BUTTE	101	-	-	1	17	5	2	1	3	2	-	4	1	49	38	2	3
63	BOYD	50	-	-	-	7	2	3	-	-	-	2	-	-	34	24	-	-
64	BROWN	59	-	-	-	13	4	-	1	2	1	2	3	2	34	28	-	-
65	BUFFALO	303	1	-	1	56	18	8	5	11	3	1	10	5	157	121	3	1
66	KEARNEY	153	1	-	1	27	8	3	4	5	3	1	3	3	73	53	1	1
67	BALANCE OF COUNTY	150	-	-	-	29	10	5	1	6	-	-	7	2	84	68	2	-
68	BURT	143	-	-	1	22	7	3	5	2	-	1	4	2	84	65	1	4
69	BUTLER	118	-	-	1	25	9	2	1	5	-	2	6	2	68	37	1	-
70	CASS	210	-	-	-	34	11	4	4	8	-	-	3	4	133	96	1	2
71	CEDAR	140	-	-	1	17	5	4	-	2	-	-	6	3	87	46	-	-
72	CHASE	66	-	-	-	4	1	-	1	2	-	-	-	1	47	38	2	15
73	CHERRY	93	-	-	-	14	5	2	-	1	2	2	2	4	43	33	-	6
74	CHEYENNE	114	-	-	1	11	6	2	-	1	-	1	1	1	73	55	1	15
75	CLAY	102	-	-	-	18	7	4	-	1	2	1	3	2	57	41	-	1
76	COLFAX	139	-	-	-	22	7	6	1	2	-	2	4	3	70	53	1	-
77	CUMING	129	-	-	1	29	7	5	3	6	2	1	5	5	63	38	1	-
78	CUSTER	182	-	-	1	35	12	6	3	4	2	-	8	-	111	79	-	-
79	DAKOTA	135	1	-	1	26	8	6	2	3	1	1	5	2	68	49	2	2
80	DAWES	121	-	-	2	19	6	3	1	3	-	-	6	2	73	61	-	10

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
8	3	–	6	2	–	2	1	–	2	–	–	1	1	9	7	3	2	–	–	1	01
7	1	–	2	2	–	–	–	–	–	–	–	–	–	3	4	1	2	–	–	–	02
64	6	–	16	1	1	7	4	–	1	1	–	1	3	1	17	11	6	2	1	–	03
86	14	–	20	6	8	9	7	–	7	1	–	2	8	20	27	12	10	9	4	1	04
54	10	–	15	2	6	6	5	–	6	1	–	2	5	16	21	5	8	2	2	1	05
32	4	–	5	4	2	3	2	–	1	–	–	3	3	4	6	7	2	7	2	–	06
6	–	–	1	1	–	–	1	–	–	–	–	1	–	1	4	–	–	–	–	–	07
27	5	–	9	–	1	1	1	–	–	–	–	3	9	2	8	5	3	2	3	1	08
9	1	–	–	3	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	09
10	2	–	3	2	3	–	4	–	1	–	–	1	1	6	3	1	4	1	–	1	10
9	7	–	3	1	–	3	1	–	–	–	–	–	–	–	3	–	2	–	–	1	11
9	2	–	–	1	–	1	–	–	1	–	–	1	1	2	1	1	2	–	–	–	12
158	6	2	52	4	4	15	3	–	1	1	–	7	6	6	44	18	18	14	2	2	13
119	4	2	39	3	3	11	1	–	1	1	–	5	3	4	32	8	13	5	1	2	14
39	2	–	13	1	1	4	2	–	–	–	–	2	3	2	12	10	5	9	1	–	15
16	–	–	5	4	2	2	3	–	–	–	–	–	–	2	3	4	1	1	–	–	16
43	10	–	18	5	2	2	2	–	1	–	–	1	1	1	19	8	11	1	–	–	17
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	18
26	2	–	5	3	–	3	–	–	1	1	–	–	–	–	5	2	3	–	–	–	19
18	1	–	4	1	3	4	–	–	2	1	–	–	–	5	–	3	5	2	2	–	20
7	–	–	–	–	1	1	1	–	–	–	–	–	1	–	1	3	2	2	–	–	21
22	4	–	4	3	–	1	1	1	1	1	–	–	3	–	6	3	2	3	1	–	22
7	2	–	4	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	23
66	12	–	17	2	1	3	6	–	1	–	–	–	5	2	17	4	5	1	1	1	24
36	2	–	9	5	1	2	2	1	–	–	–	1	1	3	9	4	3	2	–	–	25
28	5	–	9	4	3	3	–	–	5	–	–	–	3	1	7	10	4	2	1	–	26
16	3	1	8	2	–	3	3	–	5	–	–	–	1	1	6	7	1	2	1	1	27
23	5	–	16	–	1	4	2	–	1	–	–	1	1	1	7	5	4	3	4	–	28
25	1	–	3	1	1	1	3	–	2	–	–	2	1	–	4	2	–	1	–	–	29
158	12	–	40	19	3	20	12	1	13	2	–	3	5	24	28	13	31	4	3	2	30
105	8	–	23	11	2	15	4	1	10	2	–	3	3	16	19	9	19	2	1	2	31
53	4	–	17	8	1	5	8	–	3	–	–	–	2	8	9	4	12	2	2	–	32
13	3	–	9	–	1	–	2	–	–	–	–	–	–	2	4	2	1	1	–	–	33
12	1	–	7	1	1	2	1	–	1	–	–	–	–	–	1	1	1	–	–	–	34
21	2	2	10	3	2	2	1	–	–	–	–	–	–	1	7	1	2	1	1	–	35
21	2	–	7	–	1	–	2	–	–	–	–	–	1	–	3	1	2	1	–	–	36
2	–	1	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	37
28	5	–	5	4	4	2	1	–	–	3	–	–	–	3	16	5	6	1	2	–	38
5	3	–	5	1	–	2	–	–	–	–	–	1	–	3	5	–	3	–	–	–	39
6	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	40
177	19	6	82	22	14	24	8	2	13	1	–	12	14	42	54	35	33	15	2	2	41
131	14	4	62	16	10	22	4	1	11	–	–	8	7	31	35	28	23	10	2	1	42
46	5	2	20	6	4	2	4	1	2	1	–	4	7	11	19	7	10	5	–	1	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	44
5,074	373	65	1,895	342	233	507	225	76	167	50	3	96	205	112	1,171	409	471	160	62	22	45
2,101	133	33	797	128	107	237	103	41	92	18	3	41	104	42	552	163	212	83	52	12	46
2,973	240	32	1,098	214	126	270	122	35	75	32	–	55	101	70	619	246	259	77	10	10	47
1,631	103	25	617	114	92	201	86	30	75	13	3	40	100	36	431	132	186	64	50	5	48
1,478	91	20	565	98	79	179	76	28	68	10	3	35	83	29	385	113	169	55	48	5	49
153	12	5	52	16	13	22	10	2	7	3	–	5	17	7	46	19	17	9	2	–	50
3,443	270	40	1,278	228	141	306	139	46	92	37	–	56	105	76	740	277	285	96	12	17	51
623	42	13	232	30	28	58	27	13	24	8	–	6	21	13	167	50	43	28	4	7	52
2,820	228	27	1,046	198	113	248	112	33	68	29	–	50	84	63	573	227	242	68	8	10	53
126	4	2	48	5	6	12	8	3	5	–	–	1	2	–	31	3	9	6	–	–	54
111	3	2	42	3	6	11	7	3	5	–	–	1	2	–	24	2	4	5	–	–	55
15	1	–	6	2	–	1	1	–	–	–	–	–	–	–	7	1	5	1	–	–	56
64	–	1	17	2	3	2	–	–	–	–	–	–	–	1	11	6	2	–	–	–	57
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	59
5	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	60
34	3	–	19	1	–	4	1	4	1	1	–	1	2	–	10	2	3	2	–	–	61
32	1	–	10	1	–	2	3	2	4	–	–	–	–	–	11	3	5	2	1	–	62
24	–	–	9	–	1	1	2	–	1	–	–	–	–	1	2	1	–	1	–	–	63
25	3	–	5	–	1	3	–	–	1	–	–	2	–	–	2	2	–	–	–	–	64
109	8	2	24	3	7	10	3	–	–	6	–	2	6	1	36	12	2	5	–	–	65
50	1	1	15	2	2	6	2	–	–	2	–	1	5	–	23	5	–	4	–	–	66
59	7	1	9	1	5	4	1	–	–	4	–	1	1	1	13	7	2	1	–	–	67
54	6	1	15	2	1	5	6	–	1	2	–	1	–	–	7	6	4	–	–	2	68
35	1	–	26	3	2	4	1	–	–	–	–	2	–	1	7	3	3	1	–	–	69
84	9	1	27	6	3	4	8	–	2	1	–	1	1	1	16	3	5	1	–	–	70
45	1	1	22	15	3	6	2	–	3	–	–	–	3	–	8	3	5	1	–	1	71
21	–	–	7	–	2	2	–	–	–	–	–	–	–	–	3	2	4	–	–	1	72
22	5	–	8	1	1	4	2	–	1	–	–	1	1	–	9	7	5	2	–	–	73
36	3	1	9	3	5	2	1	1	–	1	–	–	2	1	12	5	2	1	–	–	74
34	6	–	10	4	2	2	1	2	1	–	–	–	1	–	8	7	2	1	–	–	75
45	7	–	16	–	1	8	3	2	1	–	–	2	2	2	13	3	5	2	–	1	76
34	3	3	19	1	2	9	–	1	–	1	–	1	1	–	8	4	5	1	–	–	77
75	4	–	22	8	2	5	2	1	–	–	–	2	1	–	15	5	3	1	–	–	78
43	2	1	6	12	–	7	1	1	1	–	–	1	3	3	9	5	4	1	1	–	79
47	4	–	9	1	2	3	–	1	–	–	–	1	3	–	7	2	7	1	–	–	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEBRASKA--CON.																	
01	DAWSON	217	-	-	1	31	10	3	2	4	1	3	8	6	132	102	2	5
02	DEUEL	31	-	-	-	4	1	2	-	-	-	1	-	1	19	12	1	2
03	DIXON	82	-	-	-	12	3	2	-	4	-	-	3	2	54	29	1	1
04	DODGE	362	-	-	-	58	14	11	5	10	2	5	11	6	213	136	3	1
05	FREMONT	250	-	-	-	36	6	8	4	7	1	2	8	5	150	88	3	-
06	BALANCE OF COUNTY	112	-	-	-	22	8	3	1	3	1	3	3	1	63	48	-	1
07	DOUGLAS	3,498	5	-	16	670	189	162	50	63	34	36	136	63	1,753	1,221	30	17
08	OMAHA	3,373	5	-	14	646	185	154	49	59	34	36	129	58	1,705	1,182	30	15
09	BALANCE OF COUNTY	125	-	-	2	24	4	8	1	4	-	-	7	5	48	39	-	2
10	DUNDY	38	-	-	-	4	-	2	-	1	-	-	1	-	19	16	-	-
11	FILLMORE	119	-	1	-	20	8	3	-	3	1	2	3	3	79	49	-	-
12	FRANKLIN	79	-	-	2	10	6	1	1	1	-	-	1	4	47	28	-	1
13	FRONTIER	44	-	-	-	4	2	1	-	-	-	-	1	2	29	22	-	-
14	FURNAS	99	-	-	1	14	3	5	4	1	-	-	1	1	62	44	2	-
15	GAGE	305	-	-	-	49	18	3	5	10	2	2	9	10	191	148	1	2
16	BEATRICE	156	-	-	-	28	7	1	4	7	1	1	7	6	88	59	-	2
17	BALANCE OF COUNTY	149	-	-	-	21	11	2	1	3	1	1	2	4	103	89	1	2
18	GARDEN	41	-	-	-	6	3	3	-	-	-	-	-	1	20	16	-	5
19	GARFIELD	38	-	-	-	7	2	1	1	1	1	-	1	2	23	18	-	-
20	GOSPER	16	-	-	-	3	-	1	-	-	-	-	2	1	9	9	-	-
21	GRANT	11	-	-	-	1	1	-	-	-	-	-	-	1	8	5	-	-
22	GREELEY	47	-	-	-	6	2	1	1	-	-	-	2	1	30	13	-	3
23	HALL	452	-	-	1	86	22	21	7	10	4	2	20	8	211	144	1	5
24	GRAND ISLAND	342	-	-	1	65	18	18	4	8	2	2	13	8	165	114	1	3
25	BALANCE OF COUNTY	110	-	-	-	21	4	3	3	2	2	-	7	-	46	30	-	2
26	HAMILTON	112	-	-	1	20	9	3	1	2	-	1	4	2	62	44	1	-
27	HARLAN	67	-	-	-	7	4	-	1	-	-	-	2	-	48	32	1	-
28	HAYES	12	-	-	-	1	1	-	-	-	-	-	-	1	6	6	-	1
29	HITCHCOCK	47	-	-	-	8	2	-	1	2	-	1	2	-	26	22	-	1
30	HOLT	122	-	-	1	24	6	6	2	4	1	1	5	1	68	50	-	-
31	HOOKER	18	-	-	-	6	2	2	-	1	-	-	1	-	8	4	-	-
32	HOWARD	92	-	-	2	11	2	1	1	1	-	2	4	-	61	32	1	2
33	JEFFERSON	140	1	-	-	31	5	4	5	3	3	4	7	4	75	52	4	2
34	JOHNSON	71	-	-	-	12	3	2	3	-	1	-	3	4	43	23	-	1
35	KEARNEY	81	-	-	2	21	5	1	1	1	4	2	7	1	35	25	2	-
36	KEITH	80	-	-	1	18	5	3	2	3	1	1	3	1	40	27	-	-
37	KEYA PAHA	18	-	-	-	5	3	1	-	-	1	-	-	-	10	8	-	-
38	KIMBALL	39	-	-	-	7	2	1	-	-	-	-	4	1	16	12	1	1
39	KNOX	156	-	-	1	24	9	3	3	2	1	-	6	6	95	72	1	-
40	LANCASTER	1,330	-	-	5	250	72	43	24	23	16	15	57	22	718	457	8	9
41	LINCOLN	1,215	-	-	5	236	70	41	22	21	15	14	53	19	650	416	8	8
42	BALANCE OF COUNTY	115	-	-	-	14	2	2	2	2	1	1	4	3	68	41	-	1
43	LINCOLN	284	-	-	3	50	11	10	3	8	5	2	11	5	146	111	2	7
44	NORTH PLATTE	200	-	-	2	34	8	6	2	6	4	1	7	4	104	80	2	5
45	BALANCE OF COUNTY	84	-	-	1	16	3	4	1	2	1	1	4	1	42	31	-	2
46	LOGAN	10	-	-	-	-	-	-	-	-	-	-	-	-	7	6	-	-
47	LOUP	6	-	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-
48	MC PHERSON	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
49	MADISON	301	-	1	1	56	14	5	7	9	7	2	12	2	177	116	3	1
50	NORFOLK	156	-	-	1	24	5	1	3	6	4	-	5	1	95	68	3	1
51	BALANCE OF COUNTY	145	-	1	-	32	9	4	4	3	3	2	7	1	82	48	-	-
52	HERRICK	101	-	-	-	17	8	3	-	-	-	-	6	1	57	35	-	2
53	NORRILL	70	-	-	1	13	3	1	1	4	-	-	4	1	37	27	1	2
54	NANCE	67	-	-	-	11	-	2	3	2	-	1	3	1	43	32	-	-
55	NEMAHA	77	-	-	-	14	5	1	-	3	-	1	4	3	41	26	-	2
56	NUCKOLLS	101	-	-	-	15	6	1	1	4	-	-	3	4	67	46	-	1
57	OTOE	200	-	-	-	41	11	6	7	5	2	1	9	6	104	70	2	2
58	PAWNEE	58	-	-	-	6	3	1	1	-	-	-	1	-	39	30	1	4
59	PERKINS	38	-	-	-	6	1	3	-	-	-	1	1	1	23	18	-	3
60	PHELPS	118	-	-	-	29	9	4	3	4	2	3	4	5	65	45	3	2
61	PIERCE	113	-	-	-	16	4	4	1	-	1	1	5	4	67	53	1	-
62	PLATTE	233	-	-	1	47	14	8	3	8	1	5	8	1	124	84	2	1
63	COLUMBUS	154	-	-	1	33	8	6	2	7	-	5	5	1	88	64	1	-
64	BALANCE OF COUNTY	79	-	-	-	14	6	2	1	1	1	-	3	-	36	20	1	1
65	POLK	87	-	-	-	14	8	-	1	-	2	1	2	1	60	34	1	-
66	RED WILLOW	133	-	-	-	24	6	5	4	3	2	1	3	7	72	50	2	1
67	RICHARDSON	221	-	-	-	44	18	4	5	9	2	1	5	1	119	90	2	1
68	ROCK	25	-	-	-	2	1	1	-	-	-	-	-	-	17	8	-	1
69	SALINE	174	-	-	1	33	15	4	4	3	1	1	5	3	107	74	2	1
70	SARPY	250	-	-	3	37	11	5	4	2	2	3	10	6	115	79	2	2
71	BELLEVUE	86	-	-	1	10	4	-	-	1	1	1	3	1	38	33	-	1
72	BALANCE OF COUNTY	164	-	-	2	27	7	5	4	1	1	2	7	5	77	46	2	1
73	SAUNDERS	180	-	-	-	39	14	3	3	4	2	5	8	-	99	56	2	-
74	SCOTTS BLUFF	301	1	-	-	59	17	15	2	8	5	6	6	5	156	122	2	7
75	SCOTTSBLUFF	137	1	-	-	30	6	9	1	5	4	3	2	1	66	53	1	4
76	BALANCE OF COUNTY	164	-	-	-	29	11	6	1	3	1	3	4	4	90	69	1	3
77	SEWARD	149	-	-	-	19	7	1	1	3	1	2	4	4	101	63	-	-
78	SHERIDAN	114	-	-	-	20	8	2	1	3	2	-	4	3	62	48	-	1
79	SHERMAN	65	-	-	-	14	7	2	1	2	1	-	1	1	33	23	-	1
80	SIOUX	11	-	-	-	4	-	2	1	1	-	-	-	2	4	4	-	-
81	STANTON	64	-	-	-	9	7	-	-	1	1	-	-	1	40	29	1	-
82	THAYER	114	-	-	-	17	5	3	2	1	2	1	4	4	64	44	-	8
83	THOMAS	17	-	-	1	1	1	-	-	-	-	-	-	-	9	7	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
93	2	2	23	3	2	4	5	2	2	1		3	2	2	11	6	8			1	01
8	1		6	1			1								4		2				02
26	1		22	2	1	1	1								3	3	4		1		03
120	12	1	62	4	10	7	5	2				2		1	4	8	10	5	1	2	04
78	7	1	51	3	7	3	4	2				4		4	24	4	5	4	1	2	05
42	5		11	1	3	4	1					2		2	6	4	5	1			06
1,116	58	16	396	65	55	146	63	22	60	8	3	26	66	19	282	87	130	35	41	3	07
1,081	56	16	390	65	52	139	59	22	56	7	3	26	64	19	266	82	126	32	41	3	08
35	2		6		3	7	4		4	1			2		16	5	4	3			09
16			2		1	9	1	1	1	1					3						10
45	4	1	17	7	5	3	1						1		8	1	2				11
22	5		12	6	1	5	1						1		5	1	1			1	12
22			6	1		3									2	2	1	1			13
35	7	1	11	4	2	2	3		3				1		8		4				14
138	7	1	33	4	5	11	3	2	4				1	1	17	6	6	2		2	15
54	3	1	20	4	4	9	2	2	2					1	11	2	3	1		1	16
84	4		13		1	2	1		2				1		6	4	3	1		1	17
11			4			1									3	6	2	1			18
18			3	1	1	1			1	1			1		1		1				19
9															2		1				20
4	1		1	1	1											1					21
9	1		13	1	3		2		2				1		2	1	1	1			22
131	7	6	44	14	3	21	8		5	7		4	13	4	48	16	15	5			23
104	6	4	34	11	2	16	7		3	3		3	5	3	39	12	8	4			24
27	1	2	10	3	1	5	1		2	4		1	8	1	9	4	7	1			25
40	3		12	4	2	4						1	2		12	2	3	1	1	1	26
29	2		15		1	4			1						5		2				27
4	1														2		1	1			28
20	1		3	1		4			1						5	1	1				29
49	1		14	2	2	5	2					3	1		13		2				30
3	1		2	1	1										3		1				31
28	1		27	1	1	5	2			1			3		7						32
38	8	1	17	1	4	4	3		1					5	8	3	4	1			33
22			18	2		2			1				1		3	1	3	1			34
23		1	9			2	3	2				1		1	6	4	1	2			35
25	2		11		2	1	1		2			2	1		6	1	3	2	1		36
6	2		2												1	1	1				37
10			4				2			1		1	2		4		4	1			38
67	4		14	3	6	5	2		2			1	1	1	10	3	3	3			39
409	31	5	193	34	29	37	19	6	11	3		11	16	13	120	27	44	20	7	1	40
370	30	4	171	33	26	34	16	5	10	2		8	16	10	111	25	42	19	6	1	41
39	1	1	22	1	3	3	3	1	1	1		3		3	9	2	2	1	1		42
92	10	3	24	7	1	9	4	2	4	1		2	3	11	13	14	10	6	2	2	43
67	6	3	16	4	1	6	3	2	3	1		2	1	6	10	10	6	5	2	2	44
25	4		8	3		3	1		1			1		5	3	4	4	1			45
6			1																		46
3			1																		47
2						1															48
110	2	1	46	10	4	5	2	1	4	2		1	5	1	24	7	9	1	1	1	49
68	1	1	21	2	3	2			4	2		1	2		13	4	5	1	1	1	50
47	1		25	8	1	3	2	1					3	1	11	3	4	1			51
28	5	2	19		1	10				1		1		1	4	4	4	1			52
20	4		8	2		1	1		2			2			8	2		2			53
30	2		7	3	1	2						1			2	3	1	1			54
23	1		13	2		4	2	1	1					1	8	2					55
41	4		19	2			1	1						1	5	3	3	2			56
59	7		28	6		4	4		1	1		2		13	13	4	6	1			57
25	1		9			1	1	1							4	1	4	1			58
14	1	1	4			2	1								1	2	2				59
35	5		16	3	1	3			1			1	1		7	2	3	1			60
51	1		12	1	1	1			2				2		12	7	1	1			61
64	17		34	2	4	5	3	3	2			1	2	2	16	9	12	5			62
52	11		20	1	3	4	1	2						1	8	4	6	5			63
12	6		14	1	1	1	2	1	2			1	2	1	8	5	6				64
32	1	1	20	2	3	2	1						2	1	5	1		1			65
47	3		10	9	3	7	2					2		1	7	4	5	2			66
82	5		23	4	2	8	6	2	2				3	1	15	4	15	1			67
7			8	1											4		2				68
70	1		21	11	1	3	1		2	1					17	1	5				69
63	12	3	22	3	8	11	3	1	3	2		2	15	1	20	13	8	8	1	1	70
27	5		4		1	6	1	1	2	1		1	3		8	6	1	4	1	1	71
36	7	3	18	3	7	5	2		1	1		1	12	1	12	7	7	4			72
52	2		35	5	3	7	3	1	1	1		1	3		11	5	6	3			73
107	6		27	3	4	2	3	2	6	1			3	1	32	15	12		1	1	74
44	4		13			1	1	2	3				1		15	7	6		2	1	75
63	2		14	3	4	1	2		3	1			2	1	17	8	6				76
55	8		26	11	1	3	1			1				2	10	3	2				77
39	8		11	3		5	2		1				6	1	8	3	1	1			78
21	1		9		1	2	1	1	1	2				1	4		3				79
4														1							80
26	2		9	2			1			1			1	1	6	3	1	1			81
34	2	1	11	4		3	3		2	1			1	1	7	7	3	1			82
5	2		1	1		2								1	1						83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEBRASKA—CON.																	
01	THURSTON	109	-	-	1	15	3	3	1	-	3	-	5	3	56	45	-	-
02	VALLEY	88	-	-	1	16	6	3	2	2	-	-	3	2	56	32	-	1
03	WASHINGTON	142	-	-	-	18	4	3	1	3	1	3	3	4	81	56	1	4
04	WAYNE	97	-	-	-	21	10	1	1	2	1	3	3	4	56	40	-	1
05	WEBSTER	99	-	-	-	16	4	1	2	5	-	1	3	2	53	37	1	-
06	WHEELER	8	-	-	-	-	-	-	-	-	-	-	-	2	4	3	-	-
07	YORK	145	-	-	3	30	6	6	1	8	3	3	3	3	89	61	2	1
08	**NEVADA**	4,338	3	1	13	808	201	218	76	75	35	28	175	56	1,862	1,300	31	12
09	URBAN PLACES	2,703	2	-	9	534	137	148	55	48	16	18	112	34	1,166	798	18	5
10	BALANCE OF AREA	1,635	1	1	4	274	64	70	21	27	19	10	63	22	696	502	13	7
11	METROPOLITAN COUNTIES	3,396	2	-	11	658	169	177	63	63	23	21	142	45	1,471	1,015	24	7
12	URBAN PLACES	2,563	2	-	9	502	129	136	51	46	14	18	108	33	1,116	762	16	4
13	BALANCE OF AREA	833	-	-	2	156	40	41	12	17	9	3	34	12	355	253	8	3
14	NONMETROPOLITAN COUNTIES	942	1	1	2	150	32	41	13	12	12	7	33	11	391	285	7	5
15	URBAN PLACES	140	-	-	-	32	8	12	4	2	2	-	4	1	50	36	2	1
16	BALANCE OF AREA	802	1	1	2	118	24	29	9	10	10	7	29	10	341	249	5	4
17	CHURCHILL	105	1	1	-	16	5	5	-	1	3	-	2	2	57	42	1	-
18	CLARK	2,214	1	-	5	428	104	125	45	41	14	14	85	34	928	644	12	4
19	HENDERSON	114	-	-	-	21	7	8	-	3	-	1	2	1	54	38	1	-
20	LAS VEGAS	1,121	1	-	1	228	55	62	28	20	6	9	48	17	464	324	5	1
21	NORTH LAS VEGAS	259	-	-	2	42	10	17	5	2	-	2	6	5	98	61	-	-
22	BALANCE OF COUNTY	720	-	-	2	137	32	38	12	16	8	2	29	11	312	221	6	3
23	DOUGLAS	64	-	-	1	9	4	-	-	-	1	1	3	1	29	25	2	-
24	ELKO	117	-	-	-	12	2	-	3	1	1	1	4	-	51	36	1	-
25	ESMERALDA	11	-	-	-	4	-	1	-	-	2	-	1	-	5	5	-	-
26	EUREKA	12	-	-	-	2	1	-	-	-	-	-	1	-	5	4	-	-
27	HUMBOLDT	77	-	-	1	13	-	4	1	-	1	1	6	1	29	16	-	-
28	LANDER	33	-	-	-	2	-	1	-	-	-	-	1	1	11	10	-	-
29	LINCOLN	21	-	-	-	1	1	-	-	-	-	-	-	-	8	6	-	-
30	LYON	101	-	-	-	17	2	7	1	4	2	1	-	1	41	30	-	-
31	MINERAL	65	-	-	-	2	1	-	-	-	-	1	-	-	29	18	-	-
32	NYE	68	-	-	-	9	2	4	-	1	-	-	2	1	23	18	-	3
33	ORMSBY, COEX. WITH CARSON CITY	140	-	-	-	32	8	12	4	2	2	-	4	1	50	36	2	1
34	PERSHING	31	-	-	-	8	2	1	1	-	-	-	4	-	9	6	-	-
35	STOREY	8	-	-	-	2	-	1	-	-	-	-	1	1	2	2	-	-
36	WASHOE	1,182	1	-	6	230	65	52	18	22	9	7	57	11	543	371	12	3
37	RENO	866	1	-	3	186	50	42	15	20	7	6	46	9	399	273	8	3
38	SPARKS	203	-	-	3	25	7	7	3	1	1	-	6	1	101	66	2	-
39	BALANCE OF COUNTY	113	-	-	-	19	8	3	-	1	1	1	5	1	43	32	2	-
40	WHITE PINE	89	-	-	-	21	4	5	3	3	-	2	4	2	42	31	1	1
41	**NEW HAMPSHIRE**	7,723	5	-	37	1,560	444	345	116	181	101	63	310	187	4,022	2,784	55	60
42	URBAN PLACES	3,447	2	-	23	681	178	169	52	71	45	28	138	94	1,798	1,221	23	31
43	BALANCE OF AREA	4,276	3	-	14	879	266	176	64	110	56	35	172	93	2,224	1,563	32	29
44	METROPOLITAN COUNTIES	2,188	1	-	14	433	125	96	32	52	35	21	72	59	1,068	691	17	18
45	URBAN PLACES	1,594	1	-	10	309	86	73	25	35	24	16	50	43	790	502	9	16
46	BALANCE OF AREA	594	-	-	4	124	39	23	7	17	11	5	22	16	278	189	8	2
47	NONMETROPOLITAN COUNTIES	5,535	4	-	23	1,127	319	249	84	129	66	42	238	128	2,954	2,093	38	42
48	URBAN PLACES	1,853	1	-	13	372	92	96	27	36	21	12	88	51	1,008	719	14	15
49	BALANCE OF AREA	3,682	3	-	10	755	227	153	57	93	45	30	150	77	1,946	1,374	24	27
50	BELKNAP	435	-	-	1	83	25	22	6	15	3	2	10	8	233	160	2	1
51	LACONIA	203	-	-	1	35	8	11	3	6	2	1	4	2	108	73	1	-
52	BALANCE OF COUNTY	232	-	-	-	48	17	11	3	9	1	1	6	6	125	87	1	1
53	CARROLL	307	-	-	-	56	22	6	4	3	2	3	16	5	184	121	3	2
54	CHESHIRE	480	1	-	5	102	24	21	6	11	8	6	26	10	263	186	4	6
55	KEENE	192	-	-	3	47	13	8	2	3	5	2	14	6	107	75	1	4
56	BALANCE OF COUNTY	288	1	-	2	55	11	13	4	8	3	4	12	4	156	111	3	2
57	COOS	416	-	-	2	67	19	19	4	10	3	1	11	12	229	158	3	6
58	BERLIN	201	-	-	1	31	10	9	1	6	-	1	4	8	112	81	2	4
59	BALANCE OF COUNTY	215	-	-	1	36	9	10	3	4	3	-	7	4	117	77	1	2
60	GRAFTON	615	-	-	3	135	38	21	9	23	7	11	26	7	318	218	2	4
61	HILLSBOROUGH	2,188	1	-	14	433	125	96	32	52	35	21	72	59	1,068	691	17	18
62	MANCHESTER	1,114	1	-	4	215	62	45	17	27	15	11	38	33	535	344	6	13
63	NASHUA	480	-	-	6	94	24	28	8	8	9	5	12	10	255	158	3	3
64	BALANCE OF COUNTY	594	-	-	4	124	39	23	7	17	11	5	22	16	278	189	8	2
65	MERRIMACK	968	1	-	6	180	42	40	20	17	12	3	46	25	541	389	8	5
66	CONCORD	418	-	-	3	71	16	15	8	5	5	2	20	8	249	180	4	1
67	BALANCE OF COUNTY	550	1	-	3	109	26	25	12	12	7	1	26	17	292	209	4	4
68	ROCKINGHAM	1,280	1	-	1	293	90	67	20	31	21	9	55	30	648	460	10	10
69	PORTSMOUTH	251	-	-	-	58	15	19	5	3	4	2	10	6	129	83	2	5
70	BALANCE OF COUNTY	1,029	1	-	1	235	75	48	15	28	17	7	45	24	519	377	8	5
71	STRAFFORD	721	1	-	4	150	44	38	13	12	3	6	34	26	366	272	5	8
72	DOVER	238	-	-	3	46	8	14	5	5	1	1	12	8	124	96	2	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
39	6	-	7	3	1	5	2	-	4	-		-	1	-	9	5	3	2	3	-	01
29	2	1	19	3	1	2	1	-	-	-		1	-	-	4	1	-	4	-	-	02
48	3	2	18	3	2	10	-	1	-	-		1	2	1	11	6	6	1	-	-	03
39	-	-	13	2	1	3	-	1	-	-		-	1	-	5	1	5	-	-	-	04
29	7	-	11	2	3	2	-	-	1	1		-	1	-	13	2	1	1	1	-	05
2	1	-	1	-	-	-	-	-	-	-		-	1	-	-	1	-	-	-	-	06
49	9	1	26	1	-	-	-	2	-	-		-	5	-	5	6	1	1	-	-	07
1,156	101	10	450	40	62	91	88	10	128	13	-	31	99	55	443	185	202	155	78	17	08
723	52	7	297	27	37	53	60	8	90	11	-	18	66	22	277	87	118	91	50	7	09
433	49	3	153	13	25	38	28	2	38	2	-	13	33	33	166	98	84	64	28	10	10
923	61	9	375	26	46	62	71	9	104	13	-	24	84	28	339	124	147	123	69	12	11
696	46	7	289	24	34	50	58	8	86	11	-	15	65	20	258	80	113	84	46	7	12
227	15	2	86	2	12	12	13	1	18	2	-	9	19	8	81	44	34	39	23	5	13
233	40	1	75	14	16	29	17	1	24	-	-	7	15	27	104	61	55	32	9	5	14
27	6	-	8	3	3	3	2	-	4	-	-	3	1	2	19	7	5	7	4	-	15
206	34	1	67	11	13	26	15	1	20	-	-	4	14	25	85	54	50	25	5	5	16
31	10	-	11	2	2	4	-	-	1	-	-	-	1	3	9	4	3	3	-	-	17
588	40	7	235	14	28	39	41	5	67	9	-	13	61	20	217	88	97	92	58	11	18
38	2	1	14	-	1	3	7	-	5	-	-	-	1	-	8	3	7	3	1	-	19
297	21	3	115	9	13	21	18	4	34	6	-	3	31	9	115	38	51	48	27	5	20
57	4	1	29	3	4	5	3	-	15	1	-	2	16	4	26	8	13	7	11	1	21
199	13	2	77	2	10	10	13	1	13	2	-	8	13	7	68	39	26	34	19	5	22
22	1	-	2	1	1	4	-	-	-	-	-	-	-	1	9	5	1	4	-	-	23
26	9	-	10	4	1	1	1	-	6	-	-	4	3	-	22	9	6	1	1	-	24
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	25
4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	26
13	3	-	10	1	2	6	3	-	-	-	-	-	1	-	8	6	4	3	-	2	27
7	3	-	1	-	-	-	1	-	-	-	-	1	-	-	4	2	10	1	-	-	28
5	1	-	2	-	-	1	-	-	2	-	-	-	-	1	2	1	3	2	-	-	29
26	4	1	7	1	2	5	2	-	4	-	-	-	2	5	7	8	7	2	-	-	30
18	-	-	10	1	-	1	3	-	2	-	-	1	2	-	12	5	7	-	-	1	31
15	-	-	3	-	2	2	1	1	3	-	-	1	2	8	6	4	5	2	-	-	32
27	6	-	8	3	3	3	2	-	4	-	-	3	1	2	19	7	5	7	4	-	33
6	-	-	3	-	-	1	1	-	-	-	-	1	-	2	2	2	-	2	3	-	34
1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	35
335	21	2	140	12	18	23	30	4	37	4	-	11	23	8	122	36	50	31	11	1	36
248	14	2	103	9	12	17	24	3	19	4	-	8	16	5	87	24	34	21	6	-	37
59	5	-	28	3	4	4	6	1	13	-	-	2	1	2	22	7	8	5	1	1	38
28	2	-	9	-	2	2	-	-	5	-	-	1	6	1	13	5	8	5	4	-	39
28	1	-	8	1	2	1	2	-	-	-	-	-	2	2	4	6	2	3	1	1	40
2,530	139	39	900	179	120	186	133	26	126	22	1	52	91	203	572	153	199	112	24	12	41
1,109	58	14	421	92	50	80	42	8	62	11	-	20	37	123	264	61	80	44	10	7	42
1,421	81	25	479	87	70	106	91	18	64	11	1	32	54	80	308	92	119	68	14	5	43
630	26	12	258	72	35	45	31	7	42	14	-	17	28	132	172	37	52	30	3	3	44
462	15	8	204	51	25	29	21	5	30	10	-	12	18	109	122	28	33	19	2	3	45
168	11	4	54	21	10	16	10	2	12	4	-	5	10	23	50	9	19	11	1	-	46
1,900	113	27	642	107	85	141	102	19	84	8	1	35	63	71	400	116	147	82	21	9	47
647	43	6	217	41	25	51	21	3	32	1	-	8	19	14	142	33	47	25	8	4	48
1,253	70	21	425	66	60	90	81	16	52	7	1	27	44	57	258	83	100	57	13	5	49
147	10	1	45	20	7	22	9	-	5	-	-	1	8	5	37	8	7	8	-	-	50
68	4	-	19	13	3	9	4	-	3	-	-	1	6	2	23	3	2	4	-	-	51
79	6	1	26	7	4	13	5	-	2	-	-	-	2	3	14	5	5	4	-	-	52
104	12	1	50	5	7	9	10	2	3	-	-	2	2	4	12	3	6	6	3	-	53
169	7	3	65	6	3	9	3	1	8	-	1	3	2	1	33	16	18	4	-	-	54
68	2	-	28	3	1	5	-	-	3	-	-	-	1	-	12	4	3	1	-	-	55
101	5	3	37	3	2	4	3	1	5	-	1	3	1	1	21	12	15	3	-	-	56
139	10	1	58	8	4	16	11	1	8	2	-	1	3	1	37	13	9	2	-	2	57
70	5	-	24	4	3	9	3	-	4	-	-	-	1	-	15	7	7	2	-	1	58
69	5	1	34	4	1	7	8	1	4	2	-	1	2	1	22	6	2	-	-	1	59
205	7	5	67	16	12	16	13	5	5	-	-	5	6	20	46	9	15	10	1	1	60
630	26	12	258	72	35	45	31	7	42	14	-	17	28	132	172	37	52	30	3	3	61
320	5	6	136	29	20	19	14	2	24	9	-	4	6	106	87	17	19	14	2	3	62
142	10	2	68	22	5	10	7	3	6	1	-	8	12	3	35	11	14	5	-	-	63
168	11	4	54	21	10	16	10	2	12	4	-	5	10	23	50	9	19	11	1	-	64
357	19	4	110	18	20	22	20	3	13	1	-	5	8	12	63	20	25	16	5	2	65
160	15	1	56	6	6	11	5	2	7	1	-	2	-	3	29	4	10	8	3	2	66
197	4	3	54	12	14	11	15	1	6	-	-	3	8	9	34	16	15	8	2	-	67
413	27	10	139	22	17	20	23	4	25	4	-	9	19	12	92	30	37	20	9	3	68
72	4	3	32	6	5	1	3	-	3	-	-	2	2	1	22	8	9	4	3	-	69
341	23	7	107	16	12	19	20	4	22	4	-	7	17	11	70	22	28	16	6	3	70
245	14	2	74	8	10	21	7	3	12	-	-	7	11	7	60	9	21	14	2	-	71
85	8	-	21	4	3	9	3	-	4	-	-	2	4	1	19	3	9	3	-	-	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW HAMPSHIRE--CON.																	
	STRAFFORD--CON.																	
01	ROCHESTER	209	1	-	1	50	17	11	3	4	-	2	13	10	103	73	1	-
02	BALANCE OF COUNTY	274	-	-	-	54	19	13	5	3	2	3	9	8	139	103	2	7
03	SULLIVAN	313	-	-	1	61	15	15	2	7	7	1	14	5	172	129	1	-
04	CLAREMONT	141	-	-	1	34	5	9	-	4	4	1	11	3	76	58	1	-
05	BALANCE OF COUNTY	172	-	-	-	27	10	6	2	3	3	-	3	2	96	71	-	-
06	**NEW JERSEY**	67,160	147	6	395	13,985	4,349	3,136	1,369	1,525	628	532	2,446	1,431	36,484	28,276	539	349
07	URBAN PLACES	47,648	129	4	287	9,818	3,102	2,155	983	1,045	419	371	1,743	1,065	25,890	20,176	393	288
08	BALANCE OF AREA	19,512	18	2	108	4,167	1,247	981	386	480	209	161	703	366	10,594	8,100	146	61
09	METROPOLITAN COUNTIES	51,617	124	3	317	10,609	3,313	2,353	1,034	1,152	458	402	1,897	1,108	28,019	21,860	413	292
10	URBAN PLACES	39,575	111	2	246	8,071	2,555	1,774	796	860	336	304	1,446	871	21,509	16,805	337	255
11	BALANCE OF AREA	12,042	13	1	71	2,538	758	579	238	292	122	98	451	237	6,510	4,975	76	37
12	NONMETROPOLITAN COUNTIES	15,543	23	3	78	3,376	1,036	783	335	373	170	130	549	323	8,465	6,416	126	57
13	URBAN PLACES	8,073	18	2	41	1,747	547	381	187	185	83	67	297	194	4,381	3,291	56	33
14	BALANCE OF AREA	7,470	5	1	37	1,629	489	402	148	188	87	63	252	129	4,084	3,125	70	24
15	ATLANTIC	2,672	5	-	16	479	158	99	49	59	22	15	77	46	1,596	1,287	14	10
16	ATLANTIC CITY	1,104	4	-	2	168	57	38	23	24	2	4	20	16	678	558	9	5
17	HAMMONTON	101	-	-	2	19	6	4	2	1	1	1	4	1	57	45	-	3
18	MARGATE CITY	150	-	-	2	39	12	6	2	5	2	1	11	1	85	73	1	-
19	PLEASANTVILLE	222	-	-	2	31	12	5	4	4	1	2	3	4	141	122	-	1
20	VENTNOR CITY	196	-	-	1	37	11	9	5	2	2	1	7	2	122	94	-	1
21	BALANCE OF COUNTY	899	1	-	7	185	60	37	13	23	14	6	32	22	513	395	4	-
22	BERGEN	7,584	11	-	27	1,725	530	387	164	171	77	68	328	158	4,097	3,157	73	23
23	BERGENFIELD	242	-	-	1	50	16	10	6	8	1	-	9	2	133	108	1	1
24	CLIFFSIDE PARK	218	-	-	-	46	17	9	2	5	3	2	8	3	135	108	1	-
25	DUMONT	167	-	-	-	48	15	7	6	6	1	3	10	2	87	68	1	-
26	EAST PATERSON	155	-	-	1	30	8	8	1	2	3	1	7	2	92	75	-	1
27	ENGLEWOOD	248	1	-	1	55	17	13	7	6	2	1	9	1	122	88	3	1
28	FAIR LAWN	308	-	-	2	76	24	12	6	7	8	6	13	8	166	132	3	1
29	FAIRVIEW	110	-	-	1	24	7	6	5	4	-	-	2	2	67	55	-	-
30	FORT LEE	279	-	-	-	71	17	19	6	7	3	2	17	3	149	118	4	-
31	GARFIELD	301	-	-	1	62	31	10	5	-	2	2	12	9	170	145	1	-
32	GLEN ROCK	107	1	-	-	19	7	6	2	1	1	-	2	1	64	51	1	-
33	HACKENSACK	368	-	-	2	83	28	21	7	6	5	2	14	12	186	143	6	-
34	HASBROUCK HEIGHTS	139	-	-	-	38	7	11	7	4	5	-	4	4	75	61	6	1
35	HILLSDALE	78	-	-	-	15	5	3	1	3	-	-	3	-	37	25	1	-
36	LODI	191	1	-	1	45	14	8	3	10	2	1	7	5	96	68	1	1
37	LYNDHURST TWP#	213	-	-	1	51	15	11	3	4	3	5	10	6	124	107	5	1
38	MAYWOOD	120	-	-	-	17	6	3	2	5	1	-	2	2	84	66	-	2
39	NEW MILFORD	195	1	-	-	48	14	8	5	6	4	2	9	7	110	86	1	1
40	NORTH ARLINGTON	179	-	-	-	36	5	15	6	4	1	2	3	9	93	76	2	4
41	OAKLAND	69	-	-	1	16	2	4	5	2	1	-	2	-	32	25	1	1
42	PALISADES PARK	133	-	-	-	33	9	11	3	2	2	1	5	8	66	51	2	-
43	PARAMUS	180	1	-	2	44	17	12	1	3	1	2	8	7	98	79	4	1
44	RAMSEY	68	-	-	-	16	3	4	1	4	-	-	4	2	33	23	-	1
45	RIDGEFIELD	126	-	-	1	30	11	7	3	2	1	1	5	2	68	53	-	-
46	RIDGEFIELD PARK	119	-	-	-	24	9	6	3	3	-	1	2	2	68	54	-	-
47	RIDGEWOOD	206	-	-	3	48	9	10	7	8	-	2	12	3	112	80	2	-
48	RIVER EDGE	123	-	-	1	27	10	2	3	-	1	-	11	5	74	53	-	-
49	RUTHERFORD	238	1	-	-	55	20	12	3	7	2	3	8	3	126	97	3	1
50	SADDLE BROOK TWP#	120	-	-	-	23	8	4	2	2	1	1	5	1	71	54	1	-
51	TEANECK TWP#	339	1	-	1	73	21	17	8	2	2	4	19	6	185	132	4	-
52	TENAFLY	128	-	-	1	29	7	9	3	2	2	1	5	4	71	52	3	1
53	WALDWICK	72	-	-	-	15	4	3	-	2	-	1	5	2	40	28	1	-
54	WALLINGTON	123	-	-	-	29	7	10	1	3	-	1	7	5	64	50	1	-
55	WASHINGTON TWP#	34	-	-	-	10	5	2	-	-	-	-	3	-	16	12	1	-
56	WESTWOOD	103	2	-	-	23	6	6	2	2	1	2	4	-	54	37	2	-
57	WYCKOFF TWP#	87	-	-	-	19	7	5	1	1	1	-	4	-	46	32	1	-
58	BALANCE OF COUNTY	1,690	2	-	6	397	122	83	38	38	17	19	80	30	883	665	10	4
59	BURLINGTON	2,162	5	1	15	450	121	110	40	60	22	12	85	35	1,150	864	16	6
60	BURLINGTON	118	-	-	1	21	5	5	1	4	-	-	6	3	70	55	1	-
61	CINNAMINSON TWP#	93	-	-	1	19	5	6	3	1	1	1	2	1	49	39	1	-
62	MAPLE SHADE TWP#	174	-	-	3	37	13	7	2	3	2	1	9	2	102	76	2	2
63	MOUNT HOLLY TWP#	129	1	-	-	25	4	8	1	4	1	1	6	1	66	48	2	-
64	NEW HANOVER TWP#	4	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-
65	WILLINGBORO TWP#	159	1	-	1	38	6	11	4	4	2	1	10	1	75	56	1	-
66	BALANCE OF COUNTY	1,485	3	1	9	309	88	73	28	44	16	8	52	27	787	589	9	4
67	CAMDEN	4,357	7	-	24	861	263	200	86	87	47	26	152	68	2,377	1,888	23	14
68	AUDUBON	116	1	-	-	20	8	2	1	2	2	-	5	3	59	46	2	-
69	BELLMAWR	115	-	-	1	27	9	10	1	3	2	1	1	1	62	49	-	-
70	CAMDEN	1,175	4	-	9	203	65	55	21	18	7	5	32	20	609	481	6	3
71	CHERRY HILL TWP#	395	-	-	1	102	29	16	17	10	5	3	22	5	198	159	2	-
72	COLLINGSWOOD	219	-	-	1	40	13	7	5	5	4	-	6	4	141	105	2	-
73	GLOUCESTER CITY	165	-	-	-	23	4	11	2	1	-	-	5	4	90	75	2	1
74	GLOUCESTER TWP#	191	-	-	1	30	9	5	5	4	2	2	3	1	113	96	4	1
75	HADDONFIELD	141	-	-	2	30	9	5	2	3	1	2	8	4	81	64	1	1
76	HADDON TWP#	165	1	-	-	32	14	5	3	3	1	-	6	3	97	67	-	-
77	LINDENWOLD	106	-	-	1	20	3	3	2	4	1	2	5	3	55	48	-	2
78	PENNSAUKEN TWP#	338	-	-	1	79	22	17	7	6	5	1	21	3	180	146	2	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
68	4	2	24	2	2	5	2	1	5	-	-	1	2	4	14	2	5	2	1	-	01
92	2	-	29	2	5	7	2	2	3	-	-	4	5	2	27	4	7	9	1	-	02
121	7	-	34	4	5	6	6	-	5	1	-	2	4	9	20	8	9	2	1	1	03
56	1	-	13	3	2	2	1	-	3	-	-	-	3	3	8	2	2	1	1	1	04
65	6	-	21	1	3	4	5	-	2	1	-	2	1	6	12	6	7	1	-	-	05
26,362	1,026	197	6,376	767	868	1,752	745	265	1,293	277	12	419	868	636	4,587	1,123	1,530	540	511	154	06
18,748	747	144	4,479	519	572	1,263	500	197	999	205	8	275	607	514	3,273	663	1,088	338	423	102	07
7,614	279	53	1,897	248	296	489	245	68	294	72	4	144	261	122	1,314	460	442	202	88	52	08
20,313	842	156	4,805	554	644	1,382	566	204	1,001	213	11	334	684	567	3,517	808	1,186	413	431	120	09
15,642	651	119	3,636	400	469	1,076	407	168	836	175	7	230	507	486	2,710	510	913	279	371	90	10
4,671	191	37	1,169	154	175	306	159	36	165	38	4	104	177	81	807	298	273	134	60	30	11
6,049	184	41	1,571	213	224	370	179	61	292	64	1	85	184	69	1,070	315	344	127	80	34	12
3,106	96	25	843	119	103	187	93	29	163	30	1	45	100	28	563	153	175	59	52	12	13
2,943	88	16	728	94	121	183	86	32	129	34	-	40	84	41	507	162	169	68	28	22	14
1,239	24	1	240	28	40	48	18	9	57	13	1	13	35	22	181	41	36	16	20	20	15
533	11	1	96	8	15	22	7	7	32	9	-	3	13	15	79	12	12	3	13	9	16
41	1	-	10	2	-	2	-	-	-	-	1	-	3	-	9	4	1	1	-	1	17
72	-	-	6	1	5	3	1	-	3	-	-	1	1	2	10	-	1	1	-	-	18
119	2	-	15	2	2	3	2	1	4	-	-	-	2	1	17	2	8	1	1	2	19
91	2	-	21	4	3	3	2	-	4	1	-	1	1	-	14	-	4	-	1	3	20
383	8	-	92	11	15	15	6	1	14	3	-	8	15	4	52	23	10	10	5	5	21
2,971	90	21	727	88	104	268	78	28	138	20	-	36	52	69	548	92	137	46	22	32	22
103	3	-	19	3	3	14	2	1	4	1	-	2	-	4	16	3	7	1	1	-	23
104	3	1	22	1	3	7	3	3	2	-	-	-	1	-	14	1	2	-	1	-	24
65	2	1	14	1	3	3	-	-	4	-	-	2	-	-	15	3	2	1	-	-	25
73	1	-	13	2	2	4	1	-	4	1	-	1	1	-	9	2	4	1	1	1	26
81	3	-	28	3	3	12	-	2	9	-	-	2	6	4	18	4	6	-	3	2	27
126	2	-	27	3	4	7	7	2	4	-	-	3	-	3	18	2	4	4	1	1	28
54	1	-	8	2	2	2	2	-	4	1	-	-	-	-	9	-	3	1	-	2	29
112	2	-	24	3	4	17	2	-	2	-	-	4	3	1	18	4	2	1	-	2	30
140	4	1	22	1	1	10	4	2	6	-	-	1	2	1	26	-	6	1	-	-	31
50	-	-	10	2	1	3	1	-	1	1	-	-	1	1	12	-	1	1	-	-	32
131	6	2	28	9	4	20	4	1	9	2	-	1	4	5	30	1	3	4	-	1	33
53	1	-	12	2	-	4	1	-	2	-	-	-	1	1	10	-	3	1	-	-	34
22	2	-	9	2	1	5	1	3	3	-	-	2	-	-	8	-	2	1	-	1	35
63	3	1	20	3	4	6	5	-	5	-	-	1	2	3	15	3	-	-	2	1	36
101	-	-	13	1	3	1	-	1	3	-	-	1	1	3	11	3	7	-	-	1	37
63	1	1	9	6	2	6	-	-	-	-	-	-	-	-	6	1	2	2	-	-	38
84	-	-	20	-	4	3	2	1	1	-	-	1	1	3	12	1	4	-	-	-	39
67	3	-	15	2	-	2	2	1	6	1	-	1	-	-	17	3	8	-	-	-	40
23	-	1	5	-	1	5	-	-	2	-	-	-	-	-	4	4	2	2	-	-	41
47	2	-	11	-	4	5	2	1	2	-	-	-	-	2	10	1	2	1	-	-	42
73	1	-	19	-	-	6	-	-	1	-	-	1	3	-	8	4	2	2	1	-	43
21	1	-	7	-	3	4	-	-	3	-	-	1	2	-	4	3	-	-	-	-	44
51	2	-	14	1	-	5	-	1	2	-	-	-	1	3	12	-	1	-	-	-	45
52	2	-	11	3	-	5	-	-	3	-	-	-	1	-	12	1	1	2	-	-	46
77	1	-	31	1	-	9	5	1	4	-	-	-	2	2	10	2	2	-	-	2	47
53	-	1	17	2	1	5	-	-	1	1	-	-	1	1	5	-	2	-	-	-	48
87	6	3	20	4	2	8	4	-	10	3	-	1	-	2	16	6	2	-	1	-	49
52	1	-	15	1	1	5	-	-	2	-	-	1	2	1	10	1	1	1	-	1	50
128	-	-	42	4	7	15	2	1	4	2	-	2	5	5	22	4	7	-	2	2	51
46	2	-	16	-	3	3	-	1	-	-	-	-	-	3	7	1	4	2	1	1	52
26	1	2	7	2	1	2	-	-	2	2	-	-	-	-	3	4	1	-	1	-	53
48	1	1	10	1	2	2	1	-	4	1	-	1	1	-	9	1	3	1	-	1	54
11	-	-	3	-	1	-	-	-	-	-	-	1	-	1	4	-	2	-	-	-	55
34	1	1	12	2	2	1	3	1	-	-	-	-	-	1	13	-	3	-	-	2	56
31	1	1	10	1	2	1	3	-	1	-	-	1	3	3	9	-	2	2	-	-	57
619	32	4	164	20	30	61	21	5	28	4	-	7	12	13	126	29	34	14	7	11	58
797	45	12	220	23	31	61	24	6	35	5	1	24	51	12	143	56	52	23	9	4	59
50	4	2	12	1	-	3	1	-	4	-	-	-	1	-	9	2	1	1	-	1	60
35	3	-	8	1	1	4	1	-	3	-	-	-	-	-	6	5	2	1	1	-	61
69	3	1	23	-	2	3	-	-	2	-	-	1	3	-	10	4	4	2	-	1	62
43	3	-	14	2	2	3	2	2	1	-	-	1	5	1	8	2	7	4	-	-	63
1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	64
49	6	1	16	-	2	7	2	-	3	-	-	-	8	5	12	3	3	-	-	-	65
550	26	8	147	19	24	41	18	4	21	5	1	21	34	6	98	40	35	15	8	2	66
1,743	108	16	376	38	59	126	48	21	87	15	1	31	65	29	343	77	90	37	45	5	67
42	2	1	11	-	1	4	-	2	2	-	-	-	1	1	15	3	3	2	-	-	68
46	3	1	8	1	3	2	2	-	4	-	-	1	2	-	8	2	2	-	-	1	69
439	33	7	93	10	18	39	11	4	35	4	1	9	31	14	100	15	33	5	29	-	70
149	8	1	28	5	5	11	1	-	10	1	-	4	5	3	27	10	8	6	2	1	71
95	10	-	31	2	3	8	1	1	2	-	-	-	-	1	12	2	4	-	1	1	72
71	1	1	8	4	2	8	3	2	4	1	-	1	2	2	17	2	3	1	2	-	73
88	3	-	13	-	4	3	2	-	3	-	-	1	4	2	17	3	6	4	1	-	74
60	2	-	14	2	1	8	-	-	2	1	-	-	1	-	10	-	1	-	1	-	75
65	2	-	23	2	5	3	3	1	5	1	-	-	-	1	12	3	1	-	2	-	76
41	5	-	5	2	-	1	2	1	1	-	-	-	4	-	8	4	1	3	1	1	77
131	11	-	29	2	3	5	8	3	7	2	-	1	2	1	29	4	8	4	-	1	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW JERSEY--CON.																	
	CAMDEN--CON.																	
01	RUNNEMEDE	80	-	-	-	21	7	4	2	4	2	1	1	-	39	33	1	-
02	BALANCE OF COUNTY	1,151	1	-	7	234	71	60	18	24	15	9	37	17	653	519	3	4
03	CAPE MAY	1,062	-	-	7	200	55	44	16	28	13	9	35	19	664	535	4	7
04	OCEAN CITY	210	-	-	-	34	8	6	5	7	1	1	6	3	133	108	1	-
05	BALANCE OF COUNTY	852	-	-	7	166	47	38	11	21	12	8	29	16	531	427	3	7
06	CUMBERLAND	1,275	3	-	9	228	70	50	23	30	10	5	36	18	751	592	6	6
07	BRIDGETON	237	-	-	2	43	13	10	3	4	1	3	9	5	133	104	3	3
08	MILLVILLE	291	2	-	2	56	14	15	5	7	4	3	8	3	163	133	-	2
09	VINELAND	135	1	-	1	32	8	4	-	3	-	3	3	3	67	51	2	-
10	BALANCE OF COUNTY	612	-	-	4	97	35	21	10	16	5	-	10	7	388	304	1	1
11	ESSEX	9,318	34	-	83	1,775	575	361	165	198	67	85	324	233	4,869	3,805	69	76
12	BELLEVILLE	353	-	-	-	67	30	9	8	4	1	8	7	15	209	164	2	3
13	BLOOMFIELD	598	-	-	6	134	39	25	13	14	5	5	33	12	325	254	4	3
14	CEDAR GROVE TWP#	86	-	-	-	13	1	4	4	1	2	-	1	3	49	34	1	1
15	EAST ORANGE	490	1	-	8	104	37	19	13	10	3	6	16	7	243	166	2	3
16	IRVINGTON	849	2	-	7	173	63	25	16	20	4	10	35	28	474	392	5	6
17	LIVINGSTON TWP#	155	-	-	2	31	6	6	2	4	2	2	9	-	92	64	1	1
18	MAPLEWOOD TWP#	271	-	-	1	50	19	10	3	5	1	3	9	4	172	128	3	2
19	MILLBURN TWP#	183	3	-	-	47	13	11	7	7	-	3	6	1	97	70	6	1
20	MONTCLAIR	470	2	-	4	110	33	20	12	11	7	7	20	12	249	189	5	4
21	NEWARK	3,650	23	-	43	623	195	137	46	75	25	22	123	92	1,745	1,406	23	44
22	NUTLEY	304	1	-	1	67	16	20	7	11	1	2	10	7	173	140	5	3
23	ORANGE	442	-	-	5	81	30	22	3	10	4	4	8	9	227	183	1	1
24	SOUTH ORANGE	172	-	-	1	38	11	10	6	4	2	3	2	2	97	76	3	-
25	VERONA	120	-	-	1	27	12	4	-	1	4	-	6	1	65	50	2	1
26	WEST CALDWELL	65	-	-	-	17	9	2	3	-	1	1	1	-	28	22	2	-
27	WEST ORANGE	461	-	-	-	95	30	20	11	10	3	5	16	16	260	200	2	1
28	BALANCE OF COUNTY	649	2	-	4	98	31	17	11	11	2	4	22	24	364	267	2	2
29	GLOUCESTER	1,496	-	-	12	323	94	79	30	30	12	10	68	33	766	569	9	5
30	GLASSBORO	107	-	-	-	22	8	4	1	1	-	1	7	2	65	47	1	-
31	PITMAN	96	-	-	-	17	8	1	5	1	-	-	2	1	56	33	1	1
32	WOODBURY	167	-	-	1	34	10	11	-	2	1	-	10	3	100	75	1	-
33	BALANCE OF COUNTY	1,126	-	-	11	250	68	63	24	26	11	9	49	27	545	414	6	4
34	HUDSON	6,592	27	-	37	1,306	413	322	122	135	45	54	215	179	3,621	2,972	49	60
35	BAYONNE	795	2	-	3	166	42	49	10	20	8	6	31	20	466	388	7	18
36	HARRISON	152	1	-	-	34	15	6	4	2	-	2	5	4	84	69	1	-
37	HOBOKEN	458	2	-	-	69	17	17	5	8	3	4	15	11	270	226	5	5
38	JERSEY CITY	2,898	16	-	22	523	178	132	52	48	14	21	78	75	1,539	1,279	18	29
39	KEARNY	384	-	-	2	83	24	26	4	9	3	4	13	12	217	170	3	1
40	NORTH BERGEN TWP#	553	3	-	3	128	46	26	15	11	5	6	19	18	300	240	8	2
41	SECAUCUS	132	1	-	1	27	10	9	1	4	1	-	2	2	76	62	2	-
42	UNION CITY	530	2	-	2	107	36	22	11	13	3	5	17	18	310	244	3	3
43	WEEHAWKEN TWP#	129	-	-	1	29	15	4	1	2	2	-	5	1	77	68	1	-
44	WEST NEW YORK	383	-	-	3	80	19	18	8	10	5	5	15	13	210	167	-	-
45	BALANCE OF COUNTY	178	-	-	-	60	11	13	11	8	1	1	15	5	72	59	1	2
46	HUNTERDON	606	-	-	3	121	35	27	10	19	5	6	19	12	334	259	4	1
47	MERCER	2,858	5	2	14	619	201	133	52	80	33	20	100	64	1,497	1,127	36	16
48	EWING TWP#	292	-	-	2	69	28	11	9	6	2	2	11	4	170	137	5	3
49	HAMILTON TWP#	681	1	-	4	167	53	40	10	19	13	7	25	17	362	274	7	3
50	PRINCETON	89	-	-	-	15	4	3	-	5	2	-	1	2	44	29	1	-
51	TRENTON	1,265	4	2	7	255	86	56	18	37	10	7	41	32	642	468	15	8
52	BALANCE OF COUNTY	531	-	-	1	113	30	23	15	13	6	4	22	9	279	219	8	2
53	MIDDLESEX	4,201	9	-	26	983	303	222	108	109	47	36	158	96	2,177	1,724	42	19
54	CARTERET	181	1	-	1	39	13	8	5	5	1	1	6	4	102	85	-	3
55	EAST BRUNSWICK TWP#	174	1	-	-	37	9	6	5	2	4	2	9	1	91	71	2	2
56	EDISON TWP#	227	1	-	6	57	17	14	8	4	2	2	10	2	93	78	1	-
57	HIGHLAND PARK	125	-	-	-	37	10	6	5	6	2	3	5	3	58	45	-	-
58	MADISON TWP#	205	-	-	2	45	16	11	6	1	2	2	7	2	112	90	2	1
59	METUCHEN	133	-	-	2	33	10	5	5	7	1	-	5	3	74	58	1	1
60	MIDDLESEX	103	-	-	2	29	8	9	2	4	-	1	5	1	55	40	2	-
61	NEW BRUNSWICK	361	1	-	3	85	26	16	14	7	5	3	14	16	180	143	4	2
62	PERTH AMBOY	450	2	-	1	87	40	17	8	9	2	3	8	12	257	186	6	3
63	PISCATAWAY TWP#	191	2	-	1	52	11	11	5	6	2	4	13	4	85	66	3	1
64	SAYREVILLE	186	-	-	-	46	12	13	1	8	4	1	7	3	92	70	2	-
65	SOUTH PLAINFIELD	130	-	-	-	40	8	11	4	4	1	3	9	6	69	53	2	1
66	SOUTH RIVER	147	-	-	1	36	16	6	3	3	4	-	4	7	72	56	-	-
67	WOODBRIDGE TWP#	630	1	-	3	135	39	34	13	15	9	4	21	10	347	285	8	3
68	BALANCE OF COUNTY	958	1	-	4	225	68	55	24	28	8	7	35	22	490	398	9	2
69	MONMOUTH	4,364	7	3	18	891	283	204	86	111	42	31	134	104	2,364	1,650	33	17
70	ASBURY PARK	298	2	-	2	42	16	14	2	2	1	1	6	4	182	128	1	3
71	EATONTOWN	98	-	-	-	23	8	4	1	3	1	-	6	3	44	33	-	-
72	FREEHOLD	141	-	-	-	27	8	4	4	5	-	2	4	3	79	54	1	1
73	HAZLET TWP#	125	-	-	1	16	4	5	1	4	-	-	2	8	70	48	-	-
74	LONG BRANCH	302	-	-	1	63	18	12	9	9	3	5	7	16	147	111	-	-
75	MATAWAN TWP#	111	2	1	-	14	6	3	2	-	-	-	3	3	59	48	-	2
76	MIDDLETOWN TWP#	356	-	1	-	93	23	26	13	12	1	-	18	5	185	115	3	2
77	NEPTUNE TWP#	332	-	-	2	50	17	10	2	6	4	2	9	8	200	129	1	1
78	OCEAN TWP#	148	1	-	1	37	11	8	1	7	-	2	8	4	76	58	-	1
79	RED BANK	205	1	-	-	36	13	5	5	4	5	2	2	10	132	91	1	-
80	BALANCE OF COUNTY	2,248	1	1	11	490	159	113	46	59	27	17	69	40	1,190	835	26	7
81	MORRIS	2,661	7	-	25	533	156	123	53	55	22	31	93	42	1,454	1,069	21	12
82	DOVER	166	1	-	1	25	8	6	3	3	1	1	3	1	94	76	2	2
83	MADISON	121	-	-	3	17	5	5	1	2	1	-	3	3	78	51	1	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
29	3	1	6	-	-	2	2	-	2	-	-	2	-	-	7	2	2	1	-	-	01
487	25	5	107	8	14	32	13	7	10	5	-	12	13	4	81	27	18	11	6	-	02
511	13	-	88	23	18	18	9	6	17	4	-	4	5	4	51	23	25	4	2	-	03
104	3	-	18	1	6	3	1	3	1	-	-	3	-	-	15	4	8	1	1	-	04
407	10	-	70	22	12	15	8	3	16	4	-	1	5	4	36	19	17	3	1	-	05
546	34	3	121	19	16	24	12	5	11	5	-	9	15	9	68	45	37	9	16	1	06
90	8	1	21	2	5	6	4	1	2	-	-	1	4	3	14	3	9	1	6	-	07
121	10	-	23	4	3	8	2	2	7	3	-	4	1	-	13	13	7	3	1	1	08
45	4	1	15	-	-	2	1	1	-	-	-	2	3	-	9	8	2	2	2	-	09
290	12	1	62	13	8	8	6	1	2	2	-	2	7	6	32	21	19	3	7	-	10
3,478	182	27	846	87	104	240	95	51	214	58	3	67	120	141	650	115	317	79	160	14	11
156	3	-	39	4	2	4	7	3	2	2	-	-	4	5	18	2	8	6	1	-	12
231	16	1	54	5	11	18	7	5	8	3	-	5	7	6	35	6	17	1	3	-	13
31	1	-	11	2	2	3	1	-	1	1	-	-	-	-	8	-	3	3	1	-	14
149	12	2	63	1	11	10	5	4	10	4	-	8	11	7	35	9	14	-	7	3	15
372	9	-	65	5	12	29	10	4	9	5	-	4	5	6	52	8	23	3	7	-	16
61	1	-	21	6	1	1	1	-	1	-	-	1	1	-	13	2	6	4	-	-	17
120	3	2	33	2	7	7	2	-	4	2	-	-	1	4	13	2	6	2	1	-	18
62	1	1	22	1	3	4	-	-	2	-	-	-	1	4	16	2	6	2	-	-	19
174	6	3	47	4	6	13	9	2	8	-	-	2	4	4	25	5	16	2	3	-	20
1,231	108	9	280	27	23	103	26	16	119	34	3	33	67	91	277	57	146	24	121	7	21
132	-	1	25	3	4	4	2	2	7	1	-	2	2	2	25	2	2	2	2	-	22
176	5	2	35	5	2	14	12	5	15	3	-	2	7	4	32	2	17	4	3	-	23
73	-	-	20	-	1	6	2	2	1	-	-	1	1	-	7	1	7	6	-	-	24
46	1	1	10	3	1	3	1	2	3	-	-	-	-	-	7	3	5	1	1	-	25
19	1	-	3	1	2	1	-	-	3	-	-	-	1	1	6	4	1	3	-	-	26
191	6	2	46	7	5	9	3	4	7	2	-	-	2	2	30	3	18	4	1	-	27
254	9	3	72	11	11	11	7	2	14	1	-	-	6	5	51	7	26	10	9	4	28
531	24	4	149	27	17	25	29	4	22	5	1	12	25	24	105	48	34	18	7	3	29
44	2	-	17	1	-	4	1	-	-	-	-	-	2	1	6	1	1	1	1	-	30
31	-	-	21	1	1	1	2	-	-	2	-	-	1	-	9	2	2	2	1	-	31
71	3	1	16	6	2	2	-	-	-	-	-	-	2	4	12	4	2	2	1	-	32
385	19	3	95	19	14	18	26	4	22	3	1	12	20	19	78	41	29	13	4	3	33
2,745	118	19	519	50	61	158	67	27	158	32	1	36	110	105	409	61	140	35	63	20	34
355	8	-	65	7	6	8	10	1	22	5	-	4	11	9	36	10	13	6	3	-	35
65	3	1	11	1	2	3	1	-	7	1	-	1	3	2	5	1	4	-	-	1	36
207	9	1	32	8	3	15	3	3	9	1	-	2	8	10	23	2	16	6	5	3	37
1,169	63	5	215	15	25	77	26	12	81	14	1	17	71	65	206	27	60	13	42	11	38
161	5	3	33	3	8	11	2	2	8	-	-	2	-	3	21	5	13	1	1	1	39
223	7	3	49	4	4	14	6	3	10	3	-	1	2	5	35	7	10	1	4	-	40
58	2	-	14	-	-	6	-	-	2	1	-	2	1	-	9	2	1	1	-	-	41
229	9	5	47	7	7	13	7	2	9	1	-	2	7	5	25	3	8	3	4	2	42
63	4	-	6	1	2	2	-	1	1	-	-	1	1	1	10	-	4	-	-	-	43
162	5	1	37	3	2	4	9	2	5	3	-	4	4	4	27	4	7	4	3	1	44
53	3	-	10	1	2	3	1	-	4	3	-	4	2	1	12	-	4	-	1	1	45
248	6	-	55	6	14	17	8	4	4	1	-	2	11	9	40	17	13	7	2	1	46
1,039	36	8	277	48	37	76	42	10	50	15	-	19	51	49	179	42	61	38	22	3	47
126	3	2	24	5	2	5	6	-	2	-	-	-	1	3	17	2	3	8	-	-	48
251	13	2	69	10	7	16	10	2	10	3	-	2	5	8	42	13	11	7	-	1	49
28	-	-	12	2	1	5	1	-	3	-	-	-	1	-	11	4	2	1	-	-	50
427	18	3	130	19	22	33	14	8	33	10	-	8	34	28	83	12	29	9	21	1	51
207	2	1	42	12	5	17	11	-	2	2	-	9	10	10	26	11	16	13	1	1	52
1,611	52	7	352	51	43	111	43	17	93	10	1	21	58	28	280	80	101	38	24	10	53
80	2	-	14	1	2	5	1	1	8	-	-	1	1	-	13	-	1	-	2	1	54
64	3	-	18	1	1	2	2	-	6	-	-	2	2	3	9	5	7	5	2	-	55
70	7	1	11	3	-	11	1	-	5	1	-	3	5	2	19	4	16	-	1	-	56
44	1	1	9	2	1	3	2	2	2	-	-	-	2	-	8	1	3	3	1	-	57
85	2	-	15	4	3	2	3	2	3	-	-	-	1	-	20	10	1	2	-	-	58
55	1	1	11	1	3	6	2	1	2	1	-	-	2	1	4	1	1	-	-	-	59
38	-	-	10	3	2	2	1	-	2	-	-	-	1	1	9	-	-	-	-	-	60
133	4	-	32	1	4	7	6	-	7	1	-	3	6	5	24	5	10	1	1	-	61
171	6	1	50	14	6	10	3	2	10	-	-	2	10	-	31	7	9	2	4	1	62
62	-	-	15	1	3	4	2	2	4	1	1	-	3	-	11	5	7	3	3	1	63
67	1	-	20	1	1	1	2	-	6	-	-	1	3	1	16	6	4	1	3	1	64
46	4	-	12	2	2	3	1	-	1	-	-	-	1	-	4	2	-	3	1	-	65
53	3	1	12	3	-	6	1	-	5	1	-	-	1	-	11	1	3	1	-	1	66
263	11	2	51	6	3	20	8	3	11	2	-	4	5	5	39	14	13	5	4	1	67
380	7	-	72	8	12	29	9	4	21	3	-	5	10	10	62	19	26	12	2	4	68
1,550	50	22	543	76	73	120	65	15	76	26	-	29	57	7	330	75	97	35	27	18	69
120	4	2	45	5	2	7	4	1	8	1	-	3	5	-	21	7	1	3	4	1	70
33	-	1	6	1	3	4	-	-	2	2	-	1	6	-	7	1	4	1	-	-	71
52	-	-	22	1	2	5	2	-	2	2	-	-	2	-	6	6	4	1	2	-	72
44	4	-	18	2	2	4	5	-	3	-	-	1	1	1	9	1	4	1	-	-	73
110	1	2	26	5	3	8	5	1	4	1	-	2	9	1	24	2	12	1	4	1	74
44	2	-	9	2	-	3	-	3	3	1	-	2	4	-	7	2	4	1	2	-	75
109	1	2	50	9	9	10	6	-	11	2	-	2	3	-	22	7	7	1	1	-	76
122	5	3	56	8	4	6	7	-	5	1	-	-	3	-	28	7	7	3	4	1	77
56	1	-	13	4	1	4	3	-	1	-	-	-	-	-	12	2	3	-	1	-	78
88	2	2	27	9	3	2	1	2	2	1	-	-	-	-	13	2	2	1	-	-	79
772	30	10	271	30	44	67	32	8	35	15	-	18	21	5	181	38	49	22	9	15	80
999	37	11	302	34	38	83	34	8	40	3	1	20	41	5	196	54	71	33	8	3	81
72	-	1	15	1	1	11	3	1	5	-	-	1	2	-	8	3	6	3	-	1	82
46	4	1	19	3	4	2	1	1	-	-	-	1	-	-	12	1	1	1	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW JERSEY—CON.																	
	MORRIS—CON.																	
01	MORRISTOWN	241	1	-	2	37	7	10	3	4	2	1	10	3	135	95	1	4
02	PARSIPPANY-TROY HILLS TWP#	188	2	-	4	37	9	9	2	4	1	3	9	2	93	72	-	1
03	PEQUANNOCK TWP#	83	-	-	2	21	4	6	1	1	-	5	4	1	45	26	1	-
04	BALANCE OF COUNTY	1,862	3	-	13	396	123	87	43	41	17	21	64	32	1,009	749	16	5
05	OCEAN	3,204	5	-	8	715	224	175	62	73	34	28	119	58	1,798	1,386	28	10
06	BRICK TWP#	392	-	-	1	75	23	19	7	7	3	5	11	5	227	173	6	2
07	DOVER TWP#	544	-	-	1	119	36	27	12	11	7	5	21	12	303	237	1	2
08	LAKEWOOD TWP#	499	1	-	1	128	51	22	12	13	5	5	20	9	269	194	2	2
09	POINT PLEASANT	228	2	-	1	39	16	6	4	2	-	2	9	8	140	107	2	-
10	BALANCE OF COUNTY	1,541	2	-	4	354	98	101	27	40	19	11	58	24	859	675	17	4
11	PASSAIC	4,359	10	-	18	924	286	197	110	98	43	28	162	91	2,427	1,880	35	31
12	CLIFTON	862	-	-	2	204	66	41	22	17	10	3	45	20	493	381	8	9
13	HAWTHORNE	217	-	-	-	42	18	13	5	2	-	-	4	6	133	110	4	-
14	LITTLE FALLS TWP#	105	-	-	-	26	7	3	6	2	3	-	5	4	60	48	-	2
15	PASSAIC	599	3	-	3	113	41	25	16	13	2	4	12	14	346	277	3	4
16	PATERSON	1,506	7	-	10	283	83	60	31	31	10	10	58	29	836	634	9	12
17	POMPTON LAKES	94	-	-	-	26	8	9	2	3	2	-	2	5	37	28	2	-
18	RINGWOOD	52	-	-	-	18	6	2	3	2	2	1	2	-	23	20	-	-
19	TOTOWA	80	-	-	-	24	11	2	2	2	3	1	3	-	44	40	1	1
20	WAYNE TWP#	325	-	-	-	75	20	17	13	8	3	3	11	3	171	131	4	-
21	WEST PATERSON	59	-	-	1	8	2	3	-	2	-	-	1	2	36	29	1	-
22	BALANCE OF COUNTY	460	-	-	2	105	24	22	10	16	8	6	19	8	248	182	3	1
23	SALEM	594	1	-	1	127	39	41	3	15	5	6	18	15	317	245	5	3
24	SOMERSET	1,372	1	-	12	320	94	78	37	19	21	14	57	27	721	545	10	2
25	BOUND BROOK	125	-	-	1	31	12	12	2	1	-	-	4	3	68	55	-	-
26	BRIDGEWATER TWP#	131	-	-	2	34	7	8	4	2	1	4	8	2	65	50	1	-
27	FRANKLIN TWP#	205	1	-	2	47	14	14	4	4	3	1	7	4	110	79	2	-
28	MANVILLE	77	-	-	2	20	5	4	2	-	2	-	7	4	32	24	-	-
29	NORTH PLAINFIELD	149	-	-	-	31	7	1	3	3	7	1	9	4	85	56	1	-
30	SOMERVILLE	154	-	-	1	30	9	4	8	2	-	-	7	2	88	67	-	-
31	BALANCE OF COUNTY	531	-	-	4	127	40	35	14	7	8	8	15	8	273	214	6	2
32	SUSSEX	734	1	-	4	146	42	33	16	14	8	6	27	7	407	317	5	1
33	UNION	4,922	8	-	32	1,114	354	219	126	124	49	34	208	109	2,650	2,036	47	25
34	BERKELEY HEIGHTS TWP#	59	-	-	-	15	4	2	2	3	1	1	2	2	35	25	-	-
35	CLARK TWP#	119	-	-	-	27	9	5	2	6	-	1	4	2	69	61	4	-
36	CRANFORD TWP#	197	-	-	2	37	11	5	5	4	2	3	7	3	114	88	-	2
37	ELIZABETH	1,184	5	-	6	253	89	52	25	20	9	6	52	25	626	470	10	3
38	HILLSIDE TWP#	223	-	-	-	49	22	8	7	2	1	3	6	8	128	98	5	-
39	LINDEN	366	1	-	4	76	25	15	6	12	3	-	15	6	199	163	2	5
40	NEW PROVIDENCE	89	-	-	-	19	8	2	2	-	3	-	4	2	46	34	1	-
41	PLAINFIELD	459	-	-	2	102	34	21	13	11	7	1	15	8	216	162	7	2
42	RAHWAY	255	1	-	2	60	26	13	5	5	2	1	8	3	130	105	2	1
43	ROSELLE	198	-	-	2	39	10	9	2	5	1	2	10	3	118	84	2	1
44	ROSELLE PARK	118	-	-	-	27	7	6	1	8	2	-	3	2	68	51	-	-
45	SCOTCH PLAINS TWP#	122	1	-	-	17	5	1	5	2	-	1	3	5	70	50	-	1
46	SPRINGFIELD TWP#	167	-	-	3	38	7	10	4	4	4	3	6	3	98	83	2	1
47	SUMMIT	244	-	-	-	66	21	11	11	6	2	3	12	10	127	83	2	1
48	UNION TWP#	607	-	-	6	150	36	32	23	16	8	3	32	17	340	273	5	4
49	WESTFIELD	256	-	-	1	61	18	6	7	9	2	3	16	4	140	109	3	4
50	BALANCE OF COUNTY	259	-	-	2	78	22	21	6	11	2	3	13	6	126	97	2	-
51	WARREN	767	1	-	4	145	53	32	11	10	4	4	31	17	447	369	10	5
52	PHILLIPSBURG	221	1	-	-	56	19	14	3	4	1	2	13	9	121	98	4	-
53	BALANCE OF COUNTY	546	-	-	4	89	34	18	8	6	3	2	18	8	326	271	6	5
54	**NEW MEXICO**	8,030	23	1	84	1,289	362	253	118	176	64	54	262	170	2,904	1,926	53	32
55	URBAN PLACES	4,430	8	-	34	787	221	159	75	106	41	32	153	94	1,629	1,039	24	15
56	BALANCE OF AREA	3,600	15	1	50	502	141	94	43	70	23	22	109	76	1,275	887	29	17
57	METROPOLITAN COUNTIES	2,174	4	-	18	424	123	86	43	55	20	16	81	39	724	471	14	7
58	URBAN PLACES	2,109	4	-	17	414	120	85	41	54	19	16	79	37	706	457	12	7
59	BALANCE OF AREA	65	-	-	1	10	3	1	2	1	1	-	2	2	18	14	2	-
60	NONMETROPOLITAN COUNTIES	5,856	19	1	66	865	239	167	75	121	44	38	181	131	2,180	1,455	39	25
61	URBAN PLACES	2,321	4	-	17	373	101	74	34	52	22	16	74	57	923	582	12	8
62	BALANCE OF AREA	3,535	15	1	49	492	138	93	41	69	22	22	107	74	1,257	873	27	17
63	BERNALILLO	2,174	4	-	18	424	123	86	43	55	20	16	81	39	724	471	14	7
64	ALBUQUERQUE	2,109	4	-	17	414	120	85	41	54	19	16	79	37	706	457	12	7
65	BALANCE OF COUNTY	65	-	-	1	10	3	1	2	1	1	-	2	2	18	14	2	-
66	CATRON	18	-	-	-	4	-	1	-	1	-	1	1	-	6	6	1	-
67	CHAVES	431	1	-	2	60	13	21	5	7	2	3	9	14	181	111	3	2
68	ROSWELL	381	1	-	2	53	10	20	4	7	2	3	7	13	158	100	2	2
69	BALANCE OF COUNTY	50	-	-	-	7	3	1	1	-	-	-	2	1	23	11	1	-
70	COLFAX	138	1	-	-	18	5	4	2	2	-	-	5	6	65	46	1	1
71	CURRY	296	-	-	2	36	8	6	3	7	4	1	7	3	137	88	-	-
72	CLOVIS	250	-	-	2	32	6	4	3	7	4	1	7	3	117	73	-	-
73	BALANCE OF COUNTY	46	-	-	-	4	2	2	-	-	-	-	-	-	20	15	-	-
74	DE BACA	24	-	-	1	1	-	-	-	1	-	-	-	-	17	16	1	-
75	DONA ANA	470	-	-	5	95	23	19	10	18	2	6	17	19	175	107	1	-
76	LAS CRUCES	262	-	-	3	57	13	9	8	10	1	4	12	9	97	58	-	-
77	BALANCE OF COUNTY	208	-	-	2	38	10	10	2	8	1	2	5	10	78	49	1	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
87	3	1	30	3	6	10	5	–	7	–	–	3	1	2	18	3	10	3	1	–	01
70	1	–	13	5	3	3	3	–	3	–	–	2	7	1	22	3	3	1	1	1	02
24	1	–	16	1	2	5	1	1	–	–	–	1	–	1	1	3	1	–	–	–	03
700	28	8	209	21	22	52	21	5	25	3	1	12	31	1	135	41	50	25	6	1	04
1,309	39	7	329	33	43	54	33	9	58	19	–	15	32	11	228	64	58	24	12	3	05
163	2	1	41	6	6	7	4	2	11	6	–	2	4	2	23	8	7	4	2	2	06
221	13	–	54	3	9	9	9	1	8	3	–	3	3	1	45	8	12	6	1	–	07
188	2	1	61	5	8	8	3	1	5	1	–	4	4	2	42	10	6	1	3	1	08
101	4	1	26	4	2	3	1	1	4	2	–	1	1	–	15	5	4	1	–	–	09
636	18	4	147	15	18	27	16	4	30	7	–	5	20	6	103	33	29	12	6	–	10
1,767	47	14	444	40	49	125	56	13	77	15	–	25	48	36	282	60	90	31	24	7	11
357	7	2	98	6	6	24	10	5	14	2	–	1	3	9	51	3	12	6	2	1	12
103	3	2	14	3	4	7	5	2	3	1	–	–	–	–	10	5	3	–	–	–	13
46	–	1	9	1	1	4	1	–	2	–	–	–	3	–	3	1	1	–	–	–	14
265	3	4	54	6	5	12	10	1	11	1	–	1	9	1	43	8	13	6	4	–	15
585	28	4	156	17	25	44	15	1	36	8	–	12	19	18	93	25	43	6	16	5	16
26	–	–	9	–	–	3	2	–	1	–	–	–	1	–	11	3	5	–	–	–	17
20	–	–	2	–	1	2	–	–	1	1	–	–	–	1	5	–	1	–	–	–	18
38	–	–	3	–	1	2	–	–	1	–	–	–	–	–	6	2	1	–	–	–	19
126	1	1	34	3	2	16	5	3	3	1	–	3	5	2	24	4	3	7	–	–	20
28	–	–	7	–	–	–	–	–	2	–	–	1	–	1	5	1	2	–	–	–	21
173	5	–	58	4	4	11	8	1	3	1	–	7	8	4	31	8	7	5	2	1	22
231	6	4	51	3	14	16	7	3	11	3	–	2	8	–	40	25	11	4	3	–	23
520	13	3	138	15	20	33	14	7	35	2	–	7	13	6	97	35	24	8	9	1	24
54	1	–	11	2	–	4	1	–	3	–	–	–	1	1	7	1	3	–	1	–	25
48	1	–	14	1	–	3	1	1	3	–	–	3	1	–	11	3	1	1	–	–	26
74	3	2	25	2	2	4	2	–	6	–	–	1	5	–	9	5	3	3	3	–	27
24	–	–	7	–	1	1	–	–	1	–	–	–	1	1	10	1	3	1	–	–	28
54	1	1	19	2	7	3	2	–	3	–	–	1	1	1	11	4	3	–	–	–	29
66	1	–	15	4	2	7	2	–	5	–	–	–	–	–	8	6	2	2	1	–	30
200	6	–	47	4	8	11	6	6	14	2	–	2	4	3	41	15	9	1	4	1	31
300	11	2	66	9	13	17	7	3	9	2	–	7	13	4	44	21	26	11	4	1	32
1,887	77	16	474	61	63	114	44	16	89	23	1	38	49	58	333	68	99	37	32	8	33
25	–	–	7	2	1	1	–	–	–	1	–	–	–	1	2	1	–	–	1	–	34
57	–	–	3	1	4	–	1	–	2	–	–	–	1	1	9	1	3	3	–	–	35
82	4	–	22	3	1	6	–	2	2	1	–	1	4	1	15	2	4	3	–	–	36
439	18	7	124	14	11	23	8	3	31	7	1	8	20	18	84	17	30	7	9	1	37
90	3	1	24	1	4	5	2	–	2	–	–	3	3	2	13	3	4	1	–	–	38
150	6	–	29	3	4	6	3	2	6	1	–	4	3	3	30	7	8	4	1	2	39
30	3	–	8	2	2	–	2	3	–	–	–	2	1	1	7	3	1	2	–	–	40
151	2	1	41	6	6	16	3	2	15	1	–	5	7	10	33	11	15	1	11	1	41
98	4	–	19	3	3	4	6	1	4	1	–	1	4	8	17	2	7	1	2	1	42
77	4	1	24	4	5	8	1	–	4	2	–	2	–	4	12	1	–	2	–	–	43
50	1	–	15	–	2	1	1	–	3	2	–	2	–	–	7	2	2	1	–	–	44
46	3	–	15	1	4	4	3	–	3	2	–	1	–	1	7	2	4	2	–	–	45
78	2	–	13	1	1	7	1	1	1	–	–	1	1	–	8	2	1	1	1	–	46
76	4	–	35	6	3	11	1	1	3	–	–	1	2	2	15	3	1	1	–	–	47
249	15	5	50	7	5	9	6	1	7	3	–	2	2	2	37	3	12	2	6	2	48
96	6	1	24	3	3	9	4	–	5	–	–	2	–	2	19	5	2	2	–	–	49
93	2	–	21	4	4	4	2	–	1	2	–	3	1	2	18	3	5	4	1	1	50
340	14	–	59	8	11	18	12	3	12	1	1	2	14	8	40	24	11	7	–	–	51
94	–	–	20	–	3	3	2	1	4	–	–	1	4	2	13	2	2	–	–	–	52
246	14	–	39	8	8	15	10	2	8	1	1	1	10	6	27	22	9	7	–	–	53
1,632	209	31	725	129	93	257	177	24	208	35	8	94	176	370	948	492	414	192	128	36	54
913	87	24	432	77	57	130	119	13	108	15	4	48	102	215	503	211	213	118	65	14	55
719	122	7	293	52	36	127	58	11	100	20	4	46	74	155	445	281	201	74	63	22	56
408	42	16	182	26	29	55	53	7	57	8	1	27	34	135	264	106	100	72	38	8	57
397	41	16	178	26	29	54	52	7	53	8	1	27	33	131	257	100	93	70	38	7	58
11	1	–	4	–	–	1	1	–	4	–	–	–	1	4	7	6	7	2	–	1	59
1,224	167	15	543	103	64	202	124	17	151	27	7	67	142	235	684	386	314	120	90	28	60
516	46	8	254	51	28	76	67	6	55	7	3	21	69	84	246	111	120	48	27	7	61
708	121	7	289	52	36	126	57	11	96	20	4	46	73	151	438	275	194	72	63	21	62
408	42	16	182	26	29	55	53	7	57	8	1	27	34	135	264	106	100	72	38	8	63
397	41	16	178	26	29	54	52	7	53	8	1	27	33	131	257	100	93	70	38	7	64
11	1	–	4	–	–	1	1	–	4	–	–	–	1	4	7	6	7	2	–	1	65
4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	1	1	1	–	–	66
95	11	1	54	9	6	12	16	–	6	1	–	2	14	32	42	20	18	4	6	–	67
87	9	1	43	9	5	12	12	–	6	1	–	1	10	30	40	17	16	4	5	–	68
8	2	–	11	–	1	–	4	–	–	–	–	1	4	2	2	3	2	–	1	–	69
40	4	–	12	4	3	8	4	1	4	–	–	–	2	1	13	2	12	1	–	–	70
77	11	3	32	14	–	8	8	1	7	–	–	8	12	6	26	12	22	4	3	1	71
62	11	2	28	14	–	7	8	1	7	–	–	6	10	5	20	7	19	4	1	1	72
15	–	1	4	–	–	1	–	–	–	–	–	2	2	1	6	5	3	–	2	–	73
15	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–	–	–	74
95	11	1	49	12	6	12	17	–	10	2	2	2	11	12	58	20	23	–	4	3	75
57	1	–	31	6	2	8	9	–	3	1	2	–	6	5	33	12	13	–	2	2	76
38	10	1	18	6	4	4	8	–	7	1	–	2	5	7	25	8	10	–	2	1	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW MEXICO--CON.																	
01	EDDY	424	1	-	2	77	21	11	10	7	6	3	19	7	168	93	3	1
02	ARTESIA	104	-	-	-	18	7	2	4	3	-	-	2	3	43	21	1	-
03	CARLSBAD	280	1	-	2	48	9	8	6	3	6	2	14	3	119	67	2	1
04	BALANCE OF COUNTY	40	-	-	-	11	5	1	-	1	-	1	3	1	6	5	-	-
05	GRANT	184	-	-	2	24	5	5	4	3	2	1	4	7	69	54	2	3
06	GUADALUPE	41	-	-	-	4	-	2	-	1	-	1	-	-	15	7	-	-
07	HARDING	9	1	-	-	1	-	1	-	-	-	-	-	-	4	1	-	-
08	HIDALGO	55	-	-	1	8	1	2	-	2	1	-	2	3	14	9	-	-
09	LEA	328	-	-	3	66	19	16	5	7	3	1	15	10	119	89	1	1
10	HOBBS	186	-	-	1	39	14	10	-	2	2	1	10	7	68	51	-	1
11	BALANCE OF COUNTY	142	-	-	2	27	5	6	5	5	1	-	5	3	51	38	1	-
12	LINCOLN	58	-	-	1	5	3	1	-	1	-	-	-	-	32	21	-	1
13	LOS ALAMOS	53	1	-	-	7	1	1	1	1	1	-	2	-	27	20	2	1
14	LUNA	145	-	-	2	33	6	7	5	3	2	-	10	3	74	46	1	1
15	MC KINLEY	390	2	-	13	25	12	2	4	3	1	1	2	6	78	64	5	-
16	GALLUP	118	-	-	-	8	4	1	1	-	-	-	2	4	45	37	2	-
17	BALANCE OF COUNTY	272	2	-	13	17	8	1	3	3	1	1	-	2	33	27	3	-
18	MORA	52	2	-	-	2	1	-	-	1	-	-	-	1	25	19	1	-
19	OTERO	239	1	-	-	26	3	4	3	1	3	1	11	4	80	52	2	-
20	ALAMOGORDO	140	1	-	-	14	1	3	1	1	2	-	6	3	55	35	1	-
21	BALANCE OF COUNTY	99	-	-	-	12	2	1	2	-	1	1	5	1	25	17	1	-
22	QUAY	132	-	-	1	20	10	1	1	1	-	-	7	3	69	36	1	-
23	RIO ARRIBA	220	1	-	3	43	15	5	1	6	2	4	10	5	67	51	1	1
24	ROOSEVELT	141	-	-	1	18	8	3	1	3	1	-	2	3	76	45	1	2
25	PORTALES	104	-	-	1	14	6	2	-	3	1	-	2	2	58	36	1	2
26	BALANCE OF COUNTY	37	-	-	-	4	2	1	1	-	-	-	-	1	18	9	-	-
27	SANDOVAL	210	1	-	4	33	8	6	2	1	3	1	12	4	60	47	2	-
28	SAN JUAN	382	2	-	6	51	17	13	5	5	-	3	8	6	95	63	4	2
29	FARMINGTON	160	1	-	2	33	9	8	4	4	-	2	6	3	42	26	2	-
30	BALANCE OF COUNTY	222	1	-	4	18	8	5	1	1	-	1	2	3	53	37	2	2
31	SAN MIGUEL	189	-	1	5	23	5	3	3	4	1	2	5	3	66	52	2	1
32	SANTA FE	431	-	-	5	66	25	8	4	15	4	4	6	9	156	95	1	3
33	SANTA FE	336	-	-	4	57	22	7	3	12	4	3	6	7	121	78	1	2
34	BALANCE OF COUNTY	95	-	-	1	9	3	1	1	3	-	1	-	2	35	17	-	1
35	SIERRA	144	-	-	-	14	3	6	1	2	-	-	2	2	87	66	-	3
36	SOCORRO	93	1	-	1	19	10	2	-	4	1	-	2	1	25	17	1	-
37	TAOS	165	1	-	2	22	6	4	1	1	1	-	9	2	70	48	1	-
38	TORRANCE	56	-	-	-	16	3	5	-	2	1	3	2	-	16	12	-	-
39	UNION	56	-	-	2	6	2	-	-	1	-	2	1	3	23	17	1	1
40	VALENCIA	282	3	-	2	42	6	8	4	10	3	-	11	6	84	57	-	2
41	**NEW YORK**	176,959	357	20	992	35,435	10,953	7,756	3,565	3,885	1,649	1,291	6,336	3,675	93,070	73,077	1,452	933
42	URBAN PLACES	120,416	285	14	714	23,709	7,521	5,129	2,372	2,539	1,099	806	4,243	2,648	62,813	50,216	968	607
43	BALANCE OF AREA	56,543	72	6	278	11,726	3,432	2,627	1,193	1,346	550	485	2,093	1,027	30,257	22,861	484	326
44	METROPOLITAN COUNTIES	151,236	325	18	867	30,607	9,522	6,664	3,107	3,322	1,414	1,071	5,507	3,226	78,726	62,392	1,243	763
45	URBAN PLACES	113,429	278	14	674	22,480	7,147	4,844	2,254	2,390	1,037	764	4,044	2,528	58,779	47,292	915	563
46	BALANCE OF AREA	37,807	47	4	193	8,127	2,375	1,820	853	932	377	307	1,463	698	19,947	15,100	328	200
47	NONMETROPOLITAN COUNTIES	25,723	32	2	125	4,828	1,431	1,092	458	563	235	220	829	449	14,344	10,685	209	170
48	URBAN PLACES	6,987	7	-	40	1,229	374	285	118	149	62	42	199	120	4,034	2,924	53	44
49	BALANCE OF AREA	18,736	25	2	85	3,599	1,057	807	340	414	173	178	630	329	10,310	7,761	156	126
50	ALBANY	3,134	7	-	22	665	199	166	52	66	32	27	123	52	1,659	1,295	15	13
51	ALBANY	1,591	5	-	12	330	100	80	29	29	17	13	62	24	840	649	10	8
52	COHOES	229	-	-	1	61	16	14	4	8	2	3	14	7	118	102	-	1
53	WATERVLIET	173	-	-	-	38	15	10	3	3	2	2	3	4	99	82	-	1
54	BALANCE OF COUNTY	1,141	2	-	9	236	68	62	16	26	11	9	44	17	602	462	5	3
55	ALLEGANY	440	-	-	4	75	18	17	8	11	4	3	14	9	215	159	1	9
56	BROOME	2,001	2	-	3	430	138	94	34	46	16	24	78	39	1,090	819	24	9
57	BINGHAMTON	791	2	-	1	179	58	43	12	20	10	7	34	18	410	298	8	6
58	ENDICOTT	203	-	-	-	49	15	13	6	2	1	3	9	5	107	82	3	1
59	JOHNSON CITY	227	-	-	-	40	14	10	3	3	-	1	9	1	145	118	3	-
60	BALANCE OF COUNTY	780	-	-	2	162	56	28	13	21	5	13	26	15	428	321	10	2
61	CATTARAUGUS	907	-	-	5	175	52	46	17	13	8	8	31	15	490	358	7	2
62	OLEAN	299	-	-	1	49	18	13	2	4	1	3	8	1	181	136	3	1
63	BALANCE OF COUNTY	608	-	-	4	126	34	33	15	9	7	5	23	14	309	222	4	1
64	CAYUGA	817	2	-	4	157	51	34	8	19	7	4	34	12	464	337	7	7
65	AUBURN	390	-	-	3	75	23	16	3	11	2	4	16	6	221	156	3	5
66	BALANCE OF COUNTY	427	2	-	1	82	28	18	5	8	5	-	18	6	243	181	4	2
67	CHAUTAUQUA	1,569	1	-	7	273	88	53	13	31	14	15	59	34	929	705	14	13
68	DUNKIRK	207	-	-	1	38	12	10	-	4	2	5	5	5	132	105	1	-
69	FREDONIA	83	-	-	-	13	2	4	1	3	-	-	3	1	48	35	2	-
70	JAMESTOWN	489	1	-	3	79	26	14	4	9	4	2	20	5	301	220	5	7
71	BALANCE OF COUNTY	790	-	-	3	143	48	25	8	15	8	8	31	23	448	345	6	6
72	CHEMUNG	994	-	-	4	184	61	47	20	19	13	8	16	10	566	407	15	3
73	ELMIRA	489	-	-	2	98	38	20	11	13	8	2	6	5	281	206	3	1
74	BALANCE OF COUNTY	505	-	-	2	86	23	27	9	6	5	6	10	5	285	201	12	2
75	CHENANGO	446	-	-	1	83	28	11	16	10	4	4	10	7	245	188	5	1
76	CLINTON	582	-	-	5	111	28	29	11	9	8	6	20	8	323	248	2	2
77	PLATTSBURGH	179	-	-	1	33	9	11	5	3	1	2	2	2	99	75	1	-
78	BALANCE OF COUNTY	403	-	-	4	78	19	18	6	6	7	4	18	6	224	173	1	2
79	COLUMBIA	646	1	-	2	113	37	29	8	8	5	6	20	6	385	288	8	5

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
84	5	2	64	3	6	15	19	1	8	1	-	5	13	14	45	22	13	7	5	1	01
19	1	1	19	-	2	3	4	-	1	-	-	3	4	2	14	3	5	-	1	-	02
60	4	1	44	3	4	10	13	1	6	1	-	2	6	11	25	16	8	6	2	-	03
5	-	-	1	-	-	2	2	-	1	-	-	-	3	1	6	3	-	1	2	1	04
44	5	-	12	1	2	12	2	2	1	-	-	6	7	23	9	8	4	4	-	-	05
7	-	-	5	2	1	1	-	1	3	1	-	-	2	-	5	3	2	1	2	-	06
1	-	-	3	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	07
9	-	-	5	-	-	1	1	-	1	-	-	-	1	4	2	5	5	2	-	1	08
80	7	3	20	6	1	14	6	2	10	3	-	8	11	8	32	11	14	4	5	2	09
49	1	2	13	2	-	9	3	-	8	-	-	4	9	4	16	6	6	1	5	-	10
31	6	1	7	4	1	5	3	2	2	3	-	4	2	4	16	5	8	3	-	2	11
18	2	1	6	2	2	1	1	-	1	1	-	2	3	1	6	3	2	-	-	1	12
16	2	-	5	2	-	-	-	-	-	-	-	2	-	1	6	4	2	3	-	-	13
40	4	-	26	-	2	2	1	1	3	1	-	2	2	-	12	5	4	2	-	-	14
44	15	-	11	2	1	18	5	-	14	3	-	5	9	24	81	47	28	12	15	5	15
31	4	-	7	1	-	5	3	-	3	1	-	-	4	2	21	7	6	6	2	1	16
13	11	-	4	1	1	13	2	-	11	2	-	5	5	22	60	40	22	6	13	4	17
18	-	-	4	1	1	2	2	-	2	1	-	-	1	3	7	1	2	1	-	-	18
47	3	1	17	6	4	9	5	1	7	-	-	4	10	5	34	16	18	12	6	1	19
33	1	1	10	5	4	5	3	-	2	-	-	2	9	5	14	9	9	5	3	1	20
14	2	-	7	1	-	4	2	1	5	-	-	2	1	-	20	7	9	7	3	-	21
27	8	-	31	1	1	3	1	-	-	1	-	2	-	1	10	9	7	2	3	-	22
42	7	-	13	2	1	6	1	-	9	-	1	-	3	8	24	26	14	4	4	1	23
34	8	-	21	7	3	5	3	-	1	-	-	1	1	2	16	6	5	3	-	-	24
27	6	-	14	5	3	1	2	-	1	-	-	1	1	1	10	6	4	2	-	-	25
7	2	-	7	2	-	4	1	-	-	-	-	-	-	1	6	-	1	1	-	-	26
33	12	-	10	1	2	6	1	1	6	2	-	1	2	14	30	24	7	8	2	4	27
44	13	2	23	3	4	22	3	-	9	2	-	-	6	12	25	43	48	28	8	12	28
19	5	-	11	2	3	9	2	-	3	2	-	-	2	8	6	12	13	11	6	3	29
25	8	2	12	1	1	13	1	-	6	1	-	-	4	4	19	31	35	17	2	9	30
44	5	-	10	3	1	7	4	-	7	1	1	-	-	7	10	22	12	12	2	6	31
87	4	-	45	10	6	8	10	4	22	3	1	3	4	19	52	21	29	16	3	-	32
72	3	-	34	4	5	7	8	4	15	1	1	-	2	13	41	15	23	14	3	-	33
15	1	-	11	6	1	1	2	-	7	2	-	3	2	6	11	6	6	2	-	-	34
59	4	-	16	3	2	4	5	1	2	-	-	-	2	5	13	2	2	3	1	1	35
14	2	-	7	-	1	2	3	-	2	-	-	3	3	1	18	4	4	4	2	-	36
40	7	-	14	4	4	6	1	-	6	-	-	-	-	4	15	17	11	3	3	1	37
11	1	-	2	2	-	1	1	-	2	-	-	-	1	5	7	3	-	3	-	1	38
8	7	-	4	-	2	5	1	-	2	-	-	-	-	1	7	2	3	-	1	-	39
47	8	1	21	3	2	11	3	1	5	3	2	9	6	20	29	29	17	5	3	2	40
67,688	3,004	514	15,130	2,122	2,227	6,230	2,085	807	3,905	778	42	1,038	2,241	2,531	13,235	2,575	3,392	1,331	1,860	1,360	41
46,519	2,122	312	9,626	1,279	1,380	4,542	1,228	578	3,057	604	34	647	1,564	1,700	9,328	1,237	2,025	757	1,721	1,211	42
21,169	882	202	5,504	843	847	1,688	857	229	848	174	8	391	677	831	3,907	1,338	1,367	574	139	149	43
57,816	2,570	396	12,434	1,695	1,809	5,442	1,632	693	3,554	709	37	876	1,923	2,367	11,393	1,927	2,723	1,068	1,810	1,313	44
43,803	2,011	268	8,785	1,158	1,276	4,341	1,109	544	2,933	586	29	602	1,476	1,658	8,804	1,134	1,855	706	1,703	1,196	45
14,013	559	128	3,649	537	533	1,101	523	149	621	123	8	274	447	709	2,589	793	868	362	107	117	46
9,872	434	118	2,696	427	418	788	453	114	351	69	5	162	318	164	1,842	648	669	263	50	47	47
2,716	111	44	841	121	104	201	119	34	124	18	5	45	88	42	524	103	170	51	18	15	48
7,156	323	74	1,855	306	314	587	334	80	227	51	-	117	230	122	1,318	545	499	212	32	32	49
1,184	83	5	259	51	49	105	51	15	51	13	-	15	36	20	244	49	79	23	11	17	50
591	40	3	127	29	32	62	25	6	22	8	-	8	21	9	125	23	47	7	6	11	51
97	4	-	12	2	2	6	5	1	6	-	-	-	1	2	15	1	1	2	1	1	52
77	4	-	12	3	2	3	3	-	4	1	-	-	1	-	14	2	3	-	1	-	53
419	35	2	108	17	13	34	18	8	19	4	-	7	13	9	90	23	28	14	3	5	54
140	9	-	39	7	10	25	4	-	5	-	-	8	10	8	41	16	15	4	1	-	55
764	22	9	193	28	41	66	27	5	30	7	-	13	16	28	143	28	43	24	4	3	56
271	13	3	76	14	19	29	12	2	16	2	-	4	7	15	55	8	17	8	3	3	57
77	1	2	16	2	5	5	4	-	2	2	-	-	5	1	10	3	7	3	-	-	58
112	3	1	22	2	2	9	1	1	3	-	-	1	1	2	21	-	2	-	-	-	59
304	5	3	79	10	15	23	10	2	9	3	-	8	3	10	57	17	17	13	1	-	60
344	5	4	94	20	14	35	19	2	14	3	-	8	10	10	60	27	22	7	3	2	61
130	2	3	33	3	6	11	5	-	6	-	-	4	2	1	21	7	5	2	3	-	62
214	3	1	61	17	8	24	14	2	8	3	-	4	8	9	39	20	17	5	-	2	63
313	10	2	99	10	16	21	13	4	11	-	-	5	17	2	50	22	20	11	1	1	64
143	5	2	54	2	7	8	7	3	7	-	-	2	6	2	31	5	8	5	1	-	65
170	5	-	45	8	9	13	6	1	4	-	-	3	11	-	19	17	12	6	-	1	66
650	28	8	187	15	14	51	21	8	24	4	1	3	17	13	99	33	36	11	2	2	67
100	4	2	18	3	4	2	-	1	4	-	1	-	1	1	12	7	1	-	1	-	68
30	3	1	10	2	-	2	3	1	3	-	-	-	1	-	5	-	5	1	-	-	69
207	1	3	70	6	2	25	8	1	7	2	-	-	6	5	32	4	9	1	-	-	70
313	20	2	89	4	8	22	10	5	10	2	-	3	9	7	50	22	21	9	1	2	71
378	11	4	119	13	23	21	21	9	16	1	-	8	9	17	73	22	22	8	1	2	72
195	7	2	59	6	8	11	12	2	10	1	-	2	1	7	37	7	10	3	-	-	73
183	4	2	60	7	15	10	9	7	6	-	-	6	8	10	36	15	12	5	1	2	74
175	7	3	37	12	5	16	8	1	3	2	-	-	7	1	41	12	12	4	2	1	75
233	11	3	48	14	10	10	14	1	10	2	-	2	6	4	44	13	22	6	-	1	76
70	4	2	11	8	3	4	4	1	3	-	-	1	1	1	12	4	8	4	-	1	77
163	7	1	37	6	7	6	10	-	7	2	-	1	5	3	32	9	14	2	-	-	78
264	11	-	81	6	10	21	9	2	8	2	-	3	6	6	49	14	11	6	1	1	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW YORK--CON.																	
01	CORTLAND	487	-	-	2	75	21	22	2	11	5	2	12	7	282	189	5	7
02	CORTLAND	233	-	-	1	35	7	11	-	8	2	-	7	3	139	91	3	2
03	BALANCE OF COUNTY	254	-	-	1	40	14	11	2	3	3	2	5	4	143	98	2	5
04	DELAWARE	542	-	-	-	100	29	25	7	18	2	6	13	16	328	252	4	10
05	DUTCHESS	1,898	2	-	11	386	123	89	48	37	12	13	64	28	1,035	789	18	6
06	BEACON	161	-	-	1	28	8	5	4	8	-	-	3	5	89	61	1	1
07	POUGHKEEPSIE	483	1	-	2	98	26	23	18	8	5	4	14	7	254	187	2	1
08	BALANCE OF COUNTY	1,254	1	-	8	260	89	61	26	21	7	9	47	16	692	541	15	4
09	ERIE	10,960	12	1	63	2,149	628	505	200	277	109	84	346	222	5,937	4,433	83	52
10	BUFFALO	5,808	6	1	38	1,069	323	259	96	129	53	42	167	114	3,122	2,329	40	33
11	DEPEW	139	-	-	2	31	12	8	5	1	1	-	4	3	76	59	-	-
12	HAMBURG	114	-	-	-	21	4	3	5	1	1	1	6	1	69	40	-	-
13	KENMORE	226	-	-	1	50	13	9	4	10	3	5	6	7	126	95	2	-
14	LACKAWANNA	293	-	-	1	59	18	13	5	11	3	1	8	13	147	119	6	3
15	LANCASTER	122	1	-	-	27	9	7	3	1	1	1	5	3	75	60	-	-
16	TONAWANDA	197	-	-	-	47	10	13	2	9	1	3	9	4	107	78	-	1
17	BALANCE OF COUNTY	4,061	5	-	21	845	239	193	80	115	46	31	141	77	2,215	1,653	35	15
18	ESSEX	428	1	-	3	99	23	24	5	12	3	6	26	8	205	148	2	-
19	FRANKLIN	529	8	-	-	100	27	22	5	15	5	6	20	7	296	220	7	4
20	FULTON	658	-	-	7	117	25	34	17	15	9	3	14	12	389	281	4	2
21	GLOVERSVILLE	273	-	-	2	41	12	8	5	8	2	-	6	2	166	116	1	-
22	JOHNSTOWN	143	-	-	3	31	6	12	7	1	-	1	4	5	87	62	1	1
23	BALANCE OF COUNTY	242	-	-	2	45	7	14	5	6	7	2	4	5	136	103	2	1
24	GENESEE	536	2	-	2	90	26	15	10	12	4	6	17	12	288	198	5	2
25	BATAVIA	185	-	-	1	30	10	3	4	2	2	2	7	4	103	71	2	-
26	BALANCE OF COUNTY	351	2	-	1	60	16	12	6	10	2	4	10	8	185	127	3	2
27	GREENE	497	-	-	2	103	32	24	7	9	6	7	18	12	299	236	2	3
28	HAMILTON	69	-	-	-	14	4	3	1	-	-	2	4	1	39	24	-	-
29	HERKIMER	786	-	-	1	131	44	25	7	19	7	1	28	14	489	367	4	16
30	JEFFERSON	1,041	-	-	8	188	60	37	11	32	7	11	30	17	599	443	7	2
31	WATERTOWN	426	-	-	2	76	26	17	5	11	5	3	9	4	260	198	4	1
32	BALANCE OF COUNTY	615	-	-	6	112	34	20	6	21	2	8	21	13	339	245	3	1
33	LEWIS	265	-	-	1	46	18	7	3	6	1	2	9	9	157	133	3	2
34	LIVINGSTON	458	-	-	-	113	33	24	6	12	6	6	26	7	219	164	3	1
35	MADISON	538	-	-	2	105	37	20	11	16	4	1	16	6	299	228	6	3
36	ONEIDA	141	-	-	1	29	12	5	3	6	-	-	3	2	80	60	2	-
37	BALANCE OF COUNTY	397	-	-	1	76	25	15	8	10	4	1	13	4	219	168	4	3
38	MONROE	5,950	13	-	47	1,185	353	243	121	141	70	41	216	119	3,026	2,217	63	24
39	ROCHESTER	3,324	6	-	27	611	200	135	49	65	33	15	114	68	1,685	1,225	29	17
40	BALANCE OF COUNTY	2,626	7	-	20	574	153	108	72	76	37	26	102	51	1,341	992	34	7
41	MONTGOMERY	735	-	-	6	134	34	31	16	18	7	9	19	25	411	276	4	3
42	AMSTERDAM	358	-	-	4	53	15	9	5	8	3	3	10	16	212	134	3	3
43	BALANCE OF COUNTY	377	-	-	2	81	19	22	11	10	4	6	9	9	199	142	1	-
44	NASSAU	11,447	7	-	65	2,577	785	552	287	275	107	95	476	158	6,202	4,908	103	78
45	EAST ROCKAWAY	110	-	-	1	27	9	6	4	1	3	1	3	2	62	45	-	-
46	FLORAL PARK	178	-	-	-	24	7	1	3	4	2	-	7	3	116	89	4	-
47	FREEPORT	373	1	-	2	75	28	15	6	2	2	1	21	3	194	150	2	2
48	GARDEN CITY	243	-	-	1	55	20	10	5	5	2	1	12	2	125	98	3	-
49	GLEN COVE	211	-	-	1	49	20	7	4	4	4	2	8	3	108	83	1	1
50	GREAT NECK	145	-	-	1	26	12	1	3	6	-	1	3	2	82	63	1	-
51	HEMPSTEAD	407	1	-	2	88	27	18	14	14	4	1	10	8	209	161	2	2
52	LONG BEACH	663	1	-	2	118	43	25	13	7	4	9	17	3	418	329	1	3
53	LYNBROOK	218	-	-	-	47	18	8	2	2	4	4	9	-	118	95	1	1
54	MALVERNE	94	-	-	2	24	6	5	3	5	1	1	3	-	54	39	1	1
55	MASSAPEQUA PARK	146	-	-	-	28	10	9	2	2	-	1	4	3	84	66	1	1
56	MINEOLA	194	-	-	3	53	22	10	4	7	2	1	7	2	95	76	2	2
57	NEW HYDE PARK	93	-	-	-	25	8	3	1	3	2	1	7	1	48	36	-	-
58	ROCKVILLE CENTRE	271	-	-	3	52	12	9	8	6	4	2	11	1	162	128	2	2
59	VALLEY STREAM	378	-	-	2	85	30	18	7	11	1	1	17	4	221	179	4	3
60	WESTBURY	159	-	-	-	30	7	6	3	7	3	-	4	5	83	67	-	2
61	BALANCE OF COUNTY	7,564	4	-	45	1,771	506	401	205	189	69	68	333	116	4,023	3,204	78	58
62	NEW YORK CITY	81,728	229	11	501	16,057	5,169	3,374	1,650	1,656	714	539	2,955	1,941	41,506	34,227	642	399
63	BRONX BOR., BRONX CO.	13,870	29	-	100	2,689	901	562	264	272	136	80	474	320	6,730	5,617	133	51
64	BROOKLYN BOR., KINGS CO	25,294	82	4	164	4,673	1,522	974	485	462	202	164	864	628	13,306	11,111	203	144
65	MANHATTAN BOR., NEW YORK CO	19,271	80	5	113	3,775	1,184	793	374	414	158	119	733	408	8,885	7,175	124	86
66	QUEENS BOR., QUEENS CO	20,618	33	2	114	4,372	1,390	921	473	465	188	155	780	538	11,119	9,115	159	106
67	RICHMOND BOR., RICHMOND CO	2,675	5	-	10	548	172	124	54	43	30	21	104	47	1,466	1,209	23	12
68	NIAGARA	2,230	3	-	11	493	135	129	45	56	29	13	86	42	1,214	879	20	3
69	LOCKPORT	331	-	-	1	76	19	19	9	11	5	2	11	9	172	132	6	-
70	NIAGARA FALLS	936	1	-	5	204	57	63	13	16	10	6	39	16	519	376	7	2
71	NORTH TONAWANDA	326	1	-	1	85	19	20	9	13	4	2	18	4	177	131	2	-
72	BALANCE OF COUNTY	637	1	-	4	128	40	27	14	16	10	3	18	13	346	240	5	1
73	ONEIDA	2,574	2	-	14	481	155	110	34	70	21	24	67	53	1,460	1,059	20	15
74	ROME	389	1	-	2	63	19	14	8	8	3	2	9	12	221	159	1	-
75	UTICA	1,124	1	-	7	213	71	48	16	25	13	11	29	19	649	484	11	8
76	BALANCE OF COUNTY	1,061	-	-	5	205	65	48	10	37	5	11	29	22	590	416	8	7
77	ONONDAGA	4,009	8	3	19	843	261	190	87	99	45	26	135	47	2,117	1,539	36	18
78	SYRACUSE	2,117	7	2	11	421	131	103	36	43	22	10	76	24	1,166	861	23	10
79	BALANCE OF COUNTY	1,892	1	1	8	422	130	87	51	56	23	16	59	23	951	678	13	8

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
173	4	4	79	4	6	10	11	5	4	–	–	4	9	4	30	15	21	6	–	2	01
84	2	2	39	3	4	5	5	3	3	–	–	2	6	1	13	4	10	2	–	1	02
89	2	2	40	1	2	5	6	2	1	–	–	2	3	3	17	11	11	4	–	1	03
206	32	4	55	11	6	13	4	3	2	1	–	3	2	2	35	13	14	4	1	1	04
733	32	10	176	28	32	47	34	8	29	7	–	13	20	10	129	46	51	27	10	5	05
54	5	–	21	6	1	4	3	1	2	–	–	1	3	–	9	3	10	1	–	1	06
174	10	3	51	7	6	14	6	1	13	4	–	4	6	5	40	7	11	4	4	2	07
505	17	7	104	15	25	29	25	6	14	3	–	8	11	5	80	36	30	22	6	2	08
4,142	156	33	1,140	170	161	310	195	46	198	44	1	59	150	99	874	146	264	68	72	50	09
2,167	89	18	596	94	85	180	94	30	124	28	–	27	84	62	514	51	144	24	63	33	10
59	–	1	13	1	2	4	2	1	3	–	–	–	–	1	8	2	4	1	1	–	11
39	1	1	21	4	3	3	2	–	6	–	–	1	1	1	4	2	3	1	–	–	12
90	3	–	26	2	3	7	2	–	3	1	–	–	–	2	19	3	3	1	–	–	13
106	4	–	22	3	3	9	4	2	6	–	–	2	5	2	22	8	6	3	1	3	14
60	–	–	12	1	2	2	–	–	–	–	–	1	–	1	6	2	1	1	1	1	15
76	1	1	23	1	4	1	5	2	4	2	–	–	4	1	12	1	3	2	–	2	16
1,545	58	12	427	64	59	104	86	11	52	13	–	29	56	29	289	77	100	35	6	11	17
140	6	1	44	7	5	19	3	3	7	–	–	1	5	2	37	13	14	8	–	–	18
202	7	2	57	11	6	22	12	–	6	–	–	4	–	1	36	17	17	3	–	–	19
257	18	0	75	14	11	17	15	4	5	–	1	3	6	–	35	14	19	7	4	3	20
113	2	1	34	10	5	4	9	3	3	–	1	–	3	–	18	7	9	2	1	2	21
53	7	6	14	2	3	4	1	1	1	–	–	1	–	–	5	–	3	1	–	–	22
91	9	1	27	2	3	9	5	–	1	–	–	2	3	–	12	7	7	4	3	1	23
175	16	3	69	11	7	18	12	3	7	–	–	6	10	3	41	18	13	6	4	1	24
65	4	–	27	4	1	7	2	1	3	–	–	6	3	–	15	2	4	–	3	1	25
110	12	3	42	7	6	11	10	2	4	–	–	–	7	3	26	16	9	6	1	–	26
225	6	1	45	8	9	9	6	1	5	1	–	1	4	3	28	8	5	10	–	–	27
23	1	–	10	3	2	3	1	–	–	–	–	–	1	–	3	1	6	–	–	–	28
334	13	7	82	21	12	27	8	3	9	1	–	5	10	3	52	11	18	4	–	–	29
428	6	4	116	12	24	25	16	2	23	2	–	7	17	6	81	18	25	5	–	2	30
190	3	2	43	3	14	10	5	1	10	1	–	2	5	2	30	6	8	2	–	2	31
238	3	2	73	9	10	15	11	1	13	1	–	5	12	4	51	12	17	3	–	–	32
122	6	–	22	1	1	1	7	–	6	1	–	2	1	1	13	11	7	2	–	–	33
149	11	–	42	9	4	29	6	3	4	2	–	2	4	–	37	13	13	5	–	1	34
212	7	3	49	11	8	8	13	1	5	1	–	4	12	1	43	14	16	8	–	–	35
56	2	1	12	5	2	3	5	–	1	–	–	1	4	–	9	2	3	1	–	–	36
156	5	2	37	6	6	5	8	1	4	1	–	3	8	1	34	12	13	7	–	–	37
1,996	134	14	597	93	105	256	98	26	84	21	2	42	89	36	534	117	132	68	33	22	38
1,099	80	6	345	47	62	152	53	15	57	16	2	22	61	22	329	43	86	32	25	12	39
897	54	8	252	46	43	104	45	11	27	5	–	20	28	14	205	74	46	36	8	10	40
258	11	10	95	17	13	31	14	10	14	2	–	2	2	4	46	15	11	7	1	–	41
120	8	5	57	12	4	16	9	5	9	–	–	1	–	–	24	3	4	2	–	–	42
138	3	5	38	5	9	15	5	5	5	2	–	1	2	4	22	12	7	5	1	–	43
4,607	120	18	1,017	120	139	373	98	50	195	40	3	65	109	254	712	167	211	81	38	42	44
45	–	–	15	1	1	4	–	–	1	–	–	–	1	1	6	1	3	1	–	–	45
79	6	1	20	5	1	6	3	–	2	1	–	1	1	5	9	2	3	1	1	–	46
142	4	–	33	4	7	13	6	–	9	3	–	1	8	11	17	11	11	4	3	1	47
95	–	–	20	5	2	13	1	–	5	1	–	4	3	7	20	–	3	2	–	1	48
79	2	1	18	6	–	7	4	–	5	1	–	–	–	6	13	5	5	3	1	–	49
60	2	–	16	1	2	7	3	–	2	–	–	–	–	1	10	5	2	1	1	2	50
152	5	1	40	3	4	17	–	2	8	2	–	1	10	15	27	7	5	3	2	–	51
319	6	3	75	5	6	21	5	3	9	–	–	–	3	10	44	5	11	5	2	3	52
92	1	–	18	4	1	10	1	2	3	–	–	3	4	3	19	2	6	–	–	–	53
37	–	–	11	3	1	4	–	1	–	–	–	–	–	3	4	1	1	–	–	–	54
62	2	–	16	1	1	4	1	2	3	–	–	–	1	6	8	1	3	1	2	–	55
69	3	3	14	1	1	9	3	1	3	–	–	4	1	8	7	1	3	1	–	–	56
36	–	–	10	1	1	1	–	–	1	2	–	–	–	5	5	–	4	1	–	–	57
122	2	–	24	4	6	11	2	1	1	1	–	3	1	4	16	1	10	2	–	–	58
167	5	–	33	4	5	14	–	–	8	1	–	–	3	5	22	5	5	2	1	–	59
63	2	1	14	–	1	3	2	1	4	–	–	3	4	7	9	2	6	–	–	–	60
2,988	80	8	640	72	99	229	67	37	131	28	3	45	70	157	476	118	130	54	25	35	61
31,765	1,421	162	5,689	643	785	3,327	669	407	2,292	467	26	454	1,074	1,326	6,391	801	1,154	486	1,516	1,093	62
5,213	220	10	892	67	144	585	133	72	390	59	5	79	224	252	1,168	166	196	76	377	220	63
10,268	496	61	1,680	230	224	1,086	181	114	520	178	7	157	441	408	1,883	249	346	170	461	236	64
6,603	362	40	1,325	174	171	774	153	105	923	109	9	94	204	379	1,729	166	309	137	504	410	65
8,554	296	45	1,587	154	218	789	172	110	409	112	5	102	161	251	1,438	189	254	89	155	204	66
1,127	47	6	205	18	28	93	30	6	50	9	–	22	44	36	173	31	49	14	19	23	67
827	29	12	254	27	42	57	31	9	34	8	–	9	29	12	160	41	47	22	6	2	68
124	2	–	28	4	8	13	8	–	5	–	–	1	4	1	33	5	2	1	–	–	69
352	15	5	113	9	16	19	9	5	19	6	–	5	15	2	65	13	19	9	4	1	70
124	5	1	38	5	2	7	5	1	5	1	–	1	3	2	21	4	6	2	–	–	71
227	7	6	75	9	16	18	9	3	5	1	–	2	7	7	41	19	20	10	2	1	72
977	47	17	279	61	44	61	44	13	44	9	–	21	27	15	178	59	64	22	6	1	73
148	10	3	40	11	8	11	7	2	9	–	–	1	2	4	31	6	15	2	–	–	74
446	19	5	123	20	17	31	22	8	17	6	–	9	20	5	66	13	28	5	4	1	75
383	18	9	116	30	19	19	15	3	18	3	–	11	5	6	81	40	21	15	2	–	76
1,313	172	14	426	76	62	102	55	21	82	17	1	14	53	38	329	65	109	51	21	14	77
727	101	6	227	42	30	54	29	14	41	8	–	4	22	26	177	20	50	18	16	7	78
586	71	8	199	34	32	48	26	7	41	9	1	10	31	12	152	45	59	33	5	7	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW YORK—CON.																	
01	ONTARIO	740	1	-	5	125	29	30	15	16	7	7	21	12	383	269	7	2
02	CANANDAIGUA	115	-	-	-	26	7	8	3	1	1	1	5	1	50	35	-	2
03	GENEVA	184	1	-	1	29	7	8	3	5	1	1	4	2	100	67	3	-
04	BALANCE OF COUNTY	441	-	-	4	70	15	14	9	10	5	5	12	9	233	167	4	-
05	ORANGE	2,287	2	-	12	476	150	115	36	51	22	19	83	30	1,259	973	20	17
06	MIDDLETOWN	292	-	-	3	51	16	16	4	6	4	1	4	4	173	135	4	2
07	NEWBURGH	348	-	-	2	58	23	9	5	7	-	1	13	10	179	134	1	2
08	BALANCE OF COUNTY	1,647	2	-	7	367	111	90	27	38	18	17	66	16	907	704	15	13
09	ORLEANS	355	1	1	3	58	18	15	8	4	2	3	8	1	188	147	2	1
10	OSWEGO	936	-	-	4	141	49	30	19	16	3	4	20	20	524	386	10	7
11	FULTON	145	-	-	1	26	10	4	2	5	-	2	3	4	78	54	1	2
12	OSWEGO	228	-	-	1	39	8	10	8	4	2	-	7	6	142	106	4	2
13	BALANCE OF COUNTY	563	-	-	2	76	31	16	9	7	1	2	10	10	304	226	5	3
14	OTSEGO	614	2	-	1	115	34	27	11	17	7	9	10	6	353	267	3	2
15	ONEONTA	126	1	-	-	20	4	5	1	4	2	1	3	1	80	64	-	1
16	BALANCE OF COUNTY	488	1	-	1	95	30	22	10	13	5	8	7	5	273	203	3	1
17	PUTNAM	467	1	1	-	104	28	21	8	13	12	2	20	7	239	198	5	3
18	RENSSELAER	1,636	3	-	8	312	99	75	26	38	11	11	52	33	963	684	12	11
19	RENSSELAER	162	-	-	1	36	8	9	2	4	2	6	5	2	98	78	-	1
20	TROY	847	3	-	5	163	55	36	18	22	5	1	26	17	518	333	7	4
21	BALANCE OF COUNTY	627	-	-	2	113	36	30	6	12	4	4	21	14	347	273	5	6
22	ROCKLAND	1,594	1	1	7	333	95	74	46	34	17	11	56	27	807	617	15	11
23	SPRING VALLEY	183	-	-	1	32	10	5	2	5	3	2	5	3	93	80	3	2
24	BALANCE OF COUNTY	1,411	1	1	6	301	85	69	44	29	14	9	51	24	714	537	12	9
25	ST. LAWRENCE	1,097	2	-	10	196	62	47	17	18	8	7	37	34	609	449	8	18
26	MASSENA	140	-	-	2	29	5	7	3	2	2	1	9	5	78	55	2	3
27	OGDENSBURG	138	-	-	-	23	11	5	1	3	1	1	1	5	88	67	1	1
28	BALANCE OF COUNTY	819	2	-	8	144	46	35	13	13	5	5	27	24	443	327	5	14
29	SARATOGA	1,103	3	-	9	217	57	53	26	22	8	11	40	29	580	425	7	5
30	SARATOGA SPRINGS	220	1	-	2	43	12	7	6	4	3	2	9	8	114	80	1	-
31	BALANCE OF COUNTY	883	2	-	7	174	45	46	20	18	5	9	31	21	466	345	6	5
32	SCHENECTADY	1,659	3	-	7	308	92	69	36	33	18	12	48	29	935	725	8	5
33	SCHENECTADY	1,061	1	-	3	183	54	43	22	24	11	4	25	23	620	481	6	5
34	BALANCE OF COUNTY	598	2	-	4	125	38	26	14	9	7	8	23	6	315	244	2	-
35	SCHOHARIE	295	-	-	1	61	19	9	8	7	3	2	13	2	162	109	2	-
36	SCHUYLER	184	-	-	2	30	6	7	5	6	-	2	4	1	92	76	2	1
37	SENECA	348	-	-	2	60	17	17	4	8	3	1	10	8	193	144	5	6
38	STEUBEN	1,084	2	-	5	184	51	44	16	25	9	4	35	20	592	440	10	10
39	CORNING	175	2	-	-	30	13	7	2	1	1	1	5	8	96	63	1	3
40	HORNELL	187	-	-	3	28	6	8	2	5	1	1	5	-	106	86	1	1
41	BALANCE OF COUNTY	722	-	-	2	126	32	29	12	19	7	2	25	12	390	291	8	6
42	SUFFOLK	8,747	13	1	38	1,898	559	437	186	181	92	69	374	189	4,503	3,437	69	38
43	BABYLON	148	-	-	1	31	9	10	-	3	4	1	4	-	85	68	3	1
44	LINDENHURST	250	-	-	1	55	15	12	6	3	6	3	10	4	142	111	4	-
45	PATCHOGUE	167	1	-	-	31	12	8	-	8	2	-	1	4	85	71	-	-
46	BALANCE OF COUNTY	8,182	12	1	36	1,781	523	407	180	167	80	65	359	181	4,191	3,187	62	37
47	SULLIVAN	767	1	-	4	142	41	36	9	19	9	3	25	21	408	309	6	4
48	TIOGA	373	-	-	3	79	19	23	8	12	5	6	6	7	193	144	5	2
49	TOMPKINS	535	1	1	1	112	28	32	18	10	5	5	14	8	279	219	3	8
50	ITHACA	225	-	-	1	39	10	11	5	2	3	2	6	2	118	96	2	2
51	BALANCE OF COUNTY	310	-	1	-	73	18	21	13	8	2	3	8	6	161	123	1	6
52	ULSTER	1,512	1	-	2	273	94	43	33	26	13	12	52	15	886	648	10	9
53	KINGSTON	385	-	-	-	70	21	12	10	6	5	-	16	4	238	156	2	3
54	BALANCE OF COUNTY	1,127	1	-	2	203	73	31	23	20	8	12	36	11	648	492	8	6
55	WARREN	601	1	-	2	120	36	30	11	15	6	5	17	11	331	248	5	3
56	GLENS FALLS	274	1	-	1	49	13	13	5	6	4	-	8	7	155	113	1	1
57	BALANCE OF COUNTY	327	-	-	1	71	23	17	6	9	2	5	9	4	176	135	4	2
58	WASHINGTON	514	2	-	1	110	25	19	16	18	3	6	23	7	291	221	1	1
59	WAYNE	735	1	-	4	145	38	30	17	21	9	2	28	20	378	278	8	5
60	NEWARK	97	-	-	1	15	6	1	3	1	1	-	3	-	55	44	2	1
61	BALANCE OF COUNTY	638	1	-	3	130	32	29	14	20	8	2	25	20	323	234	6	4
62	WESTCHESTER	9,283	17	-	36	1,887	559	426	201	228	89	61	323	171	4,437	3,414	88	47
63	DOBBS FERRY	73	-	-	-	14	4	2	1	1	-	1	5	3	42	35	1	-
64	MAMARONECK	160	-	-	1	41	11	13	4	3	-	1	9	3	84	56	-	2
65	MOUNT VERNON	812	1	-	10	179	48	41	19	23	7	9	32	20	420	335	9	8
66	NEW ROCHELLE	710	1	-	2	143	50	31	15	14	9	3	21	8	408	317	9	10
67	OSSINING	189	2	-	-	38	10	10	3	6	2	-	7	3	108	80	1	-
68	PEEKSKILL	287	1	-	2	58	14	16	10	8	4	-	6	5	165	133	8	-
69	PORT CHESTER	284	-	-	-	64	17	12	5	7	2	2	19	5	149	117	5	-
70	RYE	179	1	-	-	42	13	11	4	4	4	3	3	5	94	65	2	1
71	SCARSDALE	170	-	-	2	56	16	8	9	7	3	3	10	3	90	66	2	1
72	TARRYTOWN	89	-	-	-	20	10	3	-	-	-	2	5	2	51	30	-	-
73	WHITE PLAINS	544	2	-	-	147	41	34	22	14	5	8	23	10	256	189	7	-
74	YONKERS	2,012	1	-	8	458	136	104	41	64	25	15	73	49	1,087	893	20	13
75	BALANCE OF COUNTY	2,774	8	-	11	627	189	141	68	77	28	14	110	55	1,483	1,098	24	12
76	WYOMING	349	-	-	1	52	13	9	9	4	3	4	10	8	183	126	-	3
77	YATES	243	-	-	2	45	13	7	9	5	1	5	5	4	139	110	2	-
78	**NORTH CAROLINA**	46,278	108	6	335	7,537	1,778	1,726	666	1,018	306	300	1,743	985	23,743	16,726	275	263
79	URBAN PLACES	15,507	44	4	109	2,627	660	590	244	346	107	104	576	318	7,853	5,457	109	78
80	BALANCE OF AREA	30,771	64	2	226	4,910	1,118	1,136	422	672	199	196	1,167	667	15,890	11,269	166	185

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
236	24	6	76	18	14	37	13	4	9	2	-	5	9	6	66	23	26	11	2	1	01
27	6	2	9	2	2	10	2	-	1	1	-	-	2	-	14	5	2	-	1	-	02
58	6	1	23	8	1	3	4	2	4	-	-	2	2	2	22	1	7	2	-	-	03
151	12	3	44	8	11	24	7	2	4	1	-	3	5	4	30	17	17	9	1	1	04
903	33	11	213	33	29	54	35	8	39	9	-	14	37	13	162	52	48	18	9	7	05
126	3	1	29	3	5	7	2	1	3	2	-	2	6	2	21	6	6	2	-	1	06
124	7	1	38	4	2	9	9	1	9	2	-	2	9	4	29	3	9	4	4	2	07
653	23	9	146	26	22	38	24	6	27	5	-	10	22	7	112	43	33	12	5	4	08
140	4	2	26	2	11	8	12	5	2	1	-	5	6	1	35	15	5	5	-	3	09
345	24	4	101	20	13	30	24	4	9	4	-	11	14	11	64	34	32	6	3	1	10
49	2	-	15	5	4	5	1	-	4	1	-	2	-	3	15	3	2	-	-	-	11
91	9	-	26	4	6	7	5	-	1	-	-	1	4	1	10	3	7	1	-	-	12
205	13	4	60	11	3	18	18	4	4	3	-	8	10	7	39	28	23	5	3	1	13
254	8	2	62	13	9	20	12	1	8	1	-	8	7	2	48	15	7	8	-	-	14
63	-	-	12	3	1	5	2	1	1	1	-	1	1	-	8	1	2	1	-	-	15
191	8	2	50	10	8	15	10	-	7	-	-	7	6	2	40	14	5	7	-	-	16
189	1	2	31	4	4	21	6	2	8	1	-	4	9	4	41	6	8	3	-	2	17
632	29	10	192	49	28	39	15	5	26	5	1	10	17	11	111	17	33	22	1	4	18
73	4	-	12	7	1	4	1	1	1	-	-	2	4	-	7	1	1	3	-	-	19
306	16	9	132	27	17	18	7	2	15	2	-	3	6	5	51	7	14	7	1	3	20
253	9	1	48	15	10	17	7	2	10	3	1	5	7	6	53	9	18	12	-	1	21
571	20	5	146	17	22	64	31	5	24	7	-	10	21	22	119	41	49	13	8	4	22
72	3	1	10	2	-	8	5	-	5	1	-	2	4	2	13	2	4	2	5	1	23
499	17	4	136	15	22	56	26	5	19	6	-	8	17	20	106	39	45	11	3	3	24
404	19	3	120	14	23	32	15	4	7	3	-	9	15	5	71	32	43	9	-	1	25
47	3	-	20	2	1	1	1	-	3	-	-	3	2	1	9	2	3	1	-	-	26
60	5	-	15	4	2	1	-	1	1	1	-	-	-	1	10	2	4	1	-	-	27
297	11	3	85	8	20	30	14	3	3	2	-	6	13	3	52	28	36	7	-	1	28
391	22	3	112	25	15	36	24	3	15	4	-	5	14	8	73	33	29	14	4	3	29
75	4	2	23	5	4	12	6	-	5	1	-	-	2	1	13	2	6	2	1	1	30
316	18	1	89	20	11	24	18	3	10	3	-	5	12	7	60	31	23	12	3	2	31
680	32	5	148	26	31	82	21	9	35	1	-	4	18	9	115	31	36	9	5	2	32
448	22	4	93	20	22	58	13	6	25	1	-	1	12	4	70	10	21	5	4	1	33
232	10	1	55	6	9	24	8	3	10	-	-	3	6	5	45	21	15	4	1	1	34
102	5	1	45	3	4	5	7	2	1	3	-	-	2	1	22	12	12	1	-	1	35
66	7	-	11	1	4	11	4	-	-	4	-	1	3	3	17	9	3	4	-	-	36
122	11	3	32	6	8	16	2	2	2	2	-	1	1	2	38	6	6	3	1	3	37
403	17	4	104	18	26	37	27	6	20	3	-	9	17	4	84	31	32	9	1	1	38
56	3	1	25	4	3	6	1	1	3	2	-	2	2	2	11	3	5	1	-	-	39
84	-	-	15	3	2	7	3	1	4	-	-	-	2	-	22	2	8	1	-	-	40
263	14	3	64	11	21	24	23	4	13	1	-	7	13	2	51	26	19	7	1	1	41
3,239	91	34	830	99	103	208	99	25	184	26	2	66	127	409	507	131	203	47	42	29	42
62	2	-	11	1	5	1	1	-	3	1	-	1	8	2	9	1	2	2	-	-	43
105	2	2	27	1	1	2	4	-	6	-	-	1	-	13	14	4	1	1	-	2	44
70	1	1	9	2	2	6	1	-	7	-	-	1	4	13	10	-	2	1	1	-	45
3,002	86	31	783	95	95	199	93	25	168	25	2	63	115	381	474	126	198	43	41	27	46
282	17	3	66	23	7	25	13	4	15	6	-	3	13	4	54	23	22	6	2	1	47
133	4	3	40	2	4	14	8	1	4	-	-	5	6	3	22	13	8	6	-	1	48
200	8	3	41	7	9	11	13	3	4	1	-	7	10	2	42	10	16	13	-	2	49
89	3	2	13	4	3	6	8	1	3	-	-	4	6	1	22	3	6	4	-	1	50
111	5	1	28	3	6	5	5	2	1	1	-	3	4	1	20	7	10	9	-	1	51
601	28	2	193	20	23	38	25	2	22	4	-	8	19	18	107	39	35	15	2	1	52
147	4	1	70	3	8	9	6	-	4	1	-	2	6	3	27	6	7	1	-	1	53
454	24	1	123	17	15	29	19	2	18	3	-	6	13	15	80	33	28	14	2	-	54
232	8	4	58	9	12	20	9	1	6	-	-	4	8	1	49	11	17	9	1	-	55
107	4	1	31	4	6	10	2	-	4	-	-	1	6	1	25	3	6	3	-	-	56
125	4	3	27	5	6	10	7	1	2	-	-	3	2	-	24	8	11	6	1	-	57
213	6	3	46	11	10	15	13	5	3	1	-	3	2	1	30	11	14	5	-	-	58
252	13	3	74	10	13	26	11	2	10	5	-	7	8	4	57	25	19	12	1	-	59
41	-	-	6	2	3	4	3	-	4	1	-	2	-	-	8	2	1	1	-	-	60
211	13	3	68	8	10	22	8	2	6	4	-	5	8	4	49	23	18	11	1	-	61
3,163	116	33	738	135	117	214	92	35	217	26	1	50	83	57	593	76	159	72	39	21	62
33	1	-	4	2	1	2	2	-	3	-	-	1	1	-	5	-	-	-	-	-	63
52	2	1	19	3	5	5	3	-	2	-	-	1	2	-	11	-	4	2	-	1	64
306	12	4	58	13	10	28	7	5	25	5	-	1	6	5	65	-	15	5	11	4	65
287	11	2	66	9	14	20	4	4	19	3	-	5	6	2	60	5	10	6	2	2	66
77	2	-	23	3	2	2	1	-	5	-	-	3	1	1	13	5	2	1	4	-	67
120	5	2	21	4	5	3	2	1	6	1	-	3	5	2	16	2	10	3	2	-	68
107	5	1	19	8	4	7	4	-	10	1	-	3	5	4	18	1	8	2	2	1	69
59	3	-	19	5	5	7	2	1	6	1	-	-	4	1	7	1	3	1	2	1	70
62	1	-	21	2	1	2	2	1	2	-	-	-	-	1	7	-	1	1	2	-	71
29	1	1	14	3	3	-	-	1	1	-	-	1	-	1	10	1	-	-	1	-	72
173	9	1	50	8	8	16	9	4	14	3	-	3	7	3	37	9	13	6	4	1	73
824	36	8	137	30	19	43	29	8	55	4	-	4	21	10	152	13	43	18	6	3	74
1,034	28	13	287	45	40	79	27	10	69	8	1	25	25	27	192	39	50	27	3	8	75
119	4	-	29	20	8	20	9	2	5	1	-	1	6	-	28	17	7	5	1	3	76
107	1	-	22	3	4	11	6	2	3	-	-	2	1	1	12	3	10	2	-	-	77
15,128	1,060	240	5,530	663	584	1,286	597	134	714	256	18	345	930	678	3,891	1,592	1,632	666	731	94	78
4,948	322	78	1,877	230	211	465	212	49	336	92	5	95	278	222	1,397	355	498	229	277	42	79
10,180	738	162	3,653	433	373	821	385	85	378	164	13	250	652	456	2,494	1,237	1,134	437	454	52	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA--CON.																		
01	METROPOLITAN COUNTIES...	15,833	42	3	114	2,659	622	601	248	344	98	104	642	296	7,927	5,583	103	79
02	URBAN PLACES.....	9,733	29	3	71	1,677	414	377	156	212	66	70	382	178	4,815	3,394	66	42
03	BALANCE OF AREA.....	6,100	13	-	43	982	208	224	92	132	32	34	260	118	3,112	2,189	37	37
04	NONMETROPOLITAN COUNTIES	30,445	66	3	221	4,878	1,156	1,125	418	674	208	196	1,101	689	15,816	11,143	172	184
05	URBAN PLACES.....	5,774	15	1	38	950	246	213	88	134	41	34	194	140	3,038	2,063	43	36
06	BALANCE OF AREA.....	24,671	51	2	183	3,928	910	912	330	540	167	162	907	549	12,778	9,080	129	148
07	ALAMANCE.....	910	1	-	4	167	39	32	23	14	9	6	44	18	493	344	3	3
08	BURLINGTON.....	363	1	-	2	66	14	15	7	7	4	1	18	7	201	141	3	-
09	BALANCE OF COUNTY....	547	-	-	2	101	25	17	16	7	5	5	26	11	292	203	-	3
10	ALEXANDER.....	158	-	-	-	26	8	3	2	5	1	1	6	3	83	58	1	-
11	ALLEGHANY.....	107	-	-	-	21	5	1	7	5	-	-	3	1	53	34	-	4
12	ANSON.....	234	-	-	1	40	8	7	2	4	6	-	13	4	129	89	3	7
13	ASHE.....	206	-	-	-	29	9	5	1	5	1	3	5	7	120	82	3	-
14	AVERY.....	148	-	-	1	21	6	3	1	3	1	1	6	1	81	64	2	-
15	BEAUFORT.....	415	4	-	4	72	16	16	5	13	8	-	14	6	212	143	4	-
16	BERTIE.....	261	-	-	-	41	12	11	2	4	2	1	9	2	148	93	1	3
17	BLADEN.....	308	1	-	-	44	10	10	1	7	3	1	12	7	172	111	-	1
18	BRUNSWICK.....	244	-	-	-	43	10	8	4	6	1	-	14	3	107	80	1	3
19	BUNCOMBE.....	1,684	4	-	12	301	83	63	26	45	17	8	59	40	863	580	10	9
20	ASHEVILLE.....	896	4	-	5	165	46	36	11	26	11	5	30	24	438	284	7	3
21	BALANCE OF COUNTY....	788	-	-	7	136	37	27	15	19	6	3	29	16	425	296	3	6
22	BURKE.....	479	2	-	5	66	14	16	7	5	6	5	13	8	225	157	3	2
23	HICKORY, PART.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	MORGANTON.....	108	1	-	3	12	2	4	2	-	1	-	3	3	44	29	-	1
25	BALANCE OF COUNTY....	371	1	-	2	54	12	12	5	5	5	5	10	5	181	128	3	1
26	CABARRUS.....	680	-	-	4	113	25	27	10	16	3	4	28	15	385	287	4	3
27	CONCORD.....	218	-	-	2	29	5	7	2	6	1	2	6	6	128	94	2	-
28	BALANCE OF COUNTY....	462	-	-	2	84	20	20	8	10	2	2	22	9	257	193	2	3
29	CALDWELL.....	463	-	-	-	82	18	16	4	13	5	5	21	16	217	160	2	1
30	LENOIR.....	134	-	-	-	32	7	8	1	6	4	1	5	3	68	48	1	1
31	BALANCE OF COUNTY....	329	-	-	-	50	11	8	3	7	1	4	16	13	149	112	1	-
32	CAMDEN.....	49	-	-	-	13	2	4	-	3	-	1	3	3	23	16	-	-
33	CARTERET.....	363	-	-	2	59	15	20	2	8	-	1	13	9	191	161	-	-
34	CASWELL.....	177	-	-	4	24	7	7	-	3	-	-	7	5	77	49	-	1
35	CATAWBA.....	761	1	-	4	117	29	25	9	12	10	4	28	23	402	282	8	5
36	HICKORY, PART.....	270	1	-	1	48	9	9	4	8	3	1	14	9	140	98	5	3
37	HICKORY, TOTAL.....	270	1	-	1	48	9	9	4	8	3	1	14	9	140	98	5	3
38	BALANCE OF COUNTY....	491	-	-	3	69	20	16	5	4	7	3	14	14	262	184	3	2
39	CHATHAM.....	306	-	-	1	55	17	12	6	5	-	1	14	3	158	109	2	5
40	CHEROKEE.....	186	-	-	1	41	13	12	5	4	1	1	5	3	94	65	-	-
41	CHOWAN.....	125	-	-	1	24	3	5	2	9	2	1	2	5	55	34	-	-
42	CLAY.....	73	-	-	1	10	2	3	-	-	-	1	4	1	42	31	1	-
43	CLEVELAND.....	663	2	-	3	111	35	21	15	10	5	3	22	19	355	281	4	5
44	SHELBY.....	187	-	-	-	34	8	7	7	2	3	1	6	5	95	70	2	1
45	BALANCE OF COUNTY....	476	2	-	3	77	27	14	8	8	2	2	16	14	260	211	2	4
46	COLUMBUS.....	470	-	-	3	66	12	17	3	13	2	3	16	14	238	168	1	7
47	CRAVEN.....	513	-	-	5	84	20	22	3	15	1	4	19	10	242	156	2	3
48	NEW BERN.....	207	-	-	1	40	10	9	3	9	-	2	7	6	100	66	-	1
49	BALANCE OF COUNTY....	306	-	-	4	44	10	13	-	6	1	2	12	4	142	90	2	2
50	CUMBERLAND.....	1,153	4	1	10	159	28	38	20	16	2	9	46	21	513	363	7	4
51	FAYETTEVILLE.....	576	1	1	6	96	18	24	12	7	2	7	26	12	251	176	4	2
52	BALANCE OF COUNTY....	577	3	-	4	63	10	14	8	9	-	2	20	9	262	187	3	2
53	CURRITUCK.....	117	-	-	1	20	2	7	2	4	-	1	4	3	60	44	-	2
54	DARE.....	84	-	-	-	20	6	4	2	-	1	-	7	5	45	31	-	1
55	DAVIDSON.....	724	-	-	7	109	30	18	9	15	10	2	25	13	406	304	3	6
56	HIGH POINT, PART.....	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
57	LEXINGTON.....	171	-	-	-	26	7	5	3	4	2	1	4	2	102	71	2	3
58	THOMASVILLE.....	137	-	-	1	13	2	1	1	2	3	-	4	3	87	67	-	1
59	BALANCE OF COUNTY....	414	-	-	6	69	21	12	4	9	5	1	17	8	216	166	1	2
60	DAVIE.....	184	1	-	-	40	5	6	2	6	2	1	18	7	96	70	1	2
61	DUPLIN.....	370	-	1	5	64	12	22	3	10	1	1	15	9	205	154	2	3
62	DURHAM.....	1,235	1	-	10	209	43	59	16	27	6	9	49	24	630	461	11	11
63	CHAPEL HILL, PART....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	DURHAM.....	983	-	-	7	168	35	46	9	21	6	7	44	20	505	367	9	9
65	BALANCE OF COUNTY....	252	1	-	3	41	8	13	7	6	-	2	5	4	125	94	2	2
66	EDGECOMBE.....	533	1	-	7	88	25	13	7	13	4	3	23	5	291	167	2	5
67	ROCKY MOUNT, PART....	191	1	-	4	34	14	6	2	2	1	1	8	-	103	60	1	2
68	BALANCE OF COUNTY....	342	-	-	3	54	11	7	5	11	3	2	15	5	188	107	1	3
69	FORSYTH.....	1,893	9	1	19	315	77	66	22	47	18	11	74	39	961	692	13	3
70	WINSTON-SALEM.....	1,303	8	1	15	217	57	47	15	32	11	7	48	26	634	444	5	1
71	BALANCE OF COUNTY....	590	1	-	4	98	20	19	7	15	7	4	26	13	327	248	8	2
72	FRANKLIN.....	254	-	-	2	47	15	11	3	8	2	1	7	5	110	83	-	2
73	GASTON.....	1,254	2	-	3	209	48	55	17	26	13	7	43	35	654	471	7	6
74	GASTONIA.....	489	2	-	3	76	23	20	5	8	2	2	16	16	240	165	3	5
75	BALANCE OF COUNTY....	765	-	-	-	133	25	35	12	18	11	5	27	19	414	306	4	1
76	GATES.....	79	1	-	1	11	3	2	3	1	-	-	2	2	39	29	2	-
77	GRAHAM.....	53	-	-	-	9	2	2	1	-	-	-	4	2	27	20	-	-
78	GRANVILLE.....	314	-	-	2	40	11	15	4	2	-	2	6	5	166	135	2	2
79	GREENE.....	118	2	-	2	22	4	7	1	5	-	1	4	3	57	40	-	-
80	GUILFORD.....	2,471	4	-	10	436	111	93	48	59	16	15	94	45	1,316	920	17	12
81	GREENSBORO.....	1,274	2	-	5	225	59	43	27	31	12	9	44	27	675	459	10	7
82	HIGH POINT, PART.....	630	2	-	4	102	30	21	10	15	-	2	24	10	340	250	5	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
5,035	366	64	1,843	222	215	449	226	54	304	95	3	115	330	238	1,462	421	543	246	266	40	01
3,073	213	42	1,121	121	137	290	138	34	220	67	1	60	179	147	934	205	322	142	186	35	02
1,962	158	22	722	101	78	159	88	20	84	28	2	55	151	91	528	216	221	104	80	5	03
10,093	694	176	3,687	441	369	837	371	80	410	161	15	230	600	440	2,429	1,171	1,089	420	465	54	04
1,875	109	36	756	109	74	175	74	15	116	25	4	35	99	75	463	150	176	87	91	7	05
8,218	585	140	2,931	332	295	662	297	65	294	136	11	195	501	365	1,966	1,021	913	333	374	47	06
322	16	7	106	16	20	23	12	4	10	5	-	5	11	11	70	19	30	16	11	-	07
130	8	2	43	7	8	11	3	-	7	1	-	1	3	4	23	7	16	7	3	-	08
192	8	5	63	9	12	12	9	4	3	4	-	4	8	7	47	12	14	9	8	-	09
54	3	1	20	2	2	1	-	1	2	1	-	-	1	-	17	8	9	2	3	1	10
18	12	-	17	-	2	6	1	1	-	-	-	2	1	1	11	5	4	-	-	-	11
75	4	5	31	2	2	6	1	-	1	1	-	2	3	4	17	9	7	2	6	1	12
75	4	-	27	9	2	6	3	1	2	-	-	-	4	2	16	-	10	4	2	-	13
61	1	1	15	-	1	8	2	1	-	1	-	4	2	-	13	5	5	1	2	-	14
123	16	5	55	5	4	8	9	-	7	1	-	-	7	4	28	22	18	7	4	2	15
85	4	4	46	1	4	6	2	1	3	1	-	1	7	6	23	5	8	4	2	1	16
100	10	2	49	6	4	4	4	-	7	1	1	3	5	7	14	12	18	3	5	-	17
57	19	1	19	6	1	5	3	-	1	4	-	-	14	8	18	19	17	1	1	-	18
532	29	8	218	37	20	50	35	9	18	7	-	6	28	26	148	33	60	25	14	5	19
257	17	4	126	17	7	25	18	3	16	5	-	2	8	13	88	19	34	19	6	4	20
275	12	4	92	20	13	25	17	6	2	2	-	4	20	13	60	14	26	6	8	1	21
140	12	2	55	5	6	16	8	-	12	3	1	4	14	-	42	31	22	10	10	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
27	1	1	12	1	1	5	2	-	7	-	-	1	4	-	13	3	6	2	2	-	24
113	11	1	43	4	5	11	6	-	5	3	1	3	10	-	29	28	16	8	8	-	25
253	27	1	89	1	7	27	7	1	5	3	1	5	4	13	50	16	9	12	8	2	26
83	9	1	29	1	3	8	3	1	1	1	-	3	-	7	16	4	1	4	4	-	27
170	18	-	60	-	4	19	4	-	4	2	1	2	4	6	34	12	8	8	4	2	28
152	5	2	45	7	3	20	7	1	5	2	-	5	13	7	27	18	21	14	8	-	29
46	-	-	17	2	1	4	-	-	3	-	-	-	2	2	7	3	2	4	4	-	30
106	5	2	28	5	2	16	7	1	2	2	-	5	11	5	20	15	19	10	4	-	31
13	3	-	6	-	1	2	-	-	-	1	-	-	-	1	4	1	-	-	-	1	32
152	9	1	24	3	2	13	4	-	7	2	-	2	10	6	25	11	14	3	4	1	33
46	2	-	24	2	2	6	2	-	2	3	-	2	2	2	29	5	6	5	2	1	34
253	16	3	95	11	11	16	9	2	10	6	-	4	23	16	63	23	27	6	7	2	35
85	5	-	33	6	3	8	2	2	5	1	-	-	6	3	28	2	11	-	2	1	36
85	5	-	33	6	3	8	2	2	5	1	-	-	6	3	28	2	11	-	2	1	37
168	11	3	62	5	8	8	7	-	5	5	-	4	17	13	35	21	16	6	5	1	38
97	5	5	36	3	5	10	7	-	2	2	-	2	1	-	27	12	16	5	4	1	39
63	2	-	23	2	4	5	2	-	2	-	-	-	1	1	14	6	10	3	3	-	40
32	2	-	12	8	1	3	2	-	4	-	-	-	2	8	11	2	6	2	-	-	41
28	2	-	10	1	-	3	2	-	-	-	-	-	1	-	9	1	1	2	-	-	42
266	6	3	53	10	8	13	12	3	6	1	-	6	19	9	43	17	22	7	15	-	43
65	2	-	19	5	1	1	4	-	3	1	-	1	4	4	13	2	10	4	6	-	44
201	4	3	34	5	7	12	8	3	3	-	-	5	15	5	30	15	12	3	9	-	45
133	27	1	62	5	2	12	10	1	7	3	-	2	8	17	25	27	17	6	13	1	46
138	13	4	70	8	4	14	7	-	8	6	-	5	19	9	40	23	26	5	8	2	47
61	4	1	29	4	-	4	2	-	4	4	-	-	7	4	15	6	10	1	3	-	48
77	9	3	41	4	4	10	5	-	4	2	-	5	12	5	25	17	16	4	5	2	49
328	24	6	121	11	12	33	7	4	21	8	1	19	55	31	110	45	51	19	36	5	50
159	11	2	61	6	6	17	3	3	13	5	-	6	20	15	62	16	24	9	14	2	51
169	13	4	60	5	6	16	4	1	8	3	1	13	35	16	48	29	27	10	22	3	52
41	1	-	14	1	1	2	2	-	-	-	-	-	6	1	8	7	5	2	-	-	53
30	-	-	11	-	3	2	1	-	1	-	-	1	1	-	4	1	3	-	-	-	54
283	12	1	86	5	10	20	5	6	5	4	-	5	15	4	65	27	11	11	11	-	55
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
64	2	-	27	-	4	6	2	2	2	1	-	-	2	2	9	3	2	4	6	-	57
64	2	-	14	3	3	1	1	1	1	-	-	1	4	-	14	5	2	1	2	-	58
155	8	1	44	2	3	13	3	3	2	2	-	4	9	2	42	19	7	6	3	-	59
65	2	4	20	2	-	7	-	-	-	1	-	1	2	-	16	8	4	1	-	-	60
140	9	4	42	2	3	6	5	-	4	4	-	3	3	1	33	9	12	1	3	2	61
408	31	2	135	16	16	32	20	2	23	9	-	5	15	12	141	21	36	16	25	4	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
322	27	2	112	11	13	23	16	2	19	8	-	2	13	9	111	8	32	14	23	3	64
86	4	-	23	5	3	9	4	-	4	1	-	3	2	3	30	13	4	2	2	1	65
152	8	7	103	9	5	10	3	-	7	1	1	4	13	5	44	19	22	7	4	1	66
55	2	2	37	2	2	6	1	-	3	-	1	1	3	-	18	7	6	2	1	-	67
97	6	5	66	7	3	4	2	-	4	1	-	3	10	5	26	12	16	5	3	1	68
643	33	4	222	16	27	69	26	3	31	10	1	10	37	24	163	59	54	29	27	6	69
413	25	3	161	9	17	51	18	3	22	8	1	6	25	18	120	42	43	18	21	6	70
230	8	1	61	7	10	18	8	-	9	2	-	4	12	6	43	17	11	11	6	-	71
79	2	-	23	-	4	8	4	-	2	1	-	3	5	7	24	11	13	5	6	1	72
439	19	1	136	31	15	25	14	5	29	3	-	12	32	17	91	39	38	16	29	1	73
148	9	1	52	18	4	13	4	2	18	-	-	2	11	7	44	16	16	7	11	1	74
291	10	-	84	13	11	12	10	3	11	3	-	10	21	10	47	23	22	9	18	-	75
24	3	-	10	-	-	4	3	-	-	-	-	-	2	-	5	9	1	-	1	-	76
17	3	1	6	-	-	2	-	2	1	-	-	-	-	-	2	2	4	-	1	1	77
119	12	-	20	3	8	6	11	-	5	2	-	4	6	4	31	13	8	6	5	-	78
36	4	1	13	2	1	5	2	-	1	2	1	-	2	1	7	8	3	-	-	-	79
847	44	15	312	35	34	55	21	8	57	8	-	14	52	32	232	40	77	31	29	4	80
415	27	12	160	21	23	30	8	5	37	5	-	6	25	20	119	16	37	10	18	4	81
238	7	2	72	10	6	18	8	2	10	1	-	1	13	7	57	10	27	10	8	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA—CON.																	
	GUILFORD--CON.																	
01	HIGH POINT, TOTAL	633	2	-	4	104	30	21	12	15	-	2	24	10	341	250	5	1
02	BALANCE OF COUNTY	567	-	-	1	109	22	29	11	13	4	4	26	8	301	211	2	5
03	HALIFAX	595	3	-	4	96	19	26	9	13	8	-	21	12	302	194	1	4
04	ROANOKE RAPIDS	151	-	-	-	27	5	6	2	2	3	-	9	1	84	54	1	-
05	BALANCE OF COUNTY	444	3	-	4	69	14	20	7	11	5	-	12	11	218	140	1	4
06	HARNETT	479	2	-	3	87	19	27	8	10	1	3	19	16	237	189	1	3
07	HAYWOOD	400	-	-	5	58	16	9	3	6	2	4	18	9	230	155	1	1
08	HENDERSON	494	1	-	1	90	24	16	5	11	5	8	21	6	264	166	2	3
09	HERTFORD	241	3	-	1	47	11	14	3	9	4	3	3	3	110	85	-	1
10	HOKE	153	3	-	1	13	5	1	3	1	1	-	2	4	69	51	1	-
11	HYDE	66	-	-	-	8	1	3	-	1	-	1	2	2	35	24	-	-
12	IREDELL	703	2	1	4	124	38	29	11	16	4	7	19	17	344	238	3	3
13	STATESVILLE	214	1	1	1	39	12	11	4	5	2	2	3	7	98	75	1	1
14	BALANCE OF COUNTY	489	1	-	3	85	26	18	7	11	2	5	16	10	246	163	2	2
15	JACKSON	188	-	-	6	34	8	7	4	8	1	1	5	4	102	87	5	1
16	JOHNSTON	661	2	-	7	104	18	27	8	13	3	6	29	16	362	276	6	2
17	JONES	94	-	-	1	17	2	10	-	2	1	-	2	1	44	35	1	-
18	LEE	316	1	-	1	56	11	15	8	3	5	2	12	5	168	121	-	2
19	SANFORD	146	-	-	1	30	8	6	6	1	3	-	6	4	80	58	-	1
20	BALANCE OF COUNTY	170	1	-	-	26	3	9	2	2	2	2	6	1	88	63	-	1
21	LENOIR	513	-	-	6	65	17	13	4	15	-	2	14	14	274	180	5	4
22	KINSTON	272	-	-	4	34	9	9	2	9	-	1	4	10	138	88	5	3
23	BALANCE OF COUNTY	241	-	-	2	31	8	4	2	6	-	1	10	4	136	92	-	1
24	LINCOLN	312	-	-	3	46	12	15	2	7	3	1	6	10	158	107	1	2
25	MC DOWELL	256	-	-	1	44	16	6	2	4	2	2	12	2	126	88	1	-
26	MACON	164	-	-	1	33	10	11	4	3	-	1	4	5	94	75	1	5
27	MADISON	143	-	1	1	25	4	6	3	2	1	-	9	4	74	55	-	-
28	MARTIN	243	-	-	4	32	6	7	5	5	3	3	3	4	122	93	2	5
29	MECKLENBURG	2,881	7	1	22	506	115	123	52	64	17	26	109	40	1,377	1,016	18	14
30	CHARLOTTE	2,202	6	1	18	377	89	90	42	47	14	21	74	30	1,048	774	16	10
31	BALANCE OF COUNTY	679	1	-	4	129	26	33	10	17	3	5	35	10	329	242	2	4
32	MITCHELL	131	1	-	-	22	7	7	1	2	-	-	5	4	59	43	3	-
33	MONTGOMERY	223	1	-	1	37	10	12	1	6	-	1	7	12	117	82	1	-
34	MOORE	428	2	-	4	76	22	17	6	8	2	4	17	8	235	160	1	3
35	NASH	564	1	-	7	88	17	15	8	11	2	5	30	4	305	195	3	3
36	ROCKY MOUNT, PART	225	-	-	1	36	12	7	2	2	-	1	12	1	128	82	3	2
37	ROCKY MOUNT, TOTAL	416	1	-	5	70	26	13	4	4	1	2	20	1	231	142	4	4
38	BALANCE OF COUNTY	339	1	-	6	52	5	8	6	9	2	4	18	3	177	113	-	1
39	NEW HANOVER	804	2	-	2	124	28	33	8	20	4	3	28	14	412	298	5	8
40	WILMINGTON	497	2	-	-	83	20	19	4	11	2	3	24	7	237	169	4	7
41	BALANCE OF COUNTY	307	-	-	2	41	8	14	4	9	2	-	4	7	175	129	1	1
42	NORTHAMPTON	242	-	-	-	35	10	6	2	4	-	1	12	9	126	77	1	1
43	ONSLOW	448	-	-	7	48	8	14	-	9	2	2	13	7	157	111	3	2
44	JACKSONVILLE	92	-	-	2	12	2	3	-	1	2	-	4	2	28	20	-	1
45	BALANCE OF COUNTY	356	-	-	5	36	6	11	-	8	-	2	9	5	129	91	3	1
46	ORANGE	340	1	-	1	52	10	10	7	6	1	6	12	2	166	114	2	1
47	CHAPEL HILL, PART	94	-	-	1	15	3	3	3	1	-	3	2	-	55	38	-	1
48	CHAPEL HILL, TOTAL	94	-	-	1	15	3	3	3	1	-	3	2	-	55	38	-	1
49	BALANCE OF COUNTY	246	1	-	-	37	7	7	4	5	1	3	10	2	111	76	2	-
50	PAMLICO	99	1	-	-	9	1	4	-	1	1	-	2	1	58	44	1	-
51	PASQUOTANK	274	-	-	1	52	12	14	8	13	1	-	4	10	132	96	1	1
52	ELIZABETH CITY	178	-	-	-	31	7	9	5	8	-	-	2	7	90	62	-	-
53	BALANCE OF COUNTY	96	-	-	1	21	5	5	3	5	1	-	2	3	42	34	-	1
54	PENDER	189	1	-	1	40	9	11	4	2	2	2	10	5	82	47	-	-
55	PERQUIMANS	98	-	-	-	18	5	3	2	1	2	1	4	3	57	38	1	-
56	PERSON	270	-	-	4	42	9	9	5	6	2	1	10	4	126	91	7	1
57	PITT	685	4	-	-	91	18	22	9	18	1	3	20	10	361	255	4	4
58	GREENVILLE	231	3	-	-	30	6	9	2	3	-	-	10	3	122	83	4	1
59	BALANCE OF COUNTY	454	1	-	-	61	12	13	7	15	1	3	10	7	239	172	1	3
60	POLK	149	-	-	-	25	7	5	4	2	1	1	5	4	89	70	1	-
61	RANDOLPH	656	1	-	5	97	29	15	8	6	6	2	31	13	368	244	3	6
62	ASHEBORO	164	-	-	1	26	9	6	1	3	2	-	5	2	93	53	1	1
63	HIGH POINT, PART	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
64	BALANCE OF COUNTY	491	1	-	4	70	20	9	6	3	4	2	26	11	275	191	2	5
65	RICHMOND	474	-	-	4	52	10	12	6	4	3	4	13	11	269	183	4	1
66	ROBESON	856	3	-	9	117	29	23	10	18	9	11	17	24	401	238	4	6
67	LUMBERTON	165	-	-	3	24	7	6	3	1	1	3	3	6	90	49	-	1
68	BALANCE OF COUNTY	691	3	-	6	93	22	17	7	17	8	8	14	18	311	189	4	5
69	ROCKINGHAM	805	1	-	11	131	27	16	15	27	5	7	34	21	426	283	3	9
70	EDEN	204	-	-	1	38	11	5	2	8	1	3	8	4	118	73	2	2
71	REIDSVILLE	171	1	-	2	27	8	2	3	2	2	3	7	5	88	63	-	1
72	BALANCE OF COUNTY	430	-	-	8	66	8	9	10	17	2	1	19	12	220	147	1	6
73	ROWAN	839	-	-	3	156	38	41	15	20	5	9	28	23	457	318	5	6
74	SALISBURY	255	-	-	-	48	14	15	4	8	-	2	5	8	140	99	2	2
75	BALANCE OF COUNTY	584	-	-	3	108	24	26	11	12	5	7	23	15	317	219	3	4
76	RUTHERFORD	476	3	-	2	85	22	16	7	13	1	2	24	7	240	184	3	1
77	SAMPSON	494	2	-	6	70	15	18	3	12	4	4	14	15	268	211	2	7
78	SCOTLAND	279	1	-	1	40	8	9	8	2	-	1	12	10	148	96	4	3
79	STANLY	458	2	-	1	69	18	16	9	9	3	4	10	8	262	188	2	-
80	ALBEMARLE	140	1	-	-	24	6	3	1	5	3	2	4	2	72	44	1	-
81	BALANCE OF COUNTY	318	1	-	1	45	12	13	8	4	-	2	6	6	190	144	1	1
82	STOKES	220	-	-	3	34	8	8	4	4	2	-	8	6	102	74	1	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
238	7	2	73	10	6	18	8	2	10	1	-	1	13	7	57	10	27	10	8	-	01
194	10	1	80	4	5	7	5	1	10	2	-	7	14	5	56	14	13	11	3	-	02
179	10	6	72	21	9	21	4	2	12	5	-	2	17	7	41	19	25	12	9	2	03
51	2	-	24	4	2	2	1	2	4	1	-	2	3	1	12	-	4	5	1	2	04
128	8	6	48	17	7	19	3	1	8	4	-	-	14	6	29	19	21	7	8	-	05
170	15	1	35	7	5	8	3	-	3	1	-	7	10	6	36	31	17	5	6	1	06
145	8	1	64	4	6	8	11	2	11	-	-	-	7	-	28	7	18	4	2	-	07
155	6	4	69	14	11	17	11	3	4	5	-	4	2	4	42	9	18	6	7	-	08
76	8	3	22	1	1	3	3	1	3	4	-	1	7	6	18	16	7	2	6	-	09
49	1	3	13	1	1	8	-	-	4	1	-	2	2	10	13	15	4	1	5	-	10
20	4	-	7	3	1	4	-	-	-	2	-	4	-	1	7	3	3	1	-	-	11
219	13	2	87	7	10	15	6	1	8	4	-	2	25	8	65	21	29	12	12	2	12
69	4	1	18	2	2	6	3	1	7	2	-	2	7	3	22	4	8	4	5	1	13
150	9	1	69	5	8	9	3	1	7	2	-	1	18	5	43	17	21	8	7	1	14
81	-	1	8	4	2	6	1	-	3	-	-	3	1	2	10	4	4	5	3	-	15
254	14	2	65	11	8	14	7	-	7	3	-	7	8	12	42	31	22	9	6	2	16
32	2	1	6	-	2	3	-	-	2	-	-	1	3	-	11	3	2	3	3	-	17
114	5	6	34	5	2	4	3	1	3	1	-	-	6	2	28	10	12	6	9	-	18
54	3	2	16	3	1	2	1	-	1	-	-	-	1	-	9	4	3	4	3	-	19
40	2	4	18	2	1	2	2	-	2	1	-	-	5	2	19	6	9	2	6	-	20
162	9	4	78	6	6	17	9	2	4	2	-	3	7	12	39	21	20	8	9	1	21
74	6	3	40	4	3	10	7	1	3	-	-	1	2	6	23	8	12	6	7	-	22
88	3	1	38	2	3	7	2	1	1	2	-	2	5	6	16	13	8	2	2	1	23
103	1	3	41	3	4	8	1	1	4	-	-	2	4	9	25	18	14	5	4	-	24
82	5	1	32	2	3	7	4	-	1	3	-	1	5	3	28	11	10	6	3	1	25
66	3	-	13	3	3	3	2	1	-	1	-	1	1	2	7	3	6	3	1	-	26
52	3	1	16	-	2	6	3	-	1	-	-	1	-	1	4	9	10	1	2	-	27
72	14	1	27	1	-	11	3	-	1	1	-	1	4	4	27	10	12	3	3	1	28
921	63	12	284	22	43	89	49	11	71	28	1	24	65	24	271	71	90	51	73	10	29
700	48	8	220	15	31	71	39	9	63	25	1	20	51	21	203	47	65	38	60	10	30
221	15	4	64	7	12	18	10	2	8	3	1	4	14	3	68	24	25	13	13	-	31
38	2	-	14	-	2	3	3	1	2	-	-	-	2	3	27	1	2	1	-	-	32
77	4	-	29	4	2	8	1	1	1	-	-	1	4	3	17	7	7	-	5	-	33
152	4	3	53	13	6	6	4	1	10	-	-	5	6	7	32	15	14	-	2	1	34
177	12	2	92	6	10	22	5	-	7	5	-	2	5	9	44	23	21	6	9	1	35
72	5	1	36	4	5	11	3	-	2	1	-	2	3	1	18	8	5	3	2	-	36
127	7	3	73	6	7	17	4	-	5	1	1	3	6	1	36	15	11	5	3	-	37
105	7	1	56	2	5	11	2	-	5	4	-	-	2	8	26	15	16	3	7	1	38
270	15	6	82	16	10	26	8	6	20	5	-	8	12	9	78	16	30	12	17	3	39
149	9	5	46	9	8	16	5	1	13	3	-	6	5	6	60	12	18	4	16	3	40
121	6	1	36	7	2	10	3	5	7	2	-	2	7	3	18	4	12	8	1	-	41
73	2	1	41	5	2	7	1	-	4	1	-	-	5	3	24	9	8	4	6	-	42
95	11	3	39	2	2	15	5	-	13	3	-	12	23	10	41	40	34	10	20	3	43
17	2	1	6	-	1	2	3	-	3	-	-	6	2	3	12	6	6	-	5	-	44
78	9	2	33	2	1	13	2	-	10	3	-	6	21	7	29	34	28	10	15	3	45
102	9	-	47	2	3	11	1	-	12	1	-	4	2	3	42	14	15	7	6	-	46
31	6	-	15	1	1	3	-	-	1	-	-	1	1	2	8	1	5	1	-	-	47
31	6	-	15	1	1	3	-	-	1	-	-	1	1	2	8	1	5	1	-	-	48
71	3	-	32	1	2	8	1	-	11	1	-	3	1	1	34	13	10	6	6	-	49
41	2	1	11	-	2	2	1	1	1	-	-	-	1	1	13	4	3	3	-	1	50
93	2	2	22	7	5	8	-	-	5	2	-	2	4	6	26	8	9	2	2	-	51
60	2	1	18	6	3	4	5	-	4	1	-	-	2	5	18	4	5	-	2	-	52
33	-	1	4	1	2	4	-	-	1	1	-	2	1	2	8	4	4	2	-	-	53
44	3	3	21	6	5	4	5	-	3	-	-	5	1	-	16	9	11	2	4	-	54
36	1	1	16	-	2	1	-	-	-	1	-	1	2	-	5	4	3	1	-	-	55
80	4	-	30	4	1	9	2	1	6	1	-	1	2	6	24	18	12	7	5	-	56
234	13	7	87	6	6	14	9	7	13	5	1	4	27	9	47	31	30	9	11	2	57
75	3	2	30	2	5	6	3	-	7	3	-	2	7	4	18	10	8	3	1	1	58
159	10	6	57	4	1	8	6	7	6	2	1	2	20	5	29	21	22	6	10	1	59
64	5	-	10	6	3	3	2	-	1	-	-	-	7	-	13	2	2	-	1	-	60
222	13	-	101	13	10	13	9	3	7	1	-	4	9	8	49	20	28	12	8	1	61
49	2	-	33	3	4	4	1	2	4	1	-	-	2	3	9	1	8	4	2	1	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
173	11	-	68	10	6	9	8	1	3	-	-	4	7	5	40	19	20	8	6	-	64
164	14	1	77	5	3	8	4	-	5	5	-	5	18	5	41	16	16	6	9	-	65
218	10	11	117	20	15	25	8	1	12	8	2	7	21	20	67	51	27	10	39	4	66
46	2	4	25	9	3	7	1	-	4	1	-	1	3	1	12	3	2	1	6	-	67
172	8	7	92	11	12	18	7	1	8	7	2	6	18	19	55	48	25	9	33	4	68
253	18	4	109	20	10	20	4	3	17	3	1	9	17	14	65	18	22	11	9	2	69
66	3	1	35	5	4	2	-	-	4	1	1	-	1	4	19	4	3	1	2	1	70
57	5	-	21	3	1	7	3	1	2	1	-	-	2	2	17	5	3	3	2	-	71
130	10	3	53	12	5	11	1	2	11	1	-	9	14	8	29	9	16	7	5	1	72
291	16	2	113	13	11	24	10	2	13	4	-	4	12	4	64	21	23	9	10	-	73
85	10	-	32	4	5	10	5	-	5	-	-	1	4	1	15	6	5	2	5	-	74
206	6	2	81	9	6	14	5	2	8	4	-	3	8	3	49	15	18	7	5	-	75
166	14	3	46	5	2	16	6	1	2	1	1	7	8	6	40	18	12	10	7	4	76
195	7	-	49	2	6	15	5	1	6	1	1	3	4	3	36	24	12	6	4	2	77
86	3	2	40	8	2	4	4	-	4	1	-	2	5	5	16	15	11	4	5	2	78
181	5	2	64	5	3	21	5	2	4	1	-	5	7	6	36	7	12	2	5	-	79
42	1	1	22	4	1	6	4	-	2	2	-	-	-	3	17	3	3	1	-	-	80
139	4	1	42	1	2	15	1	2	2	2	-	5	7	3	19	4	9	1	5	-	81
69	2	-	21	5	2	9	3	-	5	1	-	3	2	-	30	9	5	4	4	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-428)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA—CON.																	
01	SURRY	469	-	-	4	69	18	14	4	3	4	6	20	4	265	194	4	3
02	SWAIN	85	-	-	1	11	1	1	-	1	1	-	7	4	42	36	-	-
03	TRANSYLVANIA	151	-	-	2	24	6	6	1	4	-	1	6	5	83	56	-	1
04	TYRRELL	49	-	-	-	10	1	3	-	4	-	1	1	3	21	14	-	-
05	UNION	483	-	-	4	65	15	12	4	6	4	2	22	9	265	166	4	4
06	MONROE	144	-	-	1	26	9	4	-	2	3	1	7	2	72	48	1	1
07	BALANCE OF COUNTY	339	-	-	3	39	6	8	4	4	1	1	15	7	193	118	3	3
08	VANCE	351	1	-	3	75	16	17	8	12	-	5	17	5	169	127	4	1
09	HENDERSON	174	-	-	1	38	12	6	6	5	-	2	7	2	91	65	1	-
10	BALANCE OF COUNTY	177	1	-	2	37	4	11	2	7	-	3	10	3	78	62	3	1
11	WAKE	1,763	8	-	18	315	70	72	30	31	6	12	94	30	840	570	9	3
12	RALEIGH	969	4	-	8	176	39	38	21	16	3	5	54	18	467	332	4	-
13	BALANCE OF COUNTY	794	4	-	10	139	31	34	9	15	3	7	40	12	373	238	5	3
14	WARREN	201	1	-	2	34	10	8	2	8	-	-	6	4	100	71	1	1
15	WASHINGTON	153	-	-	3	19	4	6	1	4	-	-	4	1	82	56	3	3
16	WATAUGA	183	-	-	1	28	5	7	6	3	1	-	6	5	98	68	2	3
17	WAYNE	725	5	-	4	115	21	29	9	19	4	2	31	19	363	250	4	3
18	GOLDSBORO	325	2	-	2	58	14	15	5	11	-	2	11	10	167	117	2	2
19	BALANCE OF COUNTY	400	3	-	2	57	7	14	4	8	4	-	20	9	196	133	2	1
20	WILKES	437	-	-	3	59	8	12	3	9	2	6	19	7	246	187	1	1
21	WILSON	626	1	-	6	87	20	21	9	18	4	1	14	12	323	205	4	1
22	WILSON	354	1	-	3	43	12	10	3	9	-	1	8	8	195	122	2	1
23	BALANCE OF COUNTY	272	-	-	3	44	8	11	6	9	4	-	6	4	128	83	2	-
24	YADKIN	226	1	-	1	37	3	9	3	11	-	1	10	16	109	79	3	1
25	YANCEY	154	-	-	3	26	11	4	2	2	1	1	5	3	81	54	1	1
26	**NORTH DAKOTA**	5,766	8	1	36	1,044	292	173	89	163	68	52	207	95	3,060	2,220	42	41
27	URBAN PLACES	1,596	6	1	8	304	83	55	29	47	16	17	57	30	817	578	8	9
28	BALANCE OF AREA	4,170	2	-	28	740	209	118	60	116	52	35	150	65	2,243	1,642	34	32
29	METROPOLITAN COUNTIES	579	2	-	5	110	33	20	9	12	14	4	18	9	287	198	3	-
30	URBAN PLACES	409	2	-	3	80	23	14	8	10	8	4	13	7	202	126	1	-
31	BALANCE OF AREA	170	-	-	2	30	10	6	1	2	6	-	5	2	85	72	2	-
32	NONMETROPOLITAN COUNTIES	5,187	6	1	31	934	259	153	80	151	54	48	189	86	2,773	2,022	39	41
33	URBAN PLACES	1,187	4	1	5	224	60	41	21	37	8	13	44	23	615	452	7	9
34	BALANCE OF AREA	4,000	2	-	26	710	199	112	59	114	46	35	145	63	2,158	1,570	32	32
35	ADAMS	29	-	-	-	7	2	2	2	-	-	-	1	-	12	10	-	-
36	BARNES	165	-	-	2	31	6	6	6	5	1	3	4	2	96	69	2	-
37	BENSON	104	-	-	-	19	5	4	4	2	2	1	1	1	45	32	-	-
38	BILLINGS	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
39	BOTTINEAU	117	-	-	3	24	4	8	2	3	1	-	6	2	60	50	1	1
40	BOWMAN	46	-	-	-	9	2	-	-	3	2	-	2	2	28	19	1	-
41	BURKE	46	1	-	-	8	4	1	-	1	-	-	2	-	22	12	-	-
42	BURLEIGH	299	-	-	2	61	12	13	6	14	1	4	11	5	152	115	5	-
43	BISMARCK	256	-	-	2	54	10	11	5	13	1	4	10	4	131	96	4	-
44	BALANCE OF COUNTY	43	-	-	-	7	2	2	1	1	-	-	1	1	21	19	1	-
45	CASS	579	2	-	5	110	33	20	9	12	14	4	18	9	287	198	3	-
46	FARGO	409	2	-	3	80	23	14	8	10	8	4	13	7	202	126	1	-
47	BALANCE OF COUNTY	170	-	-	2	30	10	6	1	2	6	-	5	2	85	72	2	-
48	CAVALIER	84	-	-	-	16	5	3	2	-	1	2	3	2	48	41	1	1
49	DICKEY	89	-	-	-	15	4	2	1	1	-	-	7	1	61	48	-	-
50	DIVIDE	60	1	-	1	10	2	-	-	1	1	2	4	1	29	17	-	-
51	DUNN	45	-	-	-	8	-	3	1	-	1	-	3	-	19	17	-	-
52	EDDY	40	-	-	-	5	3	-	-	1	-	-	1	-	21	11	-	1
53	EMMONS	91	-	-	-	13	3	4	-	2	-	2	2	1	26	18	1	-
54	FOSTER	51	-	-	-	10	1	2	1	1	1	-	4	-	32	17	1	-
55	GOLDEN VALLEY	23	-	-	1	3	1	-	-	1	-	-	1	-	15	9	-	-
56	GRAND FORKS	442	3	1	1	76	22	14	6	11	4	3	16	6	220	175	3	9
57	GRAND FORKS	292	3	1	1	55	14	9	5	8	2	3	14	4	135	101	-	3
58	BALANCE OF COUNTY	150	-	-	-	21	8	5	1	3	2	-	2	2	85	74	3	6
59	GRANT	53	-	-	1	12	3	1	-	2	1	-	5	-	31	21	-	-
60	GRIGGS	60	-	-	2	13	8	3	1	-	-	1	-	1	24	19	-	1
61	HETTINGER	47	-	-	-	6	3	-	-	1	-	1	1	-	34	26	1	1
62	KIDDER	45	-	-	-	11	2	4	-	1	-	-	4	1	22	17	-	1
63	LA MOURE	97	-	-	-	15	7	1	1	5	1	-	-	1	62	49	2	-
64	LOGAN	38	-	-	1	7	1	3	2	1	-	-	-	1	21	18	-	-
65	MC HENRY	92	-	-	-	17	5	2	1	1	1	2	5	1	52	36	-	3
66	MC INTOSH	60	-	-	1	18	7	1	3	3	-	-	4	1	32	26	-	-
67	MC KENZIE	49	-	-	-	11	4	2	-	-	-	-	5	1	17	12	1	-
68	MC LEAN	118	-	-	-	19	5	1	-	3	4	1	5	1	71	51	-	-
69	MERCER	73	-	-	-	15	2	5	1	1	3	2	1	2	31	26	-	-
70	MORTON	200	-	-	2	31	9	7	3	5	1	1	5	3	108	88	1	1
71	MANDAN	93	-	-	1	16	5	5	1	2	1	-	2	3	49	41	1	-
72	BALANCE OF COUNTY	107	-	-	1	15	4	2	2	3	-	1	3	-	59	47	-	1
73	MOUNTRAIL	106	-	-	1	17	6	2	-	3	1	1	4	5	37	25	-	-
74	NELSON	87	-	-	-	13	3	3	2	2	2	-	1	-	56	47	1	1
75	OLIVER	16	-	-	-	3	2	-	-	-	-	-	1	1	7	6	-	-
76	PEMBINA	152	-	-	1	27	7	6	1	4	1	1	7	5	90	49	-	2
77	PIERCE	65	-	-	1	8	4	-	-	-	1	1	2	2	28	17	1	-
78	RAMSEY	153	-	-	-	33	8	6	2	8	2	1	6	3	86	58	3	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
175	12	4	52	7	8	14	3	3	4	2	-	1	9	9	32	17	17	12	4	-	01
36	-	-	5	1	-	4	1	-	1	-	-	-	2	2	12	3	2	-	-	-	02
53	2	1	21	3	2	4	5	1	-	-	1	1	2	4	13	2	2	1	1	-	03
13	1	-	6	-	1	-	1	-	3	-	-	-	1	1	6	-	3	-	-	-	04
123	35	1	75	17	6	12	8	-	7	2	-	6	10	6	34	27	16	5	7	-	05
39	7	-	16	6	2	1	2	-	4	-	-	2	3	2	10	6	7	2	4	-	06
84	28	1	59	11	4	11	6	-	3	2	-	4	7	4	24	21	9	3	3	-	07
112	10	4	35	1	2	13	3	2	7	4	-	3	3	3	19	15	15	6	5	-	08
57	7	3	21	-	2	8	1	1	3	1	-	2	1	1	5	8	7	4	1	-	09
55	3	1	14	1	-	5	2	1	4	3	-	1	3	2	14	7	8	2	4	-	10
514	44	8	207	27	28	49	36	6	35	10	-	14	28	47	164	49	58	31	23	2	11
301	27	4	99	13	19	31	20	4	18	6	-	8	13	31	87	27	22	13	14	2	12
213	17	4	108	14	9	18	16	2	17	4	-	6	15	16	77	22	36	18	9	-	13
63	6	1	25	1	2	5	4	-	1	1	-	-	2	5	17	9	10	1	5	-	14
38	10	2	18	2	4	4	1	1	2	2	-	2	3	5	13	4	11	-	-	-	15
58	5	-	25	2	3	5	4	-	1	-	-	1	1	1	19	7	6	5	1	-	16
236	7	6	89	10	8	25	6	2	13	-	-	11	13	15	64	27	18	11	14	-	17
108	5	5	38	5	2	13	4	2	8	-	-	4	5	4	17	6	12	7	4	-	18
128	2	1	51	5	6	12	2	-	5	-	-	7	8	11	47	21	6	4	10	-	19
110	75	-	51	2	6	5	6	-	3	-	-	2	10	13	33	25	15	8	2	-	20
191	9	6	94	11	7	19	11	-	12	4	2	6	10	11	47	34	23	9	9	-	21
114	5	3	61	5	4	12	7	-	9	1	2	3	8	4	29	13	8	7	1	-	22
77	4	3	33	6	3	7	4	-	3	3	-	3	2	7	18	21	15	2	8	-	23
68	7	1	20	4	5	5	3	2	1	2	-	1	3	8	12	7	11	7	-	-	24
46	6	-	22	4	1	7	1	1	1	-	-	1	5	-	11	6	8	-	-	-	25
1,980	157	21	618	116	85	227	85	26	55	30	2	56	101	37	395	183	225	74	12	14	26
536	25	7	158	40	34	60	31	4	12	7	1	16	37	15	120	41	53	26	2	5	27
1,444	132	14	460	76	51	167	54	22	43	23	1	40	64	22	275	142	172	48	10	9	28
177	18	2	66	14	7	23	11	3	5	1	1	6	12	4	41	17	24	13	2	3	29
115	10	2	56	13	5	16	11	1	2	1	1	3	11	1	31	9	15	11	-	2	30
62	8	-	10	1	2	7	-	2	3	-	-	3	1	3	10	8	9	2	2	1	31
1,803	139	19	552	102	78	204	74	23	50	29	1	50	89	33	354	166	201	61	10	11	32
421	15	5	102	27	29	44	20	3	10	6	-	13	26	14	89	32	38	15	2	3	33
1,382	124	14	450	75	49	160	54	20	40	23	1	37	63	19	265	134	163	46	8	8	34
9	1	-	2	-	-	2	-	-	1	-	-	-	-	-	4	-	2	1	-	-	35
60	7	-	16	9	2	10	1	-	2	-	-	1	-	-	9	8	3	-	-	-	36
30	2	1	4	6	2	3	3	-	1	-	-	3	1	-	8	5	11	2	2	-	37
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
44	4	-	10	-	-	3	-	-	-	2	-	-	1	-	13	2	6	1	-	-	39
16	2	-	7	2	-	-	1	-	1	-	-	1	-	-	1	2	-	1	-	-	40
11	1	1	5	3	1	2	-	-	-	-	-	-	-	-	4	3	6	-	-	-	41
105	5	1	26	5	5	8	5	1	1	-	-	3	8	5	21	12	8	7	-	-	42
88	4	1	25	4	5	6	4	1	1	-	-	3	5	4	19	10	7	5	-	-	43
17	1	-	1	1	-	2	1	-	-	-	-	3	1	1	2	2	1	2	-	-	44
177	18	2	66	14	7	23	11	3	5	1	1	6	12	4	41	17	24	13	2	3	45
115	10	2	56	13	5	16	11	1	2	1	1	3	11	1	31	9	15	11	-	2	46
62	8	-	10	1	2	7	-	2	3	-	-	3	1	3	10	8	9	2	2	1	47
35	4	-	7	-	-	1	3	-	-	-	-	2	2	1	3	2	4	-	-	-	48
46	2	3	8	1	1	3	1	-	2	-	-	1	-	-	2	2	1	-	-	-	49
16	1	-	10	-	2	1	3	2	1	-	-	-	1	-	4	2	3	1	-	-	50
13	4	-	-	1	1	2	1	-	1	-	-	-	-	-	4	7	3	-	-	-	51
9	1	-	6	1	3	8	-	-	1	-	-	-	-	-	1	1	2	1	-	-	52
13	4	-	7	-	1	3	-	-	-	1	-	-	-	-	4	1	2	-	-	-	53
15	1	-	15	-	-	1	-	-	-	-	-	3	1	-	2	-	1	-	1	-	54
7	2	-	4	1	1	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	55
154	9	-	26	8	11	15	7	2	7	1	1	7	15	1	38	8	23	7	1	2	56
94	4	-	18	7	9	11	6	1	4	1	-	5	8	1	26	6	16	5	1	2	57
60	5	-	8	1	2	4	1	1	3	-	1	2	7	-	12	2	7	2	-	-	58
17	4	-	9	-	1	1	1	1	-	-	-	-	1	-	2	1	1	-	-	-	59
15	4	-	4	1	-	4	1	-	-	-	-	-	1	1	5	3	5	-	-	-	60
24	-	-	6	2	-	2	-	-	1	1	-	-	-	-	1	1	1	-	-	-	61
10	6	-	3	-	2	3	1	-	-	-	-	-	-	-	4	2	1	-	-	-	62
46	1	-	10	2	1	3	2	-	-	2	-	1	-	-	4	1	5	-	1	-	63
18	-	-	3	-	-	1	-	-	-	-	-	-	-	-	4	-	3	-	-	-	64
31	2	3	8	4	1	3	-	-	1	-	-	-	1	1	5	4	2	5	-	-	65
25	1	1	4	-	1	1	1	1	-	-	-	-	-	-	-	2	2	1	-	-	66
11	-	-	4	1	-	6	-	-	-	-	-	-	2	-	5	2	3	1	-	1	67
50	1	-	18	1	1	5	3	-	2	-	-	1	1	-	5	2	7	1	-	-	68
26	-	-	5	-	-	3	2	-	-	1	-	-	1	5	9	1	3	-	-	-	69
82	4	-	13	1	6	5	2	2	1	1	-	4	6	-	12	10	6	5	-	2	70
39	1	-	4	-	4	1	1	-	-	-	-	2	3	-	7	6	2	1	-	1	71
43	3	-	9	1	2	4	1	2	1	1	-	2	3	-	5	4	4	4	-	1	72
24	1	-	9	2	1	4	2	1	1	2	-	2	3	1	18	6	3	1	1	1	73
36	9	-	7	-	2	4	-	-	-	1	-	-	-	1	6	2	2	2	-	-	74
4	2	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	75
42	5	-	34	6	1	1	2	-	1	1	-	2	3	1	6	4	8	-	-	-	76
15	1	1	7	2	1	-	1	1	1	1	-	-	4	-	9	4	5	1	-	-	77
50	4	-	26	2	-	5	1	1	3	1	-	-	2	-	9	2	7	-	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH DAKOTA—CON.																	
01	RANSOM	99	-	-	-	18	5	3	2	3	-	1	4	1	59	41	1	2
02	RENVILLE	48	-	-	2	9	2	1	1	2	1	-	2	-	27	21	1	1
03	RICHLAND	196	-	-	3	39	10	3	5	9	2	3	7	4	103	71	2	1
04	ROLETTE	107	-	-	1	21	5	2	1	3	3	1	6	2	35	29	1	-
05	SARGENT	61	-	-	1	4	1	1	-	-	1	-	1	1	42	29	-	-
06	SHERIDAN	35	-	-	1	6	2	-	1	1	-	1	1	1	18	13	1	-
07	SIOUX	34	-	-	-	1	-	1	-	-	-	-	-	-	12	11	-	-
08	SLOPE	11	-	-	-	1	-	-	-	-	-	-	1	-	8	7	1	-
09	STARK	154	-	-	1	19	5	4	1	3	1	-	5	2	94	71	2	5
10	DICKINSON	81	-	-	1	12	5	3	-	-	1	-	3	2	52	38	1	1
11	BALANCE OF COUNTY	73	-	-	-	7	-	1	1	3	-	-	2	-	42	33	1	5
12	STEELE	36	-	-	-	4	-	1	-	2	-	-	1	1	23	15	-	1
13	STUTSMAN	210	-	-	-	36	10	7	4	9	1	1	4	3	119	84	1	6
14	JAMESTOWN	123	-	-	-	21	6	5	2	3	-	1	4	3	71	52	1	5
15	BALANCE OF COUNTY	87	-	-	-	15	4	2	2	6	1	-	-	-	48	32	-	1
16	TOWNER	41	-	-	-	8	1	1	-	2	-	2	2	1	27	20	1	-
17	TRAILL	132	-	-	-	27	15	1	2	3	1	3	2	3	79	48	2	1
18	WALSH	185	-	-	1	37	8	4	3	8	4	-	10	4	102	79	-	3
19	WARD	394	1	-	-	75	21	10	10	13	6	4	11	9	193	135	1	2
20	MINOT	239	1	-	-	53	16	8	7	9	2	3	8	7	121	90	-	1
21	BALANCE OF COUNTY	155	-	-	-	22	5	2	3	4	4	1	3	2	72	45	-	1
22	WELLS	80	-	-	-	15	4	4	-	2	-	1	4	1	45	35	-	-
23	WILLIAMS	160	-	-	1	23	8	1	2	5	1	2	4	1	90	60	1	-
24	WILLISTON	103	-	-	-	13	4	-	1	2	1	2	3	-	56	34	-	-
25	BALANCE OF COUNTY	57	-	-	1	10	4	1	1	3	-	-	1	1	34	26	1	-
26	**OHIO**	99,254	135	31	513	18,403	5,069	4,334	1,671	2,209	877	739	3,504	2,215	53,781	39,407	683	845
27	URBAN PLACES	61,674	94	16	342	11,648	3,312	2,798	1,092	1,325	561	444	2,116	1,396	32,931	24,114	421	553
28	BALANCE OF AREA	37,580	41	15	171	6,755	1,757	1,536	579	884	316	295	1,388	819	20,850	15,293	262	292
29	METROPOLITAN COUNTIES	74,507	107	22	400	14,257	3,941	3,469	1,307	1,664	654	567	2,655	1,674	39,581	29,172	560	595
30	URBAN PLACES	53,833	84	15	299	10,286	2,934	2,502	964	1,159	481	377	1,869	1,223	28,475	20,957	391	461
31	BALANCE OF AREA	20,674	23	7	101	3,971	1,007	967	343	505	173	190	786	451	11,106	8,215	169	134
32	NONMETROPOLITAN COUNTIES	24,747	28	9	113	4,146	1,128	865	364	545	223	172	849	541	14,200	10,235	123	250
33	URBAN PLACES	7,841	10	1	43	1,362	378	296	128	166	80	67	247	173	4,456	3,157	30	92
34	BALANCE OF AREA	16,906	18	8	70	2,784	750	569	236	379	143	105	602	368	9,744	7,078	93	158
35	ADAMS	275	-	-	1	44	12	12	3	4	2	1	10	2	169	117	-	3
36	ALLEN	1,041	-	1	7	182	46	43	14	23	12	8	36	28	553	377	3	4
37	LIMA	621	-	1	5	112	25	28	9	15	8	4	23	20	317	216	2	2
38	BALANCE OF COUNTY	420	-	1	2	70	21	15	5	8	4	4	13	8	236	161	1	2
39	ASHLAND	403	-	1	3	70	25	12	7	8	1	1	16	8	204	136	1	1
40	ASHLAND	204	-	-	2	36	17	7	4	2	1	-	5	2	106	67	-	1
41	BALANCE OF COUNTY	199	-	1	1	34	8	5	3	6	-	1	11	6	98	69	1	-
42	ASHTABULA	976	2	-	4	154	38	42	13	25	11	3	22	20	568	440	8	8
43	ASHTABULA	265	1	-	1	45	8	10	4	11	4	1	7	7	155	118	-	2
44	CONNEAUT	146	-	-	1	22	5	6	1	4	1	1	4	4	87	69	1	1
45	BALANCE OF COUNTY	565	1	-	2	87	25	26	8	10	6	1	11	9	326	253	7	5
46	ATHENS	464	-	1	1	82	18	12	10	15	4	4	19	10	266	202	1	1
47	ATHENS	97	-	-	-	18	5	3	2	3	1	1	3	-	59	43	-	-
48	BALANCE OF COUNTY	367	-	1	1	64	13	9	8	12	3	3	16	10	207	159	1	1
49	AUGLAIZE	334	-	1	2	59	9	12	8	9	2	1	18	8	186	128	-	2
50	BELMONT	1,029	1	-	3	195	41	62	17	23	5	10	37	20	584	438	10	5
51	MARTINS FERRY	173	-	-	-	31	8	16	2	-	1	-	4	5	94	78	2	1
52	BALANCE OF COUNTY	856	1	-	3	164	33	46	15	23	4	10	33	15	490	360	8	5
53	BROWN	295	-	-	1	46	11	12	1	5	3	1	13	9	178	128	1	3
54	BUTLER	1,750	3	-	10	350	92	83	35	37	13	17	73	32	934	661	5	23
55	FAIRFIELD	137	-	-	-	24	7	6	2	5	-	-	4	2	78	55	-	-
56	HAMILTON	615	1	-	5	115	30	25	13	10	7	6	24	18	346	248	2	14
57	MIDDLETOWN	428	-	-	1	91	32	17	10	7	3	3	19	3	218	152	2	2
58	OXFORD	50	-	-	-	9	3	2	2	1	-	-	1	-	35	27	-	-
59	BALANCE OF COUNTY	520	2	-	4	111	20	33	8	14	3	8	25	9	257	179	1	7
60	CARROLL	204	-	-	1	30	8	6	4	1	2	2	7	3	135	97	-	13
61	CHAMPAIGN	334	-	-	3	55	19	13	5	4	2	4	8	3	212	153	2	3
62	URBANA	127	-	-	1	21	7	6	3	-	1	3	1	1	78	47	1	1
63	BALANCE OF COUNTY	207	-	-	2	34	12	7	2	4	1	1	7	2	134	106	1	2
64	CLARK	1,456	1	1	7	264	62	58	32	28	15	13	56	26	807	586	6	4
65	SPRINGFIELD	1,002	1	1	5	183	43	41	23	17	12	9	38	18	553	403	3	3
66	BALANCE OF COUNTY	454	-	-	2	81	19	17	9	11	3	4	18	8	254	183	3	1
67	CLERMONT	737	-	1	8	143	34	35	10	15	8	6	35	17	362	280	4	5
68	CLINTON	362	-	-	3	66	25	11	3	7	3	2	15	2	216	140	3	3
69	WILMINGTON	131	-	-	2	22	8	5	1	-	1	1	6	1	83	52	-	1
70	BALANCE OF COUNTY	231	-	-	1	44	17	6	2	7	2	1	9	1	133	88	3	2
71	COLUMBIANA	1,201	3	-	4	179	49	35	11	25	14	9	36	50	713	538	10	15
72	EAST LIVERPOOL	277	1	-	2	37	12	5	3	4	2	3	8	13	165	133	2	5
73	SALEM	165	-	-	-	28	8	6	3	3	2	3	3	6	96	70	-	2
74	BALANCE OF COUNTY	759	2	-	2	114	29	24	5	18	10	3	25	31	452	335	8	8
75	COSHOCTON	369	1	-	3	53	14	14	4	7	3	2	9	11	197	148	1	2
76	COSHOCTON	169	-	-	-	28	8	7	3	2	1	1	6	6	86	60	1	-
77	BALANCE OF COUNTY	200	1	-	3	25	6	7	1	5	2	1	3	5	111	88	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
36	2	-	16	1	1	4	1	1	1	1	-	-	1	-	5	-	6	1	-	-	01
18	1	-	5	-	1	-	-	-	-	1	-	1	1	1	4	2	1	-	-	-	02
64	5	-	28	2	2	11	3	2	-	2	-	2	5	-	10	3	6	2	-	1	03
25	3	1	4	-	1	9	5	1	2	-	-	-	3	-	13	9	3	1	1	1	04
24	5	-	11	1	1	1	-	-	1	1	-	-	2	-	4	1	1	-	-	-	05
12	-	-	5	-	-	2	-	-	-	-	-	-	-	-	4	2	-	-	-	1	06
11	-	-	-	1	-	2	1	-	-	4	-	-	1	-	2	5	3	1	-	-	07
6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	08
63	1	-	19	4	-	3	5	1	-	2	-	-	2	-	12	2	5	1	-	-	09
36	1	-	12	2	-	1	2	-	1	2	-	-	1	-	5	-	1	-	-	-	10
27	-	-	7	2	-	2	3	1	1	-	-	-	1	-	7	2	4	-	-	-	11
11	4	-	8	-	-	2	-	1	-	-	-	-	-	1	2	2	-	-	-	-	12
76	1	-	24	4	7	11	-	-	1	1	-	-	4	-	13	12	3	4	2	-	13
45	1	-	14	1	4	7	-	-	1	-	-	-	1	-	11	3	1	-	1	-	14
31	-	-	10	3	3	4	-	-	-	1	-	-	1	-	2	9	2	4	1	-	15
18	1	-	6	-	1	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	16
41	5	-	24	6	1	7	2	-	2	-	-	-	-	-	6	2	4	-	-	-	17
70	6	-	18	4	1	9	1	3	1	2	-	5	2	-	12	1	1	3	-	1	18
131	2	4	40	5	9	15	7	2	5	1	-	5	6	12	25	12	19	6	1	-	19
88	1	4	20	4	3	11	4	1	2	1	-	2	1	9	12	3	8	3	-	-	20
43	1	-	20	1	6	4	3	1	3	-	-	3	5	3	13	9	11	3	1	-	21
33	2	3	6	1	-	4	1	-	-	1	-	-	2	-	4	2	2	2	-	1	22
53	6	-	14	11	5	9	4	-	1	2	-	-	5	1	13	4	6	-	-	-	23
31	3	-	9	9	4	7	3	-	1	2	-	-	5	-	9	4	3	-	-	-	24
22	3	-	5	2	1	2	1	-	-	-	-	-	-	1	4	-	3	-	-	-	25
35,053	2,026	363	10,690	1,933	1,388	2,473	1,550	357	1,441	434	20	691	1,440	1,301	7,446	1,837	2,710	1,357	960	159	26
21,934	1,206	236	6,558	1,155	868	1,559	944	235	1,048	285	13	404	946	850	4,750	822	1,669	829	785	108	27
13,919	820	127	4,132	778	520	914	606	122	393	149	7	287	494	451	2,696	1,015	1,041	528	175	51	28
26,558	1,459	262	7,751	1,367	1,029	1,811	1,098	272	1,182	348	15	533	1,130	1,070	5,676	1,240	2,024	1,059	880	128	29
19,053	1,052	195	5,605	971	747	1,339	782	206	946	257	12	359	828	775	4,171	689	1,470	758	757	102	30
7,505	407	67	2,146	396	282	472	316	66	236	91	3	174	302	295	1,505	551	554	301	123	26	31
9,295	567	101	2,939	566	359	662	452	85	259	86	5	158	310	231	1,770	597	686	298	80	31	32
2,881	154	41	953	184	121	220	162	29	102	28	1	45	118	75	579	133	199	71	28	6	33
6,414	413	60	1,986	382	238	442	290	56	157	58	4	113	192	156	1,191	464	487	227	52	25	34
104	10	-	45	4	3	6	2	-	3	2	-	1	6	1	18	3	13	4	2	1	35
353	17	2	118	26	30	34	7	4	15	5	-	8	24	6	91	23	31	13	9	-	36
199	13	1	59	23	18	25	4	1	13	3	-	4	20	3	52	12	17	7	6	-	37
154	4	1	59	3	12	9	3	3	2	2	-	4	4	3	39	11	14	6	3	-	38
131	3	1	52	11	4	14	8	1	5	2	-	4	6	11	45	6	7	5	2	1	39
65	1	1	32	5	1	6	5	-	2	2	-	1	3	8	23	2	4	2	-	-	40
66	2	-	20	6	3	8	3	1	3	-	-	3	3	3	22	4	3	3	2	1	41
399	25	6	91	11	20	45	20	3	6	2	-	5	13	5	58	22	29	13	5	2	42
109	7	1	27	3	6	14	8	-	2	-	-	1	3	1	18	2	5	2	-	-	43
64	3	2	13	2	1	4	3	-	-	1	-	2	1	1	13	2	4	-	1	-	44
226	15	3	51	6	13	27	9	3	4	1	-	2	9	3	27	18	20	11	4	2	45
188	12	3	43	8	10	12	6	2	9	3	-	-	7	4	35	9	11	2	3	1	46
42	1	2	9	3	2	4	1	-	3	-	-	-	1	-	6	2	3	-	-	-	47
146	11	1	34	5	8	8	5	2	6	3	-	-	6	4	29	7	8	2	3	1	48
123	3	1	39	11	7	11	7	-	5	1	-	1	7	1	20	11	6	7	1	-	49
399	24	4	113	22	7	25	15	4	15	8	-	5	7	14	80	17	21	11	1	3	50
69	7	-	12	4	-	5	4	1	3	4	-	-	1	3	12	4	5	-	1	-	51
330	17	4	101	18	7	20	11	3	12	4	-	5	6	11	68	13	16	11	-	3	52
116	8	-	36	9	5	2	5	1	4	1	-	1	5	1	22	9	5	4	-	1	53
604	29	5	196	53	19	48	32	7	25	2	-	11	30	13	129	43	41	24	13	3	54
53	2	-	16	4	3	5	2	1	4	-	-	2	2	1	7	4	2	3	-	-	55
225	7	1	66	22	9	14	13	3	11	-	-	4	7	6	39	8	11	8	5	1	56
137	11	1	50	12	3	16	10	2	6	-	-	2	10	1	40	8	13	3	3	1	57
24	3	-	7	1	-	1	-	-	1	-	-	-	1	-	1	1	-	1	-	-	58
165	6	3	57	14	4	12	7	1	3	2	-	3	10	5	42	22	15	9	5	1	59
81	3	-	29	6	3	5	2	2	1	-	-	-	-	-	14	5	6	-	-	-	60
138	10	-	45	5	9	6	8	1	-	1	-	2	1	-	22	9	8	2	1	-	61
40	5	-	24	2	5	2	1	-	-	1	-	1	1	-	12	2	4	2	-	-	62
98	5	-	21	3	4	4	7	1	-	-	-	1	-	-	10	7	4	-	1	-	63
551	25	3	180	22	16	78	21	5	15	15	1	10	27	1	85	29	38	18	7	-	64
379	18	1	121	16	12	59	16	3	10	10	1	5	20	-	57	14	27	14	5	-	65
172	7	2	59	6	4	19	5	2	5	5	-	5	7	1	28	15	11	4	2	-	66
262	9	-	57	12	13	18	22	3	7	3	-	12	12	3	49	29	25	13	10	-	67
130	4	3	56	8	9	6	5	1	5	1	1	2	1	1	17	8	18	6	3	-	68
50	1	2	20	3	6	1	2	-	2	1	-	-	1	1	8	1	5	1	-	-	69
80	3	1	36	5	3	5	3	1	3	-	1	2	-	-	9	7	13	5	3	-	70
499	14	3	122	32	18	26	25	4	18	4	-	8	14	4	90	19	28	10	2	-	71
126	-	-	23	3	6	3	3	1	8	-	-	4	6	1	26	-	6	-	1	-	72
67	1	-	16	7	3	2	7	1	2	-	-	-	2	1	15	3	2	-	-	-	73
306	13	3	83	22	9	21	15	2	8	4	-	4	6	2	49	16	20	10	1	-	74
139	6	1	36	9	3	11	5	3	6	2	-	3	6	5	32	10	16	3	1	1	75
56	3	1	19	3	3	5	3	1	4	-	-	1	3	4	14	4	7	2	1	-	76
83	3	-	17	6	-	6	2	2	2	2	-	2	3	1	18	6	9	1	-	1	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
01	CRAWFORD	512	1	-	5	89	18	14	11	19	10	3	14	9	285	181	-	2
02	BUCYRUS	169	1	-	3	23	6	5	1	3	4	-	4	4	99	68	-	2
03	GALION	139	-	-	1	32	8	1	6	6	4	1	6	4	79	44	-	-
04	BALANCE OF COUNTY	204	-	-	1	34	4	8	4	10	2	2	4	1	107	69	-	-
05	CUYAHOGA	16,976	21	4	105	3,343	1,023	760	332	375	161	101	591	364	8,920	6,823	132	86
06	BAY VILLAGE	118	-	-	1	23	6	4	3	2	1	-	7	4	64	43	-	-
07	BEDFORD	143	-	-	1	32	7	8	4	3	1	1	8	2	73	57	1	-
08	BEDFORD HEIGHTS	87	-	-	-	15	4	3	4	2	-	-	2	2	43	38	2	-
09	BEREA	150	-	-	1	27	6	2	5	3	-	2	9	6	79	67	1	1
10	BROADVIEW HEIGHTS	65	-	-	-	17	5	2	3	1	1	-	5	1	34	28	-	-
11	BROOKLYN	94	-	-	-	25	8	4	2	4	-	3	4	2	49	35	-	3
12	BROOK PARK	96	-	-	-	26	6	11	2	2	-	-	5	2	47	38	1	-
13	CLEVELAND	8,587	16	3	61	1,601	463	400	153	190	71	43	281	185	4,297	3,292	65	50
14	CLEVELAND HEIGHTS	609	-	-	3	117	45	22	12	11	5	5	17	10	361	265	5	4
15	EAST CLEVELAND	340	1	-	3	59	21	10	4	7	5	1	11	8	179	134	8	1
16	EUCLID	664	-	1	4	157	62	28	17	13	10	4	23	11	352	276	5	2
17	FAIRVIEW PARK	206	-	-	1	41	14	11	2	2	3	2	7	-	125	95	2	1
18	GARFIELD HEIGHTS	377	-	-	1	81	28	20	3	9	3	5	13	4	205	168	1	1
19	LAKEWOOD	828	1	-	2	140	45	26	16	16	11	7	19	21	498	379	6	2
20	LYNDHURST	184	-	-	2	46	12	9	7	6	3	1	8	5	101	71	1	1
21	MAPLE HEIGHTS	302	-	-	-	59	18	17	8	5	5	-	6	8	161	129	1	3
22	MAYFIELD HEIGHTS	238	-	-	1	57	17	12	6	5	5	2	10	2	135	100	1	-
23	MIDDLEBURG HEIGHTS	97	-	-	1	25	9	5	2	3	1	1	4	2	51	39	1	2
24	NORTH OLMSTED	195	-	-	-	48	15	13	6	1	3	5	5	6	100	72	1	-
25	NORTH ROYALTON	80	-	-	-	25	9	3	4	3	-	1	5	1	43	36	1	-
26	PARMA	842	1	-	5	167	44	45	17	20	8	4	29	20	469	362	7	4
27	PARMA HEIGHTS	237	-	-	5	47	12	7	6	7	5	3	7	5	126	91	-	3
28	ROCKY RIVER	264	1	-	-	59	21	12	4	8	2	2	10	6	145	111	3	-
29	SEVEN HILLS	77	-	-	-	19	6	3	3	4	-	-	3	2	36	30	2	-
30	SHAKER HEIGHTS	348	-	-	3	85	32	10	8	11	4	1	19	7	192	137	2	-
31	SOLON	64	-	-	-	18	3	7	2	3	-	1	3	1	31	24	2	-
32	SOUTH EUCLID	283	-	-	2	63	26	7	5	8	1	1	15	3	146	112	2	2
33	STRONGSVILLE	115	-	-	-	29	8	9	3	3	1	-	5	2	53	38	-	-
34	UNIVERSITY HEIGHTS	144	-	-	1	24	14	1	2	2	2	-	3	4	90	69	1	3
35	WARRENSVILLE HEIGHTS	93	1	-	1	11	4	4	-	1	1	-	1	5	58	46	2	-
36	WESTLAKE	149	-	-	1	24	8	6	2	2	1	1	4	3	88	58	-	-
37	BALANCE OF COUNTY	900	-	-	5	176	45	39	17	18	8	6	43	24	489	383	8	3
38	DARKE	539	-	-	3	94	24	15	11	5	5	12	22	7	328	250	3	14
39	GREENVILLE	192	-	-	-	35	10	4	3	2	1	5	10	4	121	101	1	7
40	BALANCE OF COUNTY	347	-	-	3	59	14	11	8	3	4	7	12	3	207	149	2	7
41	DEFIANCE	305	-	-	1	63	18	9	8	9	5	5	9	5	152	91	-	6
42	DEFIANCE	138	-	-	-	35	11	5	4	5	1	4	5	3	66	34	-	5
43	BALANCE OF COUNTY	167	-	-	1	28	7	4	4	4	4	1	4	2	86	57	-	1
44	DELAWARE	393	-	-	3	68	20	16	2	5	4	2	19	13	224	155	-	3
45	DELAWARE	177	-	-	-	25	8	5	-	2	2	-	8	8	107	74	-	1
46	WESTERVILLE, PART	7	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-
47	BALANCE OF COUNTY	209	-	-	3	43	12	11	2	3	2	2	11	3	114	79	-	2
48	ERIE	766	-	-	1	148	40	26	18	20	9	4	31	9	358	240	3	4
49	SANDUSKY	437	-	-	-	74	22	11	8	10	6	4	13	5	212	136	1	3
50	BALANCE OF COUNTY	329	-	-	1	74	18	15	10	10	3	-	18	4	146	104	2	1
51	FAIRFIELD	720	3	-	2	150	44	37	12	15	14	4	24	18	381	283	2	9
52	LANCASTER	354	2	-	-	76	23	19	7	6	6	2	13	6	190	131	1	5
53	BALANCE OF COUNTY	366	1	-	2	74	21	18	5	9	8	2	11	12	191	152	1	4
54	FAYETTE	300	-	-	-	53	17	12	7	8	2	2	5	5	178	102	1	-
55	WASHINGTON	190	-	-	-	34	11	7	4	6	2	1	3	4	113	69	-	-
56	BALANCE OF COUNTY	110	-	-	-	19	6	5	3	2	-	1	2	1	65	33	1	-
57	FRANKLIN	6,659	8	1	45	1,232	327	321	116	129	53	60	226	150	3,357	2,369	48	246
58	BEXLEY	116	-	-	-	20	6	2	2	2	1	-	7	1	67	47	1	4
59	COLUMBUS	4,739	7	1	31	823	229	221	79	82	33	37	142	117	2,426	1,691	31	206
60	GAHANNA	66	-	-	-	15	4	5	1	2	2	-	1	-	26	18	-	2
61	GROVE CITY	108	-	-	2	26	5	5	1	3	-	2	10	1	56	38	1	1
62	REYNOLDSBURG, PART	71	-	-	-	14	4	1	2	1	1	-	5	1	36	28	-	-
63	REYNOLDSBURG, TOTAL	72	-	-	-	14	4	1	2	1	1	-	5	1	36	28	-	-
64	UPPER ARLINGTON	270	-	-	3	51	13	10	6	8	2	6	6	4	149	104	3	5
65	WESTERVILLE, PART	95	-	-	2	17	5	5	3	1	2	1	-	2	50	35	-	2
66	WESTERVILLE, TOTAL	102	-	-	2	17	5	5	3	1	2	1	-	4	83	37	-	2
67	WHITEHALL	93	1	-	2	23	4	11	2	-	-	1	5	1	45	34	1	2
68	WORTHINGTON	84	-	-	1	16	4	3	-	1	1	-	7	-	41	27	-	-
69	BALANCE OF COUNTY	1,017	-	-	4	227	53	58	20	29	11	13	43	23	461	347	11	24
70	FULTON	333	-	-	-	51	16	4	3	6	4	3	15	7	208	150	2	3
71	GALLIA	291	-	-	1	53	11	13	3	9	4	1	12	7	154	128	3	-
72	GEAUGA	464	-	-	3	87	29	12	12	15	3	5	11	8	266	204	5	1
73	GREENE	791	1	1	1	153	46	27	18	19	5	5	33	19	397	280	10	5
74	FAIRBORN	162	-	-	-	41	12	10	6	2	2	-	9	4	69	48	1	2
75	XENIA	286	1	-	1	36	13	5	6	7	1	3	1	6	150	108	4	2
76	BALANCE OF COUNTY	343	-	1	-	76	21	12	6	10	2	2	23	9	178	124	5	1
77	GUERNSEY	425	-	-	2	82	30	15	8	9	7	2	11	8	233	175	3	5
78	CAMBRIDGE	184	-	-	1	41	15	7	3	8	3	-	5	1	92	61	2	1
79	BALANCE OF COUNTY	241	-	-	1	41	15	8	5	1	4	2	6	7	141	114	1	4
80	HAMILTON	8,901	17	5	50	1,817	539	492	168	197	72	55	294	173	4,756	3,627	53	37
81	CHEVIOT	154	-	-	1	28	13	7	3	2	-	-	3	3	100	77	-	-
82	CINCINNATI	5,569	10	4	31	1,086	340	291	98	118	44	26	169	97	2,975	2,261	33	20
83	FOREST PARK	30	-	-	-	6	3	1	-	1	-	-	1	-	18	16	-	1
84	NORTH COLLEGE HILL	107	-	-	2	31	6	12	2	3	2	1	5	2	55	41	1	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
170	9	5	72	14	13	11	12	5	6	3	-	5	11	2	43	11	11	3	-	-	01
64	2	2	25	1	3	5	3	1	2	1	-	1	6	2	14	2	3	1	-	-	02
41	3	1	25	4	6	1	5	1	1	-	-	1	2	1	5	3	3	-	-	-	03
65	4	3	22	9	4	5	4	3	3	2	-	3	3	1	24	6	5	2	-	-	04
6,308	297	47	1,544	275	231	418	191	56	362	82	5	98	204	73	1,368	212	534	236	353	27	05
43	-	1	15	1	4	3	1	1	1	-	-	1	3	-	7	2	6	1	-	-	06
56	-	-	10	4	2	4	3	-	1	2	-	1	2	-	14	3	4	-	-	1	07
34	2	-	5	-	-	1	2	-	3	1	-	-	-	1	11	4	3	1	-	-	08
65	-	-	6	2	4	2	8	1	4	-	-	-	2	-	12	1	4	3	-	-	09
25	3	-	3	-	3	1	-	-	3	-	-	1	-	-	3	-	3	2	-	-	10
32	-	-	9	-	5	3	1	1	1	1	-	-	1	1	9	-	2	-	-	-	11
36	1	-	6	3	-	1	1	1	-	-	-	1	1	-	3	1	7	3	1	-	12
3,009	168	29	762	120	94	223	83	29	226	49	2	51	135	39	741	126	287	109	301	23	13
242	14	2	63	19	12	8	5	2	7	8	-	3	3	3	39	4	21	11	4	-	14
113	12	2	33	8	2	14	2	3	12	-	-	2	6	1	18	1	9	7	15	-	15
258	11	1	61	6	8	13	6	1	12	-	1	-	4	3	48	4	27	18	2	-	16
88	4	-	18	4	8	4	2	-	2	1	-	1	3	1	14	1	7	2	1	-	17
158	8	-	29	4	4	10	9	1	10	-	-	5	1	5	30	2	9	3	1	-	18
364	7	3	84	21	11	23	10	2	14	1	-	8	1	3	63	5	21	7	7	1	19
65	4	-	22	4	4	5	1	2	2	-	-	-	-	-	8	1	6	2	1	-	20
121	4	-	17	8	7	6	9	1	3	2	-	4	3	1	29	3	9	2	2	-	21
92	7	2	27	1	5	5	3	-	2	-	-	1	3	1	20	1	4	3	-	-	22
36	-	-	10	2	-	1	-	-	-	-	-	2	-	-	9	3	2	1	-	-	23
71	-	-	27	1	-	8	-	-	-	-	-	1	4	-	12	2	5	3	2	-	24
33	2	-	4	3	-	-	1	-	-	-	-	1	1	-	6	-	1	1	-	-	25
333	18	3	79	14	11	15	10	3	17	2	-	4	13	5	63	14	17	14	2	1	26
88	-	-	26	6	3	3	4	1	5	3	1	1	1	1	20	4	6	4	-	-	27
105	3	2	23	4	5	2	5	-	6	-	-	1	1	1	17	6	10	5	-	-	28
28	1	-	2	3	1	-	1	-	1	-	-	1	2	-	6	-	6	3	-	-	29
131	4	-	44	5	6	10	5	1	1	-	-	1	2	1	19	3	13	2	3	-	30
20	2	-	5	-	2	1	-	-	1	1	-	-	1	-	5	1	2	1	1	-	31
102	6	-	27	2	5	9	1	1	6	1	-	2	4	-	21	3	11	6	4	-	32
38	-	-	10	3	2	4	3	-	2	-	-	-	1	-	13	4	2	1	1	-	33
63	2	-	18	1	2	-	1	1	1	2	-	-	-	-	16	2	-	2	-	-	34
43	1	-	9	1	2	3	2	1	-	-	-	-	-	-	5	-	2	3	1	-	35
56	2	1	21	4	4	4	2	1	4	-	-	-	-	-	10	4	6	2	-	-	36
360	12	1	69	21	15	32	10	3	12	5	-	6	7	6	77	7	22	14	4	1	37
216	17	2	61	7	8	12	4	1	2	2	-	5	5	3	34	16	18	4	-	1	38
86	7	2	12	3	3	1	2	1	1	1	-	-	-	2	12	3	7	2	-	-	39
130	10	-	49	4	5	11	2	-	1	1	-	5	5	1	22	13	11	2	-	1	40
82	3	-	49	5	7	8	6	-	3	1	1	2	2	3	38	7	6	4	3	-	41
28	1	-	27	2	3	4	4	-	1	-	-	-	2	2	12	4	3	1	1	-	42
54	2	-	22	3	4	4	2	-	2	1	-	2	-	1	26	3	3	3	2	-	43
145	7	3	48	13	5	5	3	1	1	4	-	2	12	4	22	12	9	6	4	-	44
69	4	1	22	7	3	1	1	-	1	2	-	2	9	1	11	3	4	2	-	-	45
2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	46
74	3	2	25	6	2	4	2	1	-	2	-	-	2	3	10	9	5	4	4	-	47
208	25	7	70	28	13	26	12	2	10	2	-	2	12	51	67	22	29	8	4	3	48
122	10	3	47	18	8	15	11	2	5	1	-	1	5	31	40	11	15	5	2	2	49
86	15	4	23	10	5	11	1	-	5	1	-	1	7	20	27	11	14	3	2	1	50
256	16	6	69	15	8	13	10	-	14	1	-	6	8	3	49	24	26	6	4	2	51
119	6	4	42	9	4	6	8	-	9	1	-	4	4	2	27	9	6	1	3	-	52
137	10	2	27	6	4	7	2	-	5	-	-	2	4	1	22	15	20	5	1	2	53
97	4	2	58	11	5	9	4	2	2	1	-	3	6	5	15	6	7	4	-	-	54
66	3	1	30	10	3	6	4	1	2	1	-	2	4	1	8	4	4	2	-	-	55
31	1	1	28	1	2	3	-	1	-	-	-	1	2	4	7	2	3	2	-	-	56
1,892	183	32	766	100	90	181	106	25	113	36	-	64	128	203	535	87	213	106	52	17	57
39	3	2	10	4	4	9	4	1	-	-	-	-	1	3	5	1	1	2	-	1	58
1,318	136	19	578	73	65	133	76	20	83	27	1	38	83	139	387	58	164	67	47	12	59
16	-	-	6	-	2	3	1	-	-	-	-	2	6	2	6	2	1	1	-	-	60
33	3	-	16	-	2	1	2	-	2	-	-	-	6	1	6	-	3	2	-	-	61
27	1	1	6	-	1	1	-	1	1	-	-	2	1	3	3	3	3	1	1	-	62
27	1	1	6	-	1	1	-	1	1	-	-	2	1	3	3	4	3	1	1	-	63
86	10	2	35	5	3	8	2	1	2	2	-	1	2	3	29	2	4	7	-	-	64
32	1	4	6	3	2	1	1	-	-	-	-	2	2	1	13	1	4	1	-	-	65
34	1	4	7	3	2	1	1	-	-	-	-	2	1	1	14	1	4	1	-	-	66
27	4	2	5	3	1	2	3	-	-	1	-	2	2	2	6	1	-	2	-	-	67
27	-	-	12	1	1	3	1	-	-	1	-	3	1	7	5	-	3	2	-	-	68
287	25	2	92	11	9	20	16	2	25	4	-	14	26	42	75	19	30	21	4	4	69
140	5	1	39	11	7	6	4	2	4	1	-	2	5	-	19	12	8	3	1	-	70
118	7	-	21	1	4	8	5	1	4	1	-	4	2	2	24	7	10	6	1	1	71
184	14	2	50	5	5	11	7	-	1	4	-	7	9	3	22	14	14	4	2	2	72
252	13	3	88	17	9	9	11	2	9	1	-	7	17	27	56	15	49	14	1	1	73
42	3	-	12	7	2	2	3	2	2	-	-	4	8	11	10	1	2	3	-	-	74
98	4	1	34	5	2	3	6	-	3	1	-	1	3	6	22	3	37	6	-	1	75
112	6	2	42	5	5	4	2	-	4	-	-	2	6	10	24	11	10	5	1	-	76
154	13	5	42	8	3	18	13	2	4	2	-	2	9	3	26	8	10	3	-	-	77
55	3	3	23	4	1	10	5	1	1	-	-	2	7	1	15	4	5	-	-	-	78
99	10	2	19	4	2	8	8	1	3	2	-	-	2	2	11	4	5	3	-	-	79
3,408	129	32	842	129	126	218	127	33	126	57	3	64	111	24	724	117	232	119	92	36	80
71	6	-	17	3	3	4	1	1	-	-	-	-	-	-	14	-	2	-	-	-	81
2,128	80	22	532	74	86	158	76	18	79	34	3	35	73	17	486	63	152	73	72	27	82
15	-	-	2	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	1	83
39	1	1	8	1	4	-	3	-	3	1	-	1	-	-	7	1	1	-	-	-	84

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (150-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
	HAMILTON--CON.																	
01	NORWOOD	331	1	-	-	79	17	26	8	10	5	2	11	4	178	135	-	1
02	READING	94	1	-	-	20	7	6	2	1	-	1	3	1	51	37	1	2
03	SHARONVILLE	42	-	-	-	5	1	2	-	-	-	-	2	3	19	15	-	-
04	BALANCE OF COUNTY	2,574	5	1	16	562	152	147	55	62	21	25	100	63	1,360	1,045	18	13
05	HANCOCK	560	-	-	4	97	27	20	9	18	3	4	16	12	301	214	2	14
06	FINDLAY	336	-	-	3	61	17	16	3	11	1	3	10	6	173	126	2	7
07	FOSTORIA, PART	35	-	-	-	2	-	-	-	-	1	-	1	2	24	17	-	-
08	BALANCE OF COUNTY	189	-	-	1	34	10	4	6	7	1	1	5	4	104	71	-	7
09	HARDIN	347	2	-	1	53	13	16	5	4	1	2	12	3	203	158	3	3
10	HARRISON	218	-	-	2	35	9	5	4	5	1	1	10	12	132	98	-	3
11	HENRY	280	-	-	3	39	11	7	3	4	4	2	8	7	156	114	2	5
12	HIGHLAND	400	-	1	1	58	14	15	5	9	3	-	12	8	243	180	2	2
13	HOCKING	227	1	-	1	31	6	7	2	6	-	3	7	4	130	77	1	1
14	HOLMES	203	1	-	2	24	6	3	1	5	3	2	4	3	121	95	1	2
15	HURON	488	1	-	2	67	19	9	4	7	3	3	22	7	303	211	2	3
16	NORWALK	136	1	-	1	25	2	4	3	3	1	2	10	2	77	52	-	-
17	BALANCE OF COUNTY	352	-	-	1	42	17	5	1	4	2	1	12	5	226	159	2	3
18	JACKSON	336	1	-	1	61	17	13	3	7	2	3	16	6	196	146	2	2
19	JEFFERSON	1,030	3	-	3	206	54	45	19	29	8	9	42	19	582	424	11	9
20	STEUBENVILLE	376	2	-	2	80	17	19	9	13	3	2	17	7	203	144	5	5
21	BALANCE OF COUNTY	654	1	-	1	126	37	26	10	16	5	7	25	12	379	280	6	4
22	KNOX	490	-	-	2	80	22	19	8	12	4	2	13	9	304	197	3	5
23	MOUNT VERNON	220	-	-	1	41	9	9	3	6	3	2	9	2	141	92	1	2
24	BALANCE OF COUNTY	270	-	-	1	39	13	10	5	6	1	-	4	7	163	105	2	3
25	LAKE	1,345	1	1	7	273	68	69	29	28	10	13	56	34	722	538	15	6
26	EASTLAKE	123	-	-	-	34	5	10	5	3	2	1	8	4	58	47	2	-
27	MENTOR	232	-	-	2	48	12	9	4	5	-	4	14	3	124	94	3	2
28	PAINESVILLE	179	-	-	1	28	7	9	2	3	-	3	4	3	99	69	1	2
29	WICKLIFFE	109	-	-	-	25	9	3	4	2	4	-	3	3	60	46	1	1
30	WILLOUGHBY	150	-	-	-	31	9	7	6	-	-	1	8	5	78	63	3	-
31	WILLOWICK	125	-	-	-	33	9	9	-	3	2	2	8	3	63	49	2	-
32	BALANCE OF COUNTY	427	1	1	4	74	17	22	8	12	2	2	11	13	240	170	4	3
33	LAWRENCE	624	1	-	4	102	25	30	5	11	8	2	21	21	339	256	3	1
34	IRONTON	239	-	-	3	34	10	7	1	6	5	-	5	7	136	100	-	1
35	BALANCE OF COUNTY	385	1	-	1	68	15	23	4	5	3	2	16	14	203	156	3	-
36	LICKING	1,019	1	-	9	188	52	43	14	23	10	5	41	13	549	391	7	11
37	NEWARK	515	1	-	7	102	31	26	7	9	6	2	21	8	274	202	3	7
38	REYNOLDSBURG, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	BALANCE OF COUNTY	503	-	-	2	86	21	17	7	14	4	3	20	5	275	189	4	4
40	LOGAN	444	2	-	3	67	19	19	6	6	1	2	14	4	271	180	3	6
41	BELLEFONTAINE	134	-	-	2	19	6	6	1	1	1	1	3	1	82	57	-	3
42	BALANCE OF COUNTY	310	2	-	1	48	13	13	5	5	-	1	11	3	189	123	3	3
43	LORAIN	1,994	4	-	9	350	91	77	26	40	18	14	84	52	1,029	795	13	14
44	AVON LAKE	98	-	-	-	17	4	6	2	2	-	-	3	4	54	40	2	-
45	ELYRIA	462	2	-	4	81	23	25	2	6	3	3	19	11	233	188	1	7
46	LORAIN	679	1	-	2	127	41	20	11	13	9	5	28	23	342	251	3	3
47	NORTH RIDGEVILLE	78	-	-	-	13	1	3	2	2	-	2	3	5	38	30	-	-
48	BALANCE OF COUNTY	677	1	-	3	112	22	23	9	17	6	4	31	9	362	286	7	4
49	LUCAS	5,069	5	2	19	1,010	274	234	77	111	55	53	206	124	2,751	2,017	32	26
50	MAUMEE	112	-	-	-	27	10	6	-	1	1	3	6	3	58	47	1	1
51	OREGON	160	-	-	1	25	8	6	3	2	2	2	2	5	89	70	1	1
52	SYLVANIA	111	-	-	-	21	2	5	2	1	2	1	8	3	64	48	-	-
53	TOLEDO	4,222	5	2	17	846	234	193	68	95	46	40	170	106	2,286	1,667	29	23
54	BALANCE OF COUNTY	464	-	-	1	91	20	24	4	12	4	7	20	7	254	185	1	1
55	MADISON	269	-	-	3	38	10	8	4	3	3	2	8	7	159	91	-	1
56	MAHONING	3,200	4	-	10	604	181	143	54	73	21	20	112	73	1,807	1,246	30	13
57	ALLIANCE, PART	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
58	CAMPBELL	130	-	-	1	19	5	1	2	3	-	1	7	7	65	44	1	-
59	STRUTHERS	127	-	-	1	21	5	2	3	2	-	1	8	3	84	58	-	-
60	YOUNGSTOWN, PART	1,777	2	-	5	330	102	86	26	38	11	9	58	38	968	670	15	6
61	YOUNGSTOWN, TOTAL	1,779	2	-	5	330	102	86	26	38	11	9	58	38	970	672	15	6
62	BALANCE OF COUNTY	1,165	2	-	3	233	69	53	23	30	10	9	39	25	690	474	14	7
63	MARION	634	1	-	4	119	37	27	6	15	5	9	20	11	365	250	5	7
64	MARION	427	1	-	3	81	21	20	6	12	5	6	11	9	242	163	4	4
65	BALANCE OF COUNTY	207	-	-	1	38	16	7	-	3	-	3	9	2	123	87	1	3
66	MEDINA	616	1	-	3	111	28	28	11	18	2	4	20	18	337	273	6	2
67	BRUNSWICK	81	1	-	-	17	4	7	1	3	-	-	2	2	36	28	1	-
68	MEDINA	118	-	-	1	25	8	6	1	3	-	1	6	7	65	52	-	-
69	WADSWORTH	108	-	-	1	15	4	2	2	1	-	1	5	3	62	50	2	1
70	BALANCE OF COUNTY	309	-	-	1	54	12	13	7	11	2	2	7	6	174	143	3	1
71	MEIGS	263	-	-	2	40	11	7	4	4	3	2	9	2	166	115	4	1
72	MERCER	353	2	1	-	67	17	15	5	7	5	1	17	7	197	121	2	6
73	MIAMI	771	1	-	5	124	32	32	7	14	6	9	24	20	451	316	8	3
74	PIQUA	238	-	-	-	27	8	7	3	2	1	1	5	7	156	115	2	2
75	TROY	185	1	-	5	27	12	8	1	1	-	1	4	6	107	74	1	1
76	BALANCE OF COUNTY	348	-	-	-	70	12	17	3	11	5	7	15	7	188	127	5	-
77	MONROE	163	-	-	-	25	6	6	1	3	3	-	6	3	102	67	2	-
78	MONTGOMERY	4,771	9	1	31	951	254	256	87	117	37	40	160	108	2,423	1,739	37	19
79	CENTERVILLE	65	-	-	1	11	-	4	2	2	-	1	2	-	40	27	1	-
80	DAYTON	2,559	7	1	17	472	123	140	34	58	20	15	78	62	1,295	934	14	12
81	KETTERING	495	2	-	1	105	29	24	16	12	2	4	18	9	218	155	5	1
82	MIAMISBURG	120	-	-	1	27	8	6	2	3	1	1	6	1	64	44	1	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807; E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
131	3	2	25	11	5	8	3	3	9	3		2	4	-	21	2	5	6	2	1	01
34	1	1	11	1	1	2	1	1	-	1		2	1	-	7	1	3	2	-	1	02
15	-	-	4	-	2	3	-	-	-	-		-	3	-	4	-	2	1	-	-	03
975	39	6	243	39	27	44	41	10	35	18		23	30	7	182	50	66	37	18	6	04
181	17	1	74	5	7	26	10	2	7	3	1	5	9	2	37	17	17	8	2	-	05
108	9	1	42	1	3	18	6	2	4	3	1	4	8	1	22	8	11	4	1	-	06
16	1	-	6	1	-	1	1	-	1	-	-	-	-	-	1	2	1	-	-	-	07
57	7	-	26	3	4	7	3	-	2	-	-	1	1	1	14	7	5	4	1	-	08
144	8	1	30	8	6	8	6	-	2	-	1	2	2	2	38	10	7	6	1	-	09
90	5	1	21	7	5	3	7	-	1	-	-	1	3	3	11	5	4	2	-	-	10
99	8	4	32	4	2	8	3	2	4	1	-	3	3	1	22	8	14	4	2	-	11
163	13	3	56	2	2	11	9	6	3	4	-	1	1	8	23	6	9	9	-	-	12
62	13	-	42	9	2	6	7	3	2	-	-	1	1	14	17	3	2	5	-	-	13
86	6	-	18	6	2	12	7	1	2	-	-	-	3	2	15	3	3	4	-	-	14
190	16	2	61	20	9	9	8	2	6	1	-	5	4	8	28	23	10	1	3	-	15
45	7	1	22	1	1	4	4	1	1	-	-	2	-	2	6	5	3	-	2	-	16
145	9	1	39	19	8	5	4	1	5	1	-	3	4	6	22	18	7	1	1	-	17
135	7	1	36	8	5	5	8	-	2	-	-	1	1	2	31	7	6	5	2	1	18
377	27	5	130	15	8	30	16	2	15	4	-	1	5	10	4	69	17	32	9	2	19
124	10	1	58	2	3	14	7	1	7	3	-	1	5	5	1	23	3	8	7	1	20
253	17	4	77	13	5	16	9	1	8	1	-	4	5	3	-	46	14	24	2	1	21
172	17	2	84	15	6	15	8	2	4	3	-	6	4	-	-	29	9	12	3	-	22
82	7	-	41	6	2	7	3	1	2	1	-	1	4	-	-	8	1	5	2	-	23
90	10	2	43	9	4	8	5	1	2	2	-	5	-	-	21	8	7	1	-	-	24
494	23	2	151	14	17	27	17	2	21	7	-	7	23	14	92	24	49	15	5	4	25
43	2	-	10	-	1	3	2	-	2	-	-	-	1	3	6	5	4	1	-	-	26
86	5	-	25	2	3	3	1	2	3	2	-	2	6	1	16	4	11	3	1	-	27
63	4	-	27	2	1	5	4	-	2	2	-	-	8	2	12	3	7	1	2	-	28
40	4	-	12	1	1	3	1	-	2	1	-	1	1	2	6	-	3	1	-	-	29
57	3	-	13	-	2	3	2	-	2	1	-	1	1	1	14	2	4	2	1	2	30
46	1	-	12	2	-	3	1	-	3	1	-	-	1	2	11	-	3	-	-	1	31
159	4	2	52	7	9	7	6	-	7	-	-	3	5	3	27	10	17	7	1	1	32
242	10	2	69	6	6	12	8	4	9	2	-	2	11	8	58	14	18	6	4	1	33
95	4	1	29	4	2	2	3	1	4	1	-	-	4	-	30	5	5	3	1	-	34
147	6	1	40	2	4	10	5	3	5	1	-	2	7	8	28	9	13	3	3	1	35
354	19	2	121	25	10	32	14	4	15	4	-	6	9	6	82	28	46	10	3	-	36
186	6	1	55	8	8	10	12	2	9	2	-	2	5	3	44	8	21	4	1	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	38
168	13	1	66	17	2	22	2	2	6	2	-	4	4	3	38	19	25	6	2	-	39
157	14	1	69	12	9	14	11	2	4	1	-	1	3	2	34	7	12	4	-	2	40
46	8	-	19	5	1	3	3	2	1	1	-	-	2	-	10	3	4	1	-	-	41
111	6	1	50	7	8	11	8	-	3	-	-	1	1	2	24	4	8	3	-	2	42
710	58	10	171	23	30	41	39	3	33	16	1	7	56	37	153	61	60	28	11	4	43
35	3	1	7	4	2	2	3	-	2	-	-	-	2	-	4	2	4	3	-	1	44
165	15	1	34	-	10	8	9	-	5	3	-	2	14	7	44	16	14	6	3	-	45
223	22	3	69	7	12	12	12	3	14	6	-	1	17	20	49	14	18	10	6	2	46
29	1	-	7	-	1	1	-	-	3	1	-	-	3	3	7	3	1	-	-	-	47
258	17	5	54	12	5	18	15	-	9	6	1	4	20	7	49	26	23	9	2	1	48
1,883	76	20	533	104	77	95	128	20	84	12	1	35	82	21	342	69	125	73	65	6	49
45	-	-	8	2	1	2	2	1	1	-	-	-	1	-	8	3	1	2	3	-	50
66	2	1	15	-	3	1	5	2	2	1	-	-	1	1	15	1	6	3	2	-	51
48	-	-	12	1	3	5	-	-	1	-	-	-	2	1	6	3	4	1	-	-	52
1,545	70	18	450	89	62	77	106	16	76	11	1	30	76	18	279	50	100	60	55	5	53
179	4	1	48	12	8	10	15	1	4	-	-	5	2	1	34	12	14	7	5	1	54
88	2	1	58	5	4	5	6	-	2	-	-	4	5	7	18	6	6	3	-	-	55
1,142	61	11	399	108	43	64	55	9	56	7	-	19	47	16	218	42	77	44	48	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
43	-	-	19	2	-	6	4	-	2	-	-	-	2	-	12	1	5	3	-	-	58
53	5	1	18	5	2	2	1	-	2	1	-	1	2	-	3	2	3	1	-	-	59
611	38	8	216	54	20	39	31	5	43	5	-	12	33	11	131	15	46	26	37	-	60
612	39	8	216	54	20	39	31	5	43	5	-	12	33	11	131	15	46	26	37	-	61
435	18	2	146	47	21	17	19	4	9	1	-	6	10	5	72	24	23	14	8	-	62
228	10	6	93	10	6	11	9	2	6	3	-	4	7	1	49	10	16	11	4	1	63
148	7	4	63	6	6	10	7	1	5	1	-	4	6	-	29	5	14	7	2	-	64
80	3	2	30	4	-	1	2	1	1	2	-	-	1	1	20	5	2	4	2	1	65
235	30	-	45	16	3	13	9	1	4	3	1	5	4	22	30	24	18	12	-	-	66
25	2	-	6	1	1	1	1	1	-	1	-	1	2	1	7	5	3	2	-	-	67
42	10	-	11	1	1	2	1	-	1	1	-	1	1	2	3	2	6	1	-	-	68
43	4	-	10	1	1	2	4	-	2	-	-	1	-	8	5	2	2	1	-	-	69
125	14	-	18	13	-	8	3	-	2	1	1	2	1	11	15	15	7	8	-	-	70
101	9	1	38	10	2	6	4	-	2	1	-	1	4	-	15	5	13	2	-	-	71
101	12	4	58	9	5	7	4	-	2	-	-	4	4	1	24	15	13	5	-	-	72
276	29	1	121	9	4	18	18	-	7	2	-	10	13	7	56	16	10	10	3	-	73
96	13	1	35	4	1	6	6	-	2	-	-	3	1	2	16	8	1	3	-	-	74
66	6	-	30	2	1	3	2	-	-	-	-	2	2	1	16	2	3	6	2	-	75
114	8	-	56	3	2	9	10	-	5	2	-	5	10	4	24	6	6	1	1	-	76
63	2	-	28	3	4	3	2	1	2	1	-	2	3	1	10	3	4	-	1	-	77
1,600	83	18	534	65	67	97	60	25	68	17	2	42	80	61	415	66	107	96	107	5	78
26	-	-	12	-	1	2	-	-	-	2	-	1	1	1	3	1	-	1	1	-	79
865	43	13	279	32	37	59	35	13	43	8	1	27	43	34	228	29	63	36	81	5	80
142	7	1	47	6	9	8	7	2	4	3	-	2	7	4	30	9	11	11	2	-	81
43	-	-	14	5	1	-	-	-	2	1	-	1	-	2	10	1	2	7	1	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO—CON.																	
	MONTGOMERY—CON.																	
01	OAKWOOD	103	-	-	-	17	3	2	3	3	-	1	5	1	72	44	1	1
02	VANDALIA	46	-	-	-	13	-	6	3	-	1	1	2	-	21	14	-	-
03	WEST CARROLLTON	61	-	-	1	13	2	6	2	-	-	-	3	2	32	24	1	-
04	BALANCE OF COUNTY	1,382	-	-	10	293	89	68	25	39	13	13	46	33	681	497	14	5
05	MORGAN	146	-	-	-	21	7	4	2	3	2	-	3	3	98	81	-	1
06	MORROW	219	-	-	2	28	6	5	4	5	-	3	5	10	132	92	2	1
07	MUSKINGUM	904	1	-	4	159	48	40	10	10	4	8	31	19	481	367	5	36
08	ZANESVILLE	485	1	-	3	81	23	18	8	10	3	4	15	8	268	198	2	21
09	BALANCE OF COUNTY	419	-	-	1	78	25	22	2	8	1	4	16	11	213	169	3	15
10	NOBLE	122	-	-	-	12	3	4	1	2	-	2	-	3	85	61	-	-
11	OTTAWA	368	-	-	1	68	19	12	5	10	5	3	14	6	210	160	2	3
12	PAULDING	201	-	-	-	31	6	5	2	5	-	1	12	4	109	84	4	1
13	PERRY	350	-	-	1	4	68	19	15	4	13	2	3	12	11	201	153	1	2
14	PICKAWAY	348	-	-	-	2	53	10	9	4	9	4	2	15	9	201	117	-	2
15	CIRCLEVILLE	135	-	-	-	2	21	5	5	1	4	1	-	5	4	80	40	-	-
16	BALANCE OF COUNTY	213	-	-	-	-	32	5	4	3	5	3	2	10	5	121	77	-	2
17	PIKE	229	-	-	-	-	32	9	6	3	8	1	2	3	5	133	100	-	5
18	PORTAGE	859	-	-	5	173	35	43	14	24	9	11	37	12	484	370	7	4
19	KENT	132	-	-	2	33	6	7	6	4	2	2	6	1	66	51	2	1
20	RAVENNA	134	-	-	1	27	4	5	3	5	3	2	5	1	83	66	-	-
21	BALANCE OF COUNTY	593	-	-	2	113	25	31	5	15	4	7	26	10	335	253	5	3
22	PREBLE	312	-	-	1	48	13	10	4	10	1	1	9	4	183	141	1	3
23	PUTNAM	251	2	-	2	34	12	6	1	3	1	4	7	10	134	98	3	1
24	RICHLAND	1,145	1	-	6	197	45	51	22	24	12	8	35	40	611	421	5	4
25	MANSFIELD	700	1	-	5	118	21	29	15	13	10	6	24	25	354	230	4	1
26	BALANCE OF COUNTY	445	-	-	1	79	24	22	7	11	2	2	11	15	257	191	1	3
27	ROSS	567	1	1	4	95	24	20	6	18	5	3	19	11	305	202	2	1
28	CHILLICOTHE	288	1	1	2	45	11	10	3	8	3	2	8	6	157	98	1	1
29	BALANCE OF COUNTY	279	-	-	2	50	13	10	3	10	2	1	11	5	148	104	1	-
30	SANDUSKY	597	1	1	1	100	29	19	10	11	8	5	18	19	352	277	2	7
31	FREMONT	233	-	-	-	40	13	9	5	3	3	2	5	9	132	117	2	2
32	BALANCE OF COUNTY	364	1	-	1	60	16	10	5	8	5	3	13	10	220	160	-	5
33	SCIOTO	956	-	1	1	176	49	33	17	23	8	6	40	33	551	423	1	3
34	PORTSMOUTH	420	-	-	1	70	15	14	7	11	4	3	16	18	254	183	-	1
35	BALANCE OF COUNTY	536	-	1	-	106	34	19	10	12	4	3	24	15	297	240	1	2
36	SENECA	537	-	-	2	91	16	22	7	13	5	6	22	20	310	250	3	3
37	FOSTORIA, PART	114	-	-	1	21	3	8	1	3	1	1	4	5	66	49	-	2
38	FOSTORIA, TOTAL	158	-	-	1	28	4	11	1	3	2	1	6	8	93	68	-	2
39	TIFFIN	210	-	-	1	34	6	10	3	2	3	3	7	10	114	98	1	1
40	BALANCE OF COUNTY	213	-	-	-	36	7	4	3	8	1	2	11	5	130	103	2	-
41	SHELBY	356	-	-	-	59	15	13	5	6	1	1	18	8	220	173	2	1
42	SIDNEY	164	-	-	-	28	11	6	4	2	-	-	5	1	106	82	-	-
43	BALANCE OF COUNTY	192	-	-	-	31	4	7	1	4	1	1	13	7	114	91	2	1
44	STARK	3,531	5	2	14	648	164	162	55	73	33	25	136	92	1,920	1,401	25	23
45	ALLIANCE, PART	309	-	-	-	54	15	16	3	7	3	-	10	8	175	126	3	-
46	ALLIANCE, TOTAL	310	-	-	-	55	15	17	3	7	3	-	10	8	175	126	3	-
47	CANTON	1,309	2	2	4	230	61	57	20	24	10	10	48	46	733	535	10	11
48	MASSILLON	426	1	-	1	74	21	17	6	6	5	1	18	7	247	181	1	2
49	NORTH CANTON	116	-	-	1	25	4	6	2	4	4	2	3	1	59	42	-	-
50	BALANCE OF COUNTY	1,371	2	-	8	265	63	66	24	32	11	12	57	30	706	517	11	10
51	SUMMIT	4,910	14	2	23	923	240	205	91	133	47	41	166	104	2,487	1,719	53	21
52	AKRON	2,894	8	-	12	525	139	127	46	76	23	22	92	70	1,473	1,021	39	14
53	BARBERTON	342	1	-	1	57	19	11	6	7	4	3	7	6	195	143	3	2
54	CUYAHOGA FALLS	369	2	-	2	75	15	15	12	16	4	2	11	4	187	119	1	-
55	NORTON	78	-	-	-	18	3	3	2	2	2	1	5	1	36	26	1	-
56	STOW	135	-	-	2	37	6	8	3	7	1	5	7	3	57	38	1	1
57	TALLMADGE	88	1	-	-	19	3	3	3	5	1	-	4	2	40	32	1	-
58	BALANCE OF COUNTY	1,004	2	2	6	192	55	38	19	20	12	8	40	18	499	340	7	4
59	TRUMBULL	2,007	-	-	4	381	99	91	27	50	19	20	75	51	1,108	867	20	13
60	GIRARD	138	-	-	1	29	4	9	1	6	2	2	5	7	74	55	2	3
61	NILES	238	-	-	-	52	17	11	1	3	2	3	15	7	123	98	1	-
62	WARREN	646	-	-	1	134	39	27	11	19	5	6	27	15	345	276	11	3
63	YOUNGSTOWN, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
64	BALANCE OF COUNTY	983	-	-	2	166	39	44	14	22	10	9	28	22	564	436	6	7
65	TUSCARAWAS	891	-	1	3	137	38	33	16	15	1	5	29	22	508	357	3	5
66	DOVER	122	-	-	-	15	4	3	3	1	-	-	4	4	70	51	1	1
67	NEW PHILADELPHIA	191	-	-	-	32	4	14	5	3	1	1	4	5	115	76	1	1
68	BALANCE OF COUNTY	578	-	1	3	90	30	16	8	11	-	4	21	13	323	230	1	3
69	UNION	253	-	-	2	41	10	11	-	9	3	1	7	5	160	112	-	1
70	VAN WERT	347	1	-	1	51	14	14	5	8	4	-	6	11	179	129	-	2
71	VAN WERT	137	1	-	-	24	10	5	2	3	2	-	2	3	72	53	-	-
72	BALANCE OF COUNTY	210	-	-	1	27	4	9	3	5	2	-	4	8	107	76	-	2
73	VINTON	121	1	-	-	24	4	8	2	4	1	1	4	3	61	39	-	1
74	WARREN	544	1	-	8	93	23	28	5	14	3	2	18	13	285	221	7	3
75	FRANKLIN	84	-	-	5	13	5	4	1	2	-	-	1	3	42	33	-	-
76	BALANCE OF COUNTY	460	1	-	3	80	18	24	4	12	3	2	17	10	243	188	7	3
77	WASHINGTON	539	1	-	3	85	24	12	12	13	4	4	16	15	326	232	1	5
78	MARIETTA	213	-	-	3	27	11	5	4	1	-	-	6	2	147	104	-	2
79	BALANCE OF COUNTY	326	1	-	-	58	13	7	8	12	4	4	10	13	179	128	1	3
80	WAYNE	741	-	-	3	109	25	20	13	10	8	7	26	13	431	310	9	4
81	WOOSTER	213	-	-	1	31	7	4	2	5	3	4	6	4	127	89	2	1
82	BALANCE OF COUNTY	528	-	-	2	78	18	16	11	5	5	3	20	9	304	221	7	3

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
41	1	1	24	3	-	2	1	1	-	1	-	-	1	1	5	-	2	-	-	01
13	1	-	6	1	-	-	1	2	1	-	-	-	1	1	4	2	-	-	-	02
20	3	-	6	-	2	-	1	-	1	-	-	-	1	-	5	1	1	-	-	03
450	28	3	146	18	17	26	15	7	17	2	1	9	27	18	130	25	28	38	22	-	04
75	5	-	12	3	2	1	2	-	1	1	-	1	-	1	6	3	8	-	-	-	05
80	9	-	31	8	1	2	5	-	-	1	-	3	6	1	12	6	6	4	-	1	06
315	11	4	72	20	18	36	24	-	11	3	-	9	9	7	71	27	23	14	3	3	07
169	6	2	45	14	9	17	14	-	9	3	-	4	5	4	39	8	14	4	1	2	08
146	5	2	27	6	9	19	10	-	2	-	-	5	4	3	32	19	9	10	2	1	09
58	3	-	21	1	2	3	1	-	2	-	-	-	1	1	5	2	3	3	-	1	10
145	10	2	29	14	5	4	8	-	3	2	-	2	7	3	24	13	11	5	1	-	11
70	9	1	18	1	5	12	5	1	2	-	-	2	2	1	14	7	4	6	-	1	12
147	3	-	36	8	4	5	9	4	2	-	1	2	2	3	20	8	4	3	1	1	13
112	3	2	68	11	3	8	5	1	3	2	-	5	5	2	19	17	7	8	-	1	14
40	-	-	34	5	1	5	2	-	2	-	-	-	1	1	9	3	2	2	-	1	15
72	3	2	34	6	2	3	3	1	1	2	-	5	4	1	10	14	5	6	-	-	16
84	11	-	27	4	2	6	7	1	2	2	-	-	3	3	17	5	4	7	1	1	17
344	15	2	84	14	14	13	11	3	14	1	-	5	11	15	43	31	22	11	4	1	18
47	1	-	9	6	-	1	2	2	-	-	-	2	1	2	12	2	4	1	1	-	19
64	2	-	15	1	1	1	2	-	3	-	-	-	3	1	3	5	3	1	-	-	20
233	12	2	60	7	13	11	7	1	11	1	-	3	7	12	28	24	15	9	3	1	21
131	6	1	29	7	5	6	4	1	2	1	-	1	2	1	34	13	8	2	1	-	22
83	11	1	22	6	7	8	3	1	3	-	-	1	9	1	21	8	8	5	-	1	23
393	19	8	143	25	14	42	9	4	13	5	-	7	19	37	75	24	30	20	5	-	24
219	6	6	94	18	6	28	3	4	9	4	-	4	17	26	46	15	24	13	4	-	25
174	13	2	49	7	8	14	6	-	4	1	-	3	2	11	29	9	6	7	1	-	26
191	8	2	78	13	10	19	20	2	6	1	-	-	9	6	48	15	16	5	3	-	27
93	3	1	47	5	6	11	7	2	3	1	-	-	5	1	28	6	8	3	1	-	28
98	5	1	31	8	4	8	13	-	3	-	-	-	4	5	20	9	8	2	2	-	29
262	6	1	60	8	6	21	9	1	7	-	-	4	12	2	33	15	7	10	3	-	30
109	4	-	13	1	1	7	5	-	3	-	-	2	8	1	14	8	1	3	-	-	31
153	2	1	47	7	5	14	4	1	4	-	-	2	4	1	19	7	6	7	3	-	32
387	32	1	85	36	6	18	16	1	5	3	-	2	16	4	73	19	18	13	5	1	33
169	13	1	38	26	6	9	7	-	3	-	-	-	7	1	34	2	3	7	3	1	34
218	19	-	47	10	-	9	9	1	2	3	-	2	9	3	39	17	15	6	2	-	35
240	4	1	44	10	5	21	5	1	5	5	-	5	8	6	27	11	14	3	3	-	36
46	1	-	15	-	2	7	2	-	2	-	-	1	-	1	2	3	2	-	1	-	37
64	2	-	22	1	2	8	3	-	3	-	-	1	-	1	3	5	3	-	1	-	38
93	3	1	11	4	-	8	2	1	3	2	-	2	5	1	13	5	5	2	2	-	39
101	-	-	18	6	3	6	1	-	-	3	-	2	3	4	12	3	7	1	-	-	40
159	11	1	33	12	1	2	3	-	4	-	-	2	4	3	26	13	7	3	1	1	41
77	5	-	18	5	1	2	1	-	2	-	-	1	2	-	12	4	1	2	1	1	42
82	6	1	15	7	-	-	2	-	2	-	-	1	2	3	14	9	6	1	-	-	43
1,287	66	14	379	69	57	104	59	17	56	15	-	22	52	17	267	74	90	45	28	4	44
116	7	6	30	7	6	9	5	1	2	2	-	3	6	1	30	4	3	3	3	-	45
116	7	6	30	7	6	9	5	1	2	2	-	3	6	1	30	4	3	3	3	-	46
492	22	1	148	25	24	32	23	6	27	4	-	3	20	5	90	14	29	22	14	3	47
171	7	-	54	8	4	17	8	2	7	2	-	2	7	1	27	2	13	5	3	-	48
39	3	1	12	3	1	1	3	-	1	1	-	3	2	1	9	3	2	2	1	1	49
469	27	6	135	26	22	45	20	8	19	6	-	11	17	9	111	51	43	13	7	-	50
1,542	103	21	554	123	70	104	60	21	67	20	-	32	60	414	393	41	55	61	22	7	51
909	59	11	325	77	39	68	32	10	46	13	-	16	32	234	247	16	32	34	20	6	52
128	10	3	35	9	5	11	1	2	4	1	-	4	8	26	17	2	2	4	-	-	53
109	9	2	49	12	5	6	8	4	2	2	-	5	4	31	22	4	4	7	-	-	54
25	-	-	7	2	1	-	2	-	2	-	-	-	-	8	7	4	-	-	-	-	55
33	3	1	12	1	5	2	1	1	-	-	-	-	2	12	10	2	3	3	-	-	56
30	1	-	5	3	-	2	-	1	-	-	-	-	-	9	10	1	1	2	-	-	57
308	21	4	121	19	15	15	16	3	13	4	-	7	14	94	80	12	13	11	2	1	58
783	51	4	173	37	27	37	37	11	29	8	-	22	37	11	120	45	60	23	21	2	59
47	3	-	14	4	1	2	4	1	6	-	-	-	1	-	10	-	-	1	2	-	60
92	5	1	19	2	3	8	1	2	3	-	-	8	4	1	14	3	6	5	1	-	61
245	17	3	45	12	9	11	11	5	13	3	-	6	16	6	34	9	18	7	11	1	62
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
398	25	-	95	19	14	16	21	3	7	5	-	8	16	4	62	33	36	10	7	1	64
336	13	3	109	23	16	30	20	3	11	2	-	6	12	2	70	19	29	14	2	-	65
48	1	1	10	5	3	5	3	-	3	1	-	1	3	-	9	2	3	2	1	-	66
70	4	1	32	4	2	4	6	2	2	-	-	1	4	-	11	1	2	5	1	-	67
218	8	1	67	14	11	21	11	1	6	1	-	4	5	2	50	16	24	7	-	-	68
103	9	2	36	6	4	3	5	1	2	1	-	1	1	1	14	4	7	4	1	-	69
121	6	3	30	5	12	18	5	-	4	2	1	6	7	1	24	16	9	6	5	-	70
51	2	-	13	3	3	5	3	-	4	-	1	3	1	-	9	3	3	3	2	-	71
70	4	3	17	2	9	13	2	-	-	2	-	3	6	1	15	13	6	3	3	-	72
36	2	1	18	3	-	7	1	-	-	-	-	-	4	1	8	5	6	-	-	-	73
192	19	2	50	7	5	11	6	2	1	5	-	7	10	4	44	21	16	11	5	1	74
27	6	1	6	1	1	1	1	1	-	-	-	1	2	1	5	5	1	-	2	1	75
165	13	1	44	6	4	10	5	1	1	5	-	6	8	3	39	16	15	11	3	-	76
206	20	4	71	10	9	10	6	-	7	2	-	3	8	8	30	6	16	10	2	1	77
95	7	3	34	4	2	4	2	-	1	1	-	-	2	2	10	2	6	3	1	-	78
111	13	1	37	6	7	6	4	-	6	1	-	3	6	6	20	4	10	7	1	1	79
280	17	-	99	12	10	17	15	9	7	3	-	6	9	9	63	16	18	10	1	2	80
81	5	-	20	6	4	4	2	5	3	2	-	1	1	1	19	1	9	1	1	-	81
199	12	-	71	6	6	13	13	4	4	1	-	5	8	8	44	15	9	9	-	2	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
01	WILLIAMS	341	1	-	2	64	24	11	6	6	4	1	12	10	189	141	-	1
02	WOOD	636	2	-	1	91	20	27	8	9	5	7	15	9	388	284	8	7
03	BOWLING GREEN	100	-	-	-	12	2	5	1	-	-	2	2	2	66	47	1	-
04	FOSTORIA, PART	9	-	-	-	5	1	3	-	-	-	-	1	1	3	2	1	-
05	BALANCE OF COUNTY	527	2	-	1	74	17	19	7	9	5	5	12	6	319	235	7	7
06	WYANDOT	207	-	-	-	36	11	7	5	5	-	1	7	2	119	89	1	1
07	**OKLAHOMA**	27,237	52	4	184	4,742	1,138	1,169	376	616	191	210	1,042	414	14,500	10,179	122	213
08	URBAN PLACES	12,971	26	3	81	2,317	560	604	200	281	93	81	498	185	6,765	4,629	69	86
09	BALANCE OF AREA	14,266	26	1	103	2,425	578	565	176	335	98	129	544	229	7,735	5,550	53	127
10	METROPOLITAN COUNTIES	11,146	21	3	82	1,966	467	521	154	219	65	79	461	163	5,638	4,015	56	66
11	URBAN PLACES	8,843	20	3	63	1,585	379	430	131	178	52	54	361	129	4,421	3,137	46	47
12	BALANCE OF AREA	2,303	1	-	19	381	88	91	23	41	13	25	100	34	1,217	878	10	19
13	NONMETROPOLITAN COUNTIES	16,091	31	1	102	2,776	671	648	222	397	126	131	581	251	8,862	6,164	66	147
14	URBAN PLACES	4,128	6	-	18	732	181	174	69	103	41	27	137	56	2,344	1,492	23	39
15	BALANCE OF AREA	11,963	25	1	84	2,044	490	474	153	294	85	104	444	195	6,518	4,672	43	108
16	ADAIR	170	-	-	4	32	9	6	2	2	-	3	10	4	88	61	3	-
17	ALFALFA	101	-	-	-	12	4	3	1	-	-	-	4	2	67	45	-	-
18	ATOKA	127	1	-	1	20	3	4	-	2	1	2	8	1	64	59	-	-
19	BEAVER	57	-	-	-	11	-	5	1	2	1	-	2	-	32	26	-	1
20	BECKHAM	272	-	-	1	31	13	7	3	2	2	1	3	2	157	109	1	6
21	BLAINE	209	-	-	5	38	4	8	3	11	2	3	7	4	99	58	2	1
22	BRYAN	343	-	-	1	60	14	19	1	9	4	4	9	6	211	148	3	-
23	DURANT	156	-	-	-	18	6	6	-	5	-	-	1	4	99	63	2	-
24	BALANCE OF COUNTY	187	-	-	1	42	8	13	1	4	4	4	8	2	112	85	1	-
25	CADDO	361	-	-	4	64	17	13	2	8	5	4	15	9	194	143	-	-
26	CANADIAN	315	-	-	2	66	16	7	6	9	2	4	22	2	152	113	-	4
27	EL RENO	167	-	-	1	36	10	5	3	6	-	2	10	1	92	71	-	4
28	OKLAHOMA CITY, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	BALANCE OF COUNTY	148	-	-	1	30	6	2	3	3	2	2	12	1	60	42	-	-
30	CARTER	516	1	-	-	89	22	22	9	11	7	4	14	6	301	182	4	3
31	ARDMORE	347	-	-	-	51	6	11	8	9	6	2	9	4	209	125	4	2
32	BALANCE OF COUNTY	169	1	-	-	38	16	11	1	2	1	2	5	2	92	57	-	1
33	CHEROKEE	206	1	-	1	33	11	6	4	4	-	2	6	1	107	83	1	1
34	CHOCTAW	260	-	-	2	47	14	7	4	10	1	-	11	13	145	127	-	7
35	CIMARRON	51	-	-	1	7	3	2	-	1	1	-	-	1	27	21	-	-
36	CLEVELAND	523	-	-	2	85	14	22	15	11	1	5	17	8	261	163	2	3
37	MOORE	89	-	-	1	16	2	2	2	2	1	2	5	1	37	24	-	1
38	NORMAN	334	-	-	1	50	8	12	11	7	-	1	11	7	171	101	1	1
39	OKLAHOMA CITY, PART	15	-	-	-	3	-	2	-	-	-	-	1	-	5	3	-	-
40	BALANCE OF COUNTY	85	-	-	-	16	4	6	2	2	-	2	-	-	48	35	1	1
41	COAL	77	-	-	-	18	4	4	1	4	1	3	1	2	36	26	-	1
42	COMANCHE	608	2	-	7	104	20	28	11	9	4	3	29	9	273	198	4	3
43	LAWTON	479	2	-	4	88	17	25	9	9	2	2	24	7	220	163	3	3
44	BALANCE OF COUNTY	129	-	-	3	16	3	3	2	-	2	1	5	2	53	35	1	-
45	COTTON	100	-	-	2	15	2	3	-	5	-	2	3	-	50	37	1	-
46	CRAIG	203	-	-	-	40	10	10	5	5	-	2	8	4	101	63	1	1
47	CREEK	529	-	-	6	85	23	20	7	4	4	6	21	17	282	215	-	4
48	SAPULPA	205	-	-	3	32	9	6	4	-	1	3	9	5	116	90	-	3
49	BALANCE OF COUNTY	324	-	-	3	53	14	14	3	4	3	3	12	12	166	125	-	1
50	CUSTER	246	-	-	1	31	6	5	1	8	5	-	6	8	122	87	2	10
51	DELAWARE	231	1	-	1	41	6	10	3	8	1	2	11	1	111	76	-	-
52	DEWEY	80	-	-	-	12	3	4	1	3	-	-	1	-	40	33	-	-
53	ELLIS	74	-	-	-	10	3	5	-	-	-	2	-	2	46	33	-	1
54	GARFIELD	607	2	-	2	104	26	22	7	15	9	5	20	8	343	219	3	8
55	ENID	496	2	-	2	87	20	18	7	14	8	2	18	6	282	180	3	7
56	BALANCE OF COUNTY	111	-	-	-	17	6	4	-	1	1	3	2	2	61	39	-	1
57	GARVIN	349	1	-	3	56	11	13	4	10	-	5	13	3	177	136	-	3
58	GRADY	357	-	-	4	64	13	18	8	7	2	1	15	7	208	120	6	6
59	CHICKASHA	157	-	-	2	34	6	10	5	4	2	-	7	3	118	75	4	3
60	BALANCE OF COUNTY	160	-	-	2	30	7	8	3	3	-	1	8	4	90	45	2	3
61	GRANT	96	-	-	1	9	1	2	-	-	-	1	5	-	70	51	-	2
62	GREER	131	-	-	-	23	8	7	1	2	1	1	3	2	80	55	-	-
63	HARMON	70	-	-	-	14	4	2	2	1	2	-	3	-	41	29	1	-
64	HARPER	58	-	-	-	8	1	1	1	3	-	-	2	1	32	22	-	-
65	HASKELL	140	-	-	-	23	9	5	2	2	-	-	5	1	81	58	-	3
66	HUGHES	201	-	-	1	27	6	6	1	5	2	1	6	4	123	91	1	1
67	JACKSON	250	1	-	2	42	10	11	2	7	3	3	6	2	138	88	3	7
68	ALTUS	169	-	-	1	25	7	8	1	1	3	1	4	1	93	57	1	6
69	BALANCE OF COUNTY	81	1	-	1	17	3	3	1	6	-	2	2	1	45	31	2	1
70	JEFFERSON	129	1	-	2	16	4	4	1	2	-	1	4	1	87	70	-	2
71	JOHNSTON	125	2	-	2	21	6	7	-	3	1	1	3	1	72	62	-	-
72	KAY	576	2	-	-	111	29	18	13	16	8	5	22	9	317	235	-	1
73	PONCA CITY	312	1	-	-	62	18	7	6	10	6	5	10	7	168	135	-	1
74	BALANCE OF COUNTY	264	1	-	-	49	11	11	7	6	2	-	12	2	149	100	-	-
75	KINGFISHER	158	-	-	-	28	6	6	1	6	-	3	6	3	82	63	-	-
76	KIOWA	171	-	-	4	24	5	7	1	2	1	1	7	1	107	85	3	5
77	LATIMER	88	-	-	1	10	2	2	2	-	1	-	3	2	50	38	-	1
78	LE FLORE	416	1	-	2	67	17	18	5	6	1	4	16	4	222	171	2	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

[populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
133	7	-	41	2	5	2	3	-	3	5	-	4	5	2	28	10	9	3	1	-	01
253	16	2	64	29	9	18	7	5	4	2	-	5	11	6	42	19	16	10	-	-	02
44	2	-	14	5	-	1	1	2	1	1	-	-	-	2	7	2	-	3	-	-	03
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
207	14	2	49	24	9	17	6	3	3	1	-	5	11	4	35	17	16	7	-	-	05
85	2	2	25	-	3	7	2	1	2	-	-	2	4	2	13	4	10	2	1	-	06
9,084	760	93	3,336	535	357	852	324	121	341	143	5	174	409	358	2,248	755	932	370	267	42	07
4,155	319	44	1,682	236	174	390	174	56	188	64	3	95	219	168	1,077	335	433	219	153	20	08
4,929	441	49	1,654	299	183	462	150	65	153	79	2	79	190	190	1,171	420	499	151	114	22	09
3,606	287	33	1,260	180	150	332	138	52	176	54	3	97	215	157	964	328	381	197	162	17	10
2,839	205	24	1,004	136	120	267	112	41	143	39	2	78	175	123	777	246	306	167	130	16	11
767	82	9	256	44	30	65	26	11	33	15	1	19	40	34	187	82	75	30	32	1	12
5,478	473	60	2,076	355	207	520	186	69	165	89	2	77	194	201	1,284	427	551	173	105	25	13
1,316	114	20	678	100	54	123	62	15	45	25	1	17	44	45	300	89	127	52	23	4	14
4,162	359	40	1,398	255	153	397	124	54	120	64	1	60	150	156	984	338	424	121	82	21	15
54	4	1	23	3	-	3	2	-	3	2	-	3	3	-	18	2	3	1	2	-	16
44	1	1	14	5	2	1	1	-	2	-	-	1	1	1	10	2	1	-	-	-	17
49	10	-	5	-	-	3	1	-	4	-	1	2	3	3	12	1	6	3	1	-	18
19	6	1	3	2	-	-	-	-	-	-	-	-	-	-	8	1	5	-	-	-	19
98	4	-	36	11	1	9	5	1	2	1	-	2	1	28	15	6	5	4	1	1	20
52	3	-	32	6	3	12	2	3	5	-	-	1	3	-	27	5	5	-	-	-	21
134	11	2	53	5	3	7	6	1	1	2	-	1	5	-	20	7	10	3	2	-	22
57	4	-	32	2	2	4	3	-	1	-	-	-	2	-	12	5	5	1	2	-	23
77	7	2	21	3	1	3	3	1	-	2	-	1	3	-	8	2	5	2	-	-	24
129	14	2	35	12	2	9	3	3	7	-	-	-	7	7	20	11	14	5	4	-	25
101	8	-	31	6	2	7	1	3	1	1	1	3	8	6	24	14	11	9	4	-	26
62	5	-	20	1	-	2	1	2	-	-	-	-	2	3	13	4	4	5	1	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
39	3	-	11	5	2	5	-	1	1	1	1	3	6	3	11	10	7	4	3	-	29
160	15	1	94	14	10	10	10	1	4	3	-	1	8	10	30	15	17	7	2	1	30
107	12	1	64	12	7	10	8	-	2	3	-	1	4	8	22	9	9	4	2	1	31
53	3	-	30	2	3	-	2	1	2	-	-	-	4	2	8	6	8	3	-	-	32
78	3	-	20	2	2	6	1	1	3	1	-	2	1	3	20	7	11	3	3	1	33
110	10	-	14	2	2	1	2	3	3	1	-	2	3	1	20	2	9	1	4	1	34
19	2	-	4	-	2	1	1	1	1	-	-	2	-	2	3	3	1	-	-	-	35
149	9	-	78	13	7	21	8	2	6	3	-	5	7	9	48	18	23	10	6	1	36
21	2	-	7	5	1	5	3	-	2	1	-	1	2	2	7	5	2	3	1	-	37
93	6	-	61	6	3	11	4	1	2	2	-	4	4	6	33	10	15	7	5	1	38
2	1	-	2	-	-	2	-	-	-	-	-	-	-	-	3	-	2	-	-	-	39
33	-	-	8	2	3	3	1	1	2	-	-	-	1	1	5	3	4	-	-	-	40
22	3	-	7	-	3	-	-	-	2	-	-	-	-	1	7	4	4	1	2	-	41
171	20	2	55	9	9	22	11	3	15	-	-	10	20	13	58	22	23	4	11	1	42
140	17	1	43	6	7	19	8	2	11	-	-	8	13	8	47	14	15	3	9	1	43
31	3	1	12	3	2	3	3	1	4	-	-	2	7	5	11	8	8	1	2	-	44
32	4	-	11	1	1	5	1	-	2	1	-	-	-	4	13	5	1	1	-	-	45
60	1	1	30	5	2	16	2	1	1	-	-	2	1	3	14	8	8	2	-	-	46
201	10	-	63	1	3	19	8	1	7	3	-	2	6	4	41	20	19	4	5	-	47
86	1	-	25	-	1	7	4	1	2	-	-	1	3	3	13	6	5	3	1	-	48
115	9	-	38	1	2	12	4	-	5	3	-	1	3	1	28	14	14	1	4	-	49
70	5	2	21	7	5	11	5	3	4	4	-	2	6	2	22	6	14	3	2	2	50
65	11	-	27	4	4	14	2	-	4	-	-	2	-	5	24	9	10	3	3	-	51
32	1	2	4	1	-	7	2	-	-	1	-	-	-	-	11	5	-	-	1	1	52
28	4	1	9	1	2	2	-	-	-	1	-	-	-	1	8	1	2	1	-	-	53
185	21	4	92	21	7	13	12	6	4	3	1	5	5	8	42	13	24	8	4	-	54
149	19	3	75	18	6	10	11	3	3	3	1	3	4	6	33	8	21	7	4	-	55
36	2	1	17	3	1	3	1	3	1	-	-	2	1	2	9	5	3	1	-	-	56
124	9	2	27	5	7	9	1	1	2	5	-	5	13	5	31	12	16	6	3	-	57
100	8	2	62	15	9	12	4	1	3	1	-	1	4	2	27	6	9	3	-	1	58
63	5	-	29	11	3	6	3	-	3	1	-	1	4	2	13	1	5	1	-	-	59
37	3	2	33	4	6	6	1	1	-	-	-	-	-	-	14	5	4	2	-	1	60
34	15	-	15	3	1	1	1	-	-	1	-	-	-	2	7	3	-	1	-	-	61
54	1	-	19	5	1	11	-	-	1	1	-	-	2	-	8	-	3	-	-	-	62
25	3	-	12	-	-	3	2	-	-	-	-	-	1	-	2	2	4	-	1	-	63
18	4	-	10	-	-	3	-	1	2	1	-	-	-	-	7	-	1	2	-	-	64
51	4	-	20	2	1	1	2	-	1	-	-	-	1	6	13	2	5	3	1	-	65
86	3	-	27	1	4	8	3	1	1	1	-	1	1	1	11	6	7	1	4	-	66
68	10	-	42	6	2	10	1	-	2	3	-	-	6	2	14	10	12	2	1	2	67
43	7	-	30	5	1	10	1	-	2	1	-	-	2	1	11	7	10	2	1	1	68
25	3	-	12	1	1	-	-	-	-	2	-	-	4	1	3	3	2	-	-	1	69
66	2	-	15	1	1	4	1	1	2	-	-	-	3	-	7	2	1	1	-	-	70
62	-	-	6	3	1	4	-	-	1	1	-	1	-	3	9	4	4	-	-	-	71
221	13	-	65	9	8	21	11	5	3	-	-	1	10	5	35	12	22	6	5	1	72
125	9	-	22	8	3	10	9	3	3	-	-	-	7	3	19	3	10	3	4	-	73
96	4	-	43	1	5	11	2	2	-	-	-	1	3	2	16	9	12	3	1	1	74
60	3	-	16	3	-	3	2	-	2	-	-	-	5	2	17	6	7	-	1	-	75
71	6	-	10	8	4	4	1	-	2	-	-	-	2	1	12	3	5	4	-	1	76
35	2	-	10	2	-	-	1	-	-	-	-	-	1	1	16	3	1	-	2	-	77
158	10	3	39	6	3	15	5	1	8	4	-	6	4	10	38	12	8	4	5	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OKLAHOMA—CON.																	
01	LINCOLN	312	-	-	1	45	7	12	2	7	4	2	11	6	195	138	1	5
02	LOGAN	272	-	-	2	48	6	18	6	8	3	2	5	2	151	104	-	1
03	LOVE	74	-	-	1	12	2	4	-	2	1	1	2	-	46	37	-	-
04	MC CLAIN	176	-	-	2	34	11	7	4	5	2	2	3	3	97	60	-	-
05	OKLAHOMA CITY, PART	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
06	BALANCE OF COUNTY	175	-	-	2	33	11	7	4	5	2	2	2	3	97	60	-	-
07	MC CURTAIN	399	3	-	2	66	15	12	6	5	3	5	20	3	180	118	-	3
08	MC INTOSH	186	2	-	-	36	9	4	2	10	2	-	9	4	92	60	-	2
09	MAJOR	95	-	-	-	16	5	-	1	3	3	2	2	5	46	36	1	2
10	MARSHALL	139	-	-	1	23	5	7	1	2	1	1	6	1	88	56	1	2
11	MAYES	289	2	-	1	58	12	17	4	8	4	6	7	5	142	87	-	-
12	MURRAY	195	-	-	2	30	6	7	1	5	1	2	8	2	116	90	2	-
13	MUSKOGEE	802	-	-	10	154	42	42	15	21	4	5	25	8	424	281	3	3
14	MUSKOGEE	566	-	-	5	116	29	32	12	19	4	4	16	5	312	200	3	2
15	BALANCE OF COUNTY	236	-	-	5	38	13	10	3	2	-	1	9	3	112	81	-	1
16	NOBLE	129	-	-	1	25	5	2	3	6	-	3	6	2	76	52	-	3
17	NOWATA	148	1	-	3	25	4	4	9	1	-	-	7	4	87	46	-	-
18	OKFUSKEE	157	-	-	-	29	7	6	1	5	1	1	8	4	86	65	-	-
19	OKLAHOMA	4,626	8	1	40	833	195	216	60	98	31	26	207	72	2,294	1,617	26	30
20	BETHANY	111	-	-	1	22	5	4	3	1	-	-	9	1	60	42	2	1
21	DEL CITY	140	-	-	1	36	9	12	2	3	2	-	8	4	59	48	-	2
22	EDMOND	136	-	-	1	28	4	8	5	4	1	1	5	2	67	45	-	2
23	MIDWEST CITY	271	-	-	2	56	12	19	6	6	1	1	11	2	117	93	1	1
24	OKLAHOMA CITY, PART	3,688	8	1	32	646	156	165	44	76	27	19	159	60	1,847	1,290	20	20
25	OKLAHOMA CITY, TOTAL	3,704	8	1	32	650	156	167	44	76	27	19	161	60	1,852	1,293	20	20
26	THE VILLAGE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
27	BALANCE OF COUNTY	276	-	-	3	45	9	8	-	8	-	5	15	3	143	98	3	5
28	OKMULGEE	486	-	-	1	80	20	25	5	8	2	1	19	4	300	250	1	9
29	OKMULGEE	216	-	-	-	35	8	13	2	3	1	1	7	1	132	97	-	-
30	BALANCE OF COUNTY	270	-	-	1	45	12	12	3	5	1	-	12	3	168	153	1	9
31	OSAGE	345	-	-	1	55	10	14	2	5	1	4	19	4	213	145	-	4
32	BARTLESVILLE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	TULSA, PART	5	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	-
34	BALANCE OF COUNTY	340	-	-	1	55	10	14	2	5	1	4	19	4	208	141	-	4
35	OTTAWA	382	3	-	3	74	19	18	5	8	2	4	18	10	200	123	2	4
36	MIAMI	165	1	-	1	24	6	2	2	1	-	2	11	5	92	56	1	1
37	BALANCE OF COUNTY	217	2	-	2	50	13	16	3	7	2	2	7	5	108	67	1	3
38	PAWNEE	179	-	-	1	32	8	5	1	7	1	1	9	6	91	69	-	2
39	PAYNE	419	1	-	-	68	16	20	3	10	2	1	16	3	247	165	3	3
40	STILLWATER	192	-	-	-	37	9	11	1	4	-	1	11	1	101	64	-	1
41	BALANCE OF COUNTY	227	1	-	-	31	7	9	2	6	2	-	5	2	146	101	3	2
42	PITTSBURG	439	-	-	3	78	20	19	7	11	3	5	13	3	228	158	1	5
43	MC ALESTER	233	-	-	1	45	11	14	4	5	1	4	6	1	131	84	-	3
44	BALANCE OF COUNTY	206	-	-	2	33	9	5	3	6	2	1	7	2	97	74	1	2
45	PONTOTOC	342	-	-	1	60	13	16	4	9	3	3	12	3	189	111	2	-
46	ADA	209	-	-	-	31	6	7	2	7	2	2	5	1	124	68	1	-
47	BALANCE OF COUNTY	133	-	-	1	29	7	9	2	2	1	1	7	2	65	43	1	-
48	POTTAWATOMIE	565	2	-	5	84	21	23	5	12	6	1	16	16	333	196	2	6
49	OKLAHOMA CITY, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	SHAWNEE	365	2	-	3	51	14	16	4	8	3	-	6	9	222	125	2	4
51	BALANCE OF COUNTY	200	-	-	2	33	7	7	1	4	3	1	10	7	111	71	2	2
52	PUSHMATAHA	128	2	-	-	20	11	5	-	-	-	1	3	1	76	48	-	1
53	ROGER MILLS	44	-	-	-	6	2	-	-	1	-	1	2	-	23	17	-	-
54	ROGERS	257	-	-	1	48	9	14	5	5	2	-	13	1	131	99	2	1
55	SEMINOLE	388	-	-	4	71	18	14	6	11	3	3	16	6	232	186	2	7
56	SEQUOYAH	262	-	-	3	38	14	6	3	5	2	2	6	5	147	107	2	7
57	STEPHENS	440	1	-	3	111	26	20	10	12	4	4	35	8	218	141	1	2
58	DUNCAN	214	-	-	1	53	13	9	6	8	2	1	14	3	108	58	-	2
59	BALANCE OF COUNTY	226	1	-	2	58	13	11	4	4	2	3	21	5	110	83	1	-
60	TEXAS	143	-	1	-	18	2	4	4	6	-	-	2	4	67	47	-	-
61	TILLMAN	163	-	-	1	24	4	8	1	2	-	3	6	2	91	56	1	3
62	TULSA	3,522	10	2	19	633	158	190	45	72	19	25	124	42	1,794	1,286	20	10
63	BROKEN ARROW	94	-	-	1	16	2	3	5	1	-	-	5	-	51	35	-	-
64	SAND SPRINGS	112	-	-	-	18	6	7	1	1	-	1	2	-	63	41	-	2
65	TULSA, PART	2,993	10	2	15	538	139	160	36	62	17	22	102	39	1,510	1,086	19	8
66	TULSA, TOTAL	2,998	10	2	15	538	139	160	36	62	17	22	102	39	1,515	1,090	19	8
67	BALANCE OF COUNTY	323	-	-	3	61	11	20	3	8	2	2	15	3	170	124	1	-
68	WAGONER	239	1	-	1	48	11	13	4	9	2	1	8	10	131	86	2	1
69	WASHINGTON	417	-	-	2	79	25	14	11	8	4	2	15	7	225	157	-	8
70	BARTLESVILLE, PART	290	-	-	2	62	22	10	9	5	3	2	11	5	153	105	-	7
71	BARTLESVILLE, TOTAL	290	-	-	2	62	22	10	9	5	3	2	11	5	153	105	-	7
72	BALANCE OF COUNTY	127	-	-	-	17	3	4	2	3	1	-	4	2	72	52	-	1
73	WASHITA	152	-	-	1	26	8	2	3	3	1	-	9	5	88	66	-	4
74	WOODS	145	-	-	2	27	6	4	3	8	1	4	1	2	65	41	1	-
75	WOODWARD	200	-	-	1	30	7	8	3	3	-	2	7	-	95	79	1	1
76	**OREGON**	20,335	31	3	97	3,685	992	884	322	454	178	145	710	270	10,651	7,430	181	153
77	URBAN PLACES	9,637	14	2	55	1,747	465	422	158	208	75	73	346	126	5,134	3,538	92	66
78	BALANCE OF AREA	10,698	17	1	42	1,938	527	462	164	246	103	72	364	144	5,517	3,892	89	87

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
113	19	–	38	13	6	10	4	–	4	–	–	2	6	5	11	10	9	2	1	1	01
95	8	–	42	2	3	10	2	–	–	1	–	2	–	–	21	7	14	3	2	–	02
35	2	–	5	4	–	2	1	–	–	–	–	–	1	–	6	2	2	–	1	–	03
57	3	–	31	4	2	6	1	–	2	1	–	2	2	1	14	2	3	2	3	–	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
57	3	–	31	4	2	6	1	–	2	1	–	2	2	1	14	2	3	2	3	–	06
95	20	–	48	10	4	24	5	1	4	2	–	3	3	8	48	20	18	2	5	2	07
56	2	–	23	7	2	4	2	1	–	–	–	2	2	4	28	4	2	1	3	–	08
33	2	–	6	2	2	4	2	1	2	–	–	2	–	–	11	1	3	1	–	1	09
49	4	1	27	2	2	3	2	–	1	–	–	–	–	–	11	2	4	2	1	–	10
81	6	–	40	6	9	13	3	1	4	–	–	2	5	2	36	6	7	1	1	–	11
74	14	–	10	13	3	6	1	–	2	–	–	1	2	4	22	2	5	–	–	–	12
252	23	7	114	17	5	17	7	1	6	13	–	2	8	13	77	18	36	7	1	–	13
176	19	7	89	13	3	11	4	–	4	12	–	2	4	7	48	11	19	6	–	–	14
76	4	–	25	4	2	6	3	1	2	1	–	–	4	6	29	7	17	1	1	–	15
43	6	–	15	5	4	–	1	1	1	–	–	1	–	–	8	5	7	2	–	–	16
37	9	1	31	3	6	2	–	–	–	1	–	–	1	1	13	3	3	2	1	–	17
57	8	1	11	4	5	4	–	2	1	2	–	–	2	1	15	3	6	–	2	–	18
1,460	101	13	511	77	76	145	59	19	83	22	2	41	104	79	375	137	130	88	83	11	19
36	4	–	13	1	4	2	1	–	1	–	–	1	1	2	11	2	3	2	1	–	20
48	3	–	9	–	2	4	2	–	2	–	–	1	4	2	8	4	4	6	3	–	21
37	6	–	17	2	3	3	1	–	1	–	–	–	5	2	10	6	3	5	2	–	22
86	5	–	17	5	2	18	4	1	5	1	–	3	3	7	19	20	10	1	1	1	23
1,176	74	12	417	68	60	111	49	16	70	20	2	34	84	61	303	93	102	66	73	10	24
1,178	75	12	419	68	60	113	49	16	70	20	2	34	84	61	306	93	104	66	73	10	25
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	26
81	9	1	38	1	5	7	2	2	4	1	–	2	7	5	23	11	7	8	3	–	27
232	8	2	40	3	5	14	8	2	8	1	–	2	5	5	22	15	8	4	7	–	28
95	2	1	30	1	3	5	2	1	5	–	–	1	4	2	11	6	5	4	2	–	29
137	6	1	10	2	2	9	6	1	3	1	–	1	1	3	11	9	3	–	5	–	30
127	14	1	39	19	9	2	3	2	5	–	–	1	5	4	28	6	8	3	4	1	31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32
4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
123	14	1	38	19	9	2	3	2	5	–	–	1	5	4	28	6	8	3	4	1	34
100	17	5	55	12	5	19	4	1	3	3	–	1	2	4	29	7	15	2	2	–	35
46	8	2	26	6	2	10	1	1	1	2	–	–	1	3	13	3	6	1	–	–	36
54	9	3	29	6	3	9	3	–	2	1	–	1	1	1	16	4	9	1	2	–	37
62	5	2	11	7	2	4	2	–	1	3	–	–	5	1	15	8	7	2	1	–	38
148	11	1	75	2	4	27	5	2	2	3	–	2	7	2	15	9	17	3	4	2	39
57	6	–	33	1	3	12	4	1	1	–	–	2	5	1	8	4	9	3	3	–	40
91	5	1	42	1	1	15	1	1	1	3	–	2	2	1	7	5	8	–	1	2	41
144	8	2	58	7	3	12	5	3	9	5	–	4	8	2	44	14	9	7	3	2	42
75	6	2	39	3	3	6	5	1	6	1	–	2	1	1	20	5	4	1	1	1	43
69	2	–	19	4	–	6	–	2	3	4	–	2	7	1	24	9	5	6	2	1	44
106	3	2	66	3	7	9	5	1	7	1	–	3	1	3	21	11	14	10	2	1	45
65	2	2	48	2	4	5	2	1	5	1	–	3	–	3	15	6	7	5	–	–	46
41	1	–	18	1	3	4	3	–	2	–	–	–	1	–	6	5	7	5	2	1	47
179	9	2	113	12	10	18	6	4	7	2	–	2	4	9	36	12	8	10	6	1	48
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
114	5	1	78	10	8	11	5	3	7	–	–	1	2	2	27	6	4	6	4	–	50
65	4	1	35	2	2	7	1	1	–	2	–	1	2	7	9	6	4	4	2	1	51
40	7	1	23	2	2	6	1	1	1	–	–	1	1	1	6	2	8	2	–	–	52
17	–	–	3	3	–	5	1	–	2	–	–	1	–	–	3	2	–	1	–	–	53
90	6	–	30	–	2	5	5	–	4	2	–	2	7	3	23	9	11	3	2	–	54
173	4	2	35	5	4	10	5	–	6	2	–	1	2	3	18	8	14	2	4	–	55
88	10	1	35	3	1	9	3	1	1	5	–	3	3	1	19	9	7	2	6	–	56
120	18	1	55	14	7	19	5	1	3	4	–	1	4	4	36	10	7	3	1	1	57
51	5	1	41	3	5	6	3	–	2	1	–	1	2	3	20	6	3	1	–	1	58
69	13	–	14	11	2	13	2	1	1	3	–	–	2	1	16	4	4	2	1	–	59
42	5	–	15	4	1	7	1	–	4	1	–	2	8	1	9	8	10	1	–	–	60
52	–	–	31	2	2	6	–	–	2	–	–	–	3	–	15	8	8	2	1	–	61
1,151	105	13	409	46	40	92	40	20	50	16	–	26	58	31	333	90	152	73	38	3	62
25	10	–	11	2	3	2	1	1	2	–	–	–	1	–	8	4	5	2	–	–	63
37	2	–	18	1	3	5	–	1	1	–	–	1	–	1	13	3	6	–	–	–	64
990	69	11	343	39	31	76	34	16	44	15	–	24	53	26	288	74	129	64	33	3	65
994	69	11	344	39	31	76	34	16	44	15	–	24	53	26	288	74	129	64	33	3	66
99	24	2	37	4	3	9	5	2	3	1	–	1	4	4	24	9	12	7	5	–	67
75	8	1	38	1	5	3	4	–	–	4	–	–	–	–	19	9	4	4	–	1	68
143	6	1	59	7	1	10	4	2	–	–	–	1	3	3	43	12	15	10	1	–	69
93	5	–	42	5	1	7	1	1	–	–	–	–	2	3	28	9	10	7	–	–	70
93	5	–	42	5	1	7	1	1	–	–	–	–	2	3	28	9	10	7	–	–	71
50	1	1	17	2	–	3	3	1	–	–	–	1	1	–	15	3	5	3	1	–	72
59	3	3	12	7	–	2	3	–	2	2	–	1	1	4	8	2	5	2	–	1	73
33	7	2	18	2	2	7	4	2	3	1	–	2	–	1	20	2	6	1	–	–	74
71	6	1	8	5	2	8	1	1	1	1	–	2	3	2	21	10	19	4	1	–	75
6,764	332	58	2,387	455	321	598	367	64	363	57	2	148	221	305	1,544	670	709	355	121	74	76
3,245	135	22	1,196	212	166	274	164	32	232	18	1	65	103	150	746	214	306	144	64	46	77
3,519	197	36	1,191	243	155	324	203	32	131	39	1	83	118	155	798	456	403	211	57	28	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OREGON—CON.																	
01	METROPOLITAN COUNTIES	12,149	21	1	60	2,245	602	528	192	274	115	82	452	160	6,387	4,414	118	54
02	URBAN PLACES	7,325	14	1	40	1,342	352	320	126	160	63	46	275	92	3,873	2,667	75	22
03	BALANCE OF AREA	4,824	7	-	20	903	250	208	66	114	52	36	177	68	2,514	1,747	43	32
04	NONMETROPOLITAN COUNTIES	8,186	10	2	37	1,440	390	356	130	180	63	63	258	110	4,264	3,016	63	99
05	URBAN PLACES	2,312	-	1	15	405	113	102	32	48	12	27	71	34	1,261	871	17	44
06	BALANCE OF AREA	5,874	10	1	22	1,035	277	254	98	132	51	36	187	76	3,003	2,145	46	55
07	BAKER	198	-	-	-	28	8	7	2	5	1	1	4	4	121	97	3	5
08	BENTON	307	-	-	2	62	17	14	11	7	1	3	9	5	173	126	4	-
09	ALBANY, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
10	CORVALLIS	193	-	-	2	33	6	8	6	4	1	3	5	4	114	83	3	-
11	BALANCE OF COUNTY	112	-	-	-	29	11	6	5	3	-	-	4	1	58	42	1	-
12	CLACKAMAS	1,457	1	-	5	294	79	75	22	35	15	15	53	15	776	526	15	10
13	LAKE OSWEGO, PART	124	-	-	-	29	6	5	2	9	1	1	5	3	57	38	3	1
14	LAKE OSWEGO, TOTAL	124	-	-	-	29	6	5	2	9	1	1	5	3	57	38	3	1
15	MILWAUKEE, PART	200	-	-	2	37	8	8	2	5	1	2	11	2	112	80	1	-
16	MILWAUKEE, TOTAL	203	-	-	2	38	8	8	2	5	2	2	11	2	114	81	1	-
17	PORTLAND, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
18	BALANCE OF COUNTY	1,129	1	-	3	228	65	62	18	21	13	12	37	10	606	407	11	9
19	CLATSOP	371	-	-	-	66	17	14	6	9	3	3	14	5	227	147	4	4
20	ASTORIA	138	-	-	-	27	8	2	1	5	2	1	8	2	83	56	3	3
21	BALANCE OF COUNTY	233	-	-	-	39	9	12	5	4	1	2	6	3	144	91	1	1
22	COLUMBIA	259	1	-	1	47	7	18	2	4	3	1	12	4	135	97	3	2
23	COOS	494	-	1	1	93	23	26	12	7	2	4	19	7	243	177	6	1
24	COOS BAY	136	-	-	1	28	8	10	3	1	-	1	5	1	71	56	-	-
25	BALANCE OF COUNTY	358	-	1	-	65	15	16	9	6	2	3	14	6	172	121	6	1
26	CROOK	133	-	-	2	24	7	8	2	-	2	1	4	1	58	38	-	1
27	CURRY	129	1	-	-	26	10	7	-	3	-	1	5	-	51	37	-	1
28	DESCHUTES	353	-	-	1	65	15	21	4	10	5	1	9	6	182	120	3	3
29	BEND	145	-	-	1	28	7	11	2	3	3	1	1	1	77	50	-	1
30	BALANCE OF COUNTY	208	-	-	-	37	8	10	2	7	2	-	8	5	105	70	3	2
31	DOUGLAS	662	2	-	1	125	30	35	11	19	5	7	18	13	302	221	3	-
32	ROSEBURG	185	-	-	-	41	13	11	2	6	2	2	5	5	87	59	1	-
33	BALANCE OF COUNTY	477	2	-	1	84	17	24	9	13	3	5	13	8	215	162	2	-
34	GILLIAM	22	-	-	-	2	1	-	-	1	-	-	-	-	13	7	-	-
35	GRANT	51	-	-	-	6	1	2	-	2	-	1	-	1	25	21	-	-
36	HARNEY	66	-	-	1	13	3	1	-	2	2	2	3	2	29	22	1	-
37	HOOD RIVER	161	-	-	1	25	4	10	3	3	1	-	4	-	92	52	1	1
38	JACKSON	1,041	2	1	4	192	49	54	18	25	3	6	37	13	534	395	5	41
39	ASHLAND	133	-	-	1	19	7	5	1	2	-	1	3	2	75	49	-	5
40	MEDFORD	380	-	1	1	74	20	21	5	8	1	5	14	6	195	147	3	23
41	BALANCE OF COUNTY	528	2	-	2	99	22	28	12	15	2	-	20	5	264	199	2	13
42	JEFFERSON	85	1	-	1	14	3	4	1	2	1	-	3	2	33	20	-	-
43	JOSEPHINE	539	1	-	3	82	21	22	9	9	1	1	19	4	311	226	3	3
44	GRANTS PASS	224	-	-	2	31	9	9	3	3	-	-	7	-	143	95	1	2
45	BALANCE OF COUNTY	315	1	-	1	51	12	13	6	6	1	1	12	4	168	131	2	1
46	KLAMATH	429	-	-	6	68	20	15	7	6	2	4	14	5	220	162	6	8
47	KLAMATH FALLS	182	-	-	4	27	7	6	2	2	-	3	7	4	91	61	1	2
48	BALANCE OF COUNTY	247	-	-	2	41	13	9	5	4	2	1	7	1	129	101	5	6
49	LAKE	70	-	-	1	11	4	1	-	1	2	-	3	-	32	20	-	-
50	LANE	1,629	2	-	12	302	76	77	22	33	14	12	68	20	817	547	21	6
51	EUGENE	714	-	-	5	136	30	41	9	17	6	4	29	10	367	227	9	3
52	SPRINGFIELD	292	-	-	1	54	14	17	4	3	2	2	12	4	147	100	6	-
53	BALANCE OF COUNTY	623	2	-	6	112	32	19	9	13	6	6	27	6	303	220	6	3
54	LINCOLN	302	-	-	1	61	26	10	3	6	3	1	12	7	150	104	1	1
55	LINN	607	-	-	2	84	21	18	6	14	5	3	17	6	326	230	9	5
56	ALBANY, PART	184	-	-	1	26	7	8	2	4	-	1	4	2	93	65	3	2
57	ALBANY, TOTAL	186	-	-	1	26	7	8	2	4	-	1	4	2	94	66	3	2
58	BALANCE OF COUNTY	423	-	-	1	58	14	10	4	10	5	2	13	4	233	165	6	3
59	MALHEUR	210	-	-	3	41	20	7	2	6	-	1	5	2	98	73	2	2
60	MARION	1,519	3	-	7	295	94	56	33	34	17	5	56	25	809	563	13	13
61	SALEM, PART	845	2	-	5	169	53	29	24	16	8	4	35	9	451	305	9	5
62	SALEM, TOTAL	944	2	-	5	182	57	32	28	17	8	5	35	9	512	354	9	5
63	BALANCE OF COUNTY	674	1	-	2	126	41	27	9	18	9	1	21	16	358	258	4	8
64	MORROW	50	-	-	-	12	4	3	1	2	1	-	1	1	21	13	-	2
65	MULTNOMAH	6,043	15	1	27	1,081	279	263	93	141	52	37	216	77	3,194	2,244	60	17
66	LAKE OSWEGO, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	MILWAUKEE, PART	3	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	-
68	PORTLAND, PART	4,717	12	1	26	843	224	200	73	105	40	30	171	60	2,501	1,744	44	13
69	PORTLAND, TOTAL	4,726	12	1	26	843	224	200	73	105	40	30	171	60	2,507	1,750	44	13
70	BALANCE OF COUNTY	1,323	3	-	1	237	55	63	20	36	11	7	45	17	691	499	16	4
71	POLK	348	-	-	3	53	12	9	7	12	2	1	10	6	197	147	-	5
72	SALEM, PART	99	-	-	-	13	4	3	4	1	-	1	-	-	61	49	-	5
73	BALANCE OF COUNTY	249	-	-	3	40	8	6	3	11	2	-	10	6	136	98	-	5
74	SHERMAN	15	-	-	-	3	-	3	-	-	-	-	-	2	8	6	-	-
75	TILLAMOOK	213	-	-	-	36	12	11	2	3	3	-	5	3	108	78	-	-
76	UMATILLA	494	1	-	3	89	20	15	8	18	4	6	18	5	259	168	6	3
77	PENDLETON	142	-	-	1	27	5	4	2	6	-	4	6	2	75	46	1	2
78	BALANCE OF COUNTY	352	1	-	2	62	15	11	6	12	4	2	12	3	184	122	5	1
79	UNION	201	-	-	-	39	14	7	6	4	3	2	3	1	110	82	1	3
80	WALLOWA	63	-	-	1	9	2	2	1	-	-	3	1	3	29	18	-	1
81	WASCO	222	1	-	1	51	18	10	2	5	5	3	8	5	122	90	1	3
82	CITY OF THE DALLES	149	-	-	1	27	12	3	-	3	2	3	4	5	88	63	-	3
83	BALANCE OF COUNTY	73	1	-	-	24	6	7	2	2	3	-	4	-	34	27	1	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E325-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4,040	202	29	1,459	282	203	371	194	44	245	25	1	82	144	190	911	346	383	198	87	54	01
2,463	107	13	898	163	132	217	120	27	196	16	1	44	79	127	546	156	228	110	55	41	02
1,577	95	16	561	119	71	154	74	17	49	9	-	38	65	63	365	190	155	88	32	13	03
2,724	130	29	928	173	118	227	173	20	118	32	1	66	77	115	633	324	326	157	34	20	04
782	28	9	298	49	34	57	44	5	36	2	-	21	24	23	200	58	78	34	9	5	05
1,942	102	20	630	124	84	170	129	15	82	30	1	45	53	92	433	266	248	123	25	15	06
86	3	-	18	4	2	8	3	1	1	1	-	1	-	1	13	8	6	1	-	1	07
120	2	2	35	5	5	4	3	-	2	1	-	6	2	1	22	8	12	4	-	-	08
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	09
79	1	2	23	2	4	4	2	-	1	-	-	4	1	-	14	5	7	2	-	-	10
40	1	-	12	3	1	-	1	-	1	1	-	2	1	1	7	3	5	2	-	-	11
480	21	3	178	44	25	41	25	3	15	2	-	11	19	18	94	54	43	25	9	7	12
34	-	-	14	3	2	3	3	-	6	-	-	2	1	1	9	1	5	3	-	1	13
34	-	-	14	3	2	3	3	-	6	-	-	2	1	1	9	1	5	3	-	1	14
75	4	-	25	4	3	6	1	-	4	-	-	1	2	3	12	6	4	4	2	2	15
76	4	-	26	4	3	6	1	-	4	-	-	1	2	3	12	6	4	4	2	2	16
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	17
370	17	3	139	37	20	32	21	3	5	2	-	8	16	14	72	47	33	17	7	4	18
129	10	3	67	9	1	5	7	-	6	1	-	3	1	4	15	14	11	5	1	-	19
45	5	2	21	4	-	4	1	-	4	-	-	2	1	1	6	4	2	1	1	-	20
84	5	1	46	5	1	1	6	-	2	1	-	2	-	3	9	10	9	4	-	-	21
89	3	-	25	9	4	10	7	-	3	1	-	2	3	5	13	10	11	4	-	2	22
163	7	-	48	7	11	10	8	1	8	2	-	4	6	13	35	21	30	8	2	1	23
53	3	-	9	1	5	2	2	-	2	-	-	2	2	5	9	-	9	-	1	1	24
110	4	-	39	6	6	8	6	1	6	2	-	2	4	8	26	21	21	8	1	-	25
36	1	-	16	2	2	6	9	1	2	-	-	-	4	1	9	5	7	3	1	-	26
30	6	1	11	-	2	2	4	-	2	1	-	-	3	6	13	11	6	3	-	-	27
109	5	-	46	5	11	8	6	1	6	1	-	5	8	6	24	16	13	5	-	-	28
48	1	-	22	1	4	3	3	-	5	1	-	2	2	3	11	3	4	1	-	-	29
61	4	-	24	4	7	5	3	1	1	-	-	3	6	3	13	13	9	4	-	-	30
212	6	1	62	12	6	13	21	1	11	2	-	6	7	13	58	31	34	15	5	2	31
58	-	-	21	6	1	2	5	-	3	-	-	1	4	-	19	5	10	1	1	1	32
154	6	1	41	6	5	11	16	1	8	2	-	5	3	13	39	26	24	14	4	1	33
6	1	-	5	1	-	1	1	-	1	-	-	-	-	-	4	-	-	-	-	-	34
18	3	1	2	-	1	2	-	-	1	-	-	-	-	-	7	1	7	1	-	-	35
15	6	-	5	-	2	2	1	-	2	-	-	2	1	4	4	3	-	1	1	-	36
50	-	1	29	5	5	7	1	-	2	-	1	1	-	8	12	3	4	3	1	-	37
330	19	4	105	15	15	28	23	3	14	3	-	7	7	15	81	42	36	25	6	5	38
43	1	-	23	2	1	5	4	1	1	-	-	1	1	1	10	5	4	2	-	1	39
115	6	1	36	5	6	10	7	2	4	-	-	4	2	6	32	12	11	8	4	1	40
172	12	3	46	8	8	13	12	-	9	3	-	2	4	8	39	25	21	15	2	3	41
19	1	1	5	6	1	3	1	-	2	1	-	1	1	3	8	7	4	2	1	-	42
211	9	4	62	10	9	16	11	1	5	1	-	8	2	1	38	16	21	14	3	1	43
87	5	1	36	6	5	4	5	-	2	-	-	2	-	-	16	8	6	5	-	-	44
124	4	3	26	4	4	12	6	1	3	1	-	6	2	1	22	8	15	9	3	1	45
142	6	2	42	9	5	11	9	-	15	1	-	4	8	2	44	7	14	10	5	-	46
55	3	1	23	4	2	6	1	-	5	-	-	2	4	1	25	3	4	3	2	-	47
87	3	1	19	5	3	5	8	-	10	1	-	2	4	1	19	4	10	7	3	-	48
18	2	-	10	1	1	3	2	-	-	-	-	-	-	1	5	11	1	1	-	2	49
489	31	4	195	29	42	45	27	3	27	3	1	8	28	21	127	84	57	30	10	5	50
207	8	1	105	13	21	21	12	-	14	2	1	5	17	10	51	30	16	10	6	1	51
89	5	1	32	6	8	7	6	1	7	-	-	2	5	2	22	19	9	4	-	2	52
193	18	2	58	10	13	17	9	2	6	1	-	1	6	9	54	35	32	16	4	2	53
95	7	-	33	11	2	9	4	5	7	3	-	1	3	8	19	13	7	2	1	1	54
213	3	1	73	14	8	24	11	-	11	1	-	5	8	5	63	18	29	10	2	2	55
60	-	-	20	6	2	8	6	-	2	-	-	1	3	2	20	6	10	3	-	1	56
61	-	-	20	6	2	8	6	-	2	-	-	1	3	2	21	6	10	3	-	1	57
153	3	1	53	8	6	16	5	-	9	1	-	4	5	3	43	12	19	7	2	1	58
68	1	-	18	5	2	8	4	2	1	4	-	1	2	4	14	9	10	4	2	1	59
507	30	5	168	48	25	46	27	6	13	4	-	10	16	36	107	39	48	18	7	3	60
279	12	2	93	33	18	24	13	2	9	3	-	5	5	22	63	15	32	11	2	3	61
328	12	3	101	34	20	28	13	3	9	4	-	6	7	22	70	18	34	13	4	3	62
228	18	3	75	15	7	22	14	4	4	1	-	5	11	14	44	24	16	7	5	-	63
11	-	1	5	2	-	4	5	-	-	1	-	-	-	-	2	-	3	-	1	-	64
2,077	90	9	735	123	83	195	98	27	174	11	-	42	62	101	442	120	193	97	50	36	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1,620	67	7	583	96	71	138	80	23	152	9	-	28	43	86	348	76	151	70	39	31	68
1,625	68	7	583	96	71	138	80	23	152	9	-	28	43	86	349	76	152	71	39	31	69
456	23	2	151	27	12	57	18	4	22	2	-	14	19	15	94	44	42	27	11	5	70
133	9	1	36	7	6	10	3	2	1	1	-	2	8	2	29	13	7	8	2	1	71
49	-	1	8	1	2	4	-	1	-	1	-	1	2	-	7	3	2	2	2	-	72
84	9	-	28	6	4	6	3	1	1	-	-	1	6	2	22	10	5	6	-	1	73
6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	74
75	3	2	25	3	-	3	4	-	1	-	-	1	3	4	23	14	8	3	2	-	75
149	10	1	76	10	4	13	10	1	8	1	-	4	3	4	35	23	21	13	-	1	76
42	1	1	27	1	-	4	2	-	2	-	-	-	1	1	15	3	5	4	-	-	77
107	9	-	49	9	4	9	8	1	6	1	-	4	2	3	20	20	16	9	-	1	78
71	7	3	17	2	6	10	6	-	1	2	-	-	-	1	18	7	3	3	-	-	79
17	-	-	7	3	1	4	1	-	-	1	-	-	-	-	4	1	6	4	-	-	80
85	1	-	24	6	2	1	3	1	4	2	-	2	2	-	13	4	7	2	-	1	81
59	1	-	19	6	-	1	2	1	3	1	-	1	2	-	11	1	4	1	-	-	82
26	-	-	5	-	2	-	1	-	1	1	-	1	-	-	2	3	3	1	-	1	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OREGON—CON.																	
01	WASHINGTON	1,153	-	-	6	220	62	48	15	19	15	12	49	17	594	387	9	3
02	BEAVERTON	157	-	-	1	37	9	10	5	1	3	1	8	-	81	52	-	-
03	HILLSBORO	165	-	-	-	23	4	7	3	3	1	1	4	4	88	65	3	-
04	LAKE OSWEGO, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05	PORTLAND, PART	5	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-
06	BALANCE OF COUNTY	826	-	-	5	160	49	31	7	15	11	10	37	13	420	265	6	3
07	WHEELER	19	-	-	-	4	1	-	2	-	1	-	-	-	10	7	-	-
08	YAMHILL	420	-	-	1	62	12	11	9	7	4	8	11	3	242	162	1	9
09	MC MINNVILLE	119	-	-	-	17	4	4	3	1	1	2	2	-	68	40	1	1
10	BALANCE OF COUNTY	301	-	-	1	45	8	7	6	6	3	6	9	3	174	122	-	8
11	**PENNSYLVANIA**	122,984	255	22	769	23,100	6,610	4,981	2,223	2,666	1,043	843	4,734	2,523	66,743	50,507	966	725
12	URBAN PLACES	64,900	174	17	458	12,651	3,652	2,831	1,207	1,418	544	448	2,551	1,311	33,745	25,648	483	400
13	BALANCE OF AREA	58,084	81	5	311	10,449	2,958	2,150	1,016	1,248	499	395	2,183	1,212	32,998	24,859	483	325
14	METROPOLITAN COUNTIES	96,727	216	19	656	18,666	5,385	4,076	1,789	2,113	838	666	3,799	1,959	51,566	39,286	780	575
15	URBAN PLACES	59,848	169	16	436	11,744	3,396	2,656	1,108	1,315	497	409	2,363	1,204	30,767	23,453	442	358
16	BALANCE OF AREA	36,879	47	3	220	6,922	1,989	1,420	681	798	341	257	1,436	755	20,799	15,833	338	217
17	NONMETROPOLITAN COUNTIES	26,257	39	3	113	4,434	1,225	905	434	553	205	177	935	564	15,177	11,221	186	150
18	URBAN PLACES	5,052	5	1	22	907	256	175	99	103	47	39	188	107	2,978	2,195	41	42
19	BALANCE OF AREA	21,205	34	2	91	3,527	969	730	335	450	158	138	747	457	12,199	9,026	145	108
20	ADAMS	588	-	-	2	102	29	21	8	15	3	4	22	10	360	275	6	3
21	ALLEGHENY	16,836	37	6	105	3,447	913	819	331	382	166	124	712	305	9,317	7,115	135	107
22	BALDWIN	172	-	-	2	34	13	5	3	2	1	3	7	2	85	62	1	2
23	BELLEVUE	161	1	-	-	23	7	1	3	2	2	2	6	2	108	78	-	2
24	BETHEL PARK	179	-	-	-	44	11	9	4	4	4	2	10	4	101	83	2	2
25	BRENTWOOD	126	-	-	1	26	3	10	4	4	1	-	4	2	75	58	1	1
26	CARNEGIE	157	-	-	4	34	11	5	4	4	2	1	7	5	81	70	2	-
27	CASTLE SHANNON	86	-	-	-	17	5	4	2	1	-	1	4	2	51	40	2	1
28	CLAIRTON	184	-	-	-	31	8	9	7	1	2	1	3	2	106	69	1	1
29	DORMONT	136	-	-	1	30	7	4	5	5	2	2	5	4	69	49	1	1
30	DUQUESNE	167	-	-	1	32	10	6	1	6	1	-	8	5	84	67	-	1
31	HARRISON TWP#	146	-	-	-	29	8	7	2	3	2	1	6	1	80	59	2	-
32	MC KEES ROCKS	142	1	-	2	24	7	8	-	5	-	1	3	1	82	67	-	1
33	MC KEESPORT	593	2	-	1	118	29	27	9	11	6	5	31	8	340	255	7	7
34	MONROEVILLE	188	-	-	-	36	9	11	2	5	1	1	7	5	109	86	5	-
35	MOUNT LEBANON TWP#	361	-	-	2	71	15	15	6	8	6	5	16	2	222	180	1	-
36	MUNHALL	185	-	-	1	44	16	6	6	3	3	3	7	3	107	85	2	1
37	NORTH BRADDOCK	157	-	-	-	33	8	10	2	5	1	-	7	3	99	80	2	1
38	NORTH VERSAILLE TWP#	98	-	-	-	23	5	8	3	1	1	-	5	2	56	42	-	-
39	PENN HILLS TWP#	457	1	-	-	111	27	26	16	15	4	5	18	9	256	192	3	3
40	PITTSBURGH	6,612	25	5	46	1,329	357	321	116	148	56	49	282	123	3,525	2,701	43	36
41	PLEASANT HILLS	73	-	-	2	15	5	2	1	1	1	1	4	-	38	29	-	-
42	PLUM	106	-	-	1	24	5	8	2	1	1	2	5	4	53	40	1	-
43	ROSS TWP#	264	1	-	1	48	8	10	7	3	3	3	14	3	163	118	4	3
44	SCOTT TWP#	208	-	-	3	39	10	9	5	4	2	2	7	4	115	90	-	1
45	SHALER TWP#	243	-	1	-	49	19	10	7	5	1	2	5	5	146	125	-	1
46	STOWE TWP#	109	-	-	-	27	5	9	2	1	2	1	7	-	68	54	1	-
47	SWISSVALE	172	-	-	-	40	12	12	3	3	-	1	9	3	101	79	-	5
48	UPPER ST. CLAIR TWP#	71	-	-	1	20	6	4	-	3	1	-	6	-	37	30	2	1
49	WEST MIFFLIN	210	-	-	1	54	13	12	9	5	1	-	14	4	116	77	1	2
50	WHITEHALL	128	-	-	1	41	10	8	7	5	1	1	9	3	58	38	1	-
51	WILKINSBURG	377	1	-	3	65	17	18	5	10	4	2	9	2	242	170	2	10
52	BALANCE OF COUNTY	4,568	5	-	31	936	247	225	88	108	54	27	187	92	2,544	1,942	48	24
53	ARMSTRONG	861	2	-	6	156	28	43	18	18	9	5	35	10	507	380	7	1
54	BEAVER	1,942	3	1	7	409	98	92	34	49	25	19	92	44	1,049	771	22	13
55	ALIQUIPPA	271	-	-	1	58	18	11	9	11	3	-	6	13	148	107	1	2
56	AMBRIDGE	175	1	-	-	37	10	10	-	5	1	1	10	1	100	66	3	1
57	BEAVER FALLS	191	-	-	1	43	12	10	3	5	3	2	8	5	101	81	4	-
58	ELLWOOD CITY, PART	11	-	-	-	3	-	1	-	-	-	-	2	1	4	2	-	-
59	BALANCE OF COUNTY	1,294	2	1	5	268	58	60	22	28	18	16	66	24	696	515	14	10
60	BEDFORD	427	2	-	1	71	17	16	4	14	5	4	11	6	260	195	5	3
61	BERKS	3,121	5	1	23	585	186	119	60	67	25	22	106	56	1,834	1,423	21	26
62	READING	1,252	2	-	11	235	82	47	26	26	7	6	41	29	733	577	3	9
63	BALANCE OF COUNTY	1,869	3	1	12	350	104	72	34	41	18	16	65	27	1,101	846	18	17
64	BLAIR	1,647	4	-	11	279	76	72	34	26	11	10	50	43	952	711	11	7
65	ALTOONA	883	3	-	8	160	44	40	21	10	7	4	34	20	486	349	4	3
66	BALANCE OF COUNTY	764	1	-	3	119	32	32	13	16	4	6	16	23	466	362	7	4
67	BRADFORD	607	-	-	4	107	22	24	14	12	8	5	22	10	341	224	4	5
68	BUCKS	3,131	5	-	22	645	177	117	78	78	30	26	139	41	1,600	1,149	19	7
69	BENSALEM TWP#	224	2	-	-	54	16	12	4	7	2	3	10	4	103	82	2	-
70	BRISTOL	168	-	-	-	24	7	6	3	2	-	-	6	3	93	73	-	1
71	BRISTOL TWP#	307	-	-	4	54	14	15	5	2	2	1	15	5	147	116	1	-
72	FALLS TWP#	142	-	-	1	41	9	10	3	6	2	1	10	3	64	45	1	-
73	LOWER SOUTHAMPTON TWP#	80	-	-	-	18	5	1	3	1	3	1	4	2	41	30	-	-
74	MIDDLETOWN TWP#	121	1	-	1	33	10	7	5	2	-	2	7	3	58	42	-	-
75	MORRISVILLE	103	-	-	1	16	5	2	-	5	-	-	4	3	59	37	1	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
354	21	7	147	31	22	34	14	3	15	4	-	9	11	12	112	36	35	20	9	2	01
48	4	1	19	5	4	5	2	-	2	-	-	-	1	1	14	2	6	3	1	1	02
56	6	-	18	2	3	9	3	-	2	1	-	-	3	2	19	4	2	2	3	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
246	10	6	110	24	15	20	9	3	11	3	-	9	7	9	79	30	27	15	5	1	06
7	-	-	2	1	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	07
144	8	1	54	16	9	11	8	2	2	1	-	2	3	5	35	20	12	11	-	-	08
37	1	1	18	5	4	4	4	1	2	-	-	-	1	3	11	3	2	3	-	-	09
107	7	-	36	11	5	7	4	1	-	1	-	2	2	2	24	17	10	8	-	-	10
45,868	2,948	354	11,986	2,186	1,710	3,019	1,298	428	1,946	518	9	638	1,565	2,656	9,984	2,247	2,866	1,294	861	243	11
23,151	1,614	163	6,074	979	881	1,643	609	238	1,213	308	5	325	853	2,266	5,253	814	1,450	677	704	186	12
22,717	1,334	191	5,912	1,207	829	1,376	689	190	733	210	4	313	712	390	4,731	1,433	1,416	617	157	57	13
35,665	2,266	259	9,186	1,529	1,306	2,404	928	342	1,605	414	7	515	1,248	2,516	7,840	1,584	2,179	1,044	794	225	14
21,167	1,486	146	5,514	867	787	1,533	531	225	1,143	288	5	307	791	2,243	4,870	741	1,331	631	688	185	15
14,498	780	113	3,672	662	519	871	397	117	462	126	2	208	457	273	2,970	843	848	413	106	40	16
10,203	682	95	2,800	657	404	615	370	86	341	104	2	123	317	140	2,144	663	687	250	67	18	17
1,984	128	17	560	112	94	110	78	13	70	20	-	18	62	23	383	73	119	46	16	1	18
8,219	554	78	2,240	545	310	505	292	73	271	84	2	105	255	117	1,761	590	568	204	51	17	19
252	14	2	57	21	5	12	8	3	6	2	-	5	7	3	44	13	6	3	2	-	20
6,479	394	48	1,671	249	234	437	138	63	402	71	1	81	156	69	1,293	212	358	185	111	42	21
55	4	-	19	2	2	6	3	1	3	3	-	1	2	1	21	4	2	2	-	-	22
72	4	2	22	4	2	2	2	1	5	-	-	-	-	-	10	1	3	2	1	-	23
74	5	-	13	3	2	3	-	-	3	-	-	-	2	-	11	2	6	3	-	-	24
48	8	-	11	1	5	1	-	-	1	-	-	-	-	-	16	2	1	1	-	-	25
64	4	-	10	-	1	6	-	1	2	1	-	-	3	1	12	2	3	2	-	-	26
37	-	1	8	-	2	-	-	3	1	-	-	1	2	-	8	-	1	-	-	-	27
65	2	-	32	2	3	2	6	1	10	1	-	-	-	-	16	2	4	1	1	1	28
44	3	-	16	3	1	6	-	1	3	-	-	2	-	-	10	4	2	3	-	1	29
63	3	-	13	2	2	3	2	-	6	-	-	2	2	-	17	2	5	5	1	-	30
57	-	-	15	3	3	2	-	2	1	2	-	2	4	-	17	2	-	3	1	-	31
61	5	1	10	2	2	3	-	-	4	-	-	-	1	-	14	1	5	1	2	1	32
227	14	-	67	11	7	10	5	2	14	3	-	2	4	3	54	5	11	8	3	-	33
77	4	-	18	1	4	2	4	-	4	-	-	1	5	1	10	2	3	5	1	-	34
169	10	1	31	5	5	10	2	-	4	1	-	3	2	3	30	2	2	2	1	2	35
79	3	-	17	4	1	3	2	1	5	-	-	-	2	1	9	1	2	3	-	1	36
76	1	2	16	-	1	-	1	-	4	1	-	2	1	-	7	1	4	-	1	-	37
40	2	-	11	3	-	1	1	-	3	-	-	1	1	-	2	4	-	1	1	2	38
177	9	2	43	10	9	9	1	-	9	-	-	4	5	-	29	4	10	6	2	1	39
2,449	173	21	629	85	89	204	50	32	184	33	-	26	56	38	563	73	156	61	67	16	40
28	1	-	7	-	2	1	1	-	1	-	-	-	3	-	7	-	3	2	-	-	41
38	1	-	11	1	1	1	2	-	2	-	-	1	2	-	9	3	-	2	2	-	42
106	5	2	31	7	5	4	1	1	6	2	-	-	1	-	18	3	8	2	2	-	43
86	3	-	14	5	6	9	4	1	4	-	-	3	2	2	12	1	7	-	2	-	44
114	10	-	17	4	-	7	1	-	5	-	-	3	2	-	10	7	3	3	-	1	45
51	2	-	12	1	1	2	-	1	2	-	-	-	-	1	8	-	-	-	-	-	46
71	3	-	18	2	2	2	2	-	4	-	-	-	1	1	9	2	4	-	3	-	47
24	3	-	5	1	1	-	-	-	3	1	-	1	-	-	5	1	1	1	-	-	48
68	6	2	25	4	8	3	1	-	3	1	-	1	2	-	17	3	1	2	-	1	49
36	1	1	17	-	2	3	-	-	4	-	-	-	-	1	11	1	3	2	-	-	50
153	5	-	57	9	6	10	2	3	3	1	-	-	8	-	18	1	10	4	4	-	51
1,770	100	13	456	74	59	122	45	13	101	18	1	25	43	16	313	76	98	58	16	15	52
347	25	3	86	23	15	17	12	1	12	2	-	5	7	2	61	23	26	10	1	1	53
690	46	6	213	24	35	52	14	2	33	10	-	11	28	17	156	36	52	13	4	1	54
103	1	1	33	4	3	8	-	1	8	4	-	-	3	-	19	2	5	-	-	1	55
59	3	2	29	1	2	4	2	-	5	1	-	3	-	-	10	2	7	2	-	-	56
74	3	-	15	2	3	3	1	-	3	-	-	1	5	1	16	2	5	4	-	-	57
2	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	58
452	39	3	134	17	27	37	11	1	16	5	-	7	20	16	111	29	35	6	4	-	59
181	6	1	44	13	7	16	8	4	1	-	-	1	4	1	20	20	4	7	1	-	60
1,332	44	17	287	58	49	86	30	15	37	12	-	11	29	13	215	57	64	37	8	3	61
547	18	7	105	18	26	39	12	7	20	9	-	2	10	3	86	15	22	8	8	1	62
785	26	10	182	40	23	47	18	8	17	3	-	9	19	10	129	42	42	29	-	2	63
664	29	11	180	25	25	31	20	4	26	2	-	12	23	6	148	29	45	9	2	1	64
324	18	5	106	15	11	23	8	4	14	1	-	5	12	1	92	15	25	5	-	1	65
340	11	6	74	10	14	8	12	-	12	1	-	7	11	5	56	14	20	4	2	-	66
198	17	-	53	48	16	26	4	-	4	1	-	7	7	6	42	22	13	9	1	3	67
1,054	69	6	341	66	38	74	34	8	45	12	-	18	64	95	206	97	96	59	8	2	68
77	3	-	15	2	4	2	3	2	2	1	-	1	11	9	16	3	6	3	2	-	69
68	4	1	12	7	-	4	3	1	7	-	-	-	3	6	11	5	3	3	2	-	70
110	5	1	18	9	3	6	-	1	5	1	-	3	7	11	28	13	10	9	3	-	71
38	6	-	14	3	2	1	1	1	4	2	-	1	2	4	8	5	2	2	-	-	72
28	2	-	9	1	1	2	1	-	2	-	-	-	1	-	7	2	2	2	-	-	73
40	2	-	12	2	2	4	1	-	-	-	-	2	2	3	5	4	2	1	-	1	74
32	4	-	17	2	3	1	1	-	2	-	-	-	1	2	11	3	2	1	-	-	75

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hemtopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA--CON.																	
	BUCKS--CON.																	
01	UPPER SOUTHAMPTON TWP#	33	-	-	-	8	4	1	1	2	-	-	-	-	14	10	-	-
02	WARMINSTER TWP#	162	-	-	2	34	10	6	3	-	1	1	13	2	86	63	2	-
03	BALANCE OF COUNTY	1,791	2	-	13	363	97	57	51	51	20	17	70	16	935	651	12	6
04	BUTLER	1,212	2	-	5	216	49	50	24	19	12	8	54	18	681	503	6	10
05	BUTLER	243	1	-	-	63	16	14	10	7	3	1	12	1	127	96	2	-
06	BALANCE OF COUNTY	969	1	-	5	153	33	36	14	12	9	7	42	17	554	407	4	10
07	CAMBRIA	2,054	4	-	13	353	109	78	37	37	18	16	58	51	1,139	858	17	5
08	JOHNSTOWN	704	1	-	4	132	39	25	13	18	7	6	24	11	405	296	6	-
09	BALANCE OF COUNTY	1,350	3	-	9	221	70	53	24	19	11	10	34	40	734	562	11	5
10	CAMERON	64	-	-	-	4	1	1	-	-	-	-	2	-	45	40	-	1
11	CARBON	654	1	-	1	130	34	34	9	19	3	4	27	20	353	263	3	1
12	CENTRE	610	-	-	4	110	32	20	11	14	4	1	28	7	361	259	7	3
13	STATE COLLEGE	91	-	-	-	16	4	3	1	2	-	-	6	-	56	41	1	-
14	BALANCE OF COUNTY	519	-	-	4	94	28	17	10	12	4	1	22	7	305	218	6	3
15	CHESTER	2,178	2	-	16	428	123	93	41	39	24	20	88	44	1,146	882	19	15
16	COATESVILLE	162	-	-	3	25	8	7	1	2	-	1	6	1	88	59	1	1
17	PHOENIXVILLE	172	1	-	-	36	11	7	-	5	5	-	8	3	97	78	-	3
18	WEST CHESTER	219	-	-	-	47	12	12	3	4	-	3	13	7	114	80	2	1
19	BALANCE OF COUNTY	1,625	1	-	13	320	92	67	37	28	19	16	61	33	847	665	16	10
20	CLARION	355	-	-	1	62	19	8	8	8	3	-	16	7	214	142	4	4
21	CLEARFIELD	915	-	-	6	142	34	20	15	19	8	11	35	17	572	411	6	4
22	DU BOIS	130	-	-	-	28	7	5	3	2	1	3	7	1	77	59	-	2
23	BALANCE OF COUNTY	785	-	-	6	114	27	15	12	17	7	8	28	16	495	352	6	2
24	CLINTON	378	-	-	2	72	11	12	10	14	4	2	19	7	223	170	1	1
25	LOCK HAVEN	138	-	-	2	23	2	5	4	2	1	1	8	4	88	66	-	-
26	BALANCE OF COUNTY	240	-	-	-	49	9	7	6	12	3	1	11	3	135	104	1	1
27	COLUMBIA	653	1	-	4	107	34	15	14	12	2	9	21	19	376	277	2	-
28	BERWICK	166	-	-	2	29	7	3	5	2	-	3	9	5	97	74	2	-
29	BLOOMSBURG	103	-	-	1	22	6	6	3	1	1	1	4	5	64	35	-	-
30	BALANCE OF COUNTY	384	1	-	1	56	21	6	6	9	1	5	8	9	215	168	-	-
31	CRAWFORD	899	2	-	3	141	42	32	13	9	6	4	35	15	520	369	9	5
32	MEADVILLE	214	-	-	1	25	8	6	3	1	-	1	6	-	138	96	4	1
33	BALANCE OF COUNTY	685	2	-	2	116	34	26	10	8	6	3	29	15	382	273	5	4
34	CUMBERLAND	1,333	3	-	7	265	73	57	21	31	11	14	58	32	774	555	10	6
35	CARLISLE	206	1	-	2	35	9	8	1	9	1	1	6	7	118	72	2	1
36	BALANCE OF COUNTY	1,127	2	-	5	230	64	49	20	22	10	13	52	25	656	483	8	5
37	DAUPHIN	2,406	6	-	28	479	144	102	35	47	20	12	110	63	1,282	971	24	8
38	HARRISBURG	973	1	-	13	193	54	41	15	26	8	7	42	22	513	389	10	3
39	LOWER PAXTON TWP#	169	1	-	1	30	8	11	3	1	-	-	7	2	99	86	3	1
40	BALANCE OF COUNTY	1,264	4	-	14	247	82	50	17	20	12	5	61	39	670	496	11	4
41	DELAWARE	5,678	7	1	30	1,146	337	250	117	125	54	48	215	105	3,185	2,471	55	24
42	ASTON TWP#	83	-	-	1	20	7	5	5	2	-	-	1	-	45	38	1	-
43	CHESTER	609	4	-	6	110	36	33	6	12	4	4	15	27	307	239	5	4
44	COLLINGDALE	90	-	-	-	21	7	6	3	1	-	-	4	1	56	47	3	-
45	DARBY	173	-	-	-	38	10	6	7	4	1	4	6	2	91	70	-	2
46	DARBY TWP#	41	-	-	-	8	-	2	1	1	1	1	2	-	23	17	-	-
47	HAVERFORD TWP#	501	-	-	4	95	22	22	12	13	9	1	16	7	290	223	5	1
48	LANSDOWNE	153	-	-	-	32	12	3	4	5	2	1	5	-	92	66	-	-
49	MARPLE TWP#	178	-	-	-	37	9	7	4	2	2	1	12	2	105	75	1	-
50	NETHER PROVIDENCE TWP#	77	-	-	-	11	2	3	3	2	-	1	-	1	57	45	-	-
51	RADNOR TWP#	179	-	-	-	41	7	8	5	7	2	4	8	2	99	68	2	-
52	RIDLEY TWP#	186	-	-	-	40	12	10	2	3	3	-	10	2	100	76	1	-
53	SPRINGFIELD TWP#	204	-	-	3	38	11	3	8	3	-	4	9	1	124	101	-	1
54	UPPER CHICHESTER TWP#	50	-	-	-	14	3	6	1	2	1	-	1	1	27	23	-	-
55	UPPER DARBY TWP#	935	1	-	6	209	65	59	17	14	7	7	40	18	507	396	8	6
56	YEADON	159	-	-	-	28	11	3	2	2	2	4	4	2	104	75	1	1
57	BALANCE OF COUNTY	2,060	2	1	10	404	123	74	37	52	20	16	82	39	1,158	912	28	9
58	ELK	378	-	-	1	70	23	12	7	5	5	2	16	6	223	168	1	-
59	ERIE	2,503	6	1	17	428	113	104	39	49	12	22	89	42	1,457	1,056	20	14
60	ERIE	1,374	4	-	12	247	71	66	22	26	1	13	48	28	792	563	7	6
61	MILLCREEK TWP#	242	-	1	1	39	7	5	9	4	3	-	11	2	137	109	1	4
62	BALANCE OF COUNTY	887	2	-	4	142	35	33	8	19	8	9	30	12	528	384	12	4
63	FAYETTE	1,922	5	-	10	321	86	71	32	48	15	7	62	33	1,130	847	18	5
64	CONNELLSVILLE	175	-	-	-	37	11	8	5	6	2	2	3	-	104	84	2	1
65	UNIONTOWN	289	-	-	2	42	12	13	2	7	2	-	6	5	179	128	4	-
66	BALANCE OF COUNTY	1,458	5	-	8	242	63	50	25	35	11	5	53	28	847	635	12	4
67	FOREST	52	-	-	-	6	1	1	1	-	1	2	-	-	36	28	-	-
68	FRANKLIN	957	1	1	4	169	45	31	19	20	7	10	37	19	545	407	10	7
69	CHAMBERSBURG	203	-	-	-	34	10	6	4	2	2	3	7	4	118	78	2	2
70	WAYNESBORO	119	-	-	-	20	5	3	3	3	1	2	3	5	71	55	-	3
71	BALANCE OF COUNTY	635	1	1	4	115	30	22	12	15	4	5	27	10	356	274	8	2
72	FULTON	104	-	-	3	11	7	-	1	1	1	-	-	2	67	50	-	3
73	GREENE	475	1	-	2	69	21	13	6	10	1	3	15	4	317	260	5	6
74	HUNTINGDON	400	1	-	-	55	16	11	4	8	2	2	12	10	234	162	5	1
75	INDIANA	773	-	-	5	112	33	23	8	18	3	4	23	20	488	374	7	5
76	INDIANA	110	-	-	-	13	4	2	1	-	1	-	5	1	79	65	3	1
77	BALANCE OF COUNTY	663	-	-	5	99	29	21	7	18	2	4	18	19	409	309	4	4
78	JEFFERSON	565	1	-	3	83	22	13	9	9	3	5	22	5	354	257	3	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

[populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
10	-	-	4	-	-	1	-	-	1	1	-	-	1	2	3	-	1	1	-	-	01
57	4	-	15	5	3	4	1	-	4	-	-	1	3	1	10	8	4	2	-	-	02
594	39	4	225	35	20	49	23	3	18	7	-	10	33	57	107	54	64	35	1	1	03
467	20	2	125	36	15	49	22	7	19	8	-	8	14	5	82	28	35	9	4	-	04
90	4	1	15	12	3	10	7	1	5	2	-	1	1	1	13	2	5	2	1	-	05
377	16	1	110	24	12	39	15	6	14	6	-	7	13	4	69	26	30	7	3	-	06
802	34	5	200	47	29	44	25	12	25	5	-	6	30	17	207	39	62	16	6	-	07
277	13	-	76	20	13	10	9	5	12	2	-	-	11	7	60	5	22	6	2	-	08
525	21	5	124	27	16	34	16	7	13	3	-	6	19	10	147	34	40	10	4	-	09
36	3	2	3	-	-	3	1	1	1	-	-	1	1	-	3	2	1	1	-	-	10
246	13	1	76	9	4	15	6	1	11	5	-	-	6	5	62	15	20	2	-	1	11
233	16	2	74	12	14	3	11	2	9	-	-	1	15	2	37	21	18	8	1	-	12
39	1	-	14	1	-	-	4	-	-	-	-	-	2	-	4	4	2	3	-	-	13
194	15	2	60	11	14	3	7	2	9	-	-	1	13	2	33	17	16	5	1	-	14
820	28	8	192	37	27	64	23	6	33	1	-	17	44	32	167	64	55	23	8	5	15
55	2	1	23	3	2	2	2	-	2	1	-	1	6	3	19	6	-	3	-	-	16
73	2	-	15	2	2	1	1	-	5	-	-	2	3	4	10	3	3	1	1	1	17
77	-	1	24	5	4	8	2	-	4	-	-	2	5	5	11	6	5	2	-	1	18
615	24	6	130	27	19	53	18	6	22	-	-	12	30	20	127	49	47	17	7	3	19
120	14	1	47	17	7	10	7	-	6	-	-	-	1	1	23	12	8	2	1	-	20
370	31	5	122	19	15	16	8	5	10	1	-	1	10	2	60	26	28	8	3	-	21
47	10	1	13	3	1	1	1	-	2	-	-	-	1	-	8	4	4	2	1	-	22
323	21	4	109	16	14	15	7	5	8	1	-	1	9	2	52	22	24	6	2	-	23
154	14	1	39	7	6	4	4	2	2	1	-	2	9	1	24	8	12	5	-	-	24
59	7	-	13	4	5	1	-	1	2	1	-	-	3	1	5	1	4	2	-	-	25
95	7	1	26	3	1	3	4	1	-	-	-	2	6	-	19	7	8	3	-	-	26
263	12	9	68	16	6	19	7	1	6	3	-	3	6	6	63	17	10	5	-	-	27
68	4	1	19	3	-	4	4	-	2	1	-	1	1	3	14	2	1	-	-	-	28
34	1	4	17	5	3	2	1	-	-	1	-	1	-	-	5	1	-	-	-	-	29
161	7	4	32	8	3	13	2	1	4	1	-	1	5	3	44	14	9	5	-	-	30
335	20	5	110	19	17	25	21	3	10	7	-	4	17	4	60	23	30	10	4	-	31
81	10	-	31	5	6	7	1	2	4	-	-	1	5	3	16	4	5	1	1	-	32
254	10	5	79	14	11	18	20	1	6	7	-	3	12	1	44	19	25	9	3	-	33
520	19	1	176	22	20	41	22	4	10	4	-	4	10	4	72	27	23	27	4	-	34
67	2	-	36	5	5	6	4	1	4	3	-	-	1	2	8	5	5	4	-	-	35
453	17	1	140	17	15	35	18	3	6	1	-	4	9	2	64	22	18	23	4	-	36
890	49	5	230	36	40	56	23	9	38	9	-	16	34	8	225	43	58	26	11	1	37
362	14	-	102	9	13	22	11	4	22	3	-	7	12	5	92	17	22	6	8	-	38
79	3	-	8	2	3	4	-	1	3	-	-	2	1	1	11	5	4	3	1	-	39
449	32	5	120	25	24	30	12	4	13	6	-	7	21	2	122	21	32	17	2	1	40
2,302	90	16	519	76	103	143	64	19	100	20	-	33	55	76	393	86	104	66	39	6	41
35	2	1	3	1	2	3	1	-	-	-	-	-	-	2	7	-	4	-	-	-	42
220	10	1	51	4	12	14	6	1	10	5	-	1	10	15	47	7	17	5	17	-	43
43	1	-	7	1	1	1	2	-	-	-	-	2	1	3	2	-	-	-	1	-	44
66	2	-	16	3	2	5	2	-	10	1	-	2	3	3	15	-	1	-	-	-	45
17	-	-	4	2	-	1	-	-	-	-	-	-	1	1	5	-	-	1	1	-	46
209	8	2	47	5	13	12	11	2	9	1	-	1	1	1	36	10	10	10	-	1	47
63	3	-	20	1	5	7	1	-	1	1	-	-	-	-	12	4	2	-	1	-	48
73	1	1	24	4	1	10	1	-	3	-	-	1	1	3	5	4	3	3	-	-	49
42	3	2	10	-	-	1	2	-	1	-	-	-	-	1	2	-	1	-	-	-	50
61	5	2	26	2	1	3	3	2	6	1	-	-	-	2	14	2	-	4	-	-	51
73	2	1	13	4	6	6	2	-	6	1	-	-	2	3	14	3	5	2	-	-	52
97	3	-	15	4	4	3	-	1	2	-	-	1	-	1	19	5	1	4	1	-	53
23	-	-	2	-	2	-	1	-	-	-	-	-	-	-	2	-	3	2	-	-	54
372	10	1	74	14	22	25	9	7	24	2	-	10	5	13	68	10	13	5	2	1	55
71	2	-	24	3	2	3	1	-	2	1	-	-	-	1	10	-	1	4	2	-	56
837	38	5	183	28	30	49	22	6	26	7	-	15	31	27	135	41	43	26	14	4	57
161	6	4	38	6	7	3	6	1	6	-	-	1	2	3	27	14	10	4	-	1	58
951	71	9	302	56	34	74	34	10	47	16	-	16	40	14	153	49	61	29	6	3	59
512	38	5	173	32	19	43	21	6	35	9	-	8	18	6	79	14	29	17	4	2	60
99	5	1	18	5	4	6	6	-	4	3	-	2	3	2	18	6	9	3	-	-	61
340	28	3	111	19	11	25	7	4	8	4	-	6	19	6	56	29	23	9	2	1	62
747	77	9	223	28	23	39	19	8	41	11	1	8	21	12	151	35	48	18	8	3	63
62	19	-	18	1	1	1	2	1	4	2	-	1	2	1	15	1	4	-	-	-	64
116	8	-	43	5	3	2	2	2	6	1	-	2	-	1	31	3	4	3	3	1	65
569	50	9	162	22	19	36	15	5	31	8	1	5	19	10	105	31	40	15	5	2	66
24	4	-	7	-	1	1	1	-	-	-	-	-	2	-	3	3	-	-	-	-	67
378	12	5	103	18	12	27	8	2	11	-	-	5	7	4	84	28	23	16	3	-	68
72	2	3	29	3	5	5	1	-	2	-	-	-	-	1	25	4	3	5	1	-	69
51	1	1	12	2	1	-	1	-	-	-	-	-	1	1	10	5	2	3	-	-	70
255	9	1	62	13	6	22	6	2	9	-	-	5	6	2	49	19	18	8	2	-	71
47	-	-	10	5	2	1	2	-	-	-	-	1	2	1	3	5	5	1	-	-	72
236	13	2	36	6	13	11	5	3	3	3	-	3	3	1	31	3	11	4	1	-	73
143	13	-	39	28	5	14	8	3	3	1	-	3	5	2	25	16	16	3	1	-	74
339	23	-	92	14	8	17	9	1	6	4	-	2	3	1	57	19	20	7	2	-	75
60	1	-	8	3	3	3	-	-	1	1	-	-	-	-	8	-	2	2	-	-	76
279	22	-	84	11	5	14	9	1	5	3	-	2	3	1	49	19	18	5	2	-	77
226	26	1	79	7	10	19	8	1	11	2	-	4	4	2	32	14	12	9	1	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA—CON.																	
01	JUNIATA	207	-	-	-	27	5	6	3	7	1	-	5	3	125	101	2	2
02	LACKAWANNA	3,034	4	-	11	554	205	82	60	68	27	21	91	71	1,770	1,401	35	52
03	CARBONDALE	191	-	-	1	35	10	4	5	5	1	2	8	11	112	93	-	4
04	DUNMORE	220	-	-	3	42	18	4	4	6	1	4	5	5	114	94	4	5
05	SCRANTON	1,452	3	-	4	271	98	48	28	26	16	9	46	28	862	666	19	27
06	BALANCE OF COUNTY	1,171	1	-	3	206	79	26	23	31	9	6	32	27	682	548	12	16
07	LANCASTER	2,952	4	-	16	543	158	85	66	74	25	12	123	71	1,737	1,284	23	14
08	COLUMBIA	144	2	-	-	29	7	3	4	8	1	-	6	2	83	59	2	-
09	LANCASTER	636	1	-	3	124	42	19	15	17	9	4	18	17	346	265	6	4
10	LANCASTER TWP#	120	-	-	-	22	10	2	4	1	-	-	5	5	74	41	-	-
11	BALANCE OF COUNTY	2,052	1	-	13	368	99	61	43	48	15	8	94	47	1,234	919	15	10
12	LAWRENCE	1,121	2	-	3	202	61	40	21	24	7	10	39	28	637	438	6	20
13	ELLWOOD CITY, PART	107	-	-	1	33	11	9	-	2	3	2	6	2	57	43	1	-
14	ELLWOOD CITY, TOTAL	118	-	-	1	36	11	10	-	2	3	2	8	3	61	45	1	-
15	NEW CASTLE	517	-	-	1	78	23	13	7	11	2	5	17	18	302	202	3	9
16	BALANCE OF COUNTY	497	2	-	1	91	27	18	14	11	2	3	16	8	278	193	2	11
17	LEBANON	871	1	-	6	167	51	34	13	18	7	7	37	21	513	417	9	3
18	LEBANON	277	1	-	3	59	15	14	6	5	5	2	12	5	158	130	3	-
19	BALANCE OF COUNTY	594	-	-	3	108	36	20	7	13	2	5	25	16	355	287	6	3
20	LEHIGH	2,595	2	-	15	505	143	105	52	61	22	24	98	56	1,500	1,123	22	13
21	ALLENTOWN	1,361	2	-	6	252	87	43	19	30	12	16	45	33	768	587	12	6
22	BETHLEHEM, PART	184	-	-	2	36	8	8	5	5	2	1	7	6	119	89	2	-
23	EMMAUS	89	-	-	-	24	7	2	2	5	1	2	5	3	54	36	1	-
24	BALANCE OF COUNTY	961	-	-	7	193	41	52	26	21	7	5	41	14	559	411	7	7
25	LUZERNE	4,438	15	1	19	750	238	139	72	81	30	25	165	101	2,363	1,922	34	59
26	HAZLETON	413	5	-	1	80	31	12	8	5	4	3	17	11	198	157	5	7
27	KINGSTON	203	-	1	-	28	8	4	1	7	2	1	5	2	125	99	1	2
28	NANTICOKE	205	1	-	-	23	9	4	4	1	2	-	3	4	105	89	-	1
29	PITTSTON	161	1	-	-	29	6	7	2	2	3	2	7	9	72	57	1	7
30	WILKES-BARRE	861	3	-	5	151	42	30	10	23	2	5	39	14	485	409	9	13
31	BALANCE OF COUNTY	2,595	5	-	13	439	142	82	47	43	17	14	94	61	1,378	1,111	18	29
32	LYCOMING	1,206	1	-	1	231	74	44	24	32	16	5	36	14	684	527	6	8
33	WILLIAMSPORT	442	1	-	1	90	30	18	9	14	4	1	14	5	248	191	1	3
34	BALANCE OF COUNTY	764	-	-	-	141	44	26	15	18	12	4	22	9	436	336	5	5
35	MC KEAN	607	-	-	2	95	26	19	8	10	8	3	21	8	383	274	4	6
36	BRADFORD	167	-	-	2	23	4	2	2	6	2	-	7	-	113	92	1	1
37	BALANCE OF COUNTY	440	-	-	-	72	22	17	6	4	6	3	14	8	270	182	3	5
38	MERCER	1,276	2	-	6	223	56	54	17	21	12	11	52	31	728	538	6	7
39	FARRELL	137	1	-	1	23	9	3	2	4	-	1	4	3	78	57	1	2
40	SHARON	264	1	-	-	52	15	7	5	3	4	2	16	8	142	102	3	3
41	BALANCE OF COUNTY	875	-	-	5	148	32	44	10	14	8	8	32	20	508	379	2	2
42	MIFFLIN	460	-	-	4	72	23	15	6	11	4	3	10	16	258	204	3	2
43	LEWISTOWN	155	-	-	1	25	9	3	2	3	2	2	4	4	88	64	1	1
44	BALANCE OF COUNTY	305	-	-	3	47	14	12	4	8	2	1	6	12	170	140	2	1
45	MONROE	536	2	-	2	106	30	24	6	16	6	2	22	12	280	203	2	2
46	MONTGOMERY	5,700	10	-	44	1,150	334	228	120	130	46	41	251	116	3,207	2,434	47	22
47	ABINGTON TWP#	480	1	-	7	104	21	24	12	14	4	11	18	14	258	187	9	1
48	CHELTENHAM TWP#	364	-	-	3	83	22	13	10	5	7	2	24	3	220	166	1	-
49	CONSHOHOCKEN	130	-	-	1	26	5	9	2	3	1	-	6	3	70	59	4	3
50	EAST NORRITON TWP#	79	-	-	-	18	6	6	1	1	-	-	4	3	41	31	-	-
51	LANSDALE	189	-	-	2	31	10	6	2	2	2	2	7	-	112	78	1	-
52	LOWER MERION TWP#	620	-	-	5	138	38	24	22	18	4	5	27	12	339	246	5	-
53	LOWER MORELAND TWP#	45	-	-	-	13	4	2	1	-	-	-	6	-	25	21	-	-
54	NORRISTOWN	472	4	-	6	92	27	24	8	10	5	3	15	14	259	207	7	2
55	PLYMOUTH TWP#	64	-	-	-	16	1	5	2	2	1	-	5	4	37	29	-	-
56	POTTSTOWN	302	-	-	-	70	19	13	7	10	3	-	18	8	157	134	3	2
57	SPRINGFIELD TWP#	209	1	-	-	50	18	7	6	2	1	3	13	3	125	94	2	1
58	UPPER MORELAND TWP#	147	-	-	3	27	10	5	1	5	2	-	4	5	81	61	2	-
59	WEST NORRITON TWP#	84	-	-	-	16	5	3	1	2	-	-	5	2	49	39	-	-
60	BALANCE OF COUNTY	2,523	4	-	17	466	148	87	45	56	16	15	99	45	1,434	1,082	13	13
61	MONTOUR	182	-	-	-	31	13	6	2	4	1	-	5	4	109	67	1	1
62	NORTHAMPTON	2,259	4	1	20	421	131	99	39	50	19	12	71	35	1,308	1,008	20	1
63	BETHLEHEM, PART	602	1	-	8	105	31	29	12	12	5	2	14	9	361	271	4	1
64	BETHLEHEM, TOTAL	786	1	-	10	141	39	37	17	17	7	3	21	15	480	360	6	1
65	EASTON	357	1	1	5	72	26	12	6	10	4	2	12	3	190	135	-	-
66	BALANCE OF COUNTY	1,300	2	-	7	244	74	58	21	28	10	8	45	23	757	602	13	-
67	NORTHUMBERLAND	1,244	-	-	1	225	68	44	25	28	8	10	42	44	704	539	9	8
68	SHAMOKIN	198	-	-	-	41	13	8	7	2	6	-	5	5	114	85	1	5
69	SUNBURY	178	-	-	-	24	7	3	4	6	-	2	2	5	110	75	1	-
70	BALANCE OF COUNTY	868	-	-	1	160	48	33	14	20	2	8	35	34	480	379	7	3
71	PERRY	304	-	-	2	46	11	7	5	5	2	6	10	12	168	126	1	-
72	PHILADELPHIA, COEX.																	
72	WITH PHILADELPHIA CITY	22,463	85	7	203	4,350	1,282	1,039	379	489	175	132	854	473	9,880	7,586	151	122
73	PIKE	173	-	-	-	39	8	10	4	4	4	4	5	2	99	69	1	-
74	POTTER	157	-	-	-	32	11	6	2	7	-	1	5	1	88	68	-	1
75	SCHUYLKILL	2,132	6	1	8	324	108	57	34	31	10	14	70	65	1,116	848	21	10
76	POTTSVILLE	234	-	1	-	35	12	6	2	3	-	1	11	10	145	111	4	2
77	BALANCE OF COUNTY	1,898	6	-	8	289	96	51	32	28	10	13	59	55	971	737	17	8
78	SNYDER	262	1	-	2	36	10	6	6	4	2	1	7	10	158	110	2	1
79	SOMERSET	884	1	-	3	131	31	28	10	16	8	4	34	21	523	398	4	22
80	SULLIVAN	67	-	-	-	13	2	2	1	3	1	-	4	1	42	28	1	-
81	SUSQUEHANNA	376	-	-	-	65	10	13	11	11	-	4	16	4	213	163	4	6
82	TIOGA	384	1	-	1	51	15	12	3	8	1	2	10	9	223	172	-	1

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
88	9	-	21	-	3	2	4	2	1	1	-	1	2	2	19	9	6	2	1	-	01
1,245	69	8	247	70	44	41	43	12	58	12	-	23	38	33	270	34	38	17	4	1	02
83	6	-	17	2	-	2	4	-	3	1	-	1	2	-	9	4	6	-	-	-	03
80	5	4	11	3	2	4	6	-	8	2	-	7	2	2	20	-	3	2	-	-	04
586	34	-	131	37	28	24	22	6	33	5	-	9	20	20	105	13	15	8	3	1	05
496	24	4	88	28	14	11	11	6	14	4	-	6	14	11	136	17	14	7	1	-	06
1,142	105	7	318	83	45	64	27	9	18	11	-	24	33	37	197	60	66	32	1	2	07
51	6	-	17	6	1	3	2	2	-	-	-	2	2	1	12	-	2	2	-	-	08
224	31	1	61	9	10	13	6	2	7	4	-	4	16	14	43	13	11	10	-	2	09
37	4	-	19	11	3	6	1	-	-	-	-	1	-	1	3	1	6	-	-	-	10
830	64	6	221	57	31	42	18	5	11	7	-	17	15	21	139	46	47	20	1	-	11
396	16	2	154	19	24	36	14	1	11	15	-	7	19	7	68	25	32	10	3	1	12
40	2	-	11	-	3	1	2	-	1	2	-	1	-	-	5	-	2	-	-	-	13
42	2	-	13	-	3	1	2	-	2	2	-	1	-	-	8	1	2	1	-	-	14
182	8	2	73	12	13	23	2	-	6	5	-	4	12	3	34	4	20	3	2	-	15
174	6	-	70	7	8	12	10	1	4	8	-	2	7	4	29	21	10	7	1	1	16
384	21	3	66	13	14	17	5	4	7	5	-	5	9	5	57	20	16	11	2	-	17
123	4	-	23	2	3	6	2	1	1	-	-	-	3	3	22	3	5	5	-	-	18
261	17	3	43	11	11	11	3	3	6	5	-	5	6	2	35	17	11	6	2	-	19
1,044	44	9	265	64	39	53	23	11	36	11	-	4	28	5	203	33	54	42	10	4	20
541	28	5	133	26	17	31	14	7	20	5	-	3	17	4	112	23	31	23	7	3	21
85	2	-	19	7	4	1	1	-	3	-	-	-	1	-	11	1	2	1	-	-	22
33	2	-	12	2	4	-	1	-	-	-	-	-	-	-	4	1	-	2	-	-	23
385	12	4	101	29	14	21	7	4	13	6	-	1	10	1	76	8	21	16	3	1	24
1,723	106	16	305	75	45	86	43	13	73	20	-	19	60	19	680	62	62	35	11	6	25
135	10	1	29	7	4	18	2	2	7	2	-	4	3	-	67	4	6	1	1	1	26
92	4	-	19	7	-	4	5	1	2	-	-	-	3	3	23	1	2	2	1	-	27
82	6	-	11	4	1	6	1	-	4	1	-	-	2	-	54	2	-	2	-	-	28
45	4	1	11	2	1	5	1	-	6	-	-	1	-	-	31	2	2	-	-	2	29
370	17	2	50	17	7	9	11	-	19	4	-	2	12	1	113	12	13	5	2	-	30
999	65	12	185	38	32	44	23	10	35	13	-	12	40	15	392	41	39	25	7	3	31
496	17	3	100	32	22	21	32	1	17	3	-	6	25	6	84	33	33	9	5	-	32
180	7	-	38	10	9	5	11	1	7	-	-	1	5	1	31	13	15	4	3	-	33
316	10	3	62	22	13	16	21	-	10	3	-	5	20	5	53	20	18	5	2	-	34
257	7	2	74	27	6	4	12	1	8	1	1	2	13	3	41	11	16	5	1	-	35
88	2	-	18	2	1	1	5	1	2	-	-	1	1	-	9	1	7	1	-	-	36
169	5	2	56	25	5	3	7	-	6	1	1	1	12	3	32	10	9	4	1	-	37
501	24	7	134	26	23	36	14	6	16	7	-	3	11	4	102	32	38	12	5	-	38
52	2	1	13	2	5	3	2	-	2	1	-	-	1	-	10	3	4	3	2	-	39
91	5	-	26	9	5	9	5	-	4	2	-	1	4	-	22	3	9	-	2	-	40
358	17	6	95	15	13	24	7	6	10	4	-	2	6	4	70	26	25	9	1	-	41
186	13	-	42	6	6	9	21	2	4	1	-	1	3	4	42	7	10	5	-	1	42
58	4	-	18	3	3	3	10	-	3	-	-	-	1	-	12	3	3	2	-	-	43
128	9	-	24	3	3	6	11	2	1	1	-	1	2	4	30	4	7	3	-	1	44
180	19	2	54	7	14	16	7	3	8	-	-	5	7	3	48	20	11	4	2	-	45
2,219	146	14	603	75	81	132	71	17	79	11	-	44	67	38	401	100	118	74	20	9	46
162	15	1	60	3	7	7	1	1	3	-	-	3	6	3	43	6	10	8	3	2	47
158	7	1	42	4	7	12	2	-	1	2	-	-	4	2	17	-	13	2	-	-	48
43	9	1	9	1	-	2	4	-	4	1	-	1	1	1	11	1	2	-	-	2	49
30	1	-	10	-	-	3	2	1	-	-	-	-	-	1	4	3	1	1	1	-	50
72	5	1	29	3	1	5	3	-	3	-	-	3	3	-	17	2	6	2	-	-	51
233	8	1	70	8	14	17	10	3	11	3	-	5	2	1	41	5	12	12	4	-	52
20	1	-	3	-	1	-	2	-	-	-	-	-	-	-	2	1	-	2	-	-	53
172	26	2	37	8	5	13	6	2	8	1	-	2	14	1	34	2	10	1	2	1	54
26	3	-	6	2	-	-	1	-	-	-	-	-	-	-	3	-	-	3	-	-	55
122	7	-	17	1	5	6	3	1	7	-	-	-	6	-	29	3	5	6	1	-	56
87	4	-	24	5	2	5	4	1	3	-	-	-	2	2	12	1	1	1	-	-	57
57	2	-	18	2	-	6	3	-	1	-	-	1	1	-	8	3	4	4	-	-	58
36	3	-	6	3	1	1	-	-	-	-	-	-	1	1	6	4	3	-	1	-	59
1,001	55	7	272	35	38	55	30	8	38	4	-	29	29	26	174	69	51	32	8	4	60
61	4	1	31	3	7	6	2	-	2	1	-	-	4	-	14	4	2	1	1	1	61
954	33	2	212	46	40	56	26	8	31	9	-	11	18	6	168	54	48	18	14	3	62
260	6	1	57	18	14	13	7	3	9	2	-	9	6	1	35	10	12	5	4	2	63
345	8	1	76	25	18	14	8	3	12	2	-	9	7	1	46	11	14	6	4	2	64
128	4	1	34	9	11	14	3	3	4	2	-	2	4	1	33	3	8	4	4	-	65
566	23	-	121	19	15	29	16	2	18	5	-	-	8	4	100	41	28	9	6	1	66
490	32	4	114	34	13	21	21	3	13	3	-	3	16	4	127	22	25	10	1	1	67
72	7	1	21	3	4	2	3	2	3	1	-	1	-	-	21	1	4	-	-	-	68
69	5	-	23	9	3	4	6	1	3	-	-	-	6	2	13	1	1	2	-	-	69
349	20	3	70	22	6	15	12	-	7	2	-	2	10	2	93	20	20	8	1	1	70
113	12	1	30	5	6	9	8	1	3	2	-	2	2	1	16	17	7	7	1	-	71
6,650	663	47	1,791	231	225	637	148	79	401	128	4	123	364	1,993	1,904	248	575	236	494	131	72
64	4	-	19	10	1	2	2	-	3	1	-	-	-	-	9	9	4	3	-	-	73
62	5	1	14	1	4	1	2	-	1	-	-	1	2	5	16	2	4	2	-	-	74
744	73	10	189	45	24	35	16	7	44	7	-	11	15	14	351	42	53	9	6	2	75
97	8	2	21	5	6	4	2	-	4	-	-	1	3	-	24	3	2	-	-	-	76
647	65	8	168	40	18	31	14	7	40	7	-	10	12	14	327	39	51	9	6	2	77
100	7	-	35	11	2	2	4	2	4	-	-	3	1	1	19	11	6	2	-	-	78
357	15	-	93	18	14	26	7	2	5	1	-	4	7	5	85	29	27	4	1	2	79
25	2	1	9	2	2	1	-	1	1	-	-	1	1	-	4	1	-	1	-	-	80
150	3	1	37	8	4	9	3	2	7	1	-	2	8	1	32	13	12	4	-	-	81
163	8	-	36	10	5	13	10	1	3	2	-	1	6	3	26	14	8	8	4	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA—CON.																	
01	UNION	285	-	-	1	38	5	11	5	3	1	2	11	8	188	133	-	-
02	VENANGO	719	1	-	4	137	26	30	12	25	7	4	33	17	382	257	5	7
03	OIL CITY	220	-	-	2	43	5	10	5	6	4	2	11	5	126	85	-	6
04	BALANCE OF COUNTY	499	1	-	2	94	21	20	7	19	3	2	22	12	256	172	5	1
05	WARREN	516	2	-	4	71	26	13	6	8	2	5	11	21	285	212	2	1
06	WARREN	175	-	-	2	29	11	5	4	3	1	2	3	6	99	81	1	-
07	BALANCE OF COUNTY	341	2	-	2	42	15	8	2	5	1	3	8	15	186	131	1	1
08	WASHINGTON	2,248	3	-	15	410	123	85	33	43	21	18	87	52	1,323	987	22	14
09	CANONSBURG	128	-	-	-	25	10	2	2	2	4	1	4	1	72	58	-	1
10	WASHINGTON	289	1	-	-	50	6	20	6	5	1	1	11	7	177	133	1	4
11	BALANCE OF COUNTY	1,831	2	-	15	335	107	63	25	36	16	16	72	44	1,074	796	21	9
12	WAYNE	353	1	1	2	66	19	16	7	11	2	1	10	11	186	134	2	2
13	WESTMORELAND	3,515	4	-	10	689	195	149	61	80	37	15	152	74	2,075	1,547	27	10
14	GREENSBURG	260	-	-	-	40	10	16	4	3	2	1	4	4	174	130	-	1
15	HEMPFIELD TWP#	256	-	-	1	53	15	9	6	6	3	1	13	3	151	103	-	1
16	JEANNETTE	172	-	-	-	47	13	11	4	3	2	2	12	3	98	69	-	1
17	LATROBE	126	-	-	-	27	8	6	2	5	1	2	3	2	78	52	3	-
18	LOWER BURRELL	76	1	-	-	13	5	3	-	1	1	-	3	1	42	30	1	-
19	MONESSEN	158	-	-	-	29	11	6	1	7	-	-	4	4	99	75	-	4
20	NEW KENSINGTON	226	-	-	1	41	10	6	4	5	1	2	13	2	145	109	5	-
21	NORTH HUNTINGTON TWP#	160	-	-	-	32	8	4	3	4	3	1	9	7	88	74	1	-
22	BALANCE OF COUNTY	2,081	3	-	8	407	115	88	37	46	24	6	91	48	1,200	905	17	3
23	WYOMING	238	-	-	1	34	11	6	2	1	3	3	8	3	142	96	1	1
24	YORK	2,534	2	-	17	495	146	93	46	60	27	15	108	37	1,404	1,070	31	5
25	HANOVER	195	-	-	2	38	6	3	5	5	3	1	15	2	116	94	1	-
26	SPRING GARDEN TWP#	94	-	-	-	21	8	1	3	2	1	-	6	1	59	38	-	-
27	YORK	631	1	-	4	116	33	27	9	15	3	4	25	5	347	259	8	4
28	BALANCE OF COUNTY	1,614	1	-	11	320	99	62	29	38	20	10	62	29	882	679	22	1
29	**RHODE ISLAND**	9,107	10	2	54	1,902	592	392	181	216	102	59	360	202	4,993	4,039	81	47
30	URBAN PLACES	7,287	10	2	45	1,507	472	308	134	181	83	49	280	157	3,971	3,218	66	34
31	BALANCE OF AREA	1,820	-	-	9	395	120	84	47	35	19	10	80	45	1,022	821	15	13
32	METROPOLITAN COUNTIES	7,807	9	1	47	1,605	507	325	152	190	84	51	296	178	4,278	3,465	74	39
33	URBAN PLACES	6,771	9	1	43	1,388	445	280	123	168	77	44	251	153	3,680	2,977	65	33
34	BALANCE OF AREA	1,036	-	-	4	217	62	45	29	22	7	7	45	25	598	488	9	6
35	NONMETROPOLITAN COUNTIES	1,300	1	1	7	297	85	67	29	26	18	8	64	24	715	574	7	8
36	URBAN PLACES	516	1	1	2	119	27	28	11	13	6	5	29	4	291	241	1	1
37	BALANCE OF AREA	784	-	-	5	178	58	39	18	13	12	3	35	20	424	333	6	7
38	BRISTOL	334	1	-	1	68	18	14	5	12	8	1	10	15	174	131	5	1
39	BARRINGTON TOWN#	116	-	-	-	23	6	5	2	7	1	-	2	6	53	43	-	-
40	BRISTOL TOWN#	125	1	-	-	20	6	6	1	3	2	1	1	7	77	56	3	1
41	WARREN TOWN#	93	-	-	1	25	6	3	2	2	5	-	7	2	44	32	2	-
42	BALANCE OF COUNTY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	KENT	1,272	-	-	9	252	80	56	21	30	15	9	41	27	721	596	8	4
44	WARWICK	789	-	-	8	162	43	35	15	21	12	5	31	19	431	355	7	3
45	WEST WARWICK TOWN#	216	-	-	1	46	23	9	3	3	1	1	6	1	124	101	-	-
46	BALANCE OF COUNTY	267	-	-	-	44	14	12	3	6	2	3	4	7	166	140	1	1
47	NEWPORT	632	1	1	4	152	41	39	15	14	9	4	30	7	346	282	2	3
48	MIDDLETOWN TOWN#	88	-	-	-	15	3	3	1	1	1	-	6	-	54	45	-	1
49	NEWPORT	296	1	1	2	70	14	20	5	10	3	3	15	3	167	138	-	-
50	BALANCE OF COUNTY	248	-	-	2	67	24	16	9	3	5	1	9	4	125	99	2	2
51	PROVIDENCE	6,201	8	1	37	1,285	409	255	126	148	61	41	245	136	3,383	2,738	61	34
52	CENTRAL FALLS	233	-	-	-	47	20	8	5	3	1	2	8	7	120	100	3	2
53	CRANSTON	716	1	-	3	173	66	33	20	19	4	3	28	17	385	313	9	3
54	CUMBERLAND TOWN#	204	1	-	-	34	12	5	3	3	1	2	8	6	124	103	1	-
55	EAST PROVIDENCE	473	1	-	5	90	32	18	5	8	4	2	21	5	256	200	3	7
56	NORTH PROVIDENCE TOWN#	212	1	-	2	49	14	15	1	6	4	-	9	5	106	88	1	-
57	PAWTUCKET	927	2	-	4	190	56	41	20	23	5	8	37	21	521	422	8	3
58	PROVIDENCE	2,140	2	1	18	437	130	83	40	53	32	18	81	44	1,135	904	24	13
59	WOONSOCKET	527	-	-	1	92	31	19	6	17	5	2	12	13	304	260	4	1
60	BALANCE OF COUNTY	769	-	-	4	173	48	33	26	16	5	4	41	18	432	348	8	5
61	WASHINGTON	668	-	-	3	145	44	28	14	12	9	4	34	17	369	292	5	5
62	NORTH KINGSTOWN TOWN#	132	-	-	-	34	10	5	5	2	2	2	8	1	70	58	1	-
63	BALANCE OF COUNTY	536	-	-	3	111	34	23	9	10	7	2	26	16	299	234	4	5
64	**SOUTH CAROLINA**	24,211	66	3	175	3,781	914	908	334	488	149	164	824	580	11,985	8,382	117	155
65	URBAN PLACES	6,034	26	2	44	992	245	230	93	140	31	36	217	148	3,041	2,125	34	56
66	BALANCE OF AREA	18,177	40	1	131	2,789	669	678	241	348	118	128	607	432	8,944	6,257	83	99
67	METROPOLITAN COUNTIES	8,387	20	1	59	1,438	353	378	114	167	61	54	311	192	4,114	2,985	40	45
68	URBAN PLACES	3,179	11	1	22	543	138	141	43	63	21	21	116	83	1,619	1,155	21	21
69	BALANCE OF AREA	5,208	9	-	37	895	215	237	71	104	40	33	195	109	2,495	1,830	19	24
70	NONMETROPOLITAN COUNTIES	15,824	46	2	116	2,343	561	530	220	321	88	110	513	388	7,871	5,397	77	110
71	URBAN PLACES	2,855	15	1	22	449	107	89	50	77	10	15	101	65	1,422	970	13	35
72	BALANCE OF AREA	12,969	31	1	94	1,894	454	441	170	244	78	95	412	323	6,449	4,427	64	75

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
130	3	-	35	18	2	6	4	1	-	1	-	3	4	1	12	6	10	-	2	-	01
229	16	1	91	21	12	23	7	2	11	1	-	3	15	6	63	16	20	9	1	1	02
75	4	-	28	7	6	4	3	-	3	-	-	-	4	1	20	4	2	3	-	-	03
154	12	1	63	14	6	19	4	2	8	1	-	3	11	5	43	12	18	6	1	1	04
199	10	-	54	12	7	24	8	2	6	2	-	4	10	6	38	7	20	5	1	-	05
78	2	-	15	1	2	9	1	-	3	-	-	1	6	1	6	3	9	-	-	-	06
121	8	-	39	11	5	15	7	2	3	2	-	3	4	5	32	4	11	5	1	-	07
903	48	6	261	41	28	50	29	8	30	10	-	8	31	5	169	35	44	15	11	-	08
56	1	-	10	3	1	4	2	1	3	1	-	1	2	-	13	-	2	-	1	-	09
124	4	-	39	4	1	6	3	1	3	1	-	-	4	-	24	2	6	1	3	-	10
723	43	6	212	34	26	40	24	6	24	8	-	7	25	5	132	33	36	14	7	-	11
118	12	4	26	16	6	2	3	1	6	2	-	1	7	2	32	11	15	3	-	1	12
1,439	71	8	407	56	57	58	27	15	46	23	-	10	45	7	228	83	78	31	9	3	13
120	9	-	34	4	6	3	-	3	3	1	-	1	4	-	16	7	2	2	-	-	14
98	4	1	41	4	2	5	3	1	5	1	-	1	3	1	14	5	4	5	-	-	15
63	5	-	21	4	4	2	1	2	-	2	-	-	1	-	9	4	3	-	-	-	16
47	2	1	19	5	1	4	1	-	-	1	-	1	2	-	5	1	1	3	-	-	17
26	3	-	11	1	-	2	-	-	3	1	-	1	2	1	6	1	-	2	-	-	18
59	12	-	19	2	3	1	4	-	2	-	-	-	1	-	13	3	-	-	1	1	19
104	-	-	29	3	4	2	2	-	3	3	-	-	5	-	14	2	4	2	-	-	20
70	3	-	13	1	-	2	2	-	1	-	-	-	6	-	10	1	8	2	1	-	21
852	33	6	220	32	37	37	16	7	29	14	-	6	21	5	141	59	56	15	7	2	22
79	15	1	28	13	4	3	5	-	3	2	-	2	1	3	22	7	8	1	-	1	23
970	64	6	249	40	39	69	38	10	16	11	2	11	27	12	208	64	66	36	9	-	24
84	9	1	15	4	2	3	3	1	3	-	-	-	2	3	11	5	3	3	-	-	25
36	2	1	12	4	4	1	-	-	-	-	-	-	-	-	8	1	2	-	1	-	26
236	11	1	66	13	8	18	11	3	6	7	1	2	9	5	53	12	19	10	2	-	27
614	42	3	156	19	25	47	24	6	7	4	1	9	16	4	136	46	42	23	6	-	28
3,713	198	28	717	102	107	242	97	22	164	32	-	46	105	30	701	134	221	100	35	15	29
2,948	170	19	563	86	85	204	75	19	141	23	-	37	92	26	596	91	182	70	28	11	30
765	28	9	154	16	22	38	22	3	23	9	-	9	13	4	105	43	39	30	7	4	31
3,171	181	24	613	84	92	213	81	19	142	26	-	38	94	25	624	104	194	85	32	12	32
2,715	164	18	527	78	80	188	70	18	130	21	-	35	85	22	570	82	173	68	25	10	33
456	17	6	86	6	12	25	11	1	12	5	-	3	9	3	54	22	21	17	7	2	34
542	17	4	104	18	15	29	16	3	22	6	-	8	11	5	77	30	27	15	3	3	35
233	6	1	36	8	5	16	5	1	11	2	-	2	7	4	26	9	9	2	3	1	36
309	11	3	68	10	10	13	11	2	11	4	-	6	4	1	51	21	18	13	-	2	37
111	14	1	30	8	4	8	3	-	5	2	-	3	6	-	30	5	6	4	2	1	38
37	6	-	9	-	1	3	2	-	2	1	-	2	4	-	13	1	2	2	1	1	39
45	7	-	12	7	2	3	-	-	3	1	-	-	-	-	8	2	2	-	1	-	40
29	1	1	9	1	1	2	1	-	-	-	-	1	2	-	9	2	2	2	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
572	12	6	88	13	18	30	17	3	26	6	-	3	18	6	90	16	25	18	3	2	43
336	9	2	53	8	13	22	10	2	20	-	-	1	10	3	62	7	20	10	-	2	44
99	2	2	15	3	3	5	4	1	4	3	-	2	2	1	17	3	1	1	-	-	45
137	1	2	20	2	2	3	3	-	2	3	-	6	2	2	11	6	4	7	3	-	46
271	6	3	46	8	7	17	7	1	11	3	-	4	5	2	33	15	14	5	3	1	47
42	2	-	6	3	-	5	1	1	2	-	-	-	2	1	5	-	1	1	-	-	48
137	1	1	22	3	3	7	3	-	7	2	-	2	3	1	12	5	5	1	3	1	49
92	3	2	18	2	4	5	3	-	2	1	-	2	-	-	16	10	8	3	-	-	50
2,488	155	17	495	63	70	175	61	16	111	18	-	32	70	19	504	83	163	63	27	9	51
91	4	-	17	1	2	8	2	1	4	2	-	1	9	1	23	2	5	1	-	-	52
281	20	-	55	6	11	25	7	3	4	-	-	3	7	2	55	7	19	2	2	1	53
100	2	2	14	2	3	5	1	1	4	2	-	2	-	-	15	3	3	1	2	-	54
175	15	1	34	11	10	17	7	-	9	1	-	2	6	-	37	10	16	11	-	-	55
78	9	1	16	-	1	4	3	-	3	1	-	5	2	-	16	3	7	3	1	1	56
392	19	1	80	11	7	22	10	5	15	3	-	2	9	6	78	9	16	8	4	2	57
806	61	8	179	21	23	63	20	1	52	4	-	8	29	8	196	24	63	19	13	3	58
246	9	-	34	7	3	9	3	4	10	3	-	6	5	1	41	9	17	8	1	-	59
319	16	4	66	4	10	22	8	1	10	2	-	3	3	1	43	16	17	10	4	2	60
271	11	1	58	10	8	12	9	2	11	3	-	4	6	3	44	15	13	10	-	2	61
54	3	-	8	2	2	4	1	-	2	-	-	-	2	2	9	4	3	-	-	-	62
217	8	1	50	8	6	8	8	2	9	3	-	4	4	1	35	11	10	10	-	2	63
7,373	737	103	2,886	280	334	619	302	67	310	154	8	209	546	737	1,931	864	1,022	297	486	69	64
1,880	155	25	724	87	80	170	77	11	101	42	2	42	96	177	486	136	239	65	125	12	65
5,493	582	78	2,162	193	254	449	225	56	209	112	6	167	450	560	1,445	728	783	232	361	57	66
2,708	192	20	923	77	109	216	110	20	135	52	3	82	155	96	662	301	365	144	205	17	67
1,034	79	9	371	39	45	93	42	8	61	23	1	22	32	32	270	75	129	40	68	4	68
1,674	113	11	552	38	64	123	68	12	74	29	2	60	123	64	392	226	236	104	137	13	69
4,665	545	83	1,963	203	225	403	192	47	175	102	5	127	391	641	1,269	563	657	153	281	52	70
846	76	16	353	48	35	77	35	9	40	19	1	20	64	145	216	61	110	25	57	8	71
3,819	469	67	1,610	155	190	326	157	44	135	83	4	107	327	496	1,053	502	547	128	224	44	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	SOUTH CAROLINA--CON.																	
01	ABBEVILLE	221	1	-	-	31	7	9	3	4	-	2	6	7	110	84	-	-
02	AIKEN	807	1	1	6	127	25	42	12	18	3	6	21	16	382	271	-	1
03	AIKEN	162	1	1	4	25	4	9	1	3	1	-	7	6	69	46	-	-
04	NORTH AUGUSTA	105	-	-	1	18	2	8	3	3	-	1	1	1	54	41	-	-
05	BALANCE OF COUNTY	540	-	-	1	84	19	25	8	12	2	5	13	9	259	184	-	1
06	ALLENDALE	93	-	-	-	12	3	3	-	6	-	-	-	2	58	39	-	-
07	ANDERSON	1,083	2	-	11	155	33	32	24	16	4	7	39	15	541	380	6	12
08	ANDERSON	353	2	-	4	48	10	9	10	5	1	2	11	6	178	119	2	9
09	BALANCE OF COUNTY	730	-	-	7	107	23	23	14	11	3	5	28	9	363	261	4	3
10	BAMBERG	165	1	-	2	23	3	7	1	3	1	2	6	3	86	62	-	2
11	BARNWELL	191	1	-	-	27	4	8	-	5	1	3	6	9	97	61	-	1
12	BEAUFORT	302	2	1	1	53	11	13	7	8	2	1	11	3	123	85	3	-
13	BERKELEY	406	3	-	3	54	7	21	6	5	-	2	13	10	206	146	-	2
14	CALHOUN	102	-	-	1	16	7	3	1	2	1	1	1	1	55	33	-	2
15	CHARLESTON	1,961	4	-	18	341	77	94	21	40	16	11	82	45	897	672	13	10
16	CHARLESTON	918	1	-	7	151	36	44	11	17	6	6	31	26	472	356	7	6
17	BALANCE OF COUNTY	1,043	3	-	11	190	41	50	10	23	10	5	51	19	425	316	6	4
18	CHEROKEE	376	-	-	2	56	11	16	2	6	2	4	15	18	186	131	2	1
19	GAFFNEY	146	-	-	1	24	2	5	1	4	-	2	10	5	72	49	1	-
20	BALANCE OF COUNTY	230	-	-	1	32	9	11	1	2	2	2	5	13	114	82	1	1
21	CHESTER	347	2	-	1	50	17	10	3	5	3	4	8	3	201	128	3	4
22	CHESTERFIELD	350	1	-	3	48	11	10	10	7	-	-	10	10	188	123	2	5
23	CLARENDON	272	1	-	-	34	5	7	7	4	5	1	5	18	140	106	1	2
24	COLLETON	318	-	-	6	52	8	14	4	3	5	3	15	16	143	92	3	-
25	DARLINGTON	558	1	-	1	66	19	16	7	10	2	4	8	22	288	200	3	-
26	DILLON	306	1	-	5	42	15	6	2	10	2	1	6	6	132	83	1	-
27	DORCHESTER	305	-	-	-	51	11	14	1	9	2	1	13	6	153	101	1	2
28	EDGEFIELD	176	-	-	-	35	9	2	7	7	2	3	5	2	84	61	1	-
29	FAIRFIELD	213	3	-	-	32	12	8	-	3	-	3	6	8	108	70	1	2
30	FLORENCE	936	7	-	9	146	31	43	9	21	6	5	31	14	481	362	5	4
31	FLORENCE	342	4	-	-	59	17	10	6	12	1	1	12	3	185	144	2	1
32	BALANCE OF COUNTY	594	3	-	9	87	14	33	3	9	5	4	19	11	296	218	3	3
33	GEORGETOWN	374	-	-	4	47	11	10	5	9	1	-	11	13	199	131	2	15
34	GEORGETOWN	130	-	-	1	14	5	-	2	2	-	-	5	4	78	47	1	9
35	BALANCE OF COUNTY	244	-	-	3	33	6	10	3	7	1	-	6	9	121	84	1	6
36	GREENVILLE	2,184	4	-	13	388	100	83	37	44	24	12	88	51	1,081	775	13	8
37	GREENVILLE	735	3	-	3	128	40	27	9	17	6	5	24	18	364	251	8	6
38	GREER, PART	98	-	-	-	15	3	2	1	-	2	1	6	2	56	41	-	-
39	GREER, TOTAL	126	1	-	-	19	4	3	1	1	2	1	7	4	68	49	-	-
40	BALANCE OF COUNTY	1,351	1	-	10	245	57	54	27	27	16	6	58	31	661	483	5	2
41	GREENWOOD	558	2	-	3	99	20	25	11	11	3	6	23	11	292	194	3	4
42	GREENWOOD	276	1	-	1	54	10	15	7	6	1	1	14	5	143	95	-	3
43	BALANCE OF COUNTY	282	1	-	2	45	10	10	4	5	2	5	9	6	149	99	3	1
44	HAMPTON	199	1	-	3	36	10	10	2	7	-	2	5	9	90	56	-	1
45	HORRY	701	3	-	2	93	13	24	9	10	4	4	29	17	295	203	4	2
46	JASPER	124	-	-	1	20	2	4	4	4	1	1	4	3	59	37	-	-
47	KERSHAW	374	-	-	5	58	17	15	4	2	3	3	14	9	195	141	-	1
48	LANCASTER	352	1	-	2	39	6	7	3	3	2	7	11	7	192	141	1	2
49	LAURENS	501	-	-	3	78	21	19	6	7	2	5	18	15	258	188	4	1
50	LAURENS	124	-	-	1	20	3	7	1	2	-	1	6	2	64	43	1	-
51	BALANCE OF COUNTY	377	-	-	2	58	18	12	5	5	2	4	12	13	194	145	4	1
52	LEE	190	1	-	1	15	1	5	3	1	1	-	4	6	97	71	-	1
53	LEXINGTON	731	-	-	5	124	39	37	6	12	3	6	21	13	401	315	2	7
54	MC CORMICK	71	1	-	-	10	3	-	3	2	-	1	1	1	31	18	1	-
55	MARION	371	2	-	4	39	8	10	3	2	2	1	13	9	176	104	-	7
56	MARLBORO	298	1	-	-	42	8	12	5	5	-	1	11	6	152	102	3	1
57	NEWBERRY	350	-	-	3	52	15	8	3	5	5	-	16	4	193	139	2	2
58	OCONEE	374	-	-	2	69	15	14	4	6	6	-	24	11	197	141	2	4
59	ORANGEBURG	748	2	-	13	116	34	26	13	17	4	3	19	26	379	248	5	8
60	ORANGEBURG	153	2	-	2	26	6	3	3	5	1	2	6	7	80	52	1	1
61	BALANCE OF COUNTY	595	-	-	11	90	28	23	10	12	3	1	13	19	299	196	4	7
62	PICKENS	487	-	-	2	83	22	18	5	11	7	6	14	9	237	157	1	2
63	EASLEY	103	-	-	-	14	3	6	1	1	1	1	1	4	62	31	-	-
64	BALANCE OF COUNTY	384	-	-	2	69	19	12	4	10	6	5	13	5	175	126	1	2
65	RICHLAND	1,811	8	-	12	321	83	83	27	37	8	11	72	48	910	649	11	15
66	COLUMBIA	1,058	6	-	7	192	50	45	17	22	5	7	46	26	542	389	6	9
67	BALANCE OF COUNTY	753	2	-	5	129	33	38	10	15	3	4	26	22	368	260	5	6
68	SALUDA	133	-	-	1	22	10	4	1	3	-	-	4	1	65	32	-	-
69	SPARTANBURG	1,722	4	-	5	282	73	60	31	46	7	16	49	30	779	548	14	12
70	GREER, PART	28	1	-	-	4	1	1	-	1	-	-	1	2	12	8	-	-
71	SPARTANBURG	544	3	-	3	90	24	18	9	16	4	2	17	11	236	159	5	6
72	BALANCE OF COUNTY	1,150	-	-	2	188	48	41	22	29	3	14	31	17	531	381	9	6
73	SUMTER	584	2	-	4	81	12	20	6	16	4	3	20	15	245	183	2	6
74	SUMTER	276	2	-	2	38	4	12	4	10	1	-	7	8	110	89	-	6
75	BALANCE OF COUNTY	308	-	-	2	43	8	8	2	6	3	3	13	7	135	94	2	-
76	UNION	319	-	-	3	42	10	10	4	8	1	-	9	8	175	122	-	-
77	UNION	117	-	-	1	21	7	4	3	3	1	-	3	3	69	50	-	-
78	BALANCE OF COUNTY	202	-	-	2	21	3	6	1	5	-	-	6	5	106	72	-	-
79	WILLIAMSBURG	338	2	-	2	52	12	8	4	8	2	4	14	7	185	127	-	3
80	YORK	829	1	1	13	122	43	18	8	20	2	8	23	17	443	270	1	-
81	ROCK HILL	366	-	1	6	51	18	5	4	11	-	4	9	9	195	115	1	-
82	BALANCE OF COUNTY	463	1	-	7	71	25	13	4	9	2	4	14	8	248	155	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
74	9	1	22	1	2	6	4	2	1	2	-	2	7	5	20	4	10	4	5	-	01
258	12	6	86	11	8	19	18	3	18	6	-	11	15	35	56	35	33	11	13	1	02
45	1	1	20	1	1	8	6	-	2	2	-	4	1	9	9	5	8	-	2	-	03
40	1	1	10	1	1	1	-	2	4	-	-	1	1	2	8	3	3	4	2	-	04
173	10	4	56	9	6	10	12	1	12	4	-	6	13	24	39	27	22	7	9	1	05
33	6	-	18	1	-	1	-	-	-	1	-	2	-	-	4	5	6	-	2	-	06
288	74	3	134	10	14	44	17	5	9	7	1	10	23	37	96	35	50	8	16	1	07
88	20	1	50	2	6	16	6	2	2	3	-	1	9	11	33	8	18	-	6	-	08
200	54	2	84	8	8	28	11	3	7	4	1	9	14	26	63	27	32	8	10	1	09
56	4	-	20	3	1	7	1	-	-	2	-	-	4	-	17	6	7	1	5	-	10
54	6	-	31	4	1	4	1	-	1	2	-	5	4	3	15	5	10	4	2	1	11
69	13	3	25	5	5	6	-	-	3	3	-	1	10	10	36	14	18	3	9	6	12
138	6	-	43	7	10	6	3	-	4	1	1	2	12	3	22	29	24	6	16	1	13
27	4	-	19	1	2	2	-	-	1	1	-	-	2	-	11	4	5	1	2	-	14
598	51	6	189	12	18	45	18	5	27	18	-	27	50	23	170	67	125	28	49	4	15
319	24	3	98	8	7	24	7	1	17	9	-	10	13	6	71	22	53	11	17	-	16
279	27	3	91	4	11	21	11	4	10	9	-	17	37	17	99	45	72	17	32	4	17
117	11	2	43	4	6	8	14	1	3	4	-	4	3	6	29	14	16	4	7	1	18
44	4	1	15	3	4	2	3	1	3	4	-	1	-	3	13	6	6	1	1	-	19
73	7	1	28	1	2	6	11	-	-	-	-	3	3	3	16	8	10	3	6	1	20
112	9	4	49	16	4	12	7	2	3	2	-	-	14	1	28	5	14	1	4	2	21
105	11	3	51	7	4	13	3	-	8	1	-	1	11	5	30	15	7	1	4	1	22
86	17	-	30	-	4	6	4	-	2	1	-	2	7	3	14	13	13	3	9	2	23
76	13	1	40	2	8	5	3	-	1	2	-	-	4	32	22	12	11	2	6	1	24
185	9	4	67	7	10	15	7	-	8	-	-	7	24	11	46	18	26	5	11	2	25
71	11	2	41	3	3	3	2	-	4	2	-	3	7	51	20	12	10	2	3	1	26
82	16	-	47	2	3	5	-	-	2	2	-	2	9	5	25	16	21	2	5	-	27
57	3	-	20	1	2	6	1	1	-	-	-	1	4	8	16	4	9	1	5	-	28
65	2	2	28	7	1	3	4	-	7	1	-	2	3	14	8	6	8	1	4	1	29
336	17	3	98	8	10	23	9	1	13	7	-	8	30	13	77	26	46	5	14	7	30
134	7	2	33	4	2	5	3	-	10	1	-	5	10	2	26	2	17	1	6	3	31
202	10	1	65	4	8	18	6	1	3	6	-	3	20	11	51	24	29	4	8	4	32
93	21	1	56	6	5	8	3	1	2	5	-	3	12	10	21	18	19	2	6	1	33
30	7	1	25	4	1	2	2	-	1	-	-	1	3	4	5	2	10	1	1	1	34
63	14	-	31	2	4	6	1	1	1	5	-	2	9	6	16	16	9	1	5	-	35
705	49	2	258	17	29	58	32	3	28	16	-	14	30	15	199	68	89	40	49	6	36
213	24	2	94	6	11	13	11	-	13	6	-	2	6	7	78	18	34	11	18	2	37
39	2	-	14	1	-	5	-	-	1	-	-	-	1	-	8	4	4	2	-	-	38
46	3	-	17	1	1	5	3	-	2	-	-	-	1	-	10	5	5	3	-	-	39
453	23	-	150	10	18	40	21	3	14	10	-	12	23	8	113	46	51	27	31	4	40
177	10	2	79	7	10	17	7	3	4	5	-	4	7	4	52	18	13	9	7	1	41
91	1	1	40	4	3	4	2	-	3	4	-	2	5	3	27	6	6	4	6	-	42
86	9	1	39	3	7	13	5	3	1	1	-	2	2	1	25	12	7	5	1	1	43
47	8	2	26	2	4	6	1	1	3	6	-	1	4	4	16	7	7	1	2	1	44
150	47	2	74	5	11	11	13	2	15	6	-	5	17	58	49	46	43	4	17	5	45
33	4	-	20	1	1	5	2	-	3	-	-	1	3	-	12	8	3	2	1	1	46
132	8	2	42	4	6	4	11	-	6	3	1	3	9	5	30	20	7	2	5	1	47
129	9	5	31	9	6	8	3	-	3	1	-	2	12	11	31	13	13	9	5	-	48
170	13	1	60	4	5	16	6	3	9	4	1	4	12	5	49	6	16	6	7	3	49
41	2	-	18	3	-	6	2	-	3	-	-	-	3	1	12	1	3	-	6	-	50
129	11	1	42	1	5	10	4	3	6	4	1	4	9	4	37	5	13	6	1	3	51
68	2	2	20	1	3	3	1	1	2	3	-	2	9	4	20	8	8	2	6	1	52
283	23	-	80	1	5	12	7	1	15	-	-	6	15	6	37	30	34	13	12	-	53
12	5	1	10	1	1	5	-	-	1	-	-	-	3	1	9	5	1	1	1	1	54
67	30	4	64	2	2	11	3	4	4	3	-	7	13	20	30	18	19	1	7	1	55
91	7	2	40	5	3	13	1	-	-	1	-	1	8	4	32	11	8	3	15	-	56
127	8	-	43	5	6	6	3	3	5	3	-	3	2	8	31	10	16	2	6	-	57
120	15	1	45	2	8	10	8	1	3	2	-	1	8	4	25	12	14	5	2	-	58
208	27	13	97	11	10	11	5	-	5	4	1	4	16	22	63	31	27	4	15	4	59
47	3	3	19	2	4	2	-	-	1	2	-	-	1	3	13	4	5	2	2	1	60
161	24	10	78	9	6	9	5	-	4	2	1	4	15	19	50	27	22	2	13	3	61
139	15	4	62	6	8	20	5	1	5	2	1	10	11	5	44	15	15	15	5	2	62
27	4	2	22	5	2	4	3	-	1	-	-	-	1	2	9	2	1	-	-	-	63
112	11	2	40	1	6	16	2	1	4	2	1	10	10	3	35	13	14	15	5	2	64
587	36	2	205	23	31	56	27	7	38	9	1	12	22	9	134	57	45	31	61	3	65
351	23	-	113	17	23	38	15	5	23	6	1	5	9	6	87	21	26	12	29	2	66
236	13	2	92	6	8	18	12	2	15	3	-	7	13	3	47	36	19	19	32	1	67
31	1	2	26	2	3	8	1	1	1	-	-	-	1	-	14	4	8	2	4	-	68
465	57	5	183	14	29	42	25	9	18	6	-	19	30	161	144	49	57	30	30	2	69
7	1	-	3	-	1	-	3	-	1	-	-	-	-	-	2	1	1	1	-	-	70
132	16	5	61	5	6	18	7	-	6	2	-	7	9	60	39	11	18	10	14	-	71
326	40	-	119	9	22	24	15	9	11	4	-	12	21	101	103	37	38	19	16	2	72
166	9	3	54	-	5	18	7	-	6	3	1	4	17	78	30	22	30	5	14	2	73
79	4	-	18	-	3	10	2	-	4	1	1	1	10	42	12	9	12	3	8	1	74
87	5	3	36	-	2	8	5	-	2	2	-	3	7	36	18	13	18	2	6	1	75
118	4	-	43	2	8	3	2	4	1	3	-	3	12	7	28	8	13	4	2	1	76
47	3	-	16	1	2	1	-	-	-	-	-	-	3	2	11	2	2	1	-	1	77
71	1	-	27	1	6	2	2	4	1	3	-	3	9	5	17	6	11	3	2	-	78
116	8	2	48	2	6	10	-	2	5	1	-	3	10	5	16	14	18	2	4	-	79
252	17	5	119	36	13	19	13	-	13	3	-	7	20	26	58	21	30	9	12	1	80
106	8	2	55	20	3	11	5	-	6	2	-	2	11	14	23	9	12	1	7	1	81
146	9	3	64	16	10	8	8	-	7	1	-	5	9	12	35	12	18	8	5	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**SOUTH DAKOTA**	6,581	6	-	31	1,126	335	200	108	155	69	47	212	126	3,561	2,541	27	39
02	URBAN PLACES	1,853	2	-	6	320	98	59	39	30	19	15	60	34	1,003	710	7	5
03	BALANCE OF AREA	4,728	4	-	25	806	237	141	69	125	50	32	152	92	2,558	1,831	20	34
04	METROPOLITAN COUNTIES	758	1	-	2	141	48	27	13	20	7	9	17	12	411	276	1	3
05	URBAN PLACES	602	1	-	2	109	37	23	11	10	5	7	16	8	323	224	1	3
06	BALANCE OF AREA	156	-	-	-	32	11	4	2	10	2	2	1	4	88	52	-	-
07	NONMETROPOLITAN COUNTIES	5,823	5	-	29	985	287	173	95	135	62	38	195	114	3,150	2,265	26	36
08	URBAN PLACES	1,251	1	-	4	211	61	36	28	20	14	8	44	26	680	486	6	2
09	BALANCE OF AREA	4,572	4	-	25	774	226	137	67	115	48	30	151	88	2,470	1,779	20	34
10	AURORA	42	-	-	1	9	2	2	-	2	-	-	3	1	21	13	1	1
11	BEADLE	212	-	-	1	45	12	9	7	3	1	4	9	9	111	68	2	1
12	HURON	151	-	-	-	30	10	4	6	1	1	2	6	8	79	47	1	-
13	BALANCE OF COUNTY	61	-	-	1	15	2	5	1	2	-	2	3	1	32	21	1	1
14	BENNETT	36	-	-	-	5	4	-	-	-	-	-	1	1	19	12	-	-
15	BON HOMME	108	-	-	-	16	3	3	1	2	1	1	5	4	71	57	-	-
16	BROOKINGS	162	-	-	1	28	8	5	2	6	-	1	6	1	90	51	1	1
17	BROOKINGS	84	-	-	1	15	5	2	-	4	-	1	3	1	49	31	1	-
18	BALANCE OF COUNTY	78	-	-	-	13	3	3	2	2	-	-	3	-	41	20	-	1
19	BROWN	289	1	-	1	35	12	5	5	4	2	-	7	4	173	134	1	-
20	ABERDEEN	222	1	-	-	31	12	5	4	2	2	-	6	4	131	103	1	-
21	BALANCE OF COUNTY	67	-	-	1	4	-	-	1	2	-	-	1	-	42	31	-	-
22	BRULE	60	-	-	-	12	1	4	3	-	2	-	2	2	32	23	1	-
23	BUFFALO	30	-	-	-	2	-	-	-	-	1	-	1	1	10	6	1	-
24	BUTTE	112	-	-	-	22	6	3	-	6	4	-	3	2	52	40	1	1
25	CAMPBELL	17	-	-	-	2	-	1	1	-	-	-	-	1	11	9	-	-
26	CHARLES MIX	126	-	-	-	24	9	6	-	1	4	-	4	1	65	43	1	4
27	CLARK	71	-	-	-	14	3	1	1	5	-	-	4	1	39	31	1	-
28	CLAY	102	1	-	1	16	2	4	1	4	-	1	4	2	58	42	-	-
29	CODINGTON	217	-	-	-	32	7	8	7	3	3	1	3	1	124	95	1	-
30	WATERTOWN	174	-	-	-	21	5	6	4	2	1	-	3	1	104	80	1	-
31	BALANCE OF COUNTY	43	-	-	-	11	2	2	3	1	2	1	-	-	20	15	-	-
32	CORSON	44	-	-	1	6	-	3	-	1	1	-	1	4	13	10	-	-
33	CUSTER	42	-	-	-	6	1	-	1	-	-	1	3	2	25	17	1	-
34	DAVISON	207	-	-	1	35	9	3	2	2	5	2	12	6	121	84	1	1
35	MITCHELL	176	-	-	1	28	8	3	-	2	4	2	9	4	109	75	1	1
36	BALANCE OF COUNTY	31	-	-	-	7	1	-	2	-	1	-	3	2	12	9	-	-
37	DAY	93	-	-	-	13	3	3	-	2	1	1	3	2	55	50	1	-
38	DEUEL	73	-	-	-	13	2	2	-	4	1	1	3	2	40	23	-	-
39	DEWEY	48	-	-	-	9	3	2	1	2	1	-	-	1	16	13	-	-
40	DOUGLAS	53	-	-	-	12	3	2	1	2	1	-	3	1	30	19	1	-
41	EDMUNDS	70	-	-	-	10	2	4	2	1	1	-	-	3	42	32	-	-
42	FALL RIVER	113	-	-	-	20	3	7	4	3	-	-	3	-	55	39	1	-
43	FAULK	42	-	-	-	7	2	2	1	1	-	-	1	2	21	13	-	1
44	GRANT	107	-	-	-	14	2	4	2	2	-	-	4	1	65	55	-	1
45	GREGORY	77	-	-	-	11	3	1	1	4	-	-	2	-	54	47	-	4
46	HAAKON	30	-	-	-	3	2	-	-	-	-	-	1	-	18	12	-	-
47	HAMLIN	93	-	-	2	13	5	2	-	3	2	-	1	-	62	39	1	-
48	HAND	57	-	-	-	9	5	-	-	3	-	-	1	2	36	22	-	-
49	HANSON	43	-	-	-	7	-	2	1	1	-	-	3	-	29	19	-	-
50	HARDING	16	-	-	-	1	-	-	-	1	-	-	-	-	5	3	-	-
51	HUGHES	94	-	-	-	22	5	5	1	4	-	-	7	1	41	31	-	2
52	HUTCHINSON	133	-	-	-	26	10	3	4	1	1	1	6	7	75	55	-	-
53	HYDE	20	-	-	1	2	2	-	-	-	-	-	-	-	15	13	-	-
54	JACKSON	14	-	-	-	1	1	-	-	-	-	-	-	-	8	7	1	-
55	JERAULD	39	-	-	-	8	2	-	2	-	3	-	1	2	22	17	1	1
56	JONES	16	-	-	-	1	-	1	-	-	-	-	-	1	7	4	-	-
57	KINGSBURY	118	-	-	-	16	11	1	1	-	-	-	3	1	72	48	1	2
58	LAKE	106	-	-	1	20	9	3	3	-	2	1	2	-	50	34	1	1
59	LAWRENCE	183	-	-	2	33	8	6	2	3	4	3	7	3	93	66	1	1
60	LINCOLN	113	-	-	1	30	9	4	4	5	1	3	4	1	52	35	-	-
61	SIOUX FALLS, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	BALANCE OF COUNTY	112	-	-	1	30	9	4	4	5	1	3	4	1	52	35	-	-
63	LYMAN	45	-	-	-	6	2	1	-	2	-	-	1	2	21	13	-	-
64	MC COOK	97	-	-	1	15	4	6	1	1	-	-	3	3	65	41	1	1
65	MC PHERSON	42	-	-	-	6	3	1	1	1	-	-	-	-	30	19	-	-
66	MARSHALL	75	-	-	2	19	5	1	-	5	-	3	5	-	41	26	1	-
67	MEADE	120	1	-	-	15	6	4	-	-	-	2	3	4	74	48	1	2
68	MELLETTE	20	1	-	1	2	1	-	-	-	1	-	-	1	8	8	-	2
69	MINER	65	-	-	1	9	2	2	-	3	1	-	1	1	44	30	-	2
70	MINNEHAHA	758	1	-	2	141	48	27	13	20	7	9	17	12	411	276	1	3
71	SIOUX FALLS, PART	602	1	-	2	109	37	23	11	10	5	7	16	8	323	224	1	3
72	SIOUX FALLS, TOTAL	603	1	-	2	109	37	23	11	10	5	7	16	8	323	224	1	3
73	BALANCE OF COUNTY	156	-	-	-	32	11	4	2	10	2	2	1	4	88	52	-	-
74	MOODY	57	-	-	-	20	5	2	4	2	1	1	5	1	60	54	1	-
75	PENNINGTON	421	-	-	2	87	23	13	11	7	6	3	24	8	175	126	1	1
76	RAPID CITY	314	-	-	2	68	17	12	10	6	5	3	15	7	133	96	1	1
77	BALANCE OF COUNTY	107	-	-	-	19	6	1	1	1	1	-	9	1	42	30	-	-
78	PERKINS	36	-	-	-	6	1	-	1	-	-	1	3	1	19	13	-	-
79	POTTER	47	-	-	-	5	-	2	-	1	1	1	-	4	24	19	-	2
80	ROBERTS	149	-	-	1	20	6	4	1	3	-	1	5	-	97	73	-	-
81	SANBORN	51	-	-	-	9	1	2	-	2	1	1	2	1	30	22	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,308	167	17	769	130	104	207	88	25	81	17	3	53	115	63	520	230	238	68	17	6	01
664	34	2	221	45	25	58	27	6	29	2	2	15	45	9	163	48	61	18	4	1	02
1,644	133	15	548	85	79	149	61	19	52	15	1	38	70	54	357	182	177	50	13	5	03
262	10	2	96	21	16	22	11	3	12	2	2	7	14	3	60	21	23	10	1	-	04
211	9	1	72	17	9	21	11	3	10	-	2	6	13	3	51	13	18	7	1	-	05
51	1	1	24	4	7	1	-	-	2	2	-	1	1	-	9	8	5	3	-	-	06
2,046	157	15	673	109	88	185	77	22	69	15	1	46	101	60	460	209	215	58	16	6	07
453	25	1	149	28	16	37	16	3	19	2	-	9	32	6	112	35	43	11	3	1	08
1,593	132	14	524	81	72	148	61	19	50	13	1	37	69	54	348	174	172	47	13	5	09
12	1	-	6	2	-	1	1	-	1	1	-	-	-	1	1	4	-	-	-	-	10
63	2	-	33	7	3	8	4	-	1	-	-	-	2	1	13	7	8	2	-	-	11
44	2	-	25	5	2	7	3	-	1	-	-	-	1	1	10	5	5	1	-	-	12
19	-	-	8	2	1	1	1	-	-	-	-	-	1	-	3	2	3	1	-	-	13
11	1	-	6	1	-	1	1	-	-	-	-	-	-	2	4	1	1	-	1	-	14
51	6	-	12	1	1	2	1	1	1	-	-	1	-	-	5	2	3	1	-	-	15
47	2	1	35	-	3	7	3	1	2	1	-	3	1	-	15	4	4	1	-	-	16
29	1	1	16	-	1	4	2	-	1	-	-	2	-	-	7	-	2	-	-	-	17
18	1	-	19	-	2	3	1	1	1	1	-	1	1	-	8	4	2	1	-	-	18
117	16	-	27	6	6	4	6	1	7	1	-	2	8	1	17	10	10	7	1	-	19
90	12	-	20	4	4	2	3	1	6	1	-	1	8	1	12	7	7	6	1	-	20
27	4	-	7	2	2	2	3	1	1	-	-	1	-	-	5	3	3	1	-	-	21
21	1	-	8	1	-	2	-	-	1	-	-	3	-	1	4	3	-	-	-	-	22
4	1	-	3	-	-	2	1	-	1	-	-	-	-	-	2	3	7	1	-	-	23
34	4	-	12	-	-	3	2	-	-	-	-	4	3	1	13	4	4	1	1	-	24
7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	25
34	4	-	16	2	4	3	3	-	3	-	-	-	2	7	6	6	4	1	1	-	26
30	-	-	7	-	1	1	1	1	2	-	-	-	-	-	3	5	3	1	-	-	27
41	1	1	11	4	-	6	-	-	-	-	-	1	2	-	9	2	2	1	-	-	28
92	2	-	20	6	3	4	2	1	2	-	-	1	8	-	24	5	12	-	1	-	29
77	2	-	17	4	3	4	1	1	2	-	-	1	6	-	21	3	9	-	1	-	30
15	-	-	3	2	-	-	2	-	-	-	-	-	2	-	3	2	3	-	-	-	31
5	5	-	3	-	-	3	1	1	2	2	-	1	2	-	1	3	3	1	-	-	32
16	-	1	6	1	-	2	-	-	-	-	-	-	-	-	5	-	2	-	-	-	33
79	3	-	30	3	4	6	1	1	1	-	-	2	3	1	19	5	5	-	-	-	34
71	2	-	29	3	2	6	1	1	1	-	-	-	3	1	15	3	3	-	-	-	35
8	1	-	1	-	2	-	-	-	-	-	-	2	-	-	4	2	2	-	-	-	36
49	-	-	4	-	1	3	-	-	-	-	1	1	2	-	8	2	4	1	-	1	37
19	4	-	16	-	1	4	2	-	1	-	-	2	1	-	6	4	1	-	-	-	38
13	-	-	2	-	1	5	-	1	2	-	-	2	1	-	5	2	2	1	-	1	39
12	6	-	8	3	-	-	-	-	-	-	-	-	5	-	1	3	1	-	-	-	40
32	-	1	8	-	1	1	1	-	-	-	-	-	1	-	12	-	-	-	-	-	41
37	1	1	7	3	5	3	3	-	4	-	-	-	2	6	9	6	1	3	1	-	42
9	3	-	7	1	-	1	1	1	-	-	-	1	2	-	3	2	1	1	-	-	43
53	1	-	9	-	1	3	1	1	-	-	-	-	3	-	7	7	4	1	-	-	44
43	-	-	5	1	1	2	1	-	1	-	-	-	1	-	5	1	1	-	-	-	45
10	2	-	5	-	1	-	-	-	1	-	-	-	-	1	4	1	1	-	-	-	46
37	1	1	16	4	2	1	1	-	-	-	-	-	1	-	5	3	5	-	-	-	47
22	-	-	10	4	-	-	-	-	1	-	-	-	-	-	7	2	-	-	-	-	48
19	-	-	5	4	1	1	2	-	-	-	-	-	-	-	1	-	2	1	-	-	49
2	1	-	2	-	-	1	1	-	-	-	-	-	-	3	1	3	1	-	-	-	50
28	1	-	7	3	-	2	4	2	1	-	-	1	1	1	8	4	5	1	-	-	51
52	3	-	16	2	2	4	1	2	1	-	-	-	-	1	7	-	9	-	-	-	52
11	2	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	53
5	1	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	1	1	-	-	54
15	1	-	4	-	1	-	-	-	-	-	-	1	-	-	4	-	1	-	-	-	55
4	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	56
43	2	-	15	5	4	6	1	2	-	-	-	-	-	-	11	3	5	1	-	-	57
30	2	-	10	3	3	7	4	1	1	1	-	-	1	-	12	3	4	2	-	-	58
55	9	-	17	6	4	4	2	1	2	-	-	4	1	3	15	8	8	2	2	-	59
35	-	-	14	1	2	2	2	-	-	1	-	1	-	-	10	6	6	1	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	61
35	-	-	14	1	2	2	2	-	-	1	-	1	-	-	10	6	5	1	-	-	62
11	2	1	6	-	1	3	1	-	2	-	-	-	1	-	4	3	2	-	-	-	63
37	2	1	21	1	1	5	-	-	-	-	-	1	1	-	2	2	2	-	-	-	64
19	-	-	9	2	-	-	-	-	1	-	-	-	1	-	-	-	3	-	-	-	65
21	4	1	13	-	1	2	-	-	2	-	-	-	-	1	4	2	1	1	-	-	66
42	3	1	17	3	5	-	3	-	1	1	-	-	1	3	9	4	3	1	-	-	67
5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	1	68
28	2	-	13	1	-	1	-	1	1	-	-	-	1	-	2	-	-	1	-	-	69
262	10	2	96	21	16	22	11	3	12	2	2	7	14	3	60	21	23	10	1	-	70
211	9	1	72	17	9	21	11	3	10	-	2	6	13	3	51	13	18	7	1	-	71
211	9	1	72	17	9	21	11	3	10	-	2	6	13	3	51	13	19	7	1	-	72
51	1	1	24	4	7	1	-	-	2	2	-	1	1	-	9	8	5	3	-	-	73
52	1	-	3	1	2	3	1	-	-	-	-	2	1	-	3	1	2	3	-	-	74
115	9	1	33	11	4	12	7	2	10	1	-	4	15	4	48	25	12	5	2	2	75
89	5	-	25	9	3	10	5	1	8	1	-	3	9	3	36	15	8	3	1	1	76
26	4	1	8	2	1	2	2	1	2	-	-	1	6	1	12	10	4	2	1	1	77
13	-	-	5	1	-	3	-	-	-	-	-	-	-	-	3	1	1	2	-	-	78
15	2	-	3	2	-	2	-	-	2	-	-	1	1	-	5	2	1	-	-	-	79
66	7	1	17	2	4	4	1	-	1	2	-	-	1	1	8	10	3	-	-	-	80
21	-	1	7	-	-	-	-	1	-	-	-	-	2	-	4	2	1	1	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	SOUTH DAKOTA—CON.																	
01	SHANNON	86	-	-	4	13	3	4	-	2	1	-	3	-	20	11	-	-
02	SPINK	112	-	-	-	23	9	2	2	5	2	1	2	1	67	44	-	-
03	STANLEY	20	-	-	-	4	2	1	1	-	-	-	-	1	9	7	1	1
04	SULLY	15	-	-	-	3	1	1	-	-	-	-	1	-	7	7	-	-
05	TODD	66	1	-	1	4	1	-	-	-	-	-	1	-	20	15	-	-
06	TRIPP	104	-	-	-	21	6	3	2	5	2	1	2	5	50	41	-	1
07	TURNER	124	-	-	-	23	11	2	1	6	-	-	3	4	73	53	1	-
08	UNION	113	-	-	-	20	9	4	-	3	1	1	2	2	59	46	-	3
09	WALWORTH	74	-	-	1	8	5	1	-	-	-	-	2	1	43	31	-	-
10	WASHABAUGH	9	-	-	-	2	-	1	-	-	-	1	-	-	1	1	-	-
11	YANKTON	193	-	-	-	30	8	4	8	6	1	-	3	2	110	82	-	-
12	YANKTON	129	-	-	-	18	4	4	4	3	1	-	2	1	75	54	-	-
13	BALANCE OF COUNTY	64	-	-	-	12	4	-	4	3	-	-	1	1	35	28	-	-
14	ZIEBACH	14	-	-	1	5	2	1	1	-	-	-	1	-	5	4	-	-
15	**TENNESSEE**	39,425	110	5	263	6,697	1,623	1,680	576	870	264	260	1,424	616	21,068	14,599	202	142
16	URBAN PLACES	19,130	53	5	125	3,415	828	844	303	457	136	125	722	306	10,055	6,851	102	52
17	BALANCE OF AREA	20,295	57	-	138	3,282	795	836	273	413	128	135	702	310	11,013	7,748	100	90
18	METROPOLITAN COUNTIES	18,059	42	2	132	3,245	752	816	275	436	130	125	711	288	9,357	6,459	98	55
19	URBAN PLACES	14,948	34	2	106	2,714	632	683	229	369	110	96	595	238	7,763	5,370	83	39
20	BALANCE OF AREA	3,111	8	-	26	531	120	133	46	67	20	29	116	50	1,594	1,089	15	16
21	NONMETROPOLITAN COUNTIES	21,366	68	3	131	3,452	871	864	301	434	134	135	713	328	11,711	8,140	104	87
22	URBAN PLACES	4,182	19	3	19	701	196	161	74	88	26	29	127	68	2,292	1,481	19	13
23	BALANCE OF AREA	17,184	49	-	112	2,751	675	703	227	346	108	106	586	260	9,419	6,659	85	74
24	ANDERSON	491	-	-	3	89	22	23	9	13	2	5	15	6	198	122	6	5
25	OAK RIDGE, PART	148	-	-	2	27	6	11	-	4	2	-	4	1	55	37	2	4
26	OAK RIDGE, TOTAL	149	-	-	2	27	6	11	-	4	2	-	4	1	55	37	2	4
27	BALANCE OF COUNTY	343	-	-	1	62	16	12	9	9	-	5	11	5	143	85	4	1
28	BEDFORD	280	-	-	2	50	15	13	6	8	-	2	6	5	136	89	3	2
29	SHELBYVILLE	144	-	-	2	26	8	8	5	4	-	-	1	3	76	51	1	1
30	BALANCE OF COUNTY	136	-	-	-	24	7	5	1	4	-	2	5	2	60	38	2	1
31	BENTON	189	-	-	1	36	7	10	3	8	2	3	3	-	110	92	-	7
32	BLEDSOE	80	-	-	-	12	5	4	2	-	-	-	1	2	50	33	-	1
33	BLOUNT	598	2	-	1	99	24	29	9	10	5	3	19	10	352	203	2	4
34	MARYVILLE	208	1	-	-	37	10	15	2	-	2	1	7	1	125	71	1	1
35	BALANCE OF COUNTY	390	1	-	1	62	14	14	7	10	3	2	12	9	227	132	1	3
36	BRADLEY	442	1	-	4	90	34	15	8	10	5	4	14	2	220	142	2	-
37	CLEVELAND	273	1	-	2	61	22	11	5	7	4	3	9	1	132	82	2	-
38	BALANCE OF COUNTY	169	-	-	2	29	12	4	3	3	1	1	5	1	88	60	-	-
39	CAMPBELL	305	1	-	-	60	6	23	8	8	-	3	12	4	144	112	1	-
40	CANNON	96	-	-	-	9	3	2	1	1	-	1	1	2	62	52	1	1
41	CARROLL	310	-	-	2	57	13	13	4	12	1	3	11	4	177	119	2	-
42	CARTER	403	-	-	-	83	18	20	10	10	5	6	14	3	211	136	5	-
43	ELIZABETHTON	119	-	-	-	27	6	4	3	4	1	3	6	1	62	35	1	-
44	BALANCE OF COUNTY	284	-	-	-	56	12	16	7	6	4	3	8	2	149	101	4	-
45	CHEATHAM	123	1	-	1	15	3	7	1	1	1	1	1	3	58	43	1	-
46	CHESTER	98	-	-	2	21	4	7	1	3	-	-	6	4	54	40	-	-
47	CLAIBORNE	234	-	-	2	28	4	8	4	3	-	2	7	2	141	117	-	-
48	CLAY	61	1	-	1	8	-	2	1	2	-	1	2	-	34	24	-	-
49	COCKE	302	-	-	3	40	4	11	5	4	1	1	14	7	170	124	2	2
50	COFFEE	286	3	-	2	54	14	16	2	8	-	3	11	2	156	109	3	1
51	TULLAHOMA, PART	122	2	-	1	24	6	7	1	3	-	3	4	-	72	49	2	-
52	TULLAHOMA, TOTAL	124	2	-	1	24	6	7	1	3	-	3	4	-	74	50	2	-
53	BALANCE OF COUNTY	164	1	-	1	30	8	9	1	5	-	-	7	2	84	60	1	1
54	CROCKETT	183	-	-	2	34	6	10	4	5	2	1	6	-	105	64	-	-
55	CUMBERLAND	217	-	-	1	36	9	9	1	5	1	-	11	4	112	74	1	1
56	DAVIDSON, COEX. WITH NASHVILLE CITY	4,122	11	2	22	758	185	205	73	98	27	23	147	59	2,254	1,627	23	6
57	DECATUR	110	1	-	1	23	5	6	-	1	1	1	9	1	52	31	1	-
58	DE KALB	171	-	-	1	23	5	6	3	2	2	-	5	2	102	81	1	1
59	DICKSON	243	1	-	1	39	9	10	1	8	2	-	9	1	143	104	1	1
60	DYER	398	1	1	1	53	19	14	5	4	2	-	9	5	225	130	3	1
61	DYERSBURG	187	1	1	1	18	9	2	1	1	1	-	4	4	111	61	2	1
62	BALANCE OF COUNTY	211	-	-	-	35	10	12	4	3	1	-	5	1	114	69	1	-
63	FAYETTE	197	1	-	8	24	5	8	1	3	2	2	3	5	99	64	3	-
64	FENTRESS	140	-	-	2	19	4	6	-	1	-	1	7	3	70	54	3	-
65	FRANKLIN	291	-	-	4	46	9	14	3	5	1	1	13	6	155	115	-	-
66	TULLAHOMA, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
67	BALANCE OF COUNTY	289	-	-	4	46	9	14	3	5	1	1	13	6	153	114	-	-
68	GIBSON	567	-	-	3	91	24	18	3	10	3	6	27	9	333	224	5	3
69	HUMBOLDT	126	-	-	1	28	10	2	1	2	3	1	9	1	67	37	-	-
70	BALANCE OF COUNTY	441	-	-	2	63	14	16	2	8	-	5	18	8	266	187	5	3
71	GILES	274	2	-	2	43	6	10	11	8	-	2	6	5	158	107	1	3
72	GRAINGER	145	2	-	-	18	1	2	2	1	2	2	8	-	81	58	-	-
73	GREENE	433	3	-	3	59	19	10	6	10	3	1	10	10	243	199	1	7
74	GREENVILLE	146	-	-	-	13	2	4	2	2	2	1	-	2	81	63	1	3
75	BALANCE OF COUNTY	287	3	-	3	46	17	6	4	8	1	-	10	8	162	136	-	4
76	GRUNDY	132	-	-	-	17	4	1	1	1	3	2	5	2	68	46	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
6	5	-	6	2	1	5	-	-	3	2	-	-	6	2	9	6	11	1	4	-	01
44	-	-	21	2	-	3	4	-	1	-	-	1	-	1	7	3	-	1	-	1	02
4	1	-	1	-	1	1	-	-	-	-	-	-	1	-	1	2	1	-	-	-	03
7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	04
15	-	-	5	-	-	4	-	-	2	-	-	1	3	7	9	6	5	2	1	-	05
34	6	1	6	2	-	4	-	-	1	-	-	-	4	4	8	-	7	-	-	-	06
47	5	-	14	1	5	9	2	-	1	1	-	-	-	-	7	2	1	1	1	-	07
33	10	-	13	-	-	7	1	-	-	-	-	1	1	2	7	1	10	2	-	-	08
29	2	-	10	-	2	5	-	-	1	-	-	-	1	-	9	2	3	-	-	-	09
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	10
79	3	-	23	3	2	6	3	-	1	-	-	-	5	-	14	5	9	2	-	-	11
53	1	-	17	3	1	4	2	-	-	-	-	-	5	-	11	2	8	1	-	-	12
26	2	-	6	-	1	2	1	-	1	-	-	-	3	-	3	3	1	1	-	-	13
3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	14
13,425	830	168	5,186	650	465	1,038	573	140	437	177	22	281	615	711	2,937	1,284	1,250	543	569	89	15
6,337	360	79	2,560	332	233	474	284	77	262	98	9	124	330	367	1,493	458	550	258	354	33	16
7,088	470	89	2,626	318	232	564	289	63	175	79	13	157	285	344	1,444	826	700	285	215	56	17
5,954	352	76	2,275	346	201	448	247	60	233	79	6	144	310	422	1,423	476	512	251	351	31	18
4,972	276	59	1,891	277	166	362	210	53	200	68	5	106	252	322	1,197	345	427	207	312	25	19
982	76	17	384	69	35	86	37	7	33	11	1	38	58	100	226	131	85	44	39	6	20
7,471	478	92	2,911	304	264	590	326	80	204	98	16	137	305	289	1,514	808	738	292	218	58	21
1,365	84	20	669	55	67	112	74	24	62	30	4	18	78	45	296	113	123	51	42	8	22
6,106	394	72	2,242	249	197	478	252	56	142	68	12	119	227	244	1,218	695	615	241	176	50	23
104	7	2	51	14	9	14	11	3	9	4	-	9	8	45	46	15	16	9	6	-	24
26	5	-	14	1	3	5	4	2	4	1	-	4	1	19	11	3	6	2	1	-	25
26	5	-	14	1	3	5	4	2	4	1	-	4	1	19	11	3	6	3	1	-	26
78	2	2	37	13	6	9	7	1	5	3	-	5	7	26	35	12	10	7	5	-	27
75	9	2	40	1	4	10	5	3	4	1	-	1	8	1	24	15	8	4	2	1	28
45	4	2	21	-	2	4	2	2	2	-	-	-	6	-	9	7	3	1	1	-	29
30	5	-	19	1	2	6	3	1	2	1	-	1	2	1	15	8	5	3	1	1	30
81	4	-	13	1	4	5	6	-	1	-	-	1	4	-	7	7	6	3	2	-	31
30	2	-	16	-	1	-	-	2	-	-	-	-	-	1	3	1	3	2	3	1	32
186	11	11	99	30	9	10	6	1	4	1	-	4	11	2	47	21	13	5	6	3	33
67	2	5	36	10	3	4	2	-	2	-	-	1	4	-	20	6	1	1	2	1	34
119	9	6	63	20	6	6	4	1	2	1	-	3	7	2	27	15	12	4	4	2	35
127	13	1	68	3	6	20	14	-	7	-	-	5	11	10	21	11	14	6	5	1	36
71	9	-	47	-	3	16	10	-	5	-	-	1	7	7	11	6	7	3	2	1	37
56	4	1	21	3	3	4	4	-	2	-	-	4	4	3	10	5	7	3	3	-	38
106	5	1	23	3	5	12	4	1	3	1	-	6	3	11	22	11	15	4	2	1	39
47	3	-	10	-	-	2	1	-	1	-	-	-	1	3	6	1	7	1	-	-	40
111	6	1	48	5	4	4	2	1	3	-	-	4	4	-	28	4	16	2	1	1	41
119	12	1	64	2	8	7	4	2	5	7	2	4	11	4	27	10	12	9	2	-	42
31	3	-	22	1	4	2	3	1	2	3	1	-	1	1	8	1	2	4	-	-	43
88	9	1	42	1	4	5	1	1	3	4	1	4	10	3	19	9	10	5	2	-	44
39	3	-	13	1	1	-	1	1	1	2	-	-	-	-	8	16	8	5	2	1	45
40	-	3	11	-	-	3	3	-	2	-	-	-	1	-	6	-	2	2	-	-	46
112	5	-	20	4	-	7	5	-	-	1	-	1	3	3	16	13	6	1	2	3	47
24	-	-	8	-	2	-	2	-	2	-	-	1	-	-	3	5	1	1	2	-	48
108	12	1	37	4	4	7	4	3	5	1	-	1	9	2	20	11	7	5	6	1	49
95	10	-	38	5	4	9	2	1	3	2	-	1	3	2	12	13	10	6	4	1	50
41	6	-	17	4	2	2	1	1	-	-	-	1	1	1	3	4	5	2	2	-	51
42	6	-	18	4	2	2	1	1	-	-	-	1	1	1	3	4	5	2	2	-	52
54	4	-	21	1	2	7	1	-	3	2	-	-	2	1	9	9	5	4	2	1	53
61	3	-	30	7	4	5	1	1	2	2	-	-	2	1	12	8	6	1	1	-	54
64	8	-	34	1	3	13	7	1	2	-	-	1	4	2	13	7	8	1	4	1	55
1,537	61	16	482	81	48	94	66	15	45	14	2	21	65	15	308	99	105	68	83	16	56
29	1	-	20	1	-	3	-	1	-	-	-	1	2	-	11	8	4	-	2	-	57
79	-	1	17	1	2	7	2	1	1	3	-	2	4	-	5	6	5	2	4	1	58
98	4	-	32	2	5	4	4	-	1	-	-	3	1	1	19	9	8	7	1	-	59
117	9	1	84	3	7	8	8	1	6	-	-	-	3	19	26	20	10	4	5	2	60
53	5	1	45	2	2	3	4	-	2	-	-	2	11	11	11	6	6	2	3	1	61
64	4	-	39	1	5	5	4	1	4	-	-	1	8	15	14	4	2	2	2	1	62
55	6	1	33	-	1	4	1	-	3	-	-	1	5	12	16	8	8	1	1	-	63
47	4	-	11	1	4	12	-	1	-	-	-	1	2	3	5	9	10	1	2	-	64
107	8	1	33	1	5	6	4	1	3	1	-	-	3	3	28	11	13	2	4	1	65
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
106	8	1	32	1	5	6	4	1	3	1	-	-	3	3	28	11	13	2	4	1	67
207	9	3	86	15	5	16	10	2	6	4	-	1	7	4	32	20	18	8	3	-	68
36	1	-	24	4	2	5	1	1	1	4	-	1	3	-	8	3	1	-	1	-	69
171	8	3	62	11	3	11	9	1	5	-	-	-	4	4	24	17	17	8	2	-	70
85	18	4	40	3	4	5	4	-	2	1	-	1	2	6	18	8	10	6	1	-	71
55	3	1	20	1	1	4	3	-	-	-	-	1	1	5	10	8	10	1	-	1	72
188	3	1	32	7	4	16	4	2	3	3	1	3	11	4	37	9	10	5	6	1	73
59	-	-	15	1	2	7	1	1	1	1	1	-	4	1	21	2	6	1	2	1	74
129	3	1	17	6	2	9	3	1	2	1	-	3	7	3	16	7	4	4	4	-	75
41	5	1	17	4	-	4	4	1	1	1	1	-	2	1	9	13	5	3	-	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TENNESSEE--CON.																	
01	HAMBLEN	385	1	-	2	56	14	14	4	7	2	2	13	5	215	149	2	1
02	MORRISTOWN	213	-	-	1	34	10	11	2	4	1	1	5	4	119	79	-	-
03	BALANCE OF COUNTY	172	1	-	1	22	4	3	2	3	1	1	8	1	96	70	2	1
04	HAMILTON	2,532	9	-	16	488	105	134	45	67	27	15	95	54	1,321	916	8	9
05	CHATTANOOGA	1,769	8	-	9	341	76	94	35	44	19	9	64	39	938	629	6	4
06	EAST RIDGE	159	-	-	-	27	5	9	1	5	-	2	5	3	92	70	-	1
07	RED BANK	91	-	-	-	20	2	7	-	5	1	-	5	2	46	28	-	1
08	BALANCE OF COUNTY	513	1	-	7	100	22	24	9	13	7	4	21	10	245	189	2	3
09	HANCOCK	57	-	-	-	10	1	2	-	2	1	3	1	2	30	23	1	-
10	HARDEMAN	227	1	-	3	35	9	11	3	4	1	1	6	2	117	86	-	1
11	HARDIN	213	1	-	2	32	9	5	3	2	2	5	6	6	112	65	2	1
12	HAWKINS	370	2	-	4	71	15	17	7	6	4	3	19	4	211	153	1	3
13	KINGSPORT, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
14	BALANCE OF COUNTY	368	2	-	4	71	15	17	7	6	4	3	19	4	209	151	1	3
15	HAYWOOD	183	1	-	3	27	8	12	1	4	1	-	1	5	94	67	-	2
16	HENDERSON	214	-	-	1	34	12	8	4	4	-	-	6	7	129	67	1	-
17	HENRY	331	2	-	3	60	15	9	9	9	6	-	12	14	177	112	3	2
18	HICKMAN	135	-	-	1	32	6	8	3	2	1	1	11	5	69	55	2	-
19	HOUSTON	71	-	-	-	10	1	4	-	3	-	-	2	1	39	28	-	-
20	HUMPHREYS	173	1	-	1	26	9	9	1	1	2	-	4	3	99	76	2	-
21	JACKSON	100	1	-	1	14	4	5	-	1	-	-	4	-	62	42	-	-
22	JEFFERSON	235	-	-	2	28	9	9	1	4	-	1	4	4	131	86	2	-
23	JOHNSON	107	-	-	-	13	8	1	1	-	-	1	2	1	58	42	-	1
24	KNOX	2,640	7	-	17	452	97	120	32	64	18	19	102	42	1,224	842	20	13
25	KNOXVILLE	1,823	6	-	8	310	64	82	24	47	16	9	68	30	833	571	16	7
26	BALANCE OF COUNTY	817	1	-	9	142	33	38	8	17	2	10	34	12	391	271	4	6
27	LAKE	103	-	-	2	15	5	1	1	3	1	2	2	-	58	40	-	-
28	LAUDERDALE	258	-	-	1	37	7	9	2	6	-	3	10	2	134	95	-	6
29	LAWRENCE	315	3	-	-	50	6	12	4	8	2	-	18	6	189	144	1	-
30	LEWIS	74	-	-	1	8	2	1	-	1	2	-	2	-	34	28	-	-
31	LINCOLN	294	1	-	5	56	20	6	5	9	2	3	11	5	151	102	-	1
32	LOUDON	268	-	-	-	46	16	11	4	5	2	-	8	1	144	109	-	6
33	MC MINN	373	1	-	-	51	13	16	4	6	-	2	10	10	214	131	-	2
34	ATHENS	126	-	-	-	20	8	6	1	2	-	-	3	4	70	43	-	1
35	BALANCE OF COUNTY	247	1	-	-	31	5	10	3	4	-	2	7	6	144	88	-	1
36	MC NAIRY	226	-	-	1	40	11	10	2	5	-	-	12	1	138	94	1	-
37	MACON	152	1	-	1	16	5	2	1	1	-	1	6	1	97	78	1	-
38	MADISON	781	1	2	2	117	38	25	5	20	2	4	23	7	480	291	2	-
39	JACKSON	548	1	2	2	79	27	18	2	14	1	1	16	5	336	203	1	-
40	BALANCE OF COUNTY	233	-	-	-	38	11	7	3	6	1	3	7	2	144	88	1	-
41	MARION	220	-	-	1	28	7	6	6	3	2	1	3	6	119	96	-	-
42	MARSHALL	207	1	-	3	24	5	8	1	3	3	1	3	4	115	90	-	3
43	MAURY	492	2	-	2	80	22	21	11	8	3	3	12	5	275	185	2	-
44	COLUMBIA	256	2	-	1	48	12	16	8	4	1	1	6	4	134	89	-	-
45	BALANCE OF COUNTY	236	-	-	1	32	10	5	3	4	2	2	6	1	141	96	2	-
46	MEIGS	61	1	-	-	13	4	2	-	2	1	2	2	1	32	22	-	1
47	MONROE	249	1	-	2	45	11	11	3	3	3	-	14	2	132	90	-	1
48	MONTGOMERY	441	3	-	2	71	10	21	12	8	4	2	14	6	209	135	2	1
49	CLARKSVILLE	265	2	-	1	41	6	12	10	4	1	-	8	5	124	76	1	1
50	BALANCE OF COUNTY	176	1	-	1	30	4	9	2	4	3	2	6	1	85	59	1	-
51	MOORE	38	-	-	-	6	2	2	-	1	-	-	1	1	18	13	-	-
52	MORGAN	143	-	-	3	19	8	5	-	3	1	-	2	-	68	46	2	1
53	OBION	433	3	-	1	63	24	15	4	10	1	1	8	7	254	168	3	1
54	UNION CITY	164	2	-	-	23	10	5	1	6	-	-	1	3	98	65	1	1
55	BALANCE OF COUNTY	269	1	-	1	40	14	10	3	4	1	1	7	4	156	103	2	-
56	OVERTON	172	-	-	-	37	11	6	4	8	1	1	6	-	90	77	-	-
57	PERRY	73	-	-	3	12	3	2	1	1	1	3	1	-	37	28	-	1
58	PICKETT	47	-	-	1	2	-	-	-	-	-	-	2	-	23	18	-	-
59	POLK	127	1	-	-	19	5	5	1	3	-	-	5	1	73	45	-	-
60	PUTNAM	377	2	-	3	58	12	12	6	11	3	1	13	4	209	155	-	-
61	COOKEVILLE	132	1	-	-	27	4	6	3	4	3	1	6	1	71	55	-	-
62	BALANCE OF COUNTY	245	1	-	3	31	8	6	3	7	-	-	7	3	138	100	-	-
63	RHEA	212	2	-	-	24	6	7	1	-	2	3	5	10	127	98	4	1
64	ROANE	368	1	-	2	78	19	26	7	5	3	3	15	5	168	117	1	1
65	OAK RIDGE, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	BALANCE OF COUNTY	367	1	-	2	78	19	26	7	5	3	3	15	5	168	117	1	1
67	ROBERTSON	333	1	-	2	46	12	12	4	5	4	1	8	11	204	128	2	2
68	RUTHERFORD	509	3	-	2	89	22	18	6	13	4	4	22	7	273	174	1	1
69	MURFREESBORO	243	3	-	1	50	15	4	5	7	1	3	15	4	134	84	-	1
70	BALANCE OF COUNTY	266	-	-	1	39	7	14	1	6	3	1	7	3	139	90	1	-
71	SCOTT	162	-	-	-	31	6	10	1	3	2	1	8	2	79	65	2	3
72	SEQUATCHIE	59	1	-	-	10	4	2	-	-	-	-	4	-	34	27	-	1
73	SEVIER	255	-	-	-	34	5	10	4	7	1	-	7	-	149	118	1	-
74	SHELBY	6,714	9	-	68	1,225	284	274	95	167	44	57	304	101	3,447	2,358	36	16
75	MEMPHIS	6,267	8	-	64	1,142	270	252	87	158	40	51	284	95	3,213	2,201	33	14
76	MILLINGTON	50	-	-	1	9	2	1	2	1	1	1	1	1	17	12	-	-
77	BALANCE OF COUNTY	397	1	-	3	74	12	21	6	8	3	5	19	5	217	145	3	2
78	SMITH	137	-	-	1	13	2	1	3	-	1	2	4	3	95	74	1	-
79	STEWART	101	-	-	-	14	8	3	-	-	1	-	2	2	49	32	1	-
80	SULLIVAN	1,118	3	-	4	205	36	56	28	20	10	11	44	24	577	412	12	3
81	BRISTOL	263	1	-	-	39	9	10	7	3	2	1	7	7	155	105	3	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
138	8	1	56	7	2	10	3	2	6	4	–	4	3	2	27	21	10	5	9	–	01
73	6	–	35	4	1	6	2	–	3	2	–	3	2	1	17	11	3	2	1	–	02
65	2	1	21	3	1	4	1	–	3	2	–	1	1	1	10	10	7	3	8	–	03
834	65	10	328	43	24	89	44	6	34	17	–	21	42	19	149	55	66	42	60	–	04
568	51	8	251	31	19	65	25	3	25	14	–	11	30	17	98	34	46	23	43	–	05
69	–	–	19	2	1	3	5	1	1	–	–	3	1	–	12	3	2	3	3	–	06
27	–	1	11	4	2	5	4	–	1	–	–	1	–	1	2	1	5	2	1	–	07
170	14	1	47	6	2	16	10	2	7	3	–	6	11	1	37	17	13	14	13	–	08
21	1	–	7	–	–	1	–	–	–	–	–	1	–	–	6	2	2	1	–	1	09
80	5	1	26	3	1	6	5	–	2	2	–	1	5	3	16	6	11	4	2	–	10
55	7	–	44	2	1	2	5	–	1	–	–	–	7	2	14	13	13	2	1	–	11
144	5	6	44	4	4	3	3	–	2	2	–	4	3	3	21	20	7	5	3	2	12
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13
142	5	6	44	4	4	3	3	–	2	2	–	4	3	3	21	20	7	5	3	2	14
63	2	–	25	1	1	2	4	1	–	5	1	1	2	2	20	6	8	–	1	–	15
59	7	3	53	2	4	–	3	1	1	1	–	–	3	1	11	12	6	3	1	–	16
105	2	1	53	9	2	8	3	–	4	1	1	4	1	1	24	15	4	6	3	1	17
49	4	–	11	1	2	5	–	–	1	1	–	–	3	2	10	2	2	–	2	–	18
27	1	–	10	–	1	1	–	–	1	1	–	1	1	–	7	3	5	–	–	1	19
71	3	–	20	2	1	6	3	1	2	–	–	–	–	1	13	8	6	1	1	1	20
39	3	–	15	2	3	1	5	–	1	–	–	1	4	2	2	1	5	1	–	–	21
80	4	2	34	5	4	9	4	1	–	1	–	3	1	5	20	11	10	2	3	–	22
41	–	–	16	–	–	8	2	1	3	1	–	1	1	–	6	2	5	3	1	1	23
776	33	7	308	44	23	66	32	9	37	8	–	28	31	276	190	87	77	23	27	7	24
528	20	5	211	31	15	44	26	8	26	7	–	13	23	216	136	49	51	16	17	4	25
248	13	2	97	13	8	22	6	1	11	1	–	15	8	60	54	38	26	7	10	3	26
38	2	–	18	–	–	7	1	1	2	–	–	–	3	2	2	3	5	1	1	–	27
82	7	3	31	2	3	8	5	1	4	2	–	–	8	4	27	9	13	–	2	1	28
115	28	–	39	3	3	12	10	–	1	1	–	1	3	3	20	7	6	2	1	–	29
27	1	–	4	1	1	2	2	–	1	–	–	1	1	1	11	4	2	3	2	–	30
91	10	1	41	4	3	6	5	1	1	1	–	–	3	16	20	7	12	1	3	–	31
97	6	–	24	5	6	8	5	2	4	1	1	1	8	1	21	11	8	2	3	1	32
114	15	3	65	9	6	16	2	3	7	–	–	4	9	1	19	14	13	4	5	–	33
37	5	2	23	1	1	5	–	1	4	–	–	–	3	–	9	4	4	1	1	–	34
77	10	1	42	8	5	11	2	2	3	–	–	4	6	1	10	10	9	3	4	–	35
88	5	1	33	5	5	–	4	1	4	–	–	2	2	1	14	9	8	2	–	1	36
73	4	–	18	–	1	6	2	–	–	1	–	–	2	4	8	4	6	2	1	–	37
280	9	5	158	15	11	8	7	2	11	7	2	5	21	4	47	14	21	9	12	2	38
195	7	4	109	12	8	5	4	2	8	6	1	5	17	3	33	8	17	5	9	–	39
85	2	1	49	3	3	3	3	–	3	1	1	–	4	1	14	6	4	4	3	2	40
89	7	–	22	–	1	6	3	2	2	–	–	3	–	1	17	12	12	2	6	–	41
82	5	–	19	2	4	9	1	1	–	–	–	–	2	–	5	19	6	13	5	1	42
162	21	1	77	6	6	13	8	4	6	1	–	–	5	2	39	12	18	8	12	–	43
75	14	–	39	2	4	6	5	4	3	–	–	–	2	1	19	8	9	4	6	–	44
87	7	1	38	4	2	7	3	–	3	1	–	–	3	1	20	4	9	4	6	–	45
18	3	–	7	2	1	4	2	–	1	–	–	–	1	–	2	1	2	–	1	–	46
88	1	1	27	10	4	4	3	–	1	–	–	1	5	8	22	11	4	2	6	–	47
125	7	4	60	5	5	10	5	2	7	1	–	2	13	6	42	17	25	11	8	1	48
72	2	1	41	3	3	6	3	1	7	1	–	2	9	3	23	8	18	4	6	1	49
53	5	3	19	2	2	4	2	1	–	–	–	–	4	3	19	9	7	7	2	–	50
11	2	–	5	–	–	4	2	–	–	1	–	–	–	2	2	1	1	–	–	–	51
36	7	–	18	4	–	5	–	1	2	–	–	2	2	7	11	6	11	3	2	1	52
155	9	4	75	3	4	11	10	1	4	2	–	4	4	5	30	13	13	7	–	1	53
60	3	2	29	–	2	2	5	1	3	1	–	1	1	1	14	3	7	1	–	–	54
95	6	2	46	3	2	9	5	1	1	1	–	4	3	4	16	10	6	6	–	1	55
76	1	–	11	1	1	7	–	1	3	1	–	2	–	3	13	4	6	3	1	1	56
27	–	–	9	–	–	3	1	1	1	–	–	2	–	1	8	2	–	1	1	1	57
18	–	–	5	–	–	–	1	–	–	–	–	–	2	–	6	2	8	2	–	–	58
45	–	–	28	–	–	–	2	–	1	–	–	–	3	3	8	7	3	1	2	–	59
146	9	–	42	6	6	4	5	1	1	2	–	2	6	13	27	11	20	6	3	–	60
52	3	–	13	1	2	1	1	–	–	1	–	–	2	4	9	6	5	3	–	–	61
94	6	–	29	5	4	3	4	1	1	1	–	2	4	9	18	5	15	3	3	–	62
87	6	–	22	4	3	4	1	1	1	1	–	2	1	1	13	7	10	3	4	–	63
105	10	–	43	6	2	9	4	1	8	2	–	3	2	3	40	16	12	4	3	1	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	65
105	10	–	43	6	2	9	4	1	8	2	–	3	2	3	40	16	12	3	3	1	66
115	9	4	53	16	3	11	3	1	1	1	–	2	–	2	24	11	7	3	2	1	67
166	6	5	78	9	7	9	17	1	6	–	–	4	5	2	35	20	15	13	6	2	68
79	4	1	41	5	3	3	8	1	5	–	–	1	3	–	17	1	3	7	2	–	69
87	2	4	37	4	4	6	9	–	1	–	–	3	2	2	18	19	12	6	4	2	70
58	2	–	11	2	1	1	5	1	–	–	–	2	2	–	15	10	8	4	1	1	71
26	–	–	6	–	1	3	–	–	–	–	–	1	–	2	3	2	1	–	2	–	72
116	1	–	24	3	4	15	2	2	2	2	–	2	2	8	14	9	7	4	3	–	73
2,187	119	28	867	117	77	146	78	24	98	30	2	53	134	52	617	159	214	92	161	4	74
2,044	110	23	807	111	71	139	72	23	93	30	1	50	119	50	586	137	201	83	157	4	75
10	2	–	5	–	–	–	–	–	1	–	–	1	3	–	5	4	4	3	–	–	76
133	7	5	55	6	6	7	6	1	4	–	–	2	12	2	26	18	9	6	4	–	77
65	8	1	17	1	2	5	1	–	–	–	–	1	2	2	6	5	2	–	1	–	78
30	1	–	13	4	–	3	2	–	–	–	–	1	–	1	11	8	6	2	1	1	79
385	12	6	124	13	22	39	19	3	14	9	2	6	14	4	87	50	27	18	8	5	80
99	1	2	36	5	7	6	1	1	6	2	1	2	3	–	22	6	6	4	–	1	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TENNESSEE--CON.																	
	SULLIVAN--CON.																	
01	KINGSPORT, PART	348	1	-	3	63	12	17	10	5	3	5	11	10	175	121	3	-
02	KINGSPORT, TOTAL	350	1	-	3	63	12	17	10	5	3	5	11	10	177	123	3	-
03	BALANCE OF COUNTY	507	1	-	1	103	15	29	11	12	5	5	26	7	247	186	6	1
04	SUMNER	532	2	-	2	77	20	18	9	9	3	1	17	7	300	224	3	2
05	GALLATIN	128	-	-	-	22	7	4	4	2	1	-	4	2	72	48	2	1
06	BALANCE OF COUNTY	404	2	-	2	55	13	14	5	7	2	1	13	5	228	176	1	1
07	TIPTON	298	1	-	2	46	23	9	1	2	3	-	8	3	164	94	1	3
08	TROUSDALE	77	-	-	1	13	3	4	3	-	1	-	2	4	36	25	-	-
09	UNICOI	149	-	-	-	30	10	7	3	5	-	-	5	5	79	61	1	-
10	UNION	81	1	-	-	11	4	3	1	2	-	-	1	4	40	26	1	1
11	VAN BUREN	31	-	-	-	5	-	-	1	2	-	-	2	2	14	9	-	-
12	WARREN	292	2	-	1	48	10	12	1	8	2	2	13	7	152	103	2	1
13	MC MINNVILLE	132	-	-	1	21	7	4	-	4	-	1	5	5	67	43	-	1
14	BALANCE OF COUNTY	160	2	-	-	27	3	8	1	4	2	1	8	2	85	60	2	-
15	WASHINGTON	741	3	-	5	123	31	40	11	16	3	6	16	9	404	276	2	2
16	JOHNSON CITY	370	2	-	2	59	13	14	7	8	2	4	11	4	204	137	1	1
17	BALANCE OF COUNTY	371	1	-	3	64	18	26	4	8	1	2	5	5	200	139	1	1
18	WAYNE	149	-	-	-	27	8	7	-	3	-	1	8	1	79	60	-	1
19	WEAKLEY	367	-	-	4	61	16	15	7	9	4	2	8	2	226	141	2	-
20	WHITE	188	1	-	-	30	9	9	2	4	-	1	5	1	106	73	-	-
21	WILLIAMSON	304	-	-	1	65	15	15	6	11	-	2	16	4	151	113	-	1
22	WILSON	430	2	-	3	57	15	13	3	8	4	2	12	9	261	167	-	-
23	LEBANON	183	-	-	-	21	5	3	1	5	1	-	6	5	118	76	-	-
24	BALANCE OF COUNTY	247	2	-	3	36	10	10	2	3	3	2	6	4	143	91	-	-
25	**TEXAS**	99,491	203	15	837	17,751	4,405	4,696	1,371	2,116	703	815	3,645	1,810	48,702	33,897	451	558
26	URBAN PLACES	61,503	148	10	550	11,203	2,749	3,010	926	1,330	441	489	2,258	1,143	29,465	20,467	310	331
27	BALANCE OF AREA	37,988	55	5	287	6,548	1,656	1,686	445	786	262	326	1,387	667	19,237	13,430	141	227
28	METROPOLITAN COUNTIES	65,307	160	10	578	12,020	2,913	3,276	981	1,379	479	516	2,476	1,189	30,930	21,657	338	328
29	URBAN PLACES	53,516	138	9	482	9,881	2,422	2,685	830	1,143	392	423	1,986	985	25,409	17,743	285	273
30	BALANCE OF AREA	11,791	22	1	96	2,139	491	591	151	236	87	93	490	204	5,521	3,914	53	55
31	NONMETROPOLITAN COUNTIES	34,184	43	5	259	5,731	1,492	1,420	390	737	224	299	1,169	621	17,772	12,240	113	230
32	URBAN PLACES	7,987	10	1	68	1,322	327	325	96	187	49	66	272	158	4,056	2,724	25	58
33	BALANCE OF AREA	26,197	33	4	191	4,409	1,165	1,095	294	550	175	233	897	463	13,716	9,516	88	172
34	ANDERSON	407	1	-	-	63	22	14	4	6	-	6	11	8	221	153	2	2
35	PALESTINE	219	-	-	-	35	12	7	3	4	-	3	6	4	126	83	-	1
36	BALANCE OF COUNTY	188	1	-	-	28	10	7	1	2	-	3	5	4	95	70	2	1
37	ANDREWS	65	-	-	1	8	1	6	-	-	-	1	-	4	33	22	-	-
38	ANGELINA	549	2	-	-	87	21	29	2	10	5	3	17	7	278	150	-	-
39	LUFKIN	258	2	-	-	38	6	13	-	7	3	1	8	2	144	75	-	-
40	BALANCE OF COUNTY	291	-	-	-	49	15	16	2	3	2	2	9	5	134	75	-	-
41	ARANSAS	120	-	-	-	23	6	7	2	2	3	-	3	4	57	42	-	-
42	ARCHER	75	-	-	1	15	5	2	-	1	1	1	5	-	38	17	-	-
43	ARMSTRONG	24	-	-	-	4	1	1	-	-	-	-	2	-	11	5	-	-
44	ATASCOSA	210	-	-	7	37	17	7	3	-	1	-	9	6	95	64	1	4
45	AUSTIN	215	-	-	3	32	9	6	3	1	1	2	10	3	114	79	1	2
46	BAILEY	67	-	-	-	9	3	1	1	2	-	-	2	-	41	31	-	-
47	BANDERA	69	-	-	-	19	4	8	-	-	-	-	7	-	31	17	1	1
48	BASTROP	273	-	-	1	43	12	11	1	5	2	2	10	10	145	114	-	5
49	BAYLOR	75	-	-	1	10	3	4	2	1	-	-	-	2	45	22	-	1
50	BEE	222	-	-	1	33	9	9	4	4	-	1	6	5	118	59	-	-
51	BEEVILLE	148	-	-	1	20	7	5	2	2	-	-	4	5	80	40	-	-
52	BALANCE OF COUNTY	74	-	-	-	13	2	4	2	2	-	1	2	-	38	19	-	-
53	BELL	975	-	-	10	152	29	40	13	16	6	7	41	9	431	319	2	2
54	KILLEEN	179	-	-	4	29	5	8	6	3	-	2	5	2	54	39	-	1
55	TEMPLE	392	-	-	5	60	6	22	5	8	3	3	13	5	210	156	2	-
56	BALANCE OF COUNTY	404	-	-	1	63	18	10	2	5	3	2	23	2	167	124	-	1
57	BEXAR	6,549	15	1	75	1,197	332	305	103	134	40	51	232	169	3,083	2,111	47	35
58	SAN ANTONIO	5,769	15	1	63	1,047	294	266	89	118	34	44	202	157	2,716	1,842	43	32
59	BALANCE OF COUNTY	780	-	-	12	150	38	39	14	16	6	7	30	12	367	269	4	3
60	BLANCO	59	-	-	-	10	4	4	-	2	-	-	-	-	27	21	-	-
61	BORDEN	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
62	BOSQUE	187	-	-	1	25	6	6	1	2	2	1	7	4	109	75	-	1
63	BOWIE	680	1	-	5	125	34	35	7	15	5	7	22	2	317	230	3	4
64	TEXARKANA	337	-	-	3	68	17	20	5	9	2	5	10	1	149	108	2	1
65	BALANCE OF COUNTY	343	1	-	2	57	17	15	2	6	3	2	12	1	168	122	1	3
66	BRAZORIA	722	-	-	7	149	38	42	9	13	11	4	32	15	300	220	-	2
67	ALVIN	79	-	-	-	22	3	12	-	1	2	-	4	-	31	23	-	-
68	FREEPORT	92	-	-	-	22	9	5	2	1	2	1	2	3	38	25	-	-
69	LAKE JACKSON	55	-	-	-	18	4	4	1	3	-	-	6	1	15	14	-	-
70	BALANCE OF COUNTY	496	-	-	7	87	22	21	6	8	7	3	20	11	216	158	-	2
71	BRAZOS	411	1	-	6	65	15	21	4	9	3	1	12	7	204	146	2	-
72	BRYAN	296	-	-	6	42	11	15	2	5	3	-	6	6	148	105	2	-
73	COLLEGE STATION	53	1	-	-	10	2	3	1	1	-	1	2	1	30	25	-	-
74	BALANCE OF COUNTY	62	-	-	-	13	2	3	1	3	-	-	4	-	26	16	-	-
75	BREWSTER	51	-	-	1	13	4	2	3	2	-	2	-	-	16	12	-	-
76	BRISCOE	36	-	-	-	6	1	2	-	2	-	-	1	-	17	7	-	-
77	BROOKS	49	-	-	-	7	1	-	-	3	-	1	2	2	27	19	-	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
113	5	2	37	5	10	12	7	–	3	6	–	–	5	1	25	17	9	5	5	1	01
115	5	2	37	5	10	12	7	–	3	6	–	–	5	1	25	17	9	5	5	1	02
173	6	2	51	3	5	21	11	2	5	1	1	4	6	3	40	27	12	9	3	3	03
212	7	2	56	10	8	21	5	1	1	4	1	4	11	12	36	21	15	6	5	1	04
44	1	1	16	3	4	1	2	–	–	2	1	–	2	4	8	3	3	3	3	–	05
168	6	1	40	7	4	20	3	1	1	2	–	4	9	8	28	18	12	3	2	1	06
84	6	3	58	4	5	8	2	1	2	2	–	3	5	6	19	16	10	2	6	–	07
24	1	–	11	–	–	–	1	–	–	1	–	1	3	–	9	3	4	–	1	–	08
59	1	1	14	3	–	3	2	1	2	1	–	1	1	1	16	5	–	1	2	–	09
18	6	–	12	1	1	3	1	–	1	–	–	1	1	1	6	4	3	3	1	–	10
9	–	–	5	–	–	–	–	–	1	–	–	–	–	1	2	1	4	1	–	–	11
93	7	1	44	3	1	7	4	1	2	1	–	–	4	14	21	10	8	7	1	2	12
40	2	–	22	1	1	5	3	1	2	1	–	–	2	3	14	3	3	–	–	1	13
53	5	1	22	2	–	2	1	–	–	–	–	–	2	11	7	7	5	7	1	1	14
262	10	4	96	13	15	39	19	6	8	3	1	4	11	8	49	20	13	10	3	3	15
131	4	3	52	4	8	16	13	5	5	2	–	2	5	7	23	9	9	1	1	1	16
131	6	1	44	9	7	23	6	1	3	1	1	2	6	1	26	11	4	9	2	2	17
55	4	–	13	3	3	–	2	–	–	–	–	–	3	1	15	8	8	2	–	3	18
137	2	4	63	14	4	4	4	1	3	3	–	2	5	8	22	10	7	2	2	1	19
72	1	1	26	3	3	4	1	1	–	–	–	–	3	2	17	15	4	1	1	1	20
103	9	1	30	5	2	15	6	–	1	3	–	2	3	–	14	7	18	9	3	2	21
118	49	–	84	7	3	8	5	1	5	1	1	4	8	1	30	19	6	6	3	–	22
52	24	–	39	3	–	2	4	1	2	–	–	1	4	–	11	6	3	3	2	–	23
66	25	–	45	4	3	6	1	–	3	1	1	3	4	1	19	13	3	3	1	–	24
28,597	4,291	331	11,405	1,826	1,243	3,010	1,472	331	1,409	440	44	872	2,002	2,776	7,788	3,070	3,569	1,515	1,773	102	25
17,617	2,209	214	6,810	1,168	806	1,884	902	204	1,062	283	26	611	1,375	1,322	4,968	1,655	2,229	1,057	1,337	69	26
10,980	2,082	117	4,595	658	437	1,126	570	127	347	157	18	261	627	1,454	2,820	1,415	1,340	458	436	33	27
18,710	2,281	199	7,028	1,226	820	1,934	955	215	1,123	300	30	673	1,485	1,451	5,241	1,947	2,418	1,166	1,407	75	28
15,463	1,722	172	5,785	1,023	686	1,614	778	178	980	250	24	551	1,222	1,021	4,340	1,448	1,954	966	1,225	61	29
3,247	559	27	1,243	203	134	320	177	37	143	50	6	122	263	430	901	499	464	200	182	14	30
9,887	2,010	132	4,377	600	423	1,076	517	116	286	140	14	190	517	1,325	2,547	1,123	1,151	349	366	27	31
2,154	487	42	1,025	145	120	270	124	26	82	33	2	60	153	301	628	207	275	91	112	8	32
7,733	1,523	90	3,352	455	303	806	393	90	204	107	12	139	364	1,024	1,919	916	876	258	254	19	33
139	10	3	51	7	7	12	6	1	2	–	–	2	4	34	30	11	6	2	4	–	34
76	6	3	29	5	6	5	3	–	1	–	–	–	3	18	12	6	3	–	3	–	35
63	4	–	22	2	1	7	3	1	1	–	–	2	1	16	18	5	3	2	1	–	36
15	7	1	8	1	1	3	1	–	–	–	–	2	2	1	3	4	3	–	–	–	37
130	20	–	120	4	4	16	9	1	1	1	–	4	11	30	38	20	25	5	13	1	38
63	12	–	66	1	2	6	3	1	–	1	–	3	6	10	19	5	9	4	5	–	39
67	8	–	54	3	2	10	6	–	1	–	–	1	5	20	19	15	16	1	8	1	40
36	6	–	13	–	2	3	2	1	5	1	–	–	2	2	6	3	6	3	2	–	41
17	–	1	12	8	–	3	3	–	2	–	–	–	2	1	6	1	2	–	1	–	42
3	1	1	4	1	–	1	2	–	–	–	–	–	–	–	4	2	–	–	–	–	43
54	5	1	22	5	3	9	3	2	1	–	–	2	4	1	21	6	10	2	4	–	44
65	11	1	25	3	6	13	8	1	1	–	–	1	1	13	10	10	1	1	3	–	45
28	3	–	6	2	2	1	–	–	–	–	–	–	1	2	7	4	–	2	–	–	46
9	6	–	11	2	1	6	–	1	–	–	–	1	1	–	5	4	1	–	–	–	47
86	23	–	22	5	4	5	2	–	3	–	–	1	1	7	24	12	6	7	6	–	48
19	2	–	22	–	1	–	3	–	2	–	–	–	1	–	9	1	–	–	–	1	49
47	12	–	52	4	3	10	4	–	2	1	–	5	6	1	15	8	11	1	1	–	50
31	9	–	36	3	1	5	3	–	1	1	–	3	5	1	12	2	8	–	1	–	51
16	3	–	16	1	2	5	1	–	1	–	–	2	1	–	3	6	3	1	–	–	52
188	127	3	88	11	10	43	7	–	12	3	–	7	31	56	74	46	53	21	19	1	53
23	15	–	12	–	3	6	2	–	2	1	–	3	19	7	11	9	19	4	7	–	54
81	73	1	42	6	5	17	2	–	9	1	–	3	3	17	32	4	14	6	4	–	55
84	39	2	34	5	2	20	3	–	1	1	–	1	9	32	31	33	20	11	8	1	56
1,841	188	20	727	142	83	203	70	14	133	38	2	77	145	87	579	196	201	96	165	3	57
1,595	172	18	653	128	75	183	64	14	122	33	2	64	126	71	512	164	169	89	155	2	58
246	16	2	74	14	8	20	6	–	11	5	–	13	19	16	67	32	32	7	10	1	59
17	4	–	3	2	1	2	–	–	1	–	–	–	1	5	8	2	2	1	–	–	60
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	61
63	11	–	29	3	2	9	5	–	1	–	–	–	3	2	14	6	6	1	1	–	62
157	66	1	73	10	3	11	8	1	3	4	–	3	13	72	52	17	22	11	12	1	63
85	20	1	36	2	2	8	3	1	–	1	–	1	4	49	19	7	12	4	6	1	64
72	46	–	37	8	1	3	5	–	3	3	–	2	9	23	33	10	10	7	6	–	65
176	42	1	62	5	12	31	10	1	12	1	1	7	13	19	48	50	36	9	11	2	66
21	2	–	8	–	–	3	–	1	1	–	–	1	2	3	5	7	2	–	1	–	67
21	4	1	9	–	3	–	1	–	1	–	–	–	3	3	6	5	8	–	2	–	68
11	3	–	–	1	–	1	1	–	–	–	–	–	–	3	2	10	3	1	–	–	69
123	33	–	45	4	9	27	8	–	10	1	1	6	8	10	35	28	23	8	8	2	70
124	20	2	46	10	–	16	1	1	1	2	–	2	9	32	20	16	13	4	9	2	71
92	11	1	34	8	–	13	1	1	1	2	–	–	7	26	17	9	9	1	6	1	72
19	6	–	3	2	–	2	–	–	–	–	–	1	–	–	–	4	1	2	1	–	73
13	3	1	9	–	–	1	–	–	–	–	–	1	2	6	3	3	3	1	2	1	74
12	–	–	3	1	–	4	2	–	–	–	–	–	–	3	4	3	4	1	–	–	75
5	2	–	8	1	1	2	–	–	–	–	–	–	2	2	2	3	–	1	1	–	76
16	3	–	8	–	–	–	1	–	3	–	–	–	2	1	2	2	–	–	2	–	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	BROWN	339	-	-	4	43	12	13	4	3	2	-	9	4	200	137	2	1
02	BROWNWOOD	245	-	-	3	29	10	7	3	2	1	-	6	2	145	98	-	-
03	BALANCE OF COUNTY	94	-	-	1	14	2	6	1	1	1	-	3	2	55	39	2	1
04	BURLESON	143	1	-	6	23	7	3	-	3	1	2	7	1	62	44	-	1
05	BURNET	181	-	-	1	37	8	13	4	5	-	1	6	2	91	54	2	-
06	CALDWELL	232	-	-	1	42	10	13	1	6	1	5	6	7	122	85	-	1
07	CALHOUN	113	1	-	-	21	6	6	3	-	2	1	3	5	50	37	-	-
08	PORT LAVACA	77	1	-	-	17	6	4	3	-	-	1	2	5	32	23	-	-
09	BALANCE OF COUNTY	36	-	-	-	4	-	2	-	-	-	-	1	-	18	14	-	-
10	CALLAHAN	119	-	-	2	12	2	2	1	3	2	1	1	-	69	51	-	1
11	CAMERON	1,176	6	-	18	177	48	39	16	26	7	5	36	35	530	366	3	5
12	BROWNSVILLE	452	3	-	7	63	16	12	7	9	3	4	12	15	200	139	-	3
13	HARLINGEN	274	1	-	3	46	15	10	3	6	3	1	8	4	140	97	3	1
14	SAN BENITO	146	-	-	4	26	3	6	3	6	-	-	8	8	59	35	-	1
15	BALANCE OF COUNTY	304	2	-	4	42	14	11	3	5	1	-	8	8	131	95	-	-
16	CAMP	125	-	-	2	21	5	8	1	5	-	-	2	5	63	34	-	1
17	CARSON	64	-	-	-	14	4	2	3	-	-	-	5	1	34	22	1	-
18	CASS	323	1	-	2	50	14	13	5	4	3	4	7	4	160	112	1	2
19	CASTRO	61	-	-	4	10	4	4	-	1	-	-	1	-	29	12	-	-
20	CHAMBERS	112	-	-	2	14	3	5	2	1	-	1	2	1	54	39	-	-
21	CHEROKEE	430	1	-	4	70	18	20	5	4	3	5	15	7	230	161	1	4
22	CHILDRESS	105	-	-	-	27	8	5	2	2	2	1	7	7	50	28	1	2
23	CLAY	101	-	-	-	17	5	2	-	2	-	2	6	-	44	34	-	-
24	COCHRAN	30	-	-	-	6	1	-	-	2	-	1	2	-	13	9	-	-
25	COKE	38	-	-	-	4	1	2	1	-	-	-	-	-	22	17	-	3
26	COLEMAN	183	-	-	-	32	5	9	6	3	2	1	6	3	111	76	-	-
27	COLLIN	565	1	-	2	99	23	20	7	14	1	4	30	8	296	182	1	1
28	MC KINNEY	167	1	-	1	25	7	5	1	5	-	2	5	2	95	58	1	-
29	PLANO	103	-	-	-	16	1	3	1	2	-	1	8	1	45	29	-	-
30	RICHARDSON, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
31	BALANCE OF COUNTY	293	-	-	1	58	15	12	5	7	1	1	17	5	155	95	-	1
32	COLLINGSWORTH	84	-	-	-	12	4	2	-	2	1	-	3	2	58	33	1	-
33	COLORADO	216	-	-	-	40	6	10	2	11	3	2	6	6	120	75	1	2
34	COMAL	248	-	-	5	41	10	11	3	6	-	1	10	6	133	93	1	7
35	NEW BRAUNFELS	179	-	-	5	28	8	6	2	5	-	1	6	4	103	73	1	7
36	BALANCE OF COUNTY	69	-	-	-	13	2	5	1	1	-	-	4	2	30	20	-	-
37	COMANCHE	184	-	-	2	22	7	5	2	1	2	2	3	4	106	63	1	1
38	CONCHO	33	-	-	-	2	1	-	-	-	-	-	1	-	26	20	-	1
39	COOKE	275	-	-	4	41	12	12	1	5	3	1	7	3	161	110	2	1
40	GAINESVILLE	181	-	-	3	27	9	4	-	4	3	1	6	1	107	72	1	1
41	BALANCE OF COUNTY	94	-	-	1	14	3	8	1	1	-	-	1	2	54	38	1	-
42	CORYELL	234	-	-	2	38	14	11	1	2	-	1	9	4	122	84	3	-
43	COPPERAS COVE	41	-	-	-	5	1	3	1	-	-	-	-	2	14	8	1	-
44	BALANCE OF COUNTY	193	-	-	2	33	13	8	-	2	-	1	9	2	108	76	2	-
45	COTTLE	34	-	-	-	8	1	3	1	-	1	1	1	3	18	12	-	-
46	CRANE	47	-	-	-	5	1	3	-	-	-	-	1	-	18	12	-	-
47	CROCKETT	32	-	-	-	6	-	2	1	1	-	-	2	-	8	4	-	-
48	CROSBY	88	-	-	-	17	3	4	4	3	-	1	2	-	43	34	1	1
49	CULBERSON	22	-	-	1	2	1	-	-	-	-	-	1	1	6	6	-	-
50	DALLAM	60	-	-	-	6	1	3	-	-	1	-	1	-	37	24	1	1
51	DALLAS	9,910	24	2	94	1,884	454	520	171	215	65	59	400	153	4,696	3,353	48	40
52	BALCH SPRINGS	55	-	-	-	8	3	1	1	-	-	-	3	1	19	14	-	1
53	CARROLLTON, PART	103	-	-	2	22	3	10	2	3	-	-	4	1	43	31	-	-
54	CARROLLTON, TOTAL	106	-	-	2	22	3	10	2	3	-	-	4	1	44	32	-	-
55	DALLAS	7,154	19	2	67	1,343	349	372	120	158	48	40	256	127	3,381	2,415	32	35
56	DUNCANVILLE	55	-	-	-	17	5	4	1	2	-	1	4	1	49	34	1	-
57	FARMERS BRANCH	101	-	-	3	23	6	5	1	-	2	1	8	3	35	23	1	-
58	GARLAND	390	1	-	3	75	7	21	7	14	2	4	20	3	166	127	1	2
59	GRAND PRAIRIE, PART	286	2	-	-	43	7	12	4	7	-	-	13	3	145	94	1	-
60	GRAND PRAIRIE, TOTAL	300	2	-	-	47	8	14	4	8	-	-	13	3	151	97	1	1
61	HIGHLAND PARK	124	-	-	1	20	3	4	4	1	1	-	7	2	72	50	-	-
62	IRVING	475	2	-	4	86	19	28	8	8	1	3	19	3	223	160	2	2
63	LANCASTER	94	-	-	1	22	1	4	3	1	4	1	8	-	54	35	2	-
64	MESQUITE	264	-	-	6	67	15	21	6	7	1	2	15	3	106	79	1	-
65	RICHARDSON, PART	185	-	-	1	48	12	5	3	6	3	4	15	3	79	61	1	-
66	RICHARDSON, TOTAL	187	-	-	1	48	12	5	3	6	3	4	15	3	80	61	1	-
67	UNIVERSITY PARK	223	-	-	2	44	15	9	4	4	1	1	10	2	134	96	3	-
68	BALANCE OF COUNTY	361	-	-	4	66	9	24	7	4	2	2	18	1	190	134	3	-
69	DAWSON	170	-	-	2	27	6	11	3	2	1	-	4	3	90	59	-	-
70	LAMESA	141	-	-	2	21	4	8	2	2	1	-	4	3	79	52	-	-
71	BALANCE OF COUNTY	29	-	-	-	6	2	3	1	-	-	-	-	-	11	7	-	-
72	DEAF SMITH	125	-	-	1	17	5	1	1	1	1	3	5	2	50	35	1	-
73	HEREFORD	105	-	-	1	15	5	1	1	1	1	2	4	2	44	30	1	-
74	BALANCE OF COUNTY	20	-	-	-	2	-	-	-	-	-	1	1	-	6	5	-	-
75	DELTA	107	-	-	1	18	4	4	-	5	3	1	1	1	65	42	-	1
76	DENTON	537	-	-	1	101	26	25	7	12	5	5	21	11	274	211	2	2
77	CARROLLTON, PART	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
78	DENTON	252	-	-	1	39	9	9	3	6	4	3	5	8	138	99	1	1
79	BALANCE OF COUNTY	282	-	-	-	62	17	16	4	6	1	2	16	3	135	111	1	1
80	DE WITT	278	-	-	2	46	14	10	6	2	1	2	11	2	167	121	1	1
81	DICKENS	54	-	-	-	11	4	1	1	-	4	-	1	1	34	23	-	-
82	DIMMIT	90	-	-	1	12	3	4	-	1	-	1	3	5	30	19	-	-
83	DONLEY	53	-	-	-	9	2	2	2	1	-	-	2	-	30	17	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
123	11	1	50	4	8	13	5	2	2	1	–	1	6	18	20	1	12	5	1	1	01
90	8	1	38	3	5	7	3	–	2	1	–	1	3	16	16	1	10	4	1	1	02
33	3	–	12	1	3	6	2	2	–	–	–	–	3	2	4	–	2	1	–	–	03
39	4	–	14	2	2	3	3	1	1	–	–	–	4	13	12	4	5	2	2	–	04
46	6	1	27	5	4	7	2	–	2	–	–	–	1	13	9	6	7	3	–	–	05
73	5	–	27	4	6	7	1	–	3	1	–	–	4	12	11	8	5	4	4	–	06
32	5	–	10	2	1	3	3	1	–	–	–	–	–	–	12	5	2	3	1	–	07
19	4	–	7	1	1	3	3	–	–	–	–	–	2	–	8	2	1	2	1	–	08
13	1	–	3	1	–	–	3	1	–	–	–	–	1	–	4	3	1	1	–	–	09
31	19	–	14	2	2	7	3	1	1	–	–	–	1	–	1	1	3	1	–	–	10
308	50	8	112	28	16	17	13	7	18	6	2	18	41	85	10	8	3	1	–	–	11
131	5	2	47	7	5	6	5	2	12	2	–	11	15	38	83	47	45	11	17	–	12
71	22	4	22	13	4	4	2	3	2	2	1	2	12	12	25	17	17	4	10	–	13
29	5	2	17	4	1	4	1	–	–	–	–	2	6	6	18	7	11	3	1	–	14
77	18	–	26	4	6	3	5	2	4	2	1	3	8	29	15	7	4	2	2	–	15
31	2	–	23	2	4	4	2	1	–	–	–	–	4	1	9	3	8	–	2	–	16
17	4	–	9	2	1	1	–	–	–	–	–	1	1	1	4	2	3	1	–	–	17
100	9	–	40	4	4	11	2	–	1	1	–	1	10	20	22	15	14	4	4	1	18
11	1	–	15	–	2	1	–	–	–	–	–	1	1	2	5	3	–	2	3	–	19
34	5	–	8	6	1	4	–	–	2	–	–	1	7	1	9	10	6	–	1	–	20
142	14	4	55	6	4	11	2	–	2	1	–	2	3	26	33	8	21	4	5	–	21
22	3	–	19	1	2	4	5	1	1	1	–	1	–	–	7	1	–	–	–	–	22
25	9	–	9	–	1	5	3	1	–	2	–	–	2	9	11	2	5	–	–	–	23
7	2	–	3	–	1	–	1	–	–	–	–	–	1	–	4	1	3	1	1	–	24
8	6	–	5	–	–	3	1	–	–	–	–	1	1	2	4	–	1	–	–	–	25
63	13	–	31	1	3	6	2	–	–	–	–	3	2	–	14	3	5	1	1	–	26
162	18	4	95	10	5	14	8	2	3	1	–	2	19	8	51	15	24	3	9	–	27
55	2	1	28	5	3	2	3	–	1	1	–	–	7	1	18	4	6	–	–	–	28
24	5	1	12	2	1	1	1	1	1	–	–	1	7	1	10	6	9	1	2	–	29
–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	30
83	11	2	54	3	1	11	4	1	1	–	–	1	4	6	23	5	9	2	7	–	31
28	4	–	23	1	1	2	3	1	–	–	–	–	2	1	–	3	–	–	–	–	32
66	6	2	34	7	2	3	3	–	–	1	–	3	2	15	12	7	3	1	2	–	33
74	11	1	27	7	5	4	–	1	3	1	–	2	19	5	22	12	6	3	3	1	34
58	7	1	21	5	3	3	1	1	3	1	–	1	7	1	18	5	3	2	2	–	35
16	4	–	6	2	2	1	–	–	–	1	–	–	1	1	10	6	9	1	2	–	36
53	8	1	34	6	2	5	1	1	3	3	–	1	2	4	4	7	3	1	1	1	37
15	4	–	5	1	–	1	1	–	–	–	–	1	2	4	18	8	2	2	–	–	38
86	21	–	47	1	3	10	3	1	–	–	–	–	1	–	–	–	1	–	–	–	39
58	12	–	33	–	2	7	2	3	1	1	–	3	1	2	15	10	8	2	6	–	40
28	9	–	14	1	1	3	1	–	1	1	–	1	1	–	8	5	6	2	6	–	41
71	10	–	30	4	4	5	2	–	2	1	1	2	2	2	7	5	2	–	–	–	42
5	2	–	5	1	–	2	–	–	1	–	–	–	2	7	24	8	9	1	1	–	43
66	8	–	25	3	4	3	2	–	1	1	–	2	4	4	2	2	4	1	–	–	44
11	1	1	5	–	–	2	–	–	–	–	–	–	3	2	22	6	5	–	1	–	45
11	1	–	5	1	–	1	1	–	–	–	–	–	–	–	1	1	1	–	–	–	46
3	1	–	3	1	–	2	1	1	1	–	–	–	4	6	1	5	4	–	2	–	47
26	6	–	8	–	1	3	2	–	1	1	–	1	2	4	2	2	2	1	–	–	48
6	–	–	–	–	–	4	–	–	2	–	–	1	3	1	6	7	3	–	–	–	49
15	7	1	9	1	2	3	2	–	4	–	–	1	1	–	1	1	–	1	–	1	50
3,062	203	29	997	187	130	275	150	23	180	41	4	97	231	176	781	264	390	184	248	13	51
13	–	–	4	–	1	–	1	–	2	1	–	2	6	2	6	1	3	2	1	–	52
29	2	–	9	2	1	3	–	–	2	–	–	5	6	2	6	3	5	1	2	–	53
30	2	–	9	2	1	3	–	–	2	–	–	5	6	2	7	3	6	1	2	–	54
2,190	158	23	719	125	99	192	104	22	141	32	3	52	151	129	598	159	284	127	211	10	55
31	2	1	11	3	–	2	2	–	–	–	–	3	4	1	8	3	2	2	1	–	56
19	3	–	7	5	–	3	3	–	2	–	–	2	4	1	7	2	8	3	2	–	57
116	8	1	27	4	7	11	7	–	6	1	–	7	17	5	31	25	16	11	4	1	58
89	4	–	29	19	3	16	3	1	3	4	–	4	14	4	12	14	12	4	2	–	59
91	4	–	30	21	3	16	3	1	3	4	–	4	16	4	13	14	13	4	2	–	60
49	1	1	17	4	–	4	3	–	1	–	–	–	2	3	11	2	2	1	–	–	61
148	8	1	45	12	5	13	9	–	9	3	1	7	12	10	34	17	22	11	8	1	62
33	–	–	18	1	–	2	3	–	2	–	–	1	1	–	5	–	1	–	2	–	63
76	2	–	26	–	1	8	3	–	3	–	–	7	2	5	17	17	12	4	4	–	64
54	6	–	12	3	3	7	2	–	3	–	–	4	–	6	15	4	6	4	3	–	65
54	6	–	13	3	3	7	2	–	3	–	–	4	1	6	15	4	6	4	3	–	66
89	4	1	25	6	6	2	2	–	3	–	–	1	5	5	12	2	6	2	–	1	67
126	5	1	48	3	4	12	8	–	3	–	–	2	7	3	19	15	11	12	8	–	68
49	10	–	26	1	4	3	6	–	1	1	–	1	–	2	11	5	10	2	6	–	69
43	9	–	23	1	3	1	5	–	1	–	–	1	–	2	9	3	6	2	6	–	70
6	1	–	3	–	1	2	1	–	–	1	–	–	–	–	2	2	4	–	–	–	71
31	3	–	13	–	2	8	3	–	1	1	–	4	4	3	11	7	10	1	2	–	72
26	3	–	12	–	2	7	2	–	1	1	–	3	3	1	11	5	6	1	2	–	73
5	–	–	1	–	–	1	1	–	–	–	–	1	1	2	–	2	4	–	–	–	74
37	4	3	17	1	2	3	2	2	–	1	–	–	1	–	8	–	3	1	1	–	75
158	49	–	50	6	7	21	15	1	3	–	–	4	5	11	34	22	21	6	7	–	76
1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	77
79	18	–	32	5	2	11	8	2	2	–	–	2	1	4	18	7	8	3	2	–	78
78	31	–	18	1	5	10	7	1	1	–	–	2	4	7	15	15	12	3	5	–	79
89	30	–	34	10	2	7	5	1	3	1	–	2	–	9	24	2	5	1	2	–	80
19	4	–	7	3	1	–	1	1	–	–	–	1	–	1	4	–	–	–	1	–	81
16	3	–	9	1	1	2	3	–	–	3	–	2	5	7	8	9	3	2	–	–	82
15	2	–	9	–	4	–	3	–	–	–	–	–	–	–	9	1	1	–	–	–	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	DUVAL	93	-	-	1	17	7	4	-	2	-	1	3	3	34	25	-	1
02	EASTLAND	330	-	-	2	39	11	8	2	5	3	3	7	6	223	148	2	-
03	ECTOR	623	1	-	8	117	22	42	11	11	3	4	24	9	265	165	5	4
04	ODESSA	559	-	-	8	103	21	36	8	10	3	4	21	8	240	150	4	4
05	BALANCE OF COUNTY	64	1	-	-	14	1	6	3	1	-	-	3	1	25	15	1	-
06	EDWARDS	20	-	-	-	2	-	-	-	1	-	-	1	-	11	7	-	-
07	ELLIS	554	-	-	3	85	18	20	9	12	3	4	19	16	246	160	1	3
08	ENNIS	150	-	-	2	17	2	5	1	3	-	1	5	4	77	53	-	3
09	WAXAHACHIE	144	-	-	1	24	4	8	4	3	-	-	5	9	57	35	-	-
10	BALANCE OF COUNTY	260	-	-	-	44	12	7	4	6	3	3	9	3	112	72	1	-
11	EL PASO	2,337	8	-	31	439	131	88	35	48	16	18	103	50	919	640	21	20
12	EL PASO	2,194	8	-	28	423	129	84	35	44	15	18	98	48	872	607	21	19
13	BALANCE OF COUNTY	143	-	-	3	16	2	4	-	4	1	-	5	2	47	33	-	1
14	ERATH	247	-	-	2	36	8	7	1	8	5	3	4	6	150	106	-	1
15	FALLS	265	-	-	2	30	9	7	2	4	2	2	4	3	176	114	-	1
16	FANNIN	351	-	-	1	53	17	6	5	6	2	2	15	7	194	153	-	4
17	FAYETTE	267	-	-	3	56	20	11	3	4	1	3	14	6	148	99	1	1
18	FISHER	81	-	-	-	12	2	2	3	2	1	-	2	3	46	25	-	-
19	FLOYD	98	-	-	1	16	4	3	3	1	1	-	4	5	48	32	1	-
20	FOARD	34	-	1	-	6	1	2	-	1	-	-	2	-	18	9	-	-
21	FORT BEND	416	2	-	5	90	24	24	5	14	1	6	16	9	173	120	1	2
22	HOUSTON, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	ROSENBURG	102	-	-	1	27	12	5	2	3	1	1	3	3	46	35	-	-
24	BALANCE OF COUNTY	314	2	-	4	63	12	19	3	11	-	5	13	6	127	85	1	2
25	FRANKLIN	97	-	-	-	19	7	3	1	1	1	1	5	1	63	37	-	-
26	FREESTONE	198	-	-	-	31	11	8	1	2	1	1	7	2	109	72	1	2
27	FRIO	106	-	-	-	22	4	4	1	8	-	3	2	4	52	36	-	-
28	GAINES	82	-	1	2	14	3	2	1	2	1	1	4	4	34	28	1	-
29	GALVESTON	1,438	2	-	11	284	78	80	13	32	13	15	53	34	696	529	9	9
30	GALVESTON	679	2	-	3	130	42	32	7	14	8	6	21	13	347	256	5	-
31	LA MARQUE	108	-	-	1	19	4	6	1	2	-	2	4	3	53	35	1	-
32	LEAGUE CITY	37	-	-	1	8	3	2	-	2	-	-	1	1	18	15	-	-
33	TEXAS CITY	299	-	-	2	57	15	17	3	7	2	2	11	9	141	118	-	7
34	BALANCE OF COUNTY	315	-	-	4	70	14	23	2	7	3	5	16	8	137	105	3	2
35	GARZA	69	-	-	1	11	5	5	1	-	-	-	-	-	31	20	-	-
36	GILLESPIE	169	-	-	1	32	12	4	2	4	2	2	6	3	104	73	-	1
37	GLASSCOCK	7	-	-	1	2	-	-	-	1	-	-	1	-	2	2	-	-
38	GOLIAD	68	-	-	-	13	2	7	-	-	1	1	2	1	41	30	-	3
39	GONZALES	232	-	1	3	32	7	9	5	6	-	1	4	8	136	102	2	9
40	GRAY	286	-	-	1	60	16	12	4	8	1	1	18	13	133	98	1	2
41	PAMPA	228	-	-	1	49	15	10	4	6	-	1	13	11	105	81	1	2
42	BALANCE OF COUNTY	58	-	-	-	11	1	2	-	2	1	-	5	2	28	17	-	-
43	GRAYSON	981	-	-	5	161	46	43	13	22	9	8	20	10	561	392	2	8
44	DENISON	335	-	-	2	56	12	17	4	9	3	3	8	5	202	139	-	3
45	SHERMAN	302	-	-	2	44	14	12	5	6	-	1	6	2	171	131	-	3
46	BALANCE OF COUNTY	344	-	-	1	61	20	14	4	7	6	4	6	3	188	122	2	2
47	GREGG	881	-	1	7	168	39	42	12	23	8	7	37	18	392	264	4	6
48	LONGVIEW	521	-	1	7	109	25	24	5	17	7	5	26	12	221	147	2	6
49	BALANCE OF COUNTY	360	-	-	-	59	14	18	7	6	1	2	11	6	171	117	2	-
50	GRIMES	205	1	-	-	40	10	9	4	5	2	1	9	5	106	82	-	-
51	GUADALUPE	344	2	-	3	69	18	16	4	9	2	5	15	5	166	127	-	2
52	SEGUIN	172	-	-	2	41	11	12	2	8	-	3	5	4	85	65	-	2
53	BALANCE OF COUNTY	172	2	-	1	28	7	4	2	1	2	2	10	1	81	62	-	-
54	HALE	315	-	-	6	49	19	10	2	10	2	1	5	-	140	91	1	-
55	PLAINVIEW	201	-	-	4	29	13	5	2	4	1	1	3	-	92	58	1	-
56	BALANCE OF COUNTY	114	-	-	2	20	6	5	-	6	1	-	2	-	48	33	-	-
57	HALL	71	-	-	-	15	4	5	1	3	1	1	-	-	40	25	-	-
58	HAMILTON	136	-	-	2	23	2	5	1	5	2	3	5	3	73	44	1	1
59	HANSFORD	48	-	-	1	5	2	1	-	1	-	-	1	1	22	17	-	-
60	HARDEMAN	84	-	-	3	6	2	1	1	1	-	1	-	4	49	30	1	-
61	HARDIN	296	2	-	3	49	7	13	2	12	2	3	10	4	139	110	1	1
62	HARRIS	12,862	39	-	120	2,421	517	752	220	271	92	103	466	174	5,940	4,280	63	38
63	BAYTOWN	324	1	-	3	39	5	14	3	5	-	1	11	4	172	125	2	1
64	HELLAIRE	147	-	-	-	27	9	6	5	5	-	1	1	-	69	48	-	-
65	DEER PARK	67	-	-	-	11	5	2	-	1	-	1	2	-	29	23	1	-
66	GALENA PARK	75	-	-	3	17	2	9	1	3	-	-	2	-	40	33	-	-
67	HOUSTON, PART	10,254	35	-	101	1,943	431	590	180	220	79	79	364	143	4,735	3,378	50	35
68	HOUSTON, TOTAL	10,255	35	-	101	1,943	431	590	180	220	79	79	364	143	4,735	3,378	50	35
69	PASADENA	515	1	-	3	106	13	38	7	11	4	6	27	9	225	178	2	-
70	SOUTH HOUSTON	68	1	-	-	15	2	6	3	3	-	-	1	-	33	26	1	-
71	WEST UNIVERSITY PLACE	62	-	-	-	14	2	5	2	-	-	1	4	1	39	27	-	-
72	BALANCE OF COUNTY	1,350	1	-	10	249	48	82	19	23	9	14	54	17	598	442	7	2
73	HARRISON	552	3	-	3	94	30	15	9	15	1	3	21	10	271	168	3	5
74	MARSHALL	309	2	-	-	53	15	9	5	11	-	1	12	4	155	91	1	4
75	BALANCE OF COUNTY	243	1	-	3	41	15	6	4	4	1	2	9	6	116	77	2	1
76	HARTLEY	24	-	-	-	4	-	1	1	-	-	-	2	-	10	8	-	-
77	HASKELL	109	-	-	-	17	3	2	3	4	1	-	4	4	63	28	-	-
78	HAYS	235	2	-	4	39	11	7	1	4	2	2	12	3	115	81	1	1
79	SAN MARCOS	155	1	-	3	25	8	5	-	3	1	2	6	2	79	54	1	-
80	BALANCE OF COUNTY	80	1	-	1	14	3	2	1	1	1	-	6	1	36	27	-	1
81	HEMPHILL	34	-	-	1	7	2	-	1	-	-	-	4	-	11	8	-	-
82	HENDERSON	415	-	-	4	73	15	20	9	11	1	2	15	5	197	154	1	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
19	5	2	7	-	-	4	2	-	3	1	-	2	-	3	8	4	9	2	-	-	01
126	20	-	58	8	9	21	5	1	1	2	-	1	3	5	8	6	6	-	1	-	02
111	45	1	80	12	7	22	9	4	7	-	-	5	21	34	52	24	29	5	10	1	03
102	40	1	71	11	7	20	9	3	7	-	-	5	18	29	48	19	28	4	9	1	04
9	5	-	9	1	-	2	-	1	-	-	-	-	3	5	4	5	1	1	1	-	05
6	1	-	3	1	-	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	06
135	21	1	69	6	10	18	8	4	2	3	-	-	13	72	39	14	23	5	3	-	07
41	9	1	19	1	3	5	2	2	-	-	-	-	6	14	10	2	7	2	-	-	08
33	2	-	18	4	-	7	2	1	-	-	-	-	1	20	11	3	5	2	1	-	09
61	10	-	32	1	7	6	4	1	2	3	-	-	6	38	18	9	11	1	2	-	10
502	97	8	212	28	31	70	27	9	61	12	2	44	81	92	245	86	86	49	26	-	11
477	90	8	199	28	30	64	26	9	60	11	1	40	73	86	232	69	76	46	22	-	12
25	7	-	13	-	1	6	1	-	1	1	1	4	8	6	13	17	10	3	4	-	13
72	34	-	34	6	4	8	3	2	-	-	-	-	1	4	19	9	5	1	1	-	14
92	21	6	45	7	4	11	2	-	2	1	-	-	2	4	21	5	3	2	1	-	15
123	26	1	80	7	3	13	9	1	1	1	-	1	5	9	37	8	8	1	2	-	16
75	22	1	39	6	3	6	2	1	1	-	-	-	5	11	16	2	7	1	2	-	17
22	3	-	8	11	2	-	-	-	-	1	-	-	2	5	4	2	4	1	1	-	18
28	3	-	14	2	-	5	5	-	-	-	-	1	3	3	1	2	3	3	1	1	19
9	-	1	8	-	-	1	1	-	-	-	-	-	1	-	3	-	2	-	1	-	20
87	30	3	39	8	3	15	4	2	10	4	-	5	9	13	32	12	19	5	6	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
24	11	1	8	1	1	3	2	-	-	1	-	-	2	3	5	1	5	2	-	1	23
63	19	2	31	7	2	12	2	2	10	3	-	5	7	10	27	11	14	3	6	-	24
34	3	-	25	1	-	2	1	-	-	-	-	-	-	-	6	2	2	-	-	-	25
57	12	-	23	10	4	6	-	1	1	-	-	1	3	18	16	5	2	1	2	-	26
36	-	-	9	6	1	1	1	-	2	-	-	-	3	3	6	4	6	2	-	-	27
21	6	-	5	-	1	4	-	-	2	-	-	2	2	-	8	6	3	-	-	-	28
474	37	7	124	15	21	44	19	3	25	8	-	13	15	14	117	44	45	23	31	10	29
237	14	4	69	10	8	21	7	2	15	5	-	8	10	6	53	8	24	8	15	2	30
30	4	2	13	-	3	4	1	-	1	-	-	1	1	3	11	3	3	1	3	1	31
15	-	-	2	-	1	1	-	-	-	-	-	1	-	-	1	1	1	2	1	1	32
99	12	1	17	1	4	11	2	-	6	1	-	2	3	1	32	13	1	7	7	4	33
93	7	-	23	4	5	7	9	1	3	2	-	2	1	4	20	19	16	5	5	2	34
18	2	-	10	1	-	2	1	-	1	1	-	2	1	3	6	1	4	1	3	-	35
58	14	1	25	3	2	5	1	-	2	-	-	1	1	1	10	4	3	1	-	-	36
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	37
21	6	-	11	-	-	1	1	-	1	2	-	2	-	1	3	2	-	-	-	-	38
75	16	4	29	-	1	3	3	2	2	1	1	-	3	12	12	6	4	2	1	-	39
86	9	2	26	1	6	6	6	1	3	1	-	1	7	7	17	10	13	5	2	-	40
70	8	2	18	1	3	5	6	1	3	-	-	1	6	7	13	5	10	3	2	-	41
16	1	-	8	-	3	1	-	-	-	1	-	-	1	-	4	5	3	2	-	-	42
344	38	3	137	14	15	29	12	9	10	2	-	4	7	32	72	17	33	9	7	1	43
125	11	2	53	4	4	5	6	2	5	2	-	1	2	2	25	5	12	2	1	-	44
118	10	1	28	4	7	13	2	5	4	-	-	1	3	13	19	5	7	6	4	1	45
101	17	-	56	6	4	11	4	2	1	-	-	2	2	17	28	7	14	1	2	-	46
218	36	9	101	8	10	20	7	3	16	5	-	6	11	67	76	27	33	11	13	-	47
113	26	7	56	6	5	11	3	1	9	1	-	5	7	41	40	15	19	9	10	-	48
105	10	2	45	2	5	9	4	2	7	4	-	1	4	26	36	12	14	2	3	-	49
64	18	2	16	1	5	2	2	2	-	-	-	1	1	11	14	4	13	-	3	-	50
109	16	1	31	5	2	3	7	1	3	2	-	4	5	22	18	14	9	7	4	-	51
54	9	1	17	2	-	2	7	-	1	2	-	2	3	4	6	5	4	3	1	-	52
55	7	-	14	3	2	1	-	1	2	-	-	2	2	18	12	9	5	4	3	-	53
76	14	2	41	3	3	13	7	1	2	-	-	2	13	15	31	12	13	3	7	1	54
48	9	2	27	2	3	10	4	1	2	-	-	1	9	8	18	8	8	1	5	1	55
28	5	-	14	1	-	3	3	-	-	-	-	1	4	7	13	4	5	2	2	-	56
24	1	-	15	-	-	3	-	-	1	-	-	-	-	1	2	2	5	1	1	-	57
27	15	-	19	8	2	9	2	-	-	-	-	-	1	2	12	3	4	1	1	-	58
13	4	-	2	-	3	1	1	-	-	-	-	-	2	1	2	7	2	3	-	-	59
22	7	-	18	-	1	7	1	-	1	-	-	2	-	-	5	1	4	1	-	-	60
91	17	1	26	2	-	8	2	-	-	2	-	6	13	21	24	6	12	-	5	-	61
3,860	319	32	1,276	214	138	344	148	45	272	58	5	136	294	116	1,062	412	543	311	409	13	62
105	17	-	35	9	3	10	4	1	7	4	-	5	8	4	33	6	13	4	6	-	63
46	2	-	17	1	3	6	3	1	4	-	-	-	2	-	22	5	2	3	3	-	64
18	4	1	3	2	-	3	-	-	-	-	-	3	2	-	8	5	3	1	1	1	65
31	2	-	6	1	-	-	1	-	2	1	-	-	1	-	1	3	5	-	1	-	66
3,050	243	26	1,052	166	113	293	115	34	223	44	5	104	219	93	848	286	437	235	352	9	67
3,050	243	26	1,052	166	113	293	115	34	223	44	5	104	219	93	848	287	437	235	352	9	68
167	9	1	34	6	6	9	5	4	5	4	-	4	19	5	44	31	18	15	8	-	69
23	2	-	5	-	2	-	-	-	2	-	-	-	3	-	3	4	2	5	-	-	70
26	1	-	11	1	-	1	1	-	-	-	-	-	1	-	3	-	-	2	-	-	71
394	39	4	113	28	11	22	19	5	29	5	-	20	39	14	100	72	63	46	38	3	72
128	32	1	88	5	9	14	6	1	6	8	-	3	11	23	43	18	17	8	10	3	73
69	17	-	55	2	7	10	5	-	4	5	-	2	3	9	29	7	6	6	6	3	74
59	15	1	33	3	2	4	1	1	2	3	-	1	8	14	14	11	11	2	4	-	75
7	1	-	2	-	-	2	2	-	-	-	-	-	1	-	4	-	-	1	-	-	76
22	6	-	28	6	1	3	1	-	-	-	-	-	2	-	5	7	4	-	3	-	77
57	22	1	24	5	4	5	2	-	3	-	-	2	3	3	26	16	5	3	4	-	78
40	13	1	16	4	4	3	1	-	2	-	-	1	2	2	16	9	4	3	2	-	79
17	9	-	8	1	-	2	1	-	1	-	-	1	1	1	10	7	1	-	2	-	80
8	-	-	3	-	-	2	1	-	1	-	-	2	-	3	1	3	2	-	-	-	81
131	20	-	34	7	2	9	5	1	4	4	-	1	9	38	29	17	8	4	7	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS—CON.																	
01	HIDALGO	1,414	11	2	22	217	53	48	15	28	12	11	50	46	612	428	6	6
02	EDINBURG	134	-	-	3	20	4	6	3	3	1	-	3	5	61	39	1	-
03	MC ALLEN	316	-	-	2	45	14	7	6	3	4	4	7	11	158	122	3	1
04	MISSION	107	-	-	-	19	4	7	-	3	1	-	4	5	44	25	-	-
05	PHARR	120	2	1	1	15	3	1	2	4	-	1	4	7	43	29	-	-
06	WESLACO	154	4	-	2	22	4	6	1	4	1	1	5	2	69	47	-	1
07	BALANCE OF COUNTY	589	5	1	14	96	24	21	3	11	5	5	27	16	237	166	2	4
08	HILL	386	2	-	4	77	22	19	8	5	2	3	14	3	219	148	1	1
09	HOCKLEY	142	-	-	-	27	5	9	3	2	-	3	5	3	67	46	-	1
10	LEVELLAND	88	-	-	-	15	3	6	1	2	-	1	2	3	47	31	-	1
11	BALANCE OF COUNTY	54	-	-	-	12	2	3	2	-	-	2	3	-	20	15	-	-
12	HOOD	114	-	-	-	17	5	2	2	1	2	-	5	-	57	36	1	-
13	HOPKINS	293	-	-	1	48	13	9	4	7	1	4	10	6	169	119	1	4
14	SULPHUR SPRINGS	172	-	-	1	30	5	5	3	6	-	4	7	5	96	64	-	3
15	BALANCE OF COUNTY	121	-	-	-	18	8	4	1	1	1	-	3	1	73	55	1	1
16	HOUSTON	220	-	-	2	39	13	9	4	1	2	-	10	1	115	84	-	-
17	HOWARD	314	-	-	2	46	15	16	-	6	-	2	7	4	148	100	1	-
18	BIG SPRING	247	-	-	1	34	13	10	-	4	-	1	6	3	119	76	1	-
19	BALANCE OF COUNTY	67	-	-	1	12	2	6	-	2	-	1	1	1	29	24	-	-
20	HUDSPETH	15	-	-	-	5	2	1	-	-	-	-	2	-	5	3	-	-
21	HUNT	560	-	-	4	107	33	21	3	13	7	6	24	6	310	216	5	-
22	GREENVILLE	268	-	-	-	48	14	6	1	6	5	3	13	4	147	103	2	-
23	BALANCE OF COUNTY	292	-	-	4	59	19	15	2	7	2	3	11	2	163	113	3	-
24	HUTCHINSON	231	-	-	4	44	10	7	5	4	3	1	14	7	109	75	-	3
25	BORGER	153	-	-	3	28	7	5	3	4	2	-	7	5	74	51	-	3
26	BALANCE OF COUNTY	78	-	-	1	16	3	2	2	-	1	1	7	2	35	24	-	-
27	IRION	13	-	-	-	1	-	1	-	-	-	-	-	-	6	3	-	-
28	JACK	99	-	-	1	14	5	1	-	4	-	3	1	5	45	32	-	3
29	JACKSON	129	-	-	1	25	4	7	2	5	-	1	6	3	67	43	-	-
30	JASPER	253	1	-	1	41	12	13	4	2	2	2	6	4	121	88	2	1
31	JEFF DAVIS	16	-	-	-	5	2	3	-	-	-	-	-	-	6	3	-	-
32	JEFFERSON	2,173	2	-	15	434	121	128	21	39	19	13	93	46	1,110	800	9	25
33	BEAUMONT	1,121	1	-	7	196	50	58	11	17	11	5	44	24	604	450	6	19
34	GROVES	120	-	-	1	28	4	13	-	2	1	2	6	2	57	39	-	-
35	NEDERLAND	104	-	-	1	35	10	11	1	1	2	1	9	2	46	33	-	-
36	PORT ARTHUR	598	1	-	4	114	43	25	5	16	2	2	21	15	293	194	3	4
37	PORT NECHES	78	-	-	-	21	4	9	2	1	1	1	3	1	33	27	-	1
38	BALANCE OF COUNTY	152	-	-	2	40	10	12	2	2	2	2	10	2	77	57	-	1
39	JIM HOGG	61	-	-	-	11	1	4	1	2	-	-	3	6	19	11	-	1
40	JIM WELLS	279	2	-	4	50	13	14	2	7	-	3	11	5	132	102	-	1
41	ALICE	195	2	-	3	33	8	8	2	4	-	2	9	5	90	67	-	1
42	BALANCE OF COUNTY	84	-	-	1	17	5	6	-	3	-	1	2	-	42	35	-	-
43	JOHNSON	515	-	-	3	80	15	27	8	13	2	4	11	17	282	178	3	1
44	CLEBURNE	237	-	-	-	32	5	12	4	3	1	4	3	9	136	82	-	-
45	FORT WORTH, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	BALANCE OF COUNTY	278	-	-	3	48	10	15	4	10	1	-	8	8	146	96	3	1
47	JONES	228	-	-	-	38	7	11	-	4	5	1	10	8	111	89	-	3
48	ABILENE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	BALANCE OF COUNTY	228	-	-	-	38	7	11	-	4	5	1	10	8	111	89	-	3
50	KARNES	163	1	-	-	26	11	5	1	2	1	2	4	2	88	67	-	-
51	KAUFMAN	426	-	-	1	83	24	16	9	13	1	4	16	7	220	143	6	3
52	TERRELL	163	-	-	1	33	11	6	4	4	-	2	6	2	83	56	3	1
53	BALANCE OF COUNTY	263	-	-	-	50	13	10	5	9	1	2	10	5	137	87	3	2
54	KENDALL	104	-	-	1	20	2	6	3	3	1	2	3	-	56	38	-	-
55	KENEDY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	KENT	8	-	-	-	-	-	-	-	-	-	-	-	-	6	4	1	1
57	KERR	310	3	-	3	63	13	17	5	10	4	4	10	4	163	115	1	2
58	KERRVILLE	232	1	-	2	46	10	11	2	10	3	3	7	3	124	86	1	2
59	BALANCE OF COUNTY	78	2	-	1	17	3	6	3	-	1	1	3	1	39	29	-	-
60	KIMBLE	67	-	-	-	9	1	5	1	1	-	-	1	1	43	31	-	-
61	KING	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	KINNEY	26	-	-	-	5	3	-	-	-	1	1	-	-	6	4	-	1
63	KLEBERG	231	-	-	3	45	12	13	1	7	2	4	6	7	102	70	-	1
64	KINGSVILLE	206	-	-	2	40	11	11	1	7	2	2	6	7	90	61	-	1
65	BALANCE OF COUNTY	25	-	-	1	5	1	2	-	-	2	2	-	-	12	9	-	-
66	KNOX	101	-	-	-	17	7	2	-	5	2	-	1	1	65	34	-	1
67	LAMAR	505	-	-	4	94	25	24	10	5	3	10	17	6	283	186	2	12
68	PARIS	364	-	-	3	67	18	18	7	5	2	6	11	6	207	133	2	8
69	BALANCE OF COUNTY	141	-	-	1	27	7	6	3	-	1	4	6	-	76	53	-	4
70	LAMB	189	-	-	2	23	7	5	2	2	1	2	4	5	96	61	3	-
71	LAMPASAS	137	-	-	-	26	11	5	3	4	1	-	2	1	80	54	-	-
72	LA SALLE	61	-	-	-	13	2	1	1	2	3	-	4	1	30	26	-	1
73	LAVACA	280	1	-	1	42	13	11	2	4	2	3	7	8	137	105	1	2
74	LEE	104	-	-	-	21	4	4	1	5	2	3	2	1	51	37	1	1
75	LEON	141	-	-	-	21	6	6	1	3	2	1	2	4	62	53	-	1
76	LIBERTY	395	1	-	-	67	16	16	4	11	3	3	14	13	174	114	4	1
77	LIMESTONE	265	2	-	1	30	8	8	-	5	-	3	6	7	167	142	-	9
78	LIPSCOMB	37	-	-	-	3	-	2	-	-	-	1	-	3	22	17	1	-
79	LIVE OAK	69	1	-	-	14	4	4	-	2	1	1	2	-	42	27	-	-
80	LLANO	132	-	-	1	27	3	13	1	2	-	1	7	1	66	54	1	1
81	LOVING	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
368	48	6	147	17	14	58	14	7	20	5	1	17	49	69	111	57	63	18	14	1	01
32	6	-	21	1	-	6	1	1	-	1	-	1	1	13	9	6	3	1	2	-	02
103	15	2	28	4	2	12	-	-	6	2	-	4	13	15	25	8	5	8	2	-	03
24	1	2	13	1	3	3	4	1	-	-	-	-	3	9	12	3	3	1	-	-	04
22	7	1	12	-	1	5	-	1	2	-	-	1	2	10	12	9	7	1	1	-	05
44	2	-	17	3	2	7	3	1	5	-	-	3	9	3	17	-	7	-	-	-	06
143	17	1	56	8	6	25	6	3	7	2	1	8	21	19	36	31	38	7	9	1	07
93	53	1	41	22	7	6	9	-	-	4	-	1	3	7	26	15	4	1	5	-	08
38	7	-	16	2	3	1	4	-	1	-	-	2	3	12	11	3	7	1	-	-	09
25	5	-	12	2	2	1	3	-	-	-	-	1	1	5	6	2	4	-	-	-	10
13	2	-	4	-	1	-	1	-	1	-	-	1	2	7	5	1	3	1	-	-	11
27	8	1	17	1	2	5	1	-	-	1	-	2	1	6	13	6	4	1	-	-	12
109	5	-	44	4	2	10	7	-	2	1	-	1	1	7	18	9	11	1	-	-	13
59	2	-	26	4	2	7	2	-	-	1	-	1	1	2	13	7	6	-	-	-	14
50	3	-	18	-	-	3	5	-	2	-	-	-	-	5	5	2	5	1	-	-	15
78	6	1	26	2	2	3	5	-	2	2	-	-	1	14	18	5	7	5	1	-	16
74	25	1	38	3	6	16	8	1	2	2	-	2	8	15	27	14	16	1	2	-	17
58	17	1	35	2	5	12	7	1	2	2	-	1	5	11	22	10	15	1	1	-	18
16	8	-	3	1	1	4	1	-	-	-	-	1	3	4	5	4	1	-	1	-	19
3	-	-	2	-	-	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	20
190	21	1	65	17	11	13	6	4	4	-	-	5	8	15	36	15	14	4	7	2	21
93	8	1	26	12	5	7	3	1	1	-	-	1	3	10	23	6	8	2	3	1	22
97	13	-	39	5	6	6	3	3	3	-	-	4	5	5	13	9	6	2	4	1	23
68	4	2	21	7	4	5	8	-	4	2	-	3	3	8	14	5	8	4	3	-	24
44	4	2	14	6	1	2	7	-	1	1	-	1	3	3	10	4	6	2	3	-	25
24	-	-	7	1	3	3	1	-	3	1	-	2	-	5	4	1	2	2	-	-	26
3	-	-	3	-	-	-	-	1	-	-	-	-	1	-	1	-	3	-	-	-	27
25	4	-	11	2	-	2	1	-	-	1	-	1	2	4	10	4	8	-	-	1	28
36	7	1	20	2	1	2	2	-	2	-	1	-	-	6	8	3	7	1	1	-	29
73	12	-	28	4	1	8	4	3	2	-	-	2	2	13	28	10	12	1	-	-	30
3	-	-	2	1	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	31
684	82	8	217	43	42	49	37	5	35	19	1	14	47	25	164	37	67	29	34	3	32
378	47	5	106	23	20	23	19	2	21	8	1	5	28	8	89	17	42	16	16	-	33
35	4	-	12	5	1	1	3	-	-	2	-	2	2	4	10	2	2	1	1	2	34
32	1	-	10	-	3	-	-	-	3	1	-	1	4	-	6	4	-	1	-	-	35
164	23	3	70	11	15	18	14	2	9	8	-	5	9	8	53	7	16	8	13	1	36
24	2	-	5	1	-	3	-	-	-	-	-	-	3	2	7	2	2	2	2	-	37
51	5	-	14	3	3	4	1	1	2	-	-	1	1	3	5	5	5	1	2	-	38
10	-	-	7	-	1	2	1	-	3	1	-	-	-	8	7	2	-	-	1	-	39
85	16	-	19	6	5	8	5	-	3	2	-	3	6	5	25	10	12	3	4	-	40
55	11	-	14	5	4	7	5	-	3	1	-	3	6	3	16	6	7	2	3	-	41
30	5	-	5	1	1	1	-	-	-	1	-	-	-	2	9	4	5	1	1	-	42
135	39	1	82	14	7	14	10	3	4	3	-	2	10	17	42	6	14	4	4	-	43
65	17	-	42	7	5	7	3	1	1	2	-	-	5	6	21	2	9	1	2	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
70	22	1	40	7	2	7	7	2	3	1	-	2	5	11	21	4	5	3	2	-	46
72	14	-	18	2	2	5	6	-	1	-	-	1	3	17	28	4	2	1	3	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
72	14	-	18	2	2	5	6	-	1	-	-	1	3	17	28	4	2	1	3	-	49
57	10	-	21	-	-	3	4	1	-	1	-	1	4	5	15	7	3	2	-	-	50
110	24	-	64	9	4	17	2	2	1	-	-	4	2	16	46	12	8	3	2	-	51
40	12	-	22	3	2	9	1	1	1	-	-	2	1	4	17	2	3	1	2	-	52
70	12	-	42	6	2	8	1	1	-	-	-	2	1	12	29	10	5	2	-	-	53
36	2	1	16	1	-	5	1	-	1	-	-	-	-	-	7	3	8	1	-	1	54
3	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	55
90	22	2	25	14	7	9	8	5	1	1	-	-	1	2	30	7	4	4	2	-	57
67	16	2	19	12	5	8	7	4	1	1	-	-	1	2	19	5	3	3	2	-	58
23	6	-	6	2	2	1	1	1	-	-	-	-	-	-	11	2	1	1	-	-	59
25	6	-	8	2	2	2	-	1	-	-	-	2	-	-	6	-	3	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	61
3	-	1	1	-	-	2	-	-	-	-	-	2	-	3	3	-	3	2	-	-	62
61	8	2	19	5	6	6	1	2	3	-	-	3	4	24	13	8	7	2	1	-	63
52	8	2	18	3	6	6	1	2	3	-	-	2	4	23	11	6	6	2	1	-	64
9	-	-	1	2	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	65
30	3	-	21	8	2	3	1	1	-	-	-	-	-	-	6	1	3	1	1	-	66
147	25	4	58	26	9	10	3	1	-	1	-	4	3	32	35	9	14	4	5	-	67
106	17	4	39	23	8	5	2	-	-	1	-	-	-	24	26	3	9	3	5	-	68
41	8	-	19	3	1	5	1	1	-	-	-	1	2	8	9	6	5	1	-	-	69
43	15	-	32	2	1	5	2	3	4	1	-	1	2	6	17	6	13	-	2	1	70
48	6	-	22	3	1	1	2	3	2	-	-	1	-	6	11	3	-	-	1	-	71
9	16	-	3	1	-	3	1	-	-	-	-	1	-	1	3	4	3	-	1	-	72
83	19	-	28	2	2	8	6	-	5	1	-	2	1	35	15	10	6	2	-	-	73
18	17	-	14	-	-	6	2	1	-	1	-	-	1	2	9	4	4	1	-	-	74
49	3	-	7	1	1	5	-	1	-	-	-	-	1	15	12	7	11	1	1	-	75
90	19	1	43	10	6	9	5	1	1	3	-	3	6	41	26	16	17	7	5	-	76
119	14	3	19	1	2	11	1	2	-	-	-	1	2	14	14	1	4	-	4	-	77
16	-	-	5	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	78
19	8	-	15	-	-	-	2	-	-	-	-	1	1	1	4	1	1	-	1	-	79
46	6	-	7	3	2	5	2	-	1	1	-	-	-	4	16	2	4	2	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS—CON.																	
01	LUBBOCK	1,314	3	-	13	224	55	49	19	20	8	12	61	33	609	443	9	4
02	LUBBOCK	1,084	3	-	11	195	49	38	17	19	7	10	55	27	490	357	8	2
03	BALANCE OF COUNTY	230	-	-	2	29	6	11	2	1	1	2	6	6	119	86	1	2
04	LYNN	79	-	-	-	13	2	1	1	4	1	1	3	2	44	31	-	-
05	MC CULLOCH	143	-	-	3	22	8	2	-	7	1	1	3	1	87	65	1	2
06	MC LENNAN	1,722	4	-	14	283	63	64	20	33	16	17	70	24	927	637	5	7
07	WACO	1,228	4	-	10	205	44	51	11	25	14	11	49	16	663	450	3	4
08	BALANCE OF COUNTY	494	-	-	4	78	19	13	9	8	2	6	21	8	264	187	2	3
09	MC MULLEN	10	-	-	-	1	-	-	-	-	-	-	1	-	7	5	-	-
10	MADISON	116	1	-	1	23	4	9	1	6	-	1	2	2	62	51	-	-
11	MARION	125	-	-	1	16	2	5	-	3	-	3	3	4	64	46	1	3
12	MARTIN	31	-	-	-	3	-	1	-	-	1	-	1	-	18	9	-	1
13	MASON	56	-	-	-	6	2	1	-	2	-	-	1	2	41	31	-	2
14	MATAGORDA	276	-	-	2	50	12	13	6	7	-	2	10	2	146	109	1	4
15	BAY CITY	126	-	-	1	18	3	3	3	6	-	-	3	2	72	51	-	3
16	BALANCE OF COUNTY	150	-	-	1	32	9	10	3	1	-	2	7	-	74	58	1	1
17	MAVERICK	133	-	-	1	25	8	8	2	1	1	1	4	4	55	46	2	-
18	EAGLE PASS	123	-	-	1	23	7	7	2	1	1	1	4	4	51	42	2	-
19	BALANCE OF COUNTY	10	-	-	-	2	1	1	-	-	-	-	-	-	4	4	-	-
20	MEDINA	198	-	-	2	42	16	7	2	2	1	2	12	3	104	76	4	3
21	MENARD	49	-	-	-	9	3	2	1	1	-	1	1	1	22	20	-	2
22	MIDLAND	442	-	-	5	69	15	23	10	6	2	4	9	6	187	138	1	2
23	MIDLAND	405	-	-	4	66	13	22	10	6	2	4	9	4	171	125	1	2
24	BALANCE OF COUNTY	37	-	-	1	3	2	1	-	-	-	-	-	2	16	13	-	-
25	MILAM	292	-	-	2	50	12	15	-	6	2	1	14	1	162	126	-	-
26	MILLS	83	-	-	1	13	3	4	2	2	1	1	1	4	43	31	-	-
27	MITCHELL	118	-	-	-	15	4	5	1	2	-	-	3	4	63	47	1	-
28	MONTAGUE	242	-	-	2	41	12	7	2	6	4	1	9	3	160	102	-	1
29	MONTGOMERY	502	-	-	2	89	20	31	3	7	2	-	26	12	207	140	-	2
30	CONROE	170	-	-	-	35	8	12	-	3	1	-	11	3	69	45	-	-
31	HOUSTON, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	BALANCE OF COUNTY	331	-	-	2	54	12	19	3	4	1	-	15	9	138	95	-	2
33	MOORE	88	-	-	-	14	2	2	2	2	2	-	4	2	36	27	2	1
34	MORRIS	172	-	-	-	23	11	1	-	4	1	2	4	3	104	76	1	-
35	MOTLEY	27	-	-	-	4	1	2	-	-	1	-	-	-	10	8	-	-
36	NACOGDOCHES	409	1	-	5	59	9	18	6	9	3	1	13	6	243	169	2	2
37	NACOGDOCHES	228	1	-	4	31	6	9	5	5	-	1	6	3	130	98	1	1
38	BALANCE OF COUNTY	181	-	-	1	28	3	9	1	4	3	1	7	3	113	71	1	1
39	NAVARRO	490	-	-	1	77	18	22	3	14	2	5	13	7	277	179	2	2
40	CORSICANA	314	-	-	1	47	7	15	2	10	1	4	8	5	177	111	2	-
41	BALANCE OF COUNTY	176	-	-	-	30	11	7	1	4	1	1	5	2	100	68	-	-
42	NEWTON	89	-	-	2	22	5	5	1	5	-	1	6	1	38	25	-	-
43	NOLAN	183	-	-	1	30	9	8	3	-	1	3	6	2	83	51	-	1
44	SWEETWATER	137	-	-	1	26	9	7	2	-	1	3	4	1	59	38	-	1
45	BALANCE OF COUNTY	46	-	-	-	4	-	1	1	-	-	-	2	1	24	13	-	-
46	NUECES	1,708	2	1	10	327	88	81	23	35	16	21	63	43	765	535	12	14
47	CORPUS CHRISTI	1,487	2	1	10	281	73	70	20	31	14	18	55	36	675	476	12	14
48	ROBSTOWN	99	-	-	-	16	4	3	1	2	1	1	4	4	37	18	-	-
49	BALANCE OF COUNTY	122	-	-	-	30	11	8	2	2	1	2	4	3	53	41	-	-
50	OCHILTREE	70	-	-	-	12	6	-	-	3	-	2	1	1	31	20	-	-
51	OLDHAM	23	-	-	-	3	-	2	-	-	-	-	1	-	16	12	-	-
52	ORANGE	528	-	-	4	89	17	26	5	8	5	5	23	6	256	202	1	2
53	ORANGE	221	-	-	3	42	7	14	1	3	3	2	12	1	106	79	1	1
54	BALANCE OF COUNTY	307	-	-	1	47	10	12	4	5	2	3	11	5	150	123	-	1
55	PALO PINTO	270	-	-	1	35	10	10	4	3	2	1	5	8	126	69	-	1
56	MINERAL WELLS, PART	163	-	-	-	15	3	4	-	2	2	-	4	5	84	48	-	1
57	MINERAL WELLS, TOTAL	163	-	-	-	15	3	4	-	2	2	-	4	5	84	48	-	1
58	BALANCE OF COUNTY	107	-	-	1	20	7	6	4	1	-	1	1	3	42	21	-	-
59	PANOLA	245	1	-	1	50	17	8	3	4	4	3	11	6	133	86	-	1
60	PARKER	278	-	-	2	54	8	12	3	10	1	5	15	5	133	98	-	1
61	MINERAL WELLS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	WEATHERFORD	162	-	-	1	27	5	6	2	4	-	4	6	4	81	60	-	1
63	BALANCE OF COUNTY	116	-	-	1	27	3	6	1	6	1	1	9	1	52	38	-	-
64	PARMER	70	-	-	-	14	1	3	2	1	-	1	6	1	31	15	-	-
65	PECOS	83	-	-	-	13	2	2	1	1	1	-	6	3	36	28	-	-
66	POLK	222	1	-	2	32	3	12	2	5	-	2	8	2	103	69	1	3
67	POTTER	942	3	-	1	161	46	37	12	22	10	13	21	12	476	342	6	3
68	AMARILLO, PART	927	3	-	1	157	46	36	12	21	10	12	20	12	468	335	5	3
69	AMARILLO, TOTAL	1,150	3	-	2	194	56	47	15	24	11	12	29	14	577	422	6	3
70	BALANCE OF COUNTY	15	-	-	-	4	-	1	-	1	-	1	1	-	8	7	1	-
71	PRESIDIO	45	1	-	-	7	3	1	1	-	-	-	2	-	23	15	-	-
72	RAINS	63	-	-	1	13	3	1	-	2	-	2	5	1	38	34	2	-
73	RANDALL	293	-	-	1	46	13	14	3	4	1	1	10	2	144	119	1	-
74	AMARILLO, PART	223	-	-	1	37	10	11	3	3	1	-	9	2	109	87	1	-
75	BALANCE OF COUNTY	70	-	-	-	9	3	3	-	1	-	1	1	-	35	32	-	-
76	REAGAN	17	-	-	-	6	1	1	1	-	-	-	3	-	6	5	-	1
77	REAL	24	-	-	-	6	1	1	-	2	-	1	1	-	11	9	-	-
78	RED RIVER	232	-	-	-	41	9	13	4	9	1	1	4	-	121	79	-	12
79	REEVES	108	-	-	1	9	2	2	1	3	-	-	1	2	52	44	-	1
80	PECOS	79	-	-	1	6	-	2	1	3	-	-	-	1	39	34	-	1
81	BALANCE OF COUNTY	29	-	-	-	3	2	-	-	-	-	-	1	1	13	10	-	-
82	REFUGIO	47	-	-	1	15	4	4	-	4	-	2	1	1	13	10	-	-
83	ROBERTS	11	-	-	-	2	-	-	-	-	-	1	1	-	4	3	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
340	90	1	123	27	15	47	32	4	19	5	–	22	48	22	92	43	44	24	30	–	01
275	72	1	98	22	12	42	24	2	14	2	–	17	35	16	79	37	41	21	28	–	02
65	18	–	25	5	3	5	8	2	5	3	–	5	13	6	13	6	3	3	2	–	03
24	7	–	11	–	2	4	–	–	3	–	–	1	–	2	2	4	1	3	–	–	04
56	6	1	18	–	3	1	5	–	–	–	–	–	2	3	9	3	4	2	–	–	05
449	176	3	229	32	26	82	21	5	14	8	1	11	30	20	129	42	65	19	23	1	06
312	131	3	163	24	23	57	15	2	12	7	–	8	24	13	94	19	49	12	17	1	07
137	45	–	66	8	3	25	6	3	2	1	–	3	6	7	35	23	16	7	6	–	08
5	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	09
47	4	–	8	3	–	1	1	–	–	–	–	–	–	–	12	4	4	2	1	–	10
31	11	1	15	–	2	3	1	–	1	3	–	–	3	4	10	6	8	1	3	–	11
8	–	–	7	2	–	–	2	–	1	–	–	–	–	–	2	1	–	–	1	–	12
28	1	–	8	2	–	1	–	–	1	–	–	–	–	–	2	–	2	1	–	–	13
76	28	–	30	4	3	7	7	–	3	2	1	3	3	4	22	9	8	3	3	1	14
33	15	–	17	1	3	2	2	–	2	2	–	2	3	1	12	–	4	1	1	1	15
43	13	–	13	3	–	5	5	–	1	–	1	1	–	3	10	9	4	2	2	–	16
30	14	–	6	1	2	13	1	1	1	1	1	3	6	4	5	5	5	1	1	–	17
27	13	–	6	1	2	13	1	1	1	1	1	2	6	4	5	4	3	1	1	–	18
3	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	–	–	–	19
60	9	–	15	10	3	6	3	–	–	–	–	3	–	2	20	7	3	1	2	–	20
11	7	–	2	–	–	–	3	–	1	–	–	1	–	5	2	–	2	1	–	–	21
95	40	–	37	7	5	30	11	3	7	2	2	8	11	3	48	7	18	10	12	–	22
87	36	–	35	6	5	30	10	2	6	5	2	8	11	2	44	6	16	9	9	–	23
8	4	–	2	1	–	–	1	1	1	–	–	–	–	1	4	1	2	1	3	–	24
94	32	2	27	5	2	12	2	–	–	4	1	1	1	6	21	6	15	4	5	–	25
30	1	1	5	5	1	1	3	1	–	–	–	–	1	–	6	3	2	4	1	–	26
42	4	–	12	3	1	3	4	–	–	–	–	1	6	3	11	1	8	–	–	–	27
83	18	1	52	2	3	4	3	–	–	1	–	2	6	8	8	2	9	–	–	–	28
102	36	3	51	7	6	11	6	1	5	1	–	6	11	45	28	38	22	10	7	1	29
40	5	1	17	3	3	5	4	1	1	–	–	–	4	21	8	10	8	–	1	–	30
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	31
62	31	2	34	4	3	6	2	–	4	1	–	6	7	24	20	27	14	10	6	1	32
16	8	1	6	1	1	4	1	1	3	–	–	–	2	1	9	8	4	2	1	–	33
65	10	–	26	1	1	3	1	2	2	–	–	1	3	1	11	4	10	2	2	–	34
8	–	–	2	–	–	2	2	2	–	–	–	–	–	–	2	3	2	–	–	–	35
131	34	2	58	12	2	6	4	2	3	4	–	2	7	9	29	12	10	3	4	–	36
72	24	2	21	9	–	4	2	1	1	3	–	2	5	5	19	7	6	2	2	–	37
59	10	–	37	3	2	2	2	1	2	1	–	–	2	4	10	5	4	1	2	–	38
126	49	4	83	5	6	7	5	3	5	1	–	1	9	12	44	9	20	8	4	–	39
76	33	3	58	2	3	4	3	3	5	1	–	1	6	8	31	4	11	3	4	–	40
50	16	1	25	3	3	3	2	–	–	–	–	–	3	4	13	5	9	5	–	–	41
18	7	–	12	1	–	3	1	1	1	–	–	–	4	4	8	1	5	2	1	–	42
45	5	1	26	3	2	8	1	–	3	–	–	1	4	19	16	5	6	–	3	1	43
36	1	–	18	3	–	6	1	–	1	–	–	1	4	13	13	4	4	–	3	–	44
9	4	1	8	–	2	2	–	–	2	–	–	–	–	6	3	1	2	–	–	1	45
484	25	5	175	26	24	43	34	6	41	6	2	21	47	10	144	52	70	45	37	2	46
428	22	4	154	22	19	35	29	5	38	3	2	18	39	7	119	44	64	45	32	2	47
18	–	1	11	3	4	3	3	1	1	3	–	2	3	1	14	2	5	–	4	–	48
38	3	–	10	1	1	5	2	–	2	–	–	1	5	2	11	6	1	–	1	–	49
18	2	–	10	–	1	2	–	1	1	–	–	1	3	–	6	2	9	–	1	–	50
10	2	–	2	2	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	51
169	30	4	36	7	7	10	6	–	7	2	1	3	16	35	39	13	24	11	6	–	52
64	13	3	18	2	4	4	2	–	2	1	–	2	8	15	18	3	9	3	2	–	53
105	17	1	18	5	3	6	4	–	5	1	1	1	8	20	21	10	15	8	4	–	54
58	10	2	50	3	2	21	2	2	6	–	–	1	4	19	19	6	12	4	2	–	55
40	7	2	30	2	2	14	1	2	3	–	–	1	3	8	16	2	5	2	2	–	56
40	7	2	30	2	2	14	1	2	3	–	–	1	3	8	16	2	5	2	2	–	57
18	3	–	20	1	–	7	1	–	–	–	–	–	1	11	3	4	7	4	–	–	58
80	5	4	38	3	2	4	2	2	–	–	–	2	–	2	22	10	7	1	2	–	59
78	19	–	29	2	4	20	7	1	1	1	–	2	1	7	24	11	6	2	1	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
44	15	–	18	1	2	16	5	–	1	1	–	–	1	3	14	4	2	1	1	–	62
34	4	–	11	1	2	4	2	1	–	–	–	2	–	4	10	7	4	1	–	–	63
15	–	–	10	2	4	1	1	–	–	–	–	–	–	1	4	7	5	4	1	–	64
25	3	1	5	2	–	6	2	1	1	1	–	–	1	1	3	8	3	1	3	–	65
39	27	–	28	3	3	10	4	–	1	4	1	1	7	7	23	7	8	2	7	–	66
310	23	4	96	20	14	28	31	5	15	1	1	14	22	3	70	35	32	15	17	–	67
304	23	4	96	20	13	28	31	5	15	1	1	13	22	3	68	35	32	13	17	–	68
386	27	4	110	25	16	34	35	7	16	1	1	15	27	3	91	40	42	26	21	1	69
6	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	70
8	7	–	8	–	–	2	–	–	–	–	–	2	1	1	2	1	4	–	1	–	71
26	6	–	3	1	–	5	2	–	–	–	–	–	–	–	–	1	–	1	1	–	72
114	4	–	16	5	4	10	6	3	1	–	–	2	7	1	30	8	13	14	4	1	73
82	4	–	14	5	3	6	4	2	1	–	–	2	5	–	23	5	10	11	4	1	74
32	–	–	2	–	1	4	2	1	–	–	–	–	2	1	7	3	3	3	–	–	75
3	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	76
8	1	–	1	1	–	–	1	–	–	–	–	1	–	–	1	3	–	1	–	–	77
63	4	1	37	1	3	9	2	1	2	–	–	2	2	18	8	9	6	2	6	2	78
31	12	–	4	1	3	5	1	–	4	–	–	3	4	3	9	5	6	2	2	–	79
25	8	–	3	1	1	3	1	–	3	–	–	2	2	3	6	4	5	1	2	–	80
6	4	–	1	–	2	2	–	–	1	–	–	1	2	–	3	1	1	1	–	–	81
7	3	–	2	–	1	1	–	–	–	–	–	2	–	5	2	2	3	2	–	–	82
2	1	–	1	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS—CON.																	
01	ROBERTSON	198	1	-	1	36	8	10	2	1	1	6	8	7	107	75	-	1
02	ROCKWALL	56	-	-	-	7	1	4	-	1	-	-	1	-	27	19	1	-
03	RUNNELS	142	-	-	1	26	5	6	3	7	-	1	4	3	77	36	-	2
04	RUSK	448	-	-	1	66	19	19	1	6	2	7	12	12	246	169	-	3
05	HENDERSON	116	-	-	-	23	4	8	1	3	-	1	6	5	69	51	-	1
06	BALANCE OF COUNTY	332	-	-	1	43	15	11	-	3	2	6	6	7	177	118	-	2
07	SABINE	93	-	-	-	18	5	7	-	2	1	-	3	-	60	45	-	-
08	SAN AUGUSTINE	102	-	-	1	14	4	3	2	3	-	1	1	4	67	49	1	1
09	SAN JACINTO	76	-	-	-	13	4	3	-	3	-	1	2	3	35	25	-	2
10	SAN PATRICIO	378	3	-	4	74	18	20	3	7	1	2	23	8	169	123	1	4
11	SAN SABA	104	-	-	-	14	2	6	1	-	-	-	5	1	61	39	-	1
12	SCHLEICHER	26	-	-	-	7	2	1	-	-	-	2	2	-	12	10	-	-
13	SCURRY	147	-	-	3	20	2	3	1	4	1	1	8	2	76	47	1	-
14	SNYDER	117	-	-	1	17	2	2	1	4	1	1	6	2	60	34	-	-
15	BALANCE OF COUNTY	30	-	-	2	3	-	1	-	-	-	-	2	-	16	13	1	-
16	SHACKELFORD	61	-	-	-	13	2	5	-	1	-	1	4	1	33	24	-	-
17	SHELBY	306	1	-	4	45	19	10	1	1	4	2	8	10	151	108	1	-
18	SHERMAN	21	-	-	1	5	1	1	-	-	1	1	1	-	6	3	-	-
19	SMITH	1,035	2	-	4	183	34	43	17	29	8	8	44	20	551	408	10	7
20	TYLER	593	2	-	2	106	22	23	10	18	4	6	23	13	312	229	2	4
21	BALANCE OF COUNTY	442	-	-	2	77	12	20	7	11	4	2	21	7	239	179	8	3
22	SOMERVELL	53	-	-	-	9	1	-	2	2	-	2	2	1	24	17	-	-
23	STARR	132	-	-	2	21	5	4	1	4	-	1	6	10	42	29	-	-
24	STEPHENS	139	-	-	-	26	7	7	1	6	1	-	4	3	76	47	-	-
25	STERLING	12	-	-	1	2	1	-	-	1	-	-	-	1	4	3	-	-
26	STONEWALL	36	-	-	-	7	2	-	1	2	2	-	-	2	12	7	-	-
27	SUTTON	45	-	-	-	7	2	3	-	2	-	-	-	1	21	7	-	-
28	SWISHER	108	1	-	1	18	4	6	2	4	-	-	2	1	56	37	1	-
29	TARRANT	5,715	11	2	48	1,144	251	318	88	122	45	49	271	94	2,760	1,829	31	29
30	ARLINGTON	502	1	-	5	108	25	27	12	11	4	3	26	8	200	137	4	-
31	BEDFORD	47	1	-	1	8	1	2	-	1	2	1	1	-	21	14	-	-
32	EULESS	78	-	-	1	19	5	4	5	2	-	-	3	-	35	27	1	-
33	FORT WORTH, PART	3,857	6	2	35	750	173	199	56	82	28	37	175	62	1,906	1,260	24	25
34	FORT WORTH, TOTAL	3,857	6	2	35	750	173	199	56	82	28	37	175	62	1,906	1,260	24	25
35	GRAND PRAIRIE, PART	14	-	-	-	4	1	2	-	1	-	-	-	-	6	3	-	1
36	HALTOM CITY	184	-	-	1	43	7	12	2	6	3	3	10	4	86	51	-	2
37	HURST	119	-	-	1	23	5	10	2	-	-	-	6	2	53	40	-	-
38	NORTH RICHLAND HILLS	91	-	-	-	15	1	6	1	3	-	2	2	1	50	31	-	-
39	WHITE SETTLEMENT	55	-	-	-	10	1	3	1	1	-	-	4	-	34	20	-	-
40	BALANCE OF COUNTY	768	3	-	4	164	32	53	9	15	8	3	44	17	369	246	2	1
41	TAYLOR	787	2	-	4	135	29	26	14	23	7	15	21	10	403	262	2	10
42	ABILENE, PART	683	2	-	4	116	24	21	12	20	5	14	20	10	356	231	2	3
43	ABILENE, TOTAL	683	2	-	4	116	24	21	12	20	5	14	20	10	356	231	2	3
44	BALANCE OF COUNTY	104	-	-	-	19	5	5	2	3	2	1	1	-	47	31	-	7
45	TERRELL	17	-	-	-	3	-	2	-	-	-	-	1	-	11	8	-	-
46	TERRY	114	-	-	2	19	4	6	1	2	-	1	5	-	61	41	1	-
47	THROCKMORTON	39	-	-	-	6	1	1	3	1	-	-	-	1	22	15	-	-
48	TITUS	214	-	-	2	34	7	13	2	3	-	2	7	3	119	83	-	-
49	TOM GREEN	771	1	-	2	109	27	34	12	16	3	4	13	12	452	248	2	3
50	SAN ANGELO	695	1	-	2	97	25	30	10	14	3	3	12	11	411	224	2	3
51	BALANCE OF COUNTY	76	-	-	-	12	2	4	2	2	-	1	1	1	41	24	-	-
52	TRAVIS	2,153	6	-	11	400	101	114	37	46	12	15	75	28	992	644	16	11
53	AUSTIN	1,872	5	-	10	347	90	93	32	40	11	14	67	26	878	571	16	11
54	BALANCE OF COUNTY	281	1	-	1	53	11	21	5	6	1	1	8	2	114	73	-	-
55	TRINITY	146	-	-	1	27	8	9	2	4	1	1	2	3	69	48	-	-
56	TYLER	182	-	-	-	38	11	11	4	4	-	5	3	-	88	72	-	1
57	UPSHUR	254	2	-	2	42	12	8	5	8	-	2	7	2	129	90	1	-
58	UPTON	43	-	-	2	7	-	3	-	-	-	1	3	-	19	17	-	-
59	UVALDE	164	-	-	2	24	5	4	2	4	1	1	7	3	67	52	-	7
60	UVALDE	102	-	-	2	13	3	1	2	3	-	-	4	2	42	33	-	5
61	BALANCE OF COUNTY	62	-	-	-	11	2	3	-	1	1	1	3	1	25	19	-	2
62	VAL VERDE	205	-	-	1	37	6	9	2	10	1	-	9	9	85	62	-	-
63	DEL RIO	193	-	-	-	36	6	8	2	10	1	-	9	9	79	57	-	-
64	BALANCE OF COUNTY	12	-	-	1	1	-	1	-	-	-	-	-	-	6	5	-	-
65	VAN ZANDT	355	1	-	2	69	18	18	5	7	5	4	12	9	179	137	3	3
66	VICTORIA	465	-	-	2	77	20	29	3	6	5	4	10	4	257	163	2	1
67	VICTORIA	356	-	-	1	59	17	21	3	3	4	4	7	3	198	122	2	1
68	BALANCE OF COUNTY	109	-	-	1	18	3	8	-	3	1	-	3	1	59	41	-	-
69	WALKER	200	-	-	2	40	6	9	4	5	1	2	13	3	100	73	1	2
70	HUNTSVILLE	99	-	-	-	21	1	5	3	3	-	2	7	1	52	36	-	2
71	BALANCE OF COUNTY	101	-	-	2	19	5	4	1	2	1	-	6	2	48	37	1	-
72	WALLER	118	-	-	1	19	7	4	1	3	1	-	3	5	53	30	-	1
73	WARD	95	-	-	-	21	6	6	-	3	3	1	2	1	45	35	1	2
74	WASHINGTON	293	-	1	2	51	13	7	4	10	1	3	13	5	160	102	-	3
75	WEBB	548	3	1	9	83	22	14	9	8	8	4	18	24	232	173	1	6
76	LAREDO	533	3	1	9	82	22	13	9	8	8	4	18	24	225	168	1	6
77	BALANCE OF COUNTY	15	-	-	-	1	-	1	-	-	-	-	-	-	7	5	-	-
78	WHARTON	325	-	-	1	52	16	13	2	6	1	2	12	5	167	127	2	2
79	WHEELER	97	-	-	1	14	3	3	-	3	1	1	3	1	51	41	-	-
80	WICHITA	1,082	4	1	10	200	48	58	15	26	16	10	27	11	560	394	3	10
81	WICHITA FALLS	874	4	1	8	156	36	50	9	20	15	6	20	9	458	326	3	9
82	BALANCE OF COUNTY	208	-	-	2	44	12	8	6	6	1	4	7	2	102	68	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
55	19	3	18	10	1	9	2	-	2	1	-	1	3	1	8	10	5	1	4	-	01
18	-	-	5	2	1	-	-	-	3	-	-	1	-	-	11	1	3	1	-	-	02
28	6	1	32	3	5	5	1	2	-	4	-	1	-	2	11	6	3	-	-	-	03
153	13	4	64	5	4	6	6	1	9	-	-	2	3	25	34	15	10	3	9	-	04
47	3	-	15	1	2	-	1	-	1	-	-	1	-	1	9	1	2	-	3	-	05
106	10	4	49	4	2	6	5	1	8	-	-	1	3	24	25	14	8	3	6	-	06
44	1	-	13	1	1	-	-	-	-	-	-	2	1	-	4	4	2	1	1	-	07
45	2	-	16	1	1	1	-	-	-	-	-	-	-	-	7	2	3	1	1	-	08
19	4	-	8	1	1	1	3	-	-	1	-	-	-	6	6	4	2	1	1	-	09
98	20	1	34	3	8	5	6	1	3	3	-	-	5	16	5	32	14	15	10	4	1	10
27	11	1	18	3	-	3	5	-	1	-	-	1	-	1	4	7	3	3	-	-	-	11
10	-	-	2	-	-	1	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	12
31	15	-	26	1	2	8	5	2	2	-	-	-	-	5	15	3	2	1	-	1	13
22	12	-	23	1	2	6	3	2	2	-	-	-	-	5	13	2	1	1	-	-	14
9	3	-	3	-	-	2	2	-	-	-	-	-	-	-	2	1	1	-	-	1	15
22	2	-	8	1	-	3	-	-	-	-	-	1	1	1	7	1	-	-	-	-	16
93	14	-	34	5	4	17	3	-	1	1	-	-	4	9	30	12	10	2	5	1	17
2	1	-	3	-	-	-	-	-	-	1	-	-	1	1	3	1	1	-	1	-	18
353	38	3	111	19	10	23	11	6	7	10	1	4	23	10	83	29	30	11	27	-	19
205	18	2	66	10	5	13	6	5	4	6	1	2	13	4	43	18	18	8	17	-	20
148	20	1	45	9	5	10	5	1	3	4	-	2	10	6	40	11	12	3	10	-	21
17	-	-	5	1	1	-	1	-	3	1	-	-	1	5	4	1	1	1	1	-	22
26	3	-	8	3	2	5	1	-	1	2	-	4	4	4	13	10	3	4	6	-	23
42	5	-	21	6	2	3	5	2	1	2	-	1	1	4	11	1	-	3	-	-	24
2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	25
6	1	-	3	1	1	1	2	1	1	-	-	-	3	3	2	3	-	1	2	-	26
6	1	-	13	1	-	-	2	-	-	-	-	-	-	1	4	4	3	-	-	1	27
32	4	-	16	1	2	2	2	1	-	-	-	4	7	2	2	7	5	-	2	-	28
1,657	112	18	722	120	71	188	105	20	116	26	4	61	102	38	434	145	179	109	118	11	29
127	6	-	50	10	3	24	11	-	7	6	1	11	13	2	39	24	15	20	6	1	30
13	1	-	6	1	-	5	2	-	-	1	-	1	1	-	-	1	1	-	4	-	31
25	1	-	4	2	2	3	-	1	2	-	-	2	1	1	4	2	2	4	1	-	32
1,134	77	12	506	80	48	127	68	15	91	14	3	30	67	29	301	72	121	58	95	5	33
1,134	77	12	506	80	48	127	68	15	91	14	3	30	67	29	301	72	121	58	95	5	34
2	-	-	1	2	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	35
44	5	-	30	2	3	4	3	-	1	-	-	1	-	1	12	5	6	6	6	1	36
39	1	-	11	-	2	4	4	-	3	1	-	1	4	1	7	5	3	4	1	2	37
30	1	-	13	3	3	1	2	2	-	-	-	1	2	1	6	5	4	1	-	-	38
17	3	1	9	3	1	1	2	-	-	-	-	-	2	-	4	-	1	-	1	-	39
226	17	5	92	17	9	19	13	2	12	4	-	10	10	3	60	31	25	16	4	2	40
196	54	2	98	25	16	25	14	3	9	6	-	4	17	20	61	20	27	16	8	3	41
177	49	1	90	22	12	22	10	3	9	5	-	4	15	10	54	20	21	14	5	3	42
177	49	1	90	22	12	22	10	3	9	5	-	4	15	10	54	20	21	14	5	3	43
19	5	1	8	3	4	3	4	-	-	1	-	-	2	10	7	-	6	2	3	-	44
3	5	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	45
37	3	1	19	-	-	7	1	-	-	-	-	1	5	1	2	7	4	1	2	1	46
10	5	-	4	3	-	-	3	-	1	-	-	-	-	1	4	-	1	-	-	-	47
62	21	-	25	8	3	4	5	1	1	3	-	4	5	3	13	9	7	-	1	-	48
220	23	1	181	16	6	22	25	3	10	2	-	4	11	16	47	16	23	7	7	2	49
197	22	1	166	15	5	21	24	2	9	1	-	3	10	15	40	13	21	6	6	2	50
23	1	-	15	1	1	1	1	1	1	1	-	1	1	1	7	3	2	1	1	-	51
531	86	8	220	89	31	62	29	3	32	9	1	24	56	97	151	72	91	46	42	1	52
471	73	8	193	78	28	53	25	3	29	9	-	23	45	74	130	61	76	39	38	1	53
60	13	-	27	11	3	9	4	-	3	-	1	1	11	23	21	11	15	7	4	-	54
44	4	-	19	-	2	-	4	-	3	-	-	-	2	12	8	5	8	2	2	-	55
54	17	3	12	-	1	7	2	-	1	1	-	1	6	8	15	7	3	2	3	-	56
64	25	1	36	1	1	7	1	-	2	2	1	-	3	20	23	9	2	5	2	-	57
15	2	-	2	-	-	3	3	-	1	-	-	-	-	1	3	1	2	1	-	-	58
40	5	1	12	2	-	15	2	-	-	-	-	1	6	5	16	11	4	6	2	-	59
26	2	1	6	2	-	11	2	-	-	-	-	-	3	3	10	7	2	4	1	-	60
14	3	-	6	-	-	4	-	-	-	-	-	1	3	2	6	4	2	2	1	-	61
50	12	1	21	-	1	6	4	-	4	1	1	2	11	8	17	3	11	3	1	1	62
46	11	1	20	-	1	6	4	-	4	1	1	2	10	7	17	3	9	3	1	1	63
4	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	64
105	26	1	34	6	1	13	3	1	3	-	-	-	5	23	24	9	6	5	3	-	65
152	8	3	81	7	3	9	7	-	5	3	-	5	9	10	32	18	16	6	5	-	66
112	7	3	64	7	2	8	5	-	4	2	-	5	6	7	22	15	12	4	5	-	67
40	1	-	17	-	1	1	2	-	1	1	-	-	3	3	10	3	4	2	-	-	68
62	0	-	21	3	3	9	5	-	1	-	-	1	2	4	15	4	4	1	5	-	69
29	5	-	12	1	3	4	4	-	-	-	-	1	-	1	8	2	1	-	3	-	70
33	3	-	9	2	-	5	4	-	1	-	-	-	2	3	7	2	3	1	2	-	71
24	5	1	21	1	-	3	1	-	1	3	-	-	3	8	14	2	2	3	-	-	72
24	8	1	7	1	1	-	-	-	-	-	-	-	-	1	8	8	8	1	1	1	73
84	13	2	50	1	5	8	2	-	1	-	-	1	4	9	26	7	10	4	2	-	74
139	27	7	41	6	5	21	10	2	13	-	-	5	12	46	46	11	16	4	10	-	75
135	26	7	39	6	5	20	10	2	13	-	-	5	10	44	45	11	16	4	9	-	76
4	1	-	2	-	-	1	-	-	-	-	-	-	2	2	1	-	-	-	1	-	77
104	19	-	38	1	1	8	7	-	4	2	-	-	5	20	22	11	13	3	5	-	78
39	2	-	9	1	-	5	2	1	-	-	-	2	2	3	11	1	3	-	-	-	79
349	32	1	140	12	13	39	20	5	14	4	-	16	16	9	88	18	34	14	18	1	80
283	31	1	109	10	12	33	14	5	12	4	-	13	14	6	72	10	23	13	18	1	81
66	1	-	31	2	1	6	6	-	2	-	-	3	2	3	16	8	11	1	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	WILBARGER	196	-	-	-	41	13	11	3	4	2	-	8	4	91	67	-	-
02	VERNON	168	-	-	-	30	10	6	3	3	2	-	6	4	79	57	-	-
03	BALANCE OF COUNTY	28	-	-	-	11	3	5	-	1	-	-	2	-	12	10	-	-
04	WILLACY	144	-	-	1	33	10	6	3	5	-	3	6	4	59	44	-	1
05	WILLIAMSON	479	-	-	-	68	15	15	4	16	1	1	16	7	304	193	1	3
06	WILSON	149	2	-	4	31	11	6	1	4	-	2	7	1	73	47	2	-
07	WINKLER	72	-	-	1	18	2	5	3	1	-	2	5	1	27	17	1	1
08	WISE	239	-	-	4	43	12	11	3	8	-	-	9	1	126	81	1	1
09	WOOD	331	1	-	2	54	16	11	1	4	6	2	14	2	194	130	-	1
10	YOAKUM	48	-	-	1	7	2	1	1	1	-	-	2	1	18	13	-	-
11	YOUNG	243	1	-	1	44	11	9	1	6	2	1	14	5	130	84	2	-
12	ZAPATA	44	-	-	1	8	2	3	-	1	-	-	2	1	24	22	-	1
13	ZAVALA	94	-	-	2	15	3	5	-	3	-	-	4	3	48	34	-	-
14	**UTAH**	7,384	7	-	60	1,141	309	183	128	146	54	57	264	157	3,446	2,449	107	44
15	URBAN PLACES	3,837	2	-	33	592	156	90	69	80	32	30	135	72	1,850	1,301	63	18
16	BALANCE OF AREA	3,547	5	-	27	549	153	93	59	66	22	27	129	85	1,596	1,148	44	26
17	METROPOLITAN COUNTIES	5,375	3	-	46	866	231	132	110	111	36	45	201	113	2,472	1,747	85	31
18	URBAN PLACES	3,458	2	-	29	531	141	82	64	72	27	26	119	60	1,659	1,168	56	17
19	BALANCE OF AREA	1,917	1	-	17	335	90	50	46	39	9	19	82	53	813	579	29	14
20	NONMETROPOLITAN COUNTIES	2,009	4	-	14	275	78	51	18	35	18	12	63	44	974	702	22	13
21	URBAN PLACES	379	-	-	4	61	15	8	5	8	5	4	16	12	191	133	1	1
22	BALANCE OF AREA	1,630	4	-	10	214	63	43	13	27	13	8	47	32	783	569	15	12
23	BEAVER	33	-	-	-	7	2	-	1	2	-	-	2	-	17	15	-	-
24	BOX ELDER	209	-	-	2	34	5	6	3	4	2	3	11	5	100	66	6	-
25	BRIGHAM CITY	116	-	-	2	23	5	4	2	3	2	2	5	3	49	33	2	-
26	BALANCE OF COUNTY	93	-	-	-	11	-	2	1	1	-	1	6	2	51	33	4	-
27	CACHE	303	-	-	3	47	17	3	4	7	3	3	10	11	151	100	4	3
28	LOGAN	170	-	-	1	26	5	1	2	4	3	2	9	5	92	62	3	1
29	BALANCE OF COUNTY	133	-	-	2	21	12	2	2	3	-	1	1	6	59	38	1	2
30	CARBON	166	-	-	1	27	8	7	1	5	-	2	4	3	87	70	2	-
31	DAGGETT	3	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
32	DAVIS	394	-	-	4	71	11	14	11	6	3	7	19	13	152	110	6	4
33	BOUNTIFUL	135	-	-	2	26	3	3	6	2	1	2	9	3	57	39	-	1
34	CLEARFIELD	34	-	-	-	3	-	2	-	-	-	-	1	2	14	10	-	-
35	LAYTON	50	-	-	1	7	1	2	-	1	1	1	1	1	19	12	2	-
36	BALANCE OF COUNTY	175	-	-	1	35	7	7	5	3	1	4	8	7	62	49	4	3
37	DUCHESNE	87	-	-	1	12	5	2	1	-	1	1	2	3	29	18	-	1
38	EMERY	50	-	-	-	9	2	4	-	1	-	-	2	-	22	18	1	1
39	GARFIELD	22	-	-	-	2	-	-	-	1	-	-	1	2	10	9	-	4
40	GRAND	25	-	-	-	6	3	2	-	-	-	-	1	1	9	5	-	-
41	IRON	83	-	-	-	15	7	1	2	1	2	-	2	1	35	24	-	2
42	JUAB	62	-	-	1	4	1	-	-	1	-	-	2	1	42	24	1	-
43	KANE	31	-	-	-	3	1	-	-	1	1	-	-	-	14	10	-	1
44	MILLARD	71	-	-	1	5	1	2	-	1	-	-	1	2	34	27	-	-
45	MORGAN	30	-	-	-	7	2	1	-	-	1	1	2	-	12	12	1	-
46	PIUTE	14	-	-	-	2	1	-	-	-	1	-	-	-	6	5	-	-
47	RICH	13	-	-	-	1	-	-	-	-	1	-	-	-	8	5	-	1
48	SALT LAKE	3,165	3	-	22	516	147	76	65	69	24	25	110	64	1,491	1,047	54	19
49	MURRAY	144	-	-	1	25	5	4	3	2	4	1	6	7	70	54	3	2
50	SALT LAKE CITY	1,870	2	-	11	288	89	44	34	36	15	12	58	28	945	659	36	11
51	BALANCE OF COUNTY	1,151	1	-	10	203	53	28	28	31	5	12	46	29	476	334	15	6
52	SAN JUAN	66	-	-	2	6	-	3	1	2	-	-	-	1	11	9	1	-
53	SANPETE	138	-	-	-	12	3	2	1	1	2	-	3	4	75	56	2	-
54	SEVIER	100	1	-	-	11	3	3	-	1	1	-	3	1	58	39	1	-
55	SUMMIT	48	-	-	-	7	2	2	1	-	1	-	1	1	26	18	-	-
56	TOOELE	134	-	-	1	21	8	5	1	4	-	-	3	4	77	59	2	-
57	TOOELE	93	-	-	1	12	5	3	1	1	-	-	2	4	50	38	2	-
58	BALANCE OF COUNTY	41	-	-	-	9	3	2	-	3	-	-	1	-	27	21	-	-
59	UINTAH	107	1	-	-	16	2	5	2	1	1	1	4	-	43	36	1	-
60	UTAH	827	-	-	14	133	38	17	15	15	3	6	39	18	374	258	9	4
61	OREM	126	-	-	4	17	5	1	2	3	1	1	5	-	53	31	2	-
62	PROVO	266	-	-	6	48	13	5	5	8	1	2	14	3	112	85	2	-
63	BALANCE OF COUNTY	435	-	-	4	68	20	11	8	4	2	3	20	15	209	142	5	4
64	WASATCH	46	-	-	-	5	1	-	-	1	1	-	2	-	24	16	1	-
65	WASHINGTON	152	1	-	2	14	3	3	-	1	-	1	6	4	70	49	-	1
66	WAYNE	16	-	-	-	2	1	-	-	-	-	-	1	-	12	11	-	-
67	WEBER	989	-	-	6	146	35	25	19	21	6	7	33	18	455	332	16	4
68	OGDEN	761	-	-	4	102	24	16	12	17	5	6	22	14	364	259	11	3
69	ROY	72	-	-	-	15	1	5	2	3	-	1	3	2	25	19	-	-
70	BALANCE OF COUNTY	156	-	-	2	29	10	4	5	1	1	-	8	2	66	54	5	1
71	**VERMONT**	4,398	8	-	16	807	225	192	81	98	35	33	143	75	2,364	1,741	31	25
72	URBAN PLACES	727	2	-	2	117	32	30	13	21	5	4	12	12	446	321	5	4
73	BALANCE OF AREA	3,671	6	-	14	690	193	162	68	77	30	29	131	63	1,918	1,420	26	21

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
53	14	-	16	3	5	10	4	2	1	1	-	-	1	6	14	7	9	3	2	-	01
47	10	-	15	3	4	10	4	1	1	1	-	-	1	5	13	6	8	3	2	-	02
6	4	-	1	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	03
34	9	-	11	1	3	6	2	2	3	-	-	-	2	4	15	6	5	2	-	-	04
186	3	5	83	18	5	13	5	2	8	-	-	-	3	4	27	10	15	8	5	-	05
36	9	-	23	1	2	5	1	-	-	-	-	1	2	3	10	6	7	2	1	-	06
12	3	-	9	1	-	3	2	1	1	-	-	-	2	3	5	1	3	2	2	-	07
67	12	-	39	5	1	12	6	2	3	-	-	1	2	10	15	4	6	1	2	-	08
115	15	-	60	2	2	8	4	2	2	1	-	-	1	6	14	26	5	8	2	-	09
11	1	-	4	-	1	-	1	-	-	-	-	-	2	2	6	3	5	1	1	-	10
51	31	1	29	9	7	10	7	-	1	-	-	-	1	7	21	7	7	1	-	-	11
8	13	-	1	1	-	-	-	-	-	-	-	1	-	4	3	1	1	-	-	-	12
34	-	-	12	1	1	2	3	-	1	-	1	-	1	3	9	4	2	-	-	-	13
2,068	230	22	779	114	82	218	118	30	93	31	2	99	195	214	749	273	349	130	44	28	14
1,115	105	11	440	54	44	114	66	13	57	17	1	45	101	94	406	118	153	64	26	13	15
953	125	11	339	60	38	104	52	17	36	14	1	54	94	120	343	155	196	66	18	15	16
1,483	148	16	558	84	67	154	89	22	69	21	2	76	158	143	553	177	265	93	33	20	17
1,003	92	10	393	49	39	105	61	12	53	16	1	40	92	85	372	106	143	56	24	11	18
480	56	6	165	35	28	49	28	10	16	5	1	36	66	58	181	71	122	37	9	9	19
585	82	6	221	30	15	64	29	8	24	10	-	23	37	71	196	96	84	37	11	8	20
112	13	1	47	5	5	9	5	1	4	1	-	5	9	9	34	12	10	8	2	2	21
473	69	5	174	25	10	55	24	7	20	9	-	18	28	62	162	84	74	29	9	6	22
11	4	-	1	1	-	1	-	-	-	1	-	-	-	-	2	3	1	1	-	-	23
54	6	-	28	2	4	6	6	1	1	1	-	3	5	4	23	6	6	5	-	1	24
27	4	-	12	2	2	5	2	-	1	1	-	2	3	2	16	1	3	2	-	1	25
27	2	-	16	-	2	1	4	1	-	-	-	1	2	2	7	5	3	3	-	-	26
84	9	1	44	4	2	7	4	2	3	1	-	4	6	10	27	12	7	5	2	1	27
55	3	1	25	3	1	3	2	1	2	-	-	1	4	4	12	8	2	2	2	1	28
29	6	-	19	1	1	4	2	1	1	1	-	3	2	4	15	4	5	3	-	-	29
64	4	-	16	1	-	4	-	2	2	1	-	3	3	1	17	7	6	1	1	-	30
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
91	9	1	36	3	2	15	5	1	4	2	-	6	18	8	45	15	29	4	1	1	32
34	4	-	15	2	1	7	1	-	2	1	-	2	5	2	12	5	5	3	1	1	33
10	-	-	4	-	-	-	-	-	2	1	-	1	3	1	3	1	2	1	-	-	34
9	1	1	5	1	-	1	1	-	-	-	-	1	4	1	6	5	3	-	-	-	35
38	4	-	12	-	1	7	3	1	-	-	-	2	6	4	24	4	19	-	-	-	36
17	1	1	7	1	2	9	3	-	2	-	-	1	2	5	10	6	2	-	2	-	37
15	2	-	4	-	-	3	1	-	-	-	-	-	1	4	8	1	1	-	-	-	38
5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-	2	1	-	-	39
5	-	-	3	-	1	1	-	-	-	-	-	-	-	2	3	1	2	-	-	-	40
17	5	-	9	2	-	-	2	-	1	2	-	2	1	-	13	5	5	1	-	-	41
20	3	-	12	6	-	1	-	-	-	-	-	-	2	2	4	4	1	-	-	-	42
9	-	-	2	-	2	4	-	-	-	-	-	-	1	1	3	2	3	-	-	-	43
20	7	1	5	1	-	3	1	-	-	1	-	1	3	2	11	3	6	-	-	-	44
11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	3	1	-	-	45
5	-	-	1	-	-	2	1	-	-	-	-	-	1	1	1	-	1	-	-	-	46
2	2	1	2	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	47
880	94	11	353	42	38	73	55	15	31	5	1	37	90	69	336	100	159	66	18	14	48
48	1	-	11	-	5	-	-	-	2	-	-	4	2	5	17	5	2	2	1	1	49
551	61	7	232	27	20	47	37	7	17	3	-	16	33	34	212	54	84	36	11	5	50
281	32	4	110	15	13	26	18	8	12	2	1	17	55	30	107	41	73	28	6	8	51
6	2	-	2	-	-	5	-	1	2	-	-	2	4	2	9	12	7	2	-	-	52
48	6	-	15	3	1	3	3	1	1	-	-	-	1	12	15	3	5	3	-	-	53
30	8	1	14	4	-	2	3	-	1	1	-	-	1	3	5	6	4	2	-	1	54
18	-	-	7	1	-	2	1	-	-	-	-	1	-	-	2	1	3	3	1	-	55
48	9	-	15	-	3	1	1	-	2	-	-	2	3	2	6	4	5	5	-	-	56
30	6	-	10	-	2	1	1	-	1	-	-	2	2	1	6	3	5	4	-	-	57
18	3	-	5	-	1	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	58
32	3	-	7	-	-	1	-	-	6	-	-	1	3	4	5	10	7	3	4	3	59
223	22	2	70	28	16	27	14	4	10	5	1	19	37	28	65	32	34	6	6	-	60
28	1	-	17	3	2	1	5	1	3	2	1	2	14	4	6	5	6	1	1	-	61
77	6	1	16	7	3	13	3	2	3	-	-	7	18	6	25	7	7	3	3	-	62
118	15	1	37	18	11	13	6	1	4	3	-	10	5	18	34	20	21	2	2	-	63
12	3	1	6	1	-	3	-	-	1	-	-	-	-	-	9	3	-	-	-	1	64
45	3	-	18	3	-	6	2	1	2	2	-	3	4	12	12	5	6	4	1	1	65
6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	66
289	23	2	99	11	11	39	15	2	24	9	-	14	13	38	107	30	43	17	8	5	67
232	13	1	88	8	8	31	10	2	23	9	-	6	12	30	81	20	32	10	7	4	68
14	5	-	5	1	-	5	4	-	1	-	-	1	1	2	10	4	2	-	-	-	69
43	5	1	6	2	3	3	1	-	-	-	-	7	-	6	16	6	9	7	1	1	70
1,583	102	17	446	90	70	139	57	19	61	13	-	37	53	34	391	112	125	68	13	6	71
295	17	3	91	14	17	15	3	6	9	2	-	1	13	6	59	12	16	5	1	-	72
1,288	85	14	355	76	53	124	54	13	52	11	-	36	40	28	332	100	109	63	12	6	73

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VERMONT—CON.																	
01	NONMETROPOLITAN COUNTIES	4,398	8	-	16	807	225	192	81	98	35	33	143	75	2,364	1,741	31	25
02	URBAN PLACES	727	2	-	2	117	32	30	13	21	5	4	12	12	446	321	5	4
03	BALANCE OF AREA	3,671	6	-	14	690	193	162	68	77	30	29	131	63	1,918	1,420	26	21
04	ADDISON	208	-	-	1	34	11	6	-	8	3	2	4	4	113	98	1	1
05	BENNINGTON	338	-	-	3	71	17	17	10	9	3	2	13	3	182	136	5	2
06	CALEDONIA	254	-	-	-	44	8	6	7	5	3	2	13	8	132	93	-	2
07	CHITTENDEN	684	1	-	3	133	33	32	14	13	6	6	29	8	369	279	5	1
08	BURLINGTON	334	1	-	1	53	13	11	7	7	2	3	10	6	197	144	2	1
09	BALANCE OF COUNTY	350	-	-	2	80	20	21	7	6	4	3	19	2	172	135	3	-
10	ESSEX	82	-	-	-	13	7	3	-	1	-	-	2	2	42	29	1	-
11	FRANKLIN	348	1	-	2	51	16	15	4	6	2	2	6	5	191	154	4	1
12	GRAND ISLE	40	-	-	-	4	1	2	-	1	-	-	-	-	24	19	-	-
13	LAMOILLE	126	-	-	-	24	9	5	2	-	-	2	6	-	67	46	1	-
14	ORANGE	177	-	-	-	31	11	7	-	5	-	1	7	4	97	64	-	-
15	ORLEANS	228	-	-	1	46	10	15	6	5	3	2	5	4	123	84	-	2
16	RUTLAND	554	2	-	3	105	21	22	13	16	7	6	20	16	302	218	7	5
17	RUTLAND	243	-	-	1	35	9	11	2	10	2	-	1	5	159	110	2	2
18	BALANCE OF COUNTY	311	2	-	2	70	12	11	11	6	5	6	19	11	143	108	5	3
19	WASHINGTON	508	4	-	-	87	29	23	11	9	3	3	9	8	287	215	2	3
20	BARRE	150	1	-	-	29	10	8	4	4	1	1	1	1	90	67	1	1
21	BALANCE OF COUNTY	358	3	-	-	58	19	15	7	5	2	2	8	7	197	148	1	2
22	WINDHAM	376	-	-	1	73	23	14	9	8	2	3	14	6	206	140	1	7
23	WINDSOR	475	-	-	2	91	29	25	5	12	3	2	15	7	229	166	4	1
24	**VIRGINIA**	40,358	86	9	279	7,483	1,889	1,911	645	833	318	274	1,613	722	20,261	14,690	209	272
25	URBAN PLACES	18,097	41	6	146	3,543	913	916	292	396	152	139	735	288	8,915	6,450	100	154
26	BALANCE OF AREA	22,261	45	3	133	3,940	976	995	353	437	166	135	878	434	11,346	8,240	109	118
27	METROPOLITAN COUNTIES	21,675	42	5	160	4,372	1,090	1,152	418	472	183	158	899	345	10,520	7,657	122	170
28	URBAN PLACES	15,537	35	5	127	3,071	785	811	258	351	131	119	616	238	7,615	5,540	82	142
29	BALANCE OF AREA	6,138	7	-	33	1,301	305	341	160	121	52	39	283	107	2,905	2,117	40	28
30	NONMETROPOLITAN COUNTIES	18,683	44	4	119	3,111	799	759	227	361	135	116	714	377	9,741	7,033	87	102
31	URBAN PLACES	2,560	6	1	19	472	128	105	34	45	21	20	119	50	1,300	910	18	12
32	BALANCE OF AREA	16,123	38	3	100	2,639	671	654	193	316	114	96	595	327	8,441	6,123	69	90
33	ACCOMACK	426	3	-	2	66	13	23	3	13	3	1	10	6	236	163	1	2
34	ALBEMARLE	333	3	-	1	71	14	17	8	4	6	5	17	7	157	111	2	2
35	ALLEGHANY	112	1	-	-	19	5	7	2	2	-	-	3	1	64	44	1	-
36	AMELIA	76	1	-	2	10	3	4	1	-	-	1	1	3	38	24	-	2
37	AMHERST	213	-	-	2	31	11	3	4	3	1	1	8	3	111	73	1	2
38	APPOMATTOX	133	-	-	-	26	7	8	2	4	2	1	2	1	80	59	-	-
39	ARLINGTON#	1,159	-	-	5	275	62	69	25	39	11	10	59	16	587	428	13	3
40	AUGUSTA	357	-	-	1	53	12	16	4	6	1	3	11	4	204	135	2	-
41	BATH	81	-	-	-	11	1	1	1	-	2	-	6	-	49	41	-	-
42	BEDFORD	256	-	1	-	35	7	6	4	5	2	3	8	3	150	94	3	-
43	BLAND	52	-	-	-	3	-	1	-	1	-	-	1	2	29	19	1	1
44	BOTETOURT	167	-	-	1	28	5	5	4	4	2	2	6	2	104	71	-	1
45	BRUNSWICK	223	-	-	-	33	11	7	1	4	3	-	7	3	122	88	-	2
46	BUCHANAN	260	-	1	3	38	15	8	-	5	1	3	6	4	133	106	1	-
47	BUCKINGHAM	114	-	-	2	14	3	6	-	3	1	1	-	-	65	46	-	6
48	CAMPBELL	342	-	-	1	69	16	13	8	7	6	1	18	5	178	135	1	1
49	CAROLINE	129	-	-	1	19	7	4	1	3	-	2	2	3	64	48	-	-
50	CARROLL	208	-	-	1	29	6	4	3	4	1	1	10	6	112	77	-	1
51	CHARLES CITY	66	-	-	-	9	3	4	-	1	-	-	1	2	33	22	-	-
52	CHARLOTTE	137	1	-	-	16	3	3	3	2	1	-	4	4	81	51	-	-
53	CHESTERFIELD	461	-	-	-	98	21	34	9	7	4	3	20	7	216	159	2	1
54	CLARKE	100	-	-	-	24	7	10	2	2	-	-	3	1	47	29	2	-
55	CRAIG	46	-	-	-	8	3	2	-	1	-	-	2	1	23	14	-	1
56	CULPEPER	187	1	-	2	34	11	5	2	2	-	3	11	4	95	75	1	1
57	CUMBERLAND	68	1	-	1	18	4	4	1	1	-	2	6	1	26	19	-	-
58	DICKENSON	135	-	-	1	31	5	11	-	3	1	2	9	5	63	50	-	-
59	DINWIDDIE	140	3	-	-	28	5	5	4	2	1	2	9	5	67	40	1	1
60	ESSEX	106	-	-	2	18	5	6	2	-	1	-	4	-	56	41	-	1
61	FAIRFAX	1,972	1	-	15	456	110	105	71	33	16	14	107	34	899	662	17	10
62	VIENNA	93	-	-	2	23	5	6	2	2	1	1	6	-	44	32	1	1
63	BALANCE OF COUNTY	1,879	1	-	13	433	105	99	69	31	15	13	101	34	855	630	16	9
64	FAUQUIER	260	-	-	-	48	7	14	2	6	2	3	14	8	125	91	-	2
65	FLOYD	95	-	-	-	16	5	1	1	2	1	2	4	3	48	33	-	1
66	FLUVANNA	85	-	-	1	13	2	4	1	3	-	-	3	-	53	42	-	1
67	FRANKLIN	260	2	-	1	38	6	10	3	5	-	3	11	2	132	82	-	-
68	FREDERICK	230	-	-	1	42	12	13	2	7	1	1	6	1	104	68	1	-
69	GILES	189	-	-	1	25	4	7	5	3	-	-	6	6	100	80	3	3
70	GLOUCESTER	140	-	-	-	25	5	11	-	4	1	-	4	3	71	57	1	1
71	GOOCHLAND	76	-	-	-	15	4	4	2	1	2	-	2	1	36	17	-	-
72	GRAYSON	168	-	-	1	30	11	9	3	2	-	-	5	2	88	68	-	2
73	GREENE	53	-	-	-	9	-	3	-	2	-	1	3	-	24	19	1	-
74	GREENSVILLE	109	-	-	-	17	2	4	-	6	-	1	4	1	62	43	-	-
75	HALIFAX	263	-	-	6	38	13	7	3	3	2	1	9	5	141	108	2	5
76	HANOVER	348	-	-	1	72	20	28	6	7	1	1	9	3	170	109	3	-
77	HENRICO	1,205	1	-	9	279	61	88	27	27	9	9	58	17	583	417	3	8
78	HENRY	328	1	-	2	58	21	12	3	4	4	2	12	5	137	93	2	-
79	HIGHLAND	32	-	-	-	4	1	-	-	2	-	-	1	1	17	15	-	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,583	102	17	446	90	70	139	57	19	61	13	-	37	53	34	391	112	125	68	13	6	01
295	17	3	91	14	17	15	3	6	9	2	-	1	13	6	59	12	16	5	1	-	02
1,288	85	14	355	76	53	124	54	13	52	11	-	36	40	28	332	100	109	63	12	6	03
92	4	1	10	2	2	4	3	-	2	-	-	5	1	2	24	6	6	3	-	-	04
123	6	2	32	7	5	11	6	-	1	2	-	5	2	2	27	10	7	6	-	-	05
73	18	1	32	4	2	13	4	2	2	-	-	4	3	5	23	7	4	2	1	-	06
257	16	-	67	7	16	21	3	2	8	1	-	5	12	5	65	11	19	13	5	-	07
133	8	-	40	4	9	11	1	1	3	1	-	-	8	2	33	2	10	3	1	-	08
124	8	-	27	3	7	10	2	1	5	-	-	5	4	3	32	9	9	10	4	-	09
25	3	-	11	1	1	7	-	-	1	2	-	-	1	-	8	3	2	1	-	-	10
140	9	-	26	9	2	13	4	4	7	1	-	1	1	2	38	8	11	3	3	2	11
19	-	-	3	1	1	1	-	-	3	-	-	-	-	1	3	3	1	-	-	-	12
43	2	-	17	3	1	2	1	-	3	1	-	2	1	-	15	4	4	2	-	-	13
61	3	1	23	6	3	6	4	-	2	-	-	-	4	1	15	7	5	1	-	-	14
79	3	2	26	5	6	2	5	-	1	-	-	2	5	1	23	3	9	3	-	-	15
199	7	1	62	13	8	5	-	4	10	-	-	5	8	5	46	23	13	7	-	-	16
103	3	1	36	9	3	1	-	3	3	-	-	1	3	4	14	8	4	2	-	-	17
96	4	-	26	4	5	4	-	1	7	-	-	4	5	1	32	15	9	5	-	-	18
201	9	5	49	7	11	17	12	4	9	2	-	4	5	-	38	8	15	7	-	1	19
59	6	2	15	1	5	3	2	2	3	1	-	-	2	-	12	2	2	-	-	-	20
142	3	3	34	6	6	14	10	2	6	1	-	4	3	-	26	6	13	7	-	1	21
120	12	4	36	19	7	13	5	-	3	1	-	2	5	6	27	7	11	8	1	1	22
151	10	-	52	6	5	24	10	3	9	3	-	2	5	4	39	12	18	12	3	2	23
13,166	1,043	147	4,185	648	591	1,359	525	129	641	191	8	297	691	479	3,339	1,026	1,531	707	556	39	24
5,675	521	73	1,846	273	273	603	234	61	358	111	5	140	308	228	1,540	333	646	271	303	17	25
7,491	522	74	2,339	375	318	756	291	68	283	80	3	157	383	251	1,799	693	885	436	253	22	26
6,784	581	78	2,139	328	318	683	261	73	419	117	7	170	433	254	1,764	478	805	400	349	18	27
4,861	455	65	1,560	237	233	508	190	54	315	96	5	122	276	185	1,321	287	557	239	275	16	28
1,923	126	13	599	91	85	175	71	19	104	21	2	48	157	69	443	191	248	161	74	2	29
6,382	462	69	2,046	320	273	676	264	56	222	74	1	127	258	225	1,575	548	726	307	207	21	30
814	66	8	306	36	40	95	44	7	43	15	-	18	32	43	219	46	89	32	28	1	31
5,568	396	61	1,740	284	233	581	220	49	179	59	1	109	226	182	1,356	502	637	275	179	20	32
147	13	3	59	6	5	25	2	-	2	1	-	1	2	1	41	14	16	3	5	-	33
100	7	1	35	7	3	11	6	2	3	1	-	2	5	4	29	4	14	11	1	1	34
41	2	-	15	3	2	6	1	-	1	1	-	-	1	2	11	1	2	1	-	-	35
18	4	1	8	3	2	4	-	-	-	-	-	-	-	-	6	6	4	-	2	-	36
69	1	-	31	3	4	6	1	4	3	1	1	1	6	4	14	7	7	6	5	-	37
55	4	-	19	1	1	4	1	2	2	-	-	1	-	-	6	5	4	1	-	-	38
385	27	7	111	18	23	27	12	3	23	10	-	7	12	12	82	19	38	19	11	1	39
119	14	2	49	6	12	14	8	1	3	-	-	2	3	5	28	13	13	4	-	1	40
39	2	-	7	-	1	1	-	-	1	-	-	1	3	1	4	3	6	-	1	-	41
84	7	1	34	15	6	9	2	1	1	-	-	-	5	3	18	9	12	4	3	-	42
16	1	1	7	1	1	6	1	-	-	1	-	-	1	2	4	-	3	-	-	-	43
63	7	-	27	5	1	2	2	-	1	1	-	1	4	-	11	4	4	2	-	-	44
84	2	-	26	4	4	8	4	1	3	2	-	-	2	1	20	8	5	1	9	1	45
104	1	-	23	1	3	4	3	-	5	1	-	3	6	2	21	9	18	6	3	-	46
34	6	-	14	4	1	4	1	-	2	1	-	-	-	2	12	1	7	2	1	-	47
123	10	-	35	5	3	13	5	-	3	1	-	2	5	1	26	14	11	4	4	-	48
43	5	-	14	2	-	4	1	-	5	-	-	1	2	1	12	5	6	2	2	1	49
74	2	1	26	5	3	5	3	-	3	1	-	-	-	2	19	8	6	8	5	-	50
21	1	-	7	3	1	2	-	-	-	-	-	3	1	1	6	5	2	2	-	-	51
49	2	1	23	5	1	6	2	-	3	-	-	2	1	-	9	3	6	2	1	-	52
151	5	1	43	6	7	18	6	1	9	3	-	3	11	5	33	13	18	13	7	-	53
27	-	-	14	1	3	2	3	-	1	-	-	-	2	-	3	6	5	5	1	-	54
12	1	-	5	3	1	3	1	1	-	-	-	-	-	2	5	-	1	1	-	-	55
63	10	-	17	2	1	5	4	-	3	-	-	1	3	5	14	9	4	2	1	-	56
18	1	-	7	-	-	2	-	-	1	2	-	1	1	1	5	1	3	2	2	-	57
46	4	1	9	2	1	2	1	-	-	-	-	1	3	2	12	3	9	2	-	-	58
36	2	1	21	5	-	6	1	-	1	-	-	-	2	1	8	6	6	2	4	-	59
36	4	-	13	2	-	3	1	-	4	2	-	-	-	1	10	2	5	1	1	-	60
582	53	2	174	30	31	56	25	5	40	2	-	19	35	26	142	50	79	71	15	2	61
28	2	-	10	-	2	4	1	-	2	-	-	2	-	2	6	4	2	1	-	-	62
554	51	2	164	30	29	52	24	5	38	2	-	17	35	24	136	46	77	70	15	2	63
87	2	-	20	9	5	16	7	-	4	1	-	2	5	2	18	3	11	7	3	-	64
31	1	1	8	5	1	5	1	-	-	-	-	1	-	1	8	3	7	2	-	-	65
37	4	1	7	2	1	1	1	-	-	-	-	-	-	-	6	3	4	1	2	-	66
78	4	-	46	2	2	14	2	1	2	-	-	-	4	13	19	15	9	3	2	1	67
64	3	-	30	4	2	8	5	1	2	1	-	-	4	7	21	11	11	9	2	-	68
73	1	1	9	5	5	10	8	-	2	1	-	2	1	3	11	6	8	3	1	1	69
52	3	2	9	2	1	3	4	-	3	-	-	1	-	2	14	6	4	1	2	1	70
17	-	1	14	1	3	4	3	-	2	-	-	-	-	1	5	4	3	1	1	-	71
65	1	-	16	3	1	6	1	-	-	2	-	1	1	3	17	2	10	3	-	1	72
17	1	-	5	-	-	4	-	1	2	-	-	-	-	1	3	2	3	2	2	-	73
42	1	-	16	3	-	5	2	1	1	1	-	1	3	1	6	4	3	-	1	-	74
92	9	2	29	-	2	11	3	-	2	-	-	2	4	6	15	14	9	3	4	-	75
98	8	1	50	8	2	7	2	-	4	1	-	2	8	3	31	15	15	9	5	-	76
386	20	2	129	15	20	31	16	6	22	5	-	9	30	14	78	29	40	20	16	-	77
85	6	2	33	2	7	11	3	-	3	-	-	4	13	1	28	19	15	14	13	1	78
15	-	-	2	-	-	-	-	1	-	1	-	-	-	-	1	2	3	1	1	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VIRGINIA--CON.																	
01	ISLE OF WIGHT	198	1	-	2	41	11	7	4	8	1	2	8	6	87	62	1	3
02	JAMES CITY	113	1	-	-	20	5	4	2	3	1	1	4	2	51	44	1	1
03	KING AND QUEEN	68	-	-	1	11	5	1	-	2	-	-	3	2	34	27	-	1
04	KING GEORGE	82	-	-	-	17	4	5	1	2	-	1	4	3	40	24	1	-
05	KING WILLIAM	87	-	-	-	15	4	5	1	3	-	-	2	3	47	28	1	-
06	LANCASTER	125	-	-	2	24	9	3	-	2	-	1	7	4	63	43	-	-
07	LEE	272	-	-	2	42	8	13	-	8	2	2	9	3	148	118	3	1
08	LOUDOUN	318	-	-	2	64	10	15	9	10	5	2	13	7	167	133	3	-
09	LOUISA	194	1	-	1	37	11	4	4	3	-	-	15	1	92	61	2	-
10	LUNENBURG	152	1	-	1	21	7	6	2	3	-	1	2	5	79	58	-	1
11	MADISON	92	-	-	-	12	6	-	-	2	-	-	4	-	57	44	-	1
12	MATHEWS	116	-	-	2	16	4	6	-	-	-	1	5	2	73	49	1	-
13	MECKLENBURG	355	1	-	5	58	15	8	5	10	4	4	12	4	188	143	2	2
14	MIDDLESEX	99	-	-	-	17	3	3	2	4	2	-	3	5	51	41	2	-
15	MONTGOMERY	319	1	-	1	56	11	9	9	4	3	2	18	7	162	130	1	2
16	NANSEMOND[6]	16	-	-	-	3	-	-	-	-	1	-	2	-	9	7	-	-
17	NELSON	134	-	-	-	10	2	4	-	2	1	-	1	4	89	70	4	-
18	NEW KENT	49	-	-	-	7	1	3	1	1	-	-	1	1	27	21	-	1
19	NORTHAMPTON	208	-	-	-	39	9	14	3	3	1	2	7	8	108	78	1	3
20	NORTHUMBERLAND	131	-	-	2	20	5	8	1	2	-	-	4	3	71	43	-	1
21	NOTTOWAY	184	-	-	1	23	5	4	3	5	1	-	5	7	104	81	-	3
22	ORANGE	182	-	-	2	30	7	7	2	3	4	-	7	3	88	62	-	-
23	PAGE	207	-	-	2	27	5	6	3	4	2	1	6	8	117	89	1	1
24	PATRICK	140	-	-	2	16	4	1	2	1	-	-	8	4	77	47	1	-
25	PITTSYLVANIA	546	1	-	4	93	21	22	11	9	4	5	21	10	274	185	3	-
26	POWHATAN	76	-	-	-	24	4	8	1	1	2	1	7	2	29	23	1	-
27	PRINCE EDWARD	181	-	-	-	36	9	7	2	4	2	1	11	2	90	59	-	2
28	PRINCE GEORGE	77	-	-	-	13	1	3	1	2	1	1	4	2	39	30	1	-
29	PRINCE WILLIAM	489	2	-	2	89	22	23	6	13	8	2	15	12	176	141	3	2
30	PULASKI	293	-	-	2	38	8	12	2	2	1	3	10	8	155	119	1	3
31	PULASKI	117	-	-	1	16	3	6	2	-	-	2	3	6	66	49	1	1
32	BALANCE OF COUNTY	176	-	-	1	22	5	6	-	2	1	1	7	2	89	70	-	2
33	RAPPAHANNOCK	60	-	-	-	10	3	3	-	1	-	-	3	2	29	18	1	1
34	RICHMOND	76	1	-	-	11	3	3	2	1	-	1	1	1	46	34	-	1
35	ROANOKE	472	-	-	2	92	26	22	14	8	-	3	19	8	254	191	5	3
36	ROCKBRIDGE	161	-	-	-	26	7	8	1	2	2	1	5	3	79	54	3	-
37	ROCKINGHAM	419	2	-	2	69	22	14	8	7	3	2	13	10	224	169	1	7
38	RUSSELL	265	1	-	-	38	8	12	2	4	3	-	9	4	152	106	-	2
39	SCOTT	239	-	-	-	46	12	9	3	7	3	1	11	2	137	97	3	-
40	SHENANDOAH	282	2	-	1	37	7	14	2	3	2	2	7	7	166	139	-	2
41	SMYTH	260	1	-	-	41	9	10	2	5	2	1	12	5	151	118	2	4
42	SOUTHAMPTON	184	-	-	2	29	9	10	1	3	1	1	4	5	88	72	-	1
43	SPOTSYLVANIA	166	-	-	1	22	6	7	1	2	1	-	5	6	78	61	-	-
44	STAFFORD	168	1	-	2	34	5	12	4	4	2	1	6	1	76	59	-	-
45	SURRY	56	-	-	-	8	1	3	1	1	-	-	2	2	26	20	-	-
46	SUSSEX	101	-	-	-	18	4	4	1	2	2	-	5	2	51	38	-	1
47	TAZEWELL	475	2	-	4	63	16	14	7	11	2	-	13	13	237	184	-	-
48	WARREN	216	1	-	1	54	14	14	4	5	2	-	15	6	93	74	3	4
49	WASHINGTON	393	2	-	1	62	22	17	3	6	2	3	9	9	217	142	1	1
50	WESTMORELAND	147	-	-	-	34	13	7	1	4	2	-	7	6	67	55	-	-
51	WISE	414	-	-	7	78	19	20	7	11	3	4	14	9	204	166	2	-
52	WYTHE	253	-	-	3	42	12	9	2	5	1	2	11	4	138	103	1	-
53	YORK	194	-	-	1	33	7	8	3	4	1	1	9	4	89	59	1	1
	INDEPENDENT CITIES[7]																	
54	ALEXANDRIA	866	1	1	8	178	47	48	16	21	13	6	27	15	400	281	5	4
55	BEDFORD	108	-	1	2	11	4	2	1	2	-	-	2	5	54	27	-	1
56	BRISTOL[8]	195	1	-	2	38	10	9	1	5	3	2	8	3	112	89	2	1
57	BUENA VISTA	52	-	-	-	7	1	3	1	-	-	-	2	-	33	25	-	-
58	CHARLOTTESVILLE	393	-	-	6	72	18	14	3	8	5	3	21	3	193	133	1	1
59	CHESAPEAKE	759	2	-	6	144	41	36	8	20	3	6	30	17	368	261	3	11
60	CLIFTON FORGE	71	-	-	-	16	7	4	-	-	1	-	4	1	41	29	1	-
61	COLONIAL HEIGHTS	111	-	-	-	25	9	8	2	-	1	-	5	-	58	39	-	-
62	COVINGTON	128	1	-	-	17	2	3	-	4	1	1	6	1	59	29	1	-
63	DANVILLE	502	3	-	3	90	24	22	6	8	5	5	20	17	248	167	2	1
64	EMPORIA	68	1	-	-	9	2	1	2	-	1	1	2	1	40	34	-	-
65	FAIRFAX	126	-	-	-	27	5	7	5	1	-	2	7	-	52	39	1	-
66	FALLS CHURCH	144	-	-	-	39	8	14	1	4	2	2	8	4	68	44	1	1
67	FRANKLIN	78	-	-	-	17	4	5	2	2	-	-	4	1	36	33	-	1
68	FREDERICKSBURG	199	1	-	2	38	14	8	4	2	2	-	8	6	94	65	-	1
69	GALAX	70	-	-	-	13	-	5	1	2	-	1	4	1	35	23	-	1
70	HAMPTON	808	3	-	9	170	42	53	14	17	10	6	28	16	350	283	2	8
71	HARRISONBURG	143	-	-	-	33	8	12	3	4	-	1	5	2	77	55	-	3
72	HOPEWELL	204	1	-	1	43	16	9	1	5	1	3	8	4	88	68	-	1
73	LEXINGTON	72	-	-	-	12	6	-	-	1	1	-	4	3	44	33	1	-
74	LYNCHBURG	692	-	-	2	135	31	35	13	17	10	4	25	8	377	266	4	2
75	MARTINSVILLE	170	-	-	1	38	13	3	4	3	1	2	12	3	77	64	4	2
76	NEWPORT NEWS	996	6	-	7	201	52	58	14	27	7	13	30	21	454	349	4	9
77	NORFOLK	2,531	8	-	23	473	108	140	38	53	20	14	100	34	1,273	955	10	18
78	NORTON	50	-	-	-	4	1	-	-	-	-	1	2	2	29	25	-	-
79	PETERSBURG	517	-	1	4	95	21	34	9	7	3	3	18	12	260	186	1	4
80	PORTSMOUTH	1,118	4	1	8	226	68	59	18	17	7	7	50	12	555	400	3	48
81	RADFORD	84	-	-	1	11	3	1	1	1	-	1	4	4	47	31	-	-
82	RICHMOND	2,995	5	2	29	551	158	133	43	63	25	18	111	43	1,501	1,074	19	17
83	ROANOKE	1,279	3	-	10	215	54	51	19	29	7	11	44	17	672	465	12	5

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-774,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
53	5	1	19	2	3	8	4	–	–	2	–	4	5	3	13	5	9	2	6	–	01
38	4	1	5	1	–	4	1	–	1	1	–	2	3	2	11	8	7	1	1	–	02
24	2	–	6	–	1	2	2	–	–	–	–	–	–	1	9	–	1	3	–	–	03
23	–	–	10	5	1	3	–	–	1	–	–	2	–	1	5	5	1	2	2	–	04
26	1	1	16	2	1	3	3	–	–	1	–	–	3	1	8	2	1	2	–	–	05
42	1	2	15	–	3	4	–	–	4	1	–	–	–	1	11	5	2	1	3	–	06
113	1	1	21	3	5	7	4	–	–	1	–	–	3	3	26	7	13	3	3	1	07
125	5	1	27	4	2	8	2	–	–	1	–	2	9	4	19	8	7	6	5	–	08
52	7	1	21	8	1	11	1	–	–	–	–	1	2	2	19	9	6	3	3	1	09
53	4	1	14	2	4	4	–	–	–	–	–	2	1	1	17	5	6	5	1	–	10
35	8	–	8	2	3	5	1	–	–	–	–	–	–	1	7	2	6	1	–	–	11
44	4	2	15	3	4	3	–	–	–	1	–	–	1	1	7	4	5	1	–	–	12
124	15	–	37	4	4	7	5	1	–	7	3	–	2	4	34	10	12	6	4	–	13
36	3	–	7	2	1	3	–	–	–	1	1	2	1	1	13	3	1	–	–	–	14
113	14	2	23	3	4	8	6	1	–	7	3	5	3	–	25	8	6	13	7	–	15
7	–	–	2	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	16
57	9	–	14	4	1	4	2	2	1	–	–	–	4	1	8	1	5	2	1	–	17
17	3	–	6	–	–	4	3	1	–	1	–	1	4	2	4	–	2	–	–	–	18
71	3	1	25	4	–	6	6	–	2	1	–	1	4	2	13	4	9	2	3	–	19
41	1	2	21	5	–	2	2	2	1	1	–	1	–	1	12	4	4	4	1	–	20
69	9	1	17	4	1	7	2	1	1	2	–	1	3	1	18	5	5	4	–	–	21
57	4	–	18	1	7	7	1	–	2	1	–	–	1	2	20	10	8	3	4	1	22
79	8	–	20	6	2	7	2	–	4	–	–	–	1	1	18	11	5	3	1	–	23
37	9	–	26	2	2	4	–	–	4	–	–	1	3	2	8	6	9	4	–	–	24
165	17	1	76	5	7	24	3	–	4	1	1	6	12	5	52	19	21	4	11	1	25
21	1	1	4	–	1	2	1	–	–	–	–	1	1	–	9	2	–	3	2	–	26
49	8	2	20	6	3	10	2	1	1	–	–	2	4	–	16	3	11	2	1	–	27
26	3	–	7	1	1	1	–	–	–	–	–	–	4	–	4	6	3	5	–	–	28
128	8	–	25	3	7	11	3	1	11	3	1	6	31	9	50	30	32	10	10	–	29
109	6	2	27	3	4	5	4	2	2	1	–	1	3	4	28	9	18	5	8	–	30
46	1	1	12	2	2	1	1	–	1	–	–	–	–	3	8	1	9	3	1	–	31
63	5	1	15	1	2	4	3	2	1	1	–	1	3	1	20	8	9	2	7	–	32
15	1	–	9	1	1	1	1	–	–	–	–	–	1	–	6	1	4	4	1	–	33
31	2	–	8	1	3	3	1	–	–	–	–	–	1	–	4	3	1	3	1	–	34
173	10	2	45	10	6	15	7	2	2	–	–	3	13	3	27	11	22	9	2	–	35
48	3	–	15	4	6	4	3	–	3	1	–	1	2	1	18	8	9	2	1	–	36
155	6	3	32	13	7	13	5	2	3	–	–	3	6	3	33	10	19	14	1	–	37
101	3	1	41	1	3	5	7	2	1	1	–	4	2	3	19	8	12	3	3	–	38
90	4	1	28	6	5	16	2	–	3	–	–	3	3	2	13	2	2	6	1	1	39
125	12	1	21	3	2	7	3	1	5	1	–	–	2	2	25	7	13	2	–	1	40
108	4	1	25	3	4	11	4	–	–	–	–	3	5	1	23	1	10	2	2	–	41
68	3	–	11	3	2	10	3	–	–	–	–	2	3	2	19	11	8	–	2	–	42
58	3	–	14	2	1	7	1	–	2	1	–	1	5	1	16	8	11	4	2	–	43
58	1	–	13	2	2	4	4	–	2	–	–	1	7	2	14	7	8	5	–	–	44
17	3	–	6	–	–	1	2	–	1	1	–	–	1	1	7	4	2	–	–	–	45
37	–	–	9	–	4	2	3	–	1	1	–	2	3	–	11	2	3	1	1	–	46
173	11	2	42	5	4	12	12	6	5	–	–	3	11	11	47	6	27	8	8	–	47
64	3	1	16	1	1	8	4	–	5	2	–	1	2	5	11	8	7	6	2	–	48
128	12	2	47	12	14	24	4	2	1	1	–	3	2	4	32	13	9	5	–	2	49
50	5	–	8	2	2	9	1	–	3	–	–	1	1	2	11	2	4	3	3	–	50
157	7	1	30	3	4	18	6	1	8	2	–	–	7	1	38	15	14	4	–	2	51
100	2	2	30	2	1	10	2	3	4	–	–	–	4	1	20	10	11	–	1	–	52
54	3	3	22	1	4	7	4	–	5	3	–	3	3	1	17	6	10	7	1	–	53
233	39	–	78	20	21	31	8	5	21	6	–	10	19	17	76	10	31	11	14	4	54
25	2	–	17	8	2	6	–	1	–	2	–	–	2	5	12	1	4	1	1	–	55
82	4	–	18	3	2	7	9	1	2	–	–	1	1	–	10	2	3	1	1	1	56
23	2	1	5	1	1	1	–	1	1	–	–	–	1	–	5	–	1	1	1	–	57
114	17	1	49	5	5	14	6	2	5	–	–	3	9	7	47	3	15	4	4	–	58
227	20	5	76	12	14	24	13	1	18	4	–	5	20	4	55	25	30	10	13	–	59
27	1	–	9	1	2	–	–	–	1	1	–	–	–	1	6	1	1	2	–	–	60
36	3	–	14	2	3	4	3	–	1	2	–	1	–	–	10	1	4	2	–	–	61
24	4	–	27	–	3	7	3	–	3	2	–	–	5	7	9	5	6	1	2	–	62
151	13	3	70	1	7	19	9	2	4	3	–	6	5	8	54	5	15	2	9	–	63
33	1	–	4	2	–	1	1	–	1	–	–	–	2	–	8	2	1	1	–	–	64
36	2	1	8	4	–	6	1	–	2	1	–	3	2	3	11	7	6	5	–	1	65
41	1	–	16	4	4	2	–	1	2	–	–	1	3	2	10	2	6	2	1	–	66
30	2	1	1	–	1	1	1	–	1	–	–	1	3	1	6	1	4	1	4	–	67
61	3	–	18	6	5	6	1	–	3	4	–	1	5	6	17	3	6	4	2	–	68
21	1	–	8	–	4	2	–	–	–	–	–	1	1	3	6	1	3	4	–	–	69
255	18	1	43	8	15	34	10	1	17	4	–	9	21	9	68	19	29	24	13	2	70
51	1	–	17	2	3	4	1	1	1	1	–	–	1	1	11	4	2	2	2	–	71
60	7	1	18	1	–	7	–	–	5	3	–	2	6	6	23	4	7	1	3	–	72
29	3	–	8	2	1	1	2	–	–	–	–	–	–	–	5	1	4	–	–	–	73
248	12	3	90	3	15	20	15	3	10	–	1	3	7	3	60	7	16	13	12	–	74
51	7	1	11	1	–	11	2	–	1	2	–	1	1	3	16	3	5	3	4	–	75
321	15	7	75	10	13	36	4	5	20	7	1	7	23	5	89	24	36	15	33	2	76
811	116	5	233	43	37	77	25	7	53	8	2	20	64	27	223	38	100	30	44	2	77
25	–	–	2	1	1	3	–	–	1	–	–	–	1	1	3	2	2	2	–	–	78
171	10	6	54	6	8	19	8	2	8	4	–	2	10	8	46	4	17	4	13	–	79
319	30	6	130	10	9	28	15	2	28	7	1	9	18	26	85	16	30	19	28	–	80
27	4	1	14	1	–	2	2	–	5	1	–	1	–	–	4	2	3	1	–	–	81
944	94	13	335	51	28	104	39	16	59	32	–	16	40	32	278	41	106	41	59	1	82
416	32	7	146	30	24	52	21	5	30	4	–	8	11	17	102	24	54	21	12	1	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VIRGINIA--CON.																	
01	SALEM	233	-	-	3	47	14	10	5	4	3	3	8	4	108	80	1	1
02	SOUTH BOSTON	105	-	-	1	14	4	1	1	3	1	-	4	2	68	47	-	2
03	STAUNTON	240	-	-	1	55	12	11	6	6	4	1	15	3	127	87	4	1
04	SUFFOLK[6]	461	2	-	9	66	24	12	3	10	3	2	12	12	251	162	-	1
05	VIRGINIA BEACH	906	2	-	10	204	44	41	25	25	7	10	52	15	400	290	2	9
06	WAYNESBORO	153	-	1	1	24	5	8	1	2	-	1	7	1	76	57	3	-
07	WILLIAMSBURG	91	1	-	-	20	3	6	2	1	-	2	6	-	38	26	-	-
08	WINCHESTER	236	-	-	1	40	16	8	3	2	-	1	10	1	124	84	-	1
09	**WASHINGTON**	29,827	29	3	137	5,877	1,562	1,404	543	672	297	234	1,165	539	15,307	10,884	254	221
10	URBAN PLACES	16,583	19	1	81	3,241	875	789	293	341	164	132	647	314	8,678	6,133	134	124
11	BALANCE OF AREA	13,244	10	2	56	2,636	687	615	250	331	133	102	518	225	6,629	4,751	120	97
12	METROPOLITAN COUNTIES	18,667	21	2	87	3,761	1,004	881	355	421	182	155	763	310	9,534	6,738	139	137
13	URBAN PLACES	12,401	16	1	57	2,485	659	608	225	268	122	104	499	226	6,427	4,525	88	95
14	BALANCE OF AREA	6,266	5	1	30	1,276	345	273	130	153	60	51	264	84	3,107	2,213	51	42
15	NONMETROPOLITAN COUNTIES	11,160	8	1	50	2,116	558	523	188	251	115	79	402	229	5,773	4,146	115	84
16	URBAN PLACES	4,182	3	-	24	756	216	181	68	73	42	28	148	88	2,251	1,608	46	29
17	BALANCE OF AREA	6,978	5	1	26	1,360	342	342	120	178	73	51	254	141	3,522	2,538	69	55
18	ADAMS	71	-	-	-	15	2	3	1	5	1	1	2	2	31	23	-	-
19	ASOTIN	171	-	-	1	32	6	11	4	5	3	-	3	3	94	61	1	4
20	BENTON	469	-	-	4	81	30	17	8	5	3	-	18	11	234	179	7	1
21	KENNEWICK	149	-	-	1	24	8	5	1	3	1	-	6	3	72	56	3	-
22	RICHLAND	168	-	-	1	30	9	9	3	1	1	-	7	5	92	72	2	-
23	BALANCE OF COUNTY	152	-	-	2	27	13	3	4	1	1	-	5	3	70	51	2	1
24	CHELAN	401	-	-	2	72	15	22	10	8	3	1	13	2	229	163	8	1
25	WENATCHEE	221	-	-	2	33	9	9	5	3	2	1	4	1	127	89	3	1
26	BALANCE OF COUNTY	180	-	-	-	39	6	13	5	5	1	-	9	1	102	74	5	-
27	CLALLAM	413	-	-	2	81	21	24	6	12	3	-	15	11	196	152	1	7
28	PORT ANGELES	184	-	-	-	27	5	10	3	3	-	-	6	7	100	82	1	1
29	BALANCE OF COUNTY	229	-	-	2	54	16	14	3	9	3	-	9	4	96	70	-	6
30	CLARK	1,154	2	-	5	220	65	58	23	23	5	4	42	16	653	469	11	7
31	VANCOUVER	524	-	-	2	97	20	34	9	8	2	3	21	11	298	203	3	2
32	BALANCE OF COUNTY	630	2	-	3	123	45	24	14	15	3	1	21	5	355	266	8	5
33	COLUMBIA	51	-	-	-	9	1	-	-	2	-	1	5	2	30	26	1	-
34	COWLITZ	552	-	-	3	111	32	34	5	10	8	5	17	12	307	220	7	1
35	KELSO	123	-	-	1	23	8	7	-	-	-	-	8	3	59	41	1	-
36	LONGVIEW	254	-	-	2	56	17	16	3	6	7	2	5	5	149	108	3	-
37	BALANCE OF COUNTY	175	-	-	-	32	7	11	2	4	1	3	4	4	99	71	3	1
38	DOUGLAS	116	-	-	-	21	10	5	-	1	-	1	4	1	66	46	1	2
39	FERRY	30	-	-	-	5	3	1	-	1	-	-	-	-	10	7	-	-
40	FRANKLIN	183	-	-	-	28	7	9	3	4	-	-	5	1	88	66	2	1
41	PASCO	143	-	-	-	24	5	8	3	3	-	-	5	-	74	55	2	1
42	BALANCE OF COUNTY	40	-	-	-	4	2	1	-	1	-	-	-	1	14	11	-	-
43	GARFIELD	29	-	-	-	1	1	-	-	-	-	-	1	1	20	14	-	1
44	GRANT	339	-	-	2	55	11	9	6	12	4	3	10	4	154	116	3	4
45	MOSES LAKE	109	-	-	-	16	6	3	-	3	1	-	3	4	46	37	1	2
46	BALANCE OF COUNTY	230	-	-	2	39	5	6	6	9	3	3	7	-	108	79	2	2
47	GRAYS HARBOR	681	-	-	2	139	42	31	13	18	6	4	25	20	335	253	5	7
48	ABERDEEN	262	-	-	1	55	19	10	2	7	3	1	13	6	133	99	3	4
49	HOQUIAM	108	-	-	1	15	3	1	4	1	2	1	3	6	53	41	-	-
50	BALANCE OF COUNTY	311	-	-	-	69	20	20	7	10	1	2	9	8	149	113	2	3
51	ISLAND	210	-	-	-	49	10	15	5	4	2	4	9	4	95	72	4	1
52	JEFFERSON	115	1	-	-	24	4	7	1	2	1	2	7	-	56	45	1	-
53	KING	9,440	10	2	45	1,973	527	457	180	214	88	93	414	148	4,670	3,319	71	44
54	AUBURN	155	1	-	1	33	13	6	5	5	1	-	3	2	76	55	1	1
55	BELLEVUE	322	1	-	-	79	28	10	7	9	3	2	20	3	148	105	4	1
56	KENT	149	-	-	1	31	9	10	2	2	1	2	5	1	75	56	2	-
57	KIRKLAND	131	-	-	-	34	6	10	2	3	3	1	9	1	63	40	-	-
58	MERCER ISLAND CITY	80	-	-	-	25	8	5	5	2	-	-	5	1	39	26	-	1
59	REDMOND	75	-	-	-	12	3	3	2	1	-	1	2	2	41	28	-	2
60	RENTON	218	-	-	2	50	10	13	6	4	2	1	14	4	103	70	2	-
61	SEATTLE	5,776	7	1	29	1,193	313	289	100	130	58	62	241	100	2,929	2,098	47	32
62	BALANCE OF COUNTY	2,534	1	1	12	516	137	111	51	58	20	24	115	34	1,196	841	15	7
63	KITSAP	924	-	-	4	189	47	48	23	28	11	3	29	10	501	377	15	5
64	BREMERTON	362	-	-	2	63	17	15	9	7	5	1	9	4	211	151	6	-
65	BALANCE OF COUNTY	562	-	-	2	126	30	33	14	21	6	2	20	6	290	226	9	5
66	KITTITAS	184	-	-	1	36	12	7	5	2	4	1	5	5	92	64	2	2
67	ELLENSBURG	86	-	-	1	13	6	-	2	1	-	1	3	4	45	32	1	-
68	BALANCE OF COUNTY	98	-	-	-	23	6	7	3	1	4	-	2	1	47	32	1	2
69	KLICKITAT	121	-	-	2	22	4	4	1	4	2	1	6	2	57	39	3	-
70	LEWIS	517	-	-	2	93	19	27	8	13	7	3	16	20	256	179	6	13
71	CENTRALIA	189	-	-	-	36	11	12	3	4	2	-	4	6	98	67	4	8
72	BALANCE OF COUNTY	328	-	-	2	57	8	15	5	9	5	3	12	14	158	112	2	5
73	LINCOLN	107	-	-	1	25	7	3	2	5	-	1	7	2	55	31	1	-
74	MASON	208	1	-	3	42	9	15	3	4	2	3	6	1	105	77	1	-
75	OKANOGAN	281	1	-	-	54	19	10	5	4	4	4	8	8	137	96	2	1
76	PACIFIC	209	-	-	1	41	12	8	6	2	2	1	10	7	116	92	1	4
77	PEND OREILLE	79	1	-	-	17	5	3	1	3	2	-	3	2	40	29	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
76	2	1	22	1	4	8	7	1	2	-	-	4	1	-	21	7	8	7	5	-	01
44	1	1	18	2	-	4	1	1	1	1	-	-	1	-	6	1	3	-	1	-	02
75	7	-	27	8	5	6	3	1	7	-	-	1	-	2	13	5	10	4	2	-	03
147	14	1	70	9	9	10	4	-	6	3	-	6	10	9	37	6	18	1	10	1	04
254	25	2	81	14	13	25	8	2	14	4	-	13	19	12	76	35	37	14	14	2	05
54	-	-	11	5	3	8	2	-	5	1	-	2	-	1	13	6	7	4	1	-	06
24	2	-	10	-	2	4	2	-	2	1	-	1	1	3	12	1	3	2	-	-	07
78	5	1	32	2	5	10	5	-	6	1	-	2	6	5	17	7	8	3	-	-	08
9,629	780	82	3,260	625	456	789	506	124	552	75	3	211	399	264	2,358	813	1,038	531	190	82	09
5,443	432	54	1,857	379	255	463	274	76	369	48	3	99	169	128	1,352	326	520	271	113	38	10
4,186	348	28	1,403	246	201	326	232	48	183	27	-	112	230	136	1,006	487	518	260	77	44	11
6,047	415	53	2,052	408	283	521	304	85	394	47	1	147	243	153	1,468	429	604	361	142	53	12
4,049	293	42	1,400	272	188	361	196	58	308	37	1	80	116	87	994	225	385	212	97	32	13
1,998	122	11	652	136	95	160	108	27	86	10	-	67	127	66	474	204	219	149	45	21	14
3,582	365	29	1,208	217	173	268	202	39	158	28	2	64	156	111	890	384	434	170	48	29	15
1,394	139	12	457	107	67	102	78	18	61	11	2	19	53	41	358	101	135	59	16	6	16
2,188	226	17	751	110	106	166	124	21	97	17	-	45	103	70	532	283	299	111	32	23	17
22	1	-	6	1	1	3	1	-	1	-	-	-	1	3	7	3	2	1	1	-	18
53	3	1	24	4	4	3	2	1	4	-	-	1	3	2	10	2	7	3	3	-	19
158	13	-	42	8	5	10	7	5	7	-	-	6	5	2	50	25	10	10	2	-	20
52	1	-	12	1	3	2	2	5	1	-	-	4	3	-	20	8	1	2	1	-	21
62	8	-	13	6	1	3	2	-	3	-	-	-	-	1	15	6	5	4	1	-	22
44	4	-	17	1	1	5	3	-	3	-	-	2	2	1	15	11	4	4	-	-	23
145	9	1	52	8	5	8	9	1	8	1	-	1	2	2	32	5	18	4	4	1	24
79	6	1	28	5	4	5	7	-	4	-	-	1	1	2	22	1	11	2	1	1	25
66	3	-	24	3	1	3	2	1	4	1	-	1	1	-	10	4	7	2	3	-	26
135	9	2	36	3	3	8	2	2	7	3	-	2	9	6	35	16	22	7	3	1	27
76	4	1	16	1	-	3	-	1	-	1	-	2	4	3	15	5	13	3	-	-	28
59	5	1	20	2	3	5	2	1	7	2	-	-	5	3	20	11	9	4	3	1	29
436	15	5	120	33	26	32	24	9	8	-	-	12	13	7	68	28	35	12	8	2	30
193	5	1	60	20	14	20	14	6	5	-	-	5	5	3	33	5	13	5	2	-	31
243	10	4	60	13	12	12	10	3	3	-	-	7	8	4	35	23	22	7	6	2	32
25	-	-	2	-	2	2	1	-	-	-	-	-	-	1	4	2	-	-	-	-	33
197	15	1	70	7	9	13	12	-	4	1	-	3	9	3	26	12	23	7	5	1	34
38	2	-	13	3	2	6	1	-	2	1	-	2	3	1	6	5	9	-	1	-	35
96	9	1	31	3	6	5	4	-	2	-	-	-	3	-	12	4	5	5	2	-	36
63	4	-	26	1	1	2	7	-	-	-	-	1	3	2	8	3	9	2	2	1	37
41	2	-	14	4	2	5	-	-	-	-	-	-	2	-	10	4	6	1	-	-	38
4	3	-	3	-	-	1	-	-	-	-	-	-	2	1	2	4	5	-	-	-	39
53	10	-	16	2	4	4	4	-	3	-	-	4	6	-	17	12	11	4	-	1	40
44	8	-	14	2	3	2	4	-	3	-	-	-	6	-	13	8	7	2	-	-	41
9	2	-	2	-	1	2	-	-	-	-	-	4	-	-	4	4	4	2	-	1	42
10	3	-	6	-	-	1	-	-	-	1	-	-	-	-	1	4	-	-	-	-	43
105	4	1	24	7	6	7	13	1	11	-	-	6	7	3	29	18	19	7	3	-	44
32	2	-	6	2	1	3	4	1	4	-	-	2	3	1	11	4	4	4	2	-	45
73	2	1	18	5	5	4	9	-	7	-	-	4	4	2	18	14	15	3	1	-	46
228	13	-	50	18	14	16	6	1	12	1	-	3	5	5	66	23	24	17	2	4	47
88	4	-	20	10	4	9	3	-	4	-	-	1	-	2	30	8	7	3	-	-	48
40	1	-	7	3	2	3	2	-	5	1	-	1	2	1	9	-	4	3	-	2	49
100	8	-	23	5	8	4	1	1	3	-	-	1	3	2	27	15	13	11	2	2	50
65	2	1	16	2	4	8	5	-	3	-	-	4	5	1	17	10	10	2	1	1	51
41	3	-	6	3	2	2	1	1	-	-	-	-	1	-	12	4	9	3	-	1	52
2,994	210	30	1,019	179	123	312	135	49	237	20	1	60	97	65	776	193	310	208	92	37	53
50	3	-	17	4	-	4	2	1	2	-	-	1	2	3	9	8	7	3	-	-	54
93	7	2	29	10	2	11	2	3	5	-	-	4	3	2	28	9	14	7	2	1	55
52	2	-	14	3	2	5	-	-	4	-	-	1	1	-	14	8	3	4	1	-	56
39	1	1	12	9	1	4	2	-	1	-	-	1	1	-	11	5	4	3	1	-	57
22	3	-	10	-	3	3	-	-	1	-	-	-	-	-	8	1	2	-	-	-	58
26	-	1	5	6	1	1	1	-	3	-	-	1	-	-	11	1	1	1	-	-	59
56	12	1	26	3	3	5	3	1	4	1	-	3	1	1	15	5	11	7	2	-	60
1,898	121	22	636	98	75	195	84	32	180	15	1	24	47	33	457	83	171	108	64	23	61
758	61	3	270	46	36	84	42	11	37	4	-	25	42	26	223	73	97	75	22	13	62
311	46	2	98	11	13	21	13	2	6	3	2	6	14	7	76	21	27	20	1	1	63
125	20	2	47	5	6	7	4	-	2	1	2	1	5	1	37	5	10	7	-	-	64
186	26	-	51	6	7	14	9	2	4	2	-	5	9	6	39	16	17	13	1	1	65
58	2	1	23	1	3	5	3	-	4	-	-	-	1	3	17	8	7	2	-	-	66
30	1	-	10	1	2	3	1	-	1	-	-	-	1	1	8	3	4	1	-	-	67
28	1	1	13	-	1	2	2	-	3	-	-	-	2	2	9	5	3	1	-	-	68
32	4	1	8	4	5	2	4	-	1	-	-	-	2	2	5	10	10	1	-	1	69
132	28	2	56	10	9	18	8	1	5	-	-	1	6	11	51	20	17	5	2	1	70
37	18	1	20	8	2	9	1	1	2	-	-	-	-	4	21	6	2	2	1	-	71
95	10	1	36	2	7	9	7	-	3	-	-	1	6	7	30	14	15	3	1	1	72
27	3	-	14	8	2	-	-	-	-	1	-	-	1	3	11	6	1	1	-	-	73
56	20	-	19	4	5	6	4	-	2	2	-	3	3	1	12	8	13	1	1	-	74
79	14	-	32	4	5	10	5	-	7	1	-	1	4	1	15	17	13	4	2	1	75
80	7	3	15	4	2	6	2	2	2	-	-	1	-	-	15	1	7	5	2	1	76
26	1	-	11	-	-	1	3	-	1	-	-	-	2	-	7	3	1	1	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WASHINGTON--CON.																	
01	PIERCE	3,374	2	-	15	663	161	157	61	71	37	25	151	56	1,774	1,278	23	25
02	PUYALLUP	225	1	-	-	44	11	11	2	4	2	-	14	5	126	101	1	1
03	TACOMA	1,794	-	-	10	323	78	76	32	28	21	15	73	35	986	697	9	11
04	BALANCE OF COUNTY	1,355	1	-	5	296	72	70	27	39	14	10	64	16	662	480	13	13
05	SAN JUAN	55	-	-	-	10	4	3	-	1	1	-	1	1	32	26	1	-
06	SKAGIT	584	-	-	1	96	25	30	7	8	4	3	19	13	319	235	6	4
07	SKAMANIA	45	-	-	-	9	3	2	-	3	-	1	-	-	24	21	-	-
08	SNOHOMISH	1,887	-	-	6	372	95	88	45	42	23	15	64	34	995	700	18	18
09	EDMONDS	189	-	-	-	37	6	12	5	2	2	1	9	4	107	69	2	1
10	EVERETT	578	-	-	1	110	31	27	14	14	4	6	14	9	318	217	4	8
11	LYNNWOOD	123	-	-	-	34	11	7	3	3	2	-	8	4	47	34	-	1
12	MOUNTLAKE TERRACE	47	-	-	1	8	3	3	1	-	-	-	1	1	20	16	-	1
13	BALANCE OF COUNTY	950	-	-	4	183	44	39	22	23	15	8	32	16	503	364	12	7
14	SPOKANE	2,812	7	-	16	533	156	121	46	71	29	18	92	56	1,442	972	16	43
15	SPOKANE	2,015	6	-	10	375	109	92	30	53	21	10	60	43	1,051	710	13	33
16	BALANCE OF COUNTY	797	1	-	6	158	47	29	16	18	8	8	32	13	391	262	3	10
17	STEVENS	182	-	-	1	29	8	3	3	3	3	1	8	9	90	62	2	3
18	THURSTON	741	-	-	3	154	40	34	10	19	11	7	33	23	358	266	8	4
19	OLYMPIA	313	-	-	2	65	22	11	4	5	5	4	14	11	160	123	3	2
20	BALANCE OF COUNTY	428	-	-	1	89	18	23	6	14	6	3	19	12	198	143	5	2
21	WAHKIAKUM	39	-	-	1	8	1	2	2	-	-	1	2	3	18	14	-	-
22	WALLA WALLA	501	-	-	5	92	23	17	9	11	5	5	22	10	255	142	4	2
23	WALLA WALLA	335	-	-	4	60	14	12	7	6	3	3	15	9	174	100	1	2
24	BALANCE OF COUNTY	166	-	-	1	32	9	5	2	5	2	2	7	1	81	42	3	-
25	WHATCOM	801	2	-	1	156	42	30	19	12	9	9	35	16	440	323	5	8
26	BELLINGHAM	478	2	-	1	89	24	16	11	9	4	5	20	8	274	196	4	6
27	BALANCE OF COUNTY	323	-	-	-	67	18	14	8	3	5	4	15	8	166	127	1	2
28	WHITMAN	231	1	-	-	41	12	8	4	3	3	2	9	4	135	86	5	-
29	PULLMAN	45	-	-	-	6	2	2	1	-	-	1	-	-	24	14	2	-
30	BALANCE OF COUNTY	186	1	-	-	35	10	6	3	3	3	1	9	4	111	72	3	-
31	YAKIMA	1,520	1	1	8	279	71	81	18	37	11	11	50	19	798	544	10	8
32	YAKIMA	653	1	-	5	121	31	35	7	11	6	8	23	6	360	245	6	2
33	BALANCE OF COUNTY	867	-	1	3	158	40	46	11	26	5	3	27	13	438	299	4	6
34	**WEST VIRGINIA**	19,558	40	6	104	3,254	781	830	249	406	132	128	728	357	10,558	7,937	142	117
35	URBAN PLACES	5,888	8	1	24	1,089	270	259	94	130	39	39	258	113	3,293	2,449	47	30
36	BALANCE OF AREA	13,670	32	5	80	2,165	511	571	155	276	93	89	470	244	7,265	5,488	95	87
37	METROPOLITAN COUNTIES	5,819	11	3	33	1,067	253	283	84	126	41	35	245	105	3,142	2,390	46	32
38	URBAN PLACES	3,396	5	1	19	646	160	153	55	69	25	23	161	68	1,858	1,399	29	16
39	BALANCE OF AREA	2,423	6	2	14	421	93	130	29	57	16	12	84	37	1,284	991	17	16
40	NONMETROPOLITAN COUNTIES	13,739	29	3	71	2,187	528	547	165	280	91	93	483	252	7,416	5,547	96	85
41	URBAN PLACES	2,492	3	-	5	443	110	106	39	61	14	16	97	45	1,435	1,050	18	14
42	BALANCE OF AREA	11,247	26	3	66	1,744	418	441	126	219	77	77	386	207	5,981	4,497	78	71
43	BARBOUR	178	-	-	3	28	8	7	2	5	2	-	4	1	103	69	1	-
44	BERKELEY	422	2	-	-	71	16	16	8	10	2	4	15	12	235	162	4	-
45	MARTINSBURG	254	-	-	-	42	9	6	7	9	2	2	7	6	152	102	2	-
46	BALANCE OF COUNTY	168	2	-	-	29	7	10	1	1	-	2	8	6	83	60	2	-
47	BOONE	258	1	-	-	29	5	11	1	3	-	1	8	5	126	97	2	2
48	BRAXTON	179	1	-	-	24	4	8	2	3	-	3	4	4	105	61	4	-
49	BROOKE	269	-	-	-	67	16	18	3	11	4	5	10	5	139	110	3	2
50	WEIRTON, PART	33	-	-	-	13	4	3	-	1	1	2	2	3	12	11	1	-
51	BALANCE OF COUNTY	236	-	-	-	54	12	15	3	10	3	3	8	2	127	99	2	2
52	CABELL	1,252	4	-	6	230	59	59	15	31	7	12	47	23	645	470	12	3
53	HUNTINGTON, PART	912	3	-	3	170	47	42	11	21	4	9	36	18	465	337	10	2
54	HUNTINGTON, TOTAL	968	3	-	3	179	48	48	11	21	4	9	38	19	494	359	10	2
55	BALANCE OF COUNTY	340	1	-	3	60	12	17	4	10	3	3	11	5	180	133	2	1
56	CALHOUN	98	1	-	3	13	4	2	1	1	-	1	4	-	56	41	1	2
57	CLAY	109	-	-	-	12	4	2	2	1	-	-	3	-	39	30	1	-
58	DODDRIDGE	97	-	-	2	15	6	3	-	3	-	1	2	3	51	42	-	-
59	FAYETTE	722	-	-	4	122	30	33	13	9	9	2	26	11	377	277	3	4
60	GILMER	77	-	-	-	9	2	3	-	-	-	2	2	1	46	36	1	1
61	GRANT	88	-	-	-	16	5	1	2	2	1	-	5	2	53	47	1	-
62	GREENBRIER	429	-	-	1	70	9	24	12	6	3	7	9	4	241	169	5	4
63	HAMPSHIRE	149	1	-	3	25	7	6	2	4	2	-	4	3	81	63	1	1
64	HANCOCK	422	1	1	3	76	21	16	8	6	3	4	18	7	232	159	3	4
65	WEIRTON, PART	232	1	-	1	45	10	8	5	3	3	4	12	3	119	77	2	-
66	WEIRTON, TOTAL	265	1	-	1	58	14	11	5	4	4	6	14	6	131	88	3	-
67	BALANCE OF COUNTY	190	-	1	2	31	11	8	3	3	-	-	6	4	113	82	1	4
68	HARDY	91	-	-	1	11	4	2	-	-	-	-	5	1	56	41	2	3
69	HARRISON	926	-	-	4	174	53	38	14	28	3	12	26	9	545	395	13	2
70	CLARKSBURG	386	-	-	1	76	21	22	4	10	2	4	13	4	236	172	3	1
71	BALANCE OF COUNTY	540	-	-	3	98	32	16	10	18	1	8	13	5	309	223	10	1
72	JACKSON	166	-	-	-	31	8	5	2	6	-	2	8	5	98	70	1	1
73	JEFFERSON	244	2	-	1	54	14	14	3	6	5	1	11	3	126	96	1	1
74	KANAWHA	2,304	2	1	12	427	90	120	35	46	15	8	113	31	1,256	997	13	16
75	CHARLESTON	981	1	-	5	183	39	47	14	20	5	4	54	16	568	448	6	7
76	ST. ALBANS	165	-	-	1	29	4	9	1	3	2	1	9	-	91	74	1	1
77	SOUTH CHARLESTON	148	-	-	-	31	6	8	5	3	1	-	8	4	77	61	1	1
78	BALANCE OF COUNTY	1,010	1	1	6	184	41	56	15	20	7	3	42	11	520	414	5	7
79	LEWIS	227	-	-	-	34	10	3	3	5	2	1	10	2	134	91	-	1

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,151	79	5	363	75	53	59	54	8	71	15	-	30	63	25	232	101	122	55	22	7	01
90	9	1	17	3	4	4	3	-	3	2	-	2	2	2	11	6	10	4	2	-	02
630	47	4	216	42	27	32	29	3	45	10	-	12	22	2	136	40	68	24	8	4	03
431	23	-	130	30	22	23	22	5	23	3	-	18	39	16	85	55	44	27	12	3	04
23	2	-	3	2	1	-	2	-	-	-	-	-	-	-	3	2	5	-	-	-	05
216	9	1	67	9	7	13	9	2	7	-	-	6	7	5	50	17	26	7	1	5	06
20	1	-	3	-	-	3	1	-	-	-	-	-	-	-	1	4	1	-	1	1	07
626	38	5	215	45	30	42	31	10	30	4	-	20	27	30	136	47	57	37	7	2	08
64	2	-	31	2	5	4	4	-	5	1	-	2	1	1	10	4	5	3	1	-	09
192	13	1	64	24	12	16	9	4	7	-	-	6	3	10	50	7	15	10	3	-	10
29	4	1	10	1	1	3	3	-	4	-	-	3	2	4	9	4	2	3	-	1	11
14	1	-	3	-	1	1	-	-	3	-	-	1	1	2	6	-	2	1	-	-	12
327	18	3	107	18	11	18	15	6	11	3	-	8	20	13	61	32	33	20	3	1	13
840	73	8	335	76	51	76	60	9	48	8	-	25	43	26	256	60	80	49	13	5	14
601	63	7	250	47	37	53	41	7	36	8	-	16	25	19	186	39	57	29	11	3	15
239	10	1	85	29	14	23	19	2	12	-	-	9	18	7	70	21	23	20	2	2	16
48	9	-	23	3	2	5	1	2	3	2	-	-	4	1	18	3	10	2	1	1	17
225	29	4	62	8	18	10	18	5	12	-	-	1	9	15	73	17	23	16	2	2	18
108	10	-	27	4	6	4	6	1	4	-	-	-	5	7	30	6	5	5	1	1	19
117	19	4	35	4	12	6	12	4	8	-	-	1	4	8	43	11	18	11	1	1	20
12	2	-	3	-	1	-	1	-	1	-	-	-	1	-	3	3	-	-	-	-	21
119	17	1	88	17	7	13	11	3	7	3	-	2	5	7	35	20	20	7	4	2	22
83	14	1	57	11	5	10	8	2	5	1	-	-	1	5	25	12	11	4	3	1	23
36	3	-	31	6	2	3	3	1	2	2	-	2	4	2	10	8	9	3	1	1	24
290	20	2	78	25	12	21	17	2	10	1	-	6	12	5	58	22	25	5	1	1	25
176	10	2	45	21	10	13	9	2	6	1	-	2	5	3	36	7	15	3	1	1	26
114	10	-	33	4	2	8	8	-	4	-	-	4	7	2	22	15	10	2	-	-	27
74	7	2	37	7	3	3	1	-	1	-	-	-	4	4	17	7	10	3	-	-	28
9	3	-	7	2	1	1	-	-	-	-	-	-	2	1	4	3	3	1	-	-	29
65	4	2	30	5	2	2	1	-	1	-	-	-	2	3	13	4	7	2	-	-	30
472	54	3	201	33	17	45	36	8	29	8	-	7	24	17	105	51	52	24	6	2	31
219	18	3	84	19	9	14	20	5	13	5	-	3	9	8	44	10	19	8	2	-	32
253	36	-	117	14	8	31	16	3	16	3	-	4	15	9	61	41	33	16	4	2	33
7,034	644	81	1,951	311	278	565	300	63	269	66	3	124	326	525	1,625	449	557	221	93	53	34
2,170	202	33	628	75	108	149	73	12	100	20	-	30	69	110	473	90	121	65	29	19	35
4,864	442	48	1,323	236	170	416	227	51	169	46	3	94	257	415	1,152	359	436	156	64	34	36
2,062	250	16	582	63	91	160	85	14	105	20	-	33	76	134	471	113	145	64	24	14	37
1,216	138	13	344	40	62	89	47	7	67	13	-	17	32	70	266	52	69	43	16	11	38
846	112	3	238	23	29	71	38	7	38	7	-	16	44	64	205	61	76	21	8	3	39
4,972	394	65	1,369	248	187	405	215	49	164	46	3	91	250	391	1,154	336	412	157	69	39	40
954	64	20	284	35	46	60	26	5	33	7	-	13	37	40	207	38	52	22	13	8	41
4,018	330	45	1,085	213	141	345	189	44	131	39	3	78	213	351	947	298	360	135	56	31	42
61	7	1	30	1	2	8	2	-	-	-	-	1	1	9	12	3	5	1	-	1	43
153	5	2	57	9	5	9	6	1	6	-	-	3	3	1	39	7	12	8	5	2	44
97	3	2	39	5	4	6	3	-	2	-	-	2	-	1	24	3	6	3	3	1	45
56	2	-	18	4	1	3	3	1	4	-	-	1	3	-	15	4	6	5	2	1	46
76	17	-	15	12	2	6	3	3	-	1	-	3	6	29	25	11	6	3	-	1	47
54	3	2	39	3	-	6	3	1	1	-	-	-	3	8	10	9	2	-	1	1	48
99	6	2	23	1	3	11	6	-	1	-	-	1	2	2	16	9	6	3	1	-	49
9	1	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	50
90	5	1	23	1	3	11	6	-	1	-	-	1	2	1	13	8	6	3	1	-	51
442	13	3	141	14	17	37	20	2	26	6	-	10	16	56	102	22	27	13	6	1	52
316	9	2	100	11	15	28	12	1	22	5	-	6	9	50	72	12	20	10	5	1	53
338	9	2	104	13	16	30	12	1	23	5	-	6	9	57	78	13	20	10	5	1	54
124	4	1	41	3	2	9	8	1	4	1	-	4	7	6	30	10	7	3	1	-	55
34	4	2	8	1	4	3	3	-	1	-	-	-	1	4	7	2	3	1	-	-	56
25	4	-	7	-	2	4	2	-	1	-	-	-	3	34	5	5	2	-	2	-	57
35	7	-	6	3	-	6	1	-	-	-	-	-	2	-	9	5	2	-	1	-	58
251	19	2	86	3	9	33	12	-	8	2	-	3	9	21	74	12	24	6	4	-	59
30	4	-	8	1	1	2	1	-	1	-	-	1	3	-	6	3	2	2	-	-	60
45	1	-	4	2	-	4	2	-	-	1	-	1	-	-	2	1	4	2	-	-	61
143	17	3	44	14	11	12	12	1	8	1	-	3	9	-	38	11	5	9	4	-	62
53	8	-	16	2	-	5	3	-	1	-	-	-	1	1	5	8	7	3	-	2	63
145	7	2	54	7	10	9	4	-	8	1	-	3	7	4	41	8	8	7	-	2	64
70	5	2	28	4	8	6	3	-	5	1	-	3	1	3	23	6	4	6	-	2	65
79	6	3	28	4	8	6	3	-	5	1	-	3	1	4	26	7	4	5	-	2	66
75	2	-	26	3	2	3	1	-	3	-	-	-	6	1	18	2	4	1	-	-	67
36	-	-	12	-	3	6	1	-	1	1	-	-	1	2	3	5	2	-	-	-	68
370	10	8	99	26	17	32	10	3	19	4	-	2	9	10	66	9	19	10	-	1	69
163	5	5	45	6	8	12	4	2	10	-	-	-	4	2	21	4	6	3	-	1	70
207	5	3	54	20	9	20	6	1	9	4	-	2	5	8	45	5	13	7	-	-	71
66	2	2	19	4	3	1	-	-	3	-	-	3	3	-	9	6	4	2	-	1	72
89	5	2	24	4	-	4	1	2	3	-	-	1	4	1	22	12	4	4	-	-	73
779	189	5	204	21	29	69	33	8	46	8	-	12	34	25	172	53	66	30	12	7	74
348	87	2	90	15	13	20	12	4	20	3	-	3	8	4	70	19	21	14	7	3	75
65	7	2	12	-	3	7	4	-	3	-	-	2	5	1	11	2	3	5	-	1	76
49	10	-	14	-	2	3	3	-	3	-	-	1	2	1	13	4	4	1	1	-	77
317	85	1	88	6	11	39	14	4	20	5	-	6	19	19	78	28	38	10	4	3	78
78	12	1	33	4	5	9	4	1	4	2	-	1	5	2	18	3	7	1	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WEST VIRGINIA—CON.																	
01	LINCOLN	200	-	-	-	26	2	6	1	3	1	2	11	7	108	77	1	-
02	LOGAN	503	6	-	4	71	14	31	4	9	3	1	9	14	187	138	2	3
03	MC DOWELL	600	4	-	1	96	28	23	5	15	4	1	20	16	293	228	5	3
04	MARION	761	3	1	3	127	33	27	7	18	4	4	34	7	442	345	5	2
05	FAIRMONT	357	2	-	-	59	15	15	4	5	1	1	18	2	216	165	2	1
06	BALANCE OF COUNTY	404	1	1	3	68	18	12	3	13	3	3	16	5	226	180	3	1
07	MARSHALL	398	1	-	4	64	16	20	5	4	3	2	14	11	223	171	5	1
08	MOUNDSVILLE	169	-	-	3	28	9	4	3	2	2	1	7	5	89	67	-	1
09	BALANCE OF COUNTY	229	1	-	1	36	7	16	2	2	1	1	7	6	134	104	5	-
10	MASON	213	-	-	-	32	5	9	2	4	2	2	8	4	118	95	1	2
11	MERCER	745	1	-	2	126	31	32	11	11	6	7	28	15	347	249	2	3
12	BLUEFIELD[D]	234	-	-	-	42	11	9	5	5	2	2	8	4	103	71	-	-
13	BALANCE OF COUNTY	511	1	-	2	84	20	23	6	6	4	5	20	11	244	178	2	3
14	MINERAL	247	-	-	2	34	7	10	5	1	1	-	10	10	144	123	1	2
15	MINGO	361	-	-	1	54	12	17	6	7	5	1	6	6	179	147	1	1
16	MONONGALIA	576	-	-	7	106	26	29	7	13	3	3	25	12	311	239	4	2
17	MORGANTOWN	280	-	-	2	45	10	12	3	6	1	-	13	5	165	126	3	1
18	BALANCE OF COUNTY	296	-	-	5	61	16	17	4	7	2	3	12	7	146	113	1	1
19	MONROE	130	-	-	-	23	5	4	3	3	1	2	5	-	76	53	2	-
20	MORGAN	117	-	-	-	21	4	8	2	5	1	-	1	1	63	50	-	-
21	NICHOLAS	242	-	1	3	39	10	8	1	3	3	5	9	6	136	109	1	5
22	OHIO	801	1	1	6	150	42	30	17	19	7	3	32	22	463	345	8	4
23	WHEELING	700	-	1	6	138	40	26	16	16	7	2	31	18	408	302	8	4
24	BALANCE OF COUNTY	101	-	-	-	12	2	4	1	3	-	1	1	4	55	43	-	-
25	PENDLETON	77	-	-	-	10	5	-	2	-	1	-	2	-	45	38	1	-
26	PLEASANTS	67	-	-	1	12	4	2	1	1	-	-	4	-	42	33	1	2
27	POCAHONTAS	108	-	-	1	13	4	1	-	2	-	1	5	2	64	44	1	1
28	PRESTON	289	2	-	1	34	5	12	3	3	-	1	10	5	165	133	1	1
29	PUTNAM	225	-	-	1	27	8	5	-	2	1	1	10	4	128	99	-	1
30	RALEIGH	884	1	-	4	120	31	27	7	16	6	6	27	18	494	378	6	3
31	BECKLEY	325	-	-	2	45	16	8	2	5	2	4	8	10	186	144	4	2
32	BALANCE OF COUNTY	559	1	-	2	75	15	19	5	11	4	2	19	8	308	234	2	1
33	RANDOLPH	298	-	-	4	50	13	13	3	6	4	2	9	4	163	109	2	3
34	RITCHIE	156	-	-	4	22	3	5	1	5	2	2	4	2	92	74	3	2
35	ROANE	164	-	1	2	22	4	5	-	5	2	1	5	3	81	55	1	-
36	SUMMERS	207	-	-	1	27	6	7	1	5	-	2	6	8	102	81	2	1
37	TAYLOR	173	1	-	-	35	7	6	2	4	2	-	14	4	84	56	1	-
38	TUCKER	93	1	-	1	11	4	3	1	2	-	-	1	3	44	31	-	1
39	TYLER	131	-	-	-	21	7	1	1	1	2	2	7	-	71	58	-	2
40	UPSHUR	205	-	-	1	28	6	4	5	4	2	-	7	5	131	106	1	4
41	WAYNE	373	3	-	2	53	9	20	1	9	2	1	11	6	184	138	2	2
42	HUNTINGTON, PART	56	-	-	-	9	1	6	-	-	-	-	2	1	29	22	-	-
43	BALANCE OF COUNTY	317	3	-	2	44	8	14	1	9	2	1	9	5	155	116	2	2
44	WEBSTER	141	-	-	2	24	3	6	-	6	1	1	7	2	80	53	-	2
45	WETZEL	213	-	-	1	38	7	9	2	6	-	3	11	5	111	87	2	-
46	WIRT	61	-	-	-	5	-	2	-	2	-	-	1	3	41	28	-	2
47	WOOD	849	2	-	1	159	37	44	14	22	4	4	34	18	493	362	5	12
48	PARKERSBURG	575	1	-	-	126	26	33	13	19	4	3	28	13	316	230	3	8
49	VIENNA	81	-	-	-	8	2	1	1	2	-	-	2	1	61	40	1	1
50	BALANCE OF COUNTY	193	1	-	1	25	9	10	-	1	-	1	4	4	116	92	1	3
51	WYOMING	243	-	-	1	36	8	13	1	4	1	2	7	2	109	82	3	3
52	**WISCONSIN**	40,865	45	8	200	7,717	2,191	1,486	750	956	411	385	1,538	773	22,749	16,571	283	233
53	URBAN PLACES	21,048	29	5	108	4,132	1,148	840	414	503	204	200	823	389	11,607	8,482	158	131
54	BALANCE OF AREA	19,817	16	3	92	3,585	1,043	646	336	453	207	185	715	384	11,142	8,089	125	102
55	METROPOLITAN COUNTIES	21,224	28	4	111	4,246	1,161	864	425	504	210	218	864	400	11,408	8,383	157	118
56	URBAN PLACES	16,647	25	4	84	3,364	921	702	331	390	165	170	685	300	8,989	6,583	131	96
57	BALANCE OF AREA	4,577	3	-	27	882	240	162	94	114	45	48	179	100	2,419	1,800	26	22
58	NONMETROPOLITAN COUNTIES	19,641	17	4	89	3,471	1,030	622	325	452	201	167	674	373	11,341	8,188	126	115
59	URBAN PLACES	4,401	4	1	24	768	227	138	83	113	39	30	138	89	2,618	1,899	27	35
60	BALANCE OF AREA	15,240	13	3	65	2,703	803	484	242	339	162	137	536	284	8,723	6,289	99	80
61	ADAMS	145	1	-	-	28	6	10	1	-	3	4	4	3	75	46	1	-
62	ASHLAND	239	-	-	-	42	12	6	4	8	4	3	5	4	142	112	4	2
63	BARRON	413	1	-	-	75	18	13	5	8	2	1	28	5	226	151	1	3
64	BAYFIELD	169	1	-	-	34	11	3	6	4	2	1	7	1	91	60	1	-
65	BROWN	1,147	-	-	6	231	67	34	26	38	8	12	46	34	629	453	6	7
66	DE PERE	94	-	-	1	17	5	2	2	2	-	1	5	1	51	43	-	2
67	GREEN BAY	740	-	-	4	155	44	27	14	28	4	8	30	17	411	300	4	3
68	BALANCE OF COUNTY	313	-	-	1	59	18	5	10	8	4	3	11	16	167	110	2	2
69	BUFFALO	125	-	-	2	27	7	4	1	1	3	4	7	-	75	53	2	-
70	BURNETT	164	-	-	1	30	11	5	1	1	3	2	7	4	111	82	2	1
71	CALUMET	226	-	-	-	44	11	5	7	6	2	5	8	9	107	84	-	-
72	APPLETON, PART	14	-	-	-	1	1	-	-	-	-	-	-	1	7	6	-	-
73	BALANCE OF COUNTY	212	-	-	-	43	10	5	7	6	2	5	8	8	100	78	-	-
74	CHIPPEWA	436	1	-	1	75	32	9	4	11	5	2	12	12	248	175	2	-
75	CHIPPEWA FALLS	119	-	-	-	21	13	1	1	-	3	-	3	8	65	50	-	-
76	EAU CLAIRE, PART	8	-	-	-	3	3	-	-	-	-	-	-	-	5	4	-	-
77	BALANCE OF COUNTY	309	1	-	1	51	16	8	3	11	2	2	9	4	178	121	2	-
78	CLARK	336	-	-	1	57	12	11	2	7	4	5	16	13	190	130	3	-
79	COLUMBIA	496	-	-	1	87	24	18	11	12	5	5	12	12	298	240	4	1

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
68	8	-	23	6	2	6	2	-	1	1	-	3	5	8	15	5	11	1	-	1	01
120	13	2	32	8	7	9	13	3	8	2	-	3	10	86	48	16	15	2	3	3	02
206	14	3	55	4	3	19	9	4	8	1	1	6	13	6	65	15	29	3	8	3	03
322	16	2	75	5	15	23	9	4	7	5	-	5	8	6	69	14	18	5	5	-	04
151	11	1	42	2	6	9	4	1	4	2	-	2	3	2	36	5	4	1	5	-	05
171	5	1	33	3	9	14	5	3	3	3	-	3	5	4	33	9	14	4	-	-	06
156	9	1	40	4	7	5	4	1	11	2	-	4	5	1	43	3	11	2	2	1	07
60	6	1	15	3	3	2	-	1	4	2	-	-	2	1	22	1	5	1	2	1	08
96	3	-	25	1	4	3	4	-	7	-	-	4	3	-	21	2	6	1	-	-	09
88	4	-	16	4	3	4	4	1	4	1	-	2	7	2	21	6	6	1	-	-	10
210	34	7	66	17	8	19	7	2	8	-	-	4	16	67	71	17	22	7	7	7	11
62	9	1	25	3	3	9	2	1	2	-	-	2	5	29	22	5	5	-	2	1	12
148	25	6	41	14	5	10	5	1	6	-	-	2	11	38	49	12	17	7	5	6	13
120	-	-	16	4	1	6	2	2	2	-	-	1	7	2	13	10	4	7	-	1	14
138	7	1	26	4	1	10	10	2	6	7	1	5	11	5	29	12	16	5	2	-	15
204	29	1	55	7	9	10	9	1	6	3	-	4	9	2	59	13	12	9	2	1	16
106	16	1	27	3	8	4	4	-	4	1	-	-	1	-	33	4	8	3	1	-	17
98	13	-	28	4	1	6	5	1	2	2	-	4	8	2	26	9	4	6	1	1	18
47	4	-	12	9	2	2	2	2	1	-	-	-	1	1	10	3	9	-	-	1	19
39	11	1	10	-	2	2	-	1	1	-	-	2	2	5	9	-	9	1	-	-	20
94	9	2	22	1	2	9	4	2	4	-	-	1	5	8	11	5	4	2	2	-	21
317	16	3	89	7	19	23	14	1	11	3	-	3	8	3	62	7	13	7	1	3	22
277	13	3	81	5	17	21	13	1	9	2	-	2	5	2	46	6	12	6	1	3	23
40	3	-	8	2	2	2	1	-	2	1	-	1	3	1	16	1	1	1	-	-	24
35	2	-	4	1	2	1	-	-	3	-	-	1	3	-	10	1	3	1	-	-	25
26	4	-	8	1	-	-	-	-	-	-	-	1	1	-	4	2	2	2	-	-	26
36	6	-	16	1	3	1	5	-	2	-	-	1	3	-	9	2	4	1	-	-	27
124	7	-	21	6	5	7	3	1	3	2	-	1	5	2	22	14	12	7	3	-	28
94	4	3	20	4	2	10	8	-	1	1	-	2	8	2	12	7	10	2	2	-	29
356	13	1	95	11	9	28	9	1	8	3	-	6	18	4	97	12	32	14	9	6	30
134	4	-	34	3	5	7	3	1	1	3	-	3	10	2	31	1	9	5	2	4	31
222	9	1	61	8	4	21	6	-	7	-	-	3	8	2	66	11	23	9	7	2	32
100	4	-	37	13	4	7	13	1	1	2	-	1	6	5	22	3	8	6	2	-	33
65	4	1	12	3	2	10	4	-	-	-	-	1	2	3	6	3	7	-	-	-	34
43	11	1	22	1	2	10	3	-	-	2	-	3	3	5	16	6	4	1	-	2	35
72	6	-	11	6	4	7	3	2	4	1	-	2	3	6	23	8	6	2	1	1	36
50	5	-	11	8	9	8	5	-	1	-	-	-	5	12	7	3	8	-	-	-	37
29	1	-	10	2	1	6	2	1	3	-	1	1	1	1	10	4	1	2	-	-	38
48	8	-	12	-	1	6	2	-	1	1	-	1	2	3	12	2	6	3	-	-	39
94	7	-	18	5	2	4	1	1	2	-	-	1	2	4	15	2	4	3	1	-	40
124	10	-	31	9	6	6	4	2	2	-	-	-	4	43	35	11	14	2	2	-	41
22	-	-	4	2	1	2	-	-	1	-	-	-	-	7	6	1	-	-	-	-	42
102	10	-	27	7	5	4	4	2	1	-	-	-	4	36	29	10	14	2	2	-	43
46	5	-	21	4	2	2	2	1	3	-	-	-	2	4	9	3	3	2	2	-	44
77	8	1	19	3	1	6	4	1	1	-	-	4	3	7	23	2	3	3	-	1	45
25	1	1	10	1	1	-	2	1	1	-	-	-	-	-	5	1	2	-	-	-	46
327	18	13	90	16	12	16	8	2	11	1	-	6	18	5	54	21	24	9	-	1	47
203	16	8	60	9	9	13	5	-	10	1	-	4	13	4	36	15	14	4	-	-	48
38	-	2	12	4	3	-	1	-	-	-	-	-	1	-	4	1	-	3	-	1	49
86	2	3	18	3	-	3	2	2	1	-	-	2	4	1	14	5	10	2	-	-	50
70	6	-	17	4	6	7	4	1	6	1	-	3	11	5	28	12	8	4	3	2	51
14,850	1,205	136	4,611	815	616	1,140	556	162	509	137	3	295	468	277	3,107	892	1,090	524	154	59	52
7,680	513	72	2,347	385	321	600	288	87	303	78	1	150	216	132	1,649	311	489	306	119	49	53
7,170	692	64	2,264	430	295	540	268	75	206	59	2	145	252	145	1,458	581	601	218	35	10	54
7,598	510	77	2,275	373	300	612	279	84	324	81	2	160	246	124	1,696	389	538	320	119	53	55
5,968	388	60	1,831	280	235	482	228	70	259	63	1	120	171	100	1,354	243	387	245	111	47	56
1,630	122	17	444	93	65	130	51	14	65	18	1	40	75	24	342	146	151	75	8	6	57
7,252	695	59	2,336	442	316	528	277	78	185	56	1	135	222	153	1,411	503	552	204	35	6	58
1,712	125	12	516	105	86	118	60	17	44	15	-	30	45	32	295	68	102	61	8	2	59
5,540	570	47	1,820	337	230	410	217	61	141	41	1	105	177	121	1,116	435	450	143	27	4	60
41	4	-	26	-	3	4	1	1	2	-	-	-	1	-	15	6	6	-	2	-	61
99	7	1	25	1	3	6	-	2	1	1	-	1	3	1	13	7	12	4	-	-	62
131	16	1	62	10	2	11	2	2	3	-	-	2	4	5	38	22	14	3	-	-	63
56	3	1	20	3	7	6	4	-	1	-	-	-	2	2	16	3	5	1	2	-	64
368	72	2	127	26	21	27	15	4	16	4	-	7	17	11	65	32	30	17	2	-	65
34	7	-	4	2	2	4	-	1	2	-	-	-	-	2	5	7	3	-	-	-	66
241	52	2	79	17	13	15	11	2	12	4	-	6	12	6	42	12	19	11	1	-	67
93	13	-	44	7	6	8	4	1	2	-	-	1	5	3	18	13	8	6	1	-	68
48	3	1	15	2	4	2	-	-	1	-	-	-	-	-	8	2	6	2	-	-	69
76	3	-	25	2	2	-	1	1	2	-	-	-	2	-	7	1	4	-	-	-	70
79	5	-	15	7	1	12	3	3	6	3	-	1	3	1	12	5	16	-	-	1	71
6	-	-	1	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	72
73	5	-	14	7	1	11	2	2	5	3	-	1	3	1	11	5	16	-	-	1	73
152	21	-	53	10	10	11	5	3	7	2	-	4	12	2	18	16	16	2	1	-	74
43	7	-	7	4	4	4	1	-	2	1	-	1	3	-	7	3	3	-	-	-	75
3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
106	13	-	45	6	6	7	4	3	5	1	-	3	9	2	11	13	13	2	1	-	77
119	8	1	50	4	5	12	9	-	1	-	-	2	2	5	21	8	12	3	-	-	78
226	9	1	45	6	6	4	12	-	5	1	-	2	6	3	28	18	15	3	1	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WISCONSIN—CON.																	
01	CRAWFORD	171	-	-	1	30	5	7	4	2	1	3	8	2	87	63	-	5
02	DANE	1,897	4	-	14	389	85	82	35	48	28	35	76	28	967	682	14	11
03	MADISON	1,097	4	-	7	237	49	56	19	25	19	19	50	15	540	369	10	6
04	MONONA	58	-	-	-	14	1	4	1	5	1	2	-	-	29	19	-	-
05	BALANCE OF COUNTY	742	-	-	7	138	35	22	15	18	8	14	26	13	398	294	4	5
06	DODGE	709	-	1	5	136	39	25	12	21	9	5	25	4	393	296	7	8
07	BEAVER DAM	184	-	-	2	29	10	10	3	1	1	-	4	-	112	83	2	3
08	WATERTOWN, PART	43	-	-	-	7	2	-	1	2	1	-	1	-	28	15	-	-
09	BALANCE OF COUNTY	482	-	1	3	100	27	15	8	18	7	5	20	4	253	198	5	5
10	DOOR	246	-	-	-	40	8	8	5	3	3	-	13	5	151	103	1	-
11	DOUGLAS	539	-	-	-	101	31	26	8	8	5	2	21	20	303	249	3	6
12	SUPERIOR	413	-	-	-	76	26	20	6	2	5	2	15	17	231	190	3	5
13	BALANCE OF COUNTY	126	-	-	-	25	5	6	2	6	-	-	6	3	72	59	1	1
14	DUNN	269	-	-	-	47	14	4	5	6	5	4	9	7	151	107	-	2
15	MENOMONIE	86	-	-	-	18	6	2	1	4	1	2	2	3	49	36	-	1
16	BALANCE OF COUNTY	183	-	-	-	29	8	2	4	2	4	2	7	4	102	71	-	1
17	EAU CLAIRE	602	1	-	3	95	24	14	14	8	7	7	21	5	377	273	1	2
18	EAU CLAIRE, PART	427	1	-	2	66	12	10	11	5	6	6	16	3	269	189	-	2
19	EAU CLAIRE, TOTAL	435	1	-	2	69	15	10	11	5	6	6	16	3	274	193	-	2
20	BALANCE OF COUNTY	175	-	-	1	29	12	4	3	3	1	1	5	2	108	84	1	-
21	FLORENCE	43	-	-	1	6	-	-	-	-	1	-	5	2	24	15	-	-
22	FOND DU LAC	815	1	-	4	124	35	22	18	17	4	9	19	16	467	356	7	4
23	FOND DU LAC	426	1	-	2	68	21	15	8	10	1	3	10	10	241	185	6	3
24	BALANCE OF COUNTY	389	-	-	2	56	14	7	10	7	3	6	9	6	226	171	1	1
25	FOREST	85	1	1	-	10	3	2	3	1	-	-	1	2	52	35	1	-
26	GRANT	459	1	-	3	78	27	16	8	7	4	2	14	8	270	182	-	1
27	GREEN	314	1	-	1	51	17	6	5	4	6	2	11	8	187	123	-	3
28	GREEN LAKE	209	-	1	1	45	21	6	2	5	1	2	8	3	125	84	-	1
29	IOWA	211	-	-	2	24	7	4	-	4	1	1	7	3	122	83	1	-
30	IRON	102	-	-	-	25	10	4	2	6	1	1	1	3	57	48	-	2
31	JACKSON	193	-	-	3	41	16	6	3	6	1	2	7	-	99	73	4	1
32	JEFFERSON	548	-	-	1	96	34	17	8	11	6	3	17	6	343	255	2	3
33	WATERTOWN, PART	132	-	-	1	23	9	1	3	5	-	1	4	2	79	55	-	-
34	WATERTOWN, TOTAL	175	-	-	1	30	11	1	4	7	1	1	5	2	107	70	-	-
35	WHITEWATER, PART	3	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-
36	BALANCE OF COUNTY	413	-	-	-	72	25	16	5	6	6	2	12	4	263	199	2	3
37	JUNEAU	225	-	-	1	33	11	7	4	5	3	1	2	4	134	96	2	2
38	KENOSHA	1,033	2	-	9	185	51	40	18	22	11	8	35	10	590	460	2	6
39	KENOSHA	758	2	-	5	142	41	28	13	18	10	6	26	5	442	341	2	4
40	BALANCE OF COUNTY	275	-	-	4	43	10	12	5	4	1	2	9	5	148	119	-	2
41	KEWAUNEE	174	-	-	1	34	11	5	6	3	1	1	7	6	104	80	1	2
42	LA CROSSE	773	2	-	5	155	43	29	15	16	11	4	37	6	414	290	8	-
43	LA CROSSE	550	1	-	5	119	30	21	12	15	8	3	30	5	300	213	5	-
44	BALANCE OF COUNTY	223	1	-	-	36	13	8	3	1	3	1	7	1	114	77	3	-
45	LAFAYETTE	172	-	-	2	30	7	5	1	3	5	2	7	3	102	62	1	-
46	LANGLADE	212	1	-	-	40	12	10	3	3	-	2	10	7	120	96	1	-
47	LINCOLN	305	1	-	1	69	25	12	6	10	2	1	13	8	155	116	1	6
48	MANITOWOC	814	1	-	2	140	43	27	12	22	6	2	28	16	511	377	5	3
49	MANITOWOC	424	1	-	1	60	16	15	7	8	2	-	12	8	271	192	2	-
50	TWO RIVERS	144	-	-	-	26	9	5	1	6	-	2	3	4	97	77	-	2
51	BALANCE OF COUNTY	246	-	-	1	54	18	7	4	8	4	-	13	4	143	108	3	1
52	MARATHON	835	-	-	5	161	36	35	16	28	11	5	30	14	474	347	7	12
53	MARSHFIELD, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	WAUSAU	380	-	-	2	64	9	17	12	14	1	2	9	7	231	164	2	6
55	BALANCE OF COUNTY	454	-	-	3	97	27	18	4	14	10	3	21	7	243	183	5	6
56	MARINETTE	416	-	-	-	64	22	12	5	8	7	3	7	12	257	189	4	1
57	MARINETTE	186	-	-	-	29	11	4	4	4	3	2	1	5	118	89	2	1
58	BALANCE OF COUNTY	230	-	-	-	35	11	8	1	4	4	1	6	7	139	100	2	1
59	MARQUETTE	128	-	-	-	32	10	9	2	3	2	1	5	3	67	48	1	1
60	MENOMINEE	29	-	-	-	2	-	-	-	1	1	-	-	1	11	6	-	-
61	MILWAUKEE	9,849	15	4	46	1,973	531	435	205	215	83	103	401	171	5,319	3,910	88	56
62	BROWN DEER	62	-	-	-	20	6	3	2	3	2	-	4	-	33	19	1	-
63	CUDAHY	143	-	-	1	32	8	4	7	4	1	3	5	5	76	60	3	1
64	FRANKLIN	54	-	-	1	13	2	2	1	1	2	3	2	-	27	17	-	1
65	GLENDALE	197	-	-	1	32	7	5	3	8	2	-	7	4	113	82	-	2
66	GREENDALE	57	-	-	1	9	5	-	1	1	-	1	1	1	33	22	1	-
67	GREENFIELD	186	-	1	2	33	10	7	3	1	2	2	8	1	104	67	3	1
68	MILWAUKEE, PART	7,027	14	2	31	1,387	367	322	143	141	51	75	288	125	3,768	2,808	59	44
69	MILWAUKEE, TOTAL	7,027	14	2	31	1,387	367	322	143	141	51	75	288	125	3,768	2,808	59	44
70	OAK CREEK	86	-	-	-	23	6	7	2	1	2	1	4	-	37	29	1	-
71	ST. FRANCIS	67	-	-	1	14	6	1	2	1	1	-	3	2	34	24	-	1
72	SHOREWOOD	220	-	-	1	37	11	5	4	5	5	3	4	2	139	88	2	-
73	SOUTH MILWAUKEE	168	-	-	-	36	8	16	3	2	-	2	5	2	82	64	3	-
74	WAUWATOSA	600	1	1	2	121	38	18	20	14	2	7	22	10	350	250	6	-
75	WEST ALLIS	669	-	-	4	145	39	26	7	27	9	3	34	14	370	263	4	4
76	WHITEFISH BAY	121	-	-	-	28	5	9	3	-	3	1	7	1	59	42	3	1
77	BALANCE OF COUNTY	192	-	-	1	43	13	10	4	6	1	2	7	4	94	75	2	1
78	MONROE	319	-	-	1	51	15	13	3	2	6	4	8	8	192	121	2	-
79	OCONTO	306	-	-	-	57	9	13	5	7	2	4	17	4	178	109	1	2
80	ONEIDA	306	1	-	3	59	22	14	5	7	1	2	8	7	166	131	-	1
81	OUTAGAMIE	939	-	-	5	197	55	34	21	23	14	12	38	19	499	354	2	7
82	APPLETON, PART	460	-	-	1	102	26	20	11	13	8	6	18	7	246	167	-	3
83	APPLETON, TOTAL	474	-	-	1	103	27	20	11	13	8	6	18	8	253	173	-	3

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
48	10	-	20	1	3	6	3	1	2	-	-	1	2	2	20	5	8	1	-	-	01
625	32	13	198	44	30	60	27	5	30	5	-	24	26	14	159	52	56	30	7	-	02
338	15	7	117	26	21	40	16	2	20	2	-	12	12	7	102	26	26	23	6	-	03
18	1	-	10	-	-	1	1	-	1	-	-	1	2	-	3	2	3	1	-	-	04
269	16	6	71	18	9	19	10	3	9	3	-	11	12	7	54	24	27	6	1	-	05
257	24	1	59	23	14	14	8	5	9	3	-	3	5	5	77	14	19	6	1	1	06
74	4	-	20	4	5	5	3	-	5	1	-	1	-	1	18	1	5	-	-	1	07
11	4	-	7	5	1	1	-	-	-	2	-	-	-	2	2	-	-	1	-	-	08
172	16	1	32	14	8	8	5	5	4	-	-	2	5	2	57	13	14	5	1	-	09
85	17	2	33	7	6	5	-	-	3	-	-	1	7	2	16	5	8	3	-	-	10
226	14	-	33	14	7	13	7	1	7	2	-	4	9	3	36	8	17	5	3	-	11
172	10	-	24	10	7	10	4	-	6	1	-	4	7	3	31	7	10	4	2	-	12
54	4	-	9	4	-	3	3	1	1	1	-	-	2	-	5	1	7	1	1	-	13
103	2	1	33	7	3	10	3	-	2	-	-	3	4	2	22	4	10	1	-	-	14
35	-	-	12	-	1	3	1	1	-	-	-	1	-	1	4	2	3	-	-	-	15
68	2	1	21	7	2	7	2	2	-	-	-	2	4	1	18	2	7	1	-	-	16
252	18	1	78	10	15	17	14	4	6	2	-	6	10	1	22	11	16	11	-	1	17
176	11	1	59	7	13	12	10	3	6	1	-	4	8	1	18	7	8	8	-	-	18
179	12	1	60	7	13	12	10	3	6	1	-	4	8	1	18	7	8	8	-	-	19
76	7	-	19	3	2	5	4	1	-	1	-	2	2	-	4	4	8	3	-	1	20
15	-	-	6	2	1	1	2	-	-	1	-	-	-	-	2	-	3	1	-	-	21
324	21	-	75	18	18	23	13	2	12	2	-	4	12	2	74	22	27	10	-	-	22
164	12	-	38	10	8	15	8	-	3	-	-	3	9	1	41	4	13	7	-	-	23
160	9	-	37	8	10	8	5	2	9	2	-	1	3	1	33	18	14	3	-	-	24
30	4	1	13	3	-	7	1	-	2	-	-	-	-	-	5	2	2	-	-	-	25
172	9	1	76	9	2	21	6	-	4	-	-	2	6	3	34	9	8	5	1	-	26
110	8	1	52	4	7	12	6	1	2	1	-	1	-	3	27	6	3	4	-	-	27
76	7	1	20	15	5	3	1	-	4	-	-	1	3	3	13	3	2	-	1	-	28
75	7	1	25	10	3	5	3	3	1	2	-	2	2	1	21	7	12	1	-	-	29
45	1	1	3	3	2	2	3	1	1	-	-	1	2	1	4	1	-	-	-	-	30
65	3	-	22	1	3	7	2	-	2	-	-	2	2	-	19	3	11	2	-	-	31
223	27	-	62	14	12	11	6	4	4	4	-	3	9	5	25	15	10	5	1	-	32
49	6	-	10	8	6	5	-	-	2	-	-	1	1	1	9	1	4	2	1	-	33
60	10	-	17	13	7	6	-	-	2	2	-	1	1	3	11	1	4	3	1	-	34
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	35
173	21	-	52	6	6	6	6	4	2	4	-	2	8	4	16	13	6	3	-	-	36
75	17	-	30	3	5	1	1	1	1	-	-	2	3	1	21	7	8	4	3	-	37
436	16	6	99	15	10	34	15	3	24	5	1	8	13	7	52	20	27	15	11	2	38
323	12	3	77	12	9	31	10	2	17	4	-	5	11	3	38	10	16	7	8	-	39
113	4	3	22	3	1	3	5	1	7	1	1	3	2	4	14	10	11	8	3	2	40
64	14	1	14	9	-	3	-	-	-	2	-	2	1	-	10	5	4	2	-	-	41
263	19	2	89	20	13	24	13	2	14	4	-	5	5	1	85	10	18	10	-	-	42
192	16	1	67	14	5	16	9	1	8	3	-	5	4	-	54	4	8	8	-	-	43
71	3	1	22	6	8	8	4	1	6	1	-	-	1	1	31	6	10	2	-	-	44
58	3	-	31	6	3	6	3	-	2	-	-	1	-	1	13	6	2	1	-	-	45
67	28	1	20	2	1	8	1	1	2	-	-	2	2	-	16	5	4	3	-	-	46
96	13	-	28	5	6	13	6	2	4	1	-	4	2	5	21	8	4	1	-	-	47
353	16	7	96	15	16	15	3	4	7	1	-	4	4	3	50	18	20	12	2	1	48
183	7	5	56	10	8	9	2	4	4	1	-	2	1	3	30	10	7	9	1	-	49
74	1	-	12	2	6	1	-	-	1	-	-	1	-	-	5	4	3	1	1	-	50
96	8	2	28	3	2	5	1	1	2	-	-	1	3	-	15	4	10	2	-	1	51
280	48	1	94	19	13	19	8	3	11	2	-	7	18	15	47	20	18	13	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	53
133	23	-	46	13	8	10	5	-	6	1	-	2	8	7	21	2	9	5	-	-	54
147	25	1	48	6	5	9	3	3	5	1	-	4	10	8	26	18	9	8	-	-	55
174	10	-	51	9	8	10	3	3	2	3	-	4	7	2	21	13	12	3	-	-	56
82	4	-	23	4	2	6	1	1	1	2	-	3	2	-	8	5	3	2	-	-	57
92	6	-	28	5	6	4	2	1	1	1	-	1	5	2	13	8	9	1	-	-	58
40	6	-	15	3	1	3	5	-	1	-	-	3	3	-	6	3	2	-	-	-	59
6	-	-	4	1	-	-	1	-	2	-	-	-	-	2	2	4	1	-	3	-	60
3,602	164	38	1,093	141	137	295	127	51	152	40	1	64	91	59	836	111	230	143	80	41	61
17	1	4	6	2	2	-	1	1	-	-	-	1	1	-	2	1	2	1	-	-	62
52	4	-	11	1	4	-	2	3	1	1	-	1	-	1	9	3	5	2	1	-	63
16	-	1	5	2	2	-	-	-	1	-	-	1	1	-	3	2	3	2	-	-	64
78	2	1	21	6	3	11	3	-	5	-	-	-	-	-	20	1	2	3	1	1	65
19	2	-	10	1	-	1	1	1	-	-	-	-	-	-	9	-	-	1	-	-	66
63	-	1	27	3	6	4	1	-	2	-	-	1	1	1	19	4	3	6	3	-	67
2,582	123	23	752	95	90	211	80	37	119	33	1	43	73	50	606	75	173	93	71	35	68
2,582	123	23	752	95	90	211	80	37	119	33	1	43	73	50	606	75	173	93	71	35	69
28	-	-	8	-	-	3	-	2	1	-	-	2	1	1	10	3	2	1	-	-	70
23	-	-	7	2	1	-	-	-	-	-	-	-	3	-	8	-	1	2	1	1	71
83	3	1	39	5	6	4	6	2	2	1	-	1	-	1	14	2	2	4	1	1	72
59	2	1	15	1	1	8	7	-	4	-	-	4	2	-	12	5	3	3	-	-	73
236	8	3	77	11	9	25	7	1	5	1	-	2	3	2	48	2	12	6	-	1	74
241	14	3	87	9	8	21	11	3	5	3	-	6	5	2	51	7	14	4	2	2	75
38	-	-	15	2	-	1	2	1	3	-	-	1	-	1	10	1	5	8	-	-	76
67	5	-	13	1	5	6	6	-	4	1	-	2	1	-	15	5	3	7	-	-	77
101	18	-	62	4	5	7	7	1	3	2	-	1	4	2	15	12	7	5	1	-	78
102	4	2	54	10	3	9	5	-	2	4	-	2	3	1	20	7	7	6	1	-	79
87	43	-	29	3	3	14	8	-	3	1	-	-	1	1	24	4	12	1	1	-	80
321	24	2	117	16	10	26	17	4	16	5	-	5	17	4	61	24	28	11	1	-	81
152	12	-	63	9	7	13	8	3	10	2	-	3	5	2	25	11	15	6	1	-	82
158	12	-	64	9	7	14	9	4	11	2	-	3	5	2	26	11	15	6	1	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WISCONSIN--CON.																	
	OUTAGAMIE--CON.																	
01	KAUKAUNA	122	-	-	2	21	5	3	2	4	2	1	4	2	63	48	-	3
02	BALANCE OF COUNTY	357	-	-	2	74	24	11	8	6	4	5	16	10	190	139	2	1
03	OZAUKEE	406	-	-	2	83	18	14	8	10	5	4	24	10	233	187	1	2
04	MEQUON	86	-	-	-	14	3	-	-	1	3	-	7	3	54	46	-	1
05	BALANCE OF COUNTY	320	-	-	2	69	15	14	8	9	2	4	17	7	179	141	1	1
06	PEPIN	73	-	-	1	8	3	1	1	3	-	-	-	1	46	29	-	-
07	PIERCE	254	1	-	2	42	8	7	4	5	3	6	9	5	137	101	-	1
08	POLK	306	-	-	3	46	11	8	6	9	2	-	10	10	170	129	2	2
09	PORTAGE	364	-	-	2	70	17	8	9	13	7	3	13	8	197	154	4	4
10	STEVENS POINT	163	-	-	2	31	8	2	5	5	3	-	8	4	87	68	1	1
11	BALANCE OF COUNTY	201	-	-	-	39	9	6	4	8	4	3	5	4	110	86	3	3
12	PRICE	218	-	-	1	35	11	7	4	3	3	3	4	3	139	113	2	1
13	RACINE	1,377	-	-	11	279	91	51	23	48	15	13	38	22	750	551	9	7
14	RACINE	851	-	-	6	182	62	34	13	27	9	9	28	17	449	324	7	6
15	BALANCE OF COUNTY	526	-	-	5	97	29	17	10	21	6	4	10	5	301	227	2	1
16	RICHLAND	167	1	-	-	25	9	7	1	4	-	-	4	7	105	70	3	-
17	ROCK	1,170	1	1	8	219	69	34	14	33	10	12	47	17	664	477	11	7
18	BELOIT	328	1	-	2	65	18	12	7	10	2	3	13	4	180	134	3	4
19	JANESVILLE	394	-	1	4	86	25	13	6	14	5	4	19	8	220	164	3	1
20	BALANCE OF COUNTY	448	-	-	2	68	26	9	1	9	3	5	15	5	264	179	5	2
21	RUSK	164	-	-	1	26	10	2	5	2	1	3	3	4	89	70	1	-
22	ST. CROIX	305	-	-	3	55	11	8	8	7	1	5	15	2	151	98	2	-
23	SAUK	419	-	-	2	80	27	22	6	13	4	4	4	9	241	176	1	1
24	SAWYER	135	-	-	-	27	11	5	3	3	-	1	4	-	71	56	-	2
25	SHAWANO	392	-	-	1	61	16	6	11	7	4	3	14	7	230	149	2	1
26	SHEBOYGAN	992	-	-	4	178	69	25	11	22	10	10	31	21	566	395	4	12
27	SHEBOYGAN	567	-	-	2	90	39	15	3	12	8	2	11	12	345	228	3	7
28	BALANCE OF COUNTY	425	-	-	2	88	30	10	8	10	2	8	20	9	221	167	1	5
29	TAYLOR	165	-	-	-	32	15	4	2	3	-	2	6	1	89	60	6	1
30	TREMPEALEAU	291	-	-	2	49	15	10	3	10	1	2	8	4	159	101	4	-
31	VERNON	308	-	-	2	50	13	5	5	11	5	-	11	4	186	138	1	-
32	VILAS	172	-	-	-	34	10	9	2	1	4	1	7	4	88	68	2	-
33	WALWORTH	617	-	-	4	102	27	22	8	16	6	3	20	12	366	276	-	4
34	WHITEWATER, PART	70	-	-	2	9	4	2	-	2	-	-	1	2	41	32	-	-
35	WHITEWATER, TOTAL	73	-	-	2	10	4	2	-	2	-	-	2	2	42	33	-	-
36	BALANCE OF COUNTY	547	-	-	2	93	23	20	8	14	6	3	19	10	325	244	-	4
37	WASHBURN	152	-	-	-	29	4	12	1	3	3	-	6	5	94	64	-	-
38	WASHINGTON	498	2	-	2	94	25	16	9	10	6	1	27	17	255	175	7	2
39	MILWAUKEE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	WEST BEND	145	1	-	-	28	9	5	3	3	-	-	8	5	80	60	1	1
41	BALANCE OF COUNTY	353	1	-	2	66	16	11	6	7	6	1	19	12	175	115	6	1
42	WAUKESHA	1,493	3	-	7	308	91	59	28	33	12	11	74	23	778	599	10	10
43	BROOKFIELD	180	-	-	-	28	10	5	3	-	-	1	9	2	113	84	3	-
44	MENOMONEE FALLS	160	-	-	1	39	12	7	7	3	1	3	6	5	79	64	-	1
45	MUSKEGO	55	-	-	2	8	1	2	-	1	1	1	2	-	30	24	2	-
46	NEW BERLIN	109	-	-	-	31	6	11	1	3	1	-	9	1	55	47	-	1
47	WAUKESHA	300	2	-	2	53	17	6	7	7	2	1	13	5	155	111	1	2
48	BALANCE OF COUNTY	689	1	-	2	149	45	28	10	19	7	5	35	10	346	269	4	6
49	WAUPACA	520	-	-	2	88	29	14	10	8	4	4	19	13	309	232	3	4
50	WAUSHARA	196	-	-	-	29	6	5	5	2	-	1	10	3	125	100	3	-
51	WINNEBAGO	1,047	-	-	4	207	62	39	22	27	10	8	39	31	564	389	7	4
52	MENASHA	131	-	-	1	29	7	3	1	7	1	1	9	5	62	44	3	-
53	NEENAH	173	-	-	1	34	10	4	3	5	3	2	7	8	87	63	-	2
54	OSHKOSH	494	-	-	1	104	38	19	12	12	5	3	15	12	280	185	4	1
55	BALANCE OF COUNTY	249	-	-	1	40	7	13	6	3	1	2	8	6	135	97	-	1
56	WOOD	521	1	-	4	111	23	19	14	19	5	8	23	12	287	209	6	4
57	MARSHFIELD, PART	136	-	-	1	31	5	7	3	4	2	1	9	4	75	54	1	-
58	MARSHFIELD, TOTAL	137	-	-	1	31	5	7	3	4	2	1	9	4	75	54	1	-
59	WISCONSIN RAPIDS	180	-	-	1	41	7	7	7	7	-	2	11	5	104	79	2	4
60	BALANCE OF COUNTY	205	1	-	2	39	11	5	4	8	3	5	3	3	108	76	3	-
61	**WYOMING**	3,142	7	-	19	490	123	97	37	65	27	26	115	60	1,448	1,040	18	9
62	URBAN PLACES	1,246	3	-	4	197	54	33	16	29	12	14	39	23	592	436	3	4
63	BALANCE OF AREA	1,896	4	-	15	293	69	64	21	36	15	12	76	37	856	604	15	5
64	NONMETROPOLITAN COUNTIES	3,142	7	-	19	490	123	97	37	65	27	26	115	60	1,448	1,040	18	9
65	URBAN PLACES	1,246	3	-	4	197	54	33	16	29	12	14	39	23	592	436	3	4
66	BALANCE OF AREA	1,896	4	-	15	293	69	64	21	36	15	12	76	37	856	604	15	5
67	ALBANY	162	1	-	-	27	5	4	3	5	4	-	6	1	80	61	-	-
68	LARAMIE	140	1	-	-	22	3	3	2	5	3	-	6	1	72	56	-	-
69	BALANCE OF COUNTY	22	-	-	-	5	2	1	1	-	1	-	-	-	8	5	-	-
70	BIG HORN	103	1	-	1	22	9	3	-	3	1	1	5	1	55	44	1	-
71	CAMPBELL	75	1	-	-	9	2	2	1	1	-	-	3	1	39	26	1	2
72	CARBON	163	-	-	-	24	4	8	-	4	3	1	4	6	75	57	1	1
73	CONVERSE	64	-	-	-	8	1	1	-	-	-	-	6	2	31	22	-	-
74	CROOK	34	-	-	-	10	3	1	-	1	-	-	5	-	15	9	1	-
75	FREMONT	229	-	-	3	31	9	2	1	4	4	1	10	4	88	64	4	1
76	GOSHEN	112	-	-	-	18	6	3	2	1	2	1	3	2	54	35	-	-
77	HOT SPRINGS	87	1	-	-	11	4	1	1	-	-	1	4	3	46	30	-	-
78	JOHNSON	64	-	-	-	14	2	5	3	2	-	-	2	1	25	17	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
44	1	1	13	1	–	3	4	–	–	1	–	1	1	–	12	6	3	4	–	–	01
125	11	1	41	6	3	10	5	1	6	2	–	2	11	2	24	7	10	1	–	–	02
181	3	1	36	5	4	4	–	–	2	1	–	8	6	–	29	8	11	8	–	1	03
45	–	–	7	1	–	1	–	–	1	1	–	2	–	–	1	3	3	3	–	–	04
136	3	1	29	4	4	3	–	–	1	–	–	6	6	–	28	5	8	5	–	1	05
25	4	1	13	2	1	1	2	–	1	–	–	1	1	1	5	5	–	–	–	–	06
85	15	3	25	4	4	8	3	2	5	–	–	2	6	2	25	9	4	1	–	–	07
114	11	–	34	7	–	6	4	1	2	1	–	3	5	4	21	11	12	6	1	1	08
139	7	1	33	6	3	5	6	1	2	1	–	5	2	3	28	12	11	10	1	–	09
62	4	1	15	3	–	5	4	1	2	1	–	2	1	–	11	2	2	8	1	–	10
77	3	–	18	3	3	–	2	1	–	–	–	3	1	3	17	10	9	2	–	–	11
95	15	–	22	3	1	6	3	–	2	–	–	1	1	10	10	2	4	2	–	–	12
438	97	8	149	17	25	16	20	1	20	2	–	8	16	13	103	37	38	26	10	5	13
241	70	4	94	11	16	8	15	1	15	1	–	5	7	11	67	20	21	12	10	4	14
197	27	4	55	6	9	8	5	–	5	1	–	3	9	2	36	17	17	14	–	1	15
65	2	–	28	6	1	3	1	1	1	1	–	1	1	–	8	5	2	5	–	–	16
430	29	5	136	24	22	25	16	5	10	2	–	13	10	9	91	26	38	12	3	–	17
117	10	3	27	11	5	5	5	1	1	–	–	3	2	5	40	5	5	3	1	–	18
149	11	1	47	2	6	8	5	1	2	1	–	3	3	1	20	10	17	3	1	–	19
164	8	1	62	11	11	12	6	3	7	1	–	7	5	3	31	11	16	6	1	–	20
60	9	–	13	3	3	8	2	–	1	–	–	1	4	1	13	5	8	1	–	–	21
87	9	1	37	8	7	17	5	1	–	1	–	3	7	2	28	16	9	5	–	–	22
160	14	–	50	9	6	10	5	2	1	1	–	2	8	4	24	8	16	5	1	–	23
52	2	–	9	5	1	7	1	–	–	–	–	1	1	2	15	3	6	1	–	–	24
120	26	3	55	13	10	8	8	1	3	2	–	4	2	3	31	14	16	1	–	–	25
355	24	2	134	20	15	28	19	9	11	2	–	6	5	6	83	16	24	10	4	–	26
204	14	–	91	14	12	19	11	5	6	2	–	1	4	4	37	5	15	7	2	–	27
151	10	2	43	6	3	9	8	4	5	–	–	5	1	2	46	11	9	3	2	–	28
49	4	–	17	8	4	5	1	–	1	1	–	2	6	3	9	10	4	1	–	–	29
92	5	3	38	16	1	8	6	–	2	–	–	2	1	3	30	15	8	1	1	–	30
126	11	–	36	5	7	21	4	1	1	1	–	1	2	–	23	6	4	2	–	–	31
48	18	1	5	12	2	2	8	–	6	–	–	1	2	1	12	4	9	1	–	–	32
261	11	6	65	12	7	8	12	–	10	2	–	4	5	2	53	6	21	8	2	–	33
31	1	1	6	2	–	2	3	–	1	1	–	–	–	–	4	1	1	3	–	–	34
32	1	1	6	2	–	2	3	–	1	1	–	–	–	–	4	2	1	3	–	–	35
230	10	5	59	10	7	6	9	–	9	1	–	4	5	2	49	5	20	5	2	–	36
63	1	1	22	2	5	7	2	1	–	1	–	–	1	1	5	4	2	–	–	–	37
150	16	2	59	14	5	13	–	1	3	2	–	4	13	1	41	25	17	8	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39
55	3	1	17	1	1	3	–	–	–	1	–	–	2	–	11	6	7	1	–	–	40
95	13	1	42	13	4	10	–	1	3	1	–	4	11	1	30	19	10	7	–	–	41
549	30	1	134	25	19	58	19	4	21	4	–	13	19	3	129	39	26	33	3	3	42
78	3	–	20	5	4	6	2	1	–	–	–	1	–	1	15	1	3	7	–	–	43
60	3	1	12	1	1	1	1	–	3	1	–	1	4	–	10	7	2	4	1	1	44
22	–	–	5	1	–	1	2	–	–	–	–	–	1	–	7	1	1	2	–	–	45
43	3	–	8	–	–	3	2	–	2	1	–	1	1	–	7	2	1	1	1	–	46
100	8	–	35	5	4	13	6	1	4	–	–	4	6	1	30	5	2	10	–	1	47
246	13	–	54	13	10	34	6	2	12	2	–	6	7	1	60	23	17	9	1	1	48
208	17	1	56	11	9	19	8	3	3	–	–	4	3	6	38	11	7	5	–	1	49
94	3	2	17	2	4	3	3	–	3	3	–	2	–	1	11	2	8	2	1	–	50
360	18	2	126	29	18	30	16	5	13	4	–	9	11	7	88	18	24	14	2	–	51
40	1	–	12	4	2	4	2	2	1	–	–	2	1	2	12	2	3	3	–	–	52
57	4	–	18	3	3	7	6	–	1	1	–	–	2	2	16	1	5	1	1	–	53
172	8	2	68	17	8	12	7	2	7	1	–	6	3	1	44	4	9	1	–	–	54
91	5	–	28	5	5	7	1	1	4	2	–	1	5	2	16	11	7	9	1	–	55
193	6	–	65	10	3	15	2	3	3	2	–	4	5	8	37	11	9	6	–	1	56
51	2	–	18	2	1	2	1	–	1	–	–	–	2	–	12	3	2	2	–	–	57
51	2	–	18	2	1	2	1	–	1	–	–	1	2	–	12	3	2	2	–	–	58
70	3	–	21	4	–	6	–	1	1	1	–	1	1	5	8	2	2	–	–	1	59
72	1	–	26	4	2	7	1	2	1	1	–	3	2	3	17	6	5	4	–	–	60
905	108	7	298	38	65	109	56	22	48	9	–	31	56	44	293	171	188	62	18	11	61
394	35	3	111	12	30	38	26	11	21	1	–	12	26	18	127	50	57	28	7	5	62
511	73	4	187	26	35	71	30	11	27	8	–	19	30	26	166	121	131	34	11	6	63
905	108	7	298	38	65	109	56	22	48	9	–	31	56	44	293	171	188	62	18	11	64
394	35	3	111	12	30	38	26	11	21	1	–	12	26	18	127	50	57	28	7	5	65
511	73	4	187	26	35	71	30	11	27	8	–	19	30	26	166	121	131	34	11	6	66
48	13	–	11	4	4	1	3	2	1	–	–	2	3	1	15	6	11	6	–	2	67
44	12	–	9	3	4	1	2	2	–	–	–	2	3	1	14	4	8	6	–	1	68
4	1	–	2	1	–	–	1	–	1	–	–	–	–	–	1	2	3	–	–	1	69
37	6	–	7	–	4	6	1	–	–	–	–	1	2	1	7	1	3	1	–	–	70
22	1	–	8	2	3	3	–	1	–	1	–	1	2	2	1	8	4	1	–	1	71
46	9	–	17	1	–	4	3	3	4	1	–	–	7	–	7	8	10	8	3	–	72
22	–	–	6	1	2	1	–	–	–	–	–	1	1	–	7	5	6	1	–	1	73
5	3	–	5	–	1	2	–	–	1	–	–	–	–	1	3	–	2	–	–	–	74
53	6	–	20	2	2	7	5	–	10	1	–	4	3	2	27	25	14	3	2	–	75
34	1	1	15	1	2	2	2	–	–	–	–	–	2	1	10	12	8	1	–	–	76
28	2	1	12	1	2	4	2	1	1	2	–	–	–	–	8	3	4	1	–	–	77
15	2	–	7	–	1	5	1	1	2	1	–	–	–	–	4	2	6	1	1	–	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WYOMING--CON.																	
01	LARAMIE	474	-	-	3	86	22	21	5	12	3	5	18	11	214	162	1	1
02	CHEYENNE	394	-	-	3	70	18	17	5	11	2	4	13	11	184	136	1	1
03	BALANCE OF COUNTY	80	-	-	-	16	4	4	-	1	1	1	5	-	30	26	-	-
04	LINCOLN	77	-	-	3	11	2	3	1	1	-	-	4	4	30	19	2	-
05	NATRONA	463	1	2	-	59	10	11	7	8	3	4	16	4	198	145	1	1
06	CASPER	362	1	-	-	48	8	8	5	6	3	4	14	2	160	118	1	1
07	BALANCE OF COUNTY	101	-	2	-	11	2	3	2	2	-	-	2	2	38	27	1	-
08	NIOBRARA	30	-	-	1	9	1	2	1	2	-	-	3	-	10	6	1	-
09	PARK	152	-	-	2	24	3	6	2	3	2	1	7	3	63	42	1	1
10	PLATTE	86	1	-	-	13	3	3	1	-	-	1	5	3	49	35	-	-
11	SHERIDAN	254	1	-	1	44	17	6	3	7	2	7	2	4	136	88	1	2
12	SHERIDAN	180	1	-	1	33	17	2	2	3	2	6	1	4	99	63	1	2
13	BALANCE OF COUNTY	74	-	-	-	11	-	4	1	4	-	1	1	-	37	25	-	-
14	SUBLETTE	19	-	-	-	3	-	-	2	1	-	-	-	-	10	10	-	-
15	SWEETWATER	263	-	-	-	35	12	7	2	6	2	1	5	6	112	89	1	-
16	ROCK SPRINGS	170	-	-	-	24	8	3	2	4	2	-	5	5	77	63	1	-
17	BALANCE OF COUNTY	93	-	-	-	11	4	4	-	2	-	1	-	1	35	26	-	-
18	TETON	30	-	-	-	4	1	-	1	-	-	1	1	1	18	13	-	-
19	UINTA	65	-	-	2	9	5	2	-	2	-	-	-	1	36	24	1	-
20	WASHAKIE	77	-	-	1	12	2	5	-	1	-	-	4	1	34	25	-	-
21	WESTON	59	-	-	-	7	-	1	1	1	1	1	2	1	30	17	1	-

[8]Classified as urban under special rule; see Technical Appendix.
[10]"Districts" shown are election districts, the nearest equivalent to counties.
[2]Includes data for Texarkana, Ark., only.
[3]The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4]Includes data for Bristol, Tenn., only.
[5]Includes data for Texarkana, Tex., only.
[6]On January 1, 1974, Nansemond merged with the independent city of Suffolk; deaths shown for Nansemond should be added to those for Suffolk.
[7]Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8]Includes data for Bristol, Va., only.
[9]Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1974

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
151	9	-	33	6	13	17	7	5	10	-	-	7	7	4	52	16	25	5	3	2	01
128	6	-	30	6	12	13	6	5	9	-	-	6	7	4	42	10	14	5	3	2	02
23	3	-	3	-	1	4	1	-	1	-	-	1	-	-	10	6	11	-	-	-	03
16	1	-	8	2	1	2	-	-	-	-	-	1	3	5	4	9	5	-	-	-	04
130	13	2	38	4	9	18	15	3	8	1	-	4	12	12	57	24	26	16	3	-	05
109	8	2	30	1	9	13	12	2	7	1	-	2	10	8	43	18	19	13	3	-	06
21	5	-	8	3	-	5	3	1	1	-	-	2	2	4	14	6	7	3	-	-	07
4	1	-	4	-	-	3	-	-	-	-	-	-	-	-	4	-	2	-	-	1	08
36	4	-	16	2	3	2	2	1	1	-	-	2	4	2	19	8	15	3	-	1	09
25	10	-	7	4	3	3	1	1	1	-	-	3	-	1	4	2	4	-	-	-	10
76	9	-	42	1	5	12	4	-	3	2	-	1	2	5	15	7	12	3	1	1	11
53	7	-	30	1	5	8	2	-	2	-	-	1	1	3	11	3	10	-	-	1	12
23	2	-	12	-	-	4	2	-	1	2	-	-	1	2	4	4	2	3	1	-	13
9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	1	-	-	14
85	3	2	17	2	2	8	5	2	4	-	-	3	6	3	25	21	18	9	4	2	15
60	2	1	12	1	-	3	4	2	3	-	-	1	5	2	17	15	6	4	1	1	16
25	1	1	5	1	2	5	1	-	1	-	-	2	1	1	8	6	12	5	3	1	17
12	1	-	4	-	1	-	-	-	1	-	-	-	-	1	2	1	1	1	-	-	18
19	4	-	9	1	2	1	1	-	-	-	-	1	-	-	6	3	3	-	1	-	19
17	8	1	6	2	2	3	4	1	1	-	-	-	1	3	7	4	5	-	-	-	20
15	1	-	6	4	3	4	-	-	-	-	-	-	1	-	7	4	4	1	-	-	21

Section 8.
Guam, Puerto Rico, and Virgin Islands (U.S.)

Table		Page
8-1.	Deaths and death rates: Guam, Puerto Rico, and Virgin Islands, 1940-74 ------	8-3
8-2.	Deaths by month and sex for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974 ----------	8-3
8-3.	Deaths from 69 selected causes, by 10-year age groups and sex: Guam, 1974----------	8-4
8-4.	Deaths from 69 selected causes, by 10-year age groups and sex: Puerto Rico, 1974----------	8-8
8-5.	Deaths from 69 selected causes, by 10-year age groups, color, and sex: Virgin Islands, 1974----------	8-12
8-6.	Deaths from motor vehicle accidents, by person injured and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974-------	8-17
8-7.	Deaths from nontransport accidents, by place of accident and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974----------	8-17
8-8.	Total, infant, and neonatal deaths: Puerto Rico and each municipio, 1974 ------	8-18
8-9.	Total, infant, and neonatal deaths, by color: Virgin Islands and specified urban place, and Guam, 1974 ----------	8-18
8-10.	Deaths under 1 year and under 28 days, by month, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974----------	8-19
8-11.	Deaths under 1 year, by age and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974 ----------	8-19
8-12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1974----------	8-20

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix, St. John, and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race and color

Deaths are not shown by color for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States,* 1974—discusses other factors concerning these mortality statistics.

Table 8-1. Deaths and Death Rates: Guam, Puerto Rico, and Virgin Islands, 1940-74

[Rates per 1,000 population in each area]

Year	Guam		Puerto Rico		Virgin Islands	
	Number	Rate	Number	Rate	Number	Rate
1974	423	4.4	18,948	5.3	462	5.2
1973	416	4.2	19,479	5.6	459	5.6
1972	409	4.5	19,011	6.7	---	---
1971	338	3.9	17,499	6.3	498	7.0
1970	338	4.0	17,830	6.6	441	7.1
1969	421	4.1	17,667	6.4	477	8.5
1968	356	3.6	17,481	6.4	474	8.5
1967	340	3.7	16,677	6.2	373	6.7
1966	327	4.1	16,891	6.3	387	7.8
1965	336	4.4	17,686	6.7	416	9.6
1964	363	5.3	19,566	7.2	343	8.4
1963	344	5.0	17,350	6.9	383	9.6
1962	315	4.7	16,548	6.7	321	9.2
1961	265	4.1	16,364	6.8	326	9.5
1960	351	5.3	15,791	6.7	332	10.3
1959	285	4.2	15,818	6.8	320	10.3
1958	254	3.8	16,074	7.0	340	11.3
1957	277	4.2	15,978	7.1	324	11.0
1956	246	3.6	16,566	7.4	354	12.5
1955	282	4.3	16,221	7.2	311	11.3
1954	291	4.3	16,783	7.6	301	11.1
1953	390	5.7	17,972	8.2	279	10.4
1952	278	4.4	20,480	9.2	346	12.4
1951	196	3.1	22,374	10.0	375	13.5
1950	230	3.9	21,695	9.9	374	14.0
1949	---	---	23,389	10.6	362	13.6
1948	---	---	28,209	12.0	340	12.6
1947	---	---	25,407	11.8	394	14.5
1946	---	---	27,517	12.9	408	15.1
1945	---	---	28,857	13.7	401	15.0
1944	---	---	29,795	14.4	402	14.8
1943	---	---	29,019	14.3	389	14.2
1942	---	---	32,220	16.2	483	18.5
1941	---	---	35,492	18.3	468	18.1
1940	---	---	34,468	18.4	553	22.2

Table 8-2. Deaths by Month and Sex for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Guam	423	37	21	30	44	34	39	39	26	40	47	36	30
Male	251	25	16	18	27	17	27	27	9	23	22	21	19
Female	172	12	5	12	17	17	12	12	17	17	25	15	11
Puerto Rico	18,948	1,707	1,405	1,643	1,606	1,738	1,647	1,579	1,460	1,526	1,476	1,633	1,528
Male	10,765	998	804	961	899	911	924	898	838	867	859	954	853
Female	8,182	709	601	682	707	827	723	681	622	659	617	679	675
Virgin Islands	462	46	36	37	60	47	43	26	35	30	27	41	34
Male	262	25	14	21	36	30	19	18	19	20	17	23	20
Female	200	21	22	16	24	17	24	8	16	10	10	18	14
White	85	7	6	10	8	13	5	1	5	11	3	10	6
Male	54	3	4	5	5	9	5	-	4	8	2	7	2
Female	31	4	2	5	3	4	-	1	1	3	1	3	4
All other	377	39	30	27	52	34	38	25	30	19	24	31	28
Male	208	22	10	16	31	21	14	18	15	12	15	16	18
Female	169	17	20	11	21	13	24	7	15	7	9	15	10

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	423	74	9	8	33	30	28	49	60	64	55	13	-
Male	251	44	2	4	23	21	22	31	40	38	24	2	-
Female	172	30	7	4	10	9	6	18	20	26	31	11	-
Bacillary dysentery and amebiasis 004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases 008,009	5	5	-	-	-	-	-	-	-	-	-	-	-
Male	4	4	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms 010-019	7	-	-	-	-	-	-	3	1	1	2	-	-
Male	3	-	-	-	-	-	-	1	1	1	-	-	-
Female	4	-	-	-	-	-	-	2	-	-	2	-	-
Tuberculosis of respiratory system 010-012	7	-	-	-	-	-	-	3	1	1	2	-	-
Male	3	-	-	-	-	-	-	1	1	1	-	-	-
Female	4	-	-	-	-	-	-	2	-	-	2	-	-
Tuberculosis, other forms 013-019	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 033	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever 034	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections 036	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia 038	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 055	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae 090-097	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases Remainder of 000-136	7	2	-	-	1	2	-	-	1	1	-	-	-
Male	5	1	-	-	-	2	-	-	1	1	-	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	38	-	1	1	3	2	1	4	14	10	1	1	-
Male	17	-	-	-	2	-	1	2	6	6	-	-	-
Female	21	-	1	1	1	2	-	2	8	4	1	1	-
Malignant neoplasms of buccal cavity and pharynx 140-149	3	-	-	-	-	-	-	-	1	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Malignant neoplasms of digestive organs and peritoneum 150-159	6	-	-	-	-	1	-	-	4	1	-	-	-
Male	2	-	-	-	-	-	-	-	2	-	-	-	-
Female	4	-	-	-	-	1	-	-	2	1	-	-	-
Malignant neoplasms of respiratory system 160-163	11	-	-	-	-	-	-	2	6	3	-	-	-
Male	9	-	-	-	-	-	-	2	4	3	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Malignant neoplasm of breast 174	5	-	-	-	-	1	-	-	2	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	1	-	-	2	2	-	-	-
Malignant neoplasms of genital organs 180-187	2	-	-	-	-	-	-	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	2	-	-	-	-	-
Malignant neoplasms of urinary organs 188,189	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites 170-173,190-199	5	-	1	1	1	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	1	1	1	-	-	-	-	-	1	-	-
Leukemia 204-207	3	-	-	-	2	-	-	-	-	1	-	-	-
Male	3	-	-	-	2	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature 210-239	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus----250	7	-	-	-	1	-	-	2	2	2	-	-	-
Male----	2	-	-	-	1	-	-	-	-	1	-	-	-
Female--	5	-	-	-	-	-	-	2	2	1	-	-	-
Avitaminoses and other nutritional deficiencies----260-269	5	2	-	-	-	1	-	-	-	-	1	1	-
Male----	3	2	-	-	-	1	-	-	-	-	-	-	-
Female--	2	-	-	-	-	-	-	-	-	-	1	1	-
Anemias----280-285	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis----320	3	-	2	1	-	-	-	-	-	-	-	-	-
Male----	2	-	1	1	-	-	-	-	-	-	-	-	-
Female--	1	-	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases----390-448	105	3	-	-	-	2	9	15	23	19	28	6	-
Male----	60	1	-	-	-	1	6	9	18	8	15	2	-
Female--	45	2	-	-	-	1	3	6	5	11	13	4	-
Diseases of heart----390-398,402,404,410-429	77	2	-	-	-	2	8	10	17	15	19	4	-
Male----	45	1	-	-	-	1	6	7	12	6	11	1	-
Female--	32	1	-	-	-	1	2	3	5	9	8	3	-
Active rheumatic fever and chronic rheumatic heart disease----390-398	7	-	-	-	-	1	1	2	2	-	1	-	-
Male----	4	-	-	-	-	-	1	1	2	-	-	-	-
Female--	3	-	-	-	-	1	-	1	-	-	1	-	-
Hypertensive heart disease----402	1	-	-	-	-	-	-	1	-	-	-	-	-
Male----	1	-	-	-	-	-	-	1	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease----404	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease----410-413	62	-	-	-	-	-	6	7	15	14	16	4	-
Male----	37	-	-	-	-	-	5	5	10	6	10	1	-
Female--	25	-	-	-	-	-	1	2	5	8	6	3	-
Acute myocardial infarction----410	25	-	-	-	-	-	6	2	5	8	4	-	-
Male----	14	-	-	-	-	-	5	-	4	3	2	-	-
Female--	11	-	-	-	-	-	1	2	1	5	2	-	-
Other acute and subacute forms of ischemic heart disease----411	1	-	-	-	-	-	-	-	-	-	1	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Chronic ischemic heart disease----412	36	-	-	-	-	-	-	5	10	6	11	4	-
Male----	23	-	-	-	-	-	-	5	6	3	8	1	-
Female--	13	-	-	-	-	-	-	-	4	3	3	3	-
Angina pectoris----413	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic disease of endocardium and other myocardial insufficiency----424,428	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease----420-423,425-427,429	7	2	-	-	-	1	1	-	-	1	2	-	-
Male----	3	1	-	-	-	1	-	-	-	-	1	-	-
Female--	4	1	-	-	-	-	1	-	-	1	1	-	-
Hypertension----400,401,403	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases----430-438	24	1	-	-	-	-	1	5	5	4	7	1	-
Male----	13	-	-	-	-	-	-	2	5	2	3	1	-
Female--	11	1	-	-	-	-	1	3	-	2	4	-	-
Cerebral hemorrhage----431	10	1	-	-	-	-	1	3	3	1	1	-	-
Male----	5	-	-	-	-	-	-	1	3	1	-	-	-
Female--	5	1	-	-	-	-	1	2	-	-	1	-	-
Cerebral thrombosis----433	7	-	-	-	-	-	-	-	-	1	5	1	-
Male----	3	-	-	-	-	-	-	-	-	-	2	1	-
Female--	4	-	-	-	-	-	-	-	-	1	3	-	-
Cerebral embolism----434	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other cerebrovascular diseases----430,432,435-438	7	-	-	-	-	-	-	2	2	2	1	-	-
Male----	5	-	-	-	-	-	-	1	2	1	1	-	-
Female--	2	-	-	-	-	-	-	1	-	1	-	-	-
Arteriosclerosis----440	3	-	-	-	-	-	-	-	1	-	1	1	-
Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	2	-	-	-	-	-	-	-	-	-	1	1	-
Other diseases of arteries, arterioles, and capillaries----441-448	1	-	-	-	-	-	-	-	-	-	1	-	-
Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis----466	1	-	-	-	-	1	-	-	-	-	-	-	-
Male----	1	-	-	-	-	1	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia----470-474,480-486	22	2	-	-	1	2	2	-	-	6	8	1	
Male----	12	1	-	-	-	1	2	-	-	5	3	-	
Female--	10	1	-	-	1	1	-	-	-	1	5	1	
Influenza----470-474	3	-	-	-	-	-	1	-	-	-	2	-	
Male----	2	-	-	-	-	-	1	-	-	-	1	-	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia----480-486	19	2	-	-	1	2	1	-	-	6	6	1	
Male----	10	1	-	-	-	1	1	-	-	5	2	-	
Female--	9	1	-	-	1	1	-	-	-	1	4	1	
Bronchitis, emphysema, and asthma----490-493	11	-	1	-	-	1	-	1	4	3	1	-	
Male----	8	-	1	-	-	1	-	1	3	2	-	-	
Female--	3	-	-	-	-	-	-	-	1	1	1	-	
Chronic and unqualified bronchitis----490,491	5	-	1	-	-	1	-	-	2	1	-	-	
Male----	3	-	1	-	-	1	-	-	1	-	-	-	
Female--	2	-	-	-	-	-	-	-	1	1	-	-	
Emphysema----492	6	-	-	-	-	-	-	1	2	2	1	-	
Male----	5	-	-	-	-	-	-	1	2	2	-	-	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
Asthma----493	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Peptic ulcer----531-533	4	-	-	-	-	-	-	1	-	2	-	1	
Male----	2	-	-	-	-	-	-	-	-	2	-	-	
Female--	2	-	-	-	-	-	-	1	-	-	-	1	
Appendicitis----540-543	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia and intestinal obstruction----550-553,560	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver----571	6	-	-	-	-	-	1	3	1	1	-	-	
Male----	5	-	-	-	-	-	1	2	1	1	-	-	
Female--	1	-	-	-	-	-	-	1	-	-	-	-	
Cholelithiasis, cholecystitis and cholangitis----574,575	1	-	-	-	-	-	-	1	-	-	-	-	
Male----	1	-	-	-	-	-	-	1	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and nephrosis----580-584	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Acute nephritis and nephrotic syndrome----580,581	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic and unqualified nephritis and renal sclerosis----582-584	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Infections of kidney----590	2	-	-	-	-	-	-	-	-	-	1	1	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	2	-	-	-	-	-	-	-	-	-	1	1	
Hyperplasia of prostate----600	-	-	-	-	-	-	-	-	-	-	-	-	
Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium----630-678	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Abortions----640-645	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium----630-639,650-678	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies----740-759	10	7	1	-	2	-	-	-	-	-	-	-	
Male----	5	3	-	-	2	-	-	-	-	-	-	-	
Female--	5	4	1	-	-	-	-	-	-	-	-	-	
Certain causes of mortality in early infancy----760-769.2,769.4-772,774-778	42	42	-	-	-	-	-	-	-	-	-	-	
Male----	25	25	-	-	-	-	-	-	-	-	-	-	
Female--	17	17	-	-	-	-	-	-	-	-	-	-	
Birth injury, difficult labor, and other anoxic and hypoxic conditions----764-768,772,776	28	28	-	-	-	-	-	-	-	-	-	-	
Male----	19	19	-	-	-	-	-	-	-	-	-	-	
Female--	9	9	-	-	-	-	-	-	-	-	-	-	
Other causes of mortality in early infancy----Remainder of 760-778	14	14	-	-	-	-	-	-	-	-	-	-	
Male----	6	6	-	-	-	-	-	-	-	-	-	-	
Female--	8	8	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions----780-796	3	1	-	-	-	2	-	-	-	-	-	-	
Male----	3	1	-	-	-	2	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All other diseases---Residual	61	3	1	-	1	2	2	14	11	15	10	2	-
Male	33	2	-	-	-	1	1	10	7	8	4	-	-
Female	28	1	1	-	1	1	1	4	4	7	6	2	-
Accidents---E800-E949	61	7	3	6	16	12	10	2	1	2	2	-	-
Male	42	4	-	3	13	8	8	2	1	1	2	-	-
Female	19	3	3	3	3	4	2	-	-	1	-	-	-
Motor vehicle accidents---E810-E823	23	-	1	2	5	9	1	2	1	1	1	-	-
Male	18	-	-	2	4	6	1	2	1	1	1	-	-
Female	5	-	1	-	1	3	-	-	-	-	-	-	-
All other accidents---E800-E807, E825-E949	38	7	2	4	11	3	9	-	-	1	1	-	-
Male	24	4	-	1	9	2	7	-	-	-	1	-	-
Female	14	3	2	3	2	1	2	-	-	1	-	-	-
Suicide---E950-E959	6	...	...	-	1	1	-	2	1	1	-	-	-
Male	6	...	...	-	1	1	-	2	1	1	-	-	-
Female	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide---E960-E978	13	-	-	-	6	2	2	1	1	1	-	-	-
Male	11	-	-	-	4	2	2	1	1	1	-	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-
Other external causes---E980-E999	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	18,948	1,511	200	248	592	676	793	1,469	2,525	3,657	3,468	3,760	49
Male	10,766	818	105	154	443	496	541	982	1,623	2,148	1,819	1,600	37
Female	8,182	693	95	94	149	180	252	487	902	1,509	1,649	2,160	12
Bacillary dysentery and amebiasis-004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases-008,009	135	72	13	2	2	2	1	2	4	10	14	12	1
Male	76	38	9	2	2	1	-	2	2	6	9	4	1
Female	59	34	4	-	-	1	1	-	2	4	5	8	-
Tuberculosis, all forms-010-019	222	-	-	-	4	9	9	43	47	51	30	29	-
Male	151	-	-	-	4	5	6	31	36	35	20	14	-
Female	71	-	-	-	-	4	3	12	11	16	10	15	-
Tuberculosis of respiratory system-010-012	204	-	-	-	3	8	9	39	42	47	30	26	-
Male	141	-	-	-	3	5	6	29	33	32	20	13	-
Female	63	-	-	-	-	3	3	10	9	15	10	13	-
Tuberculosis, other forms-013-019	18	-	-	-	1	1	-	4	5	4	-	3	-
Male	10	-	-	-	1	-	-	2	3	3	-	1	-
Female	8	-	-	-	-	1	-	2	2	1	-	2	-
Whooping cough-033	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever-034	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-036	3	-	-	-	2	-	1	-	-	-	-	-	-
Male	3	-	-	-	2	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia-038	138	78	4	3	1	2	4	3	10	11	15	7	-
Male	84	45	4	1	1	2	3	1	7	6	10	4	-
Female	54	33	-	2	-	-	1	2	3	5	5	3	-
Acute poliomyelitis-040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-055	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-090-097	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases-Remainder of 000-136	49	1	6	-	2	4	3	4	12	7	5	5	-
Male	25	1	2	-	1	2	3	3	6	2	4	1	-
Female	24	-	4	-	1	2	-	1	6	5	1	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-209	2,722	1	8	23	36	53	114	279	556	773	550	326	3
Male	1,589	1	3	14	30	31	43	149	342	473	311	190	2
Female	1,133	-	5	9	6	22	71	130	214	300	239	136	1
Malignant neoplasms of buccal cavity and pharynx-140-149	165	-	-	-	-	1	4	21	49	50	24	16	-
Male	133	-	-	-	-	1	1	18	41	40	19	13	-
Female	32	-	-	-	-	-	3	3	8	10	5	3	-
Malignant neoplasms of digestive organs and peritoneum-150-159	1,045	-	-	-	1	12	35	93	206	335	224	137	2
Male	656	-	-	-	1	8	19	62	141	212	135	76	2
Female	389	-	-	-	-	4	16	31	65	123	89	61	-
Malignant neoplasms of respiratory system-160-165	357	-	-	-	2	3	7	34	86	105	72	28	-
Male	247	-	-	-	1	1	5	26	65	80	51	18	-
Female	90	-	-	-	1	2	2	8	21	25	21	10	-
Malignant neoplasm of breast-174	133	-	-	-	-	9	21	24	27	30	14	8	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	131	-	-	-	-	9	21	24	26	30	13	8	-
Malignant neoplasms of genital organs-180-187	391	-	-	-	1	6	18	34	60	104	96	71	1
Male	192	-	-	-	1	2	3	8	18	54	56	50	-
Female	199	-	-	-	-	4	15	26	42	50	40	21	1
Malignant neoplasms of urinary organs-188,189	90	-	-	1	-	2	1	6	18	29	20	13	-
Male	52	-	-	1	-	1	-	2	14	16	10	8	-
Female	38	-	-	-	-	1	1	4	4	13	10	5	-
Malignant neoplasms of all other and unspecified sites-170-173,190-199	345	1	2	8	12	12	11	38	79	83	62	37	-
Male	192	1	1	5	10	11	4	17	48	51	24	20	-
Female	153	-	1	3	2	1	7	21	31	32	38	17	-
Leukemia-204-207	105	-	5	10	15	8	12	12	10	11	19	5	-
Male	54	-	1	4	13	5	8	6	1	7	8	1	-
Female	51	-	4	6	2	1	4	6	9	4	11	4	-
Other neoplasms of lymphatic and hematopoietic tissues-200-203,208,209	111	-	1	4	5	2	5	17	21	26	19	11	-
Male	61	-	1	4	4	2	3	10	13	13	7	4	-
Female	50	-	-	-	1	-	2	7	8	13	12	7	-
Benign neoplasms and neoplasms of unspecified nature-210-239	75	1	4	2	2	4	5	9	16	18	5	9	-
Male	42	-	1	2	-	1	2	3	12	13	4	4	-
Female	33	1	3	-	2	3	3	6	4	5	1	5	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1974--Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus----250	730	-	-	3	5	3	16	60	130	208	201	104	-
Male----	296	-	-	1	2	2	11	25	60	90	78	27	-
Female--	434	-	-	2	3	1	5	35	70	118	123	77	-
Avitaminoses and other nutritional deficiencies----260-269	116	7	2	-	2	-	1	5	6	12	22	58	1
Male----	59	5	1	-	2	-	-	3	4	8	13	22	1
Female--	57	2	1	-	-	-	1	2	2	4	9	36	-
Anemias----280-285	77	1	1	3	1	2	2	4	11	21	16	15	-
Male----	41	1	1	2	1	1	1	3	6	15	4	6	-
Female--	36	-	-	1	-	1	1	1	5	6	12	9	-
Meningitis----320	53	18	5	6	3	2	3	4	9	1	1	1	-
Male----	34	12	1	4	1	2	2	2	7	1	1	1	-
Female--	19	6	4	2	2	-	1	2	2	-	-	-	-
Major cardiovascular diseases----390-448	7,442	14	7	12	37	64	124	420	944	1,667	1,875	2,270	8
Male----	3,851	9	4	5	18	34	76	287	589	945	947	930	7
Female--	3,591	5	3	7	19	30	48	133	355	722	928	1,340	1
Diseases of heart----390-398,402,404,410-429	5,028	12	5	6	19	46	78	328	697	1,203	1,221	1,406	7
Male----	2,679	8	2	1	10	28	54	225	446	684	628	586	7
Female--	2,349	4	3	5	9	18	24	103	251	519	593	820	-
Active rheumatic fever and chronic rheumatic heart disease----390-398	76	-	2	1	5	6	8	11	16	13	4	9	-
Male----	37	-	1	-	2	3	3	4	9	5	3	7	-
Female--	38	-	1	1	3	3	5	7	7	8	1	2	-
Hypertensive heart disease----402	333	-	-	-	1	4	5	37	64	76	63	83	-
Male----	174	-	-	-	-	2	3	24	38	45	29	33	-
Female--	159	-	-	-	1	2	2	13	26	31	34	50	-
Hypertensive heart and renal disease----404	9	-	-	-	-	2	-	-	1	1	3	2	-
Male----	4	-	-	-	-	2	-	-	-	-	1	1	-
Female--	5	-	-	-	-	-	-	-	1	1	2	1	-
Ischemic heart disease----410-413	3,606	1	-	-	1	13	51	238	508	909	985	1,093	7
Male----	2,035	-	-	-	1	9	39	171	336	519	506	447	7
Female--	1,771	1	-	-	-	4	12	67	172	390	479	646	-
Acute myocardial infarction----410	1,834	-	-	-	1	9	41	166	314	498	457	344	4
Male----	1,046	-	-	-	1	7	32	120	219	293	236	134	4
Female--	788	-	-	-	-	2	9	46	95	205	221	210	-
Other acute and subacute forms of ischemic heart disease----411	37	-	-	-	-	-	1	2	8	9	5	12	-
Male----	24	-	-	-	-	-	-	2	6	8	4	6	-
Female--	13	-	-	-	-	-	1	-	2	1	1	6	-
Chronic ischemic heart disease----412	1,851	1	-	-	-	4	9	69	186	401	522	736	3
Male----	964	-	-	-	-	2	7	48	111	220	266	307	3
Female--	967	1	-	-	-	2	2	21	75	181	256	429	-
Angina pectoris----413	4	-	-	-	-	-	-	1	-	1	1	1	-
Male----	1	-	-	-	-	-	-	1	-	-	-	-	-
Female--	3	-	-	-	-	-	-	-	-	1	1	1	-
Chronic disease of endocardium and other myocardial insufficiency----424,428	245	2	2	1	2	7	4	8	31	77	45	66	-
Male----	134	2	-	-	2	3	3	8	20	42	28	26	-
Female--	111	-	2	1	-	4	1	-	11	35	17	40	-
All other forms of heart disease----420-423,425-427,429	560	9	1	4	10	14	10	34	77	127	121	153	-
Male----	295	6	1	1	5	9	6	18	43	73	61	72	-
Female--	265	3	-	3	5	5	4	16	34	54	60	81	-
Hypertension----400,401,403	58	-	-	2	-	-	2	4	9	9	12	20	-
Male----	27	-	-	2	-	-	2	2	5	4	7	5	-
Female--	31	-	-	-	-	-	-	2	4	5	5	15	-
Cerebrovascular diseases----430-438	1,641	2	2	4	15	16	36	77	190	363	452	483	1
Male----	817	1	2	2	7	6	18	51	109	206	220	197	-
Female--	824	1	-	2	8	10	20	26	81	157	232	286	1
Cerebral hemorrhage----431	403	1	1	1	4	8	16	34	69	101	83	84	1
Male----	239	-	1	1	1	3	6	25	44	69	43	46	-
Female--	164	1	-	-	3	5	10	9	25	32	40	38	1
Cerebral thrombosis----433	351	-	-	-	2	1	1	12	26	78	110	121	-
Male----	166	-	-	-	2	-	-	10	18	45	55	36	-
Female--	185	-	-	-	-	1	1	2	8	33	55	85	-
Cerebral embolism----434	14	-	-	-	-	-	-	1	2	2	4	5	-
Male----	9	-	-	-	-	-	-	1	1	1	3	3	-
Female--	5	-	-	-	-	-	-	-	1	1	1	2	-
All other cerebrovascular diseases----430,432,435-438	873	1	1	3	9	7	19	30	93	182	255	273	-
Male----	405	1	1	1	4	3	10	15	46	91	119	112	-
Female--	470	-	-	2	5	4	9	15	47	91	136	161	-
Arteriosclerosis----440	550	-	-	-	1	1	-	3	23	55	137	330	-
Male----	223	-	-	-	1	-	-	3	14	28	59	118	-
Female--	327	-	-	-	-	1	-	-	9	27	78	192	-
Other diseases of arteries, arterioles, and capillaries----441-448	185	-	-	-	2	1	8	8	25	37	53	51	-
Male----	105	-	-	-	-	-	4	6	15	23	33	24	-
Female--	80	-	-	-	2	1	4	2	10	14	20	27	-
Acute bronchitis and bronchiolitis----466	7	1	2	-	-	1	-	-	-	1	1	1	-
Male----	4	-	1	-	-	1	-	-	-	1	1	-	-
Female--	3	1	1	-	-	-	-	-	-	-	-	1	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia----470-474,480-486	1,072	154	33	23	22	23	38	52	112	147	179	285	4
Male----	597	78	18	10	15	14	25	36	74	95	101	128	3
Female--	475	76	15	13	7	9	13	16	38	52	78	157	1
Influenza----470-474	35	-	-	1	1	-	-	-	6	3	7	17	-
Male----	20	-	-	1	1	-	-	-	2	3	4	9	-
Female--	15	-	-	-	-	-	-	-	4	-	3	8	-
Pneumonia----480-486	1,037	154	33	22	21	23	38	52	106	144	172	268	4
Male----	577	78	18	9	14	14	25	36	72	92	97	119	3
Female--	460	76	15	13	7	9	13	16	34	52	75	149	1
Bronchitis, emphysema, and asthma----490-493	284	9	3	2	5	8	7	20	38	68	55	69	-
Male----	143	8	1	1	3	1	2	12	16	38	32	31	-
Female--	141	3	2	1	2	7	5	8	22	30	23	38	-
Chronic and unqualified bronchitis----490,491	66	7	1	-	1	1	1	2	5	13	10	24	-
Male----	29	5	1	-	-	-	1	2	1	9	4	6	-
Female--	37	2	-	-	1	1	-	-	5	4	6	18	-
Emphysema----492	116	-	-	-	1	2	1	4	11	34	29	34	-
Male----	62	-	-	-	-	1	-	2	5	19	16	19	-
Female--	54	-	-	-	1	1	1	2	6	15	13	15	-
Asthma----493	102	2	2	2	3	5	5	14	21	21	16	11	-
Male----	52	1	-	1	3	-	1	8	10	10	12	6	-
Female--	50	1	2	1	-	5	4	6	11	11	4	5	-
Peptic ulcer----531-533	82	2	1	-	2	2	3	7	17	22	11	15	-
Male----	56	1	-	-	-	1	3	5	13	17	7	9	-
Female--	26	1	1	-	2	1	-	2	4	5	4	6	-
Appendicitis----540-543	10	-	1	-	1	-	2	-	-	3	2	1	-
Male----	3	-	1	-	-	-	1	-	-	1	-	-	-
Female--	7	-	-	-	1	-	1	-	-	2	2	1	-
Hernia and intestinal obstruction----550-553,560	69	11	-	1	2	3	2	7	9	5	15	14	-
Male----	42	5	-	-	1	1	-	5	6	5	11	8	-
Female--	27	6	-	1	1	2	2	2	3	-	4	6	-
Cirrhosis of liver----571	711	-	1	1	3	24	92	187	188	128	65	22	-
Male----	555	-	-	-	-	21	76	146	154	95	49	14	-
Female--	156	-	1	1	3	3	16	41	34	33	16	8	-
Cholelithiasis, cholecystitis and cholangitis----574,575	19	-	-	-	-	1	-	2	2	5	4	5	-
Male----	6	-	-	-	-	-	-	-	-	1	4	1	-
Female--	13	-	-	-	-	1	-	2	2	4	-	4	-
Nephritis and nephrosis----580-584	115	2	2	1	3	9	9	17	19	26	9	18	-
Male----	68	2	1	-	2	8	4	10	15	14	4	8	-
Female--	47	-	1	1	1	1	5	7	4	12	5	10	-
Acute nephritis and nephrotic syndrome----580,581	20	2	2	-	-	-	2	3	1	5	4	1	-
Male----	12	2	1	-	-	-	1	2	1	1	3	1	-
Female--	8	-	1	-	-	-	1	1	-	4	1	-	-
Chronic and unqualified nephritis and renal sclerosis----582-584	95	-	-	1	3	9	7	14	18	21	5	17	-
Male----	56	-	-	-	2	8	3	8	14	13	1	7	-
Female--	39	-	-	1	1	1	4	6	4	8	4	10	-
Infections of kidney----590	36	1	-	-	-	1	-	6	1	6	11	9	1
Male----	17	-	-	-	-	1	-	2	1	2	5	5	1
Female--	19	1	-	-	-	-	-	4	-	4	6	4	-
Hyperplasia of prostate----600	16	-	-	-	-	-	-	-	1	7	4	4	-
Male----	16	-	-	-	-	-	-	-	1	7	4	4	-
Complications of pregnancy, childbirth, and the puerperium----630-678	17	-	-	-	8	6	3	-	-	-	-	-	-
Female--	17	-	-	-	8	6	3	-	-	-	-	-	-
Abortions----640-645	2	-	-	-	-	1	1	-	-	-	-	-	-
Female--	2	-	-	-	-	1	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium----630-639,650-678	15	-	-	-	8	5	2	-	-	-	-	-	-
Female--	15	-	-	-	8	5	2	-	-	-	-	-	-
Congenital anomalies----740-759	276	209	14	21	13	3	2	5	2	4	1	2	-
Male----	141	107	7	10	5	2	2	3	1	2	1	1	-
Female--	135	102	7	11	8	1	-	2	1	2	-	1	-
Certain causes of mortality in early infancy----760-769.2,769.4-772,774-778	805	797	-	-	-	-	-	-	-	8	-	-	-
Male----	437	432	-	-	-	-	-	-	-	5	-	-	-
Female--	368	365	-	-	-	-	-	-	-	3	-	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions----764-768,772,776	491	483	-	-	-	-	-	-	-	8	-	-	-
Male----	268	263	-	-	-	-	-	-	-	5	-	-	-
Female--	223	220	-	-	-	-	-	-	-	3	-	-	-
Other causes of mortality in early infancy----Remainder of 760-778	314	314	-	-	-	-	-	-	-	-	-	-	-
Male----	169	169	-	-	-	-	-	-	-	-	-	-	-
Female--	145	145	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions----780-796	569	38	11	8	18	24	16	21	42	82	94	207	10
Male----	250	23	4	5	6	18	9	10	22	43	46	59	5
Female--	319	15	7	3	10	6	7	11	20	39	48	148	5

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All other diseases----------Residual	1,206	58	28	24	48	81	69	107	171	236	191	193	-
Male----	641	31	17	16	29	42	40	63	98	126	95	86	-
Female--	565	27	11	8	19	39	29	44	75	110	96	107	-
Accidents----------E800-E949	1,191	33	51	95	220	180	137	125	121	77	71	71	10
Male----	939	20	29	71	187	160	120	111	105	56	37	35	8
Female--	252	13	22	24	33	20	17	14	16	21	34	36	2
Motor vehicle accidents----------E810-E823	538	1	21	44	118	91	71	58	70	31	20	8	5
Male----	444	-	16	32	99	79	59	50	61	24	14	5	5
Female--	94	1	5	12	19	12	12	8	9	7	6	3	-
All other accidents----------E800-E807,E825-E949	653	32	30	51	102	89	66	67	51	46	51	63	5
Male----	495	20	13	39	88	81	61	61	44	32	23	30	3
Female--	158	12	17	12	14	8	5	6	7	14	28	33	2
Suicide----------E950-E959	189	...	...	6	27	29	41	30	24	15	11	5	1
Male----	149	...	...	3	20	25	31	23	18	12	11	5	1
Female--	40	...	...	3	7	4	10	7	6	3	-	-	-
Homicide----------E960-E978	429	1	3	8	115	123	77	40	28	27	6	1	2
Male----	380	-	-	4	103	108	69	38	25	25	6	1	1
Female--	49	1	3	4	10	15	8	2	3	2	-	-	1
Other external causes----------E980-E999	82	2	-	3	12	13	12	10	5	11	4	2	8
Male----	71	1	-	3	8	12	11	9	5	9	4	2	7
Female--	11	1	-	-	4	1	1	1	-	2	-	-	1

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	462	61	2	7	15	35	22	47	67	71	79	56	-
White--Male	54	3	-	1	2	2	2	5	18	12	7	2	-
Female	31	1	-	-	1	1	-	6	5	6	10	1	-
All other--Male	208	42	1	2	8	21	12	23	29	23	28	19	-
Female	169	15	1	4	4	11	8	13	15	30	34	34	-
Bacillary dysentery and amebiasis-004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases-008,009	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms-010-019	1	-	-	-	-	-	-	-	-	-	-	1	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system-010-012	1	-	-	-	-	-	-	-	-	-	-	1	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, other forms-013-019	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-033	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever-034	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-036	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia-038	2	-	-	1	-	1	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Acute poliomyelitis-040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-055	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-090-097	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases-Remainder of 000-136	3	1	-	-	-	-	-	1	-	1	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-209	63	-	-	1	1	2	2	12	20	11	11	3	-
White--Male	8	-	-	-	-	-	-	1	4	2	1	-	-
Female	8	-	-	-	-	-	-	3	3	2	-	-	-
All other--Male	25	-	-	1	-	-	2	7	6	3	4	2	-
Female	22	-	-	-	1	2	-	1	7	4	6	1	-
Malignant neoplasms of buccal cavity and pharynx-140-149	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum-150-159	19	-	-	-	-	-	1	4	5	5	4	-	-
White--Male	4	-	-	-	-	-	-	-	2	1	1	-	-
Female	3	-	-	-	-	-	-	1	1	1	-	-	-
All other--Male	8	-	-	-	-	-	1	3	1	2	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	2	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms--Con.													
Malignant neoplasms of respiratory system---------160-163	12	-	-	-	-	1	1	5	5	-	-	-	-
White------Male-----	2	-	-	-	-	-	-	1	1	-	-	-	-
Female--	2	-	-	-	-	-	-	1	1	-	-	-	-
All other--Male-----	6	-	-	-	-	-	1	3	2	-	-	-	-
Female--	2	-	-	-	-	1	-	-	1	-	-	-	-
Malignant neoplasm of breast----------174	8	-	-	-	-	1	-	-	2	3	1	1	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
All other--Male-----	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	6	-	-	-	-	1	-	-	1	3	-	1	-
Malignant neoplasms of genital organs----------180-187	16	-	-	-	-	-	-	1	5	2	6	2	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
All other--Male-----	8	-	-	-	-	-	-	-	3	1	2	2	-
Female--	7	-	-	-	-	-	-	1	2	-	4	-	-
Malignant neoplasms of urinary organs----------188,189	3	-	-	-	-	-	-	-	2	1	-	-	-
White------Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites----------170-173,190-199	4	-	-	1	-	-	-	2	1	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
All other--Male-----	2	-	-	1	-	-	-	1	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
Leukemia----------204-207	1	-	-	-	1	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	1	-	-	-	-	-	-	-	-
Other neoplasms of lymphatic and hematopoietic tissues----------200-203,208,209	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature----------210-239	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus----------250	10	-	-	-	-	-	1	3	1	1	2	2	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	4	-	-	-	-	-	-	2	-	-	1	1	-
Female--	6	-	-	-	-	-	1	1	1	1	1	1	-
Avitaminoses and other nutritional deficiencies-----260-269	2	1	-	-	-	-	-	-	1	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
Anemias----------280-285	2	-	1	1	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	1	-	1	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis----------320	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases----------390-448	195	-	-	-	2	3	3	14	26	46	56	45	-
White------Male-----	24	-	-	-	-	-	-	2	7	8	5	2	-
Female--	14	-	-	-	-	-	-	-	2	2	9	1	-
All other--Male-----	74	-	-	-	2	1	2	6	13	17	20	13	-
Female--	83	-	-	-	-	2	1	6	4	19	22	29	-
Diseases of heart----------390-398,402,404,410-429	141	-	-	-	1	2	1	7	19	36	41	34	-
White------Male-----	16	-	-	-	-	-	-	1	6	6	3	-	-
Female--	11	-	-	-	-	-	-	-	2	2	6	1	-
All other--Male-----	50	-	-	-	1	-	1	3	8	13	13	11	-
Female--	64	-	-	-	-	2	-	3	3	15	19	22	-
Active rheumatic fever and chronic rheumatic heart disease----------390-398	1	-	-	-	1	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	1	-	-	-	1	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease----------402	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease----------404	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases--Con.													
Diseases of heart--Con.													
Ischemic heart disease----------410-413	138	-	-	-	-	2	1	7	18	35	41	34	
White------Male----	15	-	-	-	-	-	-	1	5	6	3	-	
Female--	11	-	-	-	-	-	-	-	2	2	6	1	
All other--Male----	48	-	-	-	-	-	1	3	8	12	13	11	
Female--	64	-	-	-	-	2	-	3	3	15	19	22	
Acute myocardial infarction----------410	31	-	-	-	-	-	-	3	8	8	8	4	
White------Male----	5	-	-	-	-	-	-	-	2	2	1	-	
Female--	1	-	-	-	-	-	-	-	1	-	-	-	
All other--Male----	10	-	-	-	-	-	-	1	3	2	4	-	
Female--	15	-	-	-	-	-	-	2	2	4	3	4	
Other acute and subacute forms of ischemic heart disease----------411	-	-	-	-	-	-	-	-	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic ischemic heart disease----------412	107	-	-	-	-	2	1	4	10	27	33	30	
White------Male----	10	-	-	-	-	-	-	1	3	4	2	-	
Female--	10	-	-	-	-	-	-	-	1	2	6	1	
All other--Male----	38	-	-	-	-	-	1	2	5	10	9	11	
Female--	49	-	-	-	-	2	-	1	1	11	16	18	
Angina pectoris----------413	-	-	-	-	-	-	-	-	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic disease of endocardium and other myocardial insufficiency----------424,428	-	-	-	-	-	-	-	-	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other forms of heart disease---420-423,425-427,429	2	-	-	-	-	-	-	-	1	1	-	-	
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	1	-	-	-	-	-	-	-	-	1	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
Hypertension----------400,401,403	1	-	-	-	-	-	-	1	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	1	-	-	-	-	-	-	1	-	-	-	-	
Cerebrovascular diseases----------430-438	41	-	-	-	1	-	2	5	7	8	9	9	
White------Male----	6	-	-	-	-	-	-	-	1	2	1	2	
Female--	2	-	-	-	-	-	-	-	-	-	2	-	
All other--Male----	18	-	-	-	1	-	1	3	5	2	5	1	
Female--	15	-	-	-	-	-	1	2	1	4	1	6	
Cerebral hemorrhage----------431	8	-	-	-	-	-	1	4	2	1	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	5	-	-	-	-	-	-	2	2	1	-	-	
Female--	3	-	-	-	-	-	1	2	-	-	-	-	
Cerebral thrombosis----------433	17	-	-	-	-	-	-	-	2	3	6	6	
White------Male----	4	-	-	-	-	-	-	-	1	2	-	1	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
All other--Male----	7	-	-	-	-	-	-	-	1	1	4	1	
Female--	5	-	-	-	-	-	-	-	-	-	1	4	
Cerebral embolism----------434	-	-	-	-	-	-	-	-	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other cerebrovascular diseases-----430,432,435-438	16	-	-	-	1	-	1	1	3	4	3	3	
White------Male----	2	-	-	-	-	-	-	-	-	-	1	1	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
All other--Male----	6	-	-	-	1	-	1	1	2	-	1	-	
Female--	7	-	-	-	-	-	-	-	1	4	-	2	
Arteriosclerosis----------440	6	-	-	-	-	-	-	-	-	-	5	1	
White------Male----	1	-	-	-	-	-	-	-	-	-	1	-	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
All other--Male----	2	-	-	-	-	-	-	-	-	-	2	-	
Female--	2	-	-	-	-	-	-	-	-	-	1	1	
Other diseases of arteries, arterioles, and capillaries----------441-448	6	-	-	-	-	1	-	1	-	2	1	1	
White------Male----	1	-	-	-	-	-	-	1	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	1	
All other--Male----	4	-	-	-	-	1	-	-	-	2	-	1	
Female--	1	-	-	-	-	-	-	-	-	-	1	-	
Acute bronchitis and bronchiolitis----------466	1	1	-	-	-	-	-	-	-	-	-	-	
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	
All other--Male----	1	1	-	-	-	-	-	-	-	-	-	-	
Female--	-	-	-	-	-	-	-	-	-	-	-	-	

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia----------470-474,480-486	12	3	-	-	1	1	-	2	1	-	3	1	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
All other--Male----	8	3	-	-	1	1	-	2	-	-	1	-	-
Female--	2	-	-	-	-	-	-	-	-	-	1	1	-
Influenza----------470-474	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia----------480-486	12	3	-	-	1	1	-	2	1	-	3	1	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
All other--Male----	8	3	-	-	1	1	-	2	-	-	1	-	-
Female--	2	-	-	-	-	-	-	-	-	-	1	1	-
Bronchitis, emphysema, and asthma----------490-493	2	-	-	-	-	-	1	-	-	1	-	-	-
White------Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	1	-	-	-	-	-	-
Chronic and unqualified bronchitis----------490,491	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema----------492	2	-	-	-	-	-	1	-	-	1	-	-	-
White------Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	1	-	-	-	-	-	-
Asthma----------493	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer----------531-533	2	-	-	-	-	1	-	-	-	-	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	1	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Appendicitis----------540-543	1	-	-	-	-	-	-	-	-	1	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Hernia and intestinal obstruction----------550-553,560	2	2	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	1	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of liver----------571	17	-	-	-	2	2	4	3	4	2	-	-	-
White------Male----	4	-	-	-	-	-	-	1	2	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	10	-	-	-	1	2	2	2	2	1	-	-	-
Female--	3	-	-	-	1	-	2	-	-	-	-	-	-
Cholelithiasis, cholecystitis and cholangitis------574,575	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and nephrosis----------580-584	5	-	-	-	-	1	1	-	1	-	2	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	-	-	-	-	-	-	-	1	-	1	-	-
Female--	3	-	-	-	-	1	1	-	-	-	1	-	-
Acute nephritis and nephrotic syndrome----------580,581	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic and unqualified nephritis and renal sclerosis----------582-584	5	-	-	-	-	1	1	-	1	-	2	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	-	-	-	-	-	-	-	1	-	1	-	-
Female--	3	-	-	-	-	1	1	-	-	-	1	-	-
Infections of kidney----------590	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate----------600	2	-	-	-	-	-	-	-	-	-	1	1	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	-	-	-	-	-	-	-	-	-	1	1	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1974--Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium--630-678	2	-	-	-	-	2	-	-	-	-	-	-	-
White--Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	2	-	-	-	-	2	-	-	-	-	-	-	-
Abortions--640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium--630-639,650-678	2	-	-	-	-	2	-	-	-	-	-	-	-
White--Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	2	-	-	-	-	2	-	-	-	-	-	-	-
Congenital anomalies--740-759	7	7	-	-	-	-	-	-	-	-	-	-	-
White--Male--	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	5	5	-	-	-	-	-	-	-	-	-	-	-
Female--	2	2	-	-	-	-	-	-	-	-	-	-	-
Certain causes of mortality in early infancy--760-769.2,769.4-772,774-778	38	38	-	-	-	-	-	-	-	-	-	-	-
White--Male--	3	3	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	26	26	-	-	-	-	-	-	-	-	-	-	-
Female--	9	9	-	-	-	-	-	-	-	-	-	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions--764-768,772,776	12	12	-	-	-	-	-	-	-	-	-	-	-
White--Male--	1	1	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	9	9	-	-	-	-	-	-	-	-	-	-	-
Female--	2	2	-	-	-	-	-	-	-	-	-	-	-
Other causes of mortality in early infancy--Remainder of 760-778	26	26	-	-	-	-	-	-	-	-	-	-	-
White--Male--	2	2	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	17	17	-	-	-	-	-	-	-	-	-	-	-
Female--	7	7	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions--780-798	11	6	-	1	-	1	1	1	1	-	-	-	-
White--Male--	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	6	5	-	-	-	-	1	-	-	-	-	-	-
Female--	4	1	-	1	-	1	-	1	-	-	-	-	-
All other diseases--Residual	23	1	-	-	1	3	2	4	6	4	1	1	-
White--Male--	2	-	-	-	-	-	-	-	2	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	10	-	-	-	-	2	1	1	3	2	-	1	-
Female--	11	1	-	-	1	1	1	3	1	2	1	-	-
Accidents--E800-E949	32	1	1	3	5	12	2	2	3	-	2	1	-
White--Male--	7	-	-	-	2	2	-	-	1	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	17	1	-	-	3	9	1	2	1	-	-	-	-
Female--	8	-	1	2	-	1	1	-	1	-	1	1	-
Motor vehicle accidents--E810-E823	12	-	1	2	1	3	-	1	2	-	2	-	-
White--Male--	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	5	-	-	-	1	2	-	1	1	-	-	-	-
Female--	6	-	1	2	-	1	-	-	1	-	1	-	-
All other accidents--E800-E807,E825-E949	20	1	-	1	4	9	2	1	1	-	-	1	-
White--Male--	6	-	-	1	2	2	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	12	1	-	-	2	7	1	1	-	-	-	-	-
Female--	2	-	-	-	-	-	1	-	-	-	-	1	-
Suicide--E950-E959	5	...	...	-	2	1	1	-	-	1	-	-	-
White--Male--	1	...	...	-	-	-	1	-	-	-	-	-	-
Female--	2	...	...	-	1	-	-	-	-	1	-	-	-
All other--Male--	2	...	...	-	1	1	-	-	-	-	-	-	-
Female--	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide--E960-E978	17	-	-	-	1	5	4	5	-	2	-	-	-
White--Male--	2	-	-	-	-	-	1	1	-	-	-	-	-
Female--	4	-	-	-	-	1	-	3	-	-	-	-	-
All other--Male--	8	-	-	-	-	4	3	1	-	-	-	-	-
Female--	3	-	-	-	1	-	-	-	-	2	-	-	-
Other external causes--E980-E999	5	-	-	-	-	-	-	-	3	1	-	1	-
White--Male--	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male--	2	-	-	-	-	-	-	-	2	-	-	-	-
Female--	3	-	-	-	-	-	-	-	1	1	-	1	-

Table 8-6. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motor-cyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal or occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Guam	23	2	2	-	-	-	-	1	5	-	13
Male	18	2	1	-	-	-	-	1	5	-	9
Female	5	-	1	-	-	-	-	-	-	-	4
Puerto Rico	538	110	77	9	-	-	-	13	172	-	157
Male	444	104	53	9	-	-	-	13	138	-	127
Female	94	6	24	-	-	-	-	-	34	-	30
Virgin Islands	12	-	1	-	-	-	-	-	2	-	9
White--Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
All other--Male	5	-	-	-	-	-	-	-	1	-	4
Female	6	-	1	-	-	-	-	-	1	-	4

Table 8-7. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (0)	Farm[2] (1)	Mine and quarry (2)	Industrial places (3)	Place for recreation or sport (4)	Street and highway (5)	Public building (6)	Resident institution (7)	Other specified places (8)	Place not specified (9)
Guam	31	12	-	-	-	-	-	-	-	14	5
Male	18	7	-	-	-	-	-	-	-	9	2
Female	13	5	-	-	-	-	-	-	-	5	3
Puerto Rico	626	117	-	-	20	25	30	10	6	94	324
Male	480	77	-	-	19	21	28	9	1	83	242
Female	146	40	-	-	1	4	2	1	5	11	82
Virgin Islands	19	2	-	-	1	-	2	-	-	-	14
White--Male	5	2	-	-	-	-	-	-	-	-	3
Female	-	-	-	-	-	-	-	-	-	-	-
All other--Male	12	-	-	-	1	-	2	-	-	-	9
Female	2	-	-	-	-	-	-	-	-	-	2

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8-8. Total, Infant, and Neonatal Deaths: Puerto Rico and Each Municipio, 1974

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths to nonresidents of Puerto Rico]

Area	Total deaths by municipio of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Puerto Rico	19,055	18,948	1,511	1,176
Adjuntas	80	143	13	8
Aguada	102	174	9	7
Aguadilla	253	340	17	11
Aguas Buenas	55	108	12	9
Aibonito	119	123	5	4
Añasco	85	139	14	10
Arecibo	1,321	726	51	42
Arroyo	98	117	11	10
Barceloneta	90	197	21	17
Barranquitas	82	116	11	7
Bayamón	790	876	92	74
Cabo Rojo	121	235	14	8
Caguas	804	618	52	40
Camuy	94	164	7	6
Carolina	276	626	62	52
Cataño	89	196	18	16
Cayey	215	293	26	20
Ceiba	52	71	6	5
Ciales	49	89	9	7
Cidra	62	105	9	6
Coamo	100	167	15	13
Comerío	56	104	5	5
Corozal	61	129	15	9
Culebra	4	5	-	-
Dorado	60	99	9	6
Fajardo	452	190	10	7
Guánica	48	109	15	11
Guayama	256	296	33	25
Guayanilla	69	142	7	5
Guaynabo	180	377	24	19
Gurabo	56	102	11	9
Hatillo	91	178	11	10
Hormigueros	45	72	2	2
Humacao	297	270	20	15
Isabela	122	204	17	14
Jayuya	53	97	10	9
Juana Díaz	115	249	31	18
Juncos	76	146	12	9
Lajas	55	114	7	7
Lares	120	188	17	13
Las Marías	15	38	6	2
Las Piedras	69	109	9	8
Loíza	97	198	27	18
Luquillo	50	80	4	4
Manatí	175	265	20	16
Maricao	22	35	2	1
Maunabo	34	68	4	2
Mayagüez	1,314	668	41	31
Moca	84	135	9	4
Morovis	60	96	7	6
Naguabo	85	146	10	8
Naranjito	48	94	11	11
Orocovis	70	99	7	4
Patillas	61	121	11	9
Peñuelas	69	118	9	9
Ponce	2,083	1,210	113	86
Quebradillas	56	107	11	11
Rincón	40	82	-	-
Río Grande	65	161	10	6
Sabana Grande	92	147	8	7
Salinas	130	190	15	10
San Germán	277	220	14	10
San Juan	5,591	3,544	216	184
San Lorenzo	107	172	10	8
San Sebastián	143	230	18	15
Santa Isabel	54	124	13	9
Toa Alta	61	124	15	14
Toa Baja	116	251	31	24
Trujillo Alto	83	154	11	8
Utuado	150	235	21	15
Vega Alta	88	163	16	10
Vega Baja	133	244	24	18
Vieques	47	66	-	-
Villalba	54	114	23	15
Yabucoa	142	197	12	10
Yauco	158	269	23	18

Table 8-9. Total, Infant, and Neonatal Deaths, by Color: Virgin Islands and Specified Urban Place, and Guam, 1974

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths to nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and color	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	503	462	61	51
White	117	85	4	4
All other	386	377	57	47
St. Croix Island	248	228	22	19
White	44	33	1	1
All other	204	195	21	18
St. John and St. Thomas Islands	255	234	39	32
White	73	52	3	3
All other	182	182	36	29
Charlotte Amalie (St. Thomas Island)	---	190	38	32
White	---	36	3	3
All other	---	154	35	29
Balance of area	---	35	1	-
White	---	16	-	-
All other	---	19	1	-
Guam	448	423	74	49

Table 8-10. Deaths Under 1 Year and Under 28 Days, by Month, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GUAM													
Under 1 year	74	6	3	5	9	8	9	5	7	4	10	5	3
Under 28 days	49	4	2	3	7	4	6	5	5	3	6	3	1
PUERTO RICO													
Under 1 year	1,511	140	101	131	118	144	152	136	104	117	118	141	109
Under 28 days	1,176	106	87	103	89	109	122	109	81	86	95	108	81
VIRGIN ISLANDS													
Under 1 year	61	11	4	3	7	8	3	3	5	6	5	2	4
White	4	-	-	-	-	1	-	-	-	1	-	-	2
All other	57	11	4	3	7	7	3	3	5	5	5	2	2
Under 28 days	51	10	1	3	4	8	3	2	5	6	4	1	4
White	4	-	-	-	-	1	-	-	-	1	-	-	2
All other	47	10	1	3	4	7	3	2	5	5	4	1	2

Table 8-11. Deaths Under 1 Year, by Age and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

Age	Guam			Puerto Rico			Virgin Islands								
							Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	74	44	30	1,511	818	693	61	45	16	4	3	1	57	42	15
Under 28 days	49	29	20	1,176	630	546	51	40	11	4	3	1	47	37	10
Under 7 days	43	26	17	984	534	450	44	34	10	3	3	-	41	31	10
Under 1 hour	7	2	5	131	71	60	8	8	-	1	1	-	7	7	-
1-23 hours	23	17	6	404	228	176	19	15	4	1	1	-	18	14	4
1 day	6	3	3	161	79	82	8	5	3	-	-	-	8	5	3
2 days	3	1	2	130	70	60	4	4	-	1	1	-	3	3	-
3 days	1	1	-	65	34	31	2	1	1	-	-	-	2	1	1
4 days	1	1	-	43	24	19	1	-	1	-	-	-	1	-	1
5 days	1	-	1	29	15	14	2	1	1	-	-	-	2	1	1
6 days	1	1	-	21	13	8	-	-	-	-	-	-	-	-	-
7-13 days	4	2	2	90	50	40	2	2	-	-	-	-	2	2	-
14-20 days	1	-	1	71	36	35	3	2	1	1	-	1	2	2	-
21-27 days	1	1	-	31	10	21	2	2	-	-	-	-	2	2	-
28-59 days (1 month)	9	6	3	101	62	39	2	2	-	-	-	-	2	2	-
2 months	4	3	1	68	39	29	2	1	1	-	-	-	2	1	1
3 months	-	-	-	33	19	14	-	-	-	-	-	-	-	-	-
4 months	2	1	1	17	11	6	-	-	-	-	-	-	-	-	-
5 months	1	1	-	30	15	15	4	1	3	-	-	-	4	1	3
6 months	5	1	4	26	12	14	1	-	1	-	-	-	1	-	1
7 months	1	1	-	20	9	11	-	-	-	-	-	-	-	-	-
8 months	-	-	-	12	5	7	1	1	-	-	-	-	1	1	-
9 months	1	1	-	7	4	3	-	-	-	-	-	-	-	-	-
10 months	2	1	1	11	5	6	-	-	-	-	-	-	-	-	-
11 months	-	-	-	10	7	3	-	-	-	-	-	-	-	-	-

Table 8-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Guam			Puerto Rico			Virgin Islands				
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days		28 days to 11 months	
								White	All other	White	All other
All causes	74	49	25	1,511	1,176	335	61	4	47	-	10
Diarrheal diseases---009	5	2	3	71	17	54	-	-	-	-	-
Whooping cough---033	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections---036	-	-	-	-	-	-	-	-	-	-	-
Tetanus---037	-	-	-	-	-	-	-	-	-	-	-
Septicemia---038	-	-	-	78	56	22	-	-	-	-	-
Viral diseases---040-079	2	1	1	-	-	-	1	-	-	-	1
Congenital syphilis---090	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases---Remainder of 000-136	-	-	-	2	-	2	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-209	-	-	-	1	-	1	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature---210-239	-	-	-	1	-	1	-	-	-	-	-
Diseases of thymus gland---254	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis---273.0	-	-	-	-	-	-	-	-	-	-	-
Diseases of the blood and blood-forming organs---280-289	-	-	-	3	2	1	-	-	-	-	-
Meningitis---320	-	-	-	18	4	14	-	-	-	-	-
Other diseases of nervous system and sense organs---321-389	1	-	1	7	1	6	1	-	-	-	1
Acute upper respiratory infections---460-465	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis---466,490,491	-	-	-	8	6	2	1	-	-	-	1
Influenza and pneumonia---470-474,480-486	2	-	2	154	84	70	3	-	2	-	1
Influenza---470-474	-	-	-	-	-	-	-	-	-	-	-
Pneumonia---480-486	2	-	2	154	84	70	3	-	2	-	1
Other chronic interstitial pneumonia---517	-	-	-	-	-	-	-	-	-	-	-
All other diseases of respiratory system---492,493,500-516,518,519	1	-	1	14	4	10	-	-	-	-	-
Hernia and intestinal obstruction---550-553,560	-	-	-	11	7	4	2	1	1	-	-
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin---535,561,563	-	-	-	8	-	8	-	-	-	-	-
Other diseases of digestive system---520-534,536,537,540-543,562,564-577	1	-	1	22	14	8	-	-	-	-	-
Congenital anomalies---740-759	7	3	4	209	144	65	7	-	5	-	2
Anencephalus---740	1	1	-	18	18	-	-	-	-	-	-
Spina bifida---741	-	-	-	16	13	3	1	-	1	-	-
Congenital hydrocephalus---742	1	-	1	9	5	4	-	-	-	-	-
Other congenital anomalies of central nervous system and eye---743,744	-	-	-	5	3	2	2	-	2	-	-
Congenital anomalies of heart---746	1	-	1	89	54	35	2	-	1	-	1
Other congenital anomalies of circulatory system---747	1	-	1	4	1	3	-	-	-	-	-
Congenital anomalies of respiratory system---748	1	1	-	6	6	-	-	-	-	-	-
Congenital anomalies of digestive system---749-751	-	-	-	19	8	11	-	-	-	-	-
Congenital anomalies of genitourinary system---752,753	-	-	-	5	3	2	-	-	-	-	-
Congenital anomalies of musculoskeletal system---754-756	1	1	-	6	4	2	1	-	1	-	-
Down's disease---759.3	1	-	1	4	3	1	-	-	-	-	-
Other congenital syndromes affecting multiple systems---759.0-759.2,759.4-759.9	-	-	-	25	24	1	-	-	-	-	-
Other and unspecified congenital anomalies---745,757,758	-	-	-	3	2	1	1	-	-	-	1
Certain causes of mortality in early infancy--760-769.2,769.4-772,774-778	42	42	-	797	796	1	38	3	35	-	-
Chronic circulatory and genitourinary diseases in mother---760	-	-	-	-	-	-	-	-	-	-	-
Other maternal conditions unrelated to pregnancy---761	-	-	-	2	2	-	-	-	-	-	-
Syphilis---761.0	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus---761.1	-	-	-	1	1	-	-	-	-	-	-
Rubella---761.3	-	-	-	-	-	-	-	-	-	-	-
All other maternal conditions unrelated to pregnancy---761.2,761.4-761.7,761.9	-	-	-	1	1	-	-	-	-	-	-
Toxemia of pregnancy---762	-	-	-	1	1	-	-	-	-	-	-
Maternal antepartum and intrapartum infection---763	-	-	-	1	1	-	-	-	-	-	-
Difficult labor---764-769	1	1	-	4	4	-	1	-	1	-	-
With mention of birth injury (.0-.3)	1	1	-	-	-	-	-	-	-	-	-
Without mention of birth injury (.4,.9)	-	-	-	4	4	-	1	-	1	-	-
All other complications of pregnancy and childbirth---769.0-769.2,769.4,769.5,769.9	4	4	-	55	55	-	1	1	-	-	-
Conditions of placenta---770	1	1	-	6	6	-	-	-	-	-	-
Conditions of umbilical cord---771	-	-	-	6	6	-	-	-	-	-	-
Birth injury without mention of cause---772	5	5	-	78	78	-	-	-	-	-	-
Hemolytic disease of newborn---774,775	1	1	-	10	10	-	-	-	-	-	-
Hyaline membrane disease---776.1	-	-	-	163	163	-	-	-	-	-	-
Respiratory distress syndrome---776.2	6	6	-	99	99	-	2	1	1	-	-
Asphyxia of newborn, unspecified---776.9	15	15	-	115	115	-	9	-	9	-	-
All other anoxic and hypoxic conditions not elsewhere classifiable---776.0,776.3,776.4	1	1	-	24	24	-	-	-	-	-	-
Immaturity, unqualified---777	6	6	-	147	146	1	11	-	11	-	-
Postmaturity---778.1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn---778.2	-	-	-	35	35	-	-	-	-	-	-
All other conditions of newborn---778.0,778.3,778.9	2	2	-	51	51	-	14	1	13	-	-
Symptoms and ill-defined conditions---780-796	1	1	-	38	29	9	6	-	3	-	3
Accidents---E800-E949	7	-	7	33	3	30	1	-	1	-	-
Inhalation or ingestion of food or other object causing obstruction or suffocation---E911,E912	2	-	2	15	2	13	1	-	1	-	-
Accidental mechanical suffocation---E913	3	-	3	5	-	5	-	-	-	-	-
Other accidental causes---E800-E910,E914-E949	2	-	2	13	1	12	-	-	-	-	-
Homicide---E960-E978	-	-	-	1	1	-	-	-	-	-	-
All other causes---Residual	5	-	5	35	8	27	1	-	-	-	1

☆ U.S. GOVERNMENT PRINTING OFFICE : 1976 O—219-428