



# Suicide rates [Objective 6.1]



NOTE: Rates for all persons and American Indians/Alaska Native males are age-adjusted.


SOURCE: CDC/NCHS, National Vital Statistics System, 1987-97

# Suicide among persons 65 years and over




<sup>1</sup> Hispanic origin can be of any race.  
SOURCE: CDC/NCHS, National Vital Statistics Surveillance System, 1996

# Adolescent injurious suicide attempts (Objective 6.2)




SOURCE: CDC/DASH, Youth Risk Behavior Survey, 1990-97

# Suicide attempts and suicides among adolescents




SOURCE: CDC/DASH, Youth Risk Behavior Survey, 1991, 1993, 1995, 1997;  
CDC/NCHS, National Vital Statistics System, 1991, 1993, 1995, 1997

# Prevalence of mental disorders (Objective 6.4)




SOURCE: NIH/NIMH, Epidemiologic Catchment Area Study, 1981-85; NIH/NIMH, National Comorbidity Survey, 1990-92

# Persons with adverse effects from stress (Objective 6.5)




SOURCE: CDC/NCHS, National Health Interview Survey, 1985, 1990, 1993, and 1995

# Use of community support by persons with mental illness (Objective 6.6)



SOURCE: NIH/NIMH, Community Support Program Followup, 1986; CDC/NCHS, National Health Interview Survey, 1994


# Treatment for depression (Objective 6.7)



SOURCE: NIH/NIMH, Epidemiologic Catchment Area Study, 1981-85; NIH/NIMH, National Comorbidity Survey, 1990-92




# Persons seeking help for emotional problems (Objective 6.8)



SOURCE: CDC/NCHS, National Health Interview Survey, 1985, 1990, 1993, and 1995

# Prevalence of depression (Objective 6.15)



SOURCE: NIH/NIMH, Epidemiologic Catchment Area Study, 1981-85; NIH/NIMH, National Comorbidity Survey, 1990-92