

Addenda: ICD-10-CM Index

Persons with disabilities experiencing problems accessing this page should contact NCHSED through e-mail at nchsed@cdc.gov or by calling 301-458-4688.

Key:

New or Revised text: Underline

Deleted text: ~~Strikeout~~

Abnormal, abnormality, abnormalities - see also Anomaly

- Papanicolaou (smear)
- - cervix R87.619
- - - non-atypical endometrial cells R87.618
- specimen
- - female genital organs (secretions) (smears) R87.9
- - - cytology R87.6019
- - - - cervix R87.619
- - - - - non-atypical endometrial cells R87.618

Abocclusion M26.29

- incompatibility reaction ABO ~~T80.3~~ - see Complication(s), transfusion, incompatibility reaction, ABO

Aborter, habitual or recurrent - see Loss (of), pregnancy, recurrent

- without current pregnancy N96
- ~~care in current pregnancy O26.2-~~

Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91

- appendix K35.43
- artery (wall) I77.89
- cecum K35.43
- ileocecal K35.43
- iliac (region) L02.214
- - fossa K35.43
- periappendicular K35.43
- pericecal K35.43
- peritoneum, peritoneal (perforated) (ruptured) K65.1
- - with appendicitis K35.43
- perityphlic K35.43
- postcecal K35.43
- prostate N41.2
- - gonococcal (acute) (chronic) A54.232
- subcecal K35.43
- vermiform appendix K35.43

Absence (of) (organ or part) (complete or partial)

- arm (acquired) Z89.2092
- digestive organ(s) or tract, congenital Q45.8
- - acquired NEC Z90.49
- duodenum (acquired) Z90.49
- ear, congenital Q16.9
- - acquired - ~~see subcategory H93.8~~ H93.8-
- esophagus (congenital) Q39.8
- - acquired (partial) Z90.49
- gallbladder (acquired) Z90.49

- ileum (acquired) Z90.49
- intestine (acquired) (small) Z90.49
- - large Z90.49
- jejunum (acquired) Z90.49
- pancreas (congenital) Q45.0
- - acquired Z90.410
- - - complete Z90.410
- - - partial Z90.411
- - - total Z90.410
- rectum (congenital) Q42.1
- - acquired Z90.49

Accessory (congenital)

- vagina Q52.10

Acne L70.9

- excori,ée des jeunes filles L70.5

Acromelalgia I73.9881

Activity (involving) Y93.9

- aerobic and step exercise (class) Y93.A3
- alpine skiing Y93.23
- animal care NEC Y93.K9
- arts and handicrafts NEC Y93.D9
- athletics NEC Y93.79
- athletics played as a team or group NEC Y93.69
- athletics played individually NEC Y93.59
- baking Y93.G3
- ballet Y93.41
- barbells Y93.B3
- BASE (Building, Antenna, Span, Earth) jumping Y93.33
- baseball Y93.64
- basketball Y93.67
- bathing (personal) Y93.E1
- beach volleyball Y93.68
- bike riding Y93.55
- boogie boarding Y93.18
- bowling Y93.54
- boxing Y93.71
- brass instrument playing Y93.J4
- building construction Y93.H3
- bungee jumping Y93.34
- calisthenics Y93.A2
- canoeing (in calm and turbulent water) Y93.16
- capture the flag Y93.68
- cardiorespiratory exercise NEC Y93.A9
- caregiving (providing) NEC Y93.F9
- - bathing Y93.F1
- - lifting Y93.F2
- cellular
- - communication device Y93.C2
- - telephone Y93.C2
- challenge course Y93.A5
- cheerleading Y93.45
- circuit training Y93.A4

- cleaning
- ~~floor~~ Y93.E5
- ~~climbing~~ NEC Y93.39
- ~~mountain~~ Y93.31
- ~~rock~~ Y93.34
- ~~wall~~ Y93.34
- ~~cool down exercises~~ Y93.A2
- ~~combatives~~ Y93.75
- computer
- ~~keyboarding~~ Y93.C1
- ~~technology~~ NEC Y93.C9
- ~~computer keyboarding~~ Y93.C1
- ~~computer technology~~ NEC Y93.C9
- ~~confidence course~~ Y93.A5
- ~~construction (building)~~ Y93.H3
- ~~cooking and baking~~ Y93.G3
- ~~cricket~~ Y93.69
- ~~crocheting~~ Y93.D1
- ~~cross country skiing~~ Y93.24
- ~~dancing (all types)~~ Y93.41
- digging
- ~~dirt~~ Y93.H1
- ~~dirt digging~~ Y93.H1
- ~~dishwashing~~ Y93.G4
- ~~diving (platform) (springboard)~~ Y93.12
- ~~underwater~~ Y93.15
- ~~dodge ball~~ Y93.68
- ~~downhill skiing~~ Y93.23
- ~~drum playing~~ Y93.J2
- ~~dumbbells~~ Y93.B3
- electronic
- ~~devices~~ NEC Y93.C9
- ~~hand held interactive~~ Y93.C2
- ~~game playing (using) (with)~~
- ~~keyboard or other stationary device~~ Y93.C1
- ~~interactive device~~ Y93.C2
- ~~elliptical machine~~ Y93.A1
- exercise(s)
- ~~machines ((primarily) for)~~
- ~~cardiorespiratory conditioning~~ Y93.A1
- ~~muscle strengthening~~ Y93.B1
- ~~muscle strengthening (non-machine)~~ NEC Y93.B9
- ~~external motion~~ NEC Y93.I9
- ~~rollercoaster~~ Y93.I1
- ~~field hockey~~ Y93.65
- ~~figure skating (pairs) (singles)~~ Y93.21
- ~~flag football~~ Y93.62
- ~~floor mopping and cleaning~~ Y93.E5
- ~~food preparation and clean up~~ Y93.G1
- ~~football (American) NOS~~ Y93.61
- ~~flag~~ Y93.62
- ~~tackle~~ Y93.61
- ~~touch~~ Y93.62
- ~~four square~~ Y93.68
- ~~free weights~~ Y93.B3
- ~~frisbee (ultimate)~~ Y93.74

- furniture
- ~~building Y93.D3~~
- ~~finishing Y93.D3~~
- ~~repair Y93.D3~~
- game playing (electronic)
- ~~using keyboard or other stationary device Y93.C1~~
- ~~using interactive device Y93.C2~~
- gardening Y93.H2
- golf Y93.53
- grass drills Y93.A6
- grilling and smoking food Y93.G2
- grooming and shearing an animal Y93.K3
- ~~guerilla drills Y93.A6~~
- gymnastics (rhythmic) Y93.43
- handball Y93.73
- handcrafts NEC Y93.D9
- ~~hand held interactive electronic device Y93.C2~~
- hang gliding Y93.35
- hiking (on level or elevated terrain) Y93.01
- hockey (ice) Y93.22
- ~~field Y93.65~~
- horseback riding Y93.52
- ~~household maintenance NEC Y93.E9~~
- ice NEC Y93.29
- ~~dancing Y93.21~~
- ~~hockey Y93.22~~
- ~~skating Y93.21~~
- inline roller skating Y93.51
- ironing Y93.E4
- judo Y93.75
- jumping (off) NEC Y93.39
- ~~BASE (Building, Antenna, Span, Earth) Y93.33~~
- ~~bungee Y93.34~~
- ~~jacks Y93.A2~~
- ~~rope Y93.56~~
- jumping jacks Y93.A2
- jumping rope Y93.56
- karate Y93.75
- kayaking (in calm and turbulent water) Y93.16
- keyboarding (computer) Y93.C1
- kickball Y93.68
- knitting Y93.D1
- lacrosse Y93.65
- land maintenance NEC Y93.H9
- landscaping Y93.H2
- laundry Y93.E2
- machines (exercise)
- ~~primarily for cardiorespiratory conditioning Y93.A1~~
- ~~primarily for muscle strengthening Y93.B1~~
- maintenance
- ~~building NEC Y93.H9~~
- ~~household NEC Y93.E9~~
- ~~land Y93.H9~~
- ~~property Y93.H9~~
- marching (on level or elevated terrain) Y93.01
- martial arts Y93.75

- ~~microwave oven Y93.G3~~
- ~~mopping (floor) Y93.E5~~
- ~~mountain climbing Y93.31~~
- ~~milking an animal Y93.K2~~
- ~~muscle strengthening~~
- ~~- exercises (non-machine) NEC Y93.B9~~
- ~~- machines Y93.B1~~
- ~~musical keyboard (electronic) playing Y93.J1~~
- ~~nordic skiing Y93.24~~
- ~~obstacle course Y93.A5~~
- ~~oven (microwave) Y93.G3~~
- ~~packing up and unpacking in moving to a new residence Y93.E6~~
- ~~parasailing Y93.19~~
- ~~percussion instrument playing NEC Y93.J2~~
- ~~personal~~
- ~~- bathing and showering Y93.E1~~
- ~~- hygiene NEC Y93.E8~~
- ~~- showering Y93.E1~~
- ~~physical games generally associated with school recess, summer camp and children Y93.68~~
- ~~physical training NEC Y93.A9~~
- ~~piano playing Y93.J1~~
- ~~pilates Y93.B4~~
- ~~platform diving Y93.12~~
- ~~playing musical instrument~~
- ~~- brass instrument Y93.J4~~
- ~~- drum Y93.J2~~
- ~~- musical keyboard (electronic) Y93.J1~~
- ~~- percussion instrument NEC Y93.J2~~
- ~~- piano Y93.J1~~
- ~~- string instrument Y93.J3~~
- ~~- winds instrument Y93.J4~~
- ~~property maintenance NE Y93.H9~~
- ~~pruning (garden and lawn) Y93.H2~~
- ~~pull-ups Y93.B2~~
- ~~push-ups Y93.B2~~
- ~~racquetball Y93.73~~
- ~~rafting (in calm and turbulent water) Y93.16~~
- ~~raking (leaves) Y93.H1~~
- ~~rappelling Y93.32~~
- ~~refereeing a sports activity Y93.81~~
- ~~residential relocation Y93.E6~~
- ~~rhythmic gymnastics Y93.43~~
- ~~rhythmic movement NEC Y93.49~~
- ~~riding~~
- ~~- horseback Y93.52~~
- ~~- rollercoaster Y93.I1~~
- ~~rock climbing Y93.31~~
- ~~rollercoaster riding Y93.I1~~
- ~~roller skating (inline) Y93.51~~
- ~~rough housing and horseplay Y93.83~~
- ~~rowing (in calm and turbulent water) Y93.16~~
- ~~rugby Y93.63~~
- ~~running Y93.02~~
- ~~SCUBA diving Y93.15~~
- ~~sewing Y93.D2~~
- ~~shoveling Y93.H1~~

- - dirt Y93.H1
- - snow Y93.H1
- showering (personal) Y93.E1
- sit-ups Y93.B2
- skateboarding Y93.51
- skating (ice) Y93.21
- - roller Y93.51
- skiing (alpine) (downhill) Y93.23
- - cross country Y93.24
- - nordic Y93.24
- - water Y93.17
- sledding (snow) Y93.23
- sleeping (sleep) Y93.84
- smoking and grilling food Y93.G2
- snorkeling Y93.15
- snow NEC Y93.29
- - boarding Y93.23
- - shoveling Y93.H1
- - sledding Y93.23
- - tubing Y93.23
- soccer Y93.66
- softball Y93.64
- specified NEC Y93.89
- spectator at an event Y93.82
- sports NEC Y93.79
- - sports played as a team or group NEC Y93.69
- - sports played individually NEC Y93.59
- springboard diving Y93.12
- squash Y93.73
- stationary bike Y93.A1
- step (stepping) exercise (class) Y93.A3
- stepper machine Y93.A1
- stove Y93.G3
- string instrument playing Y93.J3
- surfing Y93.18
- - wind Y93.18
- swimming Y93.11
- tackle football Y93.61
- tap dancing Y93.41
- tennis Y93.73
- tobogganing Y93.23
- touch football Y93.62
- track and field events (non-running) Y93.57
- running Y93.02
- trampoline Y93.44
- treadmill Y93.A1
- trimming shrubs Y93.H2
- tubing (in calm and turbulent water) Y93.16
- - snow Y93.23
- ultimate frisbee Y93.74
- underwater diving Y93.15
- unpacking in moving to a new residence Y93.E6
- use of stove, oven and microwave oven Y93.G3
- vacuuming Y93.E3
- volleyball (beach) (court) Y93.68
- wake boarding Y93.17

- walking an animal Y93.K1
- walking (on level or elevated terrain) Y93.01
- - an animal Y93.K1
- wall climbing Y93.31
- warm up and cool down exercises Y93.A2
- water NEC Y93.19
- - aerobics Y93.14
- - craft NEC Y93.19
- - exercise Y93.14
- - polo Y93.13
- - skiing Y93.17
- - sliding Y93.18
- - survival training and testing Y93.19
- weeding (garden and lawn) Y93.H2
- wind instrument playing Y93.J4
- windsurfing Y93.18
- wrestling Y93.72
- yoga Y93.42

Addison-Schilder complex E71.4528

Adenoacanthoma - see Neoplasm, malignant, by site

Adenocarcinoid (tumor) - see Neoplasm, malignant, by site

Adenocarcinoma - see also Neoplasm, malignant, by site

- acidophil
- - specified site - see Neoplasm, malignant, by site
- apocrine
- - in situ
- - - breast D05.78-
- basal cell
- - unspecified site C08.9
- basophil
- - specified site - see Neoplasm, malignant, by site
- bile duct type C22.1
- - specified site NEC - see Neoplasm, malignant, by site
- chromophobe
- - specified site - see Neoplasm, malignant, by site
- diffuse type
- - specified site - see Neoplasm, malignant, by site
- duct
- - infiltrating
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site
- eosinophil
- - specified site - see Neoplasm, malignant, by site
- follicular
- - specified site - see Neoplasm, malignant, by site
- infiltrating duct
- - specified site - see Neoplasm, by site, malignant
- inflammatory
- - specified site - see Neoplasm, by site, malignant
- intestinal type
- - specified site - see Neoplasm, by site, malignant
- intraductal

- - breast D05.48-
- - noninfiltrating
- - - breast D05.48-
- - - papillary
- - - - with invasion
- - - - - specified site - see Neoplasm, by site, malignant
- - - - breast D05.48-
- - - - - specified site NEC - see Neoplasm, in situ, by site
- - - - - unspecified site D05.48-
- - - - specified site NEC - see Neoplasm, in situ, by site
- - - - unspecified site D05.48-
- - papillary
- - - with invasion
- - - - specified site - see Neoplasm, malignant, by site
- - - breast D05.48-
- - - - specified site - see Neoplasm, in situ, by site
- - - - unspecified site D05.48-
- - - specified site NEC - see Neoplasm, in situ, by site
- - - unspecified site D05.48-
- islet cell
- - with exocrine, mixed
- - - specified site - see Neoplasm, malignant, by site
- - - specified site NEC - see Neoplasm, malignant, by site
- lobular
- - in situ
- - - specified site NEC - see Neoplasm, in situ, by site
- - - specified site - see Neoplasm, malignant, by site
- mucoid - see also Neoplasm, malignant, by site
- - cell
- - - specified site - see Neoplasm, malignant, by site
- nonencapsulated sclerosing C73
- - intraductal (noninfiltrating)
- - - - specified site - see Neoplasm, malignant, by site
- - - breast D05.48-
- - - - specified site NEC - see Neoplasm, in situ, by site
- - - - unspecified site D05.48-
- - serous
- - - specified site - see Neoplasm, malignant, by site
- papilocystic
- - specified site - see Neoplasm, malignant, by site
- pseudomucinous
- - specified site - see Neoplasm, malignant, by site
- serous - see also Neoplasm, malignant, by site
- - papillary
- - - specified site - see Neoplasm, malignant, by site

Adenocarcinoma-in-situ - see also Neoplasm, in situ, by site

Adenofibroma

- clear cell - see Neoplasm, benign, by site
- mucinous
- - specified site - see Neoplasm, benign, by site
- papillary
- - specified site - see Neoplasm, benign, by site
- serous
- - specified site - see Neoplasm, benign, by site

- specified site - see Neoplasm, benign, by site

Adenolipoma - see Neoplasm, benign, by site

Adenolymphoma

- specified site - see Neoplasm, benign, by site

Adenoma - see also Neoplasm, benign, by site

- acidophil

- - specified site - see Neoplasm, benign, by site

- acidophil-basophil, mixed

- - specified site - see Neoplasm, benign, by site

- alpha-cell

- - specified site NEC - see Neoplasm, benign, by site

- apocrine

- - breast (female) ~~D24.0~~D24.-

- - - male ~~D24.1~~-

- - specified site NEC - see Neoplasm, skin, benign, by site

- basophil

- - specified site - see Neoplasm, benign, by site

- basophil-acidophil, mixed

- - specified site - see Neoplasm, benign, by site

- beta-cell

- - specified site NEC - see Neoplasm, benign, by site

- bile duct D13.4

- - specified site NEC - see Neoplasm, benign, by site

- chromophobe

- - specified site - see Neoplasm, benign, by site

- colloid

- - specified site - see Neoplasm, benign, by site

- endocrine, multiple

- - single specified site - see Neoplasm, uncertain behavior, by site

- - two or more specified sites ~~D44.8~~-

- - unspecified site ~~D44.89~~-

- endometrioid - see also Neoplasm, benign

- - borderline malignancy - see Neoplasm, uncertain behavior, by site

- eosinophil

- - specified site - see Neoplasm, benign, by site

- fetal

- - specified site - see Neoplasm, benign, by site

- follicular

- - specified site - see Neoplasm, benign, by site

- islet cell

- - specified site NEC - see Neoplasm, benign, by site

- macrofollicular

- - specified site - see Neoplasm, benign, by site

- malignant, malignum - see Neoplasm, malignant, by site

- microcystic

- - specified site NEC - see Neoplasm, benign, by site

- microfollicular

- - specified site - see Neoplasm, benign, by site

- mucoid cell

- - specified site - see Neoplasm, benign, by site

- multiple endocrine

- - single specified site - see Neoplasm, uncertain behavior, by site

- - two or more specified sites ~~D44.8~~-

- - unspecified site D44.89
- nipple (~~female~~) D24.0D24.-
- - ~~male~~ D24.1-
- papillary - see also Neoplasm, benign, by site
- - eccrine - see Neoplasm, skin, benign, by site
- Pick's tubular
- - specified site - see Neoplasm, benign, by site
- pleomorphic
- - carcinoma in - see Neoplasm, salivary gland, malignant
- - - specified site - see Neoplasm, malignant, by site
- polypoid - see also Neoplasm, benign
- - adenocarcinoma in - see Neoplasm, malignant, by site
- - adenocarcinoma in situ - see Neoplasm, in situ, by site
- Sertoli cell
- - specified site - see Neoplasm, benign, by site
- testicular
- - specified site - see Neoplasm, benign, by site
- tubular - see also Neoplasm, benign, by site
- - adenocarcinoma in - see Neoplasm, malignant, by site
- - adenocarcinoma in situ - see Neoplasm, in situ, by site
- - Pick's
- - - specified site - see Neoplasm, benign, by site
- tubulovillous - see also Neoplasm, benign, by site
- - adenocarcinoma in - see Neoplasm, malignant, by site
- - adenocarcinoma in situ - see Neoplasm, in situ, by site
- villous - see Neoplasm, uncertain behavior, by site
- - adenocarcinoma in - see Neoplasm, malignant, by site
- - adenocarcinoma in situ - see Neoplasm, in situ, by site

Adenomatosis

- endocrine (multiple) E31.20
- - single specified site - see Neoplasm, uncertain behavior, by site
- erosive of nipple (~~female~~) D24.0D24.-
- - ~~male~~ D24.1-
- specified site - see Neoplasm, benign, by site

Adenomyoma - see also Neoplasm, benign, by site

Adenosarcoma - see Neoplasm, malignant, by site

Adherent - see also Adhesions

- labia (minora) N90.89

Adhesions, adhesive (postinfective) K66.0

- clitoris N90.89
- congenital - see also Anomaly, by site
- - ~~toes~~ Q70.2
- iris H21.509-
- postpartal, old (vulva or perineum) N90.89
- vulva N90.89

Admission (for) - see also Encounter (for)

- adjustment (of)
- - device NEC
- - - implanted Z45.9
- - - - cardiac Z45.09

- - - - defibrillator (with synchronous cardiac pacemaker) Z45.02
- intrauterine device management Z30.431
- removal of
- - device
- - - ~~intrauterine contraceptive~~ Z30.43
- - intrauterine contraceptive device Z30.432

Adolescent X-linked adrenoleukodystrophy E71.4521

AIPHI R04.81

~~Albers-Schonberg syndrome~~ Q78.2

Albers-Schönberg syndrome Q78.2

Albuminuria, albuminuric (acute) (chronic) (subacute) R80.9 - see also Proteinuria

- complicating pregnancy - see Proteinuria, gestational
- - with
- - - pre-existing hypertension - see Hypertension, complicating pregnancy, pre-existing ~~with proteinur~~, with, pre-eclampsia
- gestational - see Proteinuria, gestational
- - - pre-existing hypertension - see Hypertension, complicating pregnancy, pre-existing ~~with proteinur~~, with, pre-eclampsia

ALTE (apparent life threatening event ~~in infant and newborn~~) in newborn and infant R68.13

Amusia R48.8

- developmental F80.89

Androblastoma

- benign
- - specified site - see Neoplasm, benign, by site
- malignant
- - specified site - see Neoplasm, malignant, by site
- specified site - see Neoplasm, uncertain behavior, by site
- tubular
- - with lipid storage
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site

Anemia (essential) (general) (hemoglobin deficiency) (infantile) (primary) (profound) D64.9

- refractory D46.4
- - with
- - - sideroblasts (ringed) (RARS) D46.1

Angioendothelioma - see Neoplasm, uncertain behavior, by site

Angioendotheliomatosis C85.708-

Angiofibroma - see also Neoplasm, benign, by site

- juvenile
- - specified site - see Neoplasm, benign, by site

Angiopathia, angiopathy I99.9

- cerebral I67.9
- - amyloid E85.4 [I68..4]

Anomaly, anomalous (congenital) (unspecified type) Q89.9

- Müllerian - see also Anomaly, by site
- - uterus NEC Q51.818
- uterus Q51.9
- - with only one functioning horn Q51.84

Anteversio

- uterus, uterine (cervix) (postinfectious) (postpartal, old) N85.4
- - congenital Q51.818

Aortectasia I71.9- see Ectasia, aorta

- with aneurysm - see Aneurysm, aorta

Aphasia (amnesic) (global) (nominal) (semantic) (syntactic) R47.01

- progressive isolated G31.01 [F02..80]

Apnea, apneic (of) (spells) R06.81

- newborn NEC P28.4
- - ~~sleep (primary) P28.3~~
- - obstructive P28.4
- - sleep (central) (obstructive) (primary) P28.3
- prematurity P28.4

Appendix, appendicular - see also condition

- epididymis Q55.4

Apudoma - see Neoplasm, uncertain behavior, by siteArcuate uterus Q51.810**Arcuatus uterus** Q51.810**Argentaffinoma** - see also Neoplasm, uncertain behavior, by site

- malignant - see Neoplasm, malignant, by site

Arrhenoblastoma

- benign
- - specified site - see Neoplasm, benign, by site
- malignant
- - specified site - see Neoplasm, malignant, by site
- specified site - see Neoplasm, uncertain behavior, behavior, by site

Artery, arterial - see also condition

- abscess I77.89

Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute) M19.90

- due to or associated with
- - Heno~~ch~~-~~Sche~~-Schönlein purpura D69.0
- in (due to)
- - hemochromatosis E83.118 - see also subcategory M14.8-
- - Heno~~ch~~-~~Sche~~-Schönlein purpura D69.0 [M36..4]
- - leukemia NEC C95.90- [M36..1]
- - multiple myelomatosis C90.00- [M36..1]
- - myelomatosis (multiple) C90.00- [M36..1]
- - reticulosis, malignant C85.708- - see also subcategory M14.8-

- rheumatoid M06.9
- - seropositive M05.9
- - - specified NEC M05.80
- - - - ankle M05.87-
- - - - elbow M05.82-
- - - - foot joint M05.87-
- - - - hand joint M05.84-
- - - - hip M05.85-
- - - - knee M05.86-
- - - - multiple sites M05.89
- - - - shoulder M05.81-
- - - - wrist M05.83-
- - - without organ involvement M05.70
- - - - ~~multiple site M05.79~~
- - - - multiple sites M05.79
- villous (any site) - see Arthropathy, specified form NEC

Arthropathy M12.9 - see also Arthritis

- in (due to)
- - hemochromatosis E83.118 [M14..8-]
- - Henoch-Schönlein purpura D69.0 [M36..4]
- - leukemia NEC C95.90- [M36..1]
- - malignant histiocytosis C96.4A [M36..1]
- - multiple myeloma C90.00- [M36..1]

Asphyxia, asphyxiation (by) R09.01

- ~~carbon monoxide - see Table of drugs and chemicals~~

Astroblastoma

- specified site - see Neoplasm, malignant, by site

Astrocytoma (cystic)

- anaplastic
- - specified site - see Neoplasm, malignant, by site
- fibrillary
- - specified site - see Neoplasm, malignant, by site
- fibrous
- - specified site - see Neoplasm, malignant, by site
- gemistocytic
- - specified site - see Neoplasm, malignant, by site
- juvenile
- - specified site - see Neoplasm, malignant, by site
- pilocytic
- - specified site - see Neoplasm, malignant, by site
- piloid
- - specified site - see Neoplasm, malignant, by site
- protoplasmic
- - specified site - see Neoplasm, malignant, by site
- specified site NEC - see Neoplasm, malignant, by site
- subependymal D43.2
- - giant cell
- - - specified site - see Neoplasm, uncertain behavior, by site
- - specified site - see Neoplasm, uncertain behavior, by site

Astrogloma

- specified site - see Neoplasm, malignant, by site

Atresia, atretic

- cervix (acquired) N88.2
- - congenital Q51.828
- uterus Q51.818

Atrophy, atrophic (of)

- ear ~~– see subcategory H93.8H93.8-~~
- kidney (senile) (terminal) N26.1 - see also Sclerosis, renal
- - with hypertension ~~– see Hypertension, kidney~~

~~Behçet's disease or syndrome M35.2~~

Behçet's disease or syndrome M35.2

Biparta, bipartite

- vagina Q52.10

Bite(s) (animal) (human)

- buttock S31.805
- - left S31.825
- - right S31.815
- ear (canal) (external) S01.35-
- - superficial NEC S00.479-
- thorax, thoracic (wall) S21.95
- - back S21.25-
- - - with penetration into thoracic cavity S21.45-
- - front S21.15-
- - - with penetration into thoracic cavity S21.35-

Blastoma - see Neoplasm, malignant, by site

Blister (nonthermal)

- fracture - omit code

Body, bodies

- mass index (BMI)
- - adult
- - - ~~40 or greater Z68.4~~
- - - 40.0-44.9 Z68.41
- - - 45.0-49.9 Z68.42
- - - 50.0-59.9 Z68.43
- - - 60.0-69.9 Z68.44
- - - 70 and over Z68.45

~~Bouffée délirante F23~~

Bouffée délirante F23

Bronchiolitis (acute) (infective) (subacute) J21.9

- with
- - influenza, flu or grippe - see Influenza, with, respiratory manifestations NEC
- - influenzal - see Influenza, with, respiratory manifestations NEC

Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous) (with tracheitis) J40

- - influenza, flu or grippe - see Influenza, with, respiratory manifestations NEC

- allergic (acute) J45.9009
- grippal - see Influenza, with, respiratory manifestations NEC
- influenzal - see Influenza, with, respiratory manifestations NEC

Burkitt

- lymphoma (malignant) C83.7-
- - small noncleaved, diffuse C83.702
- - undifferentiated C83.702
- tumor C83.702
- type
- - undifferentiated C83.702

Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0

- above elbow T22.039
- - second degree T22.2389

~~Bürger-Grütz disease or syndrome E78.3~~

Bürger-Grütz disease or syndrome E78.3

Calculus, calculi, calculous

- intestinal (impaction) (obstruction) K56.49

~~Calv, Perthes disease - see Legg-Calve-Perthes disease~~

~~Calv,'s disease - see Osteochondrosis, juvenile, spine~~

Calvé-Perthes disease - see Legg-Calvé-Perthes disease

Calvé's disease - see Osteochondrosis, juvenile, spine

Cancer - see also Neoplasm, by site, malignant

- breast C50.91 - see also Neoplasm, breast, malignant
- unspecified site (primary) (secondary) C80.4
- lung C34.90 - see also Neoplasm, lung, malignant
- ovarian C56.9 - see also Neoplasm ovary, malignant
- unspecified site (primary) C80.1

Cancerous - see Neoplasm, malignant, by site

~~Carboxyhemoglobinemia - see Table of drugs and chemicals~~

Carcinoma (malignant) - see also Neoplasm, by site, malignant

- acidophil
- - specified site - see Neoplasm, malignant, by site
- acidophil-basophil, mixed
- - specified site - see Neoplasm, malignant, by site
- basophil
- - specified site - see Neoplasm, malignant, by site
- basophil-acidophil, mixed
- - specified site - see Neoplasm, malignant, by site
- bile duct
- - specified site NEC - see Neoplasm, malignant, by site
- bronchiolar - see Neoplasm, lung, malignant
- - specified site NEC - see Neoplasm, malignant
- C cell

- - specified site - see Neoplasm, malignant, by site
- chorionic
- - specified site - see Neoplasm, malignant, by site
- chromophobe
- - specified site - see Neoplasm, malignant, by site
- cloacogenic
- - specified site - see Neoplasm, malignant, by site
- diffuse type
- - specified site - see Neoplasm, malignant, by site
- duct (cell)
- - infiltrating
- - - with lobular carcinoma (in situ)
- - - - specified site - see Neoplasm, malignant, by site
- - - specified site - see Neoplasm, malignant, by site
- ductal
- - with lobular
- - - specified site - see Neoplasm, malignant, by site
- ductular, infiltrating
- - ~~specified site - see Neoplasm, malignant~~specified site - see Neoplasm, malignant, by site
- - unspecified site (female) C50.91-
- - - ~~specified site - see Neoplasm, malignant~~
- endometrioid
- - specified site - see Neoplasm, malignant, by site
- - unspecified site
- - - ~~specified site - see Neoplasm, malignant~~
- eosinophil
- - specified site - see Neoplasm, malignant, by site
- follicular
- - specified site - see Neoplasm, malignant, by site
- glycogen-rich - see Neoplasm, breast, malignant
- ~~glycogen-rich (M8315/3) - see Neoplasm, breast, malignant~~
- - duct
- - - with lobular
- - - - specified site - see Neoplasm, malignant, by site
- - lobular
- - - unspecified site (female) C50.91-
- - - - ~~specified site - see Neoplasm, malignant~~
- intestinal type
- - specified site - see Neoplasm, malignant, by site
- intracystic
- - noninfiltrating - see Neoplasm, in situ, by site
- intraductal (noninfiltrating)
- - breast D05.8-
- - papillary
- - - with invasion
- - - - specified site - see Neoplasm, malignant, by site
- - - specified site NEC - see Neoplasm, in situ, by site
- - specified site NEC - see Neoplasm, in situ, by site
- intraepithelial - see Neoplasm, in situ, by site
- - squamous cell - see Neoplasm, in situ, by site
- islet cell
- - ~~noninfiltrating - see Neoplasm, in situ~~
- - with exocrine, mixed
- - - specified site - see Neoplasm, malignant, by site
- - ~~breast D05.1-~~
- - specified site NEC - see Neoplasm, malignant, by site

- - unspecified site C25.4
- - - unspecified site C25.9
- - - ~~specified site~~ - see Neoplasm, malignant
- large cell
- - small cell
- - - ~~specified site NEC~~ - see Neoplasm, in situ - see Neoplasm, malignant, by site
- - ~~specified site NEC~~ - see Neoplasm, in situ
- Leydig cell (testis)
- - ~~specified site~~ - see Neoplasm, malignant, by site
- ~~intraepithelial~~ - see Neoplasm, in situ
- - ~~squamous cell~~ - see Neoplasm, in situ
- liver NEC C22.7
- lobular (infiltrating)
- - with intraductal
- - - ~~specified site~~ - see Neoplasm, malignant, by site
- - ~~specified site NEC~~ - see Neoplasm, malignant
- - noninfiltrating
- - - ~~specified site NEC~~ - see Neoplasm, in situ, by site
- - ~~specified site~~ - see Neoplasm, malignant, by site
- medullary
- - with
- - - amyloid stroma
- - - - ~~specified site~~ - see Neoplasm, malignant, by site
- - - lymphoid stroma
- - - - ~~specified site~~ - see Neoplasm, malignant, by site
- Merkel cell C4A.9
- - face C4A.30
- - - ~~specified site NEC~~ - see Neoplasm, in situ
- - nose C4A.31
- - - specified NEC C4A.39
- - - - ~~specified site~~ - see Neoplasm, malignant
- - perianal skin C4A.51
- - - ~~specified site~~ - see Neoplasm, malignant
- metastatic - see Neoplasm, secondary, by site
- mucoid
- - cell
- - - ~~specified site~~ - see Neoplasm, malignant, by site
- noninfiltrating
- - intracystic - see Neoplasm, in situ, by site
- - intraductal
- - - papillary
- - - - ~~specified site NEC~~ - see Neoplasm, in situ, by site
- - - ~~specified site~~ - see Neoplasm, in situ, by site
- - lobular
- - - ~~specified site NEC~~ - see Neoplasm, in situ, by site
- ~~metastatic~~ - see Neoplasm, secondary
- - ~~specified site~~ - see Neoplasm, malignant, by site
- papillary
- - intraductal (noninfiltrating)
- - - with invasion
- - - - ~~specified site~~ - see Neoplasm, malignant, by site
- - ~~intracystic~~ - see Neoplasm, in situ
- - ~~intraducta~~
- - - ~~specified site NEC~~ - see Neoplasm, in situ, by site
- - serous
- - - ~~specified site~~ - see Neoplasm, malignant, by site

- - - surface
- - - - ~~specified site NEC~~ see Neoplasm, in situ see Neoplasm, malignant, by site
- - - ~~specified site~~ see Neoplasm, in situ
- papilocystic
- - specified site - see Neoplasm, malignant, by site
- - unspecified site C56.9
- - - ~~specified site NEC~~ see Neoplasm, in situ
- parafollicular cell
- - specified site - see Neoplasm, malignant, by site
- pseudomucinous
- - specified site - see Neoplasm, malignant, by site
- Schneiderian
- - specified site - see Neoplasm, malignant, by site
- secondary - see also Neoplasm, secondary, by site
- - Merkel cell C7B.1
- - - specified site NEC - see Neoplasm, in situ
- - - - ~~specified site~~ see Neoplasm, malignant
- serous
- - papillary
- - - specified site NEC ~~see Neoplasm, in situ~~ see Neoplasm, malignant, by site
- - surface, papillary
- - - specified site - see Neoplasm, malignant, by site
- Sertoli cell
- - specified site - see Neoplasm, malignant, by site
- small cell
- - fusiform cell
- - - specified site - see Neoplasm, malignant, by site
- - intermediate cell
- - - specified site - see Neoplasm, malignant, by site
- - large cell
- - - specified site - see Neoplasm, malignant, by site
- solid
- - with amyloid stroma
- - - specified site - see Neoplasm, malignant, by site
- - microinvasive
- - - specified site - see Neoplasm, malignant, by site
- secondary - see also Neoplasm, secondary
- unspecified site (primary) C80.1
- serous
- - papillary
- - - ~~specified site~~ see Neoplasm, malignant
- - - ~~unspecified site C56.9~~
- - surface, papillary
- - - ~~specified site~~ see Neoplasm, malignant
- - - ~~unspecified site C56.9~~
- Sertoli cell
- - ~~specified site~~ see Neoplasm, malignant
- - ~~unspecified site C62.90~~
- - - female C56.9
- - - male C62.90
- skin appendage ~~see Neoplasm, skin, malignant~~
- small cell
- - fusiform cell
- - - ~~specified site~~ see Neoplasm, malignant
- - - ~~unspecified site C34.90~~
- - intermediate cell

- - - ~~specified site - see Neoplasm, malignant~~
- - - ~~unspecified site C34.90~~
- - ~~large cell~~
- - - ~~specified site - see Neoplasm, malignant~~
- - - ~~unspecified site C34.90~~
- ~~solid~~
- - ~~with amyloid stroma~~
- - - ~~specified site - see Neoplasm, malignant~~
- - - ~~unspecified site C73~~
- - ~~microinvasive~~
- - - ~~specified site - see Neoplasm, malignant~~
- - - ~~unspecified site C53.9~~
- ~~sweat gland - see Neoplasm, skin, malignant~~
- ~~theca cell C56-~~
- ~~thymic C37~~
- ~~unspecified site (primary) (secondary) C80.4~~
- ~~water-clear cell C75.0~~

Carcinoma-in-situ - see also Neoplasm, in situ, by site

- breast NOS D05.9-
- - ~~specified type NEC D05.78-~~
- epidermoid - see also Neoplasm, in situ, by site
- - with questionable stromal invasion
- - - ~~specified site NEC - see Neoplasm, in situ, by site~~
- intraductal
- - ~~specified site NEC - see Neoplasm, in situ, by site~~
- lobular
- - with
- - - intraductal
- - - - breast D05.78-
- - - - ~~specified site NEC - see Neoplasm, in situ, by site~~
- - - - ~~unspecified site (female) D05.78-~~
- - ~~specified site NEC - see Neoplasm, in situ, by site~~
- squamous cell - see also Neoplasm, in situ, by site
- - with questionable stromal invasion
- - - ~~specified site NEC - see Neoplasm, in situ, by site~~

Caruncle (inflamed)

- labium (majus) (minus) N90.89

Cat

- cry syndrome Q93.4
- eye syndrome Q92.8

Cause

- ~~not stated (morbidity) R69~~
- ~~unknown (morbidity) R69~~

Cerebromalacia - see Softening, brain

- sequelae of cerebrovascular disease I69.398

Change(s) (in) (of) - see also Removal

- contraceptive device Z30.433

Checking (of)

- ~~device~~

- - ~~contraceptive Z30.43~~
- intrauterine contraceptive device Z30.431

Childhood

- cerebral X-linked adrenoleukodystrophy E71.4520

Cholangiocarcinoma

- specified site NEC - see Neoplasm, malignant, by site

Chordoma - see Neoplasm, vertebral (column), malignant

Choriocarcinoma - see Neoplasm, malignant, by site

- combined with
- - embryonal carcinoma - see Neoplasm, malignant, by site
- - other germ cell elements - see Neoplasm, malignant, by site
- - teratoma - see Neoplasm, malignant, by site
- specified site - see Neoplasm, malignant, by site

Chromaffinoma - see also Neoplasm, benign, by site

- malignant - see Neoplasm, malignant, by site

Cirrhosis, cirrhotic (hepatic) (liver) K74.60

- pigmentary E83.110

Climacteric (female) - see also Menopause

- symptoms (female) N95.14

Clot (blood) - see also Embolism

- ~~atrial appendage I57.89~~

Clubhand (congenital) (radial) - ~~see Defect, reduction, upper limb, longitudinal, radius Q71.4-~~

Cluttering ~~F98.880.81~~

Cold J00

- with influenza, flu, or grippe - see Influenza, with, respiratory manifestations NEC

Colitis (acute) (catarrhal) (chronic) (noninfective) (hemorrhagic) K52.9 - see also Enteritis

Coma R40.20

- ~~prediabetic - see Diabetes, hyperosmolarity~~

Comedocarcinoma - see also Neoplasm, breast, malignant

- noninfiltrating
- - breast D05.~~78~~
- - specified site - see Neoplasm, in situ, by site
- - unspecified site D05.~~78~~

Compartment syndrome (deep) (posterior) (traumatic) T79.A0

- nontraumatic
- - upper extremity (shoulder, arm, forearm, wrist, hand, fingers) M79.A1_-

Complex

- Addison-Schilder E71.4528
- Schilder-Addison E71.4528

Complication(s) (from) (of)

- catheter (device) NEC - see also Complications, prosthetic device or implant
- - urethral, indwelling T83.89
- - - displacement T83.028
- - - leakage T83.028
- - - malposition T83.028
- - - obstruction (mechanical) T83.098
- - - perforation T83.098
- - - protrusion T83.098
- - - specified type NEC T83.098
- extracorporeal circulation T80.90
- ~~extracorporeal circulation T80.9~~
- hemorrhage
- infusion (procedure) T80.90
- ~~infusion (procedure) T80.9~~
- phlebitis T80.1
- injection (procedure) T80.90
- ~~injection (procedure) T80.9~~
- insulin pump
- - mechanical
- - - specified NEC T85.694
- intestinal pouch NEC K91.858
- - - ~~specified NEC T84.694~~
- intraoperative (intraoperative)
- - specified NEC
- - - ~~musculoskeletal structure H96.89~~
- perfusion NEC T80.90
- respiratory system J98.9
- postoperative J95.89
- transfusion (blood) (lymphocytes) (~~plasma~~) T80.9(plasma) T80.92
- - embolism T80.1
- - air embolism T80.0
- - circulatory overload E87.71
- - febrile nonhemolytic transfusion reaction R50.84
- - incompatibility reaction (ABO) T80.3
- - - minor blood group (Duffy) (E) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
- - - Rh (factor) T80.4
- - hemochromatosis E83.111
- - hemolytic reaction (antigen unspecified) T80.919
- - incompatibility reaction (antigen unspecified) T80.919
- - - ABO T80.30
- - - - delayed serologic (DSTR) T80.39
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.319
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.310
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.311
- - - - specified NEC T80.39
- - - acute (antigen unspecified) T80.910
- - - delayed (antigen unspecified) T80.911
- - - delayed serologic (DSTR) T80.89
- - - Non-ABO (minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0
- - - - delayed serologic (DSTR) T80.A9
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.A19
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.A10
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.A11
- - - - specified NEC T80.A9
- - - Rh (antigens (C) (c) (D) (E) (e)) (factor) T80.40

- - - - delayed serologic (DSTR) T80.49
- - - - hemolytic transfusion reaction (HTR) (unspecified time after transfusion) T80.419
- - - - - acute (AHTR) (less than 24 hours after transfusion) T80.410
- - - - - delayed (DHTR) (24 hours or more after transfusion) T80.411
- - - - specified NEC T80.49
- - thromboembolism, thrombus ~~T80.1~~
- transplant T86.90
- - bone marrow T86.00
- - - failure T86.02
- - - infection T86.03
- - - rejection T86.01

Concretion - see also Calculus

- clitoris N90.89

Conflagration - see also Burn

- asphyxia (by inhalation of smoke, gases, fumes or vapors) - see Table of drugs and chemicals

Contraception, contraceptive

- device (intrauterine) (in situ) Z97.5
- - checking Z30.431
- - reinsertion Z30.433
- - removal Z30.432
- - replacement Z30.433
- maintenance Z30.40
- - intrauterine device Z30.431

Contusion (skin surface intact)

- cauda equina (~~spine~~) S34.3
- kidney - ~~see Injury, kidney, contusion~~ S37.01-
- - major (greater than 2 cm) S37.02-
- - minor (less than 2 cm) S37.01-
- spinal cord - see Injury, spinal cord, by region

Convulsions (idiopathic) R56.9 - see also Seizure(s)

- post traumatic R56.1

~~Coprolith or coprostasis K56.4~~

Coryza (acute) J00

- with grippe or influenza - see Influenza, with, respiratory manifestations NEC

Cough (affected) (chronic) (epidemic) (nervous) R05

- bronchial R05
- - with grippe or influenza - see Influenza, with, respiratory manifestations NEC

Counseling (for) Z71.9

- insulin pump use Z71.8246.81
- procreative NEC Z301.69
- - using natural family planning Z301.61
- use (of)
- - insulin pump Z71.8246.81

Coxsackie (virus) (infection) B34.1

- enteritis A08.39

Cylindroma - see also Neoplasm, malignant, by site

Cyst (colloid) (mucous) (simple) (retention)

- carcinomatous - see Neoplasm, malignant, by site
- malignant - see Neoplasm, malignant, by site
- multilocular (ovary) D39.10
- - benign - see Neoplasm, benign, by site
- nasoalveolar K09.81
- nasolabial K09.81
- neoplastic - see Neoplasm, uncertain behavior, by site
- - benign - see Neoplasm, benign, by site
- uterus (body) (corpus) (recurrent) N85.8
- - embryonic Q51.818

Cystadenocarcinoma - see Neoplasm, malignant, by site

- bile duct C22.1
- - ~~specified site~~ - see Neoplasm, malignant
- endometrioid - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site
- - unspecified site
- - - ~~specified site~~ - see Neoplasm, malignant
- mucinous
- - papillary
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site
- - unspecified site C56.9
- - - ~~specified site~~ - see Neoplasm, malignant
- papillary
- - mucinous
- - - specified site - see Neoplasm, malignant, by site
- - - ~~specified site~~ - see Neoplasm, malignant
- pseudomucinous
- - - specified site - see Neoplasm, malignant, by site
- - - ~~specified site~~ - see Neoplasm, malignant
- serous
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site
- - unspecified site C56.9
- - - ~~specified site~~ - see Neoplasm, malignant
- pseudomucinous
- - papillary
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site
- - unspecified site C56.9
- - - ~~specified site~~ - see Neoplasm, malignant
- serous
- - papillary
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site

Cystadenofibroma

- clear cell -~~see Neoplasm, benign~~ see Neoplasm, benign, by site
- endometrioid D27.9
- - ~~specified site~~ - see Neoplasm, benign
- mucinous

- - specified site - see Neoplasm, benign, by site
- - ~~specified site~~ - see Neoplasm, benign
- serous
- - specified site - see Neoplasm, benign, by site
- specified site - see Neoplasm, benign, by site

Cystadenoma - see also Neoplasm, benign, by site

- endometrioid - see Neoplasm, benign, by site
- - borderline malignancy - see Neoplasm, uncertain behavior, by site
- malignant - see Neoplasm, malignant, by site
- mucinous
- - borderline malignancy
- - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - papillary
- - - borderline malignancy
- - - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- papillary
- - borderline malignancy
- - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - lymphomatosum
- - - specified site - see Neoplasm, benign, by site
- - mucinous
- - - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - pseudomucinous
- - - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - serous
- - - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- pseudomucinous
- - borderline malignancy
- - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - papillary
- - - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- serous
- - borderline malignancy
- - - ovary C56
- - - ~~specified site NEC~~ - see Neoplasm, uncertain behavior
- - - specified site NEC - see Neoplasm, uncertain behavior, by site
- - papillary
- - - - ~~specified site NEC~~ - see Neoplasm, uncertain behavior
- - - - ~~specified site~~ - see Neoplasm, benign, by site NEC - see Neoplasm, uncertain behavior, by site
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- - unspecified site D27.9

Cystoma - see also Neoplasm, benign, by site

- endometrial, ovary N80.1
- - ~~specified site~~ - see Neoplasm, benign
- mucinous

- - specified site - see Neoplasm, benign, by site
- - ~~specified site~~ - see ~~Neoplasm, benign~~
- serous
- - specified site - see Neoplasm, benign, by site

Cystosarcoma phyllodes (female) ~~D48.61~~ D48.6-

- benign (female) ~~D24.0~~ D24.-
- - male ~~D24.1-~~
- male ~~D48.62-~~

Cytopenia D75.9

- refractory
- - with multilineage dysplasia D46.A
- - - and ringed sideroblasts (RCMD RS) D46.B

Dactylosymphysis Q70.9

- toes ~~Q70.2-~~ see Syndactylism, complex, toes

Defect, defective Q89.9

- 3-(hydroxysteroid dehydrogenase) E25.0
- major osseous M89.70
- - humerus M89.72-
- - multiple sites M89.79
- osseous, major M89.70
- - humerus M89.72-
- - ~~humeral M89.72-~~
- reduction
- - limb Q73.8
- - - lower Q72.9-
- - - - specified type NEC Q72.89-
- - - - specified type NEC Q73.8
- - - - ~~specified type NEC Q72.8-~~
- - - upper Q71.9-
- - - - specified type NEC Q71.89-
- renal pelvis Q63.8
- - - - ~~specified type NEC Q71.8-~~
- wedge, tooth, teeth (abrasion) K03.1

Defibrination (syndrome) D65

- antepartum - see Hemorrhage, antepartum, with coagulation defect, disseminated intravascular coagulation

Deficiency, deficient

- lysosomal (-1, 4 glucosidase) E74.02

Deficit - see also Deficiency

- cognitive
- attention and concentration R41.840
- - disorder - see Attention, deficit
- cognitive NEC R41.89
- - following
- - - cerebral infarction I69.31
- - - cerebrovascular disease I69.91
- - - - ~~cerebral infarction I69.31~~
- - - - intracerebral hemorrhage I69.11
- - - - nontraumatic intracranial hemorrhage NEC I69.21

- - - ~~subarachnoid hemorrhage I69.01~~
- - intracerebral hemorrhage I69.11
- - nontraumatic intracranial hemorrhage NEC I69.21
- - subarachnoid hemorrhage I69.01
- cognitive communication R41.841
- concentration R41.840
- executive function R41.844
- frontal lobe R41.844
- psychomotor R41.843
- visuospatial R41.842

Deficit attention—see Attention, deficit

Deformity Q89.9

- aorta (arch) (congenital) Q25.4
- - acquired I77.89
- aortic
- - arch, acquired I77.89
- artery (congenital) (peripheral) NOS Q27.9
- - acquired I77.89
- clitoris (congenital) Q52.6
- - acquired N90.89
- joint (acquired) NEC M21.90
- - knee NM21.96-
- - wrist NM21.93-
- kidney(s) (calyx) (pelvis) (congenital) Q63.9
- - artery (congenital) Q27.2
- - - acquired I77.89
- labium (majus) (minus) (congenital) Q52.79
- - acquired N90.89
- toe (acquired) M20.60-
- vulva (congenital) Q52.79
- - acquired N90.89

Degeneration, degenerative

- aorta, aortic I70.0
- - fatty I77.89
- artery, arterial (atheromatous) (calcareous) - see also Arteriosclerosis
- - cerebral, amyloid E85.4 [~~I68..40~~]

Degos' disease I77.89

Delivery (childbirth) (labor)

- cesarean (for)
- - pre-eclampsia O14.9-
- - - ~~severe (H.E.L.L.P.) O14.1-~~
- - - moderate O14.0-
- - - severe
- - - - with HELLP O14.2-
- complicated O75.9
- - by
- - - alcohol use O99.314
- - - damage to (injury to) NEC
- - - - perineum O71.82
- - - - periurethral tissue O71.82
- - - - vulva O71.82

- - - diabetes O24.92
- - - - gestational O24.429
- - - - - insulin controlled O24.4244
- - - gestational diabetes O24.429
- - - - insulin (and diet) controlled O24.4244
- - - infection (maternal) O98.92
- - - - human immunodeficiency [~~HIV~~](HIV) O98.72
- - - injury (to mother) ~~O71.9~~ O71.9 - see also Delivery, complicated, by, damage to
- - - laceration (perineal) O70.9
- - - - peritoneum (pelvic) O71.5
- - - malposition, malpresentation
- - - - without obstruction O32.9 - see also Delivery, complicated by, obstruction
- - - - - footling O382.8
- - - obesity (pre-exisiting) O99.214
- - - placenta, placental
- - - - increta O43.22_
- - - - percreta O43.23_
- - - trauma (obstetrical) ~~O71.9~~ O71.9 - see also Delivery, complicated, by, damage to
- - - - periurethral O71.82
- vaginal, following previous cesarean delivery O34.21

Dependence (on) (syndrome) F19.20

- barbiturate(s) (compounds) (drugs classifiable to T42.~~30~~-T42.~~33~~) - see Dependence, drug, sedative
- drug NEC F19.20
- - nicotine F17.200
- - - with disorder F17.2909
- - - - remission F17.2401
- - - - specified disorder NEC F17.2908
- - - specified product NEC F17.290
- - - - with disorder F17.299
- - - - - withdrawal F17.2923

Derangement

- knee (recurrent) M23.9-
- - ligament disruption, spontaneous M23.609-

Dermatitis (eczematous) L30.9

- diabetic - see E098-E13 with .63
- due to
- - petroleum products (contact) (irritant) (substances in T52.00-~~T52.93~~) L24.2

Dermatofibrosarcoma (pigmented) (protuberans) - see Neoplasm, skin, malignant

- protuberans - see Neoplasm, skin, malignant
- - pigmented C80.4

Dermoid (cyst) - see also Neoplasm, benign, by site

Diabetes, diabetic (mellitus) (sugar) E11.9

- with
- - hypoglycemia E11.6409
- - loss of protective sensation (LOPS) - see Diabetes, by type, with neuropathy
- - neuropathic arthropathy E11.6100
- - bronzed E83.110
- due to drug or chemical E09.9
- - with

- - - hypoglycemia E09.6409
- due to underlying condition E08.9
- - - hypoglycemia E08.6409
- gestational (in pregnancy) O24.419
- - diet-controlled O24.410
- - in childbirth O24.429
- - - diet-controlled O24.420
- - - insulin (and diet) controlled O24.4214
- - insulin (and diet) controlled O24.4114
- - puerperal O24.439
- - - diet-controlled O24.430
- - - insulin (and diet) controlled O24.4314
- postpancreatectomy - see Diabetes, specified type NEC
- postprocedural - see Diabetes, specified type NEC
- secondary diabetes mellitus NEC - see Diabetes, specified type NEC
- specified type NEC E13.9
- - with
- - - hypoglycemia E13.6409
- type 1 E10.9
- - - ~~hyperosmolarity E10.00~~
- - - - ~~with coma E10.01~~
- - - hypoglycemia E10.6409
- type 2 E11.9
- - - hypoglycemia E11.6409
- - - ~~ketoacidosis E11.10~~
- - - - ~~with coma E11.11~~

Diarrhea, diarrheal (disease) (infantile) (inflammatory) R19.7

- due to
- - specified organism NEC A08.8
- - - viral A08.39
- specified
- - virus NEC A08.39

Diktyoma - see Neoplasm, malignant, by site

Dilatation

- aorta (focal) (general) - see AneurysmEctasia, aorta
- - with aneuysm - see Aneurysm, aorta
- Meckel's diverticulum (congenital) Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant

Disease, diseased - see also Syndrome

- Albers-Schönberg'sönberg (marble bones) Q78.2
- Alzheimer's G30.9 [F02..80]
- - with behavioral disturbance G30.9 [F02..81_]
- Chignon (~~white piedra~~) ~~B36.2~~B36.8
- Degos' I77.89
- Franklin's C88.2
- Henoch (-Scheönlein) (purpura nervosa) D69.0
- kidney (functional) (pelvis) N28.9
- - complicating pregnancy - see Pregnancy, complicated by, renal disease
- Kimmelstiel (-Wilson) (intercapillary polycystic (congenital) glomerulosclerosis) - see E098-E13 with .21
- legionnaire's's' A48.1
- malignant - see also Neoplasm, malignant, by site

- mental F99
- - organic F06.9
- metastatic C79.9 - see also ~~Metastasis~~ Neoplasm, secondary, by site
- microvillus inclusion (MVD) Q43.8
- Oppenheim-Urbach (necrobiosis lipoidica diabetorum) - see E098-E13 with .63
- renal (chronic) (functional) (pelvis) N428.9 - see also Disease, kidney
- - diabetic - see E098-E13 with .22
- Schönlein (-Henoch) (purpura rheumatica) D69.0
- silo-filler's J68.8
- - bronchitis J68.0
- - pneumonitis J68.0
- - pulmonary edema J68.1
- Urbach-Oppenheim (necrobiosis lipoidica diabetorum) - see E098-E13 with .63
- vascular I99.9
- - peripheral (occlusive) I73.9
- - - in diabetes mellitus - see E098-E13 with .51
- viral, virus B34.9 - see also Disease, by type of virus
- - Sin nombre (Hantavirus (cardio)-pulmonary syndrome) B33.4
- vulva (noninflammatory) N90.9
- - specified NEC N90.89

Disorder (of) - see also Disease

- arteriole NEC I77.89
- artery NEC I77.89
- bullous, in diseases classified elsewhere L14
- cognitive F09
- - due to (secondary to) general medical condition F06.9
- communication F80.9
- developmental F89
- - language (~~receptive type~~) F80.2F80.9
- - - receptive type F80.2
- - - specified NEC F80.89
- - speech F80.9
- - - ~~and language disorder F80.9~~
- - - specified NEC F80.89
- ear H93.9-
- - middle H74.9-
- - - specified NEC, in diseases classified elsewhere H75.8-
- - specified NEC, in diseases classified elsewhere H94.8-
- fluency
- - adult onset F98.5
- - childhood onset F80.81
- - in conditions classified elsewhere R47.82
- gallbladder, biliary tract and pancreas in diseases classified elsewhere K87
- glomerular (in) N05.9
- - Henoch (-Schönlein) purpura D69.0 [N08]
- - multiple myeloma C90.00- [N08]
- iris H21.9
- - in diseases classified elsewhere H22
- iron metabolism E83.10
- - ~~hemochromatosis E83.14~~
- - ~~other specified~~ specified NEC E83.19
- mental (or behavioral) (nonpsychotic) F99
- - due to (secondary to)
- - - brain disease, damage and dysfunction F06.9
- - - general medical condition F06.9

- - organic or symptomatic F06.9
- nail, in diseases classified elsewhere L62
- nerve G58.9
- - optic NEC H47.09-
- - - ischemic H47.091-
- pain
- - ~~(secondary) due to a general medical condition R52.9~~
- papulosquamous L44.9
- - in diseases classified elsewhere L45
- patella M22.902
- peroxisomal E71.50
- - X-linked adrenoleukodystrophy E71.529
- - - childhood E71.4520
- - - specified form NEC E71.4528
- semantic pragmatic F80.89
- tubulo-interstitial (in)
- - leukemia NEC C95.902 [N16]
- - lymphoma NEC C85.902 [N16]
- - multiple myeloma C90.002 [N16]
- vestibular function H81.9-
- - specified NEC ~~—see subcategory H81.8~~H81.8-
- - - in diseases classified elsewhere H82.-

Displacement, displaced

- device, implant or graft T85.9 - see also Complications, by site and type, mechanical
- - catheter NEC T85.628
- - - urinary (indwelling) T83.028
- ~~epithelium~~
- - ~~cuboidal, beyond limits of external os Q51.8~~
- Meckel's diverticulum Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant

Disruption (of)

- pelvic ~~circ~~clering (stable) S32.810

Disturbance(s) - see also Disease

- vision, visual H53.9
- - subjective H53.10
- - - distortions of shape and size H53.185

Diverticulum, diverticula (multiple) K57.90

- Meckel's (displaced) (hypertrophic) Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant

Division

- ~~external os into two openings by frenum Q51.8~~

Double

- cervix Q51.820
- ~~external os Q51.8~~
- vagina Q52.10

Down syndrome Q90.09**Drug**

- therapy

- - long term (current) (prophylactic) - see Therapy, drug long-term (current) (prophylactic)
- - short term - omit code

Duplication, duplex - see also Accessory

- cervix Q51.820

Dysfunction

- hypophysis E23.37
- ventricular I51.9
- - with congestive heart failure ~~I50.9~~ I50.9- - left, reversible, following sudden emotional stress I51.81
- - ~~left, reversible, following sudden emotional stress I51.81~~

Dysgerminoma

- specified site - see Neoplasm, malignant, by site

Dyspepsia (~~allergic~~) (~~atonic~~) (~~congenital~~) (~~functional~~) (~~gastrointestinal~~) (~~occupational~~) (~~reflex~~)
K30 R10.13

- atonic K30
- functional (allergic) (congenital) (gastrointestinal) (occupational) (reflex) K30

Dysplasia - see also Anomaly

- prostate N42.3 - see also Neoplasia, intraepithelial, prostate
- - severe D07.5

Ectasia, ectasis

- ~~aorta - see Aneurysm, aorta~~
- annuloaortic I35.8
- aorta I77.819
- - with aneurysm - see Aneurysm, aorta
- - abdominal I77.811
- - thoracic I77.810
- - thoracoabdominal I77.812

Edema, edematous (infectious) (pitting) (toxic) R60.9

- brain (cytotoxic) (vasogenic) G93.6
- vulva (acute) N90.89

Effusion

- pleura, pleurisy, pleuritic, pleuropericardial J90
- - influenzal - see Influenza, with, respiratory manifestations NEC

Elephantiasis (nonfilarial) I89.0

- vulva (nonfilarial) N90.89

Elevated, elevation

- Rh titer ~~T80.4~~ - see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Elongated, elongation (congenital) - see also Distortion

- cervix (uteri) Q51.828

Embolism (multiple) (paradoxical) I74.9

- following
- - infusion, therapeutic injection or transfusion
- - - ~~thrombus T80.1~~
- obstetric (in) (pulmonary)

- - puerperal O88.83
- - - amniotic fluid O88.13
- ~~thrombus (thromboembolism) following infusion, therapeutic injection or transfusion T80.1~~
- vein (acute) I82.90
- - antecubital I82.61-
- - - chronic I82.71-
- - axillary I82.A1-
- - - chronic I82.A2-
- - basilic I82.61-
- - - chronic I82.71-
- - brachial I82.62-
- - - chronic I82.72-
- - brachiocephalic (innominate) I82.290
- - - chronic I82.291
- - cerebral I67.6
- - - chronic I82.71-
- - chronic I82.91
- - - antecubital I82.71-
- - - axillary I82.A2-
- - - basilic I82.71-
- - - brachial I82.72-
- - - brachiocephalic (innominate) I82.291
- - - cephalic I82.71-
- - - innominate I82.291
- - - internal jugular I82.C2-
- - - radial I82.72-
- - - specified NEC I82.891
- - - subclavian I82.B2-
- - - thoracic NEC I82.291
- - - ulnar I82.72-
- - - upper extremity I82.70-
- - deep I82.72(DVT) I82.40-
- - - upper extremity I82.70-
- - - - superficial I82.71-
- - - calf I82.4Z-
- - - - chronic I82.5Z-
- - - lower leg I82.4Z-
- - - - chronic I82.5Z-
- - - thigh I82.4Y-
- - - - chronic I82.5Y-
- - - upper leg I82.4Y
- - - - chronic I82.5Y--
- - femoral I82.41-
- - - chronic I82.51-
- - deep vein (lower extremity) I82.40
- - - chronic I82.502-
- - - - femoral I82.51-
- - - - iliac I82.52-
- - - - popliteal I82.53-
- - - - specified NEC I82.59-
- - - - tibial I82.54-
- - - specified NEC I82.49-
- - hepatic I82.0
- - - chronic I82.291
- - internal jugular I82.C1-
- - - chronic I82.C2-

- - lower extremity
- - - deep I82.40-
- - - - chronic I82.50-
- - - - specified NEC I82.49-
- - - - - chronic NEC I82.59-
- - - distal
- - - - deep I82.4Z-
- - - proximal
- - - - deep I82.4Y-
- - - - - chronic I82.5Y-
- - - superficial I82.81-
- - popliteal I82.43-
- - - chronic I82.53-
- - ~~lower extremity I82.40~~
- - - ~~specified NEC I82.49-~~
- - - ~~superficial vein I82.81-~~
- - - chronic I82.72-
- - ~~portal I84~~
- - specified NEC I82.890
- - - chronic NEC I82.891
- - subclavian I82.B1-
- - - chronic I82.B2-
- - thoracic NEC I82.290
- - - chronic I82.291
- - tibial I82.44-
- - - chronic I82.54-
- - ulnar I82.62-
- - - chronic I82.72-
- - ~~superficial (lower extremity) I82.81-~~
- - - chronic I82.70-
- - - deep I82.62-
- - - - chronic I82.72-
- - - superficial I82.61-
- - - - chronic I82.71-
- vessels of brain - see Occlusion, artery, cerebral
- - superior (acute) I82.210
- - - ~~chronic I82.214~~
- venous sinus G08
- ~~vessels of brain - see Occlusion, artery, cerebral~~

Embryoma - see also Neoplasm, uncertain behavior, by site

- benign - see Neoplasm, benign, by site

- malignant - see also Neoplasm, malignant, by site

Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.90

- in (due to)

- - influenza - see Influenza, with, ~~manifestations NEC~~ Encephalopathy

Encephalopathy (acute) G93.40

- in (due to) (with)

- - influenza - see Influenza, with, ~~manifestations NEC~~ Encephalopathy

Encopresis R15.9

Encounter (with health service) (for) Z76.89

- colonoscopy, screening Z12.11

- suspected condition, ruled out
- - maternal and fetal conditions NEC Z03.709
- training
- - ~~insulin pump Z71.82~~
- X-ray of chest
- - as part of a general medical examination Z00.00
- - - with abnormal findings Z00.01

Endocarditis (chronic) (marantic) (nonbacterial thrombotic) (valvular) I38

- candidal ~~B37.6~~ [~~I39~~]B37.6

Endometritis (decidual) (nonspecific) (purulent) (senile) (atrophic) (suppurative) N71.9

Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) (septic) K52.9

- infectious NOS A09
- - due to
- - - enterovirus A08.39
- - - specified
- - - - virus NEC A08.39
- - - - virus NEC A08.4
- - - - specified type NEC A08.39
- regional (of) K50.90
- - large intestine (colon) (rectum) K50.10
- - - with
- - - - complication K50.119
- - - - - small intestine (duodenum) (ileum) (jejunum) involvement K50.8490
- - small intestine (duodenum) (ileum) (jejunum) K50.00
- - - - complication K50.019
- - - - - large intestine (colon) (rectum) involvement K50.8490
- viral A08.4
- - enterovirus A08.39
- - virus specified NEC A08.39

~~Enterolith, enterolithiasis (impaction) K56.4~~

Enthesopathy (peripheral) M77.9

- anterior tibial syndrome - ~~see Enthesopathy, lower limb, lower leg, specified type~~ NECM76.81-
- lower limb ~~M76.90(excluding foot) M76.9~~
- - anterior tibial syndrome - ~~see Enthesopathy, lower limb, lower leg, specified type~~ NECM76.81-
- - lower leg ~~M76.96-~~
- - - specified type NEC ~~M76.86-~~
- - multiple sites ~~M76.99~~
- - posterior tibial syndrome - ~~see Enthesopathy, lower limb, lower leg, specified type~~ NECM76.82-
- - specified type NEC ~~M76.809-~~
- - - ankle - ~~see Enthesopathy, lower limb, ankle, specified type~~ ~~NEC~~
- - - lower leg - ~~see Enthesopathy, lower limb, lower leg, specified type~~ ~~NEC~~
- - - multiple sites ~~M76.89~~
- - - pelvic region - ~~see Enthesopathy, lower limb, thigh, specified type~~ ~~NEC~~
- - - thigh - ~~see Enthesopathy, lower limb, thigh, specified type~~ ~~NEC~~
- - thigh ~~M76.95-~~
- - - specified type NEC ~~M76.85-~~
- posterior tibial syndrome - ~~see Enthesopathy, lower limb, lower leg, specified type~~ NECM76.82-

Eosinophilia (allergic) (hereditary) (idiopathic) (secondary) D72.1
 - peritoneal - see Peritonitis, eosinophilic

Ependyoblastoma

- specified site - see Neoplasm, malignant, by site

Ependymoma (epithelial) (malignant)

- anaplastic
- - specified site - see Neoplasm, malignant, by site
- benign
- - specified site - see Neoplasm, benign, by site
- myxopapillary D43.2
- - specified site - see Neoplasm, uncertain behavior, by site
- papillary D43.2
- - specified site - see Neoplasm, uncertain behavior, by site
- specified site - see Neoplasm, malignant, by site

Episcleritis (suppurative) H15.10-

- periodica fugax H15.119_

Epithelioma (malignant) - see also Neoplasm, malignant, by site

- benign - see Neoplasm, benign, by site
- Bowen's - see Neoplasm, skin, in situ

Erosion

- artery I77.2
- - without rupture I77.89

Erythema, erythematous (infectional) (inflammation) L53.9

- in diseases classified elsewhere L54

Ethmoiditis (chronic) (purulent) (nonpurulent) - see also Sinusitis, ethmoidal

- influenzal - see Influenza, with, respiratory manifestations NEC

Event, apparent life threatening in newborn and infant (ALTE) R68.13

Examination (for) (following) (general) (of) (routine) Z00.00—~~see also Test_~~

- cancer staging - see Neoplasm, malignant, by site
- contraceptive (drug) maintenance (routine) Z30.8
- - device (intrauterine) Z30.431
- developmental - see Examination, child
- medical (adult) (for) (of) Z00.00
- - admission to
- - - school Z02.0
- - - - following illness or medical treatment Z02.0

Excess, excessive, excessively

- gas R14.80

Exposure (to) T75.89 - see also Contact, with

- second hand tobacco smoke (acute) (chronic) Z77.22
- - in the perinatal period P96.81

~~F joint—see Complications..., joint prosthesis, mechanical, breakdown, by site~~

Failure, failed

- respiration, respiratory J96.90
- ~~acute J96.0~~
- ~~with chronic J96.2~~
- ~~chronic J96.1~~
- ~~with acute J96.2~~
- ~~hypercapnia J96.92~~
- ~~hypoxia J96.91~~
- acute J96.00
- ~~with~~
- ~~hypercapnia J96.02~~
- ~~hypoxia J96.01~~
- acute and (on) chronic J96.20
- ~~hypercapnia J96.22~~
- ~~hypoxia J96.21~~
- chronic J96.10
- ~~hypercapnia J96.12~~
- ~~hypoxia J96.11~~
- rotation
- ~~toes Q70.2~~
- to thrive (child over 28 days old) R62.51
- female F52.22
- ~~marrow T86.09~~
- transplant T86.92
- bone T86.831
- ~~marrow T86.02~~
- ventricular I50.9 - see also Failure, heart
- left I50.1
- ~~rheumatic (chronic) (inactive) (with chorea) I09.81~~
- ~~active or acute I01.8~~
- ~~with chorea I02.0~~
- right I50.9 - see also Failure, heart, congestive
- vital centers, newborn P91.8

Febris, febrile - see also Fever

- ~~puerperalis O85~~

Fecal—see condition

- incontinence R15.9
- smearing R15.1
- soiling R15.1
- urgency R15.2

Fecalith (impaction) K56.41~~Fetalis uterus Q51.8~~**Fever** (inaction) (of unknown origin) (persistent) (with chills) (with rigor) R50.9

- posttransfusion R50.84
- ~~puerperal O85.4~~
- Tahyna A83.5B33.8

Fibroadenoma

- cellular intracanalicular (~~female~~) D24.0D24.-
- ~~male D24.1-~~
- giant (~~female~~) D24.0D24.-

- ~~male D24.1-~~
- intracanalicular
- ~~cellular (female) D24.0D24.-~~
- ~~male D24.1-~~
- ~~giant (female) D24.0D24.-~~
- ~~male D24.1-~~
- specified site - see Neoplasm, benign, by site
- ~~unspecified site (female) D24.0D24.-~~
- ~~male D24.1-~~
- juvenile (female) D24.0D24.-
- ~~male D24.1-~~
- pericanalicular
- specified site - see Neoplasm, benign, by site
- ~~unspecified site (female) D24.0D24.-~~
- ~~male D24.1-~~
- phyllodes (female) D24.0D24.-
- ~~male D24.1-~~
- specified site NEC - see Neoplasm, benign, by site
- ~~unspecified site (female) D24.0D24.-~~
- ~~male D24.1-~~

Fibroangioma - see also Neoplasm, benign, by site

- juvenile
- specified site - see Neoplasm, benign, by site

Findings, abnormal, inconclusive, without diagnosis - see also Abnormal

- Papanicolaou cervix R87.619
- non-atypical endometrial cells R87.618

Fitting (and adjustment) (of)

- automatic implantable cardiac defibrillator (with synchronous cardiac pacemaker) Z45.02
- cardiac defibrillator - see Fitting (and adjustment) (of), automatic implantable cardiac defibrillator
- defibrillator, cardiac - see Fitting (and adjustment) (of), automatic implantable cardiac defibrillator

Flail

- chest S22.5-

Flat

- foot (acquired) (fixed type) (painful) (postural) - see also Deformity, limb, flat foot
- congenital (rigid) (spastic (everted)) Q66.5

Fluid

- overload E87.70
- specified NEC E87.79
- retention E87.70

Flushing R23.2

- menopausal N95.14

FNHTR (febrile nonhemolytic transfusion reaction) R50.84

Folliculome lipidique

- specified site - see Neoplasm, benign, by site

Foreign body

- entering through orifice
- - eye (external) NOS T15.90~~_~~
- fragment - see Retained, foreign body fragments (type of)
- retained (old) (nonmagnetic) (in)
- - fragments - see Retained, foreign body fragments (type of)
- type of fragment - see Retained, foreign body fragments (type of)

Fracture, traumatic (abduction) (adduction) (separation) T14.8 - see also Fracture, pathological

- acetabulum S32.409~~_~~
- ~~alveolus S02.83~~
- ~~mandible S02.82~~
- ~~maxilla S02.81~~
- ilium S32.30~~-~~
- - with disruption of pelvic circle ~~— see Disruption, pelvic circle~~ ring - see Disruption, pelvic ring
- ischium S32.60~~-~~
- - with disruption of pelvic circle ~~— see Disruption, pelvic circle~~ ring - see Disruption, pelvic ring
- malar bone ~~— see S02.400 - see also Fracture, maxilla~~
- mandible (lower jaw) ~~S02.60 (bone)) S02.609~~
- - ~~angle of jaw S02.65~~
- - ~~body, unspecified S02.68~~
- - alveolus S02.67
- - angle (of jaw) S02.65
- - body, unspecified S02.600
- - subcondylar process S02.62
- maxilla, maxillary (bone) ~~sinus) (superior) (upper jaw) S02.40 (sinus) (superior) (upper jaw) S02.401~~
- - alveolus S02.42
- orbit, orbital (bone) (region) S02.89
- palate S02.89
- pelvis, pelvic (bone) S32.9
- - circle - see Disruption, pelvic ring
- - multiple with disruption of pelvic circle ~~— see Disruption, pelvic circle~~ ring - see Disruption, pelvic ring
- pubis S32.50~~-~~
- - with disruption of pelvic circle ~~— see Disruption, pelvic circle~~ ring - see Disruption, pelvic ring
- - specified site NEC S32.59~~-~~
- skull S02.91
- - specified site NEC S02.89
- zygoma S02.4402

Fragments, cataract (lens), following cataract surgery H59.02-

- retained foreign body - see Retained, foreign body fragments (type of)

Frenum, frenulum

- external os Q51.828

Fused - see Fusion, fused

Fusion, fused (congenital)

- fingers ~~— see Syndactyly, complex, fingers Q70.0 -~~
- toes Q70.2~~_~~

Gammopathy (of undetermined significance [MGUS]) D47.2

- monoclonal D47.2

- - ~~of undetermined significance D47.2~~

Ganglioglioma - see Neoplasm, uncertain behavior, by site

Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) I96 - see also Necrosis

- appendix K35.93

- - with

- - - perforation or rupture K35.02

- - - peritoneal abscess K35.43

- - - peritonitis, localized K35.93

- - - - with perforation or rupture K35.02

- - - - generalized K35.02

Gas R14.3

- excessive R14.80

- on stomach R14.80

Gastrinoma

- malignant

- - specified site NEC - see Neoplasm, ~~malignant~~ malignant, by site

- specified site - see Neoplasm, uncertain behavior

- unspecified site D37.79

Gastroduodenitis K29.90

- virus, viral A08.4

- - specified type NEC A08.39

Gastroenteritis (acute) (chronic) (noninfectious) K52.9 - see also Enteritis

- influenzal - see Influenza, with gastroenteritis

- viral NEC A08.4

- - acute infectious A08.39

- - infantile (acute) A08.39

- - severe of infants A08.39

- - specified type NEC A08.39

Gemistocytoma

- specified site - see Neoplasm, malignant, by site

Genetic

- susceptibility to disease NEC Z15.89

- - malignant neoplasm Z15.009

Germinoma - see Neoplasm, malignant, by site

Gestation (period) - see also Pregnancy

- multiple O30.9-

- - ~~specified NEC - see subcategory O30.8-~~

- - greater than quadruplets - see Pregnancy, multiple (gestation), specified NEC

- - specified NEC - see Pregnancy, multiple (gestation), specified NEC

Glioblastoma (multiforme)

- with sarcomatous component

- - specified site - see Neoplasm, malignant, by site

- giant cell

- - specified site - see Neoplasm, malignant, by site

- specified site - see Neoplasm, malignant, by site

Glioma (malignant)

- astrocytic
- - specified site - see Neoplasm, malignant, by site
- mixed
- - specified site - see Neoplasm, malignant, by site
- specified site NEC - see Neoplasm, malignant, by site
- subependymal D43.2
- - specified site - see Neoplasm, uncertain behavior, behavior, by site

Glioneuroma - see Neoplasm, uncertain behavior, by site

Gliosarcoma

- specified site - see Neoplasm, malignant, by site

Glomerulonephritis N05.9 - see also Nephritis

- in (due to)
- - Henoch(-Scheönlein) purpura D69.0 [N08]
- - multiple myeloma C90.00- [N08]

Glucagonoma

- pancreas
- - uncertain behavior D37.78
- specified site NEC
- - benign - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- - uncertain behavior - see Neoplasm, uncertain behavior, by site
- unspecified site
- - uncertain behavior D37.79

Gonadoblastoma

- specified site - see Neoplasm, uncertain behavior, by site

Gonocytoma

- specified site - see Neoplasm, uncertain behavior, by site

Gout, chronic M1A.9 - see also Gout (acute)

- drug-induced M1A.20
- - ankle M1A.27-
- - elbow M1A.22-
- - foot joint M1A.27-
- - hand joint M1A.24-
- - hip M1A.25-
- - knee M1A.26-
- - multiple site M1A.29-
- - shoulder M1A.21-
- - specified joint NEC M1A.28
- - wrist M1A.23-
- idiopathic M1A.00
- - ankle M1A.07-
- - elbow M1A.02-
- - foot joint M1A.07-
- - hand joint M1A.04-
- - hip M1A.05-
- - knee M1A.06-

- - multiple site M1A.09
- - shoulder M1A.01-
- - specified joint NEC M1A.08
- - wrist M1A.03-
- in (due to) renal impairment M1A.30
- - ankle M1A.37-
- - elbow M1A.32-
- - foot joint M1A.37-
- - hand joint M1A.34-
- - hip M1A.35-
- - knee M1A.36-
- - multiple site M1A.39
- - shoulder M1A.31-
- - specified joint NEC M1A.38
- - wrist M1A.33-
- lead-induced M1A.10
- - ankle M1A.17-
- - elbow M1A.12-
- - foot joint M1A.17-
- - hand joint M1A.14-
- - hip M1A.15-
- - knee M1A.16-
- - multiple site M1A.19
- - shoulder M1A.11-
- - specified joint NEC M1A.18
- - wrist M1A.13-
- primary - see Gout, chronic, idiopathic
- saturnine - see Gout, chronic, lead-induced
- secondary NEC M1A.40
- - ankle M1A.47-
- - elbow M1A.42-
- - foot joint M1A.47-
- - hand joint M1A.44-
- - hip M1A.45-
- - knee M1A.46-
- - multiple site M1A.49
- - shoulder M1A.41-
- - specified joint NEC M1A.48
- - wrist M1A.43-
- syphilitic A52.77 - see also subcategory M1a.8-
- tophi - see Gout by type

Gout, chronic M1a.9 - see also Gout (acute)

- drug-induced M1A.20
- - ankle M1A.27-
- - elbow M1A.22-
- - foot joint M1A.27-
- - hand joint M1A.24-
- - hip M1A.25-
- - knee M1A.26-
- - multiple site M1A.29-
- - shoulder M1A.21-
- - specified joint NEC M1A.28
- - wrist M1A.23-
- idiopathic M1A.00
- - ankle M1A.07-

- ~~elbow M1A.02-~~
- ~~foot joint M1A.07-~~
- ~~hand joint M1A.04-~~
- ~~hip M1A.05-~~
- ~~knee M1A.06-~~
- ~~multiple site M1A.09~~
- ~~shoulder M1A.01-~~
- ~~specified joint NEC M1A.08~~
- ~~wrist M1A.03-~~
- ~~in (due to) renal impairment M1A.30~~
- ~~ankle M1A.37-~~
- ~~elbow M1A.32-~~
- ~~foot joint M1A.37-~~
- ~~hand joint M1A.34-~~
- ~~hip M1A.35-~~
- ~~knee M1A.36-~~
- ~~multiple site M1A.39~~
- ~~shoulder M1A.31-~~
- ~~specified joint NEC M1A.38~~
- ~~wrist M1A.33-~~
- ~~lead-induced M1A.10~~
- ~~ankle M1A.17-~~
- ~~elbow M1A.12-~~
- ~~foot joint M1A.17-~~
- ~~hand joint M1A.14-~~
- ~~hip M1A.15-~~
- ~~knee M1A.16-~~
- ~~multiple site M1A.19~~
- ~~shoulder M1A.11-~~
- ~~specified joint NEC M1A.18~~
- ~~wrist M1A.13-~~
- ~~primary – see Gout, chronic, idiopathic~~
- ~~saturnine – see Gout, chronic, lead-induced~~
- ~~secondary NEC M1A.40~~
- ~~ankle M1A.47-~~
- ~~elbow M1A.42-~~
- ~~foot joint M1A.47-~~
- ~~hand joint M1A.44-~~
- ~~hip M1A.45-~~
- ~~knee M1A.46-~~
- ~~multiple site M1A.49~~
- ~~shoulder M1A.41-~~
- ~~specified joint NEC M1A.48~~
- ~~wrist M1A.43-~~
- ~~syphilitic A52.77 – see also subcategory M1a.8-~~
- ~~tophi – see Gout by type~~

Growth (fungoid) (neoplastic) (new) - see also Neoplasm
 - benign - see Neoplasm, benign, by site
 - malignant - see Neoplasm, malignant, by site
 - secondary - see Neoplasm, secondarysecondary, by site

Gynandroblastoma

- specified site - see Neoplasm, uncertain behavior, by site

~~HELLP syndrome O14.1-~~

HELLP syndrome O14.2-**Hemangioendothelioma** - see also Neoplasm, uncertain behavior, by site

- epithelioid - see also Neoplasm, uncertain behavior, by site
- - malignant - see Neoplasm, malignant, by site

Hemangiofibroma - see Neoplasm, benign, by site**Hematoma** (traumatic) (skin surface intact) - see also Contusion

- labia (nontraumatic) (nonobstetric) N90.89
- vulva (nontraumatic) (nonobstetric) N90.89

Hemochromatosis (~~diabetic~~) (~~hereditary~~) (~~liver~~) (~~myocardium~~) (~~primary idiopathic~~) (~~secondary~~) E83.11 E83.119

- due to repeated red blood cell transfusion E83.111
- hereditary (primary) E83.110
- primary E83.110
- specified NEC E83.118

Hemorrhage, hemorrhagic (concealed) R58

- acute idiopathic pulmonary, in infants R04.81
- lung R04.89
- pulmonary R04.89
- respiratory passage or tract R04.9
- - specified NEC R04.89
- tracheobronchial R04.89
- vulva N90.89

Henoch(-Scheönlein) disease or syndrome (purpura) D69.0**Hepatitis** K75.9

- anicteric, ~~acute~~ (viral) - see Hepatitis, viral

Hepatomegaly - see also Hypertrophy, liver

- ~~in infectious mononucleosis (gammaherpesviral) B27.09~~
- in mononucleosis
- - gammaherpesviral B27.09
- - infectious specified NEC B27.89

Herpes, herpesvirus, herpetic B00.9

- genital, genitalis A60.00
- - male A60.042

History

- family (of) - see also History, personal (of)
- - multiple endocrine neoplasia [~~MEN~~](MEN) syndrome Z83.41
- personal (of) - see also History, family (of)
- - allergy ~~to~~(to) Z88.9
- - anaphylactic shock Z88.9
- - behavioral disorders Z86.59
- - calculi, renal Z87.4342
- - cervical dysplasia Z87.4410
- - cleft lip (corrected) Z87.730
- - cleft palate (corrected) Z87.730
- - congenital malformation (surgically corrected) Z87.79

~~--- hypospadias (surgically corrected) Z87.74~~
 -- combat and operational stress reaction Z86.51
 -- congenital malformation (corrected) Z87.798
 --- circulatory system (corrected) Z87.74
 --- digestive system (corrected) NEC Z87.738
 --- ear (corrected) Z87.720
 --- eye (corrected) Z87.721
 --- face and neck (corrected) Z87.790
 --- genitourinary system (corrected) NEC Z87.718
 --- heart (corrected) Z87.74
 --- integument (corrected) Z87.76
 --- limb(s) (corrected) Z87.76
 --- musculoskeletal system (corrected) Z87.76
 --- neck (corrected) Z87.790
 --- nervous system (corrected) NEC Z87.728
 --- respiratory system (corrected) Z87.75
 --- sense organs (corrected) NEC Z87.728
 --- specified NEC Z87.798
 -- disease or disorder (of) Z87.898
 --- ~~genital system Z87.49~~(tract) system NEC
 ---- female Z87.42
 ---- male Z87.438
 --- ~~mental NEC Z87.898~~6.59
 --- ~~urinary system Z87.49~~NEC Z87.448
 -- dysplasia
 --- cervical Z87.410
 --- prostatic Z87.430
 --- vaginal Z87.411
 --- vulvar Z87.412
 -- ~~hypospadias Z87.74~~(corrected) Z87.710
 -- infection NEC Z86.19
 --- ~~urinary (tract) Z87.41~~recurrent) (tract) Z87.440
 -- kidney stones Z87.4342
 -- malignant neoplasm (of) Z85.9
 --- accessory sinuses Z85.22
 --- digestive organ Z85.00
 ---- specified NEC Z85.09
 --- esophagus Z85.01
 --- larynx Z85.21
 --- middle ear Z85.22
 --- nasal cavities Z85.22
 --- sinuses, accessory Z85.22
 -- mental disorder Z86.59
 -- nephrotic syndrome Z87.4241
 -- ~~psychological abuse~~
 --- ~~adult Z91.411~~
 --- ~~child Z62.811~~
 -- prostatic dysplasia Z87.430
 -- psychological
 --- abuse
 ---- ~~adult Z91.411~~
 ---- ~~child Z62.811~~
 --- trauma, specified NEC Z91.49
 -- renal calculi Z87.4342
 -- retained foreign body fully removed Z87.821
 -- trauma (physical) NEC Z87.828

- - - psychological NEC Z91.49
- - urinary calculi Z87.43~~42~~
- - urinary (tract) infection(s) Z87.41
- - urinary (recurrent) (tract) infection(s) Z87.440
- - vaginal dysplasia Z87.411
- - vulvar dysplasia Z87.412

HIV B20

- nonconclusive test ~~in infants~~(in infants) R75

Hot flashes

- menopausal N95.14

Hydrocele (spermatic cord) (testis) (tunica vaginalis) N43.3

- communicating N43.2
- - congenital P83.5
- vulva N90.89

Hyperactive, hyperactivity F90.9

- destrusor muscle N32.81

Hypergammaglobulinemia D89.2

- Waldenström-söm D89.0

Hyperplasia, hyperplastic

- cervix (uteri) (basal cell) (endometrium) (polypoid) - see also Dysplasia, cervix
- - congenital Q51.8~~28~~
- prostate (adenofibromatous) (nodular) - ~~see Enlargement, enlarged, prostate~~ N40.0
- renal artery I77.8
- - with lower urinary tract symptoms (LUTS) N40.1
- - without lower urinary tract sympoms (LUTS) N40.0
- renal artery I77.89

Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10

- with
- - heart involvement (conditions in I51.4- I51.9 due to hypertension) - see Hypertension, heart
- - renal sclerosis (conditions in N26) - ~~see Hypertension, kidney~~
- cardiorenal (disease) I13.10
- - with heart failure I13.0
- - - with stage I ~~through stage IV~~ 1 through stage 4 chronic kidney disease I13.0
- - - with stage V5 or end stage renal disease I13.2
- - without heart failure I13.10
- - - with stage I ~~through stage IV~~ 1 through stage 4 chronic kidney disease I13.10
- - - with stage V5 or end stage renal disease I13.11
- cardiovascular
- - renal (disease) (~~sclerosis~~) - see Hypertension, cardiorenal
- complicating
- - pregnancy O16.-
- - - gestational (pregnancy induced) (transient) (without proteinuria) O13.-
- - - - with proteinuria O14.9-
- - - - - moderate pre-eclampsia O14.0-
- - - pre-existing O10.91-
- - - - with
- - - - - preinure-eclampsia O11.-

- kidney I12.9
- - with
- - - stage ~~V~~5 chronic kidney disease (CKD) or end stage renal disease (ESRD) I12.0
- - - stage ~~I through stage IV~~1 through stage 4 chronic kidney disease I12.9

Hypertensive urgency - see Hypertension

Hypertrophy, hypertrophic

- artery I77.89
- cervix (uteri) N88.8
- - congenital Q51.828
- clitoris (cirrhotic) N90.89
- Meckel's diverticulum (congenital) Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant
- muscular coat, artery I77.89
- prepuce (congenital) N47.8
- - female N90.89

Hypervolemia E87.70

- specified NEC E87.79

Hypoglycemia (spontaneous) E16.2

- neonatal (transitory) P70.4
- - iatrogenic P70.3

Hypoperfusion (in)

- newborn P96.89

Hypoplasia, hypoplastic

- cervix (uteri), congenital Q51.821
- uterus, congenital Q51.811

Ideation

- ~~suicidal R45.85~~
- - ~~associated with a specific mental disorder - code to the disorder~~
- homicidal R45.850
- suicidal R45.851

Immune reconstitution (inflammatory) syndrome [IRIS] D89.3

~~Immune reconstitution syndrome D89.3~~

Immunization - see also Vaccination

- Rh factor - ~~see Incompatibility, Rh~~
- - from transfusion ~~T80.4~~ - see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Impaction, impacted

- bowel, colon, rectum (~~fecal~~) ~~K56.4~~ K56.49 - see also Impaction, fecal
- fecal, feces K56.41
- intestine (calculous) (~~fecal~~) ~~NEC K56.4~~ NEC K56.49 - see also Impaction, fecal

Imperfect

- closure (congenital)
- - uterus Q51.818

Imperforate (congenital) - see also Atresia
 - cervix (uteri) Q51.828

Incompatibility

- ABO
 - - infusion or transfusion reaction ~~T80.3~~ see Complication(s), transfusion, incompatibility reaction, ABO
 - Rh (blood group) (factor) Z31.82
 - - infusion or transfusion reaction ~~T80.4~~ see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Incomplete - see also condition
 - defecation R15.0

Incontinence R32

- anal sphincter R15.9
 - feces R15.9
 - rectal R15.9

Increase, increased

- anticoagulants (antithrombin) (anti-VIIIa) (anti-IXa) (anti-Xa) (anti-XIa) - see Circulating anticoagulants}

Infection, infected, infective (opportunistic) B99.9

- Escherichia (E.) coli NEC A49.8
 - - congenital ~~B39.8~~P36.4
 - intra-amniotic affecting newborn NEC P39.2
 - newborn P39.9
 - - intra-amniotic NEC P39.2
 - respiratory (tract) NEC J98.8
 - - influenzal (upper) (acute) - see Influenza, with, respiratory manifestations NEC
 - retrovirus B33.3
 - - as cause of disease classified elsewhere B97.30
 - - - human
 - - - - immunodeficiency, type 2 [~~HIV-2~~](HIV 2) B97.35
 - - - - T-cell lymphotropic
 - - - - - type I [~~HTLV-I~~](HTLV-I) B97.33
 - - - - - type II [~~HTLV-II~~](HTLV-II) B97.34
 - virus, viral NOS B34.9
 - - as cause of disease classified elsewhere B97.8
 - - - immunodeficiency, type 2 [~~HIV-2~~](HIV 2) B97.35
 - - - T-cell lymphotropic,
 - - - - type I [~~HTLV-I~~](HTLV-I) B97.33
 - - - - type II [~~HTLV-II~~](HTLV-II) B97.34
 - - - retrovirus B97.30
 - - - - human
 - - - - - immunodeficiency, type 2 [~~HIV-2~~](HIV 2) B97.35
 - - - - - T-cell lymphotropic,
 - - - - - - type I [~~HTLV-I~~](HTLV-I) B97.33
 - - - - - - type II [~~HTLV-II~~](HTLV-II) B97.34

Infestation B88.9

- Pediculus B85.2
 - - mixed (classifiable to more than one of the titles B85.0- B85.3) B85.4
 - Phthirus (pubis) (any site) B85.3
 - - with any infestation classifiable to B85.0- B85.2 B85.4

Infiltrate, infiltration

- lymphatic C91.90~~2~~ - see also Leukemia, lymphatic

Influenza (bronchial) (epidemic) (respiratory (upper)) (unidentified influenza virus) J11.1

- with

- - digestive manifestations J11.2

- - encephalopathy J11.81

- - enteritis J11.2

- - gastroenteritis J11.2

- - gastrointestinal manifestations J11.2

- - laryngitis J11.1

- - myocarditis J11.82

- - otitis media J11.83

- - pharyngitis J11.1

- - pneumonia J11.00

- - - specified type J11.08

- - respiratory manifestations NEC J11.1

- - specified manifestation NEC J11.89

- A/H5N1 - see Influenza, due to, identified avian influenza virus

- avian - see Influenza, due to, identified avian influenza virus

- novel (2009) H1N1 influenza - see Influenza, due to identified novel H1N1 influenza virus

- novel influenza A/H1N1 - see Influenza, due to identified novel H1N1 influenza virus

- due to

- - identified avian influenza virus J09.02

- - - with

- - - - digestive manifestations J09.03

- - - - encephalopathy J09.090

- - - - enteritis J09.03

- - - - gastroenteritis J09.03

- - - - gastrointestinal manifestations J09.03

- - - - laryngitis J09.02

- - - - myocarditis J09.091

- - - - otitis media J09.092

- - - - pharyngitis J09.02

- - - - pneumonia (unspecified type) J09.019

- - - - - due to identified avian influenza virus J09.010

- - - - - specified type NEC J09.018

- - - - respiratory manifestations NEC J09.02

- - - - specified manifestation NEC J09.098

- - identified influenza virus NEC J10.1

- - - with

- - - - digestive manifestations J10.2

- - - - encephalopathy J10.81

- - - - enteritis J10.2

- - - - gastroenteritis J10.2

- - - - gastrointestinal manifestations J10.2

- - - - laryngitis J10.1

- - - - myocarditis J10.82

- - - - otitis media J10.83

- - - - pharyngitis J10.1

- - - - pneumonia (unspecified type) J10.00

- - - - - with same identified influenza virus J10.01

- - - - - specified type NEC J10.08

- - - - respiratory manifestations NEC J10.1

- - - - specified manifestation NEC J10.89

- - identified novel H1N1 influenza virus J09.12
- - - with
- - - - digestive manifestations J09.13
- - - - encephalopathy J09.190
- - - - enteritis J09.13
- - - - gastroenteritis J09.13
- - - - gastrointestinal manifestations J09.13
- - - - laryngitis J09.12
- - - - myocarditis J09.191
- - - - otitis media J09.192
- - - - pharyngitis J09.12
- - - - pneumonia (unspecified type) J09.119
- - - - - due to identified novel H1N1 influenza virus J09.110
- - - - - specified type NEC J09.118
- - - - respiratory manifestations NEC J09.12
- - - - specified manifestation NEC J09.198

Influenza, influenzal (bronchial) (epidemic) (respiratory (upper)) J10.1

- with
- - ~~digestive manifestations J10.81~~
- - ~~enteritis J10.81~~
- - ~~gastroenteritis J10.81~~
- - ~~involvement of~~
- - - ~~gastrointestinal tract J10.81~~
- - - ~~nervous system NEC J10.89~~
- - ~~laryngitis J10.1~~
- - ~~manifestations NEC J10.89~~
- - ~~meningismus J10.89~~
- - ~~myocarditis J10.89~~
- - ~~pharyngitis J10.1~~
- - ~~pleural effusion NEC J10.1~~
- - ~~respiratory manifestations NEC J10.1~~
- - ~~upper respiratory infection (acute) NEC J10.1~~
- ~~due to identified avian influenza virus J09.01~~
- - ~~with~~
- - - ~~digestive manifestations J09.090~~
- - - ~~enteritis J09.090~~
- - - ~~gastroenteritis J09.090~~
- - - ~~involvement of~~
- - - - ~~gastrointestinal tract J09.090~~
- - - - ~~nervous system NEC J09.098~~
- - - ~~laryngitis J09.01~~
- - - ~~manifestations NEC J09.098~~
- - - ~~meningismus J09.098~~
- - - ~~myocarditis J09.098~~
- - - ~~pharyngitis J09.01~~
- - - ~~pleural effusion NEC J09.01~~
- - - ~~respiratory manifestations NEC J09.01~~
- - - ~~upper respiratory infection (acute) NEC J09.01~~
- ~~due to identified novel H1N1 influenza virus J09.11~~
- - ~~with~~
- - - ~~digestive manifestations J09.190~~
- - - ~~enteritis J09.190~~
- - - ~~gastroenteritis J09.190~~
- - - ~~involvement of~~
- - - - ~~gastrointestinal tract J09.190~~

- ~~- - - nervous system NEC J09.198~~
- ~~- - laryngitis J09.11~~
- ~~- - manifestations NEC J09.198~~
- ~~- - meningismus J09.198~~
- ~~- - myocarditis J09.198~~
- ~~- - pharyngitis J09.11~~
- ~~- - pleural effusion NEC J09.11~~
- ~~- - respiratory manifestations NEC J09.11~~
- ~~- - upper respiratory infection (acute) NEC J09.11~~
- summer, of Italy A93.1

Influenzal - see Influenza

Inhalation

- carbon monoxide -- see Table of drugs and chemicals

Injury T14.90 - see also specified injury type

- bladder (sphincter) S37.20
- - specified type NEC S37.289
- blood vessel NEC T14.8
- - greater saphenous vein (lower leg level) S85.309
- - hip S75.909
- eyeball S05.8x-
- - specified type NEC S05.802
- head S09.90
- - specified NEC S09.89-
- kidney S37.00-
- - acute (nontraumatic) N17.9
- - contusion (minor) ~~S37.019~~ see Contusion, kidney
- - - major S37.029
- - laceration ~~S37.039~~ see Laceration, kidney
- - - major (massive) (stellate) S37.069
- - - minor S37.049
- - - moderate S37.059
- - - contusion (minor) S37.012
- - - - major S37.022
- - - laceration S37.032
- - - - major (massive) (stellate) S37.062
- - - - minor S37.042
- - - - moderate S37.052
- - - specified type NEC ~~S37.092~~ NEC S37.09-
- - - contusion (minor) S37.011
- - - - major S37.021
- - - laceration S37.031
- - - - major (massive) (stellate) S37.061
- - - - minor S37.041
- - - - moderate S37.051
- - - specified type NEC S37.091
- - specified type NEC S37.099
- larynx NEC S19.81
- - with
- mesenteric
- - vein
- - - superior} S35.339
- muscle (and fascia) (and tendon)
- - finger

- - - extensor (forearm level) S56.409_
- - - flexor (forearm level) S56.109_
- - forearm (level) S56.90-
- - - specified S56.99-
- - - - site NEC S56.80-
- - - - - type NEC S56.89-
- - - strain S56.91-
- - - - ~~type NEC S56.99-~~
- nerve NEC T14.8
- - lumbar spinal - see Injury, nerve, spinal, lumbar
- - lumbar plexus - see Injury, nerve, lumbosacral, sympathetic
- - lumbar plexus - see Injury, lumbosacral plexus
- - - plexus - see Injury, nerve, lumbosacral, sympathetic
- - - ~~plexus - see Injury, lumbosacral plexus~~
- - root - see Injury, nerve, spinal, root
- - sacral spinal - see Injury, nerve, spinal, sacral
- periurethral tissue - see Injury, urethra
- - complicating delivery O71.82
- pharynx NEC S19.85
- ~~pharynx S09.93~~
- spinal (cord)
- - cervical (neck) S14.109
- - - anterior cord syndrome S14.139
- - - - C8 level S14.138
- - - Brown-Séquard syndrome S14.149
- - - - C8 level S14.148
- - - C8 level S14.108
- - - central cord syndrome S14.129
- - - - C8 level S14.128
- - - complete lesion S14.119
- - - - C8 level S14.118
- - - incomplete lesion specified NEC S14.159
- - - - C8 level S14.158
- - - posterior cord syndrome S14.159
- - - - C8 level S14.158
- - lumbar S34.109
- - - complete lesion S34.119
- - - - L1 level S34.111
- - - - L2 level S34.112
- - - - L3 level S34.113
- - - - L4 level S34.114
- - - - L5 level S34.115
- - - concussion S34.01
- - - - ~~C1 level S34.111~~
- - - - ~~C2 level S34.112~~
- - - - ~~C3 level S34.113~~
- - - - ~~C4 level S34.114~~
- - - - ~~C5 level S34.115~~
- - - incomplete lesion S34.129
- - - - L1 level S34.121
- - - - L2 level S34.122
- - - - L3 level S34.123
- - - - L4 level S34.124
- - - - L5 level S34.125
- - - L1 level S34.101
- - - - ~~C1 level S34.121~~

- - - - ~~C2 level S34.122~~
- - - - ~~C3 level S34.123~~
- - - - ~~C4 level S34.124~~
- - - - ~~C5 level S34.125~~
- urethra (sphincter) S37.30
- specified type NEC S37.39
- urinary organ S37.90
- contusion S37.92
- laceration S37.93
- specified type NEC S37.38
- urinary organsite NEC S37.899
- specified NEC S37.898
- site NEC S37.899
- contusion S37.892
- laceration S37.893
- specified type NEC S37.898
- type NEC S37.99
- vocal cord NEC S19.83

Insensitivity

- androgen E34.50
- complete E354.51

Insertion

- intrauterine contraceptive device (encounter for) - see Intrauterine contraceptive device

Insulinoma

- pancreas
- uncertain behavior D37.78
- unspecified site
- uncertain behavior D37.79

~~Insulinoma~~

-
- ~~specified site NEC - see Neoplasm, malignant~~
- ~~unspecified site C25.4~~
- ~~pancreas D13.7~~
- ~~specified site NEC - see Neoplasm, benign~~
- ~~unspecified site D13.7~~

Intoxication

- psychoactive substance NEC (without dependence) - see Abuse, drug, psychoactive NEC, with intoxication
- water E87.79

Intrauterine contraceptive device

- ~~checking, reinsertion, removal Z30.43~~ Z30.431
- insertion Z30.430
- immediately following removal Z30.433
- management Z30.431
- reinsertion Z30.433
- removal Z30.432
- replacement Z30.433

Iritis - see also Iridocyclitis

- diabetic - see E098-E13 with .39

Ischemia, ischemic I99.8

- colon chronic(~~due to mesenteric artery insufficiency~~ (due to mesenteric artery insufficiency)) K55.1

Issue of

- repeat prescription (appliance) (glasses) (medicinal substance, medicament, medicine) Z76.0
- - contraceptive pill ~~Z30.41~~ on - see Contraception
- - - device (intrauterine) ~~Z30.43~~

Japanese

- river fever ~~R17A~~ 75.3

Jaundice (yellow) R17

- familial nonhemolytic (congenital) (Gilbert) E80.4
- hemorrhagic (acute) (leptospiral) (spirochetal) A27.0
- newborn P59.9
- - due to or associated with
- - - ~~Gilbert's syndrome~~ E80.4
- - - Gilbert syndrome E80.4
- ~~hemorrhagic (acute) (leptospiral)(spirochetal)~~ A27.0
- - newborn ~~P53~~

Keratoderma, keratodermia (congenital) (palmaris et plantaris) (symmetrical) Q82.8

- acquired L85.1
- - in diseases classified elsewhere L86

Kojevnikov's, Kozhevnikof's epilepsy G40.509

- not intractable ~~G54~~ 40.509

Kyphosis, kyphotic (acquired) M40.209

- postural (adolescent) M40.00
- - ~~cervical region~~ M40.02

Kyrle disease L87.0

~~Kyrle's disease~~ L87.0

Laceration

- buttock S31.80-1
- - with foreign body S31.80-2
- - left S31.821
- - - with foreign body S31.822
- - right S31.811
- - - with foreign body S31.812
- kidney S37.03-
- - major (greater than 3 cm) (massive) (stellate) S37.06-
- - minor (less than 1 cm) S37.04-
- - moderate (1 to 3 cm) S37.05-
- knee S81.019
- - with foreign body S81.029
- - left S81.012
- - - with foreign body S81.022
- - right S81.014
- - - with foreign body S81.024

- - - multiple S37.06-
- knee S81.01-
- - with foreign body S81.02-
- thorax, thoracic (wall) S21.91
- - with foreign body S21.92
- - - back S21.229-
- - - ~~front S21.129~~
- - - - with penetration into thoracic cavity S21.42-
- - - front S21.12-
- - - - with penetration into thoracic cavity S21.32-
- - back S21.21-
- - - with foreign body S21.22-
- - - with
- - - - foreign body S21.22-
- - - - - with penetration into thoracic cavity S21.42-
- - - - penetration into thoracic cavity S21.41-
- - breast - see Laceration, breast
- - - with foreign body S21.12-
- - front S21.11-
- - - - foreign body S21.12-
- - - - - with penetration into thoracic cavity S21.32-
- - - - penetration into thoracic cavity S21.31-
- vulva S31.41
- - nonpuerperal, nontraumatic N90.8
- - old (postpartal) N90.8
- - nonpuerperal, nontraumatic N90.89
- - old (postpartal) N90.89
- wrist S61.519
- - right S61.511
- - - with
- - - - foreign body S61.521

Lack of

- awareness R41.9
- cognitive functions R41.9

Langdon Down syndrome - see Trisomy, 21

~~Langdon Down's syndrome - see Trisomy, 21~~

Laryngitis (acute) (edematous) (fibrinous) (infective) (infiltrative) (malignant) (membranous) (phlegmonous) (pneumococcal) (pseudomembranous) (septic) (subglottic) (suppurative) (ulcerative) J04.0

- with

- - influenza, flu, or grippe - see Influenza, with, ~~respiratory manifestation~~ laryngitis

- influenzal - see Influenza, with, respiratory manifestations NEC

Laryngotracheitis (acute) (Infectional) (infective) (viral) J04.2

- influenzal - see Influenza, with, respiratory manifestations NEC

Lateroversion

- uterus, uterine (cervix) (postinfectional) (postpartal, old) N85.4

- - congenital Q51.818

Leak, leakage

- device, implant or graft - see also Complications, by site and type, mechanical

- - catheter NEC T85.638
- - - ~~cystostomy T83.030~~
- - - urinary, indwelling T83.038
- - - - cystostomy T83.030

Legionnaire's

- ~~disease A48.1~~
- - ~~nonpneumonic A48.2~~
- ~~pneumonia A48.1~~

Legionnaires'

- disease A48.1
- - nonpneumonic A48.2
- pneumonia A48.1

Lesion(s) (nontraumatic)

- conus medullaris - see Injury, conus medullaris
- nerve G58.9
- - spinal - see Injury, nerve, spinal

Letterer-Siwe's disease C96.0**Leuc(o) - see Leuk(o)****Leukemia, leukemic C95.9-**

- acute myeloid
- - with
- - - dysplasia of remaining hematopoiesis and/or myelodysplastic disease in its history} C92.A
-
- - - multilineage dysplasia ~~92.a~~C92.A-
- chronic myelogenous (Philadelphia chromosome (Ph1) positive) (t(9:22;22)) (q34;q11) (with crisis of blast cells) C92.1-
- hairy-cell C91.4-
- plasma cell C90.10-
- plasmacytic C90.10-

Leukokeratosis - see also Leukoplakia

- oral mucosa K3413.21

Leydig cell

- carcinoma
- - specified site - see Neoplasm, malignant, by site
- tumor
- - benign
- - - specified site - see Neoplasm, benign, by site
- - malignant
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, uncertain behavior, by site

Leydig-Sertoli cell tumor

- specified site - see Neoplasm, benign, by site

Linitis (gastric) plastica-C16.9**Lipadenoma - see Neoplasm, benign, by site**

Lipoid - see also condition

- histiocytosis D76.03

Long-term (current) (prophylactic) drug therapy (use of)

- antibiotics Z79.2

- - short-term use - omit code

Loss (of)

- control, sphincter, rectum R15.9

- pregnancy, recurrent N96

- - care in current pregnancy O26.2-

- - without current pregnancy N96

- recurrent pregnancy - see Loss, pregnancy, recurrent

Lymphadenopathy (generalized) R59.1

- angioimmunoblastic, with dysproteinemia ~~{(AILD)}~~ C86.5

Lymphoepithelioma - see Neoplasm, malignant, by site**Lymphoma** (of) (malignant) C85.90

- follicular C82.9-

- - grade

- - - I C82.0-

- Hodgkin C81.9

- - classical C81.7-

- - - ~~lymphocytic depletion~~ depleted C81.3-

- - ~~lymphocytic depletion~~ depleted classical C81.3-

- splenic marginal zone C83.0-

Macroglobulinemia (idiopathic) (primary) C88.0

- monoclonal (essential) D47.2

Macropsia H53.185**Malformation** (congenital) - see also Anomaly

- cervix uteri Q51.9

- - specified type NEC Q51.828

- uterus Q51.9

- - specified type NEC Q51.818

Malignancy - see also Neoplasm, malignant, by site

- unspecified site (primary) ~~(secondary)~~ C80.1

Malnutrition E46

- degree

- - mild (protein) E44.1

- - moderate (protein) E44.0

Malposition

- congenital

- - uterus Q51.818

- device, implant or graft T85.628 - see also Complications, by site and type, mechanical

- - catheter NEC T85.628

- - - urinary, indwelling T83.028

- uterus (acute) (acquired) (adherent) (asymptomatic) (postinfectious) (postpartal, old) N85.4

- - antelexion or anteversion N85.4

- - - congenital Q51.818

Mass

- ear - ~~see subcategory H93.8~~ H93.8
 - malignant - see Neoplasm, malignant, by site

Mast cell

- tumor D47.0
 - - malignant C96.2-

Meckel's diverticulitis, diverticulum (displaced) (hypertrophic) Q43.0

- malignant - see Table of Neoplasms, small intestine, malignant

Medulloblastoma

- specified site - see Neoplasm, malignant, by site

Medulloepithelioma - see also Neoplasm, malignant, by site

- teratoid - see Neoplasm, malignant, by site

Medullomyoblastoma

- specified site - see Neoplasm, malignant, by site

Megalopsia H53.185

Melanoma (malignant) C43.9

- acral lentiginous, malignant - see Melanoma, skin, by site
 - amelanotic - see Melanoma, skin, by site
 - balloon cell - see Melanoma, skin, by site
 - desmoplastic, malignant - see Melanoma, skin, by site
 - epithelioid cell - see Melanoma, skin, by site
 - - with spindle cell, mixed - see Melanoma, skin, by site
 - in
 - - giant pigmented nevus - see Melanoma, skin, by site
 - - Hutchinson's melanotic freckle - see Melanoma, skin, by site
 - - junctional nevus - see Melanoma, skin, by site
 - - precancerous melanosis - see Melanoma, skin, by site
 - neurotropic, malignant - see Melanoma, skin, by site
 - nodular - see Melanoma, skin, by site
 - regressing, malignant - see Melanoma, skin, by site
 - foot C43.7-
 - - nail ~~C43.-~~
 - - - finger C43.60-
 - - overlapping site C43.8
 - - specified site NEC - see Neoplasm, malignant
 - - vulva C51.9
 - - - overlapping sites C51.8
 - spindle cell
 - - with epithelioid, mixed - see Melanoma, skin, by site
 - superficial spreading - see Melanoma, skin, by site

Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic) G03.9

- in (due to)
 - - bacterial disease NEC A48.8 [G01]

Meningoencephalitis G04.90 - see also Encephalitis
 - parasitic NEC ~~B89~~B89 [G05..3]

Menopause, menopausal (state) ~~N95.1~~asymptomatic (state) Z78.0
 - symptomatic N95.1

Merkel cell tumor - see Carcinoma, Merkel cell

~~Merkel cell tumor - see Carcinoma, Merkel cell~~

Mesonephroma (malignant) - see Neoplasm, malignant, by site
 - benign - see Neoplasm, benign, by site

Metastasis, metastatic
 - disease ~~C79.9~~C79.9 - see also Neoplasm, secondary, by site

Microaneurysm, retinal - see also Disorder, retina, microaneurysms
 - diabetic - see ~~E098~~E13 with .31

Micropsia H53.185

Microvillus inclusion disease (MVD) Q43.8

Misperception, sleep state ~~R51.02~~F51.02

Mononeuropathy G58.9
 - diabetic NEC - see ~~E098~~E13 with .41

Multiple, multiplex - see also condition
 - endocrine neoplasia - see Neoplasia, endocrine, multiple ~~(MEN)~~(MEN)

Myasthenia G70.9
 - syndrome
 - - in
 - - - diabetes mellitus - see ~~E098~~E13 with .44

Myelodysplastic syndrome D46.9
 - with
 - - isolated del(5q) chromosomal abnormality ~~D46.C~~D46.C

Myocarditis (with arteriosclerosis)(chronic)(fibroid) (interstitial) (old) (progressive) (senile)
 I51.4
 - influenzal - see Influenza, with, ~~manifestations~~ NECMyocarditis

Myoepithelioma - see Neoplasm, benign, by site

Myositis M60.9
 - infective M60.009
 - - arm M60.002
 - - - left M60.001
 - - - right M60.000
 - - leg M60.005
 - - - left M60.004
 - - - right M60.003

Müllerian mixed tumor

- specified site - see Neoplasm, malignant, by site

Necrobiosis R68.89

- lipoidica NEC L92.1

- - with diabetes - see E098-E13 with .63

Neoplasia

- intraepithelial (histologically confirmed)

- - anal (AIN) (histologically confirmed) K62.82

- - - ~~anal (AIN) (histologically confirmed) grade I~~ K62.82

- - - grade II K62.82

- - - - ~~grade II~~ K62.82

- - prostate (histologically confirmed) (PIN I) (PIN II) N42.3

- - - severe D07.5

Neoplasm, neoplastic - see also ~~Neoplasm table~~ Table of Neoplasms

- ~~malignant, associated with transplanted organ~~ C80.2

Nephritis, nephritic (albuminuric) (azotemic) (congenital) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) N05.9

- due to

- - diabetes mellitus - see E098-E13 with .21

Nephropathy N28.9 - see also Nephritis

- diabetic - see E098-E13 with .21

Nephrosis, nephrotic (Epstein's) (syndrome) (congenital) N04.9

- diabetic - see E098-E13 with .21

- in

- - diabetes mellitus - see E098-E13 with .21

Nervousness R45.0

- ~~pancreas~~ D13.7

- ~~specified site NEC~~ - see Neoplasm, benign

- ~~unspecified site~~ D13.7

Nesidioblastoma

- pancreas D13.7

- specified site NEC - see Neoplasm, benign, by site

- unspecified site D13.7

Neuritis (rheumatoid) M79.2

- diabetic (mononeuropathy) - see E098-E13 with .41

- - polyneuropathy - see E098-E13 with .42

Neuroastrocytoma - see Neoplasm, uncertain behavior, by site

Neuroblastoma

- specified site - see Neoplasm, malignant, by site

Neurocytoma - see Neoplasm, benign, by site

Neuroepithelioma - see also Neoplasm, malignant, by site

Neurofibromatosis (multiple) (nonmalignant) Q85.00

- acoustic Q85.02

- specified NEC Q85.09
- type 1 (von Recklinghausen) Q85.01
- type 2 Q85.02

Neuroglioma - see Neoplasm, uncertain behavior, by site

Neuropathy, neuropathic G62.9

- diabetic - see E098-E13 with .40
- - mononeuropathy - see E098-E13 with .41
- - polyneuropathy - see E098-E13 with .42
- optic (nerve) - see also Neuritis, optic
- - ischemic - ~~see Disorder, nerve, optic, ischemic~~ H47.01
- peripheral (nerve) G62.9 - see also Polyneuropathy
- - autonomic G90.9
- - - in (due to)
- - - - diabetes mellitus - see E098-E13 with .43

Neurophthisis - see also Disorder, nerve

- peripheral, diabetic - see E098-E13 with .42

Neurosyphilis (arrested) (early) (gumma) (late) (latent) (recurrent) (relapse) A52.3

- meningitis A52.123

Nevus D22.9

- angiomatous-D18.00
- lymphatic D18.1
- - specified site - see Neoplasm, benign, by site
- malignant (~~M8720/3~~) - see Melanoma
- skin D22.9
- - specified site NEC - see Neoplasm, benign, by site

Newborn (infant) (liveborn) (singleton) Z38.2

- affected by (suspected to be)
- - apparent life threatening event ALTE(ALTE) R68.13
- - fetal (intrauterine)
- - - growth retardation P05.9
- - - malnutrition not light or small for gestational age P05.2
- - slow intrauterine growth P05.9

Obstruction, obstructed, obstructive

- bladder-neck (acquired) N32.0
- - due to hyperplasia (hypertrophy) of prostate - see Hyperplasia, prostate, ~~specified type, with obstruction~~
- device, implant or graft T85.628 - see also Complications, by site and type, mechanical
- - catheter NEC T85.628
- - - urinary, indwelling T83.098
- fecal K56.41
- prostate - see also Hyperplasia, prostate, ~~with obstruction~~
- urinary (moderate) N13.9
- - due to hyperplasia (hypertrophy) of prostate - see Hyperplasia, prostate, ~~specified type, with obstruction~~

Oligemia - see Anemia

- ~~specified site - see Neoplasm, malignant~~
- ~~unspecified site C71.9~~

Oligoastrocytoma

- specified site - see Neoplasm, malignant, by site
- unspecified site C71.9

Oligocythemia D64.9

- ~~specified site - see Neoplasm, malignant~~
- ~~unspecified site C71.9~~
- - ~~specified site - see Neoplasm, malignant~~
- - ~~unspecified site C71.9~~
- ~~specified site - see Neoplasm, malignant~~
- ~~unspecified site C71.9~~

Oligodendroblastoma

- specified site - see Neoplasm, malignant
- unspecified site C71.9

Oligodendroglioma

- anaplastic type
- - specified site - see Neoplasm, malignant, by site
- - unspecified site C71.9
- specified site - see Neoplasm, malignant, by site
- unspecified site C71.9

Oncocytoma - see Neoplasm, benign, by site~~Operation~~ R69**Ophthalmoplegia** - see also Strabismus, paralytic

- diabetic - see E098-E13 with .39

Osteitis - see also Osteomyelitis

- deformans M88.9
- - in (due to)
- - - neoplastic disease D49.9 [M90..60] - see also Neoplasm
- - - - tarsus D49.9 [M90..679-]

Osteoarthritis M19.90

- hand joint M19.04-
- - first carpometacarpal joint M18.49-
- - - ~~bilateral M18.0~~
- knee M17.49-

Osteochondrosis - see also Osteochondropathy, by site

- capitular epiphysis (femur) (juvenile) - see Legg-Calvéé-Perthes disease
- coxae juvenilis - see Legg-Calvéé-Perthes disease
- deformans juvenilis, coxae - see Legg-Calvéé-Perthes disease
- femoral capital epiphysis (juvenile) - see Legg-Calvéé-Perthes disease
- femur (head), juvenile - see Legg-Calvéé-Perthes disease
- hip (juvenile) - see Legg-Calvéé-Perthes disease
- juvenile, juvenilis M92.9
- - capitular epiphysis (femur) - see Legg-Calvéé-Perthes disease
- - coxae - see Legg-Calvéé-Perthes disease
- - head of femur - see Legg-Calvéé-Perthes disease
- - hip and pelvis M91.9-
- - - femoral head - see Legg-Calvéé-Perthes disease

- - vertebra (body) (epiphyseal plates) (Calvé's) (Scheuermann's) - see Osteochondrosis, juvenile, spine
- ~~Legg-Perthes(-Calvé)(-Waldenström)~~ - see Legg-Calvé(-Waldenström) - see Legg-Calvé-Perthes disease

Osteonecrosis M87.9

- idiopathic aseptic M87.00
- - multiple sites M87.09
- secondary NEC M87.30
- - carpus M87.343-
- - due to
- - - drugs M87.10
- - - - carpus M87.143-
- - - hemoglobinopathy NEC D58.2 [M90..50]
- - - radius D58.2 [M90..5392]
- - - trauma (previous) M87.20
- - - - carpus M87.243-
- - ilium M87.3590
- - ischium M87.3590
- - radius M87.3392
- - ulna M87.3392
- specified type NEC M87.80
- - carpus M87.843-

Otitis (acute) H66.90

- externa H60.902
- media (hemorrhagic) (staphylococcal) (streptococcal) H66.9-
- - in (due to) (with)
- - - influenza - see Influenza, with, otitis media
- - - influenza - see Influenza, with, manifestations NEC
- - - viral disease NEC B34.- [H67..-]
- - mucoid - see Otitis, media, nonsuppurative
- - - viral disease NEC B34.- [H67..9]
- - tuberculous A18.6

Overload

- fluid E87.7
- circulatory, due to transfusion (blood) (blood components) (TACO) E87.71
- fluid E87.70
- - due to transfusion (blood) (blood components) E87.71
- - specified NEC E87.79
- iron, due to repeated red blood cell transfusions E83.111

Pain(s) R52 - see also Painful

- jaw M27.8R68.84
- mandibular R68.84
- maxilla M27.8R68.84

Papilloma - see also Neoplasm, benign, by site

- renal pelvis (transitional cell) D41.1-
- - ~~specified site - see Neoplasm, benign~~
- Schneiderian
- - specified site - see Neoplasm, benign, by site
- - unspecified site D14.0
- - - ~~specified site - see Neoplasm, uncertain behavior~~
- serous surface

- - borderline malignancy
- - - specified site - see Neoplasm, uncertain behavior, by site
- - specified site - see Neoplasm, benign, by site
- transitional (cell)
- - inverted type - see Neoplasm, uncertain behavior, by site
- urothelial - see Neoplasm, uncertain behavior, by site
- villous - see Neoplasm, uncertain behavior, by site
- - adenocarcinoma in - see Neoplasm, malignant, by site

Papillomatosis - see also Neoplasm, benign, by site
 - intraductal (diffuse) - see Neoplasm, benign, by site
 - subareolar duct (female) ~~D24.0~~D24.-

Papulosis

- malignant I77.89

Paraganglioma D44.7

- chromaffin - see also Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- - - ~~specified site - see Neoplasm, malignant~~
- extra-adrenal D44.7
- - malignant C75.5
- - - specified site - see Neoplasm, ~~uncertain behavior~~malignant, by site
- - specified site - see Neoplasm, benign~~uncertain behavior~~, by site
- gangliocytic D13.2
- - specified site - see Neoplasm, benign, by site
- glomus jugulare D44.7
- - ~~specified site - see Neoplasm, malignant~~
- jugular D44.7
- - - ~~specified site - see Neoplasm, malignant~~
- malignant C75.5
- - specified site - see Neoplasm, malignant, by site
- - ~~specified site - see Neoplasm, uncertain behavior~~
- nonchromaffin D44.7
- - malignant C75.5
- - - specified site - see Neoplasm, ~~uncertain behavior~~malignant, by site
- - specified site - see Neoplasm, uncertain behavior, by site
- - ~~specified site - see Neoplasm, uncertain behavior~~
- parasympathetic D44.7
- - specified site - see Neoplasm, uncertain behavior, by site
- specified site - see Neoplasm, uncertain behavior, by site
- sympathetic D44.7
- - specified site - see Neoplasm, uncertain behavior, by site
- - unspecified site D44.7
- unspecified site D44.7

~~Percreta placenta O43.23-~~

Percreta placenta O43.23 -

Perforation, perforated (nontraumatic) (of)

- bladder (urinary)
- - traumatic S37.289
- by
- - device, implant or graft T85.628 - see also Complications, by site and type, mechanical
- - - urinary, indwelling T83.098

- cecum K35.02
- urethra N36.8
- - traumatic S37.389

Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion) K65.9

- with or following
- - appendicitis K35.93
- - - with perforation or rupture K35.02
- - - localized K35.93
- - - generalized K35.02
- eosinophilic K65.8
- - acute K65.0

Persistence, persistent (congenital)

- fetal
- - form of cervix (uteri) Q51.828
- Meckel's diverticulum Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant
- rhesus (Rh) titer ~~T80.4~~ - see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Perthes' disease - see Legg-Calvéé-Perthes disease

Pharyngitis (acute) (catarrhal)(gangrenous) (infective) (malignant) (membranous) (phlegmonous) (pseudomembranous) (simple) (subacute) (suppurative) (ulcerative) (viral) J02.9

- with influenza, flu, or grippe - see Influenza, with, ~~respiratory manifestation~~ pharyngitis
- influenzal - see Influenza, with, respiratory manifestations NEC

Phenylketonuria E70.1

- ~~specified site - see Neoplasm, malignant~~
- ~~unspecified site C74.10~~

Pheochromoblastoma

- specified site - see Neoplasm, malignant, by site
- unspecified site C74.10

Pheochromocytoma

- - malignant
- - specified site - see Neoplasm, malignant, by site
- specified site - see Neoplasm, benign, by site

Phlebitis (infective) (pyemic) (septic) (suppurative) I80.9

- following infusion, therapeutic injection or transfusion ~~T80.4~~

Physical restraint status Z78.1

Pleurisy (acute) (adhesive) (chronic) (costal) (diaphragmatic) (double) (dry) (fibrinous) (fibrous) (interlobar) (latent) (plastic) (primary) (residual) (sicca) (sterile) (subacute) (unresolved) R09.1

- with
- - effusion J90
- - - ~~influenza - see Influenza, with, respiratory manifestations~~
- - ~~influenza, flu, or grippe - see Influenza, with, respiratory manifestations~~
- ~~influenzal - see Influenza, with, respiratory manifestations~~

Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (migratory) (organized) (overwhelming) (primary (atypical)) ~~(progressive)~~ (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) J18.9

- - influenza - see Influenza, with, pneumonia

- basal, basic, basilar - see Pneumonia, lobar, by type

- cryptogenic organizing J84.2

- Hemophilus influenzae (~~broncho~~) (lobar) J14

- multilobar - see Pneumonia, by type

Poisoning (acute) - see also Table of drugs and chemicals

- food (acute) (diseased) (infected) (noxious) NEC T62.9-

- - due to

- - - Clostridium (perfringens) (Welchii) A05.2

- water E87.79

Poland syndrome Q79.8

~~Poland's syndrome~~ Q79.8

Polioencephalitis (acute) (bulbar) A80.9

- influenzal - see Influenza, with, manifestations ~~NE~~ Cencephalopathy

Polyembryoma - see Neoplasm, malignant, by site

Polyp, polypus

- adenocarcinoma in - see Neoplasm, malignant, by site

- adenocarcinoma in situ in - see Neoplasm, in situ, by site

- adenomatous - see also Neoplasm, benign, by site

- - adenocarcinoma in - see Neoplasm, malignant, by site

- - adenocarcinoma in situ in - see Neoplasm, in situ, by site

- - carcinoma in - see Neoplasm, malignant, by site

- - carcinoma in situ in - see Neoplasm, in situ, by site

- - multiple - see Neoplasm, benign

- - - adenocarcinoma in - see Neoplasm, malignant, by site

- - - adenocarcinoma in situ in - see Neoplasm, in situ, by site

- carcinoma in - see Neoplasm, malignant, by site

- carcinoma in situ in - see Neoplasm, in situ, by site

- malignant - see Neoplasm, malignant, by site

Polyposis - see also Polyp

- coli (adenomatous) D12.6

- - adenocarcinoma in situ in - see Neoplasm, in situ, by site

- familial D12.6

- - adenocarcinoma in situ in - see Neoplasm, in situ, by site

- multiple, adenomatous D36.9 - see also Neoplasm, benign

Polysyndactyly ~~Q70.4~~ Q70.4 - see also Syndactylism, syndactyly

Posthemorrhagic anemia (chronic) D50.0

- acute ~~(D62)~~

Pre-eclampsia O14.9-

- with pre-existing hypertension - see Hypertension, complicating pregnancy, pre-existing, with, ~~proteinure~~-eclampsia
- ~~severe (H.E.L.L.P.) O14.1-~~
- moderate O14.0-
- severe O14.1-
- - with HELLP O14.2

Pregnancy (childbirth) (labor) (puerperium) - see also Delivery and Puerperal

- complicated by (care of) (management affected by)
- - abuse
- - - physical ~~O9A.31~~ O9A.31 -
- - - psychological ~~O9A.51~~ O9A.51 -
- - - sexual ~~O9A.41~~ O9A.41 -
- - anemia (conditions in D50-D64) (pre-existing) O99.01-
- - circulatory system disorder (conditions in I00-I09, I20-I99, O99.41-)
- - conjoined twins O30.02-
- - diabetes (mellitus) O24.91-
- - - pre-existing O24.31-
- - genital herpes (asymptomatic) (history of) (inactive) O98.51-
- - habitual aborter ~~O26.2-~~ see Pregnancy, complicated by, recurrent pregnancy loss
- - hemorrhage
- - - due to premature separation, placenta O45- - see also Abruptio placentae
- - human immunodeficiency [~~HIV~~](HIV) disease O98.71-
- - infection(s) O98.91-
- - - human immunodeficiency [~~HIV~~](HIV) O98.71-
- - multiple gestations O30.9 - see Tabular for required extensions
- - - specified number of multiples NEC ~~O30.8-~~ see Pregnancy, multiple (gestation), specified NEC
- - - quadruplet ~~O30.2-~~ see Pregnancy, quadruplet
- - - triplet ~~O30.1-~~ see Pregnancy, triplet
- - - twin ~~O30.00-~~ see Pregnancy, twin
- - - - conjoined ~~O30.02-~~
- - - - monoamniotic/monochorionic ~~O30.01-~~
- - - - specified NEC ~~O30.09-~~
- - pneumonia O99.51-
- - pre-eclampsia O14.9-
- - - moderate O14.0-
- - recurrent pregnancy loss O26.2-
- - tumor (benign)
- - - malignant O9A.11 -
- - multiple (gestation) O30.9-
- - greater than quadruplets - see Pregnancy, multiple (gestation), specified NEC
- - specified NEC O30.80-
- - - with
- - - - two or more monoamniotic fetuses O30.82-
- - - - two or more monochorionic fetuses O30.81-
- - - two or more monoamniotic fetuses O30.82-
- - - two or more monochorionic fetuses O30.81-
- - - unable to determine number of placenta and number of amniotic sacs O30.89-
- - - unspecified number of placenta and unspecified number of amniotic sacs O30.80-
- quadruplet O30.20 - see Tabular for required trimester
- - with
- - - two or more monoamniotic fetuses O30.22-
- - - two or more monochorionic fetuses O30.21-
- - two or more monoamniotic fetuses O30.22-
- - two or more monochorionic fetuses O30.21-

- - unable to determine number of placenta and number of amniotic sacs O30.29-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.20-
- quintuplet - see Pregnancy, multiple (gestation), specified NEC
- sextuplet - see Pregnancy, multiple (gestation), specified NEC
- quadruplet O30.2 - see Tabular for required extensions
- quintuplet O30.8 - see Tabular for required extensions
- sextuplet O30.8 - see Tabular for required extensions
- triplet O30.10 - see Tabular for required trimester
- - with
- - - two or more monoamniotic fetuses O30.12-
- - - two or more monochorionic fetuses O30.11-
- - two or more monoamniotic fetuses O30.12-
- - two or more monochorionic fetuses O30.11-
- - unable to determine number of placenta and number of amniotic sacs O30.19-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.10-
- triplet O30.1 - see Tabular for required extensions
- twin O30.00 - see Tabular for required trimester
- - conjoined O30.02-
- - dichorionic/diamniotic (two placenta, two amniotic sacs) O30.04-
- - monochorionic/diamniotic (one placenta, two amniotic sacs) O30.03-
- - monochorionic/monoamniotic (one placenta, one amniotic sac) O30.01-
- - unable to determine number of placenta and number of amniotic sacs O30.09-
- - unspecified number of placenta and unspecified number of amniotic sacs O30.00-
- twin O30.00 - see Tabular for required extensions
- - monoamniotic/monochorionic O30.01-
- - specified NEC O30.09-
- unwanted Z64.0

Prescription of contraceptives (initial) Z30.019

- repeat Z30.40
- - ~~intrauterine contraceptive device Z30.43~~

Presence (of)

- cardiac
- - defibrillator (functional) (with synchronous cardiac pacemaker) Z95.810
- implanted device (artificial) (functional) (prosthetic) Z96.9
- - automatic cardiac defibrillator (with synchronous cardiac pacemaker) Z95.810
- intravascular implant (functional) (prosthetic) NEC Z95.9
- - defibrillator (with synchronous cardiac pacemaker) Z95.810

Problem (with) (related to)

- influencing health status NEC Z94.~~878~~.9
- negative life events in childhood Z62.9
- - specified event NEC Z64.~~82~~.898

Prognoma (melanotic) - see Neoplasm, benign, by site

Prolactinoma

- specified site - see Neoplasm, benign, by site

Prolapse, prolapsed

- cervix, cervical (hypertrophied) N81.2
- - congenital Q51.~~828~~
- uterus (with prolapse of vagina) N81.4
- - congenital Q51.~~818~~

Prophylactic

- administration of
- - antibiotics, long-term Z79.2
- - - short-term use - omit code

Proteinuria R80.9

- complicating pregnancy - see Proteinuria, gestational
- ~~superimposed on pre-existing hypertensive disorder - see Hypertension, complicating, pregnancy, pre-existing, with, proteinuria~~

Protrusion, protrusio

- device, implant or graft T85.628 - see also Complications, by site and type, mechanical
- - catheter NEC T85.628
- - - urinary, indwelling T83.098

Pseudosclerosis (brain)

- of Westphal (Strömper) E83.01

PTP D69.51**Puerperal, puerperium (complicated by, complications)**

- anemia (pre-existing) O99.03
- fever (sepsis) ~~O85~~ (of unknown origin) O86.4
- - pyrexia (of unknown origin) O86.4
- - septic O85
- gestational diabetes O24.439
- - insulin (and diet) controlled O24.434
- infection O86.4
- - maternal O98.93
- - - human immunodeficiency ~~[HIV]~~ (HIV) O98.73
- necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
- obesity (pre-existing prior to pregnancy) O99.215

Puncture

- bladder (traumatic) S37.289
- thorax, thoracic (wall) S21.93
- - back S21.239
- - - ~~with foreign body S21.249~~
- - - ~~left S21.232~~
- - - ~~with foreign body S21.242~~
- - - ~~right S21.231~~
- - - ~~with foreign body S21.241~~
- - ~~front S21.139~~
- - - ~~with foreign body S21.149~~
- - - ~~left S21.132~~
- - - - ~~with foreign body S21.142~~
- - - ~~right S21.131~~
- - - - ~~with foreign body S21.141~~
- - - - ~~foreign body S21.24-~~
- - - - - ~~with penetration S21.44~~
- - - - ~~penetration S21.43~~
- - ~~front S21.13-~~
- - - ~~with~~
- - - - ~~foreign body S21.14-~~
- - - - - ~~with penetration S21.34~~
- - - - ~~penetration S21.33~~

- wrist S61.539
- - right S61.531
- - - with
- - - - foreign body S61.541

Purpura D69.2

- Henoch(-Scheönlein) (allergic) D69.0
- hypergammaglobulinemic (benign) (Waldenström'söm) D89.0
- ~~post-transfusion D69.5~~
- posttransfusion (post-transfusion) (from (fresh) whole blood or blood products) D69.51
- Scheönlein(-Henoch) (allergic) D69.0

Pyelitis (congenital) (uremic) - see also Pyelonephritis}

Pyelonephritis - see also Nephritis, tubulo-interstitial

- in (due to)
- - leukemia NEC C95.90- [N16]
- - multiple myeloma C90.00- [N16]

Quadriplegia G82.50-

Rasmussen encephalitis G04.81

Reaction - see also Disorder

- combat and operational stress F43.0
- febrile nonhemolytic transfusion (FNHTR) R50.84
- incompatibility
- - ABO blood group (infusion) (transfusion) ~~T80.3-~~ see Complication(s), transfusion, incompatibility reaction, ABO
- - - delayed serologic T80.39
- - Rh (factor) (infusion) (transfusion) ~~T80.4-~~ see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Recklinghausen disease Q85.00

- bones E21.0

~~Recklinghausen's disease Q85.0~~

- ~~bones E21.0~~

Recurrent - see condition

- pregnancy loss - see Loss (of), pregnancy, recurrent

Redundant, redundancy

- clitoris N90.89

Reinsertion, contraceptive device Z30.433

Rejection

- transplant T86.91
- - bone T86.830
- - - marrow T86.091

Relapsing fever A68.9

- Carter's (Asiatic) A68.01

Removal (from) (of)

- device Z46.9
- - contraceptive Z30.432

Replacement by artificial or mechanical device or prosthesis of

- mandible NEC (for tooth root implant(s)) Z96.5

Resistance, resistant (to)

- organism(s), to multiple drugs (MDRO) Z16

Restoration (of)

- dental
- - aesthetically inadequate or displeasing K08.8756

Retained - see also Retention

- foreign body fragments (type of) Z18.9
- - acrylics Z18.2
- - animal quill(s) or spines Z18.31
- - cement Z18.83
- - concrete Z18.83
- - crystalline Z18.83
- - depleted isotope Z18.09
- - depleted uranium Z18.01
- - diethylhexylphthalates Z18.2
- - glass Z18.81
- - isocyanate Z18.2
- - magnetic metal Z18.11
- - metal Z18.10
- - nonmagnetic metal Z18.12
- - nontherapeutic radioactive Z18.09
- - organic NEC Z18.39
- - plastic Z18.2
- - quill(s) (animal) Z18.31
- - radioactive (nontherapeutic) NEC Z18.09
- - specified NEC Z18.89
- - spine(s) (animal) Z18.31
- - stone Z18.83
- - tooth (teeth) Z18.32
- - wood Z18.33
- fragments (type of) Z18.9
- - acrylics Z18.2
- - animal quill(s) or spines Z18.31
- - cement Z18.83
- - concrete Z18.83
- - crystalline Z18.83
- - depleted isotope Z18.09
- - depleted uranium Z18.01
- - diethylhexylphthalates Z18.2
- - glass Z18.81
- - isocyanate Z18.2
- - magnetic metal Z18.11
- - metal Z18.10
- - nonmagnetic metal Z18.12
- - nontherapeutic radioactive Z18.09
- - organic NEC Z18.39
- - plastic Z18.2
- - quill(s) (animal) Z18.31

- - radioactive (nontherapeutic) NEC Z18.09
- - specified NEC Z18.89
- - spine(s) (animal) Z18.31
- - stone Z18.83
- - tooth (teeth) Z18.32
- - wood Z18.33

Retention - see also Retained

- bladder - see Retention, urine
- carbon dioxide E87.2
- cholelithiasis K91.89
- cyst - see Cyst
- dead
- - fetus (at or near term) (mother) O36.4
- - - early fetal death O02.1
- - ovum O02.0
- decidua (fragments) (following delivery) (with hemorrhage) O72.2
- - without hemorrhage O73.1
- deciduous tooth K00.6
- dental root K08.3
- fecal - see Constipation
- fetus
- - dead O36.4
- - - early O02.1
- fluid R60.9
- foreign body - see also Foreign body, retained
- - current trauma - code as Foreign body, by site or type
- gallstones K91.89
- gastric K31.89
- intrauterine contraceptive device, in pregnancy - see Pregnancy, complicated by, retention, intrauterine device
- membranes (complicating delivery) (with hemorrhage) O72.2
- - with abortion - see Abortion, by type
- - without hemorrhage O73.1
- meniscus - see Derangement, meniscus
- menses N94.89
- milk (puerperal, postpartum) O92.79
- nitrogen, extrarenal R39.2
- ovary syndrome N99.83
- placenta (total) (with hemorrhage) O72.0
- - without hemorrhage O73.0
- - portions or fragments (with hemorrhage) O72.2
- - - without hemorrhage O73.1
- products of conception
- - early pregnancy (dead fetus) O02.1
- - following
- - - delivery (with hemorrhage) O72.2
- - - - without hemorrhage O73.1
- secundines (following delivery) (with hemorrhage) O72.0
- - without hemorrhage O73.0
- - complicating puerperium (delayed hemorrhage) O72.2
- - partial O72.2
- - - without hemorrhage O73.1
- smegma, clitoris N90.89
- urine R33.9
- - due to hyperplasia (hypertrophy) of prostate - see Hyperplasia, prostate

- - drug-induced R33.0
- - organic R33.8
- - - drug-induced R33.0
- - psychogenic F45.8
- - specified NEC R33.8
- water (in tissues) - see Edema

Retention, retained

- bladder—see Retention, urine
- carbon dioxide E87.2
- cholelithiasis K91.89
- cyst—see Cyst
- dead
 - - fetus (at or near term) (mother) O36.4
 - - - early fetal death O02.1
 - - ovum O02.0
- decidua (fragments) (following delivery) (with hemorrhage) O72.2
 - - without hemorrhage O73.1
- deciduous tooth K00.6
- dental root K08.3
- fecal—see Constipation
- fetus
 - - dead O36.4
 - - - early O02.1
- fluid R60.9
- foreign body—see also Foreign body, retained
 - - current trauma—code as Foreign body, by site or type
- gallstones K91.89
- gastric K31.89
- intrauterine contraceptive device, in pregnancy—see Pregnancy, complicated by, retention, intrauterine device
- membranes (complicating delivery) (with hemorrhage) O72.2
 - - with abortion—see Abortion, by type
 - - without hemorrhage O73.1
- meniscus—see Derangement, meniscus
- menses N94.89
- milk (puerperal, postpartum) O92.79
- nitrogen, extrarenal R39.2
- ovary syndrome N99.83
- placenta (total) (with hemorrhage) O72.0
 - - without hemorrhage O73.0
 - - portions or fragments (with hemorrhage) O72.2
 - - - without hemorrhage O73.1
- products of conception
 - - early pregnancy (dead fetus) O02.1
 - - following
 - - - delivery (with hemorrhage) O72.2
 - - - - without hemorrhage O73.1
- secundines (following delivery) (with hemorrhage) O72.0
 - - without hemorrhage O73.0
 - - complicating puerperium (delayed hemorrhage) O72.2
 - - partial O72.2
 - - - without hemorrhage O73.1
- smegma, clitoris N90.8
- urine R33.9

- - ~~due to hyperplasia (hypertrophy) of prostate – see Hyperplasia, prostate, specified type, with obstruction~~
- - ~~drug-induced R33.0~~
- - ~~organic R33.8~~
- - - ~~drug-induced R33.0~~
- - ~~psychogenic F45.8~~
- - ~~specified NEC R33.8~~
- ~~water (in tissues) – see Edema~~

Retroversion, retroverted

- uterus (acquired) (acute) (any degree) (asymptomatic) (cervix) (postinfectional) (postpartal, old) N85.4
- - congenital Q51.818

Retrovirus, as cause of disease classified elsewhere B97.30

- human
- - immunodeficiency, type 2 [~~HIV-2~~](HIV 2) B97.35
- - T-cell lymphotropic
- - - type I [~~HTLV-I~~](HTLV-I) B97.33
- - - type II [~~HTLV-II~~](HTLV-II) B97.34

Rh (factor)

- incompatibility, immunization or sensitization
- - transfusion reaction ~~T80.4~~ see Complication(s), transfusion, incompatibility reaction, Rh (factor)
- - titer elevated ~~T80.4~~ see Complication(s), transfusion, incompatibility reaction, Rh (factor)
- - transfusion reaction ~~T80.4~~ see Complication(s), transfusion, incompatibility reaction, Rh (factor)

Rheumatism (articular) (neuralgic) (nonarticular) M79.0

- gout - see Arthritis, rheumatoid

Risk, suicidal

- meaning suicidal ideation ~~R45.85~~ see Ideation, suicidal

Rudimentary (congenital) - see also Agenesis

- cervix uteri Q51.828
- uterus Q51.818

Rupture, ruptured

- appendix (with peritonitis) K35.02
- bladder (sphincter) (nontraumatic) (spontaneous) N32.89
- - traumatic S37.289
- cecum (with peritonitis) K65.0
- - with peritoneal abscess K35.43
- perineum (nonobstetric) (nontraumatic) N90.89
- urethra (nontraumatic) N36.8
- - traumatic S37.389

Saber, sabre shin or tibia (syphilitic) A50.56 [M90..~~80~~]**Sarcoma (of) - see also Neoplasm, connective tissue, malignant**

- Kupffer cell (~~M9124/3~~)C22.3
- monstrocellular
- - specified site - see Neoplasm, malignant, by site
- rhabdoid - see Neoplasm, malignant, by site

SBE (subacute bacterial endocarditis) ~~I28.8~~33.0

Scar, scarring L90.5 - see also Cicatrix

- labia N90.89
- vulva N90.89

Schistosomiasis B65.9

- with muscle disorder B65.9 [M63..80]
- - hand B65.9 [M63..849-]

Schneiderian

-

- - ~~specified site~~ - see Neoplasm, malignant
- papilloma - see Neoplasm, nasopharynx, benign
- - specified site - see Neoplasm, benign, by site
- specified site - see Neoplasm, ~~benign~~malignant, by site

~~Schonlein(-Henoch) disease or purpura (primary) (rheumatic) D69.0~~

Schwannomatosis Q85.03

Schönlein(-Henoch) disease or purpura (primary) (rheumatic) D69.0

Sclerosis, sclerotic

- corpus cavernosum
- - female N90.89
- renal N26.9
- - with
- - - ~~hypertension~~ - see Hypertension, kidney

Screening (for) Z13.9

- colonoscopy Z12.11

Second hand tobacco smoke exposure (acute) (chronic) Z77.22

- in the perinatal period P96.81

Seizure(s) R56.9 - see also Convulsions

- post traumatic R56.1

Seminoma C62.9-

- anaplastic
- specified site - see Neoplasm, malignant, by site
- - ~~unspecified site C62.9-~~
- ~~specified site~~ - see Neoplasm, malignant
- spermatocytic
- - ~~specified site~~ - see Neoplasm, malignant
- - ~~unspecified site C62.9-~~

Septum, septate (congenital) - see also Anomaly, by site

- vagina Q52.10
- - longitudinal (with or without obstruction) Q52.12
- - transverse Q52.11

Sertoli cell

-

- - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, malignant, by site
- - unspecified site (male) C62.9-
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site

Sertoli-Leydig cell tumor - see Neoplasm, benign, by site
 - specified site - see Neoplasm, benign, by site

Short, shortening, shortness

- arm (acquired) - see also Deformity, limb, unequal length
- - congenital - ~~see Defect, reduction, upper limb, specified type NECQ71.81-~~
- leg (acquired) - see also Deformity, limb, unequal length
- - congenital - ~~see Defect, reduction, lower limb, specified type NECQ72.81-~~
- lower limb (acquired) - see also Deformity, limb, unequal length
- - congenital - ~~see Defect, reduction, lower limb, specified type NECQ72.81-~~

Silo-fillers' disease J68.8

- bronchitis J68.0
- pneumonitis J68.0
- pulmonary edema J68.1

Sinusitis (accessory) (chronic) (hyperplastic) (nasal) (nonpurulent) (purulent) J32.9
 - influenzal - see Influenza, with, respiratory manifestations NEC

Sleeplessness - see Insomnia
 - menopausal N95.14

Slow

- flow syndrome, coronary I20.8

Smearing, fecal R15.1

Sore

- throat (acute) - see also Pharyngitis
- - with influenza, flu, or grippe - see Influenza, with, respiratory manifestations NEC
- - influenzal - see Influenza, with, respiratory manifestations NEC

Spermatocytoma C62.9-

- specified site - see Neoplasm, malignant, by site

Spondylosis M47.9

- specified NEC M47.899
- - cervical region M47.892
- - cervicothoracic region M47.893
- - lumbar region M47.896
- - lumbosacral region M47.897
- - occipito-atlanto-axial region M47.891
- - sacroccygeal region M47.898
- - thoracic region M47.894
- - thoracolumbar region M47.895

Spongioblastoma (any type) (M9422/3) - ~~see Neoplasm, malignant~~ - see Neoplasm, malignant, by site

- specified site - see Neoplasm, malignant, by site
- - specified site - ~~see Neoplasm, malignant~~

- - ~~unspecified site C71.9~~
- - ~~specified site – see Neoplasm, malignant~~
- - ~~unspecified site C71.9~~
- - ~~specified site – see Neoplasm, malignant~~
- - ~~unspecified site C71.9~~
- - ~~specified site – see Neoplasm, malignant~~

Spongioneuroblastoma - see Neoplasm, malignant, by site

Sprain (joint) (ligament)

- acromioclavicular joint or ligament S43.50-
- ankle S93.409-
- finger(s) S63.61-
- metacarpophalangeal (joint) S63.65-
- hip S73.109-
- shoulder joint S43.409-

Squamous - see also condition

- epithelium in
- - cervical canal (congenital) Q51.828
- - uterine mucosa (congenital) Q51.818

Stammering ~~F98.5~~ F80.81 - see also Disorder, fluency

State (of)

- climacteric, female N95.1Z78.0
- - symptomatic N95.14
- menopausal N95.1Z78.0
- - symptomatic N95.14

Status (post) - see also Presence (of)

- cholecystectomy Z90.49
- colectomy (complete) (partial) Z90.49
- embedded fragments -see Retained, foreign body fragments (type of)
- embedded splinter -see Retained, foreign body fragments (type of)
- military deployment status (current) Z56.82
- - in theater or in support of military war, peacekeeping and humanitarian operations Z56.82
- - ~~in theater or in support of military war, peacekeeping and humanitarian operations Z56.82~~
- organ replacement
- - by artificial or mechanical device or prosthesis of
- - - blood vessel Z95.8298
- pancreatectomy Z90.410
- - complete Z90.410
- - partial Z90.411
- - total Z90.410
- physical restraint Z78.1
- reversed jejunal transposition (for bypass) Z98.0
- retained foreign body - see Retained, foreign body fragments (type of)
- reversed jejunal transposition (for bypass) Z98.0

Stenosis, stenotic (cicatricial) - see also Stricture

- cervix, cervical (canal) N88.2
- - congenital Q51.828

Stercolith (impaction) K56.41

Strabismus (congenital) (nonparalytic) H50.9

- convergent concomitant H50.00
- - monocular H50.01-
- - - intermittent H50.031-
- divergent concomitant H50.10
- - monocular H50.11-
- - - intermittent H50.14-33

Stricture - see also Stenosis

- cervix, cervical (canal) N88.2
- - congenital Q51.828

Stuttering ~~F98.5~~80.81

- adult onset F98.5
- childhood onset F80.81
- in conditions classified elsewhere R47.82

Subependymoma

- specified site - see Neoplasm, uncertain behavior, by site

Subseptus uterus Q51.82**Suicide, suicidal** (attempted) T14.91

- ideation ~~R45.85-~~ see Ideation, suicidal
- risk
- - meaning suicidal ideation ~~R45.85-~~ see Ideation, suicidal
- tendencies
- - meaning suicidal ideation ~~R45.85-~~ see Ideation, suicidal

Surgical

- operation ~~R69~~

Susceptibility to disease, genetic Z15.89

- malignant neoplasm Z15.009

Suspected condition, ruled out - see also Observation, suspected

- maternal and fetal conditions NEC Z03.709

Swelling (of) R60.9

- ear -~~see subcategory H93.8-~~ H93.8-

Sympathicoblastoma

- specified site - see Neoplasm, malignant, by site

Sympathogonioma - see Sympathicoblastoma**Symptoms NEC** R68.89

- menopausal N95.14

Syndactylism, syndactyly Q70.9

- complex (with synostosis)-~~Q70.9~~
- - toes Q70.2-
- ~~fingers Q70.1-~~
- simple (without synostosis)-~~Q70.9~~
- - toes Q70.3-
- ~~toes Q70.3~~

Syndrome - see also Disease

- anterior
- tibial M76.81-
- brain (nonpsychotic) F06.9
- - psycho-organic F06.9
- cat_cry Q93.4
- cat eye Q92.8
- coronary
- - slow flow I20.8
- Degos' I77.89
- HELLP O14.4-2
- Henoch-Schönlein D69.0
- histiocytic D76.93
- immune reconstitution inflammatory [IRIS] D89.3
- multiple endocrine neoplasia [MEN] - see ~~Neoplasia, endocrine, multiple MEN~~ - see Neoplasia, endocrine, multiple (MEN)
- myelodysplastic D46.9
- - with isolated del(5q) chromosomal abnormality ~~GD46.C~~
- pectoral girdle I77.89
- pectoralis minor I77.89
- perabduction I77.89
- pigmentary pallidal degeneration (progressive) G23.0
- popliteal
- - artery entrapment I77.89
- Rasmussen G04.81
- Schüller-Christian C96.5
- slow flow, coronary I20.8
- subcostal nerve compression I77.89
- tibial (anterior) (posterior) - see ~~Enthesopathy, lower limb, lower leg, specified type NEC~~
- - anterior M76.81-
- - posterior M76.82-
- water retention E87.79
- Wright's (hyperabduction) I77.89

TACO (transfusion associated circulatory overload) E87.71**Tag** (hypertrophied skin) (infected) L91.8

- perineal N90.89
- vulva N90.89

Talipes (congenital) Q66.8

- planus (acquired) (any degree) - see also Deformity, limb, flat foot
- - congenital Q66.5

Tear, torn (traumatic) - see also Laceration

- periurethral tissue, obstetrical trauma O71.582

Tendency

- suicide
- - meaning suicidal ideation R45.85- see Ideation, suicidal

Tendinitis, tendonitis - see also Enthesopathy

- ~~tibialis (anterior) (posterior) - see Enthesopathy, lower limb, lower leg, specified type NEC~~
- tibial (posterior) M76.82-
- - anterior M76.81-

Teratoblastoma (malignant) - see Neoplasm, malignant, by site

Teratocarcinoma - see also Neoplasm, malignant, by site

Teratoma (solid) - see also Neoplasm, uncertain behavior, by site

- with embryonal carcinoma, mixed - see Neoplasm, malignant, by site
- with malignant transformation - see Neoplasm, malignant, by site
- adult (cystic) - see Neoplasm, benign, by site
- benign - see Neoplasm, benign, by site
- combined with choriocarcinoma - see Neoplasm, malignant, by site
- cystic (adult) - see Neoplasm, benign, by site
- differentiated - see Neoplasm, benign, by site
- embryonal - see also Neoplasm, malignant, by site
- immature - see Neoplasm, malignant, by site
- malignant - see also Neoplasm, malignant, by site
- - anaplastic - see Neoplasm, malignant, by site
- - intermediate - see Neoplasm, malignant, by site
- - - specified site - see Neoplasm, malignant, by site
- - undifferentiated - see Neoplasm, malignant, by site
- mature - see Neoplasm, uncertain behavior, by site
- - malignant - see Neoplasm, by site, malignant, by site
- solid - see Neoplasm, uncertain behavior, by site

Test, tests, testing (for)

- genetic
- - male partner of ~~habitual aborter~~ patient with recurrent pregnancy loss Z31.441
- HIV (human immunodeficiency virus)
- - nonconclusive in ~~infants~~ (in infants) R75
- male partner of ~~habitual aborter~~ patient with recurrent pregnancy loss Z31.441

Therapy

- drug, long-term (current) (prophylactic)
- - antibiotics Z79.2
- - - short-term use - omit code
- - short term - omit code

Thrombocytopenia, thrombocytopenic D69.6

- dilutional D69.59
- due to
- - drugs D69.59
- - extracorporeal circulation of blood D69.59
- - ~~massive blood transfusion~~ D69.5
- - platelet alloimmunization D69.5
- - (massive) blood transfusion D69.59
- - platelet alloimmunization D69.59
- secondary D69.59

Thrombophlebitis I80.9

- following infusion, perfusion, therapeutic injection or transfusion T80.1

Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel) I82.90

- appendix, septic K35.9
- leg - see ~~Embolism~~ Thrombosis, vein, lower extremity
- lower limb - see ~~Embolism~~ Thrombosis, vein, lower extremity
- tumor - see Neoplasm, unspecified behavior, by site

- vein (acute) I82.90
 - - antecubital I82.61-
 - - - chronic I82.71-
 - - axillary I82.A1-
 - - - chronic I82.A2-
 - - basilic I82.61-
 - - - chronic I82.71-
 - - brachial I82.62-
 - - - chronic I82.72-
 - - brachiocephalic (innominate) I82.290
 - - - chronic I82.291
 - - cephalic I82.61-
 - - - chronic I82.71-
 - - chronic I82.91
 - - - ~~antecubital I82.71-~~
 - - - ~~axillary I82.A2-~~
 - - - ~~basilic I82.71-~~
 - - - ~~brachial I82.72-~~
 - - - ~~brachiocephalic (innominate) I82.291~~
 - - - ~~cephalic I82.71-~~
 - - - ~~innominate I82.291~~
 - - - ~~internal jugular I82.C2-~~
 - - - ~~radial I82.72-~~
 - - - ~~specified NEC I82.891~~
 - - - ~~subclavian I82.B2-~~
 - - - ~~thoracic NEC I82.291~~
 - - - ~~ulnar I82.72-~~
 - - - ~~upper extremity I82.70-~~
 - - deep I82.72(DVT) I82.40-
 - - - upper extremity I82.70-
 - - - - ~~superficial I82.71-~~
 - - deep (lower extremity) I82.40
 - - - chronic I82.50
 - - - - femoral I82.51-
 - - - - iliac I82.52-
 - - - - popliteal I82.53-
 - - - - ~~specified NEC I82.59-~~
 - - - - ~~tibial I82.54-~~
 - - - ~~specified NEC I82.49-~~
 - - - calf I82.4Z-
 - - - - chronic I82.5Z-
 - - - lower leg I82.4Z-
 - - - - chronic I82.5Z-
 - - - thigh I82.4Y-
 - - - - chronic I82.5Y-
 - - - upper leg I82.4Y
 - - - - chronic I82.5Y--
 - - femoral I82.41-
 - - - chronic I82.51-
 - - iliac (iliofemoral) I82.42-
 - - - chronic I82.52-
 - - innominate I82.290
 - - - chronic I82.291
 - - lower extremity NEC I82.40
 - - - chronic I82.C2-
 - - lower extremity

- - - deep I82.40-
- - - - chronic I82.50-
- - - - specified NEC I82.49-
- - - - - chronic NEC I82.59-
- - - distal
- - - - deep I82.4Z-
- - - proximal
- - - - deep I82.4Y-
- - - - - chronic I82.5Y-
- - popliteal I82.43-
- - - chronic I82.53-
- - saphenous I82.81-
- - - chronic I82.72-
- - renal I82.3
- - saphenous (greater) (lesser) I82.81-
- - specified NEC I82.890
- - - chronic NEC I82.891
- - ~~superficial (lower extremity) I82.81-~~
- - - chronic I82.B2-
- - thoracic NEC I82.290
- - - chronic I82.291
- - tibial I82.44-
- - - chronic I82.54-
- - ulnar I82.62-
- - - chronic I82.72-
- - upper extremity I82.60-
- - - chronic I82.70-
- - - deep I82.62-
- - - - chronic I82.72-
- - - superficial I82.61-
- - - - chronic I82.71-

Torsion

- Meckel's diverticulum (congenital) Q43.0
- - malignant - see Table of Neoplasms, small intestine, malignant

Transfusion

- associated (red blood cell) hemochromatosis E83.111
- blood
- - ABO incompatible ~~T80.3-~~ see Complication(s), transfusion, incompatibility reaction, ABO

Translocation

- Down's syndrome Q90.2

Trichinellosis, trichiniasis, trichinelliasis, trichinosis B75

- with muscle disorder B75 [M63..80]
- - hand B75 [M63..849_]

Tricholemmoma - see Neoplasm, skin, benign

Tricholemmoma 4 - see Neoplasm, skin, benign

Triple - see also Accessory

- uteri Q51.818

Tumor - see also Neoplasm, unspecified behavior, by site

- acinar cell - see Neoplasm, uncertain behavior, by site
- acinic cell - see Neoplasm, uncertain behavior, by site
- adenocarcinoid - see Neoplasm, malignant, by site
- adenomatoid - see also Neoplasm, benign, by site
- adnexal (skin) - see Neoplasm, skin, benign, by site
- adrenal
- - rest - see Neoplasm, benign, by site
- alpha-cell
- - malignant
- - - specified site NEC - see Neoplasm, malignant, by site
- - specified site NEC - see Neoplasm, benign, by site
- benign (unclassified) - see Neoplasm, benign, by site
- beta-cell
- - malignant
- - - specified site NEC - see Neoplasm, malignant, by site
- - specified site NEC - see Neoplasm, benign, by site
- cells - see also Neoplasm, unspecified behavior, by site
- - benign - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- - uncertain whether benign or malignant - see Neoplasm, uncertain behavior, by site
- chromaffin - see also Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- dermoid - see Neoplasm, benign, by site
- embolus - see Neoplasm, secondary, by site
- embryonal (mixed) - see also Neoplasm, uncertain behavior, by site
- - ~~specified site - see Neoplasm, malignant~~
- endodermal sinus
- - specified site - see Neoplasm, malignant, by site
- epithelial
- - benign - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- Ewing's - see Neoplasm, bone, malignant, by site
- G cell
- - malignant
- - - specified site NEC - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, uncertain behavior, by site
- - unspecified site D37.79
- germ cell - see also Neoplasm, malignant, by site
- - mixed - see Neoplasm, malignant, by site
- giant cell - see also Neoplasm, uncertain behavior, by site
- - malignant - see Neoplasm, malignant, by site
- gonadal stromal - see Neoplasm, uncertain behavior, by site
- hypernephroid - see also Neoplasm, uncertain behavior, by site
- interstitial cell - see also Neoplasm, uncertain behavior, by site
- - benign - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- islet cell - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- - - specified site NEC - see Neoplasm, malignant, by site
- - specified site NEC - see Neoplasm, benign, by site
- Leydig cell - see Neoplasm, uncertain behavior, by site
- - benign - see Neoplasm, benign, by site
- - - specified site - see Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- - - specified site - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, uncertain behavior, by site

- malignant C80.1 - see also Neoplasm, malignant, by site
- melanotic, neuroectodermal - see Neoplasm, benign, by site
- mesodermal, mixed - see also Neoplasm, malignant, by site
- mesonephric - see also Neoplasm, uncertain behavior, by site
- - malignant - see Neoplasm, malignant, by site
- mixed NEC - see also Neoplasm, benign, by site
- - malignant - see Neoplasm, malignant, by site
- ~~specified site~~ - see Neoplasm, malignant
- mucinous of low malignant potential
- - specified site - see Neoplasm, malignant, by site
- ~~specified site~~ - see Neoplasm, malignant
- mucocarcinoid
- - specified site - see Neoplasm, malignant, by site
- mucoepidermoid - see Neoplasm, uncertain behavior, by site
- Müllerian, mixed
- - specified site - see Neoplasm, malignant, by site
- myoepithelial - see Neoplasm, benign, by site
- neuroectodermal (peripheral) (primitive) - see Neoplasm, malignant, by site
- - primitive
- - - specified site - see Neoplasm, malignant, by site
- neuroendocrine D3A.8
- papillary - see also Papilloma
- - cystic D37.79
- - mucinous of low malignant potential C56.-
- - - specified site - see Neoplasm, malignant, by site
- - - ~~specified site~~ - see Neoplasm, malignant
- - serous of low malignant potential
- - - specified site - see Neoplasm, malignant, by site
- phyllodes D48.6-
- - ~~female D48.61-~~
- - ~~male D48.62-~~
- - benign D24.0-
- plasma cell (malignant) (localized) - see Plasmacytoma, solitary
- ~~specified site~~ - see Neoplasm, malignant
- polyvesicular vitelline
- - specified site - see Neoplasm, malignant, by site
- retinal anlage - see Neoplasm, benign, by site
- secondary - see Neoplasm, secondary, by site
- - ~~specified site~~ - see Neoplasm, malignant
- serous of low malignant potential
- - specified site - see Neoplasm, malignant, by site
- Sertoli cell (M8640/0) - see Neoplasm, benign
- Sertoli cell - see Neoplasm, benign, by site
- - unspecified site C56.9
- - - ~~specified site~~ - see Neoplasm, benign
- - with lipid storage
- - - specified site - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- Sertoli-Leydig cell - see Neoplasm, benign, by site
- - specified site - see Neoplasm, benign, by site
- sex cord(-stromal) - see Neoplasm, uncertain behavior, by site
- stromal
- - endometrial D39.0
- yolk sac - see Neoplasm, malignant, by site
- - specified site - see Neoplasm, malignant, by site

Tumorlet - see Neoplasm, uncertain behavior, by site

Twin (newborn) - see also Newborn, twin

- ~~complicating pregnancy - see Pregnancy, complicated by, multiple gestations, conjoined twin~~

- pregnancy - see Pregnancy, twin, conjoined

Ulcer, ulcerated, ulcerating, ulceration, ulcerative

- back L98.429

- - with

- - - bone necrosis L98.424

- - - exposed fat layer L98.422

- - - muscle necrosis L98.423

- - - skin breakdown only L98.421

- cancerous - see Neoplasm, malignant

- buttock L98.419

- - - bone necrosis L98.414

- - - exposed fat layer L98.412

- - - muscle necrosis L98.413

- - - skin breakdown only L98.411

- cancerous - see Neoplasm, malignant, by site

- malignant - see Neoplasm, malignant

- malignant - see Neoplasm, malignant, by site

- Meckel's diverticulum Q43.0

- - malignant - see Table of Neoplasms, small intestine, malignant

- pressure (pressure area) L89.9-

- - ~~stage I (healing) (pre-ulcer skin changes limited to persistent focal edema)~~

- - stage 1 (healing) (pre-ulcer skin changes limited to persistent focal edema)

- - ~~stage II (healing) (abrasion, blister, partial thickness skin loss involving epidermis and/or dermis)~~

- - stage 2 (healing) (abrasion, blister, partial thickness skin loss involving epidermis and/or dermis)

- - ~~stage III (healing) (full thickness skin loss involving damage or necrosis of subcutaneous tissue)~~

- - stage 3 (healing) (full thickness skin loss involving damage or necrosis of subcutaneous tissue)

- - ~~stage IV (healing) (necrosis of soft tissues through to underlying muscle, tendon, or bone)~~

- - stage 4 (healing) (necrosis of soft tissues through to underlying muscle, tendon, or bone)

- X-ray L58.1

- yaws A66.4

~~Undetermined cause R69~~

~~Unknown cause, morbidity R69~~

~~Unspecified cause, morbidity R69~~

Urgency

- fecal R15.2

- hypertensive - see Hypertension

- urinary N39.41

Use (of)

- cannabis F12.90

- - with

- - - anxiety disorder F12.980

- - - intoxication F12.929
- - - - with
- - - - - delirium F12.921
- - - - - perceptual disturbance F12.922
- - - - - uncomplicated F12.920
- - - other specified disorder F12.988
- - - psychosis F12.959
- - - - delusions F12.950
- - - - hallucinations F12.951
- - - unspecified disorder F12.99
- cocaine F14.90
- - ~~with sleep disorder F14.982~~
- - - anxiety disorder F14.980
- - - intoxication F14.929
- - - - with
- - - - - delirium F14.921
- - - - - perceptual disturbance F14.922
- - - - - uncomplicated F14.920
- - - other specified disorder F14.988
- - - psychosis F14.959
- - - - delusions F14.950
- - - - hallucinations F14.951
- - - sexual dysfunction F14.981
- - - sleep disorder F14.982
- - - unspecified disorder F14.99
- hallucinogen NEC F16.90
- - with
- - - anxiety disorder F16.980
- - - intoxication F16.929
- - - - with
- - - - - delirium F16.921
- - - - - uncomplicated F16.920
- - - mood disorder F16.94
- - - other specified disorder F16.988
- - - perception disorder (flashbacks) F16.983
- - - psychosis F16.959
- - - - delusions F16.950
- - - - hallucinations F16.951
- - - unspecified disorder F16.99
- - harmful - see Abuse, drug, hallucinogen NEC
- inhalants F18.90
- - with
- - - anxiety disorder F18.980
- - - intoxication F18.929
- - - - with delirium F18.921
- - - - uncomplicated F18.920
- - - mood disorder F18.94
- - - other specified disorder F18.988
- - - persisting dementia F18.97
- - - psychosis F18.959
- - - - delusions F18.950
- - - - hallucinations F18.951
- - - unspecified disorder F18.99
- opioid F11.90
- - ~~with sleep disorder F11.982~~
- - - disorder F11.99

- mood F11.94
- sleep F11.982
- specified type NEC F11.988
- intoxication F11.929
- with
- delirium F11.921
- perceptual disturbance F11.922
- uncomplicated F11.920
- withdrawal F11.93
- psychoactive drug NEC F19.90
- with
- anxiety disorder F19.980
- intoxication F19.929
- with
- delirium F19.921
- perceptual disturbance F19.922
- uncomplicated F19.920
- mood disorder F19.94
- other specified disorder F19.988
- persisting
- amnesic disorder F19.96
- dementia F19.97
- psychosis F19.959
- delusions F19.950
- hallucinations F19.951
- sexual dysfunction F19.981
- sleep disorder F19.982
- unspecified disorder F19.99
- withdrawal F19.939
- with
- delirium F19.931
- perceptual disturbance F19.932
- uncomplicated F19.930
- sedative, hypnotic, or anxiolytic F13.90
- with
- anxiety disorder F13.980
- intoxication F13.929
- with
- delirium F13.921
- uncomplicated F13.920
- other specified disorder F13.988
- persisting
- amnesic disorder F13.96
- dementia F13.97
- psychosis F13.959
- delusions F13.950
- hallucinations F13.951
- sexual dysfunction F13.981
- sleep disorder F13.982
- unspecified disorder F13.99
- ~~with sleep disorder F13.982~~
- stimulant NEC F15.90
- with
- anxiety disorder F15.980
- intoxication F15.929
- with

- - - - delirium F15.921
- - - - perceptual disturbance F15.922
- - - - uncomplicated F15.920
- - - mood disorder F15.94
- - - other specified disorder F15.988
- - - psychosis F15.959
- - - - delusions F15.950
- - - - hallucinations F15.951
- - - sexual dysfunction F15.981
- - - sleep disorder F15.982
- - - unspecified disorder F15.99
- - - withdrawal F15.93
- - ~~with sleep disorder F15.982~~
- volatile solvents F18.90 - see also Use, inhalant
- ~~volatile solvents F18.90~~
- tobacco Z72.0
- ~~with dependence - see Dependence, drug, nicotine~~

Valve, valvular (formation) - see also condition
 - cervix, internal os Q51.828

Vasculitis I77.6
 - kidney I77.89

Verruca (due to HPV) (filiformis) (simplex) (viral) (vulgaris) B07.9
 - plana-B07.8

Vertigo R42
 - menopausal N95.14

Vincent's infection (angina) (gingivitis) A69.1
 - stomatitis A69.0NEC A69.1

Vipoma - see Neoplasm, malignant, by site

Vitiligo L80
 - vulva N90.89

Von Recklinghausen
 - disease (neurofibromatosis) Q85.00
 - - bones E21.0

~~Von Recklinghausen's~~
 - ~~disease (neurofibromatosis) Q85.0~~
 - - ~~bones E21.0~~

Water
 - intoxication E87.79
 - loading E87.70
 - poisoning E87.79

Web, webbed (congenital)
 - fingers -~~see Syndactylism, simple~~Q70.1-
 - toes Q70.3-

~~Westphal-Strümpell syndrome E83.01~~

Westphal-Strümpell syndrome E83.01

Widening aorta - see Aneurysm Ectasia, aorta
- with aneurysm - see Aneurysm, aorta

Willebrand (-Jürgens) thrombopathy D68.0

Worm-eaten soles A66.3

~~Worm-eaten soles A66.3~~

Worn out - see Exhaustion
- cardiac defibrillator (with synchronous cardiac pacemaker) Z45.02

Wound, open

- buttock S31.80-9
- - left S31.829
- - right S31.819
- thorax, thoracic (wall) S21.90
- - back S21.20-
- - - with penetration S21.40
- - front S21.10-
- - - with penetration S21.30
- toe(s) S91.109
- - great S91.103
- - - damage to nail S91.203

Xanthinuria, hereditary E79.8

- ~~specified site - see Neoplasm, malignant~~
- ~~unspecified site C71.9~~

Xanthoastrocytoma

- specified site - see Neoplasm, malignant, by site
- unspecified site C71.9