Draft
ICD-10 ACME Input Record Format

Variable	Position	Len	Description
Data Year	01-04	4	0000-9999 (Numeric) Year of Death
State Code	05-06	2	Numeric, see MICAR Instruction Manual 2g, Appendix A
Certificate Number	07-12	6	6-digit number, padded with 0's on left
Coder Status	13	1	Numeric: Valid codes 0 - 9
Lot	14-17	4	NCHS ID Information Numeric, 0000-9999 (States commonly use "book number")
Section Number	18	1	NCHS ID Information Numeric, 0-9
Shipment Number	19-21	3	NCHS ID Information Numeric, 00-99 (Usually month of death or month of receipt)
Receipt Date	22-27	6	NCHS ID Information Data inserted at the time file is received by NCHS
PGM Version Control	28-31	4	Super-MICAR/PC-MICAR version number
PGM Version Control	32-35	4	MICAR200 version number

ICD-10 ACME Input Record Format

Variable	Position	Len	Description
Manner of Death	36	1	Accident . . . . 1 Suicide . . . . 2 Homicide . . . . 3 Pending Investigation . . . 4 Could Not Determine . . . . 5 Self-Inflicted . . . . . . 6 Natural . . . . 7 Not specified . . . . . blank

Place of Injury Code	37	1	Home 0
			Residential Institution . . 1
			School, other institution
			  and public administrative
			  area 2
			Sports and athletics area . 3
			Street and highway 4
			Trade and service area . . 5
			Industrial and construction
			  area 6
			Farm 7
			Other specified places . . 8
			Unspecified Place 9
			Not applicable . . . . blank

Activity Code	38	1	While Engaged in Sports
			  Activity 0
			While Engaged in Leisure
			  Activity 1
			While Working for Income . 2
			While Engaged in Other
			  types of Work 3
			While Resting, Sleeping,
			  Eating (vital Activities) 4
			While Engaged in Other
			  specified Activities . . 8
			During Unspecified Activity 9
			Not applicable . . . . blank

ICD-10 ACME Input Record Format

Variable	Position	Len	Description
Intentional Reject	39	1	1-6, 9 or Blank See NCHS Instruction Manual 2b for code structure
ACME System Reject Codes	40	1	MICAR reject - dictionary match . . . . 1 ACME reject . . . . 2 MICAR reject- rules application . . . . 3 Otherwise 0
Manual Underlying Cause	41-45	5	Blank if not coded 5^{th} position reserved for use if ICD codes become 5-digits.
Entity-axis Codes	46-165	120	120 positions; For coding instructions, refer to Part 2b Instructional Manual; for data entry instructions, refer to Part 2d Instructional Manual.
State Specific Data	166-195	30	Optional Any information entered through PC-MICAR or SuperMICAR for state use only