

## **ABSTRACT**

This material provides documentation for users of the 2004 National Ambulatory Medical Care Survey (NAMCS) public use micro-data file. The NAMCS is a national probability sample survey of visits to office-based physicians conducted by the National Center for Health Statistics, Centers for Disease Control and Prevention. It is a component of the National Health Care Survey which measures health care utilization across a variety of health care providers. Section I, "Description of the National Ambulatory Medical Care Survey," includes information on the scope of the survey, the sample, field activities, data collection procedures, medical coding procedures, population estimates, and sampling errors. Section II provides technical information, including a detailed description of the contents of each data record by location, and a list of physician specialties represented in the survey. Section III contains marginal data and estimates for selected items on the data record. The appendixes contain sampling errors, instructions and definitions for completing the Patient Record form, and lists of codes used in the survey.

## SUMMARY OF CHANGES FOR 2004

### Data Items

The 2004 NAMCS public use micro-data file uses the same file layout as the 2003 file. The survey instrument was not modified between 2003 and 2004, so there are no item changes.

### Weighting and Estimation

Sample data are weighted to produce annual national estimates. Beginning with 2004 data, changes were made to the nonresponse adjustment factor, which is used in the weighting and estimation process, to account for the seasonality of the reporting period. Extra weights for nonresponding physicians were shifted to responding physicians in reporting periods within the same quarter of the year. The shift in nonresponse adjustment did not significantly affect any of the overall annual estimates.

### Drug Characteristics

The Ambulatory Care Drug Database underwent substantial revisions in 2002, as described in the 2002 NAMCS Public Use Data File Documentation. For 2004, we continued to add new drugs and update the database as necessary. Because of these revisions to the file, and also because of the addition of a second and third therapeutic class for each drug beginning in 2002, trend analysis with survey data prior to 2002 becomes more problematic. We recommend that researchers download the Drug Characteristics file, which is updated annually, from the Ambulatory Health Care Data website. The characteristics from this file can be applied by matching on drug codes to previous years of data in order to get the most accurate results when doing analysis of drug trends by therapeutic class. We recommend that you use the SAS program (which can be adapted for use with other software) that we have developed and which is downloadable at our website. This program will apply the new characteristics from the most current version of the drug database to previous years of data. Our website can be accessed at:

<http://www.cdc.gov/nchs/namcs.htm>

## Table of Contents

	Page
Abstract .....	1
Summary of Changes for 2004 .....	2
I. Description of the National Ambulatory Medical Care Survey.....	5-22
A. Introduction.....	5
B. Scope of the survey.....	5
C. Sampling frame and size of sample.....	6
D. Sample design.....	6
E. Population figures.....	8
F. Field activities.....	8
G. Data collection.....	9
H. Confidentiality.....	9
I. Data processing.....	9
J. Medical coding.....	15
K. Estimation procedures.....	19
L. Sampling errors.....	20
M. Patient visit weight.....	20
N. Physician code and patient code.....	20
References.....	22
II Record Format and Physician Specialty List.....	23-55
A. Record format.....	23
B. Physician specialty list.....	53
III Marginal Data.....	55-58
A. Patient visits.....	55
B. Drug mentions.....	57
Appendixes	
Appendix I.....	59-75
A. Relative standard errors.....	59
B. 2004 NAMCS Patient Record Form - Instructions and definitions.....	63
C. Definitions of certain terms used in the NAMCS.....	74
Appendix II.....	76-112
A. Reason for Visit Classification.....	76
Appendix III.....	113-158
A. Generic codes and names in numeric order.....	113
B. Drug entry codes and names in numeric order.....	131
C. National Drug Code directory drug classes.....	157

**Table of Contents (cont.)**

List of Tables and Figures	Page
Table I. Number of physicians in the universe, total sample, sample response categories, and response rates by physician stratum.....	7
Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2004 .....	10
Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by age, sex, and ethnicity: July 1, 2004 .....	12
Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: 2004 NAMCS .....	62
Figure 1. 2004 NAMCS Patient Record Form .....	14

## I. DESCRIPTION OF THE NATIONAL AMBULATORY MEDICAL CARE SURVEY

### A. INTRODUCTION

This micro-data file contains data collected in the 2004 National Ambulatory Medical Care Survey (NAMCS). The NAMCS is a national probability sample survey conducted by the Division of Health Care Statistics, National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention (CDC). A national sample of office-based physicians provides data on patients' office visits. These data are weighted to produce national estimates that describe the utilization of ambulatory medical care services in the United States.

In 2004, a total of 25,286 Patient Record forms (PRFs) were received from the physicians who participated in the NAMCS. For a brief description of the survey design and data collection procedures, see below. A more detailed description of the survey design, data collection procedures, and the estimation process has been published (1,2).

Please note the following important points concerning analysis of NAMCS data on this micro-data file:

#### ► PATIENT VISIT WEIGHT

Micro-data file users should be fully aware of the importance of the "patient visit weight" and how it must be used. Information about the patient visit weight is presented on page 20. If more information is needed, the staff of the Ambulatory Care Statistics Branch can be consulted by calling (301) 458-4600 during regular working hours.

#### ► RELIABILITY OF ESTIMATES

Users should also be aware of the reliability or unreliability of certain estimates, particularly the smaller estimates. The National Center for Health Statistics considers an estimate to be reliable if it has a relative standard error of 30 percent or less (i.e., the standard error is no more than 30 percent of the estimate). Therefore, it is important to know the value of the lowest possible estimate in this survey that is considered reliable, so as not to present data in a journal article or paper that may be unreliable. Most data file users can obtain an adequate working knowledge of relative standard errors from the information presented in Appendix I. It should be noted that estimates based on fewer than 30 records are also considered unreliable, regardless of the magnitude of the relative standard error. If you would like more information, do not hesitate to consult the staff of the Ambulatory Care Statistics Branch.

### B. SCOPE OF THE SURVEY

The basic sampling unit for the NAMCS is the physician-patient encounter or visit. Only visits to the offices of nonfederally employed physicians classified by the American Medical Association (AMA) or the American Osteopathic Association (AOA) as "office-based, patient care" were included in the 2004 NAMCS. Physicians in the specialties of anesthesiology, pathology, and radiology were excluded from the physician universe. Types of contacts not included in the 2004 NAMCS were those made by telephone, those made outside the physician's office (for example, house calls), visits made in hospital settings (unless the physician has a private office in a hospital and that office meets the NAMCS definition of "office"), visits made in institutional settings by patients for whom the institution has primary responsibility over time (for example, nursing homes), and visits to doctors' offices that are made for administrative purposes only (for example, to leave a specimen, pay a bill, or pick up insurance forms).

### C. SAMPLING FRAME AND SIZE OF SAMPLE

The sampling frame for the 2004 NAMCS was composed of all physicians contained in the master files maintained by the AMA and AOA, at a point roughly 6 months prior to the start of the survey year, who met the following criteria:

- . Office-based, as defined by the AMA and AOA;
- . Principally engaged in patient care activities;
- . Nonfederally employed;
- . Not in specialties of anesthesiology, pathology, and radiology.

The 2004 NAMCS sample included 3,000 physicians: 2,770 Medical Doctors and 230 Doctors of Osteopathy. Sample physicians were screened at the time of the survey to assure that they met the above-mentioned criteria. A total of 1,039 physicians did not meet all of the criteria and were ruled out of scope (ineligible) for the study. The most frequent reasons for being out of scope were that the physician was retired, deceased, or employed in teaching, research, or administration. Of the 1,961 in-scope (eligible) physicians, 1,372 participated in the study. Of these, 1,121 completed a total of 25,286 Patient Record forms (PRFs), while 251 saw no patients during their assigned reporting period because of vacations, illness, or other reasons for being temporarily not in practice and hence did not submit PRFs. Of the 1,121 physicians who completed PRFs, 1,018 participated fully or adequately (i.e. at least half of the PRFs expected, based on the total number of visits during the reporting week, were submitted), and 103 participated minimally (i.e. fewer than half of the expected number of PRFs were submitted). The unweighted response rate was 64.7 percent, based on the number of full participants only. The physician universe, sample size, and response rates by physician specialty are shown in table I.

### D. SAMPLE DESIGN

The 2004 NAMCS utilized a multistage probability design that involved probability samples of primary sampling units (PSUs), physician practices within PSUs, and patient visits within practices. The first-stage sample included 112 PSUs. A PSU consists of a county, a group of counties, county equivalents (such as parishes and independent cities), towns, townships, minor civil divisions (for some PSUs in New England), or a metropolitan statistical area (MSA). MSAs were defined by the U.S. Office of Management and Budget on the basis of the 1980 Census. The first-stage sample consisted of 112 PSUs that comprised a probability subsample of the PSUs used in the 1985-94 National Health Interview Survey (NHIS). The NAMCS PSU sample included with certainty the 26 NHIS PSUs with the largest populations. In addition, the NAMCS sample included one-half of the next 26 largest PSUs, and one PSU from each of the 73 PSU strata formed from the remaining PSUs for the NHIS sample.

The NHIS PSU sample was selected from approximately 1,900 geographically defined PSUs that covered the 50 States and the District of Columbia. The 1,900 PSUs were stratified by socioeconomic and demographic variables and then selected with a probability proportional to their size. Stratification was done within four geographical regions by MSA or non-MSA status. A detailed description of the 1985-94 NHIS PSU sample design is available (3).

Table 1. Number of physicians in the universe, total sample, sample response categories, and response rate by physician strata: National Ambulatory Medical Care Survey, 2004

Physician stratum	Universe (1)	Sample						Response rate (2)
		Total	Out of Scope	In Scope	Nonrespondents	Respondents		
Total	489,829	3,000	1,039	1,961	692	1,269	64.7	
General and family practice	71,148	317	120	197	64	133	67.5	
Osteopathy	27,983	230	92	138	54	84	60.9	
Internal medicine	74,608	171	59	112	35	77	68.8	
Pediatrics	49,465	197	79	118	39	79	66.9	
General surgery	19,959	199	73	126	34	92	73.0	
Obstetrics and gynecology	33,298	157	51	106	45	61	57.5	
Orthopedic surgery	18,491	137	28	109	35	74	67.9	
Cardiovascular diseases	17,058	208	55	153	63	90	58.8	
Dermatology	8,549	117	27	90	27	63	70.0	
Urology	8,680	153	38	115	39	76	66.1	
Psychiatry	30,451	281	110	171	60	111	64.9	
Neurology	9,546	252	95	157	68	89	56.7	
Ophthalmology	16,119	126	32	94	32	62	66.0	
Otolaryngology	8,059	147	38	109	41	68	62.4	
All other specialties	96,415	308	142	166	56	110	66.3	

(1) Data are derived from the American Medical Association and the American Osteopathic Association and represent the total number of physicians who are eligible for the NAMCS.

(2) Response rate is number of respondents divided by number of in-scope physicians.

NOTE: An additional 103 physicians participated at a minimal level and are not included in the number of responding physicians.

The second stage consisted of a probability sample of practicing physicians selected from the master files maintained by the American Medical Association (AMA) and American Osteopathic Association (AOA). Within each PSU, all eligible physicians were stratified into fifteen specialty groups: general and family practice, osteopathy, internal medicine, pediatrics, general surgery, obstetrics and gynecology, orthopedic surgery, cardiovascular diseases, dermatology, urology, psychiatry, neurology, ophthalmology, otolaryngology, and "all other" specialties.

The final stage was the selection of patient visits within the annual practices of sample physicians. This involved two steps. First, the total physician sample was divided into 52 random subsamples of approximately equal size, and each subsample was randomly assigned to 1 of the 52 weeks in the survey year. Second, a systematic random sample of visits was selected by the physician during the assigned week. The sampling rate varied for this final step from a 100-percent sample for very small practices to a 20-percent sample for very large practices as determined in a presurvey interview. The method by which the sampling rate was determined is available (4).

## E. POPULATION FIGURES

The base population used in computing annual visit rates is presented in table II and table III. The denominators used in calculating 2004 visit rates for age, sex, race, ethnicity, and geographic region are Census 2000-based postcensal estimates of the civilian noninstitutional population of the United States. The population estimates are special tabulations developed by the Population Division, U.S. Census Bureau, from the July 1, 2004 set of state population estimates by age, sex, race, and ethnicity.

Population estimates of metropolitan statistical area status are based on data from the 2004 National Health Interview Survey (NHIS), National Center for Health Statistics, adjusted to the US Census Bureau definition of core-based statistical areas as of December 2003. See <http://www.census.gov/population/www/estimates/metrodef.html> for more about metropolitan statistical area definitions.

Estimates of visit rates for metropolitan and non-metropolitan statistical areas in 2003 and 2004 may differ somewhat from those reported in 2002 and previous years because of methodological differences in how the denominators were calculated. In survey years 1992-2002, the NHIS used a 1992 definition of MSAs and non-MSAs, and also used 1990-based Census estimates as controls. Because the NAMCS used Census 2000-based population estimates beginning in 2001, adjustments needed to be made to the MSA figures obtained from the NHIS in 2001 and 2002. For 2004, special tabulations were obtained from the Office of Analysis and Epidemiology, NCHS, where 2004 NHIS data were matched to the December 2003 U.S. Census Bureau definition of core-based statistical areas. The estimates were further adjusted based on the 2004 population estimates obtained from the Census Bureau.

Population estimates for race groups in the 2004 NAMCS are based on Census 2000 in which respondents were able to indicate more than one race category. The multiple race indicator was adopted starting in the 1999 NAMCS but the population estimates that were available for calculating rates in 1999 and 2000 were based on estimates from the 1990 census, which used only single response race categories. The NAMCS had very few records for multiple race persons in those years, so rates for single race groups were calculated by dividing estimates by denominators that included some unidentifiable number of multiple race persons. Starting with 2001, the denominators used for calculating race-specific visit rates in NAMCS reports reflect the transition to multiple-race reporting. Specific race denominators reflect persons with a single race identification, and a separate denominator is now available for persons with more than one race designation.

Data indicate that multiple races are recorded for a patient less frequently in medical records compared to their numbers in the general population. The 2004 population estimates indicate that 1.5 percent of the total population identify themselves as being of multiple races. In contrast, multiple race patients account for 0.4 percent of NAMCS visits. This difference may exist partly because office staff are less likely to know and record the multiple race preference of the patient. It suggests that the race population rates calculated for 2004 may be slight overestimates for the single race categories and slight underestimates for the multiple race category.

## F. FIELD ACTIVITIES

The first contact with the sample physician is through a letter from the Director, NCHS. After the physician receives the introductory letter (along with letters from professional medical societies which endorse the NAMCS), the Field Representative (FR) telephones the physician to establish basic eligibility and to schedule an appointment. At the appointment, the FR explains the survey to the physician and to any staff who may be involved in completing the forms. The FR also obtains the practice characteristics of up to four office locations where the physician sees patients during the reporting week. Typically, the FR will contact the physician's office just before, during and after the reporting week to remind him or her about the survey and to answer any questions that may arise. After the reporting period, the FR makes another visit to the practice to collect the forms and reviews them briefly to ensure that there are no large errors or information gaps. During this last visit, the physician is given a certificate of appreciation for his or her participation.



## **G. DATA COLLECTION**

The actual data collection for the NAMCS was carried out by the physician aided by his/her office staff when possible. Physicians were instructed to keep a daily listing of all patient visits during the assigned reporting week using an arrival log, optional worksheet, or similar method. This list was the sampling frame to indicate the visits for which data were to be recorded. It was to include both scheduled and unscheduled patients, but not cancellations or no-shows. Visits were selected from the list using a random start and a predetermined sampling interval based on the physician's estimated visits for the week and the number of days the physician was expected to see patients that week. In this way, a systematic random sample of visits was obtained. The sampling procedures were designed so that about 30 Patient Record forms were completed during the assigned reporting week. This minimized the data collection workload and maintained about equal reporting levels among sample physicians regardless of practice size.

Data for sampled visits were recorded on Patient Record forms. The Patient Record form was printed on one side of an 8 x 14 inch sheet (Figure 1). At the top of each form, physicians could record the patient's name and record number. However, this information was detached by the physician prior to submitting the completed forms and was never given to Census personnel. It was used only to assist physicians in clarifying missing or ambiguous responses that may have been found during the data editing process.

Terms and definitions relating to the Patient Record form are included in Appendix I. About one third (34.3 percent) of the NAMCS visit records required Census abstraction.

## **H. CONFIDENTIALITY**

In April 2003, the Privacy Rule of the Health Insurance Portability and Accountability Act (HIPAA) was implemented to establish minimum Federal standards for safeguarding the privacy of individually identifiable health information. No personally identifying information, such as patient's name or address or Social Security number, is collected in the NAMCS. Data collection is authorized by Section 306 of the Public Health Service Act (Title 42, U.S. Code, 242k). All information collected is held in the strictest confidence according to law [Section 308(d) of the Public Health Service Act (42, U.S. Code, 242m(d))] and the Confidential Information Protection and Statistical Efficiency Act (Title 5 of PL 107-347). The NAMCS protocol was approved by the NCHS Research Ethics Review Board in February 2003. Waivers of the requirements to obtain informed consent of patients and patient authorization for release of patient medical record data by health care providers were granted.

In the Spring of 2003, the NAMCS implemented additional data collection procedures to help providers assure patient confidentiality. Census Bureau Field Representatives were trained on how the Privacy Rule allows physicians to make disclosures of protected health information without patient authorization for public health purposes and for research that has been approved by a Research Ethics Review Board. Physicians were encouraged to accept a data use agreement between themselves and NCHS/CDC, since the Privacy Rule allows physicians to disclose limited data sets (i.e., data sets with no direct patient identifiers) for research and public health purposes if such an agreement exists.

Assurance of confidentiality was provided to all physicians according to Section 308 (d) of the Public Health Service Act (42 USC 242m). Strict procedures were utilized to prevent disclosure of NAMCS data. All information which could identify the physician was confidential and was seen only by persons engaged in the NAMCS, and was not disclosed or released to others for any other purpose. Names or other identifying information for individual patients were not removed from the physician's office.

## **I. DATA PROCESSING**

### **1. Edits**

In addition to the completeness checks made by the field staff, clerical edits were performed upon receipt of the data for central processing. Detailed editing instructions were provided to manually review the patient records and to reclassify or recode ambiguous entries. Computer edits for code ranges and inconsistencies were also performed.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2004

Race and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
All races	288,375,857	4,073,547	15,991,353	40,705,743	40,624,741	38,899,359
Male	140,963,200	2,083,481	8,176,133	20,828,734	20,501,253	19,336,149
Female	147,412,657	1,990,066	7,815,220	19,877,009	20,123,488	19,563,210
White Only	232,338,407	3,114,034	12,226,729	31,070,372	31,647,214	30,554,841
Male	114,519,653	1,593,978	6,263,112	15,940,989	16,104,277	15,469,165
Female	117,818,754	1,520,056	5,963,617	15,129,383	15,542,937	15,085,676
Black Only	36,128,063	611,362	2,415,839	6,371,228	5,908,327	5,019,419
Male	16,756,258	311,183	1,224,555	3,230,966	2,854,896	2,241,469
Female	19,371,805	300,179	1,191,284	3,140,262	3,053,431	2,777,950
Asian Only	12,254,631	170,751	653,179	1,556,908	1,681,897	2,283,875
Male	5,919,969	87,703	334,697	790,538	850,472	1,111,400
Female	6,334,662	83,048	318,482	766,370	831,425	1,172,475
NHOPI* Only	496,521	6,899	27,904	88,092	88,675	88,696
Male	249,919	3,573	14,273	45,124	45,135	45,781
Female	246,602	3,326	13,631	42,968	43,540	42,915
AIAN* Only	2,771,090	40,023	162,454	501,606	504,132	412,591
Male	1,372,377	20,335	82,361	254,583	254,614	209,724
Female	1,398,713	19,688	80,093	247,023	249,518	202,867
Multiple Races	4,387,145	130,478	505,248	1,117,537	794,496	539,937
Male	2,145,024	66,709	257,135	566,534	391,859	258,610
Female	2,242,121	63,769	248,113	551,003	402,637	281,327

\*NHOPI is Native Hawaiian/Other Pacific Islander. AIAN is American Indian/Alaska Native.

Geographic Region totals		Metropolitan Statistical Area totals	
Northeast	53,750,063	MSA	243,198,455
Midwest	64,705,459	Non-MSA	45,177,402
South	103,619,946		
West	66,300,389		

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2004. The estimates of age, sex, race and region are from special tabulations developed by the Population Division, U.S. Census Bureau using the July 1, 2004 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at [www.census.gov](http://www.census.gov). The 2004 MSA population estimates are based on data from the 2004 National Health Interview Survey (NHIS), National Center for Health Statistics, adjusted to the U.S. Census Bureau definition of core-based statistical areas as of December 2003. See [www.census.gov/population/www/estimates/metrodef.html](http://www.census.gov/population/www/estimates/metrodef.html) for more about MSA definitions.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2004 - con.

---

Race and sex	Age in years				
	35-44	45-54	55-64	65-74	75 and over
All races	43,226,182	41,282,730	28,918,714	18,219,543	16,433,945
Male	21,261,603	20,172,386	13,893,125	8,315,261	6,395,075
Female	21,964,579	21,110,344	15,025,589	9,904,282	10,038,870
White Only	34,847,024	34,025,411	24,550,442	15,682,490	14,619,850
Male	17,409,872	16,843,961	11,923,246	7,236,022	5,735,031
Female	17,437,152	17,181,450	12,627,196	8,446,468	8,884,819
Black Only	5,332,980	4,749,116	2,824,521	1,672,952	1,222,319
Male	2,380,973	2,149,390	1,248,421	692,058	422,347
Female	2,952,007	2,599,726	1,576,100	980,894	799,972
Asian Only	2,099,608	1,710,397	1,062,592	614,388	421,036
Male	1,012,335	796,522	492,920	272,537	170,845
Female	1,087,273	913,875	569,672	341,851	250,191
NHOPI* Only	76,557	57,659	33,611	17,800	10,628
Male	38,031	28,705	16,490	8,427	4,380
Female	38,526	28,954	17,121	9,373	6,248
AIAN* Only	410,933	352,521	210,123	107,701	69,006
Male	201,944	170,221	101,374	49,699	27,522
Female	208,989	182,300	108,749	58,002	41,484
Multiple Races	459,080	387,626	237,425	124,212	91,106
Male	218,448	183,587	110,674	56,518	34,950
Female	240,632	204,039	126,751	67,694	56,156

---

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by age, ethnicity, and sex: July 1, 2004

---

Ethnicity and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
Total	288,375,857	4,073,547	15,991,353	40,705,743	40,624,741	38,899,359
Male	140,963,200	2,083,481	8,176,133	20,828,734	20,501,253	19,336,149
Female	147,412,657	1,990,066	7,815,220	19,877,009	20,123,488	19,563,210
Hispanic	40,803,184	905,981	3,462,437	7,655,827	6,942,840	7,452,016
Male	20,902,105	462,818	1,768,689	3,914,289	3,656,194	4,011,866
Female	19,901,079	443,163	1,693,748	3,741,538	3,286,646	3,440,150
Non- Hispanic	247,572,673	3,167,566	12,528,916	33,049,916	33,681,901	31,447,343
Male	120,061,095	1,620,663	6,407,444	16,914,445	16,845,059	15,324,283
Female	127,511,578	1,546,903	6,121,472	16,135,471	16,836,842	16,123,060

---

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2004. They were developed by the Population Division, U.S. Census Bureau using the July 1, 2004 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at [www.census.gov](http://www.census.gov).

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by age, ethnicity, and sex: July 1, 2004 - con.

---

Ethnicity and sex	Age in years				
	35-44	45-54	55-64	65-74	75 and over
Total	43,226,182	41,282,730	28,918,714	18,219,543	16,433,945
Male	21,261,603	20,172,386	13,893,125	8,315,261	6,395,075
Female	21,964,579	21,110,344	15,025,589	9,904,282	10,038,870
Hispanic	6,058,762	3,992,996	2,209,580	1,259,005	863,740
Male	3,149,408	1,991,062	1,047,972	559,108	340,699
Female	2,909,354	2,001,934	1,161,608	699,897	523,041
Non- Hispanic	37,167,420	37,289,734	26,709,134	16,960,538	15,570,205
Male	18,112,195	18,181,324	12,845,153	7,756,153	6,054,376
Female	19,055,225	19,108,410	13,863,981	9,204,385	9,515,829

---

[Figure 1 omitted]

Please note: Figure 1 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2004 NAMCS Patient Record form from this web address:

[http://www.cdc.gov/nchs/about/major/ahcd/surinst.htm#Survey Instrument NAMCS](http://www.cdc.gov/nchs/about/major/ahcd/surinst.htm#Survey%20Instrument%20NAMCS)

## 2. Quality Control

All medical and drug coding and keying operations were subject to quality control procedures. Quality control for the medical and drug coding operation, as well as straight-key items, involved a two-way 10-percent independent verification procedure. As an additional quality control, all Patient Record forms with differences between coders or illegible entries for the reason for visit, diagnosis, cause of injury (E-code), procedures, diagnosis, and medication items were reviewed and adjudicated at NCHS. The average keying error rate for nonmedical items was 0.1 percent. For items that required medical coding, discrepancy rates ranged between 0.0 and 0.9 percent.

## 3. Adjustments for Item Nonresponse

Unweighted item nonresponse rates were 5.0 percent or less for all data items with the following exceptions: ethnicity (20.9 percent), race (19.2 percent), does patient use tobacco? (31.7 percent), was patient referred for this visit? (19.0 percent), how many past visits in last 12 months? (7.1 percent), episode of care (6.5 percent), do other physicians share patient's care for this problem or diagnosis? (13.2 percent), cause of injury (31.9 percent of injury visits), time spent with physician (17.7 percent of visits where a physician was seen), was surgical procedure #1 ordered/scheduled or performed (6.9 percent); was surgical procedure #2 ordered/scheduled or performed (21.3 percent); during last full week of practice, did physician -- make home visits (9.5 percent), make hospital visits (10.5 percent), do telephone consults (11.8 percent), do email consults (12.1 percent); does practice submit claims electronically (5.9 percent), percent of patient care revenue from -- Medicare (6.9 percent), Medicaid (8.3 percent), private insurance (7.2 percent), managed care (14.9 percent), other source (13.5 percent); for new patients does physician accept the following types of payment -- capitated (9.4 percent), non-capitated (8.0 percent), Worker's compensation (5.8 percent), no charge (11.3 percent); difficulty referring Medicaid patients for specialty consultation (22.4 percent), difficulty referring Medicare patients for specialty consultation (19.4 percent), difficulty referring private patients for specialty consultation (11.5 percent), and difficulty referring uninsured patients for specialty consultation (22.8 percent). Denominators for these rates were adjusted to account for skip patterns on the data collection forms. For example, physicians were instructed to answer the sub-item on number of past visits in the last 12 months for established patients only; therefore, visits by new patients were excluded when calculating the nonresponse rate for number of past visits.

Some missing data items were imputed by randomly assigning a value from a Patient Record form with similar characteristics; imputations were based on physician specialty, geographic region, and 3-digit ICD-9-CM codes for primary diagnosis. For ethnicity, state was used instead of geographic region. The following variables were imputed: birth year (2.9 percent), sex (3.6 percent), race (19.2 percent), ethnicity (20.9 percent), have you or anyone in your practice seen patient before? (1.2 percent), how many past visits in last 12 months (7.1 percent of visits by established patients), and time spent with physician (17.7 percent of visits where a physician was seen). Blank or otherwise missing responses are so noted in the data.

## J. MEDICAL CODING

The Patient Record form contains several medical items requiring three separate coding systems. The three coding systems are described briefly below. Quality control for the NAMCS medical and drug coding operations involved a two-way 10 percent independent verification procedure. A dependent verification procedure was used to review and adjudicate all records with coding discrepancies. Definitions of the medical items can be found in Appendix I.

1. Patient's Complaint(s), Symptoms(s) or Other Reason(s) for this Visit: Information collected in item 2 of the Patient Record form was coded according to A Reason for Visit Classification for Ambulatory Care (RVC) (5). The updated classification is available (6), and the list of codes is shown in Appendix II. The classification was updated to incorporate several new codes as well as changes to existing codes. The system continues to utilize a modular structure. The digits 1 through 8 precede the 3-digit RVC codes to identify the various modules as follows:

<u>Prefix</u>	<u>Module</u>
"1"	Symptom module
"2"	Disease module
"3"	Diagnostic, screening, and preventive module
"4"	Treatment module
"5"	Injuries and adverse effects module
"6"	Test results module
"7"	Administrative module
"8"	Uncodable entries
"9"	Special code = blank

Up to three reasons for visit were coded from item 2 in sequence; coding instructions for this item are contained in the Reason for Visit Classification and Coding Manual (6).

2. Cause of Injury: Up to three causes of injury were coded from responses to item 4b. Causes of injury were coded using the Supplementary Classification of External Causes of Injury and Poisoning (E-codes), International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (7).

In the classification, E-codes range from E800-E999, and many, but not all, codes have an additional fourth digit to provide greater specificity. For the NAMCS public use file, the 'E' has been dropped. There is an implied decimal between the third and fourth digits; inapplicable fourth digits have a dash inserted.

Examples:

895- = E895 = Accident caused by controlled fire in private dwelling

9056 = E905.6 =Venomous marine animals and plants as the cause of poisoning and toxic reactions

Numeric recodes for the cause of injury fields can be found at the end of the record format. Please see page 48 in the Record Format section for more information on using the numeric recodes.

3. Physician's Diagnoses: Diagnostic information in item 5 of the Patient Record form was coded according to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (7). The ICD-9-CM codes are provided in two formats, character and numeric. Please see page 48 in the Record Format section for information on the background, purpose, and appearance of the numeric recodes. The rest of this paragraph describes the format of the character version.

The character version ICD-9-CM codes are not prefixed or zero-filled on the public use file. For example, 38100 = 381.00 = Acute nonsuppurative otitis media, unspecified.

There is an implied decimal between the third and fourth digits. For inapplicable fourth or fifth digits, a dash has been inserted.

For example, 4011- = 401.1 = Essential hypertension, benign.

Supplementary classification codes are not prefixed or zero-filled.

For example, V700- = V70.0 = Routine general medical examination at a health care facility

In addition to the diagnostic codes from the ICD-9-CM the following unique codes in the diagnostic fields were developed by ACSB staff:

V990- = noncodable diagnosis, insufficient information for coding, illegible diagnosis

V991- = left before being seen, patient walked out, not seen by doctor, left against medical advice

V992- = transferred to another facility, sent to see specialist

V993- = HMO will not authorize treatment

V997- = entry of "none," "no diagnosis," "no disease," "healthy"

00000 = blank



A maximum of three diagnoses were coded in sequence. Coding instructions concerning diagnoses are contained in the NAMCS Coding Requirements Manual, volume 1 (8).

4. Diagnostic/Screening Services and Surgical Procedures: Data from item 8 on the Patient Record form (Surgical Procedures) as well as open-ended responses for "Other exams", "scope procedures," and "Other services" from item 6 (Diagnostic/Screening Services) were coded according to the International Classification of Diseases (ICD-9-CM) using the procedure codes in Volume III. Up to 2 surgical procedures and up to 2 open-ended responses for each of the write-in responses for other exams, scope procedures, and other services could be coded for each office visit. Character format codes have an implied decimal between the second and third position and do not use prefixes or zerofills. Codes without an applicable 4th digit have a dash inserted. Please note that, as with cause of injury and diagnosis described above, the file also contains numeric recodes for procedures at the end of the record format. These are described in the Record Format section.

It should be noted that some respondents reported procedures in item 6, while others may have reported the same procedure in item 8. For this reason, when analyzing procedures, it is recommended that all of the possible procedure fields be taken into account regardless of item location.

5. Medications/Injections: The NAMCS drug data collected in item 9 have been classified and coded according to a unique classification scheme developed at NCHS (9). In 2003, the number of medications that could be recorded on the PRF increased from 6 to 8. A list of drug codes is included in Appendix III. In addition to drugs coded by entry name (the entry made on the Patient Record form by the physician or his/her staff), this file contains the following drug information:

- a. Generic name code: A unique, 5-digit code assigned to each official generic name assigned to every drug entity by the United States Pharmacopeia or other responsible authority.
- b. Prescription status code: A code designed to identify the legal status (prescription or nonprescription) of the drug entry.
- c. Controlled substance status code: A code used to denote the degree of potential abuse and federal control of a drug entry.
- d. Composition status code: A code used to distinguish between single-ingredient and combination drugs.

Note: If the user is searching for single ingredient (or single entity) drugs, then he/she may utilize the composition status code = "1" in conjunction with the "generic name code" field. A single ingredient drug will have one generic code in the "generic name code" field, and blanks in the five "ingredient codes" fields. If the user is searching for combination drugs, then he/she may utilize composition status code = "2" in conjunction with the "ingredient codes" fields. But for 2003 combination drugs are also identified by the codes 51380, 51381, or 51382 (see below) in the "generic name code" field. These codes indicate that the drug is a combination product and the ingredients are listed as generic codes in the "ingredient codes" fields. Therefore, the user may search for combination products using either the generic name code field or the composition status code.

e. Ingredient codes: Codes used to identify the active generic ingredients of combination drugs. A maximum of 5 ingredients can be identified for each combination drug.

f. Therapeutic class code: A 4-digit code used to identify up to three therapeutic classes to which the drug entry may belong. These are based on the standard drug classifications used in the National Drug Code Directory, 1995 edition (10). The first two digits of each 4-digit code represent the major drug classes and can be used alone or in conjunction with the additional digits for greater specificity within the major classes. A listing of the drug classes is shown in Appendix III. Prior to the 2002 release, only a single class was listed for each drug on the file.

The medical classification system of drugs by entry name (Appendix III) utilizes a five-digit coding scheme which is updated regularly to include new products. It includes the following special codes:

90000 = blank  
99980 = unknown entry, other  
99999 = illegible entry

The classification of drugs by generic name (Appendix III) also utilizes a five-digit coding scheme, with the following special codes:

50000 = generic name undetermined  
51380 = combination product (multi-vitamin/multi-mineral)  
51381 = fixed combination  
51382 = multi-vitamin/multi-mineral

**IMPORTANT:** In 2004, we have continued to update and revise the drug characteristics in our ambulatory care drug database, which underwent substantial revision in 2002. In 2002, many drugs had ingredient lists reviewed, and non-active ingredients were removed. Duplicate codes caused by misspellings or other variant entries were eliminated, and incorrect codes (for example, for non-medications) were removed. Also, beginning in 2002, each drug entry has up to three therapeutic classes associated with it.

Because of these ongoing revisions to the drug database, trend analysis with older years of data becomes more problematic. We recommend that researchers download our Drug Characteristics file, which is updated annually, at our Ambulatory Health Care Data website. The characteristics from this file can be applied by matching on drug code to previous years of data in order to get the most accurate results when doing analysis of drug trends. A SAS program for applying drug characteristics from the current drug database to previous years of public use data is also available for downloading. Our website can be accessed at: <http://www.cdc.gov/nchs/namcs.htm>

And, as a general reminder, if you are interested in a generic code for a particular drug, be sure to consider other formulations which each have separate codes on the file. A number of substances can appear in both generic and salt forms, as in the case of albuterol and albuterol sulfate, and these are assigned separate generic substance codes. For over the counter drugs, data users should be aware that manufacturers may alter the ingredients in a particular product, and we do not generally update the drug database to reflect this. This is especially relevant in the case of multi-vitamins.

We continue to enhance and update the drug database, but if you find any anomalies or errors, please contact us at the number below.

For users who are interested in analyzing drug data, one method involves the isolation of those records with drugs, or drug mentions, and the creation of a separate data file of drug mentions. Each Patient Record form for 2004 can have up to eight drug mentions recorded in item 9, so whatever file is created would need to include all of them. This method can be used for obtaining estimates of drug mentions, but is not recommended for variance estimation. Rather, the structure of the visit file should be kept intact when estimating variance. In order to do this, estimates of drug mentions can be obtained by creating a new weight variable (called DRUGWT in this example). This variable is created by multiplying PATWT (the patient visit weight) by NUMMED (the number of medications recorded at the sampled visit) or  $DRUGWT = PATWT * NUMMED$ . DRUGWT can then be used in place of PATWT to weight one's data; it produces the estimated number of drug mentions rather than visits. (See Record Format for more on PATWT and NUMMED.)

This documentation contains some marginal data for drug mentions. Should the data user need additional assistance in analyzing data on drug mentions, the staff of the Ambulatory Care Statistics Branch is available by calling (301) 458-4600.

## K. ESTIMATION PROCEDURES

Statistics produced from the 2004 National Ambulatory Medical Care Survey were derived by a multistage estimation procedure. The procedure produces essentially unbiased national estimates and has basically four components: 1) inflation by reciprocals of the probabilities of selection, 2) adjustment for nonresponse, 3) a ratio adjustment to fixed totals, and 4) weight smoothing. Each of these components is described below.

### 1. Inflation of Reciprocals by Sampling Probabilities

Since the survey utilized a three-stage sample design, there were three probabilities:

- a) the probability of selecting the PSU;
- b) the probability of selecting a physician within the PSU; and
- c) the probability of selecting a patient visit within the physician's practice.

The last probability was defined to be the exact number of office visits during the physician's specified reporting week divided by the number of Patient Record forms completed. All weekly estimates were inflated by a factor of 52 to derive annual estimates.

### 2. Adjustment for Nonresponse

Estimates from NAMCS data were adjusted to account for in-scope physicians who did not provide PRFs (non-PRF physicians) either because they saw no patients during their sample week or failed to provide PRFs for visits by patients they did see during their sample week.

Beginning with 2004 data, changes were made to the nonresponse adjustment factor to account for the seasonality of the reporting period. Extra weights for nonresponding physicians were shifted to responding physicians in reporting periods within the same quarter of the year. The shift in nonresponse adjustment did not significantly affect any of the overall annual estimates.

Beginning with 2003 data, the adjustment for non-PRF physicians differs from the adjustment used in prior years. Previously the adjustment accounted for non-response by physician specialty, geographic region, and metropolitan statistical area status. The revised non-response adjustment also accounts for non-response from physicians by practice size, as measured by number of weekly visits, and for variability in number of weeks that participating physicians saw patients during the year.

Previously, these characteristics were assumed to be the same for physicians providing patient encounter information and those not providing such information. However, research done for the first time with 2003 data showed that these two assumptions are not always true. In general, the weekly visit volume for non-PRF physicians was larger than for PRF physicians. Also, physicians who saw no patients during their sample week tended to see patients fewer weeks annually than did physicians who saw patients during their week. To minimize understatement (and in some cases, overstatement) of visits, the non-response adjustment factor was revised to include information on the number of weeks physicians actually practiced during a typical year and the number of visits physicians reported during a week. Both data items were collected for responding and nonresponding physicians during the induction interview starting with the 2001 survey.

The 2003 weight with the revised non-response adjustment increased the overall visit estimate by 12 percent over the same estimate obtained using the original weight. For this reason, 2003 (and 2004) visit estimates are not comparable to visit estimates computed using the previous weighting strategy.

### 3. Ratio Adjustment

A postratio adjustment was made within each of the fifteen physician specialty groups. The ratio adjustment is a multiplication factor which had as its numerator the number of physicians in the universe in each physician specialty group and as its denominator the estimated number of physicians in that particular specialty group. The numerator was based on figures obtained from the AMA and AOA master files, and the denominator was based on data from the sample.

### 4. Weight Smoothing

Each year there are a few sample physicians whose final visit weights are large relative to those for the rest of the sample. There is a concern that those few may adversely affect the ability of the resulting statistics to reflect the universe, especially if the sampled patient visits to some of those few physicians should be unusual relative to the universe. Extremes in final weights also increase the resulting variances. Extreme weights can be truncated, but this leads to an understatement of the total visit count. The technique of weight smoothing is used instead, because it preserves the total estimated visit count within each specialty by shifting the "excess" from visits with the largest weights to visits with smaller weights.

Excessively large visit weights were truncated, and a ratio adjustment was performed. The ratio adjustment is a multiplication factor that uses as its numerator the total visit count in each physician specialty group before the largest weights are truncated, and, as its denominator, the total visit count in the same specialty group after the largest weights are truncated. The ratio adjustment was made within each of the fifteen physician specialty groups and yields the same estimated total visit count as the unsmoothed weights.

## L. SAMPLING ERRORS

Procedures for calculating sampling errors as well as estimates of standard errors of statistics derived from the NAMCS are described in the technical notes of other documents (2, 11) as well as in Appendix I of this document.

## M. PATIENT VISIT WEIGHT

The "patient visit weight" is a vital component in the process of producing national estimates from sample data, and its use should be clearly understood by all micro-data file users. The statistics contained on the micro-data file reflect data concerning only a sample of patient visits, not a complete count of all the visits that occurred in the United States. Each record on the data file represents one visit in the sample of 25,286 visits. In order to obtain national estimates from the sample, each record is assigned an inflation factor called the "patient visit weight." By aggregating the patient visit weights on the 25,286 sample records for 2004, the user can obtain the estimated total of 910,857,160 office visits made in the United States.

The marginal tables on pages 55-58 contain data on numbers of records for selected variables as well as the corresponding national estimated number of visits and drug mentions obtained by aggregating the "patient visit weights" on those records.

## N. PHYSICIAN CODE and PATIENT CODE

The purpose of these codes is to allow for greater analytical depth by permitting the user to link individual Patient Record forms on the public use file with individual physicians' practices. This linkage will enable

users to conduct more comprehensive analysis without violating the confidentiality of patients or physicians.

To uniquely identify a record, both the physician code and the patient code must be used. Patient codes are merely a sequential numbering of the visits recorded by the physician and alone will not uniquely identify visit records. In order to do so, both the unique 4-digit physician code and the 3-digit patient code must be used.

**REFERENCES**

1. Tenney JB, White KL, Williamson JW. National Ambulatory Medical Care Survey: Background and Methodology. National Center for Health Statistics. Vital Health Stat 2(61). 1974.
2. Schappert SM., Nelson CR. National Ambulatory Medical Care Survey, 1995-96 Summary. National Center for Health Statistics. Vital Health Stat 13(142). 2000.
3. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110).1989.
4. Physician Induction Interview Form. National Ambulatory Medical Care Survey. OMB No. 0920-0234.
5. Schneider D, Appleton L, McLemore T. A Reason for Visit Classification for Ambulatory Care. National Center for Health Statistics. Vital Health Stat 2(78). 1979.
6. National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey Reason for Visit Classification and Coding Manual: (updated annually). Ambulatory Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
7. U.S. Dept. of Health and Human Services, Centers for Disease Control and Prevention, Health Care Financing Administration. International Classification of Diseases, 9th Revision, Clinical Modification. Sixth Edition. October 2004.
8. National Ambulatory Medical Care Survey: Coding Requirements (updated annually). Ambulatory Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
9. Koch H, Campbell W. The Collection and Processing of Drug Information. National Ambulatory Medical Care Survey, 1980. National Center for Health Statistics. Vital Health Stat 2(90). 1982.
10. Food and Drug Administration. National Drug Code Directory, 1995 edition. Washington: Public Health Service. 1995.
11. Hing E, Cherry D, Woodwell, DA. National Ambulatory Medical Care Survey, 2003 summary. Advance data from vital and health statistics; no. 365. Hyattsville, Maryland: National Center for Health Statistics. 2005.

## II. RECORD FORMAT AND PHYSICIAN SPECIALTY LIST

### A. RECORD FORMAT

Number of records = 25,286

This section consists of a detailed breakdown of each data record. For each item on the record, the user is provided with a sequential item number, field length, file location, and brief description of the item, along with valid codes. Most data are from the Patient Record form (PRF). Such items are so noted in the description below. The American Medical Association (AMA), the American Osteopathic Association (AOA) and the induction interview (reference 3) are alternate sources of data. Some information is obtained by recoding selected data from these sources.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DATE OF VISIT (from PRF Q1.a)
1	2	1-2	[VMONTH] MONTH OF VISIT 01-12: January-December
2	4	3-6	[VYEAR] YEAR OF VISIT 2003, 2004 (Survey dates were 12/29/2003-12/26/2004.)
3	1	7	[VDAYR] DAY OF WEEK OF VISIT 1=Sunday 2=Monday 3=Tuesday 4=Wednesday 5=Thursday 6=Friday 7=Saturday
4	3	8-10	[AGE] PATIENT AGE (IN YEARS; DERIVED FROM DATE OF BIRTH) (from PRF Q1.c) 000 = Under 1 year 001-099 100 = 100 years or over
5	1	11	[SEX] SEX (from PRF Q1.d) 1 = Female 2 = Male

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
6	1	12	[ETHNIC] ETHNICITY (from PRF Q1.e) 1 = Hispanic or Latino 2 = Not Hispanic or Latino
7	1	13	[RACE] RACE (from PRF Q1.f) 1 = White 2 = Black/African American 3 = Asian 4 = Native Hawaiian/Other Pacific Islander 5 = American Indian/Alaska Native 6 = More than one race reported
8	1	14	[USETOBAC] DOES PATIENT USE TOBACCO? (from PRF Q1.g) 0 = Blank 1 = Yes 2 = No 3 = Unknown
9	1	15	[PAYTYPE] PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (from PRF Q1.h) 0 = Blank 1 = Private insurance 2 = Medicare 3 = Medicaid/SCHIP 4 = Worker's Compensation 5 = Self-pay 6 = No charge/charity 7 = Other 8 = Unknown
10			PATIENT'S REASON(S) FOR VISIT (See page 15 in Section I and Coding List in Appendix II.) (from PRF Q2)
10.1	5	16-20	[RFV1] REASON # 1 10050-89990 = 1005.0-8999.0 90000 = Blank
10.2	5	21-25	[RFV2] REASON # 2 10050-89990 = 1005.0-8999.0 90000 = Blank
10.3	5	26-30	[RFV3] REASON # 3 10050-89990 = 1005.0-8999.0 90000 = Blank



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
11	1	31	[PRIMCARE] ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN? (from PRF Q3.a) 0 = Blank 1 = Yes 2 = No 3 = Unknown
12	1	32	[REFER] WAS PATIENT REFERRED FOR THIS VISIT? (from PRF Q3.a) 0 = Blank 1 = Yes 2 = No 3 = Unknown 8 = Not applicable
13.1	1	33	[SENBEBFOR] HAVE YOU OR ANYONE IN YOUR PRACTICE SEEN PATIENT BEFORE? (from PRF Q3.b) 1 = Yes, established patient 2 = No, new patient
13.2	1	34	[PASTVIS] HOW MANY PAST VISITS IN THE LAST 12 MONTHS? (from PRF Q3.b) 1 = None 2 = 1-2 3 = 3-5 4 = 6 or more 8 = Not applicable
14	1	35	[MAJOR] MAJOR REASON FOR THIS VISIT (from PRF Q3.c) 0 = Blank 1 = Acute problem 2 = Chronic problem, routine 3 = Chronic problem, flare up 4 = Pre- or post surgery/injury follow-up 5 = Non-illness care (e.g. routine prenatal exam, general medical exam, well baby exam)
15	1	36	[EPISODE] EPISODE OF CARE (from PRF Q3.c) 0 = Blank 1 = Initial visit 2 = Follow-up visit 3 = Unknown 8 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
16	1	37	[SHARE] DO OTHER PHYSICIANS SHARE PATIENT'S CARE FOR THIS PROBLEM? (from PRF Q3.d) 0 = Blank 1 = Yes 2 = No 3 = Unknown
17	1	38	[INJURY] IS THIS VISIT RELATED TO AN INJURY, POISONING, OR ADVERSE EFFECT OF MEDICAL TREATMENT? (from PRF Q4.a) 0 = No 1 = Yes
18			CAUSE OF INJURY ( See page 16 in Section I for explanation of codes.) (from PRF Q4.b)
18.1	4	39-42	[CAUSE1] CAUSE #1 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 7000 series were developed by the Ambulatory Care Statistics Branch.  7000 = Drug use/abuse 7100 = Alcohol use/abuse 7999 = Illegible entry 8000-999[-] = E800.0-E999 0000 = Not applicable/Blank
18.2	4	43-46	[CAUSE2] CAUSE #2 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 7000 series were developed by the Ambulatory Care Statistics Branch. See CAUSE #1 for details.
18.3	4	47-50	[CAUSE3] CAUSE #3 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 7000 series were developed by the Ambulatory Care Statistics Branch. See CAUSE #1 for details.
19	75	51-125	[VCAUSE] CAUSE OF INJURY - VERBATIM TEXT (from PRF Q4.b) Description of events that preceded the injury. Some entries contain the acronym "MVA". MVA = motor vehicle accident.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### IMPORTANT NOTES ON USING THE CAUSE OF INJURY VERBATIM TEXT DATA

In previous survey years, the cause of injury was converted to an external cause of injury code (E-code) by NCHS medical coders. Since 1997, the actual verbatim text has been included on the public use file in addition to the E-code. The inclusion of the verbatim text is meant to assist data users in two major ways.

First, the verbatim text can be used by researchers to assign records to injury classification schemes other than the "Supplementary Classification of External Causes of Injury and Poisoning" found in the ICD-9-CM, if so desired. Second, users can search for key text words (for example, swimming pool) to identify diverse causes of injury. It should be noted that, in an effort to preserve confidentiality, all geographic names, personal names, commercial names, and exact dates of injury have been stripped from the verbatim text.

It is important to remember that, because of their very specific nature, exact verbatim text strings will not translate into national estimates and should not be used as such. In general, we consider any estimate based on fewer than 30 occurrences in the data to be unreliable. Therefore, a single record showing the specific cause of injury of "tripped over a student's backpack in the classroom and fell on right knee" should not be weighted to produce a national estimate. If, however, a researcher is able to identify 30 or more records where the verbatim text involves a "backpack"-related injury, it might then be possible to sum the patient visit weights for these records to generate a national estimate related to a broader category of visits for back-pack related injuries. The reliability of such an estimate would still depend upon the associated relative standard error.

20			PHYSICIAN'S DIAGNOSES (See page 16, Section 1 for explanation of coding.) (from PRF Q5)
20.1	5	126-130	[DIAG1] DIAGNOSIS # 1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.  0010[-] - V829[-] = 001.0[0]-V82.9[0] V990- = Noncodable, insufficient information for coding, illegible V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice V992- = Transferred to another facility; sent to see specialist V993- = HMO will not authorize treatment V997- = Entry of "none," "no diagnosis," "no disease," or "healthy" 00000 = Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
20.2	5	131-135	[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
20.3	5	136-140	[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
21			PROBABLE, QUESTIONABLE, AND RULE OUT DIAGNOSES
21.1	1	141	[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT? 0 = No 1 = Yes 8 = Not applicable
21.2	1	142	[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT? 0 = No 1 = Yes 8 = Not applicable
21.3	1	143	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT? 0 = No 1 = Yes 8 = Not applicable
22			DIAGNOSTIC/SCREENING SERVICES (from PRF Q6)
22.1	1	144	[DIAGSCRN] Were any diagnostic/screening services ordered or provided at this visit? 0 = No 1 = Yes 2 = No answer (Entire item blank, including "None" box.)  0 = No, 1 = Yes (excludes write-ins)
22.2	1	145	[GENMEDXM] General medical exam
22.3	1	146	[OTHREXAM] Other exam

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
22.4	4	147-150	[EXAMWI1] Exam write-in #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
22.5	4	151-154	[EXAMWI2] Exam write-in #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
22.6	1	155	[TEMPTAKE] Temperature taken
22.7	4	156-159	[TEMPF] Temperature There is an implied decimal between the third and fourth digits. 0000 = Blank 0600-1112 = 60.0 – 111.2 Fahrenheit
22.8	1	160	[BLODPRES] Blood pressure
22.8a	3	161-163	[BPSYS] Systolic blood pressure 0-290 = 0-290 999 = Blank
22.8b	3	164-166	[BPDIAS] Diastolic blood pressure 0-190 = 0-190 998 = P, Pal, DOP, or DOPPLER 999 = Blank
22.9	1	167	[URINE] Urinalysis
22.10	1	168	[URINECX] Urine culture
22.11	1	169	[PAP] Pap test
22.12	1	170	[CERVCX] Cervical/Urethral culture
22.13	1	171	[PSA] PSA (prostate specific antigen)
22.14	1	172	[HEMATOCR] Hematocrit/Hemoglobin
22.15	1	173	[CBC] CBC
22.16	1	174	[CHOLEST] Lipids/Cholesterol
22.17	1	175	[GLUCOSE] Glucose
22.18	1	176	[HGBA] HbgA1C (Glycohemoglobin)
22.19	1	177	[ELECTROL] Electrolytes
22.20	1	178	[OTHBLOOD] Other blood test
22.21	1	179	[PREGTEST] Pregnancy test
22.22	1	180	[EKG] EKG/ECG (Electrocardiogram)
22.23	1	181	[THROATCX] Throat culture
22.24	1	182	[STOOLCX] Stool culture
22.25	1	183	[XRAY] X-ray
22.25	1	184	[MAMMO] Mammogram

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
22.26	1	185	[OTHIMAGE] Other imaging
22.27	1	186	[SCOPPROC] Any scope procedure
22.28	4	187-190	[SCOPEWI1] Scope procedure write-in #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
22.29	4	191-194	[SCOPEWI2] Scope procedure write-in #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
22.30	1	195	[OTHDIAG] Other service
22.31	4	196-199	[DIAGSC1] Other diagnostic service write-in #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
22.32	4	200-203	[DIAGSC2] Other diagnostic service write-in #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
23			COUNSELING/EDUCATION/THERAPY (from PRF Q7)
23.1	1	204	[THERPREV] Was any counseling/education/therapy ordered or provided at this visit? 0 = No 1 = Yes 2 = No answer (Entire item blank, including ANone@ box.)  0 = No, 1 = Yes
23.2	1	205	[ASTHMAED] Asthma education
23.3	1	206	[DIETNUTR] Diet/Nutrition

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
23.4	1	207	[EXERCISE] Exercise
23.5	1	208	[GRWTHDEV] Growth/Development
23.6	1	209	[MENTLHLT] Mental health/Stress management
23.7	1	210	[PHYSIOTH] Physiotherapy
23.8	1	211	[PSYCHOTH] Psychotherapy
23.9	1	212	[TOBACCO] Tobacco use/exposure
23.10	1	213	[WTREDUC] Weight reduction
23.11	1	214	[OTH CET] Other counseling/education/therapy
24			SURGICAL PROCEDURES (from PRF Q8)
24.1	1	215	[AMB] Were any surgical procedures ordered, scheduled or performed at this visit?  0 = No, 1 = Yes
24.2	4	216-219	[AMB1] Surgical procedure #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
24.3	1	220	[ORDPERF1] Was procedure #1 ordered/scheduled or performed? 0 = Blank 1 = Ordered/scheduled 2 = Performed 3 = Ordered and performed 9 = Unknown
24.4	4	221-224	[AMB2] Surgical procedure #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
24.5	1	225	[ORDPERF2] Was procedure #2 ordered/scheduled or performed? 0 = Blank 1 = Ordered/scheduled 2 = Performed 3 = Ordered and performed 9 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			MEDICATIONS/INJECTIONS (See page 17 for more information. See Appendix III for Code List.) (from PRF Q9)
25	1	226	[MED] WERE MEDICATIONS ORDERED OR PROVIDED AT THIS VISIT? 1 = Yes 2 = No
26.1	5	227-231	[MED1] MEDICATION #1 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.2	5	232-236	[MED2] MEDICATION #2 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.3	5	237-241	[MED3] MEDICATION #3 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.4	5	242-246	[MED4] MEDICATION #4 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.5	5	247-251	[MED5] MEDICATION #5 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.6	5	252-256	[MED6] MEDICATION #6 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
26.7	5	257-261	[MED5] MEDICATION #7 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
26.8	5	262-266	[MED5] MEDICATION #8 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
27	1	267	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 8  VISIT DISPOSITION (from PRF Q10)  0 = No, 1 = Yes
28.1	1	268	[NODISP] No answer to item
28.2	1	269	[NOFU] No follow-up planned
28.3	1	270	[RETPRN] Return if needed, P.R.N
28.4	1	271	[REFOTHMD] Refer to other physician
28.5	1	272	[RETAPPT] Return at specified time
28.6	1	273	[TELEPHON] Telephone follow-up planned
28.7	1	274	[ADMITHOS] Admit to hospital
28.8	1	275	[OTHDISP] Other visit disposition  PROVIDERS SEEN (from PRF Q11)  0 = No, 1 = Yes
29.1	1	276	[NOPROVID] No answer to item
29.2	1	277	[PHYS] Physician
29.3	1	278	[RN] RN
29.4	1	279	[LPN] LPN
29.5	1	280	[MEDNURSE] Medical/Nursing assistant
26.6	1	281	[NPNMW] Nurse practitioner/Midwife
29.7	1	282	[PHYSASST] Physician assistant
29.8	1	283	[MEDTECH] Medical technician/technologist
29.9	1	284	[OTHPROV] Other provider
30	3	285-287	[TIMEMD] TIME SPENT WITH MD (in minutes) (from PRF Q12) 0-240
31	6	288-293	[PATWT] PATIENT VISIT WEIGHT (See page 20 in Section I) A right-justified integer developed by NCHS staff for the purpose of producing national estimates from sample data.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
32	1	294	[REGION] GEOGRAPHIC REGION (Based on actual location of the practice.)  1= Northeast 2= Midwest 3= South 4= West
33	1	295	[MSA] METROPOLITAN/NON METROPOLITAN STATUS  (Based on actual location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget.)  1 = MSA (Metropolitan Statistical Area) 2 = Non-MSA (includes micropolitan statistical areas)
34	3	296-298	[SPEC] PHYSICIAN SPECIALTY COLLECTED FROM INDUCTION INTERVIEW (REFERENCE 3)  (See "Physician Specialty List" on page 53.)
35	1	299	[MDDO] TYPE OF DOCTOR 1 = M.D. - Doctor of Medicine 2 = D.O. - Doctor of Osteopathy
36	4	300-303	[PHYCODE] PHYSICIAN CODE - A unique code assigned to all records from a particular physician. 9-3005
37	3	304-306	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular physician. 1-80
**** THE FOLLOWING FIELDS SHOW WHETHER DATA WERE IMPUTED TO REPLACE BLANKS ****			
38			IMPUTED FIELDS  0 = Not imputed 1 = Imputed
38.1	1	307	[BDATEFL] Patient birth date
38.2	1	308	[SEXFL] Patient sex
38.3	1	309	[ETHNICFL] Patient ethnicity
38.4	1	310	[RACEFL] Patient race
38.5	1	311	[SENBEFL] Have you/anyone in practice seen patient before?
38.6	1	312	[PASTFL] If yes, how many past visits in last 12 months?
38.7	1	313	[TIMEMDFL] Time spent with physician (minutes)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
39			DRUG-RELATED INFO FOR MEDICATION #1
39.1	5	314-318	[GEN1] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
39.2	1	319	[PRESCR1] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
39.3	1	320	[CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                    5 = Schedule V 3 = Schedule III                  6 = No Control 4 = Schedule IV                  7 = Undetermined
39.4	1	321	[COMSTAT1] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
39.5a	4	322-325	[DRUG1CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #1. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
39.5b	4	326-329	[DRUG1CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #1. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
39.5c	4	330-333	[DRUG1CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #1. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
39.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
39.6a	5	334-338	[DRG1ING1] INGRED #1 CODE - 50000-92512
39.6b	5	339-343	[DRG1ING2] INGRED #2 CODE - 50000-92512
39.6c	5	344-348	[DRG1ING3] INGRED #3 CODE - 50000-92512
39.6d	5	349-353	[DRG1ING4] INGRED #4 CODE - 50000-92512
39.6e	5	354-358	[DRG1ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
40			DRUG-RELATED INFO FOR MEDICATION #2
40.1	5	359-363	[GEN2] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
40.2	1	364	[PRESCR2] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
40.3	1	365	[CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                   5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
40.4	1	366	[COMSTAT2] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
40.5a	4	367-370	[DRUG2CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #2. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
40.5b	4	371-374	[DRUG2CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS – Second class listed in NDC for Medication #2. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
40.5c	4	375-378	[DRUG2CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #2. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
40.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
40.6a	5	379-383	[DRG2ING1] INGRED #1 CODE - 50000-92512
40.6b	5	384-388	[DRG2ING2] INGRED #2 CODE - 50000-92512
40.6c	5	389-393	[DRG2ING3] INGRED #3 CODE - 50000-92512
40.6d	5	394-398	[DRG2ING4] INGRED #4 CODE - 50000-92512
40.6e	5	399-403	[DRG2ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
41			DRUG-RELATED INFO FOR MEDICATION #3
41.1	5	404-408	[GEN3] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
41.2	1	409	[PRESCR3] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
41.3	1	410	[CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                   5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
41.4	1	411	[COMSTAT3] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
41.5a	4	412-415	[DRUG3CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #3. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
41.5b	4	416-419	[DRUG3CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #3. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
41.5c	4	420-423	[DRUG3CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #3. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
41.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
41.6a	5	424-428	[DRG3ING1] INGRED #1 CODE - 50000-92512
41.6b	5	429-433	[DRG3ING2] INGRED #2 CODE - 50000-92512
41.6c	5	434-438	[DRG3ING3] INGRED #3 CODE - 50000-92512
41.6d	5	439-443	[DRG3ING4] INGRED #4 CODE - 50000-92512
41.6e	5	444-448	[DRG3ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
42			DRUG-RELATED INFO FOR MEDICATION #4
42.1	5	449-453	[GEN4] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
42.2	1	454	[PRESCR4] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
42.3	1	455	[CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                   5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
42.4	1	456	[COMSTAT4] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
42.5a	4	457-460	[DRUG4CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #4. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
42.5b	4	461-464	[DRUG4CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #4. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
42.5c	4	465-468	[DRUG4CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #4. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
42.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
42.6a	5	469-473	[DRG4ING1] INGRED #1 CODE - 50000-92512
42.6b	5	474-478	[DRG4ING2] INGRED #2 CODE - 50000-92512
42.6c	5	479-483	[DRG4ING3] INGRED #3 CODE - 50000-92512
42.6d	5	484-488	[DRG4ING4] INGRED #4 CODE - 50000-92512
42.6e	5	489-493	[DRG4ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
43			DRUG-RELATED INFO FOR MEDICATION #5
43.1	5	494-498	[GEN5] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
43.2	1	499	[PRESCR5] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
43.3	1	500	[CONTSUB5] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                    5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
43.4	1	501	[COMSTAT5] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
43.5a	4	502-505	[DRUG5CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #5. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
43.5b	4	506-509	[DRUG5CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #5. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
43.5c	4	510-513	[DRUG5CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #5. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
43.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
43.6a	5	514-518	[DRG5ING1] INGRED #1 CODE - 50000-92512
43.6b	5	519-523	[DRG5ING2] INGRED #2 CODE - 50000-92512
43.6c	5	524-528	[DRG5ING3] INGRED #3 CODE - 50000-92512
43.6d	5	529-533	[DRG5ING4] INGRED #4 CODE - 50000-92512
43.6e	5	534-538	[DRG5ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
44			DRUG-RELATED INFO FOR MEDICATION #6
44.1	5	539-543	[GEN6] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
44.2	1	544	[PRESCR6] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
44.3	1	545	[CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                   5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
44.4	1	546	[COMSTAT6] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
44.5a	4	547-550	[DRUG6CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #6. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
44.5b	4	551-554	[DRUG6CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS – Second class listed in NDC for Medication #6. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
44.5c	4	555-558	[DRUG6CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #6. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
44.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
44.6a	5	559-563	[DRG6ING1] INGRED #1 CODE - 50000-92512
44.6b	5	564-568	[DRG6ING2] INGRED #2 CODE - 50000-92512
44.6c	5	569-573	[DRG6ING3] INGRED #3 CODE - 50000-92512
44.6d	5	574-578	[DRG6ING4] INGRED #4 CODE - 50000-92512
44.6e	5	579-583	[DRG6ING5] INGRED #5 CODE - 50000-92512



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
45			DRUG-RELATED INFO FOR MEDICATION #7
45.1	5	584-588	[GEN7] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
45.2	1	589	[PRESCR7] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
45.3	1	590	[CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                    5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
45.4	1	591	[COMSTAT7] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
45.5a	4	592-595	[DRUG7CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #7. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
45.5b	4	596-599	[DRUG7CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #7. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
45.5c	4	600-603	[DRUG7CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #7. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
45.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
45.6a	5	604-608	[DRG7ING1] INGRED #1 CODE - 50000-92512
45.6b	5	609-613	[DRG7ING2] INGRED #2 CODE - 50000-92512
45.6c	5	614-618	[DRG7ING3] INGRED #3 CODE - 50000-92512
45.6d	5	619-623	[DRG7ING4] INGRED #4 CODE - 50000-92512
45.6e	5	624-628	[DRG7ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
46			DRUG-RELATED INFO FOR MEDICATION #8
46.1	5	629-633	[GEN8] GENERIC NAME CODE (See p. 113 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
46.2	1	634	[PRESCR8] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
46.3	1	635	[CONSUB8] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II                   5 = Schedule V 3 = Schedule III                 6 = No Control 4 = Schedule IV                 7 = Undetermined
46.4	1	636	[COMSTAT8] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
46.5a	4	637-640	[DRUG8CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #8. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
46.5b	4	641-644	[DRUG8CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #8. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
46.5c	4	645-648	[DRUG8CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #8. See page 157 for list of NDC codes. 0100 - 2100 = NDC Drug Class
46.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 113)
46.6a	5	649-653	[DRG8ING1] INGRED #1 CODE - 50000-92512
46.6b	5	654-658	[DRG8ING2] INGRED #2 CODE - 50000-92512
46.6c	5	659-663	[DRG8ING3] INGRED #3 CODE - 50000-92512
46.6d	5	664-668	[DRG8ING4] INGRED #4 CODE - 50000-92512
46.6e	5	669-673	[DRG8ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

The following items were collected using the Physician Induction Interview form at the start of the survey process. All of them pertain to aspects of the physician's practice.

47	1	674	[RETYPOFF] TYPE OF OFFICE SETTING FOR THIS VISIT 1 = Private solo or group practice 2 = Free standing clinic/urgicenter (not part of hospital emergency department or outpatient department) 3 = Federally qualified health center (FQHC) 4 = Mental health center 5 = Non-Federal government clinic 6 = Family planning clinic 7 = Health maintenance organization (HMO) or other prepaid practice 8 = Faculty Practice Plan 9 = Other
48	1	675	[SOLO] IS THIS A SOLO PRACTICE? 1 = Yes 2 = No
49	1	676	[EMPSTAT] EMPLOYMENT STATUS OF PHYSICIAN 1 = Owner 2 = Employee 3 = Contractor 4 = Blank
50	1	677	[OWNS] WHO OWNS THIS PRACTICE? 1 = Physician or physician group 2 = Health Maintenance Organization (HMO) 3 = Medical/Academic health center 4 = Other hospital 5 = Other health care corporation 6 = Other
51	1	678	[LAB] IS LAB TESTING PERFORMED AT OFFICE? 1 = Yes 2 = No
52	1	679	[HOMVISR] DID PHYSICIAN MAKE HOME VISITS DURING LAST FULL WEEK OF PRACTICE? 0 = No 1 = Yes 2 = Unknown
53	1	680	[HOSVISR] DID PHYSICIAN MAKE HOSPITAL VISITS DURING LAST FULL WEEK OF PRACTICE? 0 = No 1 = Yes 2 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
54	1	681	[TELCONR] DID PHYSICIAN DO TELEPHONE CONSULTS WITH PATIENTS DURING LAST FULL WEEK OF PRACTICE? 0 = No 1 = Yes 2 = Unknown
55	2	682	[ECONR] DID PHYSICIAN DO INTERNET/EMAIL CONSULTS WITH PATIENTS DURING LAST FULL WEEK OF PRACTICE? 0 = No 1 = Yes 2 = Unknown
56	1	683	[EMEDREC] DOES THIS PRACTICE USE ELECTRONIC MEDICAL RECORDS (NOT INCLUDING BILLING RECORDS)? 0 = Blank 1 = Yes 2 = No 3 = Unknown
57	1	684	[EBILLREC] DOES THIS PRACTICE SUBMIT CLAIMS ELECTRONICALLY? (ELECTRONIC BILLING) 0 = Blank 1 = Yes 2 = No 3 = Unknown
58	1	685	[PRMCARER] Roughly, what percent of your practice revenue from patient care comes from Medicare? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
59	1	686	[PRMAIDR] Roughly, what percent of your practice revenue from patient care comes from Medicaid? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
60	1	687	[PRPRVTR] Roughly, what percent of your practice revenue from patient care comes from private insurance? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
61	1	688	[PROTHR] Roughly, what percent of your practice revenue from patient care comes from other sources? (including charity, research, Champus, VA, etc.) 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
62	1	689	[MANCAREC] Roughly, how many managed care contracts does this practice have, such as HMOs, PPOs, IPAs, and point-of-service plans? 0 = Blank 1 = None 2 = Less than 3 3 = 3-10 4 = More than 10
63	1	690	[PRMANR] Roughly, what percentage of the patient care revenue received by this practice comes from (these) managed care contracts? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
64	1	691	[ACETPNEW] Are you currently accepting "new" patients into your practice? 0 = Blank 1 = Yes 2 = No 3 = Unknown
65	1	692	[CAPITATE] From those "new" patients, which of the following types of payment do you accept? - Capitated private insurance 0 = Blank 1 = Yes 2 = No 3 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
66	1	693	[NOCAP] From those "new" patients, which of the following types of payment do you accept? – Non-capitated private insurance 0 = Blank 1 = Yes 2 = No 3 = Unknown
67	1	694	[NMEDCARE] From those "new" patients, which of the following types of payment do you accept? – Medicare 0 = Blank 1 = Yes 2 = No 3 = Unknown
68	1	695	[NMEDCAID] From those "new" patients, which of the following types of payment do you accept? – Medicaid 0 = Blank 1 = Yes 2 = No 3 = Unknown
69	1	696	[NWORKCMP] From those "new" patients, which of the following types of payment do you accept? – Workers compensation 0 = Blank 1 = Yes 2 = No 3 = Unknown
70	1	697	[NSELFPAY] From those "new" patients, which of the following types of payment do you accept? – Self-pay 0 = Blank 1 = Yes 2 = No 3 = Unknown
71	1	698	[NNOCHARGE] From those "new" patients, which of the following types of payment do you accept? – No charge 0 = Blank 1 = Yes 2 = No 3 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
72	1	699	[REFMDCAD] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Medicaid 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown
73	1	700	[REFMDCAR] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Medicare 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown
74	1	701	[REFPRIV] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Private insurance 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown
75	1	702	[REFUNINS] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Uninsured 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown
76	1	703	[RACER] RACE RECODE 1 = White 2 = Black 3 = Other

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

\*\*\* THE FOLLOWING ITEM WAS ADDED TO ENABLE USERS TO CREATE TABLES USING THE PHYSICIAN SPECIALTY GROUPS SHOWN ON PAGES 54-55 OF SECTION 1. THIS WILL PRODUCE TABLES BY SPECIALTY SIMILAR TO THOSE SHOWN IN NAMCS PUBLISHED REPORTS \*\*\*

77	2	704-705	[SPECR] PHYSICIAN SPECIALTY RECODE
			01 = General and family practice      09 = Dermatology
			03 = Internal medicine                  10 = Urology
			04 = Pediatrics                            11 = Psychiatry
			05 = General surgery                    12 = Neurology
			06 = Obstetrics and gynecology      13 = Ophthalmology
			07 = Orthopedic surgery                14 = Otolaryngology
			08 = Cardiovascular diseases        15 = All other

(Note : For this variable, doctors of osteopathy (stratum 02) have been aggregated with doctors of medicine according to their self-designated practice specialty, and therefore are not differentiated in the variable range. To isolate doctors of osteopathy from medical doctors using the Physician Specialty Recode, it is necessary to crosstabulate it with Type of Doctor located in position 299.)

\*\*\* THE FOLLOWING ITEM WAS ADDED TO ENABLE USERS TO CREATE SUBSETS OF VISITS BY PATIENTS UNDER ONE YEAR OF AGE \*\*\*

78	3	706-708	[AGEDAYS] AGE IN DAYS
			001-365 = 001-365 days
			999 = More than 365 days

\*\*\* THE FOLLOWING ITEM WAS ADDED TO FACILITATE ANALYSIS OF AGE DATA, USING THE CATEGORIES FOUND IN NAMCS REPORTS.

79	1	709	[AGER] AGE RECODE
			1 = Under 15 years
			2 = 15-24 years
			3 = 25-44 years
			4 = 45-64 years
			5 = 65-74 years
			6 = 75 years and over

#### NUMERIC RECODES FOR CAUSE OF INJURY, DIAGNOSIS, AND PROCEDURES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NAMCS micro-data file were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of '1' was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of '20' was substituted for the letter 'V' for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory Care Statistics software systems. Similar conversions were made for ICD-9-CM procedure codes and external cause of injury codes. Specific coding conventions are discussed in the public use documentation for each data year.



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. For specific details pertaining to each type of code (diagnosis, procedure, cause of injury), refer to the documentation for the survey year of interest. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zerofilling.

It has come to our attention that some users of NAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, since data year 1997, we have included numeric recodes for cause of injury, diagnosis, and procedure (ambulatory surgical procedure as well as 'other' diagnostic/screening service and 'other' therapeutic/preventive service) as listed below. These are in addition to the actual codes for these variables which appear earlier on the public use file. Users can make their own choice about which format best suits their needs.

We would be interested in hearing from data users as to which format they prefer so that a decision can be made about whether to include both formats in future years. Please contact Susan Schappert, Ambulatory Care Statistics Branch, at 301-458-4480.

80.1	4	710-713	[CAUSE1R] CAUSE OF INJURY #1 (Recode to Numeric Field) 8000-9999 = E800.0 - E999.[9] 0000 = Blank
80.2	4	714-717	[CAUSE2R] CAUSE OF INJURY #2 (Recode to Numeric Field) 8000-9999 = E800.0 - E999.[9] 0000 = Blank
80.3	4	718-721	[CAUSE3R] CAUSE OF INJURY #3 (Recode to Numeric Field) 8000-9999 = E800.0 - E999.[9] 0000 = Blank
81	1	722	[INTENTR] INTENTIONALITY OF INJURY (This a recoded item based on the stated cause of injury from Item 4b of the Patient Record Form.)  0= Not applicable (not an injury visit) 1= Unintentional 2= Self-inflicted 3= Assault 4= Legal intervention 5= Unknown intent 6= Adverse medical effect 7= Blank cause

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
82.1	6	723-728	[DIAG1R] DIAGNOSIS # 1 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
82.2	6	729-734	[DIAG2R] DIAGNOSIS # 2 (Recode to Numeric Field) 00100-208290 = 001.0[0]-V82.9[0] 09900 = Noncodable, insufficient information for coding, illegible 09910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 09920 = Transferred to another facility; sent to see specialist 09930 = HMO will not authorize treatment 09970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
82.3	6	735-740	[DIAG3R] DIAGNOSIS # 3 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
83.1	4	741-744	[EXAMWI1R] EXAM WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
83.2	4	745-748	[EXAMWI2R] EXAM WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
84.1	4	749-752	[SCOPWI1R] SCOPE PROCEDURE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
84.2	4	753-756	[SCOPWI2R] SCOPE PROCEDURE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
85.1	4	757-760	[DIAGSC1R] OTHER DIAGNOSTIC/SCREENING SERVICE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
85.2	4	761-764	[DIAGSC2R] OTHER DIAGNOSTIC/SCREENING SERVICE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
86.1	4	765-768	[AMB1R] SURGICAL PROCEDURE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
86.2	4	769-772	[AMB2R] SURGICAL PROCEDURE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
		*****	END OF NUMERIC RECODES *****
87	1	773	[WHOCOMP] WHO COMPLETED THE PATIENT RECORD FORMS?  1 = Physician 2 = Office Staff 3 = Census Field Representative (abstraction from record) 4 = Other 5 = Multiple categories checked 6 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
88	1	774	[SETTYPE] SETTING TYPE This item is intended for use when combining data from the NAMCS and NHAMCS. 1 = Physician office (NAMCS) 2 = Hospital outpatient department (NHAMCS) 3 = Hospital emergency departments (NHAMCS)
89	4	775-778	[YEAR] SURVEY YEAR 2004

### NAMCS DESIGN VARIABLES

NAMCS sampling design variables (in masked format) were first added to the 2000 public use file, and data years from 1993-1999 were re-released to include them. These variables were for use with statistical software such as SUDAAN that takes into account the complex sampling design of the survey. However, for those running versions of SAS, Stata, SPSS and other software that assumes a single stage of sampling, the multi-stage design variables provided on the public use files could not be used without modification. Therefore, in 2002, two new variables, CSTRATM and CPSUM, were developed, that could be used in such programs instead of the multi-stage variables. In 2003, the decision was made to include on the public use file just these two variables and not the multi-stage design variables that appeared in the past.

Until such time as the older public use files may be re-released to include these variables, data users wishing to combine data from 2003 and later years with data from earlier years will find it necessary to create CSTRATM and CPSUM for the earlier files. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: <http://www.cdc.gov/nchs/about/major/ahcd/ahcd1.htm>. This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models, such as those used in SAS proc surveymeans, Stata, SPSS, and the SUDAAN with-replacement option, and how to handle instances of single-case strata in the data on the older files. Please also see the section in on Relative Standard Errors in the current document for more information on these variables and how to use them. PSU is primary sampling unit.

90	8	779-786	[CSTRATM] CLUSTERED PSU STRATUM MARKER (masked) 20104101-40400000
91	6	787-792	[CPSUM] CLUSTERED PSU MARKER (masked) 5-102981

**C. PHYSICIAN SPECIALTY LIST**

The 2004 NAMCS survey design grouped physicians into 15 strata, or specialty groups, for sampling purposes. One stratum, doctors of osteopathy, was based on information from the American Osteopathic Association. The other groups were developed based on information from the American Medical Association (AMA). Below is a list of the AMA physician specialties comprising each of these sample strata. Some small specialties were masked on the public use file for confidentiality purposes.

**GENERAL PRACTICE**

FP - Family Practice  
 FPG - Family Practice, Geriatric Medicine  
 FSM - Sports Medicine (Family Practice)  
 GP - General Practice

**INTERNAL MEDICINE**

IM - Internal Medicine

**PEDIATRICS**

ADL - Adolescent Medicine  
 CCP - Critical Care Pediatrics  
 DBP - Developmental - Behavioral Pediatrics  
 MPD - Internal Medicine/Pediatrics  
 NDN - Neurodevelopmental Disabilities  
 NPM - Neonatal-Perinatal Medicine  
 PD - Pediatrics  
 PDA - Pediatric Allergy  
 PDC - Pediatric Cardiology  
 PDE - Pediatric Endocrinology  
 PDI - Pediatric Infectious Diseases  
 PDP - Pediatric Pulmonology  
 PDT - Medical Toxicology  
 PEM - Pediatric Emergency Medicine  
 PG - Pediatric Gastroenterology  
 PHO - Pediatric Hematology/Oncology  
 PN - Pediatric Nephrology  
 PPR - Pediatric Rheumatology  
 PSM - Sports Medicine (Pediatrics)

**GENERAL SURGERY**

GS - General Surgery

**OBSTETRICS AND GYNECOLOGY**

GO - Gynecological Oncology  
 GYN - Gynecology  
 MFM - Maternal & Fetal Medicine  
 OBG - Obstetrics & Gynecology  
 OBS - Obstetrics  
 OCC -Critical Care Medicine  
 (Obstetrics & Gynecology)  
 REN - Reproductive Endocrinology

**ORTHOPEDIC SURGERY**

OAR - Adult Reconstructive Orthopedics  
 OFA - Foot and Ankle Orthopedics  
 OMO - Musculoskeletal Oncology  
 OP - Pediatric Orthopedics  
 ORS - Orthopedic Surgery  
 OSM - Sports Medicine (Orthopedic Surgery)  
 OSS - Orthopedic Surgery of the Spine  
 OTR - Orthopedic Trauma

**CARDIOVASCULAR DISEASES**

CD - Cardiovascular Diseases

**DERMATOLOGY**

D - Dermatology

**UROLOGY**

U - Urology  
 UP - Pediatric Urology

**PSYCHIATRY**

ADP - Addiction Psychiatry  
 CHP - Child Psychiatry  
 NUP - Neuropsychiatry  
 P - Psychiatry  
 PFP - Forensic Psychiatry  
 PYA - Psychoanalysis  
 PYG - Geriatric Psychiatry

**NEUROLOGY**

CHN - Child Neurology  
 CN -Clinical Neurophysiology  
 ESN - Endovascular Surgical Neuroradiology  
 N - Neurology  
 NRN - Neurology (Diagnostic Radiology)

**OPHTHALMOLOGY**

OPH - Ophthalmology  
 PO - Pediatric Ophthalmology

**OTOLARYNGOLOGY**

NO - Otology - Neurotology  
 OTO - Otolaryngology  
 PDO - Pediatric Otolaryngology

**ALL OTHER**

A - Allergy  
 ADM - Addiction Medicine  
 AI - Allergy and Immunology  
 ALI - Allergy & Immunology/  
     Diagnostic Lab. Immunology  
 AM - Aerospace Medicine  
 AMI - Adolescent Medicine (Internal  
     Medicine)  
 AS - Abdominal Surgery  
 CBG - Clinical Biochemical Genetics  
 CCG - Clinical Cytogenetics  
 CCM - Critical Care Medicine  
 CCS - Critical Care Surgery  
 CFS - Craniofacial Surgery  
 CG - Clinical Genetics  
 CMG - Clinical Molecular Genetics  
 CRS - Colon and Rectal Surgery  
 CS - Cosmetic Surgery  
 DDL - Dermatological Immunology/  
     Diagnostic Lab. Immunology  
 DIA - Diabetes  
 DS - Dermatologic Surgery  
 EM - Emergency Medicine  
 END - Endocrinology  
 EP - Epidemiology  
 ESM - Sports Medicine (Emergency Medicine)  
 ETX - Medical Toxicology (Emergency  
     Medicine)  
 FPS - Facial Plastic Surgery  
 GE - Gastroenterology  
 GPM - General Preventive Medicine  
 HEM - Hematology  
 HEP - Hepatology  
 HNS - Head and Neck Surgery  
 HO - Hematology/Oncology  
 HS - Hand Surgery  
 HSP - Hand Surgery (Plastic Surgery)  
 HSS - Hand Surgery (Surgery)  
 IC - Interventional Cardiology  
 ICE - Cardiac Electrophysiology  
 ID - Infectious Diseases  
 IG - Immunology  
 ILI - Internal Medicine/Diagnostic Lab.  
     Immunology

**ALL OTHER (cont.)**

IMG - Geriatric Medicine (Internal Medicine)  
 ISM - Sports Medicine (Internal Medicine)  
 LM - Legal Medicine  
 MDM - Medical Management  
 MG - Medical Genetics  
 NEP - Nephrology  
 NS - Neurological Surgery  
 NSP - Pediatric Surgery (Neurology)  
 NTR - Nutrition  
 OM - Occupational Medicine  
 OMF - Oral & Maxillofacial Surgery  
 OMM - Osteopathic Manipulative Medicine  
 ON - Medical Oncology  
 PA - Clinical Pharmacology  
 PCC - Pulmonary Critical Care Medicine  
 PCS - Pediatric Cardiothoracic Surgery  
 PDS - Pediatric Surgery  
 PE - Pediatric Emergency Medicine  
     (Emergency Medicine)  
 PHM - Pharmaceutical Medicine  
 PHP - Public Health/General Preventive  
     Medicine  
 PLI - Pediatric/Diagnostic Lab. Immunology  
 PLM - Palliative Medicine  
 PM - Physical Medicine and  
     Rehabilitation  
 PMD - Pain Medicine  
 PMM - Sports Medicine (Physical Medicine and  
     Rehabilitation)  
 PRM - Pediatric Rehabilitation Medicine  
 PRO - Proctology  
 PS - Plastic Surgery  
 PSH - Plastic Surgery within the Head & Neck  
 PTX - Medical Toxicology (Preventive  
     Medicine)  
 PUD - Pulmonary Diseases  
 RHU - Rheumatology  
 SCI - Spinal Cord Injury  
 SM - Sleep Medicine  
 SO - Surgical Oncology  
 TRS - Traumatic Surgery  
 TS - Thoracic Surgery  
 TTS - Transplant Surgery  
 UCM - Urgent Care Medicine  
 UM - Undersea Medicine  
 VM - Vascular Medicine  
 VS - Vascular Surgery  
 OS - Other Specialty  
 US - Unspecified

**III. MARGINAL DATA****A. PATIENT VISITS****PATIENT AGE**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
1 - Under 15 years	3,267	147,909,716	16.239
2 - 15-24 years	1,940	70,593,036	7.750
3 - 25-44 years	5,326	194,260,532	21.327
4 - 45-64 years	7,667	264,102,808	28.995
5 - 65-74 years	3,355	113,426,237	12.453
6 - 75 years and over	3,731	120,564,831	13.236

**PATIENT SEX**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
1 - Female	14,282	535,541,234	58.795
2 - Male	11,004	375,315,926	41.205

**PATIENT RACE**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
1 - White Only	21,916	775,018,821	85.087
2 - Black/African American Only	2,462	98,000,830	10.759
3 - Asian Only	677	29,131,175	3.198
4 - Native Hawaiian/Oth Pac Isl Only	70	2,868,526	0.315
5 - American Indian/Alaska Native Only	93	2,614,954	0.287
6 - More than one race reported	68	3,222,854	0.354

**EXPECTED PRIMARY SOURCE OF PAYMENT**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
0 - Blank	408	15,440,482	1.695
1 - Private insurance	13,506	509,772,494	55.966
2 - Medicare	6,276	206,690,386	22.692
3 - Medicaid	2,255	89,646,691	9.842
4 - Worker's compensation	391	13,488,758	1.481
5 - Self-pay	1,301	40,739,617	4.473
6 - No charge	103	2,661,444	0.292
7 - Other	539	20,234,512	2.221
8 - Unknown	507	12,182,776	1.338

**MAJOR REASON FOR VISIT**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
0 - Blank	882	27,753,611	3.047
1 - Acute problem	7,983	316,136,777	34.708
2 - Chronic problem, routine	9,125	296,568,720	32.559
3 - Chronic problem, flare-up	2,385	72,741,297	7.986
4 - Pre/Post-surgery	1,960	50,654,672	5.561
5 - Preventive care	2,951	147,002,083	16.139

---

**HAVE YOUR OR ANYONE IN YOUR PRACTICE SEEN PATIENT BEFORE?**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
1 - Yes, established patient	21,630	808,389,333	88.750
2 - No, new patient	3,656	102,467,827	11.250

---

**NUMBER OF MEDICATION CODES THIS VISIT**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
0	10,180	325,704,315	35.758
1	6,248	231,408,727	25.406
2	3,421	132,838,120	14.584
3	1,909	75,700,975	8.311
4	1,020	42,000,048	4.611
5	658	28,077,154	3.082
6	477	20,200,940	2.218
7	388	15,986,884	1.755
8	985	38,939,997	4.275

---

**PHYSICIAN SPECIALTY**

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,286	910,857,160	100.000
1-General/family practice	4,023	207,878,918	22.822
3-Internal medicine	1,567	146,324,191	16.064
4-Pediatrics	2,117	116,658,664	12.808
5-General surgery	1,427	19,319,832	2.121
6-Obstetrics and gynecology	1,325	65,290,979	7.168
7-Orthopedic surgery	1,439	43,899,407	4.820
8-Cardiovascular diseases	1,414	22,973,296	2.522
9-Dermatology	1,499	33,852,327	3.717
10-Urology	1,692	18,295,228	2.009
11-Psychiatry	1,896	30,657,434	3.366
12-Neurology	1,647	14,779,921	1.623
13-Ophthalmology	1,548	47,332,869	5.197
14-Otolaryngology	1,417	19,807,444	2.175
15-Other specialties	2,275	123,786,650	13.590

**B. DRUG MENTIONS**



---

**PATIENT AGE**

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	39,645	1,577,207,658	100.000
1-Under 15 years	3,549	180,253,750	11.429
2-15-24 years	2,060	75,590,894	4.793
3-25-44 years	6,666	255,736,471	16.215
4-45-64 years	12,797	509,267,487	32.289
5-65-74 years	6,336	249,896,937	15.844
6-75 years and over	8,237	306,462,119	19.431

---

**PATIENT SEX**

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	39,645	1,577,207,658	100.000
1-Female	22,787	929,321,372	58.922
2-Male	16,858	647,886,286	41.078

---

**PHYSICIAN SPECIALTY**

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	39,645	1,577,207,658	100.000
1 - General/family practice	8,650	456,644,793	28.953
3 - Internal medicine	3,875	324,537,246	20.577
4 - Pediatrics	2,558	150,272,394	9.528
5 - General surgery	733	7,932,103	0.503
6 - Obstetrics and gynecology	735	37,092,141	2.352
7 - Orthopedic surgery	939	29,542,939	1.873
8 - Cardiovascular diseases	5,418	88,620,682	5.619
9 - Dermatology	1,816	41,288,956	2.618
10 - Urology	1,272	14,087,071	0.893
11 - Psychiatry	3,388	57,467,433	3.644
12 - Neurology	2,699	23,056,950	1.462
13 - Ophthalmology	1,799	53,738,863	3.407
14 - Otolaryngology	1,240	16,874,880	1.070
15 - Other specialties	4,523	276,051,207	17.503

---

## NATIONAL DRUG CODE DIRECTORY DRUG CLASSES

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	44,533	1,765,860,792	100.000
1 - Anesthetics	434	13,451,924	0.762
2 - Antidotes	54	1,270,145	0.072
3 - Antimicrobial agents	2,818	123,444,879	6.991
4 - Hematologic agents	1,000	39,531,442	2.239
5 - Cardiovascular-renal drugs	7,316	287,231,641	16.266
6 - Central Nervous System	5,410	164,697,170	9.327
7 - Radiopharmaceutical/contrast media	44	1,680,198	0.095
8 - Gastrointestinal agents	1,893	84,914,252	4.809
9 - Metabolic/Nutrients	3,610	151,732,968	8.593
10 - Hormones and agents affecting hormonal mechanisms	3,187	144,002,731	8.155
11 - Immunologic agents	1,063	56,044,947	3.174
12 - Skin/Mucous Membrane	2,124	69,538,155	3.938
13 - Neurologic drugs	1,950	50,827,388	2.878
14 - Oncolytics	298	14,227,710	0.806
15 - Ophthalmic drugs	1,274	41,453,239	2.347
16 - Otologic drugs	337	14,002,497	0.793
17 - Drugs used for Relief of Pain	6,806	268,895,067	15.227
18 - Antiparasitic agents	127	5,828,838	0.330
19 - Respiratory tract drugs	3,896	196,447,575	11.125
20 - Unclassified/Miscellaneous	724	30,444,909	1.724
21 - Homeopathic products	168	6,193,117	0.351

Adapted from the National Drug Code Directory (NDC), 1995 edition.

-----

## APPENDIX I

### A. RELATIVE STANDARD ERRORS

The standard error is primarily a measure of the sampling variability that occurs by chance because only a sample is surveyed, rather than the entire universe. The relative standard error (RSE) of an estimate is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate. Standard errors and other measures of sampling variability are best determined by using a statistical software package that takes into account the sample designs of surveys to produce such measures.

Using computer software like SUDAAN to produce standard errors will, in general, yield results that are more accurate than those produced using the generalized variance curve described below. This is especially true for clustered variables like race, provider seen, or expected source of payment. The standard errors produced with such software using masked design variables, while improving substantially over the generalized variance curve results, will not always be as accurate as those produced using unmasked data. However, data files containing unmasked variables are confidential and are only available through the NCHS Research Data Center.

NAMCS (and NHAMCS) public use files for 1993-2002 included masked multi-stage design variables used to estimate variance with software such as SUDAAN's full sample without replacement design option. In 2002, two new sample design variables (CSTRATM and CPSUM) were added to the file for use with software utilizing a "between PSU" variance estimator or "ultimate cluster" sampling design.

Ultimate cluster variance estimates depend only on the first stage of the sample design, so that only first-stage cluster and first-stage stratum identification are required. The 2003 and 2004 NAMCS public use files include only these first-stage design variables, CSTRATM and CPSUM. They differ from the STRATM and PSUM variables on 1993-2002 files in that providers are the first-stage sampling units in certainty areas (geographic areas selected with certainty), while geographic areas are the first-stage sampling units in non-certainty areas.

Examples using CSTRATM and CPSUM in Stata, SUDAAN's 1-stage WR (with replacement) design option, and SAS's PROC surveymeans applications are presented below:

#### Stata

The pweight (PATWT), strata (CSTRATM), and PSU (CPSUM) are set with the svyset command as follows:

#### Stata 8:

```
svyset [pweight=patwt], psu(cpsum) strata(cstratm)
```

#### Stata 9:

```
svyset cpsum [pweight=patwt], strata(cstratm)
```

#### SUDAAN 1-stage WR Option

The program below provides a with replacement ultimate cluster (1-stage) estimate of standard errors for a cross-tabulation.

```
PROC CROSSTAB DATA=COMB1 DESIGN=WR FILETYPE=SAS;  
NEST CSTRATM CPSUM/MISSUNIT;
```

SAS - PROC SURVEYMEANS

```
PROC SURVEYMEANS DATA=COMB1;
CLUSTER CPSUM;
STRATA CSTRATM;
```

SPSS

This code pertains to SPSS Inc.'s Complex Samples 12.0 module. It would be used with the "Analysis Preparation Wizard" component of that module. The PLAN FILE statement would be invoked in statistical runs, as in the example for CSTABULATE shown below.

```
CSPLAN ANALYSIS
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'
/PLAN VARS ANALYSISWEIGHT=PATWT
/PRINT PLAN
/DESIGN STAGELABEL= 'ANY LABEL' STRATA=CSTRATM CLUSTER=CPSUM
/ESTIMATOR TYPE=WR.
```

```
CSTABULATE
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'
/TABLES VARIABLES = var1 var2
/CELLS POPSIZE
/STATISTICS SE
/MISSING SCOPE = TABLE CLASSMISSING = EXCLUDE.
```

If researchers wish to combine data from 2003 and later years of NAMCS public use files with earlier years, it will be necessary to create the CSTRATM and CPSUM variables and to consider the possibility of single case strata in the data, in order to estimate variances. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: <http://www.cdc.gov/nchs/namcs.htm>. This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models and how to handle instances of single-case strata in the data on the older files.

For data users who do not wish to use SUDAAN or similar programs to produce measures of sampling variability, we make available upon request tables which contain relative standard errors based on generalized variance curves for a wide range of visit estimates and drug mention estimates by physician specialty. (Estimates with a relative standard error greater than 30 percent are considered unreliable by the standards of the National Center for Health Statistics. It should also be noted here that estimates based on fewer than 30 sample records are considered unreliable, regardless of the magnitude of the relative standard error.) The following formulas may be used to calculate approximate relative standard errors for visit estimates and drug mention estimates.

For aggregate estimates, approximate relative standard errors can be calculated using the following general formula, where "x" is the aggregate of patient visits or drug mentions in thousands, and coefficients "A" and "B" are obtained from Table IV:

$$RSE(x) = 100 \cdot \sqrt{A + \frac{B}{x}}$$

For estimates of percents, approximate relative standard errors can be calculated using the following general formula, where "p" is the percent of visits or mentions, "x" is the denominator of the percent in thousands, and coefficient "B" is obtained from Table IV:

$$RSE(p) = 100 \cdot \sqrt{\frac{B \cdot (1 - p)}{p \cdot x}}$$

For estimates of visit rates in which the numerator is the number of visits for a particular characteristic and the denominator is the total U.S. population or one of the age-sex-race groups of the total population, the relative standard error is equivalent to the relative standard error of the numerator, as shown above in the paragraph on aggregate estimates. For additional information, contact the Ambulatory Care Statistics Branch at (301) 458-4600.

Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: National Ambulatory Medical Care Survey, 2004

Type of estimate and physician specialty	Coefficient for use with estimates in thousands		Lowest reliable estimate (in thousands)
	A	B	
Visits			
Overall totals	0.002430	101.741	1,162
General and family practice	0.007635	70.720	859
Internal medicine	0.015635	129.742	1,745
Pediatrics	0.012264	99.544	1,281
General surgery	0.012398	20.426	264
Obstetrics and gynecology	0.018983	77.618	1,093
Orthopedic surgery	0.017697	58.497	810
Cardiovascular diseases	0.019358	25.778	365
Dermatology	0.013170	28.408	370
Urology	0.019321	18.531	263
Psychiatry	0.015019	35.806	478
Neurology	0.017587	15.256	211
Ophthalmology	0.020058	59.623	853
Otolaryngology	0.019771	15.240	218
All other specialties	0.016054	138.826	1,878
Drug mentions			
Overall totals	0.005172	242.009	2,854
General and family practice	0.013106	191.301	2,488
Internal medicine	0.015959	418.970	5,659
Pediatrics	0.021737	149.760	2,194
General surgery	0.037014	28.697	542
Obstetrics and gynecology	0.017327	149.830	2,062
Orthopedic surgery	0.050252	41.974	1,057
Cardiovascular diseases	0.027496	77.120	1,234
Dermatology	0.016561	40.979	559
Urology	0.03171	25.640	440
Psychiatry	0.017907	93.550	1,298
Neurology	0.032172	41.677	721
Ophthalmology	0.035996	100.962	1,870
Otolaryngology	0.037413	17.401	331
All other specialties	0.041077	392.702	8,028

NOTE: These coefficients apply to NAMCS data where doctors of osteopathy (D.O.'s) have been aggregated with doctors of medicine (M.D.'s) according to their self-designated practice specialty. For those who wish to conduct a separate analysis on doctors of osteopathy, the A and B coefficients for use with visit estimates in thousands are 0.012351 and 74.167, respectively. The coefficients for estimates of drug mentions in thousands are 0.029673 and 178.411. To perform analyses of NAMCS data on visits to M.D.'s only, excluding all D.O.'s, please contact the Ambulatory Care Statistics Branch for more information.

---

**B. 2004 NAMCS PATIENT RECORD FORM - INSTRUCTIONS AND DEFINITIONS**

---

**1. PATIENT INFORMATION**

---

**ITEM 1a. DATE OF VISIT**

The month, day and year should be recorded in figures, for example, 05/17/2004 for May 17, 2004. Enter 4-digit year.

**ITEM 1b. ZIP CODE**

Enter 5-digit zip code from patient's mailing address.

**ITEM 1c. DATE OF BIRTH**

The month, day, and year of the patient's birth should be recorded here, in the same fashion as Date of Visit above. In the rare event the date of birth is unknown, the year of birth should be estimated as closely as possible. Enter 4-digit year.

**ITEM 1d. SEX**

Please check the appropriate category.

**ITEM 1e. ETHNICITY**

Ethnicity refers to a person's national or cultural group. The Patient Record form has two categories for ethnicity, Hispanic or Latino and Not Hispanic or Latino.

Mark the appropriate category according to your office's usual practice or from information in the medical record. You are not expected to ask the patient for this information. If the patient's ethnicity is not known and is not obvious, mark the box which in your judgment is most appropriate. The definitions of the categories are listed below. Do not determine the patient's ethnicity from their last name.

Ethnicity	Definition
1 Hispanic or Latino	A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race.
2 Not Hispanic or Latino	All other persons.

**ITEM 1f. RACE**

Mark all appropriate categories based on observation or your knowledge of the patient or from information in the medical record. You are not expected to ask the patient for this information. If the patient's race is not known or not obvious, mark the box(es) which in your judgment is (are) most appropriate. Do not determine the patient's race from their last name.

Race	Definition
1 White	A person having origins in any of the original peoples of Europe, the Middle East or North Africa.
2 Black/African American	A person having origins in any of the black racial groups of Africa.
3 Asian	A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
4 Native Hawaiian/ Other Pacific Islander	A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.
5 American Indian/ Alaskan Native	A person having origins in any of the original peoples of North America, and who maintains cultural identification through tribal affiliation or community recognition.

**ITEM 1g. DOES PATIENT USE TOBACCO?**

Mark "Yes" if patient currently either smokes cigarettes/cigars, uses snuff, or chews tobacco. Mark "No" if the patient does not use tobacco. Mark "Unknown" if it cannot be determined whether the patient currently uses tobacco.



**ITEM 1h. PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT**

Mark the primary expected source of payment that the patient will use to pay for this visit. This information may be in the patient's file. However, in large group practices, the billing information may be kept in the business office.

Mark the primary expected source of payment that the patient will use to pay for this visit. This information may be in the patient's file. However, in large group practices, the billing information may be kept in the business office.

Mark only one Primary Expected Source of Payment.

Primary Expected Source of Payment	Definition
1 Private insurance	Charges paid in-part or in-full by a private insurer (e.g., Blue Cross or Blue Shield) either directly to the physician or reimbursed to the patient. Include charges covered under a private insurance sponsored prepaid plan.
2 Medicare	Charges paid in-part or in-full by a Medicare plan. Includes payments directly to the physician as well as payments reimbursed to the patient. Include charges covered under a Medicare sponsored prepaid plan.
3 Medicaid/SCHIP	Charges paid in-part or in-full by a Medicaid plan. Includes payments made directly to the physician as well as payments reimbursed to the patient. Include charges covered under a Medicaid sponsored prepaid plan or the State Children's Health Insurance Program (SCHIP).
4 Worker's Compensation	Includes programs designed to enable employees injured on the job to receive financial compensation regardless of fault.
5 Self-pay	Charges, to be paid by the patient or patient's family, which will not be reimbursed by a third party. "Self-pay" is perhaps a poor choice of wording since we really have no interest in whether the patient actually pays the bill. This category is intended to include visits for which the patient is expected to be ultimately responsible for most of the bill. DO NOT check this box for a copayment or deductible.
6 No charge/Charity	Visits for which no fee is charged (e.g., charity, special research or teaching). Do not include visits paid for as part of a total package (e.g., prepaid plan visits, post-operative visits included in a surgical fee, and pregnancy visits included in a flat fee charged for the entire pregnancy). Mark the box or boxes that indicate how the services were originally paid.
7 Other	Any other sources of payment not covered by the above categories, such as CHAMPUS, state and local governments, private charitable organizations, and other liability insurance (e.g., automobile collision policy coverage).
8 Unknown	The primary source of payment is not known.

## 2. REASON FOR VISIT

---

Enter the patient's complaint(s), symptom(s), or other reason(s) for this visit in the patient's own words. Space has been allotted for the "most important" and two "other" complaints, symptoms, and reasons as indicated below.

- (1) Most important
- (2) Other
- (3) Other

The Most Important reasons should be entered in (1). Space is available for two other reasons in (2) and (3). By "most important" we mean the problem or symptom which in the physician's judgment, was most responsible for the patient making this visit. Since we are interested only in the patient's most important complaints/symptoms/reasons, it is not necessary to record more than three.

This is one of the most important items on the Patient Record form. No similar data on office based physician visits are available in any other survey and there is tremendous interest in the findings. Please take the time to be sure you understand what is wanted--especially the following three points.

We want the patient's principal complaint(s), symptom(s) or other reason(s) in the patient's own words. The physician may recognize right away, or may find out after the examination, that the real problem is something entirely different. In item 2 we are interested in how the patient defines the reason for the visit (e.g., "cramps after eating," or "fell and twisted my ankle").

The item refers to the patient's complaint, symptom, or other reason for this visit. Conceivably, the patient may be undergoing a course of treatment for a serious illness, but if his/her principal reason for this visit is a cut finger or a twisted ankle, then that is the information we want.

There will be visits by patients for reasons other than some complaint or symptom. Examples might be well baby check-up or routine prenatal care. In such cases, simply record the reason for the visit.

Reminder: If the reason for a patient's visit is to pay a bill, ask the physician to complete an insurance form, or drop off a specimen, then the patient is not eligible for the sample. A Patient Record form should not be completed for this patient.

---

## 3. CONTINUITY OF CARE

---

### ITEM 3a. ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN?

The primary care physician plans and provides the comprehensive primary health care of the patient. Check "Yes" if the health care provided to the patient during this visit was from his/her primary care physician. If the physician seen at this visit was substituting for the primary care physician, also check "Yes." Check "No" if care was not from the primary care physician or "Unknown" if it is not known.

If "No" or "Unknown" is checked, also indicate whether the patient was referred for this visit by another physician or health care provider. This item provides an idea of the "flow" of ambulatory patients from one physician to another. Mark the "Yes," "No," or "Unknown" category, as appropriate.

Notice that this item concerns referrals to the sample physician by a different physician or clinic. The interest is in referrals for this visit and not in referrals for any prior visit. Referrals are any visits that are made because of the advice or direction of a clinic or physician other than the physician being visited.

**ITEM 3b. HAVE YOU OR ANYONE IN YOUR PRACTICE SEEN THIS PATIENT BEFORE?**

“Seen” means “provided care for” at any time in the past. In group practices, check “Yes, established patient” if the patient was seen before by any physician or staff member in the group.

Check “No, new patient” if the patient has not been seen by the physician or her/his office.

If “Yes” is checked, also indicate approximately how many past visits the patient has made to your practice within the last 12 months using the check boxes provided. Do not include the current visit in your total. If you cannot determine how many past visits were made, then please mark “Unknown.” Include all visits to other physicians or health care providers under a physician’s supervision in this practice/department.

**ITEM 3c. MAJOR REASON FOR THIS VISIT**

Mark the major reason for the patient's current visit. Be sure to check only one of the following "Major Reasons:"

	Problem	Definition
1	Acute problem	A visit for a condition, illness, or injury having a relatively sudden or recent onset (within three months of this visit).
2	Chronic Problem, Routine	A visit primarily to receive care or examination for a pre-existing chronic condition, illness, or injury (onset of condition was three months or more before this visit).
3	Chronic Problem, Flare up	A visit primarily due to sudden exacerbation of a pre-existing chronic condition.
4	Pre- or Post-Surgery	A visit scheduled primarily for care required prior to or following surgery (e.g., pre-surgery tests, removing sutures).

Episode of Care: For the categories above, designate the episode of care. The "Episode of Care" attempts to measure the nature of the care provided at the visit, an initial visit versus a follow-up visit. An episode of care begins with the initial visit for care for a particular problem and ends when the patient is no longer continuing treatment. A problem may recur later, but that is considered a new episode of care. An initial visit may be diagnostic in nature whereas a follow-up visit may be to check progress or continue therapy.

	Episode Of Care	Definition
1	Initial visit for problem	This is the FIRST VISIT by this patient for care of this particular problem or complaint.
2	Follow-up visit for problem	Care was previously provided for this problem. This is the second or subsequent visit for this problem or complaint.
3	Unknown	Cannot determine if this is the first or follow-up visit for this problem.

Visits for follow-up care for injuries such as removal of casts would be reported under "Follow-up visit." An initial visit for a new episode of a chronic problem flare-up would be listed under "Initial visit" whereas a follow-up visit for a chronic problem flare-up would be listed under "Follow-up visit."

5	Preventive Care	General medical examinations and routine periodic examinations. This includes prenatal and postnatal care, annual physicals, well-child exams and insurance examinations.
---	-----------------	---

**ITEM 3d. DO OTHER PHYSICIANS SHARE PATIENT'S CARE FOR THIS PROBLEM OR DIAGNOSIS?**

Mark "Yes" if the physician is providing care for a portion of the patient's total treatment for his/her condition AND other physician(s) are also providing care. This includes cases where the provider is working cooperatively with other physicians to determine the patient's diagnosis or treatment. Mark "No" if the physician is providing sole care for the patient's problem and is not working in conjunction with other physician(s) to provide care. Mark "Unknown" if it cannot be determined whether the physician is working with other physicians on this case.

---

**4. INJURY/POISONING/ADVERSE EFFECT**

---

**ITEM 4a. IS THIS VISIT RELATED TO AN INJURY, OR POISONING, OR ADVERSE EFFECT OF MEDICAL TREATMENT?**

Mark the "Yes" or "No" box to indicate whether the patient's visit was due to any type of injury, poisoning, or adverse effect of medical treatment. The injury/poisoning/adverse effect does not need to be recent. It can include those visits for follow up of previously treated injuries and visits for flare-ups of problems due to old injuries. This not only includes injuries or poisonings but also adverse effects of medical treatment or surgical procedures (e.g., unintentional cut during a surgical procedure, foreign object left in body during procedure, and adverse drug events).

Include any prescription, over-the-counter medication or illegal drugs involved in an adverse drug event (e.g., allergies, overdose, medication error, drug interactions).

Mark "Unknown" if you cannot determine whether this visit was related to an injury, poisoning, or an adverse effect of medical treatment.

**ITEM 4b. CAUSE OF INJURY, POISONING OR ADVERSE EFFECT**

Provide a brief description of the who, what, when, where, and why associated with the injury, poisoning or adverse effects of medical treatment or surgical procedures including adverse drug events. Indicate the place of the injury (e.g., residence, recreation sports area, street or highway, school, hospital, public building, or industrial place). Include any post-surgical complications and if it involved an implant, specify what kind. If safety precautions were taken, describe them (e.g., seat belt use). Be sure to include the mechanism that caused the injury (e.g., farm equipment, fire, arsenic, knife, pellet gun). If it was a work-related injury or poisoning, specify the industry of the patient's employment (e.g., food service, agriculture, mining, health services, etc.).

Describe in detail the circumstances that caused the injury (e.g., fell off monkey bars, motor vehicle involving collision with another car). Include information on the role of the patient associated with the injury (e.g., bicyclist, pedestrian, unrestrained driver or passenger in a motor vehicle, horseback rider), the specific place of occurrence (e.g., lake, school football field), and the activity in which the patient was engaged at the time of the injury (e.g., swimming, playing football).

Also include what happened to the patient and identify the proximate cause of the injury or injuries for which the patient sought treatment. The proximate cause of injury is the mechanism of injury that is temporarily or immediately responsible for the injury. An example is a laceration caused by a broken piece of glass. Include, in addition, the underlying or precipitating cause of injury (i.e., the event, mechanism, or external cause of injury that initiated and led to the proximate cause of injury). An example is a house fire that caused a person to jump out of the window. Both the precipitating or underlying cause (house fire) and the proximate cause (fall from roof) would be important to record. It's especially important to record as much detail about falls and motor vehicle crashes as possible. For each, indicate what the fall was from and where the patient landed. NCHS will use the information collected to classify the cause of the injury

using the International Classification of Diseases, Supplementary Classification of External Causes of Injury and Poisoning Codes (ICD-9-CM E-Codes).

---

## 5. PHYSICIAN'S DIAGNOSIS FOR THIS VISIT

---

- (1) Primary diagnosis
- (2) Other
- (3) Other

This is one of the most important items on the Patient Record Form. Item 5(1) refers to the physician's primary diagnosis for this visit. While the diagnosis may be tentative, provisional, or definitive it should represent the physician's best judgment at this time, expressed in acceptable medical terminology including "problem" terms. We can not code "Rule Out" (RO) diagnoses. If the patient was not seen by a physician, then the diagnosis by the main medical provider should be recorded.

If a patient appears for postoperative care (follow up visit after surgery), record the postoperative diagnosis as well as any other. The postoperative diagnosis should be indicated with the letters "P.O."

Space has been allotted for two "other" diagnoses. In Items 5(2) and 5(3) list the diagnosis of other conditions related to this visit. Include chronic conditions (e.g., hypertension, depression, etc.) if related to this visit.

---

## 6. DIAGNOSTIC/SCREENING SERVICES

---

Mark all services that were ordered or provided during this visit for the purpose of screening (i.e., early detection of health problems in asymptomatic individuals) or diagnosis (i.e., identification of health problems causing individuals to be symptomatic). During a visit for a complete physical exam, several services may be ordered or provided. EACH SERVICE ORDERED OR PROVIDED SHOULD BE MARKED.

For "Lipids/Cholesterol," include any of the following tests: cholesterol, LDL, HDL, cholesterol/HDL ratio, triglycerides, coronary risk profile, or lipid profile.

For "Electrolytes," include any of the following tests: electrolytes, sodium (Na), chloride (Cl), potassium (K), calcium (Ca), or magnesium (Mg).

If services were ordered or provided but are not listed on the form, mark the "Other service - Specify" box and write-in the service(s) in the space provided.

If a scope procedure was ordered or provided, mark the "Scope procedure - Specify" box and write-in the type in the space provided.

Mark the "NONE" box if no Diagnostic/Screening Services were ordered or provided.

## 7. COUNSELING/EDUCATION/THERAPY

Mark all appropriate boxes for any of the following types of counseling, advice, education, instructions, recommendations, or therapy ordered or provided to the patient during the visit. Exclude medications.

Mark the "NONE" box if no counseling, educational, or therapeutic services were provided.

	Counseling/ Education/ Therapy	Definition
2	Asthma Education	Information regarding the elimination of allergens that may exacerbate asthma, or other activities that could lead to an asthma attack or instruction on the use of medication, such as an inhaler.
3	Diet/Nutrition	Any topic related to the foods and/or beverages consumed by the patient. Examples include general dietary guidelines for health promotion and disease prevention, dietary restrictions to treat or control a specific medical problem or condition, and dietary instructions related to medications. Includes referrals to other health professionals, for example, dietitians and nutritionists.
4	Exercise	Any topics related to the patient's physical conditioning or fitness. Examples include information aimed at general health promotion and disease prevention and information given to treat or control a specific medical condition. Includes referrals to other health and fitness professionals. Does not include referrals for physiotherapy. Physiotherapy ordered or provided at the visit is listed as a separate check box.
5	Growth/ Development	Any topics related to human growth and development.
6	Mental Health/ Stress Management	General advice and counseling about mental health issues and education about mental disorders. Includes referrals to other mental health professionals for mental health counseling. Also includes information intended to help patients reduce stress through exercise, biofeedback, yoga, etc. Includes referrals to other health professionals for the purpose of coping with stress.
7	Physiotherapy	Any form of physical therapy including treatments using heat, light, sound, or physical pressure or movement. For example: ultrasonic, ultraviolet, infrared, whirlpool, diathermy, cold and manipulative therapy.
8	Psychotherapy	All treatments involving the intentional use of verbal techniques to explore or alter the patient's emotional life in order to effect symptom reduction or behavior change.
9	Tobacco use/ exposure	Information given to the patient on issues related to tobacco use in any form, including cigarettes, cigars, snuff, and chewing tobacco, and on the exposure to tobacco in the form of "secondhand smoke." Includes information on smoking cessation as well as prevention of tobacco use. Includes referrals to other health professionals for smoking cessation programs.

- |    |                  |  |
|----|------------------|--|
| 10 | Weight reduction | Information given to the patient to assist in the goal of weight reduction. Includes referrals to other health professionals for the purpose of weight reduction.  |
| 11 | Other            | Check if there were other counseling services or education programs ordered or provided that were not listed above. Mark all appropriate boxes for counseling, education, and therapeutic services (excluding medication) ordered or provided. |

---

## 8. SURGICAL PROCEDURES

---

LIST UP TO TWO SURGICAL PROCEDURES ORDERED, SCHEDULED, OR PERFORMED AT THIS VISIT.

List up to two surgical procedures ordered, scheduled or performed at this visit. Be sure to indicate whether they were "Ordered/scheduled" for another time/place or were "Performed" in the office. Surgical procedures may be simple or complex (e.g., cataract extraction, vasectomy, hernia repair, appendectomy, etc.). Procedures listed here will be coded to the ICD-9-CM Volume 3. Mark (X) in the "NONE" box, if no surgical procedures were ordered, scheduled, or performed.

Do not include medications, as this information is collected in Item 9.

---

## 9. MEDICATIONS & INJECTIONS

---

### ITEM 9a. WHAT IS THE TOTAL NUMBER OF DRUGS PRESCRIBED OR PROVIDED AT THIS VISIT?

If medications were ordered or supplied at this visit or if a patient was told to continue using medications or preparations, please count the number of medications listed on the medical record and write-in that number. If no medications were prescribed or provided, write in "0" and skip to item 10.

Medication, broadly defined, includes the specific name of any:

prescription and non-prescription medication, injections, anesthetics, topical preparations, suppositories, hormones, vitamins, immunizations and allergy shots; and drugs and medications which the doctor ordered or provided prior to this visit and instructs or expects the patient to continue taking regardless of whether a "refill" is provided at the time of visit.

### ITEM 9b. LIST UP TO EIGHT MEDICATION/INJECTION NAMES BELOW.

Please list up to eight medications (i.e., drugs, vitamins, hormones, ointments, suppositories) injected, prescribed, administered, or supplied at this visit, using either the brand or generic names.

Record the exact drug name (brand or generic) written on any prescription or medical record. Do not enter broad drug classes, such as "laxative," "cough preparation," "analgesic," "antacid," "birth control pill," or "antibiotic." The one exception is "allergy shot."

Limit entries to drug name only. Additional information such as dosage, strength or regimen is not required.



For example, the medication might be in the forms of pills, injections, salves or ointments, drops, suppositories, powders, or skin patches, but this information should not be entered on the Patient Record form.

Leave blank if a "0" was entered in item 9a and no medications were prescribed or provided during this visit.

---

## 10. VISIT DISPOSITION

---

Visit Disposition		Definition
1	No follow-up planned	No return visit or telephone contact was scheduled or planned for the patient's problem.
2	Return if needed, PRN	The patient was instructed to return to the office as needed.
3	Refer to other physician	The patient was instructed to consult or seek care from another physician. The patient may or may not return to this office at a later date.
4	Return at specified time	The patient was told to schedule an appointment or was given an appointment to return to the office at a particular time.
5	Telephone follow-up planned	The patient was instructed to telephone the physician or other clinic staff on a particular day to report on his or her progress, or to call at any time if he or she has a problem or wishes further consultation, or a member of the office staff plans to call the patient to check on his or her condition.
6	Admit to hospital	The patient was instructed that further care or treatment will be provided as an inpatient in the hospital.
7	Other	Any other disposition not included in the above list.

---

## 11. PROVIDERS SEEN

---

Mark all providers seen during this visit. If care was provided, at least in part, by a person not represented in the seven categories, mark the "Other" box.

---

## 12. TIME SPENT WITH PHYSICIAN

---

Include here the length of time the physician spent with the patient. DO NOT include the time the patient spent waiting to see the physician or receiving care from someone other than the physician. For example, DO NOT include the time the nurse spent giving the patient an inoculation or the time a technician spent administering an electrocardiogram. It is entirely possible that for visits such as these, the patient would not see the doctor at all. In that case, "0" minutes should be recorded. DO NOT include physician's time spent preparing for a patient such as reviewing the patient's medical records or test results before seeing the patient.

If more than one patient is seen by the doctor at the same time, apply the following rule:

If the doctor can easily separate the time spent with each (e.g., 3 minutes with one and 27 minutes with the other), he/she should record that on the Patient Record forms. If the doctor cannot easily estimate how much time was spent with each, he/she should divide the total time equally among the patients seen together.

### **C. DEFINITIONS OF CERTAIN TERMS USED IN THE NAMCS**

**Ambulatory patient** --An individual presenting for personal health services, neither bedridden nor currently admitted to any health care institution on the premises.

**Continuity of care** -- Continuity of care is a goal of health care achieved through an interdisciplinary process involving patients, families, health care professionals, and providers in the management of a coordinated plan of care. Based on changing needs and available resources, the process optimizes quality outcomes in the health status of patients. It may involve professionals from many different disciplines within multiple systems.

**Drug mention(s)** --The physician's entry of a pharmaceutical agent ordered or provided--by any route of administration--for prevention, diagnosis, or treatment. Generic as well as brand-name drugs are included. Along with all new drugs, the physician also records continued medications if the patient was specifically instructed or expected to continue the medication.

**Drug visit** -- A drug visit is a visit at which medication was prescribed or provided by the physician.

**Office(s)** --Premises that the physician identifies as locations for his or her ambulatory practice. Responsibility over time for patient care and professional services rendered there generally resides with the individual physician rather than with any institution.

**Visit** --A direct, personal exchange between ambulatory patient and the physician (or members of his/her staff) for the purpose of seeking care and rendering health services.

### **PATIENTS**

**In-scope** -- All patients seen by the physician or members of his/her staff in the physician's office(s).

**Out-of-scope** -- Patients seen by the physician in a hospital, nursing home, or other extended care institution, or the patient's home. Note: If the doctor has a private office (which fits definition of "office") located in a hospital, the ambulatory patients seen there would be considered "in-scope." The following types of patients are also considered out-of-scope:

- patients seen by the physician in any institution (including outpatient clinics of hospitals) for which the institution has the primary responsibility for the care of the patient over time;
- patients who telephone and receive advice from the physician;  
patients who come to the office only to leave a specimen, pick up insurance forms, or pay their bills;
- patients who come to the office only to pick up medications previously prescribed by the physician.

## PHYSICIANS

**In-Scope** -- All duly licensed doctors of medicine and doctors of osteopathy currently in practice who have regularly scheduled time for seeing ambulatory patients at an office location.

**Out-of-Scope** -- Those physicians who treat patients only indirectly, including specialists in anesthesiology, pathology, forensic pathology, radiology, therapeutic radiology, and diagnostic radiology, and the following physicians:

- physicians who are federally employed or who are in military service;
- physicians who treat patients only in an institutional setting (e.g., patients in nursing homes and hospitals);
- physicians employed full time by an industry or institution and having no private practice (e.g., physicians who work for the VA, the Ford Motor Company, etc.);
- physicians who spend no time seeing ambulatory patients.

**Physician specialty** -- Principal specialty (including general practice) as designated by the physician at the time of the survey. Those physicians for whom a specialty was not obtained were assigned the principal specialty recorded in the Master Physician files maintained by the AMA or AOA.

**Region of practice location** -- The four geographic regions which correspond to those used by the U.S. Bureau of the Census, are as follows:

<u>Region</u>	<u>States Included</u>
Northeast.....	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont
Midwest.....	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin
South.....	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia
West.....	Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming, Alaska, Hawaii

**APPENDIX II  
REASON FOR VISIT CLASSIFICATION**

**A. SUMMARY OF CODES**

<b>MODULE</b>	<b>CODE NUMBER</b>
<b>SYMPTOM MODULE</b>	
General Symptoms	1001-1099
Symptoms Referable to Psychological and Mental Disorders	1100-1199
Symptoms Referable to the Nervous System (Excluding Sense Organs)	1200-1259
Symptoms Referable to the Cardiovascular and Lymphatic Systems	1260-1299
Symptoms Referable to the Eyes and Ears	1300-1399
Symptoms Referable to the Respiratory System	1400-1499
Symptoms Referable to the Digestive System	1500-1639
Symptoms Referable to the Genitourinary System	1640-1829
Symptoms Referable to the Skin, Nails, and Hair	1830-1899
Symptoms Referable to the Musculoskeletal System	1900-1999
<b>DISEASE MODULE</b>	
Infective and Parasitic Diseases	2001-2099
Neoplasms	2100-2199
Endocrine, Nutritional, and Metabolic Diseases	2200-2249
Diseases of the Blood and Blood-forming Organs	2250-2299
Mental Disorders	2300-2349
Diseases of the Nervous System	2350-2399
Diseases of the Eye	2400-2449
Diseases of the Ear	2450-2499
Diseases of the Circulatory System	2500-2599
Diseases of the Respiratory System	2600-2649
Diseases of the Digestive System	2650-2699
Diseases of the Genitourinary System	2700-2799
Diseases of the Skin and Subcutaneous Tissue	2800-2899
Diseases of the Musculoskeletal System and Connective Tissue	2900-2949
Congenital Anomalies	2950-2979
Perinatal Morbidity and Mortality Conditions	2980-2999
<b>DIAGNOSTIC, SCREENING AND PREVENTIVE MODULE</b>	
General Examinations	3100-3199
Special Examinations	3200-3299
Diagnostic Tests	3300-3399
Other Screening and Preventive Procedures	3400-3499
Family Planning	3500-3599
<b>TREATMENT MODULE</b>	
Medications	4100-4199
Preoperative and Postoperative Care	4200-4299
Specific Types of Therapy	4400-4499
Specific Therapeutic Procedures	4500-4599
Medical Counseling	4600-4699
Social Problem Counseling	4700-4799
Progress Visit, NEC	4800-4899

<b>MODULE</b>	<b>CODE NUMBER</b>
<b>INJURIES AND ADVERSE EFFECTS MODULE</b>	
Injury by Type and/or Location	5001-5799
Injury, NOS	5800-5899
Poisoning and Adverse Effects	5900-5999
<b>TEST RESULTS MODULE</b>	6100-6700
<b>ADMINISTRATIVE MODULE</b>	7100-7140
<b>UNCODABLE ENTRIES</b>	8990-8999
<b>BLANK</b>	9000

NOTE: NOS = Not otherwise specified; NEC = not elsewhere classified

**B. REASON FOR VISIT CLASSIFICATION TABULAR LISTING**

SYMPTOM MODULE			
GENERAL SYMPTOMS (1001-1099)			
1005.0	Chills		
1010.0	Fever		
	Includes:		
	High temperature		
1012.0	Other symptoms of body temperature		
	Excludes:		
	Chills (1005.0)		
	Fever (1010.0)		
	1012.1 Feeling cold		
	1012.2 Feeling hot		
	1012.3 Feeling hot and cold		
1015.0	Tiredness, exhaustion		
	Includes:		
	Exercise intolerance		
	Fatigue		
	Lack of energy		
	No energy		
	Run down		
	Worn out		
1020.0	General weakness		
1025.0	General ill feeling		
	Includes:		
	Diffuse Cx		
	Illness, NOS		
	Malaise		
	Not feeling well		
	Multiple complaints		
	Sick, NOS		
1030.0	Fainting (syncope)		
	Includes:		
	Blacking out		
	Fainting spells		
	Passing out		
	Excludes:		
	Unconsciousness (5840.0)		
		1035.0	Symptoms of fluid abnormalities
			Includes:
			Fluid retention
			Holding water
		1035.1	Edema
			Includes:
			Ankles swelling (both)
			Bloated
			Dropsy
			Legs (both)
			Peripheral
			Swollen with water
			Excludes:
			Swelling of one ankle (1930.5)
			Swelling of one leg (1920.5)
		1035.2	Excessive sweating, perspiration
			Includes:
			Diaphoresis
		1035.3	Excessive thirst
		1040.0	Weight gain
			Includes:
			Fat pads (localized)
			Fatty deposits
			Obesity
			Overweight
			Too fat
			Excludes:
			Counseling for weight problem (4600.0)
		1045.0	Weight loss
			1045.1 Recent weight loss
			1045.2 Underweight
		1046.0	Symptoms of face, NEC
			Excludes:
			Facial pain 1055.4
			Facial paralysis 1230.0
		1050.0	Chest pain and related symptoms (not referable to a specific body system)
			1050.1 Chest pain
			Excludes:
			Heart pain (1265.0)
			1050.2 Chest discomfort, pressure, tightness, heaviness
			Includes:
			C - pressure
			1050.3 Burning sensation in the chest

1055.0	Pain, specified site not referable to a specific body system		
	Includes:		
	Buttock pain		
	Gluteal pain		
	Perineal pain		
	Excludes:		
	Abdominal pain (see 1545.1-1545.3)		
	Chest pain (1050.1)		
	Phantom leg/limb (2307.0)		
1055.1	Rib pain		
1055.2	Side pain, flank pain		
1055.3	Groin pain		
	Includes:		
	Pubic pain		
1055.4	Facial pain		
	Includes:		
	Jaw pain		
	Pain over eye		
1060.0	Pain and related symptoms, generalized, site unspecified		
1060.1	Pain, unspecified		
	Includes:		
	Ache all over (generalized)		
	Incisions		
1060.2	Cramps, spasms, site unspecified		
	Excludes:		
	Menstrual cramps (1745.2)		
1060.3	Stiffness, site unspecified		
1065.0	Tumor or mass, site unspecified		
1065.1	Internal mass, NOS		
1066.0	Lesion, Internal NOS (excludes brain and skin)		
1070.0	Bleeding, multiple or unspecified sites		
1075.0	Symptoms of growth and developmental disorders		
	Includes:		
	Developmental regression		
1075.1	Lack of growth		
	Includes:		
	Failure to thrive		
	Immaturity, physical		
	Poor weight gain		
	Slowness, physical		
	Too short		
1075.2	Excessive growth		
	Includes:		
	Development, early (physical)		
	Too big for age		
	Too tall		
1080.0	General symptoms of infants (under 1 year of age), NEC		
1080.1	Cranky, crying too much, fussy, fidgety, irritable		
1080.2	Regurgitation, spitting up		
	Excludes:		
	Vomiting (1530.0)		
1080.3	Feeding problem, eating difficulty		
1085.0	General or unspecified nonviral infection		
	Includes:		
	Infection, NOS		
1090.0	Allergy, NOS		
	Includes:		
	Angioedema		
	Allergic reaction, NOS		
	Food allergy, NOS		
	Milk allergy, NOS		
	Excludes:		
	Allergic skin reaction (2825.0)		
	Allergy to medications (5905.0)		
	Nasal allergy (2635.0)		
1095.0	Disorders of motor functions		
	Includes:		
	Ataxia		
	Clumsiness		
	Difficulty in walking		
	Dyskinesia		
	Fall, NOS		
	Limping		
	Staggering		
	Stumbling		
	Uncoordinated		
	Unsteady gait		

1096.0 Dyslexia, NOS

1125.0 Restlessness

**SYMPTOMS REFERABLE TO PSYCHOLOGICAL AND MENTAL DISORDERS (1100-1199)**Includes:  
Hyperactivity  
Overactivity

1100.0 Anxiety and nervousness

1130.0 Behavioral disturbances

Includes:  
Apprehension  
Bad nerves  
Jittery  
Panicky feeling  
Stress  
Tension  
Upset  
WorriedIncludes:  
Behavior problem  
Gambling problem  
Lack of self control  
Staring spells

1105.0 Fears and phobias

1130.1 Antisocial behavior

Includes:  
General fearfulness  
AgoraphobiaIncludes:  
Avoiding people  
Excessive shyness  
Lying  
Social isolation  
Withdrawal

1110.0 Depression

1130.2 Hostile behavior

Includes:  
Crying excessively  
Dejected  
Distress (NOS)  
Feeling down  
Feeling low  
Grief  
Hopelessness  
Sadness  
Tension  
Tension headache  
(also code 1210.0)  
UnhappyIncludes:  
Aggressiveness  
Child abuser  
Child neglecter  
Combative  
Criminality  
Cruelty  
Destructiveness  
Elder abuser  
Homicidal  
Negativism  
Parent abuser  
Quarrelsome  
Spouse abuser  
Spouse batterer

1115.0 Anger

1130.3 Hysterical behavior

Includes:  
Bitterness  
Hostile feelings

1130.4 Temper problems

Excludes:  
Temper problems (1130.4)Includes:  
Blowing up  
Fussy  
Irritability  
Losing temper  
Temper tantrums

1120.0 Problems with identity and self-esteem

Excludes:  
Fussy infants (1080.1)Includes:  
Co-dependency  
Dependency  
Don't like myself  
Guilt  
Helpless  
Identity crisis  
Insecurity, emotional  
Lack of motivation  
Loss of identity  
No confidence  
No goals  
Poor boundaries  
Too much is expected of me

1130.5 Obsessions and compulsions



1135.0	Disturbances of sleep		1155.0	Delusions or hallucinations
	Includes: Night terrors			Includes: Flashback Grandiosity Hearing voices Ideas of reference Medicine is poisoned Seeing things
1135.1	Insomnia		1160.0	Psychosexual disorders
	Includes: Can't sleep Sleeplessness Trouble falling asleep		1160.1	Frigidity, loss of sex drive, lack of response, lack of libido
1135.2	Sleepiness (hypersomnia)		1160.2	Homosexuality, concerns with
	Includes: Can't stay awake Drowsiness Groggy		1160.3	Impotence, Erectile dysfunction
1135.3	Nightmares		1160.4	Premature ejaculation
1135.4	Sleepwalking		1160.5	Masturbation excessive, concerns about
1135.5	Apnea		1160.6	Orgasm, problem with
	Includes: Sleep apnea (use additional code 1420.0 if breathing problem)		1160.7	Preoccupation with sex
1140.0	Smoking problems		1165.0	Other symptoms or problems relating to psychological and mental disorders, NEC
	Includes: Can't quit smoking Smoking too much			Includes: Blunted affect Can't cope Constricted affect Danger to self Deja vu feelings Disoriented Difficulty concentrating Frustration Going crazy Hate everybody Inhibited Learning disability Losing my mind Mood fluctuation Mood swings Non-communicative Peculiar thinking Psychological problems, NOS Trouble concentrating Wandering around
	Excludes: Physical symptoms of smoking (see particular symptom) Smoker's cough (1440.0)			Excludes: Character disorder (2315.0) Personality disorder (2315.0)
1145.0	Alcohol-related problems		1165.1	Nailbiting
	Includes: Alcohol abuse Drinking problem		1165.2	Thumbsucking
	Excludes: Adverse effects of alcohol (5915.0) Alcoholism (2320.0)			
1150.0	Abnormal drug usage			
	Includes: Drug abuse Frequent or excessive use of stimulants, hallucinogens, depressants, etc.			
	Excludes: Drug addiction (2321.0) Drug dependence (2321.0) Intoxication with drugs (5910.0) Overdose, intentional (5820.1) Overdose, unintentional, NOS (5910.0)			

**SYMPTOMS REFERABLE TO THE NERVOUS SYSTEM  
(EXCLUDING SENSE ORGANS) (1200 - 1259)**

1200.0	Abnormal involuntary movements	1220.0	Disturbances of sensation
	Includes: Jerking Shaking Tics Tremors Twitch	1220.1	Loss of feeling (anesthesia)
	Excludes: Eye movements (see 1325.0-1325.4) Eyelid twitch (1340.4)		Includes: Lack of sensation No response to pain Numbness Stunned
			Excludes: Post-op complications of anesthesia
			Note: Use additional code to identify body part.
1205.0	Convulsions	1220.2	Increased sensation (hyperesthesia)
	Includes: Febrile convulsions Fits Seizures Spells	1220.3	Abnormal sensation (paresthesia)
	Excludes: Fainting (1030.0)		Includes: Burning legs Burning, tingling sensation Needles and pins Prickly feeling
1207.0	Symptoms of head, NEC	1220.4	Other disturbances of sense, including smell and taste
	Excludes: Headache, pain in head (1210.0)	1225.0	Vertigo - dizziness
1210.0	Headache, pain in head		Includes: Falling sensation Giddiness (dizziness) Lightheadedness Loss of sense of equilibrium or balance Room spinning
	Includes: Post-traumatic (also code 5575.0)		
	Excludes: Migraine (2365.0) Sinus headache (1410.1) Symptoms of head, NEC (1207.0)	1230.0	Weakness (neurologic)
1215.0	Memory, disturbances of		Includes: Drooping, facial or NOS Right- or left-sided weakness
	Includes: Amnesia Forgetfulness Lack or loss of memory Temporary loss of memory		Excludes: General weakness (1020.0)
		1235.0	Disorders of speech, speech disturbance
			Includes: Groping for words Speech/verbal apraxia Unable to speak
		1235.1	Stuttering, stammering
		1235.2	Slurring

1240.0 Other symptoms referable to the nervous system

Includes:  
 Brain lesion  
 Confusion  
 Cognitive decline  
 Damaged nerves  
 Neuralgia  
 Pinched nerve

Excludes:  
 Blocked nerve  
 Nerve block 4560.0

1240.1 Apraxia

Excludes:  
 Speech/verbal apraxia 1235.0

**SYMPTOMS REFERABLE TO THE CARDIOVASCULAR  
 AND LYMPHATIC SYSTEMS (1260-1299)**

1260.0 Abnormal pulsations and palpitations

1260.1 Increased heartbeat

Includes:  
 Pulse too fast  
 Rapid heartbeat

1260.2 Decreased heartbeat

Includes:  
 Pulse too slow  
 Slow heart

1260.3 Irregular heartbeat

Includes:  
 Fluttering  
 Jumping  
 Racing  
 Skipped beat

1265.0 Heart pain

Includes:  
 Anginal pain  
 Heart distress  
 Pain over heart

Excludes:  
 Angina pectoris (2515.0)  
 Chest pain (1050.1)

1270.0 Other symptoms of the heart

Includes:  
 Bad heart  
 Heart condition  
 Poor heart  
 Weak heart

1275.0 Symptoms of lymph glands (or nodes)

1275.1 Swollen or enlarged glands

1275.2 Sore glands

1280.0 Other symptoms referable to the cardiovascular/lymphatic system, NEC

Includes:  
 Telangiectasia

1280.1 Poor circulation

1280.2 Pallor, paleness

1280.3 Flushed, blushing

**SYMPTOMS REFERABLE TO THE EYES AND EARS  
 (1300-1399)**

1305.0 Vision dysfunctions

Excludes:  
 Refractive errors (2405.0)

1305.1 Blindness and half vision

Includes:  
 Visual field deficit

1305.2 Diminished vision

Includes:  
 Blurred vision  
 Can't see distances  
 Difficulty reading  
 Focus, Eyes won't (other than  
 Infant 1335.0)

Obstruction, Vision  
 Poor vision  
 Scotoma  
 Trouble seeing  
 Weak eyes

1305.3 Extraneous vision

Includes:  
 Cloudy vision  
 Hazy vision  
 Spots in front of eyes (floaters)

1305.4 Double vision (diplopia)

1310.0 Discharge from eye

1310.1 Bleeding

1310.2 Tearing, watering (lacrimation)

1310.3 Pus, matter, white discharge

1315.0 Eye infection and inflammation

1315.1 Pinkeye

1320.0	Abnormal sensations of the eye		1340.0	Symptoms of eyelids
	Includes:			Includes:
	Foreign body sensation			Can't close eye
				Lesion
				Rash
1320.1	Pain		1340.1	Infection, inflammation, swelling
	Includes:		1340.2	Itching
	Irritation		1340.3	Mass or growth
1320.2	Itching		1340.4	Abnormal movement
1320.3	Burning, stinging			Includes:
1320.4	Strain			Blinking
1325.0	Abnormal eye movements			Drooping
	1325.1	Abnormal retraction		Squinting
	1325.2	Cross-eyed		Twitching
	1325.3	Pupils unequal	1345.0	Hearing dysfunctions
	1325.4	Deviation		1345.1
1330.0	Abnormal appearance of eyes			Diminished hearing
	1330.1	Abnormal color		Includes:
		Includes:		Deafness
		Bloodshot		Hearing loss
		Red		Trouble hearing
		Excludes:	1345.2	Heightened or acute hearing
		Yellow (1610.2)	1345.3	Extraneous hearing
	1330.2	Protrusion (exophthalmos)		Includes:
	1330.3	Cloudy, dull, hazy appearance		Ring (tinnitus)
				Excludes:
				Hearing things (1155.0)
1335.0	Other and unspecified symptoms referable to eye, NEC		1350.0	Discharge from ear
	Includes:			Includes:
	Defect, NOS			Fluid in ear
1335.1	Contact lens problems		1350.1	Bleeding
1335.2	Allergy		1350.2	Pus (purulent drainage)
1335.3	Swelling		1350.3	Swimmer's ear
	Excludes:		1355.0	Earache, or ear infection
	Foreign body (5600.0)			1355.1
	Injury (5510.0)			Earache, pain
	Abrasion (5410.0)			1355.2
				Ear infection
			1360.0	Plugged feeling in ear
				Includes:
				Blocked
				Congestion in ear
				Cracking
				Ear feels full
				Ears need cleaning
				Ear wax
				Popping

1365.0	Other and unspecified symptoms referable to the ears, NEC		1410.0	Sinus problems
	Includes red, redness			Includes: Sinus cyst Sinus drainage
1365.1	Itching		1410.1	Pain and pressure
1365.2	Growths or mass			Includes: Sinus headache
1365.3	Pulling at ears, picking at ears		1410.2	Sinus inflammation, infection
1365.4	Abnormal size or shape, "ears stick out"		1410.3	Sinus congestion
	Excludes: Foreign body in ear (5620.0)		1415.0	Shortness of breath
<b>SYMPTOMS REFERABLE TO THE RESPIRATORY SYSTEM (1400-1499)</b>				Includes: Breathlessness Out of breath Sensation of suffocation
1400.0	Nasal congestion		1420.0	Labored or difficult breathing (dyspnea)
	Includes: Drippy nose Excess mucus Nasal obstruction Post-nasal drip Runny nose Sniffles Stuffy nose			Includes: Anoxia Can't breathe Hypoxia Smothering Respiratory distress Trouble breathing
1405.0	Other symptoms of nose		1425.0	Wheezing
	Excludes: Nasal allergy (2635.0)			Includes: Sighing respiration
1405.1	Nosebleed (epistaxis)		1430.0	Breathing problems, NEC
1405.2	Sore in nose			Includes: Hurts to breathe
1405.3	Inflammation and swelling		1430.1	Disorders of respiratory sound, NEC
	Includes: Infection Red nose Sore nose			Includes: Abnormal breathing sounds Snoring Rales Rattles Stridor
1405.4	Problem with appearance of nose		1430.2	Rapid breathing (hyperventilation)
	Includes: Bump(s) Too large Undesirable appearance		1435.0	Sneezing
			1440.0	Cough
				Includes: Congested Croupy cough Smoker's cough

1445.0	Head cold, upper respiratory infection (coryza)	1470.0	Abnormalities of sputum or phlegm
	Includes: Cold, NOS	1470.1	Coughing up blood
	Excludes: Chest cold (1475.0)		Includes: Hemoptysis
1450.0	General viral infection	1470.2	Pus in sputum
1450.1	Flu	1470.3	Excessive sputum
	Includes: Grip Influenza		Includes: Productive
	Excludes: Croup (2600.0)	1475.0	Congestion in chest
1455.0	Symptoms referable to throat		Includes: Lung congestion Chest cold
1455.1	Soreness	1480.0	Disorders of voice
	Includes: Throat hurts	1480.1	Hoarseness, loss of voice
1455.2	Pain		Includes: Croaky
1455.3	Infection	1480.2	Hypernasality
	Includes: Throat virus	1485.0	Other symptoms referable to the respiratory system, NEC
	Excludes: Strep throat (2010.0)		Includes: Drainage in throat
1455.4	Irritation, scratch, tickle, itch	1485.1	Lung pain
1455.5	Swelling	1485.2	Lung infection
1455.6	Lump or mass		
	Includes: Sensation of something in throat	<b>SYMPTOMS REFERABLE TO THE DIGESTIVE SYSTEM (1500-1639)</b>	
	Excludes: Foreign body in throat (5615.0)	1500.0	Symptoms of teeth and gums
1460.0	Symptoms referable to tonsils		Includes: Loose tooth (no injury) Tooth infection
	Includes: Hypertrophy Infection Inflammation	1500.1	Toothache
		1500.2	Gum pain
		1500.3	Bleeding gums
		1501.0	Symptoms of the jaw, NOS
			Includes: Jaw problem, unspecified
		1501.1	Swelling
		1501.2	Lump or mass

1505.0	Symptoms referable to lips	1540.0	Gastrointestinal infection
	1505.1 Cracked, bleeding, dry		Includes:
	1505.2 Abnormal color		Intestinal virus
	1505.3 Cold sore		Stomach flu
			Stomach virus
			Viral gastroenteritis
1510.0	Symptoms referable to mouth	1545.0	Stomach and abdominal pain, cramps and spasms
	Includes:		Includes:
	Foaming at the mouth		Gastric pain
	Saliva too thick		Excludes:
	1510.1 Pain, burning, soreness		Groin pain (1055.3)
	1510.2 Bleeding		
	1510.3 Dryness	1545.1	Abdominal pain, cramps, spasms, NOS
	1510.4 Ulcer, sore		
1515.0	Symptoms referable to tongue		Includes:
	Includes:		Abdominal discomfort, NO
	Ulcer on tongue		Gas pains
	Sore on tongue		Intestinal colic
	1515.1 Pain	1545.2	Lower abdominal pain, cramps, spasms,
	1515.2 Bleeding		Includes:
	1515.3 Inflammation, infection, swelling		Right lower quadrant (RLQ) pain
	1515.4 Abnormal color, ridges, coated		Left lower quadrant (LLQ) pain
			Inguinal pain
		1545.3	Upper abdominal pain, cramps, spasms
1520.0	Difficulty in swallowing (dysphagia)		Includes:
	Includes:		Epigastric pain
	Choking		Left upper quadrant (LUQ) pain
	Inability to swallow		Pain in umbilical region
			Right upper quadrant (RUQ) pain
1525.0	Nausea	1565.0	Change in abdominal size
	Includes:		1565.1 Distention, fullness, NOS
	Feel like throwing up		Includes:
	Nervous stomach		Abdominal bloating
	Sick to stomach		Stomach fullness
	Upset stomach		
1530.0	Vomiting	1565.2	Mass or tumor
	Includes:		Includes:
	Can't keep food down		Mass in groin
	Dry heaves		Mass, inguinal
	Retching		
	Throwing up	1565.3	Abdominal swelling, NOS
	Excludes:		
	Regurgitation, infants (1080.2)		
	Vomiting blood (1580.2)		
1535.0	Heartburn and indigestion (dyspepsia)		
	Includes:		
	Excessive belching		





1655.0	Incontinence of urine (enuresis)	1700.0	Symptoms of penis
	1655.1 Involuntary urination, can't hold urine, dribbling, wetting pants	1700.1	Pain, aching, soreness, tenderness, painful erection
	1655.2 Bedwetting	1700.2	Infection, inflammation, swelling
1660.0	Other urinary dysfunctions	1700.3	Lumps, bumps, growths, warts
	Includes: Trouble going Weak Stream	1705.0	Penile discharge
1660.1	Retention of urine	1710.0	Symptoms of prostate
	Includes: Can't urinate		Includes: Prostate trouble
1660.2	Hesitancy	1710.1	Swelling
	Includes: Difficulty in starting stream	1710.2	Infection
1660.3	Large volume	1715.0	Symptoms of the scrotum and testes
	Includes: Polyuria	1715.1	Pain, aching, tenderness
1660.4	Small volume	1715.2	Swelling, inflammation
1665.0	Symptoms of bladder	1715.3	Growths, warts, lumps, bumps
	Includes: Bladder trouble	1715.4	Itching, jock itch
1665.1	Pain	1720.0	Other symptoms of male reproductive system
1665.2	Infection		Includes: Painful ejaculation
1665.3	Mass		Excludes: Psychosexual problems (1160.0-1160.6)
1670.0	Symptoms of the kidneys	1730.0	Absence of menstruation (amenorrhea)
	Includes: Kidney trouble		Excludes: Suspected pregnancy (3200.0) Missed a period (3200.0) Period late (3200.0)
1670.1	Pain	1735.0	Irregularity of menstrual interval
1670.2	Infection	1735.1	Frequent
1675.0	Urinary tract infection, NOS	1735.2	Infrequent
	Includes: Genitourinary infection Urine infection	1735.3	Unpredictable
1680.0	Other symptoms referable to urinary tract	1740.0	Irregularity of menstrual flow
	Includes: Passed stones Urethral bleeding Urinary irritation	1740.1	Excessively heavy (menorrhagia)
	Excludes: Kidney stones or bladder stones (2705.0)	1740.2	Scanty flow (oligomenorrhea)
		1740.3	Abnormal material, including clots

1745.0	Menstrual symptoms, other and unspecified			1775.0	Pelvic symptoms
	Includes: Long periods			1775.1	Pain
	1745.1 Premenstrual symptoms, PMS			1775.2	Pressure or dropping sensation
	Includes: Bloating before periods Premenstrual tension or irritability				Includes: Feeling of uterus falling out
	1745.2 Painful menstruation (dysmenorrhea)			1775.3	Infection, inflammation
	Includes: Menstrual cramps Pain in legs and back during menstruation			1790.0	Problems of pregnancy
					Includes: Fetal movement
					Excludes: Routine prenatal visits (3205.0)
1750.0	Menopausal symptoms			1790.1	Pain during pregnancy
	1750.1 Early or late onset of menopause			1790.2	Spotting, bleeding during pregnancy
	1750.2 Vasomotor symptoms-hot flashes			1790.3	Symptoms of onset of labor
	1750.3 Emotional symptoms, change of life problems				Includes: Water broke Ruptured membranes Labor pain, contractions Labor, NOS
1755.0	Uterine and vaginal bleeding			1791.0	Postpartum problems
	Excludes: Bleeding during pregnancy (1790.2)				Includes: Bleeding Pain
	1755.1 Intermenstrual bleeding (metrorrhagia)				Excludes: Postpartum examination, routine (3215.0)
	Includes: Bleeding between periods Breakthrough bleeding			1795.0	Other symptoms referable to the female reproductive system
	1755.2 Postmenopausal bleeding			1800.0	Pain or soreness of breast
	1755.3 Postcoital bleeding, female				Includes: Tenderness
1760.0	Vaginal discharge			1805.0	Lump or mass of breast
	Includes: Bloody, brown, white (leukorrhea), excessive				Includes: Bump Knot Nodule Cyst
1765.0	Other vaginal symptoms				
	1765.1 Pain				
	1765.2 Infection				
	1765.3 Itching, burning				
1770.0	Vulvar disorders				
	1770.1 Itching and irritation, swelling				
	1770.2 Mass, lump				
	1770.3 Growth, wart, cyst, ulcer, sore				

1810.0	Other symptoms referable to breast	1835.0	Discoloration or abnormal pigmentation
	1810.1 Bleeding or discharge from nipple or breast		Includes: Birthmark Blotches Circles under eyes Freckles Redness Spots
	1810.2 Postpartum problems		Excludes: Blushing (1280.3) Bruise (see 5405.0-5430.0) Flushing (1280.3) Jaundice (1610.2)
	Includes: Engorgement Postpartum infection Nursing difficulties		
	1810.3 Problems with shape or size	1840.0	Infections of skin, NOS
	Includes: Too large Too small Sagging Uneven development		Includes: Draining wound Infected blister Infected wound
1815.0	Symptoms of infertility		Excludes: Athlete's foot (2025.0) Wound drainage (as treatment)
	Includes: Can't get pregnant Inability to conceive Sterility		
1820.0	Hormone deficiency or problem	1840.1	Infection of skin of head or neck area
1825.0	Symptoms of sexual dysfunction	1840.2	Infection of skin of arm, hand, or finger
	Includes: Dyspareunia Painful intercourse	1840.3	Infection of skin of leg, foot, or toe
	Excludes: Psychological disorders (see 1160.0-1160.6)	1845.0	Symptoms of skin moles
			Includes: Skin mole, NOS
<b>SYMPTOMS REFERABLE TO THE SKIN, NAILS, AND HAIR (1830-1899)</b>			
1830.0	Acne or pimples	1845.1	Change in size or color
	Includes: Bad complexion Blackheads Blemishes Breaking out Complexion, NOS Whiteheads	1845.2	Bleeding mole
		1850.0	Warts, NOS
			Includes: Condyloma Condyloma acuminatum
			Excludes: Plantar's warts (2015.0)
		1855.0	Other growths of skin
			Includes: Callus Corns Cysts, NOS Cyst, scalp Skin growth, NOS Skin tag

1860.0 Skin rash  
 Includes:  
 Rash  
 Skin eruption  
 Excludes:  
 Poison ivy (2825.0)  
 Poison oak (2825.0)  
 1860.1 Diaper rash

1865.0 Skin lesion, NOS  
 Includes:  
 Blister  
 Face  
 Papule  
 Pustule  
 Raw area  
 Sore  
 Ulcer

1870.0 Skin irritations, NEC  
 1870.1 Pain  
 1870.2 Itching

1875.0 Swelling of skin  
 Includes:  
 Bumps, lumps  
 Nodules  
 Welts, except hives (2825.0)  
 Tumor, skin

1880.0 Other symptoms referable to skin  
 Excludes:  
 Navel problems (1895.0)  
 1880.1 Oiliness  
 1880.2 Dryness, peeling, scaliness,  
 roughness  
 1880.3 Wrinkles

1885.0 Symptoms referable to nails  
 1885.1 Infected  
 1885.2 Ingrown  
 1885.3 Brittle, breaking, splitting, cracked,  
 ridged

1890.0 Symptoms referable to hair and scalp  
 Includes:  
 Scalp lesion  
 1890.1 Too little hair  
 Includes:  
 Alopecia  
 Baldness  
 Falling out  
 Losing hair  
 1890.2 Unwanted hair  
 Includes:  
 Abnormal hairiness  
 Hirsutism  
 Superfluous hair  
 1890.3 Dryness, flaky scalp, dry scalp  
 1890.4 Itching

1895.0 Navel problems  
 Includes:  
 Umbilicus not healing  
 Protrusion

**SYMPTOMS REFERABLE TO THE MUSCULOSKELETAL SYSTEM (1900-1999)**

These codes exclude all injuries (See Injuries and Adverse Effects Module.)

The following fifth digits should be used with categories 1900-1970 in place of the zero when there is adequate information given:

.1 pain, ache, soreness, discomfort  
 .2 cramps, contractures, spasms  
 .3 limitation of movement, stiffness  
 .4 weakness  
 .5 swelling  
 .6 lump, mass, tumor

1900.0 Neck symptoms  
 1905.0 Back symptoms  
 1910.0 Low back symptoms  
 1915.0 Hip symptoms  
 1920.0 Leg symptoms  
 1925.0 Knee symptoms  
 1930.0 Ankle symptoms  
 1935.0 Foot and toe symptoms  
 1940.0 Shoulder symptoms

1945.0	Arm symptoms	2015.0	Viral diseases
1950.0	Elbow symptoms		Includes:
1955.0	Wrist symptoms		Chickenpox
1960.0	Hand and finger symptoms		Genital warts
	Includes:		German measles (rubella)
	Ring stuck on finger		Hepatitis (infectious and NOS)
1965.0	Symptoms of unspecified muscles		Herpes simplex
1970.0	Symptoms of unspecified joints		Infectious mononucleosis
1975.0	Musculoskeletal deformities		Measles
	Excludes:		Meningitis
	Clubfoot (2960.0)		Mumps
	Curvature of spine (2910.0)		Plantar's warts
1975.1	Bowlegged, knock-kneed		Poliomyelitis
1975.2	Posture problems		Rabies
1975.3	Pigeon-toed, feet turn in		Respiratory syncytival virus (RSV)
1980.0	Other musculoskeletal symptoms		Shingles (Herpes zoster)
	Includes:		Smallpox, NOS
	Bone pain		Venereal warts
	Stump pain		Verruca
		2015.1	Human immunodeficiency virus (HIV) with or without associated conditions
			Includes:
			Acquired immunodeficiency syndrome
			AIDS
			AIDS-like syndrome
			AIDS-related complex
			ARC
			HIV positive
			Excludes:
			Results, follow-up of test for HIV (6106.0)
		2015.2	Hemorrhagic fevers
			Includes:
			Botulism
			Ebola
			Fever, Hemorrhagic
			Marburg
		2020.0	Sexually transmitted diseases
			Includes:
			Chlamydia
			Gonorrhea
			Syphilis
		2025.0	Fungus infections (mycoses)
			Includes:
			Athlete's foot
			Candidiasis monilia
			Dermatophytoses
			Moniliasis
			Ringworm
			Thrush
			Tinea
			Yeast infection

**DISEASE MODULE****INFECTIVE AND PARASITIC DISEASES (2001-2099)**

2030.0	Parasitic diseases Includes: Ascaris Leeches Lice Maggots Pinworms Scabies	2125.0	Cancer, male genital tract  Includes: Epididymitis Penis Prepuce (foreskin) Prostate Scrotum Spermatic Cord Testes
2031.0	Sepsis, septicemia		
2035.0	Other and unspecified infectious and parasitic diseases  Includes: Cattleman's disease Lyme disease PCP (pneumocystis carinii) Plague Staphylococcal infections Trichomonas vaginitis Tuberculosis Tularemia	2126.0	Cancer of urinary tract  Includes: Bladder Kidney Renal pelvis Ureter Urethra
		2130.0	Other malignant neoplasms  Includes: Bone cancer Metastatic carcinoma Brain tumor Carcinoma-in-situ, NOS
<b>NEOPLASMS (2100-2199)</b>			
<u>Malignant neoplasms:</u>			
2100.0	Cancer, gastrointestinal tract  Includes: Colon Esophagus Liver Small intestine Stomach	2135.0	Hodgkin's disease, lymphomata, leukemias  Includes: Cancer of blood Lymphosarcoma Multiple myeloma Polycythemia vera
2105.0	Cancer, respiratory tract  Includes: Bronchus Larynx Lung Throat Trachea	<u>Benign and uncertain nature neoplasms:</u>	
2110.0	Cancer, skin and subcutaneous tissues  Includes: Basal cell carcinoma Melanoma Squamous cell carcinoma	2140.0	Fibroids and other uterine neoplasms  Includes: Cervical polyp Leiomyomata Myoma Nabothian cyst
2115.0	Cancer, breast	2145.0	Other benign neoplasms  Includes: Bartholin's cyst Dermoid cyst (ovary) Hemangioma Lipoma Nasal polyp Nevus Ovarian cyst Rectal polyp Vaginal inclusion Vocal cord  Excludes: Cyst, NOS (1855.0) Epidermoid cyst (2825.0) Pilonidal cyst (2825.0) Sebaceous cyst (2825.0)
2120.0	Cancer, female genital tract  Includes: Cervix Endometrium Fallopian tube(s) Ovary(ies) Uterus Vagina Vulva		

2150.0 Neoplasm of uncertain nature

## Excludes:

Brain tumor (2130.0)

**ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES  
(2200-2249)**

2200.0 Diseases of the thyroid gland

## Includes:

Goiter  
Hyperthyroidism  
Hypothyroidism  
Myxedema  
Thyroid nodule  
Thyrotoxicosis

2205.0 Diabetes mellitus

2210.0 Gout, hyperuricemia

2215.0 Other endocrine, nutritional, and metabolic diseases

## Includes:

Cystinosis  
Disorders of intestinal absorption  
Electrolyte imbalance  
Hematochromatosis  
HL, Elevated  
Hypercholesterolemia  
Hyperlipidemia  
Hypoglycemia  
Low blood sugar  
Malnutrition  
Ovarian dysfunction  
Poor nutrition**DISEASES OF THE BLOOD AND BLOOD-FORMING  
ORGANS (2250-2299)**

2250.0 Anemia

## Includes:

Anemia, NOS  
Iron deficiency anemia  
Pernicious anemia  
Sickle cell anemia

2255.0 Other diseases of blood and blood-forming organs

## Includes:

Hemophilia  
Thrombocytopenia  
von Willebrand's disease**MENTAL DISORDERS (2300-2349)**

2300.0 Organic psychoses

## Includes:

Alcoholic psychoses  
Drug withdrawal  
Organic brain syndromes  
Senile dementia

2305.0 Functional psychoses

## Includes:

Autism  
Bipolar disease  
Depression, Major  
Manic-depressive psychoses  
Paranoid states  
Psychosis, NOS  
Schizophrenia, all types

2310.0 Neuroses

## Includes:

Anxiety reaction  
Depressive neurosis  
Depressive reaction  
Neurosis, NOS  
Obsessive compulsive neurosis

## Excludes:

Anxiety (1100.0)  
Depression (1110.0)

2315.0 Personality and character disorders

2320.0 Alcoholism

## Includes:

Alcohol dependence

## Excludes:

Adverse effect of alcohol (5915.0)  
Alcohol abuse (1145.0)  
Alcohol-related problems (1145.0)

2321.0 Drug dependence

## Includes:

Drug addiction

## Excludes:

Abnormal drug usage (1150.0)  
Adverse effect of drug abuse (5910.0)  
Overdose, intentional (5820.1)

2325.0 Mental retardation

2330.0 Other and unspecified mental disorders

## Includes:

Adolescent adjustment reaction  
Attention deficit disorder (ADD)  
Attention deficit hyperactivity disorder  
(ADHD)  
Note: Use additional code (1125.0) for  
hyperactivity.  
Bruxism  
Dyslexia, Mental  
Grief reaction  
Sexual deviations  
Transient situational disturbances**DISEASES OF THE NERVOUS SYSTEM (2350-2399)**

2350.0 Multiple sclerosis

2355.0 Parkinson's disease (paralysis agitans)  
 2360.0 Epilepsy  
 2365.0 Migraine headache  
 2370.0 Other and unspecified diseases of the nervous system

Includes:  
 Alzheimer's disease  
 Bell's palsy  
 Carpal tunnel syndrome  
 Cerebral palsy  
 Demyelinating disease  
 Meningitis  
 Morton's neuroma  
 Muscular dystrophy  
 Myasthenia gravis  
 Neuropathy  
 Paralysis, NEC  
 Phantom leg/limb pain  
 Thoracic outlet syndrome  
 Tourette's syndrome

**DISEASES OF THE EYE (2400-2449)**

2400.0 Inflammatory diseases of the eye

Includes:  
 Blepharitis  
 Conjunctivitis  
 Ophthalmia  
 Iritis  
 Keratitis (includes sicca)  
 Sty  
 Ulcer

Excludes:  
 Infection, NOS (1315.0)

2405.0 Refractive error

Includes:  
 Anisometropia  
 Astigmatism  
 Hyperopia, farsightedness  
 Myopia, nearsightedness  
 Presbyopia

Excludes:  
 Test for refractive errors (3230.0)

2410.0 Cataract

2415.0 Glaucoma

Includes:  
 Hypertensive ocular disease  
 Increased ocular pressure

2420.0 Other diseases of the eye

Includes:  
 Amblyopia  
 Aphakia  
 Color blindness  
 Esotropia  
 Exotropia  
 Krukenberg's spindle  
 Macular degeneration  
 Pterygium  
 Retinal detachment  
 Strabismus

**DISEASES OF THE EAR (2450-2499)**

2450.0 Otitis media

2455.0 Other diseases of the ear

Includes:  
 Abscess  
 Labyrinthitis  
 Ruptured tympanic membrane

Excludes:  
 Deafness (1345.1)  
 Infection, NOS (1355.2)

**DISEASES OF THE CIRCULATORY SYSTEM (2500-2599)**

2500.0 Rheumatic fever and chronic rheumatic heart disease

Includes:  
 Chorea

2505.0 Hypertension with involvement of target organs

Includes:  
 HCD  
 HCVD  
 Hypertensive cardiovascular disease  
 Hypertensive heart disease  
 Pulmonary hypertension  
 Renal hypertension

2510.0 Hypertension, hypertensive

Includes:  
 High blood pressure

2515.0 Ischemic heart disease

Includes:  
 Angina pectoris  
 Arteriosclerotic cardiovascular disease  
 (ACVD)  
 Arteriosclerotic heart disease (ASHD)  
 Coronary  
 Coronary artery disease  
 Heart attack  
 Myocardial infarction



2520.0	Other heart disease		
	Includes:		
	Aortic valve stenosis		
	Arrhythmia, NOS		
	Atrial fibrillation		
	Cardiac arrhythmia		
	Cardiac dysrhythmias		
	Cardiomyopathy		
	Cardiomyopathy (congestive)		
	Congestive heart failure		
	Cor pulmonale		
	Heart failure		
	Heart murmur		
	Mitral valve prolapse		
	Mitral valve regurgitation		
	Paroxysmal tachycardia		
	Premature ventricular contractions (PVCs)		
	Ventricular tachycardia		
2525.0	Cerebrovascular disease		
	Includes:		
	Carotid stenosis		
	Cerebral arteriosclerosis		
	Cerebral hemorrhage		
	Cerebral stenosis		
	Cerebrovascular accident (CVA)		
	Stroke		
	TIA		
2530.0	Atherosclerosis		
	Includes:		
	Arteriosclerosis		
	Hardening of the arteries		
	Excludes:		
	Cerebral arteriosclerosis (2525.0)		
2535.0	Phlebitis, thrombophlebitis		
	Includes:		
	Phlebothrombosis		
2540.0	Varicose veins		
2545.0	Hemorrhoids		
	Includes:		
	Perineal tags		
2550.0	Other disease of circulatory system		
	Includes:		
	Aneurysm		
	Blood clots		
	Pulmonary embolism		
	Heart disease, NOS		
	Infarct(s), NOS		
	Lymphadenitis		
	Lymphadenopathy		
	Stasis dermatitis		
	Vasculitis		
	Venous insufficiency		
		<b>DISEASES OF THE RESPIRATORY SYSTEM (2600-2649)</b>	
2600.0	Upper respiratory infections except tonsillitis		
	Includes:		
	Croup		
	Laryngitis		
	Pharyngitis		
	Rhinitis		
	Sinusitis		
	Excludes:		
	Allergic rhinitis (2635.0)		
	Cold (1445.0)		
	Nose infection, NOS (1405.3)		
	Sinus infection, NOS (1410.2)		
	Throat infection, NOS (1455.3)		
2605.0	Tonsillitis		
2610.0	Bronchitis		
	Includes:		
	Acute bronchitis		
	Bronchitis, NOS		
	Chronic bronchitis		
2620.0	Emphysema		
2625.0	Asthma		
2630.0	Pneumonia		
	Includes:		
	Bacterial pneumonia		
	Bronchopneumonia		
	Pneumonitis		
	Viral pneumonia		
2635.0	Hay fever		
	Includes:		
	Allergic rhinitis		
	Allergy to:		
	Dust		
	Pollen		
	Animals		
	Ragweed		
	Nasal allergy		
	Pollenosis		
2640.0	Other respiratory diseases		
	Includes:		
	Bronchospasm		
	Chronic obstructive pulmonary disease		
	Deviated nasal septum		
	Hemothorax		
	Pleurisy		
	Pneumothorax		
	Pulmonary edema		
	Respiratory failure		
	SARS		

**DISEASES OF THE DIGESTIVE SYSTEM (2650-2699)**

2650.0 Diseases of the esophagus, stomach, and duodenum

## Includes:

Barrett's esophagus  
 Duodenal ulcer  
 Esophageal ulcer  
 Esophagitis  
 Gastritis  
 GERD  
 Peptic ulcer  
 Stomach ulcer

## Excludes:

Gastroenteritis (2005.0)  
 Stomach flu (1540.0)

2655.0 Appendicitis, all types

2660.0 Hernia of abdominal cavity

## Includes:

Abdominal  
 Femoral  
 Hiatus  
 Inguinal  
 Umbilical  
 Ventral

2665.0 Diseases of the intestine and peritoneum

## Includes:

Abscess, rectal  
 Adhesions  
 Crohn's disease  
 Diverticulitis  
 Diverticulosis  
 Fissure - rectal, anal  
 Fistula - rectal, anal  
 Ileitis  
 Irritable bowel syndrome  
 Proctitis  
 Small bowel obstruction  
 Spastic colitis  
 Ulcerative colitis

## Excludes:

Intestinal virus (1540.0)

2670.0 Diseases of the liver, gallbladder, and pancreas

## Includes:

Biliary colic  
 Cholecystitis  
 Cholelithiasis (gallstones)  
 Cirrhosis  
 Liver diseases  
 Pancreatitis

2675.0 Other diseases of digestive system, NEC

## Includes:

Mandibular cyst

2675.1 Dental abscess

2675.2 Dental cavities

2675.3 Canker sore

2675.4 Stomatitis

2675.5 Temporomandibular joint (TMJ) pain,  
 Temporomandibular joint (TMJ)  
 syndrome

**DISEASES OF THE GENITOURINARY SYSTEM (2700-2799)**

2700.0 Cystitis

## Excludes:

Bladder infection (1665.2)

2705.0 Urinary tract disease except cystitis

## Includes:

Bladder stones  
 Glomerulonephritis  
 Glomerulonephrosis  
 Kidney stones  
 Neurogenic bladder  
 Pyelonephritis  
 Renal failure  
 Ureteral calculus  
 Urethritis

## Excludes:

Bladder infection (1665.2)  
 Kidney infection, NOS (1670.2)  
 Passed stones (1680.0)  
 Urinary tract infection (1675.0)

2710.0 Diseases of the male genital organs

## Includes:

Benign prostatic hypertrophy (BPH)  
 Epididymitis  
 Hydrocele  
 Peyronie's disease  
 Phimosis  
 Prostatitis

## Excludes:

Prostate infection (1710.2)

2715.0 Fibrocystic and other diseases of breast

## Includes:

Abscess  
 Mastitis

## Excludes:

Infection (1810.0)  
 Cancer (2115.0)

2720.0	Pelvic inflammatory disease (PID)	2810.0	Seborrheic dermatitis
	Includes:		Includes:
	Oophoritis		Dandruff
	Pelvic peritonitis	2815.0	Eczema and dermatitis, NOS
	Salpingitis	2820.0	Psoriasis
	Excludes:	2825.0	Other diseases of the skin
	Pelvic infection, NOS (1775.3)		Includes:
2725.0	Cervicitis, vaginitis		Allergic skin reactions
	Includes:		Epidermal inclusion cyst
	Cervical erosion		Folliculitis
	Vulvovaginitis		Hidradenitis
2730.0	Other diseases of female reproductive system		Hives
	Includes:		Keloid
	Cervical dysplasia		Keratosis
	Cystocele		Lupus erythematosus, NOS
	Dysfunctional uterine bleeding		Paronychia
	Endometriosis		Pilonidal cyst
	Polycystic ovaries		Poison ivy
	Procedentia uteri		Poison oak
	Prolapse of uterus		Rosacea
	Rectal-vaginal fistula		Sebaceous cyst
	Rectocele		Urticaria
	Vulvitis		Excludes:
			Acne (1830.0)
			Cyst, NOS (1855.0)
2735.0	Diagnosed complications of pregnancy and puerperium		
	Includes:		
	Advanced maternal age		
	Diabetes during pregnancy		
	Ectopic pregnancy		
	Edema of pregnancy		
	Fetal death in utero		
	High blood pressure during pregnancy		
	High risk pregnancy		
	Hyperemesis		
	Intrauterine growth retardation (IUGR)		
	Miscarriage (if patient is pregnant)		
	Multiple pregnancy		
	Placenta previa		
	Post dates		
	RH sensitization		
	Spontaneous abortion		
	Threatened abortion		
	Toxemia		
	Excludes:		
	Abortion induced (3520.0)		
2736.0	Other diseases of the genitourinary system, NEC		

**DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (2900-2949)**

2900.0	Arthritis		
	Includes:		
	Osteoarthritis		
	Rheumatism, NOS		
	Rheumatoid arthritis		
	Septic		
2905.0	Nonarticular rheumatism		
	Includes:		
	Bursitis		
	Ganglion cyst		
	Lumbago		
	Myositis		
	Radiculitis/Radiculopathy		
	Synovitis		
	Tendinitis		
	Tenosynovitis		
	Excludes:		
	Rheumatism, NOS (2900.0)		

**DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (2800-2899)**

2800.0	Carbuncle, furuncle, boil, cellulitis, abscess, NEC
2805.0	Impetigo

2910.0 Other musculoskeletal or connective tissue disease

Includes:  
 Baker's cyst  
 Bone cysts  
 Bone spur  
 Bunions  
 Cervical myelopathy  
 Curvatures of spine  
 Degenerative disc diseases  
 Dupuytren's contracture  
 Exostosis  
 Kyphoscoliosis  
 Kyphosis  
 Osteomyelitis  
 Osteoporosis  
 Paget's  
 Scleroderma  
 Scoliosis  
 Sjogren's  
 Slipped disc  
 Spondylosis  
 Spur, NOS  
 Systemic lupus erythematosus

**CONGENITAL ANOMALIES (2950-2979)**

2950.0 Congenital anomalies of heart and circulatory system

2955.0 Undescended testicles

Includes:  
 Hypospadias

2960.0 Other and unspecified congenital anomalies

Includes:  
 Absence of organs  
 Blocked tear duct  
 Cleft palate  
 Cleft lip  
 Clubfoot  
 Congenital dislocation of hip  
 Deformed earlobe  
 Down syndrome  
 Duplication of organs  
 Dysmorphic  
 Harelip

**PERINATAL MORBIDITY AND MORTALITY CONDITIONS (2980-2999)**

2980.0 Prematurity

Includes:  
 Late effects of prematurity  
 Premature infant

2990.0 All other perinatal conditions

**DIAGNOSTIC, SCREENING, AND PREVENTIVE MODULE****GENERAL EXAMINATIONS (3100-3199)**

3100.0 General medical examination

Includes:  
 Annual exam  
 Checkup, NOS  
 Checkup, routine  
 Evaluation, NOS  
 General exam  
 Healthy adult  
 Healthy child  
 History and physical (H&P)  
 Multiphasic screening exam  
 Physical exam  
 Preventive  
 Regular exam  
 Routine exam

Excludes:  
 Administrative exam (7100.0-7140.0)  
 Followup visit (4800.0)  
 Gynecological exam (3225.0)  
 Pre-op exam (4200.0)  
 Prenatal exam (3205.0)  
 Progress visit (4800.0)

3105.0 Well baby examination (any child under 1 year of age)

3130.0 General psychiatric or psychological examination

Includes:  
 Psychological testing

Excludes:  
 Court- or school-ordered examination (7140.0)

**SPECIAL EXAMINATIONS (3200-3299)**

3200.0 Pregnancy, unconfirmed

Includes:  
 HCG  
 Late menses  
 Late menstruation  
 Might be pregnant  
 Missed period  
 Period late  
 Possible pregnancy  
 Pregnancy test

3205.0 Prenatal examination, routine

Includes:  
 Normal antepartum visit  
 Pregnancy, NOS  
 Routine obstetrical care

3215.0 Postpartum examination, routine

3220.0	Breast examination	<b>DIAGNOSTIC TESTS (3300-3399)</b>
	Excludes: Breast thermography (3340.0) Mammography (3340.0) Xerography (3340.0)	3300.0 Sensitization test Includes: Allergy test
3225.0	Gynecological examination	Excludes: To check results of skin tests (6600.0)
	Includes: Pelvic exam	3305.0 Skin immunity test
	Excludes: Examination for birth control medication (3505.0) Examination for birth control, NOS (3500.0) Examination involving IUD (3510.0) Repeat or abnormal Pap smear (6300.0)	Includes: PPD test Tuberculin test
3230.0	Eye examination	Excludes: To check results of skin tests (6600.0)
	Includes: Check contacts Check glasses For contacts For glasses Glasses, NOS Need new glasses Routine ophthalmological exam Test for nearsightedness, farsightedness To test my eyes Vision test Visual field test	3310.0 Glucose level determination
	Excludes: Fitting glasses or contacts (4515.0)	Includes: Blood sugar test Check sugar Glucose tolerance test Test for diabetes
3235.0	Heart examination	3314.0 Human immunodeficiency virus (HIV) test
	Includes: Cardiac checkup Heart checkup	Includes: AIDS test
3240.0	Other special examination	Excludes: To check results of human immunodeficiency virus test (6106.0)
	Includes: AICD check Check tubes Examination of functioning internal prosthetic devices: implants, stents,shunts, etc. Hearing aid ICD check Neurological exam Thyroid	3315.0 Other blood test
		Includes: Blood alcohol Blood count Blood culture Blood test, NOS Blood thinning test Check cholesterol Prothrombin time Sickle cell anemia test
		Excludes: Premarital blood test (7135.1)
		3315.1 Blood test for sexually transmitted disease
		3320.0 Blood pressure test
		Includes: Blood pressure check Check blood pressure
		3325.0 Urine test
		Includes: Estriol for fetal evaluation Test urine for sugar Urinalysis Urine culture

3330.0	Diagnostic endoscopies		<b>OTHER SCREENING AND PREVENTIVE PROCEDURES (3400-3499)</b>
	Includes:		
	Arthroscopy		
	Cystoscopy		
	Laparoscopy		
	Proctoscopy		
	Sigmoidoscopy		
3335.0	Biopsies		3400.0 Prophylactic inoculations
3340.0	Mammography, xerography, breast thermography		Includes:
	Excludes:		Flu shot
	Breast examination (3220.0)		Immunization
			Influenza shot
			Rhogam
			Tetanus shot
			Vaccination
3345.0	Diagnostic radiology		3405.0 Exposure to sexually transmitted disease (STD)
	Includes:		Includes:
	Angiogram/angiography		Check for STD
	Bone scan		May have STD
	Hysterosalpingogram		
	IVP		
	MRI		
	Myelogram		
	Radioisotope scanning		
	Venogram		
	X-ray		
3350.0	EKG, ECG, electrocardiogram, treadmill, stress testing		3408.0 Possible HIV
3355.0	EEG, electroencephalogram		3409.0 Exposure to human immunodeficiency virus (HIV)
3360.0	Hearing test		Includes:
	Includes:		Exposed to AIDS
	Hearing exam		
3365.0	Pap smear		3410.0 Exposure to other infectious diseases
3366.0	Nasal swab		Includes:
3370.0	Other and unspecified diagnostic tests		Chickenpox
	Includes:		Infectious hepatitis
	Amniocentesis		Measles
	Centesis		Mumps
	Drug screening		Pathogens
	Electronic fetal monitoring		Tuberculosis
	Lab test, NOS		
	Pulmonary function test		
	Spinal tap		
			3415.0 Exposure to bodily fluids of another person, NOS
			Includes:
			Blood exposure
			Exposure to another's secretions
3370.1	Glaucoma test		
	Includes:		
	ATN check		
	Check intraocular pressure		
3370.2	Throat culture		
3370.3	Heart catheterization		
3370.4	Other cultures		
	Includes:		
	Skin		

**FAMILY PLANNING (3500-3599)**

- 3500.0 Family Planning, NOS
- Includes:  
Counseling, examinations, and general advice regarding:  
Birth control, NOS  
Contraception followup, NOS  
Contraceptive, NOS  
Fertility (NOS) (male or female)  
Genetics  
Insemination  
Sterilization  
Unwanted pregnancy
- Excludes:  
Procedures performed [See Counseling and examinations for pregnancy interruption (3515.0) through Artificial insemination (3530.0)]  
Specified types of birth control:  
Birth control medication (3505.0)  
IUD (3510.0)
- 3505.0 Contraceptive medication
- Includes:  
Depo Provera  
Examinations, instructions, and advice regarding:  
Birth control pills  
Contraceptive implants  
Foams, jellies  
Oral contraceptives  
Renewing pill prescription  
Norplant checkup  
Norplant insertion/removal (also code 4520.0)
- 3510.0 Contraceptive device
- Includes:  
Diaphragm insertion, removal, checkup  
IUD insertion, removal, checkup
- 3515.0 Counseling and examinations for pregnancy interruption
- Includes:  
Evaluation for an arrangement for abortion  
Wants abortion
- 3520.0 Abortion to be performed (at this visit)
- 3525.0 Sterilization and sterilization reversal to be performed (at this visit)
- Includes:  
Male - vasectomy  
Female - tubal ligation

- 3530.0 Artificial insemination (at this visit)
- Includes:  
Assisted reproductive technologies  
Fetal reduction  
Intrauterine insemination  
In vitro fertilization
- 3535.0 Preconception counseling and education
- Includes:  
Counseling, examinations, and general advice regarding:  
Artificial insemination  
Desires pregnancy  
Egg donor  
Infertility  
Semen analysis  
Sperm donor  
Sperm washing

**TREATMENT MODULE****MEDICATIONS (4100-4199)**

- 4100.0 Allergy medication
- Includes:  
Allergy shots  
Allergy treatments
- Excludes:  
Allergy testing (3300.0)
- 4110.0 Injections
- Includes:  
Antibiotics  
Fat  
Hormones  
Injections, NOS  
Iron  
Lupron Depot  
Shots, NOS  
Steroid  
Vitamins
- Excludes:  
Allergy shots (4100.0)  
Immunizations (3400.0)  
Inoculations (3400.0)  
Vaccinations (3400.0)
- 4111.0 Noncompliance with medication therapy

4115.0 Medication, other and unspecified kinds

## Includes:

Antibiotics, NOS  
 Check medication  
 Drug studies  
 For medication  
 Medication for pain  
 Oral  
 Prescribe medication  
 Renew prescription  
 Renew scripts  
 Request prescription  
 Scripts

## Excludes:

Antibiotic medication injections  
 (4110.0)  
 Birth control medication (3505.0)  
 Eyeglass prescription (see Eye  
 examination (3230.0) and  
 Fitting glasses and contact lenses  
 (4515.0))

**PREOPERATIVE AND POSTOPERATIVE CARE (4200-4299)**

4200.0 Preoperative visit for specified and unspecified types of surgery

## Includes:

Discussion of cosmetic surgery  
 Pre-op examination  
 Surgical consultation

4205.0 Postoperative visit

## Includes:

Check graft  
 Check implant  
 Check shunt  
 Check stoma  
 Check surgical wound  
 Clotted graft/shunt  
 Endoscopy follow-up  
 Postop care  
 Postop pain  
 Postop suture removal  
 Suture removal follow-up

## Excludes:

Complications of surgical or medical  
 procedures and treatments (5930.0)

**SPECIFIC TYPES OF THERAPY (4400-4499)**

4400.0 Physical medicine and rehabilitation

## Includes:

Back adjustment  
 Cardiac rehabilitation  
 Heat therapy  
 Hydrotherapy  
 Occupational therapy  
 Physical therapy  
 Pulmonary rehabilitation  
 Recreational therapy  
 Speech therapy  
 Therapeutic exercises  
 Vocational rehabilitation

4401.0 Cardiopulmonary resuscitation (CPR)

4405.0 Respiratory therapy

## Includes:

Asthma treatment  
 Inhalation therapy  
 Inhaler/breathing treatment

4410.0 Psychotherapy

## Includes:

Group counseling  
 Includes:  
 12 Step programs (e.g. AA,  
 Overeaters Anonymous, etc.)  
 Group therapy  
 Psychoanalysis

4415.0 Radiation therapy

Includes treatment of s/p

4420.0 Acupuncture

4425.0 Chemotherapy

**SPECIFIC THERAPEUTIC PROCEDURES (4500-4599)**

4500.0 Tube insertion

## Includes:

Chest tube  
 Flushed catheter  
 PEG, Replacement  
 Port-a-cath placement

## Excludes:

Flushed urinary catheter 4510.0

4505.0 Cauterization, all sites

4507.0 IV therapy, infusion



4510.0	Urinary tract instrumentation and catheterization	4529.0	Internal prosthetic devices (fit, adjust, remove)
	Includes: Flushed urinary catheter Urethral dilation Urinary catheterization		Includes: Breast implants Cardiac pacemaker Joint prostheses
	Excludes: Cystoscopy [see Diagnostic endoscopies (3330.0)]		Excludes: Complications of surgical or medical procedures and treatments (5930.0)
4515.0	Fitting glasses and contact lenses	4530.0	External prosthetic devices, artificial body parts (fit, adjust, remove)
	Includes: Broken or lost glasses or contacts Clean glasses or contacts Pick up glasses or contacts Prescription renewal		Excludes: Prosthetic complications (5930.0)
	Excludes: Eye examination (3230.0)	4535.0	Corrective appliances
4518.0	Detoxification		Includes: Fitting and adjusting: Back brace Hearing aid Leg brace Neck brace Orthopedic shoes Walking cane
	4518.1 Alcohol		
	4518.2 Drug		
4520.0	Minor surgery	4540.0	Cast, splint - application, removal
	Includes: Ear tube removal Ears pierced Joint manipulation Norplant insertion/removal (also code 3505.0) Tattoo removal Tube removal	4545.0	Dressing, bandage - application, change
	4520.1 Wart removed	4550.0	Irrigation, lavage
4521.0	Major surgery	4555.0	Suture - insertion, removal
	Includes: Aspiration bone marrow Balloon angiogram Cholecystectomy Laser surgery, eye Lens extraction Liver biopsy Percutaneous transluminal angiogram Polypectomy PTCA (balloon)	4556.0	Cosmetic injection, NOS
			4556.1 Botox injection 4556.2 Collagen injection
4525.0	Kidney dialysis	4560.0	Other specific therapeutic procedures, NEC
			Includes: Adjust device Cryotherapy Debridement Enema Epidural Eye exercises Nerve block Pessary, Change/Clean Phototherapy Skin rejuvenation TENS unit, NOS Ultraviolet treatment Wound care, NOS

4565.0	Transplants, NOS		4702.0	Problem with access to medical care
	Includes: Stem cell			Includes: Blocked access to medical care Limited access to medical care
	4565.1 Failure		4705.0	Marital problems
	Includes: Bone marrow			Includes: Alcoholic spouse Custody battle Divorce, desertion, separation Marriage counseling, NOS Premarital counseling Problem with husband, wife
	4565.2 Rejection			
<b>MEDICAL COUNSELING (4600-4699)</b>				
4600.0	Diet and nutritional counseling		4710.0	Parent-child problems
	Includes: Check weight Counseling for weight reduction			Includes: Adopted or foster child Concern about childhood behavior Discipline Maturation problems Working mother
4604.0	Human immunodeficiency virus (HIV) counseling		4715.0	Other problems of family relationship
	Includes: AIDS counseling AIDS information, education ARC counseling Worried, concerned about getting, transmitting AIDS			Includes: Aged parents or in-laws Divorced parents Family fights and disruptions Problems with relatives
4605.0	Medical Counseling, NOS		4720.0	Educational problems
	Includes: Alcohol Disease counseling Drug Drug rehabilitation Medical consultation New patient Patient education Personal problem Referral Second opinion To learn about a condition To meet doctor Trouble toilet training Wants to talk to doctor			Includes: Absenteeism, truancy Hates school Problems with teachers School behavior problems
	4605.1 Family history of cardiovascular disease		4725.0	Occupational problems
	4605.2 Family history of cancer			Includes: Job dissatisfaction Out of work Problem with boss or coworkers Unable to work Unemployment
	4605.3 Family history of diabetes		4730.0	Social adjustment problems
	4605.4 Family history of other disease or condition			Includes: Discrimination problems Don't have any friends Loneliness Neighborhood and community relations problems Social isolation
<b>SOCIAL PROBLEM COUNSELING (4700-4799)</b>				
4700.0	Economic problem			
	Includes: Can't pay bills Too little income			

4735.0 Legal problems

Includes:  
Imprisonment, prosecution  
Lawsuits, litigation

4735.1 Police involvement in outpatient visit circumstances

Includes:  
Brought in by police  
Police called

4740.0 Other social problems

Includes:  
Disabled  
Disasters  
Housing and clothing problems  
Pregnancy out-of-wedlock  
Problem with boyfriend or girlfriend  
Problems of aging

**PROGRESS VISIT, NEC (4800-4899)**

4800.0 Progress visit, NOS (Use only when the only information given is progress or followup)

Includes:  
Chronic, NOS  
Followup, NOS  
Getting better  
I'm better  
I'm the same  
I'm worse  
Monthly visit  
Ongoing treatment, NOS  
Recheck  
Routine followup  
Same problems, NOS  
Touching base

Excludes:  
Followup, disease (Code to disease)  
Followup, injury (Code to injury)  
Followup, symptom (Code to symptom)  
Followup, test results (Code to 6100.0-6700.0)  
General checkup (3100.0)  
Postoperative followup (4205.0)  
Preventive medicine (3100.0)

**INJURIES AND ADVERSE EFFECTS MODULE**

**INJURY BY TYPE AND/OR LOCATION (5001-5799)**

Fractures and dislocations:

5005.0 Head and face

Includes:  
Facial bones  
Jaw  
Nose  
Skull

5010.0 Spinal column

Includes:  
Back  
Neck  
Vertebrae

5015.0 Trunk area, except spinal column

Includes:  
Clavicle  
Collarbone  
Pelvic scapula  
Rib

5020.0 Leg

Includes:  
Femur  
Fibula  
Hip  
Knee  
Tibia

5025.0 Ankle

5030.0 Foot and toes

5035.0 Arm

Includes:  
Elbow  
Humerus  
Radius  
Shoulder  
Ulna

5040.0 Wrist

5045.0 Hand and fingers

5050.0 Fracture, other and unspecified

Sprains and strains:

5105.0 Cervical spine, neck

Includes:  
Whiplash

5110.0 Back

5115.0 Knee

5120.0 Ankle

5125.0 Wrist

5130.0 Sprain or strain, other and unspecified

Lacerations and cuts:

5205.0 Head and neck area

Excludes:  
Face (5210.0)

5210.0	Facial area	Includes: Eye Ear Forehead Lip Nose	5430.0	Contusion, abrasion, bruise, site unspecified	
5215.0	Trunk area	Includes: Perineum		<u>Injury, other and unspecified type:</u>	
5220.0	Lower extremity	Includes: Ankle Foot	5505.0	Head, neck, and face	Includes: Post concussive syndrome Tooth fracture Tooth knocked out Traumatic brain injury (TBI)
5225.0	Upper extremity	Includes: Arm Fingers Hand Wrist			Excludes: Loose tooth (no injury) 1500.0
5230.0	Laceration and cuts, site unspecified		5510.0	Eye	
	<u>Puncture wounds:</u>		5515.0	Back	Includes: Tail bone
5305.0	Head, neck and facial area		5520.0	Chest and abdomen	Includes: Internal injuries
5310.0	Trunk area		5525.0	Hip	
5315.0	Lower extremity		5530.0	Leg	
5320.0	Upper extremity		5535.0	Knee	
5325.0	Puncture wound, site unspecified	Includes: Needlestick, NOS	5540.0	Ankle	
	<u>Contusions, abrasions, and bruises:</u>		5545.0	Foot and toe(s)	
5405.0	Head, neck, and face	Excludes: Eye (5410.0)	5550.0	Shoulder	
5410.0	Eye	Includes: Black eye Contusion Corneal abrasion	5555.0	Arm	
5415.0	Trunk area	Includes: Injury to scrotum	5560.0	Elbow	
5420.0	Lower extremity		5565.0	Wrist	
5425.0	Upper extremity		5570.0	Hand and finger(s)	
			5575.0	Injury, multiple or unspecified	Includes post-traumatic (NOS) headache (and 1210.0)
				<u>Foreign body:</u>	
			5600.0	Eye	
			5605.0	Nose	
			5610.0	Skin	
			5615.0	Digestive tract	Includes: Mouth Rectum Throat
			5616.0	Respiratory tract	

5620.0	Other and unspecified sites	5815.0	Violence, NOS
	<u>Burns, all degrees:</u>		Includes:
5705.0	Head, neck, and face Includes eyes		Abuse Beat up In a fight Stabbing
5710.0	Trunk area		Excludes:
5715.0	Extremities		Violence against oneself (5818.0, 5820.0)
	Includes:	5815.1	Child abuse or neglect
	Lower Upper		Excludes:
5720.0	Burn, site unspecified		Child sexual abuse (5830.1)
5750.0	Sunburn, windburn	5815.2	Battered spouse
	Excludes:	5815.3	Elder abuse
	Sun poisoning 5920.0	5815.4	Gunshot wound
	<u>Bites:</u>	5818.0	Intentional self-mutilation
5755.0	Insect		Includes:
	Includes:		Self-abuse Tried to hurt self
	Sting Tick		Excludes:
5760.0	Animal ,snake, human		Suicide attempt (5820.0)
	INJURY, NOS (5800-5899)	5820.0	Suicide attempt
5800.0	Late effects of an old injury		Includes:
	Includes:		Found in car with motor running Hanging oneself Slashed wrists Code also: Laceration of wrists (5225.0) Stabbed oneself
	Deformities Scars	5820.1	Overdose, intentional
5805.0	Motor vehicle accident, type of injury unspecified		Excludes:
	Includes:		Unintentional overdose (5910.0)
	Auto accident Car accident Motorcycle accident	5830.0	Rape
5810.0	Accident, NOS		Includes:
	Includes:		Sexual assault
	Fall, type or location of injury unspecified	5830.1	Sexual abuse
			Includes:
			Molestation
		5835.0	Dead on arrival (DOA)
			Includes:
			Death
			Excludes:
			Cardiac arrest (5837.0) Cardiopulmonary arrest (5839.0) Respiratory arrest (5836.0)

5836.0	Respiratory arrest			<b>POISONING AND ADVERSE EFFECTS (5900-5999)</b>
	Excludes:		5900.0	Unintentional poisoning
	Cardiac arrest (5837.0)			
	Cardiopulmonary arrest (5839.0)		5900.1	Food poisoning
	Dead on arrival (5835.0)			
	Drowning (5838.0)		5900.2	Ingestion, inhalation, or exposure to potentially poisonous products
	Near drowning (5838.0)			
5837.0	Cardiac arrest			
	Includes:			Includes:
	Code blue			Household products
	Excludes:			Chemicals
	Cardiopulmonary arrest (5839.0)			Drugs
	CPR (4401.0)			Gas
	Dead on arrival (5835.0)			Smoke
	Respiratory arrest (5836.0)			Lead
				Mace in eyes
5838.0	Drowning		5905.0	Adverse effect of medication
	Includes:			Includes:
	Near drowning			Allergy to medication
5839.0	Cardiopulmonary arrest			Anaphylactic shock
	Excludes:			Bad reaction to prescribed medication
	Cardiac arrest (5837.0)			Penicillin allergy
	Respiratory arrest (5836.0)		5910.0	Adverse effect of drug abuse
5840.0	Unconscious on arrival			Includes:
	Includes:			Bad trip
	Coma			Combination of drugs and alcohol (nonsuicidal)
	Found unconscious			Drug-induced hallucinations
	Knocked out			Freaked out on drugs
	Knocked out			Ingestion of drugs for nonmedicinal purposes
	Shock			Unintentional overdose
	Stupor			
	Unresponsive			Excludes:
5841.0	State of consciousness not specified			Intentional overdose (5820.1)
	Includes:		5915.0	Adverse effect of alcohol
	Brought in by ambulance			Includes:
	Found on floor			Acute intoxication
	Verbally unresponsive			Drunk
5842.0	Altered level of consciousness, NOS			Intoxication
	Excludes:		5920.0	Adverse effects of environment
	Adverse effect of alcohol 5915.0			Includes:
	Adverse effect of drug abuse 5910.0			Air pollution
				Frostbite
				Hypothermia
				Noise pollution
				Sun damage
				Sun poisoning
				Water pollution

5922.0	Adverse effects of terrorism and bioterrorism Includes: Anthrax, skin Anthrax, respiratory (inhalation) Bombing Food/water contamination Smallpox	6106.0	For results of test for human immunodeficiency virus (HIV)  Includes: Results of AIDS test  Excludes: History of positive HIV test findings (2015.1)
Note: Use an additional code to identify the complaint, symptom, or disease, if any.			
5925.0	Adverse effects, other and unspecified  Includes: Seasickness	6110.0	For other findings of blood tests  Includes: Elevated sed rate Low potassium Positive blood culture Positive serology, VDRL
5930.0	Complications of surgical or medical procedures and treatments  Includes: Artificial openings (ostomies, stoma) Catheter Foreign body (accidentally left during surgery e.g. sponge, instrument) Medical complication, NOS Non-healing surgical wound Post-op fever Post-op hemorrhage (bleeding) Post-op infection or inflammation Post-op sepsis (septicemia) Shunt Tubes Wound dehiscence  Use additional code to identify condition Such as: UTI (1675.0) Fever (1010.0)  Excludes: Postpartum conditions (1791.0 and 1810.2) Complication of transplant organs (4565.1-4565.2)	6200.0	For results of urine tests  Includes: Abnormal urinalysis Positive urine culture Sugar in urine
		6300.0	For cytology findings  Includes: Atypical Pap smear For results of Pap smear of cervix or other area Positive Pap smear Repeat Pap smear
		6400.0	For radiological findings  Includes: Abnormal X-ray X-ray results Xeromammography results
		6500.0	For results of EKG, Holter monitor review
		6600.0	For results of skin tests
		6700.0	For other and unspecified test results  Includes: Abnormal EEG Abnormal lab test results, NOS Abnormal scans Abnormal pulmonary function test Results of fetal evaluation tests To discuss test results with physician Ultrasonography results

**TEST RESULTS MODULE**

(Includes all abnormal test results and followups for test results)

6100.0	For results of blood glucose tests  Includes: Abnormal glucose tolerance test Elevated blood sugar Glucose control High blood sugar Hyperglycemia Sugar in blood		
6105.0	For results of cholesterol and triglyceride tests  Includes: High cholesterol		

<b>ADMINISTRATIVE MODULE</b>			
7100.0	Physical examination required for school or employment	7140.0	Other reason for visit required by party other than the patient or the health care provider
	7100.1 Physical examination required for employment		Includes: Physical examination for adoption Psychiatric examination required by court
	Includes: Preemployment examination Required company physical Return to work checkup Teacher's certificate physical		
	7100.2 Executive physical examination		
	7100.3 Physical examination required for school		
	Includes: College Day care center Grade school High school Nursery school		
	7100.4 Physical examination for extracurricular activities		
	Includes: Athletics Boy Scouts or Girl Scouts Camp Little League		
7120.0	Driver's license examination		
7125.0	Insurance examination		
7130.0	Disability examination		
	Includes: Evaluation of disability Social Security examination		
7131.0	Worker's comp exam		
7135.0	Premarital examination		
	7135.1 Premarital blood test		
7137.0	Direct admission to hospital		
	Includes: Admit to hospital Direct admit For admission Here for admission Involuntary commitment Pre admission evaluation Pre admission exam Voluntary commitment		
			<b>UNCODABLE ENTRIES</b>
		8990.0	Problems, complaints, NEC
		8991.0	Patient unable to speak English
		8993.0	Patient (or patient's spokesperson) refused care
			Includes: Left AMA Walked out
		8997.0	Entry of "none" or "no complaint"
			Includes: Asymptomatic, NOS Doing well
		8998.0	Insufficient information
		8999.0	Illegible entry
			<b>SPECIAL CODE</b>
		90000	Blank



## APPENDIX III

## A. GENERIC CODES AND NAMES IN NUMERIC ORDER

50000 UNDETERMINED	50183 AMINACRINE	50435 AUROTHIOGLUCOSE
50002 LEVONORGESTREL	50185 AMINO ACIDS	50440 AZATADINE
50004 ACACIA GUM	50190 AMINOACETIC ACID	50444 AZTREONAM
50005 ACETAMINOPHEN	50195 AMINOBENZOIC ACID	50445 AZATHIOPRINE
50008 ACEBUTOLOL HYDROCHLORIDE	50200 AMINOCAPROIC ACID	50446 AZLOCILLIN SODIUM
50015 ACETANILID	50203 AMINOGLUTETHIMIDE	50447 BACAMPICILLIN
50018 ACETATE ION	50205 AMINOHIPPURATE SODIUM	50450 BACITRACIN
50020 ACETAZOLAMIDE	50210 AMINOPHYLLINE	50455 BACLOFEN
50025 ACETIC ACID	50220 AMINOSALICYLIC ACID	50460 BALSAM
50030 ACETOHEXAMIDE	50223 AMIODARONE HCL	50465 BANDAGE
50032 ACETOHYDROXAMIC ACID	50230 AMITRIPTYLINE	50475 BARBITAL
50035 ACETONE	50235 AMMONIA SPIRIT AROMATIC	50480 BARIUM SULFATE
50040 ACETOPHENAZINE	50238 AMMONIA STRONG	50485 BCG VACCINE
50060 ACETYLCYSTEINE	50240 AMMONIATED MERCURY	50490 BECLOMETHASONE
50078 ACYCLOVIR	50243 AMMONIUM BROMIDE	50492 BEEF EXTRACT
50080 ADENOSINE	50244 AMMONIUM CARBONATE	50495 BELLADONNA
50085 ALBUMIN HUMAN	50245 AMMONIUM CHLORIDE	50498 BENAZEPRIL HYDROCHLORIDE
50088 ALBUTEROL	50249 AMMONIUM PHOSPHATE	50499 BENACTYZINE
50090 ALCOHOL	50250 AMOBARBITAL SODIUM	50500 BENDROFLUMETHIAZIDE
50093 ALFENTANIL HYDROCHLORIDE	50258 AMOXAPINE	50505 BENOXINATE
50096 ALGINIC ACID	50260 AMOXICILLIN	50507 BENTIROMIDE
50097 ALKYL ARYL POLYETHER ALCOHOL	50265 AMPHETAMINE	50508 BENTONITE
50103 ALLANTOIN	50270 AMPHOTERICIN	50515 BENZALKONIUM CHLORIDE
50104 ALLOBARBITAL	50275 AMPICILLIN	50516 BENZENE
50105 ALLOPURINOL	50278 AMRINONE LACTATE	50520 BENZETHONIUM CHLORIDE
50107 ALMOND OIL	50280 AMYL NITRITE	50525 BENZIN
50109 ALOIN	50281 AMYL PHENYL PHENOL	50530 BENZOCAINE
50110 ALPHAPRODINE	50283 AMYLASE	50538 BENZOIC ACID
50113 ALPRAZOLAM	50284 ANETHOLE	50540 BENZOIN
50116 ALPROSTADIL	50290 ANISE OIL	50545 BENZONATATE
50120 ALSEROXYLON	50295 ANISINDIONE	50548 BENZOPHENONE
50125 ALUMINUM	50300 ANISOTROPINE	50550 BENZOYL PEROXIDE
50130 ALUMINUM ACETATE	50305 ANTAZOLINE	50555 BENZPHETAMINE
50135 ALUMINUM AMMONIUM SULFATE	50310 ANTHRALIN	50558 BENZQUINAMIDE
50138 ALUMINUM CHLORHYDROXY- ALLANTOINATE	50320 ANTIHEMOPHILIC FACTOR HUMAN	50560 BENZTHIAZIDE
50140 ALUMINUM CHLORIDE	50323 ANTIMONY POTASSIUM TARTRATE	50565 BENZTROPINE
50145 ALUMINUM HYDROXIDE	50325 ANTIPYRINE	50570 BENZYL ALCOHOL
50155 ALUMINUM PHOSPHATE	50330 ANTIRABIES SERUM	50575 BENZYL BENZOATE
50157 ALUMINUM POTASSIUM SULFATE	50338 ANTIVENIN BEE STING	50576 BENZYL CINNAMATE
50160 ALUMINUM SUBACETATE	50365 APROBARBITAL	50577 BERACTANT
50163 ALUMINUM SULFATE	50367 ARALIA	50580 BETA CAROTENE
50165 AMANTADINE	50370 ARGININE	50583 BETAINE
50170 AMBENONIUM	50375 ARNICA TINCTURE	50585 BETAMETHASONE
50175 AMCINONIDE	50380 ASAFETIDA TINCTURE	50588 BETAXOLOL HCL
50178 AMDINOCILLIN	50400 ASPARAGINASE	50590 BETAZOLE
50180 AMIKACIN	50410 ASPIRIN	50595 BETHANECHOL
50182 AMILORIDE	50418 ATENOLOL	50605 BILAZO REAGENT
	50419 ATRACURIUM BESYLATE	50610 BILE ACIDS
	50420 ATROPINE	50613 BILE SALTS
	50430 ATTAPULGITE	50615 BIOFLAVONOIDS
	50433 AURANOFIN	50620 BIOTIN
		50625 BIPERIDEN

50630	BISACODYL	50811	CALCIUM	51000	CEPHAPIRIN
50631	BISMUTH ALUMINATE		PANTOTHENATE	51005	CEPHRADINE
50632	BISMUTH OXIDE	50818	CALCIUM	51008	CERESIN WAX
50634	BISMUTH SULFONATE		THIOGLYCOLLATE	51010	CERIUM OXALATE
50635	BISMUTH ANTI-DIARRHEA AGENTS	50821	CALCIUM THIOSULFATE	51012	CERULETIDE
50637	BISMUTH, EXTERNAL	50823	CALCIUM		DIETHYLAMINE
50638	BISMUTH IODIDE		UNDECYLENATE	51015	CETALKONIUM
50640	BISMUTH SALICYLATE	50840	CALUSTERONE		CHLORIDE
50650	BISMUTH	50845	CAMPHOR	51016	CETEARETH
	TRIBROMOPHENATE	50848	CANDELILLA WAX	51017	CETEARYL OCTANOATE
50653	BITOLTEROL MESYLATE	50860	CANTHARIDIN	51018	CETRIMONIUM BROMIDE
50655	BLEOMYCIN	50865	CAPREOMYCIN	51020	CETYL ALCOHOL
50660	BORIC ACID	50866	CAPRYLIC ACID	51023	CETYLPYRIDINIUM
50663	BRAN	50867	CAPSAICIN	51025	CHARCOAL
50665	BRETYLIUM	50868	CAPSICUM	51030	CHERRY SYRUP
50668	BRILLIANT BLUE	50869	CAPTOPRIL	51040	CHLORAL HYDRATE
50670	BRILLIANT GREEN	50870	CARAMEL	51045	CHLORAMBUCIL
50675	BROMELAINS	50873	CARAMIPHEN	51050	CHLORAMPHENICOL
50679	BROMINE	50875	CARBACHOL	51053	CHLORCYCLIZINE
50680	BROMOCRIPTINE	50880	CARBAMAZEPINE	51055	CHLORDIAZEPOXIDE
50685	BROMODIPHEN- HYDRAMINE	50885	CARBARSONE	51060	CHLORHEXIDINE
50687	BROMOPHENOL	50887	CALCIUM CARBASPIRIN	51064	CHLORIDE ION
50690	BROMPHENIRAMINE	50890	CARBAZOCHROME	51066	CHLORMEZANONE
50698	BUCHU	50895	CARBENICILLIN	51068	CHLOROACETIC ACID
50705	BUCLIZINE	50898	CARBETAPENTANE	51070	CHLOROALLYL- HEXAMINIUM
50706	BUFFERS	50899	CARBIDOPA		CHLORIDE
50708	BUMETANIDE	50900	CARBINOXAMINE	51075	CHLOROBUTANOL
50710	BUPIVACAINE	50905	CARBOL-FUCHSIN	51080	CHLOROFORM
50711	BUPRENORPHINE HCL	50908	CARBON DIOXIDE	51085	CHLOROPHYLL
50713	BUSPIRONE HCL	50910	CARBON	51090	CHLOROPROCAINE
50714	BUPROPION		TETRACHLORIDE	51095	CHLOROQUINE
50715	BUSULFAN	50912	CARBOXYMETHYL- CELLULOSE	51100	CHLOROTHIAZIDE
50720	BUTABARBITAL	50920	CARISOPRODOL	51105	CHLOROTHYMOL
50728	BUTALBITAL	50923	CARMELLOSE	51110	CHLOROTRIANISENE
50730	BUTAMBEN	50925	CARMUSTINE	51115	CHLOROXINE
50733	BUTOCONAZOLE NITRATE	50929	CARNITINE	51120	CHLOROXYLENOL
50740	BUTORPHANOL TARTRATE	50930	CARPHENAZINE	51125	CHLORPHENESIN
50742	BUTYLPARABEN	50933	CASANTHRANOL	51130	CHLORPHENIRAMINE
50745	CAFFEINE	50935	CASCARA	51150	CHLORPROPAMINE
50755	CALAMINE	50938	CASEIN	51155	CHLORPROPAMIDE
50758	CALCIFEDIOL	50940	CASTOR OIL	51160	CHLORPROTHIXENE
50760	CALCITONIN	50943	CEDAR LEAF OIL	51165	CHLORTETRACYCLINE
50770	CALCIUM REPLACEMENT AGENTS	50945	CEFACLOR	51170	CHLORTHALIDONE
50773	CALCIUM GLYCEROPHOSPHATE	50950	CEFADROXIL	51175	CHLORZOXAZONE
50775	CALCIUM ACETATE	50955	CEFAMANDOLE	51177	CHOLECALCIFEROL
50776	CALCIUM	50960	CEFAZOLIN	51180	CHOLERA VACCINE
50780	CALCIUM BROMIDE	50961	CEFTRIAZONE	51185	CHOLESTEROL
50785	CALCIUM CARBONATE	50962	CEFOPERAZONE	51190	CHOLESTYRAMINE
50800	CALCIUM HYDROXIDE	50963	CEFORANIDE	51193	CHOLIC ACID
50802	CALCIUM IODIDE	50964	CEFOTAXIME SODIUM	51195	CHOLINE
50803	CALCIUM POLYSULFIDE	50965	CEFOXITIN SODIUM	51200	CHOLINE SALICYLATE
50805	CALCIUM SILICATE	50966	CEFTAZIDIME	51203	CHONDRUS
50806	CALCIUM ION	50967	CEFUROXIME SODIUM	51205	CHORIONIC GONADOTROPIN
50810	CALCIUM SUCCINATE	50968	CELLULOSE		
		50969	CEFOTETAN DISODIUM	51208	CHROMIC CHLORIDE
		50975	CELLULOSE	51209	CHROMIUM
		50980	CEPHALEXIN	51211	CHYMOPAPAIN
		50990	CEPHALORIDINE	51215	CHYMOTRYPSIN
		50995	CEPHALOTHIN	51218	CICLOPIROX

51219	CILASTATIN SODIUM	51445	CUPRIC SULFATE	51709	DICHLORODI- FLUOROMETHANE
51220	CIMETIDINE	51450	OXYTETRACYCLINE	51710	DICHLOROTETRA- FLUOROETHANE
51223	CINNAMEDRINE	51460	CYCLACILLIN	51712	DICHLOROPHENE
51225	CINNAMON OIL	51465	CYCLANDELATE	51715	DICHLORPHENAMIDE
51227	CINOXACIN	51470	CYCLOBENZAPRINE	51720	DICLOXACILLIN
51228	CINOXATE	51475	CYCLOMETHYCAINE	51725	DICUMAROL
51229	CIPROFLOXACIN HCL	51478	CYCLOPENTAMINE	51730	DICYCLOMINE
51230	CISPLATIN	51480	CYCLOPENTOLATE	51732	DIANOSINE
51235	CITRIC ACID	51485	CYCLOPHOSPHAMIDE	51735	DIENESTROL
51240	CITRONELLA OIL	51490	CYCLOSERINE	51740	DIETARY SUPPLEMENT
51242	CLARITHROMYCIN	51493	CYCLOSPORINE	51750	DIETHYLPROPION
51243	CLOBETASOL PROPIONATE	51495	CYCLOTHIAZIDE	51755	DIETHYLSTILBESTROL
51245	CLEMASTINE	51500	CYCLIZINE	51760	DIFLORASONE DIACETATE
51250	CLIDINIUM BROMIDE	51505	CYCRIMINE	51763	DIFLUNISAL
51255	CLINDAMYCIN	51510	CYPROHEPTADINE	51765	DIGALLOYL TRIOLEATE
51257	CLOCORTOLONE	51515	CYSTEINE	51770	DIGITALIS
51260	CLOFIBRATE	51518	CYSTINE	51775	DIGITOXIN
51265	CLOMIPHENE	51520	CYTARABINE	51780	DIGOXIN
51270	CLONAZEPAM	51523	D-ALPHA TOCOPHERYL	51785	DIHYDROERGOTAMINE
51275	CLONIDINE	51530	DACARBAZINE	51790	DIHYDROTACHYSTEROL
51280	CLORAZEPATE	51535	DACTINOMYCIN	51792	DIHYDROXYACETONE
51290	CLOTRIMAZOLE	51540	DANAZOL	51795	DIHYDROXYALUMINUM AMINOACETATE
51295	CLOVE OIL	51545	DANTHRON	51803	DILTIAZEM
51300	CLOXACILLIN	51550	DANTROLENE	51805	DIISOBUTYL- PHENOXYPOLY- ETHOXYETHAN
51303	CLOZAPINE	51555	DAPSONE	51810	DIMENHYDRINATE
51305	COAL TAR	51560	DAUNORUBICIN	51815	DIMERCAPROL
51308	COBALAMIN	51575	DEFEROXAMINE	51817	DIMETHICONE
51310	COCAINE HCL	51585	DEHYDROCHOLIC ACID	51825	DIMETHISOQUIN
51313	COCAMIDOPROPYL BETAINE	51590	DEMECARIUM	51830	DIMETHYL SULFOXIDE
51315	COCCIDIOIDIN	51595	DEMECLOCYCLINE	51835	DIMETHYLAMINO- BENZALDEHYDE
51320	COCILLANA	51597	DEOXYCHOLIC ACID	51840	DINOPROSTONE
51325	COCOA BUTTER	51598	DESOXYRIBONUCLEASE	51848	DIPERODON
51330	COCONUT OIL	51600	DESERPIDINE	51860	DIPHENHYDRAMINE
51335	COD & HALIBUT LIVER OIL	51605	DESIPRAMINE	51865	DIPHENIDOL
51340	CODEINE	51610	DESLANOSIDE	51868	DIPHENOXYLATE
51345	COLCHICINE	51615	DESMOPRESSIN	51885	DIPHENYLPYRALINE
51355	COLESTIPOL	51620	DESONIDE	51900	DIPHThERIA ANTITOXIN
51358	COLIFORM VACCINE	51625	DESOXIMETASONE	51903	DIPH PERTUSSIS TETANUS VACCINE
51360	COLISTIN	51627	DESOXYCHOLIC ACID	51910	DIPHThERIA TOXOID
51365	COLLAGEN DERIVATIVE	51630	DESOXYCORTICO- STERONE	51913	DIPIVEFRIN
51375	COLLODION	51633	DETERGENT	51914	DIPROPYLENE GLYCOL SALICYLATE
51380	COMBINATION PRODUCT	51635	DEXAMETHASONE	51915	DIPYRIDAMOLE
51382	MULTIVITAMIN COMBINATION	51638	DEXBROMPHENIRAMINE	51920	DISOPYRAMIDE
51385	CONGO RED	51640	DEXCHLORPHENIRAMINE	51925	DISULFIRAM
51390	CONTACT LENS SOLUTION	51645	DEXPANTHENOL	51927	DIVALPROEX SODIUM
51393	COPPER	51647	DEXTRAN	51930	DOBUTAMINE
51395	CORN OIL	51660	DEXTRANOMER	51935	DOCUSATE
51400	CORTICOTROPIN	51665	DEXTROAMPHETAMINE	51945	DOPAMINE
51405	CORTISONE	51670	DEXTROMETHORPHAN	51947	DOXACURIUM CHLORIDE
51410	COSYNTROPIN	51675	DEXTROSE	51950	DOXAPRAM
51415	COTTONSEED OIL	51685	DEXTROTHYROXINE	51953	DOXAZOSIN MESYLATE
51425	CRESOL	51686	DIABETIC SUPPLIES, MISCELL		
51430	CROMOLYN SODIUM	51688	DIASTASE		
51435	CROTAMITON	51689	DIATRIZOATE SODIUM		
51440	CRYPTENAMINE	51695	DIAZEPAM		
		51700	DIAZOXIDE		
		51705	DIBUCAINE		
		51708	DICHLORALPHENAZONE		

51955	DOXEPIN	52194	EUPHORBIA	52425	GLUCOSE
51960	DOXORUBICIN	52195	EUGENOL	52435	GLUTAMIC ACID
51965	DOXYCYCLINE	52198	FAMOTIDINE	52440	GLUTARALDEHYDE
51970	DOXYLAMINE	52203	FACTOR IX COMPLEX HUMAN	52445	GLUTETHIMIDE
51978	DRONABINOL			52447	GLYBURIDE
51980	DROMOSTANOLONE	52210	FAST GREEN FCF	52450	GLYCERIN
51985	DROPERIDOL	52213	FAT EMULSION	52452	GLYCERYL
51990	DYCLONINE	52215	FENFLURAMINE	52455	GLYCOPYRROLATE
52000	DYPHYLLINE	52218	FENNEL OIL	52465	GLYCYRRHIZA
52005	ECHOTHIOPHATE	52219	FELODIPINE	52470	GOLD SODIUM THIOMALATE
52008	ECONAZOLE	52220	FENOPROFEN		
52010	EDETATE CALCIUM DISODIUM	52225	FENTANYL	52472	GONADORELIN
52015	EDETATE DISODIUM	52270	FIBRINOLYSIN	52475	GOLD SODIUM THIOSULFATE
52020	EDROPHONIUM	52275	FLAVOXATE		
52023	ELECTROLYTES	52278	FLECAINIDE ACETATE	52478	GRAMICIDIN
52024	ENCAINIDE HCL	52280	FLOXURIDINE	52480	GRISEOFULVIN
52025	EMETINE	52290	FLUCYTOSINE	52485	GUAIACOL
52028	ENALAPRIL	52295	FLUDROCORTISONE ACETATE	52490	GUAIFENESIN
52030	ENFLURANE	52300	FLUMETHASONE	52492	GUANABENZ ACETATE
52035	EPHEDRINE	52303	FLUMETHIAZIDE	52493	GUANADREL
52040	EPINEPHRINE	52304	FLUNISOLIDE	52495	GUANETHIDINE
52042	EPOETIN ALFA	52305	FLUOCINOLONE	52498	GUANFACINE HCL
52045	ERGOCALCIFEROL	52310	FLUOCINONIDE	52500	GUANIDINE
52048	ERGOLOID MESYLATES	52315	FLUORESCEIN	52502	GUAR GUM
52050	ERGONOVINE	52318	FLUORIDE	52503	HALAZEPAM
52053	ERGOT	52320	FLUOROMETHOLONE	52504	HALOBETASOL PROPIONATE
52055	ERGOTAMINE	52325	FLUOROURACIL	52505	HALAZONE
52060	ERYTHRITYL TETRANITRATE	52330	FLUOXYMESTERONE	52510	HALCINONIDE
52065	ERYTHROMYCIN	52335	FLUPHENAZINE	52520	HALOPERIDOL
52067	ESMOLOL HCL	52340	FLUPREDNISOLONE	52525	HALOPROGIN
52068	ESTAZOLAM	52345	FLURANDRENOLIDE	52530	HALOTHANE
52070	ESTRADIOL	52350	FLURAZEPAM	52533	HEMICELLULASE
52072	ESTRAMUSTINE	52353	FLURBIPROFEN SODIUM	52535	HAMAMELIS WATER
52075	ESTROGENS	52354	FLUTICASONE PROPIONATE	52537	HEMIN
52080	ESTRONE	52355	FOLIC ACID	52540	HEPARIN
52082	ESTROPIPATE	52358	FOOD SUPPLEMENT	52545	HEPATITIS B IMMUNE GLOBULIN
52085	ETHACRYNIC ACID	52360	FORMALDEHYDE	52548	HEPATITIS B VACCINE
52090	ETHAMBUTOL	52361	FOSCARNET SODIUM	52550	HESPERIDIN
52095	ETHAVERINE	52363	FRANGULA	52555	HETASTARCH
52100	ETHCHLORVYNOL	52365	FORMIC ACID	52560	HEXACHLOROPHENE
52105	ETHER	52367	FOSINOPRIL SODIUM	52565	HEXAFLUORENIUM
52115	ETHIONAMIDE	52370	FRUCTOSE	52575	HEXESTROL
52125	ETHOPROPAZINE	52373	FUCHSIN	52580	HEXOBARBITAL
52130	ETHOSUXIMIDE	52375	FULLER'S EARTH	52585	HEXOCYLIUM
52135	ETHOTOIN	52380	FURAZOLIDONE	52590	HEXYLCAINE
52150	ETHYL ACETATE	52385	FUROSEMIDE	52595	HEXYLRESORCINOL
52155	ETHYL CHLORIDE	52390	GALLAMINE	52598	HISTIDINE MONOHYDRO- CHLORIDE
52160	ETHYLESTRENOL	52395	GELATIN		
52165	ETHYLMORPHINE	52397	GELSEMIUM		
52168	ETHNODIOL DIACETATE	52398	GEMFIBROZIL	52600	HISTAMINE
52169	ETRETINATE	52400	GENTAMICIN	52610	HISTOPLASMIN
52170	ETHYLNOREPINEPHRINE	52405	GENTIAN VIOLET	52615	HOMATROPINE
52175	ETIDOCAINE	52408	GINGER	52617	HOMOSALATE
52185	ETIDRONATE DISODIUM	52410	GINSENG	52620	HOUSE DUST ALLERGENIC EXTRACT
52186	ETODOLAC	52415	GITALIN		
52188	ETOMIDATE	52417	GLIPIZIDE	52625	HYALURONIDASE
52189	ETOPOSIDE	52420	GLUCAGON	52630	HYDRALAZINE
52190	EUCALYPTUS OIL	52422	GLUCONIC ACID	52634	HYDRASTIS

52635	HYDRIODIC ACID	52845	IODOCHLOR- HYDROXYQUIN	53025	LEMON OIL
52640	HYDROCHLORIC ACID			53030	LEUCINE
52645	HYDROCHLOROTHIAZIDE	52850	IODOQUINOL	53035	LEUCOVORIN
52647	DIHYDROCODEINE	52853	IOHEXOL	53040	LEVALLORPHAN
52650	HYDROCODONE	52854	IOPAMIDOL	53043	LEVOBUNOLOL HCL
52655	HYDROCORTISONE	52855	IOPANOIC ACID	53045	LEVODESOXYEPHEDRINE
52660	HYDROFLUMETHIAZIDE	52860	IOPHENDYLATE	53050	LEVODOPA
52665	HYDROGEN PEROXIDE	52865	IOTHALAMATE	53055	LEVORPHANOL
52670	HYDROMORPHONE	52870	IPECAC	53065	LEVOTHYROXINE
52675	HYDROQUINONE	52880	IPODATE CALCIUM	53070	LIDOCAINE
52680	HYDROXOCOBALAMIN	52881	IPODATE SODIUM	53090	LINCOMYCIN
52685	HYDROXYAMPHETAMINE	52883	IPRATROPIUM BROMIDE	53095	LINDANE
52690	HYDROXYCHLOROQUINE	52885	IRON PREPARATIONS	53100	LINOLENIC ACID
52691	HYDROXYETHYL CELLULOSE	52890	IRON BILE SALTS	53105	LINSEED OIL
52693	HYDROXYPHENYL- MERCURIC CHLORIDE	52895	ISOCARBOXAZID	53110	LIOTHYRONINE
52695	HYDROXY- PROGESTERONE	52900	ISOETHARINE	53115	LIOTRIX
52700	HYDROXYPROPYL METHYLCELLULOSE	52904	ISOFLURANE	53118	LIPASE
52705	HYDROXYSTILBAMIDINE	52905	ISOFLUROPHATE	53120	LITHIUM
52710	HYDROXYUREA	52908	ISOMETHEPTENE MUCATE	53125	LIVER DERIVATIVE
52715	HYDROXYZINE	52910	ISOLEUCINE	53135	LOMUSTINE
52718	HYMENOPTERA ALLERGENIC EXTRACT	52915	ISONIAZID	53140	LOPERAMIDE
52720	HYOSCYAMINE	52920	ISOPROPAMIDE	53145	LORAZEPAM
52723	HYOSCYAMINE HYDROBROMIDE	52925	ISOPROPYL ALCOHOL	53148	LOVASTATIN
52730	IBUPROFEN	52927	ISOPROPYL PALMITATE	53150	LOXAPINE
52735	ICHTHAMMOL	52928	ISOPROPYL MYRISTATE	53154	LYMPHOCYTE IMMUNE GLOBULIN
52740	IDOXURIDINE	52930	ISOPROTERENOL	53155	LYPRESSIN
52743	IMIPENEM	52933	ISOQUINOLINIUM BROMIDE	53160	LYSINE
52745	IMIPRAMINE	52935	ISOSORBIDE	53165	MAFENIDE
52750	IMMUNE GLOBULIN	52936	ISOSTEARIC ACID	53170	MAGALDRATE
52752	INHALER	52943	ISOTRETINOIN	53173	MAGNESIUM ACETATE
52753	INDAPAMIDE	52945	ISOXSUPRINE	53175	MAGNESIUM ANTACIDS
52755	INDIGOINDISULFONATE	52946	ISRADIPINE	53180	MAGNESIUM GLUCONATE
52765	INDOCYANINE GREEN	52948	JUNIPER	53190	MAGNESIUM CHLORIDE
52770	INDOMETHACIN	52950	KANAMYCIN	53195	MAGNESIUM CATHARTICS
52775	INFANT FORMULA	52955	KAOLIN	53220	MAGNESIUM SALICYLATE
52780	INFLUENZA VIRUS VACCINE	52965	KARAYA GUM	53222	MAGNESIUM STEARATE
52785	INOSITOL	52968	KELP	53224	MALATHION
52790	INSULIN	52970	KETAMINE	53235	MALT SOUP EXTRACT
52791	INTERFERON ALFA-2A	52972	KETOCONAZOLE	53240	MANGANESE GLUCONATE
52792	INTERFERON ALFA-2B	52973	L-TRYPTOPHANE	53241	MANGANESE (PROTEIN COMPLEX)
52793	INTRINSIC FACTOR CONCENTRATE	52975	LACTASE	53242	MANGANESE SULFATE
52794	INTERFERON ALFA	52978	KETOPROFEN	53245	MANNITOL
52795	INULIN	52979	LABETALOL HCL	53248	MAPROTILINE
52796	INTERFERON ALFA-N3	52980	LACTIC ACID	53250	MAZINDOL
52800	INVERT SUGAR	52985	LACTOBACILLUS ACIDOPHILUS	53255	MEASLES VIRUS VACCINE
52810	IOCETAMIC ACID	52986	LACTOBACILLUS BULGARICUS	53260	MEBENDAZOLE
52815	IODAMIDE MEGLUMINE	52990	LACTOSE	53265	MECAMYLAMINE
52820	IODINE TOPICAL PREPARATIONS	52992	LACTUCA	53270	MECHLORETHAMINE
52825	IODINATED GLYCEROL	52995	LACTULOSE	53275	MECLIZINE
52830	IODINE SOLUTIONS	53000	LANATOSIDE C	53277	MECLOFENAMATE
52835	IODIPAMIDE MEGLUMINE	53003	LANOLIN	53278	MECLOFENAMIC ACID
		53004	LAURETH	53280	MEDROXY- PROGESTERONE
		53005	LAURYL SULFOACETATE	53285	MEDRYSONE
		53010	LAVENDER OIL		
		53015	LEAD ACETATE		
		53020	LECITHIN		

53290	MEFENAMIC ACID	53610	METHYCLOTHIAZIDE	53865	NALOXONE
53295	MEGESTROL	53615	METHYL ALCOHOL	53868	NALTREXONE
53298	MEGLUMINE	53620	METHYL SALICYLATE		HYDROCHLORIDE
53300	MELPHALAN	53625	METHYLBENZETHONIUM	53870	NANDROLONE
53315	MENINGOCOCCAL		CHLORIDE	53875	NAPHAZOLINE
	VACCINE	53630	METHYLCELLULOSE	53880	NAPROXEN
53320	MENOTROPINS	53635	METHYLDOPA	53885	NATAMYCIN
53325	MENTHOL	53638	METHYLDOPATE	53890	NEGATOL
53328	METHYL ANTHRANILATE	53640	METHYLENE BLUE	53891	NEISSERIA
53330	MEPENZOLATE	53645	METHYLERGONOVINE	53895	NEOMYCIN
53335	MEPERIDINE	53647	METHYL NICOTINATE	53900	NEOSTIGMINE
53340	MEPHENESIN	53650	METHYLPARABEN	53903	NETILMICIN
53345	MEPHENTERMINE	53655	METHYLPHENIDATE	53905	NIACIN
53350	MEPHENYTOIN	53660	METHYLPREDNISOLONE	53915	NIACINAMIDE
53355	MEPHOBARBITAL	53670	METHYLTESTOSTERONE	53919	NICOTINE POLACRILEX
53360	MEPIVACAINE	53675	METHYPRYLON	53920	NICOTINYL ALCOHOL
53370	MEPROBAMATE	53680	METHYSERGIDE	53922	NIFEDIPINE
53373	MERALEIN SODIUM	53683	METIPRANOLOL	53925	NIKETHAMIDE
53375	MERBROMIN	53685	METOCURINE	53930	NITROFURANTOIN
53380	MERCAPTOMERIN	53688	METOCLOPRAMIDE	53935	NITROFURAZONE
53385	MERCAPTOPURINE	53690	METOLAZONE	53940	NITROGEN
53395	MERCURIC CHLORIDE	53695	METRIZAMIDE	53945	NITROGLYCERIN
53405	MERCURIC IODIDE	53700	METRONIDAZOLE	53950	NITROUS OXIDE
53407	MERCURIC OLEATE	53705	METYRAPONE	53955	NONOXYNOL 9
53410	MERCURIC OXIDE	53710	METYROSINE	53960	NOREPINEPHRINE
53415	MERCURIC SULFIDE	53712	MEXILETINE HCL	53965	NORETHINDRONE
53420	MERCUROPHYLLINE	53713	MEZLOCILLIN	53968	NORETHYNODREL
53425	MERCUROUS CHLORIDE	53715	MICONAZOLE	53969	NORFLOXACIN
53431	MERSALYL	53716	MIDAZOLAM HCL	53970	NORGESTREL
53435	MESORIDAZINE	53718	MILK SOLIDS NONFAT	53975	NORTRIPTYLINE
53438	MESTRANOL	53720	MINERAL OIL	53980	NOSCAPINE
53445	METOPROLOL	53723	MINERALS	53985	NOVOBIOCIN
53450	METAPROTERENOL	53725	MINOCYCLINE	53988	NUTMEG OIL
53455	METARAMINOL	53730	MINOXIDIL	53989	NUX VOMICA
53460	METAXALONE	53735	MITHRAMYCIN	53990	NYLIDRIN
53465	METHACHOLINE	53740	MITOMYCIN	53991	NUTGALL
53470	METHACYCLINE HCL	53745	MITOTANE	53995	NYSTATIN
53475	METHADONE	53750	MOLINDONE	54000	OATMEAL
53485	METHAMPHETAMINE	53753	MOLYBDENUM	54003	OCTOXYNOL
53490	METHANDRIOL	53754	MOMETASONE FUROATE	54005	OCTYL DIMETHYL PABA
53495	METHANDROSTENOLONE		MONOHYDRATE	54009	OFLOXACIN
53500	METHANTHELIN	53755	MONOBENZONE	54015	OINTMENT HYDROPHILIC
53505	METHAPYRILENE	53758	MONOETHANOLAMINE	54020	OLEANDOMYCIN
53510	METHAQUALONE	53760	MORPHINE	54025	OLEIC ACID
53515	METHARBITAL	53770	MORRHUATE SODIUM	54030	OLIVE OIL
53520	METHAZOLAMIDE	53775	MOUTHWASH	54032	ONDANSETRON
53525	METHDILAZINE	53778	MOXALACTAM		HYDROCHLORIDE
53530	METHENAMINE	53780	MULTIVITAMINS	54035	OPIUM
53535	METHICILLIN		GENERAL	54045	ORANGE OIL
53540	METHIMAZOLE	53785	MULTIVITAMINS	54050	ORPHENADRINE
53550	METHIONINE		THERAPEUTIC	54055	ORTHOTOLIDINE
53560	METHOCARBAMOL	53805	MULTIVITAMINS		REAGENT
53565	METHOHEXITAL	53820	MUMPS VIRUS VACCINE	54060	OUABAIN
53570	METHOTREXATE	53825	MUSTARD OIL	54063	OVULATION TEST KIT
53575	METHOTRIMEPRAZINE	53835	MYRRH	54065	OX BILE EXTRACT
53580	METHOXAMINE	53838	NABILONE	54070	OXACILLIN
53585	METHOXSALEN	53840	NADOLOL	54075	OXALIC ACID
53590	METHOXYFLURANE	53845	NAFCILLIN	54080	OXANDROLONE
53600	METHSCOPOLAMINE	53855	NALBUPHINE	54085	OXAZEPAM
53605	METHSUXIMIDE	53860	NALIDIXIC ACID	54093	OXYBENZONE

54094	OXYCODONE	54332	PETROLEUM DISTILLATE	54575	POLIO VACCINE
54095	OXYPHENCYCLIMINE	54345	PHENACEMIDE	54585	POLLEN ANTIGEN
54100	OXTRIPHYLLINE	54350	PHENACETIN	54587	POLYCARBOPHIL
54105	OXYBUTYNYNIN	54360	PHENAPHTHAZINE	54590	POLYETHYLENE GLYCOL
54110	OXYCHLOROSENE	54365	PHENAZOPYRIDINE	54599	POLYOXY 40 STEARATE
54115	OXYGEN	54370	PHENDIMETRAZINE	54605	POLYTHIAZIDE
54120	OXYMETAZOLINE	54375	PHENELZINE	54610	POLYVINYL ALCOHOL
54130	OXYMETHOLONE	54378	PHENINDAMINE	54613	POPLAR BUD
54135	OXYMORPHONE	54385	PHENIRAMINE	54615	POTASH SULFURATED
54140	OXYPHENBUTAZONE	54390	PHENMETRAZINE	54620	POTASSIUM
54145	OXYPHENOMIUM	54395	PHENOBARBITAL		ALKALINIZING AGENTS
54148	OXYQUINOLONE	54400	PHENOL	54625	POTASSIUM
54155	OXYTOCIN	54405	PHENOLPHTHALEIN		AMINO BENZOATE
54157	PADIMATE O	54410	PHENOLSULFON- PHTHALEIN	54640	POTASSIUM BITARTRATE
54158	PAMABRON			54645	POTASSIUM BROMIDE
54160	PANCREATIN	54415	PHENOXYBENZAMINE HCL	54650	POTASSIUM CARBONATE
54165	PANCRELIPASE			54655	POTASSIUM
54170	PANCURONIUM	54420	PHENPROCUMON		REPLACEMENT
54173	PANTHENOL	54425	PHENSUXIMIDE		SOLUTIONS
54175	PANTOTHENIC ACID	54430	PHENTERMINE	54700	POTASSIUM
54180	PAPAIN	54435	PHENTOLAMINE		GUAIACOLSULFONATE
54190	PAPAVERINE	54440	PHENYL SALICYLATE	54703	POTASSIUM GLUTAMATE
54191	PARACHOLORO- METAXYLENOL	54445	PHENYLALANINE	54705	POTASSIUM HYDROXIDE
54193	PARAFFIN	54450	PHENYLBUTAZONE	54710	POTASSIUM IODIDE
54195	PARALDEHYDE	54455	PHENYLEPHRINE	54713	POTASSIUM ION
54200	PARAMETHADIONE	54460	PHENYLMERCURIC NITRATE	54715	POTASSIUM NITRATE
54205	PARAMETHASONE	54465	PHENYLPRO- PANOLAMINE	54720	POTASSIUM
54215	PAREGORIC				OXYQUINOLINE
54220	PARGYLINE	54468	PHENYLTOLOXAMINE	54725	POTASSIUM
54225	PAROMOMYCIN	54470	PHENYTOIN		PERCHLORATE
54227	PASSIFLORA EXTRACT	54475	PHOSPHOMOLYBDATE	54730	POTASSIUM
54228	PEG-3 DISTERATE		REAGENT		PERMANGANATE
54230	PATCHOULI OIL	54480	PHOSPHORIC ACID	54733	POTASSIUM PHOSPHATE
54235	PEANUT OIL	54485	PHTHALYLSULFA- THIAZOLE	54735	POTASSIUM ACIDIFYING
54237	PEG-4 DILAURATE				AGENTS
54238	PECTIN	54488	PHYSIOLOGIC	54737	POTASSIUM SALICYLATE
54239	PELLITORY ROOT		IRRIGATING SOLUTION	54740	POTASSIUM SODIUM
54240	PEMOLINE	54490	PHYSOSTIGMINE		TARTRATE
54245	PENICILLAMINE	54495	PHYTONADIONE	54743	POTASSIUM SULFATE
54250	PENICILLIN	54500	PILOCARPINE	54745	POTASSIUM
54260	PENICILLIN G PROCAINE	54501	PINDOLOL		THIOCYANATE
54268	PENICILLIN V POTASSIUM	54502	PINE OIL	54748	POVIDONE
54270	PENICILLOYL	54504	PIMOZIDE	54749	POVIDONE-IODINE
54275	PENTAERYTHRITOL	54505	PIPERACETAZINE	54750	PRALIDOXIME
54278	PENTAMIDINE	54508	PIPERACILLIN	54755	PRAMOXINE
	ISETHIONATE	54510	PIPERAZINE	54757	PRAVASTATIN SODIUM
54280	PENTAGASTRIN	54523	PIPERONYL	54760	PRAZEPAM
54290	PENTAZOCINE	54525	PIPOBROMAN	54765	PRAZOSIN
54295	PENTOBARBITAL	54528	PIROXICAM	54770	PREDNISOLONE
54297	PENTOXIFYLLINE	54530	PITUITARY POSTERIOR	54775	PREDNISONE
54300	PENTYLENETETRAZOL	54535	PLACEBO	54785	PRILOCAINE
54305	PEPPERMINT	54540	PLAGUE VACCINE	54790	PRIMAQUINE
54310	PEPSIN	54545	PLANTAGO SEED	54795	PRIMIDONE
54315	PERMETHRIN	54550	PLASMA PROTEIN FRACTION	54800	PROBENECID
54320	PERPHENAZINE			54805	PROBUCOL
54325	PERTUSSIS IMMUNE GLOBULIN	54555	PNEUMOCOCCAL VACCINE	54810	PROCAINAMIDE
54328	PERTUSSIS VACCINE	54560	PODOPHYLLUM	54815	PROCAINE
54330	PETROLATUM	54565	POISON IVY EXTRACT	54825	PROCARBAZINE
				54830	PROCHLORPERAZINE

54835	PROCYCLIDINE	55120	ROSA GALLICA EXTRACT	55355	SODIUM LACTATE
54840	PROFLAVINE	55125	ROSE WATER	55360	SODIUM LAURYL SULFATE
54845	PROGESTERONE	55126	ROSEMARY OIL	55365	SODIUM NITRATE
54850	PROMAZINE	55130	RUBELLA VIRUS VACCINE	55370	SODIUM NITROPRUSSIDE
54860	PROMETHAZINE	55135	RUTIN	55378	SODIUM PANTOTHENATE
54865	PROPRANOLOL	55140	SACCHARIN	55380	SODIUM PERBORATE
54870	PROPANTHELINE	55145	SAFFLOWER OIL	55383	SODIUM PHENOXIDE
54875	PROPARACAINE	55148	SALICYL ALCOHOL	55385	SODIUM PHOSPHATE
54885	PROPIOMAZINE	55150	SALICYLAMIDE	55390	SODIUM POLYSTYRENE SULFONATE
54890	PROPOXYPHENE	55160	SALICYLIC ACID	55393	SODIUM PROPIONATE
54895	PROPYLENE GLYCOL	55165	SALSALATE	55395	SODIUM PYROPHOSPHATE
54900	PROPYLHEXEDRINE	55168	SARALASIN	55400	SODIUM SUCCINATE
54905	PROPYLPARABEN	55169	SASSAFRAS	55405	SODIUM SULFATE
54910	PROPYLTHIOURACIL	55170	SCARLET RED	55407	SODIUM TARTRATE
54915	PROTAMINE SULFATE	55171	SANGUINARIA	55410	SODIUM SULFITE
54920	PROTEIN HYDROLSATE	55180	SCOPOLAMINE HBR	55420	SODIUM THIOSALICYLATE
54922	PROTEIN SUPPLEMENT	55185	SECOBARBITAL	55425	SODIUM THIOSULFATE
54923	PROTEINASE	55190	SECRETIN	55430	SOMATROPIN
54935	PROTIRELIN	55195	SELENIUM SULFIDE	55433	SORBIC ACID
54950	PROTRIPTYLINE HCL	55198	SENEGA FLUID EXTRACT	55434	PEG-40 SORBITAN
54960	PSEUDOEPHEDRINE	55200	SENNA	55435	SORBITOL
54965	PSYLLIUM	55210	SESAME OIL	55440	SOYBEAN OIL
54967	PVP / VA COPOLYMER	55213	SHARK LIVER OIL	55445	SPEARMINT OIL
54975	PYRANTEL	55215	SILICIC ACID	55450	SPECTINOMYCIN
54980	PYRAZINAMIDE	55218	SILICONE	55455	SPIDER-BITE ANTIVENIN
54983	PYRETHRINS	55225	SILVER NITRATE	55460	SPIRONOLACTONE
54984	PYRETHROID	55230	SILVER PROTEIN	55461	SQUALENE
54985	PYRIDOSTIGMINE	55235	SILVER SULFADIAZINE	55463	SQUILL
54990	PYRIDOXINE	55240	SIMETHICONE	55465	STANNOUS FLUORIDE
54995	PYRILAMINE	55245	SINCALIDE	55470	STANOZOLOL
55000	PYRIMETHAMINE	55253	SKIN RESP FACTOR	55475	STAPHYLOCOCCUS TOXOID
55005	PYRITHIONE		YEAST	55480	STARCH
55015	PYROGALLOL	55255	SMALLPOX VACCINE	55485	STEARIC ACID
55023	PYRROBUTAMINE	55260	ANTIVENIN SNAKE BITE	55490	STEARYL ALCOHOL
55025	PYRVINIUM	55265	SOAP	55491	STEARYL CHLORIDE
55028	QUAZEPAM	55270	SODIUM ACETATE	55494	STORAX
55030	QUINACRINE	55273	SODIUM ALGINATE	55495	STREPTOKINASE
55032	QUINAPRIL	55274	SODIUM AMINOBENZOATE	55500	STREPTOMYCIN
55035	QUINESTROL	55275	SODIUM BENZOATE	55503	STREPTOZOCIN
55040	QUINETHAZONE	55280	SODIUM BICARBONATE	55505	STRYCHNINE
55045	QUINIDINE	55285	SODIUM BISULFATE	55508	STYRAMATE
55050	QUININE	55290	SODIUM BISULFITE	55510	SUCCINYLCHOLINE
55053	QUININE & UREA HCL	55295	SODIUM BORATE	55515	SUCCINYL- SULFATHIAZOLE
55055	RABIES IMMUNE GLOBULIN	55300	SODIUM BROMIDE	55518	SUCRALFATE
55060	RABIES VACCINE	55305	SODIUM CACODYLATE	55520	SUCROSE
55061	RACEMETHIONINE	55308	SODIUM CAPRYLATE	55521	SULBACTIN SODIUM
55063	RACEPHEDRINE	55310	SODIUM CARBONATE	55525	SULFACETAMIDE
55064	RANITIDINE	55315	SODIUM CHLORIDE	55535	SULFACYTINE
55065	RASPBERRY SYRUP	55320	SODIUM CITRATE	55540	SULFADIAZINE
55070	RAUWOLFIA	55325	SODIUM DICHROMATE	55543	SULFAMERAZINE
55075	RESCINNAMINE	55330	SODIUM FLUORIDE	55548	SULFAMETHAZINE
55080	RESERPINE	55331	SODIUM GLUCONATE	55550	SULFAMETHIZOLE
55085	RESORCINOL	55335	SODIUM GLUTAMATE	55555	SULFAMETHOXAZOLE
55095	RHUBARB & SODA	55338	SODIUM GLYCERPHOSPHATE	55565	SULFANILAMIDE
55105	RIBOFLAVIN				
55108	RICINOLEIC ACID	55339	SODIUM HYALURONATE		
55110	RIFAMPIN	55340	SODIUM HYDROXIDE		
55115	RINGERS LACTATED	55345	SODIUM HYPOCHLORITE		
55117	RITODRINE	55348	SODIUM ION		



55567	SULFANILYLBENZAMIDE	55850	TOBRAMYCIN	56123	UROFOLLITROPIN
55570	SULFAPYRIDINE	55860	TOCAINIDE	56130	UROKINASE
55575	SULFASALAZINE		HYDROCHLORIDE	56134	UVA URSI
55580	SULFATHIAZOLE	55870	TOLAZAMIDE	56135	VALERIAN
55583	SUFENTANIL CITRATE	55875	TOLAZOLINE	56145	VALPROIC ACID
55585	SULFINPYRAZONE	55880	TOLBUTAMIDE	56150	VANCOMYCIN
55590	SULFISOXAZOLE	55885	TOLMETIN SODIUM	56161	VEGETABLE OIL
55595	SULFOBROMO- PHTHALEIN	55890	TOLNAFTATE	56162	VECURONIUM BROMIDE
55600	SULFOSALICYLIC ACID	55893	TOLU BALSAM	56163	VERAPAMIL
55605	SULFOXONE SODIUM	55895	TRAGACANTH	56165	VERATRUM VIRIDE
55610	SULFUR	55900	TRANLYCYPROMINE	56170	VIDARABINE
55613	SULFURATED LIME	55903	TRAZODONE	56175	VINBLASTINE
55615	SULINDAC	55905	TRETINOIN	56180	VINCRISTINE
55618	SUPROFEN	55910	TRIACETIN	56185	VITAMIN A
55623	SURFACTANT	55915	TRIAMCINOLONE	56192	VITAMIN B-12
55630	SUTILAINS	55925	TRIAMTERENE	56193	VITAMIN C
55635	SYRUP	55928	TRIAZOLAM	56194	VITAMIN D
55645	TALC	55930	TRICHLORMETHIAZIDE	56195	VITAMIN E
55647	TALLOW	55935	TRICHLOROACETIC ACID	56198	VITAMIN K
55650	TAMOXIFEN	55940	TRICHLOROETHYLENE	56205	WARFARIN SODIUM
55655	TANNIC ACID	5943	TRICHLORO- FLUOROMETHANE	56210	WATER STERILE
55665	TARTARIC ACID	55945	TRICLOFOS	56211	WATER FOR INHALATION
55666	TARTRAZINE	55947	TRICLOSAN	56213	WAX
55668	TEMAZEPAM	55950	TRIDIHEXETHYL CHLORIDE	56214	WHEAT GERM
55670	TERBUTALINE			56220	WHITE LOTION
55673	TERFENADINE	55952	TRIETHYLENE GLYCOL	56225	WHITE PINE SYRUP
55675	TERPIN HYDRATE	55953	TRIENTINE HYDROCHLORIDE	56230	WILD CHERRY SYRUP
55690	TESTOLACTONE			56235	WINE
55695	TESTOSTERONE	55955	TRIETHANOLAMINE	56238	WOOL ALCOHOLS
55700	TETANUS ANTITOXIN	55960	TRIFLUOPERAZINE	56240	XYLOMETAZOLINE
55705	TETANUS IMMUNE GLOBULIN	55967	TRIFLURIDINE	56245	XYLOSE
55710	TETANUS TOXOID	55970	TRIGLYCERIDES	56250	YEAST
55715	TETRACAINE	55975	TRIHXYPHENIDYL	56255	YELLOW FEVER VACCINE
55725	TETRACYCLINE	55978	TRILOSTANE	56260	YOHIMBINE
55730	TETRAHYDROZOLINE	55985	TRIMEPRAZINE	56261	ZIDOVUDINE
55733	THENYLDIAMINE	55990	TRIMETHADIONE	56262	ZEA
55735	THEOBROMINE	55995	TRIMETHAPHAN	56265	ZINC TOPICAL AGENTS, EXTERNAL USE
55745	THEOPHYLLINE	55997	TRIMETHOPRIM	56271	ZINC ( PROTEIN COMPEX)
55750	THIABENDAZOLE	56000	TRIMETHOBENZAMIDE	56275	ZOMEPIRAC
55755	THIAMINE	56005	TRIMIPRAMINE	56285	ZINC SULFATE
55760	THIAMYLAL	56010	TRIOXSALEN	56288	ZIRCONIUM
55765	THIETHYLPERAZINE	56015	TRIPLENNAMINE	56290	TERAZOSIN HCL
55770	THIMEROSAL	56020	TRIPROLIDINE	56300	ALOE
55775	THIOGUANINE	56030	TROLAMINE	56310	AMYLTRICRESOLS
55780	THIOPENTAL	56040	TROMETHAMINE	56320	SODIUM ASCORBATE
55783	THIOPROPAZATE	56045	TROPICAMIDE	56325	SODIUM SALICYLATE
55785	THIORIDAZINE	56048	TRYPSIN	56333	STAPHAGE LYSATE
55790	THIOTEPA	56050	TRYPTOPHAN	56340	VITAMIN B
55795	THIOTHIXENE	56065	TUBERCULIN	56345	VITAMIN B COMPLEX
55800	THIPHENAMIL	56075	TUBOCURARINE	56350	ALGLUCERASE
55801	THONZONIUM BROMIDE	56080	TURPENTINE	56355	AMLODIPINE
55810	THROMBIN	56085	TYBAMATE	56360	ANISTREPLASE
55815	THYMOL	56090	TYLOXAPOL	56365	BOTULISM TOXIN
55820	THYROGLOBULIN	56095	TYPHOID VACCINE	56370	CALCIUM CITRATE
55825	THYROID	56100	TYPHUS VACCINE	56375	CARBOPLATIN
55830	THYROTROPIN	56105	TYROPANOATE SODIUM	56380	CARTEOLOL
55835	TICARCILLIN	56110	UNDECYLENIC ACID	56390	CEFPROZIL
55845	TIMOLOL	56115	URACIL	56395	CISAPRIDE
		56120	UREA	56415	FELBAMATE

56420	FILGRASTIM	56845	BOTULISM ANTITOXIN	57112	ENOXAPARIN SODIUM
56435	FLUMAZENIL	56914	RIFAPENTINE	57114	MAGNESIUM LACTATE
56440	FLUOREXON	57001	BLOOD SUGAR	57116	MESNA
56445	HAEMOPHILUS B		DIAGNOSTIC	57118	MONOCHLOREACETIC
	CONJUGATE VACCINE	57003	FLUTAMIDE		ACID
56455	IFOSFAMIDE	57004	GANCICLOVIR SODIUM	57120	ATOVAQUONE
56465	ITRACONAZOLE	57005	MESALAMINE	57122	NORGESTIMATE
56470	LACTASE ENZYME	57006	OMEPRAZOLE	57124	BUDESONIDE
56480	LOMEFLOXACIN	57008	PERGOLIDE MESYLATE	57126	RISPERIDONE
56485	LORACARBEF	57009	TRANEXAMIC ACID	57128	ACRIVASTINE
56490	LORATADINE	57012	LEUPROLIDE	57130	SALMETEROL
56495	MAGNESIUM OXIDE	57014	ERYTHROPOIETIN	57132	SODIUM TETRADECYL
56500	MASOPROCOL	57016	RAMIPRIL	57134	NAFARELIN ACETATE
56505	MEFLOQUINE	57018	CARBAMIDE PEROXIDE	57136	BISOPROLOL FUMARATE
56510	MIDODRINE	57024	MAGNESIUM ION	57138	AZACITIDINE
56515	MIVACURIUM	57026	SELENIUM	57140	ALPHA-D-
56525	NABUMETONE	57028	SULFABENZAMIDE		GALACTOSIDASE
56530	NEDOCROMIL	57032	CEFTIZOXIME	57142	GARLIC
56535	NICARDIPINE	57034	PHOSPHORUS	57144	GLIBENCLAMIDE
56540	NICOTINE TRANSDERMAL	57036	CLOFAZIMINE	57146	LAMIVUDINE
56545	NITRAZEPAM	57038	PIRBUTEROL ACETATE	57148	OXICONAZOLE
56570	PIPECURONIUM	57040	MECLOCYCLINE	57150	PAROXETINE HCL
56575	PODOFILOX	57042	ACLOMETASONE	57152	PHENOTHIAZINE
56580	POLOXAMER 188	57044	CEFIXIME	57154	CD4
56585	POTASSIUM CHLORIDE	57046	DEZOCINE	57156	SICKLE CELL TEST
56590	POTASSIUM CITRATE	57048	ZOLPIDEM TARTRATE	57158	TECHNETIUM
56600	PROPAFENONE	57049	LEVOCARNITINE	57160	TRAMADOL
56605	PROPOFOL	57050	HYDROACTIVE	57162	BEPRIDIL HCL
56615	RETINOIC ACID		DRESSING	57164	DESFLURANE
56620	RHO (D) IMMUNE	57052	DIDEOXYCYTIDINE	57166	PROTEIN
	GLOBULIN	57053	OMEGA-3 FATTY ACIDS	57168	CARBOHYDRATE(S)
56625	RIFABUTIN	57054	TERBINAFINE	57170	FAT
56630	SELEGILINE	57055	ZALCITABINE	57172	ROCURONIUM
56635	SERTRALINE	57057	M-CRESYL ACETATE	57174	INTERFERON
56640	SIMVASTATIN	57058	DESOGESTREL	57176	NEFAZODONE HCL
56655	SOMATREM	57062	FAMVIR	57186	DORZOLAMIDE HCL
56660	SOTALOL	57064	FLUVOXAMINE	57188	LOVERSOL
56665	SUCCIMER	57066	MONOLAURINE	57190	CURARE
56670	SUMATRIPTAN	57068	NITROPRUSSIDE	57192	METFORMIN
56675	TACRINE	57070	CEFPODOXIME	57194	HYPERTONIC SALINE
56685	THYPOID VACCINE	57072	CHONDROITIN SULFATE	57198	TENPOSIDE
56690	TICLOPIDINE	57076	LODOXAMIDE	57202	FLAX SEED OIL
56695	URSODIOL	57078	PAMIDRONATE DISODIUM	57204	HEPATITIS C VACCINE
56710	AZITHROMYCIN	57082	DICLOFENAC POTASSIUM	57206	TAZOBACTAM
56715	CALCIUM	57084	COLLAGEN	57208	LOSARTAN
	POLYCARBOPHIL	57086	OXAPROZIN	57210	QUERCETIN
56720	ENOXACIN	57088	TORSEMIDE	57214	TACROLIMUS
56730	FLUCONAZOLE	57090	PREDNICARBATE	57216	DICHLOROACETIC ACID
56735	GOSERELIN ACETATE	57092	RECOMBINANT HUMAN	57218	FINASTERIDE
56740	INTERFERON BETA		DEOXYRIBONUCLEASE	57220	LAMOTRIGINE
56750	OCTREOTIDE ACETATE	57094	CALCIPOTRIENE	57222	ALENDRONATE
56760	SARGRAMOSTIN	57096	VENLAFAXINE	57224	DIRITHROMYCIN
56765	TIOCONAZOLE	57098	FLUDARABINE	57226	MOEXIPRIL HCL
56770	VARICELLA-ZOSTER		PHOSPHATE	57228	BICALUTAMIDE
	IMMUNE GLOBULIN	57100	RIMANTADINE HCL	57230	PHOSPHOCYSTEAMINE
56780	NIMODIPINE	57102	GABAPENTIN	57232	SULCONAZOLE NITRATE
56790	STAVUDINE	57104	HALOFANTRINE	57236	SODIUM NITRITE
56795	PACLITAXEL	57106	GRANISETRON	57238	AZELAIC ACID
56800	SODIUM TETRABORATE	57108	FLUVASTATIN	57240	CETIRIZINE
	DECAHYDRATE	57110	LEVOCARBASTINE HCL	58001	IMIQUIMOD

58002	MONTELUKAST SODIUM	59715	NEVIRAPINE	59823	EFAVIRENZ
59600	ALBENDAZOLE	59716	LEVOFLOXACIN	59824	TOLCAPONE
59601	SAQUINAVIR MESYLATE	59717	ANDROGENS	59825	TAZAROTENE
59602	HEPATITIS A VACCINE	59718	ROPIVACAINE HCL	59826	DOLAESTRON MESYLATE
59603	HEPATITIS VACCINE	59719	NELFINAVIR MESYLATE	59827	ACITRETIN
59604	GEMCITABINE HCL	59720	NILUTAMIDE	59828	CERIVASTATIN SODIUM
59605	VINORELBINE	59721	OLOPATADINE HCL	59829	CITALOPRAM
59606	RITONAVIR	59722	TILUDRONATE SODIUM		HYDROBRIMIDE
59607	PIRACETAM	59723	IRINOTECAN HCL	59830	TIAGABINE HCL
59608	ACARBOSE	59724	DALTEPARIN SODIUM	59831	FENOFIBRATE
59609	DAPIPRAZOLE HCL	59725	PRAMIPEXOLE	59832	ROTAVIRUS VACCINE
59610	SEVOFLURANE	59726	BROMFENAC SODIUM	59833	OXALIPLATIN
59611	THYROID STIMULATING HORMONE	59727	TIZANIDINE HCL	59834	DACLIZUMAB
59612	CEFTIBUTEN	59728	SODIUM BIPHOSPHATE	59835	RECOMBINANT HUMAN INTERLEUKIN ELEVE
59615	SOMATOSTATIN	59729	MELARSOPROL	59836	LOTEPREDNOL
59619	VALACYCLOVIR	59730	MIBEFRADIL		ETABONATE
59620	INDINAVIR	59731	TAMSULOSIN HYDROCHLORIDE	59837	GLATITAMER ACETATE
59621	DEXFENFLURAMINE			59838	RIZATRIPTAN BENZOATE
59622	NISOLDIPINE	59732	CEFEPIME HCL	59839	LEFLUNOMIDE
59623	ALTRETAMINE	59733	CISATRACURIUM BESYLATE	59840	CAPECITABINE
59624	DIATRIZOATE MEGLUMINE	59734	CARVEDILOL	59841	GRAPESEED
59625	NITROGEN MUSTARD	59735	IRBESARTAN	59842	TROVAFLOXACIN/ ALTROFLOXAVIN
59626	RIMEXOLONE	59736	CALCITRIOL	60020	DIPROPYLENE GLYCOL
59627	MELATONIN	59737	ROPINROLE HCL	60025	ETHYL CINNAMATE
59628	DINITROCHLORO- BENZENE	59738	CARBOPROST TROMETHAMINE	70001	CEFEPIME
59629	LANSOPRAZOLE	59739	QUETIAPINE FUMARATE	70003	INFLIXIMAB
59630	ADAPALENE	59740	PENCICLOVIR	70004	SEVELAMER HCL
59631	TIOPRONIN	59741	JAPANESE ENCEPHALITIS VIRUS VACCINE	70005	ETHINY ESTRADIOL
59632	DEHYDRO- EPIANDROSTERENE			70006	TRIAMCINOLONE ACETON
59633	GLIMEPRIDE	59742	POLOXAMER	70007	CEFDINIR
59634	ZAFIRLUKAST	59743	TROGLITAZONE	70008	RIBAVIRIN
59635	MYCOPHENOLATE MOFETIL	59744	TOPIRAMATE	70009	HYALURONIC ACID
59636	RILUZOLE	59745	REMIFENTANIL HCL	70010	SEROTONIN
59637	ALCLOMETASONE	59800	BEE POLLEN	70011	POLYMYXIN B
59638	PENTOSAN	59801	CARRISYN	70012	GLUCOSAMINE
59639	LATANOPROST	59802	SIBUTRAMINE	70013	ROSIGLITAZONE MALEATE
59640	TRANDOLAPRIL	59804	ZOLMITRIPTAN	70014	CANDESARTAN CILEXETIL
59641	ACIDOPHILUS	59805	IMIQUIMOD		
59642	CIDOFOVIR	59807	SILDENAFIL CITRATE	70015	ISOPHANE INSULIN
59643	BUTENAFINE HYDROCHLORIDE	59808	NARATRIPTAN HYDROCHLORIDE	70016	LYME DISEASE VACCINE
59644	OLANZAPINE	59809	ANASTROZOLE	70017	RITUXIMAB
59645	FEXOFENADINE	59810	BRINZOLAMIDE	70018	SODIUM SULFACETAMIDE
59701	FOSPHENYTOIN SODIUM	59811	TOLTERODINE TARITRATE	70019	ORLISTAT
59702	VITAMINS	59812	DOMPERIDONE	70020	AMPRENAVIR
59703	TOPOTECAN HCL	59813	FOLLITROPIN BETA	70021	ACTIVATED CHARCOAL
59704	DONEPEZIL HCL	59814	FOLLITROPIN ALPHA	70022	FERROUS SULFATE EXSICCATED
59705	ATORVASTATIN CALCIUM	59815	FOSFOMYCIN TROMETHAMINE	70023	TELMISARTAN
59706	ZILEUTON			70024	MILRINONE LACTATE
59707	BRIMONIDINE	59816	CLOPIDOGEL	70026	ROFECOXIB
59709	AZELASTINE	59817	REPAGLINIDE	70027	ETHINYL ESTRADIOL
59710	VALSARTAN	59818	BECAPLERMIN	70028	ETHYNODIOL DIACETATE
59711	DELAVIRDINE MESYLATE	59821	RETEPLASE RECOMBINANT	70029	ETANERCEPT
59712	FAMCICLOVIR			70030	ALITRETINOIN
59714	MIRTAZAPINE	59822	NALMEFENE	70031	ZANAMIVIR

70032	ABACAVIR SULFATE	70111	ALDESLEUKIN	70163	CALCIUM CHLORIDE DIHYDRATE
70033	RABEPRAZOLE SODIUM	70112	MAGNESIUM HYDROXIDE	70164	TEMOZOLOMIDE
70034	PIOGLITAZONE HCL	70113	PERINDOPRIL ERBUMINE	70165	PARACETAMOL
70035	METHYLSULFONYL- METHANE	70114	MIGLITOL	70166	DEXTROPROPOXYPHENE
70036	CETYLMYRISTOLEATE	70115	ZALEPLON	70167	CALCIUM GLUBIONATE
70037	TRASTUZUMAB	70116	SOY	70168	RISEDRONATE SODIUM
70038	PETROLEUM	70117	ADEFOVIR DIPIVOXIL	70169	CELECOXIB
70039	CILOSTAZOL	70118	PANTOPRAZOLE SODIUM	70170	NICOTINAMIDE ADENINE DINUCLEOTIDE
70040	LEVALBUTEROL HCL	70119	ANTITHROMBIN III	70171	DANAPAROID SODIUM
70041	KETOTIFEN FUMARATE	70120	ATROPINE SULFATE	70172	MOLASSES
70042	FERROUS FUMARATE	70121	MELoxicAM	70173	CYTOMEGALOVIRUS IMMUNE GLOBULIN IV
70043	OPRELVEKIN	70122	ENTACAPONE	70174	FERROUS SULFATE
70044	MORPHINE SULFATE	70123	BISMUTH	70175	COAGULATION FACTOR VIII A
70045	RALOXIFENE	70124	BEECHWOOD CREOSOTE	70176	EFLORNITHINE HCL
70046	PENICILLIN G BENZATHINE	70125	EPIRUBICIN HCL	70177	METHACHOLINE CHLORIDE
70047	HELIUM	70126	EPTIFIBATIDE	70178	DIMETICONE
70048	OIL OF EVENING PRIMROSE	70127	BETAMETHASONE VALERATE	70179	ACRYLATE COPOLYMER
70049	ROPINIROLE HCL	70128	OXCARBAZEPINE	70180	CARBOMER 940
70050	COENZYME Q10	70129	RIVASTIGMINE TARTRATE	70181	GLUTAMINE
70051	CREATINE	70130	ISOSORBIDE DINITRATE	70182	SARGRAMOSTIM
70052	ZINC OXIDE	70131	ISOSORBIDE MONONITRATE	70183	PEGINTERFERON ALFA- 2B
70053	NETTLE EXTRACT	70132	ALLIUM CEPA	70184	INSULIN ANALOG
70054	PROTEASE	70133	CRANBERRY	70185	AMIFOSTINE
70055	ELDER	70134	MAGNESIUM ASPARTATE	70186	KAVA
70056	THYME	70135	POTASSIUM ASPARTATE	70187	MODAFINIL
70057	MALTODEXTRIN NF	70136	ASPARTIC ACID	70188	VERTEPORFIN
70058	ASCORBIC ACID	70137	NICOTINE	70189	POLYSORBATE
70059	ADENOSYL- TRIPHOSPHATE	70138	MOXIFLOXACIN HCL	70190	EDTA
70060	DOLASETRON MESYLATE	70139	BOSWELLIN	70191	RETINYL PALMITATE
70061	EMEDASTINE DIFUMARATE	70140	SEA CUCUMBER	70192	DEXRAZOXANE
70062	FENRETINIDE	70141	GLYCOLIC ACID	70193	SYNTHETIC CONJUGATED ESTROGENS
70063	ABCIXIMAB	70142	AMMONIUM LACTATE	70194	GRAFT T STARCH COPOLYMER
70064	TETRABENAZINE	70143	SODIUM COCGLYCERYL	70195	EPROSARTAN MESYLATE
70065	BRIMONIDINE TARTRATE	70144	ETHER SULFONATE	70196	PODOPHYLLIN
70066	CALENDULA	70145	CETOSTEARYL ALCOHOL	70197	ALOE VERA
70067	PLANTAIN	70146	CETETH-20	70198	ZINCUM GLUCONICUM
70068	OREGON GRAPE	70147	METHYL PARABEN	70199	MAGNESIUM GLYCINATE
70069	GINKGO	70148	IMIGLUCERASE	70200	CATIONIC CELLULOSE
70070	EICOSAPENTAENOIC ACID	70149	TIROFIBAN	70201	POLIDOCANOL
70071	DOCOSAHEXAENOIC ACID	70150	PROPOXYPHENE NAPSYLATE	70202	GREPAFLOXACIN HCL
70102	OSELTAMIVIR PHOSPHATE	70151	SODIUM PHENYLBUTYRATE	70203	RACEMIC EPINEPHRINE
70103	SIROLIMUS	70152	LOPINAVIR	70204	ACEMANNAN
70104	CYSTEAMINE BITARTRATE	70153	MAGNESIUM CHELATE	70205	BETAMETHASONE ACETATE
70105	HAWTHORN	70154	ZINC CHELATE	70206	BETAMETHASONE SODIUM PHOSPHATE
70106	ALOSETRON HCL	70155	CHROMIUM PICOLINATE	70207	HETASTARCH SODIUM
70107	PNEUMOCOCCAL 7- VALENT CONJUGATE VAC	70156	GUARANA	70208	TRIETHANOLAMINE POLYPEPTIDE OLEATE-
70108	PALIVIZUMAB	70157	SODIUM CARBOXYMETHYL- CELLULOS	70209	TRIPROLIDINE HCL
70109	GATIFLOXACIN	70158	PREDNISOLONE ACETATE	70211	DIPHENOXYLATE HCL
70110	CABERGOLINE	70159	SILVER		
		70160	LEVETIRACETAM		
		70161	L-LYSINE		
		70162	BETA-GLUCAN		

70212	POLYMYXIN B SULFATE	70257	AMPHETAMINE ASPARTATE	70304	ESTRADIOL HEMIHYDRATE
70213	BACITRACIN ZINC	70258	AMPHETAMINE SULFATE	70305	XYLOCAINE
70214	SULFACETAMIDE SODIUM	70259	DEXTROAMPHETAMINE SACCHARATE	70306	MARCAINE
70215	INSULIN RECOMBINANT HUMAN	70260	DEXTROAMPHETAMINE SULFATE	70307	TRIAMCINOLONE ACETONIDE
70216	INSULIN SUSP ISO RECOMB HUMAN	70261	TITANIUM DIOXIDE	70308	NORMAL SALINE
70217	HYDROCODONE BITARTRATE	70262	DOCUSATE SODIUM	70309	QUINAPRIL HCL
70218	HOMATROPINE METHYL BROMIDE	70263	ALUMINUM ANTACID	70310	ZINC
70219	IOXAGLATE MEGLUMINE	70264	EPHEDRINE SULFATE	70311	TRIMETHOPRIM HCL
70220	IOXAGLATE SODIUM	70265	SECOBARBITAL SODIUM	70313	COLESEVELAM
70221	ESOMEPRAZOLE MAGNESIUM	70266	BOTULINUM TOXIN TYPE A	70314	MANGANESE ASCORBATE
70222	NAPROXEN SODIUM	70267	MEPERIDINE HCL	70315	ANAGRELIDE HYDROCHLORIDE
70223	FERRIMIN	70268	PHENERGAN	70316	EXEMESTANE
70224	DOFETILIDE	70269	OXYCODONE HCL	70317	LACTATED RINGERS
70225	ZONISAMIDE	70270	LUTEIN	70318	MAGNESIUM L-LACTATE DIHYDRATE
70226	CHLORPHENIRAMINE MALEATE	70271	SPIRULINA	70319	CONDYLOX
70227	IBUTILIDE FUMARATE	70272	TRAVOPROST	70320	ZINC PYRITHIONE
70228	FERRIC SUBSULFATE	70273	METHENAMINE MANDELATE	70321	PASSION FLOWER POWER
70230	IVERMECTIN	70274	SODIUM ACID PHOSPHATE MONOHYDR	70322	DIPHThERIA TOXIN
70231	CODEINE PHOSPHATE	70275	MAGNESIUM CITRATE	70323	PERTUSSIS TOXOID
70232	ZIPRASIDONE HCL	70276	MILK THISTLE EXTRACT	70324	AMPHOTERICIN B
70233	MINERAL SPIRITS	70277	LINEZOLID	70325	BORON
70234	OCTYLPHENOXY- POLYETHOXYETHANO	70278	ALMOTRIPTAN MALATE	70326	BLACK COHOSH ROOT
70235	AMPICILLIN SODIUM	70279	FLUVASTATIN SODIUM	70327	ISOFLAVONES
70237	PREDNISOLONE SODIUM PHOSPHATE	70280	NALTREXONE	70328	INSULIN GLARGINE
70238	NORETHINDRONE ACETATE	70281	UNOPROSTONE ISOPROPYL	70329	TOREMIFENE CITRATE
70239	BROMPHENIRAMINE MALEATE	70282	TRAMADOL HCL	70330	FEXOFENADINE HCL
70241	AMINOLEVULINIC ACID HCL	70283	PERUVIAN BALSAM	70331	LANOLIN OIL
70242	BUPROPION HCL	70284	NICOTINAMIDE	70332	AMILORIDE HCL
70243	METHSCOPOLAMINE NITRATE	70285	CHLORELLA PYRENOIDOSA	70333	AMITRIPTYLINE HCL
70244	OCTYL METHOXYCINNAMATE	70286	ARNICA MONTANA	70334	HYDROCORTISONE ACETATE
70245	ESTRADIOL CYPIONATE	70287	ACONITUM NAPELLUS	70335	PRAMOXINE HCL
70246	NATEGLINIDE	70288	CHAMOMILLA	70336	HYOSCYAMINE SULFATE
70247	LONICERA JAPONICA	70289	SYMPHYTUM OFFICINALE	70337	ANISOTROPINE METHYLBROMIDE
70248	ESTRIOL	70290	CALCIUM LACTATE	70338	DEXTROMETHORPHAN HBR
70249	BIMATOPROST	70291	BOVINE UTERUS PMG EXTRACT	70339	HYDRALAZINE HCL
70250	AMLEXANOX	70292	CALCIUM STEARATE	70340	PRIMAQUINE PHOSPHATE
70251	CEFPODOXIME PROXETIL	70293	ACETRETIN	70341	CLAVULANATE POTASSIUM
70252	IOTHALAMATE MEGLUMINE	70294	RED CLOVER	70342	PHENAZOPYRIDINE HCL
70253	IOTHALAMATE SODIUM	70295	PUMPKIN SEED OIL	70343	PYRIDOXINE HCL
70254	PHENYLPROPAN- OLAMINE HCL	70296	GALANTAMINE HYDROBROMIDE	70344	DIPHENHYDRAMINE HCL
70255	PHENYLTOLOXAMINE CITRATE	70297	CANADA BALSAM	70345	DICYCLOMINE HCL
70256	PSEUDOEPHEDRINE HCL	70298	PINE NEEDLE OIL	70346	PRAZOSIN HCL
		70299	TINCTURE OF CAPSICUM	70347	ANTITHYMOCYTE GLOBULIN
		70300	PHOSPHOLINE IODIDE	70348	BECLOMETHASONE DIPROPIONATE
		70301	AMMONIUM GLYCOLATE	70349	BROMODIPHE- HYDRAMINE HCL
		70302	GLYCOLIC COMPOUND	70350	EPHEDRINE HCL
		70303	EUCALYPTUS GLOGULUS OIL		

70351	BUPIVACAINE HCL	70402	CHLORPHENIRAMINE TANNATE	70451	TENECTEPLASE
70352	BUTABARBITAL SODIUM			70452	FENTANYL CITRATE
70353	ERGOTAMINE TARTRATE	70403	PHENYLEPHRINE TANNATE	70453	CHLORHEXIDINE GLUCONATE
70354	MEPENZOLATE BROMIDE			70454	CHLORHEXIDINE DIGLUCONATE
70355	ARGININE HCL	70404	PYRILAMINE TANNATE	70455	LEUPROLIDE ACETATE
70356	CHLORDIAZEPOXIDE HCL	70405	DIHYDROCODEINE BITARTRATE	70456	MEROPENEM
70357	CLONIDINE HCL			70457	OIL OF PINE
70358	PHENYLEPHRINE HCL	70406	THEOPHYLLINE ANHYDROUS	70458	CAJEPUT
70359	ALBUTEROL SULFATE			70459	LEVOTHYROXINE SODIUM
70360	CODEINE SULFATE	70407	PHENIRAMINE MALEATE	70460	WATER
70361	PAPAVERINE HCL	70408	PIPERONYL BUTOXIDE	70461	GUGGULSTERONES
70362	NEOMYCIN SULFATE	70409	COLLAGEN HEMOSTAT	70462	CLADRIBINE
70363	5-FLUOROURACIL	70410	FERROUS GLUCONATE	70463	BALSALAZIDE DISODIUM
70364	CEFAZOLIN SODIUM	70411	PROMETHAZINE HCL	70464	ACETYLCHOLINE CHLORIDE
70365	ZINC ACETATE	70412	CETYLPYRIDINIUM CL	70465	SUPER OXIDE DISMUTASE
70366	TIMOLOL MALEATE	70413	CORN STARCH	70466	ESCITALOPRAM OXALATE
70367	CYCLOPENTOLATE HCL	70414	HYDROCOLLOID GEL	70467	BENZYDAMINE
70368	OXYPHENCYCLIMINE HCL	70415	CHROMIUM CHLORIDE	70468	SURAMIN
70369	DEXAMETHASONE SODIUM PHOSPHAT	70416	COPPER SULFATE	70469	FOXGLOVE
70370	LIDOCAINE HCL	70417	SELENIOS ACID	70470	CLORAZEPATE DIPOTASSIUM
70371	HYDROXYZINE HCL	70418	BALSAM PERU	70471	CITRATE
70372	TESTOSTERONE CYPIONATE	70419	BISMUTH RESORCIN	70472	GANIRELIX ACETATE
70373	DEXBROMPHENIRAMINE MALEATE	70420	HYDROXYQUINOLINE SULFATE	70473	NORELGESTROMIN
70374	METHYLPHENIDATE HCL	70421	MAGNESIUM ACID CITRATE	70474	INTERFERON BETA-1A
70375	ESTRADIOL VALERATE	70422	MAGNESIUM HYDROXYCARBONATE	70475	IMATINIB MESYLATE
70376	TESTOSTERONE ENANTHATE	70423	PHENYL CARBINOL	70476	VIGABATRIN
70377	PROPOXYPHENE HCL	70424	OLMESARTAN MEDOXOMIL	70477	BLACK COHOSH
70378	PSEUDOEPHEDRINE SULFATE	70425	VALDECOXIB	70478	CARBONYL IRON
70379	ISOPROTERENOL HCL	70426	DESLORATADINE	70479	BORAGE OIL
70380	PHENYLEPHRINE BITARTRATE	70427	DEXMETHYLPHENIDATE HCL	70480	ALPHA LIPOIC ACID
70381	EPINEPHRINE BITARTRATE	70428	FORMOTEROL FUMARATE	70481	METFORMIN HCL
70382	ETIDOCAINE HCL	70429	CILICA	70482	CETIRIZINE HCL
70383	COAGULATION FACTOR IX	70430	DECYLOLEATE	70483	CADEXOMER IODINE
70384	MEADOWFOAM OIL	70431	DROSPIRENONE	70484	CARBOXYMETHYL-CELLULOSE SODIUM
70385	SILYBUM	70432	PIMECROLIMUS	70485	WITCH HAZEL
70386	PROPOXYCAINE HCL	70433	GYMNEMA SYLVESTRE	70486	ARIPIRAZOLE
70387	POSACONAZOLE	70434	LIPOIC ACID	70487	BILBERRY EXTRACT
70388	TAPIOCA	70435	VANADIUM	70488	BROWN RICE FLOUR
70389	BISMUTH SUBGALLATE	70436	BURDOCK ROOT	70489	GUM GHATTI
70390	CALCIUM CHLORIDE	70437	SLIPPERY ELM	70491	HYOSCYNAMINE SULFATE
70391	PARABENS	70438	SHEEP SORREL	70492	DARBEPOETIN ALFA
70392	XALATAN	70439	INDIAN RHUBARB ROOT	70493	CARBETAPENTANE TANNATE
70393	ZOLEDRONIC ACID	70440	ACELLULAR PERTUSSIS VACCINE	70494	EZETIMIBE
70394	PYRILAMINE MALEATE	70441	POTASSIUM ACETATE	70495	FROVATRIPTAN SUCCINATE
70395	NAPHAZOLINE HCL	70442	NESIRITIDE	70496	PROGUANIL HCL
70396	COD LIVER OIL	70443	ADRENALINE	70497	TINIDAZOLE
70398	MAGNESIUM SULFATE	70444	CINNARIZINE	70498	DILTIAZEM HCL
70399	ATROPINE METHYLNITRATE	70445	TRIMETHOPRIM SULFATE	70499	VERAPAMIL HCL
70400	CASCARA SAGRADA	70446	PONTOCAINE	70500	ACETYLATED LANOLIN
70401	CARBINOXAMINE MALEATE	70447	1-TYROSINE		
		70448	ACETYL-1-TYROSINE		
		70449	GREEN TEA EXTRACT		
		70450	ERTAPENEM SODIUM		

70501	LANOLIN ALCOHOLS EXTRACT	70545	QXYQUINOLONE SULFATE	70592	PSEUDOEPHEDRINE TANNATE
70502	BOTULINUM TOXIN TYPE B	70546	CARNOSINE	70593	CLEMASTINE FUMARATE
70503	AMMONIUM HYDROXIDE	70547	ORTHOPHOSPHORIC ACID	70594	OXYTETRACYCLINE HCL
70504	POLYQUATERNIUM-10	70549	TRIPLENNAMINE HCL	70595	TICARCILLIN DISODIUM
70505	ACRYLATES/STEARETH- 20	70550	SOLUMET	70596	CHOLINE MAGNESIUM TRISALICYLATE
70506	ITACONATE COPOLYMER	70551	POLYTAR	70597	AZATADINE MALEATE
70507	PEGFILGRASTIM	70552	EPHEDRINE TANNATE	70598	LETROZOLE
70508	VORICONAZOLE	70554	CLIOQUINOL	70599	HYDROCODONE POLISTIREX
70509	EDATREXATE	70555	LOSARTAN POTASSIUM	70600	ENALAPRIL MALEATE
70510	COCAMIDOPROPYL HYDROXY SULTAN	70556	CHOLINE BITARTRATE	70601	ANTAZOLINE PHOSPHATE
70511	ERUCAMIDOPROPYL HYDROXY SULTA	70557	ILOPAN	70602	SODIUM CHONDROITIN SULFATE
70512	SILK AMINO ACID	70559	PROPRANOLOL HCL	70603	THIAMINE HCL
70513	CYCLOMETHICONE	70560	BATH OIL	70604	PIPERACILLIN SODIUM
70514	ETHYLHEXYL METHOXYCINNAMATE	70561	SODIUM ACID PHOSPHATE	70605	TAZOBACTAM SODIUM
70515	ETHYLHEXYL SALICYLATE	70562	SODIUM PYRROLIDONE CARBOXYLATE	70606	GLACIAL ACETIC ACID
70516	GLYCERYL TALLOWATE	70563	LIVER DESSICATED	70607	OXYQUINOLONE SULFATE
70517	GLYCERYL COCOATE	70564	AMLODIPINE BESYLATE	70608	PHENYLPRO- PANOLAMINE BITARTRATE
70518	LAURETH-23	70565	BETAMETHASONE DIPROPIONATE	70609	DIPERODON HCL
70519	COCOAMIDO- PROPYLAMINE OXIDE	70566	MANNITOL HEXANITRATE	70610	CALCIUM GLUCONATE
70520	VARICELLA VIRUS VACCINE	70567	DIFENOXIN HCL	70611	MAGNESIUM CARBONATE
70521	GRIFFONIA SIMPLICIFOLIA	70568	DEXTRAN 40	70612	BELLAFOLINE
70523	BIFIDOBACTERIUM INFANTIS	70569	NEOSTIGMINE METHYLSULFATE	70613	WRINKLED GIANT HYSSOP
70524	GLOBULIN PROTEIN CONCENTRATE	70570	PREDNISOLONE PHOSPHATE	70614	ANGELICA ROOT
70525	PHOSPHATE	70571	CARAMIPHEN EDISYLATE	70615	ARECA PEEL
70526	IRON SUCROSE	70572	ISOPROPAMIDE IODIDE	70616	PERILLA LEAF
70527	VALGANCICLOVIR HCL	70573	PENTAERYTHRITOL TETRANITRATE	70617	BISMUTH SUBNITRATE
70528	BAKING SODA	70574	PILOCARPINE HCL	70618	ALUMINUM CHLORHYDRATE
70529	MELANOMA VACCINE	70575	CHLOROPHYLLIN COPPER COMPLEX	70619	BUROW'S SOLUTION
70530	PROANTHOCYANIDINS	70576	HYDROXYAMPHETAMINE HBR	70620	BUTYL AMINO BENZOATE
70531	ESTERIFIED ESTROGENS	70577	ERYTHROMYCIN ETHYLSUCCINATE	70621	COLISTIN SULFATE
70532	LACTOBACILLUS RHAMNOSUS	70578	SULFISOXAZOLE ACETYL	70622	PLATELET PHERESIS
70533	BIFIDOBACTERIUM BIFIDUM	70579	CHLORPHENIRAMIN POLISTIREX	70623	HYDROMORPHONE HCL
70534	LACTOBACILLUS CASEI	70580	CODEINE POLISTIREX	70624	DOCUSATE POTASSIUM
70535	TENOFOVIR DISOPROXIL FUMARATE	70582	OXYCODONE TEREPHTHALATE	70625	ISOPROPYL SEBACATE
70536	POTASSIUM BICARBONATE	70583	BUTYL METHOXYDIBEZOYL METHANE	70626	TETANUS VACCINE
70537	TARRAGON OIL	70584	AMPICILLIN TRIHYDRATE	70627	DIHYDROERGOTAMINE MESYLATE
70538	GINGER OIL	70585	GENTAMICIN SULFATE	70628	HEPARIN SODIUM
70539	PEPPERMINT OIL	70586	MEDROXY- PROGESTERONE	70629	GLYCEROL
70540	JUNIPER OIL		ACETATE	70630	ETONOGESTREL
70541	LIME WATER	70587	PROPANTHELIN BROMINE	70631	COLFOSCERIL PALMITATE
70542	METHAMINE			70632	GREEN SOAP
70543	DOOK OIL	70588	PROCAINE HCL	70633	BISMUTH SUBSALICYLATE
70544	SALOL	70590	RAUWOLFIA SERPENTINA	70634	TEA TREE OIL
		70591	PENTAZOCINE HCL	70635	RICE
				70638	HEMISULFATE
				70639	TRIPLE SULFA

70640	TRISULFAPYRIMIDINES	70687	ATOMOXETINE HCL	70734	ERWINIA L- ASPARAGINASE
70641	POLYOXYETHYLENE NONYLPHENOL	70688	DIBASIC SODIUM PHOSPHATE	70735	INSULIN LIKE GROWTH FACTOR 1
70642	TEGASEROD MALEATE	70689	MONOBASIC SODIUM PHOSPHATE	70736	SODIUM FERRIC GLUCONATE COMPLEX
70643	ANHYDROUS LANOLIN	70690	HP GUAR	70737	BEESWAX
70644	BISMUTH FORMIC IODIDE	70691	BORATE	70738	SUGAR
70645	BISMUTH VIOLET	70692	MEMANTINE HCL	70739	PURIFIED WATER
70646	COLD CREAM	70693	AZELASTINE HCL	70740	ZINC CITRATE
70647	HYOSCINE HBR	70694	RED YEAST RICE FORMULA	70741	ZINC GLUCONATE
70648	DOVER'S POWDER	70695	METHYLSULFONYL- METHANE	70742	L-ALKALOIDS OF BELLADONNA
70650	PHENINDAMINE TARTRATE	70696	VITAMIN B-1	70743	CLODRONATE DISODIUM
70651	ORPHENADRINE CITRATE	70697	VITAMIN B-6	70744	DANDELION
70652	ISOPROTERENOL SULFATE	70699	LYCOPENE	70745	ISOPROPYL PLAMITATE
70653	OXYMETAZOLINE HCL	70700	GAMMALINOLENIC ACID	70746	SALMETROL XINAFOATE
70654	ALUMINUM CHLORHYDROXIDE	70701	ISSULFAN BLUE	70747	PROLINE
70655	DOXYCYCLINE HYCLATE	70702	BROMPHENIRAMINE TANNATE	70748	ALPHA-GALACTOSIDASE
70656	BASILIXIMAB	70703	DOXERCALCIFEROL	70749	CHLORAMINE-T
70657	IMMUNE GLOBULIN INTRAVENOUS	70704	SODIUM CITRATE DIHYDRATE	70750	SODIUM P-TOLUENE- SULFONCHLORA
70658	ANDROSTENEDIONE	70705	CITRIC ACID MONOHYDRATE	70751	METOMIDATE
70659	DROTRECOGIN ALFA	70706	RECOMBINANT INTERFERON ALFA-2A	70752	LEVOBUPIVACAINE HCL
70660	NITRIC OXIDE	70707	PERTUSSIS TOXIN	70753	D-BIOTIN
70661	CETYLDIMETHYLETHYL AMMONIUM BR	70708	FILAMENTOUS HEMAGGLUTININ	70754	ADALIMUMAB
70662	GUANETHIDINE MONOSULFATE	70709	PERTACTIN	70755	EMTRICITABINE
70663	PARGYLINE HCL	70710	PERTUSSIS TOXIN	70756	LAVOLTIDINE SUCCINATE
70664	SULFADOXINE	70711	VARDENAFIL HCL	70757	ENFUVIRTIDE
70665	TRICHLOROMONO- FLUOROMETHANE	70712	ROSUVASTATIN CALCIUM	70758	APREPITANT
70666	LIVE YEAST CELL	70713	KOJIC ACID	70759	ALFALFA
70667	MINERAL WAX	70714	TADALAFIL	70760	MAGNESIUM TRISILICATE
70668	WOOLWAX ALCOHOL	70715	FIBER	70761	CALCIUM CASEINATE
70669	DEODORIZED KEROSENE	70716	DIPHENHYDRAMINE TANNATE	70762	MONOGLYCERIDE
70670	POTASSIUM ESTRONE SULFATE	70717	DEXTROMETHORPHAN TANNATE	70763	DIGLYCERIDE
70671	SENNOSIDES A	70718	DEXCHLORPHENIRAMINE TANNATE	70764	WHEY
70672	SENNOSIDES B	70719	CEVIMELINE HCL	70765	METHYLCOBALAMIN
70673	PROPYLENE GLYCOL DIACETATE	70720	RANITIDINE HCL	70766	CALCIUM PHOSPHATE
70674	TOTAL UNDECYLENATE	70721	METOPROLOL SUCCINATE	70767	MG GLYCERO- PHOSPHATE
70675	DUTASTERIDE	70722	SODIUM OXYBATE	70768	CARTEOLOL HCL
70676	DONNATAL	70723	PEMIROLAST POTASSIUM	70769	MAGNESIUM AMINO ACIDS CHELATE
70677	DOXYLAMINE SUCCINATE	70724	METHENAMINE SULFATE	70770	CALCIUM D-GLUCARATE
70678	ATAZANAVIR SULFATE	70725	ASPARTAME	70771	CITRUS BIOFLAVONOIDS
70679	EPOPROSTENOL SODIUM	70726	CO ENZYME B-12	70772	MITODRINE
70680	GEFITINIB	70727	ATP	70773	SNURON
70681	ALEFACEPT	70728	ALPHA GPC	70774	TIOTROPIUM BROMIDE
70682	ELETRIPTAN HYDROBROMIDE	70729	MEQUINOL	70775	CIPROFLOXACIN
70683	MEGESTROL ACETATE	70730	ACRIFLAVINE	70776	LACTOBACILLUS GG
70684	PSYLLIUM HYDROPHILIC MUCILLOID FIBE	70731	FENTANYL TRANSMUCOSAL LOZENGE	70777	CHICORY ROOT EXTRACT
70685	IRON SULFATE	70732	EPIDURAL	70778	DULOXETINE HCL
70686	CROTALIDAE POLYVALENT IMMUNE FAB	70733	VITAMIN K5	70779	DESLOXETINE HCL
				70780	BISMUTH SUBGALLATE
				70781	POLYSACCHARIDE IRON COMPLEX
				70782	SOY PROTEIN
				70783	SOY FIBER
				70784	FLAVOXATE HCL



70785	TERIPARATIDE INJECTION	70836	GAMMA-AMINOBUTRYIC ACID	70889	SIBERIAN ELEUTHERO
70786	OMALIZUMAB	70837	SENNA CONCENTRATE	70890	CINACALCET HCL
70787	POLYETHYLENE GLYCOL SOLN	70838	ROSEMARY EXTRACT	70891	HYDROGEL
70788	L-CYSTEINE	70839	TRIMETHYLGLYCINE	70892	SILICONE (LIQUID)
70789	VITAMIN D2	70840	DICALCIUM PHOSPHATE	70893	DROMETRIZOLE
70790	MILK	70841	POLOXAMER 331	70894	TURMERIC
70791	IRON CARBONYL	70842	CALCIUM-SODIUM ALGINATE FIBE	70895	DIOSMIN COMPLEX
70792	HMB	70843	HORSETAIL	70896	HESPERIDIN COMPLEX
70793	GLYCERYL STEARATE	70844	ACEMANNAN HYDROGEL	70897	OVINE SPLEEN
70794	FOSAMPRENAVIR CALCIUM	70845	IMIDURA	70898	DESICCATED BOVINE SPLEEN
70795	L-GLUTAMINE	70846	BOVINE HEART PMG EXTRACT	70899	POTASSIUM
70796	DIGESTIVE ENZYMES	70847	SELENIUM YEAST	70900	CALCIUM SENNOSIDE
70797	ZEAXANTHIN	70848	ALUM	70901	GLIBENDAMIDE
70798	SOY LECITHIN	70849	PHENOL FRAGRANCE	70902	L-HOMOCYSTEINE THIOLACTONE
70799	MAGNESIUM	70850	CASPOFUNGIN ACETATE	70903	FONDAPARINUX SODIUM
70800	GENISTEIN	70851	BOVINE LIVER POWDER	70904	ASTRAGALUS
70801	DAIDZEIN	70852	PORCINE STOMACH	70906	ILEX
70802	INDOL-3 CARBINOL	70853	CALCIUM SALTS	70907	SOYBEAN LECITHIN COMPLEX
70803	FRUIT (DRIED)	70854	RHUBARB	70908	GINKGO BILOBA
70804	FRUIT JUICE	70855	BLACK WALNUT	70909	HUPERZINE
70805	CREAM	70856	ANTIOXIDANTS	70910	RHODODENDRON CAUCASICUM
70806	MILK PROTEIN CONCENTRATE	70857	L-METHYLFOLATE	70912	TEBOKAN
70807	TELITHROMYCIN	70858	CYANOCOBALAMIN	70913	SENNOSIDES
70808	JUICE	70859	BOVINE COLOSTRUM	70914	WHEAT GRASS POWDER
70809	ARABINOXYLANE COMPOUND	70860	ACESULFAME K	70915	ROYAL JELLY
70810	SKIM MILK	70861	BIEBRICH SCARLET RED SULFONATED	70916	IRON GLYCINATE
70811	NITROGLYCERINE	70862	EPINASTINE HCL	70917	FOLATE
70812	INSULIN ASPART INJECTION	70863	MALTODEXTRIN	70918	TERMINALIA CHEBULA
70813	INSULIN ASPART PROTAMINE	70864	WHEY PROTEIN ISOLATE	70919	ZINGIBER OFFICINALE
70814	ALFUZOSIN HCL	70865	CIWUJIA EXTRACT	70920	CHICORIUM INTYBUS
70815	DEONIZED WATER	70866	SACCHAROMYCES BOULARDII	70921	IPOMOEA TURPETHUM
70816	PEG-150	70867	VITAMIN B-2	70922	GLYCYRRHIZA GLABRA
70817	SODIUM TRIDECETH SULFATE	70868	VITAMIN B-3	70923	SODIUM CASEINATE
70818	DISTEARATE	70869	VITAMIN B-5	70924	CHOLINE CHLORIDE
70819	SODIUM LAURETH-13 CARBOX	70870	DEXTRAN 70	70925	TINZAPARIN SODIUM
70821	POLYSACCHARIDE IRON COMPLEX	70871	PALONOSETRON HCL	70926	SODIUM METABISULFITE
70822	PRUNES	70872	RAISINS	70927	CHONDROITIN SULFATE
70823	PRUNE JUICE	70873	DATES	70928	ANAKINRA
70824	APPLE JUICE	70874	OATS	70929	MAGNESIUM ASCORBATE
70827	BETA SISTEROL	70875	CORN	70930	SOY OIL
70828	SAW PALMETTO BERRY	70876	LEGUME	70931	CALCIUM SULFATE
70829	PYGEUM AFRICANUM	70877	APPLE FIBERS	70932	CALCIUM AMINO ACIDE CHELATE
70830	METAPROTERENOL SULFATE	70878	GLUCOTAMINE	70933	MICROCRYSTALLINE HYDROXYAPATITE
70831	CEFDITOREN PIVOXIL	70879	SPARFLOXACIN	70934	POLYSACCHARIDE-IRON COMPLEX
70832	OAT BRAN	70880	ALBUTEROL EXTENDED- RELEASE	70935	GRAPE SEED EXTRACT
70833	OAT FIBER	70881	WHEY PROTEIN CONCENTRATE	70936	PINE BARK EXTRACT
70834	LANOLIN ALCOHOL	70882	COLLAGEN PROTEIN	70937	GLUCOAMYLASE
70835	CALCIUM-POTASSIUM CASEINATE	70883	POTASSIUM SORBATE	70938	TENOFOVIR
		70884	RISPERDAL INJECTION	70939	LIQUID PARAFFIN
		70885	PARICALCITOL	70940	AVOCADO OIL
		70886	IRON	70941	TROLAMINE/SODIUM ALGINATE
		70887	ALGINATE	70942	BIVALIRUDIN
		70888	ELEUTHEROSIDE E		

70943	DOCOSANOL	70964	PARATHYROID HORMONE	80008	NIZATIDINE
70944	CATRIX			80009	MITOXANTRONE
70945	DIPENTAERYTHRITYL	70965	PARAGUAY TEA	80010	MURONAB
70946	HEXACAPRYLATE	70966	SERTACONAZOLE NITRATE	80011	MUPIROCIN
70947	BETADEX			80012	NAFTIFINE
70948	CANDIDA ALBICANS SKIN TEST ANTIGEN	70967	SPINACH POWER	80013	PENBUTOLOL SULFATE
		70968	DOCETAXEL	80014	TERCONAZOLE
70949	FULVESTRANT	70969	LINOLEIC ACID	91011	MISOPROSTOL
70950	BORTEZOMIB	70970	HYDROLYZED LATALBUMIN	91013	OLSALAZINE
70951	TRIMETREXATE CLUCURONATE	70971	MCT OIL	91016	LEVAMISOLE
70952	GEMTUZUMAB OZOGAMICIN	70972	PRAZIQUANTEL	91018	ETHANOLAMINE OLEATE
		70973	POLYDIMETHYL-SILOXANE	91019	MORICIZINE
70953	DESICCATED STOMACH SUBSTANCE	70975	MYCOPHENOLIC ACID	91060	CEFUROXIME AXETIL
70954	ECHINACEA	70976	BOSENTAN	92501	ASTEMIZOLE
70955	METHYLPREDNISOLONE SODIUM SUCCINATE	70977	ROSAVASTATIN CALCIUM	92502	KETOROLAC TROMETHAMINE
		70978	ALEMTUZUMAB	92503	CLOMIPRAMINE
70956	SULBACTAM SODIUM STERILE	70979	S-ADENOSYL-L-METHIONINE	92504	CEFMETAZOLE SODIUM
				92505	CANNABIS SATIVA
70957	SORBITAN SESQUIOLEATE	70980	FENOLDOPAM MESYLATE	92506	METHYLENEDIOXY-METHAMPHETAMINE
		70981	DAPTOMYCIN	92507	GAMMA-HYDROXYBUTYRATE
70958	HYDROCORTISONE VALERATE	80001	ALPHA-1-PROTEINASE INHIBITOR	92508	PETROLEUM HYDROCARBONS
		80002	ALTEPLASE		
70959	SOTALOL HCL	80003	APRACLONIDINE	92509	PHENCYCLIDINE
70960	TEMOCAPRIL HYDROCHLORIDE	80004	DICLOFENAC SODIUM	92510	TOLUENE
		80005	OCCULT BLOOD TEST KIT	92511	THALIDOMIDE
70961	SERMORELIN ACETATE	80006	FLUOXETINE HYDROCHLORIDE	92512	MICONAZOLE NITRATE
70962	RECOMBINANT HEMOPHILIC FACTOR				
70963	L-ARGININE	80007	LISINOPRIL		

**B. DRUG ENTRY CODES AND NAMES IN NUMERIC ORDER**

00002	TAMIFLU	00096	OSTEO-BIFLEX	00205	VAPONEPHRINE
00003	DITROPAN XL	00099	ALOCRIL	00206	ACTONEL
00004	LIDODERM PATCH	00100	A.S.A.	00208	CELECOXIB
00006	NEPHRON	00101	ISOSORBIDE DINITRATE	00209	GLUCOVANCE
00007	TMP-SMZ DS	00102	ISOSORBIDE MONONITRATE	00211	LEVALL 5.0
00008	VIActiv	00104	HAART	00213	PANTOPRAZOLE SODIUM
00009	BICILLIN L-A	00107	ROSIGLITAZONE MALEATE	00217	TEMODAR
00010	A AND D	00109	URSODIOL	00218	CARBAMIDE PEROXIDE
00012	I POL	00112	MEDERMA	00219	DYCLONINE HCL
00013	MYCOPHENOLATE MOFETIL	00113	ANDROGEL	00221	CHINESE HERBAL MEDS
00017	SIROLIMUS	00114	DILTIA XT	00223	ACCUTANE
00020	A.C.A.	00117	CRANBERRY	00224	MILK AND MOLASSES ENEMA
00022	PREVNAR	00122	GATORADE	00226	PEDIACARE INFANTS DECONGESTA
00023	A.C.N.	00123	NICOTINE	00230	DYNEX
00024	PROLEX DM	00124	POLY-TUSSIN	00233	CONCERTA
00026	NOXZEMA MEDICATED SKIN CREAM	00125	AVELOX	00236	SBE PROPHALAXIS
00027	SYNAGIS	00127	MONISTAT 3	00237	VANIQA
00028	TEQUIN	00129	PROFEN II DM	00238	ZOLMITRIPTAN
00029	DOSTINEX	00130	A-CAINE	00239	FEMHRT
00032	EXCEDRIN MIGRAINE	00131	URISTAT	00240	ACEPHEN
00036	MAALOX PLUS	00135	A-CILLIN	00241	PROVOCHOLINE
00037	ACEON	00137	M.D. FORTE SKIN REJUVEN LOTION	00244	GLUTAMINE
00038	GLYSET	00143	AQUATAB DM	00245	ACETA
00039	SONATA	00144	ESKALITH CR	00246	LEUKINE
00040	SOY	00146	GUAIFED-PD	00247	PEG INTERFERON ALFA- 2B
00042	PROTONIX	00148	PROLIXIN D	00251	VICODIN ES
00043	D-50-W	00149	D51/2 NS	00253	LISPRO
00044	PANLOR DC	00150	NICODERM CQ PATCH	00254	CARTIA XT
00047	DONNATAL ELIXIR	00151	TUSSIN	00257	DECONSAL II
00048	MOBIC	00153	AGGRASTAT	00258	ETHYOL
00049	ORTHO-PREFEST	00154	CHILDREN'S IBUPROFEN	00259	FML
00052	SILDENAFIL CITRATE	00159	KALETRA	00260	ACETAMINOPHEN
00053	TAMSULOSIN HYDROCHLORIDE	00161	BISOPROLOL	00263	CMF
00054	COMTAN	00163	A/T/S	00267	LIQUID TEARS
00056	ENTEX PSE	00167	NOVOLIN N	00268	MOMETASONE FUROATE
00058	MINERAL SUPPLEMENT	00168	TRIMO-SAN	00269	SUCCINYLCHOLINE CHLORIDE
00061	BISMUTH	00169	KETOROLAC TROMETHAMINE	00272	PREMESISRX
00066	EPIRUBICIN HCL	00171	METABOLIFE 356	00273	PROVIGIL
00067	INTEGRILIN	00172	OPHTHALMIC OINTMENT	00274	QVAR
00069	AURODEX	00173	ELA-MAX	00278	RHINARIS LUBRICATING NASAL GEL
00070	TAVIST D	00174	NEUROTROPHIN-1	00280	ACETAMINOPHEN W/CODEINE
00072	IONIL T	00175	PEDIA-POP	00281	VERTEPORFIN
00073	LUXIQ	00176	PREDNISOLONE ACETATE	00282	VISUDYNE
00075	SAL-TROPINE	00177	SALT WATER	00287	CENESTIN
00076	TRILEPTAL	00181	ATUSS MS	00289	AH-CHEW
00078	AGGRENEX	00184	KEPPRA	00290	ACETATED RINGER'S
00080	CARBIDOPA-LEVODOPA	00187	OPHTHALMIC DROPS	00292	TEVETEN
00081	EXELON	00192	SPECTRAVITE	00293	AMLACTIN
00085	ORAMORPH	00195	TEMOZOLOMIDE	00294	CANTHACUR-PS
00089	PANMIST-DM	00198	ENOXAPARIN SODIUM	00295	ACETAZOLAMIDE
00090	PROMAX	00200	MEPERIDINE HCL	00296	PENLAC
00091	ACT	00202	PENCICLOVIR		
00092	ESTROSTEP FE	00203	SALINEX		
00094	NESTABS CBF				

00297 PLEXION	01003 ANAPROX DS	01096 CLINDAGEL
00301 HISTEX HC	01004 ATUSS EX	01098 DEMEROL/PHEN
00303 ZICAM	01006 FERRIMIN	01101 ESTRIOL CREAM
00304 ZYDERM	01007 TIKOSYN	01102 GYNAZOLE I
00305 ACETIC ACID	01008 ZONEGRAN	01104 LOESTRIN FE
00306 MEDENT LD	01011 PANCOF HC	01106 LUTEIN
00307 METADATE ER	01012 BUDESONIDE	01108 QUIXIN
00311 BUPAP	01016 ADVIL MIGRAINE	01110 ALPHALIN
00312 COMBIPATCH	01017 BACTRIM DS	01111 TRAVATAN
00313 DIGITEK	01018 MONSEL'S SOLUTION	01113 TUSSIBID
00314 DILATING DROPS	01019 NIFEDICAL XL	01114 UROQUID
00315 ACETOHIST	01020 OPTIVAR	01116 ZYVOX
00317 NICOTROL INHALER	01021 BUTORPHANOL	01117 AXERT
00318 SARAFEM	TARTRATE	01119 INDERAL LA
00320 ACETONE	01022 METOPROLOL TARTRATE	01121 LESCOL XL
00321 JUICE PLUS+	01023 PHOSPHENYTOIN	01123 RESCULA
00322 LEVLITE	01024 RABAVERT	01124 ULTRACET
00323 PRENATE ADVANCE	01026 HUMIBID LA	01127 CARAC
00335 ACETYLCHOLINE	01027 STROMECTOL	01131 NICOMIDE
00338 ACETYLCYSTEINE	01028 CODEINE COUGH SYRUP	01141 REMINYL
00340 ACHROMYCIN	01029 EFFEXOR XR	01142 BUCKLEY'S MIXTURE
00353 ACIDIFYING AGENT	01030 ALLOPURINOL	01144 OLUX
00360 ACID MANTLE	01031 REPAN	01147 LUSTRA AF
00395 ACNE	01032 TPA	01148 ALTOCO
00455 ACTH	01034 ADVAIR DISKUS	01153 VAGIFEM
00460 ACTHAR	01036 GEODON	01156 MARCAINE/KENALOG
00465 ACTICORT	01037 GLUCOTROL XL	01157 CHROMAGEN FORTE
00475 ACTIFED	01038 HALDOL DECANOATE	01160 D5NS
00485 ACTOL	01041 RABEPRAZOLE SODIUM	01161 ACCURETIC
00486 ACTIVASE	01042 REPAGLINIDE	01166 WELCHOL
00510 ADAPIN	01044 Z-PAK	01167 KRISTALOSE
00535 ADENOSINE	01046 QUINOLONES	01168 COSAMIN DS
00540 ADIPEX	01047 IRBESARTAN	01169 AGRYLIN
00560 ADRENALIN	01048 ROFECOXIB	01171 AROMASIN
00570 ADRIAMYCIN	01053 AMPICILLIN AND	01172 CIPRIL
00580 ADRUCIL	SULBACTAM	01173 D5 LR
00595 ADSORBOTEAR	01055 ORAPRED	01174 PROACTIVE
00597 ADVIL	01056 ACTIVELLA	01176 GENGRAF
00598 AEROBID	01057 DETROL LA	01177 MAG TAB SR
00645 AFRIN	01059 DIMETANE DX	01178 PODOFILOX
00780 ALBUTEIN	01062 RHINOCORT AQUA	01182 DERMAZINC W/ CLOBETASOL
00785 ALCAINE	01063 TEGRETOL XR	
00790 ALCOHOL	01064 WELLBUTRIN SR	01189 BIAVIN XL
00810 ALCON	01067 ALLERX	01192 CHROMAGEN OB
00825 ALDACTAZIDE	01068 CENOGEN OB	01196 MOXIFLOXACIN
00830 ALDACTONE	01070 ALMORA	01199 NEOSURE
00835 ALDOCLOR	01072 TRIPTANS	01201 STROVITE FORTE
00845 ALDOMET	01073 MAXALT-MLT	01206 COENZYME Q10
00850 ALDORIL	01074 THERASEAL	01207 LITHIUM CARBONATE
00866 ALFENTA	01076 STARLIX	01210 NYSTATIN
00900 ALKALINE AROMATIC	01077 PROLEX	W/HYDROCORTISONE
00915 ALKERAN	01082 BENZACLIN	01211 PULMICORT RESPULES
00976 ALLERGAN	01083 BIESTROGEN	01212 ESTROVAN
00979 ALLERGINE	01084 LUMIGAN	01214 LANTUS
00980 ALLERGY RELIEF OR SHOTS	01086 MSM	01216 OXCARBAZEPINE
01000 ALLERPHED C	01087 PROTOPIC	01217 BIDX DM
EXPECTORANT	01090 ALPHA-KERI	01219 FARESTON
01001 CLARITIN D	01092 ATUSS G	01222 NORDITROPIN
01002 NEXIUM	01093 BOTOX	01225 ALUMINUM HYDROXIDE
	01094 CARDIZEM CD	

01228 BECLOMETHASONE DIPROPIONATE	01670 AMPHOJEL	02078 MERREM IV
01229 PEG-INTRON	01678 AMPHOTERICIN	02079 NITROGLYCERIN SUBLINGUAL
01231 ZEPHREX LA	01685 AMPICILLIN	02080 ANTACID
01233 RAPAMUNE	01725 AMYTAL	02081 PONARIS
01234 RITALIN-SR	01755 ANACIN	02082 MAXIDONE
01236 VERAPAMIL SR	01775 ANALGESIC	02083 UNITHROID
01237 5-FLUOROURACIL	01780 ANALGESIC BALM	02085 ANTACID #6
01238 AMIFOSTINE	01835 ANAPHYLATIC SHOCK DRUG KIT	02086 Z-COF DM SYRUP
01242 CEFAZOLIN SODIUM	01838 ANAPROX	02087 SOAPSUDS ENEMA
01243 BENEDRYL ITCH RELIEF CHILDREN	01860 ANBESOL	02091 STAFLEX
01244 NATACHEW	01865 ANCEF	02092 MUPIROCIN CALCIUM OINTMENT
01247 PROGESTERONE/ ESTROGEN PATCH	01975 ANECTINE	02093 OATMEAL BATH
01248 METERED DOSE INHALER	01983 ANESTHETIC	02096 GREEN COCKTAIL
01249 METADATE CD	02011 RONDEC-DM ORAL DROPS	02098 LEUSTATIN
01251 PROFEN FORTE	02013 BENICAR	02099 DEPAKOTE ER
01255 ALUPENT	02014 BEXTRA	02102 GATIFLOXACIN
01256 BENEFIX	02016 CLARINEX	02104 MAGNESIUM HYDROXIDE
01259 MILK THISTLE	02018 FOCALIN	02106 TRIAMINIC VAPOR PATCH
01262 CORICIDIN HBP COUGH & COLD	02019 FORADIL AEROLIZER	02107 ZALEPLON
01263 VIDEX EC	02020 ANISE OIL	02108 COLAZAL
01264 DEPACON	02022 PEDIACARE COUGH-COLD LIQUID	02109 MIOCHOL-E
01265 D.O.S.	02023 SUPARTZ	02112 DIAPER RASH
01266 INSULIN GLARGINE	02024 VITAMIN B & E	02113 ANTHELMINTIC AGENT
01267 HUMALOG MIX 75/25	02026 YASMIN	02114 DOUBLE ANTIBIOTIC
01268 LORCET PLUS	02027 GLUCAGEN	02116 ERYCIN
01274 TRIZIVIR	02029 ADVICOR	02117 PLAN B
01275 ZONISAMIDE	02031 ELIDEL CREAM	02119 LEXAPRO
01278 METROLOTION	02032 GLUCONASE	02127 BANANA BAG
01281 ADDERALL XR	02033 GYNODIOL	02128 BENZONATATE
01282 LATANOPROST	02034 RESPERIN	02131 ESOMEPRAZOLE MAGNESIUM
01284 NOREL DM	02036 EXTRA STRENGTH TYLENOL	02132 LORCET-HD
01285 ZOMETA	02037 LEVETIRACETAM	02133 NITROGLYCERIN TRANSLINGUAL
01287 ASP	02039 DTAP-HIB	02136 VISTIDE
01288 OXYFAST	02042 DUONEB	02137 ZYPREXA ZYDIS
01290 AMANTADINE	02044 NATRECOR	02138 MAALOX W/ VISCOUS LIDOCAINE
01295 AMARIL D	02046 LAT	02139 CARBOFED DM SYRUP
01365 AMESEC	02047 AUGMENTIN ES	02140 THIAMINE HCL
01375 AMICAR	02049 PEDIATEX-D	02141 HRT
01378 AMIDATE	02054 TRIMETHOPRIM SULFATE/POLYMYXIN B SULFAT	02143 FOLTX
01395 AMIDOXINE	02056 XAP	02144 ORTHO-EVRA
01405 AMIKACIN	02059 AZMACORT	02145 REBIF
01410 AMIKIN	02061 GUAIFENESIN/ PSEUDOEPHEDRINE	02146 ADOXA
01450 AMINOPHYLLINE	02062 TRILUMA	02147 METHYLIN
01485 AMINOSALICYLIC ACID ENSEAL	02063 SCHWARTZ COCKTAIL	02148 SOLARAZE
01525 AMITRIL	02064 INVANZ	02150 ANTI-TUSS
01530 AMITRIPTYLINE	02065 TNKASE	02152 KENALOG/LIDOCAINE
01535 AMITRIPTYLINE HCL W/PERPHENAZINE	02066 NOTUSS	02153 VITAMIN B12/FOLIC ACID
01555 AMMONIA AROMATIC ASPIROL	02067 ACTIQ	02154 ENTOCORT EC
01628 AMOXAPINE	02069 D5 1/4 NS	02156 GLEEVEC
01630 AMOXICILLIN	02074 LUPRON	02158 ANTIBIOTIC AGENT
01635 AMOXICILLIN TRIHYDRATE	02075 ANTABUSE	02163 K+ CARE
01640 AMOXIL	02076 MAPAP	02165 ANTICOAGULANT
	02077 MEROPENEM	02166 ACCUHIST DM PEDIATRIC
		02167 ACCUHIST LA
		02168 BLACK COHOSH

02169 ICAR	02280 APRI	02740 ASCRIPTIN W/CODEINE
02173 BORAGE OIL	02281 CHICKEN POX VACCINE	02748 ASENDIN
02175 ANTILIRIUM	02287 PHOSPHATE	02765 ASMACOL
02176 ALPHA LIPOIC ACID	02292 VENOFER	02803 ASPIRIN W/CODEINE
02177 CAPZASIN P	02293 VALCYTE	02805 ASPIRIN
02184 OGESTREL 0.5/50	02297 CHEWABLE VITAMINS	02850 ASTHMACON
02186 ORTHO EVRA	02298 CYCLESSA	02875 ATARAX
02187 ALPHAGAN P	02299 SENNA-GEN	02900 ATIVAN
02188 DEXEDRINE SPANSULES	02303 REMIFEMIN	02910 ATRIDINE
02189 GLUCOPHAGE XR	02304 TWINRIX	02930 ATROPHYSINE
02190 ANTIPRESS	02307 ESTEROL ESTER-C	02940 ATROPINE
02191 ZYRTEC-D 12 HOUR TABLETS	02310 ANUSOL	02980 ATROPISOL
02192 ADULAX	02311 PIOGLITAZONE HCL	02982 ATROVENT
02193 HIB/HEP B	02314 LORTAB ELIXIR	02987 AUGMENTIN 125
02194 IODOSORB	02315 ANUSOL-HC	02995 AURALGAN
02195 ANTIPYRINE	02316 PAXIL CR	03002 AVODART
02197 NOVASAL	02320 APAC	03003 CORTISPORIN OINTMENT
02199 PREPARATION H OINTMENT	02321 TENOFOVIR DISOPROXIL FUMARATE	03005 AUREOMYCIN
02202 PREPARATION H COOLING GEL	02322 THALOMID	03006 GI COCKTAIL W/DONNATAL
02203 ABILIFY	02326 CALCIUM GLUBIONATE	03007 HEPSERA
02204 BILBERRY EXTRACT	02333 ROXICODONE	03011 GREEN LIZARD
02205 ANTISEPTIC MOUTHWASH	02334 LIPRAM-CR5	03012 DEPAKOTE SPRINKLE
02209 NOVOLOG	02335 APAP	03019 REYATAZ
02211 PEDIOX	02336 FIBER-LAX	03020 AUROTO DROPS
02213 ELIDEL	02339 SOLUMET	03021 MOTRIN CHILDREN'S COLD SUSP
02214 NULEV	02340 APAP W/CODEINE	03025 AVALGESIC LOTION
02215 ANTISEPTIC SOLUTION	02349 LIDOCAINE W/MARCAINE	03026 ZANFEL
02217 ARANESP	02351 FEMARA	03028 NITROSPRAY
02218 TUSSI-12D S	02352 TRIHIBIT	03029 ORACIT
02222 Z-COF LA	02353 CALCIUM AND VITAMIN C	03033 PROLEX DH
02223 ZETIA	02358 PROCTOSOL	03036 FLOLAN
02225 ANTISPASMODIC	02359 VIREAD	03037 IRESSA
02226 FROVA	02361 PLATELET PHERESIS	03038 PANTIDINE
02228 MALARONE	02363 BELPH 10	03039 IMODIUM A-D
02231 ADALAT CC	02366 PURALUBE	03041 OVIDE
02232 BENEFIBER	02367 NUVARING	03042 AMEVIVE
02233 EMERGEN-C	02369 KENALOG/XYLOCAINE	03043 CERTAGEN SENIOR TABLET
02234 TAZTIA XT	02373 ZELNORM	03044 RENAL CAPS
02236 TRIEST	02374 REBETOL	03046 NEPRO
02237 CLORPRES	02382 PERIOSTAT	03048 RELPAX
02239 DOVE SOAP	02384 DOC-Q-LACE	03050 AVEENO
02242 HISTEX SR	02388 ANDROSTENEDIONE	03051 LITTLE NOSES GENTLE FORMULA
02244 CALAN SR	02394 NESIRITIDE	03052 XIRAL
02246 CUTEMOL	02396 VARICELLA VIRUS VACCINE	03054 RYNATAN PEDIATRIC SUSPENSION
02247 FLOXIN OTIC	02397 PLATELET INHIBITOR	03055 AVEENO LOTION
02248 MYOBLOC	02405 APRESOLINE	03056 CITROMA
02249 PEPCID AC	02470 AQUAPHOR	03057 MEGESTROL ACETATE
02250 ANTIVERT	02490 AQUASOL BODY LOTION	03064 DEODORIZED OPIUM TINCTURE
02254 ANAGRELIDE	02510 AQUATENSEN	03065 AVEENO-BAR
02256 ESCITALOPRAM OXALATE	02520 ARALEN	03067 COX-2 INHIBITOR
02259 NEULASTA	02555 ARGININE	03068 LEXAPRIL
02261 VORICONAZOLE	02575 ARISTOCORT	03070 AVENTYL HCL
02262 ALTOCOR	02615 ARISTOSPAN	03071 OXYTROL
02268 RETIN-A MICRO GEL	02620 ARITHMIN	03072 A & D OINTMENT
02271 RITALIN LA	02627 ARMOUR THYROID	
02273 LIDEX-E	02645 ARTANE	
02279 PULMICORT	02705 ASCORBIC ACID	
	02725 ASCRIPTIN	

03075 AVITENE	03189 ORTHO-TRICYCLEN LO	03303 RESCON
03078 PANLOR SS	03191 PRENATE GT	03305 B VITAMINS W/C
03080 STRATTERA	03192 VIGAMOX	03306 NOVALOG
03081 AMOXICILLIN AND CLAVULANATE POTASSIUM	03194 AVAR	03308 PALGIC-D
03083 FLEET PEDIATRIC ENEMA	03197 CIPRODEX	03309 PROVENTIL HFA
03084 SYSTANE	03198 CLENIA	03312 CORAL CALCIUM DAILY
03088 TUSSI-12 D	03201 MEMANTINE	03313 EPIDURAL ANESTHESIA TRAY
03089 ATACAND HCT	03202 PSEUDOVENT	03318 HEPARIN SODIUM
03091 AZELASTINE HCL	03203 RYNA-12	03319 TRAMADOL HCL
03093 MSM W/GLUCOSAMINE	03207 PHENYTEK	03321 TRIMETHOPRIM SULFATE
03095 AVP-NATAL-FA	03208 ALAVERT	03327 BIMATOPROST
03099 CILOSTAZOL	03209 ATAZANAVIR SULFATE	03328 ENALAPRIL/HCTZ
03101 AXID	03211 CIALIS	03329 FERRLECIT
03102 FOLGARD	03213 ROSANIL	03332 BENADRYL ALLERGY
03104 METROCREAM	03214 STALEVO	03352 PROLEX PD
03105 AVANDAMET	03217 DURAHIST	03355 B-12
03106 ONE A DAY VITAMIN	03218 DYTAN-D	03358 ZINC LOZENGES
03107 PROLEX D	03219 ELIGARD	03359 MODAFINIL
03108 ZYMAR	03222 MICARDIS HCT	03366 VALDECOXIB
03109 AUGMENTIN XR	03224 TANAFED DMX	03368 LINEZOLID
03113 AYGESTIN	03225 AZULFIDINE	03371 ALTEPLASE
03115 AYR SALINE MIST	03226 ENALAPRIL MALEATE	03374 ISOVUE-M 300
03116 URSO	03227 EVOXAC	03385 BAC-NEO-POLY
03119 ZOLEDRONATE	03228 AVINZA	03392 TYLENOL ELIXIR
03122 GINGER	03229 RED YEAST RICE	03400 BACIGUENT
03123 AZATHIOPRINE	03231 MYTUSSIN	03403 CREON 20
03127 CARDIZEM LA	03234 TERAZOL 3	03404 PROLINE
03129 DIPROLENE AF	03236 TERAZOL 7	03405 SYPRINE
03131 DUAC	03239 CLOBEX LOTION	03408 CHLORAZENE
03132 FINACEA	03241 TESTIM	03409 ELOXATIN
03134 RESTASIS	03243 VERELAN PM	03410 BACITRACIN
03137 BROVEX	03245 B & O SUPPRETTE	03411 FLAX SEED
03138 CIPRO XR	03250 B COMPLEX	03414 METOMIDATE
03139 HECTOROL	03251 RANITIDINE HCI	03419 VIRAVAN S
03141 LISINOPRIL/HCTZ	03252 AMNESTEEM	03421 DARBEPOETIN ALFA
03142 NIFEDIPINE ER	03253 GREEN TEA EXTRACT	03423 BACLOFEN
03148 AVIANE	03255 B COMPLEX #100	03426 DIATX
03156 BUPROPION SR	03257 PRIMACARE	03427 HUMIRA
03158 MAXIFED DM	03258 QDALL	03430 BACTRIM
03161 MICROGESTIN FE	03259 R A LOTION	03432 SULFAMETIN
03162 PEGASYS	03267 INDOCIN SR	03433 CORTANE-B
03163 ROSULA	03268 PANMIST LA	03434 HYOSCYAMINE
03167 DERMAZENE	03269 SEASONALE	03435 FUZEON
03169 FEVERFEW	03271 EPIQUIN MICRO	03438 BACTROBAN
03172 NEVACOR	03272 METOPROLOL SUCCINATE	03439 EMEND
03176 RECOMBINANT INTERFERON ALFA-2A	03273 NOVOLIN R	03441 AVLIMIL
03177 CALCARB 600	03276 SUBOXONE	03443 AQUACEL AG
03178 HYLAGEN	03277 XYREM	03485 BALNETAR
03179 PEDIARIX	03278 ALAMAST	03518 BANCAP HC
03180 LEVITRA	03280 B COMPLEX W/ASCORBIC ACID & B-12-200	03575 BARBITAL
03181 METAGLIP	03281 ANESTACON	03590 BARIUM
03182 NEOPOLYDEX	03282 CANASA	03675 BC
03183 TUMS E-X	03286 KARIVA	03685 BCG VACCINE
03184 WELLBUTRIN XL	03287 OVACE	03688 BCO
03185 XANAX XR	03288 PANMIST JR	03700 BECLOMETHASONE
03187 CRESTOR	03296 IVERMECTIN	03705 BECLOVENT
03188 MUCINEX	03301 SOLAGE	03709 BECONASE
	03302 VANAMIDE	03800 BELLADONNA

03805 BELLADONNA ALKALOIDS W/PHENOBARBITAL	04121 NOVAREL	04401 UTOX
03825 BELLADONNA W/PHENOBARBITAL	04122 AFEDITAB CR	04402 CLIOQUINOL
03843 BELLASPAZ	04124 CENTANY	04403 NATALCARE GLOSSTABS
03845 BELLERBAL	04131 MEGA VM-80	04404 PRELIEF
03850 BELLERBAL-S	04133 PROBIOTICA	04406 ABREVA
03900 BEN-GAY	04138 UROXATRAL	04407 CAPTOPRIL/HCTZ
03903 BENA-D	04141 ANTICHOLINERGIC	04408 CATRIX CORRECTION
03905 BENADRYL	04143 CATAPRES-TTS-1	04409 GERO VITA
03950 BENEGYN	04146 EZETIMIBE	04410 GLYSTONE WASH
03970 BENOQUIN	04149 MARTEN-TAB	04411 HYDRANORME FACIAL SKIN CARE
03975 BENOXINATE	04154 SILVER NITRATE STICK	04412 MEGA MSM
04000 BENTYL	04156 SPECTRACEF	04413 SOTRET
04002 CALCIUM-MAGNESIUM- ZINC SUPPLEMENT	04157 ZOXAN	04414 VITAMIN/FLUORIDE
04011 NAMENDA	04159 ESTRA-L	04416 AMIBID LA
04014 ARIPIRAZOLE	04162 FLUMIST	04417 TINEACIDE
04016 AZO CRANBERRY	04170 BETAMETHASONE	04418 VITE E CREAM
04020 BENZAC	04171 EMTRIVA	04421 ERTAPENEM
04021 BENICAR HCT	04172 GABA	04422 BABY SHAMPOO
04023 BISOPROLOL/HCTZ	04173 DURAPHEN DM	04423 LETROZOLE
04030 BENZAGEL	04175 METFORMIN HYDROCHLORIDE ER	04424 TRIFLURIDINE
04031 CERTAGEN	04189 XIRATUSS	04425 BISMUTH SUBGALLATE
04036 MITODRINE	04190 BETHANECHOL	04426 KINDERCAL
04037 LODOXAMIDE	04196 CADUET	04427 SCANDICAL
04038 SNURON	04213 COLON CLENZ	04428 SUDODRIN
04041 ALBUTEROL/ATROVENT	04221 CEREFOLIN	04429 ZOCAL
04042 SPIRIVA	04225 BICARBONATE OF SODA	04432 B-TUSS
04043 SYMBYAX	04226 DECONAMINE	04436 LEVICON
04048 RONDEC ORAL DROPS	04235 BICILLIN	04438 CAYENNE
04051 CYMBALTA	04238 ELESTAT	04439 DHS CONDITIONER
04055 DESLORATADINE	04240 BICILLIN C-R	04441 HERBAL ADRENAL
04056 DEVROM	04249 ALOXI	04442 MIGRELIEF
04058 DIALYVITE	04250 BICITRA	04443 ALENOL
04062 ED-FLEX	04251 EAR-GESIC	04444 GENASAL
04063 FERREX	04252 H-C TUSSIVE	04446 LYCOPENE
04064 CONSTIPATION MEDICATION	04253 HEMOCYTE-F	04447 TRITUSSIN COUGH
04066 FIBER SOURCE	04254 CO-TUSS V	04448 AMMONIUM LACTATE
04068 XOLAIR	04256 HYDROCODONE GF	04449 BETADIX
04069 FLAVOXATE HCL	04264 ZAGAM	04451 CANDIDA ALBICANS SKIN TEST ANTIGEN
04070 BENZOIN	04266 GARLIC OIL	04452 HYDRO-TUSSIN HC
04071 FORTEO	04271 VAZOL-D	04454 NASAL STERIOD
04072 NASAL SALINE	04273 VOSPIRE ER	04455 OREGANO OIL
04079 GLYCOLAX	04279 ROSAC CREAM	04456 CLINDAMAX
04085 BENZOYL	04281 ANOREX	04457 LOKARA
04087 ICAR-C	04282 ZEMPLAR	04458 TANAFED DM
04088 BENZOYL PEROXIDE	04308 EPIDRIN	04459 U-CORT CREAM
04095 BENZYL	04311 Q-TUSSIN	04461 KERALAC LOTION
04096 LEMON DROPS	04313 GLIBENDAMIDE	04462 KERALAC NAIL GEL
04097 LEXIVA	04314 L-HOMOCYSTEINE THIOLACTONE	04463 LORTUSS DM
04100 BERocca	04316 ARIXTRA	04464 CHAMOMILE
04109 KETEK	04331 ST. JOSEPH ASPIRIN	04465 ICAR-C PLUS
04112 DURAPHEN II	04332 TEBOKAN	04466 ACTIFOLATE
04113 FORTAMET	04339 HERBAL DRUG (UNSPECIFIED)	04468 CELAPRO
04114 VYTORIN	04345 BIOTIN	04469 CHILDREN'S BENADRYL ALLERGY FASTMELT
04116 ALATONE	04368 CONTRACEPTIVE AGENT	04471 FASLODEX
04117 MULTREL	04370 BISACODYL	04472 GLUCOMAX
04120 BETADINE	04393 TRUVADA	04473 IOPAMIDOL
	04400 ANGIOMAX	04474 LEVALL-12



04475 LUSONEX	04538 TALWIN NX	04604 JESSNERS SOLUTION
04476 MODIFIED CITRUS PECTIN	04539 THERA-PLUS	04606 RESTYLANE
04477 N-ACETYLCYSTEINE	04541 TYLENOL INFANT'S	04607 ERTACZO
04478 BLEOMYCIN	04543 HYDRO EYE	04608 SODIUM HYALURONATE
04479 NORMASOL R	04544 HYDROCORTISONE	04609 OCUWEL
04480 BLEPH	VALERATE	04611 DOCETAXEL
04481 OPTIMAX	04546 MYERS COCKTAIL	04612 IRON SUCROSE
04482 OXYMAX	04547 VESSEL CARE	04613 PHENEX-1
04483 ULTRA INFLAMEX	04548 BETAPACE AF	04614 CRYSELLE
04484 ONE-A-DAY WITH FOLIC ACID	04549 ACECOL	04615 FLETCHER'S CASTORIA
04485 BLEPHAMIDE	04551 GEREFF	04616 SILVERAX
04486 VELCADE	04552 LOPERAMIDE-	04617 ACCUNEB
04487 DUKE'S MAGIC MOUTHWASH FORMULA	SIMETHICONE	04618 ACCUPEP HPF
04488 ELETRIPTAN HYDROBROMIDE	04553 ROBITUSSIN DM INFANT	04619 PARAFFIN
04489 METADATE	04554 PRESOLOL	04621 ASTRAGALUS
04491 SYMBICORT	04556 SEVELAMER	04622 EXEMESTANE
04492 CHOP	HYDROCHLORIDE	04623 NICOTINE NASAL SPRAY
04493 MAXOLON	04557 SOMNOTE	04624 PRAZIQUNTEL
04494 IMIQUIMOD	04558 CALCIUM CHANNEL BLOCKER	04626 SILICONE OIL
04496 TRIMETREXATE GLUCURONATE	04559 APO-LEVOCARB	04627 TRAVOPROST
04497 VIBRAN-C	04561 RAZADYNE	04629 EPOTHILONE D ANALOG
04498 ALZARE	04562 CALCIPOTRIENE	04631 EPZICOM
04499 FOLBEE	04563 VITA-LEA OCEAN WONDERS	04632 FOSAMPRENAVIR CALCIUM
04501 MESNEX	04564 DIABETES MEDICATION	04633 B6-PYRIDOXINE
04502 MEDENT-DM	04566 MULTIFOL	04634 HEMIN
04503 PEDIATEX	04567 HELIXATE	04635 BRASIVOL
04504 ADVANCED NATALCARE	04568 CHEETAH	04636 FEMGLIDE
04506 DEXRAZOXANE	04569 INNOPRAN XL	04637 PROSHIELD
04507 HORSETAIL	04571 ISTALOL	04639 BREEZEE MIST
04508 MIRAPHEN PSE	04572 NAPROGESIC	04640 ACTISORB SILVER 220
04509 MYLOTARG	04573 PEXEVA	04641 LIQUI-E
04511 BLOCADREN	04574 BORON	04642 OYST-CAL
04512 TRINESSA	04576 DULOXETINE	04643 PANTHENOL
04514 TRISPRINTC	04577 HORSE CHESTNUT	04644 AVACOR
04516 FEOGEN	04578 L-ARGININE	04646 ATRA
04517 ANAMANTLE HC	04579 OPCXTRA	04647 FTY720
04518 JOINT LUBE	04580 BONINE	04649 MYFORTIC
04519 MAXIPHEN DM	04581 POLICOSANOL	04650 BRETHINE
04521 SUPER VITA-WOMAN	04582 PROKARIN	04651 TOURO CC
04522 ABSORBINE ARTHRITIS	04583 PARATHYROID HORMONE	04652 RISEDRONATE SODIUM
04523 CALNA	04584 RESCUE REMEDY	04653 PHLEXY-10 SYSTEM
04524 FLAVIX-XR	04585 BONTRIL PDM	04654 TRACLEER
04526 NUGEL	04586 TELITHROMYCIN	04656 BOSENTAN
04527 RENOPLEX	04587 VANA TRACE PLUS	04658 DOLOTIC
04528 TAZOBACTAM	04588 SAVENTARO	04659 GALANTAMINE
04529 METHYLPREDNISOLONE SODIUM SUCCINATE	04589 TIOTROPIUM BROMIDE	04661 SILACE
04531 SULBACTAM SODIUM STERILE	04591 BRONCOMAR	04662 ROSAVASTATIN CALCIUM
04532 SILADRYL	04592 VIMAR	04663 TOCAINIDE
04533 IMIPENEM	04593 VITEYES	04664 MIRENA
04534 MEPROZINE	04594 COPEGUS	04666 ANEFRIN NASAL SPRAY
04535 BARIUM SULFATE	04595 BORIC ACID	04667 BUTENAFINE HYDROCHLORIDE
04536 ABX OINTMENT	04596 BODY SMART	04671 BOVINE WHEY PROTEIN CONCENTRATE
04537 DEXFERRUM	04597 CIMEOSIL	04672 ETHEZYME
	04598 GLYCONUTRIENTS	04673 LOPINAVIR
	04599 PEDITUSS COUGH	04674 NATEGLINIDE
	04601 ELAQUIL	04675 AMINOGLYCOSIDES
	04602 MIGRATINE	04678 RENAPHRO
	04603 APEXICON	

04679	STATINS	05820	CARMOL	06990	CLONOPIN
04680	MAGNOX	05825	CARMOL-HC	06993	CLORAZEPATE
04681	PANNAZ S	05860	CASCARA	07003	CLOTRIMAZOLE
04682	UTIRA	05870	CASCARA SAGRADA	07005	CLOVE OIL
04683	NARATRIPTAN	05885	CASTOR OIL	07020	CLUSIVOL
	HYDROCHLORIDE	05895	CATAPRES	07067	CO-TRIMOXAZOLE
04684	S-ADENOSYL-L-	05955	CECLOR	07075	COAL TAR
	METHIONINE	05983	CEFADROXIL	07110	COCAINE
04685	SANCURA	05993	CEFTIN	07140	COCOA BUTTER
04686	RESPI-TANN	05995	CEFAZOLIN	07145	COCONUT OIL
04803	BROMFED	06005	CELESTONE	07150	COD LIVER OIL
04808	BROMOCRIPTINE	06015	CELESTON	07180	CODEINE
04845	BROMPHENIRAMINE		SOLUSPAN	07190	CODEINE SULFATE
04873	BRONCHODILATOR	06100	CENTRUM	07195	CODIMAL
04950	BSS	06110	CEPACOL	07200	CODIMAL DH SYRUP
05010	BUFFERIN	06125	CEPHALEXIN	07245	CODYLAX
05024	BUMEX	06128	CEPHALOSPORINS	07250	COGENTIN
05035	BUPIVACAINE	06130	CEPHALOTHIN	07265	COLACE
05043	BURN OINTMENT	06160	CEROSE	07275	COLCHICINE
05055	BUROW'S SOLUTION	06170	CERUMENEX	07285	COLD CAPSULE
05070	BUTABARBITAL	06180	CETACAINE	07293	COLD RELIEF
05085	BUTAL	06210	CETAPHIL	07305	COLD TABLETS
05095	BUTALBITAL	06260	CHARCOAL	07313	COLDRINE
05155	BUTYN	06270	CHARCODATE	07315	COLESTID
05175	C.V.P.	06294	CHEMOTHERAPY	07320	COLLAGENASE ABC
05200	C-RON	06374	CHILDREN'S TYLENOL	07345	COLOGEL
05250	CAFERGOT	06400	CHLOR-TRIMETON	07430	COMBID
05265	CAFFEINE	06440	CHLORAL HYDRATE	07470	COMPAZINE
05310	CALADRYL	06470	CHLORASEPTIC	07478	COMPOUND W
05320	CALAMINE	06475	CHLORASEPTIC	07500	CONCEPTROL
05335	CALAMINE LOTION		CHILDREN'S	07543	CONJUGATED
05347	CALAN	06495	CHLORDIAZEPOXIDE		ESTROGENS
05393	CALCITONIN	06505	CHLORESIUM	07660	CORDRAN
05394	CALCITREL	06510	CHLOROBUTANOL	07670	CORGARD
05395	CALCIUM ACETATE	06525	CHLOROFORM	07680	CORICIDIN
05405	CALCIUM CARBONATE	06590	CHLOROTHIAZIDE	07740	CORRECTOL
05415	CALCIUM	06605	CHLORPHENIRAMINE	07755	CORTAID
05418	CALCIUM CHLORIDE	06620	CHLORPROMAZINE	07760	CORTEF
05430	CALCIUM GLUCONATE	06625	CHLORPROPAMIDE	07770	CORTENEMA
05435	CALCIUM GLUCONATE	06645	CHLORTHALIDONE	07778	CORTICOTROPIN
	W/VITAMIN D	06705	CHOLESTEROL	07793	CORTISOL
05465	CALCIUM-D	06780	CHROMAGEN	07795	CORTISONE
05505	CALINATE-FA	06798	CHROMIUM	07800	CORTISPORIN
05541	CALTRATE W/VITAMIN D	06800	CHRONULAC SYRUP		OPHTHALMIC
05550	CAMA	06815	CIMETIDINE		SOLUTION
05595	CANTHARIDIN	06838	CINOBAC PULVULE	07815	CORTROPHIN
05598	CANTHARONE	06839	CIPRO	07820	CORTROSYN
05630	CAPEX	06860	CITRATE OF MAGNESIA	07875	COTAZYM
05645	CAPITROL	06883	CLAFORAN	07913	COUGH FORMULA
05648	CAPOTEN	06900	CLEARASIL	07915	COUGH SILENCERS
05663	CARAFATE	06905	CLEOCIN	07920	COUGH SYRUP
05675	CARBACHOL	06913	CLEOCIN T	07930	COUMADIN
05680	CARBAMAZEPINE	06920	CLINDAMYCIN	07997	CREON
05710	CARBON DIOXIDE	06925	CLINDAMYCIN	08015	CROMOLYN
05750	CARDEC-DM		(PHOSPHATE)	08020	CRUOX
05755	CARDEC-S SYRUP	06935	CLINORIL	08080	CYANO
05788	CARDIOVASCULAR	06968	CLODERM	08090	CYANOCOBALAMIN
	AGENT	06975	CLOMID	08135	CYCLOCORT
05789	CARDIZEM	06980	CLONAZEPAM	08140	CYCLOGYL
05810	CARISOPRODOL	06985	CLONIDINE	08145	CYCLOMYDRIL

08150	CYCLOPAR	09025	DESITIN	09875	DIPHENHYDRAMINE HCL 22 GA
08153	CYCLOPHOSPHAMIDE	09030	DESO-CREME	09880	DIPHENOXYLATE HCL & ATROPINE SULFATE
08175	CYLERT	09033	DESOWEN	09900	DIPHThERIA TETANUS TOXOIDS
08180	CYPROHEPTADINE	09040	DESOXYN	09905	DIPHThERIA TOXOID ADULT
08205	CYSTOSPAZ	09070	DEXACEN	09915	DIPROSONE
08218	CYTARABINE	09075	DEXAMETHASONE	09920	DIPYRIDAMOLE
08230	CYTOMEL	09120	DEXEDRINE	09925	DISALCID
08245	CYTOXAN	09145	DEXSONE	09943	DISODAN
08270	D.H.E. 45	09170	DEXTROAMPHETAMINE	09990	DIPHThERIA TETNUS TOXOIDS PERTUSSIS
08280	D.S.S.	09173	DEXTROMETHORPHAN COUGH	09993	DIPHThERIA TOXOID
08300	D-S-S PLUS	09175	DEXTROSE	09995	DITROPAN
08335	D-5	09193	DHS SHAMPOO	10020	DIURETIC
08340	D-50	09194	DHT	10025	DIURIL
08342	DACARBAZINE	09305	DIAMOX	10055	DOBUTREX
08345	DACRIOSE	09310	DIAMULSIN IMPROVED	10087	DOCUSATE
08350	DAILY MULTIPLE VITAMIN	09335	DIAPID	10089	DOCUSATE CALCIUM
08385	DALLERGY	09350	DIASONE SODIUM ENTERAB	10100	DOKTORS NOSE DROPS
08390	DALMANE	09365	DIATRIZOATE	10126	DOLOBID
08400	DANAZOL	09370	DIAZEPAM	10130	DOLOPHINE
08405	DANEX SHAMPOO	09373	DIAZOXIDE	10145	DOMEBORO
08410	DANOCRINE	09380	DIBENT PB	10150	DOMEBORO OTIC
08420	DANTRIUM	09390	DIBUCAINE	10180	DONATUSSIN
08425	DANTROLENE	09400	DICAL-D W/IRON	10183	DONATUSSIN DC
08440	DAPSONE	09433	DICLOXACILLIN	10200	DONNAGEL
08450	DARAPRIM	09455	DICYCLOMINE	10210	DONNATAL
08470	DARVOCET-N	09470	DIDRONEL	10225	DOPAMINE
08475	DARVON	09495	DIETHYLPROPION	10275	DOSS 300
08490	DARVON-N	09500	DIETHYLSTILBESTROL	10325	DOXEPIN
08535	DDAVP	09520	DIGESTOZYME	10330	DOXIDAN
08565	DEBROX	09535	DIGITALIS	10343	DOXY-CAPS
08570	DECA-DURABOLIN	09545	DIGOXIN	10355	DOXYCYCLINE
08580	DECADROL	09550	DIHISTINE	10358	DOXYLAMINE B-6
08585	DECADRON	09585	DILANTIN	10380	DRAMAMINE
08590	DECADRON ELIXIR	09593	DILATRATE	10475	DRISTAN ROOM VAPORIZER
08605	DECADRON-LA	09595	DILAUDID COUGH SYRUP	10485	DRIXORAL
08640	DECLOMYCIN	09600	DILAUDID	10500	DROPERIDOL
08660	DECONAMINE CX LIQUID	09605	DILAX	10518	DRYSOL
08668	DECONGEST DH	09610	DILIN	10525	DSS
08670	DECONGESTANT	09620	DILOCOL	10535	DTIC
08685	DECONGESTANT EXPECTORANT	09660	DIMETANE	10575	DULCOLAX
08730	DELATESTRYL	09690	DIMETAPP	10630	DUOFILM
08745	DELESTROGEN	09697	DIMOTAL	10690	DUPHRENE
08753	DELSYM	09730	DIOCTYL SODIUM SULFOSUCC W/CASANTHRANOL	10705	DURACILLIN
08770	DELTASONE	09765	DIONEX	10743	DURAMORPH
08800	DEMSEK	09800	DIOTHRON	10758	DURASIL
08805	DEMULEN	09815	DIPH TET TOXIOIDS	10800	DURICEF
08823	DENOREX	09820	DIPH TET TOXOIDS PERTUSSIS	10805	DUVOID
08835	DEPAKENE	09850	DIPHENHYDRAMINE	10815	DYAZIDE
08836	DEPAKOTE	09855	DIPHENHYDRAMINE HCL COUGH SYRUP	10845	DYNAPEN
08855	DEPO PRED	09860	DIPHENHYDRAMINE HCL ELIXIR	10860	DYPHYLLINE
08860	DEPO-ESTRADIOL	09870	DIPHENHYDRAMINE HCL SYRUP	10865	DYRENIUM
08865	DEPO-MEDROL			10875	E.E.S.
08870	DEPO-PROVERA			10905	E-MYCIN
08880	DEPO-TESTOSTERONE			10918	E-VISTA
08905	DEPROL				
08965	DERMAREX				
08985	DERMOLATE				
09015	DESFERAL				
09020	DESIPRAMINE				

10925	EAR DROPS	12140	FASTIN	13209	GASTRIC AGENT
10948	EASPRIN	12193	FELDENE	13215	GASTROGRAFIN
10970	ECONOPRED	12205	FEMGUARD	13220	GAVISCON
10975	ECOTRIN	12225	FEMIRON	13275	GELFOAM
10995	EFEDRON	12255	FEOSOL	13310	GENOPTIC
11025	EFUDEX	12285	FER-IN-SOL	13320	GENTAMICIN
11065	ELAVIL	12300	FERGON	13325	GENTIAN VIOLET
11120	ELDOQUIN	12365	FERRALET	13330	GENTLAX
11130	ELECTROLYTE	12400	FERRITRINSIC	13350	GEOCILLIN
11152	ELOCON	12415	FERRO-SEQUEL	13355	GEOPEN
11190	EMETROL	12450	FERRONEX	13455	GERITOL
11340	ENDURON	12465	FERROUS FUMARATE	13530	GLAUCON
11355	ENFAMIL	12480	FERROUS GLUCONATE	13535	GLUCAGON
11360	ENFAMIL W/IRON	12490	FERROUS SULFATE	13540	GLUCOLA
11375	ENO	12495	FERROUS SULFATE W/BREWER'S YEAST	13550	GLUCOSE
11390	ENSURE			13553	GLUCOTROL
11395	ENTEX	12510	FESTAL	13555	GLUCOVITE
11405	ENTUSS	12521	FIBERCON	13585	GLUTOL
11433	ENZYME	12550	FIORINAL	13595	GLY-OXIDE
11450	EPHEDRINE	12555	FIORINAL NO. 1	13605	GLYCAT
11480	EPHEDRINE SULFATE	12565	FIORINAL NO. 3	13610	GLYCERIN (FLAVORED)
11507	EPI-C	12570	FIORINAL W/CODEINE	13615	GLYCEROL
11540	EPINEPHRINE	12585	FLAGYL	13655	GLYCOPYRROLATE
11548	EPIPEN	12600	FLEET BAGENEMA	13735	GLYROL
11575	EPSOM SALT	12615	FLEET BISACODYL	13775	GRANULEX
11580	EQUAGESIC	12620	FLEET ENEMA	13785	GRIFULVIN
11615	ERGOCALCIFEROL	12635	FLEXERIL	13790	GRIS-PEG
11616	ERGOLOID MESYLATES	12650	FLEXON	13800	GRISEOFULVIN
11645	ERGOTRATE	12663	FLORICAL	13818	GUAIFED
11651	ERYC	12665	FLORINEF ACETATE	13830	GUAIFENESIN & DEXTROMETHORPHAN HBR
11657	ERYPED	12670	FLORONE		
11658	ERY-TAB	12675	FLOROPRYL	13835	GUAIFENESIN
11660	ERYTHROCIN	12690	FLUOCINOLONE	13838	GUAIFENESIN W/CODEINE
11665	ERYTHROMYCIN	12710	FLUOR-I-STRIP	13885	GUIATUSSIN
11667	ERYTHRO-RX	12715	FLUORESCIN	13930	GYNE-LOTRIMIN
11668	ERYTHROMYCIN OPHTHALMIC	12735	FLUORIDE	13980	H-H
11669	ERYTHROMYCIN W/SULFISOXAZOLE	12763	FLUOROMETHOLONE	13999	HALCION
11675	ESEMGESIC	12770	FLUOROURACIL	14000	HALDOL
11688	ESGIC	12780	FLUPHENAZINE	14035	HALOG
11690	ESIDRIX	12795	FLURA-PREN	14040	HALOPERIDOL
11700	ESKALITH	12810	FLURAZEPAM	14045	HALOTESTIN
11715	ESTAR	12815	FLURESS	14055	HALOTHANE
11725	ESTINYL	12820	FLURO-ETHYL SPRAY	14080	HC
11740	ESTRACE	12830	FLUZONE	14085	HCV
11745	ESTRADIOL	12847	FML FORTE OPHTHALMIC	14090	HEAD & SHOULDERS
11760	ESTRATAB	12865	FOLIC ACID	14091	HEALON
11765	ESTRATEST	12878	FOLTRIN	14195	HEMORRHOIDAL SUPPOSITORY
11775	ESTRO CYP	12880	FOLVITE		
11800	ESTROGEN	12893	FORANE ANESTHETIC	14217	HEP-FLUSH
11850	ETHAMBUTOL	12920	FORMALIN	14225	HEP-LOCK
11915	ETHYL CHLORIDE	12967	FORTAZ	14240	HEPARIN
11920	ETRAFON	13030	FUDR	14245	HEPARIN LOCK FLUSH SOLUTION
11945	EUCERIN	13045	FULVICIN		
12025	EX-LAX	13100	FURACIN	14275	HEPRON
12035	EXCEDRIN	13105	FURADANTIN	14293	HESPAN
12055	EXTENDRYL	13118	FUROSEMIDE	14305	HETRAZAN
12078	EYE PREPARATION	13120	FUROXONE	14320	HEXACHLOROPHENE
12085	EYE-STREAM	13200	GANTRISIN	14345	HEXADROL ELIXIR
		13205	GARAMYCIN	14415	HIBICLENS
		13208	GARGLE		

14440 HIPREX	15345 I-RON	16365 KAOPECTATE
14475 HISTA-VADRIN	15360 I-10-W	16440 KAY CIEL
14540 HISTAMINE PHOSPHATE	15375 IBERET-FOLIC-500	16455 KAYEXALATE
14580 HISTEX	15390 IBEROL-F	16472 KEFLET
14645 HOMATROPINE	15395 IBUPROFEN	16475 KEFLEX
14675 HORMOGEN R-A	15495 ILOTYCIN	16480 KEFLIN
14683 HORMONE	15508 IMOGAM RABIES	16485 KEFZOL
14700 HOUSE DUST	15510 IMAVATE	16490 KELEX
CONCENTRATE BULK	15520 IMIPRAMINE	16505 KENALOG
TREATMENT	15535 IMMUGLOBIN	16520 KERALYT
14713 HUMAN CHORIONIC	15540 IMMUNE SERUM	16590 KETAMINE
GONADOTROPIN	GLOBULIN	16605 KETOSTIX
14714 HUMATE-P	15545 IMODIUM	16635 KIE
14717 HUMATROPE	15548 IMOVAX RABIES	16650 KLARON
14727 HUMULIN	15555 IMURAN	16710 KLOR-CON
14730 HURRICAIN	15560 INAPSINE	16728 KLOTRIX
14770 HYCODAN	15575 INDERAL	16745 KOLDEZE
14805 HYCOTUSS	15580 INDERIDE	16785 KONDREMUL
14820 HYDERGINE	15585 INDIGO CARMINE	16800 KONSYL
14840 HYDRALAZINE	15590 INDOCIN	16825 KOROSTATIN
14850 HYDRALAZINE THIAZIDE	15600 INDOMETHACIN	16870 KWELL
14860 HYDRAMINE	15615 INFLAMASE	16895 L-THYROXINE
14875 HYDREA	15630 INH	16915 LACRI-LUBE
14895 HYDRO-CHLOR	15653 INOCOR	16920 LACRIL
14903 HYDROCORT	15655 INOSITOL	16925 LACT-AID
14920 HYDROCHLORIC ACID	15665 INPERSOL	16935 LACTATED RINGERS
14930 HYDROCHLOROTHIAZIDE	15678 INSULATARD NPH	(HARTMANN'S)
14935 HYDROCHLOROTHIAZIDE	15680 INSULIN	16940 LACTIC ACID
W/RESERPINE	15685 INTAL	16950 LACTINEX
14945 HYDROCIL	15710 INULIN	16970 LACTOSE
14953 HYDROCO	15730 IODINE	16975 LACTULOSE
14955 HYDROCODONE	15780 IONAMIN	17020 LANATOSIDE
14960 HYDROCODONE PA	15805 IOPIDINE	17070 LANOLIN
SYRUP	15810 IPECAC	17105 LANORINAL
14965 HYDROCORTISONE	15870 IRON PREPARATION	17113 LANOXICAPS
14970 HYDROCORTISONE	15873 IRON PEDIATRIC	17115 LANOXIN
IODOCHLOR-	15875 IRON DEXTRAN	17165 LASIX
HYDROXYQUIN	15930 ISO-BID	17220 LAX-HERB
14980 HYDROCORTONE	15960 ISODINE	17243 LAXATIVE
14985 HYDRODIURIL	15990 ISONIAZID	17255 LEAD & OPIUM WASH
14990 HYDROGEN PEROXIDE	15995 ISONICOTINIC ACID	LOTION
15005 HYDROMORPHONE	16003 ISOPHANE INSULIN	17265 LECITHIN
15040 HYDROQUINONE	SUSPENSION	17304 LENTE INSULIN
15055 HYDROTENSIN	16005 ISOPHRIN	SUSPENSION
15058 HYDROXACEN	16025 ISOPROTERENOL	17320 LEUCOVORIN
15065 HYDROXY-	16045 ISOPTO CARPINE	17322 LEUKOVORIN CALCIUM
PROGESTERONE	16095 ISORDIL	17325 LEUKERAN
15070 HYDROXYCHLOROQUINE	16105 ISOSORBIDE	17345 LEVODOPA
15090 HYDROXYUREA	16110 ISOTRATE	17355 LEVOPHED
15100 HYDROXYZINE	16120 ISTRIAN NUTGALLS,	17365 LEVOTHROID
15105 HYDROXYZINE PAMOATE	BENZOCINE, ZINC	17370 LEVOTHYROXINE
15115 HYGROTON	OXIDE	17375 LEVSIN
15138 HYLOREL	16195 K-C	17390 LEVSINEX
15165 HYPAQUE	16210 K-LOR	17410 LEXOR
15190 HYPER-TET	16245 K-PHOS	17440 LIBRAX
15240 HYPOTEAR	16255 K-PHOS NEUTRAL	17450 LIBRIUM
15243 HYPOTENSIVE AGENT	16268 K-TAB	17465 LIDA-MANTLE
15305 HYTONE	16270 K-Y STERILE	17470 LIDA-MANTLE-HC
15307 HYTRIN	LUBRICATING JELLY	17475 LIDEX
15320 HYZINE	16340 KAOLIN & PECTIN	17485 LIDOCAINE

17490 LIDOCAINE HCL	18523 MAXZIDE	19355 MIDRAN DECONGESTANT
17495 LIDOCAINE HCL W/EPINEPHRINE	18540 MEASLES VIRUS VACCINE	19360 MIDRIN
17500 LIDOJECT	18552 MEBENDAZOLE	19375 MILK OF MAGNESIA
17530 LIMBITROL	18555 MECLIZINE	19395 MILKINOL
17540 LINCOCIN	18556 MECLOFENAMATE SODIUM	19445 MINERAL OIL
17545 LINCOMYCIN	18558 MECLOMEN	19455 MINIPRESS
17548 LINDANE	18640 MEDROL	19460 MINOCIN
17560 LIORESAL	18643 MEDROXY- PROGESTERONE	19465 MINOCYCLINE
17563 LIOTHYRONINE SODIUM	18645 MEFOXIN	19478 MINOXIDIL
17633 LIPOTROL	18655 MEGACE	19510 MIRADON
17705 LISTERINE	18663 MEGESTROL	19575 MOBAN
17715 LITHIUM	18664 MELANEX	19590 MOBISYL
17725 LITHOBID	18665 MELFIAT	19595 MODANE
17750 LIVER EXTRACT	18670 MELLARIL	19618 MODURETIC
17825 LO/OVRAL	18685 MELPHALAN	19635 MICONAZOLE NITRATE
17833 LOCAL ANESTHETIC	18690 MENADIONE	19640 MONISTAT 7
17834 LOCOID	18695 MENEST	19650 MORPHINE
17838 LODRANE	18720 MENOMUNE	19655 MORPHINE & ATROPINE
17840 LOESTRIN	18745 MENTHOL	19670 MOTIC SOLUTION
17855 LOFLO	18755 MEPERGAN	19675 MOTRIN
17865 LOMOTIL	18760 MEPERIDINE	19680 MOUTHWASH
17875 LONITEN	18775 MEPHYTON	19699 MS CONTIN
17878 LONOX	18818 MERCAPTOMERIN	19705 MUCI LAX
17880 LOPERAMIDE	18820 MERCAPTOPURINE	19715 MUCOMYST
17883 LOPID	18920 MESTINON	19755 MULTI-B-PLEX
17885 LOPRESSOR	18930 METAMUCIL	19765 MULTI-HEMA
17888 LORAZEPAM	18940 METAPREL	19780 MULTI-VI-FLOR DROPS
17889 LOPURIN	18945 METAPROTERENOL	19785 MULTI-VITAMIN
17905 LOROXIDE	18965 METH	19790 MULTI-VITES
17925 LOTRIMIN	18980 METHACHOLINE	19815 MULTIPLE VITAMIN
17940 LOXAPINE	18985 METHADONE	19825 MULTIPLE VITAMINS
17945 LOXITANE	19025 METHAZOLAMIDE	19830 MULTIPLE VITAMINS W/IRON
17970 LUBRICATING JELLY	19035 METHENAMINE	19835 MULTIPLE VITAMINS W/MINERALS
17975 LUBRIDERM	19045 METHERGINE	19840 MULTIVITAMIN
18000 LUFYLLIN-GG	19070 METHOCARBAMOL	19850 MULTIVITAMIN FORMULA
18010 LUGOL'S SOLUTION	19075 METHOCARBAMOL W/ASA	19853 MULTIVITAMIN/FLUORIDE
18020 LURIDE DROPS	19080 METHOCARBAMOL W/ASPIRIN	19855 MULTIVITAMIN THERAPEUTIC
18050 LYSINE	19090 METHOTREXATE	19865 MULTIVITAMIN/ MULTIMINERAL
18080 M.V.I.	19118 METHYLCLOTHIAZIDE	19870 MULTIVITAMINS & MINERALS
18100 M-M-R	19120 METHYL ALCOHOL	19905 MUMPS VIRUS VACCINE LIVE
18125 MAALOX	19155 METHYLDOPA	19925 MURINE
18130 MACRODANTIN	19165 METHYLONE	19948 MUSCLE RELAXANT
18195 MAGNESIUM CITRATE	19175 METHYLPHENIDATE	19985 MY-CORT #2
18200 MAGNESIUM GLUCONATE	19178 METHYLPRED-40	20000 MYAMBUTOL
18205 MAGNESIUM OXIDE	19180 METHYLPREDNISOLONE	20010 MYCELEX
18215 MAGNESIUM SULFATE	19208 METOCLOPRAMIDE	20035 MYCITRACIN
18295 MALTSUPEX	19210 METOLAZONE	20055 MYCOLOG
18315 MANDELAMINE	19218 METOPROLOL	20060 MYCOSTATIN
18338 MANGATRACE	19231 METRO	20065 MYDFRIN
18345 MANNITOL	19233 METRONIDAZOLE	20075 MYDRIACYL
18395 MARCAINE	19242 MEVACOR	20078 MYDRIATIC AGENT
18400 MARCAINE HCL W/EPINEPHRN	19255 MEXATE	20080 MYLANTA
18410 MARFLEX	19280 MICATIN	20090 MYLERAN
18455 MASSE	19290 MICONAZOLE	20095 MYLICON
18480 MATERNA	19320 MICRONOR	
18498 MAXAIR	19343 MIDAMOR	
18515 MAXIDEX	19350 MIDOL	
18520 MAXITROL		

20135	MYSOLINE	21290	NORGESIC	22585	PANAFIL
20153	MYTREX	21373	NORMODYNE	22630	PANCREASE
20175	NAFCILLIN	21380	NORMOSOL	22640	PANCREATIN
20185	NAFTIN	21385	NOROXIN	22643	PANCRELIPASE
20220	NAMIDE	21390	NORPACE	22644	PANCURONIUM BROMIDE
20255	NAPHAZOLINE	21400	NORPRAMIN	22645	PANEX
20260	NAPHCN	21403	NORTRIPTYLINE	22650	PANGYN
20270	NAPHCN-A	21405	NOSE DROPS	22675	PANOXYL
20285	NAPROSYN	21440	NOVAHISTINE	22715	PANTOPAQUE
20290	NAPROXEN	21494	NOVANTRONE	22770	PAPAVERINE
20310	NARCAN	21500	NOVOCAIN	22810	PARAFON FORTE
20313	NARCOTIC ANTAGONIST	21513	NTG	22833	PARAZONE
20315	NARDIL	21515	NTZ	22845	PAREGORIC
20338	NASALIDE	21530	NU-IRON	22875	PARLODEL
20380	NATACYN	21550	NUBAIN	22885	PARNATE
20390	NATALINS	21585	NUPERCAINAL	22945	PAVABID
20435	NAVANE	21605	NUTRACORT	23005	PAVULON
20455	NEBCIN	21620	NUTRAMIGEN	23030	PBZ W/CODEINE & EPHEDRINE
20505	NEMBUTAL	21670	NYQUIL LIQUI-CAPS		EXPECTORANT
20580	NEO-POLYCIN	21695	NYSTATIN	23115	PEDIAFLOR DROPS
20583	NEO-RX	21701	NYSTATIN W/TRIAMCINOLONE	23120	PEDIALYTE
20595	NEO-SYNEPHRINE	21750	OCEAN MIST	23135	PEDIATRIC COUGH SYRUP
20655	NEODECADRON	21754	OCUFEN	23140	PEDIATROL
20690	NEOMYCIN	21765	OGEN	23150	PEDIAZOLE
20693	NEOMYCIN-POLYMYXIN B	21785	OLIVE OIL	23155	PEDICRAN W/IRON
20730	NEOSPORIN	21845	OPHTHETIC	23159	PEDIOTIC
20735	NEOSTIGMINE	21860	OPIUM	23185	PEN-VEE K
20798	NEPHROCAPS	21925	ORABASE	23200	PENAPAR VK
20805	NEPTAZANE	21958	ORAP	23215	PENICILLIN
20815	NESACAINE	21995	ORETIC	23220	PENICILLIN G
20818	NETROMYCIN	22015	ORGANIDIN	23223	PENICILLIN PROCAINE
20820	NEUROSIN	22065	ORPHENADRINE	23225	PENICILLIN V
20835	NEUTRA-PHOS	22090	ORTHO-NOVUM	23228	PENICILLIN V POTASSIUM
20855	NEUTROGENA	22110	OS-CAL	23230	PENICILLIN VK
20870	NI-SPAN	22120	OS-CAL 500	23305	PENTIDS
20885	NIACIN	22125	OS-CAL-FORTE	23315	PENTOTHAL
20890	NIACINAMIDE	22150	OSTEOLATE	23340	PEPPERMINT OIL
20980	NICOTINIC ACID	22160	OTIC DROPS	23350	PEPPERMINT WATER
21010	NIFEREX	22210	OVCON	23355	PEPSIN
21035	NIGROIDS	22215	OVRAL	23370	PEPTO-BISMOL
21090	NIPRIDE	22220	OVRETTE	23385	PERCOCET-5
21110	NITREX	22230	OX BILE EXTRACT	23390	PERCODAN
21125	NITRO T.D.	22233	OXACILLIN	23400	PERCOGESIC
21130	NITRO-BID	22242	OXAZEPAM	23415	PERDIEM GRANULE
21143	NITRO-DUR	22270	OXSORALEN	23430	PERI-COLACE
21144	NITRODISC	22287	OXYBUTYNIN CHLORIDE	23440	PERIACTIN
21145	NITROFURANTOIN	22303	OXYCODONE HCL	23455	PERIES
21150	NITROFURAZONE	22305	OXYCODONE HCL & ACETAMINOPHEN	23490	PERITRATE
21160	NITROGLYCERIN	22306	OXYCODONE W/APAP	23520	PERNOX
21165	NITROGLYN	22315	OXYGEN	23523	PERPHENAZINE
21170	NITROL	22323	OXYMETAZOLINE HCL	23535	PERSANTINE
21176	NITROLINGUAL	22345	OXYTOCIN	23560	PERTUSSIN
21180	NITROSPAN	22348	OYSCO 500	23585	PETROLATUM
21185	NITROSTAT	22405	P&S	23610	PHAZYME
21195	NITROUS OXIDE	22435	P-V TUSSIN SYRUP	23645	PHEN-DIMETRAZINE
21203	NIZORAL	22520	PAMELOR	23650	PHENACETIN
21225	NOLVADEX	22530	PAMPRIM	23680	PHENAPHEN W/CODEINE
21228	NORDETTE	22578	PANADOL	23705	PHENAZINE
21245	NOR-Q.D.				
21280	NORFLEX				

23715 PHENAZOPYRIDINE	24653 POTASSIUM CHLORIDE	25485 PROPARACAINE
23755 PHENERGAN	24670 POTASSIUM CHLORIDE 20 MEQ D5-W	25510 PROPOXYPHENE
23760 PHENERGAN COMPOUND	24685 POTASSIUM CITRATE	25525 PROPOXYPHENE HCL W/A.P.C.
23770 PHENERGAN EXPECTORANT W/CODEINE	24705 POTASSIUM HYDROXIDE	25530 PROPOXYPHENE HCL W/ACETAMINOPHEN
23780 PHENERGAN SYRUP	24730 POTASSIUM PHOSPHATE	25545 PROPOXYPHENE W/APAP
23785 PHENERGAN VC EXPECTORANT PLAIN	24755 POVAN	25560 PROPYLTHIOURACIL
23792 PHENERGEN W/DEXTRO- METHORPHAN	24765 POVIDONE	25565 PROREX
23795 PHENERGAN-D	24795 PRAMOSONE	25570 PROSOBEE
23798 PHENERGAN W/CODEINE	24798 PRAMOXINE HC	25580 PROSTIGMIN
23845 PHENOBARBITAL	24803 PRAX LOTION	25608 PROTEXIN
23850 PHENOBARBITAL & ATROPINE	24805 PRAZOSIN	25635 PROVAL
23870 PHENOBARBITAL ELIXIR	24830 PRE-NATAL VITAMINS	25638 PROVENTIL
23905 PHENOBARBITAL SODIUM	24850 PRED FORTE	25640 PROVERA
23935 PHENOL	24855 PRED MILD	25660 PROXENE
23945 PHENOLPHTHALEIN	24885 PREDNISOLONE	25674 PROZAC
23970 PHENTERMINE	24890 PREDNISONE	25695 PSEUDOEPHEDRINE
24015 PHENYLEPHRINE	24895 PREDOXINE	25750 PURINETHOL
24045 PHENYTOIN	24930 PRELAN	25760 PURPOSE
24080 PHISOHEX	24945 PRELUDIN	25775 PYOCIDIN
24120 PHOSPHATE ENEMA	24950 PREMARIN	25800 PYRAZINAMIDE
24125 PHOSPHO-SODA	24960 PREMARIN VAGINAL	25805 PYRIDATE
24185 PILO	24975 PRENATAL FORMULA (VITAMINS)	25810 PYRIDIUM
24190 PILOCAR	24980 PRENATAL STUART	25815 PYRIDIUM PLUS
24195 PILOCARPINE	24985 PRENATAL W/FOLIC ACID	25820 PYRIDOSTIGMINE
24220 PIMA SYRUP	24989 PRENATAL 1+1	25825 PYRIDOXINE HCL
24228 PIPRACIL	24995 PREPARATION H CREAM	25830 PYRILAMINE
24255 PITOCIN	25040 PRIMATENE MIST	25845 PYRINYL
24260 PITRESSIN	25055 PRIMIDONE	25865 PYROXINE
24300 PLAQUENIL	25078 PRINIVIL	25930 QUADRINAL
24310 PLASMA-LYTE	25150 PROBENECID	25945 QUARZAN
24355 PNEUMOVAX	25180 PROCAINAMIDE	25950 QUELICIN
24360 PNU IMUNE	25185 PROCAINE	25965 QUESTRAN
24365 PODOPHYLLIN	25210 PROCARBAZINE	26020 QUINAMM
24370 PODOPHYLLUM	25213 PROCARDIA	26025 QUINE
24380 POISON ANTIDOTE KIT	25220 PROCHLORPERAZINE	26030 QUINIDEX EXTENTAB
24400 POLARAMINE	25240 PROCTOCORT	26035 QUINIDINE
24405 POLIOMYELITIS VACCINE	25243 PROCTOCREAM-HC	26040 QUINIDINE SULFATE
24410 POLLEN ANTIGEN	25250 PROCTOFOAM	26045 QUININE SULFATE
24411 POLOCAINE	25255 PROCTOFOAM-HC	26090 RABIES VACCINE
24415 POLY-VI-FLOR	25270 PROFASI HP	26095 RACEPHEDRINE
24418 POLY-VI-FLOR W/IRON	25300 PROGESTASERT	26100 RACET
24420 POLY-VI-SOL	25305 PROGESTERONE	26105 RAGWEED & RELATED POLLENS ALLERGENIC
24435 POLYCILLIN	25320 PROKETAZINE	26115 RANTEX CLOTH WIPE
24445 POLYCITRA	25328 PROLASTIN	26196 RCF
24470 POLYMYXIN	25330 PROLIXIN	26250 REGITINE
24510 POLYSPORIN	25355 PROMAZINE	26255 REGLAN
24525 POLYVITAMIN	25360 PROMETHAMEAD	26320 RENACIDIN
24543 POLYVITAMIN W/IRON	25365 PROMETHAZINE	26368 RENU
24550 PONSTEL	25375 PROMETHAZINE COMPOUND W/CODEINE	26425 RESERPINE
24555 PONTOCAINE	25395 PROMETHAZINE HCL EXPECTORANT	26435 RESORCINOL
24590 POT CHLOR	25405 PROMETHAZINE HCL SYRUP	26445 RESPIROL
24595 POTABA	25432 PROMETHAZINE W/CODEINE	26453 RESTORIL
24650 POTASSIUM	25459 PROPAC	26475 RETIN-A
		26477 RETROVIR
		26695 RID
		26710 RIFAMATE
		26715 RIFAMPIN



26730 RIMSO-50	28055 SINAREST	29905 SULFISOXAZOLE
26740 RIOPAN	28080 SINEMET	W/PHENAZOPYRIDINE
26755 RIOPAN SWALLOW	28085 SINEQUAN	HCL
26760 RITALIN	28143 SINULIEF	29955 SULFUR
26785 ROBAXIN	28155 SINUS RELIEF	29985 SULFUR SUBLIMED
26805 ROBINUL	28255 SK-DIPHENOXYLATE	29998 SULINDAC
26810 ROBINUL FORTE	28345 SK-65 COMPOUND	30015 SULTRIN
26830 ROBITUSSIN	28350 SKELAXIN	30030 SUNSCREEN
26835 ROBITUSSIN A-C SYRUP	28358 SKIN PREPARATION	30035 SUMYCIN
26840 ROBITUSSIN-CF	28366 SLO-NIACIN	30080 SUPEN
26845 ROBITUSSIN-CF SYRUP	28390 SLOW-K	30103 SUPER C-500
26850 ROBITUSSIN-DAC SYRUP	28391 SLOW-MAG	30195 SURFAK
26860 ROBITUSSIN-DM SYRUP	28430 SODESTRIN	30215 SURGICEL
26865 ROBITUSSIN-PE SYRUP	28455 SODIUM BICARBONATE	30295 SYLLACT
26870 ROCALTROL	28495 SODIUM CHLORIDE	30305 SYMMETREL
26883 ROGAINE	28595 SODIUM FLUORIDE	30328 SYMPTROL
26930 RONDEC SYRUP	28625 SODIUM LACTATE	30330 SYNALAR
26935 RONDEC-DM SYRUP	28665 SODIUM PHOSPHATE	30370 SYNKAYVITE
26958 ROXICET	28683 SODIUM SULFACETAMIDE	30390 SYNTHETAR
27075 RUBELLA VIRUS VACCINE	OPHTH	30395 SYNTHROID
LIVE	28710 SOFLENS CLEANER	30398 SYNTHROX
27080 RUBESOL	28775 SOLU-B MIX-O-VIAL	30410 SYRACOL
27170 RYNA	28790 SOLU-CORTEF	30468 T-STAT
27190 RYNATAN	28800 SOLU-MEDROL	30478 TAC-3
27195 RYNATUSS	28825 SOMA	30495 TAGAMET
27225 S.T. 37	28910 SORBITOL	30513 TALACEN
27300 SALAGEN	29070 SPEC-T ANESTHETIC	30515 TALC
27305 SALATAR	29250 SPIRONOLACTONE	30535 TALWIN
27345 SALICYLIC ACID	29275 SSKI	30553 TAMOXIFEN
27355 SALICYLIC ACID SOAP	29285 STADOL	30580 TAPAR
27368 SALINE	29290 STANBACK ANALGESIC	30585 TAPAZOLE
27375 SALOCOL	29310 STAPHAGE LYSATE	30590 TAR
27405 SALSALATE	BACTERIAL ANTIGEN	30630 TAVIST
27445 SANTYL	29328 STATICIN	30635 TAXOL
27459 SARNA	29365 STELAZINE	30650 TEARISOL
27520 SCARLET RED	29435 STERAPRED	30655 TEARS NATURALE
27545 SCOPOLAMINE	29498 STEROID(S)	30660 TEARS PLUS
27725 SELENIUM	29533 STOOL SOFTENER	30730 TEGRETOL
27730 SELSUN	29565 STREPTOMYCIN	30735 TEGRIN
27735 SELSUN BLUE	29581 STRESS TABLETS	30755 TEMARIL
27770 SENNA	29595 STRI-DEX PADS	30756 TEMAZEPAM
27785 SENOKOT	29645 SUBLIMAZE	30775 TENAX
27795 SENOKOT S	29660 SUCCINYLCHOLINE	30777 TENEX
27800 SENOKOT SYRUP	29695 SUCROSE	30780 TENOL
27816 SENSORCAINE	29705 SUDAFED	30781 TENORETIC
27817 SENSORCAINE S-D	29725 SUDAFED SYRUP	30782 TENORMIN
W/EPINEPHRINE	29750 SUDRIN	30785 TENSILON
27835 SEPTRA	29780 SULADYNE	30790 TENUATE
27840 SEPTRA DS	29785 SULAMYD SODIUM	30800 TERAZOL
27855 SERAX	29795 SULF-10	30805 TERBUTALINE
27865 SERENTIL	29815 SULFACETAMID	30830 TERPIN HYDRATE &
27875 SEROMYCIN	29825 SULFADIAZINE	DEXTROMETHORPHAN
27905 SERPASIL-ESIDRIX	29840 SULFAMETHOXAZOLE	30880 TESSALON PERLE
27985 SILVADENE	29843 SULFAMETHOX	30915 TESTOSTERONE
27995 SILVER NITRATE	W/TRIMETHOPRIM	30920 TESTOSTERONE
28000 SILVER NITRATE	29845 SULFAMYLON	CYPIONATE
TOUGHENED STICKS	29850 SULFANILAMIDE	W/ESTRADIOL
28015 SILVER SULFADIAZINE	29865 SULFASALAZINE	30930 TESTOSTERONE
28030 SIMETHICONE	29880 SULFATHALIDINE	ENANTHATE
28035 SIMILAC	29888 SULFATRIM	31000 TETANUS ANTITOXIN

31005 TETANUS DIPHTHERIA TOXOID	32050 TRI TINIC	33060 ULTRACAINE
31010 TETANUS IMMUNE GLOBULIN	32055 TRI-CONE	33073 ULTRALENTE INSULIN
31015 TETANUS TOXOID	32095 TRI-MINE EXPECTORANT	33092 UNASYN
31020 TETRA	32135 TRI-VERT	33110 UNGUENTINE
31025 TETRACAINE	32140 TRI-VI-FLOR	33155 UNIPEN
31030 TETRACAINE HCL	32145 TRI-VI-SOL	33170 UNISOM
31045 TETRACYCLINE	32190 TRIAM	33180 UNNA'S GELATIN PASTE
31055 TETRACYN	32195 TRIAMCINOLONE	33215 UREA
31068 TETRASINE	32200 TRIAMCINOLONE ACETONIDE	33218 UREACIN
31095 THAM	32205 TRIAMCINOLONE DIACETATE	33225 URECHOLINE
31100 THAM-E	32245 TRIAMINIC	33280 URISED
31105 THANTIS	32255 TRIAMINICIN	33300 URISPAS
31120 THEO-DUR	32273 TRIAMTERENE	33365 UROGESIC
31200 THEOLAIR	32290 TRIAVIL	33430 V-CILLIN K
31219 THEOPHENYLLINE	32310 TRICHLOROACETIC ACID	33443 V-M
31220 THEOPHOZINE	32330 TRICLOS	33448 VACCINATION
31230 THEOPHYLLIN ELIXIR	32345 TRIDESILON	33500 VALADOL
31235 THEOPHYLLINE	32353 TRIDIL	33535 VALERTEST
31325 THERAGRAN	32363 TRIFLUOPERAZINE	33550 VALISONE
31335 THERAGRAN-M	32390 TRIHEXYPHENIDYL	33555 VALIUM
31455 THIAMINE	32395 TRILAFON	33568 VALOPHEN
31542 THIOTHIXENE	32405 TRILISATE	33573 VALPROIC ACID
31543 THIORIDAZINE	32424 TRIMIPRAMINE	33575 VANCERIL
31550 THORAZINE	32430 TRIMOX	33580 VANCOCIN
31580 THROAT DISC	32433 TRIMPEX	33588 VANCOMYCIN
31585 THROAT LOZENGE NEO-VADRIN	32438 TRIMETHOPRIM	33590 VANCOR
31593 THROMBINAR	32460 TRINSICON	33610 VANQUISH
31598 THROMBOLYTIC AGENT	32478 TRIOVAL	33620 VAPO-ISO
31600 THYMOL	32505 TRIPHENYL	33625 VAPONEFRIN
31630 THYROID	32515 TRIPLE ANTIBIOTIC	33670 VASELINE
31635 THYROLAR	32530 TRIPLE SULFA	33677 VASERETIC
31645 TICAR	32550 TRIPROLODINE	33685 VASOCIDIN
31655 TIGAN	32615 TROBICIN	33700 VASOCON
31658 TIMOLOL	32620 TROCAINE	33705 VASOCON-A
31660 TIMOPTIC	32658 TROPICAMIDE	33710 VASODILAN
31670 TINACTIN	32710 TUCKS	33725 VASOMIDE
31720 TITRALAC	32720 TUINAL	33735 VASOPRESSIN
31723 TOBRADEX	32735 TUMS	33740 VASOPRINE
31725 TOBRAMYCIN	32775 TUSSADON T.D.	33800 VELBAN
31728 TOBEX OPTHALMIC	32790 TUSSANIL	33805 VELOSEF
31735 TOCOPHERYL	32825 TUSSEND	33829 VENTAB
31740 TOFRANIL	32845 TUSSI-ORGANIDIN	33843 VENTOLIN
31755 TOLBUTAMIDE	32855 TUSSIONEX	33855 VERACOLATE
31760 TOLECTIN	32905 TYLENOL	33858 VERAPAMIL
31775 TOLINASE	32910 TYLENOL NO. 1	33895 VERMOX
31825 TOPIC	32915 TYLENOL NO. 2	33905 VERSAL
31845 TORA	32920 TYLENOL NO. 3	34090 VIBRAMYCIN
31850 TORECAN	32925 TYLENOL NO. 4	34092 VICALTEIN
31895 TPN ELECTROLYTES	32930 TYLENOL W/CODEINE	34100 VICAM
31927 TRANDATE	32935 TYLENOL W/CODEINE ELIXIR	34103 VICKS VAPORUB
31939 TRANSDERM-SCOP	32945 TYLOX	34110 VICODIN
31945 TRANXENE	32950 TYMATRO	34115 VICON
31955 TRAV-AREX	32960 TYPHOID VACCINE	34120 VICON FORTE
31997 TRAZODONE	32985 TYROSUM CLEANSER	34138 VIDARABINE
32013 TRENAL	33040 ULTAR	34155 VIMAH
32030 TRI HIST	33045 ULTRA DERM BATH	34158 VINBLASTINE
32045 TRI KORT		34160 VINCRIKISTINE
		34220 VIOKASE
		34248 VIROPTIC
		34260 VISINE

34263 VISKEN	35260 ZINC SULFATE	41420 ROXANOL
34268 VISTAJECT	35293 ZINCA-PAK	41470 SLOW FE
34270 VISTARIL	35338 ZOMAX	41495 SODIUM POLYSTYRENE SULFON
34293 VITA-FLOR	35341 ZOVIRAX	41505 SPECTAZOLE
34300 VITA-KAPS	35350 ZYLOPRIM	41510 SPIRON W/HCTZ
34360 VITAMIN A	35355 ZYMACAP	41545 STRESSAIDS W/ZINC
34370 VITAMIN A & D	35390 2/G	41580 SUPER STRESS 600 W/ZINC
34410 VITAMIN A SOLUBLE NEO- VADRIN	35410 ANTICONVULSANT AGENT	41610 THEO-24
34425 VITAMIN B COMPLEX	35415 ANTIDEPRESSANT AGENT	41670 TRI-NORINYL
34430 VITAMIN B COMPLEX B-12 W/C	35420 ANTIDIABETIC AGENT	41745 UNIPHYL
34455 VITAMIN B-1	35425 ANTIDIARRHEAL AGENT	41755 VEPESID
34495 VITAMIN B-12	35430 ANTIEMETIC AGENT	41780 ZANTAC
34505 VITAMIN B-2	35445 ANTIFUNGAL AGENT	41785 ZINACEF
34510 VITAMIN B-6	35450 ANTIHISTAMINE	41800 HCTZ
34515 VITAMIN B-6 NEO-VADRIN	35460 ANTIINFLAMMATORY AGENT	41820 GLYCERIN SUPPOSITORIES
34520 VITAMIN C	35495 ANTIPYRETIC AGENT	41825 AKARPINE
34525 VITAMIN C & E	35510 ANTIVIRAL AGENT	41830 PSYLLIUM
34560 VITAMIN CHEWABLE CHILDREN'S	35530 BACTINE	41845 PTU
34565 VITAMIN D	35580 SLO-BID	41850 KCL
34575 VITAMIN E	35590 TRIMETHOBENZAMIDE HCL	41855 NPH INSULIN
34580 VITAMIN E & C	35595 TRIMETHOPRIM/ SULFAMETHOXAZOLE	41860 FOLATE
34605 VITAMIN E SKIN OIL	35600 VANCENASE	41865 MOM
34623 VITAMIN K	40110 ANDRO L.A. 200	41875 CAPTOPRIL
34625 VITAMIN(S)	40150 ASPIR-10	41880 ZORPRIN
34628 VITAMINS AND MINERALS	40185 BAYER ASPIRIN	41895 HUMULIN INSULIN
34675 VITRON-C	40285 CALTRATE	41905 THYROXINE
34685 VIVACTIL	40445 CORZIDE	41915 K-LYTE
34690 VIVARIN	40455 CYCLOPENTOLATE	41928 PSEUDOEPHED/DM
34720 VOLEX IN SODIUM CHLORIDE	40460 CYTOTEC	42005 AURAFAIR OTIC
34725 VOLTAREN	40520 DESYREL	42178 TRIPLE ANTIBIOTIC OPHTH
34740 VOSOL OTIC	40540 DEXTROSE SODIUM CHLORIDE	42425 GOLYTELY
34745 VOSOL HC	40580 DIABETA	42715 MONISTAT VAGINAL
34755 VYTONE	40610 DIPHENOXYLATE	42720 MONISTAT-DERM
34775 WARFARIN	40615 DIPROLENE	42780 NEOSPORIN OPHTHALMIC
34780 WART OFF	40755 FOLEX	42800 NORMAL SALINE
34790 WATER DISTILLED	40765 G-3	42815 NS W/KCL
34855 WESTCORT	40775 GENTACIDIN	42985 PROPRANOLOL
34890 WIGRAINE	40790 HEP-PAK	50000 BRETHAIRE
34985 WYGESIC	40825 HYDRA MAG	50035 MICRONASE
35015 X-PREP	40860 HYDROGESIC	50040 SUFENTA
35023 XANAX	40905 ISOPTIN	60015 ABEROKE
35050 XEROFOAM DRESSING	40908 L-TRYPTOPHANE	60035 ACLOVATE
35060 XYLOCAINE	40950 LOPROX	60040 ADALAT
35070 XYLOCAINE HCL	40955 LOZOL	60100 AQUATAR THERAPEUTIC
35080 XYLOCAINE HCL W/EPINEPHRINE	40965 MANGANESE SULFATE	60115 AUGMENTIN
35085 XYLOCAINE VISCOUS	40995 MICROCULT GC TEST	60125 AUGMENTIN 500
35110 YELLOW FEVER VACCINE	41005 MOLYPEN	60150 BACITRACIN OPHTHALMIC
35138 Z-TEC	41115 MULTI VIT	60175 BENZAMYCIN
35150 ZARONTIN	41150 NASALCROM	60180 BENZTROPINE MESYLATE
35155 ZAROXOLYN	41185 NORCURON	60185 BETAGAN LIQUIFILM
35165 ZEASORB MEDICATED	41310 POLY-VI-SOL W/IRON	60190 BETALIN S
35224 ZESTRIL	41330 PRAMASONE	60205 BETOPTIC
35230 ZETRAN	41335 PRECISION DIET ISOTONIC	60220 BLENOXANE
35240 ZINC	41360 PRO-2	60240 BRETYLIUM TOSYLATE
35250 ZINC OXIDE	41405 RESPAIRE	60250 BSS OPHTHALMIC
		60265 BUPRENEX

60270	BUSPAR	61135	PEDIACARE	89069	PROCHLORPERAZINE
60290	CAPOZIDE	61140	PEDIAPRED		MALEATE
60295	CEFOTAN	61160	PEPCID	89070	PROFENAL
60325	CITRUCEL	61185	PIPERACILLIN	89071	PROPOXYPHENE HCL
60340	CO-GESIC	61205	POVIDONE-IODINE		W/APAP
60345	COACTIN	61215	PRIMAXIN	89072	PROPOXYPHENE
60355	COLYTE	61260	PSORCON		NAPSYLATE W/APAP
60370	CORDARONE	61275	R & C	89074	ROWASA
60385	CORTISPORIN	61295	ROCEPHIN	89076	SUPRAX
	OPHTHALMIC	61300	ROFERON-A	89080	TIMOLOL MALEATE
60415	DEXAMETHASONE/ NEOMYCIN/POLYMIX	61330	SECTRAL	89081	TOBRAMYCIN SULFATE
60450	DIGIBIND	61385	SULFACETAMIDE SODIUM	90000	NO ENTRY MADE
60470	DISOPYRAMIDE	61405	TAMBOCOR	91000	ALBUTEROL SULFATE
	PHOSPHATE	61440	TEMOVATE	91002	AMILORIDE HCL
60485	DORYX	61470	TIMENTIN	91003	ANTIPYRINE
60545	ESTRADERM	61475	TOLAZAMIDE		W/BENZOCAINE
60550	EYE DROPS	61480	TOLNAFTATE	91009	BUTALBITAL/ APAP/CAFFAINE
60555	EYE WASH	61490	TONOCARD	91013	DIPENTUM
60560	FEMSTAT	61495	TOPICORT	91014	DOXORUBICIN HCL
60565	FENTANYL CITRATE	61515	TRI-LEVLEN	91015	DOXYCYCLINE HYCLATE
60590	FERROUS-DS	61520	TRIAMCIN/NEO/ GRAMICID/NYSTATIN	91020	EXOSURF
60595	FIORICET	61565	VASOTEC	91024	GENACOTE
60615	GAMMAGARD	61570	VERSED	91026	GENASYME
60640	GENTAMICIN	61595	VITEC	91029	HYDROXYZINE HCL
	OPHTHALMIC	61605	WELLBUTRIN	91030	IFEX/MESNEX COMBO PACK
60665	GLYCERIN	61610	ZYDONE	91031	ISOPTIN S.R.
60695	HIB-IMUNE	61625	TRIAMTERENE W/HCTZ	91034	LOTRIMIN AF
60700	HIB-VAX	89004	AMILORIDE HCL W/HCTZ	91035	LUPRON DEPOT
60715	HYPaque SODIUM	89010	BETAMETHASONE DIPROPIONATE	91039	NIFEDIPINE
60725	ILETIN & PROTAMINE ZINC	89014	BUPIVACAINE W/EPINEPHRINE	91040	ONE TOUCH TEST STRIPS
60735	INFLUENZA VIRUS VACC	89016	CHARCOAL, ACTIVATED W/ SORBITOL	91043	PRILOSEC
60740	INTRON-A	89017	CHILDREN'S ADVIL	91045	RETIN-A REGIMEN
60765	ISOVUE	89018	CLINDAMYCIN HCL	91052	SSD
60775	K-DUR	89019	CLONIDINE HCL	91058	VERELAN
60790	KLONOPIN	89020	CYCLOBENZAPRINE HCL	91061	ACYCLOVIR
60795	LACHYDRIN	89022	CYTOVENE	91062	ALPRAZOLAM
60800	LACTATED RINGER'S	89025	DOXEPIN HCL	91063	ATENOLOL
60815	LEVLEN	89032	EULEXIN	91064	AZTREONAM
60835	LOTRISONE	89035	FLUOCINONIDE	91066	BUSPIRONE HCL
60850	MAGALDRATE	89037	HUMULIN 70/30	91068	CEFTAZIDIME
60870	MARINOL	89038	HYDROCODONE BITARTRATE W/APAP	91069	CEFTRIAZONE
60875	MAXIVATE	89039	HYDROCODONE W/ACETAMINOPHEN	91070	CEFUROXIME SODIUM
60890	MEDIPREN	89040	HYDROCORTISONE ACETATE	91072	DILTIAZEM HCL
60905	METHYLDOPA W/HCTZ	89042	HYDROXY- PROGESTERONE CAPROATE	91073	DIMETHYL SULFOXIDE
60920	MEXITIL			91074	ENALAPRIL
60940	MSIR			91077	ETHANOLAMINE
60955	MURO TEARS			91078	FLECAINIDE ACETATE
60975	N D CLEAR			91079	FLUOXETINE
60985	NA SAL			91080	FLUTAMIDE
60990	NALBUPHINE HCL			91081	GLIPIZIDE
61025	NICORETTE	89045	LIDOCAINE HCL VISCOUS	91082	GONADORELIN ACETATE
61035	NIX	89047	LOSEC	91084	IPRATROPIUM BROMIDE
61045	NOVOLIN	89056	OS-CAL 500+D	91085	KETOCONAZOLE
61055	NU'LEVEN	89058	PERMAX	91086	LEUPROLIDE ACETATE
61080	OMNIPaque	89061	POLYTRIM	91088	LOVASTATIN
61095	OPHTHAINE	89066	PRELONE	91089	METHIMAZOLE
61100	ORUDIS	89067	PROCARDIA XL	91090	MEXILITENE
61125	P-A-C				
61130	PAIN RELIEVER				

91091 MISOPROSTOL	92087 STERILE WATER	92174 ENDAL-HD
91093 MORICIZINE HCL	92088 SULFACETAMIDE	92175 ENDAL
91096 OMEPRAZOLE	W/PREDNISOLONE	92176 EXELDERM
91097 PERGOLIDE	92096 TUMS PLUS	92178 HUMIBID
91099 RANITIDINE	92100 ULTRAVATE	92179 HUMIBID DM
91102 TRETINOIN	92103 VIDEX	92180 LORTAB
92000 ACCUPRIL	92104 ZEASORB-AF	92181 LORTAB-ASA
92001 ACETIC ACID W/HC	92105 ZOFRAN	92182 OCCLUSAL
92003 ALTACE	92106 AZT	92187 PRENATE
92004 AMPICILLIN SODIUM	92107 BENAZEPRIL	92190 ZEPHREX
92005 BENYLIN	92108 BERACTANT	93001 ACUTRIM
92006 BIAXIN	92109 CEFAXOR	93006 AK-TAINE
92007 BREVOXYL	92110 CEFIXIME	93008 AKNE-MYCIN
92008 BROMADINE	92111 CIPROFLOXACIN	93009 ALBUMIN
92011 CALCIUM ANTACID	92112 CLARITHROMYCIN	93010 ALIMENTUM
92012 CARDURA	92115 CLOZAPINE	93014 ALLERGY MEDICATION
92013 CEPTAZ	92116 DICLOFENAC	93015 AMI-TEX
92015 CILOXAN	92117 DIDANOSINE	93016 ANALPRAM HC
92016 CLOZARIL	92118 DIDEOXYINOSINE	93017 ANDROGYN
92017 CUTIVATE	92119 DOXACURIUM	93020 AQUA GLYCOLIC
92018 DESOXIMETASONE	92120 DOXAZOSIN MESYLATE	93022 ARTIFICIAL TEAR
92019 DEXTRAN	92122 EPOETIN ALFA	SOLUTION
92020 DEXTROSE 5%-LACTATED	92123 ESTAZOLAM	93023 ASACOL
RINGERS	92124 ETODOLAC	93029 BETA CAROTENE
92022 DORAL	92125 FELODIPINE	93030 BLEPH-10
92024 DURAGESIC	92126 FLUTICASONE	93035 CARBIDOPA
92025 DYNACIRC	92128 FOSINOPRIL	93036 CARDENE
92026 EDTA	92129 GANCICLOVIR	93037 CARNITINE
92027 EMGEL	92131 HEPATITIS B VACCINE	93038 CEFZIL
92029 ERYTHROMYCIN	92132 ISRADIPINE	93040 CELLUVISC
ESTOLATE	92134 LEVONORGESTREL	93041 CITRACAL
92030 FLAREX	92135 MESALAMINE	93042 CONDYLOX
92031 FLOXIN	92136 METIPRANOLOL	93044 CRESYLATE
92032 FLUONEX	92137 METROGEL	93045 DEPO PREDATE
92033 FLUPHENAZINE	92138 NADOLOL	93046 DERMA-SMOOTHIE
DECANOATE	92140 OFLOXACIN	93047 DEXATRIM
92037 GENATUSS DM	92141 ONDANSETRON	93048 DILACOR-XR
92038 GENTAMICIN SULFATE	92142 PENTAMIDINE	93050 DML
92043 HYOSCYAMINE SULFATE	ISETHIONATE	93053 E-LOR
92045 INSULATARD HUMAN N	92143 PENTOXIFYLLINE	93054 ELDEPRYL
92051 LODINE	92144 PIMOZIDE	93057 ENULOSE
92052 LOTENSIN	92145 PIROXICAM	93059 EPOGEN
92054 METAMUCIL WAFER	92146 PRAVASTAN	93062 FISH OIL
92055 MIACALCIN	92149 QUINAPRIL	93064 FLEXALL
92057 MONOPRIL	92150 RAMIPRIL	93065 GAS-X
92058 MOTION SICKNESS	92151 SUPROFEN	93067 GENTAK
92059 MURO 128	92152 TERCONAZOLE	93068 GLYCOLIC ACID
92061 NASACORT	92154 ANAFRANIL	93069 GLYNASE
92062 NATURAL FIBER	92155 ANSAID	93070 GROWTH HORMONE
92064 NITROGLYCERIN IN D5W	92156 DIFLUCAN	93073 HEMORRHOID
92066 NORPLANT	92157 ELIMITE	PREPARATION
92069 OPTIPRANOLOL	92159 MINITRAN	93074 HEMOCYTE
92071 PEDIA-PROFEN	92160 PRINZIDE	93076 HISTUSSIN D
92073 PLENDIL	92161 TORADOL	93077 HY-PHEN
92076 PRAVACHOL	92162 TRIPHASIL	93078 INFED
92078 PROCRI	92163 ZESTORETIC	93080 ISMO
92079 PROSED/DS	92164 LISINOPRIL	93082 ISOMIL
92080 PROSOM	92165 CODICLEAR-DH	93086 LEGATRIN
92083 RINGERS	92167 DECONSAL SPRINKLE	93088 LORABID
92085 ROBITUSSIN PEDIATRIC	92172 ENDAFED	93089 LORCET

93090	MACROBID	93187	NORVASC	93307	ENGERIX-B
93091	MAGSAL	93188	NALTREXONE	93308	DAKIN'S SOLUTION
93094	ROMAZICON (MAZICON)	93190	FLUOROCAINE	93309	BENZODIAZEPINES
93095	METED	93192	TICILID	93311	PEDVAX HIB
93096	MIVACRON	93193	SERTRALINE	93312	KETOPROFEN
93101	NASAL SPRAY	93195	HISTAMINE H-2 BLOCKER/ANTAGONIST	93313	DOBUTAMINE
93102	NESTAB	93197	RYTHMOL	93315	PROPAFENONE
93104	NEUPOGEN	93198	OCULINUM	93316	MEFLOQUINE
93105	NICODERM	93199	ASTHMA MEDICATION	93317	PILOPINE
93106	NICOTINE TRANDERMAL SYSTEM	93200	ACTIGALL	93325	EMLA
93107	NICOTROL	93202	CYCLOSPORINE	93326	INJECTION
93108	NOVA-DEC	93203	LABETALOL	93327	ITRACONAZOLE
93109	NUTRITIONAL SUPPLEMENT	93204	SELEGILINE	93328	NUTREN
93112	OCUPRESS	93207	NALSPAN	93330	ASPARAGINASE
93113	OCUVITE	93209	ANTIPSYCHOTIC MEDICATION	93334	CLEMASTINE
93114	OMINIFLOX	93210	FIBER SUPPLEMENT	93335	APRACLONIDINE
93115	OPTIVITE	93211	AMIODARONE	93337	PROPOFOL
93116	ORAGEL	93212	PAXIL	93341	FELBATOL
93117	ORTH-CYCLEN	93213	GEMFIBROZIL	93344	SOAP
93119	OXY-10	93214	AZITHROMYCIN	93345	DIPRIVAN
93120	PEDIASURE	93215	FLUCONAZOLE	93347	AMBIEN
93121	PERIDEX	93216	DRITHO-SCALP	93348	PHOSLO
93124	PINDOLOL	93217	DAIRY EASE	93352	FAMOTIDINE
93127	PROSCAR	93218	ORTHO-CEPT	93353	PROGESTIN
93130	QUINALAN	93219	FLUORESOFT	93355	BUPROPION
93131	REFRESH	93220	KETOROLAC	93356	ANTIGEN
93132	RELAFEN	93221	FELBAMATE	93358	SCLEROSING AGENT
93136	RHOGAM	93222	SPORANOX	93359	LIQUIBID
93137	SALAC	93223	CISPLATIN	93361	TACRINE
93138	SALACID	93224	CLARITIN	93362	TICLOPIDINE
93141	SEROPHENE	93225	ETOPOSIDE	93363	DESOGEN
93143	SHUR-CLENS	93226	ERYTHROPOIETIN	93365	MITOXANTRONE
93147	STAHIST	93230	DYNACIN	93366	PROPULSID
93150	SULFONYLUREAS	93231	IMITREX	93368	DUODERM
93151	SUPPOSITORY	93232	BOTULISM TOXIN	93372	BETASERON
93152	TAC	93233	ACULAR	93373	UROKIT K
93154	THEREMS	93234	KERLONE	93383	IMMUNIZATION
93156	TOPROL XL	93236	DRY EYE THERAPY	93386	GI COCKTAIL
93161	TUSSAFED	93237	SIMVASTATIN	93387	CEFOXITIN
93164	VAGISIL	93238	BETAPACE	93390	ABH
93165	VAGISTAT	93239	FLURBIPROFEN	93391	SARGRAMOSTIN
93166	VANTIN	93241	PSEUDOGEST	93392	TAXOTERE
93167	VARICELLA-ZOSTER IMMUNE GLOBULIN	93243	LAMISIL	93393	PINK LADY
93171	VISCOAT	93245	HALFPRIN	93394	AEROSOL THERAPY
93173	WART TREATMENT	93247	HIVID	93395	INHALER
93174	YOCON	93248	SUMATRIPTAN	93396	AMLODIPINE
93176	ZANTRYL	93249	VALPROATE	93397	BALMEX
93177	ZEROXIN	93252	PENTOLAMINE	93399	OXAPROZIN
93178	ZILACTIN	93253	TETRAMUNE	93400	NEBULIZER
93179	ZITHROMAX	93256	PNEUMOCOCCAL VACCINE	93404	SUCRALFATE
93180	ZNP	93257	LORATADINE	93405	SANDOSTATIN
93181	ZOCOR	93258	CARBOPLATIN	93408	THALIDOMIDE
93182	ZOLADEX	93262	MIDAZOLAM HCL	93411	PROPOXYPHENE/ ACETAMINOPHEN
93183	ZOLOFT	93303	CEFOTAXIME	93417	CEFPROZIL
93185	ZOSTRIX	93304	NEPHRO-VITE	93418	FILGRASTIM
93186	ANTIHYPERTENSIVE AGENT	93305	GLYBURIDE	93419	TRIAZOLAM
		93306	ADENOCARD	93420	NEVIRAPINE
				93421	SELENIUM SULFIDE SHAMPOO

93422 FLUNISOLIDE	94043 TYLENOL ALLERGY SINUS	94143 DEPO INJECTION
93424 FLUDROCORTISONE ACETATE	94045 BEANO	94144 VICKS 44D
93425 TAR DERIVATIVE SHAMPOO	94046 LACTOSE-FREE FORMULA	94145 OINTMENT
93428 MYCOBUTIN	94047 MESNA	94146 PENICILLIN G BENZATHINE
93429 INJECTION (EPIDURAL)	94048 METROGEL VAGINAL	94149 ESGIC PLUS
93430 INJECTION (GANGLION/NERVE BLOCK)	94049 OYSTER SHELL CALCIUM	94150 FLUDARA
93432 ORUVAIL	94052 TRIAMETERNE	94151 FLUDARABINE
93433 ALPROSTADIL	94053 BETA BLOCKER	94153 ZONALON
93437 THIAZIDE	94054 ACE INHIBITOR	94154 LESCOL
93438 GREEN GRASSHOPPER	94055 ACEI-IMUNE	94158 RISPERDAL
93440 CONDOMS	94056 AK DILATE	94160 KYTRIL
93441 PEG	94057 CLINOXIDE	94161 DACTINOMYCIN
93442 HAEMOPHILUS B CONJUGATE VACCINE	94058 COLLAGEN	94162 AZACITIDINE
93447 EMOLLIENT / LOTION / CREAM /MOISTURIZER	94059 DOVONEX	94163 ALOE VERA
93448 VECURONIUM	94060 EPILYT	94164 HISTUSSIN HC
93449 RABIES IMMUNE GLOBULIN	94066 PROSTAGLANDIN E1	94166 PSORALENS
93451 CLOMIPRAMINE	94070 EFFEXOR	94171 METHYLDOPA/ CHLOROTHIAZIDE
93453 RH IMMUNE GLOBUIN	94071 INDAPAMIDE	94172 IMMUNOSUPPRESSIVE DRUG
93454 BOTULISM ANTITOXIN	94072 NSAID	94173 ACEBUTOLOL
93980 MEDICATION(S) – CONTINUE/MONITOR/ REVIEW	94073 OCUFLOX	94174 RHINOCORT
93981 MEDICATION(S) – PRESCRIBED/ PROVIDED/OTC	94075 SEREVENT	94175 ANTIBACTERIAL AGENT
93982 MEDICATION(S) - IV	94079 CORTICOSTEROID(S)	94176 ASTROGLIDE
94001 SOTALOL	94081 DIVALPROEX SODIUM	94177 AREDIA
94002 BENZONATE	94082 GLAUCOMA MEDICATION	94179 NABUMETONE
94003 FLUMADINE	94086 ATUSS HD	94182 FLU-SHIELD
94004 PAROXETINE	94089 ICAPS	94188 FENTANYL
94006 ULCER MEDICATION	94094 GLIBENCLAMIDE	94189 FLUMAZENIL
94007 ENEMA	94097 MEPRON	94190 MG
94008 DURATUSS	94098 NEDOCROMIL	94191 MONISTAT
94009 VOLMAX	94099 NEURONTIN	94192 HIV MEDICATION
94010 PENTASA	94100 NIZATIDINE	94194 ESTRAMUSTINE
94011 CATAFLAM	94101 OXISTAT	94195 RECEPTIN
94012 ORTHO-EST	94102 PYRIMETHAMINE	94196 OCTREOTIDE
94014 VENLAFAXINE	94103 QUININE	94197 PROGESTIMIL
94015 NYTOL	94104 RISPERIDONE	95002 BETAGEN
94016 ZIAC	94108 TECHNITIUM	95003 ECONAZOLE
94017 ENCONOPRED PLUS	94110 LOZENGES	95005 FLONASE
94018 BABY OIL	94113 DIFLUNISAL	95007 LUBRIN
94020 ALOMIDE	94114 GABAPENTIN	95009 DECONAMINE SR
94025 DERMATOP	94116 HUMULIN R	95015 TESTODERM
94027 SHAMPOO	94117 LOVENOX	95016 ADDERALL
94029 NULYTELY	94118 NAPHAZOLINE/ PHENIRAMINE	95017 FAMVIR
94031 IMDUR	94119 NORETHINDRONE ACETATE	95018 NASAL WASH
94034 ORTHO-TRICYCLEN	94122 BEE STING KIT	95020 NICARDIPINE
94035 ZOLPIDEM TARTRATE	94123 BECONASE AQ	95021 ARTHRITIS MEDICATION
94036 AQUANIL	94124 CHOLESTYRAMINE	95022 FEVERALL
94038 FACTOR VIII	94125 ALEVE	95023 CHILDRENS MOTRIN
94039 MAG-TAB	94126 DEMADEx	95024 FLUVOXAMINE
94041 PINK COCKTAIL	94127 DAYPRO	95025 LUVOX
	94128 DAYQUIL	95027 ALTRACIN
	94129 DOXY	95030 DEXTROSE/SODIUM CHLORIDE/0.9 NS
	94130 DURASCREEN	95032 NITRATES
	94131 GARLIC PILL	95035 ATRACURIUM
	94133 TERAZOSIN	95036 BUPRENORPHINE
	94134 DESONIDE	95038 FACTOR IX COMPLEX
	94136 LAMIVUDINE	95041 NITROPRUSSIDE
	94137 SULFA	
	94139 CEFPODOXIME	

95044	ROBITUSSIN W/ CODEINE	95135	PRECARE	96035	SAQUINAVIR
95045	TYLENOL PM	95136	THEO	96038	MUPIROCIN
95046	AMYLASE	95139	APPETITE DEPRESSANT	96041	TRAMADOL
95047	ATOVAQUONE	95140	FLUVASTATIN	96042	NEORAL
95048	DUOFILM PATCH	95141	NEFAZODONE	96043	VALTREX
95050	ULTRAM	95142	PREMPRO	96044	NASAREL
95051	VASCOR	95144	LOTREL	96045	DEMEROL
95053	REGULAR	95145	MENINGOCOCCAL VACCINE	96047	STAGESIC
95054	ACTHIB	95147	VAGINAL CREAM	96049	HEPATITIS VACCINE
95056	DIPIVEFRIN	95148	HEPATITIS C VACCINE	96051	OCUCAPS
95057	DTAP	95149	ZOSYN	96054	NAVELBINE
95059	ISOTOPE	95150	ADVERA	96055	LEVOTHYROID
95062	STROVITE	95152	COZAAR	96057	LANACORT
95063	SUPRANE	95155	FLAX SEED OIL	96058	PRECOSE
95064	ZIDOVUDINE	95156	MYCOCIDE	96059	PRENAVITE
95065	ZEMURON	95157	COLESTIPOOL	96060	SEVOFLURANE
95066	GASTROINTESTINAL AGENT	95159	CALCIUM BLOCKER	96061	SOMATOSTATIN
95067	INTERFERON	95160	CLIMARA	96062	ULTANE
95068	PENICILLIN ALUMINUM MONOSTEARATE	95164	DORZOLAMIDE	96065	GEMCITABINE
95069	PROTEGRA	95165	MONONINE	96066	NORVIR
95071	ZERIT	95168	HISTINEX HC	96067	ANTIOXIDANTS
95072	BENZTROPINE	95169	BRONTEX	96068	TRIAZ
95073	BION TEARS	95171	HYZAAR	96070	CEDAX
95074	DIMETAPP DM	95173	LEVBID	96072	TIAZAC
95075	HUMULIN L	95174	PROGRAF	96073	TOLEREX
95076	AURANOFIN	95177	FINASTERIDE	96074	BIARIUM ENEMA
95078	PANCREASE MT	95178	FIORICET/ CODEINE	96075	HYDROGEL
95079	PHENOXYBENZAMINE	95180	GLUCERNA	96078	AMRINONE
95080	SERZONE	95181	LAMICTAL	96080	CRIXIVAN
95082	PAMIDRONATE	95182	VARIVAX	96083	NAPRELAN
95083	RECOMBINATE	95183	FOSAMAX	96084	OPCON-A
95084	STAVUDINE	95184	CLIDINIUM BROMIDE	96086	SULAR
95085	DEMEROL W/ VISTARIL	95187	DYNABAC	96087	VIBRA-TABS
95086	LIQUID NITROGEN	95188	PREMPHASE	96091	FLOVENT
95087	PROPHYLAXIS	95189	UNIVASC	96093	RITONAVIR
95088	ESTROPIPATE	95191	EPIVIR	96094	ACARBOSE
95089	METAXALONE	95192	CASODEX	96095	ETOMIDATE
95090	TAR PREPARATION SHAMPOO	96002	DEFEN-LA	96099	MOLINDONE
95092	PRAVASTATIN	96003	PERMETHRIN	96102	EC-NAPROSYN
95095	LARIAM	96005	ALENDRONATE SODIUM	96105	TEGADERM
95096	ZETAR	96006	AZELEX	96106	ADRENALINE CHLORIDE
95097	CARDIOLITE	96007	CETIRIZINE	96107	BUMETANIDE
95098	ADENOSINE PHOSPHATE	96008	HUMULIN N	96108	PNEUMOTUSSIN
95099	AXOCET	96009	BENZOCAINE	96109	OXYCONTIN
95100	PROTEIN SUPPLEMENT	96010	VAPORIZER	96110	CARNITOR
95101	T-GEL SHAMPOO	96012	MEPERGAN FORTIS	96111	AYR NASAL GEL
95108	CETAPHIL MOISTURIZER	96013	PALGIC	96112	VEXOL
95111	GLUCOPHAGE	96016	PROXACOL	96115	SALMETEROL
95112	HYPERTONIC SALINE	96019	TOURO EX	96119	CAVERJECT
95114	TRUSOPT	96020	LEVOXYL	96121	DIMETAPP COLD/ALLERGY
95115	NUTROPIN	96021	TSH	96122	REMERON
95116	CAPSAICIN	96022	ZYRTEC	96123	ZEBETA
95118	HEPATITIS A VACCINE	96024	CLOBETASOL	96125	MELATONIN
95119	MULTIVITAMIN W/ IRON	96027	DOCUSATE SODIUM	96128	AVONEX
95122	PREVACID	96028	ACETAMINOPHEN- HYDROCODONE	96130	LANSOPRAZOLE
95127	SALICYLIC W/ AQUAPHOR	96031	DRONABINOL	96131	COVERA HS
95133	METFORMIN	96032	INVIRASE	96132	DNCB
		96033	LEVOBUNOLOL	96133	ADAPALENE
				96135	PHENERGAN DM



96136 CORMAX	97046 OMNIHIST	97148 MITOMYCIN
96137 DHEA	97047 MAGNESIUM	97150 REQUIP
96138 AMARYL	97049 TOPAMAX	97151 CHONDROITIN SULFATE
96139 OTOCAIN	97051 VIRACEPT	97152 MIRAPEX
96140 TANAFED	97052 VIRAMUNE	97153 COMVAX
96141 VIVELLE	97055 ESTROSTEP	97154 VINEGAR
96144 ACCOLATE	97056 MIRTAZAPINE	97155 TIMOPTIC XE
96147 CELLCEPT	97057 NELFINAVIR	97156 NOREL PLUS
96149 IMPIPENEM-CILASTATIN SODIUM	97060 FAMCICLOVIR	97157 ATORVASTATIN
96151 PEPTAMEN	97062 ULTIVA	97158 BEPERDIL
96152 RILUTEK	97063 CLAVULANIC ACID	97159 CALCITRIOL
96153 RILUZOLE	97066 PANCREATIC ENZYME	97160 CRINONE
96156 VITAFOL	97068 DEXTROSTAT	97161 PROMOD
96157 AEROCHAMBER	97073 LOSARTAN	97162 FOSPHENYTOIN
96159 BARLEY GRASS	97074 PRENATAL ULTRA	97163 LEVOFLOXACIN
96161 DIFLORASONE DIACETATE	97075 GENTEAL	97164 WATER PILL
96162 PROVISC	97076 MICONAL	97166 DURATUSS HD
96164 BETIMOL	97078 ANDRODERM PATCHES	97168 SEROQUEL
96165 ELMIRON	97079 CAMPTOSAR	97170 CENTRUM SILVER
96166 RENOVA	97081 FRAGMIN	97174 BABY ASPIRIN
96167 XALATAN	97084 ROCURONIUM	97176 IMMUNEX
96168 MAVIK	97085 TORSEMIDE	97177 DURATUSS G
96169 ACIDOPHILUS	97086 ALESSE	97178 PULMICORT TURBUHALER
96171 MENTAX	97087 CORTANE B OTIC DROPS	97179 DENAVIR
96173 ZYPREXA	97089 GUANFACINE	97181 OXY IR
96174 ALLEGRA	97090 MESCOLOR	98001 MAG-OX
96175 TRITEC	97091 THIABENDAZOLE	98005 ANAPLEX HD
96176 DIFFERIN	97092 TRANDOLAPRIL	98006 ARTHROTEC
96177 IMMUNO THERAPY	97094 ZOTO	98008 CARVEDILOL
97002 OLANZAPINE	97097 LIQUIBID-D	98009 MUCO-FEN
97004 CEFOTETAN	97098 PRAMIPEXOLE	98010 NASONEX
97005 CEREBYX	97099 GENERAL ANESTHESIC	98011 CONSTULOSE
97007 GUAIPAX	97101 NIFEREX FORTE	98016 NEUTROGENA T/GEL
97010 GAMMA GLOBULIN	97105 COMBIVENT	98017 PROPECIA
97011 MIGRAINE AGENT	97107 DURACT	98018 VANICREAM
97012 PACLITAXEL	97108 HELIDAC	98022 ZOMIG
97015 TOPOTECAN	97109 REVIA	98023 MERIDIA
97016 ARICEPT	97111 TARKA	98026 ACNE MEDICATION
97017 HUMALOG	97112 SUDAL	98027 RETAVASE
97018 MOEXIPRIL	97113 ZANAFLEX	98028 PANCOF
97019 SAW PALMETTO	97115 PANMIST	98030 ECHINACEA
97020 LIPITOR	97116 LANEX	98031 FEMPATCH
97021 MUSE	97118 FLEET PHOSPHO-SODA	98033 ALDARA
97022 PROTUSS	97120 NISOLDIPINE	98034 FORTOVASE
97026 BENADRYL W LIDOCAINE	97126 FLOMAX	98036 NORCO
97027 FLINTSTONES VITAMINS	97127 PANDEL	98038 SINGULAIR
97028 ALPHAGAN	97129 ST JOHNS WORT	98039 SINUVENT
97029 ATUSS DM	97130 TACROLIMUS	98041 VIAGRA
97030 NEOCATE	97131 RESPIGAM	98043 VICOPROFEN
97033 REZULIN	97132 MAXIPIME	98045 PROTUSS DM
97034 ZYBAN	97133 NIMBEX	98046 MICROZIDE
97035 ASTELIN	97134 PLASMA	98047 NORITATE
97036 DIOVAN	97135 VALACYCLOVIR	98049 DONEPEZIL HCL
97037 PATANOL	97136 LAMOTRIGINE	98050 LODOSYN
97038 GEMZAR	97139 TYLENOL COLD & FLU	98051 OS-CAL +D
97041 ANTITUSSIVE	97141 COMBIVIR	98053 PREVPAC
97043 BROMFED PD	97142 COREG	98054 TAZORAC
97045 LEVAQUIN	97144 GUAIFENEX	98056 GONAL-F
	97145 AVAPRO	98057 HYALAGAN
	97146 ESTRING	

98058 OXANDRIN	98161 CAPECITABINE	99074 CITALOPRAM
98062 REPRONEX	98164 LOTEMAX	99075 ENBREL
98065 DETROL	98166 RONDEC TR	99076 GLUCOSAMINE SULFATE
98069 EAR WASH	98167 GRAPESEED EXTRACT	99080 MIRALAX
98071 THERAFLU	99001 CEFEPIME	99081 MULTIVITAMINS W/ FOLIC ACID
98073 DOMPERIDONE	99002 CELEBREX	99084 RELAXIN
98075 CALCIUM CITRATE	99003 LUSTRA CREAM	99085 RELENZA
98076 TUBERCULOSIS VACCINE	99004 SEBA GEL 10	99086 T/SCALP
98078 ADVIL COLD AND SINUS	99005 REMICADE	99088 ZIAGEN
98080 RESINOL	99006 RENAGEL	99089 ACIPHEX
98081 REVEX	99007 ROPIVACAINE HCL	99090 ACTOS
98083 AZOPT	99008 ALLEGRA D	99095 HERCEPTIN
98085 NIASPAN	99009 BIOHIST-LA	99098 NITROQUICK
98086 PLAVIX	99010 MIRCETTE	99099 PLETAL
98088 TASMAR	99011 NALEX	99100 PREDNICARBATE
98089 TERBINAFINE	99012 NALEX-A	99101 QUETIAPINE FUMARATE
98090 ARIMIDEX	99013 NASACORT AQ	99103 TUBEX
98092 DOXIL	99014 OMNICEF	99104 TUSSI-12
98093 MONTELUKAST	99015 ORTHO-NOVUM 7/7/7	99106 XOPENEX
98094 REGRANEX	99016 PRIMROSE OIL	99107 ZADITOR
98095 SUSTIVA	99017 RIBAVIRIN	99109 BUFFERED LIDOCAINE
98096 TOBI	99019 SYNVISK	99110 CARBOFED DM ORAL DROPS
98097 AMERGE	99020 SEROTONIN	99111 CONTRIN
98098 COSOPT	99021 TYCOLENE P.M.	99112 D-5-W
98099 GINKGO	99022 CECLOR CD	99113 DOAN'S PILLS
98100 MIGRANAL	99023 CORTISPORIN OTIC	99114 ENDOCET
98101 PRANDIN	99026 GLUCOSAMINE	99118 NECON
98103 XELODA	99028 TYLENOL ARTHRITIS	99119 NITROPASTE
98104 VICODIN TUSS	99029 PREDNISOLONE ACETATE OPHTHALMIC	99121 TRI-CHLOR
98106 ANZEMET	99030 AVANDIA	99123 MORPHINE SULFATE
98107 IRINOTECAN	99031 ATACAND	99124 NASAL DROPS
98109 CHLORHEXIDINE GLUCONATE	99032 BROMFENEX	99125 NITRODRIP
98111 SORIATANE	99033 CLOPIDOGREL	99127 LIDOCAINE/ EPINEPHRINE/ TETRACAINE
98112 AVITA	99034 DEFED	99128 LIPASE
98114 CARBATROL	99036 GLUCOSAMINE CHONDROITIN	99130 SINEX
98115 CELEXA	99038 VANEX-HD	99131 TRIBIOTIC
98116 GABITRIL	99039 LOTENSIN HCT	99132 EVISTA
98122 ACTIDOSE WITH SORBITOL	99041 MAXIFED	99133 ALBUTEROL
98130 BOOST	99042 PACERONE	99134 ALLFEN-DM
98131 TOPIRAMATE	99043 PROAMATINE	99136 HELIOX
98132 OXALIPLATIN	99046 RITUXAN	99137 HERBS
98136 PROMETRIUM	99047 SARNOL HC	99139 MAGIC MOUTHWASH
98137 TRIMAZIDE	99049 XENICAL	99140 MORNING-AFTER PILL
98138 PANNAZ	99050 AGENERASE	99141 PIN-X
98139 TIZANIDINE	99051 AVALIDE	99142 PRENATAL VITAMINS W/ IRON
98141 VALSARTAN	99052 ACTIVATED CHARCOAL	99144 RACEMIC EPINEPHRINE
98142 ALREX	99055 FLUROX	99146 VITAPLEX
98143 COPAXONE	99057 HEMOCYTE PLUS	99147 ACCUZYME
98144 KADIAN	99058 KINERASE	99148 ARMIDEX
98146 EFAVIRENZ	99059 MICARDIS	99152 EVENING PRIMROSE OIL
98151 GENOTROPIN	99060 MICRO-K 10	99153 FLEXTRA-DS
98152 METHOXYPORALEN	99061 PRENATE ULTRA	99155 L-CARNITINE
98153 PERIOGARD	99066 SINEMET CR	99156 LIPID LOWERING AGENT
98155 SEROSTIM	99067 VIOXX	99157 LOPIDINE
98156 MAXALT	99068 ZOVIA 1/35E	99159 PROCUREN
98158 TRICOR	99069 AQUATAB C	
98160 ARAVA	99070 AQUATAB D	
	99073 CIPRO HC	

99163 ANAPLEX DM	99197 DOLASETRON MESYLATE	99222 IV SEDATION
99167 COQ-10	99199 FENRETINIDE	99223 LEVORA
99169 DEPO-MEDROXY- PROGESTERONE	99201 ORTHO-CYCLEN	99224 OMEGA-3
99172 NOVOLIN 70/30	99204 REOPRO	99225 RALOXIFENE
99174 PHOSPHORUS	99206 ACETYLSALICYLIC ACID	99227 UNIRETIC
99179 PREVEN	99207 BRIMONIDINE	99980 OTHER
99180 PROBALANCE	99210 CARTIA	99999 ILLEGIBLE
99184 TRIVORA	99211 CITRACAL + D	
99185 UNIRECTIC	99213 DIASTAT	
99189 CALCIUM W/ VITAMIN D	99214 DIOVAN HCT	
99190 CORTIC	99215 ENTEX LA	
99192 NORGESIC FORTE	99216 FEXOFENADINE	
99193 SAM-E	99218 FORMULA SUPPLEMENT	
99194 ABACAVIR SULFATE	99219 GINKGO BILOBA	
	99220 GLYDERM PEEL	

THIS PAGE HAS BEEN LEFT BLANK INTENTIONALLY.

**C. LIST OF NATIONAL DRUG CODE DIRECTORY DRUG CLASSES**

<b>CODE</b>	<b>DRUG CLASS</b>	<b>CODE</b>	<b>DRUG CLASS</b>
<b>0100</b>	<b>ANESTHETICS/ADJUNCTS</b>	<b>0600</b>	<b>CENTRAL NERVOUS SYSTEM</b>
0117	ANESTHETICS, LOCAL	0626	SEDATIVES/HYPNOTICS
0118	.. ANESTHETICS, GENERAL	0627	ANTIANSXIETY
0119	ADJUNCTS TO ANESTHESIA/ANAESTHETICS	0628	ANTIPSYCHOTICS/ANTIMANICS
0120	MEDICINAL GASES	0630	ANTIDEPRESSANTS
0121	ANESTHETICS, TOPICAL	0631	ANOREXIANTS/CNS STIMULANTS
0122	ANESTHETICS, OPHTHALMIC	0632	CNS, MISCELLANEOUS
0123	ANESTHETICS, RECTAL	0633	ALZHEIMER-TYPE DEMENTIA
<b>0200</b>	<b>ANTIDOTES</b>	0634	SLEEP AID PRODUCTS (OTC)
0281	ANTIDOTES, SPECIFIC	0635	ANTIEMETICS
0283	ANTIDOTES, GENERAL	<b>0700</b>	<b>CONTRAST MEDIA/ RADIOPHARMACEUTICALS</b>
0285	ANTITOXINS/ANTIVENINS	0789	DIAGNOSTICS, RADIOPAQUE & NONRADIOACTIVE
0286	ANAPHYLAXIS TREATMENT KIT	0790	DIAGNOSTICS -RADIOPHARMACEUTICALS
<b>0300</b>	<b>ANTIMICROBIALS</b>	0791	THERAPEUTICS - RADIOPHARMACEUTICALS
0346	PENICILLINS	0792	DIAGNOSTICS, MISCELLANEOUS
0347	CEPHALOSPORINS	<b>0800</b>	<b>GASTROINTESTINALS</b>
0348	LINCOSAMIDES/MACROLIDES	0874	DISORDERS, ACID/PEPTIC
0349	POLYMYXINS	0875	ANTIDIARRHEALS
0350	TETRACYCLINES	0876	LAXATIVES
0351	CHLORAMPHENICOL/DERIVATIVES	0877	GASTROINTESTINAL, MISCELLANEOUS
0352	AMINOGLYCOSIDES	0878	ANTISPASMODICS/ ANTICHOLINERGICS
0353	SULFONAMIDES/RELATED COMPOUNDS	0879	ANTACIDS
0354	ANTISEPTICS, URINARY TRACT	<b>0900</b>	<b>METABOLICS /NUTRIENTS</b>
0355	ANTIBACTERIALS, MISCELLANEOUS	0912	HYPERLIPIDEMIA
0356	ANTIMYCOBACTERIALS (INCL ANTI LEPROSY)	0913	VITAMINS/MINERALS
0357	QUINOLONES/DERIVATIVES	0914	NUTRITION, ENTERAL/PARENTERAL
0358	ANTIFUNGALS	0915	REPL/REGS OF ELECTROLYTES/ WATER BALANCE
0388	ANTIVIRALS	0916	CALCIUM METABOLISM
<b>0400</b>	<b>HEMATOLOGICS</b>	0917	HEMATOPOIETIC GROWTH FACTORS
0408	DEFICIENCY ANEMIAS	<b>1000</b>	<b>HORMONES /H ORMONAL MECHANISMS</b>
0409	ANTICOAGULANTS/THROMBOLYTICS	1032	ADRENAL CORTICOSTEROIDS
0410	BLOOD COMPONENTS/SUBSTITUTES	1033	ANDROGENS/ ANABOLIC STEROIDS
0411	HEMOSTATICS	1034	ESTROGENS/PROGESTINS
<b>0500</b>	<b>CARDIOVASCULAR-RENAL</b>	1035	ANTERIOR PITUITARY/HYPOTHALMIC FUNCTION
0501	CARDIAC GLYCOSIDES	1036	BLOOD GLUCOSE REGULATORS
0502	ANTIARRHYTHMICS	1037	THYROID/ ANTITHYROID
0503	ANTIANGINALS	1038	ANTIDIURETICS
0504	VASCULAR DISORDERS, CEREBRAL/ PERIPHERAL	1039	RELAXANTS/ STIMULANTS, UTERINE
0505	HYPOTENSION/ SHOCK	1040	CONTRACEPTIVES
0506	ANTIHYPERTENSIVES	1041	INFERTILITY
0507	DIURETICS	1042	DRUGS USED IN DISORDERS OF GROWTH HORMONE SECRETION
0508	CORONARY VASODILATORS		
0509	RELAXANTS /STIMULANTS, URINARY TRACT		
0510	CALCIUM CHANNEL BLOCKERS		
0511	CARBONIC ANHYDRASE INHIBITORS		
0512	BETA BLOCKERS		
0513	ALPHA AGONISTS/ ALPHA BLOCKERS		
0514	ACE INHIBITORS		

**CODE DRUG CLASS****1100 IMMUNOLOGICS**

1180 VACCINES/ANTISERA  
 1181 IMMUNOMODULATORS  
 1182 ALLERGENIC EXTRACTS  
 1183 IMMUNE SERUMS

**1200 SKIN/MUCOUS MEMBRANES**

1264 ANTISEPTICS/DISINFECTANTS  
 1265 DERMATOLOGICS  
 1266 KERATOLYTICS  
 1267 ANTIPERSPIRANTS  
 1268 TOPICAL STEROIDS  
 1269 BURN/SUNBURN,  
       SUNSCREEN/SUNTAN  
       PRODUCTS  
 1270 ACNE PRODUCTS  
 1271 TOPICAL ANTI-INFECTIVES  
 1272 ANORECTAL PRODUCTS  
 1273 PERSONAL CARE PRODUCTS (VAGINAL)  
 1274 DERMATITIS/ ANTIPRURITICS  
 1275 TOPICAL ANALGESICS

**1300 NEUROLOGICS**

1371 EXTRAPYRAMIDAL MOVEMENT  
       DISORDERS  
 1372 MYASTHENIA GRAVIS  
 1373 SKELETAL MUSCLE HYPERACTIVITY  
 1374 ANTICONVULSANTS

**1400 ONCOLYTICS**

1479 ANTINEOPLASTICS  
 1480 HORMONAL/BIOLOGICAL  
       RESPONSE MODIFIERS  
 1481 ANTIMETABOLITES  
 1482 ANTIBIOTICS, ALKALOIDS, AND ENZYMES  
 1483 DNA DAMAGING DRUGS

**1500 OPHTHALMICS**

1566 GLAUCOMA  
 1567 CYCLOPLEGICS/MYDRIATICS  
 1568 OCULAR ANTI-INFECTIVE/  
       ANTI-INFLAMMATORY  
 1569 OPHTHALMICS, MISCELLANEOUS  
 1570 OPHTHALMICS-DECONGESTANTS/  
       ANTIALLERGYAGENT  
 1571 CONTACT LENS PRODUCTS

**CODE DRUG CLASS****1600 OTICS**

1670 OTICS, TOPICAL  
 1671 VERTIGO/MOTION  
       SICKNESS/VOMITING

**1700 RELIEF OF PAIN**

1720 ANALGESICS, GENERAL  
 1721 ANALGESICS-NARCOTIC  
 1722 ANALGESICS-NON-NARCOTIC  
 1723 ANTIMIGRAINE/OTHER HEADACHES  
 1724 ANTIARTHRITICS  
 1725 ANTIGOUT  
 1726 CENTRAL PAIN SYNDROMES  
 1727 NSAID  
 1728 ANTIPYRETICS  
 1729 MENSTRUAL PRODUCTS

**1800 ANTIPARASITICS**

1860 ANTIPROTOZOALS  
 1862 ANTHELMINTICS  
 1863 SCABICIDES/ PEDICULICIDES  
 1864 ANTIMALARIALS

**1900 RESPIRATORY TRACT**

1940 ANTI-ASTHMATICS/  
       BRONCHODILATORS  
 1941 NASAL DECONGESTANTS  
 1943 ANTITUSSIVES/  
       EXPECTORANTS/ MUCOLYTICS  
 1944 ANTIHISTAMINES  
 1945 COLD REMEDIES  
 1946 LOZENGE PRODUCTS  
 1947 CORTICOSTEROIDS-  
       INHALATION/NASAL

**2000 UNCLASSIFIED/MISCELLANEOUS**

2087 UNCLASSIFIED  
 2095 PHARMACEUTICAL AIDS  
 2096 SURGICAL AIDS  
 2097 DENTAL PREPARATIONS  
 2098 DENTRIFICE/DENTURE PRODUCTS  
 2099 MOUTH PAIN, COLD SORE, CANKER  
       SORE PRODUCTS

**2100 HOMEOPATHIC PRODUCTS**