

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM diagnosis codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
E922.4	1997	E917.9
E922.5	2002	E922.8
E924.2	1995	E924.0
E927.0-E927.4	2008	E927
E927.8-E927.9	2008	E927
E928.3	2000	E928.8
E928.4, E928.5	2003	E928.8
E928.6	2007	E928.8
E933.6-E933.7	2007	E933.8
E955.6	1997	E955.9
E955.7	2002	E955.4
E967.2	1996	E967.0
E967.3	1996	None
E967.4-E967.8	1996	E967.1
E968.5	1995	E968.8
E968.6	1997	E968.8
E968.7	2000	E968.8
E985.6	1997	E985.4
E985.7	2002	E985.4
E979.0-E979.9	2002	E960.0-E966, E968.0-E968.9
E999.0	2002	E999
E999.1	2002	E969

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
00.01-00.03, 00.09	2002	99.99
00.10	2002	99.25
00.11	2002	99.19
00.12	2002	93.98
00.13	2002	99.29
00.14	2002	99.21
00.15	2003	99.28
00.16	2004	None
00.17	2004	99.29
00.18	2005	99.29
00.19	2007	99.29
00.21	2004	88.71
00.22	2004	88.73
00.23	2004	88.77
00.24	2004	88.72
00.25	2004	88.75
00.28-00.29	2004	88.79
00.31-00.35, 00.39	2004	None
00.40-00.43	2005	None
00.44	2006	None
00.45-00.48	2005	None
00.49	2008	39.97
00.50	2002	37.80-37.87 & 37.70-37.74, 37.76
00.51	2002	37.94
00.52	2002	None
00.53	2002	37.80-37.87
00.54	2002	37.96
00.55	2002	39.90
00.56	2006	89.63
00.57	2006	37.79
00.58	2008	89.61
00.59	2008	89.69
00.61-00.62	2004	39.50
00.63-00.65	2004	00.55, 39.90
00.66	2005	36.01 (deleted), 36.02 (deleted), 36.05 (deleted)
00.67-00.68	2008	89.61
00.69	2008	89.62
00.70-00.73	2005	81.53
00.74-00.76	2005	None
00.77	2006	None

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
00.80-00.84	2005	81.55
00.85	2006	81.51
00.86- 00.87	2006	81.52
00.91-00.93	2004	None
00.94	2007	None
01.10	2007	01.18
01.16-01.17	2007	01.18
01.26-01.27	2005	None
01.28	2006	01.26
02.96	1992	89.19
03.90	1987	03.99 (Insertion of catheter)
05.25	1995	39.7
07.83	2007	07.81
07.84	2007	07.82
07.95	2007	07.92
07.98	2007	07.99
11.75	1989	11.79
11.76	1989	11.62
13.90, 13.91	2006	13.9 (code deleted)
17.11	2008	53.03
17.12	2008	53.04
17.13	2008	53.05
17.21	2008	53.14
17.22	2008	53.15
17.23	2008	53.16
17.24	2008	53.17
17.31	2008	45.71
17.32	2008	45.72
17.33	2008	45.73
17.34	2008	45.74
17.35	2008	45.75
17.36	2008	45.76
17.39	2008	45.79
17.41	2008	None
17.42	2008	None
17.43	2008	None
17.44	2008	None
17.45	2008	None

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
17.49	2008	None
20.96-20.98	1986	20.95
22.12	1988	22.11
26.12	1988	26.11
27.64	2004	27.69
29.31	1991	83.02
29.32, 29.33, 29.39	1991	29.3
31.45	1988	31.43-31.44
31.95	1989	31.75
32.01, 32.09	1989	32.0
32.20	2007	32.29
32.22	1995	32.29, 32.9
32.23- 32.26	2006	32.29
32.28	1989	32.29
32.30, 32.39	2007	32.3 (code deleted)
32.41, 32.49	2007	32.4 (code deleted)
32.50, 32.59	2007	32.5 (code deleted)
33.20	2007	33.28
33.27	1987	33.22 + 33.27
33.28	1987	33.27
33.29	1987	33.28-33.29
33.50-33.52	1995	33.5
33.6	1990	33.5 + 37.5
33.71, 33.78-33.79	2006	33.22, 96.05
33.72	2008	33.22
34.05	1994	34.99
34.06	2007	34.04
34.20	2007	34.24
34.52	2007	34.51
35.55	2006	35.53
35.84	1988	35.82
35.96	1986	35.03
36.00-36.03	1986	36.0
36.04	1986	39.97
36.05	1986	36.01, 36.02 Before October 1986 contents of current code 36.05 would have been assigned to 36.0.

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
36.05	1987	36.01
36.06	1995	36.01, 36.02, 36.03, 36.05
36.07	2002	36.06
36.09	1986	36.0
36.09	1991	36.00 (code deleted)
36.17	1996	36.19
36.31, 36.32	1998	36.3
36.33, 36.34	2006	36.32
36.39	1998	36.3
37.20	2006	37.26
37.26-37.27	1988	37.29
37.28	2001	88.72
37.34	1988	37.33
37.35	1997	37.33
37.36	2008	37.33
37.41, 37.49	2005	37.99
37.51	2003	37.5
37.52	2003	37.62
37.53, 37.54	2003	37.63
37.55	2008	37.64
37.60	2008	37.65
37.65, 37.66	1995	37.62
37.67	1998	37.4
37.68	2004	37.62
37.70 (Leads only)	1987	37.70 (Leads/device)
37.71-37.72 (Leads only)	1987	37.74 (Leads/device)
37.73 (Leads only)	1987	37.73 (Leads/device)
37.74 (Leads only)	1987	37.76 (Leads/device)
37.75 (Leads only)	1987	37.89 (Leads/device)
37.76 (Leads only)	1987	37.81 (Leads/device)
37.77 (Leads only)	1987	37.83-37.84 (Leads/device)
37.78	1987	37.71-37.72
37.79	1987	86.09
37.80-37.87	1992	89.49 (code deleted; this procedure is included in the code for pacemaker insertion/replacement)
37.80-37.83 (Device only)	1987	37.73-37.77 (Leads/device)
37.85-37.87	1987	37.85
37.89	1987	37.86 + 37.89
37.90	2004	37.99
37.94-37.98	1986	37.99
38.22	1986	38.29
38.23	2008	00.21-00.29
38.44 (Abdominal aorta only)	1986	38.44 (Entire aorta)
38.45 (Thoracic aorta added)	1989	38.44-38.45
38.95	1989	38.93

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
39.28	1991	39.29
39.50	1995	39.59
39.65	1988	39.61
39.66	1990	39.65
39.71, 39.79	2000	39.52
39.72	2002	39.79
39.73	2005	39.79
39.74	2006	38.01, 38.02
39.90	1996	39.50
41.00-41.03	1988	41.0
41.04	1994	99.79
41.05, 41.06	1997	None
41.07	2000	41.04
41.08	2000	41.05
41.09	2000	41.01
42.25	1988	42.24
42.33	1989	42.32, 42.39
42.33	1990	42.91
43.11	1989	43.1
43.19	1989	43.1, 43.2
43.41	1989	43.41, 43.49
44.21, 44.29	1986	44.2
44.22	1986	44.99
44.32	2001	44.39
44.38	2004	44.39
44.43	1989	43.49, 45.32
44.44	1989	38.86
44.49	1989	43.0
44.67	2004	44.66
44.68	2004	44.69
44.93-44.94	1986	44.99
44.95, 44.96	2004	44.69
44.97, 44.98	2004	44.99
45.16	1988	45.14 (45.15 before 1987)
45.30	1989	45.31, 45.32
45.42	1988	45.41
45.43	1989	45.49
45.75	1988	48.66 (Code deleted; Hartmann resection added)
45.81-45.83	2008	45.8 (Code deleted)
45.95	1987	45.93

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
46.13	1992	46.12 (Code deleted)
46.32	1989	46.39
46.85	1989	46.99
46.97	2000	46.99
47.01, 47.09	1996	47.0
47.11, 47.19	1996	47.1
48.36	1995	45.42
48.40; 48.42-48.43	2008	48.49
48.50-48.52; 48.59	2008	48.5 (Code deleted)
49.31, 49.39	1989	49.3
49.75, 49.76	2002	49.79
50.13	2007	50.11
50.14	2007	50.19
50.23- 50.26	2006	50.29
51.10	1989	51.97
51.11	1989	51.11, 51.97
51.14	1989	51.12
51.15	1989	51.97
51.21	1996	51.22, 51.23
51.22	1991	51.21 (Code deleted), 51.22
51.23	1991	51.22
51.24	1996	51.22, 51.23
51.64	1989	51.69
51.84-51.88	1989	51.97
51.97	1986	52.91, 51.99 or 51.82
51.98	1986	51.99
52.13	1989	51.97, 52.91
52.14	1989	52.11
52.21-52.22	1989	52.2
52.84-52.86	1996	99.29
52.93	1989	52.93 + 52.91
52.94	1989	52.09
52.97, 52.98	1989	52.91
52.99	1989	52.93, 52.94, 52.99
53.42	2008	53.41
53.43	2008	53.49
53.62	2008	53.61
53.63	2008	53.69
53.71-53.72; 53.75	2008	53.7 (Code deleted)
53.83-53.84	2008	53.80

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
54.24	1987	54.23
54.25	1993	54.98
54.51, 54.59	1996	54.5
55.03-55.04	1986	55.02
55.32-55.35	2006	55.39
56.33-56.34	1987	56.33
56.35	1987	45.12
57.17-57.18	1989	57.21
57.22	1989	57.22, 57.82
58.31, 58.39	1990	58.3
58.93	1986	57.99
59.03	1996	59.02
59.12	1996	59.11
59.72	1995	59.79
59.96	1986	59.95
60.21, 60.29	1995	60.2
60.95	1991	60.99
60.96, 60.97	2000	60.29
64.97	1986	64.95
65.01, 65.09	1996	65.0
65.13	1996	65.12
65.14	1996	65.19
65.23	1996	65.21
65.24	1996	65.22
65.25	1996	65.29
65.31, 65.39	1996	65.3
65.41, 65.49	1996	65.4
65.53	1996	65.51
65.54	1996	65.52
65.63	1996	65.61
65.64	1996	65.62
65.74	1996	65.71
65.75	1996	65.72
65.76	1996	65.73
65.81, 65.89	1996	65.8
66.01	1992	66.0
66.02	1992	66.73
67.51, 67.59	2001	67.5

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
68.15	1987	68.14
68.16	1987	68.13
68.23	1996	68.29
68.31, 68.39	2003	68.3
68.41, 68.49	2006	68.4 (code deleted)
68.51, 68.59	1996	68.5
68.61, 68.69	2006	68.6 (code deleted)
68.71, 68.79	2006	68.7 (code deleted)
68.9	1992	68.4
70.53	2007	70.50
70.54	2007	70.51
70.55	2007	70.52
70.63	2007	70.61
70.64	2007	70.62
70.78	2007	70.77
70.93	2007	70.92
70.94, 70.95	2007	None
74.3	1992	69.11 (Code deleted)
75.37	1998	99.29
75.38	2001	75.34
77.56	1989	77.89, 78.49, 81.18
77.57	1989	77.89, 80.48, 81.18, 83.85
77.58	1989	77.59, 81.18
78.10	1991	78.40
78.11	1991	78.41
78.12	1991	78.42
78.13	1991	78.43
78.14	1991	78.44
78.15	1991	78.45
78.16	1991	78.46
78.17	1991	78.47
78.18	1991	78.48
78.19	1991	78.49
78.20	1991	78.10, 78.20, 78.30
78.21	1991	78.11, 78.31
78.22	1991	78.12, 78.22, 78.32
78.23	1991	78.13, 78.23, 78.33
78.24	1991	78.14, 78.34
78.25	1991	78.15, 78.25, 78.35
78.27	1991	78.17, 78.27, 78.37
78.28	1991	78.18, 78.38
78.29	1991	78.11, 78.16, 78.19, 78.29, 78.39

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
78.39	1991	78.31
78.90*	1987	78.40
78.91*	1987	78.41
78.92*	1987	78.42
78.93*	1987	78.43
78.94*	1987	78.44
78.95*	1987	78.45
78.96*	1987	78.46
78.97*	1987	78.47
78.98*	1987	78.48
78.99*	1987	78.49
* Codes 78.90-78.99 were retitled as "Insertion of bone growth stimulator" in October 1987; the previous contents of codes 78.90-78.99 were reassigned to codes 78.40-78.49.		
80.50-80.59	1986	80.5
80.53-80.54	2008	03.99
81.03	1989	81.02
81.04-81.05	1989	81.03, 81.04, 81.05
81.06-81.07	1989	81.06, 81.07
81.08	1989	81.06, 81.07, 81.08
81.09	1989	81.08
81.18	2005	81.99
81.30-81.39	2001	81.09
81.40	1989	81.69
81.51	1989	81.51, 81.59
81.52	1989	81.61-81.64
81.53	1989	81.51, 81.59, 81.61-81.64
81.54-81.55	1989	81.41
81.56	1989	81.48
81.57	1989	81.31, 81.39
81.59	1989	81.39
81.61	2002	81.00-81.08, 81.30-81.39 Code 81.61 was deleted effective 10/01/2005.
81.62-81.64	2003	None
81.65, 81.66	2004	78.49
81.72	1989	81.79
81.73-81.74	1989	81.86
81.75	1989	81.87
81.79	1989	81.79, 81.87
81.80	1989	81.81
81.97	1992	81.59
84.51, 84.52	2002	None
84.53, 84.54	2004	78.30, 78.32-78.35, 78.37-78.39
84.55, 84.59	2004	None

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
84.56-84.57	2005	None
84.58	2005	84.59
84.60-84.69	2004	80.51
84.71-84.73	2005	None
84.80	2007	84.58 (code deleted)
84.81	2007	78.59
84.82	2007	84.59
84.83	2007	78.59
84.84	2007	84.59
84.85	2007	78.59
85.70-85.76; 85.79	2008	85.7 (Code deleted)
85.95, 85.96	1987	85.99
86.06	1987	86.09
86.07	1990	86.09
86.27	1986	86.22-86.23
86.28	1988	86.22
86.67	1998	86.65
86.93	1987	86.89
86.94-86.96	2004	02.93, 03.93, 04.92
86.97	2005	86.94
86.98	2005	86.95
88.59	2007	88.90
88.90	1986	88.39
88.91	1986	89.15
88.92	1986	89.39
88.93	1986	89.15
88.94	1986	89.39
88.95	1986	89.29
88.96	2002	88.91-88.97
88.97	1989	88.99
88.98	1989	88.90
88.99	1986	89.39
89.10, 89.19	1989	89.15
89.17-89.18	1988	89.15
89.49	2004	89.59
89.50	1991	89.54
89.60	2002	89.65
92.20	2005	92.28
92.3	1995	01.59, 04.07, 07.63, 07.68
92.30-92.33, 92.39	1998	92.3
92.41	2007	92.25
93.90	1988	93.92

2009 NHDS DATA FILE DOCUMENTATION

Changes in ICD-9-CM in procedure codes, 1986-2008

<u>Current code(s) assignment</u>	<u>Effective October 1</u>	<u>Previous code(s) assignment</u>
94.61-94.69	1989	94.25
96.29	1998	96.39
96.6	1986	96.35
96.70-96.72	1991	93.92 (code deleted)
97.05	1989	51.97
97.44	2001	37.64
98.51-98.52, 98.59	1989	59.96 (code deleted)
99.00	1995	99.02
99.10	1998	99.29
99.15	1986	99.29
99.20	1998	99.29
99.28	1994	99.25
99.71-99.79*	1988	99.07
*Codes 99.71-99.79 were deleted in October 1987; their contents were not transferred elsewhere. In the October 1988 revision, codes 99.71-99.79 were reclassified as "Therapeutic apheresis".		
99.75	2000	99.29
99.76	2002	99.79
99.77	2002	None
99.78	2004	99.71
99.85	1987	93.35
99.86	1987	93.39
99.88	1988	99.83

2009 NHDS DATA FILE DOCUMENTATION

APPENDIX C

This appendix provides estimates of the civilian population of the United States as of July 1, 2009. These figures are based on the results of the 2000 Census and were obtained from the U.S. Bureau of the Census, Population Division. All estimates are rounded to thousands.

Three tables are provided:

TABLE 1: Civilian population of the United States, by sex, selected age and racial groups and geographic region

TABLE 2: Civilian population of the United States, by sex, 5-year age groups, and geographic region

TABLE 3: Civilian population of the United States by sex, single-year age groups, and race

In 1997, the Federal Office of Management and Budget (OMB) revised standards that regulated how the Federal government would collect and report data on race and ethnicity in the 2000 Census. In addition to changes in some of the racial categories previously reported, it also permitted respondents to self-identify with more than one racial group. The goal was to improve the accuracy of information on racial diversity in the United States.

The major implication of the new Federal guidelines is that Census 2000 race data are not directly comparable with race data from the 1990 or earlier censuses. A number of new tabulations of racial categories are now available, but the National Hospital Discharge Survey utilizes tabulations based on six race-alone and one multiple race categorization. The six single race-alone groups are White, African-American, American Indian and Alaskan Native, Asian, Native Hawaiian and Other Pacific Islander, and Some Other Race; and the multiple-race category groups together all respondents who identified with two or more races. These categories are mutually exclusive and when summed together add to 100 percent of the US population.

It is not known to what extent these groupings differ from earlier ones where no attempt was made to identify respondents with multi-racial backgrounds. Census cautions that direct comparisons of racial categories from the 1990's to 2000 can not be made, and recommends that the data user decide whether the single race-alone estimate is appropriate for their analysis.

The Census population tables provided in the NHDS data file documentation contain groupings for three primary racial groups: White, Black/African American, and All Other Races. The reason for this is simply that NHDS statistics based on the smaller racial groups (e.g. Asian, American Indian/Alaskan Native, and Native Hawaiian/Other Pacific Islander) often do not meet NCHS standards for reliability of published estimates. Calculating rates with NHDS data by race is complicated by the fact that there is substantial underreporting of race in the survey (19% nonresponse in 2009). Extreme caution should be exercised when using NHDS race data, especially when reporting population-based utilization rates.

The OMB standards discussed above do not apply to how hospitals record patient information in medical records, the source document for NHDS. As a result, reporting of multiple races in NHDS is almost non-existent. For the 2009 NHDS, 315 of the 162,151 sample records had more than one race marked and these records were almost entirely from hospitals using the manual data collection method.

2009 NHDS DATA FILE DOCUMENTATION

TABLE 1: Civilian population of the United States, by sex, age, race, and geographic region: July 1, 2009. [Source: U.S. Bureau of the Census, Population Division.]

	Estimates in thousands						
	Total	Male	Female		Total	Male	Female
All ages	305,782	150,409	155,373	15 to 44 years	125,017	63,243	61,774
White	243,383	120,436	122,947	Northeast	22,181	11,136	11,045
Black/AfAm	39,410	18,760	20,650	Midwest	26,834	13,576	13,259
Other	22,989	11,213	11,776	South	45,993	23,115	22,878
				West	30,009	15,417	14,592
Northeast	55,218	26,885	28,333				
Midwest	66,718	32,824	33,894	45 to 64 years	79,312	38,697	40,614
South	112,631	55,136	57,496	45 to 54 years	44,530	21,920	22,610
West	71,214	35,564	35,651	55 to 64 years	34,782	16,777	18,004
Under 15 years							
Under 1 year	61,883	31,645	30,237	White	65,381	32,280	33,101
1 to 4 years	4,261	2,179	2,083	Black/AfAm	9,029	4,109	4,920
5 to 14 years	17,038	8,708	8,330	Other	4,902	2,309	2,593
White	46,725	23,947	22,779	Northeast	15,124	7,352	7,773
Black/AfAm	9,247	4,693	4,555	Midwest	17,741	8,731	9,010
Other	5,910	3,006	2,904	South	28,691	13,860	14,832
				West	17,755	8,755	9,000
Northeast	10,166	5,196	4,970	65 years and over	39,571	16,824	22,747
Midwest	13,255	6,773	6,482	65 to 74 years	20,792	9,593	11,199
South	23,340	11,936	11,403	75 to 84 years	13,148	5,447	7,700
West	15,122	7,740	7,382	85 years and over	5,631	1,783	3,848
15 to 44 years							
15 to 24 years	125,017	63,243	61,774	White	34,294	14,699	19,596
25 to 34 years	42,625	21,762	20,863	Black/AfAm	3,391	1,310	2,081
35 to 44 years	41,116	20,844	20,272	Other	1,886	815	1,070
White	96,982	49,511	47,471	Northeast	7,747	3,202	4,545
Black/AfAm	17,743	8,648	9,094	Midwest	8,888	3,745	5,143
Other	10,292	5,083	5,209	South	14,608	6,225	8,383
				West	8,328	3,652	4,676

*NHDS used the civilian noninstitutionalized population to calculate hospital utilization rates from 1965 through 1980. Beginning in 1981, the civilian resident population has been used to calculate rates. If you have NHDS data files for years before 1981 and used the civilian noninstitutionalized population provided in the documentation to calculate rates, these rates will have to be adjusted to be comparable to 2000 rates using the civilian resident population.

2009 NHDS DATA FILE DOCUMENTATION

TABLE 2: Civilian population of the United States by sex, age, and geographic region: July 1, 2009.

[Source: U.S. Bureau of the Census, Population Division.]

Age	Estimates in thousands														
	United States			Northeast Region			Midwest Region			South Region			West Region		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All	305,782	150,409	155,373	55,218	26,885	28,333	66,718	32,824	33,894	112,631	55,136	57,496	71,214	35,564	35,651
0-4	21,300	10,887	10,413	3,360	1,716	1,643	4,474	2,285	2,189	8,131	4,155	3,975	5,336	2,731	2,605
5-9	20,610	10,536	10,074	3,374	1,724	1,650	4,396	2,246	2,150	7,823	3,999	3,824	5,017	2,567	2,450
10-14	19,974	10,223	9,751	3,432	1,755	1,677	4,385	2,242	2,143	7,386	3,782	3,604	4,770	2,443	2,327
15-19	21,459	10,985	10,474	3,861	1,969	1,892	4,762	2,436	2,327	7,792	3,987	3,804	5,043	2,593	2,451
20-24	21,167	10,778	10,389	3,691	1,864	1,828	4,717	2,394	2,323	7,745	3,935	3,809	5,013	2,584	2,429
25-29	21,402	10,885	10,517	3,607	1,829	1,778	4,516	2,293	2,222	7,949	4,011	3,938	5,331	2,752	2,580
30-34	19,713	9,959	9,754	3,433	1,723	1,710	4,093	2,070	2,024	7,288	3,643	3,645	4,899	2,524	2,375
35-39	20,384	10,219	10,165	3,618	1,793	1,825	4,279	2,148	2,131	7,587	3,767	3,820	4,900	2,511	2,389
40-44	20,891	10,417	10,474	3,970	1,957	2,013	4,467	2,235	2,232	7,632	3,772	3,860	4,823	2,453	2,370
45-49	22,784	11,255	11,529	4,362	2,146	2,216	5,051	2,507	2,544	8,239	4,032	4,206	5,132	2,569	2,563
50-54	21,747	10,666	11,081	4,172	2,043	2,129	4,933	2,439	2,494	7,779	3,777	4,002	4,863	2,408	2,455
55-59	18,970	9,201	9,770	3,591	1,739	1,852	4,289	2,106	2,182	6,824	3,269	3,555	4,267	2,087	2,180
60-64	15,811	7,576	8,235	3,000	1,424	1,576	3,468	1,678	1,790	5,850	2,782	3,068	3,493	1,692	1,801
65-69	11,784	5,511	6,273	2,227	1,027	1,200	2,599	1,222	1,377	4,430	2,063	2,367	2,529	1,200	1,329
70-74	9,008	4,082	4,926	1,716	764	951	2,009	913	1,097	3,378	1,524	1,854	1,905	881	1,024
75-79	7,326	3,149	4,176	1,439	605	834	1,637	697	939	2,721	1,169	1,552	1,529	679	851
80-84	5,822	2,298	3,524	1,189	454	734	1,327	519	808	2,109	833	1,276	1,198	492	706
85+	5,631	1,783	3,848	1,178	352	826	1,316	395	921	1,970	635	1,334	1,167	401	766
0-14	61,883	31,645	30,237	10,166	5,196	4,970	13,255	6,773	6,482	23,340	11,936	11,403	15,122	7,740	7,382
15-44	125,017	63,243	61,774	22,181	11,136	11,045	26,834	13,576	13,259	45,993	23,115	22,878	30,009	15,417	14,592
45-64	79,312	38,697	40,614	15,124	7,352	7,773	17,741	8,731	9,010	28,691	13,860	14,832	17,755	8,755	9,000
65+	39,571	16,824	22,747	7,747	3,202	4,545	8,888	3,745	5,143	14,608	6,225	8,383	8,328	3,652	4,676
15+	243,899	118,764	125,135	45,052	21,689	23,363	53,463	26,051	27,412	89,292	43,199	46,092	56,092	27,824	28,269
45+	118,882	55,521	63,361	22,871	10,554	12,318	26,629	12,476	14,153	43,299	20,084	23,215	26,083	12,407	13,676
75+	18,779	7,230	11,548	3,805	1,411	2,394	4,280	1,611	2,669	6,799	2,637	4,162	3,894	1,571	2,324

2009 NHDS DATA FILE DOCUMENTATION

TABLE 3: Civilian Population of the United States by sex, age, and race: July 1, 2009.
 [Source: U.S. Bureau of the Census, Population Division.]

	Estimates in thousands											
	United States			White Alone			Black Alone			Others		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	305,782	150,409	155,373	243,383	120,436	122,947	39,410	18,760	20,650	22,989	11,213	11,776
0-4	21,300	10,887	10,413	15,875	8,128	7,747	3,230	1,640	1,589	2,195	1,119	1,077
0	4,261	2,179	2,083	3,163	1,618	1,545	656	334	322	443	226	216
1	4,298	2,195	2,103	3,183	1,628	1,555	664	337	328	451	230	221
2	4,336	2,217	2,119	3,226	1,652	1,574	662	337	326	448	228	220
3	4,224	2,159	2,065	3,163	1,620	1,543	631	320	311	429	218	211
4	4,181	2,138	2,043	3,140	1,609	1,531	616	313	303	425	216	209
5-9	20,610	10,536	10,074	15,640	8,013	7,628	2,987	1,515	1,473	1,982	1,009	973
5	4,186	2,140	2,046	3,169	1,623	1,546	599	304	295	417	212	205
6	4,139	2,117	2,022	3,143	1,610	1,533	588	298	290	408	208	200
7	4,108	2,099	2,010	3,120	1,598	1,523	595	301	294	393	200	193
8	4,167	2,129	2,039	3,160	1,617	1,542	612	310	302	396	201	194
9	4,010	2,053	1,957	3,048	1,565	1,484	593	301	292	368	187	181
10-14	19,974	10,223	9,751	15,210	7,806	7,405	3,030	1,538	1,492	1,733	879	854
10	3,946	2,019	1,927	3,004	1,541	1,463	588	298	290	354	179	175
11	3,941	2,017	1,924	2,997	1,538	1,459	596	302	293	348	177	172
12	3,957	2,023	1,934	3,013	1,545	1,469	598	304	295	345	175	170
13	4,033	2,065	1,969	3,077	1,580	1,497	611	310	301	346	175	170
14	4,096	2,099	1,997	3,119	1,602	1,517	637	324	314	340	173	167
15-19	21,459	10,985	10,474	16,327	8,382	7,944	3,442	1,742	1,700	1,690	861	829
15	4,134	2,118	2,016	3,138	1,612	1,526	658	334	325	338	172	165
16	4,225	2,168	2,057	3,205	1,649	1,556	683	347	336	337	172	165
17	4,305	2,206	2,099	3,275	1,683	1,592	691	350	342	339	172	166
18	4,368	2,236	2,133	3,330	1,709	1,621	701	355	346	338	172	166
19	4,427	2,257	2,169	3,379	1,729	1,650	709	356	352	339	172	167
20-24	21,167	10,778	10,389	16,330	8,350	7,980	3,184	1,596	1,588	1,653	832	821
20	4,272	2,175	2,097	3,271	1,670	1,600	669	336	333	332	168	164
21	4,217	2,145	2,072	3,245	1,657	1,588	645	323	322	327	165	162
22	4,187	2,129	2,058	3,235	1,652	1,583	627	314	314	324	163	161
23	4,228	2,154	2,074	3,273	1,675	1,598	623	312	311	331	167	165
24	4,263	2,175	2,088	3,306	1,695	1,611	619	311	308	337	169	169
25-29	21,402	10,885	10,517	16,556	8,492	8,064	3,046	1,508	1,538	1,801	885	915
25	4,199	2,147	2,051	3,250	1,672	1,578	605	304	301	343	171	173
26	4,270	2,187	2,083	3,308	1,706	1,602	609	306	303	353	175	178
27	4,295	2,188	2,107	3,323	1,707	1,616	610	303	307	362	178	184
28	4,331	2,188	2,143	3,349	1,709	1,640	611	298	313	371	181	190
29	4,308	2,175	2,133	3,325	1,698	1,628	612	298	315	371	180	191

2009 NHDS DATA FILE DOCUMENTATION

	United States			White Alone			Black Alone			Others		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
30-34	19,713	9,959	9,754	15,250	7,812	7,437	2,682	1,279	1,403	1,781	867	914
30	4,095	2,071	2,025	3,160	1,619	1,542	574	276	297	361	176	186
31	3,976	2,011	1,965	3,080	1,579	1,501	544	261	282	353	171	182
32	3,916	1,978	1,938	3,030	1,553	1,478	532	253	279	353	172	181
33	3,812	1,925	1,887	2,948	1,511	1,437	512	242	269	353	172	181
34	3,913	1,974	1,940	3,031	1,551	1,480	521	246	275	361	177	185
35-39	20,384	10,219	10,165	15,911	8,085	7,825	2,693	1,264	1,429	1,780	870	910
35	3,794	1,909	1,885	2,937	1,499	1,439	503	237	266	353	173	180
36	3,879	1,945	1,933	2,998	1,524	1,474	523	246	277	357	175	182
37	4,061	2,036	2,025	3,163	1,607	1,555	540	254	287	358	175	183
38	4,283	2,139	2,145	3,367	1,704	1,664	562	262	300	355	173	182
39	4,367	2,191	2,176	3,445	1,752	1,694	565	265	300	357	174	183
40-44	20,891	10,417	10,474	16,610	8,390	8,220	2,695	1,259	1,436	1,587	768	819
40	4,131	2,067	2,064	3,275	1,660	1,615	521	244	277	335	162	172
41	4,055	2,024	2,031	3,210	1,624	1,586	524	245	279	321	156	166
42	4,064	2,023	2,042	3,239	1,633	1,606	521	243	279	304	147	157
43	4,179	2,081	2,097	3,323	1,676	1,647	547	256	291	308	149	159
44	4,463	2,222	2,241	3,563	1,796	1,767	582	272	310	318	154	164
45-49	22,784	11,255	11,529	18,443	9,218	9,225	2,825	1,309	1,516	1,516	728	788
45	4,530	2,243	2,286	3,640	1,825	1,815	573	266	307	316	152	164
46	4,513	2,228	2,285	3,638	1,817	1,821	562	261	302	312	150	161
47	4,526	2,236	2,290	3,674	1,836	1,838	556	258	299	296	143	153
48	4,569	2,250	2,319	3,723	1,855	1,868	556	256	299	290	138	152
49	4,647	2,298	2,349	3,768	1,886	1,882	577	268	309	302	144	157
50-54	21,747	10,666	11,081	17,822	8,844	8,977	2,570	1,180	1,390	1,355	641	714
50	4,456	2,191	2,264	3,635	1,809	1,826	540	249	291	280	133	147
51	4,452	2,189	2,263	3,645	1,812	1,833	528	244	284	279	133	146
52	4,394	2,152	2,242	3,605	1,787	1,819	519	238	281	270	127	142
53	4,216	2,061	2,155	3,461	1,713	1,748	492	225	268	263	123	140
54	4,228	2,072	2,156	3,476	1,724	1,752	490	224	266	263	124	139
55-59	18,970	9,201	9,770	15,735	7,728	8,007	2,093	942	1,151	1,143	531	612
55	4,039	1,966	2,073	3,338	1,645	1,693	456	207	249	245	114	131
56	3,897	1,892	2,005	3,234	1,589	1,645	427	193	234	236	110	126
57	3,758	1,824	1,934	3,128	1,538	1,590	407	182	225	223	104	120
58	3,651	1,765	1,886	3,034	1,486	1,548	402	180	222	215	99	116
59	3,626	1,754	1,872	3,001	1,470	1,531	401	180	221	224	103	121
60-64	15,811	7,576	8,235	13,382	6,489	6,893	1,541	678	863	888	409	479
60	3,479	1,675	1,804	2,910	1,419	1,491	364	162	202	205	94	111
61	3,438	1,653	1,785	2,903	1,412	1,491	341	151	189	194	89	105
62	3,587	1,723	1,864	3,081	1,496	1,585	321	141	179	185	85	100
63	2,666	1,271	1,396	2,252	1,087	1,166	259	113	147	155	71	83
64	2,641	1,255	1,387	2,236	1,075	1,160	257	111	146	149	69	81

2009 NHDS DATA FILE DOCUMENTATION

	United States			White Alone			Black Alone			Others		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
65-69	11,784	5,511	6,273	10,068	4,761	5,308	1,092	462	629	624	288	336
65	2,588	1,223	1,365	2,209	1,055	1,153	240	103	137	139	64	75
66	2,656	1,250	1,406	2,288	1,088	1,200	236	101	136	132	61	71
67	2,329	1,088	1,241	1,992	941	1,051	213	90	123	124	57	67
68	2,145	996	1,149	1,828	858	970	202	84	117	116	53	63
69	2,067	955	1,112	1,752	818	934	201	84	117	114	53	61
70-74	9,008	4,082	4,926	7,699	3,525	4,174	843	346	497	465	211	254
70	1,949	897	1,051	1,666	775	891	180	75	105	103	48	55
71	1,893	865	1,028	1,617	747	871	176	73	104	99	45	54
72	1,765	800	965	1,508	691	818	165	68	97	92	42	50
73	1,712	769	943	1,462	664	798	162	66	96	87	39	48
74	1,689	751	938	1,446	650	796	160	64	95	84	37	47
75-79	7,326	3,149	4,176	6,339	2,757	3,582	644	248	396	342	145	198
75	1,529	673	856	1,310	583	727	143	57	86	76	33	43
76	1,506	655	851	1,295	570	725	138	54	84	73	31	42
77	1,463	629	833	1,268	552	716	127	49	78	67	28	39
78	1,422	604	818	1,241	533	708	117	44	73	63	26	37
79	1,406	588	819	1,225	518	707	119	44	75	63	26	37
80-84	5,822	2,298	3,524	5,133	2,048	3,085	451	155	295	238	95	144
80	1,295	533	762	1,135	473	662	104	38	67	56	23	33
81	1,249	504	745	1,099	449	650	98	34	63	52	21	31
82	1,173	463	709	1,035	413	622	90	31	59	47	19	29
83	1,083	416	667	957	372	585	83	28	55	43	17	27
84	1,023	382	641	907	342	565	76	25	51	40	16	25
85-89	3,662	1,267	2,395	3,277	1,141	2,136	247	74	173	138	52	86
85	923	335	587	822	301	521	65	21	44	35	14	22
86	818	291	526	730	262	468	57	17	39	31	12	19
87	735	253	482	658	228	430	49	14	34	28	11	17
88	643	214	429	579	194	385	41	12	29	23	9	15
89	544	173	371	487	156	331	36	10	27	21	7	13
90-94	1,502	425	1,077	1,357	386	972	89	21	68	56	19	38
90	434	133	301	390	120	270	27	7	20	16	6	10
91	367	108	260	333	98	234	21	5	16	13	4	9
92	286	79	207	258	72	187	16	4	13	11	4	7
93	232	60	171	210	55	155	13	3	10	9	3	6
94	184	45	139	166	41	126	10	2	8	7	2	5
95-99	402	82	320	363	74	289	22	4	18	17	5	12
95	139	31	107	125	28	97	8	1	6	6	2	4
96	103	22	82	93	19	74	6	1	5	4	1	3
97	73	14	59	66	13	53	4	1	3	3	1	2
98	52	9	43	47	8	39	3	0	2	2	1	2
99	35	6	30	32	5	27	2	0	2	2	0	1
100+	64	9	55	57	8	50	3	0	3	4	1	3

2009 NHDS DATA FILE DOCUMENTATION

	United States			White Alone			Black Alone			Others		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
0-14	61,883	31,645	30,237	46,725	23,947	22,779	9,247	4,693	4,555	5,910	3,006	2,904
15-44	125,017	63,243	61,774	96,982	49,511	47,471	17,743	8,648	9,094	10,292	5,083	5,209
45-64	79,312	38,697	40,614	65,381	32,280	33,101	9,029	4,109	4,920	4,902	2,309	2,593
65+	39,571	16,824	22,747	34,294	14,699	19,596	3,391	1,310	2,081	1,886	815	1,070
15+	243,899	118,764	125,135	196,657	96,489	100,168	30,162	14,068	16,095	17,079	8,207	8,873
45+	118,882	55,521	63,361	99,675	46,978	52,697	12,420	5,419	7,001	6,788	3,124	3,664
75+	18,779	7,230	11,548	16,527	6,413	10,114	1,456	502	954	796	316	480
85+	5,631	1,783	3,848	5,054	1,607	3,447	361	98	262	216	77	139

2009 NHDS DATA FILE DOCUMENTATION

APPENDIX D

	WEIGHTED FREQUENCIES			UNWEIGHTED FREQUENCIES		
	NEWBORNS	NON- NEWBORNS	TOTAL	NEWBORNS	NON- NEWBORNS	TOTAL
SURVEY YEAR						
2009	4,134,051	36,119,644	40,253,695	15,650	146,501	162,151
UNITS FOR AGE						
1 = years	.	35,458,800	35,458,800	.	144,101	144,101
2 = months	.	438,479	438,479	.	1,526	1,526
3 = days	4,134,051	222,365	4,356,416	15,650	874	16,524
AGE in years						
Under 15	4,134,051	2,018,288	6,152,339	15,650	7,467	23,117
15-44	.	10,480,443	10,480,443	.	41,344	41,344
45-64	.	9,686,167	9,686,167	.	39,908	39,908
65&UP	.	13,934,746	13,934,746	.	57,782	57,782
SEX						
Male	2,100,006	14,721,416	16,821,422	7,899	59,968	67,867
Female	2,034,045	21,398,228	23,432,273	7,751	86,533	94,284
RACE						
White	2,014,971	23,108,856	25,123,827	7,386	90,601	97,987
Black	625,014	4,954,034	5,579,048	2,106	19,932	22,038
American Indian/Alaskan Native	37,300	147,570	184,870	109	446	555
Asian	141,286	581,611	722,897	438	1,787	2,225
Native Hawaiian/Pacific Islander	11,702	75,371	87,073	25	139	164
Other race	214,592	991,235	1,205,827	1,488	6,491	7,979
Multiple races	8,552	68,874	77,426	33	282	315
Race not stated	1,080,634	6,192,093	7,272,727	4,065	26,823	30,888
MARITAL STATUS						
Married	.	8,854,695	8,854,695	.	26,176	26,176
Single	4,134,051	6,451,973	10,586,024	15,650	17,757	33,407
Widowed	.	3,012,705	3,012,705	.	9,175	9,175
Divorced	.	1,589,634	1,589,634	.	4,735	4,735
Separated	.	269,420	269,420	.	754	754
Not stated	.	15,941,217	15,941,217	.	87,904	87,904
DISCHARGE STATUS						
Routine	3,999,209	28,075,349	32,074,558	15,157	112,889	128,046
Left Against Medical Advice	667	343,756	344,423	4	1,596	1,600
Short-term transfer	65,006	1,107,061	1,172,067	226	3,758	3,984
Long-term care transfer	12,419	3,870,902	3,883,321	27	16,465	16,492
Alive, not stated	41,953	1,639,981	1,681,934	115	6,980	7,095
Dead	8,576	785,682	794,258	47	3,016	3,063
Status not stated	6,221	296,913	303,134	74	1,797	1,871

2009 NHDS DATA FILE DOCUMENTATION

ALL-LISTED PROCEDURES BY ICD-9-CM CHAPTER

2009	WEIGHTED FREQUENCIES			UNWEIGHTED FREQUENCIES		
	NEWBORNS	NON- NEWBORNS	TOTAL	NEWBORNS	NON- NEWBORNS	TOTAL
All	4,266,839	47,962,458	52,229,297	15,566	199,500	215,066
CHAPTER00*	.	1,915,005	1,915,005	.	8,349	8,349
CHAPTER01	23,679	1,250,722	1,274,401	91	5,361	5,452
CHAPTER02	141	120,240	120,381	1	471	472
CHAPTER03	386	68,664	69,050	4	371	375
CHAPTER04	176	24,462	24,638	3	105	108
CHAPTER05	7,583	288,621	296,204	35	990	1,025
CHAPTER06	17,987	1,294,124	1,312,111	59	5,394	5,453
CHAPTER07	105,588	6,642,943	6,748,531	438	29,003	29,441
CHAPTER08	.	414,262	414,262	.	1,751	1,751
CHAPTER09	26,260	6,050,678	6,076,938	90	24,557	24,647
CHAPTER10	1,165	1,127,181	1,128,346	1	4,929	4,930
CHAPTER11	1,182,574	235,303	1,417,877	5,023	1,126	6,149
CHAPTER12	.	1,662,066	1,662,066	.	6,336	6,336
CHAPTER13	.	7,340,155	7,340,155	.	27,978	27,978
CHAPTER14	507	4,904,021	4,904,528	3	20,436	20,439
CHAPTER15	6,452	1,422,250	1,428,702	38	5,765	5,803
CHAPTER16	2,894,341	12,993,165	15,887,506	9,780	55,732	65,512
CODE 17 §	.	208,596	208,596	.	846	846

* In 2002, the ICD-9-CM Coordination and Maintenance Committee created procedure Chapter 00 – Procedures and Interventions, Not Elsewhere Classified – as a way of handling space limitations in the existing hierarchical structure and alleviating inappropriate categorization of new procedures. Since October addendum changes are not implemented in NHDS until the following data collection year, 2003 was the first year these codes were used.

§ Another coding change of note, based on the 2008 Addendum, is the addition of procedure codes 17.11-17.49, Other Miscellaneous Diagnostic and Therapeutic Procedures, which are coded in the NHDS beginning in 2009. Because these procedures do not appear in a chapter related to a particular body system, care should be exercised in making estimates for certain types of procedures affected by these new codes. This particularly applies to procedures performed by laparoscopy or robotic assistance, as well as procedures coded to Chapter 00 (explained above), where codes related to specific body systems may cross over chapters. For further information, check the conversion table provided in Appendix B of this document, refer to the ICD-9-CM professional coding manual, or obtain the assistance of a medical coding specialist.

APPENDIX E

NHDS Medical Abstract Form

Form HDS-1

FORM **HDS-1**
(3-20-2008)

U.S. DEPARTMENT OF COMMERCE
Economics and Statistics Administration
U.S. CENSUS BUREAU
ACTING AS COLLECTING AGENT FOR
DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS

MEDICAL ABSTRACT NATIONAL HOSPITAL DISCHARGE SURVEY

Notice – All information which would permit identification of an individual or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to other persons or used for any other purpose. Public reporting burden of this collection of information is estimated to average 4 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0212).

A. PATIENT IDENTIFICATION

1. Hospital number	<input type="text"/> <input type="text"/> <input type="text"/>
2. HDS number	<input type="text"/> <input type="text"/> <input type="text"/>
3. (Item deleted)	

4. Date of admission	Month	Day	Year
5. Date of discharge	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>
6. Residence ZIP Code	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>		

B. PATIENT CHARACTERISTICS

7. Date of birth	Month	Day	Year
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>
8. Age – Complete only if date of birth not given	Units	<input type="checkbox"/> Years <input type="checkbox"/> Months <input type="checkbox"/> Days	
9. Sex – Mark (X) one	<input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Not stated		
10. Ethnicity – Mark (X) one	<input type="checkbox"/> Hispanic <input type="checkbox"/> Not Hispanic or Latino <input type="checkbox"/> Not stated		

11. Race – *Mark all that apply*

- White
- Black or African American
- American Indian or Alaska Native
- Asian
- Native Hawaiian or Other Pacific Islander
- Other – *Specify* ↗
- Not stated

12. Marital status – *Mark (X) one*

- Married
- Widowed
- Separated
- Single
- Divorced
- Not stated

C. ADMINISTRATIVE INFORMATION

13. Type of Admission – <i>Mark (X) one</i>	<input type="checkbox"/> Emergency <input type="checkbox"/> Elective <input type="checkbox"/> Items not available/unknown <input type="checkbox"/> Urgent <input type="checkbox"/> Newborn								
14. Source of Admission – <i>Mark (X) one</i>	<input type="checkbox"/> Physician referral <input type="checkbox"/> Emergency room <input type="checkbox"/> Clinical referral <input type="checkbox"/> Court/Law enforcement <input type="checkbox"/> HMO referral <input type="checkbox"/> Other – <i>Specify</i> ↗ <input type="checkbox"/> Transfer from a hospital <input type="checkbox"/> Transfer from SNF <input type="checkbox"/> Transfer from other health facility <input type="checkbox"/> Item not available								
15. StatusDisposition of patient – <i>Mark (X) appropriate box(es)</i>	<table border="0"> <tr> <td style="text-align: right;">Status</td> <td style="text-align: right;">Disposition</td> </tr> <tr> <td colspan="2"> 1 <input type="checkbox"/> Alive → a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated </td> </tr> <tr> <td colspan="2"> 2 <input type="checkbox"/> Died 3 <input type="checkbox"/> Status not stated </td> </tr> </table>			Status	Disposition	1 <input type="checkbox"/> Alive → a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated		2 <input type="checkbox"/> Died 3 <input type="checkbox"/> Status not stated	
Status	Disposition								
1 <input type="checkbox"/> Alive → a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated									
2 <input type="checkbox"/> Died 3 <input type="checkbox"/> Status not stated									

16. Expected source(s) of payment

Principal	Other additional sources
<i>Mark one only</i>	<i>Mark all that apply</i>

- 1.** Worker's compensation
- 2.** Medicare
- 3.** Medicaid
- 4.** Other government payments
- 5.** Blue Cross/Blue Shield
- 6.** HMO/PPO
- 7.** Other private or commercial insurance
- 8.** Self pay
- 9.** No charge
- 10.** Other – *Specify* ↗

No source of payment indicated

(Over)

D. MEDICAL INFORMATION					
17. ADMITTING DIAGNOSIS					
Admitting diagnosis	ICD-9-CM Code	Description			
18. Final diagnoses (up to 7 diagnoses including E-codes) (Enter ICD-9-CM codes as well as narrative if available.)					
Diagnosis	ICD-9-CM Code	Description	Present on admission		
Principal diagnosis			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 2			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 3			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 4			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 5			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 6			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
Diagnosis 7			1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Unknown 4 <input type="checkbox"/> Clinically undetermined 5 <input type="checkbox"/> No information on face sheet		
19. Surgical and Diagnostic Procedures (up to 4 procedures) (Enter ICD-9-CM codes as well as narrative if available.)					
Procedure	ICD-9-CM Code	Description	Date of Procedure(s)		
			Month	Day	Year
Principal procedure					
Procedure 2					
Procedure 3					
Procedure 4					
<input type="checkbox"/> No procedures					
Comments					
Completed by	Date				