

Last revision January 22, 2009

Tabulating data for fiscal year 1967 NHIS current estimates tables - examples

Table 1: All acute conditions (in thousands) (see table footnote)

File: 1967 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), onset in last two weeks (col. 68=0,1), restricted activity days and/or doctor ever seen (cols. 38-39>00 or col. 63=1)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of all acute conditions (in thousands)): 365,898

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 3: Restricted activity days from all acute conditions (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days from all acute conditions (in thousands)): 1,378,425

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 4: Bed days from all acute conditions (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days from all acute conditions (in thousands)): 572,171

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 7: Lost school days (ages 6-16) from all acute conditions (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06 and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) from all acute conditions (in thousands)): 170,609

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 8: Lost work days (ages 17+) from all acute conditions (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 17+ (cols. 26-27 is 17 or more), current activity is working (col. 30=1,2)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost work days (ages 17+) from all acute conditions (in thousands)): 234,129

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 9: Persons with one or more chronic conditions (in thousands)

File: 1967 fiscal year person file (person.dat)

Criteria: chronic conditions present (col. 54>0)

Weight: Final annual weight (cols. 151-156)

Result (estimated number of persons with one or more chronic conditions (in thousands)): 96,035

Table 10: Total injuries (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), onset in last two weeks (col. 68=0,1)

Weight: Weight 6.5 (cols. 109-114)

Result: (estimated number of persons injured (in thousands)): 51,786

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 11: Days of restricted activity associated with injury (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of days of restricted activity associated with injury (in thousands)): 584,396

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 12: Bed days associated with injury (in thousands)

File: 1967 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days associated with injury (in thousands)): 148,232

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file

Table 13: Number of discharges from short-stay hospitals (in thousands)

File: 1967 fiscal year hospital file (hospital.dat)

Criteria: j-recode: discharge in last 6 months (col. 137=1,2), short-stay hospital (col. 89=1)

Weight (semiannual estimate): Final quarterly weight (cols. 115-120) divided by 2, rounded to nearest integer

Result (estimated number of discharges from short-stay hospitals (in thousands)): 24,186

Table 14: Restricted-activity days (in thousands)

File: 1967 fiscal year person file (person.dat)

Criteria: restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days (in thousands)): 2,953,836

Table 15: Lost school days (ages 6-16) (in thousands)

File: 1967 fiscal year person file (person.dat)

Criteria: days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06 and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) (in thousands)): 195,062

Table 16: Physician visits (in thousands)

File: 1967 fiscal year doctor visit file (drvisit.dat)

Criteria: physician visit in past two weeks, not as inpatient (col. 37=0), not a dummy record (col. 53 blank), records corresponding to physician visit in past two weeks, not as inpatient (col. 38=1,2)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of physician visits (in thousands)): 828,503

Note: estimates for this table may be a little lower than published estimates due to removal of duplicate records from doctor visit file

Table 17: Less than six months since last physician visit (in thousands)

File: 1967 fiscal year doctor visit file (drvisit.dat)

Criteria: physician visit in past six months (col. 37=0,1,2), not a second and subsequent record corresponding to physician visit in past two weeks, not as inpatient (col. 38=1,-')

Weight: Final annual weight (cols. 151-156)

Result (estimated number of persons with less than six months since last physician visit (in thousands)): 103,017

Note: estimates for this table may be a little lower than published estimates due to removal of duplicate records from doctor visit file