

PREGNANCY AND SMOKING SUPPLEMENT  
NOTES

1. A Pregnancy/Smoking record exists for every woman 18-49 years of age in the NHIS interviewed sample.
2. The NHIS household respondent answered an initial screener question to determine if any female family member these ages had given birth to a live born infant in the past 5 years (see location 336). For all remaining Pregnancy and Smoking questionnaire items, women reported to have had a live birth during this period were required to respond for themselves.

Data locations 337-429 are blank for women without a known live birth in the past 5 years.

'Not ascertained' codes have been assigned to certain data locations for those records where information is incomplete; that is, where followup interviews were not conducted for a woman with a reported live birth, from coder entry errors, or from interviewers' failure to ask required questions.

3. There were 29,239 females 18-49 years of age interviewed in 1991 on the core NHIS and information about their live births was obtained for 28,236 women (96.6 percent). Of these sample women, 7,237 were reported to have had a live birth in the past 5 years; of that number, followup interviews on the detailed Pregnancy and Smoking items were completed for 7,103 persons (98.1 percent).

Thus, the final response rate for detailed Pregnancy and Smoking questions was about 91 percent. This response rate was calculated as follows:

Household response rate from core (95.8 percent)  
multiplied by the combined Pregnancy and Smoking  
Questionnaire response rates (96.6 percent and 98.1  
percent, respectively)  
  
= 90.7 percent

4. The Pregnancy and smoking data file consists of:
  - a. The NHIS person record from the core questionnaire (locations 1-200).
  - b. Weight fields (locations 201-212).
  - c. The special topic data (locations 336-428).

5. Weights and Variances:

Since the NHIS uses a multistage sample design to represent the civilian, non-institutionalized population of the United States, weights must be used to make accurate national estimates based on data from the National Health Interview Survey. Two weights are included on the 1991 Pregnancy and Smoking data file:

- a. The Final Basic Weight (location 207-212), calculated for each woman 18-49 years of age in the family, is the weight that will be used in most analyses of the Pregnancy and Smoking data. This weight is the functional equivalent of the Annual Final Basic Weight found on the NHIS Person Record of the Basic Health and Demographic component of the survey (i.e the Core questionnaire).

The Pregnancy and Smoking Final Basic Weight differs from that calculated for the Core data file in that the weight field on the core data file is in binary format and the weight field in this file is in character format.

- b. The Interim Basic Weight (before age-sex-race adjustment), required by some software packages for variance estimation for surveys with complex sample designs, is also included in the data file (loc. 201-206).

There are a number of computer programs that yield variance estimates for data based on complex sample surveys. Some are based on replication approaches and others are based on Taylor linearization approaches. In addition to the Interim Basic Weight (which is the weight prior to poststratification), included in the Pregnancy and Smoking file is the full sample stratum identifier (loc. 179-181), the pseudo primary sampling unit (PSU) codes (loc. 187-189), and the type of PSU (loc. 185) to permit the analyst the capability of using such variance estimation procedures. These variables and weights are necessary for directly calculating sampling variances.

6. Estimating numbers of events or conditions

- a. To reduce respondent error, the recall period for questions about some events is limited to two weeks. These events are: bed days and other restricted activity days, work loss and school loss days, and doctor visits. The two-week variables are found in locations 98-107 and 120-121. Estimates of the total number of occurrences of these events in the population can be derived as follows:

Number of events x 26 (number of two-week periods in a year) x Final Basic Weight

= Total number of events occurring in the population during the data year, i.e. 1991.

Example: Number of bed days (loc. 100-101) x 26 x Final Basic Weight (loc. 207-212) = total number of bed days reported for the population in 1991.

- b. The recall period for acute incidence conditions is also two weeks and an annual estimate of the total number of acute incidence conditions is calculated using the same procedures as for two-week events:

Number of acute incidence conditions x 26 x Final Basic Weight

= Total number of acute incidence conditions occurring in the population during 1991.

Note: An acute incidence condition is an acute condition with onset during the two weeks preceding the date of interview.

- c. The recall period for information on hospitalizations is 12 months. However, in calculating number of discharges and number of days in hospital (locations 132-141), only discharges occurring in the past 6 months are counted. Therefore, the weighted estimates for these events must be calculated as follows:

(1) Number of discharges x 2 (number of 6-month periods in a year) x Final Basic Weight

= Total number of discharges occurring in the population in one year.

(2) Number of days in hospital associated with discharges occurring in the past 6 months x 2 (number of 6-month periods in a year) x Final Basic Weight

= Total number of days of hospitalization occurring in the population in one year.

Note: In this data file, "population" refers to all women 18-49 years of age.

7. Calculation of rates for events and conditions:

The number of events or conditions estimated for the population, as described in item 6 above, can be used as the basis for calculating rates of occurrence of these events (or conditions) per person and per 100 persons for the total U.S. population and for various population subgroups.

Note: Only rates can be estimated from these data. The percent of the population experiencing a particular type of event during the data year cannot be estimated. [The percent of the population experiencing the event in the reporting period (i.e. two weeks or 6 months) can be estimated but is generally not meaningful.]

8. Data on hospital episodes and days, based on a 12-month recall are locations 122-131. The Final Basic Weight is used for calculating estimates of these events in the same way it is used for all other person-based variables. These variables do permit estimating the percent of the population experiencing a hospital episode in the past year and the percent of the population having a specified number of hospital days.

PR-1  
 1991 NHIS PUBLIC USE DATA RECORDS  
 PREGNANCY AND SMOKING SUPPLEMENT  
 Outline of Items and Codes  
 Number of Records 29,239

Data Locations	Item No.	Frequency	Items and Codes
1-2	-	<b>RECTYPE</b> 29,239	<b>RECORD TYPE</b> 85. Pregnancy and Smoking Record
3-4	-	<b>YEAR</b> 29,239	<b>PROCESSING YEAR</b> 91. 1991
5	-	<b>QUARTER</b> 6,793 7,559 7,491 7,396	<b>PROCESSING QUARTER</b> 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	HH-5	<b>PSUNUMR</b>	<b>RANDOM RECODE OF PSU NUMBER</b>
9-10	HH-5	<b>WEEKCEN</b>	<b>WEEK - CENSUS CODE*</b> 01, 21, 41, 61, 81 ... Week 01 02, 22, 42, 62, 82 ... Week 02 03, 23, 43, 63, 83 ... Week 03 04, 24, 44, 64, 84 ... Week 04 05, 25, 45, 65, 85 ... Week 05 06, 26, 46, 66, 86 ... Week 06 07, 27, 47, 67, 87 ... Week 07 08, 28, 48, 68, 88 ... Week 08 09, 29, 49, 69, 89 ... Week 09 10, 30, 50, 70, 90 ... Week 10 11, 31, 51, 71, 91 ... Week 11 12, 32, 52, 72, 92 ... Week 12 13, 33, 53, 73, 93 ... Week 13
11-12	HH-5	<b>SEGNUM</b>	<b>SEGMENT NUMBER</b> Week plus Segment Number identifies the segment
13-14	HH-5	<b>HHNUM</b>	<b>HOUSEHOLD NUMBER</b> Numbered within PSU-Week-Segment
15-16	-	<b>PNUM</b>	<b>PERSON NUMBER</b>

\*This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

PR-2  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
17-18	-	BLANK	BLANK
19-20	HH-5	WEEKPROC	PROCESSING WEEK CODE (Numbered within Quarter)
		1,718	01. Week 01
		2,310	02. Week 02
		2,250	03. Week 03
		2,274	04. Week 04
		2,291	05. Week 05
		2,322	06. Week 06
		2,312	07. Week 07
		2,313	08. Week 08
		2,266	09. Week 09
		2,286	10. Week 10
		2,232	11. Week 11
		2,344	12. Week 12
		2,321	13. Week 13
21	Recode	INTERV	LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		18,236	0. Interview not late
		8,719	1. One week late
		1,744	2. Two weeks late
		540	3. Unknown
22-23	HH-10c,d	LIVQTR	TYPE OF LIVING QUARTERS
			<b>Housing Unit = (00-07)</b>
		343	00. Housing unit; kind unknown
		27,138	01. House, apartment, flat
		6	02. HU in nontransient hotel, motel, etc.
		6	03. HU-permanent in transient hotel, motel, etc.
		2	04. HU in rooming house
		1,292	05. Mobile home or trailer with no permanent room added
		196	06. Mobile home or trailer with one or more permanent rooms added
		3	07. HU not specified above
			<b>Other Unit = (08-13)</b>
		6	08. Quarters not HU in rooming or boarding house
		0	09. Unit not permanent in transient hotel, motel, etc.
		4	10. Unoccupied site for mobile home, trailer, or tent
		220	11. Student quarters in college dormitory
		19	12. Other unit not specified above
		4	13. Other unit; kind unknown

PR-3  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
24	HH-11	PHONE	HAS TELEPHONE
		26,088	1. Yes, phone number given
		1,230	2. Yes, no phone number given
		1,815	3. No
		106	4. Unknown
25	A-1	SEX	SEX
		29,239	2. Female
26	-	BLANK	BLANK
27-28	Person Column	AGE	AGE
		29,239	18-49. Number of years
29	Recode	AGER1	AGE RECODE #1
		5,701	3. 18-24 years
		19,842	4. 25-44 years
		3,696	5. 45-49 years
30	Recode	AGER2	AGE RECODE #2
		5,701	3. 18-24 years
		10,250	4. 25-34 years
		9,592	5. 35-44 years
		3,696	6. 45-49 years
31-33	-	BLANK	BLANK
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35		MONTH	MONTH
			01. January      07. July
			02. February    08. August
			03. March        09. September
			04. April        10. October
			05. May          11. November
			06. June         12. December
			99. DK or refused
36-39		BIRTHYR	YEAR OF BIRTH
			1800-1899.    1800-1899
			1900-1992.    1900-1992
			9999.         Unknown or refused

PR-4  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
40-41	-	BLANK	BLANK
42	L-3	RACE	<b>MAIN RACIAL BACKGROUND - Reported</b> (See notation for locations 43-45) <ol style="list-style-type: none"> <li>1. Aleut, Eskimo, or American Indian</li> <li>2. Asian/Pacific Islander</li> <li>3. Black</li> <li>4. White</li> <li>5. Other</li> <li>6. Multiple race</li> <li>7. Unknown</li> </ol>
		285	
		906	
		4,604	
		22,671	
		564	
		32	
		177	
43-45	Recode		<b>RACE RECODES</b>
43		RACER1	<b>RECODE 1*</b> Persons whose Main Racial Background (location 42) was "other" or "unknown" were classified in the following recodes by using the racial background observed by the interviewer. Use of these recodes is recommended for estimating statistics for the groups shown here.
		23,376	1. White
		4,635	2. Black
		1,228	3. Other
44		RACER2	<b>RECODE 2</b> 1. White 2. Non-white
		23,376	
		5,863	
45		RACER3	<b>RECODE 3</b> 1. Black 2. Non-black
		4,635	
		24,604	
46-47	L-4	HISPANIC	<b>HISPANIC ORIGIN</b> <ol style="list-style-type: none"> <li>00. Multiple Hispanic</li> <li>01. Puerto Rican</li> <li>02. Cuban</li> <li>03. Mexican-Mexicano</li> <li>04. Mexican-American</li> <li>05. Chicano</li> <li>06. Other Latin American</li> <li>07. Other Spanish</li> <li>08. Spanish, DK type</li> <li>09. Unknown if Spanish origin</li> <li>10. Not Spanish origin</li> </ol>
		34	
		337	
		123	
		793	
		780	
		29	
		389	
		378	
		69	
		214	
		26,093	

\*This recode is used to categorize race in Current Estimates tables.



PR-5  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
48	L-7	<b>MARSTAT</b>	<b>MARITAL STATUS</b>
		18,273	1. Married - spouse in household
		264	2. Married - spouse not in household
		268	3. Widowed
		2,486	4. Divorced
		987	5. Separated
		6,807	6. Never married
		154	7. Unknown
49	L-1	<b>VETERAN</b>	<b>VETERAN STATUS</b>
		28,273	1. Non-veteran
		0	2. WW I
		2	3. WW II
		2	4. Korean War
		84	5. Vietnam veteran
		108	6. Post-Vietnam
		98	7. Other service
		25	8. Served in Armed Forces, unknown if war veteran
		647	9. Unknown if served in Armed Forces
50	L-1	<b>RESERVE</b>	<b>ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES</b>
		28,273	0. Non-veteran
		49	1. All service in Guard/Reserve
		39	2. Some service in Guard/Reserve
		8	3. Unknown if all service in Guard/Reserve
		198	4. No active service in Guard/Reserve
		672	5. Unknown if ever active member in Guard/Reserve or served in Armed Forces
51-52	L-2	<b>EDUC</b>	<b>EDUCATION OF INDIVIDUAL - COMPLETED YEARS</b>
		86	00. Never attended; kindergarten only
		15,823	01-12. Grades 1-12
			<b>College:</b>
		2,721	13. 1 year
		3,282	14. 2 years
		1,210	15. 3 years
		3,684	16. 4 years
		752	17. 5 years
		1,448	18. 6 years or more
		233	19. Unknown

PR-6  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
53	Recode	EDUCR	<b>EDUCATION OF INDIVIDUAL RECODE</b>
		86	0. None; kindergarten only
		1,166	1. 1-8 years (elementary)
		3,107	2. 9-11 years (high school)
		11,550	3. 12 years (high school graduate)
		7,213	4. 1-3 years (college)
		3,684	5. 4 years (college graduate)
		2,200	6. 5+ years (post-college)
		233	7. Unknown
54-55	-	EDUCAD	<b>HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - (Detail)</b>
		39	00. Never attended; kindergarten only
		12,844	01-12. Grades 1-12
			<b>College:</b>
		2,474	13. 1 year
		3,615	14. 2 years
		1,345	15. 3 years
		4,739	16. 4 years
		1,158	17. 5 years
		2,844	18. 6 years or more
		181	19. Unknown
56	-	EDUCADR	<b>HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode</b>
		39	0. None; kindergarten only
		815	1. 1-8 years (elementary)
		2,037	2. 9-11 years (high school)
		9,992	3. 12 years (high school graduate)
		7,434	4. 1-3 years (college)
		4,739	5. 4 years (college graduate)
		4,002	6. 5+ years (post-college)
		181	7. Unknown
57	L-8	INCFAM20	<b>FAMILY INCOME \$20,000 OR MORE</b>
		8,503	1. Less than \$20,000
		19,895	2. \$20,000 or more
		841	3. Unknown

PR-7  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
58-59	L-8	<b>INCFAM</b>	<b>FAMILY INCOME</b>
		231	00. Less than \$1,000
		216	01. \$ 1,000 - \$ 1,999
		229	02. 2,000 - 2,999
		271	03. 3,000 - 3,999
		316	04. 4,000 - 4,999
		310	05. 5,000 - 5,999
		337	06. 6,000 - 6,999
		310	07. 7,000 - 7,999
		332	08. 8,000 - 8,999
		347	09. 9,000 - 9,999
		443	10. 10,000 - 10,999
		288	11. 11,000 - 11,999
		507	12. 12,000 - 12,999
		333	13. 13,000 - 13,999
		335	14. 14,000 - 14,999
		439	15. 15,000 - 15,999
		350	16. 16,000 - 16,999
		353	17. 17,000 - 17,999
		504	18. 18,000 - 18,999
		536	19. 19,000 - 19,999
		2,153	20. 20,000 - 24,999
		2,022	21. 25,000 - 29,999
		2,168	22. 30,000 - 34,999
		1,713	23. 35,000 - 39,999
		1,686	24. 40,000 - 44,999
		1,479	25. 45,000 - 49,999
		6,194	26. \$50,000 and over
		4,837	27. Unknown
60	Recode	<b>INCFAMR</b>	<b>FAMILY INCOME RECODE</b>
		1,263	0. Under \$5,000
		647	1. \$ 5,000 - \$ 6,999
		989	2. 7,000 - 9,999
		1,906	3. 10,000 - 14,999
		2,182	4. 15,000 - 19,999
		2,153	5. 20,000 - 24,999
		4,190	6. 25,000 - 34,999
		4,878	7. 35,000 - 49,999
		6,194	8. \$50,000 or more
		4,837	9. Unknown
61	Generated	<b>POVERTY</b>	<b>NHIS POVERTY INDEX*</b>
		23,167	1. At or above poverty threshold
		3,689	2. Below poverty threshold
		2,383	3. Unknown

\*Based on family size, number of children under 18 years of age & family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

PR-8  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
62-63			<b>FAMILY RELATIONSHIP</b>
62	A-2	<b>FAMNUM</b>	<b>Type Of Family</b>
		2,377	&. Primary individual
		550	-. Secondary individual
		26,255	0. Primary family
		57	1-9. Secondary family
63	A-2	<b>FAMREL</b>	<b>Relationship To Reference Person</b>
		2,240	&. Reference person, living alone
		7,271	0. Reference person, 2+ persons in household
		14,836	1. Spouse, other spouse NOT in Armed Forces and living at home
		280	2. Spouse, other spouse IN Armed Forces and living at home
		3,638	3. Child of reference person or spouse
		150	4. Grandchild of reference person or spouse
		112	5. Parent of reference person or spouse
		711	6. Other relative
		1	7. Child of ineligible reference person
		0	9. Unknown
64	Recode	<b>FAMREL</b>	<b>FAMILY RELATIONSHIP RECODE</b>
		2,240	1. Living alone
		687	2. Living only with non-relative
		18,253	3. Living with spouse
		8,059	4. Living with relative - other
65-66	Generated	<b>FAMSIZE</b>	<b>SIZE OF FAMILY*</b> Unrelated individuals are coded 01
67	Generated	<b>FAMSIZER</b>	<b>SIZE OF FAMILY RECODE</b>
		28,954	1-8. Number of members
		285	9. 9+ members

\*Count includes spouse in military but living at home.

PR-9  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
68	A-2	<b>PARENT</b>	<b>PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)</b>
		1,206	1. Both parents, no other relative
		452	2. Mother only
		42	3. Father only
		396	4. Both parents and other 21+ year old adult relative
		178	5. Mother and other 21+ year old adult relative
		21	6. Father and other 21+ year old adult relative
		106	7. No parent, but one 21+ year old adult relative
		91	8. No parent, but two or more 21+ year old adult relatives
		277	9. Unknown
		878	0. Other
		25,592	Blank. Not applicable (25+ years old or ever married)
69	B-1 B-8	<b>MAJACT</b>	<b>MAJOR ACTIVITY</b>
		18,914	1. Working
		6,863	2. Keeping house
		2,514	3. Going to school
		851	4. Something else
		97	5. Unknown
70	G-4	<b>HEALTH</b>	<b>HEALTH STATUS</b>
		10,624	1. Excellent
		9,088	2. Very Good
		7,122	3. Good
		1,884	4. Fair
		428	5. Poor
		93	6. Unknown
71	Recode	<b>LATOTAL</b>	<b>ACTIVITY LIMITATION STATUS*</b>
		802	1. Unable to perform major activity
		1,174	2. Limited in kind/amount major activity
		1,002	3. Limited in other activities
		26,261	4. Not limited (includes unknowns)

\*This code is used to categorize persons with limitation of activity in the Current Estimates tables.

## 1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
72	Recode	LAWORK	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK"
		1,048	1. Unable to work
		1,044	2. Limited in kind/amount of work
		886	3. Limited in other activities
		26,261	4. Not limited (includes unknowns)
73	-	BLANK	BLANK
74	B-14	LACARE	NEEDS HELP WITH PERSONAL CARE (18-49 years old and limited)
		129	1. Unable to perform personal care needs
		376	2. Limited in performing other routine needs
		2,473	3. Not limited in performing personal or routine needs
		0	4. Unknown
		26,261	Blank. Not applicable (18-49 years not limited)
75	D-1	EMPLOY	EMPLOYMENT STATUS IN PAST 2 WEEKS
			<b>In the Labor Force: (1-7)</b>
			<b>Currently employed: (1-3)</b>
		19,628	1. Worked in past 2 weeks
		465	2. Did not work, has job; not on lay-off and not looking for work
		12	3. Did not work, has job; looking for work
			<b>Unemployed: (4-7)</b>
		63	4. Did not work, has job; on lay-off
		3	5. Did not work, has job; on lay-off and looking for work
		223	6. Did not work, has job; unknown if looking or on lay-off
		933	7. Did not work, has no job; looking for work or on lay-off
		7,912	8. <b>Not in Labor Force (8)</b>

PR-11  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
76	L-6	<b>WKCLASS</b> 7,912 15,555 585 985 2,012 259 1,324 50 45 512	<b>CLASS OF WORKER</b> 0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown
77-79	L-6	<b>INDUS</b> 21,327 7,912	<b>INDUSTRY DETAIL CODE</b> 010-996. Code number Blank. Not applicable
80-81	Recode	<b>INDUSR1</b>	<b>INDUSTRY RECODE 1</b>  SEE APPENDIX B
82-83	Recode	<b>INDUSR2</b>	<b>INDUSTRY RECODE 2</b>  SEE APPENDIX B
84-86	L-6	<b>OCCUP</b> 21,327 7,912	<b>OCCUPATION DETAIL CODE</b> 003-999. Code number Blank. Not applicable
87-88	Recode	<b>OCCUPR1</b>	<b>OCCUPATION RECODE 1</b>  SEE APPENDIX C
89-90	Recode	<b>OCCUPR2</b>	<b>OCCUPATION RECODE 2</b>  SEE APPENDIX C
91	L-R	<b>RESPOND</b> 20,285 2,220 6,438 296	<b>RESPONDENT</b> 1. Self-entirely 2. Self-partly 3. Proxy 4. Unknown

PR-12  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
92	-	BLANK	BLANK
93-94	G-5	HEIGHT 29,017 222	HEIGHT WITHOUT SHOES 36-98. Number of inches 99. Unknown
95-97	G-5	WEIGHT 28,546 693	WEIGHT WITHOUT SHOES 050-500. Number of pounds 501. Unknown
98-99	Recode	RADAY 25,925 3,314	TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS 00. None 01-14. Days
100-101	D-4	BDDAY 27,165 2,074	BED DAYS IN PAST TWO WEEKS 00. None 01-14. Days
102-103	D-2	WLDAY 27,626 1,613	WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3) 00. None 01-14. Days
104-105	D-3	SLDAY 29,239 0	SCHOOL-LOSS DAYS IN PAST TWO WEEKS 00. None 01-14. Days
106-107	D-6	OTHDAY 27,713 1,526	OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS 00. None 01-14. Days
108-110	G-2	BDDAY12 14,055 14,983 201	BED DAYS IN PAST 12 MONTHS 000. None 001-365. 1-365 days 366. Unknown



PR-13  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
111	Recode	BDDAY12R	BED DAYS IN PAST 12 MONTHS - Recode
		14,055	0. None
		11,645	1. 1-7 days
		2,550	2. 8-30 days
		674	3. 31-180 days
		114	4. 181-365 days
		201	5. Unknown
112-114	G-3	DV12	DOCTOR VISITS IN PAST 12 MONTHS
		5,575	000. None
		23,571	001-996. Visits
		0	997. 997+ visits
		93	998. Unknown
115	G-3	DVINT	INTERVAL SINCE LAST DOCTOR VISIT
		23	0. Never
		23,794	1. Less than 1 year
		2,642	2. 1 to less than 2 years
		1,805	3. 2 to less than 5 years
		559	4. 5 years or more
		416	5. Unknown
116-117	Generated	NCOND	NUMBER OF CONDITIONS
118-119	Generated	NACUTE	NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated	NDV2	NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated	HEP12	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated	HDA12X	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated	HEP12X	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	HEDA12X	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*

\*Based on operation codes and reason entered hospital.

PR-14  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
132-133	Generated	DISDA6	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated	DIS6X	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	DISDA6X	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	DISDA12X	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
42-143	-	BLANK	BLANK
144	L-9b	YRPRERES	YEARS LIVED IN STATE OF PRESENT RESIDENCE
		554	1. Less than 1 year
		1,537	2. 1 year, less than 5 years
		1,355	3. 5 years, less than 10 years
		1,338	4. 10 years, less than 15 years
		20,085	5. 15 years or more
		1,024	9. Unknown
		3,346	Blank. Not applicable (Foreign born)
145	L-9c	YRSINUS	YEARS LIVED IN UNITED STATES
		136	1. Less than 1 year
		571	2. 1 yr., less than 5 years
		596	3. 5 yrs., less than 10 yrs.
		620	4. 10 yrs., less than 15 yrs.
		1,316	5. 15 years or more
		107	9. Unknown
		25,893	Blank. Not applicable (U.S. born)
146-177	-	BLANK	BLANK
178	Master Record	SUBTYPE	TYPE OF SUBSTRATUM
		4,668	0. Permit
		2,852	1. Area, oversampled for blacks
		21,719	2. Area, not oversampled for blacks

\*Based on operation codes and reason entered hospital.

PR-15  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
179-181	-	STRATUM	FULL SAMPLE STRATUM IDENTIFIER
182	Master Record	REGION 5,982 7,082 9,711 6,464	REGION 1. Northeast 2. Midwest 3. South 4. West
183	Master Record	MSASIZE 13,154 7,741 1,876 430 6,038	GEOGRAPHIC DISTRIBUTION MSA Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184	-	BLANK	BLANK
185	Master Record	PSUTYPE 16,647 6,554 0 6,038	TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode	MSA 9,731 13,470 5,719 319	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm
187-189	-	PSUPSEUD	PSEUDO PSU CODES
190-200	-	BLANK	BLANK
201-206	-	INTWTASR	INTERIM BASIC WEIGHT (before age-race-sex poststratification)
207-212	-	BASICWT	FINAL BASIC WEIGHT
213-335	-	BLANK	BLANK

PR-16  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
336	1b	<b>LBPAS5YR</b>	<b>HAD LIVE BIRTH IN PAST 5 YEARS</b>
		7,237	1. Yes
		20,999	2. No
		995	8. Not ascertained
		8	9. Unknown
(337-340)	2a		<b>MONTH AND YEAR LAST CHILD BORN*</b>
337-338		<b>LCBORNMO</b>	<b>MONTH</b>
		544	01. January
		551	02. February
		596	03. March
		604	04. April
		587	05. May
		574	06. June
		630	07. July
		616	08. August
		563	09. September
		587	10. October
		545	11. November
		589	12. December
		226	98. Not ascertained
		25	99. Unknown
		22,002	Blank. No/unknown if Live Birth in past 5 yrs.
339-340		<b>LCBORNYSR</b>	<b>YEAR</b>
		6,982	85-91. 1985-1991
		238	98. Not ascertained
		17	99. Unknown
		22,002	Blank. No/unknown if live birth in past 5 yrs.
341	2b	<b>BREASTFD</b>	<b>EVER BREASTFEED CHILD</b>
		3,671	1. Yes
		3,394	2. No
		167	8. Not ascertained
		5	9. Unknown
		22,002	Blank. No/unknown if live birth in past 5 yrs.

\*Note: This item and all remaining items on this file were only completed for women that were known to have had a live birth in the past 5 years (Yes in Q. 1b).

PR-17  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
342	2c	BMCOFOOD	PERIOD WHEN BREAST MILK CHILD'S ONLY FOOD
		3,275	1. Yes
		371	2. No
		18	8. Not ascertained
		7	9. Unknown
		25,568	Blank. Never/unknown if Child ever breastfed
(343-345)	2d	LTFBRMLK	LENGTH OF TIME ONLY FED BREAST MILK (Yes in Q. 2c)
		174	000. Still only breast milk
343-344		TFBMUNIT	NUMBER OF TIME UNITS
		3,067	01-45. 1-45 days, weeks, months, years
		14	98. Not ascertained
		20	99. Unknown
		25,964	Blank. Not applicable
345		TIMUNIT1	TIME UNITS
		193	1. Days
		814	2. Weeks
		2,011	3. Months
		47	4. Years
		11	8. Not ascertained
		25	9. Unknown
		25,964	Blank. Not applicable
346	Recode	TOBMILK	LENGTH OF TIME ONLY BREASTFED MILK (Yes in Q. 2c)
		174	0. Still only breastfed
		130	1. Less than 1 week
		493	2. 1 week to less than 1 month
		857	3. 1 month to less than 3 months
		1,018	4. 3 months to less than 6 months
		439	5. 6 months to less than 9 months
		55	6. 9 months to less than 1 year
		60	7. 1 year to less than 2 years
		9	8. 2 years or more
		40	9. Unknown
		25,964	Blank. Not applicable

PR-18  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
(347-349)	2e	ASBRSTFD 443	AGE STOPPED BREASTFEEDING 000. Still breastfeeding
347-348		SBTIMUN 3,183 32 13 25,568	NUMBER OF TIME UNITS 01-46. 1-46 days, weeks, months, years 98. Not ascertained 99. Unknown Blank. Never/unknown if child ever breastfed
349		TIMUNIT2 164 676 2,149 185 35 19 25,568	TIME UNITS 1. Days 2. Weeks 3. Months 4. Years 8. Not ascertained 9. Unknown Blank. Never/unknown if child ever breastfed
350	Recode	AGESTOP 443 101 371 709 738 588 258 342 65 56 25,568	AGE OF CHILD WHEN STOPPED BREASTFEEDING COMPLETELY 0. Still only breastfed 1. Less than 1 week 2. 1 week to less than 1 month 3. 1 month to less than 3 months 4. 3 months to less than 6 months 5. 6 months to less than 9 months 6. 9 months to less than 1 year 7. 1 year to less than 2 years 8. 2 years or more 9. Unknown Blank. Never/unknown if child ever breastfed
351	3	SMOKCIG 2,873 4,114 223 27 22,002	SMOKED AT LEAST 100 CIGARETTES IN ENTIRE LIFE 1. Yes 2. No 8. Not ascertained 9. Unknown Blank. No/unknown if live birth in past 5 yrs.

PR-19  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
352	4	SMOKLYR	SMOKING THIS TIME LAST YEAR
		1,392	1. Every day
		401	2. Some days
		1,068	3. Not at all
		8	8. Not ascertained
		4	9. Unknown
		26,366	Blank. No/unknown if ever smoked 100 cigarettes
353	5	SMOKCIGN	SMOKE CIGARETTES NOW
		1,786	1. Yes
		1,079	2. No
		8	8. Not ascertained
		0	9. Unknown
		26,366	Blank. No/unknown if ever smoked 100 cigarettes
354	6	SMOKEDAY	NOW SMOKES CIGARETTES EVERY DAY OR SOME DAYS (Yes in Q. 5)
		1,457	1. Every day
		324	2. Some days
		5	8. Not ascertained
		0	9. Unknown
		27,453	Blank. Not applicable
355	7	SMOKSOME	NOW SMOKES CIGARETTES SOME DAYS OR NOT AT ALL (No in Q. 5)
		31	1. Some days
		1,046	2. Not at all
		2	8. Not ascertained
		0	9. Unknown
		28,160	Blank. Not applicable
356	Recode	SMOKSTAT	CURRENT SMOKING STATUS
		4,114	0. Never smoked
		1,457	1. Now smokes everyday
		355	2. Now smokes some
		5	3. Now smokes, unknown how often
		1,046	4. Has smoked, now does not smoke at all
		10	5. Has smoked, unknown if smokes now
		134	8. Not ascertained
		116	9. Unknown if ever smoked
		22,002	Blank. No/unknown if live birth in past 5 yrs.

PR-20  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
357	Recode	SMOKSTA2	CURRENT SMOKING STATUS
		4,114	0. Never smoked
		1,817	1. Current smoker
		1,048	2. Former smoker
		8	3. Smoker; current smoking status unknown
		134	8. Not ascertained
		116	9. Unknown if ever smoked
		22,002	Blank. No/unknown if live birth in past 5 yrs.
358	Recode	SMOKSTA3	CURRENT SMOKING STATUS
		4,114	0. Never smoked
		1,457	1. Smokes everyday
		323	2. Smokes someday (1+ days in past month)
		9	3. Smokes somedays (0 days in past month)
		28	4. Smokes now (Unknown days in past month)
		10	5. Has smoked, unknown if smokes now
		1,046	6. Has smoked; now does not smoke at all
		134	8. Not ascertained
		116	9. Unknown if ever smoked
		22,002	Blank. No/unknown if live birth in past 5 yrs.
359-360	8	SMOKPDAY	CIGARETTES NOW SMOKED PER DAY (Currently smokes everyday)
		1,449	01-60. 1-60 cigarettes
		1	98. Not ascertained
		7	99. Unknown
		27,782	Blank. Not applicable
361	9	QUIT1DAY	EVER QUIT SMOKING FOR 1 DAY OR MORE (Currently smokes everyday or currently not smoking at all but smoked everyday a year ago)
		1,192	1. Yes
		329	2. No
		48	8. Not ascertained
		2	9. Unknown
		27,668	Blank. Not applicable
362	10	QUIT12MO	QUIT SMOKING FOR 1 DAY OR MORE IN PAST 12 MONTHS (Yes in Q.9)
		721	1. Yes
		437	2. No
		32	8. Not ascertained
		2	9. Unknown
		28,047	Blank. Not applicable



PR-21  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
363-364	11	<b>NTIMES</b>	<b>NUMBER OF TIMES QUIT SMOKING IN PAST 12 MONTHS (Yes in Q.9)</b>
		685	01-49. 1-49 times
		26	98. Not ascertained
		10	99. Unknown
		28,518	Blank. Not applicable
(365-368)	12		<b>WHY STOPPED SMOKING THE LAST TIME (Yes in Q.9)</b>
365		<b>QPURPOSE</b>	724 1. Quit on purpose
		28,515	Blank. Not mentioned; not applicable
366		<b>SICK</b>	224 2. Sick and could not smoke
		29,015	Blank. Not mentioned; not applicable
367		<b>OTHREAS</b>	226 3. Could not smoke, some other reason
		29,013	Blank. Not mentioned; not applicable
368		<b>UNKNOWN</b>	29 8. Not ascertained
		8	9. Unknown reason
		29,202	Blank. Reason given; not applicable
(369-375)	13a		<b>START OF MOST RECENT QUIT ATTEMPT (Current everyday smokers that have ever quit for 1+ days)*</b>
(369-372)			<b>MONTH AND YEAR</b>
369-370		<b>STARTMO</b>	<b>MONTH</b>
		71	01. January
		54	02. February
		47	03. March
		38	04. April
		35	05. May
		51	06. June
		38	07. July
		46	08. August
		42	09. September
		44	10. October
		44	11. November
		49	12. December
		39	98. Not ascertained
		35	99. Unknown
		28,606	Blank. Not applicable
371-372		<b>STARTYR</b>	<b>YEAR</b>
		559	70-91. 1970-1991
		39	98. Not ascertained
		35	99. Unknown
		28,606	Blank. Not applicable

\*Note: Either a month/year entry in loc. 369-372 or a time interval entry in loc. 373-375 is provided for these persons. Unknown date/time responses are coded accordingly in Loc. 369-372.

PR-22  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
(373-375)	13a	AMTTIME	AMOUNT OF TIME AGO
373-374		AMTTUNIT	NUMBER OF TIME UNITS
		445	01-59. 1-59 days, weeks, months, years
		28,794	Blank. Not applicable
375		TIMUNIT3	TIME UNITS
		8	1. Days ago
		34	2. Weeks ago
		195	3. Months ago
		208	4. Years ago
		28,794	Blank. Not applicable
376	13b	QUITAYR	QUIT ATTEMPT MORE OR LESS THAN ONE YEAR AGO (Current everyday smokers that have ever quit for 1+ days)
		576	1. Within the past year
		501	2. 1 year or more
		1	8. Not ascertained
		0	9. Unknown
		28,161	Blank. Not applicable
(377-379)	14	HLOCIG	HOW LONG OFF CIGARETTES (Current everyday smokers that have ever quit for 1+ days)
377-378		NTIMEUN	NUMBER OF TIME UNITS
		1,053	01-69. 1-69 days, weeks, months, years
		25	98. Not ascertained
		0	99. Unknown
		28,161	Blank. Not applicable
379		TIMUNIT4	TIME UNITS
		498	1. Days
		166	2. Weeks
		313	3. Months
		65	4. Years
		19	8. Not ascertained
		17	9. Unknown
		28,161	Blank. Not applicable

PR-23  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
380	Recode	LLQATTEM	LENGTH OF LAST QUIT ATTEMPT (Current everyday smokers)
		329	0. Never quit
		365	1. 1-3 days
		80	2. 4-6 days
		195	3. 1-3 weeks
		38	4. 1 month
		84	5. 2-5 months
		190	6. 6-11 months
		90	7. 1+ years
		36	8. Unknown length
		50	9. Unknown if ever quit
		27,782	Blank. Not applicable
381-382	15	DSCP30D	DAYS SMOKED CIGARETTES IN PAST 30 DAYS (Now smokes on 'somedays')
		9	00. None
		323	01-30. 1-30 days
		12	98. Not ascertained
		11	99. Unknown
		28,884	Blank. Not applicable
383-384	16	CSPDAY	CIGARETTES SMOKED PER DAY (Now smokes on 'somedays' and smoked at least one day in past 30 days or number of days)
		326	01-59. 1-59 cigarettes
		13	98. Not ascertained
		7	99. Unknown
		28,893	Blank. Not Applicable
385	17	ESSEDAY	EVER SMOKED CIGARETTES EVERY DAY (Ever smokers who currently smoke somedays or not at all)
		1,135	1. Yes
		243	2. No
		19	8. Not ascertained
		4	9. Unknown
		27,838	Blank. Not applicable
386	Recode	ESEDAY	EVER SMOKED EVERYDAY (Women who ever smoked 100 cigarettes)
		2,598	1. Yes
		243	2. No
		9	8. Not ascertained
		23	9. Unknown
		26,366	Blank. Not applicable

PR-24  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
(387-389)	18a	HLSSKCD	HOW LONG SINCE LAST SMOKED CIGARETTES EVERY DAY (Yes in Q.17)
387-388		HLSLSCED	NUMBER OF TIME UNITS
		1,099	01-90. 1-90 days, weeks, months, years
		18	98. Not ascertained
		18	99. Unknown
		28,104	Blank. Not applicable
389		HLSLSCTU	TIME UNITS
		18	1. Days
		25	2. Weeks
		274	3. Months
		783	4. Years
		14	8. Not ascertained
		21	9. Unknown
		28,104	Blank. Not applicable
390	Recode	LTSLSED	LENGTH OF TIME SINCE LAST SMOKED EVERYDAY (Ever smokers who currently smoke someday or not at all)
		243	0. Never smoked everyday
		36	1. Less than 1 month
		91	2. 1-5 months
		85	3. 6-11 months
		381	4. 1-4 years
		291	5. 5-9 years
		156	6. 10-14 years
		59	7. 15+ years
		36	8. Unknown length
		23	9. Unknown if ever smoked everyday
		27,838	Blank. Not applicable
391	18b	MOLTOYSS	MORE OR LESS THAN ONE YEAR SINCE SMOKED CIGARETTES EVERY DAY (Yes in Q. 17)
		228	1. Within the past year
		860	2. 1 year or more
		45	8. Not ascertained
		2	9. Unknown
		28,104	Blank. Not Applicable
392-393	19	AMTCSMOK	CIGARETTES SMOKED PER DAY WHEN SMOKED EVERY DAY (Yes in Q. 17)
		1,104	01-95. 1-95 cigarettes
		1	96. 96+ cigarettes
		11	98. Not ascertained
		19	99. Unknown
		28,104	Blank. Not applicable

PR-25  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
394	20	WSCASOLP	<b>WAS SMOKING CIGARETTES AT START OF LAST PREGNANCY</b> 1,681 1. Yes 1,113 2. No 73 8. Not ascertained 6 9. Unknown 26,366 Blank. No/unknown if ever smoked 100 cigarettes
395	21	SCATDLP	<b>SMOKED CIGARETTES ANY TIME DURING LAST PREGNANCY</b> 1,426 1. Yes 1,380 2. No 62 8. Not ascertained 5 9. Unknown 26,366 Blank. No/unknown if ever smoked 100 cigarettes
396	22	QSF7DDL P	<b>QUIT SMOKING FOR 7 OR MORE DAYS DURING LAST PREGNANCY</b> 540 1. Yes 869 2. No 15 8. Not ascertained 2 9. Unknown 27,813 Blank. Did not/unknown if smoked during last pregnancy
397-398	23	MOPFQS	<b>MONTH OF PREGNANCY FIRST QUIT SMOKING (Yes in Q. 22)</b> 512 01-09. 1st-9th month 8 98. Not ascertained 20 99. Unknown 28,699 Blank. Not applicable
399	24	SSADPOSO	<b>STARTED SMOKING AGAIN DURING PREGNANCY OR STAYED OFF (Yes in Q. 22)</b> 276 1. Stayed off rest of pregnancy 237 2. Started again 21 3. Never started again 2 8. Not ascertained 4 9. Unknown 28,699 Blank. Not Applicable

PR-26  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
(400-402)	25	HLOCBSDP	HOW LONG OFF CIGARETTES BEFORE STARTED SMOKING AGAIN DURING PREGNANCY('Started Again' in Q.24)
400-401		HLOCBSSA	NUMBER OF TIME UNITS
		197	01-25. 1-25 days, weeks, months
		26	98. Not ascertained
		14	99. Unknown
		29,002	Blank. Not Applicable
402		TIMUNIT5	TIME UNITS
		25	1. Days
		73	2. Weeks
		99	3. Months
		24	8. Not ascertained
		16	9. Unknown
		29,002	Blank. Not Applicable
403	Recode	LTQDPREG	LENGTH OF TIME QUIT DURING PREGNANCY (first attempt)
		869	0. Never quit 7+ days
		297	1. Stayed off remainder of pregnancy
		39	2. 1 week
		43	3. 2 weeks
		8	4. 3 weeks
		24	5. 4 weeks
		5	6. 5-7 weeks
		78	7. 8+ weeks
		46	8. Unknown length of time of first quit attempt during pregnancy
		17	9. Unknown if quit during pregnancy
		27,813	Blank. Did not/unknown if smoked during last pregnancy
404	26	QSOTDLP	QUIT SMOKING ANY OTHER TIME DURING LAST PREGNANCY ('Started Again' in Q. 24)
		88	1. Yes
		142	2. No
		1	8. Not ascertained
		6	9. Unknown
		29,002	Blank. Not Applicable

PR-27  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
405	27	SSADPSO	STARTED SMOKING AGAIN DURING PREGNANCY OR STAY OFF (Yes in Q. 26)
		16	1. Stayed off rest of pregnancy
		70	2. Started again
		0	3. Never started again
		1	8. Not ascertained
		1	9. Unknown
		29,151	Blank. Not Applicable
406-407	28	MOPMRQA	MONTH OF PREGNANCY OF MOST RECENT QUIT ATTEMPT ('Started Again' in Q. 27)
		54	01-09. 1st-9th month
		0	98. Not ascertained
		16	99. Unknown
		29,169	Blank. Not Applicable
(408-410)	29	MRQADP	HOW LONG STAYED OFF CIGARETTES, MOST RECENT QUIT ATTEMPT DURING PREGNANCY ('Started Again' in Q. 27)
408-409		HLSOCDP	NUMBER OF TIME UNITS
		53	01-25. 1-25 days, weeks, months
		0	98. Not ascertained
		17	99. Unknown
		29,169	Blank. Not Applicable
410		TIMUNIT6	TIME UNITS
		7	1. Days
		21	2. Weeks
		24	3. Months
		1	4. Years
		5	8. Not ascertained
		12	9. Unknown
		29,169	Blank. Not Applicable

PR-28  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
411	Recode	LTQDP	<b>LENGTH OF TIME QUIT DURING PREGNANCY (Most recent attempt)</b>
		1,011	0. Never quit 7+ days/no second quit attempt
		313	1. Stayed off remainder of pregnancy
		11	2. 1 week
		12	3. 2 weeks
		2	4. 3 weeks
		6	5. 4 weeks
		1	6. 5-7 weeks
		21	7. 8+ weeks
		17	8. Unknown length of time of most recent quit attempt during pregnancy
		32	9. Unknown if quit 7+ days during pregnancy/ unknown if quit again during pregnancy
		27,813	Blank. Did not/unknown if smoked during last pregnancy
412	30	SSAABB	<b>START SMOKING AGAIN AFTER BABY BORN (Stopped smoking during rest of pregnancy or unknown if stopped smoking during rest of pregnancy)</b>
		253	1. Yes
		42	2. No
		5	8. Not ascertained
		0	9. Unknown
		28,939	Blank. Not Applicable
(413-415)	31	SAFTBIR	<b>LENGTH OF TIME AFTER BIRTH STARTED SMOKING AGAIN (Yes in Q. 30)</b>
413-414		LTABSSA	<b>NUMBER OF TIME UNITS</b>
		236	01-19. 1-19 days, weeks, months, years
		6	98. Not ascertained
		11	99. Unknown
		28,986	Blank. Not Applicable
415		TIMUNIT7	<b>TIME UNITS</b>
		53	1. Days
		51	2. Weeks
		121	3. Months
		11	4. Years
		7	8. Not ascertained
		10	9. Unknown
		28,986	Blank. Not Applicable



## 1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
416	Recode	WSSAABB	WHEN STARTED TO SMOKE AGAIN AFTER BABY'S BIRTH (for women who smoked at all during pregnancy but quit smoking 7+ days then stopped altogether, or unknown if stopped for rest of pregnancy)
		42	0. Didn't start smoking again
		49	1. Less than 1 week
		21	2. 1 week
		23	3. 2-3 weeks
		53	4. 1 month
		72	5. 2-5 months
		7	6. 6-11 months
		11	7. 1+ years
		17	8. Unknown when started again
		5	9. Unknown if started again
		28,939	Blank. Did not/unknown if smoked during last pregnancy; and didn't or unknown if quit smoking during pregnancy
417	32	SAAIP12M	SMOKED AT ALL IN PAST 12 MONTHS
		2,035	1. Yes
		746	2. No
		91	8. Not ascertained
		1	9. Unknown
		26,366	Blank. No/unknown if ever smoked 100 cigarettes
418-419	33a	NTSOHP12	NUMBER OF TIMES STAYED OVERNIGHT IN HOSPITAL PAST 12 MONTHS
		1,414	00. None
		566	01-10. 1-10 overnight stays
		55	98. Not ascertained
		0	99. Unknown
		27,204	Blank. No/unknown if ever smoked 100 cigarettes; did not/unknown if smoked in past 12 months

PR-30  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
420-421	33b	HMSWYAQS	ON HOW MANY OF THESE STAYS WERE YOU ADVISED TO QUIT SMOKING (1+ hospital stays and smoked in past year)
		377	00. None
		179	01-10. 1-10 stays
		6	98. Not ascertained
		4	99. Unknown
		28,673	Blank. Not Applicable
422	Recode	GAQSWIH	GIVEN ADVICE TO QUIT SMOKING WHILE IN HOSPITAL (smoked in past 12 months and had 1+ hospital stays)
		377	0. No
		176	1. All hospitalizations
		3	2. Some hospitalizations
		10	9. Unknown
		28,673	Blank. Not Applicable
423-424	34a	NTSDHP12	NUMBER OF TIMES SEEN DOCTOR OR OTHER HEALTH PROFESSIONALS IN PAST 12 MONTHS
		338	00. None
		1,615	01-95. 1-95 visits
		5	96. 96+ visits
		68	98. Not ascertained
		9	99. Unknown
		27,204	Blank. No/unknown if ever smoked 100 cigarettes; did not/unknown if smoked in past 12 months
425-426	34b	NVDHPAQS	NUMBER OF VISITS THAT DOCTOR OR OTHER HEALTH PROFESSIONAL ADVISED QUIT SMOKING IN PAST 12 MONTHS (1+ medical visits and smoked in past year)
		938	00. None
		619	01-60. 1-60 visits
		28	98. Not ascertained
		35	99. Unknown
		27,619	Blank. Not Applicable

PR-31  
1991 PREGNANCY AND SMOKING PUBLIC USE DATA

Data Locations	Item No.	Frequency	Items and Codes
427	Recode	GIVADV	GIVEN ADVICE TO QUIT SMOKING DURING 12 MONTH VISIT TO DOCTOR OR OTHER HEALTH PROFESSIONAL (Smoked in past 12 months and had 1+ medical visits)
		938	0. No
		338	1. All doctor visits
		281	2. Some doctor visits
		63	9. Unknown
		27,619	Blank. Not Applicable
428	35	EAQBDHP	EVER ADVISED TO QUIT BY DOCTOR OR HEALTH PROFESSIONAL
		1,444	1. Yes
		1,348	2. No
		61	8. Not ascertained
		20	9. Unknown
		26,366	Blank. No/unknown if ever smoked 100 cigarettes