

NATIONAL HEALTH INTERVIEW SURVEY  
1994-1995 Polio Public Use data file

In 1994 and 1995 the National Health Interview Survey (NHIS) conducted a Disability Followback Survey (DFS) based on responses to a Disability Phase 1 Supplement. There were four DFS questionnaires: one for adults with a past history of Polio; one for children; one for adults; and one for elderly persons 69 years of age and older without any indication of disability, called the Supplement on Aging or SOA. The Polio, DFS-Child, and DFS-Adult, questionnaires were fielded in 1994 and 1995, but the SOA questionnaire was fielded ONLY in 1994. For reasons of economy, however, some SOA questions did remain on the survey instrument in 1995. Because of the very small numbers of polio survivors in the DFS, the files from 1994 and 1995 have been combined to produce one file, the 1994-1995 Polio file. This file includes only data from the 1994-1995 Polio Survivors Questionnaire and the NHIS Core from 1994 and 1995. Data files have already been released for the DFS-Child 1994, the DFS-Child 1995, the DFS-Adult 1994, the DFS-Adult 1995, and the SOA 1994.

The Polio Questionnaire collected additional information about the symptoms and impact of the illness at the time of initial diagnosis of polio and at various times after the diagnosis. This includes questions on periods of rehabilitation, post-polio syndrome, times when respondents felt they were at their "physical best", and other health problems experienced. Whenever possible, self response by the polio survivor was required for this component.

(Most of the information above was adapted from a paper entitled "The 1994-95 National Health Interview Survey on Disability" written by Gloria Simpson, David Keer, and Marcie Cynamon of the National Center for Health Statistics.)

#### Recodes

There are a limited number of recodes in these files; usually they were added to summarize data in several locations. Generally, the recodes are located close to the variables upon which they were based. When a recode was related to several non-contiguous variables, the recode was placed at the end of the relevant section of the data file.

#### Response rates

For the 1994-1995 NHIS Core the Household response rate was 93.8%; the response rate for Disability Phase 1 was 92.8%; and the response rate for the Polio Survivor Questionnaire was 92.0%. The overall estimated response rate can be calculated two ways. One method is to multiply all three response rates including the original NHIS core sample and Disability Phase 1 which were administered to all persons, as well as the Polio which was only administered to a subset of respondents to Phase 1. This method yields a response rate of

80.1%. The second method is based on the responses to Phase 1 which determined the eligibility criteria for Polio, as well as the respondents to the Polio questionnaire. This rate was calculated by multiplying the response rate to Phase 1 (92.8%) by the response rate to Polio (92.0%) yielding a rate of 85.4%.

#### Weights

Because the NHIS uses a multistage sample design to represent the civilian non-institutionalized population of the United States, weights must be used to make accurate, national estimates from the NHIS data. The weighting for the core NHIS in 1995 differs from that of 1994 because of the changes in the sample design in 1995. For the Polio file, combined weights (for the years 1994-1995) were created to be used WITH THIS POLIO FILE ONLY. A revised set of weights was calculated to adjust for the additional non-response between Disability Phase 1 and Polio. The re-weighting process was similar to the non-response adjustment for the 1994-1995 Disability Phase 1 data, but used year-age-sex categories. The health data from the Core were examined before re-weighting to look for any evidence of bias due to differences in health status between Disability Phase 1 respondents and non-respondents; no significant differences between the two groups were found. Overall, the polio weights have been adjusted for nonresponse three times. After the nonresponse adjustment, the weights were divided by two so that average annual estimates could be produced. Because of this re-weighting, the corresponding weights on the Polio, Disability Phase 1, and Core data files all differ.

The Final Annual Basic Weight (Locations 201-206) will be used in most analyses. This weight should be used with the Polio data found in locations 389-670 and with the person level variables in the beginning of the file.

The Final Quarter Basic Weight before age-sex-race-ethnicity adjustment (Locations 172-177) is identical to the weight from the Core NHIS. If an annualized version of this quarter weight is needed, divide the value in this field by 4.

Because of the small sample sizes, many single year estimates will not be reliable and variance estimators will be unstable. It is recommended that separate year analyses not be done. There are a number of computer programs that yield variance estimates for data based on complex sample surveys. Some are based on replication approaches and others are based on Taylor linearization approaches. Included on the DFS-Adult file are the Polio strata (Locations 345-348) and the Polio PSU (Location 349), which will enable the analyst to use such variance estimation procedures.

To reduce respondent error, the recall period for questions about some events is limited to two weeks. These events are bed days, work loss and school loss days, and doctor visits. The two week variables are found in locations 98-107 and 120-121. Estimates of the total number of occurrences of these events in the population can be derived as follows:

Number of events x 26 (number of two week periods in a year) x Final Annual Basic Weight

= Total number of events occurring in the population during 1994-1995.

Example: Number of bed days (Locations 100-101) x 26 x Final Annual Basic Weight (Locations 201-206) = total number of bed days reported for the population in 1994-1995.

The recall period for information on hospitalizations is 12 months. However, in calculating the number of discharges (Locations 132-133, 137-138), only discharges occurring in the past six months are counted. Therefore, the weighted estimates must be calculated as follows:

Number of discharges x 2 x Final Annual Basic Weight  
= Total number of discharges occurring in the population in 1994-1995

#### Item non-response

Two different types of item non-response are possible in the data files. Responses of "Don't Know" or "Refused" were assigned codes of "9", "99", or "999". When a question was not answered when it should have been or the answer given was not possible, "Not ascertained" was assigned a code of "8", "98", or "998".

#### Additional files

In addition to the files mentioned above, the following NHIS data files exist for 1994 and for 1995.

For all the NHIS-DFS adult polio survivors:

- NHIS (Core)
- Disability Phase I
- Access to health care
- Health Insurance
- Imputed Family Income

#### Guidelines for Citation of Data

With the goal of mutual benefit, the National Center for Health Statistics (NCHS) requests that recipients of data files cooperate in certain actions related to the their use. Any published material derived from the data should acknowledge NCHS as the original source.

The suggested citation to appear at the bottom of all tables is as follows:

Source: National Center for Health Statistics (1994-1995).

The suggested citation to appear a bibliography is as follows:

National Center for Health Statistics (2000). Data File Documentation, National Health Interview Survey of Disability, Phase II, 1994-1995 Polio File (machine readable data file and documentation), National Center for Health Statistics, Hyattsville, Maryland.

The published material should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the data file) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make an effort to insure that the description is not inconsistent with that published by NCHS.

#### References

1. Adams PF, Marano MA. Current estimates from the National Health Interview Survey, 1994. National Center for Health Statistics. Vital Health Stat 10 (193), 1995.
2. Benson V., Marano MA. Current estimates from the National Health Interview Survey, 1995. National Center for Health Statistics. Vital Health Stat 10 (199), 1998.
3. National Center for Health Statistics (1998). Public Use Data Tape Documentation, Part I, Tape Formats, National Health Interview Survey, 1995. National Center for Health Statistics, Hyattsville, MD (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor).

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Outline of Items and Codes

566 Records

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		566	69. Polio Record
3-4	HH-2		PROCESSING YEAR
		353	94. 1994
		213	95. 1995
5-14	Generated		HOUSEHOLD ID
15-16	-		PERSON NUMBER
17-18	-		BLANK
19-20	HH-3		SAMPLING WEEK CODE (Numbered within Quarter, location 178)
		33	01. Week 1
		46	02. Week 2
		50	03. Week 3
		42	04. Week 4
		59	05. Week 5
		43	06. Week 6
		38	07. Week 7
		45	08. Week 8
		43	09. Week 9
		44	10. Week 10
		38	11. Week 11
		40	12. Week 12
		44	13. Week 13

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		376	0. Interview not late
		140	1. One week late
		36	2. Two weeks late
		14	3. Unknown
22-23	HH-11c,d		TYPE OF LIVING QUARTERS:
			Housing Unit = (00-07)
		5	00. Housing unit; kind unknown
		523	01. House, apartment, flat
		0	02. HU in nontransient hotel, motel, etc.
		0	03. HU-permanent in transient hotel, motel, etc.
		1	04. HU in rooming house
		27	05. Mobile home or trailer with no permanent room added
		8	06. Mobile home or trailer with one or more permanent rooms added
		1	07. HU not specified above
			Other Unit = (08-13)
		0	08. Quarters not HU in rooming or boarding house
		0	09. Unit not permanent in transient hotel, motel, etc.
		0	10. Unoccupied site for mobile home, trailer, or tent
		0	11. Student quarters in college dormitory
		1	12. Other unit not specified above
		0	13. Other unit; kind unknown

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
24	HH-12		HAS TELEPHONE
		526	1. Yes, phone number given
		19	2. Yes, no phone number given
		15	3. No
		6	4. Unknown
25	A-1		SEX
		242	1. Male
		324	2. Female
26	-		AGE IMPUTED FLAG
		566	0. Age known
		0	1. Age unknown, imputed as 34
27-28	Person Column		AGE
		0	00. Under 1 year
		559	01-84. Number of years
		7	85. 85 years or older
29	Recode		AGE RECODE #1
		0	1. Under 5 years
		0	2. 5-17 years
		2	3. 18-24 years
		77	4. 25-44 years
		335	5. 45-64 years
		51	6. 65-69 years
		43	7. 70-74 years
		58	8. 75 years and over

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
30	Recode		AGE RECODE #2
		0	1. Under 6 years
		0	2. 6-16 years
		2	3. 17-24 years
		6	4. 25-34 years
		71	5. 35-44 years
		200	6. 45-54 years
		135	7. 55-64 years
		94	8. 65-74 years
		58	9. 75 years and over
31-32	Recode		AGE RECODE #3
		0	00-35. Months
		566	36. Over 3 years
33	-		MONTH OF BIRTH IMPUTED FLAG
		563	0. Month known
		3	1. Month unknown '8' imputed
		0	9. Date of birth unknown
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			Month
			01. January            08. August
			02. February         09. September
			03. March             10. October
			04. April             11. November
			05. May               12. December
			06. June              99. Unknown
			07. July
36-39			Year of Birth
		24	1912. 1912 and before
		542	1913-1996. 1913-1996
		0	9999. Unknown



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
40	Recode		HISPANIC ORIGIN IMPUTED FLAG
		563	0. Hispanic Origin Known
		3	1. Hispanic Origin Imputed from Reference Person
41-42	A-6		MAIN RACIAL BACKGROUND* - Reported (see notation for locations 43-45)
		515	01. White
		26	02. Black/African American**
		4	03. Indian (American)
		4	06. Chinese
		3	07. Filipino
		3	15. Other API (includes Hawaiian, Korean, Vietnamese, Japanese, Asian Indian, Samoan, and Guamanian)
		6	16. Other Race (includes Eskimo and Aleut)
		1	17. Multiple Race
		4	99. Unknown

\*Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

\*\*For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			Recode 1*
		526	1. White
		26	2. Black
		14	3. Other
44			Recode 2
		526	1. White
		40	2. Non-white
45			Recode 3
		26	1. Black
		540	2. Non-black
46-47	A-5		HISPANIC ORIGIN**
		1	00. Multiple Hispanic
		1	01. Puerto Rican
		3	02. Cuban
		5	03. Mexican-Mexicano
		12	04. Mexican-American
		2	05. Chicano
		1	06. Other Latin American
		5	07. Other Spanish
		3	08. Spanish, DK type
		4	09. Unknown if Spanish origin
		529	10. Not Spanish origin

\*This recode is used to define race in the Current Estimates tables.

\*\*If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
48	L-7		MARITAL STATUS
		0	0. Under 14 years
		364	1. Married - spouse in household
		6	2. Married - spouse not in household
		67	3. Widowed
		67	4. Divorced
		10	5. Separated
		50	6. Never married
		2	7. Unknown
49	L-1		VETERAN STATUS
		470	1. Non-veteran
		15	3. WW I and WW II
		16	4. Korean War
		33	5. Vietnam veteran
		6	6. Post-Vietnam
		19	7. Other service
		2	8. Served in Armed Forces, unknown if war veteran
		5	9. Unknown if served in Armed Forces
		0	Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		470	0. Non-veteran
		8	1. All service in Guard/Reserve
		20	2. Some service in Guard/Reserve
		0	3. Unknown if all service in Guard/Reserve
		58	4. No active service in Guard/Reserve
		10	5. Unknown if ever active member in Guard/Reserve or served in Armed Forces
		0	Blank. Under 18 years of age

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		2	00. Never attended; kindergarten only
		299	01-12. Grades 1-12
			College:
		46	13. 1 year
		59	14. 2 years
		22	15. 3 years
		60	16. 4 years
		14	17. 5 years
		62	18. 6 years or more
		2	19. Unknown
		0	Blank. Under 5 years of age
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		2	0. None; kindergarten only
		46	1. 1-8 years (elementary)
		50	2. 9-11 years (high school)
		203	3. 12 years (high school graduate)
		127	4. 1-3 years (college)
		60	5. 4 years (college graduate)
		76	6. 5+ years (post-college)
		2	7. Unknown
		0	Blank. Under 5 years of age

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)
		1	00. Never attended; kindergarten only
		244	01-12. Grades 1-12
			College:
		44	13. 1 year
		62	14. 2 years
		30	15. 3 years
		85	16. 4 years
		20	17. 5 years
		80	18. 6 years or more
		0	19. Unknown
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER Recode
		1	0. None; kindergarten only
		32	1. 1-8 years (elementary)
		38	2. 9-11 years (high school)
		174	3. 12 years (high school graduate)
		136	4. 1-3 years (college)
		85	5. 4 years (college graduate)
		100	6. 5+ years (post-college)
		0	7. Unknown
57	L-8		FAMILY INCOME \$20,000 MORE OR LESS
		155	1. Less than \$20,000
		403	2. \$20,000 or more
		8	3. Unknown

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
58-59	L-8		FAMILY INCOME
		0	00. Less than \$1,000
		1	01. \$ 1,000 - \$ 1,999
		1	02. 2,000 - 2,999
		5	03. 3,000 - 3,999
		8	04. 4,000 - 4,999
		11	05. 5,000 - 5,999
		12	06. 6,000 - 6,999
		1	07. 7,000 - 7,999
		7	08. 8,000 - 8,999
		3	09. 9,000 - 9,999
		11	10. 10,000 - 10,999
		9	11. 11,000 - 11,999
		17	12. 12,000 - 12,999
		8	13. 13,000 - 13,999
		9	14. 14,000 - 14,999
		11	15. 15,000 - 15,999
		8	16. 16,000 - 16,999
		6	17. 17,000 - 17,999
		7	18. 18,000 - 18,999
		7	19. 19,000 - 19,999
		52	20. 20,000 - 24,999
		33	21. 25,000 - 29,999
		45	22. 30,000 - 34,999
		33	23. 35,000 - 39,999
		35	24. 40,000 - 44,999
		26	25. 45,000 - 49,999
		137	26. \$50,000 and over
		63	27. Unknown
60	Recode		FAMILY INCOME RECODE
		15	0. Under \$5,000
		23	1. \$ 5,000 - \$ 6,999
		11	2. 7,000 - 9,999
		54	3. 10,000 - 14,999
		39	4. 15,000 - 19,999
		52	5. 20,000 - 24,999
		78	6. 25,000 - 34,999
		94	7. 35,000 - 49,999
		137	8. \$50,000 or more
		63	9. Unknown

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
61	Generated		NHIS POVERTY INDEX*
		492	1. At or above poverty threshold
		53	2. Below poverty threshold
		21	3. Unknown
62-63			FAMILY RELATIONSHIP
62	A-2		Type of Family
		121	&. Primary individual
		3	-. Secondary individual
		442	0. Primary family
		0	1-9. Secondary family
63	A-2		Relationship to Reference Person
		115	&. Reference person, living alone
		245	0. Reference person, 2+ persons in household
		175	1. Spouse, other spouse NOT in Armed Forces and living at home
		1	2. Spouse, other spouse IN Armed Forces and living at home
		21	3. Child of reference person or spouse
		0	4. Grandchild of reference person or spouse
		5	5. Parent of reference person or spouse
		4	6. Other relative
		0	7. Child of military family with no eligible reference person
		0	9. Unknown

\*Based on family size, number of children under 18 years of age and family income using the poverty levels derived from the Current Population Survey issued in August of the prior year per survey.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		115	1. Living alone
		9	2. Living only with non-relative
		364	3. Living with spouse
		78	4. Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
		566	1-8. Number of members
		0	9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		2	1. Both parents, no other relative
		0	2. Mother only
		0	3. Father only
		0	4. Both parents and other 21+ year old adult relative
		0	5. Mother and other 21+ year old adult relative
		0	6. Father and other 21+ year old adult relative
		0	7. No parent, but one 21+ year old adult relative
		0	8. No parent, but two or more 21+ year old adult relatives
		0	9. Unknown
		0	0. Other
		564	Blank. Not applicable (25+ years old or ever married)

\*Count includes spouse in military but living at home.



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		303	1. Working
		120	2. Keeping house
		8	3. Going to school
		131	4. Something else
		4	5. Unknown
		0	Blank. Not applicable (Under 18 years)
70	G-4		HEALTH STATUS
		116	1. Excellent
		142	2. Very Good
		163	3. Good
		84	4. Fair
		56	5. Poor
		5	6. Unknown
71	Recode		ACTIVITY LIMITATION STATUS*- (all ages)
		86	1. Unable to perform major activity
		98	2. Limited in kind/amount major activity
		66	3. Limited in other activities
		316	4. Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		94	1. Unable to work
		65	2. Limited in kind/amount of work
		30	3. Limited in other activities
		276	4. Not limited (includes unknowns)
		101	Blank. Not applicable (under 18 years, 70+ years)

\*This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		0	1. Unable to attend school
		0	2. Attends special school/ classes
		0	3. Needs special school/ classes
		0	4. Limited in school attendance
		0	5. Limited in other activities
		0	6. Not limited (includes unknowns)
		566	Blank. Not applicable (Under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		15	1. Unable to perform personal care needs
		36	2. Limited in performing other routine needs
		181	3. Not limited in performing personal or routine needs
		5	4. Unknown
		329	Blank. Not applicable (Under 5 years; 5-59 years not limited; 70+ years)

\*For persons 70+ years, use location 71 to analyze 'Needs Help With Personal Care'; codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

---

Tape Locations	Item No.	Frequency	Items and Codes
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
			In the Labor Force: (1-7)
			Currently employed: (1-3)
		291	1. Worked in past 2 weeks
		9	2. Did not work, has job; not on lay-off and not looking for work
		0	3. Did not work, has job; looking for work
			Unemployed: (4-7)
		2	4. Did not work, has job; on lay-off
		0	5. Did not work, has job; on lay-off and looking for work
		3	6. Did not work, has job; unknown if looking or on lay-off
		8	7. Did not work, has no job; looking for work or on lay-off
			Not in Labor Force (18+ years): (8)
		253	8. Not in Labor Force (18+ years)
		0	Blank. Not applicable (Under 18 years old)

---

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		253	0. Not in labor force
		189	1. Private company
		9	2. Federal Government employee
		20	3. State Government employee
		38	4. Local Government employee
		11	5. Incorporated business
		37	6. Self-employed
		0	7. Without pay
		1	8. Never worked
		8	9. Unknown
		0	Blank. Under 18
77-79	-		BLANK
80-81	Recode		INDUSTRY RECODE 1 SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2 SEE APPENDIX B
84-86	-		BLANK
87-88	Recode		OCCUPATION RECODE 1 SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2 SEE APPENDIX C

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		435	1. Self-entirely
		25	2. Self-partly
		101	3. Proxy
		5	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		93	1. Condition List 1, Skin and musculoskeletal
		93	2. Condition List 2, Impairments
		81	3. Condition List 3, Digestive
		97	4. Condition List 4, Miscellaneous
		84	5. Condition List 5, Circulatory
		113	6. Condition List 6, Respiratory
		5	7. Unknown
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)
		13	58. 58 inches or less
		543	59-76. Number of inches
		6	77. 77 inches or more
		4	99. Unknown
		0	Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)
		10	098. 98 pounds or less
		532	099-284. Number of pounds
		24	285. 285 pounds or more
		0	999. Unknown
		0	Blank. Under 18 years of age
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS
		466	00. None
		100	01-14. Days

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		520	00. None
		46	01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS
		546	00. None
		20	01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		566	00. None
		0	01-14. Days
106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		509	00. None
		57	01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		313	000. None
		245	001-365. 1-365 days
		8	366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS - Recode
		313	0. None
		154	1. 1-7 days
		56	2. 8-30 days
		22	3. 31-180 days
		13	4. 181-365 days
		8	5. Unknown

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		83	000. None
		481	001-996. Visits
		0	997. 997+ visits
		2	998. Unknown
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		0	0. Never
		485	1. Less than 1 year
		23	2. 1 to less than 2 years
		34	3. 2 to less than 5 years
		13	4. 5 years or more
		11	5. Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*

\*Based on Operation codes and reason entered hospital.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
142-143	-		BLANK
144	L-9b		YEARS LIVED IN STATE OF PRESENT RESIDENCE
		3	1. Less than 1 year
		21	2. 1 yr., less than 5 yrs.
		21	3. 5 yrs., less than 10 yrs.
		20	4. 10 yrs., less than 15 yrs.
		464	5. 15 years or more
		7	9. Unknown
		30	Blank. Not applicable (Foreign-born)
145	L-9c		YEARS LIVED IN UNITED STATES
		0	1. Less than 1 year
		1	2. 1 yr., less than 5 yrs.
		2	3. 5 yrs., less than 10 yrs.
		2	4. 10 yrs., less than 15 yrs.
		24	5. 15 years or more
		1	9. Unknown
		536	Blank. Not applicable (U.S. born)
146-171	-		BLANK
172-177	-		FINAL QUARTER BASIC WEIGHT BEFORE AGE-SEX-RACE(-ETHNICITY) ADJUSTMENT (has one implied decimal)

\*Based on Operation codes and reason entered hospital.



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
178	HH-5		SAMPLING QUARTER
		146	1. Quarter 1
		136	2. Quarter 2
		128	3. Quarter 3
		156	4. Quarter 4
179-181	-		BLANK
182	Unit Control File		REGION
		87	1. Northeast
		169	2. Midwest
		174	3. South
		136	4. West
183	Unit Control File		GEOGRAPHIC DISTRIBUTION
			MSA Size
		329	1. 1,000,000 or more
		96	2. 250,000 - 999,999
		26	6. 100,000 - 249,999
		6	7. Under 100,000
		109	Blank. Non-MSA
184-185	-		BLANK
186	Unit Control File		MSA - NON-MSA RESIDENCE
		135	1. In MSA; in Central City
		251	2. In MSA; not in Central City
		180	3. Not in MSA
187-189	-		BLANK
190-200	-		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXXX) - character format with implied decimal
201-206	-		FINAL ANNUAL BASIC WEIGHT
207-227	-		BLANK

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
			ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
			ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
			ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	-		QUARTER
282-290	-		SEMI-ANNUAL
291-299	-		ANNUAL
			ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308	-		QUARTER
309-317	-		SEMI-ANNUAL
318-326	-		ANNUAL

\*Estimates can be made for these periods depending on whether one quarter, two quarters or all four quarters of records are used.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
327-335	-		ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
336-344	-		BLANK
345-348	Recode		POLIO STRATUM
349	Recode		POLIO PSU
350-388	-		BLANK
389	Recode		MODE OF INTERVIEW
		145	1. Telephone
		401	2. Personal Visit
		20	8. Not ascertained
390	Recode		RESPONDENT
		537	1. Self
		21	2. Proxy
		8	8. Not ascertained
391	Recode		REASON FOR PROXY
		5	1. SP incapable
		1	2. SP institutionalized
		10	3. SP unavailable
		5	4. Other
		0	8. Not ascertained
		545	Blank. NA; not a proxy

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(392-395)	-		MONTH AND YEAR OF DFS INTERVIEW
392-393			DOI Month
		566	01-12. Month of Interview
		0	99. Unknown
394-395			DOI Year
		566	94-97. Year of Interview
396-398	Generated	-	LENGTH OF TIME BETWEEN INTERVIEWS (DAYS)
399-400	Generated		AGE AT FOLLOWBACK INTERVIEW
		552	01-84. Number of years
		14	85. 85+ years of age
401-403	-		BLANK
404-405	2		YEAR POLIO STARTED
		9	12. 1912 and before
		512	13-95. 1913-1995
		3	98. Not ascertained
		42	99. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
406-407	3		MONTH POLIO STARTED
		10	01. January
		10	02. February
		12	03. March
		10	04. April
		11	05. May
		53	06. June
		50	07. July
		63	08. August
		51	09. September
		22	10. October
		8	11. November
		11	12. December
		1	98. Not ascertained
		254	99. DK or refused
408-409	4		AGE WHEN DIAGNOSED WITH POLIO (RECODE)
		53	00. Less than 1 year
		447	01-84. Number of years
		0	85. 85+ years
		0	97. Unknown months
		0	98. Unknown years
		66	99. DK, refused, not ascertained
(410-415)	(4a-f)		SYMPTOMS EXPERIENCED FIRST 2 WEEKS YOU HAD POLIO:
410	a		FEVER
		331	1. Yes
		39	2. No
		0	8. Not ascertained
		196	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(410-415)	(4a-f)		SYMPTOMS EXPERIENCED FIRST TWO WEEKS YOU HAD POLIO: - Continued
411	b		HEADACHE
		209	1. Yes
		50	2. No
		1	8. Not ascertained
		306	9. DK or refused
412	c		STIFF NECK
		224	1. Yes
		75	2. No
		0	8. Not ascertained
		267	9. DK or refused
413	d		DIARRHEA
		37	1. Yes
		144	2. No
		1	8. Not ascertained
		384	9. DK or refused
414	e		MUSCLE PAINS
		294	1. Yes
		45	2. No
		0	8. Not ascertained
		227	9. DK or refused
415	f		SKIN RASH
		27	1. Yes
		192	2. No
		0	8. Not ascertained
		347	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(416-424)	(5a-i)		PART OF BODY WEAKENED IN FIRST MONTH HAD POLIO:
416	a		RIGHT ARM OR HAND
		125	1. Yes
		242	2. No
		0	8. Not ascertained
		199	9. DK or refused
417	b		LEFT ARM OR HAND
		130	1. Yes
		241	2. No
		0	8. Not ascertained
		195	9. DK or refused
418	c		RIGHT LEG OR FOOT
		268	1. Yes
		144	2. No
		0	8. Not ascertained
		154	9. DK or refused
419	d		LEFT LEG OR FOOT
		279	1. Yes
		134	2. No
		1	8. Not ascertained
		152	9. DK or refused
420	e		SWALLOWING MUSCLES
		89	1. Yes
		230	2. No
		1	8. Not ascertained
		246	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(416-424)	(5a-i)		PART OF BODY WEAKENED IN FIRST MONTH HAD POLIO: - Continued
421	f		FACE MUSCLES
		56	1. Yes
		271	2. No
		0	8. Not ascertained
		239	9. DK or refused
422	g		NECK MUSCLES
		128	1. Yes
		215	2. No
		0	8. Not ascertained
		223	9. DK or refused
423	h		BREATHING MUSCLES
		71	1. Yes
		276	2. No
		0	8. Not ascertained
		219	9. DK or refused
424	i		BACK OR STOMACH MUSCLES
		150	1. Yes
		192	2. No
		0	8. Not ascertained
		224	9. DK or refused
425	6		DIFFICULTY PASSING URINE DURING FIRST MONTH OF ILLNESS
		32	1. Yes
		206	2. No
		2	8. Not ascertained
		326	9. DK or refused



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
426	7		HOSPITALIZED AT TIME OF POLIO DIAGNOSIS
		269	1. Yes
		256	2. No
		1	8. Not ascertained
		40	9. DK or refused
427	8		SPINAL TAP AT TIME OF DIAGNOSIS
		138	1. Yes
		31	2. No
		0	8. Not ascertained
		100	9. DK or refused
		297	Blank. NA; No/DK if was admitted to hospital when first diagnosed with polio
428	9		BREATHING PROBLEMS AT TIME OF DIAGNOSIS
		81	1. Yes
		306	2. No
		2	8. Not ascertained
		177	9. DK or refused
429	10		NEEDED HELP WITH BREATHING
		35	1. Yes
		41	2. No
		0	8. Not ascertained
		5	9. DK or refused
		485	Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(430-432)	11		KIND OF BREATHING HELP NEEDED
430			OCCASIONAL ASSISTANCE WITH A HAND HELD DEVICE
		0	1. Mentioned
		34	2. Not mentioned
		0	8. No answer to entire question
		1	9. DK or refused (entire question)
		531	Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing
431			MECHANICAL VENTILATION (IRON LUNG OR RESPIRATOR)
		29	1. Mentioned
		5	2. Not mentioned
		0	8. No answer to entire question
		1	9. DK or refused (entire question)
		531	Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing
432			SOMETHING ELSE
		5	1. Mentioned
		29	2. Not mentioned
		0	8. No answer to entire question
		1	9. DK or refused (entire question)
		531	Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
433	12a		REHABILITATION MONTH AFTER DIAGNOSIS OF POLIO
		295	1. Yes
		199	2. No
		1	8. Not ascertained
		71	9. DK or refused
434-436	-		BLANK
437-438	Recode		LENGTH OF TIME REHABILITATION LASTED (RECODE)
		119	00. Less than 1 year
		124	01-84. Number of years
		0	85. 85+ years
		1	97. Unknown months
		1	98. Unknown years
		50	99. DK, refused, not ascertained
		271	Blank. NA; No/DK if went through a period of rehabilitation
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO:
439	a		RIGHT HIP/THIGH AND KNEE
		102	1. Not weakened
		33	2. Mildly weakened
		49	3. Moderately weakened
		45	4. Severely weakened
		24	5. Completely paralyzed
		0	8. Not ascertained
		42	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
440	b		RIGHT CALF/ANKLE AND FOOT
		99	1. Not weakened
		35	2. Mildly weakened
		43	3. Moderately weakened
		45	4. Severely weakened
		27	5. Completely paralyzed
		1	8. Not ascertained
		45	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued
441	c		LEFT HIP/THIGH AND KNEE
		87	1. Not weakened
		33	2. Mildly weakened
		55	3. Moderately weakened
		48	4. Severely weakened
		32	5. Completely paralyzed
		2	8. Not ascertained
		38	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
442	d		LEFT CALF/ANKLE AND FOOT
		86	1. Not weakened
		29	2. Mildly weakened
		53	3. Moderately weakened
		50	4. Severely weakened
		34	5. Completely paralyzed
		1	8. Not ascertained
		42	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued
443	e		RIGHT SHOULDER/UPPER ARM AND ELBOW
		151	1. Not weakened
		26	2. Mildly weakened
		27	3. Moderately weakened
		22	4. Severely weakened
		15	5. Completely paralyzed
		1	8. Not ascertained
		53	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
444	f		RIGHT FOREARM/WRIST AND HAND
		163	1. Not weakened
		22	2. Mildly weakened
		22	3. Moderately weakened
		21	4. Severely weakened
		12	5. Completely paralyzed
		2	8. Not ascertained
		53	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued
445	g		LEFT SHOULDER/UPPER ARM AND ELBOW
		157	1. Not weakened
		29	2. Mildly weakened
		27	3. Moderately weakened
		21	4. Severely weakened
		15	5. Completely paralyzed
		1	8. Not ascertained
		45	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
446	h		LEFT FOREARM/WRIST AND HAND
		163	1. Not weakened
		23	2. Mildly weakened
		28	3. Moderately weakened
		18	4. Severely weakened
		15	5. Completely paralyzed
		1	8. Not ascertained
		47	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued
447	i		BREATHING MUSCLES
		180	1. Not weakened
		23	2. Mildly weakened
		15	3. Moderately weakened
		9	4. Severely weakened
		7	5. Completely paralyzed
		1	8. Not ascertained
		60	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
448	j		SWALLOWING MUSCLES
		190	1. Not weakened
		16	2. Mildly weakened
		11	3. Moderately weakened
		7	4. Severely weakened
		3	5. Completely paralyzed
		2	8. Not ascertained
		66	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
449	k		FACE MUSCLES
		199	1. Not weakened
		13	2. Mildly weakened
		11	3. Moderately weakened
		3	4. Severely weakened
		3	5. Completely paralyzed
		2	8. Not ascertained
		64	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(439-451)	(13a-m)		WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued
450	1		BACK MUSCLES
		113	1. Not weakened
		40	2. Mildly weakened
		40	3. Moderately weakened
		30	4. Severely weakened
		12	5. Completely paralyzed
		1	8. Not ascertained
		59	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
451	m		STOMACH MUSCLES
		156	1. Not weakened
		21	2. Mildly weakened
		10	3. Moderately weakened
		20	4. Severely weakened
		11	5. Completely paralyzed
		1	8. Not ascertained
		76	9. DK or refused
		271	Blank. NA; No/DK if went through a period of rehabilitation
452	14		HOW WELL COULD WALK TWO MONTHS AFTER GETTING POLIO
		68	1. Walk without a limp
		58	2. Walk with a limp
		30	3. Unable to walk without leg braces
		73	4. Unable to walk at all
		25	5. Can't remember
		9	8. Not ascertained
		8	9. DK or refused
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(453-460)	15		EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION
453			STRETCHING EXERCISES
		16	0. No exercise or physical therapy
		149	1. Mentioned
		91	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
454			MASSAGE/HEAT
		16	0. No exercise or physical therapy
		125	1. Mentioned
		115	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
455			YOGA
		16	0. No exercise or physical therapy
		2	1. Mentioned
		238	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(453-460)	15		EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION - Continued
456			SWIMMING
		16	0. No exercise or physical therapy
		44	1. Mentioned
		196	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
457			WEIGHT LIFTING/ MEDICINE BALL
		16	0. No exercise or physical therapy
		25	1. Mentioned
		215	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
458			PUSH-UPS/PULL-UPS
		16	0. No exercise or physical therapy
		26	1. Mentioned
		214	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(453-460)	15		EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION - Continued
459			OTHER
		16	0. No exercise or physical therapy
		62	1. Mentioned
		178	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
460			TOO YOUNG TO REMEMBER
		16	0. No exercise or physical therapy
		53	1. Mentioned
		187	2. Not mentioned
		9	8. No answer to entire question
		6	9. DK or refused (entire question)
		295	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1
461	16		FREQUENCY OF EXERCISES DURING REHABILITATION
		188	1. Regularly
		7	2. Occasionally
		2	8. Not ascertained
		43	9. DK or refused
		326	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
462-463	17		NUMBER OF YEARS CONTINUED PHYSICAL THERAPY/EXERCISE
		58	00. Less than 1 year
		126	01-84. 1-84 years
		0	85. 85+ years
		0	98. Not ascertained
		11	99. DK or refused
		371	Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1; DK how often did physical therapy or exercise to strengthen or stretch muscles
464	18		OPERATIONS TO CORRECT LIMITATION OR WEAKNESS (Had rehabilitation; polio onset Under age 1 OR polio onset over age 1 and had physical therapy or exercise regularly or occasionally.)
		42	1. Yes
		175	2. No
		0	8. Not ascertained
		2	9. DK or refused
		347	Blank. NA

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(465-476)	19		SURGICAL PROCEDURES AND AGE:
465-466			AGE AT TIME OF FIRST OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.)
		35	01-84. 1-84 years old
		0	85. 85+ years old
		7	98. Not ascertained
		0	99. DK or refused
		524	Blank. NA
467-468			FIRST SURGICAL PROCEDURE PERFORMED
		1	00. Operation, type and site unknown
		34	01-86. HIS surgery codes
		7	99. Unknown surgical procedure, not ascertained
		524	Blank. NA

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(465-476)	19		SURGICAL PROCEDURES AND AGE: - Continued
469-470			AGE AT TIME OF SECOND OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.)
		17	01-84. 1-84 years old
		0	85. 85+ years old
		1	98. Not ascertained
		0	99. DK or refused
		548	Blank. NA
471-472			SECOND SURGICAL PROCEDURE PERFORMED
		1	00. Operation, type and site unknown
		16	01-86. HIS surgery codes
		1	99. Unknown surgical procedure, not ascertained
		548	Blank. NA

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(465-476)	19		SURGICAL PROCEDURES AND AGE: - Continued
473-474			AGE AT TIME OF THIRD OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.)
		10	01-84. 1-84 years old
		0	85. 85+ years old
		1	98. Not ascertained
		0	99. DK or refused
		555	Blank. NA
475-476			THIRD SURGICAL PROCEDURE PERFORMED
		1	00. Operation, type and site unknown
		10	01-86. HIS surgery codes
		0	99. Unknown surgical procedure, not ascertained
		555	Blank. NA
(477-480)	20		AGE AT PHYSICAL BEST AFTER HAVING POLIO
		14	9988. Never had a physical best
		73	9999. DK or refused
477-478			FIRST AGE GIVEN
		431	01-84. 1-84 years
		0	85. 85+ years old
		135	99. Unknown, not ascertained
479-480			SECOND AGE GIVEN
		476	01-84. 1-84 years
		1	85. 85+ years old
		14	88. Never had a physical best
		75	99. Unknown, not ascertained

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
481	21		DISABILITY AT PHYSICAL BEST AFTER HAVING POLIO
		143	1. No disability
		96	2. No noticeable disability
		127	3. Mild disability
		67	4. Moderate disability
		26	5. Severe disability
		14	8. Not ascertained
		6	9. DK or refused
		87	Blank. NA; Never/DK had a physical best
482	22		WALK AT PHYSICAL BEST AFTER HAVING POLIO
		162	1. Walk without a limp
		123	2. Walk with a limp
		24	3. Unable to walk without leg braces/assistive devices
		6	4. Unable to walk at all
		4	5. Can't remember
		14	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
483	23		THE FARTHEST COULD WALK AT PHYSICAL BEST WITHOUT ASSISTIVE DEVICES AND WITHOUT STOPPING
		2	1. Could not walk (without device/stopping)
		7	2. Walk across a room
		21	3. Walk up and down the street
		28	4. Walk around the block
		228	5. Walk a mile or more
		14	8. Not ascertained
		6	9. DK or refused
		260	Blank. NA; Never/DK had a physical best; No disability; unable to walk without assistive devices; unable to walk at all
484	24		WITH A LEG BRACE OR ASSISTIVE DEVICE THE FARTHEST COULD WALK WITHOUT STOPPING
		3	1. Could not walk (without device/stopping)
		3	2. Walk across a room
		20	3. Walk up and down the street
		32	4. Walk around the block
		13	5. Walk a mile or more
		19	8. Not ascertained
		12	9. DK or refused
		464	Blank. NA; Never/DK had a physical best; No disability; unable to walk at all; could walk a mile or more

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
485	25		HOW WELL COULD YOU CLIMB STAIRS
		175	1. Easily without a railing
		132	2. Climb by using a railing
		3	3. Could not climb
		14	8. Not ascertained
		3	9. DK or refused
		239	Blank. NA; Never had a physical best; No disability; unable to/couldn't walk at all
486	26		HOW EASILY WOULD YOU TIRE AT YOUR PHYSICAL BEST
		10	1. Very easily during day
		33	2. Easily during day
		66	3. Slowly during day
		197	4. After exercise or before bedtime
		14	8. Not ascertained
		16	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(487-500)	(27a-n)		USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST:
487	a		CANE
		29	1. Yes
		290	2. No
		15	8. Not ascertained
		2	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
488	b		CRUTCHES
		36	1. Yes
		283	2. No
		14	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
489	c		WALKER
		7	1. Yes
		312	2. No
		15	8. Not ascertained
		2	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
490	d		WHEELCHAIR/ELECTRIC CART
		18	1. Yes
		301	2. No
		15	8. Not ascertained
		2	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(487-500)	(27a-n)		USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST: - Continued
491	e		LEFT LEG BRACE
		31	1. Yes
		287	2. No
		15	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
492	f		RIGHT LEG BRACE
		30	1. Yes
		288	2. No
		15	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
493	g		LEFT ARM SPLINT/BRACE
		3	1. Yes
		315	2. No
		15	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
494	h		LEFT HAND SPLINT/BRACE
		3	1. Yes
		315	2. No
		15	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
495	i		RIGHT ARM SPLINT/BRACE
		6	1. Yes
		312	2. No
		15	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(487-500)	(27a-n)		USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST: - Continued
496	j		RIGHT HAND SPLINT/BRACE
		8	1. Yes
		309	2. No
		16	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
497	k		BREATHING AIDS
		3	1. Yes
		313	2. No
		17	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
498	l		BACK BRACE/CORSET
		23	1. Yes
		294	2. No
		16	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
499	m		SPECIAL SHOE(S) OR SHOE LIFTS
		83	1. Yes
		234	2. No
		16	8. Not ascertained
		3	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
500	n		ANOTHER TYPE OF DEVICE
		5	1. Yes
		312	2. No
		17	8. Not ascertained
		2	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(501-513)	(28a-m)		WEAKNESS AT TIME OF PHYSICAL BEST:
501	a		RIGHT HIP/THIGH AND KNEE
		175	1. Not weakened
		71	2. Mildly weakened
		49	3. Moderately weakened
		11	4. Severely weakened
		10	5. Completely paralyzed
		15	8. Not ascertained
		5	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
502	b		RIGHT CALF/ANKLE AND FOOT
		176	1. Not weakened
		65	2. Mildly weakened
		42	3. Moderately weakened
		20	4. Severely weakened
		11	5. Completely paralyzed
		16	8. Not ascertained
		6	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
503	c		LEFT HIP/THIGH AND KNEE
		183	1. Not weakened
		66	2. Mildly weakened
		41	3. Moderately weakened
		16	4. Severely weakened
		9	5. Completely paralyzed
		17	8. Not ascertained
		4	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
504	d		LEFT CALF/ANKLE AND FOOT
		181	1. Not weakened
		61	2. Mildly weakened
		39	3. Moderately weakened
		22	4. Severely weakened
		11	5. Completely paralyzed
		16	8. Not ascertained
		6	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(501-513)	(28a-m)		WEAKNESS AT TIME OF PHYSICAL BEST: - Continued
505	e		RIGHT SHOULDER/UPPER ARM AND ELBOW
		245	1. Not weakened
		32	2. Mildly weakened
		23	3. Moderately weakened
		10	4. Severely weakened
		4	5. Completely paralyzed
		16	8. Not ascertained
		6	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
506	f		RIGHT FOREARM/WRIST AND HAND
		252	1. Not weakened
		33	2. Mildly weakened
		16	3. Moderately weakened
		10	4. Severely weakened
		4	5. Completely paralyzed
		16	8. Not ascertained
		5	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
507	g		LEFT SHOULDER/UPPER ARM AND ELBOW
		246	1. Not weakened
		34	2. Mildly weakened
		20	3. Moderately weakened
		11	4. Severely weakened
		3	5. Completely paralyzed
		16	8. Not ascertained
		6	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
508	h		LEFT FOREARM/WRIST AND HAND
		249	1. Not weakened
		35	2. Mildly weakened
		18	3. Moderately weakened
		10	4. Severely weakened
		2	5. Completely paralyzed
		17	8. Not ascertained
		5	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(501-513)	(28a-m)		WEAKNESS AT TIME OF PHYSICAL BEST: - Continued
509	i		BREATHING MUSCLES
		277	1. Not weakened
		22	2. Mildly weakened
		10	3. Moderately weakened
		1	4. Severely weakened
		1	5. Completely paralyzed
		16	8. Not ascertained
		9	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
510	j		SWALLOWING MUSCLES
		280	1. Not weakened
		17	2. Mildly weakened
		11	3. Moderately weakened
		1	4. Severely weakened
		0	5. Completely paralyzed
		16	8. Not ascertained
		11	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
511	k		FACE MUSCLES
		296	1. Not weakened
		8	2. Mildly weakened
		7	3. Moderately weakened
		1	4. Severely weakened
		0	5. Completely paralyzed
		17	8. Not ascertained
		7	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
512	l		BACK MUSCLES
		206	1. Not weakened
		62	2. Mildly weakened
		32	3. Moderately weakened
		10	4. Severely weakened
		1	5. Completely paralyzed
		17	8. Not ascertained
		8	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(501-513)	(28a-m)		WEAKNESS AT TIME OF PHYSICAL BEST: - Continued
513	m		STOMACH MUSCLES
		262	1. Not weakened
		24	2. Mildly weakened
		14	3. Moderately weakened
		7	4. Severely weakened
		0	5. Completely paralyzed
		18	8. Not ascertained
		11	9. DK or refused
		230	Blank. NA; Never/DK had a physical best; No disability
514-516	29		BODY WEIGHT AT PHYSICAL BEST
		373	099-285. 99-285 pounds
		32	996. Not available - extreme values
		21	998. Not ascertained
		53	999. DK or refused
		87	Blank. NA; Never/DK had a physical best
517-520	Recode		WEIGHT DURING PHYSICAL BEST (RECODE - KILOGRAMS)
		373	0449-1293. 044.9 - 129.3 weight in kilograms
		32	9996. Not available - extreme values
		74	9999. DK or unknown
		87	Blank. NA; Never/DK had a physical best; DK/refused if had physical best
521	30		STILL AT PHYSICAL BEST AT PRESENT TIME
		129	1. Yes
		332	2. No
		16	8. Not ascertained
		2	9. DK or refused
		87	Blank. NA; Never/DK had a physical best

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
522	31		EXPERIENCED DECREASE IN ABILITY TO PERFORM ROUTINE ACTIVITIES
		115	1. Yes, decreased some
		124	2. Yes, decreased a lot
		91	3. No, no decrease
		17	8. Not ascertained
		3	9. DK or refused
		216	Blank. NA; Never/DK had a physical best; Still at physical best
523	32		WEIGHT AFTER TIME OF PHYSICAL BEST
		260	1. More
		33	2. Less
		38	3. About the same
		17	8. Not ascertained
		2	9. DK or refused
		216	Blank. NA; Never/DK had a physical best; Still at physical best
524-526	33		POUNDS GAINED/LOST
		119	050-500. 50-500 pounds
		158	998. Not ascertained
		16	999. DK or refused
		273	Blank. NA; Never/DK had a physical best; Still at physical best; DK/weight about the same
527-530	Recode		WEIGHT GAINED/LOST SINCE TIME OF PHYSICAL BEST (RECODE - KILOGRAMS)
		119	0227-2268. 022.7 - 226.8 weight in kilograms
		174	9999. DK or unknown
		273	Blank. NA; Never/DK had a physical best; DK/refused if had physical best; Still at physical best; Weight about the same; DK/refused if weight changed

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
531	34		HAD ANY INJURIES SINCE TIME OF PHYSICAL BEST:
		105	1. Yes
		182	2. No
		62	8. Not ascertained
		1	9. DK or refused
		216	Blank. NA; Never/DK had a physical best; Still at physical best
(532-551)	35		KIND OF INJURIES AND AGE AT TIME OF INJURY:
532-533			AGE AT TIME OF FIRST INJURY
		95	01-84. 1-84 years old
		3	85. 85+ years old
		7	98. Not ascertained
		0	99. DK or refused
		461	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
534-536			KIND OF INJURY (1st injury)
		102	800-999. ICD Injury Codes
		3	799. DK kind of injury; not ascertained
		461	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
537-538			AGE AT TIME OF SECOND INJURY
		42	01-84. 1-84 years old
		1	85. 85+ years old
		4	98. Not ascertained
		0	99. DK or refused
		519	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
539-541			KIND OF INJURY (2nd injury)
		47	800-999. ICD Injury Codes
		0	799. DK kind of injury; not ascertained
		519	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(532-551)	35		KIND OF INJURIES AND AGE AT TIME OF INJURY: - Continued
542-543			AGE AT TIME OF THIRD INJURY
		21	01-84. 1-84 years old
		0	85. 85+ years old
		2	98. Not ascertained
		0	99. DK or refused
		543	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
544-546			KIND OF INJURY (3RD INJURY)
		22	800-999. ICD Injury Codes
		1	799. DK kind of injury; not ascertained
		543	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
547-548			AGE AT TIME OF FOURTH INJURY
		8	01-84. 1-84 years old
		0	85. 85+ years old
		0	98. Not ascertained
		0	99. DK or refused
		558	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities
549-551			KIND OF INJURY (4TH INJURY)
		8	800-999. ICD Injury Codes
		0	799. DK kind of injury; not ascertained
		558	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
552	36		SINCE TIME OF PHYSICAL BEST HAS ABILITY TO SWALLOW SOLID FOOD CHANGED
		3	1. Gotten better
		44	2. Gotten worse
		280	3. Stayed the same
		18	8. Not ascertained
		5	9. DK or refused
		216	Blank. NA; Never/DK had a physical best; Still at physical best
553	37		EXPERIENCED NEW POLIO RELATED DIFFICULTIES SINCE REACHING YOUR PHYSICAL BEST
		46	1. Yes, one new difficulty
		40	2. Yes, more than one
		37	3. Yes, not sure polio related
		190	4. No
		18	8. Not ascertained
		19	9. DK or refused
		216	Blank. NA; Never/DK had a physical best; Still at physical best
554-555	38		AGE WHEN NEW POLIO RELATED DIFFICULTY BEGAN
		121	01-84. 1-84 years
		1	85. 85+ years
		1	98. Not ascertained
		0	99. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
556	39		TIME OF DEVELOPMENT FOR NEW POLIO RELATED DIFFICULTY
		12	1. Less one month
		29	2. One month, but less than a year
		41	3. One year, but less than five years
		19	4. Five years, but less than ten years
		17	5. 10 or more years
		1	6. Other
		0	8. Not ascertained
		4	9. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties
557	40a		COMPARED WITH PHYSICAL BEST, HAVE YOU EXPERIENCED NEW MUSCULAR WEAKNESS
		97	1. Yes
		24	2. No
		1	8. Not ascertained
		1	9. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(558-563)	(40b (1-6))		WHICH MUSCLES INVOLVED:
558	(1)		LEFT ARM OR HAND
		35	1. Yes
		61	2. No
		0	8. Not ascertained
		1	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness
559	(2)		RIGHT ARM OR HAND
		41	1. Yes
		56	2. No
		0	8. Not ascertained
		0	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness
560	(3)		LEFT LEG OR FOOT
		68	1. Yes
		29	2. No
		0	8. Not ascertained
		0	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness
561	(4)		RIGHT LEG OR FOOT
		67	1. Yes
		29	2. No
		0	8. Not ascertained
		1	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(558-563)	(40b (1-6))		WHICH MUSCLES INVOLVED: - Continued
562	(5)		STOMACH, BACK OR TORSO
		54	1. Yes
		43	2. No
		0	8. Not ascertained
		0	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness
563	(6)		NECK OR FACE
		27	1. Yes
		68	2. No
		1	8. Not ascertained
		1	9. DK or refused
		469	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness
564	40c		COMPARED WITH PHYSICAL BEST HAVE YOU EXPERIENCED NEW MUSCULAR PAIN
		81	1. Yes
		41	2. No
		0	8. Not ascertained
		1	9. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(565-570)	(40d (1-6))		WHICH MUSCLES INVOLVED: Continued
565	(1)		LEFT ARM OR HAND
		30	1. Yes
		51	2. No
		0	8. Not ascertained
		0	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain
566	(2)		RIGHT ARM OR HAND
		29	1. Yes
		50	2. No
		1	8. Not ascertained
		1	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain
567	(3)		LEFT LEG OR FOOT
		55	1. Yes
		26	2. No
		0	8. Not ascertained
		0	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain
568	(4)		RIGHT LEG OR FOOT
		58	1. Yes
		21	2. No
		1	8. Not ascertained
		1	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(565-570)	(40d (1-6))		WHICH MUSCLES INVOLVED: Continued
569	(5)		STOMACH, BACK OR TORSO
		52	1. Yes
		28	2. No
		0	8. Not ascertained
		1	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain
570	(6)		NECK OR FACE
		23	1. Yes
		58	2. No
		0	8. Not ascertained
		0	9. DK or refused
		485	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain
571	40e		COMPARED WITH PHYSICAL BEST, HAVE YOU EXPERIENCED NEW JOINT PAIN
		95	1. Yes
		26	2. No
		1	8. Not ascertained
		1	9. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(572-576)	(40f (1-5))		WHICH JOINTS INVOLVED:
572	(1)		LEFT SHOULDER, ELBOW, OR WRIST
		42	1. Yes
		52	2. No
		1	8. Not ascertained
		0	9. DK or refused
		471	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains
573	(2)		RIGHT SHOULDER, ELBOW, OR WRIST
		46	1. Yes
		48	2. No
		1	8. Not ascertained
		0	9. DK or refused
		471	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains
574	(3)		LEFT HIP, KNEE, OR ANKLE
		71	1. Yes
		24	2. No
		0	8. Not ascertained
		0	9. DK or refused
		471	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains
575	(4)		RIGHT HIP, KNEE, OR ANKLE
		73	1. Yes
		22	2. No
		0	8. Not ascertained
		0	9. DK or refused
		471	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(565-570)	(40d (1-6))		WHICH MUSCLES INVOLVED: Continued
576	(5)		NECK OR SPINE
		46	1. Yes
		46	2. No
		1	8. Not ascertained
		2	9. DK or refused
		471	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains
577	40g		CHANGE IN SIZE OF WEAKENED MUSCLES
		54	1. Yes
		59	2. No
		0	8. Not ascertained
		10	9. DK or refused
		443	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties
578	40h		HOW SIZE OF MUSCLES HAVE CHANGED
		1	1. Increased in size
		49	2. Decreased in size
		3	3. Some increased/some decreased
		0	8. Not ascertained
		1	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(579-584)	(40i(1-6))		WHICH MUSCLES ARE INVOLVED:
579	(1)		LEFT ARM OR HAND
		24	1. Yes
		29	2. No
		0	8. Not ascertained
		1	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio
580	(2)		RIGHT ARM OR HAND
		21	1. Yes
		31	2. No
		1	8. Not ascertained
		1	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio
581	(3)		LEFT LEG OR FOOT
		39	1. Yes
		15	2. No
		0	8. Not ascertained
		0	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio
582	(4)		RIGHT LEG OR FOOT
		33	1. Yes
		19	2. No
		1	8. Not ascertained
		1	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(579-584)	(40i(1-6))		WHICH MUSCLES ARE INVOLVED:- Continued
583	(5)		STOMACH, BACK OR TORSO
		19	1. Yes
		32	2. No
		0	8. Not ascertained
		3	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio
584	(6)		NECK OR FACE
		10	1. Yes
		41	2. No
		2	8. Not ascertained
		1	9. DK or refused
		512	Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio
(585-597)	(41a-m)		WEAKNESS AT THE PRESENT TIME:
585	a		RIGHT HIP/THIGH AND KNEE
		336	1. Not weakened
		86	2. Mildly weakened
		85	3. Moderately weakened
		44	4. Severely weakened
		8	5. Completely paralyzed
		2	8. Not ascertained
		5	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(585-597)	(41a-m)		WEAKNESS AT THE PRESENT TIME:
586	b		RIGHT CALF/ANKLE AND FOOT
		351	1. Not weakened
		77	2. Mildly weakened
		75	3. Moderately weakened
		44	4. Severely weakened
		11	5. Completely paralyzed
		2	8. Not ascertained
		6	9. DK or refused
587	c		LEFT HIP/THIGH AND KNEE
		333	1. Not weakened
		95	2. Mildly weakened
		70	3. Moderately weakened
		51	4. Severely weakened
		10	5. Completely paralyzed
		2	8. Not ascertained
		5	9. DK or refused
588	d		LEFT CALF/ANKLE AND FOOT
		350	1. Not weakened
		76	2. Mildly weakened
		68	3. Moderately weakened
		54	4. Severely weakened
		11	5. Completely paralyzed
		2	8. Not ascertained
		5	9. DK or refused
589	e		RIGHT SHOULDER/UPPER ARM
		415	1. Not weakened
		59	2. Mildly weakened
		50	3. Moderately weakened
		29	4. Severely weakened
		5	5. Completely paralyzed
		2	8. Not ascertained
		6	9. DK or refused
590	f		RIGHT FOREARM/WRIST AND HAND
		427	1. Not weakened
		63	2. Mildly weakened
		46	3. Moderately weakened
		19	4. Severely weakened
		4	5. Completely paralyzed
		2	8. Not ascertained
		5	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(585-597)	(41a-m)		WEAKNESS AT THE PRESENT TIME: - Continued
591	g		LEFT SHOULDER/UPPER ARM AND ELBOW
		424	1. Not weakened
		56	2. Mildly weakened
		50	3. Moderately weakened
		29	4. Severely weakened
		1	5. Completely paralyzed
		2	8. Not ascertained
		4	9. DK or refused
592	h		LEFT FOREARM/WRIST AND HAND
		428	1. Not weakened
		60	2. Mildly weakened
		46	3. Moderately weakened
		25	4. Severely weakened
		1	5. Completely paralyzed
		2	8. Not ascertained
		4	9. DK or refused
593	i		BREATHING MUSCLES
		471	1. Not weakened
		40	2. Mildly weakened
		28	3. Moderately weakened
		14	4. Severely weakened
		0	5. Completely paralyzed
		2	8. Not ascertained
		11	9. DK or refused
594	j		SWALLOWING MUSCLES
		492	1. Not weakened
		41	2. Mildly weakened
		21	3. Moderately weakened
		5	4. Severely weakened
		0	5. Completely paralyzed
		2	8. Not ascertained
		5	9. DK or refused



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(585-597)	(41a-m)		WEAKNESS AT THE PRESENT TIME: - Continued
595	k		FACE MUSCLES
		515	1. Not weakened
		30	2. Mildly weakened
		12	3. Moderately weakened
		1	4. Severely weakened
		0	5. Completely paralyzed
		3	8. Not ascertained
		5	9. DK or refused
596	l		BACK MUSCLES
		367	1. Not weakened
		66	2. Mildly weakened
		74	3. Moderately weakened
		49	4. Severely weakened
		0	5. Completely paralyzed
		2	8. Not ascertained
		8	9. DK or refused
597	m		STOMACH MUSCLES
		451	1. Not weakened
		44	2. Mildly weakened
		39	3. Moderately weakened
		19	4. Severely weakened
		1	5. Completely paralyzed
		2	8. Not ascertained
		10	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
598	42		THE FARTHEST COULD WALK AT PRESENT WITHOUT USING ASSISTIVE DEVICES AND WITHOUT STOPPING
		48	1. Cannot walk at all
		71	2. Walk across a room
		60	3. Walk up and down the street
		66	4. Walk around the block
		318	5. Walk a mile or more
		1	8. Not ascertained
		2	9. DK or refused
599	43		HOW WELL CAN YOU CLIMB STAIRS
		266	1. Easily without a railing
		229	2. By using a railing
		61	3. Cannot climb stairs
		1	8. Not ascertained
		9	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(600-613)	(44a-n)		NOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES:
600	a		CANE(S)
		89	1. Yes
		473	2. No
		3	8. Not ascertained
		1	9. DK or refused
601	b		CRUTCH(ES)
		26	1. Yes
		534	2. No
		5	8. Not ascertained
		1	9. DK or refused
602	c		WALKER
		27	1. Yes
		533	2. No
		5	8. Not ascertained
		1	9. DK or refused
603	d		WHEELCHAIR/ELECTRIC CART
		49	1. Yes
		511	2. No
		5	8. Not ascertained
		1	9. DK or refused
604	e		LEFT LEG BRACE
		27	1. Yes
		532	2. No
		6	8. Not ascertained
		1	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(600-613)	(44a-n)		NOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES: - Continued
605	f		RIGHT LEG BRACE
		28	1. Yes
		532	2. No
		4	8. Not ascertained
		2	9. DK or refused
606	g		LEFT ARM SPLINT/BRACE
		5	1. Yes
		555	2. No
		5	8. Not ascertained
		1	9. DK or refused
607	h		LEFT HAND SPLINT/BRACE
		4	1. Yes
		555	2. No
		6	8. Not ascertained
		1	9. DK or refused
608	i		RIGHT ARM SPLINT/BRACE
		4	1. Yes
		556	2. No
		5	8. Not ascertained
		1	9. DK or refused
609	j		RIGHT HAND SPLINT/BRACE
		5	1. Yes
		555	2. No
		5	8. Not ascertained
		1	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(600-613)	(44a-n)		HOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES: - Continued
610	k		BREATHING AIDS
		18	1. Yes
		541	2. No
		6	8. Not ascertained
		1	9. DK or refused
611	l		BACK BRACE/CORSET
		27	1. Yes
		532	2. No
		6	8. Not ascertained
		1	9. DK or refused
612	m		SPECIAL SHOE(S) OR SHOE LIFTS
		53	1. Yes
		508	2. No
		3	8. Not ascertained
		2	9. DK or refused
613	n		ANOTHER TYPE OF DEVICE
		19	1. Yes
		534	2. No
		12	8. Not ascertained
		1	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
614	45		HOW EASILY GOT TIRED WHILE PERFORMING DAILY ACTIVITIES PAST FEW WEEKS
		94	1. Very easily during day, requiring five or more rest periods
		85	2. Easily during day, requiring two to four rest periods
		112	3. Slowly, requiring one rest period
		258	4. Only after exercise or before bedtime
		6	8. Not ascertained
		11	9. DK or refused
615	46		PERCEPTION OF HEALTH AT PRESENT TIME
		43	1. Improving
		147	2. Declining
		371	3. About the same
		3	8. Not ascertained
		2	9. DK or refused
616	47		WHAT DO YOU THINK IS MAIN CAUSE OF DECLINE
		51	1. Aging
		5	2. Sedentary lifestyle
		10	3. Return of old problems/conditions
		18	4. New chronic conditions
		13	5. Other new illness
		31	6. Late effects of polio
		8	7. Other
		1	8. Not ascertained
		10	9. DK or refused
		419	Blank. NA; feels general health is improving/about the same/unknown

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
617	48		WHICH STATEMENT BEST DESCRIBES YOUR FEELING ABOUT YOUR PHYSICAL CONDITION
		1	0. Proxy
		4	1. I do not feel disabled
		4	2. Disabled for first time in life
		18	3. Now feel like have a second disability
		3	4. None of the above
		0	8. Not ascertained
		1	9. DK or refused
		535	Blank. NA; feels general health is improving/about the same/ unknown; DK/other conditions caused decline in health
618	49		HAS EARLIER POLIO EXPERIENCE PREPARED YOU FOR NEW DECLINE
		10	1. Not at all
		9	2. Somewhat
		8	3. A lot
		0	8. Not ascertained
		3	9. DK or refused
		536	Blank. NA; feels general health is improving/about the same/ unknown; DK/other conditions caused decline in health; proxy respondent
619	50a		DOCTOR EVER SAID YOU HAD DIABETES
		52	1. Yes
		509	2. No
		4	8. Not ascertained
		1	9. DK or refused
620	51a		CURRENTLY TAKING MEDICATION FOR DIABETES
		38	1. Yes
		14	2. No
		0	4. None of the above
		0	8. Not ascertained
		0	9. DK or refused
		514	Blank. NA; No/DK if currently taking medication for diabetes

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
621	50b		DOCTOR EVER SAID YOU HAD EMPHYSEMA
		18	1. Yes
		544	2. No
		4	8. Not ascertained
		0	9. DK or refused
622	51b		CURRENTLY TAKING MEDICATION FOR EMPHYSEMA
		8	1. Yes
		10	2. No
		0	8. Not ascertained
		0	9. DK or refused
		548	Blank. NA; No/DK if currently taking medication for emphysema
623	50c		DOCTOR EVER SAID YOU HAD CHRONIC BRONCHITIS
		61	1. Yes
		501	2. No
		4	8. Not ascertained
		0	9. DK or refused
624	51c		CURRENTLY TAKING MEDICATION FOR CHRONIC BRONCHITIS
		21	1. Yes
		39	2. No
		1	8. Not ascertained
		0	9. DK or refused
		505	Blank. NA; No/DK if currently taking medication for chronic bronchitis



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
625	50d		DOCTOR EVER SAID YOU HAD ASTHMA
		62	1. Yes
		499	2. No
		5	8. Not ascertained
		0	9. DK or refused
626	51d		CURRENTLY TAKING MEDICATION FOR ASTHMA
		32	1. Yes
		29	2. No
		1	8. Not ascertained
		0	9. DK or refused
		504	Blank. NA; No/DK if currently taking medication for asthma
627	50e		DOCTOR EVER SAID YOU HAD HEART PROBLEMS
		125	1. Yes
		436	2. No
		4	8. Not ascertained
		1	9. DK or refused
628	51e		CURRENTLY TAKING MEDICATION FOR HEART PROBLEMS
		71	1. Yes
		50	2. No
		4	8. Not ascertained
		0	9. DK or refused
		441	Blank. NA; No/DK if currently taking medication for heart problems

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
629	50f		DOCTOR EVER SAID YOU HAD CIRCULATION PROBLEMS IN YOUR ARMS OR LEGS
		133	1. Yes
		426	2. No
		4	8. Not ascertained
		3	9. DK or refused
630	51f		CURRENTLY TAKING MEDICATION FOR CIRCULATION PROBLEMS
		40	1. Yes
		85	2. No
		4	8. Not ascertained
		4	9. DK or refused
		433	Blank. NA; No/DK if currently taking medication for circulation problems
631	50g		DOCTOR EVER SAID YOU HAD HYPERTENSION
		184	1. Yes
		377	2. No
		4	8. Not ascertained
		1	9. DK or refused
632	51g		CURRENTLY TAKING MEDICATION FOR HYPERTENSION
		148	1. Yes
		34	2. No
		2	8. Not ascertained
		0	9. DK or refused
		382	Blank. NA; No/DK if currently taking medication for hypertension

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
633	50h		DOCTOR EVER SAID YOU HAD A STROKE
		29	1. Yes
		532	2. No
		4	8. Not ascertained
		1	9. DK or refused
634	51h		CURRENTLY TAKING MEDICATION FOR STROKE
		12	1. Yes
		15	2. No
		2	8. Not ascertained
		0	9. DK or refused
		537	Blank. NA; No/DK if currently taking medication for stroke
635	50i		DOCTOR EVER SAID YOU HAD STOMACH ULCERS
		76	1. Yes
		482	2. No
		5	8. Not ascertained
		3	9. DK or refused
636	51i		CURRENTLY TAKING MEDICATION FOR STOMACH ULCERS
		31	1. Yes
		45	2. No
		0	8. Not ascertained
		0	9. DK or refused
		490	Blank. NA; No/DK if currently taking medication for stomach ulcers

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
637	50j		DOCTOR EVER SAID YOU HAD GALLBLADDER PROBLEMS
		62	1. Yes
		500	2. No
		4	8. Not ascertained
		0	9. DK or refused
638	51j		CURRENTLY TAKING MEDICATION FOR GALLBLADDER PROBLEMS
		5	1. Yes
		56	2. No
		1	8. Not ascertained
		0	9. DK or refused
		504	Blank. NA; No/DK if currently taking medication for gallbladder problems
639	50k		DOCTOR EVER SAID YOU HAD URINARY TRACT PROBLEMS
		82	1. Yes
		476	2. No
		4	8. Not ascertained
		4	9. DK or refused
640	51k		CURRENTLY TAKING MEDICATION FOR URINARY TRACT PROBLEMS
		18	1. Yes
		62	2. No
		2	8. Not ascertained
		0	9. DK or refused
		484	Blank. NA; No/DK if currently taking medication for urinary tract problems

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
641	501		DOCTOR EVER SAID YOU HAD KIDNEY STONES
		34	1. Yes
		528	2. No
		4	8. Not ascertained
		0	9. DK or refused
642	511		CURRENTLY TAKING MEDICATION FOR KIDNEY STONES
		2	1. Yes
		32	2. No
		0	8. Not ascertained
		0	9. DK or refused
		532	Blank. NA; No/DK if currently taking medication for kidney stones
643	50m		DOCTOR EVER SAID YOU HAD ARTHRITIS
		253	1. Yes
		305	2. No
		4	8. Not ascertained
		4	9. DK or refused
644	51m		CURRENTLY TAKING MEDICATION FOR ARTHRITIS
		111	1. Yes
		132	2. No
		8	8. Not ascertained
		2	9. DK or refused
		313	Blank. NA; No/DK if currently taking medication for arthritis

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
645	50n		DOCTOR EVER SAID YOU HAD ANY OTHER JOINT PROBLEMS
		124	1. Yes
		437	2. No
		4	8. Not ascertained
		1	9. DK or refused
646	51n		CURRENTLY TAKING MEDICATION FOR OTHER JOINT PROBLEMS
		45	1. Yes
		76	2. No
		3	8. Not ascertained
		0	9. DK or refused
		442	Blank. NA; No/DK if currently taking medication for other joint problems
647	50o		DOCTOR EVER SAID YOU HAD CANCER OR LEUKEMIA
		55	1. Yes
		506	2. No
		4	8. Not ascertained
		1	9. DK or refused
648	51o		CURRENTLY TAKING MEDICATION FOR CANCER OR LEUKEMIA
		4	1. Yes
		50	2. No
		1	8. Not ascertained
		0	9. DK or refused
		511	Blank. NA; No/DK if currently taking medication for leukemia

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
649	50p		DOCTOR EVER SAID YOU HAD A NERVE OR MUSCLE DISORDER OTHER THAN POLIO
		75	1. Yes
		482	2. No
		5	8. Not ascertained
		4	9. DK or refused
650	51p		CURRENTLY TAKING MEDICATION FOR A NERVE OR MUSCLE DISORDER
		31	1. Yes
		43	2. No
		1	8. Not ascertained
		0	9. DK or refused
		491	Blank. NA; No/DK if currently taking medication for a nerve or muscle disorder
651	50q		DOCTOR EVER SAID YOU HAD A SLEEP DISORDER
		63	1. Yes
		499	2. No
		4	8. Not ascertained
		0	9. DK or refused
652	51q		CURRENTLY TAKING MEDICATION FOR A SLEEP DISORDER
		24	1. Yes
		36	2. No
		2	8. Not ascertained
		1	9. DK or refused
		503	Blank. NA; No/DK if currently taking medication for a sleep disorder

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
653	50r		DOCTOR EVER SAID YOU HAD PROSTATE PROBLEMS
		32	1. Yes
		204	2. No
		6	8. Not ascertained
		0	9. DK or refused
		324	Blank. NA; female
654	51r		CURRENTLY TAKING MEDICATION FOR PROSTATE PROBLEMS
		4	1. Yes
		27	2. No
		0	8. Not ascertained
		1	9. DK or refused
		534	Blank. NA; female, No/DK if currently taking medication for prostate problems
655	52		DOCTOR EVER SAID YOU SUFFERED FROM POST-POLIO SYNDROME
		64	1. Yes
		490	2. No
		4	8. Not ascertained
		8	9. DK or refused



1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
656	53		DO YOU THINK YOU HAVE POST-POLIO SYNDROME
		133	1. Yes
		355	2. No
		3	8. Not ascertained
		75	9. DK or refused
(657-666)	(54a-j)		STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK:
657	a		CAN MAKE OF MY LIFE PRETTY MUCH WHAT I WANT TO
		20	0. Proxy respondent
		28	1. Not true
		114	2. Somewhat true
		394	3. Very true
		8	8. Not ascertained
		2	9. DK or refused
658	b		ONCE I DECIDE TO DO SOMETHING, I COMPLETE THE JOB
		20	0. Proxy respondent
		21	1. Not true
		115	2. Somewhat true
		396	3. Very true
		9	8. Not ascertained
		5	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(657-666)	(54a-j)		STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued
659	c		I DON'T LET PERSONAL FEELINGS INTERFERE WITH GETTING JOB DONE
		20	0. Proxy respondent
		37	1. Not true
		137	2. Somewhat true
		352	3. Very true
		9	8. Not ascertained
		11	9. DK or refused
660	d		IMPORTANT TO DO THINGS IN WAY I WANT RATHER THAN WAY OTHER PEOPLE WANT THEM TO BE DONE
		20	0. Proxy respondent
		62	1. Not true
		169	2. Somewhat true
		292	3. Very true
		10	8. Not ascertained
		13	9. DK or refused
661	e		SOMETIMES FEEL THAT HAVE TO DO THINGS MYSELF FOR THEM TO BE DONE RIGHT
		20	0. Proxy respondent
		87	1. Not true
		190	2. Somewhat true
		250	3. Very true
		11	8. Not ascertained
		8	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(657-666)	(54a-j)		STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued
662	f		LIKE DOING THINGS THAT OTHERS SAID COULD NOT BE DONE
		20	0. Proxy respondent
		87	1. Not true
		163	2. Somewhat true
		268	3. Very true
		10	8. Not ascertained
		18	9. DK or refused
663	g		STAND UP FOR THINGS I BELIEVE IN REGARDLESS OF CONSEQUENCES
		20	0. Proxy respondent
		31	1. Not true
		132	2. Somewhat true
		361	3. Very true
		11	8. Not ascertained
		11	9. DK or refused
664	k		HARD WORK IS BEST WAY FOR YOUNG PERSON TO GET AHEAD IN LIFE
		20	0. Proxy respondent
		18	1. Not true
		113	2. Somewhat true
		396	3. Very true
		10	8. Not ascertained
		9	9. DK or refused
665	i		PEOPLE HAVE MADE FUN OF ME BECAUSE OF PHYSICAL EFFECTS OF POLIO
		20	0. Proxy respondent
		364	1. Not true
		80	2. Somewhat true
		84	3. Very true
		11	8. Not ascertained
		7	9. DK or refused

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Tape Locations	Item No.	Frequency	Items and Codes
(657-666)	(54a-j)		STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued
666	j		BEEN DISCRIMINATED AGAINST BECAUSE OF PHYSICAL EFFECTS OF POLIO
		20	0. Proxy respondent
		440	1. Not true
		38	2. Somewhat true
		42	3. Very true
		12	8. Not ascertained
		14	9. DK or refused
667	55		HOW SATISFIED ARE YOU WITH YOUR LIFE TODAY-GRADED ON A SCALE OF "1"- "7"
		20	0. Proxy respondent
		165	1. Very Satisfied
		117	2.
		83	3.
		52	4. To
		44	5.
		30	6.
		44	7. Very Unsatisfied
		10	8. Not ascertained
		1	9. DK or refused
668-670	-	-	BLANK

APPENDIX 1  
Variance Estimation for Person Data Using Sudaan and the  
National Health Interview Survey (NHIS)  
Disability Phase II Polio Public Use Data File, 1994 - 1995

The Disability Phase II Polio Public Use Data File should be considered as a special database whose analytic potential is somewhat more limited than that of other NHIS produced databases. Like the traditional 1994 or 1995 NHIS databases, this file has the capability of producing national level estimates for the polio-survivor population. For a discussion of the weighting and suggested estimation procedures for this database see the basic cover documentation for the Polio file. Please note that the design information provided for variance estimation is structured quite differently from that which appears on the traditional databases. The data user should be aware of two features.

i. Only the 566 polio survivors are represented in the database. Because of the very sparse distribution of the target domain within the original PSUs, the original 1994 and 1995 strata were collapsed within year by stratum characteristics, and then the original PSUs were randomly combined with those belonging to other matched strata. This collapsing and combining was done independently of the sample NHIS. For variance estimation we have 90 collapsed strata, each having 2 combined PSUs. On the average, one should expect the variance estimators to be somewhat conservative. Furthermore, the two years of data were originally combined to improve reliability. Many separate year estimates will not achieve acceptable reliability, and the one-year standard errors will be unstable. Single-year analyses are discouraged.

ii. This database is special in that the weights and several design identifiers are not consistent with other existing 1994 or 1995 databases. This data should not be linked with other databases. The NCHS' policy on disclosure for survey respondents precludes the release of any additional design information for the target population.

Method for computing Variances

1. The following four design variables should be read into your working file.

Variable Name	Tape Location	Field Label
YEAR	3-4	'PROCESSING YEAR'
STRAT_P	345-348	'POLIO STRATUM'
PSU_P	349	'POLIO PSU'
WTF	201-206	'FINAL ANNUAL BASIC WEIGHT'

2. There are two equivalent SUDAAN representations for the design structure.

```
PROC NAME      ....      DESIGN = WR      ;  
  
NEST   YEAR   STRAT_P   PSU_P   /PSULEV=3   ;  
  
WEIGHT      WTF;
```

(the PSULEV = 3 tells SUDAAN that PSU\_P is in the third position - usually it expects PSU to be in the second position on the nest statement)

(the data must first be sorted by YEAR STRAT\_P PSU\_P ).

Or

first recode YEAR and STRAT\_P to

```
STRAT_PR = 100*YEAR + STRAT_P ;
```

then use

```
PROC NAME      ....      DESIGN = WR      ;  
  
NEST   STRAT_PR   PSU_P ;  
  
WEIGHT      WTF;
```

(the data must first be sorted by STRAT\_PR PSU\_P )

Note, the latter recoded design has just two levels and can be used with non-SUDAAN software.

## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Industry Title	SIC Code*
01	01	AGRICULTURE	01-02,071-072,074-076,078
02	01	FORESTRY AND FISHERIES	08-09
10	02	MINING	10,12-14
20	03	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	MANUFACTURING:	
(30-34)		NONDURABLE GOODS	
30	04	Food and kindred products	201-209
31	04	Textile mill and finished textile products	221-229,231-239
32	04	Printing, publishing and allied industries	271-279
33	04	Chemicals and allied products	281-287,289
34	04	Other nondurable goods	21,261-263,265,267,291,295,299,301-306,308,311,313-317,319

\*Standard Industrial Classification

## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Industry Title	SIC Code*
(30-34, 40-46)	(04)	MANUFACTURING: - continued	
(40-46)		DURABLE GOODS	
40	04	Furniture, lumber and wood	241-245,249,25
41	04	Primary metal industries	331-332,334,3331, 3334,3339,3351, 3353-3357,3363- 3366,3369,339
42	04	Fabricated metal industries, including ordnance	341-349
43	04	Machinery, except electrical	351-359
44	04	Electrical machinery, equipment and supplies	361-367,369
45	04	Transportation equipment	371-376,379
46	04	Other and not specified durable goods	321-329,381-382, 384-387,39

\*Standard Industrial Classification



## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Industry Title	SIC Code*
(50-54)	(05)	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	
50	05	Railroads	40
51	05	Trucking service and warehousing	421-423
52	05	Other transportation	41,43-47
53	05	Communications	481-484,489
54	05	Utilities and sanitary	491-497
60	06	WHOLESALE TRADE	501-509,511-519

\*Standard Industrial Classification

## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Industry Title	SIC Code*
Chrs.	Chrs.		
80-81	82-83		
(61-65)	(07)	RETAIL TRADE	
61	07	General merchandise stores	531,533,539
62	07	Food, bakery and dairy stores	541-546,549
63	07	Automotive dealers and gasoline stations	551-557,559
64	07	Eating and drinking places	58
65	07	Other and not specified retail trade	521,523,525-527,56,571-572,5731,5734-5736,591-594,5961-5963,598,5992-5995,5999
(70-71)	(08)	FINANCE, INSURANCE, AND REAL ESTATE	
70	08	Banking and credit agencies	60-61
71	08	Insurance, real estate, and other finance	62-65,67

\*Standard Industrial Classification

## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Industry Title	SIC Code*
Chrs.	Chrs.		
80-81	82-83		
(75-85)	(09-12)	SERVICES:	
(75-76)	(09)	BUSINESS AND REPAIR SERVICES	
75	09	Business services	731-738, 751, 752, 7542
76	09	Repair services	753, 7549, 762-764, 7692, 7694, 7699
(77-78)	(10)	PERSONAL SERVICES	
77	10	Private households	88
78	10	Other personal services	701-704, 721-726, 729
79	11	ENTERTAINMENT AND RECREATION SERVICES	781-784, 791-794, 799
(80-85)	(12)	PROFESSIONAL AND RELATED SERVICES	
80	12	Hospitals	806
81	12	Health services, except hospitals	801-803, 8041-8043, 8049, 805, 807-809
82	12	Elementary and secondary schools and colleges	821-822
83	12	Other educational services	823-824, 829
84	12	Social services, religious and membership organizations	832-833, 835-836, 839, 84, 861-866, 869
85	12	Legal, engineering and other professional services	81, 871-874, 899

\*Standard Industrial Classification

## APPENDIX B

## INDUSTRY RECODES OUTLINE

Revised in 1995

Recodes			
No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Industry Title	SIC Code*
90	13	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	UNKNOWN INDUSTRY (Includes never worked)	-
96	14	REFUSED, CLASSIFIED, ETC.	
97	15	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).	
98	16	ARMED FORCES (excludes Reserves and National Guard)	

\*Standard Industrial Classification

## APPENDIX B

## INDUSTRY RECODE TITLES

---

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	UNKNOWN (includes never worked, refused, classified, etc.)	95-96
15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98

---

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs. 87-88	Chrs. 89-90		
(01-03)	(01)	EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	-
01	01	Officials and administrators, public administration	111-113
02	01	Managers and administrators, except public administration	121-128,131- 1344,1351- 1354,1359, 136-139
03	01	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472- 1473,149

\*Standard Occupational Classification

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
(04-11)	(02)	PROFESSIONAL SPECIALTY OCCUPATIONS	-
04	02	Engineers	1622-1628,1632- 1637,1639
05	02	Architects and surveyors	161,164
06	02	Natural mathematical and computer scientists	171-172,1732- 1733,1739, 1842-1843, 1845-1847,1849, 1852-1855
07	02	Health diagnosing occupations	261-262,27,281, 283,289
08	02	Health assessment and treating occupations	29,301-302, 3031-3034,3039, 304
09	02	Teachers, librarians and Counselors	2212-2218, 2222-2228, 2231-2238, 2242-2247, 2249,231-233, 235,236,239,24, 251,252
10	02	Writers, artists, entertainers and athletes	34,321-329, 331-333,398
11	02	Other professional specialty occupations	1912-1916, 1919,192, 2032-2033, 2042,2049, 211-212

\*Standard Occupational Classification.

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Occupation Title	SOC Code*
(12-13)	(03)	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	-
12	03	Health technologists and technicians	362-366,369
13	03	Technologists, technicians except health	3711-3713,3719, 372-373,382, 3831-3833, 384,389, 392-393,396, 3971-3972, 3974,399, 825
(14-16)	(04)	SALES OCCUPATIONS	-
14	04	Supervisors and proprietors	40
15	04	Sales representatives, commodities and finance	4122-4124, 4152-4153, 421,423-424
16	04	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449

\*Standard Occupational Classification



## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
(17-21)	(05)	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	-
17	05	Computer equipment operators	4612-4613
18	05	Secretaries, stenographers and typists	4622-4624
19	05	Financial records processing occupations	4712-4713, 4715-4716, 4718
20	05	Mail and message distributing	4742-4745
21	05	Other administrative support	4511-4514,4516, 4519,4521-4529, 463,4642-4645, 4649,4662-4664, 4692,4694,4696, 4699,4722-4723, 4729,4732-4733, 4739,4751-4759, 4782-4784,4786- 4787,4791-4795, 4799
22	06	Private household occupations	502-507,509

\*Standard Occupational Classification.

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
(23-24)	(07)	PROTECTIVE SERVICE OCCUPATIONS	
23	07	Police and firefighters	5111-5112, 5122-5123, 5132-5134
24	07	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	08	Food service	5211-5219
26	08	Health service	5232-5233,5236
27	08	Cleaning and building service	5241-5242, 5244-5246,5249
28	08	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	FARMING, FORESTRY AND FISHING OCCUPATIONS	
29	09	Farm operators and managers	5512-5515,5522- 5525
30	09	Farm workers and other agricultural workers	5611-5619, 5621-5622, 5624-5625,5627
31	09	Forestry and fishing occupations	571-573,579, 583-584,8241(pt.)

\*Standard Occupational Classification.

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
(32-34)	(10)	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	Construction and extractive trades	6311-6316,6318, 632,6412- 6414(pt.),6422, 6424,6432-6433, 6442-6444,645, 6462-6468,6472- 6476,6479,652- 654,656
34	10	Precision production occupations	67,71, 6811-6814, 6816-6817, 6821-6824, 6829,6831-6832, 6835,6839,6844, 6852-6854,6856, 6859,6861-6862, 6864-6867,6869, 6871-6873,6879, 6881-6882,691- 696,7477(pt.), 7668,7677(pt.), 7752,828

\*Standard Occupational Classification

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
		OPERATORS, FABRICATORS AND LABORERS	
(35-36)	(11)	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478,7479, 7512-7519,7522, 7529,7539,7542- 7544,7549,7631- 7636,7639,7642- 7644,7649,7651- 7652,7654-7659, 7661-7667,7669, 7671-7676, 7677(pt.), 7678-7679
36	11	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 72,774,7753- 7759,782-785,787

\*Standard Occupational Classification

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs.	Chrs.		
87-88	89-90		
(37-39)	(12)	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	
37	12	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	Material moving equipment operators	812,8312-8319
(40-41)	(13)	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	
40	13	Construction laborers	871
41	13	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769

\*Standard Occupational Classification

## APPENDIX C

## OCCUPATION RECODE OUTLINE

Revised in 1995

Recodes			
No. 1	No. 2	Occupation Title	SOC Code*
Chrs. 87-88	Chrs. 89-90		
95	14	UNKNOWN OCCUPATION (Includes never worked)	
96	14	REFUSED, CLASSIFIED, ETC.	
97	15	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	MILITARY	

\*Standard Occupational Classification

## APPENDIX C

## OCCUPATION RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS	
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS	
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13
04	SALES OCCUPATIONS	14-16
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21
	SERVICE OCCUPATIONS	
06	PRIVATE HOUSEHOLD OCCUPATIONS	22
07	PROTECTIVE SERVICE OCCUPATIONS	23-24
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34
	OPERATORS, FABRICATORS AND LABORERS	
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41
14	UNKNOWN OCCUPATION (includes never worked, refused, classified, etc.)	95-96
15	NOT IN LABOR FORCE	97
16	MILITARY	98