

**Continuous variables in the frequency
 Report only show the range of valid numbers**

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
38 Functioning and Disability	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	3160	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	3160	100.00

IDN.000_04.000: Household Number

HHX	Frequency	Percent
Range of Values	3160	100.00

IDN.000_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	3160	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	3160	100.00

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Thursday, June 1, 2017
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2903	91.87
02 Second injury or poisoning	200	6.33
03 Third injury or poisoning	39	1.23
04 Fourth injury or poisoning	11	0.35
05 Fifth injury or poisoning	6	0.19
06 Sixth injury or poisoning	1	0.03
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	3160	100.00

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	267	8.45
02 February	239	7.56
03 March	248	7.85
04 April	253	8.01
05 May	275	8.70
06 June	265	8.39
07 July	294	9.30
08 August	255	8.07
09 September	281	8.89
10 October	282	8.92
11 November	220	6.96
12 December	220	6.96
97 Refused	5	0.16
98 Not ascertained	0	0.00
99 Don't know	56	1.77

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	3092	99.94
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	2	0.06

Frequency Missing = 66

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	27	48.21
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	29	51.79

Frequency Missing = 3104

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	1	1.79
2 Weeks	1	1.79
3 Months	24	42.86
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	30	53.57

Frequency Missing = 3104

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	244	33.80
2 Middle	276	38.23
3 End	134	18.56
7 Refused	1	0.14
8 Not ascertained	0	0.00
9 Don't know	67	9.28

Frequency Missing = 2438

FIJ.052_00.000: Time between the date of injury/poisoning episode and questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of injury/poisoning episode and questions were asked

Frequency	Percent
2371	75.03
44	1.39
226	7.15
458	14.49
61	1.93

FIJ.052_02.000: Days between the date of injury/poisoning episode and questions were asked

RPD	Frequency	Percent
000-999 0-999 days	3160	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
3160	100.00

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent

3160	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent

1 Month, day, and year	2371	75.03
2 Month, beginning of month, and year	244	7.72
3 Month, middle of month, and year	276	8.73
4 Month, end of month, and year	134	4.24
5 Month and year	67	2.12
6 Elapsed time in days	1	0.03
7 Elapsed time in weeks	1	0.03
8 Elapsed time in months	24	0.76
9 No information	42	1.33

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent

0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	2371	75.03
1 Imputed day based on reported beginning, middle, or end of month	654	20.70
2 Imputed day of the month (no day of month information reported)	67	2.12
3 No imputation necessary (elapsed time reported in days)	1	0.03
4 Imputed time interval based on elapsed time reported in weeks	1	0.03
5 Imputed time interval based on elapsed time reported in months	24	0.76
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	42	1.33

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	275	8.70
02 February	244	7.72
03 March	251	7.94
04 April	260	8.23
05 May	278	8.80
06 June	270	8.54
07 July	300	9.49
08 August	261	8.26
09 September	282	8.92
10 October	288	9.11
11 November	224	7.09
12 December	227	7.18

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	3160	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	191	6.04
2 Elapsed time is <= 91 days	2969	93.96

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

- 1 Only the upper boundary of the interval for elapsed time is > 91 days
- 2 Upper and lower boundary of the interval for elapsed time is > 91 days
- 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent
108	3.42
133	4.21
2919	92.37

2016 National Health Interview Survey (NHIS) 7
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	181	5.88
02 On a bike, scooter, skateboard, skates, skis, horse, etc	104	3.38
03 Pedestrian who was struck by a vehicle such as a car or bicycle	17	0.55
04 In a boat, train, or plane	13	0.42
05 Fall	1078	35.01
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	41	1.33
07 Other	1605	52.13
97 Refused	13	0.42
98 Not ascertained	0	0.00
99 Don't know	27	0.88

Frequency Missing = 81

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	265	8.61
02 Back	329	10.69
03 Buttocks	17	0.55
04 Chest	43	1.40
05 Ear	3	0.10
06 Elbow	64	2.08
07 Eye	45	1.46
08 Face	98	3.18
09 Finger/thumb	220	7.15
10 Foot	213	6.92
11 Forearm	106	3.44
12 Groin	13	0.42
13 Hand	128	4.16
14 Head (not face)	199	6.46
15 Hip	77	2.50
16 Jaw	8	0.26
17 Knee	315	10.23
18 Lower leg	132	4.29
19 Mouth	13	0.42
20 Neck	59	1.92
21 Nose	24	0.78
22 Shoulder	161	5.23
23 Stomach	24	0.78
24 Teeth	9	0.29
25 Thigh	41	1.33
26 Toe	73	2.37
27 Upper arm	48	1.56
28 Wrist	117	3.80
29 Other	216	7.02
97 Refused	7	0.23
98 Not ascertained	0	0.00
99 Don't know	12	0.39

Frequency Missing = 81

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2630	85.42
01 Ankle	7	0.23
02 Back	26	0.84
03 Buttocks	3	0.10
04 Chest	16	0.52
05 Ear	1	0.03
06 Elbow	9	0.29
07 Eye	5	0.16
08 Face	14	0.45
09 Finger/thumb	4	0.13
10 Foot	19	0.62
11 Forearm	18	0.58
12 Groin	2	0.06
13 Hand	24	0.78
14 Head (not face)	37	1.20
15 Hip	25	0.81
16 Jaw	0	0.00
17 Knee	41	1.33
18 Lower leg	32	1.04
19 Mouth	3	0.10
20 Neck	33	1.07
21 Nose	4	0.13
22 Shoulder	37	1.20
23 Stomach	2	0.06
24 Teeth	6	0.19
25 Thigh	6	0.19
26 Toe	9	0.29
27 Upper arm	18	0.58
28 Wrist	18	0.58
29 Other	30	0.97
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 81

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2932	95.23
01 Ankle	3	0.10
02 Back	6	0.19
03 Buttocks	2	0.06
04 Chest	6	0.19
05 Ear	1	0.03
06 Elbow	8	0.26
07 Eye	0	0.00
08 Face	7	0.23
09 Finger/thumb	2	0.06
10 Foot	1	0.03
11 Forearm	4	0.13
12 Groin	2	0.06
13 Hand	5	0.16
14 Head (not face)	12	0.39
15 Hip	9	0.29
16 Jaw	2	0.06
17 Knee	11	0.36
18 Lower leg	15	0.49
19 Mouth	0	0.00
20 Neck	11	0.36
21 Nose	4	0.13
22 Shoulder	10	0.32
23 Stomach	1	0.03
24 Teeth	0	0.00
25 Thigh	5	0.16
26 Toe	2	0.06
27 Upper arm	6	0.19
28 Wrist	4	0.13
29 Other	8	0.26
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 81

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	3020	98.08
01 Ankle	0	0.00
02 Back	4	0.13
03 Buttocks	1	0.03
04 Chest	2	0.06
05 Ear	0	0.00
06 Elbow	1	0.03
07 Eye	0	0.00
08 Face	3	0.10
09 Finger/thumb	0	0.00
10 Foot	1	0.03
11 Forearm	0	0.00
12 Groin	0	0.00
13 Hand	1	0.03
14 Head (not face)	2	0.06
15 Hip	1	0.03
16 Jaw	0	0.00
17 Knee	6	0.19
18 Lower leg	6	0.19
19 Mouth	1	0.03
20 Neck	7	0.23
21 Nose	1	0.03
22 Shoulder	6	0.19
23 Stomach	4	0.13
24 Teeth	1	0.03
25 Thigh	1	0.03
26 Toe	1	0.03
27 Upper arm	5	0.16
28 Wrist	2	0.06
29 Other	2	0.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 81

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	572	18.69
02 Sprain, strain, or twist	934	30.52
03 Cut	412	13.46
04 Scrape	83	2.71
05 Bruise	351	11.47
06 Burn	45	1.47
07 Insect bite	59	1.93
08 Animal bite	29	0.95
09 Other	567	18.53
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	7	0.23

Frequency Missing = 100

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2850	93.14
01 Broken bone or fracture	7	0.23
02 Sprain, strain, or twist	24	0.78
03 Cut	17	0.56
04 Scrape	25	0.82
05 Bruise	88	2.88
06 Burn	2	0.07
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	47	1.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 100

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	41	9.13
02 Sprain, strain, or twist	140	31.18
03 Cut	30	6.68
04 Scrape	35	7.80
05 Bruise	119	26.50
06 Burn	8	1.78
07 Insect bite	9	2.00
08 Animal bite	1	0.22
09 Other	65	14.48
97 Refused	1	0.22
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2711

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	401	89.31
01 Broken bone or fracture	1	0.22
02 Sprain, strain, or twist	2	0.45
03 Cut	2	0.45
04 Scrape	8	1.78
05 Bruise	24	5.35
06 Burn	1	0.22
07 Insect bite	0	0.00
08 Animal bite	1	0.22
09 Other	9	2.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2711

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	17	11.56
02 Sprain, strain, or twist	43	29.25
03 Cut	6	4.08
04 Scrape	7	4.76
05 Bruise	40	27.21
06 Burn	3	2.04
07 Insect bite	4	2.72
08 Animal bite	1	0.68
09 Other	26	17.69
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3013

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	132	89.80
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	1	0.68
05 Bruise	11	7.48
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	3	2.04
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3013

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	7	11.86
02 Sprain, strain, or twist	22	37.29
03 Cut	0	0.00
04 Scrape	3	5.08
05 Bruise	21	35.59
06 Burn	1	1.69
07 Insect bite	2	3.39
08 Animal bite	0	0.00
09 Other	3	5.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3101

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	52	88.14
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	1.69
03 Cut	0	0.00
04 Scrape	0	0.00
05 Bruise	3	5.08
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	3	5.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 3101

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	26	32.10
2 No	54	66.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	1.23

Frequency Missing = 3079

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	640	20.25
2 No	2516	79.62
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	2	0.06

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1447	45.79
2 No	1708	54.05
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	3	0.09

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2336	73.92
2 No	819	25.92
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	3	0.09

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	1130	35.76
2 No	2022	63.99
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	6	0.19

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	410	12.97
2 No	2746	86.90
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	2	0.06

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	282	8.92
2 No	2875	90.98
7 Refused	2	0.06
8 Not ascertained	0	0.00
9 Don't know	1	0.03

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	272	96.45
95 95+ nights	1	0.35
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	9	3.19

Frequency Missing = 2878

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	204	67.55
2 No	98	32.45
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2858

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

Frequency Missing = 2858

FIJ.110_00.000: Injured as . . .

Frequency	Percent
130	43.05

Frequency Missing

FIJ.110_00.000: Injured as . . .

Frequency	Percent

56	18.54
20	6.62
47	15.56
44	14.57
2	0.66
0	0.00
3	0.99

Frequency Missing
 = 2858

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

Frequency Missing = 2974

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent

112	60.22
45	24.19
2	1.08
4	2.15
13	6.99
5	2.69
0	0.00
1	0.54
4	2.15
0	0.00
0	0.00
0	0.00

Frequency Missing
 = 2974

2016 National Health Interview Survey (NHIS) 19
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	138	85.71
2 No	22	13.66
7 Refused	1	0.62
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2999

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	56	51.38
2 No	53	48.62
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 3051

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	153	14.19
02 Floor or level ground	309	28.66
03 Curb (including sidewalk)	65	6.03
04 Ladder or scaffolding	21	1.95
05 Playground equipment	34	3.15
06 Sports field, court, or rink	80	7.42
07 Building or other structure	24	2.23
08 Chair, bed, sofa, or other furniture	82	7.61
09 Bathtub, shower, toilet, or commode	32	2.97
10 Hole or other opening	19	1.76
11 Other	258	23.93
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.09

Frequency Missing = 2082

2016 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Thursday, June 1, 2017
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	1056	97.96
01 Stairs, steps, or escalator	1	0.09
02 Floor or level ground	0	0.00
03 Curb (including sidewalk)	1	0.09
04 Ladder or scaffolding	0	0.00
05 Playground equipment	1	0.09
06 Sports field, court, or rink	3	0.28
07 Building or other structure	2	0.19
08 Chair, bed, sofa, or other furniture	4	0.37
09 Bathtub, shower, toilet, or commode	1	0.09
10 Hole or other opening	2	0.19
11 Other	7	0.65
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2082

FIJ.131_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

Frequency Missing = 2082

FIJ.131_00.000: Cause of fall

Frequency	Percent
557	51.67
49	4.55
37	3.43
21	1.95
171	15.86
236	21.89
0	0.00
0	0.00
7	0.65

Frequency Missing
 = 2082

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	22
2 Swallowing or touching a harmful solid or liquid substance	8
3 Inhaling harmful gases or vapors	22
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	1
6 Other, please specify	28
7 Refused	0
8 Not ascertained	0
9 Don't know	0

Frequency Missing = 3079

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	27.16
2 Swallowing or touching a harmful solid or liquid substance	9.88
3 Inhaling harmful gases or vapors	27.16
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	1.23
6 Other, please specify	34.57
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 3079

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	167	5.28
02 Working at a paid job	348	11.01
03 Working around the house or yard	480	15.19
04 Attending school	100	3.16
05 Unpaid work (such as volunteer work)	29	0.92
06 Sports and exercise	464	14.68
07 Leisure activity (excluding sports)	566	17.91
08 Sleeping, resting, eating, or drinking	187	5.92
09 Cooking	50	1.58
10 Being cared for (hands-on care from other person)	25	0.79
11 Other	713	22.56
97 Refused	10	0.32
98 Not ascertained	0	0.00
99 Don't know	21	0.66

Episode Public Use File (injpoiep)

FIJ Variables

Thursday, June 1, 2017

Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	3110	98.42
01 Driving or riding in a motor vehicle	1	0.03
02 Working at a paid job	4	0.13
03 Working around the house or yard	2	0.06
04 Attending school	2	0.06
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	11	0.35
07 Leisure activity	7	0.22
08 Sleeping, resting, eating, or drinking	0	0.00
09 Cooking	1	0.03
10 Being cared for (hands on care from other person)	5	0.16
11 Other	17	0.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	1087	34.40
02 Home (outside)	524	16.58
03 School (not residential)	216	6.84
04 Child care center or preschool	12	0.38
05 Residential institution (exclude hospital)	16	0.51
06 Health care facility (include hospital)	44	1.39
07 Street or highway	213	6.74
08 Sidewalk	69	2.18
09 Parking lot	48	1.52
10 Sport facility, athletic field, or playground	254	8.04
11 Shopping center, restaurant, store, bank, gas station, or other place of business	84	2.66
12 Farm	18	0.57
13 Park or recreation area (include bike or jog path)	102	3.23
14 River, lake, stream, or ocean	42	1.33
15 Industrial or construction area	61	1.93
16 Other public building	44	1.39
17 Other	292	9.24
97 Refused	10	0.32
98 Not ascertained	0	0.00
99 Don't know	24	0.76

Episode Public Use File (injpoiep)

FIJ Variables

Thursday, June 1, 2017

Unweighted Frequencies

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	3112	98.48
01 Home (inside)	1	0.03
02 Home (outside)	12	0.38
03 School (not residential)	2	0.06
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	1	0.03
07 Street or highway	3	0.09
08 Sidewalk	8	0.25
09 Parking lot	2	0.06
10 Sport facility, athletic field, or playground	7	0.22
11 Shopping center, restaurant, store, bank, gas station, or other place of business	2	0.06
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	3	0.09
14 River, lake, stream, or ocean	1	0.03
15 Industrial or construction area	1	0.03
16 Other public building	0	0.00
17 Other	5	0.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	1066	38.26
2 Part-time	283	10.16
3 Not employed	1433	51.44
7 Refused	2	0.07
8 Not ascertained	0	0.00
9 Don't know	2	0.07

Frequency Missing = 374

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	720	53.37
2 Less than one day	66	4.89
3 One to five days	316	23.42
4 Six or more days	245	18.16
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.15

Frequency Missing = 1811

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	643	20.92
2 Part-time	69	2.25
3 Not a student	2357	76.70
7 Refused	1	0.03
8 Not ascertained	0	0.00
9 Don't know	3	0.10

Frequency Missing = 87

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	434	60.96
2 Less than one day	59	8.29
3 One to five days	181	25.42
4 Six or more days	37	5.20
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.14

Frequency Missing = 2448