

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Question text	Universe
IMS.0010.00.3	PREGFLUYR_A	Were you pregnant any time ^AUGUSTYEAR?	Female sample adults 18-49 years or age is don't know or refused and who are not currently pregnant or don't know if they are currently pregnant or who are currently pregnant and the interview occurred between April-July.
IMS.0020.00.3	LIVEBIRTH_A	During the past 12 months, did you have a pregnancy that ended in a live birth?	Female sample adults aged 18-49 of age or age is don't know or refused who did not refuse to answer if they are currently pregnant or if they were pregnant in between August and March.
IMS.0050.00.3	FLUPREG_A	Did you get a flu vaccination before or during your current pregnancy?	Female Sample Adults 18-49 (or don't know or refuse their age) who are currently pregnant and received a flu vaccination in the past 12 months and the interview takes place in Jan-March or Aug-Dec.
IMS.0060.00.3	FLUPREG2_A	Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu vaccination before, during, or after your pregnancy?	Female sample adults 18-49 years of age who reported a pregnancy during August-March and received a flu vaccination in the past 12 months.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Question text	Universe
IMS.0090.00.3	SHTSHINGLE_A	Have you had a vaccine for shingles?  <i>* Read if necessary: Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines now available for shingles; Zostavax®, which requires 1 shot, and Shingrix®, a new vaccine which requires 2 shots.</i>	Sample Adult's age is 50 or over
IMS.0100.00.3	ZOSTAVAX_A	There are two vaccines now available for shingles: Zostavax®, which requires one shot, and Shingrix®, a new vaccine which requires 2 shots.  Have you ever had Zostavax®, the shingles vaccine that requires one shot?	Sample adults age 50 or older who ever had a vaccine for shingles
IMS.0110.00.3	ZOSTAVAXYR_A	What year did you get your most recent Zostavax® shot?	Sample Adults age 50 or older who had Zostavax vaccine
IMS.0120.00.3	ZOSTAWHEN_A	Was it before 2018?	Sample Adults aged 50 and older who don't know or refused the year they had a Zostavax vaccination
IMS.0130.00.3	SHINGRIX_A	Have you ever had Shingrix®, the new shingles vaccine which requires 2 shots?	Sample Adults 50+ who had a shingles vaccine
IMS.0140.00.3	SHINGRIXNB_A	How many Shingrix® shots have you ever had?	Sample Adults aged 50 or older who had a Shingrix vaccine
IMS.0150.00.3	SHINGRIXYR_A	What year did you get your most recent Shingrix® shot?	Sample Adults aged 50 or older who had a Shingrix vaccine
IMS.0160.00.3	SHINGWHEN_A	Was it before 2018?	Sample Adults aged 50 and older who had a Shingrix vaccination and don't know or refused the year they had it.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Question text	Universe
IMS.0180.00.3	SHTTETANUS_A	Have you received a tetanus shot in the past 10 years?	Sample Adults 18+ who did not have a Tdap vaccine during a recent pregnancy
IMS.0190.00.3	SHTTDAP_A	There are currently two types of tetanus shots available. One is the Td or tetanus-diphtheria vaccine and the others are called Tdap or Adacel® or Boostrix®. They are similar except the Tdap shot also includes a pertussis (per-TUH-sis) or whooping cough vaccine. Thinking back to your most recent tetanus shot, did your health care provider tell you or did the vaccine information sheet say the vaccine included the pertussis or whooping cough vaccine?	Sample Adults 18+ who had a tetanus shot in the past 10 years
IMS.0200.00.3	SHTHPV_A	HPV is the Human Papillomavirus. Have you ever received an HPV shot or vaccine?	Sample Adults 18-64
IMS.0210.00.3	SHTHPVAGE_A	How old were you when you received your first HPV shot?  * Enter 1 if reported age is 1 or younger.  * Read if necessary: HPV stands for Human Papillomavirus.	Sample Adults 18-64 who had an HPV shot
IMS.0220.00.3	WORKHEALTH_A	In your work or volunteer activities, do you provide direct medical care to patients, such as being a doctor, nurse, dentist, therapist, home health care worker, or emergency responder?	Sample Adults 18+

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCIRD - National Center for Immunization and Respiratory Diseases
- 

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Question text	Universe
IMS.0230.00.3	WRKHLTHFC_A	Even if you do not provide direct medical care to patients, do you do any kind of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or residential care home?	Sample Adults 18+ who do not provide medical care to patients or don't know or refused if they do

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . FDA/CTP - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Question text	Universe
OTB.0010.00.3	CIGAREV_A	<p>Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar EVEN ONE TIME?</p> <p><b>* Read if necessary:</b> <i>"Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and Winchester.</i></p> <p><b>* Read if necessary:</b> <i>Do not include electronic cigars or e-cigars.</i></p>	Sample adults 18+
OTB.0020.00.3	CIGARCUR_A	Do you now smoke regular cigars, cigarillos, or little filtered cigars every day, some days, or not at all?	Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered cigar
OTB.0030.00.3	CIGAR30D_A	On how many of the PAST 30 DAYS have you smoked a regular cigar, cigarillo, or little filtered cigar?	Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered cigar some days or not at all

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . FDA/CTP - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Question text	Universe
OTB.0040.00.3	PIPEEV_A	<p>Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water pipe, or hookah EVEN ONE TIME?</p> <p><b>* Read if necessary:</b> <i>A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-lee) pipe. Do not include electronic hookah or e-hookahs.</i></p> <p><b>* Read if necessary:</b> <i>Do not include electronic pipes or e-pipes.</i></p> <p><b>Read if necessary:</b> <i>Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+
OTB.0050.00.3	PIPECUR_A	<p>Do you now smoke pipes filled with tobacco - either regular pipes, water pipes, or hookahs, every day, some days, or not at all?</p> <p><b>* Read if necessary:</b> <i>Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah filled with tobacco

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . FDA/CTP - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Question text	Universe
OTB.0060.00.3	SMOKESEV_A	Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco.  Have you ever used smokeless tobacco products EVEN ONE TIME?  <i>* Read if necessary: Do not include nicotine replacement therapy products such as patch, gum, lozenge, or spray, which are considered smoking cessation treatments.</i>	Sample adults 18+
OTB.0070.00.3	SMOKELCUR_A	Do you NOW use smokeless tobacco products every day, some days, or not at all?	Sample adults 18+ who have ever used smokeless tobacco products

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NCI - National Cancer Institute
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Question text	Universe
PRV.0070.00.3	COLREASON_A	What was the MAIN reason you had this colonoscopy - was it part of a routine exam, because of a problem, as a follow-up test of an earlier test or screening exam, or some other reason?	Sample Adults 40+ who ever had a colonoscopy or both a colonoscopy and a sigmoidoscopy
PRV.0080.00.3	COLPAY_A	Did you pay none, part, or all of the cost for your most recent colonoscopy?	Sample Adults 40+ who ever had a colonoscopy or both a colonoscopy and a sigmoidoscopy
PRV.0160.00.3	COLOGUARD_A	<p>Cologuard is a new type of stool test for colon cancer. Unlike other stool tests, Cologuard looks for changes in DNA in addition to checking for blood in your stool. The Cologuard test is shipped to your home in a box that includes a container for your stool sample.</p> <p>Have you ever had a Cologuard test?</p>	Sample Adults 40+ who ever had a home FIT test
PRV.0170.00.3	FITCOLG_A	Was the blood stool or FIT test you reported earlier conducted as part of a Cologuard test?	Sample Adults 40+ who ever had a Cologuard
PRV.0180.00.3	CGUARDWHEN_A	When did you have your most recent Cologuard test?	Sample Adults 40+ who ever had a Cologuard as part of the FIT test

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NCI - National Cancer Institute
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Question text	Universe
PRV.0190.00.3	COLPROBLEM_A	In the past 12 MONTHS, did a doctor or other health professional RECOMMEND that you be tested to look for problems in your colon or rectum?	Sample adults 40+ who never had a colonoscopy or had a colonoscopy over 10 years ago, or don't know or refused when they had a colonoscopy, and never had a sigmoidoscopy or had a sigmoidoscopy over 5 years ago, or don't know or refused when they had a sigmoidoscopy, or had a sigmoidoscopy or colonoscopy but don't know which over 5 years ago, and never had a CT colonography or had a CT colonography over 5 years ago, or don't know or refused when they had a CT colonography, and never had a FIT test or had a FIT test over one year ago, or don't know or refused when they had a FIT test and never had a Cologuard test or had a Cologuard test more than 3 years ago, or don't know or refused when they had a Cologuard test

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NCI - National Cancer Institute
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Question text	Universe
PRV.0200.00.3	COLKIND_A	Which tests to check for colon cancer did the doctor or other health professional recommend to you? Possible tests include stool blood or fecal occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.  <b>* Enter all that apply, separate with commas.</b>	Sample Adults 40+ who had another type of colon test recommended
PRV.0210.00.3	PSATEST_A	A PSA test is a blood test to detect prostate cancer. It is also called a prostate-specific antigen test. Have you EVER HAD a PSA test?	Male Sample Adults 40+
PRV.0220.00.3	PSAWHEN_A	About how long has it been since your MOST RECENT PSA test?	Male Sample Adults 40+ who ever had a PSA test
PRV.0230.00.3	PSAREASON_A	What was the MAIN reason you had this PSA test - was it part of a routine exam, because of a problem, or some other reason?	Male Sample Adults 40+ who ever had a PSA test
PRV.0240.00.3	PSASUGGEST_A	Who first suggested this PSA test: you, your doctor, or someone else?	Male Sample Adults 40+ who ever had a PSA test
PRV.0250.00.3	PSA5YR_A	How many PSA tests have you had in the past 5 years?  <b>* Enter 0 for none.</b> <b>* Enter '95' for 95 or more.</b>	Male Sample Adults 40+ who ever had a PSA test
PRV.0260.00.3	PSAADVANT_A	Did a doctor EVER talk with you about the advantages of the PSA test?	Male Sample Adults 40+
PRV.0270.00.3	PSADISADV_A	Did a doctor EVER talk with you about the disadvantages of the PSA test?	Male Sample Adults 40+

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NCI - National Cancer Institute
- . CDC/NCCDPPH - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Question text	Universe
PRV.0300.00.3	CERREASON_A	What was the main reason you had a cervical cancer screening test - was it part of a routine exam, because of a problem, or as a follow-up test of an earlier test or screening exam, or some other reason?	Female Sample Adults 18+ who have ever had a cervical cancer test
PRV.0310.00.3	PAPTEST_A	At your most recent cervical cancer screening, did you have a Pap test?	Female Sample Adults 18+ who ever had a cervical cancer test
PRV.0320.00.3	HPVTEST_A	At your most recent cervical cancer screening, did you have an HPV test?  <i>* Read if necessary: HPV stands for Human Papillomavirus.</i>	Female Sample Adults 18+ who ever had a cervical cancer test
PRV.0330.00.3	CERVICRES_A	In the PAST 5 years, did any of your cervical cancer screening tests require follow-up to check for cancer or precancerous cells?	Female Sample Adults 18+ who had a cervical cancer test within the past 5 years.
PRV.0340.00.3	CERVICNOT_A	What is the MAIN REASON that you have ^never5yearsPAPHPV?  <i>* Do not read choices, select answer category based on respondent's answer.</i>	Female Sample Adults who never had a cervical cancer test or had their last cervical cancer test more than 5 years ago.
PRV.0380.00.3	MAMREASON_A	What was the MAIN reason you had this mammogram -- was it part of a routine exam, because of a problem, or some other reason?	Female Sample Adults 30+ who have ever had a mammogram
PRV.0390.00.3	MAMAGE1ST_A	About how old were you when you had your first mammogram?	Female Sample Adults age 30 or older who ever had a mammogram

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NCI - National Cancer Institute
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Question text	Universe
PRV.0400.00.3	MAMWHY1ST_A	What was the MAIN REASON you had your first mammogram?  * Put response into correct category below.	Female Sample adults 30+ who had their first mammogram under age 50 or don't know or refused to say when they had their first mammogram and are under age 50.
PRV.0410.00.3	BREASTEXAM_A	Have you EVER HAD a breast exam done by a doctor or other health professional to check for lumps or other signs of breast cancer?	Female sample adults 30+
PRV.0420.00.3	BEXAMWHEN_A	About how long has it been since your MOST RECENT breast exam?	Female Sample Adults 30+ who have ever had a breast exam
PRV.0430.00.3	BEXAMREAS_A	What was the MAIN REASON you had this breast exam -- was it part of a routine exam, because of a problem, or some other reason?	Female Sample Adults 30+ who ever had a breast exam



2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NIAMS - National Institute of Arthritis and Musculoskeletal and Skin Diseases
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: ART: Arthritis

Question ID	Variable	Question text	Universe
ART.0010.00.3	JNTSYMP_A	The next questions refer to your joints. Please do NOT include the back or neck.  DURING THE PAST 30 DAYS, have you had any symptoms of pain, aching, or stiffness in or around a joint?	Sample Adults 18+ who reported arthritis or related condition
ART.0020.00.3	JNTPN_A	Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.	Sample Adults 18+ who have had any symptoms of pain, aching, or stiffness in or around a joint during the past 30 days
ART.0030.00.3	ARTHLMT_A	Earlier, you said that a doctor or other health professional had told you that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia (fy-bro-my-AL-jee-uh). Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?	Sample Adults 18+ who reported arthritis or related condition
ART.0040.00.3	ARTHWRK_A	In this next question we are referring to work for pay. Do arthritis or joint symptoms now affect whether you work, the type of work you do, or the amount of work you do?	Sample Adults 18+ who reported arthritis or related condition
ART.0050.00.3	ARTHWT_A	Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?	Sample Adults 18+ who reported arthritis or related condition
ART.0060.00.3	ARTHPH_A	Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms?	Sample Adults 18+ who reported arthritis or related condition

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . NIH/NIDDK - National Institute of Diabetes and Digestive and Kidney Diseases
- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Question text	Universe
DIB.0070.00.3	DIBINSTIME_A	Thinking back to when you were first diagnosed with diabetes, how long was it before you started taking insulin?	Sample Adults 18+ who have diabetes and currently take insulin
DIB.0080.00.3	DIBINSSTOP_A	Since you started taking insulin, have you ever stopped taking it for more than 6 months?	Sample Adults 18+ who have diabetes and are taking insulin
DIB.0090.00.3	DIBINSSTYR_A	Was this only during the first year after you were diagnosed with diabetes?	Sample Adults 18+ who have diabetes, who started taking insulin less than 1 year from when they were diagnosed with diabetes, and who stopped taking insulin for more than 6 months.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0010.00.3	FDSINTRO_A	<p>These next questions are about whether ^youyourfamily_A ^waswere always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days.</p> <p><b>* Enter '1' to continue.</b></p>	<p>Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>
FDS.0020.00.3	FDSRUNOUT_A	<p>The first statement is "^Iwe_A worried whether ^myour_A food would run out before ^Iwe_A got money to buy more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0030.00.3	FDSLAST_A	"The food that ^Iwe_A bought just didn't last, and ^Iwe_A didn't have money to get more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.
FDS.0040.00.3	FDSBALANCE_A	^Iwe_A couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0050.00.3	FDSSKIP_A	In the last 30 days, did ^youorother_A ever cut the size of your meals or skip meals because there wasn't enough money for food?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0060.00.3	FDSSKIPDYS_A	In the last 30 days, how many days did this happen?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent said that they or other adults in their family cut the size of their meals or skipped meals due to cost.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0070.00.3	FDSLESS_A	In the last 30 days, did ^youorother_A ever eat less than you felt you should because there wasn't enough money for food?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0080.00.3	FDSHUNGRY_A	In the last 30 days, were ^youorother_A ever hungry but didn't eat because there wasn't enough money for food?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0090.00.3	FDSWEIGHT_A	In the last 30 days, did ^youorother_A lose weight because there wasn't enough money for food?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0100.00.3	FDSNOTEAT_A	In the last 30 days, did ^youorother_A ever not eat for a whole day because there wasn't enough money for food?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0110.00.3	FDSNEDAYS_A	In the last 30 days, how many days did this happen?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent didn't eat for a whole day in last 30 days because there wasn't enough money for food

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Adult, Section: F00: Food Related Programs

Question ID	Variable	Question text	Universe
FOO.0020.00.3	FSNAP30D_A	<p>Did ^YOUFAMLVHERE_A receive ^FSSNAPNM in the LAST 30 days?</p> <p><i>* Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	<p>Sample Adults 18+ living in families where someone received food stamps in the last 12 months AND Sample Adult and Sample Child are in the same family and the F00 section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample child respondent answered refused or don't know to all questions in the sample child F00 section and the sample child respondent is not the sample adult respondent.</p>

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0010.00.3	FDSINTRO_C	<p>These next questions are about whether you were always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for your family in the last 30 days.</p> <p><a href="#">Enter '1' to continue.</a></p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>
FDS.0020.00.3	FDSRUNOUT_C	<p>The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0030.00.3	FDSLAST_C	"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
FDS.0040.00.3	FDSBALANCE_C	"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0050.00.3	FDSSKIP_C	In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0060.00.3	FDSSKIPDYS_C	In the last 30 days, how many days did this happen?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent respondent answered they skipped meals due to cost

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0070.00.3	FDSLESS_C	In the last 30 days, did ^youorother_C ever eat less than you felt you should because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0080.00.3	FDSHUNGRY_C	In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0090.00.3	FDSWEIGHT_C	In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0100.00.3	FDSNOTEAT_C	In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Question text	Universe
FDS.0110.00.3	FDSNEDAYS_C	In the last 30 days, how many days did this happen?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and adults in the family have ever not eaten for a whole day because there wasn't enough money for food in the last 30 days

2019 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . USDA - United States Department of Agriculture

Module:Child, Section: F00: Food Related Programs

Question ID	Variable	Question text	Universe
FOO.0020.00.3	FSNAP30D_C	<p>Did any family members living here receive ^FSSNAPNM in the LAST 30 days?</p> <p><b>*Read if necessary:</b> <i>This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	<p>Sample Child 0-17 and someone in the family received food stamps in the past 12 months and Sample Adult and Sample Child are in the same family and the Sample Adult F00 section has not been completed OR the Sample Adult and Sample Child are not in the same family OR Sample Adult and Sample Child are in the same family and Sample Adult F00 section was asked to someone other than the Sample Child respondent and this person answered all questions asked in the F00 section with RF or DK.</p>