Variable:	RECTYPE
Module:	General
Section:	IDN : Identifier
File(s):	Adult, Adultinc, Child, Childinc, Paradata
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Record type
Recode:	
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

RECTYPE	Record type		
Code	Description	Frequency	Percent
10	Sample Adult	0	0.00
20	Sample Child	8261	100.00
30	Sample Adult Income	0	0.00
40	Sample Child Income	0	0.00
50	Paradata	0	0.00

Variable:	SRVY_YR
Module:	General
Section:	IDN : Identifier
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	4
Question Text:	
Description:	Year of the National Health Interview Survey
Recode:	
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

SRVY_YR	Year of the National Health Interview Survey		
Code	Description	Frequency	Percent
1963-current	Survey year	8261	100.00
year			

Variable:	ННХ
Module:	General
Section:	IDN : Identifier
File(s):	Adult, Adultinc, Child, Childinc, Paradata
Data Type:	Character
Length:	7
Question Text:	
Description:	Randomly assigned household number unique to a household
Recode:	
Universe:	A11
Universe Description:	All cases
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

ннх	Randomly assigned household number unique to a household		
Code	Description	Frequency	Percent
	Range of values	8261	100.00

Variable:	WTFA_C
Module:	General
Section:	IDN : Identifier
File(s):	Child
Data Type:	Numeric
Length:	10
Question Text:	
Description:	Weight - Final Annual
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

WTFA_C	Weight - Final Annual		
Code	Description	Frequency	Percent
	Range of values	8261	100.00

Variable:	URBRRL
Module:	General
Section:	UCF : Unit Control File
File(s):	Adult, Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	2013 NCHS Urban-Rural Classification Scheme for Counties
Recode:	Yes
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	Information about the 2013 NCHS Urban-Rural classification scheme for counties is available at https://www.cdc.gov/nchs/data_access/urban_rural.htm. Large central metro are counties (or county equivalents) in metropolitan statistical areas (MSA) of 1 million or more population that 1) contain the entire population of the largest principal city of the MSA, or 2) are completely contained in the largest principal city of the MSA, or 3) contain at least 250,000 residents of any principal city of the MSA. Large fringe metro are counties (or county equivalents) in MSAs of 1 million or more population that do not qualify as large central. Medium and small metro are counties (or county equivalents) in MSAs of 250,000 to 999,999 population or in MSAs of less than 250,000 population. Nonmetropolitan are counties (or county equivalents) in micropolitan statistical areas and non-core counties.
Evaluation Report:	

#### Unweighted frequencies:

URBRRL	2013 NCHS Urban-Rural Classification Scheme for Counties		
Code	Description	Frequency	Percent
1	Large central metro	2527	30.59
2	Large fringe metro	2084	25.23
3	Medium and small metro	2529	30.61
4	Nonmetropolitan	1121	13.57

Variable:	REGION
Module:	General
Section:	UCF : Unit Control File
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Household region
Recode:	
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

REGION	Household region		
Code	Description	Frequency	Percent
1	Northeast	1191	14.42
2	Midwest	1759	21.29
3	South	2995	36.25
4	West	2316	28.04

Variable:	PSTRAT
Module:	General
Section:	UCF : Unit Control File
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	3
Question Text:	
Description:	Pseudo-stratum for public-use file variance estimation
Recode:	
Universe:	A11
Universe Description:	All cases
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PSTRAT	Pseudo-stratum for public-use file variance estimation		
Code	Description	Frequency	Percent
	Range of values	8261	100.00

Variable:	PPSU
Module:	General
Section:	UCF : Unit Control File
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	3
Question Text:	
Description:	Pseudo-PSU for public-use file variance estimation
Recode:	
Universe:	All
Universe Description:	All cases
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

Ρ	PSU	Pseudo-PSU for public-use file variance estimation		
С	ode	Description	Frequency	Percent
		Range of values	8261	100.00

Variable:	HHRESPSC_FLG
Module:	General
Section:	FLG : Flag
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	** Instrument Flag **
Description:	Sample Child respondent is the household respondent
Recode:	
Universe:	A11
Universe Description:	A11
Sources:	
Question ID:	GEN.0660.00.1
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

 $\label{eq:HRESPSC_FLG} \textbf{HRESPSC_FLG} \hspace{0.1 cm} \textbf{Sample Child respondent is the household respondent}$ 

Code Descri	iption	Frequency	Percent
1 Yes		7250	100.00

Variable:	INTV_QRT
Module:	General
Section:	GEN : Miscellaneous
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Interview quarter
Recode:	
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

INTV_QRT	Interview quarter		
Code	Description	Frequency	Percent
1	Quarter 1	2140	25.90
2	Quarter 2	1877	22.72
3	Quarter 3	2136	25.86
4	Quarter 4	2108	25.52

Variable:	INTV_MON
Module:	General
Section:	GEN : Miscellaneous
File(s):	Adult, Child, Paradata
Data Type:	Numeric
Length:	2
Question Text:	** SCIF Variable **
Description:	Interview month
Recode:	
Universe:	HHX ne .
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

INTV_MON	Interview month			
Code	Description	Frequency	Percent	
01	January	737	8.92	
02	February	693	8.39	
03	March	716	8.59	
04	April	642	2 7.77	
05	Мау	629	7.61	
06	June	606	5 7.34	
07	July	742	8.98	
08	August	724	8.76	
09	September	676	8.11	
10	October	776	9.32	
11	November	698	8.45	
12	December	646	7.75	

Variable:	HHSTAT_C
Module:	General
Section:	GEN : Miscellaneous
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	** Instrument Variable **
Description:	Indicates the person is the Sample Child
Recode:	
Universe:	All
Universe Description:	All
Sources:	
Question ID:	GEN.0550.00.1
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

HHSTAT_C	Indicates the person is the Sample Child	_	
Code	Description	Frequency	Percent
1	Person is sample child	8261	100.00

Variable:	CSTATNEW
Module:	General
Section:	GEN : Miscellaneous
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Recoded CSTAT
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

CSTATNEW	Recoded CSTAT		
Code	Description	Frequency	Percent
0	Not applicable/None eligible	0	0.00
1	Completed	8146	98.61
2	HH member selected	0	0.00
3	Reached Sample Adult	0	0.00
4	Started HIS section	0	0.00
5	Sufficient Partial	115	1.39
6	HH member selected and no longer eligible	0	0.00
7	Refused	0	0.00

Variable:	RELTIVP_C
Module:	General
Section:	GEN : Miscellaneous
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Respondent's relationship to Sample Child
Recode:	Yes
Universe:	HHSTAT_C=1 and ((LNO_SCRESP ne PARENTS1) or (LNO_SCRESP ne PARENTS2) or (LNO_SCRESP ne PARENTS3) or (LNO_SCRESP ne PARENTS4))
Universe Description:	Sample children 0-17 where sample child respondent is not a parent
Sources:	RELTIV_C
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

RELTIVP_C	Respondent's relationship to Sample Child		
Code	Description	Frequency	Percent
1	Parent (biological, adoptive, or step)	7750	93.81
2	Grandparent	322	3.90
3	Aunt/Uncle	42	0.51
4	Brother/Sister	59	0.71
5	Other relative or other non-relative	82	0.99
7	Refused	1	0.01
8	Not Ascertained	5	0.06
9	Don't Know	e	0.00

Variable:	AGEP_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Age of SC
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

AGEP_C	Age of SC		
Code	Description	Frequency	Percent
00	Under 1 year	44	5 5.39
01-17	1-17 years	781	6 94.61
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		0.00

Variable:	SEX_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sex of Sample Child
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

SEX_C	Sex of Sample Child		
Code	Description	Frequency	Percent
1	Male	4257	51.53
2	Female	4002	48.44
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	AFNOW	
Module:	Roster	
Section:	HHC : Household Composition	
File(s):	Adult, Child	
Data Type:	Numeric	
Length:	1	
Question Text:	^AreyouIsALIASIsanyone now on full-time active duty with the Armed Forces?	
	<b>*Read if necessary:</b> Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for service in the U.S. or in a foreign country, in support of military or humanitarian operations.	
Fills:	^AreyouIsALIASIsanyone Are you/Is ^ALIASNAME/Is anyone in the household	
	^ALIASNAME {Value of ALIAS}	
Description:	Full-time active duty screener	
Recode:		
Universe:	PCNT18PLUS gt 0 and PCNT gt PCNTAGEGUESS and PCNTAGEAF gt 0	
Universe Description:	At least one person in the household is greater than 18 and at least one person's age is not guessed and at least one non-deleted person age 17-64 years old or who is greater than or equal to 18 or whose age was guessed to be greater than or equal to 18	
Sources:		
Question ID:	HHC.0330.00.1	
Keywords:		
Notes:		
Evaluation Report:		

### Unweighted frequencies:

AFNOW Full-time active duty screener

Code	Description	Frequency	Percent
1	Yes	163	1.98
2	No	8051	98.00
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HISP_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Recode: Hispanic ethnicity of SC
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

HISP_C	Recode: Hispanic ethnicity of SC		
Code	Description	Frequency	Percent
1	Yes	2089	25.29
2	No	6172	74.71
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HISPALLP_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Single and multiple race groups with Hispanic origin
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	RACEFULL; HISP_FINAL
Question ID:	
Keywords:	race; Hispanic origin
Notes:	
Evaluation Report:	

### Unweighted frequencies:

Code	Description	Frequency	Percent
01	Hispanic	2089	25.29
02	Non-Hispanic White only	4204	50.89
03	Non-Hispanic Black/African American only	814	9.85
04	Non-Hispanic Asian only	611	7.40
05	Non-Hispanic AIAN only	59	0.71
06	Non-Hispanic AIAN and any other group	84	1.02
07	Other single and multiple races	400	4.84
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

HISPALLP\_C Single and multiple race groups with Hispanic origin

Variable:	HISDETP_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Hispanic origin detail
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HISP_FINAL; HISPDET_C
Question ID:	
Keywords:	ethnicity; origin
Notes:	
Evaluation Report:	

## Unweighted frequencies:

HISDETP_C	Hispanic origin detail		
Code	Description	Frequency	Percent
1	Hispanic (Mexican/Mexican American)	1278	15.47
2	Hispanic (all other groups)	776	9.39
3	Not Hispanic	6174	74.74
7	Refused	0	0.00
8	Not Ascertained	21	0.25
9	Don't Know	12	0.15

Variable:	RACEALLP_C
Module:	Roster
Section:	HHC : Household Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Single and multiple race groups
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	RACEFULL
Question ID:	
Keywords:	race
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

### **RACEALLP\_C** Single and multiple race groups

Code	Description	Frequency	Percent
1	White only	5409	65.48
2	Black/African American only	887	10.74
3	Asian only	624	7.55
4	AIAN only	76	0.92
5	AIAN and any other group	115	1.39
6	Other single and multiple races	474	5.74
7	Refused	5	0.06
8	Not Ascertained	658	7.97
9	Don't know	13	0.16

Variable:	PCNT18UPTC
Module:	Roster
Section:	HHC : Household Composition
File(s):	Adult, Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Top-coded count of persons 18 or older in the household
Recode:	Yes
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

### Unweighted frequencies:

PCNT18UPTC	Top-coded count of persons 18 or older in the household	-	
Code	Description	Frequency	Percent
0	0 adults	0	0.00
1	1 adult	1093	13.23
2	2 adults	5255	63.61
3	3+ adults	1913	23.16
8	Not Ascertained	0	0.00

PCNT18UPTC Top-coded count of persons 18 or older in the household

Variable:	PCNTLT18TC
Module:	Roster
Section:	HHC : Household Composition
File(s):	Adult, Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Top-coded count of persons under 18 in the household
Recode:	Yes
Universe:	HHX ne ' '
Universe Description:	All households
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

### Unweighted frequencies:

PCNTLT18TC	Top-coded count of persons under 18 in the household		
Code	Description	Frequency	Percent
0	0 children	0	0.00
1	1 child	3466	41.96
2	2 children	3085	37.34
3	3+ children	1710	20.70
8	Not Ascertained	0	0.00

Variable:	PCNTADLT_C
Module:	Roster
Section:	FAM : Family Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Number of adults in Sample Child family, top-coded 3+
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	PCNTADLTI_C
Question ID:	
Keywords:	family; adults per family
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PCNTADLT_C	Number of adults in Sample Child family, top-coded 3+		
Code	Description	Frequency	Percent
0	0 adults	2	0.02
1	1 adult	1121	13.57
2	2 adults	5264	63.72
3	3+ adults	1874	22.68
8	Not Ascertained	0	0.00

Variable:	PCNTKIDS_C		
Module:	Roster		
Section:	FAM : Family Composition		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:			
Description:	Number of children in Sample Child family, top-coded 3+		
Recode:	Yes		
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:	PCNTKIDSI_C		
Question ID:			
Keywords:	family; children per family		
Notes:			
Evaluation Report:			

### Unweighted frequencies:

PCNTKIDS_C	Number of children in Sample Child family, top-coded 3+		
Code	Description	Frequency	Percent
1	1 child	3479	42.11
2	2 children	3082	37.31
3	3+ children	1700	20.58
8	Not Ascertained	0	0.00

Frequency Missing:

Page 25

	Roster			
Section:				
	FAM : Family Composition			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:				
Description:	Indicator for at least 1 person aged 65+ in SC family			
Recode:	Yes			
Universe:	HHSTAT_C=1			
Universe Description:	Sample children 0-17			
Sources:	AGE_FINAL; AGEGUESS; AGE18; FAMILYC_FLG			
Question ID:				
Keywords:	family			
Notes:				
Evaluation Report:				

### Unweighted frequencies:

### OVER65FLG\_C Indicator for at least 1 person aged 65+ in SC family

Code	Description	Frequency	Percent
0	None	7686	93.04
1	1 or more	575	6.96

Variable:	MLTFAMFLG_C
Module:	Roster
Section:	FAM : Family Composition
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Indicator for multifamily household
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	ONEFAM_FLG; TOTPERS
Question ID:	
Keywords:	family; more than 1 family in household; household structure
Notes:	
Evaluation Report:	

# Unweighted frequencies:

# MLTFAMFLG\_C Indicator for multifamily household

Code	Description	Frequency	Percent
1	Multiple families in household	89	1.08
2	Only one family in household	8172	98.92
9	Unknown	0	0.00

Variable:	MAXEDUCP_C
Module:	Roster
Section:	FAM : Family Composition
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Highest level of education of the adults in the SC's family
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	EDUC; AGE18PLUS; FAMILYC_FLG; HHSTAT_C
Question ID:	
Keywords:	family; schooling; educational attainment
Notes:	
Evaluation Report:	

### Unweighted frequencies:

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	265	3.21
02	12th grade, no diploma	100	1.21
03	GED or equivalent	110	1.33
04	High School Graduate	1269	15.38
05	Some college, no degree	1156	14.01
06	Associate degree: occupational, technical, or vocational program	312	3.78
07	Associate degree: academic program	805	9.75
08	Bachelor's degree (Example: BA, AB, BS, BBA)	2210	26.78
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1462	17.71
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	564	6.83
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

MAXEDUCP C Highest level of education of the adults in the SC's family

Variable:	PHSTAT_C
Module:	Child
Section:	HIS : Health Status
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Would you say ^SCNAME's health in general is excellent, very good, good, fair, or poor?
Fills:	^SCNAME Sample child's name
Description:	General health status
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	HIS.0010.00.1
Keywords:	respondent-assessed health; well-being; overall health
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PHSTAT_C	General health status		
Code	Description	Frequency	Percent
1	Excellent	5511	66.71
2	Very Good	1775	21.49
3	Good	805	9.74
4	Fair	145	1.76
5	Poor	21	0.25
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	LSATIS11_C		
Module:	Child		
Section:	LS1 : Satisfaction wi	th life	
File(s):	Child		
Data Type:	Numeric		
Length:	2		
Question Text:	Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you think ^SCNAME feels about ^hisher_C life as a whole these days?		
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
Description:	Life satisfaction-number		
Recode:			
Universe:	HHSTAT_C=1 and 12<=AGEP_C<=17		
Universe Description:	Sample children 12-17		
Sources:			
Question ID:	LS1.0010.00.3		
Keywords:	subjective well-being; quality of life		
Notes:			
Evaluation Report:			

### Unweighted frequencies:

# LSATIS11\_C Life satisfaction-number

Code	Description	Frequency	Percent
00-10	Range of values	3182	99.22
97	Refused	4	0.12
98	Not Ascertained	0	0.00
99	Don't Know	21	0.65

Variable:	ASEV_C
Module:	Child
Section:	AST : Asthma
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has a doctor or other health professional EVER told you that ^SCNAME had asthma?
Fills:	^SCNAME Sample child's name
Description:	Ever had asthma
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	AST.0020.00.1
Keywords:	asthma; breathing problem; trouble breathing; respiratory condition; lungs
Notes:	
Evaluation Report:	

### Unweighted frequencies:

ASEV_C	Ever had asthma		
Code	Description	Frequency	Percent
1	Yes	870	10.53
2	No	7386	89.41
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	1	0.01

Variable:	ASTILL_C		
Module:	Child		
Section:	AST : Asthma		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME still have asthma?		
Fills:	^SCNAME Sample child's name		
Description:	Still have asthma		
Recode:			
Universe:	HHSTAT_C=1 and ASEV_C=1		
Universe Description:	Sample children 0-17 who were ever told they had asthma		
Sources:			
Question ID:	AST.0030.00.1		
Keywords:	current asthma; respiratory condition; trouble breathing; breathing problem; lungs		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

ASTILL_C	Still have asthma		
Code	Description	Frequency	Percent
1	Yes	532	61.15
2	No	325	37.36
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	13	1.49

Variable:	ASAT12M_C	
Module:	Child	
Section:	AST : Asthma	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 12 months, has ^SCNAME had an episode of asthma or an asthma attack?	
Fills:	^SCNAME Sample child's name	
Description:	Asthma episode past 12m	
Recode:		
Universe:	HHSTAT_C=1 and ASEV_C=1	
Universe Description:	Sample children 0-17 who were ever told they had asthma	
Sources:		
Question ID:	AST.0040.00.1	
Keywords:	attack; respiratory condition; trouble breathing; breathing problem; lungs	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	192	22.07
2	No	677	77.82
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.11

ariable:	ASER12M_C		
Module:	Child		
Section:	AST : Asthma		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	During the past 12 months, did ^SCNAME have to visit an emergency room or urgent care center because of ^hisher_C asthma?		
Fills:	^SCNAME Sample child's name		
	^hisher_C his/her/their		
Description:	Asthma ER visit, past 12m		
Recode:			
Universe:	HHSTAT_C=1 and ASEV_C=1		
Universe Description:	Sample children 0-17 who were ever told they had asthma		
Sources:			
Question ID:	AST.0050.00.1		
Keywords:	asthma emergency; asthma episode; asthma attack; respiratory condition; trouble breathing; breathing problem; lungs		
Notes:			
Evaluation Report:			

### Unweighted frequencies:

ASER12M C	Asthma	ER	visit,	past 1	2m

Code	Description	Frequency	Percent
1	Yes	71	8.16
2	No	799	91.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PREDIB_C
Module:	Child
Section:	DIB : Diabetes
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has a doctor or other health professional EVER told you that ^SCNAME had prediabetes or borderline diabetes?
Fills:	^SCNAME Sample child's name
Description:	Ever had prediabetes
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	DIB.0010.00.1
Keywords:	borderline diabetes; prediabetic; impaired fasting glucose; impaired glucose tolerance; high blood sugar
Notes:	
Evaluation Report:	

### Unweighted frequencies:

PREDIB_C	Ever had pr	ediabetes
----------	-------------	-----------

Code	Description	Frequency	Percent
1	Yes	64	0.77
2	No	8191	99.15
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	2	0.02

Variable:	DIBEV_C			
Module:	Child			
Section:	DIB : Diabetes			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	^NOTPRED a doctor or other health professional EVER told you that <code>^SCNAME</code> had diabetes?			
Fills:	^NOTPRED Not including prediabetes, has/Has			
	^SCNAME Sample child's name			
Description:	Ever had diabetes			
Recode:				
Universe:	HHSTAT_C=1			
Universe Description:	tion: Sample children 0-17			
Sources:				
Question ID:	DIB.0020.00.1			
Keywords:	onset diabetes; sugar diabetes; high blood sugar; diabetic; endocrine			
Notes:				
Evaluation Report:				

# Unweighted frequencies:

DIBEV_C	Ever had diabetes	-	
Code	Description	Frequency	Percent
1	Yes	44	0.53
2	No	8213	99.42
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	ADHDEV C		
Module:	Child		
Section:			
	DLD : Developmental and Learning Disabilities		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has a doctor or other health professional ever told you that ^SCNAME had Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?		
	* <b>Read if necessary:</b> Health professionals can include school psychologists and school nurses.		
Fills:	^SCNAME Sample child's name		
Description:	Ever had ADD/ADHD		
Recode:			
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)		
Universe Description:	Sample children 2-17		
Sources:			
Question ID:	DLD.0010.00.1		
Keywords:	attention deficit hyperactivity disorder; attention deficit disorder; ADHD; ADD; hyperactivity		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

ADHDEV_C	Ever had ADD/ADHD		
Code	Description	Frequency	Percent
1	Yes	708	9.59
2	No	6651	90.10
7	Refused	7	0.09
8	Not Ascertained	0	0.00
9	Don't Know	16	0.22

Variable:	ADHDNW_C		
Module:	Child		
Section:	DLD : Developmental and Learning Disabilities		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME currently have Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?		
Fills:	^SCNAME Sample child's name		
Description:	Currently has ADD/ADHD		
Recode:			
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17) and ADHDEV_C=1		
Universe Description:	Sample children 2-17 who had an ADHD diagnosis		
Sources:			
Question ID:	DLD.0020.00.1		
Keywords:	attention deficit hyperactivity disorder; attention deficit disorder; ADHD; ADD; hyperactivity		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

# ADHDNW\_C Currently has ADD/ADHD

Code	Description	Frequency	Percent
1	Yes	629	88.84
2	No	71	10.03
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	1.13

Variable:	IDEV_C		
Module:	Child		
Section:	DLD : Developmental and Learning Disabilities		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has a doctor or other health professional ever told you that ^SCNAME had an intellectual disability, also known as mental retardation?		
	* <b>Read if necessary:</b> Health professionals can include school psychologists and school nurses.		
Fills:	^SCNAME Sample child's name		
Description:	Ever had intellectual disability		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	DLD.0030.00.1		
Keywords:	mental retardation; developmental delay		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

IDEV_C	Ever had intellectual disability			
Code	Description	Frequenc	у	Percent
1	Yes		132	1.60
2	No		8117	98.26
7	Refused		6	0.07
8	Not Ascertained		0	0.00
9	Don't Know		6	0.07

Variable:	IDNW_C			
Module:	Child			
Section:	DLD : Developmental and Learning Disabilities			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	Does ^SCNAME currently have an intellectual disability, also known as mental retardation?			
Fills:	^SCNAME Sample child's name			
Description:	Currently has intellectual disability			
Recode:	2:			
Universe:	HHSTAT_C=1 and IDEV_C=1			
Universe Description:	Sample children 0-17 who had an intellectual disability diagnosis			
Sources:				
Question ID:	DLD.0040.00.1			
Keywords:	mental retardation; developmental delay			
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

IDNW_C	Currently has intellectual disability		
Code	Description	Frequency	Percent
1	Yes	101	76.52
2	No	31	23.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	ASDEV_C
Module:	Child
Section:	DLD : Developmental and Learning Disabilities
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has a doctor or other health professional ever told you that ^SCNAME had Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?
	* <b>Read if necessary:</b> Health professionals can include school psychologists and school nurses.
Fills:	^SCNAME Sample child's name
Description:	Ever had autism
Recode:	
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)
Universe Description:	Sample children 2-17
Sources:	
Question ID:	DLD.0050.00.1
Keywords:	autism; autism spectrum disorder; pervasive developmental disorder (PDD)
Notes:	
Evaluation Report:	

### Unweighted frequencies:

ASDEV_C	Ever had autism		
Code	Description	Frequency	Percent
1	Yes	229	3.10
2	No	7144	96.78
7	Refused	7	0.09
8	Not Ascertained	0	0.00
9	Don't Know	2	0.03

Variable:	ASDNW_C
Module:	Child
Section:	DLD : Developmental and Learning Disabilities
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME currently have Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?
Fills:	^SCNAME Sample child's name
Description:	Currently has autism
Recode:	
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17) and ASDEV_C=1
Universe Description:	Sample children 2-17 who had an autism spectrum disorder diagnosis
Sources:	
Question ID:	DLD.0060.00.1
Keywords:	autism; autism spectrum disorder; pervasive developmental disorder (PDD)
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

-			
ASDNW_C	Currently has autism	-	
Code	Description	Frequency	Percent
1	Yes	206	89.96
2	No	22	9.61
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.44

Variable:	DDEV_C		
Module:	Child		
Section:	DLD : Developmental an	d Learning Disabilities	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		^NOTEVER a doctor or other health professional ever told you that ^SCNAME had any other developmental delay?	
	* Read if necessary: H school nurses.	lealth professionals can include school psychologists and	
		evelopmental delays are significant delays in a child's include cognitive, motor, speech, social, emotional and	
Fills:	^NOTEVER	Has/Not including (ADHD, intellectual disability, autism spectrum disorder), has	
	^SCNAME	Sample child's name	
Description:	Ever had developmental	delay	
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	DLD.0070.00.1		
Keywords:	developmental delay		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

DDEV_C	DDEV_C Ever had developmental delay		
Code	Description	Frequency	Percent
1	Yes	454	5.50
2	No	7798	94.40
7	Refused	6	0.07
8	Not Ascertained	0	0.00
9	Don't Know	3	0.04

Variable:	DDNW_C	
Module:	Child	
Section:	DLD : Developmental and Learning Disabilities	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Does ^SCNAME still have this other developmental delay?	
Fills:	^SCNAME Sample child's name	
Description:	Currently has developmental delay	
Recode:		
Universe:	HHSTAT_C=1 and DDEV_C=1	
Universe Description:	Sample children 0-17 who had any other developmental delay diagnosis	
Sources:		
Question ID:	DLD.0080.00.1	
Keywords:	developmental delay	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

DDNW_C Currently has developmental delay			
Code	Description	Frequency	Percent
1	Yes	318	70.04
2	No	135	29.74
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.22

Variable:	LDEV_C	
Module:	Child	
Section:	DLD : Developmental and Learning Disabilities	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Has a representative from a school or a health professional ever told you that ^SCNAME had a learning disability?	
Fills:	^SCNAME Sample child's name	
Description:	Ever had learning disability	
Recode:		
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)	
Universe Description:	Sample children 2-17	
Sources:		
Question ID:	DLD.0090.00.1	
Keywords:	learning disability	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

•	•		
LDEV_C	Ever had learning disability		
Code	Description	Frequency	Percent
1	Yes	525	7.11
2	No	6844	92.71
7	Refused	6	0.08
8	Not Ascertained	0	0.00
9	Don't Know	7	0.09

Variable:	LDNW_C	
Module:	Child	
Section:	DLD : Developmental	l and Learning Disabilities
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Does ^SCNAME currer	ntly have a learning disability?
Fills:	^SCNAME	Sample child's name
Description:	Currently has learning disability	
Recode:		
Universe:	HHSTAT_C=1 and (2<=	=AGEP_C<=17) and LDEV_C=1
Universe Description:	Sample children 2-17 who had a learning disability diagnosis	
Sources:		
Question ID:	DLD.0100.00.1	
Keywords:	learning disability	y .
Notes:		
Evaluation Report:		

# Unweighted frequencies:

LDNW_C	LDNW_C Currently has learning disability		
Code	Description	Frequency	Percent
1	Yes	444	84.57
2	No	76	14.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.95

Variable:	CURRESP_C		
Module:	Child		
Section:	ALG : Allergies		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		Does ^SCNAME get symptoms such as sneezing, runny nose, or itchy or watery eyes due to hay fever, seasonal or year-round allergies?	
		lay fever, seasonal or year-round allergies may also be . allergies, allergic rhinitis or allergic	
Fills:	^SCNAME	Sample child's name	
Description:	Current respiratory al	Current respiratory allergy	
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17	Sample children 0-17	
Sources:			
Question ID:	ALG.0020.00.2		
Keywords:	hayfever; allergy; chronic condition		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

CURRESP_C	Current	respiratory	allergy

Code	Description	Frequency	Percent
1	Yes	2770	33.53
2	No	5473	66.25
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	14	0.17

Variable:	DXRESP_C		
Module:	Child	Child	
Section:	ALG : Allergies		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		Have you ever been told by a doctor or other health professional that ^SCNAME had hay fever, seasonal or year-round allergies?	
		: Hay fever, seasonal or year-round allergies may also be otal allergies, allergic rhinitis or allergic	
Fills:	^SCNAME	Sample child's name	
Description:	Respiratory allergy diagnosis		
Recode:			
Universe:	HHSTAT_C=1 and CURRESP_C=1		
Universe Description:	Sample children 0-17 with a current respiratory allergy		
Sources:			
Question ID:	ALG.0030.00.2		
Keywords:	hayfever; allergy; chronic condition		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

DXRESP_C	Respiratory allergy diagnosis
Code	Description

Code	Description	Frequency	Percent
1	Yes	1599	57.73
2	No	1160	41.88
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	11	0.40

Variable:	CURFOOD_C		
Module:	Child		
Section:	ALG : Allergies		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	The next question is about food allergies. People with food allergies have reactions such as hives, vomiting, trouble breathing, or throat tightening that occur within two hours of eating a specific food.		
	Does ^SCNAME have an allergy to one or more foods?		
	* <b>Read if necessary:</b> Food allergies are different from food intolerances, such as lactose and gluten intolerance, and other digestive disorders, including irritable bowel syndrome.		
Fills:	^SCNAME Sample child's name		
Description:	Current food allergy		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	ALG.0040.00.2		
Keywords:	food allergy; allergy		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

CURFOOD\_C Current food allergy

Code	Description	Frequency	Percent
1	Yes	684	8.28
2	No	7561	91.53
7	Refused	4	0.05
8	Not Ascertained	0	0.00
9	Don't Know	12	0.15

Variable:	DXF00D_C
Module:	Child
Section:	ALG : Allergies
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Have you ever been told by a doctor or other health professional that ^SCNAME had an allergy to one or more foods?
	* <b>Read if necessary:</b> Food allergies are different from food intolerances, such as lactose and gluten intolerance, and other digestive disorders, including irritable bowel syndrome.
Fills:	^SCNAME Sample child's name
Description:	Food allergy diagnosis
Recode:	
Universe:	HHSTAT_C=1 and CURFOOD_C=1
Universe Description:	Sample children 0-17 with a current food allergy
Sources:	
Question ID:	ALG.0050.00.2
Keywords:	food allergy; allergy
Notes:	
Evaluation Report:	

### Unweighted frequencies:

DXF00D_C	Food allergy diagnosis		
Code	Description	Frequency	Percent
1	Yes	506	73.98
2	No	175	25.58
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.44

Variable:	CURSKIN_C	
Module:	Child	
Section:	ALG : Allergies	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	•	about an allergic skin condition. Does ^SCNAME get an ama or atopic dermatitis?
		The rash can be dry, scaly, bumpy, or crusty and lasts onger without treatment. Eczema is different from hives 1 few hours.
Fills:	^SCNAME	Sample child's name
Description:	Current skin allergy	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	ALG.0060.00.2	
Keywords:	eczema; skin allergy;	skin condition
Notes:		
Evaluation Report:		

### Unweighted frequencies:

CURSKIN_C	Current skin allergy		
Code	Description	Frequency	Percent
1	Yes	1176	14.24
2	No	7072	85.61
7	Refused	5	0.06
8	Not Ascertained	0	0.00
9	Don't Know	8	0.10

Variable:	DXSKIN_C
Module:	Child
Section:	ALG : Allergies
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Have you ever been told by a doctor or other health professional that ^SCNAME had eczema or atopic dermatitis?
Fills:	^SCNAME Sample child's name
Description:	Skin allergy diagnosis
Recode:	
Universe:	HHSTAT_C=1 and CURSKIN_C=1
Universe Description:	Sample children 0-17 with a current skin allergy
Sources:	
Question ID:	ALG.0070.00.2
Keywords:	eczema; skin allergy; skin condition
Notes:	
Evaluation Report:	

# Unweighted frequencies:

Unweighted frequencies:				
DXSKIN_C	Skin allergy diagnosis			
Code	Description	Frequency	Percent	
1	Yes	932	79.25	
2	No	239	20.32	
7	Refused	1	0.09	
8	Not Ascertained	0	0.00	
9	Don't Know	4	0.34	

Variable:	WEARGLSS_C		
Module:	Child		
Section:	VIS : Vision		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME wear glasses ^CONTACTS?		
	* <b>Read if necessary:</b> Persons who wear glasses to read or to do other occasional tasks should answer yes to this question.		
Fills:	^SCNAME Sample child's name		
	^CONTACTS or contact lenses		
Description:	Wear glasses/contact lenses		
Recode:			
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)		
Universe Description:	Sample children 2-17		
Sources:			
Question ID:	VIS.0020.00.1		
Keywords:	vision problem; contacts; eyeglasses; corrective lenses; eyesight; visual acuity; functional limitation; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old		
Evaluation Report:			

# Unweighted frequencies:

WEARGLSS\_C Wear glasses/contact lenses

Code	Description	Frequency	Percent
1	Yes	1933	26.19
2	No	5447	73.79
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	VISIONDF_C			
Module:	Child	Child		
Section:	VIS : Vision			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:		<pre>^GLASSCONTACT ^SCNAME have difficulty seeing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?</pre>		
Fills:	^GLASSCONTACT	When wearing glasses ^CONTACTS does/Does		
	^CONTACTS	or contact lenses		
	^SCNAME	Sample child's name		
	^heshe_C	He/She/They		
Description:	Difficulty seeing			
Recode:				
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)			
Universe Description:	Sample children 2-17			
Sources:				
Question ID:	VIS.0030.00.1			
Keywords:	vision problem; difficulty seeing; trouble seeing; eyeglasses; contacts; corrective lenses; eyesight; visual acuity; functional limitation; disability; Washington Group			
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.			
Evaluation Report:				

# Unweighted frequencies:

VISIONDF_C	Difficulty seeing		
Code	Description	Frequency	Percent
1	No difficulty	7042	95.39
2	Some difficulty	304	4.12
3	A lot of difficulty	24	0.33
4	Cannot do at all	3	0.04
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	8	0.11

Variable:	HEARAID_C
Module:	Child
Section:	HEA : Hearing
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME use a hearing aid?
Fills:	^SCNAME Sample child's name
Description:	Use hearing aid
Recode:	
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)
Universe Description:	Sample children 2-17
Sources:	
Question ID:	HEA.0010.00.1
Keywords:	assistive device; special equipment; medical technology; disability; functional limitation; auditory; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.
Evaluation Report:	

#### Unweighted frequencies:

HEARAID_C	Use hearing aid		
Code	Description	Frequency	Percent
1	Yes	58	0.79
2	No	7323	99.20
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HEARINGDF_C			
Module:	Child			
Section:	HEA : Hearing			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	^USEHRAID_C ^SCNAME have difficulty hearing sounds like people's voices or music? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?			
Fills:	^USEHRAID_C	When using ^hisher_C hearing aid(s) does/Does		
	^hisher_C	his/her/their		
	^SCNAME Sample child's name			
	^heshe_C	He/She/They		
Description:	Difficulty hearing so	unds		
Recode:				
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)			
Universe Description:	Sample children 2-17			
Sources:				
Question ID:	HEA.0020.00.1			
Keywords:	auditory difficulty; voices; music; functional limitation; disability; Washington Group			
Notes:		of the disability status composite indicator for rs old and 5-17 years old.		
Evaluation Report:				

#### Unweighted frequencies:

**HEARINGDF\_C** Difficulty hearing sounds

Code	Description	Frequency	Percent
1	No difficulty	7227	97.90
2	Some difficulty	142	1.92
3	A lot of difficulty	10	0.14
4	Cannot do at all	2	0.03
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	EQUIP_C
Module:	Child
Section:	MOB : Mobility
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME use any equipment or receive assistance for walking?
Fills:	^SCNAME Sample child's name
Description:	Use of equipment for mobility
Recode:	
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)
Universe Description:	Sample children 2-17
Sources:	
Question ID:	MOB.0010.00.1
Keywords:	difficulty; get around; mobility aids; assistance; functional limitation; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.
Evaluation Report:	

#### Unweighted frequencies:

EQUIP_C	QUIP_C Use of equipment for mobility		
Code	Description	Frequency	Percent
1	Yes	55	0.75
2	No	7326	99.24
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	NOEQWLKDF_C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Without using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Fills:	^hisher_C	his/her/their	
	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty walking wit	thout using equipment	
Recode:			
Universe:	HHSTAT_C=1 and AGEP_C	IN (2,3,4) and EQUIP_C=1	
Universe Description:	Sample children 2-4 w	no use equipment or assistance for walking	
Sources:			
Question ID:	MOB.0020.00.1		
Keywords:	ambulatory problem; difficulty; no equipment; mobility; functional limitation; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old.		
Evaluation Report:			

#### Unweighted frequencies:

NOEQWLKDF\_C Difficulty walking without using equipment

Code	Description	Frequency	Percent
1	No difficulty	6	100.00
2	Some difficulty	0	0.00
3	A lot of difficulty	0	0.00
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	EQWLKDF_C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	When using ^hish walking?	er_C equipment or assistance, does ^SCNAME have difficulty	
		<b>ry:</b> Would you say ^SCNAME has: no difficulty, some difficulty, lty, or ^heshe_C cannot do this at all?	
Fills:	^hisher_C	his/her/their	
	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty walking when using equipment		
Recode:			
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4) and EQUIP_C=1		
Universe Description:	Sample children 2-4 who use equipment or assistance for walking		
Sources:			
Question ID:	MOB.0030.00.1		
Keywords:	ambulatory problem; difficulty; no equipment; mobility; functional limitation; Washington Group		
Notes:	This question is children aged 2-	part of the disability status composite indicator for 4 years old.	
Evaluation Report:			

#### Unweighted frequencies:

EQWLKDF\_C Difficulty walking when using equipment

Code	Description	Frequency	Percent
1	No difficulty	6	100.00
2	Some difficulty	0	0.00
3	A lot of difficulty	0	0.00
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	WLKDF_C
Module:	Child
Section:	MOB : Mobility
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME Sample child's name
	^heshe_C He/She/They
Description:	Difficulty walking, for those who do not use equipment
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4) and EQUIP_C IN (2,7,9)
Universe Description:	Sample children 2-4 who do not use equipment or assistance for walking or refused or don't know
Sources:	
Question ID:	MOB.0040.00.1
Keywords:	ambulatory problem; difficulty; mobility; functional limitation; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old.
Evaluation Report:	

#### Unweighted frequencies:

WLKDF\_C Difficulty walking, for those who do not use equipment

Code	Description	Frequency	Percent
1	No difficulty	1257	98.13
2	Some difficulty	22	1.72
3	A lot of difficulty	0	0.00
4	Cannot do at all	1	0.08
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	NOEQWLK100_C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe C cannot do this at all?		
Fills:	^hisher_C	his/her/their	
	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty walking 10	0 yards without using equipment	
Recode:			
Universe:	HHSTAT_C=1 and (5<=AG	EP_C<=17) and EQUIP_C=1	
Universe Description:	Sample children 5-17 who use equipment or assistance for walking		
Sources:			
Question ID:	MOB.0050.00.1		
Keywords:	ambulatory problem; difficulty; no equipment; mobility; functional limitation; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.		
Evaluation Report:			

# Unweighted frequencies:

NOEQWLK100\_C Difficulty walking 100 yards without using equipment

Code	Description	Frequency	Percent
1	No difficulty	27	55.10
2	Some difficulty	10	20.41
3	A lot of difficulty	2	4.08
4	Cannot do at all	10	20.41
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:				
	NOEQWLK13M_C			
Module:	Child			
Section:	MOB : Mobility			
File(s):	Child	Child		
Data Type:	Numeric			
Length:	1			
Question Text:	WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.			
		ould you say ^SCNAME has: no difficulty, some difficulty, or ^heshe_C cannot do this at all?		
Fills:	^hisher_C	his/her/their		
	^SCNAME	Sample child's name		
	^heshe_C	He/She/They		
Description:	Difficulty walking 1/	3 mile without using equipment		
Recode:				
Universe:	HHSTAT_C=1 and (5<=AG	EP_C<=17) and EQUIP_C=1 and NOEQWLK100_C IN (1,2,3,7,9)		
Universe Description:	difficulty, some diff	who use equipment or assistance for walking and have no iculty or a lot of difficulty walking 100 yards when not or assistance or refused or don't know		
Sources:				
Question ID:	MOB.0060.00.1			
Keywords:	ambulatory problem; difficulty; no equipment; mobility; functional limitation; Washington Group			
Notes:	This question is part children aged 5-17 ye	of the disability status composite indicator for ars old.		
Evaluation Report:				

# Unweighted frequencies:

Code	Description	Frequency	Percent
1	No difficulty	26	66.67
2	Some difficulty	7	17.95
3	A lot of difficulty	4	10.26
4	Cannot do at all	2	5.13
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	EQWLK100_C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	WHEN USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block.		
		<b>ry:</b> Would you say ^SCNAME has: no difficulty, some difficulty, lty, or ^heshe_C cannot do this at all?	
Fills:	^hisher_C	his/her/their	
	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty walki	ng 100 yards when using equipment	
Recode:			
Universe:	HHSTAT_C=1 and (	5<=AGEP_C<=17) and EQUIP_C=1	
Universe Description:	Sample children	5-17 who use equipment or assistance for walking	
Sources:			
Question ID:	MOB.0070.00.1		
Keywords:	ambulatory problem; difficulty; equipment; mobility; functional limitation; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.		
Evaluation Report:			

#### Unweighted frequencies:

EQWLK100\_C Difficulty walking 100 yards when using equipment

Code	Description	Frequency	Percent
1	No difficulty	29	59.18
2	Some difficulty	8	16.33
3	A lot of difficulty	1	2.04
4	Cannot do at all	11	22.45
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	EQWLK13M_C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	WHEN USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.		
		ould you say ^SCNAME has: no difficulty, some difficulty, or ^heshe_C cannot do this at all?	
Fills:	^hisher_C	his/her/their	
	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty walking 1/	3 mile when using equipment	
Recode:			
Universe:	HHSTAT_C=1 and (5<=AG	EP_C<=17) and EQUIP_C=1 and EQWLK100_C IN (1,2,3,7,9)	
Universe Description:	difficulty, some diff	who use equipment or assistance for walking and have no iculty or a lot of difficulty walking 100 yards when or assistance or refused or don't know	
Sources:			
Question ID:	MOB.0080.00.1		
Keywords:	ambulatory problem; difficulty; equipment; mobility; functional limitation; Washington Group		
Notes:	This question is part children aged 5-17 ye	of the disability status composite indicator for ars old.	
Evaluation Report:			

# Unweighted frequencies:

EQWLK13M\_C Difficulty walking 1/3 mile when using equipment

Code	Description	Frequency	Percent
1	No difficulty	29	76.32
2	Some difficulty	5	13.16
3	A lot of difficulty	3	7.89
4	Cannot do at all	1	2.63
7	Refused	e	0.00
8	Not Ascertained	e	0.00
9	Don't Know	e	0.00

Variable:	WLK100 C		
Module:	Child		
Section:	MOB : Mobility		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?		
Fills:	^SCNAME Sample child's name		
	^heshe_C He/She/They		
Description:	Difficulty walking 100 yards, for those who do not use equipment		
Recode:			
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C IN (2,7,9)		
Universe Description:	Sample children 5-17 who do not use equipment or assistance for walking or refused or don't know		
Sources:			
Question ID:	MOB.0090.00.1		
Keywords:	ambulatory problem; difficulty; equipment; mobility; functional limitation; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.		
Evaluation Report:			

#### Unweighted frequencies:

WLK100\_C Difficulty walking 100 yards, for those who do not use equipment

Code	Description	Frequency	Percent
1	No difficulty	5942	98.28
2	Some difficulty	96	1.59
3	A lot of difficulty	7	0.12
4	Cannot do at all	1	0.02
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	WLK13M_C
Module:	Child
Section:	MOB : Mobility
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Compared with children of the same age, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.
	* <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME Sample child's name
	^heshe_C He/She/They
Description:	Difficulty walking 1/3 mile, for those who do not use equipment
Recode:	
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C IN (2,7,9) and WLK100_C IN (1,2,3,7,9)
Universe Description:	Sample children 5-17 who do not use equipment or assistance for walking and have no difficulty, some difficulty, or a lot of difficulty walking 100 yards or refused or don't know
Sources:	
Question ID:	MOB.0100.00.1
Keywords:	ambulatory problem; difficulty; equipment; mobility; functional limitation; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.
Evaluation Report:	

# Unweighted frequencies:

	WLK13M C	Difficulty walking	1/3 mile, f	For those who	do not use equipment
--	----------	--------------------	-------------	---------------	----------------------

Code	Description	Frequency	Percent
1	No difficulty	585	4 96.84
2	Some difficulty	15	2.63
3	A lot of difficulty	1	9 0.31
4	Cannot do at all	1	2 0.20
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		1 0.02

Variable:	PICKUPDF_C		
Module:	Child		
Section:	UPP : Upper Body, Motor skills and self care		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Compared with children of the same age, does ^ up small objects with ^hisher_C hands?	SCNAME have difficulty picking	
	*Read if necessary: Would you say ^SCNAME has: a lot of difficulty, or ^heshe_C cannot do thi		
Fills:	^SCNAME Sample child's name		
	^hisher_C his/her/their		
	^heshe_C He/She/They		
Description:	Motor skills difficulty		
Recode:			
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4)		
Universe Description:	Sample children 2-4		
Sources:			
Question ID:	UPP.0010.00.1		
Keywords:	hands difficulty; motor skills; grasping; disa	bility; Washington Group	
Notes:	This question is part of the disability status children aged 2-4 years old.	composite indicator for	
Evaluation Report:			

# Unweighted frequencies:

PICKUPDF\_C Motor skills difficulty

Code	Description	Frequency	Percent
1	No difficulty	1270	98.68
2	Some difficulty	14	1.09
3	A lot of difficulty	1	0.08
4	Cannot do at all	1	0.08
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	SELFCAREDF_C
Module:	Child
Section:	UPP : Upper Body, Motor skills and self care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME have difficulty with self care, such as eating or dressing?
	*Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME Sample child's name
	^heshe_C He/She/They
Description:	Motor skills difficulty
Recode:	
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)
Universe Description:	Sample children 5-17
Sources:	
Question ID:	UPP.0020.00.1
Keywords:	difficulty with care; motor skills; eating; washing; dressing; disability; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.
Evaluation Report:	

# Unweighted frequencies:

**SELFCAREDF\_C** Motor skills difficulty

Code	Description	Frequency	Percent
1	No difficulty	5936	97.39
2	Some difficulty	122	2.00
3	A lot of difficulty	24	0.39
4	Cannot do at all	13	0.21
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	UNDRSTYOU_C
Module:	Child
Section:	COM : Communication
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME have difficulty understanding you?
	*Read if necessary: Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME Sample child's name
	^heshe_C He/She/They
Description:	Child's difficulty understanding respondent
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4)
Universe Description:	Sample children 2-4
Sources:	
Question ID:	COM.0010.00.1
Keywords:	communication; speech; speaking; Washington Group; disability
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old.
Evaluation Report:	

#### Unweighted frequencies:

UNDRSTYOU_C	Child's difficulty	understanding	respondent	
-------------	--------------------	---------------	------------	--

Code	Description	Frequency	Percent
1	No difficulty	1243	96.58
2	Some difficulty	35	2.72
3	A lot of difficulty	6	0.47
4	Cannot do at all	1	0.08
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	1	0.08

Variable:	UNDRSTCHD_C	
Module:	Child	
Section:	COM : Communication	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	When ^SCNAME speaks, o	do you have difficulty understanding ^himherthem_C?
		ould you say ^SCNAME has: no difficulty, some difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME	Sample child's name
	^himherthem_C	him/her/them
	^heshe_C	He/She/They
Description:	Respondent's difficult	ty understanding child
Recode:		
Universe:	HHSTAT_C=1 and AGEP_C	IN (2,3,4)
Universe Description:	Sample children 2-4	
Sources:		
Question ID:	COM.0020.00.1	
Keywords:	communication; speech;	; speaking; Washington Group; disability
Notes:	This question is part children aged 2-4 year	of the disability status composite indicator for ^s old.
Evaluation Report:		

#### Unweighted frequencies:

UNDRSTCHD\_C Respondent's difficulty understanding child

Code	Description	Frequency	Percent
1	No difficulty	1073	83.37
2	Some difficulty	183	14.22
3	A lot of difficulty	18	1.40
4	Cannot do at all	11	0.85
7	Refused	1	0.08
8	Not Ascertained	e	0.00
9	Don't Know	1	0.08

Variable:	UNDRSTIHH_C			
Module:	Child			
Section:	COM : Communication			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people inside of this household?			
	* <b>Read if necessary:</b> Would you say ^SCNAME has: no difficulty, some difficu a lot of difficulty, or ^heshe_C cannot do this at all?			
Fills:	^SCNAME Sample child's name			
	^doesheshedothey_C does he/does she/do they			
	^heshe_C     He/She/They			
Description:	Difficulty being understood by people inside household			
Recode:				
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)			
Universe Description:	Sample children 5-17			
Sources:				
Question ID:	COM.0030.00.1			
Keywords:	communication; speech; speaking; Washington Group; disability			
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.			
Evaluation Report:				

#### Unweighted frequencies:

 $\label{eq:undrstink_c} \textbf{UNDRSTIHH_C} \quad \text{Difficulty being understood by people inside household}$ 

Code	Description	Frequency	Percent
1	No difficulty	5874	96.37
2	Some difficulty	187	3.07
3	A lot of difficulty	18	0.30
4	Cannot do at all	15	0.25
7	Refused	e	0.00
8	Not Ascertained	e	0.00
9	Don't Know	1	0.02

Variable:	UNDRSTOHH_C			
Module:	Child			
Section:	COM : Communication			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people outside of this household?			
	*Read if necessary: Would you say ^SCNAME has: no difficulty, some difficul a lot of difficulty, or ^heshe_C cannot do this at all?			
Fills:	^SCNAME	Sample child's name		
	^doesheshedothey_C	does he/does she/do they		
	^heshe_C	He/She/They		
Description:	Difficulty being understood by people outside household			
Recode:				
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)			
Universe Description:	Sample children 5-17			
Sources:				
Question ID:	COM.0040.00.1			
Keywords:	communication; speech; speaking; Washington Group; disability			
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.			
Evaluation Report:				

#### Unweighted frequencies:

**UNDRSTOHH\_C** Difficulty being understood by people outside household

Code	Description	Frequency	Percent
1	No difficulty	575:	L 94.36
2	Some difficulty	278	4.56
3	A lot of difficulty	44	0.72
4	Cannot do at all	18	9.30
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		4 0.07

Variable:	LEARNDF_C	
Module:	Child	
Section:	COG : Cognition	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Compared with children things?	n of the same age, does ^SCNAME have difficulty learning
		ould you say ^SCNAME has: no difficulty, some difficulty, or ^heshe_C cannot do this at all?
Fills:	^SCNAME	Sample child's name
	^heshe_C	He/She/They
Description:	Difficulty learning th	hings
Recode:		
Universe:	HHSTAT_C=1 and (2<=AG	EP_C<=17)
Universe Description:	Sample children 2-17	
Sources:		
Question ID:	COG.0010.00.1	
Keywords:	cognition; understand	; comprehend; memory; Washington Group; disability
Notes:		of the disability status composite indicator for rs old and 5-17 years old.
Evaluation Report:		

#### Unweighted frequencies:

LEARNDF_C	DF_C Difficulty learning things		
Code	Description	Frequency	Percent
1	No difficulty	6719	91.02
2	Some difficulty	524	7.10
3	A lot of difficulty	122	1.65
4	Cannot do at all	11	0.15
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	4	0.05

Variable:	REMEMBERDF_C			
Module:	Child			
Section:	COG : Cognition			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:		Compared with children of the same age, does ^SCNAME have difficulty remembering things?		
		ary: Would you say ^SCNAME has: no difficulty, some difficulty ulty, or ^heshe_C cannot do this at all?		
Fills:	^SCNAME	Sample child's name		
	^heshe_C	He/She/They		
Description:	Difficulty remem	nbering things		
Recode:				
Universe:	HHSTAT_C=1 and (	(5<=AGEP_C<=17)		
Universe Description:	Sample children	5-17		
Sources:				
Question ID:	COG.0020.00.1			
Keywords:	cognition; under	rstand; comprehend; memory; Washington Group; disability		
Notes:	This question is children aged 5-	s part of the disability status composite indicator for -17 years old.		
Evaluation Report:				

## Unweighted frequencies:

REMEMBERDF\_C Difficulty remembering things

Code	Description	Frequency	Percent
1	No difficulty	5593	91.76
2	Some difficulty	416	6.83
3	A lot of difficulty	75	1.23
4	Cannot do at all	7	0.11
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Variable:	ANXFREQ_C
Module:	Child
Section:	ANX : Anxiety
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	How often does ^SCNAME seem very anxious, nervous, or worried? Would you say: daily, weekly, monthly, a few times a year, or never?
Fills:	^SCNAME Sample child's name
Description:	How often seems anxious, nervous, or worried
Recode:	
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)
Universe Description:	Sample children 5-17
Sources:	
Question ID:	ANX.0010.00.1
Keywords:	anxiety; nervous; worry; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.
Evaluation Report:	

# Unweighted frequencies: ANXFREO C How often

ANXFREQ_C	How often seems anxious, nervous, or worried		
Code	Description	Frequency	Percent
1	Daily	332	5.45
2	Weekly	603	9.89
3	Monthly	599	9.83
4	A few times a year	1689	27.71
5	Never	2852	46.79
7	Refused	7	0.11
8	Not Ascertained	0	0.00
9	Don't Know	13	0.21

Variable:	DEPFREQ_C
Module:	Child
Section:	DEP : Depression
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	How often does ^SCNAME seem very sad or depressed? Would you say: daily, weekly, monthly, a few times a year, or never?
Fills:	^SCNAME Sample child's name
Description:	How often seems sad or depressed
Recode:	
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)
Universe Description:	Sample children 5-17
Sources:	
Question ID:	DEP.0010.00.1
Keywords:	feelings of sadness; emotional difficulty; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Daily	77	1.26
2	Weekly	264	4.33
3	Monthly	390	6.46
4	A few times a year	1340	21.99
5	Never	4007	65.74
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	9	0.15

Variable:	BEHDFPLYG_C	
Module:	Child	
Section:	BEH : Behavior	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Would you say ^SCNAME	of the same age, does ^SCNAME have difficulty playing? has: no difficulty, some difficulty, a lot of <u>C</u> cannot do this at all?
Fills:	^SCNAME	Sample child's name
	^heshe_C	He/She/They
Description:	Difficulty playing	
Recode:		
Universe:	HHSTAT_C=1 and AGEP_C	IN (2,3,4)
Universe Description:	Sample children 2-4	
Sources:		
Question ID:	BEH.0010.00.1	
Keywords:	difficulty playing; be	havior; Washington Group
Notes:	This question is part children aged 2-4 year	of the disability status composite indicator for s old.
Evaluation Report:		

# Unweighted frequencies:

BEHDFPLYG_C	Difficulty playing		
Code	Description	Frequency	Percent
1	No difficulty	1256	97.59
2	Some difficulty	26	2.02
3	A lot of difficulty	3	0.23
4	Cannot do at all	0	0.00
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	1	0.08

Variable:	BEHKBHYG_C
Module:	Child
Section:	BEH : Behavior
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Compared with children of the same age, how much does ^SCNAME kick, bite, or hit other children or adults? Would you say: not at all, the same or less, more, or a lot more?
Fills:	^SCNAME Sample child's name
Description:	Kick, bite or hit
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4)
Universe Description:	Sample children 2-4
Sources:	
Question ID:	BEH.0020.00.1
Keywords:	kick; bite or hit; behavior; Washington Group
Notes:	This question is part of the disability status composite indicator for children aged 2-4 years old.
Evaluation Report:	

## Unweighted frequencies:

Kick, bite or hit		
Description	Frequency	Percent
Not at all	874	67.91
The same or less	373	28.98
More	31	2.41
A lot more	5	0.39
Refused	1	0.08
Not Ascertained	0	0.00
Don't Know	3	0.23
-	Description         Not at all         The same or less         More         A lot more         Refused         Not Ascertained	DescriptionFrequencyNot at all874The same or less373More31A lot more5Refused1Not Ascertained0

Variable:	BEHDFCNTR_C		
Module:	Child		
Section:	BEH : Behavior		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Compared with ch controlling ^his	ildren of the same age, does ^SCNAME have difficulty her_C behavior?	
		<b>y:</b> Would you say ^SCNAME has: no difficulty, some difficulty, lty, or ^heshe_C cannot do this at all?	
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
	^heshe_C	He/She/They	
Description:	Difficulty controlling behavior		
Recode:			
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)		
Universe Description:	Sample children 5-17		
Sources:			
Question ID:	BEH.0030.00.1		
Keywords:	difficulty controlling behavior; behavior; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.		
Evaluation Report:			

#### Unweighted frequencies:

BEHDFCNTR\_C Difficulty controlling behavior

Code	Description	Frequency	Percent
1	No difficulty	5239	85.96
2	Some difficulty	656	10.76
3	A lot of difficulty	147	2.41
4	Cannot do at all	46	0.75
7	Refused	4	0.07
8	Not Ascertained	e	0.00
9	Don't Know	3	0.05

Variable:	BEHDFFCS_C	
Module:	Child	
Section:	BEH : Behavior	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Does ^SCNAME have enjoy^s doing?	difficulty concentrating on an activity that ^heshe_C
	* <b>Read if necessary</b> a lot of difficult	: Would you say ^SCNAME has: no difficulty, some difficulty, y, or ^heshe_C cannot do this at all?
Fills:	^SCNAME	Sample child's name
	^heshe_C	He/She/They
	^s	S
Description:	Difficulty concent	rating
Recode:		
Universe:	HHSTAT_C=1 and (5<	=AGEP_C<=17)
Universe Description:	Sample children 5-17	
Sources:		
Question ID:	BEH.0040.00.1	
Keywords:	difficulty concentrating; behavior; Washington Group	
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.	
Evaluation Report:		

#### Unweighted frequencies:

BEHDFFCS\_C Difficulty concentrating

Code	Description	Frequency	Percent
1	No difficulty	5696	93.45
2	Some difficulty	315	5.17
3	A lot of difficulty	66	1.08
4	Cannot do at all	15	0.25
7	Refused	3	0.05
8	Not Ascertained	e	0.00
9	Don't Know	e	0.00

Variable:	BEHDFCHG_C		
Module:	Child		
Section:	BEH : Behavior		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME have	difficulty accepting changes in ^hisher_C routine?	
		: Would you say ^SCNAME has: no difficulty, some difficulty, y, or ^heshe_C cannot do this at all?	
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
	^heshe_C	He/She/They	
Description:	Difficulty with changes in routine		
Recode:			
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)		
Universe Description:	Sample children 5-17		
Sources:			
Question ID:	BEH.0050.00.1		
Keywords:	difficulty with changes in routine; behavior; Washington Group		
Notes:	This question is part of the disability status composite indicator for children aged 5-17 years old.		
Evaluation Report:			

#### Unweighted frequencies:

BEHDFCHG\_C Difficulty with changes in routine

Code	Description	Frequency	Percent
1	No difficulty	4707	77.23
2	Some difficulty	1151	18.88
3	A lot of difficulty	220	3.61
4	Cannot do at all	10	0.16
7	Refused	3	0.05
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Variable:	BEHDFMKFR_C		
Module:	Child		
Section:	BEH : Behavior		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME have di	fficulty making friends?	
		Would you say ^SCNAME has: no difficulty, some difficulty, or ^heshe_C cannot do this at all?	
Fills:	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Difficulty making friends		
Recode:			
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)		
Universe Description:	Sample children 5-17		
Sources:			
Question ID:	BEH.0060.00.1		
Keywords:	difficulty making friends; behavior; Washington Group		
Notes:	This question is par children aged 5-17 y	t of the disability status composite indicator for ears old.	
Evaluation Report:			

#### Unweighted frequencies:

BEHDFMKFR_C	Difficulty	making	friends
-------------	------------	--------	---------

Code	Description	Frequency	Percent
1	No difficulty	5444	89.32
2	Some difficulty	477	7.83
3	A lot of difficulty	148	2.43
4	Cannot do at all	15	0.25
7	Refused	4	0.07
8	Not Ascertained	0	0.00
9	Don't Know	7	0.11

Variable:	DISAB2_C
Module:	Child
Section:	BEH : Behavior
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	The Washington Group Short Set Composite Disability Indicator, children 2-4
Recode:	Yes
Universe:	HHSTAT_C=1 and AGEP_C IN (2,3,4)
Universe Description:	Sample children 2-4
Sources:	VISIONDF_C; HEARINGDF_C; NOEQWLKDF_C; WLKDF_C; PICKUPDF_C; UNDRSTYOU_C; UNDRSTCHD_C; LEARNDF_C; BEHDFPLYG_C; BEHKBHYG_C
Question ID:	
Keywords:	disability indicator; functional limitation; Washington Group
Notes:	Functional Limitation Indicator for children aged 2-4 years based on the Washington Group Short Set. Please see the Survey Description document for more information.
Evaluation Report:	

#### Unweighted frequencies:

DISAB2_C	The Washington Group Short Set Composite Disability Indicator, children 2-4		
Code	Description	Frequency	Percent
1	Yes	39	3.03
2	No	1247	96.89
9	Don't Know	1	0.08

DTSAB2 C The Washington Gr n Short Set Co site Disability Indicator childnon 2 4

Variable:	DISAB5_C
Module:	Child
Section:	BEH : Behavior
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	The Washington Group Short Set Composite Disability Indicator, children 5-17
Recode:	Yes
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)
Universe Description:	Sample children 5-17
Sources:	VISIONDF_C; HEARINGDF_C; NOEQWLK100_C; NOEQWLK13M_C; WLK100_C; WLK13M_C; SELFCAREDF_C; UNDRSTINHH_C; UNDRSTOHH_C; LEARNDF_C; REMEMBERDF_C; BEHDFFCS_C; BEHDFCHG_C; BEHDFCNTR_C; BEHDFMKFR_C; DEPFREQ_C; ANXFREQ_C
Question ID:	
Keywords:	disability indicator; functional limitation; Washington Group
Notes:	Functional Limitation Indicator for children aged 5-17 years based on the Washington Group Short Set. Please see the Survey Description document for more information.
Evaluation Report:	

#### Unweighted frequencies:

#### DISAB5\_C The Washington Group Short Set Composite Disability Indicator, children 5-17

Code	Description	Frequency	Percent
1	Yes	722	11.85
2	No	5373	88.15
9	Don't Know	0	0.00

Variable:	BSCNWPPL_C	
Module:	Child	
Section:	BSC : Baby Pediatric Symptom Checklist	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	These next questions are about ^SCNAME's behavior. Think about what you would expect of other children the same age, and tell me how much each statement applies to ^SCNAME.	
	Does ^SCNAME have a hard time being with new people? Would you say not at all, somewhat, or very much?	
Fills:	^SCNAME Sample child's name	
Description:	Hard time with new people	
Recode:		
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)	
Universe Description:	Sample children under 2 years	
Sources:		
Question ID:	BSC.0020.00.1	
Keywords:	inflexibility; social; emotional; behavioral; screening; pediatric	
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx	
Evaluation Report:		

#### Unweighted frequencies:

BSCNWPPL\_C Hard time with new people

Code	Description	Frequency	Percent
1	Not at all	676	76.91
2	Somewhat	161	18.32
3	Very much	36	4.10
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	4	0.46

Variable:	BSCNWPLCS_C	
Module:	Child	
Section:	BSC : Baby Pediatric Symptom Checklist	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Does ^SCNAME have a hard time in new places? Would you say not at all, somewhat, or very much?	
Fills:	^SCNAME Sample child's name	
Description:	Hard time in new places	
Recode:		
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)	
Universe Description:	Sample children under 2 years	
Sources:		
Question ID:	BSC.0030.00.1	
Keywords:	inflexibility; social; emotional; behavioral; screening; pediatric	
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx	
Evaluation Report:		

#### Unweighted frequencies:

BSCNWPLCS\_C Hard time in new places

Code	Description	Frequency	Percent
1	Not at all	736	83.73
2	Somewhat	124	14.11
3	Very much	12	1.37
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	5	0.57

Variable:	BSCCHG_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME have a hard time with change?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Hard time with change
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0040.00.1
Keywords:	inflexibility; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCCHG_C	BSCCHG_C Hard time with change		
Code	Description	Frequency	Percent
1	Not at all	716	81.46
2	Somewhat	142	16.15
3	Very much	16	1.82
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	3	0.34

Variable:	BSCHLOPPL_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME mind being held by other people?
	Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Held by other people
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0050.00.1
Keywords:	inflexibility; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCHLOPPL\_C Held by other people

Code	Description	Frequency	Percent
1	Not at all	590	67.12
2	Somewhat	219	24.91
3	Very much	61	6.94
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	7	0.80

Variable:	BSCCRYALT C
Module:	- Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME cry a lot?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Cries a lot
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0060.00.1
Keywords:	irritability; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCCRYALT_C	Cries a lot		
Code	Description	Frequency	Percent
1	Not at all	676	76.91
2	Somewhat	179	20.36
3	Very much	22	2.50
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	0	0.00

Variable:	BSCCLMDWN_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME have a hard time calming down?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Hard time calming down
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0070.00.1
Keywords:	irritability; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCCLMDWN\_C Hard time calming down

Code	Description	Frequency	Percent
1	Not at all	769	87.49
2	Somewhat	99	11.26
3	Very much	9	1.02
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	0	0.00

Variable:	BSCFUSSY C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is ^SCNAME fussy or irritable?
	Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Fussy or irritable
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0080.00.1
Keywords:	irritability; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCFUSSY_C	Fussy or irritable		
Code	Description	Frequency	Percent
1	Not at all	620	70.53
2	Somewhat	248	28.21
3	Very much	9	1.02
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	0	0.00

Variable:	BSCSTHE C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	
Question Text:	Is it hard to comfort ^SCNAME?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Hard to comfort
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0090.00.1
Keywords:	irritability; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCSTHE_C	Hard to comfort		
Code	Description	Frequency	Percent
1	Not at all	828	94.20
2	Somewhat	44	5.01
3	Very much	5	0.57
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	e	0.00

Variable:	BSCSCHD C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is it hard to keep ^SCNAME on a schedule or routine?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Hard to keep on schedule
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0100.00.1
Keywords:	difficulty with routine; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCSCHD\_C Hard to keep on schedule

Code	Description	Frequency	Percent
1	Not at all	775	88.17
2	Somewhat	86	9.78
3	Very much	12	1.37
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	4	0.46

Variable:	BSCPTSLP_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is it hard to put ^SCNAME to sleep?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Hard to put to sleep
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0110.00.1
Keywords:	difficulty with routine; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCPTSLP_C	Hard to	put to	sleep
------------	---------	--------	-------

Code	Description	Frequency	Percent
1	Not at all	694	78.95
2	Somewhat	156	17.75
3	Very much	27	3.07
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	0	0.00

Variable:	BSCSTYSLP_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does ^SCNAME have trouble staying asleep?
	* Read if necessary: Would you say not at all, somewhat, or very much?
Fills:	^SCNAME Sample child's name
Description:	Trouble staying asleep
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0120.00.1
Keywords:	difficulty with routine; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCSTYSLP\_C Trouble staying asleep

Code	Description	Frequency	Percent
1	Not at all	733	83.39
2	Somewhat	121	13.77
3	Very much	21	2.39
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	2	0.23

Variable:	BSCPRLKSL_C
Module:	Child
Section:	BSC : Baby Pediatric Symptom Checklist
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is it hard for ^youmembersoffamily to get enough sleep because of ^SCNAME?
Fills:	<pre>* Read if necessary: Would you say not at all, somewhat, or very much? ^youmembersoffamily you/members of your family ^SCNAME Sample child's name</pre>
Description:	Hard to get sleep due to SC
Recode:	
Universe:	HHSTAT_C=1 and AGEP_C IN (0,1)
Universe Description:	Sample children under 2 years
Sources:	
Question ID:	BSC.0130.00.1
Keywords:	difficulty with routine; social; emotional; behavioral; screening; pediatric
Notes:	The Baby Pediatric Symptom Checklist is part of the larger Survey of Well- being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.floatinghospital.org/The-Survey-of-Wellbeing-of- Young-Children/Overview.aspx
Evaluation Report:	

# Unweighted frequencies:

BSCPRLKSL\_C Hard to get sleep due to SC

Code	Description	Frequency	Percent
1	Not at all	673	76.56
2	Somewhat	164	18.66
3	Very much	40	4.55
7	Refused	1	0.11
8	Not Ascertained	1	0.11
9	Don't Know	0	0.00

Variable:	SCHDYMSSTC_C
Module:	Child
Section:	SCH : Schooling
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Days missed due to illness/injury, past 12 m
Recode:	Yes
Universe:	HHSTAT_C=1 and (5<=AGEP_C<=17)
Universe Description:	
Sources:	SCHDYMSS_C
Question ID:	
Keywords:	missed school; days absent; illness; injury
Notes:	
Evaluation Report:	

### Unweighted frequencies:

#### SCHDYMSSTC\_C Days missed due to illness/injury, past 12 m

Code	Description	Frequency	Percent
00	None	3538	58.05
01-39	1-39 days	2424	39.77
40	40+ days	29	0.48
96	Did not go to school	39	0.64
97	Refused	5	0.08
98	Not Ascertained	0	0.00
99	Don't Know	60	0.98

Variable:	SCHSPEDEV_C	
Module:	Child	
Section:	SCH : Schooling	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:		ad a special education or early intervention plan, such as Education Plan, an IEP, or an Individualized Family Service
Fills:	^SCNAME	Sample child's name
Description:	Ever received Spec	ial Education
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-	17
Sources:		
Question ID:	SCH.0020.00.1	
Keywords:	special education	recieved
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

SCHSPEDEV\_C Ever received Special Education

Code	Description	Frequency	Percent
1	Yes	1105	13.38
2	No	7133	86.35
7	Refused	5	0.06
8	Not Ascertained	0	0.00
9	Don't Know	18	0.22

Variable:	SCHSPED_C			
Module:	Child			
Section:	SCH : Schooling			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	Does ^SCNAME current	Does ^SCNAME currently have a special education or early intervention plan?		
	*Read if necessary: received during the	Consider special education or early intervention plans past school year.		
Fills:	^SCNAME	Sample child's name		
Description:	Received Special Education			
Recode:				
Universe:	HHSTAT_C=1 and SCHSP	EDEV_C=1		
Universe Description:	Sample children 0-17	who ever received special education services		
Sources:				
Question ID:	SCH.0030.00.1			
Keywords:				
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

SCHSPED\_C Received Special Education

Code	Description	Frequency	Percent
1	Yes	726	65.70
2	No	372	33.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.63

Variable:	SCHSPEDEM_C		
Module:	Child		
Section:	SCH : Schooling		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^SCNAME receive these services to help with ^hisher_C emotions, concentration, behavior, or mental health?		
Fills:	^SCNAME Sample child's name		
	^hisher_C his/her/their		
Description:	Receive services for mental health problems		
Recode:			
Universe:	HHSTAT_C=1 and SCHSPED_C=1		
Universe Description:	Sample children 0-17 who currently receive special education services		
Sources:			
Question ID:	SCH.0040.00.1		
Keywords:	metal health service received		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

 $\label{eq:schspedem_c} \textbf{SCHSPEDEM_C} \quad \text{Receive services for mental health problems}$ 

Code	Description	Frequency	Percent
1	Yes	422	58.13
2	No	298	41.05
7	Refused	1	0.14
8	Not Ascertained	0	0.00
9	Don't Know	5	0.69

Variable:	NOTCOV_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Coverage status as used in Health United States
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	MEDICARE_C; MEDICAID_C; PRIVATE_C; CHIP_C; OTHPUB_C; OTHGOV_C; MILITARY_C; IHS_C
Question ID:	
Keywords:	Uninsured; insured
Notes:	Children are considered uninsured if they did not have private health insurance, Medicare, Medicaid, Children's Health Insurance Program (CHIP), a State-sponsored health plan, other government programs, or military health plan (includes TRICARE, VA, and CHAMP-VA) at the time of interview. This definition of uninsured matches that used in Health United States.
Evaluation Report:	

#### Unweighted frequencies:

NOTCOV_C	Coverage status as used in Health United States		
Code	Description	Frequency	Percent
1	Not covered	334	4.04
2	Covered	7889	95.50
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

/ariable:	COVER_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Health insurance hierarchy
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	<pre>MEDICARE_C; MEDICAID_C; PRIVATE_C; CHIP_C; OTHPUB_C; OTHGOV_C; MILITARY_C</pre>
Question ID:	
Keywords:	Hierarchy Private; Medicaid; Other Coverage; Uninsured
Notes:	This is a hierarchical variable. Children are assigned the first type of insurance in the list that they have.
Evaluation Report:	

#### Unweighted frequencies:

COVER_C	Health insurance hierarchy		
Code	Description	Frequency	Percent
1	Private	4891	59.21
2	Medicaid and other public	2743	33.20
3	Other coverage	255	3.09
4	Uninsured	334	4.04
5	Don't Know	38	0.46

Variable:	SINCOVDE_C			
Module:	Child			
Section:	INS : Health Insuranc	INS : Health Insurance		
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	?[F1]			
	<pre>^INADDITIONIS ^SCNAME services?</pre>	covered by a SEPARATE plan that only pays for dental		
Fills:	^INADDITIONIS	In addition to ^HITYPECNOSS, is/Is		
	^HITYPECNOSS	Type of health care plans without single service plans		
	^SCNAME	Sample child's name		
Description:	Single service plan -	dental		
Recode:				
Universe:	HHSTAT_C=1			
Universe Description:	Sample children 0-17			
Sources:				
Question ID:	IN5.0040.00.1			
Keywords:	Single service			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

SINCOVDE_C	Single service plan - dental		
Code	Description	Frequency	Percent
1	Yes	3103	37.56
2	No	5061	61.26
7	Refused	6	0.07
8	Not Ascertained	0	0.00
9	Don't Know	91	1.10

Variable:	SINCOVVS_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	Is ^SCNAME covered by a SEPARATE plan that only pays for vision services?
Fills:	^SCNAME Sample child's name
Description:	Single service plan - vision
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INS.0050.00.1
Keywords:	Single service
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

# SINCOVVS\_C Single service plan - vision

Code	Description	Frequency	Percent
1	Yes	2296	27.79
2	No	5839	70.68
7	Refused	6	0.07
8	Not Ascertained	0	0.00
9	Don't Know	120	1.45

Variable:	SINCOVRX_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
Fills:	Is ^SCNAME covered by a SEPARATE plan that only pays for prescriptions? ^SCNAME Sample child's name	
Description:	Single service plan - prescription	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0060.00.1	
Keywords:	Single service	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

# SINCOVRX\_C Single service plan - prescription

Code	Description	Frequency	Percent
1	Yes	853	10.33
2	No	7323	88.65
7	Refused	6	0.07
8	Not Ascertained	0	0.00
9	Don't Know	79	0.96

Variable:	MEDICAID_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Medicaid recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND03_C; MCAIDPRB_C
Question ID:	
Keywords:	Medicaid; Title 19; Title XIX
Notes:	
Evaluation Report:	

# Unweighted frequencies:

MEDICAID_C	Medicaid recode		
Code	Description	Frequency	Percent
1	Yes, information	2507	30.35
2	Yes, but no information	6	0.07
3	No	5720	69.24
7	Refused	3	0.04
8	Not Ascertained	0	0.00
9	Don't Know	25	0.30

Variable:	MAXCHNG_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
Fills:	Was ^SCNAME's Medicaid obtained through Healthcare.gov or the ^MARKETPLACE? ^SCNAME Sample child's name ^MARKETPLACE Health Insurance marketplace names		
Description:	Medicaid through Marketplace		
Recode:			
Universe:	HHSTAT_C=1 and MEDICAID_C in (1,2)		
Universe Description:	Sample children 0-17 with Medicaid		
Sources:			
Question ID:	IN5.0140.00.1		
Keywords:	Health Insurance Exchange; Health Insurance Marketplace		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

MAXCHNG_C	Medicaid	through	Marketplace
-----------	----------	---------	-------------

Code	Description	Frequency	Percent
1	Yes	846	33.66
2	No	1463	58.22
7	Refused	1	0.04
8	Not Ascertained	7	0.28
9	Don't Know	196	7.80

Variable:	MAPREM_C			
Module:	Child			
Section:	INS : Health Insurance			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	?[F1]			
	A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this Medicaid plan?			
Fills:	^SCNAME Sample child's name			
Description:	Medicaid premium			
Recode:				
Universe:	HHSTAT_C=1 and MEDICAID_C in (1,2)			
Universe Description: Sample children 0-17 with Medicaid				
Sources:				
Question ID:	INS.0150.00.1			
Keywords:	Premium			
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

MAPREM_C	Medicaid premium		
Code	Description	Frequency	Percent
1	Yes	110	4.38
2	No	2362	93.99
7	Refused	1	0.04
8	Not Ascertained	6	0.24
9	Don't Know	34	1.35

Vanishla				
Variable:	MADEDUC_C			
Module:	Child			
Section:	INS : Health Insurance			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	?[F1]			
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's Medicaid plan have an annual deductible?			
	* Read if necessary: A deductible is different from a copay (copayment).			
Fills:	^SCNAME Sample child's name			
Description:	Medicaid deductible			
Recode:				
Universe:	HHSTAT_C=1 and MEDICAID_C in (1,2)			
Universe Description:	Sample children 0-17 with Medicaid			
Sources:				
Question ID:	INS.0160.00.1			
Keywords:	Deductible			
Notes:				
Evaluation Report:				

# Unweighted frequencies:

0	•		
MADEDUC_C	Medicaid deductible		
Code	Description	Frequency	Percent
1	Yes	3	9 1.55
2	No	237	1 94.35
7	Refused		1 0.04
8	Not Ascertained		6 0.24
9	Don't Know	9	6 3.82

Variable:	MAHDHP_C			
Module:	Child			
Section:	INS : Health Insurance			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	?[F1]			
	Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.			
Fills:	^HDHPDED Deductible threshold (may change in future year)			
Description:	Medicaid HDHP			
Recode:				
Universe:	HHSTAT_C=1 and MEDICAID_C in (1,2) and MADEDUC_C = 1			
Universe Description:	Sample children 0-17 with Medicaid that has a deductible			
Sources:				
Question ID:	INS.0170.00.1			
Keywords:	High deductible			
Notes:				
Evaluation Report:				

# Unweighted frequencies:

MAHDHP_C	Medicaid HDHP		
Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	29	74.36
2	Deductible is \$1,400 or more	3	7.69
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	17.95

Variable:	MAFLG_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Medicaid reassignment flag
Recode:	Yes
Universe:	HHSTAT_C=1 and MEDICAID_C in (1,2)
Universe Description:	Sample children 0-17 with Medicaid
Sources:	HIPNAM1_C; HIPNAM2_C
Question ID:	
Keywords:	
Notes:	Flag indicating Sample Child was reassigned from private health insurance to Medicaid
Evaluation Report:	

# Unweighted frequencies:

MAFLG_C	Medicaid reassignment flag		
Code	Description	Frequency	Percent
1	Reassigned to Medicaid from private	16	100.00
		-	-

Variable:	PRIVATE_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Private health insurance recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND01_C; HIKIND03_C
Question ID:	
Keywords:	Private health insurance
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PRIVATE_C	Private health insurance recode			
Code	Description	Frequency	Percent	
1	Yes, information	4891	59.21	
2	Yes, but no information	0	0.00	
3	No	3324	40.24	
7	Refused	8	0.10	
8	Not Ascertained	0	0.00	
9	Don't Know	38	0.46	

Variable:	EXCHANGE_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Plan through Health Insurance Exchange, NCHS algorithm
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C =1
Universe Description:	Sample children 0-17 with private health insurance with information
Sources:	HIPNAM1_C; HIPNAM2_C; MACHMN_C; CHNAME_C; OPNAME_C; OGNAME_C
Question ID:	
Keywords:	Health Insurance Exchange; Health Insurance Marketplace
Notes:	Indicates Sample Child is on an exchange plan based on NCHS algorithm
Evaluation Report:	

# Unweighted frequencies:

EXCHANGE_C	Plan <sup>.</sup>	through	Health	Insurance	Exchange,	NCHS	algorithm	
------------	-------------------	---------	--------	-----------	-----------	------	-----------	--

Code	Description	Frequency	Percent
1	Exchange plan	199	4.07
2	Not exchange plan	4692	95.93
8	Not Ascertained	0	0.00

Variable:	POLHLD1_C		
Module:	Child		
Section:	INS : Health Insuranc	e	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	are usually obtained	some questions about ^FIRSTPLANC. Health insurance plans in one person's name even if other family members are That person is called the policyholder. Is ^SCNAME the SPLANC?	
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan	
	^HIPNAM1_C	{Value of HIPNAM1_C}	
	^HIPNAM2_C	{Value of HIPNAM2_C}	
	^SCNAME	Sample child's name	
	^THISPLANC	this plan/^HIPNAM1_C/^HIPNAM2_C	
Description:	Policyholder for priv	vate plan 1	
Recode:			
Universe:	HHSTAT_C=1 and PRIVAT	E_C in (1,2)	
Universe Description:	Sample children 0-17	with private health insurance - plan 1	
Sources:			
Question ID:	INS.0340.01.1		
Keywords:	Policyholder		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

POLHLD1_C	Policyholder for private plan 1		
Code	Description	Frequency	Percent
1	Yes	146	2.99
2	No	4639	94.85
7	Refused	1	0.02
8	Not Ascertained	101	2.07
9	Don't Know	4	0.08

Variable:	PRPLCOV1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does this plan cover someone other than ^SCNAME?
Fills:	^SCNAME Sample child's name
Description:	Plan coverage for others - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and POLHLD1_C in (1,7,9)
Universe Description:	Sample children 0-17 with private health insurance who are the policyholder or do not know or refused if they are the policyholder for plan 1
Sources:	
Question ID:	INS.0350.01.1
Keywords:	Policyholder
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PRPLCOV1_C	Plan	coverage	for	others	-	plan 1
------------	------	----------	-----	--------	---	--------

Code	Description	Frequency	Percent
1	Yes	111	73.51
2	No	36	23.84
7	Refused	1	0.66
8	Not Ascertained	0	0.00
9	Don't Know	3	1.99

Variable:	PRPLCOV1_A_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does this plan cover someone other than yourself?
Description:	Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 1
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and (FRMAP1_1_C=1 or FRMAP2_1_C=1)
Universe Description:	Sample children 0-17 with private health insurance (plan 1) who share the sample adult's plan 1 or plan 2, response to PRPLCOV1_A or PRPLCOV2_A from sample adult
Sources:	PRPLCOV1_A; PRPLCOV2_A
Question ID:	
Keywords:	Policyholder
Notes:	Sample adult's plan is shared with sample child. Response to PRPLCOV1_A or PRPLCOV2_A (unedited)
Evaluation Report:	

# Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	1549	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

# $\ensuremath{\mathsf{PRPLCOV1\_A\_C}}$ Response to <code>PRPLCOV1\\_A</code> or <code>PRPLCOV2\\_A</code> from adult - plan 1

Variable:	PLNWRKR1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	?[F1]
	Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some other way?
Description:	How plan was originally obtained - plan 1
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	PLNWRK1_C; PLNWKSP1_C
Question ID:	
Keywords:	Employer-based; directly purchased
Notes:	Includes both respsonses to PLNWRK1_C and additional answer categories based on editing of verbatim responses in PLNWKSP1_C
Evaluation Report:	

# Unweighted frequencies:

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	4467	91.33
02	Purchased directly	193	3.95
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	76	1.55
04	Through a state or local government or community program	23	0.47
05	Other	7	0.14
06	Through school	2	0.04
07	Through parents	22	0.45
08	Through other relative	0	0.00
97	Refused	2	0.04
98	Not Ascertained	91	1.86
99	Don't Know	8	0.16

PLNWRKR1\_C How plan was originally obtained - plan 1

Variable:	PLNEXCHG1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?
Fills:	^MARKETPLACE Health Insurance marketplace names
Description:	Health plan obtained through Marketplace - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and PLNWRKR1_C in (2,4,5,6,7,8,97,99)
Universe Description:	Sample children 0-17 with private health insurance who indicated that their plan was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it was obtained – plan 1
Sources:	
Question ID:	INS.0380.01.1
Keywords:	Health Insurance Exchange; Health Insurance Marketplace
Notes:	Do not use this variable alone to determine whether a private plan was obtained through an exchange.
Evaluation Report:	

#### Unweighted frequencies:

#### PLNEXCHG1\_C Health plan obtained through Marketplace - plan 1

Code	Description	Frequency	Percent
1	Yes	60	23.35
2	No	172	66.93
7	Refused	2	0.78
8	Not Ascertained	0	0.00
9	Don't Know	23	8.95

Variable:	PLN1PAY1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by self or family - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	INS.0390.11.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLNIPAY1_C	Paid for by self or family - plan 1		
Code	Description	Frequency	Percent
1	Mentioned	4060	83.01
2	Not mentioned	692	14.15
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	34	0.70

PLN1PAY1\_C Paid for by self or family - plan 1

Variable:	PLN1PAY2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by employer or union - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	INS.0390.12.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLNIPAYZ_C	Paid for by employer or union - plan 1		
Code	Description	Frequency	Percent
1	Mentioned	3436	70.25
2	Not mentioned	1316	26.91
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	34	0.70

# PLN1PAY2\_C Paid for by employer or union - plan 1

Variable:	PLN1PAY3_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by someone outside the household - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	INS.0390.13.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

		-	
Code	Description	Frequency	Percent
1	Mentioned	190	3.88
2	Not mentioned	4562	93.27
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	34	0.70

PLN1PAY3\_C Paid for by someone outside the household - plan 1

Variable:	PLN1PAY5_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by Medicaid - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	INS.0390.15.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLNIPAY5_C	Paid for by Medicaid - pian i		
Code	Description	Frequency	Percent
1	Mentioned	5	0.10
2	Not mentioned	4747	97.06
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	34	0.70

PLN1PAY5\_C Paid for by Medicaid - plan 1

Variable:	PLN1PAY6R_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by other government program - plan 1
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	PLN1PAY4_C; PLN1PAY6_C
Question ID:	
Keywords:	
Notes:	Includes children for whom Medicare pays the premium
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Mentioned	25	0.51
2	Not mentioned	4727	96.65
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	34	0.70

PLN1PAY6R\_C Paid for by other government program - plan 1

Variable:	HICOSTR1 C	
Module:	- Child	
Section:	INS : Health Insuranc	e
File(s):	Child	
Data Type:	Numeric	
Length:	5	
Question Text:	?[F1]	
		's family currently spend for health insurance premiums se include payroll deductions for premiums.
Fills:	^SCNAME	Sample child's name
	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan
	^HIPNAM1_C	{Value of HIPNAM1_C}
	^HIPNAM2_C	{Value of HIPNAM2_C}
Description:	Out-of-pocket premium	cost - plan 1
Recode:	Yes	
Universe:	HHSTAT_C=1 and PRIVAT	E_C in (1,2) and PLN1PAY1_C =1
Universe Description:	Sample children 0-17 family – plan 1	with private health insurance with plan paid by self or
Sources:	HICOSTN1_C; HICOSTT1_	c
Question ID:		
Keywords:	Premiums	
Notes:	This recode annualize premiums - plan 1.	s the amount spent on the sample child's health insurance
Evaluation Report:		

# Unweighted frequencies:

HICOSTR1\_C Out-of-pocket premium cost - plan 1

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	2829	69.68
40000	\$40,000 or more	13	0.32
99997	Refused	61	1.50
99998	Not Ascertained	0	0.00
99999	Don't Know	1157	28.50

Variable:	PRDEDUC1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does this health plan have an annual deductible?
	* Read if necessary: A deductible is different from a copay (copayment).
Description:	Deductible - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	INS.0410.01.1
Keywords:	Deductible
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PRDEDUC1\_C Deductible - plan 1

Code	Description	Frequency	Percent
1	Yes	3667	74.97
2	No	843	17.24
7	Refused	9	0.18
8	Not Ascertained	0	0.00
9	Don't Know	372	7.61

Variable:	PRHDHP1_C		
Module:	Child		
Section:	INS : Health Insurance	e	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.		
Fills:	^FAM_C	family	
	^HDHPAMT_C	^HDHPDED_family/^HDHPDED	
	^HDHPDED_family	Family deductible threshold (may change in future year)	
	^HDHPDED	Deductible threshold (may change in future year)	
Description:	High deductible healt	h plan - plan 1	
Recode:			
Universe:	HHSTAT_C=1 and PRIVAT	E_C in (1,2) and PRDEDUC1_C=1	
Universe Description:	Sample children 0-17 with private health insurance who have a deductible for plan 1		
Sources:			
Question ID:	INS.0420.01.1		
Keywords:	Consumer directed; High deductible; HDHP; CDHP		
Notes:		s only one person the deductible threshold is \$1,400. For o or more persons the deductible threshold is \$2,800.	
Evaluation Report:			

#### Unweighted frequencies:

PRHDHP1_C	High deductible health plan - plan 1		
Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_C	1541	42.02
2	^HDHPAMT_C or more	1750	47.72
7	Refused	9	0.25
8	Not Ascertained	0	0.00
9	Don't Know	367	10.01

Variable:	HSAHRA1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	There are special accounts or funds that can be used to pay for medical expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs. Is there one of these accounts or funds with this plan?
Description:	Health Savings Accounts / Health Reimbursement Accounts - plan 1
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and PRDEDUC1_C=1 and PRHDHP1_C in (2,7,8,9)
Universe Description:	Sample children 0-17 with private health insurance who have or do not know if they have a high deductible for plan 1
Sources:	
Question ID:	INS.0430.01.1
Keywords:	Consumer directed; CDHP; HSA; HRA
Notes:	
Evaluation Report:	

### Unweighted frequencies:

#### HSAHRA1\_C Health Savings Accounts / Health Reimbursement Accounts - plan 1

Code	Description	Frequency	Percent
1	Yes	1060	49.86
2	No	969	45.58
7	Refused	2	0.09
8	Not Ascertained	22	1.03
9	Don't Know	73	3.43

Variable:	PRRXCOV1_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^FIRSTPLANC pay for any of the costs for medications prescribed by a doctor?		
	* <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME were prescribed medications.		
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan	
	^HIPNAM1_C	{Value of HIPNAM1_C}	
	^HIPNAM2_C	{Value of HIPNAM2_C}	
	^SCNAME	Sample child's name	
Description:	Plan pays for pre	escription drug - plan 1	
Recode:			
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)		
Universe Description:	Sample children 0-17 with private health insurance - plan 1		
Sources:			
Question ID:	INS.0440.01.1		
Keywords:	Medications; Pres	scriptions	
Notes:			
Evaluation Report:			

# Unweighted frequencies:

PRRXCOV1\_C Plan pays for prescription drug - plan 1

Code	Description	Frequency	Percent
1	Yes	4374	89.43
2	No	315	6.44
7	Refused	4	0.08
8	Not Ascertained	101	2.07
9	Don't Know	97	1.98

Variable:	PRDNCOV1 C		
Module:	Child		
Section:	INS : Health Insura	nce	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	- Does ^FIRSTPLANC pay for any of the costs for dental care?		
	* <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have dental care.		
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan	
	^HIPNAM1_C	{Value of HIPNAM1_C}	
	^HIPNAM2_C	{Value of HIPNAM2_C}	
	^SCNAME	Sample child's name	
Description:	Plan pays for denta	l care - plan 1	
Recode:			
Universe:	HHSTAT_C=1 and PRIV	ATE_C in (1,2)	
Universe Description:	Sample children 0-1	7 with private health insurance - plan 1	
Sources:			
Question ID:	INS.0450.01.1		
Keywords:	Dental care		
Notes:			
Evaluation Report:			

## Unweighted frequencies:

PRDNCOV1\_C Plan pays for dental care - plan 1

Code	Description	Frequency	Percent
1	Yes	2033	41.57
2	No	2623	53.63
7	Refused	7	0.14
8	Not Ascertained	101	2.07
9	Don't Know	127	2.60

Variable:	PRVSCOV1_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Does ^FIRSTPLANC pay for any of the costs for routine vision care, such as glasses and contact lenses?		
	* <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have vision care.		
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan	
	^HIPNAM1_C	{Value of HIPNAM1_C}	
	^HIPNAM2_C	{Value of HIPNAM2_C}	
	^SCNAME	Sample child's name	
Description:	Plan pays for vis	ion care - plan 1	
Recode:			
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)		
Universe Description:	Sample children 0-17 with private health insurance - plan 1		
Sources:			
Question ID:	INS.0460.01.1		
Keywords:	Vision care		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

PRVSCOV1\_C Plan pays for vision care - plan 1

Code	Description	Frequency	Percent
1	Yes	2150	43.96
2	No	2423	49.54
7	Refused	6	0.12
8	Not Ascertained	101	2.07
9	Don't Know	211	4.31

Variable:	EXCHPR1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Exchange company coding, NCHS - plan 1
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C=1 and (HIKIND01_C=1 or HIKIND03_C=1)
Universe Description:	Sample children 0-17 with private health insurance who initially indicated private health insurance - plan 1
Sources:	HIPNAM1_C
Question ID:	
Keywords:	Private health insurance; Exchange
Notes:	Internal coding of insurance plan names from private plan verbatim fields into four categories - plan 1
Evaluation Report:	

#### Unweighted frequencies:

<b>EXCHPR1_C</b> Exchange company coding, NCHS - plan	1
---	---

Code	Description	Frequency	Percent
1	Company provides exchange plans	2727	56.93
2	Not an exchange company	1781	37.18
3	Exchange Portal or exact exchange plan name	11	0.23
8	Not Ascertained	271	5.66

Variable:	PRFLG_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Private reassignment flag
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2)
Universe Description:	Sample children 0-17 with private health insurance - plan 1
Sources:	
Question ID:	
Keywords:	Private health insurance
Notes:	Flag indicating Sample Child was reassigned from public health coverage (Medicaid, CHIP, state-sponsored plan, other government) to private
Evaluation Report:	

# Unweighted frequencies:

PRFLG_C	Private reassignment flag		
Code	Description	Frequency	Percent
1	Reassigned to private from public	101	100.00

Variable:	PXCHNG1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Marketplace or state exchange, reassigned from public to private
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1
Universe Description:	Sample children 0-17 with private health insurance whose information was orginally collected in Medicaid, CHIP, state-sponsored plan, or other government program
Sources:	MAXCHNG_C; CHXCHNG_C; OPXCHNG_C; OGXCHNG_C
Question ID:	
Keywords:	Private health insurance; Exchange
Notes:	Indicates that plan was obtained on Healthcare.gov, Health Insurance Marketplace or state-based exchange for a plan that has been reassigned from public to private
Evaluation Report:	

# Unweighted frequencies:

onweighted II	Silvergitten in equencies.			
PXCHNG1_C	Marketplace or state exchange, reassigned from public to private			
Code	Description	Frequency	Percent	
1	Yes	75	74.26	
2	No	25	24.75	
7	Refused	0	0.00	
8	Not Ascertained	0	0.00	
9	Don't Know	1	0.99	

Variable:	PRPREM1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Premium on plan reassigned from public to private
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1
Universe Description:	Sample children 0-17 with private health insurance whose information was orginally collected in Medicaid, CHIP, state-sponsored plan, or other government program
Sources:	MAPREM_C; CHPREM_C; OPPREM_C; OGPREM_C
Question ID:	
Keywords:	Private health insurance; Premium; Enrollment fee
Notes:	Indicates that there is an enrollment fee or premium for a plan that has been reassigned from public to private
Evaluation Report:	

# Unweighted frequencies:

	Themium on pium reassigned from public to private		
Code	Description	Frequency	Percent
1	Yes	47	46.53
2	No	53	52.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.99

PRPREM1\_C Premium on plan reassigned from public to private

Variable:	PLEXCHPR1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Exchange company coding, NCHS, reassigned from public to private
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1
Universe Description:	Sample children 0-17 with private health insurance whose information was orginally collected in Medicaid, CHIP, state-sponsored plan, or other government program
Sources:	MACHMN_C; CHNAME_C; OPNAME_C; OGNAME_C
Question ID:	
Keywords:	Private health insurance; Exchange
Notes:	Plan has been reassigned from public to private and this is the internal coding from verbatim fields into four categories
Evaluation Report:	

# Unweighted frequencies:

Code	Description	Frequency	Percent
1	Company provides exchange plans	60	59.41
2	Not an exchange company	17	16.83
3	Exchange Portal or exact exchange plan name	14	13.86
8	Not Ascertained	10	9.90

PLEXCHPR1\_C Exchange company coding, NCHS, reassigned from public to private

Vaniahla		
Variable:	POLHLD2_C	
Module:	Child	
Section:	INS : Health Insurand	ce de la constante de la const
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	are usually obtained	a some questions about ^FIRSTPLANC. Health insurance plans in one person's name even if other family members are . That person is called the policyholder. Is ^SCNAME the ISPLANC?
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan
	^HIPNAM1_C	{Value of HIPNAM1_C}
	^HIPNAM2_C	{Value of HIPNAM2_C}
	^SCNAME	Sample child's name
	^THISPLANC	this plan/^HIPNAM1_C/^HIPNAM2_C
Description:	Policyholder for priv	vate plan 2
Recode:		
Universe:	HHSTAT_C=1 and PRIVAT	FE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17	with private health insurance - plan 2
Sources:		
Question ID:	INS.0340.02.1	
Keywords:	Policyholder	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

POLHLD2_C	Policyholder for private plan 2		
Code	Description	Frequency	Percent
1	Yes	14	9.66
2	No	131	90.34
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PRPLCOV2_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Does this plan cover someone other than ^SCNAME?	
Fills:	^SCNAME Sample child's name	
Description:	Plan coverage for others - plan 2	
Recode:		
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and POLHLD2_C in (1,7,9)	
Universe Description:	Sample children 0-17 with private health insurance who are the policyholder or do not know or refused if they are the policyholder for plan 2	
Sources:		
Question ID:	INS.0350.02.1	
Keywords:	Policyholder	
Notes:		
Evaluation Report:		

### Unweighted frequencies:

# PRPLCOV2\_C Plan coverage for others - plan 2

Code	Description	Frequency	Percent
1	Yes	12	85.71
2	No	2	14.29
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PRPLCOV2_A_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does this plan cover someone other than yourself?
Description:	Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 2
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and (FRMAP1_2_C=1 or FRMAP2_2_C=1)
Universe Description:	Sample children 0-17 with private health insurance (plan 2) who share the sample adult's plan 1 or plan 2, response to PRPLCOV1_A or PRPLCOV2_A from sample adult
Sources:	PRPLCOV1_A; PRPLCOV2_A
Question ID:	
Keywords:	Policyholder
Notes:	Sample adult's plan is shared with sample child. Response to PRPLCOV1_A or PRPLCOV2_A (unedited)
Evaluation Report:	

#### Unweighted frequencies:

PRPLCOV2_A_C	Response to	PRPLCOV1_A or	PRPLCOV2_A from	adult - plan 2
--------------	-------------	---------------	-----------------	----------------

Code	Description	Frequency	Percent
1	Yes	24	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PLNWRKR2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	?[F1]
	Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some other way?
Description:	How plan was originally obtained - plan 2
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	PLNWRK2_C; PLNWKSP2_C
Question ID:	
Keywords:	Employer-based; directly purchased
Notes:	Includes both repsonses to PLNWRK2_C and additional answer categories based on editing of verbatim responses in PLNWKSP2_C
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	130	89.66
02	Purchased directly	9	6.21
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	2	1.38
04	Through a state or local government or community program	0	0.00
05	Other	0	0.00
06	Through school	0	0.00
07	Through parents	3	2.07
08	Through other relative	0	0.00
97	Refused	1	0.69
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable:	PLNEXCHG2 C
	-
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?
Fills:	^MARKETPLACE Health Insurance marketplace names
Description:	Health plan obtained through Marketplace - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PLNWRKR2_C in (2,4,5,6,7,8,97,99)
Universe Description:	Sample children 0-17 with private health insurance who indicated that their plan was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it was obtained - plan 2
Sources:	
Question ID:	INS.0380.02.1
Keywords:	Health Insurance Exchange; Health Insurance Marketplace
Notes:	Do not use this variable alone to determine whether a private plan was obtained through an exchange.
Evaluation Report:	

# Unweighted frequencies:

#### PLNEXCHG2\_C Health plan obtained through Marketplace - plan 2

Code	Description	Frequency	Percent
1	Yes	2	15.38
2	No	10	76.92
7	Refused	1	7.69
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PLN2PAY1_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by self or family - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	
Question ID:	INS.0390.21.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLNZPAYI_C	Paid for by self or family - plan 2		
Code	Description	Frequency	Percent
1	Mentioned	105	72.41
2	Not mentioned	39	26.90
7	Refused	1	0.69
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

# PLN2PAY1\_C Paid for by self or family - plan 2

Variable:	PLN2PAY2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by employer or union - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	
Question ID:	INS.0390.22.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLN2PAY2_C	Paid for by employer or union - plan 2		
Code	Description	Frequency	Percent
1	Mentioned	90	62.07
2	Not mentioned	54	37.24
7	Refused	1	0.69
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

PLN2PAY2\_C Paid for by employer or union - plan 2

Variable:	PLN2PAY3_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by someone outside the household - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	
Question ID:	INS.0390.23.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Mentioned	12	8.28
2	Not mentioned	132	91.03
7	Refused	1	0.69
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

PLN2PAY3\_C Paid for by someone outside the household - plan 2

Variable:	PLN2PAY5_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Who pays for this health insurance plan?
	* Enter all that apply, separate with commas.
Description:	Paid for by Medicaid - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	
Question ID:	INS.0390.25.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PLN2PAY5_C	Paid for by Medicaid - plan 2		
Code	Description	Frequency	Percent
1	Mentioned	0	0.00
2	Not mentioned	144	99.31
7	Refused	1	0.69
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

# PLN2PAY5\_C Paid for by Medicaid - plan 2

Variable:	PLN2PAY6R_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Who pays for this health insurance plan?		
	* Enter all that apply, separate with commas.		
Description:	Paid for by other government program - plan 2		
Recode:	Yes		
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'		
Universe Description:	Sample children 0-17 with private health insurance - plan 2		
Sources:	PLN2PAY4_C; PLN2PAY6_C		
Question ID:			
Keywords:			
Notes:	Includes chidren for whom Medicare pays the premium		
Evaluation Report:			

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Mentioned	1	0.69
2	Not mentioned	143	98.62
7	Refused	1	0.69
8	Not Ascertained		0.00
9	Don't Know	0	0.00

PLN2PAY6R\_C Paid for by other government program - plan 2

Variable:				
	HICOSTR2_C			
Module:	Child	Child		
Section:	INS : Health Insurance	e		
File(s):	Child			
Data Type:	Numeric			
Length:	5			
Question Text:	?[F1]	?[F1]		
		How much does ^SCNAME's family currently spend for health insurance premiums for ^FIRSTPLANC? Please include payroll deductions for premiums.		
Fills:	^SCNAME	Sample child's name		
	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan		
	^HIPNAM1_C	{Value of HIPNAM1_C}		
	^HIPNAM2_C	{Value of HIPNAM2_C}		
Description:	Out-of-pocket premium	cost - plan 2		
Recode:	Yes			
Universe:	HHSTAT_C=1 and PRIVAT	E_C in (1,2) and HIPNAM2_C ne 'bl' and PLN2PAY1_C =1		
Universe Description:	Sample children 0-17 family – plan 2	Sample children 0-17 with private health insurance with plan paid by self or family - plan 2		
Sources:	HICOSTN2_C; HICOSTT2_	c		
Question ID:				
Keywords:	Premiums	Premiums		
Notes:	This recode annualize premium - plan 2.	s the amount spent on the sample child's health insurance		
Evaluation Report:				

### Unweighted frequencies:

HICOSTR2\_C Out-of-pocket premium cost - plan 2

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	65	61.90
40000	\$40,000 or more	0	0.00
99997	Refused	3	2.86
99998	Not Ascertained	0	0.00
99999	Don't Know	37	35.24

Variable:	PRDEDUC2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does this health plan have an annual deductible?
	* Read if necessary: A deductible is different from a copay (copayment).
Description:	Deductible - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	
Question ID:	INS.0410.02.1
Keywords:	Deductible
Notes:	
Evaluation Report:	

### Unweighted frequencies:

PRDEDUC2\_C Deductible - plan 2

Code	Description	Frequency	Percent
1	Yes	55	37.93
2	No	60	41.38
7	Refused	2	1.38
8	Not Ascertained	0	0.00
9	Don't Know	28	19.31

Variable:	PRHDHP2 C			
Module:	Child			
Section:	INS : Health Insuranc	e		
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	?[F1]			
	Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.			
Fills:	^FAM_C	family		
	^HDHPAMT_C	^HDHPDED_family/^HDHPDED		
	^HDHPDED_family	Family deductible threshold (may change in future year)		
	^HDHPDED	Deductible threshold (may change in future year)		
Description:	High deductible health plan - plan 2			
Recode:				
Universe:	HHSTAT_C=1 and PRIVAT	E_C in (1,2) and HIPNAM2_C ne 'bl' and PRDEDUC2_C=1		
Universe Description:	Sample children 0-17 plan 2	Sample children 0-17 with private health insurance who have a deductible for plan 2		
Sources:				
Question ID:	INS.0420.02.1			
Keywords:	Consumer directed; High deductible; HDHP; CDHP			
Notes:	For a plan that covers only one person the deductible threshold is \$1,400. For a plan that covers two or more persons the deductible threshold is \$2,800.			
Evaluation Report:				

#### Unweighted frequencies:

PRHDHP2_C	PRHDHP2_C         High deductible health plan - plan 2			
Code	Description	Frequency	Percent	
1	Less than ^HDHPAMT_C	29	52.73	
2	^HDHPAMT_C or more	18	32.73	
7	Refused	0	0.00	
8	Not Ascertained	0	0.00	
9	Don't Know	8	14.55	

Variable:	HSAHRA2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	There are special accounts or funds that can be used to pay for medical expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs. Is there one of these accounts or funds with this plan?
Description:	Health Savings Accounts / Health Reimbursement Accounts - plan 2
Recode:	
Universe:	HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PRDEDUC2_C=1 and PRHDHP2_C in (2,7,8,9)
Universe Description:	Sample children 0-17 with private health insurance who have or do not know if they have a high deductible for plan 2
Sources:	
Question ID:	INS.0430.02.1
Keywords:	Consumer directed; CDHP; HSA; HRA
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

#### HSAHRA2\_C Health Savings Accounts / Health Reimbursement Accounts - plan 2

Code	Description	Frequency	Percent
1	Yes	6	23.08
2	No	20	76.92
7	Refused	e	0.00
8	Not Ascertained	e	0.00
9	Don't Know	e	0.00

Variable:	PRRXCOV2_C			
Module:	Child			
Section:	INS : Health Insu	INS : Health Insurance		
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	Does ^FIRSTPLANC pay for any of the costs for medications prescribed by a doctor?			
	* <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME were prescribed medications.			
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan		
	^HIPNAM1_C	{Value of HIPNAM1_C}		
	^HIPNAM2_C	{Value of HIPNAM2_C}		
	^SCNAME	Sample child's name		
Description:	Plan pays for pre	escription drug - plan 2		
Recode:				
Universe:	HHSTAT_C=1 and PF	RIVATE_C in (1,2) and HIPNAM2_C ne 'bl'		
Universe Description:	Sample children 0	0-17 with private health insurance - plan 2		
Sources:				
Question ID:	INS.0440.02.1			
Keywords:	Medications; Prescriptions			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

PRRXCOV2\_C Plan pays for prescription drug - plan 2

Code	Description	Frequency	Percent
1	Yes	85	58.62
2	No	49	33.79
7	Refused	1	0.69
8	Not Ascertained	0	0.00
9	Don't Know	10	6.90

Variable:	PRDNCOV2_C				
Module:	Child				
Section:	INS : Health Insur	INS : Health Insurance			
File(s):	Child	Child			
Data Type:	Numeric				
Length:	1				
Question Text:	Does ^FIRSTPLANC p	bay for any of the costs for dental care?			
		<b>y:</b> Even if ^SCNAME has not used this benefit, please answer I cover at least some of the costs if ^SCNAME did have dental			
Fills:	^FIRSTPLANC	this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan			
	^HIPNAM1_C	{Value of HIPNAM1_C}			
	^HIPNAM2_C	{Value of HIPNAM2_C}			
	^SCNAME	Sample child's name			
Description:	Plan pays for dent	al care - plan 2			
Recode:					
Universe:	HHSTAT_C=1 and PRI	<pre>IVATE_C in (1,2) and HIPNAM2_C ne 'bl'</pre>			
Universe Description:	Sample children 0-	17 with private health insurance - plan 2			
Sources:					
Question ID:	INS.0450.02.1				
Keywords:	Dental care				
Notes:					
Evaluation Report:					

#### Unweighted frequencies:

PRDNCOV2\_C Plan pays for dental care - plan 2

Code	Description	Frequency	Percent
1	Yes	97	66.90
2	No	40	27.59
7	Refused	2	1.38
8	Not Ascertained	0	0.00
9	Don't Know	6	4.14

Variable:	PRVSCOV2_C			
Module:	Child			
Section:	INS : Health Insu	INS : Health Insurance		
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:		Does ^FIRSTPLANC pay for any of the costs for routine vision care, such as glasses and contact lenses?		
	* <b>Read if necessary:</b> Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have vision care.			
Fills:	<pre>^FIRSTPLANC this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan</pre>			
	^HIPNAM1_C	{Value of HIPNAM1_C}		
	^HIPNAM2_C	{Value of HIPNAM2_C}		
	^SCNAME	Sample child's name		
Description:	Plan pays for vis	ion care - plan 2		
Recode:				
Universe:	HHSTAT_C=1 and PR	IVATE_C in (1,2) and HIPNAM2_C ne 'bl'		
Universe Description:	Sample children 0	0-17 with private health insurance - plan 2		
Sources:				
Question ID:	INS.0460.02.1	INS.0460.02.1		
Keywords:	Vision care			
Notes:				
Evaluation Report:				

### Unweighted frequencies:

PRVSCOV2\_C Plan pays for vision care - plan 2

Code	Description	Frequency	Percent
1	Yes	60	41.38
2	No	76	52.41
7	Refused	2	1.38
8	Not Ascertained	0	0.00
9	Don't Know	7	4.83

Variable:	EXCHPR2_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Exchange company coding, NCHS - plan 2
Recode:	Yes
Universe:	HHSTAT_C=1 and PRIVATE_C=1 and (HIKIND01_C=1 or HIKIND03_C=1) and HIPNAM2_C ne 'bl'
Universe Description:	Sample children 0-17 with private health insurance - plan 2
Sources:	HIPNAM2_C
Question ID:	
Keywords:	Private health insurance; Exchange
Notes:	Internal coding of insurance plan names from private plan verbatim fields into four categories - plan 2
Evaluation Report:	

#### Unweighted frequencies:

EXCHPR2_C	Exchange	company	coding,	NCHS	-	plan	2

Code	Description	Frequency	Percent
1	Company provides exchange plans	66	45.52
2	Not an exchange company	49	33.79
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	30	20.69

Variable:	CHIP_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Children's Health Insurance Program (CHIP) recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND05_C
Question ID:	
Keywords:	CHIP
Notes:	
Evaluation Report:	

### Unweighted frequencies:

CHIP_C	Children's Health Insurance Program (CHIP) recode		
Code	Description	Frequency	Percent
1	Yes, information	27	9 3.38
2	Yes, but no information		0.00
3	No	793	6 96.07
7	Refused		8 0.10
8	Not Ascertained		0.00
9	Don't Know	3	8 0.46

Variable:	CHXCHNG_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
Fills:	Was ^SCNAME's CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE? ^SCNAME Sample child's name ^MARKETPLACE Health Insurance marketplace names		
Description:	CHIP through Marketplace		
Recode:			
Universe:	HHSTAT_C=1 and CHIP_C in (1,2)		
Universe Description:	Sample children 0-17 with Children's Health Insurance Program (CHIP)		
Sources:			
Question ID:	INS.0480.00.1		
Keywords:	Health Insurance Exchange; Health Insurance Marketplace		
Notes:			
Evaluation Report:			

### Unweighted frequencies:

CHXCHNG C CHIP thro	bugh Marketplace
---------------------	------------------

Code	Description	Frequency	Percent
1	Yes	96	34.41
2	No	154	55.20
7	Refused	0	0.00
8	Not Ascertained	1	0.36
9	Don't Know	28	10.04

Variable:	CHPREM_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this CHIP plan?	
Fills:	^SCNAME Sample child's name	
Description:	Pay CHIP premium	
Recode:		
Universe:	HHSTAT_C=1 and CHIP_C in (1,2)	
Universe Description:	Sample children 0-17 with Children's Health Insurance Program (CHIP)	
Sources:		
Question ID:	INS.0490.00.1	
Keywords:	Premium	
Notes:		
Evaluation Report:		

### Unweighted frequencies:

CHPREM_C	Pay CHIP premium		
Code	Description	Frequency	Percent
1	Yes	70	25.09
2	No	203	72.76
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	2.15

Variable:	CHDEDUC_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's CHIP plan have an annual deductible?
	* Read if necessary: A deductible is different from a copay (copayment).
Fills:	^SCNAME Sample child's name
Description:	CHIP deductible
Recode:	
Universe:	HHSTAT_C=1 and CHIP_C in (1,2)
Universe Description:	Sample children 0-17 with Children's Health Insurance Program (CHIP)
Sources:	
Question ID:	INS.0500.00.1
Keywords:	Deductible
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

CHDEDUC\_C CHIP deductible

Code	Description	Frequency	Percent
1	Yes	21	7.53
2	No	234	83.87
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	24	8.60

Variable:	CHHDHP_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.	
Fills:	^HDHPDED Deductible threshold (may change in future year)	
Description:	CHIP HDHP	
Recode:		
Universe:	HHSTAT_C=1 and CHIP_C in (1,2) and CHDEDUC_C=1	
Universe Description:	Sample children 0-17 with Children's Health insurance Program (CHIP) with a deductible	
Sources:		
Question ID:	INS.0510.00.1	
Keywords:		
Notes:		
Evaluation Report:		

### Unweighted frequencies:

CHHDHP_C	CHIP HDHP		
Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	15	71.43
2	Deductible is \$1,400 or more	3	14.29
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	14.29

Variable:	CHFLG_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	CHIP reassignment flag
Recode:	Yes
Universe:	HHSTAT_C=1 and CHIP_C in (1, 2)
Universe Description:	Sample children 0-17 with Children's Health Insurance Program (CHIP)
Sources:	
Question ID:	
Keywords:	
Notes:	Flag indicating Sample Child was reassigned from private health insurance to State Children's Health Insurance Program (CHIP)
Evaluation Report:	

### Unweighted frequencies:

CHFLG_C	CHIP reassignment flag	_	
Code	Description	Frequency	Percent
1	Reassigned to CHIP from private	6	100.00

Variable:	OTHPUB_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	State-sponsored health plan recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND08_C
Question ID:	
Keywords:	State-sponsored health plan
Notes:	
Evaluation Report:	

### Unweighted frequencies:

OTHPUB_C	State-sponsored health plan recode		
Code	Description	Frequency	Percent
1	Yes, information	9	4 1.14
2	Yes, but no information		0.00
3	No	812	1 98.31
7	Refused		8 0.10
8	Not Ascertained		0.00
9	Don't Know	3	8 0.46

Variable:	OPXCHNG C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	Was ^SCNAME's state-sponsored plan obtained through Healthcare.gov or the ^MARKETPLACE?		
Fills:	^SCNAME Sample child's name		
	<pre>^MARKETPLACE Health Insurance marketplace names</pre>		
Description:	State-sponsored plan through Marketplace		
Recode:			
Universe:	HHSTAT_C=1 and OTHPUB_C in (1,2)		
Universe Description:	Sample children 0-17 with state-sponsored plan		
Sources:			
Question ID:	INS.0530.00.1		
Keywords:	Health Insurance Exchange; Health Insurance Marketplace		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

**OPXCHNG\_C** State-sponsored plan through Marketplace

Code	Description	Frequency	Percent
1	Yes	11	11.70
2	No	71	75.53
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	12	12.77

Variable:	OPPREM_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this state-sponsored plan?
Fills:	^SCNAME Sample child's name
Description:	Pay premium for state-sponsored plan
Recode:	
Universe:	HHSTAT_C=1 and OTHPUB_C in (1,2)
Universe Description:	Sample children 0-17 with state-sponsored plan
Sources:	
Question ID:	INS.0540.00.1
Keywords:	Premium
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

OPPREM_C	Pay premium for state-sponsored plan		
Code	Description	Frequency	Percent
1	Yes	22	23.40
2	No	66	70.21
7	Refused	1	1.06
8	Not Ascertained	0	0.00
9	Don't Know	5	5.32

Variable:	
	OPDEDUC_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's state-sponsored plan have an annual deductible?
	* Read if necessary: A deductible is different from a copay (copayment).
Fills:	^SCNAME Sample child's name
Description:	State-sponsored plan deductible
Recode:	
Universe:	HHSTAT_C=1 and OTHPUB_C in (1,2)
Universe Description:	Sample children 0-17 with state-sponsored plan
Sources:	
Question ID:	INS.0550.00.1
Keywords:	Deductible
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

OPDEDUC_C	State-sponsored plan deductible	

Code	Description	Frequency	Percent
1	Yes	10	10.64
2	No	75	79.79
7	Refused	1	1.06
8	Not Ascertained	0	0.00
9	Don't Know	8	8.51

File(s):       Child         Data Type:       Numer         Length:       1         Question Text:       ?[F1]         Is th         ^HDHPP         Fills:       ^HDHPP	Health Insurance
File(s):       Child         Data Type:       Numer         Length:       1         Question Text:       ?[F1]         Is th         ^HDHPP         Fills:       ^HDHPP	
Data Type:       Numeral         Length:       1         Question Text:       ?[F1]         Is the Augustion Text:       ?[F1]         Fills:       ^HDHPH	
Length: 1 Question Text: ?[F1] Is th ^HDHPI hospi amoun Fills: ^HDHPI	
Question Text: ?[F1] Is the ^HDHPI hospinamount Fills: ^HDHPI	ic
Is the ^HDHPI hospi: amoun Fills: ^HDHPI	
^HDHPI hospi amoun Fills: ^HDHPI	
	e annual deductible for medical care for this plan less than ^HDHPDED or DED or more? If there is a separate deductible for prescription drugs, talization, or out-of-network care, do not include those deductible ts here.
Description: State	DED Deductible threshold (may change in future year)
	-sponsored plan HDHP
Recode:	
Universe: HHSTA	T_C=1 and OTHPUB_C in (1,2) and OPDEDUC_C=1
Universe Description: Sample	e children 0-17 with a state-sponsored plan with a deductible
Sources:	
Question ID: INS.0	560.00.1
Keywords: Consu	mer directed; High deductible; HDHP; CDHP
Notes:	
Evaluation Report:	

### Unweighted frequencies:

OPHDHP_C	State-sponsored plan HDHP		
Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	6	60.00
2	Deductible is \$1,400 or more	2	20.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	20.00

Variable:	PLEXCHOP_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Exchange company coding, NCHS (state-sponsored plan)
Recode:	Yes
Universe:	HHSTAT_C=1 and OTHPUB_C in (1,2)
Universe Description:	Sample children 0-17 with state-sponsored plan
Sources:	OPNAME_C
Question ID:	
Keywords:	State-sponsored health plan
Notes:	Internal coding of other state-sponsored plan name from verbatim field into four categories
Evaluation Report:	

### Unweighted frequencies:

FLEXCHOF_C	Exchange company couries, wens (state-sponsored prany		
Code	Description	Frequency	Percent
1	Company provides exchange plans	45	47.87
2	Not an exchange company	23	24.47
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	26	27.66

PLEXCHOP\_C Exchange company coding, NCHS (state-sponsored plan)

/ariable:	OPFLG_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	State-sponsored reassignment flag
Recode:	Yes
Universe:	HHSTAT_C=1 and OTHPUB_C in (1,2)
Universe Description:	Sample children 0-17 with state-sponsored plan
Sources:	
Question ID:	
Keywords:	State-sponsored health plan
Notes:	Flag indicating child was reassigned from private health insurance to other state-sponsored plan
Evaluation Report:	

### Unweighted frequencies:

OPFLG_C	State-sponsored reassignment flag		
Code	Description	Frequency	Percent
1	Reassigned to other public from private	0	

Variable:	OTHGOVR_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Other government program public use file recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND09R_C
Question ID:	
Keywords:	Other government program; Medicare
Notes:	This variable includes responses to other government program and/or Medicare
Evaluation Report:	

### Unweighted frequencies:

-					
OTHGOVR_C	Other government program public use file recode				
Code	Description	Frequency	Percent		
1	Yes, information	46	0.56		
2	Yes, but no information	0	0.00		
3	No	8169	98.89		
7	Refused	8	0.10		
8	Not Ascertained	0	0.00		
9	Don't Know	38	0.46		

Variable:	OGXCHNGR_C				
Module:	Child				
Section:	INS : Health Insurance				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	?[F1]				
	Was ^SCNAME's other government plan obtained through Healthcare.gov or the ^MARKETPLACE?				
Fills:	^SCNAME Sample child's name				
	^MARKETPLACE Health Insurance marketplace names				
Description:	Other government program through Marketplace				
Recode:	Yes				
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2)				
Universe Description:	Sample children 0-17 with other government program				
Sources:	OGXCHNG_C				
Question ID:					
Keywords:	Health Insurance Exchange; Health Insurance Marketplace				
Notes:					
Evaluation Report:					

# Unweighted frequencies:

OGXCHNGR\_C Other government program through Marketplace

Code	Description	Frequency	Percent
1	Yes	3	6.52
2	No	41	89.13
7	Refused	1	2.17
8	Not Ascertained	0	0.00
9	Don't Know	1	2.17

Variable:	OGPREMR_C				
Module:	Child				
Section:	INS : Health Insurance				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	?[F1]				
	A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this other government plan?				
Fills:	^SCNAME Sample child's name				
Description:	Pay premium for other government program				
Recode:	Yes				
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2)				
Universe Description:	Sample children 0-17 with other government program				
Sources:	OGPREM_C				
Question ID:					
Keywords:	Premium				
Notes:					
Evaluation Report:					

### Unweighted frequencies:

OGPREMR_C	Рау	premium	for	other	government	program
-----------	-----	---------	-----	-------	------------	---------

Code	Description	Frequency	Percent
1	Yes	6	13.04
2	No	38	82.61
7	Refused	1	2.17
8	Not Ascertained	0	0.00
9	Don't Know	1	2.17

Variable:	OGDEDUCR C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's other government plan have an annual deductible?
	* Read if necessary: A deductible is different from a copay (copayment).
Fills:	^SCNAME Sample child's name
Description:	Other government program deductible
Recode:	Yes
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2)
Universe Description:	Sample children 0-17 with other government program and/or Medicare
Sources:	OGDEDUC_C
Question ID:	
Keywords:	Deductible
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

OGDEDUCR\_C Other government program deductible

Code	Description	Frequency	Percent
1	Yes	3	6.52
2	No	41	89.13
7	Refused	1	2.17
8	Not Ascertained	0	0.00
9	Don't Know	1	2.17

Variable:	OGHDHPR C				
Module:	Child				
Section:	INS : Health Insurance				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	?[F1]				
	Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.				
Fills:	^HDHPDED Deductible threshold (may change in future year)				
Description:	Other government program HDHP				
Recode:	Yes				
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2) and OGDEDUCR_C=1				
Universe Description:	Sample children 0-17 with other government program with a deductible				
Sources:					
Question ID:					
Keywords:	Consumer directed; High deductible; HDHP; CDHP				
Notes:					
Evaluation Report:					

#### Unweighted frequencies:

OGHDHPR\_C Other government program HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	1	33.33
2	Deductible is \$1,400 or more	2	66.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PLEXCHOGR_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Exchange company coding, NCHS (other government program)
Recode:	Yes
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2)
Universe Description:	Sample children 0-17 with other government program
Sources:	OGNAME_C
Question ID:	
Keywords:	Other government program
Notes:	Internal coding of other government program name from verbatim field into four categories
Evaluation Report:	

### Unweighted frequencies:

PLEXCHOGR_C	Exchange	company	coding,	NCHS	(other	government	program)
-------------	----------	---------	---------	------	--------	------------	----------

Code	Description	Frequency	Percent
1	Company provides exchange plans	8	17.39
2	Not an exchange company	31	67.39
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	7	15.22

Variable:	OGFLGR_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Other government reassignment flag
Recode:	Yes
Universe:	HHSTAT_C=1 and OTHGOVR_C in (1,2)
Universe Description:	Sample children 0-17 with other government program
Sources:	
Question ID:	
Keywords:	Other government program
Notes:	Flag indicating Sample Child was reassigned from private health insurance to other government program
Evaluation Report:	

### Unweighted frequencies:

OGFLGR_C	Other government reassignment flag		
Code	Description	Frequency	Percent
1	Reassigned to other government from private	0	

Variable:	MILITARY_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Military health care coverage recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND06_C
Question ID:	
Keywords:	TRICARE (CHAMPUS); CHAMP-VA; Military health care
Notes:	
Evaluation Report:	

### Unweighted frequencies:

## MILITARY\_C Military health care coverage recode

Code	Description	Frequency	Percent
1	Yes, information 23		2.87
2	Yes, but no information	0	0.00
3	No	7978	96.57
7	Refused 8		0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	MILSPC2_C	
Module:	Child	
Section:	INS : Health Insurance	e
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
		at ^SCNAME is covered by military related health care. y related health care ^areisSEX_C ^heshe_C covered by?
	* Enter all that apply	y, separate with commas.
Fills:	^SCNAME	Sample child's name
	<pre>^areisSEX_C</pre>	is/are
	^heshe_C	He/She/They
Description:	Types of military hea	lth care - TRICARE
Recode:		
Universe:	HHSTAT_C=1 and MILITA	RY_C in (1,2)
Universe Description:	Sample children 0-17	with military health care coverage
Sources:		
Question ID:	INS.0620.02.1	
Keywords:	TRICARE (CHAMPUS)	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

MILSPC2\_C Types of military health care - TRICARE

Code	Description	Frequency	Percent
1	Mentioned	227	95.78
2	Not mentioned	9	3.80
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.42

Variable:	MILSPC3_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child	Child	
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
		at ^SCNAME is covered by military related health care. y related health care ^areisSEX_C ^heshe_C covered by?	
	* Enter all that appl	y, separate with commas.	
Fills:	^SCNAME	Sample child's name	
	^areisSEX_C	is/are	
	^heshe_C	He/She/They	
Description:	Types of military health care - CHAMP-VA		
Recode:			
Universe:	HHSTAT_C=1 and MILITA	RY_C in (1,2)	
Universe Description:	Sample children 0-17	with military health care coverage	
Sources:			
Question ID:	INS.0620.03.1		
Keywords:	CHAMP-VA		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

MILSPC3\_C Types of military health care - CHAMP-VA

Code	Description	Frequency	Percent
1	Mentioned	9	3.80
2	Not mentioned	227	95.78
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.42

Variable:	IHS_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Indian Health Service recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND07_C
Question ID:	
Keywords:	Indian Health Service
Notes:	
Evaluation Report:	

### Unweighted frequencies:

IHS_C	Indian Health Service recode		
Code	Description	Frequency	Percent
1	Yes	46	0.56
2	No	8169	98.89
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HILAST_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	How long has it been since ^SCNAME last had health care coverage that paid for doctor's visits or hospital stays?
Fills:	^SCNAME Sample child's name
Description:	How long since last health coverage
Recode:	
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2
Universe Description:	Sample children 0-17 without health insurance
Sources:	
Question ID:	INS.0630.00.1
Keywords:	Uninsured
Notes:	Do not use HILAST_C to estimate uninsured children.
Evaluation Report:	

#### Unweighted frequencies:

HILAST C	How	long	since	last	health	coverage
111EA91_C	1101	TOUR	STUCC	TUDU	neuren	coverage

Code	Description	Frequency	Percent
0	Never	54	16.93
1	Within the past year (anytime less than 12 months ago)	86	26.96
2	Within the last 2 years (1 year but less than 2 years ago)	42	13.17
3	Within the last 3 years (2 years but less than 3 years ago)	37	11.60
4	Within the last 5 years (3 years but less than 5 years ago)	26	8.15
5	Within the last 10 years (5 years but less than 10 years ago)	20	6.27
6	10 years ago or more	13	4.08
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	2	0.63

Variable:	HILASTMY_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	In the past 12 months, how many months was ^SCNAME without coverage?
	* If less than 1 month, enter '1'.
Fills:	^SCNAME Sample child's name
Description:	Number of months without coverage
Recode:	
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C=1
Universe Description:	Sample children 0-17 without coverage for less than a year
Sources:	
Question ID:	INS.0640.00.1
Keywords:	
Notes:	
Evaluation Report:	

# Unweighted frequencies:

HILASTMY\_C Number of months without coverage

Code	Description	Frequency	Percent
01-12	Range of values	85	98.84
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	1.16

Module:	HISTOPJOB_C Child
Section:	
	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	Think about the last time that ^SCNAME did have health care coverage. I am going to read a list of reasons why someone might no longer be enrolled in coverage. Please tell me, yes or no, if this is a reason why ^SCNAME is no longer enrolled in ^hisher_C last health care plan.
	The policyholder retired, lost a job, or changed employer?
Fills:	^SCNAME Sample child's name
	^hisher_C his/her/their
Description:	Lost job or changed employers
Recode:	
	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)
Universe Description:	Sample children 0-17 without coverage for less than 3 years
Sources:	
Question ID:	INS.0650.00.1
Keywords:	Uninsured
Notes:	
Evaluation Report:	

### Unweighted frequencies:

HISTOPJOB\_C Lost job or changed employers

Code	Description	Frequency	Percent
1	Yes	61	36.97
2	No	104	63.03
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HISTOPMISS_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	*Read if necessary: Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because	
	A deadline was missed for signing up or paying for ^hisher_C coverage?	
Fills:	^SCNAME Sample child's name	
	^hisher_C his/her/their	
Description:	Missed deadline	
Recode:		
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)	
Universe Description:	Sample children 0-17 without coverage for less than 3 years	
Sources:		
Question ID:	INS.0660.00.1	
Keywords:	Uninsured	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

#### HISTOPMISS\_C Missed deadline Code Description Percent Frequency 1 Yes 19 11.52 2 No 145 87.88 7 0.00 Refused 0 8 0 0.00 Not Ascertained 1 9 Don't Know 0.61

Variable:	HISTOPAGE_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	*Read if necessary: Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because		
	^HeShe_C became ineli school?	gible because of ^hisher_C age or because ^heshe_C left	
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
	^HeShe_C	He/She/They	
Description:	Ineligible because of age/left school		
Recode:			
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)		
Universe Description:	Sample children 0-17 without coverage for less than 3 years		
Sources:			
Question ID:	INS.0670.00.1		
Keywords:	Uninsured		
Notes:			
Evaluation Report:			

## Unweighted frequencies:

HISTOPAGE\_C Ineligible because of age/left school

Code	Description	Frequency	Percent
1	Yes	7	4.24
2	No	158	95.76
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HISTOPCOST_C	
Module:	Child	
Section:	INS : Health Insurance	e
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	<b>Read if necessary:</b> Is plan because	^SCNAME no longer enrolled in ^hisher_C last health care
	The cost for the cover	rage increased?
Fills:	^SCNAME	Sample child's name
	^hisher_C	his/her/their
Description:	Cost increase	
Recode:		
Universe:		RE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and _C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1,
Universe Description:	Sample children 0-17 without coverage for less than 3 years	
Sources:		
Question ID:	INS.0680.00.1	
Keywords:	Uninsured	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

HISTOPCOST_C Cost increase			
Code	Description	Frequency	Percent
1	Yes	22	13.33
2	No	143	86.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	HISTOPELIG_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	* <b>Read if necessary:</b> I care plan because	Is ^SCNAME no longer enrolled in ^hisher_C last health	
	<pre>^HeShe_C had Medicaid, longer eligible?</pre>	, CHIP, or other public coverage, but ^werewas_C no	
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
	^HeShe_C	He/She/They	
	^werewas_C	was/were	
Description:	Not eligible for Medicaid, CHIP, or other public coverage		
Recode:			
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)		
Universe Description:	Sample children 0-17 without coverage for less than 3 years		
Sources:			
Question ID:	INS.0690.00.1		
Keywords:	Uninsured		
Notes:			
Evaluation Report:			

## Unweighted frequencies:

HISTOPELIG\_C Not eligible for Medicaid, CHIP, or other public coverage

Code	Description	Frequency	Percent
1	Yes	50	30.30
2	No	114	69.09
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.61

Variable:		
	RSNHICOST_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	^INSREASONS_C Is ^SCN affordable?	AME currently uninsured because coverage is not
Fills:	^INSREASONS_C	RSNHICOST_C Introduction
	^SCNAME	Sample child's name
Description:	Not affordable	
Recode:		
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2	
Universe Description:	Sample children 0-17 without coverage	
Sources:		
Question ID:	INS.0700.00.1	
Keywords:	Uninsured	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	159	49.84
2	No	117	36.68
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	4	1.25

Variable:	RSNHIWANT_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because	
	your family does not need or want coverage for ^SCNAME?	
Fills:	^PLUSCOSTC In addition to cost, is/Is	
	^SCNAME Sample child's name	
Description:	Do not need or want coverage	
Recode:		
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2	
Universe Description:	Sample children 0-17 without coverage	
Sources:		
Question ID:	INS.0710.00.1	
Keywords:	Uninsured	
Notes:		
Evaluation Report:		

## Unweighted frequencies:

RSNHIWANT_C	Do not need	d or want coverage
-------------	-------------	--------------------

Code	Description	Frequency	Percent
1	Yes	44	13.79
2	No	236	73.98
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	0	0.00

Variable:	RSNHIELIG C				
Module:	Child				
Section:	INS : Health Insuranc	e			
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:		<pre>* Read if necessary: There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because</pre>			
	<pre>^heshe_C ^areisSEX</pre>	_C not eligible for coverage?			
Fills:	^PLUSCOSTC	In addition to cost, is/Is			
	^SCNAME	Sample child's name			
	^heshe_C	He/She/They			
	^areisSEX_C	is/are			
Description:	Not eligible for cove	rage			
Recode:					
Universe:		RE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and _C=3 and MILITARY_C=3 and IHS_C=2			
Universe Description:	Sample children 0-17	without coverage			
Sources:					
Question ID:	INS.0720.00.1				
Keywords:	Uninsured				
Notes:					
Evaluation Report:					

## Unweighted frequencies:

**RSNHIELIG\_C** Not eligible for coverage

Code	Description	Frequency	Percent
1	Yes	72	22.57
2	No	200	62.70
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	8	2.51

Variable:	RSNHICONF_C				
Module:	Child				
Section:	INS : Health Insu	irance			
File(s):	Child	Child			
Data Type:	Numeric				
Length:	1				
Question Text:		ary: There are other reasons that people do not have health ge. ^PLUSCOSTC ^SCNAME currently uninsured because			
	<pre>the process of confusing?</pre>	<sup>-</sup> signing up for coverage for ^SCNAME is too difficult or			
Fills:	^PLUSCOSTC	In addition to cost, is/Is			
	^SCNAME	Sample child's name			
Description:	Signing up too di	ifficult or confusing			
Recode:					
Universe:		DICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and THGOV_C=3 and MILITARY_C=3 and IHS_C=2			
Universe Description:	Sample children 0	)-17 without coverage			
Sources:					
Question ID:	INS.0730.00.1				
Keywords:	Uninsured				
Notes:					
Evaluation Report:					

# Unweighted frequencies:

# **RSNHICONF\_C** Signing up too difficult or confusing

Code	Description	Frequency	Percent
1	Yes	58	18.18
2	No	221	69.28
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	1	0.31

Variable:	RSNHIMEET_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	*Read if necessary: There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because
	your family cannot find a plan that meets ^SCNAME's needs?
Fills:	^PLUSCOSTC In addition to cost, is/Is
	^SCNAME Sample child's name
Description:	Cannot find a plan that meets the needs
Recode:	
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2
Universe Description:	Sample children 0-17 without coverage
Sources:	
Question ID:	INS.0740.00.1
Keywords:	Uninsured
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

**RSNHIMEET\_C** Cannot find a plan that meets the needs

Code	Description	Frequency	Percent
1	Yes	28	8.78
2	No	250	78.37
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	2	0.63

Variable:	RSNHIWAIT_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	*Read if necessary: There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because		
	you applied for coverage for ^SCNAME but it has not started yet?		
Fills:	^PLUSCOSTC     In addition to cost, is/Is		
	^SCNAME Sample child's name		
Description:	Coverage has not started yet		
Recode:			
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2		
Universe Description:	Sample children 0-17 without coverage		
Sources:			
Question ID:	INS.0750.00.1		
Keywords:	Uninsured		
Notes:			
Evaluation Report:			

## Unweighted frequencies:

RSNHIWAIT C	Coverage	has	not	started	yet	

Code	Description	Frequency	Percent
1	Yes	43	13.48
2	No	235	73.67
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	2	0.63

Variable:	RSNHIOTH_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is there another reason that ^SCNAME currently does not have health insurance coverage?
Fills:	^SCNAME Sample child's name
Description:	Another reason
Recode:	
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2
Universe Description:	Sample children 0-17 without coverage
Sources:	
Question ID:	INS.0760.00.1
Keywords:	Uninsured
Notes:	
Evaluation Report:	

# Unweighted frequencies:

#### **RSNHIOTH\_C** Another reason

Code	Description	Frequency	Percent
1	Yes	18	5.64
2	No	262	82.13
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	0	0.00

Variable:	RSNHIJOB_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Is there another reason that ^SCNAME currently does not have health insurance coverage?		
Fills:	^SCNAME Sample child's name		
Description:	Lost job		
Recode:	Yes		
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2		
Universe Description:	Sample children 0-17 without coverage		
Sources:	RSNHIOTHSP_C		
Question ID:			
Keywords:	Uninsured		
Notes:	This variable was added as a result of coding the verbatim responses in RSNHIOTHSP_C.		
Evaluation Report:			

# Unweighted frequencies:

RSNHIJOB_C	Lost job		
Code	Description	Frequency	Percent
1	Yes	5	1.57
2	No	275	86.21
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	0	0.00

Variable:	RSNHIMISS_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Is there another reason that ^SCNAME currently does not have health insurance coverage?		
Fills:	^SCNAME Sample child's name		
Description:	Missed deadline		
Recode:	Yes		
Universe:	HHSTAT_C=1 and MEDICARE_C=3 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOV_C=3 and MILITARY_C=3 and IHS_C=2		
Universe Description:	Sample children 0-17 without coverage		
Sources:	RSNHIOTHSP_C		
Question ID:			
Keywords:	Uninsured		
Notes:	This variable was added as a result of coding the verbatim responses in RSNHIOTHSP_C.		
Evaluation Report:			

## Unweighted frequencies:

## **RSNHIMISS\_C** Missed deadline

Code	Description	Frequency	Percent
1	Yes	2	0.63
2	No	278	87.15
7	Refused	0	0.00
8	Not Ascertained	39	12.23
9	Don't Know	0	0.00

Variable:	HINOTYR_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	In the past 12 months, was there any time when ^SCNAME did NOT have ANY health insurance or coverage?		
Fills:	^SCNAME Sample child's name		
Description:	No health coverage during past 12 months		
Recode:			
Universe:	HHSTAT_C=1 and (HIKIND01_C=1 or HIKIND02_C=1 or HIKIND03_C=1 or HIKIND04_C=1 or HIKIND05_C=1 or HIKIND06_C=1 or HIKIND07_C=1 or HIKIND08_C=1 or HIKIND09_C=1 or MCAIDPRB_C=1)		
Universe Description:	Sample children 0-17 with health insurance coverage indicated at the time of data collection		
Sources:			
Question ID:	INS.0780.00.1		
Keywords:	Uninsured		
Notes:	Do not use HINOTYR_C to estimate the uninsured or those with coverage. This variable is based on the original responses to the questions about type of health insurance coverage. There are some children for whom it is later determined through the editing process that they do not have coverage and are included in the universe for this question.		
Evaluation Report:			

## Unweighted frequencies:

HINOTYR\_C No health coverage during past 12 months

Code	Description	Frequency	Percent
1	Yes	179	2.25
2	No	7755	97.63
7	Refused	3	0.04
8	Not Ascertained	0	0.00
9	Don't Know	6	0.08

Variable:	HINOTMYR_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	2	
Question Text:	In the past 12 months, about how many months was ^SCNAME without coverage?	
	* If less than 1 month, enter '1'.	
Fills:	^SCNAME Sample child's name	
Description:	Months without coverage in past 12 months	
Recode:		
Universe:	HHSTAT_C=1 and (HIKIND01_C=1 or HIKIND02_C=1 or HIKIND03_C=1 or HIKIND04_C=1 or HIKIND05_C=1 or HIKIND06_C=1 or HIKIND07_C=1 or HIKIND08_C=1 or HIKIND09_C=1 or MCAIDPRB_C=1) and HINOTYR_C = 1	
Universe Description:	Sample children 0-17 with health insurance coverage indicated at the time of data collection who had a period of uninsurance in the past 12 months	
Sources:		
Question ID:	INS.0790.00.1	
Keywords:	Uninsured	
Notes:	Do not use HINOTMYR_C to estimate the uninsured or those with coverage. This variable is based on the original responses to the questions about type of health insurance coverage. There are some children for whom it is later determined through the editing process that they do not have coverage and are included in the universe for this question.	
Evaluation Report:		

# Unweighted frequencies:

HINOTMYR\_C Months without coverage in past 12 months

Code	Description	Frequency	Percent
01-12	Range of values	176	98.32
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	1.68

Variable:	HICOV_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	The next questions are about health insurance. Include health insurance obtained through employment or purchased directly as well as government programs like Medicare, Medicaid, and the Children's Health Insurance Program that provide medical care or help pay medical bills. Is ^SCNAME covered by any kind of health insurance or some other kind of health care plan?		
Fills:	^SCNAME Sample child's name		
Description:	Have health insurance		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	INS.0010.00.1		
Keywords:			
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.		
Evaluation Report:			

## Unweighted frequencies:

HICOV_C	Have health insurance		
Code	Description	Frequency	Percent
1	Yes	7954	96.28
2	No	293	3.55
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	12	0.15

Variable:	HIKIND01R_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - private health insurance public use file	
Recode:	Yes	
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:	HIKIND01_C; HIKIND03_C	
Question ID:		
Keywords:	Private health insurance	
Notes:	This variable does not take into account the editing process of the INS section. This variable includes responses to "private" and "Medigap." Caution with the use of this variable.	
Evaluation Report:		

# Unweighted frequencies:

HIKIND01R\_C Kind(s) of health insurance - private health insurance public use file

Code	Description	Frequency	Percent
1	Mentioned	4854	58.76
2	Not mentioned	336:	40.69
7	Refused	8	0.10
8	Not Ascertained	(	0.00
9	Don't Know	38	0.46

Variable:	HIKIND04_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - Medicaid	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0020.04.1	
Keywords:	Medicaid	
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.	
Evaluation Report:		

#### Unweighted frequencies:

HIKIND04\_C Kind(s) of health insurance - Medicaid

Code	Description	Frequency	Percent
1	Mentioned	2140	25.90
2	Not mentioned	6075	73.54
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND05_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - CHIP	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0020.05.1	
Keywords:	Children's Health Insurance Program; CHIP	
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.	
Evaluation Report:		

#### Unweighted frequencies:

HIKIND05\_C Kind(s) of health insurance - CHIP

Code	Description	Frequency	Percent
1	Mentioned	271	3.28
2	Not mentioned	7944	96.16
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND06_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - military related health care	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0020.06.1	
Keywords:	Military; TRICARE (CHAMPUS); VA health care; CHAMP-VA	
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.	
Evaluation Report:		

#### Unweighted frequencies:

HIKIND06\_C Kind(s) of health insurance - military related health care

Code	Description	Frequency	Percent
1	Mentioned	225	2.72
2	Not mentioned	7990	96.72
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND07_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - Indian Health Service	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0020.07.1	
Keywords:	Indian Health Service	
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.	
Evaluation Report:		

#### Unweighted frequencies:

HIKIND07\_C Kind(s) of health insurance - Indian Health Service

Code	Description	Frequency	Percent
1	Mentioned	45	0.54
2	Not mentioned	8170	98.90
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND08_C	
Module:	Child	
Section:	INS : Health Insurance	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	?[F1]	
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?	
	* Enter all that apply, separate with commas.	
Fills:	^SCNAME Sample child's name	
Description:	Kind(s) of health insurance - State-sponsored health plan	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INS.0020.08.1	
Keywords:	State-sponsored health plan	
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.	
Evaluation Report:		

#### Unweighted frequencies:

HIKIND08\_C Kind(s) of health insurance - State-sponsored health plan

Code	Description	Frequency	Percent
1	Mentioned	469	5.68
2	Not mentioned	7746	93.77
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND09R_C
Module:	Child
Section:	INS : Health Insurance
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?
	* Enter all that apply, separate with commas.
Fills:	^SCNAME Sample child's name
Description:	Kind(s) of health insurance - Other government program public use file
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HIKIND02_C; HIKIND09_C
Question ID:	
Keywords:	Other government program
Notes:	This variable does not take into account the editing process of the INS section. This variable includes responses to "other government program" and "Medicare." Caution with the use of this variable.
Evaluation Report:	

# Unweighted frequencies:

HIKIND09R\_C Kind(s) of health insurance - Other government program public use file

Code	Description	Frequency	Percent
1	Mentioned	110	1.33
2	Not mentioned	8105	98.11
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	HIKIND10_C		
Module:	Child		
Section:	INS : Health Insurance		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
	What kinds of health insurance or health care coverage does ^SCNAME have? Is itPrivate health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?		
	* Enter all that apply, separate with commas.		
Fills:	^SCNAME Sample child's name		
Description:	Kind(s) of health insurance - No coverage of any type		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	INS.0020.10.1		
Keywords:	Uninsured		
Notes:	This variable does not take into account the editing process of the INS section. Caution with the use of this variable.		
Evaluation Report:			

#### Unweighted frequencies:

HIKIND10\_C Kind(s) of health insurance - No coverage of any type

Code	Description	Frequency	Percent
1	Mentioned	322	3.90
2	Not mentioned	7893	95.55
7	Refused	8	0.10
8	Not Ascertained	0	0.00
9	Don't Know	38	0.46

Variable:	MCAIDPRB_C		
Module:	Child		
Section:	INS : Health Insurance	2	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	?[F1]		
		lled Medicaid that pays for health care for persons in NAME covered by Medicaid?	
Fills:	^STATEMA	In ^STATENAME it is also called ^STMEDICAID.	
	^STATENAME	State name	
	^STMEDICAID	State Medicaid name	
	^SCNAME	Sample child's name	
Description:	Medicaid coverage pro	pe	
Recode:			
Universe:	HHSTAT_C=1 and HIKIND:	10_C IN (1,7,8,9)	
Universe Description:	Sample children 0-17 v their type of health :	who indicated they are uninsured or refused or don't know insurance	
Sources:			
Question ID:	INS.0030.00.1		
Keywords:	Medicaid probe		
Notes:		t take into account the editing process of the INS the use of this variable.	
Evaluation Report:			

## Unweighted frequencies:

MCAIDPRB\_C Medicaid coverage probe

Code	Description	Frequency	Percent
1	Yes	50	13.59
2	No	289	78.53
7	Refused	3	0.82
8	Not Ascertained	0	0.00
9	Don't Know	26	7.07

Variable:	PAYBLL12M_C
Module:	Child
Section:	PAY : Difficulty Paying for Health Care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	?[F1]
	In the past 12 months did anyone in your family have problems paying or were unable to pay any medical bills?
	* <b>Read if necessary:</b> Include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.
Description:	Problems paying medical bills, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	PAY.0020.00.1
Keywords:	medical bills; cost
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PAYBLL12M\_C Problems paying medical bills, past 12m

Code	Description	Frequency	Percent
1	Yes	917	11.10
2	No	7285	88.19
7	Refused	4	0.05
8	Not Ascertained	44	0.53
9	Don't Know	11	0.13

Variable:	PAYNOBLLNW_C
Module:	Child
Section:	PAY : Difficulty Paying for Health Care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Does anyone in your family currently have any medical bills that you are unable to pay at all?
Description:	Unable to pay medical bills
Recode:	
Universe:	HHSTAT_C=1 and PAYBLL12M_C IN (1,7,9)
Universe Description:	Sample children 0-17 who were reported to have someone in their family with problems paying medical bills in the past 12 months or refused or don't know
Sources:	
Question ID:	PAY.0030.00.1
Keywords:	medical bills; cost
Notes:	In prior questions, respondents were asked to include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.
Evaluation Report:	

# Unweighted frequencies:

#### PAYNOBLLNW\_C Unable to pay medical bills

Code	Description	Frequency	Percent
1	Yes	598	64.16
2	No	324	34.76
7	Refused	4	0.43
8	Not Ascertained	0	0.00
9	Don't Know	6	0.64

Variable:	PAYWORRY_C
Module:	Child
Section:	PAY : Difficulty Paying for Health Care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	If ^SCNAME gets sick or has an accident, how worried are you that your family will be able to pay ^hisher_C medical bills? Are you very worried, somewhat worried, or not at all worried?
Fills:	^SCNAME Sample child's name
	^hisher_C his/her/their
Description:	Get sick or have accident, worry about paying medical bills
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	PAY.0040.00.1
Keywords:	medical bills; cost
Notes:	In prior questions, respondents were asked to include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.
Evaluation Report:	

#### Unweighted frequencies:

PAYWORRY\_C Get sick or have accident, worry about paying medical bills

Code	Description	Frequency	Percent
1	Very worried	687	8.32
2	Somewhat worried	1843	22.31
3	Not at all worried	5705	69.06
7	Refused	5	0.06
8	Not Ascertained	13	0.16
9	Don't Know	8	0.10

Variable:	CVDDIAG C
Module:	Child
Section:	CVD : Positive COVID-19 Diagnosis
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has a doctor or other health professional ever told you that ^SCNAME had or likely had coronavirus or COVID-19?
Fills:	^SCNAME Sample child's name
Description:	Ever had COVID-19
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	CVD.0020.00.4
Keywords:	coronavirus; COVID-19
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.
Evaluation Report:	

#### Unweighted frequencies:

CVDDIAG_C	Ever had COVID-19		
Code	Description	Frequency	Percent
1	Yes	749	9.07
2	No	7479	90.53
7	Refused	11	0.13
8	Not Ascertained	17	0.21
9	Don't Know	5	0.06

Variable:	COVIDTEST_C		
Module:	Child		
Section:	CVD : Positive COVID-19 Diagnosis		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has ^SCNAME ever been tested for coronavirus or COVID-19?		
Fills:	^SCNAME Sample child's name		
Description:	Ever been tested for COVID-19		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	CVD.0030.00.4		
Keywords:	coronavirus; COVID-19; test		
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.		
Evaluation Report:			

## Unweighted frequencies:

## **COVIDTEST\_C** Ever been tested for COVID-19

Code	Description	Frequency	Percent
1	Yes	3675	44.49
2	No	4531	54.85
7	Refused	14	0.17
8	Not Ascertained	18	0.22
9	Don't Know	23	0.28

Variable:	CVDRSLT_C				
Module:	Child				
Section:	CVD : Positive COVID-19 Diagnosis				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	Did the test find that ^SCNAME had coronavirus or COVID-19?				
	* If any test has shown that ^SCNAME had COVID-19, enter '1' for yes.				
	* If the respondent indicates they are waiting for ^SCNAME's results, enter '3' for Did not receive results.				
	* If the respondent indicates the test was inconclusive, enter 'CTRL-D' for Don't Know.				
Fills:	^SCNAME Sample child's name				
Description:	Tested positive for COVID-19				
Recode:					
Universe:	HHSTAT_C=1 and COVIDTEST_C=1				
Universe Description:	Sample children 0-17 who have been tested for COVID-19				
Sources:					
Question ID:	CVD.0040.00.4				
Keywords:	coronavirus; COVID-19; test result				
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.				
Evaluation Report:					

## Unweighted frequencies:

CVDRSLT\_C Tested positive for COVID-19

Code	Description	Frequency	Percent
1	Yes	635	17.28
2	No	3016	82.07
3	Did not receive results	21	0.57
7	Refused		0.03
8	Not Ascertained	0	0.00
9	Don't Know	2	0.05

Section:       CVD : Positive COVID-19 Diagnosis         File(s):       Child         Data Type:       Numeric         Length:       1         Question Text:       How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?         Fills:       ^SCNAME         Sample child's name         Description:       Symptoms of COVID-19         Recode:       Universe         Universe Description:       Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19         Sources:       Question ID:         CVD.0050.00.4       Keywords:         Coronavirus; COVID-19; symptoms	Variable:	CVDSEV_C			
File(s):ChildData Type:NumericLength:1Question Text:How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?Fills:^SCNAMEPscription:Symptoms of COVID-19Recode:IUniverseHHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe Description:Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19Sources:Question ID:CVD.0050.00.4CvD.0050.00.4Keywords:coronavirus; COVID-19; symptoms	Module:	Child			
Data Type:NumericData Type:NumericLength:1Question Text:How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?Fills:^SCNAMESample child's nameDescription:Symptoms of COVID-19Recode:Universe:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe Description:Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19Sources:Question ID:CVD.0050.00.4Keywords:coronavirus; COVID-19; symptoms	Section:	CVD : Positive COVID-19 Diagnosis			
Length:1Question Text:How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?Fills:^SCNAMESample child's nameDescription:Symptoms of COVID-19Recode:Universe:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe Description:Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19Sources:Question ID:CVD.0050.00.4Keywords:coronavirus; COVID-19; symptoms	File(s):	Child			
Question Text:How would you describe ^SCNAME's coronavirus symptoms when they were at their worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?Fills:^SCNAMESample child's nameDescription:Symptoms of COVID-19Recode:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe Description:Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19Sources:CVD.0050.00.4Keywords:CVD.0050.00.4	Data Type:	Numeric			
worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe symptoms?Fills:^SCNAMESample child's nameDescription:Symptoms of COVID-19Recode:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe:HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)Universe Description:Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19Sources:Question ID:CVD.0050.00.4Keywords:coronavirus; COVID-19; symptoms	Length:	1			
Description:       Symptoms of COVID-19         Recode:       Universe:         Universe:       HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)         Universe Description:       Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19         Sources:       Question ID:       CVD.0050.00.4         Keywords:       coronavirus; COVID-19; symptoms	Question Text:	worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe			
Recode:         Universe:       HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)         Universe Description:       Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19         Sources:       Question ID:         CVD.0050.00.4       CvD.0050.00.19; symptoms	Fills:	^SCNAME Sample child's name			
Universe:       HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)         Universe Description:       Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19         Sources:       Question ID:       CVD.0050.00.4         Keywords:       coronavirus; COVID-19; symptoms	Description:	Symptoms of COVID-19			
Universe Description:       Sample children 0-17 who were ever told that they had coronavirus or COVID-19 or tested positive for COVID-19         Sources:       Question ID:         CVD.0050.00.4       Coronavirus; COVID-19; symptoms	Recode:				
or tested positive for COVID-19         Sources:         Question ID:       CVD.0050.00.4         Keywords:       coronavirus; COVID-19; symptoms	Universe:	HHSTAT_C=1 and (CVDDIAG_C=1 or CVDRSLT_C=1)			
Question ID:CVD.0050.00.4Keywords:coronavirus; COVID-19; symptoms	Universe Description:				
Keywords: coronavirus; COVID-19; symptoms	Sources:				
	Question ID:	CVD.0050.00.4			
Notes: Question fielded since quarter 3 and quarter 4 of 2020.	Keywords:	coronavirus; COVID-19; symptoms			
	Notes:	Question fielded since quarter 3 and quarter 4 of 2020.			

#### Unweighted frequencies:

CVDSEV_C	Symptoms of COVID-19		
Code	Description	Frequency	Percent
1	No symptoms	175	22.46
2	Mild symptoms	438	56.23
3	Moderate symptoms	135	17.33
4	Severe symptoms	31	3.98
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	LASTDR_C			
Module:	Child			
Section:	UTZ : Utilization			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	About how long has it been since ^SCNAME last saw a doctor or other health professional about ^hisher_C health?			
	* Read if necessary: Include doctors seen while a patient in a hospital.			
	* Read if necessary: Do not include dental care.			
Fills:	^SCNAME Sample child's name			
	^hisher_C his/her/their			
Description:	Time since last saw doctor			
Recode:				
Universe:	HHSTAT_C=1			
Universe Description:	Sample children 0-17			
Sources:				
Question ID:	UTZ.0020.00.1			
Keywords:	doctor visit; health care provider			
Notes:	Answer categories of times longer than the sample child's age were not eligible to be selected.			
Evaluation Report:	<pre>https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192</pre>			

#### Unweighted frequencies:

LASTDR\_C Time since last saw doctor

Code	Description	Frequency	Percent
0	Never	40	0.48
1	Within the past year (anytime less than 12 months ago)	7435	90.00
2	Within the last 2 years (1 year but less than 2 years ago)	595	7.20
3	Within the last 3 years (2 years but less than 3 years ago)	87	1.05
4	Within the last 5 years (3 years but less than 5 years ago)	40	0.48
5	Within the last 10 years (5 years but less than 10 years ago)	9	0.11
6	10 years ago or more	3	0.04
7	Refused	6	0.07
8	Not Ascertained	19	0.23
9	Don't Know	27	0.33

Variable:				
	TIMEALONE_C			
Module:	Child			
Section:	UTZ : Utilization			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	At their last medical care visit, did ^SCNAME have a chance to speak with a doctor or other health professional privately, without you or another caregiver in the room?			
Fills:	^SCNAME Sample child's name			
Description:	Time alone at most recent visit			
Recode:				
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and LASTDR_C in (1,2,3,4,5,6)			
Universe Description:	Sample children 12-17 who were reported to have seen a doctor			
Sources:				
Question ID:	UTZ.0030.00.4			
Keywords:	health care transition; adolescent; privacy			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

#### TIMEALONE\_C Time alone at most recent visit

Code	Description	Frequency	Percent
1	Yes	1575	49.54
2	No	1482	46.62
7	Refused	2	0.06
8	Not Ascertained	3	0.09
9	Don't Know	117	3.68

Variable:	WELLNESS_C			
Module:	Child			
Section:	UTZ : Utilization			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	Was this a well ^baby	child visit, physical, or general purpose check-up?		
	measurements, vaccina health professional m as ^hisher_C growth a	This kind of visit typically includes: height and weight ations, and vision or hearing checks. The doctor or other may also discuss topics related to ^SCNAME's health such and development, diet and exercise, safety, and sleep ts are usually scheduled in advance and occur when t sick.		
	* <b>Read if necessary:</b> include this visit.	If a wellness exam was combined with a sick care visit,		
	<pre>* Read if necessary: visit.</pre>	An obstetrician/gynecologist (OB/GYN) may perform this		
Fills:	^babychild	baby/child		
	^SCNAME	Sample child's name		
	^hisher_C	his/her/their		
	^hesheistheyare_C	he is/she is/they are		
Description:	Was last visit a well	lness visit		
Recode:				
Universe:	HHSTAT_C=1 and LASTDR_C IN (1,2,3,4,5,6)			
Universe Description:	Sample children 0-17	who were reported to have seen a doctor		
Sources:				
Question ID:	UTZ.0040.00.1			
Keywords:	preventive care; wellness visit			
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

WELLNESS_C	Was last visit a wellness visit		
Code	Description	Frequency	Percent
1	Yes	7243	88.66
2	No	911	11.15
7	Refused	1	0.01
8	Not Ascertained	3	0.04
9	Don't Know	11	0.13

Variable:	WELLVIS_C		
Module:	Child		
Section:	UTZ : Utilization		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	<pre>About how long has it been since ^SCNAME last saw a doctor or other health professional for a well ^babychild visit, physical, or general purpose check- up? * Read if necessary: This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare_C not sick.</pre>		
	* <b>Read if necessary:</b> If a wellness exam was combined with a sick care visit, include this visit.		
	* <b>Read if necessary:</b> An obstetrician/gynecologist (OB/GYN) may perform this visit.		
Fills:	^SCNAME	Sample child's name	
	^babychild	baby/child	
	^hisher_C	his/her/their	
	^hesheistheyare_C	he is/she is/they are	
Description:	Time since last wellness visit		
Recode:			
Universe:	HHSTAT_C=1 and WELLNESS_C IN (2,7,9)		
Universe Description:	Sample children 0-17 who were reported to have seen a doctor, but the last visit was not a wellness visit or they didn't know or refused whether it was a wellness visit		
Sources:			
Question ID:	UTZ.0050.00.1		
Keywords:	preventive care; wellness visit		
Notes:	Answer categories of times longer than the sample child's age were not eligible to be selected.		
Evaluation Report:	https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192		

## Unweighted frequencies:

#### WELLVIS\_C Time since last wellness visit

Code	Description	Frequency	Percent
0	Never	6	0.65
1	Within the past year (anytime less than 12 months ago)	665	72.05
2	Within the last 2 years (1 year but less than 2 years ago)	176	19.07
3	Within the last 3 years (2 years but less than 3 years ago)	38	4.12
4	Within the last 5 years (3 years but less than 5 years ago)	14	1.52
5	Within the last 10 years (5 years but less than 10 years ago)	6	0.65
6	10 years ago or more	2	0.22
7	Refused	0	0.00
8	Not Ascertained	0	0.00

9	Don't Know	16	1.73
Frequency Mis	sing: 7338		

Variable:	PTIMEALONE_C
Module:	Child
Section:	UTZ : Utilization
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	At their last well-child visit, physical, or general purpose check-up did ^SCNAME have a chance to speak with a doctor or other health professional privately, without you or another caregiver in the room?
Fills:	^SCNAME Sample child's name
Description:	Time alone at most recent wellness visit
Recode:	
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and WELLVIS_C IN (1,2,3,4,5,6)
Universe Description:	Sample children 12-17 who had a wellness visit, but whose most recent visit was not a wellness visit
Sources:	
Question ID:	UTZ.0060.00.4
Keywords:	health care transition; adolescent; privacy
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PTIMEALONE\_C Time alone at most recent wellness visit

Code	Description	Frequency	Percent
1	Yes	168	44.21
2	No	195	551.32
7	Refused		0.26
8	Not Ascertained	8	3 2.11
9	Don't Know	8	3 2.11

Variable:	USUALPL_C
Module:	Child
Section:	UTZ : Utilization
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is there a place that ^SCNAME USUALLY goes to if ^hesheistheyare_C sick and needs health care?
Fills:	^SCNAME Sample child's name
	<pre>^hesheistheyare_C he is/she is/they are</pre>
Description:	Have a usual place to go for care
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	UTZ.0080.00.1
Keywords:	regular; doctor; access
Notes:	
Evaluation Report:	

# Unweighted frequencies:

USUALPL\_C Have a usual place to go for care

Code	Description	Frequency	Percent
1	Yes	7988	96.70
2	There is NO place	185	2.24
3	There is MORE THAN ONE place	57	0.69
7	Refused	3	0.04
8	Not Ascertained	23	0.28
9	Don't Know	5	0.06

Variable:	USPLKIND_C				
Module:	Child				
Section:	UTZ : Utilization				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	What kind of place ^isitgomostoften - a doctor's office or health center; an urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; or some other place?				
	* <b>Read if necessary:</b> A doctor's office or health center is a place where ^heshe_C see^s the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where ^hisher_C medical records are on file.				
	grocery store are pla	<b>Read if necessary:</b> Urgent care centers, and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.			
Fills:	^isitgomostoften	is it/^doesheshedothey go to most often			
	^doesheshedothey	does he/does she/do they			
	^heshe_C	He/She/They			
	^s	S			
	^hisher_C	his/her/their			
Description:	Type of place for usu	al care			
Recode:					
Universe:	HHSTAT_C=1 and USUALP	L_C IN (1,3,7,9)			
Universe Description:	Sample children 0-17	with 1+ usual place of care or don't know or refused			
Sources:					
Question ID:	UTZ.0090.00.1				
Keywords:	usual place				
Notes:					
Evaluation Report:					

# Unweighted frequencies:

USPLKIND C	Type	of	place	for	usual	care	

Code	Description	Frequency	Percent
1	A doctor's office or health center	7722	95.89
2	Urgent care center or clinic in a drug store or grocery store	234	2.91
3	Hospital emergency room	39	0.48
4	Some other place	37	0.46
5	Does not go to one place most often	8	0.10
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	11	0.14

Variable:	PERSDOC C					
	-	-				
Module:	Child					
Section:	UTZ : Utilization					
File(s):	Child					
Data Type:	Numeric					
Length:	1					
Question Text:	Do you have one or more persons you think of as ^SCNAME's personal doctor or nurse?					
	*Read if necessary: A personal doctor or nurse is a health professional who knows ^SCNAME well and is familiar with ^hisher_C health history. This can be a general doctor, a pediatrician, a specialist doctor, a nurse practitioner, or a physician assistant.					
Fills:	^SCNAME	Sample child's name				
	^hisher_C	his/her/their				
Description:	Has personal doctor					
Recode:						
Universe:	HHSTAT_C=1 and (12<=A	GEP_C<=17)				
Universe Description:	Sample children 12-17					
Sources:						
Question ID:	UTZ.0100.00.4					
Keywords:	primary care provider					
Notes:						
Evaluation Report:						

## Unweighted frequencies:

PERSDOC\_C Has personal doctor

Code	Description	Frequency	Percent
1	Yes	2093	65.26
2	No	1092	34.05
7	Refused	0	0.00
8	Not Ascertained	11	0.34
9	Don't Know	11	0.34

Variable:	URGNT12MTC_C					
Module:	Child					
Section:	UTZ : Utilization					
File(s):	Child					
Data Type:	Numeric					
Length:	1					
Question Text:	During the past 12 months, how many times has ^SCNAME gone to an urgent care center or clinic in a drug store or grocery store about ^hisher_C health?					
	* Enter '96' if number is 96 or greater.					
	* <b>Read if necessary:</b> Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.					
	* Read if necessary: This i	s different from a hospital emergency room.				
Fills:	^SCNAME Samp	le child's name				
	^hisher_C his/	her/their				
Description:	Number of times visited urg	ent care, past 12m, top-coded				
Recode:	Yes					
Universe:	HHSTAT_C=1					
Universe Description:	Sample children 0-17					
Sources:	URGENT12M_C					
Question ID:						
Keywords:	urgent care					
Notes:	This is a top-code created	for the Public Use file.				
Evaluation Report:						

## Unweighted frequencies:

URGNT12MTC_C	Number	of	times	visited	urgent	care,	past	12m,	top-coded
--------------	--------	----	-------	---------	--------	-------	------	------	-----------

Code	Description	Frequency	Percent
0	0 times	6392	77.38
1	1 time	1106	13.39
2	2 times	460	5.57
3	3 times	129	1.56
4	4 times	48	0.58
5	5+ times	77	0.93
7	Refused	3	0.04
8	Not Ascertained	25	0.30
9	Don't Know	21	0.25

Variable:	EMERG12MTC_C
Module:	Child
Section:	UTZ : Utilization
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, how many times has ^SCNAME gone to a hospital emergency room about ^hisher_C health?
	* <b>Read if necessary:</b> This includes emergency room visits that resulted in a hospital admission.
	* Enter '96' if number is 96 or more.
Fills:	^SCNAME Sample child's name
	^hisher_C his/her/their
Description:	Number of times visited hospital emergency room, past 12m, top-coded
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	EMERGE12M_C
Question ID:	
Keywords:	emergency room visits (ER); emergency department (ED)
Notes:	This is a top-code created for the Public Use file.
Evaluation Report:	

## Unweighted frequencies:

EMERG12MTC\_C Number of times visited hospital emergency room, past 12m, top-coded

Code	Description	Frequency	Percent
0	0 times	7222	87.42
1	1 time	716	8.67
2	2 times	221	. 2.68
3	3 times	35	0.42
4	4+ times	35	0.42
7	Refused	2	0.02
8	Not Ascertained	26	<b>0.31</b>
9	Don't Know	4	0.05

Variable:	HOSPONGT_C	
Module:	Child	
Section:	UTZ : Utilization	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 12 ^PAST12MER_C	months, has ^SCNAME been hospitalized overnight?
Fills:	^SCNAME	Sample child's name
	^PAST12MER_C	Do not include an overnight stay in the emergency room.
Description:	Hospitalized overn	ight, past 12m
Recode:		
Universe:	HHSTAT_C=1 and (1<	=AGEP_C<=17)
Universe Description:	Sample children 1-	17
Sources:		
Question ID:	UTZ.0130.00.1	
Keywords:	hospital stay	
Notes:		
Evaluation Report:		

## Unweighted frequencies:

HOSPONGT C		Hospitalized	overnight.	past	12m
	•	nosprearrea	over migney	puse	

Code	Description	Frequency	Percent
1	Yes	154	1.97
2	No	7629	97.61
7	Refused	2	0.03
8	Not Ascertained	30	0.38
9	Don't Know	1	0.01

Variable:	MEDDL12M_C
Module:	Child
Section:	UTZ : Utilization
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, has medical care BEEN DELAYED for ^SCNAME because of the cost?
Fills:	^SCNAME Sample child's name
Description:	Delayed medical care due to cost, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	UTZ.0140.00.1
Keywords:	delay; cost
Notes:	
Evaluation Report:	

# Unweighted frequencies:

MEDDL12M_C	Delayed	medical	care	due	to	cost,	past 1	12m
------------	---------	---------	------	-----	----	-------	--------	-----

Code	Description	Frequency	Percent
1	Yes	102	1.23
2	No	8129	98.40
7	Refused	2	0.02
8	Not Ascertained	27	0.33
9	Don't Know	1	0.01

ariable:	MEDNG12M_C
Module:	Child
Section:	UTZ : Utilization
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, was there any time when ^SCNAME needed medical care, but DID NOT GET IT because of the cost?
Fills:	^SCNAME Sample child's name
Description:	Needed medical care but did not get it due to cost, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	UTZ.0150.00.1
Keywords:	forgone care; cost
Notes:	
Evaluation Report:	

# Unweighted frequencies:

MEDNG12M_C	Needed medical	care but	did not	get it	due to	cost, past 12m
------------	----------------	----------	---------	--------	--------	----------------

Code	Description	Frequency	Percent
1	Yes	74	0.90
2	No	8158	98.75
7	Refused	2	0.02
8	Not Ascertained	27	0.33
9	Don't Know	0	0.00

Variable:	DLYCARE_C				
Module:	Child				
Section:	ACC : Access to Care				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:	Was there any time when ^SCNAME DELAYED getting medical care because of the coronavirus pandemic?				
Fills:	^SCNAME Sample child's name				
Description:	Delayed medical care due to COVID-19				
Recode:					
Universe:	HHSTAT_C=1				
Universe Description:	Sample children 0-17				
Sources:					
Question ID:	ACC.0010.00.4				
Keywords:	coronavirus; COVID-19; unmet health need				
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.				
Evaluation Report:					

## Unweighted frequencies:

DLYCARE_C	Delayed medical care due to COVID-19		
Code	Description	Frequency	Percent
1	Yes	752	9.10
2	No	7467	90.39
7	Refused	6	0.07
8	Not Ascertained	29	0.35
9	Don't Know	7	0.08

Variable:	DNGCARE_C
Module:	Child
Section:	ACC : Access to Care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Was there any time when ^SCNAME needed medical care for something other than coronavirus, but DID NOT GET IT because of the coronavirus pandemic?
Fills:	^SCNAME Sample child's name
Description:	Did not get medical care due to COVID-19
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	ACC.0020.00.4
Keywords:	coronavirus; COVID-19; unmet health need
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.
Evaluation Report:	

# Unweighted frequencies:

DIGCARE_C			
Code	Description	Frequency	Percent
1	Yes	424	5.13
2	No	7798	94.40
7	Refused	5	0.06
8	Not Ascertained	30	0.36
9	Don't Know	4	0.05

DNGCARE\_C Did not get medical care due to COVID-19

Variable:	VIRAPP12M_C		
Module:	Child		
Section:	ACC : Access to Care		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	In the past 12 months, has ^SCNAME had an appointment with a doctor, nurse, or other health professional by video or by phone?		
Fills:	^SCNAME Sample child's name		
Description:	Virtual medical appointment, past 12m		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	ACC.0030.00.4		
Keywords:	virtual medical appointment; health care utilization		
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.		
Evaluation Report:			

# Unweighted frequencies:

VIRAPP12M_C	Virtual	medical	appointment,	past	12m	
-------------	---------	---------	--------------	------	-----	--

Code	Description	Frequency	Percent
1	Yes	1597	19.33
2	No	6608	79.99
7	Refused	2	0.02
8	Not Ascertained	31	0.38
9	Don't Know	23	0.28

Variable:	VIRAPPCVD_C
Module:	Child
Section:	ACC : Access to Care
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Were any of ^SCNAME's appointments done by video or by phone because of reasons related to the coronavirus pandemic?
Fills:	^SCNAME Sample child's name
Description:	Virtual medical appointment related to COVID-19
Recode:	
Universe:	HHSTAT_C=1 and VIRAPP12M_C=1
Universe Description:	Sample children 0-17 who had a virtual medical appointment
Sources:	
Question ID:	ACC.0040.00.4
Keywords:	coronavirus; COVID-19; virtual medical appointment; health care utilization
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.
Evaluation Report:	

# Unweighted frequencies:

VIRAPPCVD_C	Virtual	medical	appointment	related	to	COVID-19
-------------	---------	---------	-------------	---------	----	----------

Code	Description	Frequency	Percent
1	Yes	1285	80.46
2	No	309	19.35
7	Refused	1	0.06
8	Not Ascertained	0	0.00
9	Don't Know	2	0.13

Variable:	RX12M_C
Module:	Child
Section:	PMD : Prescription medications
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	At any time in the past 12 months, did ^SCNAME take prescription medication?
Fills:	^SCNAME Sample child's name
Description:	Took prescription medication, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	PMD.0010.00.1
Keywords:	prescribed medicine; drugs; rx
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

RX12M_C	Took prescription medication, past 12m		
Code	Description	Frequency	Percent
1	Yes	2431	. 29.43
2	No	5781	. 69.98
7	Refused	4	0.05
8	Not Ascertained	32	0.39
9	Don't Know	13	0.16

Variable:	RXDL12M_C	
Module:	Child	
Section:	PMD : Prescription medications	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 12 months, did you DELAY filling a prescription for ^SCNAME to save money?	
Fills:	^SCNAME Sample child's name	
Description:	Delayed filling prescription to save money, past 12m	
Recode:		
Universe:	HHSTAT_C=1 and RX12M_C=1	
Universe Description:	Sample children 0-17 who had taken prescription medication in the past 12 months	
Sources:		
Question ID:	PMD.0020.00.1	
Keywords:	prescribed medicine; drugs; rx; cost	
Notes:		
Evaluation Report:		

## Unweighted frequencies:

RXDL12M C	Delayed filling	prescription to	save money, past 12m

Code	Description	Frequency	Percent
1	Yes	38	1.56
2	No	2393	98.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	RXDG12M_C
Module:	Child
Section:	PMD : Prescription medications
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, was there any time when ^SCNAME needed prescription medication, but DID NOT GET IT because of the cost?
Fills:	^SCNAME Sample child's name
Description:	Needed prescription medication but did not get it due to cost, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	PMD.0030.00.1
Keywords:	prescribed medicine; drugs; rx; cost; forgone care
Notes:	
Evaluation Report:	

# Unweighted frequencies:

RXDG12M\_C Needed prescription medication but did not get it due to cost, past 12m

Code	Description	Frequency	Percent
1	Yes	48	0.58
2	No	8179	99.01
7	Refused	2	0.02
8	Not Ascertained	32	0.39
9	Don't Know	0	0.00

Variable:	SHTFLU12M_C	
Module:	Child	
Section:	IMM : Immunization	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	There are two types of flu vaccinations. One is a shot and the other is a spray, mist, or drop in the nose. During the past 12 months, has ^SCNAME had a flu vaccination?	
		flu vaccination is usually given in the fall and enza for the flu season.
Fills:	^SCNAME	Sample child's name
Description:	Flu vaccine, past 12 months	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	IMM.0010.00.1	
Keywords:	flu shot; flu vaccinat	ion; influenza
Notes:		
Evaluation Report:		

## Unweighted frequencies:

SHTFLU12M\_C Flu vaccine, past 12 months

Code	Description	Frequency	Percent
1	Yes	3717	44.99
2	No	4342	52.56
7	Refused	18	0.22
8	Not Ascertained	38	0.46
9	Don't Know	146	1.77

Variable:	SHTFLUNUM_C	
Module:	Child	
Section:	IMM : Immunization	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 12 months, how many flu vaccinations has ^SCNAME received?	
Fills:	^SCNAME Sample child's name	
Description:	Number of flu vaccines, past 12 months	
Recode:		
Universe:	HHSTAT_C=1 and SHTFLU12M_C=1	
Universe Description:	Sample children 0-17 who have had a flu shot in the past 12 months	
Sources:		
Question ID:	IMM.0020.00.1	
Keywords:	flu shot; flu vaccination; influenza	
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

Binn Eonon_e	Number of fill vaccifies, pase iz months		
Code	Description	Frequency	Percent
1	1 vaccination	3446	92.71
2	2 or more vaccinations	220	5.92
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	51	1.37

# SHTFLUNUM\_C Number of flu vaccines, past 12 months

Variable:	FLUVAC1M_C	
Module:	Child	
Section:	IMM : Immunization	
File(s):	Child	
Data Type:	Numeric	
Length:	2	
Question Text:	* 1 of 2	
	During what month and year did ^SCNAME receive ^hisher_C most recent flu vaccine?	
	* Enter month of most recent flu vaccine.	
Fills:	^SCNAME Sample child's name	
	^hisher_C his/her/their	
Description:	Month of most recent flu vaccine	
Recode:		
Universe:	HHSTAT_C=1 and SHTFLUNUM_C IN (1,2)	
Universe Description:	Sample children 0-17 who have had one or more flu shots in the past 12 months	
Sources:		
Question ID:	IMM.0030.01.1	
Keywords:	flu shot; flu vaccination; influenza	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

FLUVAC1M\_C Month of most recent flu vaccine

Code	Description	Frequency	Percent
01	January	167	4.56
02	February	102	2.78
03	March	80	2.18
04	April	48	1.31
05	Мау	34	0.93
06	June	32	0.87
07	July	38	1.04
08	August	150	4.09
09	September	603	16.45
10	October	1340	36.55
11	November	628	17.13
12	December	230	6.27
97	Refused	4	0.11
98	Not Ascertained	0	0.00
99	Don't Know	210	5.73

Variable:	FLUVAC1Y_C
Module:	Child
Section:	IMM : Immunization
File(s):	Child
Data Type:	Numeric
Length:	4
Question Text:	* 2 of 2
	* Enter year of most recent flu vaccine.
Description:	Year of most recent flu vaccine
Recode:	
Universe:	HHSTAT_C=1 and ((1<=FLUVAC1M_C<=12) or FLUVAC1M_C=99)
Universe Description:	Sample children 0-17 who have had one or more flu shots in the past 12 months and gave month or don't know month of flu shot
Sources:	
Question ID:	IMM.0030.02.1
Keywords:	flu shot; flu vaccination; influenza
Notes:	
Evaluation Report:	

# Unweighted frequencies:

FLUVAC1Y_C	Year of most recent flu vaccine		
Code	Description	Frequency	Percent
Year	Year	3636	99
9997	Refused	0	e
9998	Not Ascertained	0	e
9999	Don't Know	26	e

99.29 0.00 0.00 0.71

Variable:	FLUVAC2M_C	
Module:	Child	
Section:	IMM : Immunization	
File(s):	Child	
Data Type:	Numeric	
Length:	2	
Question Text:	* 1 of 2	
	During what month and year did ^SCNAME receive the flu vaccine before that one?	
	* Enter month of the flu vaccine.	
Fills:	^SCNAME Sample child's name	
Description:	Month of next most recent flu vaccine	
Recode:		
Universe:	HHSTAT_C=1 and SHTFLUNUM_C=2	
Universe Description:	Sample children 0-17 who have had two or more flu shots in the past 12 months	
Sources:		
Question ID:	IMM.0040.01.1	
Keywords:	flu shot; flu vaccination; influenza	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

FLUVAC2M_C	Month of next most recent flu vaccine		
Code	Description	Frequency	Percent
01	January	12	5.45
02	February	9	4.09
03	March	14	6.36
04	April	7	3.18
05	Мау	3	1.36
06	June	3	1.36
07	July	7	3.18
08	August	12	5.45
09	September	30	13.64
10	October	44	20.00
11	November	15	6.82
12	December	13	5.91
97	Refused	3	1.36
98	Not Ascertained	0	0.00
99	Don't Know	48	21.82

Variable:	FLUVAC2Y_C
Module:	Child
Section:	IMM : Immunization
File(s):	Child
Data Type:	Numeric
Length:	4
Question Text:	* 2 of 2
	* Enter year of next most recent flu vaccine.
Description:	Year of next most recent flu vaccine
Recode:	
Universe:	HHSTAT_C=1 and ((1<=FLUVAC2M_C<=12) or FLUVAC2M_C=99)
Universe Description:	Sample children 0-17 who have had two or more flu shots and gave month or don't know month of vaccine dose
Sources:	
Question ID:	IMM.0040.02.1
Keywords:	flu shot; flu vaccination; influenza
Notes:	
Evaluation Report:	

# Unweighted frequencies:

FLUVAC2Y_C	Year of next most recent flu vaccine		
Code	Description	Frequency	Percent
Year	Year	189	87.10
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	28	12.90

Variable:	SHTCVD19_C		
Module:	Child		
Section:	CVV : COVID-19 vaccin	ation	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	The next questions ar	e about coronavirus or COVID-19 vaccination.	
	Has ^SCNAME had a COV	'ID-19 vaccination?	
	^COVIDAGES		
Fills:	^SCNAME	Sample child's name	
	^COVIDAGES	Read if necessary fills for COVID vaccination availability by age	
Description:	COVID-19 vaccination		
Recode:			
Universe:	HHSTAT_C=1 and (12<=A	GEP_C<=17)	
Universe Description:	Sample children 12-17		
Sources:			
Question ID:	CVV.0010.00.3		
Keywords:	vaccine		
Notes:	Question fielded sinc	e quarter 3 of 2021.	
Evaluation Report:			

# Unweighted frequencies:

#### SHTCVD19\_C COVID-19 vaccination Code Description Frequency Percent 1 980 58.82 Yes 2 660 39.62 No 7 15 Refused 0.90 8 6 Not Ascertained 0.36 5 9 0.30 Don't Know

Variable:	SHTCVD19NM_C	
Module:	Child	
Section:	CVV : COVID-19 vaccination	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	How many COVID-19 vaccinations has ^SCNAME received?	
Fills:	^SCNAME Sample child's name	
Description:	Number of COVID-19 vaccinations	
Recode:		
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and SHTCVD19_C=1	
Universe Description:	Sample children 12-17 who have received a COVID-19 vaccination	
Sources:		
Question ID:	CVV.0020.00.3	
Keywords:	coronavirus; vaccine dose	
Notes:	Question fielded since quarter 3 of 2021.	
Evaluation Report:		

## Unweighted frequencies:

SHTCVD19NM_C	Number	of	COVID-19	vaccinations
--------------	--------	----	----------	--------------

Code	Description	Frequency	Percent
1	1 vaccination	78	7.96
2	2 vaccinations	897	91.53
3	More than 2 vaccinations	3	0.31
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.20

Variable:	CVDVAC1MR_C
Module:	Child
Section:	CVV : COVID-19 vaccination
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Month of most recent COVID-19 vaccination
Recode:	Yes
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and SHTCVD19NM_C IN (1,2,3)
Universe Description:	Sample children 12-17 who have had one or more COVID-19 vaccinations
Sources:	CVDVAC1M_C; CVDVAC1Y_C; CVDVAC2M_C; CVDVAC2Y_C
Question ID:	
Keywords:	coronavirus; vaccine dose
Notes:	This recode corrects responses of month or year before COVID-19 vaccinations were available and dates reported out of order. Source questions for this recode fielded since quarter 3 of 2021.
Evaluation Report:	

## Unweighted frequencies:

Code	Description	Frequency	Percent
01	January	4	0.41
02	February	4	0.41
03	March	15	1.53
04	April	48	4.91
05	Мау	173	17.69
06	June	310	31.70
07	July	147	15.03
08	August	130	13.29
09	September	79	8.08
10	October	26	2.66
11	November	18	1.84
12	December	6	0.61
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	18	1.84

CVDVAC1MR\_C Month of most recent COVID-19 vaccination

Variable:	CVDVAC1YR_C
Module:	Child
Section:	CVV : COVID-19 vaccination
File(s):	Child
Data Type:	Numeric
Length:	4
Question Text:	
Description:	Year of most recent COVID-19 vaccination
Recode:	Yes
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and (1<=CVDVAC1M_C<=12 or CVDVAC1M_C=99)
Universe Description:	Sample children 12-17 who gave month of most recent COVID-19 vaccination or don't know
Sources:	CVDVAC1M_C; CVDVAC1Y_C; CVDVAC2M_C; CVDVAC2Y_C
Question ID:	
Keywords:	coronavirus; vaccine dose
Notes:	This recode corrects responses of month or year before COVID-19 vaccinations were available and dates reported out of order. Source questions for this recode fielded since quarter 3 of 2021.
Evaluation Report:	

# Unweighted frequencies:

CVDVAC1YR_C	Year	of	most	recent	COVID-19	vaccination	

Code	Description	Frequency	Percent
Year	Year	976	99.80
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	2	0.20

Variable:	CVDVAC2MR_C
Module:	Child
Section:	CVV : COVID-19 vaccination
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Month of next most recent COVID-19 vaccination
Recode:	Yes
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and SHTCVD19NM_C IN (2,3)
Universe Description:	Sample children 12-17 who have had two or more COVID-19 vaccinations
Sources:	CVDVAC1M_C; CVDVAC1Y_C; CVDVAC2M_C; CVDVAC2Y_C
Question ID:	
Keywords:	coronavirus; vaccine dose
Notes:	This recode corrects responses of month or year before COVID-19 vaccinations were available and dates reported out of order. Source questions for this recode fielded since quarter 3 of 2021.
Evaluation Report:	

## Unweighted frequencies:

CVDVAC2MR_	_CMonth of next most recent COVID-19 vaccina							
Code	Description	Frequency	Percent					
01	January	4	0.44					
02	February	11	1.22					
03	March	31	3.44					
04	April	106	11.78					
05	Мау	331	36.78					
06	June	169	18.78					
07	July	105	11.67					
08	August	80	8.89					
09	September	25	2.78					
10	October	13	1.44					
11	November	5	0.56					
12	December	2	0.22					
97	Refused	1	0.11					
98	Not Ascertained	0	0.00					
99	Don't Know	17	1.89					

CVDVAC2MR\_C Month of next most recent COVID-19 vaccination

Variable:	CVDVAC2YR_C
Module:	Child
Section:	CVV : COVID-19 vaccination
File(s):	Child
Data Type:	Numeric
Length:	4
Question Text:	
Description:	Year of next most recent COVID-19 vaccination
Recode:	Yes
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and ((1<=CVDVAC2M_C<=12) or CVDVAC2M_C=99)
Universe Description:	Sample children 12-17 who gave month of 2nd COVID-19 vaccination or don't know
Sources:	CVDVAC1M_C; CVDVAC1Y_C; CVDVAC2M_C; CVDVAC2Y_C
Question ID:	
Keywords:	coronavirus; vaccine dose
Notes:	This recode corrects responses of month or year before COVID-19 vaccinations were available and dates reported out of order. Source questions for this recode fielded since quarter 3 of 2021.
Evaluation Report:	

#### Unweighted frequencies:

CVDVACZYR_C	Year of next most recent COVID-19 Vaccination			
Code	Description	Frequency	Percent	
Year	Year	896	99.67	
9997	Refused	0	0.00	
9998	Not Ascertained	0	0.00	
9999	Don't Know	3	0.33	

CVDVAC2YR\_C Year of next most recent COVID-19 vaccination

Variable:	SHTCVD19AV_C
Module:	Child
Section:	CVV : COVID-19 vaccination
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Did a doctor or other health professional tell you that ^SCNAME needs an additional dose of the COVID-19 vaccination?
Fills:	^SCNAME Sample child's name
Description:	Doctor told need another COVID-19 vaccination
Recode:	
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17) and SHTCVD19NM_C=1
Universe Description:	Sample children 12-17 who had one COVID-19 vaccination
Sources:	
Question ID:	CVV.0050.00.3
Keywords:	coronavirus; vaccine dose
Notes:	Question fielded since quarter 3 of 2021.
Evaluation Report:	

# Unweighted frequencies:

SHTCVD19AV_C	Doctor	told	need	another	COVID-19	vaccination
--------------	--------	------	------	---------	----------	-------------

Code	Description	Frequency	Percent
1	Yes	59	75.64
2	No	17	21.79
7	Refused	e	0.00
8	Not Ascertained	e	0.00
9	Don't Know	2	2 2.56

Variable:	MHRX_C	
Module:	Child	
Section:	MHC : Mental health care - Rotate	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 12 months, did ^SCNAME take any prescription help with ^hisher_C emotions, concentration, behavior or men	
Fills:	^SCNAME Sample child's name	
	^hisher_C his/her/their	
Description:	Took medication for emotions/concentration/behavior/mental h	ealth, past 12m
Recode:		
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)	
Universe Description:	Sample children 2-17	
Sources:		
Question ID:	MHC.0010.00.2	
Keywords:	prescribed medicine; drugs; rx	
Notes:		
Evaluation Report:	https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192	

# Unweighted frequencies:

MHRX\_C Took medication for emotions/concentration/behavior/mental health, past 12m

Code	Description	Frequency	Percent
1	Yes	544	7.37
2	No	6789	91.97
7	Refused	7	0.09
8	Not Ascertained	38	0.51
9	Don't Know	4	0.05

Variable:	MHTHRPY_C
Module:	Child
Section:	MHC : Mental health care - Rotate
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, did ^SCNAME receive counseling or therapy from a mental health professional such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker?
Fills:	^SCNAME Sample child's name
Description:	Received counseling/therapy from mental health professional, past 12m
Recode:	
Universe:	HHSTAT_C=1 and (2<=AGEP_C<=17)
Universe Description:	Sample children 2-17
Sources:	
Question ID:	MHC.0020.00.2
Keywords:	mental health therapist; specialist
Notes:	
Evaluation Report:	

## Unweighted frequencies:

# MHTHRPY\_C Received counseling/therapy from mental health professional, past 12m

Code	Description	Frequency	Percent
1	Yes	768	10.40
2	No	6565	88.93
7	Refused	7	0.09
8	Not Ascertained	38	0.51
9	Don't Know	4	0.05

Variable:	SUPPORT_C		
Module:	Child		
Section:	SOS : Social Support		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	How often does ^SCNAME get the social and emotional support ^heshe_C needs? Would you say always, usually, sometimes, rarely, or never?		
Fills:	^SCNAME Sample child's name		
	^heshe_C     He/She/They		
Description:	How often social/emotional support		
Recode:			
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17)		
Universe Description:	Sample children 12-17		
Sources:			
Question ID:	SOS.0010.00.4		
Keywords:			
Notes:			
Evaluation Report:			

# Unweighted frequencies:

SUPPORT\_C How often social/emotional support

Code	Description	Frequency	Percent
1	Always	2495	77.80
2	Usually	466	14.53
3	Sometimes	136	4.24
4	Rarely	26	0.81
5	Never	58	1.81
7	Refused	2	0.06
8	Not Ascertained	18	0.56
9	Don't Know	6	0.19

Variable:	COMSUPPORT_C			
Module:	Child			
Section:	SOS : Social Support			
File(s):	Child			
Data Type:	Numeric	Numeric		
Length:	1			
Question Text:	Other than parents or adults living in ^SCNAME's home, is there at least one adult in ^SCNAME's school, neighborhood, or community who makes a positive and meaningful difference in ^hisher_C life?			
Fills:	^SCNAME	Sample child's name		
	^hisher_C	his/her/their		
Description:	Presence of community	support		
Recode:				
Universe:	HHSTAT_C=1 and (12<=A	GEP_C<=17)		
Universe Description:	Sample children 12-17			
Sources:				
Question ID:	SOS.0020.00.4			
Keywords:				
Notes:				
Evaluation Report:				

# Unweighted frequencies:

# COMSUPPORT\_C Presence of community support

Code	Description	Frequency	Percent
1	Yes	2772	86.44
2	No	378	11.79
7	Refused	3	0.09
8	Not Ascertained	17	0.53
9	Don't Know	37	1.15

Variable:	VIOLENEV_C		
Module:	Child		
Section:	SLE : Stressful Life Events		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has ^SCNAME ever been the victim of violence or witnessed violence in ^hisher_C neighborhood?		
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
Description:	Victim of/witnessed violence		
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	ption: Sample children 0-17		
Sources:			
Question ID:	SLE.0020.00.2		
Keywords:	ACE; adverse childhood experiences; social environment		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

VIOLENEV\_C Victim of/witnessed violence

Code	Description	Frequency	Percent
1	Yes	386	4.67
2	No	7777	94.14
7	Refused	28	0.34
8	Not Ascertained	49	0.59
9	Don't Know	21	0.25

Variable:	JAILEV1_C
Module:	Child
Section:	SLE : Stressful Life Events
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has ^SCNAME ever been separated from a parent or guardian because the parent or guardian went to jail, prison, or a detention center?
Fills:	^SCNAME Sample child's name
Description:	Ever separated from parent who was incarcerated
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	SLE.0030.00.2
Keywords:	ACE; adverse childhood experiences; social environment; incarceration
Notes:	
Evaluation Report:	

# Unweighted frequencies:

JAILEVI_C				
Code	Description	Frequency	Percent	
1	Yes	403	4.88	
2	No	7770	94.06	
7	Refused	32	0.39	
8	Not Ascertained	50	0.61	
9	Don't Know	6	0.07	

JAILEV1\_C Ever separated from parent who was incarcerated

Variable:	MENTDEPEV_C
Module:	Child
Section:	SLE : Stressful Life Events
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Did ^SCNAME ever live with anyone who was mentally ill or severely depressed?
Fills:	^SCNAME Sample child's name
Description:	Ever lived with anyone mentally ill/severely depressed
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	SLE.0040.00.2
Keywords:	ACE; adverse childhood experiences; social environment
Notes:	
Evaluation Report:	

## Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	604	7.31
2	No	7550	91.39
7	Refused	31	0.38
8	Not Ascertained	53	0.64
9	Don't Know	23	0.28

## $\label{eq:ment} \textbf{MENTDEPEV_C} \quad \text{Ever lived with anyone mentally ill/severely depressed}$

Variable:	ALCDRUGEV_C
Module:	Child
Section:	SLE : Stressful Life Events
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Did ^SCNAME ever live with anyone who had a problem with alcohol or drugs?
Fills:	^SCNAME Sample child's name
Description:	Ever lived with anyone with alcohol/drug problem
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	SLE.0050.00.2
Keywords:	ACE; adverse childhood experiences; social environment; substance use
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	593	7.18
2	No	7582	91.78
7	Refused	25	0.30
8	Not Ascertained	55	0.67
9	Don't Know	6	0.07

ALCDRUGEV\_C Ever lived with anyone with alcohol/drug problem

Variable:	PUTDOWN_C		
Module:	Child		
Section:	SLE : Stressful Life Events		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		lived with a parent or adult who frequently swore at ed ^himher_C, or put ^himher_C down?	
Fills:	^SCNAME	Sample child's name	
	^himher_C	him/her/they	
Description:	Lifetime of being	put down by adults in home	
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	SLE.0060.00.3		
Keywords:	ACE; adverse chil	dhood experiences; social environment	
Notes:			
Evaluation Report:			

# Unweighted frequencies:

PUTDOWN\_C Lifetime of being put down by adults in home

Code	Description	Frequency	Percent
1	Yes	264	3.20
2	No	7888	95.48
7	Refused	21	0.25
8	Not Ascertained	55	0.67
9	Don't Know	33	0.40

Variable:	BNEEDS_C		
Module:	Child		
Section:	SLE : Stressful	Life Events	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		peen a time when ^SCNAME's basic needs were NOT met, such as p eat, being able to go to a doctor when ^heshe_C was sick, or lace to stay?	
Fills:	^SCNAME	Sample child's name	
	^heshe_C	He/She/They	
Description:	Lifetime of lack	king basic needs	
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children	0-17	
Sources:			
Question ID:	SLE.0070.00.3		
Keywords:	ACE; adverse ch	ildhood experiences; social environment; unmet needs	
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

BNEEDS C	Lifetime	of	lacking	basic	needs
		•••	B	00010	

Code	Description	Frequency	Percent
1	Yes	193	2.34
2	No	7981	96.61
7	Refused	19	0.23
8	Not Ascertained	55	0.67
9	Don't Know	13	0.16

Variable:	UNFAIRRE_C		
Module:	Child		
Section:	SLE : Stressful Life Events		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has anyone ever or ethnic group?	treated or judged ^SCNAME unfairly because of ^hisher_C race	
Fills:	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
Description:	Treated/judged b	ased on race/ethnicity	
Recode:			
Universe:	HHSTAT_C=1		
Universe Description:	Sample children 0-17		
Sources:			
Question ID:	SLE.0080.00.4		
Keywords:	ACE; adverse chi	ldhood experiences; social environment; discrimination	
Notes:			
Evaluation Report:			

# Unweighted frequencies:

UNFAIRRE\_C Treated/judged based on race/ethnicity

Code	Description	Frequency	Percent
1	Yes	352	4.26
2	No	7758	93.91
7	Refused	21	0.25
8	Not Ascertained	55	0.67
9	Don't Know	75	0.91

Variable:	UNFAIRSO_C		
Module:	Child		
Section:	SLE : Stressful Life Events		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Has anyone ever treated or judged ^SCNAME unfairly because of ^hisher_C sexual orientation or gender identity?		
Fills:	^SCNAME Sample child's name		
	^hisher_C his/her/their		
Description:	Treated/judged based on sexual orientation or gender identity		
Recode:			
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17)		
Universe Description:	Sample children 12-17		
Sources:			
Question ID:	SLE.0090.00.4		
Keywords:	ACE; adverse childhood experiences; social environment; discrimination		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

UNFAIRSO\_C Treated/judged based on sexual orientation or gender identity

Code	Description	Frequency	Percent
1	Yes	79	2.46
2	No	3073	95.82
7	Refused	11	0.34
8	Not Ascertained	24	0.75
9	Don't Know	20	0.62

Variable:	BULLYVIC C
Module:	Child
Section:	BLY : Bullying
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, how often was ^SCNAME bullied, picked on, or excluded by other children?
	* <b>Read if necessary:</b> If the frequency changed throughout the year, report the highest frequency.
Fills:	^SCNAME Sample child's name
Description:	Frequency of bully victimization, 12m
Recode:	
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17)
Universe Description:	Sample children 12-17
Sources:	
Question ID:	BLY.0010.00.4
Keywords:	adolescents; bullying; victimization
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

#### BULLYVIC\_C Frequency of bully victimization, 12m

Code	Description	Frequency	Percent
0	Never in the past 12 months	2505	78.11
1	1-2 times in the past 12 months	432	13.47
2	1-2 times per month	108	3.37
3	1-2 times per week	44	1.37
4	Almost every day	31	0.97
7	Refused	8	0.25
8	Not Ascertained	23	0.72
9	Don't Know	56	1.75

Variable:	CYBERVIC_C
Module:	Child
Section:	BLY : Bullying
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, has ^SCNAME been electronically bullied?
	* <b>Read if necessary:</b> Count being bullied through texting, Instagram, Facebook, Snapchat, or other social media.
Fills:	^SCNAME Sample child's name
Description:	Cyberbullied in the past 12 months
Recode:	
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17)
Universe Description:	Sample children 12-17
Sources:	
Question ID:	BLY.0020.00.4
Keywords:	adolescents; bullying; victimization
Notes:	
Evaluation Report:	

## Unweighted frequencies:

CYBERVIC_C	Cyberbullied	in the	past	12 m	onths
------------	--------------	--------	------	------	-------

Code	Description	Frequency	Percent
1	Yes	191	5.96
2	No	2902	90.49
7	Refused	9	0.28
8	Not Ascertained	24	0.75
9	Don't Know	81	2.53

Variable:	BULLYPERP_C
Module:	Child
Section:	BLY : Bullying
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	During the past 12 months, how often did ^SCNAME bully others, pick on them, or exclude them?
	* <b>Read if necessary:</b> If the frequency changed throughout the year, report the highest frequency.
Fills:	^SCNAME Sample child's name
Description:	Frequency of bully perpetration, 12m
Recode:	
Universe:	HHSTAT_C=1 and (12<=AGEP_C<=17)
Universe Description:	Sample children 12-17
Sources:	
Question ID:	BLY.0030.00.4
Keywords:	adolescents; bullying
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

## BULLYPERP\_C Frequency of bully perpetration, 12m

Code	Description	Frequency	Percent
0	Never in the past 12 months	2888	90.05
1	1-2 times in the past 12 months	170	5.30
2	1-2 times per month	37	1.15
3	1-2 times per week	14	0.44
4	Almost every day	6	0.19
7	Refused	7	0.22
8	Not Ascertained	24	0.75
9	Don't Know	61	1.90

Variable:	ANYINJURY_C	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 3 mont part of ^hisher_C body	ths, did ^SCNAME have an accident or an injury where any / was hurt?
Fills:	^SCNAME	Sample child's name
	^hisher_C	his/her/their
Description:	Any injury in the past	t 3 months
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INJ.0020.00.2	
Keywords:	injury	
Notes:		
Evaluation Report:		

## Unweighted frequencies:

ANYINJURY\_C Any injury in the past 3 months

Code	Description	Frequency	Percent
1	Yes	751	9.09
2	No	7438	90.04
7	Refused	4	0.05
8	Not Ascertained	65	0.79
9	Don't Know	3	0.04

Variable:	INJLIMIT_C
Module:	Child
Section:	INJ : Injury
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Did any of these injuries limit ^SCNAME's usual activities for at least 24 hours after the injury occurred?
Fills:	^SCNAME Sample child's name
Description:	Limited by injury in the past 3 months
Recode:	
Universe:	HHSTAT_C=1 and ANYINJURY_C=1
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months
Sources:	
Question ID:	INJ.0030.00.2
Keywords:	injury; limitation
Notes:	
Evaluation Report:	

# Unweighted frequencies:

INJLIMIT_C	Limited by	injury	in the	past 3	months
------------	------------	--------	--------	--------	--------

Code	Description	Frequency	Percent
1	Yes	333	44.34
2	No	417	55.53
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.13

Variable:	NUMINJ C
Module:	Child
Section:	INJ : Injury
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	For the next questions, please think only about the significant injuries that occurred during the past 3 months. By significant, I mean those injuries that limited ^SCNAME's usual activities for at least 24 hours after the injury occurred.
	During the past 3 months, how many times did ^SCNAME have a significant injury?
	* Enter '96' if number is 96 or greater.
Fills:	^SCNAME Sample child's name
Description:	Number of injuries in the past 3 months
Recode:	
Universe:	HHSTAT_C=1 and INJLIMIT_C=1
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours
Sources:	
Question ID:	INJ.0040.00.2
Keywords:	injury
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

NUMINJ\_C Number of injuries in the past 3 months

Code	Description	Frequency	Percent
01-96	Range of values	33	3 100.00
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		0.00

Variable:	INJHOME_C		
Module:	Child		
Section:	INJ : Injury	INJ : Injury	
File(s):	Child		
Data Type:	Numeric		
Length:	1	1	
Question Text:	During the past 3 home?	During the past 3 months, did ^siginj_C occur while ^SCNAME was at ^hisher_C home?	
	* <b>Read if necessar</b> the home property.	y: Include the yards, garage, basement, and other places on	
Fills:	^siginj_C	the significant injury/any significant injuries	
	^SCNAME	Sample child's name	
	^hisher_C	his/her/their	
Description:	Did injury occur a	t home	
Recode:			
Universe:	HHSTAT_C=1 and INJ	LIMIT_C=1	
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours		
Sources:			
Question ID:	INJ.0050.00.2		
Keywords:	injury; home		
Notes:			
Evaluation Report:			

## Unweighted frequencies:

**INJHOME\_C** Did injury occur at home

Code	Description	Frequency	Percent
1	Yes	91	27.33
2	No	239	71.77
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.90

Variable:	INJSCHOOL_C		
Module:	Child		
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	During the past 3 mon ^DAYCARESCHOOL?	During the past 3 months, did ^siginj_C occur while ^SCNAME was at ^DAYCARESCHOOL?	
		Include classrooms, playgrounds, sports fields, swimming nd other places on school or daycare property.	
Fills:	^siginj_C	the significant injury/any significant injuries	
	^SCNAME	Sample child's name	
	^DAYCARESCHOOL	daycare/school or daycare/school	
Description:	Did injury occur at s	chool or daycare	
Recode:			
Universe:	HHSTAT_C=1 and (2 <= NUMINJ_C <= 96 or NUMINJ_C IN (97,99)) or (NUMINJ_C=1 and INJHOME_C IN (2,7,9))		
Universe Description:	Sample children 0-17 who had 2 or more injuries in the past 3 months or don't know or refused or who had 1 injury in the past 3 months but did not report an injury at home		
Sources:			
Question ID:	INJ.0060.00.2		
Keywords:	injury; school; dayca	re	
Notes:	Children aged 0-2 years old were asked about missing daycare, children aged 3- 5 were asked about missing school or daycare, and children 6-17 years old were asked about missing school, due to injury(ies).		
Evaluation Report:			

## Unweighted frequencies:

INJSCHOOL\_C Did injury occur at school or daycare

Code	Description	Frequency	Percent
1	Yes	87	35.22
2	No	156	63.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	1.62

Variable:	INJSPORTS_C	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 3 months, did ^siginj_C occur while ^SCNAME was playing sports or exercising, including walking, biking, or running, playing baseball, basketball, football or doing any other physical activity?	
	* <b>Read if necessar</b> tennis, golf, bowl	<b>y:</b> Include recreational sports such as skating, skiing, ing, or fishing.
Fills:	^siginj_C	the significant injury/any significant injuries
	^SCNAME	Sample child's name
Description:	Did injury occur while playing sports or exercising	
Recode:		
Universe:	HHSTAT_C=1 and INJLIMIT_C = 1 and 3<=AGEP_C<=17	
Universe Description:	Sample children 3-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours	
Sources:		
Question ID:	INJ.0070.00.2	
Keywords:	injury; sports; ex	vercise
Notes:		
Evaluation Report:		

#### Unweighted frequencies:

INJSPORTS\_C Did injury occur while playing sports or exercising

Code	Description	Frequency	Percent
1	Yes	241	74.84
2	No	80	24.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.31

Variable:	INJFALL_C	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 3 months, did ^siginj_C occur as a result of a fall or falling?	
Fills:	<pre>^siginj_C the significant injury/any significant injuries</pre>	
Description:	Did injury occur because of a fall	
Recode:		
Universe:	HHSTAT_C=1 and INJLIMIT_C=1	
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours	
Sources:		
Question ID:	INJ.0080.00.2	
Keywords:	injury; fall	
Notes:		
Evaluation Report:		

## Unweighted frequencies:

## INJFALL\_C Did injury occur because of a fall

Code	Description	Frequency	Percent
1	Yes	162	48.65
2	No	168	50.45
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.90

Variable:	INJFALLHOM_C
Module:	Child
Section:	INJ : Injury
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Did any fall occur while ^SCNAME was at ^hisher_C home?
Fills:	^SCNAME Sample child's name
	^hisher_C his/her/their
Description:	Did fall occur at home
Recode:	
Universe:	HHSTAT_C=1 and (2 <= NUMINJ_C <= 96 or NUMINJ_C IN (97,99)) and INJFALL_C=1 and INJHOME_C=1
Universe Description:	Sample children 0-17 who had 2 or more significant injuries or refused or don't know, and were injured at home as a result of a fall or falling
Sources:	
Question ID:	INJ.0090.00.2
Keywords:	injury; fall; home
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

INJFALLHOM\_C Did fall occur at home

Code	Description	Frequency	Percent
1	Yes	2	50.00
2	No	2	50.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJFALLSCH_C	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	Did any fall occur while ^SCNAME was at ^DAYCARESCHOOL?	
Fills:	^SCNAME Sample child's name	
	^DAYCARESCHOOL daycare/school or daycare/school	
Description:	Did fall occur at daycare or school	
Recode:		
Universe:	HHSTAT_C=1 and (2 <= NUMINJ_C <= 96 or NUMINJ_C IN (97,99)) and INJFALL_C=1 and INJSCHOOL_C=1	
Universe Description:	Sample children 0-17 who had 2 or more significant injuries or refused or don't know, and were injured at daycare or school as a result of a fall or falling	
Sources:		
Question ID:	INJ.0100.00.2	
Keywords:	injury; fall; school; daycare	
Notes:	Children aged 0-2 years old were asked about missing daycare, children aged 3- 5 were asked about missing school or daycare, and children 6-17 years old were asked about missing school, due to injury(ies).	
Evaluation Report:		

## Unweighted frequencies:

INJFALLSCH\_C Did fall occur at daycare or school

Code	Description	Frequency	Percent
1	Yes	6	100.00
2	No	0	0.00
7	Refused	0	0.00
8 Not Ascertained 0		0.00	
9	Don't Know	0	0.00

Variable:	INJMOTOR_C			
Module:	Child			
Section:	INJ : Injury			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	During the past 3 months, did ^siginj_C occur as a result of being in a motor vehicle crash or being hit by a motor vehicle while walking or biking?			
	* <b>Read if necessary:</b> Motor vehicles include cars, trucks, vans, buses, motorcycles, motorized scooters, motorized wheelchairs, motorized carts, tractors, ATVs, snowmobiles, dune buggies, and other motorized vehicles.			
Fills:	<pre>^siginj_C the significant injury/any significant injuries</pre>			
Description:	Injury caused by a motor vehicle crash or collision			
Recode:				
Universe:	HHSTAT_C=1 and INJLIMIT_C=1			
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours			
Sources:				
Question ID:	INJ.0110.00.2			
Keywords:	injury; motor vehicle; crash; collision			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

 $\label{eq:intro} \texttt{INJMOTOR}\_C \qquad \texttt{Injury caused by a motor vehicle crash or collision}$ 

Code	Description	Frequency	Percent
1	Yes	13	3.90
2	No	320	96.10
7	Refused	0	0.00
8	3 Not Ascertained 0		0.00
9	Don't Know	0	0.00

/ariable:	INJMVTYPE1_C		
Module:	Child	Child	
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		Was ^SCNAME a ^DRIVER, passenger, bicyclist, pedestrian, or doing something else when this occurred?	
Fills:	^SCNAME	Sample child's name	
	^DRIVER	driver	
Description:	Motor vehicle accide	ent - driver	
Recode:	Yes		
Universe:	HHSTAT_C=1 and 6<=AGEP_C<=17 and INJMOTOR_C=1		
Universe Description:	Sample children 6-17 who had significant injury(ies) from a motor vehicle accident		
Sources:	INJMVTYPE_C	INJMVTYPE_C	
Question ID:	INJ.0120.01.2		
Keywords:	injury; motor vehicle; accident; driver		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

INJMVTYPE1\_C Motor vehicle accident - driver

Code	Description	Frequency	Percent
1	Mentioned	2	18.18
2	Not mentioned	9	81.82
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJMVTYPE2_C		
Module:	Child		
Section:	INJ : Injury	INJ : Injury	
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		Was ^SCNAME a ^DRIVER, passenger, bicyclist, pedestrian, or doing something else when this occurred?	
Fills:	^SCNAME	Sample child's name	
	^DRIVER	driver	
Description:	Motor vehicle accider	nt - passenger	
Recode:	Yes		
Universe:	HHSTAT_C=1 and INJMOTOR_C=1		
Universe Description:	Sample children 0-17 who had significant injury(ies) from a motor vehicle accident		
Sources:	INJMVTYPE_C	INJMVTYPE_C	
Question ID:	INJ.0120.02.2		
Keywords:	injury; motor vehicle; accident; passenger		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

INJMVTYPE2\_C Motor vehicle accident - passenger

Code	Description	Frequency	Percent
1	Mentioned	7	53.85
2	Not mentioned	6	46.15
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJMVTYPE3_C		
Module:	Child		
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:		Was ^SCNAME a ^DRIVER, passenger, bicyclist, pedestrian, or doing something else when this occurred?	
Fills:	^SCNAME	Sample child's name	
	^DRIVER	driver	
Description:	Motor vehicle accide	nt - bicyclist	
Recode:	Yes		
Universe:	HHSTAT_C=1 and INJMOTOR_C=1		
Universe Description:	Sample children 0-17 who had significant injury(ies) from a motor vehicle accident		
Sources:	INJMVTYPE_C	INJMVTYPE_C	
Question ID:	INJ.0120.03.2	INJ.0120.03.2	
Keywords:	injury; motor vehicl	e; accident; bicyclist	
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

## INJMVTYPE3\_C Motor vehicle accident - bicyclist

Code	Description	Frequency	Percent
1	Mentioned	3	23.08
2	Not mentioned	10	76.92
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJMVTYPE4_C		
Module:	Child		
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Was ^SCNAME a ^DRIVER, passenger, bicyclist, pedestrian, or doing something else when this occurred?		
Fills:	^SCNAME	Sample child's name	
	^DRIVER	driver	
Description:	Motor vehicle acciden	nt - pedestrian	
Recode:	Yes		
Universe:	HHSTAT_C=1 and INJMOTOR_C=1		
Universe Description:	Sample children 0-17 who had significant injury(ies) from a motor vehicle accident		
Sources:	INJMVTYPE_C		
Question ID:	INJ.0120.04.2	INJ.0120.04.2	
Keywords:	injury; motor vehicle; accident; pedestrian		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

 $\label{eq:injmvtype4_C} INJMVTYPE4\_C \quad \mbox{Motor vehicle accident - pedestrian}$ 

Code	ode Description		Percent
1	L Mentioned		7.69
2	Not mentioned	12	92.31
7	Refused	0	0.00
8 Not Ascertained 0		0.00	
9	Don't Know	0	0.00

/ariable:	INJMVTYPE5_C			
Module:	Child			
Section:	INJ : Injury			
File(s):	Child			
Data Type:	Numeric			
Length:	1	1		
Question Text:		Was ^SCNAME a ^DRIVER, passenger, bicyclist, pedestrian, or doing something else when this occurred?		
Fills:	^SCNAME	Sample child's name		
	^DRIVER	driver		
Description:	Motor vehicle accide	ent - something else		
Recode:	Yes			
Universe:	HHSTAT_C=1 and INJMOTOR_C=1			
Universe Description:	Sample children 0-17 who had significant injury(ies) from a motor vehicle accident			
Sources:	INJMVTYPE_C			
Question ID:	INJ.0120.05.2			
Keywords:	injury; motor vehicle; accident; other			
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

## INJMVTYPE5\_C Motor vehicle accident - something else

Code	le Description		Percent
1	Mentioned	0	0.00
2	Not mentioned	13	100.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

/ariable:	INJSAWDOC_C			
Module:	Child	Child		
Section:	INJ : Injury			
File(s):	Child	Child		
Data Type:	Numeric			
Length:	1			
Question Text:	During the past professional abo	3 months, did ^SCNAME see a doctor or other health ut ^siginj_C?		
Fills:	^SCNAME	Sample child's name		
	^siginj_C	the significant injury/any significant injuries		
Description:	Saw a doctor abo	ut injury		
Recode:				
Universe:	HHSTAT_C=1 and I	NJLIMIT_C=1		
Universe Description:	Sample children 0-17 who had injury(ies) in the past 3 months which limited usual activities for at least 24 hours			
Sources:				
Question ID:	INJ.0130.00.2			
Keywords:	injury; doctor; health professional			
Notes:				
Evaluation Report:				

#### Unweighted frequencies:

INJSAWDOC\_C Saw a doctor about injury

Code	Description	Frequency	Percent
1	Yes	247	74.17
2	No	86	25.83
7	Refused	0	0.00
8 Not Ascertained 0		0.00	
9	Don't Know	0	0.00

Variable:	INJER_C		
Module:	Child		
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	During the past 3 months, did ^SCNAME go to an emergency room because of ^siginj_C?		
Fills:	^SCNAME Sample child's name		
	<pre>^siginj_C the significant injury/any significant injuries</pre>		
Description:	Visited ER for injury		
Recode:			
Universe:	HHSTAT_C=1 and INJSAWDOC_C=1 and (1<=EMERGE12M_C<=96 or EMERGE12M_C IN (97,99))		
Universe Description:	Sample children 0-17 who saw a doctor about their injury(ies) and either went to an ER at least once in the past 12 months or don't know or refused		
Sources:			
Question ID:	INJ.0140.00.2		
Keywords:	injury; emergency room; ER		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

INJER_C	NJER_C Visited ER for injury		
Code	Description	Frequency	Percent
1	Yes	93	82.30
2	No	20	17.70
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJHOSP_C			
Module:	Child			
Section:	INJ : Injury	INJ : Injury		
File(s):	Child	Child		
Data Type:	Numeric			
Length:	1			
Question Text:	During the past	3 months, was ^SCNAME hospitalized overnight for ^siginj_C?		
Fills:	^SCNAME	Sample child's name		
	^siginj_C	the significant injury/any significant injuries		
Description:	Hospitalized for injury			
Recode:				
Universe:	HHSTAT_C=1 and INJSAWDOC_C=1 and HOSPONGT_C IN (1,7,9)			
Universe Description:	Sample children 0-17 who saw a doctor about their injury(ies) and reported being hospitalized at least once in the past 12 months or don't know or refused			
Sources:				
Question ID:	INJ.0150.00.2			
Keywords:	injury; hospitalization			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

**INJHOSP\_C** Hospitalized for injury

Code	Description	Frequency	Percent
1	Yes	7	50.00
2	No	7	50.00
7	Refused	0	0.00
8 Not Ascertained 0		0.00	
9	Don't Know	0	0.00

Variable:	INJBONES_C	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	During the past 3 months, did ^SCNAME have any broken bones as a result of ^siginj_C?	
Fills:	^SCNAME Sample child's name	
	<pre>^siginj_C the significant injury/any significant injuries</pre>	
Description:	Did injury cause broken bones	
Recode:		
Universe:	HHSTAT_C=1 and INJSAWDOC_C=1	
Universe Description:	Sample children 0-17 who saw a doctor about their injury(ies)	
Sources:		
Question ID:	INJ.0160.00.2	
Keywords:	injury; broken bones	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

INJBONES\_C Did injury cause broken bones

Code	Description	Frequency	Percent
1	Yes	64	25.91
2	No	182	73.68
7	Refused	0	0.00
8	8 Not Ascertained 0		0.00
9	Don't Know	1	0.40

Variable:	INJSTITCH_C		
Module:	Child		
Section:	INJ : Injury		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	During the past 3 ^siginj_C?	3 months, did ^SCNAME get any stitches or staples because of	
Fills:	^SCNAME	Sample child's name	
	^siginj_C	the significant injury/any significant injuries	
Description:	Did injury require stitches or staples		
Recode:			
Universe:	HHSTAT_C=1 and INJSAWDOC_C=1		
Universe Description:	Sample children 0-17 who saw a doctor about their injury(ies)		
Sources:			
Question ID:	INJ.0170.00.2		
Keywords:	injury; stitches; staples		
Notes:			
Evaluation Report:			

# Unweighted frequencies:

INJSTITCH\_C Did injury require stitches or staples

Code	Description	Frequency	Percent
1	Yes	28	11.34
2	No	219	88.66
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	INJSCHDYTC_C
Module:	Child
Section:	INJ : Injury
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Number of school days missed due to injury in the past 3 months
Recode:	Yes
Universe:	HHSTAT_C=1 and INJLIMIT_C=1
Universe Description:	Sample children 0-17 who had injury(ies) which limited their usual activities for at least 24 hours
Sources:	INJSCHDAYS_C
Question ID:	
Keywords:	injury; school; daycare
Notes:	Children aged 0-2 years old were asked about missing daycare, children aged 3- 5 were asked about missing school or daycare, and children 6-17 years old were asked about missing school, due to injury(ies). Recode: Top coded the number of school days missed in the past 3 months at 10 or more days.
Evaluation Report:	

#### Unweighted frequencies:

#### INJSCHDYTC\_C Number of school days missed due to injury in the past 3 months

Code	Description	Frequency	Percent
00	0 days	233	69.97
01-09	1-9 days	94	28.23
10	10+ days	6	1.80
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable:	INJFUTSCH C	
	-	
Module:	Child	
Section:	INJ : Injury	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	· ·	E to miss any more days of ^DAYCARESCHOOL because of red during the past 3 months?
Fills:	^SCNAME	Sample child's name
	^DAYCARESCHOOL	daycare/school or daycare/school
	^siginj_C	the significant injury/any significant injuries
Description:	Expected school days	missed due to injury
Recode:		
Universe:	HHSTAT_C=1 and (1<=IN	NJSCHDAYS_C<=90 OR INJSCHDAYS_C=99)
Universe Description:		who have missed at least one day of daycare or school due e past 3 months or don't know
Sources:		
Question ID:	INJ.0190.00.2	
Keywords:	injury; daycare; scho	pol
Notes:	5 were asked about mi	ars old were asked about missing daycare, children aged 3- issing school or daycare, and children 6-17 years old were school, due to injury(ies).
Evaluation Report:		

### Unweighted frequencies:

INJFUTSCH\_C Expected school days missed due to injury

Code	Description	Frequency	Percent
1	Yes	6	6.00
2	No	91	91.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	3.00

Variable:	TBILOSTCON C
Module:	Child
Section:	TBI : Concussions - lifetime
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	As a result of a blow or jolt to the head, has ^SCNAME ever been knocked out or lost consciousness?
	* <b>Read if necessary:</b> Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.
Fills:	^SCNAME Sample child's name
Description:	Ever lost consciousness
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	TBI.0020.00.4
Keywords:	traumatic brain injury; TBI; serious head injury
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

#### TBILOSTCON\_C Ever lost consciousness

Code	Description	Frequency	Percent
1	Yes	213	2.58
2	No	7960	96.36
7	Refused	6	0.07
8	Not Ascertained	67	0.81
9	Don't Know	15	0.18

Variable:	TBIDAZED_C	
Module:	Child	
Section:	TBI : Concussions	5 - lifetime
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	As a result of a a gap in ^hisher_	blow or jolt to the head, has ^SCNAME ever been dazed or had _C memory?
		ary: Please think about all head injuries, for example, from car accidents, falls, or being hit by something or someone.
Fills:	^SCNAME	Sample child's name
	^hisher_C	his/her/their
Description:	Ever dazed or memory gap	
Recode:		
Universe:	HHSTAT_C=1 and TB	BILOSTCON_C IN (2,7,9)
Universe Description:		0-17 who did not report ever being knocked out because of blow ead or refused or didn't know
Sources:		
Question ID:	TBI.0030.00.4	
Keywords:	traumatic brain i	injury; TBI; serious head injury
Notes:		
Evaluation Report:		

## Unweighted frequencies:

## TBIDAZED\_C Ever dazed or memory gap

Code	Description	Frequency	Percent
1	Yes	126	1.58
2	No	7829	98.10
7	Refused	6	0.08
8	Not Ascertained	1	0.01
9	Don't Know	19	0.24

Variable:	TBIHEADSYM_C
Module:	Child
Section:	TBI : Concussions - lifetime
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	As a result of a blow or jolt to the head, has ^SCNAME had headaches, vomiting, blurred vision, or changes in mood or behavior?
	* <b>Read if necessary:</b> Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone.
Fills:	^SCNAME Sample child's name
Description:	Ever headache, vomit, blurred vision, or mood change after blow to head
Recode:	
Universe:	HHSTAT_C=1 and TBILOSTCON_C IN (2,7,9)
Universe Description:	Sample children 0-17 who did not report ever being knocked out because of blow or jolt to the head or refused or didn't know
Sources:	
Question ID:	TBI.0040.00.4
Keywords:	traumatic brain injury; TBI; serious head injury
Notes:	
Evaluation Report:	

## Unweighted frequencies:

## TBIHEADSYM\_C Ever headache, vomit, blurred vision, or mood change after blow to head

Code	Description	Frequency	Percent
1	Yes	189	2.37
2	No	7773	97.39
7	Refused	7	0.09
8	Not Ascertained	1	0.01
9	Don't Know	11	0.14

Variable:	TBICHKCONC C
Module:	- Child
Section:	TBI : Concussions - lifetime
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Has ^SCNAME ever been checked for a concussion or brain injury by a doctor, nurse, athletic trainer, or other health professional?
Fills:	^SCNAME Sample child's name
Description:	Ever checked for concussion
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	TBI.0050.00.4
Keywords:	traumatic brain injury; TBI; serious head injury
Notes:	
Evaluation Report:	

## Unweighted frequencies:

TBICHKCONC\_C Ever checked for concussion

Code	Description	Frequency	Percent
1	Yes	874	10.58
2	No	7292	88.27
7	Refused	7	0.08
8	Not Ascertained	68	0.82
9	Don't Know	20	0.24

Variable:	TBIDRCONC_C			
Module:	Child			
Section:	TBI : Concussions - lifetime			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	Did a doctor, nurse, athletic trainer, or other health professional ever say that ^SCNAME had a concussion or brain injury?			
Fills:	^SCNAME Sample child's name			
Description:	Ever told had a concussion			
Recode:				
Universe:	HHSTAT_C=1 and TBICHKCONC_C IN (1,9)			
Iniverse Description: Sample children 0-17 who have ever been checked for a concussion or don't k				
Sources:				
Question ID:	TBI.0060.00.4			
Keywords:	traumatic brain injury; TBI; serious head injury			
Notes:				
Evaluation Report:				

## Unweighted frequencies:

TBIDRCONC_C	Ever	told	had	а	concussion
-------------	------	------	-----	---	------------

Code	Description	Frequency	Percent
1	Yes	30	3 33.89
2	No	58:	L 64.99
7	Refused	(	0.00
8	Not Ascertained	(	0.00
9	Don't Know	10	1.12

Variable:	RELCHPARENTP1_C				
Module:	Child				
Section:	PAR : Parent Demographics				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:					
Description:	Relationship of first residential parent to sample child				
Recode:	Yes				
Universe:	$HHSTAT_C = 1$				
Universe Description:	Sample children 0-17				
Sources:	RELCHPARENT1_C				
Question ID:					
Keywords:	parent-child; relationship type; first residential parent				
Notes:	Relationship type of first residential parent to sample child. "Other" includes both cases that could not be coded due to conflicting answers between household respondent and the sample child respondent as well as foster parents. "No residential parent" includes cases in which no parent is living with the sample child. This recode replaces RELCHPARP1_C.				
Evaluation Report:					

# Unweighted frequencies:

**RELCHPARENTP1** Relationship of first residential parent to sample child

C	

Code	Description		Percent	
1	Biological or Adoptive	7805	94.48	
2	Step	111	1.34	
3	Other	82	0.99	
4	No residential parent	194	2.35	
7	Refused	1	0.01	
8	Not Ascertained	66	0.80	
9	Don't Know	2	0.02	

Variable:	RELCHPARENTP2_C				
Module:	Child				
Section:	PAR : Parent Demographics				
File(s):	Child				
Data Type:	Numeric				
Length:	1				
Question Text:					
Description:	Relationship of second residential parent to sample child				
Recode:	Yes				
Universe:	HHSTAT_C = 1				
Universe Description:	Sample children 0-17				
Sources:	RELCHPARENT2_C				
Question ID:					
Keywords:	parent-child; relationship type; second residential parent				
Notes:	Relationship type of second residential parent to sample child. "Other" includes both cases that could not be coded due to conflicting answers between household respondent and the sample child respondent as well as foster parents. "No second residential parent" includes cases in which no or only one parent is living with the sample child. This recode replaces RELCHPARP2_C.				
Evaluation Report:					

Unweighted frequencies:

**RELCHPARENTP2** Relationship of second residential parent to sample child \_C

Code	e Description		Percent	
1	Biological or Adoptive	5408	65.46	
2	Step	251	3.04	
3 Other		63	0.76	
4 No second residential parent		2495	30.20	
7 Refused		1	0.01	
8	8 Not Ascertained		0.47	
9	Don't Know	4	0.05	

Variable:	MARITAL1_C			
Module:	Child			
Section:	PAR : Parent Demographics			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	^AreyouIspar married, living with a partner together as an unmarried couple, or neither?			
Fills:	<pre>^AreyouIspar Are you/Is {Value of ALIAS}</pre>			
Description:	Marital status of first residential parent of sample child			
Recode:	Yes			
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1			
Universe Description:	Sample children 0-17 with at least one residential parent			
Sources:	MARITAL_C			
Question ID:	PAR.0090.01.1			
Keywords:	first residential parent; cohabitating; relationship;			
Notes:				
Evaluation Report:				

# Unweighted frequencies:

MARITAL1_C Marital status of f	irst residential parent of sample child
--------------------------------	---

Code	Description	Frequency	Percent	
1	Married	5608	69.40	
2	Living with a partner together as an unmarried couple	745	9.22	
3 Neither		1670	20.67	
7 Refused		5	0.06	
8	8 Not Ascertained		0.63	
9 Don't Know		2	0.02	

Variable:	MARITAL2_C			
Module:	Child			
Section:	PAR : Parent Demographics			
File(s):	Child			
Data Type:	Numeric			
Length:	1			
Question Text:	^AreyouIspar married, living with a partner together as an unmarried couple, or neither?			
Fills:	<pre>^AreyouIspar Are you/Is {Value of ALIAS}</pre>			
Description:	Marital status of second residential parent of sample child			
Recode:	Yes			
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2			
Universe Description:	Sample children 0-17 with at least two residential parents			
Sources:	MARITAL_C			
Question ID:	PAR.0090.02.1			
Keywords:	second residential parent; cohabitating; relationship			
Notes:				
Evaluation Report:				

# Unweighted frequencies:

MARITAL2_C	Marital	status	of	second	residential	parent	of	sample	child	
------------	---------	--------	----	--------	-------------	--------	----	--------	-------	--

Code	Description	Frequency	Percent
1	Married	5164	89.39
2	Living with a partner together as an unmarried couple	544	9.42
3	Neither	33	0.57
7	Refused	1	0.02
8	Not Ascertained	34	0.59
9	Don't Know	1	0.02

Variable:	PCNTPARNTS_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Count of all residential parents of the sample child
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	PARENTS_FINAL01-PARENTS_FINAL04
Question ID:	
Keywords:	parents
Notes:	Count of the number of parents residing with the sample child, based on the total number of non-zero person numbers stored in PARENTS_FINAL01-PARENTS_FINAL04. This recode is top-coded at 2.
Evaluation Report:	

# Unweighted frequencies:

Code	Description	Frequency	Percent
0	0 parents	180	2.18
1	1 parent	2329	28.19
2	2+ parents	5752	69.63
8	Not Ascertained	0	0.00

# PCNTPARNTS\_C Count of all residential parents of the sample child

Variable:	MARSTAT1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Marital status of the sample child's first residential parent
Recode:	Yes
Universe:	$HHSTAT_C = 1$ and $PARENTS_CNT_FINAL >= 1$
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	MARITAL1_C; SPOUSLIV1_C; EVERMARR1_C; WIDIVSEP1_C
Question ID:	
Keywords:	marriage; current marital status; first residential parent
Notes:	Marital status recode with categories comparable to R_MARITL in the 1997-2018 NHIS.
Evaluation Report:	

# Unweighted frequencies:

MARSTAT1_C	Marital status of the sample child's first residential parent		
Code	Description	Frequency	Percent
1	Married, spouse is present	5419	67.06
2	Married, spouse is not present	188	2.33
3	Married, spouse presence unknown	1	0.01
4	Widowed	70	0.87
5	Divorced	604	7.47
6	Separated	147	1.82
7	Never married	844	10.44
8	Living with a partner	745	9.22
9	Unknown marital status	63	0.78

ΜΑΡΣΤΑΤΊ ( Marital status of the sample child's first residential parent

Variable:	MARSTAT2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Marital status of the sample child's second residential parent
Recode:	Yes
Universe:	HHSTAT_C = 1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	MARITAL2_C; SPOUSLIV2_C; EVERMARR2_C; WIDIVSEP2_C
Question ID:	
Keywords:	marriage; current marital status; second residential parent
Notes:	Marital status recode with categories comparable to R_MARITL in the 1997-2018 NHIS.
Evaluation Report:	

# Unweighted frequencies:

MARSTAT2_C	Marital status of the sample child's second residential parent		
Code	Description	Frequency	Percent
1	Married, spouse is present	5162	89.35
2	Married, spouse is not present	2	0.03
3	Married, spouse presence unknown	0	0.00
4	Widowed	2	0.03
5	Divorced	10	0.17
6	Separated	3	0.05
7	Never married	18	0.31
8	Living with a partner	544	9.42
9	Unknown marital status	36	0.62

Variable:	LEGMSTAT1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Legal marital status of the sample child's first residential parent
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	MARSTAT1_C; EVRMARRIED1_C; LEGALSTAT1_C
Question ID:	
Keywords:	marriage; legal marital status; first residential parent
Notes:	Legal marital status recode with categories comparable to CDCMSTAT in the 1997 -2018 NHIS.
Evaluation Report:	

# Unweighted frequencies:

LEGMSTAT1_C	Legal marital status of the sample child's first residential parent		
Code	Description	Frequency	Percent
1	Separated	170	2.11
2	Divorced	773	9.58
3	Married	5619	69.62
4	Single/never married	1363	16.89
5	Widowed	79	0.98
9	Unknown legal marital status	67	0.83

Variable:	LEGMSTAT2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Legal marital status of the sample child's second residential parent
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	MARSTAT2_C; EVRMARRIED2_C; LEGALSTAT2_C
Question ID:	
Keywords:	marriage; legal marital status; second residential parent
Notes:	Legal marital status recode with categories comparable to CDCMSTAT in the 1997 -2018 NHIS.
Evaluation Report:	

# Unweighted frequencies:

LEGMSTAT2_C	Legal marital status of the sample child's second residential parent		
Code	Description	Frequency	Percent
1	Separated	18	0.31
2	Divorced	83	1.44
3	Married	5172	89.54
4	Single/never married	417	7.22
5	Widowed	7	0.12
9	Unknown legal marital status	79	1.37

Variable:	PARAGETC1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Age of sample child's first residential parent, top-and bottom-coded
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	AGE_FINAL
Question ID:	
Keywords:	first residential parent
Notes:	Top-coded at 65 and bottom-coded at 20 for public use.
Evaluation Report:	

# Unweighted frequencies:

PARAGETC1\_C Age of sample child's first residential parent, top-and bottom-coded

Code	Description	Frequency	Percent
20	20 years or younger	30	0.37
21-64	21-64 years	8005	99.23
65	65+ years	22	0.27
97	Refused	5	0.06
98	Not Ascertained	0	0.00
99	Don't Know	5	0.06

Variable:	PARSEX1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sex of sample child's first residential parent
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	SEX_FINAL
Question ID:	
Keywords:	first residential parent
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PARSEX1_C	Sex of sample child's first residential parent		
Code	Description	Frequency	Percent
1	Male	3186	39.43
2	Female	4895	60.57
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PARWORK1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	First residential parent of sample child works for pay at job/business
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	FEMWORK_C
Question ID:	
Keywords:	job; employment; work status; first residential parent
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PARWORK1\_C First residential parent of sample child works for pay at job/business

Code	Description	Frequency	Percent
1	Yes	6251	77.44
2	No	1753	21.72
7	Refused	9	0.11
8	Not Ascertained	59	0.73
9	Don't Know	0	0.00

Variable:	PARWKFT1_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sample child's first residential parent works 35+ hours per week
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1 and PARWORK1_C = 1
Universe Description:	Sample children 0-17 with at least one residential parent who was working for pay at job/business
Sources:	FEMWKFT_C
Question ID:	
Keywords:	job; weekly hours; employment; work status; full-time; first residential parent
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

TANAN TI_C	<b>WKTIL</b> Sumple child S THSC residencial parente works SST hours per week		
Code	Description	Frequency	Percent
1	Yes	5293	84.67
2	No	944	15.10
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	12	0.19

PARWKFT1\_C Sample child's first residential parent works 35+ hours per week

Variable:	PARAGETC2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Age of sample child's second residential parent, top-and bottom-coded
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	AGE_FINAL
Question ID:	
Keywords:	second residential parent
Notes:	Top-coded at 65 and bottom-coded at 20 for public use.
Evaluation Report:	

#### Unweighted frequencies:

#### PARAGETC2\_C Age of sample child's second residential parent, top-and bottom-coded

Code	Description	Frequency	Percent
20	20 years or younger	14	0.24
21-64	21-64 years	5712	99.06
65	65+ years	30	0.52
97	Refused	5	0.09
98	Not Ascertained	0	0.00
99	Don't Know	5	0.09

Variable:	PARSEX2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sex of sample child's second residential parent
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children aged 0-17 with at least two residential parents
Sources:	SEX_FINAL
Question ID:	
Keywords:	second residential parent
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PARSEX2_C	Sex of sample child's second residential parent		
Code	Description	Frequency	Percent
1	Male	2979	51.57
2	Female	2798	48.43
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	PARWORK2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Second residential parent of sample child works for pay at job/business
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	FEMWORK_C
Question ID:	
Keywords:	job; employment; work status; second residential parent
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

PARWORK2\_C Second residential parent of sample child works for pay at job/business

Code	Description	Frequency	Percent
1	Yes	4706	81.59
2	No	1017	17.63
7	Refused	8	0.14
8	Not Ascertained	36	0.62
9	Don't Know	1	0.02

Variable:	PARWKFT2_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sample child's second residential parent works 35+ hours per week
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2 and PARWORK2_C = 1
Universe Description:	Sample children 0-17 with at least two residential parents who were working for pay at job/business
Sources:	FEMWKFT_C
Question ID:	
Keywords:	job; weekly hours; employment; work status; full-time; second residential parent
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

TANKITZ_C	c Sumpre chira s second residenciar parente works sst hours per week		
Code	Description	Frequency	Percent
1	Yes	4144	88.06
2	No	544	11.56
7	Refused	5	0.11
8	Not Ascertained	0	0.00
9	Don't Know	13	0.28

PARWKFT2\_C Sample child's second residential parent works 35+ hours per week

Variable:	SCPARHISP_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sample child has the same Hispanic ethnicity as ALL residential parents
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	PARENTS_FINAL; HISPALLP
Question ID:	
Keywords:	Hispanic ethnicity
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

SCPARHISP\_C Sample child has the same Hispanic ethnicity as ALL residential parents

Code	Description	Frequency	Percent
1	Yes	7589	93.91
2	No	460	5.69
9	Unknown	32	0.40

Variable:	HISPPARSC_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	All residential parents of the sample child are of the same Hispanic ethnicity
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	PARENTS_FINAL; HISPALLP
Question ID:	
Keywords:	Hispanic ethnicity
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

HISPPARSC\_C All residential parents of the sample child are of the same Hispanic ethnicity

Code	Description	Frequency	Percent
1	Yes	5293	92.02
2	No	430	7.48
9	Unknown	29	0.50

Variable:	SCPARRAC_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sample child has the same race as ALL residential parents
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	PARENTS_FINAL; RACEALLP
Question ID:	
Keywords:	Race
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

SCPARRAC_C	Sample child has the same race as ALL residential parents		
Code	Description	Frequency	Percent
1	Yes	6608	81.77
2	No	646	7.99
9	Unknown	827	10.23

Variable:	RACPARSC_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	All residential parents of the sample child are of the same race
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2
Universe Description:	Sample children 0-17 with at least two residential parents
Sources:	PARENTS_FINAL; RACEALLP
Question ID:	
Keywords:	Race
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

RACPARSC\_C All residential parents of the sample child are of the same race

Code	Description	Frequency	Percent
1	Yes	4754	82.65
2	No	440	7.65
9	Unknown	558	9.70

Variable:	MAXPAREDUP_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Highest level of education of all SC's parents
Recode:	Yes
Universe:	HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1
Universe Description:	Sample children 0-17 with at least one residential parent
Sources:	EDUC; PARENTS_FINAL01-PARENTS_FINAL04
Question ID:	
Keywords:	schooling; educational attainment
Notes:	Indicates the sample child's parent with the highest education.
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	434	5.37
02	12th grade, no diploma	114	1.41
03	GED or equivalent	142	1.76
04	High School Graduate	1313	16.24
05	Some college, no degree	1038	12.84
06	Associate degree: occupational, technical, or vocational program	280	3.46
07	Associate degree: academic program	732	9.05
08	Bachelor's degree (Example: BA, AB, BS, BBA)	2090	25.85
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1404	17.37
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	537	6.64
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

MAXPAREDUP\_C Highest level of education of all SC's parents

Variable:	PARSAMEOPP_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	In two-parent SC families, are the parents of the same sex or opposite sex?
Recode:	Yes
Universe:	HHSTAT_C = 1 and PCNTNFPAR_C = 2
Universe Description:	Sample children 0-17 living in families with 2 parents (who are not foster parents)
Sources:	PARSEX1_C; PARSEX2_C
Question ID:	
Keywords:	same-sex; opposite-sex
Notes:	
Evaluation Report:	

# Unweighted frequencies:

PARSAMEOPP\_C In two-parent SC families, are the parents of the same sex or opposite sex?

Code	Description	Frequency	Percent
blank	SC not living with two parents	2510	30.38
1	SC in two parent family, parents are opposite sex	5691	68.89
2	SC in two parent family, parents are same sex	60	0.73
9	Unknown	0	0.00

Variable:	SCFAMSTR_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Family structure of sample child
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	PCNTPARNTS; FOSTPAR; MARSTAT_C; MARITAL_C; EVRMARRIED_C; SPOUSLIV_C; PARENTS_FINAL01-PARENTS_FINAL04; RELCHPARENTP1_C
Question ID:	
Keywords:	parental relationship; family structure; household structure; sample child
Notes:	Family structure recode used in Child Summary Health Statistics tables.
Evaluation Report:	

# Unweighted frequencies:

SCFAMSTR_C	Family structure of sample child		
Code	Description	Frequency	Percent
1	Single parent, never married	807	9.79
2	Single parent, ever married	958	11.62
3	Married parents residing in the same household as SC	5095	61.79
4	Cohabiting parents residing in the same household as SC	536	6.50
5	At least 1 related or unrelated adult (not a parent) in the same household as SC	320	3.88
6	Could not be coded	530	6.43

Variable:	SCPARENTSC_C
Module:	Child
Section:	PAR : Parent Demographics
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Sample child relationship to sample adult
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	SAMEFAM_FLG; PARENTS_FINAL01-PARENTS_FINAL04
Question ID:	
Keywords:	Parental relationship; sample child; sample adult
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

# SCPARENTSC\_C Sample child relationship to sample adult

Code	Description	Frequency	Percent
1	Sample adult is parent of sample child	5985	72.45
2	Sample adult is not parent of sample child	931	11.27
3	No sample adult in sample child's family	1202	14.55
9	Unknown	143	1.73

Variable:	NATUSBORN_C
Module:	Child
Section:	NAT : Nativity
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Was ^SCNAME born in the United States or a U.S. territory?
Fills:	^SCNAME Sample child's name
Description:	Born in U.S. or U.S. territory
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	NAT.0010.00.1
Keywords:	United States; birthplace
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

# NATUSBORN\_C Born in U.S. or U.S. territory

Code	Description	Frequency	Percent
1	Yes	7840	94.90
2	No	344	4.16
7	Refused	3	0.04
8	Not Ascertained	72	0.87
9	Don't Know	2	0.02

Variable:	YRSINUS_C
Module:	Child
Section:	NAT : Nativity
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Years that sample child has been in the United States
Recode:	Yes
Universe:	HHSTAT_C=1 and NATUSBORN_C=2
Universe Description:	Sample children 0-17 born outside of the United States or US territory
Sources:	NATUSBORN_C; NATUSLG_C
Question ID:	
Keywords:	birthplace; foreign born
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

-			
YRSINUS_C	Years that sample child has been in the United States		
Code	Description	Frequency	Percent
1	Less than 1 year	11	3.20
2	1 to less than 5 years	110	31.98
3	5 to less than 10 years	128	37.21
4	10 to less than 15 years	69	20.06
5	15 years or more	21	6.10
9	Unknown	5	1.45

Variable:	CITZNSTP_C
Module:	Child
Section:	NAT : Nativity
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Citizenship status
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	HHSTAT_C; NATUSBORN_C; CITIZEN_C; NATCTZN_C
Question ID:	
Keywords:	nativity; naturalized
Notes:	Recode
Evaluation Report:	

# Unweighted frequencies:

CITZNSTP_C	Citizenship status		
Code	Description	Frequency	Percent
1	Yes, a citizen of the United States	7980	96.60
2	No, not a citizen of the United States	201	2.43
7	Refused	4	0.05
8	Not Ascertained	72	0.87
9	Don't Know	4	0.05

Variable:	PCNTADTWKP_C
Module:	Child
Section:	FEM : Employment of family members
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Number of adults in sample child's family who are working
Recode:	Yes
Universe:	HHSTAT_C = 1
Universe Description:	Sample children 0-17
Sources:	FEMWORK_C; FEMWORK_A; FAMILYC_FLG
Question ID:	
Keywords:	employed; adult family members
Notes:	Information on FEMWORK_C and FEMWORK_A was collected in the Child and Adult interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2, and 3 are actual counts but category 8 is NOT a count and is a label indicating cases that could not be ascertained.
Evaluation Report:	

# Unweighted frequencies:

PCNTADTWKP\_C Number of adults in sample child's family who are working

Code	Description	Frequency	Percent
0	0 adults	620	7.51
1	1 adult	2900	35.10
2	2 adults	3957	47.90
3	3+ adults	784	9.49
8	Not Ascertained	0	0.00

Variable:	PCNTADTWFP_C
Module:	Child
Section:	FEM : Employment of family members
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Number of adults in sample child's family who are working full-time
Recode:	Yes
Universe:	HHSTAT_C = 1
Universe Description:	Sample children 0-17
Sources:	FEMWKFT_C; FEMWKFT_A; FAMILYC_FLG
Question ID:	
Keywords:	full-time employment; employed full-time; adult family members
Notes:	Information on FEMWKFT_C and FEMWKFT_A was collected in the Child and Adult interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2 and 3 are actual counts but category 8 is NOT a count and is a label indicating cases that could not be ascertained.
Evaluation Report:	

#### Unweighted frequencies:

# PCNTADTWFP\_C Number of adults in sample child's family who are working full-time

Code	Description	Frequency	Percent
0	0 adults	1065	12.89
1	1 adult	3741	45.29
2	2 adults	3079	37.27
3	3+ adults	376	4.55
8	Not Ascertained	0	0.00

Variable:	INCWRKO_C	
Module:	Child	
Section:	INC : Family Income	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:		JFAM18YRS_C receive income from wages, salaries, tips, or self-employment?
	* <b>Read if necessary:</b> H ^FAMVERSC_fill	For the purpose of this survey, ^SCNAME's family includes
Fills:	^LASTYEAR	Last year
	^YOUFAM18YRS_C	you/you or any family members 18 or older
	^SCNAME	Sample child's name
	^FAMVERSC_fill	List of all people in Sample Child's family
Description:	Income from wages	
Recode:		
Universe:	HHSTAT_C=1	
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INC.0020.00.1	
Keywords:	financial sources	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

**INCWRKO\_C** Income from wages

Code	Description	Frequency	Percent
1	Yes	7659	92.71
2	No	487	5.90
7	Refused	23	0.28
8	Not Ascertained	83	1.00
9	Don't Know	9	0.11

Variable:	INCINTER_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In ^LASTYEAR, did ANY FAMILY MEMBERS receive income from interest-bearing accounts or investments, dividends from stocks or mutual funds, net rental income, royalty income, or income from estates and trusts?
Fills:	^LASTYEAR Last year
Description:	Income from accounts
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INC.0030.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

# Unweighted frequencies:

# **INCINTER\_C** Income from accounts

Code	Description	Frequency	Percent
1	Yes	1914	23.17
2	No	6148	74.42
7	Refused	53	0.64
8	Not Ascertained	84	1.02
9	Don't Know	62	0.75

Variable:	INCSSRR_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE_C receive
	Income from Social Security or Railroad Retirement?
Fills:	^LASTYEAR Last year
	^YOUFAMHERE_C you/you or any family members
Description:	Income from SS/Railroad Retirement
Recode:	
Universe:	HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INC.0031.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

# Unweighted frequencies:

INCSSRR_C	Income from SS/Railroad Retirement		
Code	Description	Frequency	Percent
1	Yes	665	8.15
2	No	7455	91.36
7	Refused	19	0.23
8	Not Ascertained	3	0.04
9	Don't Know	18	0.22

Variable:	INCSSISSDI_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	* Read if necessary: In ^LASTYEAR, did ANY FAMILY MEMBERS receive
	Supplemental Security Income, SSI, or Social Security Disability Income, SSDI, which are different from Social Security?
Fills:	^LASTYEAR Last year
Description:	Family income from SSDI
Recode:	
Universe:	HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INC.0040.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

# Unweighted frequencies:

INCSSISSDI\_C Family income from SSDI

Code	Description	Frequency	Percent
1	Yes	540	6.62
2	No	7574	92.82
7	Refused	17	0.21
8	Not Ascertained	3	0.04
9	Don't Know	26	0.32

Variable:	SSISSDIBTH_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Was this Supplemental Security Income, SSI, Social Security Disability Income, SSDI, or both?
Description:	Which family income SSI/SSDI
Recode:	
Universe:	HHSTAT_C=1 and INCSSISSDI_C=1
Universe Description:	Sample children 0-17 where someone in the family gets SSI or SSDI
Sources:	
Question ID:	INC.0050.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

# Unweighted frequencies:

SSISSDIBTH_C	Which	family	income	SSI/SSDI
		· • • • • • • • • • • • • • • • • • • •		

Code	Description	Frequency	Percent
1	SSI	232	42.96
2	SSDI	241	44.63
3	Both SSI and SSDI	47	8.70
7	Refused	1	0.19
8	Not Ascertained	0	0.00
9	Don't Know	19	3.52

Variable:	SSISSDIDSB_C
Module:	- Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Was this received as a disability benefit?
Description:	SSI/SSDI due to disability
Recode:	
Universe:	HHSTAT_C=1 and INCSSISSDI_C=1
Universe Description:	Sample children 0-17 living in a family where someone in the family gets SSI or SSDI
Sources:	
Question ID:	INC.0060.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

# Unweighted frequencies:

SSISSDIDSB C	SST/SSDT	due to	disability
2212201020 C	JJT/ JJUT	uuc co	ursubricy

Code	Description	Frequency	Percent
1	Yes	459	85.00
2	No	74	13.70
7	Refused	1	0.19
8	Not Ascertained	0	0.00
9	Don't Know	6	1.11

Variable:	INCWELF_C	
Module:	Child	
Section:	INC : Family Income	
File(s):	Child	
Data Type:	Numeric	
Length:	1	
Question Text:	In ^LASTYEAR, did ^YO	UFAMHERE_C receive
	Any public assistance office?	or welfare payments from the state or local welfare
Fills:	^LASTYEAR	Last year
	^YOUFAMHERE_C	you/you or any family members
Description:	Income from public as	sistance
Recode:		
Universe:	HHSTAT_C=1 and (INCWR	KO_C IN (1,2,9) or INCINTER_C in (1,2,9))
Universe Description:	Sample children 0-17	
Sources:		
Question ID:	INC.0090.00.1	
Keywords:	financial sources	
Notes:		
Evaluation Report:		

# Unweighted frequencies:

INCWELF C	Tncome	from	public	assistance
THOMEEL C	THCOMC		pubitc	assistance

Code	Description	Frequency	Percent
1	Yes	434	5.32
2	No	7685	94.18
7	Refused	19	0.23
8	Not Ascertained	4	0.05
9	Don't Know	18	0.22

Variable:	INCRETIRE_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE_C receive
	Income from retirement, survivor, or disability pensions?
Fills:	^LASTYEAR Last year
	<pre>^YOUFAMHERE_C you/you or any family members</pre>
Description:	Income from retirement
Recode:	
Universe:	HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INC.0100.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

## Unweighted frequencies:

#### INCRETIRE\_C Income from retirement

Code	Description	Frequency	Percent
1	Yes	418	5.12
2	No	7704	94.41
7	Refused	17	0.21
8	Not Ascertained	4	0.05
9	Don't Know	17	0.21

/ariable:	INCOTHR_C
Module:	Child
Section:	INC : Family Income
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE_C receive
Fills:	Any other sources of income such as VA payments from the Veterans Benefits Administration, unemployment compensation, child support, or alimony? ^LASTYEAR Last year
	<pre>^YOUFAMHERE_C you/you or any family members</pre>
Description:	Income from other sources
Recode:	
Universe:	HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))
Universe Description:	Sample children 0-17
Sources:	
Question ID:	INC.0110.00.1
Keywords:	financial sources
Notes:	
Evaluation Report:	

## Unweighted frequencies:

**INCOTHR\_C** Income from other sources

Code	Description	Frequency	Percent
1	Yes	1735	21.26
2	No	6389	78.30
7	Refused	15	0.18
8	Not Ascertained	4	0.05
9	Don't Know	17	0.21

Variable:	IMPNUM_C
Module:	Child
Section:	INC : Family Income
File(s):	Child, Childinc
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Imputation number
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	The codebook includes imputation 1 from the 10 imputations available.
Evaluation Report:	

## Unweighted frequencies:

IMPNUM_C	Imputation number		
Code	Description	Frequency	Percent
01-10	Imputation number	8261	100.00

Variable:	POVRATTC_C
Module:	Child
Section:	INC : Family Income
File(s):	Child, Childinc
Data Type:	Numeric
Length:	5
Question Text:	
Description:	Sample child family poverty ratio (top-coded)
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	INCTOTAL_C; poverty threshold
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

POVRATTC_C	Sample child family poverty ratio (top-coded)		
Code	Description	Frequency	Percent
00.00-10.99	0.00 to 10.99	7805	94.48
11.00	11.00+	456	5.52

Variable:	RATCAT_C
Module:	Child
Section:	INC : Family Income
File(s):	Child, Childinc
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Ratio of family income to poverty threshold for SC's family
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	INCTOTAL_C PCNT_C INC100FILL_C INC250FILL_C INC138FILL_C INC75K_C INC100K_C INC138K_C INC150K_C INC250K_C INC400K_C INC100PCT_C INC138PCT_C INC200PCT_C INC250PCT_C INC400PCT_C
Question ID:	
Keywords:	income; poverty
Notes:	Published poverty thresholds for the previous calendar year were obtained from the Census Bureau and used in these calculations. Please see the Survey Description Document for more information.
Evaluation Report:	

#### Unweighted frequencies:

Code	Description	Frequency	Percent
		. ,	
01	0.00 - 0.49	285	
02	0.50 - 0.74	292	3.53
03	0.75 - 0.99	457	5.53
04	1.00 - 1.24	403	4.88
05	1.25 - 1.49	486	5.88
06	1.50 - 1.74	406	4.91
07	1.75 - 1.99	425	5.14
08	2.00 - 2.49	672	8.13
09	2.50 - 2.99	619	7.49
10	3.00 - 3.49	570	6.90
11	3.50 - 3.99	594	7.19
12	4.00 - 4.49	380	4.60
13	4.50 - 4.99	490	5.93
14	5.00 or greater	2182	26.41
98	Not Ascertained	0	0.00

**RATCAT\_C** Ratio of family income to poverty threshold for SC's family

Variable:	IMPINCFLG_C
Module:	Child
Section:	INC : Family Income
File(s):	Child, Childinc
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Imputed SC family income imputation flag
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

## IMPINCFLG\_C Imputed SC family income imputation flag

Code	Description	Frequency	Percent
Blank	No Sample Adult or Sample Child in household	0	0.00
0	Income reported	6782	82.10
1	Income imputed; no other information	400	4.84
2	Income imputed; reported in income brackets	1079	13.06

Variable:	FSNAP12M_C
Module:	Child
Section:	FOO : Food Related Programs
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	At any time in the last 12 months did any family members living here receive ^FSSNAPNM?
	* <b>Read if necessary:</b> This program puts money on a SNAP EBT card that you can only use to buy food.
Fills:	^FSSNAPNM food stamp benefits/[state food stamp program name]
Description:	Receive food stamps, past 12m
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	F00.0010.00.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

#### FSNAP12M\_C Receive food stamps, past 12m

Code	Description	Frequency	Percent
1	Yes	1620	19.61
2	No	6523	78.96
7	Refused	21	0.25
8	Not Ascertained	86	1.04
9	Don't Know	11	0.13

Variable:	FSNAP30D_C		
Module:	Child		
Section:	FOO : Food Related Programs		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	Did any family members living here receive ^FSSNAPNM in the LAST 30 days?		
	*Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.		
Fills:	^FSSNAPNM food stamp benefits/[state food stamp program name]		
Description:	Received food stamps, past 30d		
Recode:			
Universe:	HHSTAT_C=1 and FSNAP12M_C=1		
Universe Description:	Sample children 0-17 and someone in the family received food stamps in the past 12 months		
Sources:			
Question ID:	F00.0020.00.3		
Keywords:	income; food stamps		
Notes:			
Evaluation Report:			

#### Unweighted frequencies:

FSNAP30D_C	Received	food	stamps,	past 30d	
------------	----------	------	---------	----------	--

Code	Description	Frequency	Percent
1	Yes	1243	76.73
2	No	370	22.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.43

Variable:	FWIC12M_C
Module:	Child
Section:	FOO : Food Related Programs
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	At any time in the last 12 months did any family members living here receive benefits from the WIC program, that is, the Women, Infants, and Children program?
Description:	Received WIC benefits, past 12m
Recode:	
Universe:	HHSTAT_C=1 and (PCNTF1255_C >= 1 or PCNTC05_C >= 1)
Universe Description:	Sample children 0-17 living in families with females 12-55 years of age or children 0-5 years of age
Sources:	
Question ID:	F00.0030.00.1
Keywords:	
Notes:	The universe description for this question is based on rostering information for the number of females ages 12-55 (PCNTF1255_C ) and the number of children ages 0-5 (PCNTC05_C) in the sample child family, and these variable are not available in the public use file.
Evaluation Report:	

#### Unweighted frequencies:

FWIC12M_C	Received W	IC benefits,	past 12m
-----------	------------	--------------	----------

Code	Description	Frequency	Percent
1	Yes	728	9.09
2	No	7175	89.56
7	Refused	14	0.17
8	Not Ascertained	86	1.07
9	Don't Know	8	0.10

Frequency Missing:

250

Variable:	FLUNCH12M_C		
Module:	Child		
Section:	FOO : Food Related Programs		
File(s):	Child		
Data Type:	Numeric		
Length:	1		
Question Text:	At any time in the last 12 months, did ^SCCHILDFAM_C receive free or reduced- cost breakfasts or lunches at school?		
	* <b>Read if necessary:</b> The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and Lunch programs in schools and residential childcare institutions. The programs provide low-cost or free breakfasts and lunches to low-income children in kindergarten through 12th grade.		
Fills:	<pre>^SCCHILDFAM_C ^SCNAME/any child in your family</pre>		
	^SCNAME Sample child's name		
Description:	Free or reduced meals at school		
Recode:			
Universe:	HHSTAT_C=1 and PCNTC517_C >= 1		
Universe Description:	Sample children 5-17 living in families with children between the ages of 5-17		
Sources:			
Question ID:	F00.0040.00.1		
Keywords:			
Notes:	The universe description for this question is based on rostering information for the number of children ages 5-17 in the sample child family (PCNTC517_C) and this variable is not available in the public use file.		
Evaluation Report:			

## Unweighted frequencies:

FLUNCH12M\_C Free or reduced meals at school

Code	Description	Frequency	Percent
1	Yes	3196	46.84
2	No	3509	51.43
7	Refused	12	0.18
8	Not Ascertained	80	1.17
9	Don't Know	26	0.38

Variable:	FDSRUNOUT_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?
Description:	Worry food would run out
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	FDS.0020.00.3
Keywords:	food security; worried about food; run out
Notes:	
Evaluation Report:	

## Unweighted frequencies:

FDSRUNOUT_C	Worry food would run out			
Code	Description	Frequency	Percent	
1	Often true	214	2.59	
2	Sometimes true	653	7.90	
3	Never true	7295	88.31	
7	Refused	4	0.05	
8	Not Ascertained	93	1.13	
9	Don't Know	2	0.02	

Variable:	FDSLAST_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?
Description:	Food didn't last
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	FDS.0030.00.3
Keywords:	food security; balanced meals
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

-	-		
FDSLAST_C	Food didn't last	-	
Code	Description	Frequency	Percent
1	Often true	141	1.71
2	Sometimes true	555	6.72
3	Never true	7466	90.38
7	Refused	4	0.05
8	Not Ascertained	93	1.13
9	Don't Know	2	0.02

Variable:	FDSBALANCE_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?
Description:	Couldn't afford to eat balanced meals
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	FDS.0040.00.3
Keywords:	food security; balanced meals
Notes:	
Evaluation Report:	

## Unweighted frequencies:

FDSBALANCE_C	Couldn't	afford	to ea	at balanced	meals
--------------	----------	--------	-------	-------------	-------

Code	Description	Frequency	Percent
1	Often true	147	1.78
2	Sometimes true	470	5.69
3	Never true	7543	91.31
7	Refused	4	0.05
8	Not Ascertained	93	1.13
9	Don't Know	4	0.05

Van dah la	
Variable:	FDSSKIP_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?
Fills:	<pre>^youorother_C you/you or other adults in your family</pre>
Description:	Cut the size of meals or skip meals
Recode:	
Universe:	HHSTAT_C=1 and (FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))
Universe Description:	Sample children 0-17 and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals
Sources:	
Question ID:	FDS.0050.00.3
Keywords:	food security; cut meals; skip meals
Notes:	
Evaluation Report:	

## Unweighted frequencies:

FDSSKIP\_C Cut the size of meals or skip meals

Code	Description	Frequency	Percent
1	Yes	286	27.74
2	No	745	72.26
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	FDSSKIPDYS_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	In the last 30 days, how many days did this happen?
Description:	How many days did you/adults in the family cut the size of meals or skip meals
Recode:	
Universe:	HHSTAT_C=1 and FDSSKIP_C = 1
Universe Description:	Sample children 0-17 respondent answered they skipped meals due to cost
Sources:	
Question ID:	FD5.0060.00.3
Keywords:	food security; cut meals; skip meals
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

FDSSKIPDYS\_C How many days did you/adults in the family cut the size of meals or skip meals

Code	Description	Frequency	Percent
01-30	Range of values	276	96.50
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	10	3.50

Variable:	FDSLESS_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In the last 30 days, did ^youorother_C ever eat less than you felt you should because there wasn't enough money for food?
Fills:	<pre>^youorother_C you/you or other adults in your family</pre>
Description:	Eat less than should
Recode:	
Universe:	HHSTAT_C=1 and (FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))
Universe Description:	Sample children 0-17 and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals
Sources:	
Question ID:	FDS.0070.00.3
Keywords:	food security; eat less
Notes:	
Evaluation Report:	

# Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	311	30.16
2	No	720	69.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable:	FDSHUNGRY_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?
Fills:	<pre>^youorother_C you/you or other adults in your family</pre>
Description:	Ever hungry because not enough money for food
Recode:	
Universe:	HHSTAT_C=1 and (FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))
Universe Description:	Sample children 0-17 and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals
Sources:	
Question ID:	FDS.0080.00.3
Keywords:	food security; hungry
Notes:	
Evaluation Report:	

# Unweighted frequencies:

 $\label{eq:FDSHUNGRY_C} \textbf{FDSHUNGRY_C} \quad \text{Ever hungry because not enough money for food}$ 

Code	Description	Frequency	Percent
1	Yes	180	17.46
2	No	849	82.35
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.19

Variable:	FDSWEIGHT C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?
Fills:	<pre>^youorother_C you/you or other adults in your family</pre>
Description:	Lose weight because not enough money for food
Recode:	
Universe:	HHSTAT_C=1 and (FDSRUNOUT_C IN (1,2) or FDSLAST_C IN (1,2) or FDSBALANCE_C IN (1,2))
Universe Description:	Sample children 0-17 and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals
Sources:	
Question ID:	FDS.0090.00.3
Keywords:	food security; lose weight
Notes:	
Evaluation Report:	

# Unweighted frequencies:

 $\label{eq:FDSWEIGHT_C} \textbf{FDSWEIGHT_C} \quad \textbf{Lose weight because not enough money for food}$ 

Code	Description	Frequency	Percent
1	Yes	108	10.48
2	No	921	89.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.19

Variable:	FDSNOTEAT_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?
Fills:	<pre>^youorother_C you/you or other adults in your family</pre>
Description:	Not eat for a whole day
Recode:	
Universe:	HHSTAT_C=1 and (FDSSKIP_C=1 or FDSLESS_C=1 or FDSHUNGRY_C=1 or FDSWEIGHT_C=1)
Universe Description:	Sample children 0-17 and respondent answered they skipped meals, cut the size of the meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food
Sources:	
Question ID:	FD5.0100.00.3
Keywords:	food security; not eat
Notes:	
Evaluation Report:	

# Unweighted frequencies:

## FDSNOTEAT\_C Not eat for a whole day

Code	Description	Frequency	Percent
1	Yes	68	17.80
2	No	313	81.94
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.26

Variable:	FDSNEDAYS_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	2
Question Text:	In the last 30 days, how many days did this happen?
Description:	How many days not eat
Recode:	
Universe:	HHSTAT_C=1 and FDSNOTEAT_C=1
Universe Description:	Sample children 0-17 where any adult in the family has not eaten for a whole day because there wasn't enough money for food in the last 30 days
Sources:	
Question ID:	FDS.0110.00.3
Keywords:	
Notes:	
Evaluation Report:	

## Unweighted frequencies:

FDSNEDAYS_C	How many days not eat	-	
Code	Description	Frequency	Percent
01-30	Range of values	68	100.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable:	FDSCAT3_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Child 3 category food security recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	FDSRUNOUT_C; FDSLAST_C; FDSBALANCE_C; FDSSKIP_C; FDSSKIPDYS_C; FDSLESS_C; FDSHUNGRY_C; FDSWEIGHT_C; FDSNOTEAT_C; FDSNEDAYS_C
Question ID:	
Keywords:	food security
Notes:	The food security status of the household was determined by responses to 10 food security questions (FDSRUNOUT_C/FDSRUNOUT_C through FDSNEDAYS_A/FDSNEDAYS_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.
Evaluation Report:	

## Unweighted frequencies:

FDSCAT3_C Child 3 of	category food	security recode
----------------------	---------------	-----------------

Code	Description	Frequency	Percent
1	Food secure	7624	92.29
2	Low food security	334	4.04
3	Very low food security	205	2.48
8	Not Ascertained	98	1.19

Variable:	FDSCAT4_C
Module:	Child
Section:	FDS : Food Security
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	
Description:	Child 4 category food security recode
Recode:	Yes
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	<pre>FDSRUNOUT_C; FDSLAST_C; FDSBALANCE_C; FDSSKIP_C; FDSSKIPDYS_C; FDSLESS_C; FDSHUNGRY_C; FDSWEIGHT_C; FDSNOTEAT_C; FDSNEDAYS_C</pre>
Question ID:	
Keywords:	food security
Notes:	The food security status of the household was determined by responses to 10 food security questions (FDSRUNOUT_C/FDSRUNOUT_C through FDSNEDAYS_A/FDSNEDAYS_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.
Evaluation Report:	

## Unweighted frequencies:

FDSCAT4_C	Child 4 category food security recode		
Code	Description	Frequency	Percent
1	High food security	7132	86.33
2	Marginal food security	492	5.96
3	Low food security	334	4.04
4	Very low food security	205	2.48
8	Not Ascertained	98	1.19

Variable:	HOUYRSLIV_C
Module:	Child
Section:	HOU : Housing
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	About how long has ^SCNAME lived in this house/apartment?
Fills:	^SCNAME Sample child's name
Description:	Length of time in house/apartment
Recode:	
Universe:	HHSTAT_C=1 and (1<=AGEP_C<=17)
Universe Description:	Sample children 1-17
Sources:	
Question ID:	HOU.0010.00.1
Keywords:	
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

HOUYKSLIV_C	Length of time in nouse/apartment		
Code	Description	Frequency	Percent
1	Less than 1 year	948	12.13
2	1 to 3 years	2706	34.62
3	4 to 10 years	2808	35.93
4	More than 10 years	1252	16.02
7	Refused	10	0.13
8	Not Ascertained	92	1.18
9	Don't Know	0	0.00

HOUYRSLIV\_C Length of time in house/apartment

Variable:	HOUTENURE_C
Module:	Child
Section:	HOU : Housing
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is this house/apartment owned or rented by you ^SOMEFAM_C?
	* If house has a mortgage, record as owned.
Fills:	^SOMEFAM_C or someone in your family
Description:	Residence owned/rented
Recode:	
Universe:	HHSTAT_C=1
Universe Description:	Sample children 0-17
Sources:	
Question ID:	HOU.0020.00.1
Keywords:	house tenure
Notes:	
Evaluation Report:	

### Unweighted frequencies:

#### HOUTENURE\_C Residence owned/rented

Code	Description	Frequency	Percent
1	Owned or being bought	5516	66.77
2	Rented	2510	30.38
3	Other arrangement	124	1.50
7	Refused	15	0.18
8	Not Ascertained	95	1.15
9	Don't Know	1	0.01

Variable:	HOUGVASST_C
Module:	Child
Section:	HOU : Housing
File(s):	Child
Data Type:	Numeric
Length:	1
Question Text:	Is anyone in your family paying lower rent because the Federal, State, or local government is paying part of the cost?
	* Read if necessary: Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local housing authority. Living in public housing is considered housing assistance from the government.
Description:	Paying lower rent
Recode:	
Universe:	HHSTAT_C=1 and HOUTENURE_C=2
Universe Description:	Sample children 0-17 living in a house/apartment that is being rented
Sources:	
Question ID:	HOU.0030.00.1
Keywords:	low rent
Notes:	
Evaluation Report:	

## Unweighted frequencies:

HOUGVASST_C	Paying lower rent		
Code	Description	Frequency	Percent
1	Yes	265	10.56
2	No	2237	89.12
7	Refused	1	0.04
8	Not Ascertained	0	0.00
9	Don't Know	7	0.28