2022 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

Codebook for the Paradata file (Document Version: 05 June 2023)

PUBLIC USE

Variable: TYPEABC

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ? [F1]

* Is this a TYPE A, B or C non-interview?

Description: Type of noninterview

Recode:

Universe: START=2 and (PINTRO=1 or TINTRO=2) and MARK LT 12

Universe Description: Non-interview is selected from the start screen and the interview is conducted

over the phone but the respondent is not driving or the case is ready to be transmitted, and the case has not progressed to the household composition

section

Sources:

Question ID: FRT.0100.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEABC Type of noninterview

Code	Description	Frequency	Percent
1	Type A	22924	98.57
2	Type B	332	1.43
3	Type C	0	0.00

Variable: TYPEA

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ? [F1]

* Indicate specific TYPE A reason.

Description: Reason for Type A

Recode:

Universe: TYPEABC=1

Universe Description: All Type A Non-interviews

Sources:

Question ID: FRT.0110.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEA Reason for Type A

Code	Description	Frequency	Percent
1	Refused	1521	66.38
2	No one home, repeated calls	381	16.66
3	Temporarily absent	193	0.84
4	Language problem	24:	1.06
5	Other	165	7.22
8	Not Ascertained	1799	7.85

Variable: TYPEBOBS

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Did you make this non - interview classification by observation only?

Description: Type B by observation

Recode:

Universe: 1<=TYPEB<=10

Universe Description: All Type B Non-interviews

Sources:

Question ID: FRT.0210.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEBOBS Type B by observation

Code	Description	Frequency	Percent
1	Yes	11	3.63
2	No	292	96.37
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: RECTYPE

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Numeric

Length: 2

Question Text:

Description: Record type

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources: Question ID:

Keywords:

Evaluation Report:

Unweighted frequencies:

RECTYPE Record type

Code	Description	Frequency	Percent
10	Sample Adult	e	0.00
20	Sample Child	e	0.00
30	Sample Adult Income	e	0.00
40	Sample Child Income	e	0.00
50	Paradata	58962	100.00

Variable: SRVY_YR

Module: General

Section: IDN : Identifier

File(s): Adult, Child, Paradata

Data Type: Numeric

Length:

Question Text:

Description: Year of the National Health Interview Survey

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SRVY_YR Year of the National Health Interview Survey

Code	Description	Frequency	Percent
1963-current	Survey year	58962	100.00
year			

Variable: HHX

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Character

Length: 7

Question Text:

Description: Randomly assigned household number unique to a household

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

HHX Randomly assigned household number unique to a household

Code	Description	Frequency	Percent	
	Range of values	58962	100.00	

Variable: OUTCOME1

Module: General

Section: IDN : Identifier

File(s): Paradata
Data Type: Numeric

Length: 3

Question Text:

Description: Outcome code--restricted to 201, 203, Type A, select Type B codes

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OUTCOME1 Outcome code--restricted to 201, 203, Type A, select Type B codes

Code	Description	Frequency	Percent
201	Completed interview	26125	44.31
203	Sufficient partial interview, no follow-up	3138	5.32
213	Language problem	261	0.44
215	Insufficient partial	5825	9.88
216	No one home, repeated calls	4188	7.10
217	Temporarily absent, no follow-up	203	0.34
218	Refused	16621	28.19
219	Other Type A	1778	3.02
299	Occupied entirely by Armed Forces or persons residing elsewhere	823	1.40

Variable: REGION

Module: General

Section: UCF : Unit Control File
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Household region

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

REGION Household region

Code	Description	Frequency	Percent
1	Northeast	10937	18.55
2	Midwest	12757	21.64
3	South	21786	36.95
4	West	13482	22.87

Variable: PSTRAT

Module: General

Section: UCF : Unit Control File
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

Description: Pseudo-stratum for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PSTRAT Pseudo-stratum for public-use file variance estimation

Code	Description	Frequency	Percent	
	Range of values	58962	100.00	

Variable: PPSU

Module: General

Section: UCF : Unit Control File File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

Description: Pseudo-PSU for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PPSU Pseudo-PSU for public-use file variance estimation

Code	Description	Frequency	Percent	
	Range of values	58962	100.00	

Variable: TOTCOUNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Total count of CHI records for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TOTCOUNT Total count of CHI records for this case

Code	Description	Frequency	Percent
00-99	00-99	58694	100.00

Variable: MODE_P

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of personal visit attempts for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

MODE_P Number of personal visit attempts for this case

Code	Description	Frequency	Percent
00-99	00-99	58694	100.00

Variable: MODE_T

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of telephone attempts for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

MODE_T Number of telephone attempts for this case

Code	Description	Frequency	Percent	
00-99	00-99	58694	100.00	

Variable: CTSTAT1

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of contacts with sample unit members

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT1 Number of contacts with sample unit members

Code	Description	Frequency	Percent
00-99	00-99	58694	100.00

Variable: CTSTAT2

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of contacts with non-sample unit members

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT2 Number of contacts with non-sample unit members

Code	Description	Frequency	Percent	
00-99	00-99	58694	100.00	

Variable: CTSTAT3

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of noncontacts

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT3 Number of noncontacts

Code	Description	Frequency	Percent
00-99	00-99	58694	100.00

Variable: UNABLE1R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Eligible person not available" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE1R Number of times "Eligible person not available" was entered

Code	Description	Frequency	Percent
0	None	30056	79.19
1	One or more times	7899	20.81

Variable: UNABLE2R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Inconvenient time" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE2R Number of times "Inconvenient time" was entered

Code	Description	Frequency	Percent
0	None	14915	39.30
1	One or more times	23040	60.70

Variable: UNABLE3R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Respondent is reluctant" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE3R Number of times "Respondent is reluctant" was entered

Code	Description	Frequency	Percent
0	None	25519	67.23
1	One or more times	12436	32.77

Variable: UNABLE4R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Language problem--specify" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLEAR Number of times "Language problem--specify" was entered

Code	Description	Frequency	Percent	
0	None	36309	95.66	
1	One or more times	1646	4.34	

Variable: UNABLE5R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Health problem" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE5R Number of times "Health problem" was entered

Code	Description	Frequency	Percent
0	None	36491	96.14
1	One or more times	1464	3.86

Variable: UNABL99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABL99R Number of times "Other--specify" was entered

Code	Description	Frequency	Percent
0	None	30335	79.92
1	One or more times	7620	20.08

Variable: LANG1R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Specify language or dialect" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG1R Number of times "Specify language or dialect" was entered

Code	Description	Frequency	Percent
0	None	462	28.07
1	One or more times	1184	71.93

Variable: LANG2R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No household member able to translate" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG2R Number of times "No household member able to translate" was entered

Code	Description	Frequency	Percent
0	None	1354	82.26
1	One or more times	292	17.74

Variable: LANG3R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contact RO about language problem" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG3R Number of times "Contact RO about language problem" was entered

Code	Description	Frequency	Percent
0	None	1449	88.03
1	One or more times	197	11.97

Variable: LANG4R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Unable to find translator" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG4R Number of times "Unable to find translator" was entered

Code	Description	Frequency	Percent
0	None	1567	95.20
1	One or more times	79	4.80

Variable: LANG5R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No time left to find translator" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANGSR Number of times "No time left to find translator" was entered

Code	Description	Frequency	Percent
0	None	1625	98.72
1	One or more times	21	1.28

Variable: NCTP01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No one home/No eligible person home" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP01R Number of times "No one home/No eligible person home" was entered

Code	Description	Frequency	Percent
0	None	10914	23.44
1	One or more times	35647	76.56

Variable: NCTPR03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No one home--previous note/letter taken" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR03R Number of times "No one home--previous note/letter taken" was entered

Code	Description	Frequency	Percent
0	None	34774	74.68
1	One or more times	11787	25.32

Variable: NCTPR04R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Household does not answer door--someone is home" entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR04R Number of times "Household does not answer door--someone is home" entered

Code	Description	Frequency	Percent
0	None	38120	81.87
1	One or more times	8441	18.13

Variable: NCTP05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Observed HH from vehicle" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP05R Number of times "Observed HH from vehicle" was entered

Code	Description	Frequency	Percent
0	None	43362	93.13
1	One or more times	3199	6.87

Variable: NCTPR07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Unable to reach/locked gate/buzzer entry" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR07R Number of times "Unable to reach/locked gate/buzzer entry" was entered

Code	Description	Frequency	Percent
0	None	42289	90.82
1	One or more times	4272	9.18

Variable: NCTPR08R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Address does not exist/unable to locate" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR08R Number of times "Address does not exist/unable to locate" was entered

Code	Description	Frequency	Percent
0	None	46034	98.87
1	One or more times	527	1.13

Variable: NCTPR09R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "On vacation, away from home/at second home" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR09R Number of times "On vacation, away from home/at second home" was entered

Code	Description	Frequency	Percent
0	None	46108	99.03
1	One or more times	453	0.97

Variable: NCTPR10R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Spoke with neighbor" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR10R Number of times "Spoke with neighbor" was entered

Code	Description	Frequency	Percent
0	None	41856	89.89
1	One or more times	4705	10.11

Variable: NCTPR11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Building management/doorman contact" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR11R Number of times "Building management/doorman contact" was entered

Code	Description	Frequency	Percent
0	None	44237	95.01
1	One or more times	2324	4.99

Variable: NCTP12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Completed case (Type B or C or Vacant interview)" entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP12R Number of times "Completed case (Type B or C or Vacant interview)" entered

Code	Description	Frequency	Percent
0	None	46150	99.12
1	One or more times	411	0.88

Variable: NCTPR99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR99R Number of times "Other--specify" was entered

Code	Description	Frequency	Percent
0	None	42219	90.67
1	One or more times	4342	9.33

Variable: NCTL01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Got answering machine" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL01R Number of times "Got answering machine" was entered

Code	Description	Frequency	Percent
0	None	12217	31.84
1	One or more times	26155	68.16

Variable: NCTL02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Ring, no answer" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL02R Number of times "Ring, no answer" was entered

Code	Description	Frequency	Percent
0	None	32020	83.45
1	One or more times	6352	16.55

Variable: NCTEL03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Busy signal" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL03R Number of times "Busy signal" was entered

Code	Description	Frequency	Percent
0	None	37094	96.67
1	One or more times	1278	3.33

Variable: NCTEL04R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Disconnected" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL04R Number of times "Disconnected" was entered

Code	Description	Frequency	Percent
0	None	32147	83.78
1	One or more times	6225	16.22

Variable: NCTEL05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Wrong number" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL05R Number of times "Wrong number" was entered

Code	Description	Frequency	Percent
0	None	34471	89.83
1	One or more times	3901	10.17

Variable: NCTL06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Spoke with ineligible person" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL06R Number of times "Spoke with ineligible person" was entered

Code	Description	Frequency	Percent
0	None	33803	88.09
1	One or more times	4569	11.91

Variable: NCTL07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Respondent left message" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL07R Number of times "Respondent left message" was entered

Code	Description	Frequency	Percent
0	None	37668	98.17
1	One or more times	704	1.83

Variable: NCTEL99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other-specify" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_T \Rightarrow 1

Universe Description: Number of times "Other-specify" was entered

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL99R Number of times "Other-specify" was entered

Code	Description	Frequency	Percent
0	None	31932	83.22
1	One or more times	6440	16.78

Variable: RELC01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Not interested" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCO1R Number of times "Not interested" was entered

Code	Description	Frequency	Percent
0	None	39160	78.54
1	One or more times	10702	21.46

Variable: RELUC02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Too busy" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC02R Number of times "Too busy" was entered

Code	Description	Frequency	Percent
0	None	35825	71.85
1	One or more times	14037	28.15

Variable: RELUC03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Interview takes too much time" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCO3R Number of times "Interview takes too much time" was entered

Code	Description	Frequency	Percent
0	None	45019	90.29
1	One or more times	4843	9.71

Variable: RELUC05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Scheduling difficulties" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC05R Number of times "Scheduling difficulties" was entered

Code	Description	Frequency	Percent
0	None	43217	86.67
1	One or more times	6645	13.33

Variable: RELUC06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Survey is voluntary" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCOGR Number of times "Survey is voluntary" was entered

C	Code	Description	Frequency	Percent
0)	None	44452	89.15
1		One or more times	5410	10.85

Variable: RELUC07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Privacy concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCO7R Number of times "Privacy concerns" was entered

Code	Description	Frequency	Percent
0	None	41032	82.29
1	One or more times	8830	17.71

Variable: RELC08R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Local/State/Fed. Govt. concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCORR Number of times "Local/State/Fed. Govt. concerns" was entered

Code	Description	Frequency	Percent
0	None	47037	94.33
1	One or more times	2825	5.67

Variable: RELC09R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Asks questions about the survey" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCOPR Number of times "Asks questions about the survey" was entered

Code	Description	Frequency	Percent
0	None	44173	88.59
1	One or more times	5689	11.41

Variable: RELUC11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Hang-up/slams door on FR" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC11R Number of times "Hang-up/slams door on FR" was entered

Code	Description	Frequency	Percent
0	None	46465	93.19
1	One or more times	3397	6.81

Variable: RELUC12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Hostile or threatens FR" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC12R Number of times "Hostile or threatens FR" was entered

Code	Description	Frequency	Percent
0	None	49009	98.29
1	One or more times	853	1.71

Variable: RELC15R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Family Issues (death, illness, etc.)" entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELC15R Number of times "Family Issues (death, illness, etc.)" entered

Code	Description	Frequency	Percent
0	None	48060	96.39
1	One or more times	1802	3.61

Variable: RELUC98R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC98R Number of times "No concerns" was entered

(Code	Description	Frequency	Percent
[0	None	25181	50.50
-	1	One or more times	24681	49.50

Variable: RELUC99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other-specify" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC99R Number of times "Other-specify" was entered

Code	Description	Frequency	Percent
0	None	44099	88.44
1	One or more times	5763	11.56

Variable: STRAT01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Advance letter given" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT01R Number of times "Advance letter given" was entered

Code	Description	Frequency	Percent
0	None	38325	65.30
1	One or more times	20369	34.70

Variable: STRAT02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Scheduled appointment" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRATO2R Number of times "Scheduled appointment" was entered

Code	Description	Frequency	Percent
0	None	39785	67.78
1	One or more times	18909	32.22

Variable: STRAT03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left note/appointment card" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT03R Number of times "Left note/appointment card" was entered

Code	Description	Frequency	Percent
0	None	18497	31.51
1	One or more times	40197	68.49

Variable: STRAT04R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left promotional packet/informational brochure" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT04R Number of times "Left promotional packet/informational brochure" was entered

Code	Description	Frequency	Percent
0	None	32100	54.69
1	One or more times	26594	45.31

Variable: STRAT05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Called household" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT05R Number of times "Called household" was entered

C	ode	Description	Frequency	Percent
0		None	29242	49.82
1		One or more times	29452	50.18

Variable: STRAT06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left message on answering machine" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT06R Number of times "Left message on answering machine" was entered

C	ode	Description	Frequency	Percent
0)	None	35142	59.87
1		One or more times	23552	40.13

Variable: STRT11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Waited for respondent" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRT11R Number of times "Waited for respondent" was entered

Code	Description	Frequency	Percent
0	None	50404	85.88
1	One or more times	8290	14.12

Variable: STRAT12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Checked with neighbors" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT12R Number of times "Checked with neighbors" was entered

Code	Description	Frequency	Percent	
0	None	53221	90.68	
1	One or more times	5473	9.32	

Variable: STRAT13R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contacted other family members" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT13R Number of times "Contacted other family members" was entered

Code	Description	Frequency	Percent
0	None	54966	93.65
1	One or more times	3728	6.35

Variable: STRT14R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contacted property manager/doorman" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRT14R Number of times "Contacted property manager/doorman" was entered

Code	Description	Frequency	Percent
0	None	55191	94.03
1	One or more times	3503	5.97

Variable: STRAT98R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No strategies" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT98R Number of times "No strategies" was entered

C	Code	Description	Frequency	Percent
6)	None	30720	52.34
1	L	One or more times	27974	47.66

Variable: STRAT99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT99R Number of times "Other--specify" was entered

Co	ode	Description	Frequency	Percent
0		None	43824	74.67
1		One or more times	14870	25.33

Variable: REASSIGN

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Case reassignment to another interviewer (FR)

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

REASSIGN Case reassignment to another interviewer (FR)

Code	Description	Frequency	Percent
0	Case not reassigned	40270	68.61
1	Case reassigned	18424	31.39

Variable: SA_TOD

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Sample Adult section was started

Recode:

Universe: SATIME > 0

Universe Description: Sample adult section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SA_TOD Time of day that the Sample Adult section was started

Code	Description	Frequency	Percent
1	Morning	5280	16.43
2	Afternoon	14372	44.73
3	Evening	12482	38.84

Variable: SASTRPNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the Sample Adult section was started

Recode:

Universe: SATIME > 0

Universe Description: Sample adult section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SASTRPNT Point in the interview period when the Sample Adult section was started

Code	Description	Frequency	Percent
1	Early	9352	29.10
2	Middle	8071	25.12
3	Late	14711	45.78

Variable: SC_TOD

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Sample Child section was started

Recode:

Universe: SCTIME > 0

Universe Description: Sample child section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SC_TOD Time of day that the Sample Child section was started

Code	Description	Frequency	Percent
1	Morning	1387	16.11
2	Afternoon	3616	42.01
3	Evening	3605	41.88

Variable: SCSTRPNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the Sample Child section was started

Recode:

Universe: SCTIME > 0

Universe Description: Sample child section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SCSTRPNT Point in the interview period when the Sample Child section was started

Code	Description	Frequency	Percent
1	Early	2365	27.47
2	Middle	2185	25.38
3	Late	4058	47.14

Variable: ONEFAM_FLG

Module: General

Section: FLG : Flag

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text: ** Post-Processing Variable **

Description: All people in the household are in the same family

Recode:

Universe: All

Universe Description: All Households

Sources:

Question ID: GEN.0680.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

ONEFAM_FLG All people in the household are in the same family

Code	Description	Frequency	Percent
1	TRUE	31256	53.01
blank	FALSE	27706	46.99

Variable: QUALITY_SA

Module: General
Section: FLG : Flag
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: SA overall flag indicating the record is being removed for a quality reason

Recode: Yes
Universe: All
Universe Description: All

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

QUALITY_SA SA overall flag indicating the record is being removed for a quality reason

Code	Description	Frequency	Percent
0	No	0	0.00
1	Yes	437	100.00

QUALITY_SC Module: General Section: FLG : Flag

File(s): Paradata Data Type: Numeric

Length: 1

Question Text:

Variable:

Description: SC overall flag indicating the record is being removed for a quality reason

Recode: Yes Universe: A11 Universe Description: A11

Sources: Question ID: Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

QUALITY_SC SC overall flag indicating the record is being removed for a quality reason

Code	Description	Frequency	Percent
0	No	0	0.00
1	Yes	47	100.00

Variable: SARESPSC_FLG

Module: General
Section: FLG : Flag
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ** Instrument Flag **

Description: Sample Adult is Sample Child respondent

Recode:

Universe: All

Universe Description: All Households

Sources:

Question ID: GEN.0700.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 ${\bf SARESPSC_FLG} \quad {\bf Sample} \ \, {\bf Adult} \ \, {\bf is} \ \, {\bf S\underline{ample}} \ \, {\bf Child} \ \, {\bf respondent}$

Code	Description	Frequency	Percent
1	TRUE	4681	7.94
blank	FALSE	54281	92.06

Variable: INTV_QRT

Module: General

Section: GEN : Miscellaneous

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Interview quarter

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Freque	ncy	Percent
1	Quarter 1		14623	24.80
2	Quarter 2		14662	24.87
3	Quarter 3		14817	25.13
4	Ouarter 4		14860	25.20

Variable: INTV_MON

Module: General

Section: GEN : Miscellaneous
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 2

Recode:

Universe: HHX ne .

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
01	January	4863	8.25
02	February	4915	8.34
03	March	4845	8.22
04	April	4888	8.29
05	Мау	4925	8.35
06	June	4849	8.22
07	July	4965	8.42
08	August	4929	8.36
09	September	4923	8.35
10	October	4950	8.40
11	November	5041	8.55
12	December	4869	8.26

Variable: HH_PCLASS

Module: General

Section: GEN : Miscellaneous

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Household phone classification

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources: TELCURWRK_A; TELCURWRK_C; TELCEL_A; PHONELIVE_A; PHONELIVE_C

Question ID: Keywords:

Notes: Response categories correspond to the classification presented in the NCHS

report "Wireless Substitution : Early Release of Estimates from the National Health Interview Survey" https://www.cdc.gov/nchs/nhis/erwirelesssubs.htm

Evaluation Report:

Unweighted frequencies:

HH_PCLASS Household phone classification

Code	Description	Frequency	Percent
1	Landline(LL) with cell phone(CP)	7456	27.12
2	LL without CP	658	2.39
3	LL with unknown CP	9	0.03
4	No LL with unknown CP	2	0.01
5	CP only	19132	69.58
6	Phoneless	220	0.80
7	Unknown LL with CP	19	0.07
8	Unknown LL without CP	1	0.00

Variable: AD_PCLASS

Module: General

Section: GEN : Miscellaneous

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Adult phone classification

Recode: Yes

Universe: HHSTAT_A=1

Universe Description: Sample adults 18+

Sources: TELCURWRK_A; TELCEL_A; PHONEUSE_A

Question ID: Keywords:

Notes: Response categories correspond to the classification presented in the NCHS

report "Wireless Substitution : Early Release of Estimates from the National Health Interview Survey" https://www.cdc.gov/nchs/nhis/erwirelesssubs.htm

Evaluation Report:

Unweighted frequencies:

AD_PCLASS Adult phone classification

Code	Description	Frequency	Percent
1	Wireless only	18081	68.52
2	Wireless mostly	3866	14.65
3	Dual users	1940	7.35
4	Landline mostly	1260	4.78
5	Landline only	839	3.18
6	Phoneless	320	1.21
7	Unknown	80	0.30

Variable: WTIA_PD

Module: General

Section: GEN : Miscellaneous

File(s): Paradata
Data Type: Numeric

Length: 8

Question Text:

Description: Paradata file weight

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

WTIA_PD Paradata file weight

Code	Description	Frequency	Percent
	Range of values		

Variable: HHC_TOD

Module: Roster

Section: HHC : Household Composition

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Household Composition section was started

Recode:

Universe: HHCTIME > 0

Universe Description: Household Composition section has been started

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

HHC_TOD Time of day that the Household Composition section was started

Code	Description	Frequency	Percent
1	Morning	11310	19.25
2	Afternoon	28183	47.96
3	Evening	19272	32.80

Variable: STRTPNT

Module: Roster

Section: HHC : Household Composition

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the Household Composition section was

started

Recode:

Universe: HHCTIME > 0

Universe Description: Household Composition section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRTPNT Point in the interview period when the Household Composition section was started

•	Code	Description	Frequency	Percent
-	L	Early	27604	46.97
2	2	Middle	8537	14.53
	3	Late	22624	38.50

Variable: ENDPNT

Module: Roster

Section: HHC : Household Composition

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the case was finished

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

ENDPNT Point in the interview period when the case was finished

Code	Description	Frequency	Percent
1	Early	9600	16.28
2	Middle	9072	15.39
3	Late	40290	68.33

Variable: TELCURWRK_A Module: Adult Section: TEL : Telephone Use File(s): Paradata Data Type: Numeric Length: 1 Is there at least one telephone INSIDE ^HOME that is currently working and is Question Text: not a cell phone? Fills: ^HOME your home at ^HNO ^HNOSUF ^STRNAME/your home ^HNO {Value of HNO} ^HNOSUF {Value of HNOSUF}

{Value of STRNAME}

Description: House has non-cell phone

^STRNAME

Recode:

Universe: HHSTAT_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TEL.0010.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{TELCURWRK_A} & \textbf{House has non-cell phone} \\ \end{tabular}$

Code	Description	Frequency	Percent
1	Yes	8290	25.70
2	No	19591	60.73
7	Refused	47	0.15
8	Not Ascertained	4327	13.41
9	Don't Know	4	0.01

Variable: TELCEL_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Do you have a working cell phone?

Description: Cell phone

Recode:

Universe: HHSTAT_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TEL.0020.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

TELCEL_A Cell phone

Code	Description	Frequency	Percent
1	Yes	25618	79.41
2	No	1199	3.72
7	Refused	32	0.10
8	Not Ascertained	5409	16.77
9	Don't Know	1	0.00

Variable: PHONELIVE_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Do you live with anyone ^ATHOME who has a working cell phone?

Fills: ^ATHOME at your home at {Value of HNO} {Value of HNOSUF}

{Value of STRNAME}

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

Description: Cell phone in HH

Recode:

Universe: HHSTAT_A=1 and TELCEL_A IN (2,7,9)

Universe Description: Sample adults 18+ who don't have a working cellphone and live with at least

one other person

Sources:

Question ID: TEL.0030.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PHONELIVE_A Cell phone in HH

Code	Description	Frequency	Percent
1	Yes	336	27.16
2	No	235	19.00
7	Refused	17	1.37
8	Not Ascertained	645	52.14
9	Don't Know	4	0.32

Variable: PHONEUSE_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Of all the telephone calls that you answer, are all or almost all on your cell

phones, some on your cell phone and some on your home phone, or very few or

none on your cell phones?

Description: Calls answered

Recode:

Universe: HHSTAT_A=1 and TELCEL_A=1 and TELCURWRK_A=1

Universe Description: Sample adults 18+ with working personal cell phone and who said they have a

working land-line in household

Sources:

Question ID: TEL.0040.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

PHONEUSE_A Calls answered

Code	Description	Frequency	Percent
1	All or almost all calls on cell phone	3949	54.64
2	Some on cell phone and some on home phone	1981	27.41
3	Very few or none on cell phone	1283	17.75
7	Refused	8	0.11
8	Not Ascertained	0	0.00
9	Don't Know	6	0.08

Variable: RLINK_A Module: Adult Section: LNK : Linkage File(s): Paradata Data Type: Numeric Length: Question Text: ?[F1] May we try to link your survey data without a ^SSNMEDNUM? * Read if necessary: Any data obtained are protected by strict federal laws, including the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title III of Public Law No. 115-435; and the Privacy Act of 1974, which is 5 U.S.C. § 552a. Fills: ^SSNMEDNUM consent by SSN or Medicare number Description: Link without SSN/Medicare Numbers Recode:

Universe: HHSTAT_A=1 and SSN4_A IN (N,99997,99999) or LAST4C_A IN ('9997','9999')

Universe Description: Sample adults 18+ who answered refused or don't know at last 4 of Medicare

number/characters or answered no SSN or refused or don't know last 4 digits of

CCN

Sources:

Question ID: LNK.0060.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RLINK A Link without SSN/Medicare Numbers

Code	Description	Frequency	Percent
1	Yes	7014	71.19
2	No	2472	25.09
7	Refused	323	3.28
8	Not Ascertained	2	0.02
9	Don't Know	42	0.43

Variable: TELCURWRK_C

Module: Child

Section: TEL : Telephone ownership

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text: Is there at least one telephone INSIDE ^SCNAME's home that is currently

working and is not a cell phone?

Fills: ^SCNAME Sample child's name

Description: Landline phone

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: TEL.0010.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TELCURWRK_C Landline phone

Code	Description	Frequency	Percent
1	Yes	1373	15.19
2	No	6503	71.94
7	Refused	11	0.12
8	Not Ascertained	1151	12.73
9	Don't Know	1	0.01

Variable: PHONELIVE_C

Module: Child

Section: TEL : Telephone ownership

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME live with anyone who has a working cell phone?

Fills: ^SCNAME Sample child's name

Description: Working cell phone

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: TEL.0020.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PHONELIVE_C Working cell phone

Code	Description	Frequency	Percent
1	Yes	2219	24.55
2	No	107	1.18
7	Refused	5	0.06
8	Not Ascertained	6708	74.21
9	Don't Know	0	0.00

Variable: RLINK_C

Module: Child

Section: LNK : Linkage

File(s): Paradata

Data Type: Numeric

Length: 1
Question Text: ?[F1]

May we try to link ^SCNAME's survey data without a Social Security Number?

* Read if necessary: Any data obtained are protected by strict federal laws, including the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title III, Public Law No. 115-435; and the Privacy Act

of 1974, which is 5 U.S.C. § 552a.

Fills: ^SCNAME Sample child's name

Description: Link without SSN

Recode:

Universe: HHSTAT_C=1 and SSN4_C IN (N,99997,99999)

Universe Description: Sample children 0-17 where SSN was refused, don't know or not available

Sources:

Question ID: LNK.0030.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RLINK_C Link without SSN

Code	Description	Frequency	Percent
1	Yes	17	94.44
2	No	1	5.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: **INTLANGSA** Module: Back Section: BCK : Back File(s): Paradata Data Type: Numeric Length: 1 Question Text: * In which language was the Sample Adult interview conducted? Description: Language of SA Interview Recode: Universe: OUTCOME IN (201,203) and ASTAT IN (1,5) Universe Description: Sample adult section is completed or partial interview Sources: Question ID: BCK.0070.00.1 Keywords: Notes: **Evaluation Report:**

Unweighted frequencies:

INTLANGSA Language of SA Interview

Code	Description	Frequency	Percent
1	English	24546	87.39
2	Spanish	829	2.95
3	Both English and Spanish	229	0.82
4	Other	189	0.67
8	Not Ascertained	2294	8.17

Variable: INTRPTSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Was an interpreter used to conduct the Sample Adult interview?

* An interpreter is anyone -- paid or unpaid, hired or unsolicited -- who translates questions/answers during the interview because the respondent would

have been unable to participate otherwise.

Description: Interpreter used in Adult interview

1

Recode:

Length:

Universe: OUTCOME IN (201,203) and INTLANGSA IN (2,3,4)

Universe Description: Indicated that Spanish only or both English and Spanish or a language other

than English or Spanish was used to conduct the sample adult interview $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources:

Question ID: BCK.0090.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	287	23.02
2	No	960	76.98
8	Not Ascertained	0	0.00

Variable: OTHERSSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Not including small children ^SAINTRPT, were other people present during the

Sample Adult interview?

Fills: ^SAINTRPT or the interpreter

Description: Other people present during Sample Adult interview

Recode:

Universe: OUTCOME IN (201,203) and ASTAT IN (1,5)

Universe Description: Sample adult section is completed or partial interview

Sources:

Question ID: BCK.0100.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OTHERSSA Other people present during Sample Adult interview

Code	Description	Frequency	Percent
1	Someone else present for full interview	4782	17.03
2	Someone else present for part of the interview	2776	9.88
3	No one else present for any of the interview	19857	70.70

Variable: INTLANGSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * In which language was the Sample Child interview conducted?

Description: Language of SC Interview

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,5)

Universe Description: Sample child section is completed or partial interview

Sources:

Question ID: BCK.0110.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

INTLANGSC Language of SC Interview

Code	Description	Frequency	Percent
1	English	6341	84.42
2	Spanish	419	5.58
3	Both English and Spanish	111	1.48
4	Other	49	0.65
8	Not Ascertained	591	7.87

Variable: OTHERSSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Not including small children ^SCINTRPT, were other people present during the

Sample Child interview?

Fills: ^SCINTRPT or the interpreter

Description: Other people present during Sample Child interview

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,5)

Universe Description: Sample child section is completed or partial interview

Sources:

Question ID: BCK.0140.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OTHERSSC Other people present during Sample Child interview

Code	Description	Frequency	Percent
1	Someone else present for full interview	1335	17.77
2	Someone else present for part of the interview	861	11.46
3	No one else present for any of the interview	5130	68.30

Variable: INTMODESA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Was all, some, or none of the Sample Adult interview conducted by telephone?

Description: Sample Adult section primarily conducted by phone

Recode:

Universe: OUTCOME IN (201,203) and ASTAT IN (1,3,4,5)

Universe Description: Sample adult section is completed or sample adult reached or sample adult HIS

section started or sample adult section is a sufficient partial

Sources:

Question ID: BCK.0150.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	All	14602	51.48
2	Some	1104	3.89
3	None	12660	44.63
8	Not Ascertained	0	0.00

Variable: INTMODEWHYSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 2

Question Text: * Enter the MAIN reason that some or all of the Sample Adult interview was

conducted by telephone.

Description: Main reason primarily conducted by phone

Recode:

Universe: INTMODESA IN (1,2)

Universe Description: All or some of the sample adult interview was conducted by telephone

Sources:

Question ID: BCK.0160.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

INTMODEWHYSA Main reason primarily conducted by phone

Code	Description	Frequency	Percent
01	Best method for respondent to complete interview	8547	54.42
02	Respondent requested phone interview	3741	23.82
03	Respondent/FR called and respondent wanted to complete interview immediately	1256	8.00
04	Pets or small children or guests in home	22	0.14
05	Respondent or family member is physically or mentally ill	78	0.50
06	Inclement weather	15	0.10
07	Near closeout	30	0.19
08	Distance	179	1.14
09	FR has safety concerns	23	0.15
10	Other	270	1.72
88	Not Ascertained	0	0.00

Variable: INTMODESC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Was all, some, or none of the Sample Child interview conducted by telephone?

Description: Sample Child section primarily conducted by phone

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,3,4,5)

Universe Description: Sample child section is completed or sample child respondent reached or sample

child HIS section started or sample child section is sufficient partial

Sources:

Question ID: BCK.0170.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	A11	4154	53.03
2	Some	138	1.76
3	None	3542	45.21
8	Not Ascertained	0	0.00

Variable: INTMODEWHYSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 2

Question Text: * Enter the MAIN reason that some or all of the Sample Child interview was

conducted by telephone.

Description: Main reason primarily conducted by phone

Recode:

Universe: INTMODESC IN (1,2)

Universe Description: All or some of the sample child interview was conducted by telephone

Sources:

Question ID: BCK.0180.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 ${\bf INTMODEWHYSC} \quad {\tt Main \ reason \ primarily \ conducted \ by \ phone}$

Code	Description	Frequency	Percent
01	Best method for respondent to complete interview	2451	57.11
02	Respondent requested phone interview	1016	23.67
03	Respondent/FR called and respondent wanted to complete interview immediately	276	6.43
04	Pets or small children or guests in home	5	0.12
05	Respondent or family member is physically or mentally ill	15	0.35
06	Inclement weather	1	0.02
07	Near closeout	7	0.16
08	Distance	47	1.10
09	FR has safety concerns	6	0.14
10	Other	66	1.54
88	Not Ascertained	0	0.00

Variable: PARWHY

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Enter the type of partial interview.

Description: Reason interview not complete

Recode:

Universe: OUTCOME IN (203,215)

Universe Description: Sufficient or insufficient partial interview

Sources:

Question ID: BCK.0240.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PARWHY Reason interview not complete

Code	2	Description	Frequency	Percent
1		Interview stopped in progress/Break-off	2608	29.10
2		Completion before closeout not possible (Other than Break-off)	6348	70.82
8		Not Ascertained	7	0.08

Variable: BRKREASON

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 2

Question Text: * What is the MAIN reason that the interview is not complete?

 $\ensuremath{^{*}}$ Select the answer category that best fits the reason the interview ended.

Description: Main reason respondent terminated interview

Recode:

Universe: OUTCOME IN (203,215)

Universe Description: Sufficient or Insufficient partial interview

Sources:

Question ID: BCK.0270.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKREASON Main reason respondent terminated interview

Code	Description	Frequency	Percent
01	Respondent does not want to participate	3227	36.00
02	Respondent not interested	402	4.49
03	Respondent too busy	1276	14.24
04	Respondent has privacy concerns or anti-government	463	5.17
05	Respondent or family member is physically or mentally ill	284	3.17
06	Unable to reach respondent before closeout	1469	16.39
07	Case Duplication/reassignment/stopped by RO direction	41	0.46
08	Respondent temporarily away or moved	127	1.42
09	FR has safety concerns	11	0.12
10	Language problems	127	1.42
11	Technology issue (computer error, battery died, telephone lost signal)	26	0.29
12	Respondent (including Proxy) did not know answers	22	0.25
13	Other	847	9.45

Variable: BRKHHC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKHHC Break off in household section

Code	Description	Frequency	Percent
1	Breakoff occurred	22347	37.90
blank	No breakoff	36615	62.10

Variable: BRKSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ** Post-Processing Variable **

Description: Break off in Sample Adult section

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKSA Break off in Sample Adult section

Code	Description	Frequency	Percent
1	Breakoff occurred	4672	7.92
blank	No breakoff	54290	92.08

Variable: BRKSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKSC Break off in Sample Child section

Code	Description	Frequency	Percent
1	Breakoff occurred	1109	1.88
blank	No breakoff	57853	98.12

Variable: NCOMHHC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMHHC Household section not complete

Code	Description	Frequency	Percent
1	TRUE	2318	3.93
blank	FALSE	56644	96.07

Variable: NCOMSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMSA Sample Adult section not complete

Code	Description	Frequency	Percent
1	TRUE	5974	10.13
blank	FALSE	52988	89.87

Variable: NCOMSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMSC Sample child section not complete

Code	Description	Frequency	Percent
1	TRUE	3311	5.62
blank	FALSE	55651	94.38

Variable: LOCATION01 Module: Back Section: BCK : Back File(s): Paradata Data Type: Numeric Length: 1 Question Text: * Where was this interview conducted? * Enter all that apply, separate with commas. Location of interview - Inside respondent's home Description: Yes Recode: Universe: OUTCOME IN (201,203,215,221) All completed interviews or sufficient partial interviews or insufficient Universe Description: partial interviews or all respondents are ineligible Sources: LOCATION Question ID:

Unweighted frequencies:

Evaluation Report:

Keywords:
Notes:

LOCATION01 Location of interview - Inside respondent's home

Code	Description	Frequency	Percent
1	Mentioned	8770	24.99
2	Not mentioned	26318	75.01
8	Not Ascertained	0	0.00

Variable: LOCATION02

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Immediately outside respondent's home

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION02 Location of interview - Immediately outside respondent's home

Code	Description	Frequency	Percent
1	Mentioned	8523	24.29
2	Not mentioned	26565	75.71
8	Not Ascertained	0	0.00

Variable: LOCATION03

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Over the telephone

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION03 Location of interview - Over the telephone

Code	Description	Frequency	Percent
1	Mentioned	18584	52.96
2	Not mentioned	16504	47.04
8	Not Ascertained	0	0.00

Variable: LOCATION04

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Inside interviewer's/respondent's car

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION04 Location of interview - Inside interviewer's/respondent's car

Code	Description	Frequency	Percent
1	Mentioned	156	0.44
2	Not mentioned	34932	99.56
8	Not Ascertained	0	0.00

Variable: LOCATION05

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - At respondent's place of work

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION05 Location of interview - At respondent's place of work

Code	Description	Frequency	Percent
1	Mentioned	67	0.19
2	Not mentioned	35021	99.81
8	Not Ascertained	0	0.00

Variable: LOCATION06

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Where was this interview conducted?

 $\ensuremath{^{*}}$ Enter all that apply, separate with commas.

Description: Location of interview - Common area of apartment

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LOCATION06 Location of interview - Common area of apartment

Code	Description	Frequency	Percent
1	Mentioned	152	0.43
2	Not mentioned	34936	99.57
8	Not Ascertained	0	0.00

Variable: LOCATION07

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Public area

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION07 Location of interview - Public area

Code	Description	Frequency	Percent
1	Mentioned	53	0.15
2	Not mentioned	35035	99.85
8	Not Ascertained	0	0.00

Variable: LOCATION08

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

 $\ensuremath{^{*}}$ Enter all that apply, separate with commas.

Description: Location of interview - In a home of a neighbor, friend, or relative

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION08 Location of interview - In a home of a neighbor, friend, or relative

Code	Description	Frequency	Percent
1	Mentioned	4	0.01
2	Not mentioned	35084	99.99
8	Not Ascertained	0	0.00

Variable: LOCATION09

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Other location

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION09 Location of interview - Other location

Code	Description	Frequency	Percent
1	Mentioned	701	2.00
2	Not mentioned	34387	98.00
8	Not Ascertained	0	0.00