

National Immunization Survey

**A Codebook for the
2007 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

and

National Center for Health Statistics

Presented by:

National Opinion Research Center (NORC)

October 2007

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

TABLE OF CONTENTS

Section Index of Variables	1
Section 1: ID, Weight, and Flag Variables	14
Section 2: Household Vaccination Variables	17
Section 3: Demographic and Socioeconomic Variables	26
Section 4: Geographic Variables.....	37
Section 5: Number of Providers Identified and Consent Variables	41
Section 6: Number of Responding Provider Variables.....	42
Section 7: Characteristics of Provider Variables	43
Section 8: Provider-Reported Up-to-Date Vaccination Variables.....	45
Section 9: Provider-Reported Age-at-Vaccination Variables	75
Section 10: Health Insurance Module.....	193
Alphabetical Index of Variables.....	197

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
RDDWT	32	50	1	HH-PHASE CHILD INTERVIEW WEIGHT
YEAR	51	54	1	YEAR OF INTERVIEW
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_FLU	76	77	2	HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
HH_HEPB	78	79	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	80	81	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	82	83	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	84	85	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	86	87	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HAD_CPOX	88	89	2	CHILD EVER HAD CHICKEN POX DISEASE?
SHOTCARD	90	90	2	SHOT CARD USE FLAG
AGEGRP	91	91	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	92	99	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	100	107	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR06	108	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
BFENDFL06	116	116	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	117	117	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	118	118	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	119	120	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	121	122	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	123	123	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
CHILDNM	124	124	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	125	126	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	127	127	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	128	128	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	129	129	3	FIRST BORN STATUS OF CHILD
I_HISP_K	130	130	3	HISPANIC ORIGIN OF CHILD
INCPORAR	131	146	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	147	147	3	POVERTY STATUS
INCQ298A	148	149	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	150	150	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INTRP	151	151	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	152	152	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP	153	153	3	AGE OF MOTHER CATEGORIES
MARITAL	154	154	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MOBIL_I	155	155	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
RACE_K	156	156	3	RACE OF CHILD (RECODE)
RACEETHK	157	157	3	RACE/ETHNICITY OF CHILD (RECODE)
SEX	158	158	3	GENDER OF CHILD
ESTIAP07	159	161	4	ESTIMATION AREA OF RESIDENCE
STATE	162	163	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	164	164	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	165	165	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DISPCODE	166	167	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	168	168	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PROV_FAC	169	169	7	PROVIDER FACILITY TYPE
REGISTRY	170	170	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	171	171	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	172	172	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	173	173	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	174	174	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	175	175	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUHPHB	176	176	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	177	177	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHB	178	178	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	179	179	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHM	180	180	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	181	181	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTM	182	182	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	183	183	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	184	184	8	NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	185	185	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	186	186	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	187	187	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	188	188	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	189	189	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	190	190	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	191	191	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	192	192	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	193	193	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	194	194	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	195	195	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMMPR	196	196	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	197	197	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	198	198	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	199	199	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	200	200	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	201	201	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	202	202	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	203	203	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	204	204	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCP	205	205	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	206	206	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	207	207	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	208	208	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	209	209	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPM	210	210	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	211	211	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	212	212	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	213	213	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	214	214	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_U12VRC	215	215	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	216	216	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	217	217	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	218	218	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	219	219	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDFL3	220	220	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3
P_UTDHEP	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	224	224	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	228	228	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
PU431331	230	230	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313313	231	231	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313314	232	232	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	233	233	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	234	234	8	UTD FLAG FOR PROVIDER 4:3:1:3
DDTP1	235	238	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	239	242	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	243	246	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	247	250	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	251	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	255	257	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	258	260	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	261	261	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	262	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	263	266	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1
DFLU2	267	270	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2
DFLU3	271	274	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3
DFLU4	275	278	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DFLU5	279	282	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5
DFLU6	283	283	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6
DFLU7	284	284	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7
DFLU8	285	285	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8
DFLU9	286	286	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9
DHEPA1	287	290	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	291	294	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	295	298	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	299	302	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	303	303	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	304	304	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	305	305	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	306	306	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	307	307	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	308	311	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	312	315	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	316	319	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	320	323	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	324	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	328	331	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	332	334	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	335	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	336	336	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	337	340	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	341	344	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	345	348	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	349	352	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	353	356	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	357	359	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	360	362	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	363	363	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	364	364	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	365	368	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	369	372	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	373	375	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	376	376	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	377	377	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	378	378	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMMR7	379	379	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	380	380	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	381	381	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	382	384	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	385	385	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	386	386	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	387	387	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	388	388	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	389	389	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	390	390	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	391	391	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	392	392	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	393	395	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	396	396	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	397	397	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	398	398	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	399	399	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	400	400	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	401	401	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	402	402	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	403	403	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	404	407	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	408	411	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	416	419	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	420	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	424	426	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	427	429	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	430	430	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	431	431	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	432	435	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	436	439	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	440	443	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	444	447	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	448	451	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	452	454	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	455	457	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	458	458	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DPOLIO9	459	459	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	460	462	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	463	465	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	466	466	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	467	467	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	468	468	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	469	469	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	470	470	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	471	471	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	472	472	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	473	475	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	476	478	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	479	481	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	482	484	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	485	485	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	486	486	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	487	487	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	488	488	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	489	489	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	490	491	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	492	493	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	494	495	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	496	497	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	498	499	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	500	501	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	502	503	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	504	504	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	505	505	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	506	509	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	510	513	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	514	517	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	518	518	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	519	519	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	520	520	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	521	521	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	522	522	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	523	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
FLU1_AGE	524	525	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU2_AGE	526	527	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2
FLU3_AGE	528	529	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3
FLU4_AGE	530	531	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4
FLU5_AGE	532	533	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5
FLU6_AGE	534	534	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6
FLU7_AGE	535	535	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7
FLU8_AGE	536	536	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8
FLU9_AGE	537	537	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9
HEA1_AGE	538	539	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	540	541	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	542	543	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	544	545	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	546	546	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	547	547	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	548	548	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	549	549	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	550	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	555	556	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	557	558	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	559	560	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	561	562	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	563	564	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	565	565	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	566	566	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	582	582	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MMR3_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	594	594	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
POL4_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	641	642	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	643	644	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	647	648	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	649	650	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	671	672	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	682	682	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	683	684	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	685	686	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	687	688	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	689	690	9	DT-CONTAINING VACCINATION #4 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XDTPTY5	691	692	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	693	694	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	695	696	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	697	697	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	698	698	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	699	700	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	701	702	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	703	704	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	705	706	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	707	708	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	709	710	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	711	712	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	713	713	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	714	714	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	715	716	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	717	718	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	719	720	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	721	722	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	723	724	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	725	726	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	727	728	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	729	729	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	730	730	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	731	732	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	733	734	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	735	736	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	737	737	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	738	738	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	739	739	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	740	740	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	741	741	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	742	742	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	743	744	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	745	746	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	747	748	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	749	750	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	751	752	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	753	754	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XPCVTY7	755	756	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	757	757	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	758	758	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	759	760	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	761	762	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	763	764	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	765	766	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	767	768	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	769	770	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	771	772	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	773	773	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	774	774	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	775	776	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	777	778	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	779	780	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	781	781	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	782	782	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	783	783	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	784	784	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	785	785	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	786	786	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_1	787	788	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_2	789	790	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	791	792	10	IS CHILD COVERED BY S-CHIP?
INS_3A	793	794	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4	795	796	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE?
INS_5	797	798	10	IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	799	800	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INS_11	801	802	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character							
Label: UNIQUE CHILD IDENTIFIER							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SEQNUMHH Type: Character							
Label: UNIQUE HOUSEHOLD IDENTIFIER							
Notes: Each household contains one or more children age 19 - 35 months.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PDAT Type: Numeric							
Label: CHILD HAS ADEQUATE PROVIDER DATA							
Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	17017	68.6%	68.6%	17017	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	7790	31.4%	31.4%	0	0.0%	0.0%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: PROVWT Type: Numeric****Label:****WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN****Notes:****Final child weight to use for the calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1).**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17017	68.6%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7790	31.4%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PROVWT Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	354.1	195.3	6.5	9428.8	520.9
Adequate Provider Data	354.1	195.3	6.5	9428.8	520.9

Variable: RDDWT Type: Numeric**Label: HH-PHASE CHILD INTERVIEW WEIGHT****Notes: Final household interview weight for child.****Use this weight for estimates based on children with completed household interviews.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: RDDWT Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	242.9	139.0	4.3	7460.1	334.9
Adequate Provider Data	240.5	137.8	5.4	6434.4	333.0

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: YEAR** Type: Numeric**Label: YEAR OF INTERVIEW****Notes: Sampling year.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2007	2007	24807	100.0%	100.0%	17017	100.0%	100.0%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: AGECP0XR Type: Numeric****Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	80	0.3%	15.0%	55	0.3%	15.3%
7 TO 12 MONTHS OLD	2	186	0.7%	34.8%	116	0.7%	32.2%
13 TO 18 MONTHS OLD	3	131	0.5%	24.5%	94	0.6%	26.1%
19+ MONTHS OLD	4	137	0.6%	25.7%	95	0.6%	26.4%
SUBTOTALS:		534	2.2%	100.0%	360	2.1%	100.0%
RESERVED CODES:							
MISSING	.	24273	97.8%	n/a	16657	97.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SC_431 Type: Numeric**Label: HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing.****Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	5127	20.7%	68.0%	3922	23.0%	68.7%
NOT UTD / SC	2	2415	9.7%	32.0%	1783	10.5%	31.3%
SUBTOTALS:		7542	30.4%	100.0%	5705	33.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	290	1.2%	n/a	220	1.3%	n/a
UNKNOWN	88	3	0.0%	n/a	3	0.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_4313 Type: Numeric							
Label: HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE							
Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing. Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4842	19.5%	64.5%	3719	21.9%	65.5%
NOT UTD / SC	2	2665	10.7%	35.5%	1963	11.5%	34.5%
SUBTOTALS:		7507	30.3%	100.0%	5682	33.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	325	1.3%	n/a	243	1.4%	n/a
UNKNOWN	88	3	0.0%	n/a	3	0.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SC_43133 Type: Numeric							
Label: HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE							
Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ Hib-containing, 3+ HepB-containing. Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4559	18.4%	61.0%	3513	20.6%	62.2%
NOT UTD / SC	2	2909	11.7%	39.0%	2139	12.6%	37.8%
SUBTOTALS:		7468	30.1%	100.0%	5652	33.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	364	1.5%	n/a	273	1.6%	n/a
UNKNOWN	88	3	0.0%	n/a	3	0.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_DTP Type: Numeric
Label: HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	5602	22.6%	72.0%	4270	25.1%	72.5%
NOT UTD / SC	2	2175	8.8%	28.0%	1617	9.5%	27.5%
SUBTOTALS:		7777	31.4%	100.0%	5887	34.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	58	0.2%	n/a	40	0.2%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	1	0.0%	n/a	1	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SC_HEPB Type: Numeric
Label: HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6543	26.4%	84.4%	4992	29.3%	85.0%
NOT UTD / SC	2	1212	4.9%	15.6%	879	5.2%	15.0%
SUBTOTALS:		7755	31.3%	100.0%	5871	34.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	81	0.3%	n/a	57	0.3%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_HIB Type: Numeric****Label: HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6661	26.9%	85.9%	5096	29.9%	86.8%
NOT UTD / SC	2	1091	4.4%	14.1%	774	4.5%	13.2%
SUBTOTALS:		7752	31.2%	100.0%	5870	34.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	85	0.3%	n/a	59	0.3%	n/a
UNKNOWN	88	1	0.0%	n/a	1	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SC_MCV Type: Numeric**Label: HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6899	27.8%	90.5%	5246	30.8%	91.0%
NOT UTD / SC	2	721	2.9%	9.5%	519	3.0%	9.0%
SUBTOTALS:		7620	30.7%	100.0%	5765	33.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	215	0.9%	n/a	163	1.0%	n/a
UNKNOWN	88	1	0.0%	n/a	1	0.0%	n/a
REFUSED	99	2	0.0%	n/a	1	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_POL Type: Numeric
Label: HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6627	26.7%	85.5%	5041	29.6%	86.0%
NOT UTD / SC	2	1120	4.5%	14.5%	821	4.8%	14.0%
SUBTOTALS:		7747	31.2%	100.0%	5862	34.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	89	0.4%	n/a	66	0.4%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SC_VRC Type: Numeric
Label: HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6518	26.3%	85.8%	4970	29.2%	86.6%
NOT UTD / SC	2	1077	4.3%	14.2%	772	4.5%	13.4%
SUBTOTALS:		7595	30.6%	100.0%	5742	33.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	243	1.0%	n/a	188	1.1%	n/a
MISSING	.	16969	68.4%	n/a	11087	65.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_DTP Type: Numeric
Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	586	2.4%	2.4%	337	2.0%	2.0%
AT LEAST ONE	1	19361	78.0%	80.1%	13564	79.7%	81.6%
"ALL"	50	4223	17.0%	17.5%	2724	16.0%	16.4%
SUBTOTALS:		24170	97.4%	100.0%	16625	97.7%	100.0%
RESERVED CODES:							

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_DTP Type: Numeric
Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	633	2.6%	n/a	388	2.3%	n/a
REFUSED	99	4	0.0%	n/a	4	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_FLU Type: Numeric
Label: HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
**Notes: For shot card users, this is the number of vaccinations ever received.
For non-shotcard users,
this is the number of FLU vaccinations received in the past 12 months.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	10711	43.2%	44.5%	7117	41.8%	43.1%
AT LEAST ONE	1	13361	53.9%	55.5%	9390	55.2%	56.9%
SUBTOTALS:		24072	97.0%	100.0%	16507	97.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	729	2.9%	n/a	507	3.0%	n/a
REFUSED	99	6	0.0%	n/a	3	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_HEPB Type: Numeric
Label: HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1326	5.3%	5.6%	766	4.5%	4.7%
AT LEAST ONE	1	18218	73.4%	76.7%	12876	75.7%	78.7%
"ALL"	50	4223	17.0%	17.8%	2724	16.0%	16.6%
SUBTOTALS:		23767	95.8%	100.0%	16366	96.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1039	4.2%	n/a	650	3.8%	n/a
REFUSED	99	1	0.0%	n/a	1	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_HIB Type: Numeric
Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1905	7.7%	8.4%	1120	6.6%	7.1%
AT LEAST ONE	1	16566	66.8%	73.0%	11852	69.6%	75.5%
"ALL"	50	4223	17.0%	18.6%	2724	16.0%	17.4%
SUBTOTALS:		22694	91.5%	100.0%	15696	92.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2110	8.5%	n/a	1319	7.8%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_MCV Type: Numeric
Label: HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1551	6.3%	6.5%	983	5.8%	6.0%
AT LEAST ONE	1	18234	73.5%	75.9%	12802	75.2%	77.5%
"ALL"	50	4223	17.0%	17.6%	2724	16.0%	16.5%
SUBTOTALS:		24008	96.8%	100.0%	16509	97.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	796	3.2%	n/a	506	3.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_POL Type: Numeric
Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1963	7.9%	8.4%	1217	7.2%	7.6%
AT LEAST ONE	1	17083	68.9%	73.4%	12071	70.9%	75.4%
"ALL"	50	4223	17.0%	18.1%	2724	16.0%	17.0%
SUBTOTALS:		23269	93.8%	100.0%	16012	94.1%	100.0%
RESERVED CODES:							

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_POL Type: Numeric
Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	1535	6.2%	n/a	1003	5.9%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HH_VRC Type: Numeric
Label: HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	3097	12.5%	13.2%	2017	11.9%	12.5%
AT LEAST ONE	1	16066	64.8%	68.7%	11364	66.8%	70.6%
"ALL"	50	4223	17.0%	18.1%	2724	16.0%	16.9%
SUBTOTALS:		23386	94.3%	100.0%	16105	94.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1420	5.7%	n/a	911	5.4%	n/a
REFUSED	99	1	0.0%	n/a	1	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric
Label: CHILD EVER HAD CHICKEN POX DISEASE?
Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	543	2.2%	2.2%	364	2.1%	2.1%
NO	2	24196	97.5%	97.8%	16615	97.6%	97.9%
SUBTOTALS:		24739	99.7%	100.0%	16979	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	67	0.3%	n/a	38	0.2%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SHOTCARD Type: Numeric****Label: SHOT CARD USE FLAG****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SHOTCARD	1	7838	31.6%	31.6%	5930	34.8%	34.8%
NO SHOTCARD	2	16969	68.4%	68.4%	11087	65.2%	65.2%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric							
Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	7227	29.1%	29.1%	4999	29.4%	29.4%
24 - 29 MONTHS	2	8647	34.9%	34.9%	5935	34.9%	34.9%
30 - 35 MONTHS	3	8933	36.0%	36.0%	6083	35.7%	35.7%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric							
Label: DURATION OF BREAST FEEDING IN DAYS (TOPCODE)							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18344	73.9%	100.0%	12714	74.7%	100.0%
RESERVED CODES:							
MISSING	.	6463	26.1%	n/a	4303	25.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	235.1	182.6	1.0	730.5	174.7
Adequate Provider Data	235.0	182.6	1.0	730.5	174.6

Variable: BF_EXCLR06 Type: Numeric							
Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18559	74.8%	100.0%	12882	75.7%	100.0%
RESERVED CODES:							
MISSING	.	6248	25.2%	n/a	4135	24.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BF_EXCLR06** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	145.2	152.2	0.0	273.9	69.8
Adequate Provider Data	144.4	152.2	0.0	273.9	68.8

Variable: **BF_FORMR06** Type: Numeric

Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16003	64.5%	100.0%	11082	65.1%	100.0%
RESERVED CODES:							
MISSING	.	8804	35.5%	n/a	5935	34.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: **BF_FORMR06** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	85.8	60.9	0.0	273.9	91.5
Adequate Provider Data	85.2	60.9	0.0	273.9	90.7

Variable: **BFENDFL06** Type: NumericLabel: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS,
WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BFFORMFL06 Type: Numeric

Label:

AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: C1R Type: Numeric

Label: NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2	2	476	1.9%	1.9%	300	1.8%	1.8%
3	3	5193	20.9%	20.9%	3458	20.3%	20.3%
4	4	9207	37.1%	37.1%	6421	37.7%	37.7%
5	5	5493	22.1%	22.1%	3845	22.6%	22.6%
6	6	2518	10.2%	10.2%	1736	10.2%	10.2%
7	7	1010	4.1%	4.1%	680	4.0%	4.0%
8+	8	910	3.7%	3.7%	577	3.4%	3.4%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	20119	81.1%	81.1%	14215	83.5%	83.5%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	3576	14.4%	14.4%	2216	13.0%	13.0%
GRANDPARENT	3	858	3.5%	3.5%	487	2.9%	2.9%
OTHER FAMILY MEMBER/FRIEND	4	243	1.0%	1.0%	97	0.6%	0.6%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric							
Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		24796	100.0%	100.0%	17015	100.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	3	0.0%	n/a	1	0.0%	n/a
REFUSED	99	8	0.0%	n/a	1	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: CBF_01 Type: Numeric							
Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	18939	76.3%	76.8%	13121	77.1%	77.4%
NO	2	5730	23.1%	23.2%	3830	22.5%	22.6%
SUBTOTALS:		24669	99.4%	100.0%	16951	99.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	135	0.5%	n/a	66	0.4%	n/a
REFUSED	99	3	0.0%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: CEN_REG Type: Numeric							
Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	3969	16.0%	16.0%	2671	15.7%	15.7%
MIDWEST	2	5449	22.0%	22.0%	3850	22.6%	22.6%
SOUTH	3	9376	37.8%	37.8%	6401	37.6%	37.6%
WEST	4	6013	24.2%	24.2%	4095	24.1%	24.1%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CHILDNM Type: Numeric							
Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	6173	24.9%	24.9%	4087	24.0%	24.0%
TWO OR THREE	2	15238	61.4%	61.4%	10636	62.5%	62.5%
FOUR OR MORE	3	3396	13.7%	13.7%	2294	13.5%	13.5%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: CWIC_01 Type: Numeric							
Label: CHILD EVER RECEIVED WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	10461	42.2%	42.3%	7258	42.7%	42.8%
NO	2	14187	57.2%	57.4%	9678	56.9%	57.0%
NEVER HEARD OF WIC	3	67	0.3%	0.3%	36	0.2%	0.2%
SUBTOTALS:		24715	99.6%	100.0%	16972	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	83	0.3%	n/a	42	0.2%	n/a
REFUSED	99	9	0.0%	n/a	3	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: CWIC_02 Type: Numeric							
Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	5931	23.9%	56.7%	4173	24.5%	57.5%
NO	2	4530	18.3%	43.3%	3085	18.1%	42.5%
SUBTOTALS:		10461	42.2%	100.0%	7258	42.7%	100.0%
RESERVED CODES:							
MISSING	.	14346	57.8%	n/a	9759	57.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: EDUC1 Type: Numeric
Label: EDUCATION OF MOTHER CATEGORIES (RECODE)
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2921	11.8%	11.8%	2009	11.8%	11.8%
12 YEARS	2	4663	18.8%	18.8%	3171	18.6%	18.6%
> 12 YEARS, NON-COLLEGE GRAD	3	6934	28.0%	28.0%	4779	28.1%	28.1%
COLLEGE GRAD	4	10289	41.5%	41.5%	7058	41.5%	41.5%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FRSTBRN Type: Numeric
Label: FIRST BORN STATUS OF CHILD
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NO	1	12886	51.9%	51.9%	8989	52.8%	52.8%
YES	2	11921	48.1%	48.1%	8028	47.2%	47.2%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: I_HISP_K Type: Numeric
Label: HISPANIC ORIGIN OF CHILD
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	5079	20.5%	20.5%	3442	20.2%	20.2%
NON-HISPANIC	2	19728	79.5%	79.5%	13575	79.8%	79.8%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric							
Label: INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)							
Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2006 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		22584	91.0%	100.0%	15877	93.3%	100.0%
RESERVED CODES:							
MISSING	.	2223	9.0%	n/a	1140	6.7%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INCPORAR Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.7	0.5	3.0	1.0
Adequate Provider Data	2.2	2.7	0.5	3.0	0.9

Variable: INCPOV1 Type: Numeric							
Label: POVERTY STATUS							
Notes: Based on 2006 Census poverty thresholds.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	7804	31.5%	33.3%	5458	32.1%	33.4%
ABOVE POVERTY, <= \$75K	2	10830	43.7%	46.2%	7513	44.1%	46.0%
BELOW POVERTY	3	4785	19.3%	20.4%	3362	19.8%	20.6%
SUBTOTALS:		23419	94.4%	100.0%	16333	96.0%	100.0%
RESERVED CODES:							
UNKNOWN	4	1388	5.6%	n/a	684	4.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INCQ298A Type: Numeric							
Label: FAMILY INCOME CATEGORIES (RECODE)							
Notes: Family income in 2006.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	917	3.7%	4.1%	613	3.6%	3.9%
\$7501 - \$10000	4	880	3.5%	3.9%	615	3.6%	3.9%
\$10001 - \$17500	5	1331	5.4%	5.9%	942	5.5%	5.9%
\$17501 - \$20000	6	973	3.9%	4.3%	698	4.1%	4.4%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric							
Label: FAMILY INCOME CATEGORIES (RECODE)							
Notes: Family income in 2006.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$20001 - \$25000	7	1030	4.2%	4.6%	754	4.4%	4.7%
\$25001 - \$30000	8	1296	5.2%	5.7%	905	5.3%	5.7%
\$30001 - \$35000	9	879	3.5%	3.9%	628	3.7%	4.0%
\$35001 - \$40000	10	1157	4.7%	5.1%	794	4.7%	5.0%
\$40001 - \$50000	11	1978	8.0%	8.8%	1396	8.2%	8.8%
\$50001 - \$60000	12	1844	7.4%	8.2%	1321	7.8%	8.3%
\$60001 - \$75000	13	2495	10.1%	11.0%	1753	10.3%	11.0%
\$75001+	14	7804	31.5%	34.6%	5458	32.1%	34.4%
SUBTOTALS:		22584	91.0%	100.0%	15877	93.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1164	4.7%	n/a	713	4.2%	n/a
REFUSED	99	1059	4.3%	n/a	427	2.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INOPHONR Type: Numeric							
Label: LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)							
Notes: Imputed variable.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
7 TO 14 DAYS	1	504	2.0%	31.9%	343	2.0%	31.0%
15 TO 30 DAYS	2	330	1.3%	20.9%	221	1.3%	20.0%
31 TO 365 DAYS	3	746	3.0%	47.2%	542	3.2%	49.0%
SUBTOTALS:		1580	6.4%	100.0%	1106	6.5%	100.0%
RESERVED CODES:							
MISSING	.	23227	93.6%	n/a	15911	93.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INTRP Type: Numeric
Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1646	6.6%	6.6%	1145	6.7%	6.7%
NO	2	23161	93.4%	93.4%	15872	93.3%	93.3%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: LANGUAGE Type: Numeric
Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
Notes:
Interviews conducted in other languages were administered using the AT&T language line.
This variable was constructed from call outcome codes.
While these outcome codes are considered accurate,
there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ENGLISH	1	22071	89.0%	89.0%	15167	89.1%	89.1%
SPANISH	2	2361	9.5%	9.5%	1627	9.6%	9.6%
OTHER	3	375	1.5%	1.5%	223	1.3%	1.3%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: M_AGEGRP Type: Numeric
Label: AGE OF MOTHER CATEGORIES
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	541	2.2%	2.2%	323	1.9%	1.9%
20 - 29 YEARS	2	8629	34.8%	34.8%	6015	35.3%	35.3%
>= 30 YEARS	3	15637	63.0%	63.0%	10679	62.8%	62.8%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL Type: Numeric

Label: MARITAL STATUS OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WIDOWED/DIVORCED/SEPARATED/DECEASED	1	1524	6.1%	6.1%	1057	6.2%	6.2%
NEVER MARRIED	2	4287	17.3%	17.3%	2830	16.6%	16.6%
MARRIED	3	18996	76.6%	76.6%	13130	77.2%	77.2%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MOBIL_I Type: Numeric

Label: GEOGRAPHIC MOBILITY STATUS:
STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	2205	8.9%	8.9%	1370	8.1%	8.1%
DID NOT MOVE FROM DIFFERENT STATE	2	22602	91.1%	91.1%	15647	91.9%	91.9%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: RACE_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	19005	76.6%	76.6%	13349	78.4%	78.4%
BLACK ONLY	2	2861	11.5%	11.5%	1732	10.2%	10.2%
OTHER + MULTIPLE RACE	3	2941	11.9%	11.9%	1936	11.4%	11.4%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	5079	20.5%	20.5%	3442	20.2%	20.2%
NON-HISPANIC WHITE ONLY	2	14720	59.3%	59.3%	10415	61.2%	61.2%
NON-HISPANIC BLACK ONLY	3	2545	10.3%	10.3%	1526	9.0%	9.0%
NON-HISPANIC OTHER + MULTIPLE RACE	4	2463	9.9%	9.9%	1634	9.6%	9.6%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: SEX Type: Numeric

Label: GENDER OF CHILD

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MALE	1	12688	51.1%	51.1%	8732	51.3%	51.3%
FEMALE	2	12119	48.9%	48.9%	8285	48.7%	48.7%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP07 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	340	1.4%	1.4%	252	1.5%	1.5%
MA	2	278	1.1%	1.1%	199	1.2%	1.2%
ME	4	304	1.2%	1.2%	219	1.3%	1.3%
NH	5	319	1.3%	1.3%	199	1.2%	1.2%
RI	6	334	1.3%	1.3%	238	1.4%	1.4%
VT	7	295	1.2%	1.2%	210	1.2%	1.2%
NJ	8	405	1.6%	1.6%	260	1.5%	1.5%
NY-REST OF STATE	10	342	1.4%	1.4%	231	1.4%	1.4%
NY-CITY OF NEW YORK	11	519	2.1%	2.1%	311	1.8%	1.8%
DISTRICT OF COLUMBIA	12	474	1.9%	1.9%	301	1.8%	1.8%
DE	13	413	1.7%	1.7%	284	1.7%	1.7%
MD	14	476	1.9%	1.9%	313	1.8%	1.8%
PA-REST OF STATE	16	511	2.1%	2.1%	343	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	322	1.3%	1.3%	209	1.2%	1.2%
VA	18	517	2.1%	2.1%	342	2.0%	2.0%
WV	19	393	1.6%	1.6%	282	1.7%	1.7%
AL	20	364	1.5%	1.5%	254	1.5%	1.5%
FL-REST OF STATE	22	377	1.5%	1.5%	253	1.5%	1.5%
FL-DADE COUNTY	24	447	1.8%	1.8%	268	1.6%	1.6%
GA	25	425	1.7%	1.7%	313	1.8%	1.8%
KY	27	462	1.9%	1.9%	318	1.9%	1.9%
MS	28	382	1.5%	1.5%	245	1.4%	1.4%
NC	29	368	1.5%	1.5%	263	1.5%	1.5%
SC	30	502	2.0%	2.0%	364	2.1%	2.1%
TN	31	385	1.6%	1.6%	271	1.6%	1.6%
IL-REST OF STATE	34	494	2.0%	2.0%	303	1.8%	1.8%
IL-CITY OF CHICAGO	35	454	1.8%	1.8%	295	1.7%	1.7%
IN-REST OF STATE	36	497	2.0%	2.0%	349	2.1%	2.1%
IN-MARION COUNTY	37	484	2.0%	2.0%	349	2.1%	2.1%
MI	38	385	1.6%	1.6%	270	1.6%	1.6%
MN	40	360	1.5%	1.5%	265	1.6%	1.6%
OH	41	419	1.7%	1.7%	290	1.7%	1.7%
WI	44	355	1.4%	1.4%	253	1.5%	1.5%
AR	46	466	1.9%	1.9%	347	2.0%	2.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP07 Type: Numeric							
Label: ESTIMATION AREA OF RESIDENCE							
Notes: Use as stratum identifier when calculating standard errors.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
LA	47	461	1.9%	1.9%	281	1.7%	1.7%
NM	49	369	1.5%	1.5%	268	1.6%	1.6%
OK	50	372	1.5%	1.5%	270	1.6%	1.6%
TX-REST OF STATE	51	431	1.7%	1.7%	298	1.8%	1.8%
TX-DALLAS COUNTY	52	384	1.5%	1.5%	276	1.6%	1.6%
TX-EL PASO COUNTY	53	331	1.3%	1.3%	225	1.3%	1.3%
TX-CITY OF HOUSTON	54	478	1.9%	1.9%	320	1.9%	1.9%
TX-BEXAR COUNTY	55	468	1.9%	1.9%	313	1.8%	1.8%
IA	56	348	1.4%	1.4%	266	1.6%	1.6%
KS	57	323	1.3%	1.3%	242	1.4%	1.4%
MO	58	363	1.5%	1.5%	258	1.5%	1.5%
NE	59	287	1.2%	1.2%	214	1.3%	1.3%
CO	60	322	1.3%	1.3%	212	1.2%	1.2%
MT	61	364	1.5%	1.5%	269	1.6%	1.6%
ND	62	317	1.3%	1.3%	249	1.5%	1.5%
SD	63	363	1.5%	1.5%	247	1.5%	1.5%
UT	64	423	1.7%	1.7%	309	1.8%	1.8%
WY	65	337	1.4%	1.4%	250	1.5%	1.5%
AZ	66	409	1.6%	1.6%	275	1.6%	1.6%
CA-REST OF STATE	68	312	1.3%	1.3%	195	1.1%	1.1%
CA-LOS ANGELES COUNTY	69	370	1.5%	1.5%	236	1.4%	1.4%
HI	72	360	1.5%	1.5%	214	1.3%	1.3%
NV	73	348	1.4%	1.4%	232	1.4%	1.4%
AK	74	309	1.2%	1.2%	222	1.3%	1.3%
ID	75	244	1.0%	1.0%	183	1.1%	1.1%
OR	76	300	1.2%	1.2%	214	1.3%	1.3%
WA-REST OF STATE	77	307	1.2%	1.2%	214	1.3%	1.3%
CA-ALAMEDA COUNTY	79	454	1.8%	1.8%	298	1.8%	1.8%
CA-SAN BERNARDINO COUNTY	80	445	1.8%	1.8%	271	1.6%	1.6%
WA-WESTERN WASHINGTON	773	340	1.4%	1.4%	233	1.4%	1.4%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric							
Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALABAMA	1	364	1.5%	1.5%	254	1.5%	1.5%
ALASKA	2	309	1.2%	1.2%	222	1.3%	1.3%
ARIZONA	4	409	1.6%	1.6%	275	1.6%	1.6%
ARKANSAS	5	466	1.9%	1.9%	347	2.0%	2.0%
CALIFORNIA	6	1581	6.4%	6.4%	1000	5.9%	5.9%
COLORADO	8	322	1.3%	1.3%	212	1.2%	1.2%
CONNECTICUT	9	340	1.4%	1.4%	252	1.5%	1.5%
DELAWARE	10	413	1.7%	1.7%	284	1.7%	1.7%
DISTRICT OF COLUMBIA	11	474	1.9%	1.9%	301	1.8%	1.8%
FLORIDA	12	824	3.3%	3.3%	521	3.1%	3.1%
GEORGIA	13	425	1.7%	1.7%	313	1.8%	1.8%
HAWAII	15	360	1.5%	1.5%	214	1.3%	1.3%
IDAHO	16	244	1.0%	1.0%	183	1.1%	1.1%
ILLINOIS	17	948	3.8%	3.8%	598	3.5%	3.5%
INDIANA	18	981	4.0%	4.0%	698	4.1%	4.1%
IOWA	19	348	1.4%	1.4%	266	1.6%	1.6%
KANSAS	20	323	1.3%	1.3%	242	1.4%	1.4%
KENTUCKY	21	462	1.9%	1.9%	318	1.9%	1.9%
LOUISIANA	22	461	1.9%	1.9%	281	1.7%	1.7%
MAINE	23	304	1.2%	1.2%	219	1.3%	1.3%
MARYLAND	24	476	1.9%	1.9%	313	1.8%	1.8%
MASSACHUSETTS	25	278	1.1%	1.1%	199	1.2%	1.2%
MICHIGAN	26	385	1.6%	1.6%	270	1.6%	1.6%
MINNESOTA	27	360	1.5%	1.5%	265	1.6%	1.6%
MISSISSIPPI	28	382	1.5%	1.5%	245	1.4%	1.4%
MISSOURI	29	363	1.5%	1.5%	258	1.5%	1.5%
MONTANA	30	364	1.5%	1.5%	269	1.6%	1.6%
NEBRASKA	31	287	1.2%	1.2%	214	1.3%	1.3%
NEVADA	32	348	1.4%	1.4%	232	1.4%	1.4%
NEW HAMPSHIRE	33	319	1.3%	1.3%	199	1.2%	1.2%
NEW JERSEY	34	405	1.6%	1.6%	260	1.5%	1.5%
NEW MEXICO	35	369	1.5%	1.5%	268	1.6%	1.6%
NEW YORK	36	861	3.5%	3.5%	542	3.2%	3.2%
NORTH CAROLINA	37	368	1.5%	1.5%	263	1.5%	1.5%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTH DAKOTA	38	317	1.3%	1.3%	249	1.5%	1.5%
OHIO	39	419	1.7%	1.7%	290	1.7%	1.7%
OKLAHOMA	40	372	1.5%	1.5%	270	1.6%	1.6%
OREGON	41	300	1.2%	1.2%	214	1.3%	1.3%
PENNSYLVANIA	42	833	3.4%	3.4%	552	3.2%	3.2%
RHODE ISLAND	44	334	1.3%	1.3%	238	1.4%	1.4%
SOUTH CAROLINA	45	502	2.0%	2.0%	364	2.1%	2.1%
SOUTH DAKOTA	46	363	1.5%	1.5%	247	1.5%	1.5%
TENNESSEE	47	385	1.6%	1.6%	271	1.6%	1.6%
TEXAS	48	2092	8.4%	8.4%	1432	8.4%	8.4%
UTAH	49	423	1.7%	1.7%	309	1.8%	1.8%
VERMONT	50	295	1.2%	1.2%	210	1.2%	1.2%
VIRGINIA	51	517	2.1%	2.1%	342	2.0%	2.0%
WASHINGTON	53	647	2.6%	2.6%	447	2.6%	2.6%
WEST VIRGINIA	54	393	1.6%	1.6%	282	1.7%	1.7%
WISCONSIN	55	355	1.4%	1.4%	253	1.5%	1.5%
WYOMING	56	337	1.4%	1.4%	250	1.5%	1.5%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES**Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)****Notes:****Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	47	0.2%	0.2%	30	0.2%	0.2%
1	1	16649	67.1%	69.0%	11614	68.2%	68.2%
2	2	6034	24.3%	25.0%	4390	25.8%	25.8%
3+	3	1396	5.6%	5.8%	983	5.8%	5.8%
SUBTOTALS:		24126	97.3%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	681	2.7%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: D7 Type: Numeric**Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	19896	80.2%	99.5%	16987	99.8%	100.0%
NO	2	108	0.4%	0.5%	0	0.0%	0.0%
SUBTOTALS:		20004	80.6%	100.0%	16987	99.8%	100.0%
RESERVED CODES:							
MISSING	.	4803	19.4%	n/a	30	0.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: DISPCODE Type: Numeric

Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE

Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.

These children should not be used in the calculation of vaccination coverage rates.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
COMPLETE PROVIDER INFO, NO PROBLEMS	1	5243	21.1%	30.8%	5243	30.8%	31.0%
COMPLETE PROVIDER INFO, NO SHOT CARD	2	10399	41.9%	61.1%	10399	61.1%	61.6%
COMPLETE PROVIDER INFO, POOR HISTORY	3	340	1.4%	2.0%	340	2.0%	2.0%
COMPLETE PROVIDER INFO, POOR HIST/OTHER	4	30	0.1%	0.2%	30	0.2%	0.2%
INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED	5	637	2.6%	3.7%	637	3.7%	3.8%
INCOMPLETE PROVIDER RESP, INFO MATCHES	6	9	0.0%	0.1%	9	0.1%	0.1%
INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN	7	135	0.5%	0.8%	0	0.0%	0.0%
INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH HH	8	13	0.1%	0.1%	13	0.1%	0.1%
INCOMPLETE PROVIDER RESP, MATCHES HH	9	23	0.1%	0.1%	23	0.1%	0.1%
INCOMPLETE PROVIDER RESP, HH NOT EXACT	10	195	0.8%	1.1%	195	1.1%	1.2%
SUBTOTALS:		17024	68.6%	100.0%	16889	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7783	31.4%	n/a	128	0.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: N_PRVR Type: Numeric

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)

Notes:

Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7783	31.4%	31.4%	128	0.8%	0.8%
1	1	14165	57.1%	57.1%	14045	82.5%	82.5%
2	2	2571	10.4%	10.4%	2556	15.0%	15.0%
3+	3	288	1.2%	1.2%	288	1.7%	1.7%
SUBTOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric
Label: PROVIDER FACILITY TYPE
Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1667	6.7%	9.8%	1650	9.7%	9.8%
ALL HOSPITAL FACILITIES	2	1436	5.8%	8.4%	1424	8.4%	8.4%
ALL PRIVATE FACILITIES	3	9639	38.9%	56.6%	9580	56.3%	56.7%
ALL MILITARY/OTHER FACILITIES	4	425	1.7%	2.5%	410	2.4%	2.4%
MIXED	5	1233	5.0%	7.2%	1228	7.2%	7.3%
TYPE OF PROVIDER UNKNOWN	6	2611	10.5%	15.3%	2584	15.2%	15.3%
ALL WIC CLINIC PROVIDERS	7	13	0.1%	0.1%	13	0.1%	0.1%
SUBTOTALS:		17024	68.6%	100.0%	16889	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7783	31.4%	n/a	128	0.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: REGISTRY Type: Numeric
Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	6966	28.1%	40.9%	6928	40.7%	41.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1289	5.2%	7.6%	1281	7.5%	7.6%
NO PROVIDERS	3	4192	16.9%	24.6%	4160	24.4%	24.6%
UNKNOWN/DON'T KNOW	4	4577	18.5%	26.9%	4520	26.6%	26.8%
SUBTOTALS:		17024	68.6%	100.0%	16889	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7783	31.4%	n/a	128	0.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES**Variable: VFC_ORDER** Type: Numeric**Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10684	43.1%	62.8%	10619	62.4%	62.9%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1300	5.2%	7.6%	1296	7.6%	7.7%
NO PROVIDERS	3	1809	7.3%	10.6%	1790	10.5%	10.6%
UNKNOWN/DON'T KNOW	4	3231	13.0%	19.0%	3184	18.7%	18.9%
SUBTOTALS:		17024	68.6%	100.0%	16889	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7783	31.4%	n/a	128	0.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: HEP_BRTH** Type: Numeric**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG****Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	9835	39.6%	58.4%	9760	57.4%	58.4%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	6992	28.2%	41.6%	6945	40.8%	41.6%
SUBTOTALS:		16827	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7980	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG****Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD	1	27	0.1%	20.0%	26	0.2%	19.4%
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	108	0.4%	80.0%	108	0.6%	80.6%
SUBTOTALS:		135	0.5%	100.0%	134	0.8%	100.0%
RESERVED CODES:							
MISSING	.	24672	99.5%	n/a	16883	99.2%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUHEPX Type: Numeric**Label: NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 60**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4499	18.1%	26.2%	4463	26.2%	26.2%
1	1	6140	24.8%	35.8%	6082	35.7%	35.7%
2	2	1471	5.9%	8.6%	1454	8.5%	8.5%
3	3	4632	18.7%	27.0%	4612	27.1%	27.1%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric

Label:**NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	401	1.6%	2.3%	397	2.3%	2.3%
5	5	8	0.0%	0.0%	8	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric

Label: NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2113	8.5%	12.3%	2063	12.1%	12.1%
1	1	937	3.8%	5.5%	914	5.4%	5.4%
2	2	1489	6.0%	8.7%	1473	8.7%	8.7%
3	3	5514	22.2%	32.1%	5481	32.2%	32.2%
4	4	7021	28.3%	40.9%	7008	41.2%	41.2%
5	5	74	0.3%	0.4%	74	0.4%	0.4%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUHPHB Type: Numeric****Label:****NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 43**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	13807	55.7%	80.5%	13689	80.4%	80.4%
1	1	874	3.5%	5.1%	867	5.1%	5.1%
2	2	946	3.8%	5.5%	938	5.5%	5.5%
3	3	1491	6.0%	8.7%	1489	8.8%	8.8%
4	4	33	0.1%	0.2%	33	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric**Label:****NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 07**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	15191	61.2%	88.6%	15060	88.5%	88.5%
1	1	1848	7.4%	10.8%	1846	10.8%	10.8%
2	2	49	0.2%	0.3%	49	0.3%	0.3%
3	3	24	0.1%	0.1%	23	0.1%	0.1%
4	4	37	0.1%	0.2%	36	0.2%	0.2%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHB Type: Numeric

Label:
NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 05 or 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	15157	61.1%	88.4%	15027	88.3%	88.3%
1	1	1875	7.6%	10.9%	1872	11.0%	11.0%
2	2	51	0.2%	0.3%	51	0.3%	0.3%
3	3	28	0.1%	0.2%	27	0.2%	0.2%
4	4	38	0.2%	0.2%	37	0.2%	0.2%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMDHI Type: Numeric

Label:
NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	8684	35.0%	50.6%	8593	50.5%	50.5%
1	1	924	3.7%	5.4%	904	5.3%	5.3%
2	2	1483	6.0%	8.6%	1471	8.6%	8.6%
3	3	5856	23.6%	34.1%	5844	34.3%	34.3%
4	4	203	0.8%	1.2%	203	1.2%	1.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHM Type: Numeric

Label:**NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 05

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17117	69.0%	99.8%	16983	99.8%	99.8%
1	1	29	0.1%	0.2%	28	0.2%	0.2%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMDTA Type: Numeric

Label: NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2743	11.1%	16.0%	2683	15.8%	15.8%
1	1	4901	19.8%	28.6%	4876	28.7%	28.7%
2	2	1320	5.3%	7.7%	1307	7.7%	7.7%
3	3	2055	8.3%	12.0%	2026	11.9%	11.9%
4	4	6064	24.4%	35.4%	6056	35.6%	35.6%
5	5	66	0.3%	0.4%	66	0.4%	0.4%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTM Type: Numeric

Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 01

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17140	69.1%	99.9%	17005	99.9%	99.9%
1	1	6	0.0%	0.0%	6	0.0%	0.0%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMDTP Type: Numeric

Label:
NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 01, 02, 03, 04, 05, 07, 08, or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	342	1.4%	2.0%	315	1.9%	1.9%
1	1	206	0.8%	1.2%	183	1.1%	1.1%
2	2	278	1.1%	1.6%	264	1.6%	1.6%
3	3	1821	7.3%	10.6%	1769	10.4%	10.4%
4	4	14281	57.6%	83.3%	14262	83.8%	83.8%
5	5	216	0.9%	1.3%	216	1.3%	1.3%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMFLU Type: Numeric****Label:****NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type FL**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7984	32.2%	46.5%	7875	46.3%	46.3%
1	1	3078	12.4%	17.9%	3071	18.0%	18.0%
2	2	3464	14.0%	20.2%	3448	20.3%	20.3%
3	3	2352	9.5%	13.7%	2349	13.8%	13.8%
4	4	269	1.1%	1.6%	269	1.6%	1.6%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMHEA Type: Numeric**Label:****NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HA**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	9037	36.4%	52.7%	8925	52.4%	52.4%
1	1	5002	20.2%	29.2%	4982	29.3%	29.3%
2	2	3102	12.5%	18.1%	3099	18.2%	18.2%
3	3	11	0.0%	0.1%	11	0.1%	0.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMHEN Type: Numeric****Label:****NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HB or DH**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17019	68.6%	99.2%	16884	99.2%	99.2%
1	1	74	0.3%	0.4%	74	0.4%	0.4%
2	2	46	0.2%	0.3%	46	0.3%	0.3%
3	3	13	0.1%	0.1%	13	0.1%	0.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMHEP Type: Numeric**Label:****NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 08, 43, 60, HB, or DH**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	329	1.3%	1.9%	316	1.9%	1.9%
1	1	342	1.4%	2.0%	304	1.8%	1.8%
2	2	582	2.3%	3.4%	553	3.2%	3.2%
3	3	10861	43.8%	63.3%	10822	63.6%	63.6%
4	4	4798	19.3%	28.0%	4782	28.1%	28.1%
5	5	226	0.9%	1.3%	226	1.3%	1.3%
6	6	12	0.0%	0.1%	12	0.1%	0.1%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIB Type: Numeric							
Label: NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.							
Notes: Vaccine type 05, 07, 43, 44, or HI							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	397	1.6%	2.3%	365	2.1%	2.1%
1	1	269	1.1%	1.6%	244	1.4%	1.4%
2	2	591	2.4%	3.4%	569	3.3%	3.3%
3	3	6183	24.9%	36.0%	6142	36.1%	36.1%
4	4	9543	38.5%	55.6%	9528	56.0%	56.0%
5	5	158	0.6%	0.9%	158	0.9%	0.9%
6	6	10	0.0%	0.1%	10	0.1%	0.1%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMHIN Type: Numeric							
Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.							
Notes: Vaccine type HI							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16897	68.1%	98.5%	16767	98.5%	98.5%
1	1	133	0.5%	0.8%	129	0.8%	0.8%
2	2	39	0.2%	0.2%	39	0.2%	0.2%
3	3	55	0.2%	0.3%	54	0.3%	0.3%
4	4	27	0.1%	0.2%	27	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMIPV Type: Numeric****Label: NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 21**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6822	27.5%	39.8%	6755	39.7%	39.7%
1	1	1586	6.4%	9.2%	1566	9.2%	9.2%
2	2	1143	4.6%	6.7%	1123	6.6%	6.6%
3	3	7312	29.5%	42.6%	7286	42.8%	42.8%
4	4	283	1.1%	1.6%	281	1.7%	1.7%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMCN Type: Numeric**Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17037	68.7%	99.3%	16904	99.3%	99.3%
1	1	111	0.4%	0.6%	110	0.6%	0.6%
2	2	4	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMMR Type: Numeric****Label: NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30, 31, 32, 33, MM or VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1274	5.1%	7.4%	1195	7.0%	7.0%
1	1	15623	63.0%	91.1%	15569	91.5%	91.5%
2	2	254	1.0%	1.5%	252	1.5%	1.5%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMMRX Type: Numeric**Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4295	17.3%	25.0%	4205	24.7%	24.7%
1	1	12705	51.2%	74.1%	12661	74.4%	74.4%
2	2	152	0.6%	0.9%	151	0.9%	0.9%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMX Type: Numeric

Label:
NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1431	5.8%	8.3%	1350	7.9%	7.9%
1	1	15501	62.5%	90.4%	15448	90.8%	90.8%
2	2	219	0.9%	1.3%	218	1.3%	1.3%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMP Type: Numeric

Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17131	69.1%	99.9%	16996	99.9%	99.9%
1	1	21	0.1%	0.1%	21	0.1%	0.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMPR Type: Numeric

Label: NUMBER OF
(MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17151	69.1%	100.0%	17016	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMPR Type: Numeric****Label: NUMBER OF
(MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric**Label:
NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	14237	57.4%	83.0%	14111	82.9%	82.9%
1	1	2897	11.7%	16.9%	2888	17.0%	17.0%
2	2	18	0.1%	0.1%	18	0.1%	0.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMS Type: Numeric**Label:
NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 31**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17084	68.9%	99.6%	16949	99.6%	99.6%
1	1	68	0.3%	0.4%	68	0.4%	0.4%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSM Type: Numeric

Label:
NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17148	69.1%	100.0%	17013	100.0%	100.0%
1	1	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMMSR Type: Numeric

Label:
NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17151	69.1%	100.0%	17016	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric

Label:
NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17004	68.5%	99.1%	16870	99.1%	99.1%
1	1	66	0.3%	0.4%	65	0.4%	0.4%
2	2	36	0.1%	0.2%	36	0.2%	0.2%
3	3	40	0.2%	0.2%	40	0.2%	0.2%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOLN Type: Numeric

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	5	0.0%	0.0%	5	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMOPV Type: Numeric

Label: NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16995	68.5%	99.1%	16862	99.1%	99.1%
1	1	28	0.1%	0.2%	28	0.2%	0.2%
2	2	30	0.1%	0.2%	30	0.2%	0.2%
3	3	80	0.3%	0.5%	79	0.5%	0.5%
4	4	16	0.1%	0.1%	15	0.1%	0.1%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC Type: Numeric

Label:
NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1323	5.3%	7.7%	1288	7.6%	7.6%
1	1	421	1.7%	2.5%	399	2.3%	2.3%
2	2	610	2.5%	3.6%	592	3.5%	3.5%
3	3	2385	9.6%	13.9%	2344	13.8%	13.8%
4	4	12282	49.5%	71.6%	12263	72.1%	72.1%
5	5	127	0.5%	0.7%	127	0.7%	0.7%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMPCN Type: Numeric

Label:
NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16469	66.4%	96.0%	16337	96.0%	96.0%
1	1	287	1.2%	1.7%	286	1.7%	1.7%
2	2	70	0.3%	0.4%	69	0.4%	0.4%
3	3	95	0.4%	0.6%	95	0.6%	0.6%
4	4	231	0.9%	1.3%	230	1.4%	1.4%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP Type: Numeric

Label:
NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16956	68.4%	98.9%	16821	98.8%	98.8%
1	1	22	0.1%	0.1%	22	0.1%	0.1%
2	2	20	0.1%	0.1%	20	0.1%	0.1%
3	3	34	0.1%	0.2%	34	0.2%	0.2%
4	4	120	0.5%	0.7%	120	0.7%	0.7%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMPCV Type: Numeric

Label:
NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70, 71, or 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	828	3.3%	4.8%	795	4.7%	4.7%
1	1	379	1.5%	2.2%	357	2.1%	2.1%
2	2	595	2.4%	3.5%	576	3.4%	3.4%
3	3	2267	9.1%	13.2%	2227	13.1%	13.1%
4	4	12928	52.1%	75.4%	12907	75.8%	75.8%
5	5	149	0.6%	0.9%	149	0.9%	0.9%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPOL Type: Numeric

Label:
NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, or 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	457	1.8%	2.7%	419	2.5%	2.5%
1	1	200	0.8%	1.2%	181	1.1%	1.1%
2	2	610	2.5%	3.6%	587	3.4%	3.4%
3	3	15054	60.7%	87.8%	15002	88.2%	88.2%
4	4	801	3.2%	4.7%	799	4.7%	4.7%
5	5	23	0.1%	0.1%	22	0.1%	0.1%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMRB Type: Numeric

Label:
NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17130	69.1%	99.9%	16995	99.9%	99.9%
1	1	21	0.1%	0.1%	21	0.1%	0.1%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMROT Type: Numeric

Label:**NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type RO**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17144	69.1%	100.0%	17009	100.0%	100.0%
1	1	5	0.0%	0.0%	5	0.0%	0.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMTPM Type: Numeric

Label: NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**Notes: Vaccine type 02**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16669	67.2%	97.2%	16541	97.2%	97.2%
1	1	152	0.6%	0.9%	151	0.9%	0.9%
2	2	46	0.2%	0.3%	44	0.3%	0.3%
3	3	110	0.4%	0.6%	107	0.6%	0.6%
4	4	172	0.7%	1.0%	171	1.0%	1.0%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN Type: Numeric

Label:**NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 03 or DH**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16946	68.3%	98.8%	16813	98.8%	98.8%
1	1	126	0.5%	0.7%	125	0.7%	0.7%
2	2	29	0.1%	0.2%	29	0.2%	0.2%
3	3	27	0.1%	0.2%	27	0.2%	0.2%
4	4	23	0.1%	0.1%	22	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMVRC Type: Numeric

Label:**NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type VA, VO, or VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1801	7.3%	10.5%	1714	10.1%	10.1%
1	1	15185	61.2%	88.5%	15137	89.0%	89.0%
2	2	164	0.7%	1.0%	164	1.0%	1.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRN Type: Numeric

Label:**NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17052	68.7%	99.4%	16918	99.4%	99.4%
1	1	98	0.4%	0.6%	97	0.6%	0.6%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_NUMVRX Type: Numeric

Label:**NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VO

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4763	19.2%	27.8%	4666	27.4%	27.4%
1	1	12295	49.6%	71.7%	12257	72.0%	72.0%
2	2	93	0.4%	0.5%	93	0.5%	0.5%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U12VRC Type: Numeric

**Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS**

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1950	7.9%	11.4%	1861	10.9%	10.9%
UTD	1	15202	61.3%	88.6%	15156	89.1%	89.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTD331 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1

Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1822	7.3%	10.6%	1717	10.1%	10.1%
UTD	1	15330	61.8%	89.4%	15300	89.9%	89.9%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTD431 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2990	12.1%	17.4%	2866	16.8%	16.8%
UTD	1	14162	57.1%	82.6%	14151	83.2%	83.2%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDFL1 Type: Numeric****Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1**

Notes: For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), and received at least one influenza vaccine during this period.
(VACCINATED) For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), and received no influenza vaccine during this period.
(NOT VACCINATED) Child falls into neither of the preceding categories.
(NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	3419	13.8%	19.9%	3410	20.0%	20.0%
NOT VACCINATED	2	6360	25.6%	37.1%	6300	37.0%	37.0%
NOT ELIGIBLE	3	7373	29.7%	43.0%	7307	42.9%	42.9%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDFL2 Type: Numeric**Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2**

Notes: For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), and either
 (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1)
 and whichever is earlier, date of interview or 1/31/X) OR
 (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during
 the period 9/1/X-1 and 12/31/X-1)
(VACCINATED). For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), but does not qualify for the above definition.
(NOT VACCINATED). For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and
 12/31/X-1. **(NOT ELIGIBLE)**.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	2399	9.7%	14.0%	2392	14.1%	14.1%
NOT VACCINATED	2	7380	29.7%	43.0%	7318	43.0%	43.0%
NOT ELIGIBLE	3	7373	29.7%	43.0%	7307	42.9%	42.9%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDFL2 Type: Numeric****Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2**

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1) (VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition. (NOT VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDFL3 Type: Numeric**Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3**

Notes: Definition same as P_UTDFL2 with one exception: For interviews conducted during year X (defined using the year variable associated with the quarter), if child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1) and child received no doses of influenza prior to 9/1/X-2, received 1 dose of varicella between 9/1/X-2 and 9/1/X-1, and received 1 dose of varicella between 9/1/X-1 and whichever is earlier, date of interview or 1/31/X, then NOT VACCINATED.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	1827	7.4%	10.7%	1823	10.7%	10.7%
NOT VACCINATED	2	7952	32.1%	46.4%	7887	46.3%	46.3%
NOT ELIGIBLE	3	7373	29.7%	43.0%	7307	42.9%	42.9%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDHEP Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS****Notes: 3+ Hepatitis B-containing (08,43,60,HB,DH)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1253	5.1%	7.3%	1173	6.9%	6.9%
UTD	1	15899	64.1%	92.7%	15844	93.1%	93.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDHIB Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS****Notes: 3+ HIB-containing (05,07,43,44,HI)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1257	5.1%	7.3%	1178	6.9%	6.9%
UTD	1	15895	64.1%	92.7%	15839	93.1%	93.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT****Notes: 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1274	5.1%	7.4%	1195	7.0%	7.0%
UTD	1	15878	64.0%	92.6%	15822	93.0%	93.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDMMX Type: Numeric****Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT****Notes: 1+ MMR combo shot (30)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1431	5.8%	8.3%	1350	7.9%	7.9%
UTD	1	15721	63.4%	91.7%	15667	92.1%	92.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDPC3 Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS****Notes: 3+ Pneumococcal-containing (70,71,72)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1802	7.3%	10.5%	1728	10.2%	10.2%
UTD	1	15350	61.9%	89.5%	15289	89.8%	89.8%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDPCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS****Notes: 4+ Pneumococcal-containing (70,71,72)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4069	16.4%	23.7%	3955	23.2%	23.2%
UTD	1	13083	52.7%	76.3%	13062	76.8%	76.8%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPOL Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS							
Notes: 3+ Polio-containing (08,20,21,22)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1267	5.1%	7.4%	1187	7.0%	7.0%
UTD	1	15885	64.0%	92.6%	15830	93.0%	93.0%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDTP3 Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS							
Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	826	3.3%	4.8%	762	4.5%	4.5%
UTD	1	16326	65.8%	95.2%	16255	95.5%	95.5%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS							
Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2647	10.7%	15.4%	2531	14.9%	14.9%
UTD	1	14505	58.5%	84.6%	14486	85.1%	85.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431331 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1
(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), and 1+ Varicella-containing (VA,VO,VM) at age 12+ months

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3980	16.0%	23.2%	3845	22.6%	22.6%
UTD	1	13172	53.1%	76.8%	13172	77.4%	77.4%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PU4313313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3
(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), 1+ Varicella-containing (VA,VO,VM) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4538	18.3%	26.5%	4403	25.9%	25.9%
UTD	1	12614	50.8%	73.5%	12614	74.1%	74.1%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU4313314 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4
(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), 1+ Varicella-containing (VA,VO,VM) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5723	23.1%	33.4%	5588	32.8%	32.8%
UTD	1	11429	46.1%	66.6%	11429	67.2%	67.2%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PUT43133 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), and 3+ Hepatitis B-containing (08,43,60,HB,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3406	13.7%	19.9%	3271	19.2%	19.2%
UTD	1	13746	55.4%	80.1%	13746	80.8%	80.8%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PUTD4313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3147	12.7%	18.3%	3017	17.7%	17.7%
UTD	1	14005	56.5%	81.7%	14000	82.3%	82.3%
SUBTOTALS:		17152	69.1%	100.0%	17017	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7655	30.9%	n/a	0	0.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16813	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7994	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	74.4	64.0	0.0	1165.0	54.7
Adequate Provider Data	74.2	64.0	0.0	1165.0	53.9

Variable: DDTP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16622	67.0%	100.0%	16536	97.2%	100.0%
RESERVED CODES:							
MISSING	.	8185	33.0%	n/a	481	2.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	144.4	127.0	37.0	1193.0	67.0
Adequate Provider Data	144.2	127.0	37.0	1193.0	66.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16362	66.0%	100.0%	16289	95.7%	100.0%
RESERVED CODES:							
MISSING	.	8445	34.0%	n/a	728	4.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	219.1	192.0	91.0	1154.0	85.8
Adequate Provider Data	218.9	192.0	91.0	1154.0	85.1

Variable: DDTP4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14740	59.4%	100.0%	14721	86.5%	100.0%
RESERVED CODES:							
MISSING	.	10067	40.6%	n/a	2296	13.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	518.7	493.0	145.0	1197.0	100.3
Adequate Provider Data	518.7	493.0	145.0	1197.0	100.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		241	1.0%	100.0%	240	1.4%	100.0%
RESERVED CODES:							
MISSING	.	24566	99.0%	n/a	16777	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	611.7	566.0	214.0	1249.0	164.3
Adequate Provider Data	609.7	565.0	214.0	1249.0	161.7

Variable: DDTP6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9	0.0%	100.0%	9	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24798	100.0%	n/a	17008	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	605.1	588.0	457.0	795.0	138.4
Adequate Provider Data	605.1	588.0	457.0	795.0	138.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DDTP7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	599.0	599.0	599.0	599.0	.
Adequate Provider Data	599.0	599.0	599.0	599.0	.

Variable: DDTP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DDTP9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9342	37.7%	100.0%	9314	54.7%	100.0%
RESERVED CODES:							
MISSING	.	15465	62.3%	n/a	7703	45.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DFLU1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	374.7	338.0	0.0	1290.0	189.8
Adequate Provider Data	374.8	339.0	0.0	1290.0	189.6

Variable: DFLU2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6342	25.6%	100.0%	6322	37.2%	100.0%
RESERVED CODES:							
MISSING	.	18465	74.4%	n/a	10695	62.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DFLU2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	466.8	438.5	92.0	1213.0	201.1
Adequate Provider Data	466.8	439.0	92.0	1213.0	200.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2906	11.7%	100.0%	2902	17.1%	100.0%
RESERVED CODES:							
MISSING	.	21901	88.3%	n/a	14115	82.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DFLU3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	691.1	672.0	174.0	1202.0	149.5
Adequate Provider Data	691.1	672.0	174.0	1202.0	149.5

Variable: DFLU4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		403	1.6%	100.0%	403	2.4%	100.0%
RESERVED CODES:							
MISSING	.	24404	98.4%	n/a	16614	97.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DFLU4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	928.0	939.0	403.0	1343.0	128.8
Adequate Provider Data	928.0	939.0	403.0	1343.0	128.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24795	100.0%	n/a	17005	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DFLU5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	1044.0	1000.5	871.0	1282.0	124.2
Adequate Provider Data	1044.0	1000.5	871.0	1282.0	124.2

Variable: DFLU6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DFLU7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DFLU9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHEPA1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8649	34.9%	100.0%	8622	50.7%	100.0%
RESERVED CODES:							
MISSING	.	16158	65.1%	n/a	8395	49.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	578.6	554.0	0.0	1226.0	174.2
Adequate Provider Data	578.5	554.0	0.0	1226.0	173.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4100	16.5%	100.0%	4094	24.1%	100.0%
RESERVED CODES:							
MISSING	.	20707	83.5%	n/a	12923	75.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPA2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	741.3	735.0	94.0	1241.0	151.5
Adequate Provider Data	741.4	735.0	249.0	1241.0	151.2

Variable: DHEPA3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24791	99.9%	n/a	17001	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPA3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	790.8	780.5	552.0	1176.0	204.0
Adequate Provider Data	790.8	780.5	552.0	1176.0	204.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPA4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	1128.0	1128.0	1128.0	1128.0	.
Adequate Provider Data	1128.0	1128.0	1128.0	1128.0	.

Variable: DHEPA5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHEPA6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHEPA8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHEPA9 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16827	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7980	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	31.3	2.0	0.0	1165.0	63.9
Adequate Provider Data	31.2	2.0	0.0	1165.0	63.4

Variable: DHEPB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16503	66.5%	100.0%	16418	96.5%	100.0%
RESERVED CODES:							
MISSING	.	8304	33.5%	n/a	599	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	103.0	71.0	15.0	1193.0	81.8
Adequate Provider Data	102.9	71.0	15.0	1193.0	81.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15952	64.3%	100.0%	15897	93.4%	100.0%
RESERVED CODES:							
MISSING	.	8855	35.7%	n/a	1120	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	237.9	194.0	51.0	1197.0	127.0
Adequate Provider Data	238.0	194.0	51.0	1197.0	127.1

Variable: DHEPB4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5058	20.4%	100.0%	5042	29.6%	100.0%
RESERVED CODES:							
MISSING	.	19749	79.6%	n/a	11975	70.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	258.9	197.0	118.0	1160.0	128.6
Adequate Provider Data	258.7	197.0	118.0	1160.0	128.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		245	1.0%	100.0%	245	1.4%	100.0%
RESERVED CODES:							
MISSING	.	24562	99.0%	n/a	16772	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	453.1	459.0	182.0	1138.0	159.3
Adequate Provider Data	453.1	459.0	182.0	1138.0	159.3

Variable: DHEPB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24792	99.9%	n/a	17002	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	546.1	505.0	368.0	1018.0	169.1
Adequate Provider Data	546.1	505.0	368.0	1018.0	169.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHEPB7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	516.0	516.0	489.0	543.0	38.2
Adequate Provider Data	516.0	516.0	489.0	543.0	38.2

Variable: DHEPB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHEPB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16761	67.6%	100.0%	16658	97.9%	100.0%
RESERVED CODES:							
MISSING	.	8046	32.4%	n/a	359	2.1%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	75.5	64.0	0.0	1165.0	58.6
Adequate Provider Data	75.3	64.0	0.0	1165.0	57.8

Variable: DHIB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16495	66.5%	100.0%	16416	96.5%	100.0%
RESERVED CODES:							
MISSING	.	8312	33.5%	n/a	601	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	145.2	127.0	42.0	1193.0	66.3
Adequate Provider Data	145.0	127.0	42.0	1193.0	65.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15943	64.3%	100.0%	15887	93.4%	100.0%
RESERVED CODES:							
MISSING	.	8864	35.7%	n/a	1130	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	289.5	211.0	105.0	1122.0	132.2
Adequate Provider Data	289.7	211.0	105.0	1122.0	132.2

Variable: DHIB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9816	39.6%	100.0%	9801	57.6%	100.0%
RESERVED CODES:							
MISSING	.	14991	60.4%	n/a	7216	42.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	476.2	463.0	141.0	1249.0	99.9
Adequate Provider Data	476.2	463.0	141.0	1249.0	100.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		176	0.7%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING	.	24631	99.3%	n/a	16841	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	550.1	522.5	182.0	1114.0	160.8
Adequate Provider Data	550.1	522.5	182.0	1114.0	160.8

Variable: DHIB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24795	100.0%	n/a	17005	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	534.4	521.5	454.0	762.0	88.6
Adequate Provider Data	534.4	521.5	454.0	762.0	88.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DHIB7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	599.0	599.0	599.0	599.0	.
Adequate Provider Data	599.0	599.0	599.0	599.0	.

Variable: DHIB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DHIB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15966	64.4%	100.0%	15910	93.5%	100.0%
RESERVED CODES:							
MISSING	.	8841	35.6%	n/a	1107	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DMMR1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	423.3	385.0	0.0	1165.0	86.4
Adequate Provider Data	423.2	385.0	0.0	1165.0	86.4

Variable: DMMR2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		280	1.1%	100.0%	278	1.6%	100.0%
RESERVED CODES:							
MISSING	.	24527	98.9%	n/a	16739	98.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DMMR2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	633.4	596.0	365.0	1201.0	179.0
Adequate Provider Data	634.1	596.0	365.0	1201.0	179.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DMMR3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	548.0	548.0	548.0	548.0	.
Adequate Provider Data	548.0	548.0	548.0	548.0	.

Variable: DMMR4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMMR5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMMR7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMMR8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMP1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21	0.1%	100.0%	21	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24786	99.9%	n/a	16996	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DMP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	522.5	502.0	374.0	699.0	115.3
Adequate Provider Data	522.5	502.0	374.0	699.0	115.3

Variable: DMP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMP4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMP5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP6 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMP7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMP8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMPRB1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DMPRB1 Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	608.0	608.0	608.0	608.0	.	
Adequate Provider Data	608.0	608.0	608.0	608.0	.	

Variable: DMPRB2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB3 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMPRB4 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMPRB5 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB6 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMPRB7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DMPRB8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DPCV1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16336	65.9%	100.0%	16233	95.4%	100.0%
RESERVED CODES:							
MISSING	.	8471	34.1%	n/a	784	4.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	84.5	64.0	0.0	1226.0	81.0
Adequate Provider Data	84.2	64.0	0.0	1226.0	79.8

Variable: DPCV2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15963	64.3%	100.0%	15882	93.3%	100.0%
RESERVED CODES:							
MISSING	.	8844	35.7%	n/a	1135	6.7%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	154.1	128.0	42.0	1154.0	82.8
Adequate Provider Data	153.9	128.0	42.0	1154.0	82.5

Variable: DPCV3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15387	62.0%	100.0%	15325	90.1%	100.0%
RESERVED CODES:							
MISSING	.	9420	38.0%	n/a	1692	9.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	231.3	194.0	98.0	1111.0	98.1
Adequate Provider Data	231.0	194.0	98.0	1111.0	97.9

Variable: DPCV4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13202	53.2%	100.0%	13181	77.5%	100.0%
RESERVED CODES:							
MISSING	.	11605	46.8%	n/a	3836	22.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	446.2	424.0	176.0	1249.0	99.0
Adequate Provider Data	446.2	424.0	176.0	1249.0	98.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		167	0.7%	100.0%	167	1.0%	100.0%
RESERVED CODES:							
MISSING	.	24640	99.3%	n/a	16850	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	555.2	520.0	305.0	1023.0	164.4
Adequate Provider Data	555.2	520.0	305.0	1023.0	164.4

Variable: DPCV6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24801	100.0%	n/a	17011	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	466.3	455.0	373.0	551.0	67.7
Adequate Provider Data	466.3	455.0	373.0	551.0	67.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPCV7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	550.5	550.5	502.0	599.0	68.6
Adequate Provider Data	550.5	550.5	502.0	599.0	68.6

Variable: DPCV8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DPCV9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16699	67.3%	100.0%	16601	97.6%	100.0%
RESERVED CODES:							
MISSING	.	8108	32.7%	n/a	416	2.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	74.7	64.0	0.0	1165.0	50.9
Adequate Provider Data	74.6	64.0	0.0	1165.0	50.2

Variable: DPOLIO2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16516	66.6%	100.0%	16436	96.6%	100.0%
RESERVED CODES:							
MISSING	.	8291	33.4%	n/a	581	3.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	146.8	128.0	35.0	1193.0	69.4
Adequate Provider Data	146.6	128.0	35.0	1193.0	68.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15958	64.3%	100.0%	15903	93.5%	100.0%
RESERVED CODES:							
MISSING	.	8849	35.7%	n/a	1114	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	287.8	206.0	60.0	1197.0	148.6
Adequate Provider Data	287.9	206.0	60.0	1197.0	148.6

Variable: DPOLIO4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		848	3.4%	100.0%	845	5.0%	100.0%
RESERVED CODES:							
MISSING	.	23959	96.6%	n/a	16172	95.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	480.0	472.0	92.0	1160.0	150.2
Adequate Provider Data	480.2	472.0	92.0	1160.0	150.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		30	0.1%	100.0%	29	0.2%	100.0%
RESERVED CODES:							
MISSING	.	24777	99.9%	n/a	16988	99.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	503.1	516.5	123.0	1034.0	203.1
Adequate Provider Data	506.4	523.0	123.0	1034.0	205.9

Variable: DPOLIO6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24799	100.0%	n/a	17009	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	507.9	566.0	168.0	743.0	175.6
Adequate Provider Data	507.9	566.0	168.0	743.0	175.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DPOLIO7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	408.0	408.0	199.0	617.0	295.6
Adequate Provider Data	408.0	408.0	199.0	617.0	295.6

Variable: DPOLIO8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DPOLIO9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23	0.1%	100.0%	23	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24784	99.9%	n/a	16994	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	557.2	521.0	345.0	886.0	159.4
Adequate Provider Data	557.2	521.0	345.0	886.0	159.4

Variable: DRB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DRB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	593.0	593.0	593.0	593.0	.
Adequate Provider Data	593.0	593.0	593.0	593.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DRB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DRB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DRB7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DRB8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DROT1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24799	100.0%	n/a	17009	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DROT1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	295.6	251.0	61.0	757.0	227.4
Adequate Provider Data	295.6	251.0	61.0	757.0	227.4

Variable: DROT2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT2		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	206.3	123.0	98.0	398.0	166.5	
Adequate Provider Data	206.3	123.0	98.0	398.0	166.5	

Variable: DROT3		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DROT3		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	268.0	200.0	129.0	475.0	182.7	
Adequate Provider Data	268.0	200.0	129.0	475.0	182.7	

Variable: DROT4		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DROT4		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	463.0	463.0	463.0	463.0	.	
Adequate Provider Data	463.0	463.0	463.0	463.0	.	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DROT6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DROT7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DROT9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DTP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16813	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7994	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.0	0.0	38.0	1.8
Adequate Provider Data	2.1	2.0	0.0	38.0	1.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16622	67.0%	100.0%	16536	97.2%	100.0%
RESERVED CODES:							
MISSING	.	8185	33.0%	n/a	481	2.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	39.0	2.2
Adequate Provider Data	4.4	4.0	1.0	39.0	2.2

Variable: DTP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16362	66.0%	100.0%	16289	95.7%	100.0%
RESERVED CODES:							
MISSING	.	8445	34.0%	n/a	728	4.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.8	6.0	3.0	37.0	2.8
Adequate Provider Data	6.8	6.0	3.0	37.0	2.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14740	59.4%	100.0%	14721	86.5%	100.0%
RESERVED CODES:							
MISSING	.	10067	40.6%	n/a	2296	13.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.7	16.0	4.0	39.0	3.3
Adequate Provider Data	16.7	16.0	4.0	39.0	3.3

Variable: DTP5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		241	1.0%	100.0%	240	1.4%	100.0%
RESERVED CODES:							
MISSING	.	24566	99.0%	n/a	16777	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.7	18.0	6.0	41.0	5.3
Adequate Provider Data	19.6	18.0	6.0	41.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9	0.0%	100.0%	9	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24798	100.0%	n/a	17008	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.7	19.0	15.0	26.0	4.4
Adequate Provider Data	19.7	19.0	15.0	26.0	4.4

Variable: DTP7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DTP7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.0	19.0	19.0	19.0	.
Adequate Provider Data	19.0	19.0	19.0	19.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DTP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DVRC1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15455	62.3%	100.0%	15406	90.5%	100.0%
RESERVED CODES:							
MISSING	.	9352	37.7%	n/a	1611	9.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	424.2	382.0	0.0	1174.0	93.3
Adequate Provider Data	424.2	382.0	0.0	1174.0	93.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		196	0.8%	100.0%	196	1.2%	100.0%
RESERVED CODES:							
MISSING	.	24611	99.2%	n/a	16821	98.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DVRC2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	671.4	687.0	122.0	1152.0	195.2
Adequate Provider Data	671.4	687.0	122.0	1152.0	195.2

Variable: DVRC3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: DVRC3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	769.7	734.0	460.0	1115.0	329.0
Adequate Provider Data	769.7	734.0	460.0	1115.0	329.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DVRC5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DVRC6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DVRC8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: DVRC9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9342	37.7%	100.0%	9314	54.7%	100.0%
RESERVED CODES:							
MISSING	.	15465	62.3%	n/a	7703	45.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FLU1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	11.9	11.0	0.0	42.0	6.2
Adequate Provider Data	11.9	11.0	0.0	42.0	6.2

Variable: FLU2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6342	25.6%	100.0%	6322	37.2%	100.0%
RESERVED CODES:							
MISSING	.	18465	74.4%	n/a	10695	62.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.9	14.0	3.0	39.0	6.6
Adequate Provider Data	14.9	14.0	3.0	39.0	6.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU3_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2906	11.7%	100.0%	2902	17.1%	100.0%
RESERVED CODES:							
MISSING	.	21901	88.3%	n/a	14115	82.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FLU3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.3	22.0	5.0	39.0	4.9
Adequate Provider Data	22.3	22.0	5.0	39.0	4.9

Variable: FLU4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		403	1.6%	100.0%	403	2.4%	100.0%
RESERVED CODES:							
MISSING	.	24404	98.4%	n/a	16614	97.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	30.0	30.0	13.0	44.0	4.3
Adequate Provider Data	30.0	30.0	13.0	44.0	4.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU5_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24795	100.0%	n/a	17005	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: FLU5_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	33.8	32.0	28.0	42.0	4.2
Adequate Provider Data	33.8	32.0	28.0	42.0	4.2

Variable: FLU6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: FLU7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU8_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: FLU9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HEA1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8649	34.9%	100.0%	8622	50.7%	100.0%
RESERVED CODES:							
MISSING	.	16158	65.1%	n/a	8395	49.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.7	18.0	0.0	40.0	5.7
Adequate Provider Data	18.6	18.0	0.0	40.0	5.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4100	16.5%	100.0%	4094	24.1%	100.0%
RESERVED CODES:							
MISSING	.	20707	83.5%	n/a	12923	75.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEA2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	24.0	24.0	3.0	40.0	5.0
Adequate Provider Data	24.0	24.0	8.0	40.0	5.0

Variable: HEA3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24791	99.9%	n/a	17001	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	25.7	25.5	18.0	38.0	6.7
Adequate Provider Data	25.7	25.5	18.0	38.0	6.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA4_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEA4_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	37.0	37.0	37.0	37.0	.
Adequate Provider Data	37.0	37.0	37.0	37.0	.

Variable: HEA5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HEA6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA7_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HEA8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HEA9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP1_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16827	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7980	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP1_AGE Type: Numeric**CASES**

All

Adequate Provider Data

MEAN	MEDIAN	MIN	MAX	STDDev
0.9	0.0	0.0	38.0	2.0
0.9	0.0	0.0	38.0	2.0

Variable: HEP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16503	66.5%	100.0%	16418	96.5%	100.0%
RESERVED CODES:							
MISSING	.	8304	33.5%	n/a	599	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric**CASES**

All

Adequate Provider Data

MEAN	MEDIAN	MIN	MAX	STDDev
3.1	2.0	0.0	39.0	2.7
3.1	2.0	0.0	39.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15952	64.3%	100.0%	15897	93.4%	100.0%
RESERVED CODES:							
MISSING	.	8855	35.7%	n/a	1120	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.5	6.0	1.0	39.0	4.2
Adequate Provider Data	7.5	6.0	1.0	39.0	4.2

Variable: HEP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5058	20.4%	100.0%	5042	29.6%	100.0%
RESERVED CODES:							
MISSING	.	19749	79.6%	n/a	11975	70.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.2	6.0	3.0	38.0	4.2
Adequate Provider Data	8.1	6.0	3.0	38.0	4.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		245	1.0%	100.0%	245	1.4%	100.0%
RESERVED CODES:							
MISSING	.	24562	99.0%	n/a	16772	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.5	15.0	6.0	37.0	5.2
Adequate Provider Data	14.5	15.0	6.0	37.0	5.2

Variable: HEP6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24792	99.9%	n/a	17002	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.6	16.0	12.0	33.0	5.6
Adequate Provider Data	17.6	16.0	12.0	33.0	5.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP7_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HEP7_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDev**

All	16.5	16.5	16.0	17.0	0.7
Adequate Provider Data	16.5	16.5	16.0	17.0	0.7

Variable: HEP8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HEP9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16761	67.6%	100.0%	16658	97.9%	100.0%
RESERVED CODES:							
MISSING	.	8046	32.4%	n/a	359	2.1%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.0	0.0	38.0	1.9
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9

Variable: HIB2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16495	66.5%	100.0%	16416	96.5%	100.0%
RESERVED CODES:							
MISSING	.	8312	33.5%	n/a	601	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	39.0	2.2
Adequate Provider Data	4.4	4.0	1.0	39.0	2.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15943	64.3%	100.0%	15887	93.4%	100.0%
RESERVED CODES:							
MISSING	.	8864	35.7%	n/a	1130	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	9.2	6.0	3.0	36.0	4.3
Adequate Provider Data	9.2	6.0	3.0	36.0	4.3

Variable: HIB4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9816	39.6%	100.0%	9801	57.6%	100.0%
RESERVED CODES:							
MISSING	.	14991	60.4%	n/a	7216	42.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.3	15.0	4.0	41.0	3.2
Adequate Provider Data	15.3	15.0	4.0	41.0	3.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		176	0.7%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING	.	24631	99.3%	n/a	16841	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.7	17.0	6.0	36.0	5.2
Adequate Provider Data	17.7	17.0	6.0	36.0	5.2

Variable: HIB6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24795	100.0%	n/a	17005	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.3	16.5	14.0	25.0	3.1
Adequate Provider Data	17.3	16.5	14.0	25.0	3.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HIB7_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: HIB7_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	19.0	19.0	19.0	19.0	.
Adequate Provider Data	19.0	19.0	19.0	19.0	.

Variable: HIB8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: HIB9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR1_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15966	64.4%	100.0%	15910	93.5%	100.0%
RESERVED CODES:							
MISSING	.	8841	35.6%	n/a	1107	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MMR1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All 13.6 12.0 0.0 38.0 2.8

Adequate Provider Data 13.6 12.0 0.0 38.0 2.8

Variable: MMR2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		280	1.1%	100.0%	278	1.6%	100.0%
RESERVED CODES:							
MISSING	.	24527	98.9%	n/a	16739	98.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All 20.4 19.0 12.0 39.0 5.8

Adequate Provider Data 20.4 19.0 12.0 39.0 5.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.0	17.0	17.0	17.0	.
Adequate Provider Data	17.0	17.0	17.0	17.0	.

Variable: MMR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MMR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR6_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MMR7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MMR8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MMR9_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21	0.1%	100.0%	21	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24786	99.9%	n/a	16996	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MP1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	16.8	16.0	12.0	23.0	3.8
Adequate Provider Data	16.8	16.0	12.0	23.0	3.8

Variable: MP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MP5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MP7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MP8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MPR1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: MPR1_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	20.0	20.0	20.0	20.0	.	
Adequate Provider Data	20.0	20.0	20.0	20.0	.	

Variable: MPR2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MPR3_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MPR4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MPR5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MPR7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: MPR8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MPR9_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: PCV1_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16336	65.9%	100.0%	16233	95.4%	100.0%
RESERVED CODES:							
MISSING	.	8471	34.1%	n/a	784	4.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.5	2.0	0.0	40.0	2.7
Adequate Provider Data	2.4	2.0	0.0	40.0	2.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV2_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15963	64.3%	100.0%	15882	93.3%	100.0%
RESERVED CODES:							
MISSING	.	8844	35.7%	n/a	1135	6.7%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.7	4.0	1.0	37.0	2.7
Adequate Provider Data	4.7	4.0	1.0	37.0	2.7

Variable: PCV3_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15387	62.0%	100.0%	15325	90.1%	100.0%
RESERVED CODES:							
MISSING	.	9420	38.0%	n/a	1692	9.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.2	6.0	3.0	36.0	3.2
Adequate Provider Data	7.2	6.0	3.0	36.0	3.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: PCV4_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13202	53.2%	100.0%	13181	77.5%	100.0%
RESERVED CODES:							
MISSING	.	11605	46.8%	n/a	3836	22.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	14.3	13.0	5.0	41.0	3.2
Adequate Provider Data	14.3	13.0	5.0	41.0	3.2

Variable: PCV5_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		167	0.7%	100.0%	167	1.0%	100.0%
RESERVED CODES:							
MISSING	.	24640	99.3%	n/a	16850	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV5_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	17.9	17.0	10.0	33.0	5.4
Adequate Provider Data	17.9	17.0	10.0	33.0	5.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: PCV6_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24801	100.0%	n/a	17011	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	14.8	14.0	12.0	18.0	2.2
Adequate Provider Data	14.8	14.0	12.0	18.0	2.2

Variable: PCV7_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: PCV7_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	17.5	17.5	16.0	19.0	2.1
Adequate Provider Data	17.5	17.5	16.0	19.0	2.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV8_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: PCV9_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: POL1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16699	67.3%	100.0%	16601	97.6%	100.0%
RESERVED CODES:							
MISSING	.	8108	32.7%	n/a	416	2.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL1_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	2.1	2.0	0.0	38.0	1.7	
Adequate Provider Data	2.1	2.0	0.0	38.0	1.7	

Variable: POL2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16516	66.6%	100.0%	16436	96.6%	100.0%
RESERVED CODES:							
MISSING	.	8291	33.4%	n/a	581	3.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL2_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	4.5	4.0	1.0	39.0	2.3	
Adequate Provider Data	4.5	4.0	1.0	39.0	2.2	

Variable: POL3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15958	64.3%	100.0%	15903	93.5%	100.0%
RESERVED CODES:							
MISSING	.	8849	35.7%	n/a	1114	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL3_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	9.1	6.0	1.0	39.0	4.9	
Adequate Provider Data	9.1	6.0	1.0	39.0	4.9	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		848	3.4%	100.0%	845	5.0%	100.0%
RESERVED CODES:							
MISSING	.	23959	96.6%	n/a	16172	95.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.4	15.0	3.0	38.0	4.9
Adequate Provider Data	15.4	15.0	3.0	38.0	4.9

Variable: POL5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		30	0.1%	100.0%	29	0.2%	100.0%
RESERVED CODES:							
MISSING	.	24777	99.9%	n/a	16988	99.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.1	16.5	4.0	34.0	6.7
Adequate Provider Data	16.2	17.0	4.0	34.0	6.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL6_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24799	100.0%	n/a	17009	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL6_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	16.4	18.5	5.0	24.0	5.9
Adequate Provider Data	16.4	18.5	5.0	24.0	5.9

Variable: POL7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: POL7_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	13.0	13.0	6.0	20.0	9.9
Adequate Provider Data	13.0	13.0	6.0	20.0	9.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: POL9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: RB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23	0.1%	100.0%	23	0.1%	100.0%
RESERVED CODES:							
MISSING	.	24784	99.9%	n/a	16994	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: RB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.9	17.0	11.0	29.0	5.3
Adequate Provider Data	17.9	17.0	11.0	29.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: RB2_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: RB2_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	19.0	19.0	19.0	19.0	.
Adequate Provider Data	19.0	19.0	19.0	19.0	.

Variable: RB3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: RB4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: RB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: RB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: RB9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: ROT1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24799	100.0%	n/a	17009	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	9.4	8.0	2.0	24.0	7.2
Adequate Provider Data	9.4	8.0	2.0	24.0	7.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: ROT2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.7	4.0	3.0	13.0	5.5
Adequate Provider Data	6.7	4.0	3.0	13.0	5.5

Variable: ROT3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.3	6.0	4.0	15.0	5.9
Adequate Provider Data	8.3	6.0	4.0	15.0	5.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: ROT4_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	15.0	15.0	15.0	15.0	.	
Adequate Provider Data	15.0	15.0	15.0	15.0	.	

Variable: ROT5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: ROT6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: ROT8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: ROT9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: VRC1_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15455	62.3%	100.0%	15406	90.5%	100.0%
RESERVED CODES:							
MISSING	.	9352	37.7%	n/a	1611	9.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: VRC1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.6	12.0	0.0	38.0	3.0
Adequate Provider Data	13.6	12.0	0.0	38.0	3.0

Variable: VRC2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		196	0.8%	100.0%	196	1.2%	100.0%
RESERVED CODES:							
MISSING	.	24611	99.2%	n/a	16821	98.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.6	22.0	4.0	37.0	6.3
Adequate Provider Data	21.6	22.0	4.0	37.0	6.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: VRC3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	25.0	24.0	15.0	36.0	10.5
Adequate Provider Data	25.0	24.0	15.0	36.0	10.5

Variable: VRC4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: VRC5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: VRC6_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: VRC7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: VRC8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XDTPTY1 Type: Character

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	2	0.0%	0.0%	2	0.0%	0.0%
DTP	02	316	1.3%	1.9%	310	1.8%	1.9%
DTP-UNKNOWN	03	94	0.4%	0.6%	92	0.5%	0.6%
DTAP	04	8668	34.9%	51.6%	8609	50.6%	51.5%
DTP-HIB	05	6	0.0%	0.0%	6	0.0%	0.0%
DTAP-HIB	07	94	0.4%	0.6%	91	0.5%	0.5%
DTAP-HEPB-IPV	08	7633	30.8%	45.4%	7595	44.6%	45.5%
SUBTOTALS:		16813	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING		7994	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character							
Label: DT-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	5	0.0%	0.0%	5	0.0%	0.0%
DTP	02	319	1.3%	1.9%	313	1.8%	1.9%
DTP-UNKNOWN	03	85	0.3%	0.5%	84	0.5%	0.5%
DTAP	04	9034	36.4%	54.3%	8978	52.8%	54.3%
DTP-HIB	05	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HIB	07	103	0.4%	0.6%	101	0.6%	0.6%
DTAP-HEPB-IPV	08	7069	28.5%	42.5%	7048	41.4%	42.6%
SUBTOTALS:		16622	67.0%	100.0%	16536	97.2%	100.0%
RESERVED CODES:							
MISSING		8185	33.0%	n/a	481	2.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XDTPTY3 Type: Character							
Label: DT-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	5	0.0%	0.0%	5	0.0%	0.0%
DTP	02	322	1.3%	2.0%	316	1.9%	1.9%
DTP-UNKNOWN	03	72	0.3%	0.4%	71	0.4%	0.4%
DTAP	04	8613	34.7%	52.6%	8569	50.4%	52.6%
DTP-HIB	05	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HIB	07	122	0.5%	0.7%	119	0.7%	0.7%
DTAP-HEPB-IPV	08	7221	29.1%	44.1%	7202	42.3%	44.2%
SUBTOTALS:		16362	66.0%	100.0%	16289	95.7%	100.0%
RESERVED CODES:							
MISSING		8445	34.0%	n/a	728	4.3%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY4 Type: Character							
Label: DT-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	8	0.0%	0.1%	8	0.0%	0.1%
DTP	02	325	1.3%	2.2%	324	1.9%	2.2%
DTP-UNKNOWN	03	115	0.5%	0.8%	114	0.7%	0.8%
DTAP	04	12034	48.5%	81.6%	12021	70.6%	81.7%
DTP-HIB	05	27	0.1%	0.2%	26	0.2%	0.2%
DTAP-HIB	07	1862	7.5%	12.6%	1861	10.9%	12.6%
DTAP-HEPB-IPV	08	369	1.5%	2.5%	367	2.2%	2.5%
SUBTOTALS:		14740	59.4%	100.0%	14721	86.5%	100.0%
RESERVED CODES:							
MISSING		10067	40.6%	n/a	2296	13.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XDTPTY5 Type: Character							
Label: DT-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	1	0.0%	0.4%	1	0.0%	0.4%
DTP	02	5	0.0%	2.1%	5	0.0%	2.1%
DTP-UNKNOWN	03	3	0.0%	1.2%	2	0.0%	0.8%
DTAP	04	194	0.8%	80.5%	194	1.1%	80.8%
DTAP-HIB	07	23	0.1%	9.5%	23	0.1%	9.6%
DTAP-HEPB-IPV	08	15	0.1%	6.2%	15	0.1%	6.3%
SUBTOTALS:		241	1.0%	100.0%	240	1.4%	100.0%
RESERVED CODES:							
MISSING		24566	99.0%	n/a	16777	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY6 Type: Character****Label: DT-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	8	0.0%	88.9%	8	0.0%	88.9%
DTAP-HEPB-IPV	08	1	0.0%	11.1%	1	0.0%	11.1%
SUBTOTALS:		9	0.0%	100.0%	9	0.1%	100.0%
RESERVED CODES:							
MISSING		24798	100.0%	n/a	17008	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XDTPTY7 Type: Character**Label: DT-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XDTPTY8 Type: Character**Label: DT-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY9 Type: Character****Label: DT-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XHEPTY1 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3068	12.4%	18.2%	3051	17.9%	18.3%
HEPB-HIB	43	1527	6.2%	9.1%	1518	8.9%	9.1%
HEPB ONLY	60	12209	49.2%	72.6%	12113	71.2%	72.5%
HEPB-UNKNOWN	HB	23	0.1%	0.1%	23	0.1%	0.1%
SUBTOTALS:		16827	67.8%	100.0%	16705	98.2%	100.0%
RESERVED CODES:							
MISSING		7980	32.2%	n/a	312	1.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY2 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7683	31.0%	46.6%	7653	45.0%	46.6%
HEPB-HIB	43	2826	11.4%	17.1%	2810	16.5%	17.1%
HEPB ONLY	60	5912	23.8%	35.8%	5873	34.5%	35.8%
HEPB-UNKNOWN	HB	82	0.3%	0.5%	82	0.5%	0.5%
SUBTOTALS:		16503	66.5%	100.0%	16418	96.5%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		8304	33.5%	n/a	599	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY3 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7591	30.6%	47.6%	7569	44.5%	47.6%
HEPB-HIB	43	2468	9.9%	15.5%	2464	14.5%	15.5%
HEPB ONLY	60	5814	23.4%	36.4%	5785	34.0%	36.4%
HEPB-UNKNOWN	HB	79	0.3%	0.5%	79	0.5%	0.5%
SUBTOTALS:		15952	64.3%	100.0%	15897	93.4%	100.0%
RESERVED CODES:							
MISSING		8855	35.7%	n/a	1120	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY4 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3820	15.4%	75.5%	3809	22.4%	75.5%
HEPB-HIB	43	536	2.2%	10.6%	535	3.1%	10.6%
HEPB ONLY	60	681	2.7%	13.5%	677	4.0%	13.4%
HEPB-UNKNOWN	HB	21	0.1%	0.4%	21	0.1%	0.4%
SUBTOTALS:		5058	20.4%	100.0%	5042	29.6%	100.0%
RESERVED CODES:							
MISSING		19749	79.6%	n/a	11975	70.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	145	0.6%	59.2%	145	0.9%	59.2%
HEPB-HIB	43	31	0.1%	12.7%	31	0.2%	12.7%
HEPB ONLY	60	68	0.3%	27.8%	68	0.4%	27.8%
HEPB-UNKNOWN	HB	1	0.0%	0.4%	1	0.0%	0.4%
SUBTOTALS:		245	1.0%	100.0%	245	1.4%	100.0%
RESERVED CODES:							
MISSING		24562	99.0%	n/a	16772	98.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY6 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8	0.0%	53.3%	8	0.0%	53.3%
HEPB-HIB	43	3	0.0%	20.0%	3	0.0%	20.0%
HEPB ONLY	60	4	0.0%	26.7%	4	0.0%	26.7%
SUBTOTALS:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING		24792	99.9%	n/a	17002	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB ONLY	60	1	0.0%	50.0%	1	0.0%	50.0%
HEPB-UNKNOWN	HB	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHEPTY7 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHEPTY8 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XHEPTY9 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character							
Label: HIB-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	6	0.0%	0.0%	6	0.0%	0.0%
DTAP-HIB	07	108	0.4%	0.6%	105	0.6%	0.6%
HEPB-HIB	43	2858	11.5%	17.1%	2842	16.7%	17.1%
HIB ONLY	44	13652	55.0%	81.5%	13572	79.8%	81.5%
HIB-UNKNOWN	HI	137	0.6%	0.8%	133	0.8%	0.8%
SUBTOTALS:		16761	67.6%	100.0%	16658	97.9%	100.0%
RESERVED CODES:							
MISSING		8046	32.4%	n/a	359	2.1%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHIBTY2 Type: Character							
Label: HIB-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HIB	07	106	0.4%	0.6%	104	0.6%	0.6%
HEPB-HIB	43	2023	8.2%	12.3%	2012	11.8%	12.3%
HIB ONLY	44	14237	57.4%	86.3%	14173	83.3%	86.3%
HIB-UNKNOWN	HI	122	0.5%	0.7%	120	0.7%	0.7%
SUBTOTALS:		16495	66.5%	100.0%	16416	96.5%	100.0%
RESERVED CODES:							
MISSING		8312	33.5%	n/a	601	3.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character							
Label: HIB-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	9	0.0%	0.1%	9	0.1%	0.1%
DTAP-HIB	07	431	1.7%	2.7%	428	2.5%	2.7%
HEPB-HIB	43	2279	9.2%	14.3%	2276	13.4%	14.3%
HIB ONLY	44	13105	52.8%	82.2%	13056	76.7%	82.2%
HIB-UNKNOWN	HI	119	0.5%	0.7%	118	0.7%	0.7%
SUBTOTALS:		15943	64.3%	100.0%	15887	93.4%	100.0%
RESERVED CODES:							
MISSING		8864	35.7%	n/a	1130	6.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHIBTY4 Type: Character							
Label: HIB-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	25	0.1%	0.3%	24	0.1%	0.2%
DTAP-HIB	07	1522	6.1%	15.5%	1521	8.9%	15.5%
HEPB-HIB	43	218	0.9%	2.2%	218	1.3%	2.2%
HIB ONLY	44	7942	32.0%	80.9%	7929	46.6%	80.9%
HIB-UNKNOWN	HI	109	0.4%	1.1%	109	0.6%	1.1%
SUBTOTALS:		9816	39.6%	100.0%	9801	57.6%	100.0%
RESERVED CODES:							
MISSING		14991	60.4%	n/a	7216	42.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character							
Label: HIB-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	36	0.1%	20.5%	36	0.2%	20.5%
HEPB-HIB	43	12	0.0%	6.8%	12	0.1%	6.8%
HIB ONLY	44	124	0.5%	70.5%	124	0.7%	70.5%
HIB-UNKNOWN	HI	4	0.0%	2.3%	4	0.0%	2.3%
SUBTOTALS:		176	0.7%	100.0%	176	1.0%	100.0%
RESERVED CODES:							
MISSING		24631	99.3%	n/a	16841	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHIBTY6 Type: Character							
Label: HIB-CONTAINING VACCINATION #6 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	1	0.0%	8.3%	1	0.0%	8.3%
HEPB-HIB	43	1	0.0%	8.3%	1	0.0%	8.3%
HIB ONLY	44	9	0.0%	75.0%	9	0.1%	75.0%
HIB-UNKNOWN	HI	1	0.0%	8.3%	1	0.0%	8.3%
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING		24795	100.0%	n/a	17005	99.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY7 Type: Character****Label: HIB-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HIB ONLY	44	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XHIBTY8 Type: Character**Label: HIB-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XHIBTY9 Type: Character**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character							
Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	12883	51.9%	80.7%	12838	75.4%	80.7%
MEASLES ONLY	31	67	0.3%	0.4%	67	0.4%	0.4%
MEASLES-MUMPS	32	3	0.0%	0.0%	3	0.0%	0.0%
MCV-UNKNOWN	MM	106	0.4%	0.7%	104	0.6%	0.7%
MMR-VARICELLA	VM	2907	11.7%	18.2%	2898	17.0%	18.2%
SUBTOTALS:		15966	64.4%	100.0%	15910	93.5%	100.0%
RESERVED CODES:							
MISSING		8841	35.6%	n/a	1107	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XMMRTY2 Type: Character							
Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	201	0.8%	71.8%	200	1.2%	71.9%
MEASLES ONLY	31	1	0.0%	0.4%	1	0.0%	0.4%
MEASLES-MUMPS	32	2	0.0%	0.7%	2	0.0%	0.7%
MEASLES-RUBELLA	33	1	0.0%	0.4%	1	0.0%	0.4%
MCV-UNKNOWN	MM	14	0.1%	5.0%	13	0.1%	4.7%
MMR-VARICELLA	VM	61	0.2%	21.8%	61	0.4%	21.9%
SUBTOTALS:		280	1.1%	100.0%	278	1.6%	100.0%
RESERVED CODES:							
MISSING		24527	98.9%	n/a	16739	98.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR-VARICELLA	VM	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		24806	100.0%	n/a	17016	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XMMRTY4 Type: Character

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XMMRTY5 Type: Character

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY6 Type: Character

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XMMRTY7 Type: Character

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XMMRTY8 Type: Character

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XPCVTY1 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	15742	63.5%	96.4%	15642	91.9%	96.4%
POLYSACCHARIDE	71	171	0.7%	1.0%	171	1.0%	1.1%
PCV-UNKNOWN	72	423	1.7%	2.6%	420	2.5%	2.6%
SUBTOTALS:		16336	65.9%	100.0%	16233	95.4%	100.0%
RESERVED CODES:							
MISSING		8471	34.1%	n/a	784	4.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPCVTY2 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	15394	62.1%	96.4%	15315	90.0%	96.4%
POLYSACCHARIDE	71	175	0.7%	1.1%	175	1.0%	1.1%
PCV-UNKNOWN	72	394	1.6%	2.5%	392	2.3%	2.5%
SUBTOTALS:		15963	64.3%	100.0%	15882	93.3%	100.0%
RESERVED CODES:							
MISSING		8844	35.7%	n/a	1135	6.7%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY3 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	14859	59.9%	96.6%	14798	87.0%	96.6%
POLYSACCHARIDE	71	159	0.6%	1.0%	159	0.9%	1.0%
PCV-UNKNOWN	72	369	1.5%	2.4%	368	2.2%	2.4%
SUBTOTALS:		15387	62.0%	100.0%	15325	90.1%	100.0%
RESERVED CODES:							
MISSING		9420	38.0%	n/a	1692	9.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPCVTY4 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	12624	50.9%	95.6%	12605	74.1%	95.6%
POLYSACCHARIDE	71	133	0.5%	1.0%	133	0.8%	1.0%
PCV-UNKNOWN	72	445	1.8%	3.4%	443	2.6%	3.4%
SUBTOTALS:		13202	53.2%	100.0%	13181	77.5%	100.0%
RESERVED CODES:							
MISSING		11605	46.8%	n/a	3836	22.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPCVTY5 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	144	0.6%	86.2%	144	0.8%	86.2%
POLYSACCHARIDE	71	10	0.0%	6.0%	10	0.1%	6.0%
PCV-UNKNOWN	72	13	0.1%	7.8%	13	0.1%	7.8%
SUBTOTALS:		167	0.7%	100.0%	167	1.0%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY5 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		24640	99.3%	n/a	16850	99.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPCVTY6 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	5	0.0%	83.3%	5	0.0%	83.3%
POLYSACCHARIDE	71	1	0.0%	16.7%	1	0.0%	16.7%
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING		24801	100.0%	n/a	17011	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPCVTY7 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY8 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XPCVTY9 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XPOLTY1 Type: Character**Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7649	30.8%	45.8%	7611	44.7%	45.8%
OPV	20	133	0.5%	0.8%	131	0.8%	0.8%
IPV	21	8820	35.6%	52.8%	8764	51.5%	52.8%
POLIO-UNKNOWN	22	97	0.4%	0.6%	95	0.6%	0.6%
SUBTOTALS:		16699	67.3%	100.0%	16601	97.6%	100.0%
RESERVED CODES:							
MISSING		8108	32.7%	n/a	416	2.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY2 Type: Character							
Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7124	28.7%	43.1%	7103	41.7%	43.2%
OPV	20	134	0.5%	0.8%	132	0.8%	0.8%
IPV	21	9166	36.9%	55.5%	9110	53.5%	55.4%
POLIO-UNKNOWN	22	92	0.4%	0.6%	91	0.5%	0.6%
SUBTOTALS:		16516	66.6%	100.0%	16436	96.6%	100.0%
RESERVED CODES:							
MISSING		8291	33.4%	n/a	581	3.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPOLTY3 Type: Character							
Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7241	29.2%	45.4%	7221	42.4%	45.4%
OPV	20	117	0.5%	0.7%	115	0.7%	0.7%
IPV	21	8527	34.4%	53.4%	8494	49.9%	53.4%
POLIO-UNKNOWN	22	73	0.3%	0.5%	73	0.4%	0.5%
SUBTOTALS:		15958	64.3%	100.0%	15903	93.5%	100.0%
RESERVED CODES:							
MISSING		8849	35.7%	n/a	1114	6.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY4 Type: Character							
Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	284	1.1%	33.5%	284	1.7%	33.6%
OPV	20	23	0.1%	2.7%	22	0.1%	2.6%
IPV	21	516	2.1%	60.8%	514	3.0%	60.8%
POLIO-UNKNOWN	22	25	0.1%	2.9%	25	0.1%	3.0%
SUBTOTALS:		848	3.4%	100.0%	845	5.0%	100.0%
RESERVED CODES:							
MISSING		23959	96.6%	n/a	16172	95.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPOLTY5 Type: Character							
Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	10	0.0%	33.3%	9	0.1%	31.0%
OPV	20	2	0.0%	6.7%	2	0.0%	6.9%
IPV	21	17	0.1%	56.7%	17	0.1%	58.6%
POLIO-UNKNOWN	22	1	0.0%	3.3%	1	0.0%	3.4%
SUBTOTALS:		30	0.1%	100.0%	29	0.2%	100.0%
RESERVED CODES:							
MISSING		24777	99.9%	n/a	16988	99.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY6 Type: Character****Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	37.5%	3	0.0%	37.5%
OPV	20	1	0.0%	12.5%	1	0.0%	12.5%
IPV	21	3	0.0%	37.5%	3	0.0%	37.5%
POLIO-UNKNOWN	22	1	0.0%	12.5%	1	0.0%	12.5%
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING		24799	100.0%	n/a	17009	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPOLTY7 Type: Character**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
IPV	21	1	0.0%	50.0%	1	0.0%	50.0%
POLIO-UNKNOWN	22	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		24805	100.0%	n/a	17015	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XPOLTY8 Type: Character**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY9 Type: Character
Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XVRCTY1 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	85	0.3%	0.5%	84	0.5%	0.5%
MMR-VARICELLA	VM	2922	11.8%	18.9%	2913	17.1%	18.9%
VARICELLA-ONLY	VO	12448	50.2%	80.5%	12409	72.9%	80.5%
SUBTOTALS:		15455	62.3%	100.0%	15406	90.5%	100.0%
RESERVED CODES:							
MISSING		9352	37.7%	n/a	1611	9.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XVRCTY2 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	20	0.1%	10.2%	20	0.1%	10.2%
MMR-VARICELLA	VM	47	0.2%	24.0%	47	0.3%	24.0%
VARICELLA-ONLY	VO	129	0.5%	65.8%	129	0.8%	65.8%
SUBTOTALS:		196	0.8%	100.0%	196	1.2%	100.0%
RESERVED CODES:							
MISSING		24611	99.2%	n/a	16821	98.8%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-ONLY	VO	3	0.0%	100.0%	3	0.0%	100.0%
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING		24804	100.0%	n/a	17014	100.0%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: XVRCTY4 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XVRCTY5 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XVRCTY6 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XVRCTY7 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

Variable: XVRCTY8 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		24807	100.0%	n/a	17017	100.0%	n/a
TOTALS:		24807	100.0%	n/a	17017	100.0%	n/a

SECTION 10: HEALTH INSURANCE MODULE**Variable: INS_1 Type: Numeric****Label: IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	12862	51.8%	62.6%	10609	62.3%	63.0%
NO	2	7677	30.9%	37.4%	6232	36.6%	37.0%
SUBTOTALS:		20539	82.8%	100.0%	16841	99.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	127	0.5%	n/a	100	0.6%	n/a
REFUSED	99	18	0.1%	n/a	6	0.0%	n/a
MISSING	.	4123	16.6%	n/a	70	0.4%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INS_2 Type: Numeric**Label: IS CHILD COVERED BY ANY MEDICAID PLAN?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	3261	13.1%	27.6%	2674	15.7%	27.6%
NO	2	8541	34.4%	72.4%	7008	41.2%	72.4%
SUBTOTALS:		11802	47.6%	100.0%	9682	56.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	104	0.4%	n/a	85	0.5%	n/a
REFUSED	99	8	0.0%	n/a	2	0.0%	n/a
MISSING	.	12893	52.0%	n/a	7248	42.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INS_3 Type: Numeric**Label: IS CHILD COVERED BY S-CHIP?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1339	5.4%	11.6%	1109	6.5%	11.7%
NO	2	10249	41.3%	88.4%	8402	49.4%	88.3%
SUBTOTALS:		11588	46.7%	100.0%	9511	55.9%	100.0%
RESERVED CODES:							

SECTION 10: HEALTH INSURANCE MODULE**Variable: INS_3 Type: Numeric****Label: IS CHILD COVERED BY S-CHIP?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	315	1.3%	n/a	252	1.5%	n/a
REFUSED	99	5	0.0%	n/a	1	0.0%	n/a
MISSING	.	12899	52.0%	n/a	7253	42.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INS_3A Type: Numeric**Label: IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	2706	10.9%	31.1%	2212	13.0%	31.0%
NO	2	5988	24.1%	68.9%	4918	28.9%	69.0%
SUBTOTALS:		8694	35.0%	100.0%	7130	41.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	51	0.2%	n/a	34	0.2%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	16059	64.7%	n/a	9851	57.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INS_4 Type: Numeric**Label: IS CHILD COVERED BY INDIAN HEALTH SERVICE?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	376	1.5%	1.9%	303	1.8%	1.8%
NO	2	19923	80.3%	98.1%	16351	96.1%	98.2%
SUBTOTALS:		20299	81.8%	100.0%	16654	97.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	348	1.4%	n/a	273	1.6%	n/a
REFUSED	99	6	0.0%	n/a	2	0.0%	n/a
MISSING	.	4154	16.7%	n/a	88	0.5%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE**Variable: INS_5** Type: Numeric**Label: IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	681	2.7%	3.3%	446	2.6%	2.6%
NO	2	19863	80.1%	96.7%	16402	96.4%	97.4%
SUBTOTALS:		20544	82.8%	100.0%	16848	99.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	95	0.4%	n/a	74	0.4%	n/a
REFUSED	99	5	0.0%	n/a	1	0.0%	n/a
MISSING	.	4163	16.8%	n/a	94	0.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

Variable: INS_6 Type: Numeric**Label: IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1582	6.4%	7.7%	1278	7.5%	7.6%
NO	2	19009	76.6%	92.3%	15616	91.8%	92.4%
SUBTOTALS:		20591	83.0%	100.0%	16894	99.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	40	0.2%	n/a	23	0.1%	n/a
REFUSED	99	6	0.0%	n/a	1	0.0%	n/a
MISSING	.	4170	16.8%	n/a	99	0.6%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE

Variable: INS_11 Type: Numeric

Label:**ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?****Notes:** See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1690	6.8%	8.8%	1397	8.2%	8.8%
NO	2	17617	71.0%	91.2%	14526	85.4%	91.2%
SUBTOTALS:		19307	77.8%	100.0%	15923	93.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	125	0.5%	n/a	90	0.5%	n/a
REFUSED	99	8	0.0%	n/a	3	0.0%	n/a
MISSING	.	5367	21.6%	n/a	1001	5.9%	n/a
TOTALS:		24807	100.0%	100.0%	17017	100.0%	100.0%

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	91	91	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	116	116	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	117	117	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	92	99	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	100	107	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR06	108	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
C1R	118	118	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	119	120	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	121	122	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	123	123	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	124	124	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	125	126	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	127	127	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	164	164	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	165	165	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	235	238	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	239	242	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	243	246	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	247	250	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	251	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	255	257	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	258	260	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	261	261	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	262	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	263	266	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1
DFLU2	267	270	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2
DFLU3	271	274	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3
DFLU4	275	278	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4
DFLU5	279	282	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5
DFLU6	283	283	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6
DFLU7	284	284	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7
DFLU8	285	285	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8
DFLU9	286	286	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHEPA1	287	290	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	291	294	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	295	298	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	299	302	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	303	303	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	304	304	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	305	305	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	306	306	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	307	307	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	308	311	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	312	315	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	316	319	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	320	323	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	324	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	328	331	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	332	334	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	335	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	336	336	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	337	340	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	341	344	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	345	348	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	349	352	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	353	356	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	357	359	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	360	362	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	363	363	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	364	364	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DISPCODE	166	167	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	365	368	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	369	372	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	373	375	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	376	376	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	377	377	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	378	378	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	379	379	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	380	380	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	381	381	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	382	384	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMP2	385	385	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	386	386	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	387	387	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	388	388	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	389	389	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	390	390	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	391	391	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	392	392	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	393	395	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	396	396	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	397	397	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	398	398	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	399	399	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	400	400	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	401	401	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	402	402	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	403	403	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	404	407	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	408	411	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	416	419	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	420	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	424	426	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	427	429	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	430	430	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	431	431	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	432	435	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	436	439	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	440	443	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	444	447	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	448	451	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	452	454	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	455	457	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	458	458	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	459	459	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	460	462	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	463	465	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	466	466	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DRB4	467	467	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	468	468	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	469	469	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	470	470	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	471	471	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	472	472	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	473	475	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	476	478	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	479	481	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	482	484	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	485	485	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	486	486	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	487	487	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	488	488	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	489	489	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	490	491	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	492	493	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	494	495	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	496	497	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	498	499	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	500	501	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	502	503	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	504	504	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	505	505	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	506	509	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	510	513	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	514	517	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	518	518	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	519	519	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	520	520	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	521	521	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	522	522	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	523	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	128	128	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP07	159	161	4	ESTIMATION AREA OF RESIDENCE
FLU1_AGE	524	525	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1
FLU2_AGE	526	527	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2
FLU3_AGE	528	529	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU4_AGE	530	531	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4
FLU5_AGE	532	533	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5
FLU6_AGE	534	534	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6
FLU7_AGE	535	535	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7
FLU8_AGE	536	536	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8
FLU9_AGE	537	537	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9
FRSTBRN	129	129	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	88	89	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	538	539	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	540	541	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	542	543	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	544	545	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	546	546	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	547	547	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	548	548	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	549	549	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	550	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	555	556	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	557	558	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	559	560	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	561	562	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	563	564	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	565	565	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	566	566	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	172	172	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	173	173	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_FLU	76	77	2	HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
HH_HEPB	78	79	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	80	81	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	82	83	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	84	85	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	86	87	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HIB1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HIB4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	582	582	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	131	146	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	147	147	3	POVERTY STATUS
INCQ298A	148	149	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	150	150	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INS_1	787	788	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_11	801	802	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
INS_2	789	790	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	791	792	10	IS CHILD COVERED BY S-CHIP?
INS_3A	793	794	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4	795	796	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE?
INS_5	797	798	10	IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	799	800	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INTRP	151	151	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	130	130	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	152	152	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL	154	154	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MMR1_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	594	594	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	155	155	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MP3_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	153	153	3	AGE OF MOTHER CATEGORIES
N_PRVR	168	168	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PCV1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	641	642	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	643	644	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
PROV_FAC	169	169	7	PROVIDER FACILITY TYPE
PU431331	230	230	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313313	231	231	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313314	232	232	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	233	233	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	234	234	8	UTD FLAG FOR PROVIDER 4:3:1:3
P_NUHEPX	174	174	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	175	175	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	176	176	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	177	177	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHB	178	178	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	179	179	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHM	180	180	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	181	181	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTM	182	182	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	183	183	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	184	184	8	NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	185	185	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	186	186	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	187	187	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	188	188	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMHIN	189	189	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	190	190	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	191	191	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	192	192	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	193	193	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	194	194	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	195	195	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	196	196	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	197	197	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	198	198	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	199	199	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	200	200	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	201	201	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	202	202	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	203	203	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	204	204	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCP	205	205	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	206	206	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	207	207	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMRB	208	208	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	209	209	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPM	210	210	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	211	211	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	212	212	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	213	213	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	214	214	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	215	215	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	216	216	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	217	217	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	218	218	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	219	219	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDFL3	220	220	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3
P_UTDHEP	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	224	224	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	228	228	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
RACEETHK	157	157	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	156	156	3	RACE OF CHILD (RECODE)
RB1_AGE	647	648	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	649	650	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
RB5_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT	32	50	1	HH-PHASE CHILD INTERVIEW WEIGHT
REGISTRY	170	170	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
ROT1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	158	158	3	GENDER OF CHILD
SHOTCARD	90	90	2	SHOT CARD USE FLAG
STATE	162	163	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
VFC_ORDER	171	171	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	671	672	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
VRC6_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	682	682	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	683	684	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	685	686	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	687	688	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	689	690	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	691	692	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	693	694	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	695	696	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	697	697	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	698	698	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	699	700	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	701	702	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	703	704	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	705	706	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	707	708	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	709	710	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	711	712	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	713	713	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	714	714	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	715	716	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	717	718	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	719	720	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	721	722	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	723	724	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	725	726	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	727	728	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	729	729	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	730	730	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	731	732	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	733	734	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	735	736	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	737	737	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	738	738	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	739	739	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	740	740	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XMMRTY8	741	741	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	742	742	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	743	744	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	745	746	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	747	748	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	749	750	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	751	752	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	753	754	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	755	756	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	757	757	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	758	758	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	759	760	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	761	762	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	763	764	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	765	766	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	767	768	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	769	770	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	771	772	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	773	773	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	774	774	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	775	776	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	777	778	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	779	780	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	781	781	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	782	782	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	783	783	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	784	784	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	785	785	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	786	786	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	51	54	1	YEAR OF INTERVIEW