

National Immunization Survey -- Child

**A Codebook for the
2011 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

and

National Center for Health Statistics

Presented by:

NORC at the University of Chicago

November 2012

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

TABLE OF CONTENTS

SECTION INDEX OF VARIABLES.....	1
SECTION 1: ID WEIGHT AND FLAG VARIABLES.....	20
SECTION 2: HOUSEHOLD VACCINATION VARIABLES	25
SECTION 3: DEMOGRAPHIC AND SOCIO-ECONOMIC VARIABLES.....	33
SECTION 4: GEOGRAPHIC VARIABLES	46
SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES.....	50
SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES.....	51
SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES.....	52
SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES.....	54
SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES	102
SECTION 10: HEALTH INSURANCE MODULE VARIABLES	238
ALPHABETIC INDEX OF VARIABLES.....	242

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
TEL_SAMPFRAME	13	13	1	SAMPLE FRAME (LANDLINE/CELL-PHONE) INDICATOR
PROVWT_LL	14	33	1	FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT (EXCLUDING U.S. VIRGIN ISLANDS)
PROVWTVI_LL	34	53	1	FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT (INCLUDING U.S. VIRGIN ISLANDS)
RDDWT_LL	54	72	1	FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT (EXCLUDING U.S. VIRGIN ISLANDS)
RDDWTVI_LL	73	91	1	FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT (INCLUDING U.S. VIRGIN ISLANDS)
PROVWT_D	92	111	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS)
RDDWT_D	112	130	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS)
STRATUM_D	131	134	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
YEAR	135	138	1	YEAR OF INTERVIEW
AGECPOXR	139	139	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
SC_431	140	141	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	142	143	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	144	145	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	146	147	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	148	149	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	150	151	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	152	153	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	154	155	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	156	157	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
HH_DTP	158	159	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_HEPB	160	161	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	162	163	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	164	165	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	166	167	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	168	169	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HAD_CPOX	170	171	2	CHILD EVER HAD CHICKEN POX DISEASE?
SHOTCARD	172	172	2	SHOT CARD USE FLAG

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGEGRP	173	173	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	174	181	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	182	189	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	190	197	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	198	198	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	199	199	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	200	200	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	201	202	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	203	204	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	205	205	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	206	206	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	207	208	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	209	210	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	211	211	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	212	212	3	FIRST BORN STATUS OF CHILD
I_HISP_K	213	213	3	HISPANIC ORIGIN OF CHILD
INCPORAR	214	229	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	230	230	3	POVERTY STATUS
INCQ298A	231	232	3	FAMILY INCOME CATEGORIES (RECODE)
INTRP	233	233	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	234	234	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP	235	235	3	AGE OF MOTHER CATEGORIES (RECODE)
MARITAL2	236	236	3	MARITAL STATUS OF MOTHER (RECODE)
MOBIL_I	237	237	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
NUM_PHONE	238	239	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	240	241	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	242	243	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	244	244	3	RACE OF CHILD (RECODE)
RACEETHK	245	245	3	RACE/ETHNICITY OF CHILD (RECODE)
RENT_OWN	246	247	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	248	248	3	GENDER OF CHILD
ESTIAP11	249	251	4	ESTIMATION AREA OF RESIDENCE
STATE	252	253	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
D6R	254	254	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	255	255	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DISPCODE	256	257	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	258	258	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	259	259	7	PROVIDER FACILITY TYPES
REGISTRY	260	260	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	261	261	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	262	262	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	263	263	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	264	264	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	265	265	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	266	266	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	267	267	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	268	268	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	269	269	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	270	270	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	271	271	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	272	272	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	273	273	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	274	274	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMFLUN	275	275	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMH1N	276	276	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1L	277	277	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1M	278	278	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1N	279	279	8	NUMBER OF INJECTED MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	280	280	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	281	281	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	282	282	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	283	283	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	284	284	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	285	285	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	286	286	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHG	287	287	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	288	288	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMIPV	289	289	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	290	290	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	291	291	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	292	292	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	293	293	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	294	294	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	295	295	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	296	296	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	297	297	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	298	298	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	299	299	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	300	300	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	301	301	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	302	302	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	303	303	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCC	304	304	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	305	305	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	306	306	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	307	307	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	308	308	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	309	309	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	310	310	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	311	311	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	312	312	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	313	313	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	314	314	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	315	315	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	316	316	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	317	317	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRX	318	318	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	319	319	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	320	320	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	321	321	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL1	322	322	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL2	323	323	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL3	324	324	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDH1N_1	325	325	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MONOVALENT 2009 H1N1 INFLUENZA VACCINATION BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.
P_UTDH1N_2	326	326	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.
P_UTDHEP	327	327	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	328	328	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	329	329	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	330	330	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	331	331	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHIB_SHORT_S	332	332	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	333	333	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	334	334	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	335	335	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	336	336	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	337	337	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	338	338	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	339	339	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	340	340	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	341	341	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	342	342	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	343	343	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	344	344	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PU4313313	345	345	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	346	346	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	347	347	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	348	348	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	349	349	8	UTD FLAG FOR PROVIDER 4:3:1::3:3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	350	350	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	351	351	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	352	352	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	353	353	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	354	354	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	355	355	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	356	356	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	357	360	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	361	364	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	365	368	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	369	372	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	373	376	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	377	379	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	380	380	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DDTP8	381	381	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	382	382	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	383	386	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	387	390	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	391	394	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	395	398	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	399	402	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	403	406	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	407	410	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	411	414	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	415	415	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DH1N1	416	419	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1
DH1N2	420	423	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2
DH1N3	424	427	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3
DH1N4	428	431	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4
DH1N5	432	434	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5
DH1N6	435	435	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6
DH1N7	436	436	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7
DH1N8	437	437	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8
DH1N9	438	438	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9
DHEPA1	439	442	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	443	446	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	447	450	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	451	453	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	454	454	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	455	455	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHEPA7	456	456	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	457	457	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	458	458	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	459	462	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	463	466	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	467	470	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	471	474	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	475	478	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	479	481	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	482	482	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	483	483	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	484	484	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	485	488	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	489	492	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	493	496	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	497	500	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	501	504	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	505	508	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	509	511	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	512	512	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	513	513	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	514	517	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	518	521	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	522	525	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	526	526	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	527	527	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	528	528	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	529	529	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	530	530	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	531	531	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	532	534	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	535	535	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	536	536	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	537	537	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	538	538	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	539	539	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	540	540	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMP8	541	541	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	542	542	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	543	543	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	544	544	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	545	545	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	546	546	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	547	547	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	548	548	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	549	549	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	550	550	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	551	551	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	552	555	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	556	559	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	560	563	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	564	567	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	568	571	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	572	575	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	576	578	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	579	579	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	580	580	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	581	584	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	585	588	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	589	592	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	593	596	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	597	600	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	601	603	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	604	604	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	605	605	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	606	606	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	607	609	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	610	610	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	611	611	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	612	612	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	613	613	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	614	614	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	615	615	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	616	616	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DRB9	617	617	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	618	621	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	622	624	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	625	627	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	628	631	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	632	634	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	635	635	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	636	636	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	637	637	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	638	638	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	639	642	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	643	646	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	647	650	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	651	651	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	652	652	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	653	653	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	654	654	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	655	655	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	656	656	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	657	658	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	659	660	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	661	662	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	663	664	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	665	666	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	667	668	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	680	681	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU7_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
H1N1_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1
H1N2_AGE	691	692	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZAVACCINATION #2
H1N3_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3
H1N4_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4
H1N5_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5
H1N6_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6
H1N7_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7
H1N8_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8
H1N9_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9
HEA1_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	707	708	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	709	710	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	726	727	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HIB1_AGE	731	732	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	733	734	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	735	736	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	737	738	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	739	740	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	741	742	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	743	744	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	745	745	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	746	746	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	747	748	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	749	750	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	751	752	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	753	753	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	754	754	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	755	755	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	756	756	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	757	757	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	758	758	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	759	760	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	761	761	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	762	762	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	763	763	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	764	764	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	765	765	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	766	766	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	767	767	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	768	768	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	769	769	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	770	770	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	771	771	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	772	772	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	773	773	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	774	774	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	775	775	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	776	776	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	777	777	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	778	779	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	780	781	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PCV3_AGE	782	783	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	784	785	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	786	787	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	788	789	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	790	791	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	792	792	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	793	793	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	794	795	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	796	797	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	798	799	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	800	801	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	802	803	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	804	805	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	806	806	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	807	807	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	808	808	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	809	810	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	811	811	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	812	812	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	813	813	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	814	814	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	815	815	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	816	816	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	817	817	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	818	818	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	819	820	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	821	822	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	823	824	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	825	826	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	827	828	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	829	829	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	830	830	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	831	831	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	832	832	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	833	834	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	835	836	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	837	838	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	839	839	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
VRC5_AGE	840	840	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	841	841	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	842	842	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	843	843	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	844	844	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	845	846	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	847	848	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	849	850	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	851	852	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	853	854	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	855	856	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	857	857	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	858	858	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	859	859	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	860	861	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	862	863	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	864	865	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	866	867	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	868	869	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	870	871	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	872	873	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	874	875	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	876	876	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XH1NTY1	877	878	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1 TYPE CODE
XH1NTY2	879	880	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2 TYPE CODE
XH1NTY3	881	882	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3 TYPE CODE
XH1NTY4	883	884	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4 TYPE CODE
XH1NTY5	885	886	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5 TYPE CODE
XH1NTY6	887	887	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6 TYPE CODE
XH1NTY7	888	888	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7 TYPE CODE
XH1NTY8	889	889	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8 TYPE CODE
XH1NTY9	890	890	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9 TYPE CODE
XHEPTY1	891	892	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	893	894	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	895	896	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	897	898	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	899	900	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	901	902	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHEPTY7	903	903	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	904	904	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	905	905	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	906	907	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	908	909	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	910	911	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	912	913	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	914	915	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	916	917	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	918	919	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	920	920	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	921	921	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	922	923	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	924	925	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	926	927	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	928	928	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	929	929	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	930	930	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	931	931	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	932	932	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	933	933	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	934	935	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	936	937	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	938	939	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	940	941	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	942	943	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	944	945	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	946	947	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	948	948	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	949	949	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	950	951	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	952	953	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	954	955	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	956	957	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	958	959	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	960	961	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	962	962	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	963	963	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XPOLTY9	964	964	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	965	966	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	967	968	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	969	970	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	971	972	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	973	974	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	975	975	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	976	976	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	977	977	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	978	978	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	979	980	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	981	982	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	983	984	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	985	985	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	986	986	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	987	987	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	988	988	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	989	989	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	990	990	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_1	991	992	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_2	993	994	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	995	996	10	IS CHILD COVERED BY S-CHIP?
INS_3A	997	998	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	999	1000	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	1001	1002	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INS_11	1003	1004	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
VFC_I	1005	1005	10	DERIVED: IS CHILD VFC ELIGIBLE?

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: SEQNUMC Type: Character****Label: UNIQUE CHILD IDENTIFIER****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SEQNUMHH Type: Character**Label: UNIQUE HOUSEHOLD IDENTIFIER****Notes: Each household contains one or more children age 19 - 35 months.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PDAT Type: Numeric**Label: CHILD HAS ADEQUATE PROVIDER DATA****Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	19534	71.5%	71.5%	19534	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	7771	28.5%	28.5%	0	0.0%	0.0%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: TEL_SAMPFRAME** Type: Numeric**Label: SAMPLE FRAME (LANDLINE/CELL-PHONE) INDICATOR****Notes: TEL_SAMPFRAME = 1 identifies landline sample cases.****TEL_SAMPFRAME = 2 identifies cell-phon sample cases.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
LANDLINE SAMPLE FRAME	1	23970	87.8%	87.8%	17309	88.6%	88.6%
CELL-PHONE SAMPLE FRAME	2	3335	12.2%	12.2%	2225	11.4%	11.4%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PROVWT_LL Type: Numeric**Label: FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT
(EXCLUDING U.S. VIRGIN ISLANDS)****Notes: Final child weight to use for the single-frame,
landline-sample calculation of vaccination coverage rates for children with adequate
provider data (PDAT = 1). Valid for U.S. proper; set to missing for U.S. Virgin Islands.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16919	62.0%	100.0%	16919	86.6%	100.0%
RESERVED CODES:							
MISSING	.	10386	38.0%	n/a	2615	13.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PROVWT_LL Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	354.2	193.1	6.8	12903.7	558.4
Adequate Provider Data	354.2	193.1	6.8	12903.7	558.4

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWTVI_LL Type: Numeric

Label: FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT
(INCLUDING U.S. VIRGIN ISLANDS)Notes: Final child weight to use for the single-frame,
landline-sample calculation of vaccination coverage rates for children with adequate
provider data (PDAT = 1). Valid for U.S. proper plus U.S. Virgin Islands.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17309	63.4%	100.0%	17309	88.6%	100.0%
RESERVED CODES:							
MISSING	.	9996	36.6%	n/a	2225	11.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PROVWTVI_LL Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	346.4	186.1	1.2	12903.7	554.5
Adequate Provider Data	346.4	186.1	1.2	12903.7	554.5

Variable: RDDWT_LL Type: Numeric

Label: FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT
(EXCLUDING U.S. VIRGIN ISLANDS)Notes: Final single-frame, landline-sample household interview weight for child.
Use this weight for estimates based on children with completed household interviews.
Valid for U.S. proper; set to missing for U.S. Virgin Islands.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23406	85.7%	100.0%	16919	86.6%	100.0%
RESERVED CODES:							
MISSING	.	3899	14.3%	n/a	2615	13.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RDDWT_LL Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	256.1	145.3	4.9	7658.1	383.9
Adequate Provider Data	256.0	145.2	4.9	7658.1	383.1

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWTVI_LL Type: Numeric

Label: FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT
(INCLUDING U.S. VIRGIN ISLANDS)Notes: Final single-frame, landline-sample household interview weight for child.
Use this weight for estimates based on children with completed household interviews.
Valid for U.S. proper plus U.S. Virgin Islands.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23970	87.8%	100.0%	17309	88.6%	100.0%
RESERVED CODES:							
MISSING	.	3335	12.2%	n/a	2225	11.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RDDWTVI_LL Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	250.1	139.6	1.0	7658.1	381.3
Adequate Provider Data	250.3	139.9	1.0	7658.1	380.6

Variable: PROVWT_D Type: Numeric

Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT
(EXCLUDES U.S. VIRGIN ISLANDS)Notes:
Final child weight to use for the dual-frame calculation of vaccination coverage rates for
children with adequate provider data
(PDAT = 1). Missing for the U.S. Virgin Islands, where there was no cell-phone sample.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19144	70.1%	100.0%	19144	98.0%	100.0%
RESERVED CODES:							
MISSING	.	8161	29.9%	n/a	390	2.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PROVWT_D Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	313.1	149.1	0.5	11933.1	502.8
Adequate Provider Data	313.1	149.1	0.5	11933.1	502.8

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT_D Type: Numeric

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT
(EXCLUDES U.S. VIRGIN ISLANDS)Notes: Final dual-frame household interview weight for child.
Use this weight for estimates based on children with completed household interviews.
Missing for the U.S. Virgin Islands, where there was no cell-phone sample.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26741	97.9%	100.0%	19144	98.0%	100.0%
RESERVED CODES:							
MISSING	.	564	2.1%	n/a	390	2.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RDDWT_D Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	224.1	112.3	0.4	7700.8	335.8
Adequate Provider Data	220.1	108.9	0.4	7700.8	331.3

Variable: STRATUM_D Type: Numeric

Label: STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION

Notes:
Use STRATUM_D as the stratum variable for variance estimation when calculating dual-frame estimates. When estimating the variance for single-frame, landline-sample estimates, use ESTIAP11.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26741	97.9%	100.0%	19144	98.0%	100.0%
RESERVED CODES:							
MISSING	.	564	2.1%	n/a	390	2.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: YEAR Type: Numeric

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2011	2011	27305	100.0%	100.0%	19534	100.0%	100.0%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECPOXR Type: Numeric							
Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	76	0.3%	19.3%	51	0.3%	19.2%
7 TO 12 MONTHS OLD	2	117	0.4%	29.7%	79	0.4%	29.8%
13 TO 18 MONTHS OLD	3	102	0.4%	25.9%	67	0.3%	25.3%
19+ MONTHS OLD	4	99	0.4%	25.1%	68	0.3%	25.7%
SUBTOTALS:		394	1.4%	100.0%	265	1.4%	100.0%
RESERVED CODES:							
MISSING	.	26911	98.6%	n/a	19269	98.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SC_431 Type: Numeric							
Label: HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE							
Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing. Valid only if shot card was used. Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4602	16.9%	64.4%	3792	19.4%	65.2%
NOT UTD / SC	2	2547	9.3%	35.6%	2027	10.4%	34.8%
SUBTOTALS:		7149	26.2%	100.0%	5819	29.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	185	0.7%	n/a	158	0.8%	n/a
UNKNOWN	88	3	0.0%	n/a	2	0.0%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_4313 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing. Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4358	16.0%	61.1%	3597	18.4%	62.0%
NOT UTD / SC	2	2771	10.1%	38.9%	2206	11.3%	38.0%
SUBTOTALS:		7129	26.1%	100.0%	5803	29.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	205	0.8%	n/a	174	0.9%	n/a
UNKNOWN	88	3	0.0%	n/a	2	0.0%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SC_43133 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ Hib-containing, 3+ HepB-containing. Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4105	15.0%	57.7%	3398	17.4%	58.7%
NOT UTD / SC	2	3008	11.0%	42.3%	2393	12.3%	41.3%
SUBTOTALS:		7113	26.1%	100.0%	5791	29.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	221	0.8%	n/a	186	1.0%	n/a
UNKNOWN	88	3	0.0%	n/a	2	0.0%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_DTP Type: Numeric

Label: HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	5131	18.8%	70.4%	4218	21.6%	70.9%
NOT UTD / SC	2	2162	7.9%	29.6%	1728	8.8%	29.1%
SUBTOTALS:		7293	26.7%	100.0%	5946	30.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	45	0.2%	n/a	35	0.2%	n/a
UNKNOWN	88	2	0.0%	n/a	1	0.0%	n/a
REFUSED	99	2	0.0%	n/a	1	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SC_HEPB Type: Numeric

Label: HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6111	22.4%	83.8%	5027	25.7%	84.6%
NOT UTD / SC	2	1183	4.3%	16.2%	915	4.7%	15.4%
SUBTOTALS:		7294	26.7%	100.0%	5942	30.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	46	0.2%	n/a	39	0.2%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_HIB Type: Numeric****Label: HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6209	22.7%	85.2%	5096	26.1%	85.8%
NOT UTD / SC	2	1080	4.0%	14.8%	843	4.3%	14.2%
SUBTOTALS:		7289	26.7%	100.0%	5939	30.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	52	0.2%	n/a	44	0.2%	n/a
UNKNOWN	88	1	0.0%	n/a	0	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SC_MCV Type: Numeric**Label: HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6454	23.6%	89.3%	5271	27.0%	89.6%
NOT UTD / SC	2	773	2.8%	10.7%	609	3.1%	10.4%
SUBTOTALS:		7227	26.5%	100.0%	5880	30.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	111	0.4%	n/a	99	0.5%	n/a
UNKNOWN	88	1	0.0%	n/a	1	0.0%	n/a
REFUSED	99	3	0.0%	n/a	3	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_POL Type: Numeric****Label: HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6158	22.6%	84.8%	5046	25.8%	85.3%
NOT UTD / SC	2	1106	4.1%	15.2%	871	4.5%	14.7%
SUBTOTALS:		7264	26.6%	100.0%	5917	30.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	75	0.3%	n/a	64	0.3%	n/a
UNKNOWN	88	2	0.0%	n/a	1	0.0%	n/a
REFUSED	99	1	0.0%	n/a	1	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SC_VRC Type: Numeric**Label: HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE****Notes: Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6167	22.6%	85.5%	5066	25.9%	86.2%
NOT UTD / SC	2	1045	3.8%	14.5%	808	4.1%	13.8%
SUBTOTALS:		7212	26.4%	100.0%	5874	30.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	125	0.5%	n/a	104	0.5%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	3	0.0%	n/a	3	0.0%	n/a
MISSING	.	19963	73.1%	n/a	13551	69.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HH_DTP Type: Numeric****Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED****Notes: Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	845	3.1%	3.2%	500	2.6%	2.6%
AT LEAST ONE	1	20472	75.0%	76.7%	15047	77.0%	78.5%
"ALL"	50	5386	19.7%	20.2%	3609	18.5%	18.8%
SUBTOTALS:		26703	97.8%	100.0%	19156	98.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	597	2.2%	n/a	375	1.9%	n/a
REFUSED	99	5	0.0%	n/a	3	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HH_HEPB Type: Numeric**Label: HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED****Notes: Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1789	6.6%	6.8%	1082	5.5%	5.7%
AT LEAST ONE	1	19319	70.8%	72.9%	14340	73.4%	75.4%
"ALL"	50	5386	19.7%	20.3%	3609	18.5%	19.0%
SUBTOTALS:		26494	97.0%	100.0%	19031	97.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	809	3.0%	n/a	502	2.6%	n/a
REFUSED	99	2	0.0%	n/a	1	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HH_HIB Type: Numeric**Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED****Notes: Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	3057	11.2%	12.0%	1915	9.8%	10.5%
AT LEAST ONE	1	16968	62.1%	66.8%	12784	65.4%	69.8%
"ALL"	50	5386	19.7%	21.2%	3609	18.5%	19.7%
SUBTOTALS:		25411	93.1%	100.0%	18308	93.7%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_HIB Type: Numeric							
Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
DON'T KNOW	77	1891	6.9%	n/a	1224	6.3%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HH_MCV Type: Numeric							
Label: HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
NONE	0	2108	7.7%	7.9%	1426	7.3%	7.5%
AT LEAST ONE	1	19195	70.3%	71.9%	14097	72.2%	73.7%
"ALL"	50	5386	19.7%	20.2%	3609	18.5%	18.9%
SUBTOTALS:		26689	97.7%	100.0%	19132	97.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	611	2.2%	n/a	398	2.0%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HH_POL Type: Numeric							
Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
NONE	0	2159	7.9%	8.3%	1396	7.1%	7.5%
AT LEAST ONE	1	18409	67.4%	70.9%	13643	69.8%	73.2%
"ALL"	50	5386	19.7%	20.8%	3609	18.5%	19.4%
SUBTOTALS:		25954	95.1%	100.0%	18648	95.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1346	4.9%	n/a	882	4.5%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_VRC Type: Numeric							
Label: HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	3610	13.2%	13.7%	2448	12.5%	13.0%
AT LEAST ONE	1	17296	63.3%	65.8%	12807	65.6%	67.9%
"ALL"	50	5386	19.7%	20.5%	3609	18.5%	19.1%
SUBTOTALS:		26292	96.3%	100.0%	18864	96.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1007	3.7%	n/a	665	3.4%	n/a
REFUSED	99	6	0.0%	n/a	5	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric							
Label: CHILD EVER HAD CHICKEN POX DISEASE?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	406	1.5%	1.5%	268	1.4%	1.4%
NO	2	26838	98.3%	98.5%	19221	98.4%	98.6%
SUBTOTALS:		27244	99.8%	100.0%	19489	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	60	0.2%	n/a	45	0.2%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SHOTCARD Type: Numeric							
Label: SHOT CARD USE FLAG							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SHOTCARD	1	7342	26.9%	26.9%	5983	30.6%	30.6%
NO SHOTCARD	2	19963	73.1%	73.1%	13551	69.4%	69.4%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	7869	28.8%	28.8%	5624	28.8%	28.8%
24 - 29 MONTHS	2	8627	31.6%	31.6%	6210	31.8%	31.8%
30 - 35 MONTHS	3	10809	39.6%	39.6%	7700	39.4%	39.4%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

Label: DURATION OF BREAST FEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20784	76.1%	100.0%	15005	76.8%	100.0%
RESERVED CODES:							
MISSING	.	6521	23.9%	n/a	4529	23.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	246.9	213.1	0.0	730.5	177.5
Adequate Provider Data	245.8	213.1	0.0	730.5	177.4

Variable: BF_EXCLR06 Type: Numeric

Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21096	77.3%	100.0%	15271	78.2%	100.0%
RESERVED CODES:							
MISSING	.	6209	22.7%	n/a	4263	21.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BF_EXCLR06** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	155.8	152.2	1.0	273.9	67.0
Adequate Provider Data	154.6	152.2	1.0	273.9	65.8

Variable: **BF_FORMR08** Type: Numeric

Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)

Notes:

BF_FORMR08 replaces **BF_FORMR06** and includes a code of 888 for children never fed formula. See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17843	65.3%	100.0%	12878	65.9%	100.0%
RESERVED CODES:							
NEVER FED FORMULA	888	3667	13.4%	n/a	2681	13.7%	n/a
MISSING	.	5795	21.2%	n/a	3975	20.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: **BF_FORMR08** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	92.5	60.9	0.0	730.5	108.5
Adequate Provider Data	90.3	60.9	0.0	730.5	106.2

Variable: **BFENDFL06** Type: Numeric

Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BFFORMFL06 Type: Numeric

Label:

AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: C1R Type: Numeric

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2	2	483	1.8%	1.8%	335	1.7%	1.7%
3	3	5317	19.5%	19.5%	3684	18.9%	18.9%
4	4	9734	35.6%	35.6%	7066	36.2%	36.2%
5	5	6029	22.1%	22.1%	4360	22.3%	22.3%
6	6	3069	11.2%	11.2%	2247	11.5%	11.5%
7	7	1317	4.8%	4.8%	908	4.6%	4.6%
8+	8	1356	5.0%	5.0%	934	4.8%	4.8%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	20804	76.2%	76.2%	15516	79.4%	79.4%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	4703	17.2%	17.2%	3038	15.6%	15.6%
GRANDPARENT	3	1422	5.2%	5.2%	813	4.2%	4.2%
OTHER FAMILY MEMBER/FRIEND	4	371	1.4%	1.4%	165	0.8%	0.8%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric							
Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		27300	100.0%	100.0%	19532	100.0%	100.0%
RESERVED CODES:							
REFUSED	99	5	0.0%	n/a	2	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: CBF_01 Type: Numeric							
Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	21660	79.3%	79.6%	15644	80.1%	80.3%
NO	2	5546	20.3%	20.4%	3840	19.7%	19.7%
SUBTOTALS:		27206	99.6%	100.0%	19484	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	94	0.3%	n/a	50	0.3%	n/a
REFUSED	99	5	0.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: CEN_REG Type: Numeric							
Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	4971	18.2%	18.6%	3491	17.9%	18.2%
MIDWEST	2	5745	21.0%	21.5%	4245	21.7%	22.2%
SOUTH	3	10358	37.9%	38.7%	7264	37.2%	37.9%
WEST	4	5667	20.8%	21.2%	4144	21.2%	21.6%
SUBTOTALS:		26741	97.9%	100.0%	19144	98.0%	100.0%
RESERVED CODES:							
MISSING	.	564	2.1%	n/a	390	2.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CHILDNM Type: Numeric							
Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	6673	24.4%	24.4%	4604	23.6%	23.6%
TWO OR THREE	2	16411	60.1%	60.1%	11885	60.8%	60.8%
FOUR OR MORE	3	4221	15.5%	15.5%	3045	15.6%	15.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: CWIC_01 Type: Numeric							
Label: CHILD EVER RECEIVED WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	11614	42.5%	42.6%	8401	43.0%	43.1%
NO	2	15573	57.0%	57.2%	11072	56.7%	56.8%
NEVER HEARD OF WIC	3	51	0.2%	0.2%	33	0.2%	0.2%
SUBTOTALS:		27238	99.8%	100.0%	19506	99.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	58	0.2%	n/a	27	0.1%	n/a
REFUSED	99	9	0.0%	n/a	1	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: CWIC_02 Type: Numeric							
Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	7018	25.7%	60.6%	5210	26.7%	62.1%
NO	2	4561	16.7%	39.4%	3173	16.2%	37.9%
SUBTOTALS:		11579	42.4%	100.0%	8383	42.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	34	0.1%	n/a	18	0.1%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC_02 Type: Numeric

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	15691	57.5%	n/a	11133	57.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: EDUC1 Type: Numeric

Label: EDUCATION OF MOTHER CATEGORIES (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2798	10.2%	10.2%	2073	10.6%	10.6%
12 YEARS	2	4855	17.8%	17.8%	3446	17.6%	17.6%
> 12 YEARS, NON-COLLEGE GRAD	3	7120	26.1%	26.1%	5047	25.8%	25.8%
COLLEGE GRAD	4	12532	45.9%	45.9%	8968	45.9%	45.9%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FRSTBRN Type: Numeric

Label: FIRST BORN STATUS OF CHILD

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NO	1	17569	64.3%	64.3%	12721	65.1%	65.1%
YES	2	9736	35.7%	35.7%	6813	34.9%	34.9%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: I_HISP_K Type: Numeric

Label: HISPANIC ORIGIN OF CHILD

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4735	17.3%	17.3%	3408	17.4%	17.4%
NON-HISPANIC	2	22570	82.7%	82.7%	16126	82.6%	82.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INCPORAR Type: Numeric

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2010 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		25000	91.6%	100.0%	18400	94.2%	100.0%
RESERVED CODES:							
MISSING	.	2305	8.4%	n/a	1134	5.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INCPORAR Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	2.1	2.7	0.5	3.0	1.0
Adequate Provider Data	2.1	2.7	0.5	3.0	1.0

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2010 Census poverty thresholds.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	10012	36.7%	38.7%	7394	37.9%	39.2%
ABOVE POVERTY, <= \$75K	2	9877	36.2%	38.1%	7033	36.0%	37.2%
BELOW POVERTY	3	6008	22.0%	23.2%	4454	22.8%	23.6%
SUBTOTALS:		25897	94.8%	100.0%	18881	96.7%	100.0%
RESERVED CODES:							

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2010 Census poverty thresholds.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UNKNOWN	4	1408	5.2%	n/a	653	3.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INCQ298A Type: Numeric

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2010.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1142	4.2%	4.6%	843	4.3%	4.6%
\$7501 - \$10000	4	1054	3.9%	4.2%	786	4.0%	4.3%
\$10001 - \$17500	5	1494	5.5%	6.0%	1123	5.7%	6.1%
\$17501 - \$20000	6	1040	3.8%	4.2%	758	3.9%	4.1%
\$20001 - \$25000	7	1126	4.1%	4.5%	865	4.4%	4.7%
\$25001 - \$30000	8	1243	4.6%	5.0%	919	4.7%	5.0%
\$30001 - \$35000	9	768	2.8%	3.1%	556	2.8%	3.0%
\$35001 - \$40000	10	1134	4.2%	4.5%	803	4.1%	4.4%
\$40001 - \$50000	11	1828	6.7%	7.3%	1337	6.8%	7.3%
\$50001 - \$60000	12	1677	6.1%	6.7%	1199	6.1%	6.5%
\$60001 - \$75000	13	2482	9.1%	9.9%	1817	9.3%	9.9%
\$75001+	14	10012	36.7%	40.0%	7394	37.9%	40.2%
SUBTOTALS:		25000	91.6%	100.0%	18400	94.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1106	4.1%	n/a	683	3.5%	n/a
REFUSED	99	1199	4.4%	n/a	451	2.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INTRP Type: Numeric
Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1923	7.0%	7.6%	1397	7.2%	7.7%
NO	2	23250	85.1%	92.4%	16692	85.5%	92.3%
SUBTOTALS:		25173	92.2%	100.0%	18089	92.6%	100.0%
RESERVED CODES:							
MISSING	.	2132	7.8%	n/a	1445	7.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: LANGUAGE Type: Numeric
Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
Notes:
Interviews conducted in other languages were administered using the AT&T language line.
This variable was constructed from call outcome codes.
While these outcome codes are considered accurate,
there is no independent check to determine the language in which the interview was actually
conducted.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ENGLISH	1	24993	91.5%	91.5%	17846	91.4%	91.4%
SPANISH	2	1834	6.7%	6.7%	1373	7.0%	7.0%
OTHER	3	478	1.8%	1.8%	315	1.6%	1.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: M_AGEGRP Type: Numeric
Label: AGE OF MOTHER CATEGORIES (RECODE)
Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	466	1.7%	1.7%	338	1.7%	1.7%
20 - 29 YEARS	2	8637	31.6%	31.6%	6115	31.3%	31.3%
>= 30 YEARS	3	18202	66.7%	66.7%	13081	67.0%	67.0%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric

Label: MARITAL STATUS OF MOTHER (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MARRIED	1	20151	73.8%	73.8%	14471	74.1%	74.1%
NEVER MARRIED/WIDOWED/DIVORCED/SEPARATED/DECEASED	2	7154	26.2%	26.2%	5063	25.9%	25.9%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: MOBIL_I Type: Numeric

Label: GEOGRAPHIC MOBILITY STATUS:
STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	2258	8.3%	8.3%	1518	7.8%	7.8%
DID NOT MOVE FROM DIFFERENT STATE	2	25047	91.7%	91.7%	18016	92.2%	92.2%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: NUM_PHONE Type: Numeric

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD
(EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	23515	86.1%	98.4%	17019	87.1%	98.4%
TWO	2	352	1.3%	1.5%	253	1.3%	1.5%
THREE OR MORE	3	30	0.1%	0.1%	16	0.1%	0.1%
SUBTOTALS:		23897	87.5%	100.0%	17288	88.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	6	0.0%	n/a	4	0.0%	n/a
REFUSED	99	67	0.2%	n/a	17	0.1%	n/a

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_PHONE Type: Numeric

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD
(EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	3335	12.2%	n/a	2225	11.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: NUM_CELLS_HH Type: Numeric

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE
AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	4848	17.8%	18.0%	3503	17.9%	18.0%
TWO	2	14704	53.9%	54.5%	10825	55.4%	55.6%
THREE OR MORE	3	4724	17.3%	17.5%	3307	16.9%	17.0%
NONE	4	2705	9.9%	10.0%	1825	9.3%	9.4%
SUBTOTALS:		26981	98.8%	100.0%	19460	99.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	18	0.1%	n/a	9	0.0%	n/a
REFUSED	99	235	0.9%	n/a	65	0.3%	n/a
MISSING	.	71	0.3%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: NUM_CELLS_PARENTS Type: Numeric

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR
GUARDIANS

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	6673	24.4%	24.8%	4824	24.7%	24.8%
TWO	2	16184	59.3%	60.1%	11885	60.8%	61.1%
THREE OR MORE	3	1009	3.7%	3.7%	674	3.5%	3.5%
NONE	4	3050	11.2%	11.3%	2053	10.5%	10.6%
SUBTOTALS:		26916	98.6%	100.0%	19436	99.5%	100.0%
RESERVED CODES:							

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_CELLS_PARENTS Type: Numeric

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	56	0.2%	n/a	31	0.2%	n/a
REFUSED	99	246	0.9%	n/a	67	0.3%	n/a
MISSING	.	87	0.3%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RACE_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	19962	73.1%	73.1%	14577	74.6%	74.6%
BLACK ONLY	2	3806	13.9%	13.9%	2488	12.7%	12.7%
OTHER + MULTIPLE RACE	3	3537	13.0%	13.0%	2469	12.6%	12.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RACEETHK Type: Numeric

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4735	17.3%	17.3%	3408	17.4%	17.4%
NON-HISPANIC WHITE ONLY	2	16222	59.4%	59.4%	11838	60.6%	60.6%
NON-HISPANIC BLACK ONLY	3	3334	12.2%	12.2%	2185	11.2%	11.2%
NON-HISPANIC OTHER + MULTIPLE RACE	4	3014	11.0%	11.0%	2103	10.8%	10.8%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RENT_OWN Type: Numeric

Label: IS HOME OWNED/BEING BOUGHT, RENTED,
OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	18461	67.6%	68.0%	13304	68.1%	68.3%
RENTED	2	7860	28.8%	29.0%	5582	28.6%	28.7%
OTHER ARRANGMENT	3	824	3.0%	3.0%	595	3.0%	3.1%
SUBTOTALS:		27145	99.4%	100.0%	19481	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	40	0.1%	n/a	23	0.1%	n/a
REFUSED	99	120	0.4%	n/a	30	0.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: SEX Type: Numeric

Label: GENDER OF CHILD

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MALE	1	14062	51.5%	51.5%	10026	51.3%	51.3%
FEMALE	2	13243	48.5%	48.5%	9508	48.7%	48.7%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP11 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: For single-frame, landline-sample estimates,
use as stratum identifier when calculating standard errors. For dual-frame variance estimation,
use STRATUM_D.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	557	2.0%	2.0%	386	2.0%	2.0%
MA	2	427	1.6%	1.6%	295	1.5%	1.5%
ME	4	380	1.4%	1.4%	294	1.5%	1.5%
NH	5	331	1.2%	1.2%	244	1.2%	1.2%
RI	6	485	1.8%	1.8%	367	1.9%	1.9%
VT	7	393	1.4%	1.4%	276	1.4%	1.4%
NJ	8	551	2.0%	2.0%	372	1.9%	1.9%
NY-REST OF STATE	10	408	1.5%	1.5%	274	1.4%	1.4%
NY-CITY OF NEW YORK	11	511	1.9%	1.9%	312	1.6%	1.6%
DC	12	535	2.0%	2.0%	369	1.9%	1.9%
DE	13	457	1.7%	1.7%	326	1.7%	1.7%
MD-REST OF STATE	14	506	1.9%	1.9%	345	1.8%	1.8%
PA-REST OF STATE	16	520	1.9%	1.9%	381	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	408	1.5%	1.5%	290	1.5%	1.5%
VA	18	596	2.2%	2.2%	394	2.0%	2.0%
WV	19	501	1.8%	1.8%	373	1.9%	1.9%
AL	20	539	2.0%	2.0%	399	2.0%	2.0%
FL	22	503	1.8%	1.8%	346	1.8%	1.8%
GA	25	482	1.8%	1.8%	359	1.8%	1.8%
KY	27	386	1.4%	1.4%	281	1.4%	1.4%
MS	28	416	1.5%	1.5%	292	1.5%	1.5%
NC	29	412	1.5%	1.5%	287	1.5%	1.5%
SC	30	368	1.3%	1.3%	269	1.4%	1.4%
TN	31	411	1.5%	1.5%	297	1.5%	1.5%
IL-REST OF STATE	34	507	1.9%	1.9%	351	1.8%	1.8%
IL-CITY OF CHICAGO	35	579	2.1%	2.1%	411	2.1%	2.1%
IN	36	519	1.9%	1.9%	382	2.0%	2.0%
MI	38	525	1.9%	1.9%	386	2.0%	2.0%
MN	40	370	1.4%	1.4%	278	1.4%	1.4%
OH	41	394	1.4%	1.4%	284	1.5%	1.5%
WI	44	403	1.5%	1.5%	307	1.6%	1.6%
AR	46	460	1.7%	1.7%	322	1.6%	1.6%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP11 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: For single-frame, landline-sample estimates,
use as stratum identifier when calculating standard errors. For dual-frame variance estimation,
use STRATUM_D.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
LA	47	480	1.8%	1.8%	307	1.6%	1.6%
NM	49	439	1.6%	1.6%	332	1.7%	1.7%
OK	50	440	1.6%	1.6%	303	1.6%	1.6%
TX-REST OF STATE	51	602	2.2%	2.2%	429	2.2%	2.2%
TX-DALLAS COUNTY	52	489	1.8%	1.8%	320	1.6%	1.6%
TX-EL PASO COUNTY	53	357	1.3%	1.3%	270	1.4%	1.4%
TX-CITY OF HOUSTON	54	426	1.6%	1.6%	314	1.6%	1.6%
TX-BEXAR COUNTY	55	537	2.0%	2.0%	350	1.8%	1.8%
IA	56	411	1.5%	1.5%	313	1.6%	1.6%
KS	57	483	1.8%	1.8%	359	1.8%	1.8%
MO	58	536	2.0%	2.0%	397	2.0%	2.0%
NE	59	356	1.3%	1.3%	276	1.4%	1.4%
CO	60	564	2.1%	2.1%	403	2.1%	2.1%
MT	61	431	1.6%	1.6%	328	1.7%	1.7%
ND	62	316	1.2%	1.2%	247	1.3%	1.3%
SD	63	346	1.3%	1.3%	254	1.3%	1.3%
UT	64	442	1.6%	1.6%	353	1.8%	1.8%
WY	65	388	1.4%	1.4%	289	1.5%	1.5%
AZ	66	424	1.6%	1.6%	279	1.4%	1.4%
CA	68	599	2.2%	2.2%	407	2.1%	2.1%
HI	72	430	1.6%	1.6%	296	1.5%	1.5%
NV	73	405	1.5%	1.5%	306	1.6%	1.6%
AK	74	397	1.5%	1.5%	278	1.4%	1.4%
ID	75	363	1.3%	1.3%	282	1.4%	1.4%
OR	76	401	1.5%	1.5%	296	1.5%	1.5%
WA	77	384	1.4%	1.4%	295	1.5%	1.5%
US VIRGIN ISLANDS	95	564	2.1%	2.1%	390	2.0%	2.0%
MD-PRINCE GEORGE'S COUNTY	103	455	1.7%	1.7%	312	1.6%	1.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALABAMA	1	539	2.0%	2.0%	399	2.0%	2.0%
ALASKA	2	397	1.5%	1.5%	278	1.4%	1.4%
ARIZONA	4	424	1.6%	1.6%	279	1.4%	1.4%
ARKANSAS	5	460	1.7%	1.7%	322	1.6%	1.6%
CALIFORNIA	6	599	2.2%	2.2%	407	2.1%	2.1%
COLORADO	8	564	2.1%	2.1%	403	2.1%	2.1%
CONNECTICUT	9	557	2.0%	2.0%	386	2.0%	2.0%
DELAWARE	10	457	1.7%	1.7%	326	1.7%	1.7%
DISTRICT OF COLUMBIA	11	535	2.0%	2.0%	369	1.9%	1.9%
FLORIDA	12	503	1.8%	1.8%	346	1.8%	1.8%
GEORGIA	13	482	1.8%	1.8%	359	1.8%	1.8%
HAWAII	15	430	1.6%	1.6%	296	1.5%	1.5%
IDAHO	16	363	1.3%	1.3%	282	1.4%	1.4%
ILLINOIS	17	1086	4.0%	4.0%	762	3.9%	3.9%
INDIANA	18	519	1.9%	1.9%	382	2.0%	2.0%
IOWA	19	411	1.5%	1.5%	313	1.6%	1.6%
KANSAS	20	483	1.8%	1.8%	359	1.8%	1.8%
KENTUCKY	21	386	1.4%	1.4%	281	1.4%	1.4%
LOUISIANA	22	480	1.8%	1.8%	307	1.6%	1.6%
MAINE	23	380	1.4%	1.4%	294	1.5%	1.5%
MARYLAND	24	961	3.5%	3.5%	657	3.4%	3.4%
MASSACHUSETTS	25	427	1.6%	1.6%	295	1.5%	1.5%
MICHIGAN	26	525	1.9%	1.9%	386	2.0%	2.0%
MINNESOTA	27	370	1.4%	1.4%	278	1.4%	1.4%
MISSISSIPPI	28	416	1.5%	1.5%	292	1.5%	1.5%
MISSOURI	29	536	2.0%	2.0%	397	2.0%	2.0%
MONTANA	30	431	1.6%	1.6%	328	1.7%	1.7%
NEBRASKA	31	356	1.3%	1.3%	276	1.4%	1.4%
NEVADA	32	405	1.5%	1.5%	306	1.6%	1.6%
NEW HAMPSHIRE	33	331	1.2%	1.2%	244	1.2%	1.2%
NEW JERSEY	34	551	2.0%	2.0%	372	1.9%	1.9%
NEW MEXICO	35	439	1.6%	1.6%	332	1.7%	1.7%
NEW YORK	36	919	3.4%	3.4%	586	3.0%	3.0%
NORTH CAROLINA	37	412	1.5%	1.5%	287	1.5%	1.5%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric							
Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTH DAKOTA	38	316	1.2%	1.2%	247	1.3%	1.3%
OHIO	39	394	1.4%	1.4%	284	1.5%	1.5%
OKLAHOMA	40	440	1.6%	1.6%	303	1.6%	1.6%
OREGON	41	401	1.5%	1.5%	296	1.5%	1.5%
PENNSYLVANIA	42	928	3.4%	3.4%	671	3.4%	3.4%
RHODE ISLAND	44	485	1.8%	1.8%	367	1.9%	1.9%
SOUTH CAROLINA	45	368	1.3%	1.3%	269	1.4%	1.4%
SOUTH DAKOTA	46	346	1.3%	1.3%	254	1.3%	1.3%
TENNESSEE	47	411	1.5%	1.5%	297	1.5%	1.5%
TEXAS	48	2411	8.8%	8.8%	1683	8.6%	8.6%
UTAH	49	442	1.6%	1.6%	353	1.8%	1.8%
VERMONT	50	393	1.4%	1.4%	276	1.4%	1.4%
VIRGINIA	51	596	2.2%	2.2%	394	2.0%	2.0%
WASHINGTON	53	384	1.4%	1.4%	295	1.5%	1.5%
WEST VIRGINIA	54	501	1.8%	1.8%	373	1.9%	1.9%
WISCONSIN	55	403	1.5%	1.5%	307	1.6%	1.6%
WYOMING	56	388	1.4%	1.4%	289	1.5%	1.5%
U.S. VIRGIN ISLANDS	78	564	2.1%	2.1%	390	2.0%	2.0%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES**Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)****Notes:****Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	66	0.2%	0.3%	60	0.3%	0.3%
1	1	17570	64.3%	66.7%	12823	65.6%	65.6%
2	2	6996	25.6%	26.6%	5398	27.6%	27.6%
3+	3	1710	6.3%	6.5%	1253	6.4%	6.4%
SUBTOTALS:		26342	96.5%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	963	3.5%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: D7 Type: Numeric**Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	21595	79.1%	99.4%	19474	99.7%	100.0%
NO	2	130	0.5%	0.6%	0	0.0%	0.0%
SUBTOTALS:		21725	79.6%	100.0%	19474	99.7%	100.0%
RESERVED CODES:							
MISSING	.	5580	20.4%	n/a	60	0.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: DISPCODE Type: Numeric

Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE

Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.

These children should not be used in the calculation of vaccination coverage rates.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
COMPLETE PROVIDER INFO, NO PROBLEMS	1	5210	19.1%	26.8%	5210	26.7%	26.9%
COMPLETE PROVIDER INFO, NO SHOT CARD	2	12715	46.6%	65.3%	12715	65.1%	65.7%
COMPLETE PROVIDER INFO, POOR HISTORY	3	428	1.6%	2.2%	428	2.2%	2.2%
COMPLETE PROVIDER INFO, POOR HIST/OTHER	4	51	0.2%	0.3%	51	0.3%	0.3%
INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED	5	687	2.5%	3.5%	687	3.5%	3.6%
INCOMPLETE PROVIDER RESP, INFO MATCHES	6	8	0.0%	0.0%	8	0.0%	0.0%
INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN	7	115	0.4%	0.6%	0	0.0%	0.0%
INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH HH	8	12	0.0%	0.1%	12	0.1%	0.1%
INCOMPLETE PROVIDER RESP, MATCHES HH	9	24	0.1%	0.1%	24	0.1%	0.1%
INCOMPLETE PROVIDER RESP, HH NOT EXACT	10	209	0.8%	1.1%	209	1.1%	1.1%
SUBTOTALS:		19459	71.3%	100.0%	19344	99.0%	100.0%
RESERVED CODES:							
MISSING	.	7846	28.7%	n/a	190	1.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: N_PRVR Type: Numeric

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes:

Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7846	28.7%	28.7%	190	1.0%	1.0%
1	1	15088	55.3%	55.3%	14987	76.7%	76.7%
2	2	3855	14.1%	14.1%	3841	19.7%	19.7%
3+	3	516	1.9%	1.9%	516	2.6%	2.6%
SUBTOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES**Variable: PROV_FAC** Type: Numeric**Label: PROVIDER FACILITY TYPES****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1983	7.3%	10.2%	1967	10.1%	10.2%
ALL HOSPITAL FACILITIES	2	2156	7.9%	11.1%	2131	10.9%	11.0%
ALL PRIVATE FACILITIES	3	11277	41.3%	58.0%	11244	57.6%	58.1%
ALL MILITARY/OTHER FACILITIES	4	659	2.4%	3.4%	640	3.3%	3.3%
MIXED	5	2699	9.9%	13.9%	2689	13.8%	13.9%
TYPE OF PROVIDER UNKNOWN	6	681	2.5%	3.5%	669	3.4%	3.5%
ALL WIC CLINIC PROVIDERS	7	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		19459	71.3%	100.0%	19344	99.0%	100.0%
RESERVED CODES:							
MISSING	.	7846	28.7%	n/a	190	1.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: REGISTRY Type: Numeric**Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	11203	41.0%	57.6%	11146	57.1%	57.6%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1918	7.0%	9.9%	1911	9.8%	9.9%
NO PROVIDERS	3	3449	12.6%	17.7%	3436	17.6%	17.8%
UNKNOWN/DON'T KNOW	4	2889	10.6%	14.8%	2851	14.6%	14.7%
SUBTOTALS:		19459	71.3%	100.0%	19344	99.0%	100.0%
RESERVED CODES:							
MISSING	.	7846	28.7%	n/a	190	1.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES**Variable: VFC_ORDER** Type: Numeric**Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	13955	51.1%	71.7%	13897	71.1%	71.8%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1830	6.7%	9.4%	1824	9.3%	9.4%
NO PROVIDERS	3	1826	6.7%	9.4%	1813	9.3%	9.4%
UNKNOWN/DON'T KNOW	4	1848	6.8%	9.5%	1810	9.3%	9.4%
SUBTOTALS:		19459	71.3%	100.0%	19344	99.0%	100.0%
RESERVED CODES:							
MISSING	.	7846	28.7%	n/a	190	1.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: HEP_BRTH** Type: Numeric**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG****Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	14041	51.4%	73.6%	13960	71.5%	73.6%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	5033	18.4%	26.4%	5008	25.6%	26.4%
SUBTOTALS:		19074	69.9%	100.0%	18968	97.1%	100.0%
RESERVED CODES:							
MISSING	.	8231	30.1%	n/a	566	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG****Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD	1	24	0.1%	22.2%	24	0.1%	22.2%
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	84	0.3%	77.8%	84	0.4%	77.8%
SUBTOTALS:		108	0.4%	100.0%	108	0.6%	100.0%
RESERVED CODES:							
MISSING	.	27197	99.6%	n/a	19426	99.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUHEPX Type: Numeric

Label:
NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2220	8.1%	11.3%	2200	11.3%	11.3%
1	1	4125	15.1%	21.0%	4064	20.8%	20.8%
2	2	2514	9.2%	12.8%	2499	12.8%	12.8%
3	3	10137	37.1%	51.6%	10120	51.8%	51.8%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric

Label:**NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	633	2.3%	3.2%	631	3.2%	3.2%
5	5	18	0.1%	0.1%	18	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric

Label:**NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	5532	20.3%	28.2%	5461	28.0%	28.0%
1	1	4832	17.7%	24.6%	4810	24.6%	24.6%
2	2	1901	7.0%	9.7%	1890	9.7%	9.7%
3	3	2640	9.7%	13.4%	2633	13.5%	13.5%
4	4	4685	17.2%	23.8%	4681	24.0%	24.0%
5	5	58	0.2%	0.3%	58	0.3%	0.3%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB Type: Numeric

Label:**NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 43

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19526	71.5%	99.4%	19411	99.4%	99.4%
1	1	100	0.4%	0.5%	100	0.5%	0.5%
2	2	17	0.1%	0.1%	17	0.1%	0.1%
3	3	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric

Label:**NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19379	71.0%	98.6%	19264	98.6%	98.6%
1	1	251	0.9%	1.3%	251	1.3%	1.3%
2	2	10	0.0%	0.1%	10	0.1%	0.1%
3	3	7	0.0%	0.0%	7	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHI Type: Numeric

Label:
NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	12478	45.7%	63.5%	12389	63.4%	63.4%
1	1	1787	6.5%	9.1%	1774	9.1%	9.1%
2	2	1417	5.2%	7.2%	1411	7.2%	7.2%
3	3	3872	14.2%	19.7%	3865	19.8%	19.8%
4	4	90	0.3%	0.5%	90	0.5%	0.5%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMDIH Type: Numeric

Label:
NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7866	28.8%	40.0%	7777	39.8%	39.8%
1	1	1996	7.3%	10.2%	1992	10.2%	10.2%
2	2	1907	7.0%	9.7%	1897	9.7%	9.7%
3	3	5053	18.5%	25.7%	5043	25.8%	25.8%
4	4	2788	10.2%	14.2%	2786	14.3%	14.3%
5	5	38	0.1%	0.2%	38	0.2%	0.2%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTA Type: Numeric

Label:**NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 04

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6214	22.8%	31.6%	6128	31.4%	31.4%
1	1	8840	32.4%	45.0%	8822	45.2%	45.2%
2	2	1230	4.5%	6.3%	1225	6.3%	6.3%
3	3	992	3.6%	5.0%	986	5.0%	5.0%
4	4	2356	8.6%	12.0%	2356	12.1%	12.1%
5	5	17	0.1%	0.1%	17	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMDTP Type: Numeric

Label:**NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	509	1.9%	2.6%	458	2.3%	2.3%
1	1	191	0.7%	1.0%	174	0.9%	0.9%
2	2	303	1.1%	1.5%	293	1.5%	1.5%
3	3	1935	7.1%	9.8%	1905	9.8%	9.8%
4	4	16384	60.0%	83.4%	16377	83.8%	83.8%
5	5	317	1.2%	1.6%	317	1.6%	1.6%
6	6	10	0.0%	0.1%	10	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric

Label:
NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6176	22.6%	31.4%	6086	31.2%	31.2%
1	1	3023	11.1%	15.4%	3015	15.4%	15.4%
2	2	4476	16.4%	22.8%	4466	22.9%	22.9%
3	3	4559	16.7%	23.2%	4552	23.3%	23.3%
4	4	1311	4.8%	6.7%	1311	6.7%	6.7%
5	5	97	0.4%	0.5%	97	0.5%	0.5%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMFLUL Type: Numeric

Label:
NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19057	69.8%	97.0%	18944	97.0%	97.0%
1	1	323	1.2%	1.6%	321	1.6%	1.6%
2	2	174	0.6%	0.9%	174	0.9%	0.9%
3	3	73	0.3%	0.4%	73	0.4%	0.4%
4	4	20	0.1%	0.1%	20	0.1%	0.1%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUM Type: Numeric

Label:
NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18486	67.7%	94.1%	18374	94.1%	94.1%
1	1	1025	3.8%	5.2%	1023	5.2%	5.2%
2	2	112	0.4%	0.6%	111	0.6%	0.6%
3	3	23	0.1%	0.1%	23	0.1%	0.1%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMFLUN Type: Numeric

Label:
NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6734	24.7%	34.3%	6643	34.0%	34.0%
1	1	3050	11.2%	15.5%	3041	15.6%	15.6%
2	2	4620	16.9%	23.5%	4609	23.6%	23.6%
3	3	4202	15.4%	21.4%	4198	21.5%	21.5%
4	4	1000	3.7%	5.1%	1000	5.1%	5.1%
5	5	40	0.1%	0.2%	40	0.2%	0.2%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMH1N Type: Numeric

Label:
NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 1M, 1N, or 1L

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	13918	51.0%	70.8%	13816	70.7%	70.7%
1	1	2170	7.9%	11.0%	2166	11.1%	11.1%
2	2	3525	12.9%	17.9%	3516	18.0%	18.0%
3	3	35	0.1%	0.2%	35	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUM1L Type: Numeric

Label:
NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 1L

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19397	71.0%	98.7%	19282	98.7%	98.7%
1	1	152	0.6%	0.8%	152	0.8%	0.8%
2	2	100	0.4%	0.5%	100	0.5%	0.5%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUM1M Type: Numeric

Label:
NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 1M

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19576	71.7%	99.6%	19461	99.6%	99.6%
1	1	53	0.2%	0.3%	53	0.3%	0.3%
2	2	20	0.1%	0.1%	20	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUM1N Type: Numeric

Label:
NUMBER OF INJECTED MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 1N

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	14166	51.9%	72.1%	14064	72.0%	72.0%
1	1	2107	7.7%	10.7%	2103	10.8%	10.8%
2	2	3352	12.3%	17.1%	3343	17.1%	17.1%
3	3	23	0.1%	0.1%	23	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEA Type: Numeric

Label:**NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HA**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4217	15.4%	21.5%	4131	21.1%	21.1%
1	1	5305	19.4%	27.0%	5288	27.1%	27.1%
2	2	10050	36.8%	51.1%	10038	51.4%	51.4%
3	3	74	0.3%	0.4%	74	0.4%	0.4%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMHEN Type: Numeric

Label:**NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19367	70.9%	98.6%	19254	98.6%	98.6%
1	1	150	0.5%	0.8%	149	0.8%	0.8%
2	2	99	0.4%	0.5%	98	0.5%	0.5%
3	3	32	0.1%	0.2%	32	0.2%	0.2%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEP Type: Numeric

Label:**NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 08, 43, 60, or HB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	585	2.1%	3.0%	576	2.9%	2.9%
1	1	503	1.8%	2.6%	448	2.3%	2.3%
2	2	880	3.2%	4.5%	862	4.4%	4.4%
3	3	13739	50.3%	69.9%	13715	70.2%	70.2%
4	4	3775	13.8%	19.2%	3766	19.3%	19.3%
5	5	161	0.6%	0.8%	161	0.8%	0.8%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMHIB Type: Numeric

Label:**NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG or HS**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	562	2.1%	2.9%	508	2.6%	2.6%
1	1	247	0.9%	1.3%	233	1.2%	1.2%
2	2	438	1.6%	2.2%	428	2.2%	2.2%
3	3	2875	10.5%	14.6%	2852	14.6%	14.6%
4	4	15177	55.6%	77.2%	15163	77.6%	77.6%
5	5	343	1.3%	1.7%	343	1.8%	1.8%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIN Type: Numeric

Label:**NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HI

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17881	65.5%	91.0%	17775	91.0%	91.0%
1	1	732	2.7%	3.7%	728	3.7%	3.7%
2	2	312	1.1%	1.6%	309	1.6%	1.6%
3	3	405	1.5%	2.1%	403	2.1%	2.1%
4	4	311	1.1%	1.6%	311	1.6%	1.6%
5	5	8	0.0%	0.0%	8	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMHION Type: Numeric

Label:**NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 44

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19501	71.4%	99.2%	19386	99.2%	99.2%
1	1	106	0.4%	0.5%	106	0.5%	0.5%
2	2	28	0.1%	0.1%	28	0.1%	0.1%
3	3	14	0.1%	0.1%	14	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHM Type: Numeric

Label:**NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type HM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17052	62.5%	86.8%	16947	86.8%	86.8%
1	1	1405	5.1%	7.2%	1398	7.2%	7.2%
2	2	386	1.4%	2.0%	383	2.0%	2.0%
3	3	575	2.1%	2.9%	575	2.9%	2.9%
4	4	228	0.8%	1.2%	228	1.2%	1.2%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMHG Type: Numeric

Label:**NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type HG

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18505	67.8%	94.2%	18393	94.2%	94.2%
1	1	913	3.3%	4.6%	910	4.7%	4.7%
2	2	76	0.3%	0.4%	76	0.4%	0.4%
3	3	81	0.3%	0.4%	81	0.4%	0.4%
4	4	74	0.3%	0.4%	74	0.4%	0.4%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHS Type: Numeric

Label:
NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7677	28.1%	39.1%	7597	38.9%	38.9%
1	1	4366	16.0%	22.2%	4352	22.3%	22.3%
2	2	1748	6.4%	8.9%	1736	8.9%	8.9%
3	3	2380	8.7%	12.1%	2371	12.1%	12.1%
4	4	3439	12.6%	17.5%	3439	17.6%	17.6%
5	5	39	0.1%	0.2%	39	0.2%	0.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMIPV Type: Numeric

Label:
NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	14946	54.7%	76.1%	14849	76.0%	76.0%
1	1	1503	5.5%	7.6%	1494	7.6%	7.6%
2	2	869	3.2%	4.4%	863	4.4%	4.4%
3	3	2186	8.0%	11.1%	2183	11.2%	11.2%
4	4	143	0.5%	0.7%	143	0.7%	0.7%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCN Type: Numeric

Label:**NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type MM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19546	71.6%	99.5%	19431	99.5%	99.5%
1	1	102	0.4%	0.5%	102	0.5%	0.5%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMMR Type: Numeric

Label:**NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1632	6.0%	8.3%	1549	7.9%	7.9%
1	1	17736	65.0%	90.3%	17704	90.6%	90.6%
2	2	279	1.0%	1.4%	279	1.4%	1.4%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMRX Type: Numeric

Label:**NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2220	8.1%	11.3%	2137	10.9%	10.9%
1	1	17210	63.0%	87.6%	17178	87.9%	87.9%
2	2	219	0.8%	1.1%	219	1.1%	1.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMMX Type: Numeric

Label:**NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30 or VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1758	6.4%	8.9%	1675	8.6%	8.6%
1	1	17650	64.6%	89.8%	17618	90.2%	90.2%
2	2	240	0.9%	1.2%	240	1.2%	1.2%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMP Type: Numeric

Label:
NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19648	72.0%	100.0%	19533	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMPR Type: Numeric

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19649	72.0%	100.0%	19534	100.0%	100.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric

Label:
NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19167	70.2%	97.5%	19052	97.5%	97.5%
1	1	479	1.8%	2.4%	479	2.5%	2.5%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMRV Type: Numeric

Label:
NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMS Type: Numeric

Label:
NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19590	71.7%	99.7%	19475	99.7%	99.7%
1	1	57	0.2%	0.3%	57	0.3%	0.3%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMSM Type: Numeric

Label:
NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19648	72.0%	100.0%	19533	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSM Type: Numeric

Label:
NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMMSR Type: Numeric

Label:
NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19648	72.0%	100.0%	19533	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric

Label:
NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19015	69.6%	96.8%	18901	96.8%	96.8%
1	1	217	0.8%	1.1%	216	1.1%	1.1%
2	2	114	0.4%	0.6%	114	0.6%	0.6%
3	3	258	0.9%	1.3%	258	1.3%	1.3%
4	4	44	0.2%	0.2%	44	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOLN Type: Numeric

Label:**NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMOPV Type: Numeric

Label:**NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 20

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19559	71.6%	99.5%	19445	99.5%	99.5%
1	1	25	0.1%	0.1%	24	0.1%	0.1%
2	2	17	0.1%	0.1%	17	0.1%	0.1%
3	3	35	0.1%	0.2%	35	0.2%	0.2%
4	4	10	0.0%	0.1%	10	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCV Type: Numeric							
Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: Vaccine type 70, 71, 72, 73, or 74							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	682	2.5%	3.5%	627	3.2%	3.2%
1	1	274	1.0%	1.4%	257	1.3%	1.3%
2	2	436	1.6%	2.2%	428	2.2%	2.2%
3	3	1598	5.9%	8.1%	1579	8.1%	8.1%
4	4	13176	48.3%	67.1%	13163	67.4%	67.4%
5	5	3419	12.5%	17.4%	3416	17.5%	17.5%
6	6	62	0.2%	0.3%	62	0.3%	0.3%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMPCP Type: Numeric							
Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: Vaccine type 71							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19597	71.8%	99.7%	19482	99.7%	99.7%
1	1	27	0.1%	0.1%	27	0.1%	0.1%
2	2	7	0.0%	0.0%	7	0.0%	0.0%
3	3	8	0.0%	0.0%	8	0.0%	0.0%
4	4	10	0.0%	0.1%	10	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC Type: Numeric							
Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: Vaccine type 70, 73, or 74							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1081	4.0%	5.5%	1024	5.2%	5.2%
1	1	446	1.6%	2.3%	428	2.2%	2.2%
2	2	506	1.9%	2.6%	499	2.6%	2.6%
3	3	1680	6.2%	8.6%	1661	8.5%	8.5%
4	4	12597	46.1%	64.1%	12586	64.4%	64.4%
5	5	3280	12.0%	16.7%	3277	16.8%	16.8%
6	6	57	0.2%	0.3%	57	0.3%	0.3%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMPCC7 Type: Numeric							
Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: Vaccine type 73							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	3207	11.7%	16.3%	3138	16.1%	16.1%
1	1	1137	4.2%	5.8%	1123	5.7%	5.7%
2	2	1750	6.4%	8.9%	1741	8.9%	8.9%
3	3	6071	22.2%	30.9%	6056	31.0%	31.0%
4	4	7345	26.9%	37.4%	7337	37.6%	37.6%
5	5	139	0.5%	0.7%	139	0.7%	0.7%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC13 Type: Numeric

Label:**NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 74

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6828	25.0%	34.7%	6735	34.5%	34.5%
1	1	8858	32.4%	45.1%	8845	45.3%	45.3%
2	2	1558	5.7%	7.9%	1555	8.0%	8.0%
3	3	929	3.4%	4.7%	925	4.7%	4.7%
4	4	1424	5.2%	7.2%	1422	7.3%	7.3%
5	5	52	0.2%	0.3%	52	0.3%	0.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMPCCN Type: Numeric

Label:**NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19649	72.0%	100.0%	19534	100.0%	100.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCN Type: Numeric

Label:
NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18739	68.6%	95.4%	18627	95.4%	95.4%
1	1	275	1.0%	1.4%	275	1.4%	1.4%
2	2	139	0.5%	0.7%	138	0.7%	0.7%
3	3	188	0.7%	1.0%	187	1.0%	1.0%
4	4	279	1.0%	1.4%	278	1.4%	1.4%
5	5	29	0.1%	0.1%	29	0.1%	0.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMPOL Type: Numeric

Label:
NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	622	2.3%	3.2%	567	2.9%	2.9%
1	1	192	0.7%	1.0%	178	0.9%	0.9%
2	2	512	1.9%	2.6%	498	2.5%	2.5%
3	3	13672	50.1%	69.6%	13642	69.8%	69.8%
4	4	4553	16.7%	23.2%	4551	23.3%	23.3%
5	5	91	0.3%	0.5%	91	0.5%	0.5%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMRB Type: Numeric

Label:**NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type RB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19647	72.0%	100.0%	19532	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMRG Type: Numeric

Label:**NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type RG**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17166	62.9%	87.4%	17055	87.3%	87.3%
1	1	653	2.4%	3.3%	651	3.3%	3.3%
2	2	1706	6.2%	8.7%	1704	8.7%	8.7%
3	3	124	0.5%	0.6%	124	0.6%	0.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMRM Type: Numeric****Label:****NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type RM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6251	22.9%	31.8%	6168	31.6%	31.6%
1	1	978	3.6%	5.0%	971	5.0%	5.0%
2	2	1901	7.0%	9.7%	1897	9.7%	9.7%
3	3	10488	38.4%	53.4%	10467	53.6%	53.6%
4	4	30	0.1%	0.2%	30	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMRO Type: Numeric**Label:****NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type RO**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18819	68.9%	95.8%	18705	95.8%	95.8%
1	1	287	1.1%	1.5%	287	1.5%	1.5%
2	2	226	0.8%	1.2%	226	1.2%	1.2%
3	3	317	1.2%	1.6%	316	1.6%	1.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMROT Type: Numeric

Label:
NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	3886	14.2%	19.8%	3808	19.5%	19.5%
1	1	800	2.9%	4.1%	791	4.0%	4.0%
2	2	3253	11.9%	16.6%	3247	16.6%	16.6%
3	3	11653	42.7%	59.3%	11631	59.5%	59.5%
4	4	54	0.2%	0.3%	54	0.3%	0.3%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMTPN Type: Numeric

Label:
NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19243	70.5%	97.9%	19129	97.9%	97.9%
1	1	228	0.8%	1.2%	227	1.2%	1.2%
2	2	50	0.2%	0.3%	50	0.3%	0.3%
3	3	82	0.3%	0.4%	82	0.4%	0.4%
4	4	45	0.2%	0.2%	45	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRC Type: Numeric

Label:
NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1914	7.0%	9.7%	1831	9.4%	9.4%
1	1	17468	64.0%	88.9%	17436	89.3%	89.3%
2	2	266	1.0%	1.4%	266	1.4%	1.4%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_NUMVRN Type: Numeric

Label:
NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19549	71.6%	99.5%	19434	99.5%	99.5%
1	1	98	0.4%	0.5%	98	0.5%	0.5%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRX Type: Numeric

Label:**NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type VO**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2465	9.0%	12.5%	2382	12.2%	12.2%
1	1	16952	62.1%	86.3%	16920	86.6%	86.6%
2	2	232	0.8%	1.2%	232	1.2%	1.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_U12VRC Type: Numeric

Label: UTD**(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2042	7.5%	10.4%	1959	10.0%	10.0%
UTD	1	17607	64.5%	89.6%	17575	90.0%	90.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD331 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2070	7.6%	10.5%	1973	10.1%	10.1%
UTD	1	17579	64.4%	89.5%	17561	89.9%	89.9%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTD431 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3425	12.5%	17.4%	3314	17.0%	17.0%
UTD	1	16224	59.4%	82.6%	16220	83.0%	83.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL1 Type: Numeric

Label:

UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: For interviews conducted during year X

(defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period.

(VACCINATED) For interviews conducted during year X

(defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period.

(NOT VACCINATED) Child falls into neither of the preceding categories.

(NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	5901	21.6%	30.0%	5895	30.2%	30.2%
NOT VACCINATED	2	5669	20.8%	28.9%	5595	28.6%	28.6%
NOT ELIGIBLE	3	8079	29.6%	41.1%	8044	41.2%	41.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL2 Type: Numeric

Label:

UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: For interviews conducted during year X

(defined using the year variable associated with the quarter),

child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either

(received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR

(received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1)

(VACCINATED). For interviews conducted during year X

(defined using the year variable associated with the quarter),

child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition.

(NOT VACCINATED). For interviews conducted during year X

(defined using the year variable associated with the quarter),

child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	4535	16.6%	23.1%	4530	23.2%	23.2%
NOT VACCINATED	2	7035	25.8%	35.8%	6960	35.6%	35.6%
NOT ELIGIBLE	3	8079	29.6%	41.1%	8044	41.2%	41.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDFL3 Type: Numeric****Label:****UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Definition same as P_UTDFL2 with one exception:****For interviews conducted during year X****(defined using the year variable associated with the quarter),****if child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year****(X-1) and child received no doses of influenza prior to 9/1/X-2,****received 1 dose of varicella between 9/1/X-2 and 9/1/X-1,****and received 1 dose of varicella between 9/1/X-1 and whichever is earlier,****date of interview or 1/31/X, then NOT VACCINATED.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	3917	14.3%	19.9%	3912	20.0%	20.0%
NOT VACCINATED	2	7653	28.0%	38.9%	7578	38.8%	38.8%
NOT ELIGIBLE	3	8079	29.6%	41.1%	8044	41.2%	41.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDH1N_1 Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 1+****MONOVALENT 2009 H1N1 INFLUENZA VACCINATION BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.****Notes: 1+ monovalent 2009 H1N1 flu (1L,1M,1N)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	13918	51.0%	70.8%	13816	70.7%	70.7%
UTD	1	5731	21.0%	29.2%	5718	29.3%	29.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDH1N_2 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 2+

MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE
AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.

Notes: 2+ monovalent 2009 H1N1 flu (1L,1M,1N)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	16088	58.9%	81.9%	15982	81.8%	81.8%
UTD	1	3561	13.0%	18.1%	3552	18.2%	18.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDHEP Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+

HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1968	7.2%	10.0%	1886	9.7%	9.7%
UTD	1	17681	64.8%	90.0%	17648	90.3%	90.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHEPA1 Type: Numeric

Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4217	15.4%	21.5%	4131	21.1%	21.1%
1	1	15432	56.5%	78.5%	15403	78.9%	78.9%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDHEPA2 Type: Numeric

Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	9522	34.9%	48.5%	9419	48.2%	48.2%
UTD	1	10127	37.1%	51.5%	10115	51.8%	51.8%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+

HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE,

EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1247	4.6%	6.3%	1169	6.0%	6.0%
UTD	1	18402	67.4%	93.7%	18365	94.0%	94.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDHIB_ROUT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE,

BASED ON THE ROUTINE

(NON-SHORTAGE)

HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF

UNKNOWN TYPE,

EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), or 2 Hib-Merck

(HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3666	13.4%	18.7%	3565	18.3%	18.3%
UTD	1	15983	58.5%	81.3%	15969	81.7%	81.7%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB_SHORT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1213	4.4%	6.2%	1136	5.8%	5.8%
UTD	1	18436	67.5%	93.8%	18398	94.2%	94.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1632	6.0%	8.3%	1549	7.9%	7.9%
UTD	1	18017	66.0%	91.7%	17985	92.1%	92.1%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDMMX Type: Numeric****Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 1+ MMR combo shot (30)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1758	6.4%	8.9%	1675	8.6%	8.6%
UTD	1	17891	65.5%	91.1%	17859	91.4%	91.4%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDPC3 Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1392	5.1%	7.1%	1312	6.7%	6.7%
UTD	1	18257	66.9%	92.9%	18222	93.3%	93.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDPCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2990	11.0%	15.2%	2891	14.8%	14.8%
UTD	1	16659	61.0%	84.8%	16643	85.2%	85.2%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDPCV Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+****PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDPCVB13 Type: Numeric**Label: UTD****(UP-TO-DATE) INDICATOR FOR PROVIDER 1+****PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7,
BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	2987	10.9%	15.2%	2984	15.3%	15.3%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	4483	16.4%	22.8%	4478	22.9%	22.9%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	12179	44.6%	62.0%	12072	61.8%	61.8%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDPOL Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+****POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ Polio-containing (08,20,21,22,D3)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1326	4.9%	6.7%	1243	6.4%	6.4%
UTD	1	18323	67.1%	93.3%	18291	93.6%	93.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPOL Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+
POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDROT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+
ROTAVIRUS DOSES BY 36 MONTHS OF AGE,
BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF
UNKNOWN TYPE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6422	23.5%	32.7%	6331	32.4%	32.4%
UTD	1	13227	48.4%	67.3%	13203	67.6%	67.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDTP3 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+
DT-CONTAINING SHOTS BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1003	3.7%	5.1%	925	4.7%	4.7%
UTD	1	18646	68.3%	94.9%	18609	95.3%	95.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDTP3 Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ DT-containing (03,04,07,08,D3)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2938	10.8%	15.0%	2830	14.5%	14.5%
UTD	1	16711	61.2%	85.0%	16704	85.5%	85.5%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PU431331 Type: Numeric**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1****(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4614	16.9%	23.5%	4499	23.0%	23.0%
UTD	1	15035	55.1%	76.5%	15035	77.0%	77.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431331 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1

(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTD431H31_ROUT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5599	20.5%	28.5%	5484	28.1%	28.1%
UTD	1	14050	51.5%	71.5%	14050	71.9%	71.9%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431_31 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1::3:1

(4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

BY 36 MONTHS OF AGE,

EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing

(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing

(08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4518	16.5%	23.0%	4403	22.5%	22.5%
UTD	1	15131	55.4%	77.0%	15131	77.5%	77.5%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PU4313313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3

(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE,

EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing

(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing

(07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing

(08,43,60,HB), 1+ Varicella-containing

(VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4750	17.4%	24.2%	4635	23.7%	23.7%
UTD	1	14899	54.6%	75.8%	14899	76.3%	76.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431H313_ROUT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE
(INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS)
USING THE ROUTINE, STRICT DEFINITION OF HIB UTD,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB
(routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing
(VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5702	20.9%	29.0%	5587	28.6%	28.6%
UTD	1	13947	51.1%	71.0%	13947	71.4%	71.4%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PU4313314 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4

(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing
(07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing
(08,43,60,HB), 1+ Varicella-containing
(VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5318	19.5%	27.1%	5203	26.6%	26.6%
UTD	1	14331	52.5%	72.9%	14331	73.4%	73.4%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431H314_ROUT_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE
(INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS)
USING THE ROUTINE, STRICT DEFINITION OF HIB UTD,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB
(routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing
(VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6109	22.4%	31.1%	5994	30.7%	30.7%
UTD	1	13540	49.6%	68.9%	13540	69.3%	69.3%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PU431_314 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1::3:1:4

(4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing
(08,43,60,HB), 1+ Varicella-containing
(VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5267	19.3%	26.8%	5152	26.4%	26.4%
UTD	1	14382	52.7%	73.2%	14382	73.6%	73.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUT43133 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing
(07,43,44,D3,HI,HM,HG,HS), and 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4208	15.4%	21.4%	4093	21.0%	21.0%
UTD	1	15441	56.6%	78.6%	15441	79.0%	79.0%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTD431H3_ROUT_S Type: Numeric

Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE,
USING THE ROUTINE, STRICT DEFINITION OF HIB UTD,
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB
(routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5241	19.2%	26.7%	5126	26.2%	26.2%
UTD	1	14408	52.8%	73.3%	14408	73.8%	73.8%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric							
Label: UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3544	13.0%	18.0%	3433	17.6%	17.6%
UTD	1	16105	59.0%	82.0%	16101	82.4%	82.4%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: P_UTD431H_ROUT_S Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.							
Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4650	17.0%	23.7%	4539	23.2%	23.2%
UTD	1	14999	54.9%	76.3%	14995	76.8%	76.8%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U1D_HEP Type: Numeric

Label:

BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	COUNT	PCT	PCT Excl.	Adequate	PCT	PCT Excl.
				Reserve Codes	Provider Data		Reserve Codes
0	0	8089	29.6%	41.2%	8042	41.2%	41.2%
1	1	11560	42.3%	58.8%	11492	58.8%	58.8%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: U2D_HEP Type: Numeric

Label:

BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	COUNT	PCT	PCT Excl.	Adequate	PCT	PCT Excl.
				Reserve Codes	Provider Data		Reserve Codes
0	0	6570	24.1%	33.4%	6534	33.4%	33.4%
1	1	13079	47.9%	66.6%	13000	66.6%	66.6%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: U3D_HEP Type: Numeric

Label:

BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd or 3rd day following birth.

LABEL	VALUE	COUNT	PCT	PCT Excl.	Adequate	PCT	PCT Excl.
				Reserve Codes	Provider Data		Reserve Codes
0	0	6152	22.5%	31.3%	6118	31.3%	31.3%
1	1	13497	49.4%	68.7%	13416	68.7%	68.7%
SUBTOTALS:		19649	72.0%	100.0%	19534	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7656	28.0%	n/a	0	0.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19145	70.1%	100.0%	19081	97.7%	100.0%
RESERVED CODES:							
MISSING	.	8160	29.9%	n/a	453	2.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	75.1	64.0	0.0	1105.0	56.1
Adequate Provider Data	74.9	64.0	0.0	1105.0	54.9

Variable: DDTP2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18961	69.4%	100.0%	18914	96.8%	100.0%
RESERVED CODES:							
MISSING	.	8344	30.6%	n/a	620	3.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	145.5	128.0	45.0	1141.0	66.4
Adequate Provider Data	145.4	128.0	45.0	1141.0	66.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18683	68.4%	100.0%	18645	95.4%	100.0%
RESERVED CODES:							
MISSING	.	8622	31.6%	n/a	889	4.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	220.9	192.0	76.0	1169.0	89.2
Adequate Provider Data	220.8	192.0	76.0	1169.0	89.1

Variable: DDTP4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16962	62.1%	100.0%	16955	86.8%	100.0%
RESERVED CODES:							
MISSING	.	10343	37.9%	n/a	2579	13.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	521.3	491.0	106.0	1266.0	102.3
Adequate Provider Data	521.3	491.0	106.0	1266.0	102.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		344	1.3%	100.0%	344	1.8%	100.0%
RESERVED CODES:							
MISSING	.	26961	98.7%	n/a	19190	98.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	604.8	557.0	274.0	1172.0	149.6
Adequate Provider Data	604.8	557.0	274.0	1172.0	149.6

Variable: DDTP6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27293	100.0%	n/a	19522	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DDTP6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	649.1	572.5	475.0	916.0	158.7
Adequate Provider Data	649.1	572.5	475.0	916.0	158.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DDTP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DDTP9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU1 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13628	49.9%	100.0%	13602	69.6%	100.0%
RESERVED CODES:							
MISSING	.	13677	50.1%	n/a	5932	30.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	353.7	304.0	0.0	1230.0	176.4
Adequate Provider Data	353.6	304.0	0.0	1230.0	176.4

Variable: DFLU2 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10720	39.3%	100.0%	10702	54.8%	100.0%
RESERVED CODES:							
MISSING	.	16585	60.7%	n/a	8832	45.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	433.6	397.0	98.0	1243.0	191.8
Adequate Provider Data	433.5	397.0	98.0	1243.0	191.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU3 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6438	23.6%	100.0%	6431	32.9%	100.0%
RESERVED CODES:							
MISSING	.	20867	76.4%	n/a	13103	67.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	651.6	629.0	183.0	1253.0	154.8
Adequate Provider Data	651.5	629.0	183.0	1253.0	154.8

Variable: DFLU4 Type: Numeric**Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1815	6.6%	100.0%	1814	9.3%	100.0%
RESERVED CODES:							
MISSING	.	25490	93.4%	n/a	17720	90.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	860.6	878.0	339.0	1285.0	164.9
Adequate Provider Data	860.6	877.5	339.0	1285.0	165.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU5 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		150	0.5%	100.0%	150	0.8%	100.0%
RESERVED CODES:							
MISSING	.	27155	99.5%	n/a	19384	99.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	927.1	941.0	412.0	1231.0	171.7
Adequate Provider Data	927.1	941.0	412.0	1231.0	171.7

Variable: DFLU6 Type: Numeric**Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27294	100.0%	n/a	19523	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	878.6	900.0	570.0	1157.0	185.9
Adequate Provider Data	878.6	900.0	570.0	1157.0	185.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU7 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	944.0	944.0	875.0	1013.0	97.6
Adequate Provider Data	944.0	944.0	875.0	1013.0	97.6

Variable: DFLU8 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DFLU8 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	1129.0	1129.0	1129.0	1129.0	.
Adequate Provider Data	1129.0	1129.0	1129.0	1129.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU9 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DH1N1 Type: Numeric							
Label:							
AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1							
Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5751	21.1%	100.0%	5738	29.4%	100.0%
RESERVED CODES:							
MISSING	.	21554	78.9%	n/a	13796	70.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DH1N1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	354.2	335.0	0.0	1151.0	141.8
Adequate Provider Data	354.2	335.0	0.0	1151.0	141.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DH1N2 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2****Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3602	13.2%	100.0%	3593	18.4%	100.0%
RESERVED CODES:							
MISSING	.	23703	86.8%	n/a	15941	81.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DH1N2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	394.1	372.0	190.0	1120.0	139.4
Adequate Provider Data	394.1	372.0	190.0	1120.0	139.4

Variable: DH1N3 Type: Numeric**Label:****AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3****Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		50	0.2%	100.0%	50	0.3%	100.0%
RESERVED CODES:							
MISSING	.	27255	99.8%	n/a	19484	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DH1N3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	645.8	612.0	268.0	1164.0	240.9
Adequate Provider Data	645.8	612.0	268.0	1164.0	240.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DH1N4 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4****Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DH1N4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	835.5	835.5	550.0	1121.0	403.8
Adequate Provider Data	835.5	835.5	550.0	1121.0	403.8

Variable: DH1N5 Type: Numeric**Label:****AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5****Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DH1N5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	742.0	742.0	742.0	742.0	.
Adequate Provider Data	742.0	742.0	742.0	742.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DH1N6 Type: Numeric

Label:
AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6

Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DH1N7 Type: Numeric

Label:
AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7

Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DH1N8 Type: Numeric

Label:
AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8

Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DH1N9 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9****Notes: See section 8 notes for P_NUMH1N. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPA1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15649	57.3%	100.0%	15619	80.0%	100.0%
RESERVED CODES:							
MISSING	.	11656	42.7%	n/a	3915	20.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	457.7	395.0	0.0	1186.0	126.2
Adequate Provider Data	457.6	395.0	0.0	1186.0	126.2

Variable: DHEPA2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10979	40.2%	100.0%	10966	56.1%	100.0%
RESERVED CODES:							
MISSING	.	16326	59.8%	n/a	8568	43.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA2		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	672.7	653.0	84.0	1306.0	122.4	
Adequate Provider Data	672.6	653.0	84.0	1306.0	122.3	

Variable: DHEPA3		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		91	0.3%	100.0%	90	0.5%	100.0%
RESERVED CODES:							
MISSING	.	27214	99.7%	n/a	19444	99.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPA3		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	760.9	744.0	286.0	1163.0	157.5	
Adequate Provider Data	760.4	744.0	286.0	1163.0	158.3	

Variable: DHEPA4		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPA4		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	672.7	723.0	400.0	895.0	251.3	
Adequate Provider Data	672.7	723.0	400.0	895.0	251.3	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPA6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPA7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPA9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPB1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19074	69.9%	100.0%	18968	97.1%	100.0%
RESERVED CODES:							
MISSING	.	8231	30.1%	n/a	566	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	23.1	1.0	0.0	1137.0	71.4
Adequate Provider Data	23.0	1.0	0.0	1137.0	71.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18582	68.1%	100.0%	18531	94.9%	100.0%
RESERVED CODES:							
MISSING	.	8723	31.9%	n/a	1003	5.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	95.1	65.0	15.0	1177.0	91.6
Adequate Provider Data	95.0	65.0	15.0	1177.0	91.5

Variable: DHEPB3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17745	65.0%	100.0%	17712	90.7%	100.0%
RESERVED CODES:							
MISSING	.	9560	35.0%	n/a	1822	9.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	233.2	196.0	56.0	1219.0	116.8
Adequate Provider Data	233.2	196.0	56.0	1219.0	116.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3964	14.5%	100.0%	3955	20.2%	100.0%
RESERVED CODES:							
MISSING	.	23341	85.5%	n/a	15579	79.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	248.9	195.0	102.0	1166.0	131.5
Adequate Provider Data	249.1	195.0	102.0	1166.0	131.6

Variable: DHEPB5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		171	0.6%	100.0%	171	0.9%	100.0%
RESERVED CODES:							
MISSING	.	27134	99.4%	n/a	19363	99.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	462.0	458.0	181.0	1013.0	181.2
Adequate Provider Data	462.0	458.0	181.0	1013.0	181.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27299	100.0%	n/a	19528	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHEPB6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	598.3	560.0	379.0	909.0	191.1
Adequate Provider Data	598.3	560.0	379.0	909.0	191.1

Variable: DHEPB7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHEPB8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHIB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19093	69.9%	100.0%	19032	97.4%	100.0%
RESERVED CODES:							
MISSING	.	8212	30.1%	n/a	502	2.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	78.7	64.0	0.0	1113.0	62.5
Adequate Provider Data	78.5	64.0	0.0	1113.0	61.7

Variable: DHIB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18849	69.0%	100.0%	18802	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8456	31.0%	n/a	732	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	150.3	128.0	42.0	1126.0	72.8
Adequate Provider Data	150.2	128.0	42.0	1126.0	72.5

Variable: DHIB3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18436	67.5%	100.0%	18399	94.2%	100.0%
RESERVED CODES:							
MISSING	.	8869	32.5%	n/a	1135	5.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	235.7	194.0	76.0	1177.0	105.7
Adequate Provider Data	235.6	194.0	76.0	1177.0	105.5

Variable: DHIB4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15715	57.6%	100.0%	15701	80.4%	100.0%
RESERVED CODES:							
MISSING	.	11590	42.4%	n/a	3833	19.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	494.4	468.0	106.0	1266.0	109.1
Adequate Provider Data	494.3	468.0	106.0	1266.0	109.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		364	1.3%	100.0%	364	1.9%	100.0%
RESERVED CODES:							
MISSING	.	26941	98.7%	n/a	19170	98.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	587.7	554.0	275.0	1125.0	144.1
Adequate Provider Data	587.7	554.0	275.0	1125.0	144.1

Variable: DHIB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27295	100.0%	n/a	19524	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	712.8	635.0	466.0	1114.0	215.8
Adequate Provider Data	712.8	635.0	466.0	1114.0	215.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DHIB7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	883.0	883.0	883.0	883.0	.
Adequate Provider Data	883.0	883.0	883.0	883.0	.

Variable: DHIB8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DHIB9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18128	66.4%	100.0%	18096	92.6%	100.0%
RESERVED CODES:							
MISSING	.	9177	33.6%	n/a	1438	7.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DMMR1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDev**

All	426.8	384.0	16.0	1266.0	95.1
Adequate Provider Data	426.8	384.0	16.0	1266.0	95.0

Variable: DMMR2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		321	1.2%	100.0%	321	1.6%	100.0%
RESERVED CODES:							
MISSING	.	26984	98.8%	n/a	19213	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DMMR2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDev**

All	653.7	618.0	304.0	1172.0	189.8
Adequate Provider Data	653.7	618.0	304.0	1172.0	189.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DMMR3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	806.3	826.0	486.0	1107.0	311.0
Adequate Provider Data	806.3	826.0	486.0	1107.0	311.0

Variable: DMMR4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMMR5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMMR7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMMR8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMP1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DMP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	521.0	521.0	521.0	521.0	.
Adequate Provider Data	521.0	521.0	521.0	521.0	.

Variable: DMP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP3 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMP4 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMP5 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP6 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMP7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMP8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP9 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB1 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB2 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB3 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB4 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB5 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMPRB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DMPRB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DPCV1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18981	69.5%	100.0%	18921	96.9%	100.0%
RESERVED CODES:							
MISSING	.	8324	30.5%	n/a	613	3.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	80.1	64.0	0.0	1143.0	70.4
Adequate Provider Data	79.8	64.0	0.0	1143.0	69.4

Variable: DPCV2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18719	68.6%	100.0%	18676	95.6%	100.0%
RESERVED CODES:							
MISSING	.	8586	31.4%	n/a	858	4.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	150.9	128.0	61.0	1175.0	77.3
Adequate Provider Data	150.8	128.0	61.0	1175.0	77.1

Variable: DPCV3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18300	67.0%	100.0%	18265	93.5%	100.0%
RESERVED CODES:							
MISSING	.	9005	33.0%	n/a	1269	6.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	227.8	193.0	118.0	1169.0	96.6
Adequate Provider Data	227.8	193.0	118.0	1169.0	96.5

Variable: DPCV4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16803	61.5%	100.0%	16787	85.9%	100.0%
RESERVED CODES:							
MISSING	.	10502	38.5%	n/a	2747	14.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	445.1	398.0	184.0	1266.0	108.6
Adequate Provider Data	445.1	398.0	184.0	1266.0	108.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3802	13.9%	100.0%	3799	19.4%	100.0%
RESERVED CODES:							
MISSING	.	23503	86.1%	n/a	15735	80.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	708.0	732.0	216.0	1215.0	168.3
Adequate Provider Data	708.0	732.0	216.0	1215.0	168.4

Variable: DPCV6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		74	0.3%	100.0%	74	0.4%	100.0%
RESERVED CODES:							
MISSING	.	27231	99.7%	n/a	19460	99.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	777.9	737.0	384.0	1151.0	183.2
Adequate Provider Data	777.9	737.0	384.0	1151.0	183.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPCV7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	727.3	740.0	482.0	960.0	239.3
Adequate Provider Data	727.3	740.0	482.0	960.0	239.3

Variable: DPCV8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DPCV9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19030	69.7%	100.0%	18970	97.1%	100.0%
RESERVED CODES:							
MISSING	.	8275	30.3%	n/a	564	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	76.7	64.0	0.0	1167.0	57.9
Adequate Provider Data	76.5	64.0	0.0	1167.0	57.1

Variable: DPOLIO2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18851	69.0%	100.0%	18805	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8454	31.0%	n/a	729	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	148.8	128.0	33.0	1169.0	73.6
Adequate Provider Data	148.8	128.0	33.0	1169.0	73.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18380	67.3%	100.0%	18348	93.9%	100.0%
RESERVED CODES:							
MISSING	.	8925	32.7%	n/a	1186	6.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	242.8	195.0	69.0	1135.0	119.1
Adequate Provider Data	242.8	195.0	69.0	1135.0	119.2

Variable: DPOLIO4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4716	17.3%	100.0%	4714	24.1%	100.0%
RESERVED CODES:							
MISSING	.	22589	82.7%	n/a	14820	75.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	502.4	473.0	101.0	1129.0	109.4
Adequate Provider Data	502.4	473.0	101.0	1129.0	109.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		102	0.4%	100.0%	102	0.5%	100.0%
RESERVED CODES:							
MISSING	.	27203	99.6%	n/a	19432	99.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	547.0	547.0	172.0	1013.0	149.3
Adequate Provider Data	547.0	547.0	172.0	1013.0	149.3

Variable: DPOLIO6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27297	100.0%	n/a	19526	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	659.9	608.5	482.0	916.0	162.3
Adequate Provider Data	659.9	608.5	482.0	916.0	162.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DPOLIO8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DPOLIO9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DRB1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	549.5	549.5	522.0	577.0	38.9
Adequate Provider Data	549.5	549.5	522.0	577.0	38.9

Variable: DRB2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DRB3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DRB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DRB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DRB8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DRB9 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15763	57.7%	100.0%	15726	80.5%	100.0%
RESERVED CODES:							
MISSING	.	11542	42.3%	n/a	3808	19.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DROT1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	68.8	64.0	0.0	1010.0	24.3
Adequate Provider Data	68.8	64.0	0.0	1010.0	24.3

Variable: DROT2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14964	54.8%	100.0%	14936	76.5%	100.0%
RESERVED CODES:							
MISSING	.	12341	45.2%	n/a	4598	23.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DROT2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	134.2	127.0	56.0	863.0	25.4
Adequate Provider Data	134.2	127.0	56.0	863.0	25.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11710	42.9%	100.0%	11688	59.8%	100.0%
RESERVED CODES:							
MISSING	.	15595	57.1%	n/a	7846	40.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DROT3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	196.2	189.0	105.0	960.0	31.1
Adequate Provider Data	196.2	189.0	105.0	960.0	31.1

Variable: DROT4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		58	0.2%	100.0%	58	0.3%	100.0%
RESERVED CODES:							
MISSING	.	27247	99.8%	n/a	19476	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DROT4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	326.7	251.0	154.0	1118.0	195.7
Adequate Provider Data	326.7	251.0	154.0	1118.0	195.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DROT5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	427.3	356.0	327.0	599.0	149.4
Adequate Provider Data	427.3	356.0	327.0	599.0	149.4

Variable: DROT6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DROT7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DROT9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DVRC1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17852	65.4%	100.0%	17820	91.2%	100.0%
RESERVED CODES:							
MISSING	.	9453	34.6%	n/a	1714	8.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	424.1	382.0	16.0	1266.0	95.8
Adequate Provider Data	424.0	381.0	16.0	1266.0	95.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		305	1.1%	100.0%	305	1.6%	100.0%
RESERVED CODES:							
MISSING	.	27000	98.9%	n/a	19229	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DVRC2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	689.7	679.0	369.0	1204.0	186.0
Adequate Provider Data	689.7	679.0	369.0	1204.0	186.0

Variable: DVRC3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DVRC3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	966.5	966.5	826.0	1107.0	198.7
Adequate Provider Data	966.5	966.5	826.0	1107.0	198.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DVRC5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DVRC6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DVRC8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DVRC9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DTP1_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19145	70.1%	100.0%	19081	97.7%	100.0%
RESERVED CODES:							
MISSING	.	8160	29.9%	n/a	453	2.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.0	0.0	36.0	1.8
Adequate Provider Data	2.2	2.0	0.0	36.0	1.8

Variable: DTP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18961	69.4%	100.0%	18914	96.8%	100.0%
RESERVED CODES:							
MISSING	.	8344	30.6%	n/a	620	3.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.5	4.0	1.0	37.0	2.2
Adequate Provider Data	4.5	4.0	1.0	37.0	2.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18683	68.4%	100.0%	18645	95.4%	100.0%
RESERVED CODES:							
MISSING	.	8622	31.6%	n/a	889	4.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.9	6.0	2.0	38.0	2.9
Adequate Provider Data	6.9	6.0	2.0	38.0	2.9

Variable: DTP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16962	62.1%	100.0%	16955	86.8%	100.0%
RESERVED CODES:							
MISSING	.	10343	37.9%	n/a	2579	13.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.8	16.0	3.0	41.0	3.3
Adequate Provider Data	16.8	16.0	3.0	41.0	3.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DTP5_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		344	1.3%	100.0%	344	1.8%	100.0%
RESERVED CODES:							
MISSING	.	26961	98.7%	n/a	19190	98.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	19.5	18.0	9.0	38.0	4.9
Adequate Provider Data	19.5	18.0	9.0	38.0	4.9

Variable: DTP6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27293	100.0%	n/a	19522	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	20.8	18.0	15.0	30.0	5.3
Adequate Provider Data	20.8	18.0	15.0	30.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DTP7_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DTP8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: DTP9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU1_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13628	49.9%	100.0%	13602	69.6%	100.0%
RESERVED CODES:							
MISSING	.	13677	50.1%	n/a	5932	30.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	11.3	10.0	0.0	40.0	5.8
Adequate Provider Data	11.2	10.0	0.0	40.0	5.8

Variable: FLU2_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10720	39.3%	100.0%	10702	54.8%	100.0%
RESERVED CODES:							
MISSING	.	16585	60.7%	n/a	8832	45.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.8	13.0	3.0	40.0	6.3
Adequate Provider Data	13.8	13.0	3.0	40.0	6.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU3_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6438	23.6%	100.0%	6431	32.9%	100.0%
RESERVED CODES:							
MISSING	.	20867	76.4%	n/a	13103	67.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.0	20.0	6.0	41.0	5.1
Adequate Provider Data	21.0	20.0	6.0	41.0	5.1

Variable: FLU4_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1815	6.6%	100.0%	1814	9.3%	100.0%
RESERVED CODES:							
MISSING	.	25490	93.4%	n/a	17720	90.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	27.8	28.0	11.0	42.0	5.4
Adequate Provider Data	27.8	28.0	11.0	42.0	5.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU5_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		150	0.5%	100.0%	150	0.8%	100.0%
RESERVED CODES:							
MISSING	.	27155	99.5%	n/a	19384	99.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU5_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All 30.0 30.0 13.0 40.0 5.6

Adequate Provider Data 30.0 30.0 13.0 40.0 5.6

Variable: FLU6_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27294	100.0%	n/a	19523	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU6_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All 28.3 29.0 18.0 38.0 6.3

Adequate Provider Data 28.3 29.0 18.0 38.0 6.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU7_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	30.5	30.5	28.0	33.0	3.5
Adequate Provider Data	30.5	30.5	28.0	33.0	3.5

Variable: FLU8_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: FLU8_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	37.0	37.0	37.0	37.0	.
Adequate Provider Data	37.0	37.0	37.0	37.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU9_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: H1N1_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1****Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5751	21.1%	100.0%	5738	29.4%	100.0%
RESERVED CODES:							
MISSING	.	21554	78.9%	n/a	13796	70.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: H1N1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	11.2	11.0	0.0	37.0	4.6
Adequate Provider Data	11.2	11.0	0.0	37.0	4.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: H1N2_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2							
Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3602	13.2%	100.0%	3593	18.4%	100.0%
RESERVED CODES:							
MISSING	.	23703	86.8%	n/a	15941	81.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: H1N2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	12.5	12.0	6.0	36.0	4.6
Adequate Provider Data	12.5	12.0	6.0	36.0	4.6

Variable: H1N3_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3							
Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		50	0.2%	100.0%	50	0.3%	100.0%
RESERVED CODES:							
MISSING	.	27255	99.8%	n/a	19484	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: H1N3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.8	20.0	8.0	38.0	7.8
Adequate Provider Data	20.8	20.0	8.0	38.0	7.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: H1N4_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4							
Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: H1N4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	27.0	27.0	18.0	36.0	12.7
Adequate Provider Data	27.0	27.0	18.0	36.0	12.7

Variable: H1N5_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5							
Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: H1N5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	24.0	24.0	24.0	24.0	.
Adequate Provider Data	24.0	24.0	24.0	24.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: H1N6_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6****Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: H1N7_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7****Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: H1N8_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8****Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: H1N9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9

Notes: See section 8 notes for P_NUMH1N. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEA1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15649	57.3%	100.0%	15619	80.0%	100.0%
RESERVED CODES:							
MISSING	.	11656	42.7%	n/a	3915	20.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.7	13.0	0.0	39.0	4.1
Adequate Provider Data	14.7	13.0	0.0	39.0	4.1

Variable: HEA2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10979	40.2%	100.0%	10966	56.1%	100.0%
RESERVED CODES:							
MISSING	.	16326	59.8%	n/a	8568	43.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.7	21.0	2.0	42.0	4.0
Adequate Provider Data	21.7	21.0	2.0	42.0	4.0

Variable: HEA3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		91	0.3%	100.0%	90	0.5%	100.0%
RESERVED CODES:							
MISSING	.	27214	99.7%	n/a	19444	99.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	24.6	24.0	9.0	38.0	5.2
Adequate Provider Data	24.6	24.0	9.0	38.0	5.2

Variable: HEA4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEA4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.7	23.0	13.0	29.0	8.1
Adequate Provider Data	21.7	23.0	13.0	29.0	8.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA5_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEA6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEA7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEA8_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEA9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19074	69.9%	100.0%	18968	97.1%	100.0%
RESERVED CODES:							
MISSING	.	8231	30.1%	n/a	566	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	0.6	0.0	0.0	37.0	2.3
Adequate Provider Data	0.6	0.0	0.0	37.0	2.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP2_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18582	68.1%	100.0%	18531	94.9%	100.0%
RESERVED CODES:							
MISSING	.	8723	31.9%	n/a	1003	5.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	2.8	2.0	0.0	38.0	3.0
Adequate Provider Data	2.8	2.0	0.0	38.0	3.0

Variable: HEP3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17745	65.0%	100.0%	17712	90.7%	100.0%
RESERVED CODES:							
MISSING	.	9560	35.0%	n/a	1822	9.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	7.3	6.0	1.0	40.0	3.8
Adequate Provider Data	7.3	6.0	1.0	40.0	3.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3964	14.5%	100.0%	3955	20.2%	100.0%
RESERVED CODES:							
MISSING	.	23341	85.5%	n/a	15579	79.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.8	6.0	3.0	38.0	4.3
Adequate Provider Data	7.9	6.0	3.0	38.0	4.3

Variable: HEP5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		171	0.6%	100.0%	171	0.9%	100.0%
RESERVED CODES:							
MISSING	.	27134	99.4%	n/a	19363	99.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.8	15.0	5.0	33.0	6.0
Adequate Provider Data	14.8	15.0	5.0	33.0	6.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27299	100.0%	n/a	19528	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.2	18.0	12.0	29.0	6.0
Adequate Provider Data	19.2	18.0	12.0	29.0	6.0

Variable: HEP7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HEP8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HEP9_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HIB1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19093	69.9%	100.0%	19032	97.4%	100.0%
RESERVED CODES:							
MISSING	.	8212	30.1%	n/a	502	2.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	2.3	2.0	0.0	36.0	2.0
Adequate Provider Data	2.3	2.0	0.0	36.0	2.0

Variable: HIB2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18849	69.0%	100.0%	18802	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8456	31.0%	n/a	732	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB2_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	4.6	4.0	1.0	37.0	2.4	
Adequate Provider Data	4.6	4.0	1.0	37.0	2.4	

Variable: HIB3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18436	67.5%	100.0%	18399	94.2%	100.0%
RESERVED CODES:							
MISSING	.	8869	32.5%	n/a	1135	5.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	7.4	6.0	2.0	38.0	3.4	
Adequate Provider Data	7.4	6.0	2.0	38.0	3.4	

Variable: HIB4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15715	57.6%	100.0%	15701	80.4%	100.0%
RESERVED CODES:							
MISSING	.	11590	42.4%	n/a	3833	19.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	15.9	15.0	3.0	41.0	3.6	
Adequate Provider Data	15.9	15.0	3.0	41.0	3.6	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		364	1.3%	100.0%	364	1.9%	100.0%
RESERVED CODES:							
MISSING	.	26941	98.7%	n/a	19170	98.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.0	18.0	9.0	37.0	4.7
Adequate Provider Data	19.0	18.0	9.0	37.0	4.7

Variable: HIB6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING	.	27295	100.0%	n/a	19524	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.9	20.0	15.0	36.0	7.1
Adequate Provider Data	22.9	20.0	15.0	36.0	7.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7_AGE Type: Numeric
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: HIB7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.0	29.0	29.0	29.0	.
Adequate Provider Data	29.0	29.0	29.0	29.0	.

Variable: HIB8_AGE Type: Numeric
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: HIB9_AGE Type: Numeric
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18128	66.4%	100.0%	18096	92.6%	100.0%
RESERVED CODES:							
MISSING	.	9177	33.6%	n/a	1438	7.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: MMR1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.7	12.0	0.0	41.0	3.1
Adequate Provider Data	13.7	12.0	0.0	41.0	3.1

Variable: MMR2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		321	1.2%	100.0%	321	1.6%	100.0%
RESERVED CODES:							
MISSING	.	26984	98.8%	n/a	19213	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.1	20.0	10.0	38.0	6.3
Adequate Provider Data	21.1	20.0	10.0	38.0	6.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	26.0	27.0	15.0	36.0	10.5
Adequate Provider Data	26.0	27.0	15.0	36.0	10.5

Variable: MMR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MMR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MMR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MMR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: MP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.0	17.0	17.0	17.0	.
Adequate Provider Data	17.0	17.0	17.0	17.0	.

Variable: MP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MP3_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MP4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MP5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MP9_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MPR3_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: MPR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: PCV1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18981	69.5%	100.0%	18921	96.9%	100.0%
RESERVED CODES:							
MISSING	.	8324	30.5%	n/a	613	3.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.3	2.0	0.0	37.0	2.3
Adequate Provider Data	2.3	2.0	0.0	37.0	2.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV2_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18719	68.6%	100.0%	18676	95.6%	100.0%
RESERVED CODES:							
MISSING	.	8586	31.4%	n/a	858	4.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.6	4.0	2.0	38.0	2.5
Adequate Provider Data	4.6	4.0	2.0	38.0	2.5

Variable: PCV3_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18300	67.0%	100.0%	18265	93.5%	100.0%
RESERVED CODES:							
MISSING	.	9005	33.0%	n/a	1269	6.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.1	6.0	3.0	38.0	3.1
Adequate Provider Data	7.1	6.0	3.0	38.0	3.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV4_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16803	61.5%	100.0%	16787	85.9%	100.0%
RESERVED CODES:							
MISSING	.	10502	38.5%	n/a	2747	14.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.3	13.0	6.0	41.0	3.5
Adequate Provider Data	14.3	13.0	6.0	41.0	3.5

Variable: PCV5_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3802	13.9%	100.0%	3799	19.4%	100.0%
RESERVED CODES:							
MISSING	.	23503	86.1%	n/a	15735	80.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.9	24.0	7.0	39.0	5.5
Adequate Provider Data	22.9	24.0	7.0	39.0	5.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV6_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		74	0.3%	100.0%	74	0.4%	100.0%
RESERVED CODES:							
MISSING	.	27231	99.7%	n/a	19460	99.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	25.1	24.0	12.0	37.0	6.0
Adequate Provider Data	25.1	24.0	12.0	37.0	6.0

Variable: PCV7_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: PCV7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	23.3	24.0	15.0	31.0	8.0
Adequate Provider Data	23.3	24.0	15.0	31.0	8.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: PCV8_AGE** Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes:** See section 8 notes for P_NUMPCV. Calculated as exact age in months.**The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: PCV9_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes:** See section 8 notes for P_NUMPCV. Calculated as exact age in months.**The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: POL1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1****Notes:** See section 8 notes for P_NUMPOL. Calculated as exact age in months.**The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19030	69.7%	100.0%	18970	97.1%	100.0%
RESERVED CODES:							
MISSING	.	8275	30.3%	n/a	564	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL1_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	2.2	2.0	0.0	38.0	1.9	
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9	

Variable: POL2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18851	69.0%	100.0%	18805	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8454	31.0%	n/a	729	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: POL2_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	4.6	4.0	1.0	38.0	2.4	
Adequate Provider Data	4.6	4.0	1.0	38.0	2.4	

Variable: POL3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18380	67.3%	100.0%	18348	93.9%	100.0%
RESERVED CODES:							
MISSING	.	8925	32.7%	n/a	1186	6.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: POL3_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	7.6	6.0	2.0	37.0	3.9	
Adequate Provider Data	7.6	6.0	2.0	37.0	3.9	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4716	17.3%	100.0%	4714	24.1%	100.0%
RESERVED CODES:							
MISSING	.	22589	82.7%	n/a	14820	75.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: POL4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.2	15.0	3.0	37.0	3.6
Adequate Provider Data	16.1	15.0	3.0	37.0	3.6

Variable: POL5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		102	0.4%	100.0%	102	0.5%	100.0%
RESERVED CODES:							
MISSING	.	27203	99.6%	n/a	19432	99.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: POL5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.6	18.0	5.0	33.0	4.9
Adequate Provider Data	17.6	18.0	5.0	33.0	4.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL6_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27297	100.0%	n/a	19526	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: POL6_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDev

All	21.3	20.0	15.0	30.0	5.4
Adequate Provider Data	21.3	20.0	15.0	30.0	5.4

Variable: POL7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: POL8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: RB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: RB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.0	18.0	17.0	19.0	1.4
Adequate Provider Data	18.0	18.0	17.0	19.0	1.4

Variable: RB2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: RB3_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: RB4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: RB5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: RB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: RB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: ROT1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15763	57.7%	100.0%	15726	80.5%	100.0%
RESERVED CODES:							
MISSING	.	11542	42.3%	n/a	3808	19.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.0	2.0	0.0	33.0	0.8
Adequate Provider Data	2.0	2.0	0.0	33.0	0.8

Variable: ROT2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14964	54.8%	100.0%	14936	76.5%	100.0%
RESERVED CODES:							
MISSING	.	12341	45.2%	n/a	4598	23.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.1	4.0	1.0	28.0	0.8
Adequate Provider Data	4.1	4.0	1.0	28.0	0.8

Variable: ROT3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11710	42.9%	100.0%	11688	59.8%	100.0%
RESERVED CODES:							
MISSING	.	15595	57.1%	n/a	7846	40.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.1	6.0	3.0	31.0	1.0
Adequate Provider Data	6.1	6.0	3.0	31.0	1.0

Variable: ROT4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		58	0.2%	100.0%	58	0.3%	100.0%
RESERVED CODES:							
MISSING	.	27247	99.8%	n/a	19476	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: ROT4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	10.4	8.0	5.0	36.0	6.4
Adequate Provider Data	10.4	8.0	5.0	36.0	6.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: ROT5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.3	11.0	10.0	19.0	4.9
Adequate Provider Data	13.3	11.0	10.0	19.0	4.9

Variable: ROT6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: ROT7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: ROT8_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: ROT9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: VRC1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17852	65.4%	100.0%	17820	91.2%	100.0%
RESERVED CODES:							
MISSING	.	9453	34.6%	n/a	1714	8.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: VRC1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.6	12.0	0.0	41.0	3.1
Adequate Provider Data	13.6	12.0	0.0	41.0	3.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: VRC2_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		305	1.1%	100.0%	305	1.6%	100.0%
RESERVED CODES:							
MISSING	.	27000	98.9%	n/a	19229	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 22.3 22.0 12.0 39.0 6.1

Adequate Provider Data 22.3 22.0 12.0 39.0 6.1

Variable: VRC3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: VRC3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 31.5 31.5 27.0 36.0 6.4

Adequate Provider Data 31.5 31.5 27.0 36.0 6.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: VRC4_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: VRC5_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: VRC6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.****The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: VRC8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: VRC9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY1 Type: Character							
Label: DT-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	202	0.7%	1.1%	201	1.0%	1.1%
DTAP	04	4070	14.9%	21.3%	4050	20.7%	21.2%
DTAP-HIB	07	26	0.1%	0.1%	26	0.1%	0.1%
DTAP-HEPB-IPV	08	6116	22.4%	31.9%	6093	31.2%	31.9%
DTAP-IPV-HIB	D3	8731	32.0%	45.6%	8711	44.6%	45.7%
SUBTOTALS:		19145	70.1%	100.0%	19081	97.7%	100.0%
RESERVED CODES:							
MISSING		8160	29.9%	n/a	453	2.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XDTPTY2 Type: Character							
Label: DT-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	188	0.7%	1.0%	188	1.0%	1.0%
DTAP	04	3898	14.3%	20.6%	3887	19.9%	20.6%
DTAP-HIB	07	25	0.1%	0.1%	25	0.1%	0.1%
DTAP-HEPB-IPV	08	5029	18.4%	26.5%	5016	25.7%	26.5%
DTAP-IPV-HIB	D3	9821	36.0%	51.8%	9798	50.2%	51.8%
SUBTOTALS:		18961	69.4%	100.0%	18914	96.8%	100.0%
RESERVED CODES:							
MISSING		8344	30.6%	n/a	620	3.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY3 Type: Character****Label: DT-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	159	0.6%	0.9%	159	0.8%	0.9%
DTAP	04	3805	13.9%	20.4%	3794	19.4%	20.3%
DTAP-HIB	07	27	0.1%	0.1%	27	0.1%	0.1%
DTAP-HEPB-IPV	08	5261	19.3%	28.2%	5251	26.9%	28.2%
DTAP-IPV-HIB	D3	9431	34.5%	50.5%	9414	48.2%	50.5%
SUBTOTALS:		18683	68.4%	100.0%	18645	95.4%	100.0%
RESERVED CODES:							
MISSING		8622	31.6%	n/a	889	4.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XDTPTY4 Type: Character**Label: DT-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	205	0.8%	1.2%	205	1.0%	1.2%
DTAP	04	12014	44.0%	70.8%	12009	61.5%	70.8%
DTAP-HIB	07	218	0.8%	1.3%	218	1.1%	1.3%
DTAP-HEPB-IPV	08	216	0.8%	1.3%	216	1.1%	1.3%
DTAP-IPV-HIB	D3	4309	15.8%	25.4%	4307	22.0%	25.4%
SUBTOTALS:		16962	62.1%	100.0%	16955	86.8%	100.0%
RESERVED CODES:							
MISSING		10343	37.9%	n/a	2579	13.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY5 Type: Character****Label: DT-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	7	0.0%	2.0%	7	0.0%	2.0%
DTAP	04	219	0.8%	63.7%	219	1.1%	63.7%
DTAP-HIB	07	5	0.0%	1.5%	5	0.0%	1.5%
DTAP-HEPB-IPV	08	19	0.1%	5.5%	19	0.1%	5.5%
DTAP-IPV-HIB	D3	94	0.3%	27.3%	94	0.5%	27.3%
SUBTOTALS:		344	1.3%	100.0%	344	1.8%	100.0%
RESERVED CODES:							
MISSING		26961	98.7%	n/a	19190	98.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XDTPTY6 Type: Character**Label: DT-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	6	0.0%	50.0%	6	0.0%	50.0%
DTAP-IPV-HIB	D3	6	0.0%	50.0%	6	0.0%	50.0%
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING		27293	100.0%	n/a	19522	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XDTPTY7 Type: Character**Label: DT-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY8 Type: Character
Label: DT-CONTAINING VACCINATION #8 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XDTPTY9 Type: Character
Label: DT-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XFLUTY1 Type: Character
Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	460	1.7%	3.4%	458	2.3%	3.4%
SEASONAL FLU SPRAY	FM	270	1.0%	2.0%	269	1.4%	2.0%
SEASONAL FLU INJECTED	FN	12898	47.2%	94.6%	12875	65.9%	94.7%
SUBTOTALS:		13628	49.9%	100.0%	13602	69.6%	100.0%
RESERVED CODES:							
MISSING		13677	50.1%	n/a	5932	30.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY2 Type: Character
Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	298	1.1%	2.8%	298	1.5%	2.8%
SEASONAL FLU SPRAY	FM	323	1.2%	3.0%	321	1.6%	3.0%
SEASONAL FLU INJECTED	FN	10099	37.0%	94.2%	10083	51.6%	94.2%
SUBTOTALS:		10720	39.3%	100.0%	10702	54.8%	100.0%
RESERVED CODES:							
MISSING		16585	60.7%	n/a	8832	45.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY3 Type: Character
Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	180	0.7%	2.8%	180	0.9%	2.8%
SEASONAL FLU SPRAY	FM	588	2.2%	9.1%	586	3.0%	9.1%
SEASONAL FLU INJECTED	FN	5670	20.8%	88.1%	5665	29.0%	88.1%
SUBTOTALS:		6438	23.6%	100.0%	6431	32.9%	100.0%
RESERVED CODES:							
MISSING		20867	76.4%	n/a	13103	67.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY4 Type: Character
Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	61	0.2%	3.4%	61	0.3%	3.4%
SEASONAL FLU SPRAY	FM	427	1.6%	23.5%	426	2.2%	23.5%
SEASONAL FLU INJECTED	FN	1327	4.9%	73.1%	1327	6.8%	73.2%
SUBTOTALS:		1815	6.6%	100.0%	1814	9.3%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XFLUTY4 Type: Character****Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		25490	93.4%	n/a	17720	90.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY5 Type: Character**Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	45	0.2%	30.0%	45	0.2%	30.0%
SEASONAL FLU SPRAY	FM	32	0.1%	21.3%	32	0.2%	21.3%
SEASONAL FLU INJECTED	FN	73	0.3%	48.7%	73	0.4%	48.7%
SUBTOTALS:		150	0.5%	100.0%	150	0.8%	100.0%
RESERVED CODES:							
MISSING		27155	99.5%	n/a	19384	99.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY6 Type: Character**Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	9.1%	1	0.0%	9.1%
SEASONAL FLU SPRAY	FM	2	0.0%	18.2%	2	0.0%	18.2%
SEASONAL FLU INJECTED	FN	8	0.0%	72.7%	8	0.0%	72.7%
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING		27294	100.0%	n/a	19523	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY7 Type: Character

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY8 Type: Character

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XFLUTY9 Type: Character

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XH1NTY1 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
H1N1 FLU-UNKNOWN	1L	223	0.8%	3.9%	223	1.1%	3.9%
H1N1 FLU SPRAY	1M	58	0.2%	1.0%	58	0.3%	1.0%
H1N1 FLU INJECTED	1N	5470	20.0%	95.1%	5457	27.9%	95.1%
SUBTOTALS:		5751	21.1%	100.0%	5738	29.4%	100.0%
RESERVED CODES:							
MISSING		21554	78.9%	n/a	13796	70.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XH1NTY2 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
H1N1 FLU-UNKNOWN	1L	125	0.5%	3.5%	125	0.6%	3.5%
H1N1 FLU SPRAY	1M	36	0.1%	1.0%	36	0.2%	1.0%
H1N1 FLU INJECTED	1N	3441	12.6%	95.5%	3432	17.6%	95.5%
SUBTOTALS:		3602	13.2%	100.0%	3593	18.4%	100.0%
RESERVED CODES:							
MISSING		23703	86.8%	n/a	15941	81.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XH1NTY3 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
H1N1 FLU-UNKNOWN	1L	13	0.0%	26.0%	13	0.1%	26.0%
H1N1 FLU SPRAY	1M	2	0.0%	4.0%	2	0.0%	4.0%
H1N1 FLU INJECTED	1N	35	0.1%	70.0%	35	0.2%	70.0%
SUBTOTALS:		50	0.2%	100.0%	50	0.3%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XH1NTY3 Type: Character							
Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		27255	99.8%	n/a	19484	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XH1NTY4 Type: Character							
Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
H1N1 FLU-UNKNOWN	1L	1	0.0%	50.0%	1	0.0%	50.0%
H1N1 FLU INJECTED	1N	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XH1NTY5 Type: Character							
Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
H1N1 FLU INJECTED	1N	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XH1NTY6 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XH1NTY7 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XH1NTY8 Type: Character

Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XH1NTY9 Type: Character****Label: MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XHEPTY1 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1980	7.3%	10.4%	1970	10.1%	10.4%
HEPB-HIB	43	26	0.1%	0.1%	26	0.1%	0.1%
HEPB ONLY	60	17021	62.3%	89.2%	16927	86.7%	89.2%
HEPB-UNKNOWN	HB	47	0.2%	0.2%	45	0.2%	0.2%
SUBTOTALS:		19074	69.9%	100.0%	18968	97.1%	100.0%
RESERVED CODES:							
MISSING		8231	30.1%	n/a	566	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHEPTY2 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6044	22.1%	32.5%	6026	30.8%	32.5%
HEPB-HIB	43	61	0.2%	0.3%	61	0.3%	0.3%
HEPB ONLY	60	12290	45.0%	66.1%	12258	62.8%	66.1%
HEPB-UNKNOWN	HB	187	0.7%	1.0%	186	1.0%	1.0%
SUBTOTALS:		18582	68.1%	100.0%	18531	94.9%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character							
Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		8723	31.9%	n/a	1003	5.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHEPTY3 Type: Character							
Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5702	20.9%	32.1%	5691	29.1%	32.1%
HEPB-HIB	43	48	0.2%	0.3%	48	0.2%	0.3%
HEPB ONLY	60	11823	43.3%	66.6%	11801	60.4%	66.6%
HEPB-UNKNOWN	HB	172	0.6%	1.0%	172	0.9%	1.0%
SUBTOTALS:		17745	65.0%	100.0%	17712	90.7%	100.0%
RESERVED CODES:							
MISSING		9560	35.0%	n/a	1822	9.3%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHEPTY4 Type: Character							
Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	2816	10.3%	71.0%	2809	14.4%	71.0%
HEPB-HIB	43	14	0.1%	0.4%	14	0.1%	0.4%
HEPB ONLY	60	1093	4.0%	27.6%	1091	5.6%	27.6%
HEPB-UNKNOWN	HB	41	0.2%	1.0%	41	0.2%	1.0%
SUBTOTALS:		3964	14.5%	100.0%	3955	20.2%	100.0%
RESERVED CODES:							
MISSING		23341	85.5%	n/a	15579	79.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	97	0.4%	56.7%	97	0.5%	56.7%
HEPB-HIB	43	3	0.0%	1.8%	3	0.0%	1.8%
HEPB ONLY	60	69	0.3%	40.4%	69	0.4%	40.4%
HEPB-UNKNOWN	HB	2	0.0%	1.2%	2	0.0%	1.2%
SUBTOTALS:		171	0.6%	100.0%	171	0.9%	100.0%
RESERVED CODES:							
MISSING		27134	99.4%	n/a	19363	99.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHEPTY6 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	50.0%	3	0.0%	50.0%
HEPB ONLY	60	3	0.0%	50.0%	3	0.0%	50.0%
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING		27299	100.0%	n/a	19528	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHEPTY8 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XHEPTY9 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XHIBTY1 Type: Character**Label: HIB-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	27	0.1%	0.1%	27	0.1%	0.1%
HEPB-HIB	43	73	0.3%	0.4%	73	0.4%	0.4%
HIB ONLY-UNKNOWN	44	83	0.3%	0.4%	83	0.4%	0.4%
DTAP-IPV-HIB	D3	8867	32.5%	46.4%	8847	45.3%	46.5%
HIB (GLAXOSMITHKLINE)	HG	229	0.8%	1.2%	228	1.2%	1.2%
HIB-UNKNOWN	HI	1242	4.5%	6.5%	1236	6.3%	6.5%
HIB (MERCK)	HM	1112	4.1%	5.8%	1105	5.7%	5.8%
HIB (SANOFI)	HS	7460	27.3%	39.1%	7433	38.1%	39.1%
SUBTOTALS:		19093	69.9%	100.0%	19032	97.4%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY1 Type: Character****Label: HIB-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		8212	30.1%	n/a	502	2.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHIBTY2 Type: Character**Label: HIB-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	28	0.1%	0.1%	28	0.1%	0.1%
HEPB-HIB	43	27	0.1%	0.1%	27	0.1%	0.1%
HIB ONLY-UNKNOWN	44	56	0.2%	0.3%	56	0.3%	0.3%
DTAP-IPV-HIB	D3	9920	36.3%	52.6%	9897	50.7%	52.6%
HIB (GLAXOSMITHKLINE)	HG	206	0.8%	1.1%	206	1.1%	1.1%
HIB-UNKNOWN	HI	984	3.6%	5.2%	979	5.0%	5.2%
HIB (MERCK)	HM	1063	3.9%	5.6%	1062	5.4%	5.6%
HIB (SANOFI)	HS	6565	24.0%	34.8%	6547	33.5%	34.8%
SUBTOTALS:		18849	69.0%	100.0%	18802	96.3%	100.0%
RESERVED CODES:							
MISSING		8456	31.0%	n/a	732	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHIBTY3 Type: Character**Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	31	0.1%	0.2%	31	0.2%	0.2%
HEPB-HIB	43	31	0.1%	0.2%	31	0.2%	0.2%
HIB ONLY-UNKNOWN	44	55	0.2%	0.3%	55	0.3%	0.3%
DTAP-IPV-HIB	D3	9318	34.1%	50.5%	9301	47.6%	50.6%
HIB (GLAXOSMITHKLINE)	HG	237	0.9%	1.3%	237	1.2%	1.3%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY3 Type: Character****Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	898	3.3%	4.9%	893	4.6%	4.9%
HIB (MERCK)	HM	1186	4.3%	6.4%	1183	6.1%	6.4%
HIB (SANOFI)	HS	6680	24.5%	36.2%	6668	34.1%	36.2%
SUBTOTALS:		18436	67.5%	100.0%	18399	94.2%	100.0%
RESERVED CODES:							
MISSING		8869	32.5%	n/a	1135	5.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHIBTY4 Type: Character**Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	205	0.8%	1.3%	205	1.0%	1.3%
HEPB-HIB	43	20	0.1%	0.1%	20	0.1%	0.1%
HIB ONLY-UNKNOWN	44	9	0.0%	0.1%	9	0.0%	0.1%
DTAP-IPV-HIB	D3	4172	15.3%	26.5%	4170	21.3%	26.6%
HIB (GLAXOSMITHKLINE)	HG	921	3.4%	5.9%	919	4.7%	5.9%
HIB-UNKNOWN	HI	724	2.7%	4.6%	724	3.7%	4.6%
HIB (MERCK)	HM	1471	5.4%	9.4%	1469	7.5%	9.4%
HIB (SANOFI)	HS	8193	30.0%	52.1%	8185	41.9%	52.1%
SUBTOTALS:		15715	57.6%	100.0%	15701	80.4%	100.0%
RESERVED CODES:							
MISSING		11590	42.4%	n/a	3833	19.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character							
Label: HIB-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	10	0.0%	2.7%	10	0.1%	2.7%
HEPB-HIB	43	1	0.0%	0.3%	1	0.0%	0.3%
HIB ONLY-UNKNOWN	44	1	0.0%	0.3%	1	0.0%	0.3%
DTAP-IPV-HIB	D3	110	0.4%	30.2%	110	0.6%	30.2%
HIB (GLAXOSMITHKLINE)	HG	23	0.1%	6.3%	23	0.1%	6.3%
HIB-UNKNOWN	HI	33	0.1%	9.1%	33	0.2%	9.1%
HIB (MERCK)	HM	29	0.1%	8.0%	29	0.1%	8.0%
HIB (SANOFI)	HS	157	0.6%	43.1%	157	0.8%	43.1%
SUBTOTALS:		364	1.3%	100.0%	364	1.9%	100.0%
RESERVED CODES:							
MISSING		26941	98.7%	n/a	19170	98.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHIBTY6 Type: Character							
Label: HIB-CONTAINING VACCINATION #6 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	5	0.0%	50.0%	5	0.0%	50.0%
HIB-UNKNOWN	HI	1	0.0%	10.0%	1	0.0%	10.0%
HIB (MERCK)	HM	1	0.0%	10.0%	1	0.0%	10.0%
HIB (SANOFI)	HS	3	0.0%	30.0%	3	0.0%	30.0%
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING		27295	100.0%	n/a	19524	99.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character
Label: HIB-CONTAINING VACCINATION #7 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HIB (SANOFI)	HS	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		27304	100.0%	n/a	19533	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XHIBTY8 Type: Character
Label: HIB-CONTAINING VACCINATION #8 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XHIBTY9 Type: Character
Label: HIB-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	17497	64.1%	96.5%	17465	89.4%	96.5%
MEASLES ONLY	31	59	0.2%	0.3%	59	0.3%	0.3%
MEASLES-RUBELLA	33	1	0.0%	0.0%	1	0.0%	0.0%
MCV-UNKNOWN	MM	98	0.4%	0.5%	98	0.5%	0.5%
MMR-VARICELLA	VM	473	1.7%	2.6%	473	2.4%	2.6%
SUBTOTALS:		18128	66.4%	100.0%	18096	92.6%	100.0%
RESERVED CODES:							
MISSING		9177	33.6%	n/a	1438	7.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XMMRTY2 Type: Character

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	291	1.1%	90.7%	291	1.5%	90.7%
MEASLES ONLY	31	2	0.0%	0.6%	2	0.0%	0.6%
MEASLES-MUMPS	32	1	0.0%	0.3%	1	0.0%	0.3%
MCV-UNKNOWN	MM	8	0.0%	2.5%	8	0.0%	2.5%
MMR-VARICELLA	VM	19	0.1%	5.9%	19	0.1%	5.9%
SUBTOTALS:		321	1.2%	100.0%	321	1.6%	100.0%
RESERVED CODES:							
MISSING		26984	98.8%	n/a	19213	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	1	0.0%	33.3%	1	0.0%	33.3%
MMR-VARICELLA	VM	2	0.0%	66.7%	2	0.0%	66.7%
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING		27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XMMRTY4 Type: Character

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XMMRTY5 Type: Character

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY6 Type: Character

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XMMRTY7 Type: Character

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XMMRTY8 Type: Character

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XPCVTY1 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	25	0.1%	0.1%	25	0.1%	0.1%
PCV-UNKNOWN	72	699	2.6%	3.7%	697	3.6%	3.7%
PCV CONJUGATE-7	73	16213	59.4%	85.4%	16167	82.8%	85.4%
PCV CONJUGATE-13	74	2044	7.5%	10.8%	2032	10.4%	10.7%
SUBTOTALS:		18981	69.5%	100.0%	18921	96.9%	100.0%
RESERVED CODES:							
MISSING		8324	30.5%	n/a	613	3.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPCVTY2 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	24	0.1%	0.1%	24	0.1%	0.1%
PCV-UNKNOWN	72	639	2.3%	3.4%	636	3.3%	3.4%
PCV CONJUGATE-7	73	15265	55.9%	81.5%	15233	78.0%	81.6%
PCV CONJUGATE-13	74	2791	10.2%	14.9%	2783	14.2%	14.9%
SUBTOTALS:		18719	68.6%	100.0%	18676	95.6%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY2 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		8586	31.4%	n/a	858	4.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPCVTY3 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	24	0.1%	0.1%	24	0.1%	0.1%
PCV-UNKNOWN	72	550	2.0%	3.0%	548	2.8%	3.0%
PCV CONJUGATE-7	73	13658	50.0%	74.6%	13635	69.8%	74.7%
PCV CONJUGATE-13	74	4068	14.9%	22.2%	4058	20.8%	22.2%
SUBTOTALS:		18300	67.0%	100.0%	18265	93.5%	100.0%
RESERVED CODES:							
MISSING		9005	33.0%	n/a	1269	6.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPCVTY4 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	26	0.1%	0.2%	26	0.1%	0.2%
PCV-UNKNOWN	72	442	1.6%	2.6%	440	2.3%	2.6%
PCV CONJUGATE-7	73	7650	28.0%	45.5%	7642	39.1%	45.5%
PCV CONJUGATE-13	74	8685	31.8%	51.7%	8679	44.4%	51.7%
SUBTOTALS:		16803	61.5%	100.0%	16787	85.9%	100.0%
RESERVED CODES:							
MISSING		10502	38.5%	n/a	2747	14.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character							
Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	8	0.0%	0.2%	8	0.0%	0.2%
PCV-UNKNOWN	72	63	0.2%	1.7%	63	0.3%	1.7%
PCV CONJUGATE-7	73	161	0.6%	4.2%	161	0.8%	4.2%
PCV CONJUGATE-13	74	3570	13.1%	93.9%	3567	18.3%	93.9%
SUBTOTALS:		3802	13.9%	100.0%	3799	19.4%	100.0%
RESERVED CODES:							
MISSING		23503	86.1%	n/a	15735	80.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPCVTY6 Type: Character							
Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	3	0.0%	4.1%	3	0.0%	4.1%
PCV-UNKNOWN	72	2	0.0%	2.7%	2	0.0%	2.7%
PCV CONJUGATE-7	73	2	0.0%	2.7%	2	0.0%	2.7%
PCV CONJUGATE-13	74	67	0.2%	90.5%	67	0.3%	90.5%
SUBTOTALS:		74	0.3%	100.0%	74	0.4%	100.0%
RESERVED CODES:							
MISSING		27231	99.7%	n/a	19460	99.6%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY7 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-7	73	1	0.0%	33.3%	1	0.0%	33.3%
PCV CONJUGATE-13	74	2	0.0%	66.7%	2	0.0%	66.7%
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING		27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPCVTY8 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XPCVTY9 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY1 Type: Character							
Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6128	22.4%	32.2%	6105	31.3%	32.2%
OPV	20	73	0.3%	0.4%	72	0.4%	0.4%
IPV	21	3561	13.0%	18.7%	3546	18.2%	18.7%
POLIO-UNKNOWN	22	489	1.8%	2.6%	488	2.5%	2.6%
DTAP-IPV-HIB	D3	8779	32.2%	46.1%	8759	44.8%	46.2%
SUBTOTALS:		19030	69.7%	100.0%	18970	97.1%	100.0%
RESERVED CODES:							
MISSING		8275	30.3%	n/a	564	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPOLTY2 Type: Character							
Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5062	18.5%	26.9%	5048	25.8%	26.8%
OPV	20	59	0.2%	0.3%	59	0.3%	0.3%
IPV	21	3427	12.6%	18.2%	3418	17.5%	18.2%
POLIO-UNKNOWN	22	448	1.6%	2.4%	448	2.3%	2.4%
DTAP-IPV-HIB	D3	9855	36.1%	52.3%	9832	50.3%	52.3%
SUBTOTALS:		18851	69.0%	100.0%	18805	96.3%	100.0%
RESERVED CODES:							
MISSING		8454	31.0%	n/a	729	3.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY3 Type: Character							
Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5259	19.3%	28.6%	5250	26.9%	28.6%
OPV	20	59	0.2%	0.3%	59	0.3%	0.3%
IPV	21	3021	11.1%	16.4%	3015	15.4%	16.4%
POLIO-UNKNOWN	22	374	1.4%	2.0%	374	1.9%	2.0%
DTAP-IPV-HIB	D3	9667	35.4%	52.6%	9650	49.4%	52.6%
SUBTOTALS:		18380	67.3%	100.0%	18348	93.9%	100.0%
RESERVED CODES:							
MISSING		8925	32.7%	n/a	1186	6.1%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPOLTY4 Type: Character							
Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	183	0.7%	3.9%	183	0.9%	3.9%
OPV	20	21	0.1%	0.4%	21	0.1%	0.4%
IPV	21	403	1.5%	8.5%	403	2.1%	8.5%
POLIO-UNKNOWN	22	90	0.3%	1.9%	90	0.5%	1.9%
DTAP-IPV-HIB	D3	4019	14.7%	85.2%	4017	20.6%	85.2%
SUBTOTALS:		4716	17.3%	100.0%	4714	24.1%	100.0%
RESERVED CODES:							
MISSING		22589	82.7%	n/a	14820	75.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY5 Type: Character							
Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9	0.0%	8.8%	9	0.0%	8.8%
OPV	20	7	0.0%	6.9%	7	0.0%	6.9%
IPV	21	11	0.0%	10.8%	11	0.1%	10.8%
POLIO-UNKNOWN	22	7	0.0%	6.9%	7	0.0%	6.9%
DTAP-IPV-HIB	D3	68	0.2%	66.7%	68	0.3%	66.7%
SUBTOTALS:		102	0.4%	100.0%	102	0.5%	100.0%
RESERVED CODES:							
MISSING		27203	99.6%	n/a	19432	99.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XPOLTY6 Type: Character							
Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
OPV	20	3	0.0%	37.5%	3	0.0%	37.5%
IPV	21	1	0.0%	12.5%	1	0.0%	12.5%
DTAP-IPV-HIB	D3	4	0.0%	50.0%	4	0.0%	50.0%
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING		27297	100.0%	n/a	19526	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY7 Type: Character****Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XPOLTY8 Type: Character**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XPOLTY9 Type: Character**Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	2082	7.6%	13.2%	2078	10.6%	13.2%
ROTATEQ (MERCK)	RM	12961	47.5%	82.2%	12929	66.2%	82.2%
ROTAVIRUS-UNKNOWN	RO	720	2.6%	4.6%	719	3.7%	4.6%
SUBTOTALS:		15763	57.7%	100.0%	15726	80.5%	100.0%
RESERVED CODES:							
MISSING		11542	42.3%	n/a	3808	19.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XROTTY2 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	1914	7.0%	12.8%	1912	9.8%	12.8%
ROTATEQ (MERCK)	RM	12469	45.7%	83.3%	12444	63.7%	83.3%
ROTAVIRUS-UNKNOWN	RO	581	2.1%	3.9%	580	3.0%	3.9%
SUBTOTALS:		14964	54.8%	100.0%	14936	76.5%	100.0%
RESERVED CODES:							
MISSING		12341	45.2%	n/a	4598	23.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XROTTY3 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	438	1.6%	3.7%	438	2.2%	3.7%
ROTATEQ (MERCK)	RM	10894	39.9%	93.0%	10873	55.7%	93.0%
ROTAVIRUS-UNKNOWN	RO	378	1.4%	3.2%	377	1.9%	3.2%
SUBTOTALS:		11710	42.9%	100.0%	11688	59.8%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XROTTY3 Type: Character****Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		15595	57.1%	n/a	7846	40.2%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XROTTY4 Type: Character**Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	1	0.0%	1.7%	1	0.0%	1.7%
ROTATEQ (MERCK)	RM	44	0.2%	75.9%	44	0.2%	75.9%
ROTAVIRUS-UNKNOWN	RO	13	0.0%	22.4%	13	0.1%	22.4%
SUBTOTALS:		58	0.2%	100.0%	58	0.3%	100.0%
RESERVED CODES:							
MISSING		27247	99.8%	n/a	19476	99.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XROTTY5 Type: Character**Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	2	0.0%	66.7%	2	0.0%	66.7%
ROTATEQ (MERCK)	RM	1	0.0%	33.3%	1	0.0%	33.3%
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING		27302	100.0%	n/a	19531	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY6 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XROTTY7 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XROTTY8 Type: Character

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY9 Type: Character
Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XVRCTY1 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	96	0.4%	0.5%	96	0.5%	0.5%
MMR-VARICELLA	VM	473	1.7%	2.6%	473	2.4%	2.7%
VARICELLA-ONLY	VO	17283	63.3%	96.8%	17251	88.3%	96.8%
SUBTOTALS:		17852	65.4%	100.0%	17820	91.2%	100.0%
RESERVED CODES:							
MISSING		9453	34.6%	n/a	1714	8.8%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XVRCTY2 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	9	0.0%	3.0%	9	0.0%	3.0%
MMR-VARICELLA	VM	20	0.1%	6.6%	20	0.1%	6.6%
VARICELLA-ONLY	VO	276	1.0%	90.5%	276	1.4%	90.5%
SUBTOTALS:		305	1.1%	100.0%	305	1.6%	100.0%
RESERVED CODES:							
MISSING		27000	98.9%	n/a	19229	98.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character							
Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR-VARICELLA	VM	1	0.0%	50.0%	1	0.0%	50.0%
VARICELLA-ONLY	VO	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		27303	100.0%	n/a	19532	100.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: XVRCTY4 Type: Character							
Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XVRCTY5 Type: Character							
Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY6 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XVRCTY7 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

Variable: XVRCTY8 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		27305	100.0%	n/a	19534	100.0%	n/a
TOTALS:		27305	100.0%	n/a	19534	100.0%	n/a

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_1 Type: Numeric

Label: IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	13239	48.5%	60.5%	11750	60.2%	61.0%
NO	2	8626	31.6%	39.5%	7519	38.5%	39.0%
SUBTOTALS:		21865	80.1%	100.0%	19269	98.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	144	0.5%	n/a	117	0.6%	n/a
REFUSED	99	17	0.1%	n/a	7	0.0%	n/a
MISSING	.	5279	19.3%	n/a	141	0.7%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INS_2 Type: Numeric

Label: IS CHILD COVERED BY ANY MEDICAID PLAN?

**Notes: Question not asked of cases sampled in the U.S. Virgin Islands.
See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	4125	15.1%	32.7%	3631	18.6%	32.5%
NO	2	8473	31.0%	67.3%	7535	38.6%	67.5%
SUBTOTALS:		12598	46.1%	100.0%	11166	57.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	100	0.4%	n/a	75	0.4%	n/a
REFUSED	99	7	0.0%	n/a	3	0.0%	n/a
MISSING	.	14600	53.5%	n/a	8290	42.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_3 Type: Numeric
Label: IS CHILD COVERED BY S-CHIP?
Notes: Question not asked of cases sampled in the U.S. Virgin Islands.
See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1811	6.6%	14.6%	1566	8.0%	14.3%
NO	2	10559	38.7%	85.4%	9402	48.1%	85.7%
SUBTOTALS:		12370	45.3%	100.0%	10968	56.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	313	1.1%	n/a	263	1.3%	n/a
REFUSED	99	7	0.0%	n/a	5	0.0%	n/a
MISSING	.	14615	53.5%	n/a	8298	42.5%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INS_3A Type: Numeric
Label: IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
Notes: Question not asked of cases sampled in the U.S. Virgin Islands.
See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	3103	11.4%	35.5%	2698	13.8%	35.1%
NO	2	5635	20.6%	64.5%	4995	25.6%	64.9%
SUBTOTALS:		8738	32.0%	100.0%	7693	39.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	45	0.2%	n/a	36	0.2%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	18519	67.8%	n/a	11803	60.4%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_4_5 Type: Numeric

Label: IS CHILD COVERED BY INDIAN HEALTH SERVICE,
MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?Notes: INS_4 not asked of cases sampled in the U.S. Virgin Islands.
See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1318	4.8%	6.2%	1057	5.4%	5.6%
NO	2	19848	72.7%	93.8%	17663	90.4%	94.4%
SUBTOTALS:		21166	77.5%	100.0%	18720	95.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	304	1.1%	n/a	247	1.3%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
MISSING	.	5829	21.3%	n/a	563	2.9%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: INS_6 Type: Numeric

Label:
IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE
PLAN?

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1532	5.6%	7.0%	1336	6.8%	6.9%
NO	2	20367	74.6%	93.0%	17978	92.0%	93.1%
SUBTOTALS:		21899	80.2%	100.0%	19314	98.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	36	0.1%	n/a	24	0.1%	n/a
REFUSED	99	10	0.0%	n/a	5	0.0%	n/a
MISSING	.	5360	19.6%	n/a	191	1.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE VARIABLES**Variable: INS_11** Type: Numeric**Label:****ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?****Notes:** See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1532	5.6%	7.3%	1329	6.8%	7.2%
NO	2	19377	71.0%	92.7%	17157	87.8%	92.8%
SUBTOTALS:		20909	76.6%	100.0%	18486	94.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	95	0.3%	n/a	77	0.4%	n/a
REFUSED	99	4	0.0%	n/a	0	0.0%	n/a
MISSING	.	6297	23.1%	n/a	971	5.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

Variable: VFC_I Type: Numeric**Label: DERIVED: IS CHILD VFC ELIGIBLE?****Notes:****Child is VFC eligible if child is on Medicaid or uninsured or American Indian/Alaska Native or****(underinsured and attended a Federally-Qualified Health Center or rural health clinic).****Variable is valid only for children in the U.S. proper with adequate provider data (PDAT=1); it is not valid for U.S.****Virgin Islands children or children without adequate provider data, and has been set to missing for such children. Variable is based on HIM variables, provider facility type, and income, all of which contain some imputed values.****See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	7392	27.1%	38.6%	7392	37.8%	38.6%
NO	2	11621	42.6%	60.7%	11621	59.5%	60.7%
NOT ASCERTAINED	3	131	0.5%	0.7%	131	0.7%	0.7%
SUBTOTALS:		19144	70.1%	100.0%	19144	98.0%	100.0%
RESERVED CODES:							
MISSING	.	8161	29.9%	n/a	390	2.0%	n/a
TOTALS:		27305	100.0%	100.0%	19534	100.0%	100.0%

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	139	139	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	173	173	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	198	198	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	199	199	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	174	181	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	182	189	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	190	197	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	200	200	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	201	202	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	203	204	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	205	205	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	206	206	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	207	208	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	209	210	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	254	254	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	255	255	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	357	360	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	361	364	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	365	368	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	369	372	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	373	376	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	377	379	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	380	380	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	381	381	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	382	382	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	383	386	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	387	390	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	391	394	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	395	398	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	399	402	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	403	406	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DFLU7	407	410	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	411	414	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	415	415	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DH1N1	416	419	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1
DH1N2	420	423	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2
DH1N3	424	427	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3
DH1N4	428	431	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4
DH1N5	432	434	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5
DH1N6	435	435	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6
DH1N7	436	436	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7
DH1N8	437	437	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8
DH1N9	438	438	9	AGE IN DAYS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9
DHEPA1	439	442	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	443	446	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	447	450	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	451	453	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	454	454	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	455	455	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	456	456	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	457	457	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	458	458	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	459	462	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	463	466	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	467	470	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	471	474	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	475	478	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	479	481	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	482	482	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	483	483	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	484	484	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHIB1	485	488	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	489	492	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	493	496	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	497	500	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	501	504	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	505	508	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	509	511	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	512	512	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	513	513	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DISPCODE	256	257	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	514	517	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	518	521	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	522	525	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	526	526	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	527	527	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	528	528	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	529	529	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	530	530	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	531	531	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	532	534	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	535	535	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	536	536	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	537	537	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	538	538	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	539	539	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	540	540	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	541	541	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	542	542	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	543	543	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	544	544	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	545	545	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	546	546	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	547	547	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	548	548	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	549	549	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	550	550	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	551	551	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DPCV1	552	555	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	556	559	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	560	563	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	564	567	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	568	571	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	572	575	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	576	578	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	579	579	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	580	580	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	581	584	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	585	588	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	589	592	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	593	596	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	597	600	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	601	603	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	604	604	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	605	605	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	606	606	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	607	609	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	610	610	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	611	611	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	612	612	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	613	613	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	614	614	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	615	615	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	616	616	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	617	617	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	618	621	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	622	624	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	625	627	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	628	631	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	632	634	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	635	635	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	636	636	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	637	637	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	638	638	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	657	658	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DTP2_AGE	659	660	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	661	662	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	663	664	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	665	666	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	667	668	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	639	642	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	643	646	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	647	650	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	651	651	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	652	652	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	653	653	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	654	654	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	655	655	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	656	656	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	211	211	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP11	249	251	4	ESTIMATION AREA OF RESIDENCE
FLU1_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	680	681	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	212	212	3	FIRST BORN STATUS OF CHILD
H1N1_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1
H1N2_AGE	691	692	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
H1N3_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3
H1N4_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4
H1N5_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5
H1N6_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6
H1N7_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7
H1N8_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8
H1N9_AGE	702	702	9	AGE IN MONTHS OF PROV-REPTD MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9
HAD_CPOX	170	171	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	707	708	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	709	710	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	726	727	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	262	262	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	263	263	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HH_DTP	158	159	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_HEPB	160	161	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	162	163	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	164	165	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	166	167	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HH_VRC	168	169	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HIB1_AGE	731	732	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	733	734	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	735	736	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	737	738	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	739	740	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	741	742	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	743	744	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	745	745	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	746	746	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	214	229	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	230	230	3	POVERTY STATUS
INCQ298A	231	232	3	FAMILY INCOME CATEGORIES (RECODE)
INS_1	991	992	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_11	1003	1004	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
INS_2	993	994	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	995	996	10	IS CHILD COVERED BY S-CHIP?
INS_3A	997	998	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	999	1000	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	1001	1002	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INTRP	233	233	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	213	213	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	234	234	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	236	236	3	MARITAL STATUS OF MOTHER (RECODE)
MMR1_AGE	747	748	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	749	750	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	751	752	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	753	753	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	754	754	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	755	755	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MMR7_AGE	756	756	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	757	757	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	758	758	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	237	237	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	759	760	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	761	761	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	762	762	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	763	763	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	764	764	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	765	765	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	766	766	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	767	767	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	768	768	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	769	769	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	770	770	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	771	771	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	772	772	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	773	773	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	774	774	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	775	775	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	776	776	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	777	777	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	235	235	3	AGE OF MOTHER CATEGORIES (RECODE)
NUM_CELLS_HH	240	241	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	242	243	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	238	239	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	258	258	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PCV1_AGE	778	779	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	780	781	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	782	783	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	784	785	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	786	787	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	788	789	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	790	791	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	792	792	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	793	793	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	794	795	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	796	797	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	798	799	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	800	801	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	802	803	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	804	805	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	806	806	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	807	807	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	808	808	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
PROVWTVI_LL	34	53	1	FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT (INCLUDING U.S. VIRGIN ISLANDS)
PROVWT_D	92	111	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS)
PROVWT_LL	14	33	1	FINAL LANDLINE-SAMPLE PROVIDER-PHASE WEIGHT (EXCLUDING U.S. VIRGIN ISLANDS)
PROV_FAC	259	259	7	PROVIDER FACILITY TYPES
PU431331	342	342	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	345	345	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	347	347	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PU431_31	344	344	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	349	349	8	UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	350	350	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	352	352	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	264	264	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	265	265	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	266	266	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1L	277	277	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1M	278	278	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUM1N	279	279	8	NUMBER OF INJECTED MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	267	267	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	268	268	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	269	269	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	270	270	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	271	271	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMFLU	272	272	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	273	273	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	274	274	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	275	275	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMH1N	276	276	8	NUMBER OF MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	280	280	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	281	281	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	282	282	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	287	287	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	283	283	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	284	284	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	285	285	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	286	286	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	288	288	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMIPV	289	289	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	290	290	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	291	291	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	292	292	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	293	293	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPP	294	294	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	295	295	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	296	296	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	297	297	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	298	298	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	299	299	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	300	300	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	301	301	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	304	304	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	306	306	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCC7	305	305	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	307	307	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	308	308	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	303	303	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	302	302	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	309	309	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	310	310	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	311	311	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	312	312	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	313	313	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	314	314	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	315	315	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	316	316	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	317	317	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRX	318	318	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	319	319	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	320	320	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	321	321	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	346	346	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	348	348	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	343	343	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	351	351	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	353	353	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL1	322	322	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL2	323	323	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL3	324	324	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDH1N_1	325	325	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MONOVALENT 2009 H1N1 INFLUENZA VACCINATION BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDH1N_2	326	326	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ MONOVALENT 2009 H1N1 INFLUENZA VACCINATIONS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE AND EXCLUDING VACCINATIONS GIVEN PRIOR TO 10/5/2009.
P_UTDHEP	327	327	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	328	328	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	329	329	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	330	330	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	331	331	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	332	332	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	333	333	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	334	334	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	335	335	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	336	336	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	337	337	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	338	338	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDROT_S	339	339	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	340	340	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	341	341	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	245	245	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	244	244	3	RACE OF CHILD (RECODE)
RB1_AGE	809	810	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	811	811	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	812	812	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	813	813	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	814	814	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	815	815	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	816	816	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	817	817	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	818	818	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWTVI_LL	73	91	1	FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT (INCLUDING U.S. VIRGIN ISLANDS)
RDDWT_D	112	130	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS)
RDDWT_LL	54	72	1	FINAL LANDLINE-SAMPLE RDD-PHASE WEIGHT (EXCLUDING U.S. VIRGIN ISLANDS)
REGISTRY	260	260	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	246	247	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	819	820	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	821	822	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	823	824	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	825	826	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	827	828	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	829	829	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	830	830	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	831	831	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	832	832	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SC_431	140	141	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	142	143	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
SC_43133	144	145	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	146	147	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	148	149	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	150	151	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	152	153	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	154	155	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	156	157	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	248	248	3	GENDER OF CHILD
SHOTCARD	172	172	2	SHOT CARD USE FLAG
STATE	252	253	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM_D	131	134	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
TEL_SAMPFRAME	13	13	1	SAMPLE FRAME (LANDLINE/CELL-PHONE) INDICATOR
U1D_HEP	354	354	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	355	355	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	356	356	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_I	1005	1005	10	DERIVED: IS CHILD VFC ELIGIBLE?
VFC_ORDER	261	261	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	833	834	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	835	836	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	837	838	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	839	839	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	840	840	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	841	841	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	842	842	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	843	843	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	844	844	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	845	846	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	847	848	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	849	850	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	851	852	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	853	854	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	855	856	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	857	857	9	DT-CONTAINING VACCINATION #7 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XDTPTY8	858	858	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	859	859	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	860	861	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	862	863	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	864	865	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	866	867	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	868	869	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	870	871	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	872	873	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	874	875	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	876	876	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XH1NTY1	877	878	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #1 TYPE CODE
XH1NTY2	879	880	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #2 TYPE CODE
XH1NTY3	881	882	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #3 TYPE CODE
XH1NTY4	883	884	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #4 TYPE CODE
XH1NTY5	885	886	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #5 TYPE CODE
XH1NTY6	887	887	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #6 TYPE CODE
XH1NTY7	888	888	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #7 TYPE CODE
XH1NTY8	889	889	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #8 TYPE CODE
XH1NTY9	890	890	9	MONOVALENT 2009 H1N1 INFLUENZA VACCINATION #9 TYPE CODE
XHEPTY1	891	892	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	893	894	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	895	896	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	897	898	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	899	900	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	901	902	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	903	903	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	904	904	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	905	905	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	906	907	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	908	909	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	910	911	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	912	913	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	914	915	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	916	917	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	918	919	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	920	920	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	921	921	9	HIB-CONTAINING VACCINATION #9 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XMMRTY1	922	923	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	924	925	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	926	927	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	928	928	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	929	929	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	930	930	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	931	931	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	932	932	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	933	933	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	934	935	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	936	937	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	938	939	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	940	941	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	942	943	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	944	945	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	946	947	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	948	948	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	949	949	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	950	951	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	952	953	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	954	955	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	956	957	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	958	959	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	960	961	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	962	962	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	963	963	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	964	964	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	965	966	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	967	968	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	969	970	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	971	972	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	973	974	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	975	975	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	976	976	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	977	977	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	978	978	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	979	980	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	981	982	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XVRCTY3	983	984	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	985	985	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	986	986	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	987	987	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	988	988	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	989	989	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	990	990	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	135	138	1	YEAR OF INTERVIEW