8-25. Reduce exposure of the population to pesticides, heavy metals, and selected environmental chemicals, as measured by blood and urine concentrations of the substances or their metabolites.

## 8-25g. o-phenylphenol

National Data Sources	National Report on Human Exposure to Environmental Chemicals, CDC, NCEH; National Health and Nutrition Examination Survey (NHANES), CDC, NCHS.
State Data Source	Not identified.
Healthy People 2000 Objective	Not applicable.
Changes since the 2000 Publication	Revised text (see Comments). Revised baseline (see Comments). Revised target (see Comments).
Measure	Concentration (µg/g creatinine).
Baseline (Year)	2.9 (1999-2000)
Target	2.0
Target-Setting Method	30 percent reduction.
	For a discussion of target-setting methods, see Part A, section 4.
Numerator	Concentration level of o-phenylphenol in urine samples creatinine corrected at which 95 percent of the population aged 6 to 59 years is below the measured level.
Denominator	Not applicable.
Population Targeted	U.S. civilian, noninstitutionalized population.
Questions Used To Obtain the National Baseline Data	Not applicable.
Expected Periodicity	Biennially.

Comments	This subobjective moved from developmental to measurable during the Healthy People 2010 Midcourse Review.
	The original baseline of 2.0 was revised to 2.9 after the Heathy People 2010 Midcourse Review. The target of 1.4 $\mu$ g/g of creatinine was proportionally adjusted to 2.0 to reflect the revised baseline using the original target-setting method.

See Appendix A for focus area contact information.