

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	7.9 (0.18)	1.3 (0.07)	1.0 (0.10)	2.0 (0.14)
Sex				
Male	7.6 (0.28)	*	-	2.0 (0.14)
Female	8.3 (0.25)	2.3 (0.12)	1.0 (0.10)	-
Age (years)				
18-44	2.0 (0.15)	*0.1 (0.03)	0.9 (0.15)	*
45-64	9.3 (0.43)	1.4 (0.13)	1.2 (0.18)	1.1 (0.18)
65-74	19.8 (0.75)	4.0 (0.36)	1.1 (0.29)	7.5 (0.79)
75 and over	28.0 (1.06)	5.5 (0.48)	*0.7 (0.21)	12.6 (1.27)
Race				
One race <sup>2</sup>	7.9 (0.18)	1.3 (0.07)	1.0 (0.10)	2.0 (0.14)
White	8.6 (0.22)	1.3 (0.08)	1.0 (0.12)	2.0 (0.15)
Black or African American	4.5 (0.35)	0.9 (0.15)	0.6 (0.16)	3.1 (0.48)
American Indian or Alaska Native	6.4 (1.62)	*1.1 (0.53)	*	*
Asian	3.3 (0.47)	1.1 (0.24)	*	*0.5 (0.23)
Native Hawaiian or Other Pacific Islander	*	*	*	-
Two or more races <sup>3</sup>	9.1 (1.42)	*0.5 (0.23)	*2.5 (1.25)	*
Black or African American, white	*	-	-	-
American Indian or Alaska Native, white	12.5 (2.31)	*	*	*
Hispanic or Latino origin <sup>4</sup> and race				
Hispanic or Latino	4.4 (0.38)	0.9 (0.16)	0.7 (0.16)	1.9 (0.43)
Mexican or Mexican American	4.1 (0.46)	0.9 (0.24)	0.9 (0.24)	1.7 (0.49)
Not Hispanic or Latino	8.3 (0.20)	1.3 (0.07)	1.0 (0.12)	2.0 (0.14)
White, single race	9.2 (0.24)	1.4 (0.08)	1.1 (0.14)	2.0 (0.15)
Black or African American, single race	4.5 (0.35)	0.9 (0.15)	0.6 (0.16)	3.2 (0.49)
Education <sup>5</sup>				
Less than a high school diploma	6.5 (0.40)	1.1 (0.19)	0.9 (0.22)	1.7 (0.28)
High school diploma or GED <sup>6</sup>	8.7 (0.37)	1.6 (0.15)	1.8 (0.31)	2.3 (0.29)
Some college	9.8 (0.46)	1.7 (0.16)	1.0 (0.18)	1.9 (0.27)
Bachelor's degree or higher	10.0 (0.37)	1.4 (0.14)	0.7 (0.14)	3.0 (0.33)
Current employment status <sup>7</sup>				
Employed	7.1 (0.36)	1.0 (0.15)	0.9 (0.13)	1.5 (0.28)
Full-time	7.4 (0.58)	1.1 (0.26)	1.1 (0.17)	1.4 (0.30)
Part-time	6.5 (0.58)	0.9 (0.18)	*0.6 (0.20)	1.9 (0.49)
Not employed but has worked previously	9.5 (0.34)	1.5 (0.11)	1.1 (0.22)	2.4 (0.20)
Not employed and has never worked	4.7 (0.59)	1.1 (0.23)	*0.6 (0.27)	*2.2 (0.85)

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
<b>Family income<sup>8</sup></b>				
Less than \$35,000	7.2 (0.26)	1.4 (0.11)	1.1 (0.14)	1.8 (0.20)
\$35,000 or more	8.5 (0.27)	1.2 (0.10)	1.0 (0.15)	2.2 (0.19)
\$35,000–\$49,999	7.4 (0.47)	1.2 (0.19)	1.3 (0.36)	2.2 (0.37)
\$50,000–\$74,999	7.8 (0.46)	1.2 (0.20)	1.1 (0.25)	2.2 (0.37)
\$75,000–\$99,999	8.6 (0.58)	1.4 (0.23)	*1.1 (0.42)	1.9 (0.40)
\$100,000 or more	9.8 (0.53)	1.2 (0.19)	*1.0 (0.30)	2.6 (0.42)
<b>Poverty status<sup>9</sup></b>				
Poor	6.2 (0.37)	1.0 (0.15)	0.9 (0.18)	1.5 (0.35)
Near poor	6.8 (0.37)	1.3 (0.14)	1.3 (0.25)	2.0 (0.31)
Not poor	8.6 (0.25)	1.3 (0.09)	0.9 (0.14)	2.1 (0.17)
<b>Health insurance coverage<sup>10</sup></b>				
Under 65:				
Private	4.8 (0.23)	0.6 (0.07)	0.7 (0.12)	0.4 (0.08)
Medicaid	5.2 (0.50)	1.0 (0.20)	1.8 (0.43)	*0.5 (0.22)
Other	5.6 (0.62)	0.6 (0.18)	*1.0 (0.36)	*0.4 (0.21)
Uninsured	2.8 (0.33)	*0.2 (0.06)	1.3 (0.32)	*
65 and over:				
Private	25.7 (0.95)	4.8 (0.43)	1.0 (0.26)	9.2 (0.99)
Medicare and Medicaid	15.8 (1.85)	3.6 (0.87)	*	*6.4 (2.04)
Medicare only	22.3 (1.05)	5.0 (0.53)	*0.8 (0.30)	11.9 (1.33)
Other	25.7 (2.37)	4.1 (0.90)	*	9.8 (2.07)
Uninsured	*	*	-	-
<b>Marital status</b>				
Married	8.3 (0.27)	1.1 (0.10)	0.8 (0.12)	2.1 (0.18)
Widowed	9.4 (2.22)	2.1 (0.33)	*	2.5 (0.57)
Divorced or separated	9.0 (0.54)	1.5 (0.18)	2.3 (0.58)	1.5 (0.29)
Never married	6.1 (0.54)	1.3 (0.30)	0.7 (0.20)	*1.6 (0.60)
Living with a partner	10.3 (1.12)	*1.4 (0.46)	*1.4 (0.43)	*
<b>Place of residence<sup>11</sup></b>				
Large MSA	7.3 (0.27)	1.2 (0.10)	0.9 (0.15)	1.8 (0.18)
Small MSA	8.6 (0.32)	1.3 (0.13)	0.9 (0.14)	2.3 (0.25)
Not in MSA	8.4 (0.40)	1.3 (0.13)	1.6 (0.31)	2.0 (0.31)
<b>Region</b>				
Northeast	7.1 (0.38)	1.2 (0.15)	*0.5 (0.23)	2.0 (0.31)
Midwest	7.8 (0.35)	1.4 (0.15)	1.0 (0.20)	2.0 (0.30)
South	8.4 (0.33)	1.1 (0.10)	1.1 (0.17)	2.2 (0.23)
West	7.7 (0.36)	1.4 (0.16)	1.0 (0.21)	1.7 (0.25)

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex				
Hispanic or Latino, male	4.3 (0.60)	*	-	1.9 (0.43)
Hispanic or Latina, female	4.7 (0.49)	1.6 (0.29)	0.7 (0.16)	-
Not Hispanic or Latino:				
White, single race, male	8.8 (0.36)	*	-	2.0 (0.15)
White, single race, female	9.8 (0.34)	2.6 (0.15)	1.1 (0.14)	-
Black or African American, single race, male	4.9 (0.60)	-	-	3.2 (0.49)
Black or African American, single race, female	4.3 (0.44)	1.5 (0.26)	0.6 (0.16)	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	239,688	115,541	124,148	20,348	3,342	1,235	2,321
Sex							
Male	115,541	115,541		9,062	*	-	2,321
Female	124,148		124,148	11,286	3,318	1,235	-
Age (years)							
18–44	112,149	55,537	56,612	2,256	*125	502	*
45–64	82,605	40,049	42,557	7,702	1,152	508	429
65–74	26,362	12,274	14,088	5,205	1,044	150	918
75 and over	18,573	7,681	10,892	5,185	1,021	*74	963
Race							
One race <sup>2</sup>	235,831	113,743	122,088	20,053	3,325	1,188	2,313
White	190,462	92,886	97,576	18,297	2,920	1,030	1,961
Black or African American	29,355	13,314	16,041	1,211	238	101	322
American Indian or Alaska Native	1,948	950	998	125	*25	*	*
Asian	13,733	6,457	7,276	396	140	*	*25
Native Hawaiian or Other Pacific Islander	333	136	197	*	*	*	-
Two or more races <sup>3</sup>	3,858	1,798	2,060	294	*17	*	*
Black or African American, white	760	259	501	*	-	-	-
American Indian or Alaska Native, white	1,590	759	831	217	*	*	*
Hispanic or Latino origin <sup>4</sup> and race							
Hispanic or Latino	36,571	18,309	18,262	1,242	248	131	163
Mexican or Mexican American	22,326	11,084	11,242	677	142	105	89
Not Hispanic or Latino	203,117	97,232	105,885	19,106	3,094	1,104	2,158
White, single race	157,364	76,277	81,087	17,210	2,695	925	1,798
Black or African American, single race	27,875	12,626	15,249	1,162	232	90	322
Education <sup>5</sup>							
Less than a high school diploma	27,612	13,440	14,172	2,247	404	116	300
High school diploma or GED <sup>6</sup>	52,697	25,967	26,730	5,424	1,032	460	606
Some college	59,919	27,230	32,688	5,867	991	330	467
Bachelor's degree or higher	67,940	33,069	34,872	6,495	903	233	921
Current employment status <sup>7</sup>							
Employed	146,624	78,048	68,576	7,697	970	686	531
Full-time	117,112	67,150	49,962	6,068	701	573	354
Part-time	27,205	9,704	17,500	1,442	222	*111	168
Not employed but has worked previously	79,316	32,874	46,443	11,990	2,202	490	1,731
Not employed and has never worked	13,623	4,558	9,065	656	167	*55	*59

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Family income <sup>8</sup>							
Less than \$35,000	69,793	30,755	39,038	5,898	1,189	405	620
\$35,000 or more	144,503	73,345	71,158	12,026	1,691	732	1,392
\$35,000–\$49,999	28,044	13,490	14,554	2,184	361	183	311
\$50,000–\$74,999	35,733	18,397	17,337	2,772	432	196	366
\$75,000–\$99,999	27,053	13,804	13,249	2,266	361	*134	250
\$100,000 or more	53,673	27,655	26,019	4,804	537	*219	464
Poverty status <sup>9</sup>							
Poor	31,383	13,368	18,015	1,671	252	166	146
Near poor	42,675	19,296	23,379	3,212	668	286	384
Not poor	152,199	76,914	75,285	14,128	2,160	726	1,648
Health insurance coverage <sup>10</sup>							
Under 65:							
Private	129,666	64,418	65,248	7,133	910	483	315
Medicaid	23,239	8,642	14,598	1,195	214	266	*46
Other	9,095	4,686	4,409	795	104	*69	*40
Uninsured	31,587	17,190	14,397	827	*49	192	*
65 and over:							
Private	22,525	10,043	12,482	5,645	1,053	124	871
Medicare and Medicaid	2,951	1,031	1,920	465	106	*	*65
Medicare only	15,536	6,430	9,106	3,399	752	*70	724
Other	3,513	2,268	1,246	860	144	*	220
Uninsured	313	141	171	*	*	-	-
Marital status							
Married	126,926	64,817	62,108	12,204	1,699	534	1,699
Widowed	14,312	2,998	11,315	2,886	815	*79	273
Divorced or separated	26,802	10,756	16,045	2,857	532	323	188
Never married	53,788	28,272	25,516	1,450	170	*180	*104
Living with a partner	17,497	8,578	8,919	910	118	119	*57
Place of residence <sup>11</sup>							
Large MSA	130,402	63,202	67,201	9,733	1,651	594	1,033
Small MSA	73,885	35,587	38,297	6,864	1,067	361	836
Not in MSA	35,402	16,752	18,650	3,751	624	280	452
Region							
Northeast	41,490	20,179	21,311	3,479	593	*116	459
Midwest	55,095	26,617	28,478	4,552	865	293	518
South	89,270	42,315	46,955	8,110	1,113	541	913
West	53,834	26,430	27,404	4,208	771	286	431

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex							
Hispanic or Latino, male	18,309	18,309		493	*	-	163
Hispanic or Latina, female	18,262		18,262	748	246	131	-
Not Hispanic or Latino:							
White, single race, male	76,277	76,277		7,809	*	-	1,798
White, single race, female	81,087		81,087	9,401	2,673	925	-
Black or African American, single race, male	12,626	12,626		523	-	-	322
Black or African American, single race, female	15,249		15,249	639	232	90	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over," "Males aged 18 and over," and "Females aged 18 and over" columns. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	8.5 (0.21)	1.4 (0.08)	1.0 (0.10)	2.0 (0.14)
Sex				
Male	7.9 (0.31)	*	-	2.0 (0.14)
Female	9.1 (0.28)	2.7 (0.15)	1.0 (0.10)	-
Age (years)				
18–44	2.0 (0.15)	*0.1 (0.03)	0.9 (0.15)	*
45–64	9.3 (0.43)	1.4 (0.13)	1.2 (0.18)	1.1 (0.18)
65–74	19.8 (0.75)	4.0 (0.36)	1.1 (0.29)	7.5 (0.79)
75 and over	28.0 (1.06)	5.5 (0.48)	*0.7 (0.21)	12.6 (1.27)
Race				
One race <sup>2</sup>	8.5 (0.21)	1.4 (0.08)	1.0 (0.10)	2.0 (0.14)
White	9.6 (0.25)	1.5 (0.09)	1.1 (0.12)	2.1 (0.17)
Black or African American	4.1 (0.33)	0.8 (0.14)	0.6 (0.17)	2.4 (0.37)
American Indian or Alaska Native	6.4 (1.63)	*1.3 (0.64)	*	*
Asian	2.9 (0.42)	1.0 (0.22)	*	*0.4 (0.18)
Native Hawaiian or Other Pacific Islander	*	*	*	-
Two or more races <sup>3</sup>	7.6 (1.22)	*0.4 (0.18)	*2.3 (1.13)	*
Black or African American, white	*	-	-	-
American Indian or Alaska Native, white	13.7 (2.51)	*	*	*
Hispanic or Latino origin <sup>4</sup> and race				
Hispanic or Latino	3.4 (0.30)	0.7 (0.13)	0.7 (0.17)	0.9 (0.20)
Mexican or Mexican American	3.0 (0.34)	0.6 (0.19)	0.9 (0.26)	0.8 (0.23)
Not Hispanic or Latino	9.4 (0.24)	1.5 (0.09)	1.0 (0.11)	2.2 (0.16)
White, single race	10.9 (0.30)	1.7 (0.11)	1.1 (0.14)	2.4 (0.19)
Black or African American, single race	4.2 (0.34)	0.8 (0.15)	0.6 (0.17)	2.6 (0.39)
Education <sup>5</sup>				
Less than a high school diploma	8.1 (0.50)	1.5 (0.22)	0.8 (0.20)	2.2 (0.39)
High school diploma or GED <sup>6</sup>	10.3 (0.44)	2.0 (0.19)	1.7 (0.27)	2.3 (0.30)
Some college	9.8 (0.50)	1.7 (0.16)	1.0 (0.17)	1.7 (0.25)
Bachelor's degree or higher	9.6 (0.38)	1.3 (0.13)	0.7 (0.15)	2.8 (0.32)
Current employment status <sup>7</sup>				
Employed	5.3 (0.24)	0.7 (0.07)	1.0 (0.14)	0.7 (0.10)
Full-time	5.2 (0.28)	0.6 (0.08)	1.1 (0.18)	0.5 (0.10)
Part-time	5.3 (0.46)	0.8 (0.16)	*0.6 (0.22)	1.7 (0.42)
Not employed but has worked previously	15.1 (0.41)	2.8 (0.18)	1.1 (0.17)	5.3 (0.42)
Not employed and has never worked	4.8 (0.63)	1.2 (0.27)	*0.6 (0.23)	*1.3 (0.61)

**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Family income <sup>8</sup>				
Less than \$35,000	8.5 (0.32)	1.7 (0.13)	1.0 (0.13)	2.0 (0.24)
\$35,000 or more	8.3 (0.28)	1.2 (0.09)	1.0 (0.15)	1.9 (0.18)
\$35,000–\$49,999	7.8 (0.51)	1.3 (0.20)	1.3 (0.34)	2.3 (0.40)
\$50,000–\$74,999	7.8 (0.48)	1.2 (0.19)	1.1 (0.26)	2.0 (0.34)
\$75,000–\$99,999	8.4 (0.60)	1.3 (0.22)	*1.0 (0.38)	1.8 (0.40)
\$100,000 or more	9.0 (0.54)	1.0 (0.15)	*0.8 (0.26)	1.7 (0.28)
Poverty status <sup>9</sup>				
Poor	5.3 (0.35)	0.8 (0.13)	0.9 (0.18)	1.1 (0.26)
Near poor	7.5 (0.41)	1.6 (0.16)	1.2 (0.24)	2.0 (0.31)
Not poor	9.3 (0.28)	1.4 (0.10)	1.0 (0.14)	2.1 (0.18)
Health insurance coverage <sup>10</sup>				
Under 65:				
Private	5.5 (0.28)	0.7 (0.08)	0.7 (0.12)	0.5 (0.10)
Medicaid	5.1 (0.50)	0.9 (0.20)	1.8 (0.44)	*0.5 (0.22)
Other	8.7 (1.00)	1.1 (0.33)	*1.6 (0.61)	*0.9 (0.40)
Uninsured	2.6 (0.32)	*0.2 (0.05)	1.3 (0.32)	*
65 and over:				
Private	25.1 (0.93)	4.7 (0.42)	1.0 (0.27)	8.7 (0.93)
Medicare and Medicaid	15.7 (1.84)	3.6 (0.87)	*	*6.3 (2.00)
Medicare only	21.9 (1.03)	4.9 (0.51)	*0.8 (0.32)	11.3 (1.28)
Other	24.5 (2.27)	4.1 (0.93)	*	9.8 (2.01)
Uninsured	*	*	-	-
Marital status				
Married	9.6 (0.33)	1.3 (0.11)	0.9 (0.14)	2.6 (0.22)
Widowed	20.2 (0.89)	5.7 (0.52)	0.7 (0.21)	9.2 (1.31)
Divorced or separated	10.7 (0.52)	2.0 (0.22)	2.0 (0.37)	1.7 (0.31)
Never married	2.7 (0.23)	0.3 (0.06)	*0.7 (0.23)	*0.4 (0.15)
Living with a partner	5.2 (0.61)	0.7 (0.19)	1.3 (0.35)	*0.7 (0.33)
Place of residence <sup>11</sup>				
Large MSA	7.5 (0.29)	1.3 (0.10)	0.9 (0.15)	1.6 (0.17)
Small MSA	9.3 (0.36)	1.4 (0.14)	0.9 (0.14)	2.4 (0.28)
Not in MSA	10.6 (0.55)	1.8 (0.19)	1.5 (0.29)	2.7 (0.42)
Region				
Northeast	8.4 (0.46)	1.4 (0.19)	*0.5 (0.21)	2.3 (0.36)
Midwest	8.3 (0.42)	1.6 (0.17)	1.0 (0.20)	2.0 (0.30)
South	9.1 (0.37)	1.2 (0.11)	1.2 (0.18)	2.2 (0.25)
West	7.8 (0.40)	1.4 (0.16)	1.0 (0.21)	1.6 (0.25)



**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2014**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex				
Hispanic or Latino, male	2.7 (0.41)	*	-	0.9 (0.20)
Hispanic or Latina, female	4.1 (0.43)	1.3 (0.26)	0.7 (0.17)	-
Not Hispanic or Latino:				
White, single race, male	10.2 (0.44)	*	-	2.4 (0.19)
White, single race, female	11.6 (0.39)	3.3 (0.20)	1.1 (0.14)	-
Black or African American, single race, male	4.1 (0.53)	-	-	2.6 (0.39)
Black or African American, single race, female	4.2 (0.45)	1.5 (0.27)	0.6 (0.17)	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>. SOURCE: CDC/NCHS, National Health Interview Survey, 2014.