

Table C-5a. Age-adjusted percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years				
	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹	
Total	100.0	58.9 (0.58)	25.5 (0.51)	13.9 (0.39)	1.8 (0.11)
Sex					
Male	100.0	57.9 (0.69)	26.1 (0.60)	14.1 (0.49)	1.9 (0.15)
Female	100.0	59.9 (0.69)	24.8 (0.61)	13.6 (0.45)	1.7 (0.14)
Age					
0-4 years	100.0	62.1 (0.87)	25.1 (0.79)	11.6 (0.56)	1.2 (0.16)
5-11 years	100.0	58.7 (0.76)	26.1 (0.69)	13.7 (0.51)	1.6 (0.15)
12-17 years	100.0	56.5 (0.82)	25.1 (0.68)	15.9 (0.56)	2.5 (0.22)
Race					
One race ²	100.0	58.8 (0.59)	25.6 (0.51)	13.8 (0.39)	1.8 (0.12)
White	100.0	60.1 (0.68)	25.8 (0.59)	12.6 (0.42)	1.6 (0.13)
Black or African American	100.0	55.0 (1.39)	23.8 (1.16)	18.4 (1.11)	2.8 (0.38)
American Indian or Alaska Native	100.0	37.1 (5.83)	28.6 (5.86)	28.2 (4.26)	6.2 (1.71)
Asian	100.0	57.8 (2.03)	27.6 (1.79)	13.8 (1.41)	*0.9 (0.28)
Native Hawaiian or Other Pacific Islander	100.0	56.2 (10.50)	24.2 (7.11)	*19.6 (6.83)	-
Two or more races ³	100.0	59.7 (2.17)	22.7 (1.85)	15.8 (1.58)	1.9 (0.54)
Black or African American and white	100.0	57.3 (3.53)	22.3 (2.54)	18.2 (2.64)	*2.2 (0.76)
American Indian or Alaska Native and white	100.0	57.8 (5.11)	21.2 (4.06)	18.2 (3.21)	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	50.9 (1.02)	25.5 (0.85)	20.7 (0.83)	2.8 (0.25)
Mexican or Mexican American	100.0	49.9 (1.24)	25.4 (1.03)	22.2 (1.05)	2.6 (0.28)
Not Hispanic or Latino	100.0	61.5 (0.68)	25.5 (0.60)	11.6 (0.42)	1.4 (0.12)
White, single race	100.0	63.8 (0.83)	25.7 (0.74)	9.3 (0.45)	1.1 (0.15)
Black or African American only, single race	100.0	55.7 (1.45)	23.6 (1.22)	18.1 (1.16)	2.6 (0.38)
Family structure ⁵					
Mother and father	100.0	61.7 (0.69)	25.5 (0.60)	11.5 (0.43)	1.3 (0.11)
Mother, no father	100.0	51.7 (1.08)	25.2 (0.92)	20.1 (0.91)	3.0 (0.29)
Father, no mother	100.0	56.2 (2.66)	26.4 (2.51)	15.6 (1.81)	*1.8 (0.58)
Neither mother nor father	100.0	52.7 (2.84)	24.9 (2.68)	18.1 (1.91)	4.2 (0.92)
Parent's education ⁶					
Less than high school diploma	100.0	44.1 (1.53)	24.3 (1.32)	27.2 (1.39)	4.4 (0.53)
High school diploma or GED ⁷	100.0	51.7 (1.27)	27.1 (1.08)	18.8 (0.95)	2.4 (0.33)
More than high school	100.0	63.6 (0.67)	25.3 (0.60)	10.0 (0.40)	1.1 (0.10)
Family income ⁸					
Less than \$35,000	100.0	48.7 (1.07)	25.4 (0.89)	22.3 (0.92)	3.6 (0.29)
\$35,000 or more	100.0	63.9 (0.72)	25.7 (0.64)	9.5 (0.39)	0.9 (0.11)
\$35,000-\$49,999	100.0	55.2 (1.68)	29.3 (1.55)	13.6 (1.04)	1.9 (0.37)
\$50,000-\$74,999	100.0	56.5 (1.42)	27.7 (1.26)	14.5 (0.98)	1.2 (0.25)
\$75,000-\$99,999	100.0	66.7 (1.77)	24.7 (1.52)	8.0 (0.81)	0.6 (0.17)
\$100,000 or more	100.0	70.4 (1.04)	23.4 (0.95)	5.6 (0.49)	0.6 (0.13)

Table C-5a. Age-adjusted percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status⁹					
Poor	100.0	46.6 (1.31)	24.8 (1.10)	24.7 (1.14)	3.9 (0.36)
Near poor	100.0	52.9 (1.18)	27.8 (1.08)	17.0 (0.81)	2.3 (0.26)
Not poor	100.0	66.5 (0.73)	24.6 (0.67)	8.0 (0.38)	0.9 (0.12)
Health insurance coverage¹⁰					
Private	100.0	65.5 (0.74)	25.0 (0.65)	8.8 (0.43)	0.7 (0.10)
Medicaid or other public	100.0	50.1 (0.90)	25.5 (0.78)	21.0 (0.72)	3.4 (0.25)
Other	100.0	60.1 (3.53)	29.5 (3.61)	9.8 (2.05)	*
Uninsured	100.0	52.8 (2.44)	30.4 (2.31)	15.2 (1.52)	1.6 (0.41)
Place of residence¹¹					
Large MSA	100.0	59.8 (0.77)	24.8 (0.65)	13.5 (0.51)	1.9 (0.16)
Small MSA	100.0	59.1 (1.04)	25.4 (0.95)	14.1 (0.74)	1.5 (0.18)
Not in MSA	100.0	54.8 (1.67)	28.0 (1.55)	15.0 (1.05)	2.2 (0.31)
Region					
Northeast	100.0	58.5 (1.58)	26.0 (1.29)	13.8 (1.09)	1.8 (0.29)
Midwest	100.0	57.8 (1.26)	27.1 (1.17)	13.3 (0.79)	1.8 (0.25)
South	100.0	59.9 (0.91)	24.6 (0.80)	13.7 (0.61)	1.8 (0.17)
West	100.0	58.5 (1.14)	25.0 (0.96)	14.7 (0.81)	1.8 (0.22)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using age groups 0-4 years, 5-11 years, and 12-17 years. Estimates for age groups are not age-adjusted. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Simpson JL. Tables of Summary Health Statistics for U.S. Children: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>. SOURCE: NCHS, National Health Interview Survey, 2015.

Table C-5b. Frequency distributions (in thousands) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Total	73,452	43,219	18,699	10,184	1,311
Sex					
Male	37,484	21,697	9,766	5,296	706
Female	35,967	21,523	8,933	4,888	605
Age					
0-4 years	19,886	12,346	4,978	2,304	237
5-11 years	28,891	16,941	7,526	3,950	466
12-17 years	24,674	13,932	6,195	3,931	608
Race					
One race ²	70,158	41,253	17,952	9,665	1,251
White	54,300	32,579	13,983	6,848	860
Black or African American	10,833	5,956	2,580	1,990	304
American Indian or Alaska Native	865	320	*246	245	*54
Asian	3,893	2,247	1,077	532	*33
Native Hawaiian or Other Pacific Islander	266	*151	*66	*50	-
Two or more races ³	3,294	1,967	747	520	60
Black or African American and white	1,484	843	335	275	*31
American Indian or Alaska Native and white	462	259	96	92	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	18,090	9,224	4,618	3,736	511
Mexican or Mexican American	12,331	6,156	3,129	2,729	315
Not Hispanic or Latino	55,361	33,995	14,082	6,449	800
White, single race	38,293	24,388	9,843	3,590	445
Black or African American only, single race	10,029	5,580	2,367	1,821	257
Family structure ⁵					
Mother and father	51,190	31,623	13,055	5,844	635
Mother, no father	17,069	8,808	4,295	3,445	521
Father, no mother	2,785	1,534	742	455	*50
Neither mother nor father	2,407	1,254	607	441	105
Parent's education ⁶					
Less than high school diploma	8,153	3,590	1,972	2,224	360
High school diploma or GED ⁷	12,946	6,691	3,508	2,434	308
More than high school	49,478	31,475	12,506	4,951	532
Family income ⁸					
Less than \$35,000	19,352	9,490	4,914	4,271	676
\$35,000 or more	43,936	28,074	11,270	4,167	416
\$35,000-\$49,999	7,415	4,097	2,166	1,009	138
\$50,000-\$74,999	10,307	5,827	2,856	1,495	125
\$75,000-\$99,999	8,095	5,404	2,002	642	47
\$100,000 or more	18,119	12,745	4,246	1,021	106

Table C-5b. Frequency distributions (in thousands) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status ⁹					
Poor	14,005	6,576	3,484	3,417	526
Near poor	16,461	8,725	4,573	2,787	373
Not poor	37,885	25,194	9,302	3,045	340
Health insurance coverage ¹⁰					
Private	39,804	25,996	9,941	3,546	307
Medicaid or other public	28,222	14,257	7,200	5,833	932
Other	1,633	982	482	160	*
Uninsured	3,306	1,727	984	535	52
Place of residence ¹¹					
Large MSA	39,799	23,788	9,885	5,364	741
Small MSA	23,420	13,834	5,943	3,284	343
Not in MSA	10,233	5,598	2,872	1,536	227
Region					
Northeast	11,465	6,690	2,977	1,581	204
Midwest	16,659	9,614	4,515	2,225	297
South	27,923	16,725	6,851	3,832	503
West	17,403	10,191	4,356	2,547	307

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Estimates of "All children under 18 years" in this table differ slightly from estimates of "All children under 18 years" in the other detailed tables that were based on the Sample Child File and were weighted using the Sample Child weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All children under 18 years" column. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Simpson JL. Tables of Summary Health Statistics for U.S. Children: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.

Table C-5c. Crude percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Total	100.0	58.9 (0.58)	25.5 (0.51)	13.9 (0.39)	1.8 (0.11)
Sex					
Male	100.0	57.9 (0.69)	26.1 (0.60)	14.1 (0.49)	1.9 (0.15)
Female	100.0	59.9 (0.69)	24.8 (0.61)	13.6 (0.45)	1.7 (0.14)
Age					
0-4 years	100.0	62.1 (0.87)	25.1 (0.79)	11.6 (0.56)	1.2 (0.16)
5-11 years	100.0	58.7 (0.76)	26.1 (0.69)	13.7 (0.51)	1.6 (0.15)
12-17 years	100.0	56.5 (0.82)	25.1 (0.68)	15.9 (0.56)	2.5 (0.22)
Race					
One race ²	100.0	58.8 (0.59)	25.6 (0.51)	13.8 (0.39)	1.8 (0.12)
White	100.0	60.0 (0.68)	25.8 (0.59)	12.6 (0.42)	1.6 (0.13)
Black or African American	100.0	55.0 (1.39)	23.8 (1.16)	18.4 (1.11)	2.8 (0.38)
American Indian or Alaska Native	100.0	37.0 (5.85)	28.5 (5.80)	28.3 (4.22)	6.2 (1.76)
Asian	100.0	57.8 (2.03)	27.7 (1.80)	13.7 (1.40)	*0.8 (0.27)
Native Hawaiian or Other Pacific Islander	100.0	56.6 (10.64)	*24.6 (7.62)	*18.8 (7.01)	-
Two or more races ³	100.0	59.7 (2.16)	22.7 (1.83)	15.8 (1.60)	1.8 (0.52)
Black or African American and white	100.0	56.8 (3.54)	22.6 (2.55)	18.5 (2.66)	*2.1 (0.71)
American Indian or Alaska Native and white	100.0	56.1 (5.47)	20.8 (4.13)	20.0 (3.81)	*
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	51.0 (1.02)	25.5 (0.86)	20.7 (0.83)	2.8 (0.25)
Mexican or Mexican American	100.0	49.9 (1.25)	25.4 (1.04)	22.1 (1.04)	2.6 (0.28)
Not Hispanic or Latino	100.0	61.4 (0.68)	25.5 (0.60)	11.7 (0.42)	1.4 (0.13)
White, single race	100.0	63.7 (0.83)	25.7 (0.74)	9.4 (0.45)	1.2 (0.15)
Black or African American only, single race	100.0	55.7 (1.45)	23.6 (1.22)	18.2 (1.16)	2.6 (0.38)
Family structure ⁵					
Mother and father	100.0	61.8 (0.69)	25.5 (0.60)	11.4 (0.43)	1.2 (0.11)
Mother, no father	100.0	51.6 (1.07)	25.2 (0.92)	20.2 (0.90)	3.1 (0.30)
Father, no mother	100.0	55.2 (2.59)	26.7 (2.42)	16.4 (1.83)	*1.8 (0.58)
Neither mother nor father	100.0	52.1 (2.85)	25.2 (2.73)	18.3 (1.89)	4.4 (0.92)
Parent's education ⁶					
Less than high school diploma	100.0	44.1 (1.52)	24.2 (1.32)	27.3 (1.39)	4.4 (0.54)
High school diploma or GED ⁷	100.0	51.7 (1.26)	27.1 (1.08)	18.8 (0.95)	2.4 (0.33)
More than high school	100.0	63.6 (0.67)	25.3 (0.60)	10.0 (0.40)	1.1 (0.10)
Family income ⁸					
Less than \$35,000	100.0	49.0 (1.07)	25.4 (0.89)	22.1 (0.91)	3.5 (0.28)
\$35,000 or more	100.0	63.9 (0.71)	25.7 (0.64)	9.5 (0.39)	0.9 (0.11)
\$35,000-\$49,999	100.0	55.3 (1.68)	29.2 (1.55)	13.6 (1.06)	1.9 (0.37)
\$50,000-\$74,999	100.0	56.6 (1.43)	27.7 (1.27)	14.5 (0.98)	1.2 (0.25)
\$75,000-\$99,999	100.0	66.8 (1.76)	24.7 (1.52)	7.9 (0.80)	0.6 (0.17)
\$100,000 or more	100.0	70.3 (1.03)	23.4 (0.94)	5.6 (0.49)	0.6 (0.14)

Table C-5c. Crude percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2015

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status ⁹					
Poor	100.0	47.0 (1.31)	24.9 (1.11)	24.4 (1.13)	3.8 (0.36)
Near poor	100.0	53.0 (1.18)	27.8 (1.08)	16.9 (0.82)	2.3 (0.26)
Not poor	100.0	66.5 (0.73)	24.6 (0.66)	8.0 (0.38)	0.9 (0.12)
Health insurance coverage ¹⁰					
Private	100.0	65.3 (0.73)	25.0 (0.65)	8.9 (0.43)	0.8 (0.10)
Medicaid or other public	100.0	50.5 (0.90)	25.5 (0.79)	20.7 (0.72)	3.3 (0.24)
Other	100.0	60.1 (3.62)	29.5 (3.67)	9.8 (2.06)	*
Uninsured	100.0	52.4 (2.39)	29.8 (2.25)	16.2 (1.58)	1.6 (0.38)
Place of residence ¹¹					
Large MSA	100.0	59.8 (0.77)	24.8 (0.65)	13.5 (0.51)	1.9 (0.16)
Small MSA	100.0	59.1 (1.04)	25.4 (0.95)	14.0 (0.74)	1.5 (0.18)
Not in MSA	100.0	54.7 (1.66)	28.1 (1.54)	15.0 (1.04)	2.2 (0.32)
Region					
Northeast	100.0	58.4 (1.57)	26.0 (1.29)	13.8 (1.09)	1.8 (0.30)
Midwest	100.0	57.7 (1.26)	27.1 (1.17)	13.4 (0.79)	1.8 (0.25)
South	100.0	59.9 (0.91)	24.5 (0.80)	13.7 (0.61)	1.8 (0.18)
West	100.0	58.6 (1.13)	25.0 (0.96)	14.6 (0.81)	1.8 (0.22)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Simpson JL. Tables of Summary Health Statistics for U.S. Children: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.