

# VITAL STATISTICS OF THE UNITED STATES

1965

VOLUME II—MORTALITY  
PART A



U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE

JOHN W. GARDNER, SECRETARY

PUBLIC HEALTH SERVICE

WILLIAM A. STEWART, SURGEON GENERAL

WASHINGTON : 1967

## NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH.D., *Director*  
THEODORE D. WOOLSEY, *Deputy Director*  
OSWALD K. SAGEN, PH.D., *Assistant Director for State Relations*  
WALT R. SIMMONS, M.A., *Statistical Advisor*  
PHILIP S. LAWRENCE, Sc.D., *Planning Officer*  
ALICE M. WATERHOUSE, M.D., *Medical Consultant*  
JAMES E. KELLY, D.D.S., *Dental Advisor*  
LOUIS R. STOLCIS, M.A., *Executive Officer*  
DONALD GREEN, *Information Officer*

### DIVISION OF VITAL STATISTICS

ROBERT D. GROVE, PH.D., *Director*  
ANDERS S. LUNDE, PH.D., *Assistant Director*  
ROBERT A. ISRAEL, M.S., *Chief, Mortality Statistics Branch*  
ARTHUR A. CAMPBELL, *Chief, Natality Statistics Branch*  
CHARLES R. COUNCIL, *Chief, Registration Methods Branch*  
ARTHUR A. CAMPBELL, *Acting Chief, Marriage and Divorce Statistics Branch*  
ALICE M. HETZEL, *Chief, Statistical Resources Section*

# VITAL STATISTICS OF THE UNITED STATES, 1965

## VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

### PART A

#### Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

#### Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, cause of death, and by State. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

#### Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by age of mother, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, period of gestation, birth weight.

#### Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

#### Section 5. Life Tables

Abridged life tables and interpolated values of the  $l_x$  and  $e_x$  by single years of age for the national population by color and sex.

#### Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

### PART B

#### Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups and standard metropolitan statistical areas.

#### Section 8. Puerto Rico and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most characteristics shown in other sections of Volume II.

### SYMBOLS USED IN TABLES

Data not available -----	---
Category not applicable -----	...
Quantity zero -----	-
Quantity more than 0 but less than 0.05 -----	0.0
Figure does not meet standards of reliability or precision-----	*

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	
PAGE: 1	-2	-3	-4	-5	-6	-6	-7	-8	-22	-29	-30	-31	-32	-36	-40	-41	-41	-42	-45	-46	-52	-53	-87	-92	-100	-162		
Geographic area:																												
Divisions-----											11 <sup>1</sup>	12	13	14	15			18										
States-----												12	13	14	15			18	19	20	21	22					27	
United States-----	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19 <sup>2</sup>	20	21	22	23	24	25	26	27	
Years:																												
1900-1965-----	1 <sup>3</sup>	2 <sup>3</sup>									11 <sup>4</sup>																	
1915-65-----																	17 <sup>5</sup>											
1956-65-----			3					8			12																	
1963-65 (3-year average)-----																		18										
1965 only-----				4	5	6	7		9	10			13	14	15	16			19	20	21	22	23	24	25	26	27	
Type of entry:																												
Age-adjusted rates----		2					7																					
Number of deaths-----	1				5								13	14		16			19	20	21	22	23	24	25	26	27	
Percent distribution of deaths by cause----						6																						
Death rates-----	1	2	3	4		6	7	8	9	10	11	12	13		15	16	17	18					23					
Characteristics:																												
Age-----			3	4	5				9	10			13			16											26	
10-year age groups--			3							10																		
5-year age groups---				4					9							16											26	
Single years of age after 84-----					5																							
Cause of death:																												
Each cause-----																							23					
Selected causes-----							7																					
258 selected causes--																									24	25	26	27
60 selected causes--								8	9	10				14	15													
15 leading causes---						6																						
Maternal causes only																16	17	18										
Color-----	1 <sup>6</sup>	2 <sup>6</sup>	3 <sup>6</sup>	4	5		7		9	10						16	17 <sup>6</sup>	18 <sup>7</sup>			21		23				27	
Month-----																					20	21			24			
Race <sup>6</sup> -----																						22			25	26		
Sex-----	1 <sup>8</sup>	2	3	4	5		7		9	10												21	22	23		25	26	27

<sup>1</sup> Deaths by place of occurrence.  
<sup>2</sup> Deaths by place of occurrence and place of residence.  
<sup>3</sup> Entire United States for 1933-65; death-registration States for 1900-1932.  
<sup>4</sup> Data by 5-year averages for 1900-1959 and by single years for 1960-65.  
<sup>5</sup> Entire United States for 1933-65; birth-registration States for 1915-32. Data by 5-year averages for 1915-39 and by single years for 1940-65.  
<sup>6</sup> New Jersey did not require the reporting of color or race in 1962 and 1963.  
<sup>7</sup> New Jersey did not require the reporting of color or race in 1963.  
<sup>8</sup> For death rates only.

## Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 2	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:												
Divisions-----					5	6						
Metropolitan and nonmetropolitan counties--										10		
Population-size groups-----										10		
States-----					5	6	7	8				12
United States-----	1	2	3	4	5	6	7	8	9	10	11	12
Years:												
1915-65-----	1 <sup>1</sup>											
1956-65-----			3	4								
1961-65-----					5	6						
1965 only-----		2					7	8	9	10	11	12
Type of entry:												
Number of infant deaths-----							7	8	9	10	11	12
Infant mortality rates (per 1,000 live births)-----	1				5	6						
Infant mortality rates (per 100,000 live births)-----		2	3	4								
Characteristics:												
Age:												
Under 1 year-----	1	2	3	4	5		7	8	9	10	11	12
Under 28 days-----	1	2	3			6	7	8	9	10	11	12
28 days to 11 months-----									9			12
Detailed age groups (under 1 day-11 months)-----		2	3				7	8 <sup>2</sup>			11	
Cause of death (55 selected causes)-----				4					9	10	11	12
Color-----	1 <sup>3</sup>	2	3 <sup>3</sup>		5 <sup>3</sup>	6 <sup>3</sup>		8		10	11	12
Month-----								8	9			
Race-----							7					
Sex-----		2					7	8 <sup>2</sup>			11	

<sup>1</sup>Entire United States for 1933-65; birth-registration States for 1915-32.

<sup>2</sup>For the United States only.

<sup>3</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-18	-20	-23	-24	-25	-28
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties----						6											
Population-size groups----						6 <sup>1</sup>											
Selected areas-----			3 <sup>2</sup>	4 <sup>3</sup>													
States-----	1 <sup>4</sup>						7	8 <sup>5</sup>	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1922-65-----		2 <sup>6</sup>															
1961-65-----							7										
1965 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution---			3														
Rates per 1,000 live births plus fetal deaths-					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 <sup>7</sup>		4	5	6	7 <sup>7</sup>		9	10	11	12	13	14	15	16	17
Legitimacy status-----			4														
Month-----								9									
Period of gestation-----	1		3			6						13		15		17	
Plural births-----					5								14	15			
Sex-----					5					10				14	15	16 <sup>1</sup>	17 <sup>1</sup>
Total-birth order-----										10		12					
Weight at birth-----														14		16	

<sup>1</sup>For the United States only.

<sup>2</sup>Combined totals for 9 States and New York City which require the reporting of early fetal deaths.

<sup>3</sup>Combined totals for 34 States which report legitimacy status.

<sup>4</sup>Fetal deaths by place of occurrence.

<sup>5</sup>Fetal deaths by place of occurrence and place of residence.

<sup>6</sup>Entire United States for 1933-65; birth-registration States for 1922-32.

<sup>7</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

### Guide to tables in Section 4

[Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence]

TABLE: 4	-1	-2	-3	-4	-5	-6
PAGE: 4	-3	-6	-12	-20	-22	-27
Geographic area:						
States-----					5	6
United States-----	1	2	3	4	5	6
Subject matter:						
Motor vehicle accidents by type of vehicle-----	1		3		5	
Nontransport accidents by place of accident-----		2		4		6
Characteristics:						
Age (5-year age groups)-----			3	4		
Color-----	1	2			5	6
Motor vehicle accidents by exact cause of death-----	1					
Nontransport accidents by exact cause of death-----		2				
Race-----			3	4		
Sex-----	1	2	3	4	5	6

### Guide to tables in Section 5

TABLE: 5	-1	-2	-3	-4	-5	-6
PAGE: 5	-3	-4	-5	-6	-7	-8
Years:						
1900-1965-----						6 <sup>1</sup>
1965 only-----	1	2	3	4		
Specified years and 1965-----					5 <sup>2</sup>	
Type of entry:						
Proportion dying ( ${}_nq_x$ )-----	1	2				
Number surviving ( ${}_nl_x$ )-----	1	2	3		5	
Number dying ( ${}_nd_x$ )-----	1	2				
Stationary population ( ${}_nL_x$ and $T_x$ )-----	1	2				
Average remaining lifetime ( $e_x^o$ )-----	1	2		4	5	
Estimated average length of life ( $e_0^o$ )-----						6
Characteristics:						
Age by:						
Single years-----			3	4		
5-year intervals-----	1	2			5	
Sex-color specific <sup>3</sup> -----		2	3	4	5	6
Sex specific-----	1		3	4		6
Color specific <sup>3</sup> -----		2	3	4		6
Total population-----	1		3	4		6

<sup>1</sup>Entire United States for 1929-65; death-registration States for 1900-1928.

<sup>2</sup>Entire United States for specified years from 1929 to 1965; death-registration States for specified years from 1900 to 1921.

<sup>3</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.



**Guide to tables in Section 6**

[Population tables]

	TABLE: 6	-1	-2	-3	-4	-5	-6
	PAGE: 6	-15	-16	-16	-17	-18	-21
<b>Geographic area:</b>							
Birth-registration States <sup>1</sup> -----		1					
Death-registration States <sup>1</sup> -----		1					
Divisions <sup>1</sup> -----				3	4		6
Puerto Rico and Virgin Islands <sup>1</sup> -----				3			
States <sup>1</sup> -----				3	4		6
United States-----		1 <sup>2</sup>	2 <sup>1</sup>	3 <sup>1</sup>	4 <sup>1</sup>	5 <sup>1</sup>	6 <sup>1</sup>
<b>Years:</b>							
1900-1965 <sup>2,3</sup> -----		1					
1951-59 <sup>1</sup> -----						5	6
1965 <sup>1,4</sup> -----			2	3	4		
<b>Characteristics:</b>							
Age-----			2			5	
Color-----			2			5	
Sex-----			2			5	

<sup>1</sup>Population exclusive of Armed Forces stationed abroad.

<sup>2</sup>Population both inclusive and exclusive of Armed Forces stationed abroad.

<sup>3</sup>Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.

<sup>4</sup>Estimated as of July 1.

### Guide to tables in Section 7

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE:	7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	7	-3	-61	-78	-95	-116	-129	-384	-388	-400
<b>Geographic area:</b>										
Counties-----		1 <sup>1</sup>								9
Metropolitan and nonmetropolitan counties-----			2	3						9
Specified urban places-----		1								9
Standard metropolitan statistical areas-----					4				8	
States-----		1 <sup>1</sup>	2	3			6	7 <sup>2</sup>		9
United States-----		1	2	3		5		7		9
Population-size groups-----			2							9
<b>Type of entry:</b>										
Number of deaths—all ages-----		1	2	3	4	5	6	7	8	9
Number of fetal deaths-----		1	2							
Number of infant deaths-----		1	2							
Number of neonatal deaths-----		1	2							
Fetal-death ratios (per 1,000 live births)-----			2							
Infant mortality rates (per 1,000 live births)-----			2							
Neonatal mortality rates (per 1,000 live births)-----			2							
<b>Characteristics:</b>										
<b>Age:</b>										
5-year age groups-----						5	6			
10-year age groups-----				3	4					
<b>Cause of death:</b>										
60 selected causes-----						5	6	7	8	
Selected causes-----										9
Color-----		1	2	3	4	5	6			
Sex-----				3	4	5	6			

<sup>1</sup>Deaths by place of occurrence and place of residence.  
<sup>2</sup>By place of occurrence.

### Guide to tables in Section 8

[All data are for deaths occurring in Puerto Rico or the Virgin Islands]

TABLE:	8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE:	8	-3	-3	-4	-8	-12	-12	-13	-13	-14	-14	-15	-16	-16	-16	-17	-17
<b>Geographic area:</b>																	
Puerto Rico-----	1	2	3		5	6	7		9	10	11	12	13	14	15	16	
Municipios-----							7 <sup>1</sup>										
Virgin Islands-----	1	2		4	5	6		8	9	10	11	12	13	14	15	16	
Islands-----								8 <sup>1</sup>									
Specified urban place-----								8									
<b>Years:</b>																	
1940-65-----	1																
1965 only-----		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
<b>Type of entry:</b>																	
Number of deaths—all ages-----	1	2	3	4	5	6	7 <sup>1</sup>	8 <sup>1</sup>									
Number of fetal deaths-----							7	8				12	13	14	15	16	
Number of infant deaths-----							7	8	9	10	11 <sup>2</sup>						
Number of neonatal deaths-----							7	8	9	10	11						
Death rates—all ages-----	1																
<b>Characteristics:</b>																	
Age of decedent-----			3	4						10							
Age of mother-----												13					
<b>Cause of death:</b>																	
60 selected causes-----			3	4													
55 selected causes of infant mortality-----											11						
Motor vehicle accidents-----					5												
Nontransport accidents-----						6											
Color (for Virgin Islands only)-		2		4	5	6		8	9	10	11	12	13	14	15	16	
Month-----		2							9			12					
Period of gestation-----																	16
Place of accident-----						6											
Sex-----		2	3	4	5	6				10							
Total-birth order-----														14			
Type of motor vehicle involved--					5												
Weight at birth-----																15	

<sup>1</sup>Deaths by place of occurrence and place of residence.

<sup>2</sup>Number of deaths also shown for the age group 28 days to 11 months.

# *Section 1. General Mortality*

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-65 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-65-----	1-3
1-3. Death rates by age, color, and sex: United States, 1956-65-----	1-4
1-4. Death rates by age, color, and sex: United States, 1965-----	1-5
1-5. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1965-----	1-6
1-6. Mortality from 15 leading causes of death: United States, 1965-----	1-6
1-7. Age-adjusted death rates for selected causes, by color and sex: United States, 1965-----	1-6
1-8. Death rates for 60 selected causes: United States, 1956-65-----	1-7
1-9. Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1965-----	1-8
1-10. Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1965-----	1-22
1-11. Death rates for geographic divisions by place of occurrence: United States, 1900-1965-----	1-29
1-12. Death rates: United States, each division and State, 1956-65-----	1-30
1-13. Deaths and death rates by age: United States, each division and State, 1965 -----	1-31
1-14. Deaths from 60 selected causes: United States, each division and State, 1965 -----	1-32
1-15. Death rates for 60 selected causes: United States, each division and State, 1965-----	1-36
1-16. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1965 ----	1-40
1-17. Maternal mortality rates by color: Birth-registration States or United States, 1915-65 -----	1-41
1-18. Maternal mortality rates by color: United States, each division and State, 1963-65 (3-year average)-----	1-41
1-19. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1965-----	1-42
1-20. Deaths by month and State of occurrence: United States and each State, 1965-----	1-45
1-21. Deaths by month, color, and sex: United States and each State, 1965 -----	1-46
1-22. Deaths by specified race and sex: United States and each State, 1965-----	1-52
1-23. Deaths and death rates for each cause, by color and sex: United States, 1965 -----	1-53
1-24. Deaths from 258 selected causes, by month: United States, 1965-----	1-87
1-25. Deaths from 258 selected causes, by specified race and sex: United States, 1965 -----	1-92
1-26. Deaths from 258 selected causes, by age, race, and sex: United States, 1965-----	1-100
1-27. Deaths from 258 selected causes, by color and sex: United States and each State, 1965-----	1-162

## SECTION 1 - GENERAL MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-65

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	Total	White	Nonwhite	Total			White			Nonwhite		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES												
1965-----	1,828,136	1,605,498	222,638	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964-----	1,798,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963 <sup>1</sup> -----	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
1962 <sup>1</sup> -----	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961-----	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960-----	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959-----	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958-----	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957-----	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956-----	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955-----	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954-----	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953-----	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952-----	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951-----	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950-----	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949-----	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948-----	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947-----	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946-----	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945-----	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944-----	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943-----	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942-----	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941-----	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940-----	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939-----	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938-----	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937-----	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936-----	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935-----	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934-----	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933-----	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES <sup>2</sup>												
1932-----	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931-----	1,307,273	1,181,896	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930-----	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929-----	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928-----	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927-----	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926-----	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925-----	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924-----	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923-----	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922-----	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921-----	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920-----	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919-----	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918-----	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917-----	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916-----	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915-----	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914-----	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913-----	802,909	752,265	50,644	13.6	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912-----	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911-----	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910-----	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909-----	630,087	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908-----	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907-----	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906-----	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905-----	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904-----	349,855	338,501	11,354	16.2	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903-----	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902-----	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901-----	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900-----	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

## SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-65

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963 <sup>1</sup>	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 <sup>1</sup>	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES <sup>2</sup>									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

## SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1956-65

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	194.2
1958	9.5	28.1	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.4	87.9	198.0
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.6	17.8	39.0	88.1	197.9
1956	9.4	28.2	1.1	0.5	1.2	1.5	3.0	7.5	17.4	38.1	87.9	192.3
MALE												
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.8	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
1958	11.0	31.6	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.5	101.4	208.3
1957	11.1	31.6	1.2	0.6	1.7	1.9	3.8	9.9	23.5	49.2	101.0	207.3
1956	10.8	32.0	1.2	0.6	1.7	1.9	3.7	9.6	22.9	47.6	100.8	200.5
FEMALE												
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	195.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.2	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
1958	8.1	24.5	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.4	191.0
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	77.8	191.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.3	12.2	29.6	77.5	186.6
WHITE												
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963 <sup>2</sup>	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962 <sup>2</sup>	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
1958	9.4	24.5	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.6	88.9	203.3
1957	9.5	24.6	1.0	0.5	1.1	1.3	2.7	6.9	16.7	38.3	89.1	205.1
1956	9.3	25.0	1.0	0.4	1.1	1.3	2.6	6.8	16.4	37.5	86.9	197.8
WHITE MALE												
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963 <sup>2</sup>	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962 <sup>2</sup>	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.3	100.5	210.9
1958	10.9	27.7	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.9	102.7	213.5
1957	11.0	28.0	1.1	0.6	1.6	1.7	3.4	9.2	22.5	48.6	102.4	211.6
1956	10.8	28.5	1.1	0.5	1.6	1.7	3.3	9.0	22.0	47.3	102.3	205.1
WHITE FEMALE												
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963 <sup>2</sup>	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962 <sup>2</sup>	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	191.8
1958	8.0	21.2	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.1	196.5
1957	8.0	21.1	0.9	0.4	0.6	0.9	2.0	4.7	11.3	29.2	78.6	197.3
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.1	28.8	78.4	192.7
NONWHITE												
1965	9.7	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
1963 <sup>2</sup>	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962 <sup>2</sup>	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	47.4	1.9	0.7	1.6	3.3	6.3	13.3	27.1	46.1	72.5	131.8
1958	10.3	49.8	2.0	0.6	1.6	3.4	6.2	14.0	28.2	47.8	74.8	134.0
1957	10.5	48.1	2.0	0.7	1.8	3.5	6.5	14.5	29.6	47.6	73.9	132.5
1956	10.1	47.6	1.9	0.7	1.8	3.4	6.4	14.0	29.0	44.9	72.5	126.0

See footnotes at end of table.

## SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1956-65-Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>NONWHITE MALE</b>												
1965-----	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964-----	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 <sup>2</sup> -----	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 <sup>2</sup> -----	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961-----	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960-----	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959-----	11.3	52.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4
1958-----	11.6	55.6	2.0	0.7	2.2	4.1	7.0	15.7	32.0	56.1	84.4	156.1
1957-----	11.9	53.4	2.1	0.8	2.3	4.3	7.3	16.2	33.8	55.6	82.6	155.0
1956-----	11.4	53.7	2.1	0.8	2.4	4.1	7.0	15.5	32.7	51.8	81.2	144.5
<b>NONWHITE FEMALE</b>												
1965-----	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964-----	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 <sup>2</sup> -----	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962 <sup>2</sup> -----	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961-----	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960-----	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959-----	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	38.5	64.1	122.3
1958-----	9.0	44.1	1.9	0.5	1.1	2.8	5.6	12.4	24.7	40.1	66.1	121.7
1957-----	9.1	42.9	1.8	0.6	1.3	2.8	5.9	12.9	25.6	40.3	65.9	120.3
1956-----	8.8	41.5	1.8	0.5	1.2	2.7	5.9	12.6	25.3	38.3	64.3	113.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.<sup>2</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 1-4. Death Rates by Age, Color, and Sex: United States, 1965

[Rates per 1,000 population in specified group]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages <sup>1</sup> -----	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
Under 1 year-----	24.1	27.1	20.9	20.9	23.7	17.9	40.2	44.5	35.9
1-4 years-----	0.9	1.0	0.8	0.8	0.9	0.7	1.5	1.6	1.4
5-9 years-----	0.4	0.5	0.4	0.4	0.5	0.3	0.6	0.7	0.5
10-14 years-----	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.7	0.4
15-19 years-----	1.0	1.4	0.5	0.9	1.3	0.5	1.2	1.7	0.8
20-24 years-----	1.3	1.9	0.7	1.2	1.7	0.6	2.0	2.9	1.3
25-29 years-----	1.3	1.8	0.9	1.1	1.6	0.7	2.9	3.9	1.9
30-34 years-----	1.7	2.1	1.3	1.4	1.8	1.0	3.8	4.8	3.0
35-39 years-----	2.4	3.0	1.9	2.0	2.6	1.5	5.5	6.9	4.4
40-44 years-----	3.7	4.6	2.8	3.2	4.1	2.4	7.8	9.4	6.4
45-49 years-----	5.8	7.4	4.2	5.2	6.8	3.7	10.7	13.2	8.6
50-54 years-----	9.1	12.2	6.3	8.5	11.4	5.6	15.5	18.9	12.4
55-59 years-----	13.9	18.9	9.2	13.0	18.1	8.3	22.2	26.7	18.0
60-64 years-----	20.6	28.0	13.8	19.4	27.2	12.5	31.8	36.7	27.2
65-69 years-----	31.7	42.9	22.3	30.1	41.3	20.7	51.1	61.1	42.2
70-74 years-----	45.5	60.0	34.0	44.7	59.4	33.2	54.3	67.1	43.7
75-79 years-----	68.1	84.5	55.8	68.3	85.0	55.9	65.4	78.3	54.7
80-84 years-----	106.8	124.2	94.7	109.3	127.8	96.6	78.1	86.3	71.3
85 years and over-----	202.0	212.8	195.3	209.8	222.4	202.1	123.5	130.7	117.9

<sup>1</sup>Figures for age not stated included in "All ages" but not distributed among age groups.



Table 1-5. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1965

Age	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over-	217,147	87,882	129,265	82,523	122,896	5,359	6,369
85 years-----	35,649	15,744	19,905	14,779	18,869	965	1,036
86 years-----	30,404	13,072	17,332	12,390	16,505	682	727
87 years-----	27,487	11,600	15,887	10,994	15,216	606	671
88 years-----	23,962	9,959	14,003	9,434	13,458	525	545
89 years-----	21,622	8,709	12,913	8,254	12,363	455	550
90 years-----	18,540	7,290	11,250	6,803	10,660	487	590
91 years-----	13,717	5,222	8,495	4,919	8,124	303	371
92 years-----	11,707	4,363	7,344	4,123	7,017	240	327
93 years-----	9,343	3,519	5,824	3,298	5,534	221	290
94 years-----	7,226	2,597	4,629	2,402	4,391	195	238
95 years-----	5,582	1,949	3,633	1,770	3,388	179	245
96 years-----	3,801	1,303	2,498	1,182	2,348	121	150
97 years-----	2,646	863	1,783	775	1,672	88	111
98 years-----	1,883	595	1,288	536	1,176	59	112
99 years-----	1,235	390	845	344	758	46	87
100 years-----	837	248	589	196	489	52	100
101 years-----	498	157	341	134	301	23	40
102 years-----	339	105	234	73	199	32	35
103 years-----	221	53	168	37	130	16	38
104 years-----	158	50	108	34	87	16	21
105 years-----	115	36	79	21	62	15	17
106 years-----	40	12	28	8	17	4	11
107 years-----	36	12	24	5	14	7	10
108 years-----	26	8	18	3	4	5	14
109 years-----	23	6	17	3	7	3	10
110 years-----	11	3	8	-	3	3	5
111 years-----	13	6	7	2	2	4	5
112 years-----	3	2	1	1	-	1	1
113 years-----	4	2	2	1	-	1	2
114 years-----	4	2	2	1	1	1	1
115 years-----	7	2	5	1	1	1	4
116 years-----	2	1	1	-	-	1	1
117 years-----	3	2	1	-	-	2	1
120 years-----	1	-	1	-	-	-	1
121 years-----	2	-	2	-	-	-	2

Table 1-6. Mortality from 15 Leading Causes of Death: United States, 1965

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes-----	943.2	100.0
1	Diseases of heart-----400-402,410-443	367.4	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	153.5	16.3
3	Vascular lesions affecting central nervous system-----330-334	103.7	11.0
4	Accidents-----E800-E862	55.7	5.9
...	Motor vehicle accidents-----E810-E835	25.4	2.7
...	Other accidents-----E800-E802, E840-E862	30.4	3.2
5	Influenza and pneumonia, except pneumonia of newborn-----480-493	31.9	3.4
6	Certain diseases of early infancy-----760-776	28.6	3.0
7	General arteriosclerosis-----450	19.7	2.1
8	Diabetes mellitus-----260	17.1	1.8
9	Other diseases of circulatory system-----451-468	14.1	1.5
10	Other bronchopulmonic diseases-----525-527	13.7	1.5
11	Cirrhosis of liver-----581	12.8	1.4
12	Suicide-----E963, E970-E979	11.1	1.2
13	Congenital malformations-----750-759	10.1	1.1
14	Other hypertensive disease-----444-447	6.0	0.6
15	Homicide-----E964, E960-E985	5.5	0.6
...	All other causes-----Residual	92.3	9.8

Table 1-7. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1965

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes-----	741.8	943.9	565.7	707.2	909.3	531.7	1,033.9	1,238.2	851.9
Major cardiovascular-renal diseases-----330-334,400-468,592-594	381.0	487.8	288.8	368.3	479.3	272.9	501.3	569.8	440.8
Diseases of cardiovascular system-----330-334,400-468	376.4	482.2	285.1	364.5	474.5	269.8	489.1	555.8	430.1
Vascular lesions affecting central nervous system-----330-334	73.1	79.1	67.9	67.5	73.8	62.1	129.6	134.2	125.5
Diseases of heart-----400-402,410-443	275.6	369.7	194.1	270.6	368.6	185.9	319.4	376.1	269.2
General arteriosclerosis-----450	12.0	13.4	11.0	12.0	13.4	10.9	12.3	13.6	11.3
Chronic and unspecified nephritis and other renal sclerosis-----592-594	4.6	5.7	3.8	3.9	4.8	3.0	12.2	14.0	10.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	127.9	150.2	109.9	125.8	148.0	108.1	147.7	173.3	125.2
Accidents-----E800-E862	53.4	79.1	28.8	51.0	75.4	27.7	70.8	109.3	35.8
Motor vehicle accidents-----E810-E835	26.6	40.1	13.7	26.2	39.4	13.7	29.2	46.4	13.7
Other accidents-----E800-E802, E840-E862	26.8	39.0	15.1	24.8	36.0	14.0	41.5	63.0	22.1
Influenza and pneumonia, except pneumonia of newborn-----480-493	23.4	29.8	18.2	21.0	26.9	16.1	41.7	52.3	32.3
Diabetes mellitus-----260	13.5	12.5	14.4	12.5	11.9	12.9	23.6	18.1	28.6
Cirrhosis of liver-----581	12.1	16.5	8.3	11.4	15.6	7.6	18.0	23.3	13.4
Tuberculosis, all forms-----001-019	3.6	5.6	1.9	2.8	4.5	1.3	10.9	16.0	6.4



SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates For 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes-----	943.2	2,407.7	92.9	43.6	40.7	95.1	127.3
2	Male----	1,098.4	2,713.0	100.8	50.5	51.3	135.6	185.8
3	Female--	803.3	2,089.4	84.6	36.5	29.9	53.8	71.0
4	White-----	940.3	2,087.5	81.4	40.5	38.7	91.0	116.6
5	Male----	1,084.9	2,373.9	89.3	47.2	49.0	130.8	171.9
6	Female--	800.5	1,787.5	73.1	33.5	28.1	50.1	63.3
7	Nonwhite-----	965.0	4,016.9	153.6	62.4	53.0	123.7	204.7
8	Male----	1,114.3	4,447.5	162.6	70.5	65.5	168.9	288.6
9	Female--	824.3	3,590.8	144.5	54.3	40.5	79.8	125.7
10	Tuberculosis, all forms (001-019)-----	4.1	0.7	0.3	0.1	0.1	0.2	0.4
11	Male----	6.1	0.7	0.2	0.1	0.1	0.2	0.5
12	Female--	2.2	0.7	0.4	0.0	0.1	0.3	0.4
13	White-----	3.4	0.4	0.2	0.0	0.0	0.1	0.2
14	Male----	5.2	0.5	0.1	0.0	0.0	0.1	0.2
15	Female--	1.7	0.3	0.2	0.0	0.1	0.1	0.1
16	Nonwhite-----	9.3	2.3	1.1	0.3	0.2	0.9	2.2
17	Male----	13.1	1.6	0.6	0.4	0.2	0.7	2.1
18	Female--	5.6	3.2	1.7	0.1	0.3	1.1	2.4
19	Tuberculosis of respiratory system (001-008)-----	3.8	0.3	0.1	0.0	0.0	0.1	0.3
20	Male----	5.7	0.4	0.1	0.0	0.0	0.1	0.3
21	Female--	1.9	0.3	0.1	0.0	0.1	0.2	0.3
22	White-----	3.2	0.1	0.0	0.0	0.0	0.1	0.1
23	Male----	4.9	0.2	0.0	0.0	0.0	0.1	0.1
24	Female--	1.6	0.1	0.0	-	0.0	0.1	0.1
25	Nonwhite-----	8.2	1.4	0.5	0.1	0.1	0.5	1.6
26	Male----	11.9	1.2	0.2	0.2	-	0.3	1.4
27	Female--	4.7	1.6	0.7	0.1	0.2	0.7	1.8
28	Tuberculosis, other forms (010-019)-----	0.3	0.4	0.2	0.0	0.0	0.1	0.1
29	Male----	0.4	0.4	0.2	0.0	0.0	0.1	0.2
30	Female--	0.2	0.4	0.3	0.0	0.0	0.1	0.1
31	White-----	0.2	0.3	0.1	0.0	0.0	0.0	0.1
32	Male----	0.2	0.4	0.1	0.0	0.0	0.0	0.1
33	Female--	0.1	0.2	0.2	0.0	0.0	0.1	0.0
34	Nonwhite-----	1.1	0.9	0.7	0.1	0.1	0.4	0.6
35	Male----	1.2	0.3	0.4	0.2	0.2	0.4	0.6
36	Female--	0.9	1.6	1.0	0.1	0.1	0.4	0.6
37	Syphilis and its sequelae (020-029)-----	1.3	0.6	-	0.0	0.0	0.0	0.0
38	Male----	1.8	0.7	-	0.0	0.0	0.0	0.0
39	Female--	0.7	0.6	-	-	0.0	-	0.0
40	White-----	1.0	0.3	-	-	0.0	0.0	0.0
41	Male----	1.5	0.4	-	-	0.0	0.0	0.0
42	Female--	0.6	0.3	-	-	0.0	-	0.0
43	Nonwhite-----	2.8	2.2	-	0.0	-	0.0	0.1
44	Male----	4.0	2.2	-	0.1	-	0.1	-
45	Female--	1.7	2.2	-	-	-	-	0.2
46	Dysentery, all forms (045-048)-----	0.1	2.2	0.2	0.0	0.0	0.0	0.0
47	Male----	0.1	2.2	0.2	0.0	0.0	0.0	0.0
48	Female--	0.1	2.2	0.2	0.0	0.0	0.0	-
49	White-----	0.1	1.0	0.1	0.0	0.0	0.0	0.0
50	Male----	0.1	1.0	0.2	0.0	0.0	0.0	0.0
51	Female--	0.1	1.0	0.1	0.0	0.0	-	-
52	Nonwhite-----	0.5	8.3	0.6	0.2	0.0	0.0	-
53	Male----	0.5	8.7	0.7	0.1	0.1	-	-
54	Female--	0.5	7.9	0.6	0.3	-	0.1	-
55	Scarlet fever and streptococcal sore throat (050,051)-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0
56	Male----	0.0	0.1	0.1	0.0	0.0	0.0	-
57	Female--	0.0	0.1	0.0	0.0	0.0	0.0	0.0
58	White-----	0.0	0.1	0.1	0.0	0.0	0.0	0.0
59	Male----	0.0	0.1	0.1	0.0	-	0.0	-
60	Female--	0.0	0.1	0.0	0.0	0.0	0.0	0.0
61	Nonwhite-----	0.1	0.2	-	0.0	0.1	0.0	0.1
62	Male----	0.1	0.3	-	0.1	0.1	0.1	-
63	Female--	0.1	-	-	-	0.1	-	0.1
64	Diphtheria (055)-----	0.0	-	0.0	0.0	0.0	-	-
65	Male----	0.0	-	0.1	0.0	0.0	-	-
66	Female--	0.0	-	0.0	0.0	0.0	-	-
67	White-----	0.0	-	0.0	0.0	0.0	-	-
68	Male----	0.0	-	0.0	0.0	0.0	-	-
69	Female--	0.0	-	0.0	0.0	-	-	-
70	Nonwhite-----	0.0	-	0.1	0.1	0.1	-	-
71	Male----	0.0	-	0.2	0.1	0.1	-	-
72	Female--	0.0	-	-	0.1	0.1	-	-
73	Whooping cough (056)-----	0.0	1.1	0.1	-	-	-	-
74	Male----	0.0	1.3	0.1	-	-	-	-
75	Female--	0.0	0.8	0.1	-	-	-	-
76	White-----	0.0	0.6	0.0	-	-	-	-
77	Male----	0.0	0.8	0.0	-	-	-	-
78	Female--	0.0	0.4	0.0	-	-	-	-
79	Nonwhite-----	0.1	3.4	0.4	-	-	-	-
80	Male----	0.2	4.0	0.5	-	-	-	-
81	Female--	0.1	2.8	0.2	-	-	-	-
82	Meningococcal infections (057)-----	0.5	7.1	1.8	0.4	0.2	0.2	0.2
83	Male----	0.5	7.9	1.9	0.5	0.2	0.3	0.3
84	Female--	0.4	6.3	1.7	0.3	0.2	0.2	0.1
85	White-----	0.4	6.9	1.7	0.3	0.2	0.2	0.2
86	Male----	0.5	8.1	1.9	0.4	0.2	0.2	0.2
87	Female--	0.4	5.7	1.6	0.2	0.1	0.2	0.1
88	Nonwhite-----	0.8	8.0	1.9	0.8	0.3	0.3	0.4
89	Male----	0.8	7.1	1.9	1.0	0.2	0.4	0.6
90	Female--	0.7	8.9	1.9	0.7	0.5	0.2	0.2

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1965

are category numbers of the Seventh Revision of the International Lists, 1955)

Table with 13 columns representing 5-year age groups (25-29 to 85+ years) and a 14th column for category numbers (1-90). Each cell contains a numerical value representing mortality rates.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates For 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)-----	0.0	0.1	0.0	0.0	0.0	-	-
2	Male-----	0.0	-	0.0	-	-	-	-
3	Female-----	0.0	0.1	0.0	0.0	0.0	-	-
4	White-----	0.0	0.0	0.0	0.0	0.0	-	-
5	Male-----	0.0	-	-	-	-	-	-
6	Female-----	0.0	0.1	0.0	0.0	0.0	-	-
7	Nonwhite-----	0.0	0.2	0.0	-	-	-	-
8	Male-----	0.0	-	0.1	-	-	-	-
9	Female-----	0.0	0.3	-	-	-	-	-
10	Measles (085)-----	0.1	1.8	0.8	0.3	0.0	0.0	0.0
11	Male-----	0.1	1.8	0.8	0.2	0.0	0.0	-
12	Female-----	0.1	1.7	0.7	0.4	0.1	0.0	0.0
13	White-----	0.1	1.3	0.6	0.3	0.1	0.0	0.0
14	Male-----	0.1	1.5	0.6	0.2	0.0	0.0	-
15	Female-----	0.1	1.1	0.5	0.4	0.1	0.0	0.0
16	Nonwhite-----	0.4	3.9	1.7	0.5	-	-	-
17	Male-----	0.3	3.4	1.5	0.5	-	-	-
18	Female-----	0.4	4.4	1.8	0.5	-	-	-
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	3.0	19.2	2.6	1.1	0.6	0.8	0.9
20	Male-----	3.3	21.6	2.8	1.1	0.7	0.8	0.9
21	Female-----	2.8	16.7	2.3	1.1	0.5	0.9	1.0
22	White-----	2.7	15.4	2.2	1.1	0.5	0.7	0.7
23	Male-----	2.9	17.3	2.4	1.1	0.6	0.7	0.6
24	Female-----	2.5	13.4	2.0	1.0	0.5	0.8	0.8
25	Nonwhite-----	5.6	38.5	4.4	1.5	0.7	1.5	2.7
26	Male-----	6.0	43.8	5.0	1.3	0.9	1.5	2.6
27	Female-----	5.2	33.2	3.8	1.8	0.5	1.6	2.8
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	153.5	5.9	8.6	7.1	5.9	7.6	9.0
29	Male-----	169.7	6.0	9.1	7.9	6.5	9.3	10.6
30	Female-----	138.0	5.7	8.2	6.2	5.3	5.8	7.5
31	White-----	157.3	6.1	9.3	7.4	6.1	7.5	9.2
32	Male-----	175.2	6.1	9.8	8.4	6.6	9.3	11.1
33	Female-----	141.9	6.2	8.8	6.5	5.5	5.7	7.4
34	Nonwhite-----	125.9	4.5	5.0	4.8	4.6	7.9	7.9
35	Male-----	143.4	5.6	5.3	5.0	5.5	9.2	7.4
36	Female-----	109.4	3.5	4.7	4.6	3.7	6.6	8.4
37	Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.4	-	0.0	0.0	0.1	0.1	0.1
38	Male-----	5.2	-	0.0	0.0	0.1	0.1	0.2
39	Female-----	1.6	-	0.0	0.0	0.1	0.1	0.0
40	White-----	3.4	-	0.0	0.0	0.1	0.1	0.1
41	Male-----	5.2	-	0.0	0.0	0.1	0.1	0.1
42	Female-----	1.6	-	0.0	0.0	0.1	0.1	0.0
43	Nonwhite-----	3.0	-	-	-	0.0	0.3	0.1
44	Male-----	4.7	-	-	-	0.1	0.3	0.3
45	Female-----	1.5	-	-	-	-	0.4	-
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	48.7	0.4	0.2	0.0	0.1	0.3	0.7
47	Male-----	53.9	0.3	0.2	0.1	0.1	0.3	0.7
48	Female-----	43.6	0.5	0.1	0.0	0.1	0.3	0.6
49	White-----	49.6	0.4	0.2	0.1	0.1	0.2	0.6
50	Male-----	54.2	0.3	0.3	0.1	0.1	0.2	0.7
51	Female-----	45.1	0.4	0.1	0.0	0.1	0.2	0.5
52	Nonwhite-----	41.8	0.6	0.0	-	0.2	0.6	1.2
53	Male-----	51.6	0.3	-	-	0.2	0.8	1.0
54	Female-----	32.6	0.9	0.1	-	0.2	0.3	1.4
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	26.8	0.2	0.0	0.0	0.0	0.2	0.3
56	Male-----	46.0	0.3	0.0	0.0	0.0	0.2	0.4
57	Female-----	8.3	0.1	0.0	0.0	0.0	0.1	0.2
58	White-----	27.7	0.2	0.0	0.0	0.0	0.2	0.3
59	Male-----	47.4	0.3	0.0	0.0	-	0.2	0.4
60	Female-----	8.6	0.1	-	0.0	0.0	0.1	0.2
61	Nonwhite-----	20.6	-	0.1	0.1	0.0	0.3	0.2
62	Male-----	35.8	-	0.1	0.1	0.1	0.4	0.4
63	Female-----	6.3	-	0.2	0.1	-	0.2	0.1
64	Malignant neoplasm of breast (170)-----	14.0	-	-	0.0	-	0.0	0.1
65	Male-----	0.3	-	-	-	-	-	-
66	Female-----	27.2	-	-	0.0	-	0.0	0.2
67	White-----	14.6	-	-	0.0	-	0.0	0.1
68	Male-----	0.3	-	-	-	-	-	-
69	Female-----	28.4	-	-	0.0	-	0.0	0.2
70	Nonwhite-----	9.5	-	-	-	-	-	0.2
71	Male-----	0.2	-	-	-	-	-	-
72	Female-----	18.3	-	-	-	-	-	0.4
73	Malignant neoplasm of genital organs (171-179)-----	20.9	0.0	0.1	0.1	0.2	0.6	1.2
74	Male-----	17.7	-	0.1	0.0	0.1	0.6	1.3
75	Female-----	23.9	0.1	0.1	0.1	0.3	0.6	1.1
76	White-----	20.5	-	0.1	0.1	0.2	0.6	1.2
77	Male-----	17.5	-	0.2	0.0	0.1	0.7	1.5
78	Female-----	23.5	-	0.1	0.1	0.2	0.5	1.0
79	Nonwhite-----	23.3	0.2	-	0.1	0.4	0.5	0.9
80	Male-----	19.3	-	-	0.1	0.2	0.2	0.1
81	Female-----	27.0	0.3	-	0.1	0.6	0.8	1.7
82	Malignant neoplasm of urinary organs (180,181)-----	7.2	0.4	0.7	0.5	0.1	0.1	0.1
83	Male-----	9.6	0.6	0.7	0.4	0.1	0.1	0.1
84	Female-----	4.9	0.3	0.7	0.5	0.1	0.2	0.2
85	White-----	7.5	0.4	0.7	0.5	0.1	0.1	0.1
86	Male-----	10.1	0.5	0.7	0.4	0.0	0.0	0.1
87	Female-----	5.0	0.3	0.7	0.5	0.1	0.1	0.1
88	Nonwhite-----	4.6	0.5	0.8	0.3	0.1	0.3	0.2
89	Male-----	5.7	0.6	0.9	0.3	0.2	0.2	-
90	Female-----	3.6	0.3	0.8	0.4	0.1	0.5	0.5

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 1 - GENERAL MORTALITY

Table 1-9: Death Rates For 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.							
2	Malignant neoplasm of other and unspecified sites (156B,165,190-199)-----	17.9	2.0	2.9	2.3	2.3	2.7	2.4
3	Male-----	19.8	2.0	2.8	2.5	2.4	3.5	2.9
4	Female-----	16.1	2.1	2.9	2.1	2.1	2.0	1.9
5	White-----	18.4	2.2	3.1	2.3	2.4	2.7	2.5
6	Male-----	20.4	2.1	3.0	2.6	2.5	3.6	3.1
7	Female-----	16.5	2.4	3.1	2.1	2.2	1.9	2.0
8	Nonwhite-----	13.7	0.9	1.8	2.0	1.6	2.8	1.4
9	Male-----	14.9	1.2	1.8	2.0	1.9	3.2	1.7
	Female-----	12.7	0.6	1.8	2.1	1.4	2.5	1.2
10	Leukemia and aleukemia (204)-----	7.0	2.2	4.2	3.4	2.4	2.1	1.9
11	Male-----	8.2	2.3	4.5	3.8	2.6	2.5	2.1
12	Female-----	5.9	2.0	3.9	3.0	2.1	1.7	1.6
13	White-----	7.4	2.2	4.6	3.7	2.5	2.1	1.9
14	Male-----	8.7	2.2	4.9	4.2	2.7	2.5	2.1
15	Female-----	6.2	2.2	4.3	3.3	2.3	1.7	1.7
16	Nonwhite-----	4.1	1.9	2.1	1.6	1.6	2.0	1.7
17	Male-----	5.1	2.8	2.3	1.9	2.0	2.9	2.2
18	Female-----	3.2	0.9	1.8	1.4	1.1	1.2	1.2
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	7.8	0.6	0.5	0.7	0.8	1.4	2.3
20	Male-----	9.0	0.6	0.6	1.0	1.1	1.9	3.0
21	Female-----	6.6	0.7	0.4	0.4	0.5	0.9	1.7
22	White-----	8.1	0.7	0.6	0.7	0.8	1.5	2.4
23	Male-----	9.4	0.5	0.7	1.0	1.1	2.0	3.1
24	Female-----	6.9	0.8	0.4	0.4	0.5	1.0	1.7
25	Nonwhite-----	5.1	0.5	0.2	0.6	0.6	1.0	1.9
26	Male-----	6.2	0.6	0.2	0.7	0.8	1.2	1.8
27	Female-----	4.1	0.3	0.2	0.6	0.4	0.7	1.9
28	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.6	2.7	0.7	0.6	0.5	0.7	0.7
29	Male-----	2.5	2.3	0.8	0.6	0.6	0.8	0.7
30	Female-----	2.7	3.1	0.6	0.5	0.5	0.6	0.7
31	White-----	2.6	2.7	0.7	0.5	0.6	0.6	0.7
32	Male-----	2.5	2.2	0.7	0.5	0.6	0.7	0.7
33	Female-----	2.6	3.3	0.6	0.6	0.5	0.6	0.7
34	Nonwhite-----	3.0	2.7	0.8	0.6	0.5	0.9	0.7
35	Male-----	2.7	3.1	0.9	1.1	0.1	1.1	0.6
36	Female-----	3.4	2.2	0.8	0.2	1.0	0.6	0.8
37	Asthma (241)-----	2.3	0.5	0.3	0.2	0.3	0.4	0.5
38	Male-----	2.8	0.6	0.2	0.2	0.3	0.3	0.3
39	Female-----	1.9	0.4	0.4	0.1	0.3	0.5	0.6
40	White-----	2.2	0.3	0.2	0.2	0.3	0.3	0.3
41	Male-----	2.7	0.3	0.1	0.2	0.2	0.2	0.2
42	Female-----	1.8	0.3	0.3	0.1	0.3	0.4	0.4
43	Nonwhite-----	3.3	1.4	0.8	0.4	0.6	1.2	1.6
44	Male-----	3.8	1.9	0.8	0.5	0.8	1.1	1.3
45	Female-----	2.8	0.9	0.9	0.3	0.5	1.3	1.9
46	Diabetes mellitus (260)-----	17.1	0.5	0.2	0.2	0.4	0.4	1.1
47	Male-----	14.3	0.5	0.2	0.2	0.3	0.3	1.1
48	Female-----	19.8	0.5	0.2	0.2	0.5	0.5	1.1
49	White-----	16.7	0.5	0.2	0.2	0.4	0.3	0.9
50	Male-----	14.2	0.5	0.3	0.1	0.3	0.2	0.9
51	Female-----	19.1	0.5	0.1	0.2	0.5	0.4	1.0
52	Nonwhite-----	20.1	0.5	0.1	0.3	0.5	1.1	1.9
53	Male-----	14.9	0.3	-	0.3	0.3	0.9	2.2
54	Female-----	25.0	0.6	0.2	0.3	0.7	1.3	1.6
55	Anemias (290-293)-----	1.8	2.7	1.1	0.5	0.3	0.4	0.6
56	Male-----	1.8	2.9	1.0	0.4	0.2	0.5	0.7
57	Female-----	1.8	2.5	1.2	0.5	0.4	0.4	0.6
58	White-----	1.7	1.8	0.6	0.3	0.2	0.3	0.3
59	Male-----	1.7	1.6	0.5	0.2	0.1	0.3	0.3
60	Female-----	1.7	2.0	0.6	0.4	0.3	0.2	0.3
61	Nonwhite-----	3.1	7.2	3.7	1.4	1.0	1.6	2.8
62	Male-----	3.1	9.6	3.5	1.4	1.0	1.6	3.3
63	Female-----	3.1	4.7	3.8	1.5	1.1	1.7	2.3
64	Meningitis, except meningococcal and tuberculous (340)-----	1.2	21.9	2.6	0.4	0.2	0.2	0.2
65	Male-----	1.4	23.7	2.8	0.4	0.2	0.2	0.2
66	Female-----	1.1	20.0	2.4	0.5	0.2	0.2	0.2
67	White-----	1.0	16.7	2.2	0.4	0.2	0.2	0.2
68	Male-----	1.1	18.9	2.5	0.4	0.2	0.2	0.1
69	Female-----	0.8	14.4	1.9	0.4	0.1	0.2	0.2
70	Nonwhite-----	3.2	47.9	4.8	0.6	0.3	0.5	0.7
71	Male-----	3.5	48.1	4.4	0.6	0.2	0.7	0.9
72	Female-----	2.9	47.8	5.2	0.7	0.3	0.3	0.5
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	516.4	15.4	2.4	1.6	2.6	5.3	9.3
74	Male-----	580.0	17.5	2.5	1.6	2.5	5.7	9.4
75	Female-----	455.0	13.2	2.4	1.7	2.7	4.9	9.2
76	White-----	526.3	13.2	2.0	1.4	2.2	4.6	7.6
77	Male-----	593.3	14.9	2.1	1.3	2.2	5.0	7.9
78	Female-----	461.5	11.4	1.9	1.5	2.3	4.3	7.3
79	Nonwhite-----	442.9	26.6	4.9	3.0	4.9	9.6	21.8
80	Male-----	480.3	31.1	4.7	3.0	4.3	10.5	20.5
81	Female-----	407.7	22.2	5.1	3.0	5.5	8.8	23.1
82	Diseases of cardiovascular system (330-334,400-468)-----	510.9	14.6	2.2	1.4	2.1	4.2	7.6
83	Male-----	573.8	16.7	2.3	1.4	2.0	4.5	7.4
84	Female-----	450.2	12.4	2.1	1.3	2.1	4.0	7.8
85	White-----	521.5	12.5	1.8	1.1	1.8	3.6	6.1
86	Male-----	587.9	14.3	1.9	1.2	1.8	3.8	6.1
87	Female-----	457.3	10.6	1.6	1.1	1.8	3.4	6.1
88	Nonwhite-----	432.4	25.2	4.4	2.7	3.9	8.6	19.0
89	Male-----	468.6	28.9	4.2	2.6	3.6	9.1	17.2
90	Female-----	398.2	21.5	4.7	2.7	4.3	8.1	20.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.





SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases—Con-								
Diseases of cardiovascular system—Con-								
Vascular lesions affecting central nervous system (330-334)-----								
1		103.7	4.0	0.7	0.5	0.8	1.3	1.8
2	Male----	98.3	5.1	0.7	0.5	0.8	1.4	1.8
3	Female--	108.9	2.9	0.7	0.5	0.9	1.1	1.8
4	White-----	102.3	3.7	0.6	0.5	0.7	1.1	1.5
5	Male----	96.3	4.8	0.6	0.5	0.6	1.3	1.6
6	Female--	108.0	2.6	0.6	0.4	0.8	0.9	1.5
7	Nonwhite-----	114.7	5.5	1.4	0.6	1.4	2.2	3.6
8	Male----	113.5	6.8	1.4	0.6	1.5	2.1	3.1
9	Female--	115.9	4.1	1.4	0.7	1.3	2.3	4.1
10	Diseases of heart (400-402,410-443)-----	367.4	9.6	1.3	0.7	1.0	2.2	4.2
11	Male----	434.0	10.4	1.3	0.8	1.0	2.5	4.5
12	Female--	303.2	8.8	1.2	0.7	1.0	1.9	3.9
13	White-----	379.0	8.0	1.0	0.6	0.8	1.8	3.2
14	Male----	449.7	8.7	1.1	0.6	0.9	2.0	3.6
15	Female--	310.6	7.3	0.9	0.5	0.7	1.6	2.9
16	Nonwhite-----	281.8	17.4	2.7	1.8	2.2	5.0	11.1
17	Male----	316.5	18.6	2.7	1.9	1.7	6.1	11.2
18	Female--	249.2	16.1	2.8	1.8	2.7	4.0	11.1
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-415)-	8.0	0.3	0.1	0.2	0.4	0.9	1.5
20	Male----	7.1	0.3	0.1	0.2	0.4	0.9	1.3
21	Female--	8.8	0.3	0.1	0.3	0.4	0.9	1.6
22	White-----	8.3	0.2	0.0	0.1	0.3	0.6	1.1
23	Male----	7.3	0.2	0.0	0.1	0.4	0.6	1.0
24	Female--	9.2	0.3	0.0	0.1	0.2	0.7	1.2
25	Nonwhite-----	5.8	0.5	0.3	1.0	1.2	2.8	4.0
26	Male----	5.4	0.9	0.3	0.8	0.8	3.4	3.6
27	Female--	6.2	-	0.3	1.1	1.6	2.3	4.4
28	Arteriosclerotic heart disease, including coronary disease (420)-----	288.6	0.5	0.1	0.1	0.1	0.3	1.0
29	Male----	357.5	0.6	0.1	0.1	0.1	0.3	1.2
30	Female--	222.1	0.4	0.1	0.0	0.0	0.2	0.7
31	White-----	303.8	0.5	0.1	0.0	0.0	0.3	0.8
32	Male----	377.4	0.5	0.0	0.1	0.1	0.3	1.0
33	Female--	232.6	0.4	0.1	0.0	0.0	0.2	0.6
34	Nonwhite-----	175.8	0.8	0.2	0.1	0.2	0.3	2.1
35	Male----	208.3	1.2	0.3	0.1	0.2	0.5	2.7
36	Female--	145.2	0.3	0.1	0.1	0.2	0.2	1.6
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)-----	27.4	0.9	0.2	0.1	0.1	0.2	0.4
38	Male----	27.4	0.8	0.3	0.1	0.1	0.3	0.5
39	Female--	27.5	0.9	0.2	0.1	0.1	0.1	0.3
40	White-----	27.9	0.7	0.2	0.1	0.1	0.2	0.4
41	Male----	27.6	0.7	0.2	0.1	0.2	0.3	0.5
42	Female--	28.2	0.6	0.1	0.1	0.2	0.1	0.3
43	Nonwhite-----	24.0	2.0	0.5	0.2	0.0	0.4	0.7
44	Male----	25.5	1.9	0.6	0.3	0.1	0.7	0.9
45	Female--	22.6	2.2	0.4	0.1	-	0.2	0.6
46	Other diseases of heart (430-434)-----	15.1	7.9	0.9	0.3	0.4	0.7	1.2
47	Male----	17.0	8.6	0.9	0.4	0.3	0.9	1.2
48	Female--	13.2	7.2	0.9	0.3	0.4	0.6	1.2
49	White-----	14.3	6.7	0.7	0.3	0.3	0.7	0.9
50	Male----	16.1	7.4	0.8	0.3	0.3	0.8	1.0
51	Female--	12.5	5.9	0.7	0.3	0.4	0.5	0.8
52	Nonwhite-----	20.9	14.1	1.7	0.6	0.8	1.1	3.3
53	Male----	24.0	14.6	1.5	0.7	0.6	1.2	2.8
54	Female--	18.1	13.6	2.0	0.5	0.9	1.0	3.7
55	Hypertensive heart disease (440-443)-----	28.4	-	-	0.0	0.0	0.1	0.2
56	Male----	25.0	-	-	-	0.0	0.1	0.2
57	Female--	31.6	-	-	0.0	0.0	0.1	0.1
58	White-----	24.7	-	-	-	0.0	0.0	0.1
59	Male----	21.2	-	-	-	0.0	0.0	0.1
60	Female--	28.2	-	-	-	0.0	0.0	0.1
61	Nonwhite-----	55.3	-	-	0.0	-	0.3	0.9
62	Male----	53.3	-	-	-	-	0.4	1.2
63	Female--	57.1	-	-	0.1	-	0.3	0.7
64	Other hypertensive disease (444-447)-----	6.0	-	-	0.0	0.0	0.0	0.2
65	Male----	6.2	-	-	0.0	0.0	0.0	0.2
66	Female--	5.8	-	-	-	0.0	0.0	0.2
67	White-----	5.4	-	-	-	0.0	0.0	0.1
68	Male----	5.5	-	-	-	0.0	0.0	0.1
69	Female--	5.4	-	-	-	0.0	0.0	0.1
70	Nonwhite-----	10.3	-	-	0.0	-	-	1.1
71	Male----	11.8	-	-	0.1	-	-	1.4
72	Female--	8.9	-	-	-	-	-	0.7
73	General arteriosclerosis (450)-----	19.7	-	0.0	-	-	-	0.0
74	Male----	18.2	-	0.0	-	-	-	0.0
75	Female--	21.1	-	-	-	-	-	0.0
76	White-----	20.7	-	0.0	-	-	-	0.0
77	Male----	19.0	-	0.0	-	-	-	0.0
78	Female--	22.3	-	-	-	-	-	0.0
79	Nonwhite-----	12.2	-	-	-	-	-	-
80	Male----	12.4	-	-	-	-	-	-
81	Female--	11.9	-	-	-	-	-	-
82	Other diseases of circulatory system (451-468)-----	14.1	1.0	0.2	0.1	0.2	0.7	1.4
83	Male----	17.0	1.2	0.2	0.1	0.2	0.5	0.9
84	Female--	11.2	0.7	0.2	0.1	0.2	1.0	1.9
85	White-----	14.2	0.7	0.2	0.1	0.2	0.7	1.2
86	Male----	17.4	0.8	0.2	0.1	0.2	0.5	0.8
87	Female--	11.1	0.6	0.1	0.1	0.2	0.8	1.5
88	Nonwhite-----	13.4	2.3	0.3	0.1	0.3	1.3	3.2
89	Male----	14.5	3.4	0.2	0.1	0.3	0.8	1.5
90	Female--	12.4	1.3	0.5	0.2	0.3	1.9	4.8

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Major cardiovascular-renal diseases—Con.							
2	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	5.5	0.8	0.2	0.3	0.5	1.0	1.7
3	Male-----	6.2	0.8	0.2	0.2	0.5	1.2	2.0
4	Female-----	4.8	0.8	0.3	0.3	0.6	0.9	1.4
5	White-----	4.8	0.7	0.2	0.3	0.5	1.0	1.6
6	Male-----	5.5	0.5	0.2	0.2	0.4	1.2	1.9
7	Female-----	4.1	0.8	0.2	0.3	0.5	0.9	1.3
8	Nonwhite-----	10.6	1.4	0.5	0.4	1.0	1.0	2.9
9	Male-----	11.7	2.2	0.5	0.4	0.7	1.4	3.3
	Female-----	9.5	0.6	0.5	0.3	1.3	0.6	2.4
10	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	31.9	208.3	11.4	2.3	1.8	2.1	2.3
11	Male-----	36.8	233.8	11.3	2.5	2.1	2.3	2.6
12	Female-----	27.3	181.8	11.5	2.2	1.6	1.8	2.0
13	White-----	30.1	147.2	8.4	1.9	1.7	1.9	2.0
14	Male-----	34.4	171.9	8.4	2.1	1.9	2.1	2.3
15	Female-----	25.9	121.4	8.4	1.7	1.4	1.6	1.7
16	Nonwhite-----	45.9	516.0	27.3	4.8	2.9	3.4	4.2
17	Male-----	54.7	550.6	27.4	4.8	3.0	3.7	4.6
18	Female-----	37.6	482.3	27.3	4.7	2.9	3.1	3.8
19	Influenza (480-483)-----	1.2	4.7	0.3	0.0	0.1	0.1	0.1
20	Male-----	1.1	4.9	0.4	0.1	0.1	0.1	0.1
21	Female-----	1.2	4.6	0.3	0.0	0.1	0.1	0.1
22	White-----	1.1	2.0	0.2	0.0	0.0	0.1	0.1
23	Male-----	1.0	2.3	0.2	0.0	0.1	0.1	0.1
24	Female-----	1.2	1.7	0.2	0.0	0.1	0.1	0.1
25	Nonwhite-----	1.7	18.3	1.2	0.1	0.1	0.1	0.1
26	Male-----	1.6	18.0	1.4	0.1	0.1	0.3	0.1
27	Female-----	1.8	18.7	0.9	0.1	0.2	-	0.1
28	Pneumonia, except pneumonia of newborn (490-493)-----	30.8	203.6	11.1	2.3	1.8	2.0	2.2
29	Male-----	35.7	228.9	11.0	2.4	2.0	2.2	2.5
30	Female-----	26.0	177.2	11.1	2.2	1.5	1.7	1.8
31	White-----	28.9	145.2	8.2	1.9	1.6	1.8	1.9
32	Male-----	33.3	169.6	8.2	2.0	1.9	2.0	2.2
33	Female-----	24.7	119.7	8.2	1.7	1.3	1.5	1.6
34	Nonwhite-----	44.2	497.7	26.1	4.6	2.8	3.3	4.1
35	Male-----	53.1	532.6	25.9	4.7	2.9	3.5	4.5
36	Female-----	35.8	463.6	26.4	4.6	2.7	3.1	3.7
37	Bronchitis (500-502)-----	3.0	12.2	1.1	0.2	0.1	0.1	0.2
38	Male-----	4.5	13.9	1.2	0.3	0.1	0.1	0.2
39	Female-----	1.6	10.4	1.0	0.1	0.1	0.0	0.1
40	White-----	3.1	9.9	1.0	0.2	0.1	0.1	0.1
41	Male-----	4.6	11.7	1.1	0.2	0.1	0.1	0.1
42	Female-----	1.6	8.1	1.0	0.1	0.0	0.0	0.1
43	Nonwhite-----	2.3	23.6	1.6	0.4	0.3	0.0	0.3
44	Male-----	3.2	25.2	1.8	0.7	0.2	0.1	0.4
45	Female-----	1.4	22.2	1.4	0.1	0.4	-	0.2
46	Other bronchopulmonic diseases (525-527)-----	13.7	35.4	1.0	0.1	0.1	0.2	0.3
47	Male-----	22.2	39.8	1.0	0.1	0.1	0.2	0.4
48	Female-----	5.4	30.9	1.0	0.2	0.2	0.2	0.3
49	White-----	14.4	27.9	0.8	0.1	0.1	0.2	0.3
50	Male-----	23.5	32.1	0.8	0.1	0.1	0.2	0.3
51	Female-----	5.6	23.5	0.9	0.2	0.2	0.2	0.3
52	Nonwhite-----	8.6	73.2	1.7	0.2	0.2	0.3	0.4
53	Male-----	13.1	79.2	1.9	-	0.1	0.4	0.6
54	Female-----	4.4	67.4	1.5	0.3	0.2	0.3	0.2
55	Ulcer of stomach and duodenum (540,541)-----	5.4	1.9	0.1	0.0	0.0	0.1	0.2
56	Male-----	7.7	2.2	0.1	0.0	0.1	0.1	0.4
57	Female-----	3.1	1.7	0.1	0.0	0.0	0.1	0.1
58	White-----	5.6	1.2	0.1	0.0	0.0	0.1	0.2
59	Male-----	8.0	1.3	0.1	0.0	0.0	0.1	0.3
60	Female-----	3.2	1.0	0.1	0.0	0.0	0.1	0.1
61	Nonwhite-----	3.8	5.8	0.0	0.0	0.1	0.1	0.6
62	Male-----	5.6	6.5	-	-	0.2	0.2	1.3
63	Female-----	2.2	5.1	0.1	0.1	-	-	-
64	Appendicitis (550-553)-----	0.9	0.4	0.2	0.3	0.3	0.3	0.2
65	Male-----	1.1	0.5	0.3	0.4	0.4	0.4	0.3
66	Female-----	0.6	0.3	0.2	0.2	0.2	0.2	0.1
67	White-----	0.8	0.3	0.2	0.3	0.3	0.2	0.2
68	Male-----	1.1	0.5	0.3	0.3	0.4	0.3	0.2
69	Female-----	0.6	0.1	0.2	0.2	0.2	0.1	0.2
70	Nonwhite-----	1.2	0.8	0.4	0.5	0.4	0.7	0.4
71	Male-----	1.6	0.6	0.5	0.7	0.5	0.6	0.5
72	Female-----	0.9	0.9	0.3	0.3	0.3	0.7	0.1
73	Hernia and intestinal obstruction (560,561,570)-----	5.2	22.1	0.4	0.1	0.1	0.2	0.2
74	Male-----	4.9	25.0	0.6	0.2	0.2	0.2	0.2
75	Female-----	5.4	19.1	0.3	0.1	0.1	0.2	0.3
76	White-----	5.2	22.1	0.3	0.1	0.1	0.2	0.2
77	Male-----	4.9	24.8	0.4	0.1	0.2	0.2	0.2
78	Female-----	5.5	19.1	0.2	0.1	0.0	0.1	0.3
79	Nonwhite-----	5.0	22.2	0.8	0.3	0.2	0.3	0.3
80	Male-----	5.2	25.8	1.2	0.5	0.2	0.3	0.1
81	Female-----	4.8	18.7	0.5	0.1	0.2	0.3	0.5
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	4.1	44.3	2.4	0.2	0.2	0.3	0.4
83	Male-----	4.0	48.6	2.8	0.2	0.2	0.3	0.3
84	Female-----	4.2	39.8	2.0	0.2	0.2	0.2	0.4
85	White-----	3.7	23.2	1.9	0.2	0.2	0.3	0.4
86	Male-----	3.6	26.0	2.2	0.2	0.2	0.3	0.3
87	Female-----	3.9	20.3	1.6	0.2	0.2	0.2	0.4
88	Nonwhite-----	6.7	150.4	5.1	0.4	0.3	0.1	0.4
89	Male-----	7.2	164.0	5.8	0.6	0.3	0.1	0.3
90	Female-----	6.2	137.0	4.4	0.2	0.2	0.2	0.5

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

CAUSES OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)-----	12.8	0.8	0.2	0.1	0.1	0.2	0.5
2	Male-----	16.8	0.8	0.2	0.1	0.1	0.1	0.5
3	Female-----	8.8	0.7	0.2	0.1	0.2	0.3	0.6
4	White-----	12.5	0.7	0.2	0.1	0.1	0.2	0.3
5	Male-----	16.6	0.7	0.2	0.0	0.1	0.1	0.3
6	Female-----	8.5	0.6	0.2	0.1	0.1	0.3	0.3
7	Nonwhite-----	14.6	1.1	0.2	0.1	0.2	0.4	2.2
8	Male-----	19.3	1.2	0.2	0.1	-	0.3	1.8
9	Female-----	11.1	0.9	0.2	0.1	0.3	0.5	2.6
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.4	0.1	-	-	-	0.0	0.1
11	Male-----	2.1	0.1	-	-	-	0.0	-
12	Female-----	2.7	0.1	-	-	-	0.1	0.1
13	White-----	2.6	0.1	-	-	-	0.0	0.1
14	Male-----	2.2	0.1	-	-	-	0.0	-
15	Female-----	2.9	0.1	-	-	-	0.1	0.1
16	Nonwhite-----	1.1	0.2	-	-	-	0.1	0.1
17	Male-----	0.7	-	-	-	-	-	-
18	Female-----	1.5	0.3	-	-	-	0.2	0.2
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.7	0.5	0.4	0.2	0.2	0.3	0.3
20	Male-----	0.8	0.6	0.4	0.2	0.2	0.3	0.4
21	Female-----	0.6	0.5	0.4	0.2	0.2	0.2	0.2
22	White-----	0.6	0.6	0.3	0.2	0.2	0.2	0.3
23	Male-----	0.7	0.7	0.3	0.2	0.2	0.3	0.3
24	Female-----	0.5	0.5	0.3	0.2	0.1	0.2	0.2
25	Nonwhite-----	1.3	0.2	0.7	0.4	0.2	0.5	0.6
26	Male-----	1.5	-	1.0	0.5	0.2	0.3	1.0
27	Female-----	1.2	0.3	0.5	0.3	0.2	0.6	0.2
28	Infections of kidney (600)-----	5.1	1.0	0.1	0.1	0.1	0.3	0.4
29	Male-----	4.9	1.3	0.1	0.1	0.1	0.3	0.2
30	Female-----	5.2	0.7	0.1	0.1	0.1	0.4	0.5
31	White-----	4.7	0.6	0.1	0.1	0.1	0.3	0.3
32	Male-----	4.5	0.6	0.1	0.1	0.0	0.3	0.2
33	Female-----	4.8	0.6	0.1	0.1	0.1	0.3	0.4
34	Nonwhite-----	7.9	3.3	0.1	0.1	0.2	0.4	0.9
35	Male-----	7.8	5.0	0.1	0.1	0.2	0.1	0.8
36	Female-----	8.1	1.6	0.1	0.1	0.2	0.7	1.1
37	Hyperplasia of prostate (610)-----	1.8	-	-	-	-	-	-
38	Male-----	3.6	-	-	-	-	-	-
39	White-----	1.7	-	-	-	-	-	-
40	Male-----	3.5	-	-	-	-	-	-
41	Nonwhite-----	2.0	-	-	-	-	-	-
42	Male-----	4.1	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.6	-	-	-	0.0	0.7	1.8
44	Female-----	1.2	-	-	-	0.0	1.4	3.4
45	White-----	0.4	-	-	-	-	0.4	1.3
46	Female-----	0.8	-	-	-	-	0.7	2.5
47	Nonwhite-----	2.3	-	-	-	0.1	3.0	5.1
48	Female-----	4.5	-	-	-	0.2	5.9	9.9
49	Abortion (650-652)-----	0.1	-	-	-	-	0.2	0.4
50	Female-----	0.2	-	-	-	-	0.3	0.9
51	White-----	0.1	-	-	-	-	0.1	0.2
52	Female-----	0.1	-	-	-	-	0.1	0.5
53	Nonwhite-----	0.6	-	-	-	-	0.8	1.8
54	Female-----	1.1	-	-	-	-	1.7	3.5
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	0.5	-	-	-	0.0	0.5	1.3
56	Female-----	1.0	-	-	-	0.0	1.1	2.6
57	White-----	0.3	-	-	-	-	0.3	1.0
58	Female-----	0.6	-	-	-	-	0.6	2.1
59	Nonwhite-----	1.8	-	-	-	0.1	2.1	3.3
60	Female-----	3.4	-	-	-	0.2	4.3	6.4
61	Congenital malformations (750-759)-----	10.1	548.5	10.2	3.3	2.4	2.5	2.3
62	Male-----	10.9	364.6	10.2	3.4	2.6	2.9	2.6
63	Female-----	9.3	331.8	10.1	3.1	2.1	2.1	2.1
64	White-----	9.7	354.8	9.8	3.2	2.5	2.5	2.4
65	Male-----	10.5	368.1	9.8	3.3	2.7	2.9	2.6
66	Female-----	9.0	340.8	9.8	3.0	2.2	2.1	2.1
67	Nonwhite-----	12.4	316.6	12.1	3.7	2.1	2.8	1.9
68	Male-----	13.9	346.6	12.2	3.6	2.2	3.2	1.9
69	Female-----	11.1	267.0	11.9	3.7	1.9	2.4	1.8
70	Certain diseases of early infancy (760-776)-----	28.6	1,435.7	0.1	0.0	0.0	-	-
71	Male-----	34.2	1,650.1	0.0	0.0	0.0	-	-
72	Female-----	23.2	1,212.1	0.1	0.0	0.0	-	-
73	White-----	23.9	1,268.9	0.1	0.0	0.0	-	-
74	Male-----	28.9	1,473.5	0.0	0.0	0.0	-	-
75	Female-----	19.1	1,054.6	0.1	0.0	0.0	-	-
76	Nonwhite-----	63.0	2,273.7	0.1	-	-	-	-
77	Male-----	73.5	2,553.7	0.1	-	-	-	-
78	Female-----	53.1	1,985.6	0.1	-	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	11.9	600.1	-	-	0.0	-	-
80	Male-----	14.6	704.3	-	-	-	-	-
81	Female-----	9.4	491.5	-	-	0.0	-	-
82	White-----	10.4	550.5	-	-	0.0	-	-
83	Male-----	12.8	654.5	-	-	-	-	-
84	Female-----	8.0	441.6	-	-	0.0	-	-
85	Nonwhite-----	23.5	849.1	-	-	-	-	-
86	Male-----	27.6	959.3	-	-	-	-	-
87	Female-----	19.7	739.6	-	-	-	-	-

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by  
(Rates per 100,000 population in specified group. Numbers after causes of death)

	Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain diseases of early infancy--Con.							
2	Infections of newborn (763-768)-----	2.0	101.8	-	-	-	-	-
3	Male-----	2.4	117.3	-	-	-	-	-
4	Female-----	1.6	85.6	-	-	-	-	-
5	White-----	1.4	75.0	-	-	-	-	-
6	Male-----	1.7	87.4	-	-	-	-	-
7	Female-----	1.1	62.0	-	-	-	-	-
8	Nonwhite-----	6.6	236.8	-	-	-	-	-
9	Male-----	7.8	270.5	-	-	-	-	-
	Female-----	5.4	203.2	-	-	-	-	-
10	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	14.6	733.8	0.1	0.0	0.0	-	-
11	Male-----	17.2	828.5	0.0	0.0	0.0	-	-
12	Female-----	12.2	635.0	0.1	0.0	0.0	-	-
13	White-----	12.1	643.4	0.1	0.0	0.0	-	-
14	Male-----	14.4	731.6	0.0	0.0	0.0	-	-
15	Female-----	10.0	551.0	0.1	0.0	0.0	-	-
16	Nonwhite-----	32.9	1,187.8	0.1	-	-	-	-
17	Male-----	38.1	1,323.9	0.1	-	-	-	-
18	Female-----	28.0	1,062.8	0.1	-	-	-	-
19	Symptoms, senility, and ill-defined conditions (780-795)-----	12.1	61.4	2.4	0.4	0.4	0.9	1.9
20	Male-----	14.6	70.2	2.5	0.5	0.4	1.2	2.2
21	Female-----	9.6	52.2	2.2	0.4	0.4	0.7	1.6
22	White-----	9.0	33.5	1.3	0.2	0.3	0.7	1.5
23	Male-----	11.2	39.3	1.3	0.2	0.3	0.9	1.7
24	Female-----	6.9	27.3	1.2	0.2	0.3	0.4	1.2
25	Nonwhite-----	34.8	202.2	8.2	1.4	1.3	2.6	4.8
26	Male-----	40.4	228.3	9.0	1.7	1.3	3.1	5.8
27	Female-----	29.5	176.3	7.4	1.1	1.2	2.1	3.8
28	All other diseases (residual)-----	28.6	61.0	8.3	4.1	3.2	5.5	6.2
29	Male-----	32.0	69.4	8.7	4.2	4.5	6.8	7.6
30	Female-----	25.3	52.2	7.8	4.0	3.4	4.3	4.9
31	White-----	27.8	54.2	7.9	3.9	3.8	5.2	5.4
32	Male-----	30.9	61.5	8.4	4.0	4.5	6.5	6.7
33	Female-----	24.9	46.6	7.4	3.8	3.2	3.8	4.2
34	Nonwhite-----	34.2	95.0	10.4	5.1	4.6	8.1	12.0
35	Male-----	40.3	109.9	10.6	5.4	4.4	8.5	14.2
36	Female-----	28.6	80.1	10.2	4.7	4.7	7.8	9.9
37	Accidents (E800-E962)-----	55.7	86.0	31.8	19.1	18.4	56.8	68.0
38	Male-----	77.9	95.8	37.4	24.6	26.8	89.4	113.4
39	Female-----	34.4	75.7	25.9	13.3	9.7	23.5	24.2
40	White-----	54.2	70.4	28.0	17.3	17.5	57.4	67.6
41	Male-----	75.1	81.5	33.5	22.8	25.4	90.1	112.5
42	Female-----	34.0	58.8	22.2	11.6	9.3	23.9	24.1
43	Nonwhite-----	67.1	164.2	52.1	29.4	23.7	52.5	71.1
44	Male-----	96.6	168.9	58.6	35.2	35.3	84.4	120.0
45	Female-----	37.3	159.8	45.5	23.6	12.0	20.9	25.1
46	Motor vehicle accidents (E810-E835)-----	25.4	8.5	10.5	9.6	8.2	40.2	49.3
47	Male-----	37.4	9.2	11.9	12.2	10.9	61.0	80.8
48	Female-----	13.8	7.6	8.9	6.8	5.4	19.1	19.0
49	White-----	25.3	8.9	9.9	9.1	8.4	41.9	50.1
50	Male-----	37.1	9.9	11.1	11.8	11.1	63.5	82.0
51	Female-----	13.9	7.8	8.8	6.4	5.6	19.8	19.3
52	Nonwhite-----	25.8	6.3	13.1	12.1	7.3	28.7	43.5
53	Male-----	39.7	5.9	16.4	14.9	9.9	43.2	71.7
54	Female-----	12.8	6.6	9.8	9.3	4.6	14.3	16.9
55	Other accidents (E800-E802,E840-E962)-----	30.4	77.5	21.3	9.5	10.1	16.5	18.7
56	Male-----	40.5	86.6	25.5	12.4	15.8	28.4	32.7
57	Female-----	20.6	68.1	17.0	6.5	4.2	4.4	5.2
58	White-----	28.9	61.5	18.0	8.2	9.1	15.5	17.4
59	Male-----	38.0	71.6	22.4	11.1	14.3	26.6	30.5
60	Female-----	20.1	51.0	13.4	5.2	3.7	4.1	4.8
61	Nonwhite-----	41.2	157.9	38.9	17.3	16.4	23.8	27.6
62	Male-----	59.0	163.0	42.1	20.2	25.5	41.2	48.3
63	Female-----	24.5	153.2	35.7	14.3	7.4	6.6	8.2
64	Suicide (E963,E970-E979)-----	11.1	...	...	0.0	0.5	4.0	8.9
65	Male-----	16.3	...	...	-	0.9	6.1	13.8
66	Female-----	6.1	...	...	0.0	0.2	1.9	4.3
67	White-----	11.9	...	...	0.0	0.6	4.1	9.0
68	Male-----	17.4	...	...	-	1.0	6.3	13.9
69	Female-----	6.8	...	...	0.0	0.1	1.8	4.3
70	Nonwhite-----	5.0	...	...	-	0.3	3.8	8.4
71	Male-----	7.7	...	...	-	0.5	5.2	13.1
72	Female-----	2.5	...	...	-	0.2	2.4	4.0
73	Homicide (E964,E980-E985)-----	5.5	5.5	1.1	0.6	0.7	4.3	10.0
74	Male-----	8.6	6.2	1.2	0.6	0.9	6.5	16.1
75	Female-----	2.6	4.8	1.1	0.6	0.4	2.1	4.2
76	White-----	3.0	4.5	0.9	0.5	0.4	2.2	4.8
77	Male-----	4.4	5.3	1.0	0.5	0.5	3.0	7.4
78	Female-----	1.6	3.6	0.8	0.5	0.3	1.3	2.3
79	Nonwhite-----	24.6	10.8	2.4	1.0	2.4	18.9	47.9
80	Male-----	40.1	11.2	2.4	1.1	3.6	30.8	80.5
81	Female-----	10.0	10.4	2.4	0.9	1.1	7.1	17.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1965-Con.

are category numbers of the Seventh Revision of the International Lists, 1955),

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
2.2	3.8	5.1	7.0	10.3	14.4	19.3	25.3	35.7	42.8	61.4	96.8	265.0	19
2.5	4.0	6.2	8.9	13.5	20.2	27.6	36.8	51.2	61.6	83.9	121.0	288.1	20
1.9	3.6	4.1	5.3	7.3	9.0	11.5	15.0	22.8	28.0	44.5	80.0	250.6	21
1.2	2.2	3.0	4.8	7.1	10.3	13.9	17.7	25.2	32.4	48.8	80.2	236.7	22
1.5	2.4	3.7	6.3	9.7	15.5	20.9	28.0	38.0	49.6	68.6	98.9	255.5	23
1.0	2.0	2.3	3.4	4.5	5.4	7.2	8.4	14.6	18.9	34.0	67.2	225.2	24
9.0	15.3	21.7	25.5	39.6	52.2	73.3	102.1	161.9	165.1	223.8	293.6	560.0	25
10.3	16.1	27.2	31.5	48.5	65.9	93.6	122.0	204.8	198.9	270.3	353.5	590.2	26
7.8	14.5	17.2	20.1	31.6	41.6	54.4	83.2	123.8	137.2	185.2	243.5	537.0	27
7.5	10.4	14.7	20.2	27.3	34.2	47.3	62.7	89.3	118.3	159.9	225.7	379.3	28
8.4	11.0	15.5	22.6	31.9	40.2	57.9	78.2	113.4	149.9	199.8	272.6	415.5	29
6.6	9.7	13.9	18.0	23.0	28.5	37.5	48.6	69.0	93.5	129.8	193.0	356.6	30
6.0	7.7	11.8	16.4	24.0	31.4	45.2	60.0	85.2	117.4	160.9	231.4	392.1	31
6.6	8.2	12.2	18.4	27.9	36.1	55.2	74.8	107.6	148.2	199.9	280.0	431.0	32
5.4	7.2	11.4	14.5	20.4	26.8	35.8	46.7	66.4	93.3	131.7	198.1	368.4	33
18.2	29.9	37.8	52.4	57.1	60.4	68.9	89.7	138.3	129.2	147.3	158.3	250.5	34
22.2	32.8	43.7	59.2	69.6	78.3	84.4	111.3	178.9	169.6	200.0	194.4	285.4	35
14.7	27.3	32.7	46.4	45.8	44.2	54.4	69.1	102.3	96.0	103.5	128.2	224.1	36
52.3	46.2	45.7	47.3	52.1	56.8	61.3	68.1	79.3	104.8	158.3	275.2	606.1	37
87.7	74.4	72.4	73.5	79.2	87.0	93.2	100.8	113.4	142.5	195.0	309.6	592.0	38
18.0	19.0	20.1	22.5	26.4	28.2	31.6	38.5	50.7	75.1	130.7	251.2	615.0	39
49.2	43.1	42.0	43.2	48.8	53.6	58.5	64.9	75.4	103.5	161.0	283.1	636.0	40
82.1	89.0	85.9	66.9	73.3	81.5	87.5	96.4	107.6	140.3	197.0	317.2	617.5	41
16.9	17.8	18.8	20.7	25.4	27.1	31.5	36.5	48.5	74.7	134.1	259.6	647.2	42
75.1	68.7	74.4	82.0	81.9	86.4	88.9	100.4	126.1	119.9	123.8	182.7	305.3	43
131.1	116.5	127.6	132.0	134.5	139.4	149.0	143.5	180.2	167.9	172.0	229.6	375.6	44
25.7	27.3	29.4	37.8	34.9	38.0	32.6	59.5	78.1	80.3	83.8	143.5	251.9	45
33.1	26.5	24.7	24.5	24.8	26.0	28.2	29.9	33.2	38.3	44.5	47.4	40.3	46
54.5	41.6	37.8	36.4	37.7	40.3	42.2	46.6	55.7	66.3	79.9	79.9	70.5	47
12.4	12.0	12.2	13.0	13.9	14.8	16.8	18.8	22.0	24.6	28.0	24.8	21.5	48
31.7	25.6	23.8	23.3	24.0	25.1	27.5	29.1	32.3	38.5	45.8	48.7	41.5	49
51.8	39.7	35.9	34.6	34.9	36.0	38.5	40.6	44.9	55.5	68.1	82.0	72.8	50
11.9	11.7	12.1	12.5	13.6	14.7	17.2	18.7	21.7	25.2	29.2	25.9	22.4	51
43.4	33.5	31.9	34.5	32.5	34.3	34.8	38.1	44.5	35.9	27.7	32.1	28.4	52
74.8	56.2	54.1	53.8	50.9	54.2	58.4	58.0	66.5	58.2	45.8	57.7	51.2	53
15.7	13.9	13.2	17.4	16.1	16.1	12.7	19.3	25.0	17.5	12.7	10.6	11.1	54
19.2	19.7	21.0	22.8	27.2	30.8	33.1	38.2	46.1	66.5	113.8	227.8	565.9	55
33.2	32.8	34.6	36.9	42.8	49.3	52.8	58.6	66.8	86.8	128.6	229.8	521.5	56
5.6	7.0	7.9	9.5	12.5	13.3	14.7	19.7	28.8	50.6	102.7	226.5	593.5	57
17.5	17.6	18.2	19.9	24.8	28.5	31.0	35.8	43.1	65.0	115.2	234.4	594.5	58
30.3	29.3	30.0	32.2	38.4	45.5	49.0	55.8	62.7	84.8	128.9	235.2	544.7	59
5.0	6.0	6.7	8.1	11.8	12.4	14.2	17.7	26.8	49.5	105.0	233.8	624.8	60
31.7	35.1	42.4	47.5	49.3	52.1	54.1	62.3	81.6	84.0	96.2	150.6	276.8	61
56.3	60.3	73.5	78.2	83.6	85.2	90.6	85.5	113.7	109.8	126.3	171.8	324.4	62
10.1	13.4	16.2	20.4	18.8	21.9	19.9	40.2	53.1	62.8	71.1	132.9	240.7	63
11.3	13.3	15.8	17.5	18.7	22.8	24.7	22.8	22.3	21.6	24.1	24.4	24.4	64
16.3	18.3	21.1	24.0	25.5	33.1	37.8	36.8	36.5	38.5	45.6	49.0	52.5	65
6.5	8.4	10.8	11.4	12.3	13.1	12.4	10.2	10.4	8.3	7.8	7.2	6.8	66
11.5	13.8	16.7	18.5	24.4	24.4	26.4	24.2	23.3	22.9	25.0	26.0	26.0	67
16.5	18.9	21.8	25.0	26.7	35.2	40.3	38.9	37.8	41.2	47.8	52.9	57.7	68
6.6	8.7	11.7	12.3	13.2	14.0	13.4	10.9	11.2	8.6	8.1	7.6	6.7	69
10.0	9.7	9.4	9.1	8.6	8.5	7.4	9.3	10.6	5.9	11.5	5.1	7.4	70
14.9	13.5	15.3	14.8	14.2	12.8	12.9	15.7	21.1	8.2	20.3	8.5	7.3	71
5.6	6.4	4.4	4.0	3.7	4.6	2.3	3.3	1.2	4.0	4.2	2.4	7.4	72
11.9	11.8	10.9	8.9	7.4	6.5	5.6	4.2	3.8	2.8	2.3	3.5	2.4	73
19.3	18.3	17.3	13.8	11.4	10.7	9.2	6.8	6.7	4.5	4.0	5.5	3.9	74
4.9	5.6	4.7	4.3	3.5	2.5	2.3	1.9	1.4	1.5	1.1	2.0	1.5	75
5.1	5.2	5.1	4.5	4.0	3.9	3.5	3.2	2.4	2.2	1.8	2.9	1.9	76
7.9	7.8	8.1	6.6	6.0	6.1	5.6	4.8	3.9	3.1	3.0	4.4	3.0	77
2.3	2.8	2.1	2.5	2.1	1.8	1.5	1.7	1.2	1.4	0.9	1.8	1.3	78
62.2	60.6	56.4	46.5	37.9	30.6	27.3	14.5	20.3	10.8	8.8	10.3	7.4	79
106.8	101.3	95.3	77.7	62.7	54.4	45.5	26.4	39.2	20.1	16.1	16.9	12.2	80
22.8	25.3	23.7	18.8	15.8	8.9	10.2	3.3	3.5	3.1	2.8	4.7	3.7	81

















## SECTION 1 - GENERAL MORTALITY

1-29

Table 1-11. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1965

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England <sup>1</sup>	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1965-----	9.4	10.5	10.3	9.6	10.2	9.2	9.6	8.6	7.9	8.3
1964-----	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963-----	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962-----	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961-----	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960-----	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59-----	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54-----	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49-----	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44-----	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39-----	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34-----	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29-----	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24-----	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19-----	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14-----	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09-----	15.2	16.2	---	---	---	---	---	---	---	---
1900-04-----	16.2	16.8	---	---	---	---	---	---	---	---

<sup>1</sup>Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.



## SECTION 1 - GENERAL MORTALITY

Table 1-12. Death Rates: United States, Each Division and State, 1956-65

[Rates per 1,000 population in each area]

Division and State	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
United States	9.4	9.4	9.6	9.5	9.3	9.5	9.4	9.5	9.8	9.4
Geographic divisions:										
New England <sup>1</sup>	10.5	9.8	10.4	10.5	10.4	10.6	10.4	10.8	10.7	10.5
Middle Atlantic	10.3	10.4	10.6	10.4	10.4	10.5	10.4	10.4	10.8	10.3
East North Central	9.7	9.6	9.8	9.6	9.4	9.6	9.5	9.6	9.8	9.5
West North Central	10.1	10.2	10.3	10.1	9.9	10.1	10.0	10.1	10.2	9.7
South Atlantic	9.1	9.0	9.2	9.0	8.8	9.1	8.8	8.9	8.9	8.6
East South Central	9.5	9.5	9.8	9.5	9.2	9.5	9.3	9.7	9.5	9.1
West South Central	8.6	8.6	8.8	8.7	8.4	8.7	8.4	8.6	8.6	8.4
Mountain	7.8	7.9	8.0	7.8	7.7	8.1	8.0	8.0	8.1	8.0
Pacific	8.3	8.5	8.5	8.4	8.4	8.7	8.5	8.6	8.8	8.8
New England:										
Maine	10.9	11.0	11.2	11.2	10.8	11.1	11.3	11.1	10.8	10.8
New Hampshire	10.9	10.8	11.1	10.8	10.9	11.0	11.3	11.3	11.7	11.4
Vermont	11.6	11.4	11.4	11.1	11.1	11.4	11.3	11.3	11.7	11.7
Massachusetts <sup>2</sup>	11.0	9.6	10.5	10.8	10.8	11.0	10.7	11.3	11.1	10.9
Rhode Island	10.9	10.5	10.8	10.5	10.3	10.5	10.3	10.3	10.1	10.0
Connecticut	9.1	9.1	9.5	9.4	9.2	9.4	9.3	9.5	9.6	9.4
Middle Atlantic:										
New York	10.2	10.3	10.5	10.4	10.5	10.6	10.6	10.5	10.5	10.3
New Jersey	9.6	9.6	9.8	9.7	9.7	9.8	9.7	9.8	10.0	9.7
Pennsylvania	10.9	10.8	11.1	10.9	10.6	10.7	10.6	10.7	10.9	10.5
East North Central:										
Ohio	9.6	9.5	9.8	9.6	9.4	9.6	9.4	9.8	9.7	9.5
Indiana	9.8	9.7	10.1	9.7	9.5	9.7	9.8	9.7	9.8	9.6
Illinois	10.2	10.1	10.4	10.2	10.1	10.2	10.1	10.3	10.6	10.2
Michigan	9.0	8.8	9.0	8.8	8.6	8.7	8.6	8.6	8.8	8.6
Wisconsin	9.7	9.5	9.8	9.5	9.3	9.7	9.6	9.7	9.7	9.5
West North Central:										
Minnesota	9.2	9.4	9.3	9.1	9.0	9.3	9.2	9.3	9.5	9.1
Iowa	10.7	10.8	10.6	10.4	10.2	10.4	10.4	10.3	10.3	9.8
Missouri	11.2	11.1	11.5	11.2	10.9	11.2	11.0	11.2	11.3	10.7
North Dakota	8.5	8.6	8.5	8.5	8.2	8.6	8.6	8.6	9.0	8.5
South Dakota	9.3	9.4	9.4	9.3	9.1	9.7	9.4	9.5	9.4	9.0
Nebraska	10.0	10.1	10.0	9.8	9.7	10.0	9.9	9.9	9.9	9.5
Kansas	9.7	9.8	10.0	9.6	9.6	9.7	9.5	9.5	9.6	9.3
South Atlantic:										
Delaware	9.0	8.7	9.2	9.1	8.9	9.4	9.0	9.5	9.2	9.0
Maryland	8.8	8.5	9.0	8.8	8.8	9.0	8.8	9.1	9.2	8.9
District of Columbia	11.3	11.5	11.7	11.4	11.4	11.5	11.6	11.8	11.8	11.3
Virginia	8.3	8.4	8.6	8.5	8.3	8.7	8.4	8.5	8.6	8.4
West Virginia	10.6	10.3	10.7	10.2	9.8	9.7	9.5	9.8	9.7	9.1
North Carolina	8.5	8.3	8.5	8.3	8.0	8.4	8.0	8.2	8.0	7.7
South Carolina	8.5	8.5	8.7	8.3	8.3	8.7	8.4	8.6	8.4	8.3
Georgia	8.8	8.7	9.0	8.8	8.5	9.0	8.6	8.8	8.9	8.8
Florida	10.2	10.1	10.1	9.8	9.4	9.7	9.2	9.4	9.2	9.1
East South Central:										
Kentucky	9.8	9.7	10.2	9.8	9.6	9.9	9.6	9.9	10.0	9.6
Tennessee	9.1	9.2	9.5	9.2	9.0	9.2	9.0	9.3	9.1	8.7
Alabama	9.4	9.3	9.5	9.3	8.9	9.3	9.0	9.3	9.1	8.9
Mississippi	9.8	9.8	10.2	10.0	9.5	10.0	9.8	10.3	9.8	9.5
West South Central:										
Arkansas	9.8	10.0	10.3	10.1	9.6	10.0	9.6	9.9	9.6	9.3
Louisiana	9.1	9.0	9.1	9.0	8.7	9.1	8.8	9.2	9.0	8.8
Oklahoma	9.6	9.8	10.0	9.9	9.6	9.8	9.6	9.8	9.4	9.2
Texas	7.9	8.0	8.1	8.0	7.7	8.1	7.8	7.9	8.0	7.9
Mountain:										
Montana	9.3	9.8	9.4	9.2	9.2	9.7	9.8	9.4	9.7	9.9
Idaho	8.8	8.5	8.5	8.0	8.1	8.1	8.3	8.1	8.2	8.0
Wyoming	8.3	8.5	8.5	8.3	7.9	8.5	8.2	8.1	8.3	8.1
Colorado	8.2	8.5	8.4	8.5	8.3	8.7	8.7	8.7	8.7	8.5
New Mexico	6.6	6.8	6.9	6.7	6.6	6.9	6.7	6.9	7.2	6.9
Arizona	7.5	7.8	7.8	7.6	7.5	7.8	7.8	7.8	7.8	7.5
Utah	6.7	6.6	6.8	6.6	6.5	6.8	6.8	6.9	7.0	6.8
Nevada	7.3	7.5	7.5	7.8	8.4	8.9	8.8	8.6	8.2	8.1
Pacific:										
Washington	9.2	9.5	9.3	9.3	9.2	9.3	9.3	9.2	9.3	9.1
Oregon	9.6	9.6	9.7	9.5	9.4	9.5	9.6	9.0	9.2	9.1
California	8.2	8.4	8.4	8.3	8.3	8.8	8.3	8.5	8.7	8.8
Alaska <sup>2</sup>	5.3	5.8	5.4	5.4	5.4	5.8	5.1	5.2	5.4	5.5
Hawaii <sup>3</sup>	5.1	5.1	5.4	5.1	5.2	5.6	5.4	5.3	5.9	5.6

<sup>1</sup>Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.<sup>2</sup>Figures for 1956-58 are by place of occurrence.<sup>3</sup>Figures for 1956-59 are by place of occurrence.



Table 1-14. Deaths From 60 Selected Causes:  
[Numbers after causes of death are category numbers

Division and State	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-049)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)
1 United States-----	1,828,136	7,934	7,358	576	2,434	243	63	18	55	890	16	276	5,904	297,588	6,501	94,305
Geographic divisions:																
2 New England-----	116,969	398	362	16	161	3	2	-	1	50	1	15	305	20,223	474	6,921
3 Middle Atlantic-----	376,022	1,639	1,717	122	419	25	6	-	6	120	2	22	983	65,950	1,454	22,569
4 East North Central-----	368,213	1,407	1,324	83	414	14	7	-	2	154	1	35	962	61,175	1,222	20,039
5 West North Central-----	160,982	436	405	31	212	8	6	3	5	59	1	17	489	26,069	464	8,426
6 South Atlantic-----	261,810	1,194	1,097	97	400	43	17	4	13	173	3	51	1,106	39,572	932	11,322
7 East South Central-----	121,360	788	734	54	132	27	11	6	8	86	3	32	446	16,922	434	4,870
8 West South Central-----	158,958	828	755	73	298	85	9	4	14	102	6	69	760	24,674	544	7,190
9 Mountain-----	60,271	317	284	33	97	12	3	-	-	39	1	21	270	8,692	164	2,578
10 Pacific-----	203,531	727	660	67	301	26	2	1	6	107	2	14	604	34,311	813	10,390
New England:																
11 Maine-----	10,822	29	28	1	8	-	1	-	1	6	-	3	20	1,764	37	604
12 New Hampshire-----	7,313	9	9	-	10	-	-	-	-	6	-	11	11	1,216	20	388
13 Vermont-----	4,608	21	21	-	5	-	-	-	-	2	-	1	13	698	10	207
14 Massachusetts-----	58,897	225	216	9	96	-	1	-	-	25	1	6	148	10,208	249	3,516
15 Rhode Island-----	9,683	30	30	-	14	2	-	-	-	4	-	-	23	1,753	39	653
16 Connecticut-----	25,646	84	78	6	28	1	-	-	-	7	-	5	90	4,584	119	1,553
Middle Atlantic:																
17 New York-----	185,029	916	849	67	176	11	2	-	3	54	2	8	446	33,267	734	11,417
18 New Jersey-----	65,021	295	270	25	45	11	3	-	1	26	-	2	171	12,025	288	4,167
19 Pennsylvania-----	125,972	628	598	30	198	3	1	-	2	40	-	12	346	20,658	432	6,985
East North Central:																
20 Ohio-----	98,440	374	357	17	122	2	2	-	-	39	-	13	242	16,326	366	5,305
21 Indiana-----	47,831	195	186	9	53	2	-	-	1	18	-	3	161	7,679	132	2,427
22 Illinois-----	108,153	431	404	27	114	4	2	-	-	46	-	8	234	18,030	385	6,032
23 Michigan-----	73,625	293	268	25	87	6	3	-	-	28	-	5	216	12,368	219	3,996
24 Wisconsin-----	40,164	114	109	5	38	-	-	-	-	23	-	6	109	6,752	120	2,279
West North Central:																
25 Minnesota-----	32,559	68	63	5	36	2	1	1	1	19	-	3	94	5,627	81	1,940
26 Iowa-----	29,424	43	40	3	25	1	2	1	-	11	-	1	80	4,716	67	1,501
27 Missouri-----	50,369	219	209	10	93	1	-	-	3	18	-	6	164	7,890	173	2,445
28 North Dakota-----	5,569	11	10	1	7	-	-	-	-	5	-	-	15	873	12	293
29 South Dakota-----	6,529	26	19	7	5	3	-	1	1	1	-	-	16	1,026	16	344
30 Nebraska-----	14,814	27	25	2	15	-	1	-	-	2	1	1	46	2,503	49	876
31 Kansas-----	21,718	42	39	3	31	1	2	-	-	3	-	6	73	3,434	66	1,027
South Atlantic:																
32 Delaware-----	4,540	20	19	1	9	2	-	-	-	3	-	-	14	745	13	229
33 Maryland-----	30,880	201	183	18	55	3	1	-	-	17	-	-	125	5,251	126	1,597
34 District of Columbia-----	9,013	102	93	9	18	-	-	1	-	-	-	1	35	1,475	54	479
35 Virginia-----	37,148	155	135	20	57	5	3	-	3	19	-	4	145	5,553	130	1,520
36 West Virginia-----	19,186	89	84	5	28	1	3	-	-	3	-	7	44	2,785	45	873
37 North Carolina-----	41,693	160	151	9	53	3	-	1	1	39	-	8	172	5,511	126	1,440
38 South Carolina-----	21,723	101	97	4	48	9	4	-	7	26	1	6	98	2,728	50	775
39 Georgia-----	38,134	150	134	16	54	15	4	1	2	31	1	16	214	5,167	144	1,403
40 Florida-----	59,493	216	201	15	78	5	2	1	-	31	1	9	259	10,357	244	3,006
East South Central:																
41 Kentucky-----	31,063	204	192	12	43	3	3	-	-	26	-	6	105	4,603	152	1,388
42 Tennessee-----	35,122	248	229	19	20	5	4	-	1	28	-	7	118	5,124	121	1,497
43 Alabama-----	32,535	260	245	15	39	6	3	5	4	19	-	11	112	4,275	100	1,133
44 Mississippi-----	22,660	76	68	8	30	13	1	1	3	13	-	8	111	2,920	61	852
West South Central:																
45 Arkansas-----	19,287	109	99	10	35	8	-	-	1	6	1	8	86	2,797	54	788
46 Louisiana-----	32,190	173	159	14	77	8	1	1	3	31	1	16	195	4,815	99	1,438
47 Oklahoma-----	23,825	110	98	12	33	7	1	-	3	11	-	3	79	3,788	84	1,114
48 Texas-----	83,656	436	399	37	153	62	7	3	7	54	4	42	400	13,274	307	3,850
Mountain:																
49 Montana-----	6,597	22	20	2	7	-	-	-	-	3	-	-	17	930	21	298
50 Idaho-----	5,939	11	9	2	11	-	-	-	-	5	-	2	16	859	17	253
51 Wyoming-----	2,808	4	4	-	9	-	-	-	-	3	-	-	13	375	7	111
52 Colorado-----	16,220	61	57	4	22	3	1	1	-	7	1	3	74	2,353	40	707
53 New Mexico-----	6,825	68	61	7	13	2	-	-	-	7	-	7	36	902	12	271
54 Arizona-----	12,000	121	109	12	13	7	2	-	-	3	-	7	72	1,875	43	537
55 Utah-----	6,682	13	9	4	13	-	-	-	-	3	-	2	34	920	16	264
56 Nevada-----	3,200	17	15	2	9	-	-	-	-	2	-	-	8	498	8	137
Pacific:																
57 Washington-----	27,475	58	48	10	50	3	-	-	1	12	-	1	57	4,499	104	1,375
58 Oregon-----	18,160	39	35	4	16	1	1	-	-	9	-	1	52	2,927	58	882
59 California-----	152,907	596	543	51	230	20	1	1	5	80	2	11	456	26,010	612	7,800
60 Alaska-----	1,335	12	11	-	-	-	-	-	-	5	-	-	18	143	4	45
61 Hawaii-----	3,654	22	21	1	5	2	-	-	-	1	-	1	21	732	35	288





SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1965-Con.

of the Seventh Revision of the International Lists, 1959

1995-  
1990-1999

Table with columns for various medical conditions (e.g., Cholera, Measles, Tuberculosis, etc.) and corresponding mortality counts. Includes a handwritten note '1995-1990-1999' at the top right. The table contains multiple rows of data for each category.

Table 1-15. Death Rates for 60 Selected Causes:  
 [Rates per 100,000 population in each area. Numbers after causes of death]

Division and State	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)
1 United States----	943.2	4.1	3.6	0.3	1.3	0.1	0.0	0.0	0.0	0.5	0.0	0.1	3.0	153.5	3.4	48.7
<b>Geographic divisions:</b>																
2 New England-----	1,050.7	3.6	3.4	0.1	1.4	0.0	0.0	-	0.0	0.4	0.0	0.1	2.7	181.7	4.3	62.2
3 Middle Atlantic-----	1,035.8	5.1	4.7	0.3	1.2	0.1	0.0	-	0.0	0.3	0.0	0.1	2.6	181.3	4.0	62.1
4 East North Central-----	965.3	3.7	3.5	0.2	1.1	0.0	0.0	-	0.0	0.4	-	0.1	2.5	160.4	3.2	52.5
5 West North Central-----	1,015.9	2.7	2.6	0.2	1.3	0.1	0.0	0.0	0.0	0.4	0.0	0.1	3.1	164.2	2.9	53.1
6 South Atlantic-----	911.7	4.2	3.8	0.3	1.4	0.1	0.0	0.0	0.0	0.6	0.0	0.2	3.9	137.8	3.2	39.4
7 East South Central-----	947.5	6.2	5.7	0.4	1.0	0.2	0.1	0.0	0.1	0.7	-	0.2	3.5	132.1	3.4	38.0
8 West South Central-----	857.9	4.5	4.1	0.4	1.6	0.5	0.0	0.0	0.1	0.6	0.0	0.4	4.1	133.2	2.9	38.8
9 Mountain-----	775.1	4.1	3.7	0.4	1.2	0.2	0.0	-	-	0.5	0.0	0.3	3.5	111.8	2.1	33.2
10 Pacific-----	832.0	3.0	2.7	0.3	1.2	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.5	140.3	3.3	42.5
<b>New England:</b>																
11 Maine-----	1,089.8	2.9	2.8	0.1	0.8	-	0.1	-	0.1	0.6	-	0.3	2.0	177.6	3.7	60.8
12 New Hampshire-----	1,095.1	1.3	1.3	-	1.5	-	-	-	-	0.9	-	-	1.6	181.8	3.0	58.0
13 Vermont-----	1,160.7	5.3	5.3	-	1.3	-	-	-	-	0.5	-	0.3	3.3	175.8	2.5	52.1
14 Massachusetts-----	1,101.1	4.2	4.0	0.2	1.8	-	0.0	-	-	0.5	0.0	0.1	2.8	190.8	4.7	65.7
15 Rhode Island-----	1,086.8	3.4	3.4	-	1.6	0.2	-	-	-	0.4	-	-	2.6	196.7	4.4	73.3
16 Connecticut-----	905.3	3.0	2.8	0.2	1.0	0.0	-	-	-	0.2	-	0.2	3.2	161.8	4.2	54.8
<b>Middle Atlantic:</b>																
17 New York-----	1,023.7	5.1	4.7	0.4	1.0	0.1	0.0	-	0.0	0.3	0.0	0.0	2.5	184.0	4.1	63.2
18 New Jersey-----	959.7	4.4	4.0	0.4	0.7	0.2	0.0	-	0.0	0.4	-	0.0	2.5	177.5	4.3	61.5
19 Pennsylvania-----	1,093.3	5.5	5.2	0.3	1.7	0.0	0.0	-	0.0	0.3	-	0.1	3.0	179.3	3.7	60.6
<b>East North Central:</b>																
20 Ohio-----	960.7	3.6	3.5	0.2	1.2	0.0	0.0	-	-	0.4	-	0.1	2.4	159.3	3.6	51.8
21 Indiana-----	978.9	4.0	3.8	0.2	1.1	0.0	-	-	0.0	0.4	-	0.1	3.3	157.2	2.7	49.7
22 Illinois-----	1,015.9	4.0	3.8	0.3	1.1	0.0	0.0	-	0.0	0.4	-	0.1	2.2	169.4	3.6	56.7
23 Michigan-----	895.7	3.6	3.3	0.3	1.1	0.1	0.0	-	-	0.3	-	0.1	2.6	150.7	2.7	48.6
24 Wisconsin-----	969.0	2.8	2.6	0.1	0.9	-	-	-	-	0.6	-	0.1	2.6	162.9	2.9	55.0
<b>West North Central:</b>																
25 Minnesota-----	915.9	1.9	1.8	0.1	1.0	0.1	0.0	0.0	0.0	0.5	-	0.1	2.6	158.3	2.3	54.6
26 Iowa-----	1,066.1	1.6	1.4	0.1	0.9	0.0	0.1	0.0	-	0.4	-	0.0	2.9	170.9	2.4	54.4
27 Missouri-----	1,119.8	4.9	4.6	0.2	2.1	0.0	-	-	0.1	0.4	-	0.1	3.6	175.4	3.8	54.4
28 North Dakota-----	854.1	1.7	1.5	0.2	1.1	-	-	-	-	0.8	-	-	2.3	133.9	1.8	44.9
29 South Dakota-----	925.7	3.7	2.7	1.0	0.7	0.4	-	0.1	0.1	0.1	-	-	2.3	145.9	2.3	48.9
30 Nebraska-----	1,005.0	1.8	1.7	0.1	1.0	-	0.1	-	-	0.1	0.1	0.1	3.1	169.5	3.3	59.3
31 Kansas-----	972.2	1.9	1.7	0.1	1.4	0.0	0.1	-	-	0.1	-	0.3	3.3	153.7	3.0	46.0
<b>South Atlantic:</b>																
32 Delaware-----	899.0	4.0	3.8	0.2	1.8	0.4	-	-	-	0.6	-	-	2.8	147.5	2.6	45.3
33 Maryland-----	877.0	5.7	5.2	0.5	1.6	0.1	0.0	-	-	0.5	-	-	3.6	149.1	3.6	45.4
34 District of Columbia-----	1,125.2	12.7	11.6	1.1	2.2	-	-	0.1	-	0.5	-	0.1	4.4	184.1	6.7	59.8
35 Virginia-----	833.7	3.5	3.0	0.4	1.3	0.1	0.1	0.1	0.1	0.4	-	0.1	3.3	124.6	2.9	34.1
36 West Virginia-----	1,058.8	4.9	4.6	0.3	1.5	0.1	0.2	-	-	0.2	-	0.4	2.4	153.7	2.5	48.2
37 North Carolina-----	848.5	3.3	3.1	0.2	1.1	0.1	-	0.0	0.0	0.8	-	0.2	3.5	112.1	2.6	29.3
38 South Carolina-----	854.2	4.0	3.8	0.2	1.9	0.4	0.2	-	0.3	1.0	0.0	0.2	3.9	107.3	2.0	30.5
39 Georgia-----	875.0	3.4	3.1	0.4	1.2	0.3	0.1	0.0	0.0	0.7	0.0	0.4	4.9	118.6	3.3	32.2
40 Florida-----	1,024.9	3.7	3.5	0.3	1.3	0.1	0.0	0.0	-	0.5	0.0	0.2	4.5	178.4	4.2	51.8
<b>East South Central:</b>																
41 Kentucky-----	977.1	6.4	6.0	0.4	1.4	0.1	0.1	-	-	0.8	-	0.2	3.3	144.8	4.8	43.7
42 Tennessee-----	913.2	6.4	6.0	0.5	0.5	0.1	0.1	-	0.0	0.7	-	0.2	3.1	133.2	3.1	38.9
43 Alabama-----	939.5	7.5	7.1	0.4	1.1	0.2	0.1	0.1	0.1	0.5	-	0.3	3.2	123.4	2.9	32.7
44 Mississippi-----	975.9	3.3	2.9	0.3	1.3	0.6	0.0	0.0	0.1	0.6	-	0.3	4.8	125.8	2.6	36.7
<b>West South Central:</b>																
45 Arkansas-----	984.0	5.6	5.1	0.5	1.8	0.4	-	-	0.1	0.3	0.1	0.4	4.4	142.7	2.8	40.2
46 Louisiana-----	910.9	4.9	4.5	0.4	2.2	0.2	0.0	0.0	0.1	0.9	0.0	0.5	5.5	136.2	2.8	40.7
47 Oklahoma-----	959.5	4.4	3.9	0.5	1.3	0.3	0.0	-	0.1	0.4	-	0.1	3.2	152.6	3.4	44.9
48 Texas-----	792.8	4.1	3.8	0.4	1.4	0.6	0.1	0.0	0.1	0.5	0.0	0.4	3.8	125.8	2.9	36.5
<b>Mountain:</b>																
49 Montana-----	934.4	3.1	2.8	0.3	1.0	-	-	-	-	0.4	-	-	2.4	131.7	3.0	42.2
50 Idaho-----	858.2	1.6	1.3	0.3	1.6	-	-	-	-	0.7	-	0.3	2.3	121.2	2.5	36.6
51 Wyoming-----	825.9	1.2	1.2	-	2.6	-	-	-	-	0.9	-	-	3.8	110.3	2.1	32.6
52 Colorado-----	823.8	3.1	2.9	0.2	1.1	0.2	0.1	-	-	0.4	0.1	0.2	3.8	119.5	2.0	35.9
53 New Mexico-----	663.3	6.6	5.9	0.7	1.3	0.2	-	-	-	0.7	-	0.7	3.5	87.7	1.2	26.3
54 Arizona-----	745.8	7.5	6.8	0.7	0.8	0.4	0.1	-	-	0.6	-	0.4	4.5	116.5	2.7	33.4
55 Utah-----	674.9	1.3	0.9	0.4	1.3	-	-	-	-	0.3	-	0.2	3.4	92.9	1.6	26.7
56 Nevada-----	727.3	3.9	3.4	0.5	2.0	-	-	-	-	0.5	-	-	1.8	113.2	1.8	31.1
<b>Pacific:</b>																
57 Washington-----	918.9	1.9	1.6	0.3	1.7	0.1	-	-	0.0	0.4	-	0.0	1.9	150.5	3.5	46.0
58 Oregon-----	955.8	2.1	1.8	0.2	0.8	0.1	0.1	-	-	0.5	-	0.1	2.7	154.1	3.1	46.4
59 California-----	821.7	3.2	2.9	0.3	1.2	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.5	139.8	3.3	41.9
60 Alaska-----	527.7	4.7	4.3	-	-	-	-	-	-	2.0	-	-	7.1	56.5	1.6	17.8
61 Hawaii-----	513.9	3.1	3.0	0.1	0.7	0.3	-	-	-	0.1	-	0.1	3.0	103.0	4.9	40.5





SECTION 1 - GENERAL MORTALITY

Table 1-15. Death Rates for 60 Selected Causes:  
[Rates per 100,000 population in each area. Numbers after causes of death

Division and State	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-466)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonary diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (561)
1 United States-----	15.1	28.4	6.0	19.7	14.1	5.5	31.9	1.2	30.6	3.0	13.7	5.4	0.9	5.2	4.1	12.8
Geographic divisions:																
2 New England-----	11.9	23.6	7.0	24.8	18.1	5.4	41.3	1.3	40.0	4.3	13.8	6.6	0.9	5.8	4.2	16.0
3 Middle Atlantic-----	11.5	31.1	6.2	19.6	14.9	5.4	35.3	0.6	34.8	3.0	11.6	6.4	1.0	5.5	4.1	17.4
4 East North Central-----	13.8	28.9	6.9	23.7	13.7	5.3	29.4	1.1	28.3	3.0	13.6	5.9	0.9	5.2	5.7	11.7
5 West North Central-----	16.7	25.0	6.6	24.9	15.0	5.4	35.4	2.3	33.1	2.9	14.6	5.3	1.0	6.0	5.8	8.8
6 South Atlantic-----	18.4	36.3	6.9	15.6	14.1	5.9	32.9	1.3	31.6	2.6	13.6	4.4	0.9	4.7	4.1	10.6
7 East South Central-----	20.1	37.7	7.0	19.6	12.4	7.3	33.8	2.1	31.7	2.8	12.9	4.1	0.9	4.8	5.6	6.5
8 West South Central-----	24.2	24.1	5.0	15.5	11.7	6.8	29.9	1.8	28.1	2.8	13.3	4.0	0.9	5.1	4.7	8.2
9 Mountain-----	14.0	15.1	4.1	15.9	13.4	4.1	30.0	1.0	29.0	3.8	18.8	5.3	0.9	5.0	4.6	10.3
10 Pacific-----	9.6	20.9	3.3	16.8	13.7	4.0	24.5	0.4	24.1	2.6	15.4	5.4	0.6	4.5	3.1	18.7
New England:																
11 Maine-----	15.1	30.8	6.9	34.6	16.4	6.7	35.9	5.0	30.8	5.6	14.4	5.9	1.4	6.5	4.6	9.2
12 New Hampshire-----	13.2	28.3	8.8	47.7	18.1	6.1	34.7	2.2	32.4	3.6	16.7	7.6	1.0	6.9	4.0	14.5
13 Vermont-----	10.6	25.4	10.1	27.7	17.4	5.5	45.8	3.3	42.6	5.3	20.7	7.1	0.8	5.5	7.1	10.3
14 Massachusetts-----	13.1	23.8	6.8	22.2	20.5	5.5	49.1	0.9	48.3	4.7	14.2	7.4	0.9	5.8	4.1	19.2
15 Rhode Island-----	11.1	23.7	9.7	17.7	15.3	5.1	30.1	0.3	29.7	5.3	15.0	6.3	1.7	6.5	4.0	14.8
16 Connecticut-----	8.8	19.4	5.9	22.8	15.2	4.8	32.7	0.6	32.1	3.0	10.9	5.2	0.5	5.1	4.1	13.8
Middle Atlantic:																
17 New York-----	7.6	30.0	6.0	17.2	13.6	5.0	39.8	0.4	39.3	3.5	11.0	7.3	0.9	5.1	4.1	21.1
18 New Jersey-----	10.8	29.1	5.9	17.2	13.1	4.8	29.0	0.4	28.6	2.6	10.6	5.6	1.0	5.1	4.4	16.0
19 Pennsylvania-----	17.8	34.0	6.6	24.8	17.9	6.3	32.1	0.9	31.2	2.4	13.3	5.6	1.1	6.5	4.0	12.3
East North Central:																
20 Ohio-----	13.3	34.2	6.8	24.8	14.8	4.8	25.2	1.4	23.8	3.7	14.5	6.0	0.8	5.4	4.0	11.6
21 Indiana-----	15.8	30.8	7.2	28.8	13.1	5.5	27.2	1.4	26.3	2.0	15.5	5.4	0.8	5.2	3.8	9.6
22 Illinois-----	14.6	29.3	8.1	21.1	11.9	5.8	37.7	0.7	37.0	3.0	11.1	6.3	0.9	5.1	3.7	13.1
23 Michigan-----	13.3	22.3	5.6	20.9	13.3	5.1	25.4	1.2	24.3	3.1	15.3	5.4	0.9	4.7	3.6	12.7
24 Wisconsin-----	11.7	26.1	6.8	27.6	17.5	5.0	28.2	1.1	27.0	2.4	12.1	5.9	1.2	6.0	3.4	9.0
West North Central:																
25 Minnesota-----	11.2	21.7	4.5	21.4	14.7	3.3	28.0	0.8	27.2	2.6	12.4	4.3	0.7	4.5	3.5	7.7
26 Iowa-----	17.1	25.7	7.4	29.0	15.7	4.6	36.3	2.3	34.0	2.5	17.1	5.6	1.3	6.3	4.1	7.4
27 Missouri-----	22.1	30.1	8.3	25.1	16.9	7.3	42.8	2.6	40.3	3.1	15.3	5.2	1.0	7.4	4.0	11.5
28 North Dakota-----	13.2	13.7	4.9	21.3	12.6	2.9	29.0	0.9	28.1	3.7	7.8	4.6	1.2	6.1	4.8	7.7
29 South Dakota-----	19.2	20.1	6.4	20.8	11.2	5.4	28.0	1.8	26.2	2.4	15.2	5.3	0.6	5.4	3.0	5.4
30 Nebraska-----	14.3	24.0	5.1	25.4	13.6	5.2	39.2	3.6	35.6	3.4	1.99	7.0	1.0	5.1	3.8	9.1
31 Kansas-----	15.7	24.8	7.3	26.7	13.9	6.4	32.9	4.0	28.9	3.4	15.5	5.8	1.0	6.0	3.6	8.2
South Atlantic:																
32 Delaware-----	15.8	46.7	4.8	17.0	12.7	5.1	19.4	0.4	19.0	1.6	18.8	4.2	0.2	3.4	4.4	12.5
33 Maryland-----	13.1	42.1	5.1	13.7	13.1	4.9	27.4	0.5	26.9	2.9	12.4	4.0	0.8	5.1	3.6	16.0
34 District of Columbia-----	10.6	72.7	7.9	15.5	30.1	7.6	53.9	-	53.9	3.2	12.0	7.0	1.6	6.4	4.2	39.2
35 Virginia-----	14.4	34.2	6.5	16.5	13.0	5.2	31.4	1.2	30.2	2.4	12.3	4.1	0.8	4.4	3.0	8.5
36 West Virginia-----	19.8	35.6	9.4	24.1	13.8	6.1	39.0	1.4	37.5	4.0	16.7	4.6	0.8	5.6	3.8	8.8
37 North Carolina-----	21.0	36.3	7.5	13.6	10.8	6.0	29.9	1.3	28.7	2.5	9.3	3.7	0.6	4.2	3.9	7.0
38 South Carolina-----	19.0	44.9	7.0	15.3	12.0	6.8	29.1	2.2	26.9	1.4	11.0	3.3	1.0	4.2	5.5	5.4
39 Georgia-----	19.3	35.8	6.9	15.2	12.5	6.9	40.3	2.0	38.3	2.8	13.2	4.9	1.0	4.3	4.1	7.0
40 Florida-----	22.3	25.4	7.0	15.3	18.7	5.6	32.3	1.3	31.1	2.7	19.3	5.1	1.0	5.2	5.1	13.2
East South Central:																
41 Kentucky-----	23.5	33.7	6.1	24.4	13.9	5.9	36.3	1.5	34.8	3.0	14.6	4.7	0.8	5.4	4.6	7.3
42 Tennessee-----	12.1	32.7	7.1	19.3	12.0	6.8	33.3	1.8	31.5	3.3	14.0	4.3	1.1	4.2	4.1	6.7
43 Alabama-----	24.2	39.9	6.8	17.5	11.1	8.0	32.5	2.6	29.9	2.1	11.6	4.0	0.5	4.2	4.9	6.5
44 Mississippi-----	22.4	48.1	8.4	16.5	13.1	9.1	33.2	2.6	30.6	2.8	10.8	3.0	1.0	6.1	10.8	4.9
West South Central:																
45 Arkansas-----	28.0	30.6	7.2	17.0	12.9	9.0	34.2	3.0	31.2	3.3	13.6	4.1	1.0	5.7	3.3	7.1
46 Louisiana-----	21.8	38.2	4.9	15.8	13.6	7.3	31.6	1.2	30.3	2.4	12.2	3.6	0.7	5.7	5.1	8.2
47 Oklahoma-----	23.8	20.7	6.1	19.8	12.7	9.0	29.9	2.3	27.6	2.3	15.5	5.2	1.1	5.2	3.2	9.0
48 Texas-----	24.4	19.0	4.4	14.1	10.7	5.6	28.5	1.6	26.9	3.0	13.1	3.9	0.8	4.8	5.2	8.3
Mountain:																
49 Montana-----	20.7	18.4	3.1	26.1	15.6	4.8	29.3	0.7	28.6	2.4	17.0	4.5	0.7	6.5	4.2	9.9
50 Idaho-----	12.9	18.5	5.8	16.0	15.9	5.6	24.6	1.7	22.8	3.6	20.5	4.5	0.4	5.2	4.9	5.2
51 Wyoming-----	19.1	12.9	3.8	16.2	17.6	3.8	37.1	1.5	35.8	4.4	16.2	6.2	2.4	5.6	2.9	7.6
52 Colorado-----	15.2	16.7	4.6	20.7	16.4	4.1	40.7	1.1	39.6	3.5	17.8	6.2	0.8	5.0	3.3	10.6
53 New Mexico-----	14.4	11.2	4.1	12.6	9.0	5.3	22.7	0.9	21.9	4.9	13.9	4.2	1.1	4.9	7.0	10.5
54 Arizona-----	8.5	13.5	4.7	13.7	11.6	3.0	30.8	0.7	30.1	4.8	27.0	5.7	1.0	4.7	6.2	13.1
55 Utah-----	14.2	15.2	2.1	9.1	10.8	3.5	23.3	1.4	21.9	3.2	12.9	4.9	0.9	4.3	3.3	6.4
56 Nevada-----	14.8	13.6	3.2	8.6	12.0	3.2	15.9	0.2	15.7	3.0	20.0	4.3	0.9	4.5	3.0	18.2
Pacific:																
57 Washington-----	16.2	23.2	3.5	25.5	13.7	4.1	26.8	0.8	25.9	2.7	14.8	5.4	0.7	4.2	3.7	10.4
58 Oregon-----	14.3	25.0	3.3	25.0	15.9	4.1	27.8	0.2	27.6	2.7	15.6	6.1	0.6	4.7	3.2	13.6
59 California-----	8.1	20.1	3.3	15.1	13.9	3.9	24.0	0.3	23.7	2.6	15.9	5.5	0.6	4.6	2.9	21.1
60 Alaska-----	18.6	2.0	1.2	11.9	5.5	1.2	26.9	2.8	24.1	2.4	7.9	2.8	0.4	3.2	10.7	7.5
61 Hawaii-----	5.9	26.7	2.7	3.5	6.9	6.5	17.0	0.3	16.7	2.5	6.8	2.3	0.4	2.4	2.8	6.5

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1965-Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hypertrophia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649, 660-689)	Congenital malformations (750-755)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (residual)	Accidents (E800-E862)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E862)	Suicide (E965, E970-E979)	Homicide (E964, E980-E985)	
2.4	0.7	5.1	1.8	0.6	0.1	0.5	10.1	28.6	11.9	2.0	14.6	12.1	28.6	55.7	25.4	30.4	11.1	5.5	1
2.8	0.8	5.0	1.7	0.3	0.0	0.3	10.3	26.4	11.0	1.5	13.8	5.9	31.3	47.1	17.5	29.7	9.3	2.2	2
2.7	0.6	4.6	1.9	0.6	0.2	0.5	9.6	26.9	11.7	1.5	13.7	11.7	29.9	43.8	17.3	26.5	9.2	4.0	3
2.8	0.8	4.7	1.9	0.5	0.1	0.4	10.6	28.9	14.3	1.9	12.5	5.0	28.9	52.1	25.0	27.1	10.5	4.2	4
3.0	0.6	4.5	2.2	0.4	0.1	0.3	9.9	25.3	10.4	1.4	13.5	9.8	31.1	61.9	28.8	33.1	11.0	3.4	5
1.8	0.7	6.4	1.7	0.8	0.1	0.7	10.2	32.9	12.5	2.7	17.6	17.2	30.1	61.0	28.1	33.0	11.4	9.3	6
2.2	0.9	6.7	2.3	0.9	0.1	0.8	10.3	32.9	11.2	3.3	18.5	35.8	28.3	65.0	31.1	33.9	9.4	9.5	7
2.1	0.8	5.9	1.5	0.8	0.1	0.7	10.2	31.1	11.4	2.8	17.0	17.3	27.4	63.0	30.3	32.8	9.0	7.7	8
2.4	0.5	4.0	1.6	0.5	0.1	0.4	10.4	28.8	10.7	1.7	16.4	17.4	28.3	70.9	33.0	37.9	14.3	4.4	9
2.0	0.5	4.2	1.2	0.5	0.2	0.3	9.5	24.6	10.6	1.7	12.4	3.7	25.9	57.5	27.0	30.5	16.6	4.9	10
2.5	1.1	6.6	2.4	0.3	-	0.3	8.7	27.5	13.1	1.5	12.9	8.9	31.4	51.6	21.8	29.8	13.0	2.0	11
1.8	0.9	4.5	2.5	0.1	-	0.1	12.0	24.5	9.0	1.8	13.8	11.5	30.2	46.2	20.6	25.6	12.1	2.2	12
4.0	0.5	6.3	4.8	-	-	-	14.9	24.9	10.6	0.5	13.9	15.1	35.5	73.3	33.0	40.3	14.9	1.0	13
2.7	0.8	5.0	1.6	0.3	0.0	0.3	10.2	26.2	9.8	1.8	14.6	4.6	33.5	50.0	16.9	33.0	8.2	2.3	14
3.0	0.8	5.6	1.1	0.1	-	0.1	9.9	27.3	15.2	1.2	10.9	2.9	29.4	42.2	12.9	29.3	6.6	2.8	15
3.0	0.5	4.2	1.0	0.4	0.1	0.4	10.2	26.7	11.8	1.3	13.6	5.7	27.4	38.4	15.5	22.9	9.4	2.2	16
2.7	0.5	4.8	2.1	0.8	0.3	0.5	9.6	27.5	11.9	1.6	14.0	6.3	25.9	42.1	15.9	26.2	9.2	4.6	17
2.7	0.7	4.4	1.5	0.7	0.2	0.5	9.7	26.9	13.0	1.4	12.6	3.8	24.8	41.1	16.8	24.3	8.4	3.3	18
2.6	0.8	4.4	1.8	0.4	0.1	0.3	9.4	26.1	10.8	1.4	13.8	25.0	39.0	48.2	19.9	28.4	9.8	3.4	19
2.6	0.6	5.3	1.6	0.4	0.0	0.4	10.4	26.2	11.8	1.4	13.0	6.6	28.1	50.5	23.1	27.4	11.1	4.1	20
2.5	0.9	4.7	1.7	0.5	0.0	0.5	10.5	28.8	12.5	1.4	14.8	4.7	30.3	60.8	31.3	29.5	10.8	3.7	21
2.5	0.9	4.8	2.1	0.5	0.1	0.5	10.2	31.1	20.1	3.2	7.9	4.1	23.6	47.0	21.7	25.3	9.6	5.2	22
2.9	0.7	3.8	2.0	0.7	0.2	0.5	11.2	29.6	12.5	1.4	15.7	4.1	26.6	54.6	27.5	27.1	10.6	4.5	23
3.9	0.8	4.7	2.0	0.3	0.0	0.2	11.0	27.7	11.8	1.4	14.5	5.8	28.2	53.8	25.4	28.4	11.3	1.5	24
3.0	0.3	4.1	1.8	0.3	0.1	0.3	10.9	24.5	10.5	0.9	13.1	5.5	27.3	56.1	25.5	30.5	10.2	1.6	25
3.2	0.5	3.9	1.9	0.3	0.1	0.2	9.9	22.7	9.5	1.1	12.1	3.2	33.0	63.6	29.5	34.1	11.4	1.6	26
2.6	0.8	4.8	2.5	0.5	0.1	0.4	9.9	27.8	11.0	2.0	14.8	20.6	32.9	65.7	30.0	35.7	12.0	6.8	27
2.5	0.9	3.2	2.8	0.5	-	0.5	9.0	26.7	10.0	0.9	15.8	5.8	29.1	60.1	27.3	32.8	8.7	0.9	28
3.3	0.6	4.1	1.6	0.4	-	0.4	7.8	25.2	8.0	1.1	16.1	13.1	29.3	73.1	35.8	37.3	8.4	2.1	29
4.1	0.7	3.7	3.0	0.3	-	0.3	10.0	28.2	13.1	1.4	13.6	2.6	29.5	57.5	26.9	30.6	11.8	2.6	30
2.7	0.7	4.7	2.0	0.5	0.1	0.4	9.1	22.2	8.8	1.4	12.0	7.8	33.5	61.5	30.3	31.2	10.9	3.0	31
1.0	0.6	4.2	0.6	0.6	-	0.6	9.9	30.9	15.0	0.6	15.2	2.6	30.5	49.7	21.8	27.9	10.9	5.0	32
1.3	0.3	3.7	1.3	0.8	0.2	0.6	10.2	33.1	12.7	2.8	17.6	3.6	29.9	48.7	21.1	27.6	11.2	7.2	33
2.2	0.9	15.5	2.4	1.2	0.2	1.0	9.5	49.9	13.6	1.9	34.5	30.1	37.6	68.8	17.5	51.3	8.9	15.2	34
1.5	0.8	5.5	1.6	0.6	0.1	0.5	10.3	31.9	12.3	2.2	17.4	12.3	30.3	55.5	23.3	32.2	11.4	7.4	35
3.0	0.6	5.7	3.1	0.8	0.1	0.7	10.5	29.4	12.4	1.8	15.2	33.4	30.4	65.6	26.7	38.9	10.7	3.5	36
1.7	0.8	6.1	1.2	0.8	0.1	0.7	10.7	32.9	13.2	2.2	17.5	20.5	28.8	65.5	33.3	32.3	9.8	9.9	37
1.6	0.9	6.2	1.4	1.4	0.2	1.2	9.6	32.8	10.8	4.3	17.7	23.4	25.1	70.7	33.4	37.3	8.9	10.8	38
1.0	1.0	6.8	1.7	1.1	0.1	1.0	10.0	34.8	12.6	4.2	18.0	14.1	29.7	64.0	32.1	31.9	10.7	12.4	39
2.6	0.8	8.0	2.0	0.7	0.3	0.6	10.3	30.7	12.2	2.3	16.2	20.7	32.6	60.9	28.6	32.3	15.2	10.0	40
2.6	0.6	6.4	2.3	0.4	-	0.4	10.1	27.5	10.1	2.1	15.3	8.4	30.1	62.3	27.6	34.7	10.9	7.5	41
2.5	0.4	6.4	2.1	0.7	0.1	0.6	10.0	30.7	12.1	2.5	16.0	17.2	27.1	59.0	29.9	29.1	9.9	8.3	42
1.8	1.3	6.8	1.9	1.0	0.1	0.9	10.2	33.6	10.7	3.8	19.1	53.9	28.7	70.6	35.7	34.9	9.5	11.8	43
1.6	1.4	7.4	3.0	1.7	0.1	1.6	11.1	43.0	11.8	5.2	25.9	77.3	27.0	70.4	31.2	39.2	6.7	10.9	44
2.0	1.2	6.9	1.5	0.5	0.1	0.4	9.7	25.5	8.1	2.3	15.1	30.2	25.3	73.3	33.5	39.7	8.9	7.3	45
1.4	0.5	7.8	1.6	1.2	0.1	1.0	12.3	40.4	13.9	4.2	22.2	6.3	29.8	70.6	30.3	40.3	7.5	9.7	46
3.0	1.2	6.2	2.2	0.6	0.0	0.5	8.5	23.5	8.9	1.5	13.1	23.9	30.9	62.5	30.6	31.9	9.7	4.6	47
2.2	0.7	5.1	1.3	0.8	0.1	0.7	10.0	30.9	11.7	2.6	16.5	17.1	26.2	58.7	29.6	29.2	9.4	7.9	48
3.1	0.3	4.2	1.6	0.3	-	0.3	10.2	29.0	8.8	1.4	18.8	33.4	33.6	85.1	39.4	45.8	13.5	2.8	49
1.6	0.4	3.3	2.6	0.3	-	0.3	9.5	27.7	9.7	1.4	16.6	11.3	25.0	84.0	34.0	50.0	11.3	3.6	50
2.6	0.3	4.1	1.5	0.3	-	0.3	9.4	26.5	10.3	1.8	14.4	6.8	34.7	82.1	37.6	44.4	17.9	3.2	51
2.5	0.3	4.4	1.6	0.5	0.2	0.3	10.8	27.5	9.8	1.6	16.1	4.8	31.0	62.8	27.0	35.8	17.8	3.7	52
2.4	1.2	3.4	2.1	0.9	-	0.9	10.7	35.4	12.5	3.0	19.8	39.4	26.2	78.4	41.3	37.1	11.0	5.8	53
2.9	0.7	5.3	1.4	0.6	0.1	0.5	9.6	28.5	11.2	2.2	15.2	11.0	24.1	63.7	31.0	32.8	13.5	6.0	54
2.0	0.2	2.7	0.6	0.5	-	0.5	10.4	25.2	12.2	0.8	12.1	29.4	28.0	64.8	30.2	34.6	11.0	1.9	55
0.7	0.7	2.0	2.3	0.2	-	0.2	12.7	31.8	9.5	0.7	21.6	10.2	29.5	78.4	39.3	39.1	19.5	8.4	56
1.9	0.4	3.0	1.5	0.4	0.1	0.3	8.7	21.8	9.0	1.0	11.9	8.0	30.1	63.7	27.5	36.3	14.4	2.9	57
2.7	0.7	4.7	1.6	0.1	-	0.1	8.8	19.8	7.8	1.4	10.6	10.1	28.5	69.8	35.3	34.5	15.8	4.1	58
1.9	0.5	4.4	1.2	0.6	0.2	0.3	9.6	25.1	11.2	1.8	12.2	2.2	25.4	55.4	26.6	28.8	17.4	5.3	59
1.2	-	1.2	1.6	1.2	-	1.2	14.2	41.1	12.3	4.3	24.5	12.6	24.1	110.7	22.5	88.1	18.2	9.5	60
1.8	0.4	3.4	0.3	-	-	-	9.8	30.9	8.2	3.8	19.0	5.3	14.9	33.5	13.2	20.3	7.2	3.5	61

## SECTION 1 - GENERAL MORTALITY

Table 1-16. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1965

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years <sup>1</sup> and over
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)--	1,169	119	234	245	248	234	102	7
White----	656	52	152	122	130	132	64	4
Nonwhite--	533	67	82	123	118	102	38	3
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	147	15	29	37	33	19	14	-
White----	86	8	19	22	18	14	5	-
Nonwhite--	61	7	10	15	15	5	9	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	211	29	45	42	40	37	18	-
White----	108	10	36	20	17	16	9	-
Nonwhite--	103	19	9	22	23	21	9	-
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	187	8	37	27	39	52	22	2
White----	119	4	29	12	20	34	18	2
Nonwhite--	68	4	8	15	19	18	4	-
Ectopic pregnancy (645)-----	70	9	11	16	14	13	4	1
White----	27	5	4	9	3	2	3	1
Nonwhite--	43	4	7	9	11	11	1	-
Abortion without mention of sepsis or toxemia (650)-----	67	8	18	18	14	9	-	-
White----	29	4	9	5	5	6	-	-
Nonwhite--	38	4	9	13	9	3	-	-
Abortion with sepsis (651)-----	158	19	35	37	35	21	11	-
White----	74	5	18	17	20	8	6	-
Nonwhite--	84	14	17	20	15	13	5	-
Abortion with toxemia, without mention of sepsis (652)-----	10	-	5	2	3	-	-	-
White----	3	-	2	1	-	-	-	-
Nonwhite--	7	-	3	1	3	-	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	339	31	54	64	70	85	33	4
White----	210	16	35	36	47	52	23	1
Nonwhite--	129	15	19	28	23	31	10	3
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)--	31.6	19.9	17.5	26.5	46.8	62.7	124.8	151.7
White----	21.0	11.7	13.4	15.4	29.1	55.8	93.7	107.4
Nonwhite--	63.7	43.9	39.9	91.5	141.8	220.0	283.9	337.1
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	3.9	2.5	2.2	4.0	6.2	6.7	17.1	-
White----	2.8	1.8	1.7	2.8	4.0	5.9	7.3	-
Nonwhite--	9.6	4.6	4.9	11.2	18.0	10.8	67.2	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	5.6	4.8	3.4	4.5	7.6	13.1	22.0	-
White----	3.5	2.2	3.2	2.5	3.8	6.8	13.2	-
Nonwhite--	16.2	12.5	4.4	16.4	27.6	45.3	67.2	-
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	5.0	1.3	2.8	2.9	7.4	16.4	26.9	43.3
White----	3.8	0.9	2.6	1.5	4.5	14.4	26.3	53.7
Nonwhite--	10.7	2.6	3.9	11.2	22.8	38.8	29.9	-
Ectopic pregnancy (645)-----	1.9	1.5	0.8	1.9	2.6	4.6	4.9	21.7
White----	0.9	1.1	0.4	1.1	0.7	0.8	4.4	26.9
Nonwhite--	6.8	2.6	3.4	6.7	13.2	23.7	7.5	-
Abortion without mention of sepsis or toxemia (650)-----	1.8	1.3	1.3	1.9	2.6	3.2	-	-
White----	0.9	0.9	0.8	0.6	1.1	2.5	-	-
Nonwhite--	6.0	2.6	4.4	9.7	10.8	6.5	-	-
Abortion with sepsis (651)-----	4.2	3.2	2.6	4.0	6.6	7.4	13.5	-
White----	2.4	1.1	1.6	2.1	4.5	3.4	8.8	-
Nonwhite--	13.2	9.2	8.3	14.9	18.0	28.0	37.4	-
Abortion with toxemia, without mention of sepsis (652)-----	0.3	-	0.4	0.2	0.6	-	-	-
White----	0.1	-	0.2	0.1	-	-	-	-
Nonwhite--	1.1	-	1.5	0.7	3.6	-	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	9.0	5.2	4.0	6.9	13.2	29.3	40.4	86.7
White----	6.7	3.6	3.1	4.5	10.5	22.0	33.7	26.9
Nonwhite--	20.3	9.8	9.2	20.8	27.6	66.9	74.7	337.1

<sup>1</sup>Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

## SECTION 1 - GENERAL MORTALITY

1-41

Table 1-17 Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-65

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time]

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1965	31.6	21.0	83.7	1949	90.3	68.1	234.8
1964	33.3	22.3	89.9	1948	116.6	89.4	301.0
1963 <sup>1</sup>	35.8	24.0	96.9	1947	134.5	108.6	334.6
1962 <sup>1</sup>	35.2	23.8	95.9	1946	156.7	130.7	358.9
1961	36.9	24.9	101.3	1945	207.2	172.1	454.8
1960	37.1	26.0	97.9	1944	227.9	189.4	506.0
1959	37.4	25.8	102.1	1943	245.2	210.5	509.9
1958	37.6	26.3	101.8	1942	258.7	221.8	544.0
1957	41.0	27.5	118.3	1941	316.5	266.0	678.1
1956	40.9	28.7	110.7	1940	376.0	319.8	773.5
1955	47.0	32.8	130.3	1935-39	493.9	439.9	875.5
1954	52.4	37.2	143.8	1930-34 <sup>2</sup>	636.0	575.4	1,080.7
1953	61.1	44.1	166.1	1925-29	668.6	615.0	1,163.7
1952	67.8	48.9	188.1	1920-24	689.5	649.2	1,134.3
1951	75.0	54.9	201.3	1915-19	727.9	700.3	1,253.5
1950	83.3	61.1	221.6				

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.<sup>2</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 1-18. Maternal Mortality Rates by Color: United States, Each Division and State, 1963-65 (3-Year Average)

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group, 1963-65. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	Nonwhite	Division and State	Total	White	Nonwhite
United States <sup>1</sup>	35.6	22.4	90.2	South Atlantic:			
Geographic divisions:				Delaware	*26.8	*22.4	*43.7
New England:				Maryland	29.6	20.1	63.1
Maine	18.0	15.4	69.0	District of Columbia	67.6	*6.8	88.4
Middle Atlantic <sup>1</sup>	35.5	23.4	107.0	Virginia	37.1	21.6	84.8
East North Central	26.1	19.6	74.7	West Virginia	42.5	40.6	*81.5
West North Central	22.9	19.6	67.5	North Carolina	43.7	16.9	101.7
South Atlantic	43.8	22.8	93.6	South Carolina	63.1	25.5	115.9
East South Central	54.7	25.3	126.0	Georgia	52.6	27.4	98.4
West South Central	43.7	32.2	84.2	Florida	39.9	20.4	93.1
Mountain	30.1	24.3	90.7	East South Central:			
Pacific	25.9	21.9	53.0	Kentucky	27.9	22.7	*83.0
New England:				Tennessee	40.7	22.6	104.5
Maine	*26.6	*29.0	-	Alabama	72.2	31.9	141.7
New Hampshire	*9.8	*9.9	-	Mississippi	82.9	25.9	132.2
Vermont	*11.7	*11.8	-	West South Central:			
Massachusetts	16.4	15.5	*36.9	Arkansas	44.3	23.6	95.1
Rhode Island	*14.9	*13.6	*43.4	Louisiana	49.0	28.5	79.9
Connecticut	20.8	*12.4	*107.5	Oklahoma	35.6	28.5	*75.4
Middle Atlantic:				Texas	43.2	35.2	86.3
New York	40.9	26.5	118.0	Mountain:			
New Jersey	36.9	25.0	97.9	Montana	*22.4	*22.0	*26.8
Pennsylvania	25.9	17.9	87.5	Idaho	*25.9	*24.2	*93.8
East North Central:				Wyoming	*28.0	*24.4	*110.6
Ohio	24.6	19.7	65.3	Colorado	25.1	23.7	*54.0
Indiana	24.8	20.0	77.3	New Mexico	40.5	*27.7	*125.7
Illinois	25.3	17.7	61.5	Arizona	45.6	34.8	*98.9
Michigan	34.7	25.8	105.0	Utah	*16.9	*13.0	*158.9
Wisconsin	15.9	11.9	*106.8	Nevada	*17.2	*15.7	*28.5
West North Central:				Pacific:			
Minnesota	14.5	14.8	-	Washington	17.6	15.0	*56.4
Iowa	17.7	16.7	*67.8	Oregon	*10.8	*8.2	*80.1
Missouri	34.2	27.0	75.6	California	29.0	24.5	61.3
North Dakota	*16.3	*12.2	*97.8	Alaska	*45.4	*20.2	*97.7
South Dakota	*15.1	*11.9	*45.4	Hawaii	*9.7	*12.5	*8.5
Nebraska	*20.8	*18.5	*64.7				
Kansas	28.0	24.3	*78.0				

<sup>1</sup>Figures by color exclude data for residents of New Jersey for 1963; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States-----	1,828,136	1,501,469	326,667	264,132	62,535	1,022	42	552	1,122	2,129	461	926	269	1,027	2,348	1,139	36	516
Alabama-----	32,358	27,012	5,346	4,501	845	...	-	-	8	7	1	1	1	3	221	224	-	-
Alaska-----	1,347	1,030	317	283	54	-	...	1	-	13	-	-	-	-	-	-	-	-
Arizona-----	12,345	10,878	1,467	770	697	3	-	...	12	213	41	4	1	-	6	1	-	8
Arkansas-----	19,136	14,625	4,511	3,540	971	6	-	3	...	23	1	3	-	2	12	7	-	2
California-----	152,671	136,370	16,301	14,408	1,893	13	1	169	15	...	51	6	2	6	38	10	17	26
Colorado-----	16,477	12,212	4,465	3,547	918	5	-	29	6	91	...	-	1	3	17	1	-	12
Connecticut-----	25,400	22,158	3,242	2,582	680	1	-	2	-	9	1	...	2	5	30	5	-	-
Delaware-----	4,710	3,837	873	434	439	-	-	-	-	1	1	3	...	7	4	1	-	-
District of Columbia-----	10,381	7,988	2,395	...	2,395	10	-	1	1	19	-	8	6	...	30	22	-	-
Florida-----	60,857	51,350	9,507	5,795	3,712	119	-	2	17	28	4	85	7	16	...	285	-	2
Georgia-----	38,440	28,385	10,055	8,610	1,445	293	-	1	1	12	1	2	1	3	286	...	1	-
Hawaii-----	3,776	3,531	245	87	158	1	-	5	-	59	2	-	-	-	4	1	...	2
Idaho-----	5,709	4,585	1,124	836	286	-	-	5	6	49	3	-	-	-	2	-	1	...
Illinois-----	106,530	91,972	14,558	11,984	2,574	25	-	15	31	97	10	10	1	7	123	10	1	2
Indiana-----	47,376	38,742	8,634	7,075	1,559	5	-	5	7	25	2	1	-	2	48	2	1	-
Iowa-----	29,484	22,707	6,777	5,528	1,249	2	-	8	6	38	8	-	-	2	5	1	-	1
Kansas-----	21,412	16,502	4,910	3,705	1,205	3	-	10	9	54	43	-	-	3	5	3	-	1
Kentucky-----	30,952	23,870	7,082	5,681	1,401	12	-	1	5	11	-	10	1	1	29	10	-	-
Louisiana-----	32,397	24,836	7,761	6,876	885	56	-	5	96	30	6	4	-	-	56	15	-	-
Maine-----	10,805	8,928	1,877	1,525	352	-	-	-	-	4	-	25	-	2	16	-	-	1
Maryland-----	30,629	21,558	9,071	6,978	2,093	10	-	3	1	12	2	8	100	697	73	10	1	1
Massachusetts-----	59,245	49,000	10,245	8,555	1,690	3	-	-	3	24	2	260	1	4	70	7	1	-
Michigan-----	73,137	60,588	12,549	11,312	1,237	12	-	8	9	30	2	3	1	4	106	11	-	-
Minnesota-----	33,317	25,474	7,713	5,966	1,727	4	1	8	-	50	10	1	-	3	28	4	-	2
Mississippi-----	22,299	17,846	4,453	3,730	723	184	-	4	25	15	1	-	1	2	42	11	-	-
Missouri-----	51,101	37,031	14,070	11,385	2,685	11	1	8	145	50	13	-	-	-	36	3	1	3
Montana-----	6,544	5,157	1,387	1,157	230	-	-	6	-	14	6	-	-	-	1	1	-	15
Nebraska-----	14,868	11,327	3,541	2,811	730	1	1	6	1	30	35	1	1	2	6	-	-	2
Nevada-----	3,412	2,722	690	214	476	2	-	16	2	275	6	2	-	-	4	-	3	8
New Hampshire-----	7,287	5,849	1,438	835	603	-	-	3	-	2	-	14	-	1	12	-	-	-
New Jersey-----	63,377	52,985	10,392	8,433	1,959	1	-	3	1	20	1	31	22	13	86	7	-	-
New Mexico-----	6,933	5,332	1,601	1,041	560	-	-	102	3	75	50	2	-	-	5	1	-	1
New York-----	184,617	161,952	22,665	19,257	3,408	10	-	6	-	82	7	271	13	17	255	15	1	-
North Carolina-----	41,991	32,459	9,532	8,197	1,335	9	-	2	-	6	1	5	3	24	132	60	-	1
North Dakota-----	5,565	3,686	1,879	1,434	445	-	-	2	-	11	-	-	-	-	-	-	-	2
Ohio-----	97,939	83,514	14,425	12,069	2,356	10	-	7	9	40	1	4	2	8	145	4	1	1
Oklahoma-----	23,265	18,758	4,507	3,943	564	1	-	9	53	40	20	2	-	3	5	3	-	-
Oregon-----	18,158	14,877	3,281	2,617	664	-	8	7	1	162	6	1	-	4	3	1	3	70
Pennsylvania-----	125,497	107,644	17,853	15,100	2,753	2	-	1	2	19	3	22	89	15	107	7	2	-
Rhode Island-----	9,706	8,288	1,418	949	469	-	-	-	-	4	1	89	-	1	11	1	-	-
South Carolina-----	21,283	17,394	3,889	3,330	559	9	-	1	2	4	-	2	2	9	35	100	-	1
South Dakota-----	6,544	4,513	2,031	1,580	451	-	-	1	-	9	5	-	-	-	2	-	-	2
Tennessee-----	36,883	28,913	7,970	5,218	2,752	152	-	3	460	8	2	2	2	6	76	250	-	-
Texas-----	84,124	68,294	15,830	13,897	1,933	37	-	31	176	140	31	6	1	2	68	25	-	-
Utah-----	6,933	5,599	1,334	899	435	1	1	39	-	64	26	-	-	1	1	1	-	114
Vermont-----	4,655	3,592	1,063	688	375	-	-	-	-	2	-	21	-	3	5	-	-	-
Virginia-----	36,416	22,514	13,902	12,405	1,497	6	-	2	4	12	2	9	6	121	62	14	-	-
Washington-----	27,596	23,977	3,619	2,762	857	1	27	5	2	76	4	3	-	1	2	1	1	220
West Virginia-----	19,388	14,115	5,273	3,677	1,596	1	-	-	1	4	1	1	1	26	10	3	-	-
Wisconsin-----	40,006	33,271	6,735	5,570	1,165	-	2	2	2	24	2	3	1	2	27	1	-	1
Wyoming-----	2,788	2,124	664	374	290	1	-	4	-	39	46	1	-	-	3	-	1	14

## SECTION 1 - GENERAL MORTALITY

1-43

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence—Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mi.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
United States-----	4,197	2,014	1,189	1,511	1,512	678	369	2,344	1,542	1,725	1,099	1,084	1,953	283	676	264	629	3,603	452
Alabama-----	16	18	3	1	12	28	-	2	2	11	-	114	8	-	-	1	1	1	1
Alaska-----	-	-	1	-	-	1	-	-	-	1	3	-	-	-	-	1	-	-	1
Arizona-----	67	23	24	21	6	1	2	2	11	37	37	4	12	10	15	14	4	9	51
Arkansas-----	45	6	8	22	1	56	-	1	-	12	2	27	208	-	3	-	-	2	3
California-----	111	26	42	21	8	16	6	17	38	58	47	5	45	21	26	165	1	39	27
Colorado-----	29	10	26	103	5	4	1	7	6	15	13	-	35	6	89	3	-	12	71
Connecticut-----	8	1	-	-	1	-	14	6	112	7	2	1	9	-	1	-	7	47	1
Delaware-----	1	1	-	1	-	-	-	128	3	2	-	-	-	-	-	-	-	109	-
District of Columbia-----	21	13	2	1	16	4	3	1,549	17	12	2	1	8	1	2	-	1	31	-
Florida-----	266	138	26	9	49	13	31	48	155	267	35	13	40	2	6	3	28	219	3
Georgia-----	26	11	2	1	14	8	-	9	5	15	1	12	9	-	2	1	1	20	-
Hawaii-----	13	2	-	-	2	-	2	4	3	1	1	1	1	1	-	-	-	3	1
Idaho-----	-	1	-	4	-	-	-	-	-	1	1	1	1	14	-	3	-	-	5
Illinois-----	...	744	114	16	80	11	4	6	13	189	38	26	349	4	21	2	2	26	6
Indiana-----	556	...	5	2	184	5	1	1	2	266	7	3	17	-	3	-	-	2	2
Iowa-----	489	3	...	12	3	-	-	1	2	10	89	3	176	3	200	-	-	7	1
Kansas-----	31	7	19	...	5	2	-	-	1	10	4	-	653	1	63	3	-	1	9
Kentucky-----	91	378	3	5	...	7	-	3	7	48	5	5	12	7	1	-	-	16	2
Louisiana-----	13	7	4	2	11	...	-	3	1	4	2	194	6	-	2	-	1	8	6
Maine-----	2	2	-	-	-	1	...	5	118	3	-	-	1	-	1	-	91	22	-
Maryland-----	14	3	2	2	6	6	5	...	14	9	3	3	9	-	1	2	2	86	-
Massachusetts-----	15	4	2	1	6	2	127	20	...	7	2	1	4	1	-	-	356	78	-
Michigan-----	180	120	12	6	22	4	1	6	...	9	7	18	7	2	2	-	-	8	2
Minnesota-----	132	46	235	10	3	3	-	3	4	54	...	2	19	42	36	1	1	11	3
Mississippi-----	37	5	1	-	10	207	-	7	-	6	2	...	11	-	1	2	-	2	-
Missouri-----	1,070	36	87	919	18	7	1	4	2	18	17	17	...	1	13	-	1	4	8
Montana-----	4	4	1	2	1	-	-	-	1	3	11	-	2	...	2	-	-	2	-
Nebraska-----	22	5	324	127	1	1	-	-	-	3	10	2	23	3	...	-	-	-	2
Nevada-----	8	2	4	7	-	1	-	1	1	5	2	-	8	2	4	...	-	-	2
New Hampshire-----	3	1	-	-	1	-	114	5	166	3	1	-	3	-	-	-	...	11	-
New Jersey-----	13	3	1	-	2	2	11	39	32	16	3	-	6	2	-	-	5	...	-
New Mexico-----	9	9	2	13	2	3	-	5	1	9	6	2	8	2	2	4	1	2	...
New York-----	45	15	7	3	13	5	26	43	172	34	9	7	13	1	3	2	13	1,426	2
North Carolina-----	14	5	4	-	14	5	2	34	19	9	1	6	4	-	1	-	2	38	-
North Dakota-----	5	-	-	2	-	-	-	-	-	1	296	-	-	32	4	-	-	2	-
Ohio-----	72	255	9	7	399	4	2	15	12	323	7	3	19	1	1	-	2	20	-
Oklahoma-----	17	3	8	115	-	5	-	-	-	6	1	1	47	-	5	-	-	2	12
Oregon-----	7	2	3	3	-	5	-	1	-	5	8	-	3	10	2	5	1	1	3
Pennsylvania-----	24	16	-	5	4	6	1	200	19	25	7	2	4	1	-	-	-	1,228	1
Rhode Island-----	-	-	-	-	-	1	4	1	284	1	2	1	1	-	1	-	-	7	-
South Carolina-----	8	2	-	-	3	3	-	10	5	3	-	2	1	-	-	-	-	11	1
South Dakota-----	5	1	73	2	-	-	-	-	-	4	105	5	4	23	105	-	-	-	1
Tennessee-----	48	30	3	1	376	15	1	4	4	29	1	576	90	-	1	-	-	6	-
Texas-----	69	22	26	45	11	213	1	10	18	31	22	32	42	5	13	7	1	17	208
Utah-----	3	-	5	2	1	-	-	-	2	1	6	-	8	7	1	40	1	2	7
Vermont-----	2	-	-	-	-	-	5	2	47	2	-	-	-	-	-	-	121	8	-
Virginia-----	22	7	6	1	26	8	6	152	21	15	5	4	5	-	3	-	2	37	3
Washington-----	10	2	7	6	-	2	-	2	-	10	13	-	3	52	-	4	-	2	-
West Virginia-----	7	10	-	-	197	7	-	188	1	8	2	-	1	-	-	-	-	13	3
Wisconsin-----	539	14	83	5	1	3	-	1	3	110	252	1	6	4	1	1	-	4	2
Wyoming-----	6	1	7	5	-	1	-	1	1	4	8	-	2	30	39	-	-	-	3

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident.]

State of occurrence	Deaths of interstate nonresidents by State of residence—Con.																			All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	3,820	1,037	449	2,857	1,124	666	3,228	446	999	436	991	1,465	184	328	2,229	736	1,394	1,323	310	1,928,136
Alabama-----	14	9	1	12	1	-	6	-	14	-	73	22	-	-	3	1	1	3	-	32,535
Alaska-----	2	-	-	-	-	4	-	-	-	-	-	2	-	-	-	24	-	-	-	1,335
Arizona-----	31	-	7	36	18	11	12	2	2	5	7	58	15	-	4	14	4	27	5	12,000
Arkansas-----	2	-	-	7	266	1	2	-	-	-	42	187	1	-	3	1	-	4	-	19,287
California-----	135	6	19	62	48	132	63	4	4	9	13	101	34	3	13	125	4	34	11	152,907
Colorado-----	26	3	5	13	24	7	15	-	-	24	1	61	19	1	4	6	1	12	96	16,220
Connecticut-----	309	5	1	10	1	1	24	37	1	-	1	1	1	9	5	-	1	1	-	25,646
Delaware-----	10	3	-	9	-	-	141	-	-	-	2	1	-	-	6	-	5	-	-	4,540
District of Columbia-----	49	21	-	15	2	1	64	-	16	-	11	12	1	1	589	4	20	7	-	9,013
Florida-----	779	71	1	304	5	9	258	24	37	2	68	28	-	13	66	4	50	73	2	59,493
Georgia-----	42	80	1	27	1	-	22	-	394	-	107	9	-	-	14	2	7	1	-	38,134
Hawaii-----	12	-	1	4	1	6	4	-	-	-	-	6	1	2	1	8	-	1	1	3,654
Idaho-----	2	-	2	-	2	46	6	-	-	1	-	6	35	-	-	74	-	-	16	5,939
Illinois-----	68	10	6	80	13	5	31	1	2	7	40	37	5	-	14	15	10	245	2	108,153
Indiana-----	9	1	-	300	-	4	17	-	-	1	23	18	-	-	5	2	4	18	-	47,831
Iowa-----	7	-	4	7	9	3	5	-	-	51	5	10	-	-	1	1	1	72	3	29,424
Kansas-----	8	3	2	8	187	2	4	-	-	5	3	30	1	-	3	5	-	3	1	21,718
Kentucky-----	37	6	-	266	1	1	13	2	6	-	204	9	-	1	50	-	140	1	1	31,063
Louisiana-----	12	6	1	4	15	-	7	-	5	-	14	281	-	-	2	-	2	2	2	32,190
Maine-----	33	1	-	1	1	-	7	6	2	-	-	1	-	-	2	-	-	-	-	10,822
Maryland-----	98	29	1	38	1	3	321	6	21	-	12	3	1	2	287	3	179	3	-	30,880
Massachusetts-----	249	4	2	12	3	2	37	318	6	-	2	10	-	42	11	2	3	5	1	58,897
Michigan-----	44	3	3	261	4	3	39	-	5	1	18	22	-	1	7	2	8	227	-	73,625
Minnesota-----	13	2	251	18	15	6	10	-	-	171	4	17	1	-	6	19	2	476	4	32,559
Mississippi-----	7	2	1	9	8	-	5	-	2	-	79	22	-	-	3	4	1	4	-	22,660
Missouri-----	23	3	-	21	51	-	5	2	2	2	15	35	2	-	6	4	7	11	2	50,369
Montana-----	4	1	44	5	3	8	1	2	-	5	3	3	3	-	33	1	4	4	37	6,597
Nebraska-----	4	-	5	3	1	1	6	-	-	51	3	11	1	-	1	6	3	2	23	14,814
Nevada-----	9	1	3	6	3	25	7	1	-	1	1	9	26	-	1	11	-	5	2	3,200
New Hampshire-----	46	-	-	4	-	-	3	9	-	-	-	-	-	195	4	1	-	-	-	7,313
New Jersey-----	800	10	-	19	1	1	748	4	3	1	3	12	-	6	19	-	6	5	1	65,021
New Mexico-----	15	2	-	11	25	2	10	1	3	2	2	146	7	-	2	4	-	8	1	6,825
New York-----	...	25	1	83	3	1	598	14	16	1	8	27	-	44	53	6	15	5	1	185,029
North Carolina-----	56	...	1	19	-	-	38	-	385	1	101	5	-	1	306	2	18	1	-	41,693
North Dakota-----	2	-	...	-	1	4	-	-	-	63	1	6	-	-	-	7	-	3	1	5,569
Ohio-----	66	15	1	...	7	1	324	-	3	-	14	15	1	2	17	6	489	12	-	98,440
Oklahoma-----	3	2	-	6	...	1	9	1	1	4	3	167	1	-	1	2	4	-	1	23,825
Oregon-----	6	-	5	5	8	...	4	-	1	3	-	4	3	-	1	297	-	4	2	18,160
Pennsylvania-----	381	15	1	363	4	-	...	1	12	-	4	4	-	1	40	1	110	3	-	125,972
Rhode Island-----	29	2	-	-	-	1	13	...	1	-	-	1	-	-	-	-	-	-	1	9,683
South Carolina-----	36	238	-	9	2	-	16	1	...	-	8	4	-	1	26	1	2	1	-	21,723
South Dakota-----	-	-	52	2	5	-	1	-	-	-	-	5	-	-	1	5	-	5	28	6,529
Tennessee-----	7	94	-	56	5	-	11	2	17	-	...	21	-	-	383	-	6	4	-	35,122
Texas-----	68	16	7	40	360	13	23	1	8	4	16	...	6	1	16	16	7	15	6	83,656
Utah-----	2	1	2	4	5	8	5	-	-	1	-	5	...	-	1	6	1	2	58	6,682
Vermont-----	149	-	-	-	-	-	3	4	-	-	-	-	-	...	1	-	-	-	-	4,608
Virginia-----	77	334	-	48	4	-	81	1	28	1	73	6	-	-	2	278	3	-	-	37,148
Washington-----	7	1	7	9	4	345	5	1	-	4	3	2	1	-	...	3	6	1	-	27,475
West Virginia-----	13	9	-	627	1	-	203	-	1	1	-	4	-	-	249	2	...	2	-	19,186
Wisconsin-----	12	2	8	11	1	5	5	1	1	6	2	10	-	-	-	3	1	...	-	40,164
Wyoming-----	7	1	3	3	4	3	6	-	-	9	1	12	18	-	-	5	-	1	...	2,808

## SECTION 1 - GENERAL MORTALITY

I-45

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1965

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States-----	1,828,136	164,856	153,574	165,064	150,285	150,759	144,288	146,784	143,279	139,821	153,031	152,106	164,289
Alabama-----	32,358	2,807	2,738	3,139	2,615	2,641	2,360	2,607	2,496	2,442	2,782	2,723	3,008
Alaska-----	1,347	114	80	99	101	102	123	144	113	114	115	108	134
Arizona-----	12,345	1,166	1,021	1,193	1,056	984	937	982	937	918	994	1,015	1,142
Arkansas-----	19,136	1,651	1,646	1,871	1,583	1,504	1,509	1,554	1,527	1,400	1,615	1,569	1,707
California-----	152,671	13,625	12,215	13,002	12,724	12,503	12,034	12,271	12,341	12,030	12,974	12,667	14,285
Colorado-----	16,677	1,418	1,390	1,481	1,330	1,393	1,291	1,366	1,367	1,254	1,414	1,388	1,585
Connecticut-----	25,400	2,571	2,306	2,039	2,065	2,125	1,924	2,018	1,932	1,973	2,166	2,112	2,169
Delaware-----	4,710	410	375	397	411	415	362	390	368	366	401	399	416
District of Columbia-----	10,381	941	815	856	867	803	854	824	846	808	859	927	981
Florida-----	60,857	5,707	5,453	6,077	5,030	4,911	4,616	4,588	4,519	4,357	4,831	4,999	5,769
Georgia-----	38,440	3,448	3,246	3,628	2,911	3,183	2,850	2,987	3,158	2,936	3,232	3,248	3,613
Hawaii-----	3,776	358	319	349	300	313	282	313	292	302	312	336	300
Idaho-----	5,709	435	375	481	533	485	495	505	477	459	517	441	506
Illinois-----	106,530	9,601	9,120	9,656	8,566	8,734	8,526	8,761	8,342	8,088	8,779	8,861	9,496
Indiana-----	47,376	4,052	3,808	4,425	4,118	3,926	3,837	3,820	3,697	3,497	3,993	4,036	4,167
Iowa-----	29,484	2,590	2,579	2,695	2,374	2,420	2,302	2,325	2,236	2,305	2,509	2,541	2,608
Kansas-----	21,412	1,917	1,941	1,983	1,737	1,728	1,621	1,732	1,708	1,623	1,786	1,732	1,904
Kentucky-----	30,952	2,667	2,471	2,806	2,646	2,479	2,483	2,485	2,403	2,278	2,611	2,684	2,939
Louisiana-----	32,397	2,884	2,835	3,189	2,579	2,633	2,395	2,692	2,452	2,507	2,662	2,580	2,989
Maine-----	10,805	1,030	940	926	915	853	868	864	893	828	901	842	945
Maryland-----	30,629	2,760	2,477	2,763	2,521	2,546	2,500	2,463	2,392	2,399	2,568	2,483	2,757
Massachusetts-----	59,245	5,866	5,495	5,062	4,678	4,804	4,810	4,547	4,506	4,383	4,937	4,976	5,181
Michigan-----	73,137	6,181	6,285	6,551	6,017	6,095	5,918	5,951	5,885	5,681	6,066	6,155	6,352
Minnesota-----	33,187	2,799	2,652	2,955	2,699	2,699	2,673	2,686	2,706	2,698	2,810	2,869	2,941
Mississippi-----	22,299	1,922	1,911	2,135	1,742	1,785	1,726	1,757	1,708	1,714	1,915	1,895	2,099
Missouri-----	51,101	4,568	4,412	4,809	4,184	4,078	4,011	4,033	3,950	3,794	4,299	4,364	4,549
Montana-----	6,544	555	481	540	535	608	567	609	554	541	532	551	571
Nebraska-----	14,868	1,308	1,242	1,322	1,245	1,219	1,148	1,171	1,180	1,193	1,279	1,208	1,353
Nevada-----	3,412	302	259	314	289	294	248	298	282	292	268	292	274
New Hampshire-----	7,287	735	645	600	573	589	582	590	602	543	575	600	653
New Jersey-----	63,377	6,166	5,404	5,230	5,205	5,315	5,026	5,035	4,793	4,777	5,427	5,380	5,619
New Mexico-----	6,933	632	488	593	612	571	575	568	591	512	573	579	639
New York-----	184,617	17,741	15,120	15,934	15,348	15,518	14,776	14,692	14,358	14,083	15,478	15,277	16,292
North Carolina-----	41,991	3,772	3,361	3,864	3,329	3,377	3,356	3,488	3,368	3,169	3,566	3,472	3,889
North Dakota-----	5,565	464	449	447	424	461	456	478	518	470	485	460	453
Ohio-----	97,939	8,559	8,104	8,921	8,282	8,232	7,845	7,735	7,715	7,567	8,183	8,013	8,783
Oklahoma-----	23,265	2,044	2,032	2,311	1,937	1,843	1,731	2,018	1,851	1,794	1,978	1,985	1,841
Oregon-----	18,158	1,520	1,432	1,572	1,495	1,525	1,518	1,542	1,429	1,490	1,473	1,487	1,675
Pennsylvania-----	125,497	11,524	10,902	11,367	10,405	10,413	9,998	9,960	9,629	9,480	10,527	10,299	11,093
Rhode Island-----	9,706	918	822	831	762	832	742	759	769	803	794	826	848
South Carolina-----	21,283	1,958	1,832	1,931	1,687	1,737	1,559	1,636	1,705	1,633	1,820	1,830	1,955
South Dakota-----	6,544	557	538	605	568	560	530	599	492	485	525	506	579
Tennessee-----	36,883	3,185	2,971	3,579	3,050	3,001	2,826	3,033	2,846	2,858	3,057	3,117	3,360
Texas-----	84,124	7,456	7,405	7,831	6,670	6,960	6,527	6,846	6,576	6,464	6,900	6,948	7,641
Utah-----	6,933	530	546	622	590	597	570	581	568	556	573	581	619
Vermont-----	4,655	440	436	393	397	368	357	369	364	389	383	361	398
Virginia-----	36,416	3,236	3,003	3,428	3,019	3,021	2,863	2,825	2,912	2,672	3,119	3,024	3,294
Washington-----	27,596	2,334	2,113	2,418	2,369	2,355	2,277	2,308	2,114	2,178	2,308	2,358	2,464
West Virginia-----	19,388	1,728	1,561	1,827	1,674	1,600	1,556	1,607	1,520	1,418	1,587	1,654	1,655
Wisconsin-----	40,006	3,459	3,309	3,784	3,315	3,393	3,230	3,188	3,063	3,080	3,339	3,291	3,555
Wyoming-----	2,788	244	214	233	203	228	236	234	239	220	234	257	244













## SECTION 1 - GENERAL MORTALITY

1-51

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1965-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin-----	40,164	3,498	3,357	3,834	3,329	3,393	3,217	3,166	3,064	3,075	3,345	3,314	3,572
Male-----	23,047	1,996	1,933	2,149	1,883	2,004	1,820	1,847	1,778	1,796	1,891	1,900	2,050
Female-----	17,117	1,502	1,424	1,685	1,446	1,389	1,397	1,319	1,286	1,279	1,454	1,414	1,522
White-----	39,477	3,435	3,312	3,788	3,263	3,333	3,149	3,108	3,006	3,027	3,289	3,261	3,506
Male-----	22,658	1,963	1,906	2,126	1,845	1,969	1,786	1,818	1,743	1,763	1,859	1,867	2,013
Female-----	16,819	1,472	1,406	1,662	1,418	1,364	1,363	1,290	1,263	1,264	1,430	1,394	1,493
Nonwhite-----	687	63	45	46	66	60	68	58	58	48	56	53	66
Male-----	389	33	27	23	38	35	34	29	35	33	32	33	37
Female-----	298	30	18	23	28	25	34	29	23	15	24	20	29
Wyoming-----	2,808	253	220	250	214	233	221	226	224	216	244	257	250
Male-----	1,719	152	132	170	139	143	142	130	139	128	154	145	145
Female-----	1,089	101	88	80	75	90	79	96	85	88	90	112	105
White-----	2,721	239	215	241	208	229	214	222	219	209	238	249	238
Male-----	1,669	144	129	165	136	140	138	128	136	126	148	141	138
Female-----	1,052	95	86	76	72	89	76	94	83	83	90	108	100
Nonwhite-----	87	14	5	9	6	4	7	4	5	7	6	8	12
Male-----	50	8	3	5	3	3	4	2	3	2	6	4	7
Female-----	37	6	2	4	3	1	3	2	2	5	-	4	5

## SECTION 1 - GENERAL MORTALITY

Table 1-22. Deaths by Specified Race and Sex: United States and Each State, 1965

Area	All races			White		Negro		Indian <sup>1</sup>		Chinese		Japanese		Other races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,828,136	1,035,200	792,936	910,511	694,967	117,328	93,902	2,919	2,143	1,337	334	1,543	685	1,562	685
Alabama-----	32,535	18,604	13,931	12,535	8,764	6,067	5,165	1	2	1	-	-	-	-	-
Alaska-----	1,335	906	429	603	232	34	22	256	174	1	-	-	-	12	1
Arizona-----	12,000	7,406	4,594	6,667	4,105	294	157	433	328	8	1	-	2	4	1
Arkansas-----	19,287	11,463	7,824	9,002	5,812	2,455	2,003	2	1	-	1	-	-	4	7
California-----	152,907	86,751	66,156	80,292	61,848	4,825	3,654	174	143	514	144	570	284	376	83
Colorado-----	16,220	9,235	6,985	8,928	6,766	250	187	16	18	4	-	29	9	8	5
Connecticut-----	25,646	14,052	11,594	13,443	11,119	595	472	4	1	4	-	1	2	5	-
Delaware-----	4,540	2,616	1,924	2,151	1,615	463	309	-	-	1	-	-	-	1	-
District of Columbia-----	9,013	4,862	4,151	2,096	1,989	2,734	2,154	4	-	19	4	-	1	9	3
Florida-----	59,493	35,589	23,904	30,008	19,687	5,561	4,210	10	5	4	1	1	-	5	1
Georgia-----	38,134	21,563	16,571	14,675	10,531	6,886	6,036	-	-	1	1	-	2	1	1
Hawaii-----	2,554	1,406	1,148	648	448	33	17	3	1	150	78	691	484	2,723	3,378
Idaho-----	5,959	3,616	2,323	3,538	2,296	6	4	56	19	-	-	12	4	4	-
Illinois-----	108,153	60,871	47,282	53,965	41,879	6,758	5,352	21	26	66	6	40	16	21	3
Indiana-----	47,631	26,725	21,106	25,011	19,805	1,706	1,296	-	3	6	-	1	-	1	2
Iowa-----	29,424	16,540	12,884	16,367	12,730	164	147	7	7	1	-	-	-	1	-
Kansas-----	21,718	12,250	9,468	11,649	8,983	587	457	10	12	2	-	1	1	1	5
Kentucky-----	31,063	17,794	13,269	16,115	11,860	1,676	1,389	1	-	1	-	-	-	8	1
Louisiana-----	32,190	18,203	13,987	11,708	8,452	6,467	5,527	13	5	3	1	4	1	1	1
Maine-----	10,622	5,935	4,687	5,917	4,872	6	6	10	9	1	-	-	-	1	-
Maryland-----	30,880	17,406	13,474	13,914	11,003	3,465	2,468	5	1	11	3	1	-	10	1
Massachusetts-----	58,897	31,290	27,607	30,485	26,964	732	632	7	4	50	4	3	-	13	3
Michigan-----	75,625	42,534	31,091	38,483	28,089	3,982	2,957	43	36	15	5	4	2	7	2
Minnesota-----	32,559	18,358	13,621	18,716	13,446	138	102	70	66	4	2	4	3	6	2
Mississippi-----	22,660	12,618	9,842	7,256	5,140	5,541	4,687	15	12	5	2	-	-	1	1
Missouri-----	50,369	28,175	22,194	25,253	19,884	2,892	2,294	3	2	10	1	2	-	15	13
Montana-----	6,597	4,119	2,478	3,949	2,375	17	3	146	99	2	-	5	1	-	-
Nebraska-----	14,814	8,548	6,266	8,309	6,105	132	41	28	1	-	-	3	1	-	-
Nevada-----	3,200	2,081	1,119	1,935	1,025	90	63	51	27	4	1	-	2	1	1
New Hampshire-----	7,313	3,997	3,316	3,991	3,312	4	4	-	-	1	-	-	-	1	-
New Jersey-----	65,021	35,873	29,148	32,356	26,377	3,405	2,679	2	3	9	4	5	7	96	78
New Mexico-----	6,825	4,122	2,703	3,736	2,437	92	53	291	212	1	1	-	1	-	-
New York-----	185,029	101,272	83,757	91,820	76,223	8,925	7,388	96	65	287	39	29	11	115	31
North Carolina-----	41,693	24,136	17,557	17,431	12,299	6,540	5,156	161	100	-	-	-	1	4	1
North Dakota-----	5,569	3,428	2,141	3,346	2,091	4	1	77	48	1	-	-	-	-	1
Ohio-----	98,440	54,841	43,599	50,130	39,825	4,668	3,757	7	6	17	2	5	2	14	7
Oklahoma-----	23,825	14,015	9,810	12,696	8,769	996	778	320	260	1	1	-	-	1	2
Oregon-----	18,160	10,864	7,296	10,640	7,166	115	78	50	36	27	6	21	6	11	4
Pennsylvania-----	125,972	69,635	56,337	63,954	51,899	5,622	4,411	4	-	30	3	1	1	24	23
Rhode Island-----	9,683	5,324	4,359	5,185	4,259	128	96	3	2	6	-	-	-	2	-
South Carolina-----	21,723	12,482	9,241	7,751	5,396	4,730	3,845	1	-	-	-	-	-	-	-
South Dakota-----	6,529	3,865	2,664	3,666	2,516	7	5	191	141	-	-	1	1	-	1
Tennessee-----	35,122	19,829	15,293	16,120	12,093	3,706	3,199	1	-	2	1	-	-	-	-
Texas-----	83,656	48,605	35,051	41,391	29,384	7,177	5,649	13	6	18	8	2	2	4	2
Utah-----	6,682	3,868	2,814	3,782	2,756	16	15	38	33	3	1	27	7	2	2
Vermont-----	4,608	2,501	2,107	2,495	2,107	6	-	-	-	-	-	-	-	-	-
Virginia-----	37,148	21,254	15,894	15,961	11,909	5,273	3,976	8	2	6	2	1	1	5	4
Washington-----	27,475	16,085	11,390	15,538	11,064	248	163	150	112	37	7	73	31	39	13
West Virginia-----	19,186	11,300	7,886	10,577	7,380	720	503	1	1	1	1	-	-	1	1
Wisconsin-----	40,164	23,047	17,117	22,658	16,819	316	238	69	59	1	-	-	-	3	1
Wyoming-----	2,808	1,719	1,089	1,669	1,052	12	8	34	28	-	1	4	-	-	-

<sup>1</sup>Includes deaths among Aleuts and Eskimos; see Technical Appendix.<sup>2</sup>Includes 328 deaths among Hawaiians and Part-Hawaiians. (In addition there were 17 deaths among Hawaiians and Part-Hawaiians residing in other States.)<sup>3</sup>Includes 281 deaths among Hawaiians and Part-Hawaiians. (In addition there were 11 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	All causes-----	1,828,136	1,035,200	792,936	910,511	694,987	124,689	97,949	943.2	1,088.4	803.3	1,084.9	800.5	1,114.3	824.3
	I. Infective and parasitic diseases														
001-008	Tuberculosis of respiratory system-----	7,358	5,446	1,912	4,115	1,349	1,331	563	3.8	5.7	1.9	4.9	1.6	11.9	4.7
001	Respiratory tuberculosis with mention of occupational disease of lung-----	307	305	2	265	2	40	-	0.2	0.3	0.0	0.3	0.0	0.4	-
002	Pulmonary tuberculosis-----	6,555	4,855	1,700	3,645	1,182	1,210	518	3.4	5.1	1.7	4.3	1.4	10.8	4.4
A	Active-----	5,895	4,384	1,511	3,250	1,022	1,134	489	3.0	4.6	1.5	3.9	1.2	10.1	4.1
B	Inactive-----	660	471	189	395	160	76	29	0.3	0.5	0.2	0.5	0.2	0.7	0.2
003	Pleural tuberculosis-----	282	137	145	112	122	25	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Pleurisy specified as tuberculous-----	20	12	8	8	5	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Pleurisy with effusion without mention of cause-----	262	125	137	104	117	21	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2
004	Primary tuberculosis complex with symptoms-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
005	Tracheobronchial glandular tuberculosis with symptoms-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
007	Other respiratory tuberculosis-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
008	Tuberculosis, unspecified site-----	204	144	60	90	41	54	19	0.1	0.2	0.1	0.1	0.0	0.5	0.2
A	Active-----	178	127	51	79	33	48	18	0.1	0.1	0.1	0.1	0.0	0.4	0.2
B	Inactive-----	26	17	9	11	8	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
010-019	Tuberculosis, other forms-----	576	343	233	208	125	135	108	0.3	0.4	0.2	0.2	0.1	1.2	0.9
010	Tuberculosis of meninges and central nervous system-----	143	77	66	44	30	33	36	0.1	0.1	0.1	0.1	0.0	0.3	0.3
011	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	43	18	25	9	10	9	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1
012	Tuberculosis of bones and joints, active or unspecified-----	58	35	23	28	21	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Active or unspecified tuberculosis of vertebral column-----	48	30	18	23	16	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Active or unspecified tuberculosis of hip-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Active or unspecified tuberculosis of knee-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Active or unspecified tuberculosis of other and unspecified bones and joints-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
013	Late effects of tuberculosis of bones and joints-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.0	Late effects of tuberculosis of vertebral column-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Late effects of tuberculosis of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Late effects of tuberculosis of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Late effects of tuberculosis of other and unspecified bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
014	Tuberculosis of skin and subcutaneous cellular tissue-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Primary tuberculosis of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erythema nodosum specified as tuberculous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lupus-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other tuberculosis of skin and subcutaneous cellular tissue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
015	Tuberculosis of lymphatic system-----	5	5	-	2	-	3	-	0.0	0.0	-	0.0	-	0.0	-
016	Tuberculosis of genitourinary system-----	67	42	25	33	19	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
017	Tuberculosis of adrenal glands-----	18	11	7	6	3	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
018	Tuberculosis of other organs-----	18	16	2	13	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Tuberculosis of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tuberculosis of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	18	16	2	13	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
019	Disseminated tuberculosis-----	218	136	82	70	37	66	45	0.1	0.1	0.1	0.1	0.0	0.8	0.4
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Acute miliary tuberculosis, unspecified-----	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
.2	Other forms of disseminated tuberculosis-----	216	134	82	70	37	64	45	0.1	0.1	0.1	0.1	0.0	0.6	0.4



Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	I. Infective and parasitic diseases--Con.																
020-029	Syphilis and its sequelae-----	2,434	1,732	702	1,288	501	444	201	1.3	1.8	0.7	1.5	0.8	4.0	1.7		
020	Congenital syphilis-----	34	20	14	10	7	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Juvenile neurosyphilis-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.2	Other congenital syphilis-----	32	19	13	9	7	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
021	Early syphilis-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-		
.0	Primary, syphilis, except extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Secondary syphilis-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-		
.3	Early syphilis, relapse following treatment-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Early syphilis, unspecified stage-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
022	Aneurysm of aorta-----	1,504	1,079	425	903	342	176	83	0.8	1.1	0.4	1.1	0.4	1.8	0.7		
023	Other cardiovascular syphilis-----	549	399	150	213	75	186	75	0.3	0.4	0.2	0.3	0.1	1.7	0.8		
024	Tabes dorsalis-----	43	31	12	31	11	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
025	General paralysis of insane-----	96	66	30	45	24	21	6	0.0	0.1	0.0	0.1	0.0	0.2	0.1		
026	Other syphilis of central nervous system-----	157	106	51	70	32	38	19	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
027	Other forms of late syphilis-----	25	15	10	11	5	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
028	Latent syphilis-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0		
.0	Early latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Late latent-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
.2	Unspecified-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
029	Syphilis, unqualified-----	23	14	9	5	5	9	4	0.0	0.0	0.0	0.0	0.1	0.1	0.0		
030-039	Gonococcal infection and other venereal diseases-----	20	13	7	5	2	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
030	Acute or unspecified gonorrhoea-----	4	3	1	-	-	3	1	0.0	0.0	0.0	-	-	0.0	0.0		
031	Chronic gonococcal infection of genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
032	Gonococcal infection of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
033	Gonococcal infection of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
034	Gonococcal infection of other sites-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
035	Late effects of gonococcal infection-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
036	Chancroid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
037	Lymphogranuloma venereum-----	6	4	2	-	-	4	2	0.0	0.0	0.0	-	-	0.0	0.0		
038	Granuloma inguinale, venereal-----	3	1	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
039	Other and unspecified venereal diseases-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
040-049	Infectious diseases commonly arising in intestinal tract-----	368	207	159	127	85	80	74	0.2	0.2	0.2	0.2	0.1	0.7	0.6		
040	Typhoid fever-----	6	2	4	1	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
041	Paratyphoid fever-----	7	6	1	6	-	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
042	Other Salmonella infections-----	80	44	36	28	25	16	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Without food as vehicle of infection-----	73	41	32	26	22	15	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	With food as vehicle of infection-----	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
043	Cholera-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
044	Brucellosis (undulant fever)-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
045	Bacillary dysentery-----	99	53	46	28	16	25	30	0.1	0.1	0.0	0.0	0.0	0.2	0.3		
.0	Flexner-Boyd group-----	7	5	2	3	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0		
.1	Schmitz-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Shiga-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Sonne-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.4	Bacillary, other and unspecified-----	90	46	44	24	16	22	28	0.0	0.0	0.0	0.0	0.0	0.2	0.2		
046	Amebiasis-----	66	46	20	34	13	12	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Without mention of liver abscess-----	50	31	19	25	12	6	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	With liver abscess-----	16	15	1	9	1	6	-	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
047	Other protozoal dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
048	Unspecified forms of dysentery-----	78	42	36	21	19	21	17	0.0	0.0	0.0	0.0	0.2	0.1			

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
I. Infective and parasitic diseases—Con.																	
Infectious diseases commonly arising in intestinal tract—Con.																	
049	Food poisoning (infection and intoxication)-----	24	11	13	7	7	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.0	Staphylococcal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Botulism-----	8	6	2	3	-	3	2	0.0	0.0	0.0	-	-	0.0	0.0		
.2	Unspecified-----	18	5	11	4	7	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
050-064	Other bacterial diseases-----	3,785	2,054	1,711	1,579	1,294	475	417	1.9	2.2	1.7	1.9	1.5	4.2	3.5		
050	Scarlet fever-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
051	Streptococcal sore throat-----	58	28	30	21	20	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
052	Erysipelas-----	12	5	7	5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
053	Septicemia and pyemia-----	2,443	1,318	1,125	1,026	857	292	268	1.3	1.4	1.1	1.2	1.0	2.6	2.3		
.0	Streptococcus-----	71	37	34	33	29	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Staphylococcus-----	240	135	105	109	90	26	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.2	Pneumococcus-----	40	20	20	16	14	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.3	Other specified organism-----	192	101	91	73	72	28	19	0.1	0.1	0.1	0.1	0.1	0.3	0.2		
.4	Organism unspecified-----	1,900	1,025	875	795	652	230	223	1.0	1.1	0.9	0.9	0.8	2.1	1.9		
054	Bacterial toxemia-----	37	18	19	12	16	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
055	Diphtheria-----	18	10	8	5	5	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
056	Whooping cough-----	55	34	21	14	9	20	12	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
.0	Without mention of pneumonia-----	23	14	9	7	3	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	With pneumonia-----	32	20	12	7	6	13	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
057	Meningococcal infections-----	890	493	407	394	320	89	87	0.5	0.5	0.4	0.5	0.4	0.8	0.7		
.0	Meningococcal meningitis-----	445	246	199	197	157	49	42	0.2	0.3	0.2	0.2	0.2	0.4	0.4		
.1	Acute and unspecified meningococemia-----	442	236	206	198	161	40	45	0.2	0.2	0.2	0.2	0.2	0.4	0.4		
.2	Chronic meningococemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other forms of meningococcal infection-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
058	Plague-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.0	Bubonic-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.1	Pneumonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
059	Tularemia-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
060	Leprosy-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.0	Lepromatous leprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Neuroleprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Mixed-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Unspecified-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
061	Tetanus-----	181	112	69	64	44	48	25	0.1	0.1	0.1	0.1	0.1	0.4	0.2		
062	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
063	Gas gangrene-----	54	32	22	27	14	5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
064	Other bacterial diseases-----	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
.0	Epidemic arthritic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Rat bite fever due to Streptobacillus moniliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Glanders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Melioidosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other-----	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
070-074	Spirochetel diseases, except syphilis-----	15	13	2	7	1	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
070	Vincent's infection-----	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
071	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
072	Leptospirosis-----	11	10	1	6	-	4	1	0.0	0.0	0.0	0.0	-	0.0	0.0		
.0	Leptospirosis icterohaemorrhagica (Weill's disease)-----	3	2	1	-	-	2	1	0.0	0.0	0.0	-	-	0.0	0.0		
.1	Other and unspecified-----	8	8	-	6	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
073	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		



Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
I. Infective and parasitic diseases—Con.																	
Typhus and other rickettsial diseases—Con.																	
107	Typhus, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
108	Other rickettsial diseases-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
110-117	Malaria-----	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
110	Vivax malaria (benign tertian)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
111	Malariae malaria (quartan)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
112	Falci-parum malaria (malignant tertian)-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-		
113	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
114	Mixed malarial infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
115	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
116	Other and unspecified forms of malaria-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
117	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
120-138	Other infective and parasitic diseases-----	616	468	348	346	211	122	137	0.4	0.5	0.4	0.4	0.2	1.1	1.2		
120	Leishmaniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Cutaneous (Oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
121	Trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	African (sleeping sickness)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	South American (Chagas' disease)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122	Other protozoal diseases-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Coccidiosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Toxoplasmosis-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Other-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
123	Schistosomiasis-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-		
.0	Vesical (S. haematobium)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Intestinal (S. mansoni)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Oriental (S. japonicum)-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
.3	Other and unspecified schistosomiasis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
124	Other trematode infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Clonorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
125	Hydatid disease-----	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
126	Other cestode infestation-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
127	Filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
128	Trichinosis-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
129	Ancylostomiasis-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
130	Infestation with worms of other, mixed, and unspecified type--	59	32	27	8	6	24	21	0.0	0.0	0.0	0.0	0.0	0.2	0.2		
.0	Ascariasis-----	48	26	22	6	5	20	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
.1	Oxyuriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Mixed intestinal helminth infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other-----	11	6	5	2	1	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
131	Dermatophytosis-----	3	2	1	2	1	-	3	0.0	0.0	0.0	0.0	0.0	-	-		
132	Actinomycosis-----	26	24	2	18	2	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-		
133	Coccidioidomycosis-----	52	40	12	29	6	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
134	Other fungus infections-----	337	212	125	189	97	23	28	0.2	0.2	0.1	0.2	0.1	0.2	0.2		
.0	Blastomycosis-----	29	17	12	12	7	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Cryptococcus (torulosis)-----	62	47	15	40	9	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.2	Histoplasmosis-----	74	56	18	53	15	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
.3	Moniliasis-----	93	46	47	40	41	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.4	Sporotrichosis-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.5	Other-----	77	46	31	44	23	2	8	0.0	0.0	0.0	0.1	0.0	0.0	0.1		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases—Con.															
Other infective and parasitic diseases—Con.															
135	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
137	Other arthropod infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases-----	308	139	169	81	89	58	80	0.2	0.1	0.2	0.1	0.1	0.5	0.7
.0	Sarcoid of Boeck-----	280	113	147	58	77	55	70	0.1	0.1	0.1	0.1	0.1	0.5	0.6
.1	Other-----	48	26	22	23	12	3	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1
II. Neoplasms															
140-148	Malignant neoplasm of buccal cavity and pharynx-----	6,501	4,924	1,577	4,400	1,402	524	175	3.4	5.2	1.6	5.2	1.6	4.7	1.5
140	Malignant neoplasm of lip-----	172	149	23	148	20	1	3	0.1	0.2	0.0	0.2	0.0	0.0	0.0
.0	Upper lip-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip-----	52	43	9	42	8	1	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.8	Both lips-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Lip, unspecified (including commissure)-----	112	102	10	102	8	-	2	0.1	0.1	0.0	0.1	0.0	-	0.0
141	Malignant neoplasm of tongue-----	1,811	1,232	379	1,091	352	141	27	0.8	1.3	0.4	1.3	0.4	1.3	0.2
.0	Base of tongue-----	179	148	31	134	29	14	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0
.7	Other specified parts of tongue-----	32	22	10	21	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple parts of tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified-----	1,400	1,062	338	936	313	126	25	0.7	1.1	0.3	1.1	0.4	1.1	0.2
142	Malignant neoplasm of salivary gland-----	590	383	207	345	188	38	19	0.3	0.4	0.2	0.4	0.2	0.3	0.2
.0	Parotid gland-----	441	273	168	245	157	28	11	0.2	0.3	0.2	0.3	0.2	0.3	0.1
.7	Other salivary gland-----	89	69	20	64	15	5	5	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.8	Multiple salivary glands-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Gland unspecified-----	57	38	19	33	16	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth-----	419	333	86	288	70	45	16	0.2	0.4	0.1	0.3	0.1	0.4	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified-----	1,031	703	328	628	295	75	33	0.5	0.7	0.3	0.7	0.3	0.7	0.3
145	Malignant neoplasm of oral mesopharynx-----	543	436	107	393	93	43	14	0.3	0.5	0.1	0.5	0.1	0.4	0.1
.0	Tonsil (excluding pillars)-----	474	383	91	345	78	38	13	0.2	0.4	0.1	0.4	0.1	0.3	0.1
.7	Other specified parts of mesopharynx-----	67	51	16	46	15	5	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.8	Multiple parts of mesopharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
146	Malignant neoplasm of nasopharynx-----	489	373	116	316	94	57	22	0.3	0.4	0.1	0.4	0.1	0.5	0.2
147	Malignant neoplasm of hypopharynx-----	414	347	87	317	81	30	6	0.2	0.4	0.1	0.4	0.1	0.3	0.1
148	Malignant neoplasm of pharynx, unspecified-----	1,232	968	264	874	229	94	35	0.6	1.0	0.3	1.0	0.3	0.8	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum-----	95,604	51,929	43,675	46,069	39,745	5,860	3,930	49.3	54.6	44.2	54.9	45.8	52.4	33.1
150	Malignant neoplasm of esophagus-----	5,542	4,236	1,306	3,341	1,048	895	258	2.9	4.5	1.3	4.0	1.2	8.0	2.2
151	Malignant neoplasm of stomach-----	18,027	11,059	6,968	9,383	6,085	1,676	883	9.3	11.6	7.1	11.2	7.0	15.0	7.4
152	Malignant neoplasm of small intestine, including duodenum-----	745	406	339	369	320	37	19	0.4	0.4	0.3	0.4	0.4	0.3	0.2
.0	Duodenum-----	215	119	96	110	89	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Other specified parts of small intestine-----	257	145	112	127	108	18	6	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.8	Multiple parts of small intestine-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Part unspecified-----	270	141	129	131	123	10	6	0.1	0.1	0.1	0.2	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum-----	32,000	14,897	17,103	13,858	15,858	1,039	1,245	18.5	15.7	17.3	16.5	18.3	9.3	10.5
.0	Cecum, appendix, and ascending colon-----	4,498	2,014	2,484	1,879	2,337	135	147	2.3	2.1	2.5	2.2	2.7	1.2	1.2
.1	Transverse colon, including hepatic and splenic flexures-----	1,551	725	826	688	770	59	56	0.8	0.8	0.8	0.8	0.9	0.5	0.5
.2	Descending colon-----	1,198	559	637	528	590	31	47	0.6	0.6	0.6	0.6	0.7	0.3	0.4
.3	Sigmoid colon-----	6,022	2,862	3,160	2,715	2,973	147	187	3.1	3.0	3.2	3.2	3.4	1.3	1.8
.7	Multiple parts of large intestine-----	59	35	24	34	23	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified-----	17,022	7,950	9,072	7,340	8,329	610	743	8.8	8.4	9.2	8.7	9.8	5.5	8.3
.9	Intestinal tract, part unspecified-----	1,652	752	900	696	836	58	64	0.9	0.8	0.9	0.8	1.0	0.5	0.5
154	Malignant neoplasm of rectum-----	10,533	5,962	4,571	5,519	4,214	443	357	5.4	6.3	4.6	6.6	4.9	4.0	3.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms--Con.															
155	Malignant neoplasm of digestive organs and peritoneum--Con.														
	Malignant neoplasm of biliary passages and of liver (stated to be primary site)-----	6,589	2,928	3,661	2,578	3,430	350	231	3.4	3.1	3.7	3.1	4.0	3.1	1.9
.0	Liver-----	2,064	1,369	715	1,125	648	244	67	1.1	1.4	0.7	1.3	0.7	2.2	0.6
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater-----	4,502	1,559	2,943	1,453	2,779	106	164	2.3	1.6	3.0	1.7	3.2	0.9	1.4
.8	Multiple sites-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)-----	4,494	2,379	2,115	2,046	1,904	333	211	2.3	2.5	2.1	2.4	2.2	3.0	1.8
A	Not stated whether primary or secondary-----	3,195	1,703	1,492	1,451	1,338	252	154	1.6	1.8	1.5	1.7	1.5	2.3	1.3
B	Secondary-----	1,299	676	623	595	566	81	57	0.7	0.7	0.6	0.7	0.7	0.7	0.5
157	Malignant neoplasm of pancreas-----	16,002	9,237	6,765	8,264	6,150	973	815	8.3	9.7	6.9	9.8	7.1	8.7	5.2
158	Malignant neoplasm of peritoneum-----	782	396	386	362	353	34	33	0.4	0.4	0.4	0.4	0.4	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs-----	890	429	461	349	385	80	78	0.5	0.5	0.5	0.4	0.4	0.7	0.7
160-165	Malignant neoplasm of respiratory system-----	53,851	44,877	8,774	40,772	7,961	4,105	813	27.7	47.2	8.9	48.6	9.2	36.7	6.8
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses-----	617	367	250	330	223	37	27	0.3	0.4	0.3	0.4	0.3	0.3	0.2
.0	Nose (internal) and nasal cavities-----	120	70	50	66	48	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Eustachian tube and middle ear-----	27	12	15	10	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus-----	364	217	147	190	127	27	20	0.2	0.2	0.1	0.2	0.1	0.2	0.2
.7	Other specified sinus (accessory)-----	54	38	16	36	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites-----	11	5	6	3	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified-----	41	25	16	25	13	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
161	Malignant neoplasm of larynx-----	2,629	2,326	303	2,073	268	253	35	1.4	2.4	0.3	2.5	0.3	2.3	0.3
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary-----	20,354	17,570	2,784	15,954	2,545	1,816	239	10.5	18.5	2.8	19.0	2.9	14.4	2.0
.0	Trachea-----	98	68	30	64	24	4	6	0.1	0.1	0.0	0.1	0.0	0.0	0.1
.1	Bronchus and lung-----	20,230	17,483	2,747	15,872	2,514	1,811	233	10.4	18.4	2.8	18.9	2.9	14.4	2.0
.2	Pleura-----	16	10	6	10	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple sites-----	10	9	1	8	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary-----	28,129	23,309	4,820	21,230	4,392	2,079	438	14.5	24.5	4.9	25.3	5.0	18.8	3.7
164	Malignant neoplasm of mediastinum-----	310	226	84	206	76	20	8	0.2	0.2	0.1	0.2	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)-----	1,612	1,079	533	978	467	100	66	0.8	1.1	0.5	1.2	0.5	0.9	0.6
170-181	Malignant neoplasm of breast and genitourinary organs-----	81,403	26,217	55,186	23,394	49,366	2,823	5,820	42.0	27.6	55.9	27.9	56.9	25.2	49.0
170	Malignant neoplasm of breast-----	27,046	243	26,805	221	24,627	22	2,178	14.0	0.3	27.2	0.3	28.4	0.2	18.3
171	Malignant neoplasm of cervix uteri-----	8,053	...	8,053	...	8,392	...	1,881	4.2	...	8.2	...	7.4	...	14.0
172	Malignant neoplasm of corpus uteri-----	1,680	...	1,680	...	1,488	...	191	0.9	...	1.7	...	1.7	...	1.6
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma-----	63	...	63	...	47	...	18	0.0	...	0.1	...	0.1	...	0.1
174	Malignant neoplasm of uterus, unspecified-----	4,042	...	4,042	...	3,426	...	616	2.1	...	4.1	...	3.9	...	5.2
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament-----	8,933	...	8,933	...	8,281	...	652	4.6	...	9.1	...	8.5	...	5.5
.0	Ovary-----	8,807	...	8,807	...	8,173	...	634	4.5	...	8.9	...	8.4	...	5.3
.1	Fallopian tube and broad ligament-----	110	...	110	...	92	...	18	0.1	...	0.1	...	0.1	...	0.2
.8	Multiple sites-----	13	...	13	...	13	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
176	Malignant neoplasm of other and unspecified female genital organs-----	803	...	803	...	725	...	78	0.4	...	0.8	...	0.8	...	0.7
.0	Vulva-----	471	...	471	...	416	...	55	0.2	...	0.5	...	0.5	...	0.5
.1	Vagina-----	272	...	272	...	252	...	20	0.1	...	0.3	...	0.3	...	0.2
.7	Other specified sites-----	9	...	9	...	9	...	-	0.0	...	0.0	...	0.0	...	-
.8	Multiple sites-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified-----	48	...	48	...	45	...	3	0.0	...	0.0	...	0.1	...	0.0
177	Malignant neoplasm of prostate-----	15,911	15,911	...	13,819	...	2,092	...	8.2	16.7	...	18.5	...	18.7	...
178	Malignant neoplasm of testis-----	711	711	...	686	...	25	...	0.4	0.7	...	0.8	...	0.2	...

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
179	Malignant neoplasm of breast and genitourinary organs-Con.														
	Malignant neoplasm of other and unspecified male genital organs-----	258	258	...	213	...	45	...	0.1	0.3	...	0.3	...	0.4	...
.0	Penis-----	206	206	...	167	...	39	...	0.1	0.2	...	0.2	...	0.3	...
.1	Scrotum-----	23	23	...	20	...	3	...	0.0	0.0	...	0.0	...	0.0	...
.7	Other specified sites-----	21	21	...	19	...	2	...	0.0	0.0	...	0.0	...	0.0	...
.8	Multiple sites-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.9	Site unspecified-----	7	7	...	6	...	1	...	0.0	0.0	...	0.0	...	0.0	...
180	Malignant neoplasm of kidney-----	5,634	3,508	2,126	3,266	1,961	242	145	2.9	3.7	2.2	3.9	2.3	2.2	1.2
181	Malignant neoplasm of bladder and other urinary organs-----	8,267	5,586	2,681	5,187	2,398	399	283	4.3	5.9	2.7	6.2	2.8	3.6	2.4
.0	Bladder-----	8,110	5,516	2,594	5,131	2,326	385	268	4.2	5.8	2.6	6.1	2.7	3.4	2.3
.7	Other urinary organs-----	150	68	82	54	67	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Multiple sites-----	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
190-199	Malignant neoplasm of other and unspecified sites-----	31,733	17,042	14,691	15,561	13,306	1,461	1,385	16.4	17.9	14.9	18.5	15.3	13.2	11.7
190	Malignant melanoma of skin-----	2,687	1,529	1,158	1,469	1,131	40	27	1.4	1.6	1.2	1.8	1.3	0.4	0.2
.0	Lips-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Eyelids, including canthi-----	4	-	4	-	-	-	-	0.0	-	0.0	-	-	-	-
.2	Ear and external auricular canal-----	18	15	3	15	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face-----	65	56	29	36	29	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Scalp and neck-----	88	55	33	54	33	1	-	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.5	Trunk-----	294	197	97	192	95	5	2	0.2	0.2	0.1	0.2	0.1	0.0	0.0
.6	Upper limb-----	141	71	70	70	68	1	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb-----	243	86	157	77	146	9	9	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.8	Multiple sites-----	11	7	4	7	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	1,820	1,059	761	1,036	747	23	14	0.9	1.1	0.8	1.2	0.9	0.2	0.1
191	Other malignant neoplasm of skin-----	1,918	1,182	736	1,103	674	79	62	1.0	1.2	0.7	1.3	0.8	0.7	0.5
.0	Lips-----	99	88	11	88	11	-	-	0.1	0.1	0.0	0.1	0.0	-	-
.1	Eyelids, including canthi-----	27	18	9	17	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Ear and external auricular canal-----	96	62	34	61	32	1	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Other and unspecified parts of face-----	633	394	239	370	226	24	13	0.3	0.4	0.2	0.4	0.3	0.2	0.1
.4	Scalp and neck-----	229	162	67	152	62	10	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.5	Trunk-----	241	113	128	99	113	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.6	Upper limb-----	63	45	18	43	18	2	-	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.7	Lower limb-----	65	32	33	28	25	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.8	Multiple sites-----	36	26	10	24	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Site unspecified-----	429	242	187	221	169	21	18	0.2	0.3	0.2	0.3	0.2	0.2	0.2
192	Malignant neoplasm of eye-----	338	172	166	161	154	11	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system-----	7,014	4,108	2,906	3,859	2,734	249	172	3.6	4.3	2.9	4.6	3.1	2.2	1.4
.0	Brain-----	5,620	3,295	2,325	3,109	2,203	186	122	2.9	3.5	2.4	3.7	2.5	1.7	1.0
.1	Spinal cord-----	135	74	61	62	50	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Meninges-----	61	34	27	29	22	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves-----	36	24	12	18	12	6	-	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.4	Sympathetic nervous system-----	318	161	137	165	119	16	18	0.2	0.2	0.1	0.2	0.1	0.1	0.2
.8	Multiple sites-----	14	12	2	10	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Site unspecified-----	830	488	342	466	326	22	16	0.4	0.5	0.3	0.6	0.4	0.2	0.1
194	Malignant neoplasm of thyroid gland-----	1,052	360	692	335	640	25	52	0.5	0.4	0.7	0.4	0.7	0.2	0.4
195	Malignant neoplasm of other endocrine glands-----	465	279	186	254	170	25	16	0.2	0.3	0.2	0.3	0.2	0.2	0.1
.0	Suprarenal gland-----	324	200	124	185	114	15	10	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.1	Parathyroid gland-----	11	5	6	3	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Thymus-----	88	49	39	44	36	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Pituitary gland and craniopharyngeal duct-----	18	10	8	9	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Pineal gland-----	9	8	1	7	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Other specified glands-----	14	6	8	5	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple glands-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
Malignant neoplasm of other and unspecified sites-Con.															
196	Malignant neoplasm of bone-----	1,813	1,092	721	988	646	104	75	0.9	1.1	0.7	1.2	0.7	0.9	0.6
.0	Bones of the skull and face-----	261	153	108	132	92	21	16	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone-----	184	133	51	129	45	4	6	0.1	0.1	0.1	0.2	0.1	0.0	0.1
.2	Vertebral column (excluding sacrum and coccyx)-----	285	174	111	155	97	19	14	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.3	Ribs, sternum, and clavicle-----	54	30	24	27	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula-----	83	46	37	43	34	3	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.5	Upper limb, short bones-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Pelvic bones, sacrum, coccyx-----	157	91	66	87	65	4	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb, long bones-----	336	192	144	168	130	24	14	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.8	Lower limb, short bones-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Multiple sites and site unspecified-----	443	267	176	241	158	26	18	0.2	0.3	0.2	0.3	0.2	0.2	0.2
197	Malignant neoplasm of connective tissue-----	1,262	692	570	623	514	89	58	0.7	0.7	0.6	0.7	0.6	0.6	0.5
.0	Head, face, and neck-----	61	44	17	41	15	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk-----	218	121	97	106	89	15	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)-----	68	42	26	36	24	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip)-----	257	141	116	129	105	12	11	0.1	0.1	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	653	342	311	309	278	33	33	0.3	0.4	0.3	0.4	0.3	0.3	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes-----	184	127	57	115	51	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Head, face, and neck-----	95	70	25	67	22	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Intrathoracic-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.2	Intra-abdominal-----	11	5	6	5	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Axillary and upper limb-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Inguinal and lower limb-----	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Other specified sites-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Multiple sites-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	51	35	16	28	14	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites-----	15,000	7,501	7,499	6,634	6,592	867	907	7.7	7.9	7.6	7.9	7.6	7.7	7.6
A	Of other specified sites, not specified as secondary-----	1,121	677	444	618	392	59	52	0.6	0.7	0.4	0.7	0.5	0.5	0.4
B	Primary site not indicated-----	13,879	6,824	7,055	6,016	6,200	808	855	7.2	7.2	7.1	7.2	7.1	7.2	7.2
200-205	Neoplasms of lymphatic and hematopoietic tissues-----	28,696	16,433	12,263	15,178	11,388	1,255	875	14.8	17.3	12.4	18.1	13.1	11.2	7.4
200	Lymphosarcoma and reticulosarcoma-----	7,250	4,134	3,116	3,870	2,970	264	146	3.7	4.3	3.2	4.6	3.4	2.4	1.2
.0	Reticulum cell sarcoma-----	1,947	1,104	843	1,021	801	83	42	1.0	1.2	0.9	1.2	0.9	0.7	0.4
.1	Lymphosarcoma-----	3,980	2,294	1,686	2,166	1,615	128	71	2.1	2.4	1.7	2.6	1.9	1.1	0.6
.2	Other primary malignant neoplasms of lymphoid tissue-----	1,323	736	587	683	554	53	33	0.7	0.8	0.6	0.8	0.6	0.5	0.3
201	Hodgkin's disease-----	3,394	2,068	1,328	1,920	1,234	146	94	1.8	2.2	1.3	2.3	1.4	1.3	0.8
202	Other forms of lymphoma (reticulososis)-----	1,117	622	495	578	458	44	37	0.6	0.7	0.5	0.7	0.5	0.4	0.3
.0	Giant follicular lymphomas (Brill-Symmers' disease)-----	132	66	66	65	65	1	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Other-----	985	556	429	513	393	43	36	0.5	0.6	0.4	0.6	0.5	0.4	0.3
203	Multiple myeloma (plasmocytoma)-----	3,235	1,727	1,508	1,497	1,298	230	210	1.7	1.8	1.5	1.8	1.5	2.1	1.8
204	Leukemia and aleukemia-----	13,628	7,840	5,788	7,274	5,403	566	385	7.0	8.2	5.9	8.7	6.2	5.1	3.2
.0	Lymphatic leukemia-----	3,161	1,992	1,169	1,862	1,100	130	69	1.6	2.1	1.2	2.2	1.3	1.2	0.6
.1	Myeloid leukemia-----	2,252	1,207	1,045	1,108	974	99	71	1.2	1.3	1.1	1.3	1.1	0.9	0.6
.2	Monocytic leukemia-----	1,070	606	464	567	429	39	35	0.6	0.6	0.5	0.7	0.5	0.3	0.3
.3	Acute leukemia-----	5,799	3,237	2,562	3,010	2,399	227	163	3.0	3.4	2.6	3.6	2.8	2.0	1.4
.4	Other and unspecified leukemia-----	1,346	798	548	727	501	71	47	0.7	0.8	0.6	0.9	0.6	0.6	0.4
205	Mycosis fungoides-----	72	44	28	39	25	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
210-229	Benign neoplasm-----	2,350	977	1,373	844	1,125	133	248	1.2	1.0	1.4	1.0	1.3	1.2	2.1
210	Benign neoplasm of buccal cavity and pharynx-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
211	Benign neoplasm of other parts of digestive system-----	227	136	91	125	78	11	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system-----	154	90	64	79	61	11	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
213	Benign neoplasm of breast-----	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
214	Uterine fibromyoma-----	209	...	209	...	103	...	106	0.1	...	0.2	...	0.1	...	0.9
215	Other benign neoplasm of uterus-----	29	...	29	...	23	...	6	0.0	...	0.0	...	0.0	...	0.1



Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms—Con.															
Benign neoplasm—Con.															
216	Benign neoplasm of ovary-----	115	...	115	...	101	...	14	0.1	...	0.1	...	0.1	...	0.1
217	Benign neoplasm of other female genital organs-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
219	Benign neoplasm of kidney and other urinary organs-----	29	19	10	17	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
220	Benign melanoma of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	Pilonidal cyst-----	3	3	-	3	-	-	-	0.0	0.0	-	-	-	-	-
222	Other benign neoplasm of skin-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	-	-	-
223	Benign neoplasm of brain and other parts of nervous system-----	1,006	429	577	370	509	59	68	0.5	0.5	0.6	0.4	0.6	0.5	0.6
224	Benign neoplasm of endocrine glands-----	324	178	146	143	128	35	18	0.2	0.2	0.1	0.2	0.1	0.3	0.2
225	Benign neoplasm of bone and cartilage-----	14	7	7	6	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
226	Lipoma-----	19	10	9	10	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
227	Other benign neoplasm of muscular and connective tissue-----	61	37	24	31	22	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
228	Hemangioma and lymphangioma-----	94	44	50	39	41	5	9	0.0	0.0	0.1	0.0	0.0	0.0	0.1
229	Benign neoplasm of other and unspecified organs and tissues-----	52	21	31	18	27	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature-----	2,708	1,429	1,279	1,265	1,128	164	151	1.4	1.5	1.3	1.5	1.3	1.5	1.3
230	Neoplasm of unspecified nature of digestive organs-----	320	159	161	144	146	15	15	0.2	0.2	0.2	0.2	0.2	0.1	0.1
231	Neoplasm of unspecified nature of respiratory organs-----	275	165	90	161	81	24	9	0.1	0.2	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
233	Neoplasm of unspecified nature of uterus-----	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary-----	18	...	18	...	16	...	2	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
236	Neoplasm of unspecified nature of other genitourinary organs-----	94	54	40	46	36	8	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system-----	1,707	918	789	821	702	97	87	0.9	1.0	0.8	1.0	0.8	0.9	0.7
238	Neoplasm of unspecified nature of skin and musculoskeletal system-----	24	10	14	8	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs-----	262	103	159	85	129	18	30	0.1	0.1	0.2	0.1	0.1	0.2	0.3
III. Allergic, endocrine system, metabolic, and nutritional diseases															
240-245	Allergic disorders-----	4,633	2,703	1,930	2,273	1,597	430	333	2.4	2.8	2.0	2.7	1.8	3.8	2.8
240	Hay fever-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
241	Asthma-----	4,520	2,649	1,871	2,226	1,544	423	327	2.3	2.8	1.9	2.7	1.8	3.8	2.8
242	Angioneurotic edema-----	16	7	9	7	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
243	Urticaria-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
244	Allergic eczema-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
245	Other allergic disorders-----	89	42	47	35	41	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland-----	877	196	681	164	590	32	91	0.5	0.2	0.7	0.2	0.7	0.3	0.8
250	Simple goiter-----	29	1	28	1	21	-	7	0.0	0.0	0.0	0.0	0.0	-	0.1
251	Nontoxic nodular goiter-----	26	6	20	4	17	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
252	Thyrotoxicosis with or without goiter-----	438	96	342	71	284	25	58	0.2	0.1	0.3	0.1	0.3	0.2	0.5
.0	Toxic diffuse goiter-----	409	94	315	69	262	25	53	0.2	0.1	0.3	0.1	0.3	0.2	0.4
.1	Toxic nodular goiter-----	29	2	27	2	22	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
253	Myxedema and cretinism-----	342	84	258	80	244	4	14	0.2	0.1	0.3	0.1	0.3	0.0	0.1
254	Other diseases of thyroid gland-----	42	9	33	8	24	1	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus-----	33,174	13,588	19,586	11,922	16,610	1,666	2,976	17.1	14.3	19.8	14.2	19.1	14.9	25.0
270-277	Diseases of other endocrine glands-----	1,005	504	501	420	420	84	81	0.5	0.5	0.5	0.5	0.5	0.8	0.7
270	Disorders of pancreatic internal secretion other than diabetes mellitus-----	109	68	41	46	26	22	15	0.1	0.1	0.0	0.1	0.0	0.2	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	III. Allergic, endocrine system, metabolic, and nutritional diseases-Con.																
	Diseases of other endocrine glands-Con.																
271	Diseases of parathyroid gland-----	45	23	22	20	20	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Hyperparathyroidism-----	33	19	14	16	13	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Hypoparathyroidism-----	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	-	-	-		
.2	Other and unspecified-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
272	Diseases of pituitary gland-----	252	129	123	109	92	20	31	0.1	0.1	0.1	0.1	0.1	0.2	0.3		
273	Diseases of thymus gland-----	88	49	19	41	12	8	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1		
274	Diseases of adrenal glands-----	454	203	251	176	229	27	22	0.2	0.2	0.3	0.2	0.3	0.2	0.2		
275	Ovarian dysfunction-----	-	...	-	...	-	...	-	-	-	...	-	...	-	-		
276	Testicular dysfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	-		
277	Polyglandular dysfunction and other diseases of endocrine glands-----	77	32	45	28	41	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
280-289	Avitaminoses and other metabolic diseases-----	4,447	2,207	2,240	1,911	1,903	296	337	2.3	2.3	2.3	2.3	2.2	2.6	2.8		
280	Beriberi-----	32	24	8	17	8	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
281	Pellagra-----	22	9	13	6	11	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
282	Scurvy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
283	Active rickets-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
284	Late effects of rickets-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
285	Osteomalacia-----	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
286	Other avitaminoses and nutritional deficiency states-----	1,481	713	768	578	642	135	126	0.8	0.7	0.8	0.7	0.7	1.2	1.1		
.0	Steatorrhea and sprue-----	39	18	21	18	20	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Vitamin A deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Vitamin B deficiency, except beriberi and pellagra-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Vitamin C deficiency, except scurvy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Vitamin D deficiency, except rickets and osteomalacia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Malnutrition, unqualified-----	1,279	618	661	502	550	116	111	0.7	0.6	0.7	0.6	0.6	1.0	0.9		
.6	Kwashiorkor (protein malnutrition)-----	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Other and multiple deficiency states-----	155	73	82	55	68	18	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
287	Obesity, not specified as of endocrine origin-----	1,156	491	665	447	543	44	122	0.6	0.5	0.7	0.5	0.6	0.4	1.0		
288	Gout-----	137	111	26	99	20	12	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
289	Other metabolic diseases-----	1,811	855	756	782	678	93	78	0.8	0.9	0.8	0.9	0.8	0.8	0.7		
A	Cystic fibrosis-----	610	307	303	289	285	18	18	0.3	0.3	0.3	0.3	0.3	0.2	0.2		
.0	Lipidosis (disturbance of lipid metabolism)-----	158	99	59	92	56	7	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.1	Amyloidosis-----	171	102	69	88	63	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.2	Other-----	672	347	325	295	274	52	51	0.3	0.4	0.3	0.4	0.3	0.5	0.4		
	IV. Diseases of the blood and blood-forming organs																
290-299	Diseases of blood and blood-forming organs-----	5,561	2,804	2,757	2,337	2,301	467	456	2.9	2.9	2.8	2.8	2.7	4.2	3.8		
290	Pernicious and other hyperchromic anemias-----	423	180	243	187	228	13	15	0.2	0.2	0.2	0.2	0.3	0.1	0.1		
.0	Pernicious anemia-----	358	151	207	140	195	11	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1		
.1	Subacute combined degeneration of spinal cord-----	15	7	8	7	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Other hyperchromic anemias-----	50	22	28	20	25	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
291	Iron deficiency anemias (hypochromic anemias)-----	115	63	52	52	41	11	11	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
292	Other anemias of specified type-----	1,989	1,040	949	802	716	238	233	1.0	1.1	1.0	1.0	0.8	2.1	2.0		
.0	Familial acholuric jaundice-----	130	60	70	53	62	7	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.1	Acute hemolytic anemia-----	37	15	22	14	16	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.2	Other hemolytic anemias-----	98	52	46	46	39	6	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
.3	Leuko-erythroblastic anemia-----	349	200	149	194	139	6	10	0.2	0.2	0.2	0.2	0.2	0.1	0.1		
.4	Aplastic anemia-----	976	494	482	465	446	29	36	0.5	0.5	0.5	0.6	0.5	0.3	0.3		
.5	Nonregenerative anemia-----	35	22	13	20	13	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Sickle cell anemia-----	358	191	167	4	1	187	166	0.2	0.2	0.2	0.0	0.0	1.7	1.4		
.7	Other specified anemias-----	6	6	-	6	-	-	-	0.0	0.0	-	-	-	-	-		
293	Anemia of unspecified type-----	1,012	460	552	375	448	85	104	0.5	0.5	0.6	0.4	0.5	0.8	0.9		
294	Polycythemia-----	516	309	207	278	195	31	12	0.3	0.3	0.2	0.3	0.2	0.3	0.1		
295	Hemophilia-----	59	57	2	44	1	13	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
296	Purpura and other hemorrhagic conditions-----	741	345	396	311	351	34	45	0.4	0.4	0.4	0.4	0.4	0.3	0.4		
297	Agranulocytosis-----	221	106	115	103	106	3	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Con.														
	Diseases of blood and blood-forming organs—Con.														
298	Diseases of spleen-----	237	122	115	103	103	19	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Hepatolienal fibrosis-----	104	55	49	45	44	10	5	0.1	0.1	0.0	0.1	0.1	0.1	0.0
.1	Other-----	133	67	66	58	59	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
299	Other diseases of blood and blood-forming organs-----	248	122	126	102	112	20	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders														
300-309	Psychoses-----	1,585	955	630	808	561	147	69	0.8	1.0	0.8	1.0	0.6	1.3	0.6
300	Schizophrenic disorders (dementia praecox)-----	128	57	71	51	62	6	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Simple type-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Hebephrenic type-----	10	6	4	5	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Catatonic type-----	24	10	14	9	10	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type-----	32	15	17	14	17	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenic-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Latent schizophrenia-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Schizo-affective psychosis-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.7	Other and unspecified-----	57	24	33	21	28	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
301	Manic-depressive reaction-----	24	9	15	7	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Manic and circular-----	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Depressive-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other-----	11	3	8	3	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
302	Involitional melancholia-----	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
303	Paranoia and paranoid states-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304	Senile psychosis-----	279	107	172	100	161	7	11	0.1	0.1	0.2	0.1	0.2	0.1	0.1
305	Pre senile psychosis-----	131	59	72	55	68	4	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0
307	Alcoholic psychosis-----	520	466	54	376	36	90	18	0.3	0.5	0.1	0.4	0.0	0.8	0.2
309	Other and unspecified psychoses-----	495	255	240	217	214	38	28	0.3	0.3	0.2	0.3	0.2	0.3	0.2
310-318	Psychoneurotic disorders-----	65	13	52	11	51	2	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
311	Hysterical reaction without mention of anxiety reaction-----	37	8	29	6	28	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
312	Phobic reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction-----	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting circulatory system-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Neurocirculatory asthenia-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Other heart manifestations specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other circulatory manifestations of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
316	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting digestive system-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Mucous colitis specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Irritability of colon specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Gastric neuroses-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other digestive manifestations specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting other systems-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Psychogenic reactions affecting respiratory system-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Psychogenic reactions affecting genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pruritus of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other cutaneous neuroses-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Psychogenic reactions affecting musculoskeletal system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Psychogenic reactions affecting other systems-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	V. Mental, psychoneurotic, and personality disorders—Con.																
	Psychoneurotic disorders—Con.																
318	Psychoneurotic disorders, other, mixed, and unspecified types—	10	-	10	-	10	-	-	0.0	-	0.0	-	0.0	-	-		
.0	Hypochondriacal reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Depersonalization-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Occupational neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Asthenic reaction-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.4	Mixed-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Of other and unspecified types-----	9	-	9	-	9	-	-	0.0	-	0.0	-	0.0	-	-		
320-326	Disorders of character, behavior, and intelligence-----	3,338	2,417	921	1,801	672	618	249	1.7	2.5	0.9	2.1	0.8	5.5	2.1		
320	Pathological personality-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.0	Schizoid personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Paranoid personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Cyclothymic personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Inadequate personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Antisocial personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Asocial personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Sexual deviation-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.7	Other and unspecified-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
321	Immature personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Emotional instability-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Passive dependency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Aggressiveness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Enuresis characterizing immature personality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other symptomatic habits except speech impediments-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
322	Alcoholism-----	2,665	2,046	619	1,502	424	544	195	1.4	2.2	0.8	1.8	0.5	4.9	1.6		
.0	Acute-----	897	672	215	475	154	197	61	0.5	0.7	0.2	0.6	0.2	1.8	0.5		
.1	Chronic-----	1,158	878	278	661	189	217	89	0.6	0.9	0.3	0.8	0.2	1.9	0.7		
.2	Unspecified-----	622	496	126	366	61	130	45	0.3	0.5	0.1	0.4	0.1	1.2	0.4		
323	Other drug addiction-----	153	92	61	57	33	35	28	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
324	Primary childhood behavior disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
325	Mental deficiency-----	518	278	240	241	215	37	25	0.3	0.3	0.2	0.3	0.2	0.3	0.2		
.0	Idiocy-----	16	12	4	12	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Imbecility-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.2	Moron-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Borderline intelligence-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Mongolism-----	287	136	131	120	119	16	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.5	Other and unspecified types-----	230	126	104	106	92	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
326	Other and unspecified character, behavior, and intelligence disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Specific learning defects-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Stammering and stuttering of nonorganic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other speech impediments of nonorganic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Acute situational maladjustment-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	VI. Diseases of the nervous system and sense organs																
330-334	Vascular lesions affecting central nervous system-----	201,057	93,520	107,537	80,823	93,768	12,697	13,769	103.7	98.3	108.9	96.3	108.0	113.5	115.9		
330	Subarachnoid hemorrhage-----	8,272	3,590	4,682	2,974	3,824	616	858	4.3	3.8	4.7	3.5	4.4	5.5	7.2		
331	Cerebral hemorrhage-----	109,193	51,239	57,954	43,414	49,572	7,825	8,382	56.3	53.9	58.7	51.7	57.1	69.9	70.5		
332	Cerebral embolism and thrombosis-----	63,680	29,636	34,044	26,455	30,651	3,181	3,393	32.9	31.2	34.5	31.5	35.3	28.4	28.6		
333	Spasm of cerebral arteries-----	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
334	Other and ill-defined vascular lesions affecting central nervous system-----	19,905	9,052	10,853	7,978	9,717	1,074	1,136	10.3	9.5	11.0	9.5	11.2	9.6	9.6		

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.														
340-345	Inflammatory diseases of central nervous system-----	5,182	2,656	2,528	2,053	2,028	603	498	2.7	2.8	2.6	2.4	2.3	5.4	4.2
340	Meningitis, except meningococcal and tuberculous-----	2,363	1,313	1,050	920	706	383	344	1.2	1.4	1.1	1.1	0.8	3.5	2.9
.0	H. influenzae-----	381	215	176	188	128	47	50	0.2	0.2	0.2	0.2	0.1	0.4	0.4
.1	Pneumococcus-----	548	288	260	193	165	95	85	0.3	0.3	0.3	0.2	0.2	0.8	0.8
.2	Due to other specified organism-----	240	136	104	112	76	24	28	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.3	With no organism specified as cause-----	1,184	674	510	447	339	227	171	0.6	0.7	0.5	0.5	0.4	2.0	1.4
341	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	49	21	28	14	22	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
342	Intracranial and intraspinal abscess-----	276	172	104	132	90	40	14	0.1	0.2	0.1	0.2	0.1	0.4	0.1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)-----	415	233	182	181	153	52	29	0.2	0.2	0.2	0.2	0.2	0.5	0.2
344	Late effects of intracranial abscess or pyogenic infection-----	549	310	239	241	199	69	40	0.3	0.3	0.2	0.3	0.2	0.6	0.3
A	Hydrocephalus not otherwise specified-----	351	181	150	130	117	51	33	0.2	0.2	0.2	0.2	0.1	0.5	0.3
B	Other late effects of intracranial abscess or pyogenic infection-----	218	129	89	111	82	18	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
345	Multiple sclerosis-----	1,530	607	923	565	858	42	65	0.8	0.6	0.9	0.7	1.0	0.4	0.5
350-357	Other diseases of central nervous system-----	9,137	5,024	4,113	4,347	3,845	677	468	4.7	5.3	4.2	5.2	4.2	6.1	3.9
350	Paralysis agitans-----	3,003	1,592	1,411	1,537	1,373	55	38	1.5	1.7	1.4	1.8	1.6	0.5	0.3
351	Cerebral spastic infantile paralysis-----	690	381	309	321	244	60	65	0.4	0.4	0.3	0.4	0.3	0.5	0.5
352	Other cerebral paralysis-----	540	294	246	231	205	63	41	0.3	0.3	0.2	0.3	0.2	0.6	0.3
353	Epilepsy-----	1,881	1,136	745	803	563	333	182	1.0	1.2	0.8	1.0	0.8	3.0	1.5
.0	Petit mal-----	13	9	4	6	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Grand mal-----	400	251	149	186	121	65	28	0.2	0.3	0.2	0.2	0.1	0.6	0.2
.2	Status epilepticus-----	489	273	216	179	167	94	49	0.3	0.3	0.2	0.2	0.2	0.8	0.4
.3	Other and unspecified-----	979	603	376	432	272	171	104	0.5	0.6	0.4	0.5	0.3	1.5	0.9
354	Migraine-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
355	Other diseases of brain-----	1,322	659	663	565	565	94	98	0.7	0.7	0.7	0.7	0.7	0.8	0.8
356	Motor neuron disease and muscular atrophy-----	1,438	815	623	773	597	42	26	0.7	0.9	0.6	0.9	0.7	0.4	0.2
.0	Progressive muscular atrophy-----	104	53	51	48	49	5	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Amyotrophic lateral sclerosis-----	1,225	703	522	666	500	37	22	0.6	0.7	0.5	0.8	0.6	0.3	0.2
.2	Spinal type of muscular atrophy-----	88	47	41	47	39	-	2	0.0	0.0	0.0	0.1	0.0	-	0.0
.3	Other and unspecified manifestations-----	21	12	9	12	9	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
357	Other diseases of spinal cord-----	262	146	116	116	98	30	18	0.1	0.2	0.1	0.1	0.1	0.3	0.2
360-369	Diseases of nerves and peripheral ganglia-----	231	126	105	112	90	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
360	Facial paralysis-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
361	Trigeminal neuralgia-----	14	3	11	3	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
362	Brachial neuritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Sciatica-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
364	Polyneuritis and polyradiculitis-----	163	92	71	84	58	8	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis-----	15	7	8	7	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
367	Other diseases of cranial nerves-----	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
368	Other diseases of peripheral nerves except autonomic-----	26	19	7	14	7	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
369	Diseases of peripheral autonomic nervous system-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
370-379	Inflammatory diseases of eye-----	12	7	5	7	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
370	Conjunctivitis and ophthalmia-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
371	Blepharitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
372	Hordeolum (sty)-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
373	Iritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
377	Inflammation of optic nerve and retina-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
378	Inflammation of lachrymal glands and ducts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
379	Other inflammatory diseases of eye-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs-Con.														
380-389	Other diseases and conditions of eye-----	53	25	28	20	25	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
380	Refractive errors-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382	Corneal opacity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus-----	4	3	1	3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
385	Cataract-----	28	11	17	7	15	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
387	Glaucoma-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
388	Other diseases of eye-----	9	3	6	2	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
389	Blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398	Diseases of ear and mastoid process-----	241	124	117	97	87	27	30	0.1	0.1	0.1	0.1	0.1	0.2	0.3
390	Otitis externa-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
391	Otitis media without mention of mastoiditis-----	165	84	81	60	57	24	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Acute-----	18	8	8	5	8	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Chronic-----	14	9	5	7	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	135	67	68	48	45	19	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2
392	Otitis media with mastoiditis-----	17	9	8	8	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	1	1	1	1	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Chronic-----	10	6	4	5	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
393	Mastoiditis without mention of otitis media-----	48	26	22	24	19	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	8	4	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	15	8	7	7	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	25	14	11	14	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
394	Other inflammatory diseases of ear-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
395	Ménière's disease-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
396	Other diseases of ear and mastoid process-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
397	Deaf mutism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness, one ear, and partial deafness in other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Impairment of hearing, one or both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. Diseases of the circulatory system														
400-402	Rheumatic fever-----	483	259	224	202	173	57	51	0.2	0.3	0.2	0.2	0.2	0.5	0.4
400	Rheumatic fever without mention of heart involvement-----	16	8	10	5	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
401	Rheumatic fever with heart involvement-----	464	252	212	197	161	55	51	0.2	0.3	0.2	0.2	0.2	0.5	0.4
.0	Active rheumatic pericarditis-----	143	86	57	70	47	16	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis-----	44	19	25	16	19	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Active rheumatic myocarditis-----	25	12	13	9	10	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Active rheumatic fever with other and multiple types of heart involvement-----	252	135	117	102	85	33	32	0.1	0.1	0.1	0.1	0.1	0.3	0.3
402	Chorea-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.0	Without mention of heart involvement-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system-Con.															
410-416	Chronic rheumatic heart disease-----	14,988	6,511	8,477	5,961	7,788	550	689	7.7	6.8	8.6	7.1	9.0	4.9	5.8
410	Diseases of mitral valve-----	5,999	2,383	3,616	2,211	3,366	172	250	3.1	2.5	3.7	2.6	3.9	1.5	2.1
411	Diseases of aortic valve specified as rheumatic-----	1,741	1,162	579	1,098	547	64	32	0.9	1.2	0.6	1.3	0.6	0.6	0.3
412	Diseases of tricuspid valve-----	36	16	20	11	18	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
414	Other endocarditis specified as rheumatic-----	762	308	454	288	421	20	33	0.4	0.3	0.5	0.3	0.5	0.2	0.3
415	Other myocarditis specified as rheumatic-----	209	100	109	88	101	12	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
416	Other heart disease specified as rheumatic-----	6,239	2,540	3,699	2,263	3,335	277	364	3.2	2.7	3.7	2.7	3.8	2.5	3.1
420-422	Arteriosclerotic and degenerative heart disease-----	612,471	366,127	246,344	339,972	226,413	26,155	19,931	316.0	384.9	249.6	405.1	260.8	233.7	167.7
420	Arteriosclerotic heart disease, including coronary disease-----	559,293	340,077	219,216	316,770	201,967	23,307	17,249	288.6	357.5	222.1	377.4	232.6	208.3	145.2
.0	Arteriosclerotic heart disease so described-----	152,455	75,304	77,151	68,909	71,291	6,395	5,860	78.7	79.2	78.2	82.1	82.1	57.1	49.3
.1	Heart disease specified as involving coronary arteries-----	406,499	264,577	141,922	247,691	130,557	16,886	11,365	209.7	278.2	143.8	295.1	150.4	150.9	95.6
.2	Angina pectoris without mention of coronary disease-----	339	196	143	170	119	26	24	0.2	0.2	0.1	0.2	0.1	0.2	0.2
421	Chronic endocarditis not specified as rheumatic-----	3,963	2,287	1,676	2,015	1,482	272	194	2.0	2.4	1.7	2.4	1.7	2.4	1.6
.0	Of mitral valve, specified as nonrheumatic-----	147	77	70	66	59	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Of aortic valve, not specified as rheumatic-----	2,347	1,528	819	1,393	741	135	78	1.2	1.6	0.8	1.7	0.9	1.2	0.7
.2	Of tricuspid valve, specified as nonrheumatic-----	1	1	-	1	-	-	-	0.0	-	0.0	-	-	-	-
.3	Of pulmonary valve, not specified as rheumatic-----	106	60	46	52	42	8	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Other and ill-defined, not specified as rheumatic-----	1,362	822	740	504	639	118	101	0.7	0.7	0.7	0.6	0.7	1.1	0.9
422	Other myocardial degeneration-----	49,215	23,763	25,452	21,187	22,964	2,576	2,488	25.4	25.0	25.8	25.2	26.4	23.0	20.9
.0	Fatty degeneration-----	44	15	29	14	27	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis-----	40,467	19,426	21,041	17,435	19,105	1,991	1,936	20.9	20.4	21.3	20.8	22.0	17.8	16.3
.2	Other-----	8,704	4,322	4,382	3,738	3,832	584	550	4.5	4.5	4.4	4.5	4.4	5.2	4.6
430-434	Other diseases of heart-----	29,177	16,197	12,980	13,515	10,835	2,682	2,145	15.1	17.0	13.2	16.1	12.5	24.0	18.1
430	Acute and subacute endocarditis-----	716	454	262	395	222	59	40	0.4	0.5	0.3	0.5	0.3	0.5	0.3
.0	Acute and subacute bacterial endocarditis-----	661	424	237	375	201	49	36	0.3	0.4	0.2	0.4	0.2	0.4	0.3
.1	Other acute endocarditis-----	55	30	25	20	21	10	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
431	Acute myocarditis not specified as rheumatic-----	996	557	439	456	349	101	90	0.5	0.6	0.4	0.5	0.4	0.9	0.8
432	Acute pericarditis specified as nonrheumatic-----	93	51	42	38	36	13	6	0.0	0.1	0.0	0.0	0.0	0.1	0.1
433	Functional disease of heart-----	8,643	4,277	4,366	3,801	3,870	476	496	4.5	4.5	4.4	4.5	4.5	4.3	4.2
.0	Heart block-----	4,091	2,175	1,916	1,886	1,601	289	315	2.1	2.3	1.9	2.2	1.8	2.6	2.7
.1	Other disorders of heart rhythm-----	4,524	2,088	2,436	1,901	2,257	187	179	2.3	2.2	2.5	2.3	2.6	1.7	1.5
.2	Other functional diseases of heart-----	28	14	14	14	12	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
434	Other and unspecified diseases of heart-----	18,729	10,858	7,871	8,825	6,358	2,033	1,513	9.7	11.4	8.0	10.5	7.3	18.2	12.7
.0	Kyphoscoliotic heart disease-----	214	94	120	86	110	8	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Congestive heart failure-----	10,493	5,498	4,995	4,609	4,218	889	777	5.4	5.8	5.1	5.5	4.9	7.9	6.5
.2	Left ventricular failure-----	545	301	244	258	215	43	29	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.3	Other disease of heart-----	349	197	152	163	133	34	19	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.4	Unspecified disease of heart-----	7,128	4,768	2,360	3,709	1,682	1,059	678	3.7	5.0	2.4	4.4	1.9	9.5	5.7
440-443	Hypertensive heart disease-----	54,968	23,737	31,231	17,770	24,441	5,967	6,790	28.4	25.0	31.6	21.2	28.2	53.3	57.1
440	Essential benign hypertensive heart disease-----	271	96	175	56	123	40	52	0.1	0.1	0.2	0.1	0.1	0.4	0.4
441	Essential malignant hypertensive heart disease-----	470	278	192	145	114	133	78	0.2	0.3	0.2	0.2	0.1	1.2	0.7
442	Hypertensive heart disease with arteriolar nephrosclerosis-----	12,027	5,727	6,300	4,719	5,342	1,008	958	6.2	6.0	6.4	5.6	6.2	9.0	8.1
443	Other and unspecified hypertensive heart disease-----	42,200	17,636	24,564	12,850	18,862	4,786	5,702	21.8	18.5	24.9	15.3	21.7	42.8	48.0
444-447	Other hypertensive disease-----	11,667	5,942	5,725	4,624	4,672	1,318	1,053	6.0	6.2	5.8	5.5	5.4	11.8	8.9
444	Essential benign hypertension-----	2,997	1,193	1,804	934	1,513	259	291	1.5	1.3	1.8	1.1	1.7	2.3	2.4
445	Essential malignant hypertension-----	1,639	941	698	446	372	495	326	0.8	1.0	0.7	0.5	0.4	4.4	2.7
446	Hypertension with arteriolar nephrosclerosis-----	6,848	3,727	3,121	3,185	2,709	542	412	3.5	3.9	3.2	3.8	3.1	4.8	3.5
447	Other hypertensive disease without mention of heart-----	183	61	122	59	78	22	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system-Con.															
450-456	Diseases of arteries-----	53,057	27,175	25,882	25,071	23,810	2,104	2,072	27.4	28.6	28.2	29.9	27.4	18.8	17.4
450	General arteriosclerosis-----	38,102	17,299	20,803	15,907	19,385	1,392	1,418	19.7	18.2	21.1	19.0	22.3	12.4	11.9
.0	Without mention of gangrene-----	35,693	16,040	19,653	14,770	18,343	1,270	1,310	18.4	16.9	19.9	17.6	21.1	11.3	11.0
.1	With mention of gangrene as a consequence-----	2,409	1,259	1,150	1,137	1,042	122	108	1.2	1.3	1.2	1.4	1.2	1.1	0.9
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----	10,964	7,911	3,053	7,426	2,756	485	297	5.7	8.3	3.1	8.8	3.2	4.3	2.5
452	Other aneurysm, except of heart and aorta-----	761	426	335	377	288	49	47	0.4	0.4	0.3	0.4	0.3	0.4	0.4
453	Peripheral vascular disease-----	205	137	68	120	63	17	5	0.1	0.1	0.1	0.1	0.1	0.2	0.0
.0	Raynaud's disease-----	16	5	11	5	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Thromboangiitis obliterans-----	71	58	13	48	13	10	-	0.1	0.1	0.0	0.1	0.0	0.1	-
.2	Chilblains-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other-----	118	74	44	67	39	7	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
454	Arterial embolism and thrombosis-----	1,058	595	463	537	413	58	50	0.5	0.6	0.5	0.6	0.5	0.5	0.4
455	Gangrene of unspecified cause-----	302	159	143	130	114	29	29	0.2	0.2	0.1	0.2	0.1	0.3	0.2
456	Other diseases of arteries-----	1,665	648	1,017	574	791	74	226	0.9	0.7	1.0	0.7	0.9	0.7	1.9
460-468	Diseases of veins and other diseases of circulatory system--	12,324	6,333	5,991	5,427	5,173	906	818	6.4	6.7	6.1	6.5	6.0	8.1	6.9
460	Varicose veins of lower extremities-----	265	88	177	77	162	11	15	0.1	0.1	0.2	0.1	0.2	0.1	0.1
461	Hemorrhoids-----	42	31	11	23	10	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
462	Varicose veins of other specified sites-----	413	267	146	244	132	23	14	0.2	0.3	0.1	0.3	0.2	0.2	0.1
.0	Varicocele-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of esophagus-----	366	254	132	231	119	23	13	0.2	0.3	0.1	0.3	0.1	0.2	0.1
.2	Other-----	27	13	14	13	13	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
463	Phlebitis and thrombophlebitis of lower extremities-----	1,359	649	710	574	632	75	78	0.7	0.7	0.7	0.7	0.7	0.7	0.7
464	Phlebitis and thrombophlebitis of other sites-----	1,109	527	582	465	508	62	74	0.6	0.6	0.6	0.6	0.6	0.6	0.8
465	Pulmonary embolism and infarction-----	6,066	3,201	2,865	2,701	2,447	500	418	3.1	3.4	2.9	3.2	2.8	4.5	3.5
466	Other venous embolism and thrombosis-----	2,247	1,111	1,136	951	966	160	150	1.2	1.2	1.2	1.1	1.1	1.4	1.3
467	Other diseases of circulatory system-----	768	438	330	378	268	60	62	0.4	0.5	0.3	0.5	0.3	0.5	0.5
.0	Hypotension-----	69	40	29	32	19	8	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries-----	42	16	26	16	21	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other and unspecified circulatory diseases-----	657	382	275	330	228	52	47	0.3	0.4	0.3	0.4	0.3	0.5	0.4
468	Certain diseases of lymph nodes and lymph channels-----	55	21	34	14	28	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Chronic lymphadenitis-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.1	Nonspecific mesenteric lymphadenitis-----	15	7	8	3	6	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified-----	17	7	10	6	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Noninfective diseases of lymphatic channels-----	22	7	15	5	12	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VIII. Diseases of the respiratory system															
470-475	Acute upper respiratory infections-----	745	417	328	310	246	107	82	0.4	0.4	0.3	0.4	0.3	1.0	0.7
470	Acute nasopharyngitis (common cold)-----	68	37	31	13	14	24	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1
471	Acute sinusitis-----	8	6	2	3	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
472	Acute pharyngitis-----	80	41	39	33	34	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Sore throat, unqualified-----	9	6	3	4	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other-----	71	35	36	29	32	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
473	Acute tonsillitis-----	36	17	19	15	11	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
474	Acute laryngitis and tracheitis-----	219	126	93	97	71	29	22	0.1	0.1	0.1	0.1	0.1	0.3	0.2
475	Acute upper respiratory infections of multiple or unspecified sites-----	334	190	144	149	114	41	30	0.2	0.2	0.1	0.2	0.1	0.4	0.3
480-483	Influenza-----	2,295	1,084	1,231	881	1,021	183	210	1.2	1.1	1.2	1.0	1.2	1.6	1.8
480	Influenza with pneumonia-----	1,268	615	653	490	520	125	133	0.7	0.6	0.7	0.6	0.6	1.1	1.1
481	Influenza with other respiratory manifestations, and influenza unqualified-----	928	406	522	361	460	45	62	0.5	0.4	0.5	0.4	0.5	0.4	0.5
482	Influenza with digestive manifestations, but without respiratory symptoms-----	64	28	36	18	27	10	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms-----	35	15	20	12	14	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1



Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
VIII. Diseases of the respiratory system—Con.																	
480-493	Pneumonia-----	59,608	33,909	25,699	27,967	21,442	5,842	4,257	30.8	35.7	26.0	33.3	24.7	53.1	35.8		
490	Lobar pneumonia-----	8,955	5,466	3,489	4,378	2,824	1,088	665	4.6	5.7	3.5	5.2	3.3	9.7	5.6		
491	Bronchopneumonia-----	32,719	18,402	14,317	15,535	12,227	2,867	2,090	16.9	19.3	14.5	18.5	14.1	25.6	17.6		
492	Primary atypical pneumonia-----	5,693	3,191	2,502	2,602	2,035	589	467	2.9	3.4	2.5	3.1	2.3	5.3	3.9		
493	Pneumonia, other and unspecified-----	12,241	6,850	5,391	5,452	4,356	1,398	1,035	6.3	7.2	5.5	6.5	5.0	12.5	8.7		
500-502	Bronchitis-----	5,772	4,238	1,534	3,883	1,369	355	165	3.0	4.5	1.6	4.6	1.6	3.2	1.4		
500	Acute bronchitis-----	1,004	599	405	490	337	109	68	0.5	0.6	0.4	0.6	0.4	1.0	0.6		
501	Bronchitis, unqualified-----	746	416	330	330	270	86	60	0.4	0.4	0.3	0.4	0.3	0.8	0.5		
502	Chronic bronchitis-----	4,022	3,223	799	3,063	762	160	37	2.1	3.4	0.8	3.6	0.9	1.4	0.3		
.0	Bronchitis with emphysema-----	3,157	2,644	513	2,535	492	109	21	1.6	2.8	0.5	3.0	0.6	1.0	0.2		
.1	Other-----	865	579	286	528	270	51	16	0.4	0.6	0.3	0.6	0.3	0.5	0.1		
510-527	Other diseases of respiratory system-----	31,349	24,597	6,752	22,700	6,043	1,897	709	16.2	25.9	6.8	27.0	7.0	17.0	6.0		
510	Hypertrophy of tonsils and adenoids-----	77	35	42	32	34	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.0	Without mention of tonsillectomy or adenoidectomy-----	6	3	3	3	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	With tonsillectomy or adenoidectomy-----	71	32	39	29	33	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
511	Peritonsillar abscess (quinsy)-----	13	7	6	5	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
512	Chronic pharyngitis and nasopharyngitis-----	4	2	2	2	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0		
.0	Chronic pharyngitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Chronic nasopharyngitis-----	3	1	2	1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0		
513	Chronic sinusitis-----	69	40	29	27	27	13	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
514	Deflected nasal septum-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
515	Nasal polyp-----	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
516	Chronic laryngitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
517	Other diseases of upper respiratory tract-----	199	111	88	90	75	21	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
518	Empyema-----	287	195	72	153	59	42	13	0.1	0.2	0.1	0.2	0.1	0.4	0.1		
519	Pleurisy-----	183	113	70	86	62	25	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.0	Without mention of effusion or tuberculosis-----	90	54	36	39	33	15	3	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
.1	With effusion, with mention of a bacterial cause other than tuberculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other specified forms of effusion, except tuberculous-----	93	59	34	49	29	10	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
520	Spontaneous pneumothorax-----	115	89	26	71	24	18	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0		
521	Abscess of lung-----	601	440	161	333	124	107	37	0.3	0.5	0.2	0.4	0.1	1.0	0.3		
522	Pulmonary congestion and hypostasis-----	1,701	837	864	692	768	145	96	0.9	0.9	0.9	0.8	0.9	1.3	0.8		
523	Pneumoconiosis due to silica and silicates (occupational)-----	1,544	1,527	17	1,470	17	57	-	0.8	1.6	0.0	1.8	0.0	0.5	-		
.0	Silicosis-----	443	431	12	405	12	26	-	0.2	0.5	0.0	0.5	0.0	0.2	-		
.1	Anthracosilicosis-----	900	898	2	889	2	9	-	0.5	0.9	0.0	1.1	0.0	0.1	-		
.2	Asbestosis-----	22	20	2	18	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.3	Other, including pneumoconiosis unspecified-----	179	178	1	158	1	20	-	0.1	0.2	0.0	0.2	0.0	0.2	-		
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin-----	52	42	10	41	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
525	Other chronic interstitial pneumonia-----	4,223	2,673	1,550	2,299	1,276	374	274	2.2	2.8	1.6	2.7	1.5	3.3	2.3		
526	Bronchiectasis-----	1,708	1,094	614	997	590	97	24	0.9	1.2	0.6	1.2	0.7	0.9	0.2		
527	Other diseases of lung and pleural cavity-----	20,587	17,388	3,199	16,398	2,970	990	229	10.6	18.3	3.2	19.5	3.4	8.8	1.9		
.0	Pulmonary collapse (1 year and over)-----	192	96	96	73	86	23	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.1	Emphysema without mention of bronchitis-----	18,664	16,151	2,513	15,367	2,397	784	116	9.6	17.0	2.5	18.3	2.8	7.0	1.0		
.2	Other-----	1,731	1,141	590	958	487	183	103	0.9	1.2	0.6	1.1	0.6	1.6	0.9		
IX. Diseases of the digestive system																	
530-539	Diseases of buccal cavity and esophagus-----	948	544	404	497	357	47	47	0.5	0.6	0.4	0.6	0.4	0.4	0.4		
530	Dental caries-----	7	4	3	3	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Dental caries, unqualified-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	With pulp exposure-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
IX. Diseases of the digestive system-Con.																	
Diseases of buccal cavity and esophagus-Con.																	
530	Dental caries-Con.																
.2	With periapical abscess-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0		
.3	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
531	Abscesses of supporting structures of teeth-----	17	8	9	5	6	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Pericoronal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Periodontal (parietal)-----	6	4	2	2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other and unspecified-----	11	4	7	3	4	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
532	Other inflammatory diseases of supporting structures of teeth-----	10	7	3	6	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Gingivitis, except ulcerative-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Periodontitis (pyorrhea, inflammatory)-----	3	2	1	1	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0		
.2	Periodontosis (pyorrhea, degenerative)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
533	Disorders of occlusion, eruption, and tooth development-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.0	Malocclusion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Disorders of first dentition-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Impacted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Unerrupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Partially erupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Congenital anomalies of teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Chronic dental fluorosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
534	Toothache from unspecified cause-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
535	Other diseases of teeth and supporting structures-----	35	17	18	14	12	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
536	Stomatitis-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
537	Diseases of salivary glands-----	99	28	71	28	65	-	6	0.1	0.0	0.1	0.0	0.1	-	0.1		
538	Other diseases of buccal cavity-----	24	12	12	10	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
539	Diseases of esophagus-----	752	466	286	429	260	37	26	0.4	0.5	0.3	0.5	0.3	0.3	0.2		
.0	Functional disorders of esophagus-----	52	28	24	24	21	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Other-----	700	438	262	405	239	33	23	0.4	0.5	0.3	0.5	0.3	0.3	0.2		
540-545	Diseases of stomach and duodenum-----	11,791	8,263	3,528	7,529	3,203	734	325	6.1	8.7	3.6	9.0	3.7	6.6	2.7		
540	Ulcer of stomach-----	5,403	3,633	1,770	3,266	1,611	367	159	2.8	3.8	1.8	3.9	1.9	3.3	1.3		
.0	Without mention of perforation-----	3,571	2,423	1,148	2,187	1,063	236	85	1.8	2.5	1.2	2.6	1.2	2.1	0.7		
.1	With perforation-----	1,832	1,210	622	1,079	548	131	74	0.9	1.3	0.6	1.3	0.6	1.2	0.6		
541	Ulcer of duodenum-----	5,021	3,728	1,293	3,468	1,191	260	102	2.6	3.9	1.3	4.1	1.4	2.3	0.9		
.0	Without mention of perforation-----	3,075	2,301	774	2,148	723	153	51	1.6	2.4	0.8	2.6	0.8	1.4	0.4		
.1	With perforation-----	1,946	1,427	519	1,320	468	107	51	1.0	1.5	0.5	1.6	0.5	1.0	0.4		
542	Gastrojejunal ulcer-----	241	173	68	159	60	14	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1		
.0	Without mention of perforation-----	159	116	43	108	38	8	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.1	With perforation-----	82	57	25	51	22	6	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
543	Gastritis and duodenitis-----	456	290	166	257	136	33	30	0.2	0.3	0.2	0.3	0.2	0.3	0.3		
544	Disorders of function of stomach-----	125	70	55	56	45	14	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.0	Disorders of gastric secretion-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Disorders of gastric motility-----	76	46	30	39	25	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Other-----	46	23	23	16	18	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
545	Other diseases of stomach and duodenum-----	545	369	176	323	160	46	16	0.3	0.4	0.2	0.4	0.2	0.4	0.1		
550-553	Appendicitis-----	1,694	1,072	622	895	519	177	103	0.9	1.1	0.6	1.1	0.6	1.6	0.9		
550	Acute appendicitis-----	1,564	991	573	827	476	164	97	0.8	1.0	0.6	1.0	0.5	1.5	0.8		
.0	Without mention of peritonitis-----	146	95	51	85	45	10	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.1	With peritonitis-----	1,418	896	522	742	431	154	91	0.7	0.9	0.5	0.9	0.5	1.4	0.8		
551	Appendicitis, unqualified-----	117	71	46	61	41	10	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
552	Other appendicitis-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
553	Other diseases of appendix-----	8	7	1	6	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system-Con.															
560,561	Hernia of abdominal cavity-----	3,277	1,695	1,582	1,519	1,436	176	146	1.7	1.8	1.6	1.8	1.7	1.6	1.2
560	Hernia of abdominal cavity without mention of obstruction----	1,390	729	661	663	602	66	59	0.7	0.8	0.7	0.8	0.7	0.6	0.5
.0	Inguinal-----	125	113	12	90	10	23	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.1	Femoral-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Umbilical-----	222	111	111	98	97	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)-----	126	48	78	46	69	2	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site-----	820	386	434	363	405	23	29	0.4	0.4	0.4	0.4	0.5	0.2	0.2
.5	Of unspecified site-----	92	69	23	64	18	5	5	0.0	0.1	0.0	0.1	0.0	0.0	0.0
561	Hernia of abdominal cavity with obstruction-----	1,887	966	921	856	834	110	87	1.0	1.0	0.9	1.0	1.0	1.0	0.7
.0	Inguinal-----	553	462	91	394	85	68	6	0.3	0.5	0.1	0.5	0.1	0.6	0.1
.1	Femoral-----	200	52	148	52	141	-	7	0.1	0.1	0.1	0.1	0.2	-	0.1
.2	Umbilical-----	238	72	166	67	135	5	31	0.1	0.1	0.2	0.1	0.2	0.0	0.3
.3	Ventral (incisional)-----	310	66	244	59	216	7	26	0.2	0.1	0.2	0.1	0.3	0.1	0.2
.4	Of other specified site-----	246	104	142	91	134	13	8	0.1	0.1	0.1	0.1	0.2	0.1	0.1
.5	Of unspecified site-----	340	210	130	193	121	17	9	0.2	0.2	0.1	0.2	0.1	0.2	0.1
570-578	Other diseases of intestines and peritoneum-----	19,020	9,169	9,851	7,633	8,445	1,536	1,406	9.8	9.6	10.0	9.1	9.7	13.7	11.8
570	Intestinal obstruction without mention of hernia-----	6,728	2,973	3,753	2,585	3,327	408	426	3.5	3.1	3.8	3.1	3.8	3.6	3.6
.0	Intussusception-----	95	58	37	42	30	16	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.1	Paralytic ileus-----	282	127	155	104	136	23	19	0.1	0.1	0.2	0.1	0.2	0.2	0.2
.2	Mesenteric infarction-----	2,497	1,138	1,359	1,035	1,227	103	132	1.3	1.2	1.4	1.2	1.4	0.9	1.1
.3	Volvulus-----	1,051	554	497	462	443	92	54	0.5	0.6	0.5	0.6	0.5	0.8	0.5
.4	Impaction of intestine-----	206	70	136	68	129	2	7	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.5	Other-----	2,595	1,026	1,569	854	1,362	172	207	1.3	1.1	1.6	1.0	1.6	1.5	1.7
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	3,443	1,781	1,662	1,100	1,099	681	583	1.8	1.9	1.7	1.3	1.3	6.1	4.7
.0	Ages between 4 weeks and 2 years-----	1,903	1,076	827	515	372	561	455	1.0	1.1	0.8	0.6	0.4	5.0	3.8
.1	Ages 2 years and over-----	1,540	705	835	585	727	120	108	0.8	0.7	0.8	0.7	0.8	1.1	0.9
572	Chronic enteritis and ulcerative colitis-----	4,000	1,731	2,269	1,636	2,123	95	146	2.1	1.8	2.3	1.9	2.4	0.8	1.2
.0	Regional enteritis-----	220	110	110	102	107	8	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis-----	2,852	1,197	1,655	1,145	1,551	52	104	1.5	1.3	1.7	1.4	1.8	0.5	0.9
.2	Ulcerative colitis-----	834	384	450	358	420	26	30	0.4	0.4	0.5	0.4	0.5	0.2	0.3
.3	Other-----	94	40	54	31	45	9	9	0.0	0.0	0.1	0.0	0.1	0.1	0.1
573	Functional disorders of intestines-----	39	12	27	11	24	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation-----	6	2	4	1	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Mucous colitis-----	7	-	7	-	4	-	3	0.0	-	0.0	-	0.0	-	0.0
.2	Irritability of colon-----	6	1	5	1	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other-----	20	9	11	9	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
574	Anal fissure and fistula-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
575	Abscess of anal and rectal regions-----	79	52	27	39	22	13	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0
576	Peritonitis-----	831	445	386	383	328	62	60	0.4	0.5	0.4	0.5	0.4	0.6	0.5
577	Peritoneal adhesion-----	62	25	37	22	36	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum-----	3,834	2,146	1,688	1,874	1,488	272	202	2.0	2.3	1.7	2.2	1.7	2.4	1.7
580-587	Diseases of liver, gallbladder, and pancreas-----	35,170	21,019	14,151	18,481	12,308	2,538	1,843	18.1	22.1	14.3	22.0	14.2	22.7	15.5
580	Acute and subacute yellow atrophy of liver-----	463	220	243	189	211	31	32	0.2	0.2	0.2	0.2	0.2	0.3	0.3
581	Cirrhosis of liver-----	24,715	15,984	8,731	13,931	7,409	2,053	1,322	12.8	16.8	8.8	16.8	8.5	18.3	11.1
.0	Without mention of alcoholism-----	18,286	10,249	6,037	9,053	5,226	1,196	811	8.4	10.8	6.1	10.8	6.0	10.7	8.8
.1	With alcoholism-----	8,429	5,735	2,694	4,878	2,183	857	511	4.3	6.0	2.7	5.8	2.5	7.7	4.3
582	Suppurative hepatitis and liver abscess-----	131	74	57	57	44	17	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver-----	1,068	534	534	462	453	72	61	0.6	0.6	0.5	0.6	0.5	0.6	0.7
584	Cholelithiasis-----	2,857	1,241	1,716	1,207	1,626	34	90	1.5	1.3	1.7	1.4	1.9	0.3	0.8
585	Cholecystitis and cholangitis, without mention of calculi-----	1,709	719	990	676	907	43	83	0.9	0.8	1.0	0.8	1.0	0.4	0.7
586	Other diseases of gallbladder and biliary ducts-----	1,297	550	747	515	695	35	52	0.7	0.6	0.8	0.6	0.8	0.3	0.4

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[ Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories ]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system—Con.															
Diseases of liver, gallbladder, and pancreas—Con.															
587	Diseases of pancreas-----	2,830	1,697	1,133	1,444	963	253	170	1.5	1.8	1.1	1.7	1.1	2.3	1.4
.0	Acute pancreatitis-----	2,429	1,443	986	1,227	840	218	146	1.3	1.5	1.0	1.5	1.0	1.9	1.2
.1	Chronic pancreatitis-----	270	175	95	148	79	29	18	0.1	0.2	0.1	0.2	0.1	0.3	0.1
.2	Other diseases of pancreas-----	131	79	52	71	44	8	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
X. Diseases of the genitourinary system															
590-594	Nephritis and nephrosis-----	11,920	6,823	5,297	5,143	4,033	1,480	1,264	6.2	7.0	5.4	6.1	4.8	13.2	10.6
590	Acute nephritis-----	547	294	253	207	189	87	64	0.3	0.3	0.3	0.2	0.2	0.8	0.5
591	Nephritis with edema, including nephrosis-----	778	436	342	352	269	84	73	0.4	0.5	0.3	0.4	0.3	0.8	0.6
592	Chronic nephritis-----	7,497	4,196	3,301	3,287	2,534	909	767	3.9	4.4	3.3	3.9	2.9	8.1	6.5
593	Nephritis not specified as acute or chronic-----	2,965	1,608	1,357	1,222	1,006	386	351	1.5	1.7	1.4	1.5	1.2	3.4	3.0
594	Other renal sclerosis-----	133	89	44	75	35	14	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
600-609	Other diseases of urinary system-----	13,969	7,156	6,813	5,821	5,644	1,335	1,169	7.2	7.5	6.9	6.9	6.5	11.9	9.8
600	Infections of kidney-----	9,813	4,652	5,161	3,775	4,204	877	957	5.1	4.9	5.2	4.5	4.8	7.8	8.1
.0	Pyelitis, pyelocystitis, and pyelonephritis-----	9,586	4,540	5,046	3,684	4,107	856	939	4.9	4.8	5.1	4.4	4.7	7.8	7.9
.1	Abscess of kidney and perirenal tissue-----	125	54	71	47	62	7	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Other-----	102	58	44	44	35	14	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
601	Hydronephrosis-----	268	160	108	143	91	17	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1
602	Calculi of kidney and ureter-----	1,105	558	547	508	483	52	64	0.6	0.6	0.6	0.6	0.6	0.5	0.5
603	Other diseases of kidney and ureter-----	1,007	595	412	475	329	120	83	0.5	0.6	0.4	0.6	0.4	1.1	0.7
604	Calculi of other parts of urinary system-----	100	75	25	65	22	10	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
605	Cystitis-----	372	224	148	192	140	32	8	0.2	0.2	0.1	0.2	0.2	0.3	0.1
606	Other diseases of bladder-----	298	229	69	188	60	41	9	0.2	0.2	0.1	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)-----	13	11	2	6	2	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
608	Stricture of urethra-----	177	172	5	91	5	81	-	0.1	0.2	0.0	0.1	0.0	0.7	-
609	Other diseases of urethra-----	816	480	336	380	308	100	28	0.4	0.5	0.3	0.5	0.4	0.9	0.2
610-617	Diseases of male genital organs-----	3,935	3,935	...	3,390	...	545	...	2.0	4.1	...	4.0	...	4.9	...
610	Hyperplasia of prostate-----	3,413	3,413	...	2,953	...	460	...	1.8	3.6	...	3.5	...	4.1	...
611	Prostatitis-----	214	214	...	175	...	39	...	0.1	0.2	...	0.2	...	0.3	...
612	Other diseases of prostate-----	187	187	...	170	...	17	...	0.1	0.2	...	0.2	...	0.2	...
613	Hydrocele-----	8	8	...	5	...	3	...	0.0	0.0	...	0.0	...	0.0	...
614	Orchitis and epididymitis-----	18	18	...	15	...	3	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis-----	5	5	...	5	...	-	...	0.0	0.0	...	0.0	...	-	...
616	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs-----	90	90	...	67	...	23	...	0.0	0.1	...	0.1	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium-----	240	1	239	1	144	-	95	0.1	0.0	0.2	0.0	0.2	-	0.8
620	Chronic cystic disease of breast-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
621	Other diseases of breast-----	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
.0	Acute mastitis not associated with lactation-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
622	Acute salpingitis and oophoritis-----	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
623	Chronic salpingitis and oophoritis-----	2	...	2	...	-	...	2	0.0	...	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified-----	65	...	65	...	28	...	37	0.0	...	0.1	...	0.0	...	0.3
625	Other diseases of ovary and fallopian tube-----	17	...	17	...	14	...	3	0.0	...	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)-----	142	...	142	...	92	...	50	0.1	...	0.1	...	0.1	...	0.4
630-637	Diseases of uterus and other female genital organs-----	391	...	391	...	312	...	79	0.2	...	0.4	...	0.4	...	0.7
630	Infective disease of uterus, vagina, and vulva-----	43	...	43	...	29	...	14	0.0	...	0.0	...	0.0	...	0.1
.0	Cervicitis-----	6	...	6	...	6	...	-	0.0	...	0.0	...	0.0	...	-
.1	Other infective diseases of uterus-----	33	...	33	...	19	...	14	0.0	...	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis-----	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
X. Diseases of the genitourinary system-Con. Diseases of uterus and other female genital organs-Con.																	
631	Uterovaginal prolapse-----	88	...	88	...	79	...	9	0.0	...	0.1	...	0.1	...	0.1		
632	Malposition of uterus-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-		
633	Other diseases of uterus-----	189	...	189	...	139	...	50	0.1	...	0.2	...	0.2	...	0.4		
634	Disorders of menstruation-----	15	...	15	...	13	...	2	0.0	...	0.0	...	0.0	...	0.0		
635	Menopausal symptoms-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
636	Sterility, female-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
637	Other diseases of female genital organs-----	55	...	55	...	51	...	4	0.0	...	0.1	...	0.1	...	0.0		
.0	Leukorrhea-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
.1	Other-----	55	...	55	...	51	...	4	0.0	...	0.1	...	0.1	...	0.0		
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium																	
640-649	Complications of pregnancy-----	369	...	369	...	196	...	173	0.2	...	0.4	...	0.2	...	1.5		
640	Pyelitis and pyelonephritis of pregnancy-----	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0		
641	Other infections of genitourinary tract during pregnancy-----	6	...	6	...	6	...	4	0.0	...	0.0	...	0.0	...	0.0		
642	Toxemias of pregnancy-----	197	...	197	...	103	...	94	0.1	...	0.2	...	0.1	...	0.8		
.0	Hypertensive disease arising during pregnancy-----	22	...	22	...	4	...	18	0.0	...	0.0	...	0.0	...	0.2		
.1	Renal disease arising during pregnancy-----	8	...	8	...	4	...	4	0.0	...	0.0	...	0.0	...	0.0		
.2	Preeclampsia of pregnancy-----	24	...	24	...	16	...	8	0.0	...	0.0	...	0.0	...	0.1		
.3	Eclampsia of pregnancy-----	78	...	78	...	37	...	41	0.0	...	0.1	...	0.0	...	0.3		
.4	Hyperemesis gravidarum-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0		
.5	Other-----	64	...	64	...	42	...	22	0.0	...	0.1	...	0.0	...	0.2		
643	Placenta previa-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-		
644	Other hemorrhage of pregnancy-----	6	...	6	...	3	...	3	0.0	...	0.0	...	0.0	...	0.0		
645	Ectopic pregnancy-----	70	...	70	...	27	...	43	0.0	...	0.1	...	0.0	...	0.4		
.0	Without mention of sepsis-----	57	...	57	...	23	...	34	0.0	...	0.1	...	0.0	...	0.3		
.1	With sepsis-----	13	...	13	...	4	...	9	0.0	...	0.0	...	0.0	...	0.1		
646	Anemia of pregnancy-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0		
647	Pregnancy with malposition of fetus in uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
648	Other complications arising from pregnancy-----	82	...	82	...	55	...	27	0.0	...	0.1	...	0.1	...	0.2		
.0	Threatened abortion-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
.1	Hydatidiform mole-----	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0		
.2	Placental abnormalities not classified elsewhere-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0		
.3	Other-----	74	...	74	...	50	...	24	0.0	...	0.1	...	0.1	...	0.2		
650-652	Abortion-----	235	...	235	...	106	...	129	0.1	...	0.2	...	0.1	...	1.1		
650	Abortion without mention of sepsis or toxemia-----	67	...	67	...	29	...	38	0.0	...	0.1	...	0.0	...	0.3		
.0	Spontaneous or unspecified-----	27	...	27	...	11	...	16	0.0	...	0.0	...	0.0	...	0.1		
.1	Induced for medical or legal indications-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-		
.2	Induced for other reasons-----	37	...	37	...	17	...	20	0.0	...	0.0	...	0.0	...	0.2		
.3	Other-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0		
651	Abortion with sepsis-----	158	...	158	...	74	...	84	0.1	...	0.2	...	0.1	...	0.7		
.0	Spontaneous or unspecified-----	98	...	98	...	45	...	53	0.1	...	0.1	...	0.1	...	0.4		
.1	Induced for medical or legal indications-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-		
.2	Induced for other reasons-----	55	...	55	...	26	...	29	0.0	...	0.1	...	0.0	...	0.2		
.3	Other-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0		
652	Abortion with toxemia, without mention of sepsis-----	10	...	10	...	3	...	7	0.0	...	0.0	...	0.0	...	0.1		
.0	Spontaneous or unspecified-----	6	...	6	...	1	...	5	0.0	...	0.0	...	0.0	...	0.0		
.1	Induced for medical or legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
.2	Induced for other reasons-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0		
.3	Other-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0		
660	Delivery without mention of complication-----	29	...	29	...	17	...	12	0.0	...	0.0	...	0.0	...	0.1		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Number		Cause of death		Number								Rate							
				Total				White		Nonwhite		Total				White		Nonwhite	
				Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
Seventh Revision of International Lists, 1955																			
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-Con.																			
670-678	Delivery with specified complication-----	363	...	363	...	229	...	134	0.2	...	0.4	...	0.3	...	1.1				
670	Delivery complicated by placenta previa or antepartum hemorrhage-----	77	...	77	...	48	...	29	0.0	...	0.1	...	0.1	...	0.2				
671	Delivery complicated by retained placenta-----	17	...	17	...	10	...	7	0.0	...	0.0	...	0.0	...	0.1				
672	Delivery complicated by other postpartum hemorrhage-----	86	...	86	...	57	...	29	0.0	...	0.1	...	0.1	...	0.2				
673	Delivery complicated by abnormality of bony pelvis-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-				
674	Delivery complicated by disproportion or malposition of fetus-----	29	...	29	...	18	...	11	0.0	...	0.0	...	0.0	...	0.1				
675	Delivery complicated by prolonged labor of other origin-----	9	...	9	...	5	...	4	0.0	...	0.0	...	0.0	...	0.0				
676	Delivery with laceration of perineum, without mention of other laceration-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0				
677	Delivery with other trauma-----	54	...	54	...	34	...	20	0.0	...	0.1	...	0.0	...	0.2				
678	Delivery with other complications of childbirth-----	88	...	88	...	55	...	33	0.0	...	0.1	...	0.1	...	0.3				
680-689	Complications of the puerperium-----	193	...	193	...	108	...	85	0.1	...	0.2	...	0.1	...	0.7				
680	Puerperal urinary infection without other sepsis-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0				
681	Sepsis of childbirth and the puerperium-----	52	...	52	...	31	...	21	0.0	...	0.1	...	0.0	...	0.2				
682	Puerperal phlebitis and thrombosis-----	36	...	36	...	18	...	18	0.0	...	0.0	...	0.0	...	0.2				
683	Pyrexia of unknown origin during the puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-				
684	Puerperal pulmonary embolism-----	47	...	47	...	30	...	17	0.0	...	0.0	...	0.0	...	0.1				
685	Puerperal eclampsia-----	12	...	12	...	3	...	9	0.0	...	0.0	...	0.0	...	0.1				
686	Other forms of puerperal toxemia-----	2	...	2	...	-	...	-	0.0	...	0.0	...	0.0	...	-				
687	Cerebral hemorrhage in the puerperium-----	22	...	22	...	13	...	9	0.0	...	0.0	...	0.0	...	0.1				
688	Other and unspecified complication of the puerperium-----	20	...	20	...	10	...	10	0.0	...	0.0	...	0.0	...	0.1				
.0	Anemia of puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-				
.1	Puerperal psychosis-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-				
.2	Sudden death from unknown cause in the puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-				
.3	Other-----	19	...	19	...	9	...	10	0.0	...	0.0	...	0.0	...	0.1				
689	Mastitis and other disorders of lactation-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-				
XII. Diseases of the skin and cellular tissue																			
690-698	Infections of skin and subcutaneous tissue-----	461	249	232	197	191	52	41	0.2	0.3	0.2	0.2	0.2	0.5	0.3				
690	Boil and carbuncle-----	36	22	14	19	13	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
.0	Of face-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-				
.1	Of neck-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.2	Of trunk-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-				
.3	Of upper arm and forearm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.4	Of hand-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.5	Of buttock-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.6	Of other parts of lower extremity-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-				
.7	Of other and multiple sites-----	19	10	9	9	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
.8	Of unspecified site-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
691	Cellulitis of finger and toe-----	3	2	1	1	1	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0				
692	Other cellulitis and abscess without mention of lymphangitis-----	347	173	174	140	145	33	29	0.2	0.2	0.2	0.2	0.2	0.3	0.2				
.0	Of head and neck-----	48	18	30	12	27	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0				
.1	Of trunk-----	88	51	35	43	28	8	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1				
.2	Of upper arm and forearm-----	17	9	8	8	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.3	Of hand, except fingers-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-				
.4	Of leg-----	116	51	65	41	51	10	14	0.1	0.1	0.1	0.0	0.1	0.1	0.1				
.5	Of foot, except toes-----	9	8	3	4	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.6	Of other, multiple, and unspecified sites-----	69	37	32	31	27	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0				
693	Other cellulitis and abscess with lymphangitis-----	9	7	2	6	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-				
.0	Of head and neck-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.1	Of trunk-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
.2	Of upper arm and forearm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	XII. Diseases of the skin and cellular tissue—Con.																
	Infections of skin and subcutaneous tissue—Con.																
693	Other cellulitis and abscess with lymphangitis—Con.																
.3	Of hand, except fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of leg-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.5	Of foot, except toes-----	3	3	-	3	-	-	-	0.0	0.0	0.0	0.0	-	-	-		
.6	Of other, multiple, and unspecified sites-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	-	-	-		
694	Acute lymphadenitis-----	3	-	3	-	1	-	2	0.0	-	0.0	-	0.0	-	0.0		
695	Impetigo-----	6	2	4	-	1	2	3	0.0	0.0	0.0	-	0.0	0.0	0.0		
696	Infectious warts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
697	Molluscum contagiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
698	Other local infections of skin and subcutaneous tissue-----	77	43	34	31	29	12	5	0.0	0.0	0.0	0.0	0.1	0.0	0.0		
700-716	Other diseases of skin and subcutaneous tissue-----	1,704	540	1,164	426	924	114	240	0.9	0.6	1.2	0.5	1.1	1.0	2.0		
700	Seborrheic dermatitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
701	Eczema-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
702	Occupational dermatitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
703	Other dermatitis-----	22	7	15	6	10	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	5	2	3	1	-	1	3	0.0	0.0	0.0	0.0	-	0.0	0.0		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Due to other specified agents-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.7	Unqualified-----	13	4	9	4	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
704	Pemphigus-----	110	37	73	27	63	10	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1		
.0	Dermatitis and herpetiformis-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.1	Other-----	106	33	73	24	63	9	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1		
705	Erythematous conditions-----	392	93	299	80	237	13	62	0.2	0.1	0.3	0.1	0.3	0.1	0.5		
.0	Toxic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Erythema multiforme (erythema iris)-----	20	6	14	5	9	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Erythema nodosum-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Rosacea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Lupus erythematosus-----	322	61	261	53	209	8	52	0.2	0.1	0.3	0.1	0.2	0.1	0.4		
.5	Other and unqualified-----	48	26	22	22	17	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
706	Psoriasis and similar disorders-----	15	7	8	6	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Psoriasis-----	15	7	8	6	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Parapsoriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Pityriasis rosea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
707	Lichen planus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
708	Pruritus and related conditions-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Pruritus ani-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Lichenification and lichen simplex chronicus-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0		
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other pruritic conditions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
709	Corns and callosities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XII. Diseases of the skin and cellular tissue—Con.															
Other diseases of skin and subcutaneous tissue—Con.															
710	Other hypertrophic and atrophic conditions of skin-----	525	149	376	120	297	29	79	0.3	0.2	0.4	0.1	0.3	0.3	0.7
.0	Scleroderma and dermatomyositis-----	522	146	376	118	297	28	79	0.3	0.2	0.4	0.1	0.3	0.3	0.7
.1	Keratoderma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Hereditary edema of legs (Milroy's disease)-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.3	Striae atrophicae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Keloid scar-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other hypertrophic and atrophic conditions of skin-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
711	Other dermatoses-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
712	Diseases of nail-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
713	Diseases of hair and hair follicles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	Diseases of sweat and sebaceous glands-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Diseases of sweat glands-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other diseases of sebaceous glands-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
715	Chronic ulcer of skin-----	616	230	386	176	306	54	81	0.3	0.2	0.4	0.2	0.4	0.5	0.7
716	Other diseases of skin-----	14	11	3	7	2	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
XIII. Diseases of the bones and organs of movement															
720-727	Arthritis and rheumatism, except rheumatic fever-----	2,071	724	1,347	671	1,256	53	91	1.1	0.8	1.4	0.8	1.4	0.5	0.8
720	Acute arthritis due to pyogenic organisms-----	35	17	18	13	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions-----	1,386	471	915	453	868	18	47	0.7	0.5	0.9	0.5	1.0	0.2	0.4
.0	Rheumatoid arthritis-----	1,350	443	907	427	861	16	46	0.7	0.5	0.9	0.5	1.0	0.1	0.4
.1	Spondylitis ankylopoietica-----	36	28	8	26	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteoarthritis (arthrosis) and allied conditions-----	282	112	170	100	183	12	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)-----	245	83	162	81	156	2	6	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.1	Spondylitis osteoarthritis (spondylarthrosis)-----	37	29	8	19	7	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Adult osteochondrosis of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis-----	10	4	6	4	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
725	Arthritis, unspecified-----	287	99	188	85	160	14	28	0.1	0.1	0.2	0.1	0.2	0.1	0.2
726	Muscular rheumatism-----	61	17	44	13	39	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Myofibrosis of humeroscapular region-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia-----	61	17	44	13	39	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified-----	10	4	6	3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730-738	Osteomyelitis and other diseases of bone and joint-----	664	282	382	249	345	33	37	0.3	0.3	0.4	0.3	0.4	0.3	0.3
730	Osteomyelitis and periostitis-----	172	91	81	78	62	13	19	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.0	Acute osteomyelitis-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic osteomyelitis-----	53	31	22	27	15	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Unspecified osteomyelitis-----	113	57	56	48	44	9	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
731	Osteitis deformans-----	111	53	58	48	49	5	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
732	Osteochondrosis-----	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
733	Other diseases of bone-----	281	86	195	77	188	9	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
734	Internal derangement of knee joint-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
735	Displacement of intervertebral disk-----	48	31	17	28	17	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
736	Affection of sacroiliac joint-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
737	Ankylosis of joint-----	11	5	6	5	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Of spine-----	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XIII. Diseases of the bones and organs of movement-Con.																	
Osteomyelitis and other diseases of bone and joint-Con.																	
737	Ankylosis of joint-Con.	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Of hip-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Of ankle-----	1	-	1	-	-	-	-	0.0	-	0.0	-	-	-	0.0		
.8	Of other and multiple sites-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.9	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
738	Other diseases of joint-----	33	13	20	11	20	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
740-749	Other diseases of musculoskeletal system-----	1,114	718	396	671	357	47	39	0.6	0.8	0.4	0.8	0.4	0.4	0.3		
740	Bunion-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-		
742	Synovitis, bursitis, and tenosynovitis of occupational origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
743	Infective myositis and other inflammatory diseases of tendon and fascia-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
744	Other diseases of muscle, tendon, and fascia-----	1,005	670	335	627	300	43	35	0.5	0.7	0.3	0.7	0.3	0.4	0.3		
.0	Myasthenia gravis-----	267	123	144	111	127	12	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.1	Inborn defect of muscle-----	689	518	171	490	158	28	13	0.4	0.5	0.2	0.6	0.2	0.3	0.1		
.2	Other-----	49	29	20	26	15	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
745	Curvature of spine-----	90	41	49	39	46	2	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0		
746	Flatfoot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
747	Hallux valgus and varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
748	Clubfoot-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
749	Other deformities-----	10	5	5	3	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
XIV. Congenital malformations																	
750-759	Congenital malformations-----	19,512	10,375	9,137	8,825	7,822	1,550	1,315	10.1	10.9	9.3	10.5	9.0	13.9	11.1		
750	Monstrosity-----	1,120	415	705	383	655	32	50	0.6	0.4	0.7	0.5	0.8	0.3	0.4		
751	Spina bifida and meningocele-----	1,323	547	776	490	728	57	50	0.7	0.6	0.8	0.6	0.8	0.5	0.4		
A	Without mention of hydrocephalus-----	588	235	353	202	323	33	30	0.3	0.2	0.4	0.2	0.4	0.3	0.3		
B	With mention of hydrocephalus-----	735	312	423	288	403	24	20	0.4	0.3	0.4	0.3	0.5	0.2	0.2		
752	Congenital hydrocephalus-----	1,173	612	561	490	460	122	101	0.6	0.6	0.6	0.6	0.5	1.1	0.9		
753	Other congenital malformations of nervous system and sense organs-----	714	355	359	312	306	43	53	0.4	0.4	0.4	0.4	0.4	0.4	0.4		
.0	Congenital cataract-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Other-----	713	354	359	311	308	43	53	0.4	0.4	0.4	0.4	0.4	0.4	0.4		
754	Congenital malformations of circulatory system-----	9,955	5,439	4,516	4,623	3,785	816	751	5.1	5.7	4.6	5.5	4.3	7.3	6.3		
.0	Tetralogy of Fallot-----	546	301	245	221	221	31	24	0.3	0.3	0.2	0.3	0.3	0.3	0.2		
.1	Patent ductus arteriosus (Botalli)-----	356	179	177	143	139	36	39	0.2	0.2	0.2	0.2	0.2	0.3	0.3		
.2	Interventricular septal defect-----	760	389	371	335	313	54	58	0.4	0.4	0.4	0.4	0.4	0.5	0.5		
.3	Interauricular septal defect-----	551	232	319	197	278	35	41	0.3	0.2	0.3	0.2	0.3	0.3	0.3		
.4	Fibroelastosis cordis-----	366	186	180	138	117	48	63	0.2	0.2	0.2	0.2	0.1	0.4	0.5		
.5	Other and unspecified malformations of heart-----	5,545	3,042	2,503	2,565	2,067	477	436	2.9	3.2	2.5	3.1	2.4	4.3	3.7		
.6	Coarctation of aorta-----	316	208	108	183	96	25	12	0.2	0.2	0.1	0.2	0.1	0.2	0.1		
.7	Other circulatory malformations-----	1,515	902	613	792	535	110	78	0.8	0.9	0.6	0.9	0.6	1.0	0.7		
755	Cleft palate and harelip-----	55	21	34	17	27	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
756	Congenital malformations of digestive system-----	1,372	804	568	651	468	153	100	0.7	0.8	0.6	0.8	0.5	1.4	0.8		
.0	Congenital hypertrophic pyloric stenosis-----	62	41	21	32	15	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	Imperforate anus-----	99	73	26	57	23	16	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.2	Other-----	1,211	690	521	562	430	128	91	0.6	0.7	0.5	0.7	0.5	1.1	0.8		
757	Congenital malformations of genitourinary system-----	1,542	919	623	807	561	112	62	0.8	1.0	0.8	1.0	0.6	1.0	0.5		
.0	Undescended testicle-----	2	2	...	1	...	1	...	0.0	0.0	...	0.0	...	0.0	...		
.1	Polycystic disease of kidney-----	1,017	555	462	503	414	52	48	0.5	0.8	0.5	0.8	0.5	0.5	0.4		
.2	Congenital malformations of external genital organs-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.3	Other-----	521	360	161	302	147	58	14	0.3	0.4	0.2	0.4	0.2	0.5	0.1		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XIV. Congenital malformations—Con.															
758	Congenital malformations of bone and joint-----	305	161	144	133	120	28	24	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.0	Congenital dislocation of hip-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.1	Chondrodystrophy-----	61	26	35	23	28	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Congenital malformations of skull-----	58	33	25	26	21	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Brittle bones-----	49	23	26	16	22	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.4	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital abnormalities of lumbosacral region-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Other congenital malformations of bone and joint-----	134	77	57	66	49	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
759	Other and unspecified congenital malformation not elsewhere classified-----	1,953	1,102	851	919	734	183	117	1.0	1.2	0.9	1.1	0.8	1.6	1.0
.0	Of respiratory system-----	486	288	198	241	180	47	18	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.1	Of skin-----	34	15	19	11	17	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Of muscle-----	173	95	78	88	73	7	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified-----	1,260	704	556	579	464	125	92	0.7	0.7	0.6	0.7	0.5	1.1	0.8
XV. Certain diseases of early infancy															
760-769	Birth injuries, asphyxia, and infections of newborn-----	27,792	16,576	11,216	12,526	8,156	4,050	3,080	14.3	17.4	11.4	14.9	9.4	36.2	25.8
760	Intracranial and spinal injury at birth-----	2,463	1,565	898	1,188	632	397	266	1.3	1.6	0.9	1.4	0.7	3.5	2.2
.0	Without mention of immaturity-----	1,355	859	496	677	365	182	131	0.7	0.9	0.5	0.8	0.4	1.6	1.1
.5	With immaturity-----	1,108	706	402	491	267	215	135	0.6	0.7	0.4	0.6	0.3	1.9	1.1
761	Other birth injury-----	5,257	3,151	2,106	2,670	1,733	481	373	2.7	3.3	2.1	3.2	2.0	4.3	3.1
.0	Without mention of immaturity-----	1,574	920	654	731	518	189	136	0.8	1.0	0.7	0.9	0.6	1.7	1.1
.5	With immaturity-----	3,683	2,231	1,452	1,939	1,215	292	237	1.9	2.3	1.5	2.3	1.4	2.6	2.0
762	Postnatal asphyxia and atelectasis-----	15,429	9,153	6,276	6,942	4,578	2,211	1,698	8.0	9.6	6.4	8.3	5.3	19.8	14.3
.0	Without mention of immaturity-----	4,107	2,460	1,647	1,895	1,213	565	434	2.1	2.6	1.7	2.3	1.4	5.0	3.7
.5	With immaturity-----	11,322	6,693	4,629	5,047	3,365	1,646	1,264	5.8	7.0	4.7	6.0	3.9	14.7	10.6
763	Pneumonia of newborn-----	2,773	1,616	1,157	1,058	718	558	439	1.4	1.7	1.2	1.3	0.8	5.0	3.7
.0	Without mention of immaturity-----	1,987	1,174	813	745	483	429	330	1.0	1.2	0.8	0.9	0.6	3.8	2.8
.5	With immaturity-----	786	442	344	313	235	129	109	0.4	0.5	0.3	0.4	0.3	1.2	0.9
764	Diarrhea of newborn-----	367	226	141	86	52	140	89	0.2	0.2	0.1	0.1	0.1	1.3	0.7
.0	Without mention of immaturity-----	292	182	110	71	37	111	73	0.2	0.2	0.1	0.1	0.0	1.0	0.6
.5	With immaturity-----	75	44	31	15	15	29	16	0.0	0.0	0.0	0.0	0.0	0.3	0.1
765	Ophthalmia neonatorum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without mention of immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Without mention of immaturity-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.5	With immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767	Umbilical sepsis-----	44	28	16	17	9	11	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of immaturity-----	36	23	13	14	8	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.5	With immaturity-----	8	5	3	3	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn-----	737	435	302	274	195	161	107	0.4	0.5	0.3	0.3	0.2	1.4	0.9
.0	Without mention of immaturity-----	395	237	158	154	99	83	59	0.2	0.2	0.2	0.2	0.1	0.7	0.5
.5	With immaturity-----	342	198	144	120	96	78	48	0.2	0.2	0.1	0.1	0.1	0.7	0.4
769	Neonatal disorders arising from certain diseases of the mother during pregnancy-----	717	397	320	307	239	90	81	0.4	0.4	0.3	0.4	0.3	0.8	0.7
.0-.4	Without mention of immaturity-----	309	173	136	133	97	40	39	0.2	0.2	0.1	0.2	0.1	0.4	0.3
.0	Attributed to "toxemia of pregnancy"-----	65	39	26	25	17	14	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Attributed to maternal diabetes-----	79	43	36	38	30	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Attributed to maternal rubella-----	117	62	55	44	35	18	20	0.1	0.1	0.1	0.1	0.0	0.2	0.2
.3	Attributed to toxoplasmosis-----	9	5	4	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Attributed to other or unspecified diseases of the mother during pregnancy-----	39	24	15	21	12	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XV. Certain diseases of early infancy—Con.															
769	Birth injuries, asphyxia, and infections of newborn—Con. Neonatal disorders arising from certain diseases of the mother during pregnancy—Con.														
.5-.9	With immaturity-----	408	224	184	174	142	50	42	0.2	0.2	0.2	0.2	0.2	0.4	0.4
.5	Attributed to "toxemia of pregnancy"-----	143	77	66	55	51	22	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.6	Attributed to maternal diabetes-----	100	65	35	53	32	12	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.7	Attributed to maternal rubella-----	13	6	7	5	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Attributed to toxoplasmosis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Attributed to other or unspecified diseases of the mother during pregnancy-----	150	75	75	60	53	15	22	0.1	0.1	0.1	0.1	0.1	0.1	0.2
770-776	Other diseases peculiar to early infancy-----	27,606	15,928	11,678	11,753	8,431	4,175	3,247	14.2	16.7	11.8	14.0	9.7	37.3	27.3
770	Hemolytic disease of newborn (erythroblastosis)-----	1,485	794	691	726	645	68	46	0.8	0.8	0.7	0.9	0.7	0.6	0.4
.0	Erythroblastosis, without mention of nervous affection or immaturity-----	1,032	552	480	504	447	48	33	0.5	0.6	0.5	0.6	0.5	0.4	0.3
.1	Kernicterus, without mention of immaturity-----	40	27	13	22	11	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Erythroblastosis, without mention of nervous affection but with immaturity-----	394	201	193	189	183	12	10	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.6	Kernicterus with immaturity-----	14	10	4	7	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Hemorrhagic disease of newborn-----	477	284	193	196	135	88	58	0.2	0.3	0.2	0.2	0.2	0.8	0.5
.0	Without mention of immaturity-----	273	159	114	108	76	51	38	0.1	0.2	0.1	0.1	0.1	0.5	0.3
.5	With immaturity-----	204	125	79	88	59	37	20	0.1	0.1	0.1	0.1	0.1	0.3	0.2
772	Nutritional maladjustment-----	438	263	175	93	66	170	109	0.2	0.3	0.2	0.1	0.1	1.5	0.9
.0	Without mention of immaturity-----	366	216	150	79	56	137	94	0.2	0.2	0.2	0.1	0.1	1.2	0.8
.5	With immaturity-----	72	47	25	14	10	33	15	0.0	0.0	0.0	0.0	0.0	0.3	0.1
773	Ill-defined diseases peculiar to early infancy-----	9,695	5,858	3,839	4,628	2,884	1,228	955	5.0	6.2	3.9	5.5	3.3	11.0	8.0
.0	Without mention of immaturity-----	2,177	1,404	773	1,108	591	296	182	1.1	1.5	0.8	1.3	0.7	2.6	1.5
.5	With immaturity-----	7,518	4,452	3,066	3,520	2,293	932	773	3.9	4.7	3.1	4.2	2.6	8.3	6.5
774	Immaturity with mention of any other subsidiary condition-----	1,079	617	462	432	329	185	133	0.6	0.6	0.5	0.5	0.4	1.7	1.1
776	Immaturity, unqualified-----	14,432	8,114	6,318	5,678	4,372	2,436	1,946	7.4	8.5	6.4	6.8	5.0	21.8	16.4
XVI. Symptoms, senility, and ill-defined conditions															
780-789	Symptoms referable to systems or organs-----	3,147	1,799	1,348	1,403	1,057	396	291	1.6	1.9	1.4	1.7	1.2	3.5	2.4
780	Certain symptoms referable to nervous system and special senses-----	142	83	59	58	46	25	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Coma and stupor-----	30	19	11	14	8	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Delirium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions-----	106	61	45	41	35	20	10	0.1	0.1	0.0	0.0	0.0	0.2	0.1
.3	Jacksonian epilepsy-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Abnormal involuntary movement-----	2	-	2	-	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Disturbance of coordination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Vertigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Disturbance of sleep-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Disturbance of memory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Meningismus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses-----	52	28	24	25	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Oculomotor disturbance-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Photophobia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Disturbance of hearing except deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Stammering and stuttering-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other disturbance of speech, including alexia and agraphia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbance of sensation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Encephalopathy-----	49	26	23	23	20	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Hallucinations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con.														
	Symptoms referable to systems or organs—Con.														
782	Symptoms referable to cardiovascular and lymphatic system-----	2,303	1,328	975	1,037	770	291	205	1.2	1.4	1.0	1.2	0.9	2.6	1.7
.0	Precordial pain-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Palpitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0
.4	Acute heart failure, undefined-----	2,169	1,262	907	988	713	276	194	1.1	1.3	0.9	1.2	0.8	2.5	1.8
.5	Syncope or collapse-----	13	8	5	7	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)-----	11	5	6	2	3	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Splenomegaly-----	7	4	3	3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Shock without mention of trauma-----	94	44	50	38	45	8	5	0.0	0.0	0.1	0.0	0.1	0.1	0.0
783	Symptoms referable to respiratory system-----	173	104	69	81	54	23	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Epistaxis-----	6	4	2	3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	145	86	59	67	49	19	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Dyspnea-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Cough-----	5	2	3	-	-	2	3	0.0	0.0	0.0	-	-	0.0	0.0
.4	Excess of sputum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest-----	13	10	3	9	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract-----	201	108	93	96	82	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Anorexia-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Nausea and vomiting-----	21	10	11	7	7	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Hematemesis-----	178	97	81	88	74	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Excessive salivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	117	61	56	46	35	15	21	0.1	0.1	0.1	0.1	0.0	0.1	0.2
.0	Abdominal swelling (not referable to any particular organ)-----	10	6	4	5	-	1	4	0.0	0.0	0.0	-	-	0.0	0.0
.1	Hepatomegaly-----	25	13	12	11	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Jaundice (not of newborn)-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Ascites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Flatulence-----	30	16	14	12	11	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Abdominal pain-----	47	24	23	18	12	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.6	Diarrhea, age 2 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Incontinence of feces-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.8	Melena (age 1 year and over)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Visible peristalsis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system-----	18	9	9	8	6	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pain referable to urinary system-----	2	1	1	-	1	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.1	Retention of urine-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Incontinence of urine-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Frequency of micturition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)-----	7	2	5	2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Priapism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Swelling of limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Pain in joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Pain in back-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Difficulty in walking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XVI. Symptoms, senility, and ill-defined conditions--Con. Symptoms referable to systems or organs--Con.																	
788	Other general symptoms-----	135	73	62	49	42	24	20	0.1	0.1	0.1	0.1	0.0	0.2	0.2		
.0	Dehydration-----	38	22	16	13	11	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.1	Excessive sweating-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Rash-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
.3	Subcutaneous nodules-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Loss of weight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Tetany-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Acidosis-----	16	7	9	6	4	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Alkalosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Pyrexia of unknown origin-----	64	34	30	24	24	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.9	Other specified symptoms not classifiable elsewhere-----	16	10	6	6	3	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
789	Abnormal urinary constituents of unspecified cause-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.0	Albuminuria, unqualified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Albuminuria, orthostatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Pyuria and bacteriuria-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.3	Chyluria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Hematuria-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.5	Hemoglobinuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Glycosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Acetonuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
790-795	Senility and ill-defined diseases-----	20,267	12,130	8,137	8,001	4,922	4,129	3,215	10.5	12.8	8.2	9.5	5.7	36.9	27.1		
790	Nervousness and debility-----	56	24	32	18	28	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Nervousness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Debility and undue fatigue-----	52	24	28	18	24	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Depression-----	4	-	4	-	4	-	-	0.0	-	0.0	-	-	-	-		
791	Headache-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-		
792	Uremia-----	699	422	277	318	208	104	69	0.4	0.4	0.3	0.4	0.2	0.9	0.8		
794	Senility without mention of psychosis-----	2,188	885	1,303	686	1,049	199	254	1.1	0.9	1.3	0.8	1.2	1.8	2.1		
795	Ill-defined and unknown causes of mortality-----	17,323	10,799	6,524	6,979	3,636	3,820	2,888	8.9	11.4	6.6	8.3	4.2	34.1	24.3		
.0	Other ill-defined conditions-----	2,099	1,351	748	886	453	465	295	1.1	1.4	0.8	1.1	0.5	4.2	2.5		
.2	Sudden death (cause unknown)-----	1,256	855	401	628	248	227	153	0.6	0.9	0.4	0.7	0.3	2.0	1.3		
.3	Found dead (cause unknown)-----	290	184	106	114	61	70	45	0.1	0.2	0.1	0.1	0.1	0.6	0.4		
.4	Died without sign of disease-----	8,187	5,248	2,939	3,440	1,545	1,808	1,394	4.2	5.5	3.0	4.1	1.8	16.2	11.7		
.5	Other unknown and unspecified causes-----	5,491	3,161	2,330	1,911	1,329	1,250	1,001	2.8	3.3	2.4	2.3	1.5	11.2	8.4		
XVII. Accidents, poisonings, and violence																	
E800-E802	Railway accidents-----	962	870	92	678	79	192	13	0.5	0.9	0.1	0.8	0.1	1.7	0.1		
E800	Railway accident involving railroad employee-----	163	163	-	150	-	13	-	0.1	0.2	-	0.2	-	0.1	-		
E801	Railway accident involving passenger-----	11	8	3	5	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E802	Railway accident involving other and unspecified person-----	788	699	89	523	76	176	13	0.4	0.7	0.1	0.6	0.1	1.6	0.1		
E810-E825	Motor vehicle traffic accidents-----	48,050	34,770	13,280	30,425	11,798	4,345	1,482	24.8	36.6	13.5	36.3	13.6	38.8	12.5		
E810	Motor vehicle traffic accident involving collision with railway train-----	1,556	1,108	448	1,017	416	91	32	0.8	1.2	0.5	1.2	0.5	0.8	0.3		
E811	Motor vehicle traffic accident involving collision with streetcar-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
E812	Motor vehicle traffic accident to pedestrian-----	8,117	5,787	2,330	4,614	1,878	1,173	454	4.2	6.1	2.4	5.5	2.2	10.5	3.8		
E813	Motor vehicle traffic accident to pedal cyclist-----	622	560	62	498	58	64	8	0.3	0.6	0.1	0.6	0.1	0.6	0.1		
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	59	54	5	53	4	1	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle-----	962	899	63	871	59	28	4	0.5	0.8	0.1	1.0	0.1	0.3	0.0		
E816	Other motor vehicle traffic accident involving two or more motor vehicles-----	17,738	11,578	6,160	10,381	5,651	1,195	509	8.2	12.2	6.2	12.4	6.5	10.7	4.3		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XVII. Accidents, poisonings, and violence—Con.																	
Motor vehicle traffic accidents—Con.																	
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle-----	87	55	32	52	26	3	6	0.0	0.1	0.0	0.1	0.0	0.0	0.1		
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object-----	1,829	1,434	395	1,244	344	190	51	0.9	1.5	0.4	1.5	0.4	1.7	0.4		
E820	Motor vehicle traffic accident while boarding and alighting----	33	20	13	16	13	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision-----	465	421	42	404	41	17	1	0.2	0.4	0.0	0.5	0.0	0.2	0.0		
E822	Motor vehicle traffic accident involving overturning in roadway-----	1,132	891	241	775	212	116	29	0.6	0.9	0.2	0.9	0.2	1.0	0.2		
E823	Motor vehicle traffic accident involving running off roadway----	10,433	8,297	2,136	7,356	1,893	941	243	5.4	8.7	2.2	8.8	2.2	8.4	2.0		
E824	Other noncollision motor vehicle traffic accident-----	878	671	207	561	174	110	33	0.5	0.7	0.2	0.7	0.2	1.0	0.3		
E825	Motor vehicle traffic accident of unspecified nature-----	4,138	2,992	1,146	2,581	1,033	411	113	2.1	3.1	1.2	3.1	1.2	3.7	1.0		
E830-E835	Motor vehicle nontraffic accidents-----	1,113	814	299	719	260	95	39	0.6	0.9	0.3	0.9	0.3	0.8	0.3		
E830	Motor vehicle nontraffic accident to pedestrian-----	651	435	216	379	188	56	28	0.3	0.5	0.2	0.5	0.2	0.5	0.2		
E831	Motor vehicle nontraffic accident to pedal cyclist-----	6	5	1	5	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle-----	31	28	3	26	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles-----	16	14	2	14	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E834	Motor vehicle nontraffic accident while boarding and alighting-	17	7	10	6	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E835	Motor vehicle nontraffic accident of other and unspecified nature-----	392	325	67	289	59	36	8	0.2	0.3	0.1	0.3	0.1	0.3	0.1		
E840-E845	Other road vehicle accidents-----	319	222	97	205	95	17	2	0.2	0.2	0.1	0.2	0.1	0.2	0.0		
E840	Streetcar accident to pedestrian-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E841	Other streetcar accident, except collision with motor vehicle--	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
E842	Accident to pedestrian caused by pedal cycle-----	11	4	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E843	Accident to rider of pedal cycle not involving collision with motor vehicle-----	78	58	20	52	19	6	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
E844	Accident to pedestrian caused by other nonmotor road vehicle--	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-		
E845	Other nonmotor road vehicle accidents-----	221	153	68	143	68	10	-	0.1	0.2	0.1	0.2	0.1	0.1	-		
E850-E858	Water transport accidents-----	1,493	1,364	129	1,173	111	191	18	0.8	1.4	0.1	1.4	0.1	1.7	0.2		
E850	Submersion of occupant of small boat-----	1,232	1,129	103	972	86	157	17	0.6	1.2	0.1	1.2	0.1	1.4	0.1		
E851	Other water transport injury by submersion-----	82	79	3	66	3	13	-	0.0	0.1	0.0	0.1	0.0	0.1	0.1		
E852	Fall on stairs and ladders in water transport-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-		
E853	Other falls from one level to another in water transport-----	30	29	1	18	1	11	-	0.0	0.0	0.0	0.0	0.0	0.1	-		
E854	Falls on same level in water transport-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
E855	Unspecified falls in water transport-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E856	Machinery accident in water transport-----	9	8	-	8	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
E857	Other specified accidents in water transport-----	121	102	19	95	18	7	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
E858	Water transport accident of unspecified cause-----	7	7	-	6	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
E860-E866	Aircraft accidents-----	1,529	1,317	212	1,284	202	33	10	0.8	1.4	0.2	1.5	0.2	0.3	0.1		
E860	Accident to personnel in military aircraft-----	308	307	1	281	1	16	-	0.2	0.3	0.0	0.3	0.0	0.1	-		
E861	Injury to occupant by accident to commercial "transport" aircraft-----	181	142	39	141	39	1	-	0.1	0.1	0.0	0.2	0.0	0.0	-		
E862	Other injury in commercial "transport" aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E863	Injury to occupant by accident to other specified aircraft-----	424	369	55	367	55	2	-	0.2	0.4	0.1	0.4	0.1	0.0	-		
E864	Aircraft accident at airfield to person not in aircraft-----	8	8	-	8	-	-	-	0.0	0.0	-	0.0	-	-	-		
E865	Aircraft accident elsewhere to person not in aircraft-----	33	22	11	11	1	11	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
E866	Other and unspecified aircraft accidents-----	575	469	108	468	108	3	-	0.3	0.5	0.1	0.6	0.1	0.0	-		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XVII. Accidents, poisonings, and violence--Con.																	
E870-E888	Accidental poisoning by solid and liquid substances-----	2,110	1,159	951	866	794	293	157	1.1	1.2	1.0	1.0	0.9	2.6	1.3		
E870	Accidental poisoning by morphine and other opium derivatives--	69	59	10	45	6	14	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
E871	Accidental poisoning by barbituric acid and derivatives-----	544	212	332	197	317	15	15	0.3	0.2	0.3	0.2	0.4	0.1	0.1		
E872	Accidental poisoning by aspirin and salicylates-----	175	89	86	69	67	20	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
E873	Accidental poisoning by bromides-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E874	Accidental poisoning by other analgesic and soporific drugs--	345	199	146	137	126	62	20	0.2	0.2	0.1	0.2	0.1	0.6	0.2		
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E876	Accidental poisoning by strychnine-----	5	1	4	-	4	1	-	0.0	0.0	0.0	-	-	0.0	0.0		
E877	Accidental poisoning by belladonna, hyoscyne, and atropine--	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E878	Accidental poisoning by other and unspecified drugs-----	245	112	133	97	119	15	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
E879	Accidental poisoning by noxious foodstuffs-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E880	Accidental poisoning by alcohol-----	201	161	40	107	25	54	15	0.1	0.2	0.0	0.1	0.0	0.5	0.1		
E881	Accidental poisoning by petroleum products-----	36	22	14	13	4	9	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
E882	Accidental poisoning by industrial solvents-----	48	37	11	23	10	14	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	47	24	23	19	12	5	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
E884	Accidental poisoning by mercury and its compounds-----	10	8	2	7	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E885	Accidental poisoning by lead and its compounds-----	65	41	24	15	8	26	16	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	31	20	11	12	8	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E887	Accidental poisoning by fluorides-----	7	5	2	2	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	267	161	106	116	78	45	28	0.1	0.2	0.1	0.1	0.1	0.4	0.2		
E890-E895	Accidental poisoning by gases and vapors-----	1,526	1,106	420	975	345	131	75	0.8	1.2	0.4	1.2	0.4	1.2	0.6		
E890	Accidental poisoning by utility (illuminating) gas-----	350	218	112	186	85	32	27	0.2	0.2	0.1	0.2	0.1	0.3	0.2		
E891	Accidental poisoning by motor vehicle exhaust gas-----	743	565	178	522	161	43	17	0.4	0.6	0.2	0.6	0.2	0.4	0.1		
E892	Accidental poisoning by other carbon monoxide gas-----	311	215	96	178	70	37	26	0.2	0.2	0.1	0.2	0.1	0.3	0.2		
E893	Accidental poisoning by cyanide gas-----	2	-	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
E894	Accidental poisoning by other specified gases and vapors-----	125	94	31	80	26	14	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
E895	Accidental poisoning by unspecified gases and vapors-----	15	12	3	7	3	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E900-E904	Accidental falls-----	19,984	9,972	10,012	8,895	9,511	1,077	501	10.3	10.5	10.1	10.6	11.0	8.6	4.2		
E900	Fall on stairs-----	2,143	1,299	844	1,109	792	190	52	1.1	1.4	0.9	1.3	0.9	1.7	0.4		
E901	Fall from ladders-----	354	330	24	314	21	16	3	0.2	0.3	0.0	0.4	0.0	0.1	0.0		
E902	Other falls from one level to another-----	3,305	2,314	991	1,964	873	350	118	1.7	2.4	1.0	2.3	1.0	3.1	1.0		
E903	Fall on same level-----	5,738	2,541	3,197	2,335	3,089	206	108	3.0	2.7	3.2	2.8	3.6	1.8	0.9		
E904	Unspecified falls-----	8,444	3,488	4,956	3,173	4,736	315	220	4.4	3.7	5.0	3.8	5.5	2.8	1.9		
E910-E936	Other accidents-----	28,669	21,232	7,437	16,765	5,451	4,467	1,986	14.8	22.3	7.5	20.0	6.3	39.9	16.7		
E910	Blow from falling or projected object or missile-----	1,493	1,414	79	1,193	65	221	14	0.8	1.5	0.1	1.4	0.1	2.0	0.1		
E911	Accident caused by vehicle-----	85	84	1	72	1	12	-	0.0	0.1	0.0	0.1	0.0	0.1	-		
E912	Accident caused by machinery-----	2,054	1,968	86	1,763	82	205	4	1.1	2.1	0.1	2.1	0.1	1.8	0.0		
E913	Accident caused by cutting and piercing instruments-----	136	110	26	62	20	48	6	0.1	0.1	0.0	0.1	0.0	0.4	0.1		
E914	Accident caused by electric current-----	1,071	998	73	886	66	112	7	0.6	1.0	0.1	1.1	0.1	1.0	0.1		
E915	Accident caused by explosion of pressure vessel-----	51	48	3	44	3	4	-	0.0	0.1	0.0	0.1	0.0	0.0	-		
E916	Accident caused by fire and explosion of combustible material-----	7,347	4,383	2,964	3,184	1,994	1,199	970	3.8	4.6	3.0	3.8	2.3	10.7	8.2		
E917	Accident caused by hot substance, corrosive liquid, and steam-----	418	239	179	165	123	74	56	0.2	0.3	0.2	0.2	0.1	0.7	0.5		
E918	Accident caused by radiation-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
E919	Accident caused by firearm-----	2,344	2,034	310	1,641	211	393	99	1.2	2.1	0.3	2.0	0.2	3.5	0.8		
E920	Foreign body entering eye and adnexa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,507	897	610	753	486	144	124	0.8	0.9	0.6	0.9	0.6	1.3	1.0		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1965-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence—Con.															
Other accidents—Con.															
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	329	192	137	153	97	39	40	0.2	0.2	0.1	0.2	0.1	0.3	0.3
E923	Foreign body entering other orifice-----	1,138	704	434	550	356	174	98	0.6	0.7	0.4	0.6	0.4	1.6	0.8
E924	Accidental mechanical suffocation in bed and cradle-----	728	411	317	282	190	129	127	0.4	0.4	0.3	0.3	0.2	1.2	1.1
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	612	472	140	378	91	94	49	0.3	0.5	0.1	0.5	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age-----	9	7	2	3	1	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E927	Accidents caused by bites and stings of venomous animals and insects-----	54	35	19	29	13	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E928	Other accidents caused by animals-----	126	99	27	89	23	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E929	Accidental drowning-----	5,485	4,545	940	3,518	807	1,027	133	2.8	4.8	1.0	4.2	0.9	9.2	1.1
E930	High and low air pressure-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
E931	Excessive heat and insolation-----	106	79	27	48	19	31	8	0.1	0.1	0.0	0.1	0.0	0.3	0.1
E932	Excessive cold-----	298	234	64	166	46	68	18	0.2	0.2	0.1	0.2	0.1	0.6	0.2
E933	Hunger, thirst, and exposure-----	197	142	55	90	38	52	17	0.1	0.1	0.1	0.1	0.0	0.5	0.1
E934	Cataclysm-----	431	231	200	192	176	39	24	0.2	0.2	0.2	0.2	0.2	0.3	0.2
E935	Lightning-----	149	119	30	101	19	18	11	0.1	0.1	0.0	0.1	0.0	0.2	0.1
E936	Other and unspecified accidents-----	2,493	1,780	713	1,417	543	363	170	1.3	1.9	0.7	1.7	0.6	3.2	1.4
E940-E946	Complications due to nontherapeutic medical and surgical procedures-----	168	85	83	66	63	19	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E940	Generalized vaccinia following vaccination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E941	Postvaccinal encephalitis-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E942	Other complications of smallpox vaccination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E943	Postimmunization jaundice and hepatitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E944	Other complications of prophylactic inoculation-----	8	4	4	4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E945	Complications of anesthesia for nontherapeutic purpose-----	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures-----	148	74	74	55	56	19	18	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures-----	1,326	636	690	555	595	81	95	0.7	0.7	0.7	0.7	0.7	0.7	0.8
E950	Therapeutic misadventure in surgical treatment-----	717	356	361	308	310	48	51	0.4	0.4	0.4	0.4	0.4	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion-----	136	85	51	80	47	5	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0
E952	Therapeutic misadventure in local applications-----	19	3	16	3	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E953	Therapeutic misadventure in administration of drugs or biologicals-----	201	97	104	82	88	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia-----	60	23	37	17	25	6	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure-----	67	37	30	34	27	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation-----	115	33	82	29	73	4	9	0.1	0.0	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E958	Late complication of irradiation-----	7	-	7	-	7	-	-	0.0	-	0.0	-	0.0	-	-
E959	Late complications of other forms of treatment-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E960-E965	Late effects of injury and poisoning-----	795	552	243	447	208	105	35	0.4	0.6	0.2	0.5	0.2	0.9	0.3
E960	Late effect of motor vehicle accident-----	158	122	36	107	30	15	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1
E961	Late effect of accidental poisoning-----	13	9	4	9	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E962	Late effect of other accidental injury-----	584	384	200	302	173	82	27	0.3	0.4	0.2	0.4	0.2	0.7	0.2
E963	Late effect of self-inflicted injury-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E964	Late effect of injury purposely inflicted by another person (not in war)-----	12	11	1	3	-	8	1	0.0	0.0	0.0	0.0	-	0.1	0.0
E965	Late effects of injuries due to war operations-----	22	22	-	22	-	-	-	0.0	0.0	-	0.0	-	-	-





## SECTION I - GENERAL MORTALITY

1-87

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965

[Number after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes-----	1,828,136	164,856	153,574	165,064	150,285	150,759	144,288	146,784	143,279	139,821	153,031	152,106	164,289
I. Infective and parasitic diseases-----	17,833	1,719	1,611	1,716	1,527	1,545	1,380	1,350	1,373	1,292	1,419	1,377	1,524
Tuberculosis, all forms-----001-019	7,934	763	700	741	697	697	633	636	635	561	615	614	642
Tuberculosis of respiratory system-----001-008	7,358	707	657	707	644	635	579	587	589	517	570	579	587
Tuberculosis of meninges and central nervous system-----010	143	15	11	10	14	21	10	16	11	5	13	4	13
Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	43	4	4	-	3	5	5	3	2	6	3	5	3
Tuberculosis of bones and joints-----012,013	60	4	6	4	2	5	6	3	4	7	5	7	7
Tuberculosis of other organs and systems-----014-016	112	9	8	8	12	9	12	9	12	10	7	7	9
Disseminated tuberculosis-----019	218	24	14	12	22	22	21	18	17	16	17	12	23
Syphilis and its sequelae-----020-029	2,434	256	214	223	218	197	185	184	172	176	205	209	195
Congenital syphilis-----020	34	7	4	1	1	-	2	7	1	4	1	3	3
Early syphilis-----021	1	-	-	-	-	-	1	-	-	-	-	-	-
Aneurysm of aorta-----022	1,504	152	131	137	134	126	110	108	100	109	139	134	124
Other cardiovascular syphilis-----023	549	56	56	56	56	45	43	40	42	35	45	40	35
Tabes dorsalis-----024	43	4	3	1	3	2	5	4	3	6	3	5	4
General paralysis of insane-----025	96	13	4	3	4	7	10	9	11	9	5	10	11
Other syphilis of central nervous system-----026	157	23	11	17	17	13	12	7	13	10	9	14	11
All other syphilis-----027-029	50	1	5	8	3	4	2	9	2	3	3	3	7
Gonococcal infection-----030-035	9	2	-	1	-	2	1	1	-	2	-	-	-
Typhoid fever-----040	6	-	1	-	1	1	-	1	-	2	-	-	-
Paratyphoid fever and other Salmonella infections-----041,042	87	9	9	13	2	5	5	5	5	14	7	8	5
Cholera-----043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)-----044	6	-	-	1	-	1	1	1	1	-	1	-	-
Dysentery, all forms-----045-046	243	19	18	13	19	22	19	22	27	22	31	17	14
Food poisoning (infection and intoxication)-----049	24	2	4	1	2	2	1	3	2	-	2	2	3
Scarlet fever-----050	5	1	-	1	-	2	1	-	-	-	-	-	5
Streptococcal sore throat-----051	58	10	9	7	3	2	2	1	3	5	4	6	6
Erysipelas-----052	12	1	-	1	2	1	-	2	-	1	2	1	1
Septicemia and pyemia-----053	2,443	217	216	230	191	219	174	195	201	202	182	186	230
Diphtheria-----055	18	1	4	-	1	1	-	-	2	1	3	5	-
Whooping cough-----056	55	4	9	6	1	5	4	3	7	4	5	6	1
Meningococcal infections-----057	890	95	96	122	91	67	51	42	38	49	62	66	111
Plague-----058	1	-	-	-	-	-	-	-	1	-	-	-	-
Leprosy-----060	3	-	1	2	-	-	-	-	-	-	-	-	-
Tetanus-----061	181	8	8	10	10	21	27	19	23	18	11	13	13
Anthrax-----062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-----080	16	1	-	1	-	3	1	4	3	-	1	1	1
Late effects of acute poliomyelitis-----081	128	18	7	14	9	12	10	5	8	11	7	8	19
Acute infectious encephalitis-----082	500	42	45	50	31	24	44	39	46	46	51	39	43
Late effects of acute infectious encephalitis-----083	65	7	3	8	3	3	4	5	13	3	4	7	3
Smallpox-----084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-----085	276	29	31	48	44	41	26	18	6	3	4	11	15
Yellow fever-----091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis-----092	707	71	66	66	51	59	57	51	53	53	72	39	69
Rabies-----094	2	-	-	-	-	1	-	-	-	-	-	-	1
Tick-borne typhus-----104	16	-	-	-	1	3	3	8	-	1	-	-	-
All other rickettsial diseases-----100-103,105-108	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria-----110-117	8	1	-	1	1	1	1	-	-	-	-	1	2
Schistosomiasis-----123	4	-	-	1	-	-	-	-	-	-	-	-	1
Hydatid disease-----125	7	1	1	1	1	2	-	-	1	-	-	-	-
Filariasis-----127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis-----129	2	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases due to helminths-----124,126,129,130	66	5	4	7	3	4	8	5	4	3	7	6	10
All other infective and parasitic diseases-----036-039, 054,059,063-074,086-090,093,095,096,120-122,131-138	1,628	156	165	147	144	147	118	103	121	114	143	131	139
II. Neoplasms-----	302,646	25,839	23,313	25,466	24,727	25,530	24,942	25,269	25,364	24,683	26,049	25,400	26,064
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	297,588	25,351	22,922	25,035	24,291	25,122	24,520	24,855	24,943	24,283	25,640	24,966	25,660
Malignant neoplasm of buccal cavity and pharynx-----140-148	6,501	547	487	536	521	547	568	505	546	552	584	519	589
Of lip-----140	172	20	15	15	16	15	15	13	16	16	11	9	11
Of tongue-----141	1,611	131	116	151	146	137	131	122	115	141	141	125	155
Of other and unspecified parts of buccal cavity-----142-144	2,040	186	132	161	154	168	183	165	190	180	169	165	187
Of pharynx-----145-148	2,678	210	224	209	205	227	239	205	225	215	263	220	236
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A,157-159	94,306	8,076	7,180	7,972	7,704	8,084	7,811	7,854	8,016	7,767	7,982	7,967	7,992
Of esophagus-----150	5,542	471	424	448	420	460	461	471	530	430	479	476	472
Of stomach-----151	18,027	1,549	1,377	1,536	1,463	1,620	1,498	1,515	1,505	1,476	1,460	1,515	1,513
Of small intestine, including duodenum-----152	745	89	53	47	65	58	66	65	59	60	61	60	72
Of large intestine, except rectum-----153	32,000	2,747	2,454	2,688	2,635	2,699	2,656	2,750	2,654	2,606	2,738	2,686	2,687
Cecum, appendix, and ascending colon-----153.0	4,498	421	326	398	354	363	383	381	382	358	405	363	386
Transverse colon, including hepatic and splenic flexures-----153.1	1,551	122	144	146	136	127	135	104	126	134	129	124	124
Descending colon-----153.2	1,196	99	97	121	109	96	108	83	90	89	108	98	98
Sigmoid colon-----153.3	6,022	563	486	518	513	490	491	494	542	455	490	491	489
Multiple parts of large intestine-----153.7	59	8	1	6	3	7	5	8	2	5	5	2	7
Large intestine (including colon), part unspecified-----153.8	17,022	1,409	1,277	1,350	1,393	1,489	1,392	1,537	1,373	1,416	1,462	1,467	1,457
Intestinal tract, part unspecified-----153.9	1,652	125	123	149	147	127	142	143	139	151	139	141	126
Of rectum-----154	10,533	940	775	925	856	877	901	794	899	894	908	902	862
Of biliary passages and of liver (stated to be primary site)-----155	6,589	553	527	570	561	562	526	525	549	560	552	551	553
Liver-----155.C	2,084	186	174	175	173	182	152	160	165	175	168	206	168
Other and multiple sites of biliary passages-----155.1,155.f	4,505	367	353	395	388	380	374	365	384	385	384	345	385
Of liver not stated whether primary or secondary-----156	3,196	265	263	244	266	284	244	281	270	272	277	255	264
Of pancreas-----157	16,002	1,345	1,190	1,348	1,292	1,376	1,314	1,303	1,410	1,332	1,377	1,306	1,409
Of peritoneum and of unspecified digestive organs-----158,159	1,672	137	117	166	146	138	145	140	140	137	130	116	160

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965-Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms-Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.													
Malignant neoplasm of respiratory system, not specified as secondary-----160-164													
Of larynx-----161	52,039	4,403	4,042	4,345	4,163	4,409	4,164	4,337	4,340	4,272	4,536	4,374	4,654
Of bronchus and trachea, and of lung specified as primary-----162	2,629	255	215	219	215	187	217	217	197	226	212	249	220
Of lung, unspecified as to whether primary or secondary-----163	20,354	1,776	1,590	1,739	1,630	1,689	1,615	1,728	1,711	1,623	1,736	1,675	1,842
Of other parts of respiratory system-----160,164	28,129	2,294	2,173	2,299	2,229	2,449	2,252	2,323	2,361	2,353	2,507	2,383	2,506
Malignant neoplasm of breast-----170	927	78	64	88	89	84	80	69	71	70	81	67	86
Malignant neoplasm of genital organs-----171-179	27,048	2,248	2,084	2,258	2,304	2,235	2,307	2,202	2,266	2,197	2,329	2,277	2,341
Of cervix uteri-----171	40,454	3,611	3,141	3,481	3,335	3,311	3,381	3,381	3,340	3,218	3,456	3,390	3,409
Of other and unspecified parts of uterus-----172-174	8,053	714	636	654	663	646	667	680	691	629	715	691	667
Of ovary, fallopian tube, and broad ligament-----175	5,785	519	452	524	480	445	498	487	502	445	478	487	468
Of other and unspecified female genital organs-----176	8,933	764	689	771	755	748	767	715	744	712	766	742	760
Of prostate-----177	803	86	66	58	57	70	63	74	73	62	74	59	61
Of all other and unspecified male genital organs-----178,179	15,911	1,448	1,235	1,379	1,303	1,324	1,306	1,345	1,247	1,279	1,351	1,325	1,369
Malignant neoplasm of urinary organs-----180,181	969	80	63	95	77	78	80	80	83	91	72	86	84
Of kidney-----180	13,901	1,129	1,087	1,181	1,159	1,186	1,117	1,162	1,173	1,192	1,195	1,144	1,176
Of bladder and other urinary organs-----181	5,634	466	425	471	443	500	449	470	472	492	474	467	505
Malignant neoplasm of other and unspecified sites-----156B,165,190-199	8,267	663	662	710	716	686	668	692	701	700	721	677	671
Of skin-----190,191	34,644	2,957	2,616	2,882	2,808	2,971	2,832	2,996	2,855	2,786	3,013	2,912	3,016
Of eye-----192	4,605	401	352	387	391	411	367	364	395	353	416	389	379
Of brain and other parts of nervous system-----193	338	31	27	30	30	26	31	24	24	34	32	26	23
Of thyroid gland-----194	7,014	583	513	617	560	610	611	586	575	565	582	610	602
Of bone-----196	1,052	102	71	92	84	78	94	92	87	82	102	77	91
Of connective tissue-----197	1,813	146	129	149	158	173	121	156	155	155	170	137	165
Of other specified sites, not stated to be secondary-----195,199A	1,262	106	91	125	104	85	106	115	94	104	103	115	114
Of unspecified sites-----156B,165,198,199B	1,586	138	117	118	120	131	141	132	131	122	139	142	155
Leukemia and aleukemia-----204	16,974	1,450	1,316	1,365	1,361	1,457	1,361	1,527	1,394	1,371	1,469	1,416	1,487
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	13,628	1,131	1,097	1,111	1,089	1,142	1,098	1,156	1,144	1,124	1,207	1,152	1,177
Lymphosarcoma and reticulosarcoma-----200	15,068	1,249	1,188	1,269	1,208	1,237	1,242	1,262	1,263	1,175	1,338	1,331	1,306
Hodgkin's disease-----201	7,250	615	576	595	599	614	607	595	608	586	640	610	605
Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	3,394	289	245	312	262	274	297	292	247	308	314	290	290
Benign neoplasms and neoplasms of unspecified nature-----210-239	4,424	345	367	362	347	349	361	370	373	342	390	407	411
Benign neoplasms of female genital organs-----214-217	5,058	488	391	431	436	408	422	414	421	400	409	434	404
Benign neoplasm of brain and other parts of nervous system-----223	355	38	20	46	30	31	31	29	31	17	30	28	24
Other benign neoplasms-----210-213, 218-222, 224-229	1,006	88	82	87	90	81	80	90	81	85	79	89	74
Neoplasm of unspecified nature of female genital organs-----233-235	989	85	85	88	87	82	80	68	80	78	83	89	84
Neoplasm of unspecified nature of brain and other parts of nervous system-----237	24	-	2	3	1	4	2	-	1	3	3	4	1
Other neoplasms of unspecified nature-----230-232, 236, 238, 239	1,707	157	125	125	133	138	153	150	167	135	146	143	135
Other neoplasms of unspecified nature-----230-232, 236, 238, 239	977	120	77	82	95	72	76	77	61	82	68	81	86
III. Allergic, endocrine system, metabolic, and nutritional diseases-----													
Asthma-----241	44,136	4,050	3,735	4,189	3,650	3,601	3,364	3,551	3,393	3,200	3,768	3,668	3,967
Nontoxic goiter-----250,251	4,520	424	437	456	379	336	307	346	299	317	437	387	395
Thyrototoxicosis with or without goiter-----252	55	8	9	4	8	5	6	1	1	3	5	2	3
All other diseases of thyroid gland-----253,254	438	36	37	42	42	46	44	21	40	28	39	30	33
Diabetes mellitus-----260	384	32	31	39	33	32	27	32	27	30	39	33	29
Diseases of thymus gland-----273	33,174	3,019	2,760	3,090	2,735	2,736	2,579	2,671	2,589	2,424	2,769	2,798	3,004
Diseases of adrenal gland-----274	68	5	4	11	4	4	1	8	9	4	7	8	3
Pellagra-----281	454	41	36	47	39	36	30	53	29	40	37	22	44
Other avitaminoses and nutritional deficiency states-----280,282-286	22	3	2	2	5	-	1	2	1	2	2	1	1
Cystic fibrosis-----289A	1,521	166	124	150	154	106	113	122	125	88	116	115	142
All other allergic, endocrine, and metabolic diseases-----240, 242-245, 270-272, 275-277, 287, 288, 289, 289.0, 289.1, 289.2	610	65	47	57	40	48	36	47	49	50	56	52	63
All other allergic, endocrine, and metabolic diseases-----240, 242-245, 270-272, 275-277, 287, 288, 289, 289.0, 289.1, 289.2	2,890	251	248	291	211	252	220	248	224	214	261	220	250
IV. Diseases of the blood and blood-forming organs-----													
Anemias-----290-293	5,561	530	469	524	411	445	443	486	456	402	469	452	474
Pernicious and other hyperchromic anemias-----290	3,539	340	304	340	268	273	279	312	265	262	296	292	308
Anemias of other and unspecified type-----291-293	423	35	40	37	40	31	30	42	35	30	23	34	46
Purpura and other hemorrhagic conditions-----296	3,116	305	264	303	228	242	249	270	230	232	273	258	262
Other diseases of blood and blood-forming organs-----294, 295, 297-299	741	74	56	77	50	76	54	59	67	47	62	59	60
V. Mental, psychoneurotic, and personality disorders-----													
Senile psychosis-----304	1,281	116	109	107	93	96	110	115	124	93	111	101	106
Alcoholic psychosis-----307	4,988	462	376	433	370	377	374	372	389	410	443	449	533
Other psychoses-----300-303, 306, 308, 309	279	26	22	36	17	20	28	18	19	33	15	22	23
Alcoholism-----322	520	43	24	45	37	53	39	45	52	40	44	45	53
Mental deficiency-----325	786	59	69	64	68	60	60	58	62	67	75	63	78
Other disorders of personality-----310-321, 323, 324, 326	2,665	259	205	232	192	196	209	187	195	206	254	249	291
Other disorders of personality-----310-321, 323, 324, 326	518	55	44	41	37	37	31	41	42	38	38	50	64
Other disorders of personality-----310-321, 323, 324, 326	220	20	12	15	19	18	7	23	19	26	17	20	24
VI. Diseases of the nervous system and sense organs-----													
Vascular lesions affecting central nervous system-----330-334	215,913	19,685	18,527	19,806	17,592	17,505	16,699	17,193	16,710	16,351	18,086	17,984	19,775
Subarachnoid hemorrhage-----330	201,057	18,274	17,287	18,453	16,421	16,293	15,594	16,007	15,528	15,201	16,842	16,725	18,432
Cerebral hemorrhage-----331	8,272	794	663	756	723	655	664	616	627	637	725	704	708
Cerebral embolism and thrombosis-----332	109,193	9,739	9,253	10,232	9,033	8,931	8,386	8,709	8,446	8,192	9,210	9,062	10,000
Other vascular lesions affecting central nervous system-----333, 334	63,680	6,036	5,743	5,591	5,096	5,183	4,954	4,999	4,881	4,878	5,226	5,215	5,878
Other vascular lesions affecting central nervous system-----333, 334	19,912	1,705	1,628	1,874	1,569	1,524	1,590	1,683	1,574	1,494	1,681	1,744	1,846



Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>IX. Diseases of the digestive system—Con.</b>													
Chronic enteritis and ulcerative colitis-----572	4,000	344	331	326	319	358	323	344	330	342	344	337	302
Cirrhosis of liver-----581	24,715	2,200	2,002	2,109	2,013	2,000	1,888	1,949	1,976	1,934	2,178	2,132	2,334
Without mention of alcoholism-----581.0	16,286	1,427	1,331	1,417	1,320	1,301	1,257	1,274	1,298	1,253	1,476	1,392	1,540
With alcoholism-----581.1	8,429	773	671	692	693	699	631	675	678	681	702	740	794
Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,666	413	394	395	402	424	364	394	374	416	394	337	359
Other diseases of digestive system-----536-539, 542,544,545,573-580,582,583,586,587	12,429	1,141	972	1,044	980	1,014	1,000	1,042	1,001	986	1,052	1,026	1,171
<b>X. Diseases of the genitourinary system-----</b>													
<b>30,455</b>													
Nephritis and nephrosis-----590-594	11,920	1,143	1,020	1,134	1,036	1,001	958	911	902	874	980	945	1,016
Acute nephritis-----590	547	72	41	55	42	48	49	43	47	34	40	35	41
Nephritis with edema, including nephrosis-----591	778	80	62	73	70	72	49	55	58	44	70	70	75
Chronic and unspecified nephritis and other renal sclerosis-----592-594	10,595	991	917	1,006	924	881	860	813	797	796	870	840	900
Infections of kidney-----600	9,813	901	776	851	816	816	814	799	804	740	816	784	896
Calculi of urinary system-----602,604	1,205	93	99	94	125	98	82	86	126	100	107	88	107
Other diseases of urinary system-----601,603,605-609	2,951	245	233	280	243	234	236	240	276	215	264	240	245
Hyperplasia of prostate-----610	3,413	304	275	306	295	281	261	312	281	275	282	283	258
Diseases of breast-----620,621	6	1	1	-	-	-	1	-	2	-	-	-	1
Other diseases of genital organs-----611-617,622-637	1,147	95	81	99	99	94	86	100	95	113	93	102	90
<b>XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----</b>													
<b>1,189</b>													
Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	147	9	10	16	14	4	9	19	19	10	20	7	10
Toxemias of pregnancy and puerperium, except abortion with toxemia-----642,685,686	211	18	22	11	20	12	21	17	17	16	18	24	15
Hemorrhage of pregnancy and childbirth-----643,644,670-672	187	14	14	9	20	15	22	14	21	19	10	16	13
Ectopic pregnancy-----645	70	7	3	2	3	3	6	7	9	7	7	5	11
Abortion without mention of sepsis or toxemia-----650	67	7	3	5	4	7	8	5	7	3	7	7	4
Abortion with sepsis-----651	158	15	12	13	14	12	11	13	15	14	12	15	12
Abortion with toxemia, without mention of sepsis-----652	10	-	4	1	1	-	-	-	1	-	-	2	1
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	339	22	28	33	19	31	28	29	31	28	36	26	28
<b>XII. Diseases of the skin and cellular tissue-----</b>													
<b>2,185</b>													
Infections of skin and subcutaneous tissue-----690-698	481	40	44	48	32	45	41	33	50	38	34	39	37
Other diseases of skin and subcutaneous tissue-----700-716	1,704	138	124	149	145	132	153	142	138	134	152	151	146
<b>XIII. Diseases of the bones and organs of movement-----</b>													
<b>3,849</b>													
Arthritis and spondylitis-----720-725	2,000	166	163	180	168	180	167	159	135	142	196	162	182
Muscular rheumatism and rheumatism unspecified-----726,727	71	4	5	5	8	8	4	7	9	7	1	8	5
Osteomyelitis and periostitis-----730	172	13	15	11	14	19	12	14	11	13	14	14	22
Ankylosis and acquired musculoskeletal deformities-----737,745-749	113	8	11	9	13	8	9	4	10	9	5	18	9
Inborn defect of muscle-----744.1	689	51	53	68	55	65	52	50	44	46	60	68	77
Other diseases of musculoskeletal system-----731-736,738-744.0,744.2	804	76	68	68	61	62	58	60	63	71	75	66	76
<b>XIV. Congenital malformations-----</b>													
<b>19,512</b>													
Spina bifida and meningocele-----751	1,323	134	124	113	92	104	98	131	90	122	109	91	115
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,887	178	161	185	145	141	147	129	123	154	178	157	189
Congenital malformations of circulatory system-----754	9,955	975	875	870	785	824	839	782	755	816	820	793	821
Other congenital malformations-----750,755-759	6,347	574	557	553	507	488	519	521	521	532	513	504	558
<b>XV. Certain diseases of early infancy-----</b>													
<b>55,398</b>													
<b>XVI. Symptoms, senility, and ill-defined conditions-----</b>													
<b>23,414</b>													
Senility without mention of psychosis-----794	2,188	210	201	206	193	163	164	183	169	142	173	180	204
Symptoms, ill-defined, and unknown causes-----780-793,795	21,226	1,899	1,742	1,969	1,703	1,771	1,665	1,798	1,565	1,549	1,800	1,760	2,005
<b>XVII. Accidents, poisonings, and violence-----</b>													
<b>140,253</b>													
Accidents-----E800-E962	108,004	8,441	7,704	8,154	8,414	8,958	9,303	9,677	9,791	8,682	9,534	9,339	10,007
Railway accidents-----E800-E802	962	62	60	59	83	113	85	98	86	93	84	65	64
Motor vehicle accidents-----E810-E835	49,163	3,478	3,118	3,297	3,670	4,059	4,111	4,243	4,733	4,202	4,804	4,426	5,022
Motor vehicle traffic accidents-----E810-E825	48,050	3,410	3,085	3,249	3,579	3,950	3,967	4,118	4,590	4,103	4,692	4,351	4,956
Motor vehicle traffic accident involving collision with railway train-----E810	1,556	163	132	119	92	105	102	113	118	125	146	158	183
Motor vehicle traffic accident to pedestrian-----E812	8,117	689	569	583	632	650	583	565	679	687	811	743	926
Other motor vehicle traffic accidents involving collision-----E811,E813-E819	21,300	1,429	1,357	1,454	1,539	1,733	1,798	1,837	2,065	1,816	2,052	1,984	2,216
Motor vehicle noncollision traffic accidents-----E820-E824	12,939	855	732	832	993	1,123	1,129	1,235	1,282	1,096	1,297	1,127	1,238
Motor vehicle traffic accident of unspecified nature-----E825	4,138	274	275	261	323	339	375	368	426	379	386	339	393
Motor vehicle nontraffic accidents-----E830-E835	1,113	68	53	48	91	109	124	125	143	99	112	75	66
Other road vehicle accidents-----E840-E845	319	7	14	21	17	25	45	52	43	32	19	19	25
Water transport accidents-----E850-E858	1,493	56	53	76	140	208	221	232	156	124	105	73	49
Aircraft accidents-----E860-E866	1,529	113	80	106	103	99	222	114	151	102	105	223	111
Accidental poisoning by solid and liquid substances-----E870-E888	2,110	179	153	176	136	185	177	175	176	180	168	205	200
Accidental poisoning by gases and vapors-----E890-E895	1,526	202	211	198	93	68	47	43	49	94	125	175	221
Accidental falls-----E900-E904	19,984	1,762	1,688	1,700	1,565	1,529	1,590	1,652	1,626	1,633	1,767	1,682	1,790
Fall from one level to another-----E900-E902	5,902	451	415	442	434	475	495	534	534	526	519	456	521
Fall on same level-----E903	5,738	512	545	510	448	415	433	446	467	459	482	531	490
Unspecified falls-----E904	8,444	799	728	748	683	639	662	672	625	648	766	695	779

## SECTION 1 - GENERAL MORTALITY

1-91

Table 1-24. Deaths From 258 Selected Causes, by Month: United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Blow from falling or projected object or missile-----E910	1,493	119	99	133	141	141	128	129	127	119	151	104	102
Accident caused by machinery-----E912	2,054	113	85	120	177	210	231	194	204	197	201	195	127
Accident caused by electric current-----E914	1,071	31	40	45	77	105	115	153	167	140	81	67	50
Accident caused by fire and explosion of combustible material-----E916	7,347	920	853	924	604	510	351	365	346	317	553	731	873
Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917,E918	420	36	35	47	32	31	29	32	28	32	37	40	41
Accident caused by firearm-----E919	2,344	169	163	132	144	135	172	169	189	212	237	335	287
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1,836	183	150	141	146	151	138	148	130	145	172	158	174
Accidental drowning-----E929	5,485	171	175	239	438	734	948	1,082	792	337	230	159	180
Excessive heat and insolation-----E931	106	1	1	1	4	6	10	39	34	5	4	1	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic mis- adventure, and late complications of ther- apeutic procedures-----E940-E959	1,494	136	123	128	116	123	123	132	124	126	120	135	108
All other accidents-----E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	7,268	703	603	611	728	526	560	625	630	592	561	546	583
Suicide-----E963,E970-E979													
Suicide by poisoning-----E970-E973	21,507	1,714	1,568	1,861	1,924	1,914	1,801	1,917	1,855	1,781	1,738	1,710	1,724
Suicide by hanging and strangulation-----E974	5,995	471	442	522	528	513	486	536	525	526	511	473	462
Suicide by firearm and explosive-----E976	3,197	222	235	284	308	272	303	309	278	250	260	240	256
Suicide by all other means-----E963,E975,E977-E979	9,898	845	717	865	864	879	800	848	816	804	783	811	865
	2,417	176	174	189	224	250	212	224	236	201	184	186	161
Homicide-----E964,E980-E985													
Assault by firearm and explosive-----E981	10,712	867	753	790	799	929	823	933	1,027	928	957	891	1,015
Assault by cutting and piercing instruments-----E982	6,158	523	415	458	442	515	442	512	604	537	564	540	606
Assault by other means-----E964,E980,E983	2,292	185	178	162	179	210	206	214	213	175	201	174	195
Injury by intervention of police-----E984	1,984	142	143	144	160	164	144	188	190	193	171	155	190
Execution-----E985	271	16	16	26	16	40	29	19	20	23	21	22	23
	7	1	1	-	2	-	2	-	-	-	-	-	1
Injury resulting from operations of war-----E965,E990-E999	30	2	6	3	4	1	3	-	-	5	1	2	3

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes

[Numbers after causes of death are category numbers]

Inter- mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
1	All causes-----	1,828,136	1,035,200	792,936
2	I. Infective and parasitic diseases-----	17,833	11,469	6,364
3	Tuberculosis, all forms-----001-019	7,934	5,789	2,145
4 A 1	Tuberculosis of respiratory system-----001-008	7,358	5,446	1,912
5 A 2	Tuberculosis of meninges and central nervous system-----010	143	77	66
6 A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	43	18	25
7 A 4	Tuberculosis of bones and joints-----012, 013	60	35	25
8 A 5 pt.	Tuberculosis of other organs and systems-----014-018	112	77	35
9 A 5 pt.	Disseminated tuberculosis-----019	218	136	82
10	Syphilis and its sequelae-----020-029	2,434	1,732	702
11 A 6	Congenital syphilis-----020	34	20	14
12 A 7	Early syphilis-----021	1	1	-
13 A 10 pt.	Aneurysm of aorta-----022	1,504	1,079	425
14 A 10 pt.	Other cardiovascular syphilis-----023	549	399	150
15 A 8	Tabes dorsalis-----024	43	31	12
16 A 9	General paralysis of insane-----025	96	66	30
17 A 10 pt.	Other syphilis of central nervous system-----026	157	106	51
18 A 10 pt.	All other syphilis-----027-029	50	30	20
19 A 11	Gonococcal infection-----030-035	9	7	2
20 A 12	Typhoid fever-----040	6	2	4
21 A 13	Paratyphoid fever and other Salmonella infections-----041, 042	87	50	37
22 A 14	Cholera-----043	-	-	-
23 A 15	Brucellosis (undulant fever)-----044	6	3	3
24 A 16	Dysentery, all forms-----045-048	243	141	102
25 A 43 pt.	Food poisoning (infection and intoxication)-----049	24	11	13
26 A 17	Scarlet fever-----050	5	3	2
27 A 18	Streptococcal sore throat-----051	58	28	30
28 A 19	Erysipelas-----052	12	5	7
29 A 20	Septicemia and pyemia-----053	2,443	1,318	1,125
30 A 21	Diphtheria-----055	18	10	8
31 A 22	Whooping cough-----056	55	34	21
32 A 23	Meningococcal infections-----057	890	483	407
33 A 24	Plague-----058	1	1	-
34 A 25	Leprosy-----060	3	2	1
35 A 26	Tetanus-----061	181	112	69
36 A 27	Anthrax-----062	-	-	-
37 A 28	Acute poliomyelitis-----080	16	7	9
38 A 30 pt.	Late effects of acute poliomyelitis-----081	128	85	43
39 A 29	Acute infectious encephalitis-----082	500	252	248
40 A 30 pt.	Late effects of acute infectious encephalitis-----083	63	42	21
41 A 31	Smallpox-----084	-	-	-
42 A 32	Measles-----085	276	129	147
43 A 33	Yellow fever-----091	-	-	-
44 A 34	Infectious hepatitis-----092	707	290	417
45 A 35	Rabies-----094	2	1	1
46 A 36 pt.	Tick-borne typhus-----104	16	8	8
47 A 36 pt.	All other rickettsial diseases-----100-103, 105-108	1	1	-
48 A 37	Malaria-----110-117	8	8	-
49 A 38	Schistosomiasis-----123	4	4	-
50 A 39	Hydatid disease-----125	7	4	3
51 A 40	Filariasis-----127	-	-	-
52 A 41	Ancylostomiasis-----129	2	-	2
53 A 42	Other diseases due to helminths-----124, 126, 128, 130	66	36	30
54 A 43 pt.	All other infective and parasitic diseases-----036-039, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	1,628	871	757
55	II. Neoplasms-----	302,646	163,828	138,818
56	Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-205	297,588	161,422	136,166
57 A 44	Malignant neoplasm of buccal cavity and pharynx-----140-148	6,501	4,924	1,577
58	Of lip-----140	172	149	23
59	Of tongue-----141	1,611	1,232	379
60	Of other and unspecified parts of buccal cavity-----142-144	2,040	1,419	621
61	Of pharynx-----145-148	2,678	2,124	554
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A, 157-159	94,305	51,253	43,052
63 A 45	Of esophagus-----150	5,542	4,236	1,306
64 A 46	Of stomach-----151	18,027	11,059	6,968
65 A 47 pt.	Of small intestine, including duodenum-----152	745	406	339
66 A 47 pt.	Of large intestine, except rectum-----153	32,000	14,897	17,103
67	Cecum, appendix, and ascending colon-----153.0	4,498	2,014	2,484
68	Transverse colon, including hepatic and splenic flexures-----153.1	1,551	725	826
69	Descending colon-----153.2	1,196	559	637
70	Sigmoid colon-----153.3	6,022	2,862	3,160
71	Multiple parts of large intestine-----153.7	59	35	24
72	Large intestine (including colon), part unspecified-----153.8	17,022	7,950	9,072
73	Intestinal tract, part unspecified-----153.9	1,652	752	900
74 A 48	Of rectum-----154	10,533	5,962	4,571
75 A 57 pt.	Of biliary passages and of liver (stated to be primary site)-----155	6,589	2,928	3,661
76	Liver-----155.0	2,084	1,369	715
77	Other and multiple sites of biliary passages-----155.1, 155.8	4,505	1,559	2,946
78 A 57 pt.	Of liver not stated whether primary or secondary-----156A	3,195	1,703	1,492
79 A 57 pt.	Of pancreas-----157	16,002	9,237	6,765
80 A 57 pt.	Of peritoneum and of unspecified digestive organs-----158, 159	1,672	825	847
81	Malignant neoplasm of respiratory system, not specified as secondary-----160-164	52,039	43,798	8,241
82 A 49	Of larynx-----161	2,629	2,326	303
83 A 50 pt.	Of bronchus and trachea, and of lung specified as primary-----162	20,354	17,570	2,784
84 A 50 pt.	Of lung, unspecified as to whether primary or secondary-----163	28,129	23,509	4,620
85 A 57 pt.	Of other parts of respiratory system-----160, 164	927	593	334
86 A 51	Malignant neoplasm of breast-----170	27,048	243	26,805

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.





Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

Inter-mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
	<b>II. Neoplasms—Con.</b>			
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.			
1	Malignant neoplasm of genital organs-----171-179	40,454	16,880	23,574
2	Of cervix uteri-----171	8,053	...	8,053
3	Of other and unspecified parts of uterus-----172-174	5,785	...	5,785
4	Of ovary, fallopian tube, and broad ligament-----175	8,833	...	8,833
5	Of other and unspecified female genital organs-----176	803	...	803
6	Of prostate-----177	15,911	15,911	...
7	Of all other and unspecified male genital organs-----178,179	969	...	969
8	Malignant neoplasm of urinary organs-----180,181	13,901	9,094	4,807
9	Of kidney-----180	5,634	3,508	2,126
10	Of bladder and other urinary organs-----181	8,267	5,586	2,681
11	Malignant neoplasm of other and unspecified sites-----156B,165,190-199	34,644	18,797	15,847
12	Of skin-----190,191	4,605	2,711	1,894
13	Of eye-----192	339	172	166
14	Of brain and other parts of nervous system-----193	7,014	4,108	2,906
15	Of thyroid gland-----194	1,052	360	692
16	Of bone-----196	1,813	1,092	721
17	Of connective tissue-----197	1,262	692	570
18	Of other specified sites, not stated to be secondary-----195,199A	1,586	956	630
19	Of unspecified sites-----156B,165,198,199B	16,974	8,706	8,268
20	Leukemia and leukemias-----204	13,628	7,840	5,788
21	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	15,068	8,593	6,475
22	Lymphosarcoma and reticulosarcoma-----200	7,250	4,134	3,116
23	Hodgkin's disease-----201	3,394	2,066	1,328
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	4,424	2,393	2,031
25	Benign neoplasms and neoplasms of unspecified nature-----210-239	5,058	2,406	2,652
26	Benign neoplasms of female genital organs-----214-217	355	...	355
27	Benign neoplasm of brain and other parts of nervous system-----223	1,006	429	577
28	Other benign neoplasms-----210-213,218-222,224-229	989	548	441
29	Neoplasm of unspecified nature of female genital organs-----233-235	24	...	24
30	Neoplasm of unspecified nature of brain and other parts of nervous system-----237	1,707	918	789
31	Other neoplasms of unspecified nature-----230-232,236,238,239	977	511	466
32	<b>III. Allergic, endocrine system, metabolic, and nutritional diseases-----</b>	<b>44,136</b>	<b>19,198</b>	<b>24,938</b>
33	Asthma-----241	4,520	2,649	1,871
34	Nontoxic goiter-----250,251	55	7	48
35	Thyrotoxicosis with or without goiter-----252	438	96	342
36	All other diseases of thyroid gland-----253,254	384	93	291
37	Diabetes mellitus-----260	33,174	13,588	19,586
38	Diseases of thymus gland-----273	68	49	19
39	Diseases of adrenal glands-----274	454	203	251
40	Pellagra-----281	22	9	13
41	Other avitaminoses and nutritional deficiency states-----280,282-286	1,521	741	780
42	Cystic fibrosis-----289A	610	307	303
43	All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287,288,289.0,289.1,289.2	2,890	1,456	1,434
44	<b>IV. Diseases of the blood and blood-forming organs-----</b>	<b>5,561</b>	<b>2,804</b>	<b>2,757</b>
45	Anemias-----290-293	3,539	1,743	1,796
46	Pernicious and other hyperchromic anemias-----290	423	180	243
47	Anemias of other and unspecified type-----291-293	3,116	1,563	1,553
48	Purpura and other hemorrhagic conditions-----296	741	345	396
49	Other diseases of blood and blood-forming organs-----294,295,297-299	1,281	716	565
50	<b>V. Mental, psychoneurotic, and personality disorders-----</b>	<b>4,988</b>	<b>3,385</b>	<b>1,603</b>
51	Senile psychosis-----304	279	107	172
52	Alcoholic psychosis-----307	520	466	54
53	Other psychoses-----300-303,305,306,308,309	786	382	404
54	Alcoholism-----322	2,665	2,046	619
55	Mental deficiency-----325	518	278	240
56	Other disorders of personality-----310-321,323,324,326	220	106	114
57	<b>VI. Diseases of the nervous system and sense organs-----</b>	<b>215,913</b>	<b>101,482</b>	<b>114,431</b>
58	Vascular lesions affecting central nervous system-----330-334	201,057	93,520	107,537
59	Subarachnoid hemorrhage-----330	8,272	3,590	4,682
60	Cerebral hemorrhage-----331	109,193	51,239	57,954
61	Cerebral embolism and thrombosis-----332	63,680	29,636	34,044
62	Other vascular lesions affecting central nervous system-----333,334	19,912	9,055	10,857
63	Meningitis, except meningococcal and tuberculous-----340	2,363	1,313	1,050
64	Multiple sclerosis-----345	1,530	607	923
65	Paralysis agitans-----350	3,003	1,592	1,411
66	Cerebral spastic infantile paralysis-----351	690	381	309
67	Epilepsy-----353	1,881	1,136	745
68	Inflammatory diseases of eye-----370-379	12	7	5
69	Cataract-----385	28	11	17
70	Glaucoma-----387	5	3	2
71	Otitis media and mastoiditis-----391-393	230	119	111
72	Other diseases of nervous system and sense organs-----341-344,352,354-369,380-384,386,388-390,394-398	5,114	2,793	2,321
73	<b>VII. Diseases of the circulatory system-----</b>	<b>789,135</b>	<b>452,281</b>	<b>336,854</b>
74	Diseases of heart-----400-402,410-443	712,087	412,831	299,256
75	Rheumatic fever-----400-402	483	259	224
76	Chronic rheumatic heart disease-----410-416	14,988	6,511	8,477
77	Diseases of mitral valve-----410	5,999	2,383	3,616
78	Diseases of aortic valve specified as rheumatic-----411	1,741	1,162	579
79	Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----413,414	764	310	454
80	Other rheumatic heart diseases-----412,415,416	6,484	2,656	3,828

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.



Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers]

Inter- mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
	VII. Diseases of the circulatory system—Con.			
	Diseases of heart—Con.			
1	A 81 pt. Arteriosclerotic heart disease, including coronary disease-----420	559,293	340,077	219,216
2	Arteriosclerotic heart disease so described-----420.0	152,455	75,304	77,151
3	Heart disease specified as involving coronary arteries-----420.1	406,499	264,577	141,922
4	Angina pectoris without mention of coronary disease-----420.2	339	196	143
5	A 81 pt. Chronic endocarditis not specified as rheumatic-----421	3,963	2,287	1,676
6	Of mitral valve, specified as nonrheumatic-----421.0	147	77	70
7	Of aortic valve, not specified as rheumatic-----421.1	2,347	1,528	819
8	Of other valves, not specified as rheumatic-----421.2-421.4	1,469	682	787
9	A 81 pt. Other myocardial degeneration-----422	49,215	23,763	25,452
10	With arteriosclerosis-----422.1	40,467	19,426	21,041
11	Without mention of arteriosclerosis-----422.0,422.2	8,748	4,337	4,411
12	A 82 Other diseases of heart-----430-434	29,177	16,197	12,980
13	Acute and subacute endocarditis-----430	716	454	262
14	Acute myocarditis and acute pericarditis, not specified as rheumatic-----431,432	1,089	608	481
15	Functional disease of heart-----433	8,643	4,277	4,366
16	Other and unspecified diseases of heart-----434	18,729	10,858	7,871
17	A 83 Hypertensive heart disease-----440-443	54,968	23,737	31,231
18	Hypertensive heart disease with arteriolar nephrosclerosis-----442	12,027	5,727	6,300
19	Other hypertensive heart disease-----440,441,443	42,941	18,010	24,931
20	A 84 Other hypertensive disease-----444-447	11,667	5,942	5,725
21	Hypertension with arteriolar nephrosclerosis-----446	6,848	3,727	3,121
22	Essential hypertension and other hypertensive disease without mention of heart-----444,445,447	4,819	2,215	2,604
23	A 85 Diseases of arteries-----450-456	53,057	27,175	25,882
24	General arteriosclerosis-----450	38,102	17,299	20,803
25	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----451	10,964	7,911	3,053
26	Gangrene of unspecified cause-----455	302	159	143
27	Other arterial diseases-----452-454,456	3,689	1,806	1,883
28	A 86 Diseases of veins and other diseases of circulatory system-----460-466	12,324	6,333	5,991
29	VIII. Diseases of the respiratory system-----	99,769	64,225	35,544
30	A 87 Acute upper respiratory infections-----470-475	745	417	328
31	A 88 Influenza-----480-483	2,295	1,064	1,231
32	Pneumonia, except pneumonia of newborn-----490-493	59,608	33,909	25,699
33	A 89 Lobar pneumonia-----490	8,955	5,466	3,489
34	A 90 Bronchopneumonia-----491	32,719	18,402	14,317
35	A 91 pt. Primary atypical pneumonia-----492	5,693	3,191	2,502
36	A 91 pt. Pneumonia, other and unspecified-----493	12,241	6,850	5,391
37	A 92 Acute bronchitis-----500	1,004	599	405
38	A 93 Bronchitis, chronic and unqualified-----501,502	4,768	3,639	1,129
39	A 94 Hypertrophy of tonsils and adenoids-----510	77	35	42
40	A 95 Empyema and abscess of lung-----518,521	868	635	233
41	A 96 Pleurisy-----519	183	113	70
42	A 97 pt. Other chronic interstitial pneumonia-----525	4,223	2,673	1,550
43	A 97 pt. Bronchiectasis-----526	1,708	1,094	614
44	A 97 pt. Other diseases of lung and pleural cavity-----527	20,587	17,388	3,199
45	Emphysema without mention of bronchitis-----527.1	18,664	16,151	2,513
46	All other diseases of lung and pleural cavity-----527.0,527.2	1,923	1,237	686
47	A 97 pt. Other respiratory diseases-----511-517,520,522-524	3,703	2,659	1,044
48	IX. Diseases of the digestive system-----	71,900	41,762	30,138
49	A 98 Diseases of teeth and supporting structures-----530-535	70	37	33
50	A 99 Ulcer of stomach-----540	5,403	3,633	1,770
51	A 100 Ulcer of duodenum-----541	5,021	3,728	1,293
52	A 101 Gastritis and duodenitis-----543	456	290	166
53	A 102 Appendicitis-----550-553	1,694	1,072	622
54	A 103 Hernia and intestinal obstruction-----560,561,570	10,003	4,668	5,335
55	A 104 pt. Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----571	3,443	1,781	1,662
56	A 104 pt. Chronic enteritis and ulcerative colitis-----572	4,000	1,731	2,269
57	A 105 Cirrhosis of liver-----581	24,715	15,984	8,731
58	Without mention of alcoholism-----581.0	16,286	10,249	6,037
59	With alcoholism-----581.1	8,429	5,735	2,694
60	A 106 Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,666	1,960	2,706
61	A 107 Other diseases of digestive system-----536-539,542,544,545,573-580,582,583,586,587	12,429	6,878	5,551
62	X. Diseases of the genitourinary system-----	30,455	17,715	12,740
63	Nephritis and nephrosis-----590-594	11,920	6,623	5,297
64	A 108 Acute nephritis-----590	547	294	253
65	A 109 pt. Nephritis with edema, including nephrosis-----591	778	436	342
66	A 109 pt. Chronic and unspecified nephritis and other renal sclerosis-----592-594	10,595	5,893	4,702
67	A 110 Infections of kidney-----600	9,813	4,652	5,161
68	A 111 Calculi of urinary system-----602,604	1,205	633	572
69	A 114 pt. Other diseases of urinary system-----601,603,605-609	2,951	1,871	1,080
70	A 112 Hyperplasia of prostate-----610	3,413	3,413	...
71	A 113 Diseases of breast-----620,621	6	1	5
72	A 114 pt. Other diseases of genital organs-----611-617,622-637	1,147	522	625
73	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----	1,189	...	1,189
74	A 115 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	147	...	147
75	A 116 pt. Toxemias of pregnancy and puerperium, except abortion with toxemia-----642,685,686	211	...	211
76	A 117 Hemorrhage of pregnancy and childbirth-----643,644,670,672	187	...	187
77	A 120 pt. Ectopic pregnancy-----645	70	...	70
78	A 118 Abortion without mention of sepsis or toxemia-----650	67	...	67
79	A 119 Abortion with sepsis-----651	158	...	158
80	A 116 pt. Abortion with toxemia, without mention of sepsis-----652	10	...	10
81	A 120 pt. Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	339	...	339

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.



Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

Inter- mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
1	XII. Diseases of the skin and cellular tissue-----	2,185	789	1,396
2	A 121 Infections of skin and subcutaneous tissue-----690-698	461	249	232
3	A 126 pt. Other diseases of skin and subcutaneous tissue-----700-716	1,704	540	1,164
4	XIII. Diseases of the bones and organs of movement-----	3,849	1,724	2,125
5	A 122 Arthritis and spondylitis-----720-725	2,000	703	1,297
6	A 123 Muscular rheumatism and rheumatism unspecified-----726,727	71	21	50
7	A 124 Osteomyelitis and periostitis-----730	172	91	81
8	A 125 Ankylosis and acquired musculoskeletal deformities-----737,745-749	113	52	61
9	A 126 pt. Inborn defect of muscle-----744.1	689	518	171
10	A 126 pt. Other diseases of musculoskeletal system-----731-736, 738-744.0, 744.2	804	339	465
11	XIV. Congenital malformations-----	19,512	10,375	9,137
12	A 127 Spina bifida and meningocele-----751	1,323	547	776
13	A 129 pt. Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,887	967	920
14	A 128 Congenital malformations of circulatory system-----754	9,955	5,439	4,516
15	A 129 pt. Other congenital malformations-----750, 755-759	6,347	3,422	2,925
16	A 130-A135 XV. Certain diseases of early infancy-----	55,398	32,504	22,894
17	XVI. Symptoms, senility, and ill-defined conditions-----	23,414	13,929	9,485
18	A 136 Senility without mention of psychosis-----794	2,188	885	1,303
19	A 137 Symptoms, ill-defined, and unknown causes-----780, 793, 795	21,226	13,044	8,182
20	XVII. Accidents, poisonings, and violence-----	140,253	97,730	42,523
21	Accidents-----E800-E862	108,004	74,062	33,942
22	AE 139 pt. Railway accidents-----E800-E802	962	870	92
23	AE 138 Motor vehicle accidents-----E810-E835	49,183	35,584	13,579
24	Motor vehicle traffic accidents-----E810-E825	48,050	34,770	13,280
25	Motor vehicle traffic accident involving collision with railway train-----E810	1,556	1,108	448
26	Motor vehicle traffic accident to pedestrian-----E812	9,117	5,787	2,330
27	Other motor vehicle traffic accidents involving collision-----E811, E813-E819	21,300	14,583	6,717
28	Motor vehicle noncollision traffic accidents-----E820-E824	12,939	10,300	2,639
29	Motor vehicle traffic accident of unspecified nature-----E825	4,138	2,992	1,146
30	Motor vehicle nontraffic accidents-----E830-E835	1,113	814	299
31	AE 139 pt. Other road vehicle accidents-----E840-E845	319	222	97
32	AE 139 pt. Water transport accidents-----E850-E858	1,493	1,354	129
33	AE 139 pt. Aircraft accidents-----E860-E866	1,529	1,317	212
34	AE 140 pt. Accidental poisoning by solid and liquid substances-----E870-E888	2,110	1,159	951
35	AE 140 pt. Accidental poisoning by gases and vapors-----E890-E895	1,526	1,106	420
36	AE 141 Accidental falls-----E900-E904	19,984	9,972	10,012
37	Fall from one level to another-----E900-E902	5,802	3,943	1,859
38	Fall on same level-----E903	5,738	2,541	3,197
39	Unspecified falls-----E904	8,444	3,488	4,956
40	AE 147 pt. Blow from falling or projected object or missile-----E910	1,493	1,414	79
41	AE 142 Accident caused by machinery-----E912	2,054	1,968	86
42	AE 147 pt. Accident caused by electric current-----E914	1,071	998	73
43	AE 143 Accident caused by fire and explosion of combustible material-----E916	7,347	4,383	2,964
44	AE 144 Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917, E918	420	240	180
45	AE 145 Accident caused by firearm-----E919	2,344	2,034	310
46	AE 147 pt. Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	1,836	1,089	747
47	AE 146 Accidental drowning-----E929	5,485	4,545	940
48	AE 147 pt. Excessive heat and insulation-----E931	106	79	27
49	AE 147 pt. Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures-----E940-E959	1,494	721	773
50	AE 147 pt. All other accidents-----E811, E913, E915, E920, E923-E928, E930, E932-E936, E960-E962	7,268	4,997	2,271
51	AE 148 Suicide-----E963, E970-E979	21,507	15,490	6,017
52	Suicide by poisoning-----E970-E973	5,996	3,179	2,816
53	Suicide by hanging and strangulation-----E974	3,197	2,453	744
54	Suicide by firearm and explosive-----E976	9,898	8,457	1,441
55	Suicide by all other means-----E963, E975, E977-E979	2,417	1,401	1,016
56	AE 149 Homicide-----E964, E980-E985	10,712	8,148	2,564
57	Assault by firearm and explosive-----E981	6,158	4,807	1,351
58	Assault by cutting and piercing instruments-----E982	2,292	1,847	445
59	Assault by other means-----E964, E980, E983	1,984	1,216	768
60	Injury by intervention of police-----E984	271	271	-
61	Execution-----E985	7	7	-
62	AE 150 Injury resulting from operations of war-----E965, E990-E999	30	30	-

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.





SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1965

of the International Lists, 1955. For complete category titles, see table 1-25]

Table with 18 columns representing age groups (20-24 years to 100 and over) and a 'Not stated' column. Each row contains numerical data for these categories, representing mortality statistics for the United States in 1965.



































## SECTION 1 - GENERAL MORTALITY

1-117

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
35	49	182	652	1,604	3,132	5,243	7,326	8,641	9,096	7,888	4,833	2,253	842	170	34	5	1	01
24	38	121	475	1,199	2,414	4,285	6,282	7,580	8,004	6,829	4,046	1,760	580	104	23	2	1	02
11	11	61	177	405	718	958	1,044	1,061	1,092	1,059	787	493	262	66	11	3	2	03
21	34	104	389	980	2,058	3,772	5,623	6,951	7,333	6,352	3,826	1,667	543	94	21	1	1	04
10	8	51	144	350	637	851	941	955	1,007	977	749	75	252	61	10	2	1	05
2	4	16	81	211	349	494	632	594	644	465	196	75	30	10	1	1	1	06
1	3	9	29	53	81	104	97	99	80	70	45	19	8	4	1	1	1	07
1	-	1	5	8	7	19	27	35	27	32	24	18	7	1	1	1	1	08
-	-	-	4	2	-	3	6	7	5	12	8	2	2	-	-	-	-	09
-	-	5	14	52	160	258	356	446	432	398	285	145	64	9	5	-	-	10
-	-	2	10	44	130	216	317	400	398	357	262	125	54	8	3	-	-	11
-	-	3	4	8	30	42	39	46	34	41	23	20	10	1	2	-	-	12
-	-	2	6	30	104	181	281	355	362	323	251	116	52	7	3	-	-	13
-	-	1	4	6	24	34	35	41	32	37	22	19	10	1	2	-	-	14
-	-	-	4	14	26	33	35	42	36	31	11	8	1	1	-	-	-	15
-	-	2	-	2	6	8	4	5	2	4	1	-	-	-	-	-	-	16
-	-	-	-	-	-	-	2	1	3	-	-	1	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
8	14	75	255	701	1,293	2,111	2,932	3,454	3,636	3,104	1,724	728	247	50	10	3	-	19
7	9	48	190	547	1,013	1,774	2,530	3,084	3,259	2,769	1,482	617	194	33	8	1	-	20
1	5	27	65	154	280	337	402	370	377	335	242	111	53	17	2	2	-	21
6	9	39	157	446	875	1,559	2,261	2,840	2,981	2,572	1,408	581	180	28	8	2	-	22
1	3	23	57	135	256	299	368	340	345	307	229	106	52	17	2	1	-	23
1	-	8	31	99	136	208	261	232	270	184	61	32	11	5	-	1	-	24
-	2	4	8	18	24	38	31	28	29	25	10	5	-	-	-	-	-	25
-	1	1	2	2	2	7	8	12	13	13	4	3	-	-	-	-	-	26
-	-	-	-	1	-	-	3	2	3	3	3	-	-	-	-	-	-	27
16	23	91	356	821	1,630	2,773	3,954	4,620	4,918	4,267	2,725	1,309	488	99	17	2	-	28
9	18	63	256	588	1,239	2,230	3,380	4,013	4,278	3,622	2,242	976	311	58	11	1	-	29
7	5	28	100	233	391	543	574	607	640	645	483	333	177	41	6	1	-	30
8	14	57	209	489	1,055	1,975	3,031	3,680	3,926	3,381	2,111	929	290	54	9	1	-	31
6	4	24	76	200	345	487	513	539	595	598	460	319	168	37	5	1	-	32
-	4	6	44	93	179	245	331	313	333	225	121	34	18	4	1	-	-	33
1	1	3	21	32	46	53	59	63	43	39	19	12	7	4	1	-	-	34
1	-	-	3	6	5	10	18	20	19	16	10	13	3	-	1	-	-	35
-	-	1	3	1	-	3	2	5	2	8	4	2	2	-	-	-	-	36
11	12	11	27	30	49	101	84	121	110	119	99	71	43	12	2	-	-	37
8	11	8	19	20	32	65	55	83	69	81	60	42	21	5	1	-	-	38
3	1	3	8	10	17	36	29	38	41	38	29	22	7	1	-	-	-	39
7	11	6	17	15	24	57	50	76	64	76	56	41	21	5	1	-	-	40
3	1	3	7	9	12	31	25	35	35	38	28	22	6	1	-	-	-	41
1	-	2	2	1	8	5	5	7	5	5	1	-	-	-	-	-	-	42
-	-	-	-	1	8	8	3	3	6	2	3	1	-	-	-	-	-	43
-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	45
15	90	347	841	1,749	2,522	3,375	3,517	3,245	3,083	2,914	2,408	1,683	910	257	72	14	4	46
-	1	1	7	4	13	27	23	30	49	27	30	18	11	1	-	-	1	47
15	89	346	834	1,745	2,509	3,348	3,494	3,215	3,034	2,887	2,378	1,665	899	256	72	14	3	48
-	1	1	5	3	12	24	20	27	47	26	27	16	10	1	-	-	1	49
12	70	279	703	1,531	2,241	3,036	3,207	2,952	2,835	2,725	2,268	1,591	856	241	66	9	3	50
-	-	-	2	1	1	3	3	3	2	1	3	2	-	-	-	-	-	51
3	18	67	122	208	260	305	280	251	196	159	110	74	41	15	5	5	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	1	9	6	8	7	7	7	12	3	3	-	-	2	-	1	-	-	54
157	274	501	849	1,482	2,159	2,796	3,398	4,293	5,366	6,065	5,825	4,225	2,125	645	113	10	4	55
85	100	91	105	104	124	294	641	1,294	2,210	3,134	3,696	2,881	1,523	452	65	3	1	56
72	174	410	744	1,378	2,035	2,502	2,757	2,999	3,156	2,931	2,129	1,344	602	193	48	7	3	57
84	96	89	100	96	105	216	501	1,022	1,803	2,695	3,335	2,622	1,417	415	50	1	1	58
58	134	292	558	1,123	1,694	2,130	2,354	2,570	2,745	2,647	1,949	1,257	560	172	40	3	3	59
-	4	1	5	8	7	19	76	140	267	400	432	247	103	35	15	2	-	60
13	40	112	175	246	327	359	393	418	401	272	175	82	40	21	8	3	-	61
1	-	1	-	-	2	12	-	5	7	7	9	13	3	2	-	-	-	62
1	-	6	11	9	14	13	10	11	10	12	5	5	2	-	-	1	-	63
20	111	265	480	762	938	965	905	904	854	774	538	340	136	44	12	1	-	64
16	85	181	342	592	741	772	706	717	671	644	448	305	121	38	9	-	-	65
3	26	82	129	163	191	188	193	183	179	124	87	32	14	6	3	1	-	66
1	-	2	9	7	6	5	6	4	4	6	3	3	1	-	-	-	-	67
12	19	50	72	151	250	434	559	791	978	956	705	472	223	78	20	3	-	68
6	16	34	50	120	206	352	452	664	823	861	648	431	205	66	17	2	3	69
6	3	13	22	31	42	78	105	123	152	93	56	41	17	12	3	1	-	70
-	-	3	-	-	2	4	2	4	3	2	1	-	1	-	-	-	-	71
39	42	89	180	444	815	1,056	1,232	1,230	1,233	1,075	757	419	189	44	10	3	-	72
35	32	72	157	397	725	965	1,145	1,127	1,167	1,023	733	411	180	42	9	1	-	73
4	10	16	21	45	84	87	85	100	63	48	24	7	9	2	1	-	-	74
-	-	1	2	6	6	4	2	3	3	4	-	1	-	-	1	-	-	75
1	2	6	12	21	32	47	61	74	91	126	129	113	54	27	6	-	-	76
1	1	5	9	14	22	41	51	62	84	119	120	110	54	26	5	-	-	77
-	-	1	3	7	10	6	10	12	7	7	8	2	-	1	1	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79





SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
-	-	2	2	19	74	227	594	1,228	2,151	3,088	3,656	2,850	1,503	444	62	2	1	01	
-	-	-	1	13	61	161	463	961	1,749	2,654	3,297	2,595	1,397	408	48	1	1	02	
-	-	-	-	6	13	65	131	262	395	427	350	244	103	35	14	1	-	03	
-	-	1	-	-	-	1	-	5	7	7	9	11	3	1	-	-	-	04	
85	100	89	103	85	50	67	47	66	59	46	40	31	20	8	3	1	-	05	
84	96	88	99	83	44	55	38	61	54	41	38	27	20	7	2	-	-	06	
-	4	1	4	2	6	11	9	5	5	5	2	2	-	1	1	1	-	07	
1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	08	
16	16	41	98	253	439	827	1,240	1,678	2,101	2,383	2,103	1,471	697	230	43	5	1	09	
5	12	18	59	168	302	553	881	1,210	1,458	1,635	1,331	844	363	102	24	3	-	10	
11	4	23	39	85	137	274	359	468	643	748	772	627	334	128	19	2	1	11	
5	8	13	53	146	273	496	782	1,114	1,364	1,536	1,271	811	352	101	21	3	-	12	
7	3	16	34	76	118	228	306	416	576	695	728	598	325	124	16	2	1	13	
-	4	5	6	22	27	53	96	90	90	90	54	26	10	1	2	-	-	14	
4	1	7	4	9	19	45	53	51	64	47	40	26	9	4	3	-	-	15	
-	-	-	-	-	2	4	3	6	4	9	6	7	1	-	1	-	-	16	
-	-	-	1	-	-	1	-	1	3	6	4	3	-	-	-	-	-	17	
16	15	28	76	188	284	486	636	761	872	858	618	368	144	33	2	1	1	18	
5	11	12	43	127	207	317	449	515	549	544	353	192	54	13	-	1	-	19	
11	4	16	33	61	77	169	187	246	323	314	265	176	90	20	2	-	1	20	
5	7	9	38	110	192	299	409	489	518	512	336	180	52	13	-	1	-	21	
7	3	12	29	56	74	149	174	229	305	300	251	172	88	20	2	-	1	22	
-	4	3	5	17	14	17	39	22	29	26	14	8	2	-	-	-	-	23	
4	1	4	3	5	3	19	13	17	16	10	11	3	2	-	-	-	-	24	
-	-	-	-	-	-	1	-	4	2	6	3	4	-	-	-	-	-	25	
-	-	-	1	-	-	1	-	-	2	4	3	1	-	-	-	-	-	26	
-	1	13	22	65	155	341	604	917	1,229	1,525	1,485	1,103	553	197	41	4	-	27	
-	6	16	41	95	236	432	695	909	1,091	1,278	978	652	309	89	24	2	-	28	
-	7	15	36	81	197	373	625	846	1,024	935	507	451	244	108	17	2	-	29	
-	4	5	20	44	79	132	187	271	395	477	426	237	104	14	2	-	-	30	
-	2	1	5	13	36	57	68	61	64	40	18	8	1	2	-	-	-	31	
-	3	1	4	16	26	40	34	48	37	29	23	7	4	3	-	-	-	32	
-	-	-	-	1	3	2	2	2	3	3	3	1	-	1	-	-	-	33	
-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	35	
321	399	573	948	1,421	2,068	2,915	3,784	4,127	4,381	4,228	3,475	2,294	1,232	444	92	19	3	36	
191	226	319	528	753	1,136	1,636	2,195	2,395	2,468	2,246	1,772	1,085	543	186	34	11	2	37	
130	173	254	420	668	932	1,279	1,589	1,732	1,913	1,982	1,703	1,209	689	258	58	8	1	38	
178	204	294	472	667	1,021	1,452	1,975	2,143	2,258	2,089	1,674	1,023	510	177	33	9	2	39	
120	155	228	355	579	819	1,132	1,384	1,556	1,727	1,827	1,599	1,156	655	241	53	4	1	40	
12	21	22	51	79	107	178	205	227	196	149	90	58	29	7	1	2	-	41	
10	18	24	60	81	111	146	196	172	179	148	96	49	33	15	5	3	-	42	
1	1	3	5	7	8	6	15	25	14	8	8	4	4	2	-	-	-	43	
-	-	2	5	8	2	1	9	4	7	7	8	4	1	2	-	1	-	44	
46	89	150	205	272	330	413	443	439	463	493	455	368	255	118	30	5	-	45	
18	47	80	128	166	208	246	267	268	285	283	267	214	139	59	12	4	-	46	
28	42	70	77	106	122	167	176	171	178	210	188	154	116	59	18	1	-	47	
18	44	79	126	157	200	234	250	250	260	274	261	212	136	57	12	4	-	48	
28	42	67	75	103	113	152	166	159	170	197	182	151	115	57	17	1	-	49	
-	3	1	2	7	8	11	16	16	23	8	5	1	3	1	-	-	-	50	
-	-	3	1	9	15	9	11	8	13	5	3	1	2	1	-	-	-	51	
-	-	-	-	2	1	1	1	2	2	1	1	-	1	-	-	-	-	52	
-	-	-	1	2	-	-	1	1	-	-	1	-	-	-	-	-	-	53	
2	1	3	8	8	14	17	35	34	48	42	35	20	13	7	1	1	-	54	
1	1	1	6	3	6	5	17	18	33	22	18	11	4	3	1	-	-	55	
1	1	2	2	3	8	12	18	16	15	20	17	9	4	4	-	1	-	56	
1	1	1	5	3	6	5	17	16	32	22	18	11	3	3	1	-	-	57	
-	-	1	1	3	8	12	18	14	15	20	17	8	9	3	-	1	-	58	
-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	59	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
120	165	222	351	440	604	767	913	891	724	437	172	60	14	3	1	-	-	63	
73	96	131	205	262	345	473	559	500	425	261	112	31	10	1	1	-	-	64	
47	69	91	146	178	259	354	391	391	299	176	60	29	4	2	-	-	-	65	
67	86	123	189	241	322	445	534	478	410	254	110	28	7	1	1	-	-	66	
44	61	82	130	168	246	280	341	380	293	173	58	27	4	2	-	-	-	67	
6	10	8	14	18	21	27	22	18	13	7	2	3	2	-	-	-	-	68	
3	8	8	16	8	13	13	17	9	6	3	2	2	-	-	-	-	-	69	
-	-	-	2	2	2	1	3	4	2	-	-	-	1	-	-	-	-	70	
-	-	1	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	71	
2	5	6	21	25	43	65	100	135	169	161	162	87	46	18	3	-	-	72	
-	-	3	10	11	21	24	36	61	74	59	42	18	7	3	-	-	-	73	
2	-	3	11	14	22	41	64	74	107	102	120	69	39	15	3	-	-	74	
-	5	3	9	8	21	33	55	55	58	55	42	17	6	3	-	-	-	75	
2	-	3	9	17	34	50	67	67	101	100	118	66	39	12	3	-	-	76	
-	-	-	1	3	1	1	3	4	3	4	4	1	1	-	-	-	-	77	
-	-	-	2	1	5	7	14	5	6	2	2	1	1	-	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	80

Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.											
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES--CON.											
01	OF BONE.....196	1,813	-	1	3	5	2	11	55	127	164
02	MALE.....	1,092	-	2	4	1	7	32	72	117	47
03	FEMALE.....	721	-	1	1	4	1	4	23	55	47
04	WHITE.....	988	-	2	4	1	7	27	61	102	61
05	FEMALE.....	646	-	1	1	1	4	21	52	41	15
06	NEGRO.....	97	-	-	-	-	-	5	9	15	5
07	FEMALE.....	72	-	-	-	-	-	2	3	5	2
08	OTHER.....	7	-	-	-	-	-	-	2	-	-
09	FEMALE.....	3	-	-	-	-	-	-	-	-	1
10	OF CONNECTIVE TISSUE.....197	1,262	7	4	8	9	10	38	33	22	48
11	MALE.....	692	2	2	3	5	5	17	18	14	27
12	FEMALE.....	570	5	2	5	4	5	21	15	8	21
13	WHITE.....	623	2	2	3	5	5	17	16	12	23
14	FEMALE.....	514	4	2	5	4	5	20	15	5	17
15	NEGRO.....	65	-	-	-	-	-	2	2	4	4
16	FEMALE.....	54	1	-	-	-	-	1	-	3	4
17	OTHER.....	4	-	-	-	-	-	-	-	-	-
18	FEMALE.....	2	-	-	-	-	-	-	-	-	-
19	OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,586	14	2	13	6	8	43	14	27	24
20	MALE.....	956	8	2	4	-	4	18	9	11	16
21	FEMALE.....	630	6	-	9	6	4	25	5	16	8
22	WHITE.....	872	6	2	3	-	4	15	9	10	16
23	FEMALE.....	562	6	-	8	6	3	23	5	16	6
24	NEGRO.....	75	2	-	1	-	-	3	-	1	-
25	FEMALE.....	63	-	-	1	-	1	2	-	-	2
26	OTHER.....	9	-	-	-	-	-	-	-	-	-
27	FEMALE.....	5	-	-	-	-	-	-	-	-	-
28	OF UNSPECIFIED SITES.....156B,165,198,199B	16,974	6	4	12	7	2	31	10	25	35
29	MALE.....	8,706	3	1	4	4	2	14	5	10	17
30	FEMALE.....	8,268	3	3	8	3	-	17	5	15	18
31	WHITE.....	7,705	3	1	4	4	1	13	4	9	15
32	FEMALE.....	7,284	3	3	7	3	-	16	4	13	13
33	NEGRO.....	940	-	-	-	-	1	1	1	2	2
34	FEMALE.....	945	-	-	1	-	-	1	1	2	5
35	OTHER.....	61	-	-	-	-	-	-	-	-	-
36	FEMALE.....	39	-	-	-	-	-	-	-	-	-
37	LEUKEMIA AND ALEUKEMIA.....204	13,626	83	108	143	183	262	779	706	451	357
38	MALE.....	7,840	46	61	76	99	142	424	400	255	217
39	FEMALE.....	5,788	37	47	67	84	120	355	306	196	140
40	WHITE.....	7,274	37	57	68	89	133	384	372	227	186
41	FEMALE.....	5,403	34	40	60	82	112	328	285	182	127
42	NEGRO.....	520	8	4	8	8	8	36	24	24	26
43	FEMALE.....	361	2	5	7	2	7	23	19	13	11
44	OTHER.....	46	1	-	-	2	1	4	4	4	5
45	FEMALE.....	24	1	2	-	-	1	4	2	1	2
46	LYMPHOSARCOMA, ETC.....200-203,205	15,068	25	17	19	20	27	108	144	144	243
47	MALE.....	8,593	11	10	8	13	21	63	101	102	165
48	FEMALE.....	6,475	14	7	11	7	6	45	43	42	78
49	WHITE.....	7,904	9	10	8	13	19	59	91	91	152
50	FEMALE.....	5,985	13	7	10	7	5	42	34	37	70
51	NEGRO.....	649	1	-	-	-	2	3	9	11	13
52	FEMALE.....	462	1	-	1	-	-	2	8	4	8
53	OTHER.....	40	1	-	-	-	-	1	1	-	-
54	FEMALE.....	28	-	-	-	-	1	1	1	1	-
55	LYMPHOSARCOMA AND RETICULOSARCOMA.....200	7,250	6	9	9	13	22	59	108	102	102
56	MALE.....	4,134	3	4	6	9	18	40	77	73	73
57	FEMALE.....	3,116	3	5	3	4	4	19	31	29	31
58	WHITE.....	3,870	2	4	6	9	17	38	73	66	69
59	FEMALE.....	2,970	3	5	3	4	3	18	27	27	27
60	NEGRO.....	245	-	-	-	-	1	1	3	7	2
61	FEMALE.....	133	-	-	-	-	-	3	2	4	4
62	OTHER.....	19	1	-	-	-	-	1	1	-	-
63	FEMALE.....	13	-	-	-	-	1	1	1	-	-
64	HODGKINS DISEASE.....201	3,394	-	-	-	-	3	3	22	38	134
65	MALE.....	2,066	-	-	-	-	2	2	16	26	92
66	FEMALE.....	1,328	-	-	-	-	1	1	6	12	42
67	WHITE.....	1,920	-	-	-	-	2	2	11	22	82
68	FEMALE.....	1,234	-	-	-	-	1	1	3	10	39
69	NEGRO.....	140	-	-	-	-	-	5	4	10	10
70	FEMALE.....	87	-	-	-	-	-	3	2	3	3
71	OTHER.....	6	-	-	-	-	-	-	-	-	-
72	FEMALE.....	7	-	-	-	-	-	-	-	-	-
73	OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES.....202,203,205	4,424	19	8	10	7	2	46	14	4	7
74	MALE.....	2,393	8	6	2	4	1	21	8	3	2
75	FEMALE.....	2,031	11	2	8	3	1	25	6	1	5
76	WHITE.....	2,114	7	6	2	4	-	19	7	3	1
77	FEMALE.....	1,781	10	2	7	3	1	23	4	-	4
78	NEGRO.....	264	1	-	-	-	1	2	1	-	1
79	FEMALE.....	242	1	-	1	-	-	2	2	-	1
80	OTHER.....	15	-	-	-	-	-	-	-	-	-
81	FEMALE.....	8	-	-	-	-	-	-	-	1	-
82	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,058	105	28	24	30	31	218	115	104	115
83	MALE.....	2,406	46	13	13	17	21	110	62	54	66
84	FEMALE.....	2,652	59	15	11	13	10	108	53	50	49
85	WHITE.....	2,109	36	11	12	12	17	88	46	53	54
86	FEMALE.....	2,253	52	12	10	10	7	91	50	37	42
87	NEGRO.....	275	7	2	1	4	4	18	16	1	11
88	FEMALE.....	382	6	3	1	2	3	15	3	12	7
89	OTHER.....	22	3	-	-	-	-	4	-	-	1
90	FEMALE.....	17	1	-	-	1	-	2	-	1	-

















## SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	215,913	1,548	465	287	198	160	2,658	569	539	642
02	MALE.....	101,482	877	249	158	105	86	1,475	298	280	366
03	FEMALE.....	114,431	671	216	129	93	74	1,183	271	259	276
04	WHITE.....MALE.....	87,459	612	190	123	83	60	1,068	234	226	290
05	FEMALE.....	99,646	450	145	95	74	53	817	209	208	211
06	NEGRO.....MALE.....	13,391	245	58	35	20	26	384	62	53	73
07	FEMALE.....	14,391	202	65	32	19	21	339	55	47	64
08	OTHER.....MALE.....	632	20	1	2	2	2	23	2	1	3
09	FEMALE.....	394	19	6	2	1	1	27	7	4	1
10	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	201,057	155	48	22	30	20	275	102	158	213
11	MALE.....	93,520	101	25	15	12	9	162	55	74	119
12	FEMALE.....	107,537	54	23	7	18	11	113	47	84	94
13	WHITE.....MALE.....	60,823	79	18	11	9	5	122	46	54	96
14	FEMALE.....	93,768	41	17	5	14	5	82	37	67	69
15	NEGRO.....MALE.....	12,125	20	7	4	3	4	38	9	19	21
16	FEMALE.....	13,435	13	5	2	4	6	30	10	17	24
17	OTHER.....MALE.....	572	2	1	1	1	1	2	1	1	2
18	FEMALE.....	334	1	1	1	1	1	1	1	1	1
19	SUBARACHNOID HEMORRHAGE.....330	8,272	34	8	1	4	2	49	19	65	104
20	MALE.....	3,590	21	5	1	2	1	29	8	30	54
21	FEMALE.....	4,682	13	3	1	2	1	20	11	35	50
22	WHITE.....MALE.....	2,974	18	3	1	1	1	23	7	22	48
23	FEMALE.....	3,824	10	1	1	2	1	13	8	25	35
24	NEGRO.....MALE.....	572	3	2	1	1	1	6	1	8	6
25	FEMALE.....	821	3	2	1	1	1	7	3	10	14
26	OTHER.....MALE.....	44	1	1	1	1	1	1	1	1	1
27	FEMALE.....	37	1	1	1	1	1	1	1	1	1
28	CEREBRAL HEMORRHAGE.....331	109,193	74	13	4	5	6	102	30	47	61
29	MALE.....	51,239	52	6	4	2	5	69	15	24	39
30	FEMALE.....	57,954	22	7	1	3	1	33	15	23	22
31	WHITE.....MALE.....	43,414	41	4	3	2	2	50	13	17	28
32	FEMALE.....	49,572	18	4	1	1	1	23	10	20	16
33	NEGRO.....MALE.....	7,496	9	2	1	2	3	17	2	7	10
34	FEMALE.....	8,188	4	3	1	2	1	10	5	3	6
35	OTHER.....MALE.....	329	2	1	1	1	1	2	1	1	1
36	FEMALE.....	194	1	1	1	1	1	1	1	1	1
37	CEREBRAL EMBOLISM AND THROMBOSIS.....332	63,680	19	4	3	2	1	29	3	6	12
38	MALE.....	29,636	8	4	3	2	1	15	1	3	6
39	FEMALE.....	34,044	11	1	1	1	1	14	2	3	6
40	WHITE.....MALE.....	26,455	4	3	2	1	1	9	1	2	6
41	FEMALE.....	30,651	9	1	1	1	1	11	2	2	6
42	NEGRO.....MALE.....	3,027	4	1	1	1	1	6	1	1	1
43	FEMALE.....	3,308	2	1	1	1	1	3	1	1	1
44	OTHER.....MALE.....	154	1	1	1	1	1	1	1	1	1
45	FEMALE.....	85	1	1	1	1	1	1	1	1	1
46	OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....333,334	19,912	28	23	14	19	11	95	50	40	36
47	MALE.....	9,055	20	10	8	8	3	49	31	17	20
48	FEMALE.....	10,857	8	13	6	11	8	46	19	23	16
49	WHITE.....MALE.....	7,980	16	8	6	8	2	40	25	13	14
50	FEMALE.....	9,721	4	12	5	9	5	35	17	20	12
51	NEGRO.....MALE.....	1,030	4	2	2	1	1	9	6	3	5
52	FEMALE.....	1,118	4	1	1	2	3	10	2	3	4
53	OTHER.....MALE.....	45	1	1	1	1	1	1	1	1	1
54	FEMALE.....	18	1	1	1	1	1	1	1	1	1
55	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,363	844	210	120	67	36	1,277	91	34	38
56	MALE.....	1,313	467	117	63	40	19	706	43	19	21
57	FEMALE.....	1,050	377	93	57	27	17	571	48	15	17
58	WHITE.....MALE.....	920	312	92	46	29	13	492	34	16	14
59	FEMALE.....	706	226	55	40	20	11	352	38	11	14
60	NEGRO.....MALE.....	368	139	25	17	9	6	196	9	3	7
61	FEMALE.....	321	137	35	17	7	6	202	9	4	3
62	OTHER.....MALE.....	25	16	1	1	2	1	18	1	1	1
63	FEMALE.....	23	14	3	1	1	1	17	1	1	1
64	MULTIPLE SCLEROSIS.....345	1,530	1	1	1	1	1	1	3	1	11
65	MALE.....	607	1	1	1	1	1	1	1	1	4
66	FEMALE.....	923	1	1	1	1	1	1	3	1	7
67	WHITE.....MALE.....	565	1	1	1	1	1	1	1	1	3
68	FEMALE.....	858	1	1	1	1	1	1	3	1	3
69	NEGRO.....MALE.....	42	1	1	1	1	1	1	1	1	1
70	FEMALE.....	65	1	1	1	1	1	1	1	1	4
71	OTHER.....MALE.....	1	1	1	1	1	1	1	1	1	1
72	FEMALE.....	1	1	1	1	1	1	1	1	1	1
73	PARALYSIS AGITANS.....350	3,003	1	1	1	1	1	1	1	1	1
74	MALE.....	1,592	1	1	1	1	1	1	1	1	1
75	FEMALE.....	1,411	1	1	1	1	1	1	1	1	1
76	WHITE.....MALE.....	1,537	1	1	1	1	1	1	1	1	1
77	FEMALE.....	1,373	1	1	1	1	1	1	1	1	1
78	NEGRO.....MALE.....	51	1	1	1	1	1	1	1	1	1
79	FEMALE.....	33	1	1	1	1	1	1	1	1	1
80	OTHER.....MALE.....	4	1	1	1	1	1	1	1	1	1
81	FEMALE.....	5	1	1	1	1	1	1	1	1	1
82	CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	690	115	35	35	27	24	236	91	111	90
83	MALE.....	381	66	14	22	10	16	128	47	58	52
84	FEMALE.....	309	49	21	13	17	8	108	44	53	38
85	WHITE.....MALE.....	321	51	13	21	6	12	103	36	52	43
86	FEMALE.....	244	37	11	11	12	6	77	34	41	33
87	NEGRO.....MALE.....	59	14	1	1	4	4	24	11	6	9
88	FEMALE.....	60	11	9	2	5	2	29	9	11	5
89	OTHER.....MALE.....	1	1	1	1	1	1	1	1	1	1
90	FEMALE.....	5	1	1	1	1	1	2	1	1	1













Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	HEART DISEASE--CON.										
02	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC--CON.										
03	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,347	-	-	-	-	-	-	2	2	6
04	MALE.....	1,528	-	-	-	-	-	-	-	1	5
05	FEMALE.....	819	-	-	-	-	-	-	2	1	1
06	WHITE.....MALE.....	1,393	-	-	-	-	-	-	-	1	3
07	FEMALE.....	741	-	-	-	-	-	-	2	1	-
08	NEGRO.....MALE.....	127	-	-	-	-	-	-	-	1	1
09	FEMALE.....	77	-	-	-	-	-	-	-	-	1
10	OTHER.....MALE.....	8	-	-	-	-	-	-	-	-	1
11	FEMALE.....	1	-	-	-	-	-	-	-	-	-
12	OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC.....421.2-421.4	1,469	1	3	1	1	-	6	3	-	3
13	MALE.....	682	1	2	-	1	-	4	-	-	1
14	FEMALE.....	787	-	1	1	-	-	2	3	-	2
15	WHITE.....MALE.....	556	1	1	-	1	-	3	-	-	1
16	FEMALE.....	682	-	1	1	-	-	2	2	-	2
17	NEGRO.....MALE.....	117	-	1	-	-	-	1	-	-	-
18	FEMALE.....	103	-	-	-	-	-	-	1	-	-
19	OTHER.....MALE.....	9	-	-	-	-	-	-	-	-	-
20	FEMALE.....	2	-	-	-	-	-	-	-	-	-
21	OTHER MYOCARDIAL DEGENERATION.....422	49,215	33	11	10	4	7	65	16	21	29
22	MALE.....	23,767	16	7	6	3	3	34	12	13	20
23	FEMALE.....	25,448	17	4	4	1	4	30	4	8	9
24	WHITE.....MALE.....	21,187	10	4	4	1	3	22	8	12	15
25	FEMALE.....	22,964	10	1	3	1	3	18	4	8	8
26	NEGRO.....MALE.....	2,464	5	3	2	2	-	12	4	1	4
27	FEMALE.....	2,429	6	3	1	-	1	11	-	-	1
28	OTHER.....MALE.....	112	1	-	-	-	-	1	-	-	1
29	FEMALE.....	59	1	-	-	-	-	1	-	-	-
30	WITH ARTERIOSCLEROSIS.....422.1	40,467	2	-	-	1	-	3	1	-	-
31	MALE.....	19,426	-	-	-	1	-	1	1	-	-
32	FEMALE.....	21,041	2	-	-	-	-	2	-	-	-
33	WHITE.....MALE.....	17,435	-	-	-	1	-	1	1	-	-
34	FEMALE.....	19,105	1	-	-	-	-	1	-	-	-
35	NEGRO.....MALE.....	1,907	-	-	-	-	-	-	-	-	-
36	FEMALE.....	1,896	1	-	-	-	-	1	-	-	-
37	OTHER.....MALE.....	84	-	-	-	-	-	-	-	-	-
38	FEMALE.....	40	-	-	-	-	-	-	-	-	-
39	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	8,748	31	11	10	3	7	62	15	21	29
40	MALE.....	4,337	16	7	6	2	3	34	11	13	20
41	FEMALE.....	4,411	15	4	4	1	4	28	4	8	9
42	WHITE.....MALE.....	3,752	10	4	4	-	3	21	7	12	15
43	FEMALE.....	3,859	9	1	3	1	3	17	4	8	8
44	NEGRO.....MALE.....	557	5	3	2	2	-	12	4	1	4
45	FEMALE.....	533	5	3	1	-	1	10	-	-	1
46	OTHER.....MALE.....	28	1	-	-	-	-	1	-	-	1
47	FEMALE.....	19	1	-	-	-	-	1	-	-	-
48	OTHER DISEASES OF HEART.....430-434	29,177	305	64	32	29	25	455	69	74	125
49	MALE.....	16,197	169	27	18	16	18	248	38	33	76
50	FEMALE.....	12,980	136	37	14	13	7	207	31	41	49
51	WHITE.....MALE.....	13,515	122	18	12	12	17	181	28	25	63
52	FEMALE.....	10,835	93	21	7	12	5	138	24	29	38
53	NEGRO.....MALE.....	2,579	46	9	5	4	1	65	10	8	13
54	FEMALE.....	2,084	41	15	7	1	2	66	6	12	10
55	OTHER.....MALE.....	103	1	-	1	-	-	2	-	-	-
56	FEMALE.....	61	2	1	-	-	-	3	1	-	1
57	ACUTE AND SUBACUTE ENDOCARDITIS.....430	716	4	-	-	1	-	5	10	4	15
58	MALE.....	454	1	-	-	1	-	2	6	-	11
59	FEMALE.....	262	3	-	-	-	-	3	4	4	4
60	WHITE.....MALE.....	395	-	-	-	1	-	1	5	-	10
61	FEMALE.....	222	3	-	-	-	-	3	3	3	4
62	NEGRO.....MALE.....	58	1	-	-	-	-	1	1	-	1
63	FEMALE.....	37	-	-	-	-	-	-	1	1	-
64	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
65	FEMALE.....	3	-	-	-	-	-	-	-	-	-
66	ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC.....431,432	1,089	58	23	3	4	8	96	13	16	22
67	MALE.....	608	29	6	2	3	5	45	6	8	13
68	FEMALE.....	481	29	17	1	1	3	51	7	8	9
69	WHITE.....MALE.....	494	16	3	1	2	5	27	5	4	12
70	FEMALE.....	385	20	10	1	-	3	34	5	6	8
71	NEGRO.....MALE.....	110	13	3	1	1	-	18	1	4	1
72	FEMALE.....	91	9	6	-	1	-	16	1	2	1
73	OTHER.....MALE.....	4	-	-	-	-	-	-	-	-	-
74	FEMALE.....	5	-	1	-	-	-	1	1	-	-
75	FUNCTIONAL DISEASE OF HEART.....433	8,643	157	17	16	12	10	212	24	33	40
76	MALE.....	4,277	92	10	11	4	8	125	13	15	23
77	FEMALE.....	4,366	65	7	5	8	2	87	11	18	17
78	WHITE.....MALE.....	3,801	71	7	8	4	8	98	11	12	21
79	FEMALE.....	3,870	47	2	1	8	-	58	10	13	13
80	NEGRO.....MALE.....	447	20	3	2	-	-	25	2	3	2
81	FEMALE.....	485	18	5	4	-	2	29	1	5	3
82	OTHER.....MALE.....	29	1	-	1	-	-	2	-	-	-
83	FEMALE.....	11	-	-	-	-	-	-	-	-	1
84	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	18,729	86	24	13	12	7	142	22	21	48
85	MALE.....	10,858	47	11	5	8	5	76	13	10	29
86	FEMALE.....	7,871	39	13	8	4	2	66	9	11	19
87	WHITE.....MALE.....	8,825	35	8	3	5	4	55	7	9	20
88	FEMALE.....	6,358	23	9	5	4	2	43	6	7	13
89	NEGRO.....MALE.....	1,964	12	3	2	3	1	21	6	1	9
90	FEMALE.....	1,471	14	4	3	-	-	21	3	4	6
	OTHER.....MALE.....	69	-	-	-	-	-	-	-	-	-
	FEMALE.....	42	2	-	-	-	-	2	-	-	-

## SECTION 1 - GENERAL MORTALITY

1-135

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	9	28	41	82	113	184	235	281	328	325	322	216	119	37	12	1	1	01
3	7	19	36	58	90	130	182	210	235	211	173	101	41	21	4	1	-	02
-	2	5	24	23	54	53	71	93	114	149	115	78	16	8	1	-	1	03
-	4	16	31	50	78	111	163	197	213	201	165	93	39	21	4	-	-	04
-	2	6	4	22	20	42	46	61	86	99	141	110	74	16	8	-	-	05
-	3	3	5	8	11	19	19	12	21	10	6	7	4	-	-	-	-	06
-	3	3	1	2	3	12	7	9	7	15	8	5	4	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
7	6	5	14	27	41	62	72	124	153	203	248	224	164	82	18	6	1	10
5	5	1	7	13	23	34	38	75	82	97	112	88	66	22	7	2	-	11
2	1	4	7	14	18	28	34	49	71	106	136	136	98	60	11	4	1	12
4	3	4	4	10	16	23	33	61	60	82	99	72	62	17	5	1	-	13
1	1	3	4	12	12	21	21	42	55	91	123	126	92	58	10	3	1	14
1	2	1	2	3	5	11	5	11	21	14	12	16	4	5	2	1	-	15
1	1	1	3	2	6	7	13	7	15	15	13	9	6	2	1	1	-	16
-	-	-	1	-	2	-	-	3	1	1	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	18
45	37	82	180	324	563	1,004	1,702	2,644	4,036	6,114	8,592	10,082	8,066	4,239	1,172	192	10	19
26	19	50	110	215	413	703	1,119	1,652	2,319	3,269	4,173	4,489	3,233	1,474	364	50	5	20
19	18	32	70	109	150	301	583	992	1,717	2,845	4,419	5,593	4,833	2,765	808	142	5	21
21	14	35	78	167	322	561	928	1,346	1,940	2,872	3,819	4,183	3,073	1,394	337	38	2	22
15	10	18	50	56	105	201	417	730	1,380	2,470	4,077	5,267	4,605	2,636	766	121	2	23
5	5	14	32	48	89	140	291	366	388	334	334	283	151	75	26	10	3	24
4	8	14	20	50	45	99	164	256	332	365	335	320	220	123	41	19	2	25
-	-	1	-	-	2	2	8	15	13	9	20	23	9	5	1	2	-	26
-	-	-	-	3	-	1	2	6	5	10	7	6	8	6	1	2	1	27
-	3	17	56	151	330	666	1,311	2,124	3,351	5,189	7,329	8,565	6,780	3,474	950	159	8	28
-	11	36	105	259	469	880	1,388	1,917	2,781	3,549	4,781	5,800	2,718	1,211	301	44	5	29
-	3	6	20	46	71	197	431	786	1,434	2,408	3,780	4,765	4,062	2,263	649	115	3	30
-	8	28	84	206	379	732	1,082	1,608	2,440	3,252	4,400	5,557	2,596	1,146	279	34	2	31
-	2	2	15	22	52	123	302	576	1,154	2,093	3,494	4,500	3,890	2,155	620	102	2	32
-	2	2	8	21	51	89	143	245	297	332	281	227	119	60	21	8	3	33
-	1	4	5	23	19	74	127	206	275	307	280	261	166	106	28	12	1	34
-	-	1	-	-	-	1	5	11	12	9	16	16	3	5	1	2	-	35
-	-	-	-	-	-	-	2	4	5	8	6	4	2	1	1	1	-	36
45	34	65	124	173	233	338	391	520	685	925	1,263	1,517	1,286	765	222	33	2	37
26	19	39	74	110	154	234	239	314	402	488	624	689	515	263	63	6	-	38
19	15	26	50	63	79	104	152	206	283	437	639	828	771	502	159	27	2	39
21	14	27	50	63	79	104	152	206	283	437	639	828	771	502	159	27	4	40
15	8	16	35	34	53	78	115	154	226	377	583	767	715	481	146	19	-	41
5	5	12	24	27	38	51	40	40	69	56	53	56	32	15	5	2	-	42
4	7	10	15	27	26	25	37	50	57	58	55	59	54	17	13	7	1	43
-	-	-	-	-	-	1	3	4	1	2	4	7	6	-	-	-	-	44
-	-	-	-	2	-	-	-	2	-	-	1	2	2	4	-	1	1	45
159	201	244	448	738	1,071	1,406	1,998	2,569	3,208	3,850	4,179	3,987	2,671	1,318	342	52	13	46
79	109	125	243	447	673	960	1,341	1,675	1,946	2,223	2,262	1,864	1,188	515	126	14	12	47
80	92	119	205	291	398	446	657	894	1,262	1,627	1,917	2,123	1,483	803	216	38	1	48
57	80	67	166	325	516	734	1,037	1,332	1,577	1,902	2,005	1,729	1,094	473	107	10	7	49
49	57	76	120	171	269	281	464	624	988	1,404	1,744	1,978	1,402	754	196	28	1	50
22	26	56	77	116	153	221	296	330	357	305	248	125	86	39	17	4	5	51
30	32	41	79	114	128	160	189	267	270	218	173	139	76	46	18	10	-	52
-	3	2	-	6	4	5	8	13	12	16	9	10	5	3	2	-	-	53
1	3	2	6	6	1	5	4	3	4	5	-	6	8	3	2	-	-	54
15	30	14	31	46	46	61	74	76	92	85	69	29	10	4	-	-	-	55
10	20	7	20	31	29	46	47	53	66	56	35	8	5	2	-	-	-	56
5	10	7	11	15	17	25	27	34	26	29	21	5	2	-	-	-	-	57
6	17	5	18	23	37	40	50	58	5	8	34	8	5	2	-	-	-	58
2	4	3	2	4	6	9	7	3	8	6	1	-	-	-	-	-	-	59
4	3	2	2	4	3	1	5	1	4	1	3	2	-	-	-	-	-	60
3	2	2	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
31	29	28	55	64	72	77	91	78	98	89	83	71	48	24	4	-	-	64
19	18	13	31	38	40	55	49	43	54	60	44	41	19	11	1	-	-	65
12	11	15	24	26	32	22	42	35	44	29	39	30	29	13	3	-	-	66
12	15	10	21	28	31	44	43	38	41	51	41	40	19	11	1	-	-	67
7	7	8	17	18	24	19	31	25	41	27	36	30	27	12	3	-	-	68
7	2	3	10	9	9	10	6	4	13	9	3	1	-	-	-	-	-	69
5	4	6	8	8	8	2	11	9	3	2	3	-	2	1	-	-	-	70
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
52	56	75	113	167	197	278	390	589	897	1,141	1,391	1,366	985	502	115	19	1	73
21	24	28	55	86	100	177	247	373	495	564	686	426	586	190	40	2	1	74
31	32	47	58	81	97	101	143	216	402	577	705	780	559	312	75	17	-	75
16	14	19	38	73	82	144	199	307	426	514	639	560	407	182	36	2	1	76
23	18	33	39	51	76	111	164	239	339	518	669	738	538	301	69	13	-	77
5	9	9	17	13	17	32	43	63	68	44	45	23	17	7	3	-	-	78
8	13	14	19	29	21	23	30	52	61	58	36	41	21	11	6	4	-	79
-	1	-	-	1	-	2	5	2	1	1	2	3	2	1	1	-	-	80
-	-	-	-	-	-	-	-	-	2	1	6	1	-	-	-	-	-	81
61	86	127	249	461	756	990	1,443	1,826	2,121	2,535	2,636	2,521	1,628	788	223	33	12	82
29	47	77	137	292	504	682	998	1,206	1,331	1,543	1,497	1,229	738	312	85	12	11	83
32	39	50	112	169	252	308	445	620	790	992	1,139	1,292	890	476	138	21	1	84
23	34	33	89	198	380	509	755	937	1,052	1,287	1,291	1,121	663	278	70	8	6	85
17	24	30	57	91	155	172	300	414	586	831	1,008	832	440	124	15	1	86	
6	12	42	48	90	121	170	240	260	268	246	199	101	69	32	14	4	5	87
14	13	18	51	73	96	134	143	205	202	157	131	96	53	33	12	6	-	88
-	2	2	-	4	3</													



SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
22	69	159	454	912	1,422	2,459	3,474	4,915	6,538	8,234	9,288	8,596	5,510	2,306	516	58	22	01
13	39	78	262	477	748	1,333	1,890	2,636	3,200	3,643	3,695	3,084	1,780	666	152	24	10	02
9	30	81	192	435	674	1,126	1,584	2,279	3,338	4,591	5,593	5,512	3,730	1,640	364	34	12	03
4	12	29	83	211	367	730	1,192	1,743	2,313	2,897	3,127	2,730	1,593	593	123	17	3	04
3	9	15	52	122	294	534	864	1,368	2,357	3,684	4,858	4,999	3,413	1,513	326	22	5	05
9	26	49	175	264	374	590	680	868	855	725	533	342	164	66	29	7	7	06
6	21	66	140	307	378	585	708	900	970	886	715	503	307	123	37	12	7	07
-	1	-	4	2	7	13	18	25	32	21	35	12	23	7	-	-	-	08
-	-	-	-	6	2	7	12	11	11	21	20	10	10	4	1	-	-	09
5	14	24	53	120	196	347	473	769	1,069	1,577	2,163	2,257	1,794	894	236	27	6	10
3	6	12	26	66	99	208	294	422	557	792	1,044	1,037	743	320	81	13	2	11
2	8	12	27	54	97	139	179	347	512	785	1,119	1,220	1,051	574	155	14	4	12
1	3	5	9	22	50	120	186	291	420	655	926	956	693	296	73	11	1	13
1	3	4	13	19	39	64	97	217	389	651	1,007	1,142	1,001	537	145	11	1	14
2	3	7	17	44	47	87	108	127	134	135	114	79	48	22	8	2	1	15
1	5	8	14	35	58	74	79	129	120	131	110	77	50	36	10	3	3	16
-	-	-	-	-	2	2	-	4	3	2	4	2	2	2	-	-	-	17
-	-	-	-	-	1	1	3	1	3	3	2	1	-	1	-	-	-	18
17	55	135	401	792	1,226	2,112	3,001	4,146	5,469	6,657	7,125	6,339	3,716	1,412	280	31	16	19
10	33	66	236	411	649	1,125	1,596	2,214	2,643	2,851	2,651	2,047	1,037	346	71	11	8	20
7	22	69	165	381	577	987	1,405	1,932	2,826	3,806	4,474	4,292	2,679	1,066	209	20	8	21
3	9	24	74	189	317	610	1,006	1,452	1,893	2,242	2,201	1,774	900	297	50	6	2	22
2	6	11	39	103	174	317	503	741	721	721	419	263	116	44	21	5	4	23
2	7	15	42	158	220	327	503	771	850	715	605	426	257	87	27	9	4	25
5	16	58	126	272	320	511	629	771	850	715	605	426	257	87	27	9	4	25
-	1	-	4	2	2	6	9	10	8	18	18	9	10	3	-	-	-	26
-	-	-	-	6	2	6	9	10	8	18	18	9	10	3	-	-	-	27
28	65	142	251	295	435	519	562	764	1,063	1,452	1,828	1,966	1,491	619	156	18	5	28
16	41	82	135	180	262	308	337	416	577	777	883	936	653	267	65	3	1	29
12	24	60	116	115	173	211	225	348	486	675	945	1,030	838	352	91	15	4	30
5	15	24	40	72	113	162	209	317	444	649	795	858	611	248	58	2	-	31
6	8	13	26	45	88	111	142	241	360	567	874	961	794	333	85	11	2	32
11	26	58	94	106	147	144	127	98	131	122	84	73	40	13	7	1	1	33
6	16	47	90	69	84	100	83	105	124	106	68	63	44	19	6	4	2	34
-	-	-	1	2	2	2	1	1	2	2	4	5	2	6	-	-	-	35
-	-	-	-	1	1	1	-	2	2	2	3	6	-	-	-	-	-	36
5	12	18	48	80	117	182	263	410	693	932	1,212	1,313	1,011	423	108	11	5	37
3	3	15	30	46	71	101	152	234	392	540	669	705	502	209	49	3	1	38
2	9	3	18	34	46	81	111	176	301	392	543	608	509	214	59	8	4	39
1	6	12	25	34	52	73	104	188	315	461	604	659	477	197	45	2	-	40
2	5	9	21	25	34	52	73	129	225	338	508	578	489	206	55	7	2	41
1	4	2	18	21	27	47	48	46	76	117	61	42	25	10	4	1	2	42
-	-	-	14	18	23	36	38	46	76	117	61	42	25	10	4	1	2	43
-	-	-	-	-	-	2	-	1	1	2	2	4	2	4	-	-	-	44
-	-	-	-	-	-	-	-	1	1	2	2	4	2	4	-	-	-	45
23	53	124	203	215	318	337	299	354	370	520	616	653	480	196	48	7	-	46
13	38	67	105	134	191	207	185	182	165	237	214	231	151	58	16	-	-	47
10	15	57	98	81	127	130	114	172	185	283	402	422	329	138	32	7	-	48
3	14	18	28	47	79	110	105	129	129	188	191	199	134	51	13	-	-	49
4	3	12	22	29	65	66	69	112	135	229	366	383	305	127	30	4	-	50
10	24	49	76	85	110	97	79	52	55	45	23	31	15	3	3	-	-	51
6	12	45	76	51	61	64	45	59	48	54	35	35	24	11	2	3	-	52
-	-	-	1	2	2	-	-	1	1	4	-	1	2	4	-	-	-	53
-	-	-	-	1	1	-	-	1	2	-	1	4	-	-	-	-	-	54
111	119	143	240	380	586	998	1,664	2,672	4,308	6,639	8,650	10,224	8,871	5,372	1,622	304	12	55
26	36	55	98	203	361	665	1,153	1,873	2,939	4,172	4,553	4,763	3,658	1,981	501	79	7	56
85	83	88	142	177	225	333	511	799	1,369	2,467	4,097	5,461	5,213	3,391	1,121	225	5	57
19	30	43	69	161	274	553	1,034	1,652	2,646	3,837	4,259	4,515	3,488	1,893	470	66	4	58
60	54	60	93	121	165	252	405	636	1,150	2,191	3,800	5,195	5,038	3,258	1,062	197	1	59
5	6	12	29	42	70	107	113	214	273	315	275	228	151	82	25	13	3	60
23	27	26	48	54	57	81	100	158	210	267	290	260	169	120	54	27	4	61
2	-	-	-	-	-	5	6	7	20	20	19	20	19	6	6	-	-	62
2	2	2	1	2	2	-	6	5	9	9	7	6	6	12	5	1	-	63
3	2	14	23	41	115	241	513	1,018	2,064	3,918	6,446	8,683	8,041	5,093	1,580	296	10	64
1	1	8	15	32	85	157	327	624	1,185	2,123	3,108	3,919	3,278	1,864	488	77	6	65
2	1	7	8	9	30	84	186	394	879	1,795	3,338	4,764	4,763	3,229	1,092	219	4	66
1	1	6	9	26	66	122	275	503	993	1,904	2,866	3,703	3,125	1,780	457	64	4	67
2	1	6	4	3	16	62	138	292	727	1,571	3,095	4,528	4,603	3,107	1,036	193	1	68
-	-	1	6	6	19	34	50	119	183	215	230	200	138	78	25	13	2	69
-	-	-	4	6	13	22	47	98	150	216	238	233	155	112	51	25	3	70
-	-	-	-	-	-	1	2	2	9	4	12	16	15	6	6	-	-	71
-	-	-	-	-	-	-	1	4	2	8	5	3	5	10	5	1	-	72
10	15	27	48	112	214	419	773	1,236	1,820	2,254	1,865	1,271	658	196	28	6	1	73
6	9	17	33	85	166	335	621	1,006	1,493	1,762	1,262	711	302	83	8	1	1	74
4	6	10	15	27	48	84	152	230	327	492	603	560	356	113	20	5	-	75
5	9	12	23	62	134	282	572	928	1,418	1,676	1,227	689	292	80	8	1	-	76
4	4	5	10	35	62	120	192	279	454	564	540	540	345	106	19	3	-	77
1	-	-	10	23	32	51	46	73	69	72	28	18	6	3	-	-	-	78
-	-	-	5	13	12	22	29	38	44	37	17	10	6	1	2	-	-	79
-	-	-	-	-	-	-	-	3	9	14	7	4	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	3	1	2	3	1	-	-	-	-	81
-	2	-	3	2	6	14	9	25	27	49	52	58	32	17	1	1	-	82
-	1	-	1	-	3	8	6	16	15	27	29	27	15	8	-	-	-	83
-	1	-	2	2	3	6	3	9	12	22	23	31	17	9	1	1	-	84
-	1	-	1	-	2	6	5	12	13	19	25	24	13	8	-	-	-	85

Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	DISEASES OF ARTERIES--CON.										
02	OTHER ARTERIAL DISEASES.....452-454,456	3,689	5	2	1	1	1	10	13	21	82
03	MALE.....	1,806	2	1	1	-	-	4	4	6	24
04	FEMALE.....	1,883	3	1	-	1	1	6	9	15	58
05	WHITE.....MALE.....	1,608	-	1	-	-	-	1	3	6	21
06	FEMALE.....	1,555	3	1	-	1	-	5	8	12	45
07	NEGRO.....MALE.....	166	2	-	1	-	-	3	1	1	2
08	FEMALE.....	310	-	-	-	-	1	1	1	3	10
09	OTHER.....MALE.....	10	-	-	-	-	-	1	-	-	1
	FEMALE.....	18	-	-	-	-	-	-	-	-	3
10	DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....460-468	12,324	32	16	4	4	1	57	7	11	38
11	MALE.....	6,333	21	8	3	2	1	35	2	8	16
12	FEMALE.....	5,991	11	8	1	2	-	22	5	3	22
13	WHITE.....MALE.....	5,427	12	7	3	2	1	25	2	6	12
14	FEMALE.....	5,173	7	4	-	1	-	12	4	2	16
15	NEGRO.....MALE.....	868	9	-	-	-	-	9	-	2	3
16	FEMALE.....	802	4	3	1	1	-	9	1	1	5
17	OTHER.....MALE.....	38	-	1	-	-	-	1	-	-	1
18	FEMALE.....	16	-	1	-	-	-	1	-	-	1
19	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	99,769	10,477	1,264	578	324	257	12,900	637	423	442
20	MALE.....	64,225	6,030	654	297	155	136	7,272	339	238	257
21	FEMALE.....	35,544	4,447	610	281	169	121	5,628	298	185	185
22	WHITE.....MALE.....	55,741	3,808	405	202	98	106	4,619	248	194	201
23	FEMALE.....	30,121	2,551	365	183	121	96	3,316	212	136	144
24	NEGRO.....MALE.....	7,975	2,080	236	92	54	28	2,490	83	42	53
25	FEMALE.....	5,138	1,784	232	94	43	25	2,178	83	48	37
26	OTHER.....MALE.....	509	142	13	3	3	2	163	8	2	3
27	FEMALE.....	285	112	13	4	5	-	134	3	1	4
28	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	745	328	33	35	16	17	429	30	4	15
29	MALE.....	417	206	17	20	8	10	261	16	3	11
30	FEMALE.....	328	122	16	15	8	7	168	14	1	4
31	WHITE.....MALE.....	310	132	12	14	7	9	174	13	3	9
32	FEMALE.....	246	77	8	11	6	5	107	9	1	3
33	NEGRO.....MALE.....	96	66	5	6	1	1	79	2	-	2
34	FEMALE.....	73	41	7	4	1	2	55	4	-	1
35	OTHER.....MALE.....	11	8	-	-	-	-	8	1	-	-
36	FEMALE.....	9	4	1	-	1	-	6	1	-	-
37	INFLUENZA.....480-483	2,295	182	31	15	7	4	239	9	11	15
38	MALE.....	1,064	96	20	5	3	3	127	6	6	9
39	FEMALE.....	1,231	86	11	10	4	1	112	3	5	6
40	WHITE.....MALE.....	881	38	10	-	2	-	50	4	5	6
41	FEMALE.....	1,021	27	5	6	1	1	41	1	3	6
42	NEGRO.....MALE.....	172	52	10	5	1	3	71	2	1	3
43	FEMALE.....	206	55	6	4	2	-	67	2	2	-
44	OTHER.....MALE.....	11	6	-	-	-	-	6	-	-	-
45	FEMALE.....	4	4	-	-	-	-	4	-	-	-
46	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	59,608	7,854	999	431	230	172	9,686	467	336	336
47	MALE.....	33,909	4,508	505	221	109	93	5,436	250	194	190
48	FEMALE.....	25,699	3,346	494	210	121	79	4,250	217	142	146
49	WHITE.....MALE.....	27,967	2,793	302	149	64	69	3,377	180	156	153
50	FEMALE.....	21,442	1,881	283	131	85	60	2,440	149	106	112
51	NEGRO.....MALE.....	5,598	1,605	191	69	42	23	1,930	65	36	35
52	FEMALE.....	4,035	1,378	199	75	32	19	1,703	67	36	30
53	OTHER.....MALE.....	344	110	12	3	3	1	129	5	2	2
54	FEMALE.....	222	87	12	4	4	-	107	1	-	4
55	LOBAR PNEUMONIA.....490	8,955	556	107	45	31	20	759	59	56	42
56	MALE.....	5,466	325	52	22	15	9	423	34	31	24
57	FEMALE.....	3,489	231	55	23	16	11	336	25	25	18
58	WHITE.....MALE.....	4,378	191	24	9	4	4	232	21	24	16
59	FEMALE.....	2,824	111	24	13	10	6	167	16	19	15
60	NEGRO.....MALE.....	1,041	125	25	12	8	5	177	12	7	8
61	FEMALE.....	636	112	30	10	6	2	160	9	6	3
62	OTHER.....MALE.....	47	9	3	1	1	-	14	1	-	-
63	FEMALE.....	29	8	1	-	-	-	9	-	-	-
64	BRONCHOPNEUMONIA.....491	32,719	3,300	475	221	115	81	4,192	264	184	179
65	MALE.....	18,402	1,843	231	113	55	44	2,286	139	102	97
66	FEMALE.....	14,317	1,457	244	108	60	37	1,906	125	82	82
67	WHITE.....MALE.....	15,535	1,082	136	84	36	30	1,368	102	84	77
68	FEMALE.....	12,227	790	151	65	44	28	1,078	86	59	63
69	NEGRO.....MALE.....	2,696	721	92	29	18	13	873	35	16	18
70	FEMALE.....	1,995	633	87	42	14	9	785	38	23	16
71	OTHER.....MALE.....	171	40	3	-	1	1	45	2	2	2
72	FEMALE.....	95	34	6	1	2	-	43	1	-	3
73	PRIMARY ATYPICAL PNEUMONIA.....492	5,693	2,329	180	82	41	27	2,659	53	45	37
74	MALE.....	3,191	1,402	100	45	21	16	1,584	32	30	21
75	FEMALE.....	2,502	927	80	37	20	11	1,075	21	15	16
76	WHITE.....MALE.....	2,602	1,032	71	29	11	14	1,157	25	24	18
77	FEMALE.....	2,035	643	54	25	16	9	747	15	10	14
78	NEGRO.....MALE.....	550	349	28	14	9	2	402	6	6	3
79	FEMALE.....	438	266	24	11	2	2	305	6	5	2
80	OTHER.....MALE.....	39	21	1	2	1	-	23	2	-	-
81	FEMALE.....	29	18	2	1	2	-	23	-	-	-
82	PNEUMONIA, OTHER AND UNSPECIFIED.....493	12,241	1,669	237	83	43	44	2,076	91	51	78
83	MALE.....	6,850	938	122	41	18	24	1,143	45	31	48
84	FEMALE.....	5,391	731	115	42	25	20	933	46	20	30
85	WHITE.....MALE.....	5,452	488	71	27	13	21	620	32	24	42
86	FEMALE.....	4,356	337	54	28	15	14	448	32	18	20
87	NEGRO.....MALE.....	1,311	410	46	14	5	3	478	13	7	6
88	FEMALE.....	966	367	58	12	10	6	453	14	2	9
89	OTHER.....MALE.....	87	40	5	-	-	-	45	-	-	-
90	FEMALE.....	69	27	3	2	-	-	32	-	-	1

## SECTION 1 - GENERAL MORTALITY

1-139

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
98	100	102	166	225	251	324	369	393	397	418	287	212	140	66	13	1	1
19	25	30	49	86	107	165	199	227	246	260	154	106	63	26	5	1	02
79	75	72	117	139	144	159	170	166	151	158	133	106	77	40	8	1	03
13	19	24	36	73	89	143	182	209	222	238	141	99	58	25	5	1	04
54	49	49	79	103	113	123	145	144	136	151	121	100	75	37	6	1	05
4	6	4	13	13	18	20	16	18	22	20	13	7	5	1	1	1	06
23	24	21	37	34	31	36	24	21	12	7	12	6	2	2	2	1	07
2	2	2	1	2	2	2	1	2	2	2	2	2	2	2	2	2	08
2	2	2	1	2	2	2	1	1	3	3	3	3	3	3	3	3	09
84	123	145	244	374	491	715	971	1,246	1,597	1,886	1,850	1,372	759	279	61	6	8
35	36	58	99	177	267	398	588	718	868	1,028	932	622	311	103	26	3	11
49	87	87	145	197	224	317	383	528	729	858	918	750	448	176	35	3	12
30	24	40	60	132	209	327	471	604	738	919	835	582	293	92	23	2	13
34	58	64	98	142	178	244	305	436	627	769	849	705	426	166	31	3	14
5	12	16	39	45	57	66	113	112	127	102	94	36	15	10	3	1	15
15	29	23	45	55	45	70	77	90	101	87	68	45	22	9	4	1	16
-	-	-	2	-	1	5	4	2	3	7	3	4	3	1	-	1	17
-	-	-	-	-	1	3	1	2	1	2	1	-	-	1	-	-	18
415	444	632	1,077	1,709	2,452	3,794	5,441	7,678	10,323	12,512	13,339	11,653	8,398	4,075	1,170	223	32
230	235	363	620	1,021	1,594	2,709	4,120	5,865	7,980	9,183	8,973	6,723	4,183	1,773	455	72	20
185	209	269	457	688	858	1,085	1,321	1,813	2,343	3,329	4,366	4,930	4,215	2,302	715	151	12
178	153	222	400	710	1,197	2,245	3,570	5,218	7,216	8,480	8,396	6,339	3,981	1,683	423	55	13
143	142	176	300	498	707	892	1,089	1,512	2,047	2,965	4,088	4,684	4,041	2,214	682	125	8
47	79	135	217	304	389	456	518	627	734	672	515	334	163	71	25	15	6
41	64	87	154	182	146	187	226	293	283	349	261	225	156	81	30	23	4
5	3	6	3	7	8	8	32	20	30	31	62	50	39	19	7	2	1
1	3	6	3	8	5	6	6	8	13	15	17	21	18	7	3	3	27
10	6	10	5	8	15	14	17	15	20	26	22	35	32	29	3	-	28
5	4	6	3	2	6	7	10	11	11	16	12	14	12	5	2	-	29
5	2	4	2	6	9	7	7	4	9	10	10	21	20	24	1	-	30
3	3	6	1	1	6	10	8	10	15	15	11	13	12	5	1	-	31
3	2	4	2	4	6	6	6	3	8	9	9	20	20	23	1	-	32
2	1	-	2	1	-	-	-	-	-	1	1	1	-	-	-	-	33
2	-	-	-	2	3	-	1	-	-	1	1	1	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	35
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	36
12	13	17	21	26	38	54	84	107	152	239	291	399	334	167	55	10	2
4	9	8	8	14	22	20	54	57	82	120	137	173	132	54	18	3	1
8	4	9	13	12	16	34	30	50	70	119	154	226	202	113	37	7	1
3	7	6	8	13	18	17	40	50	70	99	127	162	125	50	18	2	1
7	4	4	8	9	13	27	28	33	56	87	135	218	188	110	36	7	1
1	2	2	-	1	4	3	12	6	11	21	10	11	7	3	1	1	42
1	-	5	5	3	3	7	2	17	14	32	19	8	14	3	1	-	43
-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
289	311	462	753	1,105	1,362	1,875	2,359	3,094	4,337	6,138	7,719	8,097	6,398	3,319	962	178	25
164	160	267	432	659	862	1,264	1,612	2,043	2,894	3,872	4,540	4,251	2,968	1,407	371	57	16
125	151	195	321	446	500	611	747	1,051	1,443	2,266	3,179	3,846	3,430	1,912	591	121	9
129	103	152	257	426	609	979	1,274	1,661	2,425	3,407	4,139	3,976	2,826	1,339	347	43	9
94	100	124	190	303	398	474	584	809	1,210	1,983	2,946	3,633	3,285	1,837	561	98	6
33	55	113	173	226	251	281	323	374	454	439	357	242	122	53	18	12	6
30	48	67	128	138	99	134	159	236	224	272	219	195	129	70	28	20	3
2	2	2	2	7	2	4	15	8	15	26	44	33	20	15	6	2	1
1	3	4	3	5	3	3	4	6	9	11	14	18	16	5	2	3	53
49	64	110	212	284	360	455	582	615	755	970	1,135	1,095	836	393	100	19	5
26	36	56	125	175	253	320	430	409	534	626	708	606	416	181	42	7	4
23	28	54	87	109	107	135	152	206	221	344	427	489	420	212	58	12	1
24	21	17	70	105	170	236	326	335	444	531	640	554	395	173	36	6	2
15	18	25	45	73	84	93	118	152	180	296	392	449	399	206	53	9	5
2	14	38	55	66	82	83	101	72	87	93	61	50	19	6	6	1	60
8	10	28	42	35	22	40	34	54	39	45	31	36	21	6	4	2	1
-	1	1	-	4	1	3	2	3	2	7	2	2	2	2	-	-	62
-	-	1	-	1	1	2	-	-	2	3	4	-	-	1	1	1	63
158	163	240	365	563	667	1,006	1,230	1,718	2,558	3,579	4,572	4,721	3,747	1,928	569	107	9
92	81	142	209	336	407	667	816	1,131	1,708	2,279	2,661	2,470	1,722	807	217	29	4
66	82	98	156	227	260	339	414	587	850	1,300	1,911	2,251	2,025	1,121	352	78	5
72	58	93	125	223	299	522	655	936	1,456	2,043	2,449	2,330	1,643	770	207	22	1
48	55	69	95	155	208	277	334	462	729	1,162	1,782	2,140	1,939	1,082	336	63	5
18	22	49	83	110	108	143	154	191	243	221	182	122	65	26	8	6	3
17	27	27	60	70	52	61	77	120	120	135	123	101	74	39	16	14	70
2	1	-	1	3	-	2	7	4	9	15	30	18	14	11	2	1	71
1	-	2	1	2	-	1	3	5	1	3	6	10	12	-	1	-	72
28	29	42	50	84	87	114	133	174	225	361	436	466	408	198	52	9	3
13	15	24	24	42	48	73	82	113	139	195	254	239	164	79	13	4	3
15	14	18	26	42	39	41	51	61	86	166	182	227	244	119	39	5	75
10	8	16	21	34	40	65	72	98	122	181	237	221	161	75	12	3	2
14	10	15	16	31	36	34	42	52	77	144	172	217	232	114	38	5	77
3	7	7	3	8	8	7	9	14	16	13	16	14	2	4	1	1	78
1	3	3	10	10	3	7	9	9	9	21	9	9	11	5	1	-	79
-	1	-	-	-	-	1	1	1	1	1	1	4	1	-	-	-	80
-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	81
54	55	70	126	174	248	300	414	587	799	1,228	1,576	1,815	1,407	800	241	43	8
33	28	45	74	106	154	204	284	390	513	772	917	936	666	340	99	17	5
21	27	25	52	68	94	96	130	197	286	456	659	879	741	460	142	26	3
23	16	26	41	64	100	156	221	292	403	652	813	871	627	321	92	12	4
17	17	15	34	44	70	70	90	143	224	381	600	827	715	435	134	21	1
10	12	19	32	42	53	48	59	97	108	112	98	56	36	17	3	4	1
4	8	9	16	22	22	26	39	53	56	71	56	49	23	20	7	4	2
-	-	1	-	1	1	-	4	-	8	8	9	3	2	4	1	1	89
-	2	1	2	1	2	-	1	1	2	4	3	3	3	5	1	1	90

Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACUTE BRONCHITIS.....500	1,004	245	60	21	18	14	358	31	11	6
02	MALE.....	599	145	37	12	8	8	210	20	5	3
03	FEMALE.....	405	100	23	9	10	6	148	11	6	3
04	WHITE.....	490	104	31	3	4	7	155	14	4	3
05	FEMALE.....	337	69	19	8	5	6	107	9	2	3
06	NEGRO.....	100	39	5	4	3	-	51	4	1	-
07	FEMALE.....	63	28	4	1	5	-	38	1	4	-
08	OTHER.....	9	2	1	-	-	1	4	2	-	-
09	FEMALE.....	5	3	-	-	-	-	3	1	-	-
10	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	4,768	225	33	19	13	9	299	15	11	6
11	MALE.....	3,639	128	20	6	8	4	166	12	9	6
12	FEMALE.....	1,129	97	13	13	5	5	133	3	2	-
13	WHITE.....	3,393	88	13	6	5	4	116	7	8	5
14	FEMALE.....	1,032	58	8	11	4	5	86	3	1	-
15	NEGRO.....	225	37	7	-	3	-	47	5	1	1
16	FEMALE.....	95	38	5	2	1	-	46	-	1	-
17	OTHER.....	21	3	-	-	-	-	3	-	-	-
18	FEMALE.....	2	1	-	-	-	-	1	-	-	-
19	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	77	-	1	8	10	14	33	27	5	1
20	MALE.....	35	-	1	3	6	7	16	14	2	-
21	FEMALE.....	42	-	1	5	4	7	17	13	3	1
22	WHITE.....	32	-	-	2	6	6	14	13	2	-
23	FEMALE.....	34	-	1	4	3	6	14	12	2	-
24	NEGRO.....	3	-	-	1	-	1	2	1	-	-
25	FEMALE.....	8	-	-	1	1	1	3	1	1	1
26	OTHER.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	EMPHYEMA AND ABSCESS OF LUNG.....518,521	868	24	5	1	1	-	31	6	6	13
29	MALE.....	635	12	2	1	-	-	15	2	4	9
30	FEMALE.....	233	12	3	-	1	-	16	4	2	4
31	WHITE.....	486	7	1	1	-	-	9	1	3	6
32	FEMALE.....	183	4	2	-	1	-	7	3	1	4
33	NEGRO.....	142	5	1	-	-	-	6	1	1	3
34	FEMALE.....	45	4	1	-	-	-	5	1	1	-
35	OTHER.....	7	-	-	-	-	-	-	-	-	-
36	FEMALE.....	5	4	-	-	-	-	4	-	-	-
37	PLEURISY.....519	183	15	1	-	-	-	16	-	2	-
38	MALE.....	113	10	1	-	-	-	11	-	-	-
39	FEMALE.....	70	5	-	-	-	-	5	-	2	-
40	WHITE.....	88	7	-	-	-	-	7	-	-	-
41	FEMALE.....	62	5	-	-	-	-	5	-	2	-
42	NEGRO.....	24	3	1	-	-	-	4	-	-	-
43	FEMALE.....	6	-	-	-	-	-	-	-	-	-
44	OTHER.....	1	-	-	-	-	-	-	-	-	-
45	FEMALE.....	2	-	-	-	-	-	-	-	-	-
46	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,223	1,080	58	25	14	8	1,185	11	12	10
47	MALE.....	2,673	617	26	12	9	4	668	2	4	3
48	FEMALE.....	1,550	463	32	13	5	4	517	9	8	7
49	WHITE.....	2,299	408	15	8	6	4	441	2	4	2
50	FEMALE.....	1,276	293	24	6	5	3	331	6	7	4
51	NEGRO.....	352	201	11	4	3	-	219	-	1	1
52	FEMALE.....	261	166	8	7	-	1	182	3	1	3
53	OTHER.....	22	8	-	-	-	-	8	-	-	-
54	FEMALE.....	13	4	-	-	-	-	4	-	-	-
55	BRONCHIECTASIS.....526	1,708	1	-	-	-	-	1	5	3	4
56	MALE.....	1,094	1	-	-	-	-	1	2	2	2
57	FEMALE.....	614	-	-	-	-	-	-	3	1	2
58	WHITE.....	997	1	-	-	-	-	1	2	2	1
59	FEMALE.....	590	-	-	-	-	-	-	3	-	2
60	NEGRO.....	82	-	-	-	-	-	-	-	-	1
61	FEMALE.....	18	-	-	-	-	-	-	-	-	-
62	OTHER.....	15	-	-	-	-	-	-	-	-	-
63	FEMALE.....	6	-	-	-	-	-	-	-	1	-
64	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	20,587	285	27	14	5	10	341	12	13	18
65	MALE.....	17,388	165	19	10	-	3	197	6	4	12
66	FEMALE.....	3,199	120	8	4	5	7	144	6	9	6
67	WHITE.....	16,398	119	15	7	-	3	144	6	3	10
68	FEMALE.....	2,970	77	6	4	5	6	98	4	8	6
69	NEGRO.....	935	43	4	3	-	-	50	-	1	2
70	FEMALE.....	214	39	2	-	-	1	42	2	1	-
71	OTHER.....	55	3	-	-	-	-	3	-	-	-
72	FEMALE.....	15	4	-	-	-	-	4	-	-	-
73	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	18,664	53	4	6	-	1	64	1	2	8
74	MALE.....	16,151	32	4	4	-	1	41	-	-	5
75	FEMALE.....	2,513	21	-	2	-	-	23	1	2	3
76	WHITE.....	15,367	29	4	3	-	1	37	-	-	4
77	FEMALE.....	2,397	18	-	2	-	-	20	1	2	3
78	NEGRO.....	739	3	-	1	-	-	4	-	-	1
79	FEMALE.....	107	3	-	-	-	-	3	-	-	-
80	OTHER.....	45	-	-	-	-	-	-	-	-	-
81	FEMALE.....	9	-	-	-	-	-	-	-	-	-
82	ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527.0,527.2	1,923	232	23	8	5	9	277	11	11	10
83	MALE.....	1,237	133	15	6	-	2	156	6	4	7
84	FEMALE.....	686	99	8	2	5	7	121	5	7	3
85	WHITE.....	1,031	90	11	4	-	2	107	6	3	6
86	FEMALE.....	573	59	6	2	5	6	78	3	6	3
87	NEGRO.....	196	40	4	2	-	-	46	-	1	1
88	FEMALE.....	107	36	2	-	-	1	39	2	1	-
89	OTHER.....	10	3	-	-	-	-	3	-	-	-
90	FEMALE.....	6	4	-	-	-	-	4	-	-	-







## SECTION 1 - GENERAL MORTALITY

1-143

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
27	36	38	49	78	108	163	238	356	412	479	490	386	283	152	53	21	1	01	
15	23	19	29	54	65	130	200	312	367	404	383	247	137	60	18	5	1	03	
12	13	19	20	24	43	33	38	44	45	75	107	139	146	92	35	16	-	04	
10	11	11	22	32	50	113	187	284	331	381	370	240	130	59	17	4	1	04	
10	11	12	19	17	36	30	31	40	41	66	105	133	141	87	34	15	-	05	
4	11	7	7	22	15	16	13	27	36	23	13	6	3	1	1	1	-	06	
2	2	7	1	7	7	3	7	4	4	9	2	6	5	5	-	1	-	07	
1	1	1	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	09	
311	518	1,060	2,177	3,626	5,013	6,411	7,012	7,296	7,772	8,024	7,522	5,930	3,477	1,273	263	34	13	10	
150	265	591	1,217	2,168	3,040	4,089	4,556	4,772	4,879	4,685	4,033	2,871	1,477	484	85	12	10	11	
161	253	469	960	1,458	1,973	2,322	2,456	2,524	2,893	3,339	3,489	3,059	2,000	789	178	22	3	12	
98	177	368	873	1,675	2,539	3,546	4,059	4,317	4,482	4,370	3,807	2,752	1,415	465	75	10	8	13	
115	159	294	654	1,072	1,626	2,009	2,171	2,210	2,606	3,109	3,317	2,945	1,932	760	176	17	2	14	
52	84	213	333	477	475	508	464	419	360	282	201	99	51	16	6	1	2	15	
42	85	158	283	363	325	284	260	302	278	211	157	103	60	27	2	5	1	16	
-	4	10	11	16	26	35	33	36	37	33	25	20	11	3	4	1	-	17	
4	9	17	23	23	22	29	25	12	9	19	15	11	8	2	-	-	-	18	
3	2	6	5	8	7	3	3	4	2	4	3	4	1	1	-	-	-	19	
2	1	3	3	2	2	1	2	1	1	1	1	1	1	1	-	-	-	20	
1	2	3	4	6	4	2	3	2	1	3	2	1	1	1	-	-	-	21	
1	1	3	4	5	3	1	3	1	8	1	1	1	1	1	-	-	-	22	
1	2	1	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	23	
1	1	-	-	2	2	1	1	1	1	-	-	-	-	-	-	-	-	24	
-	-	2	1	3	3	1	1	1	1	1	-	-	-	-	-	-	-	25	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
16	23	38	72	163	248	377	483	612	674	776	777	594	332	119	28	-	2	28	
13	14	26	50	120	167	269	367	449	493	527	502	344	179	64	10	-	2	29	
3	9	12	22	43	81	108	116	163	181	249	275	250	153	55	18	-	-	30	
9	9	18	35	92	134	225	319	416	445	490	477	326	175	62	8	-	2	31	
3	6	11	16	32	64	92	103	140	167	235	259	241	150	53	18	-	-	32	
4	5	8	15	28	31	41	43	29	43	35	21	12	4	2	1	-	-	33	
-	3	1	6	11	17	16	12	22	14	12	11	7	3	2	-	-	-	34	
-	-	-	-	-	2	3	5	4	5	2	4	6	-	-	1	-	-	35	
-	-	-	-	-	-	1	1	1	1	2	5	2	-	-	-	-	-	36	
16	16	40	69	156	244	369	497	556	666	725	725	492	286	91	23	-	2	37	
12	11	29	46	111	187	291	396	458	520	567	526	315	172	49	6	-	2	38	
4	5	11	23	45	57	78	101	98	146	158	199	177	114	42	17	-	-	39	
6	9	24	39	99	161	262	364	425	491	546	499	301	169	47	6	-	2	40	
4	5	7	19	39	51	71	86	91	130	151	187	173	109	40	17	-	-	41	
6	2	5	6	11	25	29	31	30	24	19	24	11	3	1	-	-	-	42	
-	-	4	3	6	6	6	15	7	15	6	12	4	4	2	-	-	-	43	
-	-	-	1	1	1	1	3	5	5	2	3	3	-	1	-	-	-	44	
-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	45	
5	4	8	16	17	30	38	34	30	47	61	52	43	23	12	9	-	-	46	
2	4	6	12	9	19	24	25	20	33	45	29	24	11	4	5	-	-	47	
3	2	4	8	8	11	14	9	10	14	16	23	19	12	8	4	-	-	48	
2	3	3	10	8	17	20	24	18	31	40	27	22	11	4	5	-	-	49	
2	2	1	2	6	9	8	7	9	11	15	19	19	11	8	4	-	-	50	
1	1	2	2	1	2	2	2	2	2	4	4	1	-	-	-	-	-	51	
1	1	1	2	2	2	6	2	1	3	1	1	1	1	-	-	-	-	52	
-	-	1	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
28	18	25	30	59	81	97	126	151	176	210	195	160	82	32	2	1	-	55	
18	10	10	22	42	51	70	73	103	125	128	121	105	34	16	1	-	-	56	
10	8	15	8	17	30	27	53	48	51	82	74	55	48	16	1	1	-	57	
13	7	6	19	34	38	52	66	86	101	109	106	98	32	14	1	-	-	58	
9	6	13	5	12	21	21	43	36	46	72	72	52	44	12	1	-	-	59	
5	9	4	3	8	12	15	7	17	23	18	15	6	2	2	-	-	-	60	
1	2	2	3	5	9	6	10	11	5	8	3	4	4	4	-	1	-	61	
-	-	-	-	-	1	3	-	1	1	1	-	1	-	-	-	-	-	62	
-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	63	
31	48	60	120	179	266	428	571	830	1,047	1,331	1,450	1,356	890	310	70	11	4	64	
11	18	32	43	82	116	202	292	426	537	660	644	547	331	104	23	5	3	65	
20	30	28	77	97	150	226	279	404	510	671	806	809	559	206	47	6	1	66	
10	15	26	27	59	94	165	240	357	464	588	595	527	312	100	18	5	1	67	
16	19	20	51	68	115	177	246	333	439	615	761	778	537	199	46	4	1	68	
1	2	5	16	23	22	34	50	67	71	67	45	19	16	4	4	-	2	69	
4	11	8	23	29	33	45	32	67	69	52	45	29	21	6	1	2	-	70	
-	-	1	-	-	-	3	2	2	2	5	4	1	3	-	1	-	-	71	
-	-	-	3	-	2	4	1	4	2	4	2	2	1	1	-	-	-	72	
14	12	13	33	35	51	61	80	107	127	181	193	195	121	87	11	5	-	73	
7	5	9	14	16	31	30	40	58	61	87	72	77	53	24	4	2	-	74	
7	7	4	19	19	20	31	40	49	66	94	121	118	68	63	7	3	-	75	
5	5	5	8	10	23	26	32	47	53	78	64	76	50	22	3	-	-	76	
5	6	3	14	13	17	26	37	40	52	85	113	108	66	62	7	3	-	77	
2	2	4	6	7	7	7	10	8	8	8	7	1	2	1	-	-	-	78	
2	1	1	5	6	3	5	3	9	14	9	8	10	2	1	-	-	-	79	
-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
31	59	54	69	120	140	215	275	385	516	560	598	460	303	102	18	1	-	82	
13	28	24	38	63	73	117	141	186	253	242	222	146	91	32	5	1	-	83	
18	31	30	31	57	67	98	134	199	263	318	376	314	212	70	13	-	-	84	
13	25	23	34	57	70	106	132	170	243	231	219	144	91	32	4	-	-	85	
17	27	27	30	50	56	85	123	181	243	293	366	305	210	69	13	-	-	86	
-	1	4	6	3	3	10	8	15	9	9	2	2	-	-	1	-	-	87	
1	4	2	1	7	11	12	11	18	20	25	9	9	2	-	-	-	-	88	
-	-	-	-	-	-	1	1	1	1	2	1	1	-	-	-	-	-	89	
-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	90	

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by  
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
01	CIRRHOSIS OF LIVER.....	581	24,715	29	12	9	4	3	57	16	21	35
02	MALE....	15,984	16	6	4	2	1	29	6	6	11	
03	FEMALE..	8,731	13	6	5	2	2	28	10	15	24	
04	WHITE....	13,931	12	5	4	1	1	23	4	6	8	
05	FEMALE..	7,409	10	5	4	1	2	22	9	11	19	
06	NEGRO....	1,921	2	-	-	1	-	3	2	-	3	
07	FEMALE..	1,192	3	1	1	1	-	6	1	4	5	
08	OTHER....	132	2	1	-	-	-	3	-	-	-	
09	FEMALE..	130	-	-	-	-	-	-	-	-	-	
10	WITHOUT MENTION OF ALCOHOLISM.....	581.0	16,286	29	12	9	4	3	57	16	21	35
11	MALE....	10,249	16	6	4	2	1	29	6	6	11	
12	FEMALE..	6,037	13	6	5	2	2	28	10	15	24	
13	WHITE....	9,053	12	5	4	1	1	23	4	6	8	
14	FEMALE..	5,226	10	5	4	1	2	22	9	11	19	
15	NEGRO....	1,121	2	-	-	1	-	3	2	-	3	
16	FEMALE..	743	3	1	1	1	-	6	1	4	5	
17	OTHER....	75	2	1	-	-	-	3	-	-	-	
18	FEMALE..	68	-	-	-	-	-	-	-	-	-	
19	WITH ALCOHOLISM.....	581.1	8,429	-	-	-	-	-	-	-	-	-
20	MALE....	5,735	-	-	-	-	-	-	-	-	-	-
21	FEMALE..	2,694	-	-	-	-	-	-	-	-	-	-
22	WHITE....	4,878	-	-	-	-	-	-	-	-	-	-
23	FEMALE..	2,183	-	-	-	-	-	-	-	-	-	-
24	NEGRO....	800	-	-	-	-	-	-	-	-	-	-
25	FEMALE..	449	-	-	-	-	-	-	-	-	-	-
26	OTHER....	57	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	62	-	-	-	-	-	-	-	-	-	-
28	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....	584.585	4,666	3	-	-	-	-	3	-	-	8
29	MALE....	1,960	1	-	-	-	-	-	-	-	-	1
30	FEMALE..	2,706	2	-	-	-	-	2	-	-	7	
31	WHITE....	1,883	1	-	-	-	-	-	-	-	1	
32	FEMALE..	2,533	1	-	-	-	-	1	-	-	5	
33	NEGRO....	60	-	-	-	-	-	-	-	-	-	
34	FEMALE..	144	-	-	-	-	-	-	-	-	2	
35	OTHER....	17	-	-	-	-	-	-	-	-	-	
36	FEMALE..	29	1	-	-	-	-	1	-	-	-	
37	OTHER DISEASES OF DIGESTIVE SYSTEM.....	RESIDUAL	12,429	255	33	16	10	10	324	30	28	62
38	MALE....	6,878	155	19	10	3	2	189	17	12	35	
39	FEMALE..	5,551	100	14	6	7	8	135	13	16	27	
40	WHITE....	6,005	108	17	7	3	2	137	12	11	29	
41	FEMALE..	4,863	62	12	6	3	4	87	10	13	15	
42	NEGRO....	822	46	2	3	-	-	51	5	1	6	
43	FEMALE..	663	38	1	-	4	3	46	3	3	12	
44	OTHER....	51	1	-	-	-	-	1	-	-	-	
45	FEMALE..	25	-	1	-	-	1	2	-	-	-	
46	X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,455	155	49	29	38	23	294	135	175	313	
47	MALE....	17,715	96	32	13	19	8	168	62	84	169	
48	FEMALE..	12,740	59	17	16	19	15	126	73	91	144	
49	WHITE....	14,355	61	22	8	13	3	107	46	68	149	
50	FEMALE..	10,133	43	14	12	14	12	95	62	67	113	
51	NEGRO....	3,203	33	10	5	6	4	58	15	16	20	
52	FEMALE..	2,498	16	2	4	4	3	29	10	24	29	
53	OTHER....	157	2	-	-	-	1	3	1	-	-	
54	FEMALE..	109	-	1	-	1	-	2	1	-	2	
55	NEPHRITIS AND NEPHROSIS.....	590-594	11,920	52	39	19	31	18	159	100	135	222
56	MALE....	6,623	28	26	7	18	6	85	46	64	131	
57	FEMALE..	5,297	24	13	12	13	12	74	54	71	91	
58	WHITE....	5,143	21	19	4	12	2	58	33	52	113	
59	FEMALE..	4,033	21	11	8	9	10	59	45	51	77	
60	NEGRO....	1,407	7	3	6	3	3	26	13	12	18	
61	FEMALE..	1,207	3	2	4	3	2	14	8	20	13	
62	OTHER....	73	-	-	-	-	1	1	-	-	-	
63	FEMALE..	57	-	-	-	1	-	1	1	-	1	
64	ACUTE NEPHRITIS.....	590	547	8	5	6	10	6	35	19	10	19
65	MALE....	294	3	5	2	5	2	17	10	4	14	
66	FEMALE..	253	5	-	4	5	4	18	9	6	5	
67	WHITE....	207	3	1	1	2	-	7	5	4	11	
68	FEMALE..	189	5	-	2	2	3	12	7	5	3	
69	NEGRO....	86	-	4	1	3	2	10	5	-	3	
70	FEMALE..	60	-	-	2	3	1	6	2	1	2	
71	OTHER....	1	-	-	-	-	-	-	-	-	-	
72	FEMALE..	4	-	-	-	-	-	-	-	-	-	
73	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....	591	778	13	18	7	11	3	52	24	24	26
74	MALE....	436	9	12	3	8	-	32	14	15	12	
75	FEMALE..	342	4	6	4	3	3	20	10	9	14	
76	WHITE....	352	9	11	2	7	-	29	12	12	12	
77	FEMALE..	269	3	6	4	3	3	19	8	7	9	
78	NEGRO....	79	-	1	1	1	-	3	2	3	-	
79	FEMALE..	73	1	-	-	-	-	1	2	2	5	
80	OTHER....	5	-	-	-	-	-	-	-	-	-	
81	FEMALE..	-	-	-	-	-	-	-	-	-	-	
82	CHRONIC & UNSPECIFIED NEPHRITIS & OTHER RENAL SCLEROSIS.....	592-594	10,595	31	16	6	10	9	72	57	101	177
83	MALE....	5,893	16	9	2	5	4	36	22	45	105	
84	FEMALE..	4,702	15	7	4	5	5	36	35	56	72	
85	WHITE....	4,584	9	7	1	3	2	22	16	36	90	
86	FEMALE..	3,575	13	5	2	4	4	28	30	39	65	
87	NEGRO....	1,242	7	2	1	2	1	13	6	9	15	
88	FEMALE..	1,074	2	2	2	-	1	7	4	17	6	
89	OTHER....	67	-	-	-	-	1	1	-	-	-	
90	FEMALE..	53	-	-	-	1	-	1	1	-	1	

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
70	198	580	1,355	2,294	3,163	3,852	3,697	3,103	2,568	1,796	1,134	540	186	39	8	-	3 01
30	101	328	782	1,396	1,911	2,521	2,492	2,214	1,772	1,183	735	338	111	11	4	-	3 02
40	97	252	573	898	1,252	1,331	1,205	889	796	613	399	202	75	28	4	-	- 03
16	58	181	547	1,062	1,599	2,223	2,249	2,027	1,659	1,123	701	324	103	11	4	-	3 04
18	38	137	363	668	1,048	1,185	1,082	798	745	585	385	194	72	26	4	-	- 05
14	42	142	226	324	293	280	227	169	98	52	28	12	6	2	-	-	06
20	50	101	191	211	184	130	107	86	50	24	10	8	2	2	-	-	07
-	1	5	9	10	19	18	16	18	15	8	6	2	2	-	-	-	- 08
2	9	14	19	19	20	16	16	16	1	4	4	-	1	-	-	-	- 09
58	120	315	776	1,379	1,854	2,367	2,332	2,089	1,816	1,422	935	479	169	36	8	-	2 10
26	63	163	437	821	1,090	1,517	1,544	1,454	1,201	897	582	291	95	10	4	-	2 11
32	57	152	339	558	764	850	788	635	615	525	353	188	74	26	4	-	- 12
14	38	100	302	646	922	1,350	1,396	1,328	1,128	848	557	278	89	10	4	-	2 13
16	25	82	225	425	652	763	712	567	576	502	341	180	71	24	4	-	- 14
12	25	61	131	172	157	158	139	115	63	44	21	11	4	-	-	-	- 15
15	29	64	103	124	104	79	67	64	38	19	9	8	2	2	-	-	- 16
-	-	-	2	4	3	11	9	11	10	5	4	2	2	-	-	-	- 17
1	3	6	11	9	8	8	9	4	1	4	3	-	1	-	-	-	- 18
12	78	265	579	915	1,309	1,485	1,365	1,014	752	374	199	61	17	3	-	-	1 19
4	38	165	345	575	821	1,004	948	760	571	286	153	47	16	1	-	-	1 20
8	40	100	234	340	488	481	417	254	181	88	46	14	1	2	-	-	- 21
2	20	81	245	416	677	873	853	699	531	275	144	46	14	1	-	-	1 22
2	13	55	138	243	396	422	370	231	169	83	44	14	1	2	-	-	- 23
2	17	81	95	152	136	122	88	54	35	8	7	1	2	-	-	-	- 24
5	21	37	88	87	80	51	40	22	12	5	1	-	-	-	-	-	- 25
-	1	3	5	7	8	9	7	7	5	3	2	-	-	-	-	-	- 26
1	6	8	8	10	12	8	7	1	-	-	1	-	-	-	-	-	- 27
9	16	22	46	68	109	165	223	363	570	772	868	771	446	168	33	5	1 28
-	4	8	14	24	44	71	101	161	279	326	371	336	160	52	6	1	- 29
9	12	14	32	44	65	94	122	202	291	446	497	435	286	116	27	4	1 30
-	3	8	14	22	43	67	90	152	262	317	361	328	155	52	6	1	- 31
7	11	13	28	30	55	82	107	185	268	422	477	417	279	115	27	4	- 32
-	1	-	-	2	1	3	7	6	16	8	8	4	4	-	-	-	- 33
1	1	1	4	11	10	10	11	16	20	21	19	12	3	1	-	-	1 34
-	-	-	-	-	-	1	4	3	1	1	2	4	1	-	-	-	- 35
1	-	-	-	3	2	2	4	1	3	3	1	6	4	-	-	-	- 36
88	122	214	362	527	674	806	1,022	1,157	1,371	1,608	1,527	1,315	807	312	61	11	1 37
42	70	116	195	303	438	625	695	797	917	809	638	335	128	21	3	-	- 38
46	52	98	167	224	236	313	397	462	574	691	718	677	472	184	40	8	1 39
23	43	71	140	232	357	400	540	618	725	845	756	605	317	121	20	3	- 40
33	39	61	123	151	189	261	337	397	505	636	677	655	453	175	39	6	1 41
19	25	42	54	67	79	89	83	73	65	62	50	31	14	6	-	-	- 42
12	13	35	44	72	47	47	57	65	67	52	37	21	18	9	1	2	- 43
-	2	3	4	4	2	4	2	4	7	10	3	2	4	1	1	-	- 44
1	-	2	-	1	-	5	3	-	2	3	4	1	1	-	-	-	- 45
364	397	491	727	980	1,287	1,639	1,926	2,514	3,252	3,888	4,153	3,924	2,658	1,056	238	37	7 46
191	209	237	356	412	559	874	1,066	1,428	1,952	2,407	2,662	2,447	1,564	616	135	14	3 47
173	188	254	371	568	628	765	860	1,086	1,300	1,481	1,491	1,477	1,094	440	103	23	4 48
150	150	164	251	274	439	623	790	1,041	1,514	1,972	2,316	2,204	1,426	547	115	6	3 49
133	116	149	211	346	535	594	781	1,014	1,276	1,342	1,353	1,026	407	96	12	2	2 50
38	54	71	101	131	203	243	268	369	421	410	326	229	131	66	18	7	- 51
38	67	102	154	216	215	220	260	293	272	199	138	117	66	31	6	10	2 52
3	5	2	4	7	9	8	8	18	17	25	20	14	7	3	2	1	- 53
2	5	3	6	6	10	10	6	12	14	6	11	7	2	2	1	1	- 54
272	275	308	429	521	737	845	931	1,013	1,157	1,245	1,248	1,157	770	310	68	16	2 55
161	167	181	261	281	441	527	524	572	642	693	679	599	374	157	33	3	2 56
111	108	127	168	240	296	318	407	441	515	552	569	558	396	153	35	13	- 57
127	119	130	181	191	302	391	406	425	495	565	559	517	324	129	24	-	2 58
89	62	73	115	148	189	220	262	316	374	441	486	493	361	133	33	6	- 59
31	43	49	76	86	130	130	113	140	142	121	115	77	48	27	8	2	- 60
20	43	53	51	89	100	94	140	118	133	109	78	62	35	20	1	6	- 61
3	5	2	4	4	9	6	5	7	5	7	5	5	2	1	1	1	- 62
2	3	1	2	3	7	4	5	7	8	2	5	3	-	-	1	1	- 63
21	14	15	21	24	35	49	34	40	44	49	43	43	21	9	1	1	- 64
15	7	3	12	8	19	30	16	25	25	26	24	19	14	4	1	1	- 65
6	7	12	9	16	16	19	18	15	19	23	19	24	7	5	-	-	- 66
9	4	2	8	8	9	21	13	15	21	23	19	15	12	1	-	-	- 67
6	1	6	7	11	10	14	13	12	14	19	14	24	7	4	-	-	- 68
6	3	1	4	4	10	9	2	10	4	3	5	4	2	3	1	1	- 69
-	5	6	2	5	4	5	3	3	4	4	5	-	-	1	-	-	- 70
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	- 71
-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	- 72
23	25	21	33	26	37	56	58	64	77	73	65	54	26	12	2	-	- 73
13	16	14	17	10	25	31	35	41	41	37	38	27	9	8	1	-	- 74
10	9	7	16	16	12	25	23	23	36	27	27	17	4	1	-	-	- 75
11	11	9	12	7	16	21	28	32	34	35	34	23	7	7	-	-	- 76
8	5	3	13	11	7	17	17	20	30	32	23	23	14	2	1	-	- 77
1	5	5	5	3	8	9	7	8	2	4	4	4	2	1	1	-	- 78
2	4	4	3	5	5	8	6	3	6	4	4	3	2	2	-	-	- 79
1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	- 80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 81
228	236	272	375	471	665	740	839	909	1,036	1,123	1,140	1,060	723	289	65	15	2 82
133	144	164	232	263	397	466	473	506	576	630	617	553	351	145	31	2	2 83
95	92	108	143	208	268	274	366	403	460	493	523	507	372	144	34	13	- 84
107	104	119	161	176	277	349	365	378	440	507	506	479	305	121	24	-	2 85
75	56	64	95	126	172	189	232	284	330	390	449	446	340	127	32	6	- 86
24	35	43	67	83	112	112	104	122	132	116	106	69	44	23	6	1	- 87
18	34	43	46	79	91	81	129	112	123	101	69	58	32	17	1	6	- 88
2	5	2	4	4	8	5	4	4	4	7	5	5	2	1	1	1	- 89
2	2	1	2	3	5	4	5	7	7	2	5	3	-	-	1	1	- 90







## SECTION 1 - GENERAL MORTALITY

1-49

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
54	64	70	83	33	4	-	-	-	-	-	-	-	-	-	-	-	-	01
35	36	47	52	23	1	-	-	-	-	-	-	-	-	-	-	-	-	02
18	28	19	31	10	3	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
37	34	51	84	114	140	158	190	202	210	243	228	190	121	48	13	7	1	05
12	11	12	24	31	42	49	72	82	79	98	100	69	42	11	3	1	1	06
25	23	39	60	83	98	109	118	120	131	145	128	121	79	37	10	6	1	07
6	7	8	14	28	27	37	56	63	63	75	91	62	38	10	3	1	1	08
15	20	27	39	58	73	80	99	97	107	114	116	111	73	33	9	4	1	09
6	4	4	10	3	15	12	16	19	15	21	6	6	4	1	-	-	-	10
9	3	11	20	24	24	25	19	22	23	31	12	10	6	4	1	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1	-	1	1	1	1	4	-	1	1	-	3	1	-	-	-	-	-	13
3	5	5	16	21	10	27	37	38	57	58	59	38	37	16	2	1	-	14
2	3	2	8	12	7	15	18	25	28	28	34	15	14	5	-	1	-	15
1	2	3	4	9	3	12	19	13	29	30	25	23	23	11	2	-	-	16
1	1	1	4	10	3	12	14	15	23	27	33	14	13	5	-	1	-	17
-	-	-	3	5	2	8	17	12	23	25	25	21	22	11	2	-	-	18
1	2	1	4	2	4	4	4	10	5	-	-	-	1	-	-	-	-	19
1	-	-	5	4	1	4	2	1	5	-	-	2	1	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
34	29	46	68	93	130	131	153	164	153	185	169	152	84	32	11	6	1	23
10	8	10	16	19	35	34	54	57	51	70	66	54	28	6	3	-	-	24
24	21	36	52	74	95	97	99	107	102	115	103	98	56	26	8	6	1	25
5	6	7	10	18	24	25	42	48	40	48	58	48	25	5	3	-	-	26
15	18	25	36	53	71	72	82	85	84	89	91	90	51	22	7	4	1	27
5	2	3	6	1	11	9	12	9	10	21	6	6	3	1	-	-	-	28
8	3	10	15	20	23	21	17	21	16	26	12	8	5	4	1	2	-	29
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	1	1	1	1	4	-	1	-	-	-	-	-	-	-	-	-	31
112	51	35	70	118	153	221	296	353	426	494	449	335	196	80	11	4	-	32
94	33	19	34	57	84	101	141	168	171	177	154	100	57	12	-	-	-	33
18	18	16	34	61	69	93	120	185	255	317	295	235	139	68	11	4	-	34
84	31	17	29	51	78	91	129	153	158	165	147	96	53	11	-	-	-	35
14	16	10	29	47	60	107	140	170	237	309	284	223	135	64	9	3	-	36
8	2	2	4	5	6	9	12	15	12	11	7	3	4	1	-	-	-	37
4	2	5	7	13	9	12	14	14	17	8	11	10	4	4	2	1	-	38
2	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	39
-	-	1	-	1	-	1	1	1	1	-	-	2	-	-	-	-	-	40
3	5	11	20	44	70	117	193	231	278	335	296	214	118	41	8	2	-	41
1	-	4	6	18	32	52	81	115	101	102	92	52	30	10	-	-	-	42
2	5	7	14	26	38	65	112	116	177	233	204	162	88	31	8	2	-	43
-	-	4	5	16	31	51	76	105	92	96	87	51	26	9	-	-	-	44
1	4	5	12	22	32	60	102	107	166	227	195	155	86	27	6	1	-	45
1	1	1	1	1	1	1	5	10	8	6	5	1	4	1	-	-	-	46
1	-	-	2	4	6	4	9	8	11	6	9	7	2	4	2	1	-	47
1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	49
-	3	-	4	5	3	6	6	6	12	10	9	-	1	2	-	-	-	50
-	1	-	1	1	1	1	5	4	4	4	3	-	-	-	-	-	-	51
-	2	-	3	4	2	5	1	6	8	6	6	-	1	2	-	-	-	52
-	-	-	1	1	1	1	3	4	4	2	3	-	-	-	-	-	-	53
-	2	-	2	3	2	3	3	6	7	6	6	-	1	2	-	-	-	54
-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	55
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	2	-	6	7	5	11	17	18	20	23	24	17	10	4	-	-	-	59
1	-	-	5	5	3	7	12	9	10	10	13	8	5	-	-	-	-	60
1	2	-	1	2	2	4	5	9	10	13	11	9	5	4	-	-	-	61
-	-	-	3	3	6	6	12	6	10	8	13	8	5	-	-	-	-	62
-	1	-	-	-	1	3	3	6	6	12	10	7	4	4	-	-	-	63
1	1	-	1	2	1	1	-	3	-	2	-	-	-	-	-	-	-	64
-	-	-	1	2	1	1	2	3	1	1	1	1	1	-	-	-	-	65
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	67
2	3	2	5	7	13	6	8	6	7	12	7	6	5	1	-	-	-	68
1	3	1	3	3	6	3	4	4	5	4	4	-	4	-	-	-	-	69
1	-	-	2	4	7	3	4	4	2	8	3	6	5	1	-	-	-	70
-	3	-	3	3	6	3	4	2	4	4	4	4	-	-	-	-	-	71
1	-	-	2	1	7	3	3	4	2	8	3	6	5	1	-	-	-	72
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
90	27	7	11	27	35	35	27	35	24	20	9	2	-	1	-	-	-	77
85	23	5	6	14	26	24	17	19	15	13	7	1	-	-	-	-	-	78
5	4	2	5	13	9	11	10	16	9	7	2	1	-	1	-	-	-	79
82	22	4	6	13	23	21	15	19	14	13	7	1	-	-	-	-	-	80
5	4	1	4	12	8	11	10	14	9	7	2	1	-	1	-	-	-	81
3	1	1	1	1	3	2	2	2	1	1	-	-	-	-	-	-	-	82
-	-	1	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85



SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by  
 [Numbers after causes of death are category numbers of the Seventh Revision]

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	804	22	7	2	2	1	34	6	6	12
02	MALE.....	339	15	6	-	1	1	23	4	3	5
03	FEMALE.....	465	7	1	2	1	-	11	2	3	7
04	WHITE.....MALE.....	304	14	5	-	1	1	21	3	2	3
05	FEMALE.....	427	5	1	2	1	-	9	-	1	4
06	NEGRO.....MALE.....	32	1	1	-	-	-	2	1	1	2
07	FEMALE.....	35	2	-	-	-	-	2	2	2	2
08	OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
09	FEMALE.....	3	-	-	-	-	-	-	-	-	1
10	XIV. CONGENITAL MALFORMATIONS.....	19,512	13,443	790	425	274	194	15,126	667	455	430
11	MALE.....	10,375	7,178	404	211	158	88	8,039	353	255	250
12	FEMALE.....	9,137	6,265	386	214	116	106	7,087	314	200	180
13	WHITE.....MALE.....	8,825	6,062	328	173	127	71	6,761	299	226	216
14	FEMALE.....	7,822	5,358	304	175	92	95	6,024	259	175	154
15	NEGRO.....MALE.....	1,435	1,027	73	34	28	15	1,177	52	28	34
16	FEMALE.....	1,215	841	74	38	23	8	984	51	22	23
17	OTHER.....MALE.....	115	89	3	4	3	2	101	2	1	-
18	FEMALE.....	100	66	8	1	1	3	79	4	3	3
19	SPINA BIFIDA AND MENINGOCELE.....751	1,323	1,153	62	26	4	5	1,250	17	16	15
20	MALE.....	547	472	26	10	-	1	509	6	7	7
21	FEMALE.....	776	681	36	16	4	4	741	11	9	8
22	WHITE.....MALE.....	490	425	24	9	-	1	459	6	6	6
23	FEMALE.....	726	638	32	15	4	4	693	11	8	7
24	NEGRO.....MALE.....	52	43	2	1	-	-	46	-	1	1
25	FEMALE.....	46	40	4	1	-	-	45	-	1	-
26	OTHER.....MALE.....	5	4	-	-	-	-	4	-	-	-
27	FEMALE.....	4	3	-	-	-	-	3	-	-	1
28	CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,887	1,105	187	102	73	37	1,504	151	91	57
29	MALE.....	967	544	95	48	39	17	743	83	54	37
30	FEMALE.....	920	561	92	54	34	20	761	68	37	20
31	WHITE.....MALE.....	802	449	74	43	31	15	612	67	49	31
32	FEMALE.....	766	465	73	44	29	17	628	59	29	19
33	NEGRO.....MALE.....	156	91	21	10	5	2	124	7	5	6
34	FEMALE.....	139	86	17	10	5	2	120	7	1	1
35	OTHER.....MALE.....	9	4	-	2	1	-	7	-	-	-
36	FEMALE.....	15	10	2	-	-	1	13	2	-	-
37	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	9,955	6,565	381	223	165	128	7,462	420	286	300
38	MALE.....	5,439	3,703	193	117	98	58	4,169	223	155	165
39	FEMALE.....	4,516	2,862	188	106	67	70	3,293	197	131	135
40	WHITE.....MALE.....	4,623	3,121	158	94	77	46	3,496	190	135	143
41	FEMALE.....	3,765	2,357	140	87	50	62	2,696	159	119	113
42	NEGRO.....MALE.....	750	531	33	22	19	10	615	32	19	22
43	FEMALE.....	694	473	43	19	16	6	557	36	9	20
44	OTHER.....MALE.....	66	51	2	1	2	2	58	1	1	-
45	FEMALE.....	57	32	5	-	1	2	40	2	3	2
46	OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,347	4,620	160	74	32	24	4,910	79	62	58
47	MALE.....	3,422	2,459	90	36	21	12	2,618	41	39	41
48	FEMALE.....	2,925	2,161	70	38	11	12	2,292	38	23	17
49	WHITE.....MALE.....	2,910	2,067	72	27	19	9	2,194	36	36	36
50	FEMALE.....	2,565	1,898	59	29	9	12	2,007	30	19	15
51	NEGRO.....MALE.....	477	362	17	8	2	3	392	5	3	5
52	FEMALE.....	336	242	10	8	2	-	262	8	4	2
53	OTHER.....MALE.....	35	30	1	1	-	-	32	-	-	-
54	FEMALE.....	24	21	1	1	-	-	23	-	-	-
55	XV. CERTAIN DISEASES OF EARLY INFANCY.....	55,398	55,375	6	2	2	-	55,385	4	5	-
56	MALE.....	32,504	32,491	3	1	-	-	32,495	2	3	-
57	FEMALE.....	22,894	22,884	3	1	2	-	22,890	2	2	-
58	WHITE.....MALE.....	24,279	24,268	3	-	-	-	24,271	2	3	-
59	FEMALE.....	16,587	16,578	3	1	1	-	16,583	2	2	-
60	NEGRO.....MALE.....	7,848	7,846	-	1	-	-	7,847	-	-	-
61	FEMALE.....	6,037	6,037	-	-	-	-	6,037	-	-	-
62	OTHER.....MALE.....	377	377	-	-	-	-	377	-	-	-
63	FEMALE.....	270	269	-	-	1	-	270	-	-	-
64	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.....	23,414	2,369	218	95	43	40	2,765	84	79	155
65	MALE.....	13,929	1,383	126	47	19	23	1,598	48	42	100
66	FEMALE.....	9,485	986	92	48	24	17	1,167	36	37	55
67	WHITE.....MALE.....	9,404	648	56	19	9	11	743	22	25	67
68	FEMALE.....	5,979	429	35	26	13	10	513	20	21	32
69	NEGRO.....MALE.....	4,302	687	64	28	9	11	799	26	17	31
70	FEMALE.....	3,367	529	48	22	11	6	616	14	15	23
71	OTHER.....MALE.....	223	48	6	-	1	1	56	-	-	2
72	FEMALE.....	139	28	9	-	-	1	38	2	1	-
73	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,188	-	-	-	-	-	-	-	-	-
74	MALE.....	885	-	-	-	-	-	-	-	-	-
75	FEMALE.....	1,303	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	686	-	-	-	-	-	-	-	-	-
77	FEMALE.....	1,049	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	183	-	-	-	-	-	-	-	-	-
79	FEMALE.....	238	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE.....	16	-	-	-	-	-	-	-	-	-
81	FEMALE.....	16	-	-	-	-	-	-	-	-	-
82	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	21,226	2,369	218	95	43	40	2,765	84	79	155
83	MALE.....	13,044	1,383	126	47	19	23	1,598	48	42	100
84	FEMALE.....	8,182	986	92	48	24	17	1,167	36	37	55
85	WHITE.....MALE.....	8,718	648	56	19	9	11	743	22	25	67
86	FEMALE.....	4,930	429	35	26	13	10	513	20	21	32
87	NEGRO.....MALE.....	4,119	687	64	28	9	11	799	26	17	31
88	FEMALE.....	3,129	529	48	22	11	6	616	14	15	23
89	OTHER.....MALE.....	207	48	6	-	1	1	56	-	-	2
90	FEMALE.....	123	28	9	-	-	1	38	2	1	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
16	11	15	24	28	27	46	45	57	85	94	104	96	62	31	3	2	-	01	
7	6	9	13	16	16	14	22	23	36	44	35	39	22	2	-	-	-	02	
9	5	6	11	12	11	32	23	34	49	50	69	57	40	29	3	2	-	03	
2	6	8	11	15	15	9	19	21	34	42	33	36	22	2	-	-	-	04	
7	5	3	9	9	10	27	21	33	45	49	68	54	39	29	3	2	-	05	
4	-	1	2	2	1	5	3	2	2	1	2	2	-	-	-	-	-	06	
2	-	3	2	2	1	5	2	1	4	1	1	2	1	-	-	-	-	07	
1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	08	
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	09	
307	209	203	232	275	293	329	281	193	181	150	100	47	22	8	-	-	4	10	
167	114	98	131	147	160	155	146	100	93	75	55	20	10	4	-	-	3	11	
140	95	105	101	128	133	174	135	93	88	75	45	27	12	4	-	-	1	12	
152	97	85	114	128	146	143	132	95	82	67	51	20	8	2	-	-	1	13	
125	80	92	82	113	117	153	122	88	82	72	42	26	11	4	-	-	1	14	
15	15	12	16	18	13	12	12	5	11	5	4	4	2	2	-	-	2	15	
14	14	11	18	14	14	21	12	4	5	3	3	1	1	1	-	-	1	16	
1	2	1	1	1	1	-	2	-	-	3	-	-	-	-	-	-	-	17	
1	1	2	1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	18	
11	3	-	1	2	3	2	2	-	-	-	-	-	-	-	-	-	1	19	
7	2	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-	1	20	
4	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	21	
5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	22	
4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	23	
2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
29	11	11	10	3	4	2	3	6	2	-	1	-	-	-	-	-	2	28	
16	6	7	5	3	3	2	2	4	1	-	1	-	-	-	-	-	1	29	
13	5	4	5	1	1	1	1	2	1	-	1	-	-	-	-	-	1	30	
16	6	4	4	3	1	2	1	4	1	-	-	-	-	-	-	-	1	31	
12	4	4	4	1	1	1	1	2	1	1	1	-	-	-	-	-	1	32	
-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
213	156	133	156	146	135	150	124	89	70	62	32	14	4	3	-	-	-	37	
110	83	61	89	72	64	66	57	47	30	26	15	3	2	2	-	-	-	38	
103	73	72	67	74	71	84	67	42	40	36	17	11	2	1	-	-	-	39	
100	70	55	78	61	62	62	52	45	29	25	14	3	2	1	-	-	-	40	
91	61	63	55	63	62	76	64	39	40	35	16	10	2	1	-	-	-	41	
10	12	5	11	10	1	4	4	2	1	-	1	-	-	1	-	-	-	42	
11	11	7	11	10	7	8	2	2	-	1	1	1	-	-	-	-	-	43	
1	1	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	44	
1	1	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	45	
54	39	59	65	124	151	175	152	96	109	88	67	33	18	5	-	-	1	46	
34	23	30	36	71	90	86	85	49	62	49	40	17	8	2	-	-	1	47	
20	16	29	29	53	61	89	67	49	47	39	27	16	10	3	-	-	-	48	
31	20	25	32	63	81	78	77	46	52	42	37	17	6	1	-	-	-	49	
18	14	25	23	49	54	76	57	47	41	37	25	16	9	3	-	-	-	50	
3	3	4	8	8	9	8	7	3	10	5	3	-	2	1	-	-	1	51	
2	2	5	4	4	7	13	10	2	5	2	2	-	1	-	-	-	-	52	
-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	
248	244	412	613	869	1,177	1,524	1,766	1,979	2,250	2,221	2,211	1,932	1,462	913	349	125	36	64	
142	137	214	362	534	750	1,038	1,219	1,364	1,470	1,407	1,297	992	677	340	134	39	25	65	
106	107	198	251	335	427	486	547	615	780	814	914	940	785	573	215	86	11	66	
97	72	116	195	340	490	723	841	943	1,005	1,041	978	741	554	275	99	20	17	67	
74	51	96	126	195	237	262	312	313	463	508	651	733	666	486	165	52	3	68	
44	59	95	159	182	248	307	364	405	450	354	303	233	112	62	28	17	7	69	
30	54	93	121	136	181	220	229	296	310	296	256	199	110	85	44	33	6	70	
1	6	3	8	12	12	8	14	16	15	12	18	11	11	3	7	2	1	71	
2	2	9	4	4	9	4	6	6	7	10	16	8	9	2	6	1	2	72	
-	-	-	-	-	-	-	3	5	18	61	115	225	442	523	508	211	73	4	73
-	-	-	-	-	-	2	2	7	29	53	115	195	213	176	71	21	1	74	
-	-	-	-	-	-	1	3	11	32	62	110	247	310	332	140	52	3	75	
-	-	-	-	-	-	-	1	2	6	30	77	153	185	158	60	14	-	76	
-	-	-	-	-	-	-	-	3	7	25	77	200	282	296	120	39	-	77	
-	-	-	-	-	-	2	1	5	22	23	37	36	26	16	8	6	1	78	
-	-	-	-	-	-	1	3	7	25	37	31	45	24	36	16	12	1	79	
-	-	-	-	-	-	-	-	-	1	-	1	6	2	2	3	1	-	80	
-	-	-	-	-	-	-	-	1	-	-	2	2	4	-	4	1	2	81	
248	244	412	613	869	1,177	1,521	1,761	1,961	2,189	2,106	1,986	1,490	939	405	138	52	32	82	
142	137	214	362	534	750	1,036	1,217	1,357	1,441	1,354	1,182	797	464	164	63	18	24	83	
106	107	198	251	335	427	485	544	604	748	752	804	693	475	241	75	34	8	84	
97	72	116	195	340	490	723	840	941	999	1,011	901	588	369	117	39	6	17	85	
74	51	96	126	195	237	262	312	310	456	483	374	533	384	190	45	13	3	86	
44	59	95	159	182	248	305	363	400	428	331	266	197	86	46	20	11	6	87	
30	54	93	121	136	181	219	226	289	285	259	225	154	86	49	28	21	5	88	
1	6	3	8	12	12	8	14	16	14	12	15	12	9	1	4	1	1	89	
2	2	9	4	4	9	4	6	6	7	10	5	6	5	2	2	-	-	90	

Table 1-26. Deaths From 258 Selected Causes, by  
 [Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	140,253	3,529	1,732	1,432	1,226	1,069	8,988	4,032	3,712	11,038
02	MALE.....	97,730	2,010	990	851	743	684	5,278	2,627	2,756	8,730
03	FEMALE.....	42,523	1,519	742	581	483	385	3,710	1,405	956	2,308
04	WHITE.....	81,337	1,430	725	656	563	515	3,889	2,088	2,238	7,440
05	FEMALE.....	36,607	981	522	421	346	276	2,546	1,040	781	1,979
06	NEGRO.....	15,102	547	239	186	165	161	1,298	502	482	1,199
07	FEMALE.....	5,427	512	207	151	124	106	1,100	348	155	290
08	OTHER.....	1,291	33	26	9	15	8	91	37	36	91
09	FEMALE.....	489	26	13	9	13	3	64	17	20	39
10	ACCIDENTS.....E800-E962	108,004	3,316	1,673	1,380	1,181	1,036	8,586	3,911	3,480	9,625
11	MALE.....	74,062	1,887	957	823	723	663	5,053	2,565	2,579	7,652
12	FEMALE.....	33,942	1,429	716	557	458	373	3,533	1,346	901	1,973
13	WHITE.....	63,024	1,343	705	633	550	501	3,732	2,042	2,114	6,748
14	FEMALE.....	29,510	924	506	408	328	267	2,433	994	743	1,747
15	NEGRO.....	9,993	515	228	181	158	154	1,236	486	435	828
16	FEMALE.....	4,054	479	197	140	117	103	1,036	336	138	195
17	OTHER.....	1,045	29	24	9	15	8	85	37	30	76
18	FEMALE.....	378	26	13	9	13	3	64	16	20	31
19	RAILWAY ACCIDENTS.....E800-E802	962	-	5	7	2	1	15	19	49	64
20	MALE.....	870	-	3	5	2	1	11	11	41	57
21	FEMALE.....	92	-	2	2	-	-	4	8	8	7
22	WHITE.....	678	-	2	5	1	1	9	8	35	47
23	FEMALE.....	79	-	2	1	-	-	3	6	8	6
24	NEGRO.....	169	-	1	-	1	-	2	3	6	9
25	FEMALE.....	12	-	-	1	-	-	1	2	-	-
26	OTHER.....	23	-	-	-	-	-	-	-	-	1
27	FEMALE.....	1	-	-	-	-	-	-	-	-	1
28	MOTOR VEHICLE ACCIDENTS.....E810-E835	49,163	326	440	402	456	435	2,059	1,965	1,561	6,822
29	MALE.....	35,584	182	222	232	268	287	1,191	1,275	1,055	5,220
30	FEMALE.....	13,579	144	218	170	188	148	868	690	506	1,602
31	WHITE.....	31,144	163	174	186	208	223	954	1,053	925	4,757
32	FEMALE.....	12,058	123	183	144	157	112	719	551	445	1,447
33	NEGRO.....	3,945	15	42	43	56	60	216	209	122	407
34	FEMALE.....	1,322	18	29	22	29	36	134	130	52	134
35	OTHER.....	495	4	6	3	4	4	21	13	8	56
36	FEMALE.....	199	3	6	4	2	-	15	9	9	21
37	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	48,050	318	293	331	411	404	1,757	1,907	1,529	6,748
38	MALE.....	34,770	177	150	191	239	271	1,028	1,237	1,035	5,157
39	FEMALE.....	13,280	141	143	140	172	133	729	670	494	1,591
40	WHITE.....	30,425	159	121	150	180	208	818	1,019	908	4,700
41	FEMALE.....	11,798	120	120	116	142	99	597	534	438	1,439
42	NEGRO.....	3,863	15	26	39	55	59	194	206	119	401
43	FEMALE.....	1,287	18	19	20	28	34	119	127	47	131
44	OTHER.....	482	3	3	2	4	4	16	12	8	56
45	FEMALE.....	195	3	4	4	2	-	13	9	9	21
46	MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,556	12	10	15	11	11	59	39	41	250
47	MALE.....	1,108	6	6	7	7	6	32	22	18	188
48	FEMALE.....	448	6	4	8	4	5	27	17	23	62
49	WHITE.....	1,017	6	5	7	6	6	30	21	17	174
50	FEMALE.....	416	6	2	7	3	4	22	16	20	58
51	NEGRO.....	77	-	-	-	-	-	-	-	-	13
52	FEMALE.....	29	-	2	1	1	1	5	1	3	4
53	OTHER.....	14	-	1	-	1	-	2	1	1	1
54	FEMALE.....	3	-	-	-	-	-	-	-	-	-
55	MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	8,117	5	101	161	246	268	781	1,110	404	366
56	MALE.....	5,787	3	64	106	156	187	516	728	279	289
57	FEMALE.....	2,330	2	37	55	90	81	265	382	125	77
58	WHITE.....	4,614	3	48	79	109	141	380	569	220	223
59	FEMALE.....	1,876	-	30	42	70	54	196	278	110	58
60	NEGRO.....	1,050	-	14	27	45	44	130	153	59	49
61	FEMALE.....	416	1	7	13	20	27	68	97	13	17
62	OTHER.....	123	-	2	-	2	2	6	6	-	17
63	FEMALE.....	38	1	-	-	-	-	1	7	2	2
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	21,300	189	105	91	100	67	552	551	760	2,915
65	MALE.....	14,583	103	46	43	47	41	280	366	532	2,123
66	FEMALE.....	6,717	86	59	48	53	26	272	185	228	792
67	WHITE.....	13,101	95	38	33	43	35	244	334	486	1,973
68	FEMALE.....	6,140	75	51	45	46	23	240	165	206	720
69	NEGRO.....	1,305	6	8	8	4	5	31	28	42	136
70	FEMALE.....	484	10	4	2	5	3	24	19	18	59
71	OTHER.....	177	2	-	2	-	1	5	4	4	14
72	FEMALE.....	93	1	4	1	2	-	8	1	4	13
73	MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	12,939	76	56	42	46	39	259	139	243	2,576
74	MALE.....	10,300	43	26	23	24	24	140	84	161	2,065
75	FEMALE.....	2,639	33	30	19	22	15	119	55	82	511
76	WHITE.....	9,112	35	22	22	17	16	112	66	145	1,895
77	FEMALE.....	2,333	25	25	13	20	12	95	48	70	468
78	NEGRO.....	1,060	7	4	1	6	7	25	17	15	153
79	FEMALE.....	255	7	5	4	2	3	21	7	9	38
80	OTHER.....	128	1	-	-	1	1	3	1	1	17
81	FEMALE.....	51	1	-	2	-	-	3	-	3	5
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	4,138	36	21	22	8	19	106	68	81	641
83	MALE.....	2,992	22	8	12	5	13	60	37	45	492
84	FEMALE.....	1,146	14	13	10	3	6	46	31	36	149
85	WHITE.....	2,581	20	8	9	5	10	52	29	40	435
86	FEMALE.....	1,033	14	12	9	3	6	44	27	32	135
87	NEGRO.....	371	2	-	3	-	3	8	8	3	50
88	FEMALE.....	103	-	1	-	-	-	1	3	4	13
89	OTHER.....	40	-	-	-	-	-	-	-	2	7
90	FEMALE.....	10	-	-	1	-	-	1	1	-	1

## SECTION 1 - GENERAL MORTALITY

1-153

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
11,598	8,464	7,807	8,628	9,158	8,952	9,101	8,386	7,433	6,646	6,708	6,648	6,047	4,294	1,944	495	71	103	01
9,379	6,792	5,971	6,461	6,718	6,473	6,729	6,195	5,358	4,502	4,241	3,780	2,986	1,767	730	153	28	76	02
2,219	1,672	1,836	2,167	2,440	2,479	2,372	2,191	2,075	2,144	2,467	2,868	3,061	2,527	1,214	342	43	27	03
7,712	5,197	4,567	4,996	5,337	5,340	5,711	5,357	4,718	3,956	3,880	3,534	2,805	1,669	687	135	25	56	04
1,833	1,285	1,421	1,749	2,018	2,152	2,094	1,996	1,835	1,932	2,272	2,739	2,933	2,449	1,176	324	35	18	05
1,517	1,465	1,295	1,368	1,298	1,055	949	764	577	488	328	209	158	80	35	13	2	20	06
347	349	373	369	381	307	248	181	221	198	183	119	121	71	34	16	8	8	07
150	130	109	97	83	78	69	74	63	58	33	37	23	18	8	5	1	-	08
39	38	42	49	41	20	30	14	19	14	12	10	7	7	4	2	-	1	09
9,063	5,857	5,056	5,444	5,871	5,964	6,004	5,613	5,319	4,994	5,436	5,697	5,491	4,059	1,894	492	71	77	10
7,417	4,831	4,000	4,221	4,434	4,413	4,477	4,118	3,740	3,255	3,253	3,012	2,539	1,576	691	150	28	58	11
1,646	1,026	1,056	1,223	1,437	1,551	1,527	1,495	1,579	1,739	2,183	2,685	2,952	2,483	1,203	342	43	19	12
6,481	4,004	3,293	3,436	3,622	3,692	3,790	3,516	3,245	2,846	2,944	2,809	2,376	1,485	649	132	25	43	13
1,437	862	864	1,009	1,174	1,341	1,322	1,354	1,363	1,539	2,004	2,566	2,830	2,409	1,167	324	35	13	14
814	722	630	711	749	655	634	547	445	363	283	174	144	73	34	13	2	15	15
178	158	165	185	234	195	179	133	202	188	173	113	115	69	33	16	8	5	16
122	105	77	74	63	66	53	55	50	46	26	29	19	18	8	5	1	-	17
31	26	27	29	29	15	26	8	14	12	6	6	7	5	3	2	-	1	18
57	37	61	76	79	93	104	78	78	35	40	35	24	7	3	1	-	7	19
51	35	58	72	74	89	102	76	70	29	31	26	19	7	3	1	-	7	20
6	2	3	4	5	4	2	2	8	6	9	5	-	-	-	-	-	-	21
40	22	38	48	56	71	80	63	59	21	23	22	19	7	2	1	-	7	22
5	2	2	3	5	3	1	2	7	5	9	7	5	-	-	-	-	-	23
8	13	15	22	18	15	20	11	9	7	7	7	3	-	1	-	-	-	24
1	-	1	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-	25
3	-	5	2	-	3	2	2	2	1	1	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
6,573	3,707	2,903	2,946	3,039	2,845	2,747	2,580	2,337	2,091	1,986	1,601	946	343	73	15	2	22	28
5,282	3,000	2,235	2,203	2,207	2,030	1,942	1,783	1,567	1,338	1,272	1,025	655	233	47	10	1	13	29
1,291	707	668	743	832	815	805	797	770	753	714	576	291	110	26	5	1	9	30
4,223	2,528	1,894	1,870	1,876	1,757	1,675	1,547	1,367	1,187	1,165	971	614	221	42	6	1	11	31
1,150	595	570	647	711	718	718	742	700	689	675	558	282	105	25	5	1	5	32
482	404	303	295	305	246	241	210	181	131	96	41	38	10	4	2	-	2	33
121	93	80	75	104	89	73	49	62	54	38	16	8	5	1	-	-	4	34
77	68	38	38	26	27	26	26	19	20	11	13	3	2	1	2	-	-	35
20	19	18	21	17	8	14	6	8	10	1	2	1	-	-	-	-	-	36
6,492	3,646	2,844	2,899	2,984	2,789	2,689	2,525	2,291	2,061	1,941	1,571	930	339	69	15	2	22	37
5,210	2,942	2,179	2,160	2,160	1,983	1,891	1,743	1,532	1,315	1,242	1,008	647	232	45	10	1	13	38
1,282	704	665	739	824	806	798	782	759	746	699	563	283	107	24	5	1	9	39
4,659	2,477	1,842	1,832	1,834	1,719	1,630	1,512	1,366	1,165	1,136	954	606	220	40	6	1	11	40
1,143	594	568	643	704	710	717	727	691	683	661	545	274	102	23	5	1	5	41
475	398	300	291	301	239	235	205	177	130	95	41	38	10	4	2	-	2	42
119	91	79	75	104	88	73	49	61	53	37	16	8	5	1	-	-	4	43
76	67	37	37	25	25	26	26	19	20	11	13	3	2	1	2	-	-	44
20	19	18	21	16	8	14	6	7	10	1	2	1	-	-	-	-	-	45
187	124	105	112	111	94	106	85	69	62	53	36	16	4	-	1	-	2	46
134	96	83	78	77	62	80	58	56	40	39	27	12	3	-	-	-	1	47
53	28	22	34	32	32	26	27	13	22	14	9	4	1	-	1	-	1	48
120	87	76	70	68	56	73	52	53	40	38	26	12	3	-	-	-	1	49
49	23	22	32	30	31	25	25	12	21	14	9	4	1	-	1	-	1	50
13	8	6	7	10	6	6	4	2	1	1	-	-	-	-	-	-	-	51
3	4	1	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	52
1	1	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	53
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
299	191	224	305	318	362	430	466	512	543	618	569	415	163	33	6	-	2	55
238	159	177	236	244	273	318	347	355	353	421	386	306	125	29	6	-	2	56
61	32	47	69	74	89	112	119	157	190	197	183	109	38	4	-	-	-	57
180	112	129	168	175	203	243	274	296	294	361	359	284	115	24	3	-	2	58
46	25	27	48	52	62	80	102	132	165	178	170	107	36	4	-	-	-	59
46	40	46	60	63	62	69	63	54	49	54	19	20	8	4	2	-	-	60
14	6	17	21	26	28	28	16	22	21	19	11	1	2	-	-	-	-	61
12	7	2	8	6	8	6	10	5	10	6	8	2	2	1	1	-	-	62
1	1	3	4	1	1	4	1	3	4	-	2	1	-	-	-	-	-	63
2,884	1,653	1,314	1,312	1,390	1,371	1,304	1,212	1,145	952	831	667	339	110	24	5	1	8	64
2,197	1,266	950	911	932	920	850	759	697	583	500	410	224	65	11	3	-	4	65
1,687	887	364	401	458	451	454	453	448	369	331	257	115	45	13	2	1	4	66
1,989	1,079	809	793	823	815	754	690	621	534	469	391	217	64	11	2	-	3	67
620	336	318	357	406	416	421	430	414	344	318	254	112	44	13	2	1	3	68
179	159	121	109	97	93	82	65	68	44	27	16	6	1	-	-	-	1	69
54	42	38	37	43	32	26	21	30	21	12	3	3	1	-	-	-	1	70
29	28	20	9	12	12	14	4	8	5	4	3	1	-	-	1	-	-	71
13	9	8	7	9	3	7	2	4	4	1	-	-	-	-	-	-	-	72
2,459	1,321	946	920	908	730	647	535	355	338	267	164	80	34	6	2	1	9	73
2,117	1,144	774	741	712	559	507	424	274	242	176	103	51	19	1	1	-	5	74
342	177	172	179	196	171	140	111	81	96	91	61	29	15	5	2	-	4	75
1,906	969	669	640	613	497	443	364	241	212	169	96	49	19	1	-	1	5	76
302	144	149	151	163	151	126	103	77	88	87	61	28	14	5	2	-	1	77
185	152	94	86	94	59	59	53	28	26	7	5	2	-	-	-	-	-	78
35	27	17	19	29	16	11	6	4	7	4	1	1	-	-	-	-	3	79
26	23	11	15	5	3	5	7	5	4	-	-	-	-	-	-	-	-	80
5	6	6	9	4	4	3	2	-	1	-	-	-	-	-	-	-	-	81
663	357	255	250	257	232	202	227	210	166	172	135	80	28	6	1	-	1	82
524	277	195	194	193	169	136	155	150	97	106	82	54	20	4	1	-	1	83
139	80	60	66	64	63	66	72	60	69	66	53	26	8	2	-	-	-	84
4																		



## SECTION 1 - GENERAL MORTALITY

1-155

Age, Race, and Sex: United States, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
81	61	59	47	55	56	58	55	46	30	45	30	16	4	4	-	-	-
72	58	56	43	47	47	51	40	35	23	30	17	8	1	2	-	-	-
9	3	3	4	8	9	7	15	11	7	15	13	8	3	2	-	-	-
64	51	52	38	42	38	45	35	31	22	29	17	8	1	2	-	-	-
7	1	2	4	4	7	7	15	9	6	14	13	8	3	2	-	-	-
7	6	3	4	4	7	6	5	4	1	1	-	-	-	-	-	-	-
2	2	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
20	10	14	9	9	8	19	12	15	12	15	11	2	2	-	-	-	1
13	7	11	5	8	8	19	11	13	7	12	10	1	-	-	-	-	1
7	3	3	4	1	7	7	11	2	5	3	1	1	2	-	-	-	1
12	7	9	3	7	7	18	11	7	7	12	8	1	-	-	-	-	1
7	3	3	4	1	-	-	1	2	4	3	1	1	2	-	-	-	1
-	-	2	1	-	1	-	-	2	1	2	2	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
173	145	125	136	131	120	107	91	64	53	27	19	2	5	-	-	-	1
159	133	118	124	123	113	103	88	60	49	23	17	2	5	-	-	-	1
14	12	7	12	8	7	4	3	4	4	4	2	-	-	-	-	-	1
137	117	99	109	103	95	84	79	57	41	23	17	2	5	-	-	-	1
12	9	5	10	8	4	3	3	3	3	4	2	-	-	-	-	-	1
14	13	15	11	14	12	18	4	3	7	-	-	-	-	-	-	-	1
-	3	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	1
8	3	4	4	6	6	1	5	-	1	-	-	-	-	-	-	-	1
2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
226	234	218	209	167	143	91	42	21	12	5	4	2	-	-	-	-	1
191	213	194	190	153	116	77	38	19	9	3	3	2	-	-	-	-	1
35	21	24	19	14	27	14	4	2	3	2	1	-	-	-	-	-	1
179	208	189	188	152	115	77	37	18	8	3	3	2	-	-	-	-	1
34	20	24	19	14	26	14	3	2	3	2	1	-	-	-	-	-	1
12	4	4	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
110	109	166	164	201	233	192	145	118	64	65	28	19	13	2	-	-	1
77	67	106	92	106	111	93	78	57	47	30	10	8	8	1	-	-	1
33	42	60	72	95	122	99	67	61	37	35	18	11	5	1	-	-	1
57	45	71	64	78	89	77	67	53	44	27	8	8	7	1	-	-	1
24	38	43	61	83	112	96	64	54	33	35	18	10	5	1	-	-	1
19	22	34	26	26	22	14	10	4	3	3	2	1	1	-	-	-	1
8	4	17	11	11	9	3	2	7	3	3	1	-	-	-	-	-	1
1	-	1	2	2	1	2	1	-	-	-	-	-	-	-	-	-	1
1	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	1
151	113	118	129	118	137	128	105	70	63	64	39	25	17	2	2	-	1
104	93	89	104	96	98	99	75	60	49	40	25	17	11	1	1	-	1
45	20	29	25	22	39	29	30	10	14	24	14	8	6	1	1	-	1
100	84	80	77	79	92	89	65	51	46	34	24	15	7	1	1	-	1
40	16	21	19	17	35	24	26	9	11	19	14	7	5	1	1	-	1
5	9	7	27	17	6	10	8	2	6	6	1	4	4	-	-	-	1
5	4	7	6	4	4	4	4	1	3	5	-	1	1	-	-	-	1
1	-	2	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1
-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
176	187	225	346	496	560	718	831	1,014	1,201	1,928	2,748	3,538	3,100	1,603	442	55	12
152	165	182	278	384	421	540	620	700	738	1,021	1,178	1,313	1,031	529	125	22	9
24	22	43	68	112	139	178	211	314	463	907	1,570	2,225	2,069	1,074	317	33	3
120	126	135	199	286	333	450	527	610	667	957	1,132	1,251	1,008	513	118	21	6
18	15	28	45	88	122	156	192	271	414	865	1,531	2,171	2,032	1,054	306	29	3
29	31	44	76	92	83	81	89	81	62	58	38	49	18	13	4	-	3
5	6	13	20	23	17	20	19	42	48	42	38	52	33	17	9	4	-
3	8	3	3	6	5	6	4	9	6	8	13	5	3	3	1	-	-
1	1	2	3	1	-	2	-	1	1	-	2	4	3	2	-	-	-
117	126	137	178	260	272	344	385	439	433	547	609	625	462	241	56	5	5
105	112	122	155	223	222	280	321	348	320	348	354	306	217	88	20	1	4
12	14	15	23	37	50	64	64	91	113	199	255	319	245	153	36	4	1
90	92	92	114	170	178	236	271	296	290	322	337	283	209	82	18	1	4
8	8	9	16	29	44	53	55	78	96	189	251	308	238	150	34	3	1
12	15	28	39	50	41	41	48	47	27	25	16	6	5	2	-	-	69
3	5	6	5	8	6	10	9	12	17	10	4	10	6	3	2	1	-
3	5	2	2	3	3	3	2	5	3	1	1	7	2	1	-	-	71
1	1	-	2	-	-	1	-	1	-	-	-	1	1	-	-	-	72
18	19	37	72	111	135	163	200	266	323	591	878	1,158	1,017	527	130	20	1
11	18	27	48	78	92	116	136	161	181	291	360	427	322	171	35	8	1
7	1	10	24	33	43	47	64	105	142	300	518	731	695	356	95	12	-
7	14	22	33	60	71	98	121	149	163	273	348	409	315	164	34	8	-
7	1	8	18	27	38	44	62	97	136	290	503	715	682	348	93	12	-
4	3	5	14	17	20	17	14	11	15	15	8	16	5	-	-	1	78
-	-	1	5	5	5	3	2	8	6	10	14	16	10	6	1	-	-
-	1	-	1	1	1	1	1	1	3	3	4	2	2	2	1	-	-
-	-	1	1	1	-	-	-	-	-	-	1	-	3	2	-	-	-
41	42	51	96	125	153	211	246	309	445	790	1,261	1,755	1,621	835	256	30	6
36	35	33	75	83	107	144	163	191	237	382	464	580	492	270	70	13	4
5	7	18	21	42	46	67	83	118	208	408	797	1,175	1,129	565	186	17	2
23	20	21	52	56	84	116	135	165	214	362	447	559	484	267	66	12	2
3	6	11	11	32	40	59	75	96	182	386	777	1,148	1,112	556	179	14	2
13	13	11	23	25	22	26	27	23	20	18	14	17	7	3	2	-	2
2	1	6	10	10	6	7	8	22	25	22	20	26	17	8	6	3	-
-	2	1	-	2	1	2	1	3	3	2	3	4	1	2	2	1	-
-	-	1	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-









## SECTION 1 - GENERAL MORTALITY

1-159

Age, Race, and Sex: United States, 1965—Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
234	271	224	281	372	417	424	400	354	381	325	322	230	180	77	11	6	6
901	899	985	1,229	1,448	1,422	1,701	1,669	1,364	1,048	880	705	402	179	35	3	-	8
290	369	468	659	728	721	710	588	419	357	240	161	85	36	9	-	-	10
799	805	903	1,135	1,357	1,344	1,638	1,617	1,310	1,000	865	681	396	177	34	3	-	12
257	329	423	627	700	699	685	578	407	354	231	155	83	33	8	-	-	13
85	82	69	83	78	70	51	40	38	12	17	4	2	1	-	-	-	14
27	31	36	18	22	21	23	7	4	1	4	2	1	-	-	-	-	15
37	40	31	60	75	74	69	55	43	50	23	23	4	7	1	1	-	16
9	13	17	22	22	23	20	17	10	19	15	6	7	4	2	-	-	17
7	8	7	5	7	10	5	7	8	7	3	2	-	5	1	-	-	18
1	2	1	2	3	2	6	-	2	-	2	-	2	1	-	-	-	19
1,191	1,268	1,453	1,888	2,176	2,143	2,411	2,257	1,783	1,405	1,120	866	487	215	44	3	-	8
901	899	985	1,229	1,448	1,422	1,701	1,669	1,364	1,048	880	705	402	179	35	3	-	10
290	369	468	659	728	721	710	588	419	357	240	161	85	36	9	-	-	11
799	805	903	1,135	1,357	1,344	1,638	1,617	1,310	1,000	865	681	396	177	34	3	-	12
257	329	423	627	700	699	685	578	407	354	231	155	83	33	8	-	-	13
85	82	69	83	78	70	51	40	38	12	17	4	2	1	-	-	-	14
27	31	36	18	22	21	23	7	4	1	4	2	1	-	-	-	-	15
37	40	31	60	75	74	69	55	43	50	23	23	4	7	1	1	-	16
9	13	17	22	22	23	20	17	10	19	15	6	7	4	2	-	-	17
7	8	7	5	7	10	5	7	8	7	3	2	-	5	1	-	-	18
1	2	1	2	3	2	6	-	2	-	2	-	2	1	-	-	-	19
289	380	508	669	735	721	712	620	425	322	218	142	64	29	8	-	-	3
169	221	285	329	371	355	369	322	252	161	115	81	34	16	3	-	-	20
120	159	223	340	364	366	343	298	173	161	103	61	30	13	5	-	-	21
157	207	272	313	359	346	361	320	249	160	113	79	34	16	3	-	-	22
110	147	204	327	356	361	337	298	172	161	100	61	29	13	5	-	-	23
9	10	11	14	10	8	5	1	2	1	1	-	-	-	-	-	-	24
9	10	15	9	7	4	5	-	1	-	-	-	1	-	-	-	-	25
3	4	2	2	2	1	3	1	1	-	1	1	-	-	-	-	-	26
1	2	4	4	1	1	1	-	-	-	-	-	-	-	-	-	-	27
155	158	171	211	265	275	341	337	308	238	231	163	99	60	12	2	-	1
137	118	131	155	185	192	232	257	235	175	187	142	90	50	9	2	-	28
18	40	40	56	80	83	109	84	63	44	21	9	10	3	-	-	-	29
117	103	118	138	169	178	219	248	227	165	185	138	88	50	9	2	-	30
16	32	34	49	74	81	107	78	70	61	42	17	9	8	2	-	-	31
17	13	11	13	10	12	10	2	4	6	2	2	-	-	-	-	-	32
-	3	3	1	1	2	2	3	-	2	-	-	-	-	-	-	-	33
3	2	2	4	6	2	3	3	4	-	-	-	2	-	-	-	-	34
2	5	3	6	5	-	3	3	3	2	2	3	-	2	1	-	-	35
625	621	639	823	946	950	1,127	1,057	799	654	498	408	236	91	19	1	-	2
511	490	496	628	764	765	986	953	730	613	467	391	231	89	19	1	-	37
114	131	143	195	182	185	141	104	69	41	31	17	5	2	-	-	-	38
460	446	452	590	731	734	953	914	698	583	460	378	229	88	19	1	-	39
102	121	135	189	178	175	134	103	64	41	29	17	5	2	-	-	-	40
41	41	35	34	32	29	28	35	31	25	6	12	2	1	-	-	-	41
9	9	7	5	4	10	7	1	5	-	2	-	-	-	-	-	-	42
10	3	9	4	1	2	5	4	1	5	1	1	-	-	-	-	-	43
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
122	109	135	185	230	197	231	243	251	191	173	153	88	35	5	-	-	45
84	70	73	117	128	110	114	141	147	99	111	91	47	24	4	-	-	46
38	39	62	68	102	87	117	102	104	92	62	62	41	11	1	-	-	47
65	49	61	94	98	88	105	135	136	92	107	86	45	23	3	-	-	48
29	29	50	62	92	82	107	99	101	91	60	60	40	10	1	-	-	49
18	18	12	22	26	21	8	2	9	6	3	2	2	1	1	-	-	50
9	9	11	3	10	5	9	3	2	1	2	1	1	1	-	-	-	51
1	3	1	1	4	1	1	4	2	1	1	3	-	-	-	-	-	52
-	1	1	3	-	-	1	-	1	-	-	1	-	-	-	-	-	53
1,339	1,338	1,297	1,294	1,108	844	685	516	330	239	147	84	69	20	6	-	-	54
1,056	1,061	985	1,009	833	637	550	408	253	191	103	62	45	12	4	-	-	55
283	277	312	285	275	207	135	108	77	48	44	22	24	8	2	-	-	56
428	387	370	423	355	301	282	224	162	102	66	43	33	7	4	-	-	57
139	114	134	113	144	112	87	64	65	39	37	18	20	7	1	-	-	58
617	661	596	574	471	330	264	177	86	87	33	18	10	5	-	-	-	59
142	160	172	166	125	91	46	41	11	9	6	4	4	1	1	-	-	60
11	13	19	12	7	6	2	7	5	2	4	1	2	-	-	-	-	61
2	3	6	6	6	4	2	3	1	-	1	-	-	-	-	-	-	62
878	865	804	772	657	502	398	279	162	128	60	30	24	4	2	-	-	63
697	693	623	615	502	374	322	226	126	103	44	23	16	3	2	-	-	64
181	172	181	157	128	76	53	36	25	16	7	8	1	1	-	-	-	65
271	260	248	275	229	190	173	124	84	55	28	15	12	1	2	-	-	66
97	78	93	73	92	78	53	33	32	21	13	7	7	1	-	-	-	67
422	424	363	334	270	183	147	101	42	48	16	8	4	2	-	-	-	68
84	93	86	82	62	49	23	19	4	4	3	-	1	-	-	-	-	69
4	9	12	6	3	1	2	1	-	-	-	-	-	-	-	-	-	70
-	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	71
296	310	320	330	262	183	130	95	63	45	21	16	10	2	-	-	-	72
231	258	257	269	214	145	108	80	49	37	17	14	8	1	-	-	-	73
65	52	63	61	48	38	22	15	14	8	4	2	1	1	-	-	-	74
76	67	57	72	60	44	36	28	23	15	9	7	3	-	-	-	-	75
19	15	12	12	16	12	10	7	12	6	3	1	1	1	-	-	-	76
152	189	195	194	153	100	71	51	24	21	8	6	5	1	-	-	-	77
45	36	51	48	30	25	12	8	2	2	1	1	1	-	-	-	-	78
3	2	5	3	1	1	1	1	2	1	-	1	-	-	-	-	-	79
1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	80
103	102	147	164	171	150	147	134	103	66	66	38	35	14	4	-	-	81
66	49	79	97	99	109	110	94	76	51	42	25	21	8	2	-	-	82
37	53	68	67	72	41	37	40	27	15	24	13	14	6	2	-	-	83
45	28	48	57	58	63	65	67	53	32	29	21	18	6	2	-	-	84
23	21	29	28	36	22	24	24	24	12	21	10	12	5	1	-	-	85
18	19	29	37	39	42	44	22	20	18	9	4	1	2	-	-	-	86
13	31	35	36	33	17	11	14	5	3	2	3	2	1	1	-	-	87
3	2	2	3	2	4	1	5	3	1	4	-	2	-	-	-	-	88
1	1	4	3	2	2	2	2	1	-	1	-	-	-	-	-	-	89





Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ALL CAUSES.....	1,828,136	1,035,200	792,936	910,511	694,987	124,689	97,949
02 I. INFECTIVE AND PARASITIC DISEASES.....	17,833	11,469	6,364	8,671	4,664	2,798	1,700
03 TUBERCULOSIS, ALL FORMS.....001-019	7,934	5,789	2,145	4,323	1,474	1,466	671
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	7,358	5,446	1,912	4,115	1,349	1,331	563
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	143	77	66	44	30	33	36
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	43	18	25	9	10	9	15
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	60	35	25	28	23	7	2
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	112	77	35	57	25	20	10
09 DISSEMINATED TUBERCULOSIS.....019	218	136	82	70	37	66	45
10 SYPHILIS AND ITS SEQUELAE.....020-029	2,434	1,732	702	1,288	501	444	201
11 CONGENITAL SYPHILIS.....020	34	20	14	10	7	10	7
12 EARLY SYPHILIS.....021	1	1	-	-	-	1	-
13 ANEURYSM OF AORTA.....022	1,504	1,079	425	903	342	176	83
14 OTHER CARDIOVASCULAR SYPHILIS.....023	549	399	150	213	75	186	75
15 TABES DORSALIS.....024	43	31	12	31	11	-	1
16 GENERAL PARALYSIS OF INSANE.....025	96	66	30	45	24	21	6
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	157	106	51	70	32	36	19
18 ALL OTHER SYPHILIS.....027-029	50	30	20	16	10	14	10
19 GONOCOCCAL INFECTION.....030-035	9	7	2	3	-	4	2
20 TYPHOID FEVER.....040	6	2	4	1	2	1	2
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	87	50	37	34	25	16	12
22 CHOLERA.....043	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	6	3	3	2	3	1	-
24 DYSENTERY, ALL FORMS.....045-048	243	141	102	83	48	58	54
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	24	11	13	7	7	4	6
26 SCARLET FEVER.....050	5	3	2	3	2	7	-
27 STREPTOCOCCAL SORE THROAT.....051	58	28	30	21	20	7	10
28 ERYSIPELAS.....052	12	5	7	5	7	-	-
29 SEPTICEMIA AND PYEMIA.....053	2,443	1,318	1,125	1,026	857	292	268
30 DIPHTHERIA.....055	18	10	8	5	5	5	3
31 WHOOPING COUGH.....056	55	34	21	14	9	20	12
32 MENINGOCOCCAL INFECTIONS.....057	890	483	407	394	320	89	87
33 PLAGUE.....058	1	1	-	-	-	1	-
34 LEPROSY.....060	3	2	1	2	-	-	1
35 TETANUS.....061	181	112	69	64	44	48	25
36 ANTHRAX.....062	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	16	7	9	5	8	2	1
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	128	85	43	79	42	6	1
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	500	252	248	209	214	43	34
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	63	42	21	41	19	1	2
41 SMALLPOX.....084	-	-	-	-	-	-	-
42 MEASLES.....085	276	129	147	91	101	38	46
43 YELLOW FEVER.....091	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	707	290	417	247	359	43	58
45 RABIES.....094	2	1	1	1	1	-	-
46 TICK-BORNE TYPHUS.....104	16	8	8	8	6	-	2
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	1	-	-	-	1	-
48 MALARIA.....110-117	8	8	-	7	-	1	-
49 SCHISTOSOMIASIS.....123	4	4	-	4	-	-	-
50 HYDATID DISEASE.....125	7	4	3	4	2	-	1
51 FILARIOSIS.....127	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	2	-	2	-	1	-	1
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	66	36	30	12	9	24	21
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,628	871	757	688	578	183	179
55 II. NEOPLASMS.....	302,646	163,828	138,818	147,483	125,421	16,345	13,397
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	297,588	161,422	136,166	145,374	123,168	16,048	12,998
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,501	4,924	1,577	4,400	1,402	524	175
58 OF LIP.....140	172	149	23	148	20	1	3
59 OF TONGUE.....141	1,611	1,232	379	1,091	352	141	27
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	2,040	1,419	621	1,261	553	158	68
61 OF PHARYNX.....145-148	2,678	2,124	554	1,900	477	224	77
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	94,305	51,253	43,052	45,474	39,179	5,779	3,873
63 OF ESOPHAGUS.....150	5,542	4,236	1,306	3,341	1,048	895	258
64 OF STOMACH.....151	18,027	11,059	6,968	9,383	6,085	1,676	883
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	745	406	339	369	320	37	19
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	32,000	14,897	17,103	13,858	15,858	1,039	1,245
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,498	2,014	2,484	1,879	2,337	135	147
68 TRANSVERSE COLON.....153.1	1,551	725	826	666	770	59	56
69 DESCENDING COLON.....153.2	1,196	559	637	528	590	31	47
70 SIGMOID COLON.....153.3	6,022	2,862	3,160	2,715	2,973	147	187
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	59	24	35	23	23	1	1
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	17,022	7,950	9,072	7,340	8,329	610	743
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,652	752	900	696	836	56	64
74 OF RECTUM.....154	10,533	5,962	4,571	5,519	4,214	443	357
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	6,589	2,928	3,661	2,578	3,430	350	231
76 LIVER.....155.0	2,084	1,369	715	1,125	648	244	67
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	4,505	1,559	2,946	1,453	2,782	106	164
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,195	1,703	1,492	1,451	1,338	252	154
79 OF PANCREAS.....157	16,002	9,237	6,765	8,264	6,150	973	615
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	1,672	825	847	711	736	114	111

## SECTION I - GENERAL MORTALITY

1-163

and Sex: United States and Each State, 1965

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,535	12,535	8,764	6,069	5,167	1,335	603	232	303	197	12,000	6,667	4,105	739	489	01
459	152	79	148	80	35	4	1	14	16	231	131	45	30	25	02
260	95	39	87	39	12	3	-	4	5	121	79	17	17	8	03
245	92	37	83	33	11	3	-	4	4	109	74	15	15	5	04
6	2	1	1	2	1	-	-	-	1	2	1	-	-	-	05
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
2	-	1	1	-	-	-	-	-	-	5	2	1	1	1	08
7	1	-	2	4	-	-	-	-	-	3	2	-	1	-	09
39	13	4	16	6	-	-	-	-	-	13	12	1	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
20	10	4	4	2	-	-	-	-	-	11	10	1	-	-	13
11	1	-	7	3	-	-	-	-	-	1	1	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	16
5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	17
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	-	1	-	-	-	-	-	-	-	2	1	-	-	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
6	1	1	4	1	-	-	-	-	-	7	1	-	4	2	24
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	25
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	26
2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
52	18	9	10	15	3	-	-	3	-	26	10	7	5	4	29
5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	30
4	-	3	1	1	-	-	-	-	-	-	-	-	-	-	31
19	8	5	3	3	5	-	-	2	3	9	3	3	1	2	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
4	1	-	1	2	-	-	-	-	-	1	1	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	37
6	3	1	2	-	3	1	-	1	1	5	1	3	-	1	38
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
11	-	2	3	6	-	-	-	-	-	7	2	1	2	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
10	4	5	1	-	-	-	-	-	-	7	4	-	-	3	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
7	-	1	4	2	-	-	-	-	-	1	-	1	-	-	51
26	5	6	11	4	11	-	1	4	6	26	13	10	1	2	52
4,357	1,796	1,390	607	564	146	69	38	23	16	1,896	995	781	70	50	55
4,275	1,769	1,363	597	546	143	69	37	21	16	1,875	980	775	70	50	56
100	61	21	13	5	4	4	-	-	-	43	25	15	3	-	57
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	58
22	13	5	2	2	3	3	-	-	-	10	6	3	1	-	59
46	27	11	5	3	-	-	-	-	-	10	7	2	1	-	60
31	20	5	6	-	1	1	-	-	-	22	11	10	1	-	61
1,133	447	379	175	132	45	24	8	8	5	537	272	223	25	17	62
64	29	8	14	13	7	2	-	4	1	26	15	6	4	1	63
247	87	68	57	35	11	5	2	2	2	104	55	37	8	4	64
10	4	5	1	-	-	-	-	-	-	7	4	2	1	-	65
340	132	147	26	35	10	6	4	-	-	147	64	81	1	1	66
38	13	14	5	6	-	-	-	-	-	21	7	14	-	-	67
4	2	-	-	-	1	-	1	-	-	4	3	1	-	-	68
9	8	-	-	1	-	-	-	-	-	6	1	5	-	-	69
52	20	28	1	3	3	2	1	-	-	33	18	14	-	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
220	83	100	16	21	5	3	2	-	-	78	31	46	1	-	72
17	6	3	4	4	1	1	-	-	-	5	4	1	-	-	73
85	27	38	14	6	2	2	-	-	-	51	30	19	1	1	74
73	27	29	13	4	-	-	-	-	-	48	17	22	5	4	75
40	17	9	12	2	-	-	-	-	-	14	8	4	1	1	76
33	10	20	1	2	-	-	-	-	-	34	9	18	4	3	77
55	20	15	9	11	3	3	-	-	-	17	9	6	-	2	78
235	114	63	37	21	11	6	2	1	2	127	72	48	3	4	79
24	7	6	4	7	1	-	-	1	-	10	6	2	2	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.							
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED							
03 AS SECONDARY.....160-164	52,039	43,798	8,241	39,793	7,494	4,005	747
04 OF LARYNX.....161	2,629	2,326	303	2,073	268	253	35
05 OF BRONCHUS & TRACHEA, C OF LUNG SPEC. AS PRIMARY.....162	20,354	17,570	2,784	15,954	2,545	1,616	239
06 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	28,129	23,309	4,820	21,230	4,382	2,079	438
07 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	927	593	334	536	299	57	35
08 MALIGNANT NEOPLASM OF BREAST.....170	27,048	243	26,805	221	24,627	22	2,178
09 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	40,454	16,880	23,574	14,720	20,360	2,160	3,214
10 OF CERVIX UTERI.....171	8,053	...	8,053	...	6,392	...	1,661
11 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,785	...	5,785	...	4,962	...	823
12 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,933	...	8,933	...	8,281	...	652
13 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	803	...	803	...	725	...	78
14 OF PROSTATE.....177	15,911	15,911	...	13,819	...	2,092	...
15 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	969	969	...	901	...	68	...
16 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,901	9,094	4,807	8,453	4,379	641	428
17 OF KIDNEY.....180	5,634	3,508	2,126	3,726	1,981	242	145
18 OF BLADDER AND OTHER URINARY ORGANS.....181	8,267	5,586	2,681	5,187	2,398	399	283
19 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED							
20 SITES.....156B,165,190-199	34,644	18,797	15,847	17,135	14,339	1,662	1,508
21 OF SKIN.....190,191	4,605	2,711	1,894	2,592	1,805	119	89
22 OF EYE.....192	338	172	166	161	154	11	12
23 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	7,014	4,108	2,906	3,859	2,734	249	172
24 OF THYROID GLAND.....194	1,532	360	692	350	640	25	52
25 OF BONE.....196	1,813	1,092	721	988	646	104	75
26 OF CONNECTIVE TISSUE.....197	1,262	692	570	623	514	69	56
27 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	1,586	956	630	872	562	84	68
28 OF UNSPECIFIED SITES.....156B,165,198,199B	16,974	8,706	8,268	7,705	7,284	1,001	984
29 LEUKEMIA AND ALEUKEMIA.....204	13,628	7,840	5,788	7,274	5,403	566	385
30 LYMPHOSARCOMA, ETC.....200-203,205	15,068	8,593	6,475	7,904	5,985	689	490
31 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	7,250	4,134	3,116	3,870	2,970	264	146
32 HODGKINS DISEASE.....201	3,394	2,066	1,328	1,920	1,234	146	94
33 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC							
34 TISSUES.....202-203,205	4,424	2,393	2,031	2,114	1,781	279	250
35 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	5,058	2,406	2,652	2,109	2,253	297	399
36 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	355	...	355	...	228	...	127
37 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1,006	429	577	370	509	59	68
38 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	989	548	441	474	388	74	53
39 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	24	...	24	...	21	...	3
40 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,707	918	789	821	702	97	87
41 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	977	511	466	444	405	67	61
42 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND							
43 NUTRITIONAL DISEASES.....	44,136	19,198	24,938	16,690	21,120	2,508	3,818
44 39 ASTHMA.....241	4,520	2,649	1,871	2,226	1,544	423	327
45 40 NONTOXIC GOITER.....250,251	55	7	48	5	38	2	10
46 41 THYROIDITIS WITH OR WITHOUT GOITER.....252	438	96	342	71	284	25	58
47 42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	384	93	291	88	268	5	23
48 43 DIABETES MELLITUS.....260	33,174	13,588	19,586	11,922	16,610	1,666	2,976
49 44 DISEASES OF THYMUS GLAND.....273	68	49	19	41	12	8	7
50 45 DISEASES OF ADRENAL GLANDS.....274	454	203	251	176	229	27	22
51 46 PELLAGRA.....281	22	9	13	6	11	3	2
52 47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,521	741	780	597	651	144	129
53 48 CYSTIC FIBROSIS.....289A	610	307	303	289	285	18	18
54 49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	2,890	1,456	1,434	1,269	1,188	187	246
55 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,561	2,804	2,757	2,337	2,301	467	456
56 51 ANEMIAS.....290-293	3,539	1,743	1,796	1,396	1,433	347	363
57 52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	423	180	243	167	228	13	15
58 53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	3,116	1,563	1,553	1,229	1,205	334	348
59 54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	741	345	396	311	351	34	45
60 55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	1,281	716	565	630	517	86	48
61 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	4,988	3,385	1,603	2,620	1,284	765	319
62 57 SENILE PSYCHOSIS.....304	279	107	172	100	161	7	11
63 58 ALCOHOLIC PSYCHOSIS.....307	520	466	54	376	36	90	18
64 59 OTHER PSYCHOSSES.....300-303,305,306,308,309	786	382	404	332	364	50	40
65 60 ALCOHOLISM.....322	2,665	2,046	619	1,502	424	544	195
66 61 MENTAL DEFICIENCY.....325	518	278	240	241	215	37	25
67 62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	220	106	114	69	84	37	30
68 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	215,913	101,482	114,431	87,459	99,646	14,023	14,785
69 64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	201,057	93,520	107,537	80,823	93,768	12,697	13,769
70 65 SUBARACHNOID HEMORRHAGE.....330	8,272	3,590	4,682	2,974	3,824	616	858
71 66 CEREBRAL HEMORRHAGE.....331	109,193	51,239	57,954	43,414	49,572	7,825	8,382
72 67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	63,680	29,636	34,044	26,455	30,651	3,181	3,393
73 68 OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	19,912	9,055	10,857	7,980	9,721	1,075	1,136
74 69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	2,363	1,313	1,050	920	706	393	344
75 70 MULTIPLE SCLEROSIS.....345	1,530	607	923	565	858	42	65
76 71 PARALYSIS AGITANS.....350	3,003	1,592	1,411	1,537	1,373	55	38
77 72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	690	381	309	321	244	60	65
78 73 EPILEPSY.....353	1,881	1,136	745	803	563	333	182
79 74 INFLAMMATORY DISEASES OF EYE.....370-379	12	7	5	7	3	2	2
80 75 CATARACT.....385	28	11	17	7	15	4	2
81 76 GLAUCOMA.....387	5	3	2	3	2	-	-
82 77 OTITIS MEDIA AND MASTOIDITIS.....391-393	230	119	111	92	82	27	29
83 78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	5,114	2,793	2,321	2,381	2,032	412	289

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
774	552	72	131	19	29	17	5	5	2	375	304	59	10	2
29	21	5	2	1	-	-	-	-	-	13	13	-	-	-
334	235	22	70	7	10	8	1	-	1	178	146	26	5	1
398	289	41	57	11	19	9	4	5	1	183	145	32	5	1
13	7	4	2	-	-	-	-	-	-	-	-	-	-	-
338	2	240	-	96	8	-	8	-	-	145	1	142	-	2
751	181	280	119	171	22	10	6	2	4	264	109	132	8	15
219	...	109	...	110	4	...	2	...	2	63	...	53	...	10
88	...	53	...	35	1	...	1	...	-	21	...	20	...	1
136	...	112	...	24	5	...	3	...	2	58	...	54	...	4
8	...	6	...	2	-	...	-	...	-	5	...	5	...	-
276	163	...	113	...	12	10	...	2	...	108	100	...	8	...
24	18	...	6	...	-	-	...	-	...	9	9	...	-	...
154	78	44	21	11	3	2	7	1	-	93	48	37	3	5
62	37	18	5	2	3	2	-	1	-	47	21	19	3	4
92	41	26	16	9	-	-	-	-	-	46	27	18	-	1
612	269	189	71	83	20	6	9	2	3	203	93	89	14	7
103	63	34	3	3	2	1	1	-	-	39	20	17	2	-
9	1	4	2	2	-	-	-	-	-	2	-	1	1	-
91	60	21	6	4	1	-	1	-	-	36	19	15	1	1
15	2	5	3	5	1	-	-	1	-	12	3	7	-	2
36	12	15	4	4	-	-	-	-	-	5	2	3	-	21
20	7	5	2	2	-	-	-	-	-	10	4	5	1	-
33	16	12	3	2	3	-	2	-	1	7	3	1	3	-
305	108	93	47	57	13	5	5	1	2	92	42	40	6	4
194	80	70	31	13	7	4	1	1	1	105	60	37	6	2
219	99	68	36	16	5	2	-	2	1	110	68	41	1	-
93	41	34	16	2	2	1	-	-	1	49	33	16	-	-
54	31	11	9	3	1	1	-	-	-	28	19	9	-	-
72	27	23	11	11	2	-	-	2	-	33	16	16	1	-
82	27	27	10	18	3	-	1	2	-	21	15	6	-	-
6	...	3	...	3	-	...	-	...	-	-	...	-	...	-
14	6	8	-	-	-	-	-	-	-	3	1	2	-	-
13	8	2	2	1	1	-	-	1	-	6	4	2	-	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
34	11	8	4	11	1	1	-	-	-	4	3	1	-	-
14	2	6	4	2	1	-	1	-	-	8	7	1	-	-
746	206	268	90	182	13	3	5	4	1	317	165	121	14	17
68	27	21	10	10	3	-	2	1	-	86	57	27	2	-
3	-	1	-	2	-	-	-	-	-	-	-	-	-	-
14	1	5	3	5	-	-	-	-	-	-	-	-	-	-
2	-	2	-	-	-	-	-	-	-	3	1	1	-	-
541	138	193	64	146	7	3	3	1	-	177	81	76	7	13
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
9	5	3	-	1	1	-	-	-	1	6	2	2	1	1
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
29	6	13	4	6	-	-	-	-	-	13	6	5	1	1
19	7	11	1	-	-	-	-	-	-	4	2	1	1	-
57	20	18	7	12	2	-	-	2	-	28	16	9	2	1
117	30	30	33	24	2	1	-	1	-	40	19	17	4	-
85	20	19	26	20	2	1	-	1	-	29	16	12	1	-
4	1	1	2	-	-	-	-	-	-	3	2	1	-	-
81	19	18	24	20	2	1	-	1	-	26	14	11	1	-
14	3	6	3	2	-	-	-	-	-	6	1	4	1	-
18	7	5	4	2	-	-	-	-	-	5	2	1	2	-
112	41	25	31	15	22	7	5	2	8	43	32	5	4	2
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-
5	4	-	1	-	4	3	-	1	-	7	6	-	-	1
23	6	11	1	5	-	-	-	-	-	3	2	-	-	1
64	25	4	25	10	17	4	4	1	8	24	18	3	3	-
12	4	4	4	-	-	-	-	-	-	6	4	1	1	-
5	2	3	-	-	1	-	1	-	-	2	2	-	-	-
4,817	1,431	1,571	864	951	84	35	24	14	11	1,148	542	518	39	49
4,569	1,346	1,503	809	911	70	32	24	7	7	1,023	476	482	33	32
138	41	57	18	22	8	4	2	-	2	49	22	21	2	4
2,690	762	790	543	595	37	14	15	3	5	528	254	239	18	17
1,296	408	503	184	201	16	10	3	3	-	328	141	170	10	7
445	135	153	64	93	9	4	4	1	-	118	59	52	3	4
44	11	10	10	13	8	2	-	4	2	36	14	7	3	12
13	8	4	1	-	-	-	-	-	-	11	5	6	-	-
29	16	12	-	1	2	-	-	1	1	20	10	9	-	1
15	5	3	5	2	-	-	-	-	-	6	3	2	-	1
41	12	8	13	8	1	-	-	1	-	13	10	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	-	-	1	1	1	-	-	1	-	1	-	-	-	1
104	33	31	25	15	2	1	-	-	1	38	24	11	2	1



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	789,135	452,281	336,854	412,542	303,305	39,739	33,549
02 DISEASES OF HEART.....400-402,410-443	712,087	412,831	299,256	377,420	269,650	35,411	29,606
03 RHEUMATIC FEVER.....400-402	483	259	224	202	173	57	51
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	14,988	6,511	8,477	5,961	7,788	550	589
05 DISEASES OF MITRAL VALVE.....410	5,999	2,383	3,616	2,211	3,366	172	250
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1,741	1,162	579	1,098	547	64	32
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	764	310	454	290	421	20	33
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	6,484	2,656	3,828	2,362	3,454	294	374
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	559,293	340,077	219,216	316,770	201,967	23,307	17,249
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	152,455	75,304	77,151	68,909	71,291	6,395	5,860
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	406,499	264,577	141,922	247,691	130,557	16,886	11,365
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	339	196	143	170	119	26	24
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	3,963	2,287	1,676	2,015	1,482	272	194
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	147	77	70	66	59	11	11
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,347	1,528	819	1,393	741	135	78
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	1,469	682	787	556	682	126	105
17 OTHER MYOCARDIAL DEGENERATION.....422	49,215	23,763	25,452	21,187	22,964	2,576	2,488
18 WITH ARTERIOSCLEROSIS.....422.1	40,467	19,426	21,041	17,435	19,105	1,991	1,936
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	8,748	4,337	4,411	3,752	3,859	585	552
20 OTHER DISEASES OF HEART.....430-434	29,177	16,197	12,980	13,515	10,835	2,682	2,145
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	716	454	262	395	222	59	60
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	1,089	608	481	494	385	114	86
23 FUNCTIONAL DISEASE OF HEART.....433	8,643	4,277	4,366	3,801	3,870	476	496
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	18,729	10,858	7,871	8,825	6,358	2,033	1,513
25 HYPERTENSIVE HEART DISEASE.....440-443	54,968	23,737	31,231	17,770	24,441	5,967	6,790
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	12,027	5,727	6,300	4,719	5,342	1,008	958
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	42,941	18,010	24,931	13,051	19,099	4,959	5,832
28 OTHER HYPERTENSIVE DISEASE.....444-447	11,667	5,942	5,725	4,624	4,672	1,318	1,053
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	6,848	3,727	3,121	3,185	2,709	542	412
30 ESSENTIAL HYPERTENSION.....444,445,447	4,819	2,215	2,604	1,439	1,963	776	641
31 DISEASES OF ARTERIES.....450-456	53,057	27,175	25,882	25,071	23,810	2,104	2,072
32 GENERAL ARTERIOSCLEROSIS.....450	38,102	17,299	20,803	15,907	19,385	1,392	1,418
33 AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	10,964	7,911	3,053	7,426	2,756	485	297
34 GANGRENE OF UNSPECIFIED CAUSE.....455	302	159	143	130	114	29	29
35 OTHER ARTERIAL DISEASES.....452-454,456	3,689	1,806	1,883	1,608	1,555	198	328
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	12,324	6,333	5,991	5,427	5,173	906	818
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	99,769	64,225	35,544	55,741	30,121	8,484	5,423
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	745	417	328	310	246	107	82
39 INFLUENZA.....480-483	2,295	1,064	1,231	881	1,021	183	210
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	59,608	33,909	25,699	27,967	21,442	5,942	4,257
41 LOBAR PNEUMONIA.....490	8,955	5,466	3,489	4,378	2,824	1,088	665
42 BRONCHOPNEUMONIA.....491	32,719	18,402	14,317	15,535	12,227	2,867	2,090
43 PRIMARY ATYPICAL PNEUMONIA.....492	5,693	3,191	2,502	2,602	2,035	589	467
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	12,241	6,850	5,391	5,452	4,356	1,398	1,035
45 ACUTE BRONCHITIS.....500	1,004	599	405	490	337	109	68
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	4,768	3,639	1,129	3,393	1,032	246	97
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	77	35	42	32	34	3	8
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	868	635	233	486	183	149	50
49 PLEURISY.....519	183	113	70	88	62	25	8
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,223	2,673	1,550	2,299	1,276	374	274
51 BRONCHIECTASIS.....526	1,708	1,094	614	997	590	97	24
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	20,587	17,388	3,199	16,398	2,970	930	229
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	18,664	16,151	2,513	15,367	2,397	784	116
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	1,923	1,237	686	1,031	573	206	113
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	3,703	2,659	1,044	2,400	928	259	116
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	71,900	41,762	30,138	36,554	26,268	5,208	3,870
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	70	37	33	29	21	8	12
58 ULCER OF STOMACH.....540	5,403	3,633	1,770	3,266	1,611	367	159
59 ULCER OF DUODENUM.....541	5,021	3,728	1,293	3,468	1,191	260	102
60 GASTRITIS AND DUODENITIS.....543	456	290	166	257	136	33	30
61 APPENDICITIS.....550-553	1,694	1,072	622	895	519	177	103
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	10,003	4,668	5,335	4,084	4,763	584	572
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	3,443	1,781	1,662	1,100	1,099	681	563
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	4,000	1,731	2,269	1,636	2,123	95	146
65 CIRRHOSIS OF LIVER.....581	24,715	15,984	8,731	13,931	7,409	2,053	1,322
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	16,286	10,249	6,037	9,053	5,226	1,196	811
67 WITH ALCOHOLISM.....581.1	8,429	5,735	2,694	4,878	2,183	857	511
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,666	1,960	2,706	1,883	2,533	77	173
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	12,429	6,878	5,551	6,005	4,863	873	688
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,455	17,715	12,740	14,355	10,133	3,360	2,607
71 NEPHRITIS AND NEPHROSIS.....590-594	11,920	6,623	5,297	5,143	4,033	1,480	1,264
72 ACUTE NEPHRITIS.....590	547	253	294	207	189	87	64
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	778	436	342	352	249	84	73
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	10,595	5,893	4,702	4,584	3,575	1,309	1,127
75 INFECTIONS OF KIDNEY.....600	9,813	4,652	5,161	3,775	4,204	877	957
76 CALCULI OF URINARY SYSTEM.....602,604	1,205	633	572	571	505	67	67
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2,951	1,871	1,080	1,475	935	396	145
78 HYPERPLASIA OF PROSTATE.....610	3,413	3,413	---	2,953	---	460	---
79 DISEASES OF BREAST.....620,621	6	1	5	1	5	---	---
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	1,147	522	625	437	451	85	174

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965--Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11,842	5,074	3,300	1,814	1,654	309	198	57	34	20	4,281	2,566	1,501	141	73	01
10,614	4,650	2,947	1,602	1,415	262	169	44	30	19	3,800	2,312	1,298	130	60	02
12	2	1	4	5	-	-	-	-	-	4	1	2	1	-	03
130	48	50	14	18	9	7	1	1	-	124	46	65	4	-	04
49	17	16	7	9	4	3	1	-	-	57	16	37	-	4	05
14	10	5	-	1	-	-	-	-	-	11	9	1	-	-	06
9	3	5	-	5	1	1	-	-	-	7	5	1	-	1	07
58	18	25	7	8	4	3	-	1	-	49	16	26	3	4	08
7,426	3,486	2,101	905	734	192	130	33	19	10	3,116	1,988	996	98	34	09
1,552	548	580	211	213	31	15	8	6	2	1,012	549	404	48	11	10
5,869	3,136	1,520	693	520	160	115	24	13	8	2,102	1,437	592	50	23	11
5	2	1	1	1	1	1	-	-	-	2	2	-	-	-	12
48	15	12	10	11	-	-	-	-	-	18	9	7	1	1	13
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	14
28	12	4	5	7	-	-	-	-	-	11	6	3	1	1	15
20	3	8	5	4	-	-	-	-	-	5	3	2	-	-	16
778	271	273	105	129	9	5	1	2	1	183	102	70	5	6	17
582	202	208	78	94	5	4	-	1	-	148	80	61	3	4	18
196	69	65	27	35	4	1	1	1	1	35	22	9	2	2	19
839	349	187	174	129	47	25	6	8	8	137	75	51	7	4	20
10	4	1	3	2	1	-	-	-	1	1	1	1	-	-	21
26	8	11	3	4	1	-	1	-	-	4	1	1	1	-	22
122	48	40	16	18	3	23	-	7	7	44	21	19	3	1	23
681	289	135	152	105	42	23	5	7	7	86	49	31	3	3	24
1,381	279	323	390	389	5	2	3	-	-	218	91	107	14	6	25
271	62	86	61	62	1	1	-	-	-	37	22	12	2	1	26
1,110	217	237	329	327	4	1	3	-	-	181	69	95	12	5	27
237	52	46	71	68	3	1	1	1	-	75	39	33	1	2	28
102	34	29	15	24	2	1	-	-	-	50	30	19	-	1	29
135	18	17	56	44	1	-	-	-	-	25	9	14	1	1	30
814	304	246	116	148	37	26	10	10	-	342	182	144	6	10	31
607	205	201	84	117	30	20	9	1	-	220	98	113	4	5	32
126	71	17	28	10	6	6	-	-	-	92	65	22	2	3	33
6	1	2	2	1	-	-	-	-	-	1	1	-	-	-	34
75	27	26	2	20	1	-	1	-	-	29	18	9	-	2	35
177	68	61	25	23	7	2	2	2	1	64	33	26	4	1	36
1,683	687	426	325	245	107	33	12	37	25	1,041	663	252	68	58	37
15	5	3	4	3	5	-	-	3	2	6	-	3	1	2	38
90	16	47	8	19	7	1	6	-	-	12	4	7	-	1	39
1,035	325	259	251	200	61	17	5	23	16	484	240	140	54	50	40
216	62	51	66	37	6	-	-	-	-	61	37	13	6	5	41
456	177	108	95	76	24	4	2	10	8	271	126	86	32	27	42
86	21	24	19	10	6	2	-	-	2	37	19	10	4	4	43
275	65	76	66	68	21	4	1	11	5	115	58	31	12	14	44
11	7	2	1	1	1	1	-	-	-	7	2	5	-	-	45
62	38	16	7	1	5	1	1	1	2	70	56	9	4	1	46
1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	47
18	5	4	7	2	2	-	-	-	-	7	4	1	1	1	48
2	-	1	-	-	1	-	-	-	-	1	-	-	-	-	49
73	36	19	9	9	5	2	2	-	1	41	26	12	1	2	50
16	10	6	-	-	-	-	-	-	-	40	25	15	-	-	51
312	222	57	27	6	15	9	2	3	1	353	294	52	6	1	52
284	214	44	22	4	11	9	2	-	-	342	288	47	6	1	53
28	8	13	5	2	4	-	-	3	1	11	6	5	-	-	54
48	23	11	10	4	4	2	1	1	-	20	11	8	1	-	55
949	391	274	160	124	75	13	14	19	29	614	293	222	52	47	56
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	57
56	34	10	10	7	2	1	2	-	-	47	28	18	1	-	58
82	48	17	10	2	5	2	1	2	1	44	31	11	1	1	59
5	2	-	1	-	1	-	-	-	-	3	-	1	2	-	60
16	7	5	2	2	1	-	-	1	-	16	8	5	2	1	61
145	51	51	19	24	8	-	1	6	1	75	29	39	2	5	62
115	24	16	44	31	23	-	-	8	15	68	16	14	22	16	63
48	20	22	4	2	4	-	2	-	2	29	9	19	1	-	64
225	107	54	41	23	19	6	8	1	4	211	116	60	17	18	65
169	81	44	30	14	13	3	7	1	2	125	65	43	9	8	66
56	26	10	11	9	6	3	1	-	2	86	51	17	8	10	67
62	22	33	1	6	3	1	-	-	2	47	16	26	1	4	68
194	75	66	27	26	10	3	2	1	4	72	38	29	3	2	69
729	247	169	174	139	11	6	1	2	2	198	100	78	9	11	70
323	89	64	89	81	3	2	-	-	1	59	27	25	3	4	71
30	8	8	8	6	6	-	-	-	-	6	2	4	-	-	72
6	1	3	6	6	6	-	-	-	-	5	3	2	-	-	73
277	80	53	75	69	3	2	-	-	1	48	22	19	3	4	74
234	94	74	30	36	3	1	1	-	1	86	34	40	5	7	75
35	9	15	5	5	5	-	-	-	-	9	6	9	-	-	76
39	10	14	5	5	4	-	-	-	-	14	7	6	1	-	77
67	34	...	33	...	4	3	...	1	...	23	23	...	...	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
31	11	6	3	11	-	-	-	-	-	7	3	4	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,189	...	1,189	...	656	...	533
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	147	...	147	...	86	...	61
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	211	...	211	...	108	...	103
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	187	...	187	...	119	...	68
05 ECTOPIC PREGNANCY.....645	70	...	70	...	27	...	43
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	67	...	67	...	29	...	38
07 ABORTION WITH SEPSIS.....651	158	...	158	...	74	...	84
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	10	...	10	...	3	...	7
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	339	...	339	...	210	...	129
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,185	789	1,396	623	1,115	166	281
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	481	249	232	197	191	52	41
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,704	540	1,164	426	924	114	240
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	3,849	1,724	2,125	1,591	1,958	133	167
14 ARTHRITIS AND SPONDYLOITIS.....720-725	2,000	703	1,297	655	1,212	48	85
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED...726,727	71	21	50	16	44	5	6
16 OSTEOMYELITIS AND PERIOSTITIS.....730	172	91	81	78	62	13	19
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	113	52	61	48	55	4	6
18 INBORN DEFECT OF MUSCLE.....744,1	689	518	171	490	158	28	13
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744,0,744,2	804	339	465	304	427	35	38
20 XIV. CONGENITAL MALFORMATIONS.....	19,512	10,375	9,137	8,825	7,822	1,550	1,315
21 SPINA BIFIDA AND MENINGOCELE.....751	1,323	547	776	490	726	57	50
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,887	967	920	802	766	165	154
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	9,955	5,439	4,516	4,673	3,765	816	751
24 OTHER CONGENITAL MALFORMATIONS...750,755-759	6,347	3,422	2,925	2,910	2,565	512	360
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	55,398	32,504	22,894	24,279	16,587	8,225	6,307
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS...	23,414	13,929	9,485	9,404	5,979	4,525	3,506
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,188	885	1,303	686	1,049	199	254
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	21,226	13,044	8,182	8,718	4,930	4,326	3,252
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	140,253	97,730	42,523	81,337	36,607	16,393	5,916
30 ACCIDENTS.....E800-E900	108,004	74,062	33,942	63,024	29,510	11,038	4,432
31 RAILWAY ACCIDENTS.....E800-E802	962	870	92	678	79	192	13
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	49,163	35,584	13,579	31,144	12,058	4,440	1,521
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	48,050	34,770	13,280	30,425	11,798	4,345	1,482
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,556	1,108	448	1,017	416	91	32
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	8,117	5,787	2,330	4,614	1,876	1,173	454
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	21,300	14,583	6,717	13,101	6,140	1,482	577
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	12,939	10,300	2,639	9,112	2,333	1,188	306
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	4,138	2,992	1,146	2,581	1,033	411	113
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,113	814	299	719	260	95	39
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	319	222	97	205	95	17	2
41 WATER TRANSPORT ACCIDENTS.....E850-E858	1,493	1,364	129	1,173	111	191	18
42 AIRCRAFT ACCIDENTS.....E860-E866	1,529	1,317	212	1,284	202	33	10
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS...E870-E888	2,110	1,159	951	866	794	293	157
44 ACCIDENTAL POISONING BY GASES AND VAPORS...E890-E895	1,526	1,106	420	975	345	131	75
45 ACCIDENTAL FALLS.....E900-E904	19,984	9,972	10,012	8,895	9,511	1,077	501
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,802	3,943	1,859	3,387	1,686	556	173
47 FALL ON SAME LEVEL.....E903	5,738	2,541	3,197	2,335	3,089	206	108
48 UNSPECIFIED FALLS.....E904	8,444	3,488	4,956	3,173	4,736	315	220
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	1,493	1,414	79	1,193	65	221	14
50 ACCIDENT CAUSED BY MACHINERY.....E912	2,054	1,968	86	1,763	82	205	4
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1,071	998	73	886	66	112	7
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	7,347	4,383	2,964	3,184	1,994	1,199	970
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	420	240	180	165	124	75	56
54 ACCIDENT CAUSED BY FIREARM.....E919	2,344	2,034	310	1,641	211	393	99
55 INHALATION AND INGESTION OF OBJECTS, ETC...E921,E922	1,836	1,089	747	906	583	183	164
56 ACCIDENTAL DROWNING.....E929	5,485	4,545	940	3,518	807	1,027	133
57 EXCESSIVE HEAT AND INSOLATION.....E931	106	79	27	48	19	31	8
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	1,494	721	773	621	658	100	115
59 ALL OTHER ACCIDENTS.....RESIDUAL	7,268	4,997	2,271	3,879	1,706	1,118	565
60 SUICIDE.....E963-E970-E979	21,507	15,490	6,017	14,624	5,718	866	299
61 SUICIDE BY POISONING.....E970-E973	5,995	3,179	2,816	3,079	2,729	100	87
62 SUICIDE BY HANGING AND STRANGULATION.....E974	3,197	2,453	744	2,298	689	155	55
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,898	8,457	1,441	8,025	1,365	432	76
64 SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	2,417	1,401	1,016	1,222	935	179	81
65 HOMICIDE.....E964,E980-E985	10,712	6,148	2,564	3,660	1,379	4,488	1,185
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	6,158	4,807	1,351	2,152	772	2,655	579
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	2,292	1,847	445	555	154	1,292	291
68 ASSAULT BY OTHER MEANS...E964,E980,E983	1,984	1,216	768	793	453	423	315
69 INJURY BY INTERVENTION OF POLICE.....E984	271	271	-	154	-	117	-
70 EXECUTION.....E985	7	7	-	6	-	1	-
71 INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	30	30	-	29	-	1	-



SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	19,287	9,002	5,812	2,461	2,012	152,907	80,292	61,848	6,459	4,308
02 I. INFECTIVE AND PARASITIC DISEASES.....	254	114	50	58	32	1,402	791	391	142	78
03 TUBERCULOSIS, ALL FORMS.....001-019	109	58	16	25	10	596	377	123	71	25
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	99	51	14	24	10	545	357	101	65	22
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	7	4	2	1	-	15	3	8	2	2
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	4	2	2	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	-	-	-	-	-	10	5	5	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	2	-	-	-	7	4	2	1	-
09 DISSEMINATED TUBERCULOSIS.....019	1	1	-	-	-	15	6	5	3	1
10 SYPHILIS AND ITS SEQUELAE.....020-029	35	18	3	10	4	230	141	53	21	15
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	3	1	1	1	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	21	16	2	1	2	138	90	33	9	6
14 OTHER CARDIOVASCULAR SYPHILIS.....023	13	2	1	8	2	61	36	11	7	7
15 TABES DORSALIS.....024	-	-	-	-	-	1	-	1	-	-
16 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	9	5	2	2	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	17	9	4	2	2
18 ALL OTHER SYPHILIS.....027-029	1	-	-	1	-	1	-	1	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	8	3	4	-	1
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	1	-	1	-	-	1	-	1	-	-
24 DYSENTERY, ALL FORMS.....045-048	8	1	3	4	-	20	11	6	2	1
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	1	-	1	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	33	14	9	7	3	178	79	74	17	8
30 DIPHTHERIA.....055	-	-	-	-	-	1	-	1	-	-
31 WHOOPING COUGH.....056	1	-	-	1	-	5	3	2	-	-
32 MENINGOCOCCAL INFECTIONS.....057	6	2	-	3	1	80	41	26	6	7
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	7	4	-	1	2	8	4	3	1	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	1	-	1	-	-	2	1	1	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	1	-	-	-	11	7	4	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	7	2	3	2	-	40	19	15	3	3
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	7	6	-	1	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	8	2	3	1	2	11	3	7	1	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	7	2	2	2	1	69	24	37	4	4
45 RABIES.....094	-	-	-	-	-	1	-	1	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	1	-	-	-	1
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	-	-	-	1	3	3	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	29	10	9	2	8	129	69	32	15	13
55 II. NEOPLASMS.....	2,855	1,365	962	296	232	26,444	13,122	11,592	991	739
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	2,797	1,348	931	293	225	26,010	12,923	11,396	974	717
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	54	30	15	6	3	612	415	146	44	7
58 OF LIP.....140	2	1	1	-	-	16	16	-	-	-
59 OF TONGUE.....141	12	7	2	3	-	150	103	36	10	1
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	20	9	8	2	1	180	113	51	12	4
61 OF PHARYNX.....145-148	20	13	4	1	2	266	183	59	22	2
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	788	343	258	116	71	7,800	3,780	3,429	378	213
63 OF ESOPHAGUS.....150	40	19	9	9	3	445	283	102	46	14
64 OF STOMACH.....151	154	67	30	41	16	1,506	824	537	102	43
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	1	1	-	-	63	29	33	1	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	253	109	93	21	30	2,555	1,074	1,350	66	65
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	20	7	9	3	1	387	166	202	12	7
68 TRANSVERSE COLON.....153.1	7	3	2	1	1	148	65	72	5	6
69 DESCENDING COLON.....153.2	7	1	4	-	2	105	44	57	2	2
70 SIGMOID COLON.....153.3	36	17	13	2	4	552	226	296	12	18
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	6	3	2	1	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	172	76	60	15	21	1,261	530	668	33	30
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	11	5	5	-	1	96	40	53	1	2
74 OF RECTUM.....154	58	22	22	10	4	882	439	391	36	16
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	43	15	23	3	2	627	264	302	36	25
76 LIVER.....155.0	11	5	3	2	1	226	125	60	31	10
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	32	10	20	1	1	401	139	242	5	15
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	57	18	28	8	3	168	89	62	15	2
79 OF PANCREAS.....157	156	85	44	17	10	1,406	716	577	69	44
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	25	7	8	7	3	148	62	75	7	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16,220	8,928	6,766	307	219	25,646	13,443	11,119	609	475	4,540	2,151	1,615	465	309	01
172	100	60	9	3	215	116	78	10	11	48	19	13	9	7	02
61	46	13	1	1	84	53	22	6	3	20	4	4	7	5	03
57	42	13	1	1	78	50	21	5	2	19	4	4	6	5	04
-	-	-	-	-	2	-	-	1	1	1	-	-	1	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	07
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	08
2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	09
22	14	3	5	-	28	16	9	-	3	9	5	2	2	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
18	12	3	3	-	24	16	6	-	2	6	2	2	2	-	13
2	-	-	2	-	3	-	2	-	1	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	1	-	-	-	1	-	1	-	-	3	3	-	-	-	17
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	1	1	1	1	1	1	-	-	-	2	1	1	-	-	24
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
38	17	20	-	1	45	18	21	3	3	4	1	2	-	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
7	4	2	1	-	7	7	-	-	-	3	2	1	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	37
3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	38
8	3	5	-	-	5	4	1	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	1	2	-	-	5	3	2	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
9	2	6	1	-	5	-	5	-	-	3	2	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	46
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
11	5	6	-	-	30	10	17	1	2	3	2	1	-	-	53
2,400	1,222	1,116	33	29	4,685	2,453	2,065	97	70	760	331	299	76	54	55
2,353	1,199	1,094	32	28	4,584	2,395	2,026	95	68	745	328	288	76	53	56
40	28	11	1	-	119	87	23	8	1	13	9	2	2	-	57
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	58
16	11	5	-	-	34	29	2	3	-	3	1	1	1	-	59
11	7	3	1	-	37	24	10	2	1	4	3	1	1	-	60
11	8	3	-	-	47	33	11	3	-	6	5	1	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
707	383	303	8	13	1,553	820	676	33	24	229	78	102	34	15	62
31	25	6	-	-	102	64	27	9	2	21	8	6	6	1	63
138	90	39	4	5	310	191	108	5	6	39	12	15	8	4	64
13	7	6	-	-	15	9	5	-	1	2	1	1	-	-	65
218	100	114	2	2	572	255	298	8	11	85	29	42	7	7	66
35	15	19	-	1	85	37	47	-	11	11	4	4	3	-	67
12	5	7	-	-	20	9	11	-	6	6	3	2	-	1	68
13	7	6	-	-	21	10	10	1	-	2	-	2	-	-	69
24	11	13	-	-	123	56	62	2	3	14	6	6	1	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
126	55	68	2	1	284	124	148	5	7	48	16	24	3	5	72
8	7	1	-	-	39	19	20	-	-	4	-	4	-	-	73
62	35	27	-	-	186	101	78	4	3	18	8	7	3	-	74
67	27	35	-	5	107	54	52	1	-	16	3	9	2	2	75
11	6	5	-	-	22	14	7	1	-	6	2	2	2	-	76
56	21	30	-	5	85	40	45	-	-	10	1	7	-	2	77
24	9	15	-	-	44	22	19	3	-	2	2	-	-	-	78
143	85	55	2	1	199	116	80	3	-	39	15	15	8	1	79
11	5	6	-	-	18	8	9	-	1	7	-	7	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
<b>MALIGNANT NEOPLASMS, ETC.—CON.</b>										
01 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	536	420	57	48	11	4,780	3,641	844	244	51
02 OF LARYNX.....161	22	14	2	5	1	211	163	29	17	2
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	203	168	16	16	1	2,346	1,799	397	123	27
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	307	235	39	25	8	2,134	1,627	384	101	22
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	4	3	-	-	1	89	52	34	3	-
06 MALIGNANT NEOPLASM OF BREAST.....170	181	2	151	1	27	2,461	19	2,325	6	111
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	439	145	175	58	61	3,321	1,278	1,777	86	180
08 OF CERVIX UTERI.....171	107	...	76	...	31	663	...	566	...	97
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	47	...	30	...	17	427	...	393	...	34
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	78	...	67	...	11	814	...	770	...	44
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	4	...	2	...	2	53	...	48	...	5
12 OF PROSTATE.....177	194	137	...	57	...	1,279	1,198	...	81	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	9	8	...	1	...	85	80	...	5	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	123	64	40	12	7	1,237	762	413	43	19
15 OF KIDNEY.....180	42	23	15	2	2	472	264	181	21	6
16 OF BLADDER AND OTHER URINARY ORGANS.....181	81	41	25	10	5	765	498	232	22	13
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,19D-199	401	177	153	36	35	3,225	1,623	1,434	87	81
18 OF SKIN.....190,191	57	25	26	4	2	447	243	187	9	8
19 OF EYE.....192	6	5	1	-	-	32	17	14	-	1
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	67	38	24	4	1	706	381	297	16	12
21 OF THYROID GLAND.....194	8	2	4	1	1	79	33	43	2	1
22 OF BONE.....196	19	9	6	2	2	141	78	53	6	4
23 OF CONNECTIVE TISSUE.....197	10	4	3	2	1	121	58	53	6	4
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	21	10	6	2	3	124	61	54	5	4
25 OF UNSPECIFIED SITES.....156B,165,198,199B	213	84	83	21	25	1,575	752	733	43	47
26 LEUKEMIA AND ALEUKEMIA.....204	143	85	45	6	7	1,179	645	468	44	22
27 LYMPHOSARCOMA, ETC.....200-203,205	132	82	37	10	3	1,395	760	560	42	33
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	62	41	18	3	-	725	403	289	17	16
29 HODGKINS DISEASE.....201	31	20	7	2	2	281	157	108	11	5
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	39	21	12	5	1	389	200	163	14	12
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	58	17	31	3	7	434	199	196	17	22
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	-	...	3	21	...	16	...	5
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	4	2	2	-	-	113	53	41	10	9
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	8	2	5	-	1	100	52	39	5	4
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...233-235	-	...	-	...	-	2	...	2	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC...237	33	12	18	2	1	132	67	61	2	2
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	10	1	6	1	2	66	27	37	-	2
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	332	101	137	37	57	2,892	1,191	1,418	133	150
39 ASTHMA.....241	33	14	8	5	6	431	223	160	29	19
40 NONTOXIC GOITER.....250,251	1	-	1	-	-	4	-	4	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	6	1	1	1	3	32	9	19	1	3
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	-	2	-	-	39	13	26	-	-
43 DIABETES MELLITUS.....260	244	64	107	29	44	1,912	763	969	81	99
44 DISEASES OF THYMUS GLAND.....273	1	-	-	-	-	9	5	2	1	1
45 DISEASES OF ADRENAL GLANDS.....274	4	1	3	-	-	36	12	22	-	2
46 PELLAGRA.....281	1	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	11	4	5	-	2	123	53	58	5	7
48 CYSTIC FIBROSIS.....289A	9	7	2	-	-	52	23	23	2	4
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	20	10	7	2	1	254	90	135	14	15
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	49	27	12	7	3	433	198	183	23	29
51 ANEMIAS.....290-293	29	14	7	5	3	253	109	106	17	21
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	-	1	-	-	20	11	8	1	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	28	14	6	5	3	233	98	98	16	21
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	5	4	1	-	-	72	28	36	2	6
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	15	9	4	2	-	108	61	41	4	2
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	26	18	3	4	1	511	310	146	41	14
57 SENILE PSYCHOSIS.....304	4	2	1	1	-	20	9	10	1	-
58 ALCOHOLIC PSYCHOSIS.....307	1	1	-	-	-	72	55	7	8	2
59 OTHER PSYCHOSES.....300-303,305,306,308,309	3	1	1	1	-	84	47	34	2	1
60 ALCOHOLISM.....322	13	11	1	1	-	282	177	68	27	10
61 MENTAL DEFICIENCY.....325	5	3	-	1	1	41	19	19	2	1
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	12	3	8	1	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,772	1,005	948	384	435	17,501	7,252	9,126	583	540
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	2,635	946	903	370	416	16,224	6,661	8,567	513	483
65 SUBARACHNOID HEMORRHAGE.....330	63	27	21	8	7	896	328	466	46	56
66 CEREBRAL HEMORRHAGE.....331	1,754	627	618	234	275	7,521	3,113	3,957	243	208
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	552	209	182	86	75	5,957	2,489	3,100	183	185
68 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	266	83	82	42	59	1,850	731	1,044	41	34
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	24	7	8	3	6	227	96	85	25	21
70 MULTIPLE SCLEROSIS.....345	9	4	5	-	-	127	45	78	1	3
71 PARALYSIS AGITANS.....350	29	17	9	1	2	253	129	113	4	7
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	12	3	4	2	3	37	21	10	2	4
73 EPILEPSY.....353	16	5	5	2	4	126	60	45	14	7
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	3	1	2	-	-
75 CATARACT.....385	-	-	-	-	-	3	1	1	1	-
76 GLAUCOMA.....387	-	-	-	-	-	1	-	1	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	2	1	1	-	-	11	4	6	1	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	45	22	13	6	4	489	234	218	22	15

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
287	232	48	6	1	743	605	109	23	6	164	115	15	27	7
7	7	-	-	-	54	48	4	2	-	10	7	1	2	-
103	85	16	2	-	168	135	26	5	2	91	61	10	16	4
171	136	30	4	1	510	416	75	15	4	59	44	4	9	2
6	4	2	-	-	11	6	4	1	-	4	3	-	-	1
248	-	243	-	5	465	8	446	1	10	62	-	51	-	11
340	153	178	6	3	505	205	280	7	13	104	34	54	7	9
62	...	60	...	2	79	...	73	...	6	27	...	22	...	5
45	...	44	...	1	72	...	67	...	5	12	...	11	...	1
72	...	72	...	-	131	...	129	...	2	22	...	19	...	3
2	...	2	...	-	11	...	11	...	-	2	...	2	...	-
153	147	...	6	...	205	199	...	6	...	36	29	...	7	...
6	...	...	-	...	7	...	6	...	1	5	...	5	...	...
111	63	46	2	-	207	127	69	6	5	24	15	7	-	1
44	24	20	-	-	80	48	29	1	2	11	6	4	1	-
67	39	26	2	-	127	79	40	5	3	13	9	3	-	1
320	181	131	5	3	562	284	263	10	5	98	54	36	1	7
43	26	17	-	-	64	32	31	1	-	16	13	3	-	-
7	3	4	-	-	7	4	3	-	-	-	-	-	-	-
68	41	26	-	1	128	63	61	4	-	18	10	8	-	-
10	3	6	1	-	19	5	12	-	2	2	1	1	-	-
13	7	4	2	-	24	12	11	1	-	4	2	2	-	-
14	9	5	-	-	11	2	9	-	-	6	5	1	-	-
7	4	3	-	-	25	17	8	-	-	2	1	1	-	-
158	88	66	2	2	284	149	128	4	3	50	22	20	1	7
152	81	69	1	1	185	107	73	2	3	34	17	15	1	1
148	78	65	3	2	245	152	87	5	1	17	6	6	3	2
83	48	33	2	-	120	68	50	2	-	8	3	3	1	2
24	15	9	-	-	57	43	12	1	1	2	1	-	1	-
41	15	23	1	2	68	41	25	2	-	7	2	3	1	1
47	23	22	1	1	101	58	39	2	2	15	3	11	-	1
9	...	5	...	-	1	...	1	...	-	-	...	-	...	-
7	4	2	-	1	12	5	6	-	-	3	2	1	-	-
...	...	...	...	-	1	...	1	...	-	...	...	...	...	-
24	11	12	1	-	50	35	15	-	-	8	1	6	-	1
7	4	3	-	-	28	14	11	1	2	1	-	1	-	-
324	143	167	6	8	593	253	306	16	18	126	53	54	6	13
44	16	27	-	1	52	30	17	3	2	4	3	-	-	1
...	...	...	...	-	...	...	...	...	-	...	...	...	...	-
4	...	4	-	-	4	1	3	-	-	2	-	1	1	-
7	1	6	-	-	7	3	4	-	-	1	1	-	-	-
203	93	102	4	4	471	187	257	12	15	100	38	46	5	11
...	...	...	...	-	...	...	...	...	-	...	...	...	...	-
6	3	3	-	-	6	4	2	-	-	-	-	-	-	-
...	...	...	...	-	...	...	...	...	-	...	...	...	...	-
19	7	10	1	1	11	3	8	-	-	6	3	3	-	-
12	8	4	-	-	7	3	4	-	-	1	1	1	-	-
29	15	11	1	2	35	22	11	1	1	12	7	4	-	1
50	25	21	4	-	64	33	24	4	3	13	2	4	4	3
28	15	10	3	-	44	25	13	3	3	9	2	3	3	1
2	...	1	1	-	6	4	2	-	-	1	-	-	1	-
26	15	9	2	-	38	21	11	3	3	8	2	3	2	1
10	3	7	-	-	8	2	6	-	-	-	-	-	-	-
12	7	4	1	-	12	6	5	1	-	4	-	1	1	2
47	28	14	2	3	99	51	30	16	2	20	5	7	8	-
6	4	2	-	-	1	-	1	-	-	-	-	-	-	-
2	1	-	-	1	3	1	1	1	-	3	1	1	1	-
6	4	2	-	-	12	6	5	-	1	2	1	1	-	-
28	15	9	2	2	74	39	20	14	1	12	3	3	6	-
3	3	-	-	-	7	4	3	-	-	3	-	2	1	-
2	1	1	-	-	2	1	-	1	-	-	-	-	-	-
1,753	779	924	26	24	2,882	1,199	1,560	57	66	393	151	187	33	22
1,603	706	851	26	20	2,686	1,102	1,479	49	56	348	131	173	27	17
65	25	35	1	4	135	45	76	8	6	20	8	10	-	2
944	422	496	19	7	1,254	527	670	25	32	166	59	82	12	13
444	197	236	5	6	1,046	437	581	12	16	126	50	62	12	2
150	62	84	1	3	251	93	152	4	2	36	14	19	3	-
18	11	6	1	1	23	11	10	1	1	11	4	3	3	1
24	7	16	-	1	23	12	11	-	-	2	1	1	-	-
36	18	18	-	-	38	24	14	-	-	9	5	4	-	-
7	4	3	-	-	9	5	2	2	2	-	-	-	-	-
11	6	5	-	-	28	13	9	3	3	7	1	2	3	1
...	...	...	...	-	...	...	...	...	-	...	...	...	...	-
...	...	...	...	-	...	...	...	...	-	...	...	...	...	-
7	5	-	-	2	3	1	1	-	1	3	1	1	-	2
47	22	25	-	-	72	31	34	2	5	13	9	3	-	1



SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	7,854	3,961	2,382	810	701	63,172	34,622	25,235	1,969	1,346
02 DISEASES OF HEART.....400-402,410-443	7,126	3,651	2,104	727	644	57,163	31,721	22,511	1,755	1,176
03 RHEUMATIC FEVER.....400-402	1	1	-	-	-	43	20	17	2	4
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	74	37	24	7	6	1,489	625	794	41	29
05 DISEASES OF MITRAL VALVE.....410	29	16	6	2	5	706	263	412	15	16
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	7	5	2	-	-	211	138	65	6	2
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	2	2	-	-	-	85	31	51	1	2
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	36	14	16	5	1	487	193	266	19	9
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	5,546	3,103	1,621	476	346	43,476	25,376	16,184	1,208	708
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,240	547	480	119	94	10,962	5,144	5,301	308	209
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	4,301	2,554	1,139	357	251	32,498	20,224	10,877	898	499
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	5	2	2	-	1	16	8	6	2	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	35	11	6	8	10	366	226	117	13	10
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	2	1	-	1	14	9	5	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	9	2	1	3	3	293	191	88	9	5
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	23	8	4	5	6	59	26	24	4	5
17 OTHER MYOCARDIAL DEGENERATION.....422	323	125	119	31	48	6,529	3,327	2,862	201	139
18 WITH ARTERIOSCLEROSIS.....422.1	241	92	118	19	32	6,082	3,129	2,638	190	125
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	82	33	21	12	16	447	198	224	11	14
20 OTHER DISEASES OF HEART.....430-434	548	224	143	93	88	1,514	713	676	78	47
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	7	4	1	1	1	78	50	20	4	4
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	6	1	2	2	1	101	41	41	13	6
23 FUNCTIONAL DISEASE OF HEART.....433	104	36	37	13	18	623	277	313	17	16
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	431	183	103	77	68	712	345	302	44	21
25 HYPERTENSIVE HEART DISEASE.....440-443	599	150	191	112	146	3,746	1,434	1,861	212	239
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	124	41	36	20	27	487	210	232	24	21
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	475	109	155	92	119	3,259	1,224	1,629	188	218
28 OTHER HYPERTENSIVE DISEASE.....444-447	142	49	38	32	23	610	267	266	40	37
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	84	37	26	18	3	333	165	140	13	15
30 ESSENTIAL HYPERTENSION.....444,445,447	58	12	12	14	20	277	102	126	27	22
31 DISEASES OF ARTERIES.....450-456	478	205	205	40	28	4,459	2,207	2,046	120	84
32 GENERAL ARTERIOSCLEROSIS.....450	333	129	157	29	18	2,814	1,163	1,545	63	43
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	91	56	27	4	4	1,302	890	345	48	19
34 GANGRENE OF UNSPECIFIED CAUSE.....455	4	-	2	1	1	15	10	4	1	-
35 OTHER ARTERIAL DISEASES.....452-454,456	50	20	19	6	5	328	144	154	8	22
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	108	56	35	11	6	940	427	410	54	49
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,038	531	284	123	100	8,328	5,082	2,624	420	202
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	7	1	3	2	1	62	33	21	3	5
39 INFLUENZA.....480-483	58	14	12	15	17	62	20	38	2	2
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	612	262	188	85	77	4,412	2,312	1,723	238	139
41 LOBAR PNEUMONIA.....490	85	36	23	14	12	615	358	206	36	15
42 BRONCHOPNEUMONIA.....491	256	120	80	31	25	2,424	1,259	1,004	105	56
43 PRIMARY ATYPICAL PNEUMONIA.....492	37	15	15	5	2	809	396	283	78	52
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	234	91	70	35	38	564	299	230	19	16
45 ACUTE BRONCHITIS.....500	4	2	2	-	-	97	49	31	11	6
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	60	44	12	3	1	387	261	109	11	6
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
48 ERYPEMA AND ABSCESS OF LUNG.....518,521	6	2	2	2	-	67	39	18	9	1
49 PLEURISY.....519	-	-	-	-	-	18	11	2	5	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	45	27	14	3	1	459	230	170	40	19
51 BRONCHIECTASIS.....526	19	11	7	1	-	174	105	59	9	1
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	203	157	35	9	2	2,329	1,878	363	69	19
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	180	141	30	8	1	2,195	1,800	317	63	15
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	23	16	5	1	1	134	78	46	6	4
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	24	11	9	3	1	259	144	88	23	4
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	596	285	194	57	60	7,892	4,219	3,043	378	252
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	4	1	1	1	1
58 ULCER OF STOMACH.....540	44	29	8	3	4	531	318	180	23	10
59 ULCER OF DUODENUM.....541	37	23	7	5	2	501	338	135	20	8
60 GASTRITIS AND DUODENITIS.....543	1	-	-	-	1	40	19	19	2	-
61 APPENDICITIS.....550-553	20	8	5	3	4	111	67	38	4	2
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	112	39	53	7	13	856	368	432	25	31
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	44	12	9	15	8	154	55	79	11	9
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	20	7	10	-	3	351	138	197	7	9
65 CIRRHOSIS OF LIVER.....581	139	82	35	12	10	3,932	2,232	1,329	222	149
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	112	63	30	10	9	1,881	1,047	662	95	77
67 WITH ALCOHOLISM.....581.1	27	19	5	2	1	2,051	1,185	667	127	72
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	39	19	18	-	2	361	152	194	7	8
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	140	66	49	12	13	1,051	531	439	56	25
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	400	161	93	86	60	2,282	1,156	845	167	114
71 NEPHRITIS AND NEPHROSIS.....590-594	199	66	45	41	47	817	411	282	80	44
72 ACUTE NEPHRITIS.....590	10	3	2	4	1	41	17	23	-	1
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	13	6	2	3	2	54	24	19	9	2
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	176	57	41	34	44	722	370	240	71	41
75 INFECTIONS OF KIDNEY.....600	136	59	40	26	11	811	337	391	37	46
76 CALCULI OF URINARY SYSTEM.....602,604	3	2	1	-	-	106	48	46	7	5
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	21	5	6	10	-	215	116	73	16	10
78 HYPERPLASIA OF PROSTATE.....610	29	2	-	8	-	224	201	-	23	-
79 DISEASES OF BREAST.....620-621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	12	8	1	1	2	108	43	52	4	9

## SECTION 1 - GENERAL MORTALITY

1-175

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,634	3,669	2,789	103	73	11,540	6,168	5,085	159	128	2,170	1,074	800	165	131	01
5,814	3,268	2,389	92	65	10,297	5,607	4,438	143	109	1,996	1,000	728	149	119	02
5	3	2	-	-	4	1	3	-	-	2	2	-	-	-	03
215	94	116	2	3	233	100	126	5	2	32	13	12	3	4	04
93	33	58	2	-	85	30	54	1	-	16	7	5	1	3	05
25	22	3	-	-	36	22	14	-	-	4	4	-	-	-	06
8	3	5	-	-	2	-	2	-	-	2	1	1	-	-	07
89	36	50	-	3	110	48	56	4	2	10	1	6	2	1	08
4,648	2,767	1,761	79	41	8,765	4,967	3,604	113	81	1,383	775	461	90	57	09
1,247	644	556	27	20	3,238	1,581	1,556	56	45	311	125	143	24	19	10
3,399	2,122	1,204	52	21	5,526	3,385	2,048	57	36	1,072	650	318	66	38	11
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	12
30	16	14	-	-	57	28	28	1	-	13	5	5	1	2	13
3	-	3	-	-	1	1	-	-	-	-	-	-	-	-	14
20	14	6	-	-	44	23	20	1	-	8	4	4	-	2	15
7	2	5	-	-	12	4	8	-	-	5	1	4	-	-	16
287	127	156	-	4	439	176	258	3	2	250	112	109	15	14	17
203	86	113	-	4	377	157	216	2	2	231	101	101	15	14	18
84	41	43	-	-	62	19	42	1	-	19	11	8	-	-	19
300	138	149	6	7	248	134	97	9	8	80	32	35	8	5	20
12	8	3	-	1	5	5	-	-	-	4	2	1	-	1	21
9	5	4	-	-	12	10	-	2	-	-	-	-	-	-	22
126	44	75	2	5	112	61	47	-	4	22	8	9	4	1	23
153	81	67	4	1	119	58	50	7	4	54	22	25	4	3	24
329	123	191	5	10	551	201	322	12	16	236	61	106	32	37	25
141	58	79	1	3	128	50	72	3	3	22	9	9	2	2	26
188	65	112	4	7	423	151	250	9	13	214	52	97	30	35	27
90	32	53	4	1	167	82	78	4	3	24	9	10	2	3	28
59	26	30	3	-	104	55	45	2	2	11	4	6	1	-	29
31	6	23	1	1	63	27	33	2	1	13	5	4	1	3	30
564	279	279	2	4	870	392	460	9	9	122	55	53	8	6	31
407	186	217	4	4	646	254	381	3	8	86	35	42	4	4	32
116	77	37	2	-	155	108	41	5	1	28	19	5	4	-	33
3	1	2	-	-	4	1	3	-	-	3	-	2	-	1	34
38	15	23	-	-	65	29	35	1	-	5	1	4	-	-	35
166	90	68	5	3	206	87	109	3	7	28	10	9	6	3	36
1,297	823	434	26	14	1,397	848	484	36	29	214	127	46	30	11	37
21	10	9	2	-	5	3	2	-	-	1	1	-	-	-	38
22	10	10	-	2	18	6	11	1	-	2	1	-	1	-	39
780	440	314	16	10	909	496	363	26	24	96	53	24	14	5	40
121	72	46	3	-	132	83	43	1	5	13	10	2	1	-	41
411	233	163	11	4	451	255	177	8	11	55	33	13	5	4	42
57	33	22	-	2	78	40	32	4	2	4	2	-	2	-	43
191	102	83	2	4	248	118	111	13	6	24	8	9	6	1	44
11	6	4	-	1	10	7	3	-	-	2	2	-	-	-	45
58	50	7	1	-	76	59	16	1	-	6	4	2	-	-	46
3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	47
8	6	-	-	-	14	9	2	3	-	5	3	-	2	-	48
2	-	-	-	-	12	5	2	-	-	1	-	-	-	-	49
27	16	11	-	-	43	27	14	-	2	34	12	8	8	6	50
18	10	6	2	-	29	20	8	1	-	6	4	2	-	-	51
306	245	57	4	-	237	196	39	1	1	55	43	8	4	-	52
288	234	50	4	-	307	178	29	-	-	49	39	7	3	-	53
18	11	7	-	-	20	18	10	1	1	6	4	1	1	-	54
41	30	10	1	-	44	20	21	1	2	6	4	2	-	-	55
691	384	288	8	11	1,097	611	438	26	22	160	84	36	25	15	56
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	57
58	33	24	1	-	74	50	24	-	-	8	6	1	1	-	58
65	45	20	-	-	74	53	20	1	-	13	10	1	2	-	59
9	7	2	-	-	7	1	5	1	-	-	-	-	-	-	60
15	7	7	1	-	15	4	10	1	-	1	1	-	-	-	61
99	41	55	1	2	145	62	76	2	5	17	11	4	-	2	62
28	15	13	-	-	28	11	15	1	1	12	2	2	5	3	63
28	14	14	-	-	82	37	45	-	-	10	6	2	1	1	64
209	126	76	3	4	390	237	132	11	10	63	26	19	12	6	65
136	80	54	-	2	258	153	93	7	5	39	16	11	7	5	66
73	46	22	3	2	132	84	39	4	5	24	10	8	5	1	67
50	24	24	1	1	85	41	41	1	2	5	3	2	-	-	68
130	72	53	1	4	195	114	70	8	3	31	19	5	4	3	69
258	147	94	12	5	368	193	143	16	16	69	33	19	11	6	70
86	49	29	7	1	150	75	62	5	8	29	16	10	2	1	71
3	3	-	-	-	4	1	2	-	-	-	-	-	-	-	72
3	3	-	-	-	11	6	4	-	1	3	1	2	-	-	73
80	43	29	7	1	135	68	56	5	6	26	15	8	2	1	74
87	39	45	1	2	118	52	55	5	6	21	7	7	4	3	75
5	4	1	-	-	14	7	6	-	1	6	4	1	1	-	76
39	21	15	2	1	45	27	13	5	-	8	3	1	3	1	77
32	30	...	2	...	29	28	...	1	...	3	2	...	1	...	78
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	79
9	4	4	-	1	11	4	6	-	1	2	1	-	-	1	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	...	2	...	8	104	...	78	...	26
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	-	...	1	5	...	4	...	1
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	1	...	-	...	1	15	...	11	...	4
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	2	...	2	...	-	11	...	9	...	2
05 ECTOPIC PREGNANCY.....645	1	...	-	...	1	4	...	2	...	2
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	15	...	8	...	7
07 ABORTION WITH SEPSIS.....651	-	...	-	...	-	24	...	17	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	-	...	3	30	...	27	...	3
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	32	13	9	3	7	172	50	99	10	13
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	3	1	-	-	34	11	18	3	2
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	28	10	8	3	7	138	39	81	7	11
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	36	15	18	-	3	362	143	199	8	12
14 ARTHRITIS AND SPONDYLITIS.....720-725	19	6	11	-	2	190	55	127	3	5
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	-	-	-	1	2	-	2	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	1	-	-	17	6	8	1	2
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	7	2	4	-	1
18 INBORN DEFECT OF MUSCLE.....744,1	5	3	2	-	-	57	44	12	1	-
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744,0,744,2	10	6	4	-	-	89	36	46	3	4
20 XIV. CONGENITAL MALFORMATIONS.....	190	66	69	35	20	1,791	884	737	92	78
21 SPINA BIFIDA AND MENINGOCELE.....751	10	2	8	-	-	55	26	27	1	1
22 CONGENITAL HYDROCEPHALUS, ETC...752,753	20	5	6	4	5	158	69	73	8	8
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	93	31	33	17	12	997	494	395	57	51
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	67	28	22	14	3	581	295	242	26	18
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	499	186	126	110	77	4,676	2,277	1,589	481	329
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	591	205	153	134	99	411	208	166	26	11
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	89	16	27	28	18	69	24	42	2	1
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	502	189	126	106	81	342	184	124	24	10
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,753	949	370	317	117	14,534	8,787	4,377	995	375
30 ACCIDENTS.....E800-E962	1,436	792	313	230	101	10,305	6,352	3,108	601	244
31 RAILWAY ACCIDENTS.....E800-E802	18	8	2	6	2	95	73	10	12	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	657	395	166	77	19	4,952	3,263	1,274	302	113
33 MOTOR VEHICLE TRAFFIC ACCIDENTS...E810-E825	642	391	160	75	16	4,816	3,161	1,248	296	111
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN...E810	25	16	6	3	-	120	82	31	6	1
35 TRAFFIC ACCIDENT TO PEDESTRIAN...E812	82	46	14	19	3	844	507	235	76	26
36 OTHER TRAFFIC ACCIDENTS, ETC...E811,E813-E819	202	123	61	15	3	2,227	1,403	641	129	54
37 NONCOLLISION TRAFFIC ACCIDENTS...E820-E824	101	76	15	9	1	1,504	1,091	303	84	26
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE...E825	232	130	64	29	9	121	78	38	1	4
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS...E830-E835	15	4	6	2	3	136	102	26	6	2
40 OTHER ROAD VEHICLE ACCIDENTS...E840-E845	4	4	-	-	-	38	18	19	1	-
41 WATER TRANSPORT ACCIDENTS...E850-E858	19	16	-	3	-	106	91	8	6	1
42 AIRCRAFT ACCIDENTS...E860-E866	18	18	-	-	-	281	240	30	11	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS...E870-E888	20	8	6	2	4	299	128	135	21	15
44 ACCIDENTAL POISONING BY GASES AND VAPORS...E890-E895	9	7	1	1	-	115	72	25	14	4
45 ACCIDENTAL FALLS...E900-E904	154	65	68	13	8	1,906	867	934	75	30
46 FALL FROM ONE LEVEL TO ANOTHER...E900-E902	33	16	11	6	-	455	281	139	29	6
47 FALL ON SAME LEVEL...E903	18	11	7	-	-	1,027	410	573	29	15
48 UNSPECIFIED FALLS...E904	103	38	50	7	8	424	176	222	17	9
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	23	16	-	6	1	91	78	9	4	-
50 ACCIDENT CAUSED BY MACHINERY...E912	32	20	1	10	1	131	121	4	6	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT...E914	19	18	-	1	-	71	62	5	4	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	148	46	27	36	39	465	252	163	31	19
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	1	-	-	-	1	41	17	16	3	5
54 ACCIDENT CAUSED BY FIREARM...E919	49	33	3	12	1	116	90	13	9	4
55 INHALATION AND INGESTION OF OBJECTS, ETC...E921,E922	19	9	3	3	4	205	127	66	5	7
56 ACCIDENTAL DROWNING...E929	63	29	11	21	2	562	393	113	47	9
57 EXCESSIVE HEAT AND INSOLATION...E931	3	2	1	-	-	15	6	5	2	2
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	16	9	2	3	2	247	114	113	7	13
59 ALL OTHER ACCIDENTS...RESIDUAL	164	89	22	36	17	569	340	166	41	22
60 SUICIDE...E963,E970-E979	174	116	44	12	2	3,236	1,993	1,080	101	62
61 SUICIDE BY POISONING...E970-E973	24	10	13	-	1	1,447	669	724	24	30
62 SUICIDE BY HANGING AND STRANGULATION...E974	7	7	-	-	-	339	242	64	17	16
63 SUICIDE BY FIREARM AND EXPLOSIVE...E976	132	97	28	6	1	1,117	891	172	40	14
64 SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	11	2	3	6	-	333	191	120	20	2
65 HOMICIDE...E964,E980-E985	143	41	13	75	14	990	439	189	293	69
66 ASSAULT BY FIREARM AND EXPLOSIVE...E981	104	30	7	58	9	518	210	92	179	37
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	19	2	-	14	3	190	80	27	69	14
68 ASSAULT BY OTHER MEANS...E964,E980,E983	17	6	6	3	2	247	121	70	38	18
69 INJURY BY INTERVENTION OF POLICE...E984	3	3	-	-	-	35	28	-	7	-
70 EXECUTION...E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	-	-	-	-	-	3	3	-	-	-



SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	DISTRICT OF COLUMBIA						FLORIDA			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	9,013	2,096	1,989	2,766	2,162	59,493	30,008	19,687	5,581	4,217
02 I. INFECTIVE AND PARASITIC DISEASES.....	161	26	13	83	39	602	248	149	128	77
03 TUBERCULOSIS, ALL FORMS.....001-019	102	16	3	58	25	216	96	35	58	27
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	93	15	2	53	23	201	95	31	54	21
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	3	-	-	1	2
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	4	1	1	1	1	1	-	1	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	-	-	1	-	2	-	1	1	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	4	1	1	1	1
09 DISSEMINATED TUBERCULOSIS.....D19	4	-	-	3	1	5	-	1	1	3
10 SYPHILIS AND ITS SEQUELAE.....020-029	18	4	2	11	1	78	34	10	25	9
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	2	-	-	1	1
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	7	3	2	2	-	49	27	9	11	2
14 OTHER CARDIOVASCULAR SYPHILIS.....023	9	1	-	7	1	17	2	1	10	4
15 TABES DORSALIS.....024	-	-	-	-	-	1	1	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	2	-	-	2	-	3	1	-	2	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	5	3	-	1	1
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	-	-	-	1
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	1	-	-	1	-
20 TYPHOID FEVER.....040	-	-	-	-	-	1	-	-	1	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	9	2	1	2	4
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	5	3	-	2	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	2	-	-	1	1
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	2	-	-	2	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	21	3	3	9	6	120	54	45	12	9
30 DIPHTHERIA.....055	1	-	-	-	1	1	-	-	1	-
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	4	-	1	1	2	31	11	10	5	5
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	-	-	-	-	-	10	1	2	4	3
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	1	1	-	-	1
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	3	1	1	1	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	-	-	-	-	-	18	7	6	2	3
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	2	2	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	1	-	-	-	1	9	1	3	3	2
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	2	-	1	-	1	33	10	17	2	4
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	1	1	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	1	-	1	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	1	-	1	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	5	1	1	1	2
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	11	2	3	4	2	53	24	17	5	7
55 II. NEOPLASMS.....	1,507	378	370	417	342	10,528	5,368	3,890	716	554
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	1,475	373	362	411	329	10,357	5,312	3,813	705	527
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	54	17	3	23	11	244	162	56	16	10
58 OF LIP.....140	-	-	-	-	-	3	2	1	-	-
59 OF TONGUE.....141	13	6	-	6	1	63	45	12	3	3
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	23	4	2	12	5	66	45	13	6	2
61 OF PHARYNX.....145-148	18	7	1	5	5	112	70	30	7	5
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	479	126	103	158	92	3,006	1,506	1,124	242	134
63 OF ESOPHAGUS.....150	67	12	5	37	13	207	96	43	58	10
64 OF STOMACH.....151	82	21	15	33	13	564	288	159	81	36
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	-	1	-	1	23	11	8	3	1
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	164	49	48	34	33	1,039	492	475	35	37
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	28	6	9	7	6	129	48	71	5	5
68 TRANSVERSE COLON.....153.1	6	1	2	1	2	36	12	21	1	2
69 DESCENDING COLON.....153.2	10	3	4	-	3	25	12	13	-	-
70 SIGMOID COLON.....153.3	24	10	8	1	5	177	90	73	4	10
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	-	1	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	92	28	25	23	16	616	303	274	21	18
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	4	1	-	2	1	55	27	22	4	2
74 OF RECTUM.....154	36	11	9	7	9	300	165	113	12	10
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	26	6	5	11	4	185	91	80	7	7
76 LIVER.....155.0	16	5	-	9	2	64	38	17	6	3
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	10	1	5	2	2	121	53	63	1	4
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	15	5	2	7	1	122	67	35	13	7
79 OF PANCREAS.....157	75	20	17	25	13	508	273	184	31	20
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	12	2	1	4	5	58	23	27	2	6



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
01 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	274	113	25	117	19	2,158	1,673	284	170	31
02 OF LARYNX.....161	36	18	2	14	2	108	86	6	12	4
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	125	43	6	70	6	827	674	90	55	8
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	108	49	17	33	9	1,185	892	177	98	18
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	5	3	-	-	2	38	21	11	5	1
06 MALIGNANT NEOPLASM OF BREAST.....170	155	-	81	-	74	845	9	749	3	84
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	195	27	53	38	77	1,417	505	648	106	158
08 OF CERVIX UTERI.....171	53	...	14	...	39	291	...	199	...	92
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	28	...	10	...	18	190	...	159	...	31
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	43	...	...	...	16	300	...	272	...	28
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	6	...	2	...	4	25	...	18	...	7
12 OF PROSTATE.....177	63	26	...	37	...	578	480	...	98	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	2	1	...	1	...	33	25	...	8	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	60	18	19	14	9	489	319	129	22	19
15 OF KIDNEY.....180	21	3	7	7	4	180	107	59	7	7
16 OF BLADDER AND OTHER URINARY ORGANS.....181	39	15	12	7	5	309	212	70	15	12
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,190-199	147	47	46	27	27	1,251	620	483	87	61
18 OF SKIN.....190,191	12	5	2	3	2	159	93	62	2	2
19 OF EYE.....192	1	-	-	-	1	13	7	3	2	1
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	29	12	10	5	2	259	132	106	13	8
21 OF THYROID GLAND.....194	3	-	1	-	2	21	5	15	1	-
22 OF BONE.....196	7	2	-	3	2	50	31	12	3	4
23 OF CONNECTIVE TISSUE.....197	6	1	5	-	-	35	14	12	4	3
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	10	1	3	3	3	64	36	21	4	3
25 OF UNSPECIFIED SITES.....1568,165,198,199B	79	26	25	13	15	650	302	252	57	39
26 LEUKEMIA AND ALEUKEMIA.....200-203,205	42	8	17	12	5	440	256	146	27	11
27 LYMPHOSARCOMA, ETC.....200-203,205	69	17	15	22	15	507	262	194	32	19
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	35	12	3	12	8	228	120	92	12	4
29 HODGKINS DISEASE.....201	13	-	6	4	3	124	67	44	7	6
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	21	5	6	6	4	155	75	58	13	9
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	32	5	8	6	13	171	56	77	11	27
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	1	...	2	16	...	8	...	8
33 BENIGN NEOPLASM OF BRAIN & DT. PTS. OF NERVOUS SYS...223	7	-	2	1	4	41	8	24	3	6
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	10	2	2	3	3	36	17	13	2	4
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	7	...	-	...	-	1	...	-	...	1
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	7	1	1	2	3	39	21	14	1	3
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	5	2	2	-	1	38	10	18	5	5
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	207	31	29	68	79	1,222	470	465	115	172
39 ASTHMA.....241	35	4	1	20	10	173	73	49	28	23
40 NONTOXIC GOITER.....250,251	1	-	-	-	1	4	2	1	-	1
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	3	-	-	1	-	10	1	7	-	2
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	1	-	-	-	7	1	6	-	-
43 DIABETES MELLITUS.....260	147	23	26	38	60	864	332	350	60	122
44 DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	1	-	1	-	-
45 DISEASES OF ADRENAL GLANDS.....274	2	-	-	1	1	19	6	7	4	2
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	9	-	1	5	3	44	14	16	7	7
48 CYSTIC FIBROSIS.....289A	2	-	1	1	1	17	8	6	2	1
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	9	3	1	2	3	83	33	22	14	14
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	20	6	4	3	7	197	82	61	28	26
51 ANEMIAS.....290-293	11	4	2	2	3	134	47	42	21	24
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	2	-	2	-	-	17	5	9	-	3
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	9	4	-	2	3	117	42	33	21	21
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	4	2	1	-	1	24	13	7	3	1
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	5	-	1	1	3	39	22	12	4	1
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	22	5	3	12	2	192	93	58	33	8
57 SENILE PSYCHOSIS.....304	-	-	-	-	-	18	4	12	2	-
58 ALCOHOLIC PSYCHOSIS.....307	6	2	-	3	1	28	20	5	3	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	-	-	-	-	-	32	15	14	2	1
60 ALCOHOLISM.....322	14	3	3	8	-	105	51	24	23	7
61 MENTAL DEFICIENCY.....325	2	-	-	1	1	5	2	1	2	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	4	1	2	1	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	873	182	276	194	221	7,403	3,074	2,948	667	714
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	803	171	260	173	199	6,922	2,894	2,780	594	654
65 SUBARACHNOID HEMORRHAGE.....330	67	8	18	16	25	315	101	152	22	40
66 CEREBRAL HEMORRHAGE.....331	373	84	105	84	100	3,533	1,410	1,378	364	381
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	314	70	115	62	67	2,443	1,130	986	155	172
68 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	49	9	22	11	7	631	253	264	53	61
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	21	2	3	8	8	94	21	18	29	26
70 MULTIPLE SCLEROSIS.....345	4	1	1	1	1	38	17	17	-	4
71 PARALYSIS AGITANS.....350	11	4	4	1	2	95	52	40	2	1
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	-	-	-	-	-	22	8	10	1	3
73 EPILEPSY.....353	10	1	-	5	4	66	14	21	21	10
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	2	-	1	1	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS...391-393	1	-	-	1	-	9	3	3	-	3
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	21	3	7	4	7	157	65	59	20	13

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					HAWAII				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
914	649	96	140	29	140	40	9	71	20	133	113	19	1	-
45	36	1	8	-	10	3	3	4	-	5	5	-	4	-
388	266	37	68	17	48	19	3	18	8	51	45	5	1	-
468	341	54	62	11	79	18	3	48	10	74	61	13	-	-
13	6	4	2	1	3	-	4	1	2	2	2	1	-	-
436	6	334	1	95	46	-	22	-	24	69	-	69	-	-
867	227	322	113	205	61	6	22	8	25	132	68	62	-	2
227	...	115	...	112	23	...	11	...	12	21	...	20	...	1
137	...	86	...	51	7	...	2	...	5	11	...	10	...	1
147	...	110	...	37	14	...	7	...	7	27	...	27	...	-
16	...	11	...	5	3	...	2	...	1	5	...	5	...	-
316	207	...	109	...	12	6	...	6	...	65	65	...	-	...
24	20	...	4	...	2	...	...	2	...	3	...	...	...	...
190	81	57	31	21	27	8	2	9	8	38	24	14	-	...
55	27	13	9	6	11	2	1	4	4	23	12	11	-	-
135	54	44	22	15	16	6	1	5	4	15	12	3	-	-
742	303	262	83	94	70	14	8	29	19	95	54	40	-	1
118	55	48	9	6	11	3	2	4	2	18	15	3	-	-
7	3	2	-	2	-	-	-	-	-	2	1	1	-	-
150	71	55	12	12	15	4	4	5	2	22	14	8	-	-
10	5	2	1	2	2	2	-	-	1	2	1	1	-	-
40	21	16	1	2	3	2	-	-	-	5	2	3	-	-
26	9	5	6	6	1	-	-	-	1	-	-	-	-	-
35	18	13	1	3	3	1	-	-	1	4	1	3	-	-
356	121	121	53	61	35	3	2	18	12	42	20	21	-	1
232	102	88	22	20	28	6	2	14	6	57	34	23	-	-
239	110	69	34	26	37	7	6	13	11	45	33	12	-	-
100	53	31	10	6	16	3	3	7	3	13	8	5	-	-
50	22	15	8	5	10	2	2	2	4	20	14	6	-	-
89	35	23	16	15	11	2	1	4	4	12	11	1	-	-
107	29	39	16	23	20	-	3	9	8	25	10	15	-	-
9	...	3	...	6	2	...	-	...	2	3	...	3	...	-
31	6	16	4	3	6	...	1	...	4	6	3	3	...	-
16	3	4	5	4	4	...	1	...	3	2	1	1	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
30	11	11	4	4	3	...	1	...	2	10	4	6	...	-
21	7	5	3	6	5	-	1	4	-	4	2	2	-	-
784	211	271	118	184	155	12	20	62	61	171	91	77	2	1
85	27	23	20	15	24	3	2	15	4	30	24	5	1	-
13	-	1	-	-	-	-	-	-	-	1	-	-	-	-
6	3	3	1	2	2	-	-	-	2	1	-	-	-	-
539	142	196	69	132	111	8	15	43	45	121	56	65	-	-
2	1	3	-	1	1	-	-	-	1	-	-	-	-	-
5	1	-	-	-	-	-	-	-	-	2	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	11	8	14	9	7	-	1	-	5	6	2	3	-	1
20	9	9	2	-	1	-	1	-	-	3	2	1	-	-
70	17	24	11	18	7	-	1	3	3	8	5	2	1	-
125	44	37	23	21	14	3	2	3	6	20	11	9	-	-
87	22	25	22	18	9	2	1	-	6	12	5	7	-	-
2	1	1	-	-	2	1	-	-	-	1	-	1	-	-
85	21	24	22	18	7	1	1	-	5	11	5	6	-	-
14	11	2	-	1	1	-	-	1	-	3	2	1	-	-
24	11	10	1	2	4	1	1	2	-	5	4	1	-	-
201	75	32	63	31	6	3	1	1	1	14	10	3	1	-
3	-	1	1	1	1	-	-	1	-	1	-	1	-	-
18	10	1	5	2	-	-	-	-	-	1	1	-	-	-
21	7	10	1	3	2	-	1	-	1	1	-	1	-	-
140	54	11	51	24	2	2	-	-	9	8	-	-	1	-
14	2	6	5	1	1	1	-	-	-	2	1	1	-	-
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
5,891	1,617	1,840	1,118	1,316	339	40	43	157	99	750	375	366	5	4
5,586	1,519	1,763	1,049	1,255	304	36	37	145	86	713	353	351	5	4
232	66	70	44	52	33	5	6	14	8	14	9	5	-	-
3,330	823	926	712	869	180	18	17	88	57	458	210	240	5	3
1,602	515	612	214	261	73	12	8	34	19	165	93	71	-	1
422	115	155	79	73	18	7	9	9	2	76	41	35	-	-
67	16	13	21	17	8	1	2	3	2	4	3	1	-	-
17	6	7	1	3	-	-	-	-	-	7	2	5	-	-
33	16	16	1	-	8	2	2	2	2	9	4	5	-	-
27	9	6	2	6	2	-	-	-	-	2	-	-	-	-
67	20	9	25	13	5	1	-	-	2	4	2	2	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
91	29	26	15	21	12	-	2	5	5	12	10	2	-	-



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	DISTRICT OF COLUMBIA						FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite		
		Male	Female	Male	Female		Male	Female	Male	Female	
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	3,305	920	844	800	741	23,684	13,142	7,826	1,484	1,232	
02 DISEASES OF HEART.....400-402,410-443	2,877	820	733	691	633	21,299	11,960	7,001	1,288	1,050	
03 RHEUMATIC FEVER.....400-402	2	1	-	-	1	15	3	3	6	3	
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	67	19	17	11	20	467	195	227	17	28	
05 DISEASES OF MITRAL VALVE.....410	24	5	7	3	9	177	70	89	7	11	
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	8	6	1	1	-	64	42	22	-	-	
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	2	-	-	-	2	19	8	10	1	-	
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	33	8	9	7	9	207	75	106	9	17	
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	1,795	648	514	365	268	16,845	10,129	5,341	814	561	
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	472	131	166	99	76	4,265	2,124	1,700	243	198	
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	1,323	517	348	266	192	12,569	8,004	3,635	571	359	
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	-	-	-	-	-	11	1	6	-	4	
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	13	2	4	2	5	146	80	47	15	4	
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	-	1	-	1	5	3	1	-	1	
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	7	2	1	2	2	102	58	32	9	3	
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	4	-	2	-	2	39	19	14	6	-	
17 OTHER MYOCARDIAL DEGENERATION.....422	333	72	88	93	80	1,053	457	412	99	85	
18 WITH ARTERIOSCLEROSIS.....422.1	308	67	83	82	76	893	387	363	79	64	
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	25	5	5	11	4	160	70	49	20	21	
20 OTHER DISEASES OF HEART.....430-434	85	23	16	26	20	1,296	648	446	107	95	
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	9	2	1	5	1	28	16	8	1	3	
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	11	4	-	5	2	134	70	52	4	8	
23 FUNCTIONAL DISEASE OF HEART.....433	30	9	9	4	8	330	154	136	17	23	
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	35	8	6	12	9	804	408	250	85	61	
25 HYPERTENSIVE HEART DISEASE.....440-443	582	55	94	194	239	1,477	448	525	230	274	
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	57	10	17	14	16	284	116	83	34	51	
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	525	45	77	180	223	1,193	332	442	196	223	
28 OTHER HYPERTENSIVE DISEASE.....444-447	63	8	15	24	16	407	146	120	79	62	
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	29	5	8	7	9	254	106	74	44	30	
30 ESSENTIAL HYPERTENSION.....444,445,447	34	3	7	17	7	153	40	46	35	32	
31 DISEASES OF ARTERIES.....450-456	204	54	68	40	42	1,575	863	560	79	73	
32 GENERAL ARTERIOSCLEROSIS.....450	124	31	50	19	24	890	385	417	48	40	
33 AORTIC ANEURYSM, NONYPHILITIC, ETC.....451	60	20	13	18	9	545	417	92	19	17	
34 GANGRENE OF UNSPECIFIED CAUSE.....455	4	1	1	1	1	8	2	3	1	2	
35 OTHER ARTERIAL DISEASES.....452-454,456	16	2	4	2	8	132	59	48	11	14	
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	161	38	28	45	50	403	173	145	38	47	
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	576	120	98	238	120	3,335	1,842	858	385	250	
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	-	-	-	-	-	15	3	4	5	3	
39 INFLUENZA.....480-483	-	-	-	-	-	73	24	22	14	13	
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	432	76	78	180	98	1,803	796	579	250	178	
41 LOBAR PNEUMONIA.....490	97	17	13	50	17	300	124	83	64	29	
42 BRONCHOPNEUMONIA.....491	228	40	42	94	52	1,182	549	399	132	102	
43 PRIMARY ATYPICAL PNEUMONIA.....492	14	2	2	4	6	161	61	49	22	29	
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	93	17	21	32	23	160	62	48	32	18	
45 ACUTE BRONCHITIS.....500	13	1	4	5	3	22	11	5	4	2	
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	13	5	1	7	-	137	102	21	11	3	
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	3	-	2	-	1	
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	10	1	-	8	1	39	21	8	8	2	
49 PLEURISY.....519	1	-	-	-	1	3	2	-	1	-	
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	16	2	2	5	7	160	78	40	21	21	
51 BRONCHIECTASIS.....526	10	3	2	3	2	53	28	16	5	4	
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	70	31	7	27	5	969	727	124	47	11	
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	63	28	6	24	5	857	702	106	41	8	
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	7	3	1	3	-	52	25	18	6	3	
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	11	1	4	3	3	118	50	37	19	12	
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	587	118	122	212	135	2,302	1,091	840	219	152	
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	-	-	-	-	3	1	-	1	1	
58 ULCER OF STOMACH.....540	28	6	4	14	4	160	97	39	14	10	
59 ULCER OF DUODENUM.....541	28	12	5	6	5	134	93	30	8	3	
60 GASTRITIS AND DUGDENITIS.....543	1	1	2	2	1	14	5	7	2	-	
61 APPENDICITIS.....550-553	13	5	2	4	2	58	31	12	9	6	
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	51	3	21	13	14	304	118	134	37	15	
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	10	1	-	7	2	139	24	38	39	38	
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	18	4	8	3	3	143	75	57	3	8	
65 CIRRHOSIS OF LIVER.....581	314	64	54	117	79	769	386	287	61	35	
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	229	49	42	87	51	519	257	203	45	24	
67 WITH ALCOHOLISM.....581.1	85	15	12	30	28	250	129	84	26	11	
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	18	2	7	4	5	151	71	71	2	7	
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	100	20	19	42	19	427	190	165	43	29	
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	257	48	49	84	76	1,208	522	361	174	151	
71 NEPHRITIS AND NEPHROSIS.....590-594	68	10	13	24	21	373	145	111	59	58	
72 ACUTE NEPHRITIS.....590	5	-	2	1	2	18	4	3	9	2	
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	2	-	-	-	2	28	8	12	5	3	
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	61	10	11	23	17	327	133	96	45	53	
75 INFECTIONS OF KIDNEY.....602,604	124	20	27	31	46	467	167	177	60	63	
76 CALCULI OF URINARY SYSTEM.....601,603,605-609	6	-	3	1	2	55	25	21	5	4	
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	34	7	6	15	6	156	77	38	24	17	
78 HYPERPLASIA OF PROSTATE.....610	19	9	-	10	-	114	94	-	20	-	
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-	
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	6	2	-	3	1	43	14	14	6	9	

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
14,152	6,075	4,018	2,124	1,935	1,269	239	157	575	298	2,384	1,453	907	18	6	01
12,647	5,575	3,585	1,823	1,664	1,176	219	146	535	276	2,123	1,312	790	17	4	02
10	3	1	4	2	3	2	1	1	2	5	2	3	-	-	03
180	56	76	19	29	42	2	5	14	21	61	24	37	-	-	04
84	28	41	5	10	28	1	3	9	15	29	9	20	-	-	05
7	4	1	1	1	2	-	-	1	1	4	5	4	-	-	06
12	3	3	4	2	1	-	-	-	1	4	1	3	-	-	07
77	21	31	9	16	11	1	2	4	4	19	9	10	-	-	08
9,150	4,573	2,637	1,078	862	831	187	100	381	163	1,710	1,115	578	14	3	09
1,388	514	498	175	201	208	25	38	94	51	357	187	166	3	1	10
7,754	4,057	2,138	901	658	622	162	62	286	112	1,351	927	411	11	2	11
8	2	1	2	3	1	-	-	1	-	2	1	1	-	-	12
67	24	15	17	11	7	-	3	3	1	12	7	5	-	-	13
4	1	1	2	-	1	-	-	-	1	2	1	1	-	-	14
41	17	9	9	6	5	-	3	2	-	6	3	3	-	-	15
22	6	5	6	5	1	-	-	1	-	4	1	1	-	-	16
839	301	272	132	134	61	3	12	27	19	118	50	65	2	1	17
655	238	231	93	93	42	2	7	20	13	92	37	52	2	1	18
184	63	41	39	41	19	1	5	7	4	26	13	13	-	-	19
839	280	209	188	162	42	6	6	17	13	89	56	32	1	-	20
16	6	2	3	5	1	-	-	-	-	-	-	-	-	-	21
26	7	8	6	5	3	-	-	-	-	2	2	-	-	-	22
248	88	80	43	37	16	3	5	4	4	30	17	13	-	-	23
549	179	119	136	115	22	2	1	12	7	57	37	19	1	-	24
1,562	338	375	385	464	190	21	20	92	57	128	58	70	-	-	25
329	77	106	74	72	11	-	1	6	4	45	21	24	-	-	26
1,233	261	269	311	392	179	21	19	86	53	83	37	46	-	-	27
301	70	61	97	73	19	-	3	10	6	40	18	21	1	-	28
140	43	35	45	17	7	-	2	4	1	22	15	6	1	-	29
161	27	26	52	56	12	-	1	6	5	18	3	15	-	-	30
920	316	287	157	160	64	15	7	27	15	172	99	71	-	2	31
661	192	238	111	120	25	4	3	10	8	111	51	58	-	2	32
172	98	26	25	23	34	11	4	23	6	45	35	10	-	-	33
15	3	2	9	1	-	-	-	-	-	1	1	-	-	-	34
72	23	21	12	16	5	-	-	4	-	15	12	3	-	-	35
284	114	85	47	38	10	5	1	3	1	49	24	25	-	-	36
2,543	981	596	542	424	196	40	25	91	40	363	255	99	6	3	37
22	8	4	5	5	2	-	-	1	1	2	1	5	-	-	38
88	18	25	26	19	2	-	-	2	-	12	7	1	-	-	39
1,667	494	444	391	338	119	24	16	53	26	158	96	55	5	2	40
239	65	55	63	56	11	3	3	4	3	19	8	9	-	-	41
623	214	196	109	104	59	12	6	26	15	54	36	16	2	1	42
130	24	36	41	29	34	6	7	16	5	16	11	3	-	-	43
675	191	157	178	149	15	3	2	7	3	69	41	27	-	1	44
15	6	-	7	2	9	1	-	5	3	5	2	3	-	-	45
109	69	18	12	10	9	-	3	6	-	20	13	7	-	-	46
3	2	-	1	-	-	-	-	-	-	1	1	-	-	-	47
14	2	-	9	3	1	-	-	1	-	6	5	1	-	-	48
5	4	-	-	-	1	-	-	-	1	1	-	1	-	-	49
128	39	24	35	30	12	2	2	3	5	12	7	4	-	1	50
36	19	15	1	1	4	-	-	4	-	11	7	3	1	-	51
413	307	43	50	13	32	13	3	12	4	119	109	10	-	-	52
344	269	35	37	3	30	13	3	10	4	115	103	9	-	-	53
69	38	8	13	10	4	-	-	2	-	4	3	-	-	-	54
43	15	20	5	3	5	-	1	4	-	16	7	9	-	-	55
1,238	480	344	222	192	135	32	20	60	23	179	98	73	5	3	56
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	57
126	64	23	27	12	9	1	-	6	2	16	12	3	1	-	58
89	45	19	17	8	7	-	1	5	1	15	13	2	-	-	59
8	4	3	1	-	2	-	-	2	-	4	3	-	-	-	60
42	15	8	12	7	3	1	1	6	3	3	1	1	1	-	61
188	48	66	35	39	17	4	4	6	3	36	17	19	-	-	62
119	19	26	42	32	11	3	-	5	3	13	8	5	-	-	63
53	22	21	2	8	7	1	3	3	-	17	4	13	-	-	64
307	146	81	47	33	46	14	8	16	8	36	22	11	1	-	65
221	104	64	29	24	24	7	3	8	6	24	16	7	-	2	66
86	42	17	18	9	22	7	5	8	2	12	6	4	1	-	67
44	16	18	1	9	13	2	2	7	2	11	6	5	-	-	68
261	100	79	38	44	20	6	1	9	4	28	12	14	1	1	69
873	243	210	237	183	85	8	3	38	36	97	60	34	2	1	70
344	68	66	114	96	49	5	2	21	21	42	26	14	2	-	71
27	2	5	11	9	1	-	-	1	-	9	-	-	-	-	72
16	7	3	3	3	2	-	1	1	-	3	2	1	-	-	73
301	59	58	100	84	46	5	1	20	20	39	24	13	2	-	74
296	89	102	50	55	24	3	-	9	12	23	9	14	-	-	75
40	13	15	5	7	4	-	-	2	2	4	1	3	-	-	76
89	31	22	26	10	4	-	-	3	1	7	4	2	-	1	77
74	39	---	35	---	2	-	---	2	---	18	18	---	---	---	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
30	3	5	7	15	2	-	1	1	-	3	2	1	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	DISTRICT OF COLUMBIA						FLORIDA			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	...	1	...	9	40	...	17	...	23
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	2	6	...	3	...	3
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	2	...	-	...	2	10	...	3	...	7
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	1	...	-	...	1	4	...	1	...	3
05 ECTOPIC PREGNANCY.....645	2	...	-	...	2	1	...	1	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	2	3	...	2	...	1
07 ABORTION WITH SEPSIS.....651	-	...	-	...	-	5	...	1	...	4
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	1	...	2	11	...	6	...	5
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	18	2	2	4	10	72	23	34	8	7
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	4	1	1	1	1	24	10	8	3	3
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	14	1	1	3	9	48	13	26	5	4
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	9	4	2	2	1	128	55	53	12	8
14 ARTHRITIS AND SPONDYLITIS.....720-725	5	-	2	2	1	59	27	25	4	3
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	1	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	1	1	-	-	-	9	3	2	3	1
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	2	-	1	1	-
18 INBORN DEFECT OF MUSCLE.....744.1	1	1	-	-	-	24	13	7	3	1
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	2	2	-	-	-	33	12	17	1	3
20 XIV. CONGENITAL MALFORMATIONS.....	76	10	4	34	28	600	221	213	95	71
21 SPINA BIFIDA AND MENINGOCELE.....751	5	-	-	4	1	41	13	20	5	3
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	11	2	-	5	4	53	20	13	8	12
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	30	3	2	15	10	324	120	106	58	40
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	30	5	2	10	13	182	68	74	24	16
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	400	44	26	183	147	1,783	657	429	394	303
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	241	37	50	92	62	1,199	529	259	238	173
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	-	-	1	1	83	28	28	16	11
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	239	37	50	91	61	1,116	501	231	222	162
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	744	165	96	340	143	4,998	2,591	1,226	885	296
30 ACCIDENTS.....E800-E962	551	120	83	240	108	3,537	1,849	911	570	207
31 RAILWAY ACCIDENTS.....E800-E802	2	1	-	1	-	30	12	3	15	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	140	30	19	59	32	1,660	900	461	224	75
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	137	29	19	58	31	1,635	882	460	221	72
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	-	-	-	-	63	33	21	5	4
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	25	7	1	11	6	284	127	63	73	21
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	47	8	9	17	13	822	463	262	69	28
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	37	11	4	17	5	428	241	99	70	18
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	27	3	4	13	7	38	18	15	4	1
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	3	1	-	1	1	25	18	1	3	3
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	-	1	-	11	6	3	1	1
41 WATER TRANSPORT ACCIDENTS.....E850-E858	5	3	-	2	-	91	63	11	13	4
42 AIRCRAFT ACCIDENTS.....E860-E866	3	2	1	-	-	65	60	4	1	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	5	-	3	2	-	96	34	33	17	12
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1	-	-	1	-	23	10	2	6	5
45 ACCIDENTAL FALLS.....E900-E904	149	34	44	54	17	483	224	208	31	20
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	54	13	9	25	7	133	84	26	16	7
47 FALL ON SAME LEVEL.....E903	15	1	9	3	2	148	64	72	9	3
48 UNSPECIFIED FALLS.....E904	80	20	26	26	8	262	76	110	6	10
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	5	-	-	4	1	32	18	1	13	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	1	-	-	1	-	49	34	2	13	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1	1	-	-	-	49	31	4	14	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	52	12	4	18	18	187	63	36	48	40
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	5	1	1	1	2	11	5	1	4	1
54 ACCIDENT CAUSED BY FIREARM.....E919	35	4	1	25	5	89	56	8	19	6
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	16	5	2	5	4	55	21	19	10	5
56 ACCIDENTAL DROWNING.....E929	25	4	1	14	6	353	195	47	102	9
57 EXCESSIVE HEAT AND INSULATION.....E931	-	-	-	-	-	4	2	-	1	1
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	2	-	-	-	2	37	19	13	-	5
59 ALL OTHER ACCIDENTS.....RESIDUAL	103	23	7	52	21	212	96	55	38	23
60 SUICIDE.....E963,E970-E979	71	34	10	22	5	880	590	243	34	13
61 SUICIDE BY POISONING.....E970-E973	6	3	2	1	-	243	105	128	3	7
62 SUICIDE BY HANGING AND STRANGULATION.....E974	19	9	1	7	2	87	70	12	5	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	28	17	1	9	1	472	376	73	21	2
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	18	5	6	5	2	78	39	30	5	4
65 HOMICIDE.....E964,E980-E985	122	11	3	78	30	580	151	72	281	76
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	53	8	2	34	9	383	107	48	177	51
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	50	1	-	34	15	109	21	6	66	16
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	17	2	1	8	6	74	17	18	30	9
69 INJURY BY INTERVENTION OF POLICE.....E984	2	-	-	2	-	13	5	-	8	-
70 EXECUTION.....E985	-	-	-	-	-	1	1	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	108,153	53,965	41,879	6,906	5,403	47,831	25,011	19,805	1,714	1,301
02 I. INFECTIVE AND PARASITIC DISEASES.....	840	448	220	97	75	433	227	138	44	24
03 TUBERCULOSIS, ALL FORMS.....001-019	431	251	80	66	34	195	116	47	22	10
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	404	241	75	56	32	186	111	45	21	9
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	7	2	-	3	2	2	1	1	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	1	-	1	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	2	2	-	-	-	1	-	1	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	6	3	2	1	-	3	1	-	1	1
09 DISSEMINATED TUBERCULOSIS.....019	10	2	3	5	-	3	3	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	114	71	26	8	9	53	32	12	6	3
11 CONGENITAL SYPHILIS.....020	2	1	1	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	78	53	16	6	3	38	24	10	1	3
14 OTHER CARDIOVASCULAR SYPHILIS.....023	20	8	5	2	5	7	3	-	4	-
15 TABES DORSALIS.....024	2	-	2	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	6	6	-	-	-	2	2	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	3	1	-	-	5	3	2	-	-
18 ALL OTHER SYPHILIS.....027-029	2	-	1	-	1	1	-	-	1	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041-042	5	2	1	2	-	1	-	-	1	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	4	2	1	1	-	2	-	2	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	2	1	1	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	1	1	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	67	30	25	4	8	53	26	19	3	5
30 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	1	1	-	-	-	1	-	1	-	-
32 MENINGOCOCCAL INFECTIONS.....057	46	22	13	5	6	18	9	6	2	1
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	8	4	2	1	1	7	3	2	2	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	9	6	3	-	-	6	4	2	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	28	14	9	1	4	13	4	6	2	1
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	4	3	1	-	-	3	1	2	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	8	4	2	-	2	3	2	1	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	38	9	24	1	4	21	7	12	1	1
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	2	2	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	1	1	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	1	1	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	1	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	70	23	32	8	7	56	22	26	5	3
55 II. NEOPLASMS.....	18,320	9,025	7,578	918	799	7,771	3,884	3,441	256	190
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	18,030	8,899	7,449	903	779	7,679	3,844	3,397	252	186
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	385	277	78	25	5	132	98	25	7	2
58 OF LIP.....140	9	9	-	-	-	7	7	-	-	-
59 OF TONGUE.....141	91	63	22	5	1	23	17	6	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	122	85	27	9	1	46	34	9	2	1
61 OF PHARYNX.....145-148	163	120	29	11	3	56	40	10	5	1
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	6,032	2,987	2,462	353	230	2,427	1,178	1,099	88	62
63 OF ESOPHAGUS.....150	380	248	55	58	19	121	78	22	18	3
64 OF STOMACH.....151	1,093	575	388	78	52	398	230	141	19	8
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	52	31	20	1	-	15	9	5	1	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,024	920	945	85	74	923	397	485	18	23
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	301	138	142	15	6	115	46	63	3	3
68 TRANSVERSE COLON.....153.1	134	66	61	5	2	42	22	19	-	1
69 DESCENDING COLON.....153.2	84	38	36	5	3	15	17	-	-	1
70 SIGMOID COLON.....153.3	412	200	190	8	14	169	71	93	2	3
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.4	4	4	-	-	-	1	1	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,022	443	485	48	46	518	227	264	12	15
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	67	31	31	4	1	45	15	29	1	-
74 OF RECTUM.....154	775	424	298	29	24	283	141	126	10	6
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	408	141	235	20	12	160	52	99	7	2
76 LIVER.....155.0	112	55	40	13	4	43	24	14	5	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	296	86	195	7	8	117	28	85	2	2
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	214	94	101	15	4	115	55	52	5	3
79 OF PANCREAS.....157	1,006	516	386	62	42	377	200	156	8	13
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	80	38	34	5	3	35	16	13	2	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965--Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
29,424	16,367	12,730	173	154	21,718	11,649	8,993	601	475	31,063	16,115	11,880	1,679	1,389	01
164	87	70	4	3	158	93	57	2	6	390	207	124	30	29	02
43	28	11	2	2	42	30	9	1	2	204	121	50	18	15	03
40	27	9	2	2	39	28	9	1	2	192	115	48	15	14	04
2	1	1	-	-	2	1	-	-	1	3	1	-	2	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	07
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	08
1	-	1	-	-	1	1	-	-	-	4	2	-	1	1	09
25	12	11	1	1	31	17	11	1	2	43	22	13	4	4	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
13	8	5	-	-	21	11	8	1	1	27	15	8	1	3	12
4	2	1	-	1	5	4	-	-	1	8	3	2	2	1	13
3	2	1	-	-	3	2	-	-	-	1	1	-	-	-	14
3	-	3	-	-	3	-	3	-	-	3	2	1	-	-	15
2	-	1	1	-	1	1	-	-	-	2	2	-	-	-	16
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	17
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	22
1	-	1	-	-	1	1	-	-	-	3	1	2	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
2	1	1	-	-	2	-	2	-	-	1	1	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	26
28	18	10	-	-	23	13	9	-	1	34	17	12	2	3	27
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
11	4	7	-	-	3	2	1	-	-	26	8	14	1	3	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
3	3	-	-	-	3	3	-	-	-	5	2	-	3	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	33
9	4	5	-	-	14	5	9	-	-	13	5	7	1	-	34
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	35
1	-	1	-	-	6	3	3	-	-	6	4	1	-	1	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
11	3	8	-	-	9	3	6	-	-	10	2	8	-	-	38
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-	41
21	10	10	1	-	22	16	5	-	1	36	19	14	1	2	42
4,790	2,474	2,270	35	11	3,476	1,738	1,581	93	64	4,695	2,299	1,980	224	192	55
4,716	2,439	2,233	33	11	3,434	1,719	1,560	92	63	4,603	2,258	1,940	219	186	56
67	44	23	-	-	66	52	13	1	-	152	105	32	11	4	57
7	5	2	-	-	4	4	-	-	-	6	4	2	-	-	58
8	6	2	-	-	9	7	1	1	-	33	23	5	5	-	59
26	13	13	-	-	18	13	5	-	-	45	24	15	3	3	60
26	20	6	-	-	35	28	7	-	-	68	54	10	3	1	61
1,501	765	722	10	4	1,027	490	491	26	20	1,388	652	613	68	55	62
81	65	14	2	2	37	28	8	1	-	64	32	20	11	1	63
236	133	98	3	2	186	108	69	5	4	231	128	75	18	10	64
18	8	10	-	-	5	4	1	-	-	9	5	4	-	-	65
572	265	305	1	1	378	152	214	6	6	484	202	248	15	19	66
82	36	45	-	1	58	29	28	-	1	60	24	36	-	-	67
11	11	11	-	-	21	13	8	-	-	24	16	16	1	2	68
22	7	15	-	-	12	2	8	1	1	23	5	12	1	-	69
100	53	47	-	-	59	26	30	1	2	68	28	36	3	1	70
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	71
304	138	165	1	-	212	80	126	4	2	289	124	140	9	16	72
42	20	22	-	-	15	7	8	-	-	19	10	8	1	-	73
160	91	67	1	1	117	56	54	3	4	130	62	53	5	10	74
102	24	77	1	-	72	28	43	-	1	101	32	65	2	2	75
18	5	12	-	-	17	15	2	-	-	35	15	17	2	1	76
84	19	65	-	-	55	13	41	-	1	66	17	48	-	1	77
54	27	27	-	-	35	15	17	2	1	89	45	34	7	3	78
257	144	111	2	-	183	93	77	9	4	256	135	104	8	9	79
21	8	13	-	-	14	6	8	-	-	24	11	10	2	1	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
03 AS SECONDARY.....160-164	3,185	2,434	459	243	49	1,319	1,074	170	65	10
04 OF LARYNX.....161	160	127	18	14	1	53	45	5	3	-
05 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,306	1,036	156	103	11	554	459	60	30	5
06 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,663	1,240	265	122	36	693	556	100	32	5
07 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	56	31	20	4	1	19	14	5	-	-
08 MALIGNANT NEOPLASM OF BREAST.....170	1,714	13	1,547	-	154	661	4	625	-	32
09 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,470	893	1,294	97	186	1,146	425	644	34	43
10 OF CERVIX UTERI.....171	471	...	371	...	100	264	...	244	...	20
11 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	383	...	336	...	47	172	...	154	...	18
12 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	575	...	541	...	34	232	...	227	...	5
13 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	51	...	46	...	5	19	...	19	...	-
14 OF PROSTATE.....177	920	825	...	95	...	426	392	...	34	...
15 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	70	68	...	2	...	33	33	...	-	...
16 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	845	521	258	33	33	368	221	126	15	6
17 OF KIDNEY.....180	355	201	134	13	7	153	80	61	8	4
18 OF BLADDER AND OTHER URINARY ORGANS.....181	490	320	124	20	26	215	141	65	7	2
19 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
20 SITES.....1568,165,190-199	1,729	882	698	78	71	889	448	392	25	24
21 OF SKIN.....190,191	207	117	76	8	6	124	74	48	2	-
22 OF EYE.....192	22	9	10	-	3	7	2	5	-	-
23 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	392	221	141	18	12	188	106	73	7	2
24 OF THYROID GLAND.....194	62	26	32	-	4	29	8	19	-	2
25 OF BONE.....196	97	51	37	6	3	59	34	21	2	2
26 OF CONNECTIVE TISSUE.....197	75	31	36	3	5	30	16	11	1	2
27 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	98	56	32	7	3	49	29	19	1	-
28 OF UNSPECIFIED SITES.....1568,165,198,199B	776	371	334	36	35	403	179	196	12	16
29 LEUKEMIA AND ALEUKEMIA.....204	793	418	317	35	23	364	201	150	9	4
30 LYMPHOSARCOMA, ETC.....200-203,205	877	474	336	39	28	373	195	166	9	3
31 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	467	246	198	13	10	177	93	79	5	-
32 HODGKINS DISEASE.....201	179	103	61	12	3	86	50	33	3	-
33 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
34 TISSUES.....202,203,205	231	125	77	14	15	110	52	54	1	3
35 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	290	126	129	15	20	92	40	44	4	4
36 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	20	...	11	...	9	8	...	7	...	1
37 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	68	19	38	6	5	23	9	12	2	-
38 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	48	22	20	4	2	29	13	13	1	2
39 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	-	-	-	-	...	-
40 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	103	55	40	5	3	15	6	8	-	1
41 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	50	30	19	-	1	17	12	4	1	-
42 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
43 NUTRITIONAL DISEASES.....	2,328	853	1,188	106	181	1,326	537	690	36	63
44 ASTHMA.....241	227	110	91	13	13	126	71	49	2	4
45 NONTOXIC GOITER.....250,251	3	-	2	-	1	2	-	2	-	-
46 THYROIDITIS WITH OR WITHOUT GOITER.....252	21	3	17	1	-	15	3	10	1	1
47 ALL OTHER DISEASES OF THYROID GLAND.....253,254	13	5	7	-	-	10	4	6	-	-
48 DIABETES MELLITUS.....260	1,840	635	964	83	158	1,004	388	541	23	52
49 DISEASES OF THYMUS GLAND.....273	4	2	2	-	-	1	1	-	-	-
50 DISEASES OF ADRENAL GLANDS.....274	24	8	14	1	1	22	9	13	-	-
51 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	1
52 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	44	27	14	2	1	45	18	23	4	-
53 CYSTIC FIBROSIS.....289A	30	13	15	-	2	11	6	5	-	-
54 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	122	50	62	6	4	89	37	41	6	5
55 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	303	129	130	23	21	148	64	72	4	8
56 ANEMIAS.....290-293	192	76	84	16	16	104	41	54	3	6
57 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	28	11	17	-	-	17	5	12	-	-
58 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	164	65	67	16	16	87	36	42	3	6
59 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	34	11	19	1	3	18	6	9	1	2
60 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	77	42	27	6	2	26	17	9	-	-
61 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	166	90	53	19	4	117	67	30	15	5
62 SENILE PSYCHOSIS.....304	8	4	4	-	-	12	8	3	1	-
63 ALCOHOLIC PSYCHOSIS.....307	20	13	1	5	1	9	4	-	5	-
64 OTHER PSYCHOSES.....300-303,305,306,308,309	38	16	18	2	2	19	6	11	1	1
65 ALCOHOLISM.....322	63	47	5	10	1	63	44	9	8	2
66 MENTAL DEFICIENCY.....325	32	9	22	1	-	8	3	4	-	1
67 OTHER DISORDERS OF PERSONALITY...RESIDUAL	5	1	3	1	-	6	2	3	-	1
68 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	11,595	4,740	5,625	597	633	6,568	2,811	3,370	187	200
69 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	10,861	4,412	5,321	531	597	6,152	2,626	3,168	172	186
70 SUBARACHNOID HEMORRHAGE.....330	384	140	171	25	48	190	75	90	7	18
71 CEREBRAL HEMORRHAGE.....331	5,712	2,313	2,799	299	301	3,509	1,502	1,771	118	118
72 CEREBRAL EMBOLISM AND THROMBOSIS.....332	3,795	1,553	1,842	181	219	1,820	781	978	28	33
73 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	970	406	509	26	29	633	268	329	19	17
74 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	110	50	23	18	19	48	15	26	4	3
75 MULTIPLE SCLEROSIS.....345	82	25	50	6	1	54	20	33	-	1
76 PARALYSIS AGITANS.....350	147	74	71	2	-	95	38	56	1	-
77 CEREBRAL SPASTIC INFANTILE PARALYSIS...351	33	14	13	3	3	23	13	8	-	2
78 EPILEPSY.....353	93	34	31	22	6	53	25	19	4	2
79 INFLAMMATORY DISEASES OF EYE...370-379	-	-	-	-	-	-	-	-	-	-
80 CATARACT.....385	5	1	4	-	-	-	-	-	-	-
81 GLAUCOMA.....387	1	-	1	-	-	-	-	-	-	-
82 OTITIS MEDIA AND MASTOIDITIS...391-393	17	9	6	1	1	5	4	-	-	1
83 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	246	121	105	14	6	141	70	60	6	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
652	562	78	11	1	538	434	82	20	2	809	603	133	61	12	01
31	29	2	-	-	18	15	-	2	1	40	29	5	4	-	02
212	186	22	4	-	163	131	26	6	-	305	240	36	27	2	03
403	342	53	7	1	354	286	55	12	1	445	327	82	29	7	04
6	5	1	-	-	3	2	1	-	-	19	7	10	1	1	05
457	3	452	-	2	321	2	304	-	15	355	3	323	-	29	06
748	351	389	5	3	524	206	282	23	13	671	251	332	34	54	07
107	107	...	...	...	84	...	79	...	5	165	...	141	...	24	08
105	103	...	...	2	76	...	72	...	4	82	...	67	...	15	09
159	158	...	...	1	123	...	119	...	4	131	...	116	...	15	10
21	21	...	...	-	12	...	12	...	-	8	...	8	...	-	11
342	337	...	5	...	219	196	...	23	...	270	237	...	33	...	12
14	14	...	-	...	10	...	10	-	...	15	...	14	...	...	13
242	165	75	2	-	176	114	57	2	3	191	112	69	6	4	14
101	66	33	2	-	76	50	22	1	3	90	55	32	3	-	15
141	99	42	-	-	100	64	35	1	-	101	57	37	3	4	16
521	273	245	2	1	395	211	173	6	5	571	282	251	23	15	17
90	59	31	-	-	80	39	40	1	-	83	48	33	2	-	18
5	4	1	-	-	7	4	3	-	-	3	1	2	-	-	19
103	62	41	-	-	88	51	36	1	-	91	48	34	6	3	20
20	2	18	-	-	19	8	11	-	-	17	5	11	-	1	21
28	15	13	-	-	18	10	8	-	-	41	21	18	1	1	22
22	8	14	-	-	14	8	6	-	-	20	10	8	2	-	23
16	7	9	-	-	26	15	10	-	1	17	13	4	-	-	24
237	116	118	2	1	143	76	59	4	4	299	136	141	12	10	25
249	132	115	2	-	190	113	68	7	2	234	128	98	3	5	26
279	144	134	1	-	197	97	90	7	3	232	122	89	13	8	27
131	70	61	-	-	97	50	42	5	-	111	56	45	7	3	28
57	28	29	-	-	41	18	21	1	1	52	33	17	2	-	29
91	46	44	1	-	59	29	27	1	2	69	33	27	4	5	30
74	35	37	2	-	42	19	21	1	1	92	41	40	5	6	31
3	...	3	...	-	4	...	4	...	-	3	...	2	...	1	32
11	5	6	-	-	12	5	6	-	1	12	4	7	1	-	33
16	8	8	-	-	7	4	3	-	-	22	13	8	-	1	34
...	...	...	...	-	...	...	...	...	-	...	...	2	...	-	35
21	10	11	-	-	9	5	4	-	-	35	16	14	1	4	36
23	12	9	2	-	10	5	4	1	-	18	8	7	3	-	37
741	350	378	3	10	564	242	281	19	22	780	316	386	34	44	38
87	57	29	-	1	52	26	17	2	7	94	55	27	7	5	39
...	...	...	-	-	1	1	-	-	-	2	-	1	-	1	40
4	...	4	-	-	7	3	4	-	-	7	-	7	-	-	41
9	5	4	-	-	3	1	2	-	-	12	3	9	-	-	42
563	250	303	2	8	425	176	219	15	15	556	210	292	21	33	43
...	...	...	-	-	...	...	...	-	-	...	...	...	-	-	44
10	6	4	-	-	4	1	3	-	-	9	4	3	1	1	45
...	...	...	-	-	...	...	...	-	-	...	...	...	-	-	46
22	9	13	-	-	22	11	10	1	-	48	20	19	5	4	47
9	3	6	-	-	6	3	3	-	-	11	5	6	-	-	48
37	20	15	1	1	44	20	23	1	-	39	19	20	-	-	49
93	54	37	-	2	66	33	30	2	1	97	41	48	6	2	50
54	32	21	-	1	43	20	20	2	1	65	26	33	4	2	51
9	5	4	-	-	9	5	4	-	-	8	3	5	-	-	52
45	27	17	-	1	34	15	16	2	1	57	23	28	4	2	53
17	10	7	-	-	10	4	6	-	-	12	7	4	1	-	54
22	12	9	-	1	13	9	4	-	-	20	8	11	1	-	55
52	36	15	-	1	57	33	22	2	-	94	59	23	8	4	56
9	6	3	-	-	9	4	5	-	-	4	1	3	-	-	57
3	2	-	-	1	1	1	-	-	-	5	3	-	1	1	58
15	13	2	-	-	18	6	12	-	-	19	9	7	1	2	59
17	12	5	-	-	20	17	1	2	-	52	38	7	6	1	60
7	3	4	-	-	6	4	2	-	-	13	8	5	-	-	61
1	-	1	-	-	3	1	2	-	-	1	-	1	-	-	62
4,129	1,933	2,149	20	27	2,756	1,266	1,355	60	75	4,150	1,830	1,866	223	231	63
3,860	1,794	2,026	17	23	2,563	1,163	1,274	57	69	3,901	1,708	1,766	208	219	64
84	44	39	-	1	68	26	42	-	-	104	45	47	6	6	65
2,299	1,059	1,214	12	14	1,441	658	711	30	42	2,187	978	960	116	133	66
1,077	505	562	3	7	783	363	372	25	23	1,166	502	549	57	58	67
400	186	211	2	1	271	116	149	2	4	444	183	210	29	22	68
15	6	7	1	1	14	7	5	-	2	48	15	22	4	7	69
36	16	18	-	2	16	5	11	-	-	11	5	5	-	1	70
88	46	40	1	-	61	38	23	-	-	39	19	20	-	-	71
6	4	2	-	-	9	6	3	-	-	9	7	2	-	-	72
29	12	17	-	-	21	8	8	3	2	46	29	14	2	1	73
...	...	...	-	-	...	...	...	-	-	...	...	...	-	-	74
...	...	...	-	-	...	...	...	-	-	...	...	...	-	-	75
4	2	2	-	-	3	2	1	-	-	6	2	2	-	2	76
91	53	37	1	-	69	37	30	-	2	90	45	35	9	1	78



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	51,472	26,658	20,212	2,531	2,071	20,679	11,218	8,406	594	461
02 DISEASES OF HEART.....400-402,410-443	47,094	24,687	18,206	2,324	1,877	18,283	10,061	7,299	531	392
03 RHEUMATIC FEVER.....400-402	27	13	12	2	-	15	6	8	1	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	830	349	417	28	36	368	149	192	13	14
05 DISEASES OF MITRAL VALVE.....410	308	114	179	6	9	141	45	86	6	4
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	74	56	15	2	1	49	33	15	-	1
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	40	18	18	2	2	25	6	19	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	408	161	205	18	24	153	65	72	7	9
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	38,607	21,251	14,398	1,702	1,256	14,448	8,448	5,337	406	257
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	13,131	5,841	6,028	628	634	3,788	1,774	1,818	104	92
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	25,445	15,393	8,362	1,071	619	10,668	6,667	3,514	302	165
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	31	17	8	3	3	12	7	5	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	190	95	81	12	2	101	47	49	4	1
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	17	5	9	3	-	3	1	2	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	84	48	29	6	1	51	28	21	1	1
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	89	42	43	3	1	47	18	26	3	-
17 OTHER MYOCARDIAL DEGENERATION.....422	2,775	1,266	1,320	67	122	1,077	489	553	18	17
18 WITH ARTERIOSCLEROSIS.....422.1	2,087	933	1,022	50	84	742	337	380	13	12
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	688	333	300	17	38	335	152	173	5	5
20 OTHER DISEASES OF HEART.....430-434	1,551	653	454	246	198	770	357	363	26	24
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	44	23	14	4	3	14	10	4	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	73	32	24	9	8	22	7	12	1	2
23 FUNCTIONAL DISEASE OF HEART.....433	336	156	164	8	8	238	101	121	9	7
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,098	442	252	225	179	496	239	226	16	15
25 HYPERTENSIVE HEART DISEASE.....440-443	3,114	1,060	1,524	267	263	1,504	565	797	63	79
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	646	267	325	33	21	758	326	404	15	13
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	2,468	793	1,199	234	242	746	239	393	48	66
28 OTHER HYPERTENSIVE DISEASE.....444-447	858	357	368	81	52	350	150	166	17	17
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	559	266	228	38	27	213	98	105	1	9
30 ESSENTIAL HYPERTENSION.....444,445,447	299	91	140	43	25	137	52	61	16	8
31 DISEASES OF ARTERIES.....450-456	2,940	1,350	1,379	98	113	1,775	866	830	37	42
32 GENERAL ARTERIOSCLEROSIS.....450	2,248	933	1,168	66	81	1,406	629	718	27	32
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	525	360	128	23	14	260	182	68	6	4
34 GANGRENE OF UNSPECIFIED CAUSE.....455	5	2	3	-	-	10	2	6	1	1
35 OTHER ARTERIAL DISEASES.....452-454,456	162	55	80	9	18	99	53	38	3	5
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	580	264	259	28	29	271	141	111	9	10
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,696	3,056	1,605	645	390	2,347	1,403	742	127	75
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	23	11	10	2	-	21	12	5	2	2
39 INFLUENZA.....480-483	72	36	35	-	1	67	29	32	1	5
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	3,942	1,795	1,239	553	355	1,287	643	504	80	60
41 LOBAR PNEUMONIA.....490	439	237	128	50	24	245	132	84	15	14
42 BRONCHOPNEUMONIA.....491	2,929	1,264	898	458	309	701	344	285	41	31
43 PRIMARY ATYPICAL PNEUMONIA.....492	261	131	82	34	14	141	60	61	12	8
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	313	163	131	11	8	200	107	74	12	7
45 ACUTE BRONCHITIS.....500	81	43	22	9	7	19	10	6	1	2
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	239	173	50	13	3	81	54	22	4	1
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	2	-	-	-	1	-	-	-	1
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	38	20	11	7	-	22	16	5	1	-
49 PLEURISY.....519	6	3	2	1	-	1	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	203	128	61	5	9	86	55	26	5	-
51 BRONCHIECTASIS.....526	71	41	25	5	-	35	21	14	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	909	743	111	46	9	634	514	91	28	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	843	708	90	38	7	587	490	72	24	1
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	66	35	21	8	2	47	24	19	4	3
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	110	61	39	4	6	93	48	37	5	3
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,975	2,156	1,344	290	185	1,672	904	654	59	55
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	4	1	2	-	1	1	1	-	-	-
58 ULCER OF STOMACH.....540	363	216	101	31	15	116	64	41	8	3
59 ULCER OF DUODENUM.....541	305	210	71	19	5	150	106	37	4	3
60 GASTRITIS AND DUODENITIS.....543	16	11	4	-	1	11	9	1	1	-
61 APPENDICITIS.....550-553	94	52	29	8	5	39	25	9	1	4
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	539	225	257	25	32	256	122	125	1	8
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	152	58	47	31	16	67	32	28	4	3
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	227	92	123	6	6	110	39	63	4	4
65 CIRRHOSIS OF LIVER.....581	1,392	856	350	117	69	469	288	136	27	18
66 WITH MENTION OF ALCOHOLISM.....581.0	1,059	631	278	100	50	333	200	106	17	10
67 WITHOUT ALCOHOLISM.....581.1	333	225	72	17	19	136	88	30	10	8
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	263	111	135	6	11	124	46	75	2	1
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	620	324	225	47	24	329	172	139	7	11
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,710	847	582	156	125	743	396	280	39	28
71 NEPHRITIS AND NEPHROSIS.....590-594	716	317	278	57	64	312	158	128	13	13
72 ACUTE NEPHRITIS.....590	31	17	6	2	6	13	7	4	1	1
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	65	31	22	6	6	29	16	11	1	1
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	620	269	250	49	52	270	135	113	11	11
75 INFECTIONS OF KIDNEY.....600	513	206	211	53	43	228	98	108	10	12
76 CALCULI OF URINARY SYSTEM.....602,604	64	29	30	4	1	27	16	9	1	1
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	142	74	41	21	6	59	34	16	8	1
78 HYPERPLASIA OF PROSTATE.....610	221	202	... 19	...	...	84	77	...	7	...
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	2	-	2	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	54	19	22	2	11	31	13	17	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,262	7,562	5,580	58	62	9,590	5,275	3,916	217	182	13,309	7,059	5,001	645	604	01
11,826	6,827	4,894	49	56	8,519	4,773	3,398	185	163	11,899	6,415	4,385	565	534	02
5	1	4	-	-	5	2	2	1	-	7	4	2	-	-	03
172	82	88	-	2	148	62	77	2	7	182	65	106	4	7	04
71	33	37	-	1	56	19	33	1	3	65	23	38	1	3	05
26	20	6	-	-	21	3	11	1	-	24	8	15	-	1	06
11	6	5	-	-	5	3	2	-	-	6	3	3	-	-	07
64	23	40	-	1	66	31	31	-	4	87	31	50	3	3	08
9,523	5,772	3,674	37	40	6,830	4,049	2,528	137	116	8,948	5,180	3,066	376	326	09
2,306	1,104	1,184	7	11	1,702	756	851	47	48	2,132	952	1,000	83	97	10
7,210	4,664	2,487	30	29	5,127	3,292	1,677	90	68	6,812	4,226	2,064	293	229	11
7	4	3	-	-	1	1	-	-	-	4	2	2	-	-	12
95	54	40	1	-	50	30	17	2	1	55	31	20	2	2	13
5	4	1	-	-	-	-	-	-	-	4	3	1	-	-	14
43	28	14	1	-	26	17	9	-	-	20	10	7	1	2	15
47	22	25	-	-	24	13	8	2	1	31	18	12	1	-	16
851	392	453	4	2	582	255	313	9	5	889	376	429	46	38	17
620	279	337	3	1	447	195	246	3	3	754	334	355	37	28	18
231	113	116	1	1	135	60	67	6	2	135	42	74	9	10	19
472	231	235	2	4	351	174	159	10	8	747	379	284	45	39	20
13	9	3	1	-	5	3	2	-	-	9	4	1	3	1	21
18	10	8	-	-	12	5	7	-	-	13	6	5	2	-	22
149	70	76	1	2	141	72	65	2	2	118	49	59	7	3	23
292	142	148	-	2	193	94	85	8	6	607	320	219	33	35	24
708	295	400	5	8	553	201	302	24	26	1,071	380	478	92	121	25
295	133	157	1	4	150	67	75	4	4	241	77	94	29	41	26
413	162	243	4	4	403	134	227	20	22	830	303	384	63	80	27
204	107	93	3	1	164	77	73	9	5	193	91	72	22	8	28
143	81	60	1	1	104	53	41	6	4	114	60	42	10	2	29
61	26	33	2	-	60	24	32	3	1	79	31	30	12	6	30
1,056	536	512	5	3	751	361	368	12	10	970	438	439	48	45	31
800	364	430	3	3	597	254	324	10	9	776	313	387	36	40	32
198	138	58	2	-	119	89	27	2	1	122	84	27	8	3	33
8	5	3	-	-	1	1	-	-	-	7	2	5	-	-	34
50	29	21	-	-	34	17	17	-	-	65	39	20	4	2	35
176	92	81	1	2	156	64	77	11	4	247	115	105	10	17	36
1,621	1,008	592	15	6	1,227	736	422	49	20	1,786	1,016	589	118	63	37
14	8	6	-	-	14	7	5	2	-	11	4	6	1	-	38
63	30	31	1	1	89	56	33	-	-	49	16	26	3	4	39
938	503	422	8	5	646	316	282	30	18	1,106	569	408	84	45	40
134	69	64	1	-	77	36	31	7	3	164	84	57	19	4	41
425	222	195	5	3	350	175	152	14	9	466	248	163	34	21	42
104	64	39	1	-	69	38	26	3	2	59	30	22	1	6	43
275	148	124	1	2	150	67	73	6	4	417	207	166	30	14	44
13	7	6	-	-	13	4	6	1	2	11	3	8	-	-	45
57	40	17	-	-	63	51	11	1	-	83	51	26	5	1	46
2	2	2	-	-	-	-	-	-	-	1	-	1	-	-	47
8	6	2	-	-	13	9	3	1	-	9	6	2	1	-	48
2	1	1	-	-	2	-	1	-	-	2	1	-	-	-	49
56	28	27	1	-	54	33	20	1	-	83	56	18	3	6	50
38	25	13	-	-	30	20	9	1	-	36	19	14	3	-	51
378	337	38	3	-	262	219	35	8	-	365	258	67	15	5	52
353	320	30	3	-	245	208	29	8	-	285	223	47	13	2	53
25	17	8	-	-	17	11	6	-	-	60	35	20	2	3	54
52	23	27	2	-	41	21	17	3	-	50	33	13	3	1	55
956	549	396	4	7	782	412	336	15	19	1,035	532	410	57	36	56
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	57
81	53	27	1	-	56	39	16	1	-	65	31	28	5	1	58
74	57	17	-	-	74	52	21	1	-	86	69	12	2	3	59
6	6	-	-	-	2	2	-	-	-	6	4	2	-	-	60
35	20	14	-	1	23	14	8	-	1	26	14	9	-	3	61
174	75	97	1	1	135	54	70	5	6	172	70	86	11	5	62
37	24	12	1	-	29	13	16	-	-	83	33	34	11	5	63
69	28	40	1	1	50	23	25	-	2	57	18	32	5	2	64
205	137	65	1	2	183	116	56	4	7	233	150	63	17	3	65
165	102	60	1	2	135	81	46	3	5	173	109	50	12	2	66
40	35	5	-	-	48	35	10	1	2	60	41	13	5	1	67
87	43	44	-	-	60	15	44	1	-	82	39	41	-	2	68
187	105	80	-	2	169	83	80	3	3	224	104	102	6	12	69
403	238	156	4	5	381	220	130	17	14	588	303	210	38	37	70
139	68	69	-	2	159	92	53	9	5	207	97	80	13	17	71
5	2	3	-	-	4	3	1	-	-	9	3	5	1	-	72
8	4	4	-	-	11	5	4	2	-	10	6	3	-	-	73
126	62	62	-	2	144	84	48	7	5	188	88	72	11	17	74
107	55	51	-	1	104	48	46	5	5	203	89	94	7	13	75
16	7	9	-	-	7	3	2	-	2	22	11	9	1	1	76
61	38	19	2	2	41	23	17	1	-	50	25	15	8	2	77
52	51	...	1	...	44	43	...	1	...	74	66	...	8	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
28	19	8	1	-	26	11	12	1	2	32	15	12	1	4	80





Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	32,190	11,708	8,452	6,495	5,535	10,822	5,917	4,872	18	15
02 I. INFECTIVE AND PARASITIC DISEASES.....	506	149	89	161	107	68	45	23	-	-
03 TUBERCULOSIS, ALL FORMS.....001-019	173	72	24	51	26	29	22	7	-	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	159	69	22	48	20	28	21	7	-	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	2	1	-	-	1	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	-	1	-	1	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	4	1	1	2	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	-	-	-	1	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	5	1	-	1	3	1	1	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	77	15	6	40	16	8	5	3	-	-
11 CONGENITAL SYPHILIS.....020	1	-	-	1	-	1	-	1	-	-
12 EARLY SYPHILIS.....021	1	-	-	1	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	41	12	6	17	6	6	4	2	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	22	1	-	14	7	1	1	-	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	2	1	-	-	1	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	8	1	-	6	1	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	2	-	-	1	1	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	1	-	-	1	-	-	-	-	-	-
20 TYPHOID FEVER.....040	1	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	3	1	-	2	-	-	-	-	-	-
22 CHOLERA.....043	1	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	1	-	-	1	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	8	-	-	2	6	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	-	-	1	-	-	-	-	-
26 SCARLET FEVER.....050	1	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	1	1	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	100	28	26	23	23	9	6	3	-	-
30 DIPHTHERIA.....055	1	-	-	-	1	-	-	-	-	-
31 WHOOPING COUGH.....056	3	-	-	2	1	1	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	31	5	12	4	10	6	3	3	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	8	1	1	4	2	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	1	-	-	1	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	2	1	-	-	-	-	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	13	4	5	4	-	4	2	2	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	1	1	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	16	3	5	4	4	3	2	1	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	13	4	3	5	1	-	-	-	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	13	-	-	6	7	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	38	13	5	11	9	6	3	3	-	-
55 II. NEOPLASMS.....	4,902	1,930	1,420	833	719	1,794	962	829	1	2
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	4,815	1,904	1,396	817	698	1,764	944	817	1	2
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	99	51	20	20	8	37	28	7	1	1
58 OF LIP.....140	2	1	1	-	-	2	2	-	-	-
59 OF TONGUE.....141	18	9	3	6	-	6	4	1	-	1
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	26	13	7	3	3	7	5	2	-	-
61 OF PHARYNX.....145-148	53	28	9	11	5	22	17	4	1	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,438	525	413	288	212	604	302	301	-	1
63 OF ESOPHAGUS.....150	89	33	9	33	14	35	28	7	-	-
64 OF STOMACH.....151	334	102	63	103	66	111	62	49	-	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	3	-	-	1	10	6	4	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	412	149	153	52	58	219	94	124	-	1
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	44	20	14	6	4	40	20	20	-	-
68 TRANSVERSE COLON.....153.1	12	3	6	2	1	10	5	5	-	-
69 DESCENDING COLON.....153.2	16	6	5	3	2	6	4	2	-	-
70 SIGMOID COLON.....153.3	55	20	23	6	6	50	21	29	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	2	1	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	262	89	96	33	44	90	32	57	-	1
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	21	10	8	2	1	23	12	11	-	-
74 OF RECTUM.....154	140	57	49	15	19	66	34	32	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	80	27	35	13	5	41	18	23	-	-
76 LIVER.....155.0	26	12	6	8	-	11	7	4	-	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	54	15	29	5	5	30	11	19	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	80	34	19	16	11	34	18	16	-	-
79 OF PANCREAS.....157	267	111	74	52	30	82	39	43	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	32	9	11	4	8	6	3	3	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,880	13,914	11,003	3,492	2,471	58,897	30,485	26,964	805	643	73,625	38,483	28,089	4,051	3,002	01
402	182	83	91	46	502	294	181	16	11	638	327	171	93	47	02
201	99	27	56	19	225	149	63	8	5	293	165	47	62	19	03
183	97	24	47	15	216	145	59	7	5	268	157	41	53	17	04
3	-	-	2	1	1	1	-	-	-	5	1	-	4	-	05
3	-	-	1	2	-	-	-	-	-	1	-	-	-	1	06
3	1	1	-	1	2	-	2	-	-	6	2	3	1	-	07
3	1	2	-	1	1	1	-	-	-	6	3	2	1	-	08
6	-	-	6	-	5	2	2	1	-	7	2	1	3	1	09
55	19	15	16	5	96	57	33	3	3	87	50	17	15	5	10
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
28	14	9	4	1	85	50	29	3	3	47	32	6	8	1	13
16	2	3	8	3	8	5	3	-	-	26	13	5	5	3	14
-	-	-	-	-	2	2	1	-	-	4	2	2	-	-	15
3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	16
5	2	1	2	-	1	1	-	-	-	6	2	3	1	-	17
3	1	1	-	1	-	-	-	-	-	3	1	1	-	-	18
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	19
1	-	1	-	-	4	2	2	-	-	3	-	1	1	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
3	1	-	1	1	-	-	-	-	-	6	4	-	-	2	23
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1	-	-	-	1	1	-	1	-	-	3	3	-	-	-	25
1	1	-	-	-	1	-	1	-	-	3	3	-	-	-	26
1	1	-	-	-	1	-	1	-	-	3	3	-	-	-	27
59	26	18	8	7	73	35	36	1	1	76	37	27	5	7	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
17	9	3	2	3	25	18	7	-	-	28	14	9	3	2	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	2	-	-	-	1	1	-	-	-	5	2	2	-	-	36
12	6	5	1	1	5	1	4	-	-	26	11	14	-	1	37
2	1	1	-	-	1	-	1	-	-	1	1	-	-	1	38
-	-	-	-	-	6	3	2	1	-	5	-	3	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	42
11	4	4	2	1	12	2	7	2	1	44	17	21	3	3	43
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
34	12	9	5	8	49	23	24	1	1	55	20	28	3	4	53
5,376	2,341	2,102	562	371	10,376	5,304	4,869	116	87	12,577	6,341	5,111	637	488	54
5,251	2,289	2,058	545	359	10,208	5,219	4,790	113	86	12,388	6,258	5,023	631	476	55
126	63	26	32	5	249	195	47	3	4	219	158	49	10	2	56
3	3	-	-	-	5	5	-	-	-	8	7	1	-	-	57
30	14	4	10	2	72	53	18	1	-	56	40	12	4	-	58
39	13	14	10	2	71	53	14	1	3	67	51	13	2	1	59
54	33	8	12	1	101	84	15	1	1	88	60	23	4	1	60
1,597	685	595	200	117	3,516	1,802	1,651	38	25	3,996	2,046	1,587	225	138	61
126	70	15	33	8	214	156	48	9	1	241	171	35	25	6	62
267	104	84	59	20	682	396	273	8	5	801	451	268	62	20	63
16	9	6	1	-	29	12	17	-	-	42	24	16	1	1	64
554	205	263	46	40	1,252	568	671	5	8	1,298	591	613	44	50	65
64	25	35	2	2	181	88	92	1	-	211	82	114	7	8	66
25	9	13	2	1	49	22	25	1	1	78	38	35	4	1	67
18	10	4	3	1	32	13	19	-	-	49	21	27	1	-	68
109	41	56	8	4	253	120	128	3	2	259	138	114	5	2	69
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	70
293	109	128	27	29	631	273	353	-	5	648	290	298	26	34	71
45	11	27	4	3	105	51	54	-	-	50	20	24	1	5	72
183	99	62	12	10	432	233	194	3	2	451	241	176	18	16	73
109	38	53	11	7	181	76	100	2	3	309	141	148	9	11	74
46	21	15	8	2	48	25	19	2	2	72	46	21	2	3	75
63	17	38	3	5	133	51	81	-	1	237	95	127	7	8	76
61	31	19	6	5	93	50	41	2	-	142	70	63	4	5	77
235	115	78	24	18	590	297	279	9	5	646	326	241	52	27	78
46	14	15	8	9	43	14	28	-	1	66	31	27	6	2	79

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
01 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	959	602	96	215	46	294	250	44	-	-
02 OF LARYNX.....161	45	27	4	13	1	20	18	2	-	-
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	339	225	30	73	11	111	100	11	-	-
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	560	341	59	128	32	158	131	27	-	-
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	15	9	3	1	2	5	1	4	-	-
06 MALIGNANT NEOPLASM OF BREAST.....170	395	1	282	1	111	142	3	139	-	-
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	635	167	180	115	173	247	111	136	-	-
08 OF CERVIX UTERI.....171	156	...	67	...	89	53	...	53	...	...
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	91	...	40	...	51	29	...	29	...	...
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	90	...	64	...	26	48	...	48	...	...
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	16	...	9	...	7	6	...	6	...	...
12 OF PROSTATE.....177	269	157	...	112	...	108	108	...	-	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	13	10	...	3	...	3	...	3	...	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	200	102	41	32	25	99	59	40	-	-
15 OF KIDNEY.....180	77	40	21	10	6	46	32	14	-	-
16 OF BLADDER AND OTHER URINARY ORGANS.....181	123	62	20	22	19	53	27	26	-	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	647	269	211	84	83	180	96	84	-	-
18 OF SKIN.....190,191	68	37	20	5	6	23	16	7	-	-
19 OF EYE.....192	1	-	1	-	-	1	-	1	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	96	52	23	8	13	33	20	13	-	-
21 OF THYROID GLAND.....194	11	2	5	-	4	4	1	3	-	-
22 OF BONE.....196	42	20	14	4	4	13	10	3	-	-
23 OF CONNECTIVE TISSUE.....197	18	7	7	2	2	7	2	5	-	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	29	15	6	5	3	8	5	3	-	-
25 OF UNSPECIFIED SITES.....156B,165,198,199B	382	136	135	60	51	91	42	49	-	-
26 LEUKEMIA AND ALEUKEMIA.....204	237	103	81	33	20	78	49	29	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	205	84	72	29	20	83	46	37	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	88	37	32	12	7	39	25	14	-	-
29 HODGKINS DISEASE.....201	49	22	16	7	4	21	8	13	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	68	25	24	10	9	23	13	10	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	87	26	24	16	21	30	18	12	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	6	...	2	...	4	-	...	...	...	...
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	14	3	6	2	3	4	-	4	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	15	5	3	6	1	4	3	1	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	...	-	...	-	-	...	...	...	...
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	37	10	11	6	10	15	10	5	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	15	8	2	2	3	7	5	2	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	975	219	324	153	279	233	104	129	-	-
39 ASTHMA.....241	92	32	21	21	18	32	22	10	-	-
40 NONTXIC GOITER.....250,251	2	1	-	1	-	1	-	1	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	16	2	6	4	4	6	1	5	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	5	2	3	-	-	7	-	7	-	-
43 DIABETES MELLITUS.....260	746	155	255	107	229	158	68	90	-	-
44 DISEASES OF THYMUS GLAND.....273	5	1	2	2	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	2	2	3	-	1	5	-	5	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	38	8	12	8	10	4	3	1	-	-
48 CYSTIC FIBROSIS.....289A	9	3	5	-	1	2	2	-	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	53	13	17	7	16	18	8	10	-	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	121	27	34	31	29	30	15	15	-	-
51 ANEMIAS.....290-293	90	15	24	26	25	27	10	12	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	9	-	7	-	2	4	2	2	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	81	15	17	26	23	18	8	10	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	12	5	5	1	1	2	-	2	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	19	7	5	4	3	6	5	1	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	70	33	15	12	10	29	14	15	-	-
57 SENILE PSYCHOSIS.....304	1	-	1	-	-	14	2	12	-	-
58 ALCOHOLIC PSYCHOSIS.....307	5	4	-	1	-	2	2	-	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	16	6	5	3	2	3	2	1	-	-
60 ALCOHOLISM.....322	34	19	4	6	5	9	8	1	-	-
61 MENTAL DEFICIENCY.....325	12	3	4	2	3	1	-	1	-	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	2	1	1	-	-	-	-	-	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	3,679	1,003	1,129	752	795	1,316	582	731	2	1
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	3,397	937	1,047	687	726	1,225	540	682	2	1
65 SUBARACHNOID HEMORRHAGE.....330	165	38	56	31	40	37	17	20	-	-
66 CEREBRAL HEMORRHAGE.....331	2,229	596	606	496	531	705	295	408	2	-
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	745	221	283	121	120	373	171	201	-	1
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	258	82	102	39	35	110	57	53	-	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	63	15	8	19	21	12	7	5	-	-
70 MULTIPLE SCLEROSIS.....345	15	3	7	1	4	14	5	9	-	-
71 PARALYSIS AGITANS.....350	22	9	10	2	1	24	9	15	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	19	4	7	3	5	6	2	4	-	-
73 EPILEPSY.....353	42	10	6	13	13	13	8	5	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	1	-	-	-	1	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	7	-	3	3	1	2	1	1	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	113	25	41	24	23	20	10	10	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,028	726	130	152	20	1,650	1,343	268	35	4	2,177	1,681	280	186	30
65	53	3	9	-	88	75	12	1	-	120	101	10	5	-
341	248	38	50	5	370	308	55	6	1	805	630	99	67	9
605	415	84	92	14	1,162	943	189	27	3	1,210	925	160	105	20
17	10	5	1	1	20	17	12	-	-	42	25	11	5	1
526	5	463	1	57	1,042	9	1,013	-	20	1,090	6	998	-	86
654	177	333	58	86	1,216	466	722	13	15	1,658	603	855	79	121
157	...	110	...	47	200	...	192	...	8	316	...	258	...	58
97	...	80	...	17	208	...	205	...	3	244	...	210	...	34
149	...	128	...	21	298	...	294	...	4	371	...	344	...	27
16	...	15	...	1	31	...	31	...	-	45	...	43	...	2
223	167	...	56	...	452	439	...	13	...	639	561	...	78	...
12	10	...	2	...	27	27	...	-	...	43	42	...	1	...
236	129	78	20	9	459	308	144	4	3	604	382	182	23	17
94	51	33	5	5	174	111	62	-	1	242	137	89	10	6
142	78	45	15	4	285	197	82	4	2	362	245	93	13	11
645	288	267	48	42	1,177	598	563	7	9	1,419	708	602	59	50
76	40	29	4	3	130	70	60	-	-	154	94	56	1	3
6	1	7	1	7	7	3	4	-	-	10	7	3	-	19
117	65	46	5	1	181	95	82	1	3	322	178	128	10	6
21	8	12	1	-	36	31	5	-	-	34	14	18	-	2
23	13	7	3	-	68	40	28	-	-	69	43	21	2	3
16	5	9	2	-	40	20	19	1	-	55	26	25	2	2
31	15	11	1	4	56	32	23	-	1	60	36	19	5	-
355	141	150	31	33	659	333	316	5	5	715	310	332	39	34
187	89	74	14	10	443	252	185	4	2	557	314	205	23	15
252	127	92	20	13	456	246	192	9	4	668	360	265	26	17
132	66	54	9	3	208	116	85	5	2	318	180	123	9	6
42	20	14	5	3	112	63	44	3	2	149	83	57	6	3
78	41	24	6	7	136	67	68	1	-	201	97	85	11	8
125	52	44	17	12	168	85	79	3	1	189	83	88	6	12
5	...	3	...	2	3	...	3	...	-	18	...	15	...	3
15	5	6	3	1	20	11	9	-	-	45	20	22	1	2
17	10	4	2	1	30	13	15	2	-	49	23	23	1	2
-	...	...	...	-	3	...	3	...	-	2	...	2	...	3
52	27	19	5	1	80	38	40	1	1	46	28	13	2	3
36	10	12	7	7	32	23	9	-	-	29	12	13	2	2
897	267	417	84	129	1,406	576	782	24	24	2,672	1,096	1,259	128	189
61	23	18	12	8	148	68	71	7	2	209	111	71	16	11
-	-	-	-	-	11	-	-	-	-	5	-	4	-	1
10	-	9	-	1	11	1	10	-	-	21	2	18	1	-
9	1	7	-	1	16	4	12	-	-	19	1	17	1	-
700	203	333	57	107	1,054	411	611	12	20	2,149	852	1,043	93	161
-	-	-	-	-	1	1	-	-	-	4	3	1	-	44
9	1	6	1	1	20	8	12	-	-	14	4	9	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
31	7	15	7	2	61	36	21	3	1	68	32	27	4	5
13	5	7	-	1	30	19	11	-	-	33	17	16	-	48
64	27	22	7	8	65	28	34	2	1	150	74	53	13	10
104	40	43	9	12	177	79	87	6	5	265	103	122	22	18
68	22	28	6	12	110	51	50	5	4	164	60	75	15	14
6	5	5	-	1	17	5	12	-	-	19	8	10	-	1
62	22	23	6	11	93	46	38	5	4	145	52	65	15	13
13	5	7	1	-	28	11	16	-	1	37	19	16	-	2
23	13	8	2	-	39	17	21	1	-	64	24	31	7	5
97	42	22	25	8	110	78	30	1	1	196	102	51	31	12
-	-	-	-	-	10	6	4	-	-	10	4	5	-	1
7	5	-	2	-	17	17	-	-	-	19	13	1	5	-
14	3	4	5	2	22	11	11	-	-	31	16	14	1	-
63	29	12	17	5	45	35	8	1	1	92	52	13	19	8
10	5	3	1	1	12	6	6	-	-	29	16	10	2	1
3	-	3	-	-	4	3	1	-	-	15	1	8	4	2
2,757	1,000	1,208	294	255	6,539	2,645	3,739	73	82	8,416	3,659	3,948	413	396
2,458	886	1,092	242	238	6,049	2,407	3,507	63	72	7,769	3,350	3,679	371	369
179	61	68	22	28	271	82	173	7	9	329	128	145	25	31
1,211	415	525	137	134	3,103	1,256	1,781	32	34	4,299	1,859	1,990	229	221
798	314	365	63	56	2,263	915	1,304	23	21	2,518	1,097	1,232	95	94
270	96	134	20	20	412	154	249	1	8	623	266	312	22	23
46	13	14	17	2	64	30	29	3	2	82	39	29	8	6
24	9	13	1	1	66	24	40	2	2	81	26	51	1	3
65	33	26	6	-	99	49	48	-	-	141	78	59	2	7
12	4	8	-	-	14	10	4	-	-	40	19	13	4	4
31	8	8	10	5	72	41	29	2	-	105	45	34	19	7
-	-	-	-	-	-	-	-	-	-	2	1	1	-	74
-	-	-	-	-	-	-	-	-	-	5	2	3	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
16	3	6	6	1	9	5	4	-	-	5	3	1	-	77
105	44	41	12	8	166	79	78	3	6	186	96	78	8	4



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	12,998	5,052	3,507	2,299	2,140	5,065	2,800	2,251	6	8
02 DISEASES OF HEART.....400-402,410-443	11,785	4,641	3,122	2,077	1,945	4,489	2,540	1,937	4	8
03 RHEUMATIC FEVER.....400-402	6	1	-	3	2	2	2	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	110	28	43	19	20	70	29	41	-	-
05 DISEASES OF MITRAL VALVE.....410	42	11	20	4	7	24	10	14	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	11	3	5	2	1	6	3	3	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	2	1	1	-	-	6	1	5	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	55	13	17	13	12	34	15	19	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	8,756	3,962	2,305	1,377	1,112	3,581	2,114	1,459	3	5
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,701	842	805	543	511	910	423	485	1	1
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	6,044	3,116	1,497	832	599	2,664	1,686	972	2	4
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	11	4	3	2	2	7	5	2	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	45	16	6	14	9	36	16	20	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	1	-	1	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	29	14	4	7	4	21	13	8	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	16	2	2	7	5	14	3	11	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	749	201	227	151	170	344	157	186	-	1
18 WITH ARTERIOSCLEROSIS.....422.1	579	161	189	112	117	199	95	104	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	170	40	38	39	53	145	62	82	-	1
20 OTHER DISEASES OF HEART.....430-434	769	215	213	186	155	150	83	65	-	2
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	11	4	3	2	2	4	3	1	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	30	8	5	12	5	7	4	3	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	188	54	63	37	34	50	25	23	-	2
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	540	149	142	135	114	89	51	38	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	1,350	218	328	327	477	306	139	166	1	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	134	33	49	29	23	83	46	37	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,216	185	279	298	454	223	93	129	1	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	174	47	31	55	41	69	29	40	-	-
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	81	33	17	12	19	51	21	30	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	93	14	14	43	22	18	8	10	-	-
31 DISEASES OF ARTERIES.....450-456	794	281	283	118	112	441	201	238	2	-
32 GENERAL ARTERIOSCLEROSIS.....450	559	174	223	80	82	344	141	202	1	-
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	152	83	36	23	10	79	51	27	1	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	5	2	1	-	2	2	1	1	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	78	22	23	15	18	16	8	8	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	245	83	71	49	42	66	30	36	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,714	664	348	395	307	576	367	207	1	1
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	13	5	2	1	5	3	-	3	-	-
39 INFLUENZA.....480-483	44	14	14	7	9	50	23	27	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,072	332	230	268	242	306	175	129	1	1
41 LOBAR PNEUMONIA.....490	157	48	24	48	37	35	24	10	1	-
42 BRONCHOPNEUMONIA.....491	431	132	93	108	98	175	97	78	-	-
43 PRIMARY ATYPICAL PNEUMONIA.....492	128	38	38	28	24	31	18	13	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	356	114	75	84	83	65	36	28	-	1
45 ACUTE BRONCHITIS.....500	8	1	2	4	1	10	4	6	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	78	50	10	13	5	46	38	8	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	-	3	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	27	12	4	8	3	2	2	-	-	-
49 PLEURISY.....519	4	2	1	1	-	1	1	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	79	24	16	19	20	22	14	8	-	-
51 BRONCHIECTASIS.....526	25	12	7	5	1	10	6	4	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	328	203	48	60	17	111	95	16	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	244	167	31	41	5	103	90	13	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	84	36	17	19	12	8	5	3	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	33	9	11	9	4	15	9	6	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,172	420	332	243	177	367	191	175	1	-
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	75	25	22	20	8	30	20	10	-	-
59 ULCER OF DUODENUM.....541	51	24	11	11	5	29	24	5	-	-
60 GASTRITIS AND DUODENITIS.....543	12	3	2	3	4	3	3	7	-	-
61 APPENDICITIS.....550-553	26	9	5	10	2	14	6	7	1	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	202	61	72	37	32	65	22	43	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	116	12	9	56	39	15	8	7	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	52	12	27	3	10	28	10	18	-	-
65 CIRRHOSIS OF LIVER.....581	289	143	60	53	33	91	56	35	-	-
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	225	108	49	40	28	63	35	28	-	-
67 WITH ALCOHOLISM.....581.1	64	35	11	13	5	28	21	7	-	-
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	50	22	20	1	7	25	9	16	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	299	109	104	49	37	67	33	34	-	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	735	230	184	162	159	198	109	88	-	1
71 NEPHRITIS AND NEPHROSIS.....590-594	275	81	60	63	71	78	39	39	-	-
72 ACUTE NEPHRITIS.....590	8	5	-	2	1	4	2	2	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	9	1	3	1	4	7	4	3	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	258	75	57	60	66	67	33	34	-	-
75 INFECTIONS OF KIDNEY.....600	276	65	92	55	64	66	30	36	-	-
76 CALCULI OF URINARY SYSTEM.....602,604	20	6	9	1	4	4	2	2	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	77	34	18	17	8	17	10	7	-	-
78 HYPERTROPHY OF PROSTATE.....610	57	36	-	21	-	24	24	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	30	8	5	5	12	9	4	4	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,725	6,491	5,086	1,196	952	26,894	14,349	12,053	252	240	31,346	17,241	11,863	1,246	996	01
12,600	6,025	4,645	1,075	855	24,245	13,128	10,692	219	206	28,076	15,627	10,467	1,114	866	02
11	6	3	2	-	17	11	5	-	1	14	9	5	-	-	03
255	82	128	17	28	543	205	327	5	6	693	286	354	22	31	04
112	34	63	4	11	189	67	119	1	2	301	109	173	8	11	05
31	15	9	5	2	65	38	27	-	-	81	57	19	4	1	06
15	5	9	1	-	15	7	7	-	1	27	12	12	-	3	07
97	28	47	7	15	274	93	174	4	3	284	108	150	10	16	08
7,704	4,221	2,702	473	308	20,608	11,636	8,650	170	152	23,082	13,540	8,105	831	606	09
1,724	784	698	150	92	6,407	2,876	3,435	43	53	6,581	3,140	3,002	243	196	10
5,968	3,433	1,997	323	215	14,192	8,757	5,209	127	99	16,490	10,394	5,098	588	410	11
12	4	7	-	1	9	3	6	-	-	11	6	5	-	-	12
72	29	29	7	7	152	74	72	4	2	136	77	54	4	1	13
3	1	1	-	1	3	1	2	-	-	5	2	3	-	-	14
37	18	12	5	2	110	64	43	3	-	84	53	27	3	1	15
32	10	16	2	4	39	9	27	1	2	47	22	24	1	-	16
2,617	1,096	1,015	288	218	951	403	530	11	7	1,228	561	587	46	34	17
2,496	1,052	965	276	203	701	300	390	5	6	928	422	452	30	24	18
121	44	50	12	15	250	103	140	6	1	300	139	135	16	10	19
460	192	183	44	41	700	345	321	17	17	1,092	522	466	52	52	20
8	2	3	2	1	23	16	7	-	-	28	16	8	1	3	21
19	7	3	4	5	29	17	9	2	1	34	13	15	3	3	22
181	64	88	12	17	183	76	93	6	8	301	135	136	12	18	23
252	119	89	26	18	465	236	212	9	8	729	358	307	36	28	24
1,481	399	585	244	253	1,274	454	787	12	21	1,831	636	892	159	144	25
242	73	110	31	28	166	81	83	-	2	355	159	158	21	17	26
1,239	326	475	213	225	1,108	373	704	12	19	1,476	477	734	138	127	27
180	55	60	40	25	362	154	198	7	3	462	194	195	38	35	28
83	32	32	13	6	212	105	102	2	3	243	123	89	16	15	29
97	23	28	27	19	150	49	96	5	-	219	71	106	22	20	30
711	327	284	52	48	1,673	778	854	20	21	2,424	1,259	1,036	65	64	31
482	194	218	38	32	1,189	486	681	10	12	1,716	785	849	41	41	32
155	106	37	7	5	343	230	102	9	2	514	376	116	13	9	33
10	4	3	1	2	14	6	6	-	2	23	9	9	2	3	34
64	23	26	6	9	127	56	65	1	5	171	89	62	9	11	35
234	84	97	29	24	614	289	309	6	10	384	161	165	29	29	36
1,574	808	401	250	115	3,760	2,123	1,523	76	38	3,786	2,294	1,035	304	153	37
18	6	8	3	1	9	5	4	-	-	31	13	13	4	1	38
17	5	11	-	1	47	18	29	-	-	97	41	45	5	6	39
948	425	272	162	89	2,582	1,268	1,225	56	33	1,994	1,033	664	185	112	40
188	89	42	41	16	298	173	108	12	5	332	185	92	35	20	41
407	194	114	61	38	1,509	716	744	29	20	757	399	274	54	30	42
67	30	23	7	7	273	132	126	9	6	304	139	97	39	29	43
286	112	93	53	28	502	247	247	6	2	601	310	201	57	33	44
12	7	2	3	-	32	14	15	2	1	43	19	16	5	3	45
90	62	18	8	2	218	166	47	5	-	214	158	45	6	5	46
2	1	1	-	-	3	2	1	-	-	5	2	2	-	-	47
15	8	2	5	-	31	24	3	2	2	29	18	8	2	1	46
4	1	3	-	-	6	2	4	-	-	17	8	8	1	-	49
101	32	26	26	17	99	68	29	1	1	234	124	70	27	13	50
20	10	6	3	1	62	36	26	-	-	62	38	19	4	1	51
316	237	43	34	2	597	479	111	7	-	958	784	115	52	7	52
262	217	24	21	-	511	428	78	5	-	903	754	94	49	6	53
54	20	19	13	2	86	51	33	2	-	55	30	21	3	1	54
31	14	9	6	2	74	41	29	3	1	102	57	30	11	4	55
1,336	615	409	182	130	2,631	1,485	1,078	40	28	2,880	1,514	1,074	154	138	56
1	-	1	-	-	2	2	-	-	-	3	1	2	-	-	57
87	50	26	9	2	187	117	62	4	4	199	125	61	7	6	58
54	33	11	6	4	207	147	56	3	1	242	165	54	17	6	59
7	3	1	2	1	19	16	3	-	-	12	8	4	-	-	60
28	10	7	9	2	47	29	16	2	-	73	44	19	2	8	61
180	67	73	18	22	310	147	158	3	2	390	159	151	21	19	62
52	17	9	12	14	55	20	34	1	-	98	43	43	6	6	63
67	29	34	-	4	144	56	85	1	2	183	83	91	4	5	64
565	286	139	86	54	1,025	627	365	20	13	1,042	589	320	73	60	65
411	209	104	61	37	762	460	284	14	4	745	434	245	30	36	66
154	77	35	25	17	263	167	81	6	9	297	155	75	43	24	67
45	10	29	1	5	145	55	89	-	1	240	90	139	4	7	68
250	110	79	39	22	490	269	210	6	5	398	207	150	20	21	69
452	174	141	77	60	869	440	392	23	14	1,143	614	357	105	67	70
186	67	55	37	27	335	166	151	10	8	479	234	158	52	35	71
6	2	3	-	1	22	5	16	1	-	24	11	8	5	-	72
6	3	1	1	1	21	8	10	1	2	33	22	8	-	3	73
174	62	51	36	25	292	153	125	8	6	422	201	142	47	32	74
129	36	53	18	22	265	109	145	6	5	312	139	123	24	26	75
23	9	11	1	2	27	12	14	1	-	55	28	24	1	2	76
54	19	19	10	6	135	60	70	5	-	104	50	38	15	1	77
46	38	-	8	-	85	84	-	1	-	162	151	-	11	-	78
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	79
14	5	3	3	3	22	9	12	-	1	30	11	14	2	3	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	LOUISIANA						MAINE					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	41	...	17	...	24	3	...	3	...	-		
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	6	...	1	...	5	-	...	-	...	-		
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	7	...	3	...	4	-	...	-	...	-		
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	8	...	6	...	2	2	...	2	...	-		
05 ECTOPIC PREGNANCY.....645	4	...	-	...	4	-	...	-	...	-		
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	1	...	1	-	...	-	...	-		
07 ABORTION WITH SEPSIS.....651	2	...	1	...	1	-	...	-	...	-		
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-		
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	12	...	5	...	7	1	...	1	...	-		
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	42	7	10	8	17	10	3	7	-	-		
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	6	2	-	1	3	1	1	-	-	-		
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	36	5	10	7	14	9	2	7	-	-		
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	46	19	15	5	7	22	12	10	-	-		
14 ARTHRITIS AND SPONDYLITIS.....720-725	21	7	9	1	4	13	6	7	-	-		
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-		
16 OSTEOMYELITIS AND PERIOSTITIS.....730	3	1	2	-	-	1	1	-	-	-		
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	-	1	-	-	-	-	-	-		
18 INBORN DEFECT OF MUSCLE.....744.1	12	8	2	2	2	2	2	-	-	-		
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.C,744.2	9	3	2	2	2	6	3	3	-	-		
20 XIV. CONGENITAL MALFORMATIONS.....	435	138	130	83	84	86	44	42	-	-		
21 SPINA BIFIDA AND MENINGOCELE.....751	29	5	16	4	4	6	2	4	-	-		
22 CONGENITAL HYDROCEPHALUS, ETC...752,753	35	13	8	6	8	9	5	4	-	-		
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	233	77	59	47	50	46	26	20	-	-		
24 OTHER CONGENITAL MALFORMATIONS...750,755-759	138	43	47	26	22	25	11	14	-	-		
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,427	394	269	423	341	273	177	89	5	2		
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	223	64	59	66	34	88	37	51	-	-		
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	33	11	13	5	4	54	20	34	-	-		
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	190	53	46	61	30	34	17	17	-	-		
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	3,104	1,359	570	869	306	664	455	207	2	-		
30 ACCIDENTS.....E800-E962	2,495	1,110	486	637	262	512	340	170	2	-		
31 RAILWAY ACCIDENTS.....E800-E802	16	8	2	6	-	-	-	-	-	-		
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	1,071	541	205	251	74	216	141	74	1	-		
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,053	532	203	247	71	208	134	73	1	-		
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	36	15	7	10	4	4	3	1	-	-		
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	179	75	27	55	22	39	25	14	-	-		
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	464	249	121	68	26	75	41	33	1	-		
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	247	134	29	75	9	70	51	19	-	-		
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	127	59	19	39	10	20	14	6	-	-		
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	18	9	2	4	3	8	7	1	-	-		
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	6	4	2	-	-	-	-	-	-	-		
41 WATER TRANSPORT ACCIDENTS.....E850-E858	95	69	3	23	-	23	22	1	-	-		
42 AIRCRAFT ACCIDENTS.....E860-E866	25	19	5	1	-	8	6	2	-	-		
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS...E870-E888	35	9	12	8	6	4	2	2	-	-		
44 ACCIDENTAL POISONING BY GASES AND VAPORS...E890-E895	19	13	2	2	2	10	7	3	-	-		
45 ACCIDENTAL FALLS.....E900-E904	327	117	134	42	34	87	42	45	-	-		
46 FALL FROM ONE LEVEL TO ANOTHER...E900-E902	84	37	24	15	6	23	16	7	-	-		
47 FALL ON SAME LEVEL...E903	38	12	18	5	3	15	5	10	-	-		
48 UNSPECIFIED FALLS...E904	205	68	92	22	23	49	21	28	-	-		
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	36	17	2	15	2	13	13	-	-	-		
50 ACCIDENT CAUSED BY MACHINERY...E912	40	27	-	13	-	6	6	-	-	-		
51 ACCIDENT CAUSED BY ELECTRIC CURRENT...E914	32	19	1	12	-	2	2	-	-	-		
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	214	60	39	54	61	44	30	13	1	-		
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	14	4	-	5	5	1	1	-	-	-		
54 ACCIDENT CAUSED BY FIREARM...E919	73	36	6	23	8	13	13	-	-	-		
55 INHALATION AND INGESTION OF OBJECTS, ETC...E921,E922	33	8	6	11	8	11	4	7	-	-		
56 ACCIDENTAL DROWNING...E929	168	71	17	77	3	29	24	5	-	-		
57 EXCESSIVE HEAT AND INSULATION...E931	4	1	-	3	-	-	-	-	-	-		
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	59	23	19	7	10	9	2	7	-	-		
59 ALL OTHER ACCIDENTS...RESIDUAL	228	64	31	84	49	36	25	11	-	-		
60 SUICIDE.....E963,E970-E979	265	176	57	28	4	129	98	31	-	-		
61 SUICIDE BY POISONING...E970-E973	33	17	16	-	-	30	19	11	-	-		
62 SUICIDE BY HANGING AND STRANGULATION...E974	13	8	3	1	1	19	17	2	-	-		
63 SUICIDE BY FIREARM AND EXPLOSIVE...E976	191	134	31	24	2	64	52	12	-	-		
64 SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	28	17	7	3	1	16	10	6	-	-		
65 HOMICIDE.....E964,E980-E985	343	72	27	204	40	20	14	6	-	-		
66 ASSAULT BY FIREARM AND EXPLOSIVE...E981	220	53	16	129	22	11	7	4	-	-		
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	79	8	2	58	11	1	1	-	-	-		
68 ASSAULT BY OTHER MEANS...E964,E980,E983	35	8	9	11	7	8	6	2	-	-		
69 INJURY BY INTERVENTION OF POLICE...E984	9	3	-	6	-	-	-	-	-	-		
70 EXECUTION...E985	-	-	-	-	-	-	-	-	-	-		
71 INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	1	1	-	-	-	3	3	-	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
27	...	14	...	13	16	...	13	...	3	54	...	39	...	15	01
4	...	3	...	1	2	...	2	...	-	3	...	3	...	-	02
5	...	1	...	4	2	...	2	...	-	5	...	4	...	3	03
2	...	2	...	2	2	...	2	...	-	9	...	6	...	1	04
2	...	1	...	1	1	...	1	...	-	2	...	1	...	1	05
1	...	1	...	-	-	...	-	...	1	4	...	3	...	1	06
6	...	3	...	3	2	...	1	...	1	11	...	5	...	6	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
7	...	3	...	4	7	...	6	...	1	20	...	17	...	3	09
62	15	28	10	9	78	30	43	3	2	76	19	42	8	7	10
15	5	4	4	2	13	7	6	-	-	20	7	9	2	2	11
47	10	24	6	7	65	23	37	3	2	56	12	33	6	5	12
55	19	25	8	3	108	41	66	-	1	159	70	82	5	2	13
30	8	17	4	1	54	19	35	-	-	95	33	61	1	-	14
1	-	-	1	-	1	-	1	-	-	3	1	2	-	-	15
2	-	2	-	-	7	-	2	-	-	4	1	1	-	-	16
9	7	1	1	-	18	12	3	-	-	7	1	1	-	-	17
13	4	5	2	2	26	6	19	-	1	27	10	13	3	1	18
359	147	147	28	37	547	263	255	15	14	920	427	396	52	51	20
20	12	8	-	-	53	16	35	1	1	73	26	42	1	4	21
40	14	16	4	6	48	23	20	2	3	91	41	42	3	5	22
177	69	72	13	23	264	140	113	5	6	464	237	170	28	29	23
122	52	51	11	8	182	84	87	7	4	292	123	136	20	13	24
1,166	477	316	208	165	1,402	763	534	56	49	2,430	1,124	787	296	223	25
126	49	42	21	14	248	150	91	5	2	334	151	133	28	22	26
12	4	8	-	-	15	8	7	-	-	33	9	24	-	-	27
114	45	34	21	14	233	142	84	5	2	301	142	109	28	22	28
2,365	1,247	519	447	152	3,234	1,865	1,228	99	42	5,733	3,401	1,625	529	178	29
1,715	936	372	289	118	2,672	1,501	1,071	69	31	4,490	2,709	1,335	323	123	30
12	7	1	4	-	15	13	2	-	-	19	15	2	2	-	31
742	443	146	118	35	905	623	245	28	9	2,264	1,500	570	142	52	32
728	434	143	116	35	892	615	240	28	9	2,221	1,474	560	136	51	33
9	6	3	-	-	1	1	-	-	-	73	50	20	3	-	34
150	70	31	39	10	240	159	69	5	7	400	231	106	46	17	35
293	175	59	41	18	252	175	68	12	-	959	618	277	48	16	36
191	131	32	27	1	277	206	59	10	2	536	399	93	29	15	37
85	52	18	9	6	122	77	44	1	-	253	176	64	10	3	38
14	9	3	2	-	13	8	5	-	-	43	26	10	6	1	39
2	2	-	-	-	9	5	4	-	-	9	4	4	1	-	40
29	21	-	8	-	19	18	1	-	-	55	48	2	5	-	41
16	16	-	-	-	22	21	1	-	-	26	22	4	-	-	42
30	19	6	3	2	44	20	21	3	-	74	28	35	5	6	43
13	7	3	1	1	32	23	9	-	-	74	28	35	5	6	43
347	162	134	41	10	1,003	401	588	10	4	106	64	27	10	5	44
138	77	33	21	7	261	147	106	7	1	868	384	417	51	16	45
75	26	35	13	1	343	177	117	2	2	244	150	58	31	5	46
134	59	66	7	2	399	137	260	1	1	121	49	65	6	1	47
19	13	-	5	1	18	17	-	-	1	34	31	2	1	-	49
33	27	-	6	-	16	14	1	1	-	59	47	3	9	-	50
19	15	-	4	-	9	8	1	-	-	30	22	6	2	-	51
145	44	24	38	39	214	98	90	15	11	227	115	68	29	15	52
5	2	2	-	1	8	3	3	2	-	25	11	9	4	1	53
29	14	3	9	3	16	13	2	1	-	72	48	8	15	1	54
41	23	12	6	-	55	36	17	-	2	87	42	39	3	3	55
80	48	11	17	4	113	88	18	6	1	183	146	21	15	1	56
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
33	11	10	5	7	43	22	20	-	1	34	14	16	1	3	58
118	60	21	22	15	131	78	48	3	2	318	168	102	28	20	59
395	255	110	25	5	439	299	129	6	5	869	571	245	36	17	60
107	48	58	1	-	168	93	69	4	2	293	139	140	6	8	61
67	45	15	7	-	91	67	23	-	1	173	123	40	9	1	62
173	137	20	14	2	102	94	8	-	-	322	275	28	16	3	63
48	25	17	3	3	78	45	29	2	2	81	34	37	5	5	64
254	55	37	133	29	123	65	28	24	6	372	119	45	170	38	65
133	31	19	73	10	39	29	1	9	-	173	63	22	75	13	66
69	7	6	48	8	33	16	7	7	3	102	19	9	66	8	67
49	17	12	9	11	49	18	20	8	3	85	29	14	25	17	68
3	-	-	3	-	2	2	-	-	-	12	8	-	4	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	32,559	18,716	13,446	222	175	22,660	7,256	5,140	5,562	4,702
02 I. INFECTIVE AND PARASITIC DISEASES.....	225	137	77	8	3	256	62	33	91	70
03 TUBERCULOSIS, ALL FORMS.....001-019	68	47	14	6	1	76	20	5	29	22
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	63	45	12	5	1	68	19	5	26	18
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	4	-	-	1	3
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	2	-	-	1	1
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	1	1	-	-	2	1	-	1	-
09 DISSEMINATED TUBERCULOSIS.....019	3	1	1	1	-	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....C20-029	36	26	8	-	2	30	5	3	19	3
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	3	-	-	3	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	20	15	5	-	-	13	4	2	6	1
14 OTHER CARDIOVASCULAR SYPHILIS.....023	8	5	2	-	1	10	1	-	8	1
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	3	2	-	-	1	1	-	1	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	4	1	-	-	2	-	-	2	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	-	-	-	1
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	2	-	-	-	2	-	-	1	1
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	1	1	-	-	-
24 CYSENTERY, ALL FORMS.....045-048	2	2	-	-	-	13	-	1	6	6
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	2	-	-	1	1
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	1	-	-	-	1	1	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	36	19	16	1	-	37	8	5	11	13
30 DIPHTHERIA.....055	1	1	-	-	-	1	-	-	1	-
31 WHOOPING COUGH.....056	1	1	-	-	-	3	-	-	3	-
32 MENINGOCOCCAL INFECTIONS.....057	19	10	9	-	-	13	6	2	3	2
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	5	3	2	-	-	6	-	3	-	3
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	-	1	-	-	1	-	-	1	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	4	2	2	-	-	14	5	3	4	2
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	3	1	2	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	3	2	1	-	-	8	-	1	3	4
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	13	5	8	-	-	11	2	4	1	4
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	1	-	-	1	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATIO DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	3	-	1	-	2
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	29	15	13	1	-	33	14	5	7	7
55 II. NEOPLASMS.....	5,700	3,084	2,568	28	20	2,976	1,057	831	543	545
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,627	3,047	2,532	28	20	2,920	1,048	811	533	528
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	81	67	13	-	1	61	30	11	16	4
58 OF LIP.....140	3	3	-	-	-	2	1	-	1	-
59 OF TONGUE.....141	19	15	4	-	-	6	4	1	-	1
60 OF OTHER NOT UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	22	15	6	-	1	29	13	7	9	-
61 OF PHARYNX.....145-148	37	34	3	-	-	24	12	3	6	3
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,940	1,084	838	12	6	852	256	232	194	170
63 OF ESOPHAGUS.....150	102	81	19	2	-	36	17	4	12	3
64 OF STOMACH.....151	439	265	170	3	1	214	52	38	74	50
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	14	7	7	-	-	6	3	2	-	1
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	643	306	329	4	4	257	76	86	40	55
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	118	49	68	-	1	34	13	13	7	1
68 TRANSVERSE COLON.....153.1	34	18	15	1	-	10	3	2	3	2
69 DESCENDING COLON.....153.2	30	17	13	-	-	13	2	6	1	4
70 SIGMOID COLON.....153.3	145	76	66	2	1	35	12	12	7	4
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	2	1	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	287	138	146	1	2	156	45	50	21	40
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	27	7	20	-	-	9	1	3	1	4
74 OF RECTUM.....154	207	135	71	-	1	69	15	21	14	19
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	150	64	84	2	-	42	12	20	7	3
76 LIVER.....155.0	31	17	14	-	-	15	4	6	5	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	119	47	70	2	-	27	8	14	2	3
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	42	13	28	1	-	46	11	13	11	11
79 OF PANCREAS.....157	318	202	116	-	-	165	64	44	32	25
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	25	11	14	-	-	17	6	4	4	3





## SECTION 1 - GENERAL MORTALITY

I-205

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,456	1,129	215	93	19	154	129	24	1	-	355	308	23	11	3
63	53	7	2	1	6	6	-	-	-	12	12	-	-	-
485	385	58	36	6	50	44	6	-	-	315	272	30	10	3
887	678	143	54	12	93	77	15	1	-	19	17	2	-	-
21	13	7	1	-	5	2	3	-	-	9	7	1	1	-
702	7	639	-	56	75	-	74	-	1	216	3	211	-	2
1,054	398	536	44	76	139	73	62	-	4	351	157	183	5	6
225	...	188	...	37	24	20	...	...	4	46	...	42	...	4
151	...	126	...	25	15	...	15	...	...	52	...	51	...	1
215	...	203	...	12	23	...	23	...	...	86	...	85	...	1
21	...	19	...	2	4	...	4	...	...	5	...	5	...	-
421	381	...	40	...	71	71	...	...	...	155	150	...	5	...
21	17	...	4	...	2	2	...	-	...	7	7	...	-	...
332	194	107	13	18	39	30	9	-	-	122	66	54	2	-
133	71	48	7	7	15	10	5	-	-	60	33	27	-	-
199	123	59	6	11	24	20	4	-	-	62	33	27	2	-
1,003	487	433	40	43	100	50	48	1	1	222	114	102	4	2
139	67	67	4	1	15	9	6	-	-	35	25	10	-	-
6	2	4	-	-	4	1	3	-	-	2	2	-	-	-
154	91	57	3	3	17	7	10	-	-	64	29	33	1	1
27	5	20	-	2	4	1	3	-	-	12	3	9	-	-
45	25	14	3	3	4	3	1	-	-	15	9	6	-	-
24	14	13	-	-	7	4	3	-	-	9	3	6	-	-
36	22	13	-	-	7	4	3	-	-	10	4	6	-	-
572	261	248	29	34	457	22	22	1	1	75	39	33	1	1
363	206	128	14	15	50	34	15	-	-	145	80	62	1	2
362	185	153	16	8	54	36	18	-	-	167	90	74	2	1
160	84	73	2	1	22	12	10	-	-	90	51	37	1	1
82	47	30	3	2	15	11	4	-	-	42	26	16	-	-
120	54	50	11	5	17	13	4	-	-	35	13	21	1	-
129	51	60	8	10	29	10	16	1	2	28	12	15	1	-
10	...	6	...	4	-	...	...	...	...	6	6	...	...	-
18	5	10	2	1	4	1	3	-	-	9	3	5	1	-
29	14	11	1	3	1	-	1	-	-	6	5	1	-	-
1	...	1	...	-	-	...	-	...	...	-	...	-	...	-
41	20	20	1	-	16	6	8	1	1	2	1	1	-	-
30	12	12	4	2	8	3	4	-	1	5	3	2	-	-
1,093	433	512	62	86	150	60	82	2	6	382	162	205	7	8
141	79	40	17	5	19	10	8	-	1	45	23	18	3	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
12	2	7	1	2	2	-	-	-	-	4	-	4	-	-
7	-	6	1	-	2	1	1	-	-	4	-	4	-	-
775	290	389	27	69	113	42	67	2	2	282	122	153	3	4
2	1	-	-	1	-	-	-	-	-	1	-	-	-	-
11	6	4	-	1	-	-	-	-	-	3	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
57	20	25	8	4	4	-	2	-	2	10	2	7	-	1
17	8	9	-	-	2	-	2	-	-	8	2	5	-	1
70	27	31	8	4	6	6	-	-	-	25	13	10	1	1
159	61	83	7	8	27	16	10	1	-	46	26	15	2	3
101	41	50	3	7	16	11	4	1	-	26	12	11	1	2
12	4	7	-	1	3	2	1	-	-	6	1	5	-	-
89	37	43	3	6	13	9	3	1	-	20	11	6	1	2
23	6	15	1	1	2	1	1	-	-	5	2	1	1	1
35	14	18	3	-	9	4	5	-	-	15	12	3	-	-
100	54	30	9	7	15	13	1	1	-	36	25	9	2	-
3	1	2	-	-	1	-	1	-	-	6	3	3	-	-
6	6	-	3	-	-	-	-	-	-	3	3	-	-	-
22	9	10	2	1	1	1	-	-	-	8	4	4	-	-
48	32	10	3	3	12	11	-	1	-	16	13	1	2	-
16	6	7	-	3	-	-	-	-	-	2	-	-	-	-
2	-	1	1	-	-	-	-	-	-	1	-	1	-	-
6,406	2,705	3,007	347	347	774	408	346	12	8	1,967	956	969	22	20
6,054	2,546	2,868	310	330	712	376	321	9	6	1,828	891	897	22	18
176	66	80	12	18	26	12	13	1	-	54	27	23	4	-
3,182	1,375	1,512	156	139	411	212	186	8	5	1,030	488	525	9	8
2,020	826	951	105	138	181	105	75	-	1	581	298	265	8	10
676	279	325	37	35	94	47	47	-	-	163	78	84	1	-
55	23	13	11	8	7	2	2	3	-	13	9	4	-	-
24	10	11	1	2	12	7	5	-	-	22	7	15	-	-
94	53	41	-	-	14	9	5	-	-	47	19	28	-	-
19	7	10	1	1	-	-	-	-	-	8	5	3	-	-
31	14	9	8	-	4	2	1	-	1	11	6	4	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
125	49	54	16	6	24	12	12	-	-	33	17	15	-	1



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	13,983	8,466	5,399	68	50	7,958	2,926	2,045	1,540	1,447
02 DISEASES OF HEART.....400-402,410-443	12,537	7,707	4,729	60	41	7,075	2,643	1,809	1,360	1,263
03 RHEUMATIC FEVER.....400-402	8	6	2	-	4	-	-	-	-	4
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	310	135	171	2	2	108	33	29	20	26
05 DISEASES OF MITRAL VALVE.....410	160	65	93	1	1	47	18	12	7	10
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	41	23	18	-	-	14	6	5	2	1
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	25	8	17	-	-	3	1	-	-	2
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	84	39	43	1	1	44	8	12	11	13
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	10,329	6,616	3,642	42	29	4,742	2,142	1,265	723	612
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,377	1,336	1,018	11	12	999	313	328	197	161
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	7,950	5,279	2,623	31	17	3,726	1,825	934	518	449
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	2	1	1	-	-	17	4	3	8	2
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	126	65	60	1	-	52	11	13	23	5
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	2	1	-	-	3	-	-	2	1
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	72	38	33	1	-	19	6	3	9	1
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	51	25	26	-	-	30	5	10	12	3
17 OTHER MYOCARDIAL DEGENERATION.....422	595	318	271	4	2	533	129	157	131	116
18 WITH ARTERIOSCLEROSIS.....422.1	470	244	220	4	2	357	94	117	74	72
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	125	74	51	-	-	176	35	40	57	44
20 OTHER DISEASES OF HEART.....430-434	398	235	156	4	3	519	158	106	146	109
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	13	9	4	-	-	7	2	1	3	1
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	19	8	10	-	1	6	3	1	1	1
23 FUNCTIONAL DISEASE OF HEART.....433	190	107	81	2	-	94	34	32	10	18
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	176	111	61	2	2	412	119	72	132	89
25 HYPERTENSIVE HEART DISEASE.....440-443	771	332	427	7	5	1,117	170	239	317	391
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	124	58	66	-	-	188	40	47	59	42
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	647	274	361	7	5	929	130	192	258	349
28 OTHER HYPERTENSIVE DISEASE.....444-447	161	86	70	2	3	155	35	32	64	64
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	80	51	28	1	-	78	24	18	20	16
30 ESSENTIAL HYPERTENSION.....444,445,447	81	35	42	1	3	117	11	14	44	48
31 DISEASES OF ARTERIES.....450-456	1,075	565	505	4	1	547	207	156	92	92
32 GENERAL ARTERIOSCLEROSIS.....450	761	359	398	3	1	384	128	125	65	66
33 AORTIC ANEURYSM, MONSYPHILITIC, ETC.....451	232	158	74	-	-	122	63	21	22	16
34 GANGRENE OF UNSPECIFIED CAUSE.....455	5	4	1	-	-	2	-	-	1	-
35 OTHER ARTERIAL DISEASES.....452-454,456	77	44	32	1	-	39	16	9	4	10
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	210	108	95	2	5	141	41	48	24	28
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,605	1,030	546	20	9	1,131	395	231	287	218
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	6	1	4	-	1	15	3	-	6	6
39 INFLUENZA.....480-483	27	15	12	-	-	60	10	18	15	17
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	968	555	392	15	6	711	175	152	216	168
41 LOBAR PNEUMONIA.....490	144	79	61	3	1	122	23	24	46	29
42 BRONCHOPNEUMONIA.....491	564	322	231	7	4	292	81	73	72	66
43 PRIMARY ATYPICAL PNEUMONIA.....492	68	41	26	1	-	42	9	12	15	6
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	192	113	74	4	1	255	62	43	83	67
45 ACUTE BRONCHITIS.....500	12	9	3	-	-	13	7	2	1	3
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	80	64	16	-	-	51	34	5	7	5
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	16	11	5	-	-	7	1	3	2	1
49 PLEURISY.....519	3	2	1	-	-	2	1	-	1	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	67	37	28	1	1	28	13	7	5	3
51 BRONCHIECTASIS.....526	22	10	12	-	-	21	10	9	2	10
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	353	298	42	2	-	202	138	26	28	10
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	314	270	42	2	-	166	128	21	17	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	39	28	11	-	-	36	10	5	11	10
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	51	28	20	2	1	21	3	9	4	5
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,053	600	430	4	19	774	234	182	191	167
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	-	1	-	-	1	-	-	1	-
58 ULCER OF STOMACH.....540	74	58	16	-	-	33	19	6	7	1
59 ULCER OF DUODENUM.....541	79	62	17	-	-	37	26	6	5	-
60 GASTRITIS AND DUODENITIS.....543	6	5	1	-	-	4	1	1	-	2
61 APPENDICITIS.....550-553	26	17	9	-	-	23	8	3	5	7
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	161	81	77	1	2	141	40	41	32	28
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	44	16	26	1	1	211	15	10	103	83
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	73	40	33	-	-	36	16	17	-	3
65 CIRRHOSIS OF LIVER.....581	274	169	94	2	9	113	63	28	12	10
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	177	107	67	1	2	87	47	24	9	7
67 WITH ALCOHOLISM.....581.1	97	62	27	1	7	26	16	4	3	3
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	107	41	62	-	4	38	9	23	2	4
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	208	111	94	-	3	137	37	47	24	29
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	445	264	174	4	3	559	131	108	206	114
71 NEPHRITIS AND NEPHROSIS.....590-594	128	73	53	-	2	243	45	32	105	61
72 ACUTE NEPHRITIS.....590	6	2	4	-	-	15	-	2	8	5
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	6	3	3	-	-	17	2	1	6	8
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	116	68	46	-	2	211	43	29	91	48
75 INFECTIONS OF KIDNEY.....600	146	67	76	3	-	171	38	57	35	41
76 CALCULI OF URINARY SYSTEM.....602,604	20	14	6	-	-	11	2	7	-	2
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	71	41	29	-	1	45	14	9	16	6
78 HYPERPLASIA OF PROSTATE.....610	63	63	-	-	-	69	30	-	39	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	17	6	10	1	-	20	2	3	11	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,911	11,301	8,816	932	862	2,628	1,629	931	42	26	6,431	3,743	2,559	78	51	01
19,649	10,275	7,807	823	744	2,312	1,469	784	37	22	5,780	3,399	2,259	75	47	02
15	5	7	1	2	5	3	-	1	1	2	2	-	-	-	03
366	164	169	12	21	57	30	24	2	1	108	55	50	2	1	04
145	57	77	2	9	26	11	14	1	-	53	29	23	1	-	05
36	24	11	1	-	5	4	1	-	-	23	16	6	-	-	06
13	7	3	-	-	3	3	-	-	-	5	1	4	-	-	07
172	76	78	6	12	23	12	9	1	1	27	9	17	1	-	08
15,405	8,449	5,840	617	499	1,782	1,177	563	26	16	4,671	2,864	1,711	62	34	09
4,487	1,908	2,178	196	205	407	229	172	3	3	1,039	540	453	26	20	10
10,907	6,534	3,658	421	294	1,371	944	391	23	13	3,628	2,320	1,258	36	14	11
11	7	4	-	-	4	4	-	-	-	4	4	-	-	-	12
110	52	45	7	6	21	13	8	-	-	43	26	17	-	-	13
13	3	7	1	2	-	-	-	-	-	2	-	2	-	-	14
57	36	14	5	2	13	9	4	4	-	16	13	3	-	-	15
40	13	24	1	2	8	4	4	4	-	25	13	12	-	-	16
1,405	609	741	27	28	171	97	71	3	-	391	199	167	2	3	17
1,028	437	563	12	16	120	68	49	3	-	275	132	140	2	1	18
377	172	178	15	12	51	29	22	-	-	116	67	47	-	-	19
995	511	381	54	49	146	90	49	4	2	211	105	99	3	4	20
18	8	7	3	-	2	1	1	-	-	4	4	-	-	-	21
35	20	13	2	4	-	-	-	-	-	11	5	4	1	1	22
278	138	123	10	7	37	19	16	1	1	103	53	45	1	-	23
660	345	238	39	38	107	70	32	3	2	93	43	46	1	3	24
1,353	485	624	105	139	130	59	69	1	1	354	148	195	6	5	25
385	170	166	10	23	28	16	11	1	-	153	72	77	3	1	26
964	315	438	95	116	102	43	58	-	1	201	76	118	3	4	27
373	162	149	24	38	22	9	13	-	-	75	39	35	-	1	28
224	113	81	12	18	11	7	4	-	-	51	29	22	-	-	29
149	49	68	12	20	11	2	9	-	-	24	10	13	-	1	30
1,488	685	697	53	53	236	123	107	2	4	499	269	225	2	3	31
1,131	465	597	39	30	184	87	94	1	2	375	193	179	1	2	32
228	166	48	6	8	38	28	8	1	1	107	66	35	1	1	33
11	6	2	1	-	1	1	-	-	-	1	1	-	-	-	34
118	46	50	7	15	13	7	5	-	1	16	9	7	-	-	35
401	179	163	32	27	58	28	27	3	-	77	36	40	1	-	36
2,919	1,614	950	229	126	367	241	93	19	14	859	516	308	23	12	37
9	3	6	-	-	3	1	1	1	-	4	2	2	-	-	38
115	57	50	4	4	5	-	4	-	1	53	25	27	1	-	39
1,812	866	689	163	94	202	117	60	15	10	526	273	224	19	10	40
286	138	86	42	20	31	23	4	2	2	75	41	32	-	2	41
806	384	326	60	36	79	42	29	5	3	270	136	119	4	4	42
173	69	72	22	10	15	9	5	1	-	68	28	23	4	3	43
547	275	205	39	28	77	43	22	7	5	113	68	40	4	1	44
28	12	6	5	5	5	4	1	-	-	6	3	3	-	-	45
110	88	18	2	2	12	9	2	-	-	44	33	10	1	-	46
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	47
34	12	5	13	4	3	2	-	-	1	4	4	-	-	-	48
8	6	1	-	1	-	-	-	-	-	1	1	-	-	-	49
100	50	33	10	7	16	8	7	1	-	19	11	7	-	1	50
41	29	11	-	1	4	2	-	-	1	13	7	6	-	-	51
549	435	82	26	6	100	90	9	1	-	173	146	24	2	1	52
476	391	63	20	2	95	66	8	1	-	169	143	23	2	1	53
73	44	19	6	4	5	4	1	-	-	4	3	1	-	-	54
110	53	49	6	2	17	8	8	-	1	16	11	5	-	-	55
1,817	880	704	142	91	271	151	103	8	9	533	317	201	8	7	56
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	57
125	73	42	6	4	17	12	5	-	-	54	41	13	-	-	58
107	76	20	11	-	15	13	2	-	-	49	36	13	-	-	59
8	4	2	-	2	-	-	-	-	-	5	4	1	-	-	60
45	25	10	9	1	5	3	2	-	-	15	12	3	-	-	61
332	131	168	21	12	46	22	23	-	1	75	42	30	2	1	62
72	32	17	10	13	13	7	5	-	1	17	11	5	1	-	63
95	32	63	1	3	17	6	11	-	-	34	17	17	-	-	64
517	295	140	50	32	70	41	21	4	4	134	89	36	5	4	65
393	212	122	37	22	46	26	18	1	1	39	18	20	1	-	66
124	83	18	13	10	24	15	3	3	3	95	71	16	4	4	67
119	36	74	3	4	22	10	8	2	2	60	23	35	-	2	68
391	173	168	30	20	66	37	26	2	1	89	41	48	-	-	69
833	429	293	66	45	101	59	35	3	4	219	133	78	2	6	70
367	159	153	28	27	36	21	10	3	2	87	50	34	1	2	71
20	14	4	1	1	1	-	1	-	-	3	2	1	-	-	72
17	6	10	1	-	1	1	-	-	-	7	6	1	-	-	73
330	139	139	26	26	34	20	10	2	2	77	42	32	1	2	74
216	96	93	13	14	30	13	16	-	1	54	24	27	-	3	75
29	14	11	2	2	6	5	-	-	-	9	3	6	-	-	76
75	34	25	15	1	11	7	4	-	-	15	11	4	-	-	77
114	107	-	7	-	11	11	-	-	-	44	43	-	1	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
32	19	11	1	1	7	2	4	-	1	10	2	7	-	1	80



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
24	...	18	...	6	2	...	2	...	-	4	...	4	...	-	01
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	02
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	03
5	...	4	...	1	-	...	1	...	-	1	...	1	...	-	04
2	...	-	...	2	1	...	1	...	-	-	...	-	...	-	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
6	...	4	...	2	-	...	-	...	-	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
7	...	6	...	1	-	...	-	...	-	2	...	2	...	-	09
63	13	31	10	9	8	4	4	-	-	12	3	9	-	-	10
13	3	6	4	-	2	1	1	-	-	4	2	2	-	-	11
50	10	25	6	9	6	3	3	-	-	8	1	7	-	-	12
92	34	54	1	3	16	10	6	-	-	36	13	21	1	1	13
58	17	38	1	2	10	6	4	-	-	27	8	19	-	-	14
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	2	1	-	-	1	1	1	-	-	-	-	-	-	-	17
11	7	4	-	-	2	1	1	-	-	2	1	-	1	-	18
16	5	10	-	1	3	2	1	-	-	7	4	2	-	1	19
446	198	186	36	26	72	38	30	3	1	148	70	74	3	1	20
29	11	15	-	3	2	1	-	1	-	8	4	4	-	-	21
34	13	15	4	2	5	3	2	-	-	17	6	11	-	-	22
233	100	104	18	11	36	20	13	2	1	81	41	39	1	-	23
150	74	52	14	10	29	14	15	-	-	42	19	20	2	1	24
1,251	545	380	172	154	205	106	81	13	5	416	227	156	21	12	25
928	551	274	68	35	236	156	75	3	2	38	17	18	1	2	26
81	34	46	1	-	20	5	14	-	1	5	1	4	-	-	27
847	517	228	67	35	216	151	61	3	1	33	16	14	1	2	28
3,804	2,266	1,029	384	125	717	484	174	47	12	1,063	733	303	19	8	29
2,955	1,763	880	212	100	601	409	142	40	10	849	573	263	9	4	30
33	27	2	4	-	9	5	2	2	-	8	5	3	-	-	31
1,349	883	362	81	23	278	190	59	24	5	397	285	108	3	1	32
1,320	860	356	81	23	267	183	55	24	5	376	267	106	2	1	33
44	34	9	-	4	-	4	-	-	-	-	-	-	-	-	34
178	96	49	23	10	26	17	2	6	1	34	23	11	-	-	35
655	393	219	35	8	139	88	41	8	2	201	137	63	-	1	36
397	302	71	20	4	96	72	12	10	2	105	78	25	2	-	37
46	35	8	3	-	2	2	-	-	-	3	3	-	-	-	38
29	23	6	-	-	11	7	4	-	-	21	18	2	1	-	39
10	8	2	-	-	5	3	2	-	-	3	2	1	-	-	40
24	17	7	-	-	15	10	5	-	-	6	6	-	-	-	41
17	15	2	-	-	26	23	2	1	-	13	11	2	-	-	42
36	19	11	1	5	4	3	1	-	-	12	7	5	-	-	43
36	24	9	3	-	5	5	-	-	-	21	10	11	-	-	44
610	245	312	29	24	72	36	35	1	-	169	85	82	2	-	45
170	88	58	16	8	20	14	5	1	-	53	31	21	1	-	46
99	40	55	2	2	15	9	6	-	-	77	35	41	1	-	47
341	117	199	11	14	37	13	24	-	-	39	19	20	-	-	48
40	31	4	5	-	17	17	-	-	-	10	9	1	-	-	49
79	73	4	2	-	15	13	1	1	-	40	37	3	-	-	50
31	29	1	1	-	8	6	1	1	-	12	11	1	-	-	51
223	107	60	31	25	28	18	7	2	1	44	32	9	2	1	52
13	4	5	2	2	1	1	1	-	-	14	12	3	-	-	53
76	55	8	11	2	21	19	1	1	-	14	12	1	1	-	54
37	16	18	2	1	7	2	4	-	-	7	5	1	-	1	55
113	81	16	14	2	42	31	6	4	1	32	24	7	1	-	56
5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	57
34	17	12	3	2	4	-	4	-	-	10	4	6	-	-	58
189	109	44	22	14	44	28	11	3	2	47	27	19	-	1	59
541	402	121	13	5	95	63	27	4	1	174	139	32	1	2	60
123	66	53	2	2	25	13	11	-	1	31	20	10	-	1	61
66	49	14	3	-	11	7	3	1	-	44	34	9	1	-	62
299	258	34	5	2	56	42	11	3	-	86	78	7	-	1	63
53	29	20	3	1	3	1	2	-	-	13	7	6	-	-	64
308	101	28	159	20	20	11	5	3	1	39	20	8	9	2	65
209	69	18	107	15	15	10	4	1	-	24	13	7	3	1	66
50	10	1	37	2	3	-	1	2	-	5	2	-	3	-	67
36	13	9	11	3	1	-	-	-	1	10	5	1	3	1	68
12	9	-	3	-	1	1	-	-	-	-	-	-	-	-	69
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NEVADA						NEW HAMPSHIRE					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 ALL CAUSES.....	3,200	1,935	1,025	146	94	7,313	3,991	3,312	6	4		
02 I. INFECTIVE AND PARASITIC DISEASES.....	36	22	10	2	2	36	18	18	-	-		
03 TUBERCULOSIS, ALL FORMS.....001-019	17	14	1	1	1	9	5	4	-	-		
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	15	13	1	1	1	9	5	4	-	-		
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	1	1	-	-	-	-	-	-	-	-		
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	-	-	1	-	-	-	-	-		
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-		
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....C14-018	-	-	-	-	-	-	-	-	-	-		
09 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	-	-	-	-	-		
10 SYPHILIS AND ITS SEQUELAE.....020-029	9	5	3	1	-	10	4	6	-	-		
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-		
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-		
13 ANEURYSM OF AORTA.....022	8	5	3	-	-	6	2	4	-	-		
14 OTHER CARDIOVASCULAR SYPHILIS.....023	1	-	-	1	-	2	1	1	-	-		
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-		
16 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	1	-	1	-	-		
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	1	1	-	-	-		
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-		
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-		
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-		
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	-	1	-	1	-	-	-	-	-		
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-		
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-		
24 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	-	-	-	-	-		
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-		
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-		
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-		
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-		
29 SEPTICEMIA AND PYEMIA.....053	3	3	-	-	-	2	2	-	-	-		
30 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-		
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-		
32 MENINGOCOCCAL INFECTIONS.....057	2	-	2	-	-	6	2	4	-	-		
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-		
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-		
35 TETANUS.....061	-	-	-	-	-	-	-	-	-	-		
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-		
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-		
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	-	1	-	-	-	-	-	-	-		
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	1	-	1	-	-	-	-	-	-	-		
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-		
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-		
42 MEASLES.....085	-	-	-	-	-	-	-	-	-	-		
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-		
44 INFECTIOUS HEPATITIS.....092	-	-	-	-	-	4	2	2	-	-		
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-		
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-		
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-		
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-		
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-		
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-		
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-		
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-		
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-		
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1	-	1	-	-	5	3	2	-	-		
55 II. NEOPLASMS.....	509	280	202	12	15	1,236	657	577	-	2		
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	498	273	198	12	15	1,216	650	564	-	2		
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	8	3	4	1	-	20	14	6	-	-		
58 OF LIP.....140	-	-	-	-	-	-	-	-	-	-		
59 OF TONGUE.....141	2	1	-	1	-	5	4	1	-	-		
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	3	-	3	-	-	8	6	2	-	-		
61 OF PHARYNX.....145-148	3	2	1	-	-	7	4	3	-	-		
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	137	83	47	4	3	388	196	191	-	1		
63 OF ESOPHAGUS.....150	8	6	1	1	-	21	12	9	-	-		
64 OF STOMACH.....151	26	16	8	1	1	72	36	35	-	1		
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	-	-	-	-	-	4	2	2	-	-		
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	46	27	20	-	1	147	62	85	-	-		
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	8	5	3	-	-	22	7	15	-	-		
68 TRANSVERSE COLON.....153.1	1	1	-	-	-	9	4	5	-	-		
69 DESCENDING COLON.....153.2	1	-	1	-	-	2	-	2	-	-		
70 SIGMOID COLON.....153.3	10	6	4	-	-	31	18	13	-	-		
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	1	-	1	-	-	-	-	-	-	-		
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	21	12	8	-	1	68	26	42	-	-		
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	6	3	3	-	-	15	7	8	-	-		
74 OF RECTUM.....154	16	14	2	-	-	50	33	17	-	-		
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	14	7	6	1	-	29	10	19	-	-		
76 LIVER.....155.0	4	3	-	-	-	8	3	5	-	-		
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	10	4	4	1	-	21	7	14	-	-		
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	7	4	4	1	1	5	4	1	-	-		
79 OF PANCREAS.....157	16	11	5	-	-	59	36	23	-	-		
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	2	1	1	-	-	1	1	-	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
65,021	32,356	26,377	3,517	2,771	6,825	3,736	2,437	386	266	185,029	91,820	76,223	9,452	7,534	01
554	254	141	106	53	133	66	32	20	15	1,618	785	409	278	146	02
295	141	52	73	29	68	32	19	10	7	916	482	138	201	95	03
270	135	48	67	20	61	31	16	8	6	849	459	126	185	79	04
8	3	-	3	2	1	-	-	-	-	17	5	2	2	8	05
-	-	-	-	-	1	-	1	-	-	5	2	-	1	2	06
2	1	1	-	-	1	-	-	-	-	2	-	1	1	-	07
4	1	2	-	1	1	-	1	-	-	14	7	4	3	-	08
11	1	1	3	6	4	1	1	2	-	29	9	5	5	6	09
45	28	4	8	5	13	11	2	-	-	176	88	35	33	20	10
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
21	16	2	2	1	8	7	1	-	-	102	58	23	13	8	13
13	7	1	2	3	3	2	1	-	-	41	17	4	16	4	14
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	15
3	-	-	2	1	1	1	-	-	-	10	3	4	2	1	16
7	4	1	2	-	1	1	-	-	-	11	2	3	1	5	17
1	1	-	-	-	-	-	-	-	-	4	2	-	1	1	18
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
4	3	1	-	-	-	-	-	-	-	6	1	3	1	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
11	5	3	2	1	2	1	-	1	1	11	8	1	1	1	24
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	25
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	26
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	27
67	27	22	10	8	14	6	-	5	3	215	86	100	18	11	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	30
26	10	10	5	1	7	3	2	1	1	54	17	31	4	2	31
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	32
2	-	2	-	-	-	-	-	-	-	3	2	-	1	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	35
4	1	3	-	-	-	-	-	-	-	6	4	2	-	-	36
18	7	9	1	1	2	1	1	-	-	34	13	17	1	3	37
5	5	-	-	-	1	1	-	-	-	5	2	3	-	-	38
2	-	-	-	2	7	1	2	2	2	8	2	2	3	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
32	13	16	-	3	6	6	-	-	-	74	32	34	4	4	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	45
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	52
38	10	18	7	3	10	4	5	-	1	92	37	39	9	7	53
12,221	6,103	5,232	489	397	929	472	400	30	27	33,844	16,591	14,698	1,396	1,159	54
12,025	6,009	5,149	484	383	902	462	386	28	26	33,267	16,343	14,433	1,366	1,125	55
288	202	55	27	4	12	9	2	1	-	734	494	168	55	17	56
2	1	1	-	-	2	1	1	-	-	18	15	3	-	-	57
82	60	8	11	3	3	2	-	1	-	206	134	52	17	3	58
89	56	27	5	1	1	5	-	-	-	231	146	69	11	5	59
115	85	19	11	-	6	5	1	-	-	279	199	44	27	9	60
4,167	2,066	1,809	176	116	271	137	116	10	8	11,417	5,664	4,883	505	365	61
234	136	48	41	9	9	6	3	-	-	726	435	145	114	32	62
770	426	286	40	18	59	35	20	3	1	2,195	1,169	808	133	85	63
27	12	13	2	-	1	-	1	-	-	74	35	34	2	3	64
1,514	657	784	29	44	70	29	40	-	1	4,004	1,837	1,964	82	121	65
227	99	115	5	8	11	4	7	-	-	568	242	295	13	18	66
86	28	54	3	1	2	1	1	-	-	226	109	108	3	6	67
45	12	30	3	3	3	-	2	-	-	165	82	81	1	1	68
319	143	164	3	9	10	5	5	-	-	844	408	402	16	18	69
5	2	3	-	-	-	-	-	-	-	10	5	4	-	-	70
749	342	371	17	19	40	19	21	-	-	2,015	917	976	49	73	71
83	31	47	1	4	4	-	4	-	-	176	74	98	-	4	72
543	297	215	16	15	19	6	12	-	1	1,449	776	586	42	45	73
258	99	145	6	8	32	12	12	4	4	748	296	402	34	16	74
81	48	26	5	2	7	4	3	-	-	254	143	82	23	6	75
177	51	119	1	6	25	8	9	4	4	494	153	320	11	10	76
139	58	64	8	9	9	5	4	-	-	275	127	122	15	7	77
587	329	216	30	12	68	41	24	2	1	1,753	907	728	70	48	78
95	52	38	4	1	4	3	-	1	-	193	82	94	9	8	79

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	99	82	14	3	-	202	167	35	-	-
03 OF LARYNX.....161	2	2	-	-	-	16	15	1	-	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	36	32	3	1	-	48	41	7	-	-
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	59	46	11	2	-	135	110	25	-	-
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	2	2	-	-	-	3	1	2	-	-
MALIGNANT NEOPLASM OF BREAST.....170	42	1	35	-	6	123	1	121	-	1
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	62	21	35	2	4	162	68	94	-	-
08 OF CERVIX UTERI.....171	21	...	18	...	3	32	...	32	...	-
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	4	...	4	...	-	23	...	23	...	-
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	12	...	12	...	-	38	...	38	...	-
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	2	...	1	...	1	...	...	1	...	-
12 OF PROSTATE.....177	20	18	...	2	...	67	67	...	-	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	3	...	...	...	1	1	...	-	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	29	22	7	-	-	65	47	18	-	-
15 OF KIDNEY.....180	11	9	2	-	-	27	20	7	-	-
16 OF BLADDER AND OTHER URINARY ORGANS.....181	18	13	5	-	-	38	27	11	-	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
SITES.....156B,165,190-199	69	33	34	-	2	136	79	57	-	-
18 OF SKIN.....190,191	6	4	2	-	-	18	10	8	-	-
19 OF EYE.....192	-	-	-	-	-	2	-	2	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	12	4	8	-	-	18	12	6	-	-
21 OF THYROID GLAND.....194	2	-	2	-	-	2	1	1	-	-
22 OF BONE.....196	4	3	1	-	-	10	8	2	-	-
23 OF CONNECTIVE TISSUE.....197	6	3	3	-	-	9	6	3	-	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	3	1	2	-	-	8	4	4	-	-
25 OF UNSPECIFIED SITES.....156B,165,198,199B	36	18	16	-	2	69	38	31	-	-
26 LEUKEMIA AND ALEUKEMIA.....204	27	17	8	2	-	58	37	21	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	25	11	14	-	-	62	41	21	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	15	9	6	-	-	27	19	8	-	-
29 HODGKINS DISEASE.....201	6	2	4	-	-	16	11	5	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
TISSUES.....202,203,205	4	-	4	-	-	19	11	8	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	11	7	4	-	-	20	7	13	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	-	...	-	...	-	3	...	3	...	-
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1	1	-	-	-	-	-	3	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	1	1	-	-	-	5	1	4	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...233-235	-	...	-	...	-	-	-	-	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	6	4	2	-	-	8	4	4	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	3	1	2	-	-	4	2	2	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
NUTRITIONAL DISEASES.....	75	36	30	4	5	197	89	107	1	-
39 ASTHMA.....241	11	6	5	-	-	15	13	2	-	-
40 NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	-	1	-	1	1	-	1	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	-	-	-	-	-	4	-	4	-	-
43 DIABETES MELLITUS.....260	48	20	21	3	4	158	65	92	1	-
44 DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	2	2	-	-	-	2	1	1	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	2	1	1	-	-	4	4	5	-	-
48 CYSTIC FIBROSIS.....289A	2	1	1	-	-	4	3	1	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	8	6	1	1	-	4	3	1	-	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	12	6	4	2	-	16	8	8	-	-
51 ANEMIAS.....290-293	6	3	2	1	-	9	5	4	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	-	-	-	-	-	-	-	-	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	6	3	2	1	-	9	5	4	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	2	1	-	-	2	-	2	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	3	1	1	1	-	5	3	2	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	17	11	2	3	1	14	7	7	-	-
57 SENILE PSYCHOSIS.....304	-	-	-	-	-	5	1	4	-	-
58 ALCOHOLIC PSYCHOSIS.....307	2	2	-	-	-	3	2	1	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	-	-	-	-	-	1	-	1	-	-
60 ALCOHOLISM.....322	15	9	2	3	1	5	4	1	-	-
61 MENTAL DEFICIENCY.....325	-	-	-	-	-	-	-	-	-	-
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	-	-	-	-	-	-	-	-	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	295	129	140	13	13	910	402	506	2	-
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	263	115	125	11	12	852	373	477	2	-
65 SUBARACHNOID HEMORRHAGE.....330	19	10	7	1	1	22	12	10	-	-
66 CEREBRAL HEMORRHAGE.....331	145	62	69	6	6	462	200	261	1	-
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	76	28	42	4	2	296	137	158	1	-
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	23	15	7	-	1	72	24	48	-	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	5	3	1	1	-	4	2	2	-	-
70 MULTIPLE SCLEROSIS.....345	2	1	1	-	-	9	5	4	-	-
71 PARALYSIS AGITANS.....350	2	1	1	-	-	17	9	8	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	2	1	1	-	-	3	-	3	-	-
73 EPILEPSY.....353	8	3	3	1	1	5	2	3	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	-	-	-	-	-	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	13	5	6	-	-	20	11	9	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,191	1,726	306	134	25	137	112	22	1	2	5,818	4,461	936	365	56
111	88	13	10	-	5	5	-	-	-	336	267	38	25	6
771	620	95	49	7	48	41	7	-	-	2,411	1,948	286	160	17
1,258	985	183	73	17	81	63	15	1	2	2,988	2,203	575	176	30
51	33	15	2	1	3	3	-	-	-	83	43	33	4	3
1,179	11	1,095	-	73	95	2	89	-	4	3,366	39	3,146	1	180
1,494	532	810	54	98	121	49	63	6	3	3,937	1,362	2,176	143	256
241	...	196	...	45	29	...	679	...	1	552	...	552	...	129
250	...	225	...	25	12	...	...	...	1	582	...	525	...	47
380	...	357	...	23	21	...	20	...	1	1,081	...	1,009	...	72
37	...	32	...	5	4	...	4	...	-	90	...	82	...	8
549	495	...	54	...	51	45	...	6	...	1,421	1,281	...	140	...
37	37	...	...	...	4	4	...	...	...	84	81	...	3	...
573	386	166	12	9	40	26	11	1	2	1,632	1,049	484	67	32
241	164	69	6	2	18	10	6	-	2	607	361	213	21	12
332	222	97	6	7	22	16	5	1	-	1,025	688	271	46	20
1,178	594	499	51	34	128	65	52	6	5	3,502	1,799	1,438	140	125
176	102	69	3	2	14	9	4	-	1	394	216	162	10	6
12	6	6	-	-	-	-	-	-	-	32	16	16	-	-
269	140	111	9	9	29	16	13	-	-	738	431	266	24	17
40	12	27	-	1	5	4	1	-	-	126	49	71	4	2
77	44	24	7	2	5	2	3	-	-	178	94	68	8	8
49	25	20	2	2	9	6	1	1	1	133	71	52	9	1
56	34	16	4	2	6	5	1	-	-	136	81	47	6	2
499	231	226	26	16	60	23	29	5	3	1,765	841	756	79	89
428	228	181	12	7	50	30	18	1	1	1,251	647	525	36	43
527	264	228	18	17	48	32	13	2	1	1,610	828	677	54	51
250	131	110	2	7	26	17	7	1	1	816	446	335	22	13
145	77	58	5	5	12	10	2	-	-	363	190	152	11	10
132	56	60	11	5	10	5	4	1	-	431	192	190	21	28
196	94	83	5	14	27	10	14	2	1	577	248	265	30	34
12	...	6	...	...	2	...	2	...	...	56	...	41	...	5
47	18	25	2	2	3	2	1	-	-	102	38	52	7	15
49	28	15	2	4	7	3	3	1	-	92	47	35	6	4
1	...	1	...	...	-	...	-	...	...	3	...	2	...	1
53	36	16	-	1	9	4	4	-	1	215	102	92	14	7
34	12	20	1	1	6	1	4	1	-	109	61	43	3	2
1,635	602	865	63	105	172	81	83	5	3	4,174	1,653	2,027	218	276
115	41	58	10	6	34	23	10	1	-	345	153	127	35	30
3	-	2	-	1	-	-	-	-	-	7	1	5	-	1
16	2	12	1	1	2	-	2	-	-	28	10	17	-	1
11	2	8	-	1	-	-	8	-	-	28	6	20	-	2
1,300	459	714	44	83	104	49	52	2	1	3,359	1,280	1,694	162	223
6	6	-	-	-	4	-	-	-	-	4	2	1	-	44
10	3	6	-	1	2	1	-	1	-	38	18	17	3	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	25	15	1	3	7	2	3	1	1	82	38	35	3	6
24	11	11	2	9	5	1	4	-	-	36	17	17	-	2
105	53	39	4	9	18	5	12	-	1	247	128	94	14	11
184	86	78	7	13	28	9	16	2	1	469	179	219	34	37
112	49	48	6	9	17	6	10	1	-	284	106	131	22	25
4	1	3	-	-	4	1	3	-	-	46	18	25	2	1
108	48	45	6	9	13	5	7	1	-	238	88	106	20	24
31	19	10	-	2	3	1	2	-	-	60	20	32	4	4
41	18	20	1	2	8	2	4	1	1	125	53	56	8	8
113	64	20	19	10	35	20	10	4	1	582	252	118	146	66
8	4	4	-	-	-	-	-	-	-	11	2	7	-	2
21	10	1	7	3	2	1	4	-	-	54	37	4	12	1
13	6	6	-	1	4	2	1	1	-	47	15	27	4	1
52	32	7	10	3	25	15	6	3	1	322	138	44	101	39
15	11	2	1	1	4	2	2	-	-	46	23	21	2	-
4	1	-	1	2	-	-	-	-	-	102	37	15	27	23
6,160	2,551	3,037	262	310	628	285	304	21	18	17,458	7,094	8,876	720	768
5,678	2,316	2,850	227	285	554	249	282	14	9	16,092	6,473	8,324	605	690
266	97	126	18	25	27	12	15	-	-	798	259	409	50	80
2,747	1,125	1,330	124	168	309	136	158	9	6	8,230	3,315	4,191	334	390
2,175	878	1,144	75	78	143	65	72	3	3	5,364	2,184	2,879	137	164
490	216	250	10	14	75	36	37	2	-	1,700	715	845	84	56
72	31	18	12	11	18	7	4	3	4	260	106	83	43	28
72	28	40	2	2	2	-	2	-	-	160	58	90	9	3
113	61	50	1	1	13	7	4	1	1	277	136	136	5	-
26	16	8	2	-	5	3	1	1	-	51	28	17	4	2
59	25	15	12	7	4	3	1	-	-	188	83	57	26	22
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	-	-	-	-	-	26	13	7	2	4
137	72	55	6	4	32	16	10	2	4	401	195	161	26	19



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,136	759	325	33	19	3,372	1,832	1,539	1	-
02 DISEASES OF HEART.....400-402,410-443	1,031	707	279	31	14	2,873	1,608	1,264	1	-
03 RHEUMATIC FEVER.....400-402	1	1	-	-	-	1	-	1	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	22	13	9	-	-	49	21	28	-	-
05 DISEASES OF MITRAL VALVE.....410	9	5	4	-	-	21	10	11	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	2	1	1	-	-	6	5	1	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	1	1	-	-	-	1	1	-	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	10	6	4	-	-	21	5	16	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	801	576	197	20	8	2,352	1,397	994	1	-
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	179	111	62	4	2	660	298	362	-	-
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	622	465	135	16	6	1,731	1,098	632	1	-
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	-	-	-	-	-	1	1	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	10	5	2	3	-	21	12	9	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	-	-	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	6	4	1	1	-	16	10	6	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	4	1	1	2	4	5	2	3	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	72	50	20	1	1	133	55	78	-	-
18 WITH ARTERIOSCLEROSIS.....422.1	50	36	13	-	1	105	40	65	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	22	14	7	1	-	28	15	13	-	-
20 OTHER DISEASES OF HEART.....430-434	65	35	24	4	2	88	48	40	-	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	1	-	-	-	-	2	-	2	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	-	-	1	-	-	5	4	1	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	24	8	15	1	-	25	10	15	-	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	40	27	8	3	2	56	34	22	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	60	27	27	3	3	189	75	114	-	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	11	4	7	-	-	35	12	23	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	49	23	20	3	3	154	63	91	-	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	14	7	4	1	2	59	25	34	-	-
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	8	5	3	-	-	28	15	13	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	6	2	1	1	2	31	10	21	-	-
31 DISEASES OF ARTERIES.....450-456	71	37	31	1	2	391	178	213	-	-
32 GENERAL ARTERIOSCLEROSIS.....450	38	19	17	1	1	319	135	184	-	-
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	22	14	7	-	1	53	36	17	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	11	4	7	-	-	3	-	3	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	11	4	7	-	-	16	7	9	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	20	8	11	-	1	49	21	28	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	190	131	42	9	8	376	240	136	-	-
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	5	2	2	-	1	2	-	2	-	-
39 INFLUENZA.....480-483	1	1	-	-	-	15	3	12	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	67	38	20	5	6	217	121	96	-	-
41 LOBAR PNEUMONIA.....490	19	11	3	1	2	33	19	14	-	-
42 BRONCHOPNEUMONIA.....491	26	14	10	1	1	84	40	44	-	-
43 PRIMARY ATYPICAL PNEUMONIA.....492	13	6	5	1	1	37	19	18	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	13	7	2	2	2	63	43	20	-	-
45 ACUTE BRONCHITIS.....500	4	3	1	-	-	-	-	-	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	9	6	3	-	-	24	18	6	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	1	1	-	-	-	2	2	-	-	-
49 PLEURISY.....519	-	-	-	-	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	20	9	7	3	1	21	16	5	-	-
51 BRONCHIECTASIS.....526	4	3	1	-	-	11	7	4	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	64	57	6	1	-	80	71	9	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	58	52	5	1	-	75	68	7	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.C,527.2	6	5	1	-	-	5	3	2	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	13	11	2	-	-	4	2	2	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	169	96	59	8	6	290	168	122	-	-
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	1	1	-	-	-
58 ULCER OF STOMACH.....540	8	6	2	-	-	23	16	7	-	-
59 ULCER OF DUODENUM.....541	11	11	-	-	-	28	23	5	-	-
60 GASTRITIS AND DUCDENITIS.....543	-	-	-	-	-	4	2	2	-	-
61 APPENDICITIS.....550-553	4	2	2	-	-	7	6	1	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	20	9	11	-	-	46	20	26	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	3	-	1	1	1	8	6	2	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	10	4	6	-	-	15	5	10	-	-
65 CIRRHOSIS OF LIVER.....581	80	46	26	3	5	97	59	38	-	-
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	45	27	13	2	3	67	36	31	-	-
67 WITH ALCOHOLISM.....581.1	35	19	13	1	2	30	23	7	-	-
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	3	-	3	-	-	12	5	7	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	30	18	8	4	-	49	25	24	-	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	41	25	13	1	2	113	79	33	-	1
71 NEPHRITIS AND NEPHROSIS.....590-594	17	8	8	-	1	47	33	14	-	-
72 ACUTE NEPHRITIS.....590	1	-	1	-	-	4	4	-	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	2	1	1	-	-	2	-	2	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	14	7	6	-	1	41	29	12	-	-
75 INFECTIONS OF KIDNEY.....600	9	5	2	1	1	30	16	13	-	1
76 CALCULI OF URINARY SYSTEM.....602,604	-	-	-	-	-	5	4	1	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	4	2	2	-	-	9	5	4	-	-
78 HYPERPLASIA OF PROSTATE.....610	10	10	-	-	-	17	17	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	1	-	1	-	-	5	4	1	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,943	15,912	12,794	1,244	993	2,038	1,195	755	48	40	86,976	45,042	36,618	2,767	2,549	01
28,489	14,798	11,640	1,140	911	1,773	1,050	649	43	31	80,315	41,901	33,561	2,518	2,335	02
22	11	9	2	-	3	2	1	-	-	59	30	21	6	2	03
717	260	395	26	36	85	26	54	2	3	2,111	764	1,166	80	99	04
267	98	156	7	6	38	11	25	1	1	722	249	425	23	25	05
73	47	24	1	1	10	5	4	1	-	215	129	69	11	6	06
29	9	16	-	4	3	-	2	-	1	100	30	63	4	3	07
348	106	199	18	25	34	10	23	-	1	1,074	356	611	42	65	08
22,780	12,502	8,821	865	592	1,277	829	409	23	16	67,172	36,694	26,998	1,893	1,587	09
7,981	3,656	3,803	275	247	289	151	123	8	7	22,594	9,973	11,444	531	646	10
14,789	8,839	5,015	590	345	988	678	286	15	9	44,562	26,710	15,549	1,362	941	11
10	7	3	-	-	-	-	-	-	-	16	11	5	-	-	12
109	67	29	5	8	17	10	6	1	-	320	173	123	10	14	13
1	1	-	-	-	2	2	-	-	-	10	5	3	-	2	14
81	51	17	5	8	9	6	3	-	-	168	124	59	3	2	15
27	15	12	-	-	6	2	3	1	-	122	44	61	7	10	16
2,158	954	1,021	92	91	128	62	56	6	4	3,843	1,553	2,037	111	142	17
1,734	731	870	60	73	88	43	38	4	4	3,397	1,342	1,835	92	128	16
424	223	151	32	18	40	20	18	2	-	446	211	262	15	14	15
732	335	315	46	36	148	81	54	9	4	1,381	683	557	82	59	26
25	16	6	2	1	3	-	2	1	-	62	33	24	4	1	21
20	9	8	2	1	5	2	3	2	-	51	26	20	2	3	22
193	89	84	8	12	31	13	14	4	-	577	277	252	23	25	23
494	221	217	34	22	109	66	35	4	4	691	347	261	53	30	24
1,971	669	1,050	104	148	115	40	69	2	4	5,429	2,004	2,657	336	432	25
395	144	192	33	26	27	12	14	1	-	694	317	317	30	30	26
1,576	525	858	71	122	88	28	55	1	4	4,735	1,687	2,340	306	402	27
401	168	177	34	22	42	21	16	2	3	1,090	446	495	86	63	28
262	123	111	16	12	23	13	9	-	1	700	322	320	35	23	25
139	45	66	18	10	19	8	7	2	2	390	124	175	51	40	30
1,657	765	800	49	43	173	92	74	1	6	4,463	2,187	2,080	103	93	31
1,163	458	649	26	30	130	67	58	1	4	3,116	1,342	1,678	59	37	32
372	257	92	15	8	27	18	9	-	-	1,013	710	252	30	21	33
11	5	4	1	1	-	-	4	-	-	15	5	5	-	1	34
111	45	55	7	16	-	7	-	-	2	319	130	141	14	34	35
396	181	177	21	17	50	32	16	2	-	1,108	508	482	60	58	36
2,997	1,725	851	261	160	453	249	157	29	18	10,187	5,507	3,498	679	503	37
16	6	7	1	2	6	2	3	-	1	63	29	22	6	6	38
30	9	10	6	5	9	2	6	-	1	76	36	35	-	5	39
1,936	953	640	212	131	225	101	89	21	14	7,109	3,331	2,823	531	424	40
291	146	90	34	21	43	17	21	3	2	1,178	567	465	127	79	41
1,389	693	479	133	84	79	37	30	7	5	5,305	2,444	2,182	365	314	42
180	81	49	30	20	23	11	9	3	-	295	153	113	13	16	43
76	33	22	15	6	80	36	29	8	7	331	167	123	26	15	44
32	19	9	2	2	6	4	2	-	-	102	52	35	8	7	45
145	113	26	4	2	44	30	13	1	-	537	411	108	9	9	46
2	-	2	-	-	-	-	-	-	-	9	5	3	-	1	47
35	18	9	2	6	5	1	2	2	-	84	53	16	13	2	48
11	3	5	1	1	-	-	-	-	-	23	9	11	2	1	49
127	94	26	5	2	26	12	14	1	1	389	238	113	23	15	50
44	31	10	2	1	6	3	3	-	-	159	92	56	8	3	51
544	430	89	19	6	109	86	20	3	-	1,433	1,137	221	57	18	52
497	405	75	13	4	96	81	13	2	-	1,295	1,056	185	43	11	53
47	25	14	6	2	13	5	7	1	-	138	81	34	14	7	54
75	49	18	6	2	15	8	5	1	1	203	114	55	22	12	55
2,756	1,454	996	164	142	359	186	129	26	18	8,488	4,317	2,930	818	423	56
3	-	1	1	1	-	-	-	-	-	7	1	3	1	2	57
206	131	62	9	4	27	13	10	2	2	700	413	234	42	11	58
176	128	41	4	3	16	10	6	-	-	616	419	166	19	12	59
15	7	6	-	2	2	1	2	1	-	57	31	19	4	3	60
65	26	31	6	2	11	8	2	1	-	164	70	61	20	13	61
344	138	173	17	16	50	21	27	2	-	923	419	435	34	35	62
80	26	18	21	15	53	19	18	10	6	212	99	75	24	14	63
205	88	110	2	5	17	9	8	-	-	475	211	241	14	9	64
1,081	636	319	71	55	108	70	27	5	6	3,810	1,952	1,015	583	260	65
764	450	231	48	35	72	45	21	2	4	2,347	1,229	708	266	144	66
317	186	88	23	20	36	25	6	3	2	1,463	723	307	317	116	67
184	82	96	2	4	25	12	10	1	2	483	203	260	6	14	68
397	192	139	31	35	50	23	21	4	2	1,041	499	421	71	50	69
944	456	346	79	63	147	83	49	6	9	2,694	1,364	935	207	188	70
369	164	147	35	23	67	37	22	1	7	985	456	368	90	71	71
15	7	7	1	-	7	3	3	-	1	33	14	13	2	4	72
32	9	17	2	4	5	5	-	-	-	55	20	28	5	2	73
322	148	123	32	19	55	29	19	1	6	897	422	327	83	65	74
300	115	132	25	28	35	11	18	4	2	865	335	394	58	78	75
42	18	24	-	-	4	3	1	-	-	152	80	57	7	8	76
98	56	29	8	5	11	5	5	1	-	226	125	72	17	12	77
104	93	...	11	...	22	22	...	...	...	381	348	...	33	...	78
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	79
31	10	14	-	7	8	5	3	-	-	84	20	43	2	19	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	...	1	...	-	1	...	1	...	-
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	-	...	-	...	-
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	-	...	-	...	-	-	...	-	...	-
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	-	...	-	...	-	-	...	-	...	-
05 ECTOPIC PREGNANCY...645	-	...	-	...	-	-	...	-	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA...650	-	...	-	...	-	-	...	-	...	-
07 ABORTION WITH SEPSIS...691	-	...	-	...	-	-	...	-	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS...652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	-	...	-	...	-	1	...	1	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	4	2	2	-	-	6	4	2	-	-
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE...690-698	-	-	-	-	-	3	2	1	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE...700-716	4	2	2	-	-	3	2	1	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	6	4	2	-	-	19	10	9	-	-
14 ARTHRITIS AND SPONDYLITIS...720-725	3	2	1	-	-	6	2	4	-	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED...726,727	1	1	-	-	-	1	-	1	-	-
16 OSTEOMYELITIS AND PERIOSTITIS...730	-	-	-	-	-	1	1	-	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	-	-	-	-	-
18 INBORN DEFECT OF MUSCLE...744-1	1	-	1	-	-	5	4	1	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,736-744.0,744.2	2	2	-	-	-	6	3	3	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	56	26	26	3	1	80	41	39	-	-
21 SPINA BIFIDA AND MENINGOCELE...751	2	1	1	-	-	7	4	3	-	-
22 CONGENITAL HYDROCEPHALUS, ETC...752,753	10	2	8	-	-	8	5	3	-	-
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	29	15	12	1	1	38	18	20	-	-
24 OTHER CONGENITAL MALFORMATIONS...750,755-759	15	8	5	2	-	27	14	13	-	-
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	140	69	47	12	12	164	101	62	1	-
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	45	36	6	2	1	77	49	28	-	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS...794	17	12	5	-	-	5	1	4	-	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	28	24	1	2	1	72	48	24	-	-
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	468	303	114	42	9	406	286	118	1	1
30 ACCIDENTS...E800-E962	345	230	81	29	5	309	216	91	1	1
31 RAILWAY ACCIDENTS...E800-E802	7	6	-	1	-	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS...E810-E835	173	122	38	12	1	138	103	33	1	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS...E810-E825	171	121	38	11	1	136	101	33	1	1
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN...E810	1	1	-	-	-	3	3	-	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN...E812	15	10	3	1	1	28	20	8	-	-
36 OTHER TRAFFIC ACCIDENTS, ETC...E811,E813-E819	57	42	12	3	-	36	23	12	1	-
37 NONCOLLISION TRAFFIC ACCIDENTS...E820-E824	62	49	12	1	-	63	52	10	-	1
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE...E825	36	19	11	6	-	6	3	3	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS...E830-E835	2	1	-	1	-	2	2	-	-	-
40 OTHER ROAD VEHICLE ACCIDENTS...E840-E845	2	-	2	-	-	3	3	-	-	-
41 WATER TRANSPORT ACCIDENTS...E850-E858	1	-	-	-	-	8	7	1	-	-
42 AIRCRAFT ACCIDENTS...E860-E866	11	9	2	-	-	2	2	-	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS...E870-E898	10	2	8	-	-	4	3	1	-	-
44 ACCIDENTAL POISONING BY GASES AND VAPORS...E890-E895	2	1	1	-	-	7	7	-	-	-
45 ACCIDENTAL FALLS...E900-E904	48	29	13	5	1	64	33	31	-	-
46 FALL FROM ONE LEVEL TO ANOTHER...E900-E902	13	10	1	2	-	19	11	8	-	-
47 FALL ON SAME LEVEL...E903	9	4	5	-	-	27	12	15	-	-
48 UNSPECIFIED FALLS...E904	26	15	7	3	1	18	10	8	-	-
49 BLCW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	7	5	2	-	-	5	5	-	-	-
50 ACCIDENT CAUSED BY MACHINERY...E912	4	4	-	-	-	-	-	-	-	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT...E914	3	3	-	-	-	-	-	-	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	21	8	7	5	1	26	14	12	-	-
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	-	-	-	-	-	-	-	-	-	-
54 ACCIDENT CAUSED BY FIREARM...E919	12	11	1	1	-	3	1	2	-	-
55 INHALATION AND INGESTION OF OBJECTS, ETC...E921,E922	5	3	-	1	1	4	2	2	-	-
56 ACCIDENTAL DROWNING...E929	16	10	2	3	1	26	25	1	-	-
57 EXCESSIVE HEAT AND INSULATION...E931	1	1	-	-	-	-	-	-	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	7	7	-	-	-	2	-	2	-	-
59 ALL OTHER ACCIDENTS...RESIDUAL	15	8	5	2	-	17	11	6	-	-
60 SUICIDE...E963,E970-E979	86	56	26	2	2	81	58	23	-	-
61 SUICIDE BY POISONING...E970-E973	29	13	15	-	1	34	20	14	-	-
62 SUICIDE BY HANGING AND STRANGULATION...E974	8	5	2	-	1	13	8	5	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE...E976	45	35	8	2	-	29	27	2	-	-
64 SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	4	3	1	-	-	5	3	2	-	-
65 HOMICIDE...E964,E980-E985	37	17	7	11	2	15	11	4	-	-
66 ASSAULT BY FIREARM AND EXPLOSIVE...E961	22	9	6	5	2	4	3	1	-	-
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	8	3	1	4	-	2	2	-	-	-
68 ASSAULT BY OTHER MEANS...E964,E980,E983	4	3	-	1	-	9	6	3	-	-
69 INJURY BY INTERVENTION OF POLICE...E984	2	1	-	1	-	-	-	-	-	-
70 EXECUTION...E985	1	1	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	-	-	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

NEW JERSEY					NEW MEXICO					NEW YORK				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
45	...	23	...	22	9	...	5	...	4	146	...	76	...	70
5	...	3	...	2	2	...	1	...	1	21	...	13	...	8
8	...	4	...	4	1	...	...	...	1	15	...	9	...	6
5	...	5	...	...	3	...	3	...	...	15	...	12	...	3
4	...	...	...	4	-	...	...	...	...	10	...	1	...	9
4	...	...	...	4	-	...	...	...	...	14	...	6	...	8
6	...	3	...	3	-	...	...	...	...	32	...	15	...	17
1	...	...	...	1	-	...	...	...	...	3	...	2	...	1
12	...	8	...	4	3	...	1	...	2	36	...	18	...	18
54	12	37	-	5	10	4	4	1	1	185	60	109	2	14
8	3	5	-	-	2	1	-	1	-	46	20	21	1	4
46	9	32	-	5	8	3	4	-	1	139	40	68	1	10
101	43	48	3	7	25	10	15	-	-	268	121	129	5	13
41	10	26	2	3	12	6	6	-	-	106	42	61	-	3
9	-	2	-	-	-	-	-	-	-	7	-	7	-	-
5	-	2	1	1	-	-	-	-	-	21	12	3	2	4
4	1	3	-	-	2	2	-	-	-	10	4	4	-	2
22	18	4	-	-	1	4	1	-	-	58	39	16	1	2
23	9	11	-	3	10	2	8	-	-	66	24	38	2	19
658	306	263	46	43	110	56	39	10	5	1,738	739	704	162	133
45	15	29	-	1	5	4	1	-	-	135	57	62	8	8
64	31	20	6	7	12	2	6	2	2	139	61	61	10	7
346	168	131	27	20	52	28	18	3	3	893	379	336	92	86
203	92	83	13	15	41	22	14	5	-	571	242	245	52	32
1,823	713	529	327	254	364	199	128	25	12	4,967	2,064	1,464	772	667
257	108	100	30	19	405	189	111	56	49	1,135	463	433	147	92
33	10	22	1	-	22	10	9	1	2	38	12	25	-	1
224	98	78	29	19	383	179	102	55	47	1,097	451	408	147	91
3,576	1,967	1,017	417	175	980	632	200	103	45	10,100	5,589	2,980	1,101	430
2,783	1,514	824	302	143	807	505	173	92	37	7,603	4,281	2,362	671	289
32	25	4	3	-	5	3	-	1	1	54	41	5	6	2
1,138	705	277	109	47	425	284	72	46	23	2,874	1,808	738	232	96
1,115	690	270	108	47	413	277	70	46	20	2,826	1,772	729	229	96
13	8	3	2	-	5	5	-	-	-	42	30	8	3	1
310	185	73	36	16	78	48	11	14	5	820	474	219	84	43
467	277	126	42	22	161	97	36	18	10	1,032	613	303	82	34
302	202	63	28	9	153	117	19	12	5	786	563	162	48	13
23	18	5	-	-	16	10	4	2	-	146	92	37	12	5
23	15	7	1	-	12	7	2	-	3	48	36	9	3	-
7	4	3	-	-	7	5	2	-	-	12	9	3	-	-
31	23	4	4	-	2	2	-	-	-	83	70	4	8	1
43	40	1	2	-	27	21	6	-	-	75	66	8	1	-
66	22	21	14	9	20	18	10	1	1	181	67	36	63	15
37	22	16	4	5	18	14	2	2	-	92	65	19	5	3
666	290	317	43	16	75	28	36	9	2	2,384	1,062	1,103	155	64
189	117	55	13	4	19	11	5	3	-	742	392	245	73	32
116	52	48	13	3	37	11	23	2	1	884	333	509	25	17
361	121	214	17	9	19	6	8	4	1	758	337	349	57	15
23	19	2	1	1	13	10	1	1	1	52	43	4	4	1
29	22	2	5	-	16	14	-	1	1	79	71	4	4	-
24	20	-	4	-	8	7	-	-	-	42	39	-	3	-
266	106	84	44	32	31	19	10	1	1	527	241	182	57	47
11	3	6	1	1	3	1	1	1	-	34	16	7	5	6
20	11	1	7	1	31	24	5	2	-	72	61	5	4	2
60	29	15	9	7	11	3	7	1	-	141	76	51	6	8
128	80	23	22	3	36	24	7	5	-	335	228	53	46	8
2	2	-	-	-	2	1	1	-	-	2	1	-	1	-
44	13	23	5	3	6	2	3	1	-	103	41	44	8	10
156	78	35	25	18	71	36	9	19	7	461	276	96	63	26
570	376	163	21	10	113	85	21	5	2	1,659	1,011	521	91	36
158	76	76	4	2	23	15	7	-	1	427	219	197	6	5
168	127	38	2	1	12	7	2	1	-	393	278	94	15	6
144	117	16	8	3	75	61	11	3	-	326	274	33	19	-
100	56	33	7	4	3	2	1	-	-	513	240	197	51	25
221	76	30	93	22	60	42	6	6	6	837	296	97	339	105
90	38	12	34	6	39	27	6	4	2	251	104	23	105	19
78	17	8	43	10	7	4	-	1	2	329	90	21	177	41
44	17	10	11	6	10	7	-	1	2	234	87	53	49	45
9	4	-	5	-	4	4	-	-	-	23	15	-	8	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NORTH CAROLINA						NORTH DAKOTA					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 ALL CAUSES.....	41,693	17,431	12,299	6,705	5,258	5,569	3,346	2,091	82	50		
02 I. INFECTIVE AND PARASITIC DISEASES.....	437	160	98	109	70	38	22	13	2	1		
03 TUBERCULOSIS, ALL FORMS.....C01-019	160	69	26	43	22	11	8	3	-	-		
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	151	66	25	40	20	10	7	3	-	-		
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	2	2	-	-	-	1	1	-	-	-		
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	1	-	1	-	-	-	-	-	-		
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-		
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	-	-	-	-	-		
09 DISSEMINATED TUBERCULOSIS.....019	5	-	1	2	2	-	-	-	-	-		
10 SYPHILIS AND ITS SEQUELAE.....020-029	53	25	7	16	5	7	3	3	-	1		
11 CONGENITAL SYPHILIS.....020	2	-	-	2	-	-	-	-	-	-		
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-		
13 ANEURYSM OF AORTA.....022	40	21	6	9	4	3	1	1	-	1		
14 OTHER CARDIOVASCULAR SYPHILIS.....023	5	2	-	2	1	3	1	2	-	-		
15 TABES DORSALIS.....024	1	1	-	-	-	-	-	-	-	-		
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	-	-	-	-	-		
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	3	1	-	2	-	-	-	-	-	-		
18 ALL OTHER SYPHILIS.....027-029	1	-	-	1	-	1	1	-	-	-		
19 GONOCOCCAL INFECTION.....C30-035	2	-	-	1	1	-	-	-	-	-		
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-		
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	-	1	-	-	-	-	-	-	-		
22 CHLERA.....043	-	-	-	-	-	-	-	-	-	-		
23 BRUCELLOSIS.....044	1	1	-	-	-	-	-	-	-	-		
24 DYSENTERY, ALL FORMS.....045-048	3	-	1	2	-	-	-	-	-	-		
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-		
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-		
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-		
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-		
29 SEPTICEMIA AND PYEMIA.....053	85	23	25	18	19	6	3	2	1	-		
30 DIPHTHERIA.....055	1	-	-	1	-	-	-	-	-	-		
31 WHOOPING COUGH.....056	1	-	-	-	1	-	-	-	-	-		
32 MENINGOCOCCAL INFECTIONS.....057	39	17	10	8	4	5	4	1	-	-		
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-		
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-		
35 TETANUS.....061	3	-	-	3	-	-	-	-	-	-		
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-		
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-		
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	-	2	1	-	1	1	-	-	-		
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	10	3	5	1	1	2	-	1	1	-		
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	2	1	-	-	1	-	-	-	-	-		
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-		
42 MEASLES.....085	8	2	3	2	1	-	-	-	-	-		
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-		
44 INFECTIOUS HEPATITIS.....092	17	4	6	1	6	1	-	1	-	-		
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-		
46 TICK-BORNE TYPHUS.....104	2	-	1	-	1	-	-	-	-	-		
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	-	-	1	-	-	-	-	-	-		
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-		
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-		
50 HYDATIC DISEASE.....125	-	-	-	-	-	-	-	-	-	-		
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-		
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-		
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-		
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	45	15	11	11	8	5	3	2	-	-		
55 II. NEOPLASMS.....	5,662	2,378	2,054	633	597	886	491	385	4	6		
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,511	2,324	1,990	616	581	873	489	374	4	6		
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	126	63	38	15	10	12	11	1	-	-		
58 OF LIP.....140	5	3	1	-	1	1	1	-	-	-		
59 OF TONGUE.....141	29	15	9	5	-	2	2	-	-	-		
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	41	11	20	4	6	6	5	1	-	-		
61 OF PHARYNX.....145-148	51	34	8	6	3	3	3	-	-	-		
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,440	578	500	191	171	293	173	118	1	1		
63 OF ESOPHAGUS.....150	94	32	25	30	7	11	10	1	-	-		
64 OF STOMACH.....151	292	115	77	58	42	73	53	19	1	-		
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	6	2	1	1	6	5	1	-	-		
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	435	152	196	31	56	80	36	44	-	-		
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	49	13	26	3	7	10	3	7	-	-		
68 TRANSVERSE COLON.....153.1	20	8	6	2	4	2	1	1	-	-		
69 DESCENDING COLON.....153.2	8	1	6	-	1	4	1	3	-	-		
70 SIGMOID COLON.....153.3	68	31	28	5	4	17	7	10	-	-		
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	1	-	-	-		
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	265	92	121	18	34	42	20	22	-	-		
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	25	7	9	3	6	4	3	1	-	-		
74 OF RECTUM.....154	146	68	47	15	16	33	17	16	-	-		
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	80	38	33	2	7	28	12	15	-	1		
76 LIVER.....155.0	24	21	2	-	1	5	3	2	-	-		
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	56	17	31	2	6	23	9	13	-	1		
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	75	26	23	16	10	10	8	2	-	-		
79 OF PANCREAS.....157	280	127	89	35	29	48	29	19	-	-		
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	28	14	8	3	3	4	3	1	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965--Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

CHIC					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
98,440	50,130	39,825	4,711	3,774	23,825	12,696	8,769	1,319	1,041	18,160	10,640	7,166	224	130	01
794	401	234	100	59	247	132	61	31	23	119	69	46	1	3	02
374	203	84	58	29	110	59	19	20	12	39	29	9	-	1	03
357	193	82	56	26	98	57	16	14	11	35	27	7	-	1	04
2	1	1	-	-	6	-	3	2	1	-	-	-	-	-	05
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	06
2	1	-	1	-	1	1	-	-	-	1	1	-	-	-	07
8	7	-	-	1	2	-	-	2	-	1	-	1	-	-	08
4	1	1	1	1	3	1	-	2	-	2	1	1	-	-	09
122	65	24	25	8	33	19	9	5	-	16	9	5	-	2	10
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
51	32	13	5	1	22	15	5	2	-	7	2	3	-	2	13
42	19	4	17	2	7	2	2	3	-	3	3	-	-	-	14
6	5	-	-	1	-	-	-	-	-	2	2	-	-	-	15
10	6	1	2	1	1	-	1	-	-	3	1	2	-	-	16
7	1	4	1	1	1	1	-	-	-	1	-	-	-	-	17
3	1	1	-	1	2	1	1	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
2	1	-	1	-	2	1	-	-	-	1	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	-	1	-	1	7	4	1	1	1	1	1	-	-	-	24
2	-	2	-	-	2	1	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	1	1	-	-	1	-	1	-	-	1	-	1	-	-	27
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
95	46	32	10	7	34	18	12	-	4	20	9	10	1	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	31
39	21	16	1	1	11	7	3	1	1	9	6	3	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
5	4	1	-	-	4	1	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
6	4	2	-	-	-	-	-	-	-	4	2	2	-	-	37
26	11	13	1	1	10	6	1	3	-	5	1	4	-	-	38
3	1	2	-	-	1	-	-	-	-	1	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
13	3	9	-	1	3	1	2	-	-	1	-	1	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
33	13	16	-	4	6	4	1	-	1	7	3	4	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
69	28	30	4	7	19	10	8	1	-	15	9	6	-	-	54
16,549	8,165	7,029	762	593	3,844	1,940	1,581	183	140	2,976	1,686	1,241	28	21	55
16,326	8,086	6,923	751	566	3,788	1,922	1,545	181	140	2,927	1,666	1,212	28	21	56
366	264	72	20	10	84	55	21	5	3	58	41	16	-	1	57
11	8	2	-	-	2	2	-	-	-	2	2	-	-	-	58
100	66	25	9	-	11	6	5	-	-	11	9	2	-	-	59
107	74	25	4	4	38	21	13	2	2	18	11	6	-	1	60
148	116	20	7	5	33	26	3	3	1	27	19	8	-	-	61
5,305	2,588	2,282	258	177	1,114	524	475	67	48	882	487	375	12	8	62
280	183	49	35	13	50	30	11	7	2	54	39	13	2	-	63
908	496	319	66	27	213	109	75	19	10	173	111	57	1	4	64
44	22	20	1	-	6	3	2	-	-	10	7	3	-	-	65
1,946	846	975	59	66	373	144	195	12	22	271	121	149	-	1	66
252	97	142	6	7	61	26	33	-	2	37	13	24	-	-	67
86	35	40	6	5	14	6	6	2	-	6	5	-	-	1	68
69	36	32	-	1	9	6	2	-	1	6	4	2	-	-	69
371	171	175	11	14	54	23	31	-	-	64	25	39	-	-	70
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	71
1,058	457	530	34	37	213	70	115	10	18	147	71	76	-	-	72
109	49	56	2	2	21	12	8	-	1	11	3	8	-	-	73
652	352	254	33	13	98	45	44	3	6	107	69	36	1	1	74
392	141	219	14	18	85	34	44	6	1	46	21	22	3	-	75
110	58	35	9	8	30	16	11	3	-	14	10	2	2	-	76
282	83	184	5	10	55	18	33	3	1	32	11	20	1	-	77
160	66	83	4	7	67	30	31	4	2	17	7	10	-	-	78
836	438	325	44	29	195	117	60	14	4	192	105	80	5	2	79
87	44	38	2	3	27	12	13	1	1	12	7	5	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	879	613	109	134	23	123	105	16	1	1
03 OF LARYNX.....161	46	29	5	11	1	3	3	-	-	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	239	178	28	28	5	43	36	7	-	-
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	576	400	69	92	15	74	65	7	1	1
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	18	6	7	3	2	3	1	2	-	-
07 MALIGNANT NEOPLASM OF BREAST.....170	493	-	393	-	100	87	-	87	-	-
08 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	872	270	339	116	147	126	63	62	-	1
09 OF CERVIX UTERI.....171	217	133	139	17	48	13	13	13	...	-
10 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	133	...	89	...	44	17	...	16	...	1
11 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	127	...	105	...	22	31	...	31	...	-
12 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	9	...	6	...	3	2	...	2	...	-
13 OF PROSTATE.....177	362	246	...	116	...	62	62	...	...	...
14 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178-179	24	24	...	-	...	1	1	...	-	...
15 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	210	106	66	28	10	58	35	21	-	2
16 OF KIDNEY.....180	99	52	31	12	4	31	15	15	-	1
17 OF BLADDER AND OTHER URINARY ORGANS.....181	111	54	35	16	6	27	20	6	-	1
18 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	882	397	319	80	86	81	50	29	2	-
19 OF SKIN.....190,191	119	54	51	7	7	11	8	3	-	-
20 OF EYE.....192	7	4	3	-	-	1	1	-	-	-
21 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	167	92	51	13	11	23	18	5	-	-
22 OF THYROID GLAND.....194	15	4	9	1	1	3	3	-	-	-
23 OF BONE.....196	52	21	16	9	6	3	1	2	-	-
24 OF CONNECTIVE TISSUE.....197	31	20	9	2	4	4	2	2	-	-
25 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	43	23	13	3	4	6	2	3	1	-
26 OF UNSPECIFIED SITES.....156B,165,198,199B	468	179	167	45	57	30	15	14	1	-
27 LEUKEMIA AND ALEUKEMIA.....200-203,205	306	150	111	26	19	42	25	17	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200-203,205	303	147	115	26	15	51	27	23	-	1
29 HODGKINS DISEASE.....201	121	63	47	8	3	28	12	15	-	1
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	74	40	24	8	2	7	3	4	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	151	54	64	17	16	13	2	11	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	12	...	6	...	6	1	...	1	...	-
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	19	9	9	-	1	4	-	4	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	18	6	7	4	1	6	1	5	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	...	-	...	-	-	...	-	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	79	31	31	12	5	1	1	-	-	1
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	23	8	11	1	3	1	-	1	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	904	286	308	117	193	133	62	65	2	4
39 ASTHMA.....241	97	36	24	13	24	22	18	4	-	-
40 NONTOXIC GOITER.....250,251	1	-	1	-	-	-	-	-	-	-
41 THYROIDITIS WITH OR WITHOUT GOITER.....252	9	4	4	-	4	1	-	1	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	9	3	6	-	-	5	2	3	-	-
43 DIABETES MELLITUS.....260	662	202	231	88	141	94	36	53	2	3
44 DISEASES OF THYMUS GLAND.....273	1	1	-	-	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	7	1	4	1	1	2	1	1	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	38	8	11	8	11	2	1	1	-	-
48 CYSTIC FIBROSIS.....289A	19	9	7	2	1	1	-	-	-	1
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	61	25	20	5	11	6	4	2	-	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	135	40	43	28	24	9	7	2	-	-
51 ANEMIAS.....290-293	91	20	27	23	21	8	6	2	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	5	2	2	1	-	2	2	-	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	86	18	25	22	21	6	4	2	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	15	5	6	3	1	-	-	-	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	29	15	10	2	2	1	1	-	-	-
56 V. MENTAL, PSYCHONEURDITIC, AND PERSONALITY DISORDERS.	173	84	30	40	19	9	7	2	-	-
57 SENILE PSYCHOSIS.....304	3	1	2	-	-	-	-	-	-	-
58 ALCOHOLIC PSYCHOSIS.....307	19	13	3	3	-	3	3	-	-	-
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	27	11	10	3	3	1	1	-	-	-
60 ALCOHOLISM.....322	105	52	8	32	13	4	3	1	-	-
61 MENTAL DEFICIENCY.....325	15	6	5	2	2	-	-	-	-	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	4	1	2	-	1	1	-	1	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,807	1,966	2,092	872	877	717	352	355	4	6
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,451	1,842	1,982	795	832	658	313	336	4	5
65 SUBARACHNOID HEMORRHAGE.....330	209	76	80	21	32	21	9	8	2	2
66 CEREBRAL HEMORRHAGE.....331	3,039	971	1,045	512	511	414	192	219	1	2
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,725	648	665	199	213	171	85	84	1	1
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	478	147	192	63	76	52	27	25	-	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	54	14	12	14	14	5	4	1	-	-
70 MULTIPLE SCLEROSIS.....345	29	7	16	4	2	8	5	3	-	-
71 PARALYSIS AGITANS.....350	42	19	17	4	2	11	6	5	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	22	6	9	6	1	1	-	-	-	1
73 EPILEPSY.....353	53	20	7	15	11	10	9	1	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	2	-	2	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	10	3	2	3	2	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	144	55	45	31	13	24	15	9	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,921	2,234	437	212	38	645	495	106	32	12	564	466	89	8	1
169	137	17	13	2	18	14	1	3	-	24	18	4	2	-
1,186	903	175	95	13	187	149	30	6	2	304	259	41	3	1
1,508	1,154	233	100	21	428	328	67	23	10	224	181	40	3	-
58	40	12	4	2	12	4	8	-	-	12	8	4	-	-
1,492	10	1,375	3	104	268	2	251	-	15	219	5	210	-	4
2,344	854	1,245	120	125	567	240	263	30	34	409	190	215	2	2
486	...	424	...	62	87	...	77	...	10	63	...	61	...	2
340	...	312	...	28	91	...	77	...	14	52	...	52	...	-
499	...	467	...	32	112	...	102	...	10	95	...	95	...	-
45	...	42	...	3	7	...	7	...	-	7	...	7	...	-
919	801	...	118	...	256	227	...	29	...	184	182	...	2	...
55	53	...	2	...	14	13	...	1	...	8	8	...	...	...
852	517	281	33	21	162	101	48	9	4	146	90	52	2	2
345	214	114	10	7	61	36	20	4	1	53	33	17	1	2
507	303	167	23	14	101	65	28	5	3	93	57	35	1	-
1,538	804	623	62	49	545	293	217	20	15	321	175	144	-	2
213	120	87	5	1	83	56	25	1	1	42	21	21	-	-
13	8	4	-	-	4	2	-	-	-	5	2	3	-	-
367	204	141	12	10	96	54	34	6	2	101	60	41	-	-
52	13	38	-	1	14	4	9	-	-	16	7	9	-	-
90	46	33	5	6	45	29	14	1	1	12	11	-	-	1
61	25	29	3	4	18	12	6	-	-	8	4	4	-	-
82	49	27	3	3	38	20	14	2	2	11	7	4	-	-
660	339	264	33	24	247	116	113	9	9	126	63	62	-	1
685	367	287	18	13	230	122	90	14	4	173	116	54	2	1
823	448	321	25	29	173	90	74	4	5	155	96	57	2	-
381	220	147	9	5	74	37	32	3	2	71	44	26	1	-
187	108	71	4	4	40	22	16	-	2	43	26	17	-	-
255	120	103	12	20	59	31	26	1	1	41	26	14	1	-
223	79	106	11	27	56	18	36	2	-	49	20	29	-	-
21	...	13	...	8	5	...	5	...	-	5	...	5	...	-
57	20	27	2	8	13	5	7	1	-	18	8	10	-	-
63	24	27	5	7	8	1	7	-	-	11	5	6	-	-
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
43	15	21	4	3	18	10	7	1	-	7	5	2	-	-
37	20	16	-	1	12	2	10	-	-	8	2	6	-	-
2,893	1,055	1,543	108	187	587	224	265	41	57	383	173	201	6	3
210	103	71	19	17	75	43	20	9	3	50	32	18	-	-
28	3	21	1	3	3	-	3	-	-	1	1	1	-	-
14	2	11	-	1	9	2	7	-	-	6	1	5	-	-
2,346	816	1,296	80	154	404	144	186	26	48	267	112	147	5	3
1	1	-	-	-	6	4	2	-	-	1	1	4	-	-
29	5	23	1	-	6	-	1	-	-	6	2	-	-	-
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
62	25	30	4	3	34	11	20	2	1	17	10	7	-	-
26	18	8	-	-	9	4	5	-	-	4	2	2	-	-
176	82	83	2	9	46	16	21	4	5	29	12	16	1	-
315	137	132	24	22	82	36	38	3	5	51	26	23	1	1
178	72	75	16	15	54	24	24	2	4	30	16	13	1	-
22	9	12	1	-	7	2	4	1	-	9	5	3	1	-
156	63	63	15	15	47	22	20	1	4	21	11	10	-	-
46	19	21	2	4	13	4	8	-	1	13	5	7	-	1
91	46	36	6	3	15	8	6	1	-	8	5	3	-	-
252	132	65	42	13	76	48	16	10	2	51	33	17	1	-
14	3	10	-	1	8	4	3	-	1	6	1	5	-	-
21	15	1	5	-	7	6	-	1	-	7	7	-	-	-
43	24	17	1	1	10	5	5	-	-	6	3	3	-	-
128	69	15	33	11	42	26	6	9	1	24	18	5	1	-
43	21	19	3	-	8	7	1	-	-	6	4	2	-	-
3	-	3	-	-	1	-	1	-	-	2	-	2	-	-
11,901	5,109	5,803	466	523	3,344	1,496	1,516	168	164	2,437	1,157	1,243	23	14
11,143	4,720	5,507	420	496	3,156	1,397	1,446	156	157	2,269	1,068	1,168	22	11
449	175	195	27	52	93	30	53	3	7	91	42	44	2	3
5,971	2,566	2,938	207	260	1,937	861	882	100	94	1,116	514	580	17	5
3,795	1,618	1,863	161	153	787	361	355	36	35	783	385	393	3	2
928	361	511	25	31	339	145	156	17	21	279	127	151	-	1
98	43	39	9	7	34	24	6	2	2	19	11	8	-	-
99	41	54	3	1	9	4	3	-	2	27	10	17	-	-
163	92	66	3	2	43	17	24	2	-	47	29	18	-	-
44	24	14	2	4	8	5	2	1	-	6	3	2	-	1
91	48	20	19	4	23	12	10	-	1	10	6	3	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	7	5	-	1	1	-	1	-	-	4	1	2	1	-
250	134	98	10	8	68	36	24	6	2	55	29	25	-	1



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,659	7,504	5,075	2,276	1,804	2,436	1,550	864	18	4
02 DISEASES OF HEART.....400-402,410-443	15,092	6,941	4,492	2,050	1,609	2,183	1,421	743	16	3
03 RHEUMATIC FEVER.....400-402	9	3	-	3	3	1	2	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	209	75	86	24	24	47	24	22	1	-
05 DISEASES OF MITRAL VALVE.....410	70	27	35	3	5	27	13	13	1	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	20	12	5	3	-	6	4	2	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	9	4	3	1	1	3	1	2	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	110	32	43	17	18	11	6	5	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	10,893	5,587	3,154	1,254	898	1,834	1,241	576	14	3
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,873	649	778	228	218	382	225	154	3	-
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	9,011	4,932	2,374	1,025	680	1,451	1,016	421	11	3
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	9	6	2	1	-	1	-	1	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	64	25	25	10	4	20	12	8	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	-	-	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	23	20	10	3	-	15	11	4	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	31	5	15	7	4	5	1	4	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	1,100	396	441	134	129	104	56	48	-	-
18 WITH ARTERIOSCLEROSIS.....422.1	962	354	393	106	109	90	48	42	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	138	42	48	28	20	14	8	6	-	-
20 OTHER DISEASES OF HEART.....430-434	1,034	416	260	223	135	86	46	39	1	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	8	4	2	1	2	1	1	1	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	7	6	6	12	3	3	1	2	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	311	113	106	48	44	23	9	14	-	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	688	293	146	162	87	58	35	22	1	-
25 HYPERTENSIVE HEART DISEASE.....440-443	1,783	439	526	402	416	89	41	48	-	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	442	123	127	103	89	21	12	9	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,341	316	399	299	327	68	29	39	-	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	370	116	102	91	61	32	17	14	-	1
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	238	86	76	49	25	22	13	8	-	1
30 ESSENTIAL HYPERTENSION.....444,445,447	132	28	26	42	36	10	4	6	-	-
31 DISEASES OF ARTERIES.....450-456	927	346	389	88	104	184	102	80	2	-
32 GENERAL ARTERIOSCLEROSIS.....450	667	212	318	61	76	139	69	68	2	-
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	183	110	44	17	12	33	29	4	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	9	2	3	3	1	-	-	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	68	22	24	7	15	12	4	8	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	270	101	92	47	30	37	10	27	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,170	932	552	398	288	287	182	90	9	6
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	37	11	4	11	11	1	-	1	-	-
39 INFLUENZA.....480-483	63	22	17	12	6	5	1	-	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,408	487	403	290	228	183	106	62	9	6
41 LOBAR PNEUMONIA.....490	188	75	53	35	25	23	16	6	1	-
42 BRONCHOPNEUMONIA.....491	591	221	206	94	70	127	76	43	5	3
43 PRIMARY ATYPICAL PNEUMONIA.....492	146	36	23	40	47	16	7	5	2	2
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	483	155	121	121	86	17	7	8	1	1
45 ACUTE BRONCHITIS.....500	17	7	3	4	3	4	4	-	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	107	65	20	13	9	20	13	7	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	2	-	-	1	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	13	6	3	3	1	1	1	-	-	-
49 PLEURISY.....519	1	-	-	1	-	1	1	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	60	30	21	5	4	8	5	3	-	-
51 BRONCHIECTASIS.....526	36	18	12	5	3	8	6	2	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	363	261	53	39	10	35	30	5	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	314	241	39	29	5	34	30	4	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	49	20	14	10	5	1	-	-	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	62	23	16	15	8	20	11	9	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,356	589	382	208	177	223	133	82	5	3
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	-	1	-	1	1	-	1	-	-
58 ULCER OF STOMACH.....540	95	46	20	17	12	16	12	4	-	-
59 ULCER OF DUODENUM.....541	87	55	17	11	4	14	11	3	-	-
60 GASTRITIS AND DUODENITIS.....543	9	5	3	-	1	5	2	3	-	-
61 APPENDICITIS.....550-553	31	15	4	11	1	8	4	4	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	205	68	80	29	28	40	23	17	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	120	20	19	44	37	11	7	4	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	61	24	25	6	6	15	7	7	1	-
65 CIRRHOSIS OF LIVER.....581	345	170	92	46	37	50	31	13	4	2
66 WITH MENTION OF ALCOHOLISM.....581.0	233	111	64	32	26	30	17	11	1	1
67 WITHOUT ALCOHOLISM.....581.1	112	59	28	14	11	20	14	2	3	1
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	85	41	33	1	10	16	5	11	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	316	145	88	43	40	47	31	15	-	1
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	832	280	236	179	137	83	60	19	3	1
71 NEPHRITIS AND NEPHROSIS.....590-594	333	104	67	91	71	25	17	6	1	1
72 ACUTE NEPHRITIS.....590	15	6	2	4	3	2	2	-	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	22	12	3	3	4	4	1	2	1	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	296	86	62	84	64	19	14	4	-	1
75 INFECTIONS OF KIDNEY.....600	299	87	121	44	47	21	11	8	2	-
76 CALCULI OF URINARY SYSTEM.....602,604	42	15	21	1	5	-	-	-	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	74	34	20	17	3	11	10	1	-	-
78 HYPERPLASIA OF PROSTATE.....610	60	35	-	25	-	18	18	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	24	5	7	1	11	8	4	4	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

CHIC					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
44,226	23,356	17,815	1,667	1,388	9,630	5,524	3,358	393	355	7,775	4,682	2,985	73	31	01
39,472	21,188	15,630	1,470	1,184	8,671	5,053	2,960	360	298	6,936	4,266	2,575	67	28	02
17	4	8	2	3	4	1	2	1	-	2	1	1	-	-	03
883	375	462	19	27	98	47	38	4	9	198	85	110	2	1	04
362	136	208	5	13	41	22	15	-	4	74	36	37	-	-	05
114	76	30	5	3	10	7	3	-	-	33	18	15	-	-	06
43	19	23	1	-	5	3	1	-	1	18	8	10	-	-	07
364	144	201	6	11	42	15	19	4	4	73	23	48	2	-	08
30,850	17,717	11,413	1,006	714	6,988	4,292	2,226	272	198	5,672	3,655	1,950	49	16	09
8,695	3,941	4,245	271	238	1,268	640	522	56	50	1,373	726	628	17	2	10
22,139	13,766	7,163	735	475	5,714	3,647	1,704	216	147	4,298	2,929	1,321	32	16	11
16	10	5	-	1	6	5	-	-	1	1	-	1	-	-	12
219	113	88	9	9	40	19	15	3	3	56	33	23	-	-	13
9	6	2	-	1	1	1	-	-	-	2	1	1	-	-	14
131	78	41	7	5	20	11	5	2	2	45	27	18	-	-	15
79	29	45	2	3	19	7	10	1	1	9	5	4	-	-	16
2,638	1,103	1,365	91	79	437	198	209	17	13	261	132	123	3	3	17
2,235	939	1,160	74	62	276	128	132	8	8	213	104	104	3	2	18
403	164	205	17	17	161	70	77	9	5	48	28	19	-	1	19
1,360	632	606	54	68	591	305	235	24	27	272	153	115	2	2	20
43	26	15	2	-	8	5	1	1	1	12	9	3	-	-	21
79	40	25	5	9	5	5	-	-	1	7	2	5	-	-	22
428	198	204	6	20	154	76	70	3	5	90	49	39	-	2	23
810	368	362	41	39	414	215	159	20	20	163	93	68	2	-	24
3,505	1,244	1,688	289	284	513	191	235	39	48	475	207	253	11	4	25
1,130	483	487	95	65	119	49	54	10	6	159	80	76	2	1	26
2,375	761	1,201	194	219	394	142	181	29	42	316	127	177	9	3	27
695	293	306	51	45	152	73	60	4	15	62	35	26	-	1	28
441	208	182	28	23	84	44	34	2	4	41	27	14	-	-	29
254	85	124	23	22	68	29	26	2	11	21	8	12	-	1	30
3,442	1,623	1,607	103	109	664	329	280	21	34	674	327	341	5	1	31
2,545	1,066	1,334	67	78	491	230	225	15	21	475	203	265	2	1	32
684	452	196	26	10	119	76	33	4	6	161	108	52	1	-	33
4	4	-	-	-	5	1	2	-	2	1	-	-	-	-	34
209	101	77	10	21	49	22	20	2	5	37	16	19	2	-	35
617	252	272	43	50	143	69	58	8	8	103	54	47	1	1	36
4,755	2,807	1,448	324	176	1,242	727	411	67	37	914	620	272	14	8	37
83	40	17	15	11	11	4	5	2	-	6	3	3	-	-	38
145	63	74	3	5	56	21	25	7	3	4	4	4	-	-	39
2,436	1,221	941	167	107	686	334	285	37	30	524	317	152	9	6	40
397	204	138	34	21	85	41	35	5	4	48	32	15	1	-	41
1,473	735	573	97	68	308	161	121	13	13	281	172	104	3	2	42
288	139	122	15	12	59	27	26	1	5	70	42	24	2	2	43
278	143	108	21	6	234	105	103	18	8	125	71	49	3	2	44
83	36	35	10	2	12	10	2	-	-	8	6	2	-	-	45
296	200	69	19	6	45	29	9	6	1	44	35	8	1	-	46
9	4	5	-	-	1	1	-	-	-	-	-	-	-	-	47
38	17	13	5	3	9	8	1	-	-	5	4	-	1	-	48
7	4	2	1	-	1	-	-	-	-	-	-	-	-	-	49
267	157	66	23	21	42	22	16	2	2	33	18	14	1	-	50
94	47	41	5	1	16	12	3	1	1	14	6	6	1	1	51
1,120	899	143	63	15	326	266	48	11	1	250	220	28	1	1	52
1,051	858	120	62	11	298	251	38	8	1	231	207	22	1	1	53
69	41	23	1	4	28	15	10	3	-	19	13	6	-	-	54
177	119	42	13	3	37	17	17	1	-	25	11	14	-	-	55
3,717	1,906	1,469	183	159	844	422	327	44	51	700	440	240	10	10	56
5	3	-	1	1	-	-	-	-	-	1	1	-	-	-	57
330	190	112	13	15	55	34	20	1	-	61	44	14	2	1	58
288	203	63	18	4	75	59	15	1	-	54	48	6	-	-	59
27	18	5	1	3	5	3	2	-	-	4	4	-	-	-	60
87	46	27	12	2	27	17	6	1	3	11	8	3	-	-	61
553	230	279	22	22	130	50	70	5	5	90	45	45	-	-	62
138	51	75	6	6	33	9	14	6	4	22	10	9	2	1	63
244	97	132	4	11	42	13	26	2	1	34	15	19	-	-	64
1,191	674	387	67	63	223	124	65	14	20	259	183	65	5	6	65
839	477	286	41	35	183	107	56	8	12	120	77	39	1	3	66
352	197	101	26	28	40	17	9	6	8	139	106	26	4	3	67
267	110	149	4	4	74	25	40	-	9	51	24	27	-	-	68
587	284	240	35	28	180	88	69	14	9	113	58	52	1	2	69
1,507	782	523	105	97	549	256	191	58	44	251	155	86	6	4	70
554	266	207	39	42	253	100	89	34	30	91	55	32	2	2	71
20	5	11	2	2	14	4	8	-	2	4	-	4	-	-	72
39	18	15	5	1	15	5	8	2	-	10	6	4	-	-	73
495	243	181	32	39	224	91	73	32	28	77	49	24	2	2	74
540	233	226	36	45	153	65	70	9	9	90	47	40	1	2	75
49	25	21	2	1	14	8	6	-	8	10	6	4	-	-	76
137	76	41	14	6	48	22	18	6	2	22	14	8	-	-	77
164	153	...	11	...	55	48	...	7	...	31	29	...	2	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
63	29	28	3	3	26	13	8	2	3	7	4	2	1	-	80



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
42	...	29	...	13	14	...	12	...	2	1	...	1	...	-	01
8	...	5	...	3	1	...	-	...	1	-	...	-	...	-	02
4	...	3	...	1	-	...	-	...	-	-	...	-	...	-	03
9	...	7	...	2	6	...	6	...	-	1	...	1	...	-	04
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	05
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	06
3	...	2	...	1	1	...	-	...	1	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
15	...	10	...	5	5	...	5	...	-	-	...	-	...	-	09
98	21	60	2	15	19	5	10	-	4	18	6	10	-	2	10
20	7	12	-	1	4	2	1	-	1	6	5	-	-	1	11
78	14	48	2	14	15	3	9	-	3	12	1	10	-	1	12
238	98	132	1	7	55	27	25	-	3	45	20	24	-	1	13
118	34	80	-	4	31	9	19	-	3	24	8	15	-	1	14
6	1	4	-	1	-	-	-	-	-	1	1	-	-	-	15
20	10	9	-	1	3	2	1	-	-	1	-	1	-	-	16
7	2	5	-	-	1	1	-	-	-	2	-	2	-	-	17
42	28	13	1	-	15	14	1	-	-	10	9	1	-	-	18
45	23	21	-	1	5	1	4	-	1	7	3	4	-	-	19
1,064	501	437	64	62	210	108	77	16	9	168	86	79	1	2	20
67	27	35	1	4	16	5	10	1	-	6	2	4	-	-	21
112	52	51	6	3	28	9	13	5	1	16	9	6	-	1	22
532	258	204	33	37	93	53	29	5	6	89	46	42	-	1	23
353	164	147	24	18	73	41	25	5	2	57	29	27	1	-	24
2,680	1,306	882	284	208	583	292	174	74	43	376	207	149	8	12	25
680	314	236	78	52	593	290	208	58	37	191	102	81	6	2	26
50	14	34	-	2	77	25	47	3	2	39	12	26	1	-	27
630	300	202	78	50	516	265	161	55	35	152	90	55	5	2	28
6,729	4,040	1,988	501	200	1,906	1,169	499	173	65	1,704	1,178	464	46	16	29
5,177	3,125	1,602	307	143	1,551	923	443	127	58	1,326	913	370	34	9	30
51	45	3	3	-	13	11	-	2	-	9	9	-	-	-	31
2,369	1,554	642	131	42	759	446	216	64	33	670	454	201	12	3	32
2,326	1,525	631	129	41	734	432	207	63	32	651	441	195	12	3	33
97	59	34	4	-	29	18	10	1	-	19	15	4	-	-	34
391	256	87	31	17	91	50	22	13	6	74	42	27	5	-	35
1,009	624	323	49	13	367	206	125	22	14	255	168	84	2	1	36
530	373	116	30	11	210	137	39	22	12	166	120	43	1	2	37
299	213	71	15	-	25	21	11	5	-	137	96	37	4	-	38
43	29	11	2	1	37	14	9	1	1	19	13	6	-	-	39
9	6	3	-	-	7	5	2	-	-	3	1	2	-	-	40
38	33	1	4	-	9	9	-	-	-	30	27	1	2	-	41
50	40	10	-	-	39	30	9	-	-	22	19	3	-	-	42
73	28	36	4	5	31	19	6	4	2	17	9	7	1	-	43
115	72	26	6	11	23	13	8	2	-	7	5	1	1	-	44
1,203	534	599	44	26	243	108	123	8	4	166	95	69	2	-	45
384	215	130	28	11	57	36	15	6	-	63	41	21	1	-	46
394	166	209	10	9	59	18	40	1	-	37	17	20	-	-	47
425	153	260	6	6	127	54	68	1	4	66	37	28	1	-	48
63	53	3	7	-	20	18	2	-	-	51	47	2	1	1	49
94	85	7	2	-	39	37	1	1	-	39	32	3	4	-	50
51	43	4	3	1	27	23	1	3	-	13	12	1	-	-	51
292	152	90	28	22	85	38	24	14	9	76	41	27	3	5	52
16	9	5	1	1	4	3	1	-	-	1	1	-	-	-	53
89	71	10	4	4	41	30	5	5	1	30	26	3	1	-	54
91	49	26	4	12	19	9	7	2	1	23	14	9	-	-	55
216	156	31	25	4	67	50	8	7	2	97	72	20	5	-	56
4	1	2	1	-	4	4	-	-	-	-	-	-	-	-	57
52	21	22	3	6	14	8	6	-	-	12	6	6	-	-	58
301	173	82	37	9	107	62	24	15	6	60	43	15	2	-	59
1,134	772	317	29	16	241	191	44	6	-	300	221	68	6	5	60
320	165	147	3	5	50	28	22	-	-	89	45	42	1	1	61
212	149	57	4	2	29	22	3	4	-	31	27	2	1	1	62
495	401	73	17	4	151	132	17	2	-	166	141	19	4	2	63
107	57	40	5	5	11	9	2	-	-	14	8	5	-	1	64
418	143	69	165	41	113	54	12	40	7	77	43	26	6	2	65
251	90	40	99	22	81	39	9	30	3	44	24	12	6	2	66
66	10	7	43	6	15	6	3	6	3	6	3	3	-	-	67
82	33	22	14	13	14	7	3	3	1	23	12	11	-	-	68
19	10	-	9	-	3	2	-	1	-	3	3	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	70
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	PENNSYLVANIA						RHODE ISLAND			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	125,972	63,954	51,899	5,681	4,438	9,683	5,185	4,259	139	100
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,230	702	291	155	82	73	49	17	5	2
03 TUBERCULOSIS, ALL FORMS.....001-019	628	385	98	105	40	30	23	5	2	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	598	370	92	102	34	30	23	5	2	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	3	3	-	-	-	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	-	-	-	2	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	3	2	1	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	8	3	2	1	2	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	14	7	3	2	2	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	198	124	38	25	11	14	8	3	1	2
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	140	95	28	11	6	8	7	1	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	33	15	7	8	3	4	1	2	-	1
15 TABES DORSALIS.....024	1	-	1	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	7	4	-	3	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	14	9	2	2	1	1	-	-	-	1
18 ALL OTHER SYPHILIS.....027-029	3	1	-	1	1	1	-	-	1	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	1	1	-	-	-
22 CHLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	3	2	-	-	1	2	-	2	-	-
25 FCCD PCISIONG, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	168	79	64	11	14	9	6	3	-	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	2	-	2	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	40	20	14	3	3	4	3	1	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 TETANUS.....060	-	-	-	-	-	-	-	-	-	-
35 ANTHRAX.....061	4	2	1	1	-	-	-	-	-	-
36 ACUTE POLIOMYELITIS.....062	-	-	-	-	-	-	-	-	-	-
37 LATE EFFECTS OF ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 ACUTE INFECTIOUS ENCEPHALITIS.....081	7	6	1	-	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....082	24	12	10	1	1	-	-	-	-	-
40 SMALLPOX.....083	3	1	2	-	-	-	-	-	-	-
41 MEASLES.....084	-	-	-	-	-	-	-	-	-	-
42 YELLOW FEVER.....085	12	5	6	1	-	-	-	-	-	-
43 INFECTIOUS HEPATITIS.....091	-	-	-	-	-	-	-	-	-	-
44 RABIES.....092	30	13	16	1	-	3	2	1	-	-
45 TICK-BORNE TYPHUS.....094	1	-	1	-	-	-	-	-	-	-
46 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	2	2	-	-	-	-	-	-	-	-
47 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
48 SCHISTOSOMIASIS.....123	1	1	-	-	-	-	-	-	-	-
49 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
50 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
51 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
52 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
53 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	104	49	36	7	12	10	6	2	2	-
54 II. NEOPLASMS.....	21,016	10,345	9,060	941	670	1,780	955	789	25	11
55 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	20,658	10,171	8,910	923	654	1,753	945	773	25	10
56 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	432	316	85	22	9	39	33	6	-	-
57 OF LIP.....140	4	4	-	-	2	1	1	-	-	-
58 OF TONGUE.....141	118	82	29	5	2	8	8	-	-	-
59 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	135	91	32	9	3	16	13	3	-	-
60 OF PHARYNX.....145-148	175	139	24	8	4	13	11	2	-	-
61 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	6,985	3,439	3,019	322	205	653	356	283	10	4
62 OF ESOPHAGUS.....150	428	293	69	51	15	36	30	6	-	-
63 OF STOMACH.....151	1,279	708	443	98	30	122	65	50	5	2
64 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	48	25	16	4	3	4	2	2	-	-
65 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,465	1,076	1,253	62	74	249	128	120	1	-
66 OF CECUM, APPENDIX, AND ASCENDING COLON.....153.0	324	136	166	9	13	44	22	22	-	-
67 TRANSVERSE COLON.....153.1	126	51	65	5	5	13	10	3	-	-
68 DESCENDING COLON.....153.2	101	50	49	1	1	8	4	4	-	-
69 SIGMOID COLON.....153.3	456	183	249	12	12	51	27	23	1	-
70 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	5	3	2	-	-	-	-	-	-	-
71 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,269	568	636	27	38	120	57	63	-	-
72 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	184	85	86	8	5	13	8	5	-	-
73 OF RECTUM.....154	860	454	361	26	19	97	56	40	-	1
74 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	445	167	245	15	18	35	12	22	-	1
75 LIVER.....155.0	117	70	36	8	3	8	3	5	-	-
76 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	328	97	209	7	15	27	9	17	-	1
77 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	285	137	132	11	5	15	9	6	-	-
78 OF PANCREAS.....157	1,048	523	438	51	36	81	46	31	4	-
79 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	127	56	62	4	5	14	8	6	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,723	7,751	5,396	4,731	3,845	6,529	3,666	2,516	199	148	35,122	16,120	12,093	3,709	3,200	01
300	85	49	94	72	53	25	12	5	11	431	221	119	60	31	02
101	36	8	36	21	26	13	4	3	6	248	141	56	34	17	03
97	36	6	34	19	19	12	3	3	1	229	134	52	29	14	04
2	-	-	1	1	1	-	-	-	1	4	2	-	1	1	05
1	-	-	1	-	1	-	-	-	1	2	1	1	-	-	06
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	07
-	-	-	-	-	2	1	-	-	1	4	3	-	1	-	08
1	-	-	-	1	3	-	1	-	2	8	1	2	3	2	09
48	18	8	15	7	5	4	1	-	-	20	6	2	10	2	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
37	16	8	9	4	4	3	1	-	-	5	3	1	1	1	13
7	1	-	4	2	1	1	-	-	-	9	-	1	7	1	14
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	15
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	16
2	-	-	2	-	-	-	-	-	-	4	2	-	1	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	19
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
9	-	-	3	6	3	-	-	1	2	5	1	1	3	1	23
2	1	-	-	1	3	-	-	-	-	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25
4	1	-	-	3	-	-	-	-	-	3	-	2	1	-	26
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
46	12	9	11	14	4	1	2	-	1	29	13	7	5	4	28
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	29
7	-	-	3	4	1	-	-	-	1	1	-	-	-	-	30
26	7	8	7	4	1	-	-	-	1	28	15	9	1	3	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
7	-	2	3	2	-	-	-	-	-	9	5	1	2	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	1	-	1	-	-	-	-	-	-	3	2	1	-	-	36
6	-	2	2	2	3	1	1	1	-	15	4	8	2	1	37
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	38
6	-	2	1	3	-	-	-	-	-	7	3	3	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
8	1	5	1	1	1	-	1	-	-	14	4	10	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	50
21	7	4	8	2	8	6	2	-	-	39	21	16	2	-	51
2,802	1,044	889	429	440	1,040	533	483	12	12	5,207	2,269	2,019	483	436	52
2,728	1,022	863	417	426	1,026	523	479	12	12	5,124	2,238	1,989	477	420	53
50	20	9	13	8	16	10	6	-	-	121	77	34	8	2	54
1	1	-	-	-	-	-	-	-	-	10	9	1	-	-	55
13	5	2	4	2	8	5	3	-	-	21	11	9	1	-	56
16	5	6	4	1	4	1	3	-	-	39	21	16	1	1	57
20	9	1	5	5	4	4	-	-	-	51	36	8	6	1	58
775	260	241	149	125	344	173	160	6	5	1,497	583	622	184	108	59
77	27	12	26	12	10	7	3	-	-	85	38	13	24	10	60
152	37	28	50	37	68	43	23	1	1	290	135	80	51	24	61
6	4	2	-	-	4	2	2	-	-	13	5	4	2	2	62
217	79	85	15	38	109	44	64	1	-	503	159	275	34	35	63
21	10	5	1	5	16	8	8	-	-	80	26	43	2	9	64
11	4	3	3	1	6	1	5	-	-	14	4	6	3	1	65
4	-	2	-	2	7	2	5	-	-	18	5	11	1	1	66
14	1	7	2	4	17	6	11	-	-	76	19	46	5	6	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	68
154	58	65	9	22	57	25	31	1	-	298	98	164	22	14	69
13	6	3	-	4	6	4	4	-	-	16	7	4	1	4	70
61	18	19	15	9	36	20	15	-	1	121	53	44	15	9	71
42	12	16	4	10	37	16	20	-	-	107	30	57	12	8	72
10	3	2	4	1	12	7	5	-	-	31	11	7	10	3	73
32	9	14	-	9	25	9	15	-	1	76	19	50	2	5	74
39	10	15	7	7	33	15	18	-	1	60	21	25	10	4	75
164	66	59	29	10	67	36	28	2	1	295	132	112	36	14	76
17	7	5	3	2	6	2	2	2	-	23	10	11	-	2	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NECPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,440	2,610	498	282	50	294	239	47	7	1
03 OF LARYNX.....161	162	135	17	8	2	22	17	4	1	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,269	950	167	130	22	114	95	16	3	-
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,944	1,483	295	142	24	151	124	24	2	1
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	65	42	19	2	2	7	3	3	1	-
07 MALIGNANT NEOPLASM OF BREAST.....170	1,849	18	1,720	1	110	156	1	155	-	-
08 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,604	954	1,418	93	139	227	94	126	3	4
09 OF CERVIX UTERI.....171	463	...	399	...	64	33	...	32	...	1
10 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	435	...	395	...	40	39	...	38	...	1
11 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	605	...	570	...	35	55	...	53	...	2
12 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	54	...	54	...	-	3	...	3	...	-
13 OF PROSTATE.....177	964	872	...	92	...	97	94	...	3	...
14 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	63	82	...	1	...	-	...	-	...	-
15 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	975	594	318	38	25	85	61	24	-	-
16 OF KIDNEY.....180	363	212	132	16	3	26	15	11	-	-
17 OF BLADDER AND OTHER URINARY ORGANS.....181	612	382	186	22	22	59	46	13	-	-
18 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	2,450	1,222	1,056	101	71	143	76	65	1	1
19 OF SKIN.....190,191	241	141	89	6	5	25	14	11	-	-
20 OF EYE.....192	22	10	11	-	1	-	-	-	-	-
21 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	386	218	152	10	6	34	17	17	-	-
22 OF THYROID GLAND.....194	83	24	52	2	5	1	1	-	-	-
23 OF BONE.....196	116	67	39	9	1	4	3	1	-	-
24 OF CONNECTIVE TISSUE.....197	96	56	30	6	4	7	2	5	-	-
25 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	128	74	48	2	4	7	2	5	-	-
26 OF UNSPECIFIED SITES.....156B,165,198,199B	1,378	632	635	66	45	68	36	30	1	1
27 LEUKEMIA AND ALEUKEMIA.....204	881	480	361	22	18	65	35	27	3	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200-203,205	1,042	538	435	42	27	91	50	40	1	-
29 HODGKINS DISEASE.....201	497	254	218	17	8	39	23	16	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	232	145	76	7	4	19	12	7	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	358	174	150	18	16	27	10	16	-	1
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	16	...	12	...	4	1	...	1	...	-
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	48	14	28	2	4	7	2	4	-	1
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	65	43	18	4	3	1	2	-	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	-	-	...	-	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	151	78	60	7	6	9	5	4	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	77	39	31	5	2	7	2	5	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	3,539	1,276	1,938	119	206	280	109	168	2	1
39 ASTHMA.....241	270	149	97	11	13	18	9	9	-	-
40 NONTOXIC GOITER.....250,251	5	4	1	-	-	-	-	-	-	-
41 THYROIDOXICOSIS WITH OR WITHOUT GOITER.....252	31	7	20	3	1	2	-	2	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	30	6	23	-	1	1	-	1	-	-
43 DIABETES MELLITUS.....260	2,863	968	1,648	80	167	236	90	143	2	1
44 DISEASES OF THYMUS GLAND.....273	6	6	-	-	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	28	6	19	2	1	3	1	2	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	106	39	50	8	9	6	3	3	-	-
48 CYSTIC FIBROSIS.....289A	24	10	13	1	-	6	3	3	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS.....RESIDUAL	176	85	64	13	14	8	3	5	-	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	384	177	170	20	17	20	10	10	-	-
51 ANEMIAS.....290-293	236	107	107	10	12	17	8	9	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	25	12	13	-	-	4	2	2	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	211	95	94	10	12	13	6	7	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	45	22	18	2	3	1	-	1	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	103	48	45	8	2	2	2	-	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	208	110	56	32	10	24	16	6	-	2
57 SENILE PSYCHOSIS.....304	10	5	5	-	-	1	-	1	-	-
58 ALCOHOLIC PSYCHOSIS.....307	18	13	-	3	2	5	5	-	-	-
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	36	9	20	6	1	4	2	1	-	1
60 ALCOHOLISM.....322	105	62	15	23	5	13	9	3	-	1
61 MENTAL DEFICIENCY.....325	35	20	13	-	2	1	-	1	-	-
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	4	1	3	-	-	-	-	-	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	13,470	5,685	6,812	429	544	971	424	517	14	16
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	12,534	5,249	6,416	374	495	895	393	479	9	14
65 SUBARACHNOID HEMORRHAGE.....330	486	176	248	20	42	22	9	12	-	1
66 CEREBRAL HEMORRHAGE.....331	6,617	2,818	3,322	206	271	517	231	270	7	9
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	4,342	1,803	2,276	117	146	305	123	177	1	4
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,089	452	570	31	36	51	30	20	1	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS..340	121	49	42	17	13	12	5	5	1	1
70 MULTIPLE SCLEROSIS.....345	104	36	59	1	8	7	2	5	-	-
71 PARALYSIS AGITANS.....350	234	125	107	1	1	18	7	10	1	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	43	20	13	3	7	3	5	2	1	-
73 EPILEPSY.....353	103	48	37	15	3	8	1	1	1	1
74 INFLAMMATORY DISEASES OF EYE.....370-379	1	1	-	-	-	-	-	-	-	-
75 CATARACT.....385	3	1	-	-	1	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	10	5	4	-	1	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	317	151	133	18	15	28	12	15	1	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
503	342	63	78	20	147	117	26	3	1	861	622	114	107	18
31	24	2	5	-	10	9	1	-	-	45	29	4	10	2
165	123	16	23	3	96	74	20	2	-	351	262	32	51	6
298	190	43	50	15	36	30	4	1	1	444	321	69	45	9
9	5	2	-	2	5	4	1	-	-	21	10	9	1	05
230	2	155	1	72	86	1	85	-	-	433	3	336	1	93
453	106	162	76	109	156	76	77	1	2	862	263	406	71	122
126	...	66	...	60	14	...	14	...	-	229	...	166	...	63
66	...	38	...	28	26	...	25	...	1	108	...	73	...	35
72	...	52	...	20	38	...	37	...	1	175	...	153	...	22
7	...	6	...	1	...	...	1	...	-	16	...	14	...	2
177	102	...	75	...	70	69	...	1	...	312	246	...	66	...
5	4	...	1	...	7	7	...	-	...	22	17	...	5	...
109	49	30	16	14	55	35	20	-	-	210	117	65	14	14
44	23	10	7	4	30	16	14	-	-	83	43	29	5	6
65	26	20	9	10	25	19	6	-	-	127	74	36	9	8
335	128	106	47	54	110	52	53	2	3	653	331	225	52	45
36	18	15	2	1	9	6	3	-	-	126	71	46	3	6
-	-	-	-	-	4	1	3	-	-	5	3	2	-	19
60	27	19	7	7	21	9	12	-	-	156	88	49	13	6
10	1	6	2	1	2	1	2	-	-	23	8	15	-	20
14	4	4	2	1	4	2	4	-	-	47	29	15	1	2
8	5	1	1	1	6	3	3	-	-	25	10	10	2	23
17	6	3	5	3	4	2	4	-	1	19	11	4	1	3
190	67	58	28	37	59	28	27	2	2	252	111	84	32	25
140	62	45	20	13	50	25	25	-	-	265	132	105	16	12
133	53	52	17	11	62	34	27	-	1	222	110	82	24	6
55	22	27	4	2	30	17	12	-	1	108	56	40	11	1
25	13	8	2	2	15	9	6	-	-	50	28	19	2	1
53	18	17	11	7	17	8	9	-	-	64	26	23	11	4
74	22	26	12	14	14	10	4	-	-	83	31	30	6	16
16	...	7	...	9	-	...	7	...	-	9	...	2	...	7
12	5	3	2	2	2	1	1	-	-	25	8	13	1	3
11	4	4	3	-	5	3	2	-	-	18	10	6	2	-
-	...	8	...	7	3	...	-	...	-	-	...	-	...	-
27	10	8	7	2	3	3	-	-	-	19	9	4	3	3
8	3	4	-	1	4	3	1	-	-	12	4	5	-	3
465	106	160	75	124	160	71	81	2	6	705	232	259	69	105
35	8	16	7	4	11	7	4	-	-	94	37	30	14	13
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
5	1	3	-	1	-	-	-	-	-	14	2	6	1	5
5	3	2	-	-	1	-	1	-	-	8	2	3	1	2
357	79	116	52	110	126	54	65	2	5	469	140	210	44	75
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-
7	2	4	1	-	4	2	1	-	1	7	1	2	4	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
13	3	6	3	1	5	1	4	-	-	34	14	16	2	2
9	6	3	-	-	2	1	1	-	-	21	10	10	1	-
31	3	9	11	8	11	6	5	-	-	56	25	21	2	8
83	18	17	27	21	25	9	15	-	1	107	35	49	8	15
61	5	13	23	20	18	6	11	-	1	71	21	29	7	14
2	-	1	1	-	4	1	3	-	-	9	2	6	1	-
59	5	12	22	20	14	1	8	-	1	62	19	23	6	14
9	5	3	-	1	1	1	-	-	-	17	6	10	-	1
13	8	1	4	-	6	2	4	-	-	19	8	10	1	-
67	27	11	22	7	17	9	5	2	1	131	63	45	12	11
3	-	2	-	1	3	1	2	-	-	18	2	14	-	2
11	9	-	1	1	1	-	1	-	-	4	2	-	2	-
8	1	3	4	-	4	3	-	1	-	24	6	15	2	1
41	15	5	17	4	5	3	-	1	1	67	43	9	8	7
4	2	1	-	1	4	2	2	-	-	11	6	4	-	1
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-
3,238	870	840	774	754	844	425	393	14	12	5,179	1,888	2,059	585	647
3,046	807	796	729	714	784	398	365	11	10	4,931	1,789	1,981	548	613
118	32	38	29	19	14	7	7	-	-	187	64	75	18	30
1,805	426	428	497	454	480	239	230	4	7	2,892	1,007	1,105	384	396
884	272	267	159	186	192	99	87	4	2	1,349	517	589	111	132
239	77	63	44	55	98	53	41	3	1	503	201	212	35	55
46	8	9	13	8	16	8	5	1	1	53	19	11	12	11
15	3	5	4	10	10	4	6	-	-	15	5	6	2	2
21	12	6	3	2	14	6	8	-	-	40	21	17	1	7
5	1	1	1	2	4	2	2	-	-	23	10	12	-	1
28	8	4	10	6	6	2	2	2	2	33	10	5	12	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	1	1	-	-	-	5	-	1	3	1
75	30	19	16	10	17	11	5	-	1	79	34	26	7	12



SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	58,381	30,391	24,860	1,659	1,471	4,687	2,515	2,095	42	35
02 DISEASES OF HEART.....400-402.410-443	52,692	27,865	22,121	1,428	1,278	4,307	2,327	1,909	40	31
03 RHEUMATIC FEVER.....400-402	36	13	14	3	4	-	-	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-412	1,247	473	702	31	41	80	37	43	-	-
05 DISEASES OF MITRAL VALVE.....410-412	507	173	303	14	17	23	13	10	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	117	70	39	5	3	9	7	2	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	84	34	47	-	3	3	-	3	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	539	196	313	12	18	45	17	28	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	40,571	23,052	15,780	960	779	3,777	2,102	1,617	32	26
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	10,638	4,789	5,356	239	254	1,294	515	758	9	12
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	29,918	18,253	10,420	720	525	2,479	1,586	856	23	14
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	15	10	4	1	-	4	1	3	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	324	176	122	15	11	14	6	8	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	9	6	3	-	-	2	1	1	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	189	120	57	9	3	10	5	5	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	126	50	62	6	8	2	2	2	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	4,542	1,869	2,462	107	104	126	50	73	1	2
18 WITH ARTERIOSCLEROSIS.....422.1	3,860	1,577	2,121	83	79	88	41	45	1	1
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	682	292	341	24	25	38	9	28	-	1
20 OTHER DISEASES OF HEART.....430-434	2,054	966	931	91	66	99	48	47	3	1
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	62	34	23	4	1	4	3	1	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	56	28	20	4	4	3	1	2	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	689	298	352	23	16	33	16	16	1	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,247	606	536	60	45	59	28	28	2	1
25 HYPERTENSIVE HEART DISEASE.....440-443	3,920	1,316	2,110	221	273	211	84	121	4	2
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	1,016	413	526	30	47	34	15	18	1	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	2,904	903	1,584	191	226	177	69	103	3	2
28 OTHER HYPERTENSIVE DISEASE.....444-447	765	296	359	69	41	86	35	49	-	2
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	439	200	191	29	19	57	26	30	-	1
30 ESSENTIAL HYPERTENSION.....444,445,447	326	96	168	40	22	29	9	19	-	1
31 DISEASES OF ARTERIES.....450-456	3,854	1,797	1,897	85	75	235	126	106	1	2
32 GENERAL ARTERIOSCLEROSIS.....450	2,861	1,192	1,576	54	39	158	76	80	-	2
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	704	467	207	15	15	62	42	19	1	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	28	16	11	1	-	1	1	6	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	261	122	103	15	21	13	7	6	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	1,070	433	483	77	77	59	27	31	1	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,709	4,267	1,880	359	203	462	313	137	8	4
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	25	13	9	2	1	4	-	3	1	-
39 INFLUENZA.....480-483	99	45	48	2	4	3	2	1	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	3,597	1,784	1,396	242	175	265	153	104	6	2
41 LOBAR PNEUMONIA.....490	533	276	196	39	22	35	24	10	-	1
42 BRONCHOPNEUMONIA.....491	1,829	904	709	127	89	134	84	47	3	-
43 PRIMARY ATYPICAL PNEUMONIA.....492	455	228	179	17	31	39	22	15	1	1
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	780	376	312	59	33	57	23	32	2	-
45 ACUTE BRONCHITIS.....500	57	32	21	2	2	8	4	4	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	215	146	56	10	3	39	33	5	-	1
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	4	1	3	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518-521	80	43	23	10	4	3	1	2	-	-
49 PLEURISY.....519	10	6	4	-	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	209	128	68	11	2	10	8	2	-	-
51 BRONCHIECTASIS.....526	124	81	35	9	1	8	-	-	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,194	962	167	54	11	116	101	13	1	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	1,068	902	120	41	5	100	90	10	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	126	60	47	13	6	16	11	3	1	1
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	1,095	1,026	52	17	-	6	3	3	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	4,653	2,503	1,780	217	153	387	228	147	6	6
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	3	1	1	-	1	-	-	-	-	-
58 ULCER OF STOMACH.....540	342	220	98	19	5	32	21	11	-	-
59 ULCER OF DUODENUM.....541	298	204	72	13	9	24	17	7	-	-
60 GASTRITIS AND DUODENITIS.....543	27	14	9	2	2	1	1	-	-	-
61 APPENDICITIS.....550-553	129	74	45	7	3	15	9	6	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	751	315	371	38	27	58	29	25	2	2
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	147	63	57	9	18	9	3	6	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	282	100	162	4	16	26	16	10	-	-
65 CIRRHOSIS OF LIVER.....581	1,422	907	413	66	36	132	84	40	4	4
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	1,039	643	327	42	27	76	50	22	2	2
67 WITH ALCOHOLISM.....581.1	383	264	86	24	9	56	34	18	2	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	309	124	176	1	8	27	9	18	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	943	481	376	58	28	63	39	24	-	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,876	942	651	148	135	135	68	62	3	2
71 NEPHRITIS AND NEPHROSIS.....590-594	823	385	308	65	65	52	27	24	1	-
72 ACUTE NEPHRITIS.....590	38	17	9	8	4	2	1	1	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	55	30	16	6	3	5	4	1	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	730	338	283	51	58	45	22	22	1	-
75 INFECTIONS OF KIDNEY.....600	503	203	216	31	53	50	17	32	1	-
76 CALCULI OF URINARY SYSTEM.....602-604	80	41	35	4	-	5	3	2	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	200	106	58	28	6	14	10	3	-	1
78 HYPERPLASIA OF PROSTATE.....610	207	189	-	18	-	10	9	-	1	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	63	18	34	2	-	4	2	1	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,451	3,325	2,196	1,603	1,327	2,804	1,681	1,065	39	19	14,166	6,938	4,875	1,227	1,126	01
7,581	3,049	1,961	1,403	1,168	2,534	1,542	940	34	18	12,691	6,310	4,302	1,088	991	02
9	2	1	2	4	3	1	2	-	-	10	3	5	1	1	03
81	28	27	11	15	37	16	18	2	1	192	75	55	10	12	04
36	15	16	2	3	16	6	10	-	-	88	30	47	4	7	05
8	-	3	3	2	7	3	3	1	1	20	16	3	1	-	06
7	4	1	2	-	1	-	-	-	-	4	-	3	-	1	07
30	9	7	4	10	13	7	5	1	1	80	29	42	5	4	08
5,225	2,515	1,372	745	593	2,042	1,304	701	23	14	9,815	5,279	3,186	744	604	09
918	328	305	142	143	376	181	185	7	3	2,461	995	971	270	225	10
4,298	2,184	1,064	602	448	1,665	1,122	516	16	11	7,349	4,282	2,215	473	379	11
9	3	3	1	2	1	1	-	-	-	5	2	2	1	-	12
52	22	8	16	6	7	4	3	-	-	105	35	28	15	23	13
-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	14
23	17	1	3	2	3	3	-	-	-	3	20	7	5	-	15
29	5	7	13	4	4	1	3	-	-	70	14	20	13	23	16
589	161	226	113	89	169	82	84	2	1	848	352	352	65	78	17
500	143	191	89	77	132	61	70	1	1	541	243	213	37	48	18
89	18	35	24	12	37	21	14	1	1	307	109	140	28	30	19
482	147	110	130	95	135	79	50	6	-	465	213	155	55	42	20
5	1	1	2	1	1	-	1	-	-	14	6	4	3	1	21
14	7	2	3	2	2	2	-	-	-	16	5	5	2	4	22
110	30	42	22	16	47	27	20	-	-	146	57	58	19	12	23
353	109	65	103	76	85	50	29	6	-	289	145	88	31	25	24
1,143	174	217	386	366	141	56	82	1	2	1,256	353	478	194	231	25
227	39	45	69	74	32	17	15	-	-	219	74	103	23	19	26
916	135	172	317	292	109	39	67	1	2	1,037	279	375	171	212	27
177	37	29	65	46	45	25	20	-	-	273	105	52	38	38	28
85	25	18	22	20	38	22	16	-	-	174	74	59	17	24	29
92	12	11	43	26	7	3	4	-	-	99	31	32	21	14	30
563	197	157	115	94	196	102	90	3	1	986	430	420	62	74	31
389	115	115	86	73	146	73	70	3	-	742	297	351	42	52	32
121	67	20	25	9	36	23	13	-	-	178	101	48	16	13	33
11	4	3	-	4	2	1	1	-	-	1	1	-	-	-	34
42	11	19	4	8	12	5	6	-	1	65	31	21	4	9	35
130	42	49	20	19	29	12	15	2	-	216	93	61	39	23	36
1,105	407	226	264	208	334	217	73	25	19	2,030	1,010	623	238	159	37
8	4	-	-	4	2	1	1	-	-	13	4	3	6	-	38
56	9	5	21	21	13	9	4	-	-	69	24	29	5	12	39
683	164	162	197	160	184	105	48	16	15	1,213	491	441	168	113	40
158	48	41	35	34	31	17	7	6	1	219	72	58	47	42	41
279	67	71	78	63	92	55	26	4	7	617	269	224	81	43	42
66	11	18	20	17	23	13	8	-	-	62	26	23	10	3	43
180	38	32	64	46	36	20	7	6	5	315	124	136	30	25	44
8	2	1	4	1	2	1	1	-	-	19	6	7	4	4	45
27	12	7	5	3	15	11	3	1	-	108	73	21	12	2	46
1	-	1	-	-	-	-	-	-	-	4	2	-	-	-	47
10	2	1	4	3	2	1	-	-	-	19	11	4	1	3	48
4	3	-	-	-	-	-	-	-	-	2	1	-	-	-	49
53	28	19	3	3	23	12	6	4	1	79	44	28	3	4	50
6	-	2	4	-	5	3	1	-	-	48	23	17	6	2	51
222	171	21	22	8	79	69	7	2	1	413	310	66	26	11	52
188	160	17	11	-	75	68	6	1	-	386	301	56	23	6	53
34	11	4	11	8	4	1	1	1	1	27	9	10	3	5	54
27	12	7	3	5	9	5	2	3	-	43	21	8	6	8	55
679	249	196	129	105	210	115	73	7	15	1,093	493	352	103	105	56
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	57
47	21	12	12	2	15	10	4	-	1	83	51	22	7	3	58
38	21	8	8	1	22	21	8	-	-	84	58	18	6	2	59
8	5	1	-	2	2	-	2	-	-	14	8	4	-	-	60
26	11	3	7	5	4	2	1	1	-	44	23	10	3	8	61
106	27	39	18	22	38	16	15	2	5	160	65	62	20	13	62
101	10	13	39	39	12	5	3	2	2	90	24	32	18	16	63
31	12	14	3	2	7	-	4	-	-	52	18	27	2	5	64
138	74	40	15	9	38	24	8	1	5	257	122	77	28	30	65
114	63	35	9	7	27	17	8	-	2	184	81	61	20	22	66
24	11	5	6	2	11	7	-	1	3	73	41	16	8	8	67
40	14	17	5	4	23	7	15	-	1	96	34	55	1	6	68
143	54	49	21	19	49	29	19	1	-	212	89	85	18	20	69
453	151	104	124	74	90	48	36	4	2	711	295	217	117	82	70
197	62	35	58	42	42	20	20	2	-	279	112	84	47	36	71
13	3	-	6	4	-	-	-	-	-	10	3	3	3	1	72
11	5	2	1	3	4	3	1	-	-	7	3	2	2	-	73
173	54	33	51	35	38	17	19	2	-	262	106	79	42	35	74
158	46	48	39	25	29	13	14	-	2	248	76	102	30	40	75
19	5	9	4	1	1	1	-	-	-	22	10	10	1	1	76
29	10	9	7	3	6	3	2	1	-	61	33	14	13	1	77
35	22	-	13	-	11	10	-	1	-	80	57	-	13	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
15	6	3	3	3	1	1	-	-	-	21	7	3	3	4	80





SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	TEXAS						UTAH			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	83,656	41,391	29,384	7,214	5,667	6,682	3,782	2,756	86	58
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,168	563	351	158	96	65	43	15	4	3
03 TUBERCULOSIS, ALL FORMS.....C01-019	436	244	119	51	22	13	11	-	-	2
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	399	229	106	45	19	9	9	-	-	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	11	3	5	3	-	1	-	-	-	1
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	4	-	2	1	1	1	1	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	3	1	2	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-01B	2	1	1	-	-	1	1	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	17	10	3	2	2	1	-	-	-	1
10 SYPHILIS AND ITS SEQUELAE.....C20-029	153	83	30	27	13	13	11	1	1	-
11 CONGENITAL SYPHILIS.....020	8	4	2	-	2	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	100	61	21	12	6	9	8	-	1	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	30	11	1	13	5	3	3	-	-	-
15 TABES DORSALIS.....024	4	3	1	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	3	1	2	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	3	1	1	-	-	-	-	-	-
18 ALL OTHER SYPHILIS.....C27-029	3	-	2	1	-	1	-	1	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	1	-	-	-	1	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	5	2	1	2	-	2	1	1	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	62	26	17	12	7	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	3	1	2	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	7	2	1	1	3	-	-	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	169	70	56	22	21	14	8	4	1	1
30 DIPHTHERIA.....055	3	3	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	7	3	2	1	1	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	54	22	20	7	5	3	1	2	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	1	1	-	-	-	-	-	-	-	-
35 TETANUS.....061	30	8	8	12	2	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	4	-	4	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	10	6	4	-	-	1	1	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	26	12	12	2	-	6	4	1	1	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	1	1	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	42	19	14	5	4	2	2	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	61	18	35	2	6	3	1	1	1	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	-	-	1	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	91	42	25	13	11	7	2	5	-	-
55 II. NEOPLASMS.....	13,478	6,530	5,270	906	772	944	512	422	7	3
56 MALIGNANT NECPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	13,274	6,447	5,178	893	756	920	499	411	7	3
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	307	214	64	17	12	16	12	4	-	-
58 OF LIP.....140	8	6	1	-	1	-	-	-	-	-
59 OF TONGUE.....141	70	55	13	2	-	7	5	2	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	100	59	28	8	5	2	2	-	-	-
61 OF PHARYNX.....145-148	129	94	22	7	6	7	2	-	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	3,850	1,754	1,539	325	232	264	148	113	2	1
63 OF ESOPHAGUS.....150	190	96	39	43	12	11	9	2	-	-
64 OF STOMACH.....151	783	363	255	100	65	58	33	24	1	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	38	14	21	2	1	1	1	-	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,202	481	604	52	65	82	46	35	1	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	141	59	70	3	9	8	5	3	-	-
68 TRANSVERSE COLON.....153.1	42	16	22	1	3	4	2	2	-	-
69 DESCENDING COLON.....153.2	44	20	20	3	1	5	4	1	-	-
70 SIGMOID COLON.....153.3	169	64	91	6	8	15	11	4	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.6	764	305	381	36	42	42	21	21	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	42	17	20	3	2	8	3	4	1	-
74 OF RECTUM.....154	278	145	98	19	16	21	12	9	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	348	141	165	33	9	28	8	20	-	-
76 LIVER.....155.0	189	94	64	26	5	7	4	3	-	-
77 DT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	159	47	101	7	4	21	4	17	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	83	38	30	6	9	4	4	-	-	-
79 OF PANCREAS.....157	836	443	284	63	46	54	32	21	-	1
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	92	33	43	7	9	5	3	2	-	-

## SECTION 1 - GENERAL MORTALITY

1-235

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,608	2,495	2,107	6	-	37,148	15,961	11,909	5,293	3,985	27,475	15,538	11,064	547	326	01
42	31	11	-	-	391	132	84	112	63	182	110	51	12	9	02
21	17	4	-	-	155	58	28	50	19	98	39	15	3	1	03
21	17	4	-	-	135	53	26	42	14	48	32	12	3	1	04
-	-	-	-	-	5	1	1	2	1	-	-	-	-	-	05
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	06
-	-	-	-	-	2	1	-	-	1	5	4	1	-	-	07
-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	08
-	-	-	-	-	10	3	-	5	2	4	2	2	-	-	09
5	3	2	-	-	57	14	7	27	9	50	34	12	2	2	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
3	2	1	-	-	31	10	7	11	3	36	24	11	1	-	13
1	1	1	-	-	22	4	-	14	4	6	5	-	-	1	14
1	1	-	-	-	1	-	-	1	-	3	3	-	-	-	15
-	-	-	-	-	2	-	-	-	2	3	2	1	-	-	16
-	-	-	-	-	1	-	-	1	-	2	2	1	-	-	17
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	5	2	1	-	2	3	1	1	-	1	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	25
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
3	1	2	-	-	66	22	16	18	10	19	6	11	2	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	30
2	1	1	-	-	19	5	8	2	4	12	8	3	1	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	5	-	3	1	1	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	1	-	-	-	2	2	-	-	-	2	1	-	1	-	36
-	-	-	-	-	9	4	2	1	2	5	1	2	1	1	37
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	38
-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	39
1	-	1	-	-	4	3	-	-	1	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	1	1	-	-	10	3	6	-	1	5	4	-	-	1	42
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	52
7	7	-	-	-	47	15	11	8	13	23	11	7	2	3	53
709	373	335	1	-	5,656	2,345	2,072	739	500	4,583	2,498	1,972	74	39	54
698	368	329	1	-	5,553	2,315	2,021	728	489	4,499	2,453	1,934	74	38	55
10	10	-	-	-	130	79	17	26	6	104	69	32	2	1	56
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	57
3	3	-	-	-	27	13	4	7	3	32	20	12	-	-	58
3	3	-	-	-	38	23	6	8	1	27	19	7	-	1	59
4	4	-	-	-	63	41	7	13	2	43	28	13	2	-	60
207	108	99	-	-	1,520	610	545	253	112	1,375	761	573	28	13	61
11	5	6	-	-	125	53	12	52	8	76	56	19	1	-	62
26	14	12	-	-	272	112	76	61	23	279	166	98	12	3	63
3	1	2	-	-	13	3	4	5	1	6	4	2	-	-	64
83	41	42	-	-	469	179	216	39	35	437	200	229	5	3	65
12	4	8	-	-	63	17	37	6	3	76	33	42	-	1	66
6	2	4	-	-	11	4	4	1	2	20	10	9	-	1	67
7	3	4	-	-	16	6	6	3	1	8	4	4	-	-	68
24	10	14	-	-	68	22	36	5	5	65	37	27	1	-	69
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	70
29	18	11	-	-	274	114	119	19	22	248	111	132	4	1	71
5	4	1	-	-	37	16	14	5	2	18	3	15	-	-	72
36	23	13	-	-	151	66	57	17	11	148	97	48	-	3	73
10	3	7	-	-	103	34	51	17	1	111	61	43	5	2	74
1	-	1	-	-	48	19	16	13	-	40	24	12	3	1	75
9	3	6	-	-	55	15	35	4	1	71	37	31	2	1	76
2	2	2	-	-	64	27	23	8	6	28	13	12	3	-	77
31	17	14	-	-	290	122	100	46	22	267	153	110	2	2	78
5	4	1	-	-	33	14	6	8	5	23	13	10	-	-	79

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

Cause of death	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	2,621	2,013	351	212	45	128	106	20	1	1
02 CF LARYNX.....161	137	107	11	16	3	3	3	4	-	-
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,084	852	132	86	14	41	37	4	-	-
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,350	1,024	196	104	26	61	65	14	1	1
05 CF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	50	30	12	6	2	3	1	2	-	-
06 MALIGNANT NEOPLASM OF BREAST.....170	1,078	3	960	-	115	93	1	91	-	1
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,824	647	862	144	171	157	79	76	2	-
08 OF CERVIX UTERI.....171	398	...	314	...	84	26	...	26	...	...
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	243	...	194	...	49	14	...	14	...	...
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	357	...	324	...	33	34	...	34	...	...
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	35	...	30	...	5	2	...	2	...	...
12 CF PROSTATE.....177	756	614	...	142	...	74	73	...	1	...
13 CF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	35	33	...	2	...	7	6	...	1	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	558	322	181	38	17	37	26	8	1	...
15 OF KIDNEY.....180	283	156	102	20	5	18	11	6	1	-
16 CF BLADDER AND OTHER URINARY ORGANS.....181	275	166	79	18	12	19	17	2	-	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,190-199	1,657	796	674	89	98	120	67	52	1	-
18 OF SKIN.....190,191	330	189	127	6	8	19	13	5	1	-
19 CF EYE.....192	22	10	11	1	-	1	1	-	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	358	175	164	10	9	31	18	13	-	-
21 OF THYROID GLAND.....194	36	21	36	3	3	5	2	3	-	-
22 OF BONE.....196	93	45	35	7	6	6	5	1	-	-
23 OF CONNECTIVE TISSUE.....197	64	34	24	3	3	5	2	3	-	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	86	51	27	3	5	6	2	4	-	-
25 OF UNSPECIFIED SITES.....1568,165,198,199B	668	282	265	57	64	47	24	23	-	-
26 LEUKEMIA AND ALEUKEMIA.....204	690	360	268	33	29	55	28	27	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	689	338	279	35	37	50	30	20	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	341	172	141	16	12	26	11	15	-	-
29 HOCCKINS DISEASE.....201	158	91	56	7	4	11	9	2	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	190	75	82	12	21	13	10	3	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	204	83	92	13	16	24	13	11	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	13	...	8	...	5	-	...	-	...	...
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	54	24	25	3	2	3	2	1	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	48	19	20	5	4	4	2	2	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	-	-	...	7	...	...
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	48	21	24	2	1	12	5	7	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	40	19	14	3	4	5	4	1	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,889	675	882	115	213	177	75	98	1	3
39 ASTHMA.....241	219	103	64	29	23	22	16	6	-	-
40 NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
41 THYROIDICOSIS WITH OR WITHOUT GOITER.....252	13	3	7	-	3	2	1	1	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	18	5	10	1	2	2	-	2	-	-
43 DIABETES MELLITUS.....260	1,309	430	657	71	151	126	47	76	1	2
44 DISEASES OF THYMUS GLAND.....273	8	5	1	-	2	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	20	11	7	1	1	2	2	-	-	-
46 PELLAGRA.....281	5	1	4	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	114	44	52	8	10	5	2	3	-	-
48 CYSTIC FIBROSIS.....289A	28	12	15	-	1	5	1	4	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	155	61	65	9	20	13	6	6	-	1
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	293	124	115	27	27	26	15	11	-	-
51 ANEMIAS.....290-293	202	85	74	19	24	12	7	5	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	16	10	6	-	3	1	1	2	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	186	75	68	19	24	9	6	3	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	37	13	19	4	1	3	-	3	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	54	26	22	4	2	11	8	3	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	172	92	53	16	8	17	11	4	2	-
57 SENILE PSYCHOSIS.....304	10	5	5	-	-	2	1	1	-	-
58 ALCOHOLIC PSYCHOSIS.....307	32	28	1	2	1	1	1	-	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	38	11	20	3	4	1	1	-	-	-
60 ALCOHOLISM.....322	72	41	16	12	3	8	5	1	2	-
61 MENTAL DEFICIENCY.....325	16	6	8	2	-	4	3	1	-	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	4	1	3	-	-	1	-	1	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	10,275	4,085	4,351	860	979	746	328	408	6	4
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	9,558	3,777	4,093	772	916	665	290	365	6	4
65 SUBARACHNOID HEMORRHAGE.....330	418	142	180	34	62	26	13	12	1	-
66 CEREBRAL HEMORRHAGE.....331	5,657	2,286	2,442	497	632	400	178	217	3	2
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	2,132	896	947	152	137	165	73	90	-	-
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,151	453	524	89	85	74	26	46	2	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	142	52	43	2	4	23	11	5	-	-
70 MULTIPLE SCLEROSIS.....345	44	13	25	2	4	9	4	5	-	-
71 PARALYSIS AGITANS.....350	94	46	43	1	4	20	10	10	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	30	15	11	3	1	6	2	4	-	-
73 EPILEPSY.....353	93	43	25	15	10	6	1	5	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	3	1	1	1	-	-	-	-	-	-
76 GLAUCOMA.....387	1	1	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	11	3	5	2	1	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	299	134	105	40	20	29	16	13	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
114	95	18	1	-	1,032	698	133	178	23	747	601	124	18	4
6	5	1	-	-	48	26	10	11	1	32	27	4	1	-
31	29	1	1	-	350	249	40	54	7	310	255	47	7	1
77	61	16	-	-	610	411	78	108	13	393	310	71	10	2
-	-	-	-	-	24	12	5	5	2	12	9	2	-	1
71	-	71	-	-	456	2	357	1	96	413	4	405	-	4
100	39	61	-	-	803	216	377	99	111	583	275	291	8	9
24	24	...	...	...	192	...	135	...	57	97	...	92	...	5
14	...	14	...	...	110	...	79	...	31	84	...	81	...	3
20	...	20	...	...	169	...	149	...	20	112	...	111	...	1
3	...	3	...	...	17	...	14	...	3	...	...	7	...	...
36	36	...	...	...	294	202	...	92	...	270	262	...	8	...
3	3	...	...	...	21	14	...	7	...	13	...	...	...	...
39	24	15	-	-	264	135	81	33	15	239	157	75	7	...
15	7	8	-	-	109	62	30	11	6	97	57	38	2	...
24	17	7	-	-	155	73	51	22	9	142	100	37	5	...
76	43	33	-	-	810	329	311	95	75	512	295	209	6	2
8	6	2	-	-	100	53	38	5	4	63	37	26	-	...
2	-	2	-	-	9	6	2	1	-	2	1	1	-	...
19	10	9	-	-	118	55	50	10	3	112	74	38	-	...
3	-	3	-	-	22	4	14	1	3	23	6	17	-	...
4	4	-	-	-	39	14	18	5	2	23	17	5	1	...
3	3	-	-	-	27	13	10	2	2	15	8	6	1	...
4	-	4	-	-	34	12	14	4	4	16	8	8	-	...
33	20	13	-	-	461	172	165	67	57	258	144	108	4	2
36	19	17	-	-	235	104	98	12	21	247	140	106	1	...
45	30	15	-	-	303	142	102	29	30	279	151	119	4	5
20	14	6	-	-	146	68	59	11	8	131	69	61	1	...
7	5	2	-	-	71	37	18	7	9	65	39	24	1	...
18	11	7	-	-	86	37	25	11	13	83	43	34	2	4
11	5	6	-	-	103	30	51	11	11	84	45	38	-	1
1	...	...	...	...	9	...	4	...	5	...	...	...	...	...
2	1	1	-	-	11	1	8	2	-	18	6	12	-	...
3	1	2	-	-	14	5	7	2	-	15	10	5	-	...
-	...	...	...	...	-	...	-	...	-	1	...	1	...	...
2	2	-	-	-	47	17	25	2	3	34	18	15	-	1
3	1	2	-	-	22	7	7	5	3	16	11	5	-	...
92	38	54	-	-	817	244	305	108	160	659	302	331	11	15
8	5	3	-	-	85	30	25	18	12	63	29	30	1	3
-	-	-	-	-	-	-	-	-	-	1	-	1	-	...
1	-	1	-	-	13	1	8	1	3	1	-	1	-	...
1	-	1	-	-	9	1	2	-	6	7	1	6	-	...
69	28	41	-	-	567	166	220	70	111	484	217	247	9	11
-	-	-	-	-	1	-	-	1	-	1	1	-	-	...
-	-	-	-	-	8	4	3	-	1	6	6	-	-	...
2	-	2	-	-	48	12	15	12	9	27	12	14	1	...
3	1	2	-	-	12	2	9	-	1	13	7	6	-	...
8	4	4	-	-	74	28	23	6	17	56	29	26	-	1
12	8	4	-	-	119	47	46	14	12	86	45	40	-	1
7	5	2	-	-	77	27	28	12	10	55	35	20	-	...
-	-	-	-	-	11	2	7	-	2	10	5	5	-	...
7	5	2	-	-	66	25	21	12	8	45	30	15	-	...
2	1	1	-	-	17	8	7	1	1	10	4	5	-	...
3	2	1	-	-	25	12	11	1	1	21	6	15	-	...
15	6	9	-	-	204	87	51	51	15	87	59	22	4	2
1	1	-	-	-	2	-	2	-	-	4	1	3	-	...
1	-	1	-	-	18	11	2	5	-	8	7	-	1	...
5	1	4	-	-	27	4	18	2	3	18	9	8	1	...
7	4	3	-	-	147	71	25	42	9	47	37	7	2	1
1	-	1	-	-	10	1	4	2	3	8	4	3	-	...
-	-	-	-	-	-	-	-	-	-	2	1	1	-	...
564	246	317	1	-	4,578	1,524	1,700	686	668	3,483	1,650	1,738	54	41
527	231	295	1	-	4,246	1,406	1,600	617	623	3,206	1,513	1,607	48	38
14	7	7	-	-	228	69	79	37	43	146	64	76	3	3
256	108	147	1	-	2,263	724	826	360	353	1,790	839	907	25	19
212	97	115	-	-	1,274	449	504	155	166	962	465	469	16	12
45	19	26	-	-	481	164	191	65	61	308	145	155	4	6
1	-	1	-	-	70	26	13	19	12	35	21	9	5	...
6	2	4	-	-	22	6	8	2	3	41	17	23	-	...
8	3	5	-	-	46	20	20	3	3	72	38	34	-	...
-	-	-	-	-	9	2	1	1	2	8	4	4	-	...
7	3	4	-	-	44	12	6	16	10	28	11	17	-	...
-	-	-	-	-	1	1	-	-	-	-	-	-	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
-	-	-	-	-	2	1	-	1	-	3	-	3	-	...
15	7	8	-	-	138	50	49	27	12	90	46	41	1	2



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	31,900	16,759	10,823	2,354	1,964	2,464	1,438	1,006	16	4
02 DISEASES OF HEART.....400-402,410-443	28,826	15,434	9,503	2,133	1,756	2,246	1,327	900	15	4
03 RHEUMATIC FEVER.....400-402	24	11	5	5	3	3	1	2	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	364	141	175	25	19	120	44	76	-	-
05 DISEASES OF MITRAL VALVE.....410	143	54	77	8	4	39	12	27	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	49	32	14	2	1	14	10	4	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	26	9	16	-	-	11	2	9	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	146	46	72	15	13	56	20	36	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	21,882	12,587	6,843	1,405	1,047	1,688	1,075	600	10	3
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,225	1,885	1,734	324	282	430	209	217	4	-
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	17,631	10,692	5,098	1,079	762	1,258	866	383	6	3
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	26	10	11	2	3	-	-	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	157	67	66	10	14	12	7	5	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	1	1	-	-	1	1	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	90	41	39	3	7	9	6	3	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	65	25	26	7	2	2	2	2	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	1,818	738	824	128	128	132	63	68	-	1
18 WITH ARTERIOSCLEROSIS.....422.1	1,363	554	620	90	99	110	52	57	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	455	184	204	38	29	22	11	11	-	-
20 OTHER DISEASES OF HEART.....430-434	2,572	1,262	811	275	224	141	79	61	1	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	26	17	8	-	1	3	2	1	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	56	21	23	2	5	2	2	-	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	578	236	253	39	50	38	19	18	1	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,912	988	527	229	168	98	56	42	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	2,009	628	775	285	321	150	58	88	4	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	438	170	171	52	45	36	15	20	1	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,571	458	604	233	276	114	43	68	3	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	465	168	181	58	58	21	9	12	-	-
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	245	111	94	22	18	10	5	5	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	220	57	87	36	40	11	4	7	-	-
31 DISEASES OF ARTERIES.....450-456	2,040	906	925	109	100	141	68	72	1	-
32 GENERAL ARTERIOSCLEROSIS.....450	1,485	587	760	73	65	90	40	49	1	-
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	345	237	74	16	18	30	21	9	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	21	7	10	3	1	1	1	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	189	75	81	17	16	20	6	14	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	569	251	214	54	50	56	34	22	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	4,972	2,651	1,592	446	283	423	276	130	10	7
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	34	11	14	5	4	4	1	2	1	-
39 INFLUENZA.....480-483	167	59	85	8	15	14	9	5	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	2,836	1,312	1,036	276	212	217	117	87	8	5
41 LOBAR PNEUMONIA.....490	384	184	133	42	25	27	17	8	2	-
42 BRONCHOPNEUMONIA.....491	1,226	592	453	102	79	97	51	39	4	3
43 PRIMARY ATYPICAL PNEUMONIA.....492	223	98	87	21	17	20	14	5	-	1
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	1,003	438	363	111	91	73	35	35	2	1
45 ACUTE BRONCHITIS.....500	46	19	18	7	2	5	-	4	-	1
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	273	176	66	25	6	27	22	5	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	56	34	9	12	1	5	4	1	-	-
49 PLEURISY.....519	4	2	1	1	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	245	117	82	27	19	21	16	5	-	-
51 BRONCHIECTASIS.....526	86	47	38	1	4	3	1	-	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,051	811	170	60	10	103	90	11	1	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	947	759	141	44	3	85	76	9	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	104	52	29	16	7	18	14	2	1	1
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	172	62	72	24	14	23	14	9	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,321	1,639	1,266	227	189	289	148	131	7	3
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	3	1	1	-	1	1	-	1	-	-
58 ULCER OF STOMACH.....540	212	143	45	17	7	29	17	12	-	-
59 ULCER OF DUODENUM.....541	198	139	44	13	2	20	17	2	1	-
60 GASTRITIS AND DUODENITIS.....543	30	15	10	4	1	2	2	-	-	-
61 APPENDICITIS.....550-553	86	48	22	12	4	9	7	2	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	502	182	252	31	37	43	25	18	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	344	132	135	39	38	22	4	13	4	1
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	170	69	84	7	10	9	2	7	-	-
65 CIRRHOSIS OF LIVER.....581	872	513	267	55	37	63	28	33	-	2
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	646	374	208	39	25	34	15	19	-	-
67 WITH ALCOHOLISM.....581.1	226	139	59	16	12	29	13	14	-	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	230	89	129	6	6	20	11	8	1	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	674	308	277	43	46	71	35	35	1	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,626	665	576	226	159	83	51	28	1	3
71 NEPHRITIS AND NEPHROSIS.....590-594	666	233	244	96	93	37	22	14	-	1
72 ACUTE NEPHRITIS.....590	24	8	9	3	4	1	-	1	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	47	20	16	4	7	1	1	-	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	595	205	219	89	82	35	21	13	-	1
75 INFECTIONS OF KIDNEY.....600	533	193	233	62	45	27	14	11	-	2
76 CALCULI OF URINARY SYSTEM.....602,604	44	22	17	3	2	3	1	1	1	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	173	78	59	26	10	6	5	1	-	-
78 HYPERPLASIA OF PROSTATE.....610	138	108	...	30	...	6	6	...	...	...
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	72	31	23	9	9	4	3	1	-	-

## SECTION 1 - GENERAL MORTALITY

1-239

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,041	1,099	939	3	-	15,317	6,999	4,963	1,806	1,549	11,997	7,058	4,700	164	75	01
1,822	1,005	814	3	-	13,714	6,381	4,380	1,587	1,366	10,721	6,375	4,133	150	63	02
1	-	1	-	-	8	1	4	2	1	5	-	4	1	-	03
33	14	19	-	-	199	90	73	16	20	240	108	124	6	2	04
16	7	9	-	-	77	31	33	6	7	92	36	53	2	1	05
3	-	3	-	-	20	9	8	2	1	39	26	12	1	-	06
2	1	1	-	-	9	6	3	-	-	15	8	7	-	-	07
12	6	6	-	-	93	44	29	8	12	94	38	52	3	1	08
1,521	876	643	2	-	9,999	5,235	3,069	996	699	8,587	5,418	3,017	110	42	09
525	244	281	-	-	2,169	890	899	206	174	1,933	1,014	861	26	12	10
996	632	362	2	-	7,823	4,341	2,168	789	525	6,647	4,402	2,131	84	30	11
-	-	-	-	-	7	4	2	1	-	7	2	5	-	-	12
12	7	5	-	-	74	23	25	15	11	80	49	29	2	-	13
-	-	-	-	-	3	-	1	2	-	1	1	-	-	-	14
10	6	4	-	-	46	16	16	8	6	56	34	21	1	-	15
2	1	1	-	-	25	7	8	5	5	23	14	8	1	-	16
112	55	56	1	-	1,271	442	505	148	176	631	281	333	10	7	17
96	46	49	1	-	1,070	386	437	112	135	501	236	257	3	5	18
16	9	7	-	-	201	56	68	36	41	130	45	76	7	2	19
42	21	21	-	-	640	262	214	93	71	484	243	229	6	6	20
5	2	3	-	-	23	6	13	2	2	17	7	10	-	-	21
2	2	-	-	-	15	7	3	2	3	12	5	5	1	1	22
9	6	3	-	-	253	99	98	31	25	175	94	77	3	1	23
26	11	15	-	-	349	150	100	58	41	280	137	137	2	4	24
101	32	69	-	-	1,523	328	490	317	388	694	276	397	15	6	25
26	12	14	-	-	338	92	115	70	61	234	107	118	5	4	26
75	20	55	-	-	1,185	236	375	247	327	460	169	279	10	2	27
40	19	21	-	-	289	83	79	72	55	105	56	43	2	4	28
23	15	8	-	-	146	58	50	27	11	48	29	18	-	1	29
17	4	13	-	-	143	25	29	45	44	57	27	25	2	3	30
153	58	95	-	-	1,042	436	398	103	105	1,013	545	450	10	6	31
110	31	79	-	-	736	261	320	73	82	762	362	365	6	7	32
35	23	12	-	-	226	140	50	22	14	188	140	47	1	-	33
-	-	-	-	-	6	3	1	-	2	4	3	1	-	-	34
8	4	4	-	-	74	32	27	8	7	59	40	17	1	1	35
26	17	9	-	-	272	99	106	44	23	158	82	74	2	-	36
300	189	111	-	-	2,152	1,034	573	345	200	1,398	902	427	33	26	37
2	1	1	-	-	33	14	8	8	3	9	7	2	-	-	38
13	6	7	-	-	53	16	25	7	5	25	8	17	-	-	39
169	85	84	-	-	1,346	548	409	234	155	775	416	311	25	23	40
29	17	12	-	-	217	97	70	33	17	84	52	24	5	3	41
93	42	51	-	-	664	293	205	101	65	398	212	164	11	11	42
19	13	6	-	-	98	31	25	24	18	89	49	34	4	2	43
28	13	15	-	-	367	127	109	76	55	204	103	89	5	7	44
3	3	-	-	-	18	7	6	3	2	19	11	7	1	-	45
18	16	2	-	-	87	60	17	6	4	61	48	12	1	-	46
-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	47
1	1	-	-	-	11	6	1	3	1	17	13	3	-	-	48
-	-	-	-	-	4	3	1	-	-	2	1	-	-	-	49
11	9	2	-	-	115	46	27	26	16	49	31	17	1	-	50
5	5	-	-	-	30	11	14	5	-	20	15	5	-	-	51
66	52	14	-	-	405	296	57	42	10	374	322	48	4	-	52
60	50	10	-	-	342	267	42	30	3	333	288	42	3	-	53
6	2	4	-	-	63	29	15	12	7	41	34	6	1	-	54
12	11	1	-	-	48	25	8	11	4	46	30	15	1	-	55
164	84	80	-	-	1,289	593	428	145	123	975	510	427	20	18	56
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	57
13	8	5	-	-	104	54	28	16	6	89	54	30	4	1	58
15	13	2	-	-	77	45	24	6	2	73	47	23	3	-	59
-	-	-	-	-	11	6	4	-	1	8	6	2	-	-	60
3	3	-	-	-	37	15	12	7	3	20	14	6	-	-	61
22	10	12	-	-	196	67	75	26	28	125	49	75	-	1	62
6	2	4	-	-	74	13	25	16	20	41	20	19	1	-	63
22	10	12	-	-	47	23	22	2	-	63	23	38	-	2	64
41	24	17	-	-	377	203	111	35	28	311	187	167	9	8	65
27	14	13	-	-	263	132	86	25	20	217	128	81	5	3	66
14	10	4	-	-	114	71	25	10	8	94	59	26	4	5	67
16	4	12	-	-	67	23	40	1	3	57	17	38	-	2	68
26	10	16	-	-	295	142	85	36	32	188	93	89	3	3	69
80	55	24	1	-	697	258	220	132	87	344	206	122	11	5	70
24	15	9	-	-	255	85	74	55	41	136	77	49	7	3	71
1	1	-	-	-	4	1	-	2	1	6	5	-	1	-	72
1	1	-	-	-	21	8	4	6	3	7	4	3	-	-	73
22	13	9	-	-	230	76	70	47	37	123	68	46	6	3	74
25	12	12	1	-	247	77	109	33	28	89	42	43	3	1	75
4	4	-	-	-	21	12	7	-	2	16	8	6	1	-	76
5	3	2	-	-	73	23	24	19	7	40	26	14	-	-	77
19	19	-	-	-	71	51	-	20	-	44	44	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
3	2	1	-	-	30	10	6	5	9	19	9	10	-	-	80



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	27	...	9	...	18	13	...	8	...	5	01
-	...	-	...	-	2	...	-	...	2	3	...	1	...	2	02
-	...	-	...	-	9	...	1	...	8	1	...	1	...	-	03
-	...	-	...	-	2	...	2	...	2	2	...	1	...	1	04
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	05
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	06
-	...	-	...	-	3	...	-	...	3	3	...	2	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
-	...	-	...	-	9	...	5	...	4	3	...	3	...	-	09
6	1	5	-	-	67	13	28	13	13	24	9	14	-	1	10
1	-	1	-	-	10	4	4	1	1	7	3	4	-	-	11
5	1	4	-	-	57	9	24	12	12	17	6	10	-	1	12
11	3	8	-	-	90	36	33	4	17	65	24	41	-	-	13
5	-	5	-	-	48	13	21	3	11	39	12	27	-	-	14
-	-	-	-	-	5	1	3	-	1	2	-	2	-	-	15
1	-	1	-	-	4	3	-	-	1	3	2	1	-	-	16
1	-	1	-	-	2	1	1	-	-	3	2	1	-	-	17
1	1	-	-	-	17	13	2	-	2	5	4	1	-	-	18
3	2	1	-	-	14	5	6	1	2	13	4	9	-	-	19
59	27	32	-	-	461	186	184	54	37	261	126	113	13	9	20
3	1	2	-	-	51	24	23	3	1	8	1	7	-	-	21
5	2	3	-	-	46	13	17	10	6	33	15	17	-	-	22
37	16	21	-	-	210	90	81	25	14	126	61	54	5	6	23
14	8	6	-	-	154	59	63	16	16	94	49	35	8	2	24
95	54	45	-	-	1,421	562	364	279	216	653	330	257	31	35	25
60	36	24	-	-	548	185	139	141	83	238	128	98	4	8	26
7	2	5	-	-	57	14	23	11	9	43	18	24	-	1	27
53	34	19	-	-	491	171	116	130	74	195	110	74	4	7	26
354	245	109	-	-	3,314	1,716	710	664	224	2,427	1,581	693	116	37	29
291	201	90	-	-	2,473	1,251	574	479	169	1,906	1,240	554	85	27	30
-	-	-	-	-	20	12	-	8	-	17	16	-	1	-	31
131	101	30	-	-	1,037	589	203	187	58	822	539	235	37	11	32
128	98	30	-	-	1,019	578	198	186	57	794	523	224	37	10	33
3	-	-	-	-	19	11	5	2	1	37	25	11	-	-	34
15	10	5	-	-	175	81	28	48	18	108	67	34	5	2	35
50	35	15	-	-	363	209	90	50	14	329	211	100	13	5	36
39	37	2	-	-	254	154	34	55	11	227	161	50	13	3	37
21	15	6	-	-	208	123	41	32	12	93	59	29	5	-	38
3	3	-	-	-	18	11	5	1	1	28	16	11	-	1	39
2	1	1	-	-	4	2	1	1	-	8	3	4	1	-	40
3	3	-	-	-	49	34	2	12	1	73	62	9	2	-	41
13	10	3	-	-	24	22	2	-	-	29	24	5	-	-	42
4	2	2	-	-	64	30	15	17	2	37	12	21	2	2	43
1	-	1	-	-	19	14	2	2	1	29	20	8	1	-	44
55	28	27	-	-	426	161	208	38	19	339	178	155	4	2	45
20	17	3	-	-	124	67	29	20	8	113	82	29	2	-	46
21	7	14	-	-	65	25	33	6	1	83	44	36	1	2	47
14	4	10	-	-	237	69	146	12	10	143	52	90	1	-	48
7	7	-	-	-	68	47	3	18	-	41	35	1	5	-	49
5	5	-	-	-	43	29	1	13	-	31	29	-	2	-	50
4	4	-	-	-	27	21	3	2	1	11	10	-	-	-	51
23	11	12	-	-	194	55	40	57	42	120	79	31	8	2	52
-	-	-	-	-	13	3	4	6	-	8	4	-	-	2	53
6	6	-	-	-	66	40	5	16	5	35	32	2	1	-	54
11	7	3	-	-	36	11	11	8	6	34	23	9	1	1	55
5	2	4	-	-	167	86	28	46	7	121	89	16	13	3	56
-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	57
3	2	1	-	-	33	10	9	9	5	35	9	25	-	1	58
18	12	6	-	-	181	85	37	37	22	115	78	29	6	2	59
59	42	17	-	-	510	371	102	33	4	432	298	117	12	5	60
17	7	10	-	-	93	52	37	4	-	157	97	52	4	4	61
7	5	2	-	-	55	44	8	3	-	48	33	14	1	-	62
33	29	4	-	-	323	258	43	19	3	174	145	22	6	1	63
2	1	1	-	-	39	17	14	7	1	53	23	29	1	-	64
4	2	2	-	-	331	94	34	152	51	88	42	22	19	5	65
4	2	2	-	-	206	59	24	93	30	45	23	11	8	3	66
-	-	-	-	-	58	10	2	40	6	20	10	5	5	-	67
-	-	-	-	-	63	23	8	17	15	21	9	6	4	2	68
-	-	-	-	-	4	2	-	2	-	2	-	-	2	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	19,186	10,577	7,380	723	506	40,164	22,658	16,819	389	298
02 I. INFECTIVE AND PARASITIC DISEASES.....	175	92	62	12	9	290	175	100	13	2
03 TUBERCULOSIS, ALL FORMS.....C01-019	89	45	31	10	3	114	78	30	6	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	84	41	30	10	3	109	76	28	5	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	2	1	1	-	-	1	-	1	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	2	-	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	1	-	-	-	2	2	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	2	-	1	1	-
10 SYPHILIS AND ITS SEQUELAE.....C20-029	28	13	9	2	4	38	21	14	2	1
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	1	1	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	17	10	5	-	2	23	13	8	1	1
14 OTHER CARDIOVASCULAR SYPHILIS.....023	5	2	2	1	-	11	5	5	1	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	1	1	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	-	1	1	2	1	-	1	-	-
18 ALL OTHER SYPHILIS.....027-029	1	-	1	-	-	1	1	-	-	-
19 GONOCOCCAL INFECTION.....C30-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	1	1	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS...041,042	-	-	-	-	-	3	-	3	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	1	1	-	-	-	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	3	2	1	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	18	13	3	-	2	40	23	16	1	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	3	2	1	-	-	23	15	7	1	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	1	-	1	-	-	5	3	2	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	-	2	-	-	3	3	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	6	2	4	-	-	7	5	2	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	3	2	1	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	7	2	5	-	-	6	3	3	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	5	2	3	-	-	6	5	1	-	-
45 RABIES.....094	1	1	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	1	-	1	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	9	8	1	-	-	42	17	21	3	1
55 II. NEOPLASMS.....	2,831	1,476	1,184	103	68	6,831	3,593	3,147	48	43
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	2,785	1,454	1,166	99	66	6,752	3,557	3,105	48	42
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX...140-148	45	31	14	-	-	120	102	17	1	-
58 OF LIP.....140	2	2	-	-	-	2	2	-	-	-
59 OF TONGUE.....141	12	8	4	-	-	37	32	4	1	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY...142-144	18	13	5	-	-	40	31	9	-	-
61 OF PHARYNX.....145-148	13	8	5	-	-	41	37	4	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	873	473	348	33	19	2,279	1,229	1,017	18	15
63 OF ESOPHAGUS.....150	44	31	8	5	-	113	85	21	4	3
64 OF STOMACH.....151	171	104	52	11	4	457	286	201	6	4
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	7	3	2	2	-	19	8	10	1	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	247	116	125	3	3	762	369	382	3	8
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	29	11	18	-	-	109	47	62	-	-
68 TRANSVERSE COLON.....153.1	20	6	13	-	1	47	18	29	-	-
69 DESCENDING COLON.....153.2	8	3	5	-	-	38	21	17	-	-
70 SIGMOID COLON.....153.3	39	18	19	1	1	144	69	73	-	2
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	3	1	2	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	132	69	60	2	1	376	193	174	3	6
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	19	9	10	-	-	45	20	25	-	-
74 OF RECTUM.....154	92	52	35	2	3	296	176	120	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	71	38	30	-	3	180	72	106	2	-
76 LIVER.....157.0	27	19	8	-	-	40	24	15	1	-
77 OF MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	44	19	22	-	3	140	48	91	1	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	56	25	28	1	2	50	31	19	-	-
79 OF PANCREAS.....157	166	94	60	9	3	327	186	139	2	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	19	10	8	-	1	35	16	19	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965--Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2,808	1,669	1,052	50	37	01
29	18	6	2	3	02
4	3	-	1	-	03
4	3	-	1	-	04
-	-	-	-	-	05
-	-	-	-	-	06
-	-	-	-	-	07
-	-	-	-	-	08
-	-	-	-	-	09
9	8	1	-	-	10
-	-	-	-	-	11
-	-	-	-	-	12
7	6	1	-	-	13
1	1	-	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
1	1	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
1	1	-	-	-	20
-	-	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
-	-	-	-	-	27
-	-	-	-	-	28
2	1	1	-	-	29
-	-	-	-	-	30
-	-	-	-	-	31
3	1	2	-	-	32
-	-	-	-	-	33
-	-	-	-	-	34
-	-	-	-	-	35
-	-	-	-	-	36
-	-	-	-	-	37
2	1	1	-	-	38
1	-	-	-	1	39
-	-	-	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
3	2	-	-	1	44
-	-	-	-	-	45
-	-	-	-	-	46
-	-	-	-	-	47
-	-	-	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
-	-	-	-	-	53
4	1	1	1	1	54
383	213	163	4	3	55
375	210	159	4	2	56
7	6	1	-	-	57
1	1	-	-	-	58
1	1	-	-	-	59
3	2	1	-	-	60
2	2	-	-	-	61
111	69	41	1	-	62
4	3	-	1	-	63
28	23	5	-	-	64
-	-	-	-	-	65
27	16	11	-	-	66
3	-	3	-	-	67
1	1	-	-	-	68
-	-	-	-	-	69
4	3	1	-	-	70
-	-	-	-	-	71
19	12	7	-	-	72
-	-	-	-	-	73
11	4	7	-	-	74
8	6	2	-	-	75
1	1	-	-	-	76
7	5	2	-	-	77
5	3	2	-	-	78
27	13	14	-	-	79
1	1	-	-	-	80

Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	486	393	68	23	2	927	771	137	16	3
03 OF LARYNX.....161	21	17	3	1		47	44			
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	160	131	25	4		375	325	39	11	
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	300	241	39	18	2	485	392	87	5	1
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	5	4	1			20	10	8		2
MALIGNANT NEOPLASM OF BREAST.....170	230	1	214		15	682	5	667		10
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	394	143	213	20	18	890	405	475	2	8
08 OF CERVIX UTERI.....171	117	...	108	...	9	137	...	131	...	6
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	43	...	39	...	4	123	...	123	...	
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	60	...	58	...	2	203	...	201	...	2
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	11	...	8	...	3	20	...	20	...	
12 OF PROSTATE.....177	159	139	...	20	...	379	377	...	2	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	4	4	...		...	28	28	...		...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	128	82	38	4	4	350	220	125	2	3
15 OF KIDNEY.....180	56	36	16	2	2	160	96	61	1	2
16 OF BLADDER AND OTHER URINARY ORGANS.....181	72	46	22	2	2	190	124	64	1	1
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
SITES.....1568,165,190-199	389	196	178	10	5	713	364	325	4	
18 OF SKIN.....190,191	40	28	12			80	47	33		
19 OF EYE.....192	5	4	1			6	1	5		
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	65	40	24	1		169	98	69	2	
21 OF THYROID GLAND.....194	12	3	8	1		37	15	22		
22 OF BONE.....196	23	13	9	1		43	29	14		
23 OF CONNECTIVE TISSUE.....197	12	8	4			31	13			
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	18	9	7	2		26	18	8		
25 OF UNSPECIFIED SITES.....1568,165,198,199B	214	91	113	5	5	321	158	161	2	
26 LEUKEMIA AND ALEUKEMIA.....204	121	66	50	4	1	415	231	181	2	1
27 LYMPHOSARCOMA, ETC.....200-203,205	119	69	43	5	2	376	210	161	3	2
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	67	34	30	3		195	97	94	2	2
29 HODGKINS DISEASE.....201	23	16	7			75	49	26		
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
TISSUES.....202,203,205	29	19	6	2	2	106	64	41	1	
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	46	22	18	4	2	79	36	42		1
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	1	...	1	...		10	...	10	...	
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	7	1	5		1	21	14	7		
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	7	3	3	1		17	6	11		
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...			...		...	
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	19	11	6	2		18	8	9		1
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	11	7	2	1	1	13	8	5		
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
NUTRITIONAL DISEASES.....	431	180	222	12	17	1,058	476	566	5	11
39 ASTHMA.....241	61	36	21	3	1	111	62	44	2	3
40 NONTOXIC GOITER.....250,251	2		2			1		1		
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	7	1	6			13	3	9		1
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	1			1		7	1	6		
43 DIABETES MELLITUS.....260	296	108	171	4	13	783	326	449	1	7
44 DISEASES OF THYMUS GLAND.....273						2		1		
45 DISEASES OF ADRENAL GLANDS.....274	4	3		1		11	9	2		
46 PELLAGRA.....281	1	1								
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	25	11	10	3	1	21	14	7		
48 CYSTIC FIBROSIS.....289A	3	3				13	5	8		
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	31	17	12		2	96	56	39	1	
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	50	30	15	2	3	111	61	46	1	3
51 ANEMIAS.....290-293	30	15	11	2	2	67	35	29	1	2
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	3	1			2	15	7	8		
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	27	14	11	2		52	28	21	1	2
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	6	4	2			14	10	4		
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	14	11	2		1	30	16	13		1
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	45	30	11	3	1	78	53	24	1	
57 SENILE PSYCHOSIS.....304	3	1	2			4	3	1		
58 ALCOHOLIC PSYCHOSIS.....307	6	5		1		12	12			
59 OTHER PSYCHOSES.....300-303,305,306,308,309	3	2	1			16	9	7		
60 ALCOHOLISM.....322	23	15	6	2		31	24	6	1	
61 MENTAL DEFICIENCY.....325	7	5	2			14	5	9		
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	3	2			1	1				
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,208	1,004	1,024	105	75	4,812	2,352	2,394	32	34
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	2,081	946	964	99	72	4,450	2,162	2,232	24	32
65 SUBARACHNOID HEMORRHAGE.....330	82	36	45	1		149	81	64	2	2
66 CEREBRAL HEMORRHAGE.....331	1,103	491	508	64	39	2,376	1,165	1,188	7	16
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	622	286	287	24	25	1,356	661	674	12	9
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333-334	274	133	123	10	6	569	255	306	3	5
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	19	10	6	2	1	40	22	15	2	1
70 MULTIPLE SCLEROSIS.....345	10	3	7			50	21	29		
71 PARALYSIS AGITANS.....350	20	12	7	1		80	43	37		
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	11	5	5	1		14	6	6	1	1
73 EPILEPSY.....353	21	10	10	1		44	25	16	3	
74 INFLAMMATORY DISEASES OF EYE.....370-379	1				1	1	1			
75 CATARACT.....365										
76 GLAUCOMA.....387										
77 CITIS MEDIA AND MASTOIDITIS.....391-393	3	1	2			6	1	5		
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	42	17	23	1	1	127	71	54	2	

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
57	46	10	-	1	01
3	3	-	-	-	02
19	16	3	-	-	03
34	26	7	-	1	04
1	1	-	-	-	05
33	-	32	-	1	06
64	32	30	2	-	07
12	...	12	...	-	08
6	...	5	...	-	09
10	...	10	...	-	10
2	...	2	...	-	11
33	31	...	2	...	12
1	1	...	-	...	13
18	13	5	-	-	14
9	5	4	-	-	15
9	8	1	-	-	16
51	26	25	-	-	17
3	1	2	-	-	18
1	-	1	-	-	19
11	7	4	-	-	20
-	-	-	-	-	21
4	3	1	-	-	22
1	1	-	-	-	23
5	3	2	-	-	24
26	11	15	-	-	25
17	9	8	-	-	26
17	9	7	1	-	27
7	3	4	-	-	28
7	5	2	-	-	29
3	1	1	1	-	30
8	3	4	-	1	31
-	...	-	...	-	32
3	3	-	-	-	33
-	...	-	...	-	34
1	-	-	-	1	35
4	-	4	-	-	36
-	-	-	-	-	37
84	35	46	1	2	38
9	5	4	-	-	39
-	-	-	-	-	40
1	-	1	-	-	41
1	1	-	-	-	42
58	23	34	-	1	43
-	-	-	-	-	44
2	1	1	-	-	45
-	-	-	-	-	46
2	-	2	-	-	47
2	-	2	-	-	48
5	5	2	1	1	49
13	9	4	-	-	50
9	6	3	-	-	51
1	1	-	-	-	52
8	5	3	-	-	53
-	-	-	-	-	54
4	3	1	-	-	55
16	11	5	-	-	56
1	-	1	-	-	57
2	1	1	-	-	58
2	1	1	-	-	59
10	9	1	-	-	60
-	-	-	-	-	61
1	-	1	-	-	62
346	162	177	3	4	63
303	140	156	3	4	64
10	6	3	-	1	65
185	90	93	2	-	66
69	31	34	1	3	67
39	13	26	-	-	68
4	2	2	-	-	69
5	2	3	-	-	70
4	-	4	-	-	71
4	3	1	-	-	72
11	8	3	-	-	73
-	-	-	-	-	74
-	-	-	-	-	75
1	1	-	-	-	76
-	-	-	-	-	77
14	6	8	-	-	78



Table 1-27. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death	WEST VIRGINIA						WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite		
		Male	Female	Male	Female		Male	Female	Male	Female	
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,507	4,714	3,316	269	208	18,306	10,661	7,426	127	92	
02 DISEASES OF HEART.....400-402,410-443	7,649	4,260	2,968	238	183	16,158	9,530	6,447	107	74	
03 RHEUMATIC FEVER.....400-402	-	-	-	-	-	16	10	4	-	2	
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	147	55	88	2	2	358	156	192	3	7	
05 DISEASES OF MITRAL VALVE.....410	62	22	38	1	1	134	57	75	-	2	
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	8	6	2	-	-	48	29	16	1	2	
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	8	1	7	-	-	26	8	18	-	-	
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	69	26	41	1	1	150	62	83	2	3	
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	5,912	3,497	2,115	176	124	12,990	7,994	4,874	78	44	
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,768	875	775	64	54	3,299	1,586	1,684	15	14	
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	4,138	2,619	1,337	112	70	9,689	6,407	3,189	63	30	
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	6	3	3	-	-	2	1	1	-	-	
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	48	29	19	-	-	104	61	41	2	-	
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	-	1	-	-	1	1	-	-	-	
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	26	20	6	-	-	51	35	15	1	-	
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	21	9	12	-	-	52	25	26	1	-	
17 OTHER MYOCARDIAL DEGENERATION.....422	538	248	256	20	14	1,122	565	554	3	-	
18 WITH ARTERIOSCLEROSIS.....422.1	450	206	215	17	12	893	437	454	2	-	
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	88	42	41	3	2	229	128	100	1	-	
20 OTHER DISEASES OF HEART.....430-434	359	175	161	14	9	487	293	189	2	3	
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	6	3	2	1	-	8	5	3	-	-	
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	7	5	2	-	-	20	12	7	-	1	
23 FUNCTIONAL DISEASE OF HEART.....433	122	53	62	2	5	168	89	78	-	1	
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	224	114	95	11	4	291	187	101	2	1	
25 HYPERTENSIVE HEART DISEASE.....440-443	645	256	329	26	34	1,081	451	593	19	18	
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	167	79	77	3	8	321	148	169	2	2	
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	478	177	252	23	26	760	303	424	17	16	
28 OTHER HYPERTENSIVE DISEASE.....444-447	171	86	69	9	7	280	133	137	8	2	
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....444	119	53	53	7	6	167	90	73	3	1	
30 ESSENTIAL HYPERTENSION.....444,445,447	52	33	16	2	1	113	43	64	5	1	
31 DISEASES OF ARTERIES.....450-456	578	310	234	18	16	1,523	816	686	8	13	
32 GENERAL ARTERIOSCLEROSIS.....450	437	227	182	15	13	1,142	558	568	6	10	
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	96	62	31	2	1	289	223	61	2	3	
34 GANGRENE OF UNSPECIFIED CAUSE.....455	4	3	1	-	-	5	4	1	-	-	
35 OTHER ARTERIAL DISEASES.....452-454,456	41	18	20	1	2	87	31	56	-	-	
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	109	58	45	4	2	345	182	156	4	3	
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,160	724	366	49	21	1,864	1,199	622	28	15	
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	3	2	-	1	-	21	9	12	-	-	
39 INFLUENZA.....480-483	26	9	17	-	-	46	26	20	-	-	
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	680	394	246	22	18	1,121	641	446	22	12	
41 Lobar pneumonia.....490	112	72	32	3	5	167	104	58	1	4	
42 Bronchopneumonia.....491	320	186	120	6	8	598	342	239	11	6	
43 Primary atypical pneumonia.....492	59	34	24	-	1	126	64	55	7	-	
44 Pneumonia, other and unspecified.....493	189	102	70	13	4	230	131	94	3	2	
45 ACUTE BRONCHITIS.....500	7	3	3	-	1	29	15	13	-	1	
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	66	41	22	2	1	70	51	18	1	-	
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	2	-	-	-	-	-	-	-	-	
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	4	3	-	1	-	10	7	3	-	-	
49 PLEURISY.....519	2	-	1	1	-	4	2	2	-	-	
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	32	21	6	5	-	70	47	21	1	1	
51 BRONCHIECTASIS.....526	26	15	11	-	-	46	32	14	-	-	
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	244	186	47	10	1	384	335	45	3	1	
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	220	173	39	8	-	351	313	36	2	-	
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.C,527.2	24	13	8	2	1	33	22	9	1	1	
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	68	48	13	7	-	63	34	28	1	-	
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	611	342	232	21	16	1,443	809	607	16	11	
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	-	2	-	-	2	2	-	-	-	
58 ULCER OF STOMACH.....540	52	38	11	2	1	130	92	36	2	-	
59 ULCER OF DUODENUM.....541	32	15	15	2	-	114	85	29	-	-	
60 GASTRITIS AND GUCDENTITIS.....543	3	2	1	-	-	5	3	2	-	-	
61 APPENDICITIS.....550-553	14	9	5	-	-	51	31	18	1	1	
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	102	47	49	3	3	249	111	133	3	2	
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	34	16	14	1	3	53	27	23	2	1	
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	32	14	18	-	-	81	33	48	-	-	
65 CIRRHOSIS OF LIVER.....581	159	105	46	4	4	373	232	131	5	5	
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	114	72	37	3	2	263	158	98	4	3	
67 WITH ALCOHOLISM.....581.1	45	33	9	1	2	110	74	33	1	2	
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	54	25	28	-	1	162	77	83	1	1	
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	127	71	43	9	4	223	116	104	2	1	
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	329	191	106	21	11	618	349	238	14	17	
71 NEPHRITIS AND NEPHROSIS.....590-594	122	68	37	12	5	243	135	92	6	10	
72 ACUTE NEPHRITIS.....590	6	2	4	-	-	10	5	5	-	-	
73 NEPHRITIS WITH OEDEMA, INCLUDING NEPHROSIS.....591	5	4	1	-	-	25	13	10	-	2	
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	111	62	32	12	5	208	117	77	6	8	
75 INFECTIONS OF KIDNEY.....600	103	45	49	4	5	195	77	108	6	4	
76 CALCULI OF URINARY SYSTEM.....602,604	8	5	2	-	1	37	20	16	-	1	
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	29	17	12	-	-	43	28	13	1	1	
78 HYPERPLASIA OF PROSTATE.....610	56	52	-	4	-	81	80	-	-	-	
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-	
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	11	4	6	1	-	19	9	9	-	1	

## SECTION 1 - GENERAL MORTALITY

1-247

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1,076	677	383	10	6	01
948	601	332	9	6	02
-	-	-	-	-	03
28	14	14	-	-	04
14	5	9	-	-	05
5	4	1	-	-	06
1	1	-	-	-	07
8	4	4	-	-	08
726	481	234	7	4	09
151	76	73	1	1	10
575	405	161	6	3	11
-	-	-	-	-	12
2	1	1	-	-	13
-	-	-	-	-	14
2	1	1	-	-	15
-	-	-	-	-	16
83	46	35	1	1	17
51	24	26	-	1	18
32	22	9	1	-	19
65	40	24	-	1	20
2	2	-	-	-	21
2	1	1	-	-	22
22	14	8	-	-	23
39	23	15	-	1	24
44	19	24	1	-	25
17	7	9	1	-	26
27	12	15	-	-	27
13	6	7	-	-	28
6	2	4	-	-	29
7	4	3	-	-	30
86	51	34	1	-	31
55	29	26	-	-	32
21	17	4	-	-	33
-	-	-	-	-	34
10	5	4	1	-	35
29	19	10	-	-	36
203	129	64	4	6	37
-	-	-	-	-	38
5	2	3	-	-	39
121	72	41	4	4	40
14	11	3	-	-	41
54	31	21	2	-	42
9	6	2	-	1	43
44	24	15	2	3	44
2	2	-	-	-	45
13	11	2	-	-	46
-	-	-	-	-	47
2	1	1	-	-	48
-	-	-	-	-	49
9	6	3	-	-	50
2	1	1	-	-	51
44	29	13	-	2	52
39	27	11	-	1	53
5	2	2	-	1	54
5	5	-	-	-	55
115	71	37	3	4	56
-	-	-	-	-	57
10	9	1	-	-	58
11	8	2	1	-	59
1	1	-	-	-	60
8	4	4	-	-	61
19	9	8	1	1	62
5	3	1	-	1	63
4	3	1	-	-	64
26	14	10	1	1	65
19	10	7	1	1	66
7	4	3	-	-	67
9	6	3	-	-	68
22	14	7	-	1	69
38	25	11	-	2	70
14	6	7	-	1	71
1	1	-	-	-	72
-	-	-	-	-	73
13	5	7	-	1	74
14	11	2	-	1	75
-	-	-	-	-	76
3	2	1	-	-	77
5	5	...	-	...	78
-	-	-	-	-	79
2	1	1	-	-	80



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1965-Con.

of the International Lists, 1955. For complete category titles, see table 1-25]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1	...	1	...	-	01
-	...	-	...	-	02
1	...	1	...	-	03
-	...	-	...	-	04
-	...	-	...	-	05
-	...	-	...	-	06
-	...	-	...	-	07
-	...	-	...	-	08
-	...	-	...	-	09
2	1	1	-	-	10
-	-	-	-	-	11
2	1	1	-	-	12
6	1	5	-	-	13
6	1	5	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
32	14	15	2	1	20
1	-	1	-	-	21
2	1	1	-	-	22
13	7	6	-	-	23
16	6	7	2	1	24
90	55	30	3	2	25
23	10	12	-	1	26
4	1	3	-	-	27
19	9	9	-	1	28
351	238	92	18	3	29
279	189	77	11	2	30
3	3	-	-	-	31
128	88	32	7	1	32
127	87	32	7	1	33
-	-	-	-	-	34
11	7	4	-	-	35
52	31	13	7	1	36
59	46	13	-	-	37
5	3	2	-	-	38
1	1	-	-	-	39
4	3	1	-	-	40
3	3	-	-	-	41
5	3	2	-	-	42
1	-	1	-	-	43
12	8	4	-	-	44
38	16	21	1	-	45
12	4	8	-	-	46
8	6	1	1	-	47
18	6	12	-	-	48
7	7	-	-	-	49
9	9	-	-	-	50
2	2	-	-	-	51
10	5	-	1	-	52
1	1	-	-	-	53
9	6	2	1	-	54
8	5	2	-	-	55
16	13	3	-	-	56
-	-	-	-	-	57
5	2	2	-	1	58
18	15	3	-	-	59
61	44	14	2	1	60
16	6	10	-	-	61
3	2	-	-	1	62
40	35	3	2	-	63
2	1	1	-	-	64
11	5	1	5	-	65
9	4	-	5	-	66
1	-	1	-	-	67
1	1	-	-	-	68
-	-	-	-	-	69
-	-	-	-	-	70
-	-	-	-	-	71

## *Section 2. Infant Mortality*

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-65-----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1965-----	2-3
2-3. Infant mortality rates by age and color: United States, 1956-65-----	2-4
2-4. Infant mortality rates for 55 selected causes: United States, 1956-65-----	2-5
2-5. Infant mortality rates by color: United States, each division and State, 1961-65-----	2-6
2-6. Neonatal mortality rates by color: United States, each division and State, 1961-65-----	2-7
2-7. Deaths under 1 year, by age, race, and sex: United States and each State, 1965-----	2-8
2-8. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1965-----	2-22
2-9. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1965-----	2-29
2-10. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1965-----	2-32
2-11. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1965-----	2-38
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1965-----	2-56

SECTION 2 - INFANT MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-65

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	Non-white	Total	White	Non-white		Total	White	Non-white	Total	White	Non-white
1965	24.7	21.5	40.3	17.7	16.1	25.4	1949	31.3	28.9	47.3	21.4	20.3	28.6
1964	24.8	21.6	41.1	17.9	16.2	26.5	1948	32.0	29.9	46.5	22.2	21.2	29.1
1963 <sup>1</sup>	25.2	22.2	41.5	18.2	16.7	26.1	1947	32.2	30.1	48.5	22.8	21.7	31.0
1962 <sup>1</sup>	25.3	22.3	41.4	18.3	16.9	26.1	1946	33.8	31.8	49.5	24.0	23.1	31.5
1961	25.3	22.4	40.7	18.4	16.9	26.2	1945	38.3	35.6	57.0	24.3	23.3	32.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1944	39.8	36.9	60.3	24.7	23.6	32.5
1959	26.4	23.2	44.0	19.0	17.5	27.7	1943	40.4	37.5	62.5	24.7	23.7	32.9
1958	27.1	23.8	45.7	19.5	17.8	29.0	1942	40.4	37.3	64.6	25.7	24.5	34.6
1957	26.3	23.3	43.7	19.1	17.5	27.8	1941	45.3	41.2	74.8	27.7	26.1	39.0
1956	26.0	23.2	42.1	18.9	17.5	27.0	1940	47.0	43.2	73.8	28.8	27.2	39.7
1955	26.4	23.6	42.8	19.1	17.7	27.2	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1954	26.6	23.9	42.9	19.1	17.8	27.0	1930-34 <sup>2</sup>	60.4	55.2	98.6	34.4	32.5	48.2
1953	27.8	25.0	44.7	19.6	18.3	27.4	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1952	28.4	25.5	47.0	19.8	18.5	28.0	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1951	28.4	25.8	44.8	20.0	18.9	27.3	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1950	29.2	26.8	44.5	20.5	19.4	27.5							

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1965

[Rates per 100,000 live births in specified group]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,469.6	2,772.1	2,151.7	2,151.1	2,436.9	1,849.4	4,032.7	4,438.8	3,615.2
Under 28 days	1,766.3	1,998.2	1,522.5	1,608.3	1,829.1	1,375.2	2,541.6	2,939.5	2,235.3
Under 1 day	1,016.5	1,142.9	863.6	930.1	1,048.4	805.2	1,440.5	1,613.3	1,263.0
Under 1 hour	193.9	205.6	161.6	182.0	189.4	174.1	252.5	286.1	217.9
1-23 hours	822.6	937.3	702.0	748.1	858.9	631.1	1,188.1	1,327.2	1,045.0
1 day	258.3	291.8	223.1	240.0	275.4	202.6	348.3	373.5	322.4
2 days	158.9	187.0	129.3	152.9	181.7	122.5	188.1	213.2	162.2
3 days	66.4	80.2	51.9	61.9	76.4	46.7	88.3	99.2	77.1
4 days	37.4	41.2	33.3	33.0	36.2	29.6	58.9	66.3	51.3
5 days	28.9	32.7	24.8	24.3	27.1	21.3	51.2	60.8	41.4
6 days	20.7	23.6	17.7	17.7	19.8	15.5	35.5	42.5	28.4
7-13 days	83.2	93.3	72.5	69.4	78.0	60.4	150.8	169.5	131.6
14-20 days	53.2	58.4	47.7	43.8	47.6	39.9	99.1	112.2	85.7
21-27 days	42.9	47.0	38.6	35.2	38.6	31.6	80.8	89.0	72.3
28-59 days	170.1	191.2	148.0	130.0	150.0	108.9	367.0	395.8	337.4
2 months	130.4	147.5	112.5	100.9	117.5	83.4	275.3	296.6	253.3
3 months	103.5	116.4	90.0	80.5	91.6	68.9	216.3	239.9	192.1
4 months	74.3	80.5	67.9	56.1	61.9	50.0	163.9	173.0	154.5
5 months	52.1	56.9	47.1	39.3	43.2	35.1	115.2	124.9	105.1
6 months	41.7	43.5	39.9	32.1	33.4	30.7	89.1	93.6	84.4
7 months	33.8	34.8	32.8	26.0	26.5	25.4	72.3	75.9	68.5
8 months	28.1	30.7	25.4	21.7	24.2	19.1	59.4	62.9	55.8
9 months	25.6	25.6	25.6	20.9	21.5	20.3	48.7	46.2	51.3
10 months	21.8	22.8	20.7	17.4	18.5	16.2	43.4	44.0	42.7
11 months	21.8	24.1	19.3	17.9	19.6	16.1	40.7	46.5	34.7

## SECTION 2 - INFANT MORTALITY

Table 2-3. Infant Mortality Rates by Age and Color: United States, 1956-65

[Rates per 100,000 live births in specified group]

Age and color	1965	1964	1963 <sup>1</sup>	1962 <sup>1</sup>	1961	1960	1959	1958	1957	1956
<b>TOTAL</b>										
Under 1 year-----	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6
Under 28 days-----	1,766.3	1,788.4	1,821.6	1,832.0	1,838.7	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4
Under 1 day-----	1,016.5	1,022.6	1,037.5	1,035.7	1,025.8	1,034.2	1,029.8	1,021.5	994.8	992.7
1 day-----	258.3	263.2	265.6	262.0	266.5	271.2	277.7	277.0	275.2	282.1
2 days-----	158.9	160.2	168.2	173.1	172.0	176.9	182.3	186.0	183.3	174.5
3 days-----	66.4	72.2	72.9	77.4	79.1	82.6	85.2	93.9	89.6	89.1
4 days-----	37.4	40.0	41.8	43.6	44.3	46.3	50.1	57.7	53.8	53.2
5 days-----	28.9	28.4	30.7	31.2	34.7	34.2	36.8	44.5	42.0	41.5
6 days-----	20.7	21.4	22.4	22.8	24.1	25.0	28.3	32.7	31.9	32.2
7-13 days-----	83.2	85.5	85.7	91.5	93.5	99.0	105.2	118.9	118.9	116.4
14-20 days-----	53.2	51.3	52.8	53.0	56.2	58.2	59.8	64.2	65.9	61.1
21-27 days-----	42.9	43.5	43.9	41.5	42.5	45.0	47.8	49.5	50.3	46.8
28-59 days-----	170.1	165.4	162.5	161.5	162.0	170.8	172.5	177.1	166.2	161.8
2 months-----	130.4	128.7	129.4	132.4	129.4	132.9	132.8	137.1	126.6	122.5
3 months-----	103.5	95.9	99.2	96.8	97.6	100.7	102.3	104.7	97.8	94.3
4 months-----	74.3	69.7	75.0	71.4	70.6	77.2	74.8	78.8	78.3	74.7
5 months-----	52.1	53.4	55.8	55.6	55.6	57.4	62.5	61.6	59.4	57.6
6 months-----	41.7	43.4	45.0	44.3	43.6	47.2	47.1	50.8	49.4	47.7
7 months-----	33.8	34.9	36.4	35.7	34.5	39.2	38.3	39.0	39.2	40.1
8 months-----	28.1	29.1	29.7	30.4	29.7	33.2	32.5	33.4	34.5	34.4
9 months-----	25.6	26.1	24.7	26.0	24.9	26.7	26.9	29.5	29.6	27.6
10 months-----	21.8	21.9	22.1	23.1	21.4	23.0	23.8	25.3	23.8	25.0
11 months-----	21.8	20.6	21.6	21.9	21.2	22.9	22.3	23.8	23.9	23.5
<b>WHITE</b>										
Under 1 year-----	2,151.1	2,158.6	2,216.5	2,233.7	2,243.4	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6
Under 28 days-----	1,608.3	1,620.4	1,667.8	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6
Under 1 day-----	930.1	929.3	954.1	959.1	953.5	960.7	954.2	948.9	925.3	926.6
1 day-----	240.0	244.9	248.1	247.4	252.4	253.3	262.9	260.3	261.1	270.9
2 days-----	152.9	152.4	162.3	165.2	165.3	172.0	175.2	176.0	165.7	165.7
3 days-----	61.9	66.8	67.4	73.3	74.8	77.7	79.6	84.4	82.4	82.9
4 days-----	33.0	36.3	36.6	39.3	39.0	41.3	45.3	50.4	47.7	49.2
5 days-----	24.3	24.8	27.1	27.7	30.1	30.4	31.7	38.5	37.1	37.6
6 days-----	17.7	19.0	19.8	19.4	21.0	22.5	24.9	27.3	28.0	28.3
7-13 days-----	69.4	72.8	74.4	77.4	78.0	85.3	87.8	100.7	101.7	99.6
14-20 days-----	43.8	41.2	42.7	42.7	45.5	46.2	48.3	51.9	52.7	50.0
21-27 days-----	35.2	32.8	35.3	34.3	34.0	34.8	37.6	38.3	41.1	36.9
28-59 days-----	130.0	130.6	129.8	129.3	128.7	133.8	137.0	139.6	134.2	130.4
2 months-----	100.9	99.4	101.9	104.5	103.8	103.4	103.3	106.8	99.5	99.0
3 months-----	80.5	74.8	76.3	74.7	77.7	78.6	78.5	82.8	76.8	75.9
4 months-----	56.1	52.3	57.2	53.7	54.5	57.3	55.7	60.6	61.4	58.3
5 months-----	39.3	40.2	41.7	41.3	42.7	43.2	47.6	48.7	45.5	46.0
6 months-----	32.1	33.8	33.6	34.7	34.2	35.2	36.0	39.5	38.4	37.9
7 months-----	26.0	27.8	28.5	28.2	27.5	30.4	30.4	31.5	31.1	31.7
8 months-----	21.7	22.8	23.4	23.6	24.6	26.4	25.4	27.2	27.9	28.3
9 months-----	20.9	21.7	20.2	21.1	20.1	21.3	21.4	23.7	23.4	23.0
10 months-----	17.4	17.8	18.7	19.1	18.2	18.4	20.1	21.3	20.0	21.0
11 months-----	17.9	17.2	17.4	17.6	17.8	18.3	18.1	18.9	19.5	19.5
<b>NONWHITE</b>										
Under 1 year-----	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7
Under 28 days-----	2,541.8	2,648.1	2,610.0	2,605.1	2,621.9	2,685.7	2,766.9	2,900.5	2,778.5	2,703.2
Under 1 day-----	1,440.5	1,500.0	1,456.8	1,434.1	1,416.1	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6
1 day-----	348.3	357.0	353.7	337.8	342.0	369.5	360.1	371.8	356.1	346.4
2 days-----	189.1	200.2	203.2	215.4	208.4	203.9	221.7	239.9	225.0	225.2
3 days-----	88.3	99.8	102.4	100.8	102.3	109.4	116.5	147.4	130.7	124.6
4 days-----	59.9	59.4	68.6	66.1	72.7	73.8	76.3	98.7	89.2	86.1
5 days-----	51.2	46.6	50.4	50.2	59.6	55.4	65.7	78.7	70.1	63.6
6 days-----	35.5	33.9	37.2	41.6	41.1	38.3	47.3	63.3	54.2	54.6
7-13 days-----	150.8	150.5	142.3	168.8	177.7	173.9	202.2	221.5	217.3	212.5
14-20 days-----	99.1	102.7	106.1	109.1	113.7	124.3	123.6	133.5	140.8	124.5
21-27 days-----	80.8	98.0	89.4	81.2	88.2	100.4	104.1	113.2	103.3	104.1
28-59 days-----	367.0	343.6	342.0	337.6	341.3	373.5	369.7	389.1	349.1	342.1
2 months-----	275.3	278.9	280.6	289.3	267.7	294.8	297.2	308.5	281.5	257.2
3 months-----	216.3	204.0	225.7	219.8	204.8	221.7	234.8	229.7	217.7	200.1
4 months-----	163.9	158.9	173.4	169.3	157.8	186.3	180.9	181.9	174.8	168.7
5 months-----	115.2	121.4	131.5	133.4	125.3	135.6	144.9	134.9	139.3	124.0
6 months-----	89.1	92.2	107.2	93.7	94.7	113.2	106.9	114.3	112.6	104.3
7 months-----	72.3	71.1	79.2	77.5	72.1	87.5	82.0	81.1	85.7	88.1
8 months-----	59.4	61.5	63.5	68.1	56.8	70.5	71.8	68.1	72.5	69.8
9 months-----	48.7	48.9	50.2	52.4	50.9	56.3	57.3	62.2	65.2	54.1
10 months-----	43.4	42.8	41.0	46.1	38.7	48.2	44.6	48.0	45.3	47.8
11 months-----	40.7	38.3	44.9	43.6	39.6	47.8	45.7	51.8	48.6	46.5

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

## SECTION 2 - INFANT MORTALITY

2-5

Table 2-4. Infant Mortality Rates for 55 Selected Causes: United States, 1956-65

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1956-57 and according to the Seventh Revision for 1958-65. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
All causes-----	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6
Dysentery, all forms-----045-048	2.3	2.7	2.3	2.8	2.4	3.3	4.0	4.4	5.1	5.2
Septicemia and pyemia-----053	9.0	9.2	8.9	8.8	8.8	9.6	10.0	10.3	10.2	7.9
Whooping cough-----056	1.1	1.6	2.1	1.6	1.3	1.7	4.3	3.1	2.9	4.1
Meningococcal infections-----057	7.3	5.1	5.0	4.5	3.8	4.6	4.8	5.8	5.8	6.1
Tetanus-----061	0.7	0.8	1.1	1.3	1.5	1.6	1.9	2.0	1.8	1.9
Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	13.4	13.5	13.0	14.4	12.7	13.1	13.1	13.8	12.5	15.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6.0	5.8	6.3	6.3	6.9	7.0	6.6	6.2	6.6	7.2
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.8	2.4	3.1	3.0	2.9	3.2	3.0	3.2	3.1	3.8
Diseases of thymus gland-----273	1.5	1.8	2.2	2.4	2.1	2.7	3.5	3.3	4.0	4.4
Meningitis, except meningococcal and tuberculous-----340	22.4	23.7	21.1	21.8	20.5	20.5	19.7	20.9	18.1	17.9
Other diseases of nervous system and sense organs-----330-334,341-398	18.7	17.2	16.9	18.4	20.1	22.3	22.0	22.9	20.0	19.2
Acute upper respiratory infections-----470-475	8.7	9.1	9.4	9.7	9.1	9.8	11.7	10.8	10.8	9.9
Influenza and pneumonia, except pneumonia of newborn-----480-485	213.7	206.7	217.5	215.6	215.6	230.8	229.6	235.9	225.9	207.4
Influenza-----480-485	4.8	3.4	8.7	6.8	6.0	12.6	8.0	10.6	15.2	6.9
Pneumonia, except pneumonia of newborn-----490-495	208.9	203.3	208.8	208.8	209.6	218.2	221.6	225.3	210.7	200.5
Bronchitis-----500-502	12.5	12.3	13.3	13.9	14.0	15.4	17.3	18.6	18.0	18.8
Other diseases of respiratory system-----510-522,525-527	43.7	39.5	41.6	38.2	37.3	36.1	35.5	36.3	61.6	54.4
Pulmonary congestion and hypostasis-----522	5.3	5.5	5.7	4.3	5.1	4.3	3.7	---	---	---
Other chronic interstitial pneumonia-----525	28.7	24.5	26.0	24.1	21.5	21.9	20.9	---	---	---
Bronchiectasis-----526	*0.0	*0.1	*0.1	*0.1	*0.0	*0.0	*0.0	---	---	---
Other diseases of lung and pleural cavity-----527.2	6.2	5.3	6.1	5.7	6.2	5.5	5.9	---	---	---
All other diseases of respiratory system-----510-521,527.1	3.5	4.0	3.7	4.0	4.5	4.3	4.9	---	---	---
Hernia and intestinal obstruction-----560,561,570	22.7	21.4	22.2	21.3	21.8	21.7	22.5	22.6	24.5	25.9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	45.4	50.3	51.1	56.2	53.8	61.6	60.1	63.5	72.8	67.4
Other diseases of digestive system-----530-542,544-553,573-587	10.1	9.7	16.1	15.7	15.5	15.9	16.1	17.6	13.0	13.9
Congenital malformations-----750-759	357.5	352.5	355.8	355.9	363.5	361.4	367.0	370.0	371.4	376.5
Spina bifida and meningocele-----751	30.7	29.4	32.6	32.0	24.5	25.7	28.2	27.6	27.6	31.3
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	29.4	30.4	30.2	31.9	38.1	38.6	38.8	39.7	41.6	40.9
Congenital malformations of circulatory system-----754	174.6	171.0	172.3	172.3	178.7	178.2	177.2	181.0	178.0	177.5
Other congenital malformations-----750,755-759	122.9	121.6	120.7	119.8	122.3	118.8	122.8	121.8	124.2	126.9
Certain diseases of early infancy-----760-776	1,472.6	1,497.2	1,529.1	1,540.2	1,538.4	1,575.3	1,600.0	1,639.9	1,564.2	1,549.7
Birth injuries-----543,571,572	205.2	210.6	218.5	227.2	232.5	239.6	246.5	264.7	267.9	276.6
Without mention of immaturity (.0)-----760,761	77.8	82.5	83.4	86.4	90.1	94.0	98.0	108.7	111.6	118.4
With immaturity (.5)-----760	127.4	128.1	135.1	138.8	142.3	144.6	148.5	156.1	156.3	157.2
Intracranial and spinal injury at birth-----760	65.5	63.1	65.4	69.6	70.6	74.6	80.7	92.9	97.3	104.1
Without mention of immaturity (.0)-----760	36.0	37.0	38.6	41.7	40.4	43.6	48.1	56.5	60.0	66.3
With immaturity (.5)-----760	29.5	26.1	26.8	27.9	30.2	31.0	32.6	36.3	37.3	37.7
Other birth injury-----761	139.7	147.5	153.1	157.6	161.8	164.0	165.8	171.9	170.6	172.5
Without mention of immaturity (.0)-----761	41.8	45.4	44.8	46.7	49.7	50.4	49.8	52.1	51.5	53.0
With immaturity (.5)-----761	97.9	102.0	108.3	110.9	112.1	113.6	116.0	119.7	119.0	119.5
Postnatal asphyxia and stelectasis-----762	410.3	416.2	437.6	449.4	445.7	458.9	466.1	485.2	443.6	434.2
Without mention of immaturity (.0)-----762	109.2	109.6	120.1	119.9	119.5	123.4	129.4	138.9	126.1	124.0
With immaturity (.5)-----762	301.1	306.6	317.5	329.5	326.1	335.5	336.6	346.2	317.5	310.2
Pneumonia of newborn-----763	73.7	76.7	77.6	80.4	83.0	83.2	88.6	93.2	87.3	81.7
Without mention of immaturity (.0)-----763	52.8	57.5	56.2	58.9	60.3	60.2	62.9	65.1	59.9	57.1
With immaturity (.5)-----763	20.9	19.3	21.4	21.5	22.6	23.0	25.7	28.1	27.5	24.6
Diarrhea of newborn-----764	9.8	9.9	9.4	9.8	9.8	10.9	11.6	12.6	12.1	12.7
Without mention of immaturity (.0)-----764	7.8	8.0	7.8	7.6	7.7	8.5	9.1	10.2	9.4	10.2
With immaturity (.5)-----764	2.0	1.9	1.6	2.2	2.2	2.4	2.5	2.5	2.7	2.5
Other infections of newborn-----765-768	20.9	21.5	20.5	19.0	17.5	18.3	19.1	25.7	20.1	16.5
Without mention of immaturity (.0)-----765-768	11.6	12.2	12.4	11.3	11.1	11.9	13.1	16.2	13.5	11.1
With immaturity (.5)-----765-768	9.3	9.3	8.2	7.7	6.4	6.4	6.0	9.6	6.7	5.3
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	18.8	16.6	17.9	18.7	21.4	23.5	20.6	19.1	15.3	15.9
Without mention of immaturity (.0-.4)-----769	8.0	6.2	6.5	6.8	7.8	8.3	6.9	6.5	4.7	4.7
With immaturity (.5-.9)-----769	10.8	10.4	11.4	11.9	13.6	15.2	13.7	12.6	10.6	11.3
Hemolytic disease of newborn (erythroblastosis)-----770	39.3	41.2	44.8	47.8	49.2	50.4	51.5	56.4	59.3	56.7
Without mention of immaturity (.0-.2)-----770	28.4	30.6	35.0	37.5	38.6	40.0	40.9	45.8	48.0	45.1
With immaturity (.5-.7)-----770	10.9	10.6	9.8	10.3	10.7	10.4	10.6	10.6	11.3	11.7
Hemorrhagic disease of newborn-----771	12.7	13.2	13.8	12.8	13.2	14.6	15.9	16.2	17.4	17.3
Without mention of immaturity (.0)-----771	7.2	8.4	8.3	7.5	8.1	9.2	9.6	9.8	10.8	11.0
With immaturity (.5)-----771	5.4	4.8	5.5	5.3	5.1	5.3	6.3	6.4	6.5	6.3
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	269.4	265.4	253.2	222.4	198.9	189.2	179.7	159.5	95.3	93.0
Without mention of immaturity (.0)-----772,773	67.6	68.1	67.8	60.3	57.4	55.3	52.7	49.1	23.1	23.2
With immaturity (.5)-----772,773	201.8	197.3	185.3	162.0	141.5	134.0	127.0	110.4	72.2	69.7
Immaturity with mention of any other subsidiary condition-----774	28.7	29.3	26.5	22.9	31.6	30.8	31.5	30.8	58.5	51.9
Immaturity, unqualified-----776	383.8	396.6	409.2	429.7	435.7	457.0	468.9	476.4	487.3	493.2
Symptoms and ill-defined conditions-----780-793,795	63.0	64.3	61.8	54.4	56.1	59.1	58.1	65.5	60.1	61.4
All other diseases-----Residual	40.7	41.1	32.3	32.2	32.6	32.6	33.6	33.8	33.1	33.4
Accidents-----E800-E962	88.2	84.6	85.7	87.7	83.9	90.0	90.9	93.2	86.3	84.0
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	18.1	19.5	19.8	20.1	28.8	28.3	27.2	30.2	26.4	23.7
Accidental mechanical suffocation in bed and cradle-----E924	18.6	19.4	20.3	22.0	21.7	23.9	27.0	26.8	25.1	24.3
Other accidental causes-----E800-E920,E923,E925-E962	51.5	45.6	45.6	45.6	33.4	37.8	36.7	36.1	34.9	36.0
Homicide-----E964,E980-E984	5.7	5.4	5.0	5.1	4.5	4.7	3.5	3.2	2.9	3.0



SECTION 2 - INFANT MORTALITY

Table 2-5. Infant Mortality Rates by Color: United States, Each Division and State, 1961-65

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States <sup>1</sup>	24.7	21.5	40.3	24.8	21.6	41.1	25.2	22.2	41.5	25.3	22.3	41.4	25.3	22.4	40.7
<b>Geographic divisions:</b>															
New England:															
Maine	22.6	22.5	*32.5	23.5	23.5	21.3	24.1	24.1	*24.6	25.3	25.2	*32.8	25.3	25.2	*27.3
New Hampshire	21.1	21.2	*10.9	22.6	22.5	*41.7	22.7	22.6	*27.3	22.1	21.9	*43.5	24.4	24.4	*16.7
Vermont	21.9	22.0	-	24.7	24.6	*62.5	24.6	24.7	-	22.7	22.8	-	27.2	27.2	-
Massachusetts	22.2	21.4	38.5	19.8	19.3	*31.7	20.6	20.2	29.6	21.7	21.3	33.2	21.6	21.1	33.1
Rhode Island	22.5	21.6	42.0	24.9	24.0	46.3	23.9	22.5	54.7	25.5	24.5	48.6	22.5	22.3	26.6
Connecticut	21.9	20.3	36.9	20.6	19.2	35.4	22.7	21.0	41.0	22.7	21.0	41.2	22.3	20.9	38.6
Middle Atlantic:															
New York	23.4	20.2	39.5	24.1	20.9	41.5	24.0	21.2	39.4	24.7	21.7	42.3	23.7	21.1	40.3
New Jersey	23.2	19.2	43.5	23.7	20.4	41.6	23.7	-	-	23.8	-	-	23.6	20.7	41.5
Pennsylvania	23.3	21.0	40.4	23.1	21.1	38.9	23.7	21.4	41.3	24.0	22.0	39.3	23.6	21.3	42.3
East North Central:															
Ohio	22.3	20.5	37.0	22.0	20.4	35.7	23.2	21.6	36.9	22.8	21.0	37.9	23.1	21.7	35.4
Indiana	23.5	22.2	38.5	23.8	22.4	39.8	23.4	21.9	39.5	23.2	21.9	38.0	24.0	22.5	40.1
Illinois	25.6	21.4	44.5	25.1	21.4	43.5	23.9	20.9	38.7	24.0	21.3	37.5	24.3	21.8	37.2
Michigan	23.6	21.6	37.8	23.0	21.0	39.1	23.2	21.5	36.9	24.0	22.4	36.8	23.9	22.6	34.3
Wisconsin	21.9	21.6	28.7	20.8	20.1	37.8	22.3	21.8	33.7	20.7	19.9	39.0	22.7	22.3	31.7
West North Central:															
Minnesota	20.3	20.0	30.1	20.5	20.2	30.4	20.8	20.6	29.1	20.9	20.6	33.9	22.2	22.0	34.1
Iowa	20.6	20.5	26.0	21.2	20.7	45.9	20.6	20.4	33.7	19.8	19.5	34.2	20.6	20.4	34.2
Missouri	25.4	22.3	42.2	24.2	21.0	42.7	24.1	21.4	41.0	25.4	23.1	39.1	24.7	21.9	42.4
North Dakota	21.2	20.2	40.2	23.1	22.3	38.3	24.6	23.8	43.3	22.6	22.0	35.7	23.2	22.2	45.6
South Dakota	22.7	19.5	48.8	22.5	21.0	36.2	24.7	22.7	46.6	25.3	22.9	54.2	25.1	22.7	53.2
Nebraska	22.6	22.0	35.2	22.7	22.0	35.2	21.6	20.6	40.5	20.8	20.0	35.9	22.8	22.2	35.4
Kansas	20.4	19.7	29.2	22.0	20.7	39.4	22.4	21.3	37.8	22.3	21.4	35.7	22.1	21.8	26.2
South Atlantic:															
Delaware	24.3	20.1	40.8	21.7	17.1	39.4	24.5	20.3	41.2	21.5	17.9	36.4	26.2	20.7	47.9
Maryland	24.7	21.8	34.9	24.5	20.1	40.1	25.6	21.6	39.8	26.8	22.4	42.5	25.7	21.0	41.7
District of Columbia	32.0	24.5	34.1	34.0	22.6	38.0	33.0	25.4	36.1	34.9	26.4	38.3	35.6	27.2	39.2
Virginia	26.6	22.2	39.7	28.0	22.7	44.4	29.2	24.1	45.0	29.2	23.9	45.8	28.0	23.1	43.1
West Virginia	26.8	26.1	41.6	25.0	22.8	38.7	26.1	25.6	36.6	26.5	26.1	34.3	26.7	26.3	33.7
North Carolina	30.5	22.1	48.3	30.3	21.5	49.4	31.2	22.2	50.8	30.5	22.2	48.7	30.7	22.6	48.3
South Carolina	31.3	22.7	43.3	31.1	23.1	42.4	33.0	22.4	48.1	31.5	23.5	42.8	32.4	22.7	45.7
Georgia	28.9	21.7	41.6	29.2	21.9	42.6	31.0	23.0	45.8	30.1	22.3	44.4	29.4	21.5	43.4
Florida	28.3	22.4	44.0	28.9	23.0	44.9	27.9	22.6	42.7	28.5	22.3	46.0	28.9	23.2	44.9
East South Central:															
Kentucky	25.3	23.7	42.6	25.4	23.6	44.7	27.8	26.3	44.4	26.9	25.1	45.6	27.8	26.1	46.0
Tennessee	28.0	23.8	42.0	28.2	24.8	40.4	28.0	23.5	44.2	26.7	24.8	42.2	29.2	25.5	42.3
Alabama	30.8	23.3	43.8	31.0	23.1	44.6	32.2	24.5	45.3	30.6	23.0	43.9	31.1	23.7	43.6
Mississippi	40.6	24.5	54.4	39.4	23.1	53.2	41.3	22.9	57.6	40.0	25.7	52.6	37.8	23.6	49.9
West South Central:															
Arkansas	25.7	20.6	37.7	26.8	22.3	37.8	28.5	23.4	41.4	28.8	24.3	39.8	27.5	21.8	40.9
Louisiana	30.5	22.0	43.1	29.8	20.5	43.8	30.4	20.6	45.5	31.3	21.8	45.9	30.3	21.6	43.7
Oklahoma	23.1	21.7	30.7	22.6	20.9	32.3	24.3	22.3	35.5	23.8	21.9	36.0	24.0	22.1	35.7
Texas	26.0	23.1	41.1	27.4	24.4	42.6	27.6	25.5	39.3	27.1	24.9	39.7	26.7	24.3	40.0
Mountain:															
Montana	25.0	24.3	32.2	26.6	24.5	50.1	24.2	22.3	46.6	25.9	24.0	48.8	25.6	23.7	47.5
Idaho	24.5	24.5	*24.6	22.2	22.3	*19.8	22.8	22.4	*43.4	24.1	24.1	*23.5	23.1	23.0	*28.5
Wyoming	22.1	21.2	*42.3	29.0	28.5	*39.6	28.5	27.7	*47.9	30.3	29.7	*46.1	27.0	26.0	*52.3
Colorado	24.3	24.0	30.8	25.4	24.6	43.9	25.9	25.6	34.0	25.2	24.4	45.5	26.2	25.8	37.1
New Mexico	26.9	25.6	35.4	29.1	27.1	42.4	30.5	28.2	46.6	30.0	28.5	41.2	29.6	28.2	40.3
Arizona	25.4	21.6	43.0	26.3	24.0	38.0	28.8	23.3	56.2	28.5	24.3	50.0	30.6	26.6	52.4
Utah	18.7	17.8	47.8	20.0	19.2	50.0	16.6	16.2	34.4	19.7	19.1	40.9	30.3	19.8	41.9
Nevada	24.8	23.7	32.7	29.0	28.4	33.3	30.3	28.3	46.1	29.7	28.8	36.3	28.3	26.6	41.1
Pacific:															
Washington	21.4	20.4	36.4	22.5	21.7	35.3	22.1	20.9	39.6	22.8	21.7	41.7	22.7	21.8	37.5
Oregon	21.1	20.8	28.2	22.4	21.9	33.6	21.4	21.4	21.3	21.9	21.6	31.5	22.9	22.6	31.8
California	22.1	21.2	28.1	21.8	20.8	28.9	22.3	21.5	28.3	22.9	21.9	30.7	23.3	22.5	28.9
Alaska	38.1	24.0	65.1	29.7	19.2	52.2	31.9	24.8	46.7	34.2	22.2	59.0	37.0	25.7	60.2
Hawaii	21.3	20.9	21.5	19.9	20.9	19.4	22.5	20.7	23.3	20.8	18.3	22.0	21.7	21.8	21.6

<sup>1</sup>Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.

## SECTION 2 - INFANT MORTALITY

2-7

Table 2-6. Neonatal Mortality Rates by Color: United States, Each Division and State, 1961-65

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States <sup>1</sup> -----	17.7	16.1	25.4	17.9	16.2	26.5	18.2	16.7	26.1	18.3	16.9	26.1	18.4	16.9	26.2
<b>Geographic divisions:</b>															
New England:-----	16.9	16.3	28.0	15.6	15.2	23.9	16.8	16.3	26.4	17.4	16.9	26.6	17.2	16.9	25.7
New England-----	16.9	16.3	28.0	15.6	15.2	23.9	16.8	16.3	26.4	17.4	16.9	26.6	17.2	16.9	25.7
Middle Atlantic <sup>1</sup> -----	17.5	15.5	29.1	18.1	16.1	29.9	18.2	16.3	28.8	18.5	16.9	29.7	18.1	16.4	30.3
East North Central-----	17.4	16.0	28.1	17.5	16.0	28.7	17.6	16.4	26.9	17.5	16.3	26.7	17.8	16.7	26.1
West North Central-----	16.4	15.8	24.6	16.7	15.9	27.6	16.7	16.1	25.1	16.7	16.2	24.1	17.0	16.5	25.8
South Atlantic-----	19.3	17.1	24.3	19.3	16.6	25.9	19.8	17.3	25.8	19.9	17.4	25.8	20.1	17.5	26.5
East South Central-----	20.1	17.4	26.4	20.4	17.3	27.8	20.9	17.7	28.6	20.9	18.3	27.1	21.1	18.6	26.9
West South Central-----	18.2	16.2	24.9	18.8	16.8	26.0	19.4	17.6	25.9	19.4	17.6	26.2	18.8	17.0	25.5
Mountain-----	16.8	16.7	17.6	17.9	17.7	20.1	18.2	17.8	23.1	18.2	17.9	21.6	18.9	18.5	23.9
Pacific-----	15.9	15.3	19.9	16.0	15.5	20.1	16.6	16.1	20.6	16.8	16.1	21.3	17.1	16.6	20.5
<b>New England:</b>															
Maine-----	16.9	16.8	*28.5	16.8	16.8	*14.2	18.0	18.0	*14.1	18.0	18.0	*18.2	18.7	18.7/	*15.2
New Hampshire-----	15.4	15.4	*10.9	16.4	16.3	*41.7	17.9	17.9	*18.2	17.0	16.9	*32.6	17.3	17.3	*16.7
Vermont-----	16.1	16.2	-	18.8	18.7	*62.5	19.0	19.1	-	18.2	18.2	-	20.7	20.7	-
Massachusetts-----	17.0	16.5	27.7	14.6	14.3	22.2	15.7	15.4	21.0	16.5	16.3	22.7	16.6	16.4	23.7
Rhode Island-----	17.5	16.8	31.8	19.1	18.6	32.7	18.5	17.5	39.4	20.0	19.5	31.9	16.9	17.0	*14.6
Connecticut-----	17.1	16.0	28.2	15.4	14.5	24.3	17.3	16.0	30.9	17.8	16.7	30.3	17.3	16.3	30.7
<b>Middle Atlantic:</b>															
New York-----	17.5	15.3	28.8	18.2	15.9	30.6	17.9	16.1	28.2	18.6	16.7	30.0	18.1	16.3	29.7
New Jersey-----	17.5	14.9	30.4	18.2	15.9	30.7	18.8	---	---	18.3	---	---	18.1	16.0	30.9
Pennsylvania-----	17.7	16.2	28.6	17.8	16.5	27.5	18.2	16.7	30.2	18.5	17.1	28.9	18.2	16.6	31.3
<b>East North Central:</b>															
Ohio-----	16.5	15.2	26.8	17.0	15.8	27.1	17.8	16.7	26.9	17.7	16.4	28.4	17.9	16.8	27.3
Indiana-----	17.5	16.7	26.1	17.5	16.6	27.7	17.6	16.5	29.2	17.4	16.5	27.4	17.6	16.5	28.8
Illinois-----	18.7	16.0	30.9	18.6	16.4	29.2	17.7	15.9	26.6	17.7	16.1	25.5	17.8	16.3	25.3
Michigan-----	17.5	16.1	27.0	17.5	15.8	30.6	17.4	16.2	26.9	17.9	16.8	26.8	18.0	17.0	25.6
Wisconsin-----	16.5	16.4	17.8	15.8	15.4	25.4	16.9	16.6	24.7	15.8	15.3	27.6	17.2	17.0	22.8
<b>West North Central:</b>															
Minnesota-----	15.2	15.3	13.6	15.6	15.4	23.5	15.9	15.9	16.6	15.7	15.6	20.0	16.4	16.4	19.8
Iowa-----	15.4	15.4	*17.7	15.9	15.5	36.7	15.4	15.3	21.8	15.0	14.8	24.7	15.6	15.5	21.8
Missouri-----	18.6	16.8	28.3	17.8	15.9	29.0	17.6	16.0	27.4	18.9	17.8	26.0	18.1	16.4	29.0
North Dakota-----	15.7	15.0	*27.3	18.0	17.8	*22.1	18.3	18.4	*17.9	16.8	16.8	*17.1	17.8	17.4	*27.9
South Dakota-----	15.1	14.5	19.4	15.1	14.9	17.4	17.9	17.9	17.7	17.4	17.4	17.8	18.3	17.6	26.2
Nebraska-----	17.6	17.2	25.6	17.5	17.2	24.2	16.8	16.4	22.9	15.5	15.0	24.3	17.6	17.4	22.1
Kansas-----	15.3	15.1	18.7	16.7	15.8	28.6	17.1	16.3	27.3	16.8	16.4	22.4	16.8	16.7	17.9
<b>South Atlantic:</b>															
Delaware-----	16.8	15.2	23.4	14.7	12.5	22.9	17.8	16.0	24.9	15.7	14.4	20.9	19.4	16.9	29.4
Maryland-----	18.3	16.7	24.0	18.3	15.8	27.2	19.2	16.6	28.5	20.3	17.7	29.6	19.3	16.4	29.0
District of Columbia-----	22.5	19.0	23.5	25.7	18.6	28.2	24.3	18.9	26.4	26.0	21.6	27.9	27.2	22.5	29.3
Virginia-----	18.8	16.8	24.9	20.3	17.6	28.7	20.9	18.3	28.9	21.0	18.3	29.3	20.1	17.7	27.4
West Virginia-----	20.2	19.6	31.8	16.7	16.4	23.4	18.5	18.4	21.9	19.3	19.1	21.6	19.6	19.5	21.8
North Carolina-----	20.0	16.9	26.7	19.9	16.1	28.2	19.9	16.7	26.8	19.7	16.7	26.4	20.4	17.2	27.4
South Carolina-----	18.8	17.2	20.9	18.2	17.0	19.9	19.0	16.7	22.4	17.8	17.3	18.6	19.6	16.7	23.6
Georgia-----	18.5	16.2	22.6	18.7	16.2	23.2	19.4	17.1	23.7	19.4	16.6	24.6	19.6	16.6	25.1
Florida-----	19.8	17.4	26.3	20.1	17.4	27.3	19.7	17.4	26.1	19.8	17.1	27.3	20.2	18.1	26.1
<b>East South Central:</b>															
Kentucky-----	17.3	16.5	25.7	17.9	16.7	30.1	18.3	17.4	27.6	19.2	18.1	30.8	20.4	19.3	31.8
Tennessee-----	19.5	17.4	26.4	19.6	17.6	26.7	19.5	17.5	26.6	20.1	18.1	26.9	20.3	18.7	25.6
Alabama-----	19.8	17.5	23.8	20.5	17.4	26.0	21.3	18.4	26.2	20.4	17.9	24.7	20.7	17.7	25.6
Mississippi-----	24.5	19.4	28.9	24.2	17.7	29.7	25.3	17.6	32.0	24.7	20.1	28.8	23.5	18.6	27.8
<b>West South Central:</b>															
Arkansas-----	15.9	14.6	18.7	17.1	16.1	19.5	18.2	17.1	21.0	19.2	17.8	22.5	17.4	16.0	20.6
Louisiana-----	20.9	17.0	26.6	20.9	16.3	27.8	21.4	16.2	29.4	21.9	17.1	29.2	21.7	16.9	29.0
Oklahoma-----	16.2	15.6	19.2	16.7	15.8	21.7	18.0	16.9	24.2	18.2	17.4	23.9	17.3	15.4	22.7
Texas-----	18.0	16.3	26.3	18.8	17.2	27.2	19.1	18.1	24.5	18.8	17.7	25.0	18.4	17.3	24.3
<b>Mountain:</b>															
Montana-----	18.1	18.4	*15.3	18.8	18.0	27.5	16.6	16.2	21.7	17.7	17.6	19.7	18.4	17.4	31.2
Idaho-----	17.4	17.5	*16.4	16.1	16.4	*5.6	17.2	17.1	*23.1	17.7	17.9	*8.8	17.4	17.5	*9.5
Wyoming-----	16.3	15.7	*28.2	19.9	23.9	*24.4	22.0	22.0	*27.4	22.9	22.9	*23.0	21.0	20.5	*35.9
Colorado-----	17.6	17.4	20.7	18.7	18.2	30.2	19.2	19.0	24.0	18.6	18.0	33.6	19.6	19.3	28.0
New Mexico-----	17.7	18.4	13.9	19.0	19.0	19.5	20.3	20.2	21.1	19.5	19.9	16.3	20.0	19.9	20.6
Arizona-----	15.9	15.6	17.3	16.4	16.6	15.7	18.1	17.0	23.5	17.9	17.1	21.8	19.7	19.0	23.3
Utah-----	13.5	13.3	21.6	14.6	14.3	*25.0	13.1	13.1	*10.9	14.3	14.2	*17.3	15.1	15.0	*21.0
Nevada-----	19.4	18.8	23.5	21.2	21.1	22.2	22.9	21.6	33.0	22.9	22.4	26.7	21.3	20.8	24.6
<b>Pacific:</b>															
Washington-----	15.2	14.6	24.5	15.9	15.5	21.3	16.1	15.5	24.9	15.9	15.4	23.8	16.3	15.8	23.6
Oregon-----	14.5	14.3	17.2	15.7	15.5	20.0	15.8	15.8	*15.6	15.0	14.9	18.1	16.0	16.0	15.5
California-----	16.1	15.4	20.4	16.1	15.5	21.3	16.7	16.1	20.5	17.0	16.3	22.3	17.2	16.7	21.2
Alaska-----	19.7	17.2	24.6	17.0	14.3	22.9	20.6	18.9	24.1	18.6	16.9	21.9	21.8	19.4	26.7
Hawaii-----	16.0	15.9	16.0	14.9	14.6	15.0	18.3	15.8	19.4	16.6	14.9	17.4	16.7	17.0	16.6

<sup>1</sup>Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	United States-----	92,866	7,292	30,932	9,713	5,974	2,497	1,405	1,085	780
2	Male-----	55,419	3,962	18,063	5,623	3,604	1,546	794	631	455
3	Female-----	39,447	3,330	12,869	4,090	2,370	951	611	454	325
4	White-----	67,198	5,685	23,370	7,496	4,777	1,935	1,030	759	554
5	Male-----	39,098	3,039	13,781	4,418	2,916	1,226	580	435	318
6	Female-----	28,100	2,646	9,589	3,078	1,861	709	450	324	236
7	Negro-----	24,230	1,513	7,206	2,121	1,135	542	362	303	213
8	Male-----	13,507	868	4,066	1,157	645	309	208	179	130
9	Female-----	10,723	645	3,140	964	490	233	154	124	83
10	Other-----	1,458	94	356	96	62	20	13	23	13
11	Male-----	814	55	216	48	43	11	6	17	7
12	Female-----	624	39	140	48	19	9	7	6	6
13	Alabama-----	2,174	143	543	223	155	65	30	22	13
14	Male-----	1,240	78	319	122	87	34	18	13	7
15	Female-----	934	65	224	101	68	31	12	9	6
16	White-----	1,043	79	324	125	96	37	13	10	8
17	Male-----	592	42	191	69	54	21	7	5	4
18	Female-----	451	37	133	56	42	16	6	5	4
19	Negro-----	1,130	64	219	98	58	28	17	12	5
20	Male-----	647	36	128	53	32	13	11	8	3
21	Female-----	483	28	91	45	26	15	6	4	2
22	Other-----	1	-	-	-	-	-	-	-	-
23	Male-----	1	-	-	-	-	-	-	-	-
24	Female-----	-	-	-	-	-	-	-	-	-
25	Alaska-----	269	19	59	9	10	3	4	4	2
26	Male-----	161	12	34	4	7	2	1	2	1
27	Female-----	108	7	25	5	3	1	3	2	1
28	White-----	113	13	33	7	7	2	3	3	2
29	Male-----	67	7	17	2	5	1	1	1	1
30	Female-----	46	6	16	5	2	1	2	2	1
31	Negro-----	23	2	9	-	1	-	-	-	-
32	Male-----	13	2	6	-	-	-	-	-	-
33	Female-----	10	-	3	-	1	-	-	-	-
34	Other-----	133	4	17	2	2	1	1	1	1
35	Male-----	81	3	11	2	2	1	1	1	1
36	Female-----	52	1	6	-	-	-	-	-	-
37	Arizona-----	861	57	280	74	54	19	10	8	5
38	Male-----	504	29	172	45	34	11	4	3	2
39	Female-----	357	28	88	29	20	8	6	5	3
40	White-----	605	39	219	62	42	17	6	7	2
41	Male-----	368	20	147	39	27	10	3	2	1
42	Female-----	237	19	72	23	15	7	4	4	1
43	Negro-----	56	8	19	1	4	1	-	-	-
44	Male-----	27	2	8	1	3	-	-	-	-
45	Female-----	31	6	11	-	1	1	-	-	-
46	Other-----	198	10	22	11	9	3	2	3	3
47	Male-----	109	7	17	5	4	1	1	1	2
48	Female-----	89	3	5	6	4	2	1	1	1
49	Arkansas-----	945	60	235	105	58	24	15	11	6
50	Male-----	536	32	134	65	31	14	6	8	2
51	Female-----	409	28	101	40	27	10	9	3	4
52	White-----	531	41	149	76	43	17	10	4	3
53	Male-----	302	24	85	49	22	10	4	2	3
54	Female-----	229	17	64	27	21	7	6	2	3
55	Negro-----	413	19	86	29	15	7	5	7	3
56	Male-----	233	8	49	16	9	4	2	6	2
57	Female-----	180	11	37	13	6	3	3	1	1
58	Other-----	1	-	-	-	-	-	-	-	-
59	Male-----	1	-	-	-	-	-	-	-	-
60	Female-----	-	-	-	-	-	-	-	-	-
61	California-----	7,844	624	2,757	789	503	214	126	90	57
62	Male-----	4,586	347	1,602	473	323	134	78	54	35
63	Female-----	3,258	277	1,155	316	180	80	48	36	22
64	White-----	6,581	546	2,278	654	442	177	108	73	49
65	Male-----	3,837	298	1,324	387	282	113	65	47	29
66	Female-----	2,744	250	954	267	160	64	43	26	20
67	Negro-----	1,119	69	425	122	51	35	15	15	8
68	Male-----	652	42	240	78	34	21	11	5	6
69	Female-----	467	27	185	44	17	14	4	10	2
70	Other-----	144	7	54	13	2	2	3	2	-
71	Male-----	97	7	38	8	7	2	2	2	-
72	Female-----	47	-	16	5	3	2	1	-	-
73	Colorado-----	895	72	333	88	53	21	17	9	7
74	Male-----	526	47	188	53	28	13	9	6	3
75	Female-----	369	25	145	35	25	8	8	3	4
76	White-----	837	67	311	87	47	19	16	9	7
77	Male-----	500	43	177	52	26	13	9	6	3
78	Female-----	337	24	134	35	21	6	7	3	4
79	Negro-----	46	5	19	1	6	2	-	-	-
80	Male-----	22	4	10	1	2	-	-	-	-
81	Female-----	24	1	9	-	4	2	-	-	-
82	Other-----	12	-	3	-	-	-	1	-	-
83	Male-----	4	-	1	-	-	-	-	-	-
84	Female-----	8	-	2	-	-	-	1	-	-
85	Connecticut-----	1,188	114	456	136	80	30	20	14	7
86	Male-----	714	61	276	88	46	20	11	7	5
87	Female-----	474	53	180	48	34	10	9	7	2
88	White-----	997	93	386	118	69	23	17	11	5
89	Male-----	603	43	243	82	41	16	9	5	3
90	Female-----	394	50	145	36	28	7	8	6	2
91	Negro-----	190	21	67	18	11	7	3	3	2
92	Male-----	111	18	33	6	5	4	2	2	2
93	Female-----	79	3	34	12	6	3	1	1	-
94	Other-----	1	-	1	-	-	-	-	-	-
95	Male-----	-	-	-	-	-	-	-	-	-
96	Female-----	1	-	1	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1965

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
59,678	3,128	2,000	1,613	66,419	6,398	4,904	3,893	2,795	1,960	1,569	1,271	1,056	964	819	618	1
34,678	1,798	1,125	906	38,507	3,684	2,842	2,243	1,551	1,096	838	670	591	494	439	464	2
25,000	1,330	875	707	27,912	2,714	2,062	1,650	1,244	864	731	601	465	470	380	354	3
45,606	2,168	1,369	1,099	50,242	4,062	3,152	2,516	1,752	1,227	1,002	811	678	654	543	559	4
26,713	1,251	763	619	29,346	2,407	1,885	1,469	993	693	536	425	388	345	297	314	5
18,893	917	606	480	20,896	1,655	1,267	1,047	759	554	466	386	290	309	246	245	6
13,395	913	607	486	15,401	2,228	1,644	1,295	956	672	512	408	346	280	252	236	7
7,562	522	350	274	8,708	1,224	888	726	510	367	272	223	190	134	130	135	8
5,835	391	257	212	6,693	1,004	756	569	446	305	240	185	156	146	122	101	9
677	47	24	28	776	108	108	82	87	61	55	52	32	30	24	23	10
403	25	12	13	453	53	69	48	48	36	30	22	15	15	12	15	11
274	22	12	15	323	55	39	34	39	25	25	30	19	15	12	8	12
1,194	95	54	54	1,397	174	128	117	85	66	47	41	29	29	29	32	13
678	54	33	28	793	91	77	62	46	43	33	29	19	20	14	13	14
516	41	21	26	604	83	51	55	39	23	14	12	10	9	15	19	15
692	45	22	24	783	51	46	42	28	22	17	11	12	11	9	11	16
393	26	14	11	444	26	28	14	12	12	7	8	8	4	4	3	17
299	19	8	13	339	25	18	16	14	10	5	4	3	3	5	8	18
501	50	32	30	613	123	82	75	57	44	30	30	4	17	18	20	21
284	28	19	17	348	65	49	36	32	31	21	22	11	12	10	10	20
217	22	13	13	265	58	33	25	25	13	9	8	6	6	10	11	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
110	16	5	8	139	30	22	16	19	9	8	7	7	7	7	4	25
63	10	3	5	81	18	15	11	12	6	4	4	3	1	5	2	26
47	6	2	3	58	12	7	5	4	3	4	4	4	1	2	2	27
70	7	3	1	81	12	6	3	5	1	1	3	4	1	1	1	28
35	4	3	1	43	7	4	2	5	1	1	2	-	-	1	1	29
35	3	-	-	38	5	2	1	-	-	-	-	-	-	-	-	30
12	1	-	1	14	2	1	2	-	-	-	-	-	-	-	-	31
8	-	-	1	9	-	1	-	-	-	-	-	-	-	-	-	32
4	1	-	-	5	2	-	-	-	-	-	-	-	-	-	-	33
28	8	2	6	44	16	15	11	14	8	5	4	7	1	6	4	34
20	6	-	3	29	11	10	9	7	5	2	1	3	-	4	4	35
8	2	2	3	15	5	5	2	7	3	3	3	4	1	2	2	36
497	23	17	11	538	54	45	43	46	29	36	18	12	10	16	14	37
301	15	4	6	326	40	21	22	26	14	24	7	7	5	8	9	38
186	8	13	5	212	14	24	21	20	15	12	16	5	5	8	5	39
394	18	9	9	435	36	26	22	26	14	14	6	7	7	8	6	40
249	12	3	5	269	27	14	16	12	6	9	5	4	3	5	3	41
145	6	11	4	166	9	12	6	14	8	5	5	2	4	3	3	42
33	1	2	1	37	5	5	2	3	1	3	1	-	-	1	-	43
14	1	1	1	16	4	1	3	-	-	2	-	-	-	-	-	44
19	-	2	-	21	1	4	1	-	1	1	1	-	-	1	-	45
60	4	1	1	66	13	14	19	17	14	19	12	6	3	7	8	46
38	2	-	-	41	9	6	5	11	8	13	2	3	2	3	6	47
22	2	1	1	25	4	8	3	14	6	6	10	3	1	4	2	48
514	34	16	19	583	89	64	49	38	27	25	29	12	10	11	8	49
292	23	10	13	338	50	31	34	20	12	14	15	7	5	5	5	50
222	11	6	6	245	39	33	15	18	15	11	14	5	5	6	3	51
343	16	8	10	377	34	30	15	15	12	11	16	5	7	6	4	52
196	11	6	5	218	20	13	9	6	6	7	10	3	3	3	4	53
147	5	2	5	159	14	17	5	9	6	4	6	2	4	3	-	54
171	18	8	9	206	55	34	35	23	15	14	12	7	3	5	4	55
96	12	4	8	120	30	18	25	14	6	7	4	4	2	2	1	56
75	6	4	1	86	25	16	10	9	9	7	8	3	1	3	3	57
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
5,160	237	178	135	5,710	525	435	312	224	144	119	104	93	60	67	51	61
3,046	133	107	80	3,366	314	248	180	140	99	59	52	46	30	39	33	62
2,114	104	71	55	2,344	211	167	132	84	65	60	52	47	30	28	18	63
4,329	208	147	111	4,795	441	357	264	200	117	93	91	78	49	54	45	64
2,545	116	87	65	2,813	266	203	148	125	66	45	44	38	26	35	28	65
1,784	92	60	46	1,982	175	154	116	75	51	48	47	37	23	19	17	66
740	24	27	22	813	78	70	45	22	20	23	9	15	9	11	4	67
437	13	17	13	480	45	41	30	14	9	12	5	8	2	3	3	68
303	11	10	9	333	33	29	15	8	11	11	4	7	7	7	1	69
91	5	4	2	102	6	8	3	2	7	3	4	3	2	2	2	70
64	4	3	2	73	3	4	2	1	4	2	3	3	2	1	2	71
27	1	-	-	29	3	1	1	1	3	1	1	3	-	1	-	72
600	25	11	12	648	64	41	38	18	26	19	13	11	9	3	5	73
347	18	5	7	377	38	26	23	11	17	8	9	6	5	2	4	74
253	7	6	5	271	26	15	15	7	9	11	4	5	4	1	1	75
563	25	10	11	609	61	38	34	17	23	15	13	10	9	3	5	76
329	18	5	7	359	36	24	22	11	16	6	9	6	5	2	4	77
234	7	5	4	250	25	14	12	6	7	9	4	4	4	1	1	78
33	-	1	1	35	3	1	4	-	1	2	-	-	-	-	-	79
17	-	-	-	17	2	1	1	-	-	1	-	-	-	-	-	80
16	-	1	1	18	1	1	3	-	1	1	-	-	-	-	-	81
4	-	-	-	4	-	2	-	1	2	2	-	1	-	-	-	82
1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	83
3	-	-	-	3	-	1	-	1	1	1	-	-	-	-	-	84
857	34	20	20	931	70	42	38	34	15	9	14	6	13	8	8	85
514	18	13	7	552	43	30	25	18	9	4	8	3	10	7	5	86
343	16	7	13	379	27	12	13	16	6	5	6	3	3	3	7	87
724	26	16	19	7												

SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Delaware	260	18	75	41	12	5	1	5	4
2	Male	147	10	46	21	6	5	-	3	2
3	Female	113	8	29	20	6	-	1	2	2
4	White	171	11	55	27	10	4	1	4	4
5	Male	98	5	34	13	5	-	-	3	2
6	Female	73	6	21	14	5	4	1	1	2
7	Negro	89	7	20	14	2	1	1	1	-
8	Male	48	5	12	8	1	1	-	-	-
9	Female	40	2	8	6	1	-	-	1	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	District of Columbia	577	44	217	48	27	12	14	4	4
14	Male	332	22	118	32	16	8	7	3	3
15	Female	245	22	99	16	11	4	7	1	1
16	White	97	12	43	6	6	2	2	1	1
17	Male	57	8	23	5	5	2	-	-	1
18	Female	40	4	20	1	1	-	2	-	-
19	Negro	478	32	173	42	21	10	12	4	3
20	Male	273	14	94	27	11	6	7	3	2
21	Female	205	18	79	15	10	4	5	1	1
22	Other	2	-	1	-	-	-	-	-	-
23	Male	2	-	1	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Florida	3,025	172	969	314	234	84	45	31	27
26	Male	1,685	106	560	180	141	49	22	21	17
27	Female	1,340	66	409	134	93	35	23	10	10
28	White	1,733	113	633	174	165	55	28	15	17
29	Male	992	65	380	99	99	32	15	11	10
30	Female	741	48	253	75	66	23	13	4	7
31	Negro	1,287	58	334	140	69	29	17	16	10
32	Male	689	40	179	81	42	17	7	10	7
33	Female	598	18	155	59	27	12	10	6	3
34	Other	5	1	2	-	-	-	-	-	-
35	Male	4	1	1	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	Georgia	2,734	172	726	274	161	73	40	32	28
38	Male	1,572	107	430	165	90	45	22	16	18
39	Female	1,162	65	296	109	71	28	18	16	10
40	White	1,303	92	404	176	96	48	20	15	15
41	Male	755	54	253	102	50	30	9	10	9
42	Female	548	38	151	74	46	18	11	5	6
43	Negro	1,429	80	323	98	65	25	20	17	13
44	Male	816	53	177	63	40	15	13	6	9
45	Female	613	27	146	35	25	10	7	11	4
46	Other	2	-	1	-	-	-	-	-	-
47	Male	1	-	-	-	-	-	-	-	-
48	Female	1	-	1	-	-	-	-	-	-
49	Hawaii	348	35	128	37	14	11	4	11	4
50	Male	193	19	71	18	10	7	2	8	2
51	Female	155	16	57	19	4	4	2	3	2
52	White	105	13	40	10	5	4	2	3	-
53	Male	59	6	24	7	5	2	1	2	-
54	Female	46	7	16	3	-	2	1	1	-
55	Negro	11	4	3	-	1	-	-	1	-
56	Male	8	3	1	-	1	-	-	1	-
57	Female	3	1	2	-	-	-	-	-	-
58	Other	232	18	85	27	8	7	2	7	4
59	Male	126	10	46	11	4	5	1	5	2
60	Female	106	8	39	16	4	2	1	2	2
61	Idaho	327	27	103	39	24	7	4	6	3
62	Male	194	16	52	28	15	6	1	3	2
63	Female	133	11	51	11	9	1	3	3	1
64	White	318	25	100	39	24	7	4	5	3
65	Male	188	15	49	28	15	6	1	2	2
66	Female	130	10	51	11	9	1	3	3	1
67	Negro	-	-	-	-	-	-	-	-	-
68	Male	-	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	9	2	3	-	-	-	-	1	-
71	Male	6	1	3	-	-	-	-	1	-
72	Female	3	1	-	-	-	-	-	-	-
73	Illinois	5,340	410	1,842	464	296	148	94	89	60
74	Male	3,030	202	1,079	263	179	93	58	49	27
75	Female	2,310	208	763	201	117	55	36	40	33
76	White	3,652	324	1,297	351	221	102	62	52	38
77	Male	2,092	157	763	202	133	67	35	28	19
78	Female	1,560	167	534	149	88	35	27	24	19
79	Negro	1,665	84	537	112	75	45	32	35	22
80	Male	924	45	308	60	46	26	23	20	8
81	Female	741	39	229	52	29	19	9	15	14
82	Other	23	2	8	1	-	-	-	2	-
83	Male	14	-	8	1	-	-	-	1	-
84	Female	9	2	-	-	-	1	-	1	-
85	Indiana	2,309	196	774	265	179	58	34	32	15
86	Male	1,368	121	461	156	116	35	22	17	10
87	Female	941	75	313	109	63	23	12	15	5
88	White	1,991	173	673	229	157	53	28	30	14
89	Male	1,188	108	399	141	103	32	17	15	10
90	Female	803	65	274	88	54	21	11	15	4
91	Negro	316	23	100	36	21	5	6	2	1
92	Male	179	13	62	15	12	3	5	2	-
93	Female	137	10	38	21	9	2	1	1	-
94	Other	2	-	1	-	1	-	-	-	-
95	Male	1	-	-	-	1	-	-	-	-
96	Female	1	-	1	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1965—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
161	8	9	2	180	18	10	15	3	11	4	3	2	3	8	3
93	6	4	-	103	11	5	8	2	5	2	2	2	1	4	2
68	2	5	2	77	7	5	7	1	6	2	1	1	1	4	1
116	6	5	2	129	9	5	9	2	5	2	1	1	2	5	1
66	5	4	-	75	6	3	5	1	2	-	1	1	1	1	1
50	1	1	2	54	3	2	4	1	3	2	-	-	1	3	-
45	2	4	-	51	9	5	6	1	6	2	2	1	1	3	2
27	1	-	-	28	5	2	3	1	3	2	1	1	1	2	1
18	1	4	-	23	4	3	3	1	3	2	1	1	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
370	14	12	10	406	46	30	23	19	7	8	10	8	4	3	13
209	7	8	4	228	31	15	16	11	11	7	6	4	4	1	6
161	7	4	6	178	15	15	7	8	2	1	4	4	2	2	7
72	1	1	1	75	10	4	4	1	-	-	-	-	1	1	1
44	1	-	-	45	6	1	1	2	-	-	1	-	-	1	1
28	-	1	1	30	4	1	3	1	-	-	1	-	-	-	-
297	13	11	9	330	36	25	22	16	7	8	8	8	4	2	12
164	6	8	4	182	25	13	16	9	5	7	5	4	4	-	5
133	7	3	5	148	11	12	6	7	2	1	3	4	2	2	7
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,878	115	74	53	2,118	218	170	135	92	67	48	45	44	35	27	28
1,096	59	38	28	1,221	125	79	70	46	34	22	21	23	12	16	16
780	56	36	25	897	91	91	65	46	33	26	24	21	23	11	12
1,200	67	46	32	1,345	97	83	49	39	28	20	21	15	12	14	10
711	36	25	17	789	54	43	24	12	8	8	9	8	6	9	7
489	31	21	15	556	43	40	25	16	16	12	12	7	6	5	3
673	48	28	21	770	119	87	85	53	38	28	24	29	23	13	18
383	23	13	11	430	71	36	45	23	21	14	12	15	6	7	9
280	25	15	10	340	48	51	40	30	17	14	12	14	17	6	9
3	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-
2	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1,508	112	69	61	1,750	233	194	158	118	69	38	52	36	36	26	24
893	68	40	31	1,032	135	95	94	58	43	17	28	21	17	17	15
615	44	29	30	718	98	99	64	60	26	21	24	15	19	9	9
866	55	28	25	974	70	71	47	37	18	18	16	13	16	11	12
517	29	17	12	575	39	37	31	12	6	6	7	5	8	7	7
349	26	11	13	399	31	34	16	16	6	12	9	8	8	4	5
641	57	41	36	775	163	122	111	81	51	20	36	23	20	15	12
376	39	23	19	457	96	57	63	37	31	11	21	16	9	10	8
265	18	18	17	318	67	65	48	44	20	9	15	7	11	5	4
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
244	9	3	5	261	24	15	9	6	9	2	5	6	6	2	3
137	5	3	3	148	12	11	5	2	7	2	2	1	2	-	1
107	4	-	2	113	12	4	4	4	2	-	3	5	4	2	2
77	1	-	2	80	6	4	2	3	3	-	4	2	2	1	2
47	1	-	1	49	3	1	-	-	2	-	2	1	-	-	1
30	1	-	1	31	3	1	3	1	1	-	2	1	2	1	1
9	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
6	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
158	7	3	3	171	17	13	6	6	6	2	1	4	4	1	1
84	3	3	2	92	8	10	5	2	5	2	-	-	2	-	-
74	4	-	1	79	9	3	3	4	1	4	1	4	2	1	1
213	7	8	5	233	24	14	15	13	11	6	3	2	1	1	4
123	4	3	1	131	20	8	12	7	5	4	2	-	-	-	3
90	3	5	4	102	4	6	3	6	6	2	1	-	1	1	1
207	7	8	5	227	23	12	15	13	11	6	3	2	1	1	4
118	4	3	1	126	20	7	12	7	5	4	2	2	2	3	3
89	3	5	4	101	3	5	3	6	2	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	6	1	2	-	-	-	-	-	-	-	-	-
5	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
3,403	229	158	101	3,221	438	257	177	131	113	80	66	63	49	42	33
1,950	122	89	50	2,211	246	160	95	80	68	42	34	28	22	22	22
1,453	107	69	51	1,680	192	97	82	51	45	38	32	35	27	20	11
2,447	129	84	61	2,721	254	171	119	91	76	46	42	40	31	35	26
1,404	71	47	34	1,556	147	109	62	59	45	28	22	14	15	18	17
1,043	58	37	27	1,165	107	62	57	32	31	18	20	26	16	17	9
942	99	73	40	1,154	181	85	57	39	37	34	24	23	18	7	6
536	51	41	16	644	99	51	32	20	23	14	12	14	7	4	4
406	48	32	24	510	82	34	25	19	14	20	12	9	11	3	2
14	1	1	-	16	3	1	1	1	-	-	-	-	-	-	1
10	-	1	-	11	-	-	-	-	-	-	-	-	-	-	1
4	1	-	-	5	3	1	-	-	-	-	-	-	-	-	1
1,553	79	46	39	1,717	141	111	92	59	39	41	27	25	11	21	25
938	42	17	24	1,021	87	59	38	23	23	23	16	16	5	14	15
615	37	29	15	696	54	52	41	21	16	18	11	9	6	7	10
1,357	71	40	33	1,501	124	91	75	47	28	35	22	8	8	17	21
825	38	17	19	899	76	47	44	32	15	20	13	16	3	12	11
532	33	23	14	602	48	44	31	15	13	15	9	6	5	5	10
194	8	6	6	214	17	20	17	12	11	6	5	3	3	4	4
112	4	5	5	121	11	12	7	6	8	3	3	3	2	2	4
82	4	6	1	93	6	8	10	6	3	3	2	3	1	2	4
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	9

SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Iowa.....	1,049	108	362	117	77	32	13	13	12
2	Male.....	608	66	211	80	39	18	7	6	9
3	Female.....	441	42	151	37	38	14	6	7	3
4	White.....	1,024	106	353	117	77	31	13	12	12
5	Male.....	593	65	205	80	39	18	7	6	9
6	Female.....	431	41	148	37	38	13	6	6	3
7	Negro.....	24	2	8	-	-	1	-	1	-
8	Male.....	14	1	5	-	-	-	-	-	-
9	Female.....	10	1	3	-	-	1	-	1	-
10	Other.....	1	-	1	-	-	-	-	-	-
11	Male.....	1	-	1	-	-	-	-	-	-
12	Female.....	-	-	-	-	-	-	-	-	-
13	Kansas.....	801	74	246	96	76	29	11	13	10
14	Male.....	502	47	154	70	47	18	9	8	7
15	Female.....	299	27	92	26	29	11	2	5	3
16	White.....	715	63	226	86	71	27	10	12	10
17	Male.....	447	39	142	62	46	17	9	7	7
18	Female.....	268	24	84	24	25	10	1	5	3
19	Negro.....	84	10	19	10	5	2	1	1	-
20	Male.....	54	7	12	8	1	1	-	1	-
21	Female.....	30	3	7	2	4	1	1	-	-
22	Other.....	2	1	1	-	-	-	-	-	-
23	Male.....	1	-	-	-	-	-	-	-	-
24	Female.....	1	-	1	-	-	-	-	-	-
25	Kentucky.....	1,556	97	496	153	107	50	21	14	16
26	Male.....	878	42	298	82	65	27	11	6	9
27	Female.....	678	55	198	71	42	23	10	8	7
28	White.....	1,331	83	423	138	96	47	20	13	14
29	Male.....	751	35	255	74	58	25	11	5	8
30	Female.....	580	48	168	64	38	22	9	8	6
31	Negro.....	224	14	72	15	11	3	1	1	2
32	Male.....	126	7	42	8	7	2	-	1	1
33	Female.....	98	7	30	7	4	1	1	-	1
34	Other.....	1	-	1	-	-	-	-	-	-
35	Male.....	1	-	1	-	-	-	-	-	-
36	Female.....	-	-	-	-	-	-	-	-	-
37	Louisiana.....	2,428	144	758	253	158	57	38	27	24
38	Male.....	1,330	81	438	143	92	33	18	13	16
39	Female.....	1,098	63	320	110	66	24	20	14	8
40	White.....	1,046	78	358	136	88	26	26	10	8
41	Male.....	587	43	207	80	52	16	16	6	7
42	Female.....	459	35	151	56	36	10	10	4	1
43	Negro.....	1,377	66	399	117	69	31	12	17	16
44	Male.....	740	38	230	63	40	17	2	7	9
45	Female.....	637	28	169	54	29	14	10	10	7
46	Other.....	5	-	1	-	1	-	-	-	-
47	Male.....	3	-	1	-	-	-	-	-	-
48	Female.....	2	-	-	-	1	-	-	-	-
49	Maine.....	446	47	169	37	31	12	4	8	4
50	Male.....	279	27	104	21	25	11	4	5	2
51	Female.....	167	20	65	16	6	1	-	3	2
52	White.....	438	46	164	37	30	12	4	8	4
53	Male.....	274	26	101	21	24	11	4	5	2
54	Female.....	164	20	63	16	6	1	-	3	2
55	Negro.....	3	-	2	-	-	-	-	-	-
56	Male.....	1	-	1	-	-	-	-	-	-
57	Female.....	2	-	1	-	-	-	-	-	-
58	Other.....	5	1	3	-	1	-	-	-	-
59	Male.....	4	1	2	-	1	-	-	-	-
60	Female.....	1	-	1	-	-	-	-	-	-
61	Maryland.....	1,823	159	633	197	107	49	28	38	18
62	Male.....	1,047	88	365	114	64	28	21	25	11
63	Female.....	776	71	268	83	43	23	7	13	7
64	White.....	1,248	110	445	148	85	37	21	19	14
65	Male.....	739	57	258	90	51	23	16	12	7
66	Female.....	509	53	187	58	34	14	5	7	7
67	Negro.....	573	49	187	48	22	12	7	19	4
68	Male.....	307	31	107	23	13	3	5	13	4
69	Female.....	266	18	80	25	9	9	2	6	-
70	Other.....	2	-	1	1	-	-	-	-	-
71	Male.....	1	-	1	1	-	-	-	-	-
72	Female.....	1	-	1	-	-	-	-	-	-
73	Massachusetts.....	2,227	208	784	266	159	68	40	30	13
74	Male.....	1,259	105	464	146	91	46	21	18	9
75	Female.....	968	103	320	120	68	22	19	12	4
76	White.....	2,056	190	723	250	154	66	39	28	11
77	Male.....	1,167	96	432	136	89	46	21	17	7
78	Female.....	889	94	291	114	65	20	18	11	4
79	Negro.....	164	18	59	15	5	2	1	2	2
80	Male.....	88	9	31	9	2	-	-	1	2
81	Female.....	76	9	28	6	3	2	1	1	-
82	Other.....	7	-	2	-	-	-	-	-	-
83	Male.....	4	-	1	1	-	-	-	-	-
84	Female.....	3	-	1	-	-	-	-	-	-
85	Michigan.....	3,943	377	1,437	416	226	100	42	38	33
86	Male.....	2,239	191	840	233	136	68	28	18	19
87	Female.....	1,704	186	597	183	90	32	14	20	14
88	White.....	3,164	302	1,140	352	192	83	34	28	29
89	Male.....	1,805	151	675	197	118	57	23	12	16
90	Female.....	1,359	151	465	155	74	26	11	16	13
91	Negro.....	774	75	297	62	34	17	8	10	4
92	Male.....	432	40	165	35	18	11	5	6	3
93	Female.....	342	35	132	27	16	6	3	4	1
94	Other.....	5	-	-	2	-	-	-	-	-
95	Male.....	2	-	-	1	-	-	-	-	-
96	Female.....	3	-	-	1	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1965-Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
734	28	15	10	787	75	52	26	19	17	16	12	13	14	7	11	1
436	14	6	7	463	45	31	12	10	8	8	7	7	8	4	5	2
298	14	9	3	324	30	21	14	9	9	8	5	6	6	3	6	3
721	26	15	8	770	73	51	24	17	17	15	12	13	14	7	11	4
429	13	6	6	454	44	30	10	9	8	7	7	7	8	4	5	5
292	13	9	2	316	29	21	14	8	8	6	5	6	6	3	6	6
12	2	-	2	16	2	1	2	2	-	1	-	-	-	-	-	7
6	1	-	1	8	1	1	1	1	-	1	-	-	-	-	-	8
6	1	-	1	8	1	-	-	1	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
555	22	11	14	602	46	36	30	20	10	12	13	8	11	5	8	13
360	14	5	10	389	22	24	17	10	7	9	8	6	6	1	3	14
195	8	6	4	213	24	13	12	10	3	3	5	2	5	4	5	15
505	20	10	12	547	39	29	28	18	9	12	10	3	9	5	6	16
329	12	4	8	353	17	21	15	9	7	9	6	3	4	2	2	17
176	8	6	4	194	22	8	13	9	2	3	4	4	5	4	4	18
48	2	1	2	53	7	7	2	2	1	2	3	5	2	2	2	19
30	2	1	2	35	5	3	2	1	-	-	2	3	2	-	1	20
18	-	-	-	18	2	4	-	1	1	-	1	2	-	-	1	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
954	56	33	23	1,066	105	84	82	55	32	31	27	18	23	14	19	25
540	31	19	16	606	62	47	45	28	20	17	14	11	12	7	9	26
414	25	14	7	460	43	37	37	27	12	14	13	7	11	7	10	27
834	47	29	20	930	87	61	68	47	28	26	23	15	21	11	14	28
471	25	16	13	525	52	37	39	25	17	12	11	9	11	6	7	29
363	22	13	7	405	35	24	29	22	11	14	12	6	10	5	7	30
119	9	4	3	135	18	23	14	8	4	5	4	2	2	3	5	31
68	6	3	3	80	10	10	6	3	3	5	3	3	1	1	2	32
51	3	1	-	55	8	13	8	5	1	-	1	1	1	2	3	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1,459	86	68	50	1,663	191	139	105	67	52	67	32	31	22	30	29	37
834	47	33	29	943	92	71	59	31	26	30	19	15	13	15	16	38
625	39	35	21	720	99	68	46	36	26	37	13	16	9	15	13	39
730	40	24	15	809	50	40	34	23	16	16	10	13	12	10	13	40
427	22	13	6	466	23	21	18	12	6	7	8	7	4	7	7	41
303	16	11	9	341	27	19	16	10	6	10	3	5	5	6	6	42
727	46	44	33	852	140	98	70	44	36	51	22	18	10	20	16	43
406	25	20	23	474	68	50	40	19	20	24	12	7	6	11	9	44
321	21	24	12	378	72	48	30	25	16	27	10	11	4	9	7	45
2	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	46
1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	47
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	48
312	11	5	6	334	24	16	20	14	9	9	7	6	1	4	2	49
199	10	2	2	213	12	12	12	11	4	5	4	3	1	1	1	50
113	1	3	4	121	4	4	8	3	5	4	3	3	-	3	1	51
305	11	5	6	327	24	16	20	14	9	9	7	6	1	3	2	52
194	10	2	2	208	12	12	12	11	4	5	4	3	1	1	1	53
111	1	3	4	119	12	4	8	3	5	4	3	3	2	2	1	54
2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	55
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	57
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	58
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
1,229	53	41	31	1,354	108	107	67	44	44	27	15	12	17	19	9	61
714	33	22	13	782	56	69	45	20	22	14	9	7	9	10	4	62
515	20	19	18	572	52	38	22	24	22	13	6	5	8	9	5	63
879	29	25	26	959	63	63	42	28	26	18	10	7	15	11	6	64
514	19	15	13	561	37	46	30	13	16	9	6	4	8	6	3	65
365	10	10	13	398	26	17	12	15	10	9	4	3	7	5	3	66
348	24	16	5	393	45	44	25	16	18	9	5	5	2	8	3	67
199	14	7	7	220	19	23	15	7	6	5	3	3	1	4	1	68
149	10	9	5	173	26	21	10	9	12	4	2	2	1	4	2	69
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
1,568	57	48	37	1,710	141	109	70	48	34	30	25	17	12	13	18	73
900	30	24	25	979	78	63	40	23	18	10	15	10	6	4	13	74
668	27	24	12	731	63	46	30	25	16	20	10	7	6	9	5	75
1,461	49	45	32	1,587	126	101	66	45	28	28	21	14	12	11	17	76
844	28	23	23	918	66	59	37	22	14	10	11	9	6	3	12	77
617	21	22	9	669	60	42	29	23	14	18	10	5	6	6	5	78
104	7	2	2	118	15	8	4	3	5	2	4	2	-	2	1	79
54	2	1	2	59	12	4	3	1	3	-	4	-	-	1	1	80
50	5	1	3	59	3	4	1	2	2	2	-	2	-	1	-	81
3	1	1	-	5	-	-	-	-	1	-	-	1	-	-	-	82
2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	83
1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	84
2,669	112	76	54	2,911	250	209	159	74	57	37	49	32	29	35	35	85
1,533	64	40	34	1,671	127	123	96	47	45	29	18	17	16	21	21	86
1,136	48	36	20	1,240	123	86	63	54	29	28	19	20	15	13	14	87
2,160	85	68	42	2,355	201	164	124	83	59	43	27	36	27	18	27	88
1,249	47	35	25	1,356	98	99	78	36	40	24	15	20	14	9	16	89
911	38	33	17	999	103	65	46	47	19	19	12	16	13	9	11	90
507	27	8	12	554	49	44	35	18	15	14	9	13	5	11	7	91
283	17	5	9	314	29	24	18	11	5	5	3	9	3	4	4	92
224	10	3	3	240	20	20	17	7	10	9	6	4	2	4	3	93
2	-	-	-	2	-	1	-	-	-	-	1	-	-	1	1	94
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	95
1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	96



## SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota	1,435	140	521	170	69	31	25	15	11
2	Male	820	71	295	96	44	15	13	10	6
3	Female	615	69	226	74	25	16	13	5	5
4	White	1,384	136	509	169	69	31	26	15	10
5	Male	792	68	286	96	44	15	13	10	6
6	Female	592	68	223	73	25	16	13	5	4
7	Negro	26	3	9	-	-	-	-	-	-
8	Male	17	2	7	-	-	-	-	-	-
9	Female	9	1	2	-	-	-	-	-	-
10	Other	25	1	3	1	-	-	-	-	1
11	Male	11	1	2	-	-	-	-	-	-
12	Female	14	-	1	1	-	-	-	-	1
13	Mississippi	2,125	124	471	202	115	69	41	23	14
14	Male	1,209	67	272	116	64	48	26	16	10
15	Female	916	57	199	86	51	21	15	7	4
16	White	595	49	189	87	51	27	7	8	6
17	Male	352	22	114	51	29	18	4	6	4
18	Female	243	27	75	36	22	9	3	2	2
19	Negro	1,525	75	279	115	64	42	33	15	8
20	Male	854	45	156	65	35	30	22	10	6
21	Female	671	30	123	50	29	12	11	5	2
22	Other	5	-	3	-	-	-	1	-	-
23	Male	3	-	2	-	-	-	-	-	-
24	Female	2	-	1	-	-	-	1	-	-
25	Missouri	2,064	144	731	228	132	54	32	23	21
26	Male	1,178	81	416	131	78	29	15	9	12
27	Female	886	63	315	97	54	25	17	14	9
28	White	1,531	118	540	170	113	43	22	19	18
29	Male	884	69	313	103	65	22	13	7	10
30	Female	647	49	227	67	48	21	9	12	8
31	Negro	532	25	191	58	19	11	10	4	3
32	Male	294	12	103	28	13	7	2	2	2
33	Female	238	13	88	30	6	4	8	2	1
34	Other	1	1	-	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	1	-	-	-	-	-	-	-
37	Montana	341	38	95	38	27	9	8	4	4
38	Male	191	24	55	18	15	5	5	4	2
39	Female	150	14	40	20	12	4	3	-	2
40	White	301	36	96	36	25	9	8	4	4
41	Male	168	22	48	18	13	5	5	4	2
42	Female	133	14	36	18	12	4	3	-	2
43	Negro	4	-	3	-	-	-	-	-	-
44	Male	3	-	3	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-
46	Other	36	2	6	2	2	-	-	-	-
47	Male	20	2	4	2	2	-	-	-	-
48	Female	16	-	2	2	-	-	-	-	-
49	Nebraska	628	48	242	83	35	14	9	8	5
50	Male	363	20	146	54	18	9	5	5	1
51	Female	265	28	96	29	17	5	4	3	4
52	White	577	40	229	77	35	13	9	7	5
53	Male	331	17	138	49	18	8	5	5	1
54	Female	246	23	91	28	17	5	4	2	4
55	Negro	40	7	11	6	-	1	-	1	-
56	Male	26	2	7	5	-	1	-	-	-
57	Female	14	5	4	1	-	-	-	1	-
58	Other	11	1	2	-	-	-	-	-	-
59	Male	6	1	1	-	-	-	-	-	-
60	Female	5	-	1	-	-	-	-	-	-
61	Nevada	235	22	87	25	10	4	3	3	3
62	Male	135	9	50	17	6	1	1	2	3
63	Female	100	13	37	8	4	3	2	1	-
64	White	196	18	73	24	7	4	1	3	2
65	Male	114	7	44	16	4	1	-	2	2
66	Female	82	11	29	8	3	3	1	1	-
67	Negro	31	2	13	1	3	-	2	-	1
68	Male	17	1	5	1	2	-	1	-	1
69	Female	14	1	8	-	1	-	1	-	-
70	Other	8	2	1	-	-	-	-	-	-
71	Male	4	1	1	-	-	-	-	-	-
72	Female	4	1	-	-	-	-	-	-	-
73	New Hampshire	275	27	97	28	21	8	4	4	-
74	Male	163	18	57	16	14	2	2	2	-
75	Female	112	9	40	12	7	6	2	2	-
76	White	274	27	96	28	21	8	4	4	-
77	Male	162	18	56	16	14	2	2	2	-
78	Female	112	9	40	12	7	6	2	2	-
79	Negro	1	-	1	-	-	-	-	-	-
80	Male	1	-	1	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	New Jersey	2,904	230	1,087	353	183	83	46	26	15
86	Male	1,686	122	626	192	112	56	24	18	9
87	Female	1,218	108	461	161	71	27	22	8	6
88	White	2,007	185	722	264	145	63	28	19	11
89	Male	1,185	97	414	149	90	44	15	14	6
90	Female	822	88	308	115	55	19	13	5	5
91	Negro	865	42	357	88	38	19	18	6	4
92	Male	482	24	206	43	22	11	9	4	3
93	Female	383	18	151	45	16	8	9	2	1
94	Other	32	3	8	1	-	1	-	1	-
95	Male	19	1	6	-	-	1	-	-	-
96	Female	13	2	2	1	-	-	-	1	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1965--Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
983	48	18	29	1,078	73	59	58	41	35	23	16	16	14	10	12	1
550	27	8	17	602	51	37	37	19	17	13	8	12	9	5	10	2
433	21	10	12	476	22	22	21	22	18	10	8	4	5	5	8	3
965	48	16	26	1,055	69	54	53	38	34	22	15	13	10	10	11	4
538	27	8	17	590	50	34	32	18	16	13	8	12	5	5	9	5
427	21	8	9	465	19	20	21	20	18	9	7	1	5	5	2	6
12	2	1	1	15	1	2	4	1	-	-	-	1	2	-	-	7
9	-	-	-	9	-	2	4	-	-	-	-	-	2	-	-	8
3	-	2	1	6	1	-	-	-	-	-	-	1	-	-	-	9
6	-	-	2	8	3	3	1	2	1	1	1	2	2	-	1	10
3	-	-	-	3	1	1	1	1	-	-	-	-	2	-	1	11
3	-	-	2	5	2	2	-	1	-	1	1	2	-	-	-	12
1,059	99	76	49	1,283	207	148	115	96	71	51	44	39	24	23	24	13
619	54	53	34	760	110	83	66	41	39	27	26	19	13	16	9	14
440	45	23	15	523	97	65	49	55	32	24	18	20	11	7	15	15
424	19	18	10	471	36	24	21	7	9	4	5	6	4	1	7	16
248	6	12	9	275	21	16	15	3	6	4	3	4	1	1	3	17
176	13	6	1	196	8	6	6	4	3	-	2	2	3	1	4	18
631	80	58	39	808	171	124	94	89	62	47	38	33	20	22	17	19
369	48	41	25	483	89	67	51	38	33	23	22	15	12	15	6	20
262	32	17	14	325	82	57	43	51	29	24	16	18	8	7	11	21
4	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	22
2	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	23
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	24
1,365	71	40	37	1,513	131	93	70	60	39	34	29	25	27	20	23	25
771	41	23	22	857	76	54	41	38	24	21	13	12	16	12	14	26
594	30	17	15	656	55	39	29	22	15	13	16	13	11	8	9	27
1,043	50	33	29	1,155	94	59	43	37	28	25	22	14	20	16	18	28
602	28	17	18	665	57	35	23	22	16	17	13	5	11	10	10	29
441	22	16	11	490	37	24	20	15	12	8	9	5	9	6	8	30
321	21	7	8	357	37	34	27	23	11	9	7	11	7	4	5	31
169	13	6	4	192	19	19	18	16	8	4	4	7	2	4	4	32
152	8	1	4	165	18	15	15	7	3	5	7	4	5	2	1	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
223	10	6	8	247	22	12	23	9	10	6	3	3	2	9	1	37
128	7	4	4	143	6	5	15	6	5	5	3	1	1	-	1	38
95	3	2	4	104	16	7	8	3	5	1	1	2	1	1	2	39
208	8	5	7	228	18	10	17	7	8	4	3	2	1	1	2	40
117	5	4	3	129	6	5	11	5	4	3	3	2	1	1	-	41
91	3	1	4	99	12	5	6	2	4	1	1	1	1	1	2	42
3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
12	2	1	1	16	3	2	6	2	2	2	2	1	1	1	1	46
8	2	-	1	11	-	-	4	-	1	1	2	-	-	-	-	47
4	-	1	-	5	3	2	2	1	1	-	-	1	1	-	-	48
444	19	13	13	489	41	20	22	12	7	9	7	7	6	4	4	49
258	7	9	9	283	14	14	11	5	4	5	4	5	4	2	2	50
186	12	4	4	206	17	6	11	7	3	4	3	2	2	2	2	51
415	15	12	10	452	39	18	20	10	6	8	6	6	5	3	3	52
241	5	8	7	261	22	13	9	4	3	4	3	5	3	2	2	53
174	10	4	3	191	17	5	11	4	6	3	4	3	2	1	1	54
26	2	1	2	31	1	2	2	2	1	1	-	-	1	-	-	55
15	1	1	1	19	1	1	2	1	-	-	-	-	1	-	-	56
11	1	-	-	12	-	-	1	-	-	-	-	-	-	-	-	57
3	2	-	1	6	1	-	-	-	1	-	-	-	-	1	1	58
2	1	-	-	3	1	-	-	-	1	-	-	1	-	-	-	59
1	1	-	1	3	-	-	-	-	-	-	-	-	-	1	1	60
157	11	5	11	184	14	7	14	3	3	2	3	1	2	-	2	61
89	6	4	7	106	6	6	10	1	1	2	1	-	-	2	2	62
68	5	1	4	78	8	1	4	2	2	-	2	1	2	-	-	63
132	10	5	9	156	9	6	12	3	3	1	1	1	2	2	2	64
76	5	4	6	91	4	5	9	1	1	1	-	-	-	-	2	65
56	5	1	3	65	5	1	3	2	2	-	1	1	2	-	-	66
22	-	-	1	23	4	1	1	-	-	-	2	-	-	-	-	67
11	-	-	1	12	2	1	1	-	-	-	1	-	-	-	-	68
11	-	-	-	11	2	-	-	-	-	-	-	-	-	-	-	69
3	1	-	1	5	1	-	1	-	-	-	1	-	-	-	-	70
2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	71
1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	72
189	6	4	2	201	16	16	11	6	4	4	3	3	7	3	1	73
111	2	2	1	116	12	10	6	4	2	2	1	1	5	3	1	74
78	4	2	1	85	4	6	5	2	2	2	2	2	2	-	1	75
188	6	4	2	200	16	16	11	6	4	4	3	3	7	3	1	76
110	2	2	1	115	12	10	6	4	2	2	1	1	5	3	1	77
78	4	2	1	85	4	6	5	2	2	2	2	2	2	-	-	78
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,023	82	39	41	2,185	150	169	108	73	49	45	29	23	31	18	24	85
1,159	53	17	15	1,244	93	110	73	43	27	23	15	15	19	11	13	86
864	29	22	26	941	57	59	35	30	22	22	14	8	12	7	11	87
1,437	60	31	31	1,559	103	101	68	44	21	26	17	15	20	13	20	88
829	40	13	11	893	66	71	49	27	11	15	9	12	12	9	11	89
608	20	18	20	666	37	30	19	17	10	11	8	8	8	4	9	90
572	21	8	10	611	44	33	39	26	27	18	11	7	7	4	4	91
322	12	4	4	342	24	23	14	16	16	8	6	6	2	2	2	92
250	9	4	6	269	20	27	16	12	11	11	5	5	2	2	2	93
14	1	-	-	15	3	5	3	1	1	-	1	1	2	-	-	94
8	1	-	-	9	3	3	1	1	-	-	-	1	2	-	-	95
6	-	-	-	6	-	2	-	1	1	-	1	-	2	-	-	96

## SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico-----	655	36	211	59	41	17	11	8	5
2	Male-----	391	26	128	36	26	13	8	7	3
3	Female-----	264	10	83	23	15	4	3	1	2
4	White-----	535	34	195	53	33	16	10	4	5
5	Male-----	316	24	120	32	19	12	7	3	3
6	Female-----	219	10	75	21	14	4	3	1	2
7	Negro-----	18	-	4	2	-	-	1	2	-
8	Male-----	13	-	1	1	-	-	1	2	-
9	Female-----	5	-	3	1	-	-	-	-	-
10	Other-----	102	2	12	4	8	1	-	2	-
11	Male-----	62	2	7	3	7	1	-	2	-
12	Female-----	40	-	5	1	1	-	-	-	-
13	New York-----	7,848	687	2,878	883	526	175	110	66	48
14	Male-----	4,446	377	1,603	501	316	106	55	37	26
15	Female-----	3,402	310	1,275	382	210	69	55	29	22
16	White-----	5,676	509	2,049	656	411	137	82	44	33
17	Male-----	3,269	282	1,166	384	255	82	40	24	18
18	Female-----	2,407	227	883	272	156	55	42	20	15
19	Negro-----	2,130	174	814	223	111	38	28	21	14
20	Male-----	1,157	93	428	117	59	24	15	13	7
21	Female-----	973	81	386	106	52	14	13	8	7
22	Other-----	42	4	15	4	4	-	-	1	1
23	Male-----	20	2	9	-	2	-	-	-	1
24	Female-----	22	2	6	4	2	-	-	1	-
25	North Carolina-----	2,976	187	878	312	177	71	42	45	20
26	Male-----	1,691	107	520	163	107	48	28	25	12
27	Female-----	1,285	80	358	149	70	23	14	20	8
28	White-----	1,464	111	494	200	115	41	21	22	9
29	Male-----	858	64	302	106	70	31	14	13	6
30	Female-----	606	47	192	94	45	10	7	9	3
31	Negro-----	1,459	74	370	106	61	30	21	23	11
32	Male-----	798	42	208	53	36	17	14	12	6
33	Female-----	661	32	162	53	25	13	7	11	5
34	Other-----	53	2	14	6	1	-	-	-	-
35	Male-----	35	1	10	4	1	-	-	-	-
36	Female-----	18	1	4	2	-	-	-	-	-
37	North Dakota-----	280	22	105	28	20	5	4	-	2
38	Male-----	164	14	59	14	14	4	3	-	-
39	Female-----	116	8	46	14	6	1	1	-	2
40	White-----	252	18	96	28	16	5	3	-	2
41	Male-----	150	12	55	14	12	4	2	-	-
42	Female-----	102	6	41	14	4	1	1	-	2
43	Negro-----	3	1	1	-	1	-	-	-	-
44	Male-----	2	1	1	-	-	-	-	-	-
45	Female-----	1	-	-	-	1	-	-	-	-
46	Other-----	25	3	8	-	3	-	1	-	-
47	Male-----	12	1	3	-	2	-	1	-	-
48	Female-----	13	2	5	-	1	-	-	-	-
49	Ohio-----	4,349	428	1,560	458	264	118	61	41	38
50	Male-----	2,538	218	929	260	170	67	33	27	22
51	Female-----	1,811	210	631	198	94	51	28	14	16
52	White-----	3,572	351	1,284	367	223	105	51	36	34
53	Male-----	2,106	178	765	213	146	61	29	22	20
54	Female-----	1,466	173	519	154	77	44	22	14	14
55	Negro-----	771	76	274	91	40	13	10	5	4
56	Male-----	429	39	164	47	23	6	4	5	2
57	Female-----	342	37	110	44	17	7	6	2	2
58	Other-----	6	1	2	-	1	-	-	-	-
59	Male-----	3	1	-	-	1	-	-	-	-
60	Female-----	3	-	2	-	-	-	-	-	-
61	Oklahoma-----	990	82	320	99	61	30	10	14	11
62	Male-----	593	49	197	63	41	20	7	6	8
63	Female-----	397	33	123	36	20	10	3	8	3
64	White-----	787	63	261	85	54	26	8	12	6
65	Male-----	471	38	159	55	38	18	6	4	4
66	Female-----	316	25	102	30	16	8	2	8	2
67	Negro-----	153	11	49	13	6	3	2	1	4
68	Male-----	89	7	32	7	2	1	1	1	3
69	Female-----	64	4	17	6	4	2	1	-	1
70	Other-----	50	8	10	1	1	-	-	1	1
71	Male-----	33	4	6	1	1	-	-	1	1
72	Female-----	17	4	4	-	-	-	-	-	-
73	Oregon-----	695	55	213	68	35	17	9	9	8
74	Male-----	393	25	121	42	20	12	6	4	4
75	Female-----	302	30	92	26	15	5	3	5	4
76	White-----	659	51	202	67	34	17	8	8	8
77	Male-----	376	23	118	41	19	12	5	3	4
78	Female-----	283	28	84	26	15	5	3	5	4
79	Negro-----	21	3	7	-	1	-	1	-	-
80	Male-----	8	1	2	-	1	-	-	-	-
81	Female-----	13	2	5	-	-	-	-	-	-
82	Other-----	15	1	4	1	-	-	-	1	-
83	Male-----	9	1	1	-	-	-	-	1	-
84	Female-----	6	-	3	-	-	-	-	-	-
85	Pennsylvania-----	4,768	416	1,797	472	306	135	76	54	45
86	Male-----	2,762	214	1,047	284	169	88	35	36	27
87	Female-----	2,006	202	750	188	137	47	41	18	18
88	White-----	3,794	340	1,432	394	249	110	63	40	33
89	Male-----	2,206	172	834	242	139	72	27	26	20
90	Female-----	1,588	168	598	152	110	38	36	14	13
91	Negro-----	948	74	351	73	56	24	13	13	12
92	Male-----	544	42	208	38	29	16	8	9	7
93	Female-----	404	32	143	35	27	8	5	4	5
94	Other-----	26	2	14	5	1	1	1	-	-
95	Male-----	12	-	5	4	1	-	-	1	-
96	Female-----	14	2	9	1	-	1	-	-	-



SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Rhode Island	390	35	145	43	27	11	6	8	2
2	Male	235	17	89	25	20	9	4	6	1
3	Female	155	18	56	18	7	2	2	2	1
4	White	357	33	127	42	26	11	6	8	2
5	Male	217	16	78	25	19	9	4	6	1
6	Female	140	17	49	17	7	2	2	2	1
7	Negro	32	2	17	1	1	-	-	-	-
8	Male	17	1	10	-	1	-	-	-	-
9	Female	15	1	7	1	-	-	-	-	-
10	Other	1	-	1	-	-	-	-	-	-
11	Male	1	-	1	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	South Carolina	1,659	78	396	131	101	48	29	16	17
14	Male	937	39	235	73	54	27	18	11	11
15	Female	722	39	151	58	47	21	11	5	6
16	White	694	47	210	82	62	26	15	8	8
17	Male	412	27	133	48	33	17	11	6	6
18	Female	282	20	77	34	29	9	4	2	2
19	Negro	965	31	176	49	39	22	14	8	9
20	Male	525	12	102	25	21	10	7	5	5
21	Female	440	19	74	24	18	12	7	3	4
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	South Dakota	315	28	94	32	13	5	6	2	4
26	Male	151	13	46	16	7	2	2	-	2
27	Female	164	15	48	16	6	3	4	2	2
28	White	242	23	85	29	8	5	6	2	1
29	Male	114	10	40	16	5	2	2	1	1
30	Female	128	13	45	13	3	3	4	2	-
31	Negro	2	1	-	-	-	-	-	-	-
32	Male	2	1	-	-	-	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other	71	4	9	3	5	-	-	-	3
35	Male	35	2	6	-	2	-	-	-	1
36	Female	36	2	3	3	-	-	-	-	2
37	Tennessee	2,044	162	572	228	147	62	43	31	21
38	Male	1,220	97	362	125	90	39	25	18	16
39	Female	824	65	210	103	57	23	18	13	5
40	White	1,345	115	400	154	114	49	29	23	9
41	Male	823	64	264	81	74	34	18	14	7
42	Female	522	51	136	73	40	15	11	9	2
43	Negro	699	47	172	74	33	13	14	8	12
44	Male	397	33	98	44	16	5	7	4	9
45	Female	302	14	74	30	17	8	7	4	3
46	Other	-	-	-	-	-	-	-	-	-
47	Male	-	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	Texas	5,608	325	1,787	581	383	163	72	59	57
50	Male	3,238	180	1,065	335	224	98	43	32	27
51	Female	2,370	145	722	246	159	65	29	27	30
52	White	4,161	250	1,355	451	318	126	55	40	33
53	Male	2,402	129	810	264	189	75	32	20	14
54	Female	1,759	121	545	187	129	51	23	20	19
55	Negro	1,440	75	431	129	64	37	17	19	24
56	Male	832	51	255	70	34	23	11	12	13
57	Female	608	24	176	59	30	14	6	7	11
58	Other	7	-	1	1	1	-	-	-	-
59	Male	4	-	-	1	1	-	-	-	-
60	Female	3	-	1	-	-	-	-	-	-
61	Utah	416	25	141	59	34	15	5	3	2
62	Male	242	13	80	38	27	10	4	3	1
63	Female	174	12	61	21	7	5	1	-	1
64	White	365	23	134	57	33	14	5	3	2
65	Male	227	12	75	37	26	10	4	3	1
66	Female	158	11	59	20	7	4	1	3	1
67	Negro	6	-	4	1	-	-	-	-	-
68	Male	3	-	3	-	-	-	-	-	-
69	Female	3	-	1	1	-	-	-	-	-
70	Other	25	2	3	1	1	1	-	-	-
71	Male	12	1	2	1	1	-	-	-	-
72	Female	13	1	1	-	-	1	-	-	-
73	Vermont	178	17	69	17	9	2	4	1	2
74	Male	94	8	37	10	7	1	2	-	1
75	Female	84	9	32	7	2	1	2	1	1
76	White	178	17	69	17	9	2	4	1	2
77	Male	94	8	37	10	7	1	2	-	1
78	Female	84	9	32	7	2	1	2	1	1
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	Virginia	2,365	210	734	249	163	54	39	35	24
86	Male	1,349	106	428	144	103	35	29	20	14
87	Female	1,016	104	306	105	60	19	10	15	10
88	White	1,489	148	501	159	122	37	22	23	14
89	Male	870	74	302	95	78	26	17	12	7
90	Female	619	74	199	64	44	11	5	11	7
91	Negro	869	61	231	88	41	17	17	12	10
92	Male	477	32	125	49	25	9	12	8	7
93	Female	392	29	106	39	16	8	5	4	3
94	Other	7	1	2	2	-	-	-	-	-
95	Male	2	-	1	-	-	-	-	-	-
96	Female	5	1	1	2	-	-	-	-	-

## SECTION 2 - INFANT MORTALITY

2-19

and Sex: United States and Each State, 1965-Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
277	11	7	8	303	25	20	9	15	6	4	2	2	3	-	1	1
171	6	2	6	185	11	12	6	9	5	4	1	2	-	-	-	2
106	5	5	2	118	14	8	3	6	1	-	1	-	3	-	-	3
255	9	7	7	278	21	20	8	13	6	3	2	2	3	-	1	4
158	5	2	6	171	10	12	5	8	5	3	1	2	-	-	-	5
97	4	5	1	107	11	8	3	5	1	-	1	-	3	-	1	6
21	2	-	1	24	4	-	1	2	-	1	-	-	-	-	-	7
12	1	-	-	13	1	-	-	-	-	1	-	-	-	-	-	8
9	1	-	1	11	3	-	-	1	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
806	94	47	47	994	151	129	106	85	44	38	33	23	23	13	20	13
468	59	24	24	575	83	73	55	52	24	24	18	10	6	7	10	14
338	35	23	23	419	68	56	51	33	20	14	15	13	17	6	10	15
458	37	13	20	528	35	32	23	14	15	12	9	7	7	4	5	16
281	28	3	9	321	21	21	8	9	10	7	5	3	2	2	3	17
177	9	10	11	207	14	11	15	5	5	4	4	5	5	2	2	18
348	57	34	27	466	116	97	83	71	29	26	24	13	16	9	15	19
187	31	21	15	254	62	52	47	43	14	17	13	7	4	5	7	20
161	26	13	12	212	54	45	36	28	15	9	11	6	12	4	8	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
184	13	6	6	209	26	22	14	10	6	6	4	3	6	7	2	25
88	6	2	2	98	13	13	7	6	2	3	2	2	2	3	2	26
96	7	4	4	111	13	9	7	4	4	3	1	4	4	4	2	27
159	11	4	6	180	18	9	9	6	3	3	3	1	3	6	1	28
76	5	2	2	85	10	3	4	4	1	2	1	2	2	2	1	29
85	6	2	4	95	8	6	5	2	2	1	2	1	1	4	1	30
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
24	2	2	-	28	7	13	5	4	3	3	1	2	3	1	1	34
11	1	-	-	12	2	10	3	2	1	1	1	1	1	1	1	35
13	1	2	-	16	5	3	2	2	2	2	2	-	3	-	1	36
1,266	83	39	34	1,422	164	118	99	62	48	31	19	21	16	14	30	37
772	42	23	23	859	85	76	59	40	26	20	11	11	7	6	17	38
494	41	17	11	563	79	42	40	22	22	11	8	7	9	8	13	39
893	47	22	20	982	90	68	66	31	28	20	14	12	8	9	17	40
556	24	13	15	608	49	42	40	22	16	12	8	9	5	4	8	41
337	23	9	5	374	41	26	26	9	12	8	6	3	3	5	9	42
373	36	17	14	440	74	50	33	31	20	11	5	9	8	5	13	43
216	18	9	8	251	36	34	19	18	10	8	3	5	2	2	9	44
157	18	8	6	189	38	16	14	13	10	3	2	4	6	3	4	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
3,427	210	148	89	3,874	407	281	239	172	130	106	91	79	92	66	71	49
2,004	123	83	60	2,270	243	157	124	89	75	56	51	43	53	31	46	50
1,423	87	65	29	1,604	164	124	115	83	55	50	40	36	39	35	25	51
2,628	156	104	59	2,947	289	198	168	116	93	80	57	62	74	46	51	52
1,533	90	56	43	1,722	168	115	83	59	54	43	28	33	42	21	34	53
1,095	66	48	16	1,225	101	83	85	57	39	37	29	29	32	25	17	54
796	54	44	29	923	137	82	71	55	37	26	34	27	18	20	20	55
469	33	27	16	545	75	41	41	30	21	13	23	10	11	10	12	56
327	21	17	13	378	62	41	30	25	16	13	11	7	7	10	8	57
3	-	-	1	4	1	1	-	1	-	-	-	-	-	-	-	58
2	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	60
284	8	5	5	302	19	21	11	11	7	10	7	11	7	8	2	61
176	4	4	2	186	8	10	5	2	5	8	4	6	4	4	-	62
108	4	1	3	116	11	11	5	9	2	2	3	4	3	4	2	63
271	8	5	4	288	17	18	11	9	5	9	3	11	5	7	2	64
168	4	4	2	178	7	9	5	1	4	8	3	6	3	3	-	65
103	4	1	2	110	10	9	6	8	1	1	5	2	4	2	2	66
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	67
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	68
2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	69
8	-	-	1	9	2	2	-	2	2	1	4	-	2	1	-	70
5	-	-	-	5	1	1	-	1	1	-	1	-	1	1	-	71
3	-	-	1	4	1	1	-	1	1	1	3	-	1	-	-	72
121	5	1	4	131	10	11	6	7	4	1	-	1	1	3	3	73
66	2	1	4	73	5	6	3	1	1	-	-	1	1	1	1	74
55	3	-	-	58	5	5	3	5	3	1	-	-	-	2	2	75
121	5	1	4	131	10	11	6	7	4	1	-	1	1	3	3	76
66	2	1	4	73	5	6	3	2	1	-	-	1	1	1	1	77
55	3	-	-	58	5	5	3	5	3	1	-	-	-	2	2	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,508	78	50	42	1,678	164	128	95	75	43	41	30	30	31	34	16	85
879	47	27	23	976	92	69	54	55	22	18	7	16	14	17	9	86
629	31	23	19	702	72	59	41	20	21	23	23	14	17	17	7	87
1,026	48	28	26	1,128	93	57	53	39	26	20	11	17	16	19	10	88
611	28	13	13	665	55	31	29	26	16	8	4	9	10	11	6	89
415	20	15	13	463	38	26	24	13	10	12	7	8	6	8	4	90
477	30	22	16	545	71	70	42	36	17	21	19	13	15	14	6	91
267	19	14	10	310	37	37	25	29	6	10	3	7	4	6	3	92
210	11	8	6	235	34	33	17	7	11	11	16	6	11	8	3	93
5	-	-	-	5	-	1	-	-	-	-	-	-	-	1	-	94
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	95
4	-	-	-	4	-	-	-	-	-	-	-	-	-	1	-	96

SECTION 2 - INFANT MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Washington-----	1,132	117	355	106	71	37	17	8	4
2	Male----	644	63	196	60	37	25	6	7	3
3	Female--	488	54	159	46	34	12	11	1	1
4	White-----	1,010	103	319	96	68	34	14	7	4
5	Male----	584	55	178	56	35	24	5	6	3
6	Female--	426	48	141	40	33	10	9	1	1
7	Negro-----	53	8	12	6	2	-	2	-	-
8	Male----	27	5	6	2	1	-	-	-	-
9	Female--	26	3	6	4	1	-	2	-	-
10	Other-----	69	6	24	4	1	3	1	1	-
11	Male----	33	3	12	2	1	1	1	1	-
12	Female--	36	3	12	2	-	2	-	-	-
13	West Virginia-----	862	62	269	101	74	30	12	12	10
14	Male----	513	36	167	60	48	19	5	5	6
15	Female--	349	26	102	41	26	11	7	7	4
16	White-----	794	59	243	91	72	26	11	11	9
17	Male----	480	36	152	57	47	16	5	5	5
18	Female--	314	23	91	34	25	10	6	6	4
19	Negro-----	67	3	26	10	2	4	1	1	1
20	Male----	32	-	15	3	1	3	-	-	1
21	Female--	35	3	11	7	1	1	1	1	-
22	Other-----	1	-	-	-	-	-	-	-	-
23	Male----	1	-	-	-	-	-	-	-	-
24	Female--	-	-	-	-	-	-	-	-	-
25	Wisconsin-----	1,815	158	669	207	114	59	24	16	15
26	Male----	1,052	84	386	125	76	35	10	8	9
27	Female--	763	74	283	82	38	24	14	8	6
28	White-----	1,707	148	643	197	106	54	23	16	14
29	Male----	989	80	366	120	70	33	10	8	9
30	Female--	718	68	277	77	36	21	13	8	5
31	Negro-----	92	8	25	9	7	5	1	-	1
32	Male----	55	4	19	4	5	2	-	-	-
33	Female--	37	4	6	5	2	3	1	-	1
34	Other-----	16	2	1	1	1	-	-	-	-
35	Male----	8	-	1	1	1	-	-	-	-
36	Female--	8	2	-	-	-	-	-	-	-
37	Wyoming-----	145	12	54	12	15	-	1	2	-
38	Male----	91	8	35	7	9	-	-	1	-
39	Female--	54	4	19	5	6	-	1	1	-
40	White-----	133	12	48	11	15	-	1	2	-
41	Male----	85	8	30	7	9	-	-	1	-
42	Female--	48	4	18	4	6	-	1	1	-
43	Negro-----	1	-	1	-	-	-	-	-	-
44	Male----	1	-	1	-	-	-	-	-	-
45	Female--	-	-	-	-	-	-	-	-	-
46	Other-----	11	-	5	1	-	-	-	-	-
47	Male----	5	-	4	-	-	-	-	-	-
48	Female--	6	-	1	1	-	-	-	-	-





SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>UNITED STATES</b>													
<b>Both Sexes</b>													
Under 1 year-----	92,866	8,780	7,800	8,410	7,377	7,693	7,520	7,696	7,405	7,300	7,593	7,395	7,897
White-----	67,198	6,199	5,487	6,022	5,461	5,698	5,561	5,566	5,439	5,324	5,408	5,356	5,677
Nonwhite---	25,668	2,581	2,313	2,388	1,916	1,995	1,959	2,130	1,966	1,976	2,185	2,039	2,220
Under 28 days-----	66,419	5,602	4,929	5,576	5,345	5,807	5,870	6,018	5,827	5,618	5,453	5,139	5,235
White-----	50,242	4,279	3,720	4,217	4,105	4,417	4,427	4,467	4,378	4,232	4,059	3,894	4,047
Nonwhite---	16,177	1,323	1,209	1,359	1,240	1,390	1,443	1,551	1,449	1,386	1,394	1,245	1,188
Under 7 days-----	59,678	4,948	4,352	5,036	4,897	5,314	5,361	5,441	5,280	4,964	4,810	4,595	4,690
White-----	45,606	3,856	3,332	3,842	3,785	4,065	4,075	4,063	3,999	3,771	3,645	3,506	3,667
Nonwhite---	14,072	1,092	1,020	1,194	1,102	1,249	1,286	1,378	1,281	1,193	1,165	1,089	1,023
Under 1 hour-----	7,292	580	544	591	609	640	643	695	632	616	594	560	588
White-----	5,685	476	428	455	493	484	507	502	492	475	478	431	464
Nonwhite---	1,607	104	116	136	116	156	136	193	140	141	116	129	124
1-23 hours-----	30,932	2,611	2,249	2,641	2,547	2,788	2,820	2,839	2,716	2,544	2,500	2,365	2,312
White-----	23,370	1,997	1,700	2,006	1,937	2,130	2,118	2,102	2,045	1,924	1,859	1,781	1,771
Nonwhite---	7,562	614	549	635	610	658	702	737	671	620	641	584	541
1 day-----	9,713	764	703	840	800	846	896	876	857	797	766	744	824
White-----	7,496	612	531	647	624	649	679	677	645	609	594	566	663
Nonwhite---	2,217	152	172	193	176	197	217	199	212	188	172	178	161
2 days-----	5,974	493	443	479	482	531	505	542	538	512	478	461	510
White-----	4,777	399	358	379	396	417	409	439	427	399	360	372	422
Nonwhite---	1,197	94	85	100	86	114	96	103	111	113	118	89	88
3 days-----	2,497	220	178	201	199	221	226	198	241	222	202	197	192
White-----	1,935	174	140	157	150	175	167	153	181	166	165	159	148
Nonwhite---	562	46	38	44	49	46	59	45	60	56	37	38	44
4 days-----	1,405	123	105	127	114	117	122	115	123	136	110	99	114
White-----	1,030	93	80	84	85	89	92	71	90	96	81	79	90
Nonwhite---	375	30	25	43	29	28	30	44	33	40	29	20	24
5 days-----	1,085	84	78	90	76	94	88	102	107	84	102	99	81
White-----	759	56	60	60	57	69	58	70	70	65	72	66	56
Nonwhite---	326	28	18	30	19	25	30	32	37	19	30	33	25
6 days-----	780	73	52	67	60	77	61	74	66	53	58	70	69
White-----	554	49	35	54	43	52	45	49	49	37	36	52	53
Nonwhite---	226	24	17	13	17	25	16	25	17	16	22	18	16
7-13 days-----	3,128	276	247	237	212	220	235	297	290	318	310	251	235
White-----	2,168	172	166	172	152	159	157	210	203	223	205	183	166
Nonwhite---	960	104	81	65	60	61	78	87	95	95	105	68	69
14-20 days-----	2,000	178	165	128	164	170	151	145	165	180	153	181	127
White-----	1,369	135	115	112	87	112	115	107	99	150	116	109	127
Nonwhite---	631	43	50	16	77	59	36	38	66	86	37	72	100
21-27 days-----	1,613	178	152	138	118	109	104	129	112	151	153	140	129
White-----	1,099	116	107	91	81	81	80	87	77	103	93	96	87
Nonwhite---	514	62	45	47	37	28	24	42	35	48	60	44	42
28-59 days-----	6,398	739	630	629	416	457	432	469	447	466	566	529	618
White-----	4,062	437	374	394	283	314	301	301	306	295	348	336	373
Nonwhite---	2,336	302	256	235	133	143	131	168	141	171	218	193	245
2 months-----	4,904	567	522	523	368	316	289	275	261	342	463	479	499
White-----	3,152	346	326	323	250	227	191	185	170	213	278	351	312
Nonwhite---	1,752	221	196	200	118	89	98	90	91	129	185	148	187
3 months-----	3,893	529	488	450	286	251	214	198	196	227	297	297	420
White-----	2,516	338	299	274	178	176	152	137	128	159	192	204	279
Nonwhite---	1,377	191	189	176	108	75	62	61	68	68	105	133	141
4 months-----	2,785	340	323	330	251	207	164	137	140	157	224	228	294
White-----	1,752	195	200	215	154	139	116	96	94	132	143	174	141
Nonwhite---	1,043	145	123	115	97	68	48	41	46	83	92	85	120
5 months-----	1,960	257	233	193	169	139	127	107	108	104	137	175	211
White-----	1,227	149	133	117	108	97	80	67	77	72	96	117	114
Nonwhite---	733	108	100	76	61	42	47	40	31	32	41	58	97
6 months-----	1,569	199	162	164	126	109	102	119	76	107	109	124	172
White-----	1,002	112	88	108	99	84	67	80	54	73	64	84	109
Nonwhite---	567	87	74	56	27	45	35	39	22	34	45	40	63
7 months-----	1,271	152	142	152	106	94	81	98	79	68	73	109	117
White-----	811	87	94	104	70	52	54	65	45	49	53	67	71
Nonwhite---	460	65	48	48	36	42	27	33	34	19	20	42	46
8 months-----	1,056	113	117	125	84	84	70	68	84	66	64	77	104
White-----	678	74	84	80	53	57	50	32	44	43	49	52	60
Nonwhite---	378	39	33	45	31	27	20	36	40	23	15	25	44
9 months-----	964	117	85	91	82	100	64	78	79	54	73	65	76
White-----	654	82	56	66	53	61	52	51	60	34	48	42	49
Nonwhite---	310	35	29	25	29	39	12	27	19	20	25	23	27
10 months-----	819	79	89	87	67	54	52	71	45	44	75	73	83
White-----	543	45	64	57	48	36	32	50	35	27	53	48	48
Nonwhite---	276	34	25	30	19	18	20	21	10	17	22	25	35
11 months-----	818	66	80	90	77	75	55	58	63	47	59	60	68
White-----	559	55	49	67	60	58	39	35	48	33	36	38	41
Nonwhite---	259	31	31	23	17	17	16	23	15	14	23	22	27
<b>Male</b>													
Under 1 year-----	53,419	5,027	4,470	4,852	4,232	4,360	4,337	4,434	4,239	4,256	4,381	4,243	4,568
White-----	39,098	3,605	3,149	3,552	3,180	3,253	3,231	3,297	3,153	3,127	3,144	3,100	3,307
Nonwhite---	14,321	1,422	1,321	1,052	1,107	1,107	1,106	1,137	1,086	1,129	1,237	1,143	1,281
Under 28 days-----	38,507	3,270	2,808	3,224	3,079	3,298	3,413	3,513	3,369	3,293	3,163	2,959	3,118
White-----	29,346	2,525	2,135	2,475	2,404	2,517	2,573	2,631	2,552	2,487	2,354	2,251	2,412
Nonwhite---	9,161	745	673	749	675	781	840	882	817	806	809	708	706
Under 7 days-----	34,678	2,882	2,500	2,917	2,815	3,029	3,125	3,187	3,064	2,910	2,795	2,653	2,801
White-----	26,713	2,267	1,932	2,257	2,215	2,318	2,375	2,427	2,345	2,219	2,129	2,036	2,193
Nonwhite---	7,965	615	568	660	600	711	750	760	719	691	666	617	608
Under 1 hour-----	3,962	352	296	319	312	340	357	379	336	327	327	310	327
White-----	3,039	274	225	239	246	245	281	269	261	252	253	238	256
Nonwhite---	923	58	71	80	56	95	76	110	75	75	74	72	71

## SECTION 2 - INFANT MORTALITY

2-23

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Con.													
Male—Con.													
Under 28 days—Con.													
Under 7 days—Con.													
1-23 hours-----	18,063	1,527	1,287	1,555	1,484	1,577	1,678	1,666	1,588	1,500	1,470	1,348	1,383
White-----	13,781	1,184	983	1,199	1,155	1,217	1,261	1,259	1,210	1,139	1,103	1,017	1,054
Nonwhite--	4,282	343	304	356	329	360	417	407	378	361	367	331	329
1 day-----	5,623	417	399	487	472	482	502	518	504	481	435	448	478
White-----	4,418	337	315	386	375	372	385	409	389	359	349	351	391
Nonwhite--	1,205	80	84	101	97	110	117	109	115	122	86	97	87
2 days-----	3,604	305	266	276	287	318	293	322	323	304	290	274	346
White-----	2,916	247	215	225	240	246	236	271	266	246	217	221	288
Nonwhite--	688	58	51	51	47	72	57	51	57	58	73	53	58
3 days-----	1,546	141	119	121	122	135	135	129	146	141	123	123	111
White-----	1,226	114	94	100	99	110	100	101	111	108	100	99	90
Nonwhite--	320	27	25	21	23	25	35	28	35	33	23	24	21
4 days-----	794	75	56	63	65	73	65	68	71	79	62	53	64
White-----	580	56	42	40	44	58	47	46	50	56	48	43	50
Nonwhite--	214	19	14	23	21	15	18	22	21	23	14	10	14
5 days-----	631	41	45	56	46	60	57	60	59	48	53	54	52
White-----	435	29	37	39	34	41	36	42	34	38	38	35	32
Nonwhite--	196	12	8	17	12	19	21	18	25	10	15	19	20
6 days-----	455	44	32	40	27	44	38	45	37	30	35	43	40
White-----	318	26	23	29	22	29	29	30	24	21	21	32	32
Nonwhite--	137	18	9	11	5	15	9	15	13	9	14	11	8
7-13 days-----	1,798	168	132	127	121	132	139	156	163	190	183	137	150
White-----	1,251	111	89	98	84	99	92	115	114	133	116	95	105
Nonwhite--	547	57	43	29	37	33	47	41	49	57	67	42	45
14-20 days-----	1,125	112	100	100	74	90	89	88	75	111	93	92	101
White-----	763	75	62	66	55	62	58	62	50	79	57	65	72
Nonwhite--	362	37	38	34	19	28	31	26	25	32	36	27	29
21-27 days-----	906	108	76	80	69	47	60	82	67	82	92	77	66
White-----	619	72	52	54	50	38	48	57	43	56	52	55	42
Nonwhite--	287	36	24	26	19	9	12	25	24	26	40	22	24
28-59 days-----	3,684	407	372	369	238	281	254	264	253	288	308	307	343
White-----	2,407	235	221	254	161	197	187	178	174	188	198	195	219
Nonwhite--	1,277	172	151	115	77	84	67	86	79	100	110	112	124
2 months-----	2,842	345	302	299	219	183	168	142	149	206	269	283	277
White-----	1,885	220	187	185	160	134	113	105	102	134	165	206	174
Nonwhite--	957	125	115	114	59	49	55	37	47	72	104	77	103
3 months-----	2,243	282	297	271	169	139	120	125	114	132	171	187	236
White-----	1,469	190	177	164	104	100	88	86	82	92	112	119	155
Nonwhite--	774	92	120	107	65	39	32	39	32	40	59	68	81
4 months-----	1,551	181	186	180	143	114	86	74	77	86	126	133	165
White-----	983	110	117	127	80	75	65	54	50	51	85	85	94
Nonwhite--	558	71	69	53	63	39	21	20	27	35	41	48	71
5 months-----	1,096	136	130	110	96	80	73	62	57	50	82	93	127
White-----	683	78	77	71	66	57	49	41	42	30	56	59	67
Nonwhite--	403	58	53	39	30	23	24	21	15	20	26	34	60
6 months-----	838	118	85	91	65	48	49	61	41	61	63	69	87
White-----	536	70	44	61	54	28	32	39	31	43	39	47	48
Nonwhite--	302	48	41	30	11	20	17	22	10	18	24	22	39
7 months-----	670	69	89	90	49	42	43	51	39	34	40	60	64
White-----	425	39	55	62	29	26	28	38	23	27	24	37	37
Nonwhite--	245	30	34	28	20	16	15	13	16	7	16	23	27
8 months-----	591	57	68	74	57	48	35	31	44	33	42	47	55
White-----	388	35	50	52	38	35	26	17	25	20	31	30	29
Nonwhite--	203	22	18	22	19	13	9	14	19	13	11	17	26
9 months-----	494	72	39	45	41	54	30	40	44	23	36	32	38
White-----	345	50	26	34	28	33	23	27	34	17	26	21	26
Nonwhite--	149	22	13	11	13	21	7	13	10	6	10	11	12
10 months-----	439	44	46	51	32	29	29	39	27	26	39	37	40
White-----	297	25	32	32	21	18	19	33	22	20	28	24	23
Nonwhite--	142	19	14	19	11	11	10	6	5	6	11	13	17
11 months-----	464	46	48	48	44	44	37	32	25	24	42	36	38
White-----	314	28	28	35	35	33	28	18	16	18	26	26	23
Nonwhite--	150	18	20	13	9	11	9	14	9	6	16	10	15
Female													
Under 1 year-----	39,447	3,753	3,330	3,558	3,145	3,333	3,183	3,262	3,166	3,044	3,212	3,152	3,309
White-----	28,100	2,594	2,358	2,470	2,281	2,445	2,330	2,269	2,286	2,197	2,264	2,256	2,370
Nonwhite--	11,347	1,159	992	1,088	864	888	853	993	880	847	948	896	939
Under 28 days-----	27,912	2,332	2,121	2,352	2,266	2,509	2,457	2,505	2,458	2,325	2,290	2,180	2,117
White-----	20,896	1,754	1,585	1,742	1,701	1,900	1,854	1,806	1,826	1,745	1,705	1,643	1,635
Nonwhite--	7,016	578	536	610	565	609	603	699	632	580	585	537	482
Under 7 days-----	25,000	2,066	1,852	2,119	2,072	2,285	2,236	2,254	2,216	2,054	2,015	1,942	1,889
White-----	18,893	1,589	1,400	1,585	1,570	1,747	1,700	1,636	1,654	1,552	1,516	1,470	1,474
Nonwhite--	6,107	477	452	534	502	538	536	618	562	502	499	472	415
Under 1 hour-----	3,330	248	248	272	297	300	286	316	296	289	267	250	261
White-----	2,646	202	203	216	247	239	226	233	231	223	225	193	208
Nonwhite--	684	46	45	56	50	61	60	83	65	66	42	57	53
1-23 hours-----	12,869	1,084	962	1,086	1,063	1,211	1,142	1,173	1,128	1,044	1,030	1,017	929
White-----	9,589	813	717	807	782	913	857	843	835	785	756	764	717
Nonwhite--	3,280	271	245	279	281	298	285	330	293	259	274	253	212
1 day-----	4,090	347	304	353	328	364	394	358	353	316	331	296	346
White-----	3,078	275	216	261	249	277	294	268	256	250	245	215	272
Nonwhite--	1,012	72	88	92	79	87	100	90	97	66	86	81	74
2 days-----	2,370	188	177	203	195	213	212	220	215	208	188	187	164
White-----	1,861	152	145	154	156	171	173	168	161	153	143	151	134
Nonwhite--	509	36	32	49	39	42	39	52	54	55	45	36	30
3 days-----	951	79	59	80	77	86	91	69	95	81	79	74	81
White-----	709	60	46	57	51	65	67	52	70	58	65	60	58
Nonwhite--	242	19	13	23	26	21	24	17	25	23	14	14	23

## SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Female--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
4 days-----	611	48	49	64	49	44	57	47	52	57	48	46	50
White-----	450	37	38	44	41	31	45	25	40	40	33	36	40
Nonwhite--	161	11	11	20	8	13	12	22	12	17	15	10	10
5 days-----	454	43	33	34	30	34	31	42	48	36	49	45	29
White-----	324	27	23	21	23	28	22	28	36	27	34	31	24
Nonwhite--	130	16	10	13	7	6	9	14	12	9	15	14	5
6 days-----	325	29	20	27	33	33	23	29	29	23	23	27	29
White-----	236	23	12	25	21	23	16	19	25	16	15	20	21
Nonwhite--	89	6	8	2	12	10	7	10	4	7	8	7	8
7-13 days-----	1,330	108	115	110	91	88	96	141	127	128	127	114	85
White-----	917	61	77	74	68	60	65	95	89	90	89	88	61
Nonwhite--	413	47	38	36	23	28	31	46	38	38	38	26	24
14-20 days-----	875	88	78	65	54	74	81	63	70	74	87	61	80
White-----	606	60	53	46	32	50	57	45	49	56	59	44	55
Nonwhite--	269	28	25	19	22	24	24	18	21	18	28	17	25
21-27 days-----	707	70	76	58	49	62	44	47	45	69	61	63	63
White-----	480	44	55	37	31	43	32	30	34	47	41	41	45
Nonwhite--	227	26	21	21	18	19	12	17	11	22	20	22	18
28-59 days-----	2,714	332	258	260	178	176	178	205	194	178	258	222	275
White-----	1,655	202	153	140	122	117	114	123	132	107	150	141	154
Nonwhite--	1,059	130	105	120	56	59	64	82	62	71	108	81	121
2 months-----	2,062	222	220	224	149	133	121	133	112	136	194	196	222
White-----	1,267	126	139	138	90	93	78	80	68	79	113	125	138
Nonwhite--	795	96	81	86	59	40	43	53	44	57	81	71	84
3 months-----	1,650	247	191	179	117	112	94	73	82	95	126	150	184
White-----	1,047	148	122	110	74	76	64	51	46	67	80	85	124
Nonwhite--	603	99	69	69	43	36	30	22	36	28	46	65	60
4 months-----	1,244	159	137	150	108	93	78	63	63	71	98	95	129
White-----	759	85	85	88	74	64	51	42	44	43	47	58	80
Nonwhite--	485	74	54	62	34	29	27	21	19	28	51	37	49
5 months-----	864	121	103	85	73	59	54	45	51	54	55	82	84
White-----	534	71	56	46	42	40	31	26	35	42	40	58	47
Nonwhite--	330	50	47	37	31	19	23	19	16	12	15	24	37
6 months-----	731	81	77	73	61	61	53	58	35	46	46	55	85
White-----	466	42	44	47	45	36	35	41	23	30	25	37	61
Nonwhite--	265	39	33	26	16	25	18	17	12	16	21	18	24
7 months-----	601	83	53	62	57	52	38	47	40	34	33	49	53
White-----	386	48	39	42	41	28	26	27	22	22	29	30	34
Nonwhite--	215	35	14	20	16	24	12	20	18	12	4	19	19
8 months-----	485	56	49	51	27	36	35	37	40	33	22	30	49
White-----	290	39	34	28	15	22	24	15	19	23	18	20	31
Nonwhite--	175	17	15	23	12	14	11	22	21	10	4	8	18
9 months-----	470	45	46	45	41	45	34	38	35	31	37	4	38
White-----	309	32	30	32	25	28	28	26	17	22	21	23	23
Nonwhite--	161	13	16	14	16	18	6	14	9	14	15	12	15
10 months-----	380	35	43	36	35	25	23	32	18	18	36	36	43
White-----	246	20	32	25	27	18	13	17	13	7	25	24	25
Nonwhite--	134	15	11	11	8	7	10	15	5	11	11	12	18
11 months-----	354	40	32	42	33	31	18	26	38	23	17	24	30
White-----	245	27	21	32	25	25	11	17	32	15	10	12	18
Nonwhite--	109	13	11	10	8	6	7	9	6	8	7	12	12
ALABAMA													
Under 1 year-----	2,174	216	217	196	162	165	142	164	173	158	185	175	221
White-----	1,043	91	84	97	81	88	68	82	103	85	80	80	104
Nonwhite--	1,131	125	133	99	81	77	74	82	70	73	105	95	117
Under 28 days-----	1,397	119	97	111	121	116	109	132	145	117	118	101	111
White-----	783	72	45	66	68	65	55	74	88	69	56	57	68
Nonwhite--	614	47	52	45	53	51	54	58	57	48	62	44	43
ALASKA													
Under 1 year-----	269	24	21	32	18	18	22	23	17	21	32	17	24
White-----	113	11	11	19	6	4	8	11	11	9	5	6	12
Nonwhite--	156	13	10	13	12	14	14	12	6	12	27	11	12
Under 28 days-----	139	12	10	24	8	8	14	13	11	7	11	8	13
White-----	81	8	7	15	4	1	7	8	8	5	4	6	8
Nonwhite--	58	4	3	9	4	7	7	5	3	2	7	2	5
ARIZONA													
Under 1 year-----	861	75	61	74	78	86	70	73	59	70	72	75	68
White-----	605	49	41	50	54	64	56	50	43	47	51	52	48
Nonwhite--	256	26	20	24	24	22	14	23	16	23	21	23	20
Under 28 days-----	538	42	36	44	50	57	54	41	34	48	47	47	38
White-----	435	29	30	35	38	50	45	30	29	40	42	37	30
Nonwhite--	103	13	6	9	12	7	9	11	5	8	5	10	8
ARKANSAS													
Under 1 year-----	945	86	87	109	69	76	58	59	90	68	86	76	81
White-----	531	43	53	58	32	47	38	30	55	41	49	38	47
Nonwhite--	414	43	34	51	37	29	20	29	35	27	37	38	34
Under 28 days-----	583	44	48	49	42	52	41	47	65	46	59	44	46
White-----	377	30	32	29	22	38	25	27	43	32	40	28	31
Nonwhite--	206	14	16	20	20	14	16	20	22	14	19	16	15
CALIFORNIA													
Under 1 year-----	7,844	770	617	670	660	664	646	646	609	667	659	576	660
White-----	6,581	653	521	562	544	561	550	532	497	550	558	482	561
Nonwhite--	1,263	117	96	108	116	103	96	114	112	107	101	94	99
Under 28 days-----	5,710	506	428	457	498	501	489	482	487	517	487	403	456
White-----	4,795	426	363	385	413	422	416	388	393	443	417	336	393
Nonwhite--	915	79	65	72	85	79	73	94	94	74	70	67	63

## SECTION 2 - INFANT MORTALITY

2-25

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year-----	895	66	79	78	81	74	74	89	56	67	72	86	73
White-----	837	64	73	71	79	70	71	81	47	64	70	78	69
Nonwhite--	58	2	6	7	2	4	3	8	9	3	2	8	4
Under 28 days-----	648	43	55	56	60	56	63	71	41	47	51	60	45
White-----	609	42	53	51	59	54	60	65	36	45	49	53	42
Nonwhite--	39	1	2	5	1	2	3	6	5	2	2	7	3
CONNECTICUT													
Under 1 year-----	1,189	101	107	97	105	99	102	102	86	94	102	96	97
White-----	997	80	90	81	93	86	87	88	72	79	85	78	78
Nonwhite--	191	21	17	16	12	13	15	14	14	15	17	18	19
Under 28 days-----	931	76	82	74	82	80	81	85	67	81	78	69	76
White-----	785	62	71	62	76	69	68	73	56	67	65	54	62
Nonwhite--	146	14	11	12	6	11	13	12	11	14	13	15	14
DELAWARE													
Under 1 year-----	260	21	22	16	23	30	21	22	26	23	17	18	21
White-----	171	14	17	8	14	25	14	14	15	11	10	12	17
Nonwhite--	89	7	5	8	9	5	7	8	11	12	7	6	4
Under 28 days-----	180	13	18	11	13	20	18	19	21	18	7	8	14
White-----	129	8	14	6	10	19	12	13	12	11	4	7	13
Nonwhite--	51	5	4	5	3	1	6	6	9	7	3	1	1
DISTRICT OF COLUMBIA													
Under 1 year-----	577	53	55	45	48	49	42	55	42	47	50	34	57
White-----	97	7	9	4	12	6	5	11	10	7	9	8	9
Nonwhite--	480	46	46	41	36	43	37	44	32	40	41	26	48
Under 28 days-----	406	27	30	32	29	36	35	41	34	37	40	24	41
White-----	75	7	6	2	10	5	3	9	6	5	8	7	7
Nonwhite--	331	20	24	30	19	31	32	32	28	32	32	17	34
FLORIDA													
Under 1 year-----	3,025	270	264	259	235	241	262	256	242	249	241	242	264
White-----	1,733	149	128	149	129	141	156	152	134	161	143	139	152
Nonwhite--	1,292	121	136	110	106	100	106	104	108	88	98	103	112
Under 28 days-----	2,118	163	148	157	159	177	210	204	187	201	176	165	171
White-----	1,345	105	89	103	101	114	130	129	107	137	115	100	115
Nonwhite--	773	58	59	54	58	63	80	75	80	64	61	65	56
GEORGIA													
Under 1 year-----	2,734	294	261	275	185	217	224	219	194	189	221	212	243
White-----	1,303	134	118	117	89	111	126	111	92	90	105	101	109
Nonwhite--	1,431	160	143	158	96	106	98	108	102	99	116	111	134
Under 28 days-----	1,750	156	142	149	125	161	173	171	134	137	146	119	137
White-----	974	90	79	82	70	91	101	95	73	69	78	72	74
Nonwhite--	776	66	63	67	55	70	72	76	61	68	68	47	63
HAWAII													
Under 1 year-----	348	39	35	26	22	32	21	32	16	31	31	30	33
White-----	105	14	10	3	10	14	6	9	3	11	9	4	13
Nonwhite--	243	25	25	23	12	18	15	23	13	20	23	26	20
Under 28 days-----	261	29	28	15	18	20	14	30	13	28	23	21	22
White-----	80	9	8	3	8	8	5	9	3	10	6	2	9
Nonwhite--	181	20	20	12	10	12	9	21	10	18	17	13	13
IDAHO													
Under 1 year-----	327	23	25	31	30	30	35	22	22	31	24	28	26
White-----	318	21	25	30	30	29	35	22	20	29	24	28	25
Nonwhite--	9	2	-	1	-	1	-	-	2	2	-	-	1
Under 28 days-----	233	13	24	21	22	18	25	18	15	23	17	20	17
White-----	227	11	24	21	22	17	25	18	14	21	17	20	17
Nonwhite--	6	2	-	-	-	1	-	-	1	2	-	-	-
ILLINOIS													
Under 1 year-----	5,340	475	418	470	397	456	468	486	456	416	407	424	467
White-----	3,652	304	286	321	268	319	336	307	319	302	271	304	315
Nonwhite--	1,688	171	132	149	129	137	132	179	137	114	136	120	152
Under 28 days-----	3,891	308	282	343	291	344	369	374	356	325	299	296	304
White-----	2,721	207	186	243	194	238	275	244	260	234	207	222	211
Nonwhite--	1,170	101	96	100	97	106	94	130	96	91	92	74	93
INDIANA													
Under 1 year-----	2,309	224	209	220	174	196	187	182	181	188	166	187	193
White-----	1,991	185	189	186	150	171	150	160	165	164	147	159	165
Nonwhite--	318	39	20	34	24	25	37	22	16	24	21	28	28
Under 28 days-----	1,717	156	140	147	136	158	151	144	139	153	124	138	131
White-----	1,501	132	129	127	115	138	125	130	130	133	109	121	112
Nonwhite--	216	24	11	20	21	20	26	14	9	20	15	17	19
IOWA													
Under 1 year-----	1,049	107	75	93	96	92	89	76	79	86	75	88	93
White-----	1,024	105	74	91	95	88	86	75	79	85	72	86	88
Nonwhite--	25	2	1	2	1	4	3	1	1	1	3	2	5
Under 28 days-----	787	75	44	59	79	73	74	65	71	61	56	63	67
White-----	770	73	44	58	78	69	72	65	71	60	54	63	63
Nonwhite--	17	2	-	1	1	4	2	-	-	1	2	-	4

## SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year-----	801	73	67	86	54	67	61	79	59	65	65	53	72
White-----	715	68	63	77	48	58	54	66	56	57	59	49	60
Nonwhite--	86	5	4	9	6	9	7	13	3	8	6	4	12
Under 28 days-----	602	53	47	56	41	53	50	63	50	48	51	42	48
White-----	547	50	45	49	38	47	46	53	48	43	47	39	42
Nonwhite--	55	3	2	7	3	6	4	10	2	5	4	3	6
KENTUCKY													
Under 1 year-----	1,556	142	142	152	121	138	116	127	113	112	136	133	124
White-----	1,331	122	118	128	105	114	98	105	102	91	117	124	107
Nonwhite--	225	20	24	24	16	24	18	22	11	21	19	9	17
Under 28 days-----	1,066	92	88	93	86	108	87	96	84	79	91	94	68
White-----	930	81	77	79	77	91	76	81	76	63	82	89	58
Nonwhite--	136	11	11	14	9	17	11	15	8	16	9	5	10
LOUISIANA													
Under 1 year-----	2,428	261	221	207	160	184	184	220	186	174	222	207	202
White-----	1,046	102	99	90	83	84	75	98	89	76	84	76	90
Nonwhite--	1,382	159	122	117	77	100	109	122	97	98	138	131	112
Under 28 days-----	1,663	147	125	115	114	137	138	168	144	131	174	147	123
White-----	809	76	68	53	62	71	64	76	71	64	75	57	72
Nonwhite--	854	71	57	62	52	66	74	92	73	67	99	90	51
MAINE													
Under 1 year-----	446	52	40	39	46	28	43	43	29	26	28	33	39
White-----	438	52	40	39	46	27	42	41	29	24	27	33	38
Nonwhite--	8	-	-	-	-	1	1	2	-	2	1	-	1
Under 28 days-----	334	39	28	27	32	20	32	38	22	22	22	21	31
White-----	327	39	28	27	32	20	31	36	22	20	21	21	30
Nonwhite--	7	-	-	-	-	-	1	2	-	2	1	-	1
MARYLAND													
Under 1 year-----	1,823	176	160	164	142	147	159	156	138	154	138	147	142
White-----	1,248	122	99	106	105	98	110	103	88	108	96	108	105
Nonwhite--	575	54	61	58	37	49	49	53	50	46	42	39	37
Under 28 days-----	1,354	116	99	117	105	116	128	129	103	128	106	110	97
White-----	959	86	64	77	78	79	88	91	67	90	78	86	75
Nonwhite--	395	30	35	40	27	37	40	38	36	38	28	24	22
MASSACHUSETTS													
Under 1 year-----	2,227	216	164	206	197	185	188	189	190	178	156	188	170
White-----	2,056	202	147	184	183	171	173	176	177	166	141	177	159
Nonwhite--	171	14	17	22	14	14	15	13	13	12	15	11	11
Under 28 days-----	1,710	150	119	151	144	150	152	151	160	148	117	142	126
White-----	1,587	140	108	135	135	141	138	140	149	139	109	135	118
Nonwhite--	123	10	11	16	9	9	14	11	11	9	8	7	8
MICHIGAN													
Under 1 year-----	3,943	338	320	355	342	311	321	330	340	301	322	337	326
White-----	3,184	274	258	281	273	242	271	252	279	248	247	272	267
Nonwhite--	779	64	62	74	69	69	50	78	61	53	75	65	59
Under 28 days-----	2,911	232	220	235	259	239	251	264	273	227	239	258	214
White-----	2,355	190	171	191	211	187	211	207	231	185	182	214	175
Nonwhite--	556	42	49	44	48	52	40	57	42	42	57	44	39
MINNESOTA													
Under 1 year-----	1,435	124	108	133	128	137	111	120	116	122	106	111	119
White-----	1,384	121	104	126	127	129	106	113	113	121	104	107	113
Nonwhite--	51	3	4	7	1	8	5	7	3	1	2	4	6
Under 28 days-----	1,078	101	71	89	90	101	86	95	86	101	82	85	91
White-----	1,055	99	70	86	90	98	83	92	84	101	81	82	89
Nonwhite--	23	2	1	3	-	3	3	3	2	-	1	3	2
MISSISSIPPI													
Under 1 year-----	2,125	239	197	182	139	141	152	180	158	166	179	174	218
White-----	595	50	47	53	46	47	40	56	54	52	40	57	53
Nonwhite--	1,530	189	150	129	93	94	112	124	104	114	139	117	165
Under 28 days-----	1,283	122	81	104	94	104	105	127	116	115	110	97	108
White-----	471	41	31	41	37	38	31	51	45	44	33	41	38
Nonwhite--	812	81	50	63	57	66	74	76	71	71	77	56	70
MISSOURI													
Under 1 year-----	2,064	185	168	189	161	168	186	165	170	183	156	176	157
White-----	1,531	142	123	130	122	123	137	127	123	127	118	134	125
Nonwhite--	533	43	45	59	39	45	49	38	47	56	38	42	32
Under 28 days-----	1,513	131	102	129	108	128	147	137	134	147	116	126	108
White-----	1,155	99	75	87	83	98	109	111	100	110	91	102	90
Nonwhite--	358	32	27	42	25	30	38	26	34	37	25	24	18
MONTANA													
Under 1 year-----	341	29	30	30	25	29	33	28	39	27	24	22	25
White-----	301	29	26	27	24	27	30	22	34	22	23	16	21
Nonwhite--	40	-	4	3	1	2	3	6	5	5	1	6	4
Under 28 days-----	247	24	20	23	17	25	22	23	29	16	16	15	17
White-----	228	24	19	21	16	25	21	17	27	16	16	11	15
Nonwhite--	19	-	1	2	1	-	1	6	2	-	-	4	2

## SECTION 2 - INFANT MORTALITY

2-27

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEBRASKA</b>													
Under 1 year-----	628	60	43	52	62	43	51	59	55	45	51	45	62
White-----	577	53	39	45	57	40	48	54	53	42	47	42	57
Nonwhite--	51	7	4	7	5	3	3	5	2	3	4	3	5
Under 28 days-----	489	46	32	43	45	33	38	49	48	37	41	30	47
White-----	452	41	29	38	42	30	36	45	46	35	38	29	43
Nonwhite--	37	5	3	5	3	3	2	4	2	2	3	1	4
<b>NEVADA</b>													
Under 1 year-----	235	20	27	17	18	14	15	34	19	17	19	17	18
White-----	196	14	22	11	16	13	14	29	17	15	17	14	14
Nonwhite--	39	6	5	6	2	1	1	5	2	2	2	3	4
Under 28 days-----	184	16	19	10	14	9	10	27	18	16	16	15	16
White-----	156	12	15	9	12	9	9	23	16	14	15	10	12
Nonwhite--	28	4	4	1	2	-	1	4	2	2	1	3	4
<b>NEW HAMPSHIRE</b>													
Under 1 year-----	275	24	25	22	20	26	16	25	25	20	25	22	25
White-----	274	24	25	22	20	26	16	25	25	20	25	21	25
Nonwhite--	1	-	-	-	-	-	-	-	-	-	-	1	-
Under 28 days-----	201	17	15	19	14	19	13	19	19	17	18	17	14
White-----	200	17	15	19	14	19	13	19	19	17	18	16	14
Nonwhite--	1	-	-	-	-	-	-	-	-	-	-	1	-
<b>NEW JERSEY</b>													
Under 1 year-----	2,904	297	238	243	244	236	246	238	232	210	229	268	223
White-----	2,007	210	176	162	161	174	179	162	159	136	167	173	148
Nonwhite--	897	87	62	81	83	62	67	76	73	74	62	95	75
Under 28 days-----	2,185	191	162	174	178	194	197	194	192	166	169	204	164
White-----	1,559	140	128	123	124	147	147	137	133	109	131	126	114
Nonwhite--	626	51	34	51	54	47	50	57	59	57	38	78	50
<b>NEW MEXICO</b>													
Under 1 year-----	655	60	43	52	62	56	61	41	57	57	60	49	57
White-----	535	42	37	43	49	47	46	37	47	47	48	41	51
Nonwhite--	120	18	6	9	13	9	15	4	10	10	12	8	6
Under 28 days-----	431	38	26	35	43	32	40	31	32	35	43	32	44
White-----	384	32	23	31	36	30	35	28	29	34	38	27	41
Nonwhite--	47	6	3	4	7	2	5	3	3	1	5	5	3
<b>NEW YORK</b>													
Under 1 year-----	7,848	740	684	723	656	636	650	631	654	572	604	614	684
White-----	5,676	560	501	510	469	455	485	451	468	399	425	449	504
Nonwhite--	2,172	180	183	213	187	181	165	180	186	173	179	165	180
Under 28 days-----	5,869	497	466	537	477	488	518	499	548	459	457	436	487
White-----	4,287	371	352	388	350	353	381	360	396	326	322	319	369
Nonwhite--	1,582	126	114	149	127	135	137	139	152	133	135	117	118
<b>NORTH CAROLINA</b>													
Under 1 year-----	2,976	318	263	277	229	250	223	206	232	214	252	239	273
White-----	1,464	139	111	135	115	133	110	106	132	111	112	132	128
Nonwhite--	1,512	179	152	142	114	117	113	100	100	103	140	107	145
Under 28 days-----	1,955	158	156	154	162	198	162	159	200	158	152	150	146
White-----	1,119	90	78	90	91	113	85	86	116	93	85	96	96
Nonwhite--	836	68	78	64	71	85	77	73	84	65	67	54	50
<b>NORTH DAKOTA</b>													
Under 1 year-----	280	24	28	23	18	28	28	16	25	24	25	25	16
White-----	252	21	25	21	17	27	22	13	25	21	23	23	14
Nonwhite--	28	3	3	2	1	1	6	3	-	3	2	2	2
Under 28 days-----	207	17	16	18	12	23	21	12	15	20	22	19	12
White-----	188	16	15	16	12	22	16	10	15	18	20	18	10
Nonwhite--	19	1	1	2	-	1	5	2	-	2	2	1	2
<b>OHIO</b>													
Under 1 year-----	4,349	379	375	405	357	397	359	335	352	338	369	310	373
White-----	3,572	314	295	347	297	333	285	272	284	281	315	249	300
Nonwhite--	777	65	80	58	60	64	74	63	68	57	54	61	73
Under 28 days-----	3,222	260	232	285	264	300	289	262	289	260	282	227	272
White-----	2,659	215	181	244	221	259	227	217	236	211	243	180	225
Nonwhite--	563	45	51	41	43	41	62	45	53	49	39	47	47
<b>OKLAHOMA</b>													
Under 1 year-----	990	91	87	91	78	85	91	80	79	70	101	71	66
White-----	787	70	69	68	63	66	73	62	68	58	73	58	59
Nonwhite--	203	21	18	23	15	19	18	18	11	12	28	13	7
Under 28 days-----	694	58	52	57	56	62	74	67	58	57	66	43	44
White-----	567	48	43	44	47	49	60	52	50	49	49	36	40
Nonwhite--	127	10	9	13	9	13	14	15	8	8	17	7	4
<b>OREGON</b>													
Under 1 year-----	695	62	54	69	46	63	58	65	55	52	63	61	47
White-----	659	57	54	63	45	57	57	62	52	51	59	57	45
Nonwhite--	36	5	-	6	1	6	1	3	3	1	4	4	2
Under 28 days-----	477	39	38	40	34	46	47	48	42	40	41	33	28
White-----	455	38	38	38	33	41	46	46	39	39	38	30	29
Nonwhite--	22	1	-	2	1	5	1	2	3	1	3	3	-
<b>PENNSYLVANIA</b>													
Under 1 year-----	4,768	433	387	426	386	416	409	421	383	392	382	341	412
White-----	3,794	344	307	355	299	338	313	339	293	304	298	267	337
Nonwhite--	974	89	80	71	67	78	96	82	90	88	84	74	75
Under 28 days-----	3,616	298	259	303	279	323	331	339	308	320	281	263	312
White-----	2,927	250	210	254	235	260	256	273	240	251	223	211	264
Nonwhite--	689	48	49	49	44	63	75	66	68	69	58	52	48

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1965-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>RHODE ISLAND</b>													
Under 1 year-----	390	37	29	39	28	40	40	32	35	23	28	32	27
White-----	357	35	28	35	25	38	33	30	33	19	25	30	26
Nonwhite--	33	2	1	4	3	2	7	2	2	4	3	2	1
Under 28 days-----	305	29	18	33	19	34	33	29	32	14	18	24	20
White-----	278	27	17	30	17	33	28	27	30	11	16	23	19
Nonwhite--	25	2	1	3	2	1	5	2	2	3	2	1	1
<b>SOUTH CAROLINA</b>													
Under 1 year-----	1,659	185	166	143	114	110	121	121	130	140	141	146	142
White-----	694	71	62	50	45	62	70	55	57	58	46	61	57
Nonwhite--	965	114	104	93	69	48	51	66	73	82	95	85	85
Under 28 days-----	994	79	77	71	76	82	95	90	89	94	90	77	74
White-----	528	44	42	33	37	48	61	44	45	50	36	44	44
Nonwhite--	466	35	35	38	39	34	34	46	44	44	54	33	30
<b>SOUTH DAKOTA</b>													
Under 1 year-----	315	24	24	29	34	31	28	27	21	23	34	16	26
White-----	242	17	15	19	26	27	22	16	16	20	27	15	22
Nonwhite--	73	7	9	10	8	4	6	11	5	3	7	1	4
Under 28 days-----	209	18	14	17	27	19	17	19	12	17	21	11	17
White-----	180	14	9	15	21	19	16	14	11	16	18	10	17
Nonwhite--	29	4	5	2	6	-	1	5	1	1	3	1	-
<b>TENNESSEE</b>													
Under 1 year-----	2,044	190	181	189	165	161	152	164	156	162	177	182	165
White-----	1,345	113	113	120	121	103	96	118	100	109	123	123	106
Nonwhite--	699	77	68	69	44	58	56	46	56	53	54	59	59
Under 28 days-----	1,422	120	102	111	125	120	118	130	120	118	123	122	113
White-----	982	75	75	79	93	79	78	96	80	79	85	85	78
Nonwhite--	440	45	27	32	32	41	40	34	40	39	38	37	35
<b>TEXAS</b>													
Under 1 year-----	5,608	511	425	511	412	479	427	487	449	474	468	479	486
White-----	4,161	394	310	373	312	354	331	368	336	337	343	356	357
Nonwhite--	1,447	127	115	138	100	125	96	119	113	137	125	123	129
Under 28 days-----	3,874	306	259	340	280	336	320	375	350	359	321	327	301
White-----	2,947	239	200	261	219	253	256	287	259	262	237	242	232
Nonwhite--	927	67	59	79	61	83	64	88	91	97	84	85	69
<b>UTAH</b>													
Under 1 year-----	416	42	41	33	40	31	31	32	29	40	29	28	40
White-----	385	38	38	28	37	28	28	27	29	40	28	27	37
Nonwhite--	31	4	3	5	3	3	3	5	-	-	1	1	3
Under 28 days-----	302	31	28	23	32	24	23	24	17	30	20	21	29
White-----	288	29	27	20	31	24	21	22	17	30	19	20	28
Nonwhite--	14	2	1	3	1	-	2	2	-	-	1	1	1
<b>VERMONT</b>													
Under 1 year-----	178	19	18	16	9	26	10	15	11	18	17	6	13
White-----	178	19	18	16	9	26	10	15	11	18	17	6	13
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days-----	131	13	12	10	7	22	9	9	8	14	12	5	10
White-----	131	13	12	10	7	22	9	9	8	14	12	5	10
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>													
Under 1 year-----	2,365	234	198	222	176	199	179	205	188	173	199	188	204
White-----	1,489	135	112	148	112	122	115	139	123	111	124	117	131
Nonwhite--	876	99	86	74	64	77	64	66	65	62	75	71	73
Under 28 days-----	1,678	137	126	148	129	156	146	158	141	130	137	134	136
White-----	1,128	95	79	100	86	98	94	112	98	92	86	94	94
Nonwhite--	550	42	47	48	43	58	52	46	43	38	51	40	42
<b>WASHINGTON</b>													
Under 1 year-----	1,132	106	86	107	92	93	87	80	81	91	110	96	103
White-----	1,010	98	81	98	84	78	74	70	71	79	100	89	89
Nonwhite--	122	8	5	9	8	15	13	10	10	12	10	7	15
Under 28 days-----	803	69	64	66	64	62	67	60	61	64	81	73	72
White-----	721	65	60	59	60	52	60	52	54	58	74	67	60
Nonwhite--	82	4	4	7	4	10	7	8	7	6	7	6	12
<b>WEST VIRGINIA</b>													
Under 1 year-----	862	63	64	91	76	67	72	78	81	57	78	65	70
White-----	794	60	59	80	72	65	64	73	72	50	74	57	68
Nonwhite--	68	3	5	11	4	2	8	5	9	7	4	8	2
Under 28 days-----	648	39	44	57	60	59	61	65	64	44	60	46	49
White-----	596	38	40	51	56	58	54	61	55	38	57	40	48
Nonwhite--	52	1	4	6	4	1	7	4	9	6	3	6	1
<b>WISCONSIN</b>													
Under 1 year-----	1,615	165	136	176	165	139	144	146	157	160	146	137	144
White-----	1,707	157	130	168	150	135	135	135	148	148	137	130	134
Nonwhite--	108	8	6	8	15	4	9	11	9	12	9	7	10
Under 28 days-----	1,368	125	97	123	116	104	117	113	134	128	111	99	101
White-----	1,301	122	93	118	105	102	111	104	130	119	105	95	97
Nonwhite--	67	3	4	5	11	2	6	9	4	9	6	4	4
<b>WYOMING</b>													
Under 1 year-----	145	17	8	20	12	7	7	15	13	15	12	13	6
White-----	133	16	7	17	12	7	7	14	11	13	12	11	6
Nonwhite--	12	1	1	3	-	-	-	1	2	2	-	2	-
Under 28 days-----	107	13	3	14	9	4	6	12	9	13	8	10	6
White-----	99	12	3	13	9	4	6	11	7	11	8	9	6
Nonwhite--	8	1	-	1	-	-	-	1	2	2	-	1	-

## SECTION 2 - INFANT MORTALITY

2-29

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month:  
United States, 1965

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year—all causes-----	92,866	8,780	7,800	8,410	7,377	7,693	7,520	7,696	7,405	7,300	7,593	7,395	7,897
Dysentery, all forms-----045-048	85	9	5	3	6	8	6	8	7	8	12	7	6
Septicemia and pyemia-----053	338	41	32	28	24	35	18	18	14	28	30	29	41
Whooping cough-----056	42	4	8	3	-	5	2	2	6	4	4	3	1
Meningococcal infections-----057	274	26	33	32	28	23	15	11	16	12	22	20	36
Tetanus-----061	25	2	1	-	2	3	4	3	1	3	4	1	1
Other infective and parasitic diseases-----001-044,049-052,054,055,059-060,062-138	505	52	60	57	41	44	33	42	23	30	41	50	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	226	16	22	25	13	26	25	21	14	12	14	13	25
Benign neoplasms and neoplasms of unspecified nature-----210-239	105	14	9	7	9	11	7	6	7	8	6	13	8
Diseases of thymus gland-----273	55	5	3	9	3	3	1	5	9	4	6	4	3
Meningitis, except meningococcal and tuberculous-----340	844	103	77	85	67	73	52	50	49	52	74	79	83
Other diseases of nervous system and sense organs-----330-334,341-398	704	67	58	67	56	51	56	57	56	53	61	52	70
Acute upper respiratory infections-----470-475	328	45	36	40	34	20	23	18	15	14	20	28	35
Influenza and pneumonia, except pneumonia of newborn-----480-493	8,036	1,105	1,029	994	646	475	431	380	353	413	598	704	908
Influenza-----480-483	182	27	39	38	13	7	3	3	3	5	14	18	12
Pneumonia, except pneumonia of newborn-----490-493	7,854	1,078	990	956	633	468	428	377	350	408	584	686	896
Bronchitis-----500-502	470	81	73	60	36	25	25	25	19	18	26	37	45
Other diseases of respiratory system-----510-522,525-527	1,643	180	165	202	124	130	84	120	93	105	128	140	172
Pulmonary congestion and hypostasis-----522	199	18	14	22	22	27	12	16	9	10	17	17	15
Other chronic interstitial pneumonia-----525	1,080	130	112	133	75	74	57	76	59	68	83	92	121
Bronchiectasis-----526	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	232	20	25	30	18	16	10	16	12	13	22	24	24
All other diseases of respiratory system-----510-521,527.1	131	12	13	17	9	11	5	12	13	14	6	7	12
Hernia and intestinal obstruction-----560,561,570	852	83	65	81	70	69	61	69	85	68	64	76	61
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,709	227	173	170	87	118	91	129	120	133	138	159	164
Other diseases of digestive system-----530-542,544-553,573-587	378	34	30	38	19	22	38	45	27	35	26	35	29
Congenital malformations-----750-759	13,443	1,282	1,157	1,176	1,067	1,056	1,093	1,099	1,052	1,184	1,100	1,065	1,112
Spina bifida and meningocele-----751	1,153	120	108	102	78	91	85	115	79	113	90	78	94
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,105	93	86	103	100	80	88	83	86	96	107	89	94
Congenital malformations of circulatory system-----754	6,565	675	576	580	513	538	539	506	502	559	524	522	531
Other congenital malformations-----750,755-759	4,620	394	387	391	376	347	381	395	385	416	379	376	393
Certain diseases of early infancy-----760-776	55,375	4,658	4,092	4,642	4,505	4,926	4,945	5,023	4,872	4,556	4,554	4,247	4,355
Birth injuries-----760,761	7,718	664	562	645	649	677	686	704	701	606	638	560	626
Without mention of immaturity (.0)-----	2,927	260	218	241	224	247	233	277	275	232	254	227	239
With immaturity (.5)-----	4,791	404	344	404	425	430	453	427	426	374	384	333	387
Intracranial and spinal injury at birth-----760	2,463	201	183	208	198	203	207	231	229	192	208	201	211
Without mention of immaturity (.0)-----	1,355	120	104	114	96	117	99	123	128	115	118	114	107
With immaturity (.5)-----	1,108	81	79	94	102	86	108	108	92	77	90	87	104
Other birth injury-----761	5,255	463	379	437	451	474	479	473	481	414	430	359	415
Without mention of immaturity (.0)-----	1,572	140	114	127	128	130	134	154	147	117	136	113	132
With immaturity (.5)-----	3,683	323	265	310	323	344	345	319	334	297	294	246	283
Postnatal asphyxia and atelectasis-----762	15,429	1,281	1,158	1,316	1,243	1,391	1,452	1,427	1,286	1,250	1,220	1,205	1,200
Without mention of immaturity (.0)-----	4,107	359	303	362	288	325	379	381	356	360	327	323	344
With immaturity (.5)-----	11,322	922	855	954	955	1,066	1,073	1,046	930	890	893	882	856
Pneumonia of newborn-----763	2,773	283	235	252	207	231	199	215	250	243	208	215	237
Without mention of immaturity (.0)-----	1,987	200	174	195	145	163	141	149	181	167	147	157	168
With immaturity (.5)-----	786	83	61	57	62	68	58	66	69	76	61	56	69
Diarrhea of newborn-----764	367	40	26	22	17	13	28	23	44	46	61	28	19
Without mention of immaturity (.0)-----	292	32	24	18	11	12	22	21	32	36	48	25	13
With immaturity (.5)-----	75	8	2	4	6	1	6	2	12	10	13	5	6
Other infections of newborn-----765-768	786	65	52	60	63	63	64	70	76	76	73	70	54
Without mention of immaturity (.0)-----	436	44	30	32	33	38	28	40	43	41	43	38	28
With immaturity (.5)-----	350	21	22	28	30	25	36	30	33	35	30	32	28
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	708	68	76	60	55	75	74	44	49	64	52	46	45
Without mention of immaturity (.0-.4)-----	301	27	36	28	17	31	30	23	25	23	21	17	23
With immaturity (.5-.9)-----	407	41	40	32	38	44	44	21	24	41	31	29	22
Hemolytic disease of newborn (erythroblastosis)-----770	1,476	142	107	133	93	131	123	137	132	104	117	125	132
Without mention of immaturity (.0-.2)-----	1,068	95	61	101	58	90	90	102	101	75	91	88	96
With immaturity (.5-.7)-----	408	47	26	32	35	41	33	35	31	29	26	37	36
Hemorrhagic disease of newborn-----771	476	36	39	41	40	40	33	35	40	46	45	44	37
Without mention of immaturity (.0)-----	272	20	29	26	18	20	19	23	20	28	26	23	20
With immaturity (.5)-----	204	16	10	15	22	20	14	12	20	18	19	21	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,132	837	702	786	762	908	900	930	928	853	876	814	836
Without mention of immaturity (.0)-----	2,542	232	194	211	164	187	206	231	222	221	210	218	246
With immaturity (.5)-----	7,590	605	508	575	598	721	694	699	706	632	666	596	590
Immaturity with mention of any other subsidiary condition-----774	1,079	100	89	78	83	102	90	102	80	97	88	78	92
Immaturity, unqualified-----776	14,431	1,142	1,046	1,249	1,293	1,295	1,296	1,336	1,286	1,171	1,176	1,064	1,077
Symptoms and ill-defined conditions-----780-793,795	2,369	254	227	229	178	166	169	173	133	163	201	220	256
All other diseases-----Residual	1,531	156	143	147	103	148	90	107	134	104	129	112	158
Accidents-----E800-E962	3,316	316	281	297	237	243	240	268	275	269	318	287	285
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	681	73	60	50	61	54	49	50	42	60	64	58	60
Accidental mechanical suffocation in bed and cradle-----E924	700	68	63	71	51	49	47	44	58	55	60	61	73
Other accidental causes-----E800-E920,E923,E925-E962	1,935	175	158	176	125	140	144	174	175	154	194	168	152
Homicide-----E964,E980-E984	213	20	21	18	22	13	11	17	25	24	17	14	11



SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month:  
United States, 1965—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days—all causes-----	66,419	5,602	4,929	5,576	5,345	5,807	5,870	6,018	5,827	5,618	5,453	5,139	5,235
Dysentery, all forms-----045-048	4	-	-	-	-	-	-	-	1	2	1	-	-
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	24	1	2	2	3	4	3	1	-	2	3	1	2
Tetanus-----061	24	2	1	-	2	3	4	2	1	3	4	1	1
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	87	9	6	4	7	6	9	11	6	6	10	9	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	34	3	4	3	2	3	2	5	4	4	1	2	1
Benign neoplasms and neoplasms of unspecified nature-----210-239	57	6	5	4	6	5	4	4	4	2	5	9	3
Diseases of thymus gland-----273	15	2	1	2	-	-	-	2	4	1	1	1	1
Meningitis, except meningococcal and tuberculous-----340	248	26	12	19	15	23	17	27	15	25	20	26	23
Other diseases of nervous system and sense organs-----330-334,341-398	52	7	2	1	3	5	9	10	3	4	4	2	2
Acute upper respiratory infections-----470-475	27	5	3	1	4	-	4	-	1	3	3	1	2
Influenza and pneumonia, except pneumonia of newborn-----480-493	14	2	3	4	-	-	1	-	-	1	-	3	-
Influenza-----480-483	14	2	3	4	-	-	1	-	-	1	-	3	-
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	30	6	5	2	3	-	3	1	-	1	3	3	3
Other diseases of respiratory system-----510-522,525-527	159	6	13	19	15	14	5	17	16	14	17	12	11
Pulmonary congestion and hypostasis-----522	44	2	4	6	4	7	3	6	2	-	5	4	1
Other chronic interstitial pneumonia-----525	16	-	1	1	4	-	-	1	2	2	2	1	2
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	36	1	3	5	2	3	1	2	3	4	5	3	4
All other diseases of respiratory system-----510-521,527.1	63	3	5	7	5	4	1	8	9	8	5	4	4
Hernia and intestinal obstruction-----560,561,570	629	62	42	58	41	55	46	53	65	54	51	56	46
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	7	-	-	1	2	-	-	1	1	1	-	-	1
Other diseases of digestive system-----530-542,544-553,573-597	181	11	17	13	9	10	24	24	13	18	11	15	16
Congenital malformations-----750-759	8,775	772	706	741	661	695	743	759	733	858	692	703	712
Spina bifida and meningocele-----751	660	66	58	51	41	51	42	78	51	76	42	46	58
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	598	40	40	56	45	45	54	53	48	55	47	53	52
Congenital malformations of circulatory system-----754	3,812	367	305	321	269	312	338	304	323	371	304	312	286
Other congenital malformations-----750,755-759	3,715	299	303	313	306	297	309	324	311	356	299	292	316
Certain diseases of early infancy-----760-776	54,210	4,527	3,960	4,542	4,422	4,840	4,862	4,940	4,799	4,453	4,456	4,162	4,247
Birth injuries-----760,761	7,708	663	562	644	648	676	685	704	700	805	636	560	625
Without mention of immaturity (.0)-----	2,921	259	218	240	223	247	232	277	274	232	254	227	258
With immaturity (.5)-----	4,787	404	344	404	425	429	453	427	426	573	382	333	367
Intracranial and spinal injury at birth-----760	2,463	201	183	208	198	203	207	231	220	192	206	201	211
Without mention of immaturity (.0)-----	1,355	120	104	114	96	117	99	123	128	115	118	114	107
With immaturity (.5)-----	1,108	81	79	94	102	86	108	108	92	77	90	87	104
Other birth injury-----761	5,245	462	379	436	450	473	478	473	480	413	428	359	414
Without mention of immaturity (.0)-----	1,566	139	114	126	127	130	133	154	146	117	136	113	131
With immaturity (.5)-----	3,679	323	265	310	323	343	345	319	334	296	292	246	283
Postnatal asphyxia and atelectasis-----762	15,166	1,247	1,132	1,297	1,221	1,376	1,426	1,402	1,275	1,227	1,199	1,186	1,178
Without mention of immaturity (.0)-----	3,908	333	283	344	270	313	360	365	346	346	311	307	330
With immaturity (.5)-----	11,258	914	849	953	951	1,063	1,066	1,037	929	881	888	879	848
Pneumonia of newborn-----763	2,773	283	235	252	207	231	199	231	215	250	243	208	237
Without mention of immaturity (.0)-----	1,987	200	174	195	145	163	141	149	181	167	147	157	168
With immaturity (.5)-----	786	83	61	57	62	68	58	66	69	76	61	56	69
Diarrhea of newborn-----764	366	40	26	22	17	13	28	23	43	46	61	28	19
Without mention of immaturity (.0)-----	291	32	24	18	11	12	22	21	31	36	46	23	13
With immaturity (.5)-----	75	8	2	4	6	1	6	2	12	10	15	5	6
Other infections of newborn-----765-768	784	65	52	60	62	62	64	70	76	76	73	70	54
Without mention of immaturity (.0)-----	435	44	30	32	33	37	28	40	43	41	43	38	26
With immaturity (.5)-----	349	21	22	28	29	25	36	30	33	35	30	32	28
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	625	62	64	49	44	63	66	43	44	61	49	41	39
Without mention of immaturity (.0-.4)-----	219	22	24	17	6	19	22	22	20	20	18	12	17
With immaturity (.5-.9)-----	406	40	40	32	38	44	44	21	24	41	31	29	22
Hemolytic disease of newborn (erythroblastosis)-----770	1,464	138	107	132	93	130	122	137	131	104	115	123	132
Without mention of immaturity (.0-.2)-----	1,057	92	81	100	58	89	89	102	100	75	89	86	96
With immaturity (.5-.7)-----	407	46	26	32	35	41	33	35	31	29	26	37	36
Hemorrhagic disease of newborn-----771	469	35	39	39	40	39	32	35	40	46	44	43	37
Without mention of immaturity (.0)-----	265	19	29	24	18	19	18	23	20	28	25	22	20
With immaturity (.5)-----	204	16	10	15	22	20	14	12	20	18	19	21	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	9,584	774	642	740	728	874	867	893	891	797	825	774	779
Without mention of immaturity (.0)-----	2,067	175	138	170	135	156	178	202	189	174	168	165	197
With immaturity (.5)-----	7,517	599	504	570	593	718	689	691	702	623	657	589	582
Immaturity with mention of any other subsidiary condition-----774	912	83	63	63	73	88	82	90	71	82	74	66	77
Immaturity, unqualified-----776	14,359	1,137	1,038	1,244	1,289	1,288	1,291	1,328	1,278	1,166	1,172	1,058	1,070
Symptoms and ill-defined conditions-----780-793,795	737	63	58	72	69	59	64	62	60	57	59	57	57
All other diseases-----Residual	529	47	36	46	37	50	29	45	50	47	47	42	53
Accidents-----E800-E862	454	33	42	33	29	28	32	44	39	47	57	27	43
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	121	7	12	8	8	9	8	13	6	14	15	8	13
Accidental mechanical suffocation in bed and cradle-----E924	66	3	7	5	4	6	2	4	7	6	12	2	8
Other accidental causes-----E800-E920,E923,E925-E962	267	23	23	20	17	13	22	27	26	27	30	17	22
Homicide-----E964,E980-E984	122	12	11	9	15	7	9	10	12	15	8	7	7

## SECTION 2 - INFANT MORTALITY

2-31

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month:  
United States, 1965--Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days to 11 months--all causes	26,447	3,178	2,871	2,834	2,032	1,886	1,650	1,678	1,578	1,682	2,140	2,256	2,662
Dysentery, all forms.....045-048	81	9	5	3	6	8	6	8	6	6	11	7	6
Septicemia and pyemia.....053	338	41	32	28	24	35	18	18	14	28	30	29	41
Whooping cough.....056	42	4	8	3	-	5	2	2	6	4	4	3	1
Meningococcal infections.....057	250	25	31	30	25	19	12	10	16	10	19	19	34
Tetanus.....061	1	-	-	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases.....001-044,049-052,054,055,058-060,062-138	418	43	54	53	34	38	24	31	17	24	31	41	28
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	192	13	18	22	11	23	23	16	10	8	13	11	24
Benign neoplasms and neoplasms of unspecified nature.....210-239	48	8	4	3	3	6	3	2	3	6	1	4	5
Diseases of thymus gland.....273	40	3	2	7	3	3	1	3	5	3	5	3	2
Meningitis, except meningococcal and tuberculous.....340	596	77	65	66	52	50	35	23	34	27	54	53	60
Other diseases of nervous system and sense organs.....330-334,341-398	652	60	56	66	53	46	47	47	53	49	57	50	68
Acute upper respiratory infections.....470-475	301	40	33	39	30	20	19	18	14	11	17	27	33
Influenza and pneumonia, except pneumonia of newborn.....480-493	8,022	1,103	1,026	990	646	475	430	380	353	412	598	701	908
Influenza.....480-483	168	25	36	34	13	7	2	3	3	4	14	15	12
Pneumonia, except pneumonia of newborn.....490-493	7,854	1,078	990	956	633	468	428	377	350	408	584	686	896
Bronchitis.....500-502	440	75	68	58	33	25	22	24	19	17	23	34	42
Other diseases of respiratory system.....510-522,525-527	1,484	174	152	183	109	116	79	103	77	91	111	128	161
Pulmonary congestion and hypostasis.....522	155	16	10	16	18	20	9	10	7	10	12	13	14
Other chronic interstitial pneumonia.....525	1,064	130	111	132	71	74	57	75	57	66	81	91	119
Bronchiectasis.....526	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity.....527.2	196	19	22	25	16	15	9	14	9	9	17	21	20
All other diseases of respiratory system.....510-521,527.1	68	9	8	10	4	7	4	4	6	1	3	3	8
Hernia and intestinal obstruction.....560,561,570	223	21	23	23	29	14	15	16	20	14	13	20	15
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	1,702	227	173	169	85	118	91	128	119	132	138	159	163
Other diseases of digestive system.....530-542,544-553,573,587	197	23	13	25	10	12	14	21	14	17	15	20	13
Congenital malformations.....750-759	4,668	510	451	435	406	361	350	340	319	326	408	362	400
Spina bifida and meningocele.....751	493	54	50	51	37	40	43	37	28	37	48	32	36
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	517	53	46	47	55	35	34	30	39	41	60	36	42
Congenital malformations of circulatory system.....754	2,753	308	271	259	244	226	201	202	179	188	220	210	245
Other congenital malformations.....750,755-759	905	95	84	78	70	60	72	71	74	60	80	84	77
Certain diseases of early infancy.....760-776	1,165	131	132	100	83	86	83	63	73	103	98	85	108
Birth injuries.....760,761	10	1	-	1	1	1	-	1	1	2	-	-	1
Without mention of immaturity (.0).....761	6	1	-	1	1	1	-	1	1	2	-	-	1
With immaturity (.5).....761	4	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial and spinal injury at birth.....760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0).....761	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5).....761	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury.....761	10	1	-	1	1	1	1	-	1	1	2	-	1
Without mention of immaturity (.0).....761	6	1	-	1	1	1	1	-	1	1	2	-	1
With immaturity (.5).....761	4	-	-	-	-	-	-	-	-	-	-	-	-
Postnatal asphyxia and atelectasis.....762	263	34	26	19	22	15	26	25	11	23	21	19	22
Without mention of immaturity (.0).....762	199	26	20	18	18	12	19	16	10	14	16	16	14
With immaturity (.5).....762	64	8	6	1	4	3	7	9	1	9	5	3	8
Pneumonia of newborn.....763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0).....763	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5).....763	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn.....764	1	-	-	-	-	-	-	-	1	-	-	-	-
Without mention of immaturity (.0).....764	1	-	-	-	-	-	-	-	1	-	-	-	-
With immaturity (.5).....764	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn.....765-768	2	-	-	-	1	1	-	-	-	-	-	-	-
Without mention of immaturity (.0).....765	1	-	-	-	-	1	-	-	-	-	-	-	-
With immaturity (.5).....765	1	-	-	-	1	-	-	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy.....769	83	6	12	11	11	12	8	1	5	3	3	5	6
Without mention of immaturity (.0-.4).....769	82	5	12	11	11	12	8	1	5	3	3	5	6
With immaturity (.5-.9).....769	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis).....770	12	4	-	1	-	1	1	-	1	-	2	2	-
Without mention of immaturity (.0-.2).....770	11	3	-	1	-	1	1	-	1	-	2	2	-
With immaturity (.5-.7).....770	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn.....771	7	1	-	2	-	1	1	-	-	-	1	1	-
Without mention of immaturity (.0).....771	7	1	-	2	-	1	1	-	-	-	1	1	-
With immaturity (.5).....771	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	548	63	60	46	34	34	33	37	37	56	51	40	57
Without mention of immaturity (.0).....772	475	57	56	41	29	31	28	29	33	47	42	33	49
With immaturity (.5).....773	73	6	4	5	5	3	5	8	4	9	9	7	8
Immaturity with mention of any other subsidiary condition.....774	167	17	26	15	10	14	8	12	9	15	14	12	15
Immaturity, unqualified.....776	72	5	8	5	4	7	5	8	8	5	4	6	7
Symptoms and ill-defined conditions.....780-793,795	1,632	191	169	157	109	107	105	111	73	106	142	163	199
All other diseases.....Residual	1,002	109	107	101	66	98	61	62	84	57	82	70	105
Accidents.....E800-E962	2,862	283	239	264	208	215	208	224	236	222	261	260	242
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	560	66	48	42	53	45	41	37	36	46	49	50	47
Accidental mechanical suffocation in bed and cradle.....E924	634	65	56	66	47	43	45	40	51	49	48	59	65
Other accidental causes.....E800-E920,E923,E925-E962	1,668	152	135	156	108	127	122	147	149	127	164	151	130
Homicide.....E964,E980-E984	91	8	10	9	7	6	2	7	13	9	9	7	4

## SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Cause of death, age, and color	All counties <sup>a</sup>			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 1 year—all causes-----	92,866	51,324	41,542	57,964	43,052	14,912	34,902	8,272	26,630
Dysentery, all forms-----045-048	85	25	60	19	18	1	66	7	59
Septicemia and pyemia-----053	338	168	170	181	144	37	157	24	133
Whooping cough-----056	42	16	26	18	13	5	24	3	21
Meningococcal infections-----057	274	143	131	168	115	53	106	28	78
Tetanus-----061	25	7	18	9	3	6	16	4	12
Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	505	218	287	265	176	89	240	42	198
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	226	110	116	145	98	47	81	12	69
Benign neoplasms and neoplasms of unspecified nature-----210-239	105	51	54	65	42	23	40	9	31
Diseases of thymus gland-----273	55	29	26	35	25	10	20	4	16
Meningitis, except meningococcal and tuberculous-----340	844	453	391	545	395	150	299	58	241
Other diseases of nervous system and sense organs-----330-334,341-388	704	378	326	434	320	114	270	58	212
Acute upper respiratory infections-----470-475	328	193	135	199	189	30	129	24	105
Influenza and pneumonia, except pneumonia of newborn-----480-493	8,036	4,101	3,935	4,536	3,402	1,134	3,500	699	2,801
Influenza-----480-483	182	52	130	47	29	18	135	23	112
Pneumonia, except pneumonia of newborn-----490-493	7,854	4,049	3,805	4,489	3,373	1,116	3,365	676	2,689
Bronchitis-----500-502	470	245	225	294	212	82	176	33	143
Other diseases of respiratory system-----510-522,525-527	1,643	959	684	1,164	843	321	479	116	363
Pulmonary congestion and hypostasis-----522	199	129	70	140	109	31	59	20	39
Other chronic interstitial pneumonia-----525	1,080	659	421	824	592	232	256	67	189
Bronchiectasis-----526	1	1	-	1	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	232	98	134	110	82	28	122	16	106
All other diseases of respiratory system-----510-521,527.1	131	72	59	89	59	30	42	13	29
Hernia and intestinal obstruction-----560,561,570	852	467	385	559	400	159	293	67	226
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,709	653	1,056	669	495	174	1,040	158	882
Other diseases of digestive system-----530-542,544-553,573-587	378	207	171	228	175	53	150	32	118
Congenital malformations-----750-759	13,443	7,459	5,984	8,761	6,292	2,469	4,662	1,167	3,515
Spina bifida and meningocele-----751	1,153	624	529	715	508	207	438	116	322
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,105	612	493	705	515	190	400	97	303
Congenital malformations of circulatory system-----754	6,585	3,621	2,944	4,309	3,078	1,231	2,256	543	1,713
Other congenital malformations-----750,755-759	4,620	2,602	2,018	3,032	2,191	841	1,588	411	1,177
Certain diseases of early infancy-----760-776	55,375	31,943	23,432	35,769	26,947	8,822	19,606	4,996	14,610
Birth injuries-----760,761	7,718	4,287	3,431	4,937	3,556	1,381	2,781	731	2,050
Without mention of immaturity (.0)-----	2,927	1,538	1,389	1,793	1,281	512	1,134	257	877
With immaturity (.5)-----	4,791	2,749	2,042	3,144	2,275	869	1,647	474	1,173
Intracranial and spinal injury at birth-----760	2,463	1,499	964	1,742	1,307	435	721	192	529
Without mention of immaturity (.0)-----	1,355	745	610	872	628	244	483	117	366
With immaturity (.5)-----	1,108	754	354	870	679	191	238	75	163
Other birth injury-----761	5,255	2,788	2,467	3,195	2,249	946	2,060	539	1,521
Without mention of immaturity (.0)-----	1,572	793	779	921	653	268	651	140	511
With immaturity (.5)-----	3,683	1,995	1,688	2,274	1,596	678	1,409	399	1,010
Postnatal asphyxia and atelectasis-----762	15,429	9,383	6,046	10,637	8,078	2,559	4,792	1,305	3,487
Without mention of immaturity (.0)-----	4,107	2,264	1,843	2,563	1,884	679	1,544	380	1,164
With immaturity (.5)-----	11,322	7,119	4,203	8,074	6,194	1,880	3,248	925	2,323
Pneumonia of newborn-----763	2,773	1,549	1,224	1,711	1,323	388	1,062	226	836
Without mention of immaturity (.0)-----	1,987	1,110	877	1,225	954	271	762	156	606
With immaturity (.5)-----	786	439	347	486	369	117	300	70	230
Diarrhea of newborn-----764	367	159	208	144	117	27	223	42	181
Without mention of immaturity (.0)-----	292	127	165	111	89	22	181	38	143
With immaturity (.5)-----	75	32	43	33	28	5	42	4	38
Other infections of newborn-----765-768	786	471	315	539	419	120	247	52	195
Without mention of immaturity (.0)-----	436	245	191	276	214	62	180	31	129
With immaturity (.5)-----	350	226	124	263	205	58	87	21	66
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	708	371	337	428	308	120	280	63	217
Without mention of immaturity (.0-.4)-----	301	159	142	187	125	52	114	24	90
With immaturity (.5-.9)-----	407	212	195	241	173	68	166	39	127
Hemolytic disease of newborn (erythroblastosis)-----770	1,476	781	695	999	671	328	477	110	367
Without mention of immaturity (.0-.2)-----	1,068	561	507	707	472	235	361	89	272
With immaturity (.5-.7)-----	408	220	188	292	199	93	116	21	95
Hemorrhagic disease of newborn-----771	476	281	195	316	245	71	160	36	124
Without mention of immaturity (.0)-----	272	146	126	179	128	51	93	18	75
With immaturity (.5)-----	204	135	69	137	117	20	67	18	49
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,132	5,530	4,602	6,121	4,560	1,561	4,011	970	3,041
Without mention of immaturity (.0)-----	2,542	1,182	1,360	1,294	920	374	1,248	262	986
With immaturity (.5)-----	7,590	4,348	3,242	4,827	3,640	1,187	2,763	708	2,055
Immaturity with mention of any other subsidiary condition-----774	1,079	641	438	734	557	177	345	84	261
Immaturity, unqualified-----776	14,431	8,490	5,941	9,203	7,113	2,090	5,228	1,377	3,851
Symptoms and ill-defined conditions-----780-793,795	2,369	995	1,374	1,060	775	285	1,309	220	1,089
All other diseases-----Residual	1,531	794	737	913	645	268	618	149	469
Accidents-----E800-E962	3,316	1,576	1,740	1,770	1,228	542	1,546	348	1,198
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	681	314	367	362	234	128	319	80	239
Accidental mechanical suffocation in bed and cradle-----E924	700	319	381	320	226	94	390	93	287
Other accidental causes-----E800-E920,E923,E925-E962	1,935	943	992	1,088	768	320	847	175	672
Homicide-----E964,E980-E984	213	134	79	158	120	38	55	14	41

## SECTION 2 - INFANT MORTALITY

2-33

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year—all causes-----	67,198	35,118	32,080	41,766	28,768	12,998	25,432	6,350	19,082
Dysentery, all forms-----045-048	32	12	20	8	8	-	24	4	20
Septicemia and pyemia-----053	203	94	109	106	78	28	97	16	81
Whooping cough-----056	20	11	9	12	10	2	8	1	7
Meningococcal infections-----057	223	115	108	137	90	47	86	25	61
Tetanus-----061	12	3	9	5	2	3	7	1	6
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	351	146	205	190	115	75	161	31	130
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	197	91	106	128	61	47	69	10	59
Benign neoplasms and neoplasms of unspecified nature-----210-239	88	44	44	57	36	21	31	8	23
Diseases of thymus gland-----273	44	19	25	25	15	10	19	4	15
Meningitis, except meningococcal and tuberculous-----340	538	273	265	352	234	118	186	39	147
Other diseases of nervous system and sense organs-----330-334,341-398	524	279	245	323	231	92	201	48	153
Acute upper respiratory infections-----470-475	209	139	79	138	116	22	71	14	57
Influenza and pneumonia, except pneumonia of newborn-----480-493	4,739	2,359	2,380	2,802	1,926	876	1,937	433	1,504
Influenza-----480-483	65	13	52	21	10	11	44	3	41
Pneumonia, except pneumonia of newborn-----490-493	4,674	2,346	2,328	2,781	1,916	865	1,893	430	1,463
Bronchitis-----500-502	319	157	162	201	132	69	118	25	93
Other diseases of respiratory system-----510-522,525-527	1,092	586	506	765	504	261	327	82	245
Pulmonary congestion and hypostasis-----522	140	85	55	96	70	26	44	15	29
Other chronic interstitial pneumonia-----525	701	384	317	515	334	181	186	50	136
Bronchiectasis-----526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	149	66	83	80	56	24	69	10	59
All other diseases of respiratory system-----510-521,527.1	101	50	51	73	43	30	28	7	21
Hernia and intestinal obstruction-----560,561,570	710	380	330	471	325	146	239	55	184
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	748	306	442	344	236	108	404	70	334
Other diseases of digestive system-----530-542,544-553,573-587	243	122	121	145	98	47	98	24	74
Congenital malformations-----750-759	11,420	6,056	5,364	7,310	5,003	2,307	4,110	1,053	3,057
Spina bifida and meningocele-----751	1,063	563	500	649	451	198	414	112	302
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	914	492	422	579	408	171	335	84	251
Congenital malformations of circulatory system-----754	5,478	2,844	2,634	3,492	2,350	1,142	1,996	494	1,492
Other congenital malformations-----750,755-759	3,965	2,157	1,808	2,590	1,794	796	1,375	363	1,012
Certain diseases of early infancy-----760-776	40,846	21,761	19,085	25,601	17,820	7,781	15,245	3,941	11,304
Birth injuries-----760,761	6,201	3,210	2,991	3,869	2,587	1,272	2,332	613	1,719
Without mention of immaturity (.0)-----	2,289	1,134	1,155	1,400	930	470	889	204	685
With immaturity (.5)-----	3,912	2,076	1,836	2,469	1,667	802	1,443	409	1,034
Intracranial and spinal injury at birth-----760	1,800	1,004	796	1,230	845	385	570	159	411
Without mention of immaturity (.0)-----	1,042	543	499	669	447	222	373	96	277
With immaturity (.5)-----	758	461	297	561	398	153	197	63	134
Other birth injury-----761	4,401	2,206	2,195	2,639	1,752	887	1,762	454	1,308
Without mention of immaturity (.0)-----	1,247	591	656	731	483	248	516	108	408
With immaturity (.5)-----	3,154	1,615	1,539	1,908	1,269	639	1,246	346	900
Postnatal asphyxia and atelectasis-----762	11,520	6,420	5,100	7,636	5,378	2,258	3,894	1,042	2,842
Without mention of immaturity (.0)-----	3,108	1,599	1,509	1,887	1,293	594	1,221	306	915
With immaturity (.5)-----	8,412	4,821	3,591	5,749	4,085	1,664	2,663	736	1,927
Pneumonia of newborn-----763	1,776	925	851	1,086	758	328	690	167	523
Without mention of immaturity (.0)-----	1,228	629	599	746	520	226	482	109	373
With immaturity (.5)-----	548	296	252	340	238	102	208	58	150
Diarrhea of newborn-----764	138	65	73	67	51	16	71	14	57
Without mention of immaturity (.0)-----	108	51	57	50	37	13	58	14	44
With immaturity (.5)-----	30	14	16	17	14	3	13	-	13
Other infections of newborn-----765-768	499	290	209	340	246	94	159	44	115
Without mention of immaturity (.0)-----	279	151	128	177	126	51	102	25	77
With immaturity (.5)-----	220	139	81	163	120	43	57	19	38
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	538	259	279	323	212	111	215	47	168
Without mention of immaturity (.0-.4)-----	223	107	116	136	89	47	87	18	69
With immaturity (.5-.9)-----	315	152	163	187	123	64	128	29	99
Hemolytic disease of newborn (erythroblastosis)-----770	1,362	706	656	921	602	319	441	104	337
Without mention of immaturity (.0-.2)-----	980	505	475	648	421	227	332	84	248
With immaturity (.5-.7)-----	382	201	181	273	181	92	109	20	89
Hemorrhagic disease of newborn-----771	331	189	142	220	162	58	111	27	84
Without mention of immaturity (.0)-----	184	97	87	125	84	41	59	13	46
With immaturity (.5)-----	147	92	55	95	78	17	52	14	38
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,671	3,899	3,772	4,470	3,104	1,366	3,201	795	2,406
Without mention of immaturity (.0)-----	1,634	813	1,021	938	611	327	896	202	694
With immaturity (.5)-----	5,837	3,086	2,751	3,532	2,493	1,039	2,305	593	1,712
Immaturity with mention of any other subsidiary condition-----774	761	414	347	498	349	149	263	65	198
Immaturity, unqualified-----776	10,049	5,384	4,665	6,171	4,361	1,810	3,878	1,023	2,855
Symptoms and ill-defined conditions-----780-793,795	1,077	499	578	617	398	219	460	101	359
All other diseases-----Residual	1,152	579	573	695	460	235	457	119	338
Accidents-----E800-E962	2,267	1,010	1,257	1,230	776	454	1,037	234	803
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	480	204	276	272	162	110	208	42	166
Accidental mechanical suffocation in bed and cradle-----E924	452	194	258	211	134	77	241	60	181
Other accidental causes-----E800-E920,E923,E925-E962	1,335	612	723	747	480	267	588	132	456
Homicide-----E964,E980-E984	144	66	58	104	74	30	40	12	28

## SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 - Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 1 year—all causes	25,668	16,206	9,462	16,198	14,284	1,914	9,470	1,922	7,548
Dysentery, all forms	53	13	40	11	10	1	42	3	39
Septicemia and pyemia	135	74	61	75	66	9	60	8	52
Whooping cough	22	5	17	6	3	3	2	14	14
Meningococcal infections	51	28	23	31	25	6	16	3	17
Tetanus	13	4	9	4	1	3	9	3	6
Other infective and parasitic dis.	154	72	82	75	61	14	79	11	68
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	29	19	10	17	17	-	12	2	10
Benign neoplasms and neoplasms of unspecified nature	17	7	10	8	6	2	9	1	8
Diseases of thymus gland	11	10	1	10	10	-	1	-	1
Meningitis, except meningococcal and tuberculous	306	180	126	193	161	32	113	19	94
Other diseases of nervous system and sense organs	180	99	81	111	89	22	69	10	59
Acute upper respiratory infections	119	63	56	61	53	8	58	10	48
Influenza and pneumonia, except pneumonia of newborn	3,297	1,742	1,555	1,734	1,476	258	1,563	266	1,297
Influenza	117	59	78	26	19	7	91	20	71
Pneumonia, except pneumonia of newborn	3,180	1,703	1,477	1,708	1,457	251	1,472	246	1,226
Bronchitis	151	88	63	93	80	13	58	8	50
Other diseases of respiratory system	551	373	178	399	339	60	152	34	118
Pulmonary congestion and hypostasis	59	44	15	44	39	5	15	5	10
Other chronic interstitial pneumonia	379	275	104	309	258	51	70	17	53
Bronchiectasis	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity	83	32	51	30	26	4	53	6	47
All other diseases of respiratory system	30	22	8	16	16	-	14	6	8
Hernia and intestinal obstruction	142	87	55	88	75	13	54	12	42
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	961	347	614	325	259	66	636	88	548
Other diseases of digestive system	135	85	50	83	77	6	52	8	44
Congenital malformations	2,023	1,403	620	1,451	1,289	162	572	114	458
Spina bifida and meningocele	90	61	29	66	57	9	24	4	20
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	191	120	71	126	107	19	65	13	52
Congenital malformations of circulatory system	1,087	777	310	817	728	89	270	49	221
Other congenital malformations	655	445	210	442	397	45	213	48	165
Certain diseases of early infancy	14,529	10,182	4,347	10,168	9,127	1,041	4,361	1,055	3,306
Birth injuries	1,517	1,077	440	1,068	959	109	1,077	118	531
Without mention of immaturity (.0)	638	404	234	393	351	42	245	53	192
With immaturity (.5)	879	673	206	675	608	67	204	65	139
Intracranial and epinal injury at birth	760	495	265	512	462	50	151	33	118
Without mention of immaturity (.0)	313	202	111	203	181	22	110	21	89
With immaturity (.5)	350	293	57	309	281	28	41	12	29
Other birth injury	761	554	207	556	497	59	298	95	213
Without mention of immaturity (.0)	325	202	123	190	170	20	135	32	103
With immaturity (.5)	529	380	149	366	327	39	163	53	110
Postnatal asphyxia and atelectasis	762	3,909	2,963	946	3,001	2,700	301	908	645
Without mention of immaturity (.0)	999	665	334	676	591	85	323	74	249
With immaturity (.5)	2,910	2,298	612	3,325	2,109	1,216	585	189	396
Pneumonia of newborn	763	997	624	373	625	565	60	372	59
Without mention of immaturity (.0)	759	481	278	479	434	45	280	47	233
With immaturity (.5)	238	143	95	146	131	15	92	12	80
Diarrhea of newborn	764	229	94	135	66	69	152	28	124
Without mention of immaturity (.0)	184	76	108	61	52	9	123	24	99
With immaturity (.5)	45	18	27	16	14	2	29	4	25
Other infections of newborn	765-768	287	181	106	199	173	26	88	8
Without mention of immaturity (.0)	157	94	63	99	88	11	58	6	52
With immaturity (.5)	130	87	43	100	85	15	30	2	28
Neonatal disorders arising from certain diseases of mother during pregnancy	769	170	112	58	105	96	9	65	16
Without mention of immaturity (.0-.4)	78	52	26	51	46	5	27	6	21
With immaturity (.5-.9)	92	60	32	54	50	4	38	10	28
Hemolytic disease of newborn (erythroblastosis)	770	114	75	39	78	69	9	36	6
Without mention of immaturity (.0-.2)	88	56	32	59	51	8	29	5	24
With immaturity (.5-.7)	26	19	7	19	18	1	7	1	6
Hemorrhagic disease of newborn	771	145	92	53	96	83	13	49	9
Without mention of immaturity (.0)	88	49	39	54	44	10	34	5	29
With immaturity (.5)	57	43	14	42	39	3	15	4	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772,773	2,461	1,631	830	1,651	1,456	195	810	175
Without mention of immaturity (.0)	708	359	349	356	309	47	352	60	292
With immaturity (.5)	1,753	1,262	491	1,295	1,147	148	458	115	343
Immaturity with mention of any other subsidiary condition	774	318	227	91	236	208	28	82	19
Immaturity, unqualified	776	4,382	3,106	1,276	3,032	2,752	280	1,350	354
Symptoms and ill-defined conditions	780-793,795	1,292	496	796	443	377	66	849	119
All other diseases	Residual	379	215	164	218	185	33	161	30
Accidents	E800-E962	1,049	566	483	540	452	88	509	114
Inhalation and ingestion of food or other object causing obstruction or suffocation	E921,E922	201	110	91	90	72	18	111	38
Accidental mechanical suffocation in bed and cradle	E924	248	125	123	109	92	17	139	33
Other accidental causes	E800-E920,E923,E925-E962	600	331	269	341	288	53	259	43
Homicide	E964,E980-E984	89	48	21	54	46	8	15	2

## SECTION 2 - INFANT MORTALITY

2-35

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days—all causes-----	66,419	37,860	28,559	42,786	31,893	10,893	23,633	5,967	17,666
Dysentery, all forms-----045-048	4	2	2	1	1	-	3	1	2
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	24	12	12	16	11	5	8	1	7
Tetanus-----061	24	6	18	9	3	6	15	3	12
Other infective and parasitic dis.----001-044,049-052,054,055,058-060,062-138	87	46	41	50	33	17	37	13	24
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-205	34	17	17	23	15	8	11	2	9
Benign neoplasms and neoplasms of unspecified nature-----210-239	57	29	28	37	25	12	20	4	16
Diseases of thymus gland-----273	15	6	9	9	6	3	6	-	6
Meningitis, except meningococcal and tuberculous-----340	248	150	98	167	132	35	81	18	63
Other diseases of nervous system and sense organs-----330-334,341-398	52	28	26	30	21	9	22	5	17
Acute upper respiratory infections-----470-475	27	16	11	19	14	5	8	2	6
Influenza and pneumonia, except pneumonia of newborn-----480-493	14	2	12	1	1	-	13	1	12
Influenza-----480-483	14	2	12	1	1	-	13	1	12
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	30	14	16	18	13	5	12	1	11
Other diseases of respiratory system-----S10-S22,S25-S27	159	83	76	105	71	34	54	12	42
Pulmonary congestion and hypostasis-----522	44	22	22	29	18	11	15	4	11
Other chronic interstitial pneumonia-----525	16	7	9	10	6	4	6	1	5
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	36	19	17	20	17	3	16	2	14
All other diseases of respiratory system-----S10-S21,S27.1	63	35	28	46	30	16	17	5	12
Hernia and intestinal obstruction-----560,561,570	629	342	287	421	297	124	208	45	163
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	7	4	3	4	4	-	3	-	3
Other diseases of digestive system-----530-542,544-553,573-587	181	97	84	115	85	30	66	12	54
Congenital malformations-----750-759	8,775	4,852	3,923	5,717	4,063	1,654	3,058	789	2,269
Spina bifida and meningocele-----751	660	351	309	400	280	120	260	71	189
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	588	305	283	383	261	122	205	44	161
Congenital malformations of circulatory system-----754	3,812	2,090	1,722	2,479	1,752	727	1,333	338	995
Other congenital malformations-----750,755-759	3,715	2,106	1,609	2,455	1,770	685	1,260	336	924
Certain diseases of early infancy-----760-776	54,210	31,327	22,883	35,117	26,440	8,677	19,093	4,887	14,206
Birth injuries-----760,761	7,708	4,280	3,428	4,929	3,550	1,379	2,779	730	2,049
Without mention of immaturity (.0)-----	2,921	1,534	1,387	1,788	1,278	510	1,133	256	877
With immaturity (.5)-----	4,787	2,746	2,041	3,141	2,272	869	1,646	474	1,172
Intracranial and spinal injury at birth-----760	2,463	1,499	964	1,742	1,307	435	721	192	529
Without mention of immaturity (.0)-----	1,355	745	610	872	628	244	483	117	366
With immaturity (.5)-----	1,108	754	354	870	679	191	238	75	163
Other birth injury-----761	5,245	2,781	2,464	3,187	2,243	944	2,058	538	1,520
Without mention of immaturity (.0)-----	1,566	789	777	916	650	266	650	139	511
With immaturity (.5)-----	3,679	1,992	1,687	2,271	1,593	678	1,408	399	1,009
Postnatal asphyxia and atelectasis-----762	15,166	9,210	5,956	10,457	7,929	2,528	4,709	1,281	3,428
Without mention of immaturity (.0)-----	3,908	2,135	1,773	2,430	1,774	656	1,478	361	1,117
With immaturity (.5)-----	11,258	7,075	4,183	8,027	6,155	1,872	3,231	920	2,311
Pneumonia of newborn-----763	2,773	1,549	1,224	1,711	1,323	388	1,062	226	836
Without mention of immaturity (.0)-----	1,987	1,110	877	1,225	954	271	762	156	606
With immaturity (.5)-----	786	439	347	486	369	117	300	70	230
Diarrhea of newborn-----764	368	158	208	143	116	27	223	42	181
Without mention of immaturity (.0)-----	291	126	165	110	88	22	181	36	143
With immaturity (.5)-----	75	32	43	33	28	5	42	6	38
Other infections of newborn-----765-768	784	470	314	538	418	120	246	52	194
Without mention of immaturity (.0)-----	435	245	190	276	214	62	159	31	128
With immaturity (.5)-----	349	225	124	262	204	58	87	21	66
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	625	328	297	371	272	99	254	56	198
Without mention of immaturity (.0-.4)-----	219	116	105	130	99	31	89	17	72
With immaturity (.5-.9)-----	406	212	194	241	173	68	165	39	126
Hemolytic disease of newborn (erythroblastosis)-----770	1,464	777	687	992	668	324	472	109	363
Without mention of immaturity (.0-.2)-----	1,057	557	500	701	469	232	356	88	268
With immaturity (.5-.7)-----	407	220	187	291	199	92	116	21	95
Hemorrhagic disease of newborn-----771	469	277	192	310	241	69	159	36	123
Without mention of immaturity (.0)-----	265	142	123	173	124	49	92	18	74
With immaturity (.5)-----	204	135	69	137	117	20	67	18	49
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	9,584	5,274	4,310	5,873	4,361	1,512	3,711	913	2,798
Without mention of immaturity (.0)-----	2,067	966	1,101	1,080	752	328	987	214	773
With immaturity (.5)-----	7,517	4,308	3,209	4,793	3,609	1,184	2,724	699	2,025
Immaturity with mention of any other subsidiary condition-----774	912	547	365	631	481	150	261	66	215
Immaturity, unqualified-----776	14,359	8,457	5,902	9,162	7,081	2,081	5,197	1,376	3,821
Symptoms and ill-defined conditions-----780-793,795	737	273	464	271	204	67	466	69	397
All other diseases-----Residual	529	268	261	328	220	108	201	48	153
Accidents-----E800-E962	454	207	247	237	161	76	217	46	171
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	121	51	70	59	33	26	62	18	44
Accidental mechanical suffocation in bed and cradle-----E924	66	29	37	29	23	6	37	6	31
Other accidental causes-----E800-E920,E923,E925-E962	267	127	140	149	105	44	118	22	96
Homicide-----E964,E980-E984	122	81	41	91	73	18	31	8	23

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 - Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days—all causes	50,242	26,700	23,542	31,609	21,888	9,721	18,633	4,812	13,821
Dysentery, all forms-----045-048	1	1	-	1	1	-	-	-	-
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----066	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	19	10	9	12	9	3	7	1	6
Tetanus-----061	11	2	9	5	2	3	6	-	6
Other infective and parasitic dis.----001-044,049-052,054,055,058-060,062-138	67	36	31	39	25	14	28	11	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	28	13	15	19	11	8	9	2	7
Benign neoplasms and neoplasms of unspecified nature-----210-239	48	25	23	32	21	11	16	4	12
Diseases of thymus gland-----273	9	1	8	4	1	3	5	-	5
Meningitis, except meningococcal and tuberculous-----340	191	108	83	121	92	29	70	16	54
Other diseases of nervous system and sense organs-----330-334,341-398	36	15	21	17	10	7	3	5	14
Acute upper respiratory infections-----470-475	17	11	6	14	10	4	1	1	2
Influenza and pneumonia, except pneumonia of newborn-----480-493	3	-	3	-	-	-	3	-	3
Influenza-----480-483	3	-	3	-	-	-	3	-	3
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	22	10	12	15	10	5	7	-	7
Other diseases of respiratory system-----510-522,525-527	126	61	65	84	52	32	42	9	33
Pulmonary congestion and hypostasis-----522	33	12	21	21	10	11	12	2	10
Other chronic interstitial pneumonia-----525	12	6	6	8	5	3	4	1	3
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	26	15	11	16	14	2	10	1	9
All other diseases of respiratory system-----510-521,527.1	55	28	27	39	23	16	16	5	11
Hernia and intestinal obstruction-----560,561,570	544	291	253	364	249	115	180	42	138
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	4	3	1	3	3	-	1	-	1
Other diseases of digestive system-----530-542,544-553,573-587	112	50	62	67	41	26	45	9	36
Congenital malformations-----750-759	7,652	4,071	3,581	4,912	3,343	1,569	2,740	728	2,012
Spina bifida and meningocoele-----751	611	321	290	365	251	114	246	70	176
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	507	259	248	331	218	113	176	41	135
Congenital malformations of circulatory system-----754	3,293	1,711	1,582	2,078	1,393	685	1,215	518	897
Other congenital malformations-----750,755-759	3,241	1,780	1,461	2,138	1,481	657	1,103	299	804
Certain diseases of early infancy-----760-776	40,267	21,475	18,792	25,269	17,594	7,675	14,998	3,881	11,117
Birth injuries-----760,761	6,192	3,204	2,988	3,862	2,592	1,270	2,330	612	1,718
Without mention of immaturity (.0)-----	2,283	1,130	1,153	1,395	927	468	888	203	665
With immaturity (.5)-----	3,909	2,074	1,835	2,467	1,665	802	1,442	409	1,033
Intracranial and spinal injury at birth-----760	1,800	1,004	796	1,230	845	385	570	159	411
Without mention of immaturity (.0)-----	1,042	543	499	669	447	222	373	96	277
With immaturity (.5)-----	758	461	297	561	398	163	197	63	134
Other birth injury-----761	4,392	2,200	2,192	2,632	1,747	885	1,760	453	1,307
Without mention of immaturity (.0)-----	1,241	587	654	726	480	246	515	107	408
With immaturity (.5)-----	3,151	1,613	1,538	1,906	1,267	639	1,245	346	899
Postnatal asphyxia and atelectasis-----762	11,351	6,323	5,028	7,532	5,300	2,232	3,819	1,023	2,796
Without mention of immaturity (.0)-----	2,972	1,520	1,452	1,802	1,229	573	1,170	291	879
With immaturity (.5)-----	8,379	4,803	3,576	5,730	4,071	1,659	2,649	732	1,917
Pneumonia of newborn-----763	1,776	925	851	1,086	758	328	690	167	523
Without mention of immaturity (.0)-----	1,228	629	599	746	520	226	482	109	373
With immaturity (.5)-----	548	296	252	340	238	102	208	58	150
Diarrhea of newborn-----764	138	65	73	67	51	16	14	57	14
Without mention of immaturity (.0)-----	108	51	57	50	37	13	58	14	44
With immaturity (.5)-----	30	14	16	17	14	3	13	-	13
Other infections of newborn-----765-768	498	290	208	340	246	94	158	44	114
Without mention of immaturity (.0)-----	278	151	127	177	126	51	101	25	76
With immaturity (.5)-----	220	139	81	163	120	43	57	19	38
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	486	237	249	287	194	93	199	43	156
Without mention of immaturity (.0-.4)-----	172	85	87	100	71	29	72	14	58
With immaturity (.5-.9)-----	314	152	162	187	123	64	127	29	98
Hemolytic disease of newborn (erythroblastosis)-----770	1,354	704	650	917	601	316	437	103	334
Without mention of immaturity (.0-.2)-----	973	503	470	645	420	225	328	83	245
With immaturity (.5-.7)-----	381	201	180	272	181	91	109	20	89
Hemorrhagic disease of newborn-----771	327	188	139	217	161	56	110	27	83
Without mention of immaturity (.0)-----	180	96	84	122	83	39	58	13	45
With immaturity (.5)-----	147	92	55	95	78	17	52	14	38
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,465	3,804	3,661	4,375	3,035	1,340	3,090	769	2,321
Without mention of immaturity (.0)-----	1,660	757	923	858	556	302	802	181	621
With immaturity (.5)-----	5,805	3,067	2,738	3,517	2,479	1,038	2,288	588	1,700
Immaturity with mention of any other subsidiary condition-----774	662	364	298	433	307	126	229	57	172
Immaturity, unqualified-----776	10,018	5,371	4,647	6,153	4,349	1,804	3,865	1,022	2,843
Symptoms and ill-defined conditions-----780-793,795	278	124	154	144	98	46	134	26	108
All other diseases-----Residual	425	206	219	264	167	97	161	39	122
Accidents-----E800-E962	296	134	162	161	102	59	135	32	103
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	86	34	52	46	25	21	40	9	31
Accidental mechanical suffocation in bed and cradle-----E924	40	21	19	15	4	21	6	15	6
Other accidental causes-----E900-E920,E923,E925-E962	170	79	91	96	62	34	74	17	57
Homicide-----E964,E980-E984	86	53	33	62	47	15	24	6	18

## SECTION 2 - INFANT MORTALITY

2-37

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1965 - Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 28 days--all causes-----	16,177	11,160	5,017	11,177	10,005	1,172	5,000	1,155	3,845
Dysentery, all forms-----045-048	3	1	2	-	-	-	3	1	2
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	5	2	3	4	2	2	1	-	1
Tetanus-----061	13	4	9	4	1	3	9	3	6
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	20	10	10	11	8	3	9	2	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6	4	2	4	4	-	2	-	2
Benign neoplasms and neoplasms of unspecified nature-----210-239	9	4	5	5	4	1	4	-	4
Diseases of thymus gland-----273	6	5	1	5	5	-	1	-	1
Meningitis, except meningococcal and tuberculous-----340	57	42	15	46	40	6	11	2	9
Other diseases of nervous system and sense organs-----330-334,341-398	16	11	5	13	11	2	3	-	3
Acute upper respiratory infections-----470-475	10	5	5	5	4	1	5	1	4
Influenza and pneumonia, except pneumonia of newborn-----480-493	11	2	9	1	1	-	10	1	9
Influenza-----480-483	11	2	9	1	1	-	10	1	9
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	8	4	4	3	3	-	5	1	4
Other diseases of respiratory system-----510-522,525-527	33	22	11	21	19	2	12	3	9
Pulmonary congestion and hypostasis-----522	11	10	1	8	8	-	3	2	1
Other chronic interstitial pneumonia-----525	4	1	3	2	1	1	2	-	2
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	10	4	6	4	3	1	6	1	5
All other diseases of respiratory system-----510-521,527.1	8	7	1	7	7	-	1	-	1
Hernia and intestinal obstruction-----560,561,570	85	51	34	57	48	9	28	3	25
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	3	1	2	1	1	-	2	-	2
Other diseases of digestive system-----530-542,544-553,573-587	69	47	22	48	44	4	21	3	18
Congenital malformations-----750-759	1,123	781	342	805	720	85	318	61	257
Spina bifida and meningocele-----751	49	30	19	35	29	6	14	1	13
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	81	46	35	52	43	9	29	3	26
Congenital malformations of circulatory system-----754	519	379	140	401	359	42	118	20	98
Other congenital malformations-----750,755-759	474	326	148	317	289	28	157	37	120
Certain diseases of early infancy-----760-776	13,943	9,852	4,091	9,848	8,846	1,002	4,095	1,006	3,089
Birth injuries-----760,761	1,516	1,076	440	1,067	958	109	449	118	331
Without mention of immaturity (.0)-----	638	404	234	393	351	42	245	53	192
With immaturity (.5)-----	878	672	206	674	607	67	204	65	139
Intracranial and spinal injury at birth-----760	663	495	168	512	482	30	151	33	118
Without mention of immaturity (.0)-----	315	202	111	203	181	22	110	21	89
With immaturity (.5)-----	350	293	57	309	281	28	41	12	29
Other birth injury-----761	853	581	272	555	496	59	298	85	213
Without mention of immaturity (.0)-----	325	202	123	190	170	20	135	32	103
With immaturity (.5)-----	528	379	149	365	326	39	163	53	110
Postnatal asphyxia and atelectasis-----762	3,815	2,887	928	2,925	2,629	296	890	258	632
Without mention of immaturity (.0)-----	936	615	321	628	545	83	308	70	238
With immaturity (.5)-----	2,879	2,272	607	2,297	2,084	213	582	188	394
Pneumonia of newborn-----763	997	624	373	625	565	60	372	59	313
Without mention of immaturity (.0)-----	759	481	278	479	434	45	280	47	233
With immaturity (.5)-----	238	143	95	146	131	15	92	12	80
Diarrhea of newborn-----764	228	93	135	76	65	11	152	28	124
Without mention of immaturity (.0)-----	183	75	108	60	51	9	123	24	99
With immaturity (.5)-----	45	18	27	16	14	2	29	4	25
Other infections of newborn-----765-768	286	180	106	198	172	26	88	8	80
Without mention of immaturity (.0)-----	157	94	63	99	88	11	58	6	52
With immaturity (.5)-----	129	86	43	99	84	15	30	2	28
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	139	91	48	84	78	6	55	13	42
Without mention of immaturity (.0-.4)-----	47	31	16	30	28	2	17	3	14
With immaturity (.5-.9)-----	92	60	32	54	50	4	38	10	28
Hemolytic disease of newborn (erythroblastosis)-----770	110	73	37	75	67	8	35	6	29
Without mention of immaturity (.0-.2)-----	84	54	30	56	49	7	28	5	23
With immaturity (.5-.7)-----	26	19	7	19	18	1	7	1	6
Hemorrhagic disease of newborn-----771	142	89	53	93	80	13	49	9	40
Without mention of immaturity (.0)-----	85	46	39	51	41	10	34	5	29
With immaturity (.5)-----	57	43	14	42	39	3	15	4	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,119	1,470	649	1,498	1,326	172	621	144	477
Without mention of immaturity (.0)-----	407	229	178	222	196	26	185	33	152
With immaturity (.5)-----	1,712	1,241	471	1,276	1,130	146	436	111	325
Immaturity with mention of any other subsidiary condition-----774	250	183	67	198	174	24	52	9	43
Immaturity, unqualified-----776	4,341	3,086	1,255	3,009	2,732	277	1,332	354	978
Symptoms and ill-defined conditions-----780-793,795	459	149	310	127	106	21	332	43	289
All other diseases-----Residual	104	62	42	64	53	11	40	9	31
Accidents-----E800-E962	158	73	85	76	59	17	82	14	68
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	35	17	18	13	8	5	22	9	13
Accidental mechanical suffocation in bed and cradle-----E924	26	8	18	10	8	2	16	-	16
Other accidental causes-----E900-E920,E923,E925-E962	97	48	49	53	43	10	44	5	39
Homicide-----E964,E960-E984	36	28	8	29	26	3	7	2	5



## SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,  
[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under	1-23	1	2	3	4	5	6
		1 hour	hours	day	days	days	days	days	days
1 Total, both sexes--all causes-----	92,866	7,292	30,932	9,713	5,974	2,497	1,405	1,085	780
2 Dysentery, all forms-----045-048	85	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	338	-	-	-	-	-	-	-	-
4 Whooping cough-----056	42	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	274	-	-	1	2	-	-	-	-
6 Tetanus-----061	25	1	-	-	-	-	-	-	3
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	505	4	13	3	4	5	3	2	4
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	226	2	11	5	4	1	1	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	105	16	18	5	5	1	1	2	-
10 Diseases of thymus gland-----273	55	1	3	4	2	1	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	844	1	2	10	15	15	8	11	16
12 Other diseases of nervous system and sense organs-----330-334,341-398	704	1	8	7	10	5	2	1	2
13 Acute upper respiratory infections-----470-475	328	-	-	1	-	-	-	-	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	8,036	1	-	-	-	-	-	-	2
15 Influenza-----480-483	182	1	-	-	-	-	-	-	2
16 Pneumonia, except pneumonia of newborn-----490-493	7,854	...	...	...	...	...	...	...	...
17 Bronchitis-----500-502	470	-	2	-	-	1	-	-	1
18 Other diseases of respiratory system-----510-522,525-527	1,643	14	51	25	14	7	4	-	1
19 Pulmonary congestion and hypostasis-----522	199	3	11	3	6	5	-	-	-
20 Other chronic interstitial pneumonia-----523	1,080	-	4	1	-	-	1	-	-
21 Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	232	4	10	8	3	1	-	-	1
23 All other diseases of respiratory system-----510-521,527.1	131	7	26	13	5	1	3	-	-
24 Hernia and intestinal obstruction-----560,561,570	852	81	242	69	60	23	20	13	7
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,709	-	-	-	-	-	-	-	1
26 Other diseases of digestive system-----530-542,544-553,573-587	378	3	7	6	20	27	22	20	12
27 Congenital malformations-----750-759	13,443	1,293	2,423	777	870	541	337	266	206
28 Spina bifida and meningocele-----751	1,153	116	156	37	32	22	17	14	12
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,105	138	207	51	44	17	14	9	6
30 Congenital malformations of circulatory system-----754	6,565	113	673	446	581	358	199	154	125
31 Other congenital malformations-----750,755-759	4,620	926	1,387	243	213	144	107	89	63
32 Certain diseases of early infancy-----760-776	55,375	5,654	27,900	8,633	4,822	1,771	935	716	487
33 Birth injuries-----760,761	7,718	1,391	3,836	1,109	647	256	137	72	53
34 Without mention of immaturity (.0)-----	2,927	561	1,171	479	322	145	75	36	23
35 With immaturity (.5)-----	4,791	830	2,665	630	325	111	62	36	30
36 Intracranial and spinal injury at birth-----760	2,463	106	920	541	371	177	101	50	38
37 Without mention of immaturity (.0)-----	1,355	73	482	278	213	110	58	30	18
38 With immaturity (.5)-----	1,108	33	438	263	158	67	43	20	20
39 Other birth injury-----761	5,255	1,285	2,916	568	276	79	36	22	15
40 Without mention of immaturity (.0)-----	1,572	488	689	201	109	35	17	6	5
41 With immaturity (.5)-----	3,683	797	2,227	367	167	44	19	16	10
42 Postnatal asphyxia and atelectasis-----762	15,429	1,355	8,405	2,745	1,367	465	200	134	96
43 Without mention of immaturity (.0)-----	4,107	1,849	824	455	168	54	33	22	12
44 With immaturity (.5)-----	11,322	972	6,586	1,921	912	297	146	103	74
45 Pneumonia of newborn-----763	2,773	26	389	272	306	153	110	111	83
46 Without mention of immaturity (.0)-----	1,987	21	243	169	196	96	71	70	49
47 With immaturity (.5)-----	786	5	146	103	110	57	39	41	34
48 Diarrhea of newborn-----764	367	2	5	5	-	5	7	8	8
49 Without mention of immaturity (.0)-----	292	2	5	3	-	4	5	7	7
50 With immaturity (.5)-----	75	-	-	2	-	1	2	1	1
51 Other infections of newborn-----765-768	786	45	119	67	87	64	54	44	40
52 Without mention of immaturity (.0)-----	436	9	37	45	58	35	29	20	27
53 With immaturity (.5)-----	350	36	82	22	29	29	25	24	13
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	708	79	308	107	55	25	12	7	5
55 Without mention of immaturity (.0-.4)-----	301	33	91	39	20	9	4	2	2
56 With immaturity (.5-.9)-----	407	46	217	68	35	16	8	5	3
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,476	307	700	163	93	71	33	26	13
58 Without mention of immaturity (.0-.2)-----	1,068	230	496	117	72	52	25	18	8
59 With immaturity (.5-.7)-----	408	77	204	46	21	19	8	8	5
60 Hemorrhagic disease of newborn-----771	476	14	142	83	84	53	29	21	8
61 Without mention of immaturity (.0)-----	272	10	93	45	42	31	10	10	5
62 With immaturity (.5)-----	204	4	49	38	42	22	19	11	3
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,132	507	4,658	2,193	1,267	353	136	101	60
64 Without mention of immaturity (.0)-----	2,542	79	786	524	383	110	34	23	15
65 With immaturity (.5)-----	7,590	428	3,872	1,669	884	243	102	78	45
66 Immaturity with mention of any other subsidiary condition-----774	1,079	70	411	128	86	44	27	26	21
67 Immaturity, unqualified-----776	14,431	1,858	8,827	1,761	830	282	190	166	100
68 Symptoms and ill-defined conditions-----780-793,795	2,369	110	181	85	56	35	22	13	12
69 All other diseases-----Residual	1,531	17	117	51	51	38	31	18	14
70 Accidents-----E800-E962	3,316	18	39	20	35	25	17	21	10
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	681	-	4	5	11	13	7	7	3
72 Accidental mechanical suffocation in bed and cradle-----E924	700	1	2	1	2	1	2	4	2
73 Other accidental causes-----E800-E920,E923,E925-E962	1,935	17	33	14	22	11	8	10	5
74 Homicide-----E964,E980-E984	213	75	15	11	4	1	2	2	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1965

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
59,678	3,128	2,000	1,613	66,419	6,398	4,904	3,893	2,795	1,960	1,569	1,271	1,056	964	819	818	1
-	2	2	-	4	13	13	12	11	5	4	6	5	7	2	3	2
-	-	-	-	-	102	59	47	29	30	21	18	8	8	9	7	3
-	-	-	-	-	8	8	8	4	4	2	2	-	3	1	2	4
3	7	7	7	24	37	19	26	36	25	27	16	11	14	14	12	5
4	14	6	-	24	-	-	-	-	-	-	-	-	-	-	-	6
38	16	17	16	87	62	50	57	41	29	35	30	32	30	24	28	7
24	3	2	5	34	16	16	21	16	19	20	11	12	17	21	23	8
48	2	5	2	57	4	5	6	5	7	6	4	4	2	3	2	9
11	2	1	1	15	8	10	11	2	1	3	2	1	2	-	-	10
78	81	54	35	248	100	74	70	90	45	52	36	30	42	30	27	11
36	6	6	4	52	114	94	60	70	59	53	45	30	52	40	35	12
2	5	10	10	27	61	64	68	38	20	14	12	5	6	5	8	13
3	3	4	4	14	1,932	1,685	1,368	910	573	389	347	252	215	162	189	14
3	3	4	4	14	31	23	28	20	8	12	14	10	9	11	2	15
...	...	...	...	...	1,901	1,662	1,340	890	565	377	333	242	206	151	187	16
4	4	4	18	30	80	94	59	70	43	24	20	20	15	9	6	17
116	15	19	9	159	392	375	265	149	84	64	57	29	20	31	18	18
28	6	6	4	44	49	37	31	13	8	7	4	2	2	1	1	19
6	2	5	3	16	279	272	195	108	61	47	39	18	12	23	10	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
27	5	3	1	36	49	50	29	21	11	7	10	7	4	4	4	22
55	2	5	1	63	15	16	10	7	4	2	4	2	2	3	3	23
515	52	34	28	629	82	31	29	23	11	9	10	10	7	4	7	24
1	2	3	1	7	421	244	196	165	133	127	83	116	77	67	73	25
117	36	16	12	181	54	30	28	17	11	9	9	12	11	11	5	26
6,713	951	631	480	8,775	1,266	754	627	474	384	276	213	202	170	158	144	27
406	82	95	77	660	153	81	66	40	43	28	22	17	15	8	20	28
486	40	26	36	588	91	73	59	46	53	43	36	35	27	28	26	29
2,649	573	352	238	3,812	732	446	401	307	224	149	119	111	96	98	70	30
3,172	256	158	129	3,715	290	154	101	81	64	56	36	39	32	24	28	31
50,818	1,672	964	756	54,210	469	245	146	94	49	52	28	28	18	19	17	32
7,501	123	49	35	7,708	4	1	1	-	1	1	-	-	-	2	-	33
2,812	56	29	24	2,921	2	1	1	-	1	-	-	-	-	1	-	35
4,689	67	20	11	4,787	2	-	-	-	-	1	-	-	-	1	-	36
2,304	90	40	29	2,463	...	...	...	...	...	...	...	...	...	...	...	37
1,262	48	25	20	1,355	...	...	...	...	...	...	...	...	...	...	...	38
1,042	42	15	9	1,108	...	...	...	...	...	...	...	...	...	...	...	39
5,197	33	9	6	5,245	4	1	-	-	1	1	-	-	-	2	-	40
1,550	8	4	4	1,566	2	1	1	-	1	-	-	-	-	1	-	41
3,647	25	5	2	3,679	2	-	-	-	-	1	-	-	-	1	-	42
14,767	237	106	56	15,166	104	60	31	27	10	12	7	6	2	1	3	41
3,786	73	25	24	3,908	60	53	27	23	8	10	6	6	2	1	3	43
10,981	164	81	32	11,258	44	7	4	4	2	2	1	-	-	-	-	44
1,450	480	428	415	2,773	...	...	...	...	...	...	...	...	...	...	...	45
915	339	369	364	1,987	...	...	...	...	...	...	...	...	...	...	...	46
535	141	59	51	786	...	...	...	...	...	...	...	...	...	...	...	47
40	109	123	94	366	1	-	-	-	-	-	-	-	-	-	-	48
33	81	97	80	291	1	-	-	-	-	-	-	-	-	-	-	49
7	28	26	14	75	-	-	-	-	-	-	-	-	-	-	-	50
520	157	67	40	784	1	1	-	-	-	-	-	-	-	-	-	51
260	96	53	26	435	-	1	-	-	-	-	-	-	-	-	-	52
260	61	14	14	349	1	-	-	-	-	-	-	-	-	-	-	53
598	12	9	6	625	16	14	16	10	7	9	1	4	1	3	2	54
200	8	6	5	219	16	14	15	10	7	9	1	4	1	3	2	55
398	4	3	1	406	-	-	1	-	-	-	-	-	-	-	-	56
1,406	42	12	4	1,464	5	2	2	1	-	-	1	1	-	-	-	57
1,018	29	9	1	1,057	5	1	2	1	-	-	1	1	-	-	-	58
388	13	3	3	407	-	1	-	-	-	-	-	-	-	-	-	59
434	23	8	4	469	5	1	-	-	-	-	-	1	-	-	-	60
246	12	4	3	265	5	1	-	-	-	-	-	1	-	-	-	61
188	11	4	1	204	-	-	-	-	-	-	-	-	-	-	-	62
9,275	187	64	58	9,584	168	122	81	51	27	29	17	15	14	12	12	63
1,954	47	31	35	2,067	130	107	71	48	26	27	15	14	13	12	12	64
7,321	140	33	23	7,517	38	15	10	3	1	2	2	1	1	-	-	65
813	52	32	15	912	114	32	13	2	2	-	2	-	1	1	-	66
14,014	250	66	29	14,359	51	12	2	3	2	1	-	1	-	-	-	67
514	84	65	74	737	432	367	268	181	113	80	60	36	35	27	33	68
337	73	67	52	529	193	169	119	95	68	82	60	57	63	46	50	69
185	97	79	93	454	538	485	383	265	243	215	186	148	146	130	123	70
50	26	18	27	121	138	120	92	48	52	29	25	21	14	11	10	71
15	10	21	20	66	171	146	117	58	56	31	26	12	8	4	5	72
120	61	40	46	267	229	219	174	159	135	155	135	115	124	115	108	73
111	1	4	6	122	14	13	19	10	4	3	5	6	6	6	5	74

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, male—all causes-----	53,419	3,962	18,063	5,623	3,604	1,546	794	631	455
2	Dysentery, all forms-----045-048	44	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	194	-	-	-	-	-	-	-	-
4	Whooping cough-----056	26	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	156	-	-	-	1	-	-	-	-
6	Tetanus-----061	12	-	-	-	-	-	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	286	1	4	2	3	4	2	2	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	118	-	6	1	3	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	46	6	7	2	3	1	-	1	-
10	Diseases of thymus gland-----273	41	1	1	1	2	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	467	1	1	5	9	9	6	6	12
12	Other diseases of nervous system and sense organs-----330-334,341-398	410	1	7	4	6	2	1	1	2
13	Acute upper respiratory infections-----470-475	206	-	-	1	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	4,604	-	-	-	-	-	-	-	2
15	Influenza-----480-483	96	-	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn-----490-493	4,508	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	273	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system-----510-522,525-527	947	9	27	17	8	4	3	-	-
19	Pulmonary congestion and hypostasis-----522	122	2	6	2	3	3	-	-	-
20	Other chronic interstitial pneumonia-----525	617	-	2	-	-	-	1	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527-2	133	2	7	7	2	1	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	74	5	12	8	3	-	2	-	-
24	Hernia and intestinal obstruction-----560,561,570	492	35	125	39	29	15	13	7	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	957	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	226	2	6	4	9	13	11	16	9
27	Congenital malformations-----750-759	7,178	580	1,272	473	527	317	185	151	108
28	Spina bifida and meningocele-----751	472	38	69	14	17	7	10	6	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	544	61	86	25	21	11	9	5	3
30	Congenital malformations of circulatory system-----754	3,703	69	381	292	371	220	112	91	66
31	Other congenital malformations-----750,755-759	2,459	412	736	142	118	79	54	49	38
32	Certain diseases of early infancy-----760-776	32,491	3,202	16,412	4,981	2,911	1,117	532	420	293
33	Birth injuries-----760,761	4,715	815	2,354	698	403	160	81	43	33
34	Without mention of immaturity (.0)-----	1,778	333	702	303	204	88	45	21	13
35	With immaturity (.5)-----	2,937	482	1,652	395	199	72	36	22	20
36	Intracranial and spinal injury at birth-----760	1,565	74	563	369	238	113	61	28	24
37	Without mention of immaturity (.0)-----	859	51	287	193	140	71	35	17	9
38	With immaturity (.5)-----	706	23	276	176	98	42	26	11	15
39	Other birth injury-----761	3,150	741	1,791	329	165	47	20	15	9
40	Without mention of immaturity (.0)-----	919	282	415	110	64	17	10	4	4
41	With immaturity (.5)-----	2,231	459	1,376	219	101	30	10	11	5
42	Postnatal asphyxia and atelectasis-----762	9,153	770	5,028	1,623	833	285	114	78	54
43	Without mention of immaturity (.0)-----	2,460	213	1,087	519	295	100	30	19	16
44	With immaturity (.5)-----	6,693	557	3,941	1,104	538	185	84	59	38
45	Pneumonia of newborn-----763	1,616	12	233	140	202	93	62	68	48
46	Without mention of immaturity (.0)-----	1,174	10	144	87	136	62	43	45	30
47	With immaturity (.5)-----	442	2	89	53	66	31	19	23	18
48	Diarrhea of newborn-----764	226	1	5	4	-	3	3	5	5
49	Without mention of immaturity (.0)-----	182	1	5	2	-	3	2	4	4
50	With immaturity (.5)-----	44	-	-	2	-	-	1	1	1
51	Other infections of newborn-----765-768	468	24	66	36	48	43	30	33	26
52	Without mention of immaturity (.0)-----	265	7	18	26	32	27	18	13	15
53	With immaturity (.5)-----	203	17	48	10	16	16	12	20	11
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	393	40	170	62	33	15	6	5	3
55	Without mention of immaturity (.0-.4)-----	169	17	47	25	12	6	3	2	1
56	With immaturity (.5-.9)-----	224	23	123	37	21	9	3	3	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	789	124	380	93	57	49	20	18	9
58	Without mention of immaturity (.0-.2)-----	578	91	275	67	44	36	16	15	6
59	With immaturity (.5-.7)-----	211	33	105	26	13	13	4	3	3
60	Hemorrhagic disease of newborn-----771	283	7	66	55	52	42	21	13	3
61	Without mention of immaturity (.0)-----	158	5	41	32	28	24	7	7	1
62	With immaturity (.5)-----	125	2	25	23	24	18	14	6	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,118	284	2,816	1,306	800	233	83	58	38
64	Without mention of immaturity (.0)-----	1,619	46	488	329	285	75	22	12	12
65	With immaturity (.5)-----	4,499	238	2,328	977	515	158	61	46	26
66	Immaturity with mention of any other subsidiary condition-----774	617	44	239	70	50	25	11	13	13
67	Immaturity, unqualified-----776	8,113	1,081	5,055	894	433	169	101	86	61
68	Symptoms and ill-defined conditions-----780-793,795	1,383	60	106	44	40	24	10	9	7
69	All other diseases-----Residual	852	7	59	31	35	23	20	8	8
70	Accidents-----E800-E962	1,887	10	25	14	17	15	8	9	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	361	-	3	2	7	8	3	4	-
72	Accidental mechanical suffocation in bed and cradle-----E924	395	1	1	1	-	-	1	2	2
73	Other accidental causes-----E800-E920,E923,E925-E962	1,111	9	21	11	10	7	4	3	3
74	Homicide-----E964,E980-E984	123	47	5	4	1	1	2	1	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1965--Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
34,678	1,798	1,125	906	38,507	3,684	2,842	2,243	1,551	1,096	838	670	591	494	439	464	1
-	2	1	-	3	5	8	6	6	3	2	3	2	3	1	2	2
-	-	-	-	-	62	36	28	15	17	10	10	7	3	4	2	3
-	-	-	-	-	5	5	4	3	2	1	2	-	2	1	4	4
1	3	2	5	11	23	14	17	23	13	15	18	10	1	5	6	5
1	7	4	-	12	-	-	-	-	-	-	-	-	-	-	-	6
21	10	9	9	49	36	24	37	28	19	21	9	16	14	12	21	7
11	3	1	2	17	7	5	8	7	9	10	7	9	10	12	17	8
20	1	3	4	24	7	2	2	4	4	3	1	2	2	2	-	9
6	2	-	1	9	7	10	10	1	1	1	1	1	-	-	-	10
49	41	38	19	147	54	34	32	55	34	30	18	15	20	17	11	11
24	2	2	4	32	77	61	37	29	32	28	21	21	26	22	24	12
1	4	5	9	19	37	39	50	23	11	7	6	4	4	2	4	13
2	1	3	1	7	1,129	973	780	527	330	210	201	141	108	95	103	14
2	1	3	1	7	15	12	14	11	3	9	11	4	5	3	2	15
...	...	...	...	...	1,114	961	766	516	327	201	190	137	103	92	101	16
1	4	3	12	20	42	60	34	42	29	13	9	9	8	5	2	17
68	10	8	6	92	217	221	165	86	48	35	29	16	9	17	12	18
16	4	2	2	24	29	26	20	10	6	3	2	1	-	1	-	19
3	-	2	3	8	152	161	119	60	33	27	21	9	7	12	8	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
19	4	1	1	25	26	24	19	13	7	3	4	5	2	3	2	22
30	2	3	1	35	10	10	7	3	2	1	2	1	-	1	2	25
286	33	21	21	341	55	24	21	19	6	3	7	6	4	1	5	24
-	2	2	-	4	249	144	114	84	73	69	44	67	46	28	35	25
70	18	12	8	108	37	16	19	11	6	7	3	5	5	6	3	26
3,613	543	318	252	4,726	716	422	325	222	187	128	103	115	83	77	74	27
162	42	39	30	273	60	28	29	15	20	12	10	7	9	1	8	28
221	20	11	17	269	56	40	25	22	22	20	19	28	15	12	16	29
1,602	328	183	126	2,239	430	256	213	145	106	76	56	58	40	48	36	30
1,628	153	85	79	1,945	170	98	58	40	39	20	18	22	19	16	14	31
29,868	959	563	435	31,825	275	140	78	53	26	30	16	16	15	11	6	32
4,587	78	29	17	4,711	2	-	-	1	1	-	-	-	-	-	-	33
1,709	40	15	12	1,776	1	-	-	-	-	-	-	-	-	-	-	34
2,878	38	14	5	2,935	1	-	-	1	-	-	-	-	-	-	-	35
1,470	57	24	14	1,565	...	...	...	...	...	...	...	...	...	...	...	36
803	33	14	9	859	...	...	...	...	...	...	...	...	...	...	...	37
667	24	10	5	706	...	...	...	...	...	...	...	...	...	...	...	38
3,117	21	5	3	3,146	2	-	-	-	1	1	-	-	-	-	-	39
906	7	1	3	917	1	-	-	-	-	-	-	-	-	-	-	40
2,211	14	4	-	2,229	1	-	-	-	-	1	-	-	-	-	-	41
8,785	133	60	28	9,006	58	39	17	16	3	8	4	1	1	-	-	42
2,279	46	11	14	2,350	33	34	15	13	3	7	3	1	1	-	-	43
6,506	87	49	14	6,656	25	5	2	-	-	1	1	-	-	-	-	44
858	273	254	231	1,616	...	...	...	...	...	...	...	...	...	...	...	45
557	195	222	200	1,174	...	...	...	...	...	...	...	...	...	...	...	46
301	78	32	31	442	...	...	...	...	...	...	...	...	...	...	...	47
26	69	68	62	225	1	-	-	-	-	-	-	-	-	-	-	48
21	50	56	54	181	1	-	-	-	-	-	-	-	-	-	-	49
5	19	12	8	44	-	-	-	-	-	-	-	-	-	-	-	50
306	97	37	27	467	-	1	-	-	-	-	-	-	-	-	-	51
156	57	31	20	264	-	1	-	-	-	-	-	-	-	-	-	52
150	40	6	7	203	-	-	-	-	-	-	-	-	-	-	-	53
334	6	7	4	351	7	7	9	5	5	5	-	3	-	1	-	54
113	5	5	4	127	7	7	9	5	5	5	-	3	-	1	-	55
221	1	2	-	224	-	-	-	-	-	-	-	-	-	-	-	56
750	26	5	2	783	3	-	1	-	-	-	1	1	-	-	-	57
550	18	3	1	572	3	-	1	-	-	-	1	1	-	-	-	58
200	8	2	1	211	-	-	-	-	-	-	-	-	-	-	-	59
259	15	3	1	278	4	-	-	-	-	-	-	1	-	-	-	60
145	7	1	-	153	4	-	-	-	-	-	-	1	-	-	-	61
114	8	2	1	125	-	-	-	-	-	-	-	-	-	-	-	62
5,618	92	42	34	5,786	110	70	45	30	15	15	10	9	13	9	6	63
1,269	27	23	22	1,341	78	61	38	29	14	15	8	8	12	9	6	64
4,349	65	19	12	4,445	32	9	7	1	1	2	1	1	1	1	1	65
465	31	21	10	527	63	17	5	1	1	1	1	1	1	1	1	66
7,880	139	37	19	8,075	27	6	1	1	1	1	-	-	-	-	-	67
300	44	40	38	422	242	226	163	99	72	43	36	23	21	15	21	68
191	47	40	27	305	113	100	70	52	34	41	26	28	30	21	32	69
103	62	53	53	266	288	272	228	156	139	130	97	75	77	80	79	70
27	18	11	17	73	74	66	47	26	30	18	9	15	10	6	7	71
8	5	12	9	34	88	77	67	35	35	24	15	7	5	3	5	72
68	39	25	27	159	126	129	114	95	74	88	73	53	62	71	67	73
62	-	2	4	68	8	6	15	6	1	1	3	3	3	5	4	74

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, female--all causes-----	39,447	3,330	12,869	4,090	2,370	951	611	454	325
2	Dysentery, all forms-----045-048	41	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	144	-	-	-	-	-	-	-	-
4	Whooping cough-----066	16	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	118	-	-	1	1	-	-	-	-
6	Tetanus-----061	13	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	219	3	9	1	1	1	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	108	2	5	4	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	59	10	11	3	2	-	1	1	-
10	Diseases of thymus gland-----275	14	-	2	3	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	377	-	1	5	6	6	2	5	4
12	Other diseases of nervous system and sense organs-----330-334,341-398	294	-	1	3	4	3	1	-	-
13	Acute upper respiratory infections-----470-475	122	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,432	1	-	-	-	-	-	-	-
15	Influenza-----480-483	86	1	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	3,346	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	197	-	2	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	696	5	24	8	6	3	1	-	1
19	Pulmonary congestion and hypostasis-----522	77	1	5	1	3	2	-	-	-
20	Other chronic interstitial pneumonia-----525	463	-	2	1	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527,2	99	2	3	1	1	-	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	57	2	14	5	2	1	1	-	-
24	Hernia and intestinal obstruction-----560,561,570	360	46	117	30	31	8	7	6	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	752	-	-	-	-	-	-	-	1
26	Other diseases of digestive system-----530-542,544-553,573-587	152	1	1	2	11	14	11	4	3
27	Congenital malformations-----750-759	6,265	713	1,151	304	343	224	152	115	98
28	Spina bifida and meningocele-----751	681	78	87	23	15	15	7	8	11
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	561	77	121	26	23	6	5	4	3
30	Congenital malformations of circulatory system-----754	2,962	44	292	154	210	138	87	63	59
31	Other congenital malformations-----750,755-759	2,161	514	651	101	95	65	53	40	25
32	Certain diseases of early infancy-----760-776	22,884	2,452	11,398	3,652	1,911	654	403	296	194
33	Birth injuries-----760,761	3,003	576	1,482	411	244	96	56	29	20
34	Without mention of immaturity (.0)-----	1,149	228	469	176	118	57	30	15	10
35	With immaturity (.5)-----	1,854	348	1,013	235	126	39	26	14	10
36	Intracranial and spinal injury at birth-----760	898	32	357	172	133	64	40	22	14
37	Without mention of immaturity (.0)-----	496	22	195	85	73	39	23	13	9
38	With immaturity (.5)-----	402	10	162	87	60	25	17	9	5
39	Other birth injury-----761	2,105	544	1,125	239	111	32	16	7	6
40	Without mention of immaturity (.0)-----	653	206	274	91	45	19	7	2	1
41	With immaturity (.5)-----	1,452	338	851	148	66	14	9	5	5
42	Postnatal asphyxia and atelectasis-----762	6,276	585	3,377	1,122	534	180	86	56	42
43	Without mention of immaturity (.0)-----	1,647	170	762	305	160	68	24	12	6
44	With immaturity (.5)-----	4,629	415	2,615	817	374	112	62	44	36
45	Pneumonia of newborn-----763	1,157	14	156	132	104	60	48	43	35
46	Without mention of immaturity (.0)-----	813	11	99	82	60	34	28	25	19
47	With immaturity (.5)-----	344	3	57	50	44	26	20	18	16
48	Diarrhea of newborn-----764	141	1	-	1	-	2	4	3	3
49	Without mention of immaturity (.0)-----	110	1	-	1	-	1	3	3	3
50	With immaturity (.5)-----	31	-	-	-	-	1	1	-	-
51	Other infections of newborn-----765-768	318	21	53	31	39	21	24	11	14
52	Without mention of immaturity (.0)-----	171	2	19	19	26	8	11	7	12
53	With immaturity (.5)-----	147	19	34	12	13	13	13	4	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	315	39	138	45	22	10	6	2	2
55	Without mention of immaturity (.0-.4)-----	132	16	44	14	8	3	1	-	1
56	With immaturity (.5-.9)-----	183	23	94	31	14	7	5	2	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	687	183	320	70	36	22	13	8	4
58	Without mention of immaturity (.0-.2)-----	490	139	221	50	28	16	9	3	2
59	With immaturity (.5-.7)-----	197	44	99	20	8	6	4	5	2
60	Hemorrhagic disease of newborn-----771	193	7	76	28	32	11	8	8	5
61	Without mention of immaturity (.0)-----	114	5	52	13	14	7	3	3	4
62	With immaturity (.5)-----	79	2	24	15	18	4	5	5	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,014	223	1,842	887	467	120	53	43	22
64	Without mention of immaturity (.0)-----	923	33	298	195	98	35	12	11	3
65	With immaturity (.5)-----	3,091	190	1,544	692	369	85	41	32	19
66	Immaturity with mention of any other subsidiary condition-----774	462	26	172	58	36	19	16	13	8
67	Immaturity, unqualified-----776	6,318	777	3,772	867	397	113	89	80	39
68	Symptoms and ill-defined conditions-----780-793,795	986	50	75	41	16	11	12	4	5
69	All other diseases-----Residual	679	10	58	20	16	15	11	10	6
70	Accidents-----E800-E962	1,429	8	14	6	18	10	9	12	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	300	-	1	3	4	5	4	3	3
72	Accidental mechanical suffocation in bed and cradle-----E924	305	-	1	-	2	1	1	2	-
73	Other accidental causes-----E800-E920,E923,E925-E962	824	8	12	3	12	4	4	7	2
74	Homicide-----E964,E980-E984	90	28	10	7	3	-	-	1	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1965--Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
25,000	1,330	875	707	27,912	2,714	2,062	1,650	1,244	864	731	601	465	470	380	354	1
-	-	1	-	1	8	5	6	5	2	2	3	3	4	1	1	2
-	-	-	-	-	40	23	19	14	13	11	8	1	5	5	5	3
-	-	-	-	-	3	3	4	1	2	1	-	-	1	-	1	4
2	4	5	2	13	14	5	9	13	12	12	9	6	10	9	6	5
3	7	2	-	12	-	-	-	-	-	-	-	-	-	-	1	6
17	6	8	7	38	26	26	20	13	10	14	21	16	16	12	7	7
13	-	1	3	17	9	11	13	9	10	10	4	3	7	9	6	8
28	1	2	2	33	4	3	4	1	3	3	3	2	-	1	2	9
5	-	1	-	6	1	-	1	1	-	2	1	-	2	-	-	10
29	40	16	16	101	46	40	38	35	11	22	18	15	22	13	16	11
12	4	4	-	20	37	33	23	41	27	25	24	9	26	18	11	12
1	1	5	1	8	24	25	18	15	9	7	6	1	2	3	4	13
1	2	1	3	7	603	712	588	383	243	179	146	111	107	67	86	14
1	2	1	3	7	16	11	14	9	5	3	3	6	4	8	-	15
...	...	...	...	...	787	701	574	374	238	176	143	105	103	59	86	16
3	-	1	6	10	38	34	25	28	14	11	11	11	7	4	4	17
48	5	11	3	67	175	154	100	63	36	29	28	13	11	14	6	18
12	2	4	2	20	20	11	11	3	2	4	2	1	2	-	1	19
3	2	3	-	8	127	111	76	48	28	20	18	9	5	11	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
8	1	2	-	11	23	26	10	8	4	4	6	2	2	1	2	22
25	-	2	1	28	5	6	3	4	2	2	2	1	2	2	1	23
249	19	13	7	288	27	7	8	4	5	6	3	4	3	3	2	24
1	-	1	1	3	172	100	82	81	60	58	39	49	31	39	38	25
47	18	4	4	73	17	14	9	6	5	4	6	4	7	5	2	26
3,100	408	313	228	4,049	550	332	302	252	197	148	110	87	87	81	70	27
244	40	56	47	387	93	53	37	25	23	16	12	10	6	7	12	28
265	20	15	19	319	35	33	34	24	31	23	17	7	12	16	10	29
1,047	245	169	112	1,573	302	190	188	162	118	73	63	53	56	50	34	30
1,544	103	73	50	1,770	120	56	43	41	25	36	18	17	13	8	14	31
20,950	713	401	321	22,385	194	105	68	41	23	22	12	12	3	8	11	32
2,914	45	20	18	2,997	2	1	1	-	-	-	-	-	-	-	2	33
1,103	16	14	12	1,145	1	1	1	-	-	-	-	-	-	-	1	34
1,811	29	6	6	1,852	1	-	-	-	-	-	-	-	-	-	1	35
834	33	16	15	898	...	...	...	...	...	...	...	...	...	...	...	36
459	15	11	11	496	...	...	...	...	...	...	...	...	...	...	...	37
375	18	5	4	402	...	...	...	...	...	...	...	...	...	...	...	38
2,080	12	4	3	2,099	2	1	1	-	-	-	-	-	-	-	2	39
644	1	3	1	649	1	1	1	-	-	-	-	-	-	-	1	40
1,436	11	1	2	1,450	1	-	-	-	-	-	-	-	-	-	1	41
5,982	104	46	28	6,160	46	21	14	11	7	4	3	5	1	1	3	42
1,507	27	14	10	1,588	27	19	12	10	5	3	3	5	1	1	3	43
4,475	77	32	18	4,602	19	2	2	1	2	1	-	-	-	-	-	44
592	207	174	184	1,157	...	...	...	...	...	...	...	...	...	...	...	45
358	144	147	164	813	...	...	...	...	...	...	...	...	...	...	...	46
234	63	27	20	344	...	...	...	...	...	...	...	...	...	...	...	47
14	40	55	32	141	-	-	-	-	-	-	-	-	-	-	-	48
12	31	41	26	110	-	-	-	-	-	-	-	-	-	-	-	49
2	9	14	6	31	-	-	-	-	-	-	-	-	-	-	-	50
214	60	30	13	317	1	-	-	-	-	-	-	-	-	-	-	51
104	39	22	6	171	-	-	-	-	-	-	-	-	-	-	-	52
110	21	8	7	146	1	-	-	-	-	-	-	-	-	-	-	53
264	6	2	2	274	9	7	7	5	2	4	1	1	1	2	2	54
87	3	1	1	92	9	7	6	5	2	4	1	1	1	2	2	55
177	3	1	1	182	-	-	-	-	-	-	-	-	-	-	-	56
656	16	7	2	681	2	2	1	1	-	-	-	-	-	-	-	57
468	11	6	-	485	2	1	1	1	-	-	-	-	-	-	-	58
188	5	1	2	196	-	1	-	-	-	-	-	-	-	-	-	59
175	8	5	3	191	1	1	-	-	-	-	-	-	-	-	-	60
101	5	3	3	112	1	1	-	-	-	-	-	-	-	-	-	61
74	3	2	-	79	-	-	-	-	-	-	-	-	-	-	-	62
3,657	95	22	24	3,798	58	52	36	21	12	14	7	6	1	3	6	63
685	20	8	13	726	52	46	33	19	12	12	7	6	1	3	6	64
2,972	75	14	11	3,072	6	6	3	2	2	2	-	-	-	-	-	65
348	21	11	5	385	51	15	8	1	1	1	1	-	-	-	-	66
6,134	111	29	10	6,284	24	6	1	2	1	-	-	-	-	-	-	67
214	40	25	36	315	190	141	105	82	41	37	24	13	14	12	12	68
146	26	27	25	224	80	69	49	43	34	41	34	29	33	25	18	69
82	35	31	40	188	250	213	155	109	104	85	89	73	69	50	44	70
23	8	7	10	48	64	54	45	22	22	11	16	6	4	5	3	71
7	5	9	11	32	83	69	50	23	21	7	11	5	3	1	1	72
52	22	15	19	108	103	90	60	64	61	67	62	62	62	44	41	73
49	1	2	2	54	6	7	4	4	3	2	2	3	3	1	1	74

## SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, both sexes--all causes-----	67,198	5,685	23,370	7,496	4,777	1,935	1,030	759	554
2	Dysentery, all forms-----045-048	32	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	203	-	-	-	-	-	-	-	-
4	Whooping cough-----056	20	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	223	-	-	1	1	-	-	-	-
6	Tetanus-----061	12	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-139	351	2	9	3	3	5	3	2	4
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	197	2	10	5	1	1	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	88	15	14	4	4	1	1	1	-
10	Diseases of thymus gland-----273	44	1	2	2	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	538	-	1	8	13	12	7	8	10
12	Other diseases of nervous system and sense organs-----330-334,341-398	524	1	3	4	8	4	2	1	1
13	Acute upper respiratory infections-----470-475	209	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	4,739	-	-	-	-	-	-	-	-
15	Influenza-----480-483	65	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	4,674	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	319	-	2	-	-	1	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	1,092	12	42	21	11	6	4	-	1
19	Pulmonary congestion and hypostasis-----522	140	2	6	2	4	4	-	-	-
20	Other chronic interstitial pneumonia-----525	701	-	3	1	-	-	1	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527,2	149	3	9	7	2	1	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	101	7	24	11	5	1	3	-	-
24	Hernia and intestinal obstruction-----560,561,570	710	75	216	62	52	19	18	7	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	748	-	-	-	-	-	-	-	1
26	Other diseases of digestive system-----530-542,544-553,573-587	243	3	5	3	14	19	13	9	3
27	Congenital malformations-----750-759	11,420	1,164	2,138	651	770	466	286	223	173
28	Spina bifida and meningocele-----751	1,063	108	143	34	31	20	16	14	10
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	914	121	179	40	40	15	11	8	5
30	Congenital malformations of circulatory system-----754	5,478	98	574	381	513	304	173	132	111
31	Other congenital malformations-----750,755-759	3,965	837	1,242	196	186	127	86	69	47
32	Certain diseases of early infancy-----760-776	40,846	4,292	20,745	6,643	3,811	1,339	647	473	325
33	Birth injuries-----760,761	8,201	1,137	3,132	866	524	197	103	51	38
34	Without mention of immaturity (.0)-----	2,289	445	914	363	266	113	56	30	16
35	With immaturity (.5)-----	3,912	692	2,218	503	258	84	47	21	22
36	Intracranial and spinal injury at birth-----760	1,800	76	663	394	289	137	75	33	24
37	Without mention of immaturity (.0)-----	1,042	55	366	208	174	89	45	25	11
38	With immaturity (.5)-----	758	21	297	186	115	48	30	8	13
39	Other birth injury-----761	4,401	1,061	2,469	472	235	60	28	18	14
40	Without mention of immaturity (.0)-----	1,247	390	548	155	92	24	11	5	5
41	With immaturity (.5)-----	3,154	671	1,921	317	143	36	17	13	9
42	Postnatal asphyxia and atelectasis-----762	11,520	998	6,295	2,100	1,087	358	136	77	68
43	Without mention of immaturity (.0)-----	3,108	282	1,400	623	367	139	34	20	16
44	With immaturity (.5)-----	8,412	716	4,895	1,477	720	219	102	57	52
45	Pneumonia of newborn-----763	1,776	15	252	201	219	109	67	70	48
46	Without mention of immaturity (.0)-----	1,228	11	146	123	138	65	37	44	25
47	With immaturity (.5)-----	548	4	106	78	81	44	30	26	23
48	Diarrhea of newborn-----764	138	1	-	2	-	2	3	2	5
49	Without mention of immaturity (.0)-----	108	1	-	1	-	2	3	2	4
50	With immaturity (.5)-----	30	-	-	-	-	-	-	-	1
51	Other infections of newborn-----765-769	499	26	78	48	59	45	33	21	26
52	Without mention of immaturity (.0)-----	279	3	24	33	41	23	18	7	17
53	With immaturity (.5)-----	220	23	54	15	18	22	15	14	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	538	55	240	84	46	20	12	5	4
55	Without mention of immaturity (.0-.4)-----	223	23	72	31	16	8	4	2	2
56	With immaturity (.5-.9)-----	315	32	168	53	30	12	8	3	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	1,362	294	661	150	82	62	28	24	13
58	Without mention of immaturity (.0-.2)-----	980	217	470	106	62	45	21	16	8
59	With immaturity (.5-.7)-----	382	77	191	44	20	17	7	8	5
60	Hemorrhagic disease of newborn-----771	331	10	107	60	53	40	18	15	7
61	Without mention of immaturity (.0)-----	184	8	66	30	27	22	5	7	4
62	With immaturity (.5)-----	147	2	41	30	26	18	13	8	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,671	387	3,541	1,753	1,077	294	103	78	42
64	Without mention of immaturity (.0)-----	1,834	61	602	449	334	94	23	21	9
65	With immaturity (.5)-----	5,837	326	2,939	1,304	743	200	80	57	33
66	Immaturity with mention of any other subsidiary condition-----774	761	53	292	92	70	32	17	20	14
67	Immaturity, unqualified-----776	10,049	1,316	6,147	1,287	594	180	127	110	60
68	Symptoms and ill-defined conditions-----780-793,795	1,077	34	68	31	21	14	10	4	5
69	All other diseases-----Residual	1,152	15	88	39	44	33	27	16	13
70	Accidents-----E800-E962	2,267	13	19	13	21	13	10	13	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	480	-	1	3	9	7	5	4	3
72	Accidental mechanical suffocation in bed and cradle-----E924	452	1	-	-	-	2	3	3	1
73	Other accidental causes-----E800-E920,E923,E925-E962	1,335	12	18	10	12	6	3	6	3
74	Homicide-----E964,E980-E984	144	55	8	6	2	1	1	2	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1965-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
45,606	2,168	1,369	1,099	50,242	4,062	3,152	2,516	1,752	1,227	1,002	811	678	654	543	559	1
-	-	1	-	1	4	4	4	4	2	1	3	2	4	1	2	2
-	-	-	-	-	59	35	35	18	18	10	10	4	5	5	4	3
-	-	-	-	-	3	6	3	2	3	-	-	-	-	1	2	4
2	5	6	6	19	29	16	20	31	18	21	24	14	8	11	12	5
3	7	1	-	11	-	-	-	-	-	-	-	-	-	-	1	6
31	13	9	14	67	45	32	39	26	17	27	20	23	18	17	20	7
20	2	1	5	28	14	14	18	15	18	15	9	12	17	16	21	8
40	2	5	1	48	3	3	5	4	6	5	4	4	1	3	2	9
7	1	-	1	9	8	8	11	1	-	3	2	-	2	-	-	10
59	61	45	26	191	70	41	45	50	28	26	20	13	18	20	16	11
24	5	4	3	36	81	68	41	64	42	40	36	21	41	25	29	12
1	4	6	6	17	40	46	41	23	15	8	6	3	3	2	5	13
-	-	3	-	3	1,153	1,022	825	528	323	225	192	144	132	88	104	14
-	-	3	-	3	9	6	11	5	1	7	5	7	6	5	-	15
...	...	...	...	...	1,144	1,016	814	523	322	218	187	137	126	83	104	16
3	2	3	14	22	50	67	41	53	28	13	13	11	13	5	3	17
97	10	13	6	126	268	255	176	88	56	41	31	16	14	9	12	18
18	6	6	3	33	32	26	23	10	7	4	2	1	2	-	-	19
5	1	3	3	12	193	190	125	58	40	32	19	10	8	7	7	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
23	2	1	-	26	34	26	20	15	5	3	8	4	4	1	3	22
51	1	3	-	55	9	14	8	5	4	1	2	1	-	1	2	23
456	41	31	16	544	65	27	17	17	7	5	8	7	5	3	5	24
1	1	2	-	4	149	104	77	57	55	64	43	64	46	42	43	25
69	23	12	8	112	34	19	21	8	10	7	6	5	10	7	4	26
5,871	818	550	413	7,652	1,039	612	512	373	299	222	168	162	133	126	122	27
376	76	87	72	611	140	74	60	37	38	26	21	16	15	7	18	28
419	33	22	33	507	76	56	49	37	40	32	29	24	22	21	21	29
2,286	503	306	198	3,293	594	353	321	232	170	119	98	91	74	82	61	30
2,790	206	135	110	3,241	229	129	82	67	51	45	30	31	22	16	22	31
58,275	1,019	540	433	40,267	256	120	70	54	22	29	15	14	8	7	4	32
6,048	86	32	26	6,192	4	1	1	-	1	-	-	-	-	1	-	33
2,203	42	20	18	2,283	2	1	1	-	1	-	-	-	-	1	-	34
3,845	44	12	8	3,909	2	-	-	-	-	1	-	-	-	-	-	35
1,691	62	26	21	1,800	...	...	...	...	...	...	...	...	...	...	...	36
973	38	17	14	1,042	...	...	...	...	...	...	...	...	...	...	...	37
718	24	9	7	758	...	...	...	...	...	...	...	...	...	...	...	38
4,357	24	6	5	4,392	4	1	1	-	1	1	-	-	-	1	-	39
1,230	4	3	4	1,241	2	1	1	-	1	-	-	-	-	1	-	40
3,127	20	3	1	3,151	2	-	-	-	-	1	-	-	-	-	-	41
11,119	138	59	35	11,351	60	40	21	20	7	10	5	2	2	-	2	42
2,881	53	21	17	2,972	42	35	19	16	6	8	4	2	2	-	2	43
8,238	85	38	18	8,379	18	5	2	4	1	2	1	-	-	-	-	44
981	291	254	250	1,776	...	...	...	...	...	...	...	...	...	...	...	45
589	195	224	220	1,228	...	...	...	...	...	...	...	...	...	...	...	46
392	96	30	30	548	...	...	...	...	...	...	...	...	...	...	...	47
15	47	42	34	158	-	-	-	-	-	-	-	-	-	-	-	48
13	33	34	28	108	-	-	-	-	-	-	-	-	-	-	-	49
2	14	8	6	30	-	-	-	-	-	-	-	-	-	-	-	50
336	99	39	24	498	-	1	-	-	-	-	-	-	-	-	-	51
166	64	30	18	278	-	1	-	-	-	-	-	-	-	-	-	52
170	35	9	6	220	-	-	-	-	-	-	-	-	-	-	-	53
466	11	4	5	486	8	10	9	9	4	5	-	3	1	2	1	54
158	8	2	4	172	8	10	8	9	4	5	-	3	1	2	1	55
308	3	2	1	314	-	-	1	-	-	-	-	-	-	-	-	56
1,314	27	10	3	1,354	3	2	1	-	-	-	1	1	-	-	-	57
945	19	8	1	973	3	1	1	-	-	-	1	1	-	-	-	58
369	8	2	2	381	-	1	-	-	-	-	-	-	-	-	-	59
310	9	4	4	327	4	-	-	-	-	-	-	-	-	-	-	60
169	7	1	3	180	4	-	-	-	-	-	-	-	-	-	-	61
141	2	3	1	147	-	-	-	-	-	-	-	-	-	-	-	62
7,275	124	38	28	7,465	67	41	31	24	7	12	8	7	5	3	1	63
1,593	31	20	16	1,660	50	34	28	22	7	10	7	7	5	3	1	64
5,682	93	18	12	5,805	17	7	3	2	-	2	-	-	-	-	-	65
590	36	27	9	662	69	20	6	-	2	-	1	-	-	1	-	66
9,821	151	31	15	10,018	21	5	1	1	1	1	1	1	-	-	-	67
187	28	28	35	278	230	191	156	73	51	31	23	17	15	13	19	68
275	61	50	39	425	137	128	90	75	44	62	40	34	49	34	34	69
109	64	55	68	296	341	324	277	181	162	144	133	105	108	104	92	70
32	18	15	21	86	87	92	64	36	33	23	15	15	8	11	10	71
7	7	11	15	40	108	84	91	34	39	18	17	8	7	4	2	72
70	39	29	32	170	146	148	122	111	90	103	101	82	93	89	80	73
76	1	4	5	86	4	10	12	7	3	3	5	3	4	4	3	74



SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, male--all causes-----	39,098	3,039	13,781	4,418	2,916	1,226	580	435	318
2	Dysentery, all forms-----045-048	16	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	120	-	-	-	-	-	-	-	-
4	Whooping cough-----066	13	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	133	-	-	-	1	-	-	-	-
6	Tetanus-----061	2	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	205	-	4	2	2	4	2	2	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	100	-	5	1	1	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	36	6	5	1	3	1	-	-	-
10	Diseases of thymus gland-----273	35	1	1	1	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	312	-	1	5	8	5	4	8	8
12	Other diseases of nervous system and sense organs-----330-334,341-398	300	1	3	3	4	2	1	1	1
13	Acute upper respiratory infections-----470-475	132	-	-	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	2,831	-	-	-	-	-	-	-	-
15	Influenza-----480-483	38	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	2,793	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	192	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	653	8	22	15	7	4	3	-	-
19	Pulmonary congestion and hypostasis-----522	92	1	4	2	3	3	-	-	-
20	Other chronic interstitial pneumonia-----525	408	-	2	-	-	-	1	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	90	2	6	6	1	1	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	62	5	10	7	3	-	2	-	-
24	Hernia and intestinal obstruction-----560,561,570	409	33	115	34	27	13	12	5	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	429	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	152	2	4	2	6	10	7	6	3
27	Congenital malformations-----750-759	6,062	504	1,122	399	466	280	157	128	88
28	Spina bifida and meningocele-----751	425	35	64	12	16	6	10	6	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	449	53	74	20	19	9	7	4	2
30	Congenital malformations of circulatory system-----754	3,121	58	331	253	329	194	98	80	58
31	Other congenital malformations-----750,755-759	2,067	358	653	113	102	71	42	38	27
32	Certain diseases of early infancy-----760-776	24,268	2,418	12,401	3,904	2,330	863	366	277	198
33	Birth injuries-----760,761	3,837	680	1,944	554	329	124	62	29	25
34	Without mention of immaturity (.0)-----	1,407	272	548	235	171	68	36	17	11
35	With immaturity (.5)-----	2,430	408	1,396	319	158	56	26	12	14
36	Intracranial and spinal injury at birth-----760	1,168	59	408	280	188	87	46	17	17
37	Without mention of immaturity (.0)-----	677	42	220	152	117	55	29	14	7
38	With immaturity (.5)-----	491	17	188	129	71	32	17	3	10
39	Other birth injury-----761	2,669	621	1,536	274	141	37	16	12	8
40	Without mention of immaturity (.0)-----	730	230	328	83	54	13	7	3	4
41	With immaturity (.5)-----	1,939	391	1,208	191	87	24	9	9	4
42	Postnatal asphyxia and atelectasis-----762	6,942	569	3,806	1,277	655	226	78	49	39
43	Without mention of immaturity (.0)-----	1,895	156	828	404	242	85	18	14	12
44	With immaturity (.5)-----	5,047	413	2,978	873	413	141	60	35	27
45	Pneumonia of newborn-----763	1,058	7	153	105	149	72	36	41	26
46	Without mention of immaturity (.0)-----	745	5	86	64	98	45	23	27	13
47	With immaturity (.5)-----	313	2	67	41	51	27	13	14	13
48	Diarrhea of newborn-----764	86	-	-	1	-	1	1	2	3
49	Without mention of immaturity (.0)-----	71	-	-	-	-	1	1	2	2
50	With immaturity (.5)-----	15	-	-	1	-	-	-	-	1
51	Other infections of newborn-----765-768	295	14	41	27	36	30	17	14	17
52	Without mention of immaturity (.0)-----	172	2	20	25	19	12	4	4	10
53	With immaturity (.5)-----	123	12	29	7	11	11	5	10	7
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	303	28	134	51	28	10	6	4	2
55	Without mention of immaturity (.0-.4)-----	129	11	37	21	11	5	3	2	1
56	With immaturity (.5-.9)-----	174	17	97	30	17	5	3	2	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	721	117	358	85	50	44	17	16	9
58	Without mention of immaturity (.0-.2)-----	525	84	261	61	37	32	13	13	6
59	With immaturity (.5-.7)-----	196	33	97	24	13	12	4	3	3
60	Hemorrhagic disease of newborn-----771	196	5	48	41	33	32	13	10	3
61	Without mention of immaturity (.0)-----	108	4	27	23	19	17	4	6	1
62	With immaturity (.5)-----	88	1	21	18	14	15	9	4	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,721	218	2,177	1,062	703	198	62	46	28
64	Without mention of immaturity (.0)-----	1,187	34	372	285	252	66	14	11	8
65	With immaturity (.5)-----	3,534	184	1,805	777	451	132	48	35	20
66	Immaturity with mention of any other subsidiary condition-----774	432	33	166	52	41	20	6	11	8
67	Immaturity, unqualified-----776	5,677	747	3,574	649	306	106	68	55	38
68	Symptoms and ill-defined conditions-----780-793,795	648	17	40	16	16	12	5	1	3
69	All other diseases-----Residual	620	6	45	22	32	20	17	6	7
70	Accidents-----E800-E962	1,343	7	11	10	11	9	3	4	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	286	-	1	2	6	4	1	2	-
72	Accidental mechanical suffocation in bed and cradle-----E924	272	1	-	-	-	-	1	1	1
73	Other accidental causes-----E800-E920,E923,E925-E962	785	6	10	8	5	5	1	1	2
74	Homicide-----E964,E980-E984	87	36	2	4	1	1	1	1	1

## SECTION 2 - INFANT MORTALITY

2-47

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
26,713	1,251	763	619	29,346	2,407	1,885	1,469	993	693	536	425	388	345	297	314	1
-	-	1	-	1	1	4	1	2	1	-	2	1	2	-	1	2
-	-	-	-	-	35	22	21	13	12	4	5	3	2	2	1	3
-	-	-	-	-	2	4	1	2	2	-	-	-	-	1	1	4
1	3	2	4	10	18	12	13	20	10	13	17	9	1	4	6	5
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6
19	9	3	7	38	24	17	25	20	11	16	8	12	9	9	16	7
8	2	1	2	13	6	4	6	6	9	7	6	9	10	9	15	8
16	1	3	-	20	1	1	1	3	3	2	1	2	1	2	-	9
5	1	-	1	7	7	8	10	1	-	1	1	-	-	-	-	10
37	30	32	16	115	43	19	18	31	22	16	10	7	12	11	8	11
16	2	-	3	21	54	42	26	28	23	19	15	14	21	17	20	12
-	3	3	6	12	25	25	31	16	9	3	3	3	2	1	2	13
-	-	3	-	3	715	625	492	309	191	123	112	85	76	49	51	14
-	-	3	-	3	3	4	6	3	-	6	4	3	4	2	-	15
...	...	...	...	...	712	621	486	306	191	117	108	82	72	47	51	16
-	2	2	9	13	25	45	20	36	22	5	6	8	7	4	1	17
59	7	6	5	77	156	156	109	53	34	22	16	9	7	6	8	18
13	4	2	2	21	19	15	9	5	5	1	1	-	-	-	-	19
3	-	1	3	7	108	113	75	32	25	17	11	6	5	4	5	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
16	2	-	-	18	19	14	14	10	2	2	3	3	2	1	2	22
27	1	3	-	31	8	10	5	2	2	1	1	-	-	1	1	23
242	26	19	11	298	42	21	13	13	5	1	5	4	2	1	4	24
-	1	1	-	2	91	64	44	33	34	36	22	38	26	19	20	25
40	13	9	5	67	25	13	16	5	6	5	1	2	4	5	3	26
3,143	467	274	209	4,093	573	345	265	173	142	103	82	93	67	64	62	27
150	37	36	26	249	51	26	26	13	17	11	9	7	9	1	6	28
188	16	9	16	229	48	33	19	18	18	15	15	18	12	11	13	29
1,401	289	161	104	1,955	342	205	173	109	77	62	42	50	32	42	32	30
1,404	125	68	63	1,660	132	81	47	33	30	15	16	18	14	10	11	31
22,757	587	324	258	23,926	142	76	37	31	11	17	10	8	5	5	-	32
3,747	55	19	14	3,833	2	-	-	1	1	1	-	-	-	-	-	33
1,358	27	11	9	1,405	1	-	-	-	1	-	-	-	-	-	-	34
2,389	26	8	5	2,428	1	-	-	-	-	1	-	-	-	-	-	35
1,102	38	17	11	1,168	...	...	...	...	...	...	...	...	...	...	...	36
636	24	11	6	677	...	...	...	...	...	...	...	...	...	...	...	37
466	14	6	5	491	...	...	...	...	...	...	...	...	...	...	...	38
2,645	15	2	3	2,665	2	-	-	-	1	1	-	-	-	-	-	39
722	3	-	3	728	1	-	-	-	1	-	-	-	-	-	-	40
1,923	12	2	-	1,937	1	-	-	-	-	1	-	-	-	-	-	41
6,899	85	34	20	6,858	36	28	11	14	3	7	3	1	1	-	-	42
1,759	34	10	10	1,813	24	24	10	11	3	6	2	1	1	-	-	43
4,940	51	24	10	5,025	12	4	1	3	-	1	1	-	-	-	-	44
589	171	157	141	1,058	...	...	...	...	...	...	...	...	...	...	...	45
361	117	143	124	745	...	...	...	...	...	...	...	...	...	...	...	46
228	54	14	17	313	...	...	...	...	...	...	...	...	...	...	...	47
8	30	23	25	86	-	-	-	-	-	-	-	-	-	-	-	48
6	22	21	22	71	-	-	-	-	-	-	-	-	-	-	-	49
2	8	2	3	15	-	-	-	-	-	-	-	-	-	-	-	50
196	57	24	17	294	-	1	-	-	-	-	-	-	-	-	-	51
104	35	19	13	171	-	1	-	-	-	-	-	-	-	-	-	52
92	22	5	4	123	-	-	-	-	-	-	-	-	-	-	-	53
263	6	2	3	274	2	7	5	5	3	4	-	2	-	1	-	54
91	5	1	3	100	2	7	5	5	3	4	-	2	-	1	-	55
172	1	1	-	174	-	-	-	-	-	-	-	-	-	-	-	56
696	15	4	2	717	1	-	-	-	-	-	1	1	-	-	-	57
507	11	2	1	521	1	-	1	-	-	-	1	1	-	-	-	58
189	4	2	1	196	-	-	-	-	-	-	-	-	-	-	-	59
185	6	1	1	193	3	-	-	-	-	-	-	-	-	-	-	60
101	4	-	-	105	3	-	-	-	-	-	-	-	-	-	-	61
84	2	1	1	88	-	-	-	-	-	-	-	-	-	-	-	62
4,494	60	24	18	4,596	48	28	15	12	3	4	5	3	4	3	-	63
1,042	18	10	10	1,085	34	23	12	12	3	4	4	3	4	3	-	64
3,452	42	9	8	3,511	14	5	3	-	-	-	1	-	-	-	-	65
337	18	5	5	378	37	10	4	-	1	-	1	-	-	1	-	66
5,543	86	18	12	5,659	13	2	1	-	-	1	-	1	-	-	-	67
110	14	17	18	159	138	117	87	44	33	20	11	11	8	8	12	68
155	38	27	20	240	78	75	52	40	18	29	17	14	24	14	19	69
58	43	34	42	177	204	184	172	110	94	93	72	54	58	63	62	70
16	14	9	16	55	55	50	35	21	19	14	7	11	6	6	7	71
4	3	8	6	21	64	43	56	23	28	15	8	5	4	3	2	72
38	26	17	20	101	85	81	66	47	64	57	38	48	54	53	53	73
47	-	2	3	52	3	6	9	4	1	1	3	2	1	3	2	74

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, female--all causes-----	28,100	2,646	9,589	3,078	1,861	709	450	324	236
2	Dysentery, all forms-----045-048	16	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	83	-	-	-	-	-	-	-	-
4	Whooping cough-----056	7	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	90	-	-	1	-	-	-	-	-
6	Tetanus-----061	10	1	-	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	146	2	5	1	1	1	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	97	2	5	4	-	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	52	9	3	1	-	-	1	1	-
10	Diseases of thymus gland-----273	9	-	1	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	226	-	-	3	5	6	2	4	2
12	Other diseases of nervous system and sense organs-----330-334,341-398	224	-	-	1	4	2	1	-	-
13	Acute upper respiratory infections-----470-475	77	-	-	-	-	-	-	-	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,908	-	-	-	-	-	-	-	-
15	Influenza-----480-483	27	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	1,881	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	127	-	2	-	-	1	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	439	4	20	6	4	2	1	-	1
19	Pulmonary congestion and hypostasis-----522	48	1	2	-	1	1	-	-	-
20	Other chronic interstitial pneumonia-----525	293	-	1	1	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	59	1	3	1	1	-	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	39	2	14	4	2	1	1	-	-
24	Hernia and intestinal obstruction-----560,561,570	301	42	101	28	25	6	6	2	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	319	-	-	-	-	-	-	-	1
26	Other diseases of digestive system-----530-542,544-553,573-587	91	1	1	8	9	6	-	3	-
27	Congenital malformations-----750-759	5,358	660	1,016	253	304	186	129	95	85
28	Spina bifida and meningocele-----751	638	73	79	22	15	14	6	8	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	465	68	105	20	21	6	4	4	3
30	Congenital malformations of circulatory system-----754	2,357	40	243	128	184	110	75	52	53
31	Other congenital malformations-----750,755-759	1,898	479	589	83	84	56	44	31	20
32	Certain diseases of early infancy-----760-776	16,874	1,874	8,344	2,739	1,481	476	281	196	127
33	Birth injuries-----760,761	2,364	457	1,188	312	195	73	41	22	13
34	Without mention of immaturity (.0)-----	882	173	366	128	95	45	20	13	5
35	With immaturity (.5)-----	1,482	284	822	184	100	28	21	9	8
36	Intracranial and spinal injury at birth-----760	632	17	255	114	101	50	29	16	7
37	Without mention of immaturity (.0)-----	365	13	146	56	57	34	16	11	4
38	With immaturity (.5)-----	267	4	109	58	44	16	13	5	3
39	Other birth injury-----761	1,732	440	933	198	94	23	12	6	6
40	Without mention of immaturity (.0)-----	517	160	220	72	38	11	4	2	1
41	With immaturity (.5)-----	1,215	280	713	126	56	12	8	4	5
42	Postnatal asphyxia and atelectasis-----762	4,578	429	2,489	823	432	132	58	28	29
43	Without mention of immaturity (.0)-----	1,213	126	572	213	125	54	16	6	4
44	With immaturity (.5)-----	3,365	303	1,917	604	307	78	42	22	25
45	Pneumonia of newborn-----763	718	8	99	96	70	37	31	29	22
46	Without mention of immaturity (.0)-----	483	6	60	59	40	20	14	17	12
47	With immaturity (.5)-----	235	2	39	37	30	17	17	12	10
48	Diarrhea of newborn-----764	52	1	-	1	-	1	2	-	2
49	Without mention of immaturity (.0)-----	37	1	-	1	-	-	-	-	2
50	With immaturity (.5)-----	15	-	-	-	-	-	-	-	-
51	Other infections of newborn-----765-768	204	12	37	21	23	15	16	7	9
52	Without mention of immaturity (.0)-----	107	1	12	13	16	4	6	3	7
53	With immaturity (.5)-----	97	11	25	8	7	11	10	4	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	235	27	106	33	18	10	6	1	2
55	Without mention of immaturity (.0-.4)-----	94	12	35	10	5	3	1	-	1
56	With immaturity (.5-.9)-----	141	15	71	23	13	7	5	1	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	641	177	303	65	32	18	11	8	4
58	Without mention of immaturity (.0-.2)-----	455	133	209	45	25	13	8	3	2
59	With immaturity (.5-.7)-----	186	44	94	20	7	5	3	5	2
60	Hemorrhagic disease of newborn-----771	135	5	59	19	20	8	5	5	4
61	Without mention of immaturity (.0)-----	76	4	39	7	8	5	1	1	3
62	With immaturity (.5)-----	59	1	20	12	12	3	4	4	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,950	169	1,364	691	374	96	41	32	14
64	Without mention of immaturity (.0)-----	647	27	230	164	82	28	9	10	1
65	With immaturity (.5)-----	2,303	142	1,134	527	292	68	32	22	13
66	Immaturity with mention of any other subsidiary condition-----774	329	20	126	40	29	12	11	9	6
67	Immaturity, unqualified-----776	4,372	569	2,573	638	288	74	59	55	22
68	Symptoms and ill-defined conditions-----780-793,795	429	17	28	15	5	2	5	3	2
69	All other diseases-----Residual	532	9	43	17	12	13	10	10	6
70	Accidents-----E800-E962	924	6	8	3	10	4	7	9	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	194	-	-	1	3	3	4	2	3
72	Accidental mechanical suffocation in bed and cradle-----E924	180	-	-	-	-	-	1	2	1
73	Other accidental causes-----E800-E920,E923,E925-E962	550	6	8	2	7	1	2	5	1
74	Homicide-----E964,E980-E984	57	19	6	2	1	-	-	1	-

## SECTION 2 - INFANT MORTALITY

2-49

by Age, Color, and Sex: United States, 1965—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
18,893	917	606	480	20,896	1,655	1,267	1,047	759	534	466	386	290	309	246	245	1
-	-	-	-	-	3	-	3	2	1	1	1	1	2	1	1	2
-	-	-	-	-	24	13	14	5	6	6	5	1	3	3	3	3
1	2	4	2	9	11	4	7	11	8	8	7	5	7	7	7	6
3	5	1	-	9	-	-	-	-	-	-	-	-	-	-	-	5
12	4	6	7	29	21	15	14	6	6	11	12	11	9	8	4	7
12	-	-	3	15	8	10	12	9	9	8	3	3	7	7	6	8
24	1	2	1	28	3	2	4	1	3	3	3	2	-	1	2	9
2	-	-	-	2	1	-	1	-	-	2	1	-	2	-	-	10
22	31	13	10	76	27	22	27	19	6	10	10	6	6	9	8	11
8	3	4	-	15	27	26	15	36	19	21	21	7	20	8	9	12
1	1	3	-	5	15	21	10	7	6	5	3	-	1	1	3	15
-	-	-	-	-	438	397	333	219	132	102	80	59	56	39	53	14
-	-	-	-	-	6	2	5	2	1	1	1	4	2	3	-	15
...	...	...	...	...	432	395	328	217	131	101	79	55	54	36	53	16
3	-	1	5	9	25	22	21	17	6	8	7	3	6	1	2	17
38	3	7	1	49	112	99	67	35	22	19	15	7	7	3	4	18
5	2	4	1	12	11	7	8	1	2	3	1	1	2	-	-	19
2	1	2	-	5	85	77	50	26	15	15	8	4	3	3	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	-	1	-	8	15	12	6	5	3	1	5	1	2	-	1	22
24	-	-	-	24	1	3	3	3	2	1	1	1	-	-	1	23
214	15	12	5	246	23	6	4	4	2	4	3	3	3	2	1	24
1	-	1	-	2	58	40	33	24	21	28	21	26	20	23	23	25
29	10	3	3	45	9	6	5	3	4	2	5	3	6	2	1	26
2,728	351	276	204	3,559	466	267	247	200	157	119	86	69	66	62	60	27
226	39	51	46	362	89	48	34	24	21	15	12	9	6	6	12	28
231	17	13	17	278	28	23	30	19	22	17	14	6	10	10	8	29
885	214	145	94	1,338	252	148	148	123	93	57	46	41	42	40	29	30
1,386	81	67	47	1,581	97	48	35	34	21	30	14	13	8	6	11	31
15,518	432	216	175	16,341	94	44	33	23	11	12	5	6	3	2	4	32
2,301	33	13	12	2,359	2	1	1	-	-	-	-	-	-	-	1	33
845	15	9	9	878	1	1	1	-	-	-	-	-	-	-	1	34
1,456	18	4	3	1,481	1	-	-	-	-	-	-	-	-	-	-	35
589	24	9	10	632	...	...	...	...	...	...	...	...	...	...	...	36
337	14	6	8	365	...	...	...	...	...	...	...	...	...	...	...	37
252	10	3	2	267	...	...	...	...	...	...	...	...	...	...	...	38
1,712	9	4	2	1,727	2	1	1	-	-	-	-	-	-	-	1	39
508	1	3	1	513	1	1	1	-	-	-	-	-	-	-	1	40
1,204	8	1	1	1,214	1	-	-	-	-	-	-	-	-	-	-	41
4,420	53	25	15	4,513	24	12	10	6	4	3	2	1	1	-	2	42
1,122	19	11	7	1,159	18	11	9	5	3	2	2	1	1	-	2	43
3,298	34	14	8	3,354	6	1	1	1	1	-	-	-	-	-	-	44
392	120	97	109	718	...	...	...	...	...	...	...	...	...	...	...	45
228	78	81	96	483	...	...	...	...	...	...	...	...	...	...	...	46
164	42	16	13	235	...	...	...	...	...	...	...	...	...	...	...	47
7	17	19	9	52	-	-	-	-	-	-	-	-	-	-	-	48
7	11	13	6	37	-	-	-	-	-	-	-	-	-	-	-	49
-	6	6	3	15	-	-	-	-	-	-	-	-	-	-	-	50
140	42	15	7	204	-	-	-	-	-	-	-	-	-	-	-	51
62	29	11	5	107	-	-	-	-	-	-	-	-	-	-	-	52
78	13	4	2	97	-	-	-	-	-	-	-	-	-	-	-	53
203	5	2	2	212	6	3	4	4	1	1	-	1	1	1	1	54
67	3	1	1	72	6	3	3	4	1	1	-	1	1	1	1	55
136	2	1	1	140	-	-	1	-	-	-	-	-	-	-	-	56
618	12	6	1	637	2	2	-	-	-	-	-	-	-	-	-	57
438	8	6	-	452	2	1	-	-	-	-	-	-	-	-	-	58
180	4	-	1	185	-	1	-	-	-	-	-	-	-	-	-	59
125	3	3	3	134	1	-	-	-	-	-	-	-	-	-	-	60
68	3	1	3	75	1	-	-	-	-	-	-	-	-	-	-	61
57	-	2	-	59	-	-	-	-	-	-	-	-	-	-	-	62
2,781	64	14	10	2,869	19	13	16	12	4	8	3	4	1	-	1	63
551	13	5	6	575	16	11	16	10	4	6	3	4	1	-	1	64
2,230	51	9	4	2,294	3	2	-	2	-	2	-	-	-	-	-	65
253	18	9	4	284	32	10	2	-	1	-	-	-	-	-	-	66
4,278	65	13	3	4,359	8	3	-	1	1	-	-	-	-	-	-	67
77	14	11	17	119	92	74	49	29	18	11	12	6	7	5	7	68
120	23	23	19	185	59	53	38	35	26	33	23	20	25	20	15	69
51	21	21	26	119	137	140	105	71	68	51	61	51	50	41	30	70
16	4	6	5	31	32	42	29	15	14	9	8	4	2	5	3	71
3	4	3	9	19	44	41	35	11	11	9	9	3	3	1	-	72
32	13	12	12	69	61	57	41	45	43	39	44	44	45	35	27	73
29	1	2	2	34	1	4	3	3	2	2	2	1	3	1	1	74

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, both sexes--all causes-----	25,668	1,607	7,562	2,217	1,197	562	375	326	226
2	Dysentery, all forms-----045-046	53	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	135	-	-	-	-	-	-	-	-
4	Whooping cough-----066	22	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	51	-	-	-	1	-	-	-	-
6	Tetanus-----061	13	-	-	-	-	-	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	154	2	4	-	-	1	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	29	-	1	-	-	3	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	17	1	4	1	1	-	-	1	-
10	Diseases of thymus gland-----273	11	-	1	2	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	306	1	1	2	2	3	1	3	6
12	Other diseases of nervous system and sense organs-----330-334,341-398	180	-	5	3	2	1	-	-	1
13	Acute upper respiratory infections-----470-475	119	-	-	1	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,297	1	-	-	-	-	-	-	2
15	Influenza-----480-483	117	1	-	-	-	-	-	-	2
16	Pneumonia, except pneumonia of newborn-----490-493	3,180	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	151	-	-	-	-	-	-	-	1
18	Other diseases of respiratory system-----510-522,525-527	551	2	9	4	3	1	-	-	-
19	Pulmonary congestion and hypostasis-----522	59	1	5	1	2	1	-	-	-
20	Other chronic interstitial pneumonia-----525	379	-	1	-	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	83	1	1	1	1	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	30	-	2	2	-	-	-	-	-
24	Hernia and intestinal obstruction-----560,561,570	142	6	26	7	8	4	2	6	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	961	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	135	-	2	3	6	8	9	11	9
27	Congenital malformations-----750-759	2,023	129	285	126	100	75	51	43	33
28	Spina bifida and meningocele-----751	90	8	13	3	1	2	1	-	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	191	17	28	11	4	2	3	1	1
30	Congenital malformations of circulatory system-----754	1,087	15	99	65	68	54	26	22	14
31	Other congenital malformations-----750,755-759	655	89	145	47	27	17	21	20	16
32	Certain diseases of early infancy-----760-776	14,529	1,362	7,055	1,990	1,011	432	288	243	162
33	Birth injuries-----760,761	1,517	254	704	243	123	59	34	21	15
34	Without mention of immaturity (.0)-----	638	116	257	116	56	32	19	6	7
35	With immaturity (.5)-----	879	138	447	127	67	27	15	15	8
36	Intracranial and spinal injury at birth-----760	663	30	257	147	82	40	26	17	14
37	Without mention of immaturity (.0)-----	313	18	116	70	39	21	13	5	7
38	With immaturity (.5)-----	350	12	141	77	43	19	13	12	7
39	Other birth injury-----761	854	224	447	96	41	19	8	4	1
40	Without mention of immaturity (.0)-----	325	98	141	46	17	11	6	1	-
41	With immaturity (.5)-----	529	126	306	50	24	8	2	1	-
42	Postnatal asphyxia and atelectasis-----762	3,909	357	2,110	645	280	107	64	57	28
43	Without mention of immaturity (.0)-----	999	101	449	201	88	29	20	11	6
44	With immaturity (.5)-----	2,910	256	1,661	444	192	78	44	46	22
45	Pneumonia of newborn-----763	997	11	97	71	67	44	43	41	35
46	Without mention of immaturity (.0)-----	759	10	46	58	31	34	26	24	24
47	With immaturity (.5)-----	258	1	40	25	29	13	9	15	11
48	Diarrhea of newborn-----764	229	1	5	5	-	3	4	6	3
49	Without mention of immaturity (.0)-----	184	1	5	-	-	2	2	5	3
50	With immaturity (.5)-----	45	-	-	1	-	1	2	1	-
51	Other infections of newborn-----765-768	287	19	41	19	28	19	21	23	14
52	Without mention of immaturity (.0)-----	157	6	13	12	17	12	11	13	10
53	With immaturity (.5)-----	130	13	28	7	11	7	10	10	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	170	24	68	23	9	5	-	2	1
55	Without mention of immaturity (.0-.4)-----	78	10	19	8	4	1	-	-	-
56	With immaturity (.5-.9)-----	92	14	49	15	5	4	-	2	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	114	13	39	13	11	9	5	2	-
58	Without mention of immaturity (.0-.2)-----	88	13	26	11	10	7	4	2	-
59	With immaturity (.5-.7)-----	26	-	13	2	1	2	1	-	-
60	Hemorrhagic disease of newborn-----771	145	4	35	23	31	13	11	6	1
61	Without mention of immaturity (.0)-----	88	2	27	15	15	9	5	3	1
62	With immaturity (.5)-----	57	2	8	8	16	4	6	3	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,461	120	1,117	440	190	59	33	23	18
64	Without mention of immaturity (.0)-----	708	18	184	75	49	16	11	2	6
65	With immaturity (.5)-----	1,753	102	933	365	141	43	22	21	12
66	Immaturity with mention of any other subsidiary condition-----774	318	17	119	36	16	12	10	6	7
67	Immaturity, unqualified-----776	4,382	542	2,680	474	236	102	63	56	40
68	Symptoms and ill-defined conditions-----780-793,795	1,292	76	113	54	35	21	12	9	7
69	All other diseases-----Residual	379	2	29	12	7	5	4	2	1
70	Accidents-----E800-E962	1,049	5	20	7	14	12	7	8	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	201	-	3	2	2	6	2	3	-
72	Accidental mechanical suffocation in bed and cradle-----E924	248	-	2	1	2	1	-	1	1
73	Other accidental causes-----E800-E920,E923,E925-E962	600	5	15	4	10	5	5	4	2
74	Homicide-----E964,E980-E984	69	20	7	5	2	-	1	-	-

## SECTION 2 - INFANT MORTALITY

2-51

by Age, Color, and Sex: United States, 1965-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
14,072	960	631	514	16,177	2,336	1,752	1,377	1,043	733	567	460	378	310	276	259	1
-	2	1	-	3	9	9	8	7	3	3	3	3	3	1	1	2
-	-	-	-	-	43	24	12	11	12	11	8	4	3	4	3	3
1	-	-	1	5	5	2	5	2	2	2	2	-	3	-	-	4
1	2	1	1	5	8	3	6	5	7	6	3	2	3	3	-	5
1	7	5	-	13	-	-	-	-	-	-	-	-	-	-	-	6
7	3	8	2	20	17	18	18	15	12	8	10	9	12	7	8	7
4	1	1	-	6	2	2	3	1	1	5	2	-	-	-	2	8
8	-	-	1	9	1	2	1	1	1	1	-	-	-	5	-	9
4	1	1	-	6	-	2	-	1	1	-	-	1	-	-	-	10
19	20	9	9	57	30	33	25	40	17	26	16	17	24	10	11	11
12	1	2	1	16	33	26	19	6	17	13	9	9	11	15	6	12
1	1	4	4	10	21	18	27	15	5	6	6	2	3	3	3	13
3	3	1	4	11	779	663	543	382	250	164	155	108	83	74	85	14
3	3	1	4	11	22	17	17	15	7	5	9	3	3	6	2	15
...	...	...	...	...	757	646	526	367	243	159	146	105	80	68	83	16
1	2	1	4	8	30	27	18	17	15	11	7	9	2	4	3	17
19	5	6	3	33	124	120	89	61	28	23	26	13	6	22	6	18
10	-	-	1	11	17	11	8	3	1	3	2	1	-	1	1	19
1	1	2	-	4	86	82	70	50	21	15	20	8	4	16	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	3	2	1	10	15	24	9	6	6	4	2	3	-	3	1	22
4	1	2	1	8	6	3	2	2	2	1	2	1	2	2	1	23
59	11	3	12	85	17	4	12	6	4	4	2	3	2	1	2	24
-	1	1	1	3	272	140	119	108	78	63	40	52	31	25	30	25
48	13	4	4	69	20	11	7	9	1	4	3	4	2	4	1	26
842	133	81	67	1,123	227	142	115	101	85	54	45	40	37	32	22	27
30	6	8	5	49	13	7	6	3	5	2	1	1	-	1	2	28
67	7	4	3	81	15	17	10	9	13	11	7	11	5	7	5	29
363	70	46	40	519	138	93	80	75	54	30	31	20	22	16	9	30
382	50	23	19	474	61	25	19	14	13	11	6	8	10	8	6	31
12,543	653	424	323	13,943	233	125	76	40	27	23	13	14	10	12	13	32
1,453	37	17	9	1,516	-	-	-	-	-	-	-	-	-	1	-	33
609	14	9	6	638	-	-	-	-	-	-	-	-	-	-	-	34
844	23	8	3	878	-	-	-	-	-	-	-	-	-	1	-	35
613	28	14	8	663	...	...	...	...	...	...	...	...	...	...	...	36
289	10	8	6	313	...	...	...	...	...	...	...	...	...	...	...	37
324	18	6	2	350	...	...	...	...	...	...	...	...	...	...	...	38
840	9	3	1	853	-	-	-	-	-	-	-	-	-	1	-	39
320	4	1	-	325	-	-	-	-	-	-	-	-	-	-	-	40
520	5	2	1	528	-	-	-	-	-	-	-	-	-	1	-	41
3,648	99	47	21	3,815	44	20	10	7	3	2	2	4	-	1	1	42
905	20	4	7	936	18	18	8	7	2	2	2	4	-	1	1	43
2,743	79	43	14	2,879	26	2	2	1	1	-	-	-	-	-	-	44
469	189	174	165	997	...	...	...	...	...	...	...	...	...	...	...	45
326	144	145	144	759	...	...	...	...	...	...	...	...	...	...	...	46
143	45	29	21	238	...	...	...	...	...	...	...	...	...	...	...	47
25	62	81	60	228	1	-	-	-	-	-	-	-	-	-	-	48
20	48	63	52	183	1	-	-	-	-	-	-	-	-	-	-	49
5	14	18	8	45	-	-	-	-	-	-	-	-	-	-	-	50
184	58	28	16	286	1	-	-	-	-	-	-	-	-	-	-	51
94	32	23	8	157	-	-	-	-	-	-	-	-	-	-	-	52
90	26	5	8	129	1	-	-	-	-	-	-	-	-	-	-	53
132	1	5	1	139	8	4	7	1	3	4	1	1	-	1	1	54
42	-	4	1	47	8	4	7	1	3	4	1	1	-	1	1	55
90	1	1	-	92	-	-	-	-	-	-	-	-	-	-	-	56
92	15	2	1	110	2	-	1	1	-	-	-	-	-	-	-	57
73	10	1	-	84	2	-	1	-	-	-	-	-	-	-	-	58
19	5	1	1	26	-	-	-	-	-	-	-	-	-	-	-	59
124	14	4	-	142	1	1	-	-	-	-	-	1	-	-	-	60
77	5	3	-	85	1	1	-	-	-	-	-	1	-	-	-	61
47	9	1	-	57	-	-	-	-	-	-	-	-	-	-	-	62
2,000	63	26	30	2,119	101	81	50	27	20	17	9	8	9	9	11	63
361	16	11	19	407	80	73	43	26	19	17	8	7	8	9	11	64
1,639	47	15	11	1,712	21	8	7	1	1	-	1	1	1	-	-	65
223	16	5	6	250	45	12	7	2	-	-	1	-	1	-	-	66
4,193	99	35	14	4,341	30	7	1	2	1	-	-	-	-	-	-	67
327	56	37	39	459	202	176	132	108	62	49	37	19	20	14	14	68
62	17	13	13	104	56	41	29	20	24	20	20	23	14	12	16	69
76	33	24	25	158	197	161	106	84	81	71	53	43	38	26	31	70
18	8	3	6	35	51	28	28	12	19	6	10	6	6	-	-	71
8	3	10	5	26	63	62	26	24	17	13	9	4	1	-	3	72
50	22	11	14	97	85	71	52	48	45	52	34	33	31	26	28	73
35	-	-	1	36	10	3	7	3	1	-	-	3	2	2	2	74

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Nonwhite, male—all causes-----	14,321	923	4,282	1,205	688	320	214	196	137
2 Dysentery, all forms-----045-048	28	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	74	-	-	-	-	-	-	-	-
4 Whooping cough-----056	13	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	23	-	-	-	-	-	-	-	-
6 Tetanus-----061	10	-	-	-	-	-	-	-	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	81	1	-	-	1	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	18	-	1	-	2	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	10	-	2	1	-	-	-	1	-
10 Diseases of thymus gland-----273	6	-	-	-	1	-	-	-	4
11 Meningitis, except meningococcal and tuberculous-----340	155	1	-	-	1	3	1	2	4
12 Other diseases of nervous system and sense organs-----350-354,341-398	110	-	4	1	2	-	-	-	1
13 Acute upper respiratory infections-----470-475	74	-	-	1	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	1,773	-	-	-	-	-	-	-	2
15 Influenza-----480-483	58	-	-	-	-	-	-	-	2
16 Pneumonia, except pneumonia of newborn-----490-493	1,715	...	...	...	...	...	...	...	...
17 Bronchitis-----500-502	81	-	-	-	-	-	-	-	1
18 Other diseases of respiratory system-----510-522,525-527	294	1	5	2	1	-	-	-	-
19 Pulmonary congestion and hypostasis-----522	30	1	2	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	209	-	-	-	-	-	-	-	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	43	-	1	1	1	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	12	-	2	1	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	83	2	10	5	2	2	1	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	528	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	74	-	-	2	3	3	4	10	6
27 Congenital malformations-----750-759	1,116	76	150	75	61	37	28	23	20
28 Spina bifida and meningocele-----751	47	3	5	2	1	1	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	95	8	12	5	2	2	1	1	1
30 Congenital malformations of circulatory system-----754	582	11	50	39	42	26	14	11	8
31 Other congenital malformations-----750,755-759	392	54	83	28	16	8	12	11	11
32 Certain diseases of early infancy-----760-776	8,223	784	4,011	1,077	581	254	166	143	95
33 Birth injuries-----760,761	878	135	410	144	74	36	19	14	8
34 Without mention of immaturity (.0)-----	371	61	154	68	33	20	9	4	2
35 With immaturity (.5)-----	507	74	256	76	41	16	10	10	6
36 Intracranial and spinal injury at birth-----760	397	15	155	99	50	26	15	11	7
37 Without mention of immaturity (.0)-----	182	9	67	41	23	16	6	3	2
38 With immaturity (.5)-----	215	6	88	48	27	10	9	8	5
39 Other birth injury-----761	481	120	255	55	24	10	4	3	1
40 Without mention of immaturity (.0)-----	189	52	87	27	10	4	3	1	-
41 With immaturity (.5)-----	292	68	168	28	14	6	1	2	1
42 Postnatal asphyxia and atelectasis-----762	2,211	201	1,222	346	178	59	36	29	15
43 Without mention of immaturity (.0)-----	565	57	259	115	53	15	12	5	4
44 With immaturity (.5)-----	1,646	144	963	231	125	44	24	24	11
45 Pneumonia of newborn-----763	558	5	80	35	53	21	26	27	22
46 Without mention of immaturity (.0)-----	429	5	58	23	38	17	20	18	17
47 With immaturity (.5)-----	129	4	22	12	15	4	6	9	5
48 Diarrhea of newborn-----764	140	1	5	3	-	2	2	3	2
49 Without mention of immaturity (.0)-----	111	1	5	2	-	2	1	2	2
50 With immaturity (.5)-----	29	-	-	1	-	-	1	1	-
51 Other infections of newborn-----765-768	173	10	25	9	12	13	13	19	9
52 Without mention of immaturity (.0)-----	93	5	6	6	7	8	6	9	5
53 With immaturity (.5)-----	80	5	19	3	5	5	7	10	4
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	90	12	36	11	5	5	-	1	1
55 Without mention of immaturity (.0-.4)-----	40	6	10	4	1	1	-	-	-
56 With immaturity (.5-.9)-----	50	6	26	7	4	4	-	1	1
57 Hemolytic disease of newborn (erythroblastosis)-----770	68	7	22	8	7	5	3	2	-
58 Without mention of immaturity (.0-.2)-----	53	7	14	6	7	4	3	2	-
59 With immaturity (.5-.7)-----	15	-	8	2	-	1	-	-	-
60 Hemorrhagic disease of newborn-----771	87	2	18	14	19	10	8	3	-
61 Without mention of immaturity (.0)-----	50	1	14	9	9	3	3	1	-
62 With immaturity (.5)-----	37	1	4	5	10	3	5	2	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,397	66	639	244	97	35	21	12	10
64 Without mention of immaturity (.0)-----	432	12	116	44	33	9	8	1	4
65 With immaturity (.5)-----	965	54	523	200	64	26	13	11	6
66 Immaturity with mention of any other subsidiary condition-----774	185	11	73	18	9	5	5	2	5
67 Immaturity, unqualified-----776	2,436	334	1,481	245	127	63	33	31	23
68 Symptoms and ill-defined conditions-----780-793,795	735	43	66	28	24	12	5	8	4
69 All other diseases-----Residual	232	1	14	9	3	3	3	2	1
70 Accidents-----E800-E962	544	3	14	4	6	6	5	5	2
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	95	-	2	-	1	4	2	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	123	-	1	1	-	-	-	1	1
73 Other accidental causes-----E800-E920,E923,E925-E962	326	3	11	3	5	2	3	2	1
74 Homicide-----E964,E980-E984	36	11	3	-	-	-	1	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1965--Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
7,965	547	362	287	9,161	1,277	957	774	558	403	302	245	203	149	142	150	1
-	2	-	-	2	4	4	5	4	2	2	1	1	1	1	1	2
-	-	-	-	-	27	14	7	2	5	6	5	4	1	2	1	3
-	-	-	-	-	3	1	3	1	-	1	2	-	2	-	-	4
1	5	4	1	10	5	2	4	3	3	2	1	1	-	1	-	5
2	1	6	2	11	12	7	12	8	8	5	1	4	5	3	5	6
3	1	-	-	4	1	1	2	1	-	3	1	-	-	3	2	8
4	-	-	-	4	1	-	1	1	1	1	-	1	1	-	-	9
1	1	-	-	2	-	2	-	-	1	-	-	1	-	-	-	10
12	11	6	3	32	11	15	14	24	12	14	8	8	8	6	3	11
8	-	2	1	11	23	19	11	1	9	9	6	7	5	5	4	12
1	1	2	3	7	12	14	19	7	2	4	3	1	2	1	1	13
2	1	-	1	4	414	348	298	218	139	87	89	56	32	46	52	14
2	1	-	1	4	12	8	8	8	3	3	7	1	1	1	2	15
...	...	...	...	...	402	340	280	210	136	84	82	55	31	45	50	16
1	2	1	3	7	17	15	14	6	7	8	3	1	1	1	1	17
9	3	2	1	15	61	65	56	33	14	13	13	7	2	11	4	18
3	-	-	-	3	8	7	5	1	1	2	1	-	-	1	-	19
-	-	1	-	1	44	48	44	28	8	10	3	2	2	8	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	2	1	1	7	7	10	5	3	5	1	1	2	-	2	-	22
3	1	-	-	4	2	-	1	2	1	-	1	-	-	-	1	23
24	7	2	10	43	13	3	8	6	1	2	2	2	2	-	1	24
-	1	1	-	2	158	80	70	51	39	33	22	29	20	9	15	25
30	5	3	3	41	12	3	3	6	-	2	2	3	1	1	-	26
470	76	44	43	633	143	77	60	49	45	25	21	22	16	13	12	27
12	5	3	4	24	9	2	3	2	3	1	1	-	-	-	2	28
33	4	2	1	40	8	7	6	4	4	5	4	10	3	1	3	29
201	39	22	22	284	89	51	40	36	29	14	14	8	8	6	4	30
224	28	17	16	285	38	17	11	7	9	5	2	4	5	6	3	31
7,111	372	239	177	7,999	133	64	41	22	15	13	6	8	10	6	6	32
840	25	10	3	878	-	-	-	-	-	-	-	-	-	-	-	33
351	13	4	3	371	-	-	-	-	-	-	-	-	-	-	-	34
489	12	6	-	507	-	-	-	-	-	-	-	-	-	-	-	35
368	19	7	3	397	...	...	...	...	...	...	...	...	...	...	...	36
167	9	3	3	132	...	...	...	...	...	...	...	...	...	...	...	37
201	10	3	-	215	...	...	...	...	...	...	...	...	...	...	...	38
472	6	4	-	481	...	...	...	...	...	...	...	...	...	...	...	39
184	4	1	-	189	-	-	-	-	-	-	-	-	-	-	-	40
298	2	2	-	292	-	-	-	-	-	-	-	-	-	-	-	41
2,096	48	26	8	2,168	22	11	6	2	-	1	1	-	-	-	-	42
520	12	1	4	537	9	10	5	2	-	1	1	-	-	-	-	43
1,566	36	25	4	1,631	13	1	1	-	-	-	-	-	-	-	-	44
269	102	97	90	558	...	...	...	...	...	...	...	...	...	...	...	45
196	78	79	76	429	...	...	...	...	...	...	...	...	...	...	...	46
73	24	18	14	129	...	...	...	...	...	...	...	...	...	...	...	47
18	39	45	37	139	1	-	-	-	-	-	-	-	-	-	-	48
15	28	35	32	110	1	-	-	-	-	-	-	-	-	-	-	49
3	11	10	5	29	-	-	-	-	-	-	-	-	-	-	-	50
110	40	13	10	173	-	-	-	-	-	-	-	-	-	-	-	51
52	22	12	7	93	-	-	-	-	-	-	-	-	-	-	-	52
58	18	1	3	80	-	-	-	-	-	-	-	-	-	-	-	53
71	-	5	1	77	5	-	4	-	2	1	-	1	-	-	-	54
22	-	4	1	27	5	-	-	-	2	1	-	1	-	-	-	55
49	-	1	-	50	-	-	-	-	-	-	-	-	-	-	-	56
54	11	1	-	66	2	-	-	-	-	-	-	-	-	-	-	57
43	7	1	-	51	2	-	-	-	-	-	-	-	-	-	-	58
11	4	-	-	15	-	-	-	-	-	-	-	-	-	-	-	59
74	9	2	-	85	1	-	-	-	-	-	-	1	-	-	-	60
44	5	1	-	48	1	-	-	-	-	-	-	1	-	-	-	61
30	6	1	-	37	-	-	-	-	-	-	-	-	-	-	-	62
1,124	32	18	16	1,190	62	42	30	18	12	11	5	6	9	6	6	63
227	9	8	12	256	44	38	26	17	11	11	4	5	8	6	6	64
897	23	10	4	934	18	4	4	1	1	-	1	1	-	-	-	65
128	13	3	5	149	26	7	1	1	-	-	-	-	1	-	-	66
2,337	53	19	7	2,416	14	4	1	1	1	-	-	-	-	-	-	67
190	30	23	20	263	104	109	76	55	39	23	25	12	13	7	9	68
36	9	13	7	65	35	25	18	12	16	12	9	6	7	13	69	
45	19	14	11	89	84	88	56	46	45	37	25	21	19	17	17	70
11	4	2	1	18	19	16	12	5	11	4	2	4	4	-	-	71
4	2	4	3	13	24	34	11	12	7	9	7	2	1	-	-	72
30	13	8	7	58	41	38	33	29	27	24	16	15	14	17	14	73
15	-	-	1	16	5	-	6	2	-	-	-	1	2	2	2	74



SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, female--all causes-----	11,347	684	3,280	1,012	509	242	161	130	89
2	Dysentery, all forms-----045-048	25	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	61	-	-	-	-	-	-	-	-
4	Whooping cough-----056	9	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	28	-	-	-	1	-	-	-	-
6	Tetanus-----061	3	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	73	1	4	-	-	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	11	-	-	-	1	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	7	1	2	-	1	-	-	-	-
10	Diseases of thymus gland-----273	5	-	1	2	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	151	-	1	2	1	-	-	1	2
12	Other diseases of nervous system and sense organs-----330-334,341-398	70	-	1	2	-	1	-	-	-
13	Acute upper respiratory infections-----470-475	45	-	-	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,524	1	-	-	-	-	-	-	-
15	Influenza-----480-483	59	1	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	1,465	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	70	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	257	1	4	2	2	1	-	-	-
19	Pulmonary congestion and hypostasis-----522	29	-	3	1	2	1	-	-	-
20	Other chronic interstitial pneumonia-----525	170	-	1	-	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	40	1	-	-	-	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	18	-	-	1	-	-	-	-	-
24	Hernia and intestinal obstruction-----560,561,570	59	4	16	2	6	2	1	4	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	433	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,575-587	61	-	-	1	3	5	5	1	3
27	Congenital malformations-----750-759	907	53	135	51	39	38	23	20	13
28	Spina bifida and meningocele-----751	43	5	8	1	-	1	-	-	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	96	9	16	6	-	-	1	-	-
30	Congenital malformations of circulatory system-----754	505	4	49	26	26	28	12	11	6
31	Other congenital malformations-----750,755-759	263	35	62	18	11	9	9	9	5
32	Certain diseases of early infancy-----760-776	6,306	578	3,044	913	430	178	122	100	67
33	Birth injuries-----760,761	639	119	294	99	49	23	15	7	7
34	Without mention of immaturity (.0)-----	267	55	103	46	23	12	10	2	5
35	With immaturity (.5)-----	372	64	191	51	26	11	5	5	2
36	Intracranial and spinal injury at birth-----760	266	15	102	58	32	14	11	6	7
37	Without mention of immaturity (.0)-----	131	9	49	29	16	5	7	2	5
38	With immaturity (.5)-----	135	6	53	29	16	9	4	4	2
39	Other birth injury-----761	373	104	192	41	17	9	4	1	-
40	Without mention of immaturity (.0)-----	136	46	54	18	7	7	3	-	-
41	With immaturity (.5)-----	237	58	138	22	10	2	1	1	-
42	Postnatal asphyxia and atelectasis-----762	1,698	156	888	299	102	48	28	28	13
43	Without mention of immaturity (.0)-----	44	190	86	35	14	8	6	6	2
44	With immaturity (.5)-----	1,264	112	698	213	67	34	20	22	11
45	Pneumonia of newborn-----763	439	6	57	36	34	23	17	14	13
46	Without mention of immaturity (.0)-----	330	5	39	23	20	14	14	8	7
47	With immaturity (.5)-----	109	1	18	13	14	9	3	6	6
48	Diarrhea of newborn-----764	89	-	-	-	-	1	2	3	1
49	Without mention of immaturity (.0)-----	73	-	-	-	-	-	1	3	1
50	With immaturity (.5)-----	16	-	-	-	-	1	1	-	-
51	Other infections of newborn-----765-768	114	9	16	10	16	6	8	4	5
52	Without mention of immaturity (.0)-----	64	1	7	6	10	4	5	4	5
53	With immaturity (.5)-----	50	8	9	4	6	2	3	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	80	12	32	12	4	-	-	1	-
55	Without mention of immaturity (.0-.4)-----	38	4	9	4	3	-	-	-	-
56	With immaturity (.5-.9)-----	42	8	23	8	1	-	-	1	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	46	6	17	5	4	4	2	-	-
58	Without mention of immaturity (.0-.2)-----	35	6	12	5	3	3	1	-	-
59	With immaturity (.5-.7)-----	11	-	5	-	1	1	1	-	-
60	Hemorrhagic disease of newborn-----771	58	2	17	9	12	3	3	3	1
61	Without mention of immaturity (.0)-----	38	1	13	6	6	2	2	2	1
62	With immaturity (.5)-----	20	1	4	3	6	1	1	1	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,064	54	478	196	93	24	12	11	8
64	Without mention of immaturity (.0)-----	276	6	68	31	16	7	3	1	2
65	With immaturity (.5)-----	788	48	410	165	77	17	9	10	6
66	Immaturity with mention of any other subsidiary condition-----774	133	6	46	18	7	7	5	4	2
67	Immaturity, unqualified-----776	1,946	208	1,199	229	109	39	30	25	17
68	Symptoms and ill-defined conditions-----780-793,795	557	33	47	26	11	9	7	1	3
69	All other diseases-----Residual	147	1	15	3	4	2	1	-	-
70	Accidents-----E800-E962	505	2	6	3	8	6	2	3	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	106	-	1	2	1	2	-	1	-
72	Accidental mechanical suffocation in bed and cradle-----E924	125	-	1	-	2	1	-	-	-
73	Other accidental causes-----E900-E920,E923,E925-E962	274	2	4	1	5	3	2	2	1
74	Homicide-----E964,E980-E984	33	9	4	5	2	-	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States 1965-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,107	413	269	227	7,016	1,059	795	603	485	330	265	215	175	161	134	109	1
-	-	1	-	1	5	5	3	3	1	1	2	2	2	-	-	2
-	-	-	-	-	16	10	5	9	7	5	3	-	2	2	2	3
1	2	1	-	4	2	1	2	1	1	1	-	1	1	-	-	4
-	2	1	-	3	3	1	2	2	4	4	2	1	3	2	-	5
5	2	2	-	9	5	11	6	7	4	3	9	5	7	4	3	7
1	-	1	-	2	1	1	1	-	1	2	1	-	-	2	-	8
4	-	-	1	5	1	-	-	-	-	-	-	-	-	-	-	9
3	-	1	-	4	-	-	-	1	-	-	-	-	-	-	-	10
7	9	3	6	25	19	18	11	16	5	12	8	9	16	4	8	11
4	-	-	-	5	10	7	8	5	8	4	3	2	6	10	2	12
-	1	2	1	3	9	4	8	8	3	2	3	1	1	2	1	13
1	2	1	3	7	365	315	255	164	111	77	66	52	51	28	33	14
1	2	1	3	7	10	9	9	7	4	2	2	2	2	5	-	15
...	...	...	...	...	355	306	246	157	107	75	64	50	49	23	33	16
-	-	-	1	1	13	12	4	11	8	3	4	8	1	3	8	17
10	2	4	2	18	63	55	33	28	14	10	13	6	4	11	2	18
7	-	-	1	8	9	4	3	2	-	1	-	-	-	-	-	19
-	1	1	-	3	42	34	26	22	13	5	10	5	2	8	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	1	-	3	8	14	4	3	1	3	1	1	1	1	1	22
1	-	2	1	4	4	3	1	1	-	1	1	-	2	2	-	23
35	4	1	2	42	4	1	4	-	3	2	-	1	-	1	1	24
-	-	-	1	1	114	60	49	57	39	30	18	23	11	16	15	25
18	8	1	1	28	8	8	4	3	1	2	1	1	1	3	1	26
372	57	37	24	490	84	65	55	52	40	29	24	18	21	19	10	27
18	1	5	1	25	4	5	3	1	2	1	-	1	-	1	-	28
34	3	2	2	41	7	10	4	5	9	6	3	1	2	6	2	29
162	31	24	18	235	50	42	39	25	16	17	12	14	10	5	30	
158	22	6	3	189	23	8	8	7	4	6	4	4	5	2	3	31
5,432	281	185	146	6,044	100	61	35	18	12	10	7	6	-	6	7	32
613	12	7	6	638	-	-	-	-	-	-	-	-	-	1	-	33
258	1	5	3	267	-	-	-	-	-	-	-	-	-	-	-	34
355	11	2	3	371	-	-	-	-	-	-	-	-	-	1	-	35
245	9	7	5	266	...	...	...	...	...	...	...	...	...	...	...	36
122	1	5	3	131	...	...	...	...	...	...	...	...	...	...	...	37
123	8	2	2	135	...	...	...	...	...	...	...	...	...	...	...	38
368	3	-	1	372	...	...	...	...	...	...	...	...	...	...	...	39
136	-	-	-	136	-	-	-	-	-	-	-	-	-	-	-	40
232	3	-	1	236	-	-	-	-	-	-	-	-	-	-	1	41
1,562	51	21	13	1,647	22	9	4	5	3	1	1	4	-	1	1	42
385	8	3	3	399	9	8	3	5	2	1	1	4	-	1	1	43
1,177	43	18	10	1,248	13	1	-	-	1	-	-	-	-	-	-	44
200	87	77	75	439	...	...	...	...	...	...	...	...	...	...	...	45
130	66	66	68	330	...	...	...	...	...	...	...	...	...	...	...	46
70	21	11	7	109	...	...	...	...	...	...	...	...	...	...	...	47
7	7	36	23	89	...	...	...	...	...	...	...	...	...	...	...	48
5	20	28	20	73	-	-	-	-	-	-	-	-	-	-	-	49
2	3	8	3	16	-	-	-	-	-	-	-	-	-	-	-	50
74	18	15	6	113	1	-	-	-	-	-	-	-	-	-	-	51
42	10	11	1	64	-	-	-	-	-	-	-	-	-	-	-	52
32	8	4	5	49	1	-	-	-	-	-	-	-	-	-	-	53
61	1	-	-	62	3	4	3	1	1	3	1	-	-	1	1	54
20	-	-	-	20	3	4	3	1	1	3	1	-	-	1	1	55
41	1	-	-	42	-	-	-	-	-	-	-	-	-	-	-	56
38	4	1	1	44	-	-	1	1	-	-	-	-	-	-	-	57
30	3	-	-	33	-	-	1	1	-	-	-	-	-	-	-	58
8	1	1	1	11	-	-	-	-	-	-	-	-	-	-	-	59
50	5	2	-	57	-	1	-	-	-	-	-	-	-	-	-	60
33	2	2	-	37	-	1	-	-	-	-	-	-	-	-	-	61
17	3	-	-	20	-	-	-	-	-	-	-	-	-	-	-	62
876	31	8	14	929	39	39	20	9	8	6	4	2	-	3	5	63
134	7	3	7	151	36	35	17	9	8	6	4	2	-	3	5	64
742	24	5	7	778	3	4	3	-	-	-	-	-	-	-	-	65
95	3	2	1	101	19	5	6	1	-	-	1	-	-	-	-	66
1,856	46	16	7	1,925	16	3	1	1	-	-	-	-	-	-	-	67
137	26	14	19	196	98	67	56	53	23	26	12	7	7	7	5	68
26	3	4	6	39	21	16	11	8	8	8	11	9	8	5	3	69
31	14	10	14	69	113	73	50	38	36	34	28	22	19	9	14	70
7	4	1	5	17	32	12	16	7	8	2	8	2	2	-	-	71
4	1	6	2	13	39	28	15	12	10	4	2	2	-	-	-	72
20	9	3	7	39	42	33	19	19	18	28	18	19	17	9	14	73
20	-	-	-	20	5	3	1	1	1	-	-	-	-	-	-	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers]

Cause of death	United States						
	Total, under 1 year	Under 28 days			28 days-11 months		
		Total	White	Nonwhite	Total	White	Nonwhite
1 All causes-----	92,866	66,419	50,242	16,177	26,447	16,956	9,491
2 Dysentery, all forms-----045-048	85	4	1	3	81	31	50
3 Septicemia and pyemia-----053	338	-	-	-	338	203	135
4 Whooping cough-----056	42	-	-	-	42	20	22
5 Meningococcal infections-----057	274	24	19	5	250	204	46
6 Tetanus-----061	25	24	11	13	1	1	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	505	87	67	20	418	284	134
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	226	34	28	6	192	169	23
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	105	57	48	9	48	40	8
10 Diseases of thymus gland-----273	55	15	9	6	40	35	5
11 Meningitis, except meningococcal and tuberculous-----340	844	248	191	57	596	347	249
12 Other diseases of nervous system and sense organs-----330-334,341-398	704	52	36	16	652	488	164
13 Acute upper respiratory infections-----470-475	328	27	17	10	301	192	109
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	8,036	14	3	11	8,022	4,736	3,286
15 Influenza-----480-483	162	14	3	11	168	62	106
16 Pneumonia, except pneumonia of newborn-----490-493	7,854	...	...	...	7,854	4,674	3,180
17 Bronchitis-----500-502	470	30	22	8	440	297	143
18 Other diseases of respiratory system-----510-522,525-527	1,643	159	126	33	1,484	966	518
19 Pulmonary congestion and hypostasis-----522	199	44	33	11	155	107	48
20 Other chronic interstitial pneumonia-----525	1,080	16	12	4	1,064	689	375
21 Bronchiectasis-----526	1	-	-	-	1	1	-
22 Other diseases of lung and pleural cavity-----527.2	232	36	26	10	196	123	73
23 All other diseases of respiratory system-----510-521,527.1	131	63	55	8	68	46	22
24 Hernia and intestinal obstruction-----560,561,570	852	629	544	85	223	166	57
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,709	7	4	3	1,702	744	958
26 Other diseases of digestive system-----530-542,544-553,573-587	378	181	112	69	197	131	66
27 Congenital malformations-----750-759	13,443	8,775	7,652	1,123	4,668	3,768	900
28 Spina bifida and meningocele-----751	1,153	660	611	49	493	452	41
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,105	588	507	81	517	407	110
30 Congenital malformations of circulatory system-----754	6,565	3,812	3,293	519	2,753	2,185	568
31 Other congenital malformations-----750,755-759	4,620	3,715	3,241	474	905	724	181
32 Certain diseases of early infancy-----760-776	55,375	54,210	40,267	13,943	1,165	579	586
33 Birth injuries-----760,761	7,718	7,708	6,192	1,516	10	9	1
34 Without mention of immaturity (.0)-----	2,927	2,921	2,285	638	6	6	-
35 With immaturity (.5)-----	4,791	4,787	3,909	878	4	3	1
36 Intracranial and spinal injury at birth-----760	2,463	2,463	1,800	663	...	...	...
37 Without mention of immaturity (.0)-----	1,355	1,355	1,042	313	...	...	...
38 With immaturity (.5)-----	1,108	1,108	758	350	...	...	...
39 Other birth injury-----761	5,255	5,245	4,392	853	10	9	1
40 Without mention of immaturity (.0)-----	1,572	1,566	1,241	325	6	6	-
41 With immaturity (.5)-----	3,683	3,679	3,151	528	4	3	1
42 Postnatal asphyxia and atelectasis-----762	15,429	15,166	11,351	3,815	263	169	94
43 Without mention of immaturity (.0)-----	4,107	3,908	2,972	936	199	136	63
44 With immaturity (.5)-----	11,322	11,258	8,379	2,879	64	33	31
45 Pneumonia of newborn-----763	2,773	2,773	1,776	997	...	...	...
46 Without mention of immaturity (.0)-----	1,987	1,987	1,228	759	...	...	...
47 With immaturity (.5)-----	786	786	548	238	...	...	...
48 Diarrhea of newborn-----764	367	366	138	228	1	-	1
49 Without mention of immaturity (.0)-----	292	291	108	183	1	-	1
50 With immaturity (.5)-----	75	75	30	45	-	-	-
51 Other infections of newborn-----765-768	786	784	498	286	2	1	1
52 Without mention of immaturity (.0)-----	436	435	278	157	1	1	-
53 With immaturity (.5)-----	350	349	220	129	1	-	1
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	708	625	486	139	83	52	31
55 Without mention of immaturity (.0-.4)-----	301	219	172	47	82	51	31
56 With immaturity (.5-.9)-----	407	406	314	92	1	1	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,476	1,464	1,354	110	12	8	4
58 Without mention of immaturity (.0-.2)-----	1,068	1,057	973	84	11	7	4
59 With immaturity (.5-.7)-----	408	407	381	26	1	1	-
60 Hemorrhagic disease of newborn-----771	476	469	327	142	7	4	3
61 Without mention of immaturity (.0)-----	272	265	180	85	7	4	3
62 With immaturity (.5)-----	204	204	147	57	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,132	9,584	7,465	2,119	548	206	342
64 Without mention of immaturity (.0)-----	2,542	2,067	1,660	407	475	174	301
65 With immaturity (.5)-----	7,590	7,517	5,805	1,712	73	32	41
66 Immaturity with mention of any other subsidiary condition-----774	1,079	912	662	250	167	99	68
67 Immaturity, unqualified-----776	14,431	14,359	10,018	4,341	72	31	41
68 Symptoms and ill-defined conditions-----780-793,795	2,369	737	278	459	1,632	799	833
69 All other diseases-----Residual	1,531	529	425	104	1,002	727	275
70 Accidents-----E800-E962	3,316	454	296	158	2,862	1,971	891
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	681	121	86	35	560	394	166
72 Accidental mechanical suffocation in bed and cradle-----E924	700	66	40	26	634	412	222
73 Other accidental causes-----E800-E920,E923,E925-E962	1,935	267	170	97	1,668	1,165	503
74 Homicide-----E964,E980-E984	213	122	86	36	91	58	33

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Alabama				Total, under 1 year	Alaska				Total, under 1 year	Arizona				Total, under 1 year	Arkansas				1						
	Under 28 days		28 days-11 months			White	Non-white	Under 28 days			28 days-11 months		White	Non-white		Under 28 days		28 days-11 months			White	Non-white	Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white				White	Non-white		White	Non-white				White	Non-white	White	Non-white				White	Non-white	White	Non-white
2,174	783	614	260	517	269	81	58	32	98	861	435	103	170	153	945	377	206	154	208	1						
-	-	-	-	7	-	-	-	-	-	4	-	-	-	4	2	-	-	-	-	2	2					
9	-	-	2	3	2	-	-	-	2	4	-	-	2	2	4	-	-	-	-	3	1					
3	-	-	-	1	3	-	-	-	-	4	-	-	-	1	1	-	-	-	-	-	4					
5	-	-	4	1	3	-	-	1	-	4	-	-	3	1	3	-	-	-	-	3	5					
15	1	1	2	11	9	-	-	-	-	4	-	-	-	10	7	-	-	1	-	7	6					
2	-	-	2	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	8					
2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	9					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	10					
18	3	-	4	11	4	-	-	-	4	19	1	-	8	10	9	1	1	1	3	4	11					
20	1	1	8	10	1	1	-	-	-	6	-	-	2	4	5	-	-	-	3	2	12					
8	-	2	4	2	3	-	-	-	-	3	-	-	2	1	2	-	-	-	-	-	13					
237	-	1	67	169	40	-	-	10	30	99	-	-	58	41	117	-	-	2	44	71	14					
11	-	1	2	8	6	-	-	-	6	2	-	-	1	13	1	-	-	2	-	11	15					
228	...	...	65	161	34	...	...	10	24	97	...	...	57	40	104	...	...	44	60	16						
3	-	-	1	2	3	-	-	1	2	8	-	-	-	3	-	-	-	2	2	17						
33	3	-	11	19	9	1	-	4	4	8	-	1	7	5	-	-	-	3	3	18						
4	-	-	2	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	19					
22	1	-	8	13	5	-	-	4	1	6	-	1	5	3	-	-	-	-	2	1	20					
7	2	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	1	-	-	-	-	1	22					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23					
13	3	4	3	3	2	-	1	-	1	12	7	2	2	1	2	2	-	-	-	-	24					
70	-	1	13	56	23	-	-	-	23	50	-	-	20	30	20	-	-	3	17	25						
5	-	1	3	1	5	-	2	-	3	4	-	-	2	2	3	1	1	-	-	1	26					
247	139	31	48	29	33	19	5	7	2	106	57	11	26	12	128	59	12	32	25	27						
23	14	2	5	2	1	1	-	-	-	9	2	1	3	7	7	2	-	5	-	28						
16	6	1	7	2	2	-	-	2	-	7	2	2	2	1	16	6	1	3	6	29						
116	57	11	28	20	18	10	2	4	2	52	27	4	15	6	57	23	3	17	14	30						
92	62	17	8	5	12	8	3	1	-	58	26	4	6	2	48	28	8	7	5	31						
1,163	616	510	7	30	104	58	44	1	1	459	364	80	10	5	498	306	171	5	16	32						
129	79	47	3	-	8	5	3	-	-	68	51	17	-	59	41	17	9	-	-	33						
62	36	23	3	-	2	1	1	-	-	33	22	11	-	28	20	9	-	-	-	34						
67	43	24	-	-	6	4	4	-	-	35	29	6	-	30	21	7	-	-	-	35						
50	25	25	...	...	2	1	1	...	...	19	13	6	...	17	10	...	...	...	...	36						
28	17	11	...	...	2	1	1	...	...	16	12	4	...	14	9	5	2	...	...	37						
22	8	14	...	...	-	-	-	...	...	3	1	2	...	3	1	2	...	...	...	38						
79	54	22	3	-	6	4	2	-	-	49	38	11	-	42	51	11	-	-	-	39						
34	19	12	3	-	-	-	-	-	-	17	10	7	-	15	11	4	-	-	-	40						
45	35	10	-	-	6	4	2	-	-	32	28	4	-	27	20	7	-	-	-	41						
241	140	98	-	3	23	17	6	-	-	112	90	18	3	1	99	64	32	2	1	42						
85	47	38	-	-	10	6	4	-	-	46	35	8	2	1	37	23	13	1	-	43						
156	93	60	-	3	13	11	2	-	-	68	55	10	1	-	62	41	19	1	1	44						
93	37	56	...	...	3	1	4	...	...	23	16	7	...	...	27	12	15	...	...	45						
65	19	46	...	...	4	1	2	...	...	19	14	5	...	...	21	10	11	...	...	46						
28	18	10	...	...	2	-	2	...	...	4	2	2	...	...	6	2	4	...	...	47						
10	3	7	-	-	1	-	-	-	-	5	4	1	-	3	3	3	-	-	-	48						
7	2	5	-	-	1	-	-	-	-	5	4	1	-	4	2	2	-	-	-	49						
3	1	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	50						
29	15	14	-	-	5	2	3	-	-	7	3	4	-	-	13	5	8	-	-	51						
13	4	9	-	-	4	2	2	-	-	6	2	4	-	-	6	3	3	-	-	52						
16	11	5	-	-	1	1	-	-	-	1	1	-	-	-	7	2	5	-	-	53						
11	8	3	-	-	-	-	-	-	-	4	3	1	-	-	8	6	2	-	-	54						
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	4	2	2	-	-	55						
10	7	3	-	-	-	-	-	-	-	2	2	-	-	-	4	4	-	-	-	56						
20	17	-	-	3	1	1	-	-	-	10	9	1	-	-	9	7	2	-	-	57						
15	12	-	-	3	1	1	-	-	-	6	5	1	-	-	8	6	2	-	-	58						
5	5	-	-	-	-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	59						
8	3	5	-	-	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	60						
6	2	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	61						
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	62						
230	120	87	3	20	17	7	8	1	1	79	66	5	4	4	139	69	37	2	11	63						
87	36	29	3	19	5	2	1	1	1	27	18	1	4	4	49	27	11	1	10	64						
143	84	58	-	1	12	5	7	-	-	52	48	4	-	-	90	62	26	1	1	65						
14	10	2	1	1	2	1	1	-	-	3	-	-	3	-	21	3	14	1	3	66						
378	184	191	-	3	42	24	18	-	-	146	121	25	-	-	116	76	39	-	-	67						
191	9	54	30	98	5	1	2	1	1	27	-	8	-	19	43	2	4	14	23	68						
37	4	5	16	12	4	-	-	-	3	12	2	-	4	8	22	2	3	10	7	69						
90	2	3	34	51	17	1	1	8	7	35	3	1	22	9	63	3	9	24	27	70						
16	-	-	3	13	4	-	1	2	1	11	2	-	5	4	8	1	1	1	4	71						
25	1	-	11	13	5	-	-	3	2	5	-	-	5	21	2	-	2	8	11	72						
49	1	3	20	25	8	1	-	3	4	19	1	1	12	5	34	2	6	14	12	73						
3	1	-	1	1	-	-	-	-	-	4	1	-	1	2	1	1	-	-	-	74						

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after cause of death are category numbers]

Cause of death	California				Colorado					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	7,844	4,795	915	1,786	349	895	609	39	228	19
2 Dysentery, all forms-----045-048	2	-	-	1	1	1	-	-	-	1
3 Septicemia and pyemia-----053	19	-	-	14	5	2	-	-	2	-
4 Whooping cough-----056	5	-	-	5	-	-	-	-	-	-
5 Meningococcal infections-----057	20	1	1	16	2	1	-	-	1	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-136	42	6	-	32	4	4	-	-	4	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	27	4	-	19	4	2	-	-	2	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	9	5	2	2	-	2	2	-	-	-
10 Diseases of thymus gland-----273	8	2	1	4	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	87	20	7	47	13	4	1	-	3	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	62	4	-	50	9	9	-	-	9	-
13 Acute upper respiratory infections-----470-475	28	3	-	23	2	9	1	-	6	2
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	780	-	-	629	151	80	-	-	72	8
15 Influenza-----480-483	2	-	-	2	-	3	-	-	2	1
16 Pneumonia, except pneumonia of newborn-----490-493	778	...	...	627	151	77	...	...	70	7
17 Bronchitis-----500-502	49	2	-	40	7	1	-	-	1	-
18 Other diseases of respiratory system-----510-522,525-527	258	17	4	190	47	9	-	-	9	-
19 Pulmonary congestion and hypostasis-----522	30	7	1	18	4	3	-	-	3	-
20 Other chronic interstitial pneumonia-----525	204	2	-	160	42	1	-	-	1	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	8	3	-	4	1	4	-	-	4	-
23 All other diseases of respiratory system-----510-521,527.1	16	5	3	8	-	1	-	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	97	65	7	22	3	8	7	-	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	61	-	-	50	11	10	-	-	10	-
26 Other diseases of digestive system-----530-542,544-553,573-587	28	8	7	11	2	-	-	-	-	-
27 Congenital malformations-----750-759	1,210	753	74	343	40	159	97	5	54	3
28 Spina bifida and meningocele-----751	46	29	1	15	1	9	2	1	6	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	101	57	5	32	7	7	4	-	3	-
30 Congenital malformations of circulatory system-----754	647	352	43	226	26	80	41	4	35	2
31 Other congenital malformations-----750,755-759	416	315	25	70	6	63	50	-	12	1
32 Certain diseases of early infancy-----760-776	4,674	3,824	800	41	9	541	493	34	14	-
33 Birth injuries-----760,761	855	699	135	-	1	84	60	3	1	-
34 Without mention of immaturity (.0)-----	284	247	37	-	-	12	12	-	-	-
35 With immaturity (.5)-----	551	452	98	-	1	52	48	3	1	-
36 Intracranial and spinal injury at birth-----760	286	210	76	...	...	22	21	1	...	...
37 Without mention of immaturity (.0)-----	115	98	17	...	...	7	...	...	...	...
38 With immaturity (.5)-----	171	112	59	...	...	15	14	1	...	...
39 Other birth injury-----761	549	489	59	-	-	42	39	2	1	-
40 Without mention of immaturity (.0)-----	169	149	20	-	-	5	5	-	-	-
41 With immaturity (.5)-----	380	340	39	-	1	37	34	2	1	-
42 Postnatal asphyxia and atelectasis-----762	1,242	1,054	175	13	-	129	121	7	1	-
43 Without mention of immaturity (.0)-----	311	271	31	9	-	22	21	1	-	-
44 With immaturity (.5)-----	931	783	144	4	-	107	100	6	1	-
45 Pneumonia of newborn-----763	240	191	49	...	...	21	20	1	...	...
46 Without mention of immaturity (.0)-----	174	141	33	...	...	14	13	1	...	...
47 With immaturity (.5)-----	66	50	16	...	...	7	7	-	...	...
48 Diarrhea of newborn-----764	14	7	7	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	12	6	6	-	-	-	-	-	-	-
50 With immaturity (.5)-----	2	1	1	-	-	1	1	-	-	-
51 Other infections of newborn-----765-768	76	60	16	-	-	9	9	-	-	-
52 Without mention of immaturity (.0)-----	42	34	8	-	-	2	2	-	-	-
53 With immaturity (.5)-----	34	26	8	-	-	7	7	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	70	53	8	8	1	12	9	2	1	-
55 Without mention of immaturity (.0-.4)-----	29	16	4	8	1	3	2	1	-	-
56 With immaturity (.5-.9)-----	41	37	4	-	-	9	7	1	1	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	136	124	11	1	-	10	9	1	-	-
58 Without mention of immaturity (.0-.2)-----	104	96	8	-	-	4	4	-	-	-
59 With immaturity (.5-.7)-----	32	28	3	1	-	6	5	1	-	-
60 Hemorrhagic disease of newborn-----771	49	45	4	-	-	10	9	-	1	-
61 Without mention of immaturity (.0)-----	25	21	4	-	-	3	2	-	1	-
62 With immaturity (.5)-----	24	24	-	-	-	7	7	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	896	739	143	10	4	143	131	7	5	-
64 Without mention of immaturity (.0)-----	142	117	17	5	3	14	10	-	4	-
65 With immaturity (.5)-----	754	622	126	5	1	129	121	7	1	-
66 Immaturity with mention of any other subsidiary condition-----774	95	65	21	8	1	13	8	2	3	-
67 Immaturity, unqualified-----776	1,021	787	231	1	2	129	116	11	2	-
68 Symptoms and ill-defined conditions-----780-793,795	39	10	4	21	4	6	2	-	4	-
69 All other diseases-----Residual	115	41	6	58	10	8	1	-	7	-
70 Accidents-----E800-E962	206	26	-	161	19	35	2	-	28	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	40	3	-	32	5	8	1	-	5	2
72 Accidental mechanical suffocation in bed and cradle-----E924	25	2	-	21	2	8	-	-	6	2
73 Other accidental causes-----E800-E920,E923,E925-E962	141	21	-	108	12	19	1	-	17	1
74 Homicide-----E964,E980-E984	18	4	2	7	5	4	3	-	1	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965-Con.  
of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Connecticut				Total, under 1 year	Delaware				Total, under 1 year	District of Columbia				Total, under 1 year	Florida						
	Under 28 days		28 days-11 months			White	Non-white	White	Non-white		Under 28 days		28 days-11 months			White	Non-white	Under 28 days			28 days-11 months	
	White	Non-white	White	Non-white							White	Non-white	White	Non-white				White	Non-white		White	Non-white
1,168	785	146	212	45	260	129	51	42	38	577	75	331	22	149	3,025	1,345	773	388	519	1		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2		
5	-	-	4	1	1	-	-	-	1	1	-	-	-	1	15	-	-	6	9	3		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
-	1	-	-	-	1	-	-	1	-	1	-	-	-	1	13	1	1	8	3	5		
3	-	-	3	-	-	-	-	-	-	2	-	-	-	2	25	4	2	8	11	7		
2	-	-	2	-	-	-	-	-	-	-	-	-	-	7	1	-	6	-	8			
1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	9			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	10			
10	3	-	6	1	2	-	-	2	-	6	-	2	-	4	38	6	2	8	22	11		
9	1	-	5	3	4	-	-	2	2	2	-	-	1	25	1	1	16	7	12			
2	-	-	2	-	1	-	-	1	-	1	-	-	-	4	-	-	1	3	13			
59	-	-	46	13	7	-	-	3	4	23	-	-	4	19	234	-	2	83	149	14		
59	...	...	46	13	7	...	...	3	4	23	...	...	4	19	8	-	2	-	6	15		
6	1	-	4	1	1	-	-	1	-	2	-	-	-	11	-	-	4	7	17			
13	2	-	7	4	17	1	1	6	9	6	-	1	-	85	3	1	34	47	18			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1	1	12	13	19			
7	-	-	6	1	17	1	1	6	9	5	-	-	-	51	1	-	18	32	20			
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21			
4	2	-	1	2	1	-	-	-	-	-	-	-	-	3	-	-	3	-	22			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	2	23			
17	11	2	4	-	3	3	-	-	-	7	1	-	2	4	30	13	3	4	10	24		
7	-	-	5	2	10	-	-	2	8	8	-	-	-	8	79	-	-	18	61	25		
7	3	1	3	-	-	-	-	-	-	4	-	2	-	2	17	5	3	5	4	26		
205	131	5	61	8	35	16	2	14	3	54	4	26	7	17	418	210	61	83	64	27		
26	15	-	10	1	4	2	-	2	-	3	-	2	-	35	19	3	8	5	28			
14	5	-	9	-	2	1	1	-	-	7	-	4	1	2	34	13	6	8	7	29		
76	40	2	27	7	17	4	1	11	1	24	2	10	2	10	208	86	31	49	42	30		
89	71	3	15	-	12	9	-	1	2	20	2	10	4	4	141	92	21	18	10	31		
756	612	135	9	-	156	106	48	-	2	400	65	293	5	37	1,783	1,071	668	15	29	32		
97	87	10	-	-	19	12	7	-	-	32	10	22	-	221	148	72	1	-	33			
33	28	5	-	-	7	4	3	-	-	11	4	7	-	106	64	41	1	-	34			
64	59	5	-	-	12	8	4	-	-	21	6	15	-	115	84	31	-	-	35			
33	31	2	...	...	11	5	6	...	...	12	3	9	...	88	54	34	...	...	36			
15	13	2	...	...	5	2	3	...	...	4	2	2	...	53	33	20	...	...	37			
18	18	-	...	...	6	3	3	...	...	8	1	7	...	35	21	14	...	...	38			
64	56	8	-	-	8	7	1	-	-	20	7	13	-	133	94	38	1	-	39			
18	15	3	-	-	2	2	-	-	-	7	2	5	-	53	31	17	1	-	40			
46	41	5	-	-	6	5	1	-	-	13	5	8	-	80	63	21	-	-	41			
236	199	31	6	-	57	40	17	-	-	77	20	57	-	486	300	176	5	5	42			
52	37	9	6	-	13	7	6	-	-	18	2	16	-	155	88	58	5	-	43			
184	162	22	-	-	44	33	11	-	-	59	18	41	-	331	212	118	-	1	44			
28	19	9	...	...	1	1	-	...	...	11	3	8	...	85	42	43	...	...	45			
20	14	6	...	...	1	1	-	...	...	3	2	6	...	61	30	31	...	...	46			
8	5	3	...	...	-	-	-	...	...	8	1	2	...	24	12	12	...	...	47			
2	2	-	-	-	-	-	-	-	-	1	1	1	-	20	3	17	-	-	48			
2	2	-	-	-	-	-	-	-	-	1	1	1	-	14	2	12	-	-	49			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	5	-	-	50			
7	6	1	-	-	2	1	1	-	-	3	-	3	-	29	19	10	-	-	51			
5	5	-	-	-	1	1	-	-	-	2	-	2	-	14	10	4	-	-	52			
2	1	1	-	-	1	-	1	-	-	1	-	1	-	15	9	6	-	-	53			
8	5	2	1	-	-	-	-	-	-	3	1	1	-	32	15	12	2	3	54			
2	1	-	1	-	-	-	-	-	-	3	1	1	-	13	6	2	2	3	55			
6	4	2	-	-	-	-	-	-	-	-	-	-	-	19	9	10	-	-	56			
24	24	-	-	-	3	3	-	-	-	1	-	1	-	39	35	4	-	-	57			
18	18	-	-	-	3	3	-	-	-	1	-	1	-	33	29	4	-	-	58			
6	6	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	59			
4	4	-	-	-	3	1	2	-	-	5	1	4	-	14	8	6	-	-	60			
3	3	-	-	-	2	1	1	-	-	2	1	1	-	9	5	4	-	-	61			
1	1	-	-	-	1	-	1	-	-	3	-	3	-	5	3	2	-	-	62			
119	93	26	-	-	28	23	3	-	2	86	16	29	5	36	371	228	122	5	16	63		
18	15	3	-	-	8	5	1	-	2	54	5	8	5	36	89	52	24	3	10	64		
101	78	23	-	-	20	18	2	-	-	32	11	21	-	282	176	98	2	6	65			
31	17	12	2	-	-	-	-	-	-	3	1	2	-	48	24	19	1	4	66			
200	156	44	-	-	43	25	18	-	-	178	13	165	-	438	249	187	1	1	67			
31	6	2	18	5	-	-	-	-	-	15	2	2	1	10	78	8	11	20	39	68		
21	10	-	10	1	2	2	-	-	-	6	1	-	-	5	58	12	10	16	20	69		
29	2	-	21	6	19	1	-	9	9	37	-	4	2	31	96	10	6	49	31	70		
9	1	-	5	3	5	-	-	2	3	4	-	-	1	19	3	3	8	5	71			
3	-	-	3	-	4	-	-	3	3	3	-	-	-	19	2	1	8	8	72			
17	1	-	13	3	10	1	-	4	5	30	-	4	1	25	58	5	2	33	18	73		
4	2	1	1	-	1	-	-	1	-	3	2	-	-	4	-	-	2	2	74			

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Georgia				Hawaii					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	2,734	974	776	329	655	348	80	181	25	62
2 Dysentery, all forms-----045-048	9	-	-	-	9	1	-	-	-	1
3 Septicemia and pyemia-----053	15	-	-	8	7	-	-	-	-	-
4 Whooping cough-----066	2	-	-	-	2	-	-	-	-	-
5 Meningococcal infections-----067	10	3	-	4	3	1	-	-	1	-
6 Tetanus-----061	1	-	1	-	-	-	-	-	-	-
7 Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	25	3	-	11	11	5	1	2	1	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	7	1	-	5	1	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	1	-	3	-	-	1	2
10 Diseases of thymus gland-----273	1	-	-	1	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	28	5	-	9	14	6	-	1	2	3
12 Other diseases of nervous system and sense organs-----330-334,341-398	13	1	1	5	6	-	-	-	-	-
13 Acute upper respiratory infections-----470-475	5	-	1	-	4	1	-	-	-	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	380	-	1	97	282	31	-	-	10	21
15 Influenza-----480-483	15	-	1	3	11	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	365	...	...	94	271	31	...	...	10	21
17 Bronchitis-----500-502	13	1	3	3	6	2	-	-	-	2
18 Other diseases of respiratory system-----510-522,525-527	69	2	1	14	52	1	-	-	-	1
19 Pulmonary congestion and hypostasis-----522	1	-	-	1	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	60	-	1	12	47	1	-	-	-	1
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	6	1	-	-	5	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	2	1	-	1	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	16	5	6	4	1	1	-	-	-	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	76	-	1	12	63	7	-	-	-	7
26 Other diseases of digestive system-----530-542,544-553,573-587	16	1	6	2	7	1	-	1	-	-
27 Congenital malformations-----750-759	296	139	55	72	30	50	13	22	4	11
28 Spina bifida and meningocele-----751	32	16	3	13	-	1	-	-	1	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	26	8	7	5	6	3	-	-	2	1
30 Congenital malformations of circulatory system-----754	133	59	16	42	16	27	6	12	1	8
31 Other congenital malformations-----750,755-759	105	56	29	12	8	19	7	10	-	2
32 Certain diseases of early infancy-----760-776	1,518	790	658	12	58	220	64	151	-	5
33 Birth injuries-----760,761	167	105	62	-	-	22	9	13	-	-
34 Without mention of immaturity (.0)-----	85	54	31	-	-	7	1	6	-	-
35 With immaturity (.5)-----	82	51	31	-	-	15	8	7	-	-
36 Intracranial and spinal injury at birth-----760	46	30	16	...	...	7	3	4	...	...
37 Without mention of immaturity (.0)-----	33	22	11	...	...	3	3	3	...	...
38 With immaturity (.5)-----	13	8	5	...	...	4	3	1	...	...
39 Other birth injury-----761	121	75	46	-	-	15	6	9	-	-
40 Without mention of immaturity (.0)-----	52	32	20	-	-	4	1	3	-	-
41 With immaturity (.5)-----	69	43	26	-	-	11	5	6	-	-
42 Postnatal asphyxia and atelectasis-----762	382	214	164	2	2	36	8	28	-	-
43 Without mention of immaturity (.0)-----	121	58	59	2	2	10	2	8	-	-
44 With immaturity (.5)-----	261	156	105	-	-	26	6	20	-	-
45 Pneumonia of newborn-----763	110	39	71	...	...	17	2	15	...	...
46 Without mention of immaturity (.0)-----	83	25	58	...	...	11	2	9	...	...
47 With immaturity (.5)-----	27	14	13	...	...	6	-	6	...	...
48 Diarrhea of newborn-----764	20	5	14	-	1	2	-	2	-	-
49 Without mention of immaturity (.0)-----	18	5	12	-	1	2	-	2	-	-
50 With immaturity (.5)-----	2	-	2	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	55	23	31	-	1	8	2	6	-	-
52 Without mention of immaturity (.0)-----	35	14	21	-	-	4	-	4	-	-
53 With immaturity (.5)-----	20	9	10	-	1	4	2	2	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	17	5	8	1	3	7	-	5	-	2
55 Without mention of immaturity (.0-.4)-----	9	3	2	1	3	4	-	2	-	2
56 With immaturity (.5-.9)-----	8	2	6	-	-	3	-	3	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	25	20	4	-	1	5	3	2	-	-
58 Without mention of immaturity (.0-.2)-----	12	9	2	-	1	4	3	1	-	-
59 With immaturity (.5-.7)-----	13	11	2	-	-	1	-	1	-	-
60 Hemorrhagic disease of newborn-----771	13	8	5	-	-	4	-	3	-	1
61 Without mention of immaturity (.0)-----	10	6	4	-	-	3	-	2	-	1
62 With immaturity (.5)-----	3	2	1	-	-	1	-	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	317	161	107	6	43	29	8	21	-	-
64 Without mention of immaturity (.0)-----	118	43	33	4	38	1	1	-	-	-
65 With immaturity (.5)-----	199	118	74	2	5	28	7	21	-	-
66 Immaturity with mention of any other subsidiary condition-----774	32	10	17	2	3	5	-	4	-	1
67 Immaturity, unqualified-----776	380	200	175	1	4	85	32	52	-	1
68 Symptoms and ill-defined conditions-----780-793,795	61	3	17	13	28	8	2	3	2	1
69 All other diseases-----Residual	41	11	9	11	10	1	-	-	-	1
70 Accidents-----E800-E962	129	8	15	45	61	8	-	1	3	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	24	2	1	10	11	2	-	1	-	1
72 Accidental mechanical suffocation in bed and cradle-----E924	29	2	2	9	16	2	-	1	-	1
73 Other accidental causes-----E800-E920,E923,E925-E962	76	4	12	26	34	4	-	-	2	2
74 Homicide-----E964,E980-E984	2	1	1	-	-	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965 -Con.

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Idaho				Total, under 1 year	Illinois				Total, under 1 year	Indiana				Total, under 1 year	Iowa				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
327	227	6	91	3	5,340	2,721	1,170	931	518	2,309	1,501	216	490	102	1,049	770	17	254	8	1
-	-	-	-	-	4	-	-	2	2	-	-	-	6	2	1	-	-	1	-	2
1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	5	-	-	-	-	3
-	-	-	-	-	18	2	-	13	3	7	-	-	5	1	4	-	-	4	-	4
1	-	-	-	-	18	4	1	9	4	14	2	-	9	3	4	1	-	3	-	6
-	-	-	-	-	12	1	-	10	1	5	2	-	3	-	4	1	-	3	-	8
-	-	-	-	-	9	5	-	3	1	2	1	-	1	-	3	1	1	1	-	9
-	-	-	-	-	3	1	-	2	-	1	-	-	1	-	-	-	-	-	-	10
1	1	-	-	-	36	12	3	13	8	23	7	2	12	2	7	3	-	4	-	11
4	-	-	4	-	34	1	-	29	4	18	1	-	14	3	10	2	-	8	-	12
2	-	-	2	-	6	-	-	4	2	7	-	-	5	2	2	-	-	2	-	13
31	-	-	29	2	677	-	-	355	322	184	-	-	143	41	82	-	-	78	4	14
2	-	-	2	-	2	-	-	2	-	5	-	-	5	-	1	-	-	1	-	15
29	...	...	27	2	675	...	...	353	322	179	...	...	138	41	81	...	...	77	4	16
3	-	-	3	-	48	4	-	31	13	6	1	-	3	2	5	-	-	5	-	17
4	-	-	3	1	45	3	2	33	7	36	3	-	32	1	16	1	-	14	1	18
-	-	-	-	-	5	-	2	3	-	5	-	-	5	-	2	1	-	1	-	19
2	-	-	1	1	32	2	-	26	4	19	-	-	19	-	14	-	-	13	1	20
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	21
1	-	-	1	-	6	-	-	4	2	8	1	-	6	1	-	-	-	-	-	22
1	-	-	1	-	2	1	-	-	1	3	2	-	1	-	-	-	-	-	-	23
3	3	-	-	-	44	25	6	11	2	18	12	-	6	-	12	11	-	1	-	24
5	-	-	5	-	69	-	-	41	28	26	1	-	20	5	10	-	-	9	1	25
2	1	-	1	-	20	8	2	8	2	11	5	2	2	2	2	2	-	-	-	26
41	30	-	11	-	758	431	62	216	49	369	252	11	94	12	199	134	1	62	2	27
3	3	-	-	-	65	39	-	23	3	31	21	1	9	-	6	5	-	1	-	28
4	2	-	2	-	75	26	5	35	9	31	20	-	10	1	21	14	-	6	1	29
21	14	-	7	-	368	185	31	122	30	186	117	7	55	7	105	62	-	42	1	30
15	11	-	2	-	250	181	26	36	7	121	94	3	20	4	67	53	1	13	-	31
192	183	5	4	-	3,312	2,175	1,088	22	27	1,404	1,182	197	16	9	625	601	14	10	-	32
35	34	1	-	-	350	278	72	-	-	193	176	17	-	-	113	109	4	-	-	33
14	14	-	-	-	129	99	30	-	-	64	58	6	-	-	27	27	-	-	-	34
21	20	1	-	-	221	179	42	-	-	129	118	11	-	-	86	82	4	-	-	35
5	5	-	...	...	113	78	35	...	...	43	38	5	...	...	17	17	-	...	...	36
2	2	-	...	...	62	44	18	...	...	24	22	2	...	...	8	8	-	...	...	37
3	3	-	...	...	51	34	17	...	...	19	16	3	...	...	9	9	-	...	...	38
30	29	1	-	-	237	200	37	-	-	150	138	12	-	-	96	92	4	-	-	39
12	12	-	-	-	67	55	12	-	-	40	36	4	-	-	19	19	-	-	-	40
18	17	1	-	-	170	145	25	-	-	110	102	8	-	-	77	73	4	-	-	41
32	29	-	3	-	1,785	1,106	651	11	17	418	353	58	5	2	149	144	2	3	-	42
12	10	-	2	-	293	227	59	6	1	144	117	21	5	1	40	37	-	3	-	43
20	19	-	1	-	1,492	879	592	5	16	274	236	37	-	1	109	107	2	-	-	44
7	7	-	...	...	297	127	170	...	...	55	46	9	...	...	26	25	1	...	...	45
5	5	-	...	...	253	102	151	...	...	35	31	4	...	...	19	19	-	...	...	46
2	2	-	...	...	44	25	19	...	...	20	15	5	...	...	7	6	1	...	...	47
-	-	-	...	...	23	7	16	-	-	5	4	1	-	-	-	-	-	-	-	48
-	-	-	...	...	13	3	10	-	-	5	4	1	-	-	-	-	-	-	-	49
-	-	-	...	...	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	50
3	3	-	-	-	16	14	1	1	-	10	8	2	-	-	5	4	1	-	-	51
3	3	-	-	-	9	7	1	1	-	7	6	1	-	-	2	1	1	-	-	52
-	-	-	-	-	7	7	-	-	-	3	2	1	-	-	3	3	-	-	-	53
6	6	-	-	-	14	13	1	-	-	18	10	3	3	2	11	11	-	-	-	54
2	2	-	-	-	4	4	-	-	-	8	3	-	3	2	2	2	-	-	-	55
4	4	-	-	-	10	9	1	-	-	10	7	3	-	-	9	9	-	-	-	56
9	9	-	-	-	82	74	8	-	-	30	30	-	-	-	21	20	-	1	-	57
9	9	-	-	-	63	58	5	-	-	25	25	-	-	-	16	15	-	1	-	58
-	-	-	-	-	19	16	3	-	-	5	5	-	-	-	5	5	-	-	-	59
1	1	-	-	-	29	24	4	1	-	12	9	3	-	-	3	3	-	-	-	60
1	1	-	-	-	20	15	4	1	-	5	3	2	-	-	2	2	-	-	-	61
-	-	-	-	-	9	9	-	-	-	7	6	1	-	-	1	1	-	-	-	62
41	38	2	1	-	215	162	43	5	5	225	194	26	3	2	142	139	1	2	-	63
11	9	1	1	-	65	48	8	5	4	60	52	6	1	1	24	22	-	2	-	64
30	29	1	-	-	150	114	35	-	1	165	142	20	2	1	118	117	1	-	-	65
2	2	-	-	-	44	26	9	4	5	26	18	4	-	-	12	10	-	2	-	66
56	54	2	-	-	457	344	113	-	-	412	334	74	1	3	143	136	5	2	-	67
4	3	-	1	-	22	11	2	5	4	25	5	2	15	3	7	1	1	5	-	68
12	4	-	8	-	77	26	3	44	4	45	14	1	29	1	10	4	-	6	-	69
19	1	1	17	-	119	10	-	77	32	89	7	1	68	13	58	5	-	33	-	70
3	-	-	3	-	13	1	-	11	1	20	1	-	13	6	4	-	-	4	-	71
4	1	-	3	-	18	2	-	13	3	22	2	-	20	-	12	-	-	12	-	72
12	-	1	11	-	88	7	-	53	28	47	4	1	35	7	22	5	-	17	-	73
1	1	-	-	-	8	2	1	2	3	10	5	-	5	-	3	3	-	-	-	74



SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

Cause of death	Kansas					Kentucky				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	801	547	55	168	31	1,556	930	136	401	89
2 Dysentery, all forms-----045-048	-	-	-	-	-	2	-	-	2	-
3 Septicemia and pyemia-----053	3	-	-	3	-	7	-	-	4	3
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	8	1	1	6	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	8	2	-	5	1	7	-	-	6	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	2	-	-	2	-	6	1	-	5	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	3	2	-	1	-
10 Diseases of thymus gland-----273	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	2	1	-	1	-	20	3	-	9	8
12 Other diseases of nervous system and sense organs-----330-334,341-398	4	1	-	2	1	19	1	-	14	4
13 Acute upper respiratory infections-----470-475	1	-	-	1	-	9	1	-	7	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	55	-	-	45	10	162	-	-	136	26
15 Influenza-----480-483	4	-	-	4	-	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn-----490-493	51	...	...	41	10	159	...	...	133	26
17 Bronchitis-----500-502	3	-	-	1	2	9	2	-	5	2
18 Other diseases of respiratory system-----510-522,525-527	13	3	-	9	1	17	4	-	10	3
19 Pulmonary congestion and hypostasis-----522	3	2	-	1	-	7	-	-	1	-
20 Other chronic interstitial pneumonia-----525	7	-	-	7	-	7	-	-	5	2
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	1	-	-	1	-	5	1	-	3	1
23 All other diseases of respiratory system-----510-521,527.1	2	1	-	-	1	4	3	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	7	3	-	4	-	6	6	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	8	-	-	8	-	42	-	-	30	12
26 Other diseases of digestive system-----530-542,544-553,573-587	2	-	-	2	-	7	2	1	3	1
27 Congenital malformations-----750-759	130	82	2	41	5	228	144	12	64	8
28 Spina bifida and meningocele-----751	10	4	-	6	-	26	14	1	11	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	10	8	-	2	-	18	8	-	10	-
30 Congenital malformations of circulatory system-----754	75	43	-	28	4	102	59	6	29	8
31 Other congenital malformations-----750,755-759	35	27	2	5	1	82	63	5	14	-
32 Certain diseases of early infancy-----760-776	497	436	52	4	5	874	739	120	11	4
33 Birth injuries-----760,761	88	82	6	-	-	99	91	8	-	-
34 Without mention of immaturity (.0)-----	34	31	3	-	-	50	46	4	-	-
35 With immaturity (.5)-----	54	51	3	-	-	49	45	4	-	-
36 Intracranial and spinal injury at birth-----760	22	21	1	...	...	28	24	4	...	...
37 Without mention of immaturity (.0)-----	16	15	1	...	...	16	14	2	...	...
38 With immaturity (.5)-----	6	6	-	...	...	12	10	2	...	...
39 Other birth injury-----761	66	61	5	-	-	71	67	4	-	-
40 Without mention of immaturity (.0)-----	18	16	2	-	-	34	32	2	-	-
41 With immaturity (.5)-----	48	45	3	-	-	37	35	2	-	-
42 Postnatal asphyxia and atelectasis-----762	109	91	16	1	1	223	193	29	-	1
43 Without mention of immaturity (.0)-----	32	26	5	1	-	75	67	7	-	1
44 With immaturity (.5)-----	77	65	11	-	1	148	126	22	-	-
45 Pneumonia of newborn-----763	22	21	1	...	...	47	39	8	...	...
46 Without mention of immaturity (.0)-----	14	13	1	...	...	35	29	6	...	...
47 With immaturity (.5)-----	8	8	-	...	...	12	10	2	...	...
48 Diarrhea of newborn-----764	4	2	2	-	-	8	5	3	-	-
49 Without mention of immaturity (.0)-----	4	2	2	-	-	6	3	3	-	-
50 With immaturity (.5)-----	-	-	-	-	-	2	2	-	-	-
51 Other infections of newborn-----765-768	6	4	2	-	-	12	11	1	-	-
52 Without mention of immaturity (.0)-----	5	3	2	-	-	9	8	1	-	-
53 With immaturity (.5)-----	1	1	-	-	-	3	3	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	6	4	2	-	-	8	8	-	-	-
55 Without mention of immaturity (.0-.4)-----	3	2	1	-	-	2	2	-	-	-
56 With immaturity (.5-.9)-----	3	2	1	-	-	6	6	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	20	20	-	-	-	27	24	3	-	-
58 Without mention of immaturity (.0-.2)-----	16	16	-	-	-	19	16	3	-	-
59 With immaturity (.5-.7)-----	4	4	-	-	-	8	8	-	-	-
60 Hemorrhagic disease of newborn-----771	3	2	1	-	-	10	10	-	-	-
61 Without mention of immaturity (.0)-----	3	2	1	-	-	7	7	-	-	-
62 With immaturity (.5)-----	-	-	-	-	-	3	3	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	126	111	11	1	3	165	133	22	8	2
64 Without mention of immaturity (.0)-----	39	34	1	1	3	42	30	3	7	2
65 With immaturity (.5)-----	87	77	10	-	-	123	103	19	1	-
66 Immaturity with mention of any other subsidiary condition-----774	11	9	-	2	-	15	12	-	2	1
67 Immaturity, unqualified-----776	102	90	11	-	1	260	213	46	1	-
68 Symptoms and ill-defined conditions-----780-793,795	5	3	-	2	-	39	7	1	24	7
69 All other diseases-----Residual	21	10	-	10	1	29	9	1	18	1
70 Accidents-----E800-E962	35	4	1	26	4	60	7	-	46	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	6	-	-	6	-	19	4	-	13	2
72 Accidental mechanical suffocation in bed and cradle-----E924	3	1	-	2	-	12	1	-	10	1
73 Other accidental causes-----E800-E920,E923,E925-E962	26	3	1	18	4	29	2	-	23	4
74 Homicide-----E964,E980-E984	5	2	-	2	1	2	1	-	-	1

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965-Con.

of the Seventh Revision of the International Lists, 1955]

Table with 18 columns (Louisiana, Maine, Maryland, Massachusetts) and 55 rows of data. Columns include 'Total, under 1 year', 'Under 28 days', and '28 days-11 months' for each state, further broken down by 'White' and 'Non-white' categories.

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Michigan				Minnesota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	3,943	2,355	556	809	223	1,435	1,055	23	329	28
2 Dysentery, all forms-----045-048	1	1	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	8	-	-	8	-	4	-	-	3	1
4 Whooping cough-----056	-	-	-	-	-	1	-	-	1	-
5 Meningococcal infections-----057	14	1	-	10	3	6	-	-	6	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	14	6	1	7	-	9	3	-	6	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	9	1	-	8	-	5	-	-	5	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	6	3	-	3	-	2	2	-	-	-
10 Diseases of thymus gland-----273	4	-	-	4	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	29	7	1	16	5	11	2	-	8	1
12 Other diseases of nervous system and sense organs-----330-334,341-398	30	2	-	23	5	11	-	-	10	1
13 Acute upper respiratory infections-----470-475	8	1	-	4	3	2	-	-	1	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	294	-	-	212	82	61	-	-	53	8
15 Influenza-----480-483	2	-	-	1	1	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	292	...	...	211	81	61	...	...	53	8
17 Bronchitis-----500-502	20	1	-	14	5	6	1	-	5	-
18 Other diseases of respiratory system-----510-522,525-527	99	7	2	67	23	32	5	-	25	2
19 Pulmonary congestion and hypospasia-----522	3	1	1	1	-	9	1	-	8	5
20 Other chronic interstitial pneumonia-----525	81	-	1	57	23	6	-	-	5	1
21 Bronchiectasis-----528	4	-	-	4	-	14	3	-	11	-
22 Other diseases of lung and pleural cavity-----527,2	11	6	-	5	-	3	1	-	1	1
23 All other diseases of respiratory system-----510-521,527.1	11	6	-	5	-	3	1	-	1	1
24 Hernia and intestinal obstruction-----560,561,570	26	17	1	7	1	24	19	-	5	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	33	-	-	25	8	9	-	-	7	2
26 Other diseases of digestive system-----530-542,544-553,573-587	15	4	5	4	2	6	4	-	2	-
27 Congenital malformations-----750-759	641	368	34	198	41	257	145	5	102	5
28 Spina bifida and meningocele-----751	64	28	3	32	1	23	11	1	11	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	59	26	1	27	5	22	9	-	13	-
30 Congenital malformations of circulatory system-----754	302	153	18	109	22	125	69	3	52	1
31 Other congenital malformations-----750,755-759	216	161	12	30	13	87	56	1	26	4
32 Certain diseases of early infancy-----760-776	2,430	1,890	509	21	10	871	852	14	5	-
33 Birth injuries-----760,761	427	345	82	-	-	149	146	3	-	-
34 Without mention of immaturity (.0)-----	152	126	26	-	-	49	48	1	-	-
35 With immaturity (.5)-----	275	219	56	-	-	100	98	2	-	-
36 Intracranial and spinal injury at birth-----760	94	76	18	...	...	40	36	2	...	...
37 Without mention of immaturity (.0)-----	53	45	8	...	...	24	24	...	...	...
38 With immaturity (.5)-----	41	31	10	...	...	16	14	2	...	...
39 Other birth injury-----761	333	269	64	-	-	109	108	1	-	-
40 Without mention of immaturity (.0)-----	99	81	18	-	-	25	24	1	-	-
41 With immaturity (.5)-----	234	188	46	-	-	84	84	-	-	-
42 Postnatal asphyxia and atelectasis-----762	601	490	105	5	1	225	222	3	-	-
43 Without mention of immaturity (.0)-----	165	134	27	4	-	65	65	-	-	-
44 With immaturity (.5)-----	436	356	78	1	1	160	157	3	-	-
45 Pneumonia of newborn-----763	82	62	20	...	...	21	20	1	...	...
46 Without mention of immaturity (.0)-----	54	38	16	...	...	15	12	1	...	...
47 With immaturity (.5)-----	28	24	4	...	...	8	8	-	...	...
48 Diarrhea of newborn-----764	6	3	3	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	4	2	2	-	-	-	-	-	-	-
50 With immaturity (.5)-----	2	1	1	-	-	1	1	-	-	-
51 Other infections of newborn-----765-768	26	14	12	-	-	9	9	-	-	-
52 Without mention of immaturity (.0)-----	10	6	4	-	-	5	5	-	-	-
53 With immaturity (.5)-----	16	8	8	-	-	4	4	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	42	29	10	2	1	20	18	-	2	-
55 Without mention of immaturity (.0-.4)-----	16	10	3	2	1	9	7	-	2	-
56 With immaturity (.5-.9)-----	26	19	7	-	-	11	11	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	93	91	2	-	-	24	23	1	-	-
58 Without mention of immaturity (.0-.2)-----	71	70	1	-	-	15	15	-	-	-
59 With immaturity (.5-.7)-----	22	21	1	-	-	9	8	1	-	-
60 Hemorrhagic disease of newborn-----771	27	18	8	-	1	4	4	-	-	-
61 Without mention of immaturity (.0)-----	17	11	5	-	1	2	2	-	-	-
62 With immaturity (.5)-----	10	7	3	-	-	2	2	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	354	272	71	7	4	162	158	2	2	-
64 Without mention of immaturity (.0)-----	77	59	8	6	4	18	16	-	2	-
65 With immaturity (.5)-----	277	213	63	1	-	144	142	2	-	-
66 Immaturity with mention of any other subsidiary condition-----774	45	36	1	5	3	21	20	-	1	-
67 Immaturity, unqualified-----776	727	530	195	2	-	235	231	4	-	-
68 Symptoms and ill-defined conditions-----780-793,795	42	6	-	29	7	44	6	3	32	3
69 All other diseases-----Residual	74	17	2	48	7	28	9	1	17	1
70 Accidents-----E800-E962	141	21	1	99	20	44	6	-	35	3
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	33	8	-	19	6	3	1	-	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	22	2	-	18	2	15	-	-	10	3
73 Other accidental causes-----E800-E920,E923,E925-E962	86	11	1	62	12	28	5	-	23	-
74 Homicide-----E964,E980-E984	5	2	-	2	1	2	1	-	1	-



SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	Nevada				New Hampshire					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	235	156	28	40	11	275	200	1	74	-
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	1	-	-	1	-	2	-	-	2	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-133	1	1	-	-	-	1	-	-	1	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	2	-	-	2	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	1	1	-	-	-
10 Diseases of thymus gland-----273	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	2	-	1	1	-	1	1	-	-	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	-	-	-	-	-	2	-	-	2	-
13 Acute upper respiratory infections-----470-475	3	-	1	2	-	2	-	-	2	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	13	-	-	10	3	26	-	-	26	-
15 Influenza-----480-483	-	-	-	-	-	1	-	-	1	-
16 Pneumonia, except pneumonia of newborn-----490-493	13	...	...	10	3	25	...	...	25	-
17 Bronchitis-----500-502	2	-	-	2	-	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	9	1	-	5	3	3	-	-	3	-
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	8	-	-	5	3	3	-	-	3	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	1	1	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	3	2	-	1	-	3	2	-	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	3	-	-	1	2	2	-	-	2	-
26 Other diseases of digestive system-----530-542,544-553,573-587	2	2	-	-	-	1	-	-	1	-
27 Congenital malformations-----750-759	39	30	2	6	1	51	31	-	20	-
28 Spina bifida and meningocele-----751	2	2	-	-	-	7	3	-	4	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	6	6	-	-	-	5	5	-	4	-
30 Congenital malformations of circulatory system-----754	19	13	1	4	1	23	16	-	7	-
31 Other congenital malformations-----750,755-759	12	9	1	2	-	16	11	-	5	-
32 Certain diseases of early infancy-----760-776	140	116	24	-	-	164	163	1	-	-
33 Birth injuries-----760,761	20	16	4	-	-	30	30	-	-	-
34 Without mention of immaturity (.0)-----	10	8	2	-	-	7	7	-	-	-
35 With immaturity (.5)-----	10	8	2	-	-	23	23	-	-	-
36 Intracranial and spinal injury at birth-----760	5	3	2	-	-	5	5	-	-	-
37 Without mention of immaturity (.0)-----	5	3	2	-	-	1	1	-	-	-
38 With immaturity (.5)-----	-	-	-	-	-	4	4	-	-	-
39 Other birth injury-----761	15	13	2	-	-	25	25	-	-	-
40 Without mention of immaturity (.0)-----	5	5	-	-	-	6	6	-	-	-
41 With immaturity (.5)-----	10	8	2	-	-	19	19	-	-	-
42 Postnatal asphyxia and atelectasis-----762	22	17	5	-	-	30	30	-	-	-
43 Without mention of immaturity (.0)-----	5	3	2	-	-	7	7	-	-	-
44 With immaturity (.5)-----	17	14	3	-	-	23	23	-	-	-
45 Pneumonia of newborn-----763	3	3	-	-	-	12	12	-	-	-
46 Without mention of immaturity (.0)-----	2	2	-	-	-	5	5	-	-	-
47 With immaturity (.5)-----	1	1	-	-	-	7	7	-	-	-
48 Diarrhea of newborn-----764	-	-	-	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	-	-	-	-	-	-	-	-	-	-
52 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
53 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	3	3	-	-	-	2	2	-	-	-
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	2	2	-	-	-
56 With immaturity (.5-.9)-----	2	2	-	-	-	-	-	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	3	3	-	-	-	5	5	-	-	-
58 Without mention of immaturity (.0-.2)-----	3	3	-	-	-	2	2	-	-	-
59 With immaturity (.5-.7)-----	-	-	-	-	-	3	3	-	-	-
60 Hemorrhagic disease of newborn-----771	-	-	-	-	-	1	1	-	-	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	1	1	-	-	-
62 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	49	42	7	-	-	36	36	-	-	-
64 Without mention of immaturity (.0)-----	13	12	1	-	-	6	6	-	-	-
65 With immaturity (.5)-----	36	30	6	-	-	30	30	-	-	-
66 Immaturity with mention of any other subsidiary condition-----774	2	2	-	-	-	-	-	-	-	-
67 Immaturity, unqualified-----776	38	30	8	-	-	48	47	1	-	-
68 Symptoms and ill-defined conditions-----780-793,795	2	1	-	1	-	4	1	-	3	-
69 All other diseases-----Residual	2	2	-	-	-	2	1	-	1	-
70 Accidents-----E800-E962	12	1	-	9	2	7	-	-	7	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	3	-	-	2	1	-	-	-	-	-
72 Accidental mechanical suffocation in bed and cradle-----E924	3	-	-	2	1	-	-	-	-	-
73 Other accidental causes-----E800-E920,E923,E925-E962	6	1	-	5	-	7	-	-	7	-
74 Homicide-----E964,E980-E984	-	-	-	-	-	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965-Con.

of the Seventh Revision of the International Lists, 1955]

New Jersey					New Mexico				New York				North Carolina						
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
	White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white
2,904	1,559	626	448	271	655	384	47	151	73	7,848	4,287	1,582	1,389	590	2,976	1,119	636	345	676
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
4	-	-	1	3	4	-	-	-	4	27	-	-	19	8	23	-	-	6	17
1	-	-	1	-	-	-	-	-	-	3	-	-	2	1	1	-	-	-	1
7	1	-	5	1	3	-	-	2	1	17	1	-	15	1	11	-	-	7	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	1	-	7	2	4	-	-	3	1	20	4	1	9	6	18	1	3	7	7
4	1	-	2	1	2	-	-	2	-	26	1	1	21	3	6	1	-	4	1
2	1	-	1	-	-	-	-	-	-	5	3	-	2	5	5	2	-	2	1
5	-	-	5	-	-	-	-	2	-	4	-	-	3	1	1	-	-	1	-
28	7	-	11	7	8	-	1	2	5	70	15	4	35	16	19	3	2	3	11
17	-	-	14	3	7	-	-	5	2	54	2	-	36	16	22	1	1	11	9
3	1	-	1	1	5	-	-	2	1	24	2	-	16	6	20	-	-	5	14
262	-	-	147	115	38	-	-	24	14	612	-	-	389	223	344	-	-	87	257
6	-	-	2	4	4	-	-	-	-	6	-	-	3	3	8	-	-	1	7
256	...	...	145	111	58	...	...	24	14	606	...	...	386	220	336	...	...	86	250
11	-	-	7	4	3	-	-	3	-	37	1	-	26	10	24	-	1	6	17
18	2	2	9	5	15	-	-	13	2	112	10	3	76	23	30	3	1	12	14
2	-	1	1	-	-	-	-	-	-	35	5	1	18	11	10	1	1	3	5
7	1	-	5	1	12	-	-	11	1	52	-	-	46	6	7	-	-	5	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	3	-	-	2	1	16	1	2	9	4	9	1	-	3	5
8	1	1	3	3	-	-	-	-	-	9	4	-	3	2	4	1	-	1	2
34	26	3	5	-	5	5	-	-	-	65	36	4	18	7	23	9	7	4	3
40	-	-	10	30	33	-	-	19	14	87	-	-	59	28	67	-	-	13	54
7	3	1	2	1	3	1	1	-	1	28	12	2	11	3	12	3	-	4	26
459	256	35	139	29	80	47	3	25	5	1,210	644	127	339	100	374	207	47	79	41
35	20	1	14	-	5	3	-	2	-	123	55	9	52	7	56	32	4	19	1
40	17	2	15	6	5	1	-	3	1	86	42	4	33	7	42	11	7	17	7
234	114	18	82	20	37	20	-	14	3	589	260	68	193	68	154	82	17	32	23
150	105	14	28	3	33	23	3	6	1	412	287	46	61	18	122	82	19	11	10
1,821	1,233	568	7	13	364	320	36	7	1	4,966	3,481	1,405	47	33	1,619	860	711	9	39
226	178	48	-	-	48	46	2	-	-	600	491	109	-	-	220	138	82	-	33
83	65	18	-	-	13	12	1	-	-	222	194	28	-	-	92	49	43	-	34
143	113	30	-	-	35	34	1	-	-	378	297	81	-	-	128	89	39	-	35
72	52	20	...	...	13	12	1	...	...	244	182	62	...	...	68	42	26	...	36
37	29	8	...	...	5	4	1	...	...	123	106	17	...	...	42	23	19	...	37
35	23	12	...	...	8	8	-	...	...	121	76	45	...	...	26	19	7	...	38
154	126	28	-	-	35	34	1	-	-	356	309	47	...	...	152	96	56	...	39
46	36	10	-	-	8	8	-	-	-	99	88	11	-	-	50	26	24	-	40
108	90	18	-	-	27	26	1	-	-	257	221	36	-	-	102	70	32	-	41
653	399	252	-	2	81	72	9	-	-	1,543	1,065	432	25	21	427	232	188	4	3
184	96	86	-	2	13	11	2	-	-	353	245	67	22	19	111	64	42	2	3
469	303	166	-	-	68	61	7	-	-	1,190	820	365	3	2	316	168	146	2	44
56	42	14	...	...	24	22	2	...	...	226	154	72	...	...	63	25	38	...	45
40	30	10	...	...	12	11	1	...	...	166	110	56	...	...	48	18	30	...	46
16	12	4	...	...	12	11	1	...	...	60	44	16	...	...	15	7	8	...	47
8	2	6	-	-	2	1	1	-	-	16	11	5	-	-	26	4	22	...	48
7	1	6	-	-	1	1	-	-	-	11	8	3	-	-	22	3	19	-	49
1	1	-	-	-	1	1	-	-	-	5	3	2	-	-	4	1	3	-	50
28	20	8	-	-	5	3	2	-	-	50	34	16	-	-	21	8	13	-	51
17	11	6	-	-	5	3	-	-	-	21	15	6	-	-	16	5	11	-	52
11	9	2	-	-	-	-	-	-	-	29	19	10	-	-	5	3	2	-	53
21	14	4	3	-	6	6	-	-	-	37	22	8	6	1	18	6	10	1	54
8	3	2	3	-	4	4	-	-	-	20	10	3	6	1	7	1	4	1	55
13	11	2	-	-	2	2	-	-	-	17	12	5	-	-	11	5	6	-	56
66	63	3	-	-	8	7	-	-	-	145	136	9	-	-	18	16	2	-	57
41	38	3	-	-	6	5	-	-	-	103	95	8	-	-	15	13	2	-	58
25	25	-	-	-	2	2	-	-	-	42	41	1	-	-	3	3	-	-	59
13	7	6	-	-	7	5	2	-	-	37	25	12	-	-	9	6	3	-	60
7	5	2	-	-	3	3	-	-	-	21	13	8	-	-	4	1	3	-	61
6	2	4	-	-	4	2	2	-	-	16	12	4	-	-	5	5	-	-	62
274	197	64	4	9	75	59	12	4	-	721	498	213	5	5	303	177	101	1	24
60	41	7	4	8	18	14	1	3	-	120	88	23	5	4	86	41	22	1	22
214	156	57	-	1	57	45	11	1	-	601	410	190	-	1	217	136	79	-	2
19	13	4	-	2	8	7	-	1	-	106	67	24	9	6	32	15	9	2	6
457	298	159	-	-	100	92	6	2	-	1,485	978	505	2	-	482	233	243	1	5
15	4	3	4	4	38	6	5	14	13	172	18	12	96	46	133	8	35	27	63
42	14	3	18	7	21	3	-	13	5	99	26	3	56	14	59	10	5	22	69
110	7	7	51	45	24	2	1	17	4	180	17	8	111	44	156	10	14	36	96
36	3	1	18	14	3	-	-	3	-	35	3	-	24	8	29	3	4	7	15
33	-	2	14	17	4	-	-	3	1	36	2	-	28	6	45	1	4	6	34
41	4	4	14	14	17	2	1	11	3	109	12	8	59	30	82	6	6	23	47
4	2	1	1	-	-	-	-	-	-	30	14	12	3	1	8	1	5	-	2

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	North Dakota					Ohio				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	280	188	19	64	9	4,349	2,659	563	913	214
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	-	-	-	-	-	11	-	-	7	4
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	3	-	-	3	-	10	1	-	9	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,059-060,062-138	2	-	-	2	-	14	1	1	10	2
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	12	1	1	9	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	7	5	2	-	-
10 Diseases of thymus gland-----273	-	-	-	-	-	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	2	2	-	-	-	27	7	1	15	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	1	-	-	1	-	16	2	2	12	2
13 Acute upper respiratory infections-----470-475	-	-	-	-	-	56	2	2	33	19
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	26	-	-	18	8	288	-	-	239	49
15 Influenza-----480-483	1	-	-	1	-	3	-	-	2	1
16 Pneumonia, except pneumonia of newborn-----490-493	25	...	...	17	8	285	...	...	237	48
17 Bronchitis-----500-502	4	-	-	4	-	38	1	-	29	8
18 Other diseases of respiratory system-----510-522,525-527	6	1	-	5	-	104	4	1	66	33
19 Pulmonary congestion and hypostasis-----522	2	-	-	2	-	5	2	1	2	-
20 Other chronic interstitial pneumonia-----525	3	-	-	3	-	85	-	-	57	28
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	-	-	-	-	-	10	1	-	5	4
23 All other diseases of respiratory system-----510-521,527.1	1	1	-	-	-	4	1	-	2	1
24 Hernia and intestinal obstruction-----560,561,570	5	5	-	-	-	40	28	1	11	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	6	-	-	6	-	35	-	-	29	6
26 Other diseases of digestive system-----530-542,544-553,573-587	2	1	-	1	-	10	1	-	8	1
27 Congenital malformations-----750-759	29	24	-	5	-	721	416	53	213	39
28 Spina bifida and meningocele-----751	2	1	-	1	-	57	34	1	21	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1	-	-	1	-	55	26	3	25	1
30 Congenital malformations of circulatory system-----754	14	13	-	1	-	360	184	22	124	30
31 Other congenital malformations-----750,755-759	12	10	-	2	-	249	172	27	43	7
32 Certain diseases of early infancy-----760-776	174	153	16	5	-	2,677	2,143	483	42	9
33 Birth injuries-----760,761	22	20	2	-	-	482	404	78	-	-
34 Without mention of immaturity (.0)-----	7	6	1	-	-	170	134	36	-	-
35 With immaturity (.5)-----	15	14	1	-	-	312	270	42	-	-
36 Intracranial and spinal injury at birth-----760	5	5	-	...	...	119	94	25	...	...
37 Without mention of immaturity (.0)-----	4	4	-	...	...	68	54	14	...	...
38 With immaturity (.5)-----	1	1	-	...	...	51	40	11	...	...
39 Other birth injury-----761	17	15	2	-	-	363	310	53	-	-
40 Without mention of immaturity (.0)-----	3	2	1	-	-	102	80	22	-	-
41 With immaturity (.5)-----	14	13	1	-	-	261	230	31	-	-
42 Postnatal asphyxia and atelectasis-----762	43	39	3	1	-	726	597	115	13	1
43 Without mention of immaturity (.0)-----	12	11	-	1	-	195	155	29	11	-
44 With immaturity (.5)-----	31	28	3	-	-	531	442	86	2	1
45 Pneumonia of newborn-----763	3	3	-	...	...	92	72	20	...	...
46 Without mention of immaturity (.0)-----	-	-	-	...	...	62	50	12	...	...
47 With immaturity (.5)-----	3	3	-	...	...	30	22	8	...	...
48 Diarrhea of newborn-----764	1	1	-	-	-	3	3	-	-	-
49 Without mention of immaturity (.0)-----	1	1	-	-	-	3	3	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	2	2	-	-	-	46	36	10	-	-
52 Without mention of immaturity (.0)-----	1	1	-	-	-	19	18	1	-	-
53 With immaturity (.5)-----	1	1	-	-	-	27	18	9	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	5	3	-	2	-	23	17	5	1	-
55 Without mention of immaturity (.0-.4)-----	4	2	-	2	-	11	8	2	1	-
56 With immaturity (.5-.9)-----	1	1	-	-	-	12	9	3	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	5	4	1	-	-	84	78	5	1	-
58 Without mention of immaturity (.0-.2)-----	4	3	1	-	-	61	58	2	1	-
59 With immaturity (.5-.7)-----	1	1	-	-	-	23	20	3	-	-
60 Hemorrhagic disease of newborn-----771	-	-	-	-	-	20	16	2	1	1
61 Without mention of immaturity (.0)-----	-	-	-	-	-	12	10	-	1	1
62 With immaturity (.5)-----	-	-	-	-	-	8	6	2	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	50	47	3	-	-	529	408	98	18	5
64 Without mention of immaturity (.0)-----	11	10	1	-	-	116	88	9	17	2
65 With immaturity (.5)-----	39	37	2	-	-	413	320	89	1	3
66 Immaturity with mention of any other subsidiary condition-----774	4	1	1	2	-	44	28	10	5	1
67 Immaturity, unqualified-----776	39	33	6	-	-	628	484	140	3	1
68 Symptoms and ill-defined conditions-----780-793,795	5	1	2	2	-	62	13	7	32	10
69 All other diseases-----Residual	2	-	-	1	1	78	27	3	38	10
70 Accidents-----E800-E962	12	1	1	10	-	125	3	6	102	14
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1	-	-	1	-	36	1	-	28	7
72 Accidental mechanical suffocation in bed and cradle-----E924	4	-	1	3	-	24	-	3	16	5
73 Other accidental causes-----E800-E920,E923,E925-E962	7	1	-	6	-	65	2	3	58	2
74 Homicide-----E964,E980-E984	-	-	-	-	-	17	4	2	8	3

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965--Con.  
of the Seventh Revision of the International Lists, 1955]

Oklahoma					Oregon					Pennsylvania					Rhode Island				
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
	White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white
990	567	127	220	76	695	455	22	204	14	4,768	2,927	689	867	285	390	278	25	79	8
4	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	-	-	3	1	4	-	-	4	-	12	-	-	12	-	3	-	-	3	-
3	-	-	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
2	-	-	2	-	2	-	-	2	-	9	-	-	7	2	1	1	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	4	1	2	2	-	-	-	13	1	-	10	2	2	-	-	2	-
4	1	-	3	-	1	1	-	-	-	16	3	-	11	2	-	-	-	-	-
2	1	-	1	-	1	-	-	1	-	7	3	-	4	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	6	3	-	3	-	-	-	-	-	-
13	1	-	11	1	7	3	-	4	-	36	9	3	19	5	5	2	-	2	1
9	-	-	8	1	4	-	-	3	1	46	3	-	34	9	1	-	-	1	1
5	-	-	3	2	2	-	-	2	-	4	1	-	1	2	3	-	-	2	1
73	-	1	54	18	74	-	-	68	6	287	-	-	222	65	43	-	-	41	2
5	-	1	1	3	1	-	-	1	-	4	-	-	4	-	-	-	-	-	15
68	...	...	53	15	73	...	...	67	6	283	...	...	218	65	43	...	...	41	2
3	-	-	1	2	5	1	-	4	-	26	1	1	22	2	2	-	-	1	1
14	4	-	6	4	10	-	-	10	-	43	3	1	36	3	6	1	-	5	1
2	2	-	-	-	3	-	-	3	-	5	1	-	4	-	-	-	-	-	-
7	-	-	5	2	3	-	-	3	-	22	-	-	19	3	4	-	-	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	1	2	3	-	-	3	-	10	-	1	9	-	2	1	-	1	-
2	2	-	-	-	1	-	-	1	-	6	2	-	4	-	-	-	-	-	-
4	3	1	-	-	7	6	-	1	-	55	38	7	9	1	3	2	1	-	-
14	-	-	5	9	8	-	-	5	3	45	1	-	28	16	1	-	-	1	-
1	-	-	1	-	4	2	-	2	-	22	5	4	9	4	-	-	-	-	-
139	86	6	40	7	107	75	2	30	-	707	424	49	202	32	58	42	1	12	3
14	9	1	4	-	4	4	-	-	-	51	24	-	25	2	6	2	1	3	-
18	10	1	4	3	8	5	1	2	-	54	32	3	15	4	1	1	-	-	-
62	30	2	27	3	59	35	-	24	-	377	196	25	133	23	24	14	-	7	3
45	37	2	5	1	36	31	1	4	-	225	172	21	29	3	27	25	-	2	-
583	458	110	8	7	376	349	20	7	-	3,001	2,352	603	34	12	243	220	22	1	-
82	71	11	-	-	73	71	2	-	-	454	380	72	2	-	46	39	7	-	-
26	20	6	-	-	15	15	-	-	-	170	156	14	-	-	10	9	1	-	-
56	51	5	-	-	58	56	2	-	-	284	224	58	2	-	36	30	6	-	-
18	15	3	-	-	18	18	-	-	-	151	120	31	-	-	15	13	2	-	-
14	11	3	-	-	4	4	-	-	-	90	80	10	-	-	5	5	-	-	-
4	4	-	-	-	14	14	-	-	-	61	40	21	-	-	10	8	2	-	-
64	56	8	-	-	55	55	2	-	-	303	260	41	2	-	31	26	5	-	-
12	9	3	-	-	11	11	-	-	-	80	76	4	-	-	5	4	1	-	-
52	47	5	-	-	44	42	2	-	-	223	184	37	2	-	26	22	4	-	-
139	105	25	6	3	76	66	7	3	-	795	658	121	12	4	89	80	8	1	-
52	41	4	5	2	28	23	2	3	-	206	159	32	11	4	12	9	2	1	-
87	64	21	1	1	48	43	5	-	-	589	499	89	1	-	77	71	6	-	-
20	16	4	-	-	18	15	3	-	-	114	93	21	-	-	9	9	-	-	-
13	10	3	-	-	17	14	3	-	-	79	66	13	-	-	4	4	-	-	-
7	6	1	-	-	1	1	-	-	-	35	27	8	-	-	5	5	-	-	-
3	1	2	-	-	2	2	-	-	-	14	11	3	-	-	-	-	-	-	-
2	1	1	-	-	1	1	-	-	-	12	9	3	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-
14	8	6	-	-	6	6	-	-	-	35	22	13	-	-	2	2	-	-	-
9	5	4	-	-	4	4	-	-	-	17	12	5	-	-	1	1	-	-	-
5	3	2	-	-	2	2	-	-	-	18	10	8	-	-	1	1	-	-	-
10	8	2	-	-	11	9	1	1	-	34	22	8	2	2	1	1	-	-	-
2	2	-	-	-	5	4	-	1	-	14	7	3	2	2	-	-	-	-	-
8	6	2	-	-	6	5	1	-	-	20	15	5	-	-	1	1	-	-	-
9	8	1	-	-	14	14	-	-	-	81	76	5	-	-	5	5	-	-	-
4	3	1	-	-	9	9	-	-	-	66	61	5	-	-	2	2	-	-	-
5	5	-	-	-	5	5	-	-	-	15	15	-	-	-	3	3	-	-	-
5	5	-	-	-	1	1	-	-	-	20	16	4	-	-	-	-	-	-	-
5	5	-	-	-	-	-	-	-	-	8	7	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	12	9	3	-	-	-	-	-	-	-
122	97	20	1	4	77	72	3	2	-	599	456	128	11	4	32	30	2	-	-
35	24	6	1	4	22	20	-	2	-	115	89	15	8	3	4	4	-	-	-
87	73	14	-	-	55	52	3	-	-	484	367	113	3	1	28	26	2	-	-
21	11	9	1	-	7	8	-	-	-	59	42	10	5	2	1	1	-	-	-
158	128	30	-	-	91	88	2	1	-	796	576	218	2	-	58	53	5	-	-
29	5	4	14	6	31	3	-	2	-	154	14	10	44	86	4	3	1	-	-
15	4	2	6	3	13	5	-	26	-	90	32	3	44	11	8	5	-	3	-
62	4	2	45	11	32	6	-	25	1	172	28	5	112	27	6	1	-	5	-
13	-	1	11	1	8	4	-	4	-	42	9	1	25	7	2	1	-	1	-
21	2	-	14	5	-	-	-	-	-	39	7	-	28	4	2	-	-	-	-
28	2	1	20	5	24	2	-	21	1	81	12	4	59	16	2	-	-	2	-
1	-	-	1	-	3	2	-	1	-	16	6	3	3	4	1	1	-	-	-



SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

Table with columns: Cause of death, South Carolina (Total, Under 28 days, 28 days-11 months), South Dakota (Total, Under 28 days, 28 days-11 months). Rows include categories like All causes, Dysentery, Septicemia, Whooping cough, Meningococcal infections, Tetanus, Malignant neoplasms, Benign neoplasms, Diseases of thymus gland, Meningitis, Other diseases of nervous system, Acute upper respiratory infections, Influenza and pneumonia, Bronchitis, Hernia and intestinal obstruction, Gastritis, Congenital malformations, Birth injuries, Postnatal asphyxia, Pneumonia of newborn, Diarrhea of newborn, Other infections of newborn, Necrotal disorders, Hemolytic disease of newborn, Hemorrhagic disease of newborn, Ill-defined diseases, Accidents, and Homicide.



SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Virginia				Washington					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	2,365	1,128	550	361	326	1,132	721	82	289	40
2 Dysentery, all forms-----045-048	3	-	-	2	1	1	-	-	-	1
3 Septicemia and pyemia-----053	10	-	-	5	5	1	-	-	1	-
4 Whooping cough-----056	3	-	-	-	3	1	-	-	1	-
5 Meningococcal infections-----057	3	-	-	2	1	2	-	-	2	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	10	1	-	6	3	5	1	-	3	1
8 Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-205	4	-	-	3	1	1	-	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	2	-	-	-	2	1	-	1	-
10 Diseases of thymus gland-----273	1	-	1	-	-	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	21	5	1	5	10	10	5	-	5	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	16	1	2	8	5	5	1	-	4	-
13 Acute upper respiratory infections-----470-475	25	-	-	15	10	4	-	-	4	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	184	-	-	81	103	76	-	-	62	14
15 Influenza-----480-483	3	-	-	1	2	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	181	...	...	80	101	76	...	...	62	14
17 Bronchitis-----500-502	5	-	1	1	3	11	1	-	8	2
18 Other diseases of respiratory system-----510-522,525-527	63	4	-	23	36	20	4	-	14	2
19 Pulmonary congestion and hypostasis-----522	4	1	-	1	2	4	1	-	2	1
20 Other chronic interstitial pneumonia-----525	43	-	-	14	29	8	-	-	8	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	12	-	-	7	5	4	1	-	3	-
23 All other diseases of respiratory system-----510-521,527.1	4	3	-	-	1	4	2	-	1	1
24 Hernia and intestinal obstruction-----560,561,570	24	13	5	4	2	12	6	-	5	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	32	1	1	5	25	7	-	-	6	1
26 Other diseases of digestive system-----530-542,544-553,573-587	7	1	3	2	1	4	3	1	-	-
27 Congenital malformations-----750-759	315	168	27	86	34	176	101	13	57	5
28 Spina bifida and meningocele-----751	41	20	2	18	1	6	4	-	2	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	28	11	3	10	4	15	8	1	6	-
30 Congenital malformations of circulatory system-----754	139	54	12	52	21	81	41	4	31	5
31 Other congenital malformations-----750,755-759	107	83	10	6	8	74	48	8	18	-
32 Certain diseases of early infancy-----760-776	1,420	904	476	21	19	652	579	65	7	1
33 Birth injuries-----760,761	188	127	61	-	-	104	97	7	-	-
34 Without mention of immaturity (.0)-----	83	48	35	-	-	38	35	3	-	-
35 With immaturity (.5)-----	105	79	26	-	-	66	62	4	-	-
36 Intracranial and spinal injury at birth-----760	76	53	23	...	...	35	33	2	...	...
37 Without mention of immaturity (.0)-----	48	30	18	...	...	21	19	2	...	...
38 With immaturity (.5)-----	28	23	5	...	...	14	14	-	...	...
39 Other birth injury-----761	112	74	38	...	...	69	64	5	-	-
40 Without mention of immaturity (.0)-----	35	18	17	-	-	17	16	1	-	-
41 With immaturity (.5)-----	77	56	21	-	-	52	48	4	-	-
42 Postnatal asphyxia and atelectasis-----762	360	228	126	4	2	165	144	20	1	-
43 Without mention of immaturity (.0)-----	95	55	35	4	1	49	40	8	1	-
44 With immaturity (.5)-----	265	173	91	-	1	116	104	12	-	-
45 Pneumonia of newborn-----763	70	39	31	...	...	21	18	3	...	...
46 Without mention of immaturity (.0)-----	58	30	25	...	...	13	11	2	...	...
47 With immaturity (.5)-----	15	9	6	...	...	8	7	1	...	...
48 Diarrhea of newborn-----764	7	1	6	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	4	-	4	-	-	-	-	-	-	-
50 With immaturity (.5)-----	3	1	2	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	20	10	10	-	-	8	8	-	-	-
52 Without mention of immaturity (.0)-----	14	7	7	-	-	3	3	-	-	-
53 With immaturity (.5)-----	6	3	3	-	-	5	5	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	13	9	2	1	1	9	9	-	-	-
55 Without mention of immaturity (.0-.4)-----	7	4	1	1	1	5	5	-	-	-
56 With immaturity (.5-.9)-----	6	5	1	-	-	4	4	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	37	32	5	-	-	30	27	2	1	-
58 Without mention of immaturity (.0-.2)-----	26	22	4	-	-	16	14	1	1	-
59 With immaturity (.5-.7)-----	11	10	1	-	-	14	13	1	-	-
60 Hemorrhagic disease of newborn-----771	13	7	6	-	-	6	6	-	-	-
61 Without mention of immaturity (.0)-----	8	4	4	-	-	3	3	-	-	-
62 With immaturity (.5)-----	5	3	2	-	-	3	3	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	335	218	92	11	14	146	130	13	2	1
64 Without mention of immaturity (.0)-----	100	60	18	10	12	34	28	5	1	-
65 With immaturity (.5)-----	235	158	74	1	2	112	102	8	1	1
66 Immaturity with mention of any other subsidiary condition-----774	34	18	10	4	2	18	13	2	3	-
67 Immaturity, unqualified-----776	343	215	127	1	-	145	127	18	-	-
68 Symptoms and ill-defined conditions-----780-793,795	106	14	21	37	34	74	7	-	61	6
69 All other diseases-----Residual	34	9	5	13	7	17	4	1	11	1
70 Accidents-----E800-E962	69	3	4	39	23	48	7	2	35	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	15	2	1	5	7	11	2	1	7	1
72 Accidental mechanical suffocation in bed and cradle-----E924	10	-	-	7	3	5	-	-	4	1
73 Other accidental causes-----E800-E920,E923,E925-E962	44	1	3	27	13	32	5	1	24	2
74 Homicide-----E964,E980-E984	8	2	3	3	-	2	1	-	-	1

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1965-Con.

of the Seventh Revision of the International Lists, 1955]

West Virginia					Wisconsin					Wyoming					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
862	596	52	198	16	1,815	1,301	67	406	41	145	99	8	34	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	-	-	2	-	6	-	-	6	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	5	-	-	5	-	3	1	-	2	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
8	3	-	5	-	10	1	-	8	1	1	-	-	-	1	7
3	1	1	1	-	7	2	-	5	-	-	-	-	-	-	8
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	9
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	10
6	3	1	2	-	15	5	-	7	3	2	2	-	-	-	11
9	1	-	8	-	14	2	-	11	1	-	-	-	-	-	12
1	-	-	1	-	7	-	-	7	-	-	-	-	-	-	13
60	1	-	53	6	120	-	-	106	14	12	-	-	11	1	14
1	1	-	-	-	4	-	-	4	-	-	-	-	-	-	15
59	...	...	53	6	116	...	...	102	14	12	...	...	11	1	16
2	-	-	1	1	6	-	-	6	-	-	-	-	-	-	17
7	2	-	3	2	23	3	-	17	3	2	-	1	1	-	18
2	1	-	1	1	3	1	-	2	-	-	-	-	-	-	19
1	-	-	1	-	12	-	-	11	1	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	-	-	1	6	-	-	4	2	2	-	1	1	-	22
2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	23
8	8	-	-	-	22	20	-	2	-	-	-	-	-	-	24
14	-	-	11	3	24	-	-	22	2	2	-	-	1	1	25
3	3	-	-	-	6	-	-	6	3	3	1	-	2	-	26
130	81	5	43	1	315	185	6	114	10	20	12	2	5	1	27
20	12	-	8	-	22	13	1	8	-	1	1	-	-	-	28
8	4	-	4	-	35	12	-	21	2	2	2	-	-	-	29
58	36	3	19	-	140	75	3	57	5	6	2	-	4	-	30
44	29	2	12	1	118	85	2	28	3	11	7	2	1	1	31
532	480	45	7	-	1,147	1,074	60	12	1	90	82	5	3	-	32
78	72	6	-	-	244	229	15	-	-	12	12	-	-	-	33
40	37	3	-	-	62	59	3	-	-	5	5	-	-	-	34
38	35	3	-	-	182	170	12	-	-	7	7	-	-	-	35
26	23	3	...	...	42	38	4	...	...	-	-	-	...	...	36
22	19	3	...	...	29	27	2	...	...	-	-	-	...	...	37
4	4	-	...	...	13	11	2	...	...	-	-	-	...	...	38
52	49	3	-	-	202	191	11	-	-	12	12	-	-	-	39
18	18	-	-	-	33	32	1	-	-	5	5	-	-	-	40
34	31	3	-	-	169	159	10	-	-	7	7	-	-	-	41
147	128	17	2	-	246	221	22	2	1	23	17	3	3	-	42
37	31	5	1	-	63	60	1	1	1	6	4	-	2	-	43
110	97	12	1	-	183	161	21	1	-	17	13	3	1	-	44
28	27	1	...	...	46	43	3	...	...	6	6	-	...	...	45
21	20	1	...	...	31	30	1	...	...	4	4	-	...	...	46
7	7	-	...	...	15	13	2	...	...	2	2	-	...	...	47
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	48
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
2	1	1	-	-	9	8	1	-	-	-	-	-	-	-	51
1	-	1	-	-	4	4	-	-	-	-	-	-	-	-	52
1	1	-	-	-	5	4	1	-	-	-	-	-	-	-	53
8	8	-	-	-	23	19	2	2	-	-	-	-	-	-	54
-	-	-	-	-	13	11	-	2	-	-	-	-	-	-	55
8	8	-	-	-	10	8	2	-	-	-	-	-	-	-	56
18	16	1	1	-	35	35	-	-	-	2	2	-	-	-	57
13	11	1	1	-	26	26	-	-	-	2	2	-	-	-	58
5	5	-	-	-	9	9	-	-	-	-	-	-	-	-	59
2	2	-	-	-	7	7	-	-	-	1	1	-	-	-	60
1	1	-	-	-	4	4	-	-	-	1	1	-	-	-	61
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	62
97	91	3	3	-	218	212	-	6	-	22	22	-	-	-	63
33	28	2	3	-	48	43	-	5	-	7	7	-	-	-	64
64	63	1	-	-	170	169	-	1	-	15	15	-	-	-	65
10	9	-	1	-	18	15	-	1	-	-	-	-	-	-	66
140	124	16	-	-	302	284	17	1	-	24	22	2	-	-	67
29	8	-	20	1	10	-	-	9	1	-	-	-	-	-	68
19	4	-	15	-	22	5	-	16	1	2	-	-	2	-	69
26	1	-	23	2	52	2	-	46	4	8	1	-	7	-	70
4	-	-	4	-	12	-	-	11	1	1	1	-	-	-	71
6	-	-	6	-	14	1	-	13	1	1	-	-	1	-	72
16	1	-	13	2	26	1	-	22	3	6	-	-	6	-	73
1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	74

## *Section 3. Fetal Mortality*

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1965-----	3-3
3-2. Fetal deaths and fetal-death ratios by color: Birth-registration States, 1922-32, and United States, 1933-65-----	3-4
3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1965-----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1965-----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1965-----	3-5
3-6. Fetal deaths, by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1965-----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1961-65-----	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1965-----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1965-----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1965-----	3-14
3-11. Fetal deaths by age of mother and color: United States and each State, 1965-----	3-16
3-12. Fetal deaths by total-birth order and color: United States and each State, 1965-----	3-18
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1965-----	3-20
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1965-----	3-23
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1965-----	3-24
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1965-----	3-25
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1965-----	3-28

## SECTION 3 - FETAL MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1965

[By place of occurrence]

Area	Minimum period of gestation <sup>1</sup> for which fetal-death registration is required	Total fetal deaths	Period of gestation <sup>1</sup>											Not stated
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	
United States-----	...	87,453	22,329	4,265	7,059	6,469	6,797	7,698	4,337	6,923	11,599	1,847	791	7,339
Alabama-----	After 5th month (20 weeks)	1,453	5	11	120	143	199	148	114	146	447	8	5	107
Alaska-----	20 weeks or more <sup>2</sup>	91	-	-	6	6	13	16	6	14	22	5	1	2
Arizona-----	Advanced to 20th week	424	-	7	32	37	52	58	37	47	113	20	4	17
Arkansas-----	All periods of gestation	733	<sup>3</sup> 57	43	67	63	73	62	49	46	166	8	3	96
California-----	Advanced to 20th week	4,523	11	35	274	356	395	634	190	716	209	281	160	1,262
Colorado-----	All periods of gestation	1,837	<sup>3</sup> 1,014	218	96	56	63	71	32	65	62	15	4	141
Connecticut-----	20 weeks or more	633	-	-	63	67	87	96	50	100	128	15	9	18
Delaware-----	20 weeks or more	164	-	1	14	14	21	24	13	22	25	4	1	25
District of Columbia-----	After 5th month	447	4	4	27	38	45	71	25	64	8	23	15	123
Florida-----	20 weeks or more	1,684	-	2	177	187	243	224	166	163	453	51	11	7
Georgia-----	All periods of gestation	2,777	<sup>3</sup> 754	249	249	216	221	196	140	128	426	21	16	161
Hawaii-----	All periods of gestation	1,071	<sup>3</sup> 773	61	58	21	45	36	15	20	26	11	2	3
Idaho-----	After 20 weeks	159	-	1	14	12	15	15	5	13	20	6	-	56
Illinois-----	20 weeks or more	3,095	5	26	367	352	375	416	247	391	796	83	30	7
Indiana-----	20 weeks or more	1,280	2	14	90	111	141	162	93	134	270	27	6	230
Iowa-----	Advanced to 5th month (20 weeks)	591	1	4	44	61	64	71	53	94	140	23	8	8
Kansas-----	Weight in excess of 350 grams	491	3	10	47	39	59	78	29	71	108	28	10	9
Kentucky-----	20 weeks or more	924	-	-	73	112	109	125	113	91	277	10	2	12
Louisiana-----	After 20 weeks	1,318	1	18	102	154	176	162	115	158	390	23	6	13
Maine-----	All periods of gestation	349	<sup>3</sup> 18	17	25	24	46	28	19	35	51	5	6	75
Maryland-----	20 weeks or more <sup>4</sup>	1,068	10	15	80	114	93	152	45	137	38	84	29	271
Massachusetts-----	20 weeks or more	1,328	2	15	152	138	157	216	98	208	180	58	18	86
Michigan-----	Advanced through 20th week	2,445	8	16	232	276	281	363	196	309	507	87	29	141
Minnesota-----	After 20 weeks	957	7	8	96	108	120	123	86	133	174	46	17	37
Mississippi-----	All periods of gestation	2,552	<sup>3</sup> 954	222	207	156	164	119	79	94	444	8	2	103
Missouri-----	After 20 weeks	1,199	4	10	126	137	130	122	116	143	275	26	16	94
Montana-----	After 20 weeks	177	-	-	17	10	27	18	12	33	46	12	2	-
Nebraska-----	Advanced to 5th month	371	2	3	37	40	46	60	32	53	64	9	11	14
Nevada-----	After 20 weeks	140	-	1	19	17	22	21	12	23	10	2	1	12
New Hampshire-----	20 weeks or more	158	-	-	10	21	11	22	10	19	33	9	2	21
New Jersey-----	20 weeks or more	1,845	9	22	181	179	221	256	133	218	378	66	20	162
New Mexico-----	20 weeks or more	346	-	4	28	35	23	36	33	38	68	17	4	60
New York (excl. N.Y.C.)-----	20 weeks or more	2,507	3	13	279	283	291	374	216	346	521	91	24	66
New York City-----	All periods of gestation	21,636	<sup>3</sup> 13,409	1,906	1,059	586	419	469	138	423	170	153	123	2,781
North Carolina-----	Advanced to 20th week	1,709	-	2	190	206	191	246	131	189	493	32	11	18
North Dakota-----	20 weeks or more	214	14	11	23	24	13	25	17	31	43	10	3	-
Ohio-----	20 weeks or more	2,757	-	2	357	310	335	402	203	362	511	106	34	135
Oklahoma-----	20 weeks or more	569	2	9	36	64	62	95	46	65	166	13	5	6
Oregon-----	All periods of gestation	1,299	<sup>3</sup> 552	119	82	63	46	47	39	54	81	15	5	196
Pennsylvania-----	After 16 weeks	3,993	8	502	683	445	440	440	239	376	705	107	37	11
Rhode Island-----	20 weeks or more <sup>2</sup>	388	103	18	36	25	33	43	19	39	48	12	5	7
South Carolina-----	After 20 weeks	1,057	5	10	72	108	124	126	85	98	300	7	2	120
South Dakota-----	20 weeks or more	212	13	3	26	16	27	24	16	23	48	5	6	5
Tennessee-----	20 weeks or more	1,361	-	1	183	177	204	174	111	93	398	11	5	4
Texas-----	20 weeks or more	3,264	7	27	320	369	400	450	349	356	857	66	25	38
Utah-----	After 20 weeks	233	-	2	15	21	19	35	19	36	41	9	-	36
Vermont-----	All periods of gestation	430	<sup>3</sup> 145	30	16	7	9	17	3	11	3	6	3	180
Virginia-----	All periods of gestation	6,826	<sup>3</sup> 4,412	546	308	211	190	206	112	153	355	26	16	291
Washington-----	20 weeks or more	655	6	8	71	69	81	91	67	95	117	24	9	17
West Virginia-----	Advanced to 5th month <sup>5</sup>	584	6	14	52	46	48	59	51	78	170	18	8	34
Wisconsin-----	After 20 weeks	1,041	-	3	115	113	116	161	86	154	201	57	18	17
Wyoming-----	After 20 weeks	88	-	2	4	6	12	13	7	15	17	6	2	4

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.<sup>2</sup>Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.<sup>3</sup>For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	1	9	17	30
Colorado-----	8	174	478	354
Georgia-----	3	115	340	296
Hawaii-----	6	141	375	251
Maine-----	-	2	11	5
Mississippi-----	8	240	402	304
New York City-----	578	2,287	6,247	4,297
Oregon-----	1	112	260	179
Vermont-----	2	16	77	50
Virginia-----	36	951	2,245	1,180

<sup>4</sup>Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal-death certificate must be filed."<sup>5</sup>Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-65  
[Ratios per 1,000 live births in specified group]

Area and year	All fetal deaths reported regardless of period of gestation						Fetal deaths at gestations of 20 weeks or more and not stated					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES												
1965	87,453	61,871	25,582	23.3	19.8	40.2	60,859	43,530	17,329	16.2	13.9	27.2
1964	94,467	67,267	27,200	23.5	20.0	41.3	65,931	47,345	18,586	16.4	14.1	28.2
1963 <sup>1</sup>	86,203	66,203	25,705	23.0	19.9	40.2	64,640	45,495	17,075	15.8	13.7	26.7
1962 <sup>1</sup>	95,841	68,178	25,498	23.0	20.1	39.7	66,421	47,326	17,128	15.9	13.9	26.7
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,728	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,335	22.2	19.2	38.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,890	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES <sup>2</sup>												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	38.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.  
<sup>2</sup>Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1965

[Includes only fetal deaths to residents of those areas in the United States which required reporting of all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation <sup>1</sup>								
	Total	Number			Total	Percent			
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated	
Total	38,310	24,531	9,848	3,931	100.0	100.0	100.0	100.0	
Under 15 years	105	45	44	16	0.3	0.2	0.4	0.4	
15-19 years	4,327	2,334	1,504	489	11.3	9.5	15.3	12.4	
20-24 years	11,256	7,400	2,667	1,189	29.4 <sup>1</sup>	30.2	27.1	30.2	
25-29 years	9,449	6,325	2,183	941	24.7	25.8	22.2	23.9	
30-34 years	6,551	4,278	1,625	648	17.1	17.4	16.5	16.5	
35-39 years	4,520	2,846	1,248	426	11.8	11.6	12.7	10.8	
40-44 years	1,898	1,180	524	194	5.0	4.8	5.3	4.9	
45-49 years	204	123	53	28	0.5	0.5	0.5	0.7	

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate <sup>1</sup>	Illegitimate	Total	Legitimate <sup>1</sup>	Illegitimate
Total-----	37,204	32,240	4,964	15.5	14.6	25.5
Under 15 years-----	129	24	105	24.1	23.7	24.2
15-19 years-----	5,529	3,822	1,707	14.2	12.5	20.2
20-24 years-----	10,226	8,854	1,372	12.0	11.1	23.1
25-29 years-----	7,824	7,155	669	13.4	12.8	27.9
30-34 years-----	6,277	5,742	535	18.8	17.9	41.7
35-39 years-----	4,878	4,466	412	26.9	25.7	54.3
40 years and over-----	2,341	2,177	164	42.1	40.9	67.3
White-----	26,318	24,712	1,606	13.3	13.0	20.8
Under 15 years-----	30	15	15	18.8	21.8	16.5
15-19 years-----	3,445	2,905	540	11.9	11.3	16.8
20-24 years-----	7,539	7,034	505	10.5	10.1	18.8
25-29 years-----	5,804	5,591	213	11.7	11.4	23.4
30-34 years-----	4,446	4,277	169	15.9	15.5	39.0
35-39 years-----	3,370	3,265	105	22.4	22.1	37.6
40 years and over-----	1,684	1,625	59	36.6	36.1	58.4
Nonwhite-----	10,886	7,528	3,358	25.8	24.7	28.5
Under 15 years-----	99	9	90	26.4	27.6	26.3
15-19 years-----	2,084	917	1,167	20.7	18.9	22.4
20-24 years-----	2,687	1,820	867	19.9	17.7	26.6
25-29 years-----	2,020	1,564	456	23.2	21.6	30.7
30-34 years-----	1,831	1,465	366	33.4	31.6	43.1
35-39 years-----	1,508	1,201	307	48.6	45.8	64.0
40 years and over-----	657	552	105	68.3	67.4	73.5

<sup>1</sup>Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate <sup>1</sup>		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total-----	60,859	30,069	25,676	5,114	15.9	16.8	15.1
Fetal deaths in single deliveries-----	57,469	28,333	24,152	4,984	15.4	16.2	14.5
Fetal deaths in twin deliveries-----	3,270	1,678	1,469	123	42.0	44.1	39.8
Fetal deaths in other plural deliveries-----	120	58	55	7	106.0	116.1	97.0
White-----	43,530	21,563	18,677	3,290	13.7	14.3	13.1
Fetal deaths in single deliveries-----	41,110	20,324	17,585	3,201	13.2	13.8	12.6
Fetal deaths in twin deliveries-----	2,329	1,194	1,048	87	38.3	40.1	36.5
Fetal deaths in other plural deliveries-----	91	45	44	2	106.2	112.2	100.7
Nonwhite-----	17,329	8,506	6,999	1,824	26.5	28.6	24.3
Fetal deaths in single deliveries-----	16,359	8,009	6,567	1,783	25.7	27.8	23.5
Fetal deaths in twin deliveries-----	941	484	421	36	55.0	58.9	51.2
Fetal deaths in other plural deliveries-----	29	13	11	5	105.5	129.0	86.1

<sup>1</sup>Figures for "Sex not stated" are distributed.



## SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1965

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation <sup>1</sup>				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States-----	60,859	7,059	6,469	39,992	7,339	16.2
White-----	43,530	4,715	4,413	29,462	4,940	13.9
Nonwhite-----	17,329	2,344	2,056	10,530	2,399	27.2
Urban places-----	35,099	4,438	3,934	21,648	5,079	17.1
White-----	23,493	2,718	2,496	15,154	3,125	14.5
Nonwhite-----	11,606	1,720	1,438	6,494	1,954	27.2
Balance of area-----	25,760	2,621	2,535	18,344	2,260	15.0
White-----	20,037	1,997	1,917	14,308	1,815	13.3
Nonwhite-----	5,723	624	618	4,036	445	27.2
Metropolitan counties-----	39,461	4,906	4,338	24,830	5,387	16.2
White-----	27,926	3,168	2,930	18,395	3,433	13.9
Nonwhite-----	11,535	1,738	1,408	6,435	1,954	26.9
Urban places-----	30,078	3,667	3,392	18,224	4,595	17.4
White-----	19,744	2,307	2,116	12,577	2,744	14.7
Nonwhite-----	10,334	1,560	1,276	5,647	1,851	27.2
Balance of area-----	9,383	1,039	946	6,606	792	13.3
White-----	8,182	861	814	5,818	689	12.5
Nonwhite-----	1,201	178	132	788	103	24.6
Nonmetropolitan counties-----	21,398	2,153	2,131	15,162	1,952	16.1
White-----	15,604	1,547	1,483	11,067	1,507	13.9
Nonwhite-----	5,794	606	648	4,095	445	27.8
Urban places-----	5,021	571	542	3,424	484	15.6
White-----	3,749	411	380	2,577	381	13.6
Nonwhite-----	1,272	160	162	847	103	27.4
Balance of area-----	16,377	1,582	1,589	11,738	1,468	16.3
White-----	11,855	1,136	1,103	8,490	1,126	14.0
Nonwhite-----	4,522	446	486	3,248	342	27.9
New England-----	2,944	304	281	1,969	390	13.8
White-----	2,736	270	250	1,835	381	13.5
Nonwhite-----	208	34	31	134	9	19.3
Metropolitan counties-----	2,091	230	215	1,513	133	12.9
White-----	1,904	201	185	1,389	129	12.5
Nonwhite-----	187	29	30	124	4	19.0
Nonmetropolitan counties-----	853	74	66	456	257	16.7
White-----	832	69	65	446	252	16.6
Nonwhite-----	21	5	1	10	5	23.0
Middle Atlantic-----	14,083	2,191	1,493	7,384	3,015	21.2
White-----	10,088	1,429	1,079	5,871	1,709	17.8
Nonwhite-----	3,995	762	414	1,513	1,306	40.1
Metropolitan counties-----	12,177	1,948	1,287	6,001	2,941	22.5
White-----	8,336	1,211	890	4,589	1,646	18.7
Nonwhite-----	3,841	737	397	1,412	1,295	40.6
Nonmetropolitan counties-----	1,906	243	206	1,383	74	15.4
White-----	1,752	218	189	1,282	63	14.8
Nonwhite-----	154	25	17	101	11	29.8
East North Central-----	10,585	1,169	1,169	7,722	525	14.1
White-----	8,480	881	865	6,280	454	12.9
Nonwhite-----	2,105	288	304	1,442	71	23.0
Metropolitan counties-----	7,525	882	898	5,488	257	14.5
White-----	5,537	606	611	4,123	197	12.8
Nonwhite-----	1,988	276	287	1,365	60	23.1
Nonmetropolitan counties-----	3,060	287	271	2,234	268	13.2
White-----	2,943	275	254	2,157	257	13.0
Nonwhite-----	117	12	17	77	11	20.9
West North Central-----	3,924	399	445	2,909	171	13.2
White-----	3,443	337	386	2,567	153	12.5
Nonwhite-----	481	62	59	342	18	22.0
Metropolitan counties-----	1,952	210	240	1,467	35	13.3
White-----	1,591	158	195	1,208	30	12.2
Nonwhite-----	361	52	45	259	5	22.1
Nonmetropolitan counties-----	1,972	189	205	1,442	136	13.1
White-----	1,852	179	191	1,359	123	12.8
Nonwhite-----	120	10	14	83	13	21.7
South Atlantic-----	10,284	1,170	1,129	6,938	1,047	17.9
White-----	5,659	637	548	3,901	573	14.1
Nonwhite-----	4,625	533	581	3,037	474	28.6
Metropolitan counties-----	4,985	590	554	3,253	588	16.7
White-----	2,805	312	281	1,885	327	13.3
Nonwhite-----	2,180	278	273	1,368	261	25.2
Nonmetropolitan counties-----	5,299	580	575	3,685	459	19.1
White-----	2,854	325	267	2,016	246	15.0
Nonwhite-----	2,445	255	308	1,669	213	28.0
East South Central-----	5,045	571	585	3,661	228	19.6
White-----	2,524	289	297	1,872	86	13.9
Nonwhite-----	2,521	302	288	1,789	142	33.2
Metropolitan counties-----	1,651	210	216	1,181	44	17.7
White-----	791	91	102	582	16	12.2
Nonwhite-----	860	119	114	599	28	30.2
Nonmetropolitan counties-----	3,394	361	369	2,480	184	20.6
White-----	1,733	178	195	1,290	70	14.8
Nonwhite-----	1,661	183	174	1,190	114	35.1

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-7

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1965—Con.

[See headnote at beginning of table]

Area and color	Fetal deaths					Fetal death ratios
	Total	Period of gestation <sup>1</sup>				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central-----	5,766	538	653	4,417	158	15.4
White-----	3,694	341	393	2,856	104	12.7
Nonwhite--	2,072	197	260	1,561	54	24.4
Metropolitan counties-----	3,232	318	400	2,458	56	15.0
White-----	2,160	205	239	1,678	38	12.8
Nonwhite--	1,072	113	161	780	18	23.2
Nonmetropolitan counties-----	2,534	220	253	1,959	102	15.9
White-----	1,534	136	154	1,178	66	12.7
Nonwhite--	1,000	84	99	781	36	25.8
Mountain-----	2,139	220	192	1,400	327	13.3
White-----	1,890	189	171	1,231	299	13.0
Nonwhite--	249	31	21	169	28	16.6
Metropolitan counties-----	1,055	125	108	682	140	12.9
White-----	945	110	95	611	129	12.4
Nonwhite--	110	15	13	71	11	19.8
Nonmetropolitan counties-----	1,084	95	84	718	187	13.8
White-----	945	79	76	620	170	13.7
Nonwhite--	139	16	8	98	17	14.8
Pacific-----	6,089	497	522	3,592	1,478	13.1
White-----	5,016	362	424	3,049	1,181	12.5
Nonwhite--	1,073	135	98	543	297	17.0
Metropolitan counties-----	4,793	393	420	2,787	1,193	12.9
White-----	3,857	274	332	2,330	921	12.1
Nonwhite--	936	119	88	457	272	17.1
Nonmetropolitan counties-----	1,296	104	102	805	285	14.1
White-----	1,159	88	92	719	260	13.9
Nonwhite--	137	16	10	86	25	16.4

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1961-65

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1965			1964			1963			1962			1961		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
United States <sup>1</sup> -----	16.2	13.9	27.2	16.4	14.1	28.2	15.8	13.7	26.7	15.9	13.9	26.7	16.1	14.1	27.0
Geographic divisions:															
New England <sup>2</sup> -----	13.8	13.5	19.3	14.0	13.9	17.3	11.8	11.7	13.3	13.7	13.4	21.2	13.7	13.4	21.0
Middle Atlantic <sup>1</sup> -----	21.2	17.8	40.1	21.9	18.5	41.9	19.6	17.8	37.9	19.4	17.9	37.3	19.6	17.3	35.0
East North Central-----	14.1	12.9	23.0	14.2	12.8	25.0	14.2	12.8	24.4	14.3	13.1	23.8	14.0	12.8	23.2
West North Central-----	13.2	12.5	22.0	13.1	12.1	26.2	12.6	11.9	22.0	12.7	12.0	22.5	12.9	12.1	24.1
South Atlantic-----	17.9	14.1	26.6	18.5	14.5	28.1	18.8	15.0	27.9	18.9	15.3	27.5	19.9	16.0	29.1
East South Central-----	19.6	13.9	33.2	18.9	14.0	30.7	18.8	13.7	31.2	19.3	14.4	31.3	19.6	14.9	30.7
West South Central-----	15.4	12.7	24.4	15.7	13.0	25.5	15.1	12.4	25.1	15.3	12.7	24.8	15.8	13.4	24.8
Mountain-----	13.3	13.0	16.6	13.5	13.2	16.9	14.1	13.9	16.2	13.8	13.5	17.3	13.0	12.6	17.6
Pacific-----	13.1	12.5	17.0	12.7	12.0	17.5	12.7	12.2	16.1	12.7	12.1	17.0	12.9	12.3	17.3
New England:															
Maine <sup>3</sup> -----	15.7	15.6	*28.5	15.0	15.0	*10.6	13.5	13.6	*10.6	15.3	15.3	*21.9	14.2	14.3	* 6.1
New Hampshire-----	12.7	12.7	-	13.7	13.7	*13.9	13.5	13.4	*18.2	15.5	15.6	*10.9	15.4	15.2	*66.7
Vermont-----	30.6	30.5	*71.4	36.5	36.6	-	21.4	21.5	-	19.0	19.1	-	18.8	18.8	-
Massachusetts <sup>2</sup> -----	13.1	12.8	19.4	12.1	12.0	13.6	9.6	9.7	6.5	12.4	12.1	19.4	13.4	13.1	21.5
Rhode Island-----	15.2	14.9	*22.9	15.4	15.1	*21.8	15.9	15.4	28.0	16.5	15.5	43.1	14.6	14.2	*22.6
Connecticut-----	11.8	11.1	18.3	13.6	12.9	20.3	12.2	11.6	18.0	13.4	12.7	20.9	12.5	11.8	20.8
Middle Atlantic:															
New York <sup>3</sup> -----	26.0	21.1	51.1	27.3	22.3	53.9	22.7	19.3	41.5	22.8	19.5	42.3	22.9	19.9	42.2
New Jersey-----	15.2	13.4	24.2	15.4	13.5	25.6	15.6	---	---	14.9	---	---	15.3	13.8	25.0
Pennsylvania-----	16.8	15.3	28.6	17.1	15.6	28.5	17.1	15.4	30.2	16.8	15.5	27.4	16.9	15.5	28.4
East North Central:															
Ohio-----	14.1	13.0	23.0	14.1	13.1	23.2	14.0	12.8	24.6	14.5	13.5	22.5	13.9	13.1	20.9
Indiana-----	12.8	11.9	23.3	13.8	12.7	25.2	13.5	12.5	24.2	14.4	13.5	24.8	13.8	12.8	24.9
Illinois-----	14.8	13.1	22.6	15.2	13.1	25.5	15.0	13.0	25.1	14.7	13.0	23.3	14.7	13.0	23.4
Michigan-----	14.7	13.4	23.6	14.1	12.5	26.8	14.2	13.0	23.9	15.0	13.6	26.0	14.0	12.8	24.2
Wisconsin-----	12.6	12.1	22.6	12.5	12.2	19.0	13.0	12.7	19.7	11.8	11.3	23.8	12.7	12.1	26.5
West North Central:															
Minnesota-----	13.3	13.1	19.5	12.2	12.1	15.5	12.2	12.0	23.8	12.3	12.2	18.7	12.4	12.3	20.4
Iowa-----	11.3	11.2	*18.7	11.0	10.8	21.4	12.0	11.9	*18.8	11.3	11.2	19.0	11.6	11.5	*17.1
Missouri-----	14.5	13.0	22.9	16.0	13.5	30.4	13.6	11.9	23.7	15.0	13.2	25.8	14.7	12.8	27.1
North Dakota-----	13.7	13.9	*10.1	14.7	14.2	*23.6	12.5	12.3	*16.4	11.8	11.7	*14.3	13.2	13.0	*17.6
South Dakota-----	14.0	13.6	18.0	12.6	12.0	18.8	13.7	13.2	19.8	12.5	11.8	20.8	13.2	13.0	14.8
Nebraska-----	13.2	12.4	28.3	12.7	12.0	24.8	11.0	10.6	16.9	11.5	11.3	16.4	12.1	11.7	20.2
Kansas-----	12.3	11.5	22.4	11.6	10.9	20.5	12.5	11.9	20.0	11.7	11.2	17.7	11.9	11.1	22.8
South Atlantic:															
Delaware-----	15.7	13.6	23.9	13.9	11.6	22.9	13.5	11.8	20.2	14.7	12.9	21.8	14.2	12.1	22.3
Maryland-----	15.3	12.7	24.4	14.8	12.4	23.5	15.4	13.3	23.1	16.0	14.0	23.1	15.7	13.4	23.6
District of Columbia-----	17.2	9.6	19.4	17.8	12.2	19.8	19.9	14.2	22.2	18.0	13.9	19.7	18.6	15.1	20.0
Virginia <sup>3</sup> -----	21.6	18.2	31.8	23.5	20.1	34.1	25.5	22.4	35.1	27.4	24.0	38.0	29.6	26.5	39.0
West Virginia-----	16.9	16.3	28.1	15.9	15.7	19.6	17.1	16.9	21.3	16.0	15.8	21.6	17.7	17.5	21.8
North Carolina-----	17.6	13.2	26.8	18.4	13.7	28.6	18.0	13.5	27.9	18.2	13.8	27.8	16.8	14.5	31.0
South Carolina-----	20.2	13.9	28.8	20.6	13.3	31.0	20.2	12.1	31.7	17.7	10.9	27.4	19.9	12.5	30.0
Georgia <sup>3</sup> -----	18.3	14.0	25.8	19.3	14.3	28.4	19.5	15.1	27.8	19.7	15.3	27.8	19.8	14.6	29.0
Florida-----	15.9	11.8	26.5	16.5	12.4	27.7	15.7	12.1	25.7	15.6	11.9	25.9	16.5	12.6	27.3
East South Central:															
Kentucky-----	14.9	13.8	27.1	13.4	12.6	21.4	13.0	12.2	21.8	13.7	13.0	21.5	15.9	15.0	26.4
Tennessee-----	17.7	14.2	29.8	16.5	14.0	25.4	17.1	13.9	28.4	17.8	15.0	27.6	16.9	14.5	25.4
Alabama-----	20.7	13.3	33.5	20.3	14.6	30.4	20.2	14.6	29.9	20.1	14.0	30.5	21.2	14.8	32.0
Mississippi <sup>3</sup> -----	26.2	14.6	36.2	26.7	15.9	35.9	26.2	15.4	35.7	27.0	16.8	35.9	25.3	15.9	33.3
West South Central:															
Arkansas <sup>3</sup> -----	17.8	13.6	27.6	16.4	12.9	25.2	16.4	12.6	26.0	17.7	13.7	27.7	18.3	15.1	25.7
Louisiana-----	16.4	10.6	25.0	17.5	10.9	27.4	17.1	11.3	26.0	16.3	11.0	24.5	16.5	10.8	25.3
Oklahoma-----	13.1	12.0	19.2	13.6	12.2	22.0	12.0	10.8	19.0	12.3	10.9	21.2	12.8	11.4	21.2
Texas-----	15.0	13.3	23.8	15.4	13.7	24.4	14.9	13.0	25.4	15.1	13.4	24.8	15.8	14.2	24.6
Mountain:															
Montana-----	13.2	12.7	18.5	13.3	13.4	*12.1	12.6	12.7	*11.3	12.3	12.1	*15.0	11.2	11.1	*11.9
Idaho-----	11.5	11.2	*21.9	12.4	12.4	*14.1	10.8	10.9	* 2.9	9.9	9.8	*14.7	10.5	10.4	*15.8
Wyoming-----	13.1	12.4	*28.2	12.6	12.7	* 9.1	12.7	13.0	* 6.8	10.6	10.6	* 9.9	13.0	13.0	*13.1
Colorado <sup>3</sup> -----	16.0	16.0	17.0	16.3	15.8	26.8	18.6	18.2	26.1	17.6	17.6	18.3	16.4	16.0	24.6
New Mexico-----	13.8	13.8	13.9	13.7	13.9	12.3	13.7	13.8	12.7	14.3	14.1	16.3	13.0	12.7	14.6
Arizona-----	12.6	11.9	15.4	12.8	12.0	16.8	14.0	13.4	16.7	13.3	12.7	16.4	13.9	12.7	20.3
Utah-----	10.2	10.2	*10.8	10.0	9.8	*18.3	10.9	10.9	*12.5	11.2	11.0	*20.4	9.9	9.8	*16.1
Nevada-----	14.8	13.0	26.8	14.9	13.8	23.0	12.3	11.1	21.7	16.8	15.1	28.6	10.1	10.1	*10.3
Pacific:															
Washington-----	12.4	12.2	15.8	11.4	11.2	13.7	11.1	10.8	15.5	11.0	10.7	14.6	11.7	11.3	19.4
Oregon-----	18.6	18.4	22.7	18.1	17.8	26.4	17.7	17.4	27.0	17.9	17.4	31.5	15.7	15.2	30.2
California-----	12.6	11.9	17.5	12.5	11.6	18.8	12.4	11.8	16.8	12.5	11.8	17.6	12.8	12.1	18.0
Alaska-----	12.7	11.9	14.4	11.5	10.5	13.8	13.7	12.7	15.7	12.3	8.6	19.9	11.8	11.4	12.5
Hawaii <sup>3</sup> -----	14.5	13.3	15.0	13.1	11.9	13.7	12.8	13.5	12.4	13.3	12.2	13.8	14.4	15.3	13.9

<sup>1</sup>Figures by color for 1962 and 1963 exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>Figures for 1963 exclude approximately 300 fetal deaths recorded in Massachusetts, primarily to residents of the State; see Technical Appendix.

<sup>3</sup>Maine, Vermont, New York City, Virginia, Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of period of gestation. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

## SECTION 3- FETAL MORTALITY

3-9

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident].

State of occurrence	All fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	Total fetal deaths to non-residents	Fetal deaths to intra-state non-residents	Fetal deaths to interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ge.	Hawaii	Idaho
UNITED STATES-----	60,859	50,830	10,029	8,564	1,465	46	-	15	41	31	10	22	8	16	30	22	-	4
Alabama-----	1,437	1,208	229	208	21	...	-	-	-	1	-	-	-	-	5	5	-	-
Alaska-----	91	78	13	12	1	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona-----	417	393	24	18	6	-	-	...	1	3	-	-	-	-	1	-	-	-
Arkansas-----	633	483	150	130	20	-	-	-	...	1	-	-	-	-	-	-	-	-
California-----	4,477	4,173	304	292	12	1	-	-	-	...	-	-	-	-	-	-	-	-
Colorado-----	605	405	200	175	25	1	-	1	-	3	...	-	1	-	1	1	-	-
Connecticut-----	633	563	70	57	13	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware-----	163	154	9	6	3	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia-----	439	295	144	...	144	-	-	-	-	1	-	-	-	...	-	-	-	-
Florida-----	1,682	1,556	126	110	16	-	-	1,556	-	4	-	-	-	-	...	4	-	-
Georgia-----	1,774	1,279	495	427	68	22	-	-	-	-	-	-	-	-	12	...	-	-
Hawaii-----	237	234	3	3	-	-	-	-	-	-	-	-	-	-	-	-	...	-
Idaho-----	158	126	32	24	8	-	-	1	-	1	-	-	-	-	-	-	-	-
Illinois-----	3,064	2,730	334	297	37	-	-	-	1	1	-	-	-	-	1	-	-	-
Indiana-----	1,264	1,082	182	146	36	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa-----	586	429	157	132	25	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas-----	478	389	89	62	27	-	-	-	-	1	-	-	-	-	-	-	-	-
Kentucky-----	924	694	230	187	43	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana-----	1,299	818	481	470	11	-	-	2	1	-	-	-	-	-	-	-	-	-
Maine-----	314	262	52	37	15	-	-	-	-	-	-	2	-	-	-	-	-	-
Maryland-----	1,043	759	284	243	41	-	-	-	1	-	-	4	11	1	-	-	-	-
Massachusetts-----	1,311	1,059	252	220	32	-	-	-	-	-	3	-	-	-	-	-	-	-
Michigan-----	2,421	2,000	421	414	7	-	-	-	-	-	-	-	-	1	-	-	-	-
Minnesota-----	942	678	264	240	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi-----	1,376	1,081	295	259	36	16	-	-	1	-	-	-	-	1	-	-	-	-
Missouri-----	1,185	852	333	286	47	1	-	-	1	-	1	-	-	-	-	-	-	-
Montana-----	177	164	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska-----	366	277	89	76	13	-	-	-	-	-	-	1	-	-	-	-	-	-
Nevada-----	139	130	9	5	4	-	-	-	-	3	-	-	-	-	-	-	-	-
New Hampshire-----	158	126	32	11	21	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,814	1,524	290	263	27	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico-----	342	299	43	26	17	-	-	5	-	1	2	-	-	-	-	-	-	-
New York-----	8,812	8,197	615	494	121	-	-	-	1	1	13	-	-	2	-	-	-	-
North Carolina-----	1,707	1,407	300	272	28	-	-	-	-	1	-	-	-	-	-	1	-	-
North Dakota-----	189	114	75	58	17	-	-	-	-	1	-	-	-	-	-	-	-	-
Ohio-----	2,755	2,333	422	356	66	-	-	-	1	-	-	-	-	2	-	-	-	-
Oklahoma-----	558	450	108	99	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon-----	628	503	125	104	21	-	-	-	3	-	-	-	-	-	-	-	-	3
Pennsylvania-----	3,483	2,960	523	431	92	-	-	-	1	1	-	3	-	1	-	-	-	-
Rhode Island-----	267	229	38	24	14	-	-	-	-	-	-	2	-	-	-	-	-	-
South Carolina-----	1,042	926	116	105	11	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota-----	196	136	60	49	11	-	-	-	-	1	-	-	-	-	-	-	-	-
Tennessee-----	1,360	1,066	274	178	96	5	-	-	22	1	-	-	-	2	-	10	-	-
Texas-----	3,230	2,860	350	322	28	-	-	-	13	2	-	-	-	-	-	-	-	-
Utah-----	231	195	36	26	10	-	-	8	-	-	1	-	-	-	-	-	-	-
Vermont-----	255	202	53	38	15	-	-	-	-	-	-	1	-	-	-	-	-	-
Virginia-----	1,868	978	890	853	37	-	-	-	-	-	-	-	5	-	-	-	-	-
Washington-----	641	585	56	50	6	-	-	-	-	-	-	-	-	-	-	1	-	1
West Virginia-----	564	409	155	93	62	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin-----	1,038	864	174	156	18	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming-----	86	76	10	8	2	-	-	-	-	-	2	-	-	-	-	-	-	-



SECTION 3 - FETAL MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence—Con.																			All fetal deaths to residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES-----	47	37	9	57	15	5	56	11	38	10	31	40	6	9	92	19	40	23	2	60,859
Alabama-----	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1,462
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	90
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	426
Arkansas-----	-	-	-	-	9	-	-	-	-	-	2	5	-	-	-	-	-	-	-	654
California-----	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	4,496
Colorado-----	-	-	-	1	-	-	2	-	-	-	-	2	1	-	1	2	-	-	1	590
Connecticut-----	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	642
Delaware-----	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	168
District of Columbia-----	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	311
Florida-----	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1,696
Georgia-----	2	1	-	-	-	-	-	-	27	-	2	-	-	-	-	-	-	-	-	1,728
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237
Idaho-----	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	154
Illinois-----	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	4	3,091
Indiana-----	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,259
Iowa-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6	578
Kansas-----	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	484
Kentucky-----	-	-	-	4	-	-	-	-	-	-	14	-	-	-	1	1	12	-	-	919
Louisiana-----	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	1,306
Maine-----	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	311
Maryland-----	2	-	-	-	-	-	-	-	-	-	1	1	-	-	12	-	7	-	-	1,131
Massachusetts-----	5	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1,313
Michigan-----	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2,446
Minnesota-----	-	-	9	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	9	940
Mississippi-----	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1,369
Missouri-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,180
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180
Nebraska-----	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	366
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	140
New Hampshire-----	2	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	165
New Jersey-----	8	-	-	-	-	-	16	-	-	-	-	2	-	-	-	-	-	-	-	1,898
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	336
New York-----	...	1	-	1	-	-	19	3	1	-	-	1	-	2	2	-	-	1	-	8,738
North Carolina-----	2	...	-	-	-	-	2	-	8	-	3	-	-	-	11	-	-	-	-	1,716
North Dakota-----	-	-	...	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	181
Ohio-----	2	-	-	...	-	-	7	-	1	-	-	4	-	-	1	-	11	-	-	2,746
Oklahoma-----	-	-	-	-	...	-	-	-	-	-	-	5	-	-	-	-	-	-	-	564
Oregon-----	-	-	-	1	-	...	-	-	-	-	-	1	-	-	-	12	-	-	-	612
Pennsylvania-----	5	2	-	4	-	...	-	-	-	-	1	1	-	-	1	-	4	1	-	3,447
Rhode Island-----	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	264
South Carolina-----	-	10	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	1,069
South Dakota-----	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	195
Tennessee-----	-	3	-	2	-	-	-	-	-	-	...	-	-	-	12	-	-	-	-	1,295
Texas-----	-	-	-	-	3	-	-	-	-	-	-	...	-	-	-	-	-	-	-	3,242
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	227
Vermont-----	5	-	-	-	-	-	-	-	-	-	-	-	-	...	1	-	-	-	-	249
Virginia-----	2	14	-	-	-	-	2	-	-	-	-	-	-	-	...	-	6	-	-	1,923
Washington-----	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	...	-	-	-	654
West Virginia-----	-	1	-	35	-	-	5	-	-	-	-	-	-	-	13	-	...	-	-	542
Wisconsin-----	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	...	-	1,043
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	86

## SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States-----	60,859	5,213	4,655	5,098	4,948	5,048	5,028	5,595	5,453	5,179	5,050	4,823	4,769
White-----	43,530	3,705	3,350	3,682	3,490	3,567	3,607	3,948	3,945	3,689	3,643	3,461	3,443
Nonwhite--	17,329	1,508	1,305	1,416	1,458	1,481	1,421	1,647	1,508	1,490	1,407	1,362	1,326
Alabama-----	1,462	136	111	123	131	121	114	146	135	124	108	111	102
White-----	596	57	41	57	45	41	41	66	51	49	48	55	45
Nonwhite--	866	79	70	66	86	80	73	80	84	75	60	56	57
Alaska-----	90	12	10	11	11	8	8	3	5	4	7	5	6
White-----	56	8	3	6	7	6	6	2	2	1	6	5	4
Nonwhite--	34	4	7	5	4	2	2	1	3	3	1	-	2
Arizona-----	426	48	36	23	30	32	37	40	41	35	35	35	36
White-----	334	35	29	16	25	26	29	35	50	27	21	31	30
Nonwhite--	92	13	7	7	5	6	8	5	11	8	12	4	6
Arkansas-----	654	50	60	50	53	47	43	60	59	55	54	66	58
White-----	350	26	32	28	22	26	26	34	32	32	33	34	25
Nonwhite--	304	24	28	22	31	21	17	26	26	23	21	32	33
California-----	4,496	374	325	353	377	377	366	420	409	366	393	368	368
White-----	3,709	308	276	295	306	317	305	332	339	312	318	299	302
Nonwhite--	787	66	49	58	71	60	61	88	70	54	75	69	66
Colorado-----	590	51	36	49	39	67	52	44	56	37	39	52	68
White-----	558	51	35	48	35	57	48	43	53	34	38	51	65
Nonwhite--	32	-	1	1	4	10	4	1	3	3	1	1	3
Connecticut-----	642	53	59	62	55	59	58	52	46	62	38	40	58
White-----	547	43	49	54	49	51	51	38	38	54	33	32	55
Nonwhite--	95	10	10	8	6	8	7	14	8	8	5	8	3
Delaware-----	168	23	18	14	8	13	15	13	16	14	15	7	12
White-----	116	9	14	11	8	8	12	8	9	10	11	6	10
Nonwhite--	52	14	4	3	-	5	3	5	7	4	4	1	2
District of Columbia-----	311	24	27	23	23	30	16	23	24	35	28	36	22
White-----	38	2	1	2	5	8	3	3	2	1	2	7	2
Nonwhite--	273	22	26	21	18	22	13	20	22	34	26	29	20
Florida-----	1,696	144	117	128	120	143	134	164	136	156	174	142	138
White-----	917	78	63	72	66	80	66	90	63	94	99	81	65
Nonwhite--	779	66	54	56	54	63	68	74	73	62	75	61	73
Georgia-----	1,728	156	129	150	109	151	166	173	138	146	160	126	124
White-----	840	87	70	75	44	64	74	78	66	70	88	58	66
Nonwhite--	888	69	59	75	65	87	92	95	72	76	72	68	58
Hawaii-----	237	15	25	23	23	12	14	22	27	24	19	18	15
White-----	67	5	12	7	8	3	3	7	4	4	5	4	5
Nonwhite--	170	10	13	16	15	9	11	15	23	20	14	14	10
Idaho-----	154	8	16	14	12	11	11	11	19	7	21	9	15
White-----	146	8	15	12	12	11	10	10	18	6	21	8	15
Nonwhite--	8	-	1	2	-	-	1	1	1	1	-	1	-
Illinois-----	3,091	278	248	272	250	242	260	275	274	247	264	251	230
White-----	2,233	197	186	210	170	167	200	199	203	186	180	175	180
Nonwhite--	858	81	62	62	80	75	60	76	71	61	84	76	70
Indiana-----	1,259	104	90	96	94	122	93	111	114	113	94	114	114
White-----	1,066	82	78	85	85	108	78	93	95	97	80	93	92
Nonwhite--	193	22	12	11	9	14	15	18	19	16	14	21	22
Iowa-----	578	46	40	52	53	34	43	56	60	46	44	50	54
White-----	560	45	37	52	51	34	41	54	58	44	42	48	54
Nonwhite--	18	1	3	-	2	-	2	2	2	2	2	2	-
Kansas-----	484	46	30	27	37	32	48	39	42	50	53	44	36
White-----	418	38	27	24	32	25	40	34	38	44	45	39	32
Nonwhite--	66	8	3	3	5	7	8	5	4	6	8	5	4
Kentucky-----	919	82	66	62	80	69	74	87	91	83	68	76	81
White-----	776	69	56	49	59	60	63	78	76	70	63	65	68
Nonwhite--	143	13	10	13	21	9	11	9	15	13	5	11	13
Louisiana-----	1,306	119	83	98	86	106	90	138	117	126	112	112	119
White-----	504	49	25	42	36	39	20	57	47	41	49	51	48
Nonwhite--	802	70	58	56	50	67	70	81	70	85	63	61	71
Maine-----	311	36	17	30	22	19	27	26	23	28	25	31	27
White-----	304	36	16	30	22	18	27	25	23	26	24	30	27
Nonwhite--	7	-	1	-	-	1	-	1	-	2	1	1	-
Maryland-----	1,131	88	98	101	99	103	90	102	77	87	99	87	100
White-----	729	52	64	74	85	58	58	59	56	55	63	61	64
Nonwhite--	402	36	34	27	34	45	32	43	21	32	36	26	36
Massachusetts-----	1,313	92	112	121	113	105	106	126	121	116	101	111	89
White-----	1,227	82	102	116	105	101	100	121	115	105	94	105	81
Nonwhite--	86	10	10	5	8	4	6	5	6	11	7	6	8
Michigan-----	2,446	209	196	207	201	202	197	205	224	224	200	181	200
White-----	1,959	159	151	168	164	174	159	166	183	179	165	136	155
Nonwhite--	487	50	45	39	37	28	38	39	41	45	35	45	45
Minnesota-----	940	84	65	70	77	82	70	87	104	77	84	67	73
White-----	907	82	65	66	73	80	69	83	99	76	83	62	69
Nonwhite--	33	2	-	4	4	2	1	4	5	1	1	5	4
Mississippi-----	1,369	124	115	98	122	120	111	149	132	103	96	102	97
White-----	353	37	31	27	23	31	35	36	34	15	23	25	36
Nonwhite--	1,016	87	84	71	99	89	76	113	98	88	73	77	61

## SECTION 3 - FETAL MORTALITY

3-13

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1965—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri-----	1,180	103	95	83	86	90	95	132	110	85	113	97	91
White-----	891	78	70	60	64	64	74	92	88	64	90	72	75
Nonwhite--	289	25	25	23	22	26	21	40	22	21	23	25	16
Montana-----	180	17	16	12	16	15	18	13	12	16	18	12	15
White-----	157	17	15	10	15	14	16	11	10	12	14	10	13
Nonwhite--	23	-	1	2	1	1	2	2	2	4	4	2	2
Nebraska-----	366	37	29	25	23	34	22	42	25	26	26	39	38
White-----	325	31	23	20	19	31	20	41	22	26	23	34	35
Nonwhite--	41	6	6	5	4	3	2	1	3	-	3	5	3
Nevada-----	140	14	7	9	10	15	5	14	18	13	14	9	12
White-----	108	12	4	5	6	12	4	12	16	10	10	6	11
Nonwhite--	32	2	3	4	4	3	1	2	2	3	4	3	1
New Hampshire-----	165	14	12	14	11	16	20	13	16	16	13	8	12
White-----	165	14	12	14	11	16	20	13	16	16	13	8	12
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,898	152	163	166	146	169	146	175	166	174	149	130	162
White-----	1,399	116	120	117	100	132	114	130	127	121	105	94	123
Nonwhite--	499	36	43	49	46	37	32	45	39	53	44	36	39
New Mexico-----	336	36	25	30	30	26	25	26	30	23	32	25	28
White-----	289	34	20	24	27	21	24	23	24	19	28	20	25
Nonwhite--	47	2	5	6	3	5	1	3	6	4	4	5	3
New York-----	8,738	781	711	789	747	729	779	765	727	683	668	686	673
White-----	5,931	529	488	524	494	490	536	525	509	473	449	470	444
Nonwhite--	2,807	252	223	265	253	239	243	240	218	210	219	216	229
North Carolina-----	1,716	139	131	154	141	145	158	154	152	150	143	130	119
White-----	875	81	72	66	70	54	84	81	81	75	69	77	65
Nonwhite--	841	58	59	88	71	91	74	73	71	75	74	53	54
North Dakota-----	181	14	18	18	16	14	6	13	13	25	18	17	9
White-----	174	13	18	18	16	14	6	12	13	25	15	16	8
Nonwhite--	7	1	-	-	-	-	-	1	-	-	3	1	1
Ohio-----	2,746	206	172	240	231	228	235	251	263	239	251	215	215
White-----	2,264	173	142	198	197	182	196	201	224	187	204	183	177
Nonwhite--	482	33	30	42	34	46	39	50	39	52	47	32	38
Oklahoma-----	564	44	44	49	38	48	49	50	55	56	40	49	42
White-----	437	32	39	43	32	32	35	37	42	44	35	31	35
Nonwhite--	127	12	5	6	6	16	14	13	13	12	5	18	7
Oregon-----	612	35	53	49	51	76	48	48	52	60	58	42	40
White-----	583	34	49	46	49	70	47	45	51	56	56	40	40
Nonwhite--	29	1	4	3	2	6	1	3	1	4	2	2	-
Pennsylvania-----	3,447	300	281	289	274	280	286	314	309	288	274	265	287
White-----	2,758	244	219	231	233	214	212	250	254	234	227	210	230
Nonwhite--	689	56	62	58	41	66	74	64	55	54	47	55	57
Rhode Island-----	264	21	22	23	31	23	18	27	25	23	18	16	17
White-----	246	19	21	22	30	19	16	26	24	23	15	14	17
Nonwhite--	18	2	1	1	1	4	2	1	1	-	3	2	-
South Carolina-----	1,069	93	88	84	109	91	97	84	111	83	70	72	87
White-----	427	45	32	37	34	37	39	28	49	28	29	30	39
Nonwhite--	642	48	56	47	75	54	58	56	62	55	41	42	48
South Dakota-----	195	18	20	17	19	7	17	14	16	20	20	16	11
White-----	168	14	18	14	15	7	15	12	15	17	15	16	10
Nonwhite--	27	4	2	3	4	-	2	2	1	3	5	-	1
Tennessee-----	1,295	111	80	117	95	105	112	133	113	123	96	106	104
White-----	799	66	51	76	63	61	63	81	71	77	61	67	62
Nonwhite--	496	45	29	41	32	44	49	52	42	46	35	39	42
Texas-----	3,242	267	216	270	253	236	251	334	316	298	287	282	230
White-----	2,403	181	169	209	179	170	191	240	232	221	214	216	181
Nonwhite--	839	86	49	61	74	66	60	94	84	77	73	66	49
Utah-----	227	21	22	17	19	26	15	23	17	19	21	13	14
White-----	220	21	21	17	17	25	15	23	17	17	20	13	14
Nonwhite--	7	-	1	-	2	1	-	-	-	2	1	-	-
Vermont-----	249	18	28	29	16	22	14	16	28	22	19	18	19
White-----	247	18	28	29	15	22	13	16	28	22	19	18	19
Nonwhite--	2	-	-	-	1	-	1	-	-	-	-	-	-
Virginia-----	1,923	185	127	165	168	150	160	180	178	174	159	149	128
White-----	1,221	120	90	97	104	105	107	114	108	112	103	86	75
Nonwhite--	702	65	37	68	64	45	53	66	70	62	56	63	53
Washington-----	654	61	42	48	59	49	69	58	56	48	51	62	51
White-----	601	57	41	45	54	45	66	51	49	41	45	58	49
Nonwhite--	53	4	1	3	5	4	3	7	7	7	6	4	2
West Virginia-----	542	42	43	49	38	44	48	44	55	46	54	43	36
White-----	496	38	38	46	36	42	43	40	48	43	49	38	35
Nonwhite--	46	4	5	3	2	2	5	4	7	3	5	5	1
Wisconsin-----	1,043	79	73	88	89	95	81	93	88	95	104	78	80
White-----	958	70	66	81	87	87	77	86	82	88	96	70	68
Nonwhite--	85	9	7	7	2	8	4	7	6	7	8	8	12
Wyoming-----	86	3	6	7	7	8	11	7	13	9	5	3	7
White-----	78	3	6	7	7	8	10	7	11	6	5	3	6
Nonwhite--	8	-	-	-	1	-	1	-	2	3	-	-	1



## SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total-----	60,859	17,160	9,757	8,437	6,683	5,085	3,619	2,593	6,150	1,375
Under 15 years-----	214	197	16	-	-	-	-	-	-	1
15-19 years-----	8,644	6,118	1,671	487	143	36	6	-	1	182
20-24 years-----	16,835	6,659	4,152	2,811	1,459	826	334	153	92	349
25-29 years-----	13,166	2,263	2,173	2,450	2,104	1,455	991	608	779	343
30-34 years-----	10,409	1,021	993	1,492	1,578	1,382	1,061	828	1,819	235
35-39 years-----	7,861	636	538	858	1,027	967	843	692	2,124	176
40-44 years-----	3,414	246	191	310	349	394	346	283	1,214	81
45-49 years-----	316	20	23	29	23	25	38	29	121	8
Male-----	30,069	8,583	4,778	4,105	3,287	2,569	1,810	1,306	3,222	409
Under 15 years-----	111	105	6	-	-	-	-	-	-	-
15-19 years-----	4,416	3,175	860	229	82	16	3	-	-	51
20-24 years-----	8,186	3,355	2,006	1,367	676	417	77	44	95	95
25-29 years-----	6,446	1,091	1,088	1,171	1,034	736	491	309	417	109
30-34 years-----	5,124	472	461	747	790	716	510	402	958	68
35-39 years-----	3,922	274	252	425	518	483	459	354	1,109	48
40-44 years-----	1,717	105	95	152	174	194	179	147	637	34
45-49 years-----	147	6	10	14	13	7	19	17	57	4
Female-----	25,676	7,216	4,155	3,585	2,872	2,149	1,557	1,119	2,643	380
Under 15 years-----	86	80	6	-	-	-	-	-	-	-
15-19 years-----	3,655	2,614	688	220	53	17	2	-	-	61
20-24 years-----	7,161	2,815	1,807	1,193	659	341	157	60	44	85
25-29 years-----	5,470	914	893	1,042	899	630	426	254	325	87
30-34 years-----	4,367	412	430	623	670	566	467	375	763	61
35-39 years-----	3,350	272	245	358	433	404	341	300	934	63
40-44 years-----	1,452	102	75	139	148	174	148	120	525	21
45-49 years-----	135	7	11	10	10	17	16	10	52	2
Sex not stated-----	5,114	1,361	824	747	524	367	252	168	285	586
Under 15 years-----	17	12	4	-	-	-	-	-	-	1
15-19 years-----	573	329	123	38	8	3	1	-	1	70
20-24 years-----	1,488	489	339	251	124	68	28	16	4	169
25-29 years-----	1,250	258	192	237	171	89	74	45	37	147
30-34 years-----	918	137	102	122	118	101	84	51	98	106
35-39 years-----	589	90	41	75	76	80	43	38	81	65
40-44 years-----	245	39	21	19	27	26	19	16	52	26
45-49 years-----	34	7	2	5	-	1	3	2	12	2
White-----	43,530	12,868	7,367	6,486	5,069	3,721	2,449	1,605	3,066	909
Under 15 years-----	51	48	3	-	-	-	-	-	-	-
15-19 years-----	5,438	4,122	925	203	50	15	2	-	-	121
20-24 years-----	12,385	5,320	3,201	2,035	916	469	141	57	25	221
25-29 years-----	9,764	1,816	2,009	1,635	1,635	1,036	604	306	320	223
30-34 years-----	7,538	811	809	1,253	1,307	1,073	739	533	863	150
35-39 years-----	5,632	535	439	700	848	781	653	480	1,071	125
40-44 years-----	2,498	201	161	263	295	326	278	214	696	64
45-49 years-----	224	15	14	23	18	21	32	15	81	5
Male-----	21,563	6,388	3,623	3,215	2,506	1,896	1,220	811	1,594	310
Under 15 years-----	26	24	2	-	-	-	-	-	-	-
15-19 years-----	2,733	2,097	467	99	26	7	2	-	-	35
20-24 years-----	6,094	2,676	1,566	1,010	427	252	55	25	12	71
25-29 years-----	4,853	888	928	984	818	523	299	159	171	83
30-34 years-----	3,717	389	368	635	662	565	343	264	438	53
35-39 years-----	2,770	227	209	349	415	380	356	240	558	36
40-44 years-----	1,268	84	78	128	147	163	148	116	374	30
45-49 years-----	102	3	5	10	11	6	17	7	41	2
Female-----	18,677	5,559	3,206	2,790	2,219	1,590	1,069	698	1,294	252
Under 15 years-----	23	23	-	-	-	-	-	-	-	-
15-19 years-----	2,376	1,823	396	95	18	7	-	-	-	37
20-24 years-----	5,386	2,312	1,421	879	425	184	75	22	12	56
25-29 years-----	4,120	748	757	873	709	465	258	123	129	58
30-34 years-----	3,203	323	362	524	563	439	338	242	375	37
35-39 years-----	2,437	236	198	294	372	337	269	217	467	47
40-44 years-----	1,041	89	64	117	125	144	117	88	281	16
45-49 years-----	91	5	8	8	7	14	12	6	30	1
Sex not stated-----	3,290	921	538	481	344	235	160	96	168	347
Under 15 years-----	2	1	1	-	-	-	-	-	-	-
15-19 years-----	329	202	62	9	6	1	-	-	-	49
20-24 years-----	905	332	214	146	64	33	11	10	1	94
25-29 years-----	791	180	130	152	108	48	47	24	20	82
30-34 years-----	618	99	79	94	82	69	58	27	50	60
35-39 years-----	425	72	32	57	61	64	28	23	46	42
40-44 years-----	189	28	19	18	23	19	13	10	41	18
45-49 years-----	31	7	1	5	-	1	3	2	10	2
Nonwhite-----	17,329	4,292	2,390	1,951	1,614	1,364	1,170	988	3,094	466
Under 15 years-----	163	149	13	-	-	-	-	-	-	1
15-19 years-----	3,206	1,996	746	284	93	21	4	-	1	61
20-24 years-----	4,450	1,339	951	776	543	357	193	96	67	128
25-29 years-----	3,402	447	358	441	469	419	387	302	459	120
30-34 years-----	2,871	210	184	239	271	309	322	295	966	85
35-39 years-----	2,229	101	99	158	179	186	190	212	1,053	51
40-44 years-----	916	45	30	47	54	68	68	69	518	17
45-49 years-----	92	5	9	6	5	4	6	14	40	3

## SECTION 3 - FETAL MORTALITY

3-15

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1965-Con.

[See headnote at beginning of table]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
<b>Nonwhite—Con.</b>										
Male-----	8,506	2,195	1,155	890	781	673	590	495	1,628	99
Under 15 years-----	85	81	4	-	-	-	-	-	-	-
15-19 years-----	1,683	1,078	393	130	56	9	1	-	-	16
20-24 years-----	2,092	679	440	357	249	165	94	52	32	24
25-29 years-----	1,593	203	160	187	216	213	192	150	246	26
30-34 years-----	1,407	83	93	112	128	151	167	138	520	15
35-39 years-----	1,152	47	43	76	103	103	103	114	551	12
40-44 years-----	449	21	17	24	27	31	31	31	263	4
45-49 years-----	45	3	5	4	2	1	2	10	16	2
Female-----	6,999	1,657	949	795	653	559	488	421	1,349	128
Under 15 years-----	63	57	6	-	-	-	-	-	-	-
15-19 years-----	1,279	791	292	125	35	10	2	-	-	24
20-24 years-----	1,775	503	386	314	234	157	82	38	32	29
25-29 years-----	1,350	166	136	169	190	165	168	131	196	29
30-34 years-----	1,164	89	68	99	107	127	129	133	388	24
35-39 years-----	913	36	47	64	61	67	72	83	467	16
40-44 years-----	411	13	11	22	23	30	31	32	244	5
45-49 years-----	44	2	3	2	3	3	4	4	22	1
Sex not stated-----	1,824	440	286	266	180	132	92	72	117	239
Under 15 years-----	15	11	3	-	-	-	-	-	-	1
15-19 years-----	244	127	61	29	2	2	1	-	1	21
20-24 years-----	583	157	125	105	60	35	17	6	3	75
25-29 years-----	459	78	62	85	63	41	27	21	17	65
30-34 years-----	300	38	23	28	36	31	26	24	48	46
35-39 years-----	164	18	9	18	15	16	15	15	35	23
40-44 years-----	56	11	2	1	4	7	6	6	11	8
45-49 years-----	3	-	1	-	-	-	-	-	2	-

## SECTION 3 - FETAL MORTALITY

Table 3-II. Fetal Deaths by Age of Mother and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States-----	60,859	214	8,644	16,835	13,186	10,409	7,861	3,414	316
White-----	43,530	51	5,438	12,385	9,764	7,538	5,632	2,496	224
Nonwhite--	17,329	163	3,206	4,450	3,402	2,871	2,229	916	92
Alabama-----	1,462	7	289	375	276	235	188	89	3
White-----	596	1	110	187	125	83	59	29	2
Nonwhite--	866	6	179	188	151	152	129	60	1
Alaska-----	90	-	7	19	23	20	19	2	-
White-----	56	-	6	13	19	6	11	1	-
Nonwhite--	34	-	1	6	4	14	8	1	-
Arizona-----	426	1	63	102	97	75	60	26	2
White-----	334	1	47	80	78	58	50	19	1
Nonwhite--	92	-	16	22	19	17	10	7	1
Arkansas-----	654	6	127	152	125	110	87	41	6
White-----	350	-	66	92	73	56	43	18	2
Nonwhite--	304	6	61	60	52	54	44	23	4
California-----	4,496	21	617	1,281	1,009	789	557	231	11
White-----	3,709	10	465	1,083	851	640	461	191	8
Nonwhite--	787	11	152	198	158	129	96	40	3
Colorado-----	590	-	106	158	134	91	60	38	3
White-----	558	-	96	156	129	79	58	37	3
Nonwhite--	32	-	10	2	5	12	2	1	-
Connecticut-----	642	1	67	174	153	120	85	39	3
White-----	547	-	46	149	136	102	75	37	2
Nonwhite--	95	1	21	25	17	18	10	2	1
Delaware-----	168	-	26	43	33	32	17	17	-
White-----	116	-	13	23	27	26	13	14	-
Nonwhite--	52	-	13	20	6	6	4	3	-
District of Columbia-----	311	-	51	92	65	57	36	10	-
White-----	36	-	3	13	8	9	5	-	-
Nonwhite--	275	-	48	79	57	46	31	10	-
Florida-----	1,696	8	288	477	334	260	253	72	4
White-----	917	1	147	273	186	128	142	39	1
Nonwhite--	779	7	141	204	148	132	111	33	3
Georgia-----	1,728	6	349	464	338	274	206	84	7
White-----	840	1	164	240	176	125	100	32	2
Nonwhite--	888	5	185	224	162	149	106	52	5
Hawaii-----	237	-	25	78	55	36	30	13	-
White-----	67	-	5	19	22	7	10	4	-
Nonwhite--	170	-	20	59	33	29	20	9	-
Idaho-----	154	-	36	38	32	24	15	8	1
White-----	146	-	36	34	30	22	15	8	1
Nonwhite--	8	-	-	4	2	-	-	-	-
Illinois-----	3,091	16	411	845	675	552	396	177	19
White-----	2,233	2	263	613	514	403	285	139	14
Nonwhite--	858	14	148	232	161	149	111	38	5
Indiana-----	1,259	2	234	360	276	184	137	60	6
White-----	1,066	2	192	323	235	151	113	45	5
Nonwhite--	193	-	42	37	41	33	24	15	1
Iowa-----	578	-	66	171	121	105	79	32	4
White-----	560	-	61	166	117	104	77	31	4
Nonwhite--	18	-	5	5	4	1	2	1	-
Kansas-----	484	-	72	153	108	69	53	27	2
White-----	418	-	59	139	98	59	42	20	1
Nonwhite--	66	-	13	14	10	10	11	7	1
Kentucky-----	919	6	189	234	181	134	104	63	8
White-----	776	4	154	199	157	116	82	56	8
Nonwhite--	143	2	35	35	24	18	22	7	-
Louisiana-----	1,306	2	204	401	256	202	151	81	9
White-----	504	1	73	168	105	73	54	28	2
Nonwhite--	802	1	131	233	151	129	97	53	7
Maine-----	311	-	55	74	64	48	40	27	3
White-----	304	-	53	73	63	47	40	26	2
Nonwhite--	7	-	2	1	1	1	-	1	1
Maryland-----	1,131	7	170	326	231	177	137	78	5
White-----	729	-	90	225	149	123	92	48	2
Nonwhite--	402	7	80	101	82	54	45	30	3
Massachusetts-----	1,313	-	110	360	286	291	182	75	9
White-----	1,227	-	97	328	263	283	175	72	9
Nonwhite--	86	-	13	32	23	8	7	3	-
Michigan-----	2,446	5	327	690	508	405	341	159	11
White-----	1,959	2	223	583	424	313	271	137	6
Nonwhite--	487	3	104	107	84	92	70	22	5
Minnesota-----	940	-	76	255	224	180	132	64	9
White-----	907	-	65	246	220	176	128	63	9
Nonwhite--	33	-	11	9	4	4	4	1	-
Mississippi-----	1,369	13	253	338	252	208	204	93	8
White-----	353	1	54	101	83	58	34	20	2
Nonwhite--	1,016	12	199	237	169	150	170	73	6

## SECTION 3 - FETAL MORTALITY

3-17

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1965-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Missouri-----	1,180	2	177	310	247	226	152	56	10
White-----	891	1	120	239	193	176	109	45	8
Nonwhite---	289	1	57	71	54	50	43	11	2
Montana-----	180	-	14	63	41	18	26	18	-
White-----	157	-	14	53	37	15	23	15	-
Nonwhite---	23	-	-	10	4	3	3	3	-
Nebraska-----	366	1	40	103	83	69	47	21	2
White-----	325	1	29	95	75	62	44	18	1
Nonwhite---	41	-	11	8	8	7	3	3	1
Nevada-----	140	-	25	37	25	30	18	4	1
White-----	108	-	21	23	18	28	14	3	1
Nonwhite---	32	-	4	14	7	2	4	1	-
New Hampshire-----	165	-	15	62	34	20	20	13	1
White-----	165	-	15	62	34	20	20	13	1
Nonwhite---	-	-	-	-	-	-	-	-	-
New Jersey-----	1,898	8	180	507	429	377	277	108	12
White-----	1,399	1	110	354	338	291	205	88	12
Nonwhite---	499	7	70	153	91	86	72	20	-
New Mexico-----	336	1	43	97	63	62	41	27	2
White-----	289	1	36	84	52	56	35	24	1
Nonwhite---	47	-	7	13	11	6	6	3	1
New York-----	8,738	24	898	2,459	2,167	1,593	1,136	410	51
White-----	5,931	2	502	1,595	1,479	1,145	852	315	41
Nonwhite---	2,807	22	396	864	688	448	284	95	10
North Carolina-----	1,716	10	315	496	320	279	201	91	4
White-----	875	1	153	295	158	135	92	40	1
Nonwhite---	841	9	162	201	162	144	109	51	3
North Dakota-----	181	-	16	50	36	34	31	12	2
White-----	174	-	16	49	34	33	29	11	2
Nonwhite---	7	-	-	1	2	1	2	1	-
Ohio-----	2,746	7	378	794	609	450	343	151	14
White-----	2,264	1	264	695	515	377	277	123	12
Nonwhite---	482	6	114	99	94	73	66	28	2
Oklahoma-----	564	3	105	162	107	98	60	24	5
White-----	437	1	83	137	83	79	38	12	4
Nonwhite---	127	2	22	25	24	19	22	12	1
Oregon-----	612	1	92	191	162	82	59	22	3
White-----	583	1	88	185	153	78	55	20	3
Nonwhite---	29	-	4	6	9	4	4	2	-
Pennsylvania-----	3,447	14	410	913	778	634	466	215	17
White-----	2,758	1	286	747	635	515	377	183	14
Nonwhite---	689	13	124	166	143	119	89	32	3
Rhode Island-----	264	-	19	76	56	50	46	15	2
White-----	246	-	18	69	54	45	44	15	1
Nonwhite---	18	-	1	7	2	5	2	-	1
South Carolina-----	1,069	7	212	264	207	174	134	59	12
White-----	427	-	77	137	89	69	31	21	3
Nonwhite---	642	7	135	127	118	105	103	38	9
South Dakota-----	195	-	21	49	40	34	38	9	4
White-----	168	-	19	43	38	26	33	6	3
Nonwhite---	27	-	2	6	2	8	5	3	1
Tennessee-----	1,295	5	265	370	245	196	148	62	2
White-----	799	2	148	259	158	109	84	38	1
Nonwhite---	496	3	118	111	88	87	64	24	1
Texas-----	3,242	13	535	868	642	536	439	190	19
White-----	2,403	6	364	660	486	387	338	149	13
Nonwhite---	839	7	171	208	156	149	101	41	6
Utah-----	227	-	29	69	55	42	17	14	1
White-----	220	-	28	67	54	41	17	12	1
Nonwhite---	7	-	1	2	1	1	-	2	-
Vermont-----	249	-	27	73	54	46	25	21	3
White-----	247	-	27	73	53	45	25	21	3
Nonwhite---	2	-	-	-	1	1	-	-	-
Virginia-----	1,923	14	328	535	388	295	239	114	10
White-----	1,221	4	180	360	262	182	156	71	6
Nonwhite---	702	10	148	175	126	113	83	43	4
Washington-----	654	-	99	190	145	107	80	33	-
White-----	601	-	84	175	134	104	72	32	-
Nonwhite---	53	-	15	15	11	3	8	1	-
West Virginia-----	542	2	92	146	116	87	67	31	1
White-----	496	2	87	134	106	80	59	27	1
Nonwhite---	46	-	5	12	10	7	8	4	-
Wisconsin-----	1,043	1	80	268	243	196	167	83	5
White-----	958	-	72	248	223	180	153	77	5
Nonwhite---	85	1	8	20	20	16	14	6	-
Wyoming-----	86	-	10	23	17	16	15	5	-
White-----	78	-	9	21	15	13	15	5	-
Nonwhite---	8	-	1	2	2	3	-	-	-

## SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States-----	60,859	17,160	9,757	8,437	6,683	5,085	3,619	2,593	6,150	1,375
White-----	43,530	12,868	7,367	6,486	5,069	3,721	2,449	1,605	3,066	909
Nonwhite--	17,329	4,292	2,390	1,951	1,614	1,364	1,170	988	3,094	466
Alabama-----	1,462	392	220	164	139	112	101	72	254	9
White-----	596	196	107	99	65	46	32	22	24	5
Nonwhite--	866	196	113	65	73	66	69	50	230	4
Alaska-----	90	15	16	10	12	8	8	3	18	-
White-----	56	13	14	7	9	5	4	2	2	-
Nonwhite--	34	2	2	3	3	3	4	1	16	-
Arizona-----	426	120	75	46	42	34	26	15	62	6
White-----	334	95	63	38	36	28	21	11	37	5
Nonwhite--	92	25	12	8	6	6	5	4	25	1
Arkansas-----	654	158	88	80	54	64	38	36	132	4
White-----	350	97	56	56	37	36	18	18	29	3
Nonwhite--	304	61	32	24	17	28	20	18	103	1
California-----	4,496	1,395	784	669	504	345	226	144	322	107
White-----	3,709	1,171	682	563	419	275	180	109	239	71
Nonwhite--	787	224	102	106	85	70	46	35	83	36
Colorado-----	590	116	53	52	40	22	22	12	30	243
White-----	558	103	53	50	36	22	21	10	26	237
Nonwhite--	32	13	-	2	4	-	1	2	4	6
Connecticut-----	642	164	111	104	80	61	51	25	43	3
White-----	547	140	93	96	68	55	44	22	26	3
Nonwhite--	95	24	18	8	12	6	7	3	17	-
Delaware-----	168	75	26	17	7	17	8	6	11	1
White-----	116	48	20	14	4	15	6	2	6	1
Nonwhite--	52	27	6	3	3	2	2	4	5	-
District of Columbia-----	311	100	39	42	49	21	24	9	25	2
White-----	38	18	4	4	6	4	2	-	-	-
Nonwhite--	273	82	35	38	43	17	22	9	25	2
Florida-----	1,696	491	276	223	200	141	86	75	198	6
White-----	917	309	174	151	116	68	37	18	40	4
Nonwhite--	779	182	102	72	84	73	49	57	158	2
Georgia-----	1,728	485	254	205	182	140	90	85	262	25
White-----	840	278	149	121	95	82	31	25	50	9
Nonwhite--	888	207	105	84	87	58	59	60	212	16
Hawaii-----	237	63	46	40	27	23	15	1	22	-
White-----	67	17	13	11	13	5	4	1	3	-
Nonwhite--	170	46	33	29	14	18	11	-	19	-
Idaho-----	154	61	18	19	18	12	6	7	10	3
White-----	146	59	18	17	16	12	6	5	10	3
Nonwhite--	8	2	-	2	2	-	-	2	-	-
Illinois-----	3,091	874	501	472	369	257	175	152	267	24
White-----	2,233	651	362	365	297	203	118	94	126	17
Nonwhite--	858	223	139	107	72	54	57	58	141	7
Indiana-----	1,259	386	189	175	133	106	83	52	120	16
White-----	1,066	337	172	159	113	91	67	39	75	13
Nonwhite--	193	49	17	16	20	14	16	13	45	3
Iowa-----	578	133	97	89	71	58	47	31	49	3
White-----	560	125	92	89	71	55	47	30	48	3
Nonwhite--	18	8	5	-	-	3	-	1	1	-
Kansas-----	484	131	87	69	55	42	29	17	47	7
White-----	418	119	75	61	50	38	23	14	33	5
Nonwhite--	66	12	12	8	5	4	6	3	14	2
Kentucky-----	919	289	148	100	97	80	54	46	98	7
White-----	776	247	125	89	83	66	39	40	82	5
Nonwhite--	143	42	23	11	14	14	15	6	16	2
Louisiana-----	1,306	348	176	146	115	109	91	71	235	15
White-----	504	146	89	73	56	49	31	23	33	4
Nonwhite--	802	202	87	73	59	60	60	48	202	11
Maine-----	311	104	49	40	33	25	13	17	29	1
White-----	304	101	48	39	33	25	13	16	28	1
Nonwhite--	7	3	1	1	-	-	-	1	1	-
Maryland-----	1,131	358	185	150	133	111	68	29	90	7
White-----	729	247	128	107	100	65	41	15	22	4
Nonwhite--	402	111	57	43	33	46	27	14	68	3
Massachusetts-----	1,313	394	177	197	170	113	82	59	102	19
White-----	1,227	363	163	181	160	109	79	57	96	19
Nonwhite--	86	31	14	16	10	4	3	2	6	-
Michigan-----	2,446	677	407	328	276	231	165	110	229	23
White-----	1,959	537	348	272	228	194	135	84	149	12
Nonwhite--	487	140	59	56	48	37	30	26	80	11
Minnesota-----	940	221	136	146	123	92	69	45	100	8
White-----	907	208	134	142	121	89	67	42	97	7
Nonwhite--	33	13	2	4	2	3	2	3	3	1
Mississippi-----	1,369	314	177	135	107	94	88	87	357	10
White-----	353	107	65	53	39	28	15	14	29	3
Nonwhite--	1,016	207	112	82	68	66	73	73	328	7

## SECTION 3 - FETAL MORTALITY

3-19

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1965-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri-----	1,180	326	197	156	111	112	70	67	151	10
White-----	891	255	159	127	87	81	51	45	79	7
Nonwhite--	289	71	38	29	24	31	19	22	52	3
Montana-----	180	47	24	34	20	16	6	6	26	1
White-----	157	43	23	30	18	15	5	4	18	1
Nonwhite--	23	4	1	4	2	1	1	2	8	-
Nebraska-----	366	91	60	56	50	31	15	17	39	7
White-----	325	78	50	53	49	29	14	16	29	7
Nonwhite--	41	13	10	3	1	2	1	1	10	-
Nevada-----	140	42	24	19	18	11	4	8	11	3
White-----	108	36	19	13	14	9	4	6	5	2
Nonwhite--	32	6	5	6	4	2	-	2	6	1
New Hampshire-----	165	54	28	14	22	10	12	10	15	-
White-----	165	54	28	14	22	10	12	10	15	-
Nonwhite--	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,898	573	343	285	228	141	109	76	107	36
White-----	1,399	425	264	220	178	100	79	45	65	23
Nonwhite--	499	148	79	65	50	41	30	31	42	13
New Mexico-----	336	89	45	46	27	27	24	23	55	-
White-----	289	76	42	39	25	26	20	20	41	-
Nonwhite--	47	13	3	7	2	1	4	3	14	-
New York-----	8,758	2,400	1,510	1,363	1,003	691	463	285	454	569
White-----	5,951	1,702	1,056	941	714	474	314	164	270	296
Nonwhite--	2,807	698	454	422	289	217	149	121	184	273
North Carolina-----	1,716	476	292	213	170	151	108	61	239	7
White-----	875	302	182	121	88	80	42	15	43	2
Nonwhite--	841	174	110	92	82	71	66	46	195	5
North Dakota-----	181	51	21	22	15	17	13	13	27	2
White-----	174	50	20	22	13	17	13	13	24	2
Nonwhite--	7	1	1	-	2	-	-	-	3	-
Ohio-----	2,746	766	474	403	310	248	186	109	224	26
White-----	2,264	638	400	339	267	209	147	79	163	22
Nonwhite--	482	128	74	64	43	39	39	30	61	4
Oklahoma-----	564	158	114	103	57	31	23	18	58	2
White-----	437	134	91	87	47	26	12	14	26	2
Nonwhite--	127	24	23	16	10	5	11	4	32	2
Oregon-----	612	167	93	105	69	63	41	23	43	8
White-----	583	161	88	104	67	60	39	18	38	8
Nonwhite--	29	6	5	1	2	3	2	5	5	-
Pennsylvania-----	3,447	967	552	498	416	302	224	150	298	40
White-----	2,758	812	444	423	334	248	170	105	201	21
Nonwhite--	689	155	108	75	82	54	54	45	97	19
Rhode Island-----	264	53	47	36	32	38	18	18	20	2
White-----	246	51	44	32	30	35	17	18	17	2
Nonwhite--	18	2	3	4	2	3	1	-	3	-
South Carolina-----	1,069	307	143	128	105	80	60	48	186	12
White-----	427	141	72	72	51	32	21	13	21	4
Nonwhite--	642	166	71	56	54	48	39	35	165	8
South Dakota-----	195	39	29	29	30	11	17	17	23	-
White-----	168	34	27	27	30	8	13	13	16	-
Nonwhite--	27	5	2	2	-	3	4	4	7	-
Tennessee-----	1,295	412	238	157	147	100	48	56	132	5
White-----	799	283	170	109	99	48	23	24	39	4
Nonwhite--	496	129	68	48	48	52	25	32	93	1
Texas-----	3,242	914	493	437	309	251	200	146	461	31
White-----	2,403	719	377	340	225	190	135	92	302	23
Nonwhite--	839	195	116	97	84	61	65	54	159	8
Utah-----	227	70	37	25	27	20	15	17	16	-
White-----	220	67	36	25	27	20	15	16	14	-
Nonwhite--	7	3	1	-	-	-	-	1	2	-
Vermont-----	249	73	27	28	28	28	22	11	28	4
White-----	247	72	27	28	28	27	22	11	28	4
Nonwhite--	2	1	-	-	-	1	-	-	-	-
Virginia-----	1,923	605	309	259	185	148	110	92	188	27
White-----	1,221	431	208	182	132	88	50	44	69	17
Nonwhite--	702	174	101	77	53	60	60	48	119	10
Washington-----	654	183	100	90	77	66	38	27	65	8
White-----	601	166	92	85	73	60	36	25	57	7
Nonwhite--	53	17	8	5	4	6	2	2	8	1
West Virginia-----	542	167	82	73	47	44	32	25	66	6
White-----	496	161	75	65	40	43	28	23	57	4
Nonwhite--	46	6	7	8	7	1	4	2	9	2
Wisconsin-----	1,043	244	134	131	131	124	88	61	114	16
White-----	958	225	120	123	126	116	78	56	98	16
Nonwhite--	85	19	14	8	5	8	10	5	16	-
Wyoming-----	86	22	6	9	14	7	8	3	13	4
White-----	78	20	6	8	14	5	8	3	11	3
Nonwhite--	8	2	-	1	-	2	-	2	2	1

## SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation <sup>1</sup>				Group III—fetal deaths of 28 weeks gestation or more <sup>1</sup>			
	Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>		
		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital
United States-----	60,859	57,278	2,003	748	13,528	12,539	687	144	39,992	38,005	955	563
White-----	43,530	42,231	941	53	9,128	8,733	331	8	29,462	28,826	449	45
Nonwhite--	17,329	15,047	1,062	695	4,400	3,806	356	136	10,530	9,179	506	518
Alabama-----	1,462	1,141	67	185	270	215	15	28	1,084	856	42	139
White-----	596	578	8	6	110	108	-	-	449	436	5	6
Nonwhite--	866	563	59	179	160	107	15	28	635	420	37	133
Alaska-----	90	83	-	2	12	11	-	1	76	70	-	1
White-----	56	56	-	-	10	10	-	-	45	45	-	-
Nonwhite--	34	27	-	2	2	1	-	1	31	25	-	1
Arizona-----	426	410	8	2	70	70	-	-	337	322	8	2
White-----	334	323	7	1	56	56	-	-	266	256	7	1
Nonwhite--	92	87	1	1	14	14	-	-	71	66	1	1
Arkansas-----	654	569	24	33	136	126	4	5	425	359	17	26
White-----	350	342	5	-	77	75	2	-	214	209	2	-
Nonwhite--	304	227	19	33	59	51	2	5	211	150	15	26
California-----	4,496	4,391	79	-	645	625	17	-	2,592	2,569	19	-
White-----	3,709	3,628	59	-	502	487	12	-	2,228	2,207	17	-
Nonwhite--	787	763	20	-	143	138	5	-	364	362	2	-
Colorado-----	590	570	20	-	149	139	10	-	299	294	5	-
White-----	558	539	19	-	142	133	9	-	278	273	5	-
Nonwhite--	32	31	1	-	7	6	1	-	21	21	-	-
Connecticut-----	642	631	11	-	131	126	5	-	490	486	4	-
White-----	547	538	9	-	103	99	4	-	426	423	3	-
Nonwhite--	95	93	2	-	28	27	1	-	64	63	1	-
Delaware-----	168	159	5	-	30	30	-	-	111	106	1	-
White-----	116	113	1	-	23	23	-	-	79	77	-	-
Nonwhite--	52	46	4	-	7	7	-	-	32	29	1	-
District of Columbia-----	311	290	6	-	56	53	1	-	165	160	2	-
White-----	38	37	-	-	5	5	-	-	22	22	-	-
Nonwhite--	273	253	6	-	51	48	1	-	143	138	2	-
Florida-----	1,696	1,584	40	53	366	332	16	11	1,320	1,242	24	42
White-----	917	894	14	1	184	173	7	-	728	716	7	1
Nonwhite--	779	690	26	52	182	159	9	11	592	526	17	41
Georgia-----	1,728	1,520	65	18	452	406	15	5	1,121	985	43	10
White-----	840	819	9	-	214	210	-	-	549	534	9	-
Nonwhite--	888	701	56	18	238	196	15	5	572	451	34	10
Hawaii-----	237	233	2	-	79	78	1	-	155	152	1	-
White-----	67	66	-	-	18	18	-	-	47	46	-	-
Nonwhite--	170	167	2	-	61	60	1	-	108	106	1	-
Idaho-----	154	147	5	-	25	24	1	-	75	72	2	-
White-----	146	139	5	-	24	23	1	-	69	66	2	-
Nonwhite--	8	8	-	-	1	1	-	-	6	6	-	-
Illinois-----	3,091	2,921	156	2	724	629	88	1	2,356	2,284	66	1
White-----	2,233	2,163	61	1	502	465	33	1	1,723	1,692	27	-
Nonwhite--	858	758	95	1	222	164	55	-	633	592	39	1
Indiana-----	1,259	1,217	34	1	205	195	8	-	832	809	18	1
White-----	1,066	1,036	24	1	171	164	6	-	713	694	14	1
Nonwhite--	193	181	10	-	34	31	2	-	119	115	4	-
Iowa-----	578	565	11	-	123	117	5	-	447	441	5	-
White-----	560	549	9	-	120	115	4	-	433	428	4	-
Nonwhite--	18	16	2	-	3	2	1	-	14	13	1	-
Kansas-----	484	469	13	-	86	81	4	-	388	378	9	-
White-----	418	409	8	-	73	72	1	-	338	330	7	-
Nonwhite--	66	60	5	-	13	9	3	-	50	48	2	-
Kentucky-----	919	878	23	12	181	173	4	2	721	689	18	10
White-----	776	752	13	8	143	140	2	-	617	596	11	8
Nonwhite--	143	126	10	4	38	33	2	2	104	93	7	2
Louisiana-----	1,306	1,192	65	25	261	236	14	4	1,030	945	50	21
White-----	504	473	24	-	107	98	6	-	389	369	18	-
Nonwhite--	802	719	41	25	154	138	8	4	641	576	32	21
Maine-----	311	297	7	-	49	46	2	-	187	182	3	-
White-----	304	290	7	-	48	45	2	-	182	177	3	-
Nonwhite--	7	7	-	-	1	1	-	-	5	5	-	-
Maryland-----	1,131	1,092	32	2	201	193	8	-	640	630	8	1
White-----	729	710	15	-	119	114	5	-	435	427	7	-
Nonwhite--	402	382	17	2	82	79	3	-	205	203	1	1

See footnotes at end of table.

## SECTION 3 - FETAL MORTALITY

3-21

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation <sup>1</sup>				Group III—fetal deaths of 28 weeks gestation or more <sup>1</sup>			
	Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>		
		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital
Massachusetts	1,313	1,281	32	-	296	283	13	-	927	917	10	-
White	1,227	1,200	27	-	269	258	11	-	871	864	7	-
Nonwhite	86	81	5	-	27	25	2	-	56	53	3	-
Michigan	2,446	2,375	55	-	515	476	29	-	1,789	1,764	21	-
White	1,959	1,914	35	-	371	348	17	-	1,469	1,451	16	-
Nonwhite	487	461	20	-	144	128	12	-	320	313	5	-
Minnesota	940	925	15	-	208	201	7	-	693	687	6	-
White	907	895	12	-	203	196	7	-	665	662	3	-
Nonwhite	33	30	3	-	5	5	-	-	28	25	3	-
Mississippi	1,369	981	73	258	358	260	20	61	912	648	40	188
White	353	340	9	2	106	103	2	-	217	209	5	2
Nonwhite	1,016	641	64	256	252	157	18	61	695	439	35	186
Missouri	1,180	1,141	31	2	264	252	10	-	821	801	15	1
White	891	872	19	-	179	173	6	-	629	617	12	-
Nonwhite	289	269	12	2	85	79	4	-	192	184	3	1
Montana	180	178	1	-	29	29	-	-	150	148	1	-
White	157	155	1	-	24	24	-	-	132	130	1	-
Nonwhite	23	23	-	-	5	5	-	-	18	18	-	-
Nebraska	366	358	6	-	81	79	1	-	270	264	5	-
White	325	320	4	-	74	74	-	-	236	231	4	-
Nonwhite	41	38	2	-	7	5	1	-	34	33	1	-
Nevada	140	136	3	-	34	33	1	-	92	91	-	-
White	108	105	2	-	23	23	-	-	74	73	-	-
Nonwhite	32	31	1	-	11	10	1	-	18	18	-	-
New Hampshire	165	163	2	-	27	27	-	-	117	115	2	-
White	165	163	2	-	27	27	-	-	117	115	2	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	1,826	56	-	395	365	27	-	1,329	1,299	18	-
White	1,399	1,351	38	-	270	253	17	-	997	974	14	-
Nonwhite	499	475	18	-	125	112	10	-	332	325	4	-
New Mexico	336	321	6	3	60	56	2	-	219	212	1	3
White	289	279	3	3	50	48	1	-	190	183	1	3
Nonwhite	47	42	3	-	10	8	1	-	29	29	-	-
New York	8,738	8,354	274	-	2,187	2,096	85	-	3,751	3,665	56	-
White	5,931	5,744	107	-	1,440	1,401	36	-	2,930	2,886	35	-
Nonwhite	2,807	2,610	167	-	747	695	49	-	801	779	21	-
North Carolina	1,716	1,548	109	43	392	358	45	7	1,301	1,189	64	35
White	875	841	29	3	165	152	13	-	703	682	16	3
Nonwhite	841	707	80	40	227	186	32	7	598	507	48	32
North Dakota	181	173	8	-	44	41	3	-	137	132	5	-
White	174	166	8	-	42	39	3	-	132	127	5	-
Nonwhite	7	7	-	-	2	2	-	-	5	5	-	-
Ohio	2,746	2,665	77	-	665	634	29	-	1,949	1,904	43	-
White	2,264	2,209	53	-	504	483	20	-	1,632	1,603	28	-
Nonwhite	482	456	24	-	161	151	9	-	317	301	15	-
Oklahoma	564	544	14	3	100	95	5	-	454	441	7	3
White	437	424	9	1	77	75	2	-	352	342	6	1
Nonwhite	127	120	5	2	23	20	3	-	102	99	1	2
Oregon	612	591	20	-	139	135	4	-	280	270	9	-
White	583	564	18	-	131	127	4	-	269	261	7	-
Nonwhite	29	27	2	-	8	8	-	-	11	9	2	-
Pennsylvania	3,447	3,325	108	-	1,102	1,038	57	-	2,324	2,268	49	-
White	2,758	2,668	79	-	798	752	41	-	1,944	1,901	37	-
Nonwhite	689	657	29	-	304	286	16	-	380	367	12	-
Rhode Island	264	255	9	-	59	56	3	-	196	194	2	-
White	246	237	9	-	50	47	3	-	187	185	2	-
Nonwhite	18	18	-	-	9	9	-	-	9	9	-	-
South Carolina	1,069	892	69	50	189	158	21	5	761	634	40	39
White	427	411	10	1	71	68	2	-	322	310	7	1
Nonwhite	642	471	59	49	118	90	19	5	439	324	33	38
South Dakota	195	189	5	-	38	35	2	-	153	150	3	-
White	168	165	3	-	32	31	1	-	134	132	2	-
Nonwhite	27	24	2	-	6	4	1	-	19	18	1	-
Tennessee	1,295	1,219	57	12	347	329	15	-	944	887	41	12
White	799	779	15	2	207	198	7	-	589	579	7	2
Nonwhite	496	440	42	10	140	131	8	-	355	308	34	10
Texas	3,242	3,011	72	38	694	634	27	11	2,508	2,345	42	27
White	2,403	2,275	42	21	473	441	17	5	1,901	1,809	24	16
Nonwhite	839	736	30	17	221	193	10	6	607	536	18	11

See footnotes at end of table.



## SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1965-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation <sup>1</sup>				Group III—fetal deaths of 28 weeks gestation or more <sup>1</sup>			
	Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>		
		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital		Physician in hospital <sup>3</sup>	Physician not in hospital	Midwife not in hospital
Utah-----	227	224	2	-	35	35	-	-	156	153	2	-
White-----	220	217	2	-	34	34	-	-	154	151	2	-
Nonwhite--	7	7	-	-	1	1	-	-	2	2	-	-
Vermont-----	249	243	5	-	23	22	-	-	52	51	1	-
White-----	247	241	5	-	23	22	-	-	52	51	1	-
Nonwhite--	2	2	-	-	-	-	-	-	-	-	-	-
Virginia-----	1,923	1,754	163	-	519	471	46	-	1,105	1,018	87	-
White-----	1,221	1,163	56	-	318	303	14	-	685	661	24	-
Nonwhite--	702	591	107	-	201	168	32	-	420	357	63	-
Washington-----	654	642	11	-	144	137	7	-	489	485	4	-
White-----	601	589	11	-	125	118	7	-	460	456	4	-
Nonwhite--	53	53	-	-	19	19	-	-	29	29	-	-
West Virginia-----	542	507	30	4	94	89	2	3	414	386	27	1
White-----	496	470	23	2	86	82	2	2	378	358	20	-
Nonwhite--	46	37	7	2	8	7	-	1	36	28	7	1
Wisconsin-----	1,043	1,026	15	-	229	222	7	-	796	786	8	-
White-----	958	946	11	-	198	195	3	-	743	734	8	-
Nonwhite--	85	80	4	-	31	27	4	-	53	52	-	-
Wyoming-----	86	82	2	-	10	8	1	-	72	70	1	-
White-----	78	74	2	-	7	5	1	-	68	66	1	-
Nonwhite--	8	8	-	-	3	3	-	-	4	4	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.<sup>2</sup>Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."<sup>3</sup>Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

## SECTION 3 - FETAL MORTALITY

3-23

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Plurality of birth, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Total-----	60,859	5,198	9,139	6,463	6,162	6,379	6,135	5,817	3,219	1,235	676	446	9,990
Fetal deaths in single deliveries-----	57,469	4,530	8,420	6,035	5,745	6,017	5,880	5,745	3,203	1,227	675	445	9,547
Fetal deaths in twin deliveries-----	3,270	624	695	408	407	356	250	72	16	7	1	1	433
Fetal deaths in other plural deliveries--	120	44	24	20	10	6	5	-	1	-	-	-	10
Male-----	30,069	2,484	4,797	3,346	3,213	3,330	3,177	3,077	1,865	744	410	278	3,348
Fetal deaths in single deliveries-----	28,333	2,159	4,426	3,120	2,980	3,144	3,033	3,041	1,853	739	410	278	3,150
Fetal deaths in twin deliveries-----	1,678	308	361	217	226	183	139	36	12	4	-	-	192
Fetal deaths in other plural deliveries--	58	17	10	9	7	3	5	-	1	-	-	-	6
Female-----	25,676	1,905	4,114	3,036	2,893	3,009	2,928	2,717	1,341	481	262	167	2,823
Fetal deaths in single deliveries-----	24,152	1,612	3,779	2,840	2,711	2,833	2,818	2,692	1,338	478	261	166	2,634
Fetal deaths in twin deliveries-----	1,469	272	322	185	179	173	110	35	3	3	1	1	185
Fetal deaths in other plural deliveries--	55	21	13	11	3	3	-	-	-	-	-	-	4
Sex not stated-----	5,114	809	228	81	56	40	30	23	13	10	4	1	3,819
Fetal deaths in single deliveries-----	4,984	759	215	75	54	40	29	22	12	10	4	1	3,763
Fetal deaths in twin deliveries-----	123	44	12	6	2	-	1	1	1	-	-	-	56
Fetal deaths in other plural deliveries--	7	6	1	-	-	-	-	-	-	-	-	-	-
White-----	43,550	3,627	6,231	4,498	4,321	4,519	4,565	4,494	2,511	953	483	300	7,028
Fetal deaths in single deliveries-----	41,110	3,157	5,730	4,185	4,017	4,261	4,378	4,439	2,499	948	482	300	6,714
Fetal deaths in twin deliveries-----	2,329	442	479	297	295	252	184	55	12	5	1	-	307
Fetal deaths in other plural deliveries--	91	28	22	16	9	6	3	-	-	-	-	-	7
Male-----	21,563	1,738	3,279	2,278	2,303	2,345	2,323	2,330	1,460	581	287	189	2,450
Fetal deaths in single deliveries-----	20,324	1,514	3,022	2,118	2,125	2,209	2,219	2,304	1,452	579	287	189	2,306
Fetal deaths in twin deliveries-----	1,194	213	248	153	171	133	101	26	8	2	-	-	139
Fetal deaths in other plural deliveries--	45	11	9	7	7	3	3	-	-	-	-	-	5
Female-----	18,677	1,362	2,828	2,161	1,978	2,147	2,222	2,148	1,041	366	193	110	2,121
Fetal deaths in single deliveries-----	17,585	1,144	2,594	2,013	1,854	2,025	2,140	2,120	1,038	363	192	110	1,992
Fetal deaths in twin deliveries-----	1,048	202	222	139	122	119	82	28	3	3	1	-	127
Fetal deaths in other plural deliveries--	44	16	12	9	2	3	-	-	-	-	-	-	2
Sex not stated-----	3,290	527	124	59	40	27	20	16	10	6	3	1	2,457
Fetal deaths in single deliveries-----	3,201	499	114	54	38	27	19	15	9	6	3	1	2,416
Fetal deaths in twin deliveries-----	87	27	9	5	2	-	1	1	1	-	-	-	41
Fetal deaths in other plural deliveries--	2	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	17,329	1,571	2,908	1,965	1,841	1,860	1,570	1,323	708	282	193	146	2,962
Fetal deaths in single deliveries-----	16,359	1,373	2,690	1,850	1,728	1,756	1,502	1,306	704	279	193	145	2,833
Fetal deaths in twin deliveries-----	941	182	216	111	112	104	66	17	4	2	-	1	126
Fetal deaths in other plural deliveries--	29	16	2	4	1	-	2	-	-	1	-	-	3
Male-----	8,506	746	1,518	1,068	910	985	854	747	405	163	123	89	898
Fetal deaths in single deliveries-----	8,009	645	1,404	1,002	855	935	814	737	401	160	123	89	844
Fetal deaths in twin deliveries-----	484	95	113	64	55	50	38	10	4	2	-	-	53
Fetal deaths in other plural deliveries--	13	6	1	2	-	-	2	-	-	1	-	-	1
Female-----	6,999	543	1,286	875	915	862	706	569	300	115	69	57	702
Fetal deaths in single deliveries-----	6,567	468	1,185	827	857	808	678	562	300	115	69	56	642
Fetal deaths in twin deliveries-----	421	70	100	46	57	54	28	7	100	59	57	1	58
Fetal deaths in other plural deliveries--	11	5	1	2	1	-	-	-	-	-	-	-	2
Sex not stated-----	1,824	282	104	22	16	13	10	7	3	4	1	-	1,362
Fetal deaths in single deliveries-----	1,783	260	101	21	16	13	10	7	3	4	1	-	1,347
Fetal deaths in twin deliveries-----	36	17	3	1	-	-	-	-	-	-	-	-	15
Fetal deaths in other plural deliveries--	5	5	-	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1965

Plurality of birth, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total-----	60,859	7,059	6,469	6,797	7,698	4,337	6,923	11,599	2,638	7,339
Fetal deaths in single deliveries-----	57,469	6,507	5,931	6,356	7,236	4,114	6,552	11,105	2,575	7,093
Fetal deaths in twin deliveries-----	3,270	518	517	421	448	216	359	486	60	245
Fetal deaths in other plural deliveries-----	120	34	21	20	14	7	12	8	3	1
Male-----	30,069	3,466	3,273	3,528	4,013	2,255	3,668	6,128	1,337	2,401
Fetal deaths in single deliveries-----	28,333	3,173	3,007	3,310	3,776	2,150	3,470	5,871	1,306	2,270
Fetal deaths in twin deliveries-----	1,678	278	258	211	226	103	191	252	29	130
Fetal deaths in other plural deliveries-----	58	15	8	7	11	2	7	5	2	1
Female-----	25,676	2,508	2,751	3,043	3,546	2,037	3,185	5,408	1,266	1,832
Fetal deaths in single deliveries-----	24,152	2,292	2,503	2,828	3,334	1,922	3,022	5,180	1,235	1,836
Fetal deaths in twin deliveries-----	1,469	198	238	202	209	110	161	225	30	96
Fetal deaths in other plural deliveries-----	55	18	10	13	3	5	2	3	1	9
Sex not stated-----	5,114	1,085	445	226	139	45	70	63	35	3,006
Fetal deaths in single deliveries-----	4,984	1,042	421	218	126	42	60	54	34	2,987
Fetal deaths in twin deliveries-----	123	42	21	8	13	3	7	9	1	19
Fetal deaths in other plural deliveries-----	7	1	3	6	13	3	3	9	1	19
White-----	43,530	4,715	4,413	4,690	5,708	3,148	5,565	8,120	2,231	4,940
Fetal deaths in single deliveries-----	41,110	4,337	4,035	4,367	5,349	2,992	5,272	7,806	2,178	4,774
Fetal deaths in twin deliveries-----	2,329	349	368	307	345	150	283	311	50	166
Fetal deaths in other plural deliveries-----	91	29	10	16	14	6	10	3	3	-
Male-----	21,563	2,338	2,245	2,409	2,965	1,636	2,955	4,209	1,111	1,695
Fetal deaths in single deliveries-----	20,324	2,131	2,061	2,244	2,782	1,564	2,796	4,050	1,085	1,611
Fetal deaths in twin deliveries-----	1,194	196	178	159	172	70	152	159	24	84
Fetal deaths in other plural deliveries-----	45	11	6	6	11	2	7	-	2	-
Female-----	18,677	1,673	1,856	2,118	2,647	1,477	2,563	3,869	1,096	1,378
Fetal deaths in single deliveries-----	17,585	1,532	1,675	1,966	2,482	1,396	2,434	3,720	1,070	1,310
Fetal deaths in twin deliveries-----	1,048	124	177	142	162	77	127	146	25	68
Fetal deaths in other plural deliveries-----	44	17	4	10	3	4	2	3	1	-
Sex not stated-----	3,290	704	312	163	96	35	47	42	24	1,867
Fetal deaths in single deliveries-----	3,201	674	299	157	85	32	42	36	23	1,853
Fetal deaths in twin deliveries-----	87	29	13	6	11	3	4	6	1	14
Fetal deaths in other plural deliveries-----	2	1	-	-	-	-	1	-	-	-
Nonwhite-----	17,329	2,344	2,056	2,107	1,990	1,189	1,358	3,479	407	2,399
Fetal deaths in single deliveries-----	16,359	2,170	1,896	1,989	1,887	1,122	1,280	3,299	397	2,319
Fetal deaths in twin deliveries-----	941	169	149	114	103	66	76	175	10	79
Fetal deaths in other plural deliveries-----	29	5	11	4	-	1	2	5	-	1
Male-----	8,506	1,128	1,028	1,119	1,048	619	713	1,919	226	706
Fetal deaths in single deliveries-----	8,009	1,042	946	1,066	994	586	674	1,821	221	659
Fetal deaths in twin deliveries-----	484	82	80	52	54	33	39	93	5	46
Fetal deaths in other plural deliveries-----	13	4	2	1	-	-	-	5	-	1
Female-----	6,999	835	895	925	899	560	622	1,539	170	554
Fetal deaths in single deliveries-----	6,567	760	828	862	852	526	588	1,460	165	526
Fetal deaths in twin deliveries-----	421	74	61	60	47	33	34	79	5	28
Fetal deaths in other plural deliveries-----	11	1	6	3	-	1	-	-	-	-
Sex not stated-----	1,824	381	133	63	43	10	23	21	11	1,139
Fetal deaths in single deliveries-----	1,783	368	122	61	41	10	18	18	11	1,134
Fetal deaths in twin deliveries-----	36	13	8	2	2	-	3	3	-	5
Fetal deaths in other plural deliveries-----	5	-	3	-	-	-	2	-	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-25

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
United States-----	60,859	5,198	9,139	6,463	6,162	6,379	6,135	5,817	3,219	1,235	676	446	9,990
White-----	43,530	3,627	6,231	4,498	4,321	4,519	4,565	4,494	2,511	953	483	300	7,028
Nonwhite--	17,329	1,571	2,908	1,965	1,841	1,860	1,570	1,323	708	282	193	146	2,962
Male-----	30,069	2,484	4,797	3,346	3,213	3,330	3,177	3,077	1,865	744	410	278	3,348
White-----	21,563	1,738	3,279	2,278	2,303	2,345	2,323	2,330	1,460	581	287	189	2,450
Nonwhite--	8,506	746	1,518	1,068	910	985	854	747	405	163	123	89	898
Female-----	25,676	1,905	4,114	3,036	2,893	3,009	2,928	2,717	1,341	481	262	167	2,823
White-----	18,677	1,362	2,828	2,161	1,978	2,147	2,222	2,148	1,041	368	193	110	2,121
Nonwhite--	6,999	543	1,286	875	915	862	706	569	300	115	69	57	702
Sex not stated-----	5,114	809	1,228	81	56	40	30	23	13	10	4	1	3,819
White-----	3,290	527	124	59	40	27	20	16	10	6	3	1	2,457
Nonwhite--	1,824	282	104	22	16	13	10	7	3	4	1	1	1,362
Alabama-----	1,462	58	205	184	166	173	166	174	91	39	28	12	166
White-----	596	22	94	75	69	53	60	85	40	15	6	5	72
Nonwhite--	866	36	111	109	97	120	106	89	51	24	22	7	94
Alaska-----	90	2	7	7	14	9	14	13	5	4	2	1	12
White-----	56	2	6	5	11	6	11	2	2	2	1	1	4
Nonwhite--	34	-	1	2	3	3	8	2	3	2	1	1	8
Arizona-----	426	20	63	54	47	61	44	49	26	12	8	5	37
White-----	334	15	54	44	33	45	35	39	19	9	7	3	31
Nonwhite--	92	5	9	10	14	16	9	10	7	3	1	2	6
Arkansas-----	654	42	80	67	72	63	62	76	32	13	10	9	128
White-----	350	25	43	32	31	29	33	37	18	8	5	4	85
Nonwhite--	304	17	37	35	41	34	29	39	14	5	5	5	43
California-----	4,496	324	832	554	519	553	513	487	269	89	39	33	284
White-----	3,709	262	653	458	423	451	443	423	234	74	35	27	226
Nonwhite--	787	62	179	96	96	102	70	64	35	15	4	6	58
Colorado-----	590	39	80	65	38	39	49	40	17	4	5	3	211
White-----	558	35	75	58	37	39	45	37	16	4	5	3	204
Nonwhite--	32	4	5	7	1	-	4	3	1	-	-	-	7
Connecticut-----	642	60	99	93	66	77	89	54	33	7	8	7	49
White-----	547	54	77	80	53	66	83	48	24	7	7	3	45
Nonwhite--	95	6	22	13	13	11	6	6	9	-	1	4	4
Delaware-----	168	9	21	17	16	20	15	12	6	-	1	2	49
White-----	116	7	17	11	6	16	11	8	6	-	1	2	31
Nonwhite--	52	2	4	6	10	4	4	4	-	-	-	-	18
District of Columbia-----	311	13	70	50	30	41	32	14	12	6	7	4	32
White-----	38	-	6	4	3	5	4	-	3	2	-	-	11
Nonwhite--	273	13	64	46	27	36	28	14	9	4	7	4	21
Florida-----	1,696	103	298	235	221	262	192	193	95	33	21	19	24
White-----	917	60	157	121	126	132	104	115	51	23	6	9	13
Nonwhite--	779	43	141	114	95	130	88	78	44	10	15	10	11
Georgia-----	1,728	135	237	170	195	161	166	154	90	24	27	8	361
White-----	840	63	114	81	88	74	83	83	52	10	13	3	176
Nonwhite--	888	72	123	89	107	87	83	71	38	14	14	5	185
Hawaii-----	237	35	37	25	27	27	14	14	10	4	-	-	44
White-----	67	5	8	9	9	7	3	1	3	4	-	-	18
Nonwhite--	170	30	29	16	18	20	11	13	7	-	-	-	26
Idaho-----	154	6	22	6	4	12	12	20	6	3	-	-	63
White-----	146	6	21	6	3	11	11	18	6	3	-	-	61
Nonwhite--	8	-	1	-	1	1	1	2	-	-	-	-	2
Illinois-----	3,091	261	576	358	375	386	393	333	195	76	37	29	72
White-----	2,233	189	362	248	267	272	296	267	161	57	30	20	64
Nonwhite--	858	72	214	110	108	114	97	66	34	19	7	9	8
Indiana-----	1,259	66	183	144	130	115	135	122	84	35	23	14	208
White-----	1,066	59	148	124	113	97	120	107	76	31	18	11	162
Nonwhite--	193	7	35	20	17	18	15	15	8	4	5	3	46
Iowa-----	578	52	94	60	44	67	67	80	48	22	7	5	32
White-----	560	51	92	54	41	64	65	80	48	22	7	5	31
Nonwhite--	18	1	2	6	3	3	2	-	-	-	-	-	1
Kansas-----	484	31	75	64	54	65	58	54	31	22	5	5	20
White-----	418	25	62	50	48	57	51	51	28	20	4	4	18
Nonwhite--	66	6	13	14	6	8	7	3	3	2	1	1	2
Kentucky-----	919	44	143	85	104	132	108	117	56	24	14	7	85
White-----	776	38	113	71	89	104	95	104	52	22	12	4	72
Nonwhite--	143	6	30	14	15	28	13	13	4	2	2	3	13
Louisiana-----	1,306	30	223	170	158	178	159	153	86	33	20	12	84
White-----	504	12	80	60	55	64	67	66	36	14	4	1	45
Nonwhite--	802	18	143	110	103	114	92	87	50	19	16	11	39
Maine-----	311	21	38	22	28	24	30	26	15	6	-	-	101
White-----	304	18	37	21	27	24	30	26	14	6	-	-	101
Nonwhite--	7	3	1	1	1	-	-	-	1	-	-	-	-

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Maryland-----	1,131	54	145	85	77	70	56	55	27	14	6	2	540
White-----	729	32	79	47	31	40	37	36	22	12	2	1	390
Nonwhite--	402	22	66	38	46	30	19	19	5	2	4	1	150
Massachusetts-----	1,313	102	225	156	132	153	152	111	54	24	10	12	182
White-----	1,227	95	204	144	123	145	144	103	52	23	9	12	175
Nonwhite--	86	7	21	12	9	8	8	8	2	1	1	-	9
Michigan-----	2,446	141	383	267	288	280	243	244	161	65	40	16	318
White-----	1,959	93	280	212	221	226	202	209	138	56	33	12	277
Nonwhite--	487	48	103	55	67	54	41	35	23	9	7	4	41
Minnesota-----	940	66	176	112	96	114	113	104	69	22	11	8	60
White-----	907	65	170	109	84	108	110	100	63	21	11	7	59
Nonwhite--	33	1	6	3	2	6	3	4	5	1	-	1	1
Mississippi-----	1,369	100	192	145	119	138	138	145	71	33	23	16	249
White-----	553	35	44	36	26	34	31	35	19	3	2	3	85
Nonwhite--	1,016	65	148	109	93	104	107	110	52	30	21	13	164
Missouri-----	1,180	87	169	121	116	123	128	137	69	31	12	11	176
White-----	891	54	127	85	85	91	94	107	54	27	10	8	149
Nonwhite--	289	33	42	36	31	32	34	30	15	4	2	3	27
Montana-----	180	10	16	14	19	18	22	27	16	4	3	3	28
White-----	157	8	12	12	19	15	18	25	14	4	2	2	26
Nonwhite--	23	2	4	2	-	3	4	2	2	-	1	1	2
Nebraska-----	366	34	55	44	47	41	44	40	21	9	4	6	21
White-----	325	31	45	39	42	38	39	35	21	9	4	4	18
Nonwhite--	41	3	10	5	5	3	5	5	-	-	-	2	3
Nevada-----	140	11	27	20	11	22	18	9	5	3	-	-	14
White-----	108	9	20	14	8	18	15	6	5	3	-	-	10
Nonwhite--	32	2	7	6	3	4	3	3	-	-	-	-	4
New Hampshire-----	165	11	21	16	14	22	11	17	8	7	1	1	36
White-----	165	11	21	16	14	22	11	17	8	7	1	1	36
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,898	173	305	211	186	210	197	146	100	37	19	14	300
White-----	1,399	125	217	148	146	151	153	119	74	26	13	10	217
Nonwhite--	499	48	88	63	40	59	44	27	26	11	6	4	83
New Mexico-----	336	14	29	37	44	37	33	39	17	4	5	3	74
White-----	289	11	28	31	33	31	30	34	16	3	5	3	64
Nonwhite--	47	3	1	6	11	6	3	5	1	1	-	-	10
New York-----	8,738	1,231	1,000	648	554	550	541	491	251	101	52	27	3,292
White-----	5,931	775	687	465	427	427	423	409	204	86	49	21	1,958
Nonwhite--	2,807	456	313	183	127	123	118	82	47	15	3	6	1,334
North Carolina-----	1,716	115	306	210	250	183	217	202	106	34	19	9	65
White-----	875	57	141	108	122	84	125	123	54	21	12	1	27
Nonwhite--	841	58	165	102	128	99	92	79	52	13	7	8	38
North Dakota-----	181	15	23	13	17	28	21	24	13	5	7	2	13
White-----	174	14	22	12	16	28	21	24	12	4	6	2	13
Nonwhite--	7	1	1	1	1	-	-	-	1	1	1	-	-
Ohio-----	2,746	254	440	294	253	274	294	271	152	59	27	17	411
White-----	2,264	203	329	232	203	219	248	236	138	53	25	15	363
Nonwhite--	482	51	111	62	50	55	46	35	14	6	2	2	48
Oklahoma-----	564	29	80	55	66	77	64	74	46	15	8	6	44
White-----	437	23	67	38	44	64	52	56	38	10	7	3	35
Nonwhite--	127	6	13	17	22	12	13	18	8	5	1	3	9
Oregon-----	612	70	61	32	35	38	45	46	25	13	1	3	243
White-----	583	65	58	31	35	34	41	46	24	13	1	3	232
Nonwhite--	29	5	3	1	-	4	4	-	1	-	-	-	11
Pennsylvania-----	3,447	592	506	357	343	360	322	299	185	69	43	35	356
White-----	2,758	425	374	269	270	296	278	269	167	57	37	32	284
Nonwhite--	689	167	132	88	73	64	44	30	18	12	6	3	52
Rhode Island-----	264	29	48	24	31	30	40	21	13	5	-	1	22
White-----	246	25	45	22	30	28	38	21	12	4	-	1	20
Nonwhite--	18	4	3	2	1	2	2	-	1	1	-	-	2
South Carolina-----	1,069	43	139	135	113	120	122	95	56	15	12	1	218
White-----	427	15	57	68	47	47	42	43	29	5	3	-	71
Nonwhite--	642	28	82	67	66	73	80	52	27	10	9	1	147
South Dakota-----	195	17	25	27	15	26	21	21	21	3	7	2	10
White-----	168	15	22	24	15	21	20	18	18	2	7	1	5
Nonwhite--	27	2	3	3	-	5	1	3	3	1	-	1	5
Tennessee-----	1,295	105	238	163	171	132	134	144	57	29	14	9	99
White-----	799	68	136	97	86	83	83	101	40	18	9	5	73
Nonwhite--	496	37	102	66	85	49	51	43	17	11	5	4	26
Texas-----	3,242	160	493	420	398	375	405	404	222	73	58	39	195
White-----	2,403	118	338	302	293	265	303	321	188	63	50	25	137
Nonwhite--	839	42	155	118	105	110	102	83	34	10	8	14	58

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-27

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1965--Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah-----	227	4	30	20	22	20	20	24	12	4	-	-	71
White-----	220	4	28	20	22	17	20	23	12	4	-	-	70
Nonwhite--	7	-	2	-	-	3	-	1	-	-	-	-	1
Vermont-----	249	35	17	8	11	17	8	11	5	4	1	-	132
White-----	247	34	17	8	11	17	8	11	5	4	1	-	131
Nonwhite--	2	1	-	-	-	-	-	-	-	-	-	-	1
Virginia-----	1,923	197	272	189	173	195	159	169	83	34	12	8	432
White-----	1,221	137	152	106	91	112	100	118	56	21	6	5	317
Nonwhite--	702	60	120	83	82	83	59	51	27	13	6	3	115
Washington-----	654	38	120	73	80	82	80	69	48	14	3	3	44
White-----	601	32	106	65	76	77	76	67	46	14	3	3	36
Nonwhite--	53	6	14	8	4	5	4	2	2	-	-	-	8
West Virginia-----	542	40	64	46	71	57	60	73	34	18	8	5	66
White-----	496	36	58	45	65	50	59	64	33	18	6	4	58
Nonwhite--	46	4	6	1	6	7	1	9	1	-	2	1	8
Wisconsin-----	1,043	65	143	80	103	110	100	108	64	30	6	12	222
White-----	958	59	122	71	96	104	91	100	58	28	6	12	211
Nonwhite--	85	6	21	9	7	6	9	8	6	2	-	-	11
Wyoming-----	86	5	8	11	9	12	9	12	2	1	2	-	15
White-----	78	5	6	10	8	11	8	12	2	1	2	-	13
Nonwhite--	8	-	2	1	1	1	1	-	-	-	-	-	2

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States-----	60,859	7,059	6,469	6,797	7,698	4,337	6,923	11,599	2,638	7,339
White-----	43,530	4,715	4,413	4,690	5,708	3,148	5,565	8,120	2,231	4,940
Nonwhite--	17,329	2,344	2,056	2,107	1,990	1,189	1,358	3,479	407	2,399
Male-----	30,069	3,466	3,273	3,528	4,013	2,255	3,668	6,128	1,337	2,401
White-----	21,563	2,338	2,245	2,409	2,965	1,636	2,955	4,209	1,111	1,695
Nonwhite--	8,506	1,128	1,028	1,119	1,048	619	713	1,919	226	706
Female-----	25,676	2,508	2,751	3,043	3,546	2,037	3,185	5,408	1,266	1,932
White-----	18,677	1,673	1,656	2,118	2,647	1,477	2,563	3,869	1,096	1,378
Nonwhite--	6,999	835	895	925	899	560	622	1,539	170	554
Sex not stated-----	5,114	1,085	445	226	139	45	70	65	35	3,006
White-----	3,290	704	312	163	96	35	47	42	24	1,867
Nonwhite--	1,824	381	133	63	43	10	23	21	11	1,139
Alabama-----	1,462	123	147	196	150	117	151	456	14	108
White-----	596	55	55	81	66	52	69	170	11	37
Nonwhite--	866	68	92	115	84	65	82	286	3	71
Alaska-----	90	6	6	13	16	5	14	22	6	2
White-----	56	6	4	8	12	1	11	8	5	1
Nonwhite--	34	-	2	5	4	4	3	14	1	1
Arizona-----	426	32	38	55	56	37	47	117	25	19
White-----	334	24	32	43	47	27	37	91	21	12
Nonwhite--	92	8	6	12	9	10	10	26	4	7
Arkansas-----	654	69	67	79	67	48	50	170	11	93
White-----	350	44	33	38	37	23	27	81	8	59
Nonwhite--	304	25	34	41	30	25	23	89	3	34
California-----	4,496	281	364	394	636	192	718	210	442	1,259
White-----	3,709	209	293	322	545	168	621	183	369	979
Nonwhite--	787	72	71	72	91	24	97	27	53	280
Colorado-----	590	95	54	60	71	29	59	61	19	142
White-----	558	90	52	56	64	28	53	59	18	138
Nonwhite--	32	5	2	4	7	1	6	2	1	4
Connecticut-----	642	62	69	86	99	50	101	130	24	21
White-----	547	50	53	73	87	44	92	111	19	18
Nonwhite--	95	12	16	13	12	6	9	19	5	3
Delaware-----	168	15	15	22	25	13	22	26	3	27
White-----	116	12	11	14	14	11	18	19	3	14
Nonwhite--	52	3	4	8	11	2	4	7	-	13
District of Columbia-----	311	19	37	32	44	14	43	8	24	90
White-----	38	1	4	2	9	2	4	2	3	11
Nonwhite--	273	18	33	30	35	12	39	6	21	79
Florida-----	1,696	182	184	249	223	190	163	453	42	10
White-----	917	89	95	126	137	100	112	220	33	5
Nonwhite--	779	93	89	123	86	90	51	233	9	5
Georgia-----	1,728	241	211	218	193	133	127	414	36	155
White-----	840	121	93	94	106	60	69	196	24	77
Nonwhite--	888	120	118	124	87	73	58	218	12	78
Hawaii-----	237	58	21	45	36	15	20	26	13	3
White-----	67	13	5	13	9	4	6	8	7	2
Nonwhite--	170	45	16	32	27	11	14	18	6	1
Idaho-----	154	13	12	14	15	7	14	19	6	54
White-----	146	12	12	13	13	5	13	19	6	53
Nonwhite--	8	1	-	1	2	2	1	-	-	1
Illinois-----	3,091	370	354	379	426	250	391	797	113	11
White-----	2,233	270	232	251	296	184	327	578	87	8
Nonwhite--	858	100	122	128	130	66	64	219	26	3
Indiana-----	1,259	94	111	142	157	91	135	273	34	222
White-----	1,066	82	89	123	134	75	120	230	31	182
Nonwhite--	193	12	22	19	23	16	15	43	3	40
Iowa-----	578	45	78	65	72	55	92	134	29	8
White-----	560	45	75	61	72	52	89	130	29	7
Nonwhite--	18	-	3	4	-	3	3	4	-	1
Kansas-----	484	46	40	59	78	27	73	111	40	10
White-----	418	41	32	45	69	23	66	97	38	7
Nonwhite--	66	5	8	14	9	4	7	14	2	3
Kentucky-----	919	72	109	105	124	107	89	283	13	17
White-----	776	53	90	86	104	90	76	248	13	16
Nonwhite--	143	19	19	19	20	17	13	35	-	1
Louisiana-----	1,306	108	153	177	162	115	158	390	28	15
White-----	504	47	60	63	58	49	81	123	15	8
Nonwhite--	802	61	93	114	104	66	77	267	13	7
Maine-----	311	24	25	46	29	19	33	49	11	75
White-----	304	24	24	44	28	18	33	48	11	74
Nonwhite--	7	-	1	2	1	1	-	1	-	1

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-29

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland-----	1,131	85	116	103	170	51	155	40	121	290
White-----	729	50	69	64	106	36	107	27	95	175
Nonwhite--	402	35	47	39	64	15	48	13	26	115
Massachusetts-----	1,313	157	139	159	211	99	206	177	75	90
White-----	1,227	141	128	149	200	92	199	160	71	87
Nonwhite--	86	16	11	10	11	7	7	17	4	3
Michigan-----	2,446	237	278	283	369	196	311	509	121	142
White-----	1,959	163	208	217	289	162	270	417	114	119
Nonwhite--	487	74	70	66	80	34	41	92	7	23
Minnesota-----	940	100	108	117	122	82	136	172	64	39
White-----	907	98	105	113	117	80	132	165	58	39
Nonwhite--	33	2	3	4	5	2	4	7	6	-
Mississippi-----	1,569	201	157	165	119	80	92	445	11	99
White-----	553	61	45	35	39	17	40	82	4	30
Nonwhite--	1,016	140	112	130	80	63	52	363	7	69
Missouri-----	1,180	127	137	132	123	117	140	268	41	95
White-----	891	82	97	100	95	79	127	190	38	83
Nonwhite--	289	45	40	32	28	38	13	78	3	12
Montana-----	180	19	10	27	18	12	33	46	14	1
White-----	157	17	7	25	17	11	31	38	10	1
Nonwhite--	23	2	3	2	1	1	2	8	4	-
Nebraska-----	366	38	43	43	59	31	52	67	18	15
White-----	325	34	40	33	54	25	48	58	18	15
Nonwhite--	41	4	3	10	5	6	4	9	-	-
Nevada-----	140	17	17	22	21	13	24	10	2	14
White-----	108	9	14	15	19	13	16	9	2	11
Nonwhite--	32	8	3	7	2	-	8	1	-	3
New Hampshire-----	165	11	16	14	26	12	21	32	12	21
White-----	165	11	16	14	26	12	21	32	12	21
Nonwhite--	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,898	204	191	234	263	135	225	380	92	174
White-----	1,399	129	141	168	195	106	182	267	79	132
Nonwhite--	499	75	50	66	68	29	43	113	13	42
New Mexico-----	336	26	34	23	38	33	36	70	19	57
White-----	289	20	30	17	33	26	33	64	17	49
Nonwhite--	47	6	4	6	5	7	3	6	2	8
New York-----	8,738	1,319	868	701	843	352	759	689	387	2,820
White-----	5,931	835	605	515	636	283	608	583	305	1,561
Nonwhite--	2,807	484	263	186	207	69	151	106	82	1,259
North Carolina-----	1,716	189	203	195	245	134	191	493	43	23
White-----	875	85	80	85	138	67	116	268	29	7
Nonwhite--	841	104	123	110	107	67	75	225	14	16
North Dakota-----	181	20	24	12	24	19	29	41	12	-
White-----	174	18	24	12	23	18	29	39	11	-
Nonwhite--	7	2	-	-	1	1	-	2	1	-
Ohio-----	2,746	355	310	333	401	202	365	509	139	132
White-----	2,264	271	233	266	327	168	312	439	120	128
Nonwhite--	482	84	77	67	74	34	53	70	19	4
Oklahoma-----	564	36	64	62	94	48	67	165	18	10
White-----	437	28	49	45	73	35	55	129	15	8
Nonwhite--	127	8	15	17	21	13	12	36	3	2
Oregon-----	612	81	58	44	44	39	53	80	20	193
White-----	583	76	55	42	44	37	51	75	20	183
Nonwhite--	29	5	3	2	-	2	2	5	-	10
Pennsylvania-----	3,447	668	434	433	433	234	375	706	143	21
White-----	2,758	465	333	341	354	194	318	611	126	16
Nonwhite--	689	203	101	92	79	40	57	95	17	5
Rhode Island-----	264	35	24	33	41	18	39	48	17	9
White-----	246	29	21	32	38	17	36	47	17	9
Nonwhite--	18	6	3	1	3	1	3	1	-	-
South Carolina-----	1,069	79	110	124	132	89	98	309	9	119
White-----	427	36	35	35	70	40	57	113	7	34
Nonwhite--	642	43	75	89	62	49	41	196	2	85
South Dakota-----	195	23	15	30	25	16	23	48	11	4
White-----	168	19	13	27	24	13	20	39	11	2
Nonwhite--	27	4	2	3	1	3	3	9	-	2
Tennessee-----	1,295	175	172	192	164	105	92	376	15	4
White-----	799	100	107	109	95	56	70	245	14	3
Nonwhite--	496	75	65	83	69	49	22	131	1	1
Texas-----	3,242	325	369	399	449	351	356	860	93	40
White-----	2,403	222	251	290	312	252	288	681	78	29
Nonwhite--	839	103	118	109	137	99	68	179	15	11

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.



## SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1965—Con.

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	227	14	21	19	34	17	36	40	10	36
White----	220	13	21	18	34	17	36	39	10	32
Nonwhite--	7	1	-	1	-	-	-	1	-	4
Vermont-----	249	15	8	7	15	4	13	5	8	174
White----	247	15	8	7	15	4	13	5	8	172
Nonwhite--	2	-	-	-	-	-	-	-	-	2
Virginia-----	1,923	309	210	198	220	119	159	360	49	299
White----	1,221	197	121	119	137	71	105	215	38	218
Nonwhite--	702	112	89	79	83	48	54	145	11	81
Washington-----	654	71	73	83	94	66	96	118	32	21
White----	601	58	67	78	81	66	92	114	29	16
Nonwhite--	53	13	6	5	13	-	4	4	3	5
West Virginia-----	542	51	43	44	54	55	73	165	23	34
White----	496	46	40	42	51	48	67	149	21	32
Nonwhite--	46	5	3	2	3	7	6	16	2	2
Wisconsin-----	1,043	113	116	117	155	87	153	207	77	18
White----	958	95	103	109	146	80	148	186	74	17
Nonwhite--	85	18	13	8	9	7	5	21	3	1
Wyoming-----	86	4	6	13	13	7	15	15	9	4
White----	78	4	3	12	13	7	14	13	9	3
Nonwhite--	8	-	3	1	-	-	1	2	-	1

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

## *Section 4. Accident Mortality*

Table	Page
4-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1965-----	4-3
4-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1965-----	4-6
4-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1965-----	4-12
4-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1965-----	4-20
4-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1965-----	4-22
4-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1965-----	4-27

SECTION 4 - ACCIDENT MORTALITY

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1965

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E825	Motor vehicle traffic accidents-----	48,050	3,505	4,761	31	222	36,900	170	524	182	10	1,745
	Male-----	34,770	3,109	3,311	25	169	26,293	118	346	115	7	1,277
	Female--	13,280	396	1,450	6	53	10,607	52	178	67	3	468
	White-----Male-----	30,425	2,700	3,000	21	154	22,944	92	315	84	6	1,109
	Female--	11,798	338	1,324	3	51	9,413	40	160	57	2	410
	Nonwhite--Male-----	4,345	409	311	4	15	3,349	26	31	31	1	168
	Female--	1,482	58	126	3	2	1,194	12	18	10	1	58
E810	Involving collision with railway train-----	1,556	254	1	-	-	1,250	-	-	-	-	51
	Male-----	1,108	235	1	-	-	830	-	-	-	-	42
	Female--	448	19	-	-	-	420	-	-	-	-	9
	White-----Male-----	1,017	217	-	-	-	762	-	-	-	-	38
	Female--	416	17	-	-	-	392	-	-	-	-	7
	Nonwhite--Male-----	91	18	1	-	-	68	-	-	-	-	4
	Female--	32	2	-	-	-	28	-	-	-	-	2
E811	Involving collision with streetcar-----	5	-	-	-	-	5	-	-	-	-	-
	Male-----	5	-	-	-	-	5	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	White-----Male-----	4	-	-	-	-	4	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male-----	1	-	-	-	-	1	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian-----	8,117	880	19	1	-	6,658	2	2	116	-	439
	Male-----	5,787	677	19	1	-	4,690	1	1	79	-	319
	Female--	2,330	203	-	-	-	1,968	1	1	37	-	120
	White-----Male-----	4,614	543	15	1	-	3,747	-	1	55	-	252
	Female--	1,876	172	-	-	-	1,576	-	1	31	-	96
	Nonwhite--Male-----	1,173	134	4	-	-	943	1	-	24	-	67
	Female--	454	31	-	-	-	392	1	-	6	-	24
E813	To pedal cyclist-----	622	96	1	-	-	493	-	-	7	-	25
	Male-----	560	86	1	-	-	445	-	-	6	-	22
	Female--	62	10	-	-	-	48	-	-	1	-	3
	White-----Male-----	496	75	1	-	-	396	-	-	5	-	19
	Female--	56	10	-	-	-	44	-	-	1	-	1
	Nonwhite--Male-----	64	11	-	-	-	49	-	-	1	-	3
	Female--	6	-	-	-	-	4	-	-	-	-	2
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	59	-	-	-	-	59	-	-	-	-	-
	Male-----	54	-	-	-	-	54	-	-	-	-	-
	Female--	5	-	-	-	-	5	-	-	-	-	-
	White-----Male-----	53	-	-	-	-	53	-	-	-	-	-
	Female--	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite--Male-----	1	-	-	-	-	1	-	-	-	-	-
	Female--	1	-	-	-	-	1	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle-----	962	-	158	-	-	750	11	43	-	-	-
	Male-----	899	-	152	-	-	697	11	39	-	-	-
	Female--	63	-	6	-	-	53	-	4	-	-	-
	White-----Male-----	871	-	149	-	-	674	11	37	-	-	-
	Female--	59	-	5	-	-	50	-	4	-	-	-
	Nonwhite--Male-----	28	-	3	-	-	23	-	2	-	-	-
	Female--	4	-	1	-	-	3	-	-	-	-	-
E816	Other, involving two or more motor vehicles-----	17,736	523	4,538	30	218	11,281	156	475	-	10	505
	Male-----	11,576	484	3,109	24	165	7,052	105	302	-	7	328
	Female--	6,160	39	1,429	6	53	4,229	51	173	-	3	177
	White-----Male-----	10,381	446	2,811	20	150	6,299	80	275	-	6	294
	Female--	5,651	38	1,306	3	51	3,893	40	155	-	2	165
	Nonwhite--Male-----	1,195	38	298	4	15	753	25	27	-	1	34
	Female--	509	3	123	3	2	336	11	18	-	1	12
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle-----	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle-----	87	18	2	-	-	64	-	-	-	-	3
	Male-----	55	15	1	-	-	38	-	-	-	-	1
	Female--	32	3	1	-	-	26	-	-	-	-	2
	White-----Male-----	52	14	1	-	-	36	-	-	-	-	1
	Female--	26	2	1	-	-	21	-	-	-	-	2
	Nonwhite--Male-----	3	1	-	-	-	2	-	-	-	-	-
	Female--	6	1	-	-	-	5	-	-	-	-	-





SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E870-E888	Accidental poisoning by solid and liquid substances-----	2,110	1,101	15	1	12	4	22	56	30	44	825
	Male-----	1,159	532	13	1	7	2	17	38	19	31	499
	Female-----	951	569	2	-	5	2	5	18	11	13	326
	White-----	866	411	10	1	7	2	12	36	15	21	351
	Female-----	794	471	2	-	4	2	3	16	8	12	276
	Nonwhite-----	293	121	3	-	-	-	5	2	4	10	148
	Female-----	157	98	-	-	1	-	2	2	3	1	50
E870	Accidental poisoning by morphine and other opium derivatives-----	69	35	-	-	-	1	5	5	2	3	18
	Male-----	59	30	-	-	-	-	5	2	2	3	16
	Female-----	10	5	-	-	-	-	-	3	-	-	2
	White-----	45	23	-	-	-	1	3	1	2	2	13
	Female-----	6	2	-	-	-	-	-	2	-	-	2
	Nonwhite-----	14	7	-	-	-	-	2	1	-	1	3
	Female-----	4	3	-	-	-	-	-	1	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives-----	544	337	-	1	2	-	4	22	2	14	162
	Male-----	212	119	-	1	1	-	2	12	1	8	68
	Female-----	332	218	-	-	1	-	2	10	1	6	94
	White-----	197	115	-	1	1	-	1	12	1	7	59
	Female-----	317	209	-	-	1	-	1	9	1	6	90
	Nonwhite-----	15	4	-	-	-	-	1	1	-	1	9
	Female-----	15	9	-	-	-	-	1	1	-	-	4
E872	Accidental poisoning by aspirin and salicylates-----	175	99	-	-	-	2	-	2	2	1	69
	Male-----	89	48	-	-	-	1	-	2	1	1	36
	Female-----	86	51	-	-	-	1	-	1	1	1	33
	White-----	69	38	-	-	-	1	-	2	1	1	26
	Female-----	67	37	-	-	-	1	-	-	1	-	28
	Nonwhite-----	20	10	-	-	-	-	-	-	-	-	10
	Female-----	19	14	-	-	-	-	-	-	-	-	5
E873	Accidental poisoning by bromides-----	5	-	-	-	-	-	-	-	-	-	5
	Male-----	3	-	-	-	-	-	-	-	-	-	3
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	White-----	3	-	-	-	-	-	-	-	-	-	3
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs-----	345	159	-	-	-	1	-	9	2	8	166
	Male-----	199	69	-	-	-	-	-	8	1	6	115
	Female-----	146	90	-	-	-	1	-	1	1	2	51
	White-----	137	61	-	-	-	-	-	7	1	1	67
	Female-----	126	83	-	-	-	1	-	1	-	2	39
	Nonwhite-----	62	8	-	-	-	-	-	1	-	5	48
	Female-----	20	7	-	-	-	-	-	-	1	-	12
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine-----	5	4	-	-	-	-	-	-	-	-	1
	Male-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	4	3	-	-	-	-	-	-	-	-	1
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	4	3	-	-	-	-	-	-	-	-	1
	Nonwhite-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscyamine, and atropine-----	2	1	-	-	-	-	-	-	-	-	1
	Male-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs-----	245	100	-	-	-	-	5	4	8	1	127
	Male-----	112	45	-	-	-	-	4	2	4	-	57
	Female-----	133	55	-	-	-	-	1	2	4	1	70
	White-----	97	36	-	-	-	-	4	2	3	-	52
	Female-----	119	47	-	-	-	-	1	2	2	1	66
	Nonwhite-----	15	9	-	-	-	-	-	-	1	-	5
	Female-----	14	8	-	-	-	-	-	-	2	-	4
E879	Accidental poisoning by noxious foodstuffs-----	8	-	-	-	-	-	-	-	-	-	8
	Male-----	4	-	-	-	-	-	-	-	-	-	4
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	White-----	3	-	-	-	-	-	-	-	-	-	3
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	Nonwhite-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol-----	201	95	1	-	1	-	5	5	4	7	83
	Male-----	161	74	1	-	1	-	3	4	4	6	68
	Female-----	40	21	-	-	-	-	2	1	-	1	15
	White-----	107	46	1	-	1	-	3	4	3	4	45
	Female-----	25	15	-	-	-	-	1	1	-	1	7
	Nonwhite-----	54	28	-	-	-	-	-	-	1	2	23
	Female-----	15	6	-	-	-	-	1	-	-	-	8

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-7

Table 4.2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965-Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
Accidental poisoning by solid and liquid substances-Con.													
E881	Accidental poisoning by petroleum products-----	36	28	1	-	-	-	-	-	1	-	-	6
	Male-----	22	16	1	-	-	-	-	-	1	-	-	4
	Female-----	14	12	-	-	-	-	-	-	-	-	-	2
	White-----	13	9	1	-	-	-	-	-	1	-	-	2
	Female-----	4	3	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	9	7	-	-	-	-	-	-	-	-	-	2
	Female-----	10	9	-	-	-	-	-	-	-	-	-	1
E882	Accidental poisoning by industrial solvents-----	48	22	1	-	3	-	2	-	2	2	2	16
	Male-----	37	13	1	-	2	-	2	-	2	2	2	15
	Female-----	11	9	-	-	1	-	-	-	-	-	-	1
	White-----	23	8	1	-	2	-	1	-	-	-	1	10
	Female-----	10	8	-	-	1	-	-	-	-	-	-	1
	Nonwhite-----	14	5	-	-	-	-	1	-	2	1	1	5
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	47	22	1	-	2	-	-	-	1	1	2	18
	Male-----	24	9	1	-	-	-	-	-	1	-	1	12
	Female-----	23	13	-	-	2	-	-	-	-	1	1	6
	White-----	19	6	1	-	-	-	-	-	1	-	1	10
	Female-----	12	6	-	-	1	-	-	-	1	-	-	4
	Nonwhite-----	5	3	-	-	-	-	-	-	-	-	-	2
	Female-----	11	7	-	-	1	-	-	-	-	-	1	2
E884	Accidental poisoning by mercury and its compounds-----	10	2	-	-	-	-	-	-	-	1	1	6
	Male-----	8	2	-	-	-	-	-	-	-	1	1	5
	Female-----	2	-	-	-	-	-	-	-	-	1	-	1
	White-----	7	2	-	-	-	-	-	-	-	1	1	4
	Female-----	2	-	-	-	-	-	-	-	-	1	-	1
	Nonwhite-----	1	-	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E885	Accidental poisoning by lead and its compounds-----	65	32	-	-	-	-	-	-	-	-	-	32
	Male-----	41	16	-	-	-	-	-	-	-	-	-	25
	Female-----	24	16	-	-	-	-	-	-	-	-	-	8
	White-----	15	7	-	-	-	-	-	-	-	-	-	8
	Female-----	8	6	-	-	-	-	-	-	-	-	-	2
	Nonwhite-----	26	9	-	-	-	-	-	-	-	-	-	17
	Female-----	16	10	-	-	-	-	-	-	-	-	-	6
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	31	14	2	-	-	-	1	-	-	-	-	14
	Male-----	20	8	1	-	-	-	1	-	-	-	-	10
	Female-----	11	6	1	-	-	-	-	-	-	-	-	4
	White-----	12	5	1	-	-	-	-	-	-	-	-	6
	Female-----	8	5	1	-	-	-	-	-	-	-	-	2
	Nonwhite-----	8	3	-	-	-	-	1	-	-	-	-	4
	Female-----	3	1	-	-	-	-	-	-	-	-	-	2
E887	Accidental poisoning by fluorides-----	7	3	-	-	1	-	-	-	-	-	-	3
	Male-----	5	2	-	-	1	-	-	-	-	-	-	2
	Female-----	2	1	-	-	-	-	-	-	-	-	-	1
	White-----	2	-	-	-	1	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	3	2	-	-	-	-	-	-	-	-	-	1
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	267	148	9	-	3	-	-	-	7	6	5	89
	Male-----	161	79	8	-	2	-	-	-	6	4	3	59
	Female-----	106	69	1	-	1	-	-	-	1	2	2	30
	White-----	116	54	5	-	2	-	-	-	6	4	3	42
	Female-----	78	47	1	-	1	-	-	-	1	2	2	24
	Nonwhite-----	45	25	3	-	-	-	-	-	-	-	-	17
	Female-----	28	22	-	-	-	-	-	-	-	-	-	6
E890-E895	Accidental poisoning by gases and vapors-----	1,526	884	28	7	121	23	129	71	4	131	128	128
	Male-----	1,106	607	25	5	105	18	91	54	4	103	94	94
	Female-----	420	277	3	2	16	5	38	17	-	28	34	34
	White-----	975	538	24	5	87	18	83	50	4	88	78	78
	Female-----	345	220	3	2	14	5	34	17	-	21	29	29
	Nonwhite-----	151	69	1	-	18	-	8	4	-	15	16	16
	Female-----	75	57	-	-	2	-	4	-	-	7	5	5
E890	Accidental poisoning by utility (illuminating) gas-----	330	265	2	1	1	6	3	16	4	20	12	12
	Male-----	218	163	2	-	1	5	2	12	4	18	11	11
	Female-----	112	102	-	1	-	1	1	4	-	2	1	1
	White-----	186	136	2	-	-	5	2	12	4	16	9	9
	Female-----	85	76	-	1	-	1	1	4	-	1	1	1
	Nonwhite-----	32	27	-	-	1	-	-	-	-	2	2	2
	Female-----	27	26	-	-	-	-	-	-	-	1	-	-
E891	Accidental poisoning by motor vehicle exhaust gas-----	743	361	17	2	77	6	116	43	-	85	36	36
	Male-----	565	282	14	1	62	3	80	35	-	60	28	28
	Female-----	178	79	3	1	15	3	36	8	-	25	8	8
	White-----	522	271	14	1	54	3	72	31	-	52	24	24
	Female-----	161	75	3	1	13	3	32	8	-	19	7	7
	Nonwhite-----	43	11	-	-	8	-	8	4	-	8	4	4
	Female-----	17	4	-	-	2	-	4	-	-	6	1	1

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965-Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Accidental poisoning by gases and vapors—Con.												
E892	Accidental poisoning by other carbon monoxide gas-----	311	198	4	3	10	11	7	10	-	15	53
	Male-----	215	123	4	3	10	10	6	7	-	14	38
	Female-----	96	75	-	-	-	1	1	3	-	1	15
	White-----	178	97	4	3	7	10	6	7	-	12	32
	Female-----	70	52	-	-	-	1	1	3	-	1	12
	Nonwhite-----	37	26	-	-	3	-	-	-	-	2	6
	Female-----	26	23	-	-	-	-	-	-	-	-	3
E893	Accidental poisoning by cyanide gas-----	2	1	-	-	1	-	-	-	-	-	-
	Male-----	2	1	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	1	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	
E894	Accidental poisoning by other specified gases and vapors-----	125	54	5	1	28	-	3	2	-	8	24
	Male-----	94	34	5	1	28	-	3	-	-	8	15
	Female-----	31	20	-	-	-	-	-	2	-	-	9
	White-----	80	30	4	1	23	-	3	-	-	7	12
	Female-----	26	16	-	-	-	-	-	2	-	-	8
	Nonwhite-----	14	4	1	-	5	-	-	-	-	1	3
	Female-----	5	4	-	-	-	-	-	-	-	-	1
E895	Accidental poisoning by unspecified gases and vapors-----	15	5	-	-	4	-	-	-	-	3	3
	Male-----	12	4	-	-	3	-	-	-	-	3	2
	Female-----	3	1	-	-	1	-	-	-	-	-	1
	White-----	7	3	-	-	2	-	-	-	-	1	1
	Female-----	3	1	-	-	1	-	-	-	-	-	1
	Nonwhite-----	5	1	-	-	1	-	-	-	-	2	1
	Female-----	-	-	-	-	-	-	-	-	-	-	
E900-E904	Accidental falls-----	19,984	10,127	148	21	572	116	1,023	654	3,310	604	3,409
	Male-----	9,972	4,540	137	21	565	89	780	506	1,296	505	1,533
	Female-----	10,012	5,587	11	-	7	27	243	148	2,014	99	1,876
	White-----	8,895	4,046	125	19	503	80	851	450	1,234	431	1,356
	Female-----	9,511	5,255	11	-	6	24	228	145	1,958	87	1,797
	Nonwhite-----	1,077	494	12	2	62	9	129	56	62	74	177
	Male-----	501	332	-	-	1	3	15	3	56	12	79
E900	Fall on stairs-----	2,143	1,757	2	-	8	3	9	176	63	56	69
	Male-----	1,299	1,031	2	-	7	2	6	138	29	40	44
	Female-----	844	726	-	-	1	1	3	38	34	16	25
	White-----	1,109	877	2	-	7	1	6	122	27	33	34
	Female-----	792	679	-	-	1	1	3	37	33	14	24
	Nonwhite-----	190	154	-	-	-	1	-	16	2	7	10
	Male-----	52	47	-	-	-	-	-	1	1	2	1
E901	Fall from ladders-----	354	207	13	-	48	5	5	27	1	30	18
	Male-----	330	185	13	-	48	5	4	27	1	30	17
	Female-----	24	22	-	-	-	-	1	-	-	-	1
	White-----	314	178	13	-	47	5	4	25	1	27	14
	Female-----	21	19	-	-	-	-	1	-	-	-	1
	Nonwhite-----	16	7	-	-	1	-	-	2	-	3	3
	Male-----	3	3	-	-	-	-	-	-	-	-	
E902	Other falls from one level to another-----	3,306	1,275	97	17	427	62	109	164	683	340	131
	Male-----	2,314	765	95	17	424	48	87	149	326	307	96
	Female-----	991	510	2	-	3	14	22	15	357	33	35
	White-----	1,964	611	85	15	377	44	71	126	303	256	76
	Female-----	873	429	2	-	2	12	18	15	342	24	29
	Nonwhite-----	350	154	10	2	47	4	16	23	23	51	20
	Male-----	118	81	-	-	1	2	4	-	15	9	6
E903	Fall on same level-----	5,758	3,086	16	-	32	30	769	156	1,423	91	135
	Male-----	2,541	1,156	10	-	30	20	567	109	505	64	80
	Female-----	3,197	1,930	6	-	2	10	202	47	918	27	55
	White-----	2,335	1,083	9	-	28	18	480	102	485	60	70
	Female-----	3,089	1,853	6	-	2	9	194	46	899	27	53
	Nonwhite-----	206	73	1	-	2	2	87	7	20	4	10
	Male-----	108	77	-	-	-	1	8	1	19	-	2
E904	Unspecified falls-----	8,444	3,802	20	4	57	16	131	131	1,140	87	3,056
	Male-----	3,488	1,403	17	4	56	14	116	83	435	64	1,296
	Female-----	4,956	2,399	3	-	1	2	15	48	705	23	1,760
	White-----	3,173	1,297	16	4	44	12	90	75	418	55	1,162
	Female-----	4,736	2,275	3	-	1	2	12	47	684	22	1,690
	Nonwhite-----	315	106	1	-	12	2	26	8	17	9	134
	Male-----	220	124	-	-	-	-	3	1	21	1	70
E910-E936	Other accidents-----	28,669	11,974	2,130	525	1,877	732	749	640	1,029	5,064	3,949
	Male-----	21,232	7,272	1,964	508	1,858	605	652	518	625	4,478	2,752
	Female-----	7,437	4,702	166	17	19	127	97	122	404	586	1,197
	White-----	16,765	5,485	1,717	457	1,523	503	531	444	526	3,545	2,036
	Female-----	5,451	3,313	132	10	18	121	79	104	350	479	845
	Nonwhite-----	4,467	1,789	247	51	335	102	121	74	99	933	716
	Male-----	1,986	1,389	34	7	1	6	18	18	54	107	352

See footnotes at end of table.



## SECTION 4 - ACCIDENT MORTALITY

4-9

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E910	Blow from falling or projected object or missile-----	1,493	509	133	191	459	29	56	48	9	198	61
	Male-----	1,414	264	126	189	456	24	81	46	8	191	59
	Female-----	79	45	7	2	3	5	5	2	1	7	2
	White-----	1,193	229	118	162	371	21	41	38	-	150	43
	Female-----	65	35	5	2	3	5	5	2	1	7	2
	Nonwhite-----	221	35	8	7	85	3	10	8	8	41	16
Female-----	14	12	2	-	-	-	-	-	-	-	-	
E911	Accident caused by vehicle-----	85	-	1	33	43	-	-	2	-	4	2
	Male-----	84	-	1	33	42	-	-	2	-	4	2
	Female-----	1	-	-	-	1	-	-	-	-	-	-
	White-----	72	-	1	32	33	-	-	2	-	2	2
	Female-----	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite-----	12	-	-	1	9	-	-	-	-	2	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E912	Accident caused by machinery-----	2,054	102	943	73	550	22	97	29	6	165	67
	Male-----	1,968	88	895	73	545	13	96	28	5	158	67
	Female-----	86	14	48	-	5	9	1	1	1	7	-
	White-----	1,763	78	836	72	455	12	85	25	4	142	54
	Female-----	82	13	45	-	5	9	1	1	1	7	-
	Nonwhite-----	205	10	59	1	90	1	11	3	1	16	13
Female-----	4	1	3	-	-	-	-	-	-	-	-	
E913	Accident caused by cutting and piercing instruments-----	136	76	8	-	4	1	5	10	3	7	22
	Male-----	110	60	5	-	4	1	5	8	2	6	19
	Female-----	26	16	3	-	-	-	-	2	1	1	3
	White-----	62	35	3	-	3	1	2	6	1	4	7
	Female-----	20	12	2	-	-	-	-	1	1	1	3
	Nonwhite-----	48	25	2	-	1	-	3	2	1	2	12
Female-----	6	4	1	-	-	-	-	1	-	-	-	
E914	Accident caused by electric current-----	1,071	293	86	21	227	15	108	44	8	186	83
	Male-----	998	235	85	21	226	15	104	41	7	185	79
	Female-----	73	58	1	-	1	-	4	3	1	1	4
	White-----	886	207	75	20	190	13	91	38	5	172	75
	Female-----	66	53	1	-	1	-	3	3	-	1	4
	Nonwhite-----	112	28	10	1	36	2	13	3	2	13	4
Female-----	7	5	-	-	-	-	1	-	1	-	-	
E915	Accident caused by explosion of pressure vessel-----	51	8	5	-	21	-	1	3	1	11	1
	Male-----	48	6	5	-	21	-	1	3	1	11	-
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	White-----	44	6	5	-	18	-	1	3	1	10	-
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite-----	4	-	-	-	3	-	-	-	-	1	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E916	Accident caused by fire and explosion of combustible material-----	7,347	6,042	102	35	234	10	38	205	150	189	342
	Male-----	4,383	3,558	89	35	231	9	33	156	112	155	205
	Female-----	2,964	2,684	13	-	3	1	5	49	38	34	137
	White-----	5,184	2,345	78	35	192	8	30	135	94	115	152
	Female-----	1,994	1,787	9	-	3	1	5	44	33	23	89
	Nonwhite-----	1,199	1,013	11	-	39	1	3	21	18	40	53
Female-----	970	897	4	-	-	-	5	5	5	11	48	
E917	Accident caused by hot substance, corrosive liquid, and steam-----	418	321	-	-	34	-	-	11	37	3	12
	Male-----	239	167	-	-	34	-	-	7	22	3	6
	Female-----	179	154	-	-	-	-	-	4	15	-	6
	White-----	165	108	-	-	23	-	-	6	20	3	5
	Female-----	123	106	-	-	-	-	-	3	10	-	4
	Nonwhite-----	74	59	-	-	11	-	-	1	2	-	1
Female-----	56	48	-	-	-	-	-	1	5	-	2	
E918	Accident caused by radiation-----	2	-	-	-	-	-	-	-	-	-	2
	Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	1	-	-	-	-	-	-	-	-	-	1
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E919	Accident caused by firearm-----	2,344	1,145	226	10	36	19	89	85	3	359	372
	Male-----	2,034	934	215	10	36	16	82	78	3	343	317
	Female-----	310	211	11	-	-	3	7	7	-	16	55
	White-----	1,641	758	197	9	33	14	58	58	1	298	225
	Female-----	211	144	10	-	-	3	3	3	-	13	35
	Nonwhite-----	593	176	18	1	3	2	24	20	2	55	92
Female-----	99	67	1	-	-	-	4	4	-	3	20	
E920	Foreign body entering eye and adnexa-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,507	646	4	1	-	9	12	92	358	33	352
	Male-----	897	371	1	-	-	6	10	65	210	24	210
	Female-----	610	275	3	1	-	3	2	27	148	9	142
	White-----	753	292	1	-	-	5	10	61	188	22	174
	Female-----	486	210	3	-	-	3	2	25	135	9	99
	Nonwhite-----	144	79	-	-	-	1	-	4	22	2	36
Female-----	124	65	-	1	-	-	-	2	13	-	43	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E922	Inhalation and ingestion of other object causing obstruction or suffocation	329	137	-	-	2	1	1	4	59	3	122
	Male	192	87	-	-	2	1	1	3	31	2	65
	Female	137	50	-	-	-	-	-	1	28	1	57
	White	153	69	-	-	-	1	-	3	25	1	54
	Female	97	31	-	-	-	-	-	1	22	1	42
	Nonwhite	39	18	-	-	2	-	1	-	6	1	11
	Female	40	19	-	-	-	-	-	-	6	-	15
E923	Foreign body entering other orifice	1,158	241	2	-	1	5	4	9	238	10	628
	Male	704	147	2	-	1	4	4	6	133	5	402
	Female	434	94	-	-	-	1	4	3	105	5	226
	White	530	100	2	-	1	3	3	6	109	4	302
	Female	336	70	-	-	-	1	3	3	87	5	170
	Nonwhite	174	47	-	-	-	1	1	-	24	1	100
	Female	98	24	-	-	-	-	-	-	18	-	56
E924	Accidental mechanical suffocation in bed and cradle	728	681	1	-	-	-	2	3	5	8	28
	Male	411	383	1	-	-	-	2	2	3	4	16
	Female	317	298	-	-	-	-	-	1	2	4	12
	White	282	263	-	-	-	-	1	2	2	4	10
	Female	190	180	-	-	-	-	-	1	2	2	5
	Nonwhite	129	120	1	-	-	-	1	-	1	-	6
	Female	127	118	-	-	-	-	-	-	-	2	7
E925	Accidental mechanical suffocation in other and unspecified circumstances	612	251	34	27	77	6	17	10	3	120	67
	Male	472	149	32	27	77	6	15	8	-	115	43
	Female	140	102	2	-	-	-	2	2	3	5	24
	White	378	109	29	25	59	6	14	5	-	105	26
	Female	91	66	2	-	-	-	2	2	3	2	14
	Nonwhite	94	40	3	2	18	-	1	3	-	10	17
	Female	49	36	-	-	-	-	-	-	-	3	10
E926	Lack of care of infants under 1 year of age	9	2	-	-	-	-	-	-	-	-	7
	Male	7	1	-	-	-	-	-	-	-	-	6
	Female	2	1	-	-	-	-	-	-	-	-	1
	White	3	1	-	-	-	-	-	-	-	-	2
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite	4	-	-	-	-	-	-	-	-	-	4
	Female	1	1	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects	54	22	6	-	1	2	-	-	-	7	16
	Male	35	12	4	-	1	1	-	-	-	7	10
	Female	19	10	2	-	-	1	-	-	-	-	6
	White	29	11	2	-	1	1	-	-	-	5	9
	Female	13	7	1	-	-	1	-	-	-	-	4
	Nonwhite	6	1	2	-	-	-	-	-	-	2	1
	Female	6	3	1	-	-	-	-	-	-	-	2
E928	Other accidents caused by animals	126	21	71	-	1	8	3	-	-	4	18
	Male	99	14	62	-	1	7	1	-	-	3	11
	Female	27	7	9	-	-	1	2	-	-	1	7
	White	89	14	60	-	-	5	1	-	-	1	8
	Female	23	6	9	-	-	1	2	-	-	-	5
	Nonwhite	10	-	2	-	1	2	-	-	-	2	3
	Female	4	1	-	-	-	-	-	-	-	1	2
E929	Accidental drowning	5,485	691	377	111	47	539	10	28	22	3,453	207
	Male	4,545	401	327	98	44	446	8	22	19	3,011	169
	Female	940	290	50	13	3	93	2	6	3	442	38
	White	3,518	350	218	61	36	364	6	20	15	2,329	119
	Female	807	267	38	7	3	87	2	5	1	364	33
	Nonwhite	1,027	51	109	37	8	82	2	2	4	682	50
	Female	133	23	12	6	-	6	-	1	2	78	5
E930	High and low air pressure	6	-	-	-	-	-	-	-	-	5	1
	Male	6	-	-	-	-	-	-	-	-	5	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	-	-	-	5	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	106	12	2	-	9	2	7	3	2	9	60
	Male	79	10	2	-	9	2	6	3	-	4	43
	Female	27	2	-	-	-	-	1	-	2	5	17
	White	48	7	1	-	3	2	6	1	2	3	25
	Female	19	1	-	-	-	-	1	-	-	4	11
	Nonwhite	31	3	1	-	6	-	-	2	-	1	18
	Female	8	1	-	-	-	-	-	-	-	1	6
E932	Excessive cold	298	57	22	-	8	3	27	2	3	90	86
	Male	234	36	18	-	6	1	23	2	2	76	70
	Female	64	21	4	-	2	2	4	-	1	14	16
	White	166	25	12	-	3	1	21	1	2	48	53
	Female	46	14	2	-	1	2	4	-	1	11	11
	Nonwhite	68	11	6	-	3	-	2	1	-	28	17
	Female	18	7	2	-	1	-	-	-	-	3	5

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-11

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1965—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E853	Runger, thirst, and exposure-----	197	13	7	-	4	2	3	-	2	44	122
	Male----	142	9	5	-	3	2	3	-	1	39	80
	Female----	55	4	2	-	1	-	-	-	1	5	42
	White-----	90	5	3	-	2	1	3	-	1	30	45
	Female----	38	4	-	-	1	-	-	-	1	3	29
	Nonwhite-----	52	4	2	-	1	1	-	-	-	9	35
	Male----	52	4	2	-	1	1	-	-	-	9	35
	Female----	17	-	2	-	-	-	-	-	-	2	13
E934	Cataclysm-----	431	230	13	-	4	-	93	5	4	50	32
	Male----	231	103	11	-	4	-	60	2	3	33	15
	Female----	200	127	2	-	-	-	33	3	1	17	17
	White-----	192	96	10	-	3	-	39	2	1	29	12
	Female----	176	120	2	-	-	-	22	3	1	15	13
	Nonwhite-----	39	7	1	-	1	-	21	-	2	4	3
	Male----	39	7	1	-	1	-	21	-	2	4	3
	Female----	24	7	-	-	-	-	11	-	-	2	4
E855	Lightning-----	149	32	44	-	6	16	5	4	-	35	7
	Male----	119	19	38	-	6	14	5	3	-	30	4
	Female----	30	13	6	-	-	2	-	1	-	5	3
	White-----	101	15	31	-	3	14	5	3	-	27	3
	Female----	19	11	-	-	-	2	-	-	-	5	1
	Nonwhite-----	18	4	7	-	3	-	-	-	-	3	1
	Male----	18	4	7	-	3	-	-	-	-	3	1
	Female----	11	2	6	-	-	-	-	1	-	-	2
E936	Other and unspecified accidents-----	2,493	642	43	23	109	43	171	43	116	71	1,232
	Male----	1,780	418	40	22	109	37	142	33	63	64	852
	Female----	713	224	3	1	-	6	29	10	53	7	380
	White-----	1,417	360	35	21	94	31	114	29	57	46	630
	Female----	543	176	3	1	-	6	27	7	49	6	268
	Nonwhite-----	363	58	5	1	15	6	28	4	6	18	222
	Male----	363	58	5	1	15	6	28	4	6	18	222
	Female----	170	48	-	-	-	-	2	3	4	1	112

<sup>1</sup>Including home premises and any noninstitutional place of residence.<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.



SECTION 4 - ACCIDENT MORTALITY

Vehicle Involved, Age, Race, and Sex: United States, 1965

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
6,573	3,707	2,903	2,946	3,039	2,845	2,747	2,580	2,337	2,091	1,986	1,601	946	343	73	15	2	22	1
5,282 1,291	3,000 707	2,235 668	2,203 743	2,207 832	2,030 815	1,942 905	1,783 797	1,567 770	1,338 753	1,272 714	1,025 576	655 291	233 110	47 26	10 5	1 1	13 9	2 3
4,723 1,150 482 121 77 20	2,528 595 404 93 68 19	1,894 570 303 80 58 18	1,870 647 295 104 59 21	1,876 711 505 104 26 17	1,757 718 246 89 27 8	1,675 718 241 73 26 14	1,547 742 210 49 26 6	1,367 700 181 62 19 8	1,187 689 131 54 20 10	1,165 675 96 38 11 1	971 558 41 16 13 2	614 282 58 8 3 1	221 105 10 5 2 -	42 25 4 1 1 -	6 5 2 - - -	1 1 - - - -	11 5 2 4 - -	4 5 6 7 8 9
279 264 15 220 11 39 2 5 2	274 250 14 228 10 27 2 5 2	278 254 24 217 20 32 1 5 2	311 296 15 259 12 32 1 5 2	333 312 21 269 16 41 2 5 2	305 281 24 245 24 32 - 4 3	288 269 19 243 18 23 - 3 2	246 222 14 194 22 25 - 2 1	218 204 13 183 10 21 3 3 1	126 113 13 105 13 5 - 3 -	101 84 17 75 16 8 1 1 -	95 78 13 46 12 6 - - -	60 47 5 15 2 1 - - -	23 18 5 15 5 3 - - -	4 3 1 2 1 - - - -	1 1 - 1 - - - - -	- 4 - 1 - - - - -	5 4 - 1 - - - - -	
611 482 128 428 116 40 7 13 6	379 295 84 260 73 29 10 6	328 238 90 210 86 25 3 3 1	315 232 83 206 77 24 4 2 2	344 240 104 214 89 23 12 3 3	306 210 96 188 91 16 5 6 2	322 223 99 203 92 17 5 3 1	307 192 115 175 105 17 9 - - -	263 167 96 149 89 7 6 1 1	209 129 80 121 71 7 8 1 1	200 125 75 79 74 4 1 - -	128 82 46 40 45 3 - - -	61 41 20 17 19 1 - - -	23 17 6 17 6 - - - -	4 2 2 2 2 - - -	1 - - - - - - - -	- 1 - 1 - - - - -	19 20 21 22 23 24 25 26 27	
2 1 1 1 - - - - -	2 2 - 2 - - - - -	- - - - - - - - -	6 4 1 3 2 1 - - -	2 1 1 1 - - - - -	2 1 - 1 - - - - -	7 7 - 6 - - - - -	2 2 - 2 - - - - -	2 2 - 2 - - - - -	3 2 - 2 - - - - -	- 2 - 2 - - - - -	- - - - - - - - -	- - - - - - - - -	- - - - - - - - -	- - - - - - - - -	- - - - - - - - -	- - - - - - - - -	- - - - - - - - -	28 29 30 31 32 33 34 35 36
39 38 1 35 1 3 1 -	25 20 5 17 5 3 1 -	14 10 4 9 3 1 - -	16 11 5 8 5 3 - -	18 16 2 16 2 - - -	13 10 3 9 3 - - -	20 12 8 12 8 - - -	7 7 - 6 - 1 - -	12 7 - 6 - 1 - -	10 8 2 7 - 1 - -	13 9 4 8 - 1 - -	5 2 3 2 - - - -	3 2 1 2 - - - -	1 1 - 1 - - - -	- - - - - - - -	- - - - - - - -	- - - - - - - -	- - - - - - - -	37 38 39 40 41 42 43 44 45
5,325 4,257 1,068 3,825 957 375 100 57 11	2,830 1,629 565 1,885 473 325 76 55 16	2,147 1,629 518 1,373 434 229 69 27 15	2,116 1,521 595 1,273 516 224 66 28 13	2,168 1,516 632 1,276 556 224 85 16 11	2,029 1,396 633 1,200 552 182 73 14 8	1,957 1,325 605 1,123 557 184 64 18 11	1,881 1,264 617 1,093 580 153 35 18 2	1,690 1,085 605 940 547 130 53 15 5	1,618 1,008 610 882 561 110 40 16 9	1,549 977 572 891 538 77 34 9 -	1,279 804 475 764 461 28 12 12 2	758 521 237 484 230 34 7 3 -	287 192 95 184 90 6 5 2 -	64 41 23 37 22 3 1 2 -	13 9 4 5 4 2 - - -	2 1 1 1 1 - - - -	15 8 7 6 3 2 4 5 3 2 1 -	46 47 48 49 50 51 52 53 54
22 17 5 16 5 1 - - -	10 8 2 7 1 - - - -	10 8 2 5 2 - - - -	10 6 4 5 2 1 - - -	11 6 5 8 4 1 - - -	16 10 6 3 2 2 - - -	9 6 3 4 5 2 - - -	11 6 5 3 2 2 - - -	8 5 3 3 2 2 - - -	8 5 3 2 3 3 - - -	8 5 3 3 2 2 - - -	6 3 3 1 3 2 - - -	2 2 - 2 - - - -	- - - - - - - -	- - - - - - - -	- - - - - - - -	- - - - - - - -	- - - - - - - -	55 56 57 58 59 60 61 62 63
64 38 26 36 21 2 5 -	37 36 1 30 1 6 - -	27 18 9 16 8 2 1 -	30 21 9 21 7 - - -	36 22 14 19 13 2 1 -	36 26 10 22 9 3 1 -	45 28 17 24 17 3 1 -	29 17 12 16 12 1 - -	31 21 10 18 10 3 - -	28 18 10 16 8 7 - -	27 19 8 19 7 - - -	18 12 6 12 6 1 - -	15 10 5 9 5 - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	64 65 66 67 68 69 70 71 72
3 2 1 1 1 - - -	3 3 - 2 - - -	3 3 - 2 - - -	4 3 1 1 1 - -	4 3 1 1 1 - -	19 13 6 10 4 3 - -	9 5 4 4 3 1 -	9 6 3 5 3 1 -	13 10 3 10 3 - -	8 6 6 5 5 - -	13 7 6 6 5 - -	11 4 7 3 7 - -	6 4 2 4 2 - -	4 2 2 2 - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	73 74 75 76 77 78 79 80 81
1 1 1 - - -	- - - - - -	1 - - - - -	- - - - - -	- - - - - -	- - - - - -	1 1 - - - -	- - - - - -	4 3 1 - - -	1 1 - - - -	- - - - - -	1 - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	82 83 84 85 86 87 88 89 90











SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

Type of motor vehicle involved, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
Motor vehicle nontraffic accidents (E830-E835)--Con.											
1	Motorbus and unspecified motor vehicle (.8)-----	1	-	-	-	-	-	-	-	-	-
2	Male----	1	-	-	-	-	-	-	-	-	-
3	Female--	-	-	-	-	-	-	-	-	-	-
4	White--Male----	1	-	-	-	-	-	-	-	-	-
5	Female--	-	-	-	-	-	-	-	-	-	-
6	Negro--Male----	-	-	-	-	-	-	-	-	-	-
7	Female--	-	-	-	-	-	-	-	-	-	-
8	Other--Male----	-	-	-	-	-	-	-	-	-	-
9	Female--	-	-	-	-	-	-	-	-	-	-
10	Unspecified motor vehicle (.9)-----	39	-	9	3	-	-	12	2	-	7
11	Male----	23	-	3	1	-	-	4	2	-	6
12	Female--	16	-	6	2	-	-	8	-	-	1
13	White--Male----	22	-	3	1	-	-	4	2	-	6
14	Female--	12	-	3	2	-	-	5	-	-	1
15	Negro--Male----	1	-	-	-	-	-	-	-	-	-
16	Female--	3	-	2	-	-	-	2	-	-	-
17	Other--Male----	-	-	-	-	-	-	-	-	-	-
18	Female--	1	-	1	-	-	-	1	-	-	-



SECTION 4 - ACCIDENT MORTALITY

Table 4.4. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the

Place of accident, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E870-E936)-----	52,289	2,942	1,214	947	706	572	6,381	1,795	1,695	2,436
2	Male----	33,469	1,677	723	576	443	354	3,773	1,194	1,358	2,136
3	Female----	18,820	1,265	491	371	263	218	2,608	601	337	300
4	White--Male----	27,501	1,160	520	432	332	258	2,702	910	1,046	1,733
5	Female----	16,101	789	318	251	164	148	1,670	398	244	235
6	Negro--Male----	5,503	492	185	138	100	92	1,007	265	292	386
7	Female----	2,559	453	166	116	88	67	890	196	83	57
8	Other--Male----	465	25	18	6	11	4	64	19	20	17
9	Female----	160	23	7	4	11	3	48	7	10	8
10	Home <sup>1</sup> (.0)-----	24,086	2,128	917	652	485	378	4,560	853	548	496
11	Male----	12,951	1,205	535	384	293	225	2,642	473	403	380
12	Female----	11,135	923	382	268	192	153	1,918	380	145	116
13	White--Male----	10,478	835	368	270	204	148	1,825	336	323	318
14	Female----	9,259	578	236	165	102	95	1,176	221	96	83
15	Negro--Male----	2,324	354	156	111	82	75	778	133	71	56
16	Female----	1,793	329	142	99	82	56	708	154	48	32
17	Other--Male----	149	16	11	3	7	2	39	4	9	6
18	Female----	83	16	4	4	8	2	34	5	1	1
19	Farm <sup>2</sup> (.1)-----	2,321	4	37	33	33	31	138	146	192	242
20	Male----	2,139	3	31	28	21	19	102	124	170	229
21	Female----	182	1	6	5	12	12	36	22	22	13
22	White--Male----	1,876	3	29	28	19	16	95	105	141	175
23	Female----	148	1	6	4	10	9	30	21	13	8
24	Negro--Male----	239	-	1	-	1	3	5	19	28	51
25	Female----	28	-	-	1	1	3	5	1	8	5
26	Other--Male----	24	-	1	-	1	-	2	-	1	3
27	Female----	6	-	-	-	-	-	1	-	1	-
28	Mine and quarry (.2)-----	554	-	1	1	2	1	5	16	31	54
29	Male----	535	-	1	1	1	1	4	10	28	51
30	Female----	19	-	-	-	1	-	1	6	3	3
31	White--Male----	482	-	1	1	-	-	3	6	18	43
32	Female----	12	-	-	-	1	-	1	3	1	2
33	Negro--Male----	48	-	-	-	-	1	4	10	8	8
34	Female----	7	-	-	-	-	-	3	2	1	1
35	Other--Male----	5	-	-	-	-	-	-	-	-	-
36	Female----	-	-	-	-	-	-	-	-	-	-
37	Industrial place and premises (.3)-----	2,582	-	-	1	3	3	7	29	24	121
38	Male----	2,535	-	-	1	1	2	4	25	24	117
39	Female----	47	-	-	-	2	1	3	4	-	4
40	White--Male----	2,120	-	-	1	1	2	4	20	17	107
41	Female----	42	-	-	-	2	1	3	4	-	3
42	Negro--Male----	388	-	-	-	-	-	-	5	7	9
43	Female----	4	-	-	-	-	-	-	-	-	1
44	Other--Male----	27	-	-	-	-	-	-	-	-	1
45	Female----	1	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)-----	875	2	9	17	18	24	70	134	134	170
47	Male----	714	2	7	10	12	16	47	104	102	156
48	Female----	161	-	2	7	6	8	23	30	32	14
49	White--Male----	603	2	6	9	12	12	41	84	81	133
50	Female----	152	-	2	7	6	7	22	28	30	13
51	Negro--Male----	102	-	1	-	-	4	5	17	20	23
52	Female----	6	-	-	-	-	1	1	1	2	1
53	Other--Male----	9	-	-	1	-	-	1	3	1	-
54	Female----	3	-	-	-	-	-	-	-	-	-
55	Street and highway (.5)-----	1,923	10	10	8	7	7	42	25	27	109
56	Male----	1,540	9	7	7	5	4	32	17	22	87
57	Female----	383	1	3	1	2	3	10	8	5	22
58	White--Male----	1,277	8	5	6	4	3	26	12	19	73
59	Female----	344	1	2	1	1	3	8	5	3	19
60	Negro--Male----	244	-	2	1	1	1	5	5	3	14
61	Female----	35	-	1	-	1	-	2	3	2	1
62	Other--Male----	19	1	-	-	-	-	1	-	-	-
63	Female----	4	-	-	-	-	-	-	-	-	2
64	Public building (.6)-----	1,421	9	4	4	6	4	27	24	31	74
65	Male----	1,116	4	2	3	4	4	17	14	22	65
66	Female----	305	5	2	1	2	-	10	10	9	9
67	White--Male----	980	4	2	3	4	4	17	12	19	54
68	Female----	282	5	2	1	2	-	10	7	7	9
69	Negro--Male----	117	-	-	-	-	-	-	2	2	11
70	Female----	19	-	-	-	-	-	-	2	-	-
71	Other--Male----	19	-	-	-	-	-	-	-	1	-
72	Female----	4	-	-	-	-	-	-	1	2	-
73	Resident institution (.7)-----	4,373	105	7	3	5	4	124	15	20	46
74	Male----	1,944	61	6	2	4	3	76	9	12	34
75	Female----	2,429	44	1	1	1	1	48	6	8	12
76	White--Male----	1,779	40	6	2	3	3	54	7	8	30
77	Female----	2,316	26	1	1	1	1	30	5	7	9
78	Negro--Male----	148	18	-	-	1	-	19	1	4	4
79	Female----	106	15	-	-	-	-	15	1	1	3
80	Other--Male----	17	3	-	-	-	-	3	1	-	-
81	Female----	7	3	-	-	-	-	3	-	-	-
82	Other specified places (.8)-----	5,843	41	74	118	87	84	404	429	572	882
83	Male----	5,117	22	55	82	59	62	280	338	479	817
84	Female----	726	19	19	36	28	22	124	91	93	65
85	White--Male----	4,085	19	49	76	53	55	252	263	353	652
86	Female----	599	11	18	33	25	19	106	74	73	55
87	Negro--Male----	912	3	1	4	5	5	18	68	120	159
88	Female----	99	6	1	3	3	2	15	17	14	7
89	Other--Male----	120	-	5	2	1	2	10	7	6	6
90	Female----	28	2	-	-	-	-	3	-	6	3
91	Place not specified (.9)-----	8,311	643	155	110	60	36	1,004	124	116	242
92	Male----	4,878	371	79	58	43	18	569	80	96	200
93	Female----	3,433	272	76	52	17	18	435	44	20	42
94	White--Male----	3,821	249	54	36	31	15	385	65	67	148
95	Female----	2,947	167	51	39	14	13	284	30	14	34
96	Negro--Male----	981	117	24	22	10	3	176	11	27	51
97	Female----	462	103	22	13	1	5	144	14	6	6
98	Other--Male----	76	5	1	-	2	-	8	4	2	1
99	Female----	24	2	3	-	2	-	7	-	-	2

<sup>1</sup>Including home premises and any noninstitutional place of residence.

<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1965

International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
1,966	1,658	1,669	1,989	2,325	2,600	2,756	2,605	2,622	2,573	3,158	3,803	4,332	3,581	1,765	467	66	45
1,699	1,411	1,343	1,581	1,792	1,965	2,115	1,990	1,907	1,699	1,800	1,828	1,772	1,290	619	134	27	36
269	247	326	408	533	635	641	615	715	874	1,358	1,975	2,560	2,291	1,146	333	39	9
1,372	1,096	1,027	1,185	1,371	1,572	1,758	1,667	1,641	1,477	1,622	1,697	1,656	1,215	584	121	24	25
211	192	242	300	406	543	543	542	583	748	1,226	1,878	2,450	2,225	1,111	315	31	8
294	282	287	368	392	364	334	301	239	199	165	117	100	60	28	10	2	11
50	50	78	101	115	88	87	71	127	124	127	93	104	61	32	16	8	1
33	35	29	28	29	29	23	22	27	23	13	14	16	15	7	3	1	-
8	5	6	7	12	4	11	2	5	2	5	4	6	5	3	2	-	8
486	416	517	655	844	1,021	1,094	1,122	1,140	1,268	1,671	2,035	2,331	1,854	891	235	38	13
344	293	325	411	511	619	680	727	696	738	848	901	916	844	309	66	15	10
142	123	192	242	333	402	414	395	444	530	823	1,134	1,415	1,210	582	169	23	3
287	218	240	298	374	487	559	592	606	624	751	839	846	597	280	59	13	6
107	100	145	191	258	341	355	348	352	446	732	1,059	1,340	1,168	561	160	17	3
50	68	83	104	135	127	116	128	85	104	90	56	65	41	24	5	1	4
35	22	45	48	67	60	54	45	90	83	87	71	72	38	20	8	6	-
7	7	2	9	2	5	5	7	5	10	7	6	5	6	5	2	1	-
-	1	2	3	8	1	5	2	2	1	4	4	3	4	1	1	-	-
137	85	89	109	125	149	161	177	152	163	115	80	39	16	5	-	-	1
129	78	86	103	116	139	153	167	146	159	112	73	36	12	4	-	-	1
8	8	3	6	9	10	8	10	6	4	3	7	3	4	1	-	-	1
110	65	68	87	102	129	141	154	135	150	104	66	34	11	4	-	-	-
6	5	3	5	8	9	7	10	5	4	3	7	2	2	-	-	-	-
15	12	16	15	12	10	10	13	10	9	7	6	-	-	-	-	-	1
-	2	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-
4	1	2	1	2	-	2	-	1	-	1	1	2	1	-	-	-	-
2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	47	41	62	60	58	68	35	22	5	5	2	1	-	-	-	-	-
42	45	41	61	60	58	68	34	21	5	4	2	1	-	-	-	-	-
-	2	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
37	42	39	56	55	64	33	20	5	4	2	-	-	-	-	-	-	-
-	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
5	2	1	4	5	2	4	1	1	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
236	266	231	282	258	293	304	256	192	61	19	13	7	1	1	-	-	-
231	264	229	259	256	285	298	255	187	61	19	11	7	1	1	-	-	1
5	2	2	3	2	8	6	1	5	-	-	2	-	-	-	-	-	-
197	227	192	207	202	241	247	214	156	52	17	10	7	1	1	-	-	1
5	1	2	2	1	7	6	1	5	-	-	2	-	-	-	-	-	-
32	34	34	51	49	41	47	38	29	9	2	1	-	-	-	-	-	-
-	2	3	1	3	3	4	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	5	-	-	3	2	-	-	-	-	-	-	-	-	-
63	34	27	27	26	34	29	16	32	22	20	9	-	-	-	-	-	-
53	29	22	24	21	30	24	14	26	18	15	22	6	5	1	-	-	-
10	5	5	3	5	4	5	4	6	4	5	2	6	2	1	-	-	-
41	21	20	20	20	28	22	13	23	16	14	18	3	3	-	-	-	-
8	4	5	3	5	4	4	2	6	4	5	2	3	2	1	-	-	-
10	7	2	4	1	2	2	1	3	2	1	1	3	3	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	112	90	118	130	145	136	128	131	117	146	147	117	58	20	6	1	-
104	101	79	113	112	124	116	110	109	85	106	102	71	32	12	4	1	1
13	11	11	5	18	21	20	18	22	32	40	45	46	26	8	2	-	-
82	81	56	81	81	100	94	93	97	75	97	98	65	30	12	4	1	-
12	11	10	3	10	18	17	16	20	29	37	45	26	8	2	-	-	-
22	17	20	29	30	23	21	17	11	8	7	4	5	2	-	-	-	-
1	1	1	2	8	2	2	2	2	1	3	-	-	-	-	-	-	1
-	3	3	3	1	1	1	1	2	2	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	62	65	78	122	108	91	119	132	102	110	84	64	30	13	5	1	-
66	53	49	64	102	94	81	101	106	77	78	56	38	19	10	3	1	1
12	9	16	14	20	14	10	18	26	25	32	28	26	11	3	2	1	-
56	46	40	49	85	78	72	91	94	72	75	53	36	18	10	2	-	-
11	6	14	13	14	14	10	15	25	25	32	28	25	11	3	2	1	-
9	6	8	15	14	15	8	8	9	3	3	2	2	-	-	1	-	-
1	2	2	1	6	-	-	3	1	1	2	1	1	-	-	-	-	-
1	1	1	-	3	1	1	2	3	-	-	1	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	28	38	52	63	69	92	102	177	227	400	627	849	842	459	105	8	-
21	22	31	32	43	39	57	61	109	127	200	258	325	302	158	23	4	1
8	6	7	20	20	30	35	41	68	100	200	269	324	301	82	4	-	-
12	20	24	25	30	28	49	55	95	120	190	243	313	296	154	21	4	1
7	5	6	16	15	26	33	40	61	91	189	363	508	293	79	4	-	-
9	2	7	7	13	10	7	6	12	6	10	12	10	3	4	2	-	-
1	1	1	3	5	4	2	1	9	11	11	6	3	4	2	-	-	-
-	-	-	-	-	1	1	1	2	1	3	5	2	10	7	3	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
537	356	337	307	333	331	349	249	222	173	120	97	76	39	10	3	-	-
503	330	310	287	307	302	312	228	194	154	98	80	51	29	2	2	-	17
34	26	27	20	26	29	37	21	28	19	22	17	25	10	8	1	-	14
398	256	236	215	240	263	187	163	132	79	74	44	25	1	1	-	-	

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States.....	49,163	3,955	4,767	31	223	37,507	170	526	189	11	1,784
Male.....	35,584	3,481	3,316	25	170	26,697	118	348	121	8	1,300
Female.....	13,579	474	1,451	6	53	10,810	52	178	68	3	484
White.....	31,144	3,027	3,006	21	185	25,300	92	317	89	7	1,131
Female.....	12,058	410	1,325	3	51	9,587	40	160	58	2	422
Nonwhite.....	4,440	454	311	4	15	3,397	26	31	32	1	169
Female.....	1,521	64	126	3	2	1,223	12	18	10	1	62
Alabama.....	1,237	99	149	2	-	970	5	4	2	-	7
Male.....	933	90	99	1	-	727	4	3	2	-	7
Female.....	304	9	49	1	-	243	1	-	-	-	-
White.....	698	67	86	1	-	535	1	2	1	-	5
Female.....	237	7	42	1	-	186	-	1	-	-	-
Nonwhite.....	235	23	13	-	-	192	3	1	1	-	2
Female.....	67	2	7	-	-	57	1	-	-	-	-
Alaska.....	57	12	7	-	-	36	2	-	-	-	-
Male.....	45	11	4	-	-	28	2	-	-	-	-
Female.....	12	1	3	-	-	8	-	-	-	-	-
White.....	32	7	3	-	-	22	-	-	-	-	-
Female.....	6	-	2	-	-	4	-	-	-	-	-
Nonwhite.....	13	4	1	-	-	6	2	-	-	-	-
Female.....	6	1	1	-	-	4	-	-	-	-	-
Arizona.....	498	47	32	-	-	381	-	6	2	-	28
Male.....	362	36	19	-	-	286	-	4	2	-	15
Female.....	136	11	13	-	-	95	-	4	-	-	13
White.....	296	28	17	-	-	234	-	3	1	-	13
Female.....	116	7	13	-	-	82	-	4	-	-	10
Nonwhite.....	66	8	2	-	-	52	-	1	1	-	2
Female.....	20	4	-	-	-	13	-	-	-	-	3
Arkansas.....	657	70	55	2	1	511	-	8	1	-	9
Male.....	472	59	38	2	1	358	-	4	1	-	9
Female.....	185	11	17	-	-	153	-	4	-	-	-
White.....	395	53	33	2	1	295	-	4	1	-	6
Female.....	166	8	17	-	-	137	-	4	-	-	-
Nonwhite.....	77	6	5	-	-	63	-	-	-	-	3
Female.....	19	3	-	-	-	16	-	-	-	-	-
California.....	4,952	314	429	2	53	3,398	10	85	24	4	643
Male.....	3,565	272	309	2	43	2,580	10	61	20	3	465
Female.....	1,387	42	120	-	10	1,008	-	24	4	1	178
White.....	3,263	250	285	2	39	2,162	8	57	16	3	421
Female.....	1,274	38	110	-	9	928	-	21	4	-	164
Nonwhite.....	302	22	24	-	4	198	2	4	4	-	44
Female.....	113	4	10	-	1	80	-	3	-	1	14
Colorado.....	532	48	54	-	-	424	-	2	2	-	2
Male.....	385	41	39	-	-	301	-	1	1	-	2
Female.....	147	7	15	-	-	123	-	1	1	-	-
White.....	372	40	39	-	-	289	-	1	1	-	2
Female.....	141	7	15	-	-	117	-	1	1	-	-
Nonwhite.....	13	1	-	-	-	12	-	-	-	-	-
Female.....	6	-	-	-	-	6	-	-	-	-	-
Connecticut.....	439	18	36	-	-	361	6	3	3	-	12
Male.....	331	16	25	-	-	270	4	3	2	-	11
Female.....	108	2	11	-	-	91	2	-	1	-	1
White.....	314	14	25	-	-	257	2	3	2	-	11
Female.....	101	2	10	-	-	86	2	-	-	-	1
Nonwhite.....	17	2	-	-	-	13	2	-	-	-	-
Female.....	7	1	-	-	-	5	-	-	1	-	-
Delaware.....	110	4	6	-	1	94	-	1	1	-	3
Male.....	87	4	6	-	1	73	-	-	1	-	2
Female.....	23	-	-	-	-	21	-	1	-	-	1
White.....	64	3	5	-	1	52	-	-	1	-	2
Female.....	17	-	-	-	-	17	-	-	-	-	-
Nonwhite.....	23	1	1	-	-	21	-	-	-	-	-
Female.....	6	-	-	-	-	4	-	1	-	-	1
District of Columbia.....	140	12	6	-	1	109	1	2	3	-	6
Male.....	89	10	6	-	1	67	-	1	3	-	1
Female.....	51	2	-	-	-	42	1	1	-	-	5
White.....	30	4	3	-	-	22	-	-	1	-	-
Female.....	19	-	-	-	-	16	-	1	-	-	2
Nonwhite.....	59	6	3	-	1	45	-	1	2	-	1
Female.....	32	2	-	-	-	26	1	-	-	-	3
Florida.....	1,660	129	157	6	9	1,157	8	51	9	2	132
Male.....	1,124	112	107	6	3	766	5	32	5	1	87
Female.....	536	17	50	-	6	391	3	19	4	1	45
White.....	900	87	98	5	3	601	5	31	4	1	65
Female.....	461	15	48	-	6	329	2	18	4	1	38
Nonwhite.....	224	25	9	1	-	165	-	1	1	-	22
Female.....	75	2	2	-	-	62	1	1	-	-	7

## SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,400	139	175	1	-	1,052	4	6	6	-	17
Male-----	1,014	119	123	1	-	747	4	3	2	-	15
Female-----	386	20	52	-	-	305	-	3	4	-	2
White-----	778	77	106	1	-	581	2	1	2	-	8
Female-----	313	14	46	-	-	248	-	1	3	-	1
Nonwhite-----	236	42	17	-	-	166	2	2	-	-	7
Female-----	73	6	6	-	-	57	-	2	1	-	1
Hawaii-----	94	5	9	-	-	78	-	-	1	-	1
Male-----	65	5	6	-	-	53	-	-	1	-	-
Female-----	29	-	3	-	-	25	-	-	-	-	1
White-----	19	1	2	-	-	15	-	-	1	-	-
Female-----	8	-	1	-	-	7	-	-	-	-	-
Nonwhite-----	46	4	4	-	-	38	-	-	-	-	-
Female-----	21	-	2	-	-	18	-	-	-	-	1
Idaho-----	235	17	21	-	-	192	2	-	1	-	2
Male-----	158	17	10	-	-	129	1	-	-	-	1
Female-----	77	-	11	-	-	63	1	-	1	-	1
White-----	150	16	10	-	-	122	1	-	-	-	1
Female-----	74	-	11	-	-	60	1	-	1	-	1
Nonwhite-----	8	1	-	-	-	7	-	-	-	-	-
Female-----	3	-	-	-	-	3	-	-	-	-	-
Illinois-----	2,311	154	201	-	13	1,839	14	17	14	-	59
Male-----	1,643	136	127	-	9	1,296	8	9	8	-	48
Female-----	668	16	74	-	4	543	6	8	6	-	11
White-----	1,494	125	120	-	8	1,179	7	8	3	-	44
Female-----	629	14	71	-	4	512	5	8	5	-	10
Nonwhite-----	149	13	7	-	1	117	1	1	5	-	4
Female-----	39	2	3	-	-	31	1	-	1	-	1
Indiana-----	1,531	112	198	1	12	1,099	4	43	6	1	55
Male-----	1,095	98	148	1	10	760	2	30	6	1	39
Female-----	436	14	50	-	2	339	2	13	-	-	16
White-----	1,029	94	142	1	8	713	2	28	5	1	35
Female-----	404	14	45	-	2	316	2	13	-	-	12
Nonwhite-----	66	4	6	-	2	47	2	2	1	-	4
Female-----	32	-	5	-	-	23	-	-	-	-	4
Iowa-----	813	84	102	-	12	579	4	9	3	-	20
Male-----	582	78	63	-	11	407	3	5	2	-	13
Female-----	231	6	39	-	1	172	1	4	1	-	7
White-----	577	78	62	-	11	403	3	5	2	-	13
Female-----	228	6	39	-	1	169	1	4	1	-	7
Nonwhite-----	5	-	1	-	-	4	-	-	-	-	-
Female-----	3	-	-	-	-	3	-	-	-	-	-
Kansas-----	677	70	72	-	-	530	-	1	-	-	4
Male-----	464	62	53	-	-	345	-	1	-	-	3
Female-----	213	8	19	-	-	185	-	-	-	-	1
White-----	442	61	52	-	-	326	-	-	-	-	3
Female-----	201	8	16	-	-	176	-	-	-	-	1
Nonwhite-----	22	1	1	-	-	19	-	1	-	-	-
Female-----	12	-	3	-	-	9	-	-	-	-	-
Kentucky-----	876	95	89	-	2	675	3	3	2	-	7
Male-----	668	88	64	-	2	502	2	3	1	-	6
Female-----	208	7	25	-	-	173	1	-	1	-	1
White-----	524	84	60	-	1	467	2	3	1	-	6
Female-----	185	7	23	-	-	153	1	-	-	-	1
Nonwhite-----	44	4	4	-	1	35	-	-	-	-	-
Female-----	23	-	2	-	-	20	-	-	1	-	-
Louisiana-----	1,071	74	86	1	12	805	3	40	5	2	43
Male-----	792	71	61	-	11	584	2	29	3	2	29
Female-----	279	3	25	1	1	221	1	11	2	-	14
White-----	541	47	52	-	8	397	1	24	1	1	20
Female-----	205	3	20	1	1	163	-	9	1	-	7
Nonwhite-----	251	24	9	-	3	197	1	5	2	1	9
Female-----	74	-	5	-	-	58	1	2	1	-	7
Maine-----	216	18	15	-	-	175	-	1	2	-	5
Male-----	142	16	10	-	-	111	-	1	1	-	3
Female-----	74	2	5	-	-	64	-	-	1	-	2
White-----	141	16	10	-	-	110	-	1	1	-	3
Female-----	74	2	5	-	-	64	-	-	1	-	2
Nonwhite-----	1	-	-	-	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	742	54	57	-	5	594	1	10	3	-	18
Male-----	561	45	36	-	3	455	1	7	3	-	11
Female-----	181	9	21	-	2	139	-	3	-	-	7
White-----	443	32	27	-	3	367	-	6	1	-	7
Female-----	146	6	10	-	2	116	-	3	-	-	7
Nonwhite-----	118	13	9	-	-	88	1	1	2	-	4
Female-----	35	1	11	-	-	23	-	-	-	-	-





## SECTION 4 - ACCIDENT MORTALITY

4-25

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1965-Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York-----	2,874	193	137	-	14	2,285	14	45	26	-	160
Male-----	2,040	153	97	-	6	1,611	8	34	17	-	114
Female-----	834	40	40	-	8	674	6	11	9	-	46
White-----	1,808	128	87	-	6	1,439	6	29	11	-	102
Female-----	738	37	35	-	8	595	4	7	8	-	44
Nonwhite-----	232	25	10	-	-	172	2	5	6	-	12
Female-----	96	3	5	-	-	79	2	4	1	-	2
North Carolina-----	1,636	150	148	1	1	1,314	6	-	3	-	13
Male-----	1,276	136	105	1	1	1,013	6	-	2	-	12
Female-----	360	14	43	-	-	301	-	-	1	-	1
White-----	917	92	88	-	1	722	5	-	2	-	7
Female-----	252	10	37	-	-	204	-	-	1	-	-
Nonwhite-----	359	44	17	1	-	291	1	-	-	-	5
Female-----	108	4	6	-	-	97	-	-	-	-	1
North Dakota-----	178	24	23	-	-	128	1	1	-	-	1
Male-----	136	20	16	-	-	98	1	-	-	-	1
Female-----	42	4	7	-	-	30	-	1	-	-	-
White-----	130	20	14	-	-	94	1	-	-	-	1
Female-----	39	4	5	-	-	29	-	1	-	-	-
Nonwhite-----	6	-	2	-	-	4	-	-	-	-	-
Female-----	3	-	2	-	-	1	-	-	-	-	-
Ohio-----	2,369	131	222	1	9	1,897	4	29	4	-	72
Male-----	1,685	125	145	1	8	1,332	3	16	2	-	53
Female-----	684	6	77	-	1	565	1	13	2	-	19
White-----	1,554	117	135	1	8	1,224	3	15	2	-	49
Female-----	642	5	73	-	1	531	1	13	2	-	16
Nonwhite-----	131	8	10	-	-	108	1	1	-	-	4
Female-----	42	1	4	-	-	34	-	-	-	-	3
Oklahoma-----	759	99	109	-	-	537	5	-	3	-	6
Male-----	510	85	70	-	-	344	3	-	3	-	5
Female-----	249	14	39	-	-	193	2	-	-	-	1
White-----	446	79	62	-	-	295	3	-	2	-	5
Female-----	216	9	33	-	-	172	1	-	-	-	1
Nonwhite-----	64	6	8	-	-	49	-	-	1	-	-
Female-----	33	5	6	-	-	21	1	-	-	-	-
Oregon-----	670	50	47	1	4	528	1	5	6	-	28
Male-----	466	40	34	1	4	363	1	3	2	-	16
Female-----	204	10	13	-	-	165	-	2	4	-	10
White-----	454	39	33	1	4	353	1	3	2	-	16
Female-----	201	10	13	-	-	163	-	2	3	-	10
Nonwhite-----	12	1	1	-	-	10	-	-	-	-	-
Female-----	3	-	-	-	-	2	-	-	1	-	-
Pennsylvania-----	2,288	178	197	-	18	1,783	8	25	9	-	70
Male-----	1,670	153	154	-	12	1,269	7	17	4	-	54
Female-----	618	25	43	-	6	514	1	8	5	-	16
White-----	1,555	147	145	-	12	1,178	6	17	2	-	48
Female-----	563	23	41	-	6	464	1	8	5	-	15
Nonwhite-----	115	6	9	-	-	91	1	2	2	-	6
Female-----	55	2	2	-	-	50	-	-	-	-	1
Rhode Island-----	115	6	7	-	-	100	-	2	-	-	-
Male-----	90	6	5	-	-	78	-	1	-	-	-
Female-----	25	-	2	-	-	22	-	1	-	-	-
White-----	88	4	5	-	-	78	-	1	-	-	-
Female-----	23	-	2	-	-	20	-	1	-	-	-
Nonwhite-----	2	2	-	-	-	-	-	-	-	-	-
Female-----	2	-	-	-	-	2	-	-	-	-	-
South Carolina-----	849	67	56	-	-	706	2	5	2	-	11
Male-----	641	61	34	-	-	531	1	5	2	-	7
Female-----	208	6	22	-	-	175	1	-	-	-	4
White-----	419	29	28	-	-	353	-	4	2	-	3
Female-----	156	5	20	-	-	130	1	-	-	-	4
Nonwhite-----	222	32	6	-	-	178	1	1	-	-	4
Female-----	52	1	2	-	-	45	-	-	-	-	4
South Dakota-----	252	35	56	-	-	157	1	-	-	-	3
Male-----	178	29	37	-	-	108	1	-	-	-	3
Female-----	74	6	19	-	-	49	-	-	-	-	-
White-----	150	26	31	-	-	90	1	-	-	-	2
Female-----	60	4	15	-	-	41	-	-	-	-	-
Nonwhite-----	28	3	6	-	-	18	-	-	-	-	1
Female-----	14	2	4	-	-	8	-	-	-	-	-
Tennessee-----	1,149	104	144	-	1	882	5	1	6	-	6
Male-----	850	98	92	-	1	645	4	-	4	-	6
Female-----	299	6	52	-	-	237	1	1	2	-	-
White-----	742	90	81	-	1	557	4	-	3	-	6
Female-----	271	5	50	-	-	213	1	1	1	-	-
Nonwhite-----	108	8	11	-	-	88	-	-	1	-	-
Female-----	28	1	2	-	-	24	-	-	1	-	-



## SECTION 4 - ACCIDENT MORTALITY

4-27

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States-----	52,289	24,086	2,321	554	2,582	875	1,923	1,421	4,373	5,843	8,311
Male-----	33,469	12,951	2,139	535	2,535	714	1,540	1,116	1,944	5,117	4,878
Female-----	18,820	11,135	182	19	47	161	383	305	2,429	726	3,433
White-----	27,501	10,478	1,876	482	2,120	603	1,277	980	1,779	4,085	3,821
Female-----	16,101	9,259	148	12	42	152	344	282	2,316	599	2,947
Nonwhite-----	5,968	2,473	263	53	415	111	263	136	165	1,032	1,057
Female-----	2,719	1,876	34	7	5	9	39	23	113	127	486
Alabama-----	1,057	507	63	12	65	11	29	17	40	101	212
Male-----	695	275	60	12	64	10	25	15	18	93	123
Female-----	362	232	3	-	1	1	4	2	22	8	89
White-----	443	167	51	8	42	9	15	13	17	51	70
Female-----	218	125	-	-	-	1	3	1	18	4	66
Nonwhite-----	252	108	9	4	22	1	10	2	1	42	53
Female-----	144	107	3	-	1	-	1	1	4	4	23
Alaska-----	125	42	-	3	10	1	8	2	2	47	10
Male-----	94	28	-	3	10	1	5	2	1	37	7
Female-----	31	14	-	-	-	-	3	-	1	10	3
White-----	50	15	-	-	8	-	5	2	1	15	4
Female-----	13	7	-	-	-	-	-	-	-	3	3
Nonwhite-----	44	13	-	3	2	1	-	-	-	22	3
Female-----	18	7	-	-	-	-	3	-	1	7	-
Arizona-----	461	187	17	11	26	16	10	11	17	81	85
Male-----	332	118	16	10	25	12	6	10	11	63	61
Female-----	129	69	1	1	1	4	4	1	6	18	24
White-----	255	95	11	9	22	8	5	9	11	41	44
Female-----	101	59	-	1	1	4	3	1	4	13	15
Nonwhite-----	77	23	5	1	3	4	1	1	-	22	17
Female-----	28	10	1	-	-	-	-	-	2	5	9
Arkansas-----	696	250	38	1	41	3	15	10	30	109	199
Male-----	476	159	34	1	41	3	15	9	16	98	121
Female-----	220	112	4	-	-	-	-	1	14	11	78
White-----	337	89	21	1	27	3	14	7	13	81	81
Female-----	143	58	2	-	-	-	-	1	13	9	60
Nonwhite-----	159	49	13	-	14	-	1	2	3	17	40
Female-----	77	54	2	-	-	-	-	1	2	2	18
California-----	4,484	2,282	92	14	177	110	216	146	584	502	361
Male-----	2,738	1,202	89	13	175	87	173	104	242	456	217
Female-----	1,746	1,080	3	1	2	23	43	42	342	66	144
White-----	2,484	1,078	85	13	160	76	147	102	230	396	197
Female-----	1,634	1,001	3	1	2	19	40	39	332	63	134
Nonwhite-----	254	124	4	-	15	11	26	2	12	40	20
Female-----	112	79	-	-	-	4	3	3	10	3	10
Colorado-----	598	208	31	31	37	10	24	29	64	72	92
Male-----	404	120	29	31	36	7	22	23	30	63	43
Female-----	194	88	2	-	1	3	2	6	34	9	49
White-----	384	113	29	31	36	6	22	20	30	60	37
Female-----	188	86	2	-	1	3	2	6	33	8	47
Nonwhite-----	20	7	-	-	-	1	-	3	-	3	6
Female-----	6	2	-	-	-	-	-	-	1	1	2
Connecticut-----	588	318	4	2	30	15	17	11	46	72	73
Male-----	373	175	4	2	30	15	14	7	21	62	43
Female-----	215	143	-	-	-	-	3	4	25	10	30
White-----	346	164	4	2	26	13	13	6	21	57	40
Female-----	203	134	-	-	-	-	3	4	25	10	27
Nonwhite-----	27	11	-	-	4	2	1	1	-	5	3
Female-----	12	9	-	-	-	-	-	-	-	-	3
Delaware-----	127	49	1	-	5	2	5	1	7	9	48
Male-----	79	32	1	-	5	1	4	-	2	8	26
Female-----	48	17	-	-	-	-	1	1	5	1	22
White-----	55	23	1	-	4	1	1	1	1	7	17
Female-----	39	10	-	-	1	1	1	1	5	1	20
Nonwhite-----	24	9	-	-	1	-	3	-	1	1	9
Female-----	9	7	-	-	-	-	-	-	-	-	2
District of Columbia-----	391	153	1	1	7	4	16	15	27	29	138
Male-----	256	91	1	1	7	4	13	12	11	23	93
Female-----	135	62	-	-	-	-	3	3	16	6	45
White-----	82	24	-	1	1	2	6	6	5	5	32
Female-----	62	24	-	-	-	-	3	2	14	-	19
Nonwhite-----	174	67	1	-	6	2	7	6	6	18	61
Female-----	73	38	-	-	-	-	-	1	2	6	26
Florida-----	1,613	712	38	23	71	56	43	60	118	299	193
Male-----	1,088	388	36	21	71	45	39	48	66	255	120
Female-----	525	324	2	2	-	11	5	12	52	44	73
White-----	776	280	22	13	55	35	24	41	57	159	90
Female-----	407	237	2	2	-	11	5	12	50	34	54
Nonwhite-----	312	108	14	8	16	10	14	7	9	96	30
Female-----	118	87	-	-	-	-	-	2	2	10	19

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965-Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,254	669	76	4	81	22	26	26	68	139	141
Male-----	822	356	69	4	80	22	22	25	33	125	86
Female-----	432	313	9	-	1	-	4	1	35	14	55
White-----	502	209	53	3	40	13	15	19	23	81	46
Female-----	265	188	5	-	1	-	2	1	28	7	33
Nonwhite-----	320	147	16	1	40	9	7	6	10	44	40
Female-----	167	125	4	-	-	-	2	-	7	7	22
Hawaii-----	131	61	3	-	7	6	2	7	10	23	10
Male-----	100	41	1	-	7	7	1	7	8	21	7
Female-----	31	20	2	-	-	1	1	-	2	2	3
White-----	36	16	-	-	1	2	1	1	2	10	3
Female-----	12	9	1	-	-	1	1	-	-	-	-
Nonwhite-----	64	25	1	-	6	5	-	6	6	11	4
Female-----	19	11	1	-	-	-	-	-	2	2	3
Idaho-----	296	84	21	9	17	10	16	1	8	48	84
Male-----	222	52	19	9	16	8	11	1	4	39	63
Female-----	76	32	2	-	1	2	5	-	4	9	21
White-----	208	51	19	9	15	7	10	1	4	34	58
Female-----	76	32	2	-	1	2	5	-	4	9	21
Nonwhite-----	14	1	-	-	1	1	1	-	-	5	5
Female-----	-	-	-	-	-	-	-	-	-	-	-
Illinois-----	2,424	1,070	102	23	179	31	118	99	146	267	369
Male-----	1,654	612	98	23	168	25	103	84	85	250	206
Female-----	770	458	4	-	11	6	15	15	61	37	163
White-----	1,349	473	96	18	132	25	83	71	80	197	174
Female-----	645	355	4	-	9	5	14	14	58	33	153
Nonwhite-----	305	139	2	5	36	-	20	13	5	53	32
Female-----	125	103	-	-	2	1	1	1	3	4	10
Indiana-----	1,296	645	72	5	70	24	52	32	78	110	209
Male-----	794	323	67	4	69	20	32	28	31	97	123
Female-----	502	322	5	1	1	4	20	4	47	13	85
White-----	728	291	66	4	65	19	29	25	27	86	116
Female-----	476	305	5	1	1	4	19	4	43	12	82
Nonwhite-----	66	32	1	-	4	1	3	3	4	11	7
Female-----	26	17	-	-	-	1	-	-	4	1	3
Iowa-----	847	309	115	5	42	15	18	43	92	75	133
Male-----	562	176	109	5	41	12	12	29	38	66	74
Female-----	285	133	6	-	1	3	6	14	54	9	59
White-----	556	175	109	4	41	12	12	29	38	64	74
Female-----	284	132	6	-	1	3	6	14	54	9	59
Nonwhite-----	4	1	-	1	-	-	-	-	-	2	-
Female-----	1	1	-	-	-	-	-	-	-	-	-
Kansas-----	590	210	55	10	30	10	14	19	66	68	106
Male-----	376	114	53	8	30	8	9	13	37	56	48
Female-----	214	96	2	2	-	2	5	6	31	12	58
White-----	359	106	53	6	30	7	8	13	36	53	47
Female-----	204	93	2	-	-	2	5	6	30	10	56
Nonwhite-----	17	6	-	2	-	1	1	-	1	3	1
Female-----	10	3	-	2	-	-	-	-	1	2	2
Kentucky-----	996	490	70	53	56	5	35	17	59	99	110
Male-----	657	254	66	53	56	4	26	11	29	91	63
Female-----	339	236	2	-	-	1	9	6	30	8	47
White-----	593	222	64	52	54	3	23	10	27	83	55
Female-----	313	219	2	-	-	1	8	6	29	5	43
Nonwhite-----	64	32	4	1	4	1	3	1	2	8	8
Female-----	26	17	-	-	-	1	1	-	1	3	4
Louisiana-----	1,210	474	41	3	82	20	65	20	55	193	257
Male-----	785	237	38	3	79	16	48	19	25	170	150
Female-----	425	237	3	-	3	4	17	1	30	23	107
White-----	439	134	17	3	56	5	19	12	16	102	75
Female-----	248	131	-	-	3	4	5	1	23	20	61
Nonwhite-----	346	103	21	-	23	11	29	7	9	68	75
Female-----	177	106	3	-	-	-	12	-	7	3	46
Maine-----	252	105	4	3	19	3	9	2	13	36	56
Male-----	166	65	4	2	18	2	5	2	3	35	32
Female-----	84	40	-	1	1	1	4	-	10	3	24
White-----	167	65	4	2	18	2	5	2	3	34	32
Female-----	84	40	-	1	1	1	4	-	10	3	24
Nonwhite-----	1	-	-	-	-	-	-	-	-	1	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	872	472	23	3	39	21	43	22	79	71	99
Male-----	582	276	21	3	39	19	36	18	35	65	70
Female-----	290	196	2	-	-	2	7	4	44	6	29
White-----	433	200	14	2	34	14	26	13	30	49	51
Female-----	214	136	2	-	-	2	5	2	42	4	21
Nonwhite-----	149	76	7	1	5	5	10	5	5	16	19
Female-----	76	60	-	-	-	-	2	2	2	2	8

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-29

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965-Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup> (.0)	Farm <sup>2</sup> (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Massachusetts-----	1,652	805	4	6	60	30	71	34	240	100	302
Male-----	835	346	4	6	58	24	49	23	89	90	146
Female-----	817	459	-	-	2	6	22	11	151	10	156
White-----	794	324	4	6	56	23	48	22	88	84	139
Male-----	796	446	-	-	2	6	22	11	147	10	152
Nonwhite-----	41	22	-	-	2	1	1	1	1	6	7
Male-----	21	13	-	-	-	-	-	-	4	-	4
Female-----											
Michigan-----	2,053	944	60	12	77	26	62	62	130	224	456
Male-----	1,257	524	56	11	75	20	47	46	54	200	224
Female-----	796	420	4	1	2	6	15	16	76	24	232
White-----	1,087	438	54	11	59	17	45	40	48	168	207
Male-----	730	371	4	1	2	6	14	16	72	21	223
Nonwhite-----	170	86	2	-	16	3	2	6	6	32	17
Male-----	66	49	-	-	-	1	1	-	4	3	9
Female-----											
Minnesota-----	961	412	100	6	28	9	34	30	114	112	116
Male-----	647	249	91	6	28	5	25	27	54	96	66
Female-----	314	163	9	-	-	4	9	3	60	16	50
White-----	627	236	91	6	27	5	25	26	54	94	63
Male-----	308	158	9	-	-	4	9	3	60	16	49
Nonwhite-----	20	13	-	-	1	-	-	1	-	2	3
Male-----	6	5	-	-	-	-	-	-	-	-	1
Female-----											
Mississippi-----	914	399	73	6	32	8	20	11	21	87	157
Male-----	554	222	65	4	32	8	15	9	17	78	104
Female-----	260	177	8	2	-	-	5	2	4	9	53
White-----	261	99	30	2	18	7	9	6	9	42	39
Male-----	117	67	2	-	-	-	3	1	4	5	35
Nonwhite-----	293	123	35	2	14	1	6	3	8	36	65
Male-----	143	110	6	2	-	-	2	1	-	4	18
Female-----											
Missouri-----	1,464	700	114	4	47	17	56	37	145	126	218
Male-----	902	361	103	4	47	13	47	30	58	109	130
Female-----	562	339	11	-	-	4	9	7	87	17	88
White-----	779	297	102	4	46	11	38	24	55	94	108
Male-----	487	286	11	-	-	4	9	7	79	15	76
Nonwhite-----	123	64	1	-	1	2	9	6	3	15	22
Male-----	75	53	-	-	-	-	-	-	8	2	12
Female-----											
Montana-----	261	71	24	11	19	1	11	5	14	50	55
Male-----	189	37	23	11	19	1	9	4	8	42	35
Female-----	72	34	1	-	-	-	2	1	6	8	20
White-----	177	33	22	11	19	1	8	4	8	37	34
Male-----	67	32	1	-	-	-	2	-	6	6	20
Nonwhite-----	12	4	1	-	-	-	1	-	-	5	1
Male-----	5	2	-	-	-	-	-	-	1	2	-
Female-----											
Nebraska-----	407	179	51	3	17	12	17	20	56	33	19
Male-----	264	102	49	3	16	7	12	12	25	29	9
Female-----	143	77	2	-	1	5	5	8	31	4	10
White-----	258	99	49	3	16	7	12	11	25	28	8
Male-----	140	75	2	-	1	5	5	8	30	4	10
Nonwhite-----	6	3	-	-	-	-	-	1	-	1	1
Male-----	3	2	-	-	-	-	-	-	-	-	-
Female-----											
Nevada-----	143	59	3	2	11	6	3	7	7	20	25
Male-----	100	33	3	1	11	4	2	5	5	18	18
Female-----	43	26	-	1	-	2	1	2	2	2	7
White-----	84	27	3	1	11	3	2	5	4	15	13
Male-----	39	24	1	-	-	2	-	2	2	1	7
Nonwhite-----	16	6	-	-	-	1	-	-	1	3	5
Male-----	4	2	-	-	-	1	-	-	-	1	-
Female-----											
New Hampshire-----	153	81	1	2	3	3	3	1	17	22	20
Male-----	99	45	1	2	3	3	3	-	9	22	11
Female-----	54	36	-	-	-	-	-	1	8	-	9
White-----	99	45	1	2	3	3	3	-	9	22	11
Male-----	54	36	-	-	-	-	-	1	8	-	9
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,475	825	17	-	73	25	64	48	114	143	166
Male-----	877	418	17	-	72	16	53	28	50	130	93
Female-----	598	407	-	-	1	9	11	20	64	13	73
White-----	700	326	13	-	62	11	37	28	47	107	69
Male-----	507	334	-	-	1	8	9	20	62	11	62
Nonwhite-----	177	92	4	-	10	5	16	-	3	23	24
Male-----	91	73	-	-	-	1	2	-	2	2	11
Female-----											
New Mexico-----	331	140	21	7	16	8	16	7	17	50	49
Male-----	230	75	17	7	16	5	15	6	10	43	36
Female-----	101	65	4	-	-	3	1	1	7	7	13
White-----	186	70	12	7	14	5	13	5	9	28	23
Male-----	89	61	1	-	-	3	1	-	7	5	10
Nonwhite-----	44	5	5	-	2	-	2	1	1	15	13
Male-----	13	4	3	-	-	-	-	1	2	2	3
Female-----											

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965-Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York-----	4,359	1,981	76	7	132	54	244	160	519	378	808
Male-----	2,625	982	67	7	130	45	184	125	215	333	537
Female-----	1,734	999	9	-	2	9	60	35	304	45	271
White-----	2,218	840	65	7	113	39	157	111	202	277	407
Male-----	1,554	898	9	-	2	8	59	33	295	34	226
Female-----	407	142	2	-	17	6	27	14	13	56	130
Nonwhite-----	180	111	-	-	-	1	1	2	9	11	45
North Carolina-----	1,408	682	92	6	65	19	26	19	59	183	257
Male-----	966	393	87	6	65	17	24	15	24	165	170
Female-----	442	289	5	-	-	2	2	4	35	18	87
White-----	614	243	52	3	44	13	20	8	18	107	106
Male-----	278	168	3	-	-	2	2	3	33	14	53
Female-----	352	150	35	3	21	4	4	7	6	58	64
Nonwhite-----	164	121	2	-	-	-	-	1	2	4	34
North Dakota-----	192	81	34	2	3	4	7	4	22	28	7
Male-----	147	58	31	2	3	4	6	4	11	24	4
Female-----	45	23	3	-	-	-	1	-	11	4	3
White-----	137	58	30	2	3	4	3	4	11	19	3
Male-----	43	23	3	-	-	-	1	-	11	3	2
Female-----	10	1	-	-	-	-	3	-	-	5	1
Nonwhite-----	2	-	-	-	-	-	-	-	-	1	1
Ohio-----	2,567	1,357	100	14	139	29	97	63	264	236	268
Male-----	1,561	702	85	14	137	28	83	53	123	201	135
Female-----	1,006	655	15	-	2	1	14	10	141	35	133
White-----	1,400	624	84	13	123	26	76	49	116	170	119
Male-----	913	582	15	-	2	14	8	8	137	30	124
Female-----	181	78	1	1	14	2	7	7	31	16	16
Nonwhite-----	95	73	-	-	-	-	-	2	4	5	9
Oklahoma-----	698	313	45	9	38	10	14	20	72	72	105
Male-----	465	277	39	9	38	10	14	19	47	65	67
Female-----	233	136	6	-	-	-	-	1	25	7	38
White-----	405	149	36	7	36	9	13	19	24	55	57
Male-----	208	119	4	-	-	-	-	1	45	5	34
Female-----	60	28	3	2	2	1	1	-	3	10	10
Nonwhite-----	25	17	2	-	-	-	-	-	-	2	4
Oregon-----	575	225	37	3	71	12	13	19	46	106	43
Male-----	414	131	32	3	69	9	11	18	21	89	31
Female-----	161	94	5	-	2	3	2	1	25	17	12
White-----	394	123	31	3	66	9	11	17	21	83	30
Male-----	155	88	5	-	2	3	2	2	25	17	12
Female-----	20	8	1	-	3	-	-	1	-	6	1
Nonwhite-----	6	6	-	-	-	-	-	-	-	-	-
Pennsylvania-----	2,987	1,357	81	54	145	48	114	61	210	254	663
Male-----	1,807	735	75	51	143	41	93	51	84	221	313
Female-----	1,180	622	6	3	2	7	21	10	126	33	350
White-----	1,595	637	70	49	125	37	85	48	79	198	265
Male-----	1,072	555	6	2	2	6	20	10	119	30	322
Female-----	214	98	5	2	18	4	8	3	5	23	49
Nonwhite-----	108	67	-	1	-	1	1	-	7	3	29
Rhode Island-----	230	118	1	-	9	3	8	9	44	17	21
Male-----	128	63	1	-	8	2	8	8	13	15	10
Female-----	102	55	-	-	1	1	-	1	31	2	11
White-----	117	57	1	-	7	1	8	7	13	14	9
Male-----	99	52	-	-	1	1	1	1	31	2	11
Female-----	11	6	-	-	1	1	-	1	-	1	1
Nonwhite-----	3	3	-	-	-	-	-	-	-	-	-
South Carolina-----	852	326	49	1	44	6	26	18	21	117	244
Male-----	567	169	46	1	43	4	23	14	9	103	155
Female-----	285	157	3	-	1	2	3	4	12	14	89
White-----	289	92	15	-	23	2	16	10	5	51	75
Male-----	150	82	-	-	1	2	2	2	9	8	44
Female-----	278	77	31	1	20	2	7	4	4	52	80
Nonwhite-----	135	75	3	-	-	-	1	2	3	6	45
South Dakota-----	236	92	37	8	5	3	11	1	14	23	42
Male-----	164	55	31	8	4	3	10	1	4	19	29
Female-----	72	37	6	-	1	-	1	-	10	4	13
White-----	140	43	30	8	3	3	10	-	4	14	25
Male-----	63	34	5	-	-	-	1	-	9	2	12
Female-----	24	12	1	-	1	-	-	1	-	5	4
Nonwhite-----	9	3	1	-	1	-	-	-	1	2	1
Tennessee-----	1,013	536	70	15	43	13	26	30	40	102	138
Male-----	659	283	64	15	42	10	24	20	21	84	96
Female-----	354	253	6	-	1	3	2	10	19	18	42
White-----	520	215	55	12	34	10	15	18	18	66	77
Male-----	282	200	5	-	1	3	2	9	18	14	30
Female-----	139	68	9	3	8	-	9	2	3	18	19
Nonwhite-----	72	53	1	-	-	-	-	1	1	4	12

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-31

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1965—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas-----	2,695	1,255	147	11	163	63	63	71	200	331	411
Male-----	1,815	701	134	10	162	50	57	56	93	298	254
Female-----	880	534	13	1	1	13	6	15	107	33	157
White-----	1,450	535	124	6	134	42	43	49	81	219	217
Female-----	752	439	11	1	1	12	6	14	102	29	137
Nonwhite-----	365	166	10	4	28	8	14	7	12	79	37
Female-----	128	95	2	-	-	1	-	1	5	4	20
Utah-----	271	115	17	18	19	2	5	8	26	43	18
Male-----	183	63	15	18	19	2	4	8	10	33	11
Female-----	88	52	2	-	-	-	1	-	16	10	7
White-----	175	61	15	17	19	2	4	8	10	30	9
Female-----	86	51	2	-	-	-	1	-	16	9	7
Nonwhite-----	8	2	-	1	-	-	-	-	-	3	2
Female-----	2	1	-	-	-	-	-	-	-	1	-
Vermont-----	138	64	5	-	9	3	5	1	13	18	20
Male-----	83	31	5	-	9	3	5	1	6	16	7
Female-----	55	33	-	-	-	-	-	-	7	2	13
White-----	83	31	5	-	9	3	5	1	6	16	7
Female-----	55	33	-	-	-	-	-	-	7	2	13
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	1,286	596	50	35	67	18	32	16	126	151	195
Male-----	830	323	46	33	66	15	26	10	55	134	122
Female-----	456	273	4	2	1	3	6	6	71	17	73
White-----	574	213	31	31	41	12	18	7	44	96	81
Female-----	352	204	4	-	4	3	4	3	61	14	58
Nonwhite-----	256	110	15	2	25	3	8	4	11	38	41
Female-----	104	69	-	2	1	-	2	2	10	3	15
Washington-----	910	377	27	1	72	15	35	26	75	162	120
Male-----	627	212	25	1	72	13	28	22	40	144	70
Female-----	283	165	2	-	-	2	7	4	35	18	50
White-----	583	197	23	1	68	12	28	20	37	130	67
Female-----	268	157	2	-	2	6	4	34	15	45	45
Nonwhite-----	44	15	2	-	4	1	1	2	3	14	3
Female-----	15	8	-	-	-	1	-	1	3	2	2
West Virginia-----	649	226	22	87	34	6	14	12	22	64	162
Male-----	455	122	21	87	34	6	9	10	12	59	95
Female-----	194	104	1	-	-	-	5	2	10	5	67
White-----	433	113	21	82	34	6	9	12	12	55	92
Female-----	182	93	1	-	-	-	5	2	10	5	66
Nonwhite-----	22	9	-	5	-	-	-	1	-	4	3
Female-----	12	11	-	-	-	-	-	-	-	-	1
Wisconsin-----	1,069	446	63	5	44	22	40	24	105	102	198
Male-----	672	238	79	4	41	16	29	20	47	89	109
Female-----	397	208	4	1	3	6	11	4	58	13	89
White-----	654	236	79	4	36	16	28	19	46	86	104
Female-----	387	201	4	1	3	6	11	3	57	13	88
Nonwhite-----	18	2	-	-	5	-	1	1	1	3	5
Female-----	10	7	-	-	-	-	-	1	1	-	1
Wyoming-----	130	47	11	3	4	3	5	7	9	17	24
Male-----	90	28	10	3	4	2	5	4	4	15	15
Female-----	40	19	1	-	-	1	-	3	5	2	9
White-----	86	27	9	3	4	2	5	3	4	15	14
Female-----	40	19	1	-	-	1	-	3	5	2	9
Nonwhite-----	4	1	1	-	-	-	-	1	-	-	1
Female-----	-	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Including home premises and any noninstitutional place of residence.<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

## *Section 5. Life Tables*

	Page
Explanation of the columns of the life table-----	5-2
Table	
5-1. Abridged life tables for total, male, and female population: United States, 1965-----	5-3
5-2. Abridged life tables by color and sex: United States, 1965-----	5-4
5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1965-----	5-5
5-4. Expectation of life at single years of age, by color and sex: United States, 1965-----	5-6
5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1965-----	5-7
5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-65-----	5-8



### Explanation of the Columns of the Life Table

**Column 1—Age interval ( $x$  to  $x + n$ ).**—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

**Column 2—Proportion dying ( ${}_nq_x$ ).**—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0093—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 9.3 will die before reaching their 25th birthday. In other words, the  ${}_nq_x$  values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

**Column 3—Number surviving ( $l_x$ ).**—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The  $l_x$  values are computed from the  ${}_nq_x$  values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 male babies born alive, 97,249 will complete the first year of life and enter the second; 96,858 will begin the sixth year; 95,715 will reach age 20; and 13,176 will live to age 85.

**Column 4—Number dying ( ${}_nd_x$ ).**—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,751 die in the first year of life, 391 in the succeeding 4 years, 885 in the 5-year period between exact ages 20 and 25, and 13,176 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

**Columns 5 and 6—Stationary population ( ${}_nL_x$  and  $T_x$ ).**—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that

population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 476,391. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 476,391 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,747,890 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,680,064.

**Column 7—Average remaining lifetime ( $e_x^0$ ).**—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 476,391 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,715 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,747,890) in column 6 is the total number of years lived after attaining age 20 by the 95,715 reaching that age. This number of years divided by the number of persons (4,747,890 divided by 95,715) gives 49.6 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing in table 5-2 that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among nonwhite; yet the average length of life remaining at age 65 is nearly the same for both groups.

## SECTION 5 - LIFE TABLES

5-3

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1965

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x + n$	$nq_x$	$l_x$	$n^d_x$	$n^l_x$	$T_x$	$e^o_x$
TOTAL						
0-1	0.0245	100,000	2,450	97,862	7,015,578	70.2
1-5	.0037	97,550	362	389,334	6,917,716	70.9
5-10	.0022	97,188	212	485,368	6,528,382	67.2
10-15	.0020	96,976	197	484,435	6,045,014	62.3
15-20	.0047	96,779	459	482,842	5,558,579	57.4
20-25	.0063	96,320	611	480,100	5,075,737	52.7
25-30	.0067	95,709	641	476,965	4,595,637	48.0
30-35	.0084	95,068	802	473,428	4,118,672	43.3
35-40	.0121	94,266	1,139	468,671	3,645,244	38.7
40-45	.0183	93,127	1,706	461,675	3,176,573	34.1
45-50	.0286	91,421	2,611	451,053	2,714,898	29.7
50-55	.0447	88,810	3,973	434,704	2,263,845	25.5
55-60	.0671	84,837	5,693	410,738	1,929,141	21.6
60-65	.0981	79,144	7,761	377,251	1,418,403	17.9
65-70	.1472	71,383	10,507	331,644	1,041,152	14.6
70-75	.2048	60,876	12,467	274,113	709,508	11.7
75-80	.2918	48,409	14,127	207,328	435,395	9.0
80-85	.4199	34,282	14,395	134,693	228,067	6.7
85 and over	1.0000	19,887	19,887	93,374	93,374	4.7
MALE						
0-1	0.0275	100,000	2,751	97,589	6,680,064	66.8
1-5	.0040	97,249	391	388,064	6,582,476	67.7
5-10	.0025	96,858	244	483,638	6,194,412	64.0
10-15	.0026	96,614	247	482,529	5,710,774	59.1
15-20	.0068	96,367	652	480,355	5,228,245	54.3
20-25	.0093	95,715	885	476,391	4,747,890	49.6
25-30	.0092	94,830	869	471,973	4,271,499	45.0
30-35	.0106	93,961	997	467,414	3,799,526	40.4
35-40	.0150	92,964	1,397	461,562	3,332,112	35.8
40-45	.0230	91,567	2,106	452,960	2,870,550	31.3
45-50	.0366	89,461	3,270	439,754	2,417,590	27.0
50-55	.0591	86,191	5,095	418,983	1,977,836	22.9
55-60	.0904	81,096	7,329	388,107	1,558,855	19.2
60-65	.1314	73,767	9,694	345,607	1,170,746	15.9
65-70	.1940	64,073	12,433	290,055	825,139	12.9
70-75	.2615	51,640	13,501	224,821	535,094	10.4
75-80	.3486	38,139	13,296	157,374	310,263	8.1
80-85	.4696	24,843	11,667	93,919	152,889	6.2
85 and over	1.0000	13,176	13,176	58,970	58,970	4.5
FEMALE						
0-1	0.0213	100,000	2,133	98,149	7,374,701	73.7
1-5	.0034	97,867	331	390,667	7,276,552	74.4
5-10	.0018	97,536	178	487,192	6,885,885	70.6
10-15	.0015	97,358	145	486,446	6,398,693	65.7
15-20	.0027	97,213	261	485,454	5,912,247	60.8
20-25	.0035	96,952	344	483,929	5,426,793	56.0
25-30	.0043	96,608	416	482,046	4,942,864	51.2
30-35	.0063	96,192	609	479,522	4,460,818	46.4
35-40	.0093	95,583	886	475,844	3,981,296	41.7
40-45	.0139	94,697	1,313	470,419	3,505,452	37.0
45-50	.0209	93,384	1,955	462,351	3,035,033	32.5
50-55	.0309	91,429	2,827	450,468	2,572,682	28.1
55-60	.0449	88,602	3,978	433,668	2,122,214	24.0
60-65	.0668	84,624	5,657	409,796	1,688,546	20.0
65-70	.1060	78,967	8,373	375,058	1,278,750	16.2
70-75	.1574	70,584	11,114	326,582	903,692	12.8
75-80	.2461	59,480	14,639	262,186	577,110	9.7
80-85	.3828	44,841	17,166	181,123	314,924	7.0
85 and over	1.0000	27,675	27,675	133,801	133,801	4.8

SECTION 5 - LIFE TABLES

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1965

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime	Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals				In the age interval	In this and all subsequent age intervals			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x + n$	$nq_x$	$l_x$	$n^d_x$	$n^L_x$	$T_x$	$e^o_x$	$x$ to $x + n$	$nq_x$	$l_x$	$n^d_x$	$n^L_x$	$T_x$	$e^o_x$
<b>TOTAL WHITE</b>							<b>TOTAL NONWHITE</b>						
0-1	0.0213	100,000	2,134	98,104	7,103,427	71.0	0-1	0.0401	100,000	4,014	96,661	6,414,385	64.1
1-5	.0033	97,966	318	390,713	7,005,323	71.6	1-5	.0061	95,986	588	382,478	6,317,724	65.8
5-10	.0020	97,548	197	487,210	6,614,610	67.8	5-10	.0031	95,398	297	476,177	5,935,246	62.2
10-15	.0019	97,351	188	486,332	6,127,400	62.9	10-15	.0027	95,101	252	474,933	5,459,069	57.4
15-20	.0045	97,163	441	484,798	5,641,068	58.1	15-20	.0062	94,849	585	472,935	4,984,136	52.5
20-25	.0058	96,722	563	482,216	5,156,270	53.3	20-25	.0102	94,264	961	469,045	4,511,203	47.9
25-30	.0057	96,159	544	479,443	4,674,054	48.6	25-30	.0143	93,503	1,332	463,325	4,042,158	43.3
30-35	.0070	95,615	668	476,483	4,194,611	43.9	30-35	.0191	91,971	1,753	455,688	3,578,833	38.9
35-40	.0101	94,947	962	472,500	3,718,128	39.2	35-40	.0274	90,218	2,469	445,272	3,123,145	34.6
40-45	.0159	93,985	1,499	466,469	3,245,628	34.5	40-45	.0382	87,749	3,351	430,766	2,677,873	30.5
45-50	.0259	92,486	2,395	456,902	2,779,159	30.0	45-50	.0525	84,398	4,428	411,544	2,247,105	26.6
50-55	.0414	90,091	3,734	441,690	2,322,257	25.8	50-55	.0746	79,970	5,969	385,661	1,835,561	23.0
55-60	.0632	86,357	5,456	418,943	1,880,567	21.8	55-60	.1053	74,001	7,794	351,214	1,449,880	19.6
60-65	.0929	80,901	7,520	386,686	1,461,624	18.1	60-65	.1478	66,207	9,784	307,082	1,088,668	16.6
65-70	.1402	73,381	10,289	342,254	1,074,938	14.6	65-70	.2270	56,423	12,909	250,400	791,574	14.0
70-75	.2018	63,092	12,732	284,668	732,684	11.6	70-75	.3290	43,614	14,424	191,788	541,174	12.4
75-80	.2926	50,360	14,737	215,647	448,016	8.9	75-80	.5210	33,190	9,327	142,389	349,386	10.5
80-85	.4274	35,623	15,224	139,280	232,369	6.5	80-85	.8258	23,863	7,773	99,426	206,997	8.7
85 and over	1.0000	20,399	20,399	93,089	93,089	4.6	85 and over	1.0000	16,090	16,090	107,571	107,571	6.7
<b>WHITE MALE</b>							<b>NONWHITE MALE</b>						
0-1	0.0242	100,000	2,419	97,843	6,763,085	67.6	0-1	0.0442	100,000	4,421	96,305	6,108,169	61.1
1-5	.0036	97,581	348	389,510	6,665,242	68.3	1-5	.0065	95,579	620	380,765	6,011,864	62.9
5-10	.0024	97,233	229	485,555	6,275,732	64.5	5-10	.0035	94,959	335	473,894	5,631,099	59.3
10-15	.0024	97,004	237	484,503	5,790,177	59.7	10-15	.0033	94,624	310	472,428	5,157,205	54.5
15-20	.0065	96,767	631	482,399	5,305,674	54.8	15-20	.0084	94,314	794	469,800	4,684,777	49.7
20-25	.0086	96,136	823	478,632	4,823,275	50.2	20-25	.0143	93,520	1,342	464,410	4,214,977	45.1
25-30	.0078	95,313	745	474,683	4,344,643	45.6	25-30	.0195	92,178	1,795	456,532	3,750,567	40.7
30-35	.0089	94,568	844	470,818	3,869,960	40.9	30-35	.0237	90,383	2,145	446,768	3,294,035	36.4
35-40	.0128	93,724	1,199	465,837	3,399,142	36.3	35-40	.0338	88,238	2,983	434,139	2,847,267	32.3
40-45	.0204	92,525	1,866	458,288	2,933,305	31.7	40-45	.0458	85,255	3,908	416,967	2,413,128	28.3
45-50	.0336	90,639	3,045	446,195	2,475,017	27.3	45-50	.0639	81,347	5,201	394,439	1,996,161	24.5
50-55	.0557	87,594	4,882	4,082,822	2,028,822	23.2	50-55	.0904	76,146	6,883	364,331	1,601,722	21.0
55-60	.0868	82,712	7,178	396,598	1,602,296	19.4	55-60	.1253	69,263	8,679	325,301	1,237,391	17.9
60-65	.1275	75,534	9,633	354,643	1,205,698	16.0	60-65	.1884	60,584	10,204	278,025	912,090	15.1
65-70	.1875	65,901	12,359	299,450	851,055	12.9	65-70	.2656	50,380	13,380	218,616	634,065	12.6
70-75	.2592	53,542	13,877	233,510	551,605	10.3	70-75	.4268	37,000	10,611	157,896	415,449	11.2
75-80	.3506	39,665	13,906	163,511	318,095	8.0	75-80	.6267	26,389	8,622	109,949	257,553	9.8
80-85	.4797	25,759	12,356	96,687	154,584	6.0	80-85	.8532	17,767	6,275	72,642	147,604	8.3
85 and over	1.0000	13,403	13,403	57,897	57,897	4.3	85 and over	1.0000	11,492	11,492	74,962	74,962	6.5
<b>WHITE FEMALE</b>							<b>NONWHITE FEMALE</b>						
0-1	0.0183	100,000	1,834	98,378	7,468,335	74.7	0-1	0.0360	100,000	3,595	97,028	6,736,261	67.4
1-5	.0029	98,166	287	391,978	7,369,957	75.1	1-5	.0058	96,405	556	384,238	6,639,233	68.9
5-10	.0017	97,879	164	488,948	6,977,979	71.3	5-10	.0027	95,849	260	478,518	6,254,995	65.3
10-15	.0014	97,715	137	488,250	6,489,031	66.4	10-15	.0020	95,589	194	477,490	5,776,477	60.4
15-20	.0025	97,578	244	487,313	6,000,761	61.5	15-20	.0039	95,395	376	476,128	5,298,987	55.5
20-25	.0032	97,334	308	485,918	5,513,468	56.6	20-25	.0063	95,019	596	473,699	4,822,859	50.8
25-30	.0035	97,026	343	484,305	5,027,550	51.8	25-30	.0097	94,423	912	469,976	4,349,160	46.1
30-35	.0051	96,683	490	482,260	4,543,245	47.0	30-35	.0150	93,511	1,401	464,261	3,879,184	41.5
35-40	.0075	96,193	725	479,278	4,060,985	42.2	35-40	.0219	92,110	2,020	455,804	3,414,923	37.1
40-45	.0117	95,468	1,117	474,750	3,581,707	37.5	40-45	.0314	90,090	2,828	443,716	2,959,119	32.8
45-50	.0185	94,351	1,745	467,690	3,106,957	32.9	45-50	.0421	87,262	3,670	427,663	2,515,403	28.8
50-55	.0277	92,606	2,561	456,988	2,639,267	28.5	50-55	.0601	83,592	5,027	406,071	2,087,740	25.0
55-60	.0407	90,045	3,661	441,671	2,182,279	24.2	55-60	.0863	78,565	6,776	376,566	1,681,669	21.4
60-65	.0607	86,384	5,245	419,666	1,740,608	20.1	60-65	.1277	71,789	9,170	336,417	1,305,103	18.2
65-70	.0988	81,139	8,015	386,885	1,320,942	16.3	65-70	.1913	62,619	11,978	283,576	968,686	15.5
70-75	.1540	73,124	11,263	339,016	934,057	12.8	70-75	.2973	50,641	9,990	228,352	685,110	13.5
75-80	.2464	61,861	15,241	272,734	595,041	9.6	75-80	.4409	40,651	9,791	178,781	456,758	11.2
80-85	.3888	46,620	18,124	187,629	322,307	6.9	80-85	.6320	30,860	9,320	130,653	277,977	9.0
85 and over	1.0000	28,496	28,496	134,678	134,678	4.7	85 and over	1.0000	21,540	21,540	147,324	147,324	6.8

## SECTION 5 - LIFE TABLES

5-5

Table 5-3. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1965

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,550	97,249	97,867	97,866	97,561	98,166	95,986	95,579	96,405
2	97,407	97,097	97,753	97,746	97,451	98,056	95,726	95,312	96,151
3	97,316	97,000	97,649	97,665	97,363	97,962	95,581	95,161	96,013
4	97,247	96,924	97,588	97,602	97,302	97,894	95,481	95,051	95,922
5	97,198	96,858	97,536	97,548	97,233	97,879	95,398	94,959	95,849
6	97,129	96,785	97,490	97,493	97,164	97,837	95,314	94,859	95,781
7	97,080	96,728	97,450	97,448	97,110	97,800	95,245	94,780	95,722
8	97,040	96,683	97,415	97,411	97,068	97,768	95,189	94,718	95,671
9	97,006	96,646	97,385	97,379	97,034	97,740	95,142	94,668	95,627
10	96,976	96,614	97,358	97,351	97,004	97,715	95,101	94,624	95,589
11	96,947	96,583	97,333	97,324	96,975	97,691	95,062	94,581	95,554
12	96,916	96,547	97,307	97,295	96,941	97,667	95,021	94,533	95,520
13	96,890	96,502	97,280	97,261	96,898	97,641	94,974	94,476	95,484
14	96,835	96,443	97,249	97,218	96,841	97,612	94,918	94,404	95,443
15	96,779	96,367	97,213	97,163	96,767	97,578	94,849	94,314	95,395
16	96,709	96,270	97,171	97,095	96,673	97,538	94,764	94,202	95,338
17	96,626	96,153	97,123	97,015	96,559	97,493	94,662	94,066	95,271
18	96,531	96,019	97,069	96,924	96,428	97,443	94,544	93,906	95,195
19	96,428	95,872	97,012	96,825	96,286	97,390	94,411	93,720	95,111
20	96,320	95,715	96,952	96,722	96,136	97,334	94,264	93,524	95,019
21	96,206	95,548	96,889	96,614	95,978	97,276	94,102	93,294	94,920
22	96,085	95,372	96,822	96,501	95,812	97,215	93,925	93,046	94,811
23	95,961	95,191	96,753	96,386	95,643	97,153	93,752	92,776	94,692
24	95,835	95,009	96,681	96,271	95,475	97,090	93,525	92,486	94,563
25	95,709	94,830	96,608	96,159	95,313	97,026	93,303	92,178	94,423
26	95,584	94,655	96,533	96,050	95,158	96,962	93,067	91,850	94,271
27	95,460	94,482	96,455	95,943	95,009	96,898	92,815	91,503	94,105
28	95,334	94,311	96,374	95,837	94,863	96,831	92,548	91,140	93,925
29	95,204	94,138	96,287	95,728	94,717	96,760	92,267	90,766	93,727
30	95,068	93,961	96,192	95,615	94,568	96,683	91,971	90,383	93,511
31	94,925	93,779	96,089	95,496	94,414	96,600	91,661	89,992	93,274
32	94,775	93,591	95,977	95,371	94,255	96,509	91,334	89,590	93,016
33	94,616	93,394	95,855	95,239	94,088	96,411	90,988	89,170	92,737
34	94,447	93,186	95,724	95,098	93,912	96,306	90,617	88,722	92,435
35	94,266	92,964	95,583	94,947	93,724	96,193	90,218	88,238	92,110
36	94,072	92,726	95,432	94,785	93,522	96,071	89,788	87,715	91,761
37	93,862	92,469	95,269	94,609	93,303	95,938	89,327	87,153	91,397
38	93,636	92,191	95,093	94,418	93,066	95,794	88,834	86,554	90,986
39	93,391	91,891	94,903	94,211	92,807	95,638	88,308	85,921	90,554
40	93,127	91,567	94,697	93,985	92,525	95,468	87,749	85,255	90,090
41	92,840	91,215	94,475	93,738	92,216	95,283	87,155	84,556	89,591
42	92,529	90,832	94,234	93,468	91,876	95,081	86,523	83,819	89,056
43	92,190	90,414	93,974	93,171	91,502	94,860	85,853	83,042	88,487
44	91,822	89,958	93,691	92,845	91,091	94,617	85,145	82,219	87,889
45	91,421	89,461	93,384	92,486	90,639	94,351	84,398	81,347	87,262
46	90,985	88,919	93,051	92,092	90,143	94,058	83,611	80,423	86,606
47	90,510	88,328	92,691	91,660	89,597	93,738	82,780	79,445	85,918
48	89,992	87,682	92,302	91,185	88,995	93,390	81,900	78,410	85,191
49	89,427	86,972	91,882	90,663	88,330	93,013	80,965	77,311	84,418
50	88,810	86,191	91,429	90,091	87,594	92,606	79,970	76,146	83,592
51	88,137	85,335	90,941	89,465	86,783	92,166	78,911	74,912	82,708
52	87,406	84,401	90,416	88,781	85,933	91,692	77,787	73,608	81,785
53	86,614	83,386	89,852	88,037	84,921	91,182	76,595	72,233	80,761
54	85,758	82,285	89,248	87,230	83,862	90,634	75,334	70,785	79,695
55	84,837	81,096	88,602	86,357	82,712	90,045	74,001	69,263	78,565
56	83,846	79,816	87,911	85,414	81,468	89,412	72,592	67,662	77,368
57	82,783	78,442	87,171	84,398	80,128	88,731	71,105	65,981	76,099
58	81,645	76,975	86,378	83,307	78,692	88,000	69,543	64,231	74,751
59	80,433	75,416	85,530	82,142	77,160	87,219	67,910	62,429	73,317
60	79,144	73,767	84,624	80,901	75,534	86,384	66,207	60,584	71,789
61	77,779	72,032	83,657	79,583	73,815	85,493	64,450	58,716	70,177
62	76,334	70,208	82,623	78,184	72,002	84,539	62,635	56,818	68,480
63	74,796	68,284	81,507	76,693	70,085	83,507	60,723	54,838	66,674
64	73,149	66,242	80,293	75,095	68,054	82,378	58,662	52,706	64,726
65	71,383	64,073	78,967	73,381	65,901	81,139	56,423	50,380	62,619
66	69,492	61,775	77,520	71,547	63,627	79,781	53,988	47,839	60,338
67	67,482	59,359	75,952	69,595	61,240	78,300	51,390	45,122	57,910
68	65,365	56,847	74,269	67,530	58,752	76,696	48,719	42,327	55,417
69	63,158	54,266	72,481	65,360	56,181	74,971	46,097	39,587	52,968
70	60,876	51,640	70,594	63,092	53,542	73,124	43,614	37,000	50,641
71	58,527	48,980	68,612	60,731	50,844	71,156	41,306	34,606	48,470
72	56,110	46,292	66,527	58,279	48,094	69,061	39,154	32,385	46,435
73	53,622	43,584	64,323	55,734	45,306	66,825	37,122	30,308	44,494
74	51,056	40,864	61,979	53,094	42,492	64,429	35,148	28,322	42,582
75	48,409	38,139	59,480	50,360	39,665	61,861	33,190	26,389	40,651
76	45,685	35,419	56,824	47,539	36,837	59,119	31,235	24,498	38,685
77	42,895	32,717	54,018	44,640	34,020	56,211	29,297	22,665	36,696
78	40,054	30,045	51,075	41,678	31,227	53,148	27,404	20,916	34,711
79	37,178	27,416	48,011	38,667	28,469	49,946	25,587	19,278	32,760
80	34,282	24,843	44,841	35,623	25,759	46,620	23,863	17,767	30,860
81	31,379	22,337	41,576	32,561	23,109	43,182	22,236	16,383	29,013
82	28,480	19,909	38,224	29,494	20,534	39,644	20,689	15,109	27,202
83	25,595	17,568	34,790	26,437	18,048	36,013	19,188	13,908	25,392
84	22,729	15,321	31,274	23,401	15,666	32,296	17,679	12,726	23,529
85	19,887	13,176	27,675	20,399	13,403	28,496	16,090	11,492	21,540

## SECTION 5 - LIFE TABLES

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1965

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1	70.9	67.7	74.4	71.6	68.3	75.1	65.8	62.9	68.9
2	70.0	66.8	73.5	70.7	67.4	74.2	65.0	62.1	68.0
3	69.1	65.9	72.5	69.7	66.5	73.2	64.1	61.2	67.1
4	68.1	64.9	71.6	68.8	65.5	72.3	63.2	60.2	66.2
5	67.2	64.0	70.6	67.8	64.5	71.3	62.2	59.3	65.3
6	66.2	63.0	69.6	66.8	63.6	70.3	61.3	58.4	64.3
7	65.2	62.0	68.7	65.9	62.6	69.3	60.3	57.4	63.3
8	64.3	61.1	67.7	64.9	61.7	68.4	59.3	56.4	62.4
9	63.3	60.1	66.7	63.9	60.7	67.4	58.4	55.5	61.4
10	62.3	59.1	65.7	62.9	59.7	66.4	57.4	54.5	60.4
11	61.3	58.1	64.7	62.0	58.7	65.4	56.4	53.5	59.5
12	60.4	57.1	63.8	61.0	57.7	64.4	55.5	52.6	58.5
13	59.4	56.2	62.8	60.0	56.8	63.5	54.5	51.6	57.5
14	58.4	55.2	61.8	59.0	55.8	62.5	53.5	50.6	56.5
15	57.4	54.3	60.8	58.1	54.8	61.5	52.5	49.7	55.5
16	56.5	53.3	59.8	57.1	53.9	60.5	51.6	48.7	54.6
17	55.5	52.4	58.9	56.1	52.9	59.5	50.6	47.8	53.6
18	54.6	51.4	57.9	55.2	52.0	58.6	49.7	46.9	52.7
19	53.6	50.5	56.9	54.3	51.1	57.6	48.8	46.0	51.7
20	52.7	49.6	56.0	53.3	50.2	56.6	47.9	45.1	50.8
21	51.8	48.7	55.0	52.4	49.3	55.7	46.9	44.2	49.8
22	50.8	47.8	54.0	51.4	48.3	54.7	46.0	43.3	48.9
23	49.9	46.9	53.1	50.5	47.4	53.7	45.1	42.4	47.9
24	49.0	46.0	52.1	49.6	46.5	52.8	44.2	41.6	47.0
25	48.0	45.0	51.2	48.6	45.6	51.8	43.3	40.7	46.1
26	47.1	44.1	50.2	47.7	44.7	50.9	42.4	39.8	45.1
27	46.1	43.2	49.2	46.7	43.7	49.9	41.5	39.0	44.2
28	45.2	42.3	48.3	45.8	42.8	48.9	40.7	38.1	43.3
29	44.3	41.4	47.3	44.8	41.9	48.0	39.8	37.3	42.4
30	43.3	40.4	46.4	43.9	40.9	47.0	38.9	36.4	41.5
31	42.4	39.5	45.4	42.9	40.0	46.0	38.0	35.6	40.6
32	41.5	38.6	44.5	42.0	39.1	45.1	37.2	34.8	39.7
33	40.5	37.7	43.5	41.0	38.1	44.1	36.3	33.9	38.8
34	39.6	36.8	42.6	40.1	37.2	43.2	35.5	33.1	37.9
35	38.7	35.8	41.7	39.2	36.3	42.2	34.6	32.3	37.1
36	37.7	34.9	40.7	38.2	35.3	41.3	33.8	31.5	36.2
37	36.8	34.0	39.8	37.3	34.4	40.3	33.0	30.7	35.4
38	35.9	33.1	38.9	36.4	33.5	39.4	32.1	29.9	34.5
39	35.0	32.2	37.9	35.4	32.6	38.4	31.3	29.1	33.7
40	34.1	31.3	37.0	34.5	31.7	37.5	30.5	28.3	32.8
41	33.2	30.5	36.1	33.6	30.8	36.6	29.7	27.5	32.0
42	32.3	29.6	35.2	32.7	29.9	35.7	28.9	26.8	31.2
43	31.4	28.7	34.3	31.8	29.0	34.7	28.2	26.0	30.4
44	30.6	27.9	33.4	30.9	28.2	33.8	27.4	25.3	29.6
45	29.7	27.0	32.5	30.0	27.3	32.9	26.6	24.5	28.8
46	28.8	26.2	31.6	29.2	26.5	32.0	25.9	23.8	28.0
47	28.0	25.4	30.7	28.3	25.6	31.1	25.1	23.0	27.3
48	27.1	24.5	29.9	27.5	24.8	30.3	24.4	22.4	26.5
49	26.3	23.7	29.0	26.6	24.0	29.4	23.7	21.7	25.7
50	25.5	22.9	28.1	25.8	23.2	28.5	23.0	21.0	25.0
51	24.7	22.2	27.3	25.0	22.4	27.6	22.3	20.4	24.2
52	23.9	21.4	26.4	24.1	21.6	26.8	21.6	19.7	23.5
53	23.1	20.7	25.6	23.3	20.8	25.9	20.9	19.1	22.8
54	22.3	19.9	24.8	22.6	20.1	25.1	20.2	18.5	22.1
55	21.6	19.2	24.0	21.8	19.4	24.2	19.6	17.9	21.4
56	20.8	18.5	23.1	21.0	18.7	23.4	19.0	17.3	20.7
57	20.1	17.8	22.3	20.3	18.0	22.6	18.3	16.7	20.1
58	19.3	17.2	21.5	19.5	17.3	21.8	17.8	16.1	19.4
59	18.6	16.5	20.7	18.8	16.6	21.0	17.2	15.6	18.8
60	17.9	15.9	20.0	18.1	16.0	20.1	16.6	15.1	18.2
61	17.2	15.2	19.2	17.4	15.3	19.4	16.0	14.5	17.6
62	16.5	14.6	18.4	16.7	14.7	18.6	15.5	14.0	17.0
63	15.9	14.0	17.7	16.0	14.1	17.8	15.0	13.5	16.5
64	15.2	13.4	16.9	15.3	13.5	17.0	14.5	13.0	15.9
65	14.6	12.9	16.2	14.6	12.9	16.3	14.0	12.6	15.5
66	14.0	12.3	15.5	14.0	12.4	15.5	13.6	12.2	15.0
67	13.4	11.8	14.8	13.4	11.8	14.8	13.3	11.9	14.6
68	12.8	11.3	14.1	12.8	11.3	14.1	13.0	11.7	14.3
69	12.2	10.8	13.5	12.2	10.8	13.4	12.7	11.5	13.9
70	11.7	10.4	12.8	11.6	10.3	12.8	12.4	11.2	13.5
71	11.1	9.9	12.2	11.0	9.8	12.1	12.1	11.0	13.1
72	10.6	9.4	11.5	10.5	9.4	11.5	11.7	10.7	12.7
73	10.0	9.0	10.9	9.9	8.9	10.8	11.3	10.4	12.2
74	9.5	8.6	10.3	9.4	8.5	10.2	10.9	10.1	11.7
75	9.0	8.1	9.7	8.9	8.0	9.6	10.5	9.8	11.2
76	8.5	7.7	9.1	8.4	7.6	9.0	10.2	9.5	10.8
77	8.0	7.3	8.6	7.9	7.2	8.5	9.8	9.2	10.3
78	7.6	6.9	8.1	7.4	6.8	7.9	9.4	8.9	9.9
79	7.1	6.5	7.5	7.0	6.4	7.4	9.1	8.6	9.5
80	6.7	6.2	7.0	6.5	6.0	6.9	8.7	8.3	9.0
81	6.2	5.8	6.6	6.1	5.6	6.4	8.3	8.0	8.6
82	5.8	5.4	6.1	5.7	5.3	6.0	7.9	7.6	8.1
83	5.4	5.1	5.6	5.3	4.9	5.5	7.4	7.2	7.6
84	5.0	4.8	5.2	4.9	4.6	5.1	7.0	6.8	7.2
85	4.7	4.5	4.8	4.6	4.3	4.7	6.7	6.5	6.8

SECTION 5 - LIFE TABLES

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1965

[Alaska and Hawaii included for 1959 and 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhite cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population]

Age, color, and sex	Number of survivors out of 100,000 born alive (L <sub>x</sub> )								Average number of years of life remaining (e <sub>x</sub> )									
	1965	1964	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1965	1964	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
<b>WHITE MALE</b>																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.6	67.7	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1-----	97,581	97,553	97,408	96,931	95,188	93,768	91,975	87,674	86,655	68.3	68.4	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5-----	97,233	97,194	97,015	96,403	94,150	91,738	88,842	82,972	80,864	64.5	64.6	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10-----	97,004	96,959	96,758	96,069	93,601	90,810	87,530	81,519	79,109	59.7	59.8	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15-----	96,767	96,719	96,503	95,728	93,089	90,074	86,546	80,549	78,037	54.8	54.9	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20-----	96,136	96,099	95,908	95,104	92,293	88,904	84,997	79,116	76,376	50.2	50.2	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25-----	95,313	95,280	95,106	94,294	91,241	87,371	83,061	77,047	73,907	45.6	45.6	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30-----	94,568	94,543	94,401	93,489	90,092	85,707	80,888	74,810	71,219	40.9	41.0	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35-----	93,724	93,684	93,589	92,543	88,713	83,812	78,441	72,108	68,245	36.3	36.3	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40-----	92,525	92,492	92,427	91,173	86,880	81,457	75,733	69,848	64,954	31.7	31.8	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45-----	90,639	90,598	90,533	89,002	84,285	78,345	72,696	65,115	61,369	27.3	27.4	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50-----	87,594	87,535	87,424	85,601	80,521	74,288	69,107	60,741	57,274	23.2	23.2	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55-----	82,712	82,712	82,463	80,496	75,156	68,981	64,574	55,622	52,491	19.4	19.4	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60-----	75,534	75,578	75,485	73,172	67,787	61,933	58,498	48,987	46,452	16.0	16.0	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65-----	65,901	66,009	65,834	63,541	58,305	52,964	50,663	40,862	39,245	12.9	13.0	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70-----	53,542	53,686	53,825	51,735	46,739	41,880	40,873	31,527	30,640	10.3	10.4	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75-----	39,665	39,934	40,207	38,104	33,404	29,471	29,205	21,387	21,387	8.0	8.1	7.92	7.77	7.17	7.02	7.30	6.75	6.94
80-----	25,759	26,054	25,993	24,005	19,860	17,221	17,655	12,160	12,266	6.0	6.0	5.89	5.88	5.38	5.26	5.47	5.09	5.10
85-----	13,403	13,549	13,065	12,015	9,013	7,572	8,154	5,145	5,252	4.3	4.4	4.34	4.35	4.02	3.99	4.06	3.88	3.81
<b>NONWHITE MALE</b>																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.1	61.1	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1-----	95,579	95,429	95,301	94,911	91,696	88,268	84,999	78,065	74,674	62.9	63.1	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5-----	94,959	94,765	94,570	93,921	89,920	86,412	82,195	75,589	72,385	59.3	59.5	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10-----	94,624	94,430	94,234	93,453	89,211	85,311	80,768	74,370	71,370	54.5	54.7	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15-----	94,314	94,090	93,874	92,965	88,417	84,152	79,362	72,478	69,667	49.7	49.9	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20-----	93,520	93,334	93,108	91,941	86,770	82,621	77,057	71,426	68,733	45.1	45.3	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25-----	92,178	92,026	91,825	90,285	84,055	79,516	74,540	67,326	64,574	40.7	40.9	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30-----	90,383	90,330	90,270	89,327	83,065	78,083	73,344	66,073	63,466	36.4	36.4	36.37	35.31	32.25	29.45	32.51	27.33	29.25
35-----	88,238	88,178	88,331	85,940	77,185	72,049	67,873	61,865	59,541	32.3	32.4	32.81	31.21	28.67	26.39	29.44	24.42	26.16
40-----	85,255	85,236	85,744	82,832	72,830	67,710	63,353	56,414	54,989	28.3	28.5	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45-----	81,347	81,343	82,075	78,686	67,514	62,432	58,589	50,563	48,289	24.5	24.7	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50-----	76,146	76,292	77,239	72,891	60,766	57,748	53,880	45,427	43,766	21.0	21.2	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55-----	69,263	69,380	70,351	65,122	52,867	49,436	46,581	39,754	39,987	17.9	18.0	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60-----	60,584	60,802	61,669	55,535	44,370	36,790	34,506	27,750	27,194	15.1	15.2	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65-----	50,390	50,341	51,392	45,198	35,912	29,514	27,042	17,808	19,015	12.6	12.8	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70-----	37,000	37,422	39,914	35,018	27,688	21,741	20,923	13,295	13,829	11.2	11.4	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75-----	26,389	27,027	29,064	25,472	18,654	14,419	13,854	7,494	8,292	9.8	9.8	9.83	9.83	9.09	6.99	7.61	6.58	6.60
80-----	17,767	18,440	19,994	16,904	12,352	8,239	11,615	3,894	4,831	8.3	8.2	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85-----	11,492	11,931	11,620	9,898	6,492	3,660	5,605	1,747	2,030	6.5	6.3	5.08	5.38	5.08	4.30	4.53	4.48	4.04
<b>WHITE FEMALE</b>																		
0-----	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.7	74.6	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1-----	98,166	98,138	98,036	97,645	96,211	95,037	93,608	89,774	88,939	75.1	75.0	74.68	72.77	68.93	64.93	61.51	58.69	56.39
5-----	97,879	97,842	97,709	97,199	95,309	93,216	90,721	85,349	83,426	71.3	71.3	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10-----	97,715	97,672	97,525	96,960	94,890	92,466	89,564	83,979	81,723	66.4	66.4	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15-----	97,578	97,531	97,375	96,756	94,534	91,894	88,712	83,093	80,680	61.5	61.5	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20-----	97,334	97,282	97,135	96,454	93,984	90,939	87,281	81,750	78,978	56.6	56.6	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25-----	97,028	96,972	96,844	96,072	93,228	89,524	85,163	79,865	76,588	51.8	51.8	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30-----	96,683	96,631	96,499	95,605	92,200	87,972	82,740	77,676	73,887	47.0	47.0	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35-----	96,193	96,135	96,026	94,977	91,211	86,248	80,206	75,200	70,971	42.2	42.2	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40-----	95,468	95,409	95,326	94,080	89,805	84,256	77,624	72,425	67,935	37.5	37.5	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45-----	94,351	94,299	94,228	92,725	87,920	81,780	74,871	69,341	64,677	32.9	32.9	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50-----	92,606	92,586	92,522	90,685	85,267	78,572	71,547	65,629	61,005	28.5	28.5	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55-----	90,045	90,022	89,967	87,699	81,520	74,321	67,323	61,053	56,509	24.2	24.2	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60-----	86,384	86,359	86,339	83,279	76,200	68,462	61,704	54,900	50,752	20.1	20.1	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65-----	81,139	81,075	80,739	76,773	68,701	60,499	54,299	47,086	43,806	16.3	16.3	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70-----	73,124	73,003	72,507	67,545	58,363	49,932	44,638	37,482	35,206	12.8	12.8	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75-----	61,861	61,634	60,461	54,397	44,685	37,024	32,777	26,569	25,362	9.6	9.6	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80-----	46,620	46,440	44,676	38,026	28,882	23,053	20,492	15,929	15,349	6.9	6.9	6.67	6.59	5.88	5.63	5.70	5.35	5.50

SECTION 5 - LIFE TABLES

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-65

[Estimates based on life table values shown in table 5-5]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1965-----	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964-----	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 <sup>1</sup> -----	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 <sup>1</sup> -----	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961-----	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960-----	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959-----	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958-----	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957-----	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956-----	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955-----	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954-----	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953-----	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952-----	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951-----	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950-----	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949-----	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948-----	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947-----	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946-----	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945-----	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944-----	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943-----	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942-----	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941-----	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940-----	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939-----	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938-----	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937-----	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936-----	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935-----	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934-----	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933-----	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932-----	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931-----	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930-----	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929-----	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928-----	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927-----	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926-----	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925-----	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924-----	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923-----	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922-----	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921-----	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920-----	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919-----	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918-----	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917-----	50.9	46.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916-----	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915-----	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914-----	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913-----	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912-----	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911-----	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910-----	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909-----	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908-----	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907-----	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906-----	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905-----	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904-----	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903-----	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902-----	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901-----	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900-----	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

## *Section 6. Technical Appendix*

	Page		Page
Sources of data-----	6-3	Maternal deaths -----	6-10
Death and fetal-death statistics-----	6-3	Cause of death-----	6-11
Standard certificates -----	6-3		
		Quality of data -----	6-13
History-----	6-3	Completeness of registration-----	6-13
		Massachusetts data -----	6-13
Classification of data -----	6-6	Quality control procedures-----	6-14
Classification by occurrence and residence -----	6-6	Computation of rates-----	6-14
Geographic classification -----	6-6	Population bases-----	6-14
Age -----	6-7	Age-adjusted death rates -----	6-15
Race and color-----	6-7		
Fetal deaths-----	6-8	Symbols used in tables -----	6-15

### Figure

6-A. Standard Certificate of Death-----	6-4
6-B. Standard Certificate of Fetal Death -----	6-5

### Table

6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1965 -----	6-15
6-2. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1965 -----	6-16
6-3. Provisional estimates of the total resident population of the United States, each division and State, Puerto Rico, and Virgin Islands: July 1, 1965 -----	6-16
6-4. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1965-----	6-17
6-5. Revised estimates of the total resident population of the United States, by age, color, and sex: July 1, 1951-59---	6-18
6-6. Revised estimates of the total resident population of the United States, each division and State: July 1, 1951-59 --	6-21



## SECTION 6. TECHNICAL APPENDIX

### SOURCES OF DATA

#### Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, the District of Columbia, and Puerto Rico. The Virgin Islands sends transcripts rather than filmed copies of the certificates. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960. Tabulations for Puerto Rico and the Virgin Islands are shown separately in Section 8, Part B, Volume II, *Vital Statistics of the United States, 1965*.

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians which occur outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are limited to deaths registered in these areas.

#### Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This

revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the Standard Certificate of Death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death. The current standard certificates of death and fetal death are shown in figures 6-A and 6-B.

### HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States

the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population

coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and

FIGURE 6-A

CERTIFICATE OF DEATH												
BIRTH NO.			STATE OF			STATE FILE NO.			Form approved. Budget Bureau No. 68-R375.2			
1. PLACE OF DEATH a. COUNTY						2. USUAL RESIDENCE (Where deceased lived. If institution: Residence before admission) a. STATE						
b. CITY, TOWN, OR LOCATION				c. LENGTH OF STAY IN 1b		c. CITY, TOWN, OR LOCATION						
d. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)						d. STREET ADDRESS						
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>				e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>			f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>					
3. NAME OF DECEASED (Type or print) First Middle Last						4. DATE OF DEATH Month Day Year						
5. SEX		6. COLOR OR RACE		7. MARRIED <input type="checkbox"/> NEVER MARRIED <input type="checkbox"/> WIDOWED <input type="checkbox"/> DIVORCED <input type="checkbox"/>		8. DATE OF BIRTH		9. AGE (In years last birthday)		IF UNDER 1 YEAR Months Days Hours Min.		
10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)				10b. KIND OF BUSINESS OR INDUSTRY		11. BIRTHPLACE (State or foreign country)			12. CITIZEN OF WHAT COUNTRY?			
13. FATHER'S NAME						14. MOTHER'S MAIDEN NAME						
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (Yes, no, or unknown) (If yes, give war or dates of service)				16. SOCIAL SECURITY NO.		17. INFORMANT Address						
18. CAUSE OF DEATH [Enter only one cause per line for (a), (b), and (c).] PART I. DEATH WAS CAUSED BY: IMMEDIATE CAUSE (a) _____  Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. } DUE TO (b) _____ DUE TO (c) _____ PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)										INTERVAL BETWEEN ONSET AND DEATH		
20a. ACCIDENT <input type="checkbox"/> SUICIDE <input type="checkbox"/> HOMICIDE <input type="checkbox"/>			20b. DESCRIBE HOW INJURY OCCURRED. (Enter nature of injury in Part I or Part II of item 18.)									
20c. TIME OF INJURY Hour Month, Day, Year a. m. p. m.												
20d. INJURY OCCURRED WHILE AT WORK <input type="checkbox"/> NOT WHILE AT WORK <input type="checkbox"/>			20e. PLACE OF INJURY (e. g., in or about home, farm, factory, street, office bldg., etc.)			20f. CITY, TOWN, OR LOCATION			COUNTY		STATE	
21. I attended the deceased from _____, to _____ and last saw her him alive on _____ Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.												
22a. SIGNATURE (Degree or title)						22b. ADDRESS			22c. DATE SIGNED			
23a. BURIAL, CREMATION, REMOVAL (Specify)			23b. DATE		23c. NAME OF CEMETERY OR CREMATORY			23d. LOCATION (City, town, or county) (State)				
24. FUNERAL DIRECTOR ADDRESS				25. DATE RECD. BY LOCAL REG.		26. REGISTRAR'S SIGNATURE						

1956 REVISION OF STANDARD CERTIFICATE

GPO: 1954 O - 11174

DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE  
MEDICAL CERTIFICATION

the estimated midyear population of those States included in the registration system. The registration area included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for

the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as

FIGURE 6-B

STATE OF		STATE FILE NO.		
1. PLACE OF DELIVERY a. COUNTY		2. USUAL RESIDENCE OF MOTHER (Where does mother live?) a. STATE		
b. CITY, TOWN, OR LOCATION		b. COUNTY		
c. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)		c. CITY, TOWN, OR LOCATION		
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		d. STREET ADDRESS		
		e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		
		f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>		
3. NAME OF FETUS (If given)		4. SEX OF FETUS MALE <input type="checkbox"/> FEMALE <input type="checkbox"/> UNDETERMINED <input type="checkbox"/>		
5a. THIS DELIVERY SINGLE <input type="checkbox"/> TWIN <input type="checkbox"/> TRIPLET <input type="checkbox"/>		5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST <input type="checkbox"/> 2D <input type="checkbox"/> 3D <input type="checkbox"/>		
		6. DATE OF DELIVERY (Month) (Day) (Year)		
FATHER	7. NAME First Middle Last			8. COLOR OR RACE
	9. AGE (At time of delivery) YEARS	10. BIRTHPLACE (State or foreign country)	11a. USUAL OCCUPATION	11b. KIND OF BUSINESS OR INDUSTRY
MOTHER	12. MAIDEN NAME First Middle Last			13. COLOR OR RACE
	14. AGE (At time of delivery) YEARS	15. BIRTHPLACE (State or foreign country)	16. PREVIOUS DELIVERIES TO MOTHER (Do NOT include this fetus) a. How many children are now living? b. How many children were born alive but are now dead? c. How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)?	
17. INFORMANT				
18a. LENGTH OF PREGNANCY COMPLETED WEEKS		18b. WEIGHT OF FETUS LB. OZ.		19. LEGITIMATE YES <input type="checkbox"/> NO <input type="checkbox"/>
				20. WHEN DID FETUS DIE? BEFORE LABOR <input type="checkbox"/> DURING LABOR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>
				21. WAS AUTOPSY PERFORMED? YES <input type="checkbox"/> NO <input type="checkbox"/>
CAUSE OF FETAL DEATH	22. PART I. FETAL DEATH WAS CAUSED BY: (Enter only one cause per line for (a), (b), and (c))			
	Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).			
	IMMEDIATE CAUSE (a) _____			
Fetal and/or maternal conditions, if any, GIVING RISE TO THE ABOVE CAUSE (a) stating THE UNDERLYING CAUSE LAST.				
DUE TO (b) _____				
DUE TO (c) _____				
PART II. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have CONTRIBUTED to fetal death, but, in so far as is known, were not related to cause given in PART I (a).				
I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.		23a. ATTENDANT'S SIGNATURE (Specify if M. D., D. O., midwife, or other)		23b. DATE SIGNED
		23c. ATTENDANT'S ADDRESS		24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE
		If not attended by physician		
25a. BURIAL, CREMATION, REMOVAL (Specify)	25b. DATE	25c. NAME OF CEMETERY OR CREMATORY	25d. LOCATION (City, town, or county) (State)	
26. FUNERAL DIRECTOR ADDRESS		DATE REC'D BY LOCAL REG.	REGISTRAR'S SIGNATURE	

<sup>1</sup> Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

the original registration States or the registration States of 1920.

## CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 4, "Deaths Occurring in 1965, Coding and Punching Instructions," and Part 3, "Live Births and Fetal Deaths Occurring in 1965, Coding and Punching Instructions." The classification of certain important items is discussed on the following pages.

### Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

The tabulations by place of occurrence and by place of residence are identical for the total United States because deaths and fetal deaths of United States residents occurring outside the country and of foreign residents occurring in the country are not reallocated to the country of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, all deaths occurring within the United States are allocated to the usual place of residence of the decedent as reported on the death certificate except as noted below.

In 1964 and 1965, deaths of nonresident aliens occurring in the 50 States and the District of Columbia were allocated as deaths to residents of the balance of the county in which they occurred. For 1963 and earlier years, deaths of nonresident aliens were treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. No evaluation of the effect of this change has been made.

The same change in the rule for assigning residence of nonresident aliens was made for deaths of residents of Puerto Rico and the Virgin Islands which occurred in the 50 States and the District of Columbia, that is, such deaths were allocated to the balance of the county in which they occurred.

**Residence error.**—A nationwide test of birth registration completeness in 1950 provided measures of residence error for natality statistics. Comparable measures

are not available for deaths. However, many of the qualifications of residence data noted in the birth registration test apply to mortality statistics.

The 1950 test indicates that for the country as a whole, errors in residence reporting result in a significant overstatement of births to residents of urban places and a corresponding understatement for residents of other areas. This situation has assumed special importance because of a concomitant development, the increased utilization of hospitals in cities by residents of nearby places.

With respect to this latter type of error, the amount of movement of hospitalization from place of residence to place of occurrence is smaller for deaths than for births. (See table 1-19 in Section 1 of this volume and table 1-34 in Section 1 of Volume I.) Therefore the error may be assumed to be less for deaths than for births.

### Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1965 was the same as that for 1964 and is given in an instruction manual entitled "Geographic Codes, 1964."

**Standard metropolitan statistical areas.**—The standard metropolitan statistical areas (SMSA's) used in this report are those established by the U.S. Bureau of the Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.<sup>1</sup>

In New England the Bureau of the Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.<sup>2</sup>

**Standard consolidated areas.**—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet

<sup>1</sup>For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961.

<sup>2</sup>For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 1.

the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.<sup>3</sup>

*Metropolitan and nonmetropolitan counties.*—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

*Population size groups (formerly "urban" and "rural" areas).*—Vital statistics data for cities and certain other urban places in 1965 are classified according to the population enumerated in the 1960 Census of Population. In this report population-size groups refer to two groups, "Urban places" and "Balance of area." "Urban places" consist of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 each incorporated city and other urban place of 10,000 or more inhabitants was identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." For 1964 and 1965, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural" for 1964 and 1965.

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be identified from the vital records. The differences between the urban and rural distribution of the population according to the Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

## Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of

the Census is also based on the age of the person in completed years.

## Race and color

Deaths in the United States for 1965 are classified for vital statistics as follows: "white"; Negro; American Indian, Aleut, and Eskimo; Chinese; Japanese; Hawaiian and Part-Hawaiian; and "other nonwhite." The category "white" includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with any other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other nonwhite.

*Race not stated.*—For 1965 the number of death records for which the race was not stated was 2,741 or 0.1 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment was made to white; if the code was other than white, the assignment was made to Negro. For years prior to 1964, all records with race not stated were assigned to white, except for records for residents of New Jersey for 1962-64.

*New Jersey, 1962-64.*—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned, randomly within each local area, to white or Negro on the assumption that the distribution of not stated events by race was the same as that of those with race stated.

*Changes in race coding and classification.*—The slight changes in the distribution by race observed for some States in 1963, 1964, and 1965 are related to changes in the coding rules for Aleuts and Eskimos and for entries of "oriental," "yellow," or "Mongolian" on the death certificates.

Beginning with 1964 Aleuts and Eskimos have been included with Indians. Previously Aleuts and Eskimos had been classified separately and tabulated with "other races." The change resulted in a substantial decrease in number for the category "other races" for Alaska for 1964 and in a corresponding increase for the category "Indian."

In 1965, as in years prior to 1964, entries of "oriental," "yellow," and "Mongolian" were assigned to a specific category such as "other races," "Chinese," or "Japanese." In 1964 these entries were coded as race not stated and assigned to white or Negro. As a result, the number of deaths classified as Chinese, Japanese, and other races in 1964 were considerably less for some States than they would have been under the procedure used in 1965 and in years prior to 1964.

<sup>3</sup>See footnote 1.

## Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."<sup>4</sup> The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a still-birth." The new definition has been adopted by about half the States. In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.<sup>5</sup>

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in groups I, II, and III-----	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

<sup>4</sup>National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

<sup>5</sup>For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

*Comparability and completeness of data.*—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation for which fetal-death registration is required by each State. There is substantial evidence that not all fetal deaths for which registration is required are reported.<sup>6</sup>

Underregistration is more of a problem near the lower limit for those States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestation of 20 weeks or more. These tables also include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those who are born prematurely and die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

*Massachusetts.*—Figures for fetal deaths for 1963 exclude approximately 300 fetal deaths recorded in Boston, primarily to residents of Suffolk County. Microfilm copies of these records were not received in NCHS, and as a consequence the number of fetal deaths for the city, county, and State are understated. The fetal-death rate and ratio for the State underestimate the true figures by about 21 percent.

*Period of gestation.*—The period of gestation is the number of completed weeks which have elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in

<sup>6</sup>Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months or more to 43 weeks and over

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at gestations of 36 weeks is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size. Such errors in reporting are minimized in areas where the gestation period item on the fetal-death certificate requests the first day of the last normal menstrual period. Areas using this wording of the item are California, the District of Columbia, Maryland, (including Baltimore), and New York City. Vermont specifies "date of menses, or if unknown, weeks of gestation." These areas are referred to as LMP areas.

For 1964 there was a noticeable increase over 1963 in the number of fetal deaths with period of gestation not stated which occurred in Maryland, New York City, and Vermont, and for 1965 there was an increase over 1964 in the District of Columbia. These increases were related to changes in NCHS coding procedures for LMP areas. Beginning with 1964 for Maryland, New York City, and Vermont and with 1965 for the District of Columbia, NCHS punched the month, day and year of LMP and the date of delivery; the period of gestation in weeks was calculated electronically. Previously NCHS had punched weeks of gestation for these areas. The weeks of gestation were either calculated from the LMP date by NCHS code-punch operators, were calculated in the LMP areas and entered on the microfilm copy of the certificate, or, especially in the case of Vermont, weeks of gestation were entered in the LMP item rather than the date.

These increases reflect the failure of NCHS to use weeks of gestation if entered on the record instead of LMP date and the difference in the methods used by the areas and by NCHS for calculating weeks of gestation from LMP. When only month and year of LMP were given, the LMP areas estimated the day to compute a gestation period. NCHS procedure provided for computing gestation period only when a complete date (month, day, year) of last normal menses was given.

The increases resulted in an overstatement of the fetal-death ratios for Vermont and the State of New York and a consequent slight overstatement for the United States. The fetal-death ratio is computed using fetal deaths for which gestation period was given as 20 weeks or more or was not

stated. Both New York City and Vermont required registration of fetal deaths of all periods of gestation, and some of the fetal deaths of not stated gestation probably belonged to the under 20 weeks group.

Although the new coding procedure was also instituted for California starting with May of 1963, there was no increase in the number of fetal deaths with period of gestation not stated for this area. The proportion of fetal deaths with period of gestation unspecified has been high relative to other areas from the time California replaced the weeks of gestation item with the LMP question. This is probably attributable to the wording of the LMP item on the California fetal-death certificate. The item specified "First day of last normal menses, month, day, year—(Enter only when definite date is known)."

*Birth weight.*—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with data published by other groups in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

500 grams or less	= 1 lb. 1 oz. or less
501-1,000 grams	= 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	= 11 lb. 1 oz. or more

*Race.*—The fetus is ordinarily assigned to the race of the parents. If the parents are of different races, the following rules apply: (1) When the parental combination is white-nonwhite, the fetus is assigned to the nonwhite race. (2) When the parental combination is of two nonwhite races, the fetus is assigned to the father's race with two exceptions—if the mother is Hawaiian or Part-Hawaiian, the fetus is assigned to Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is assigned to Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the section on race and color.

*Total-birth order.*—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period.

The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years prior to 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death in use during all or part of 1965:

Arkansas	Montana
Colorado	Nevada
Connecticut	New York City
Delaware	North Carolina
Florida	Ohio
Georgia	Oklahoma
Hawaii	Oregon
Indiana	Rhode Island
Iowa	South Carolina
Kansas	Utah
Louisiana	Vermont
Maine	Virginia
Minnesota	Washington
Mississippi	West Virginia
Missouri	Wyoming

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and the fetal-death certificates are as follows:

Alabama	New Jersey
Arizona	New Mexico
California	New York (excluding
District of Columbia	New York City)
Idaho	North Dakota
Illinois	Tennessee
Kentucky	Texas
Maryland (including Baltimore)	Wisconsin

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

<i>Live-birth certificate</i>	<i>Fetal-death certificate</i>
Alaska	
How many children were stillborn (born dead)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Massachusetts	
<i>Item not on certificate</i>	How many previous fetal deaths of any gestation age?

Michigan	How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetuses born dead at any time after conception?
Nebraska	How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
New Hampshire	How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths?
Pennsylvania	How many were delivered dead after sixteen weeks pregnancy?	How many previous fetal deaths of any gestation age?
South Dakota	How many children were born dead?	How many previous fetal deaths of any gestation age?

*Legitimacy status.*—Tabulations which include legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1965. These States are as follows:

Alabama	Maine	Rhode Island
Alaska	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Hawaii	Nevada	Utah
Illinois	New Jersey	Washington
Indiana	North Carolina	West Virginia
Iowa	North Dakota	Wisconsin
Kansas	Ohio	Wyoming
Kentucky	Oregon	
Louisiana	Pennsylvania	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. It may well be that underregistration is greater in the illegitimate group than in the legitimate.

*Age of mother.*—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

**Maternal deaths**

Maternal deaths are those for which the certifying physician has designated a maternal condition as the under-



lying cause of death. The maternal conditions are those assigned to deliveries and complications of pregnancy, child-birth, and the puerperium (640-689).

### Cause of death

Beginning with 1958 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955). The Seventh Revision is described in the Manual of the International Statistical Classification.<sup>7</sup>

In addition to specifying the classification, the manual includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality.

These lists have been adapted for use in the National Center for Health Statistics. The Each Cause List includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by combining titles. The List of 60 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately—typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria. The List of 55 Selected Causes of Infant Death was taken from the Each Cause List. The lists used in NCHS for 1965 are the same as those used for the 1964 data.

*Effect of decennial list revisions.*—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions the continuity in the mortality trends is not considered a problem of great concern. Van Buren<sup>8</sup> described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley<sup>9</sup> measured the change in mortality statistics by cause due to the Fifth Revision. This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the

Fifth Revision and changes in the joint-cause selection procedure.

*Sixth Revision.*—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

*Comparability between the Sixth and Fifth Revisions.*—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.<sup>10,11</sup>

<sup>7</sup>World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Vol. 1. Geneva, Switzerland, 1957.

<sup>8</sup>U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

<sup>9</sup>U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

<sup>10</sup>National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

<sup>11</sup>National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

*Seventh Revision.*—Beginning with 1955 the decennial conferences for revision of the International Lists are to be held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time for assessing the effect of new provisions and variations in interpretation prior to the next census. Thus stable mortality data will be available for use with population figures from the decennial censuses.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum<sup>12</sup> were integrated into the manual.<sup>13</sup> Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume 1, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for

various causes of death; the comparability of a number of categories was affected to a limited extent.

*Comparability between the Seventh and Sixth Revisions.*—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."<sup>14</sup>

*Coding in 1965.*—The National Center for Health Statistics annually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply in that year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate some inconsistencies in coding procedures. Changes incorporated in the 1965 instruction manual<sup>15</sup> affecting the numbers of deaths assigned to particular causes are noted below.

1. Prior to 1965 most cause-of-death sequences stated as duodenal ulcer (541) due to another condition were considered highly improbable, and duodenal ulcer was coded as the underlying cause. Beginning with deaths occurring in 1965, the underlying cause in these cases was assigned as reported.
2. Beginning in 1965, prostatic diseases (610-612) were no longer considered probable causes of the following diseases: hypertension (or a disease specified as hypertensive); myocarditis; cerebral embolism or thrombosis; or coronary embolism, thrombosis, infarction or occlusion.

As a result of these two changes, the death rates for duodenal ulcer and prostatic disease may be somewhat lower than they would have been had the 1964 coding procedures remained in effect. An estimate of the magnitude of these changes has not been made.

*Medical certification.*—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper

<sup>12</sup>World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Addendum 1, Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva, Switzerland, 1953.

<sup>13</sup>See footnote 7.

<sup>14</sup>National Center for Health Statistics: *Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958*, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

<sup>15</sup>National Center for Health Statistics: *Cause-of-death coding for deaths occurring in 1965, Part 2, Vital Statistics Instruction Manual*. Public Health Service. Washington, D.C., 1964.

diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.<sup>16</sup>

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."<sup>17</sup>

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1965 1.2 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 7.7 percent.

<sup>16</sup>For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

<sup>17</sup>Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

*Illinois.*—For 1964 NCHS did not receive amendments to the cause-of-death information reported on the death records for Illinois. As a result there was a significant overstatement in deaths assigned to symptoms, senility, and ill-defined conditions (780-795) and a significant understatement in deaths from accidents, suicide and homicide. For 1965 NCHS received and used the amendments for Illinois, and the figures for these causes are consistent with the levels observed for 1963 and previous years. The Technical Appendix of the 1964 report discusses in more detail the amount of understatement for these causes for Illinois and the consequent effect on the figures for the total United States.

*Ranking causes of death.*—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the title symptoms, senility, and ill-defined conditions are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (in this case, tuberculosis of respiratory system and tuberculosis, other forms), are not ranked.

## QUALITY OF DATA

### Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past, death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.<sup>18</sup> A similar situation may exist in other States.

### Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records

<sup>18</sup>Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

### Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 52.9 percent of the records the initial cause-of-death codes were assigned in the registration areas; for the remaining 47.1 percent of the records the original coding was done in NCHS. Of the code assignments in the registration area and in NCHS, 68.5 percent were verified on a 100-percent basis, and the remaining 31.5 percent were verified by inspecting a 10-percent systematic sample.

The coding of all other death data was done simultaneously with card punching from microfilm images (transcripts for the Virgin Islands) of the original certificates. Approximately 82 percent of all cards punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. It is possible for systematic errors in coding infrequent events to escape detection during sample verification. For cause-of-death coding, this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverification of randomly selected lots from each operator's work.

The coding and punching of fetal deaths were verified completely because of their relatively small number.

After completion of coding and punching, card counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected on the basis of reference to the source record or adjusted by arbitrary code assignment. All subsequent operations involved in tabulating and table preparation are verified either during the computer processing or by statistical clerks.

## COMPUTATION OF RATES

### Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated mid-year (July 1) population for the respective years.

*Population estimates for 1965.*—Preliminary estimates of the total resident population of the United States by age, color, and sex in 1965 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 321, and are shown in table 6-2.

Provisional estimates of the total resident population of each State are published in Series P-25, Number 324, and provisional estimates of the total resident population of Puerto Rico and the Virgin Islands in Series P-25, Number 336. These estimates are shown in table 6-3. The estimated populations for States by broad age groups shown in table 6-4 were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 series.

*Revised population estimates for 1961-64.*—Death rates for 1961-64 shown in this report are based on revised estimates of the population and thus may differ slightly from those published in previous years. These revised estimates of the population for 1961-64 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 321 (total resident population of the United States by age, color, and sex), Number 324 (total resident population of each State), and Number 336 (total resident population of Puerto Rico and the Virgin Islands).

The differences between death rates by age, color, and sex for the total United States computed by the preliminary and by the revised estimates are negligible. However, the preliminary and revised rates for the States differ slightly.

The greatest differences between the revised and preliminary rates are for Vermont, for which the revised rate for 1964 is 4 percent higher, and Nevada, for which the revised rate for 1963 is 6 percent lower. For the following States the revised rates for 1964 or 1963 are 3 percent higher: New Mexico, Rhode Island, South Dakota, and Arizona. For New Hampshire and Nevada the revised rates are 3 percent lower. For other areas and for 1962 and 1961 the difference between the revised and preliminary rates is 2 percent or less. New Mexico is the only area in 1962 for which the difference in revised rate and preliminary rate is greater than 2 percent; the revised rate is 3 percent higher.

*New Jersey.*—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the Technical Appendix of the 1962 and 1963 reports.

*Revised population estimates for 1951-59.*—Beginning with the 1963 report, death rates by age, color, and sex for the United States, death rates for States, and age-adjusted death rates for 1951-59 shown in *Vital Statistics of the United States* are based on final intercensal estimates of the population. There is a discussion of how rates for these years differ from those published before 1963 in the Technical Appendix of the 1963 report. The final intercensal estimates of the population by age, color, and sex and estimates for each State for 1951-59 are shown in tables 6-5 and 6-6 of this report.

For this report the estimated average length of life for 1951-59 shown in table 5-6 was recomputed using final intercensal estimates of the population. As a result the estimated average length of life for the years 1951-59 shown in this report are generally slightly higher than those published previously. The increase in length of life in years by color and sex is shown below with the three cases for which the figure based on the final intercensal estimates is lower indicated by a minus sign.

Year	White		Nonwhite	
	Male	Female	Male	Female
1959	-0.1	-	-0.1	-
1958	0.2	0.2	0.4	0.3
1957	0.1	0.2	0.4	0.3
1956	0.2	0.2	0.2	0.2
1955	0.1	0.1	0.2	0.2
1954	0.1	0.1	0.1	0.1
1953	-	0.1	-	0.1
1952	-	-0.1	-	0.1
1951	-	-	0.1	0.1

### Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as a standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

### SYMBOLS USED IN TABLES

Data not available-----  
 Category not applicable-----  
 Quantity zero-----  
 Quantity more than 0 but less than 0.05----- 0.0  
 Figure does not meet standards of reliability or precision----- \*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1965

[Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years]

Year	United States <sup>1</sup>		Year	United States <sup>1</sup>		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States <sup>2</sup>	Population residing in area	Number of States <sup>2</sup>	Population residing in area
1965	194,583,000	193,918,000	1932	124,949,000	124,840,471	47	119,903,899	47	119,903,899
1964	192,119,000	191,371,000	1931	124,149,000	124,039,649	46	117,455,229	47	119,148,987
1963	189,417,000	188,658,000	1930	123,168,000	123,076,741	46	116,544,946	47	117,238,279
1962	186,656,000	185,890,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1961	183,756,000	183,057,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1960	180,007,000	179,323,175	1927	---	119,038,062	40	104,320,830	42	107,094,532
1959	177,264,000	176,513,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1958	174,141,000	173,320,000	1925	---	115,831,963	33	89,294,564	40	102,031,555
1957	171,274,000	170,371,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1956	168,221,000	167,306,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1955	165,275,000	164,308,000	1922	---	110,054,779	30	79,560,746	37	92,702,901
1954	162,391,000	161,164,000	1921	---	108,541,489	27	70,807,090	34	87,614,447
1953	159,565,000	158,242,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1952	156,954,000	155,687,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1951	154,287,000	153,310,000	1918	104,549,886	103,202,901	20	55,153,782	30	79,008,412
1950	151,132,000	150,697,361	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1949	149,188,000	148,665,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1948	146,631,000	146,093,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1947	144,126,000	143,446,000	1914	---	99,117,567	---	---	24	60,963,309
1946	141,389,000	140,054,000	1913	---	97,226,814	---	---	23	58,156,740
1945	139,928,000	132,481,000	1912	---	95,331,300	---	---	22	54,847,700
1944	138,397,000	132,885,000	1911	---	93,867,814	---	---	22	53,929,644
1943	136,739,000	134,245,000	1910	---	92,406,536	---	---	20	47,470,437
1942	134,860,000	133,920,000	1909	---	90,491,525	---	---	18	44,223,513
1941	133,402,000	133,121,000	1908	---	88,708,976	---	---	17	38,634,759
1940	131,820,000	131,669,275	1907	---	87,000,271	---	---	15	34,552,837
1939	131,028,000	130,879,718	1906	---	85,436,556	---	---	15	33,782,298
1938	129,969,000	129,824,939	1905	---	83,819,666	---	---	10	21,767,980
1937	128,961,000	128,824,829	1904	---	82,164,974	---	---	10	21,332,076
1936	128,181,000	128,053,180	1903	---	80,632,152	---	---	10	20,943,222
1935	127,362,000	127,250,232	1902	---	79,160,196	---	---	10	20,582,907
1934	126,485,000	126,373,775	1901	---	77,585,128	---	---	10	20,237,453
1933	125,690,000	125,578,763	1900	---	76,094,134	---	---	10	19,965,446

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.

<sup>2</sup>The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: Vital Statistics Rates in the United States, 1900-1940; Historical Statistics of the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1965; Current Population Reports, Series P-25, Nos. 98, 285, 276, 293, and 321.

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1965

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages-----	193,818,000	95,114,000	98,704,000	170,747,000	83,924,000	86,823,000	23,072,000	11,190,000	11,882,000
Under 1 year-----	3,857,000	1,969,000	1,888,000	3,219,000	1,647,000	1,572,000	639,000	322,000	316,000
1-4 years-----	16,577,000	8,463,000	8,114,000	13,942,000	7,136,000	6,806,000	2,635,000	1,327,000	1,308,000
5-9 years-----	20,519,000	10,426,000	10,092,000	17,540,000	8,939,000	8,601,000	2,979,000	1,487,000	1,491,000
10-14 years-----	18,956,000	9,635,000	9,321,000	16,324,000	8,319,000	8,005,000	2,632,000	1,316,000	1,317,000
15-19 years-----	16,954,000	8,559,000	8,395,000	14,802,000	7,488,000	7,315,000	2,152,000	1,071,000	1,081,000
20-24 years-----	13,333,000	6,539,000	6,794,000	11,721,000	5,759,000	5,962,000	1,611,000	780,000	832,000
25-29 years-----	11,205,000	5,508,000	5,697,000	9,658,000	4,982,000	4,982,000	1,346,000	631,000	715,000
30-34 years-----	10,948,000	5,378,000	5,570,000	9,658,000	4,771,000	4,867,000	1,309,000	607,000	703,000
35-39 years-----	11,920,000	5,828,000	6,092,000	10,577,000	5,213,000	5,364,000	1,343,000	615,000	727,000
40-44 years-----	12,410,000	6,033,000	6,378,000	11,099,000	5,418,000	5,682,000	1,311,000	615,000	696,000
45-49 years-----	11,449,000	5,570,000	5,879,000	10,312,000	5,034,000	5,277,000	1,137,000	536,000	602,000
50-54 years-----	10,571,000	5,146,000	5,424,000	9,538,000	4,653,000	4,885,000	1,033,000	493,000	539,000
55-59 years-----	9,156,000	4,420,000	4,736,000	8,320,000	4,016,000	4,304,000	836,000	404,000	432,000
60-64 years-----	7,809,000	3,710,000	4,099,000	7,101,000	3,365,000	3,736,000	708,000	345,000	363,000
65-69 years-----	6,298,000	2,870,000	3,427,000	5,815,000	2,644,000	3,171,000	483,000	227,000	256,000
70-74 years-----	5,189,000	2,283,000	2,906,000	4,782,000	2,099,000	2,683,000	407,000	184,000	223,000
75-79 years-----	3,599,000	1,545,000	2,054,000	3,339,000	1,426,000	1,913,000	280,000	118,000	142,000
80-84 years-----	1,995,000	820,000	1,175,000	1,839,000	749,000	1,090,000	158,000	71,000	85,000
85 years and over-----	1,075,000	413,000	662,000	979,000	371,000	608,000	95,000	41,000	54,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex, July 1, 1965, Current Population Reports, Series P-25, No. 321, 1965.

Table 6-3. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, Puerto Rico, and Virgin Islands: July 1, 1965

[Figures include Armed Forces stationed in each area but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Area	Population	Area	Population	Area	Population
United States-----	193,818,000	East North Central--Con.		East South Central--Con.	
Geographic divisions:		Illinois-----	10,646,000	Alabama-----	3,463,000
New England-----	11,132,000	Michigan-----	8,220,000	Mississippi-----	2,322,000
Middle Atlantic-----	36,372,000	Wisconsin-----	4,145,000	West South Central:	
East North Central-----	35,143,000	West North Central:		Arkansas-----	1,960,000
West North Central-----	15,878,000	Minnesota-----	3,555,000	Louisiana-----	3,534,000
South Atlantic-----	28,716,000	Iowa-----	2,760,000	Oklahoma-----	2,483,000
East South Central-----	12,810,000	Missouri-----	4,498,000	Texas-----	10,552,000
West South Central-----	18,529,000	North Dakota-----	652,000	Mountain:	
Mountain-----	7,776,000	South Dakota-----	703,000	Montana-----	706,000
Pacific-----	24,462,000	Nebraska-----	1,477,000	Idaho-----	692,000
New England:		Kansas-----	2,234,000	Wyoming-----	340,000
Maine-----	993,000	South Atlantic:		Colorado-----	1,969,000
New Hampshire-----	669,000	Delaware-----	505,000	New Mexico-----	1,029,000
Vermont-----	397,000	Maryland-----	3,521,000	Arizona-----	1,609,000
Massachusetts-----	5,349,000	District of Columbia-----	801,000	Utah-----	990,000
Rhode Island-----	891,000	Virginia-----	4,456,000	Nevada-----	440,000
Connecticut-----	2,833,000	West Virginia-----	1,812,000	Pacific:	
Middle Atlantic:		North Carolina-----	4,914,000	Washington-----	2,990,000
New York-----	18,075,000	South Carolina-----	2,543,000	Oregon-----	1,900,000
New Jersey-----	6,775,000	Georgia-----	4,358,000	California-----	18,608,000
Pennsylvania-----	11,522,000	Florida-----	5,805,000	Alaska-----	253,000
East North Central:		East South Central:		Hawaii-----	711,000
Ohio-----	10,247,000	Kentucky-----	3,179,000	Puerto Rico-----	2,633,000
Indiana-----	4,886,000	Tennessee-----	3,846,000	Virgin Islands-----	43,300

Source: U.S. Bureau of the Census: Estimates of the population of States, July 1, 1964, with provisional estimates for July 1, 1965, No. 324; and Estimates of the population of Puerto Rico and selected outlying areas, 1950 to 1965, No. 336; Current Population Reports, Series P-25, 1965.

## SECTION 6 - TECHNICAL APPENDIX

6-17

Table 6-4. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State:  
July 1, 1965

[ Figures include Armed Forces stationed in each area, but exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals ]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States-----	193,818,000	20,433,000	56,418,000	59,809,000	38,981,000	18,154,000
<b>Geographic divisions:</b>						
New England-----	11,132,000	1,136,000	3,089,000	3,357,000	2,368,000	1,192,000
Middle Atlantic-----	36,372,000	3,531,000	9,821,000	11,258,000	8,186,000	3,668,000
East North Central-----	38,143,000	4,056,000	11,270,000	11,500,000	7,792,000	3,599,000
West North Central-----	15,878,000	1,668,000	4,633,000	4,519,000	3,211,000	1,822,000
South Atlantic-----	28,716,000	3,116,000	8,586,000	9,247,000	5,379,000	2,429,000
East South Central-----	12,810,000	1,393,000	3,946,000	3,915,000	2,436,000	1,131,000
West South Central-----	18,529,000	2,088,000	5,647,000	5,727,000	3,492,000	1,594,000
Mountain-----	7,776,000	912,000	2,431,000	2,388,000	1,366,000	597,000
Pacific-----	24,462,000	2,532,000	6,989,000	7,899,000	4,748,000	2,122,000
<b>New England:</b>						
Maine-----	993,000	107,000	288,000	285,000	195,000	111,000
New Hampshire-----	669,000	69,000	192,000	205,000	135,000	73,000
Vermont-----	397,000	44,000	118,000	116,000	81,000	45,000
Massachusetts-----	5,349,000	547,000	1,461,000	1,594,000	1,155,000	603,000
Rhode Island-----	891,000	89,000	242,000	273,000	192,000	95,000
Connecticut-----	2,833,000	283,000	788,000	884,000	610,000	265,000
<b>Middle Atlantic:</b>						
New York-----	18,075,000	1,763,000	4,762,000	5,632,000	4,098,000	1,850,000
New Jersey-----	6,775,000	666,000	1,858,000	2,142,000	1,485,000	629,000
Pennsylvania-----	11,522,000	1,102,000	3,201,000	3,484,000	2,603,000	1,189,000
<b>East North Central:</b>						
Ohio-----	10,247,000	1,062,000	3,042,000	3,126,000	2,056,000	948,000
Indiana-----	4,896,000	527,000	1,451,000	1,484,000	964,000	467,000
Illinois-----	10,646,000	1,120,000	2,983,000	3,200,000	2,290,000	1,044,000
Michigan-----	8,220,000	895,000	2,559,000	2,515,000	1,645,000	701,000
Wisconsin-----	4,145,000	452,000	1,235,000	1,175,000	837,000	439,000
<b>West North Central:</b>						
Minnesota-----	3,555,000	395,000	1,084,000	995,000	699,000	387,000
Iowa-----	2,760,000	285,000	803,000	760,000	565,000	343,000
Missouri-----	4,498,000	451,000	1,249,000	1,314,000	952,000	525,000
North Dakota-----	652,000	74,000	205,000	186,000	125,000	62,000
South Dakota-----	703,000	79,000	213,000	186,000	132,000	77,000
Nebraska-----	1,477,000	158,000	422,000	414,000	291,000	174,000
Kansas-----	2,234,000	226,000	657,000	664,000	447,000	254,000
<b>South Atlantic:</b>						
Delaware-----	505,000	57,000	151,000	160,000	95,000	39,000
Maryland-----	3,521,000	388,000	1,057,000	1,154,000	682,000	255,000
District of Columbia-----	801,000	97,000	192,000	262,000	178,000	72,000
Virginia-----	4,456,000	478,000	1,322,000	1,486,000	817,000	320,000
West Virginia-----	1,812,000	176,000	547,000	526,000	383,000	182,000
North Carolina-----	4,914,000	536,000	1,522,000	1,627,000	898,000	354,000
South Carolina-----	2,543,000	296,000	835,000	819,000	432,000	169,000
Georgia-----	4,358,000	503,000	1,359,000	1,418,000	795,000	319,000
Florida-----	5,805,000	585,000	1,601,000	1,795,000	1,099,000	719,000
<b>East South Central:</b>						
Kentucky-----	3,179,000	339,000	957,000	960,000	608,000	310,000
Tennessee-----	3,846,000	396,000	1,136,000	1,227,000	755,000	336,000
Alabama-----	3,463,000	382,000	1,093,000	1,071,000	658,000	284,000
Mississippi-----	2,322,000	277,000	760,000	657,000	415,000	201,000
<b>West South Central:</b>						
Arkansas-----	1,980,000	214,000	574,000	557,000	388,000	208,000
Louisiana-----	3,534,000	431,000	1,145,000	1,081,000	640,000	264,000
Oklahoma-----	2,483,000	244,000	692,000	745,000	502,000	268,000
Texas-----	10,552,000	1,200,000	3,236,000	3,344,000	1,962,000	854,000
<b>Mountain:</b>						
Montana-----	706,000	78,000	220,000	202,000	137,000	66,000
Idaho-----	692,000	75,000	222,000	199,000	134,000	63,000
Wyoming-----	340,000	37,000	102,000	97,000	65,000	29,000
Colorado-----	1,969,000	212,000	589,000	619,000	359,000	170,000
New Mexico-----	1,029,000	140,000	345,000	306,000	163,000	60,000
Arizona-----	1,609,000	194,000	493,000	502,000	268,000	118,000
Utah-----	990,000	125,000	336,000	305,000	161,000	68,000
Nevada-----	440,000	51,000	124,000	158,000	79,000	23,000
<b>Pacific:</b>						
Washington-----	2,990,000	299,000	878,000	885,000	612,000	298,000
Oregon-----	1,900,000	180,000	564,000	581,000	409,000	203,000
California-----	18,608,000	1,929,000	5,229,000	6,091,000	3,575,000	1,579,000
Alaska-----	253,000	38,000	90,000	97,000	36,000	6,000
Hawaii-----	711,000	86,000	228,000	245,000	116,000	36,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, Nos. 324 and 350, and official records.

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:  
July 1, 1951-59

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
<b>TOTAL</b>									
All ages-----	177,135,000	174,149,000	171,187,000	168,088,000	165,069,000	161,884,000	158,956,000	156,393,000	153,882,000
Under 1 year-----	4,097,000	4,073,000	4,035,000	3,860,000	3,777,000	3,671,000	3,546,000	3,429,000	3,315,000
1-4 years-----	16,078,000	15,814,000	15,459,000	15,143,000	14,789,000	14,386,000	14,092,000	13,883,000	14,018,000
5-9 years-----	18,344,000	17,941,000	17,624,000	17,652,000	16,749,000	16,032,000	15,332,000	14,811,000	13,668,000
10-14 years-----	16,220,000	15,546,000	15,045,000	13,918,000	13,638,000	13,191,000	12,671,000	11,962,000	11,500,000
15-19 years-----	12,916,000	12,391,000	11,656,000	11,193,000	10,895,000	10,775,000	10,572,000	10,415,000	10,438,000
20-24 years-----	10,685,000	10,433,000	10,252,000	10,244,000	10,299,000	10,154,000	10,353,000	10,656,000	11,094,000
25-29 years-----	10,931,000	11,154,000	11,411,000	11,590,000	11,699,000	11,828,000	11,963,000	12,026,000	12,146,000
30-34 years-----	12,048,000	12,198,000	12,236,000	12,331,000	12,372,000	12,267,000	12,089,000	12,015,000	11,800,000
35-39 years-----	12,414,000	12,289,000	12,204,000	12,005,000	11,801,000	11,681,000	11,594,000	11,523,000	11,420,000
40-44 years-----	11,508,000	11,412,000	11,299,000	11,170,000	11,032,000	10,896,000	10,750,000	10,599,000	10,431,000
45-49 years-----	10,784,000	10,646,000	10,483,000	10,315,000	10,150,000	9,941,000	9,723,000	9,525,000	9,306,000
50-54 years-----	9,462,000	9,267,000	9,083,000	8,879,000	8,722,000	8,606,000	8,488,000	8,398,000	8,361,000
55-59 years-----	8,309,000	8,135,000	7,986,000	7,893,000	7,787,000	7,677,000	7,599,000	7,546,000	7,448,000
60-64 years-----	7,092,000	7,046,000	7,025,000	6,957,000	6,834,000	6,704,000	6,566,000	6,402,000	6,236,000
65-69 years-----	6,164,000	6,055,000	5,924,000	5,785,000	5,681,000	5,566,000	5,437,000	5,311,000	5,189,000
70-74 years-----	4,855,000	4,521,000	4,395,000	4,266,000	4,127,000	3,970,000	3,811,000	3,679,000	3,553,000
75-79 years-----	2,969,000	2,846,000	2,751,000	2,651,000	2,570,000	2,486,000	2,404,000	2,325,000	2,244,000
80-84 years-----	1,559,000	1,518,000	1,480,000	1,429,000	1,373,000	1,316,000	1,264,000	1,223,000	1,189,000
85 years and over-----	901,000	864,000	837,000	804,000	776,000	738,000	701,000	665,000	628,000
<b>MALE</b>									
All ages-----	87,305,000	85,876,000	84,456,000	82,970,000	81,507,000	79,837,000	78,394,000	77,219,000	76,211,000
Under 1 year-----	2,082,000	2,072,000	2,054,000	1,963,000	1,923,000	1,867,000	1,806,000	1,746,000	1,685,000
1-4 years-----	8,178,000	8,045,000	7,864,000	7,708,000	7,526,000	7,325,000	7,175,000	7,071,000	7,146,000
5-9 years-----	9,329,000	9,126,000	8,968,000	8,529,000	8,366,000	8,165,000	7,809,000	7,545,000	6,961,000
10-14 years-----	8,249,000	7,910,000	7,658,000	7,065,000	6,944,000	6,716,000	6,453,000	6,090,000	5,850,000
15-19 years-----	6,481,000	6,206,000	5,814,000	5,566,000	5,415,000	5,365,000	5,265,000	5,180,000	5,198,000
20-24 years-----	5,385,000	5,201,000	4,942,000	4,930,000	4,930,000	4,730,000	4,809,000	4,966,000	5,296,000
25-29 years-----	5,365,000	5,475,000	5,600,000	5,683,000	5,722,000	5,765,000	5,817,000	5,840,000	5,899,000
30-34 years-----	5,893,000	5,967,000	5,979,000	6,023,000	6,035,000	5,974,000	5,869,000	5,849,000	5,749,000
35-39 years-----	6,050,000	5,993,000	5,961,000	5,874,000	5,779,000	5,720,000	5,675,000	5,651,000	5,601,000
40-44 years-----	5,638,000	5,602,000	5,555,000	5,499,000	5,437,000	5,375,000	5,308,000	5,247,000	5,171,000
45-49 years-----	4,855,000	4,521,000	4,395,000	4,266,000	4,127,000	3,970,000	3,811,000	3,679,000	3,553,000
50-54 years-----	4,667,000	4,578,000	4,497,000	4,403,000	4,332,000	4,279,000	4,223,000	4,180,000	4,166,000
55-59 years-----	4,073,000	3,993,000	3,935,000	3,885,000	3,840,000	3,794,000	3,755,000	3,718,000	3,718,000
60-64 years-----	3,393,000	3,384,000	3,390,000	3,373,000	3,330,000	3,284,000	3,234,000	3,173,000	3,109,000
65-69 years-----	2,895,000	2,859,000	2,813,000	2,760,000	2,722,000	2,676,000	2,620,000	2,564,000	2,509,000
70-74 years-----	2,153,000	2,098,000	2,048,000	1,991,000	1,931,000	1,865,000	1,796,000	1,741,000	1,689,000
75-79 years-----	1,328,000	1,279,000	1,244,000	1,205,000	1,174,000	1,140,000	1,107,000	1,075,000	1,042,000
80-84 years-----	660,000	645,000	631,000	611,000	589,000	566,000	547,000	534,000	525,000
85 years and over-----	356,000	346,000	340,000	330,000	322,000	308,000	293,000	278,000	261,000
<b>FEMALE</b>									
All ages-----	89,830,000	88,273,000	86,731,000	85,119,000	83,563,000	82,047,000	80,562,000	79,174,000	77,771,000
Under 1 year-----	2,015,000	2,000,000	1,981,000	1,897,000	1,855,000	1,803,000	1,742,000	1,683,000	1,630,000
1-4 years-----	7,901,000	7,770,000	7,595,000	7,436,000	7,262,000	7,063,000	6,916,000	6,812,000	6,873,000
5-9 years-----	9,015,000	8,815,000	8,656,000	8,667,000	8,220,000	7,866,000	7,523,000	7,266,000	6,707,000
10-14 years-----	7,971,000	7,636,000	7,387,000	6,833,000	6,694,000	6,475,000	6,218,000	5,872,000	5,650,000
15-19 years-----	6,436,000	6,185,000	5,842,000	5,627,000	5,481,000	5,409,000	5,307,000	5,235,000	5,239,000
20-24 years-----	5,482,000	5,383,000	5,310,000	5,315,000	5,361,000	5,423,000	5,544,000	5,690,000	5,798,000
25-29 years-----	5,563,000	5,678,000	5,811,000	5,907,000	5,976,000	6,063,000	6,146,000	6,166,000	6,247,000
30-34 years-----	6,155,000	6,230,000	6,308,000	6,337,000	6,337,000	6,293,000	6,220,000	6,167,000	6,052,000
35-39 years-----	6,364,000	6,296,000	6,243,000	6,131,000	6,025,000	5,961,000	5,919,000	5,872,000	5,819,000
40-44 years-----	5,871,000	5,810,000	5,743,000	5,671,000	5,596,000	5,521,000	5,443,000	5,353,000	5,259,000
45-49 years-----	5,473,000	5,397,000	5,320,000	5,220,000	5,131,000	5,019,000	4,902,000	4,789,000	4,670,000
50-54 years-----	4,796,000	4,689,000	4,586,000	4,476,000	4,390,000	4,327,000	4,266,000	4,217,000	4,194,000
55-59 years-----	4,236,000	4,142,000	4,061,000	4,008,000	3,947,000	3,882,000	3,833,000	3,793,000	3,730,000
60-64 years-----	3,698,000	3,662,000	3,635,000	3,584,000	3,504,000	3,420,000	3,331,000	3,229,000	3,127,000
65-69 years-----	3,268,000	3,196,000	3,112,000	3,025,000	2,958,000	2,890,000	2,817,000	2,747,000	2,680,000
70-74 years-----	2,502,000	2,423,000	2,277,000	2,195,000	2,106,000	2,006,000	1,915,000	1,836,000	1,864,000
75-79 years-----	1,642,000	1,567,000	1,507,000	1,446,000	1,395,000	1,345,000	1,297,000	1,251,000	1,203,000
80-84 years-----	899,000	874,000	849,000	819,000	784,000	749,000	717,000	689,000	664,000
85 years and over-----	545,000	518,000	497,000	474,000	454,000	430,000	407,000	387,000	367,000
<b>WHITE</b>									
All ages-----	157,012,000	154,519,000	152,038,000	149,417,000	146,862,000	144,161,000	141,669,000	139,467,000	137,405,000
Under 1 year-----	3,480,000	3,476,000	3,444,000	3,298,000	3,238,000	3,158,000	3,064,000	2,970,000	2,862,000
1-4 years-----	13,770,000	13,565,000	13,294,000	13,059,000	12,769,000	12,440,000	12,092,000	11,727,000	11,257,000
5-9 years-----	15,823,000	15,512,000	15,287,000	15,396,000	14,851,000	14,050,000	13,463,000	13,027,000	12,573,000
10-14 years-----	14,174,000	13,612,000	13,194,000	12,554,000	11,902,000	11,506,000	11,040,000	10,592,000	9,988,000
15-19 years-----	11,331,000	10,856,000	10,181,000	9,772,000	9,511,000	9,415,000	9,236,000	9,080,000	9,116,000
20-24 years-----	9,372,000	9,140,000	8,975,000	8,966,000	9,022,000	8,906,000	9,111,000	9,393,000	9,801,000
25-29 years-----	9,630,000	9,857,000	10,123,000	10,305,000	10,410,000	10,556,000	10,657,000	10,698,000	10,803,000
30-34 years-----	10,891,000	10,837,000	10,870,000	10,965,000	11,016,000	10,932,000	10,785,000	10,748,000	10,571,000
35-39 years-----	11,074,000	10,969,000	10,899,000	10,722,000	10,537,000	10,431,000	10,351,000	10,283,000	10,186,000
40-44 years-----	10,336,000	10,242,000	10,129,000	10,003,000	9,876,000	9,757,000	9,637,000	9,515,000	9,373,000
45-49 years-----	9,711,000	9,605,000	9,476,000	9,340,000	9,199,000	9,066,000	8,955,000	8,843,000	8,738,000
50-54 years-----	8,565,000	8,581,000	8,203,000	8,065,000	7,859,000	7,760,000	7,662,000	7,594,000	7,581,000
55-59 years-----	7,521,000	7,373,000	7,252,000	7,186,000	7,107,000	7,024,000	6,971,000	6,943,000	6,868,000
60-64 years-----	6,514,000	6,488,000	6,485,000	6,436,000	6,331,000	6,220,000	6,098,000	5,950,000	5,800,000



## SECTION 6 - TECHNICAL APPENDIX

6-19

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:  
July 1, 1951-59—Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
<b>WHITE—Con.</b>									
65-69 years-----	5,656,000	5,556,000	5,432,000	5,301,000	5,206,000	5,101,000	4,983,000	4,866,000	4,752,000
70-74 years-----	4,315,000	4,078,000	3,962,000	3,832,000	3,832,000	3,688,000	3,540,000	3,419,000	3,304,000
75-79 years-----	2,759,000	2,646,000	2,562,000	2,473,000	2,402,000	2,327,000	2,254,000	2,182,000	2,107,000
80-84 years-----	1,459,000	1,420,000	1,382,000	1,333,000	1,278,000	1,223,000	1,174,000	1,135,000	1,105,000
85 years and over-----	832,000	797,000	772,000	742,000	716,000	682,000	648,000	615,000	580,000
<b>WHITE MALE</b>									
All ages-----	77,514,000	76,319,000	75,133,000	73,875,000	72,634,000	71,216,000	69,987,000	68,969,000	68,114,000
Under 1 year-----	1,774,000	1,774,000	1,759,000	1,683,000	1,654,000	1,612,000	1,564,000	1,518,000	1,460,000
1-4 years-----	7,023,000	6,920,000	6,782,000	6,666,000	6,517,000	6,351,000	6,229,000	6,153,000	6,260,000
5-9 years-----	8,069,000	7,800,000	7,800,000	7,912,000	7,480,000	7,176,000	6,876,000	6,654,000	6,115,000
10-14 years-----	7,225,000	6,941,000	6,730,000	6,199,000	6,071,000	5,869,000	5,633,000	5,301,000	5,092,000
15-19 years-----	5,697,000	5,449,000	5,092,000	4,874,000	4,741,000	4,703,000	4,617,000	4,536,000	4,555,000
20-24 years-----	4,585,000	4,446,000	4,351,000	4,446,000	4,351,000	4,177,000	4,266,000	4,407,000	4,711,000
25-29 years-----	4,764,000	4,873,000	5,004,000	5,088,000	5,125,000	5,166,000	5,212,000	5,220,000	5,269,000
30-34 years-----	5,265,000	5,313,000	5,344,000	5,385,000	5,402,000	5,349,000	5,258,000	5,253,000	5,171,000
35-39 years-----	5,413,000	5,358,000	5,334,000	5,254,000	5,186,000	5,115,000	5,075,000	5,055,000	5,012,000
40-44 years-----	5,078,000	5,041,000	4,993,000	4,938,000	4,879,000	4,824,000	4,767,000	4,718,000	4,652,000
45-49 years-----	4,793,000	4,744,000	4,684,000	4,619,000	4,552,000	4,462,000	4,365,000	4,276,000	4,176,000
50-54 years-----	4,224,000	4,139,000	4,059,000	3,967,000	3,900,000	3,854,000	3,807,000	3,775,000	3,772,000
55-59 years-----	3,681,000	3,613,000	3,557,000	3,531,000	3,498,000	3,465,000	3,447,000	3,445,000	3,421,000
60-64 years-----	3,113,000	3,112,000	3,126,000	3,118,000	3,082,000	3,044,000	3,001,000	2,945,000	2,886,000
65-69 years-----	2,654,000	2,620,000	2,576,000	2,527,000	2,493,000	2,451,000	2,400,000	2,349,000	2,298,000
70-74 years-----	1,990,000	1,941,000	1,894,000	1,845,000	1,790,000	1,728,000	1,664,000	1,613,000	1,565,000
75-79 years-----	1,227,000	1,182,000	1,151,000	1,116,000	1,089,000	1,059,000	1,030,000	1,001,000	971,000
80-84 years-----	613,000	599,000	585,000	567,000	545,000	524,000	507,000	494,000	486,000
85 years and over-----	327,000	318,000	312,000	304,000	297,000	285,000	271,000	257,000	241,000
<b>WHITE FEMALE</b>									
All ages-----	79,498,000	78,200,000	76,905,000	75,542,000	74,228,000	72,946,000	71,682,000	70,497,000	69,291,000
Under 1 year-----	1,706,000	1,702,000	1,685,000	1,615,000	1,584,000	1,546,000	1,500,000	1,452,000	1,402,000
1-4 years-----	6,747,000	6,512,000	6,393,000	6,252,000	6,089,000	5,971,000	5,899,000	5,899,000	5,996,000
5-9 years-----	7,754,000	7,600,000	7,486,000	7,538,000	7,171,000	6,874,000	6,587,000	6,373,000	5,858,000
10-14 years-----	6,950,000	6,671,000	6,464,000	5,955,000	5,830,000	5,637,000	5,407,000	5,090,000	4,896,000
15-19 years-----	5,634,000	5,406,000	5,089,000	4,897,000	4,770,000	4,712,000	4,619,000	4,554,000	4,561,000
20-24 years-----	4,787,000	4,693,000	4,624,000	4,627,000	4,671,000	4,729,000	4,845,000	4,986,000	5,090,000
25-29 years-----	4,866,000	4,984,000	5,119,000	5,217,000	5,285,000	5,369,000	5,446,000	5,478,000	5,534,000
30-34 years-----	5,428,000	5,501,000	5,527,000	5,580,000	5,615,000	5,583,000	5,527,000	5,494,000	5,400,000
35-39 years-----	5,660,000	5,603,000	5,563,000	5,468,000	5,371,000	5,316,000	5,276,000	5,228,000	5,175,000
40-44 years-----	5,258,000	5,201,000	5,136,000	5,066,000	4,997,000	4,933,000	4,870,000	4,797,000	4,720,000
45-49 years-----	4,919,000	4,861,000	4,792,000	4,721,000	4,647,000	4,544,000	4,432,000	4,321,000	4,203,000
50-54 years-----	4,340,000	4,242,000	4,143,000	4,038,000	3,959,000	3,906,000	3,855,000	3,819,000	3,808,000
55-59 years-----	3,839,000	3,760,000	3,694,000	3,656,000	3,609,000	3,559,000	3,524,000	3,498,000	3,448,000
60-64 years-----	3,402,000	3,376,000	3,359,000	3,318,000	3,249,000	3,176,000	3,098,000	3,005,000	2,913,000
65-69 years-----	3,002,000	2,936,000	2,856,000	2,774,000	2,713,000	2,650,000	2,582,000	2,517,000	2,454,000
70-74 years-----	2,325,000	2,253,000	2,185,000	2,118,000	2,042,000	1,959,000	1,876,000	1,806,000	1,740,000
75-79 years-----	1,532,000	1,465,000	1,411,000	1,357,000	1,313,000	1,268,000	1,224,000	1,181,000	1,135,000
80-84 years-----	846,000	821,000	797,000	766,000	732,000	699,000	667,000	641,000	619,000
85 years and over-----	505,000	460,000	438,000	438,000	419,000	398,000	377,000	358,000	339,000
<b>NONWHITE</b>									
All ages-----	20,124,000	19,630,000	19,149,000	18,671,000	18,207,000	17,722,000	17,287,000	16,927,000	16,578,000
Under 1 year-----	617,000	596,000	591,000	562,000	540,000	512,000	483,000	459,000	453,000
1-4 years-----	2,308,000	2,249,000	2,165,000	2,085,000	2,019,000	1,948,000	1,892,000	1,832,000	1,762,000
5-9 years-----	2,522,000	2,429,000	2,338,000	2,257,000	2,098,000	1,982,000	1,869,000	1,784,000	1,695,000
10-14 years-----	2,046,000	1,934,000	1,851,000	1,764,000	1,736,000	1,685,000	1,631,000	1,571,000	1,512,000
15-19 years-----	4,585,000	4,535,000	4,476,000	4,421,000	4,364,000	4,360,000	4,336,000	4,325,000	4,322,000
20-24 years-----	4,311,000	4,294,000	4,277,000	4,298,000	4,277,000	4,248,000	4,242,000	4,263,000	4,293,000
25-29 years-----	4,301,000	4,297,000	4,287,000	4,285,000	4,289,000	4,292,000	4,306,000	4,328,000	4,343,000
30-34 years-----	4,357,000	4,350,000	4,365,000	4,366,000	4,355,000	4,335,000	4,304,000	4,269,000	4,229,000
35-39 years-----	4,341,000	4,327,000	4,305,000	4,283,000	4,264,000	4,250,000	4,243,000	4,240,000	4,233,000
40-44 years-----	4,173,000	4,169,000	4,170,000	4,167,000	4,157,000	4,139,000	4,114,000	4,085,000	4,068,000
45-49 years-----	4,073,000	4,041,000	4,007,000	3,975,000	3,951,000	3,928,000	3,928,000	3,928,000	3,928,000
50-54 years-----	3,898,000	3,866,000	3,881,000	3,874,000	3,863,000	3,847,000	3,826,000	3,804,000	3,780,000
55-59 years-----	3,788,000	3,762,000	3,734,000	3,706,000	3,680,000	3,653,000	3,627,000	3,603,000	3,579,000
60-64 years-----	3,577,000	3,558,000	3,540,000	3,521,000	3,503,000	3,484,000	3,467,000	3,452,000	3,436,000
65-69 years-----	3,070,000	2,999,000	2,922,000	2,844,000	2,775,000	2,700,000	2,620,000	2,545,000	2,475,000
70-74 years-----	2,340,000	2,280,000	2,217,000	2,150,000	2,080,000	2,000,000	1,910,000	1,820,000	1,740,000
75-79 years-----	1,530,000	1,460,000	1,390,000	1,320,000	1,250,000	1,180,000	1,110,000	1,040,000	970,000
80-84 years-----	840,000	800,000	760,000	720,000	680,000	640,000	600,000	560,000	520,000
85 years and over-----	460,000	430,000	400,000	370,000	340,000	310,000	280,000	250,000	220,000
<b>NONWHITE MALE</b>									
All ages-----	9,791,000	9,557,000	9,323,000	9,095,000	8,872,000	8,621,000	8,407,000	8,249,000	8,098,000
Under 1 year-----	308,000	298,000	295,000	280,000	269,000	255,000	241,000	228,000	225,000
1-4 years-----	1,155,000	1,125,000	1,083,000	1,042,000	1,009,000	974,000	947,000	919,000	885,000
5-9 years-----	1,260,000	1,214,000	1,168,000	1,128,000	1,049,000	990,000	933,000	891,000	846,000
10-14 years-----	1,024,000	969,000	928,000	886,000	873,000	847,000	820,000	789,000	758,000

SECTION 6 - TECHNICAL APPENDIX

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:  
July 1, 1951-59-Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
<b>NONWHITE MALE--Con.</b>									
15-19 years-----	783,000	756,000	722,000	691,000	673,000	662,000	648,000	644,000	644,000
20-24 years-----	616,000	604,000	591,000	591,000	587,000	553,000	543,000	560,000	585,000
25-29 years-----	604,000	602,000	596,000	595,000	598,000	597,000	606,000	620,000	630,000
30-34 years-----	628,000	632,000	635,000	637,000	634,000	625,000	611,000	595,000	577,000
35-39 years-----	636,000	634,000	628,000	620,000	612,000	605,000	600,000	596,000	589,000
40-44 years-----	560,000	560,000	562,000	562,000	558,000	551,000	541,000	529,000	519,000
45-49 years-----	519,000	505,000	490,000	477,000	466,000	460,000	458,000	460,000	461,000
50-54 years-----	443,000	439,000	438,000	436,000	432,000	425,000	416,000	405,000	394,000
55-59 years-----	391,000	380,000	387,000	354,000	345,000	330,000	318,000	307,000	297,000
60-64 years-----	281,000	271,000	263,000	255,000	246,000	240,000	234,000	228,000	223,000
65-69 years-----	242,000	238,000	236,000	233,000	230,000	225,000	220,000	215,000	211,000
70-74 years-----	163,000	157,000	152,000	146,000	141,000	136,000	132,000	128,000	124,000
75-79 years-----	101,000	97,000	94,000	89,000	85,000	81,000	77,000	73,000	70,000
80-84 years-----	47,000	46,000	45,000	44,000	43,000	42,000	41,000	40,000	39,000
85 years and over-----	30,000	29,000	27,000	26,000	25,000	24,000	22,000	21,000	20,000
<b>NONWHITE FEMALE</b>									
All ages-----	10,333,000	10,073,000	9,826,000	9,576,000	9,335,000	9,101,000	8,880,000	8,677,000	8,480,000
Under 1 year-----	309,000	296,000	296,000	282,000	271,000	257,000	242,000	231,000	228,000
1-4 years-----	1,153,000	1,125,000	1,082,000	1,042,000	1,010,000	974,000	945,000	913,000	876,000
5-9 years-----	1,261,000	1,215,000	1,170,000	1,128,000	1,049,000	992,000	936,000	893,000	849,000
10-14 years-----	1,022,000	965,000	923,000	878,000	864,000	838,000	811,000	782,000	754,000
15-19 years-----	801,000	779,000	753,000	730,000	711,000	697,000	688,000	681,000	679,000
20-24 years-----	695,000	690,000	686,000	688,000	690,000	695,000	699,000	704,000	708,000
25-29 years-----	697,000	695,000	692,000	690,000	691,000	694,000	700,000	708,000	713,000
30-34 years-----	729,000	729,000	730,000	728,000	722,000	710,000	693,000	672,000	652,000
35-39 years-----	704,000	693,000	678,000	663,000	652,000	645,000	643,000	644,000	644,000
40-44 years-----	613,000	609,000	608,000	605,000	599,000	588,000	573,000	555,000	539,000
45-49 years-----	554,000	536,000	517,000	498,000	485,000	475,000	470,000	469,000	467,000
50-54 years-----	455,000	447,000	443,000	438,000	431,000	422,000	411,000	398,000	386,000
55-59 years-----	396,000	382,000	367,000	352,000	338,000	323,000	309,000	295,000	282,000
60-64 years-----	297,000	286,000	276,000	266,000	255,000	244,000	234,000	223,000	214,000
65-69 years-----	266,000	261,000	256,000	251,000	245,000	240,000	235,000	230,000	225,000
70-74 years-----	177,000	171,000	165,000	159,000	153,000	146,000	139,000	132,000	125,000
75-79 years-----	110,000	103,000	96,000	89,000	83,000	78,000	73,000	70,000	67,000
80-84 years-----	54,000	53,000	53,000	52,000	52,000	51,000	50,000	48,000	45,000
85 years and over-----	40,000	39,000	38,000	36,000	35,000	33,000	31,000	29,000	27,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States and components of change, by age, color, and sex, 1950 to 1965, Current Population Reports, Series P-25, No. 310, 1965.

## SECTION 6 - TECHNICAL APPENDIX

(INCLUDES  
ALASKA & HAWAII)

6-21

Table 6-6. Revised Estimates of the Total Resident Population of the United States, Each Division and State:  
July 1, 1951-59

[Figures include Armed Forces stationed in each area but exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	1959	1958	1957	1956	1955	1954	1953	1952	1951
United States-----	177,135,000	174,149,000	171,187,000	168,088,000	165,069,000	161,884,000	158,956,000	156,393,000	153,982,000
Geographic divisions:									
New England-----	10,436,000	10,218,000	10,050,000	9,929,000	9,871,000	9,832,000	9,627,000	9,358,000	9,288,000
Middle Atlantic-----	33,935,000	33,548,000	33,065,000	32,699,000	32,407,000	31,991,000	31,418,000	30,821,000	30,357,000
East North Central-----	35,929,000	35,578,000	34,967,000	34,404,000	33,780,000	33,063,000	32,167,000	31,498,000	30,884,000
West North Central-----	15,195,000	14,994,000	14,978,000	14,905,000	14,731,000	14,453,000	14,269,000	14,175,000	14,169,000
South Atlantic-----	25,556,000	25,043,000	24,528,000	23,842,000	23,207,000	22,719,000	22,384,000	22,134,000	21,796,000
East South Central-----	11,863,000	11,681,000	11,559,000	11,470,000	11,435,000	11,338,000	11,360,000	11,492,000	11,534,000
West South Central-----	16,658,000	16,399,000	16,200,000	15,839,000	15,581,000	15,209,000	15,164,000	15,214,000	14,991,000
Mountain-----	6,884,000	6,487,000	6,345,000	6,139,000	5,900,000	5,670,000	5,515,000	5,330,000	5,179,000
Pacific-----	20,880,000	20,200,000	19,514,000	18,862,000	18,156,000	17,609,000	17,033,000	16,371,000	15,785,000
New England:									
Maine-----	957,000	944,000	943,000	938,000	934,000	927,000	913,000	915,000	916,000
New Hampshire-----	595,000	581,000	572,000	566,000	557,000	554,000	547,000	535,000	529,000
Vermont-----	387,000	380,000	376,000	377,000	375,000	377,000	379,000	375,000	378,000
Massachusetts-----	5,117,000	5,010,000	4,929,000	4,891,000	4,882,000	4,910,000	4,806,000	4,650,000	4,654,000
Rhode Island-----	857,000	858,000	851,000	840,000	823,000	816,000	815,000	802,000	784,000
Connecticut-----	2,523,000	2,446,000	2,359,000	2,316,000	2,300,000	2,249,000	2,168,000	2,081,000	2,028,000
Middle Atlantic:									
New York-----	16,685,000	16,601,000	16,374,000	16,112,000	15,966,000	15,814,000	15,527,000	15,192,000	14,890,000
New Jersey-----	6,015,000	5,890,000	5,737,000	5,615,000	5,502,000	5,360,000	5,229,000	5,125,000	5,006,000
Pennsylvania-----	11,234,000	11,058,000	10,954,000	10,972,000	10,939,000	10,817,000	10,662,000	10,503,000	10,461,000
East North Central:									
Ohio-----	9,671,000	9,599,000	9,410,000	9,207,000	9,017,000	8,873,000	8,591,000	8,275,000	8,061,000
Indiana-----	4,613,000	4,583,000	4,529,000	4,458,000	4,363,000	4,264,000	4,182,000	4,148,000	4,096,000
Illinois-----	9,986,000	9,886,000	9,668,000	9,530,000	9,435,000	9,252,000	9,065,000	8,956,000	8,790,000
Michigan-----	7,767,000	7,667,000	7,569,000	7,467,000	7,285,000	7,066,000	6,822,000	6,650,000	6,497,000
Wisconsin-----	3,891,000	3,843,000	3,791,000	3,742,000	3,679,000	3,608,000	3,506,000	3,469,000	3,439,000
West North Central:									
Minnesota-----	3,366,000	3,313,000	3,274,000	3,240,000	3,172,000	3,113,000	3,050,000	3,030,000	3,010,000
Iowa-----	2,729,000	2,708,000	2,716,000	2,705,000	2,679,000	2,626,000	2,629,000	2,629,000	2,617,000
Missouri-----	4,258,000	4,186,000	4,189,000	4,163,000	4,134,000	4,066,000	4,020,000	3,972,000	4,015,000
North Dakota-----	618,000	606,000	612,000	613,000	615,000	611,000	609,000	608,000	604,000
South Dakota-----	667,000	656,000	666,000	670,000	663,000	655,000	648,000	651,000	655,000
Nebraska-----	1,397,000	1,383,000	1,394,000	1,397,000	1,374,000	1,340,000	1,311,000	1,311,000	1,316,000
Kansas-----	2,160,000	2,142,000	2,128,000	2,119,000	2,093,000	2,042,000	1,994,000	1,977,000	1,950,000
South Atlantic:									
Delaware-----	441,000	433,000	426,000	408,000	389,000	368,000	351,000	341,000	331,000
Maryland-----	3,066,000	2,982,000	2,873,000	2,811,000	2,742,000	2,685,000	2,567,000	2,500,000	2,441,000
District of Columbia-----	761,000	757,000	763,000	759,000	755,000	791,000	810,000	805,000	808,000
Virginia-----	3,951,000	3,914,000	3,844,000	3,722,000	3,588,000	3,555,000	3,557,000	3,504,000	3,434,000
West Virginia-----	1,855,000	1,845,000	1,843,000	1,857,000	1,880,000	1,905,000	1,929,000	1,957,000	1,984,000
North Carolina-----	4,458,000	4,376,000	4,368,000	4,309,000	4,242,000	4,131,000	4,120,000	4,109,000	4,120,000
South Carolina-----	2,348,000	2,304,000	2,274,000	2,229,000	2,200,000	2,176,000	2,181,000	2,178,000	2,167,000
Georgia-----	3,868,000	3,804,000	3,766,000	3,701,000	3,636,000	3,602,000	3,558,000	3,584,000	3,531,000
Florida-----	4,808,000	4,630,000	4,372,000	4,047,000	3,747,000	3,505,000	3,310,000	3,157,000	2,980,000
East South Central:									
Kentucky-----	2,999,000	2,961,000	2,928,000	2,898,000	2,910,000	2,902,000	2,903,000	2,920,000	2,941,000
Tennessee-----	3,522,000	3,471,000	3,434,000	3,415,000	3,415,000	3,359,000	3,319,000	3,352,000	3,372,000
Alabama-----	3,204,000	3,163,000	3,109,000	3,071,000	3,050,000	3,014,000	3,053,000	3,068,000	3,059,000
Mississippi-----	2,138,000	2,086,000	2,088,000	2,086,000	2,080,000	2,064,000	2,105,000	2,152,000	2,163,000
West South Central:									
Arkansas-----	1,756,000	1,726,000	1,733,000	1,704,000	1,725,000	1,734,000	1,780,000	1,838,000	1,901,000
Louisiana-----	3,208,000	3,155,000	3,115,000	3,032,000	2,946,000	2,883,000	2,866,000	2,842,000	2,769,000
Oklahoma-----	2,289,000	2,267,000	2,282,000	2,273,000	2,250,000	2,209,000	2,182,000	2,219,000	2,210,000
Texas-----	9,405,000	9,252,000	9,070,000	8,830,000	8,660,000	8,382,000	8,336,000	8,314,000	8,111,000
Mountain:									
Montana-----	669,000	666,000	667,000	656,000	636,000	624,000	616,000	602,000	596,000
Idaho-----	657,000	646,000	642,000	628,000	618,000	600,000	596,000	587,000	589,000
Wyoming-----	320,000	315,000	314,000	312,000	307,000	293,000	290,000	293,000	291,000
Colorado-----	1,710,000	1,667,000	1,664,000	1,625,000	1,546,000	1,493,000	1,431,000	1,365,000	1,326,000
New Mexico-----	919,000	886,000	847,000	806,000	785,000	763,000	756,000	735,000	717,000
Arizona-----	1,261,000	1,193,000	1,125,000	1,053,000	987,000	933,000	894,000	842,000	785,000
Utah-----	870,000	845,000	826,000	809,000	783,000	750,000	739,000	724,000	706,000
Nevada-----	279,000	269,000	260,000	250,000	237,000	213,000	195,000	181,000	168,000
Pacific:									
Washington-----	2,821,000	2,773,000	2,724,000	2,668,000	2,604,000	2,516,000	2,466,000	2,448,000	2,424,000
Oregon-----	1,746,000	1,718,000	1,712,000	1,698,000	1,659,000	1,626,000	1,601,000	1,582,000	1,556,000
California-----	15,467,000	14,880,000	14,264,000	13,713,000	13,133,000	12,746,000	12,251,000	11,635,000	11,134,000
Alaska-----	224,000	224,000	231,000	224,000	222,000	215,000	205,000	189,000	158,000
Hawaii-----	622,000	605,000	584,000	559,000	539,000	505,000	510,000	517,000	514,000

Source: U.S. Bureau of the Census: Revised estimates of the population of States and components of population change, 1950-1960, Current Population Reports, Series P-25, No. 304, 1965.

(83) 238

599<sup>a</sup> sold

AM3 1.652.9

