Data table for Figure 1. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by sex: United States, 1998–2009

3-year period	All	Male	Female		
	Percent (standard error)				
1998–2000	6.9 (0.2)	9.9 (0.3)	3.6 (0.2)		
2001–2003	7.5 (0.2)	10.7 (0.3)	4.1 (0.2)		
2004–2006	8.1 (0.2)	11.4 (0.4)	4.6 (0.2)		
2007–2009	9.0 (0.3)	12.3 (0.4)	5.5 (0.3)		

Data table for Figure 2. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by race and ethnicity: United States, 1998–2009

3-year period	Non-Hispanic white	Non-Hispanic black	Puerto Rican	Mexican	
	Percent (standard error)				
1998–2000	8.2 (0.2)	5.1 (0.4)	5.9 (1.0)	2.8 (0.3)	
2001–2003	8.8 (0.3)	7.2 (0.5)	10.1 (1.6)	3.0 (0.3)	
2004–2006	9.3 (0.3)	8.1 (0.5)	9.5 (1.5)	4.5 (0.4)	
2007–2009	10.6 (0.4)	9.5 (0.6)	9.5 (1.3)	4.4 (0.5)	

Data table for Figure 3. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by poverty status: United States, 1998–2009

3-year period	Less than 100% of poverty level	100%–199% of poverty level	200% or more of poverty level		
_	Percent (standard error)				
1998–2000	7.5 (0.5)	7.0 (0.4)	6.6 (0.2)		
2001–2003	8.2 (0.5)	7.3 (0.4)	7.4 (0.2)		
2004–2006	9.5 (0.6)	8.5 (0.5)	7.5 (0.3)		
2007–2009	10.3 (0.7)	10.6 (0.7)	7.9 (0.3)		

Data table for Figure 4. Percentage (standard error) of children aged 5–17 years ever diagnosed with attention deficit hyperactivity disorder, by U.S. Census region: United States, 1998–2009

3-year period	Northeast	Midwest	South	West	
	Percent (standard error)				
1998–2000	5.7 (0.4)	7.1 (0.4)	8.1 (0.3)	5.4 (0.4)	
2001–2003	7.3 (0.5)	7.9 (0.4)	8.4 (0.4)	5.7 (0.3)	
2004–2006	7.0 (0.5)	9.2 (0.5)	9.4 (0.4)	5.6 (0.4)	
2007–2009	8.6 (0.6)	10.2 (0.6)	10.3 (0.4)	5.8 (0.4)	

NOTE: For a listing of states in each of the four U.S. Census regions, visit

http://www.census.gov/geo/www/us_regdiv.pdf.