

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Wednesday, April 20, 2011
 Unweighted Frequencies

1

Continuous variables in the frequency
 report only show the range of valid numbers

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
38 Quality of Life	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Disability Questions Tests 2010	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	2165	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	2165	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
Range of Values	2165	100.00

IDN.000_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	2165	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2165	100.00

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 IDN Variables Wednesday, April 20, 2011
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2068	95.52
02 Second injury or poisoning	85	3.93
03 Third injury or poisoning	9	0.42
04 Fourth injury or poisoning	2	0.09
05 Fifth injury or poisoning	1	0.05
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	2165	100.00

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	166	7.67
02 February	183	8.45
03 March	199	9.19
04 April	195	9.01
05 May	179	8.27
06 June	185	8.55
07 July	191	8.82
08 August	213	9.84
09 September	204	9.42
10 October	157	7.25
11 November	119	5.50
12 December	145	6.70
97 Refused	8	0.37
98 Not ascertained	0	0.00
99 Don't know	21	0.97

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2127	99.86
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	3	0.14

Frequency Missing = 35

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096	14	66.67
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	7	33.33

Frequency Missing = 2144

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	2	9.52
3 Months	12	57.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	33.33

Frequency Missing = 2144

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	170	32.95
2 Middle	200	38.76
3 End	105	20.35
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	41	7.95

Frequency Missing = 1649

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1611	74.41
40	1.85
165	7.62
320	14.78
29	1.34

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	2165	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
2165	100.00

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
2165	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1613	74.50
2 Month, beginning of month, and year	170	7.85
3 Month, middle of month, and year	199	9.19
4 Month, end of month, and year	105	4.85
5 Month and year	40	1.85
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	2	0.09
8 Elapsed time in months	12	0.55
9 No information	24	1.11

2010 National Health Interview Survey (NHIS) 6
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1613	74.50
1 Imputed day based on reported beginning, middle, or end of month	474	21.89
2 Imputed day of the month (no day of month information reported)	40	1.85
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	2	0.09
5 Imputed time interval based on elapsed time reported in months	12	0.55
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	24	1.11

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	166	7.67
02 February	190	8.78
03 March	201	9.28
04 April	198	9.15
05 May	186	8.59
06 June	186	8.59
07 July	192	8.87
08 August	216	9.98
09 September	204	9.42
10 October	160	7.39
11 November	119	5.50
12 December	147	6.79

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	2165	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	106	4.90
2 Elapsed time is <= 91 days	2059	95.10

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent
53	2.45
80	3.70
2032	93.86

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	171	8.04
02 On a bike, scooter, skateboard, skates, skis, horse, etc	78	3.67
03 Pedestrian who was struck by a vehicle such as a car or bicycle	10	0.47
04 In a boat, train, or plane	9	0.42
05 Fall	741	34.85
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	24	1.13
07 Other	1064	50.05
97 Refused	12	0.56
98 Not ascertained	0	0.00
99 Don't know	17	0.80

Frequency Missing = 39

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation	254	11.73
02 Fire/burn/scald related	27	1.25
03 Fall	804	37.14
04 Poisoning	39	1.80
05 Overexertion/strenuous movements	271	12.52
06 Struck by object or person	256	11.82
07 Animal or insect bite	61	2.82
08 Cut/pierce	140	6.47
09 Machinery	17	0.79
10 Other	296	13.67
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	252	11.85
02 Back	197	9.27
03 Buttocks	9	0.42
04 Chest	27	1.27
05 Ear	9	0.42
06 Elbow	55	2.59
07 Eye	40	1.88
08 Face	76	3.57
09 Finger/thumb	176	8.28
10 Foot	120	5.64
11 Forearm	69	3.25
12 Groin	10	0.47
13 Hand	98	4.61
14 Head (not face)	139	6.54
15 Hip	38	1.79
16 Jaw	6	0.28
17 Knee	186	8.75
18 Lower leg	95	4.47
19 Mouth	10	0.47
20 Neck	51	2.40
21 Nose	14	0.66
22 Shoulder	130	6.11
23 Stomach	13	0.61
24 Teeth	10	0.47
25 Thigh	21	0.99
26 Toe	53	2.49
27 Upper arm	19	0.89
28 Wrist	95	4.47
29 Other	90	4.23
97 Refused	11	0.52
98 Not ascertained	0	0.00
99 Don't know	7	0.33

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	1857	87.35
01 Ankle	5	0.24
02 Back	26	1.22
03 Buttocks	4	0.19
04 Chest	7	0.33
05 Ear	2	0.09
06 Elbow	7	0.33
07 Eye	4	0.19
08 Face	9	0.42
09 Finger/thumb	1	0.05
10 Foot	7	0.33
11 Forearm	5	0.24
12 Groin	0	0.00
13 Hand	12	0.56
14 Head (not face)	13	0.61
15 Hip	10	0.47
16 Jaw	1	0.05
17 Knee	29	1.36
18 Lower leg	16	0.75
19 Mouth	1	0.05
20 Neck	42	1.98
21 Nose	3	0.14
22 Shoulder	25	1.18
23 Stomach	4	0.19
24 Teeth	4	0.19
25 Thigh	3	0.14
26 Toe	1	0.05
27 Upper arm	5	0.24
28 Wrist	12	0.56
29 Other	11	0.52
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

10

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2029	95.44
01 Ankle	4	0.19
02 Back	7	0.33
03 Buttocks	0	0.00
04 Chest	2	0.09
05 Ear	0	0.00
06 Elbow	3	0.14
07 Eye	2	0.09
08 Face	2	0.09
09 Finger/thumb	1	0.05
10 Foot	4	0.19
11 Forearm	3	0.14
12 Groin	2	0.09
13 Hand	2	0.09
14 Head (not face)	6	0.28
15 Hip	6	0.28
16 Jaw	0	0.00
17 Knee	9	0.42
18 Lower leg	5	0.24
19 Mouth	1	0.05
20 Neck	5	0.24
21 Nose	0	0.00
22 Shoulder	11	0.52
23 Stomach	1	0.05
24 Teeth	1	0.05
25 Thigh	5	0.24
26 Toe	1	0.05
27 Upper arm	4	0.19
28 Wrist	1	0.05
29 Other	9	0.42
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2081	97.88
01 Ankle	0	0.00
02 Back	7	0.33
03 Buttocks	1	0.05
04 Chest	2	0.09
05 Ear	0	0.00
06 Elbow	2	0.09
07 Eye	0	0.00
08 Face	0	0.00
09 Finger/thumb	0	0.00
10 Foot	0	0.00
11 Forearm	2	0.09
12 Groin	0	0.00
13 Hand	3	0.14
14 Head (not face)	3	0.14
15 Hip	3	0.14
16 Jaw	0	0.00
17 Knee	2	0.09
18 Lower leg	2	0.09
19 Mouth	0	0.00
20 Neck	5	0.24
21 Nose	0	0.00
22 Shoulder	2	0.09
23 Stomach	3	0.14
24 Teeth	0	0.00
25 Thigh	3	0.14
26 Toe	0	0.00
27 Upper arm	1	0.05
28 Wrist	0	0.00
29 Other	4	0.19
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

12

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	461	21.87
02 Sprain, strain, or twist	654	31.02
03 Cut	344	16.32
04 Scrape	50	2.37
05 Bruise	237	11.24
06 Burn	31	1.47
07 Insect bite	43	2.04
08 Animal bite	16	0.76
09 Other	267	12.67
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	0.24

Frequency Missing = 57

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	1995	94.64
01 Broken bone or fracture	3	0.14
02 Sprain, strain, or twist	13	0.62
03 Cut	9	0.43
04 Scrape	16	0.76
05 Bruise	55	2.61
06 Burn	1	0.05
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	16	0.76
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 57

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	28	10.41
02 Sprain, strain, or twist	87	32.34
03 Cut	26	9.67
04 Scrape	14	5.20
05 Bruise	68	25.28
06 Burn	5	1.86
07 Insect bite	7	2.60
08 Animal bite	0	0.00
09 Other	33	12.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.37

Frequency Missing = 1896

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	240	89.22
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	3	1.12
03 Cut	3	1.12
04 Scrape	4	1.49
05 Bruise	16	5.95
06 Burn	1	0.37
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	0.74
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1896

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

14

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	9	9.28
02 Sprain, strain, or twist	27	27.84
03 Cut	7	7.22
04 Scrape	6	6.19
05 Bruise	29	29.90
06 Burn	3	3.09
07 Insect bite	3	3.09
08 Animal bite	0	0.00
09 Other	12	12.37
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.03

Frequency Missing = 2068

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	84	86.60
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	3	3.09
05 Bruise	7	7.22
06 Burn	1	1.03
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	2.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2068

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	6.67
02 Sprain, strain, or twist	14	31.11
03 Cut	3	6.67
04 Scrape	5	11.11
05 Bruise	12	26.67
06 Burn	1	2.22
07 Insect bite	1	2.22
08 Animal bite	0	0.00
09 Other	5	11.11
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	2.22

Frequency Missing = 2120

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	38	84.44
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	1	2.22
05 Bruise	5	11.11
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	2.22
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2120

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	14	35.90
2 No	24	61.54
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.56

Frequency Missing = 2126

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	461	21.29
2 No	1693	78.20
7 Refused	5	0.23
8 Not ascertained	0	0.00
9 Don't know	6	0.28

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1098	50.72
2 No	1057	48.82
7 Refused	5	0.23
8 Not ascertained	0	0.00
9 Don't know	5	0.23

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1605	74.13
2 No	547	25.27
7 Refused	7	0.32
8 Not ascertained	0	0.00
9 Don't know	6	0.28

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	761	35.15
2 No	1385	63.97
7 Refused	7	0.32
8 Not ascertained	0	0.00
9 Don't know	12	0.55

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	247	11.41
2 No	1904	87.94
7 Refused	7	0.32
8 Not ascertained	0	0.00
9 Don't know	7	0.32

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	142	6.56
2 No	2013	92.98
7 Refused	7	0.32
8 Not ascertained	0	0.00
9 Don't know	3	0.14

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	139	97.89
95 95+ nights	0	0.00
97 Refused	1	0.70
98 Not ascertained	0	0.00
99 Don't know	2	1.41

Frequency Missing = 2023

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	177	68.34
2 No	82	31.66
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1906

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
117	45.17
55	21.24
11	4.25
44	16.99

FIJ.110_00.000: Injured as . . .

Frequency	Percent
28	10.81
2	0.77
0	0.00
2	0.77

Frequency Missing = 1906

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent
100	58.14
41	23.84
4	2.33
1	0.58
13	7.56
2	1.16
0	0.00
3	1.74
8	4.65
0	0.00
0	0.00
0	0.00

Frequency Missing = 1993

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	107	75.35
2 No	32	22.54
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	2.11

Frequency Missing = 2023

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	40	45.98
2 No	47	54.02
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2078

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	120	16.19
02 Floor or level ground	232	31.31
03 Curb (including sidewalk)	36	4.86
04 Ladder or scaffolding	14	1.89
05 Playground equipment	28	3.78
06 Sports field, court, or rink	71	9.58
07 Building or other structure	11	1.48
08 Chair, bed, sofa, or other furniture	56	7.56
09 Bathtub, shower, toilet, or commode	20	2.70
10 Hole or other opening	13	1.75
11 Other	140	18.89
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1424

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	729	98.38
01 Stairs, steps, or escalator	1	0.13
02 Floor or level ground	3	0.40
03 Curb (including sidewalk)	0	0.00
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	0	0.00
07 Building or other structure	0	0.00
08 Chair, bed, sofa, or other furniture	4	0.54
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	4	0.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1424

FIJ.131_00.000: Cause of fall

IFALLWHY

-
- 1 Slipping or tripping
 - 2 Jumping or diving
 - 3 Bumping into an object or another person
 - 4 Being shoved or pushed by another person
 - 5 Losing balance or having dizziness (becoming faint or having a seizure)
 - 6 Other
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
397	53.58
50	6.75
31	4.18
19	2.56
115	15.52
119	16.06
0	0.00
0	0.00
10	1.35

Frequency Missing = 1424

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	11
2 Swallowing or touching a harmful solid or liquid substance	1
3 Inhaling harmful gases or vapors	17
4 Eating a poisonous plant or other substance mistaken for food	3
5 Being bitten by a poisonous animal	1
6 Other, please specify	6
7 Refused	0
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	28.21
2 Swallowing or touching a harmful solid or liquid substance	2.56
3 Inhaling harmful gases or vapors	43.59
4 Eating a poisonous plant or other substance mistaken for food	7.69
5 Being bitten by a poisonous animal	2.56
6 Other, please specify	15.38
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2126

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	150	6.93
02 Working at a paid job	254	11.73
03 Working around the house or yard	300	13.86
04 Attending school	74	3.42
05 Unpaid work (such as volunteer work)	15	0.69
06 Sports and exercise	381	17.60
07 Leisure activity (excluding sports)	442	20.42
08 Sleeping, resting, eating, or drinking	87	4.02
09 Cooking	30	1.39
10 Being cared for (hands-on care from other person)	22	1.02
11 Other	381	17.60
97 Refused	9	0.42
98 Not ascertained	0	0.00
99 Don't know	20	0.92

2010 National Health Interview Survey (NHIS) 22
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2143	98.98
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	5	0.23
03 Working around the house or yard	1	0.05
04 Attending school	1	0.05
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	5	0.23
07 Leisure activity	4	0.18
08 Sleeping, resting, eating, or drinking	2	0.09
09 Cooking	1	0.05
10 Being cared for (hands on care from other person)	1	0.05
11 Other	2	0.09
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHER1	Frequency	Percent
01 Home (inside)	604	27.90
02 Home (outside)	410	18.94
03 School (not residential)	160	7.39
04 Child care center or preschool	9	0.42
05 Residential institution (exclude hospital)	16	0.74
06 Health care facility (include hospital)	31	1.43
07 Street or highway	187	8.64
08 Sidewalk	45	2.08
09 Parking lot	34	1.57
10 Sport facility, athletic field, or playground	202	9.33
11 Shopping center, restaurant, store, bank, gas station, or other place of business	68	3.14
12 Farm	16	0.74
13 Park or recreation area (include bike or jog path)	57	2.63
14 River, lake, stream, or ocean	27	1.25
15 Industrial or construction area	45	2.08
16 Other public building	59	2.73
17 Other	166	7.67
97 Refused	9	0.42
98 Not ascertained	0	0.00
99 Don't know	20	0.92

2010 National Health Interview Survey (NHIS) 23
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2147	99.17
01 Home (inside)	0	0.00
02 Home (outside)	5	0.23
03 School (not residential)	1	0.05
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	0	0.00
07 Street or highway	4	0.18
08 Sidewalk	2	0.09
09 Parking lot	1	0.05
10 Sport facility, athletic field, or playground	0	0.00
11 Shopping center, restaurant, store, bank, gas station, or other place of business	0	0.00
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	1	0.05
14 River, lake, stream, or ocean	1	0.05
15 Industrial or construction area	1	0.05
16 Other public building	1	0.05
17 Other	1	0.05
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	754	41.25
2 Part-time	160	8.75
3 Not employed	905	49.51
7 Refused	5	0.27
8 Not ascertained	0	0.00
9 Don't know	4	0.22

Frequency Missing = 337

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	458	50.11
2 Less than one day	58	6.35
3 One to five days	196	21.44
4 Six or more days	197	21.55
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	5	0.55

Frequency Missing = 1251

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	532	25.83
2 Part-time	61	2.96
3 Not a student	1460	70.87
7 Refused	4	0.19
8 Not ascertained	0	0.00
9 Don't know	3	0.15

Frequency Missing = 105

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	381	64.25
2 Less than one day	48	8.09
3 One to five days	140	23.61
4 Six or more days	22	3.71
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.34

Frequency Missing = 1572

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	2165	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	524	100.00

Frequency Missing = 1641

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	179	100.00

Frequency Missing = 1986

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	79	100.00

Frequency Missing = 2086

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	34	100.00

Frequency Missing = 2131

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	13	100.00

Frequency Missing = 2152

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	6	100.00

Frequency Missing = 2159

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
ICD-9-CM codes	3	100.00

Frequency Missing = 2162

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1T	Frequency	Percent
E800-E999 E codes	2165	100.00

FIJ.181_20.000: ICD-9-CM external cause code

Table with 3 columns: ECODE_2T, Frequency, Percent. Row: E800-E999 E codes, 67, 100.00

Frequency Missing = 2098

FIJ.181_30.000: ICD-9-CM external cause code

Table with 3 columns: ECODE_3T, Frequency, Percent. Row: E800-E999 E codes, 1, 100.00

Frequency Missing = 2164