

List of Trend Tables

Health Status and Determinants

Population

Table 1. Resident population , according to age, sex, race, and Hispanic origin: United States, selected years 1950–2002. . . .	105
Table 2. Persons and families below poverty level, according to selected characteristics, race, and Hispanic origin: United States, selected years 1973–2002.	107

Fertility and Natality

Table 3. Crude birth rates, fertility rates , and birth rates by age of mother, according to race and Hispanic origin: United States, selected years 1950–2002.	109
Table 4. Live births , according to detailed race and Hispanic origin of mother: United States, selected years 1970–2002.	111
Table 5. Women 15–44 years of age who have not had at least 1 live birth , by age: United States, selected years 1960–2002	112
Table 6. Prenatal care for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2002	113
Table 7. Early prenatal care according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1994–96, 1997–99, and 2000–2002.	114
Table 8. Teenage childbearing , according to detailed race and Hispanic origin of mother: United States, selected years 1970–2002	116
Table 9. Nonmarital childbearing according to detailed race and Hispanic origin of mother, and maternal age: United States, selected years 1970–2002.	117
Table 10. Maternal education for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2002.	118
Table 11. Mothers who smoked cigarettes during pregnancy, according to mother’s detailed race, Hispanic origin, age, and education: Selected States, 1989–2002	119
Table 12. Low-birthweight live births, according to mother’s detailed race, Hispanic origin, and smoking status: United States, selected years 1970–2002	120
Table 13. Low-birthweight live births among mothers 20 years of age and over, by mother’s detailed race, Hispanic origin, and education: United States, selected years 1989–2002	121
Table 14. Low-birthweight live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1994–96, 1997–99, and 2000–2002.	122
Table 15. Very low-birthweight live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1994–96, 1997–99, and 2000–2002.	124
Table 16. Legal abortions and legal abortion ratios, according to selected patient characteristics: United States, selected years 1973–2001	126
Table 17. Contraceptive use among women 15–44 years of age, according to age, race, Hispanic origin, and method of contraception: United States, 1982, 1988, and 1995.	127
Table 18. Breastfeeding by mothers 15–44 years of age by year of baby’s birth, according to selected characteristics of mother: United States, average annual 1972–74 to 1993–94	130

Mortality

Table 19. Infant, neonatal, and postneonatal mortality rates , according to detailed race and Hispanic origin of mother: United States, selected years 1983–2002	131
Table 20. Infant mortality rates for mothers 20 years of age and over, according to mother’s education, detailed race, and Hispanic origin: United States, selected years 1983–2002	133
Table 21. Infant mortality rates according to birthweight: United States, selected years 1983–2002	134
Table 22. Infant mortality rates , fetal mortality rates, and perinatal mortality rates, according to race: United States, selected years 1950–2002	135
Table 23. Infant mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1997–99, and 2000–2002	136
Table 24. Neonatal mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1997–99, and 2000–2002	138
Table 25. Infant mortality rates and international rankings: Selected countries, selected years 1960–2000	140
Table 26. Life expectancy at birth and at 65 years of age, according to sex: Selected countries, selected years 1980–1999 . .	141
Table 27. Life expectancy at birth, at 65 years of age, and at 75 years of age, according to race and sex: United States, selected years 1900–2002	143
Table 28. Age-adjusted death rates , according to race, Hispanic origin, geographic division, and State : United States, average annual 1979–81, 1989–91, and 2000–2002	144
Table 29. Age-adjusted death rates for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1950–2002	146
Table 30. Years of potential life lost before age 75 for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1980–2002	150
Table 31. Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2002	154
Table 32. Leading causes of death and numbers of deaths, according to age: United States, 1980 and 2002	158
Table 33. Age-adjusted death rates, according to race, sex, region, and urbanization level: United States, average annual 1994–96, 1997–99, and 2000–2002	160
Table 34. Age-adjusted death rates for persons 25–64 years of age for selected causes of death, according to sex and educational attainment : Selected States, 1994–2002	163
Table 35. Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	165
Table 36. Death rates for diseases of heart , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	169
Table 37. Death rates for cerebrovascular diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	172
Table 38. Death rates for malignant neoplasms , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	175
Table 39. Death rates for malignant neoplasms of trachea, bronchus, and lung , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	179
Table 40. Death rates for malignant neoplasm of breast for females, according to race, Hispanic origin, and age: United States, selected years 1950–2002	182

Table 41. Death rates for chronic lower respiratory diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1980–2002	184
Table 42. Death rates for human immunodeficiency virus (HIV) disease , according to sex, race, Hispanic origin, and age: United States, selected years 1987–2002	187
Table 43. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, according to race, Hispanic origin, and age: United States, selected years 1950–2002	189
Table 44. Death rates for motor vehicle-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	190
Table 45. Death rates for homicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	194
Table 46. Death rates for suicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2002	197
Table 47. Death rates for firearm-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1970–2002	200
Table 48. Deaths from selected occupational diseases for persons 15 years of age and over: United States, selected years 1980–2002	203
Table 49. Occupational injury deaths and rates by industry, sex, age, race, and Hispanic origin: United States, selected years 1992–2002	204

Determinants and Measures of Health

Table 50. Occupational injuries and illnesses with days away from work, job transfer, or restriction in the private sector, according to industry: United States, selected years 1980–2002	206
Table 51. Selected notifiable disease rates , according to disease: United States, selected years 1950–2002	207
Table 52. Acquired immunodeficiency syndrome (AIDS) cases, according to age at diagnosis, sex, detailed race, and Hispanic origin: United States, selected years 1985–2003	208
Table 53. Age-adjusted cancer incidence rates for selected cancer sites, according to sex, race, and Hispanic origin: Selected geographic areas, 1990–2001	209
Table 54. Five-year relative cancer survival rates for selected cancer sites, according to race and sex: Selected geographic areas, 1974–79, 1980–82, 1983–85, 1986–88, 1989–91, and 1992–2000	212
Table 55. Diabetes among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1988–94 and 1999–2000	213
Table 56. Limitation of activity caused by chronic conditions, according to selected characteristics: United States, selected years 1997–2002	214
Table 57. Respondent-assessed health status according to selected characteristics: United States, selected years 1991–2002	217
Table 58. Serious psychological distress among persons 18 years of age and over according to selected characteristics: United States, average annual 1997–98 through 2001–02	219
Table 59. Suicidal ideation, suicide attempts , and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States, selected years 1991–2003	221
Table 60. Current cigarette smoking by persons 18 years of age and over according to sex, race, and age: United States, selected years 1965–2002	223

Table 61. Age-adjusted prevalence of current cigarette smoking by persons 25 years of age and over, according to sex, race, and education: United States, selected years 1974–2002	225
Table 62. Current cigarette smoking by adults according to sex, race, Hispanic origin, age, and education: United States, average annual 1990–92, 1995–1998, and 2000–2002	226
Table 63. Use of selected substances in the past month by persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, 2002–2003.	228
Table 64. Use of selected substances by high school seniors, tenth-, and eighth-graders, according to sex and race: United States, selected years 1980–2003.	230
Table 65. Cocaine-related emergency department episodes , according to age, sex, race, and Hispanic origin: United States, selected years 1990–2002	233
Table 66. Alcohol consumption by persons 18 years of age and over, according to selected characteristics: United States, selected years 1997–2002	235
Table 67. Hypertension among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1988–94 and 1999–2002.	238
Table 68. Serum cholesterol levels among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2002.	239
Table 69. Overweight, obesity, and healthy weight among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2002	241
Table 70. Overweight children and adolescents 6–19 years of age, according to sex, age, race, and Hispanic origin: United States, selected years 1963–65 through 1999–2002	245

Utilization of Health Resources

Ambulatory Care

Table 71. Health care visits to doctor's offices, emergency departments, and home visits within the past 12 months, according to selected characteristics: United States, selected years 1997–2002	247
Table 72. Vaccinations of children 19–35 months of age for selected diseases, according to race, Hispanic origin, poverty status, and residence in metropolitan statistical area (MSA): United States, 1995–2003.	250
Table 73. Vaccination coverage among children 19–35 months of age according to geographic division, State, and selected urban areas: United States, 1995–2003	252
Table 74. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, according to selected characteristics: United States, average annual 1997–98, 1999–2000, and 2001–02	254
Table 75. No usual source of health care among children under 18 years of age, according to selected characteristics: United States, average annual selected years 1993–94 through 2001–02	256
Table 76. Emergency department visits within the past 12 months among children under 18 years of age, according to selected characteristics: United States, selected years 1997–2002	258
Table 77. No usual source of health care among adults 18–64 years of age, according to selected characteristics: United States, average annual 1993–94 through 2001–02	261
Table 78. Emergency department visits within the past 12 months among adults 18 years of age and over, according to selected characteristics: United States, selected years 1997–2002	263
Table 79. Dental visits in the past year according to selected characteristics: United States, selected years 1997–2002	265

Table 80. Untreated dental caries according to age, sex, race and Hispanic origin, and poverty status: United States, 1971–74, 1988–94, and 1999–2000	267
Table 81. Use of mammography for women 40 years of age and over according to selected characteristics: United States, selected years 1987–2000	269
Table 82. Use of Pap smears for women 18 years of age and over according to selected characteristics: United States, selected years 1987–2000	271
Table 83. Visits to physician offices and hospital outpatient and emergency departments by selected characteristics: United States, selected years 1995–2002	273
Table 84. Injury-related visits to hospital emergency departments by sex, age, and intent and mechanism of injury: United States, average annual 1995–96, 1998–99, and 2001–2002	275
Table 85. Visits to primary care and specialist physicians , according to selected characteristics and type of physician: United States, 1980, 1990, 2000, and 2002	277
Table 86. Prescription drug use in the past month by sex, age, race, and Hispanic origin: United States, 1988–94 and 1999–2000	280
Table 87. Selected prescription and nonprescription drugs recorded during physician office visits and hospital outpatient department visits, by age and sex: United States, 1995–96 and 2001–02	282
Table 88. Substance abuse clients in specialty treatment units according to substance abused, geographic division, and State: United States, 2000–2003	285
Table 89. Additions to mental health organizations according to type of service and organization: United States, selected years 1986–2000	286
Table 90. Home health care patients , according to age, sex, and diagnosis: United States, selected years 1992–2000	287
Table 91. Hospice patients , according to age, sex, and diagnosis: United States, selected years 1992–2000	288

Inpatient Care

Table 92. Discharges , days of care, and average length of stay in short-stay hospitals, according to selected characteristics: United States, selected years 1997–2002	289
Table 93. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals, according to selected characteristics: United States, selected years 1980–2002	292
Table 94. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals for discharges with the diagnosis of human immunodeficiency virus (HIV) and for all discharges: United States, selected years 1986–2002	294
Table 95. Rates of discharges and days of care in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2002	295
Table 96. Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2002	298
Table 97. Selected inpatient procedures according to sex, age, and type of procedure: United States, 1991–92 and 2001–02	301
Table 98. Hospital admissions , average length of stay, and outpatient visits, according to type of ownership and size of hospital, and percent outpatient surgery: United States, selected years 1975–2002	304
Table 99. Nursing home residents 65 years of age and over, according to age, sex, and race: United States, 1973–74, 1985, 1995, and 1999	305
Table 100. Nursing home residents 65 years of age and over, according to selected functional status and age, sex, and race: United States, 1985, 1995, and 1999	306

Health Care Resources

Personnel

Table 101. Persons employed in health service sites, according to sex: United States, selected years 2000–03.	307
Table 102. Active non-Federal physicians and doctors of medicine in patient care, according to geographic division and State: United States, 1975, 1985, 1995, and 2002	308
Table 103. Doctors of medicine , according to activity and place of medical education: United States and outlying U.S. areas, selected years 1975–2002.	310
Table 104. Doctors of medicine in primary care, according to specialty: United States and outlying U.S. areas, selected years 1949–2002	311
Table 105. Active health personnel according to occupation: United States, selected years 1980–2001	312
Table 106. First-year enrollment and graduates of health professions schools and number of schools, according to profession: United States, selected years 1980–2002	313
Table 107. Total enrollment of minorities in schools for selected health occupations, according to detailed race and Hispanic origin: United States, academic years 1980–81, 1990–91, 2000–01, and 2001–02.	314
Table 108. First-year and total enrollment of women in schools for selected health occupations, according to detailed race and Hispanic origin: United States, academic years 1980–81, 1990–91, 2000–01, and 2001–02	316

Facilities

Table 109. Hospitals , beds, and occupancy rates, according to type of ownership and size of hospital: United States, selected years 1975–2002.	317
Table 110. Mental health organizations and beds for 24-hour hospital and residential treatment according to type of organization: United States, selected years 1986–2000.	318
Table 111. Community hospital beds and average annual percent change, according to geographic division and State: United States, selected years 1960–2002	319
Table 112. Occupancy rates in community hospitals and average annual percent change, according to geographic division and State: United States, selected years 1960–2002.	320
Table 113. Nursing homes , beds, occupancy, and residents, according to geographic division and State: United States, 1995–2002	321
Table 114. Medicare-certified providers and suppliers: United States, selected years 1980–2002	323

Health Care Expenditures

National Health Expenditures

Table 115. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars: Selected countries and years 1960–2001	325
Table 116. Gross domestic product, Federal and State and local government expenditures, national health expenditures , and average annual percent change: United States, selected years 1960–2002	326
Table 117. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2003.	327
Table 118. National health expenditures , average annual percent change, and percent distribution, according to type of expenditure: United States, selected years 1960–2002	328
Table 119. Personal health care expenditures , according to type of expenditure and source of funds: United States, selected years 1960–2002.	330
Table 120. Expenses for health care and prescribed medicine according to selected population characteristics: United States, selected years 1987–2000.	332
Table 121. Sources of payment for health care according to selected population characteristics: United States, selected years 1987–2000	334
Table 122. Out-of-pocket health care expenses for persons with medical expenses by age: United States, selected years 1987–2000	336
Table 123. Expenditures for health services and supplies and percent distribution, by type of payer: United States, selected calendar years 1987–2000.	337
Table 124. Employers' costs per employee-hour worked for total compensation, wages and salaries, and health insurance , according to selected characteristics: United States, selected years 1991–2004	339
Table 125. Hospital expenses , according to type of ownership and size of hospital: United States, selected years 1980–2002	341
Table 126. Nursing home average monthly charges per resident and percent of residents, according to primary source of payments and selected facility characteristics: United States, 1985, 1995, and 1999	342
Table 127. Mental health expenditures , percent distribution, and per capita expenditures, according to type of mental health organization: United States, selected years 1975–2000.	343
Table 128. Federal spending for human immunodeficiency virus (HIV)-related activities, according to agency and type of activity: United States, selected fiscal years 1985–2003	344

Health Care Coverage and Major Federal Programs

Table 129. Private health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2002.	345
Table 130. Medicaid coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2002	348
Table 131. No health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2002.	350
Table 132. Health insurance coverage for persons 65 years of age and over, according to type of coverage and selected characteristics: United States, selected years 1989–2002	352

Table 133. Health maintenance organization (HMO) coverage among persons under 65 years of age by private insurance and Medicaid, according to selected characteristics: United States, 1998–2002	355
Table 134. Health maintenance organizations (HMOs) and enrollment, according to model type, geographic region, and Federal program: United States, selected years 1976–2003	357
Table 135. Medical care benefits for employees of private establishments by size of establishment and occupation: United States, selected years 1990–97	358
Table 136. Medicare enrollees and expenditures and percent distribution, according to type of service: United States and other areas, selected years 1970–2002.	360
Table 137. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, according to sex and age: United States and other areas, 1994–2001.	362
Table 138. Medicare beneficiaries by race and ethnicity, according to selected characteristics: United States, 1992 and 2000	363
Table 139. Medicaid recipients and medical vendor payments, according to basis of eligibility, and race and ethnicity: United States, selected fiscal years 1972–2001	365
Table 140. Medicaid recipients and medical vendor payments, according to type of service: United States, selected fiscal years 1972–2001.	366
Table 141. Department of Veterans Affairs health care expenditures and use, and persons treated according to selected characteristics: United States, selected fiscal years 1970–2003.	368

State Health Expenditures and Health Insurance

Table 142. Personal health care per capita expenditures , by geographic region and State: United States, selected years 1991–98	369
Table 143. Hospital care per capita expenditures , by geographic region and State: United States, selected years 1991–98 . .	371
Table 144. Physician and other professional services per capita expenditures , by geographic region and State: United States, selected years 1991–98	373
Table 145. Nursing home care and home health care per capita expenditures , by geographic region and State: United States, selected years 1991–98	374
Table 146. Drugs and other nondurables per capita expenditures , by geographic region and State: United States, selected years 1991–98	375
Table 147. Medicare expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	376
Table 148. Medicaid expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	377
Table 149. State mental health agency per capita expenditures for mental health services and average annual percent change by geographic region and State: United States, selected fiscal years 1981–2001	378
Table 150. Medicare enrollees, enrollees in managed care, payments per enrollee, and short-stay hospital utilization by geographic region and State: United States, 1994 and 2001.	380
Table 151. Medicaid recipients, recipients in managed care, payments per recipient, and recipients per 100 persons below the poverty level by geographic region and State: United States, selected fiscal years 1989–2001	382
Table 152. Persons enrolled in health maintenance organizations (HMOs) by geographic region and State: United States, selected years 1980–2003.	384
Table 153. Persons under 65 years of age without health insurance coverage by State: United States, selected years 1987–2002	385