

List of Trend Tables

Health Status and Determinants

Population

1. Resident population , by age, sex, race, and Hispanic origin: United States, selected years 1950–2007	147
2. Inmates in state or federal prisons and local jails , by sex, race, Hispanic origin, and age: United States, selected years 1999–2008	150
3. Persons and families below poverty level, by selected characteristics, race, and Hispanic origin: United States, selected years 1973–2007	152

Fertility and Natality

4. Crude birth rates, fertility rates , and birth rates , by age, race, and Hispanic origin of mother: United States, selected years 1950–2006	154
5. Live births , by plurality, and detailed race and Hispanic origin of mother: United States, selected years 1970–2006	157
6. Twin and higher-order multiple births , by race, Hispanic origin, and age of mother: United States, selected years 1971–2006	158
7. Prenatal care for live births, by detailed race and Hispanic origin of mother: United States, selected years 1970–2000 and selected states 2005–2006	159
8. Teenage childbearing , by detailed race and Hispanic origin of mother: United States, selected years 1970–2006	160
9. Nonmarital childbearing , by detailed race and Hispanic origin of mother, and maternal age: United States, selected years 1970–2006	161
10. Mothers who smoked cigarettes during pregnancy, by selected characteristics: United States, selected years 1990–2000 and selected states 2005–2006	162
11. Low birthweight live births, by detailed race, Hispanic origin, and smoking status of mother: United States, selected years 1970–2006	163
12. Low birthweight live births among mothers 20 years of age and over, by detailed race, Hispanic origin, and education of mother: United States, selected years and reporting areas 1989–2006	164
13. Low birthweight live births, by race and Hispanic origin of mother, and state: United States, average annual 1998–2000, 2001–2003, and 2004–2006	167
14. Legal abortions and legal abortion ratios , by selected patient characteristics: United States, selected years 1973–2005	169
15. Contraceptive use in the past month among women 15–44 years of age, by age, race, Hispanic origin, and method of contraception: United States, selected years 1982–2002	171
16. Breastfeeding among mothers 15–44 years of age, by year of baby's birth and selected characteristics of mother: United States, average annual 1986–1988 through 1999–2001	175

Mortality

17. Infant, neonatal, and postneonatal mortality rates , by detailed race and Hispanic origin of mother: United States, selected years 1983–2005	176
18. Infant mortality rates , by birthweight: United States, selected years 1983–2005	178
19. Infant mortality rates , fetal mortality rates, and perinatal mortality rates, by race: United States, selected years 1950–2006	179
20. Infant mortality rates , by race and Hispanic origin of mother, and state: United States, average annual 1989–1991, 2000–2002, and 2003–2005	180
21. Neonatal mortality rates , by race and Hispanic origin of mother, and state: United States, average annual 1989–1991, 2000–2002, and 2003–2005	182
22. Infant mortality rates and international rankings: Selected countries and territories, selected years 1960–2006	184
23. Life expectancy at birth and at 65 years of age, by sex: Selected countries and territories, selected years 1980–2005	185
24. Life expectancy at birth, at 65 years of age, and at 75 years of age, by race and sex: United States, selected years 1900–2006	187
25. Age-adjusted death rates , by race, Hispanic origin, and state: United States, average annual 1979–1981, 1989–1991, and 2004–2006	188
26. Age-adjusted death rates for selected causes of death, by sex, race, and Hispanic origin: United States, selected years 1950–2006	190
27. Years of potential life lost before age 75 for selected causes of death, by sex, race, and Hispanic origin: United States, selected years 1980–2006	194
28. Leading causes of death and numbers of deaths, by sex, race, and Hispanic origin: United States, 1980 and 2006	198
29. Leading causes of death and numbers of deaths, by age: United States, 1980 and 2006	202
30. Age-adjusted death rates, by race, sex, region, and urbanization level: United States, average annual 1996–1998, 1999–2001, and 2004–2006	204
31. Death rates for all causes, by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	207
32. Death rates for diseases of heart , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	211
33. Death rates for cerebrovascular diseases , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	214
34. Death rates for malignant neoplasms , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	217
35. Death rates for malignant neoplasms of trachea, bronchus, and lung , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	221

36. Death rates for malignant neoplasm of breast among females, by race, Hispanic origin, and age: United States, selected years 1950–2006	224	55. Basic actions difficulty and complex activity limitation among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2007	266
37. Death rates for chronic lower respiratory diseases , by sex, race, Hispanic origin, and age: United States, selected years 1980–2006	226	56. Vision and hearing limitations among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2007	268
38. Death rates for human immunodeficiency virus (HIV) disease , by sex, race, Hispanic origin, and age: United States, selected years 1987–2006	229	57. Respondent-assessed health status , by selected characteristics: United States, selected years 1991–2007	270
39. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, by race, Hispanic origin, and age: United States, selected years 1950–2006	231	58. Serious psychological distress in the past 30 days among adults 18 years of age and over, by selected characteristics: United States, average annual, selected years 1997–1998 through 2006–2007	272
40. Death rates for motor vehicle-related injuries , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	232	59. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States, selected years 1991–2007	274
41. Death rates for homicide , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	236	60. Current cigarette smoking among adults 18 years of age and over, by sex, race, and age: United States, selected years 1965–2007	276
42. Death rates for suicide , by sex, race, Hispanic origin, and age: United States, selected years 1950–2006	240	61. Age-adjusted prevalence of current cigarette smoking among adults 25 years of age and over, by sex, race, and education level: United States, selected years 1974–2007	278
43. Death rates for firearm-related injuries , by sex, race, Hispanic origin, and age: United States, selected years 1970–2006	243	62. Current cigarette smoking among adults, by sex, race, Hispanic origin, age, and education level: United States, average annual 1990–1992, 1995–1998, and 2005–2007	279
44. Deaths from selected occupational diseases among persons 15 years of age and over: United States, selected years 1980–2006	246	63. Use of selected substances in the past month among persons 12 years of age and over, by age, sex, race, and Hispanic origin: United States, 2002, 2006, and 2007	281
45. Occupational injury deaths and rates, by industry, sex, age, race, and Hispanic origin: United States, selected years 1995–2007	247	64. Use of selected substances among high school seniors, 10th graders, and 8th graders, by sex and race: United States, selected years 1980–2008	283
Determinants and Measures of Health		65. Lifetime alcohol drinking status among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2007	286
46. Nonfatal occupational injuries and illnesses with days away from work, job transfer, or restriction, by industry: United States, 2003–2007	249	66. Heavier drinking and drinking five or more drinks in a day among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2007	289
47. Selected notifiable disease rates and number of new cases: United States, selected years 1950–2007	250	67. Selected health conditions and risk factors: United States, 1988–1994 through 2005–2006	292
48. Acquired immunodeficiency syndrome (AIDS) cases, by year of diagnosis and selected characteristics: United States, 2003–2007	252	68. Hypertension and elevated blood pressure among persons 20 years of age and over, by selected characteristics: United States, 1988–1994, 1999–2002, and 2003–2006	293
49. Age-adjusted cancer incidence rates for selected cancer sites, by sex, race, and Hispanic origin: United States, selected geographic areas, selected years 1990–2006	254	69. Serum total cholesterol levels among persons 20 years of age and over, by selected characteristics: United States, selected years 1960–1962 through 2003–2006	295
50. Five-year relative cancer survival rates for selected cancer sites, by race and sex: United States, selected geographic areas, selected years 1975–1977 through 1999–2005	257	70. Mean energy and macronutrient intake among persons 20–74 years of age, by sex and age: United States, 1971–1974 through 2003–2006	298
51. Diabetes among adults 20 years of age and over, by sex, age, and race and Hispanic origin: United States, 1988–1994, 1999–2002, and 2003–2006	258	71. Leisure-time physical activity among adults 18 years of age and over, by selected characteristics: United States, 1998, 2006, and 2007	299
52. Incidence and prevalence of end-stage renal disease , by selected characteristics: United States, selected years 1980–2006	259	72. Overweight, obesity, and healthy weight among persons 20 years of age and over, by selected characteristics: United States, 1960–1962 through 2003–2006	301
53. Severe headache or migraine, low back pain, and neck pain among adults 18 years of age and over, by selected characteristics: United States, selected years 1997, 2006, and 2007	260		
54. Joint pain among adults 18 years of age and over, by selected characteristics: United States, 2002, 2006, and 2007	262		

73. Overweight among children and adolescents 6–19 years of age, by selected characteristics: United States, 1963–1965 through 2003–2006	305
74. Untreated dental caries , by selected characteristics: United States, 1971–1974, 1988–1994, and 2001–2004	306

Utilization of Health Resources

Ambulatory Care

75. No usual source of health care among children under 18 years of age, by selected characteristics: United States, average annual 1993–1994, 2003–2004, and 2006–2007	308
76. No usual source of health care among adults 18–64 years of age, by selected characteristics: United States, average annual, selected years 1993–1994 through 2006–2007	310
77. Reduced access to medical care during the past 12 months due to cost, by selected characteristics: United States, 1997, 2006, and 2007	312
78. Reduced access to medical care during the past 12 months due to cost, by state: 25 largest states and United States, average annual 1997–1998, 2001–2002, and 2006–2007	314
79. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, by selected characteristics: United States, average annual 1997–1998, 2001–2002, and 2006–2007	315
80. Health care visits to doctor offices, emergency departments, and home visits within the past 12 months, by selected characteristics: United States, 1997, 2006, and 2007	317
81. Influenza vaccination among adults 65 years of age and over: Selected countries, 1998–2006	320
82. Vaccination coverage among children 19–35 months of age for selected diseases, by race, Hispanic origin, poverty level, and location of residence in metropolitan statistical area (MSA): United States, selected years 1995–2007	321
83. Vaccination coverage among children 19–35 months of age, by state and selected urban area: United States, 2002–2007	323
84. Influenza vaccination among adults 18 years of age and over, by selected characteristics: United States, selected years 1989–2007	325
85. Pneumococcal vaccination among adults 18 years of age and over, by selected characteristics: United States, selected years 1989–2007	327
86. Use of mammography among women 40 years of age and over, by selected characteristics: United States, selected years 1987–2008	329
87. Use of Pap smears among women 18 years of age and over, by selected characteristics: United States, selected years 1987–2008	331
88. Emergency department visits within the past 12 months among children under 18 years of age, by selected characteristics: United States, 1997, 2006, and 2007	333

89. Emergency department visits within the past 12 months among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2007	336
90. Injury-related visits to hospital emergency departments, by sex, age, and intent and mechanism of injury: United States, average annual 1995–1996, 1999–2000, and 2006–2007	338
91. Visits to physician offices, hospital outpatient departments, and hospital emergency departments , by selected characteristics: United States, selected years 1995–2007	340
92. Visits to primary care generalist and specialist physicians , by selected characteristics and type of physician: United States, selected years 1980–2007	343
93. Dental visits in the past year, by selected characteristics: United States, 1997, 2006, and 2007	345
94. Selected prescription and nonprescription drugs recorded during physician office visits and hospital outpatient department visits, by sex and age: United States, 1995–1996 and 2004–2005	347
95. Prescription drug use in the past month by sex, age, and race and Hispanic origin: United States, 1988–1994 and 2003–2006	350
96. Dietary supplement use among persons 20 years of age and over, by selected characteristics: United States, 1988–1994, 1999–2002, and 2003–2006	351
97. Admissions to mental health organizations , by type of service and organization: United States, selected years 1986–2004	352

Inpatient Care

98. Persons with hospital stays in the past year, by selected characteristics: United States, 1997, 2006, and 2007	353
99. Discharges , days of care, and average length of stay in nonfederal short-stay hospitals, by selected characteristics: United States, selected years 1980–2006	356
100. Discharges in nonfederal short-stay hospitals, by sex, age, and selected first-listed diagnosis: United States, 1990, 2000, and 2006	359
101. Discharge rate in nonfederal short-stay hospitals, by sex, age, and selected first-listed diagnosis: United States, 1990, 2000, and 2006	362
102. Average length of stay in nonfederal short-stay hospitals, by sex, age, and selected first-listed diagnosis: United States, 1990, 2000, and 2006	365
103. Discharges with at least one procedure in nonfederal short-stay hospitals, by sex, age, and selected procedures: United States, selected years 1990–2006	368
104. Hospital admissions , average length of stay, outpatient visits, and outpatient surgery, by type of ownership and size of hospital: United States, selected years 1975–2007	372
105. Nursing home residents 65 years of age and over, by age, sex, and race: United States, selected years 1973–2004	373

Health Care Resources

Personnel

106. Persons employed in health service sites, by site and sex: United States, 2000–2008	374
107. Active physicians and physicians in patient care, by state: United States, selected years 1975–2007	375
108. Doctors of medicine , by place of medical education and activity: United States and outlying U.S. areas, selected years 1975–2007	376
109. Doctors of medicine in primary care, by specialty: United States and outlying U.S. areas, selected years 1949–2007	377
110. Active dentists , by state: United States, selected years 1993–2006	378
111. Employees and wages , by selected health care occupations: United States, selected years 1999–2007	379
112. First-year enrollment and graduates of health professions schools , and number of schools, by selected profession: United States, selected years 1980–1981 through 2006–2007	380
113. Total enrollment of minorities in schools for selected health occupations, by race and Hispanic origin: United States, selected academic years 1980–1981 through 2006–2007	381
114. First-year and total enrollment of women in schools for selected health occupations: United States, selected academic years 1980–1981 through 2006–2007	383

Facilities

115. Hospitals , beds, and occupancy rates, by type of ownership and size of hospital: United States, selected years 1975–2007	384
116. Mental health organizations and beds for 24-hour hospital and residential treatment, by type of organization: United States, selected years 1986–2004	385
117. Community hospital beds and average annual percent change, by state: United States, selected years 1960–2007	386
118. Occupancy rates in community hospitals and average annual percent change, by state: United States, selected years 1960–2007	387
119. Nursing homes , beds, residents, and occupancy rates, by state: United States, selected years 1995–2008	388
120. Medicare-certified providers and suppliers : United States, selected years 1975–2007	390
121. Number of magnetic resonance imaging (MRI) units and computed tomography (CT) scanners: Selected countries, selected years 1990–2006	391

Health Care Expenditures and Payors

National Health Expenditures

122. Total health expenditures as a percent of gross domestic product, and per capita health expenditures in dollars, by selected countries: Selected years 1960–2006	392
123. Gross domestic product, federal, and state and local government expenditures, national health expenditures , and average annual percent change: United States, selected years 1960–2007	393
124. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2008	394
125. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2007	395
126. National health expenditures , average annual percent change, and percent distribution, by type of expenditure: United States, selected years 1960–2007	396
127. Personal health care expenditures , by source of funds and type of expenditure: United States, selected years 1960–2007	398
128. Personal health care expenditures, by age : United States, selected years 1987–2004	400
129. National health expenditures for mental health services , average annual percent change and percent distribution, by type of expenditure: United States, selected years 1986–2003	402
130. National health expenditures for substance abuse treatment , average annual percent change and percent distribution, by type of expenditure: United States, selected years 1986–2003	403
131. Expenses for health care and prescribed medicine , by selected population characteristics: United States, selected years 1987–2006	404
132. Sources of payment for health care , by selected population characteristics: United States, selected years 1987–2006	407
133. Out-of-pocket health care expenses among persons with medical expenses, by age: United States, selected years 1987–2006	410
134. Expenditures for health services and supplies and percent distribution, by type of payer: United States, selected years 1987–2007	411
135. Employers' costs per employee-hour worked for total compensation, wages and salaries, and health insurance , by selected characteristics: United States, selected years 1991–2009	413
136. Hospital expenses , by type of ownership and size of hospital: United States, selected years 1980–2007	415

Health Care Coverage and Major Federal Programs

137. Private health insurance coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2007	416
138. Private health insurance coverage obtained through the workplace among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2007	418
139. Medicaid coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2007	420
140. No health insurance coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2007	422
141. Health insurance coverage of Medicare beneficiaries 65 years of age and over, by type of coverage and selected characteristics: United States, selected years 1992–2007	424
142. Medicare enrollees and expenditures and percent distribution , by Medicare program and type of service: United States and other areas, selected years 1970–2008	426
143. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, by sex and age: United States and other areas, selected years 1994–2007	428
144. Medicare beneficiaries , by race, Hispanic origin, and selected characteristics: United States, 1992, 2005, and 2006	429
145. Medicaid beneficiaries and payments , by basis of eligibility, and race and Hispanic origin: United States, selected fiscal years 1972–2006	431
146. Medicaid beneficiaries and payments , by type of service: United States, selected fiscal years 1972–2006	432
147. Department of Veterans Affairs health care expenditures and use , and persons treated, by selected characteristics: United States, selected fiscal years 1970–2008	434

State Health Expenditures and Health Insurance

148. Medicare enrollees , enrollees in managed care, payment per enrollee, and short-stay hospital utilization, by state: United States, 1994 and 2007	435
149. Medicaid beneficiaries , beneficiaries in managed care, payments per beneficiary, and beneficiaries per 100 persons below the poverty level, by state: United States, selected fiscal years 1989–2006	437
150. Persons without health insurance coverage , by state: United States, average annual 1995–1997 through 2005–2007	438