

ICD-10-CM INDEX to DISEASES and INJURIES

2021 Addenda

No Change

A

No Change

Abnormal, abnormality, abnormalities - see also Anomaly

No Change

- diagnostic imaging

Revise from

-- skull R93.09

Revise to

-- skull R93.0

No Change

Abortion (complete) (spontaneous) O03.9

Add

- inevitable O03.4

No Change

Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91

Revise from

- esophagus K20.8

Revise to

- esophagus K20.80

No Change

- intra-abdominal (see also Abscess, peritoneum) K65.1

Revise from

-- postprocedural T81.49

Revise to

-- postprocedural T81.43

No Change

Abuse

No Change

- alcohol (non-dependent) F10.10

No Change

-- with

Add

--- withdrawal F10.139

Add

---- with

Add

----- perceptual disturbance F10.132

Add

----- delirium F10.131

Add

----- uncomplicated F10.130

No Change

- amphetamine (or related substance) - see also Abuse, drug, stimulant NEC

No Change

-- stimulant NEC F15.10

No Change

--- with

Add

---- withdrawal F15.13

No Change

- drug NEC (non-dependent) F19.10

No Change

-- cannabis F12.10

No Change

--- with

Add

---- withdrawal F12.13

No Change

-- cocaine F14.10

No Change

--- with

Add

---- withdrawal F14.13

No Change

-- opioid F11.10

No Change

--- with

Add

---- withdrawal F11.13

No Change

-- psychoactive NEC F19.10

No Change

--- with

Add

---- withdrawal F19.139

Add

----- with

Add

----- perceptual disturbance F19.132

Add

----- delirium F19.131

Add

----- uncomplicated F19.130

No Change

-- sedative, hypnotic or anxiolytic F13.10

No Change

--- with

Add

---- withdrawal F13.139

Add

----- with

Add

----- perceptual disturbance F13.132

Add

----- delirium F13.131

Add

----- uncomplicated F13.130

No Change

-- stimulant NEC F15.10

No Change

--- with

Add

---- withdrawal F15.13

No Change **Achalasia (cardia) (esophagus) K22.0**
Revise from - sphincteral NEC K59.8
Revise to - sphincteral NEC K59.89
Revise from **Acidocytosis D72.1**
Revise to **Acidocytosis D72.10**
Add **ACPO (acute colonic pseudo-obstruction) K59.81**
No Change **Allergy, allergic (reaction) (to) T78.40**
No Change - milk protein (see also Allergy, food) Z91.011
No Change - - gastroesophageal reflux (see also Reaction, adverse, food) K21.9
Revise from - - - with esophagitis K21.0
Revise to - - - with esophagitis (without bleeding) K21.00
Add - - - - with bleeding K21.01
Revise from - pneumonia J82
Revise to - pneumonia J82.89
No Change **Anemia (essential) (general) (hemoglobin deficiency) (infantile) (primary) (profound) D64.9**
Revise from - Dyke-Young type (secondary) (symptomatic) D59.1
Revise to - Dyke-Young type (secondary) (symptomatic) D59.19
No Change - hemolytic D58.9
No Change - - acquired D59.9
Revise from - - - autoimmune NEC D59.1
Revise to - - - autoimmune NEC D59.19
No Change - - acute D59.9
Revise from - - - Lederer's D59.1
Revise to - - - Lederer's D59.19
Revise from - - autoimmune D59.1
Revise to - - autoimmune D59.10
Add - - - cold D59.12
Add - - - mixed D59.13
Add - - - warm D59.11
Revise from - - cold type (secondary) (symptomatic) D59.1
Revise to - - cold type (primary) (secondary) (symptomatic) D59.12
Add - - mixed type (primary) (secondary) (symptomatic) D59.13
Add - - primary
Add - - - autoimmune
Add - - - - cold type D59.12
Add - - - - mixed type D59.13
Add - - - - warm type D59.11
No Change - - secondary D59.4
Revise from - - - autoimmune D59.1
Revise to - - - autoimmune
Add - - - - cold type D59.12
Add - - - - mixed type D59.13
Add - - - - warm type D59.11
No Change - - symptomatic D59.4
Revise from - - - autoimmune D59.1
Revise to - - - autoimmune
Add - - - - cold type D59.12
Add - - - - mixed type D59.13
Add - - - - warm type D59.11
Revise from - - warm type (secondary) (symptomatic) D59.1
Revise to - - warm type (primary) (secondary) (symptomatic) D59.11
Revise from - Lederer's (hemolytic) D59.1
Revise to - Lederer's (hemolytic) D59.19
No Change **Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9**
No Change - brain I67.1
No Change - - arteriovenous (congenital) (nonruptured) Q28.2
No Change - - - acquired I67.1
Revise from - - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8
Revise to - - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8-
Revise from - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8

Revise to --- ruptured - see Aneurysm, arteriovenous, brain, ruptured I60.8-
 No Change **Angioedema (allergic) (any site) (with urticaria) T78.3**
 Add - episodic, with eosinophilia D72.118
 No Change **Ankylosis (fibrous) (osseous) (joint) M24.60**
 Add - specified site NEC M24.69
 No Change **Aromatic amino-acid metabolism disorder E70.9**
 Revise from - specified NEC E70.8
 Revise to - specified NEC E70.89
 Revise from **Arrhythmia (auricle)(cardiac)(juvenile)(nodal) (reflex)(sinus)(supraventricular)(transitory)(ventricle) I49.9**
 Revise to **Arrhythmia (auricle)(cardiac)(juvenile)(nodal)(reflex)(supraventricular)(transitory)(ventricle) I49.9**
 Add - sinus I49.8
 No Change **Arteriosclerosis, arteriosclerotic (diffuse) (obliterans) (of) (senile) (with calcification) I70.90**
 Add - with
 Add -- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia
 Add -- critical limb ischemia
 Add --- bypass graft I70.329
 Add ---- autologous vein graft I70.429
 Add ----- leg I70.429
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.469
 Add ----- rest pain (and intermittent claudication) I70.429
 Add ----- bilateral I70.423
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.463
 Add ----- rest pain (and intermittent claudication) I70.423
 Add ----- left I70.422
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.462
 Add ----- rest pain (and intermittent claudication) I70.422
 Add ----- ulceration (and intermittent claudication and rest pain) I70.449
 Add ----- ankle I70.443
 Add ----- calf I70.442
 Add ----- foot site NEC I70.445
 Add ----- heel I70.444
 Add ----- lower leg NEC I70.448
 Add ----- mid foot I70.444
 Add ----- thigh I70.441
 Add ----- right I70.421
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.461
 Add ----- rest pain (and intermittent claudication) I70.421
 Add ----- ulceration (and intermittent claudication and rest pain) I70.439
 Add ----- ankle I70.433
 Add ----- calf I70.432
 Add ----- foot site NEC I70.435
 Add ----- heel I70.434
 Add ----- lower leg NEC I70.438
 Add ----- midfoot I70.434
 Add ----- thigh I70.431
 Add ---- leg I70.329
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.369
 Add ----- rest pain (and intermittent claudication) I70.329
 Add ----- bilateral I70.323
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.363
 Add ----- rest pain (and intermittent claudication) I70.323
 Add ----- left I70.322
 Add ----- with

Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.362
Add ----- rest pain (and intermittent claudication) I70.322
Add ----- ulceration (and intermittent claudication and rest pain) I70.349
Add ----- ankle I70.343
Add ----- calf I70.342
Add ----- foot site NEC I70.345
Add ----- heel I70.344
Add ----- lower leg NEC I70.348
Add ----- midfoot I70.344
Add ----- thigh I70.341
Add ----- right I70.321
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.361
Add ----- rest pain (and intermittent claudication) I70.321
Add ----- ulceration (and intermittent claudication and rest pain) I70.339
Add ----- ankle I70.333
Add ----- calf I70.332
Add ----- foot site NEC I70.335
Add ----- heel I70.334
Add ----- lower leg NEC I70.338
Add ----- midfoot I70.334
Add ----- thigh I70.331
Add ----- nonautologous biological graft I70.529
Add ----- leg I70.529
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.569
Add ----- rest pain (and intermittent claudication) I70.529
Add ----- bilateral I70.523
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.563
Add ----- rest pain (and intermittent claudication) I70.523
Add ----- left I70.522
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.562
Add ----- rest pain (and intermittent claudication) I70.522
Add ----- ulceration (and intermittent claudication and rest pain) I70.549
Add ----- ankle I70.543
Add ----- calf I70.542
Add ----- foot site NEC I70.545
Add ----- heel I70.544
Add ----- lower leg NEC I70.548
Add ----- midfoot I70.544
Add ----- thigh I70.541
Add ----- right I70.521
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.561
Add ----- rest pain (and intermittent claudication) I70.521
Add ----- ulceration (and intermittent claudication and rest pain) I70.539
Add ----- ankle I70.533
Add ----- calf I70.532
Add ----- foot site NEC I70.535
Add ----- heel I70.534
Add ----- lower leg NEC I70.538
Add ----- midfoot I70.534
Add ----- thigh I70.531
Add ----- nonbiological graft I70.629
Add ----- leg I70.629
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.669
Add ----- rest pain (and intermittent claudication) I70.629

Add ----- bilateral I70.623
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.663
Add ----- rest pain (and intermittent claudication) I70.623
Add ----- left I70.622
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.662
Add ----- rest pain (and intermittent claudication) I70.622
Add ----- ulceration (and intermittent claudication and rest pain) I70.649
Add ----- ankle I70.643
Add ----- calf I70.642
Add ----- foot site NEC I70.645
Add ----- heel I70.644
Add ----- lower leg NEC I70.648
Add ----- midfoot I70.644
Add ----- thigh I70.641
Add ----- right I70.621
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.661
Add ----- rest pain (and intermittent claudication) I70.621
Add ----- ulceration (and intermittent claudication and rest pain) I70.639
Add ----- ankle I70.633
Add ----- calf I70.632
Add ----- foot site NEC I70.635
Add ----- heel I70.634
Add ----- lower leg NEC I70.638
Add ----- midfoot I70.634
Add ----- thigh I70.631
Add ----- specified graft NEC I70.729
Add ----- leg I70.729
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.769
Add ----- rest pain (and intermittent claudication) I70.729
Add ----- bilateral I70.723
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.763
Add ----- rest pain (and intermittent claudication) I70.723
Add ----- left I70.722
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.762
Add ----- rest pain (and intermittent claudication) I70.722
Add ----- ulceration (and intermittent claudication and rest pain) I70.749
Add ----- ankle I70.743
Add ----- calf I70.742
Add ----- foot site NEC I70.745
Add ----- heel I70.744
Add ----- lower leg NEC I70.748
Add ----- midfoot I70.744
Add ----- thigh I70.741
Add ----- right I70.721
Add ----- with
Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.761
Add ----- rest pain (and intermittent claudication) I70.721
Add ----- ulceration (and intermittent claudication and rest pain) I70.739
Add ----- ankle I70.733
Add ----- calf I70.732
Add ----- foot site NEC I70.735
Add ----- heel I70.734
Add ----- lower leg NEC I70.738
Add ----- midfoot I70.734

Add ----- thigh I70.731
 Add --- leg I70.229
 Add ---- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.269
 Add ----- rest pain (and intermittent claudication) I70.229
 Add ---- bilateral I70.223
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.263
 Add ----- rest pain (and intermittent claudication) I70.223
 Add ---- left I70.222
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.262
 Add ----- rest pain (and intermittent claudication) I70.222
 Add ----- ulceration (and intermittent claudication and rest pain) I70.249
 Add ----- ankle I70.243
 Add ----- calf I70.242
 Add ----- foot site NEC I70.245
 Add ----- heel I70.244
 Add ----- lower leg NEC I70.248
 Add ----- midfoot I70.244
 Add ----- thigh I70.241
 Add ---- right I70.221
 Add ----- with
 Add ----- gangrene (and intermittent claudication, rest pain, and ulcer) I70.261
 Add ----- rest pain (and intermittent claudication) I70.221
 Add ----- ulceration (and intermittent claudication and rest pain) I70.239
 Add ----- ankle I70.233
 Add ----- calf I70.232
 Add ----- foot site NEC I70.235
 Add ----- heel I70.234
 Add ----- lower leg NEC I70.238
 Add ----- midfoot I70.234
 Add ----- thigh I70.231
 No Change - arteries of extremities - see Arteriosclerosis, extremities
 Add -- with
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia
 No Change - bypass graft
 Add -- with
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia
 No Change - extremities (native arteries) I70.209
 Add -- with
 Add --- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia
 Add --- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia
 No Change -- bypass graft I70.309
 Add --- with
 Add ---- chronic limb-threatening ischemia - see Arteriosclerosis, with critical limb ischemia
 Add ---- critical limb ischemia - see Arteriosclerosis, with critical limb ischemia
 No Change **Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute) M19.90**
 No Change - juvenile M08.90
 No Change -- pauciarticular M08.40
 Add --- specified site NEC M08.4A
 Add -- specified site NEC M08.9A
 No Change - rheumatoid M06.9
 No Change -- juvenile (with or without rheumatoid factor) M08.00
 Add --- with systemic onset - see Still's disease
 Add --- specified site NEC M08.0A
 No Change -- seronegative M06.00
 Add --- specified site NEC M06.0A

No Change -- seropositive M05.9
No Change --- specified NEC M05.80
Add ---- specified site NEC M05.8A
No Change --- without organ involvement M05.70
Add ---- specified site NEC M05.7A
No Change -- specified type NEC M06.80
Add --- specified site NEC M06.8A
Revise from - spine - see also Spondylopathy, inflammatory
Revise to - spine - see also Spondylosis
Delete - temporomandibular M26.69
Add - temporomandibular joint M26.64-
No Change **Arthropathy (see also Arthritis) M12.9**
Add - temporomandibular joint M26.65-
No Change **Asthma, asthmatic (bronchial) (catarrh) (spasmodic) J45.909**
Revise from - eosinophilic J82
Revise to - eosinophilic J82.83
Revise from - pulmonary eosinophilic J82
Revise to - pulmonary eosinophilic J82.83
No Change **Ataxia, ataxy, ataxic R27.0**
Add - autosomal recessive Friedreich G11.11
No Change - cerebellar (hereditary) G11.9
Revise from -- early-onset G11.1
Revise to -- early-onset G11.10
Add -- with
Add --- essential tremor G11.19
Add --- myoclonus [Hunt's ataxia] G11.19
Add --- retained tendon reflexes G11.19
Revise from - Friedreich's (heredofamilial) (cerebellar) (spinal) G11.1
Revise to - Friedreich's (heredofamilial) (cerebellar) (spinal) (with retained reflexes) G11.11
No Change - hereditary G11.9
Revise from -- spinal (Friedreich's) G11.1
Revise to -- spinal (Friedreich's) G11.11
Revise from - Hunt's G11.1
Revise to - Hunt's G11.19
No Change - spinal
Revise from -- hereditary (Friedreich's) G11.1
Revise to -- hereditary (Friedreich's) G11.11
Revise from - spinocerebellar, X-linked recessive G11.1
Revise to - spinocerebellar, X-linked recessive G11.19
No Change **Atonia, atony, atonic**
Revise from - cecum K59.8
Revise to - cecum K59.89
Revise from - intestine K59.8
Revise to - intestine K59.89

No Change

B

Revise from **Babesiosis B60.0**
Revise to **Babesiosis B60.00**
Add - due to
Add -- Babesia
Add --- divergens B60.03
Add --- duncani B60.02
Add --- KO-1 B60.09
Add --- microti B60.01
Add --- MO-1 B60.03
Add --- species
Add ---- unspecified B60.00
Add --- venatorum B60.09
Add -- specified NEC B60.09

Delete **Blount's disease or osteochondrosis** - see Osteochondrosis, juvenile, tibia
Add **Blount disease or osteochondrosis M92.51-**
No Change **Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous) J40**
Revise from - aspiration (due to fumes or vapors) J68.0
Revise to - aspiration (due to food and vomit) J69.0
No Change **Buschke's**
Revise from - disease B45.3
Revise to - disease - see Cryptococcosis by site
Revise from **Busse-Buschke disease B45.3**
Revise to **Busse-Buschke disease** - see Cryptococcosis by site

No Change **C**

No Change **Calcification**
Revise from - falx cerebri G96.19
Revise to - falx cerebri G96.198
Revise from - meninges (cerebral) (spinal) G96.19
Revise to - meninges (cerebral) (spinal) G96.198
No Change **Calculus, calculi, calculous**
Add - ureteropelvic junction N20.1
No Change **Cardiomyopathy (familial) (idiopathic) I42.9**
No Change - due to
Revise from - - Friedreich's ataxia G11.1
Revise to - - Friedreich's ataxia G11.11
Add **CDKL5 (Cyclin-Dependent Kinase-Like 5 Deficiency Disorder) G40.42**
No Change **Cesarean delivery, previous, affecting management of pregnancy O34.219**
Add - isthmocele O34.22
Add - mid-transverse T incision O34.218
Add - scar
Add - - defect (isthmocele) O34.22
Add - - specified type NEC O34.218
No Change **Cold J00**
Revise from - agglutinin disease or hemoglobinuria (chronic) D59.1
Revise to - agglutinin disease or hemoglobinuria (chronic) D59.12
Revise from - sensitivity, auto-immune D59.1
Revise to - sensitivity, auto-immune D59.12
No Change **Complication(s) (from) (of)**
No Change - graft (bypass) (patch) - see also Complications, prosthetic device or implant
Revise from - - cornea T86.849
Revise to - - cornea T86.849-
Revise from - - - failure T86.841
Revise to - - - failure T86.841-
Revise from - - - infection T86.842
Revise to - - - infection T86.842-
Revise from - - - rejection T86.840
Revise to - - - rejection T86.840-
Revise from - - - specified type NEC T86.848
Revise to - - - specified type NEC T86.848-
No Change - transplant T86.90
Revise from - - cornea T86.849
Revise to - - cornea T86.849-
Revise from - - - failure T86.841
Revise to - - - failure T86.841-
Revise from - - - infection T86.842
Revise to - - - infection T86.842-
Revise from - - - rejection T86.840
Revise to - - - rejection T86.840-
Revise from - - - specified type NEC T86.848
Revise to - - - specified type NEC T86.848-
No Change **Contraction(s), contracture, contracted**

Revise from - anus K59.8
Revise to - anus K59.89
No Change - joint (abduction) (acquired) (adduction) (flexion) (rotation) M24.50
Add - - specified site NEC M24.59
Revise from - rectum, rectal (sphincter) K59.8
Revise to - rectum, rectal (sphincter) K59.89
Delete **Coronavirus, as cause of disease classified elsewhere** B97.29
Delete - SARS-associated B97.21
Add **Coronavirus (infection)**
Add - as cause of disease classified elsewhere B97.29
Add - coronavirus-19 U07.1
Add - COVID-19 U07.1
Add - SARS-associated B97.21
No Change **Crisis**
No Change - sickle-cell D57.00
No Change - - with
Add - - - cerebral vascular involvement D57.03
Add - - - crisis (painful) D57.00
Add - - - - with complication specified NEC D57.09
Add - - - vasoocclusive pain D57.00
No Change **Cyst (colloid) (mucous) (simple) (retention)**
No Change - dura (cerebral) G93.0
Revise from - - spinal G96.19
Revise to - - spinal G96.198
No Change - meninges (cerebral) G93.0
Revise from - - spinal G96.19
Revise to - - spinal G96.198
Add - nerve root
Add - - cervical G96.191
Add - - lumbar G96.191
Add - - sacral G96.191
Add - - thoracic G96.191
Revise from - nervous system NEC G96.8
Revise to - nervous system NEC G96.89
Add - perineural G96.191
Revise from - spinal meninges G96.19
Revise to - spinal meninges G96.198
No Change - subdural (cerebral) G93.0
Revise from - - spinal cord G96.19
Revise to - - spinal cord G96.198
Add - Tarlov G96.191

No Change

D

No Change **Damage**
Add - lung
Add - - dabbing (related) U07.0
Add - - electronic cigarette (related) U07.0
Add - - vaping (associated) (device) (product) (use) U07.0
Add - organ
Add - - dabbing (related) U07.0
Add - - electronic cigarette (related) U07.0
Add - - vaping (associated) (device) (product) (use) U07.0
No Change **Defect, defective** Q89.9
Add - glucose transport, blood-brain barrier E74.810
Revise from - speech R47.9
Revise to - speech - see Disorder, speech
No Change **Deficiency, deficient**
Add - AADC (aromatic L-amino acid decarboxylase) E70.81
Add - aromatic L-amino acid decarboxylase (AADC) E70.81

Revise from - central nervous system G96.8
 Revise to - central nervous system G96.89
 Add - eye movements
 Add - - saccadic H55.81
 Add - - smooth pursuit H55.82
 Add - glucose transporter protein type 1 E74.810
 Add - Glut1 E74.810
 No Change - immunity D84.9
 Revise from - - cell-mediated D84.8
 Revise to - - cell-mediated D84.89
 Revise from - phosphomannomutase E74.8
 Revise to - phosphomannomutase E74.818
 Revise from - phosphomannose isomerase E74.8
 Revise to - phosphomannose isomerase E74.818
 Revise from - phosphomannosyl mutase E74.8
 Revise to - phosphomannosyl mutase E74.818
 No Change **Deformity** Q89.9
 No Change - choroid (congenital) Q14.3
 No Change - - plexus Q07.8
 Revise from - - - acquired G96.19
 Revise to - - - acquired G96.198
 No Change - meninges or membrane (congenital) Q07.9
 No Change - - cerebral Q04.8
 Revise from - - - acquired G96.19
 Revise to - - - acquired G96.198
 Revise from - - spinal cord (congenital) G96.19
 Revise to - - spinal cord (congenital) G96.198
 Revise from - - - acquired G96.19
 Revise to - - - acquired G96.198
 No Change **Delivery (childbirth) (labor)**
 No Change - cesarean (for)
 Add - - isthmocele O34.22
 No Change - - previous
 No Change - - - cesarean delivery O34.219
 Add - - - - isthmocele O34.22
 Add - - - - mid-transverse T incision O34.218
 Add - - - - scar
 Add - - - - - defect (isthmocele) O34.22
 Add - - - - - specified type NEC O34.218
 No Change - - scar(s)
 No Change - - - cesarean delivery O34.219
 Add - - - - isthmocele O34.22
 Add - - - - mid-transverse T incision O34.218
 Add - - - - scar
 Add - - - - - defect (isthmocele) O34.22
 Add - - - - - specified type NEC O34.218
 Add - - - defect (isthmocele) O34.22
 No Change - complicated O75.9
 No Change - - by
 Revise from - - - condition NEC O99.89
 Revise to - - - condition NEC O99.892
 Revise from - - - disease NEC O99.89
 Revise to - - - disease NEC O99.892
 No Change - vaginal, following previous cesarean delivery O34.219
 Add - - mid-transverse T incision O34.218
 Add - - scar
 Add - - - defect (isthmocele) O34.22
 Add - - - specified type NEC O34.218
 No Change **Derangement**
 No Change - joint (internal) M24.9

No Change -- articular cartilage M24.10
Add --- specified site NEC M24.19
No Change -- specified type NEC M24.80
Add --- specified site NEC M24.89
No Change **Dermatitis (eczematous) L30.9**
Add - desquamative L30.8
No Change **Dilatation**
Revise from - anus K59.8
Revise to - anus K59.89
Revise from - duodenum K59.8
Revise to - duodenum K59.89
Revise from - ileum K59.8
Revise to - ileum K59.89
Revise from - jejunum K59.8
Revise to - jejunum K59.89
No Change **Disease, diseased** - see also Syndrome
No Change - autoimmune (systemic) NOS M35.9
Revise from -- hemolytic (cold type) (warm type) D59.1
Revise to -- hemolytic D59.10
Add --- cold type (primary) (secondary) (symptomatic) D59.12
Add --- mixed type (primary) (secondary) (symptomatic) D59.13
Add --- warm type (primary) (secondary) (symptomatic) D59.11
Add - Blount M92.51-
Revise from - central core G71.2
Revise to - central core G71.29
No Change - cold
Revise from -- agglutinin or hemoglobinuria D59.1
Revise to -- agglutinin or hemoglobinuria D59.12
Revise from -- hemagglutinin (chronic) D59.1
Revise to -- hemagglutinin (chronic) D59.12
Add - COVID-19 U07.1
No Change - Friedreich's
Revise from -- combined systemic or ataxia G11.1
Revise to -- combined systemic or ataxia G11.11
No Change - gastroesophageal reflux (GERD) K21.9
Revise from -- with esophagitis K21.0
Revise to -- with esophagitis (without bleeding) K21.00
Add --- with bleeding K21.01
No Change - hemoglobin or Hb
No Change -- S or SS D57.1
Add --- with
Add ---- acute chest syndrome D57.01
Add ---- cerebral vascular involvement D57.03
Add ---- crisis (painful) D57.00
Add ----- with complication specified NEC D57.09
Add ---- splenic sequestration D57.02
Add ---- vasoocclusive pain D57.00
Add --- beta plus D57.44
Add ---- with
Add ----- acute chest syndrome D57.451
Add ----- cerebral vascular involvement D57.453
Add ----- crisis D57.459
Add ----- with specified complication NEC D57.458
Add ----- splenic sequestration D57.452
Add ----- vasoocclusive pain D57.459
Add ---- without crisis D57.44
Add --- beta zero D57.42
Add ---- with
Add ----- acute chest syndrome D57.431
Add ----- cerebral vascular involvement D57.433

Add ----- crisis D57.439
 Add ----- with specified complication NEC D57.438
 Add ----- splenic sequestration D57.432
 Add ----- vasoocclusive pain D57.439
 Add ---- without crisis D57.42
 No Change - hemolytic (newborn) P55.9
 Revise from -- autoimmune (cold type) (warm type) D59.1
 Revise to -- autoimmune D59.10
 Add --- cold type (primary) (secondary) (symptomatic) D59.12
 Add --- mixed type (primary) (secondary) (symptomatic) D59.13
 Add --- warm type (primary) (secondary) (symptomatic) D59.11
 No Change - intestine K63.9
 No Change -- functional K59.9
 Revise from --- specified NEC K59.8
 Revise to --- specified NEC K59.89
 No Change - kidney (functional) (pelvis) N28.9
 No Change -- chronic N18.9
 Revise from --- stage 3 (moderate) N18.3
 Revise to --- stage 3 (moderate) N18.30
 Add --- stage 3a N18.31
 Add --- stage 3b N18.32
 No Change - lung J98.4
 Add -- dabbing (related) U07.0
 Add -- electronic cigarette (related) U07.0
 No Change -- interstitial J84.9
 Add --- with progressive fibrotic phenotype, in diseases classified elsewhere J84.170
 Revise from -- obstructive (chronic) J43.9
 Revise to -- obstructive (chronic) J44.9
 Add -- vaping (associated) (device) (product) (use) U07.0
 Revise from - minicore G71.2
 Revise to - minicore G71.29
 Revise from - multicore G71.2
 Revise to - multicore G71.29
 Add - multiminicore G71.29
 Revise from - nemaline body G71.2
 Revise to - nemaline body G71.21
 No Change - nervous system G98.8
 No Change -- central G96.9
 Revise from --- specified NEC G96.8
 Revise to --- specified NEC G96.89
 Add - organ
 Add -- dabbing (related) U07.0
 Add -- electronic cigarette (related) U07.0
 Add -- vaping (associated) (device) (product) (use) U07.0
 No Change - protozoal B64
 Revise from -- babesiosis B60.0
 Revise to -- babesiosis (see also Babesiosis) B60.00
 Add - rod body G71.21
 No Change - sickle-cell D57.1
 Delete -- with crisis (vasoocclusive pain) D57.00
 Delete --- with
 Delete ---- acute chest syndrome D57.01
 Delete ---- splenic sequestration D57.02
 Add -- with
 Add --- acute chest syndrome D57.01
 Add --- cerebral vascular involvement D57.03
 Add --- crisis (painful) D57.00
 Add ---- with complication specified NEC D57.09
 Add --- splenic sequestration D57.02
 Add --- vasoocclusive pain D57.00

No Change -- Hb-C D57.20
Delete --- with crisis (vasoocclusive pain) D57.219
Delete ---- with
Delete ----- acute chest syndrome D57.211
Delete ----- splenic sequestration D57.212
Add --- with
Add ---- acute chest syndrome D57.211
Add ---- cerebral vascular involvement D57.213
Add ---- crisis D57.219
Add ----- with specified complication NEC D57.218
Add ---- splenic sequestration D57.212
Add ---- vasoocclusive pain D57.219
No Change -- Hb-SD D57.80
Delete --- with crisis D57.819
Delete ---- with
Delete ----- acute chest syndrome D57.811
Delete ----- splenic sequestration D57.812
Add --- with
Add ---- acute chest syndrome D57.811
Add ---- cerebral vascular involvement D57.813
Add ---- crisis D57.819
Add ----- with complication specified NEC D57.818
Add ---- splenic sequestration D57.812
Add ---- vasoocclusive pain D57.819
Add --- without crisis D57.80
No Change -- Hb-SE D57.80
Delete --- with crisis D57.819
Delete ---- with
Delete ----- acute chest syndrome D57.811
Delete ----- splenic sequestration D57.812
Add --- with
Add ---- acute chest syndrome D57.811
Add ---- cerebral vascular involvement D57.813
Add ---- crisis D57.819
Add ----- with complication specified NEC D57.818
Add ---- splenic sequestration D57.812
Add ---- vasoocclusive pain D57.819
Add --- without crisis D57.80
No Change -- specified NEC D57.80
Delete --- with crisis D57.819
Delete ---- with
Delete ----- acute chest syndrome D57.811
Delete ----- splenic sequestration D57.812
Add --- with
Add ---- acute chest syndrome D57.811
Add ---- cerebral vascular involvement D57.813
Add ---- crisis D57.819
Add ----- with complication specified NEC D57.818
Add ---- splenic sequestration D57.812
Add ---- vasoocclusive pain D57.819
Add --- without crisis D57.80
No Change -- spherocytosis D57.80
Delete --- with crisis D57.819
Delete ---- with
Delete ----- acute chest syndrome D57.811
Delete ----- splenic sequestration D57.812
Add --- with
Add ---- acute chest syndrome D57.811
Add ---- cerebral vascular involvement D57.813
Add ---- crisis D57.819

Add ----- with complication specified NEC D57.818
 Add ----- splenic sequestration D57.812
 Add ----- vasoocclusive pain D57.819
 Add --- without crisis D57.80
 No Change -- thalassemia D57.40
 Delete --- with crisis (vasoocclusive pain) D57.419
 Delete ----- with
 Delete ----- acute chest syndrome D57.411
 Delete ----- splenic sequestration D57.412
 Add --- with
 Add ----- acute chest syndrome D57.411
 Add ----- cerebral vascular involvement D57.413
 Add ----- crisis (painful) D57.419
 Add ----- with specified complication NEC D57.418
 Add ----- splenic sequestration D57.412
 Add ----- vasoocclusive pain D57.419
 Add --- beta plus D57.44
 Add ----- with
 Add ----- acute chest syndrome D57.451
 Add ----- cerebral vascular involvement D57.453
 Add ----- crisis D57.459
 Add ----- with specified complication NEC D57.458
 Add ----- splenic sequestration D57.452
 Add ----- vasoocclusive pain D57.459
 Add --- without crisis D57.44
 Add --- beta zero D57.42
 Add ----- with
 Add ----- acute chest syndrome D57.431
 Add ----- cerebral vascular involvement D57.433
 Add ----- crisis D57.439
 Add ----- with specified complication NEC D57.438
 Add ----- splenic sequestration D57.432
 Add ----- vasoocclusive pain D57.439
 Add --- without crisis D57.42
 No Change - viral, virus (see also Disease, by type of virus) B34.9
 Revise from -- Powassan A84.8
 Revise to -- Powassan A84.81
 No Change **Dislocation (articular)**
 No Change - pathological NEC M24.30
 Add -- specified site NEC M24.39
 No Change - recurrent M24.40
 Add -- specified site NEC M24.49
 No Change **Disorder (of)** - see also Disease
 No Change - aromatic amino-acid metabolism E70.9
 Revise from -- specified NEC E70.8
 Revise to -- specified NEC E70.89
 No Change - carbohydrate
 No Change -- metabolism (congenital) E74.9
 Revise from --- specified NEC E74.8
 Revise to --- specified NEC E74.89
 Revise from - congenital glycosylation (CDG) E74.8
 Revise to - congenital glycosylation (CDG) E74.89
 Add - Cyclin-Dependent Kinase-Like 5 Deficiency (CDKL5) G40.42
 Add - glucose transport E74.819
 Add -- specified NEC E74.818
 No Change - ligament M24.20
 Add -- specified site NEC M24.29
 No Change - lung, interstitial, drug-induced J70.4
 Add -- dabbing (related) U07.0
 Add -- e-cigarette (related) U07.0

Add -- electronic cigarette (related) U07.0
 Add -- vaping (associated) (device) (product) (related) (use) U07.0
 Add - meninges, specified type NEC G96.198
 No Change - metabolism NOS E88.9
 No Change -- amino-acid E72.9
 No Change --- aromatic E70.9
 Revise from ---- other specified E70.8
 Revise to ---- other specified E70.89
 No Change -- carbohydrate E74.9
 Revise from --- specified NEC E74.8
 Revise to --- specified NEC E74.89
 No Change - nervous system G98.8
 No Change -- central G96.9
 Revise from --- specified NEC G96.8
 Revise to --- specified NEC G96.89
 No Change **Disproportion**
 Revise from - fiber-type G71.2
 Revise to - fiber-type G71.20
 Add -- congenital G71.29
 No Change **Diverticulitis (acute) K57.92**
 No Change - intestine K57.92
 No Change -- with
 Revise from --- abscess, perforation or peritonitis K57.80
 Revise to --- abscess, perforation K57.80
 No Change -- large K57.32
 No Change --- with
 Revise from ---- abscess, perforation or peritonitis K57.20
 Revise to ---- abscess, perforation K57.20
 No Change ---- small intestine K57.52
 No Change ----- with
 Revise from ----- abscess, perforation or peritonitis K57.40
 Revise to ----- abscess, perforation K57.40
 No Change -- small K57.12
 No Change --- with
 Revise from ---- abscess, perforation or peritonitis K57.00
 Revise to ---- abscess, perforation K57.00
 No Change ---- large intestine K57.52
 No Change ----- with
 Revise from ----- abscess, perforation or peritonitis K57.40
 Revise to ----- abscess, perforation K57.40
 No Change **Double**
 Revise from - uterus Q51.20
 Revise to - uterus Q51.28
 Revise from **Dyke-Young anemia (secondary) (symptomatic) D59.1**
 Revise to **Dyke-Young anemia (secondary) (symptomatic) D59.19**
 No Change **Dyskinesia G24.9**
 Revise from - intestinal K59.8
 Revise to - intestinal K59.89
 No Change **Dyspepsia R10.13**
 Revise from - intestinal K59.8
 Revise to - intestinal K59.89
 No Change **Dyssynergia**
 Revise from - cerebellaris myoclonica (Hunt's ataxia) G11.1
 Revise to - cerebellaris myoclonica (Hunt's ataxia) G11.19
 No Change **Dystrophy, dystrophia**
 Revise from - cornea (hereditary) H18.50
 Revise to - cornea (hereditary) H18.50-
 Revise from -- endothelial H18.51
 Revise to -- endothelial H18.51-
 Revise from -- epithelial H18.52

Revise to -- epithelial H18.52-
 Revise from -- granular H18.53
 Revise to -- granular H18.53-
 Revise from -- lattice H18.54
 Revise to -- lattice H18.54-
 Revise from -- macular H18.55
 Revise to -- macular H18.55-
 Revise from -- specified type NEC H18.59
 Revise to -- specified type NEC H18.59-
 Revise from - Fuchs' H18.51
 Revise to - Fuchs' H18.51-

No Change

E

Add **EGPA (eosinophilic granulomatosis with polyangiitis) M30.1**
 No Change **Ehrlichiosis A77.40**
 No Change - due to
 Add -- E. ewingii A77.49
 Add -- E. muris euclairensis A77.49
 No Change **Elevated, elevation**
 Add - alanine transaminase (ALT) R74.01
 Add - ALT (alanine transaminase) R74.01
 Add - aspartate transaminase (AST) R74.01
 Add - AST (aspartate transaminase) R74.01
 Revise from - lactic acid dehydrogenase (LDH) level R74.0
 Revise to - lactic acid dehydrogenase (LDH) level R74.02
 No Change - liver function
 No Change -- test R79.89
 Revise from --- aminotransferase R74.0
 Revise to --- aminotransferase R74.01
 Revise from --- lactate dehydrogenase R74.0
 Revise to --- lactate dehydrogenase R74.02
 Revise from - SGOT R74.0
 Revise to - SGOT R74.01
 Revise from - SGPT R74.0
 Revise to - SGPT R74.01
 Revise from - transaminase level R74.0
 Revise to - transaminase level R74.01
 Add - troponin R77.8
 Revise from **Emaciation (due to malnutrition) E41**
 Revise to **Emaciation (due to malnutrition) E43**
 No Change **Embolism (multiple) (paradoxical) I74.9**
 Revise from - postoperative, postprocedural
 Revise to - postoperative, postprocedural
 No Change **Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.90**
 Revise from - louping ill A84.8
 Revise to - louping ill A84.89
 Revise from - Powassan A84.8
 Revise to - Powassan A84.81
 No Change - viral, virus A86
 No Change -- arthropod-borne NEC A85.2
 No Change --- tick-borne A84.9
 Revise from ---- specified NEC A84.8
 Revise to ---- specified NEC A84.89
 Add -- tick-borne, specified NEC A84.89
 No Change **Enthesopathy (peripheral) M77.9**
 Revise from - foot NEC M77.9
 Revise to - foot NEC M77.8
 Revise from - forearm M77.9
 Revise to - forearm M77.8

Revise from - hand M77.9
Revise to - hand M77.8
Revise from - multiple sites M77.9
Revise to - multiple sites M77.8
Revise from - pelvis M77.9
Revise to - pelvis M77.8
Revise from - shoulder M77.9
Revise to - shoulder M77.8
Delete - specified site NEC M77.9
Revise from - upper arm M77.9
Revise to - upper arm M77.8
Revise from **Eosinophilia (allergic) (hereditary) (idiopathic) (secondary) D72.1**
Revise to **Eosinophilia (allergic) (idiopathic) (secondary) D72.10**
Add - familial D72.19
Add - hereditary D72.19
Add - in disease classified elsewhere D72.18
Revise from - infiltrative J82
Revise to - infiltrative - see Eosinophilia, pulmonary
Revise from - Löffler's J82
Revise to - Löffler's J82.89
Revise from - pulmonary NEC J82
Revise to - pulmonary NEC J82.89
Add - - acute J82.82
Add - - asthmatic J82.83
Add - - chronic J82.81
Add - specified NEC D72.19
Revise from - tropical (pulmonary) J82
Revise to - tropical (pulmonary) J82.89
No Change **Epilepsy, epileptic, epilepsia (attack) (cerebral) (convulsion) (fit) (seizure) G40.909**
Revise from - myoclonus, myoclonic - see Epilepsy, generalized, specified NEC
Revise to - myoclonus, myoclonic - see also Epilepsy, generalized, specified NEC
Add - - severe, in infancy (SMEI) G40.83-
Add - polymorphic, in infancy (PMEI) G40.83-
No Change **Escherichia coli (E. coli), as cause of disease classified elsewhere B96.20**
Delete - O157:H7 with or without confirmation of Shiga toxin-production B96.21
No Change - O157:H7 with or without confirmation of Shiga toxin-production B96.21
Delete - - specified NEC B96.22
Revise from **Esophagitis (acute) (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative) K20.9**
Revise to **Esophagitis (acute) (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative) (without bleeding) K20.90**
Add - with bleeding K20.91
Revise from - due to gastrointestinal reflux disease K21.0
Revise to - due to gastrointestinal reflux disease (without bleeding) K21.00
Add - - with bleeding K21.01
Revise from - reflux K21.0
Revise to - reflux K21.00
Revise from - specified NEC K20.8
Revise to - specified NEC (without bleeding) K20.80
Add - - with bleeding K20.81

No Change

F

Add **Facet syndrome M47.89-**
No Change **Failure, failed**
No Change - transplant T86.92
Revise from - - cornea T86.841
Revise to - - cornea T86.841-
No Change **Fever (inanimation) (of unknown origin) (persistent) (with chills) (with rigor) R50.9**
Add - African tick bite A77.8

Add - pacific coast tick A77.8
No Change - rheumatic (active) (acute) (chronic) (subacute) I00
No Change - - inactive or quiescent with
Revise from - - - left ventricular failure (conditions in I50.1- I50.4-) I09.81
Revise to - - - left ventricular failure (conditions in I50.1-I50.4-) I09.81
No Change - spotted A77.9
No Change - - due to Rickettsia
Add - - - africae (African tick bite fever) A77.8
Add - - - parkeri A77.8
No Change **Fibrosis, fibrotic**
Revise from - liver K74.0
Revise to - liver K74.00
Add - - advanced K74.02
Add - - early K74.01
Add - - stage
Add - - - F1 or F2 K74.01
Add - - - F3 K74.02
Revise from - meninges G96.19
Revise to - meninges G96.198
No Change **Findings, abnormal, inconclusive, without diagnosis** - see also Abnormal
Revise from - lactic acid dehydrogenase (LDH) R74.0
Revise to - lactic acid dehydrogenase (LDH) R74.02
Revise from - SGOT R74.0
Revise to - SGOT R74.01
Revise from - SGPT R74.0
Revise to - SGPT R74.01
Revise from - transaminase (level) R74.0
Revise to - transaminase (level) R74.01
No Change **Fistula (cutaneous) L98.8**
No Change - bile duct (common) (hepatic) K83.3
Revise from - - with calculus, stones - see Calculus, bile duct
Revise to - - with calculus, stones (see also Calculus, bile duct) K83.3
Revise from - cerebrospinal (fluid) G96.0
Revise to - cerebrospinal (fluid) G96.08
No Change **Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8**
Add - buckle - see Fracture, by site, torus
Add - metaphyseal - see Fracture, traumatic, by site, shaft
No Change **Friedreich's**
Revise from - ataxia G11.1
Revise to - ataxia G11.11
Revise from - combined systemic disease G11.1
Revise to - combined systemic disease G11.11
Revise from - sclerosis (cerebellum) (spinal cord) G11.1
Revise to - sclerosis (cerebellum) (spinal cord) G11.11
No Change **Fuchs'**
Revise from - dystrophy (corneal endothelium) H18.51
Revise to - dystrophy (corneal endothelium) H18.51-

No Change

G

No Change **Glomerulonephritis (see also Nephritis) N05.9**
No Change - with
Add - - C3
Add - - - glomerulonephritis N05.A
Add - - - glomerulopathy N05.A
Add - - - - with dense deposit disease N05.6
Add **GLUT1 deficiency syndrome 1, infantile onset E74.810**
Add **GLUT1 deficiency syndrome 2, childhood onset E74.810**
No Change **Glycosuria R81**
Revise from - renal E74.8

Revise to - renal (familial) E74.818
No Change **Granulomatosis** L92.9
Add - with polyangiitis M31.3
Add - eosinophilic, with polyangiitis [EGPA] M30.1
Revise from **Gunshot wound** - see also Wound, open
Revise to **Gunshot wound** - see also Puncture, open

No Change

H

Revise from **Headache** R51
Revise to **Headache** R51.9
Add - with
Add - - orthostatic component NEC R51.0
Add - - positional component NEC R51.0
Revise from - chronic daily R51
Revise to - chronic daily R51.9
Revise from - daily chronic R51
Revise to - daily chronic R51.9
Revise from - nasal septum R51
Revise to - nasal septum R51.9
No Change **Hematuria** R31.9
No Change - idiopathic N02.9
No Change - - with glomerular lesion
Add - - - C3
Add - - - - glomerulonephritis N02.A
Add - - - - glomerulopathy N02.A
Add - - - - with dense deposit disease N02.6
No Change **Hemoglobinopathy (mixed)** D58.2
No Change - sickle-cell D57.1
No Change - - with thalassemia D57.40
Delete - - - with crisis (vasoocclusive pain) D57.419
Delete - - - - with
Delete - - - - - acute chest syndrome D57.411
Delete - - - - - splenic sequestration D57.412
Add - - - with
Add - - - - acute chest syndrome D57.411
Add - - - - cerebral vascular involvement D57.413
Add - - - - crisis (painful) D57.419
Add - - - - - with specified complication NEC D57.418
Add - - - - splenic sequestration D57.412
Add - - - - vasoocclusive pain D57.419
No Change **Hemoglobinuria** R82.3
Revise from - cold (agglutinin) (paroxysmal) (with Raynaud's syndrome) D59.6
Revise to - cold (paroxysmal) (with Raynaud's syndrome) D59.6
Add - - agglutinin D59.12
No Change **Hunt's**
No Change - disease or syndrome (herpetic geniculate ganglionitis) B02.21
Revise from - - dyssynergia cerebellaris myoclonica G11.1
Revise to - - dyssynergia cerebellaris myoclonica G11.19
Revise from **Hydroxykynureninuria** E70.8
Revise to **Hydroxykynureninuria** E70.89
No Change **Hyperemia (acute) (passive)** R68.89
Revise from - enteric K59.8
Revise to - enteric K59.89
Revise from - intestine K59.8
Revise to - intestine K59.89
No Change **Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic)** I10
No Change - with
Revise from - - heart involvement (conditions in I50.-, I51.4- I51.9 due to hypertension) - see Hypertension, heart
Revise to - - heart involvement (conditions in I50.- or I51.4-I51.7, I51.89, I51.9, due to hypertension) - see Hypertension,

heart

Delete - intracranial (benign) G93.2

Add - intracranial, benign G93.2

No Change **Hypofunction**

Revise from - intestinal K59.8

Revise to - intestinal K59.89

No Change **Hypomotility**

Revise from - intestine K59.8

Revise to - intestine K59.89

No Change **Hypotension (arterial) (constitutional) I95.9**

Delete - intracranial, following ventricular shunting (ventriculostomy) G97.2

Add - intracranial G96.810

Add - - following

Add - - - lumbar cerebrospinal fluid shunting G97.83

Add - - - specified procedure NEC G97.84

Add - - - ventricular shunting (ventriculostomy) G97.2

Add - - specified NEC G96.819

Add - - spontaneous G96.811

No Change

I

No Change **Ileus (bowel) (colon) (inhibitory) (intestine) K56.7**

Revise from - myxedema K59.8

Revise to - myxedema K59.89

No Change **Immobile, immobility**

Revise from - intestine K59.8

Revise to - intestine K59.89

Add **Immunocompromised NOS D84.9**

No Change **Immunodeficiency D84.9**

Add - due to

Add - - conditions classified elsewhere D84.81

Add - - drugs D84.821

Add - - external causes D84.822

Add - - medication (current or past) D84.821

Revise from - specified type NEC D84.8

Revise to - specified type NEC D84.89

Add **Immunodeficient NOS D84.9**

Add **Immunosuppressed NOS D84.9**

Revise from **Impediment, speech R47.9**

Revise to **Impediment, speech (see also Disorder, speech) R47.9**

No Change **Infarct, infarction**

No Change - cerebral (acute) (chronic) (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-

Add - - neonatal P91.82-

Add - - perinatal (arterial ischemic) P91.82-

No Change - myocardium, myocardial (acute) (with stated duration of 4 weeks or less) I21.9

No Change - - subsequent (recurrent) (reinfarction) I22.9

Revise from - - - transmural I22.9

Revise to - - - transmural I21.3

No Change **Infection, infected, infective (opportunistic) B99.9**

Add - coronavirus-2019 U07.1

Add - COVID-19 U07.1

No Change - due to or resulting from

Add - - Babesia

Add - - - divergens (-like) strain B60.03

Add - - - duncani (-type) species B60.02

Add - - - microti B60.01

Add - - - species

Add - - - - specified NEC B60.09

No Change - - device, implant or graft (see also Complications, by site and type, infection or inflammation) T85.79

No Change - - - catheter NEC T85.79

No Change - - - - dialysis (renal) T82.7
Add - - - - central line T80.211
Add - - protozoa of the order Piroplasmida NEC B60.09
Add - intrauterine inflammation O41.12-
No Change - virus, viral NOS B34.9
Add - - COVID-19 U07.1
No Change **Infiltrate, infiltration**
No Change - lung R91.8
Revise from - - eosinophilic J82
Revise to - - eosinophilic - see Eosinophilia, pulmonary
No Change - pulmonary R91.8
Revise from - - with eosinophilia J82
Revise to - - with eosinophilia - see Eosinophilia, pulmonary
No Change **Inflammation, inflamed, inflammatory (with exudation)**
Revise from - esophagus K20.9
Revise to - esophagus - see Esophagitis
No Change **Influenza (bronchial) (epidemic) (respiratory (upper)) (unidentified influenza virus) J11.1**
Add - A (non-novel) J10-
Add - B J10-
Add - C J10-
No Change **Inhalation**
Delete - gases, fumes, or vapors NEC T59.9-
Delete - - specified agent - see Table of Drugs and Chemicals, by substance
Add - gases, fumes, or vapors T59.9-
Add - - specified agent NEC - see Table of Drugs and Chemicals, by substance T59.89-
Revise from - smoke J70.5
Revise to - smoke T59.81-
Delete - - due to chemicals, gases, fumes and vapors J68.9
Add - - with respiratory conditions J70.5
Add - - - due to chemicals, gases, fumes and vapors J68.9
Revise from - steam - see Toxicity, vapors
Revise to - steam T59.9-
No Change **Injury (see also specified injury type) T14.90**
No Change - deep tissue - see Contusion, by site
Revise from - - meaning pressure ulcer - see Ulcer, pressure, unstageable, by site
Revise to - - meaning pressure ulcer - see Ulcer, pressure L89 with final character .6
No Change - lung - see also Injury, intrathoracic, lung
Add - - dabbing (related) U07.0
Add - - electronic cigarette (related) U07.0
Add - - EVALI - [e-cigarette, or vaping, product use associated] U07.0
Add - - vaping (associated) (device) (product) (use) U07.0
No Change **Instability**
No Change - joint (post-traumatic) M25.30
Add - - specified site NEC M25.39
No Change **Irregular, irregularity**
No Change - eye movements H55.89
Delete - - saccadic H55.81
Add - - deficient
Add - - - saccadic H55.81
Add - - - smooth H55.82
No Change **Irritable, irritability R45.4**
Revise from - duodenum K59.8
Revise to - duodenum K59.89
Revise from - ileum K59.8
Revise to - ileum K59.89
Revise from - jejunum K59.8
Revise to - jejunum K59.89
Revise from - rectum K59.8
Revise to - rectum K59.89
No Change **Ischemia, ischemic I99.8**

Add - limb, critical - see Arteriosclerosis, with critical limb ischemia
Add - limb-threatening, chronic - see Arteriosclerosis, with critical limb ischemia

No Change

L

No Change

Leak, leakage

Revise from

- cerebrospinal fluid G96.0

Revise to

- cerebrospinal fluid G96.00

Add

-- cranial

Add

--- postoperative G96.08

Add

--- specified NEC G96.08

Add

--- spontaneous G96.01

Add

--- traumatic G96.08

Add

-- spinal

Add

--- postoperative G96.09

Add

--- post-traumatic G96.09

Add

--- specified NEC G96.09

Add

--- spontaneous G96.02

Add

-- spontaneous

Add

--- from

Add

---- skull base G96.01

Add

---- spine G96.02

Add

- CSF - see Leak, cerebrospinal fluid

Revise from

Lederer's anemia D59.1

Revise to

Lederer's anemia D59.19

Revise from

Leptomeningopathy G96.19

Revise to

Leptomeningopathy G96.198

No Change

Leukemia, leukemic C95.9-

Add

- chronic eosinophilic (see also Syndrome, hypereosinophilic, myeloid) C94.8-

No Change

Leukocytosis D72.829

Revise from

- eosinophilic D72.1

Revise to

- eosinophilic D72.19

No Change

Löffler's

Revise from

- eosinophilia J82

Revise to

- eosinophilia J82.89

Revise from

- pneumonia J82

Revise to

- pneumonia J82.89

Revise from

- syndrome (eosinophilic pneumonitis) J82

Revise to

- syndrome (eosinophilic pneumonitis) J82.89

Revise from

Louping ill (encephalitis) A84.8

Revise to

Louping ill (encephalitis) A84.89

No Change

M

No Change

Mastitis (acute) (diffuse) (nonpuerperal) (subacute) N61.0

Add

- granulomatous N61.2-

No Change

Meningioma - see also Neoplasm, meninges, benign

Add

- atypical - see Neoplasm, meninges, uncertain behavior

No Change

Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic) G03.9

Revise from

- ossificans G96.19

Revise to

- ossificans G96.198

No Change

Meningocele (spinal) - see also Spina bifida

Revise from

- acquired (traumatic) G96.19

Revise to

- acquired (traumatic) G96.198

No Change

Microdrepanocytosis D57.40

Delete

- with crisis (vasoocclusive pain) D57.419

Delete

-- with

Delete

--- acute chest syndrome D57.411

Delete - - - splenic sequestration D57.412
Add - with
Add - - acute chest syndrome D57.411
Add - - cerebral vascular involvement D57.413
Add - - crisis (painful) D57.419
Add - - - with specified complication NEC D57.418
Add - - splenic sequestration D57.412
Add - - vasoocclusive pain D57.419
No Change **Myelitis (acute) (ascending) (childhood) (chronic) (descending) (diffuse) (disseminated) (idiopathic) (pressure) (progressive) (spinal cord) (subacute) (see also Encephalitis) G04.91**
Add - flaccid G04.89
Revise from **Myelodysplastic syndrome D46.9**
Revise to **Myelodysplastic syndrome (see also Syndrome, myelodysplastic) D46.9**
No Change **Myocardopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic) (infiltrative) (obstructive) (primary) (restrictive) (sporadic) (see also Cardiomyopathy) I42.9**
No Change - in (due to)
Revise from - - Friedreich's ataxia G11.1 [I43]
Revise to - - Friedreich's ataxia G11.11 [I43]
No Change **Myopathy G72.9**
Revise from - benign congenital G71.2
Revise to - benign congenital G71.20
Revise from - central core G71.2
Revise to - central core G71.29
Revise from - centronuclear G71.2
Revise to - centronuclear G71.228
Add - - autosomal (dominant) (recessive) G71.228
Add - - other specified NEC G71.228
Revise from - congenital (benign) G71.2
Revise to - congenital (benign) G71.20
Add - hyaline body G71.29
Add - myosin storage G71.29
Revise from - myotubular G71.2
Revise to - myotubular (centronuclear) G71.220
Add - - X-linked G71.220
Revise from - nemaline G71.2
Revise to - nemaline G71.21
Revise from - rod G71.2
Revise to - rod (body) G71.21

No Change

N

No Change **Nephritis, nephritic (albuminuric) (azotemic) (congenital) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) N05.9**
No Change - with
Add - - C3
Add - - - glomerulonephritis N05.A
Add - - - glomerulopathy N05.A
Add - - - - with dense deposit disease N05.6
No Change - acute N00.9
No Change - - with
Add - - - C3
Add - - - - glomerulonephritis N00.A
Add - - - - glomerulopathy N00.A
Add - - - - - with dense deposit disease N00.6
No Change - chronic N03.9
No Change - - with
Add - - - C3
Add - - - - glomerulonephritis N03.A
Add - - - - glomerulopathy N03.A
Add - - - - - with dense deposit disease N03.6

No Change - rapidly progressive N01.9
 No Change -- with
 Add --- C3
 Add ---- glomerulonephritis N01.A
 Add ---- glomerulopathy N01.A
 Add ---- with dense deposit disease N01.6
 No Change **Nephropathy (see also Nephritis) N28.9**
 No Change - hereditary NEC N07.9
 No Change -- with
 Add --- C3
 Add ---- glomerulonephritis N07.A
 Add ---- glomerulopathy N07.A
 Add ---- with dense deposit disease N07.6

No Change

O

No Change **Observation (following) (for) (without need for further medical care) Z04.9**
 No Change - suspected, ruled out - see also Suspected condition, ruled out
 Add -- foreign body
 Add --- aspirated (inhaled) Z03.822
 Add --- ingested Z03.821
 Add --- inserted (injected), in (eye) (orifice) (skin) Z03.823
 Revise from **Osgood-Schlatter disease or osteochondrosis** - see Osteochondrosis, juvenile, tibia
 Revise to **Osgood-Schlatter disease or osteochondrosis M92.52-**
 No Change **Ossification**
 Revise from - falx cerebri G96.19
 Revise to - falx cerebri G96.198
 Revise from - meninges (cerebral) (spinal) G96.19
 Revise to - meninges (cerebral) (spinal) G96.198
 No Change **Osteoarthritis M19.90**
 Add - specified site NEC M19.09
 No Change - post-traumatic NEC M19.92
 Add -- specified site NEC M19.19
 No Change - secondary M19.93
 Add -- specified site NEC M19.29
 No Change **Osteochondrosis** - see also Osteochondropathy, by site
 Delete - Blount's - see Osteochondrosis, juvenile, tibia
 Add - Blount M92.51-
 No Change - juvenile, juvenilis M92.9
 Revise from -- fibula M92.5-
 Revise to -- fibula M92.50-
 Delete -- specified site NEC M92.8
 Add -- specified
 Add --- site NEC M92.8
 Add --- type NEC M92.8
 Add ---- tibia and fibula M92.59-
 Revise from -- tibia M92.5-
 Revise to -- tibia M92.50-
 Add --- proximal M92.51-
 Add --- tubercle M92.52-
 No Change - limb
 No Change -- lower NEC (juvenile) M92.8
 Add --- tibia and fibula M92.59-
 Revise from - Osgood-Schlatter - see Osteochondrosis, juvenile, tibia
 Revise to - Osgood-Schlatter M92.52-
 No Change **Osteoporosis (female) (male) M81.0**
 No Change - age-related M81.0
 No Change -- with current pathologic fracture M80.00
 Add --- site specified NEC M80.0A
 No Change - disuse M81.8

No Change -- with current pathological fracture M80.80
 Add --- site specified NEC M80.8A
 No Change - postmenopausal M81.0
 No Change -- with pathological fracture M80.00
 Add --- site specified NEC M80.0A
 No Change - specified type NEC M81.8
 No Change -- with pathological fracture M80.80
 Add --- site specified NEC M80.8A
 No Change **Otorrhea** H92.1-
 Revise from - cerebrospinal G96.0
 Revise to - cerebrospinal (fluid) G96.01
 Add -- postoperative G96.08
 Add -- specified NEC G96.08
 Add -- spontaneous G96.01
 Add -- traumatic G96.08

No Change

P

No Change **Pain(s) (see also Painful)** R52
 Revise from - face, facial R51
 Revise to - face, facial R51.9
 No Change - joint M25.50
 Add -- specified site NEC M25.59
 Revise from **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative)** K85.90
 Revise to **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (subacute) (suppurative)** K85.90
 Revise from - recurrent (chronic) K86.1
 Revise to - recurrent
 Add -- acute K85.50
 Add -- chronic K86.1
 No Change **Paralysis, paralytic (complete) (incomplete)** G83.9
 Revise from - digestive organs NEC K59.8
 Revise to - digestive organs NEC K59.89
 Revise from **Pentosuria (essential)** E74.8
 Revise to **Pentosuria (essential)** E74.89
 Revise from **Piroplasmiasis** B60.0
 Revise to **Piroplasmiasis (see also Babesiosis)** B60.00
 Add - specified NEC B60.09
 Add **PMEI (polymorphic epilepsy in infancy)** G40.83-
 No Change **Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved)** J18.9
 Revise from - allergic (eosinophilic) J82
 Revise to - allergic (see also Pneumonitis, hypersensitivity) J82.89
 No Change - broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) J18.0
 Revise from -- allergic (eosinophilic) J82
 Revise to -- allergic (see also Pneumonitis, hypersensitivity) J82.89
 Revise from - eosinophilic J82
 Revise to - eosinophilic J82.81
 Add -- acute J82.82
 Add -- chronic J82.81
 No Change - interstitial J84.9
 No Change -- due to
 Revise from --- collagen vascular disease J84.17
 Revise to --- collagen vascular disease J84.178
 Revise from --- known underlying cause J84.17
 Revise to --- known underlying cause J84.178
 Revise from -- in disease classified elsewhere J84.17
 Revise to -- in disease classified elsewhere J84.178
 Revise from -- lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.17

Revise to -- lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.178
No Change -- non-specific J84.89
No Change --- due to
Revise from ---- collagen vascular disease J84.17
Revise to ---- collagen vascular disease J84.178
Revise from ---- known underlying cause J84.17
Revise to ---- known underlying cause J84.178
Revise from --- in diseases classified elsewhere J84.17
Revise to --- in diseases classified elsewhere J84.178
No Change -- usual J84.112
Revise from --- due to collagen vascular disease J84.17
Revise to --- due to collagen vascular disease J84.178
Revise from --- in diseases classified elsewhere J84.17
Revise to --- in diseases classified elsewhere J84.178
Revise from - Löffler's J82
Revise to - Löffler's J82.89
No Change - organizing J84.89
No Change -- due to
Revise from --- collagen vascular disease J84.17
Revise to --- collagen vascular disease J84.178
Revise from --- known underlying cause J84.17
Revise to --- known underlying cause J84.178
Revise from -- in diseases classified elsewhere J84.17
Revise to -- in diseases classified elsewhere J84.178
No Change **Pneumonitis (acute) (primary)** - see also Pneumonia
Revise from - eosinophilic J82
Revise to - eosinophilic J82.81
Add -- acute J82.82
Add -- chronic J82.81
No Change **Prediabetes, prediabetic** R73.03
No Change - complicating
Revise from -- puerperium O99.89
Revise to -- puerperium O99.893
Revise from **Pregnancy (single) (uterine) -see also Delivery and Puerperal**
Revise to **Pregnancy (single) (uterine) -see also Delivery and Puerperal** Z33.1
No Change - complicated by (care of) (management affected by)
Add -- cesarean scar defect (isthmocele) O34.22
Revise from -- connective system disorders (conditions in M00-M99) O99.89
Revise to -- connective system disorders (conditions in M00-M99) O99.891
No Change -- diseases of - see Pregnancy, complicated by, specified body system disease
Revise from --- specified NEC O99.89
Revise to --- specified NEC O99.891
No Change -- disorders of - see Pregnancy, complicated by, specified body system disorder
Revise from --- ear and mastoid process (conditions in H60-H95) O99.89
Revise to --- ear and mastoid process (conditions in H60-H95) O99.891
Revise from --- eye and adnexa (conditions in H00-H59) O99.89
Revise to --- eye and adnexa (conditions in H00-H59) O99.891
Revise from --- specified NEC O99.89
Revise to --- specified NEC O99.891
Revise from -- mental disorders (conditions in F01-F09, F20-F99) O99.34-
Revise to -- mental disorders (conditions in F01-F09, F20-F52 and F54-F99) O99.34-
Revise from -- musculoskeletal condition (conditions is M00-M99) O99.89
Revise to -- musculoskeletal condition (conditions is M00-M99) O99.891
Revise from -- pelvic inflammatory disease O99.89
Revise to -- pelvic inflammatory disease O99.891
Revise from -- peritoneal (pelvic) adhesions O99.89
Revise to -- peritoneal (pelvic) adhesions O99.891
No Change **Pressure**
No Change - increased
Revise from -- intracranial (benign) G93.2

Revise to -- intracranial benign, G93.2
 No Change **Prominence, prominent**
 Delete - ischial spine or sacral promontory
 Delete - with disproportion (fetopelvic) O33.0
 Delete -- causing obstructed labor O65.0
 Add - ischial spine or sacral promontory with disproportion (fetopelvic) O33.0
 Add -- causing obstructed labor O65.0
 No Change **Proteinuria R80.9**
 No Change - isolated R80.0
 No Change -- with glomerular lesion N06.9
 Add --- C3
 Add ---- glomerulonephritis N06.A
 Add ---- glomerulopathy N06.A
 Add ---- with dense deposit disease N06.6
 Revise from **Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.19**
 Revise to **Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.198**
 Revise from **Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary) K59.8**
 Revise to **Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary) K59.89**
 Add - colonic K59.81
 Revise from **Pseudotumor**
 Revise to **Pseudotumor G93.2**
 No Change **Puerperal, puerperium (complicated by, complications)**
 No Change - disease O90.9
 Revise from -- nonobstetric NEC O99.89
 Revise to -- nonobstetric NEC O99.893
 No Change - disorder O90.9
 Revise from -- nonobstetric NEC O99.89
 Revise to -- nonobstetric NEC O99.893
 Revise from - specified condition NEC O99.89
 Revise to - specified condition NEC O99.893

No Change

R

No Change **Ramsay-Hunt disease or syndrome (see also Hunt's disease) B02.21**
 Revise from - meaning dyssynergia cerebellaris myoclonica G11.1
 Revise to - meaning dyssynergia cerebellaris myoclonica G11.19
 No Change **Reaction** - see also Disorder
 No Change - spinal puncture G97.1
 Add -- dural G97.1
 No Change **Reflux K21.9**
 No Change - esophageal K21.9
 Revise from -- with esophagitis K21.0
 Revise to -- with esophagitis (without bleeding) K21.00
 Add --- with bleeding K21.01
 No Change - gastroesophageal K21.9
 Revise from -- with esophagitis K21.0
 Revise to -- with esophagitis (without bleeding) K21.00
 Add --- with bleeding K21.01
 No Change **Rejection**
 No Change - transplant T86.91
 Revise from -- cornea T86.840
 Revise to -- cornea T86.840-
 No Change **Rhinorrhea J34.89**
 Revise from - cerebrospinal (fluid) G96.0
 Revise to - cerebrospinal (fluid) G96.01
 Add -- postoperative G96.08
 Add -- specified NEC G96.08
 Add -- spontaneous G96.01
 Add -- traumatic G96.08
 Add **Rickettsia 364D/R. philipii (Pacific Coast tick fever) A77.8**

No Change **Rickettsiosis A79.9**
No Change - due to
Add - - Neorickettsia sennetsu A79.81

No Change **S**

No Change **Scar, scarring (see also Cicatrix) L90.5**

Add - defect (isthmocoele) O34.22

No Change **Schizophrenia, schizophrenic F20.9**

Revise from - chronic undifferentiated F20.5

Revise to - chronic undifferentiated F20.9

Revise from **Schlatter-Osgood disease or osteochondrosis** - see Osteochondrosis, juvenile, tibia

Revise to **Schlatter-Osgood disease or osteochondrosis M92.52-**

No Change **Sclerosis, sclerotic**

Revise from - Friedreich's (spinal cord) G11.1

Revise to - Friedreich's (spinal cord) G11.11

No Change - hereditary

Revise from - - spinal (Friedreich's ataxia) G11.1

Revise to - - spinal (Friedreich's ataxia) G11.11

No Change - spinal (cord) (progressive) G95.89

Revise from - - hereditary (Friedreich's) (mixed form) G11.1

Revise to - - hereditary (Friedreich's) (mixed form) G11.11

No Change **Scoliosis (acquired) (postural) M41.9**

Add - degenerative M41.8-

No Change **Sensitive, sensitivity** - see also Allergy

Revise from - cold, autoimmune D59.1

Revise to - cold, autoimmune D59.12

No Change **Septum, septate (congenital)** - see also Anomaly, by site

Revise from - uterus Q51.20

Revise to - uterus Q51.28

No Change **Sequestration** - see also Sequestrum

Delete - disk - see Displacement, intervertebral disk

Add - disc - see Displacement, intervertebral disc

No Change **Sickle-cell**

Add - beta plus - see Disease, sickle-cell, thalassemia, beta plus

Add - beta zero - see Disease, sickle-cell, thalassemia, beta zero

No Change **Siderosis (lung) J63.4**

Add - brain G93.89

Add **SMEI (severe myoclonic epilepsy in infancy) G40.83-**

No Change **Spasm(s), spastic, spasticity (see also condition) R25.2**

Revise from - duodenum K59.8

Revise to - duodenum K59.89

No Change **Speech**

Revise from - defect, disorder, disturbance, impediment R47.9

Revise to - defect, disorder, disturbance, impediment - see Disorder, speech R47.9

No Change **Spider**

No Change - bite - see Toxicity, venom, spider

Add - - nonvenomous - see Bite, by site, superficial, insect

Add **Spondyloarthritis**

Add - axial - see also Spondylitis, ankylosing

Add - - non-radiographic M46.80

Add - - - cervical M46.82

Add - - - cervicothoracic M46.83

Add - - - lumbar M46.84

Add - - - lumbosacral M46.87

Add - - - multiple sites M46.89

Add - - - occipito-atlanto-axial region M46.81

Add - - - sacral and sacrococcygeal M46.88

Add - - - thoracic M46.84

Add - - - thoracolumbar M46.85

Revise from **Spotted fever** - see Fever, spotted N92.3
 Revise to **Spotted fever** - see Fever, spotted A77.9
 No Change **Stasis**
 Revise from - cecum K59.8
 Revise to - cecum K59.89
 Revise from - colon K59.8
 Revise to - colon K59.89
 Revise from - ileocecal coil K59.8
 Revise to - ileocecal coil K59.89
 Revise from - ileum K59.8
 Revise to - ileum K59.89
 Revise from - intestinal K59.8
 Revise to - intestinal K59.89
 Revise from - jejunum K59.8
 Revise to - jejunum K59.89
 Revise from - rectal K59.8
 Revise to - rectal K59.89
 No Change **Stiffness, joint NEC** M25.60-
 Add - specified site NEC M25.69
 No Change **Still's disease or syndrome (juvenile)** M08.20
 Add - specified site NEC M08.2A
 No Change **Stroke (apoplectic) (brain) (embolic) (ischemic) (paralytic) (thrombotic)** I63.9
 Add - cerebral, perinatal P91.82-
 Add - ischemic, perinatal arterial P91.82-
 Add - neonatal P91.82-
 No Change **Syndrome** - see also Disease
 Add - cytokine release D89.839
 Add - - grade 1 D89.831
 Add - - grade 2 D89.832
 Add - - grade 3 D89.833
 Add - - grade 4 D89.834
 Add - - grade 5 D89.835
 Add - de Vivo syndrome E74.810
 Add - Dravet (intractable) G40.834
 Add - - with status epilepticus G40.833
 Add - - without status epilepticus G40.834
 Add - DRESS (drug rash with eosinophilia and systemic symptoms) D72.12
 Add - drug rash with eosinophilia and systemic symptoms (DRESS) D72.12
 Add - facet M47.89-
 Add - Gleich's D72.118
 Revise from - hepatic flexure K59.8
 Revise to - hepatic flexure K59.89
 Revise from - hypereosinophilic (idiopathic) D72.1
 Revise to - hypereosinophilic (HES) D72.119
 Add - - idiopathic (IHES) D72.110
 Add - - lymphocytic variant (LHES) D72.111
 Add - - specified NEC D72.118
 Revise from - König's K59.8
 Revise to - König's K59.89
 Delete - Löffler's J82
 Add - Löffler's J82.89
 No Change - myelodysplastic D46.9
 No Change - - with
 Add - - - multilineage dysplasia D46.A
 Add - - - - with ringed sideroblasts D46.B
 Add - myeloid hypereosinophilic D72.118
 No Change - nephrotic (congenital) (see also Nephrosis) N04.9
 No Change - - with
 Add - - - C3
 Add - - - - glomerulonephritis N04.A

Add - - - - glomerulopathy N04.A
 Add - - - - with dense deposit disease N04.6
 Add - Ogilvie K59.81
 Revise from - PIE (pulmonary infiltration with eosinophilia) J82
 Revise to - PIE (pulmonary infiltration with eosinophilia) (see also Eosinophilia, pulmonary) J82.89
 No Change - popliteal
 Delete - - post endometrial ablation N99.85
 Add - post endometrial ablation N99.85
 No Change - splenic
 Revise from - - flexure K59.8
 Revise to - - flexure K59.89
 Revise from - Weingarten's (tropical eosinophilia) J82
 Revise to - Weingarten's (tropical eosinophilia) J82.89

No Change

T

Add **Talaromycosis** B48.4
 No Change **Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel)** I82.90
 No Change - mesenteric (artery) (with gangrene) (see also Infarct, intestine) K55.069
 Revise from - - vein (inferior) (superior) K55.0
 Revise to - - vein (inferior) (superior) K55.0-
 Revise from **Thymoma (benign)** D15.0
 Revise to **Thymoma** - see also Neoplasm, thymus, by type
 Add - metaplastic C37
 Add - microscopic D15.0
 Add - sclerosing C37
 Add - type A C37
 Add - type AB C37
 Add - type B1 C37
 Add - type B2 C37
 Add - type B3 C37
 Revise from **Tibia vara** - see Osteochondrosis, juvenile, tibia
 Revise to **Tibia vara** M92.51-
 Revise from **Transaminasemia** R74.0
 Revise to **Transaminasemia** R74.01
 Add **Triple I** O41.12-
 Revise from **Trophoneurosis NEC** G96.8
 Revise to **Trophoneurosis NEC** G96.89
 No Change **Typhus (fever)** A75.9
 Add - Orientia Tsutsugamushi (scrub typhus) A75.3

No Change

U

No Change **Ulcer, ulcerated, ulcerating, ulceration, ulcerative**
 No Change - esophagus (peptic) K22.10
 No Change - - due to
 Revise from - - - gastrointestinal reflux disease K21.0
 Revise to - - - gastrointestinal reflux disease (without bleeding) K21.00
 Add - - - - with bleeding K21.01
 No Change **Use (of)**
 No Change - alcohol Z72.89
 No Change - - with
 Add - - - withdrawal F10.939
 Add - - - - with
 Add - - - - perceptual disturbance F10.932
 Add - - - - delirium F10.931
 Add - - - - uncomplicated F10.930
 No Change - cocaine F14.90
 No Change - - with
 Add - - - withdrawal F14.93

No Change

V

No Change

Version

Delete

- with extraction

No Change

W

Revise from

Weingarten's syndrome J82

Revise to

Weingarten's syndrome J82.89