

2005 DOCUMENTATION INITIAL RELEASE
Mortality Multiple Cause-of-Death Public Use Record

A new vital statistics data access policy excluding geographic identifiers goes into effect with the 2005 data year information included on this CD-ROM. See:

http://www.cdc.gov/nchs/about/major/dvs/NCHS_DataRelease.htm. The file layout is separate for US and territories data. See Deaths: Final data for 2005 at http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_10.pdf for other notes about the file.

Data File Characteristics:

Record length: 488

U.S. DATA SET:

1. Record count:
2. Data counts: ALL DEATHS:
 a. By occurrence: 2,452,506
 b. By residence: 2,448,017
 c. To foreign residents: 4,489

PUERTO RICO, VIRGIN ISLANDS, GUAM, AMERICAN SAMOA, AND NORTHERN MARIANAS DATA SET

1. Record count: 31,532

PUERTO RICO:

2. Data counts: ALL DEATHS:
 a. By occurrence: 29,702
 b. By residence: 29,531

VIRGIN ISLANDS:

1. Record count:
2. Data counts: ALL DEATHS:
 a. By occurrence: 669
 b. By residence: 640

GUAM:

1. Record count:
2. Data counts: ALL DEATHS:
 a. By occurrence: 691
 b. By residence: 678

AMERICAN SAMOA:

1. Record count:
2. Data counts: ALL DEATHS:
 a. By occurrence: 279
 b. By residence: 272

NORTHERN MARIANAS:

1. Record count:
2. Data counts: ALL DEATHS:
 a. By occurrence: 191
 b. By residence: 184

2005
Mortality Multiple Cause-of-Death Public Use Record

VI. List of File Data Elements and Tape Locations

Data Items	Tape Locations
1. General	
a. Resident status	20
b. Place of death and decedent's status	83
c. Day of week of death	85
d. Date of data receipt	94-101
e. Data year	102-105
2. The Decedent	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. Hispanic origin	484-488
h. Education	61-64
3. Underlying Cause	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161
4. Multiple Conditions	
a. Entity-Axis conditions	
1. Number of	163-164
2. The conditions	165-304
b. Record-Axis conditions	
1. Number of	341-342
2. The conditions	344-443
5. Other medical items	
a. Place of injury	145
b. Injury at work	106
c. Method of disposition	108
d. Autopsy	109
e. Activity code	144

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-19	19	<u>Reserved Positions</u> These positions are blank.
20	1	<u>Resident Status</u>
		United States Occurrence
	1	... RESIDENTS State and County of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.
	3	... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.
	4	... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.
		Puerto Rico Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
20	1	<u>Resident Status- Con.</u> <u>Virgin Islands Occurrence</u>
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.
		<u>Guam Occurrence</u>
	1	... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
		<u>American Samoa Occurrence</u>
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place.
		<u>Northern Marianas Occurrence</u>
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
21-60	40	<u>Reserved Positions</u> These positions are blank.
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
63	1	<u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree 9 ... Unknown
64	1	<u>Education reporting flag</u> 0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
65-66	2	<u>Month of Death</u> 01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December
67-68	2	<u>Reserved Positions</u>
69	1	<u>Sex</u> M ... Male F ... Female
70-82	13	<u>REPORTED AGE</u>
70-73	4	<u>Detail Age</u> Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc. 1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated
74	1	<u>Age Substitution Flag</u> If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age. Blank ... Calculated age is not substituted for reported age 1 ... Calculated age is substituted for reported age

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years
		29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years
		48 ... 110 - 114 years
		49 ... 115 - 119 years

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52- Con.</u> 50 ... 120 - 124 years 51 ... 125 years and over 52 ... Age not stated
77-78	2	<u>Age Recode 27</u> 01 ... Under 1 month (includes not stated weeks, days, hours, and minutes) 02 ... 1 month - 11 months (includes not stated months) 03 ... 1 years 04 ... 2 years 05 ... 3 years 06 ... 4 years 07 ... 5 - 9 years 08 ... 10 - 14 years 09 ... 15 - 19 years 10 ... 20 - 24 years 11 ... 25 - 29 years 12 ... 30 - 34 years 13 ... 35 - 39 years 14 ... 40 - 44 years 15 ... 45 - 49 years 16 ... 50 - 54 years 17 ... 55 - 59 years 18 ... 60 - 64 years 19 ... 65 - 69 years 20 ... 70 - 74 years 21 ... 75 - 79 years 22 ... 80 - 84 years 23 ... 85 - 89 years 24 ... 90 - 94 years 25 ... 95 - 99 years 26 ... 100 years and over 27 ... Age not stated
79-80	2	<u>Age Recode 12</u> 01 ... Under 1 year (includes not stated infant ages) 02 ... 1 - 4 years 03 ... 5 - 14 years 04 ... 15 - 24 years 05 ... 25 - 34 years 06 ... 35 - 44 years 07 ... 45 - 54 years 08 ... 55 - 64 years 09 ... 65 - 74 years 10 ... 75 - 84 years 11 ... 85 years and over 12 ... Age not stated

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u> Blank ... Age 1 year and over or not stated 01 ... Under 1 hour (includes not stated hours and minutes) 02 ... 1 - 23 hours 03 ... 1 day (includes not stated days) 04 ... 2 days 05 ... 3 days 06 ... 4 days 07 ... 5 days 08 ... 6 days 09 ... 7-13 days (includes not stated weeks) 10 ... 14 - 20 days 11 ... 21 - 27 days 12 ... 1 month (includes not stated months) 13 ... 2 months 14 ... 3 months 15 ... 4 months 16 ... 5 months 17 ... 6 months 18 ... 7 months 19 ... 8 months 20 ... 9 months 21 ... 10 months 22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u> 1 ... Hospital, clinic or Medical Center - Inpatient 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room 3 ... Hospital, Clinic or Medical Center - Dead on Arrival 4 ... Decedent's home 5 ... Hospice facility 6 ... Nursing home/long term care 7 ... Other 9 ... Place of death unknown
84	1	<u>Marital Status</u> S ... Never married, single M ... Married W ... Widowed D ... Divorced U ... Marital Status unknown

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown
86-101	13	Reserved Positions
102-105	4	<u>Current Data Year</u> 2005 ...2005
106	1	<u>Injury at Work</u> Y ... Yes N ... No U ... Unknown
107	1	<u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural blank ... Not specified
108	1	<u>Method of Disposition</u> B ... Burial C ... Cremation O ... Other U ... Unknown

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
109	1	<u>Autopsy</u> Y ... Yes N ... No U ... Unknown
110-143	34	<u>Reserved Positions</u>
144	1	<u>Activity Code</u> 0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u> 0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
146-162	18	<u>UNDERLYING CAUSE OF DEATH</u>
146-149	4	<u>ICD Code (10th Revision)</u> See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1.
150-152	3	<u>358 Cause Recode</u> A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-456 ... Code range (not inclusive)
153	1	<u>Reserved Positions</u>

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																		
154-156	3	<p><u>113 Cause Recode</u></p> <p>A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>001-135 ... Code range (not inclusive)</p>																		
157-159	3	<p><u>130 Infant Cause Recode</u></p> <p>A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.</p> <p>001-158 ... Code range (not inclusive)</p>																		
160-161	2	<p><u>39 Cause Recode</u></p> <p>A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>01-42 ... Code range (not inclusive)</p>																		
162	1	Reserved Position																		
163-443	281	<u>MULTIPLE CONDITIONS</u>																		
163-164	2	<p><u>Number of Entity-Axis Conditions</u></p> <p>00-20 ... Code range</p>																		
165-304	140	<p><u>ENTITY - AXIS CONDITIONS</u></p> <p>Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7th position will be blank. Records that do not have 20 conditions are blank in the unused area.</p> <p>Position 1: Part/line number on certificate</p> <table border="0" style="margin-left: 40px;"> <tr><td>1</td><td>...</td><td>Part I, line 1 (a)</td></tr> <tr><td>2</td><td>...</td><td>Part I, line 2 (b)</td></tr> <tr><td>3</td><td>...</td><td>Part I, line 3 (c)</td></tr> <tr><td>4</td><td>...</td><td>Part I, line 4 (d)</td></tr> <tr><td>5</td><td>...</td><td>Part I, line 5 (e)</td></tr> <tr><td>6</td><td>...</td><td>Part II</td></tr> </table> <p>Position 2: Sequence of condition within part/line</p> <p>1-7 ... Code range</p>	1	...	Part I, line 1 (a)	2	...	Part I, line 2 (b)	3	...	Part I, line 3 (c)	4	...	Part I, line 4 (d)	5	...	Part I, line 5 (e)	6	...	Part II
1	...	Part I, line 1 (a)																		
2	...	Part I, line 2 (b)																		
3	...	Part I, line 3 (c)																		
4	...	Part I, line 4 (d)																		
5	...	Part I, line 5 (e)																		
6	...	Part II																		

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS- Con.</u> Position 3 - 6: Condition code See Table 1 for a complete list of codes
165-171	7	1 st Condition
172-178	7	2 nd Condition
179-185	7	3 rd Condition
186-192	7	4 th Condition
193-199	7	5 th Condition
200-206	7	6 th Condition
207-213	7	7 th Condition
214-220	7	8 th Condition
221-227	7	9 th Condition
228-234	7	10 th Condition
235-241	7	11 th Condition
242-248	7	12 th Condition
249-255	7	13 th Condition
256-262	7	14 th Condition
263-269	7	15 th Condition
270-276	7	16 th Condition
277-283	7	17 th Condition
284-290	7	18 th Condition

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS – Con.</u>
291-297	7	19 th Condition
298-304	7	20 th Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u> 00-20 ... Code range
343	1	<u>Reserved Position</u>
344-443	100	<u>RECORD - AXIS CONDITIONS</u> Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 - 4: Condition Code See Table 1 for a complete list of codes
344-348	5	1 st Condition
349-353	5	2 nd Condition
354-358	5	3 rd Condition
359-363	5	4 th Condition
364-368	5	5 th Condition
369-373	5	6 th Condition
374-378	5	7 th Condition
379-383	5	8 th Condition
384-388	5	9 th Condition
389-393	5	10 th Condition
394-398	5	11 th Condition
399-403	5	12 th Condition

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
344-443	100	<u>RECORD - AXIS CONDITIONS – Con.</u>
404-408	5	13 th Condition
409-413	5	14 th Condition
414-418	5	15 th Condition
419-433	5	16 th Condition
424-428	5	17 th Condition
429-433	5	18 th Condition
434-438	5	19 th Condition
439-443	5	20 th Condition
444	1	<u>Reserved position</u>
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

01	... White
02	... Black
03	... American Indian (includes Aleuts and Eskimos)
04	... Chinese
05	... Japanese
06	... Hawaiian (includes Part-Hawaiian)
07	... Filipino
18	... Asian Indian
28	... Korean
38	... Samoan
48	... Vietnamese
58	... Guamanian
68	... Other Asian or Pacific Islander in areas reporting codes 18-58
78	... Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	<u>Race- Con.</u> Puerto Rico Occurrence 00 ... Other races 01 ... White 02 ... Black Virgin Islands Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Guam Occurrence 01 ... White 02 ... Black 03 ... American Indian (Includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander 58 ... Guamanian American Samoa Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Northern Marianas Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	06 ... Hawaiian (includes Part-Hawaiian) <u>Race- Con.</u>
		07 ... Filipino
		18 ... Asian Indian
		28 ... Korean
		38 ... Samoan
		48 ... Vietnamese
		58 ... Guamanian
		68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u> Blank ... Race is not bridged 1 ... Race is bridged
448	1	<u>Race Imputation Flag</u> Blank ... Race is not imputed 1 ... Unknown race is imputed 2 ... All other races is imputed
449	1	<u>Race Recode 3</u> 1 ... White 2 ... Races other than White or Black 3 ... Black
450	1	<u>Race Recode 5</u> 0 ... Other (Puerto Rico only) 1 ... White 2 ... Black 3 ... American Indian 4 ... Asian or Pacific Islander
451-483	33	<u>Reserved</u>

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
484-486	3	<u>Hispanic Origin</u>
		100-199 ... Non – Hispanic
		200-209 ... Spaniard
		210-219 ... Mexican
		260-269 ... Puerto Rican
		270-274 ... Cuban
		275-279 ... Dominican
		220 ... Central and South American
		221-230 ... Central American
		231-249 ... South American
		250-259 ... Latin American
		280-299 ... Other Hispanic
		996-999 ... Unknown
487	1	<u>Reserved</u>
488	1	<u>Hispanic Origin/Race Recode</u>
		1 ... Mexican
		2 ... Puerto Rican
		3 ... Cuban
		4 ... Central or South American
		5 ... Other or unknown Hispanic
		6 ... Non - Hispanic white
		7 ... Non - Hispanic black
		8 ... Non - Hispanic other races
		9 ... Hispanic origin unknown

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record axis		
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary
Record count by code field												
A00.0	-	-	-	A06.0	-	-	-	-	A18.2	1	1	2
A00.1	-	-	-	A06.1	-	-	-	-	A18.3	1	10	10
A00.9	-	-	-	A06.2	-	-	-	-	A18.4	-	4	4
A01.0	-	-	-	A06.3	-	-	-	-	A18.5	-	-	4
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause												
Or Entity axis multiple cause of death by ICD-10 category: United States, 2005												
A01.2	-	-	-	A06.6	-	-	-	-	A18.6	-	-	-
A01.3	-	-	-	A06.7	-	-	-	-	A18.7	2	1	1
A01.4	-	-	-	A06.8	-	-	-	-	A18.8	2	2	1
A02.0	6	17	11	A06.9	-	-	-	-	A19.0	1	1	1
A02.1	20	23	7	A07.0	-	-	-	-	A19.1	-	-	-
Multiple Cause of Death Public Use File												
A02.2	-	-	-	A07.1	-	1	1	1	A19.2	-	-	-
A02.8	-	-	-	A07.2	2	8	6	24	A19.8	-	-	-
A02.9	4	8	4	A07.3	2	3	1	3	A19.9	70	94	108
A03.0	1	2	1	A07.8	-	-	-	-	A20.0	-	-	24
A03.1	-	-	-	A07.9	-	-	-	-	A20.1	-	-	-
A03.2	-	-	-	A08.0	5	6	1	6	A20.2	-	2	2
Control Total, Table 1												
A03.3	1	1	-	A08.1	4	4	-	4	A20.3	-	-	-
A03.8	1	1	-	A08.2	-	-	-	-	A20.7	1	1	1
A03.9	6	8	2	A08.3	1	5	4	5	A20.8	-	-	-
A04.0	-	-	-	A08.4	96	146	50	147	A20.9	-	-	-
A04.1	-	1	1	A08.5	2	2	-	2	A21.0	-	-	-
A04.2	-	-	-	A09	132	184	52	184	A21.1	-	-	-
A04.3	-	-	-	A16.2	269	379	164	407	A21.2	-	-	-
A04.4	5	6	1	A16.3	-	1	1	1	A21.3	-	-	-
A04.5	2	2	-	A16.4	-	-	-	-	A21.7	-	-	-
A04.6	2	3	2	A16.5	6	11	8	11	A21.8	-	-	-
A04.7	5,332	8,513	3,181	A16.7	3	4	1	4	A21.9	-	-	-
A04.8	69	114	45	A16.8	-	-	-	-	A22.0	-	-	-
A04.9	13	25	12	A16.9	202	614	413	678	A22.1	-	-	-
A05.0	-	-	-	A17.0	10	13	4	15	A22.2	-	-	-
A05.1	5	5	-	A17.1	-	-	-	-	A22.7	-	-	-
A05.2	-	-	-	A17.8	7	11	6	11	A22.8	-	-	-
A05.3	1	1	-	A17.9	-	-	-	-	A22.9	-	-	-
A05.4	-	-	-	A18.0	70	118	49	118	A23.0	-	-	-
A05.8	-	-	-	A18.1	4	8	4	8	A23.1	-	-	-
A05.9	1	1	-						A23.2	-	-	-
									A23.3	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total	Second-ary	Entity axis		Total	Second-ary	Entity axis	Total		Second-ary	Entity axis		
	UC	UC	UC		UC	UC	UC	UC		UC	UC	UC	UC
Record count by code field													
A23.8	-	-	-	A32.7	9	19	12	21	A41.5	819	3,356	2,538	3,419
A23.9	2	2	-	A32.8	1	3	2	3	A41.8	85	316	231	323
A24.0	-	-	-	A32.9	1	8	7	8	A41.9	31,205	142,744	111,545	145,039
A24.1	-	-	-	A33	-	-	-	-	A42.0	4	7	-	5
Number of resident deaths tabulated by mention of a(n) underlying cause, record axis multiple cause													
Category: United States, 2005													
A24.2	-	-	-	A36.0	-	-	-	-	A42.1	2	2	4	1
A24.4	-	-	-	A36.1	-	-	-	-	A42.2	-	-	-	-
A25.0	-	-	-	A36.2	-	-	-	-	A42.7	-	1	-	1
A25.1	-	-	-	A36.3	-	-	-	-	A42.8	-	2	1	2
A25.9	-	-	-	A36.8	-	-	-	-	A42.9	2	10	2	13
Multiple Cause of Death Public Use File													
A26.0	-	-	-	A36.9	-	2	2	2	A43.0	35	65	8	61
A26.7	-	-	-	A37.0	2	2	-	2	A43.1	-	1	30	1
A26.8	-	-	-	A37.1	-	-	-	-	A43.8	3	6	1	6
A26.9	-	-	-	A37.8	-	-	-	-	A43.9	17	41	3	51
A27.0	-	-	-	A37.9	29	31	2	31	A44.0	-	-	24	-
A27.8	-	-	-	A38	1	7	6	7	A44.1	-	-	-	-
Control Total, Table 1													
A27.9	4	5	1	A39.0	27	33	6	34	A44.8	-	-	-	-
A28.0	25	32	7	A39.1	17	21	4	21	A44.9	-	-	-	1
A28.1	1	2	1	A39.2	2	-	-	-	A46	2	5	-	5
A28.2	1	1	-	A39.3	-	-	-	-	A48.0	13	47	3	47
A28.8	4	6	2	A39.4	73	78	5	79	A48.1	78	97	34	98
A28.9	-	-	-	A39.5	-	-	-	-	A48.2	-	-	19	-
A30.0	-	-	-	A39.8	1	3	2	3	A48.3	55	68	-	68
A30.1	-	-	-	A39.9	3	6	3	6	A48.4	-	-	13	-
A30.2	-	-	-	A40.0	28	58	30	59	A48.8	7	17	-	17
A30.3	-	-	-	A40.1	28	58	30	58	A49.0	412	2,539	2,107	2,563
A30.4	-	-	-	A40.2	132	577	445	600	A49.1	90	687	597	693
A30.5	-	1	1	A40.3	166	452	286	471	A49.2	4	16	-	17
A30.8	-	-	-	A40.8	17	43	26	44	A49.3	4	10	12	10
A30.9	1	6	5	A40.9	125	366	241	376	A49.8	116	958	842	969
A31.0	214	433	220	A41.0	801	2,726	1,925	2,774	A49.9	465	3,623	3,158	3,728
A31.1	-	-	-	A41.1	34	90	56	91	A50.0	-	-	-	-
A31.8	8	10	2	A41.2	575	1,732	1,157	1,771	A50.1	-	-	-	-
A31.9	52	100	48	A41.3	6	21	15	21	A50.2	-	-	-	-
A32.0	-	-	-	A41.4	115	303	189	304	A50.3	-	-	-	-
A32.1	20	27	7						A50.4	-	-	-	-
									A50.5	1	2	-	2

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention
Record count by code field											
A50.6	-	-	-	A58	-	-	-	A71.1	-	-	-
A50.7	-	-	-	A59.0	-	-	-	A71.9	-	1	1
A50.9	1	2	1	A59.8	-	-	-	A74.0	-	-	1
A51.0	-	-	-	A59.9	-	1	1	A74.8	-	-	-
Number of resident deaths tabulated by mention of 600 underlying cause, record axis multiple cause											
Entity axis multiple cause of death by ICD-10 category: United States, 2005											
A51.2	-	-	-	A60.9	-	-	1	A75.0	-	-	-
A51.3	-	-	-	A63.0	1	3	2	A75.1	-	-	-
A51.4	-	-	-	A63.8	-	-	-	A75.2	-	-	-
A51.5	-	-	-	A64	3	10	7	A75.3	-	-	-
A51.9	-	1	1	A65	-	-	-	A75.9	-	-	-
Multiple Cause of Death Public Use File											
A52.0	4	6	3	A66.0	-	-	-	A77.0	6	6	6
A52.1	9	22	13	A66.1	-	-	-	A77.1	-	-	-
A52.2	-	-	-	A66.2	-	-	-	A77.2	-	-	-
A52.3	23	63	40	A66.3	-	-	-	A77.3	-	-	-
A52.7	1	1	-	A66.4	-	-	-	A77.8	3	3	4
A52.8	-	1	1	A66.5	-	-	-	A77.9	-	-	-
Control Total Table 1											
A52.9	6	16	10	A66.6	-	-	-	A78	2	2	2
A53.0	-	4	4	A66.7	-	-	-	A79.0	-	-	-
A53.9	2	25	23	A66.8	-	-	-	A79.1	-	-	-
A54.0	-	-	-	A66.9	-	-	-	A79.8	-	-	-
A54.1	-	-	-	A67.0	-	-	-	A79.9	-	-	-
A54.2	-	1	1	A67.1	-	-	-	A80.0	-	-	-
A54.3	-	-	-	A67.2	-	-	-	A80.1	-	-	-
A54.4	-	-	-	A67.3	-	-	-	A80.2	-	-	-
A54.5	-	-	-	A67.9	-	-	-	A80.3	-	-	-
A54.6	-	-	-	A68.0	-	-	-	A80.4	-	-	-
A54.8	3	3	-	A68.1	-	-	-	A80.9	-	2	2
A54.9	-	-	-	A68.9	-	-	-	A81.0	248	259	262
A55	-	-	-	A69.0	-	-	-	A81.1	2	2	11
A56.0	-	-	-	A69.1	1	1	-	A81.2	31	65	200
A56.1	-	-	-	A69.2	7	37	30	A81.8	-	-	34
A56.2	-	-	-	A69.8	-	-	-	A81.9	2	2	-
A56.3	-	-	-	A69.9	-	-	-	A82.0	-	-	-
A56.4	-	-	-	A70	-	-	-	A82.1	-	-	-
A56.8	-	-	-	A71.0	-	-	-	A82.9	1	1	1
A57	-	-	-					A83.0	1	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
A83.1	-	-	-	A93.1	-	-	-	-	B02.2	19	116	-	116
A83.2	2	2	-	A93.2	-	-	-	-	B02.3	4	16	97	17
A83.3	1	3	2	A93.8	-	-	-	-	B02.7	22	45	12	47
A83.4	-	-	-	A94	-	-	-	-	B02.8	-	4	23	4
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause													
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
A83.8	-	-	-	A95.9	-	-	-	-	B03	-	-	-	-
A83.9	1	1	-	A96.0	-	-	-	-	B04	-	-	-	-
A84.0	-	-	-	A96.1	-	-	-	-	B05.0	1	2	-	1
A84.1	-	-	-	A96.2	-	-	-	-	B05.1	-	-	1	-
Multiple Cause of Death Public Use File													
A84.8	-	-	-	A96.8	-	-	-	-	B05.2	-	-	-	-
A84.9	-	-	-	A96.9	-	-	-	-	B05.3	-	-	-	-
A85.0	2	2	-	A98.0	-	-	-	-	B05.4	-	-	-	-
A85.1	-	-	-	A98.1	-	-	-	-	B05.8	-	-	-	-
A85.2	-	-	-	A98.2	-	-	-	-	B05.9	-	1	-	2
A85.8	3	5	2	A98.3	-	-	-	-	B06.0	-	-	1	-
Control Total Table 1													
A86	104	125	21	A98.4	-	-	-	-	B06.8	-	-	-	-
A87.0	1	1	-	A98.5	-	-	-	-	B06.9	-	-	-	-
A87.1	-	-	-	A98.8	-	-	-	-	B07	-	1	-	1
A87.2	4	6	2	A99	-	-	-	-	B08.0	-	-	1	-
A87.8	-	1	1	B00.0	-	-	-	-	B08.1	-	2	-	2
A87.9	40	55	15	B00.1	-	2	2	2	B08.2	-	-	2	-
A88.0	-	-	-	B00.2	1	4	3	4	B08.3	-	-	-	-
A88.1	-	-	-	B00.3	2	3	1	4	B08.4	-	-	-	-
A88.8	-	1	1	B00.4	115	160	45	159	B08.5	-	-	-	-
A89	9	12	3	B00.5	-	-	-	-	B08.8	-	2	-	2
A90	2	2	-	B00.7	11	15	7	17	B09	-	1	2	1
A91	-	-	-	B00.8	12	44	32	44	B15.0	3	2	1	-
A92.0	-	-	-	B00.9	34	116	82	129	B15.9	40	98	-	106
A92.1	-	-	-	B01.0	-	-	-	-	B16.0	-	-	58	-
A92.2	-	-	-	B01.1	5	6	1	4	B16.1	-	-	-	-
A92.3	96	117	21	B01.2	4	6	2	4	B16.2	32	32	-	-
A92.4	-	-	-	B01.8	-	-	-	-	B16.9	521	1,470	950	1,654
A92.8	-	-	-	B01.9	4	18	14	25	B17.0	-	-	-	-
A92.9	-	-	-	B02.0	16	26	10	19	B17.1	69	152	-	159
A93.0	-	-	-	B02.1	1	2	1	1	B17.2	-	4	83	4
									B17.8	1	13	4	13

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
B18.0	-	-	-	1	B25.8	24	54	30	91	B35.6	-	1	-	1
B18.1	89	229	140	255	B25.9	38	135	97	188	B35.8	-	-	1	-
B18.2	4,698	11,654	6,958	12,397	B26.0	-	-	-	-	B35.9	-	-	-	-
B18.8	-	2	2	2	B26.1	-	-	-	-	B36.0	2	2	-	2
Number of resident deaths tabulated by mention of 2002 underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
B19.9	63	113	50	127	B26.8	-	-	-	-	B36.2	-	-	-	-
B20.0	112	119	15	3	B26.9	-	2	2	2	B36.3	-	-	-	-
B20.1	1,049	1,115	207	-	B27.0	18	30	12	30	B36.8	-	-	-	-
B20.2	26	26	3	-	B27.1	-	-	-	-	B36.9	-	6	-	6
Multiple Cause of Death Public Use File														
B20.3	727	613	74	1	B27.8	-	-	-	-	B37.0	5	56	6	67
B20.4	11	14	7	2	B27.9	2	5	3	5	B37.1	15	62	51	62
B20.5	235	237	14	-	B27.0	-	-	-	-	B37.2	2	4	48	3
B20.6	433	393	10	2	B30.0	-	-	-	-	B37.3	-	-	2	-
B20.7	1,140	1,129	136	-	B30.1	-	-	-	-	B37.4	12	49	-	49
B20.8	1,055	1,094	147	2	B30.2	-	-	-	-	B37.5	1	2	37	2
Control Table 1														
B20.9	20	23	6	-	B30.3	-	-	-	-	B37.6	9	13	1	13
B21.0	92	91	6	-	B30.8	-	-	-	-	B37.7	166	641	483	651
B21.1	50	46	1	-	B30.9	-	-	-	-	B37.8	32	175	144	201
B21.2	389	374	11	-	B33.0	-	-	-	-	B37.9	21	200	179	227
B21.3	49	45	2	-	B33.1	-	-	-	-	B38.0	4	11	-	13
B21.7	28	28	5	-	B33.2	54	67	13	67	B38.1	-	3	7	3
B21.8	282	665	401	-	B33.3	6	19	13	20	B38.2	27	42	3	42
B21.9	56	65	13	-	B33.8	10	16	6	18	B38.3	-	-	16	-
B22.0	188	237	65	-	B34.0	16	31	15	32	B38.4	6	10	-	11
B22.1	-	-	-	-	B34.1	9	10	1	10	B38.7	18	27	4	37
B22.2	187	196	20	10	B34.2	-	-	-	-	B38.8	-	1	9	1
B22.7	877	1,094	269	-	B34.3	1	5	4	7	B38.9	21	61	1	73
B23.0	-	-	-	-	B34.4	-	-	-	-	B39.0	-	-	40	-
B23.1	1	1	-	-	B34.8	50	86	36	86	B39.1	-	-	-	-
B23.2	227	211	89	1	B34.9	278	418	140	472	B39.2	6	15	-	11
B23.8	1,843	2,697	1,157	1	B35.0	-	-	-	-	B39.3	1	1	9	1
B24	3,466	4,329	929	14,073	B35.1	-	5	5	5	B39.4	-	-	-	-
B25.0	36	88	55	102	B35.2	-	-	-	-	B39.5	-	-	-	-
B25.1	1	4	3	4	B35.3	-	1	1	1	B39.9	24	93	-	157
B25.2	-	-	-	-	B35.4	-	1	1	1	B40.0	-	-	69	-
					B35.5	-	-	-	-	B40.1	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
B40.2	8	18	10	18	B46.4	2	7	5	7	B57.1	-	-	-
B40.3	1	2	1	2	B46.5	13	51	38	52	B57.2	1	2	3
B40.7	2	2	-	2	B46.8	1	1	-	1	B57.3	1	1	-
B46.8	-	2	2	2	B46.9	1	6	5	7	B57.4	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
B41.7	-	-	-	-	B47.9	2	11	9	11	B58.0	-	-	-
B41.8	-	-	-	-	B48.0	-	-	-	-	B58.1	-	-	-
B41.9	-	1	1	1	B48.1	-	-	-	-	B58.2	7	18	77
B42.0	-	-	-	-	B48.2	-	-	-	-	B58.3	-	1	12
Multiple Cause of Death Public Use File													
B42.1	-	-	-	-	B48.3	-	-	-	-	B58.8	2	6	33
B42.7	-	-	-	-	B48.4	-	1	1	1	B58.9	5	29	5
B42.8	-	-	-	-	B48.7	-	6	6	6	B59	132	350	24
B42.9	1	2	1	2	B48.8	3	6	3	6	B60.0	4	6	219
B43.0	-	-	-	-	B49	345	1,612	1,267	1,704	B60.1	-	-	2
B43.1	-	-	-	-	B50.0	1	1	-	1	B60.2	2	2	-
Control Total Table 1													
B43.2	-	-	-	-	B50.8	-	-	-	-	B60.8	-	2	2
B43.8	-	-	-	-	B50.9	3	3	-	3	B64	-	-	2
B43.9	-	-	-	-	B51.0	-	-	-	-	B65.0	-	-	-
B44.0	8	35	27	38	B51.8	-	-	-	-	B65.1	-	-	-
B44.1	108	401	293	349	B51.9	-	-	-	-	B65.2	-	-	-
B44.2	-	-	-	-	B52.0	-	-	-	-	B65.3	-	-	-
B44.7	3	29	26	30	B52.8	-	-	-	-	B65.8	-	-	-
B44.8	1	17	16	17	B52.9	-	-	-	-	B65.9	1	2	2
B44.9	44	247	203	330	B53.0	-	-	-	-	B66.0	-	-	1
B45.0	9	28	19	36	B53.1	-	-	-	-	B66.1	-	-	-
B45.1	73	175	105	393	B53.8	-	-	-	-	B66.2	-	-	-
B45.2	-	-	-	-	B54	2	4	2	5	B66.3	-	-	-
B45.3	-	-	-	-	B55.0	-	-	-	1	B66.4	-	-	-
B45.7	11	35	24	72	B55.1	-	-	-	-	B66.5	-	-	-
B45.8	-	-	-	-	B55.2	-	-	-	-	B66.8	-	-	-
B45.9	7	37	31	61	B55.9	-	1	1	1	B66.9	-	-	-
B46.0	1	9	8	9	B56.0	-	-	-	-	B67.0	-	-	-
B46.1	3	7	4	7	B56.1	-	-	-	-	B67.1	-	-	-
B46.2	-	2	2	2	B56.9	-	-	-	-	B67.2	-	-	-
B46.3	-	1	1	1	B57.0	-	-	-	-	B67.3	-	-	-
										B67.4	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis					
	Total	Second-ary	Entity axis		Total	Second-ary	Entity axis		Total	Second-ary	Entity axis			
	UC	UC	UC		UC	UC	UC		UC	UC	UC			
Record count by code field														
C03.9	40	53	13	53	603	680	78	683	C18.3	7	10	10		
C04.0	-	-	-	-	C12	83	94	11	94	C18.4	42	57	3	57
C04.1	-	-	-	-	C13.0	3	3	-	3	C18.5	11	11	15	11
C04.8	-	-	-	-	C13.1	-	1	1	1	C18.6	57	71	-	71
Number of resident deaths tabulated by mention of I10 underlying cause, record axis multiple cause														
C05.0	10	14	4	4	ICD-10 Category: United States, 2005			-	1	C18.7	331	408	14	417
C05.1	50	77	27	77	C13.9	194	239	45	240	C18.8	-	-	77	-
C05.2	11	17	6	17	C14.0	1,612	2,174	565	2,196	C18.9	42,657	51,026	8,394	51,325
C05.8	1	1	-	1	C14.2	1	1	-	1	C19	2,490	2,698	212	2,510
C05.9	68	94	26	94	C14.8	-	-	-	-	C20	6,190	7,157	990	7,411
Multiple Cause of Death Public Use File														
C06.0	22	28	6	28	C15.0	8	8	-	8	C21.0	485	576	106	619
C06.1	-	-	-	-	C15.1	5	6	1	6	C21.1	48	54	-	56
C06.2	27	33	6	33	C15.2	-	-	-	-	C21.2	8	9	7	9
C06.8	-	1	1	1	C15.3	6	6	-	6	C21.8	42	45	1	45
C06.9	848	1,066	218	1,132	C15.4	-	-	-	-	C22.0	6,528	7,119	840	7,198
C07	517	622	105	622	C15.5	68	74	6	78	C22.1	3,531	3,685	161	3,692
Control Total Table 1														
C08.0	33	42	9	42	C15.8	-	-	-	-	C22.2	32	35	-	35
C08.1	1	1	-	1	C15.9	13,412	14,590	1,194	14,739	C22.3	23	26	3	26
C08.8	-	-	-	-	C16.0	749	803	54	681	C22.4	4	5	3	5
C08.9	150	171	21	173	C16.1	3	3	-	3	C22.7	1	-	1	-
C09.0	18	23	5	23	C16.2	1	1	-	1	C22.9	5,957	6,401	465	6,439
C09.1	5	5	-	5	C16.3	4	6	2	6	C23	1,989	2,105	117	2,106
C09.8	-	-	-	-	C16.4	2	2	-	2	C24.0	679	753	-	753
C09.9	624	747	124	751	C16.5	1	1	-	1	C24.1	159	178	74	178
C10.0	6	8	2	8	C16.6	1	1	-	1	C24.8	2	2	19	2
C10.1	1	1	-	1	C16.8	-	-	-	-	C24.9	624	720	-	746
C10.2	-	-	-	-	C16.9	10,753	11,726	983	11,876	C25.0	113	123	96	124
C10.3	-	-	-	-	C17.0	595	660	65	660	C25.1	8	9	10	9
C10.4	1	2	1	2	C17.1	35	39	4	39	C25.2	16	20	1	20
C10.8	-	-	-	-	C17.2	43	56	13	56	C25.3	18	19	4	19
C10.9	647	749	102	751	C17.3	-	-	-	-	C25.4	104	111	1	111
C11.0	-	-	-	-	C17.8	-	-	-	-	C25.7	1	1	7	1
C11.1	12	15	3	15	C17.9	444	494	50	500	C25.8	1	1	-	1
C11.2	-	-	-	-	C18.0	285	362	77	362	C25.9	32,499	33,749	1,270	33,786
C11.3	-	-	-	-	C18.1	311	337	26	338	C26.0	338	417	-	424
C11.8	-	-	-	-	C18.2	288	357	69	357	C26.1	17	29	79	29
										C26.8	1	1	12	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
C76.8	1	1	-	1	C82.2	13	16	3	16	C91.4	116	174	-	174
C77.0	6	62	56	62	C82.7	3	3	-	3	C91.5	63	79	58	79
C77.1	2	53	51	53	C82.9	206	261	55	261	C91.7	-	1	16	1
C77.2	2	81	79	81	C83.0	250	344	94	351	C91.9	187	257	1	263
C78.0	323	15,750	15,427	15,762	C83.3	961	1,121	161	1,146	C92.0	7,922	8,390	70	8,454
C78.1	17	296	279	296	C83.4	7	9	2	10	C92.1	1,067	1,371	469	1,373
C78.2	145	2,123	1,978	2,126	C83.5	76	78	2	80	C92.2	1	1	305	1
C78.3	3	134	131	134	C83.6	2	2	-	2	C92.3	16	21	-	21
C78.4	-	95	95	95	C83.7	256	285	30	355	C92.4	126	141	5	141
C78.5	45	1,456	1,411	1,456	C83.8	40	51	11	51	C92.5	192	223	15	223
C78.6	400	1,731	1,331	1,731	C83.9	33	37	4	38	C92.7	389	450	31	450
C78.7	2,219	19,164	16,951	19,177	C84.0	85	115	30	115	C92.9	238	264	61	276
C78.8	46	1,154	1,108	1,155	C84.1	10	14	4	14	C93.0	104	109	26	110
C79.0	9	448	439	448	C84.2	1	1	-	1	C93.1	7	12	5	12
C79.1	10	509	499	509	C84.3	1	1	-	1	C93.2	-	-	5	-
C79.2	14	357	343	357	C84.4	49	59	10	59	C93.7	-	-	-	-
C79.3	783	14,990	14,210	15,008	C84.5	755	868	114	880	C93.9	20	24	-	25
C79.4	9	739	730	739	C85.0	33	40	7	40	C94.0	19	25	5	25
C79.5	429	10,265	9,836	10,266	C85.1	1,544	1,763	219	1,822	C94.1	-	-	6	-
C79.6	7	251	244	251	C85.7	9	12	3	12	C94.2	8	8	-	8
C79.7	-	553	553	553	C85.9	15,934	19,683	3,754	20,373	C94.3	2	2	-	2
C79.8	3,121	9,042	5,929	9,061	C88.0	349	516	168	517	C94.4	-	-	-	-
C80	26,371	26,465	2,816	55,529	C88.1	-	-	-	-	C94.5	3	6	-	6
C81.0	1	1	-	1	C88.2	-	-	-	-	C94.7	28	33	3	33
C81.1	19	23	4	23	C88.7	-	-	-	-	C95.0	2,225	2,409	584	2,493
C81.2	4	4	-	4	C88.9	-	1	1	1	C95.1	184	295	111	295
C81.3	1	1	-	1	C90.0	10,657	12,538	1,881	12,549	C95.2	-	-	-	-
C81.7	1	1	-	1	C90.1	93	142	49	142	C95.7	6	8	-	8
C81.9	1,246	1,719	474	1,763	C90.2	101	169	68	171	C95.9	2,776	3,492	216	3,689
C82.0	8	8	-	8	C90.9	1,460	1,591	131	1,617	C96.0	-	-	-	-
C82.1	4	5	1	5	C91.0	4,391	6,638	2,247	6,639	C96.1	10	10	-	10
					C91.1	-	-	-	-	C96.2	6	8	-	8
					C91.2	-	-	-	-	C96.3	-	-	2	-
					C91.3	73	90	17	90	C96.7	1	2	-	2
										C96.9	43	66	1	83
										C97	4,358	3	23	2

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis
Record count by code field													
D57.8	-	-	-	D68.0	12	61	49	61	D75.8	82	536	454	537
D58.0	3	16	13	D68.1	-	2	2	2	D75.9	55	197	142	275
D58.1	-	3	3	D68.2	52	161	109	161	D76.0	25	45	-	45
D58.2	5	15	10	D68.3	-	-	-	-	D76.1	18	28	20	28
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
D58.9	156	305	205	D68.4	40	205	140	205	D76.2	6	8	10	8
D59.0	-	-	-	D68.9	993	5,329	4,336	5,472	D76.3	24	32	2	32
D59.1	105	295	190	D69.0	4	17	13	17	D80.0	4	5	8	5
D59.2	-	3	3	D69.1	3	9	6	9	D80.1	19	87	1	87
D59.3	30	69	39	D69.2	3	23	20	25	D80.2	2	9	68	9
Multiple Cause of Death Public Use File													
D59.4	8	127	119	D69.3	304	767	463	767	D80.3	3	11	7	11
D59.5	12	28	16	D69.4	42	96	54	96	D80.4	1	4	8	4
D59.6	-	-	-	D69.5	55	942	887	952	D80.5	-	1	3	1
D59.8	-	1	1	D69.6	454	3,729	3,275	3,749	D80.6	-	-	1	-
D59.9	17	38	21	D69.8	1	1	-	1	D80.7	-	-	-	-
D60.0	-	-	-	D69.9	31	139	108	145	D80.8	1	2	-	2
Control Total Table 1													
D60.1	-	-	-	D70	323	2,560	2,237	2,564	D80.9	6	14	1	14
D60.8	-	-	-	D71	13	24	11	24	D81.0	-	-	8	-
D60.9	7	32	25	D72.0	1	1	-	1	D81.1	-	-	-	-
D61.0	14	28	14	D72.1	14	36	22	36	D81.2	-	-	-	-
D61.1	-	2	2	D72.8	76	476	400	476	D81.3	1	1	-	1
D61.2	-	3	3	D72.9	1	5	4	5	D81.4	-	-	-	-
D61.3	4	4	-	D73.0	2	9	7	9	D81.5	-	-	-	-
D61.8	-	2	2	D73.1	30	178	148	178	D81.6	-	-	-	-
D61.9	901	4,190	3,289	D73.2	1	18	17	18	D81.7	-	-	-	-
D62	30	180	150	D73.3	7	27	20	27	D81.8	-	1	-	1
D64.0	-	-	-	D73.4	-	2	2	2	D81.9	18	29	1	30
D64.1	1	1	-	D73.5	45	204	159	205	D82.0	8	18	11	5
D64.2	-	-	-	D73.8	5	42	37	42	D82.1	10	42	10	42
D64.3	38	109	71	D73.9	41	146	105	149	D82.2	-	-	32	-
D64.4	-	-	-	D74.0	-	-	-	-	D82.3	5	8	-	8
D64.8	47	90	44	D74.8	-	-	-	-	D82.4	-	-	3	-
D64.9	2,434	39,929	37,495	D74.9	-	2	2	2	D82.8	-	-	-	-
D65	531	3,319	2,788	D75.0	1	2	1	2	D82.9	-	-	-	-
D66	85	183	98	D75.1	4	58	54	58	D83.0	-	-	-	-
D67	4	15	11	D75.2	31	159	128	159	D83.1	-	-	-	-
									D83.2	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
D83.8	-	-	-	-	E04.2	11	57	46	60	E11.4	128	306	181	2
D83.9	11	26	15	26	E04.8	-	-	-	-	E11.5	1,798	3,911	2,133	2
D84.0	-	-	-	-	E04.9	46	271	225	279	E11.6	46	141	-	1
D84.1	15	23	8	23	E05.0	46	192	146	187	E11.7	176	291	96	3
Number of resident deaths tabulated by mention of first underlying cause, record axis multiple cause														
Entity axis multiple cause death ICD-10 category: United States, 2005 19														
D86.0	138	184	46	188	E05.3	-	-	-	-	E11.8	1	1	117	3
D86.1	-	-	-	-	E05.4	-	-	-	-	E11.9	13,877	51,905	38,054	57,681
D86.2	-	-	-	-	E05.5	28	35	7	35	E12.0	-	-	-	-
D86.3	-	1	1	1	E05.8	1	2	1	2	E12.1	-	-	-	-
Multiple Cause of Death Public Use File														
D86.8	77	94	21	75	E05.9	228	1,250	1,022	1,287	E12.2	-	-	-	-
D86.9	703	1,241	538	1,281	E06.0	-	1	1	1	E12.3	-	-	-	-
D89.0	5	20	15	20	E06.1	-	1	1	1	E12.4	-	-	-	-
D89.1	28	76	48	76	E06.2	-	-	-	-	E12.5	-	-	-	-
D89.2	5	33	28	33	E06.3	7	48	41	48	E12.6	-	-	-	-
D89.8	1	1	-	1	E06.4	-	-	-	-	E12.7	-	-	-	-
Control Total Table 1														
D89.9	13	30	17	30	E06.5	1	21	20	21	E12.8	-	-	-	-
E00.0	-	-	-	-	E06.9	2	29	27	29	E12.9	-	4	-	4
E00.1	-	-	-	-	E07.0	-	-	-	-	E13.0	-	-	4	-
E00.2	-	-	-	-	E07.1	-	-	-	-	E13.1	1	1	-	1
E00.9	-	3	3	3	E07.8	-	9	9	9	E13.2	-	-	-	-
E01.0	-	-	-	-	E07.9	38	247	209	264	E13.3	-	-	-	-
E01.1	1	1	-	1	E10.0	43	56	14	1	E13.4	-	-	-	-
E01.2	-	-	-	-	E10.1	175	211	37	1	E13.5	1	1	-	-
E01.8	-	-	-	-	E10.2	143	222	80	2	E13.6	-	1	-	1
E02	-	1	1	1	E10.3	15	18	4	1	E13.7	-	-	1	-
E03.0	-	-	-	-	E10.4	52	92	40	-	E13.8	-	6	-	6
E03.1	6	16	10	16	E10.5	567	1,055	494	-	E13.9	9	78	6	79
E03.2	1	2	1	2	E10.6	25	40	15	2	E14.0	345	512	69	364
E03.3	-	-	-	-	E10.7	87	143	57	1	E14.1	1,632	2,246	168	1,791
E03.4	1	47	46	47	E10.8	-	-	-	-	E14.2	1,280	2,247	615	1,434
E03.5	22	10	1	10	E10.9	4,382	11,313	6,940	13,144	E14.3	13	41	967	76
E03.8	-	1	1	1	E11.0	75	111	38	3	E14.4	255	624	28	373
E03.9	1,528	19,966	18,437	19,969	E11.1	114	260	146	1	E14.5	5,071	10,259	371	5,236
E04.0	-	-	-	-	E11.2	397	736	341	-	E14.6	185	461	277	81
E04.1	3	29	26	29	E11.3	9	33	24	-	E14.7	417	633	219	2
										E14.8	14	23	219	27
										E14.9	43,786	145,743	102,903	161,203

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
E15	19	28	14	85	E25.0	11	22	11	22	E32.9	-	1	-	1
E16.0	5	14	9	14	E25.8	-	-	-	-	E34.0	59	105	1	105
E16.1	2	12	10	12	E25.9	-	1	1	1	E34.1	-	-	46	-
E16.2	249	1,602	1,353	1,605	E26.0	4	10	6	10	E34.2	1	1	-	1
Number of resident deaths tabulated by mention of 2011 underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
E16.8	-	-	-	-	E26.9	3	12	9	13	E34.3	11	43	-	43
E16.9	-	-	-	-	E27.0	1	1	-	1	E34.4	-	-	32	-
E20.0	-	1	1	1	E27.1	98	358	260	358	E34.5	-	-	-	-
E20.1	-	-	-	-	E27.2	12	41	29	41	E34.8	3	5	-	5
Multiple Cause of Death Public Use File														
E20.8	-	1	1	1	E27.3	-	-	-	-	E34.9	1	6	2	12
E20.9	8	72	64	72	E27.4	114	872	758	882	E40	1	7	5	8
E21.0	5	16	11	16	E27.5	-	1	1	1	E41	118	845	927	312
E21.1	-	7	7	7	E27.8	3	18	15	18	E42	1	2	-	1
E21.2	-	-	-	-	E27.9	16	97	81	105	E43	327	943	617	952
E21.3	87	463	376	463	E28.0	-	-	-	-	E44.0	3	17	-	17
Control Total, Table 1														
E21.4	1	1	-	1	E28.1	-	-	-	-	E44.1	-	4	14	4
E21.5	3	12	9	12	E28.2	2	9	7	9	E45	206	207	4	1
E22.0	7	44	37	44	E28.3	-	3	3	3	E46	2,347	17,760	15,415	18,569
E22.1	-	-	-	-	E28.8	-	-	-	-	E50.0	-	-	-	-
E22.2	57	341	284	341	E28.9	-	-	-	-	E50.1	-	-	-	-
E22.8	-	-	-	-	E29.0	-	1	1	1	E50.2	-	-	-	-
E22.9	-	1	1	1	E29.1	1	28	27	28	E50.3	-	-	-	-
E23.0	92	420	328	420	E29.8	-	-	-	-	E50.4	-	-	-	-
E23.1	-	-	-	-	E29.9	-	-	-	-	E50.5	-	-	-	-
E23.2	50	195	145	195	E30.0	-	-	-	-	E50.6	-	-	-	-
E23.3	1	11	10	11	E30.1	-	-	-	-	E50.7	-	-	-	-
E23.6	8	19	11	19	E30.8	-	-	-	-	E50.8	-	-	-	-
E23.7	15	26	11	28	E30.9	-	-	-	-	E50.9	-	-	-	-
E24.0	-	-	-	-	E31.0	3	8	5	8	E51.1	1	2	-	2
E24.1	-	-	-	-	E31.1	-	-	-	-	E51.2	9	62	1	62
E24.2	1	12	11	12	E31.8	-	-	-	-	E51.8	-	-	53	-
E24.3	-	2	2	2	E31.9	-	1	1	1	E51.9	1	2	-	3
E24.4	-	-	-	-	E32.0	1	6	5	6	E52	-	-	1	-
E24.8	-	-	-	-	E32.1	-	-	-	-	E53.0	-	2	-	2
E24.9	18	97	79	99	E32.8	-	1	1	1	E53.1	-	-	2	-
										E53.8	27	448	421	450
										E53.9	1	8	-	8

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
E54	-	7	7	7	E67.0	-	-	-	-	E75.1	6	8	8	
E55.0	1	9	8	9	E67.1	-	-	-	-	E75.2	140	184	184	
E55.9	3	9	6	9	E67.2	-	-	-	-	E75.3	-	-	44	
E56.0	-	-	-	-	E67.3	-	-	-	-	E75.4	29	32	-	
Number of resident deaths tabulated by mention of 6708 underlying cause, record axis multiple cause														
E56.0	-	-	-	-	Category: United States, 2005				1	1	E75.5	4	5	3
E56.9	-	9	9	9	E70.0	-	-	-	-	E75.6	12	32	1	
E58	-	-	-	-	E70.1	3	5	2	5	E76.0	9	11	20	
E59	-	-	-	-	E70.2	2	4	2	4	E76.1	26	27	2	
E60	-	-	-	-	E70.3	2	9	7	9	E76.2	20	26	1	
Multiple Cause of Death Public Use File														
E61.0	-	-	-	-	E70.8	-	-	-	-	E76.3	9	13	6	
E61.1	8	148	140	148	E70.9	-	-	-	-	E76.8	-	-	4	
E61.2	-	-	-	-	E71.0	-	-	-	-	E76.9	-	-	-	
E61.3	-	-	-	-	E71.1	13	14	1	14	E77.0	8	8	-	
E61.4	-	-	-	-	E71.2	-	-	-	-	E77.1	6	6	-	
E61.5	1	1	-	1	E71.3	42	55	13	55	E77.8	25	145	120	
Control Total Table 1														
E61.6	-	-	-	-	E72.0	8	19	11	19	E77.9	1	1	1	
E61.7	-	-	-	-	E72.1	12	40	28	40	E78.0	1,831	9,160	7,329	
E61.8	-	2	2	2	E72.2	39	74	35	74	E78.1	50	146	159	
E61.9	-	-	-	-	E72.3	6	7	1	7	E78.2	25	85	96	
E63.0	1	1	-	1	E72.4	6	14	8	14	E78.3	-	1	60	
E63.1	-	-	-	-	E72.5	3	9	6	9	E78.4	1	3	1	
E63.8	-	2	2	2	E72.8	1	1	-	1	E78.5	5,216	27,282	22,066	
E63.9	125	795	671	812	E72.9	2	3	1	3	E78.6	17	56	56	
E64.0	1	3	2	3	E73.0	1	1	-	1	E78.8	3	4	39	
E64.1	-	-	-	-	E73.1	-	-	-	-	E78.9	22	135	113	
E64.2	-	-	-	-	E73.8	-	-	-	-	E79.0	4	43	43	
E64.3	-	-	-	-	E73.9	-	6	6	6	E79.1	3	4	39	
E64.8	1	1	-	1	E74.0	13	29	16	29	E79.8	-	-	1	
E64.9	-	-	-	-	E74.1	-	1	1	1	E79.9	-	-	-	
E65	1	3	2	3	E74.2	1	2	1	2	E80.0	-	-	-	
E66.0	35	250	215	250	E74.3	18	181	163	181	E80.1	-	7	-	
E66.1	-	-	-	-	E74.4	8	13	5	13	E80.2	9	33	7	
E66.2	119	218	99	218	E74.8	14	48	34	48	E80.3	-	1	24	
E66.8	2,891	9,191	6,300	9,191	E74.9	-	1	1	1	E80.4	1	1	1	
E66.9	1,604	11,555	9,951	11,729	E75.0	17	18	1	18	E80.5	-	-	-	
										E80.6	-	2	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
E80.7	1	3	2	3	E89.1	...	4	4	4	F10.0	677	4,744	4,067	4,783
E83.0	28	47	19	47	E89.2	...	-	-	-	F10.1	1,910	7,688	5,778	10,041
E83.1	199	617	418	617	E89.3	...	4	4	4	F10.2	4,045	12,261	8,216	14,520
E85.2	-	-	-	-	E89.4	...	-	-	-	F10.3	84	259	175	305
Number of resident deaths tabulated by mention of 995 underlying cause, record axis multiple cause														
E88.4	Entity axis multiple cause	62	death by ICD-10 category: United States, 2005	-	F10.4	107	217	116	222	F10.5	-	3	-	2
E83.5	222	2,385	2,163	2,385	E89.8	...	83	83	83	F10.6	22	66	3	70
E83.8	1	1	-	1	E89.9	...	6	6	6	F10.7	172	358	44	152
E83.9	-	-	-	-	F01.0	4	4	-	4	F10.8	3	8	206	-
E84.0	244	284	40	4	F01.1	1,948	5,401	3,453	5,401	F10.9	369	3,916	3,547	5,716
Multiple Cause of Death Public Use File														
E84.1	11	18	7	4	F01.2	-	-	-	-	F11.0	-	-	-	-
E84.8	27	-	-	-	F01.3	6	10	4	10	F11.1	119	428	309	428
E84.9	132	146	18	440	F01.8	5	12	7	12	F11.2	85	171	-	171
E85.0	1	6	5	6	F01.9	2,262	6,476	4,215	6,489	F11.3	1	2	86	2
E85.1	6	2	-	2	F03	51,926	146,377	94,455	147,328	F11.4	-	1	1	-
E85.2	14	16	2	16	F04	-	1	1	1	F11.5	-	-	1	-
Control Total Table 1														
E85.3	-	2	2	2	F05.0	-	1	1	1	F11.6	-	-	-	-
E85.4	429	497	158	391	F05.1	96	260	164	-	F11.7	-	-	-	-
E85.8	1	11	10	11	F05.8	2	3	1	3	F11.8	-	1	-	1
E85.9	505	893	389	1,014	F05.9	190	742	559	1,006	F11.9	125	909	784	934
E86	4,030	24,470	20,440	24,537	F06.0	-	-	-	-	F12.0	-	4	-	4
E87.0	453	2,093	1,641	2,096	F06.1	-	-	-	-	F12.1	-	33	4	33
E87.1	270	2,021	1,751	2,027	F06.2	-	3	3	3	F12.2	-	12	33	12
E87.2	1,024	6,675	5,653	7,831	F06.3	1	20	19	20	F12.3	-	-	12	-
E87.3	6	51	45	51	F06.4	-	-	-	-	F12.4	-	-	-	-
E87.4	2	6	4	6	F06.5	-	-	-	-	F12.5	-	-	-	-
E87.5	485	5,062	4,577	5,081	F06.6	-	-	-	-	F12.6	-	-	-	-
E87.6	140	982	842	984	F06.7	-	2	2	2	F12.7	-	-	-	-
E87.7	69	573	504	576	F06.8	1	2	1	2	F12.8	-	-	-	-
E87.8	376	3,452	3,076	3,516	F06.9	1,391	4,708	3,317	4,709	F12.9	1	69	-	71
E88.0	244	1,021	777	1,021	F07.0	3	9	6	9	F13.0	-	-	68	-
E88.1	1	5	4	5	F07.1	1	1	-	1	F13.1	-	22	-	22
E88.2	-	2	2	2	F07.2	5	26	21	26	F13.2	-	8	22	8
E88.8	21	217	196	223	F07.8	-	-	-	-	F13.3	1	2	8	2
E88.9	599	2,235	1,637	2,635	F07.9	-	10	10	10	F13.4	-	-	1	-
E89.0	...	6	6	6	F09	9	893	884	1,271	F13.5	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
F13.6	-	-	-	F17.2	31	2,226	2,195	2,226	F20.9	307	2,821	2,514	2,827
F13.7	-	-	-	F17.3	-	-	-	-	F21	-	1	-	1
F13.8	-	-	-	F17.4	-	-	-	-	F22.0	13	214	201	214
F13.9	4	89	85	F17.5	-	-	-	-	F22.8	-	-	-	-
Number of resident deaths tabulated by mention of first underlying cause, record axis multiple cause													
For entity axis multiple cause death by ICD-10 category: United States, 2005													
F14.2	68	161	93	F17.8	-	-	-	-	F23.0	-	-	-	-
F14.3	1	1	-	F17.9	1,096	153,057	151,961	156,395	F23.1	-	-	-	-
F14.4	-	-	-	F18.0	-	-	-	-	F23.2	1	4	-	4
F14.5	-	2	2	F18.1	2	4	2	4	F23.3	-	2	3	2
Multiple Cause of Death Public Use File													
F14.6	-	-	-	F18.2	-	-	-	-	F23.8	-	-	2	-
F14.7	-	-	-	F18.3	-	-	-	-	F23.9	5	26	-	26
F14.8	-	1	1	F18.4	-	-	-	-	F24	-	-	21	-
F14.9	211	1,477	1,266	F18.5	-	-	-	-	F25.0	-	-	-	-
F15.0	3	4	1	F18.6	-	-	-	-	F25.1	-	-	-	-
F15.1	57	240	183	F18.7	-	-	-	-	F25.2	-	6	-	6
Control Total Table 1													
F15.2	19	60	41	F18.8	-	-	-	-	F25.8	1	1	6	1
F15.3	-	-	-	F18.9	-	2	2	2	F25.9	32	345	313	345
F15.4	1	1	-	F19.0	-	9	9	9	F28	-	2	-	2
F15.5	-	-	-	F19.1	1,173	7,091	5,918	7,091	F29	41	529	488	530
F15.6	-	-	-	F19.2	203	451	248	466	F30.0	-	-	-	-
F15.7	-	-	-	F19.3	5	13	8	13	F30.1	-	-	-	-
F15.8	-	-	-	F19.4	-	-	-	-	F30.2	-	1	-	1
F15.9	32	220	188	F19.5	1	1	-	1	F30.8	4	7	1	7
F16.0	1	1	-	F19.6	-	-	-	-	F30.9	1	11	3	11
F16.1	1	4	3	F19.7	-	-	-	-	F31.0	-	-	10	-
F16.2	-	-	-	F19.8	-	-	-	-	F31.1	2	4	-	4
F16.3	1	2	1	F19.9	150	2,611	2,461	2,816	F31.2	1	1	2	1
F16.4	-	-	-	F20.0	53	335	283	335	F31.3	-	-	-	-
F16.5	-	-	-	F20.1	-	-	-	-	F31.4	-	-	-	-
F16.6	-	-	-	F20.2	11	31	20	31	F31.5	-	-	-	-
F16.7	-	-	-	F20.3	1	6	5	6	F31.6	-	-	-	-
F16.8	-	-	-	F20.4	1	-	-	-	F31.7	-	-	-	-
F16.9	1	6	5	F20.5	47	289	242	289	F31.8	-	1	-	1
F17.0	2	18	16	F20.6	-	-	-	-	F31.9	112	1,856	1,744	1,856
F17.1	137	7,893	7,756	F20.8	-	1	1	1	F32.0	1	5	-	5
									F32.1	-	-	4	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
F32.2	76	477	401	477	F43.1	28	333	305	333	F51.3	-	1	-	1
F32.3	5	32	28	32	F43.2	10	61	51	61	F51.4	-	-	1	-
F32.8	1	17	16	17	F43.8	-	-	-	-	F51.5	-	-	-	-
F32.9	580	13,169	12,589	13,175	F43.9	58	300	242	301	F51.8	-	-	-	-
Number of resident deaths tabulated by mention of 440 underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
F33.2	3	20	17	20	F44.2	1	2	1	2	F52.0	-	-	-	-
F33.3	-	-	-	-	F44.3	-	-	-	-	F52.1	-	-	-	-
F33.4	-	-	-	-	F44.4	2	3	1	3	F52.2	-	-	-	-
F33.8	-	-	-	-	F44.5	-	-	-	-	F52.3	-	-	-	-
Multiple Cause of Death Public Use File														
F33.9	4	42	38	42	F44.6	-	-	-	-	F52.4	-	-	-	-
F34.0	-	26	26	26	F44.7	-	-	-	-	F52.5	-	-	-	-
F34.1	1	13	12	13	F44.8	5	16	11	16	F52.6	-	-	-	-
F34.8	-	-	-	-	F44.9	-	3	3	3	F52.7	-	-	-	-
F34.9	-	-	-	-	F44.9	-	3	3	3	F52.8	-	-	-	-
F38.0	-	-	-	-	F45.0	-	-	-	-	F52.9	-	-	-	-
Control Total Table 1														
F38.1	-	-	-	-	F45.1	-	1	1	1	F53.0	-	5	-	5
F38.8	-	-	-	-	F45.2	-	1	1	1	F53.1	-	-	5	-
F39	3	66	63	79	F45.3	3	47	44	47	F53.8	-	-	-	-
F40.0	-	10	10	10	F45.4	-	-	-	-	F53.9	-	-	-	-
F40.1	-	2	2	2	F45.8	1	9	8	9	F54	169	547	378	-
F40.2	-	1	1	1	F45.9	-	3	3	3	F55	9	41	-	41
F40.8	-	1	1	1	F48.0	5	11	6	11	F59	-	-	32	-
F40.9	-	-	-	-	F48.1	-	-	-	-	F60.0	1	5	-	5
F41.0	2	59	57	59	F48.8	2	6	4	6	F60.1	-	7	4	7
F41.1	5	83	78	83	F48.9	4	31	27	38	F60.2	-	1	7	1
F41.2	10	49	49	49	F50.0	39	69	30	69	F60.3	-	10	1	10
F41.3	-	-	-	-	F50.1	-	-	-	-	F60.4	-	-	10	-
F41.4	-	-	-	-	F50.2	11	35	24	35	F60.5	-	2	-	2
F41.8	-	5	5	5	F50.3	-	-	-	-	F60.6	-	-	2	-
F41.9	30	1,739	1,709	1,760	F50.4	-	-	-	-	F60.7	-	1	-	1
F42.0	-	-	-	-	F50.5	1	1	-	1	F60.8	-	2	1	2
F42.1	-	-	-	-	F50.8	70	182	112	182	F60.9	-	51	2	51
F42.2	-	-	-	-	F50.9	5	32	27	33	F61	-	-	51	-
F42.8	-	-	-	-	F51.0	-	-	-	-	F62.0	-	-	-	-
F42.9	4	60	56	60	F51.1	-	-	-	-	F62.1	-	-	-	-
F43.0	-	3	3	3	F51.2	-	-	-	-	F62.8	-	1	-	1

ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis
Record count by code field													
G03.8	-	2	2	2	G23.9	131	174	43	178	G37.4	-	-	-
G03.9	295	918	623	994	G24.0	-	1	1	1	G37.5	-	-	-
G04.0	9	10	1	10	G24.1	5	9	4	9	G37.8	12	20	20
G04.1	3	3	-	3	G24.2	-	-	-	-	G37.9	47	76	79
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
G04.8	118	223	105	223	G24.3	20	55	2	75	G40.0	2	2	2
Entity axis multiple cause of death by ICD-10 category: Un20ed States, 2005													
G04.9	261	612	351	694	G24.5	-	2	2	2	G40.1	-	3	3
G06.0	132	305	173	319	G24.8	1	6	5	6	G40.2	1	5	5
G06.1	28	64	36	64	G24.9	20	72	52	72	G40.3	29	67	67
G06.2	118	223	105	223	G25.0	3	102	99	102	G40.4	13	19	19
Multiple Cause of Death Public Use File													
G08	22	62	40	62	G25.1	-	-	-	-	G40.5	5	6	2
G09	82	147	65	147	G25.2	-	7	7	7	G40.6	181	317	317
G10	822	1,006	184	1,006	G25.3	2	30	28	30	G40.7	-	6	6
G11.0	-	-	-	-	G25.4	-	-	-	-	G40.8	-	1	1
G11.1	81	114	33	114	G25.5	18	44	26	44	G40.9	718	1,339	1,366
G11.2	1	1	-	1	G25.6	-	-	-	-	G41.0	1	1	1
Control Total, Table 1													
G11.3	8	15	8	15	G25.8	11	72	61	72	G41.1	-	-	-
G11.4	6	15	9	15	G25.9	28	57	29	60	G41.2	-	1	1
G11.8	2	2	-	2	G30.0	12	40	28	40	G41.8	-	-	-
G11.9	70	131	61	133	G30.1	2,123	4,223	2,100	2,788	G41.9	520	1,016	1,016
G12.0	21	21	-	21	G30.8	27	35	8	35	G43.0	-	-	-
G12.1	7	17	10	17	G30.9	69,437	103,256	34,644	104,681	G43.1	-	-	-
G12.2	5,872	6,495	619	6,491	G31.0	235	303	68	303	G43.2	-	-	-
G12.8	-	-	-	-	G31.1	21	32	16	32	G43.3	-	-	-
G12.9	120	137	17	139	G31.2	96	142	57	126	G43.8	1	2	2
G20	19,427	35,930	16,483	35,938	G31.8	224	364	140	364	G43.9	1	136	136
G21.0	30	41	11	41	G31.9	1,247	2,090	843	2,226	G44.0	-	3	3
G21.1	2	5	3	5	G35	3,487	5,245	1,756	5,243	G44.1	-	2	2
G21.2	-	-	-	-	G36.0	4	7	3	7	G44.2	-	1	1
G21.3	-	-	-	-	G36.1	1	1	-	1	G44.3	-	-	-
G21.8	43	37	8	1	G36.8	-	-	-	-	G44.4	-	-	-
G21.9	42	271	229	303	G36.9	-	-	-	-	G44.8	-	-	-
G23.0	8	8	-	8	G37.0	-	2	2	2	G45.0	15	55	55
G23.1	4	6	2	6	G37.1	2	2	-	2	G45.1	-	10	10
G23.2	9	10	1	10	G37.2	25	32	7	32	G45.2	-	-	10
G23.8	90	104	14	104	G37.3	68	129	61	129	G45.3	-	1	1
										G45.4	-	2	2

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
G45.8	-	15	15	G54.9	-	1	1	1	G64	-	-	-
G45.9	179	2,486	2,307	2,490	G56.0	-	17	17	17	G70.0	533	1,136
G47.0	3	74	71	74	G56.1	-	-	-	-	G70.1	-	-
G47.1	-	4	4	4	G56.2	-	1	1	1	G70.2	2	2
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause												
ICD-10 category: United States, 2005												
G47.8	6	68	62	68	G56.8	-	-	-	-	G70.8	4	5
G47.8	-	1	1	1	G56.9	-	1	1	1	G70.9	227	313
G47.9	2	21	19	21	G57.0	-	1	1	1	G71.0	802	1,072
G50.0	8	103	95	103	G57.1	-	-	-	-	G71.1	211	298
Multiple Cause of Death Public Use File												
G50.1	-	-	-	-	G57.2	-	-	-	-	G71.2	111	121
G50.8	-	-	-	-	G57.3	-	-	-	-	G71.3	21	25
G50.9	-	1	1	1	G57.4	-	-	-	-	G71.8	18	26
G51.0	4	69	65	69	G57.5	-	-	-	-	G71.9	4	4
G51.1	-	-	-	-	G57.6	-	-	-	-	G72.0	3	39
G51.2	-	-	-	-	G57.7	-	-	-	-	G72.1	4	5
Control Total Table 1												
G51.3	-	-	-	-	G57.8	-	-	-	-	G72.2	1	2
G51.4	-	-	-	-	G57.9	1	1	1	1	G72.3	3	4
G51.8	-	2	2	2	G58.0	-	-	-	-	G72.4	6	15
G51.9	-	2	2	2	G58.7	1	3	2	4	G72.8	28	47
G52.0	-	-	-	-	G58.8	4	20	16	20	G72.9	76	219
G52.1	1	2	1	2	G58.9	25	58	33	65	G80.0	14	23
G52.2	1	3	2	3	G60.0	63	157	94	157	G80.1	2	1
G52.3	1	1	-	1	G60.1	1	1	-	1	G80.2	1	-
G52.7	-	1	1	1	G60.2	2	3	1	3	G80.3	4	4
G52.8	1	1	-	1	G60.3	5	8	3	8	G80.4	-	-
G52.9	4	8	4	8	G60.8	2	7	5	7	G80.8	52	29
G54.0	-	5	5	5	G60.9	19	45	26	45	G80.9	1,339	2,434
G54.1	-	-	-	-	G61.0	211	403	192	408	G81.0	-	1
G54.2	1	3	2	3	G61.1	-	-	-	-	G81.1	1	17
G54.3	-	-	-	-	G61.8	4	10	6	10	G81.9	106	3,424
G54.4	-	-	-	-	G61.9	3	5	2	5	G82.0	-	-
G54.5	1	2	1	2	G62.0	1	2	1	2	G82.1	11	36
G54.6	-	1	1	1	G62.1	4	6	3	5	G82.2	273	1,349
G54.7	-	-	-	-	G62.2	-	1	1	1	G82.3	1	2
G54.8	-	-	-	-	G62.8	88	149	61	149	G82.4	47	174
					G62.9	254	1,365	1,113	2,355	G82.5	423	1,384
										G83.0	-	6

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
G83.1	3	42	39	42	G96.8	11	54	43	54	H05.3	-	1	-	1
G83.2	-	6	6	6	G96.9	24	81	57	100	H05.4	-	-	1	-
G83.3	-	5	5	5	G97.0	...	1	1	1	H05.5	-	-	-	-
G83.4	7	38	31	38	G97.1	...	-	-	-	H05.8	-	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
Entity axis multiple cause death by ICD-10 category: United States, 2005														
G90.0	3	4	1	4	G97.9	...	4	4	4	H10.0	-	-	1	-
G90.1	19	26	7	26	G98	81	148	67	227	H10.1	-	1	-	1
G90.2	-	3	3	3	H00.0	-	1	1	1	H10.2	-	-	1	-
G90.3	179	310	134	281	H00.1	-	-	-	-	H10.3	1	1	-	1
Multiple Cause of Death Public Use File														
G90.8	55	132	77	133	H01.0	-	3	3	3	H10.4	-	2	-	2
G90.9	10	31	21	69	H01.1	-	1	1	1	H10.5	-	-	2	-
G91.0	11	32	21	32	H01.8	-	-	-	-	H10.8	-	-	-	-
G91.1	41	130	89	131	H01.9	-	-	-	-	H10.9	-	7	-	7
G91.2	331	846	516	847	H02.0	-	-	-	-	H11.0	1	2	7	2
G91.3	-	5	5	5	H02.1	-	1	1	1	H11.1	-	-	1	-
Control Total Table 1														
G91.8	13	32	19	32	H02.2	-	-	-	-	H11.2	-	-	-	-
G91.9	377	1,301	924	1,322	H02.3	-	1	1	1	H11.3	-	-	-	-
G92	64	111	47	111	H02.4	-	3	3	3	H11.4	-	-	-	-
G93.0	42	64	22	64	H02.5	-	-	-	-	H11.8	1	1	-	1
G93.1	4,484	20,795	16,333	20,894	H02.6	-	-	-	-	H11.9	-	2	-	2
G93.2	49	797	748	803	H02.7	-	-	-	-	H15.0	-	1	2	1
G93.3	2	12	10	12	H02.8	-	-	-	-	H15.1	-	-	1	-
G93.4	880	4,824	3,945	4,985	H02.9	-	1	1	1	H15.8	-	-	-	-
G93.5	178	3,202	3,024	3,247	H04.0	-	-	-	-	H15.9	-	-	-	-
G93.6	197	2,124	1,927	2,157	H04.1	-	-	-	-	H16.0	-	4	-	4
G93.7	5	6	1	6	H04.2	-	-	-	-	H16.1	-	-	4	-
G93.8	189	961	772	965	H04.3	-	-	-	-	H16.2	-	-	-	-
G93.9	294	778	485	1,271	H04.4	-	-	-	-	H16.3	1	3	-	3
G95.0	35	67	32	67	H04.5	-	1	1	1	H16.4	-	3	2	3
G95.1	45	135	90	135	H04.6	-	-	-	-	H16.8	-	1	3	1
G95.2	55	512	457	513	H04.8	-	-	-	-	H16.9	-	1	1	2
G95.8	18	40	22	40	H04.9	-	1	1	1	H17.0	-	-	1	-
G95.9	106	325	219	359	H05.0	9	29	20	29	H17.1	-	-	-	-
G96.0	6	20	14	20	H05.1	-	1	1	1	H17.8	-	-	-	-
G96.1	9	12	3	12	H05.2	1	4	3	4	H17.9	-	3	-	3
										H18.0	-	-	3	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
H18.1	-	1	1	H27.8	-	-	-	-	H40.1	-	6	6	
H18.2	-	1	1	H27.9	-	-	-	-	H40.2	-	1	6	
H18.3	-	-	-	H30.0	-	-	-	-	H40.3	-	1	1	
H18.4	-	1	1	H30.1	-	-	-	-	H40.4	-	-	1	
Number of resident deaths tabulated by mention of #302 underlying cause, record axis multiple cause													
H08.6 Entity axis multiple cause of death by ICD-10 category: United States, 2005													
H18.7	-	-	-	H30.9	-	10	-	12	H40.6	-	-	-	
H18.8	-	-	-	H31.0	-	-	-	-	H40.8	-	1	-	
H18.9	-	4	4	H31.1	-	-	-	-	H40.9	2	906	904	
Multiple Cause of Death Public Use File													
H20.0	-	-	-	H31.2	-	-	-	-	H43.0	-	-	-	
H20.1	-	-	-	H31.3	-	2	2	2	H43.1	-	-	-	
H20.2	-	-	-	H31.4	-	-	-	-	H43.2	-	-	-	
H20.8	-	-	-	H31.8	-	-	-	-	H43.3	-	-	-	
H20.9	-	4	4	H31.9	-	-	-	-	H43.8	-	1	-	
H21.0	-	-	-	H33.0	-	-	-	-	H43.9	-	-	1	
H21.1	-	-	-	H33.1	-	-	-	-	H44.0	6	16	-	
Control Total Table 1													
H21.2	-	-	-	H33.2	1	13	12	13	H44.1	-	-	10	
H21.3	-	-	-	H33.3	-	-	-	-	H44.2	-	-	-	
H21.4	-	-	-	H33.4	-	-	-	-	H44.3	-	-	-	
H21.5	-	-	-	H33.5	-	-	-	-	H44.4	-	-	-	
H21.8	-	-	-	H34.0	-	-	-	-	H44.5	-	1	-	
H21.9	-	1	1	H34.1	-	-	-	-	H44.6	-	-	1	
H25.0	-	-	-	H34.2	1	3	2	3	H44.7	-	-	-	
H25.1	-	-	-	H34.8	-	2	2	2	H44.8	-	-	-	
H25.2	-	-	-	H34.9	-	-	-	-	H44.9	1	1	-	
H25.8	-	-	-	H35.0	-	-	-	-	H46	-	7	-	
H25.9	-	1	1	H35.1	-	8	8	3	H47.0	-	1	7	
H26.0	-	1	1	H35.2	-	1	1	1	H47.1	-	-	1	
H26.1	-	-	-	H35.3	5	570	565	570	H47.2	-	3	-	
H26.2	-	1	1	H35.4	-	4	4	4	H47.3	-	-	3	
H26.3	-	-	-	H35.5	1	22	21	22	H47.4	-	-	-	
H26.4	-	-	-	H35.6	-	4	4	6	H47.5	-	-	-	
H26.8	-	-	-	H35.7	-	-	-	-	H47.6	-	-	-	
H26.9	1	84	83	H35.8	-	-	-	-	H47.7	-	-	-	
H27.0	-	-	-	H35.9	-	4	4	4	H49.0	-	-	-	
H27.1	-	-	-	H40.0	-	3	3	3	H49.1	-	-	-	
									H49.2	1	3	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
H49.3	-	-	-	H54.1	-	-	-	-	H66.1	-	-	-	-	
H49.4	-	-	-	H54.2	-	1	1	1	H66.2	-	-	-	-	
H49.8	1	5	4	5	H54.3	-	-	-	-	H66.3	-	-	-	
H49.9	3	4	1	4	H54.4	-	33	33	33	H66.4	1	2	-	2
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
Category: United States, 2005														
H50.1	-	-	-	-	H54.7	-	20	20	23	H66.9	39	83	1	84
H50.2	-	-	-	-	H55	-	1	1	1	H68.0	-	-	44	-
H50.3	-	-	-	-	H57.0	-	2	2	2	H68.1	-	-	-	-
H50.4	-	-	-	-	H57.1	-	1	1	1	H69.0	-	-	-	-
H50.5	-	-	-	-	H57.8	-	3	3	3	H69.8	-	-	-	-
Multiple Cause of Death Public Use File														
H50.6	-	-	-	-	H57.9	-	6	6	6	H69.9	-	-	-	-
H50.8	-	-	-	-	H59.0	...	-	-	-	H70.0	1	2	-	4
H50.9	-	1	1	1	H59.8	...	-	-	-	H70.1	1	5	1	5
H51.0	-	-	-	-	H59.9	...	-	-	-	H70.2	-	-	4	-
H51.1	-	-	-	-	H60.0	-	-	-	-	H70.8	-	1	-	1
H51.2	-	-	-	-	H60.1	-	-	-	-	H70.9	11	36	1	36
Control Total Table 1														
H51.8	-	-	-	-	H60.2	1	4	3	4	H71	-	2	25	2
H51.9	-	-	-	-	H60.3	1	3	2	3	H72.0	-	-	2	-
H52.0	-	-	-	-	H60.4	-	-	-	-	H72.1	-	-	-	-
H52.1	1	4	3	4	H60.5	-	-	-	-	H72.2	-	-	-	-
H52.2	-	4	4	4	H60.8	-	2	2	2	H72.8	-	-	-	-
H52.3	-	-	-	-	H60.9	-	6	6	6	H72.9	-	1	-	1
H52.4	-	2	2	2	H61.0	-	-	-	-	H73.0	-	-	1	-
H52.5	-	-	-	-	H61.1	-	-	-	-	H73.1	-	-	-	-
H52.6	-	-	-	-	H61.2	-	-	-	-	H73.8	-	-	-	-
H52.7	-	-	-	-	H61.3	-	-	-	-	H73.9	-	-	-	-
H53.0	-	3	3	3	H61.8	-	-	-	-	H74.0	-	-	-	-
H53.1	-	18	18	18	H61.9	-	-	-	-	H74.1	-	-	-	-
H53.2	-	2	2	2	H65.0	-	-	-	-	H74.2	-	-	-	-
H53.3	-	-	-	-	H65.1	-	-	-	-	H74.3	-	-	-	-
H53.4	-	1	1	1	H65.2	-	-	-	-	H74.4	-	-	-	-
H53.5	-	-	-	-	H65.3	-	-	-	-	H74.8	-	-	-	-
H53.6	-	-	-	-	H65.4	-	-	-	-	H74.9	-	-	-	-
H53.8	-	-	-	-	H65.9	-	-	-	-	H80.0	-	-	-	-
H53.9	-	1	1	1	H66.0	-	1	1	1	H80.1	-	-	-	-
H54.0	5	834	829	834						H80.2	-	-	-	-
										H80.8	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		Total	Second-ary	Entity axis		Total	Second-ary	Entity axis			
	mention				UC				UC					
Record count by code field														
H80.9	-	1	1	H93.8	-	1	1	1	I09.1	137	275	138	275	
H81.0	1	34	33	34	H93.9	-	1	1	1	I09.2	-	1	1	
H81.1	-	3	3	3	H95.0	...	-	-	-	I09.8	5	18	1	29
H81.2	-	-	-	-	H95.1	...	-	-	-	I09.9	360	912	13	975
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
H81.4	-	-	-	-	Category: United States, 2005			1	1	I10	14,857	265,061	250,209	275,020
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
H81.8	-	-	-	-	I00	6	53	47	53	I11.0	10,496	4,504	1,612	98
H81.9	-	-	-	-	I01.0	-	1	1	2	I11.9	18,786	37,504	20,057	44,521
H83.0	1	9	8	9	I01.1	13	17	4	23	I12.0	9,734	10,874	7,171	35
H83.1	-	-	-	-	I01.2	-	1	1	4	I12.9	311	988	743	2,455
Multiple Cause of Death Public Use File														
H83.2	-	-	-	-	I01.8	8	9	1	-	I13.0	49	35	-	-
H83.3	-	1	1	1	I01.9	2	2	-	9	I13.1	1,187	2,292	1,478	-
H83.8	-	2	2	2	I02.0	-	-	-	-	I13.2	1,875	756	308	4
H83.9	-	-	-	-	I02.9	-	-	-	-	I13.9	61	134	77	145
H90.0	-	1	1	1	I05.0	462	749	289	948	I20.0	41	261	220	261
H90.1	-	-	-	-	I05.1	52	89	38	913	I20.1	17	66	-	66
Control Total Table 1														
H90.2	-	-	-	-	I05.2	18	23	5	-	I20.8	-	2	49	2
H90.3	-	2	2	2	I05.8	10	19	9	21	I20.9	171	1,130	859	1,130
H90.4	-	-	-	-	I05.9	1,009	2,236	1,229	2,804	I21.0	13	20	-	20
H90.5	1	21	20	21	I06.0	63	94	33	764	I21.1	13	20	7	20
H90.6	-	-	-	-	I06.1	6	14	8	299	I21.2	7	10	7	10
H90.7	-	-	-	-	I06.2	6	6	-	-	I21.3	19	27	3	27
H90.8	-	-	-	-	I06.8	-	-	-	1	I21.4	220	400	880	400
H91.0	-	-	-	-	I06.9	21	51	31	484	I21.9	150,667	189,964	39,384	190,226
H91.1	-	17	17	17	I07.0	4	6	2	6	I22.0	2	2	-	2
H91.2	-	-	-	-	I07.1	193	455	262	607	I22.1	2	2	-	2
H91.3	-	17	17	17	I07.2	-	-	-	-	I22.8	-	-	-	-
H91.8	-	1	1	1	I07.8	21	31	10	39	I22.9	61	86	-	86
H91.9	-	349	349	349	I07.9	19	39	20	137	I24.1	1	6	25	6
H92.0	-	2	2	2	I08.0	767	1,268	502	10	I24.8	1,825	4,316	2,491	4,319
H92.1	-	-	-	-	I08.1	83	156	73	1	I24.9	1,739	4,152	2,414	4,162
H92.2	-	-	-	-	I08.2	11	20	10	1	I25.0	62,799	86,449	23,666	86,466
H93.0	-	-	-	-	I08.3	47	78	31	-	I25.1	200,721	365,691	165,234	365,732
H93.1	-	4	4	4	I08.8	10	7	-	-	I25.2	241	1,737	1,496	1,737
H93.2	-	-	-	-	I08.9	2	3	1	3	I25.3	78	271	193	271
H93.3	-	-	-	-	I09.0	30	49	19	85	I25.4	12	43	-	43
										I25.5	12,678	27,808	15,131	27,820

ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis					
	Total	Second-ary	Entity axis		Total	Second-ary	Entity axis		Total	Second-ary	Entity axis			
Record count by code field														
I25.6	-	1	1	I36.0	-	1	1	I45.3	3	7	7			
I25.8	1,588	3,672	2,084	3,675	I36.1	15	88	73	88	I45.4	6	40	4	40
I25.9	12,772	19,834	7,070	22,538	I36.2	-	-	-	-	I45.5	11	52	34	52
I26.0	19	51	32	53	I36.8	3	7	4	7	I45.6	33	88	41	88
Number of residents who died in 2007 attributed to a condition of an underlying cause, record axis multiple cause														
I27.0	8,264	27,265	10,007	27,366	ICD-10 category: United States, 2005			5	12	I45.8	334	1,999	1,566	2,018
I27.1	55	143	90	6	I37.1	2	8	6	8	I45.9	126	762	636	788
I27.2	3,594	11,364	7,772	11,379	I37.2	-	-	-	-	I46.0	-	11		11
I27.8	1	4	3	4	I37.8	2	6	4	6	I46.1	2,543	12,808	10,168	12,844
I27.9	1,204	5,176	3,975	5,743	I37.9	9	19	10	19	I46.9	12,988	321,489	308,501	321,839
Multiple Cause of Death Public Use File														
I28.0	1	8	7	8	I38	5,109	10,413	5,313	11,518	I47.0	1	9		9
I28.1	8	13	5	13	I40.0	208	310	102	311	I47.1	118	1,368	1,250	1,369
I28.8	18	89	71	89	I40.1	13	15	2	15	I47.2	464	4,955	4,491	4,966
I28.9	38	106	68	119	I40.8	-	2	2	2	I47.9	3	18		19
I30.0	1	1	-	1	I40.9	67	89	22	92	I48	11,555	87,968	76,113	87,981
I30.1	29	61	33	63	I42.0	5,600	9,886	4,295	10,317	I49.0	1,076	10,586	9,510	10,608
Control Total Table 1														
I30.8	17	74	57	75	I42.1	185	304	118	305	I49.1	3	14		14
I30.9	16	74	57	75	I42.2	1,087	1,894	810	1,972	I49.2	-	-	11	-
I31.0	5	21	16	21	I42.3	7	10	3	10	I49.3	6	114	108	114
I31.1	55	136	81	136	I42.4	64	90	26	90	I49.4	-	-		-
I31.2	40	786	746	788	I42.5	165	203	38	203	I49.5	413	2,792	2,379	2,794
I31.3	190	1,209	1,019	1,214	I42.6	414	417	85	365	I49.8	89	1,046	957	1,047
I31.8	-	5	5	5	I42.7	13	57	44	57	I49.9	8,374	53,327	44,957	57,762
I31.9	233	1,830	1,598	2,281	I42.8	39	59	20	59	I50.0	54,881	269,978	215,103	275,029
I33.0	1,169	2,485	1,318	2,505	I42.9	17,931	38,228	20,294	38,460	I50.1	127	510	474	525
I33.9	40	88	48	94	I44.0	2	22	20	22	I50.9	3,925	21,811	17,889	24,146
I34.0	2,138	5,107	2,969	5,116	I44.1	9	59	50	59	I51.0	15	206	191	206
I34.1	276	625	349	625	I44.2	315	1,607	1,293	1,608	I51.1	9	18		18
I34.2	21	79	58	80	I44.3	21	183	162	183	I51.2	10	71	9	71
I34.8	91	233	142	233	I44.4	-	3	3	3	I51.3	14	41	61	41
I34.9	79	256	177	276	I44.5	-	-	-	-	I51.4	525	1,107	276	1,128
I35.0	10,945	21,762	10,820	21,929	I44.6	-	1	1	1	I51.5	171	519	348	519
I35.1	499	1,322	823	1,479	I44.7	8	162	154	164	I51.6	4,396	9,383	4,988	9,395
I35.2	73	157	84	1	I45.0	-	-	-	-	I51.7	1,611	7,586	6,022	7,774
I35.8	221	411	190	411	I45.1	1	73	72	73	I51.8	832	4,240	3,408	4,246
I35.9	1,399	3,810	2,413	4,024	I45.2	1	13	12	13	I51.9	3,593	9,022	5,442	13,498
										I60.0	89	100		72

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
I83.2	5	11	6	4	I95.8	10	81	71	82	J12.0	10	21	22	
I83.9	300	519	219	526	I95.9	210	12,499	12,289	12,506	J12.1	19	38	11	38
I84.0	-	-	-	-	I97.0	...	11	11	11	J12.2	2	7	19	7
I84.1	-	1	1	1	I97.1	...	41	41	41	J12.8	3	3	5	4
Number of resident deaths tabulated by mention of 720 underlying cause, record axis multiple cause														
I84.8	1	1	1	1	Category: United States, 2005				J12.9	239	358	120	374	
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
I84.4	-	-	-	-	I97.9	...	12	12	12	J13	410	644	236	665
I84.5	-	-	-	-	I99	263	4,971	4,708	5,532	J14	42	79	240	80
I84.6	-	-	-	-	J00	1	6	5	6	J15.0	161	401	37	407
I84.7	-	-	-	-	J01.0	2	5	3	5	J15.1	344	1,095	753	1,142
Multiple Cause of Death Public Use File														
I84.8	2	14	12	14	J01.1	-	-	-	-	J15.2	1,371	3,335	1,966	3,402
I84.9	6	37	31	38	J01.2	-	-	-	-	J15.3	5	9	9	9
I85.0	148	1,585	1,437	537	J01.3	-	-	-	-	J15.4	307	554	448	569
I85.9	43	817	774	1,877	J01.4	-	-	-	-	J15.5	21	79	80	80
I86.0	-	-	-	-	J01.8	-	-	-	-	J15.6	39	113	58	117
I86.1	-	-	-	-	J01.9	2	7	5	7	J15.7	9	25	74	25
Control Total, Table 1														
I86.2	1	1	-	1	J02.0	8	15	7	15	J15.8	24	64	16	68
I86.3	-	-	-	-	J02.8	1	3	2	3	J15.9	2,038	3,896	1,861	4,009
I86.4	36	232	196	232	J02.9	9	25	16	25	J16.0	2	3	3	3
I86.8	5	27	22	27	J03.0	-	-	-	-	J16.8	3	10	1	10
I87.0	-	-	-	-	J03.8	-	-	-	-	J18.0	1,389	5,776	4,389	5,880
I87.1	31	489	458	490	J03.9	3	8	5	8	J18.1	1,689	2,930	1,244	3,043
I87.2	54	412	358	412	J04.0	5	13	8	17	J18.2	46	499	453	500
I87.8	61	337	276	337	J04.1	14	46	32	51	J18.8	21	118	118	125
I87.9	14	50	36	59	J04.2	6	14	8	10	J18.9	52,995	190,063	137,702	192,864
I88.0	2	4	2	4	J05.0	2	5	3	6	J20.0	-	-	-	-
I88.1	-	-	-	-	J05.1	21	36	16	39	J20.1	1	1	-	1
I88.8	-	1	1	1	J06.0	1	6	5	6	J20.2	2	3	-	3
I88.9	3	9	6	9	J06.8	-	-	-	-	J20.3	-	-	1	-
I89.0	60	333	273	335	J06.9	131	578	447	589	J20.4	-	-	-	-
I89.1	2	34	32	35	J10.0	170	172	10	7	J20.5	-	-	-	-
I89.8	32	109	77	109	J10.1	222	298	77	466	J20.6	-	-	-	-
I89.9	5	34	29	36	J10.8	6	4	1	1	J20.7	-	-	-	-
I95.0	3	3	-	3	J11.0	719	823	125	175	J20.8	20	28	-	38
I95.1	18	209	191	239	J11.1	668	978	317	1,653	J20.9	195	595	801	942
I95.2	1	2	1	2	J11.8	27	27	9	7	J21.0	18	28	28	28
										J21.8	3	9	10	9

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
J21.9	44	112	68	130	J38.1	4	8	4	8	J62.8	75	159		160
J22	121	276	155	330	J38.2	1	1	-	1	J63.0	1	1	84	1
J30.0	-	-	-	-	J38.3	5	14	9	14	J63.1	-	-	-	-
J36.1	-	6	6	6	J38.4	16	56	40	56	J63.2	10	14	-	14
Number of resident deaths tabulated by mention of 3805 underlying cause, 2 record axis multiple cause														
J60.0	Entity axis multiple cause of death by ICD-10 category: Un22ed States, 2005 44													
J30.4	5	66	61	74	J38.7	28	91	63	94	J63.3	-	-	4	-
J31.0	1	21	20	21	J39.0	11	23	12	23	J63.4	3	3	-	3
J31.1	-	-	-	-	J39.1	4	13	9	13	J63.5	-	-	-	-
J31.2	-	1	1	1	J39.2	59	173	114	174	J63.8	-	1	-	1
Multiple Cause of Death Public Use File														
J32.0	7	11	4	11	J39.3	1	1	-	1	J64	84	189	105	197
J32.1	-	-	-	-	J39.8	139	537	398	538	J65	3	7	-	1
J32.2	2	5	3	5	J39.9	5	12	7	12	J66.0	5	6	4	6
J32.3	2	4	2	6	J40	478	1,322	910	1,953	J66.1	-	-	1	-
J32.4	6	18	12	18	J41.0	-	8	8	9	J66.2	-	-	-	-
J32.8	-	-	-	-	J41.1	13	25	12	42	J66.8	1	1	-	1
Control Total Table 1														
J32.9	65	239	174	243	J41.8	-	-	-	1	J67.0	14	24	-	24
J33.0	-	-	-	-	J42	375	1,125	756	1,823	J67.1	1	1	10	1
J33.1	-	-	-	-	J43.0	-	-	-	1	J67.2	2	2	-	2
J33.8	-	1	1	1	J43.1	8	23	16	27	J67.3	-	-	-	-
J33.9	1	5	4	5	J43.2	12	70	58	73	J67.4	-	-	-	-
J34.0	-	2	2	2	J43.8	5	8	3	8	J67.5	-	-	-	-
J34.1	-	-	-	-	J43.9	13,977	25,453	12,532	29,525	J67.6	-	-	-	-
J34.2	-	-	-	-	J44.0	318	412	95	2	J67.7	1	2	-	2
J34.3	-	-	-	-	J44.1	87	136	49	136	J67.8	-	-	1	-
J34.8	5	18	13	18	J44.8	3,528	8,109	4,607	699	J67.9	29	38	-	39
J35.0	-	2	2	2	J44.9	107,276	221,272	114,051	228,779	J68.0	18	24	9	24
J35.1	3	6	3	9	J45.0	159	237	84	236	J68.1	1	1	6	1
J35.2	-	2	2	5	J45.1	2	5	4	8	J68.2	1	1	-	1
J35.3	-	3	3	-	J45.8	1	-	-	1	J68.3	-	-	-	-
J35.8	2	7	5	7	J45.9	3,429	8,867	6,012	11,296	J68.4	1	4	-	4
J35.9	3	24	21	25	J46	293	327	38	359	J68.8	1	1	3	1
J36	3	8	5	8	J47	972	2,069	1,098	2,080	J68.9	-	-	-	-
J37.0	3	7	4	7	J60	271	653	382	654	J69.0	17,276	57,581	40,335	57,810
J37.1	-	-	-	-	J61	532	1,416	884	1,423	J69.1	3	8	-	8
J38.0	54	195	141	195	J62.0	-	2	2	2	J69.8	-	1	5	1
										J70.0	25	258	233	258
										J70.1	7	63	56	63

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary
Record count by code field												
J70.2	-	-	-	J95.8	...	2,400	2,400	2,402	K03.3	-	-	-
J70.3	1	1	-	J95.9	...	22	22	22	K03.4	-	-	-
J70.4	-	1	1	J96.0	289	19,342	19,053	19,379	K03.5	-	-	-
J76.8	1	1	-	J96.1	436	4,459	4,023	4,465	K03.6	-	-	-
Number of resident deaths tabulated by mention of person under 18 years of age as cause of death												
J80	1,867	1,024	8,255	J98.0	164	1,080	916	1,083	K03.7	-	-	-
J81	541	10,565	10,024	J98.1	27	56	29	57	K03.8	-	-	-
J82	160	390	230	J98.2	-	1	1	1	K03.9	-	-	-
J84.0	146	199	56	J98.3	2,830	8,959	6,148	11,945	K04.0	-	1	-
J84.1	11,789	18,230	6,435	J98.4	134	405	271	407	K04.1	-	-	1
J84.8	29	50	21	J98.5	35	131	96	131	K04.2	-	-	-
J84.9	2,412	3,867	1,450	J98.6	430	1,712	1,283	1,821	K04.3	-	-	-
J85.0	110	261	151	J98.8	204	661	459	1,086	K04.4	-	-	-
J85.1	54	190	137	J98.9	-	-	-	-	K04.5	-	-	-
J85.2	111	420	311	K00.0	-	-	-	-	K04.6	-	-	-
J85.3	5	18	13	K00.1	-	-	-	-	K04.7	42	81	-
J86.0	74	445	372	K00.2	-	-	-	-	K04.8	-	-	39
J86.9	341	1,155	814	K00.3	-	-	-	-	K04.9	-	-	-
J90	1,016	9,066	8,050	K00.4	-	-	-	-	K05.0	-	-	-
J92.0	3	9	6	K00.5	-	-	-	-	K05.1	4	11	-
J92.9	3	16	13	K00.6	-	-	-	-	K05.2	2	5	7
J93.0	36	239	203	K00.7	-	5	5	5	K05.3	-	2	3
J93.1	33	238	205	K00.8	-	-	-	-	K05.4	-	1	2
J93.8	6	52	46	K00.9	-	-	-	-	K05.5	-	-	1
J93.9	242	2,000	1,758	K01.0	-	-	-	-	K05.6	1	8	-
J94.0	4	15	11	K01.1	-	-	-	-	K06.0	-	-	7
J94.1	16	62	46	K02.0	-	-	-	-	K06.1	-	1	-
J94.2	88	507	419	K02.1	-	-	-	-	K06.2	-	-	1
J94.8	20	175	155	K02.2	-	-	-	-	K06.8	1	2	-
J94.9	7	48	41	K02.3	-	-	-	-	K06.9	1	3	1
J95.0	...	84	84	K02.4	-	-	-	-	K07.0	1	9	2
J95.1	...	-	-	K02.8	-	-	-	-	K07.1	-	3	8
J95.2	...	7	7	K02.9	5	18	13	18	K07.2	-	-	3
J95.3	...	-	-	K03.0	-	-	-	-	K07.3	-	-	-
J95.4	...	3	3	K03.1	-	-	-	-	K07.4	-	-	-
J95.5	...	2	2	K03.2	-	-	-	-	K07.5	-	-	-
									K07.6	1	3	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
K31.0	2	8	6	8	K43.0	218	294	76	224	K56.2	589	944	355	995
K31.1	70	394	324	394	K43.1	26	27	1	2	K56.3	19	24	151	24
K31.2	-	-	-	-	K43.9	111	285	175	388	K56.4	118	269	12	271
K31.3	-	-	-	-	K44.0	75	100	27	60	K56.5	354	656	303	169
Number of resident deaths tabulated by mention of 441 underlying cause, record axis multiple cause														
Entity axis multiple cause 52 death 59 ICD-10 Category: U550 Stages, 2005633 1,043														
K31.6	21	106	85	106	K45.0	8	10	2	8	K56.6	4,161	12,006	7,855	12,752
K31.7	5	19	14	19	K45.1	-	-	-	-	K56.7	370	1,800	1,430	1,815
K31.8	276	998	722	1,105	K45.8	4	10	7	12	K57.0	11	13	2	5
K31.9	159	493	335	620	K46.0	309	479	170	424	K57.1	17	26	9	34
Multiple Cause of Death Public Use File														
K35.0	283	481	198	473	K46.1	44	44	-	1	K57.2	294	353	60	256
K35.1	16	38	22	38	K46.9	129	339	211	480	K57.3	164	358	196	473
K35.9	58	107	49	101	K50.0	9	20	11	22	K57.4	1	1	-	1
K36	-	-	-	-	K50.1	24	64	40	66	K57.5	-	-	-	-
K37	76	178	102	202	K50.8	-	2	2	-	K57.8	1,178	1,469	294	772
K38.0	-	-	-	-	K50.9	559	1,555	997	1,557	K57.9	1,487	3,380	1,898	4,214
Control Total Table 1														
K38.1	-	-	-	-	K51.0	1	1	-	1	K58.0	-	3	-	-
K38.2	-	-	-	-	K51.1	1	-	-	-	K58.9	20	243	223	246
K38.3	-	-	-	-	K51.2	1	3	2	3	K59.0	155	570	415	570
K38.8	2	4	2	4	K51.3	-	-	-	-	K59.1	1	1	-	1
K38.9	4	10	6	11	K51.4	-	-	-	-	K59.2	4	10	-	10
K40.0	4	5	1	3	K51.5	2	5	3	5	K59.3	307	715	608	725
K40.1	1	1	-	-	K51.8	2	4	2	4	K59.4	-	-	-	-
K40.2	-	3	3	6	K51.9	298	956	658	958	K59.8	21	56	35	56
K40.3	168	229	61	213	K52.0	19	125	106	125	K59.9	14	46	-	48
K40.4	22	22	-	-	K52.1	12	45	33	45	K60.0	-	-	32	-
K40.9	44	156	112	200	K52.2	-	1	1	1	K60.1	-	1	-	1
K41.0	-	-	-	-	K52.8	4	11	7	11	K60.2	-	2	1	2
K41.1	-	-	-	-	K52.9	2,193	5,532	3,339	5,827	K60.3	-	12	2	12
K41.2	-	-	-	-	K55.0	2,510	4,830	2,297	4,887	K60.4	18	49	12	49
K41.3	36	51	15	49	K55.1	148	234	86	234	K60.5	-	1	31	1
K41.4	3	3	-	-	K55.2	51	130	79	130	K61.0	6	12	1	12
K41.9	2	7	5	14	K55.8	3	6	3	6	K61.1	62	140	6	141
K42.0	47	75	28	72	K55.9	6,057	11,512	5,460	12,271	K61.2	-	-	78	-
K42.1	3	3	-	-	K56.0	44	211	167	213	K61.3	-	5	-	5
K42.9	20	63	43	70	K56.1	18	27	9	28	K61.4	-	-	5	-
										K62.0	-	1	-	1
										K62.1	1	10	1	10

ICD-10 code	Record axis			ICD-10 code	Record axis			ICD-10 code	Record axis		
	Total	Second-ary	Entity axis		Total	Second-ary	Entity axis		Total	Second-ary	Entity axis
Record count by code field											
K62.2	-	1	1	K71.7	-	-	-	K80.1	162	239	16
K62.3	30	79	49	K71.8	2	3	1	K80.2	597	1,439	83
K62.4	7	35	28	K71.9	4	9	5	K80.3	50	55	2
K62.5	135	545	410	K72.0	306	1,444	1,133	K80.4	42	53	5
Number of resident deaths tabulated by mention of ICD-10 underlying cause as multiple cause											
K62.2	12	69	69	K72.0	127	26,308	26,836	K80.5	94	216	11
K62.3	18	56	38	K73.0	-	2	2	K80.8	2	3	122
K62.8	18	56	38	K73.1	-	-	-	K81.0	863	1,313	450
K62.9	59	158	99	K73.2	15	63	48	K81.1	42	152	110
K63.0	32	144	112	K73.8	2	3	1	K81.8	5	10	10
K63.1	1,729	4,853	3,133	K73.9	82	280	198	K81.9	825	1,535	510
Multiple Cause of Death Public Use Files											
K63.2	223	808	585	K74.0	18	102	84	K82.0	7	18	18
K63.3	30	86	56	K74.1	12	29	17	K82.1	-	8	11
K63.4	1	6	5	K74.2	-	-	-	K82.2	42	89	8
K63.5	36	240	204	K74.3	381	498	118	K82.3	7	12	47
K63.8	72	218	146	K74.4	2	17	15	K82.4	1	5	5
K63.9	430	1,115	689	K74.5	104	163	59	K82.8	8	32	4
Control Total Table 1											
K65.0	580	2,577	1,997	K74.6	13,986	31,059	17,076	K82.9	231	725	24
K65.8	39	147	108	K75.0	134	327	193	K83.0	656	1,288	494
K65.9	885	3,794	2,913	K75.1	-	2	2	K83.1	415	1,742	633
K66.0	82	291	210	K75.2	-	-	-	K83.2	4	5	1,327
K66.1	165	534	369	K75.3	3	9	6	K83.3	2	13	5
K66.8	45	159	114	K75.4	353	534	181	K83.4	-	-	11
K66.9	33	94	61	K75.8	11	23	12	K83.5	-	-	-
K70.0	184	71	15	K75.9	342	1,141	799	K83.8	23	49	-
K70.1	754	916	205	K76.0	539	2,283	1,744	K83.9	21	67	26
K70.2	8	4	-	K76.1	31	169	138	K85	2,757	5,753	3,600
K70.3	8,730	8,791	922	K76.2	-	-	-	K86.0	359	297	49
K70.4	1,369	508	54	K76.3	8	43	35	K86.1	257	1,025	29
K70.9	1,883	2,284	876	K76.4	3	4	1	K86.2	7	32	768
K71.0	-	-	-	K76.5	4	19	15	K86.3	50	143	25
K71.1	7	11	4	K76.6	106	1,012	906	K86.8	54	283	93
K71.2	-	-	-	K76.7	447	4,022	3,575	K86.9	277	676	229
K71.3	-	-	-	K76.8	118	768	650	K90.0	26	93	399
K71.4	-	-	-	K76.9	3,099	5,673	2,595	K90.1	32	110	67
K71.5	-	-	-	K80.0	94	120	27	K90.2	165	383	78
K71.6	7	17	10					K90.3	-	-	218

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
K90.4	17	56	39	56	L04.8	1	1	-	1	L21.9	1	6	-	6
K90.8	3	19	16	19	L04.9	-	3	3	3	L22	-	-	5	-
K90.9	66	221	155	236	L05.0	3	4	1	4	L23.0	-	-	-	-
K91.0	...	3	3	3	L05.9	2	4	2	5	L23.1	-	-	-	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause														
or entity axis multiple cause or death by ICD-10 category: United States, 2005														
K91.3	...	186	186	186	L08.8	3	7	4	7	L23.2	-	-	-	-
K91.4	...	54	54	54	L08.9	451	1,794	1,343	1,826	L23.3	-	-	-	-
K91.5	...	1	1	1	L10.0	9	28	19	28	L23.4	-	-	-	-
K91.8	...	595	595	595	L10.1	-	-	-	-	L23.5	-	-	-	-
Multiple Cause of Death Public Use File														
K91.9	...	33	33	34	L10.2	-	1	1	1	L23.6	-	-	-	-
K92.0	47	214	167	240	L10.3	-	-	-	-	L23.7	-	-	-	-
K92.1	15	77	62	78	L10.4	-	1	1	1	L23.8	-	-	-	-
K92.2	7,545	29,171	21,644	32,834	L10.5	-	1	1	1	L23.9	-	2	-	2
K92.8	44	95	51	95	L10.8	4	7	3	7	L24.0	-	-	2	-
K92.9	63	133	74	196	L10.9	33	117	84	117	L24.1	-	-	-	-
Control Total, Table 1														
L00	5	8	3	8	L11.0	-	-	-	-	L24.2	-	-	-	-
L01.0	-	3	3	3	L11.1	-	1	1	1	L24.3	-	-	-	-
L01.1	-	-	-	-	L11.8	-	-	-	-	L24.4	-	-	-	-
L02.0	4	10	6	10	L11.9	-	-	-	-	L24.5	-	-	-	-
L02.1	14	49	35	50	L12.0	49	209	160	209	L24.6	-	-	-	-
L02.2	52	178	126	178	L12.1	5	9	4	9	L24.7	-	-	-	-
L02.3	11	47	36	47	L12.2	-	-	-	-	L24.8	-	1	-	1
L02.4	60	250	190	250	L12.3	-	-	-	-	L24.9	-	1	1	1
L02.8	8	25	17	25	L12.8	1	1	-	1	L25.0	-	-	1	-
L02.9	55	286	232	293	L12.9	15	47	32	47	L25.1	-	-	-	-
L03.0	6	23	17	23	L13.0	-	4	4	4	L25.2	-	-	-	-
L03.1	415	1,608	1,193	1,613	L13.1	-	-	-	-	L25.3	-	-	-	-
L03.2	5	41	36	42	L13.8	-	-	-	-	L25.4	-	-	-	-
L03.3	44	147	103	147	L13.9	2	9	7	9	L25.5	-	-	-	-
L03.8	12	48	36	48	L20.0	-	-	-	-	L25.8	-	-	-	-
L03.9	549	2,262	1,713	2,273	L20.8	-	1	1	1	L25.9	-	-	-	-
L04.0	-	-	-	-	L20.9	1	9	8	9	L26	10	19	-	19
L04.1	2	2	-	2	L21.0	-	-	-	-	L27.0	-	4	9	4
L04.2	-	2	2	2	L21.1	-	-	-	-	L27.1	-	-	4	-
L04.3	-	-	-	-	L21.8	-	-	-	-	L27.2	-	1	-	1
										L27.8	-	1	1	-
										L27.9	-	-	1	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
L28.0	1	7	6	7	L43.2	-	-	-	-	L55.9	1	2	-	2
L28.1	-	-	-	-	L43.3	-	-	-	-	L56.0	-	-	1	-
L28.2	-	-	-	-	L43.8	-	-	-	-	L56.1	-	-	-	-
L29.0	-	-	-	-	L43.9	-	6	6	6	L56.2	-	-	-	-
Number of resident deaths tabulated by mention of 440 underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
L29.3	-	-	-	-	L44.2	-	-	-	-	L56.4	-	-	-	-
L29.8	-	1	1	1	L44.3	-	-	-	-	L56.8	-	-	-	-
L29.9	1	3	2	3	L44.4	-	-	-	-	L56.9	-	-	-	-
Multiple Cause of Death Public Use File														
L30.0	-	-	-	-	L44.8	-	-	-	-	L57.0	1	4	-	4
L30.1	-	-	-	-	L44.9	-	-	-	-	L57.1	-	-	3	-
L30.2	-	1	1	1	L50.0	-	1	1	1	L57.2	-	-	-	-
L30.3	-	-	-	-	L50.1	-	-	-	-	L57.3	-	-	-	-
L30.4	-	-	-	-	L50.2	-	-	-	-	L57.4	-	-	-	-
L30.5	-	-	-	-	L50.3	-	-	-	-	L57.5	-	-	-	-
L30.8	2	5	3	5	L50.4	-	-	-	-	L57.8	-	-	-	-
Control Total, Table 1														
L30.9	11	97	86	120	L50.5	-	-	-	-	L57.9	-	-	-	-
L40.0	-	-	-	-	L50.6	-	-	-	-	L58.0	-	-	-	-
L40.1	1	4	3	4	L50.8	-	1	1	1	L58.1	-	-	-	-
L40.2	-	-	-	-	L50.9	1	6	5	6	L58.9	-	-	-	-
L40.3	2	2	-	2	L51.0	-	-	-	-	L59.0	-	-	-	-
L40.4	-	-	-	-	L51.1	45	122	77	122	L59.8	-	4	-	4
L40.5	11	92	81	92	L51.2	56	106	50	106	L59.9	-	-	4	-
L40.8	3	9	6	9	L51.8	-	-	-	-	L60.0	-	-	-	-
L40.9	34	270	236	277	L51.9	2	11	9	12	L60.1	-	-	-	-
L41.0	-	1	1	1	L52	-	2	2	2	L60.2	-	-	-	-
L41.1	-	-	-	-	L53.0	-	-	-	-	L60.3	-	-	-	-
L41.2	-	1	1	1	L53.1	-	1	1	1	L60.4	-	-	-	-
L41.3	-	-	-	-	L53.2	-	-	-	-	L60.5	1	7	-	7
L41.4	-	-	-	-	L53.3	-	-	-	-	L60.8	-	-	6	-
L41.5	-	-	-	-	L53.8	1	2	1	2	L60.9	-	-	-	-
L41.8	-	1	1	1	L53.9	14	150	136	150	L63.0	-	-	-	-
L41.9	-	2	2	2	L55.0	-	-	-	-	L63.1	-	-	-	-
L42	-	2	2	2	L55.1	-	1	1	1	L63.2	-	-	-	-
L43.0	-	-	-	-	L55.2	-	-	-	-	L63.8	-	-	-	-
L43.1	-	-	-	-	L55.8	-	-	-	-	L63.9	-	-	-	-
										L64.0	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis
Record count by code field													
L64.8	-	-	-	L72.0	-	2	2	2	L85.0	-	-	-	
L64.9	-	-	-	L72.1	-	4	4	4	L85.1	-	-	-	
L65.0	-	-	-	L72.2	-	-	-	-	L85.2	-	-	-	
L65.1	-	-	-	L72.8	-	-	-	-	L85.3	-	2	2	
Number of resident deaths tabulated by mention of 729 underlying cause, record axis multiple cause													
L65.8	-	-	-	Category: United States, 2005				-	-	L85.8	-	-	-
L65.9	-	-	-	L73.1	-	-	-	-	L85.9	-	1	1	
L66.0	-	-	-	L73.2	4	29	25	29	L87.0	1	1	1	
L66.1	-	-	-	L73.8	-	-	-	-	L87.1	-	-	-	
L66.2	-	-	-	L73.9	1	4	3	4	L87.2	-	-	-	
Multiple Cause of Death Public Use File													
L66.3	-	-	-	L74.0	-	2	2	2	L87.8	-	-	-	
L66.4	-	-	-	L74.1	-	-	-	-	L87.9	-	-	-	
L66.8	-	-	-	L74.2	-	-	-	-	L88	7	41	41	
L66.9	-	-	-	L74.3	-	-	-	-	L89	1,672	8,462	6,796	
L67.0	-	-	-	L74.4	-	-	-	-	L90.0	-	-	-	
L67.1	-	-	-	L74.8	-	-	-	-	L90.1	-	-	-	
Control Total Table 1													
L67.8	-	-	-	L74.9	-	-	-	-	L90.2	-	-	-	
L67.9	-	-	-	L75.0	-	-	-	-	L90.3	-	-	-	
L68.0	-	2	2	L75.1	-	-	-	-	L90.4	-	-	-	
L68.1	-	-	-	L75.2	-	-	-	-	L90.5	1	59	59	
L68.2	-	-	-	L75.8	-	-	-	-	L90.6	-	-	58	
L68.3	-	-	-	L75.9	-	-	-	-	L90.8	-	-	-	
L68.8	-	-	-	L80	1	3	2	3	L90.9	-	-	-	
L68.9	-	-	-	L81.0	-	-	-	-	L91.0	1	3	3	
L70.0	-	-	-	L81.1	-	-	-	-	L91.8	-	-	2	
L70.1	-	-	-	L81.2	-	-	-	-	L91.9	-	-	-	
L70.2	-	-	-	L81.3	-	-	-	-	L92.0	-	1	1	
L70.3	-	-	-	L81.4	-	4	4	4	L92.1	-	-	1	
L70.4	-	-	-	L81.5	-	1	1	1	L92.2	-	1	1	
L70.5	-	-	-	L81.6	-	-	-	-	L92.3	-	-	1	
L70.8	-	-	-	L81.7	-	-	-	-	L92.8	-	4	4	
L70.9	-	-	-	L81.8	-	1	1	1	L92.9	8	51	4	
L71.0	-	-	-	L81.9	1	2	1	2	L93.0	165	925	43	
L71.1	-	-	-	L82	-	-	-	-	L93.1	-	1	760	
L71.8	-	-	-	L83	-	-	-	-	L93.2	-	2	1	
L71.9	-	4	4	L84	-	-	-	-	L94.0	1	3	2	
									L94.1	-	-	2	

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
L94.2	-	5	5	M05.8	-	-	-	-	M13.8	-	3	-	3
L94.3	-	3	3	M05.9	1	1	-	1	M13.9	296	3,081	2,786	3,676
L94.4	-	-	-	M06.0	1	5	4	5	M15.0	-	-	-	-
L94.5	-	-	-	M06.1	1	1	-	1	M15.1	-	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
L94.8	-	2	2	M06.4	9	38	29	38	M15.3	-	-	-	-
L94.9	-	-	-	M06.8	-	2	2	2	M15.4	-	-	-	-
L95.0	-	-	-	M06.9	2,238	8,765	6,529	8,948	M15.8	-	-	-	-
L95.1	-	-	-	M08.0	15	41	26	42	M15.9	14	178	164	178
Multiple Cause of Death Public Use File													
L95.8	-	1	1	M08.1	-	-	-	-	M16.0	-	-	-	-
L95.9	-	1	1	M08.2	3	9	6	9	M16.1	-	-	-	-
L97	161	994	834	M08.3	-	-	-	-	M16.2	-	-	-	-
L98.0	-	-	-	M08.4	-	-	-	-	M16.3	-	-	-	-
L98.1	-	-	-	M08.8	-	-	-	-	M16.4	-	-	-	-
L98.2	1	10	9	M08.9	-	2	2	2	M16.5	-	-	-	-
L98.3	-	-	-	M10.0	18	126	108	126	M16.6	-	-	-	-
Control Total Table 1													
L98.4	152	1,000	848	M10.1	-	-	-	-	M16.7	-	-	-	-
L98.5	3	5	2	M10.2	-	-	-	-	M16.9	23	117	-	117
L98.6	-	-	-	M10.3	1	5	4	5	M17.0	-	-	94	-
L98.8	12	143	131	M10.4	-	1	1	1	M17.1	-	-	-	-
L98.9	22	101	79	M10.9	71	1,752	1,681	1,755	M17.2	-	-	-	-
M00.0	4	6	2	M11.0	-	-	-	-	M17.3	-	-	-	-
M00.1	-	-	-	M11.1	-	-	-	-	M17.4	-	-	-	-
M00.2	-	-	-	M11.2	1	17	16	17	M17.5	-	-	-	-
M00.8	-	1	1	M11.8	-	-	-	-	M17.9	30	161	131	161
M00.9	277	488	211	M11.9	-	2	2	2	M18.0	-	-	-	-
M02.0	-	-	-	M12.0	-	-	-	-	M18.1	-	-	-	-
M02.1	-	-	-	M12.1	1	1	-	1	M18.2	-	-	-	-
M02.2	-	-	-	M12.2	2	3	1	3	M18.3	-	-	-	-
M02.3	2	7	5	M12.3	-	1	1	1	M18.4	-	-	-	-
M02.8	-	-	-	M12.4	-	-	-	-	M18.5	-	-	-	-
M02.9	-	-	-	M12.5	-	3	3	3	M18.9	-	2	-	2
M05.0	24	61	37	M12.8	-	-	-	-	M19.0	-	-	2	-
M05.1	162	188	59	M13.0	6	52	46	59	M19.1	-	2	-	2
M05.2	32	14	7	M13.1	1	1	-	1	M19.2	6	24	2	24
M05.3	52	50	27						M19.8	-	5	18	5

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
M19.9	860	14,666	13,804	14,680	M24.2	-	-	-	-	M33.0	1	2	2	
M20.0	-	-	-	-	M24.3	1	15	14	15	M33.1	100	210	110	211
M20.1	-	2	2	2	M24.4	-	16	16	16	M33.2	205	395	190	396
M20.2	-	-	-	-	M24.5	4	68	64	68	M33.9	-	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
Category: United States, 2005														
M20.4	-	-	-	-	M24.6	-	-	-	-	M34.0	35	49	-	49
M20.5	-	-	-	-	M24.8	-	1	1	1	M34.1	105	216	14	216
M20.6	-	-	-	-	M24.9	-	-	-	-	M34.2	-	-	111	-
M21.0	-	1	1	1	M25.0	-	9	9	9	M34.8	901	633	156	34
M21.1	-	-	-	-	M25.1	-	1	1	1	M34.9	360	1,089	744	1,743
Multiple Cause of Death Public Use File														
M21.2	-	-	-	-	M25.2	-	2	2	2	M35.0	90	274	184	276
M21.3	-	5	5	5	M25.3	-	2	2	2	M35.1	12	26	-	26
M21.4	-	1	1	1	M25.4	-	4	4	4	M35.2	8	19	14	19
M21.5	-	-	-	-	M25.5	3	77	74	77	M35.3	93	920	11	920
M21.6	-	1	1	1	M25.6	-	2	2	2	M35.4	-	-	828	-
M21.7	-	-	-	-	M25.7	-	6	6	6	M35.5	2	3	-	3
Control Total Table 1														
M21.8	-	-	-	-	M25.8	1	25	24	25	M35.6	3	5	1	5
M21.9	-	8	8	8	M25.9	44	1,029	985	1,116	M35.7	1	2	2	2
M22.0	-	-	-	-	M30.0	43	76	34	115	M35.8	25	45	1	11
M22.1	-	-	-	-	M30.1	35	55	20	16	M35.9	264	461	20	540
M22.2	-	-	-	-	M30.2	-	-	-	-	M40.0	-	-	200	-
M22.3	-	-	-	-	M30.3	7	11	4	11	M40.1	-	68	-	68
M22.4	-	1	1	1	M30.8	-	-	-	-	M40.2	86	439	68	439
M22.8	-	-	-	-	M31.0	48	74	26	74	M40.3	-	-	353	-
M22.9	-	-	-	-	M31.1	287	384	102	402	M40.4	-	-	-	-
M23.0	-	-	-	-	M31.2	-	1	1	1	M40.5	-	3	-	3
M23.1	-	-	-	-	M31.3	358	550	192	550	M41.0	-	-	3	-
M23.2	-	-	-	-	M31.4	11	24	13	24	M41.1	-	1	-	1
M23.3	-	-	-	-	M31.5	-	-	-	-	M41.2	1	2	1	2
M23.4	-	-	-	-	M31.6	101	493	392	493	M41.3	3	7	1	7
M23.5	-	-	-	-	M31.8	10	11	1	11	M41.4	1	32	4	32
M23.6	-	-	-	-	M31.9	17	29	13	29	M41.5	-	26	31	26
M23.8	-	-	-	-	M32.0	-	-	-	-	M41.8	1	5	26	5
M23.9	-	6	6	6	M32.1	1,203	2,067	865	580	M41.9	266	705	439	843
M24.0	-	-	-	-	M32.8	1	1	-	1	M42.0	-	-	-	-
M24.1	-	-	-	-	M32.9	188	233	67	1,796	M42.1	-	-	-	-
										M42.9	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
M88.0	-	-	-	M94.3	1	2	1	2	N00.6	-	-	-
M88.8	-	-	-	M94.8	5	11	6	11	N00.7	-	-	-
M88.9	52	382	330	M94.9	-	4	4	4	N00.8	-	-	-
M89.0	9	46	37	M95.0	-	-	-	-	N00.9	11	64	79
Number of resident deaths tabulated by mention of primary underlying cause, record axis multiple cause												
Entity axis multiple cause of death by ICD-10 category: United States, 2005												
M89.2	-	-	-	M95.3	-	3	3	3	N01.1	-	-	-
M89.3	-	-	-	M95.4	4	24	20	24	N01.2	-	-	-
M89.4	-	1	1	M95.5	-	1	1	1	N01.3	-	-	-
M89.5	2	7	5	M95.8	-	-	-	-	N01.4	-	-	-
M89.6	-	1	1	M95.9	-	4	4	4	N01.5	-	-	-
Multiple Cause of Death Public Use File												
M89.8	22	320	298	M96.0	...	-	-	-	N01.6	-	-	-
M89.9	18	73	56	M96.1	...	2	2	2	N01.7	-	-	-
M91.0	-	-	-	M96.2	...	-	-	-	N01.8	-	-	-
M91.1	-	3	3	M96.3	...	-	-	-	N01.9	6	10	11
M91.2	-	-	-	M96.4	...	-	-	-	N02.0	-	-	4
M91.3	-	-	-	M96.5	...	-	-	-	N02.1	-	-	-
Control Total Table 1												
M91.8	-	-	-	M96.6	...	3	3	3	N02.2	-	-	-
M91.9	2	5	3	M96.8	...	9	9	9	N02.3	-	-	-
M92.0	1	1	-	M96.9	...	1	1	1	N02.4	-	-	-
M92.1	1	1	-	M99.0	-	-	-	-	N02.5	-	-	-
M92.2	-	-	-	M99.1	-	1	1	1	N02.6	-	-	-
M92.3	-	-	-	M99.2	-	-	-	-	N02.7	-	-	-
M92.4	-	-	-	M99.3	-	-	-	-	N02.8	25	72	72
M92.5	-	-	-	M99.4	-	-	-	-	N02.9	-	11	47
M92.6	-	-	-	M99.5	-	-	-	-	N03.0	-	-	11
M92.7	-	-	-	M99.6	-	-	-	-	N03.1	-	-	-
M92.8	-	-	-	M99.7	-	-	-	-	N03.2	-	-	-
M92.9	-	-	-	M99.8	-	1	1	1	N03.3	-	-	-
M93.0	-	-	-	M99.9	-	-	-	-	N03.4	-	-	-
M93.1	-	-	-	N00.0	-	-	-	-	N03.5	-	-	-
M93.2	-	2	2	N00.1	-	-	-	-	N03.6	-	1	1
M93.8	-	-	-	N00.2	-	-	-	-	N03.7	-	-	1
M93.9	-	1	1	N00.3	-	-	-	-	N03.8	1	1	1
M94.0	1	1	-	N00.4	-	-	-	-	N03.9	620	2,492	1,878
M94.1	2	6	4	N00.5	-	-	-	-	N04.0	-	-	-
M94.2	-	4	4						N04.1	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
N04.2	-	-	-	N07.8	-	-	-	-	N20.0	262	740	478	770	
N04.3	-	-	-	N07.9	-	-	-	-	N20.1	31	53	-	61	
N04.4	-	-	-	N10	136	267	132	268	N20.2	-	4	22	-	
N04.5	-	-	-	N11.0	1	1	-	-	N20.9	16	51	4	55	
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
N04.8	-	-	-	N11.9	47	129	82	128	N21.0	11	32	35	32	
N04.9	120	345	231	495	N12	539	1,170	633	1,188	N21.1	4	12	21	12
N05.0	-	-	-	1	N13.0	2	2	-	-	N21.8	-	-	8	-
N05.1	8	16	8	16	N13.1	1	1	-	-	N21.9	-	-	-	-
Multiple Cause of Death Public Use File														
N05.2	30	67	37	77	N13.2	13	30	17	-	N23	-	3	-	3
N05.3	1	1	-	1	N13.3	90	584	494	617	N25.0	1	26	3	26
N05.4	-	-	-	-	N13.4	1	16	15	16	N25.1	5	17	25	17
N05.5	9	17	8	21	N13.5	68	335	267	348	N25.8	21	74	12	76
N05.6	-	-	-	-	N13.6	5	18	13	15	N25.9	-	-	53	-
N05.7	7	12	5	12	N13.7	9	13	4	14	N26	54	105	-	169
Control Total Table 1														
N05.8	15	28	13	32	N13.8	6	54	48	54	N27.0	-	-	55	-
N05.9	97	213	123	296	N13.9	248	1,117	869	1,150	N27.1	1	1	-	1
N06.0	-	-	-	-	N14.0	1	5	4	5	N27.9	1	1	-	1
N06.1	-	-	-	-	N14.1	4	15	11	15	N28.0	36	217	181	218
N06.2	-	-	-	-	N14.2	3	11	8	11	N28.1	2	8	-	8
N06.3	-	-	-	-	N14.3	1	1	-	1	N28.8	119	579	460	579
N06.4	-	-	-	-	N14.4	2	3	1	3	N28.9	513	1,837	1,331	3,535
N06.5	-	-	-	-	N15.0	-	-	-	-	N30.0	9	37	-	37
N06.6	-	-	-	-	N15.1	30	103	73	103	N30.1	6	33	28	33
N06.7	-	-	-	-	N15.8	-	-	-	-	N30.2	11	56	27	56
N06.8	-	-	-	-	N15.9	24	82	58	83	N30.3	-	-	45	-
N06.9	-	-	-	-	N17.0	209	790	582	793	N30.4	3	59	-	59
N07.0	-	-	-	-	N17.1	2	8	6	8	N30.8	15	39	56	39
N07.1	-	-	-	-	N17.2	1	4	3	4	N30.9	99	363	24	369
N07.2	-	-	-	-	N17.8	1	6	5	6	N31.0	-	-	264	-
N07.3	-	-	-	-	N17.9	7,273	45,186	37,916	45,354	N31.1	-	-	-	-
N07.4	-	-	-	-	N18.0	10,238	31,094	20,878	41,899	N31.2	13	44	-	44
N07.5	-	-	-	-	N18.8	238	15	12	21	N31.8	-	1	31	1
N07.6	-	-	-	-	N18.9	7,590	44,147	36,561	45,914	N31.9	122	662	440	662
N07.7	-	-	-	-	N19	17,316	102,721	85,409	106,961	N32.0	53	202	149	202
										N32.1	106	324	218	324
										N32.2	7	50	43	50

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
N32.3	-	7	7	7	N42.9	51	189	138	232	N61	14	28	28	
N32.4	16	66	50	66	N43.0	-	-	-	-	N62	-	1	14	1
N32.8	9	116	107	116	N43.1	-	-	-	-	N63	32	174	142	174
N32.9	26	115	89	158	N43.2	-	-	-	-	N64.0	-	-	-	-
Number of resident deaths tabulated by mention of 1st underlying cause, 6 second axis multiple cause														
ICD-10 category: United States, 2005														
N34.2	-	4	4	4	N44	1	1	-	1	N64.1	-	2	-	2
N34.3	-	-	-	-	N45.0	-	3	3	3	N64.2	-	-	2	-
N35.0	-	-	-	-	N45.9	6	15	9	15	N64.3	-	-	-	-
N35.1	-	-	-	-	N46	-	-	-	-	N64.4	-	1	-	1
Multiple Cause of Death Public Use File														
N35.8	-	-	-	-	N47	-	5	5	5	N64.5	1	10	1	10
N35.9	16	54	38	54	N48.0	-	-	-	-	N64.8	-	2	9	2
N36.0	4	31	27	31	N48.1	1	2	1	3	N64.9	14	215	201	215
N36.1	-	-	-	-	N48.2	7	18	11	18	N70.0	1	2	-	2
N36.2	-	-	-	-	N48.3	1	2	1	2	N70.1	-	-	1	-
N36.3	1	1	-	1	N48.4	-	-	-	-	N70.9	5	20	-	21
Control Total Table 1														
N36.8	6	31	25	31	N48.5	2	4	2	4	N71.0	2	2	15	2
N36.9	-	5	5	6	N48.6	-	-	-	-	N71.1	-	-	-	-
N39.0	14,962	38,051	23,095	38,320	N48.8	1	4	3	4	N71.9	11	26	-	26
N39.1	-	-	-	-	N48.9	-	1	1	2	N72	-	1	15	1
N39.2	-	-	-	-	N49.0	1	1	-	1	N73.0	1	1	1	1
N39.3	2	10	8	10	N49.1	1	1	-	1	N73.1	3	5	-	5
N39.4	1	9	8	9	N49.2	26	58	32	59	N73.2	1	3	2	3
N39.8	1	1	-	1	N49.8	59	124	65	124	N73.3	-	-	2	-
N39.9	13	38	25	62	N49.9	2	2	-	2	N73.4	-	-	-	-
N40	525	3,027	2,502	3,027	N50.0	-	-	-	-	N73.5	3	5	-	5
N41.0	3	12	9	12	N50.1	7	15	8	15	N73.6	1	6	2	6
N41.1	7	16	9	17	N50.8	5	12	7	12	N73.8	1	1	5	1
N41.2	2	7	5	7	N50.9	2	24	22	44	N73.9	74	181	107	182
N41.3	-	2	2	-	N60.0	-	3	3	3	N75.0	1	1	-	1
N41.8	1	2	1	2	N60.1	-	7	7	7	N75.1	1	1	-	1
N41.9	16	58	42	59	N60.2	-	-	-	-	N75.8	-	-	-	-
N42.0	-	13	13	13	N60.3	-	-	-	-	N75.9	-	-	-	-
N42.1	1	17	16	17	N60.4	-	-	-	-	N76.0	4	10	-	10
N42.2	-	-	-	-	N60.8	-	-	-	-	N76.1	-	1	6	1
N42.8	2	10	8	10	N60.9	-	1	1	1	N76.2	1	2	1	2
										N76.3	-	-	1	-
										N76.4	1	9	-	9

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record axis		
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary
Record count by code field												
N76.5	-	-	-	N83.7	-	-	-	-	N89.5	-	1	1
N76.6	-	1	1	N83.8	1	7	6	7	N89.6	-	-	1
N76.8	9	13	4	N83.9	37	183	146	222	N89.7	-	-	-
N80.0	2	4	2	N84.0	1	10	9	10	N89.8	1	3	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause												
Entity axis multiple cause of death by ICD-10 category: United States, 2005												
N80.3	-	-	-	N84.3	-	-	-	-	N89.9	2	5	2
N80.4	-	-	-	N84.8	-	-	-	-	N90.0	-	-	3
N80.5	-	-	-	N84.9	-	-	-	-	N90.1	-	-	-
N80.6	-	-	-	N85.0	4	5	1	5	N90.2	-	-	-
Multiple Cause of Death Public Use File												
N80.8	-	-	-	N85.1	1	1	-	1	N90.3	-	1	-
N80.9	-	9	9	N85.2	1	4	3	4	N90.4	-	1	1
N81.0	-	-	-	N85.3	-	-	-	-	N90.5	-	-	1
N81.1	9	31	22	N85.4	-	-	-	-	N90.6	-	-	-
N81.2	-	-	-	N85.5	-	-	-	-	N90.7	-	-	-
N81.3	1	2	1	N85.6	-	-	-	-	N90.8	-	4	-
Control Total Table 1												
N81.4	10	24	14	N85.7	1	1	-	1	N90.9	-	2	4
N81.5	-	-	-	N85.8	2	10	8	10	N91.0	-	-	2
N81.6	1	10	9	N85.9	18	203	185	288	N91.1	-	-	-
N81.8	-	1	1	N86	-	2	2	2	N91.2	-	-	-
N81.9	-	1	1	N87.0	-	-	-	-	N91.3	-	-	-
N82.0	6	22	16	N87.1	-	-	-	-	N91.4	-	-	-
N82.1	1	1	-	N87.2	-	-	-	-	N91.5	-	-	-
N82.2	1	1	-	N87.9	-	1	1	1	N92.0	1	6	-
N82.3	45	186	141	N88.0	-	-	-	-	N92.1	1	2	5
N82.4	5	25	20	N88.1	-	-	-	-	N92.2	-	-	1
N82.5	-	-	-	N88.2	7	43	36	43	N92.3	-	1	-
N82.8	-	1	1	N88.3	1	1	-	1	N92.4	-	2	1
N82.9	1	37	36	N88.4	-	-	-	-	N92.5	-	-	2
N83.0	1	1	-	N88.8	1	12	11	12	N92.6	1	2	-
N83.1	2	2	-	N88.9	1	6	5	7	N93.0	-	-	1
N83.2	12	35	23	N89.0	-	-	-	-	N93.8	1	9	-
N83.3	-	1	1	N89.1	-	-	-	-	N93.9	23	170	847
N83.4	-	-	-	N89.2	-	-	-	-	N94.0	-	-	-
N83.5	-	-	-	N89.3	-	-	-	-	N94.1	-	-	-
N83.6	-	-	-	N89.4	-	-	-	-	N94.2	-	-	-
									N94.3	-	-	-
									N94.4	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
010.4	1	1	-	1	2	1	2	030.0	2	6	-	6	
010.9	-	-	-	-	-	-	-	030.1	-	-	4	-	
011	-	1	1	-	1	1	-	030.2	-	-	-	-	
012	-	1	1	1	-	-	-	030.8	-	-	-	-	
012.0	-	1	1	1	-	-	-	030.9	-	-	-	-	
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
013	1	2	1	3	-	2	2	031.0	-	-	-	-	
014.0	-	-	-	-	11	20	9	031.1	-	-	-	-	
014.1	6	9	3	13	3	4	1	031.2	-	-	-	-	
014.9	19	23	4	26	-	-	-	031.8	-	-	-	-	
Multiple Cause of Death Public Use File													
015.0	1	1	-	1	-	-	-	032.0	-	-	-	-	
015.1	-	-	-	-	-	-	-	032.1	-	-	-	-	
015.2	1	2	1	2	-	-	-	032.2	-	-	-	-	
015.9	14	17	3	17	-	-	-	032.3	-	-	-	-	
016	8	18	10	18	1	1	-	032.4	-	-	-	-	
020.0	-	-	-	-	-	-	-	032.5	-	-	-	-	
Control Total Table 1													
020.8	-	-	-	-	11	20	9	032.6	-	-	-	-	
020.9	-	-	-	-	-	-	-	032.8	-	-	-	-	
021.0	1	-	-	1	78	110	32	032.9	-	-	-	-	
021.1	-	1	1	-	2	2	-	033.0	-	-	-	-	
021.2	-	-	-	-	-	-	-	033.1	-	-	-	-	
021.8	-	-	-	-	-	-	-	033.2	-	-	-	-	
021.9	-	1	1	1	-	-	-	033.3	-	-	-	-	
022.0	-	-	-	-	-	-	-	033.4	-	-	-	-	
022.1	-	-	-	-	-	-	-	033.5	-	-	-	-	
022.2	-	-	-	-	-	-	-	033.6	-	-	-	-	
022.3	4	7	3	7	-	-	-	033.7	-	-	-	-	
022.4	-	-	-	-	-	-	-	033.8	-	-	-	-	
022.5	-	-	-	-	-	-	-	033.9	-	-	-	-	
022.8	-	-	-	-	2	2	-	034.0	-	-	-	-	
022.9	6	8	2	9	-	-	-	034.1	-	1	-	1	
023.0	2	3	1	3	-	-	-	034.2	-	-	1	-	
023.1	-	-	-	-	-	-	-	034.3	-	-	-	-	
023.2	-	-	-	-	-	-	-	034.4	-	-	-	-	
023.3	-	-	-	-	-	-	-	034.5	-	-	-	-	
023.4	-	1	1	1	-	-	-	034.6	-	-	-	-	
					-	-	-	034.7	-	-	-	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
034.8	-	-	-	044.1	3	5	2	5	065.1	-	-	-	
034.9	-	-	-	045.0	-	-	-	-	065.2	-	-	-	
035.0	-	-	-	045.8	-	-	-	-	065.3	-	-	-	
035.1	-	-	-	045.9	6	10	4	10	065.4	-	-	-	
Number of resident deaths tabulated by mention of 1st underlying cause, second axis multiple cause													
035.2	-	-	-	046.0	4	12	4	4	065.5	-	-	-	
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
035.4	-	-	-	046.9	8	12	4	13	065.8	-	-	-	
035.5	-	-	-	047.0	-	-	-	-	065.9	-	-	-	
035.6	-	-	-	047.1	-	-	-	-	066.0	-	-	-	
035.7	-	-	-	047.9	-	-	-	-	066.1	-	-	-	
Multiple Cause of Death Public Use File													
035.8	-	-	-	048	-	-	-	-	066.2	-	-	-	
035.9	-	1	1	060	-	-	-	-	066.3	-	-	-	
036.0	-	-	-	061.0	-	-	-	-	066.4	-	-	-	
036.1	-	-	-	061.1	-	-	-	-	066.5	-	-	-	
036.2	-	-	-	061.8	-	-	-	-	066.8	-	-	-	
036.3	-	1	1	061.9	-	-	-	-	066.9	-	-	-	
Control Total, Table 1													
036.4	1	4	3	062.0	-	-	-	-	067.0	-	-	-	
036.5	-	1	1	062.1	-	-	-	-	067.8	-	-	-	
036.6	-	-	-	062.2	-	1	1	1	067.9	4	9	9	
036.7	-	-	-	062.3	-	-	-	-	068.0	-	5	-	
036.8	-	-	-	062.4	-	-	-	-	068.1	-	-	-	
036.9	-	-	-	062.8	-	-	-	-	068.2	-	-	-	
040	-	-	-	062.9	-	-	-	-	068.3	-	-	-	
041.0	-	-	-	063.0	-	-	-	-	068.8	-	-	-	
041.1	2	5	3	063.1	-	-	-	-	068.9	-	2	2	
041.8	-	-	-	063.2	-	-	-	-	069.0	1	1	2	
041.9	-	-	-	063.9	-	-	-	-	069.1	-	-	-	
042.0	-	-	-	064.0	-	-	-	-	069.2	-	-	-	
042.1	-	-	-	064.1	-	-	-	-	069.3	-	-	-	
042.2	-	-	-	064.2	-	-	-	-	069.4	-	-	-	
042.9	1	2	1	064.3	-	-	-	-	069.5	-	-	-	
043.0	-	-	-	064.4	-	-	-	-	069.8	1	1	1	
043.1	-	-	-	064.5	-	-	-	-	069.9	-	-	-	
043.8	-	-	-	064.8	-	-	-	-	070.0	-	-	-	
043.9	-	1	1	064.9	-	-	-	-	070.1	-	-	-	
044.0	-	-	-	065.0	-	-	-	-	070.2	-	-	-	
									070.3	-	-	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
070.9	-	-	-	075.9	9	13	6	57	091.0	-	-	-	
071.0	-	-	-	085	9	16	7	16	091.1	-	-	-	
071.1	4	5	1	086.0	1	1	-	1	091.2	-	-	-	
071.2	-	-	-	086.1	-	1	1	1	092.0	-	-	-	
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
ICD-10 category: United States, 2005													
071.4	-	-	-	086.4	1	1	-	1	092.2	-	-	-	
071.5	-	-	-	086.4	1	1	-	1	092.3	-	-	-	
071.6	-	-	-	086.8	1	1	-	1	092.4	-	-	-	
071.7	-	-	-	087.0	-	-	-	-	092.5	-	-	-	
071.8	-	-	-	087.1	-	-	-	-	092.6	-	-	-	
Multiple Cause of Death Public Use File													
071.9	-	-	-	087.2	-	-	-	-	092.7	-	-	-	
072.0	5	6	1	087.3	-	-	-	-	095	42	258	332	
072.1	4	11	7	087.8	-	-	-	-	096	130	178	178	
072.2	-	-	-	087.9	2	3	1	3	097	7	8	48	
072.3	6	9	3	088.0	2	2	-	2	098.0	-	-	1	
073.0	-	-	-	088.1	31	40	9	40	098.1	-	-	-	
Control Total Table 1													
073.1	-	-	-	088.2	23	38	15	38	098.2	-	-	-	
074.0	-	-	-	088.3	-	-	-	-	098.3	-	-	1	
074.1	-	-	-	088.8	-	-	-	-	098.4	-	1	2	
074.2	-	-	-	089.0	-	-	-	-	098.5	3	3	1	
074.3	-	-	-	089.1	-	1	1	1	098.6	-	-	-	
074.4	-	-	-	089.2	-	-	-	-	098.8	4	11	-	
074.5	-	-	-	089.3	-	-	-	-	098.9	-	-	7	
074.6	-	-	-	089.4	-	-	-	-	099.0	1	1	-	
074.7	-	-	-	089.5	-	-	-	-	099.1	2	4	-	
074.8	-	-	-	089.6	-	-	-	-	099.2	1	3	2	
074.9	-	-	-	089.8	-	-	-	-	099.3	11	24	2	
075.0	-	-	-	089.9	-	-	-	-	099.4	57	71	13	
075.1	-	3	3	090.0	-	-	-	-	099.5	7	12	14	
075.2	-	-	-	090.1	-	1	1	1	099.6	2	7	5	
075.3	1	1	-	090.2	-	-	-	-	099.7	-	-	5	
075.4	14	19	5	090.3	50	59	9	59	099.8	71	76	-	
075.5	-	-	-	090.4	-	-	-	-	P00.0	89	123	7	
075.6	-	-	-	090.5	-	-	-	-	P00.1	5	9	34	
075.7	-	-	-	090.8	2	8	6	8	P00.2	16	26	4	
075.8	2	4	2	090.9	-	-	-	-	P00.3	4	9	10	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
P23.0	6	8	2	8	P29.0	349	1,224	875	1,224	P39.9	53	88		95
P23.1	-	-	-	-	P29.1	519	1,540	1,021	1,540	P50.0	-	-	35	-
P23.2	3	10	7	10	P29.2	6	33	27	33	P50.1	3	8	-	8
P23.3	1	1	-	1	P29.3	81	400	319	400	P50.2	-	1	5	1
Number of resident deaths tabulated by mention of underlying cause, second axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
P23.6	3	4	1	4	P29.9	1	2	1	2	P50.4	1	2	-	4
P23.8	2	2	-	2	P35.0	8	10	2	10	P50.5	-	-	1	-
P23.9	81	178	98	180	P35.1	30	45	15	45	P50.8	-	-	-	-
P24.0	28	59	31	59	P35.2	34	39	5	39	P50.9	1	5	-	6
Multiple Cause of Death Public Use File														
P24.1	7	8	-	8	P35.3	-	-	-	-	P51.0	-	-	4	-
P24.2	1	1	-	1	P35.8	2	4	2	4	P51.8	-	-	-	-
P24.3	-	-	-	-	P35.9	5	8	3	8	P51.9	1	1	-	1
P24.8	1	2	1	2	P36.0	24	39	15	39	P52.0	1	3	-	3
P24.9	10	19	9	20	P36.1	7	12	5	12	P52.1	-	1	2	1
P25.0	48	144	96	144	P36.2	27	42	15	42	P52.2	1	14	1	14
Control Total Table 1														
P25.1	69	300	231	300	P36.3	12	28	16	28	P52.3	384	792	13	800
P25.2	2	10	8	10	P36.4	47	79	32	79	P52.4	54	115	61	115
P25.3	2	20	18	20	P36.5	-	-	-	-	P52.5	3	11	61	11
P25.8	1	3	2	3	P36.8	62	98	36	98	P52.6	1	7	8	7
P26.0	-	-	-	-	P36.9	656	1,308	652	1,336	P52.8	5	19	6	19
P26.1	8	13	5	13	P37.0	-	-	-	-	P52.9	154	275	14	280
P26.8	1	1	-	1	P37.1	7	8	1	8	P53	-	1	-	1
P26.9	172	517	345	517	P37.2	-	-	-	-	P54.0	-	-	1	-
P27.0	1	1	-	1	P37.3	-	-	-	-	P54.1	-	-	-	-
P27.1	247	360	113	360	P37.4	-	-	-	-	P54.2	-	-	-	-
P27.8	-	1	1	1	P37.5	39	51	12	51	P54.3	13	29	-	29
P27.9	47	68	21	68	P37.8	26	45	19	45	P54.4	1	3	16	3
P28.0	375	625	250	625	P37.9	-	-	-	-	P54.5	1	6	2	6
P28.1	2	8	6	8	P38	6	7	1	7	P54.6	2	4	5	4
P28.2	-	-	-	-	P39.0	-	-	-	-	P54.8	17	50	2	50
P28.3	-	-	-	-	P39.1	-	-	-	-	P54.9	22	53	33	74
P28.4	17	106	89	106	P39.2	2	5	3	5	P55.0	7	12	31	13
P28.5	21	2,124	2,103	2,124	P39.3	5	9	4	9	P55.1	2	3	5	3
P28.8	11	53	42	53	P39.4	-	-	-	-	P55.8	-	-	1	-
P28.9	14	31	17	42	P39.8	14	22	8	22	P55.9	1	3	-	6
										P56.0	2	2	2	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
P56.9	-	-	-	P71.1	-	5	5	5	P81.9	1	2	2
P57.0	-	-	-	P71.2	-	-	-	-	P83.0	-	-	1
P57.8	-	-	-	P71.3	-	-	-	-	P83.1	-	-	-
P57.9	3	4	1	P71.4	-	-	-	-	P83.2	165	304	139
Number of resident deaths tabulated by mention of first underlying cause, second axis multiple cause												
P58.1	-	2	2	-	-	-	-	-	P83.3	-	3	3
entity axis multiple cause of death by ICD-10 category: United States, 2005												
P58.2	-	2	-	P72.0	-	1	1	1	P83.4	-	-	3
P58.3	-	-	-	P72.1	-	1	1	1	P83.5	-	1	-
P58.4	-	-	-	P72.2	-	1	1	1	P83.6	-	-	1
P58.5	-	-	-	P72.8	-	-	-	-	P83.8	-	2	-
Multiple Cause of Death Public Use File												
P58.8	3	5	2	P72.9	-	-	-	-	P83.9	1	2	2
P58.9	-	-	-	P74.0	-	1	1	1	P90	16	102	1
P59.0	-	7	7	P74.1	-	23	23	23	P91.0	10	20	86
P59.1	-	1	1	P74.2	-	-	-	-	P91.1	-	-	10
P59.2	1	2	1	P74.3	-	3	3	3	P91.2	9	29	-
P59.3	-	-	-	P74.4	-	2	2	2	P91.3	-	-	20
Control Total Table 1												
P59.8	-	2	2	P74.5	-	1	1	1	P91.4	2	3	-
P59.9	-	2	2	P74.8	-	4	4	4	P91.5	-	1	1
P60	52	233	181	P74.9	-	-	-	-	P91.8	1	5	1
P61.0	1	3	2	P76.0	-	2	2	2	P91.9	-	-	4
P61.1	1	2	1	P76.1	-	-	-	-	P92.0	2	3	-
P61.2	7	124	117	P76.2	-	-	-	-	P92.1	-	1	1
P61.3	4	5	2	P76.8	-	1	1	1	P92.2	-	-	1
P61.4	31	47	33	P76.9	3	7	4	7	P92.3	-	-	-
P61.5	2	4	2	P77	546	683	137	683	P92.4	-	-	-
P61.6	3	8	5	P78.0	67	143	76	143	P92.5	-	-	-
P61.8	-	1	1	P78.1	6	29	23	29	P92.8	-	-	-
P61.9	-	-	-	P78.2	-	-	-	-	P92.9	4	6	-
P70.0	3	7	4	P78.3	5	8	3	8	P93	-	1	2
P70.1	6	25	19	P78.8	1	2	1	2	P94.0	-	-	1
P70.2	10	20	10	P78.9	-	-	-	1	P94.1	-	-	-
P70.3	-	1	1	P80.0	2	2	-	2	P94.2	7	13	-
P70.4	-	11	11	P80.8	1	1	-	1	P94.8	-	-	6
P70.8	-	1	1	P80.9	7	19	12	19	P94.9	-	-	-
P70.9	-	-	-	P81.0	-	-	-	-	P96.0	41	147	106
P71.0	-	-	-	P81.8	-	-	-	-	P96.1	-	-	-
									P96.2	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field				
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis
Record count by code field													
Q20.0	52	68	16	68	Q24.4	22	50	28	50	Q28.9	3	8	10
Q20.1	26	42	16	42	Q24.5	172	259	87	259	Q30.0	-	9	9
Q20.2	3	3	-	3	Q24.6	19	24	5	24	Q30.1	-	-	9
Q20.3	109	133	24	133	Q24.8	112	181	69	181	Q30.2	-	1	-
Number of resident deaths tabulated by mention of underlying cause record as multiple cause													
Q20.5	-	-	-	-	Q25.0	49	132	83	132	Q30.3	-	-	1
Entity axis multiple cause of death by ICD-10 category: Unspecified, 2005-2006													
Q20.6	-	-	-	-	Q25.1	-	1	1	1	Q30.8	-	-	-
Q20.8	26	38	12	38	Q25.2	24	44	20	44	Q30.9	-	-	-
Q20.9	-	-	-	-	Q25.3	25	56	31	56	Q31.0	1	1	-
Q21.0	133	357	224	357	Q25.4	40	111	71	111	Q31.1	4	8	-
Multiple Cause of Death Public Use File													
Q21.1	196	403	207	403	Q25.5	30	79	50	79	Q31.2	-	-	4
Q21.2	58	125	67	125	Q25.6	15	32	17	32	Q31.3	2	3	-
Q21.3	175	264	89	264	Q25.7	2	3	1	3	Q31.5	11	19	1
Q21.4	2	3	1	3	Q25.8	1	2	1	2	Q31.8	6	10	8
Q21.8	71	106	35	106	Q25.9	-	-	-	-	Q31.9	1	3	4
Q21.9	6	13	7	13	Q26.0	-	-	-	-	Q32.0	7	11	2
Control Total Table 1													
Q22.0	1	1	1	1	Q26.1	3	12	9	12	Q32.1	33	49	4
Q22.1	1	2	1	2	Q26.2	5	9	4	9	Q32.2	4	8	16
Q22.2	-	1	1	1	Q26.3	29	47	18	47	Q32.3	-	1	4
Q22.3	1	7	6	7	Q26.4	1	1	-	1	Q32.4	-	2	1
Q22.4	23	32	9	32	Q26.5	-	-	-	-	Q33.0	11	21	2
Q22.5	47	60	13	60	Q26.6	8	18	10	18	Q33.1	-	-	10
Q22.6	11	16	5	16	Q26.8	11	17	6	19	Q33.2	1	4	-
Q22.8	4	9	5	9	Q26.9	-	-	-	-	Q33.3	6	13	3
Q22.9	1	2	1	2	Q27.0	-	1	1	1	Q33.4	4	4	7
Q23.0	49	71	22	71	Q27.1	-	-	-	-	Q33.5	-	-	-
Q23.1	72	180	108	180	Q27.2	-	2	2	2	Q33.6	518	946	428
Q23.2	9	16	7	16	Q27.3	219	391	172	391	Q33.8	1	1	-
Q23.3	2	10	8	10	Q27.4	-	-	-	-	Q33.9	18	39	-
Q23.4	366	439	73	439	Q27.8	2	9	7	12	Q34.0	1	1	21
Q23.8	-	3	3	3	Q27.9	43	64	21	65	Q34.1	-	-	-
Q23.9	24	34	10	36	Q28.0	2	2	-	2	Q34.8	3	4	-
Q24.0	4	20	16	20	Q28.1	1	1	-	1	Q34.9	12	15	1
Q24.1	1	1	-	1	Q28.2	51	73	24	260	Q35.1	-	-	3
Q24.2	1	1	-	1	Q28.3	39	55	17	58	Q35.3	-	1	-
Q24.3	-	1	1	1	Q28.8	3	6	3	6	Q35.5	-	-	1
										Q35.7	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
Q35.9	4	30	26	63	Q41.0	5	14	9	14	Q50.1	-	-	-
Q36.0	-	-	-	-	Q41.1	4	9	5	9	Q50.2	-	-	-
Q36.1	-	1	1	1	Q41.2	3	8	5	8	Q50.3	-	-	-
Q36.9	1	7	6	40	Q41.8	-	1	1	1	Q50.4	-	-	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause													
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
Q37.2	-	-	-	-	Q42.1	-	1	1	1	Q50.6	1	1	1
Q37.3	-	-	-	-	Q42.2	-	-	-	-	Q51.0	-	-	-
Q37.4	-	-	-	-	Q42.3	1	35	34	35	Q51.1	-	-	-
Q37.5	-	-	-	-	Q42.8	-	-	-	-	Q51.2	-	-	-
Multiple Cause of Death Public Use File													
Q37.8	-	1	1	1	Q42.9	1	2	1	2	Q51.3	-	-	-
Q37.9	2	41	39	8	Q43.0	13	18	5	18	Q51.4	-	-	-
Q38.0	-	-	-	-	Q43.1	21	36	15	36	Q51.5	-	-	-
Q38.1	-	-	-	-	Q43.2	1	2	1	2	Q51.6	-	-	-
Q38.2	-	4	4	4	Q43.3	28	46	18	46	Q51.7	-	-	-
Q38.3	-	-	-	-	Q43.4	-	1	1	1	Q51.8	-	-	-
Control Total Table 1													
Q38.4	-	-	-	-	Q43.5	-	-	-	-	Q51.9	-	-	-
Q38.5	-	-	-	-	Q43.6	-	-	-	-	Q52.0	-	-	-
Q38.6	4	6	2	6	Q43.7	-	2	2	2	Q52.1	-	-	-
Q38.7	-	1	1	1	Q43.8	25	40	15	40	Q52.2	-	-	-
Q38.8	1	4	3	5	Q43.9	11	32	21	34	Q52.3	-	-	-
Q39.0	8	22	14	27	Q44.0	-	-	-	-	Q52.4	-	-	-
Q39.1	2	8	6	3	Q44.1	-	1	1	1	Q52.5	-	-	-
Q39.2	9	20	11	25	Q44.2	17	26	9	26	Q52.6	-	-	-
Q39.3	-	-	-	-	Q44.3	1	1	-	1	Q52.7	-	-	-
Q39.4	2	3	1	3	Q44.4	4	4	-	4	Q52.8	-	3	3
Q39.5	-	1	1	1	Q44.5	11	15	4	15	Q52.9	1	4	3
Q39.6	30	42	12	42	Q44.6	10	34	24	34	Q53.0	-	-	3
Q39.8	-	2	2	2	Q44.7	9	20	11	20	Q53.1	-	-	-
Q39.9	4	8	4	8	Q45.0	-	-	-	-	Q53.2	-	-	-
Q40.0	3	3	-	3	Q45.1	-	1	1	1	Q53.9	1	4	-
Q40.1	3	4	1	4	Q45.2	-	-	-	-	Q54.0	-	-	3
Q40.2	-	1	1	1	Q45.3	4	7	3	7	Q54.1	-	-	-
Q40.3	1	4	3	4	Q45.8	-	1	1	1	Q54.2	-	1	-
Q40.8	1	1	-	1	Q45.9	7	18	11	19	Q54.3	-	-	1
Q40.9	-	-	-	1	Q50.0	-	-	-	-	Q54.4	-	-	-
										Q54.8	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
Q54.9	1	4	3	4	Q62.6	-	-	-	-	Q66.8	-	7	7
Q55.0	-	-	-	-	Q62.7	-	1	1	1	Q66.9	-	1	7
Q55.1	-	-	-	-	Q62.8	1	2	1	2	Q67.0	-	-	1
Q55.2	-	-	-	-	Q63.0	-	1	1	1	Q67.1	-	-	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause													
Q55.4	Entity axis multiple cause of death by ICD-10 category: United States, 2005				2	2	2	2	Q67.2	-	1	-	1
Q55.5	-	-	-	-	Q63.3	1	1	-	1	Q67.3	-	2	1
Q55.6	-	2	2	2	Q63.8	-	3	3	3	Q67.4	-	1	2
Q55.8	-	5	5	5	Q63.9	12	23	12	25	Q67.5	19	31	31
Q55.9	3	4	1	5	Q64.0	-	-	-	-	Q67.6	1	4	12
Multiple Cause of Death Public Use File													
Q56.0	-	-	-	-	Q64.1	2	8	6	8	Q67.7	-	4	3
Q56.1	-	-	-	-	Q64.2	8	24	16	24	Q67.8	5	12	4
Q56.2	-	-	-	-	Q64.3	6	16	10	16	Q68.0	-	-	7
Q56.3	-	-	-	-	Q64.4	1	2	1	2	Q68.1	-	1	-
Q56.4	1	15	14	15	Q64.5	1	12	11	12	Q68.2	-	-	1
Q60.0	6	25	19	25	Q64.6	-	-	-	-	Q68.3	-	-	-
Control Total, Table 1													
Q60.1	21	27	6	27	Q64.7	2	5	3	5	Q68.4	-	-	-
Q60.2	108	169	61	169	Q64.8	-	-	-	-	Q68.5	-	-	-
Q60.3	-	-	-	-	Q64.9	3	4	1	6	Q68.8	16	38	-
Q60.4	-	-	-	-	Q65.0	-	-	-	-	Q69.0	-	-	22
Q60.5	22	45	23	45	Q65.1	-	1	1	1	Q69.1	-	-	-
Q60.6	96	136	40	136	Q65.2	-	6	6	6	Q69.2	-	-	-
Q61.0	16	49	33	49	Q65.3	-	-	-	-	Q69.9	-	8	-
Q61.1	11	23	12	23	Q65.4	-	-	-	-	Q70.0	-	-	8
Q61.2	17	39	22	39	Q65.5	-	1	1	1	Q70.1	-	-	-
Q61.3	358	747	389	748	Q65.6	-	-	-	-	Q70.2	-	-	-
Q61.4	32	108	76	108	Q65.8	1	6	5	6	Q70.3	-	-	-
Q61.5	5	5	1	5	Q65.9	-	1	1	1	Q70.4	-	1	-
Q61.8	-	-	-	-	Q66.0	-	2	2	2	Q70.9	-	3	1
Q61.9	15	33	18	35	Q66.1	-	-	-	-	Q71.0	-	1	3
Q62.0	4	16	12	16	Q66.2	-	-	-	-	Q71.1	-	-	1
Q62.1	1	3	2	3	Q66.3	-	-	-	-	Q71.2	-	-	-
Q62.2	-	-	-	-	Q66.4	-	-	-	-	Q71.3	-	1	-
Q62.3	2	6	4	6	Q66.5	-	-	-	-	Q71.4	-	4	1
Q62.4	-	-	-	-	Q66.6	-	-	-	-	Q71.5	-	-	4
Q62.5	-	-	-	-	Q66.7	-	-	-	-	Q71.6	-	-	-
										Q71.8	1	2	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
Q71.9	1	3	2	3	Q76.8	-	-	-	-	Q80.9	2	6	7	
Q72.0	-	-	-	-	Q76.9	-	-	-	-	Q81.0	-	-	4	
Q72.1	-	-	-	-	Q77.0	2	4	2	4	Q81.1	2	3	-	
Q72.2	-	-	-	-	Q77.1	41	63	22	63	Q81.2	3	3	1	
Number of resident deaths tabulated by mention of underlying cause, second axis multiple cause														
Q72.4	-	-	-	-	ICD-10 category: United States, 2005				1	8	Q81.8	1	1	-
Q72.5	-	-	-	-	Q77.4	6	24	18	24	Q81.9	21	32	-	
Q72.6	-	-	-	-	Q77.5	-	-	-	-	Q82.0	3	9	11	
Q72.7	-	-	-	-	Q77.6	2	10	8	10	Q82.1	1	1	6	
Q72.8	-	-	-	-	Q77.7	1	5	4	5	Q82.2	15	40	-	
Multiple Cause of Death Public Use File														
Q72.9	-	-	-	-	Q77.8	1	1	-	1	Q82.3	2	2	25	
Q73.0	1	2	1	2	Q77.9	-	-	-	-	Q82.4	1	4	-	
Q73.1	-	1	1	1	Q78.0	61	104	43	104	Q82.5	-	2	3	
Q73.8	-	1	1	1	Q78.1	2	3	1	3	Q82.8	10	29	2	
Q74.0	2	9	7	9	Q78.2	8	27	19	27	Q82.9	-	1	19	
Q74.1	-	-	-	-	Q78.3	2	2	-	2	Q83.0	-	-	1	
Control Total, Table 1														
Q74.2	1	5	4	5	Q78.4	2	4	2	4	Q83.1	-	-	-	
Q74.3	1	5	4	5	Q78.5	-	1	1	1	Q83.2	-	-	-	
Q74.8	2	3	1	3	Q78.6	-	-	-	-	Q83.3	-	-	-	
Q74.9	4	13	9	13	Q78.8	2	3	1	3	Q83.8	-	1	-	
Q75.0	5	10	5	10	Q78.9	33	67	34	68	Q83.9	-	-	1	
Q75.1	4	7	3	7	Q79.0	264	335	71	335	Q84.0	-	-	-	
Q75.2	-	2	2	2	Q79.1	6	17	11	17	Q84.1	-	-	-	
Q75.3	1	7	6	7	Q79.2	24	90	66	90	Q84.2	-	1	-	
Q75.4	5	9	4	9	Q79.3	47	92	45	92	Q84.3	-	-	1	
Q75.5	-	-	-	-	Q79.4	9	27	18	27	Q84.4	-	-	-	
Q75.8	3	12	9	12	Q79.5	10	17	7	17	Q84.5	-	-	-	
Q75.9	5	13	8	13	Q79.6	16	37	21	37	Q84.6	-	-	-	
Q76.0	1	1	-	1	Q79.8	13	25	12	25	Q84.8	-	5	5	
Q76.1	3	7	4	7	Q79.9	11	22	11	25	Q84.9	-	-	5	
Q76.2	-	-	-	-	Q80.0	-	-	-	-	Q85.0	91	293	202	
Q76.3	-	-	-	-	Q80.1	-	-	-	-	Q85.1	30	65	65	
Q76.4	8	25	17	25	Q80.2	-	-	-	-	Q85.8	20	47	35	
Q76.5	-	1	1	1	Q80.3	-	-	-	-	Q85.9	1	2	27	
Q76.6	-	3	3	3	Q80.4	3	3	-	3	Q86.0	5	11	1	
Q76.7	-	-	-	-	Q80.8	-	-	-	-	Q86.1	-	-	6	
										Q86.2	-	-	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis
Record count by code field													
Q86.8	5	11	6	11	Q92.8	24	34	10	34	Q98.3	-	-	-
Q87.0	28	48	20	48	Q92.9	24	32	8	32	Q98.4	3	18	18
Q87.1	58	139	81	139	Q93.0	-	-	-	-	Q98.5	-	-	15
Q87.2	24	54	30	54	Q93.1	-	-	-	-	Q98.6	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
Entity axis multiple cause death by ICD-10 category: United States, 2005													
Q87.5	-	-	-	-	Q93.4	4	6	2	14	Q98.8	1	1	3
Q87.8	43	84	41	84	Q93.5	21	41	20	41	Q98.9	-	-	-
Q89.0	17	55	38	55	Q93.6	-	-	-	-	Q99.0	-	-	-
Q89.1	4	6	2	6	Q93.7	-	-	-	-	Q99.1	-	-	-
Multiple Cause of Death Public Use File													
Q89.2	6	15	9	15	Q93.8	11	16	5	17	Q99.2	7	17	17
Q89.3	18	48	30	48	Q93.9	4	9	5	9	Q99.8	34	52	10
Q89.4	14	14	-	14	Q95.0	-	-	-	-	Q99.9	82	116	18
Q89.7	281	325	48	664	Q95.1	-	2	2	2	R00.0	8	1,372	1,364
Q89.8	72	149	77	149	Q95.2	-	-	-	-	R00.1	60	2,403	2,343
Q89.9	245	408	164	612	Q95.3	-	-	-	-	R00.2	-	17	17
Control Total Table 1													
Q90.0	-	-	-	-	Q95.4	-	-	-	-	R00.8	-	48	48
Q90.1	-	-	-	-	Q95.5	1	1	-	1	R01.0	-	-	48
Q90.2	-	2	2	2	Q95.8	-	1	1	1	R01.1	-	102	102
Q90.9	981	2,054	1,073	2,055	Q95.9	-	-	-	-	R01.2	-	-	-
Q91.0	-	-	-	-	Q96.0	-	-	-	-	R02	98	4,467	4,369
Q91.1	1	2	1	2	Q96.1	-	-	-	-	R03.0	-	1	1
Q91.2	-	-	-	-	Q96.2	-	-	-	-	R03.1	-	-	1
Q91.3	419	465	46	465	Q96.3	-	-	-	-	R04.0	7	211	204
Q91.4	-	-	-	-	Q96.4	-	-	-	-	R04.1	-	26	26
Q91.5	1	3	2	3	Q96.8	2	3	1	3	R04.2	27	1,024	26,997
Q91.6	-	1	1	1	Q96.9	8	51	43	51	R04.8	65	1,724	1,659
Q91.7	323	344	21	344	Q97.0	1	1	-	1	R04.9	1	36	36
Q92.0	-	1	1	1	Q97.1	1	2	1	2	R05	-	82	35
Q92.1	-	-	-	-	Q97.2	-	-	-	-	R06.0	101	3,169	3,068
Q92.2	-	-	-	-	Q97.3	-	-	-	-	R06.1	-	11	11
Q92.3	-	-	-	-	Q97.8	2	2	-	2	R06.2	-	6	11
Q92.4	-	-	-	-	Q97.9	-	-	-	-	R06.3	-	10	10
Q92.5	1	1	-	1	Q98.0	-	-	-	-	R06.4	12	616	10,604
Q92.6	-	-	-	-	Q98.1	-	-	-	-	R06.5	-	2	2
Q92.7	23	25	2	25	Q98.2	-	-	-	-	R06.6	-	5	2
										R06.7	-	-	5

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis
	mention					mention					mention		
Record count by code field													
R82.8	-	2	2	R86.4	-	-	-	-	R93.6	-	-	-	
R82.9	-	1	1	R86.5	-	-	-	-	R93.7	-	-	-	
R83.0	-	-	-	R86.6	-	-	-	-	R93.8	-	7	7	
R83.1	-	-	-	R86.7	-	-	-	-	R94.0	-	1	7	
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause													
R83.2	-	-	-	Category: United States, 2005				-	-	R94.1	-	-	1
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
R83.4	-	-	-	R87.0	-	-	-	-	R94.2	-	1	-	
R83.5	-	-	-	R87.1	-	-	-	-	R94.3	3	37	37	
R83.6	-	-	-	R87.2	-	-	-	-	R94.4	-	2	34	
R83.7	-	-	-	R87.3	-	-	-	-	R94.5	1	65	2	
Multiple Cause of Death Public Use File													
R83.8	-	-	-	R87.4	-	-	-	-	R94.6	-	-	64	
R83.9	-	-	-	R87.5	-	-	-	-	R94.7	-	-	-	
R84.0	-	-	-	R87.6	-	-	-	-	R94.8	-	-	-	
R84.1	-	-	-	R87.7	-	-	-	-	R95	2,230	2,273	-	
R84.2	-	1	1	R87.8	-	-	-	-	R96.0	245	249	43	
R84.3	-	-	-	R87.9	-	-	-	-	R96.1	-	2	4	
Control Total Table 1													
R84.4	-	-	-	R89.0	-	-	-	-	R98	20	20	2	
R84.5	-	2	2	R89.1	-	-	-	-	R99	14,532	34,231	19,283	
R84.6	-	-	-	R89.2	-	-	-	-	S00.0	...	36	36	
R84.7	-	-	-	R89.3	-	1	1	1	S00.1	...	-	36	
R84.8	-	-	-	R89.4	-	-	-	-	S00.2	...	-	-	
R84.9	-	-	-	R89.5	-	-	-	-	S00.3	...	2	-	
R85.0	-	-	-	R89.6	-	-	-	-	S00.4	...	-	2	
R85.1	-	-	-	R89.7	-	1	1	1	S00.5	...	3	-	
R85.2	-	-	-	R89.8	-	2	2	2	S00.7	...	1	3	
R85.3	-	-	-	R89.9	-	-	-	-	S00.8	...	50	1	
R85.4	-	-	-	R90.0	4	58	54	58	S00.9	...	94	50	
R85.5	-	-	-	R90.8	-	-	-	-	S01.0	...	107	94	
R85.6	-	-	-	R91	159	3,348	3,189	3,348	S01.1	...	5	107	
R85.7	-	-	-	R92	-	-	-	-	S01.2	...	6	5	
R85.8	-	-	-	R93.0	-	-	-	-	S01.3	...	16	6	
R85.9	-	-	-	R93.1	-	2	2	2	S01.4	...	3	16	
R86.0	-	-	-	R93.2	-	2	2	2	S01.5	...	1,038	1,038	
R86.1	-	-	-	R93.3	-	-	-	-	S01.7	...	306	306	
R86.2	-	-	-	R93.4	-	-	-	-	S01.8	...	1,190	1,190	
R86.3	-	-	-	R93.5	-	1	1	1	S01.9	...	16,878	16,878	
									S02.0	...	68	68	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
S02.1	...	733	733	S06.1	...	340	340	340	S12.2	...	29	29
S02.2	...	41	41	S06.2	...	2,583	2,583	2,584	S12.7	...	18	29
S02.3	...	1	1	S06.3	...	49	49	49	S12.8	...	20	18
S02.4	...	24	24	S06.4	...	113	113	113	S12.9	...	2,459	2,459
Number of resident deaths tabulated by mention of underlying cause of death by ICD-10 category: United States, 2005-2006												
S02.5	...	28	28	S06.7	...	-	-	-	S13.0	...	-	-
S02.6	...	32	32	S06.8	...	2,183	2,183	2,183	S13.1	...	466	466
S02.7	...	2,564	2,564	S06.9	...	5,831	5,831	5,831	S13.2	...	-	-
S02.8	...	4	4	S07.0	...	7	7	7	S13.3	...	-	-
S02.9	...	-	-	S07.1	...	36	36	36	S13.4	...	17	-
S03.0	...	-	-	S07.2	...	1	1	1	S13.5	...	-	17
S03.1	...	4	4	S07.3	...	195	195	195	S13.6	...	1	-
S03.2	...	-	-	S07.4	...	4	4	4	S14.0	...	2	1
S03.3	...	-	-	S07.5	...	-	-	-	S14.1	...	343	343
S03.4	...	-	-	S07.6	...	-	-	-	S14.2	...	-	-
S03.5	...	-	-	S07.7	...	-	-	-	S14.3	...	1	-
S04.0	...	2	2	S07.8	...	3	3	3	S14.4	...	-	1
S04.1	...	-	-	S07.9	...	7	7	7	S14.5	...	1	-
S04.2	...	-	-	S08.0	...	-	-	-	S14.6	...	1	1
S04.3	...	-	-	S08.1	...	-	-	-	S15.0	...	149	149
S04.4	...	-	-	S08.2	...	-	-	-	S15.1	...	45	45
S04.5	...	-	-	S08.3	...	-	-	-	S15.2	...	76	45
S04.6	...	-	-	S08.4	...	-	-	-	S15.3	...	16	76
S04.7	...	-	-	S08.5	...	-	-	-	S15.7	...	-	16
S04.8	...	-	-	S08.6	...	-	-	-	S15.8	...	-	-
S04.9	...	5	5	S08.7	...	-	-	-	S15.9	...	7	-
S05.0	...	-	-	S08.8	...	-	-	-	S16	...	1	7
S05.1	...	5	5	S08.9	...	3	3	3	S17.0	...	2	1
S05.2	...	-	-	S09.0	...	7	7	7	S17.8	...	-	2
S05.3	...	8	8	S09.1	...	-	-	-	S17.9	...	32	-
S05.4	...	1	1	S09.2	...	-	-	-	S18	...	75	32
S05.5	...	-	-	S09.3	...	-	-	-	S19.7	...	132	75
S05.6	...	2	2	S09.4	...	-	-	-	S19.8	...	56	132
S05.7	...	12	12	S09.5	...	-	-	-	S19.9	...	3,528	3,528
S05.8	...	9	9	S09.6	...	-	-	-	S20.0	...	-	-
S05.9	...	48	48	S09.7	...	797	797	797	S20.1	...	-	-
S06.0	...	137	137	S09.8	...	5	5	5	S20.2	...	57	-
				S09.9	...	26,326	26,326	26,330				57
				S10.0	...	1	1	1				
				S10.1	...	1	1	1				
				S10.2	...	-	-	-				
				S10.3	...	-	-	-				
				S10.4	...	-	-	-				
				S10.5	...	-	-	-				
				S10.6	...	-	-	-				
				S10.7	...	-	-	-				
				S10.8	...	19	19	19				
				S10.9	...	16	16	16				
				S11.0	...	26	26	26				
				S11.1	...	-	-	-				
				S11.2	...	5	5	5				
				S11.3	...	-	-	-				
				S11.4	...	-	-	-				
				S11.5	...	-	-	-				
				S11.6	...	85	85	85				
				S11.7	...	83	83	83				
				S11.8	...	1,539	1,539	1,539				
				S11.9	...	118	118	118				
				S12.0	...	177	177	177				
				S12.1	...	-	-	-				

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
S20.3	...	4	4	S25.5	...	6	6	S31.8	...	1,544	1,544	1,544
S20.4	...	-	-	S25.7	...	1	1	S32.0	...	297	297	297
S20.7	...	1	1	S25.8	...	8	8	S32.1	...	48	48	48
S20.8	...	12	12	S25.9	...	17	17	S32.2	...	2	48	2
Number of resident deaths tabulated by mention of underlying cause; record axis multiple cause												
Entity axis multiple cause of death by ICD-10 category: United States, 2005-2009												
S21.2	...	820	820	S26.9	...	701	701	S32.4	...	84	6	84
S21.7	...	210	210	S27.0	...	339	339	S32.5	...	100	84	100
S21.8	...	11	11	S27.1	...	698	698	S32.7	...	48	100	48
S21.9	...	5,990	5,990	S27.2	...	86	86	S32.8	...	1,466	1,466	1,466
Multiple Cause of Death Public Use Files												
S22.0	...	212	212	S27.3	...	1,532	1,532	S33.0	...	1	-	1
S22.1	...	13	13	S27.4	...	8	8	S33.1	...	2	1	2
S22.2	...	143	143	S27.5	...	1	1	S33.2	...	-	2	-
S22.3	...	1,395	1,395	S27.6	...	26	26	S33.3	...	-	-	-
S22.4	...	528	528	S27.7	...	5	5	S33.4	...	-	-	-
S22.5	...	170	170	S27.8	...	147	147	S33.5	...	3	-	3
Control Total Table 1												
S22.8	...	-	-	S27.9	...	132	132	S33.6	...	-	3	-
S22.9	...	95	95	S28.0	...	379	379	S33.7	...	-	-	-
S23.0	...	-	-	S28.1	...	-	-	S34.0	...	-	-	-
S23.1	...	7	7	S29.0	...	-	-	S34.1	...	-	-	-
S23.2	...	1	1	S29.7	...	331	331	S34.2	...	1	-	1
S23.3	...	-	-	S29.8	...	60	60	S34.3	...	-	1	-
S23.4	...	2	2	S29.9	...	6,755	6,755	S34.4	...	-	-	-
S23.5	...	-	-	S30.0	...	8	8	S34.5	...	1	-	1
S24.0	...	-	-	S30.1	...	4	4	S34.6	...	-	1	-
S24.1	...	10	10	S30.2	...	-	-	S34.8	...	1	-	1
S24.2	...	2	2	S30.7	...	1	1	S35.0	...	61	1	61
S24.3	...	1	1	S30.8	...	19	19	S35.1	...	69	61	69
S24.4	...	-	-	S30.9	...	27	27	S35.2	...	19	69	19
S24.5	...	-	-	S31.0	...	153	153	S35.3	...	17	19	17
S24.6	...	-	-	S31.1	...	79	79	S35.4	...	18	17	18
S25.0	...	1,288	1,288	S31.2	...	1	1	S35.5	...	68	18	68
S25.1	...	42	42	S31.3	...	2	2	S35.7	...	-	68	-
S25.2	...	43	43	S31.4	...	4	4	S35.8	...	-	-	-
S25.3	...	28	28	S31.5	...	-	-	S35.9	...	11	-	11
S25.4	...	58	58	S31.7	...	17	17	S36.0	...	651	11	651
								S36.1	...	1,037	651	1,037

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
S36.2	...	39	39	S42.1	...	23	23	23	S46.8	...	-	-
S36.3	...	96	96	S42.2	...	27	27	27	S46.9	...	-	-
S36.4	...	54	54	S42.3	...	760	760	760	S47	...	1	1
S36.5	...	50	50	S42.4	...	7	7	7	S48.0	...	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple causes												
S48.1	...	1	1	S48.9	...	3	3	3	S48.9	...	1	1
Entity axis multiple cause death by ICD-10 category: United States, 2005												
S36.8	...	911	911	S42.9	...	167	167	167	S49.7	...	-	-
S36.9	...	207	207	S43.0	...	25	25	25	S49.8	...	1	1
S37.0	...	180	180	S43.1	...	2	2	2	S49.9	...	66	66
S37.1	...	2	2	S43.2	...	-	-	-	S50.0	...	2	2
Multiple Cause of Death Public Use File												
S37.2	...	32	32	S43.3	...	-	-	-	S50.1	...	-	-
S37.3	...	1	1	S43.4	...	2	2	2	S50.7	...	-	-
S37.4	...	-	-	S43.5	...	-	-	-	S50.8	...	-	-
S37.5	...	-	-	S43.6	...	-	-	-	S50.9	...	6	6
S37.6	...	4	4	S43.7	...	-	-	-	S51.0	...	10	10
S37.7	...	-	-	S44.0	...	-	-	-	S51.7	...	6	6
Control Total Table 1												
S37.8	...	13	13	S44.1	...	-	-	-	S51.8	...	2	2
S37.9	...	17	17	S44.2	...	-	-	-	S51.9	...	66	66
S38.0	...	-	-	S44.3	...	-	-	-	S52.0	...	69	69
S38.1	...	84	84	S44.4	...	-	-	-	S52.1	...	3	3
S38.2	...	-	-	S44.5	...	-	-	-	S52.2	...	34	34
S38.3	...	-	-	S44.7	...	-	-	-	S52.3	...	-	-
S39.0	...	1	1	S44.8	...	-	-	-	S52.4	...	1	1
S39.6	...	5	5	S44.9	...	-	-	-	S52.5	...	7	7
S39.7	...	49	49	S45.0	...	10	10	10	S52.6	...	-	-
S39.8	...	4	4	S45.1	...	22	22	22	S52.7	...	-	-
S39.9	...	2,390	2,390	S45.2	...	6	6	6	S52.8	...	73	73
S40.0	...	6	6	S45.3	...	1	1	1	S52.9	...	19	19
S40.7	...	1	1	S45.7	...	-	-	-	S53.0	...	-	-
S40.8	...	-	-	S45.8	...	-	-	-	S53.1	...	2	2
S40.9	...	2	2	S45.9	...	4	4	4	S53.2	...	-	-
S41.0	...	124	124	S46.0	...	6	6	6	S53.3	...	-	-
S41.1	...	33	33	S46.1	...	-	-	-	S53.4	...	-	-
S41.7	...	1	1	S46.2	...	-	-	-	S54.0	...	-	-
S41.8	...	12	12	S46.3	...	-	-	-	S54.1	...	-	-
S42.0	...	146	146	S46.7	...	-	-	-	S54.2	...	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record axis			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
S54.3	...	-	-	S61.8	...	6	6	6	S66.0	...	-	-	
S54.7	...	-	-	S61.9	...	372	372	372	S66.1	...	-	-	
S54.8	...	-	-	S62.0	...	-	-	-	S66.2	...	-	-	
S54.9	...	-	-	S62.1	...	-	-	-	S66.3	...	-	-	
Number of resident deaths tabulated by mention of underlying cause, record axis multiple causes													
S55.0	...	-	-	ICD-10 category: United States, 2005				1	1	S66.4	...	-	-
S55.1	...	1	1	S62.4	...	-	-	-	S66.5	...	-	-	
S55.2	...	-	-	S62.5	...	-	-	-	S66.6	...	-	-	
S55.7	...	-	-	S62.6	...	1	1	1	S66.7	...	-	-	
S55.8	...	-	-	S62.7	...	-	-	-	S66.8	...	-	-	
S55.9	...	1	1	S62.8	...	-	-	-	S66.9	...	1	1	
Multiple Cause of Death Public Use File													
S56.0	...	-	-	S62.8	...	144	144	144	S67.0	...	-	-	
S56.1	...	-	-	S63.0	...	-	-	-	S67.8	...	-	-	
S56.2	...	-	-	S63.1	...	1	1	1	S68.0	...	1	1	
S56.3	...	-	-	S63.2	...	-	-	-	S68.1	...	1	1	
S56.4	...	-	-	S63.3	...	-	-	-	S68.2	...	-	-	
S56.5	...	-	-	S63.4	...	-	-	-	S68.3	...	-	-	
Control Total Table 1													
S56.7	...	-	-	S63.5	...	-	-	-	S68.4	...	-	-	
S56.8	...	-	-	S63.6	...	-	-	-	S68.8	...	-	-	
S57.0	...	-	-	S63.7	...	-	-	-	S68.9	...	3	3	
S57.8	...	-	-	S64.0	...	-	-	-	S69.7	...	-	-	
S57.9	...	-	-	S64.1	...	-	-	-	S69.8	...	-	-	
S58.0	...	-	-	S64.2	...	-	-	-	S69.9	...	62	62	
S58.1	...	-	-	S64.3	...	-	-	-	S70.0	...	18	18	
S58.9	...	-	-	S64.4	...	-	-	-	S70.1	...	3	3	
S59.7	...	-	-	S64.7	...	-	-	-	S70.7	...	1	1	
S59.8	...	-	-	S64.8	...	-	-	-	S70.8	...	-	-	
S59.9	...	22	22	S64.9	...	-	-	-	S70.9	...	29	29	
S60.0	...	1	1	S65.0	...	2	2	2	S71.0	...	46	46	
S60.1	...	-	-	S65.1	...	1	1	1	S71.1	...	142	142	
S60.2	...	2	2	S65.2	...	-	-	-	S71.7	...	-	-	
S60.7	...	-	-	S65.3	...	-	-	-	S71.8	...	-	-	
S60.8	...	2	2	S65.4	...	-	-	-	S72.0	...	13,792	13,792	
S60.9	...	2	2	S65.5	...	-	-	-	S72.1	...	270	270	
S61.0	...	4	4	S65.7	...	-	-	-	S72.2	...	14	14	
S61.1	...	-	-	S65.8	...	-	-	-	S72.3	...	26	26	
S61.7	...	9	9	S65.9	...	1	1	1	S72.4	...	19	19	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
S72.7	...	6	6	6	S81.0	...	12	12	12	S85.9	...	3		3
S72.8	...	2	2	2	S81.7	...	3	3	3	S86.0	...	6	3	6
S72.9	...	2,148	2,148	2,148	S81.8	...	3	3	3	S86.1	...	-	6	-
S73.0	...	67	67	67	S81.9	...	19	19	19	S86.2	...	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
S74.1	...	-	-	-	S82.2	...	377	377	377	S86.7	...	-	-	-
S74.2	...	-	-	-	S82.3	...	5	5	5	S86.8	...	-	-	-
S74.7	...	-	-	-	S82.4	...	233	233	233	S86.9	...	-	-	-
S74.8	...	-	-	-	S82.5	...	3	3	3	S87.0	...	-	-	-
Multiple Cause of Death Public Use File														
S74.9	...	-	-	-	S82.6	...	1	1	1	S87.8	...	1	-	1
S75.0	...	41	41	41	S82.7	...	1	1	1	S88.0	...	1	1	1
S75.1	...	16	16	16	S82.8	...	308	308	308	S88.1	...	1	1	1
S75.2	...	-	-	-	S82.9	...	28	28	28	S88.9	...	4	1	4
S75.7	...	-	-	-	S83.0	...	-	-	-	S89.7	...	1	4	1
S75.8	...	-	-	-	S83.1	...	5	5	5	S89.8	...	1	1	1
Control Total Table 1														
S75.9	...	11	11	11	S83.2	...	7	7	7	S89.9	...	44	1	44
S76.0	...	-	-	-	S83.3	...	-	-	-	S90.0	...	1	44	1
S76.1	...	3	3	3	S83.4	...	-	-	-	S90.1	...	-	1	-
S76.2	...	-	-	-	S83.5	...	1	1	1	S90.2	...	-	-	-
S76.3	...	-	-	-	S83.6	...	6	6	6	S90.3	...	-	-	-
S76.4	...	-	-	-	S83.7	...	-	-	-	S90.7	...	-	-	-
S76.7	...	-	-	-	S84.0	...	-	-	-	S90.8	...	-	-	-
S77.0	...	-	-	-	S84.1	...	-	-	-	S90.9	...	2	-	2
S77.1	...	3	3	3	S84.2	...	-	-	-	S91.0	...	20	2	20
S78.0	...	-	-	-	S84.7	...	-	-	-	S91.1	...	2	20	2
S78.1	...	-	-	-	S84.8	...	-	-	-	S91.2	...	-	2	-
S78.9	...	-	-	-	S84.9	...	-	-	-	S91.3	...	54	-	54
S79.7	...	-	-	-	S85.0	...	9	9	9	S91.7	...	-	54	-
S79.8	...	2	2	2	S85.1	...	6	6	6	S92.0	...	4	-	4
S79.9	...	276	276	276	S85.2	...	-	-	-	S92.1	...	1	4	1
S80.0	...	10	10	10	S85.3	...	1	1	1	S92.2	...	-	1	-
S80.1	...	1	1	1	S85.4	...	-	-	-	S92.3	...	5	-	5
S80.7	...	-	-	-	S85.5	...	3	3	3	S92.4	...	1	5	1
S80.8	...	-	-	-	S85.7	...	-	-	-	S92.5	...	3	1	3
S80.9	...	9	9	9	S85.8	...	-	-	-	S92.7	...	-	3	-
										S92.9	...	29	-	29
												29		

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
S93.0	...	-	-	S99.9	...	43	43	43	T08	...	734	734	734	
S93.1	...	-	-	T00.2	...	1	1	1	T09.0	...	13	13	13	
S93.2	...	-	-	T00.3	...	-	-	-	T09.1	...	1,476	1,476	1,476	
S93.3	...	-	-	T00.8	...	-	-	-	T09.2	...	17	17	17	
Number of resident deaths tabulated by mention of one underlying cause, second axis multiple cause														
S93.5	...	-	-	Category: United States, 2005				21	21	T09.3	...	904	904	904
S93.6	...	1	1	T01.3	...	11	11	11	T09.4	...	4	4	4	
S94.0	...	-	-	T01.9	...	3,914	3,914	3,914	T09.5	...	2	2	2	
S94.1	...	-	-	T02.1	...	31	31	31	T09.6	...	-	-	-	
S94.2	...	-	-	T02.2	...	11	11	11	T09.8	...	-	-	-	
Multiple Cause of Death Public Use File														
S94.3	...	-	-	T02.3	...	15	15	15	T09.9	...	3,893	3,893	3,893	
S94.7	...	-	-	T02.4	...	18	18	18	T10	...	176	176	176	
S94.8	...	-	-	T02.5	...	190	190	190	T11.0	...	23	23	23	
S94.9	...	-	-	T02.8	...	-	-	-	T11.1	...	437	437	437	
S95.0	...	-	-	T02.9	...	521	521	521	T11.2	...	-	-	-	
S95.1	...	-	-	T03.1	...	-	-	-	T11.3	...	-	-	-	
Control Total Table 1														
S95.2	...	-	-	T03.2	...	-	-	-	T11.4	...	8	8	8	
S95.7	...	-	-	T03.3	...	-	-	-	T11.5	...	-	8	-	
S95.8	...	1	1	T03.8	...	-	-	-	T11.6	...	20	-	20	
S95.9	...	2	2	T03.9	...	-	-	-	T11.8	...	1	20	1	
S96.0	...	-	-	T04.1	...	46	46	46	T11.9	...	158	158	158	
S96.1	...	-	-	T04.2	...	2	2	2	T12	...	281	281	281	
S96.2	...	-	-	T04.3	...	22	22	22	T13.0	...	38	38	38	
S96.7	...	-	-	T04.8	...	-	-	-	T13.1	...	291	38	291	
S96.8	...	-	-	T04.9	...	62	62	62	T13.2	...	3	291	3	
S96.9	...	-	-	T05.0	...	-	-	-	T13.3	...	1	3	1	
S97.0	...	-	-	T05.2	...	1	1	1	T13.4	...	7	1	7	
S97.1	...	-	-	T05.3	...	-	-	-	T13.5	...	4	7	4	
S97.8	...	-	-	T05.5	...	5	5	5	T13.6	...	33	4	33	
S98.0	...	1	1	T05.8	...	11	11	11	T13.8	...	-	33	-	
S98.1	...	1	1	T05.9	...	1	1	1	T13.9	...	498	498	498	
S98.2	...	-	-	T06.2	...	1	1	1	T14.0	...	249	249	249	
S98.3	...	-	-	T06.3	...	11	11	11	T14.1	...	16,156	16,156	16,156	
S98.4	...	2	2	T06.4	...	-	-	-	T14.2	...	995	995	995	
S99.7	...	-	-	T06.5	...	461	461	461	T14.3	...	49	49	49	
S99.8	...	-	-	T07	...	17,415	17,415	17,416	T14.4	...	127	49	127	
									T14.5	...	263	127	264	
											263	263	264	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary	Entity axis	
Record count by code field														
T30.1	...	3	3	3	T33.9	...	-	-	-	T37.9	...	-	-	-
T30.2	...	19	19	19	T34.0	...	-	-	-	T38.0	...	1	-	1
T30.3	...	88	88	88	T34.1	...	-	-	-	T38.1	...	3	1	3
T30.4	...	8	8	8	T34.2	...	-	-	-	T38.2	...	-	3	-
Number of resident deaths tabulated by mention of 3rd underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
T30.7	...	-	-	-	T34.5	...	-	-	-	T38.4	...	1	82	1
T31.0	...	14	14	14	T34.6	...	-	-	-	T38.5	...	-	1	-
T31.1	...	45	45	45	T34.7	...	-	-	-	T38.6	...	-	-	-
T31.2	...	40	40	40	T34.8	...	-	-	-	T38.7	...	1	-	1
Multiple Cause of Death Public Use File														
T31.3	...	43	43	43	T34.9	...	-	-	-	T38.8	...	2	1	2
T31.4	...	50	50	50	T35.0	...	-	-	-	T38.9	...	-	2	-
T31.5	...	37	37	37	T35.1	...	-	-	-	T39.0	...	171	171	171
T31.6	...	36	36	36	T35.2	...	-	-	-	T39.1	...	809	809	809
T31.7	...	36	36	36	T35.3	...	-	-	-	T39.2	...	1	809	1
T31.8	...	46	46	46	T35.4	...	-	-	-	T39.3	...	355	355	355
Control Total Table 1														
T31.9	...	263	263	263	T35.5	...	2	2	2	T39.4	...	1	-	1
T32.0	...	-	-	-	T35.6	...	-	-	-	T39.8	...	30	1	30
T32.1	...	-	-	-	T35.7	...	5	5	5	T39.9	...	-	30	-
T32.2	...	-	-	-	T36.0	...	2	2	2	T40.0	...	2	-	2
T32.3	...	-	-	-	T36.1	...	-	-	-	T40.1	...	2,154	2,154	2,154
T32.4	...	-	-	-	T36.2	...	-	-	-	T40.2	...	6,102	6,102	6,102
T32.5	...	-	-	-	T36.3	...	-	-	-	T40.3	...	4,638	4,638	4,639
T32.6	...	-	-	-	T36.4	...	-	-	-	T40.4	...	1,808	1,808	1,808
T32.7	...	-	-	-	T36.5	...	6	6	6	T40.5	...	7,283	7,283	7,284
T32.8	...	-	-	-	T36.6	...	3	3	3	T40.6	...	3,052	3,052	3,052
T32.9	...	1	1	1	T36.7	...	1	1	1	T40.7	...	141	141	141
T33.0	...	-	-	-	T36.8	...	8	8	8	T40.8	...	1	-	1
T33.1	...	-	-	-	T36.9	...	5	5	5	T40.9	...	9	1	9
T33.2	...	-	-	-	T37.0	...	-	-	-	T41.0	...	37	9	37
T33.3	...	-	-	-	T37.1	...	3	3	3	T41.1	...	55	37	55
T33.4	...	-	-	-	T37.2	...	10	10	10	T41.2	...	26	55	26
T33.5	...	-	-	-	T37.3	...	-	-	-	T41.3	...	8	26	8
T33.6	...	-	-	-	T37.4	...	2	2	2	T41.4	...	3	8	3
T33.7	...	-	-	-	T37.5	...	2	2	2	T41.5	...	5	3	5
T33.8	...	-	-	-	T37.8	...	10	10	10	T42.0	...	60	5	60
										T42.1	...	57	60	57
												57		

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
T42.2	...	-	-	T46.0	...	200	200	200	T49.8	...	-	-
T42.3	...	290	290	T46.1	...	122	122	122	T49.9	...	-	-
T42.4	...	3,224	3,224	T46.2	...	119	119	119	T50.0	...	2	2
T42.5	...	5	5	T46.3	...	2	2	2	T50.1	...	-	-
Number of resident deaths tabulated by mention of 404 underlying cause, record axis multiple cause												
Entity axis multiple cause death by ICD-10 category: United States, 2005												
T42.8	...	515	515	T46.6	...	2	2	2	T50.2	...	3	3
T43.0	...	1,440	1,440	T46.7	...	3	3	3	T50.3	...	25	25
T43.1	...	8	8	T46.8	...	-	-	-	T50.4	...	14	14
T43.2	...	1,851	1,851	T46.9	...	-	-	-	T50.5	...	32	32
Multiple Cause of Death Public Use Files												
T43.3	...	234	234	T47.0	...	-	-	-	T50.6	...	1	1
T43.4	...	11	11	T47.1	...	5	5	5	T50.7	...	-	-
T43.5	...	715	715	T47.2	...	-	-	-	T50.8	...	8	8
T43.6	...	2,023	2,023	T47.3	...	1	1	1	T50.9	...	16,722	16,722
T43.8	...	25	25	T47.4	...	3	3	3	T51.0	...	1,781	1,781
T43.9	...	14	14	T47.5	...	3	3	3	T51.1	...	39	39
Control Total Table 1												
T44.0	...	2	2	T47.6	...	3	3	3	T51.2	...	51	51
T44.1	...	1	1	T47.7	...	-	-	-	T51.3	...	2	2
T44.2	...	1	1	T47.8	...	-	-	-	T51.8	...	18	18
T44.3	...	30	30	T47.9	...	-	-	-	T51.9	...	978	978
T44.4	...	2	2	T48.0	...	-	-	-	T52.0	...	14	14
T44.5	...	4	4	T48.1	...	35	35	35	T52.1	...	1	1
T44.6	...	-	-	T48.2	...	1	1	1	T52.2	...	18	18
T44.7	...	56	56	T48.3	...	119	119	119	T52.3	...	3	3
T44.8	...	1	1	T48.4	...	13	13	13	T52.4	...	11	11
T44.9	...	92	92	T48.5	...	5	5	5	T52.8	...	149	149
T45.0	...	858	858	T48.6	...	25	25	25	T52.9	...	20	20
T45.1	...	106	106	T48.7	...	80	80	80	T53.0	...	-	-
T45.2	...	2	2	T49.0	...	2	2	2	T53.1	...	2	2
T45.3	...	-	-	T49.1	...	2	2	2	T53.2	...	-	-
T45.4	...	1	1	T49.2	...	3	3	3	T53.3	...	1	1
T45.5	...	204	204	T49.3	...	-	-	-	T53.4	...	3	3
T45.6	...	1	1	T49.4	...	14	14	14	T53.5	...	21	21
T45.7	...	2	2	T49.5	...	1	1	1	T53.6	...	3	3
T45.8	...	2	2	T49.6	...	-	-	-	T53.7	...	2	2
T45.9	...	-	-	T49.7	...	-	-	-	T53.9	...	-	-
									T54.0	...	-	-
									T54.1	...	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
T54.2	...	18	18	T60.8	...	3	3	3	T67.4	...	-	-
T54.3	...	17	17	T60.9	...	9	9	9	T67.5	...	40	40
T54.9	...	19	19	T61.0	...	-	-	-	T67.6	...	-	40
T55	...	3	3	T61.1	...	-	-	-	T67.7	...	-	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause												
Entity axis multiple cause of death by ICD-10 Category: United States, 2005												
T56.2	...	-	-	T61.9	...	-	-	-	T67.8	...	31	31
T56.3	...	-	-	T62.0	...	3	3	3	T67.9	...	251	251
T56.4	...	1	1	T62.1	...	-	-	-	T68	...	1,278	1,278
T56.5	...	-	-	T62.2	...	2	2	2	T69.0	...	-	-
Multiple Cause of Death Public Use File												
T56.6	...	-	-	T62.8	...	2	2	2	T69.1	...	-	-
T56.7	...	2	2	T62.9	...	2	2	2	T69.8	...	21	21
T56.8	...	74	74	T63.0	...	7	7	7	T69.9	...	401	401
T56.9	...	-	-	T63.1	...	-	-	-	T70.0	...	-	-
T57.0	...	1	1	T63.2	...	-	-	-	T70.1	...	-	-
T57.1	...	3	3	T63.3	...	15	15	15	T70.2	...	17	17
Control Total Table 1												
T57.2	...	2	2	T63.4	...	89	89	89	T70.3	...	2	17
T57.3	...	-	-	T63.5	...	-	-	-	T70.4	...	1	2
T57.8	...	6	6	T63.6	...	1	1	1	T70.8	...	-	1
T57.9	...	-	-	T63.8	...	-	-	-	T70.9	...	-	-
T58	...	2,595	2,595	T63.9	...	2	2	2	T71	...	11,252	11,252
T59.0	...	3	3	T64	...	-	-	-	T73.0	...	56	57
T59.1	...	1	1	T65.0	...	36	36	36	T73.1	...	8	56
T59.2	...	1	1	T65.1	...	2	2	2	T73.2	...	-	8
T59.3	...	-	-	T65.2	...	2	2	2	T73.3	...	21	-
T59.4	...	9	9	T65.3	...	-	-	-	T73.8	...	2	21
T59.5	...	-	-	T65.4	...	-	-	-	T73.9	...	2	2
T59.6	...	2	2	T65.5	...	-	-	-	T74.0	...	58	2
T59.7	...	10	10	T65.6	...	9	9	9	T74.1	...	26	58
T59.8	...	2,709	2,709	T65.8	...	14	14	14	T74.2	...	4	26
T59.9	...	487	487	T65.9	...	286	286	286	T74.3	...	-	4
T60.0	...	7	7	T66	...	53	53	53	T74.8	...	36	-
T60.1	...	-	-	T67.0	...	506	506	506	T74.9	...	67	36
T60.2	...	2	2	T67.1	...	2	2	2	T75.0	...	40	67
T60.3	...	11	11	T67.2	...	-	-	-	T75.1	...	5,794	5,794
T60.4	...	4	4	T67.3	...	-	-	-	T75.2	...	-	-
									T75.3	...	2	-
									T75.4	...	457	457

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total
T75.8	338	338	339	T81.9	408	408	408	T85.6	41		41
T78.0	11	11	11	T82.0	60	60	60	T85.7	216	41	217
T78.1	7	7	7	T82.1	91	91	91	T85.8	183	183	184
T78.2	146	146	146	T82.2	21	21	21	T85.9	147	147	147
Number of resident deaths tabulated by mention of 203 underlying cause, 3 record axis multiple cause											
T78.4	1	1	1	T82.5	26	26	26	T86.0	606	606	606
T78.8	1	1	1	T82.6	198	198	198	T86.1	355	355	355
T78.9	1	1	1	T82.7	1,358	1,358	1,358	T86.2	268	268	268
T79.0	43	43	43	T82.8	3,578	3,578	3,578	T86.3	7	7	7
T79.1	127	127	127	T82.9	189	189	189	T86.4	275	275	275
T79.2	-	-	-	T83.0	2	2	2	T86.8	317	317	317
T79.3	25	25	25	T83.1	3	3	3	T86.9	47	47	47
T79.4	816	816	816	T83.2	1	1	1	T87.0	1	47	1
T79.5	4	4	4	T83.3	-	-	-	T87.1	-	1	-
T79.6	93	93	93	T83.4	1	1	1	T87.2	-	-	-
T79.7	144	144	144	T83.5	292	292	292	T87.3	-	-	-
T79.8	20	20	20	T83.6	7	7	7	T87.4	111	111	111
T79.9	6	6	6	T83.8	43	43	43	T87.5	16	16	16
T80.0	3	3	3	T83.9	15	15	15	T87.6	36	16	36
T80.1	-	-	-	T84.0	26	26	26	T88.0	-	36	-
T80.2	47	47	47	T84.1	2	2	2	T88.1	-	-	-
T80.3	1	1	1	T84.2	3	3	3	T88.2	1	-	1
T80.4	-	-	-	T84.3	1	1	1	T88.3	3	1	3
T80.5	1	1	1	T84.4	3	3	3	T88.4	6	3	6
T80.6	-	-	-	T84.5	151	151	151	T88.5	11	6	11
T80.8	93	93	93	T84.6	20	20	20	T88.6	32	11	32
T80.9	55	55	55	T84.7	16	16	16	T88.7	330	32	331
T81.0	809	809	809	T84.8	239	239	239	T88.8	79	79	79
T81.1	223	223	223	T84.9	19	19	19	T88.9	220	79	220
T81.2	485	485	485	T85.0	30	30	30	T90.0	3	220	3
T81.3	245	245	245	T85.1	-	-	-	T90.1	81	3	81
T81.4	1,609	1,609	1,610	T85.2	-	-	-	T90.2	23	81	23
T81.5	5	5	5	T85.3	-	-	-	T90.3	5	23	5
T81.6	11	11	11	T85.4	2	2	2	T90.4	-	5	-
T81.7	1,275	1,275	1,275	T85.5	39	39	39	T90.5	530	530	530
T81.8	2,429	2,429	2,429					T90.8	10	10	10
								T90.9	638	10	638

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis	UC	Total mention	Second-ary
Record count by code field												
T91.0	...	112	112	T97	...	57	57	57	V09.0	149	152	152
T91.1	...	163	163	T98.0	...	11	11	11	V09.1	192	193	3 193
T91.2	...	46	46	T98.1	...	129	129	129	V09.2	1,835	1,848	1 1,848
T91.3	...	709	709	T98.2	...	12	12	12	V09.3	54	54	13 54
Number of resident deaths tabulated by mention of 952 underlying cause 952 record 952 multiple cause V09.9												
Entity axis multiple cause 05 death by ICD-10 category: United States, 2005 - - -												
T91.8	...	66	66	U01.1	-	-	-	-	V10.0	-	-	-
T91.9	...	199	199	U01.2	-	-	-	-	V10.1	-	-	-
T92.0	...	7	7	U01.3	-	-	-	-	V10.2	2	2	2
T92.1	...	24	24	U01.4	-	-	-	-	V10.3	-	-	-
Multiple Cause of Death Public Use File												
T92.2	...	2	2	U01.5	-	-	-	-	V10.4	-	-	-
T92.3	...	1	1	U01.6	-	-	-	-	V10.5	-	-	-
T92.4	...	1	1	U01.7	-	-	-	-	V10.9	-	1	1
T92.5	...	1	1	U01.8	-	-	-	-	V11.0	-	-	1 -
T92.6	...	-	-	U01.9	-	-	-	-	V11.1	-	-	-
T92.8	...	3	3	U02	-	-	-	-	V11.2	1	1	1
Control Total Table 1												
T92.9	...	2	2	U03.0	-	-	-	-	V11.3	-	-	-
T93.0	...	22	22	U03.9	-	-	-	-	V11.4	3	3	3
T93.1	...	388	388	V01.0	2	2	-	2	V11.5	-	-	-
T93.2	...	28	28	V01.1	5	5	-	5	V11.9	3	3	3
T93.3	...	7	7	V01.9	-	-	-	-	V12.0	-	-	-
T93.4	...	-	-	V02.0	6	6	-	6	V12.1	-	-	-
T93.5	...	1	1	V02.1	39	39	-	39	V12.2	-	-	-
T93.6	...	1	1	V02.9	4	4	-	4	V12.3	-	-	-
T93.8	...	4	4	V03.0	241	247	6	247	V12.4	3	3	3
T93.9	...	20	20	V03.1	2,728	2,744	16	2,744	V12.5	-	-	-
T94.0	...	102	102	V03.9	17	17	-	17	V12.9	3	3	3
T94.1	...	587	587	V04.0	48	48	-	48	V13.0	1	1	1
T95.0	...	1	1	V04.1	280	281	1	281	V13.1	7	7	7
T95.1	...	-	-	V04.9	14	14	-	14	V13.2	1	1	1
T95.2	...	-	-	V05.0	120	120	-	120	V13.3	-	-	-
T95.3	...	1	1	V05.1	73	74	1	74	V13.4	215	216	216
T95.4	...	-	-	V05.9	213	214	1	214	V13.5	6	6	6
T95.8	...	3	3	V06.0	4	4	-	4	V13.9	219	219	219
T95.9	...	23	23	V06.1	2	2	-	2	V14.0	-	-	1 -
T96	...	101	101	V06.9	3	4	1	4	V14.1	-	-	-
									V14.2	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
V14.3	-	-	-	V19.4	105	105	-	105	V24.3	-	-	-		
V14.4	25	25	-	25	V19.5	6	6	-	6	V24.4	93	93	-	93
V14.5	1	1	-	1	V19.6	87	87	-	87	V24.5	6	6	-	6
V14.9	30	31	1	31	V19.8	2	3	1	3	V24.9	15	15	-	15
Number of resident deaths tabulated by mention of 1st underlying cause, 7th record axis multiple cause														
05. Entity axis multiple cause of death by ICD-10 category: United States, 2005														
V15.2	-	-	-	-	V20.1	1	1	-	1	V25.1	2	2	-	2
V15.3	-	-	-	-	V20.2	1	1	-	1	V25.2	-	-	-	-
V15.4	4	4	-	4	V20.3	-	-	-	-	V25.3	-	-	-	-
V15.5	-	-	-	-	V20.4	45	45	-	45	V25.4	3	3	-	3
Multiple Cause of Death Public Use File														
V15.9	8	8	-	8	V20.5	6	6	-	6	V25.5	-	-	-	-
V16.0	-	-	-	-	V20.9	14	14	-	14	V25.9	-	-	-	-
V16.1	-	-	-	-	V21.0	-	-	-	-	V26.0	-	-	-	-
V16.2	-	-	-	-	V21.1	-	-	-	-	V26.1	-	-	-	-
V16.3	-	-	-	-	V21.2	-	-	-	-	V26.2	-	-	-	-
V16.4	-	-	-	-	V21.3	-	-	-	-	V26.3	-	-	-	-
Control Total Table 1														
V16.5	-	-	-	-	V21.4	-	-	-	-	V26.4	7	7	-	7
V16.9	2	2	-	2	V21.5	-	-	-	-	V26.5	-	-	-	-
V17.0	3	3	-	3	V21.9	-	-	-	-	V26.9	1	1	-	1
V17.1	-	-	-	-	V22.0	3	3	-	3	V27.0	11	11	-	11
V17.2	2	2	-	2	V22.1	1	1	-	1	V27.1	-	-	-	-
V17.3	-	-	-	-	V22.2	2	2	-	2	V27.2	7	8	-	8
V17.4	8	9	1	9	V22.3	-	-	-	-	V27.3	1	1	1	1
V17.5	-	-	-	-	V22.4	30	30	-	30	V27.4	658	659	-	659
V17.9	6	6	-	6	V22.5	4	4	-	4	V27.5	47	47	1	47
V18.0	4	5	1	5	V22.9	11	11	-	11	V27.9	109	110	-	110
V18.1	-	-	-	-	V23.0	2	2	-	2	V28.0	26	26	1	26
V18.2	12	12	-	12	V23.1	-	-	-	-	V28.1	1	1	-	1
V18.3	-	-	-	-	V23.2	1	1	-	1	V28.2	5	5	-	5
V18.4	18	19	1	19	V23.3	-	-	-	-	V28.3	-	-	-	-
V18.5	-	-	-	-	V23.4	1,028	1,030	3	1,030	V28.4	458	460	-	460
V18.9	51	51	-	51	V23.5	95	96	1	96	V28.5	63	63	2	63
V19.0	1	1	-	1	V23.9	120	121	1	121	V28.9	81	81	-	81
V19.1	2	2	-	2	V24.0	-	-	-	-	V29.0	10	10	-	10
V19.2	2	2	-	2	V24.1	-	-	-	-	V29.1	1	1	-	1
V19.3	5	6	1	6	V24.2	-	-	-	-	V29.2	1	1	-	1
										V29.3	15	15	-	15

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
V29.4	465	465	-	465	V33.4	-	-	-	-	V37.4	-	-	-	-
V29.5	41	42	1	42	V33.5	-	-	-	-	V37.5	-	-	-	-
V29.6	62	63	1	63	V33.6	-	-	-	-	V37.6	-	-	-	-
V29.8	10	10	-	10	V33.7	-	-	-	-	V37.7	-	-	-	-
Number of resident deaths tabulated by age, sex, race, and underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
V30.1	-	-	-	-	V34.1	-	-	-	-	V38.0	-	-	-	-
V30.2	-	-	-	-	V34.2	-	-	-	-	V38.1	-	-	-	-
V30.3	-	-	-	-	V34.3	-	-	-	-	V38.2	-	-	-	-
V30.4	-	-	-	-	V34.4	-	-	-	-	V38.3	-	-	-	-
Multiple Cause of Death Public Use File														
V30.5	-	-	-	-	V34.5	-	-	-	-	V38.4	-	-	-	-
V30.6	-	-	-	-	V34.6	-	-	-	-	V38.5	1	1	-	1
V30.7	-	-	-	-	V34.7	-	-	-	-	V38.6	-	-	-	-
V30.9	-	-	-	-	V34.9	-	-	-	-	V38.7	-	-	-	-
V31.0	-	-	-	-	V35.0	-	-	-	-	V38.9	2	2	-	2
V31.1	-	-	-	-	V35.1	-	-	-	-	V39.0	-	-	-	-
Control Total Table 1														
V31.2	-	-	-	-	V35.2	-	-	-	-	V39.1	-	-	-	-
V31.3	-	-	-	-	V35.3	-	-	-	-	V39.2	-	-	-	-
V31.4	-	-	-	-	V35.4	-	-	-	-	V39.3	-	-	-	-
V31.5	-	-	-	-	V35.5	-	-	-	-	V39.4	1	2	-	2
V31.6	-	-	-	-	V35.6	-	-	-	-	V39.5	-	-	1	-
V31.7	-	-	-	-	V35.7	-	-	-	-	V39.6	-	-	-	-
V31.9	-	-	-	-	V35.9	-	-	-	-	V39.8	1	1	-	1
V32.0	-	-	-	-	V36.0	-	-	-	-	V39.9	-	-	-	-
V32.1	-	-	-	-	V36.1	-	-	-	-	V40.0	-	-	-	-
V32.2	-	-	-	-	V36.2	-	-	-	-	V40.1	-	-	-	-
V32.3	-	-	-	-	V36.3	-	-	-	-	V40.2	-	-	-	-
V32.4	-	-	-	-	V36.4	-	-	-	-	V40.3	-	-	-	-
V32.5	-	-	-	-	V36.5	-	-	-	-	V40.4	-	-	-	-
V32.6	-	-	-	-	V36.6	-	-	-	-	V40.5	21	21	-	21
V32.7	-	-	-	-	V36.7	-	-	-	-	V40.6	10	10	-	10
V32.9	-	-	-	-	V36.9	-	-	-	-	V40.7	1	1	-	1
V33.0	-	-	-	-	V37.0	-	-	-	-	V40.9	2	2	-	2
V33.1	-	-	-	-	V37.1	-	-	-	-	V41.0	-	-	-	-
V33.2	-	-	-	-	V37.2	-	-	-	-	V41.1	-	-	-	-
V33.3	-	-	-	-	V37.3	-	-	-	-	V41.2	-	-	-	-
										V41.3	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis		UC	Total	Second-ary	Entity axis	
Record count by code field														
V41.4	-	-	-	V45.4	-	-	-	-	V49.4	568	574	-	574	
V41.5	-	-	-	V45.5	63	61	-	61	V49.5	433	440	6	440	
V41.6	-	-	-	V45.6	19	19	-	19	V49.6	163	165	7	165	
V41.7	-	-	-	V45.7	-	-	-	-	V49.8	20	20	2	20	
Number of resident deaths tabulated by mention of 409 underlying cause, 12 record axis multiple cause														
V42.0	-	-	-	Category: United States, 2005				-	-	V49.9	1,565	1,621	-	1,621
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
V42.1	-	-	-	V46.1	-	-	-	-	V50.0	-	-	56	-	
V42.2	-	-	-	V46.2	-	-	-	-	V50.1	-	-	-	-	
V42.3	-	-	-	V46.3	1	1	-	1	V50.2	-	-	-	-	
V42.4	-	-	-	V46.4	-	-	-	-	V50.3	-	-	-	-	
Multiple Cause of Death Public Use File														
V42.5	15	16	1	V46.5	6	6	-	6	V50.4	-	-	-	-	
V42.6	4	4	-	V46.6	1	1	-	1	V50.5	2	2	-	2	
V42.7	1	1	1	V46.7	1	1	-	1	V50.6	-	-	-	-	
V42.9	8	8	-	V46.9	-	-	-	-	V50.7	-	-	-	-	
V43.0	1	2	1	V47.0	20	21	1	21	V50.9	-	-	-	-	
V43.1	2	2	-	V47.1	9	9	-	9	V51.0	-	-	-	-	
Control Total, Table 1														
V43.2	1	1	-	V47.2	2	2	-	2	V51.1	-	-	-	-	
V43.3	2	2	-	V47.3	7	7	-	7	V51.2	-	-	-	-	
V43.4	3	3	-	V47.4	2	3	1	3	V51.3	-	-	-	-	
V43.5	2,839	2,873	34	V47.5	2,147	2,183	36	2,183	V51.4	-	-	-	-	
V43.6	1,398	1,411	13	V47.6	822	828	6	828	V51.5	-	-	-	-	
V43.7	1	1	-	V47.7	1	1	-	1	V51.6	-	-	-	-	
V43.9	349	359	10	V47.9	258	260	2	260	V51.7	-	-	-	-	
V44.0	-	-	-	V48.0	19	19	-	19	V51.9	-	-	-	-	
V44.1	1	1	-	V48.1	6	6	-	6	V52.0	-	-	-	-	
V44.2	-	-	-	V48.2	-	-	-	-	V52.1	-	-	-	-	
V44.3	-	-	-	V48.3	8	8	-	8	V52.2	-	-	-	-	
V44.4	2	2	-	V48.4	16	18	2	18	V52.3	-	-	-	-	
V44.5	742	749	7	V48.5	1,541	1,550	9	1,550	V52.4	-	-	-	-	
V44.6	261	266	5	V48.6	789	792	3	792	V52.5	-	-	-	-	
V44.7	-	-	-	V48.7	7	7	-	7	V52.6	1	1	-	1	
V44.9	82	83	1	V48.9	304	309	5	309	V52.7	-	-	-	-	
V45.0	2	2	-	V49.0	3	3	-	3	V52.9	1	1	-	1	
V45.1	3	3	-	V49.1	3	3	-	3	V53.0	-	-	-	-	
V45.2	-	-	-	V49.2	3	4	1	4	V53.1	-	-	-	-	
V45.3	-	-	-	V49.3	13	13	-	13	V53.2	-	-	-	-	
									V53.3	-	-	-	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
V53.4	2	2	-	2	V57.4	-	-	-	-	V61.4	-	-	-	-
V53.5	609	617	8	617	V57.5	681	689	8	689	V61.5	-	-	-	-
V53.6	241	243	2	243	V57.6	181	182	1	182	V61.6	-	-	-	-
V53.7	-	-	-	-	V57.7	-	-	-	-	V61.7	-	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause														
Entity axis multiple cause of death by ICD-10 category: United States, 2005														
V54.1	-	-	-	-	V58.1	16	16	-	16	V62.0	-	-	-	-
V54.2	-	-	-	-	V58.2	4	4	-	4	V62.1	-	-	-	-
V54.3	-	-	-	-	V58.3	10	11	1	11	V62.2	-	-	-	-
V54.4	-	-	-	-	V58.4	1	1	-	1	V62.3	-	-	-	-
Multiple Cause of Death Public Use Files														
V54.5	295	298	3	298	V58.5	659	665	6	665	V62.4	-	-	-	-
V54.6	116	116	-	116	V58.6	299	303	4	303	V62.5	1	1	-	1
V54.7	-	-	-	-	V58.7	3	3	-	3	V62.6	-	-	-	-
V54.9	27	27	-	27	V58.9	133	134	1	134	V62.7	-	-	-	-
V55.0	6	6	-	6	V59.0	1	1	-	1	V62.9	-	-	-	-
V55.1	1	1	-	1	V59.1	-	-	-	-	V63.0	-	-	-	-
Control Total Table 1														
V55.2	-	-	-	-	V59.2	-	-	-	-	V63.1	-	-	-	-
V55.3	2	2	-	2	V59.3	5	5	-	5	V63.2	-	-	-	-
V55.4	-	-	-	-	V59.4	101	104	3	104	V63.3	-	-	-	-
V55.5	21	21	-	21	V59.5	76	77	1	77	V63.4	1	1	-	1
V55.6	16	16	-	16	V59.6	21	21	-	21	V63.5	30	30	-	30
V55.7	-	-	-	-	V59.8	13	13	-	13	V63.6	5	5	-	5
V55.9	4	4	-	4	V59.9	133	137	4	137	V63.7	-	-	-	-
V56.0	-	-	-	-	V60.0	-	-	-	-	V63.9	2	2	-	2
V56.1	-	-	-	-	V60.1	1	1	-	1	V64.0	-	-	-	-
V56.2	-	-	-	-	V60.2	-	-	-	-	V64.1	-	-	-	-
V56.3	-	-	-	-	V60.3	-	-	-	-	V64.2	-	-	-	-
V56.4	-	-	-	-	V60.4	1	1	-	1	V64.3	-	-	-	-
V56.5	1	1	-	1	V60.5	1	1	-	1	V64.4	1	1	-	1
V56.6	-	-	-	-	V60.6	1	1	-	1	V64.5	60	61	-	61
V56.7	-	-	-	-	V60.7	-	-	-	-	V64.6	11	11	1	11
V56.9	1	-	-	-	V60.9	1	1	-	1	V64.7	1	1	-	1
V57.0	8	8	-	8	V61.0	-	-	-	-	V64.9	11	11	-	11
V57.1	7	7	-	7	V61.1	-	-	-	-	V65.0	1	1	-	1
V57.2	-	-	-	-	V61.2	-	-	-	-	V65.1	-	-	-	-
V57.3	-	-	-	-	V61.3	-	-	-	-	V65.2	-	-	-	-
										V65.3	1	1	-	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary		Entity axis			
Record count by code field																	
V65.4	-	-	-	V69.4	20	20	-	20	V73.4	-	-	-	-	-	-	-	
V65.5	17	18	1	18	V69.5	5	5	-	5	V73.5	3	3	-	-	3	3	
V65.6	3	3	-	3	V69.6	4	5	1	5	V73.6	3	3	-	-	3	3	
V65.7	-	-	-	-	V69.8	5	5	-	5	V73.7	-	-	-	-	-	-	
Number of resident deaths tabulated by mention of 1 primary underlying cause, 3 record axis multiple cause																	
Entity axis multiple cause of death by ICD-10 category: United States, 2005																	
V66.1	-	-	-	-	V70.1	-	-	-	-	V74.0	-	-	-	-	-	-	
V66.2	-	-	-	-	V70.2	-	-	-	-	V74.1	-	-	-	-	-	-	
V66.3	-	-	-	-	V70.3	-	-	-	-	V74.2	-	-	-	-	-	-	
V66.4	-	-	-	-	V70.4	-	-	-	-	V74.3	-	-	-	-	-	-	
Multiple Cause of Death Public Use File																	
V66.5	-	-	-	-	V70.5	-	-	-	-	V74.4	-	-	-	-	-	-	
V66.6	-	-	-	-	V70.6	-	-	-	-	V74.5	2	2	-	-	2	2	
V66.7	-	-	-	-	V70.7	-	-	-	-	V74.6	7	7	-	-	7	7	
V66.9	-	-	-	-	V70.9	-	-	-	-	V74.7	-	-	-	-	-	-	
V67.0	1	1	-	1	V71.0	-	-	-	-	V74.9	-	-	-	-	-	-	
V67.1	-	-	-	-	V71.1	-	-	-	-	V75.0	-	-	-	-	-	-	
Control Total Table 1																	
V67.2	-	-	-	-	V71.2	-	-	-	-	V75.1	-	-	-	-	-	-	
V67.3	-	-	-	-	V71.3	-	-	-	-	V75.2	-	-	-	-	-	-	
V67.4	-	-	-	-	V71.4	-	-	-	-	V75.3	-	-	-	-	-	-	
V67.5	64	64	-	64	V71.5	-	-	-	-	V75.4	-	-	-	-	-	-	
V67.6	4	4	-	4	V71.6	-	-	-	-	V75.5	-	-	-	-	-	-	
V67.7	-	-	-	-	V71.7	-	-	-	-	V75.6	-	-	-	-	-	-	
V67.9	6	7	1	7	V71.9	-	-	-	-	V75.7	-	-	-	-	-	-	
V68.0	3	3	-	3	V72.0	-	-	-	-	V75.9	-	-	-	-	-	-	
V68.1	-	-	-	-	V72.1	-	-	-	-	V76.0	-	-	-	-	-	-	
V68.2	1	1	-	1	V72.2	-	-	-	-	V76.1	-	-	-	-	-	-	
V68.3	1	1	-	1	V72.3	-	-	-	-	V76.2	-	-	-	-	-	-	
V68.4	2	2	-	2	V72.4	-	-	-	-	V76.3	-	-	-	-	-	-	
V68.5	115	116	1	116	V72.5	-	-	-	-	V76.4	-	-	-	-	-	-	
V68.6	12	12	-	12	V72.6	-	-	-	-	V76.5	-	-	-	-	-	-	
V68.7	-	-	-	-	V72.7	-	-	-	-	V76.6	-	-	-	-	-	-	
V68.9	23	24	1	24	V72.9	-	-	-	-	V76.7	-	-	-	-	-	-	
V69.0	-	-	-	-	V73.0	-	-	-	-	V76.9	-	-	-	-	-	-	
V69.1	-	-	-	-	V73.1	-	-	-	-	V77.0	1	1	-	-	1	1	
V69.2	1	2	1	2	V73.2	-	-	-	-	V77.1	-	-	-	-	-	-	
V69.3	3	3	-	3	V73.3	-	-	-	-	V77.2	-	-	-	-	-	-	
										V77.3	-	-	-	-	-	-	

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	
Record count by code field														
V77.4	-	-	-	V81.3	-	-	-	-	V85.1	1	1	-	1	
V77.5	2	2	-	V81.4	2	2	-	2	V85.2	-	-	-	-	
V77.6	-	-	-	V81.5	3	3	-	3	V85.3	1	1	-	1	
V77.7	-	-	-	V81.6	4	4	-	4	V85.4	-	-	-	-	
Number of resident deaths tabulated by mention of 1st underlying cause, record axis multiple cause														
V78.0	-	-	-	Category: United States, 2005				-	2	V85.5	6	6	-	6
V78.1	-	-	-	V81.9	16	16	-	16	V85.6	-	-	-	-	
V78.2	1	1	-	V82.0	-	-	-	-	V85.7	4	4	-	4	
V78.3	1	2	1	V82.1	-	-	-	-	V85.9	9	9	-	9	
V78.4	2	2	2	V82.2	-	-	-	-	V86.0	229	230	-	230	
Multiple Cause of Death Public Use File														
V78.5	-	-	-	V82.3	-	-	-	-	V86.1	35	35	1	35	
V78.6	7	7	-	V82.4	-	-	-	-	V86.2	3	3	-	3	
V78.7	-	-	-	V82.5	-	-	-	-	V86.3	97	100	-	100	
V78.9	-	-	-	V82.6	-	-	-	-	V86.4	-	-	3	-	
V79.0	-	-	-	V82.7	-	-	-	-	V86.5	311	313	-	313	
V79.1	-	-	-	V82.8	-	-	-	-	V86.6	38	38	2	38	
Control Total Table 1														
V79.2	-	-	-	V82.9	-	-	-	-	V86.7	6	6	-	6	
V79.3	-	-	-	V83.0	3	3	-	3	V86.9	321	328	-	328	
V79.4	-	-	-	V83.1	2	2	-	2	V87.0	85	85	7	85	
V79.5	1	1	-	V83.2	-	-	-	-	V87.1	45	45	-	45	
V79.6	-	-	-	V83.3	-	-	-	-	V87.2	100	101	-	101	
V79.8	25	26	1	V83.4	1	1	-	1	V87.3	2	2	1	2	
V79.9	3	4	1	V83.5	5	5	-	5	V87.4	59	59	-	59	
V80.0	90	91	1	V83.6	1	1	-	1	V87.5	4	4	-	4	
V80.1	1	1	-	V83.7	-	-	-	-	V87.6	14	14	-	14	
V80.2	-	-	-	V83.9	7	7	-	7	V87.7	3,952	4,012	-	4,012	
V80.3	-	-	-	V84.0	26	28	2	28	V87.8	67	67	60	67	
V80.4	4	4	-	V84.1	-	-	-	-	V87.9	3	3	-	3	
V80.5	3	3	-	V84.2	-	-	-	-	V88.0	-	-	-	-	
V80.6	-	-	-	V84.3	12	12	-	12	V88.1	1	1	-	1	
V80.7	-	-	-	V84.4	-	-	-	-	V88.2	-	-	-	-	
V80.8	1	1	-	V84.5	19	20	1	20	V88.3	-	-	-	-	
V80.9	21	21	-	V84.6	1	1	-	1	V88.4	-	-	-	-	
V81.0	1	1	-	V84.7	8	8	-	8	V88.5	-	-	-	-	
V81.1	5	5	-	V84.9	88	92	4	92	V88.6	-	-	-	-	
V81.2	-	-	-	V85.0	12	16	4	16	V88.7	18	18	-	18	
									V88.8	5	6	-	6	

ICD-10 code	Record axis			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Total	Second-ary	Entity axis		UC	Total	Second-ary		Entity axis	UC	Total	Second-ary	Entity axis	
Record count by code field														
W33	104	106	2	106	W77	50	50	-	50	X19	9	10	-	10
W34	578	621	43	621	W78	333	1,207	874	1,207	X20	7	7	1	7
W35	3	4	1	4	W79	864	1,425	561	1,425	X21	10	17	-	17
W36	7	7	-	7	W80	3,189	19,338	16,149	19,338	X22	-	-	7	-
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause														
W38	10	10	-	10	W81	235	205	20	255	X23	82	83	-	83
W39	4	4	-	4	W82	368	413	46	413	X24	-	-	1	-
W40	147	153	6	153	W84	105	105	-	105	X25	6	6	-	6
W41	-	-	-	-	W85	105	105	-	105	X26	-	-	-	-
W42	-	-	-	-	W86	118	119	1	119	X27	-	-	-	-
W43	-	-	-	-	W87	175	179	4	179	X28	-	-	-	-
Multiple Cause of Death Public Use File					W88	-	-	-	-	X29	-	-	-	-
W44	32	39	7	39	W89	-	-	-	-	X30	466	639	173	639
W45	5	6	1	6	W90	-	-	-	-	X31	700	1,165	465	1,165
W49	45	56	11	56	W91	-	-	-	-	X32	1	1	-	1
W50	16	17	1	17	W92	11	13	2	13	X33	48	49	-	49
W51	10	11	1	11	W93	2	2	-	2	X34	-	-	1	-
Control Total Table 1					W94	9	16	7	16	X35	-	-	-	-
W52	-	-	-	-	W99	-	-	-	-	X36	37	37	-	37
W53	-	1	1	1	X00	2,617	2,661	44	2,661	X37	874	1,185	311	1,185
W54	33	35	2	35	X01	52	54	2	54	X38	12	13	-	13
W55	80	84	4	84	X02	28	30	2	30	X39	41	80	1	80
W56	2	2	-	2	X03	33	35	2	35	X40	226	269	39	269
W57	9	16	7	16	X04	63	67	4	67	X41	1,496	1,930	43	1,930
W58	1	1	-	1	X05	6	6	-	6	X42	11,050	12,396	1,347	12,396
W59	-	-	-	-	X06	97	99	2	99	X43	23	32	-	32
W60	1	1	-	1	X08	44	52	8	52	X44	9,653	10,884	1,232	10,884
W64	9	10	1	10	X09	257	345	88	345	X45	346	1,990	1,644	1,990
W65	315	359	44	359	X10	6	8	2	8	X46	61	69	-	69
W66	29	33	4	33	X11	43	47	4	47	X47	642	691	8	691
W67	511	522	11	522	X12	19	19	-	19	X48	7	11	49	11
W68	96	99	3	99	X13	-	-	-	-	X49	114	223	109	223
W69	1,324	1,349	25	1,349	X14	2	3	1	3	X50	11	27	-	27
W70	279	287	8	287	X15	5	8	3	8	X51	-	2	16	2
W73	199	203	4	203	X16	14	21	7	21	X52	-	2	2	2
W74	829	879	51	879	X17	3	3	-	3	X53	17	33	2	33
W75	573	604	31	604	X18	1	1	-	1	X54	2	3	16	3
W76	274	277	3	277										

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
Y40.3	-	-	-	Y44.2	29	1,541	1,512	1,541	Y48.4	7	36	-	36
Y40.4	-	1	1	Y44.3	4	43	39	43	Y48.5	-	1	29	1
Y40.5	-	5	5	Y44.4	-	3	3	3	Y49.0	1	3	1	3
Y40.6	-	1	1	Y44.5	3	91	88	91	Y49.1	-	-	2	-
Number of resident deaths tabulated by mention of underlying cause, second axis multiple cause													
Entity axis multiple cause death by ICD-10 category: United States, 2005													
Y40.8	5	154	149	154	Y44.9	-	1	1	Y49.3	-	3	6	3
Y40.9	-	2	2	2	Y45.0	19	61	42	61	Y49.4	2	5	3
Y41.0	-	2	2	2	Y45.1	2	21	19	21	Y49.5	4	23	3
Y41.1	-	-	-	-	Y45.2	1	7	6	7	Y49.6	-	-	19
Y41.2	1	1	-	1	Y45.3	4	53	49	53	Y49.7	-	3	-
Multiple Cause of Death Public Use File													
Y41.3	-	-	-	-	Y45.4	-	3	3	3	Y49.8	1	1	3
Y41.4	1	1	-	1	Y45.5	-	8	8	8	Y49.9	1	2	-
Y41.5	-	2	2	2	Y45.8	2	17	15	17	Y50.0	-	-	1
Y41.8	-	7	7	7	Y45.9	-	10	10	10	Y50.1	-	-	-
Y41.9	1	1	-	1	Y46.0	-	-	-	-	Y50.2	-	-	-
Y42.0	2	34	32	34	Y46.1	-	-	-	-	Y50.8	-	-	-
Control Total Table 1													
Y42.1	-	-	-	-	Y46.2	5	14	9	14	Y50.9	-	2	-
Y42.2	-	15	15	15	Y46.3	-	-	-	-	Y51.0	-	1	2
Y42.3	6	36	30	36	Y46.4	-	-	-	-	Y51.1	-	-	1
Y42.4	-	2	2	2	Y46.5	-	1	1	1	Y51.2	-	1	-
Y42.5	-	-	-	-	Y46.6	-	-	-	-	Y51.3	1	1	1
Y42.6	-	1	1	1	Y46.7	-	3	3	3	Y51.4	-	-	-
Y42.7	11	296	285	296	Y46.8	-	-	-	-	Y51.5	-	-	-
Y42.8	1	7	6	7	Y47.0	1	1	-	1	Y51.6	-	-	-
Y42.9	-	-	-	-	Y47.1	1	6	5	6	Y51.7	-	2	-
Y43.0	-	2	2	2	Y47.2	-	-	-	-	Y51.8	-	1	2
Y43.1	-	37	37	37	Y47.3	-	-	-	-	Y51.9	-	2	1
Y43.2	-	1	1	1	Y47.4	-	-	-	-	Y52.0	1	13	2
Y43.3	15	1,321	1,307	1,321	Y47.5	-	-	-	-	Y52.1	-	2	12
Y43.4	16	617	601	617	Y47.8	-	-	-	-	Y52.2	4	54	2
Y43.5	-	1	1	1	Y47.9	-	3	3	3	Y52.3	-	-	50
Y43.6	1	1	-	1	Y48.0	-	1	1	1	Y52.4	2	9	-
Y43.8	-	-	-	-	Y48.1	-	2	2	2	Y52.5	-	6	7
Y43.9	1	2	1	2	Y48.2	1	7	6	7	Y52.6	2	7	6
Y44.0	-	2	2	2	Y48.3	5	14	9	14	Y52.7	-	1	5
Y44.1	-	1	1	1						Y52.8	-	-	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis
Record count by code field													
Y52.9	-	3	3	Y56.7	-	-	-	-	Y60.8	23	93	-	93
Y53.0	-	-	-	Y56.8	-	-	-	-	Y60.9	13	27	70	27
Y53.1	-	1	1	Y56.9	-	-	-	-	Y61.0	-	2	14	2
Y53.2	-	-	-	Y57.0	-	-	-	-	Y61.1	-	1	2	1
Number of resident deaths tabulated by mention of 570 underlying cause, record axis multiple cause													
Y53.4	-	-	-	Y57.1	-	-	-	-	Y61.2	1	2	1	2
Entity axis multiple cause of death by ICD-10 category: United States, 2005													
Y53.5	-	-	-	Y57.3	-	-	-	-	Y61.3	-	-	1	-
Y53.6	-	-	-	Y57.4	-	-	-	-	Y61.4	1	2	-	2
Y53.7	-	-	-	Y57.5	13	55	42	55	Y61.5	-	-	1	-
Y53.8	-	-	-	Y57.6	-	1	1	1	Y61.6	1	1	-	1
Multiple Cause of Death Public Use File													
Y53.9	-	-	-	Y57.7	-	-	-	-	Y61.7	-	-	-	-
Y54.0	-	-	-	Y57.8	-	18	18	18	Y61.8	-	2	-	2
Y54.1	-	1	1	Y57.9	141	401	260	401	Y61.9	-	3	2	3
Y54.2	-	-	-	Y58.0	-	1	1	1	Y62.0	-	-	3	-
Y54.3	-	1	1	Y58.1	-	-	-	-	Y62.1	-	-	-	-
Y54.4	-	-	-	Y58.2	-	-	-	-	Y62.2	-	-	-	-
Control Total, Table 1													
Y54.5	1	8	7	Y58.3	-	-	-	-	Y62.3	-	-	-	-
Y54.6	-	2	2	Y58.4	-	-	-	-	Y62.4	-	-	-	-
Y54.7	-	-	-	Y58.5	-	-	-	-	Y62.5	-	-	-	-
Y54.8	2	6	4	Y58.6	-	-	-	-	Y62.6	-	-	-	-
Y54.9	-	-	-	Y58.7	-	-	-	-	Y62.7	-	-	-	-
Y55.0	-	-	-	Y58.8	-	-	-	-	Y62.8	1	1	-	1
Y55.1	1	1	-	Y58.9	-	-	-	-	Y62.9	-	-	-	-
Y55.2	-	2	2	Y59.0	2	4	2	4	Y63.0	-	-	-	-
Y55.3	-	-	-	Y59.1	-	-	-	-	Y63.1	-	-	-	-
Y55.4	-	1	1	Y59.2	-	-	-	-	Y63.2	-	4	-	4
Y55.5	-	-	-	Y59.3	-	1	1	1	Y63.3	-	-	4	-
Y55.6	-	2	2	Y59.4	-	-	-	-	Y63.4	-	1	-	1
Y55.7	-	-	-	Y59.5	-	-	-	-	Y63.5	-	-	1	-
Y56.0	2	4	2	Y59.6	-	1	1	1	Y63.6	-	-	-	-
Y56.1	-	-	-	Y60.0	28	220	192	220	Y63.7	-	-	-	-
Y56.2	-	-	-	Y60.1	1	8	7	8	Y63.8	-	2	-	2
Y56.3	-	-	-	Y60.2	3	21	18	21	Y63.9	2	2	2	2
Y56.4	1	3	2	Y60.3	1	2	1	2	Y64.0	1	28	-	28
Y56.5	-	-	-	Y60.4	16	53	37	53	Y64.1	-	-	27	-
Y56.6	-	-	-	Y60.5	6	25	19	25	Y64.2	-	-	-	-
				Y60.6	11	45	34	45	Y64.3	-	-	-	-
				Y60.7	1	2	1	2	Y64.4	-	1	-	1
									Y64.5	1	1	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				ICD-10 code	Record axis			Record count by code field			
	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis		UC	Total mention	Second-ary	Entity axis	UC	Total mention	Second-ary
Record count by code field																
Y65.2	-	-	-	Y75.8	-	-	-	-	Y83.0	53	1,486	1,433	1,486			
Y65.3	-	4	4	Y76.0	-	-	-	-	Y83.1	303	2,979	2,676	2,979			
Y65.4	1	2	1	Y76.1	-	-	-	-	Y83.2	164	3,572	3,408	3,572			
Y65.5	-	-	-	Y76.2	-	-	-	-	Y83.3	97	539	442	539			
Number of resident deaths tabulated by mention of 760 underlying cause, record axis multiple cause																
Y66 entity axis multiple cause of death by ICD-10 category: United States, 2005																
Y69	5	11	6	Y77.0	-	-	-	-	Y83.5	120	517	397	517			
Y70.0	-	1	1	Y77.1	-	-	-	-	Y83.6	116	2,324	2,208	2,324			
Y70.1	-	-	-	Y77.2	-	-	-	-	Y83.8	91	891	800	891			
Y70.2	-	-	-	Y77.3	-	-	-	-	Y83.9	546	3,586	3,040	3,586			
Multiple Cause of Death Public Use File																
Y70.3	-	-	-	Y77.8	-	-	-	-	Y84.0	14	104	90	104			
Y70.8	-	-	-	Y78.0	-	-	-	-	Y84.1	42	478	436	478			
Y71.0	-	-	-	Y78.1	-	-	-	-	Y84.2	14	1,107	1,093	1,107			
Y71.1	-	-	-	Y78.2	-	-	-	-	Y84.3	-	1	1	1			
Y71.2	1	1	-	Y78.3	-	-	-	-	Y84.4	9	35	1	35			
Y71.3	-	-	-	Y78.8	-	-	-	-	Y84.5	-	1	26	1			
Control Total Table 1																
Y71.8	-	-	-	Y79.0	-	-	-	-	Y84.6	66	375	309	375			
Y72.0	-	-	-	Y79.1	-	-	-	-	Y84.7	1	1	1	1			
Y72.1	-	-	-	Y79.2	-	-	-	-	Y84.8	307	2,087	1,781	2,087			
Y72.2	-	-	-	Y79.3	-	-	-	-	Y84.9	9	48	48	48			
Y72.3	-	-	-	Y79.8	-	-	-	-	Y85.0	707	845	39	845			
Y72.8	-	-	-	Y80.0	-	-	-	-	Y85.9	17	20	138	20			
Y73.0	-	-	-	Y80.1	1	1	-	1	Y86	967	1,884	917	1,884			
Y73.1	-	-	-	Y80.2	-	-	-	-	Y87.0	78	86	86	86			
Y73.2	-	-	-	Y80.3	-	-	-	-	Y87.1	237	254	8	254			
Y73.3	-	-	-	Y80.8	-	-	-	-	Y87.2	30	44	17	44			
Y73.8	-	1	1	Y81.0	-	-	-	-	Y88.0	7	49	14	49			
Y74.0	-	-	-	Y81.1	-	-	-	-	Y88.1	2	21	42	21			
Y74.1	-	-	-	Y81.2	-	-	-	-	Y88.2	-	-	19	-			
Y74.2	-	-	-	Y81.3	-	-	-	-	Y88.3	102	1,178	1,076	1,178			
Y74.3	-	-	-	Y81.8	1	4	3	4	Y89.0	5	5	-	5			
Y74.8	-	-	-	Y82.0	1	1	-	1	Y89.1	15	46	-	46			
Y75.0	-	-	-	Y82.1	-	-	-	-	Y89.9	3	8	31	8			
Y75.1	-	-	-	Y82.2	-	-	-	-				5				
Y75.2	-	-	-	Y82.3	1	1	-	1								
Y75.3	-	-	-	Y82.8	1	5	4	5								

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005													
A01-A02.....	47	2	-	-	1	2	3	4	8	4	14	-	-
A03,A06.....	14	-	1	2	-	1	-	2	3	2	2	-	-
A04-A07.....	119,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008	11,008
A04-A07 categories based on 119,008 use list, supplemented by relevant nature of injury category groupings	1471	1,341	3,316	3,538	1	-	-	-	-	-	-	-	-
A16-A19.....	1,256	2	4	2	21	33	73	161	180	228	333	1,538	-
A16.....	1,008	2	2	1	12	24	58	132	140	177	278	1	-
A17-A19.....	257	-	2	1	9	11	15	30	43	54	55	219	-
A37.....	33	29	-	1	-	-	-	-	-	1	1	182	-
A38,A46.....	12	-	1	-	-	-	-	2	-	2	3	37	-
A39.....	136	17	14	7	30	9	9	19	12	6	7	1	-
A40-A41.....	152,706	837	331	315	784	1,497	4,274	11,424	19,302	28,573	46,884	1	7
A50-A53.....	143	-	-	1	-	4	15	17	23	20	43	6	-
A80.....	2	-	-	-	-	-	-	-	-	-	-	-	-
A80-A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, A00	8	-	1	1	-	1	1	-	2	1	1	20	-
B05.....	3	-	1	-	-	-	-	-	1	1	-	-	-
B15-B19.....	13,219	2	1	3	28	159	1,325	5,461	3,364	1,500	1,065	-	1
B20-B24.....	14,132	5	2	13	166	1,389	4,736	5,143	1,950	572	135	-	1
B50-B54.....	8	-	-	-	2	1	1	1	-	1	2	310	-
A00---B99.....	22,262	316	145	157	248	414	1,103	3,035	3,584	4,086	5,538	20	2
C00-C97.....	616,646	81	393	1,039	1,777	3,729	14,973	52,236	104,319	149,319	187,338	306,341	11
C00-C14.....	9,422	-	1	2	24	57	276	1,286	2,287	2,259	2,135	-	-
C15.....	14,684	-	-	1	3	36	323	1,570	3,298	4,030	3,989	1,095	-
C16.....	12,543	-	-	-	20	119	456	1,141	1,871	2,851	3,845	1,434	-
C18-C21.....	63,103	1	-	4	48	311	1,319	4,491	8,790	13,465	19,963	2,240	2
C22.....	17,242	9	22	17	35	93	385	2,664	3,677	4,055	4,500	14,709	1
C25.....	34,030	-	-	2	4	65	575	2,803	6,140	8,594	10,636	1,784	1
C32.....	5,002	-	-	-	-	3	68	486	1,113	1,498	1,341	5,210	1
C33-C34.....	168,927	-	3	2	18	142	2,340	12,896	32,632	51,368	52,792	162,731	3
C43.....	9,227	-	1	3	42	220	536	1,243	1,660	1,886	2,352	16,271	-
C50.....	50,659	1	-	-	14	368	2,581	6,554	9,387	9,594	12,413	1,284	-
C53.....	4,351	-	-	-	14	171	632	999	863	666	643	9,747	-
C54-C55.....	8,313	-	-	-	4	24	161	616	1,612	1,997	2,383	-	-
C56.....	15,813	-	-	3	19	87	434	1,759	3,200	3,790	4,383	3,916	-
C61.....	41,586	-	1	1	1	4	24	448	2,591	7,559	17,049	2,138	2
C64-C65.....	14,558	9	16	36	18	51	316	1,362	2,743	3,624	4,244	13,906	-
C67.....	17,348	-	-	1	1	15	125	564	1,691	3,433	6,536	2,139	-
												4,982	

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005													
C70-C72.....	13,757	19	87	332	246	391	988	2,016	2,950	3,093	2,776		-
C81-C96.....	65,397	25	133	363	693	870	1,665	4,135	8,683	14,571	21,903		-
Cause categories based on 118 cause list supplemented by relevant nature of injury category groupings													
C81.....	25,375	1	6	55	137	251	635	1,624	3,463	5,627	8,757		-
C82-C85.....	25,979	23	125	300	498	485	741	1,560	3,032	5,493	8,390		-
C91-C95.....	13,251	-	-	-	1	12	141	762	2,080	3,427	4,674	5,332	-
C88,C90.....	86	1	2	1	-	1	4	4	14	19	23	2,154	-
C96.....	110,625	21	149	307	639	944	3,209	10,359	19,793	26,578	31,827		1
Cause of Death Public Use File													
D00-D48.....	22,905	102	59	100	120	216	502	1,088	2,083	3,951	8,002		-
E00-E64.....	48,588	57	46	86	216	411	977	2,170	3,673	6,679	14,563		-
E10-E14.....	233,615	5	8	48	320	1,124	4,625	15,185	32,702	51,362	76,512		2
E40-E64.....	21,225	22	16	14	49	93	367	1,040	1,780	3,076	6,616		1
Total Table 2													
E40-E64.....	19,761	14	13	13	45	91	351	988	1,686	2,918	6,186	8,151	1
E50-E64.....	1,508	8	3	1	4	3	17	54	99	160	445	7,455	-
G00-G03.....	1,557	114	42	42	47	74	148	272	288	232	200		1
G20-G21.....	36,098	1	-	-	3	6	13	127	756	4,244	16,760	714	1
G30.....	107,525	-	-	-	-	2	14	117	894	5,743	35,511	14,187	1
I00-I78.....	1,359,151	1,977	822	1,119	3,462	7,967	27,547	76,852	134,244	214,570	416,745		55
I00-I09,I11,I13,I20-I51.....	1,130,560	1,636	674	906	3,016	6,933	23,805	66,041	115,018	179,743	342,629	390,109	50
I00-I09.....	6,186	3	3	5	19	47	137	327	646	1,182	2,132		-
I11.....	42,008	3	-	2	66	560	2,548	6,378	7,514	6,466	8,964	1,685	5
I13.....	3,216	-	-	1	7	44	122	269	373	562	909	9,502	-
I20-I25.....	606,774	60	22	34	282	1,486	9,089	32,652	63,443	101,084	190,869	207,719	34
I20-I25.....	190,516	38	11	19	132	556	3,534	12,646	24,166	34,904	57,987	929	4
I21-I22.....	8,474	7	5	5	15	58	249	847	1,207	1,485	2,182	56,519	1
I24.....	489,364	18	10	13	155	1,078	6,748	24,279	47,927	79,671	155,913	274,182	31
I20,I25.....	86,449	1	-	-	32	302	2,135	7,895	12,468	14,165	23,278		20
I25.0.....	407,141	17	10	13	125	793	4,697	16,652	35,905	66,167	133,994	26,153	11
I20,I25.1:I25.9.....	781,503	1,590	668	885	2,771	5,484	15,788	40,261	70,984	118,452	238,283	286,316	21
I30.....	2,573	15	-	7	20	75	199	383	441	508	633		-
I33.....	4,533	57	23	40	95	166	379	788	928	809	868		-
I30-I31,I40.....	292,180	247	88	98	316	578	1,889	6,462	15,940	35,626	92,898	232,032	6
I50.....												380	
I26-I28,I34-I38.....	589,526	1,359	591	793	2,532	5,025	14,376	35,626	59,975	94,648	177,442	197,140	19
I40-I42,I49,I51.....	276,368	15	2	15	102	628	3,483	12,875	26,338	44,560	87,285	101,059	6

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005													
I60-I69.....	242,346	362	176	230	445	937	3,440	9,885	17,790	34,147	80,695	94,233	6
I70.....	54,411	8	2	3	9	51	287	1,362	3,345	7,173	17,752	24,418	1
I70-I78.....	137,009	48	28	38	88	398	1,986	6,994	13,990	29,372	68,498	84,225	1
I71.....	19,584	1	-	6	46	124	369	853	1,780	3,910	7,371	16,303	1
I72-I78.....	32,406	44	9	22	42	98	331	1,017	2,682	5,669	11,080	11,123	1
I80-I99.....	36,849	537	29	42	142	419	1,377	3,437	4,691	6,367	10,344	11,411	-
J10-J18.....	211,869	520	279	345	701	1,211	3,238	8,440	15,169	29,116	67,495	9,464	4
J10-J11.....	2,298	23	22	23	17	19	30	70	98	211	633	85,351	-
J12-J18.....	209,638	499	260	323	685	1,192	3,211	8,376	15,076	28,912	66,875	1,152	4
J20-J22.....	1,043	90	33	9	9	18	35	47	55	102	222	84,225	-
J20-J21.....	767	87	27	9	8	14	31	45	44	75	160	423	-
J22.....	276	3	6	-	1	4	4	2	11	27	62	267	-
J40-J42.....	267,750	59	92	155	256	490	2,039	9,540	28,063	61,174	100,683	65,190	9
J40-J41.....	2,480	39	25	9	17	21	67	128	215	363	644	1,566	-
J43.....	25,554	6	2	1	3	31	266	1,264	3,348	6,511	9,429	4,591	2
J45-J46.....	9,429	6	58	132	201	350	694	1,311	1,311	1,349	1,999	4,591	-
J44, J47.....	231,106	8	9	16	41	97	1,041	6,909	23,313	53,132	88,869	2,018	7
J60-J66, J68.....	2,458	-	2	1	3	3	17	59	177	471	1,059	57,664	1
J69.....	57,589	43	35	64	149	259	621	1,687	3,103	6,610	19,788	65,230	-
J00-J06, J30-J39, J67, J70-K08.....	232,856	1,321	518	593	1,260	1,966	5,376	14,432	26,359	45,521	75,745	59,757	8
K20-K28.....	7,818	4	1	2	11	36	174	530	822	1,254	2,498	2,498	1
K35-K38.....	777	2	7	14	13	12	31	56	104	147	205	2,485	-
K40-K46.....	3,158	68	5	4	4	13	67	155	312	420	890	1,820	-
K70, K73-K74.....	44,253	20	7	9	42	405	3,761	12,152	11,176	8,477	6,486	1,820	9
K70.....	12,520	1	-	-	5	189	1,638	4,217	3,658	1,857	841	1,709	3
K73-K74.....	32,087	19	7	9	37	224	2,175	8,067	7,620	6,661	5,662	1,600	6
K80-K82.....	5,818	-	1	4	24	41	105	275	479	889	1,988	1,600	-
N00-N07, N17-N19, N25-N27..	221,771	807	76	140	436	1,308	4,249	12,013	22,974	39,745	72,540	2,012	2
N00-N01, N04.....	419	10	4	5	6	6	20	31	53	72	121	67,481	-
N02-N03, N05-N07, N26.....	3,032	3	2	5	30	50	70	165	274	442	948	1,043	-
N17-N19.....	219,037	792	70	137	415	1,270	4,173	11,860	22,711	39,352	71,699	86,556	2
N25, N27.....	119	4	-	-	1	1	8	13	26	14	26	26	-
N10-N12, N13.6, N15.1.....	1,678	11	6	3	15	27	75	141	161	234	512	26	-
N40.....	3,027	2	-	-	-	-	-	8	117	414	1,100	498	-

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005													
Y40-Y84,Y88.....	28,132	187	137	228	416	473	1,107	2,547	4,529	6,142	8,190		-
S00-T98.....	220,898	1,708	2,256	3,332	26,495	25,342	29,850	32,666	21,420	18,634	29,786	4,176	100
Cause categories based on 118 cause list supplemented by relevant nature of injury category groupings													
S02.....	118,449	28	128	125	784	542	466	1,292	229	229	258		-
S12,S22,S32,T08.....	7,330	19	26	68	527	420	447	596	560	631	1,641		1
S72.....	16,156	-	5	4	60	51	61	121	333	1,117	4,663		-
S42,S52,S62,S82,S92,T10, T12.....	2,687	4	3	13	79	66	91	164	205	291	665		-
Multiple Cause of Death Public Use File													
S03,S13,S23,S33,S43,S53, Ages	775	2	5	7	85	69	84	75	67	75	126	1,106	1
S63,S73,S83,S93,T03... S05.....	627	1	9	24	112	89	74	77	50	32	76	179	-
S06.....	83	5	1	-	7	6	7	6	6	6	14		-
S20-S27,S36-S37,Table 2... S07---T05.....	16,925	135	206	282	1,915	1,420	1,498	1,830	1,529	1,760	3,417	83	5
S00---T14.....	5,366	22	64	76	1,085	841	826	735	493	391	475	2,928	2
T15-T19.....	830	-	20	25	128	107	137	152	114	75	54		1
T20-T32.....	98,219	423	989	1,908	18,788	15,150	14,136	14,236	9,757	7,422	9,261	356	39
T36-T50.....	16,472	103	113	101	254	324	577	1,046	1,391	2,175	4,922	6,110	1
T51-T65.....	3,005	21	105	106	323	285	359	452	363	346	405	5,465	6
T66-T73.....	33,530	41	35	53	3,126	5,748	9,453	10,165	3,226	767	583		5
T74.....	8,638	51	230	294	674	1,104	1,811	2,126	967	548	529	234	6
T33-T35,T66-T73,T75-T78... T79-T88.....	178	74	52	7	3	1	1	4	6	5	11	328	2
T90-T98.....	19,988	904	705	685	3,136	2,891	3,424	3,215	1,882	1,156	1,179	298	48
	18,026	152	93	164	417	481	858	1,813	2,892	3,747	5,013	12	-
	4,366	1	23	52	193	242	505	704	653	529	766	2,896	-

Quantity zero.

...Category not applicable.

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005													
A01-A02.....	52	2	-	-	1	4	4	6	8	4	14	-	-
A03,A06.....	14	-	1	2	-	1	-	2	3	2	2	-	-
A04-A07-A08.....	119,647	11,841	11,841	11,841	11,841	11,841	11,841	11,841	11,841	11,841	11,841	11,841	11,841
A09-A15.....	1,349	2	4	2	22	40	103	193	195	231	336	3,539	-
A16.....	1,095	2	2	1	12	33	81	160	157	180	282	1	-
A17-A19.....	273	-	2	1	10	12	23	35	43	55	55	221	-
A37.....	33	29	-	1	-	-	-	-	-	1	1	185	-
A38,A46.....	12	-	1	-	-	-	-	2	-	2	3	37	-
A39.....	138	17	14	7	30	9	10	19	12	7	7	1	-
A40-A41.....	154,503	848	334	321	810	1,677	4,828	12,044	19,561	28,653	46,923	1	7
A50-A53.....	156	-	-	1	-	4	23	20	24	20	44	6	-
A80.....	2	-	-	-	-	-	-	-	-	-	-	-	-
A80-A81.....	8	-	1	1	-	1	1	-	2	1	1	20	-
B05.....	3	-	1	-	-	-	-	-	1	1	-	-	-
B15-B19.....	14,079	2	1	3	28	189	1,559	5,889	3,504	1,523	1,069	2	2
B20-B24.....	14,079	5	2	13	165	1,383	4,720	5,125	1,942	568	135	-	1
B50-B54.....	8	-	-	-	2	1	1	1	-	1	2	310	-
A00---B99.....	24,342	321	149	159	275	671	1,781	3,589	3,828	4,202	5,657	20	2
C00-C97.....	618,449	81	393	1,039	1,791	3,848	15,531	52,903	104,628	149,426	187,362	307,436	11
C00-C14.....	9,457	-	1	2	24	58	282	1,299	2,299	2,262	2,135	-	-
C15.....	14,834	-	-	1	4	38	331	1,595	3,334	4,058	4,026	1,095	-
C16.....	12,559	-	-	-	20	119	462	1,145	1,874	2,854	3,845	1,447	-
C18-C21.....	63,259	1	-	4	48	320	1,370	4,554	8,815	13,472	19,964	2,240	2
C22.....	17,359	9	22	17	35	96	412	2,712	3,706	4,064	4,501	14,709	1
C25.....	34,061	-	-	2	4	65	577	2,820	6,149	8,597	10,636	1,784	1
C32.....	5,027	-	-	-	-	3	68	499	1,120	1,501	1,343	5,210	1
C33-C34.....	169,234	-	3	2	18	143	2,392	13,024	32,721	51,396	52,799	162,733	3
C43.....	9,391	-	1	3	42	220	541	1,252	1,687	1,923	2,408	16,273	-
C50.....	50,693	1	-	-	14	370	2,590	6,567	9,394	9,595	12,415	1,314	-
C53.....	4,384	-	-	-	14	174	650	1,009	864	667	643	9,747	-
C54-C55.....	8,357	-	-	-	4	24	169	622	1,622	2,001	2,391	-	-
C56.....	15,819	-	-	3	19	87	436	1,760	3,203	3,790	4,383	36,824	-
C61.....	41,609	-	1	1	1	4	25	452	2,599	7,565	17,053	2,138	2
C64-C65.....	14,574	9	16	36	18	51	321	1,367	2,746	3,626	4,245	13,906	-
C67.....	17,356	-	-	1	1	15	125	570	1,692	3,434	6,536	2,139	-
												4,982	

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005													
C70-C72.....	13,770	19	87	332	246	393	990	2,023	2,951	3,093	2,776		-
C81-C96.....	66,127	25	133	363	704	934	1,939	4,396	8,773	14,595	21,907		-
Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings													
C81.....	26,019	1	6	55	147	308	877	1,860	3,536	5,648	8,760		-
C82-C85.....	26,014	23	125	300	499	487	753	1,571	3,039	5,495	8,390		-
C91-C95.....	13,265	-	-	-	1	12	143	767	2,085	3,428	4,675	5,332	-
C88,C90.....	103	1	2	2	-	1	6	7	14	26	26	2,154	-
C96.....	136,223	23	151	323	666	1,095	3,940	12,728	24,333	32,952	39,501		2
Cause of Death Public Use File													
D00-D48.....	24,219	105	72	150	145	240	578	1,247	2,337	4,254	8,291		-
E00-E64.....	48,712	57	46	86	217	423	1,017	2,211	3,690	6,683	14,566		-
E10-E14.....	233,619	5	8	48	320	1,124	4,625	15,186	32,703	51,362	76,513		2
E40-E64.....	21,300	22	16	14	49	98	387	1,072	1,786	3,079	6,621		1
Cause Total Table 3													
E50-E64.....	1,525	8	3	1	5	3	18	55	99	161	450	7,458	-
G00-G03.....	1,651	114	43	42	53	87	180	295	299	237	203		1
G20-G21.....	36,131	1	-	-	3	6	13	127	756	4,249	16,777	722	1
G30.....	107,527	-	-	-	-	2	14	117	894	5,743	35,513	14,198	1
I00-I78.....	1,361,996	1,993	825	1,125	3,491	8,068	27,792	77,229	134,622	215,068	417,466		55
I00-I09,I11,I13,I20-I51.....	1,131,596	1,652	677	911	3,042	7,023	24,003	66,304	115,176	179,863	342,728	390,167	50
I00-I09.....	6,188	3	3	5	19	48	138	327	646	1,182	2,132		-
I10.....	44,618	3	-	3	72	596	2,649	6,598	7,819	6,927	9,720	1,685	5
I11.....	149	-	-	-	-	-	1	1	8	28	52	10,226	-
I13.....	606,999	60	22	34	283	1,499	9,125	32,722	63,488	101,112	190,892	207,728	34
I20-I25.....	190,744	38	11	19	133	566	3,580	12,718	24,208	34,936	58,002		4
I21-I22.....	8,483	7	5	5	15	59	250	849	1,210	1,486	2,183		1
I24.....	489,438	18	10	13	155	1,080	6,752	24,299	47,947	79,682	155,927		31
I20,I25.....	86,466	1	-	-	32	302	2,135	7,899	12,472	14,165	23,285		20
I25.0.....	407,426	17	10	13	125	797	4,710	16,687	35,953	66,199	134,056		11
I20,I25.1:I25.9.....	786,319	1,607	671	891	2,802	5,590	16,075	40,746	71,495	119,026	239,359	288,036	21
I30.....	2,593	15	-	8	20	76	207	391	441	509	634		-
I33.....	4,553	57	23	40	97	173	382	793	929	810	868		-
I30-I31,I40.....	297,872	250	88	101	324	628	2,074	6,823	16,452	36,308	94,313		6
I50.....												496,505	
I26-I28,I34-I38.....	592,177	1,379	595	803	2,567	5,109	14,574	35,917	60,305	95,019	178,039	197,851	19
I40-I42,I49,I51.....	276,971	15	2	15	106	641	3,518	12,947	26,422	44,657	87,418	101,224	6

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005													
I60-I69.....	242,604	362	176	234	450	952	3,488	9,964	17,823	34,173	80,724	94,252	6
I70.....	54,466	8	2	3	9	51	287	1,366	3,345	7,176	17,777	24,441	1
I71.....	19,591	1	-	6	46	125	370	854	1,781	3,911	7,373	18,607	1
I72-I78.....	43,903	45	9	22	50	119	463	1,609	4,289	8,510	15,036	5,123	1
I80-I99.....	37,561	537	29	43	142	426	1,401	3,505	4,782	6,533	10,585	13,750	-
J10-J18.....	214,377	521	280	357	764	1,404	3,867	9,189	15,524	29,347	67,674	9,578	4
J10-J11.....	2,301	23	22	23	17	19	30	71	98	212	634	85,446	-
J12-J18.....	212,913	504	263	339	750	1,390	3,846	9,140	15,461	29,202	67,251	1,152	4
J20-J22.....	1,470	90	35	10	11	18	39	68	102	189	374	84,763	-
J20-J21.....	1,140	87	29	10	9	14	35	64	85	159	286	534	-
J22.....	330	3	6	-	2	4	4	4	17	30	88	362	-
J40-J42.....	267,947	59	93	155	260	500	2,052	9,557	28,090	61,215	100,747	65,210	9
J40-J41.....	3,815	40	25	9	17	24	76	201	367	687	1,083	172	1
J43.....	29,632	6	2	1	3	32	294	1,430	3,898	7,671	10,934	1,285	4
J45-J46.....	11,791	6	58	132	204	356	757	1,525	1,646	1,746	2,732	5,357	-
J44, J47.....	230,904	7	10	16	45	104	1,045	6,891	23,278	53,078	88,799	2,629	6
J60-J66, J68.....	2,463	-	2	1	3	3	17	59	178	473	1,061	57,625	1
J69.....	57,818	44	35	66	150	268	643	1,727	3,129	6,642	19,841	685,273	-
J00-J06, J30-J39, J67, J70-K08.....	236,071	1,361	528	621	1,336	2,048	5,558	14,694	26,767	46,130	76,674	60,346	8
K20-K28.....	7,826	4	1	2	11	37	175	533	824	1,254	2,499	2,499	1
K35-K38.....	777	2	7	14	13	12	31	56	104	147	205	2,485	-
K40-K46.....	3,159	68	5	4	4	13	67	155	312	421	890	1,820	-
K70, K73-K74.....	43,485	20	7	10	41	387	3,632	11,863	10,951	8,400	6,460	1,705	9
K70.....	7,820	1	-	-	3	122	986	2,537	2,312	1,205	572	1,705	2
K73-K74.....	36,337	19	7	10	39	276	2,730	9,565	8,834	7,282	5,937	1,705	7
K80-K82.....	5,822	-	1	4	24	43	106	276	479	889	1,988	30,631	-
N00-N07, N17-N19, N25-N27..	236,650	807	76	143	481	1,512	4,970	13,556	25,136	42,990	76,825	2,012	2
N00-N01, N04.....	585	10	4	5	6	8	29	65	92	113	151	70,152	-
N02-N03, N05-N07, N26.....	4,185	3	2	6	33	63	88	228	424	717	1,345	1,345	-
N17-N19.....	232,966	793	70	141	461	1,470	4,880	13,337	24,730	42,355	75,682	10,276	2
N25, N27.....	121	4	-	-	1	1	9	14	26	14	26	69,045	-
N10-N12, N13.6, N15.1.....	1,680	11	6	3	15	27	75	143	161	233	512	512	-
N40.....	3,027	2	-	-	-	-	-	8	117	414	1,100	26	-
												49,486	

Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005													
Y40-Y84, Y88.....	28,132	187	137	228	416	473	1,107	2,547	4,529	6,142	8,190		-
S00-T98.....	220,935	1,708	2,256	3,332	26,497	25,347	29,853	32,672	21,423	18,636	29,789	4,176	100
Cause categories based on 118 cause list supplemented by relevant nature of injury category groupings													
S02.....	118,449	28	128	125	784	542	466	1,292	229	229	258		-
S12, S22, S32, T08.....	7,330	19	26	68	527	420	447	596	560	631	1,641		1
S72.....	16,156	-	5	4	60	51	61	121	333	1,117	4,663		-
S42, S52, S62, S82, S92, T10, T12.....	2,687	4	3	13	79	66	91	164	205	291	665		-
Multiple Cause of Death Public Use File													
S03, S13, S23, S33, S43, S53, Ages	775	2	5	7	85	69	84	75	67	75	126	1,106	1
S63, S73, S83, S93, T03... S05.....	627	1	9	24	112	89	74	77	50	32	76	179	-
S06.....	83	5	1	-	7	6	7	6	6	6	14		-
S20-T01, S66-S76, S101-3... S07---T05.....	16,928	135	206	282	1,915	1,420	1,499	1,830	1,529	1,760	3,418	83	5
S06.....	5,366	22	64	76	1,085	841	826	735	493	391	475	2,929	2
S07---T05.....	831	-	20	25	128	107	137	153	114	75	54		1
S00---T14.....	98,227	423	989	1,908	18,788	15,152	14,136	14,240	9,758	7,422	9,261	356	39
T15-T19.....	16,488	103	113	101	254	325	577	1,046	1,392	2,177	4,925	6,711	1
T20-T32.....	3,008	21	105	106	323	286	360	453	363	346	405	5,474	6
T36-T50.....	33,535	41	35	53	3,127	5,748	9,455	10,166	3,227	767	583		5
T51-T65.....	8,639	51	230	294	674	1,104	1,812	2,126	967	548	529	234	6
T74.....	178	74	52	7	3	1	1	4	6	5	11	328	2
T33-T35, T66-T73, T75-T78... T79-T88.....	19,992	904	705	685	3,137	2,892	3,424	3,217	1,882	1,156	1,179	298	48
T79-T88.....	18,030	152	93	164	417	481	858	1,813	2,892	3,747	5,014	12	-
T90-T98.....	4,366	1	23	52	193	242	505	704	653	529	766	2,899	-

698

Quantity zero.
...Category not applicable.

Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
A01-A02.....	47	18	29	39	16	23	8	2	6	6	4
A03,A06.....	14	4	10	14	4	10	-	-	-	-	-
A04,A07-A09.....	9,008	3,663	5,345	8,350	3,389	4,961	658	274	384	554	329
A16-A19.....	1,256	773	483	766	477	289	490	296	194	289	115
A16.....	1,008	631	377	612	385	227	396	246	150	230	89
A17-A19.....	257	146	111	160	96	64	97	50	47	60	27
A37.....	33	21	12	25	15	10	8	6	2	5	1
A38,A46.....	12	7	5	12	7	5	-	-	-	-	-
A39.....	136	77	59	112	60	52	24	17	7	19	6
A40-A41.....	152,706	71,762	80,944	123,057	57,953	65,104	29,649	13,809	15,840	25,379	13,786
A50-A53.....	143	93	50	58	33	25	85	60	25	82	23
A80.....	2	2	-	2	2	-	-	-	-	-	-
A83-A84,A85.2.....	8	5	3	8	5	3	-	-	-	-	-
B05.....	3	3	-	3	3	-	-	-	-	-	-
B15-B19.....	13,219	9,256	3,963	9,975	7,061	2,914	3,244	2,195	1,049	2,515	794
B20-B24.....	14,132	10,419	3,713	6,198	5,094	1,104	7,934	5,325	2,609	7,747	2,567
B50-B54.....	8	6	2	4	3	1	4	3	1	3	1
A00--B99.....	22,262	11,990	10,272	18,214	9,874	8,340	4,048	2,116	1,932	3,196	1,529
C00-C97.....	616,646	322,782	293,864	532,825	279,058	253,767	83,821	43,724	40,097	68,703	32,833
C00-C14.....	9,422	6,396	3,026	7,818	5,212	2,606	1,604	1,184	420	1,271	301
C15.....	14,684	11,512	3,172	12,826	10,171	2,655	1,858	1,341	517	1,586	433
C16.....	12,543	7,362	5,181	9,500	5,580	3,920	3,043	1,782	1,261	2,141	885
C18-C21.....	63,103	32,047	31,056	53,732	27,384	26,348	9,371	4,663	4,708	7,795	3,962
C22.....	17,242	11,357	5,885	13,689	8,954	4,735	3,553	2,403	1,150	2,239	689
C25.....	34,030	16,804	17,226	29,189	14,519	14,670	4,841	2,285	2,556	3,926	2,094
C32.....	5,002	3,911	1,091	4,091	3,181	910	911	730	181	839	168
C33-C34.....	168,927	95,777	73,150	148,137	83,406	64,731	20,790	12,371	8,419	17,351	6,995
C43.....	9,227	5,816	3,411	9,007	5,709	3,298	220	107	113	139	76
C50.....	50,659	495	50,164	42,820	416	42,404	7,839	79	7,760	6,730	6,661
C53.....	4,351	...	4,351	3,310	...	3,310	1,041	...	1,041	870	870
C54-C55.....	8,313	...	8,313	6,793	...	6,793	1,520	...	1,520	1,316	1,316
C56.....	15,813	...	15,813	14,111	...	14,111	1,702	...	1,702	1,304	1,304
C61.....	41,586	41,586	...	34,398	34,398	...	7,188	7,188	...	6,508	...
C64-C65.....	14,558	9,093	5,465	12,921	8,072	4,849	1,637	1,021	616	1,336	508

828

Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female	
	589,526	282,051	307,475	499,972	239,025	260,947	89,554	43,026	46,528	73,242		38,781
I10, I12.....	276,368	115,988	160,380	225,835	93,694	132,141	50,533	22,294	28,239	42,837	34,461	24,172
I40-I49, I51.....	242,346	99,892	142,454	204,860	83,433	121,427	37,486	16,459	21,027	30,618	18,665	17,334
I70.....	54,411	23,411	31,000	48,798	20,993	27,805	5,613	2,418	3,195	4,678	13,284	2,723
I71-I78.....	51,099	26,496	24,603	44,344	23,241	21,103	6,755	3,255	3,500	5,756	1,955	3,051
I71.....	19,584	11,694	7,890	17,369	10,433	6,936	2,215	1,261	954	1,702	2,705	769
I72-I78.....	32,406	15,386	17,020	27,777	13,336	14,441	4,629	2,050	2,579	4,127		2,312
I80-I99.....	36,849	17,509	19,340	30,603	14,502	16,101	6,246	3,007	3,239	5,345	9,515	2,779
J10-J18.....	211,869	102,105	109,764	187,299	89,562	97,737	24,570	12,543	12,027	19,028	2,566	9,473
J10-J11.....	2,298	888	1,410	2,160	825	1,335	138	63	75	99	9,555	55
J12-J18.....	209,638	101,255	108,383	185,201	88,772	96,429	24,437	12,483	11,954	18,932		9,419
J20-J21.....	767	336	431	666	285	381	101	51	50	78	4,513	40
J22.....	276	116	160	254	108	146	22	8	14	19		12
J40-J47.....	267,750	136,018	131,732	245,522	123,680	121,842	22,228	12,338	9,890	18,328	45	8,265
J40-J42.....	2,480	1,058	1,422	2,231	936	1,295	249	122	127	183	38,063	98
J43.....	25,554	14,304	11,250	23,505	12,973	10,532	2,049	1,331	718	1,696	7	610
J45-J46.....	9,429	3,258	6,171	6,998	2,320	4,678	2,431	938	1,493	2,042	8,508	1,270
J44, J47.....	231,106	117,748	113,358	213,514	107,757	105,757	17,592	9,991	7,601	14,482		6,328
J60-J66, J68.....	2,458	2,355	103	2,317	2,223	94	141	132	9	127	8,754	9
J69.....	57,589	30,064	27,525	50,942	26,536	24,406	6,647	3,528	3,119	5,317		2,534
J00-J06, J30-J39, J67,											2,983	
J50-K08.....	232,856	112,524	120,332	200,781	96,859	103,922	32,075	15,665	16,410	25,667		13,403
K20-K28.....	7,818	3,893	3,925	6,776	3,345	3,431	1,042	548	494	764	12,264	354
K35-K38.....	777	435	342	665	365	300	112	70	42	92		33
K40-K46.....	3,158	1,286	1,872	2,848	1,154	1,694	310	132	178	269	410	155
K70, K73-K74.....	44,253	29,061	15,192	38,033	25,051	12,982	6,220	4,010	2,210	4,540		1,552
K70.....	12,520	9,198	3,322	10,873	8,058	2,815	1,647	1,140	507	1,110	59	345
K73-K74.....	32,087	20,113	11,974	27,476	17,216	10,260	4,611	2,897	1,714	3,461	2,988	1,216
K80-K82.....	5,818	2,639	3,179	5,029	2,314	2,715	789	325	464	598	2,645	352
N00-N07, N17-N19, N25-N27..	221,771	113,626	108,145	179,933	93,333	86,600	41,838	20,293	21,545	35,400		18,492
N00-N01, N04.....	419	220	199	336	177	159	83	43	40	68	2,908	31
N02-N03, N05-N07, N26.....	3,032	1,623	1,409	2,402	1,309	1,093	630	314	316	540		274
N17-N19.....	219,037	112,166	106,871	177,800	92,169	85,631	41,237	19,997	21,240	34,880	37,653	18,227

Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
N25-N27.....	119	43	76	94	38	56	25	5	20	21	17
N10-N12,N13.6,N15.1.....	1,678	609	1,069	1,435	513	922	243	96	147	192	113
N40.....	3,027	3,027	...	2,726	2,726	...	301	301	...	218	...
N70-N76.....	288	...	288	247	...	247	41	...	41	33	33
000-099.....	1,041	...	1,041	667	...	667	374	...	374	318	318
000-007.....	38	...	38	19	...	19	19	...	19	13	13
010-099.....	1,014	...	1,014	655	...	655	359	...	359	308	308
Multiple Cause of Death Public Use File	18,701	10,506	8,195	11,838	6,653	5,185	6,863	3,853	3,010	6,074	2,664
P00-P96.....	15,107	7,940	7,167	12,198	6,398	5,800	2,909	1,542	1,367	2,334	1,101
Q00-Q99.....	309,826	136,376	173,450	267,016	115,955	151,061	42,810	20,421	22,389	35,288	18,687
R00-R99.....	746,741	351,821	394,920	650,526	304,489	346,037	96,215	47,332	48,883	80,463	41,301
Residual.....	155,174	94,379	60,795	133,697	80,379	53,318	21,477	14,000	7,477	17,094	5,881
V00-V99,Y87-Y86,Table 4...	49,345	34,727	14,618	41,430	29,124	12,306	7,915	5,603	2,312	5,941	1,632
V01-V99,Y85.....	46,081	32,151	13,930	38,686	26,959	11,727	7,395	5,192	2,203	5,568	1,554
V02---V89.2.....	1,264	974	290	989	753	236	275	221	54	208	43
V01---V89.9.....	2,001	1,602	399	1,756	1,412	344	245	190	55	165	35
V90-V99,Y85.....	106,263	59,971	46,292	92,646	51,529	41,117	13,617	8,442	5,175	11,195	4,254
W00-X59,Y86.....	25,080	12,380	12,700	23,210	11,327	11,883	1,870	1,053	817	1,277	565
W00-W19.....	838	722	116	635	542	93	203	180	23	168	18
W32-W34.....	3,722	2,914	808	2,933	2,266	667	789	648	141	578	90
W65-W74.....	3,349	1,980	1,369	2,474	1,473	1,001	875	507	368	768	314
X00-X09.....	26,885	18,099	8,786	22,660	15,252	7,408	4,225	2,847	1,378	3,696	1,193
X40-X49.....										454	
W20-W31,W35-W64,W75-W99,	47,466	24,609	22,857	41,691	21,311	20,380	5,775	3,298	2,477	4,806	2,096
*X00,X00,X50,X59,X86:...	32,746	25,973	6,773	29,631	23,541	6,090	3,115	2,432	683	1,996	372
X72-X74.....	17,020	14,928	2,092	15,697	13,741	1,956	1,323	1,187	136	1,010	98
*U03,X60-X71,X75-X84,	15,775	11,086	4,689	13,980	9,839	4,141	1,795	1,247	548	988	274
*U07-U02,X85-Y09;Y87:1..	18,283	14,484	3,799	8,866	6,517	2,349	9,417	7,967	1,450	8,726	1,270
*U01.4,X93-X95.....	12,378	10,583	1,795	5,276	4,185	1,091	7,102	6,398	704	6,718	638
*U01.0-*U01.3,*U01.5-										6,080	
*U01.9,*U02,X85-X92,	5,966	3,945	2,021	3,626	2,355	1,271	2,340	1,590	750	2,030	635
Y86-Y89,Y87.1.....	434	420	14	304	291	13	130	129	1	117	1

116

Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
Y10-Y34,Y87.2,Y89.9.....	5,038	3,038	2,000	4,154	2,464	1,690	884	574	310	736	248
Y22-Y24.....	226	183	43	179	145	34	47	38	9	37	8
Y10-Y21,Y25-Y34,Y87.2...	4,815	2,857	1,958	3,978	2,321	1,657	837	536	301	699	240
Y36,Y89.1.....	62	62	-	55	55	-	7	7	-	7	-
Y40-Y84,Y88.....	28,132	14,637	13,495	23,977	12,565	11,412	4,155	2,072	2,083	3,394	1,728
S00-T98.....	220,898	143,286	77,612	183,903	117,269	66,634	36,995	26,017	10,978	30,280	8,648
S02.....	3,440	2,466	974	2,954	2,105	849	486	361	125	345	79
Multiple Cause of Death Public Use File S12,S22,S32,T08.....	7,330	3,851	3,479	6,663	3,413	3,250	667	438	229	498	153
S72.....	16,156	5,873	10,283	15,374	5,559	9,815	782	314	468	595	350
S42,S52,S62,S82,S92,T10, T02.....	2,687	956	1,731	2,472	862	1,610	215	94	121	169	92
Control Total Table 4... S03,S13,S23,S33,S43,S53, S63,S73,S83,S93,T03:...	775	392	383	690	341	349	85	51	34	67	25
S06.....	627	366	261	534	305	229	93	61	32	76	24
S26-S27,S36-S37.....	83	51	32	67	42	25	16	9	7	14	6
S07---T05.....	16,925	11,175	5,750	14,480	9,419	5,061	2,445	1,756	689	1,820	480
S00---T14.....	5,366	3,920	1,446	4,026	2,839	1,187	1,340	1,081	259	1,160	213
T15-T19.....	830	659	171	726	573	153	104	86	18	80	13
T20-T32.....	98,219	72,645	25,574	78,208	56,942	21,266	20,011	15,703	4,308	16,577	3,277
T36-T50.....	16,472	8,619	7,853	14,257	7,429	6,828	2,215	1,190	1,025	1,868	875
T51-T65.....	3,005	1,968	1,037	2,318	1,528	790	687	440	247	564	202
T74.....	33,530	21,231	12,299	28,731	18,106	10,625	4,799	3,125	1,674	4,157	1,409
T79-T88.....	8,638	5,981	2,657	7,106	4,977	2,129	1,532	1,004	528	1,233	422
T90-T98.....	178	84	94	118	45	73	60	39	21	49	19
T33-T35,T66-T73,T75-T78.	19,988	14,846	5,142	16,233	12,178	4,055	3,755	2,668	1,087	2,681	771
T79-T88.....	18,026	9,610	8,416	15,158	8,169	6,989	2,868	1,441	1,427	2,393	1,199
T90-T98.....	4,366	2,823	1,543	3,667	2,321	1,346	699	502	197	558	147

411

-Quantity zero.
...Category not applicable.

1/ Includes Black.

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	Female
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Male	
A01-A02.....	52	21	31	41	18	23	11	3	8	9	6
A03,A06.....	14	4	10	14	4	10	-	-	-	-	-
A04,A07-A09.....	9,047	3,691	5,356	8,369	3,405	4,964	678	286	392	573	337
A16-A19.....	1,349	845	504	799	503	296	550	342	208	345	129
A16.....	1,095	696	399	645	410	235	450	286	164	278	101
A17-A19.....	273	158	115	166	101	65	107	57	50	70	30
A37.....	33	21	12	25	15	10	8	6	2	5	1
Multiple Cause of Death Public Use File											
A38,A46.....	12	7	5	12	7	5	-	-	-	-	-
A39.....	138	79	59	113	61	52	25	18	7	20	6
A40-A41.....	154,503	73,009	81,494	123,782	58,499	65,283	30,721	14,510	16,211	26,417	14,144
A50-A53.....	156	100	56	66	39	27	90	61	29	87	27
Control Total Table 5...	2	2	-	2	2	-	-	-	-	14	-
A83-A84,A85.2.....	8	5	3	8	5	3	-	-	-	-	-
B05.....	3	3	-	3	3	-	-	-	-	60	-
B15-B19.....	14,079	9,927	4,152	10,431	7,431	3,000	3,648	2,496	1,152	2,906	893
B20-B24.....	14,079	10,375	3,704	6,177	5,073	1,104	7,902	5,302	2,600	7,716	2,558
B50-B54.....	8	6	2	4	3	1	4	3	1	3	1
A00--B99.....	24,342	13,419	10,923	19,290	10,658	8,632	5,052	2,761	2,291	4,147	1,872
C00-C97.....	618,449	324,246	294,203	533,753	279,878	253,875	84,696	44,368	40,328	69,555	33,063
C00-C14.....	9,457	6,421	3,036	7,832	5,223	2,609	1,625	1,198	427	1,291	308
C15.....	14,834	11,633	3,201	12,955	10,276	2,679	1,879	1,357	522	1,604	436
C16.....	12,559	7,377	5,182	9,503	5,583	3,920	3,056	1,794	1,262	2,154	886
C18-C21.....	63,259	32,187	31,072	53,820	27,467	26,353	9,439	4,720	4,719	7,861	3,973
C22.....	17,359	11,463	5,896	13,745	9,007	4,738	3,614	2,456	1,158	2,297	697
C25.....	34,061	16,828	17,233	29,199	14,529	14,670	4,862	2,299	2,563	3,947	2,101
C32.....	5,027	3,928	1,099	4,100	3,186	914	927	742	185	855	172
C33-C34.....	169,234	96,004	73,230	148,262	83,511	64,751	20,972	12,493	8,479	17,531	7,055
C43.....	9,391	5,924	3,467	9,169	5,816	3,353	222	108	114	139	76
C50.....	50,693	495	50,198	42,828	416	42,412	7,865	79	7,786	6,756	6,687
C53.....	4,384	...	4,384	3,317	...	3,317	1,067	...	1,067	896	896
C54-C55.....	8,357	...	8,357	6,829	...	6,829	1,528	...	1,528	1,323	1,323
C56.....	15,819	...	15,819	14,113	...	14,113	1,706	...	1,706	1,308	1,308
C61.....	41,609	41,609	...	34,410	34,410	...	7,199	7,199	...	6,518	...
C64-C65.....	14,574	9,107	5,467	12,927	8,078	4,849	1,647	1,029	618	1,346	510

836

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005
Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female	
	592,177	283,304	308,873	501,946	239,949	261,997	90,231	43,355	46,876	73,869		39,103
I10, I12.....	276,971	116,291	160,680	226,221	93,878	132,343	50,750	22,413	28,337	43,037	34,766	24,264
I40-I49, I51.....	242,604	100,010	142,594	204,998	83,494	121,504	37,606	16,516	21,090	30,731	18,773	17,390
I70.....	54,466	23,438	31,028	48,849	21,018	27,831	5,617	2,420	3,197	4,680	13,341	2,724
I71-I78.....	62,410	32,744	29,666	53,427	28,409	25,018	8,983	4,335	4,648	7,688	1,956	4,069
I71.....	19,591	11,697	7,894	17,372	10,435	6,937	2,219	1,262	957	1,706	3,619	772
I72-I78.....	43,903	21,754	22,149	37,025	18,613	18,412	6,878	3,141	3,737	6,071		3,337
I80-I99.....	37,561	17,893	19,668	31,173	14,813	16,360	6,388	3,080	3,308	5,474	9,734	2,840
J10-J18.....	214,377	103,736	110,641	188,675	90,458	98,217	25,702	13,278	12,424	20,110	2,634	9,846
J10-J11.....	2,901	888	1,413	2,162	825	1,337	139	63	76	99	10,264	55
J12-J18.....	212,913	103,175	109,738	187,307	89,941	97,366	25,606	13,234	12,372	20,036		9,805
J20-J21.....	1,470	641	829	1,323	570	753	147	71	76	115	10,231	60
J22.....	1,140	502	638	1,017	440	577	123	62	61	95	44	48
J40-J47.....	330	139	191	306	130	176	24	9	15	20		12
J40-J42.....	267,947	136,084	131,863	245,693	123,734	121,959	22,254	12,350	9,904	18,354	55	8,279
J43.....	3,815	1,716	2,099	3,460	1,535	1,925	355	181	174	272	10,075	138
J45-J46.....	29,632	16,532	13,100	27,304	15,016	12,288	2,328	1,516	812	1,936	8	694
J45-J46.....	11,791	4,108	7,683	9,019	3,036	5,983	2,772	1,072	1,700	2,318	13,442	1,442
J44, J47.....	230,904	117,598	113,306	213,327	107,621	105,706	17,577	9,977	7,600	14,468		6,328
J60-J66, J68.....	2,463	2,359	104	2,322	2,227	95	141	132	9	127	8,740	9
J69.....	57,818	30,177	27,641	51,113	26,616	24,497	6,705	3,561	3,144	5,371		2,558
J00-J06, J30-J39, J67,											2,813	
J70-K08.....	236,071	114,078	121,993	203,460	98,171	105,289	32,611	15,907	16,704	26,118		13,646
K20-K28.....	7,826	3,899	3,927	6,782	3,350	3,432	1,044	549	495	765	12,472	354
K35-K38.....	777	435	342	665	365	300	112	70	42	92		33
K40-K46.....	3,159	1,286	1,873	2,849	1,154	1,695	310	132	178	269	411	155
K70, K73-K74.....	43,485	28,526	14,959	37,400	24,596	12,804	6,085	3,930	2,155	4,456		1,514
K70.....	7,820	5,747	2,073	6,780	5,015	1,765	1,040	732	308	687	59	203
K73-K74.....	36,337	23,259	13,078	31,210	20,006	11,204	5,127	3,253	1,874	3,831	2,142	1,330
K80-K82.....	5,822	2,640	3,182	5,031	2,315	2,716	791	325	466	600	4,401	354
N00-N07, N17-N19, N25-N27..	236,650	121,014	115,636	188,824	97,798	91,026	47,826	23,216	24,610	40,733		21,212
N00-N01, N04.....	585	304	281	455	238	217	130	66	64	105	1,521	49
N02-N03, N05-N07, N26.....	4,185	2,239	1,946	3,260	1,767	1,493	925	472	453	785		393
N17-N19.....	232,966	119,046	113,920	185,997	96,266	89,731	46,969	22,780	24,189	39,999	56	20,847
											382	152

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005
Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
N25-N27.....	121	44	77	95	38	57	26	6	20	22	17
N10-N12,N13.6,N15.1.....	1,680	607	1,073	1,437	511	926	243	96	147	192	113
N40.....	3,027	3,027	...	2,726	2,726	...	301	301	...	218	...
N70-N76.....	291	...	291	247	...	247	44	...	44	36	36
000-099.....	1,041	...	1,041	667	...	667	374	...	374	318	318
000-007.....	38	...	38	19	...	19	19	...	19	13	13
010-099.....	1,020	...	1,020	655	...	655	365	...	365	311	311
Multiple Cause of Death Public Use File P00-P96.....	18,705	10,508	8,197	11,839	6,653	5,186	6,866	3,855	3,011	6,077	2,665
Q00-Q99.....	15,297	8,041	7,256	12,349	6,476	5,873	2,948	1,565	1,383	2,362	1,110
R00-R99.....	314,275	138,249	176,026	270,494	117,392	153,102	43,781	20,857	22,924	36,152	19,153
Residual.....	759,474	359,399	400,075	660,509	310,489	350,020	98,965	48,910	50,055	82,706	42,250
V00-X59,Y87-Y86Table.5...	155,174	94,379	60,795	133,697	80,379	53,318	21,477	14,000	7,477	17,094	5,881
V01-V99,Y85.....	49,345	34,727	14,618	41,430	29,124	12,306	7,915	5,603	2,312	5,941	1,632
V02---V89.2.....	46,081	32,151	13,930	38,686	26,959	11,727	7,395	5,192	2,203	5,568	1,554
V01---V89.9.....	1,264	974	290	989	753	236	275	221	54	208	43
V90-V99,Y85.....	2,001	1,602	399	1,756	1,412	344	245	190	55	165	35
W00-X59,Y86.....	106,263	59,971	46,292	92,646	51,529	41,117	13,617	8,442	5,175	11,195	4,254
W00-W19.....	25,080	12,380	12,700	23,210	11,327	11,883	1,870	1,053	817	1,277	565
W32-W34.....	838	722	116	635	542	93	203	180	23	168	18
W65-W74.....	3,722	2,914	808	2,933	2,266	667	789	648	141	578	90
X00-X09.....	3,349	1,980	1,369	2,474	1,473	1,001	875	507	368	768	314
X40-X49.....	26,885	18,099	8,786	22,660	15,252	7,408	4,225	2,847	1,378	3,696	1,193
W20-W31,W35-W64,W75-W99,	47,466	24,609	22,857	41,691	21,311	20,380	5,775	3,298	2,477	4,806	2,096
*X00,X00,X50,X59,X86:...	32,746	25,973	6,773	29,631	23,541	6,090	3,115	2,432	683	1,996	372
X72-X74.....	17,020	14,928	2,092	15,697	13,741	1,956	1,323	1,187	136	1,010	98
*U03,X60-X71,X75-X84,	15,775	11,086	4,689	13,980	9,839	4,141	1,795	1,247	548	988	274
*U07-U02,X85-Y09;Y87:1..	18,283	14,484	3,799	8,866	6,517	2,349	9,417	7,967	1,450	8,726	1,270
*U01.4,X93-X95.....	12,378	10,583	1,795	5,276	4,185	1,091	7,102	6,398	704	6,718	638
*U01.0-*U01.3,*U01.5-										6,080	
*U01.9,*U02,X85-X92,	5,966	3,945	2,021	3,626	2,355	1,271	2,340	1,590	750	2,030	635
Y86-Y89,Y87.1.....	434	420	14	304	291	13	130	129	1	117	1

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
Y10-Y34,Y87.2,Y89.9.....	5,038	3,038	2,000	4,154	2,464	1,690	884	574	310	736	248
Y22-Y24.....	226	183	43	179	145	34	47	38	9	37	8
Y10-Y21,Y25-Y34,Y87.2...	4,815	2,857	1,958	3,978	2,321	1,657	837	536	301	699	240
Y36,Y89.1.....	62	62	-	55	55	-	7	7	-	7	-
Y40-Y84,Y88.....	28,132	14,637	13,495	23,977	12,565	11,412	4,155	2,072	2,083	3,394	1,728
S00-T98.....	220,935	143,311	77,624	183,933	117,290	66,643	37,002	26,021	10,981	30,285	8,650
S02.....	3,440	2,466	974	2,954	2,105	849	486	361	125	345	79
Multiple Cause of Death Public Use File S12,S22,S32,T08.....	7,330	3,851	3,479	6,663	3,413	3,250	667	438	229	498	153
S72.....	16,156	5,873	10,283	15,374	5,559	9,815	782	314	468	595	350
S42,S52,S62,S82,S92,T10, T02.....	2,687	956	1,731	2,472	862	1,610	215	94	121	169	92
Control Total Table 5... S03,S13,S23,S33,S43,S53, S63,S73,S83,S93,T03:....	775	392	383	690	341	349	85	51	34	67	25
S06.....	627	366	261	534	305	229	93	61	32	76	24
S26-S27,S36-S37.....	83	51	32	67	42	25	16	9	7	14	6
S07---T05.....	16,928	11,178	5,750	14,483	9,422	5,061	2,445	1,756	689	1,820	480
S00---T14.....	5,366	3,920	1,446	4,026	2,839	1,187	1,340	1,081	259	1,160	213
T15-T19.....	831	660	171	727	574	153	104	86	18	80	13
T20-T32.....	98,227	72,650	25,577	78,215	56,946	21,269	20,012	15,704	4,308	16,578	3,277
T36-T50.....	16,488	8,627	7,861	14,269	7,436	6,833	2,219	1,191	1,028	1,871	877
T51-T65.....	3,008	1,971	1,037	2,319	1,529	790	689	442	247	565	202
T74.....	33,535	21,235	12,300	28,736	18,110	10,626	4,799	3,125	1,674	4,157	1,409
T79-T88.....	8,639	5,982	2,657	7,107	4,978	2,129	1,532	1,004	528	1,233	422
T90-T98.....	178	84	94	118	45	73	60	39	21	49	19
T33-T35,T66-T73,T75-T78.	19,992	14,850	5,142	16,237	12,182	4,055	3,755	2,668	1,087	2,681	771
T79-T88.....	18,030	9,611	8,419	15,162	8,170	6,992	2,868	1,441	1,427	2,393	1,199
T90-T98.....	4,366	2,823	1,543	3,667	2,321	1,346	699	502	197	558	147

411

Quantity zero.
...Category not applicable.
1/ Includes black.

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005
 (Deaths by State of occurrence, include foreign residents)

Page 1													
State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
United States.....	2,452,506	226,822	213,660	231,486	205,188	201,211	187,732	191,821	191,183	185,855	198,348	198,943	220,257
Alabama.....	46,556	4,169	3,943	4,314	3,783	3,885	3,648	3,740	3,711	3,550	3,733	3,883	4,197
Alaska.....	3,133	268	240	273	252	261	249	270	295	269	257	232	267
Arizona.....	46,800	4,151	3,649	4,183	4,169	4,111	3,594	3,692	3,623	3,475	3,615	3,780	4,758
Arkansas.....	27,670	2,480	2,394	2,749	2,420	2,174	2,149	2,180	2,151	2,085	2,212	2,241	2,435
California.....	237,526	21,382	19,373	21,150	19,823	19,814	18,094	19,230	18,825	18,250	19,215	19,052	23,318
Colorado.....	29,962	2,640	2,630	2,781	2,474	2,611	2,286	2,396	2,388	2,337	2,411	2,388	2,620
Connecticut.....	29,634	3,025	2,664	2,741	2,412	2,391	2,244	2,200	2,273	2,146	2,377	2,433	2,728
Delaware.....	7,366	644	659	696	609	598	556	567	597	556		590	679
District of Columbia..	6,508	614	593	632	515	517	509	508	533	508	615	515	551
Florida.....	172,267	15,588	14,842	16,353	15,030	14,314	13,152	13,620	13,635	13,253	13,544	13,810	15,126
Georgia.....	67,551	6,078	5,772	6,372	5,460	5,477	5,080	5,375	5,453	5,303	5,354	5,709	6,118
Hawaii.....	9,331	838	789	865	779	842	718	732	757	731	756	742	782
Idaho.....	10,385	942	902	945	849	815	817	845	883	813	845	851	878
Month of death													
Illinois.....	101,506	9,276	9,047	9,900	8,377	8,352	7,730	7,886	7,827	7,536	8,408	8,271	8,896
Indiana.....	56,039	5,062	4,923	5,531	4,792	4,667	4,261	4,257	4,247	4,262	4,596	4,495	4,946
Iowa.....	27,582	2,529	2,473	2,647	2,322	2,161	2,111	2,168	2,071	2,064	2,269	2,279	2,488
Kansas.....	24,272	2,186	2,112	2,427	2,019	2,004	1,894	1,830	1,772	1,793	2,019	1,884	2,332
Kentucky.....	40,045	3,475	3,563	3,992	3,367	3,421	3,116	3,089	3,016	2,972	3,182	3,228	3,624
Louisiana.....	43,629	3,919	3,877	3,909	3,481	3,664	3,360	3,466	4,121	3,206	3,449	3,414	3,763

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005
 (Deaths by State of occurrence, include foreign residents)

State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
Maine.....	12,808	1,344	1,142	1,176	1,079	1,003	989	999	989	917	1,090	1,001	1,079
Maryland.....	43,900	4,225	3,980	4,117	3,642	3,536	3,265	3,486	3,460	3,284	3,556	3,561	3,788
Massachusetts.....	54,615	5,700	4,772	5,048	4,537	4,368	4,079	4,090	4,228	4,115	4,410	4,550	4,718
Michigan.....	85,748	8,198	7,479	7,765	7,070	7,133	6,946	6,674	6,653	6,492	7,057	6,975	7,306
Minnesota.....	37,601	3,793	3,311	3,541	3,120	2,845	2,773	2,912	2,878	2,846	3,107	3,126	3,349
Mississippi.....	28,543	2,546	2,464	2,691	2,234	2,368	2,181	2,352	2,393	2,289	2,274	2,294	2,457
Missouri.....	56,091	4,878	4,785	5,649	4,746	4,585	4,256	4,352	4,455	4,342	4,549	4,503	4,991
Montana.....	8,553	764	809	819	697	705	625	731	693	644		697	713
Nebraska.....	15,136	1,382	1,391	1,391	1,243	1,244	1,103	1,163	1,217	1,175	1,277	1,241	1,309
Nevada.....	19,691	1,747	1,647	1,793	1,713	1,631	1,594	1,518	1,495	1,477	1,596	1,557	1,923
New Hampshire.....	9,972	1,037	868	901	770	760	733	806	748	802		806	894
New Jersey.....	70,621	7,122	6,258	6,757	5,800	5,668	5,387	5,558	5,392	5,088	5,805	5,661	6,125
New Mexico.....	14,766	1,301	1,241	1,434	1,260	1,238	1,060	1,189	1,183	1,117	1,168	1,221	1,354
New York.....	151,790	15,629	13,141	13,699	12,554	12,295	11,723	11,650	11,751	11,203	12,441	12,450	13,254
Month of death													
North Carolina.....	75,275	6,802	6,464	7,369	6,481	6,179	5,795	5,929	5,652	5,511	6,139	6,236	6,718
North Dakota.....	6,142	570	577	611	524	490	414	507	450	438		493	551
Ohio.....	108,921	9,702	9,542	11,202	9,461	8,863	8,513	8,303	8,275	8,088	8,498	8,949	9,525
Oklahoma.....	35,307	3,081	2,998	3,328	2,978	3,039	2,702	2,768	2,709	2,699	2,849	2,921	3,235
Oregon.....	31,144	2,881	2,707	2,894	2,541	2,562	2,415	2,432	2,433	2,402	2,590	2,533	2,754
Pennsylvania.....	130,436	12,302	11,849	12,729	11,008	10,527	9,826	9,871	9,906	9,829	10,620	10,519	11,450

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005
 (Deaths by State of occurrence, include foreign residents)

State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
Rhode Island.....	10,176	1,091	986	907	827	845	814	771	746	720	754	831	884
South Carolina.....	37,901	3,344	3,381	3,739	3,115	3,015	2,927	2,973	2,886	2,932	3,061	3,077	3,451
South Dakota.....	7,283	684	620	701	597	562	550	582	571	561	606	606	643
Tennessee.....	60,336	5,338	5,165	5,849	4,983	5,011	4,636	4,739	4,740	4,577	4,854	5,030	5,414
Texas.....	158,750	14,323	14,481	14,596	12,996	12,828	12,214	12,380	12,169	12,651	13,005	12,616	14,491
Utah.....	13,748	1,173	1,096	1,214	1,221	1,111	1,053	1,123	1,104	1,098	1,118	1,156	1,281
Vermont.....	5,095	493	429	469	456	435	427	413	398	351	413	393	418
Virginia.....	57,242	5,228	5,186	5,480	4,715	4,664	4,319	4,468	4,511	4,330	4,587	4,656	5,098
Washington.....	46,271	4,300	4,047	4,399	3,865	3,836	3,597	3,576	3,557	3,476	3,730	3,668	4,220
West Virginia.....	20,522	1,771	1,814	2,087	1,840	1,685	1,573	1,557	1,510	1,543	1,620	1,694	1,828
Wisconsin.....	46,476	4,438	4,284	4,294	3,830	3,772	3,384	3,600	3,553	3,470	3,871	3,799	4,181
Wyoming.....	3,884	369	301	377	352	329	291	298	300	279	313	326	349

Source: CDC/NCHS, National Vital Statistics System, Mortality.
 Month of death

Mortality Multiple Cause-of-Death Public Use Record for Territories
2005

VI. List of File Data Elements and Tape Locations

Data Items	Tape Locations
1. General	
a. Record Type	19
b. Resident status	20
c. Place of death and decedent's status	83
d. Day of week of death	85
e. Date of data receipt	94-101
f. Data year	102-105
2. Occurrence	
a. State (FIPS)	21-22
b. County (FIPS)	23-25
c. County Population size	28
3. Residence	
a. State (FIPS)	29-30
b. State/Country Recode	33-34
c. County (FIPS)	35-37
d. County Population size	51
4. The Decedent	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. State of birth	55-60
g. Hispanic origin	484-488
h. Education	61-64
5. Underlying Cause	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161

2005
Mortality Multiple Cause-of-Death Public Use Record

- 6. Multiple Conditions
 - a. Entity-Axis conditions
 - 1. Number of 163-164
 - 2. The conditions 165-304
 - b. Record-Axis conditions
 - 1. Number of 341-342
 - 2. The conditions 344-443
- 7. Other medical items
 - a. Place of injury 145
 - b. Injury at work 106
 - c. Method of disposition 108
 - d. Autopsy 109
 - e. Activity code 144

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-18	18	<u>Reserved Positions</u> These positions are blank.
19	1	<u>Record Type</u> <ul style="list-style-type: none"> 1 ... RESIDENTS State and County of Occurrence and Residence are the same. 2 ... NONRESIDENTS State and/or County of Occurrence and Residence are different.
20	1	<u>Resident Status</u> <p>United States Occurrence</p> <ul style="list-style-type: none"> 1 ... RESIDENTS State and County of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different. 3 ... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S. 4 ... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S. <p>Puerto Rico Occurrence</p> <ul style="list-style-type: none"> 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
20	1	<u>Resident Status - Con.</u> Virgin Islands Occurrence 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place. Guam Occurrence 1 ... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S. American Samoa Occurrence 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place. Northern Marianas Occurrence 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
21-54	34	<u>FEDERAL INFORMATION PROCESSING STANDARDS (FIPS) GEOGRAPHIC CODES</u> Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some geographic codes have been changed to reflect the results of the 2000 Census.
21-28	8	<u>PLACE OF OCCURRENCE</u>
21-22	2	<u>State of Occurrence (FIPS)</u> Puerto Rico PR ... Puerto Rico Virgin Islands VI ... Virgin Islands Guam GU ... Guam American Samoa AS ... American Samoa Northern Marianas MP ... Northern Marianas
23-25	3	<u>County of Occurrence (FIPS)</u> Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 001-999 ... Code range 999 ... County of less than 100,000 population

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
26-27	2	<u>Reserved Positions</u> These positions are blank.
28	1	<u>Population Size of County of Occurrence</u> Based on the results of the 2000 Census 0 ... County of 1,000,000 or more 1 ... County of 500,000 to 1,000,000 2 ... County of 250,000 to 500,000 3 ... County of 100,000 to 250,000 9 ... County of less than 100,000
29-54	24	<u>PLACE OF RESIDENCE</u> Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Beginning with 2003 data, some areas started reporting additional codes for foreign residents.
29-30		<u>2State of Residence (FIPS)</u> <div style="margin-left: 40px;">Territories Residents</div> PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas <div style="margin-left: 40px;">Foreign residents</div> CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world Puerto Rico Occurrence PR ... Puerto Rico US, ZZ ... Foreign residents Virgin Islands Occurrence VI ... Virgin Islands US, ZZ ... Foreign residents

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
29-30	2	<u>State of Residence (FIPS) - Con</u> Guam Occurrence GU ... Guam US ... U.S. resident. Also considered a resident of Guam. ZZ ... Foreign residents: refer to U.S. for specific code structure. American Samoa Occurrence AS ... American Samoa US, ZZ ... Foreign residents Northern Marianas Occurrence MP ... Northern Marianas US, ZZ ... Foreign residents
31-32	2	<u>Reserved Positions</u> These positions are blank.
33-34	2	<u>State/Country of Residence Recode</u> Territorial residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world Puerto Rico Occurrence PR ... Puerto Rico US, ZZ ... Foreign residents.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
33-34	2	<p><u>State/Country of Residence Recode – Con.</u></p> <p>Virgin Islands Occurrence</p> <p>VI ... Virgin Islands US, ZZ ... Foreign residents.</p> <p>Guam Occurrence</p> <p>GU ... Guam US ... U.S. resident. Also considered a resident of Guam ZZ ... Foreign residents.</p> <p>American Samoa Occurrence</p> <p>AS ... American Samoa US, ZZ ... Foreign residents.</p> <p>Northern Marianas Occurrence</p> <p>MP ... Northern Marianas US, ZZ ... Foreign residents.</p>
35-37	3	<p><u>County of Residence (FIPS)</u></p> <p>Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.</p> <p>000 ... Foreign residents 001-999 ... Code range 999 ... County of less than 100,000 population</p>
38-50	13	<p><u>Reserved Positions</u></p> <p>These positions are blank.</p>
51	1	<p><u>Population Size of County of Residence</u></p> <p>Based on the results of the 2000 Census</p> <p>0 ... County of 1,000,000 or more 1 ... County of 500,000 to 1,000,000 2 ... County of 250,000 to 500,000 3 ... County of 100,000 to 250,000 9 ... County of less than 100,000 Z ... Foreign residents</p>

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
52-58	7	<u>Reserved Positions</u> These positions are blank.
59-60	2	<u>State/Country Birth Recode</u> Territorial residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents US ... United States CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world ZZ ... Unknown place of birth
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
63	1	<u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
64	1	<p>9 ... Unknown <u>Education reporting flag</u></p> <p>0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate</p>
65-66	2	<p><u>Month of Death</u></p> <p>01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December</p>
67-68	2	<u>Reserved Positions</u>
69	1	<p><u>Sex</u></p> <p>M ... Male F ... Female</p>
70-82	13	<u>REPORTED AGE</u>
70-73	4	<p><u>Detail Age</u></p> <p>Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.</p> <p>1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated</p>
74	1	<p><u>Age Substitution Flag</u></p> <p>If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.</p> <p>Blank ... Calculated age is not substituted for reported age 1 ... Calculated age is substituted for reported age</p>

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years
		29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years
		48 ... 110 - 114 years
		49 ... 115 - 119 years

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52- Con.</u> 50 ... 120 - 124 years 51 ... 125 years and over 52 ... Age not stated
77-78	2	<u>Age Recode 27</u> 01 ... Under 1 month (includes not stated weeks, days, hours, and minutes) 02 ... 1 month - 11 months (includes not stated months) 03 ... 1 years 04 ... 2 years 05 ... 3 years 06 ... 4 years 07 ... 5 - 9 years 08 ... 10 - 14 years 09 ... 15 - 19 years 10 ... 20 - 24 years 11 ... 25 - 29 years 12 ... 30 - 34 years 13 ... 35 - 39 years 14 ... 40 - 44 years 15 ... 45 - 49 years 16 ... 50 - 54 years 17 ... 55 - 59 years 18 ... 60 - 64 years 19 ... 65 - 69 years 20 ... 70 - 74 years 21 ... 75 - 79 years 22 ... 80 - 84 years 23 ... 85 - 89 years 24 ... 90 - 94 years 25 ... 95 - 99 years 26 ... 100 years and over 27 ... Age not stated
79-80	2	<u>Age Recode 12</u> 01 ... Under 1 year (includes not stated infant ages) 02 ... 1 - 4 years 03 ... 5 - 14 years 04 ... 15 - 24 years 05 ... 25 - 34 years 06 ... 35 - 44 years 07 ... 45 - 54 years 08 ... 55 - 64 years 09 ... 65 - 74 years 10 ... 75 - 84 years 11 ... 85 years and over 12 ... Age not stated

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u> Blank ... Age 1 year and over or not stated 01 ... Under 1 hour (includes not stated hours and minutes) 02 ... 1 - 23 hours 03 ... 1 day (includes not stated days) 04 ... 2 days 05 ... 3 days 06 ... 4 days 07 ... 5 days 08 ... 6 days 09 ... 7-13 days (includes not stated weeks) 10 ... 14 - 20 days 11 ... 21 - 27 days 12 ... 1 month (includes not stated months) 13 ... 2 months 14 ... 3 months 15 ... 4 months 16 ... 5 months 17 ... 6 months 18 ... 7 months 19 ... 8 months 20 ... 9 months 21 ... 10 months 22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u> 1 ... Hospital, clinic or Medical Center - Inpatient 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room 3 ... Hospital, Clinic or Medical Center - Dead on Arrival 4 ... Decedent's home 5 ... Hospice facility 6 ... Nursing home/long term care 7 ... Other 9 ... Place of death unknown
84	1	<u>Marital Status</u> S ... Never married, single M ... Married W ... Widowed D ... Divorced U ... Marital Status unknown

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown
86-101	13	<u>Reserved Position</u> This position is blank.
102-105	4	<u>Current Data Year</u> 2005 ...2005
106	1	<u>Injury at Work</u> Y ... Yes N ... No U ... Unknown
107	1	<u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural blank ... Not specified
108	1	<u>Method of Disposition</u> B ... Burial C ... Cremation O ... Other U ... Unknown

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
109	1	<u>Autopsy</u> Y ... Yes N ... No U ... Unknown
110-143	34	<u>Reserved Position</u> This position is blank.
144	1	<u>Activity Code</u> 0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u> 0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
146-162	18	<u>UNDERLYING CAUSE OF DEATH</u>
146-149	4	<u>ICD Code (10th Revision)</u> See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1.
150-152	3	<u>358 Cause Recode</u> A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-456 ... Code range (not inclusive)

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS- Con.</u> Position 2: Sequence of condition within part/line 1-7 ... Code range Position 3 - 6: Condition code See Table 1 for a complete list of codes
165-171	7	1 st Condition
172-178	7	2 nd Condition
179-185	7	3 rd Condition
186-192	7	4 th Condition
193-199	7	5 th Condition
200-206	7	6 th Condition
207-213	7	7 th Condition
214-220	7	8 th Condition
221-227	7	9 th Condition
228-234	7	10 th Condition
235-241	7	11 th Condition
242-248	7	12 th Condition
249-255	7	13 th Condition
256-262	7	14 th Condition
263-269	7	15 th Condition
270-276	7	16 th Condition
277-283	7	17 th Condition
284-290	7	18 th Condition

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS – Con.</u>
291-297	7	19 th Condition
298-304	7	20 th Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u> 00-20 ... Code range
343	1	<u>Reserved Position</u> This position is blank.
344-443	100	<u>RECORD - AXIS CONDITIONS</u> Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 - 4: Condition Code See Table 1 for a complete list of codes
344-348	5	1 st Condition
349-353	5	2 nd Condition
354-358	5	3 rd Condition
359-363	5	4 th Condition
364-368	5	5 th Condition
369-373	5	6 th Condition
374-378	5	7 th Condition
379-383	5	8 th Condition
384-388	5	9 th Condition
389-393	5	10 th Condition
394-398	5	11 th Condition
399-403	5	12 th Condition

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
344-443	100	<u>RECORD - AXIS CONDITIONS – Con.</u>
404-408	5	13 th Condition
409-413	5	14 th Condition
414-418	5	15 th Condition
419-433	5	16 th Condition
424-428	5	17 th Condition
429-433	5	18 th Condition
434-438	5	19 th Condition
439-443	5	20 th Condition
444	1	<u>Reserved position</u> This position is blank.
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

- 01 ... White
- 02 ... Black
- 03 ... American Indian (includes Aleuts and Eskimos)
- 04 ... Chinese
- 05 ... Japanese
- 06 ... Hawaiian (includes Part-Hawaiian)
- 07 ... Filipino
- 18 ... Asian Indian
- 28 ... Korean
- 38 ... Samoan
- 48 ... Vietnamese
- 58 ... Guamanian
- 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
- 78 ... Combined other Asian or Pacific Islander, includes codes 18-68

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	for areas that do not report them separately <u>Race- Con.</u> Puerto Rico Occurrence 00 ... Other races 01 ... White 02 ... Black Virgin Islands Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Guam Occurrence 01 ... White 02 ... Black 03 ... American Indian (Includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander 58 ... Guamanian American Samoa Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Northern Marianas Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian)

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	<u>Race- Con.</u> 07 ... Filipino 18 ... Asian Indian 28 ... Korean 38 ... Samoan 48 ... Vietnamese 58 ... Guamanian 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u> Blank ... Race is not bridged 1 ... Race is bridged
448	1	<u>Race Imputation Flag</u> Blank ... Race is not imputed 1 ... Unknown race is imputed 2 ... All other races is imputed
449	1	<u>Race Recode 3</u> 1 ... White 2 ... Races other than White or Black 3 ... Black
450	1	<u>Race Recode 5</u> 0 ... Other (Puerto Rico only) 1 ... White 2 ... Black 3 ... American Indian 4 ... Asian or Pacific Islander
451-483	33	<u>Reserved Positions</u> These positions are blank.

2005
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
484-486	3	<u>Hispanic Origin</u> 100-199 ... Non – Hispanic 200-209 ... Spaniard 210-219 ... Mexican 260-269 ... Puerto Rican 270-274 ... Cuban 275-279 ... Dominican 220 ... Central and South American 221-230 ... Central American 231-249 ... South American 250-259 ... Latin American 280-299 ... Other Hispanic 996-999 ... Unknown
487	1	<u>Reserved Position</u> This position is blank.
488	1	<u>Hispanic Origin/Race Recode</u> 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other or unknown Hispanic 6 ... Non - Hispanic white 7 ... Non - Hispanic black 8 ... Non - Hispanic other races 9 ... Hispanic origin unknown

Vital Statistics Geographic Code Outline For Puerto Rico,
 Virgin Islands, Guam, American Samoa and Northern Marianas
 Effective with 2003 Data

Vital Statistics Codes				FIPS Codes		
St	Cnty	P/MSA	M/NM	City	Area Names	St Cnty P/MSA Place
PR					Puerto Rico	PR
001	000	2	999	Adjuntas		001 0000
002	001	1	999	Aguada		003 0060
003	001	1	999	Aguadilla		005 0060
004	006	1	999	Aguas Buenas		007 7440
005	000	2	999	Aibonito		009 0000
006	004	1	999	Anasco		011 4840
007	002	1	999	Arecibo		013 0470
008	000	2	999	Arroyo		015 0000
009	006	1	999	Barceloneta		017 7440
010	000	2	999	Barranquitas		019 0000
011	006	1	999	Bayamon		021 7440
012	004	1	999	Cabo Rojo		023 4840
013	003	1	999	Caguas		025 1310
014	002	1	999	Camuy		027 0470
015	006	1	999	Canovanas		029 7440
016	006	1	999	Carolina		031 7440
017	006	1	999	Catano		033 7440
018	003	1	999	Cayey		035 1310
019	006	1	999	Ceiba		037 7440
020	000	2	999	Ciales		039 0000
021	003	1	999	Cidra		041 1310
022	000	2	999	Coamo		043 0000
023	006	1	999	Comerio		045 7440
024	006	1	999	Corozal		047 7440
025	000	2	999	Culebra		049 0000
026	006	1	999	Dorado		051 7440
027	006	1	999	Fajardo		053 7440
028	006	1	999	Florida		054 7440
029	000	2	999	Guanica		055 0000
030	000	2	999	Guayama		057 0000
031	005	1	999	Guayanilla		059 6360
032	006	1	999	Guaynabo		061 7440
033	003	1	999	Gurabo		063 1310
034	002	1	999	Hatillo		065 0470
035	004	1	999	Hormigueros		067 4840
036	006	1	999	Humacao		069 7440
037	000	2	999	Isabela		071 0000
038	000	2	999	Jayuya		073 0000
039	005	1	999	Juana Diaz		075 6360
040	006	1	999	Juncos		077 7440

Vital Statistics Geographic Code Outline For Puerto Rico,
Virgin Islands, Guam, American Samoa and Northern Marianas
Effective with 2003 Data

041	000	2	999	Lajas	079 0000
042	000	2	999	Lares	081 0000
043	000	2	999	Las Marias	083 0000
044	006	1	999	Las Piedras	085 7440
045	006	1	999	Loiza	087 7440
046	006	1	999	Luquillo	089 7440
047	006	1	999	Manati	091 7440
048	000	2	999	Maricao	093 0000
049	000	2	999	Maunabo	095 0000
050	004	1	999	Mayaguez	097 4840
051	001	1	999	Moca	099 0060
052	006	1	999	Morovis	101 7440
053	006	1	999	Naguabo	103 7440
054	006	1	999	Naranjito	105 7440
055	000	2	999	Orocovis	107 0000
056	000	2	999	Patillas	109 0000
057	005	1	999	Penuelas	111 6360
058	005	1	999	Ponce	113 6360
059	000	2	999	Quebradillas	115 0000
060	000	2	999	Rincon	117 0000
061	006	1	999	Rio Grande	119 7440
062	004	1	999	Sabana Grande	121 4840
063	000	2	999	Salinas	123 0000
064	004	1	999	San German	125 4840
065	006	1	999	San Juan	127 7440
066	003	1	999	San Lorenzo	129 1310
067	000	2	999	San Sebastian	131 0000
068	000	2	999	Santa Isabel	133 0000
069	006	1	999	Toa Alta	135 7440
070	006	1	999	Toa Baja	137 7440
071	006	1	999	Trujillo Alto	139 7440
072	000	2	999	Utua	141 0000
073	006	1	999	Vega Alta	143 7440
074	006	1	999	Vega Baja	145 7440

Vital Statistics Geographic Code Outline For Puerto Rico,
 Virgin Islands, Guam, American Samoa and Northern Marianas
 Effective with 2003 Data

Vital Statistics Codes					FIPS Codes				
St	Cnty	P/MSA	M/NM	City	Area Names	St	Cnty	P/MSA	Place
PR					Puerto Rico	PR			
	075	000	2	999	Vieques		147	0000	
	076	005	1	999	Villalba		149	6360	
	077	006	1	999	Yabucoa		151	7440	
	078	005	1	999	Yauco		153	6360	
VI					Virgin Islands	VI			
	001	000	2	999	St. Croix		010	0000	
	002	000	2	999	St. John		020	0000	
	003	000	2		St. Thomas		030	0000	
				001	Charlotte Amalie				99999
				999	Balance of area				99999
GU					Guam	GU			
	000	000	2		Guam		010	0000	
				000	Guam				99999
CC	ZZZ	ZZZ	Z	ZZZ	Canada	CC	000	0000	00000
CU	ZZZ	ZZZ	Z	ZZZ	Cuba	CU	000	0000	00000
MX	ZZZ	ZZZ	Z	ZZZ	Mexico	MX	000	0000	00000
YY	ZZZ	ZZZ	Z	ZZZ	Remainder of World	YY	000	0000	00000
AS					American Samoa	AS			
	000	000	2		American Samoa		000	0000	
				000	American Samoa				99999
MP					Northern Marianas	MP			
	000	000	2		Northern Marianas		000	0000	
				000	Northern Marianas				99999