Tabulating data for fiscal year 1964 NHIS current estimates tables - examples

Table 1: All acute conditions (in thousands) (see table footnote)

File: 1964 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), onset in last two weeks (col. 68=0,1), restricted activity

days and/or doctor ever seen (cols. 38-39>00 or col. 63=1)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of all acute conditions (in thousands)): 387,358

Note: estimates for this table may be a little lower than published estimates due to removal of

several duplicate records from condition file.

Table 2: Restricted activity days from all acute conditions (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days from all acute conditions (in thousands)):

1,507,235

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 3: Bed days from all acute conditions (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days from all acute conditions (in thousands)): 642,513

Note: estimates for this table may be a little lower than published estimates due to removal of

several duplicate records from condition file.

Table 7: Lost school days (ages 6-16) from all acute conditions (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06

and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) from all acute conditions (in

thousands)): 181,037

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 7: Lost work days (ages 17+) from all acute conditions (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 17+ (cols. 26-27 is 17 or more),

current activity is working (col. 30=1,2)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost work days (ages 17+) from all acute conditions (in thousands)):

228,179

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 8: Persons with one or more chronic conditions (in thousands)

File: 1964 fiscal year person file (person.dat) Criteria: chronic conditions present (col. 54>0) Weight: Final annual weight (cols. 151-156)

Result (estimated number of persons with one or more chronic conditions (in thousands)): 84,015

Table 9: Total injuries (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), onset in last two weeks (col. 68=0,1)

Weight: Weight 6.5 (cols. 109-114)

Result: (estimated number of persons injured (in thousands)): 53,178

Note: estimates for this table may be a little lower than published estimates due to removal of

several duplicate records from condition file.

Table 10: Days of restricted activity associated with injury (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of days of restricted activity associated with injury (in thousands)):

534,542

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 11: Bed days associated with injury (in thousands)

File: 1964 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days associated with injury (in thousands)): 137,049

Note: estimates for this table may be a little lower than published estimates due to removal of

several duplicate records from condition file.

Table 12: Number of discharges from short-stay hospitals (in thousands)

File: 1964 fiscal year hospital file (hospital.dat)

Criteria: j-recode: discharge in last 6 months (col. 137=1,2), short-stay hospital (col. 89=1)

Weight (semiannual estimate): Final quarterly weight (cols. 115-120). Compute initial estimate,

then divide by 2 because this is a semiannual estimate

Result (estimated number of discharges from short-stay hospitals (in thousands)): 23,797

Table 13: Restricted-activity days (in thousands)

File: 1964 fiscal year person file (person.dat) Criteria: restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days (in thousands)): 3,005,550

Table 13: Lost school days (ages 6-16) (in thousands)

File: 1964 fiscal year person file (person.dat)

Criteria: days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06 and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) (in thousands)): 204,373

Table 14: Number of physician visits (in millions)

File: 1964 fiscal year person file (person.dat)

Criteria: number of doctor visits in past 2 weeks (cols. 126-127)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of physician visits (in millions)): 844

Table 15: Number of persons - less than 6 months since last physician visit (in thousands)

File: 1964 fiscal year person file (person.dat)

Criteria: last doctor visit (col. 143=0)

Weight: Final annual weight (cols. 151-156)

Result (estimated number of persons - less than 6 months since last physician visit (in

thousands)): 93,382

Table 16: Number of dental visits (in millions)

File: 1964 fiscal year person file (person.dat)

Criteria: number of dental visits in past 2 weeks (cols. 59-60)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of dental visits (in millions)): 294

Table 17: Number of persons - less than 6 months since last dental visit (in thousands)

File: 1964 fiscal year person file (person.dat)

Criteria: last dental visit (col. 71=0)

Weight: Final annual weight (cols. 151-156)

Result (estimated number of persons - less than 6 months since last dental visit (in thousands)):

53,369