NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics as the original source. It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

National Center for Health Statistics, Kovar, M.G. and Poe, G.S.: The National Health Interview Survey Design 1973-1984 and Procedures 1975-1983. Vital and Health Statistics, Series 1-No. 18. DHHS Pub. No. (PHS) 85-1320. Public Health Service. Washington. U.S. Government Printing Office.

Current Estimates from the National Health Interview Survey: United States, 1985. Vital and Health Statistics. Series 10-No. 160 (DHHS Pub. No. (PHS) 86-1588) Public Health Service. Washington. U.S. Government Printing Office.

Interviewer's Manual, 1985. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1985. Part III, Public Use Data Tape Documentation.

0

0

0

1

i

PREFACE

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes for each record type. Note that Household items in tape locations 3-24 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

- 1. Type of Record (Tape Locations 1-2)
 - 10 = Household Record The Household file contains one household record for each interviewed household and each Type A non-interviewed house hold (see Household locations 28-29).
 - 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
 - 30 = Condition Record The Condition file contains one condition record for each reported condition.
 - 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
 - 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

| Item | Tape Locations |
|--|-------------------|
| Quarter | 5 |
| PSU - Random recode | 6-8 |
| Week - Census code | 9-10 |
| Segment | 11-12 |
| Household Number | 13-14 |
| Person Number (Blank on Household Record) | 15-16 |
| Record Serial Number (Blank on Household and | 17-18 |
| Person Records) | |

0 0 0

0

iii

12. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

3. Other Tape Characteristics

.1 Headers and trailers = Standard IBM labels

| .3 | Record length = Fixed length of 335 bytes | |
|-----------------------|---|------|
| . 4 | Blocksize = 3350 (10 records per block) | |
| . 5 | Tape format = All fields are in character format. | |
| . 6 | Data Set Names: | |
| | HOUSEHOLD = HISY1985.HOUSEHLD | |
| | PERSON = HISY1985.PERSONSX | |
| | CONDITION = HISY1985.CONDITON | |
| | HOSPITAL = HISY1985.HOSPITAL | |
| | DOCTOR VISIT = HISY1985.DRVISITS | |
| NOTE: | Metropolitan Statistical Areas are those defined for the 1980 Decennial Census. | |
| 0 0 0 0 0 | iv | |
| _ | | |
| 1 | NATIONAL HEALTH INTERVIEW SURVEY | |
| | Calendar Year 1985 Computer Processing | |
| | Public Use Data Tape | |
| | TABLE OF CONTENTS - PART I | |
| | | Page |
| INTRODUC | TION | 1 |
| REFERENC | ES | 3 |
| COMPARED | CHANGES | 5 |
| TAPE FOR | MATS | |
| НС | usehold Record | 7 |
| Pe | rson Record | 17 |
| Co | ndition Record | 39 |
| Do | ctor Visit Record | 71 |
| НС | spital Record | 99 |
| DIAGNOST | IC RECODES | |

.2 Density = 1600 BPI

| Recode A. Ad | cute Conditions | 125 |
|---------------------|---|-----|
| Recode B. Di | iseases, Injuries and Impairments | 131 |
| Recode C. Ch | nronic Conditions and Impairments | 155 |
| TABULATION SPECIFIC | CATIONS AND WEIGHTING - INTRODUCTION | 165 |
| SPECIFICATIONS FOR | RECREATING CURRENT ESTIMATES TABLES | 167 |
| TABULATING DATA FOR | R CURRENT ESTIMATES TABLES | 169 |
| APPENDICES | | |
| Appendix A. | Codes for Types of Special Places | 177 |
| Appendix B. | Industry Recodes | 181 |
| Appendix C. | Occupation Recodes | 187 |
| Appendix D. | Description of Class of Accident Code | 195 |
| Appendix E. | Classification of Operations and Non-operative Procedures for HIS | 197 |
| 0 | | |
| 1 | v | |
| 1 | - 1 - | |

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1985 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian

noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) and SURREGR,(4) are programs that calculate the variance-covariance matrix using the linearization approach(5),(6) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided Strata and Pseudo Primary Sampling Unit (PSU) codes on all data tapes in positions (187-189). These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

An NCHS Series 2 publication discussing these issues is in process. Detailed information from this publication on calculating variances and the use of sample weights is available, upon request, from NCHS.

1 - 3 -

REFERENCES

- (1) National Center for Health Statistics: Replication an Approach to the Analysis of Data from Complex Surveys by P.J. McCarthy. Vital and Health Statistics Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- (2) Survey Research Center Computer Support Group, OSIRIS IV User's Manual,

Institute for Social Research, 1979.

- (3) B.V. Shah, "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C., RTI/5250-00-01S, April 1981.
- (4) Mary Margaret Holt (revised April 1982 by B.V. Shah) "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May 1977.
- (5) Hidiroglou, M.A., Fuller, W. A. and Hickman, R. D. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University, Sixth edition, October 1980.
- (6) "Contingency Table Analysis for Complex Sample Designs (CPLX) U. S. Bureau of the Census.

1NOTES:

1 - 5 -

CHANGES IN THE 1985 PUBLIC USE TAPE COMPARED TO 1984

The 1985 Public Use Tape resembles the 1984 version, with only one exception. This difference is described below:

HOUSEHOLD VARIABLES:

Tape Location

22,23 TYPE OF LIVING QUARTERS

A separate category (11) has been added to identify student quarters in college dormitories. Previously, these quarters had been coded to the category "other unit, not specified above". As a result, the code numbers for the 2 residual categories have changed.

25-26 SPECIAL PLACE

This category is still an unedited item. However, Appendix A which contains a listing of the types of special places coded, has been reformatted, and "Hospices" are now included in category 53.

(183-185 LARGE SELF-REPRESENTING MSA's (formerly SMSA's) in 1984)

With the redesign of the 1985 NHIS sample, identification of the 31 large self-representing MSA's is no longer provided.

183 GEOGRAPHIC DISTRIBUTION

The new field has been added in 1985 primarily to enable grouping MSA data by broad populaton density categories, since specific MSA's are no longer identified.

1 - 6 - CHANGES IN THE 1985 PUBLIC USE TAPE COMPARED TO 1984

PERSON VARIABLES:

Tape Location

77-90 INDUSTRY AND OCCUPATION

These codes and recodes now include an "Armed Forces" (Military) category for persons whose last full-time job was while serving in any branch of the Armed Forces.

1 - 7 -

HOUSEHOLD RECORD

1NOTES:

1 - 9 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 36,399
HOUSEHOLD RECORD

Tape Locations Item No. Frequency Items and Codes 1-2 RECORD TYPE 36,399 10. Household Record 3 - 4PROCESSING YEAR 36,399 85. 1985 5 PROCESSING QUARTER 9,128 1. Quarter 1 2. Quarter 2 9,116 9,117 3. Quarter 3 9,038 4. Quarter 4 6-8 HH-5RANDOM RECODE OF PSU NUMBER 9-10 HH-5 WEEK - CENSUS CODE*

01, 21, 41, 61, 81 ... Week 01

| 02, | 22, | 42, | 62, | 82 | Week | 02 |
|-----|-----|-----|-----|----|----------|----|
| 03, | 23, | 43, | 63, | 83 | Week | 03 |
| 04, | 24, | 44, | 64, | 84 | Week | 04 |
| 05, | 25, | 45, | 65, | 85 | Week | 05 |
| 06, | 26, | 46, | 66, | 86 | Week | 06 |
| 07, | 27, | 47, | 67, | 87 | Week | 07 |
| 08, | 28, | 48, | 68, | 88 | Week | 80 |
| 09, | 29, | 49, | 69, | 89 | Week | 09 |
| 10, | 30, | 50, | 70, | 90 | Week | 10 |
| 11, | 31, | 51, | 71, | 91 | Week | 11 |
| 12, | 32, | 52, | 72, | 92 | Week | 12 |
| 13, | 33, | 53, | 73, | 93 | Week | 13 |

*This code represents the initial week of assignment. The interview may be

1 - 10 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 11-12 | нн-5 | | SEGMENT NUMBER |
| | | | Week plus Segment Number identifies the segment |
| 13-14 | нн-5 | | HOUSEHOLD NUMBER |
| | | | Numbered within PSU-Week-Segment |
| 15-16 | - | | BLANK (Person Number on other record types) |
| 17-18 | - | | BLANK (Record Serial Number on other record types) |
| 19-20 | нн-5 | | WEEK CODE (Numbered within Quarter) |
| | | 2,701 2,690 2,761 2,779 2,769 | Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84 Week 05. 05, 25, 45, 65, 85 |

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

| 2,753 | Week 06. | 06, | 26, | 46, | 66, | 86 |
|-------|----------|-----|-----|-----|-----|----|
| 2,827 | Week 07. | 07, | 27, | 47, | 67, | 87 |
| 3,089 | Week 08. | 08, | 28, | 48, | 68, | 88 |
| 2,824 | Week 09. | 09, | 29, | 49, | 69, | 89 |
| 2,886 | Week 10. | 10, | 30, | 50, | 70, | 90 |
| 2,783 | Week 11. | 11, | 31, | 51, | 71, | 91 |
| 2,818 | Week 12. | 12, | 32, | 52, | 72, | 92 |
| 2,719 | Week 13. | 13, | 33, | 53, | 73, | 93 |

21 BLANK

1 - 11 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

| Tape Locations | Item No. | Frequency | Item | ns and Codes |
|-------------------|----------|-------------------------------|--|---|
| 22-23 | нн-10d | | TYPE OF | LIVING QUARTERS: |
| | | | Housing | Unit = $(00-07)$ |
| | | 182 33,760 47 28 24 1,583 243 | 00. 01. 02. 03. 04. 05. | House, apartment, flat HU in nontransient hotel, motel, etc. HU-permanent in transient hotel, motel, etc. HU in rooming house Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added |
| | | | Other Un | nit = (08-13) |
| | | 23 | 08. | Quarters not HU in rooming or boarding house |
| | | 9 | 09. | - |
| | | 2 | 10. | |
| | | 339 | 11. | • |
| | | 140 2 | 12. 13. | Other unit not specified above |

24 HH-11

HAS TELEPHONE

| | | 31,078 1,002 2,616 148 1,555 | Yes, phone number given Yes, no phone number given No Unknown Blank. Non-interview |
|-------------------|----------|--|--|
| 25-26 | НН-6 | | SPECIAL PLACE (Unedited) SEE APPENDIX A Blank. Not applicable |
| 1 | | | - 12 - PUBLIC USE TAPES OUSEHOLD RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 27 | нн-15 | | COMPLETED INTERVIEW |
| | | 34,538 1,555 306 | Completed interview - non-military household Non-interview Completed interview - military household* |
| 28-29 | нн-14 | | NON-INTERVIEW REASON Type A |
| | | 963 220 290 82 34,844 | 01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed |
| interview) | | | |
| 30-33 | нн-15 | | DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited) |
| 30-31 | | | MONTH |
| | | | 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October |

05. May 11. November 06. June 12. December Blank.

32-33 DAY

01-31. Day of Month

Blank.

34-35 Generated NUMBER OF FAMILIES IN THE HOUSEHOLD -

(Unrelated individuals are considered to be

one-member families).

Blank. Non-interview

*Spouse or parent is in the Armed Forces.

1 - 13 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations Item No. Frequency Items and Codes 36-55 Generated SIZE OF FAMILY 00. Not applicable or only unrelated individuals 01+ Number of persons in family Blank. Non-interview 36-37 SIZE OF FAMILY - Primary Family 38 - 39SIZE OF FAMILY - Secondary Family No. 1 40-41 SIZE OF FAMILY - Secondary Family No. 2 42-43 SIZE OF FAMILY - Secondary Family No. 3 44 - 45SIZE OF FAMILY - Secondary Family No. 4 46-47 SIZE OF FAMILY - Secondary Family No. 5 48 - 49SIZE OF FAMILY - Secondary Family No. 6 50-51 SIZE OF FAMILY - Secondary Family No. 7 52 - 53SIZE OF FAMILY - Secondary Family No. 8 54-55 SIZE OF FAMILY - Secondary Family No. 9

| 56-57 | Generated | | NUMBER OF UNRELATED INDIVIDUALS |
|-------------------|-----------|-----------|--|
| | | | 00. Not applicable 01+ Number of unrelated individuals Blank. Non-interview |
| 1 | | | - 14 - |
| | | | PUBLIC USE TAPES OUSEHOLD RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 58 | Generated | | REFERENCE PERSON PRESENT - Primary Family |
| | | | Yes or all adult family members in Armed Forces Blank. Household with unrelated individuals only or non-interviewed household |
| 59 | | | REFERENCE PERSON PRESENT - |
| | | | Secondary Family No. 1 |
| 60 | | | REFERENCE PERSON PRESENT - |
| | | | Secondary Family No. 2 |
| 61 | | | REFERENCE PERSON PRESENT - |
| 62 | | | Secondary Family No. 3 REFERENCE PERSON PRESENT - |
| 62 | | | Secondary Family No. 4 |
| 63 | | | REFERENCE PERSON PRESENT - |
| | | | Secondary Family No. 5 |
| 64 | | | REFERENCE PERSON PRESENT - |
| | | | Secondary Family No. 6 |
| 65 | | | REFERENCE PERSON PRESENT - |
| | | | Secondary Family No. 7 |

REFERENCE PERSON PRESENT -

66

REFERENCE PERSON PRESENT -

Secondary Family No. 9

1 - 15 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
|--------------------|------------------|----------------|-------------------|---|
| 68-69 | Generated | | NUMBER | OF PERSON RECORDS FOR THE HOUSEHOLD |
| 70-71 HOUSEHOLD | Generated | | NUMBER | OF CONDITION RECORDS FOR THE |
| 72-73 | Generated | | NUMBER THE HOU | OF TWO-WEEK DOCTOR VISIT RECORDS FOR SEHOLD |
| 74-75 | Generated | | NUMBER | OF HOSPITAL RECORDS FOR THE HOUSEHOLD |
| 76 | A-A2 | | CONDITI | ON LIST ASSIGNED |
| | | 5,839 | 1. | Condition List 1, Skin and |
| | | | _ | Musculoskeletal |
| | | 5,835 | 2. | Condition List 2, Impairments |
| | | 5,799 | 3. | Condition List 3, Digestive |
| | | 5,768 5,747 | | Condition List 4, Miscellaneous Condition List 5, Circulatory |
| | | 5,846 | | Condition List 6, Respiratory |
| | | 10 | | Unknown |
| | | 1,555 | | Non-interview |
| 77-181 | - | | BLANK | |
| 182 | Master Record | | REGION | |
| | | 7,829 | 1. | Northeast |
| | | 9,213 | 2. | North Central |

12,071 7,286 3. South

4. West

1 - 16 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|------------------|--|--|
| 183 | Master | | GEOGRAPHIC DISTRIBUTION |
| | Record | | 1-4 MSA Size |
| | | 15,198 9,414 2,418 591 8,778 | 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. |
| 184 | | | BLANK |
| 185 | Master Record | | TYPE OF PSU |
| | | 19,721 | 1. MSA - Self-representing |
| | | 7,900 | 3. MSA - Nonself-representing |
| | | 9 8,769 | 4. Non-MSA - Self-representing6. Non-MSA - Nonself-representing |
| 186 | Recode | | MSA - NON-MSA RESIDENCE |
| | | 12,192 | 1. MSA - Central City |
| | | 14,099 | 2. MSA - Not Central City |
| | | 8,054 | 3. Non-MSA - Nonfarm |
| | | 499 1 555 | 4. Non-MSA - Farm Blank. Non-interview |
| | | 1,555 | DIGHA. NOH-IHCELVIEW |
| 187-200 | | | BLANK |
| 201-206 | | | BASIC WEIGHT |
| | | | -11 . 11 |

Adjusted by Segment and Special HH Sampling Factors (XXXXX.X)

| 207-335 | | BLANK |
|-------------------|----------|--|
| 1 | | - 17 - |
| | | PERSON RECORD |
| 1NOTES: | | |
| 1 | | - 19 - |
| | | NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 91,531 PERSON RECORD |
| Tape Locations | Item No. | Frequency Items and Codes |
| 1-2 | _ | RECORD TYPE |
| | | 91,531 20. Person Record |
| 3-4 | _ | PROCESSING YEAR |
| | | 91,531 85. 1985 |
| 5 | _ | PROCESSING QUARTER |
| | | 22,777 1. Quarter 1 |
| | | 23,205 |
| 6-8 | нн-5 | RANDOM RECODE OF PSU NUMBER |
| 9-10 | нн-5 | WEEK - CENSUS CODE* |
| | | 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 |

```
06, 26, 46, 66, 86 ... Week 06
07, 27, 47, 67, 87 ... Week 07
08, 28, 48, 68, 88 ... Week 08
09, 29, 49, 69, 89 ... Week 09
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

*This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which

reflects the actual week assigned for conducting the interview.

1 - 20 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Frequency Items and Codes Locations Item No. 11-12 HH-5SEGMENT NUMBER Week plus Segment Number identifies the segment 13-14 HH-5HOUSEHOLD NUMBER Numbered within PSU-Week-Segment 15-16 PERSON NUMBER 17-18 (Record Serial Number on other record BLANK types). 19-20 HH-5WEEK CODE (Numbered within Quarter) 6,926 Week 01. 01, 21, 41, 61, 81 02, 22, 42, 62, 82 6,721 Week 02. 03, 23, 43, 63, 83 6,933 Week 03. 04, 24, 44, 64, 84 6,982 Week 04. 7,171 Week 05. 05, 25, 45, 65, 85 6,845 Week 06. 06, 26, 46, 66, 86 7,364 Week 07. 07, 27, 47, 67, 87 7,713 Week 08. 08, 28, 48, 68, 88 7,004 Week 09. 09, 29, 49, 69, 89

| 7,214 | Week | 10. | 10, | 30, | 50, | 70, | 90 |
|-------|------|-----|-----|-----|-----|-----|----|
| 6,925 | Week | 11. | 11, | 31, | 51, | 71, | 91 |
| 7,029 | Week | 12. | 12, | 32, | 52, | 72, | 92 |
| 6,704 | Week | 13. | 13, | 33, | 53, | 73, | 93 |

21 BLANK

1 - 21 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

| Tape Locations | Item No. | Frequency | Iter | ms an | d Codes |
|-------------------|----------|---------------------|---------|-------------------|---|
| 22-23 | нн-10d | | TYPE OF | LIVI | NG QUARTERS: |
| | | | Housing | Unit | = (00-07) |
| | | 365 85,777 66 | | 00. 01. 02. | , <u>-</u> , |
| motel, | | | | | |
| ho+ol | | 47 | | 03. | etc. HU-permanent in transient |
| hotel, | | | | | motel, etc. |
| | | 34 3,875 | | 04. 05. | HU in rooming house Mobile home or trailer with no |
| | | 649 | | 06. | permanent room added Mobile home or trailer with one or more permanent rooms added |
| | | 22 | | 07. | |
| | | | Other U | nit = | (08-13) |
| | | 25 | | 08. | Quarters not HU in rooming or boarding house |
| | | 11 | | 09. | Unit not permanent in transient |
| | | 5 | | 10. | hotel, motel, etc. Unoccupied site for mobile |
| home, | | | | | tunilan an tant |
| | | 483 | | 11. | trailer, or tent Student quarters in college dormitory |
| | | 170 | | 12. | |
| | | 2 | | 13. | - |
| | | | | | |

24 HH-11 HAS TELEPHONE

| | | 81,750 2,410 7,014 357 | 1. 2. 3. 4. | No |
|-------------------|------------------|---|---|--|
| 25 | A-1 | | SEX | |
| | | 43,587 47,944 | 2. | Male Female |
| 26 | _ | | BLANK | |
| 1 | | | - 22 BLIC USE PERSON RE | TAPE RECORDS |
| Tape Locations | Item No. | Frequency | Ite | ems and Codes |
| 27-28 | Person Column | 1,427 90,098 6 | | Under 1 year Number of years 99+ years of age |
| 29 | Recode | 7,316 18,509 10,016 27,511 17,476 3,668 2,957 4,078 | AGE REC 1. 2. 3. 4. 5. 6. 7. | Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years |
| 30 | Recode | 8,760 15,606 11,475 15,197 12,314 8,831 8,645 | AGE REC 1. 2. 3. 4. 5. 6. 7. | Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years |

| | | 6,625 4,078 | 8. 65-74 years 9. 75 years and over |
|-------------------|----------|---|---|
| 31-32 | Recode | | AGE RECODE #3 |
| | | 4,366 87,165 | 00-35. Months 36. Over 3 years |
| 33 | _ | | BLANK |
| 1 | | | - 23 - |
| | | | BLIC USE TAPE RECORDS PERSON RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 34-39 | A-3 | | MONTH AND YEAR OF BIRTH |
| 34-35 | | | MONTH |
| | | | 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused |
| 36-39 | | | YEAR OF BIRTH |
| | | | 1800-1899. 1800-1899 1900-1985. 1900-1985 9999. DK or refused |
| 40-41 | | | BLANK |
| 42 | L-3 | | MAIN RACIAL BACKGROUND - Reported |
| | | 537 1,758 14,746 72,866 965 95 | Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race |

1 - 24 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 43-45 | Recode | | RACE RECODES |
| 43 | | | RECODE 1 |
| | | 74,399 14,780 2,352 | White Black Other |
| 44 | | | RECODE 2 |
| | | 74,399 17,132 | 1. White 2. Non-white |
| 45 | | | RECODE 3 |
| | | 14,780 76,751 | 1. Black 2. Non-black |
| 46-47 | L-4 | | HISPANIC ORIGIN |
| | | 139 860 369 1,182 2,171 58 645 927 169 736 84,275 | 00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin |
| 48 | L-7 | | MARITAL STATUS |
| | | 19,648 41,590 524 5,176 4,435 1,490 | Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated |

398 7. Unknown

1 - 25 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| 49 | L-1 | | VETERAN STATUS |
| | | 53,622 | 1. Non-veteran |
| | | 83 | 2. WW I |
| | | 3,652 | 3. WW II |
| | | 1,799 | 4. Korean War |
| | | 3,233 | 5. Vietnam veteran |
| | | 611 | 6. Post-Vietnam |
| | | 1,572 | 7. Other service |
| | | 310 | 8. Served in Armed Forces, unknown i |
| | | 824 | war veteran 9. Unknown if served in Armed Forces |
| | | 25,825 | Blank. Under 18 years of age |
| | | | |
| 50 | L-1 | | ACTIVE GUARD/RESERVE STATUS FOR PERSONS OF ACTIVE DUTY IN ARMED FORCES |
| | | 53,622 | 0. Non-veteran |
| | | 728 | All service in Guard/Reserve |
| | | 1,567 | 2. Some service in Guard/Reserve |
| | | 42 | 3. Unknown if all service in |
| | | 0.015 | Guard/Reserve |
| | | 8,317 | 4. No active service in Guard/Reserv |
| | | 1,430 | 5. Unknown if ever active member in Guard/Reserve or served in Armed Forces |
| | | 25,825 | Blank. Under 18 years of age |
| 51-52 | L-2 | | EDUCATION OF INDIVIDUAL - COMPLETED YEARS |
| | | 3,404 | 00. Never attended; kindergarten only |
| | | 57,098 | 01-12. Grades 1-12 |
| | | | College: |
| | | 4,535 | 13. 1 year |
| | | 5,464 | 14. 2 years |
| | | 2,115 | 15. 3 years |
| | | 6,164 | 16. 4 years |

| 1,394 | 17. | 5 years |
|-------|--------|----------------------|
| 3,136 | 18. | 6 years or more |
| 905 | 19. | Unknown |
| 7.316 | Blank. | Under 5 years of age |

- 26 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|--|--|
| 53 | Recode | | EDUCATION OF INDIVIDUAL RECODE |
| | | 3,404 18,787 12,767 25,544 12,114 6,164 4,530 905 7,316 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Blank. Under 5 years of age |
| 54-55 FAMILY | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT |
| | | | MEMBER - (Detail) |
| | | 155 50,022 | 00. Never attended; kindergarten only 01-12. Grades 1-12 |
| | | | College: |
| | | 6,693 9,162 3,451 11,415 2,947 7,327 359 | 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown |
| 56 FAMILY | _ | | HIGHEST EDUCATION OF RESPONSIBLE ADULT |
| | | | MEMBER - Recode |
| | | 155 5,780 9,349 34,893 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) |

1 - 27 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|----------------|--|
| 57 | L-8 | | FAMILY INCOME \$20,000 OR MORE |
| | | | |
| | | 37,192 | 1. Less than \$20,000 |
| | | 50,547 | 2. \$20,000 or more |
| | | 3,792 | 3. Unknown |
| 58-59 | L-8 | | FAMILY INCOME |
| 30-39 | п-0 | | PAMILI INCOME |
| | | 671 | 00. Less than \$1,000 |
| | | 867 | 01. \$ 1,000 - \$ 1,999 |
| | | 1,068 | 02. 2,000 - 2,999 |
| | | 1,366 | 03. 3,000 - 3,999 |
| | | 1,658 | 04. 4,000 - 4,999 |
| | | 1,659 | 05. 5,000 - 5,999 |
| | | 1,853 | 06. 6,000 - 6,999 |
| | | 1,824 | 07. 7,000 - 7,999 |
| | | 1,586 | 08. 8,000 - 8,999 |
| | | 2,003 | 09. 9,000 - 9,999 |
| | | 2,411 | 10. 10,000 - 10,999 |
| | | 1,407 | 11. 11,000 - 11,999 |
| | | 2,340 | 12. 12,000 - 12,999 |
| | | 1,342 | 13. 13,000 - 13,999 |
| | | 1,468 | 14. 14,000 - 14,999 |
| | | 2,064 | 15. 15,000 - 15,999 |
| | | 1,597 1,581 | 16. 16,000 - 16,999 17. 17,000 - 17,999 |
| | | 2,052 | 18. 18,000 - 18,999 |
| | | 2,475 | 19. 19,000 - 19,999 |
| | | 9,020 | 20. 20,000 - 24,999 |
| | | 8,514 | 21. 25,000 - 29,999 |
| | | 7,815 | 22. 30,000 - 34,999 |
| | | 5,384 | 23. 35,000 - 39,999 |
| | | 4,515 | 24. 40,000 - 44,999 |
| | | 3,250 | 25. 45,000 - 49,999 |
| | | 8,448 | 26. \$50,000 and over |
| | | 11,293 | 27. Unknown |

1 - 28 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|-----------|----------------|---|
| 60 | Recode | | FAMILY INCOME RECODE |
| | | 5,630 | 0. Under \$5,000 |
| | | 3,512 | 1. \$ 5,000 - \$ 6,999 |
| | | 5,413 | 2. 7,000 - 9,999 |
| | | 8,968 | 3. 10,000 - 14,999 4. 15,000 - 19,999 |
| | | 9,769 9,020 | 4. 15,000 - 19,999 5. 20,000 - 24,999 |
| | | 16,329 | 6. 25,000 - 34,999 |
| | | 13,149 | 7. 35,000 - 49,999 |
| | | 8,448 | 8. \$50,000 or more |
| | | 11,293 | 9. Unknown |
| 61 | Generated | | NHIS POVERTY INDEX* |
| | | 68,103 | 1. Above poverty threshold |
| | | 12,123 | 2. Below poverty threshold |
| | | 11,305 | 3. Unknown |
| 62-63 | | | FAMILY RELATIONSHIP |
| 62 | A-2 | | TYPE OF FAMILY |
| | | 9,003 | &. Primary individual |
| | | 1,402 | Secondary individual |
| | | 80,940 | 0. Primary family |
| | | 185 | 1-9. Secondary family |
| 63 | A-2 | | RELATIONSHIP TO REFERENCE PERSON |
| | | 8,613 | &. Reference person, living alone |
| | | 26,972 | 0. Reference person, 2+ persons in |
| | | 20 214 | household |
| | | 20,314 | Spouse, other spouse NOT in Armed Forces and living at home |
| | | 270 | Spouse, other spouse IN Armed Ford and living at home |
| | | 31,181 | 3. Child of reference person or spous |
| | | 1,606 | 4. Grandchild of reference person or |
| | | 683 | spouse 5. Parent of reference person or spou |
| | | 1,874 | 6. Other relative |
| | | 18 | 7. Child of ineligible reference pers |
| | | 0 | 9. DK or refused |
| | | | |

^{*}Based on family size, number of children under 18 years of age & family income

using the 1984 poverty levels derived from the August, 1985 Current Population Survey.

- 29 -

| Tape Locations | Item No. | Frequency | Items and | Codes |
|-------------------|-----------|-----------------|----------------------------|---|
| 64 | Recode | | FAMILY RELATI | ONSHIP RECODE |
| | | 8,613 | 1. Livin | g alone |
| | | 1,792 | | g only with non-relative |
| | | 41,563 | | g with spouse |
| | | 39,563 | 4. Livin | g with relative - other |
| 65-66 | Generated | | SIZE OF FAMIL | Υ* |
| | | | Unrelated ind | ividuals are coded 01 |
| 67 | Generated | | SIZE OF FAMIL | Y RECODE |
| | | | 1-8. Num 9. 9+ | ber of members members |
| 68 | A-2 | | PARENT/OTHER old and never | ADULT RELATIVE (under 25 years married) |
| | | 20,237 | | parents, no other relative |
| | | 4,607 | 2. Mothe | r only |
| | | 413 | 3. Fathe | |
| | | 2,747 | | parents and other 21+ year old relative |
| | | 1,773 | | r and other 21+ year old adult |
| | | 123 | 6. Fathe relat | r and other 21+ year old adult ive |
| | | 342 | 7. No pa | rent, but one 21+ year old |
| adult | | | _ | |
| | | EEO | relat | |
| | | 550 | old a | rent, but two or more 21+ year dult relatives |
| | | 343 | 9. Unkno | |
| | | 1,679 58,717 | 0. Other Blank. Not a | pplicable (25+ years old or |
| ever | | JU, / ± / | DIGITA. NOC a | bbircapie (52) legis oid of |
| | | | marri | ed) |
| | | | | |
| | | | | |

*Count includes spouse in military but living at home.

- 30 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

| · | | | | |
|-------------------|------------|------------------|--|--|
| Tape Locations | Item No. | Frequency | Items and Codes | |
| 69 | B-1 B-8 | | MAJOR ACTIVITY (18+ years old) | |
| | | 38,421 | 1. Working | |
| | | 14,300 | 2. Keeping house | |
| | | 4,100 | 3. Going to school | |
| | | 8,391 494 | 4. Something else 5. Unknown | |
| | | 25,825 | Blank. Not applicable (Under 18 years) | |
| | | 23,023 | brain. Not applicable (onder 10 years) | |
| 70 | G-4 | | HEALTH STATUS | |
| | | 25 201 | 1 7 | |
| | | 35,291 24,325 | Excellent Very Good | |
| | | 21,533 | 3. Good | |
| | | 7,133 | 4. Fair | |
| | | 2,812 | 5. Poor | |
| | | 437 | 6. Unknown | |
| 71 | Recode | | ACTIVITY LIMITATION STATUS - (all ages) | |
| | | 3,365 | 1 Unable to perform major estivity | |
| activity | | 5,324 | Unable to perform major activity Limited in kind/amount major | |
| accivicy | | 4,097 | 3. Limited in other activities | |
| | | 78,445 | 4. Not limited (includes unknowns) | |
| 72 | Recode | | ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) | |
| | | 4,039 | 1. Unable to work | |
| | | 2,860 | 2. Limited in kind/amount of work | |
| | | 1,995 | 3. Limited in other activities | |
| | | 49,777 | 4. Not limited (includes unknowns) | |
| | | 32,860 | Blank. Not applicable | |
| | | | (under 18 years, 70+ years) | |
| | | | | |

1 - 31 -

| Tape Locations | Item No. | Frequency | Items and Codes | | |
|-------------------|----------|---|--|--|--|
| 73 | B-11 | | LIMITATION OF SCHOOL ACTIVITIES (5-17 years | | |
| | | 89 524 70 195 344 17,287 73,022 | Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18-years) | | |
| 74 | B-14 | | NEEDS HELP WITH PERSONAL CARE (5-59 years | | |
| | | | and limited, or age 60-69 years)* | | |
| needs | | 517 | 1. Unable to perform personal care | | |
| iiccus | | 1,092 | 2. Limited in performing other routine needs | | |
| or | | 13,166 | 3. Not limited in performing personal | | |
| | | 322 76,454 | routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old) | | |
| 75 | D-1 | | EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ | | |
| | | | In the Labor Force: (1-7) | | |
| | | 39,785 943 | Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on | | |
| | | 43 | lay-off and not looking for work 3. Did not work, has job; looking for work | | |
| | | 139 | Unemployed: (4-7) 4. Did not work, has job; on lay- | | |
| off | | 10 | 5. Did not work, has job; on lay- | | |
| off | | 414 | and looking for work 6. Did not work, has job; unknown | | |
| 11 | | 2,060 | looking or on lay-off 7. Did not work, no job; looking for work or on lay-off | | |

Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years

old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1 - 32 -

22,312

25,825

| Tape Locations | Item No. | Frequency | Items and Codes | |
|-------------------|----------|--|---|--|
| 76 | L-6 | | CLASS OF WORKER | |
| | | 22,312 31,084 1,340 1,536 3,521 1,135 3,752 161 172 693 25,825 | Not in labor force Private company Federal Government employee State Government employee Local Government employee Incorporated business Self-employed Without pay Never worked Unknown Blank. Under 18 | |
| 77-79 | L-6 | | INDUSTRY DETAIL CODE | |
| | | 43,394 48,137 | 010-996. Code number Blank. Not applicable | |
| 80-81 | Recode | | INDUSTRY RECODE 1 | |
| | | | SEE APPENDIX B | |
| 82-83 | Recode | | INDUSTRY RECODE 2 | |
| | | | SEE APPENDIX B | |
| 84-86 | L-6 | | OCCUPATION DETAIL CODE | |
| | | 43,394 48,137 | 003-999. Code number Blank. Not applicable | |

| 87-88 | Recode OCCUPATION RECODE 1 | | | | | |
|-----------|----------------------------|------------------------------|--|--|--|--|
| | SEE APPENDIX C | | | | | |
| | | | | | | |
| 1 | | | - 33 - | | | |
| | | NHIS PU | UBLIC USE TAPE RECORDS | | | |
| | | | PERSON RECORD | | | |
| Tape | | | | | | |
| Locations | Item No. | o. Frequency Items and Codes | | | | |
| 89-90 | Recode | | OCCUPATION RECODE 2 | | | |
| | | | SEE APPENDIX C | | | |
| 91 | L-R | RESPONDENT | | | | |
| | | 24,366 | 0. Under 17 | | | |
| | | 41,262 | 1. Self-entirely | | | |
| | | 4,424 20,827 | 2. Self-partly3. Proxy | | | |
| | | 652 | 4. Unknown | | | |
| 92 | Recode | | CONDITION LIST ASSIGNED AND ASKED | | | |
| | | 15,271 | 1. Condition List 1, Skin and musculoskeletal | | | |
| | | 15,168 | 2. Condition List 2, Impairments | | | |
| | | 15,234 | 3. Condition List 3, Digestive | | | |
| | | 15,021 15,094 | Condition List 4, Miscellaneous Condition List 5, Circulatory | | | |
| | | 15,094 | 6. Condition List 6, Respiratory | | | |
| | | 497 | 7. Unknown | | | |
| 93-94 | G-5 | | HEIGHT WITHOUT SHOES (18+ years) | | | |
| | | | 36-98. Number of inches 99. Unknown | | | |
| | | | Blank. Under 18 years of age | | | |
| 95-97 | G-5 | | WEIGHT WITHOUT SHOES (18+ years) | | | |

050-500. Number of pounds

501. Unknown

Blank. Under 18 years of age

| 98-99 | Recode | | TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS |
|-------------------|----------|-----------------|--|
| | | 81,867 9,664 | 00. None 01-14. Days |
| 1 | | | - 34 - BLIC USE TAPE RECORDS PERSON RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 100-101 | D-4 | | BED DAYS IN PAST TWO WEEKS |
| | | 85,903 5,628 | 00. None 01-14. Days |
| 102-103 | D-2 | | WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3) |
| | | 89,101 2,430 | 00. None 01-14. Days |
| 104-105 | D-3 | | SCHOOL-LOSS DAYS IN PAST TWO WEEKS |
| | | 89,974 1,557 | 00. None 01-14. Days |
| 106-107 TWO | D-6 | | OTHER DAYS OF RESTRICTED ACTIVITY IN PAST WEEKS |
| | | 87,126 4,405 | 00. None 01-14. Days |
| 108-110 | G-2 | | BED DAYS IN PAST 12 MONTHS |
| | | 50,453 | 000. None |

| | | 40,361 717 | 001-365. 1-365 days 366. Unknown |
|-------------------|-----------|---|---|
| 111 | Recode | | BED DAYS IN PAST 12 MONTHS - Recode |
| | | 50,453 30,048 7,782 2,041 490 717 | None 1-7 days 8-30 days 31-180 days 181-365 days Unknown |
| 1 | | | - 35 - |
| | | | BLIC USE TAPE RECORDS PERSON RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 112-114 | G-3 | | DOCTOR VISITS IN PAST 12 MONTHS |
| | | 23,753 67,479 0 299 | 000. None 001-996. Visits 997. 997+ visits 998. Unknown |
| 115 | G-3 | | INTERVAL SINCE LAST DOCTOR VISIT |
| | | 121 68,226 9,716 9,026 3,259 1,183 | Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown |
| 116-117 | Generated | | NUMBER OF CONDITIONS |
| 118-119 | Generated | | NUMBER OF ACUTE INCIDENCE CONDITIONS |

NUMBER OF TWO-WEEK DOCTOR VISITS

120-121

Generated

| 122-123 | Generated | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS |
|---------|-----------|--|
| 124-126 | Generated | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS |
| 127-128 | Generated | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY* |
| 129-131 | Generated | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY* |
| | | |

*Based on operation codes and reason entered hospital.

- 36 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|-----------|-----------|---|
| 132-133 | Generated | | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS |
| 134-136 | Generated | | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS |
| 137-138 | Generated | | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY* |
| 139-141 PAST | Generated | | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY* |
| 142-181 | | _ | BLANK |

| 182 | Master Record | | REGION | |
|-----|------------------|--|----------------|--|
| | Record | 19,466 23,063 30,790 18,212 | 2. 3. | Northeast North Central South West |
| 183 | Master Record | | GEOGRAF | PHIC DISTRIBUTION MSA Size |
| | | 37,973 23,389 6,273 1,424 22,472 | 1. 2. 3. | 1,000,000 or more 250,000 - 999,999 100,000 - 249,999 Under 100,000 |
| 184 | | | BLANK | |

^{*}Based on operation codes and reason entered hospital.

1 - 37 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|------------------|-------------------------------------|--|
| 185 | Master Record | 49,234 19,825 26 22,446 | TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing |
| 186 | Recode | 30,336 38,723 21,011 1,461 | MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm |

| 190-200 | | | CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format |
|-------------------|----------|-----------|---|
| WICH | | | implied decimal |
| | | | FINAL BASIC WEIGHT |
| 201-209 | | | QUARTER |
| 210-218 | | | SEMI-ANNUAL (WT/2) |
| 219-227 | | | ANNUAL (WT/4) |
| | | | 6.5 WEIGHT |
| 228-236 | | | QUARTER, SEMI-ANNUAL, AND ANNUAL |
| | | | ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 |
| 237-245 | | | QUARTER, SEMI-ANNUAL AND ANNUAL |
| 1 | | | - 38 - |
| | | | BLIC USE TAPE RECORDS PERSON RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| | | | ESTIMATED BED DAYS IN PAST 2 WEEKS |
| 246-254 | | | QUARTER, SEMI-ANNUAL AND ANNUAL |
| | | | ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS (control on Currently Employed, 75:1-3) |
| 255-263 | | | QUARTER, SEMI-ANNUAL AND ANNUAL |
| | | | |

| 2 | 6 | 1 | _ | 2 | 7 | 2 | |
|---|---|---|---|---|---|---|--|
| 4 | U | ュ | _ | 4 | 1 | 4 | |

| 204-272 | QUARTER, SEMI-ANNOAD AND ANNOAD |
|---------|---|
| | ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS |
| 273-281 | QUARTER |
| 282-290 | SEMI-ANNUAL |
| 291-299 | ANNUAL |
| | |
| IN | ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS |
| IN | PAST 12 MONTHS |
| 300-308 | QUARTER |
| 309-317 | SEMI-ANNUAL |
| 318-326 | ANNUAL |
| | |
| 327-335 | ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS |
| | NOSPITAL EPISODES IN PAST 12 MONTHS |
| | |

1 - 39 -

CONDITION RECORD

1NOTES:

1 - 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

| NHIS Code | Category Title |
|-----------|--|
| 019 | Tuberculosis, arrested or inactive |
| | Psychic factors associated with diseases classified elsewhere in specified system: |
| 316.0 | Musculoskeletal |
| 316.1 | Respiratory |
| 316.2 | Cardiovascular |
| 316.3 | Skin |
| 1 | - 42 - |
| 316.4 | Gastrointestinal |
| 316.5 | Genitourinary |
| 316.6 | Endocrine |
| 316.7 | Organs of special sense |
| 316.8 | Other |
| 316.9 | Unspecified |
| 399 | Rheumatic fever, inactive |
| 477.7 | Allergies with multiple causes |
| 693.2 | Skin allergies with multiple causes |
| 799.5 | Observation with no condition found |

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included

in the categories specified:

| | Unused ICD | Coded To: |
|---|---------------|---|
| | 009.1 | 558 |
| | 009.3 | 558 |
| | 137-139 | Impairment, as appropriate |
| | 230-234 | Not applicable (not reported in NHIS) |
| | 235-238 | Benign, malignant or unspecified, by site |
| | 268.1 | Not applicable (not reported in NHIS) |
| | 306.0,6,7,8,9 | Code as if non-psychogenic |
| | 315.0-2 | X14 |
| | 317-319 | X19 |
| | 326 | Code residual effect to appropriate impairment or ICD 320-325 |
| | 331.3,4 | X93 |
| | 342 | X41 |
| | 343 | X50 |
| 1 | | - 43 - |
| | 344.0,2-6,8,9 | Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent |
| | 353.5 | X70-X79, by site |
| | 369 | X00-X03, by severity and site |
| | 388.2 | X05-X09, by severity and site |
| | 389 | X05-X09, by severity and site |
| | 391 | Usually 398.9 (see Short Index) |
| | 410-412 | 414 |
| | 429.6 | 414 |
| | 436 | 437 |
| | 438 | Appropriate impairment usually (see Medical Coding Manual, Appendix III) |
| | 520.0-2,5 | X92 |
| | 521.6 | X92 |

| | 524 | X92 |
|---|-----------|--|
| | 718.6 | X85 |
| | 728.2 | X70-X79, by site |
| | 728.4 | Orthopedic impairment, by site |
| | 728.6 | X74 |
| | 734 | X77 |
| | 735 | X76 |
| | 736 | Impairment, by type, site and cause |
| | 737 | X70 |
| | 738 | Impairment, by type, site and cause |
| | 740 | Not applicable (not reported in NHIS) |
| | 741 | X71.9 |
| | 742.0,1,3 | X93.9 |
| 1 | | - 44 - |
| | 743 | Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment |
| | | (see Appendix III) |
| | 744.5 | X79.9 |
| | 744.8,9 | of face, coded to X90.9 of neck, coded to X79.9 |
| | 749 | X91.9 |
| | 750.0,1 | X11.9 |
| | 753.0 | X31.9 |
| | 754.2 | X70.9 |
| | 754.3 | X75.9 |
| | 754.4 | X76.9 |
| | 754.5-7 | X78.9 except flatfoot coded to X77 |
| | 754.8 | Appropriate impairment, by type and site |
| | 755 | Appropriate impairment, by type and site |
| | 756.0-3 | Appropriate impairment, by type and site |
| | | |

| | 758.0 | X19.9 |
|---|-------------|---------------------------------|
| | 759.7.9 | X99.9 |
| | 761.6 | Not applicable |
| | 779.6 | Not applicable (for fetus) |
| | 781.5 | X74 |
| | 783.1 | 278.0 |
| | 798 | Not applicable |
| | 871.3 | X00-X03 |
| | 885-887 | Appropriate impairment, by site |
| | 895-897 | Appropriate impairment, by site |
| | 905.6-8 | X80-89, by site |
| | 905.9 | X20-29, X35, by site |
| 1 | | - 45 - |
| | 908.6 | Code to effect |
| | 909.0,1,3,9 | Code to effect |
| | 958 | Code injury only |
| | 960-979 | 977.9 |
| | 980.987 | 989.9 |

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

1 - 46 -

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode ${\tt C}$ - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

1 - 47 -

NHIS PUBLIC USE TAPE RECORDS

Outline of Items and Codes Number of Records = 65,806 CONDITION RECORD

| Tape Locations | Item No. | Frequency | Items and Codes | | |
|-------------------|----------|--------------------------------------|--|--|--|
| 1-2 | _ | | RECORD TYPE | | |
| | | 65,806 | 30. Condition Record | | |
| 3-4 | _ | | PROCESSING YEAR | | |
| | | 65,806 | 85. 1985 | | |
| 5 | | | PROCESSING QUARTER | | |
| | | 16,902 16,474 16,345 16,085 | 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4 | | |
| 6-8 | HH-5 | | RANDOM RECODE OF PSU NUMBER | | |
| 9-10 | нн-5 | | WEEK - CENSUS CODE* | | |
| | | | 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 | | |

12, 32, 52, 72, 92 ... Week 12 13, 33, 53, 73, 93 ... Week 13

*This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which

reflects the actual week assigned for conducting the interview.

1 - 48 -

| Tape Locations | Item No. | Frequency | Items and Codes | | |
|-------------------|----------|---|--|--|--|
| 11-12 | нн-5 | | SEGMENT NUMBER Week plus Segment Number identifies the segment | | |
| | | | | | |
| 13-14 | HH-5 | | HOUSEHOLD NUMBER | | |
| | | | Numbered within PSU-Week-Segment | | |
| 15-16 | - | | PERSON NUMBER | | |
| 17-18 | - | | CONDITION SERIAL NUMBER 01-99. Serial Number | | |
| 19-20 | нн-5 | 4,771 5,348 5,076 4,996 5,304 4,853 5,197 5,488 4,872 5,109 4,673 5,091 5,028 | WEEK CODE (Numbered within Quarter) Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84 Week 05. 05, 25, 45, 65, 85 Week 06. 06, 26, 46, 66, 86 Week 07. 07, 27, 47, 67, 87 Week 08. 08, 28, 48, 68, 88 Week 09. 09, 29, 49, 69, 89 Week 10. 10, 30, 50, 70, 90 Week 11. 11, 31, 51, 71, 91 Week 12. 12, 32, 52, 72, 92 Week 13. 13, 33, 53, 73, 93 | | |

21 BLANK

1 - 49 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| 22-23 | нн-10d | | TYPE OF LIVING QUARTERS: |
| | | | Housing Unit = (00-07) |
| | | 209 | 00. Housing unit; kind unknown |
| | | 61,113 | 01. House, apartment, flat |
| | | | |
| | | 83 | 02. HU in nontransient hotel, motel, |
| | | 0.1 | etc. |
| | | 21 | 03. HU-permanent in transient hotel, |
| | | | motel, etc. |
| | | 29 | 04. HU in rooming house |
| | | 3,117 | 05. Mobile home or trailer with no |
| | | | permanent room added |
| | | 658 | 06. Mobile home or trailer with one or |
| | | | more permanent rooms added |
| | | 25 | 07. HU not specified above |
| | | | Other Unit = (08-13) |
| | | 38 | 08. Quarters not HU in rooming or boarding house |
| | | 11 | 09. Unit not permanent in transient |
| | | T.T. | hotel, motel, etc. |
| | | 3 | 10. Unoccupied site for mobile home, |
| | | 3 | |
| | | 206 | trailer, or tent |
| | | 306 | 11. Student quarters in college |
| | | | dormitory |
| | | 177 | 12. Other unit not specified above |
| | | 16 | 13. Other unit; kind unknown |
| | | | |
| 24 | нн-11 | | HAS TELEPHONE |
| | | 59,417 | 1. Yes, phone number given |
| | | 1,503 | 2. Yes, no phone number given |
| | | | <u>-</u> |
| | | 4,620 | 3. No |
| | | 266 | 4. Unknown |
| | | | |

| 25 | A-1 | | SEX | |
|-------------------|------------------|---|---|--|
| | | 27,515 38,291 | 1. 2. | Male Female |
| 26 | - | | BLANK | |
| 1 | | NHIS | PUBLIC U | 50 - SE TAPE RECORDS ON RECORD |
| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
| 27-28 | Person Column | 493 65,296 17 | | Under 1 year Number of years 99+ years of age |
| 29 | Recode | 2,247 6,439 4,218 16,592 18,329 5,765 4,628 7,588 | AGE REC 1. 2. 3. 4. 5. 6. 7. | Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years |
| 30 | Recode | 2,710 5,441 4,753 8,255 8,337 7,645 10,684 10,393 7,588 | 3. | Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years |

31-32 Recode

AGE RECODE #3

```
1,442
                                00-35. Months
                     64,364
                                    36. Over 3 years
    33
                                 BLANK
                                      - 51 -
1
                           NHIS PUBLIC USE TAPE RECORDS
                                 CONDITION RECORD
  Tape
Locations Item No. Frequency Items and Codes
  34-39 A-3
                                 MONTH AND YEAR OF BIRTH
  34-35
                                 MONTH
                                               08. August
                                 01. January
                                 02. February
                                                  09. September
                                 03. March
                                                10. October
                                 04. April
                                                 11. November
                                 05. May
                                                 12. December
                                 06. June
                                                99. DK or refused
                                 07. July
  36-39
                                 YEAR OF BIRTH
                                 1800-1899. 1800-1899
                                 1900-1985. 1900-1985
                                      9999. DK or refused
  40 - 41
                                 BLANK
    42
       L-3
                                 MAIN RACIAL BACKGROUND - Reported
                        384
                                     1. Aleut, Eskimo, or American Indian
                                     2. Asian/Pacific Islander
                        629
                                    3. Black
                      9,793
                     54,227
                                    4. White
                                    5. Other
                        469
                        84
                                    6. Multiple race
                        220
                                    7. Unknown
```

1 - 52 -

CONDITION RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|--|---|
| 43-45 | Recode | | RACE RECODES |
| 43 | | | RECODE 1 |
| | | 54,939 9,819 1,048 | White Black Other |
| 44 | | | RECODE 2 |
| | | 54,939 10,867 | White Non-white |
| 45 | | | RECODE 3 |
| | | 9,819 55,987 | 1. Black 2. Non-black |
| 46-47 | L-4 | | HISPANIC ORIGIN |
| | | 73 520 222 515 996 27 304 574 90 381 62,104 | 00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin |
| 48 | L-7 | | MARITAL STATUS |
| | | 6,338 34,028 456 9,119 5,006 1,646 9,020 193 | Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown |

- 53 -

| Locations | Item No. | Frequency Items and Codes | | | |
|-----------|----------|---------------------------|--|--|--|
| 49 | L-1 | | VETERAN STATUS | | |
| | | 45,996 | 1. Non-veteran | | |
| | | 153 | 2. WW I | | |
| | | 4,946 | 3. WW II | | |
| | | 1,749 | 4. Korean War | | |
| | | 2,092 | 5. Vietnam veteran | | |
| | | 324 | 6. Post-Vietnam | | |
| | | 1,080 | 7 . Other service | | |
| | | 245 | Served in Armed Forces, unknown if war veteran | | |
| | | 532 | 9. Unknown if served in Armed Forces | | |
| | | 8,686 | Blank. Under 18 years of age | | |
| | | | | | |
| 50 | L-1 | | ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES | | |
| | | 45,996 | 0. Non-veteran | | |
| | | 470 | 1. All service in Guard/Reserve | | |
| | | 1,453 | 2. Some service in Guard/Reserve | | |
| | | 33 | 3. Unknown if all service in | | |
| | | 0 110 | Guard/Reserve | | |
| | | 8,119 | 4. No active service in Guard/Reserve | | |
| | | 1,049 | Unknown if ever active member in Guard/Reserve or if served in Arme Forces | | |
| | | 8,686 | Blank. Under 18 years of age | | |
| 51-52 | L-2 | | EDUCATION OF INDIVIDUAL - COMPLETED YEARS | | |
| | | 1,599 | 00. Never attended; kindergarten only | | |
| | | 45,152 | 01-12. Grades 1-12 | | |
| | | 15,152 | of 12. Grades 1 12 | | |
| | | | College: | | |
| | | 3,356 | 13. 1 year | | |
| | | 3,971 | 14. 2 years | | |
| | | 1,459 | 15. 3 years | | |
| | | 4,032 | 16. 4 years | | |
| | | | | | |
| | | 1,003 | 17. 5 years | | |
| | | 2,270 | 18. 6 years or more | | |
| | | | <u> </u> | | |

1 - 54 -

| Tape Locations | Item No. | Frequency | Items and Codes EDUCATION OF INDIVIDUAL RECODE | | |
|-------------------|----------|--|---|--|--|
| 53 | Recode | | | | |
| | | 1,599 15,310 10,680 19,162 8,786 4,032 3,273 717 2,247 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age | | |
| 54-55 FAMILY | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT | | |
| 17111111 | | | MEMBER (Detail) | | |
| | | 222 39,470 | 00. Never attended; kindergarten only 01-12. Grades 1-12 | | |
| | | | College: | | |
| | | 4,425 6,020 2,292 6,716 1,884 4,544 233 | 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown | | |
| 56 FAMILY | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT | | |
| | | | MEMBER - Recode | | |
| | | 222 7,526 8,702 23,242 12,737 6,716 6,428 233 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown | | |

1 - 55 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

| Tape Locations | Item No. | Frequency | Item | ns and Codes | |
|-------------------|----------|--------------------------------|------------|--|--|
| 57 | L-8 | FAMILY INCOME \$20,000 OR MORE | | | |
| | | 34,010 | 1. | Less than \$20,000 | |
| | | 29,577 | 2. | \$20,000 or more | |
| | | 2,219 | 3. | Unknown | |
| 58-59 | L-8 | | FAMILY I | NCOME | |
| | | 599 | 00. | Less than \$ 1,000 | |
| | | 614 | 01. | \$ 1,000 - \$ 1,999 | |
| | | 1,023 | 02. | 2,000 - 2,999 | |
| | | 1,808 | 03. | 3,000 - 3,999 | |
| | | 1,991 | 04. | 4,000 - 4,999 | |
| | | 2,179 | 05. | 5,000 - 5,999 | |
| | | 2,124 | 06. | 6,000 - 6,999 | |
| | | 1,851 | 07. | 7,000 - 7,999 | |
| | | 1,672 | 08. | 8,000 - 8,999 | |
| | | 2,013 | 09. | 9,000 - 9,999 | |
| | | 2,132 | 10. | 10,000 - 10,999 | |
| | | 1,274 | 11. | 11,000 - 11,999 | |
| | | 2,081 | 12. | 12,000 - 12,999 | |
| | | 1,153 | 13. | 13,000 - 13,999 | |
| | | 1,185 | 14. | 14,000 - 14,999 | |
| | | 1,529 | 15. | 15,000 - 15,999 16,000 - 16,999 | |
| | | 1,167 1,139 | 16. 17. | 16,000 - 16,999 17,000 - 17,999 | |
| | | 1,139 | 18. | 17,000 - 17,999 | |
| | | 1,515 | 18. 19. | 18,000 - 18,999 | |
| | | 1,691 5,901 | 19. 20. | 20,000 - 19,999 | |
| | | | 20. | 25,000 - 24,999 | |
| | | 5,087 4,557 | 21. 22. | 30,000 - 29,999 30,000 - 34,999 | |
| | | 4,557 2,937 | 23. | 35,000 - 34,999 | |
| | | 2,937 2,675 | 23. | 40,000 - 44,999 | |
| | | 2,675 1,887 | 24. 25. | 45,000 - 44,999 | |
| | | 4,634 | 25. 26. | \$50,000 - 49,999 \$50,000 and over | |
| | | 7,388 | 26. 27. | Unknown | |

- 56 -

| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
|-------------------|-----------|--|----------------------------------|--|
| 60 | Recode | | FAMILY | INCOME RECODE |
| | | 6,035 4,303 5,536 7,825 7,041 5,901 9,644 7,499 4,634 7,388 | 1. 2. 3. 4. 5. 6. | 7,000 - 9,999 10,000 - 14,999 15,000 - 19,999 20,000 - 24,999 25,000 - 34,999 35,000 - 49,999 \$50,000 or more |
| 61 | Generated | | NHIS PO | VERTY INDEX* |
| | | 48,161 | 1. | Above poverty threshold |
| | | 10,251 | 2. | Below poverty threshold |
| | | 7,394 | 3. | Unknown |
| 62-63 | | | FAMILY | RELATIONSHIP |
| 62 | A-2 | | TYPE OF | FAMILY |
| | | 12,099 | | Primary individual |
| | | 1,106 | | Secondary individual |
| | | 52,483 | | Primary family |
| | | 117 | 1-9. | Secondary family |
| 63 | A-2 | | RELATIO | NSHIP TO REFERENCE PERSON |
| | | 11,731 | &. | Reference person, living alone |
| | | 22,275 | 0. | household |
| | | 16,867 | 1. | Forces and living at home |
| | | 189 | 2. | Spouse, other spouse IN Armed Forces and living at home |
| | | 11,020 456 | 3. 4. | Child of reference person or spouse Grandchild of reference person or |
| | | 130 | 1. | spouse |
| | | 1,215 | 5. | Parent of reference person or spouse |
| | | 1,044 | 6. | Other relative |
| | | 9 | 7. | Child of ineligible reference person |
| | | 0 | 9. | DK or refused |

^{*}Based on family size, number of children under 18 years of age & family income using the 1984 poverty levels derived from the August, 1985 Current Population Survey.

CONDITION RECORD

| · | | | | |
|-------------------|-----------|-------------------------------------|---------|--|
| Tape Locations | Item No. | Frequency | It∈ | ems and Codes |
| 64 | Recode | | FAMILY | RELATIONSHIP RECODE |
| | | 11,731 1,474 34,002 18,599 | 2. | Living with spouse |
| 65-66 | Generated | | SIZE OF | FAMILY* |
| | | | Unrelat | ced individuals are coded 01 |
| 67 | Generated | | SIZE OF | F FAMILY RECODE |
| | | | | Jumber of members 0+ members |
| 68 | A-2 | | | OTHER ADULT RELATIVE (under 25 years ver married) |
| | | 6,720 | 1. | ± ' |
| | | 1,779 | 2. | |
| | | 114 | 3. | |
| | | 809 | 4. | Both parents and other 21+ year old adult relative |
| | | 563 | 5. | Mother and other 21+ year old adult relative |
| | | 32 | 6. | |
| adult | | 110 | 7. | No parent, but one 21+ year old |
| GGGTC | | | | relative |
| | | 122 | 8. | |
| | | 132 | 9. | Unknown |
| | | 959 | 0. | |
| | | 54,466 | Blank. | Not applicable (25+ years old or |
| ever | | | | |
| | | | | married) |

^{*}Count includes spouse in military but living at home.

1 - 58 -

CONDITION RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|------------|---------------|--|
| 69 | B-1 B-8 | | MAJOR ACTIVITY (18+ years old) |
| | 2 0 | 22,474 | 1. Working |
| | | 17,280 | 2. Keeping house |
| | | 2,012 | 3. Going to school |
| | | 14,835 519 | Something else Unknown |
| | | 8,686 | 5. Unknown Blank. Not applicable (Under 18 years) |
| | | · | |
| 70 | G-4 | | HEALTH STATUS |
| | | 11,603 | 1. Excellent |
| | | 13,377 | 2. Very Good |
| | | 17,676 | 3. Good |
| | | 13,294 | 4. Fair |
| | | 9,534 | 5. Poor |
| | | 322 | 6. Unknown |
| 71 | Recode | | ACTIVITY LIMITATION STATUS - (all ages) |
| | | 10,866 | 1. Unable to perform major activity |
| | | 13,157 | Inable to perform major activity Limited in kind/amount major |
| ctivity | | 9,222 | 3. Limited in other activities |
| | | 32,561 | 4. Not limited (includes unknowns) |
| 72 | Recode | | ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) |
| | | 11,911 | 1. Unable to work |
| | | 6,544 | 2. Limited in kind/amount of work |
| | | 4,070 | 3. Limited in other activities |
| | | 22,379 | 4. Not limited (includes unknowns) |
| | | 20,902 | Blank. Not applicable |
| | | | (under 18 years, 70+ years) |

- 59 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|--|---|
| 73 | B-11 | | LIMITATION OF SCHOOL ACTIVITIES (5-17 years) |
| | | 154 821 118 316 546 4,484 59,367 | Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years) |
| 74 | B-14 | | NEEDS HELP WITH PERSONAL CARE (5-59 years |
| 014 | | | and limited, or age 60-69 years)* |
| needs | | 1,686 | 1. Unable to perform personal care |
| necas | | 3,540 | Limited in performing other routine needs |
| or | | 22,328 | 3. Not limited in performing personal |
| | | 18 38,234 | routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old) |
| 75 years) | D-1 | | EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ |
| | | | In the Labor Force: (1-7) |
| off | | 22,928 1,058 | Currently Employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay- |
| | | 22 | and not looking for work3. Did not work, has job; looking for work |
| | | 89 | Unemployed: (4-7) 4. Did not work, has job; on lay-off |
| | | 11 | Did not work, has job; on lay-off and looking for work |
| | | 310 | Did not work, has job; unknown if looking or on lay-off |
| | | 1,253 | Did not work, no job; looking for work or on lay-off |
| | | 31,449 8,686 | Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old) |

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74

- 60 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|--|---|
| 76 | L-6 | | CLASS OF WORKER |
| | | 31,449 17,647 877 1,028 2,352 640 2,541 120 58 408 8,686 | 0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18 |
| 77-79 | L-6 | | INDUSTRY DETAIL CODE |
| | | 25,671 40,135 | 010-996. Code number Blank. Not applicable |
| 80-81 | Recode | | INDUSTRY RECODE 1 |
| | | | SEE APPENDIX B |
| 82-83 | Recode | | INDUSTRY RECODE 2 |
| | | | SEE APPENDIX B |
| 84-86 | L-6 | | OCCUPATION DETAIL CODE |
| | | 25,671 40,135 | 003-999. Code number Blank. Not applicable |
| 87-88 | Recode | | OCCUPATION RECODE 1 |

SEE APPENDIX C

| 89-90 | Recode | OCCUPATION RECODE 2 SEE APPENDIX C | | | | |
|-------------------|--|---|--|--|--|--|
| 1 | - 61 - NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD | | | | | |
| Tape Locations | Item No. | Frequency | Items and Codes | | | |
| 91 | L-R | 8,151 42,544 3,419 11,325 367 | RESPONDENT 0. Under 17 1. Self-entirely 2. Self-partly 3. Proxy 4. Unknown | | | |
| 92 | Recode | 12,509 11,755 8,935 9,619 10,632 11,981 375 | CONDITION LIST ASSIGNED AND ASKED 1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown | | | |
| 93-96 | K-3 | ICD/NHIS CODE (DIAGNOSTIC CODE) (See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation) | | | | |
| 97-99 | Recode | CONDITION RECODE (B) (ICD Recode, modified for NHIS) (See Diagnostic Recodes Section) | | | | |
| 100-103 | Recode | | ACUTE RECODE (A) | | | |

| 104-106 | Recode | | CHRONIC RECODE (C) | | | |
|-------------------|----------------------------------|----------------|---|--|--|--|
| | | | | | | |
| | (See Diagnostic Recodes Section) | | | | | |
| 1 | | | - 62 - | | | |
| _ | | | ~ | | | |
| | | NHIS | S PUBLIC USE TAPE RECORDS CONDITION RECORD | | | |
| | | | CONDITION RECORD | | | |
| Tape Locations | T+om No | Eroguongy | It ama and Codes | | | |
| Locations | Item No. | Frequency | Items and Codes | | | |
| 107 | K-3 | | CHRONIC/ACUTE CODE | | | |
| | | 56,110 | 1. Chronic | | | |
| | | 9,696 | 2. Acute | | | |
| 108 | K-5 | | ONSET | | | |
| 100 | 11 3 | | | | | |
| | | 6,555 | 1. During the past 2 weeks | | | |
| | | 4,393 7,350 | 2. Over 2 weeks to 3 months3. Over 3 months to 12 months | | | |
| | | 15,921 | 4. Over 1 year to 5 years | | | |
| | | 31,587 | 5. Over 5 years | | | |
| | | | | | | |
| 109 | K-2 | | DOCTOR LAST SEEN FOR THIS CONDITION | | | |
| | | 135 | 0. Interview week | | | |
| | | 16,641 | 1. 2-week reference period | | | |
| | | 19,374 | 2. Over 2 weeks, less than 6 months | | | |
| | | 6,515 | 3. 6 months, less than 1 year | | | |
| | | 4,425 | 4. 1 year, less than 2 years 5. 2 years, less than 5 years | | | |
| | | 4,443 4,445 | 5. 2 years, less than 5 years6. 5 years or more | | | |
| | | 797 | 7. Doctor seen, DK when | | | |
| | | 790 | 8. DK if doctor seen | | | |
| | | 8,241 | 9. Doctor never seen | | | |
| 110 | Recode | | DOCTOR EVER SEEN FOR THIS CONDITION | | | |
| • | · - | | | | | |
| | | 57,565 | 1. Yes | | | |
| | | 8,241 | 2. No | | | |
| 111-112 | K-6 | | TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 | | | |
| | | | WEEKS FOR THIS CONDITION | | | |
| | | 53,950 | 00. None | | | |
| | | 11,856 | 01-14. 1-14 days | | | |
| | | | | | | |

| 113-114 | К-7 | | BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION |
|-------------------|----------|------------------------------------|--|
| | | 59,255 6,551 | 00. None 01-14. 1-14 days |
| 1 | | | - 63 - |
| | | NHIS | PUBLIC USE TAPE RECORDS CONDITION RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 115-116 | K-8 | | WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3) |
| | | 63,280 2,526 | 00. None 01-14. 1-14 days |
| 117-118 | K-9 | | SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION |
| | | 64,240 1,566 | 00. None 01-14. 1-14 days |
| 119-121 | K-10 | | BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION* |
| | | 26,126 | 000. None |
| | | 4,308 25,676 | 001-365. Days 366. Unknown/not a "check-list" |
| | | 9,696 | condition Blank. Not a chronic condition |
| 122 | K-11 | | EVER HOSPITALIZED FOR THIS CONDITION* |
| | | 5,413 25,349 25,348 9,696 | Yes No Unknown/not a "check-list" condition Blank. Not a chronic condition |
| 123 | K-12 | | CONDITION STATUS* |

| 26,088 | 1. | Still has condition |
|--------|--------|---|
| 633 | 2. | Condition cured |
| 2,691 | 3. | Condition under control |
| 214 | 4. | Other |
| 26,484 | 5. | Unknown status/not a "check-list" condition |
| 9,696 | Blank. | Not a chronic condition |

*Use only for check-list conditions.

1 - 64 -

| Tape Location | s Item No. | Frequency | It∈ | ems and Codes |
|------------------|------------|--|----------------------------------|--|
| 124 | K-12 | | _ | OF TIME HAD CONDITION BEFORE CURED* |
| | | 38 79 109 34 72 88 53 48 112 65,173 | 1. 2. 3. 4. 5. 6. | 1 year 2-4 years 5-9 years 10 years or more Unknown |
| 125 | K-12 | | CONDITI | ON PRESENT IN PAST 12 MONTHS* |
| | | 29,208 143 26,759 9,696 | 2. | Yes No Unknown/not a "check-list" condition Not a chronic condition |
| 126 | Recode | | | ON CAUSES ACTIVITY LIMITATION On 71 in Person Record) (all ages) |
| - - | | 13,086 | 1. | Limited, this condition main cause |
| of | | 8,301 | 2. | limitation Limited, this condition secondary cause of limitation |
| | | 11,858 | 3. | Limited, but not caused by this condition |
| | | 32,561 | 4. | Not limited |

*Use only for check-list conditions.

1 - 65 -

| Tape Locations | Item No. | Frequency | It∈ | ems and Codes | |
|-------------------|----------|---|--------------------------|---|--|
| 127 | Recode | | | ON CAUSES LIMITATION IN ABILITY TO for all persons 18-69 years of age) | |
| | | 6,899 | 1. | Limited in work, this condition main cause of this limitation | |
| | | 4,449 | 2. | Limited in work, this condition secondary cause of this limitation | |
| | | 7,107 | 3. | | |
| | | 26,449 20,902 | 4. Blank. | | |
| 128 | | | ALL INC | TURIES* | |
| | | 7,323 837 57,646 | | First Not first Not an injury | |
| 129 | Recode | IS INJURY ADVERSE REACTION OR COMPLICATIO OF MEDICAL CARE | | | |
| | | 56 395 7,709 57,646 | 1. 2. 3. Blank. | Yes, complication of medical care (therapeutic misadventure)** No, other injury | |
| 120 | K-14 | | DI ACE (| DE ACCIDENT | |
| 130 | K-14 | 848 884 | 1. | | |
| roadway | | 1,783 | 3. | and public sidewalks) | |
| premises) | | 170 1,310 | 4. 5. | Farm Industrial place (including | |
| premises/ | | 425 470 | 6. 7. | School (including premises) Place of recreation and sports, | |
| | | 1,030 1,240 | 8. 9. | except school Other Unknown | |

*Includes all conditions reported as caused by an accident or injury,

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

**Locations 130-132 are coded 'Unknown' for these injuries.

- 66 -

| Tape Locations | Item No. | Frequency | Ite | ems and Codes |
|-------------------|----------|-----------|---------|---|
| 131 | K-15 | | AT WORK | X AT TIME OF ACCIDENT |
| | | 1,874 | 1. | Yes |
| | | 3,206 | 2. | |
| | | | | |
| | | 1,303 | 3. | Not applicable, under 18 at time of accident |
| | | 422 | 4. | |
| | | 1,355 | 5. | |
| | | 57,646 | Blank. | Not an injury |
| | | | | |
| 132 | K-16 | | MOTOR V | VEHICLE INVOLVED |
| | | 1,856 | 1 | Yes |
| | | 5,430 | | No |
| | | 874 | | Unknown |
| | | 57,646 | | Not an injury |
| | | 57,040 | biank. | NOC all illjury |
| 133 | K-16 | | NUMBER | OF VEHICLES INVOLVED |
| | | 1,050 | 1 | One |
| | | 783 | | Two or more |
| | | 23 | | |
| | | | | Unknown |
| | | 63,950 | Blank. | Not an injury/no or unknown if motor vehicle involved |
| 134 | K-16 | | MOVING | MOTOR VEHICLE INVOLVED |
| - | | | | • |
| | | 1,622 | 1. | Yes |
| | | 195 | | No |
| | | 39 | | Unknown |
| | | 63,950 | Blank. | |
| | | 00,000 | | vehicle involved |
| | | | | |
| | | | | |

1 - 67 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|--------------------------------------|---|
| 135-137 | Recode | | CLASS OF ACCIDENT |
| | | 7,287 422 395 56 57,646 | 111-322. 400. SEE APPENDIX D 500. 600. Blank. Not an injury |
| 138 | Recode | | SELECTED FIRST INJURY* |
| | | 5,726 547 59,533 | First Not first Blank. Not a selected injury |
| 139 | Recode | | CONDITION CAUSES PERSONAL CARE ACTIVITY LIMITATION (5-59 years old and limited, or age 60-69 years) |
| | | 1,609 | Limited, condition main cause of limitation |
| of | | 879 | 2. Limited, condition secondary cause |
| | | 2,738 | limitation3. Limited, but not caused by this condition |
| | | 22,346 38,234 | Not limited Blank. Not applicable (under 5 years, 5-59 years not limited, 70+ years old) |
| 140-181 | - | | BLANK |
| 182 | Master | | REGION |
| | Record | 12,573 16,219 23,268 13,746 | Northeast Midwest South West |

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to

1 - 68 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|------------------|--|--|
| 183 | Master Record | | GEOGRAPHIC DISTRIBUTION |
| | RECOLU | | 1-4. MSA Size |
| | | 25,776 16,739 4,388 1,151 17,752 | 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA |
| 184 | | | Blank |
| 185 | Master Record | | TYPE OF PSU |
| | | 33,984 14,070 | MSA - Self-representing MSA - Nonself-representing |
| | | 14 | 4. Non-MSA - Self-representing |
| | | 17,738 | 6. Non-MSA - Nonself-representing |
| 186 | Recode | | MSA - NON-MSA RESIDENCE |
| | | 22,103 | 1. MSA - Central City |
| | | 25,951 16,751 | MSA - Not Central City Non-MSA - Nonfarm |
| | | 1,001 | 4. Non-MSA - Farm |
| 187-189 | | | PSEUDO PSU CODES |
| 190-200 | | | CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format |
| rith | | | implied decimal |

- 69 -

| Tape Locations Item No. Frequency Items and Codes FINAL BASIC WEIGHT QUARTER 201-209 QUARTER SEMI-ANNUAL (WT/2) ANNUAL (WT/4) 6.5 WEIGHT QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTH ESTIMATED BED DAYS IN PAST 12 | |
|--|-----------|
| QUARTER 210-218 SEMI-ANNUAL (WT/2) ANNUAL (WT/4) 6.5 WEIGHT QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: 255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL | |
| 210-218 219-227 ANNUAL (WT/4) 6.5 WEIGHT QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: 255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS (CONTROL OF CONTROL OF CONTRO | |
| 219-227 ANNUAL (WT/4) 6.5 WEIGHT QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS 237-245 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: 255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS (QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS (QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS (QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTER SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTER SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTER SEMI-ANNUAL BED DAYS IN PAST 12 MONTER | |
| 6.5 WEIGHT QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 QUARTER, SEMI-ANNUAL AND ANNUAL | |
| QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS 237-245 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: 255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | |
| ESTIMATED RESTRICTED ACTIVITY DAYS WEEKS 237-245 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | |
| WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTER ESTIMATED BED | |
| ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | IN PAST 2 |
| QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:: QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | |
| ESTIMATED WORK-LOSS IN PAST 2 WEEKS (Control on Currently Employed 75:200) QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | |
| (Control on Currently Employed 75:: 255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTE | |
| ESTIMATED SCHOOL-LOSS DAYS IN PAST 264-272 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTH | |
| QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 12 MONTH | |
| ESTIMATED BED DAYS IN PAST 12 MONTI | 2 WEEKS |
| | |
| 273-281 QUARTER | HS |
| - | |
| 282-290 SEMI-ANNUAL | |
| 291-299 ANNUAL | |

| 300-335 | | | BLANK |
|-------------------|----------|-------------|---|
| 1NOTES: | | | |
| 1 | | | - 71 - |
| | | D O C T O R | VISIT RECORD |
| 1NOTES: | | | |
| 1 | | | - 73 - |
| | | NHIS PU | BLIC USE TAPE RECORDS |
| | | Number | e of Items and Codes of Records = 18,408 TOR VISIT RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 1-2 | _ | | RECORD TYPE |
| | | 18,408 | 40. Two-week Doctor Visit Record |
| 3-4 | - | | PROCESSING YEAR |
| | | 18,408 | 85. 1985 |
| | | | |

| 3-4 | - | | PROCESSING YEAR | |
|------|------|----------------------------------|--|--|
| | | 18,408 | 85. 1985 | |
| | | | | |
| 5 | - | | PROCESSING QUARTER | |
| | | 4,725 4,648 4,560 4,475 | Quarter 1 Quarter 2 Quarter 3 Quarter 4 | |
| 6-8 | нн-5 | | RANDOM RECODE OF PSU NUMBER | |
| 9-10 | НН-5 | | WEEK - CENSUS CODE* | |

01, 21, 41, 61, 81 ... Week 01 02, 22, 42, 62, 82 ... Week 02 03, 23, 43, 63, 83 ... Week 03

```
04, 24, 44, 64, 84 ... Week 04
05, 25, 45, 65, 85 ... Week 05
06, 26, 46, 66, 86 ... Week 06
07, 27, 47, 67, 87 ... Week 07
08, 28, 48, 68, 88 ... Week 08
09, 29, 49, 69, 89 ... Week 09
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

*This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 74 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | Items and Codes | | | |
|-------------------|----------|--|--|--|--|--|
| 11-12 | нн-5 | | SEGMENT NUMBER Week plus Segment Number identifies the segment | | | |
| 13-14 | нн-5 | | HOUSEHOLD NUMBER Numbered within PSU-Week-Segment | | | |
| 15-16 | - | | PERSON NUMBER | | | |
| 17-18 | - | | DOCTOR VISIT SERIAL NUMBER 01-99. Serial Number | | | |
| 19-20 | нн-5 | 1,324 1,378 1,501 1,415 1,471 1,260 | WEEK CODE (Numbered within Quarter) Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84 Week 05. 05, 25, 45, 65, 85 Week 06. 06, 26, 46, 66, 86 | | | |

| 1,549 | Week | 07. | 07, | 27, | 47, | 67, | 87 |
|-------|------|-----|-----|-----|-----|-----|----|
| 1,610 | Week | 08. | 08, | 28, | 48, | 68, | 88 |
| 1,392 | Week | 09. | 09, | 29, | 49, | 69, | 89 |
| 1,353 | Week | 10. | 10, | 30, | 50, | 70, | 90 |
| 1,356 | Week | 11. | 11, | 31, | 51, | 71, | 91 |
| 1,494 | Week | 12. | 12, | 32, | 52, | 72, | 92 |
| 1,305 | Week | 13. | 13, | 33, | 53, | 73, | 93 |

21 BLANK

- 75 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|---|---|--|
| 22-23 | HH-10d | | TYPE OF | LIVING QUARTERS: |
| | | | Housing | Unit = $(00-07)$ |
| | | 63 17,216 24 14 6 772 137 | 00. 01. 02. 03. 04. 05. 06. | House, apartment, flat HU in nontransient hotel, motel, etc. HU-permanent in transient hotel, motel, etc. HU in rooming house Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added HU not specified above |
| | | | Other Un | it = (08-13) |
| | | 14 | 08. | boarding house |
| | | 4 | 09. | Unit not permanent in transient hotel, motel, etc. |
| | | 0 | 10. | |
| | | 110 | 11. | |
| | | 43 1 | 12. 13. | Other unit not specified above |

24 HH-11 HAS TELEPHONE

| | | 16,810 416 1,124 58 | 1. 2. 3. 4. | Yes, phone number given Yes, no phone number given No Unknown |
|-------------------|------------------|--|--|---|
| 25 | A-1 | | SEX | |
| | | 7,374 11,034 | | Male Female |
| 26 | - | | BLANK | |
| 1 | | | - 76 BLIC USE ' TOR VISIT | TAPE RECORDS |
| Tape Locations | Item No. | Frequency | | Items and Codes |
| 27-28 | Person Column | 593 17,814 1 | AGE 00. 01-98. 99. | Number of years |
| 29 | Recode | 1,842 2,294 1,549 5,187 4,101 1,061 923 1,451 | AGE REC | Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years and over |
| 30 | Recode | 2,083 1,851 1,751 2,846 2,341 1,816 2,285 | AGE RECO 1. 2. 3. 4. 5. 6. 7. | Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years |

| | | 1,984 1,451 | 8. 65-74 years 9. 75 years and over |
|-------------------|----------|-----------------|---|
| 31-32 | Recode | | AGE RECODE #3 |
| | | 1,338 17,070 | 00-35. Months 36. Over 3 years |
| 33 | | | BLANK |
| 1 | | | - 77 - |
| | | | BLIC USE TAPE RECORDS TOR VISIT RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 34-39 | A-3 | | MONTH AND YEAR OF BIRTH |
| 34-35 | | | MONTH |
| | | | 01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK or refused |
| 36-39 | | | YEAR OF BIRTH 1800-1899. 1800-1899 1900-1985. 1900-1985 9999. DK or refused |
| 40-41 | | | BLANK |
| 42 | L-3 | | MAIN RACIAl BACKGROUND - Reported |

| 115 | 1. | Aleut, Eskimo, or American Indian |
|--------|----|-----------------------------------|
| 239 | 2. | Asian/Pacific Islander |
| 2,675 | 3. | Black |
| 15,118 | 4. | White |
| 136 | 5. | Other |
| 24 | 6. | Multiple race |
| 101 | 7. | Unknown |
| | | |

1 - 78 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 43-45 | Recode | | RACE RECODES |
| 43 | | | RECODE 1 |
| | | 15,361 2,684 363 | White Black Other |
| 44 | | | RECODE 2 |
| | | 15,361 3,047 | 1. White 2. Non-white |
| 45 | | | RECODE 3 |
| | | 2,684 15,724 | 1. Black 2. Non-black |
| 46-47 | L-4 | | HISPANIC ORIGIN |
| | | 30 154 69 160 311 9 100 169 32 140 17,234 | 00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin |

48 L-7

MARITAL STATUS

| 3,373 | 0. | Under 14 years |
|-------|----|-----------------------------------|
| 8,820 | 1. | Married - spouse in household |
| 118 | 2. | Married - spouse not in household |
| 1,747 | 3. | Widowed |
| 1,229 | 4. | Divorced |
| 348 | 5. | Separated |
| 2,707 | 6. | Never married |
| 66 | 7. | Unknown |
| | | |

1 - 79 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|---|----------------------|---|
| 49 | L-1 | | VETERAN | STATUS |
| | | 11,728 | 1. | Non-veteran |
| | | 19 | 2. | |
| | | 1,017 | | WW II |
| | | 337 | 4. | == |
| | | 599 | | Vietnam veteran |
| | | 82 | | Post-Vietnam |
| | | 264 | | Other service |
| | | 54 | 8. | |
| | | | | war veteran |
| | | 172 | 9. | Unknown if served in Armed Forces |
| | | 4,136 | Blank. | Under 18 years of age |
| | | | | - |
| 50 | L-1 | 11,728 130 387 4 1,754 269 | 0. 1. 2. 3. | All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in Guard/Reserve No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or if served in Armed Forces |
| 51-52 | L-2 | | EDUCATI | ON OF INDIVIDUAL - COMPLETED YEARS |
| | | 543 11,025 | 00. 01-12. | Never attended; kindergarten only Grades 1-12 |

College:

| 1,027 | 13. | 1 year |
|-------|--------|----------------------|
| 1,115 | 14. | 2 years |
| 489 | 15. | 3 years |
| 1,210 | 16. | 4 years |
| 277 | 17. | 5 years |
| 680 | 18. | 6 years or more |
| 200 | 19. | Unknown |
| 1,842 | Blank. | Under 5 years of age |
| | | |

- 80 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 53 | Recode | | EDUCATION OF INDIVIDUAL RECODE |
| | | 543 3,271 2,506 5,248 2,631 1,210 957 200 1,842 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Blank. Under 5 years of age |
| 54-55 FAMILY | _ | | HIGHEST EDUCATION OF RESPONSIBLE ADULT |
| | | | MEMBER (Detail) |
| | | 23 9,808 | 00. Never attended; kindergarten only 01-12. Grades 1-12 |
| | | | College: |
| | | 1,309 1,811 770 2,371 624 1,593 | 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown |

56 -FAMILY HIGHEST EDUCATION OF RESPONSIBLE ADULT

MEMBER - Recode

| 23 | 0. | None; kindergarten only |
|-------|----|---------------------------------|
| 1,298 | 1. | 1-8 years (elementary) |
| 1,861 | 2. | 9-11 years (high school) |
| 6,649 | 3. | 12 years (high school graduate) |
| 3,890 | 4. | 1-3 years (college) |
| 2,371 | 5. | 4 years (college graduate) |
| 2,217 | 6. | 5+ years (post-college) |
| 99 | 7. | Unknown |

- 81 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 57 | L-8 | | FAMILY INCOME \$20,000 OR MORE |
| | | 7,981 9,795 632 | Less than \$20,000 \$20,000 or more Unknown |
| 58-59 | L-8 | | FAMILY INCOME |
| | | 140 164 255 356 447 403 511 362 403 | 00. Less than \$1,000 01. \$1,000 - \$1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 |
| | | 404 573 259 478 275 307 402 308 | 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999 12. 12,000 - 12,999 13. 13,000 - 13,999 14. 14,000 - 14,999 15. 15,000 - 15,999 16. 16,000 - 16,999 |
| | | 281 446 460 1,797 1,699 1,471 977 921 | 17. 17,000 - 17,999 18. 18,000 - 18,999 19. 19,000 - 19,999 20. 20,000 - 24,999 21. 25,000 - 29,999 22. 30,000 - 34,999 23. 35,000 - 39,999 24. 40,000 - 44,999 |

| 659 | 25. | 45,000 | - 49,999 |
|-------|-----|----------|----------|
| 1,690 | 26. | \$50,000 | and over |
| 1,960 | 27. | Unknown | |

- 82 -1

| | | | | |
|-------------------|--------------|----------------|---------|---|
| Tape Locations | Item No. | Frequency | | Items and Codes |
| 60 | Recode | | FAMILY | INCOME RECODE |
| | | 1,362 | 0. | Under \$5,000 |
| | | 914 | 1. | \$ 5,000 - \$ 6,999 |
| | | 1,169 | 2. | |
| | | 1,892 | 3. | |
| | | 1,897 | 4. | |
| | | 1,797 | 5. | |
| | | 3,170 | 6. | · |
| | | 2,557 1,690 | | 35,000 - 49,999 \$50,000 or more |
| | | 1,960 | | Unknown |
| | | | | |
| 61 | Generated | | NHIS PO | OVERTY INDEX* |
| | | 13,982 | 1. | Above poverty threshold |
| | | 2,463 | | Below poverty threshold |
| | | 1,963 | 3. | Unknown |
| 62-63 | | | FAMILY | RELATIONSHIP |
| 62 | A-2 | | TYPE OF | FAMILY |
| | | 2,617 | _ | Primary individual |
| | | 287 | | Secondary individual |
| | | 15,463 | 0. | Primary family |
| | | 41 | 1-9. | Secondary family |
| 63 | A-2 | | RELATIO | ONSHIP TO REFERENCE PERSON |
| | | 2,539 | &. | Reference person, living alone |
| | | 5,585 | 0. | Reference person, 2+ persons in |
| | | | _ | household |
| | | 4,694 | 1. | Spouse, other spouse NOT in Armed |
| | | 0.6 | 2 | Forces and living at home |
| | | 86 | 2. | Spouse, other spouse IN Armed Forces and living at home |
| | | 4,733 | 3. | Child of reference person or spouse |
| | | 249 | 4. | Grandchild of reference person or |
| | | | | spouse |
| | | | | |

| 242 | 5. | Parent of reference person or spouse |
|-----|----|--------------------------------------|
| 276 | 6. | Other relative |
| 4 | 7. | Child of ineligible reference person |
| 0 | 9. | DK or refused |

^{*}Based on family size, number of children under 18 years of age and family income using the 1984 poverty levels derived from the August, 1985 Current Population Survey.

- 83 -

| Tape Locations | Item No. | Frequency | Items and Codes | |
|-------------------|-----------|--------------------------------|---|------|
| 64 | Recode | | FAMILY RELATIONSHIP RECODE | |
| | | 2,539 365 8,817 6,687 | Living alone Living only with non-relative Living with spouse Living with relative - other | |
| 65-66 | Generated | | SIZE OF FAMILY* | |
| | | | Unrelated individuals are coded 01 | |
| 67 | Generated | | SIZE OF FAMILY RECODE | |
| | | | 1-8. Number of members9. 9+ members | |
| 68 | A-2 | | PARENT/OTHER ADULT RELATIVE (under 25 ye old and never married) | ears |
| | | 3,291 705 43 285 | Both parents, no other relative Mother only Father only Both parents and other 21+ year | old |
| | | 260 | adult relative 5. Mother and other 21+ year old ac | |
| | | 10 | relative 6. Father and other 21+ year old acrelative | dult |
| adult | | 23 | 7. No parent, but one 21+ year old relative | |
| | | | | |

| 57 | 8. | No parent, but two or more 21+ year old adult relatives |
|--------|--------|---|
| | | old adult relatives |
| 48 | 9. | Unknown |
| 315 | 0. | Other |
| 13,371 | Blank. | Not applicable (25+ years old or ever married) |

*Count includes spouse in military but living at home.

- 84 -

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|------------|-----------|---------|---|
| 69 | B-1 B-8 | | MAJOR A | ACTIVITY (18+ years old) |
| | | 6,518 | 1. | Working |
| | | 3,762 | 2. | |
| | | 713 | | Going to school |
| | | 3,182 | | Something else |
| | | 97 | | Unknown |
| | | 4,136 | Blank. | Not applicable (Under 18 years) |
| 70 | G-4 | | HEALTH | STATUS |
| | | 4,284 | 1 | Excellent |
| | | 4,186 | | Very Good |
| | | 4,777 | | Good |
| | | 2,812 | | Fair |
| | | 2,237 | | Poor |
| | | 112 | | Unknown |
| 71 | Recode | | ACTIVIT | TY LIMITATION STATUS - (all ages) |
| | | 2,697 | 1 | Unable to perform major activity |
| | | 2,265 | 2. | |
| activity | | 2,203 | ۷. | Elilited III Milla, amoulle major |
| 20011107 | | 1,335 | 3. | Limited in other activities |
| | | 12,111 | | Not limited (includes unknowns) |
| | | , | | |
| 72 | Recode | | | TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years) |
| | | 2,678 | 1. | Unable to work |
| | | 1,127 | 2. | |
| | | 1,141 | ۷. | DIMITOGO III KIIIO/ AMOUNTO OI WOLK |

598 3. Limited in other activities 7,495 4. Not limited (includes unknowns) 6,510 Blank. Not applicable (under 18 years, 70+ years)

1 - 85 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|--|---------------|--|
| 73 | B-11 | | LIMITAT | CION OF SCHOOL ACTIVITIES (5-17 years) |
| | | 49 113 19 113 112 1,888 16,114 | 4. | Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) |
| 74 | B-14 | | NEEDS H | HELP WITH PERSONAL CARE (5-59 years |
| 020 | | | and lim | nited, or age 60-69 years)* |
| | | 518 | 1. | Unable to perform personal care |
| needs | | 861 | 2. | Limited in performing other routine needs |
| 0.70 | | 4,256 | 3. | |
| or | | 12 12,761 | 4. Blank. | |
| 75 years) | D-1 | | EMPLOYM | MENT STATUS IN PAST 2 WEEKS (18+ |
| | | | In the | Labor Force: (1-7) |
| off | | 6,270 697 3 | Current 1. 2. | Did not work, has job; not on lay- and not looking for work |

Unemployed: (4-7)

| and | 48 0 | 4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off |
|-----|----------------|---|
| and | | looking for work |
| | 81 | Did not work, has job; unknown if looking or on lay-off |
| | 285 | Did not work, no job; looking for work or on lay-off |
| | | Not in Labor Force (18+ years): (8) |
| | 6,888 4,136 | 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old) |

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 86 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|---|---|
| 76 | L-6 | | CLASS OF WORKER |
| | | 6,888 5,114 235 311 730 192 613 19 20 150 4,136 | 0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18 |
| 77-79 | L-6 | | INDUSTRY DETAIL CODE |
| | | 7,384 11,024 | 010-996. Code number Blank. Not applicable |
| 80-81 | Recode | | INDUSTRY RECODE 1 SEE APPENDIX B |
| 82-83 | Recode | | INDUSTRY RECODE 2 |

SEE APPENDIX B

| 84-86 | L-6 | | OCCUPAT | ION DETAIL CODE |
|-------------------|----------|--|-----------------------|--|
| | | 7,384 11,024 | | . Code number . Not applicable |
| 87-88 | Recode | | OCCUPAT | ION RECODE 1 |
| | | | SEE APP | ENDIX C |
| 89-90 | Recode | | OCCUPAT | ION RECODE 2 |
| | | | SEE APP | ENDIX C |
| 1 | | | - 87 | |
| | | | BLIC USE FOR VISIT | TAPE RECORDS RECORD |
| Tape Locations | Item No. | Frequency | | Items and Codes |
| 91 | L-R | | RESPOND | ENT |
| | | 3,934 10,481 867 2,987 139 | 1. 2. 3. | Under 17 Self-entirely Self-partly Proxy Unknown |
| 92 | Recode | | CONDITI | ON LIST ASSIGNED AND ASKED |
| | | 2,993 | 1. | Condition List 1, Skin and musculoskeletal |
| | | 2,974 | 2. | Condition List 2, Impairments |
| | | 3,041 | 3. | |
| | | 3,103 | 4. | |
| | | 3,102 | 5. | • |
| | | 3,084 | | Condition List 6, Respiratory |
| | | 111 | 7. | Unknown |
| | | | | |

| | 0 892 1,140 | 6666. During 2 weeks, DK when 7777. Last week, DK day 8888. Week before, DK day |
|-------|---|--|
| 93-94 | | MONTH |
| | 1,422 1,324 1,434 1,489 1,459 1,122 1,369 1,390 1,315 1,395 1,381 1,160 116 | 01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK month |
| 95-96 | | DAY |
| | 16,260 116 | 01-31. Day of month 99. DK day codes for Unknown in month and day |

- 88 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| 97-98 | Recode | | DOCTOR VISIT VALUES (Number of days between Date of Visit and Interview) |
| period | | 186 | 00. Visit on last Sunday of reference |
| period | | 517 | 01. Visit on second Saturday of reference period |
| | | 1,788 | 02. Visit on second Friday of reference period |
| | | 1,552 | 03. Visit on second Thursday of reference period |
| | | 1,522 | 04. Visit on second Wednesday of reference period |
| | | 1,520 | 05. Visit on second Tuesday of reference period |
| | | 1,680 | 06. Visit on second Monday of reference period |
| | | 180 | 07. Visit on first Sunday of reference period |

| | | 414 | 08. Visit on first Saturday of reference period | 3 |
|------------------|--------|--------------|---|----|
| | | 1,468 | 09. Visit on first Friday of reference period | |
| | | 1,321 | 10. Visit on first Thursday of reference period | 3 |
| | | 1,296 | 11. Visit on first Wednesday of referen period | ce |
| | | 1,308 | 12. Visit on first Tuesday of reference period | |
| | | 1,508 | 13. Visit on first Monday of reference period | |
| | | 2,148 | 14. No value (records not coded 01-31 in Day of Month of Visit) | n |
| | | | | |
| 99 | Recode | | DAY OF WEEK OF VISIT | |
| | | 3,188 | 1. Monday | |
| | | 2,828 | 2. Tuesday | |
| | | 2,818 | 3. Wednesday | |
| | | 2,873 | 4. Thursday | |
| | | 3,256 931 | 5. Friday 6. Saturday | |
| | | 366 | 6. Saturday 7. Sunday | |
| | | | - | |
| | | 2.148 | 8. Unknown | |
| | | 2,148 | 8. Unknown | |

1 - 89 -

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|-------------------------------|---------|---|
| 100 | Recode | | WEEK OF | VISIT |
| | | 9,657 8,635 116 | 2. | Last week Week before During 2 weeks, DK when |
| 101-102 | | | PLACE O | F VISIT |
| | | 2,361 | 01. | Telephone |
| | | | Not in | Hospital |
| | | 513 10,408 191 1,120 | 03. | Home Doctor's office Company or Industrial clinic Other clinic |

| in board + - 1) |
|-------------------|
| in hospital) |
| clinic |
| oom |
| ospital |
| clinic |
| 1 100 |
| 1-102 = |
| |
| |
| |
| |
| |
| |
| |
| ED TO |
| ED TO |
| ED TO |
| ED TO |
| ED TO HIS DOCTOR |
| |
| HIS DOCTOR |
| |

| 902 | 08. | Orthopedist |
|-------|--------|---|
| 106 | 09. | Osteopath |
| 347 | 10. | Otolaryngologist |
| 7 | 11. | Pathologist |
| 1,539 | 12. | Pediatrician |
| 19 | 13. | Proctologist |
| 322 | 14. | Psychiatrist |
| 374 | 15. | Radiologist |
| 425 | 16. | Surgeon (not listed above) |
| 0 | 17. | Syphilogist |
| 327 | 18. | Urologist |
| 98 | 19. | Other M.D. specialist |
| 228 | 20. | Specialist, DK kind |
| 28 | 21. | Family Practice (specialist) |
| 615 | 22. | DK if medical doctor |
| 43 | Blank. | Not applicable; no medical doctor reported for this visit/contact |
| | | |

1 - 91 -

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|--|---|--|
| 107-108 | F-3 | | TYPE OF | MEDICAL ASSISTANT SEEN/TALKED TO |
| | | 61 58 1,766 155 8 329 2 16 99 138 46 49 215 130 8 94 6 0 1 221 452 14,554 | 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. Blank. | Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist Naprapath Orthoptic technician/Orthopist Other non-medical person Unknown type of medical assistant |

1 - 92 -

| Tape Locations | Item No. | Frequency | | Items and Codes |
|-------------------|----------|---|--|---|
| 109-110 | F-3 | | TYPE OF | PERSON TALKED TO/SEEN |
| 109-110 | F-3 | 612 6,267 10 303 1,644 173 1,057 648 645 98 285 4 1,340 16 250 223 381 0 262 80 185 22 61 58 1,766 155 8 329 2 16 99 138 46 49 215 130 | TYPE OF 00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. | M.D., DK if G.P. or specialist General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist Surgeon (not listed above) Syphilogist Urologist Other M.D. specialist Specialist, DK kind Family Practice (specialist) Nurse practitioner Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist |
| | | 8 94 6 0 | 45. 46. 47. 48. | Dietician Psychologist Nutritionist Naprapath |
| | | 1 221 452 | 49. 50. 51. | Orthoptic technician/Orthoptist Other non-medical person Not MD; unknown type of medical |
| | | 49 | 52. | assistant Unknown if MD |

- 93 -

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|---------------------|--------------------------------|--|
| 111-161 | | | CONDITIONS FOR WHICH DOCTOR VISITED |
| 111-127 | | | CONDITION NO. 1 |
| 111-112 | 2 F-4 SERI | | SERIAL NUMBER |
| | | | 01-99. Condition Serial Number Blank. |
| 113-116 | Condition Record | | ICD/NHIS CODE |
| | Resoru | 186 15,310 2,912 | 0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit |
| 117 | Condition Record | | CHRONIC/ACUTE CODE |
| | Record | 186 9,328 5,982 2,912 | 0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit |
| 118-121 | Condition Record | | ACUTE RECODE (A) |
| | Record | 186 5,449 533 | 0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns Blank. Chronic condition or no |
| condition | | 12,240 | for this visit |
| 100 104 | Q | | |
| 122-124 | Condition Record | | CHRONIC RECODE (C) |
| | | 186 7,010 2,318 | 000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns |
| for | | 8,894 | Blank. Acute condition or no condition |
| TOI | | | this visit |
| 125-127 | Condition Record | | CONDITION RECODE (B) |
| | RECOLU | 186 | 000. No matched condition record |

| 15,216 | | Condition recode |
|--------|--------|--|
| 94 | 990. | All other conditions including unknown |
| 2,912 | Blank. | No condition for this visit |
| | - 94 - | |

1

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|---------------------|------------------------------|--|
| 111-161 cont | | | CONDITIONS FOR WHICH DOCTOR VISITED - |
| 128-144 | | | CONDITION NO. 2 |
| 128-129 | F-4 | | SERIAL NUMBER |
| | | | 01-99. Condition Serial Number Blank. |
| 130-133 | Condition Record | | ICD/NHIS CODE |
| | Record | 56 2,445 15,907 | 0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit |
| 134 | Condition Record | | CHRONIC/ACUTE CODE |
| | Record | 56 1,799 646 15,907 | 0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit |
| 135-138 | Condition Record | | ACUTE RECODE (A) |
| | Record | 56 549 97 | 0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns |
| condition | | 17,706 | Blank. Chronic condition or no |
| 139-141 | Condition Record | | for this visit CHRONIC RECODE (C) |
| | Record | 56 1,428 371 | 000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns |
| for | | 16,553 | Blank. Acute condition or no condition |
| LOT | | | this visit |

| | 142-144 | Condition Record | | CONDITION | RECODE (B) |
|---|---------|---------------------|--------|-----------|--|
| | | | 56 | 000. | No matched condition record |
| | | | 2,433 | 010-570. | Condition recode |
| | | | 12 | 990. | All other conditions including unknown |
| | | | 15,907 | Blank. | No condition for this visit |
| - | L | | | - 95 - | |

| Tape Locations | Item No. | Frequency | Items and Codes | | |
|-------------------|---------------------|---------------|--|--|--|
| 111-161 cont | | | CONDITIONS FOR WHICH DOCTOR VISITED - | | |
| 145-161 | | | CONDITION NO. 3 | | |
| 145-146 | F-4 | | SERIAL NUMBER | | |
| | | | 01-99. Condition Serial Number Blank. | | |
| 147-150 | Condition Record | | ICD/NHIS CODE | | |
| | RCCOIG | 23 | 0000. No matched condition record | | |
| | | 541 17,844 | ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit | | |
| 151 | Condition Record | | CHRONIC/ACUTE CODE | | |
| | RCCOLG | 23 | 0. No matched condition record | | |
| | | 455 86 | Chronic Acute | | |
| | | 17,844 | Blank. No condition for this visit | | |
| 152-155 | Condition Record | | ACUTE RECODE (A) | | |
| | | 23 | 0000. No matched condition record | | |
| | | 67 19 | 1001-5931. Acute Recode 5932. All other acute conditions | | |
| | | 10.000 | including unknowns | | |
| condition | | 18,299 | Blank. Chronic condition or no | | |
| | | | for this visit | | |
| 156-158 | Condition Record | | CHRONIC RECODE (C) | | |
| | | 23 | 000. No matched condition record | | |
| | | 363 92 | 101-615. Chronic Recode 999. All other chronic conditions | | |
| | | 17,930 | including unknowns Blank. Acute condition or no condition | | |

for this visit

| 159-161 | Condition | | CONDITION RECODE (B) |
|-------------------|-----------------------------------|-------------------------------|--|
| | Record | 23 538 3 | 000. No matched condition record 010-570. Condition recode 990. All other conditions including unknown |
| | | 17,844 | Blank. No condition for this visit |
| 1 | | | - 96 - |
| | | | BLIC USE TAPE RECORDS FOR VISIT RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 162 | 162 F-5 OPERATIONS PERFORMED DURI | | OPERATIONS PERFORMED DURING THIS VISIT |
| | | 737 15,107 203 2,361 | 1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call) |
| 163-168 | F-5 | | OPERATION CODE |
| 163-164 | | | OPERATION NO. 1 |
| | | | See Appendix E |
| 165-166 | | | OPERATION NO. 2 |
| | | | See Appendix E |
| 167-168 | | | OPERATION NO. 3 |
| | | | See Appendix E |
| 169-181 | | | BLANK |
| 182 | Master Record | 3,892 4,706 | REGION 1. Northeast 2. North Central |
| | | 5,877 3,933 | 3. South 4. West |

| 183 | Master | GEOGRAPHIC DISTRIBUTION | | | | |
|-------------------|----------|-------------------------|--------------|--|--|--|
| | Record | | 1-4. | MSA Size | | |
| | | 7,968 | 1. | 1,000,000 or more | | |
| | | 4,717 | 2. | | | |
| | | 1,170 | 3. | · | | |
| | | 305 4,248 | 4. Blank. | • | | |
| | | 4,240 | biank. | NOII-MSA | | |
| 184 | | | BLANK | | | |
| - | | | - 97 | - | | |
| | | NHIS PU | BLIC USE | TAPE RECORDS | | |
| | | | TOR VISIT | | | |
| | | | | | | |
| Tape Locations | Item No. | Frequency | | Items and Codes | | |
| | | | | | | |
| 185 | Master | | TYPE OF | PSU | | |
| | Record | 10 204 | 1 | MOD Calf constanting | | |
| | | 10,304 3,856 | | MSA - Self-representing MSA - Nonself-representing | | |
| | | 7 | 4. | | | |
| | | 4,241 | 6. | | | |
| 186 | Recode | | MSD - N | ON-MSA RESIDENCE | | |
| 100 | Recode | | MDA IV | | | |
| | | 6,404 | 1. | | | |
| | | 7,756 | | MSA - Not Central City | | |
| | | 4,032 216 | 3. 4. | Non-MSA - Nonfarm Non-MSA - Farm | | |
| | | 210 | 1. | Non Fight Farm | | |
| 187-189 | | | PSEUDO | PSU CODES | | |
| | | | | | | |
| 190-200 | | | | CONDITION PREVALENCE AND INCIDENCE | | |
| 190-200 | | | FACTOR | CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXXX) er format with implied decimal | | |

| 201-209 | | | QUARTER |
|-------------------|----------|----------------------------------|--|
| 210-218 | | | SEMI-ANNUA1 (WT/2) |
| 219-227 | | | ANNUAL (WT/4) |
| | | | |
| | | | 6.5 WEIGHT |
| 228-236 | | | QUARTER, SEMI-ANNUAL AND ANNUAL |
| 237-335 | | | BLANK |
| | | | |
| 1NOTES: | | | |
| 1 | | | - 99 - |
| | | H O S P I | TAL RECORD |
| 1NOTES: | | | |
| 1 | | | - 101 - |
| | | Outline Number | LIC USE TAPE RECORDS of items and Codes of Records = 11,079 SPITAL RECORD |
| | | | |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 1-2 | - | | RECORD TYPE |
| | | 11,079 | 50. Hospital Record |
| 3-4 | _ | | PROCESSING YEAR |
| | | 11,079 | 85. 1985 |
| 5 | | | PROCESSING QUARTER |
| | | 2,918 2,821 2,716 2,624 | Quarter 1 Quarter 2 Quarter 3 Quarter 4 |

| 6-8 | нн-5 | RANDOM RECODE OF PSU NUMBER |
|------|------|--|
| 9-10 | НН-5 | WEEK - CENSUS CODE* |
| | | 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13 |

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 102 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| 11-12 | нн-5 | | SEGMENT NUMBER |
| | | | Week plus Segment Number identifies the segment |
| | | | |
| 13-14 | HH-5 | | HOUSEHOLD NUMBER |
| | | | Numbered within PSU-Week-Segment |
| | | | |
| 15-16 | - | | PERSON NUMBER |
| 17-18 | _ | | HOSPITAL SERIAL NUMBER |

| 9-20 HH- | 5 | WEEK CODE (Numbered within Quarter) |
|----------|----------|-------------------------------------|
| | 785 | Week 01. 01, 21, 41, 61, 81 |
| | 895 | Week 02. 02, 22, 42, 62, 82 |
| | 912 | Week 03. 03, 23, 43, 63, 83 |
| | 853 | Week 04. 04, 24, 44, 64, 84 |
| | 860 | Week 05. 05, 25, 45, 65, 85 |
| | 754 | Week 06. 06, 26, 46, 66, 86 |
| | 886 | Week 07. 07, 27, 47, 67, 87 |
| | 956 | Week 08. 08, 28, 48, 68, 88 |
| | 810 | Week 09. 09, 29, 49, 69, 89 |
| | 896 | Week 10. 10, 30, 50, 70, 90 |
| | 816 | Week 11. 11, 31, 51, 71, 91 |
| | 868 | Week 12. 12, 32, 52, 72, 92 |
| | 788 | Week 13. 13, 33, 53, 73, 93 |
| 21 | | BLANK |
| | | |

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Item | ns and Codes |
|-------------------|----------|---|--|--|
| 22-23 | нн-10d | | TYPE OF | LIVING QUARTERS: |
| | | | Housing | Unit = $(00-07)$ |
| | | 42 10,236 16 8 8 598 92 | 00. 01. 02. 03. 04. 05. | HU in nontransient hotel, motel, etc. HU-permanent in transient hotel, motel, etc. HU in rooming house Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added |
| | | | Other Un | nit = (08-13) |
| | | 8 | 08. 09. | Quarters not HU in rooming or boarding house Unit not permanent in transient |
| | | J | 0). | onite not permanent in cranbient |

| | | 0 34 24 4 | 1: 1: | hotel, motel, etc. O. Unoccupied site for mobile home, trailer, or tent I. Student quarters in college dormitory Other unit not specified above Other unit; kind unknown |
|-------------------|------------------|--|----------------------------|---|
| 24 | НН-11 | | HAS T | ELEPHONE |
| | | 9,769 278 986 46 | 2 | |
| 25 | A-1 | | SEX | |
| | | 4,468 6,611 | _ | . Male . Female |
| 26 | - | | BLANK | |
| 1 | | | - 10 BLIC US DSPITAL | E TAPE RECORDS |
| Tape Locations | Item No. | Frequency | I | cems and Codes |
| 27-28 | Person Column | 185 11,522 2 | | . Under 1 year . Number of years . 99+ years of age |
| 29 | Recode | | AGE R | ECODE #1 |
| | | 596 727 1,127 3,123 2,666 851 701 1,288 | 2 3 4 5 6 7 | Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years 75 years and over |

| 30 | Recode | | AGE RECODE #2 |
|-------------------|----------|---|---|
| | | 655 580 1,215 1,926 1,197 1,132 1,534 1,552 1,288 | 1. Under 6 years 2. 6-16 years 3. 17-24 years 4. 25-34 years 5. 35-44 years 6. 45-54 years 7. 55-64 years 8. 65-74 years 9. 75 years and over |
| 31-32 | Recode | | AGE RECODE #3 |
| | | 1,098 10,611 | 00-35. Months 36. Over 3 years |
| 33 | - | | BLANK |
| 1 | | | - 105 - |
| | | | JBLIC USE TAPE RECORDS HOSPITAL RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 34-39 | A-3 | | MONTH AND YEAR OF BIRTH |
| 34-35 | | | MONTH |
| | | | 01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK or refused |
| 36-39 | | | YEAR OF BIRTH |

36-39

1800-1899. 1800-1899

1900-1985. 1900-1985 9999. DK or refused

| 40-41 | | | BLANK |
|-------------------|----------|--|--|
| 42 | L-3 | | MAIN RACIAL BACKGROUND - Reported |
| | | 71 146 1,752 8,988 82 9 | Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown |
| _ | | | - 106 - |
| | | | JBLIC USE TAPE RECORDS HOSPITAL RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 43-45 | Recode | | RACE RECODES |
| 43 | | | RECODE 1 |
| | | 9,102 1,756 221 | 1. White 2. Black 3. Other |
| 44 | | | RECODE 2 |
| | | 9,102 1,977 | 1. White 2. Non-white |
| 45 | | | RECODE 3 |
| | | 1,756 9,323 | 1. Black 2. Non-black |
| 46-47 | L-4 | | HISPANIC ORIGIN |
| | | 10 98 42 114 | 00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano |

| | | 215 4 44 104 8 54 10,386 | 04. 05. 06. 07. 08. 09. | Chicano Other Latin American Other Spanish Spanish, DK type Unknown if Spanish origin |
|-------------------|----------|--|--|---|
| 48 | L-7 | | MARITAL | STATUS |
| | | 997 6,271 81 1,334 753 261 1,333 49 | 6. | Married - spouse in household Married - spouse not in household Widowed |
| 1 | | | - 107 | - |
| | | - | BLIC USE OSPITAL R | TAPE RECORDS ECORD |
| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
| 49 | L-1 | | VETERAN | STATUS |
| | | 7,823 | 1 | Non-veteran |
| | | 29 | 2. | |
| | | 907 | 3. | |
| | | 268 | 4. | Korean War |
| | | 318 | 5. | Vietnam veteran |
| | | 81 | 6. | Post-Vietnam |
| | | 181 | 7. | |
| | | 40 | 8. | Served in Armed Forces, unknown if war veteran |
| | | 109 | 9. | Unknown if served in Armed Forces |
| | | 1,323 | Blank. | Under 18 years of age |
| 50 | L-1 | | | GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES |
| | | 7,823 71 232 8 | 0. 1. 2. 3. | Some service in Guard/Reserve |

1,426

Guard/Reserve

4. No active service in Guard/Reserve

| | | 196 1,323 | 5. Blank. | Guard/Reserve or if served in Armed Forces |
|-------------------|----------|---|---|---|
| 51-52 | L-2 | | EDUCATI | ON OF INDIVIDUAL - COMPLETED YEARS |
| | | 190 7,506 | 00. 01-12. | |
| | | | College | : |
| | | 566 703 234 686 115 335 121 596 | 13. 14. 15. 16. 17. 18. 19. Blank. | 2 years 3 years 4 years 5 years 6 years or more Unknown |
| 1 | | | - 108 BLIC USE ' | TAPE RECORDS |
| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
| 53 | Recode | | EDUCATI | ON OF INDIVIDUAL RECODE |
| | | 190 2,183 1,864 3,459 1,530 686 450 121 596 | 0. 1. 2. 3. 4. 5. 6. 7. Blank. | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age |

FAMILY MEMBER (Detail)

26 00. Never attended; kindergarten only 6,773 01-12. Grades 1-12

HIGHEST EDUCATION OF RESPONSIBLE ADULT

College:

761 13. 1 year

54-55 -

| | | 1,076 380 1,103 279 630 51 | 14. 2 years15. 3 years16. 4 years17. 5 years18. 6 years or more19. Unknown |
|-------------------|----------|--|---|
| 56 | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode |
| | | 26 1,192 1,477 4,104 2,217 1,103 909 51 | None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown |
| 1 | | | - 109 - BLIC USE TAPE RECORDS OSPITAL RECORD |
| Tape Locations | Item No. | Frequency | Items and Codes |
| 57 | L-8 | | FAMILY INCOME \$20,000 OR MORE |
| | | 5,652 5,021 406 | Less than \$20,000 \$20,000 or more Unknown |
| 58-59 | L-8 | | FAMILY INCOME |
| | | 100 107 165 263 311 | 00. Less than \$1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 |

05.

06.

07.

08.

09.

10. 11. 12.

13.

14.

4,000 - 5,000 - 6,000 - 7,000 - 8,000 - 10,000 - 11,000 - 12,000 - 13,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 14,000 - 15,000 - 14,000 - 14,000 - 14,000 - 15,000 - 14,000 - 14,000 - 14,000 - 15,000 - 14,000 - 14,000 - 14,000 - 15,000 - 14,000 -

14,000 - 14,999

5,999

6,999

7,999

8,999

9,999

10,999 11,999 12,999 13,999

321

366

279

198

202

```
15,000 - 15,999
   269
                          15.
   219
                          16.
                                     16,000 - 16,999
   188
                          17.
                                     17,000 - 17,999
                                    17,000 - 17,999
18,000 - 18,999
19,000 - 19,999
20,000 - 24,999
25,000 - 29,999
30,000 - 34,999
35,000 - 39,999
40,000 - 44,999
45,000 - 49,999
   263
                          18.
   322
                          19.
                           20.
   992
   956
                           21.
                           22.
   838
                           23.
   521
                           24.
   385
   283
                           25.
   688
                           26.
                                   $50,000 and over
1,331
                           27.
                                  Unknown
```

1 - 110 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|-----------|--|---|
| 60 | Recode | | FAMILY INCOME RECODE |
| | | 946 687 860 1,331 1,261 992 1,794 1,189 688 1,331 | <pre>0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown</pre> |
| 61 | Generated | | NHIS POVERTY INDEX* |
| | | 7,974 1,770 1,335 | Above poverty threshold Below poverty threshold Unknown |
| 62-63 | | | FAMILY RELATIONSHIP |
| 62 | A-2 | | TYPE OF FAMILY |
| | | 1,639 132 9,288 20 | &. Primary individual Secondary individual0. Primary family1-9. Secondary family |

| 63 | A-2 | | RELATIO | NSHIP TO REFERENCE PERSON |
|----|-----|-------|---------|---|
| | | 1,577 | &. | Reference person, living alone |
| | | 3,753 | 0. | Reference person, 2+ persons in household |
| | | 3,329 | 1. | Spouse, other spouse NOT in Armed Forces and living at home |
| | | 74 | 2. | Spouse, other spouse IN Armed Forces and living at home |
| | | 1,760 | 3. | Child of reference person or spouse |
| | | 124 | 4. | Grandchild of reference person or spouse |
| | | 241 | 5. | Parent of reference person or spouse |
| | | 216 | 6. | Other relative |
| | | 7 | 7. | Child of ineligible reference person |
| | | 0 | 9. | DK or refused |

^{*}Based on family size, number of children under 18 years of age & family income using the 1984 poverty levels derived from the August, 1985 Current Population Survey.

1 - 111 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|-----------|--------------------------------|---|
| 64 | Recode | | FAMILY RELATIONSHIP RECODE |
| | | 1,577 194 6,268 3,040 | Living alone Living only with non-relative Living with spouse Living with relative - other |
| 65-66 | Generated | | SIZE OF FAMILY* |
| | | | Unrelated individuals are coded 01 |
| 67 | Generated | | SIZE OF FAMILY RECODE |
| | | | 1-8. Number of members 9. 9+ members |
| 68 | A-2 | | PARENT/OTHER ADULT RELATIVE (under 25 years old and never married) |
| | | 966 | 1. Both parents, no other relative |

| 284 | | Mother only |
|-------|--------|--|
| 31 | . 3. | Father only |
| 152 | 2 4. | Both parents and other 21+ year old adult relative |
| 137 | 5. | Mother and other 21+ year old adult relative |
| 8 | 6. | Father and other 21+ year old adult relative |
| 16 | 7. | No parent, but one 21+ year old |
| adult | | |
| | | relative |
| 24 | 8. | No parent, but two or more 21+ year |
| | | old adult relatives |
| 57 | 9. | Unknown |
| 116 | 0. | Other |
| 9,288 | Blank. | Not applicable (25+ years old or |
| ever | | |
| | | married) |

^{*}Count includes spouse in military but living at home.

1 - 112 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Items and Codes | | |
|-------------------|------------|--------------------------------|-----------------|-----------------------------------|--|
| 69 | B-1 B-8 | MAJOR ACTIVITY (18+ years old) | | | |
| | - | 3,593 | 1. | Working | |
| | | 2,975 | 2. | | |
| | | 285 | 3. | Going to school | |
| | | 2,817 | 4. | Something else | |
| | | 86 | 5. | Unknown | |
| | | 1,323 | Blank. | Not applicable (Under 18 years) | |
| 70 | G-4 | | HEALTH | STATUS | |
| | | 1,950 | 1. | Excellent | |
| | | 2,041 | 2. | Very Good | |
| | | 2,970 | | Good | |
| | | 2,114 | 4. | Fair | |
| | | 1,945 | 5. | Poor | |
| | | 59 | 6. | Unknown | |
| 71 | Recode | | ACTIVI | TY LIMITATION STATUS - (all ages) | |
| | | 2,301 | 1. | Unable to perform major activity | |

| | | 1,630 | 2. Limited in kind/amount major |
|----------|--------|---------------------------------------|--|
| activity | | 899 6,249 | Limited in other activities Not limited (includes unknowns) |
| 72 | Recode | | ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) |
| | | 2,154 723 401 4,489 3,312 | Unable to work Limited in kind/amount of work Limited in other activities. Not limited (includes unknowns) Blank. Not applicable (under 18 years; 70+ years) |
| 1 | | | - 113 - |

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
|-------------------|----------|--|--|--|
| 73 | B-11 | LIMIT | CATION OF | SCHOOL ACTIVITIES (5-17 years) |
| | | 59 41 7 40 48 532 10,352 | 1. 2. 3. 4. 5. 6. Blank. | Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Not applicable (under 5 years; 18+ years) |
| 74 | B-14 | | NEEDS H | ELP WITH PERSONAL CARE (5-59 years |
| old | | | and lim | ited, or age 60-69 years)* |
| needs | | 426 | 1. | Unable to perform personal care |
| needs | | 660 | 2. | Limited in performing other routine needs |
| or | | 2,834 | 3. | Not limited in performing personal |
| 0_ | | 1.0 | 4 | routine needs |
| | | 17 7,142 | 4. Blank. | Unkown Not applicable (under 5 years; 5-59 years not limited; 70+ years old) |
| 75 | D-1 | | EMPLOYM | ENT STATUS IN PAST 2 WEEKS (18+ |

years)

| | In the Labor Force: (1-7) |
|---------------------|---|
| 3,406 370 off | Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay- |
| 1 | and not looking for work3. Did not work, has job; looking for work |
| | Unemployed: (4-7) |
| 38 | 4. Did not work, has job; on lay-off |
| 0 | 5. Did not work, has job; on lay-off |
| and | |
| | looking for work |
| 70 | Did not work, has job; unknown if looking or on lay-off |
| 245 | Did not work, no job; looking for work or on lay-off |
| | Not in Labor Force (18+ years): (8) |
| 5,626 | 8. Not in Labor Force (18+ years) |
| 1,323 | Blank. Not applicable (Under 18 years old) |

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 114 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

| Tape Locations | Item No. | Frequency Items and Codes | | | |
|-------------------|----------|---|--|--|--|
| 76 | L-6 | | CLASS OF WORKER | | |
| | | 5,626 2,914 121 154 348 99 362 27 19 86 1,323 | Not in labor force Private company Federal Government employee State Government employee Local Government employee Incorporated business Self-employed Without pay Never worked Unknown Blank. Under 18 | | |
| 77-79 | L-6 | | INDUSTRY DETAIL CODE | | |
| | | 4,130 | 010-996. Code number | | |

| | | 6,949 | Blank. Not applicable | | |
|-------------------|----------|--------------------------------------|--|--|--|
| 80-81 | Recode | | INDUSTRY RECODE 1 | | |
| | | | SEE APPENDIX B | | |
| 82-83 | Recode | | INDUSTRY RECODE 2 | | |
| | | | SEE APPENDIX B | | |
| 84-86 | L-6 | | OCCUPATION DETAIL CODE | | |
| | | 4,130 6,949 | 003-999. Code number Blank. Not applicable | | |
| 87-88 | Recode | | OCCUPATION RECODE 1 | | |
| | | | SEE APPENDIX C | | |
| 89-90 | Recode | OCCUPATION RECODE 2 | | | |
| | | | SEE APPENDIX C | | |
| 1 | | | - 115 - | | |
| | | | BLIC USE TAPE RECORDS OSPITAL RECORD | | |
| Tape Locations | Item No. | Frequency | Items and Codes | | |
| 91 | L-R | | RESPONDENT | | |
| | | 1,235 6,945 674 2,170 55 | Under 17 Self-entirely Self-partly Proxy Unknown | | |
| | | | | | |
| 92 | Recode | | CONDITION LIST ASSIGNED AND ASKED | | |
| | | 1,814 | 1. Condition List 1, Skin and | | |

| | | 1,843 1,843 1,820 1,879 1,825 | 3. 4. 5. 6. | Musculoskeletal Condition List 2, Impairments Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory Condition List 6, Respiratory Unknown |
|-------------------|----------|---|--|---|
| 93-94 | Recode | | | EPISODE NUMBER FOR SHORT-STAY S IN PAST YEAR |
| | | 10,874 205 | | Number Long-stay hospitals |
| 1 | | | - 116 - | |
| | | | BLIC USE T DSPITAL RE | APE RECORDS CORD |
| Tape Locations | Item No. | Frequency | Item | s and Codes |
| 95-96 | J-6 | | TYPE OF | SERVICE |
| | | 10,337 66 0 49 18 159 7 0 3 6 69 0 92 | 01. 02. 03. 04. 06. 07. 08. 10. 11. 12. 89. 90. | Psychiatric Tuberculosis Maternity Ear, Eye, Nose and Throat Children's Orthopedic Contagious Disease Chronic Disease |
| | | 206 | 99. | Not identified as a hospital, not in index |

| 97 | Recode | | REC | ODE FOR T | YPE OF SERVICE |
|-------------------|----------|---------------------------------|-----|--------------------------------------|---|
| | | 10,874 177 | | 06, | t-stay hospitals (Codes 01, 04, 07, 11, 89, 90, 98, 99) -stay hospitals (Codes 02, 03, |
| | | | | 08, | 09, 10, 12, 92, 94, 95) |
| | | 28 | | 3. Not | in index (Code 93) |
| 1 | | | - | 117 - | |
| | | | | USE TAPE 'AL RECORD | |
| Tape Locations | Item No. | Frequency | | Items an | d Codes |
| 98-99 | J-6 | | TYP | E OF OWNE | RSHIP |
| | | 289 480 241 41 640 | 1. | 12. 13. 14. 15. | County City |
| | | 2,013 5,718 0 | 2. | Nonprofi 21. 23. 24. | Church operated or related |
| | | 12 50 797 0 | 3. | | Individual Partnership Corporation (profit) |
| | | 52 57 53 0 5 264 | 4. | Governme 41. 51. 61. 62. 71. 81. 91. | nt, Federal Air Force Army Navy Department of Defense, N.O.S. Public Health Service Veterans Administration Other Federal |
| | | 2 92 | 5. | All othe 89. 90. | r In index, unknown type DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital) |
| | | 19 | | 92. | DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital) |

| Country | | 28 | 93. | Hospitalized in Foreign | | | | | | | |
|-------------------|--|--|---|--|--|--|--|--|--|--|--|
| Country, | | 13 | | not in index Nursing home, assumed from | | | | | | | |
| title | | 7 206 | 99. | Osteopathic Not identified as a hospital, not in index | | | | | | | |
| 1 | | | - 118 - | | | | | | | | |
| | NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD | | | | | | | | | | |
| Tape Locations | Item No. | Frequency | Items and | Codes | | | | | | | |
| 100-105 | J-2 | | DATE OF ADMIS | SION | | | | | | | |
| 100-101 | | | MONTH | | | | | | | | |
| | | 952 907 888 919 933 928 932 966 851 975 930 898 | 01. Janu 02. Febr 03. Marc 04. Apri 05. May 06. June 07. July 08. Augu 09. Sept 10. Octo 11. Nove | uary h l st ember ber mber | | | | | | | |
| 102-103 | | | DAY OF MONTH | | | | | | | | |
| | | | 01-31. Day o | f month | | | | | | | |
| 104-105 | | 0 0 6 5,456 5,614 3 | YEAR 81. 198 82. 198 83. 198 84. 198 85. 198 86. 198 | 2 3 4 5 | | | | | | | |
| 106-109 | Derived | | NUMERICAL VAL | UE OF DATE OF ADMISSION ate Values | | | | | | | |

| 110 | Derived | | ADMISSION RECODE (A) | | | | | | | |
|--|----------|----------------------|--|--|--|--|--|--|--|--|
| | | 432 10,386 261 | Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months | | | | | | | |
| 1 | | | - 119 - | | | | | | | |
| NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD | | | | | | | | | | |
| Tape Locations | Item No. | Frequency | Items and Codes | | | | | | | |
| 111-114 | Derived | | NUMERICAL VALUE FOR DATE OF INTERVIEW (C) | | | | | | | |
| | | 11,079 0 | 1467-1838. Values 9999. Unknown | | | | | | | |
| 115-118 | Derived | | DERIVED DATE OF DISCHARGE (D) | | | | | | | |
| | | 11,079 0 | 0002-1845. Values 9999. Unknown | | | | | | | |
| 119-121 | Derived | | NUMBER OF NIGHTS IN PAST 12 MONTHS (E) | | | | | | | |
| | | | 000-365. Number of nights | | | | | | | |
| 122-123 | Derived | | NUMBER OF NIGHTS IN PAST 2 WEEKS (F) | | | | | | | |
| | | | 00-14. Number of nights | | | | | | | |
| 124-126 | Derived | | J - VALUE | | | | | | | |
| | | 106 10,973 | Blank. Negative value 000-364. Value | | | | | | | |
| 127 | Recode | | J - RECODE | | | | | | | |
| | | 106 527 5,231 | 0. Still in hospital1. Discharges past 2 weeks (000-013)2. Discharges in 2 weeks to 6 months (014-181) | | | | | | | |

| 5,215 | 3. | Discharges | in | 6-12 | months | (182 - 364) |
|--------|-----|------------|-----|------|------------|-------------|
| J, 41J | J . | Discharges | T11 | 0 12 | IIIOIICIID | (102 301) |

128-131 J-3 TOTAL NIGHTS IN HOSPITAL 0001-1838. Nights - 120 -1 NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD Tape Locations Item No. Frequency Items and Codes 132 Recode SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)* 5,634 1. Yes 5,445 2. No 133 J-5 OPERATION PERFORMED DURING STAY 5,562 1. Yes 5,405 2. No 3. Unknown 112 134-139 J-5 OPERATION CODES (See Appendix E) 134-135 OPERATION NUMBER 1 5,562 00-99. 5,517 Blank. 136-137 OPERATION NUMBER 2 571 00-99. 10,508 Blank. 138-139 OPERATION NUMBER 3 00-99. 61 11,018 Blank.

BLANK

140-144

| 145 | Recode | HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital) | | |
|-------------------|------------------|---|--------------------------------|--|
| | | 1,311 9,768 | 1. 2. | Yes, delivery No |
| *Use weigh | t field 210 | 0-218 for ann | ual estima | ate. |
| 1 | | | - 121 | _ |
| | | | BLIC USE ' OSPITAL R | TAPE RECORDS ECORD |
| Tape Locations | Item No. | Frequency | Ite | ms and Codes |
| 146-181 | | | BLANK | |
| 182 | Master Record | | REGION | |
| | | 2,187 2,843 | 1. 2. | Northeast North Central |
| | | 4,199 1,850 | 3. 4. | South West |
| 183 | Master Record | | GEOGRAPI | HIC DISTRIBUTION |
| | necolu | | 1-4. | MSA Size |
| | | 4,209 2,796 701 196 3,177 | 1. 2. 3. 4. Blank. | 1,000,000 or more 250,000 - 999,999 100,000 - 249,999 Under 100,000 |
| 184 | | | BLANK | |
| 185 | Master Record | | TYPE OF | PSU |
| | | 5,557 2,345 | 1. 3. | MSA - Self-representing MSA - Nonself-representing |
| | | 2 3,175 | 4. 6. | Non-MSA - Self-representing Non-MSA - Nonself-representing |

| 186 | Recode | | MSA - NON-MSA RESIDENCE | |
|-------------------|----------|----------------|--|--|
| | | 3,649 | 1. MSA - Central City | |
| | | 4,253 3,005 | MSA - Not Central City Non-MSA - Nonfarm | |
| | | 127 | 4. Non-MSA - Farm | |
| 187-189 | | | PSEUDO PSU CODES | |
| 190-200 | | | CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal | |
| 1 | | | - 122 - | |
| | | | BLIC USE TAPE RECORDS OSPITAL RECORD | |
| Tape Locations | Item No. | Frequency | Items and Codes | |
| | | | FINAL BASIC WEIGHT | |
| 201-209 | | | QUARTER | |
| 210-218* | | | SEMI-ANNUAL (WT/2) | |
| 219-227 | | | ANNUAL (WT/4) | |
| | | | 6.5 WEIGHT | |
| 228-236 | | | QUARTER, SEMI-ANNUAL AND ANNUAL | |
| | | | ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS | |
| 237-245 | | | QUARTER, SEMI-ANNUAL AND ANNUAL | |
| | | | ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS | |
| 246-254 | | | QUARTER | |

| 255-263 | SEMI-ANNUAL |
|----------|------------------------------------|
| 264-272 | ANNUAL |
| | |
| | ESTIMATED TOTAL NIGHTS IN HOSPITAL |
| 273-281 | QUARTER |
| 282-290* | SEMI-ANNUAL |
| 291-299 | ANNUAL |
| | |
| 300-335 | BLANK |
| | |

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1 - 123 -

DIAGNOSTIC RECODES

1NOTES:

1 - 125 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982.

1 - 127 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

| Recode Number | Title | ICD-9 Codes |
|--------------------------------------|--|---|
| | INFECTIVE AND PARASITIC DISEASES | |
| 1001 1002 1003 1004 | Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other | 033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)* |
| | RESPIRATORY CONDITIONS | |
| 2105 | Common Cold | 460 |
| 2106 | Other Acute Upper Respiratory Infections | 461-465 |
| 2207 | Influenza | 487 |
| 2308 2309 | Acute Bronchitis Pneumonia | 466 480-483, 485, 486 |
| 2310 | Other Respiratory Conditions | 470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519 |
| | DIGESTIVE SYSTEM CONDITIONS | |
| 3411 3412 3413 | Dental Conditions Indigestion, Nausea and Vomiting Other Digestive Conditions | 520. ,6-9, 521. ,0-5,7-9, 522, 523, 525 536.8, 787.0 (520-579, and 787, except for above)* |
| | INJURIES | |
| 4514 4515 4516 4517 4518 | Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries | 800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)* |

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

1 - 128 -

National Health Interview Survey Acute Condition Recode A

| Recode Number | Title | ICD-9 Codes |
|------------------|---|--|
| | ALL OTHER ACUTE CONDITIONS | |
| 5619 | Eye conditions | 360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 378. ,0-6,8,9, 379. ,0,1,3,4,8,9 |
| 5620 | Acute Ear Infections | 380.1, 381, 382, 383.,0-2,9, 384.0, 386.3 |
| 5621 | Other Ear Conditions | 380.,0,2-9, 383.3,8, 384.,2,8,9, 385, 386.,0-2,4-9, 387, 388.,0,1,3-9 |
| 5722 | Acute Urinary Tract Infections | 580, 581, 590, 595.,0-3,8,9, 597, 598.0, 599.0 |
| 5723 | Other Urinary Conditions | 582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9 |
| 5724 | Disorders of Menstruation | 625.3,4, 626. ,0-6,8,9 |
| 5725 | Other Disorders of Female Genital Tract | 614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629 |
| 5726 | Delivery and Other Conditions of Pregnancy and Puerperium | 630-676 |
| 5827 | Skin Conditions | 680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709 |
| 1 | - 129 - | |
| | | Revised April 30, 1983 |

National Health Interview Survey Acute Condition Recode A

| Recode | | | |
|--------|-------|-------|-------|
| Number | Title | ICD-9 | Codes |

| | ALL OTHER ACUTE CONDITIONS (Continued) | |
|------|--|---|
| 5828 | Acute Back, Spine and Neck Pain | 723.1, 724.1-3,5 |
| 5829 | Other Musculoskeletal Conditions | 710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5, 7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739 |
| 5930 | Headache, excluding migraine | 307.8, 784.0** |
| 5931 | Fever, NOS | 780.6 |
| 5932 | All Other Acute Conditions | (All remaining ICD Codes)* |

1NOTES:

1 - 131 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS

^{**}NHIS codes tension headache to 784.0

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS.

This recode is the same as Recode 5 used prior to 1982.

1NOTES:

1 - 133 - October 1981

National Health Interview Survey Diagnostic Recode B

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|------------------------------------|
| 01 | | Intestinal Infectious Diseases | 001-009.0,2 |
| | 010 | Cholera | 001 |
| | 011 | Typhoid fever | 002.0 |
| | 012 | Shigellosis | 004 |
| | 013 | Food poisoning | 003, 005 |
| | 014 | Amoebiasis | 006 |
| | 015 | Intestinal infections due to other specified organism | 007, 008 |
| | 016 | Ill-defined intestinal infections | 009.0,2 |
| | 019 | Residual | 002.1-3,9 |
| 02 | | Tuberculosis | 010-018, 019-A |
| | 020 | Pulmonary tuberculosis | 011 |
| | 021 | Other respiratory tuberculosis | 010, 012 |
| | 022 | Tuberculosis of meninges and central nervous system | 013 |
| | 023 | Tuberculosis of intestines peritoneum and mesenteric glands | 014 |
| | 024 | Tuberculosis of bones and joints | 015 |
| | 025 | Tuberculosis of genitourinary system | 016 |
| | 029 | Residual | 017, 018, 019-A |
| | | | |

1 - 134 -

National Health Interview Survey Diagnostic Recode B

| | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|----|-------------------|--|--|
| 03 | | Other Bacterial Diseases | 020-027, 030-041 |
| | 030 | Plague | 020 |
| | 031 | Brucellosis | 023 |
| | 032 | Leprosy | 030 |
| | 033 | Diphtheria | 032 |
| | 034 | Whooping cough | 033 |
| | 035 | Streptococcal sore throat, scarlatina and erysipelas | 034, 035 |
| | 036 | Meningococcal infection | 036 |
| | 037 | Tetanus | 037 |
| | 038 | Septicaenia | 038 |
| | 039 | Residual | 021, 022, 024-027, 031, 039-041 |
| 04 | | Viral Diseases | 045-057, 060-066, 070-079 |
| | 040 | Acute poliomyelitis | 045 |
| | 041 | Smallpox | 050 |
| | 042 | Measles | 055 |
| | 043 | Rubella | 056 |
| | 044 | Yellow fever | 060 |
| | 045 | Arthropod-borne encephalitis | 062-064 |
| | 046 | Viral hepatitis | 070 |
| | 047 | Rabies | 071 |
| | 048 | Trachoma | 076 |
| | 049 | Residual | 046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079 |

1

Diagnostic Recode B

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|--------------------------------------|
| 05 | | Rickettsiosis and Other Arthropod- Borne Diseases | 080-088 |
| | 050 | Louse-borne typhus | 080 |
| | 051 | Other rickettsiosis | 081-083 |
| | 052 | Malaria | 084 |
| | 053 | Leishmaniasis | 085 |
| | 054 | Trypanosomiasis | 086 |
| | 059 | Residual | 087, 088 |
| 06 | | Venereal Diseases | 090-099 |
| | 060 | Syphilis | 090-097 |
| | 061 | Gonococcal infections | 098 |
| | 069 | Residual | 099 |
| 07 | | Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases | 100-104, 110-112, 114-118,120-136 |
| | 070 | Non-syphilitic spirochaetal diseases | 100-104 |
| | 071 | Mycosis | 110-112, 114-118 |
| | 072 | Schistosomiasis | 120 |
| | 073 | Echinococcosis | 122 |
| | 074 | Filarial infection and dracontiasis | 125 |
| | 075 | Ancylostomiasis and necatoriasis | 126 |
| | 076 | Other helminthiasis | 121, 123, 124, 127-129 |
| | 079 | Residual | 130-136 |
| - | | - 136 - | |
| | | National Health Interview Survey Diagnostic Recode B | |
| 2 4141 | 3-diait | | NHIS Diagnostic |

| 2-digit 3-digit Recode Recode | Category | NHIS Diagnostic Code Inclusions |
|----------------------------------|---------------------------------|------------------------------------|
| 08 | Malignant Neoplasm of Lip, Oral | 140-149 |

| Cavity | and | Pharynx |
|--------|-----|---------|
|--------|-----|---------|

| | 080 | Malignant neoplasm of lip, oral cavity and pharynx | 140-149 |
|----|-----|--|---------------------------|
| 09 | | Malignant of Neoplasm of Digestive Organs and Peritoneum | 150-159 |
| | 090 | Malignant neoplasm of oesophagus | 150 |
| | 091 | Malignant neoplasm of stomach | 151 |
| | 092 | Malignant neoplasm or small intestine, including duodenum | 152 |
| | 093 | Malignant neoplasm of colon | 153 |
| | 094 | Malignant neoplasm of rectum, rectosigmoid junction and anus | 154 |
| | 095 | Malignant neoplasm of liver, specified as primary | 155.0 |
| | 096 | Malignant neoplasm of pancreas | 157 |
| | 099 | Residual | 155.1,2, 156, 158, 159 |
| 10 | | Malignant Neoplasm of Respiratory and Inthrathoracic Organs | 160-165 |
| | 100 | Malignant neoplasm of larynx | 161 |
| | 101 | Malignant neoplasm of trachea, brochus and lung | 162 |
| | 109 | Residual | 160, 163-165 |

1 - 137 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|------------------------------------|
| 11 | | Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast | 170-175 |
| | 110 | Malignant neoplasm of bone, and articular cartilage | 170 |
| | 111 | Malignant melanoma of skin | 172 |
| | 112 | Other malignant neoplasm of skin | 173 |
| | 113 | Malignant neoplasm of female breast | 174 |
| | 119 | Residual | 171, 175 |

| 12 | | Malignant Neoplasm of Genitourinary Organs | 179-189 |
|----|-----|--|---------------|
| | 120 | Malignant neoplasm of cervix uteri | 180 |
| | 121 | Malignant neoplasm of placenta | 181 |
| | 122 | Malignant neoplasm of uterus, other and unspecified | 179, 182 |
| | 123 | Malignant neoplasm of ovary and other uterine adnexa | 183 |
| | 124 | Malignant neoplasm of prostate | 185 |
| | 125 | Malignant neoplasm of testis | 186 |
| | 126 | Malignant neoplasm of bladder | 188 |
| | 129 | Residual | 184, 187, 189 |
| 13 | | Malignant Neoplasm of Other and Unspecified Sites | 190-199 |
| | 130 | Malignant neoplasm of brain | 191 |
| | 139 | Residual | 190, 192-199 |

National Health Interview Survey Diagnostic Recode B

1

- 138 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|--|------------------------------------|
| 14 | | Malignant Neoplasm of Lymphatic and Haemopoietic Tissue | 200-208 |
| | 140 | Hodgkin's disease | 201 |
| | 141 | Leukemia | 204-208 |
| | 149 | Residual | 200, 202, 203 |
| 15 | | Benign Neoplasm | 210-229 |
| | 150 | Benign neoplasm of skin | 216 |
| | 151 | Benign neoplasm of breast | 217 |
| | 152 | Benign neoplasm of uterus | 218, 219 |
| | 153 | Benign neoplasm of ovary | 220 |
| | 154 | Benign neoplasm of kidney and other urinary organs | 223 |

| | 155 | Benign neoplasm of nervous system | 225 |
|----|-----|---|---|
| | 156 | Benign neoplasm of thyroid | 226 |
| | 159 | Residual | 210-215, 221, 222, 224, 227-229 |
| 17 | | Other and Unspecified Neoplasm | 239 |
| | 170 | Other and unspecified neoplasm | 239 |
| 18 | | Endocrine and Metabolic Diseases, Immunity Disorders | 240-246, 250-259, 270-279 |
| | 180 | Disorders of thyroid gland | 240-246 |
| | 181 | Diabetes mellitus | 250 |
| | 182 | Hyperlipoproteinaemia | 272.0, 272.1 |
| | 183 | Obesity of non-endocrine origin | 278.0 |
| | 189 | Residual | 251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279 |

1 - 139 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|--|
| 19 | | Nutritional Deficiencies | 260-268.0,2,9, 269 |
| | 190 | Kwashiorkor | 260 |
| | 191 | Nutritional marasmus | 261 |
| | 192 | Other protein-calorie malnutrition | 262, 263 |
| | 193 | Avitaminosis | 264-267, 268.0,2,9, 269 |
| 20 | | Disease of Blood and Blood-forming Organs | 280-289 |
| | 200 | Anaemias | 280-285 |
| | 209 | Residual | 286-289 |
| 21 | | Mental disorders | 290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19 |
| | 210 | Senile and presenile organic psychotic conditions | 290 |

| 211 | Schizophrenic psychoses | 295 |
|-----|--|--|
| 212 | Affective psychoses | 296 |
| 213 | Other psychoses | 291-294, 297-299 |
| 214 | Neurotic and personality disorders | 300, 301 |
| 215 | Alcohol dependence syndrome | 303 |
| 216 | Drug dependence | 304 |
| 217 | Physiological malnutrition arising from mental factors | 306.1-5 |
| 218 | Mental retardation | X19 |
| 219 | Residual | 302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14 |

1 - 140 -National Health Interview Survey

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|--|
| 22 | | Disease of the Nervous System | 320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1- 8,X,Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61*** |
| | 220 | Meningitis | 320, 322 |
| | 221 | Parkinson's disease | 332 |
| | 222 | Other degenerative and hereditary disorders of the central nervous system | 330, 331.0-2,8,9, 333-336 |
| | 223 | Multiple sclerosis | 340 |
| | 224 | Infantile cerebral palsy and other paralytic syndromes | 344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)* |
| | 225 | Epilepsy | 345 |
| | 229 | Residual | 323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359, |

Diagnostic Recode B

*Excludes .0

***Includes all 4th digits except .9

1 - 141 -

| | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|----|-------------------|---|---|
| 23 | | Disorders of the Eye and Adnexa | 360-368, 370-379, X00*, (X01, X02, X04)* |
| | 230 | Glaucoma | 365 |
| | 231 | Cataract | 366 |
| | 232 | Blindness and low vision | X00* |
| | 233 | Conjunctivitis | 372.0-3 |
| | 234 | Disorders of lacrimal system | 375 |
| | 235 | Strabismus and other disorders of binocular eye movements | 378 |
| | 239 | Residual | 360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)* |
| 24 | | Disease of the Ear and Mastoid Process | 380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)* |
| | 240 | Otitis media and mastoiditis | 381-383 |
| | 241 | Deafness | (X05, X08)* |
| | 249 | Residual | 380, 384-387, 388.0.1,3-9, X06, X07, X09)* |
| 25 | | Rheumatic Fever and Rheumatic Heart Disease | 390, 392-398, 399-A |
| | 250 | Acute rheumatic fever | 390, 392 |
| | 251 | Chronic rheumatic heart disease | 393-398 |
| | 259 | Residual | 399-A |

1 - 142 -

National Health Interview Survey Diagnostic Recode B

| | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|----|-------------------|--|--|
| 26 | | Hypertensive Disease | 401-405 |
| | 260 | Hypertensive heart disease | 402, 404 |
| | 269 | Residual | 401, 403, 405 |
| 27 | | Ischaemic Heart Disease | 413, 414 |
| | 271 | Ischaemic heart disease | 413, 414 |
| 28 | | Disease of Pulmonary Circulation and Other Forms of Heart Disease | 415-417, 420-428, 429.0-5,8,9 |
| | 280 | Pulmonary embolism | 415.1 |
| | 281 | Cardiac dysrhythmias | 427 |
| | 289 | Residual | 415.0, 416, 417, 420-426, 428, 429.0-5,8,9 |
| 29 | | Cerebrovascular Disease | 430-435, 437, X50*** |
| | 290 | Subarachnoid haemorrhage | 430 |
| | 291 | Intracerebral and other intracranial haemorrhage | 431, 432 |
| | 292 | Cerebral infarction | 433, 434 |
| | 294 | Cerebral atherosclerosis | 437.0 |
| | 299 | Residual | 435, 437.1-6,8,9, X50*** |

⁻***Includes all 4th digits except .9

1 - 143 -

| Recode | Recode | Category | Code Inclusions |
|--------|--------|---|------------------------------|
| 30 | | Other Diseases of the Circulatory System | 440-444, 446-448, 451-459 |
| | 300 | Atherosclerosis | 440 |
| | 301 | Arterial embolism and thrombosis | 444 |
| | 302 | Other diseases of arteries, arterioles and capillaries | 441-443, 446-448 |
| | 303 | Phlebitis, thrombophlebitis, venous embolism and thrombosis | 451-453 |
| | 304 | Varicose veins of lower extremities | 454 |
| | 305 | Haemorrhoids | 455 |
| | 309 | Residual | 456-459 |
| 31 | | Diseases of the Upper Respiratory Tract | 460-465, 470-478, 477.7-A |
| | 310 | Acute tonsillitis | 463 |
| | 311 | Acute laryngitis and tracheitis | 464 |
| | 312 | Other acute upper respiratory infections | 460-462, 465 |
| | 313 | Deflected nasal septum and nasal polyps | 470, 471 |
| | 314 | Chronic pharyngitis, nasopharyngitis and sinusitis | 472, 473 |
| | 315 | Chronic diseases of tonsils and adenoids | 474 |
| | 319 | Residual | 475-478, 477.7-A |
| 1 | | - 144 - | |

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|---|---|
| 32 | | Other Diseases of the Respiratory System | 466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30*** |
| | 320 | Acute bronchitis and bronchiolitis | 466 |
| | 321 | Pheumonia | 480-483, 485, 486 |

| | 322 | Influenza | 487 |
|----|---|---|---------------------------------------|
| | 323 | Bronchitis, chronic and unspecified, emphysema and asthma | 490-493 |
| | 324 | Bronchietasis | 494 |
| | 325 Other chronic obstructive 4 pulmonary disease | 495, 496 | |
| | 326 | Pheumonconiosis and other lung disease due to external agents | 500-508 |
| | 327 | Pleurisy | 511 |
| | 329 | Residual | 510, 512-516, 518, 519, X30*** |
| 33 | | Diseases of Oral Cavity, Salivary Glands and Jaws | 520.3,4,7-9, 521-523, 525-529, X92 |
| | 330 | Diseases of teeth and supporting structures | 520.3,4,7-9, 521-523, 525, x92 |
| | 331 | Disease of the jaw | 526 |
| | 339 | Residual | 527-529 |

^{- ***}Includes all 4th digits except .9

1 - 145 -

| _ | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|----|-------------------|--|--|
| 34 | | Diseases of Other Parts of the Digestive System | 530-537, 540-543, 550-553,555-558, 560, 562, 564-579 |
| | 340 | Diseases of oesophagus | 530 |
| | 341 | Ulcer of stomach and duodenum | 531-533 |
| | 342 | Appendicitis | 540-543 |
| | 343 | Hernia of abdominal cavity | 550-553 |
| | 344 | Intestinal obstruction without mention of hernia | 560 |
| | 345 | Diverticula of intestine | 562 |

| | 346 | Other functional digestive disorders | 564 |
|----|---------|---|--|
| | 347 | Chronic liver disease and cirrhosis | 571 |
| | 348 | Cholelithiasis and cholecystitis | 574-575.1 |
| | 349 | Residual | 534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579 |
| 35 | Disease | s of Urinary System | 580-599, X31***, X62 |
| | 350 | Nephritis, nephrotic syndrome and nephrosis | 580-589 |
| | 351 | Infections of kidney | 590 |
| | 352 | Urinary calculus | 592, 594 |
| | 353 | Cystitis | 595 |
| | 359 | Residual | X31***, X62, 591, 593, 596-599 |
| | | | |

- 146 -1

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions | |
|-------------------|-------------------|-----------------------------------|------------------------------------|--|
| 36 | | Disease of Male Genital Organs | 600-608 | |
| | 360 | Hyperplasia of prostate | 600 | |
| | 361 | Hydrocele | 603 | |
| | 362 | Redundant prepucs and phimosis | 605 | |
| | 363 | Infertility, male | 606 | |
| | 369 | Residual | 601, 602, 604, 607 608 | |
| 37 | | Diseases of Female Genital Organs | 610, 611, 614-629, X32*** | |
| | 370 | Diseases of breast | 610, 611, X32*** | |
| | 371 | Salpingitis and oophoritis | 614.0-2 | |
| | 372 | Inflammatory diseases of pelvic | 614.3-9 | |

 $^{^-}$ ***Includes all 4th digits except .9

| | Inflammatory diseases of uterus, vagina and vulva | | 615, 616 |
|----|---|----------------------------|------------------------------------|
| | 374 | Uterovaginal prolapse | 618 |
| | 375 | Menstrual disorders | 626.0-5 |
| | 376 | Infertility, female | 628 |
| | 379 | Residual | 617, 619-625, 626.6-9, 627, 629 |
| 38 | | Abortion | 630-639 |
| | 380 | Spontaneous abortion | 634 |
| | 381 | Legally induced abortion | 635 |
| | 382 | Illegally induced abortion | 636 |
| | 389 | Residual | 630-633, 637-639 |
| | | | |

 $^{^-}$ ***Includes all 4th digits except .9

1 - 147 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|--|--|
| 39 | | Direct Obstetric Causes | 640-646, 651-676 |
| | 390 | Haemorrhage of pregnancy and childbirth | 640, 641, 666 |
| | 391 | Toxaemia of pregnancy | 642.4-9, 643 |
| | 392 | Infections of genitourinary tract in pregnancy | 646.6 |
| | 393 | Obstructed labour | 660 |
| | 394 | Complications of the puerperium | 670-676 |
| | 399 | Residual | 642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669 |
| 40 | | Indirect Obstetric Causes | 647, 648 |
| | 400 | Indirect obstetric causes | 647, 648 |

| 41 | | Normal Delivery | 650 |
|----|-----|---|---|
| | 410 | Normal delivery | 650 |
| 42 | | Diseases of Skin and Subcutaneous Tissue | 680-686, 690-693, 693.2-A, 694-698, 700-709 |
| | 420 | Infections of skin and subcutaneous tissue | 680-686 |
| | 429 | Residual | 690-693, 693.2-A, 694-698, 700-709 |

1 - 148 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|--|--|
| 43 | | Disease of the Musculoskeletal System and Connective Tissue | 710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89 |
| | 430 | Rheumatoid arthritis, except spine | 714 |
| | 431 | Other arthropathies | 710-712, 715, 716 |
| | 432 | Other disorders of joints | 717-719 |
| | 433 | Ankylosing spondylitis | 720.0 |
| | 434 | Other dorsopathies | 720.1-724, X80 |
| | 435 | Rheumatism, excluding the back | 725-727, 728.0,1 3,5,8,9, 729, X86 |
| | 436 | Osteomyelitis, periostitis and other infections involving bone | 730 |
| | 437 | Acquired deformities of limbs | (X20-X29, X33-X35, X73-X78)*** |
| | 439 | Residual | 731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89 |

^{- ***}Includes all 4th digits except .9

1 - 149 -

National Health Interview Survey Diagnostic Recode B

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|--|--|
| 44 | | Congenital Anomalies | 742.2,4,5,8,9, 744.4, 745-748, 750.2-9, 751, 752, 753.1-9, 754.0,1, 756.4-9, 757, 758.1-9, 759.0- 6,8, (x20-x29, x33- x35, x70, x73, x74, x76-x78, x93)**, x71.9, x75.9, (x30-x32, x79, x90)** |
| | 440 | Spina bifida and hydrocephalus | X71.9 |
| | 441 | Other deformities of central nervous system | 742.2,4,5,8,9 |
| | 442 | Congenital anomalies of heart and circulatory system | 745-747 |
| | 443 | Cleft palate and cleft lip | 749, X91.9 |
| | 444 | Other deformities of digestive system | 750.2-9, 751 |
| | 445 | Undescended testicle | 752.5 |
| | 446 | Congenital dislocation of hip | X75.9 |
| | 447 | Other congenital anomalies of musculoskeletal system | (X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9 |
| | 449 | Residual | 744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)** |

 $^{^-}$ **Includes 4th digit .9 only.

1 - 150 -

| 2-digit 3 Recode Re | - | | Diagnostic Inclusions |
|------------------------|---|--|--------------------------|
| | | | |

| 45 | | Certain Conditions Originating in the Perinatal Period | 760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9 |
|----|-----|---|--|
| | 450 | Maternal conditions affecting fetus or newborn | 760 |
| | 451 | Obstetric complications affecting fetus or newborn | 761.0-5,7-9, 762, 763 |
| | 452 | Slow fetal growth, fetal malnutrition and immaturity | 764, 765 |
| | 453 | Birth trauma | 767, X61.9 |
| | 454 | Hypoxia, birth asphyxia and other respiratory conditions | 768-770 |
| | 455 | Haemolytic disease of fetus or newborn | 773 |
| | 459 | Residual | 766, 771, 772, 774-778, 779.0-5,8,9 |
| 46 | | Signs, Symptoms and Ill-Defined Conditions | 780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12 |
| | 460 | Pyrexia of unknown origin | 780.6 |
| | 461 | Symptoms involving heart | 785.0-3 |
| | 462 | Renal colic | 788.0 |
| | 463 | Retention of urine | 788.2 |
| | 464 | Abdominal pain | 789.0 |
| | 465 | Senility without mention of psychosis | 797 |
| | 467 | Respiratory failure | 799.1 |
| | 469 | Residual | 780.0-5,7-9, 781.0- 4,6,7,9, 782, 783.0, 2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12 |
| 1 | | - 151 - | |

| 2-digit | 3-digit | | NHIS Diagnostic |
|---------|---------|----------|-----------------|
| Recode | Recode | Category | Code Inclusions |

| 47 | | Fractures | 800-829 |
|----|-----|--|--|
| | 470 | Fracture of skull and face | 800-804 |
| | 471 | Fracture of neck and trunk | 805-809 |
| | 472 | Fracture of humerus, radius and ulna | 812, 813 |
| | 473 | Fracture of neck of femur | 820 |
| | 474 | Fracture of other parts of femur | 821 |
| | 475 | Fracture of tibia, fibula and ankle | 823,824 |
| | 476 | Other fractures of limbs | 810-811, 814-819, 822, 825, 829 |
| | 479 | Residual | 826-828 |
| 48 | | Dislocations, Sprains and Strains | 830-848 |
| | 480 | Dislocations, sprains, and strains | 830-848 |
| 49 | | Intracranial and Internal Injuries Including Nerves | 850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)**** |
| | 490 | Concussion | 850 |
| | 491 | Other intracranial injuries | 851-854, 950, 951, X00.0, X05.0, X08.0 |
| | 499 | Residual | 860-869, 952-957, (X42-X49,X51-X60, X63, X64)**** |

 $^{^-}$ ****Includes 4th digit .0 only.

1 - 152 -

| 2-digit Recode | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|-------------------|-------------------|--|------------------------------------|
| 50 | | Open Wounds and Injury to Blood Vessels | 870-884****, 890-894, 900-904 |
| | 500 | Open wound of eye, ear and head | 870-873**** |
| | 501 | Open wound of upper limb | 880-884 |
| | 502 | Open wound of lower limb | 890-894 |

| | 509 | Residual | 874-879, 900-904 |
|----|-----|---|-----------------------------------|
| 51 | | Effects of Foreign Body Entering Through Orifice | 930-939 |
| | 510 | Effects of foreign body entering through orifice | 930-939 |
| 52 | | Burns | 940-949 |
| | 520 | Burn confined to eye and adnexa | 940 |
| | 521 | Burn of wrist and hand | 944 |
| | 529 | Residual | 941-943, 945-949 |
| 53 | | Poisonings and Toxic Effects | 977.9*****, 979, 988, 989***** |
| | 530 | Medicinal agents | 977.9, 979 |
| | 539 | Residual | 988, 989 |
| 54 | | Complications of Medical and Surgical Care | 996-999 |
| | 540 | Complications of medical and surgical care | 996-999 |
| | | | |

 $[\]overset{-}{}$ ****871.3 is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

1 - 153 -

| _ | 3-digit Recode | Category | NHIS Diagnostic Code Inclusions |
|----|-------------------|--|--|
| 55 | | Other Injuries, Early Complications of Trauma | 910-929, 959, 990-995 |
| | 550 | Other injuries, early complications of trauma | 910-929, 959, 990-995 |
| 56 | | Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes | 905.0-5, 906, 907, 908.0-5,9, 909.2,4 |
| | 560 | Late effects of injuries, of poisonings, of toxic effects and of | 905.0-5, 906, 907, 908.0-5,9, 909.2,4 |

^{*****}Anything classifiable to 960-978 is coded by NHIS to 977.9.

^{******}Anything classifiable to 980-987 is coded by NHIS to 989.9.

other external causes

Present Effects of Injuries, NEC 57 X01.0, X02.0, X04.0, X06.0, X07.0, X09.0 570 Present effects of injuries, NEC X01.0, X02.0, X04.0, X06.0, X07.0, X09.0 99 Residual, All Other Conditions All other not listed codes

990 Residual, all other conditions All other not listed codes

1NOTES:

1 - 155 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.

1NOTES:

1 - 157 -

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode ICD Inclusion as modified Number Title by the NHIS

| | LIST I: | SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | |
|------------------|---------|---|--|
| 101 | | Arthritis | 711. ,0,9, 712. ,8,9, 714-716, 720.0, 721 |
| 102 | | Rheumatism, unspecified | 729.0 |
| 103 | | Gout, including gouty arthritis | 274 |
| 104 | | Sciatica (including lumbago) | 724.2,3 |
| 105 | | Intervertebral disc disorders | 722 |
| 106 | | Bone spur/tendinitis NOS | 726. ,9 |
| 107 | | Disorders of bone or cartilage | 730. ,0-3,9, 731. ,0,2, 732, 733 |
| 108 | | Bunion | 727.1 |
| 109 | | Bursitis, NEC | 726.0-8, 727. ,0,2-9 |
| 110 | | Sebaceous skin cyst | 706.2 |
| 111 | | Acne | 706.0,1 |
| 112 | | Psoriasis | 696 |
| 113 | | Dermatitis | 690-694 (693.2 NHIS code) |
| 114 | | Dry (itching) skin NEC | 698.9 |
| 115 | | Chronic ulcer of skin | 707 |
| 116 | | Ingrown nails | 703.0 |
| 117 | | Corns and calluses | 700 |
| 118 | | Benign neoplasms of the skin | 216 |
| 119 1 | | Malignant neoplasms of the skin - 158 - | 172, 173 |
| | | | Revised April 30, 1983 |
| | | National Health Interview Sur Chronic Condition Recode C | - |
| Recode Number | | Title | ICD Inclusion as modified by the NHIS |

| 201 202 | Blind - Both eyes Other Visual Impairment | X00 X01-X03 |
|--------------------------|--|---------------------------------------|
| 203 204 | Deaf - Both ears Other Hearing Impairments | X05 X06-X09 |
| 205 206 | Stammering and Stuttering Other Speech Impairments | X10 X11 |
| 207 | Impairment of Sensation | X12 |
| 208 | Mental Retardation | X19 |
| 209 210 211 | Absence Upper Extremities Both Arms/Hands One Hand/Arm Fingers - One or Both Hands | X20,X21 X23,X24 X22,X25 |
| 212 213 | Absence Lower Extremities One or Both Legs Feet/Toes - One or Both Limbs | X26,X28 X27,X29 |
| 214 215 216 217 | Absence Lung Kidney Breast Bone, Joint, Muscle of extremity Tips of Fingers, Toes | x30 x31 x32 x34 x35 |
| 219 220 221 222 | Paralysis of Extremities - Complete Entire Body One Side of Body - Hemiplegia Both Legs - Paraplegia Other paralysis | X40 X41 X46 X42-X45, X47-X49 |
| 223 224 225 226 | Paralysis of Extremities - Partial Cerebral Palsy One Side of Body Only - Hemiparesis Legs - Both or Paraparesis Other paralysis | x50 x51 x56 x52-x55, x57-x59 |
| 1 | - 159 - | |

Revised June 12, 1984

National Health Interview Survey Chronic Condition Recode C

| Recode | | ICD I | nclusion | as | modified |
|--------|-------|-------|----------|----|----------|
| Number | Title | | by the | NH | IS |

LIST II: IMPAIRMENTS (Continued)

227 Paralysis - Complete or Partial Other site X60-X64

Deformity/Orthopedic Impairment:
 Back

| 228 | Curvature or other deformity of | |
|-------------------|---|-------------------------------|
| | back or spine | X70 |
| 229 | Orthopedic Impairment | X80 |
| 230 | Spina Bifida | X71 |
| 231 232 | Other Upper Extremities Hands, Fingers only Orthopedic Impairment - Shoulder(s) | X74 X84 |
| 233 | Other | X73 |
| 234 235 236 | Lower Extremities Flatfeet Clubfoot Other | X77 X78 X75,X76,X85,X86 |
| 237 | Other Deformities/ Orthopedic Impairment | X79,X89 |
| 238 | Cleft Palate | X91 |
| 239 | Color Blindness | 368.5 |
| 240 | Tinnitus | 388.3 |
| 241 | Cataracts | 366 |
| 242 | Glaucoma | 365 |
| 243 | Diseases of Retina | 361,362. ,1-9 |
| 1 | - 160 - | |

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

| Recode Number | Title | ICD Inclusion as modified by the NHIS |
|------------------|---|---------------------------------------|
| | LIST III: SELECTED DIGESTIVE CONDITIONS | |
| 301 | Gallbladder stones | 574 |
| 302 | Liver diseases including cirrhosis | 571, 572, 573. ,0,3-9 |
| 303 | Gastric ulcer | 531 |
| 304 | Duodenal ulcer | 532 |
| 305 | Peptic ulcer | 533 |
| 306 | Hernia of abdominal cavity | 550-553 |
| 307 | Disease of the esophagus | 530 |
| 308 | Gastritis and duodenitis | 535 |
| 307 | Disease of the esophagus | 530 |

| 309 | Indigestion | 536.8 |
|--|--|--|
| 310 | Other functional disorders of stomach and digestive system | 536 (except .8), 787 |
| 311 | Enteritis and colitis | 555, 556, 558 |
| 312 | Spastic colon | 564.1 |
| 313 | Diverticula of intestines | 562 |
| 314 | Constipation | 564.0 |
| 315 | Other stomach and intestinal disorders | 534, 537, 560, 569 |
| 316 | Malignant neoplasms of stomach, intestines, colon, and rectum | 151-154 |
| 1 | - 161 - | |
| | | Revised April 30, 1983 |
| | National Health Interview Surve Chronic Condition Recode C | У |
| Recode Number | I Title | CD Inclusion as modified by the NHIS |
| | | |
| | LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD | |
| 401 | GENITOURINARY, NERVOUS, ENDOCR | |
| 401 402 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD | FORMING SYSTEMS |
| | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter | FORMING SYSTEMS 240, 241, 242.0-3 |
| 402 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 |
| 402 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 |
| 402 403 404 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 |
| 402 403 404 405 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias Epilepsy | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 345 |
| 402 403 404 405 406 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias Epilepsy Migraine headache Other headache | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 345 346 |
| 402 403 404 405 406 407 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias Epilepsy Migraine headache Other headache (excludes tension headache) | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 345 346 784.0 |
| 402 403 404 405 406 407 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias Epilepsy Migraine headache Other headache (excludes tension headache) Neuralgia or neuritis, unspecified | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 345 346 784.0 |
| 402 403 404 405 406 407 408 409 | GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD Goiter Other disorders of the thyroid Diabetes Anemias Epilepsy Migraine headache Other headache (excludes tension headache) Neuralgia or neuritis, unspecified Kidney stones | FORMING SYSTEMS 240, 241, 242.0-3 242.4,8,9, 243-246 250 280-285 345 346 784.0 729.2 |

| 413 | Other disorders of bladder | 594.1, 596 |
|------------------|---|--|
| 414 | Diseases of prostate | 600-602 (ex 601.4) |
| 415 | Multiple sclerosis | 340 |
| 416 | Inflammatory disease of female genital organs | 614-616 |
| 417 | Non-Inflammatory disease of female genital organs | 620-624 |
| 418 | Menstrual disorders | 626 |
| 1 | - 162 - | |
| | | Revised May 1, 1983 |
| | National Health Interview Surv Chronic Condition Recode C | ey |
| Recode Number | Title | ICD Inclusion as modified by the NHIS |
| | LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE METABOLIC AND BLOOD AND BLOOD FOR SYSTEMS (Continued) | |
| 419 | Other disorders of female genital organs | 617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8 |
| 420 | Female trouble, NOS | 629. ,9 |
| 421 | Malignant neoplasm of breast - female | 174 |
| 422 | Malignant neoplasms of female genital organs | 179-184 |
| 423 | Malignant neoplasm of prostate | 185 |
| 424 | Benign neoplasm of breast - female | 217 |
| 425 | Benign neoplasms of female genital organs | 218-221 |
| 1 | - 163 - | |
| | | Revised April 30, 1983 |
| | National Health Interview Surv Chronic Condition Recode C | ey |
| Recode Number | Title | ICD Inclusion as modified by the NHIS |

| 501 | Rheumatic fever with or without | 390, 392-398, |
|------------------|--|---|
| | heart disease | 399 (NHIS code only) |
| 502 | Ischemic heart disease | 413, 414 (NHIS includes 410-412 and 429.6 in 414) |
| 500 | Heart rhythm disorders | 400 0 0 000 |
| 503 504 | Tachycardia or rapid heart Heart murmurs | 427.0-3, 785.0 785.2 |
| 505 | Other and unspecified heart rhythm disorders | 427. ,4-6,8,9, 785.1 |
| 506 | Congenital heart disease | 745, 746 |
| 507 | Other selected diseases of heart (excludes hypertension) | 415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9 |
| 508 | High blood pressure (hypertension) | 401-405 |
| 509 | Cerebrovascular disease | 430-435, 437 (NHIS includes 436 and 438 in 437) |
| 510 | Hardening of the arteries | 440 |
| 511 | Aneurysm | 441. ,0-6, 442 |
| 512 | Phlebitis, thrombophlebitis | 451 |
| 513 | Varicose veins of lower extremities | 454 |
| 514 | Hemorrhoids | 455 |
| 515 | Poor circulation | 459. ,8,9 |
| 1 | - 164 - | |
| | | Revised April 30, 1983 |
| | National Health Interview Surv Chronic Condition Recode C | ey |
| Recode Number | Title | ICD Inclusion as modified by the NHIS |

LIST VI: SELECTED RESPIRATORY CONDITIONS

601 Chronic Bronchitis

490, 491

| 602 | Asthma | 493 |
|-----|--|-----------------------------------|
| 603 | Hay fever/allergic rhinitis without asthma | 477 (477.7 NHIS code) |
| 604 | Nasal polyps | 471 |
| 605 | Chronic sinusitis | 473 |
| 606 | Deviated Nasal Septum | 470 |
| 607 | Chronic disease of tonsils and adenoids | 474 |
| 608 | Chronic laryngitis | 476 |
| 609 | Emphysema | 492 |
| 610 | Pleurisy | 511 |
| 611 | Pneumoconiosis and asbestosis | 500-505 |
| 612 | Tuberculosis (pulmonary) | 011, 019 (NHIS code) |
| 613 | Malignant neoplasms of lung and bronchus | 162. ,2-9 |
| 614 | Other diseases of lung | 515, 518 |
| 615 | Malignant neoplasms of other respiratory sites | 160, 161, 162.0, 163 |
| 999 | ALL OTHER SELECTED CHRONIC CONDITIONS | All remaining ICD and NHIS codes* |

^{*}Excludes always acute codes and ICD codes not used by NHIS.

1 - 165 -

HEALTH INTERVIEW SURVEY - 1985

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference

periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight.

To illustrate the use of reference periods, suppose we have a person whose weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

1NOTES:

1 - 167 -

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from

Health Interview Survey data tapes. The publication, "Current Estimates",

for the year 1985 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable, for example, persons injured, the variables needed will be listed.

1NOTES:

1 - 169 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE TAPE
NUMBERS ITEMS LOCATIONS CODES

| | ANNUAL ESTIMATES | | |
|------------------|---|-------------------|-----------|
| 1-15 | Incidence of Acute Conditions | | |
| | Inclusions: | | |
| | Condition records | 1-2 | 30 |
| | Acute Onset in 2 weeks | 107 108 | 2 1 |
| | Use: | | |
| 1-5 | Acute Condition Recode A Denominator for rates is population: see Table 78 specifications | 100-103 | 1001-5932 |
| 11-15 | Restrict numerator to medically attended Denominator is all acute conditions | 110 | 1 |
| | Weight: | | |
| | (2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates. | 228-236 | |
| 16-25 | Restricted Activity Days Associated With Acute Conditions | | |
| | Inclusions: | | |
| | Condition records Acute | 1-2 107 | 30 2 |
| | Use: | | |
| 16-20 | Acute Condition Recode A Denominator is population: see Table 78 specifications | 100-103 | 1001-5932 |
| | Weight: | | |
| | 2 week restricted activity days | 237-245 | |
| 1 | - 170 - | | |
| | TABULATING DATA FOR CURRENT ESTIMATES | TABLES | |
| TABLE NUMBERS | ITEMS | TAPE LOCATIONS | CODES |
| | | | |

ANNUAL ESTIMATES

26-35 Bed Days Associated with Acute Conditions

Inclusions:

| | | Condition records Acute | 1-2 107 | 30 2 |
|---|------------------|---|-----------------------|-------------|
| | | Use: | | |
| | 26-30 | Acute Condition Recode A Denominator is population: see Table 78 specifications | 100-103 | 1001-5932 |
| | | Weight: | | |
| | | 2 week bed days | 246-254 | |
| | 36-45 | Work-Loss Days Associated with Acute Conditions | | |
| | | Inclusions: | | |
| | | Condition records Acute | 1-2 107 | 30 2 |
| | | Use: | | |
| | 36-40 | Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications | 100-103 | 1001-5932 |
| | | Weight: | | |
| | | 2 week work-loss days | 255-263 | |
| | - 171 - | | | |
| 1 | | - 171 - | | |
| 1 | | - 171 - TABULATING DATA FOR CURRENT ESTIMATES | TABLES | |
| 1 | TABLE NUMBERS | | TABLES TAPE LOCATIONS | CODES |
| 1 | | TABULATING DATA FOR CURRENT ESTIMATES | TAPE | CODES |
| 1 | | TABULATING DATA FOR CURRENT ESTIMATES | TAPE | CODES |
| 1 | NUMBERS | TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES School-Loss Days Associated with Acute | TAPE | CODES |
| 1 | NUMBERS | TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES School-Loss Days Associated with Acute Conditions | TAPE | CODES 30 2 |
| | NUMBERS | ITEMS ANNUAL ESTIMATES School-Loss Days Associated with Acute Conditions Inclusions: Condition records | TAPE LOCATIONS | 30 |
| 1 | NUMBERS | ITEMS ANNUAL ESTIMATES School-Loss Days Associated with Acute Conditions Inclusions: Condition records Acute | TAPE LOCATIONS | 30 |
| 1 | NUMBERS 46-49 | ITEMS ANNUAL ESTIMATES School-Loss Days Associated with Acute Conditions Inclusions: Condition records Acute Use: Acute Condition Recode A Denominator is population ages 5-17 | TAPE LOCATIONS | 30 2 |

| 50 | Acute Conditions per Quarter | | | |
|------------------|--|---------------|--------------------------|--------------------|
| | Use specifications for Tables 1-10 but also use processing quarter |) | 5 | 1,2,3 or 4 |
| 51-52 | Episodes of Persons Injured | | | |
| | Inclusions: | | | |
| | Condition records Onset in 2 weeks First injury | | 1-2 108 128 | 30 1 1 |
| | and Acute Condition Recode A (injuries) | | 100-103 | 4514-4518 |
| | or Impairments due to injury | | 93 96 | х 0 |
| 1 | - 172 - | | | |
| | TABULATING DATA FOR CURRENT | ESTIMATES : | TABLES | |
| TABLE NUMBERS | ITEMS | 1 | TAPE LOCATIONS | CODES |
| | ANNUAL ESTIMATES | | | |
| 51-52 | Episodes of Persons Injured - continued | | | |
| | Use: | | | |
| | Type/place of accident (all included records) Moving motor vehicle involved (tot | and | | 1 1-9 |
| | · | affic) and | 134 130 | 1 3 |
| | At work (yes) |) | 134 131 | 2,4 |
| | (no) Place of accident (home) (street) (industrial place) | ce) | 131 130 130 130 | 2 1-2 3 5 |
| 51 | (other) Denominator is population: see specifications for Table 78 | 3 | 130 | 4,6-8 |
| | Weight: | | | |
| | 6.5 weight (2 week reference) | | 228-236 | |
| 53-54 | Restricted Activity Days Associate with Persons Injured | ed | | |
| | Use: | | | |

| Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1,2 | |
|---|---------|
| Weight: | 237-245 |
| Bed Days Associated with Persons Injured | |
| Use: | |
| Specifications for Tables 51-52 except | |

Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so that 128:1,2

Weight: 246-254

1 - 173 -

55-56

TABULATING DATA FOR CURRENT ESTIMATES TABLES

| TABLE NUMBERS | ITEMS | | CODES |
|------------------|---|--------------------|----------------|
| | ANNUAL ESTIMATES | | |
| 57-66 | Prevalence of Selected Chronic Conditions | | |
| | Inclusions: | | |
| | Condition records Chronic | 1-2 107 | 30 1 |
| | Use: | | |
| | Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92 | 92 104-106 | 1,2,3,4,5 or 6 |
| | Weight: | | |
| 57-61 | Chronic condition factor Multiplied by final basic weight Denominator is population: see specification for Table 78 | 190-200 219-227 | |
| 67-68 | Limitation of Activity Due to Chronic Condit | cions | |
| | Inclusions: | | |
| | Person records | 1-2 | 20 |
| | Weight: | 219-227 | |
| 67 | Denominator for percent distribution is population. | | |
| 69 | Person Diability Days | | |

Inclusions:

| Person records | 1-2 | 20 |
|--|--|----|
| Weight: | | |
| Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denoiminator for rates is appropriate population: see specifications for Table 78 | 237-245 246-254 264-272 255-263 | |
| - 174 - | | |

1

TABULATING DATA FOR CURRENT ESTIMATES TABLES

| TABLE NUMBERS | ITEMS | TAPE LOCATIONS | CODES |
|------------------|---|-------------------|---------------|
| | ANNUAL ESTIMATES | | |
| 70 | Respondent Assessed Health Status | | |
| | Inclusions: | | |
| | Person records | 1-2 | 20 |
| | Weight: | 219-227 | |
| 71 | Physician Contacts: Place and Rate | | |
| | Inclusions: | | |
| | Doctor Visit records | 1-2 | 40 |
| | Use: | | |
| | Place of visit | 103 | 1-8(9) |
| | Weight: | | |
| | <pre>6.5 weight (2 week) Denominator for rate columns are population: see specifications for Table 78</pre> | 228-236 | |
| 72 | Interval Since Physician Contact | | |
| | Inclusions: | | |
| | Person records | 1-2 | 20 |
| | Use: | | |
| | <pre>Interval since doctor seen NOTE: 5 years and over</pre> | 115 115 | 0-4(5) 0,4 |

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 175 -

NUMBERS

TABULATING DATA FOR CURRENT ESTIMATES TABLES

| | TABLE NUMBERS | ITEMS | TAPE LOCATIONS | CODES |
|---|------------------|--|--------------------|-------|
| | | ANNUAL ESTIMATES | | |
| | 73-74 | Short Stay Hospital Episodes (12 month reference) | | |
| | | Inclusions: | | |
| | | Person records | 1-2 | 20 |
| | | Use: | | |
| | | To define number of episodes To define non-delivery episodes | 122-123 127-128 | |
| | | Weights: | | |
| | 73 | Final basic weight Denominator for percent distribution is population | 219-227 | |
| | 75-76 | Short Stay Hospital Episode Days | | |
| | | Inclusions: | | |
| | | Person records | 1-2 | 20 |
| | | Use: | | |
| | | To define number of episodes To define non-delivery episodes | 122-123 127-128 | |
| | | Weight: | | |
| | 75 | Short stay hospital episode days Denominator for rates is population with appropriate number of episodes (from Table 74) | 318-326 | |
| 1 | | - 176 - | | |
| | | TABULATING DATA FOR CURRENT ESTIMATES | S TABLES | |
| | TABLE | | TAPE | |

ITEMS

LOCATIONS CODES

| | ANNUAL ESTIMAT | ES | | |
|----------------------|--|---|----------------------|---------|
| 77 | Short Stay Hospital Disch Average Length of Stay (A (6 month reference) | | | |
| | Inclusions: | | | |
| | Hospital Records | with | 1-2 132 | 50 1 |
| | Use: | | | |
| | All specified records for for all reasons | hospitalizations | 3 | |
| | Hospitalizations for deli | veries | 145 | 1 |
| | Weight: | | | |
| | Short stay hospital disch Short stay hospital days Denominator for discharge population Denominator for ALOS is d | rate is | 210-218 282-290 | |
| 78 | Population | | | |
| | Inclusions: | | | |
| | Person records | | 1-2 | 20 |
| | Use: | | | |
| | All records for total pop Currently employed popula | | 75 | 1-3 |
| | Weight: | | 219-227 | |
| | - 1 | 77 - | | |
| | APPE | NDIX A | | |
| | CODES FOR TYPES | OF SPECIAL PLACES | } | |
| CODES | TYPES | | | |
| | I. SPECIFIED INSTITUTIO | NS | | |
| 11 11 11 12 | Correctional InstitutionState and Federal peniteState and Federal prisonCounty and city jails, wCounty and city prison fFederal detention headquState and Federal trainiCounty and municipal tra | ntiaries, prisons farms and camps orkhouses, penite arms and camps arters ng or industrial | entiaries schools | cories |

```
12-----Private schools for delinquents, such as "House of the Good
        Shepherd, " "Boys Town, " etc.
        Mental Institutions
21-----Homes and training schools for mentally handicapped
21-----Homes, training schools, colonies, and villages for epileptics
21-----State, Federal, county and city hospitals for mentally ill
21-----Private hospitals and sanitariums for mentally ill
22-----Hospitals and centers for the treatment of alcoholics and drug
        addicts
23-----Veterans Administration mental hospitals
        Home for the Aged, Infirm, and Needy
31----Orphan asylums
31-----Children's homes
32-----County homes, almshouses, poor farms, etc.
33-----Fraternal or religious homes for the aged
34-----Commercial homes for the aged
35-----Homes and schools for the blind
36-----Homes and schools for the deaf
37-----Hospital or resident schools, orthopedic hospitals, and homes
        for the crippled
38-----Soldiers' and sailors' homes
39-----Veterans Administration homes (domiciliary care)
40----- Nursing, Convalescent, and Rest Homes
        Other Hospitals and Homes Providing Specialized Care
51----Tuberculosis sanitariums
52-----Veterans Administration tuberculosis hospitals
53----Homes for incurables
53----Hospices
54-----Chronic and cancer hospitals
55-----Maternity homes for unmarried mothers
56-----Detention and receiving homes
57-----Hospitals and homes for other specialized care
                             - 178 -
                            APPENDIX A
          CODES FOR TYPES OF SPECIAL PLACES (continued)
CODES
                   TYPES
        II. OTHER SPECIAL PLACES
        Other Special Places
61-----Veterans Administration General Medical and Surgical Hospitals
62-----Facilities for the Treatment of the Physically ill
        This type of facility treats physical disorders and is one in
        which the patient stays for a relatively short period of time.
        Examples of this type of special place are:
        1. General or emergency hospital; children's hospital;
            maternity hospital
           Infirmary
```

1

71-----Hotels, transient-type

71-----Motels, transient-type 71-----Tourist camp or court (like motels except units are detached), transient-type 72-----Hotels, nontransient type 72-----Motels, nontransient type 72-----Tourist camp or court, nontransient type 73-----YMCA, YMHA, YWCA, transient type 74----YMCA, YMHA, YWCA, nontransient type 75-----Private residential clubs Those that the special place 76-----Rooming and boarding houses. 76-----Tourist homes definition. A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure). 77-----Combination tourist-trailer court, transient-type 78-----Combination tourist-trailer court, nontransient type 79-----Groups of five or more vacation cabins under single management, transient-type Facilities for Housing Students 81-----School dormitory 81----Fraternity 81-----Sorority 82-----School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84----see below).* *For a school with resident faculty only, assign codes 82, 83, or 84 as appropriate. - 179 -APPENDIX A CODES FOR TYPES OF SPECIAL PLACES (continued) CODES TYPES II. OTHER SPECIAL PLACES Facilities for Housing Students---continued 83-----Schools with resident students and with predominantly nonsalaried faculty such as nuns or priests.* 84-----Schools with resident students and operated primarily for religious training (other than those with predominantly nonsalaried faculty) such as Bible Institutes.* Facilities for Housing Workers 85-----Dormitory for workers (other than specified for codes 86, 87 and 86-----Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands). 87-----Labor camp 87-----Logging camp 88-----Migratory workers' camp (those that meet the special place

1

definition).

| definition). |
|---|
| Additional Other Places 91Convents and other sisters' residences (those that meet the special place definition). 91Monasteries, other brothers' residences, and rectories (those that meet the special place definition). 92Communes 93Halfway houseswhen occupants live there on a voluntary basis (assign halfway houses for persons not there on a voluntary basis to the appropriate institutional code). |
| 00Nurses' Homes 01Flophouses, railroad stations 01Missions, Salvation Army Shelters 02Recreational and religious camps (adults or family) 03Recreational and religious camps (children's) 04Trailer camps 05Tent camps 06Armed forces installations 07Armed forces hospitals |

*For a school with resident faculty only, assign code 82, 83, or 84 as appropriate.

1NOTES:

1

- 181 -

APPENDIX

В

INDUSTRY RECODES OUTLINE

| Rec | odes | | | |
|-------------------|-------|------------------------------|---------------------------------|--------------|
| | Chrs. | Detail Code (Chrs. 77-79) | Industry Title | SIC Code* |
| 01 | 01 | 010-011,020-021 | AGRICULTURE | 01-02,07,078 |
| 02 | 01 | 030-031 | FORESTRY AND FISHERIES | 08-09 |
| 10 | 02 | 040-042,050 | MINING | 10-14 |
| 20 | 03 | 060 | CONSTRUCTION | 15-17 |
| (30-34, 40-46) | | - | MANUFACTURING: NONDURABLE GOODS | |

| | 30 | 04 | 100-102,110-112, 120-122 | Food and kindred products | 201-209 |
|------|----|----|----------------------------------|--|---|
| | 31 | 04 | 132,140-142, 150-152 | Textile mill and finished textile products | 221-229,231-239 |
| | 32 | 04 | 171-172 | Printing, publishing and allied industries | 271-279 |
| | 33 | 04 | 180-182,190-192 | Chemicals and allied products | 281-287,289 |
| 207 | 34 | 04 | 130,160-162, 200-201,210-212, | Other nondurable goods | 21,261-266,291,295, 299,301-304,306- |
| 307, | | | 220-222 | | 311,313-317,319 |

*Standard Industrial Classification

1 - 182 -

APPENDIX

В INDUSTRY RECODES OUTLINE

| Rec | Recodes | | | | | |
|----------------|---------|------------------------------|---|-------------------|--|--|
| | Chrs. | Detail Code (Chrs. 77-79) | Industry Title | SIC Code* | | |
| (30-34, 40-46) | | - | MANUFACTURING: - continued | | | |
| (40-46) | | | DURABLE GOODS | | | |
| 40 | 04 | 230-232,241-242 | Furniture, lumber and wood | | | |
| 41 | 04 | 270-272,280 | Primary metal industries | 331-332,334,3331- | | |
| 3334,333 | 9,3351 | ,3353- | | 2257 2261 | | |
| 3362,336 | 9, | | | 3357,3361- | | |
| | | | | 339 | | |
| 42 | 04 | 281-282,290-292, 300 | Fabricated metal industries, including ordnance | 341-349 | | |
| 43 | 04 | 310-312,320-322, 331-332 | Machinery, except electrical | 351-359 | | |
| 44 | 04 | 340-342,350 | Electrical machinery, equipment and supplies | 361-367,369 | | |
| 45 | 04 | 351-352,360-362, | Transportation equipment | 371-376,379 | | |

| | | 370 | | |
|---------|-------|---|--|--|
| 46 | 04 | 250-252,261-262, 301,371-372, 380-382,390-392 | Other and not specified durable goods | 321-329,381-387,394 |
| (50-54) | (05) | - | TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES | ONS |
| 50 | 05 | 400 | Railroads | 40 |
| 51 | 05 | 410-411 | Trucking service and warehousing | 421-423 |
| 52 | 05 | 401-402,412, 420-422,432 | Other transportation | 41,43-47 |
| 53 | 05 | 440-442 | Communications | 481-483,489 |
| 54 | 05 | 460-462,470-472 | Utilities and sanitary | 491-497 |
| В | | IND | - 183 - DUSTRY RECODES OUTLINE | APPENDIX |
| Rec | odes | | | |
| | Chrs. | Detail Code (Chrs. 77-79) | Industry Title | SIC Code* |
| 60 | 06 | 500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571 | WHOLESALE TRADE | 501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199 |
| (61-65) | (07) | - | RETAIL TRADE | |
| 61 | 07 | 591-592,600 | General merchandise stores | 531,533,539 |
| 62 | 07 | 601-602,610-611 | Food, bakery and dairy stores | 541-546,549 |
| 63 | | | | |
| 03 | 07 | 612,620-622 | Automotive dealers and gasoline stations | 551-557,559 |

07 580-582,590, Other and not specified 521,523,525-527,56,

| 5963, | | 630-632,640,642, 650-652,660-662, 670-672,681-682, 691 | retail trade | 571-573,591-593, 5941-5949,5961- 598,5992-5994,5999 |
|----------------|-------------|---|---|---|
| (70-71) | (80) | - | FINANCE, INSURANCE, AND REA | AL |
| 70 | 08 | 700-702 | Banking and credit agencies | 60-61 |
| 71 | 08 | 710-712 | Insurance, real estate, and other finance | 62-67 |
| *Standa: | rd Ind | dustrial Classifica | tion | |
| 1 | | | - 184 - | |
| | | | | APPENDIX |
| В | | IND | USTRY RECODES OUTLINE | |
| | odes | | | |
| No. 1 Chrs. | No. Chrs | | Industry Title | SIC Code* |
| (75-85) | (09-1 | .2) – | SERVICES: | |
| (75-76) | (09 |)) | BUSINESS AND REPAIR SERVICE | ES |
| 75 | 09 | 721-722,730-732, 740-742,750 | Business services | 731-737,7391-7397, 7399,751,752,754 |
| 76 | 09 | 751-752,760 | Repair services | 753,762-764,7692, 7694,7699 |
| (77-78) | (10 | - | PERSONAL SERVICES | |
| 77 | 10 | 761 | Private households | 88 |
| 78 | 10 | 762,770-772, 780-782,790-791 | Other personal services | 701-704,721-726,729 |
| 79 | 11 | 800-802 | ENTERTAINMENT AND RECREATION SERVICES | 78,791-794,799 |
| (80-85) | (12 | 2) – | PROFESSIONAL AND RELATED SERVICES | |
| 80 | 12 | 831 | Hospitals | 806 |

| 81 | 12 | 812,820-822,830, 832,840 | Health services, except hospitals | 801-803,8041-8042, 8049,805,807-809 |
|----|----|-----------------------------|---|--|
| 82 | 12 | 842,850 | Elementary and secondary schools and colleges | 821-822 |
| 83 | 12 | 851-852,860 | Other educational services | 823-824,829 |
| 84 | 12 | 861-862,870-872, 880-881 | Social services, religious and membership organizations | 832-833,835-836, 839,84,861-866,869 |
| 85 | 12 | 841,882,890-892 | Legal, engineering and other professional services | 81,891-893,899 |

*Standard Industrial Classification

1 - 185 -

APPENDIX

В

INDUSTRY RECODES OUTLINE

| Reco | des | | |
|-------|-----|--|--|
| Chrs. | | Detail Code (Chrs. 77-79) | Industry Title SIC Code* |
| 90 | 13 | 900-901,910, 921-922,930-932 | PUBLIC ADMINISTRATION 911-913,919,92-97 |
| 95 | 14 | 990 and all other codes except 996 | UNKNOWN INDUSTRY - |
| 96 | 14 | 996 | NEW WORKER |
| 97 | 15 | Not applicable | NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force). |
| 98 | 16 | 942 | ARMED FORCES (excludes Reserves and National Guard) |

^{*}Standard Industrial Classification

1 - 186 -

APPENDIX

В INDUSTRY RECODE TITLES

| Code | e Titles | Recode No. 1 Inclusions |
|------|---|----------------------------|
| 01 | AGRICULTURE, FORESTRY AND FISHERIES | 01,02 |
| 02 | MINING | 10 |
| 03 | CONSTRUCTION | 20 |
| 04 | MANUFACTURING | 30-34, 40-46 |
| 05 | TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES | 50-54 |
| 06 | WHOLESALE TRADE | 60 |
| 07 | RETAIL TRADE | 61-65 |
| 08 | FINANCE, INSURANCE, AND REAL ESTATE | 70-71 |
| 09 | BUSINESS AND REPAIR SERVICES | 75-76 |
| 10 | PERSONAL SERVICES | 77-78 |
| 11 | ENTERTAINMENT AND RECREATION SERVICES | 79 |
| 12 | PROFESSIONAL AND RELATED SERVICES | 80-85 |
| 13 | PUBLIC ADMINISTRATION | 90 |
| 14 | UNKNOWN (includes new workers) | 95-96 |
| 15 | NOT IN LABOR FORCE | 97 |
| 16 | ARMED FORCES | 98 |
| | - 187 - | |
| | OCCUPATION RECODE OUTLINE | APPENDIX C |

Recodes

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
|---|----|---|---|---|---|---|---|----|---|---|---|---|---|---|---|---|
| | ът | _ | | | 1 | | | TЛ | _ | | | 2 | | | | |

No. 1 No. 2 Chrs. Chrs. Detail Code 87-88 89-90 (Chrs. 84-86)

Occupation Title SOC Code*

| (01-03) | (01) | - | EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS | - |
|----------|------|--|---|---|
| 01 | 01 | 003-006 | Officials and administrators, public administration | 111-113 |
| 02 | 01 | 007-009,013-019 | Managers and administrators, except public administration | 121-128,132-139 |
| 03 | 01 | 023-029,033-037 | Management related occupations | 1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472- |
| 1473,149 | | | | |
| (04-11) | (02) | _ | PROFESSIONAL SPECIALTY OCCUPATIONS | _ |
| 04 | 02 | 044-049,053-059 | Engineers | 1622-1628,1632- 1637,1639 |
| 05 | 02 | 043,063 | Architects and surveyors | 161,164 |
| 06 | 02 | 064-069,073-079 083 | Natural mathematical and computer scientists | 171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855 |
| 07 | 02 | 084-089 | Health diagnosing occupations | 27,261-262,281, 283,289 |
| 80 | 02 | 095-099,103-106 | Health assessment and treating occupations | 29,301-302,3031- 3034,3039,304, |
| 09 | 02 | 113-119,123-129, 133-139,143-149 153-159,163-165 | Teachers, librarians and counselors | 2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252 |
| 10 | 02 | 183-189,193-195, 197-199 | Writers, artists, entertainers and athletes | 34,321-329,331- 333,398 |
| 11 | 02 | 166-169,173-179 | Other professional specialty occupations | 1912-1916,1919, 192,2032-2033, 2042,2049,211- |
| 212 | | | | 2012,2017,211 |

^{*}Standard Occupational Classification.

1 - 188 -

APPENDIX

| Rec | odes | | | |
|-------------------------|---------|--|--|--|
| No. 1 Chrs. 87-88 | | Detail Cod (Chrs. 84- | Occupation Title | SOC Code* |
| (12-13) | (03) | - | TECHNICIANS AND RELATED SUPPORT OCCUPATIONS | |
| 12 | 03 | 203-208 | Health technologists and technicians | 362-366,369 |
| 13 | 03 | 213-218,223 233-235 | 229, Technologists, technicians except health | 3711-3713,3719, 372- |
| 373,382, | 3831- | | | |
| 3833,384 | ,389,39 | 92- | | 393,396,3971- |
| 3972,397 | 4,399,8 | 825 | | |
| (14-16) | (04) | | SALES OCCUPATIONS | |
| 14 | 04 | 243 | Supervisors and proprietors | 40 |
| 15 | 04 | 253-259 | Sales representatives, commodities and finance | 4122-4124,4152- 4153,421,423-424 |
| 16 | 04 | 263-269,274 283-285 | 78, Other sales | 4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449 |
| (17-21) | (05) | | ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERIC | _ AL |
| 17 | 05 | 308-309 | Computer equipment operators | 4612-4613 |
| 18 | 05 | 313-315 | Secretaries, stenographers and typists | 4622-4624 |
| 19 | 05 | 337-339,343 | 44 Financial records processing occupations | 4712-4713,4715- 4716,4718 |
| 20 | 05 | 354-357 | Mail and message distributing | 4742-4745 |
| 21 | 05 | 303-307,316 323,325-329 335-336,345 353,359,363 368-369,373 383-387,389 | 49, 66, | 4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722- 4723,4729,4732- 4733,4739,4751- 4759,4782-4784, 4786-4787,4791- |

4795,4799

| | *Standard | Occupational | Classification |
|--|-----------|--------------|----------------|
|--|-----------|--------------|----------------|

1 - 189 -

APPENDIX

С

| С | OCCUPATION RECODE OUTLINE | | | | | | |
|---------|---------------------------|---------------------|----------|--|--|--|--|
| Rec | odes | | | | | | |
| | Chrs. | Detail (Chrs. | | Occupation Title | SOC Code* | | |
| 22 | 06 | 403-407 | | PRIVATE HOUSEHOLD OCCUPATIONS | 502-507,509 | | |
| (23-24) | (07) | _ | | PROTECTIVE SERVICE OCCUPATIONS | | | |
| 23 | 07 | 413-414, 423-424 | 416-418, | Police and firefighters | 5111-5112,5122- 5123,5132-5134 | | |
| 24 | 07 | 415,425- | 427 | Other protective service occupations | 5113,5142,5144, 5149 | | |
| (25-28) | (08) | - | | SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD | | | |
| 25 | 08 | 433-439, | 443-444 | Food service | 5211-5219 | | |
| 26 | 08 | 445-447 | | Health service | 5232-5233,5236 | | |
| 27 | 08 | 448-449, | 453-455 | Cleaning and building service | 5241-5242,5244- 5246,5249 | | |
| 28 | 08 | 456-459, | 463-469 | Personal service | 5251-5258,5262- 5264,5269 | | |
| (29-31) | (09) | - | | FARMING, FORESTRY AND FISHING OCCUPATIONS | | | |
| 29 | 09 | 473-476 | | Farm operators and managers | 5512-5515,5522- 5525 | | |
| 30 | 09 | 477,479, | 483-489 | Farm workers and other agricultural workers | 5611-5619,5621- 5622,5624-5625, 5627 | | |

```
31 09 494-499
                         Forestry and fishing
                                                    571-573,579,
                             occupations
                                                        583-
584,8241(pt.)
*Standard Occupational Classification.
                                 - 190 -
1
                                                               APPENDIX
С
                        OCCUPATION RECODE OUTLINE
```

| Rec | odes | | | |
|-------------------------|-------|--|--|---|
| No. 1 Chrs. 87-88 | Chrs. | Detail Code | Occupation Title | SOC Code* |
| (32-34) | (10) | - | PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS | |
| 32 | 10 | 503,505-509, 514-519,523, 525-527,529 533-536,538-539, 543-544,547,549 | Mechanics and repairers | 60,6111-6118, 613-614,6151- 6159,616,6171- 6179 |
| 33 | 10 | 553-558,563-567, 569,573,575-577, 579,583-585, 587-589,593-599, 613-617 | Construction and extractive trades | 6311-6316,6318, 632,6412-6414, 6422,6424,6432- 6433,6442-6444, 645,6462-6468, 6472,6476,6479, 652-654,656 |
| 34 | 10 | 633-637,639, 643-647,649, 653-659,666-669, 673-679,683-684, 686-689,693-696, | Precision production occupations | 67,71,6811-6814,6816-6817,6821-6824,6829,6831-6832,6835,6839,6844,6852-6854,6856,6859,6861-6862,6864-6867,6869,6871-6873,6879,6881-6882,691-696,7447,7668,7677,7752,828 |

^{*}Standard Occupational Classification

1 - 191 -

APPENDIX

С

| Rec | odes | | | |
|-------------------------|-------------------------|---|---|--|
| No. 1 Chrs. 87-88 | No. 2 Chrs. 89-90 | Detail Code (Chrs. 84-86) | Occupation Title | SOC Code* |
| | | | OPERATORS, FABRICATORS AND LAE | ORERS |
| (35-36) | (11) | | MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS | |
| 35 | 11 | 703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779 | Machine operators and tenderers, except precision | 6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7677(pt.), 7678-7679 |
| 36 | 11 | 783-787,789, 793-799 | Fabricators, assemblers, inspectors and samplers | 7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787 |
| (37-39) | (12) | - | TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS | |
| 37 | 12 | 803-806,808-809, 813-814 | Motor vehicle operators | 8111,8212-8216, 8218-8219,874 |
| 38 | 12 | 823-826,828-829, 833-834 | Other transportation, except motor vehicles | 8113,8232-8233, 8239,8241(pt.), 8242-8245 |
| 39 | 12 | 843-845,848-849, 853,855-856,859 | Material moving equipment operators | 812,8312-8319 |

^{*}Standard Occupational Classification

1 - 192 -

OCCUPATION RECODE OUTLINE

| ccupation Title SOC Code* |
|--|
| EQUIPMENT CLEANERS, ND LABORERS |
| on laborers 871 |
| 85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769 |
| CCUPATION |
| 2 |
| BOR FORCE - codes Blank current activity recode . (Under 18 or 18+ n Labor Force) |
| |
| |
| - |
| APPENDIX |
| CODE TITLES |
| RE(|

Code Recode No. 1
Titles Inclusions

| | MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS | |
|---------|---|-------|
| 01 | EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS | 01-03 |
| 02 | PROFESSIONAL SPECIALTY OCCUPATIONS | 04-11 |
| | TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS | |
| 03 | TECHNICIANS AND RELATED SUPPORT OCCUPATIONS | 12-13 |
| 04 | SALES OCCUPATIONS | 14-16 |
| 05 | ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL | 17-21 |
| | SERVICE OCCUPATIONS | |
| 06 | PRIVATE HOUSEHOLD OCCUPATIONS | 22 |
| 07 | PROTECTIVE SERVICE OCCUPATIONS | 23-24 |
| 08 | SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD | 25-28 |
| 09 | FARMING, FORESTRY AND FISHING OCCUPATIONS | 29-31 |
| 10 | PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS | 32-34 |
| | OPERATORS, FABRICATORS AND LABORERS | |
| 11 | MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS | 35-36 |
| 12 | TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS | 37-39 |
| 13 | HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS | 40-41 |
| 14 | UNKNOWN OCCUPATION (includes New Workers) | 95-96 |
| 15 | NOT IN LABOR FORCE | 97 |
| 16 | MILITARY | 98 |
| 1NOTES: | | |
| 1 | - 195 - | |

APPENDIX D

NHIS - 1986 COMPUTER PROCESSING

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

| Class of Accident | Description | SOURCE - TAPE LOCATIONS | | | |
|------------------------|---|-------------------------|------------|---------------|--------------|
| Recode Loc. 135-137 | | 132 MV | 134 MMV | 130 Where? | 131 Work? |
| 111 | Moving motor vehicle - at work - at home | 1 | 1 | 1,2 | 1 |
| 112 | Moving motor vehicle - at work- not at home- street or highway | 1 | 1 | 3 | 1 |
| 113 | Moving motor vehicle - at work - not at home - not on street or highway | 1 | 1 | Not 1-3 | 1 |
| 121 | Moving motor vehicle - not at work - at home - not on street or highway | 1 | 1 | 1,2 | Not 1,4 |
| 122 | Moving motor vehicle - not at work - not at home - on street or highway | 1 | 1 | 3 | Not 1 |
| 123 | Moving motor vehicle - not at work - not at home not on street or highway | 1 | 1 | Not 1-3 | Not 1-4 |

1 - 196 -

APPENDIX D

NHIS 1986 COMPUTER PROCESSING

DESCRIPTION OF CLASS OF ACCIDENT CODE

| Class of Accident | Description | SOURCE - TAPE LOCATIONS | | | |
|------------------------|---------------------------|-------------------------|------------|---------------|--------------|
| Recode Loc. 135-137 | Descripcion | 132 MV | 134 MMV | 130 Where? | 131 Work? |
| 211 | Nonmoving motor vehicle - | 1 | Not 1 | 1,2 | 1 |

at work - at home

| 212 | Nonmoving motor vehicle - at work - not at home | 1 | Not 1 | Not 1,2 | 1 |
|-----|---|-------|-------|---------|---------|
| 221 | Nonmoving motor vehicle - not at work - at home | 1 | Not 1 | 1,2 | Not 1,4 |
| 222 | Nonmoving motor vehicle - not at work - not at home | 1 | Not 1 | Not 1,2 | Not 1,4 |
| 311 | Non-motor vehicle - at work - at home | Not 1 | - | 1,2 | 1 |
| 312 | Non-motor vehicle - at work - not at home | Not 1 | - | Not 1,2 | 1 |
| 321 | Non-motor vehicle not at work - at home | Not 1 | - | 1,2 | Not 1,4 |
| 322 | Non-motor vehicle - not at work - not at home | Not 1 | - | Not 1,2 | Not 1,4 |
| 400 | Injured in Armed Forces | - | - | - | 4 |
| 500 | Therapeutic misadventure | - | - | - | Not 4 |
| 600 | Injury Condition/Adverse Reaction | _ | - | _ | Not 4 |

1 - 197 -

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Ε

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves

| | 05 | Operations or | sympathetic nerves or ganglia | |
|---|-----|----------------|--|----------|
| | OPE | RATIONS ON THE | ENDOCRINE SYSTEM (06-07) | |
| | 06 | Operations or | thyroid and parathyroid glands | |
| | 07 | Operations or | other endocrine glands | |
| | OPE | RATIONS ON THE | EYE (08-16) | |
| | 08 | Operations or | eyelids | |
| | 09 | Operations or | lacrimal system (tear ducts) | |
| | 10 | Operations or | conjuctiva | |
| | 11 | Operations or | cornea | |
| | 12 | Operations or | iris, ciliary body, sclera, and anterior chamber | |
| | 13 | Operations or | lens | |
| | 14 | Operations or | retina, choroid, vitreous, and posterior chamber | |
| | 15 | Operations or | extraocular muscles | |
| | 16 | Operations or | orbit and eyeball | |
| 1 | L | | - 198 - | |
| | | | | APPENDIX |
| F | C | | | |
| | | | | |

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

- 21 Operations on the nose
 - Includes: operations on bone and skin of nose
- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue

- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm

1 - 199 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine

- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract

Includes: operations on common bile duct, cystic duct and hepatic duct

- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region,
inguinal

region, loin region, male pelvic cavity, mesentery, omentum,

peritoneum and retroperitoneal tissue space

1 - 200 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

```
OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)
 65 Operations on ovary
 66 Operations on fallopian tubes
 67 Operations on cervix
 68 Other incision and excision of uterus
 69 Other operations on uterus and supporting structures
 70 Operations on vagina and cul-de-sac
 71 Operations on vulva and perineum
1
                                     - 201 -
\mathbf{E}
                         CLASSIFICATION OF OPERATIONS AND
                        NON-OPERATIVE PROCEDURES, FOR HIS
 OBSTETRICAL PROCEDURES (72-75)
```

APPENDIX

- 72 Forceps, vacuum, and breech delivery
- 73 Other procedures inducing or assisting delivery

Includes: spontaneous delivery with manual assistance

- 74 Caesarean section and removal of fetus
- 75 Other obstetric operations

For HIS, includes also "normal delivery"

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)

76 Operations on facial bones and joints

Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)

77 Incision, excision and division of other bones

Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02)

78 Other operations on bones, except facial bones

Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02)

79 Reduction of fracture and dislocation

Includes: application of cast or splint; reduction with insertion of traction device

Excludes: external fixation alone for immobilization of fracture (93);

internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit

(76);

skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for

reduction of fracture (93)

80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle; ligament;

meniscus; and synovial membrane

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

1 - 202 -

APPENDIX

Е

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when
 condition is not specified and tissue (such as skin, bone,

etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site

(female or male).

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous

glands subcutaneous fat pads; and superficial fossae.

Includes also: operations on regions such as arm; armpit; back; cheek;

buttock; chin; feet; forearm; forehead; hand; head;

heel;

leg; neck; scalp; temple: temporal region; and thigh

when

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose

(21);

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as

brain) is mentioned

1 - 203 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Includes: diagnostic X-rays of face, head, neck, brain, skull, spine,

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

larynx, trachea, bronchus, pleura, lung, of sputum, and

blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts or

passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy exercises such as breathing exercises; manual traction; training in use of

prosthesis; whirlpool treatments; heat therapy; skeletal traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

1 - 204 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures

relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

Includes: eye exams; functional tests of eye; fitting glasses, contact

lens; hearing tests; and fitting hearing aids.

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing; insertion of vaginal diaphragm; rectal packing; dilation of rectum and anus; manual reduction of hernia; gastric lavage; irrigation of ostomies; cleaning of eye, ear and nose; lavage

of bronchus and trachea

97 Replacement and removal of therapeutic appliances

and removal of sutures from genital tract.

98 Nonoperative removal of foreign body

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or
 infusions of therapeutic or prophylactic substances; cardiac

fitting

pacemaker (battery and sensing types), acupuncture and
of dentures.