NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested

tion, "Source: National Center for Health Statistics, National Health Interview Survey, 1990," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1991). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1990 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Field Representative's Manual, 1990. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1990. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Massey JT, Moore TF, Parsons VL, Tadros W. Design and Estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110). 1989.

Adams PF, Benson V. Current Estimates from the National Health Interview Survey, 1990. National Center for Health Statistics. Vital Health Stat 10(181). 1991.

i 1

PREFACE

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes

for each record type. Note that Household items in tape locations 3-24, 178 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

- 1. Type of Record (Tape Locations 1-2)
- 10 = Household Record The Household file contains one household record

 for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
 - 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record

 for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
 - 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

	Tape
Item	Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and	17-18
Person Records)	

2. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household. Records belonging

to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unrelated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

3. Other Tape Characteristics

- .1 Headers and trailers = Standard IBM labels
- .2 Density = 1600 BPI
- .3 Record length = Fixed length of 335 bytes
- .4 Blocksize = 3350 (10 records per block)
- .5 Tape format = All fields are in character format.
- .6 Data Set Names:

HOUSEHOLD = HISY1990.HOUSEHLD

PERSON = HISY1990.PERSONSX

CONDITION = HISY1990.CONDITON

HOSPITAL = HISY1990.HOSPITAL

DOCTOR VISIT = HISY1990.DRVISITX

NOTE: Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.

Public Use Data Tape

TABLE OF CONTENTS - PART I

	Page
INTRODUCTION	1
REFERENCES	3
COMPARED CHANGES	5
TAPE FORMATS	
Household Record	7
Person Record	17
Condition Record	39
Doctor Visit Record	71
Hospital Record	99
DIAGNOSTIC RECODES	
Recode A. Acute Conditions	127
Recode B. Diseases, Injuries and Impairments	133
Recode C. Chronic Conditions and Impairments	157
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	167
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	169
TABULATING DATA FOR CURRENT ESTIMATES TABLES	171
APPENDICES	
Appendix A. Codes for Types of Special Places	179
Appendix B. Industry Recodes	183
Appendix C. Occupation Recodes	189
Appendix D. Description of Class of Accident Code	197
Appendix E. Classification of Operations and Non-operative Procedures for HIS	199

V

1NOTES:

1

- 1 -

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1990 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) SURREGR and SUDAAN(4,5) are programs that calculate the variance-covariance matrix using the linearization approach(6,7,8) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided

the Basic Weight Before Age-Sex-Race Adjustment (loc. 172-177 - Person Record only), Substratum Identifier (loc. 178), Full Sample Stratum Identifier (loc. 179-181), and Strata and Pseudo Primary Sampling Unit (PSU) (loc. 187-189) codes on the data tapes. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

- 3 -

REFERENCES

- (1) McCarthy PJ. Replication: An Approach to the Analysis of Data from Complex Surveys. National Center for Health Statistics. Vital Health Stat 2(14). 1966.
- (2) Survey Research Center Computer Support Group. OSIRIS IV User's Manual. Institute for Social Research. 1979.
- (3) Shah BV. "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. RTI/5250-00-01S. April, 1981.
- (4) Holt, Mary Margaret (revised April 1982 by B.V. Shah). "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May, 1977.
- (5) Shah BV, LaVange LM, Barnwell BG, Killinger JE, and Wheeless SC. "Software for Survey Data Analysis." Research Triangle Institute, Research Triangle Park, N.C. March, 1989.
- (6) Hidiroglou MA, Fuller WA, and Hickman RD. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University. Sixth edition. October, 1980.
- (7) Fuller WA. "PC CARP". Statistical Laboratory and Department of Statistics, Iowa State University, Ames, Iowa. September, 1989.
- (8) Contingency Table Analysis for Complex Sample Designs (CPLX). U.S. Bureau of the Census.

1NOTES:

1

- 5 -

CHANGES IN THE 1990 PUBLIC USE TAPE COMPARED TO 1989

The 1990 Public Use Tape resembles the 1989 version, with only one addition:

Household, Person, Condition, Doctor Visit and Hospital Variables

Tape Location

Item

Late Interview (or last attempt) flag

1NOTES: - 7 -

HOUSEHOLD RECORD

1NOTES: 1

21

1

- 9 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 48,680HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
1-2	-	RECORD TYPE		
		48,680	10. Household Record	
3-4	_		PROCESSING YEAR	
		48,680	90. 1990	
5	-		PROCESSING QUARTER	
		11,264 12,500 12,370 12,546	 Quarter 1 Quarter 2 Quarter 3 Quarter 4 	
6-8	нн-5		RANDOM RECODE OF PSU NUMBER	
9-10	нн-5		WEEK - CENSUS CODE*	

01, 21, 41, 61, 81 ... Week 01

```
02, 22, 42, 62, 82 ... Week 02
03, 23, 43, 63, 83 ... Week 03
04, 24, 44, 64, 84 ... Week 04
05, 25, 45, 65, 85 ... Week 05
06, 26, 46, 66, 86 ... Week 06
07, 27, 47, 67, 87 ... Week 07
08, 28, 48, 68, 88 ... Week 08
09, 29, 49, 69, 89 ... Week 09
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

*This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 10 -

1

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes		
11-12	нн-5		SEGMENT NUMBER		
			Week plus Segment Number identifies the segment		
13-14	нн-5		HOUSEHOLD NUMBER		
			Numbered within PSU-Week-Segment		
15-16	-		BLANK (Person Number on other record types)		
17-18	-		BLANK (Record Serial Number on other record types)		
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)		
		2,917 3,917 3,863 3,749 3,850 3,825 3,848 3,717 3,790 3,786	Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10.		

		3,701 3,842 3,875	Week 11. Week 12. Week 13.
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAC
		30,866	0. Interview not late
			1 0 1 1 1
		14,042	1. One week late
		14,042 2,947	1. One week late 2. Two weeks late

1 - 11 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

44,809 31 32. HU in nontransient hotel etc. 18 30 31. HU-permanent in transient motel, etc. 30 30 30 41. HU in rooming house 2,226 35. Mobile home or trailer we permanent room added 325 36. Mobile home or trailer we more permanent rooms added 29 37. HU not specified above Other Unit = (08-13) 41 38. Quarters not HU in rooming house Other Unit not permanent in transient house 0 99. Unit not permanent in transient house 10. Unoccupied site for mobing trailer, or tent 359 31. Student quarters in coll dormitory 101 12. Other unit not specified house 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE	Tape Locations	Item No.	Frequency	Item	ns and Codes
695 00. Housing unit; kind unknown 44,809 01. House, apartment, flat 31 02. HU in nontransient hotel etc. 18 03. HU-permanent in transient motel, etc. 30 04. HU in rooming house 2,226 05. Mobile home or trailer w permanent room added 325 06. Mobile home or trailer w more permanent rooms add 29 07. HU not specified above Other Unit = (08-13) 41 08. Quarters not HU in roomi boarding house 0 09. Unit not permanent in tr hotel, motel, etc. 8 10. Unoccupied site for mobi trailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified 8 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE	22-23	HH-10d		TYPE OF	LIVING QUARTERS:
44,809 31 32. HU in nontransient hotel etc. 18 30 41. HU in rooming house 30 30 41. HU in rooming house 32,226 35 36. Mobile home or trailer we permanent room added 325 36. Mobile home or trailer we more permanent rooms added 329 37. HU not specified above Other Unit = (08-13) 41 38. Quarters not HU in rooming house 39 40 41 41 41 41 41 41 41 41 41 42 41 41 41 43 44 45 46 46 47 48 48 49 49 41 41 41 41 41 41 41 41 41 41 42 41 41 41 41 41 41 41 41 41 41 41 41 41				Housing	Unit = $(00-07)$
31				00.	Housing unit; kind unknown
31			44,809	01.	House, apartment, flat
motel, etc. 30 04. HU in rooming house 2,226 05. Mobile home or trailer we permanent room added 325 06. Mobile home or trailer we more permanent rooms added 29 07. HU not specified above Other Unit = (08-13) 41 08. Quarters not HU in rooming boarding house 0 09. Unit not permanent in trailer, motel, etc. 8 10. Unoccupied site for mobing trailer, or tent 359 11. Student quarters in colling dormitory 101 12. Other unit not specified above 41,913 1. Yes, phone number given			31	02.	HU in nontransient hotel, motel,
30 04. HU in rooming house 2,226 05. Mobile home or trailer we permanent room added 325 06. Mobile home or trailer we more permanent rooms added 29 07. HU not specified above Other Unit = (08-13) 41 08. Quarters not HU in rooming house 0 09. Unit not permanent in trailer, motel, etc. 8 10. Unoccupied site for mobing trailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified house 13. Other unit; kind unknown 14.913 1. Yes, phone number given			18	03.	<u>-</u>
2,226 05. Mobile home or trailer we permanent room added 325 06. Mobile home or trailer we more permanent rooms added 29 07. HU not specified above Other Unit = (08-13) 41 08. Quarters not HU in rooming boarding house 0 09. Unit not permanent in trailer, motel, etc. 8 10. Unoccupied site for mobing trailer, or tent 359 11. Student quarters in colled dormitory 101 12. Other unit not specified above 41,913 1. Yes, phone number given			30	04.	
325 06. Mobile home or trailer we more permanent rooms added 29 07. HU not specified above Other Unit = (08-13) 41 08. Quarters not HU in rooming boarding house 0 09. Unit not permanent in trailer, motel, etc. 8 10. Unoccupied site for mobing trailer, or tent 359 11. Student quarters in colland dormitory 101 12. Other unit not specified above 13. Other unit; kind unknown 141,913 1. Yes, phone number given					Mobile home or trailer with no
Other Unit = (08-13) 41 08. Quarters not HU in roomi boarding house 0 09. Unit not permanent in transport hotel, motel, etc. 8 10. Unoccupied site for mobi trailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified 13. Other unit; kind unknown 141,913 1. Yes, phone number given			325	06.	Mobile home or trailer with one or
41 08. Quarters not HU in roomi boarding house 0 09. Unit not permanent in transport hotel, motel, etc. 8 10. Unoccupied site for mobi trailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given			29	07.	-
boarding house 0 09. Unit not permanent in tr hotel, motel, etc. 8 10. Unoccupied site for mobi trailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given				Other Ur	nit = (08-13)
0 09. Unit not permanent in translation hotel, motel, etc. 8 10. Unoccupied site for mobing trailer, or tent 359 11. Student quarters in colladormitory 101 12. Other unit not specified 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given			41	08.	~
8 10. Unoccupied site for mobilitrailer, or tent 359 11. Student quarters in coll dormitory 101 12. Other unit not specified 8 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given			0	09.	Unit not permanent in transient
359 11. Student quarters in coll dormitory 101 12. Other unit not specified 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given			8	10.	Unoccupied site for mobile home,
101 12. Other unit not specified 13. Other unit; kind unknown 141,913 1. Yes, phone number given			359	11.	Student quarters in college
8 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 41,913 1. Yes, phone number given			1.01	1 2	-
41,913 1. Yes, phone number given					-
	24	HH-11		HAS TELE	EPHONE
2. Yes, no phone number given the second sec			1,546 2,762	2. 3.	Yes, no phone number given No
255 4. UNKNOWN 2,204 Blank. Non-interview				= -	

_	25-26	НН-6	SPECIAL PLACE (Unedited)
			SEE APPENDIX A Blank. Not applicable
1			- 12 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes			
27	HH-15		COMPLETED INTERVIEW			
		46,088 2,204 388	 Completed interview - non-military household Non-interview Completed interview - military household* 			
28-29	HH-14		NON-INTERVIEW REASON			
			Type A			
		1,312 411 344 137 46,476	01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed interview)			
30-33	нн-15		DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)			
30-31			MONTH			
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December Blank.			
32-33			DAY			
			01-31. Day of Month Blank.			
34-35	Generated		NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to b one-member families).			
			Blank. Non-interview			

*Spouse or parent is in the Armed Forces. - 13 -

NHIS PUBLIC USE TAPE RECORDS

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items	and Codes
36-55	Generate	ed	SIZE OF	FAMILY
				Not applicable or only unrelated individuals Number of persons in family Non-interview
36-37			SIZE OF	FAMILY - Primary Family
38-39			SIZE OF	FAMILY - Secondary Family No. 1
40-41			SIZE OF	FAMILY - Secondary Family No. 2
42-43			SIZE OF	FAMILY - Secondary Family No. 3
44-45			SIZE OF	FAMILY - Secondary Family No. 4
46-47			SIZE OF	FAMILY - Secondary Family No. 5
48-49			SIZE OF	FAMILY - Secondary Family No. 6
50-51			SIZE OF	FAMILY - Secondary Family No. 7
52-53			SIZE OF	FAMILY - Secondary Family No. 8
54-55			SIZE OF	FAMILY - Secondary Family No. 9
56-57	Generated		NUMBER OF	F UNRELATED INDIVIDUALS
			00. 01+ Blank.	Not applicable Number of unrelated individuals Non-interview
1		 	- 14 -	

NHIS PUBLIC USE TAPE RECORDS

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items	and Codes
58	Generated		REFERENCE	PERSON PRESENT - Primary Family

		1. Blank.	Yes or all adult Armed Forces Household with ur only or non-inter	nrela	ted individuals
	59	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	1
	60	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	2
	61	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	3
	62	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	4
	63	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	5
	64	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	6
	65	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	7
	66	REFEREN	CE PERSON PRESENT	-	
			Secondary Family	No.	8
	67	REFEREN	CE PERSON PRESENT	-	
		Sed	condary Family No.	. 9	
1		- 15 -			

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items	and Codes
68-69	Generated		NUMBER OF	PERSON RECORDS FOR THE HOUSEHOLD
70-71	Generated		NUMBER OF HOUSEHOLD	CONDITION RECORDS FOR THE
72-73	Generated		NUMBER OF THE HOUSEI	TWO-WEEK DOCTOR VISIT RECORDS FOR HOLD

74-75	Generated		NUMBER				
76	A-A2 CONDITION LIST ASSIGNED						
		7,791	1.	Condition List 1, Skin and Musculoskeletal			
		7,726	2.				
		7,779	3.				
		7,736	4.				
		7,709	5.				
		7,700	6.	Condition List 6, Respiratory			
		35	7.	Unknown			
		2,204	Blank.	Non-interview			
77-177	-		BLANK				
178	Master		TYPE OF	SUBSTRATUM			
	Record						
		6,088	0.				
		4,595	1.	, <u> </u>			
		37,997	2.	Area, not oversampled for blacks			
179-181			BLANK				
182	Master		REGION				
	Record						
		10,132	1.	Northeast			
		12,263	2.	Midwest			
		16,215	3.	South			
		10,070	4.	West			
		NHTS DI	- 16 -	APE RECORDS			
			OUSEHOLD R				
Tape							
Tape Locations	Item No.	Frequency	Ite	ms and Codes			
Tape Locations	Master	Frequency		ms and Codes			
Locations		Frequency	GEOGRAP:				
Locations	Master		GEOGRAP:	HIC DISTRIBUTION Size			
Locations	Master	21,113	GEOGRAP:	HIC DISTRIBUTION Size 1. 1,000,000 or more			
Locations	Master	21,113 12,705	GEOGRAP:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999			
Locations	Master	21,113 12,705 3,023	GEOGRAP:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999			
Locations	Master	21,113 12,705	GEOGRAP:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000			
Locations	Master	21,113 12,705 3,023 789	GEOGRAP:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000			
183	Master	21,113 12,705 3,023 789	GEOGRAP. MSA Bla:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000			
183	Master Record	21,113 12,705 3,023 789	GEOGRAP. MSA Bla:	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 nk. Non-MSA			
183	Master Record	21,113 12,705 3,023 789	GEOGRAP MSA Bla: BLANK	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 nk. Non-MSA			
Locations 183 184	Master Record	21,113 12,705 3,023 789 11,050	GEOGRAP. MSA Bla: BLANK TYPE OF	HIC DISTRIBUTION Size 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 nk. Non-MSA			

11,049	6	Non-MSA -	Nonself-representing
11,U12	0.	MOII IIDA	nonserr representing

186	Recode		MSA - NON-MSA RESIDENCE
		15,532 20,179 10,208 557 2,204	1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm Blank. Non-interview
187-200			BLANK
201-206			QUARTER BASIC WEIGHT
			Adjusted by Segment and Special HH Sampling Factors (XXXXX.X)
207-335			BLANK
1			- 17 -

PERSON RECORD

1 NOTES:

1

- 19 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 119,631
PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		119,631	20. Person Record
3-4	_		PROCESSING YEAR
		119,631	90. 1990

5	-	PROCESSING QUARTER 27,366 1. Quarter 1 31,075 2. Quarter 2 30,756 3. Quarter 3 30,434 4. Quarter 4	
6-8	нн-5	RANDOM RECODE OF PSU NUMBER	
9-10	нн-5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 02, 22, 42, 62, 82 Week 03, 23, 43, 63, 83 Week 04, 24, 44, 64, 84 Week 05, 25, 45, 65, 85 Week 06, 26, 46, 66, 86 Week 07, 27, 47, 67, 87 Week 08, 28, 48, 68, 88 Week 09, 29, 49, 69, 89 Week 10, 30, 50, 70, 90 Week 11, 31, 51, 71, 91 Week 12, 32, 52, 72, 92 Week 13, 33, 53, 73, 93 Week	02 03 04 05 06 07 08 09 10 11

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 20 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
			Nambered Wienin 150 Ween beginene
15-16	-		PERSON NUMBER
17-18	-		BLANK (Record Serial Number on other record types).

19-20	HH-5		PROCESSING WEEK CODE (Numbered within Quarter)
		7,222	Week 01.
		9,553	Week 02.
		9,412	Week 03.
		9,343	Week 04.
		9,399	Week 05.
		9,384	Week 06.
		9,440	Week 07.
		9,064	Week 08.
		9,129	Week 09.
		9,429	Week 10.
		9,247	Week 11.
		9,398	Week 12.
		9,611	Week 13.
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		79,131	0. Interview not late
		32,411	1. One week late
		6,138	2. Two weeks late
		1,951	3. Unknown

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Item	ns and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		1,097 111,647 54	00. 01. 02.	
		32	03.	HU-permanent in transient hotel, motel, etc.
		35	04.	· · · · · · · · · · · · · · · · · · ·
		5,235	05.	_
		839	06.	<u>-</u>
		50	07.	-
			Other Un	nit = (08-13)
		48	08.	Quarters not HU in rooming or boarding house
		0	09.	-

	,,,, 11	15 457 115 7	10. 11. 12. 13.	trailer, or tent Student quarters in college dormitory Other unit not specified above Other unit; kind unknown
24	HH-11		HAS TEL	EPHONE
		108,125 3,495 7,446 565	1. 2. 3. 4.	Yes, phone number given Yes, no phone number given No Unknown
25	A-1		SEX	
		57,134 62,497	1. 2.	Male Female
26	_		BLANK	
1			- 22 -	
			JIC USE TA	PE RECORDS RD
Tape Locatio	ons Item No.	Frequency	Ite	ms and Codes
27-28	Person Column		AGE	
		1,941 117,674 16	00. 01-98. 99.	Number of years
29	Recode		AGE REC	ODE #1
		9,746 23,497 11,230 38,015 22,565 4,885 3,884 5,809	1. 2. 3. 4. 5. 6. 7. 8.	45-64 years
30	Recode		AGE REC	ODE #2
		11,685 19,793 12,995 20,020 17,995 12,266 10,299 8,769	1. 2. 3. 4. 5. 6. 7. 8.	-

		5,809	9. 75 years and over		
31-32	Recode	Recode AGE RECODE #3			
		5,869 113,762	00-35. Months 36. Over 3 years		
33	_		BLANK		
1			- 23 -		
			LIC USE TAPE RECORDS ERSON RECORD		
Tape Locations	Item No.	Frequency	Items and Codes		
34-39	A-3		MONTH AND YEAR OF BIRTH		
34-35			MONTH		
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused		
36-39			YEAR OF BIRTH		
			1800-1899. 1800-1899 1900-1991. 1900-1991 9999. DK or refused		
40-41			BLANK		
42	L-3	959 2,815 17,967 94,935 1,745 131 1,079	MAIN RACIAL BACKGROUND - Reported (See notation for locations 43-45) 1. Aleut, Eskimo, or American Indian 2. Asian/Pacific Islander 3. Black 4. White 5. Other 6. Multiple race 7. Unknown		
1			- 24 -		
			LIC USE TAPE RECORDS ERSON RECORD		

Tape

Locations	Item No.	Frequency	Items and Codes	
43-45	Recode		RACE RECODES	
43			RECODE 1 Persons whose Ma	
		97,732	1. White (location 42) wa	
		18,036	2. Black "other" or "unkr	
		3,863	3. Other were classified following recode	in the
44			RECODE 2 using the racial background obser	-
of		97,732	1. White the interviewer.	
) L		21,899	2. Non-white these recodes is recommended for	3
45			RECODE 3 estimating stati for the groups s	
		18,036	1. Black here.	
		101,595	2. Non-black	
46-47	L-4		HISPANIC ORIGIN	
		187	00. Multiple Hispanic	
		1,274	01. Puerto Rican	
		541	02. Cuban	
		2,470	03. Mexican-Mexicano	
		3,810	04. Mexican-American	
		106	05. Chicano	
		1,242	06. Other Latin American	
		1,265	07. Other Spanish	
		206	08. Spanish, DK type	
		1,261 107,269	09. Unknown if Spanish origin 10. Not Spanish origin	
48	L-7		MARITAL STATUS	
		26,393	0. Under 14 years	
		54,462	1. Married - spouse in household	l.
		823	2. Married - spouse not in house	ehold
		6,456	3. Widowed	
		6,386	4. Divorced	
		1,945	5. Separated	
		22,393	6. Never married	
		773	7. Unknown	
			- 25 -	
			IC USE TAPE RECORDS	
		PE	RSON RECORD	

PERSON RECORD

Tape Locations	Item No.	Frequency	requency Items and Codes		
49	L-1		VETERAN	STATUS	
		71,664 35 3,870	1. 2. 3.	Non-veteran WW I WW II	

			2,070 3,807 1,118 2,054 331	4. 5. 6. 7. 8.	Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if
			1,439 33,243	9. Blank.	
	50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
			71,664 932 1,944 50	0. 1. 2. 3.	All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in
			9,553 2,245	4. 5.	
			33,243	Blank.	
_	51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
			4,594 70,633	00. 01-12.	
				College	::
, -			6,238 7,744 3,010 9,325 1,882 4,953 1,506 9,746	13. 14. 15. 16. 17. 18. 19. Blank.	2 years 3 years 4 years 5 years 6 years or more Unknown
1				- 26 -	

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	cy Items and Codes	
53	Recode	EDUCATION OF INDIVIDUAL RECODE		
		4,594	0.	None; kindergarten only
		22,508	1.	1-8 years (elementary)
		14,746	2.	9-11 years (high school)
		33,379	3.	12 years (high school graduate)
		16,992	4.	1-3 years (college)
		9,325	5.	4 years (college graduate)
		6,835	6.	5+ years (post-college)
		1,506	7.	Unknown
		9,746	Blank.	Under 5 years of age

54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT			
FAMILY			MEMBER - (Detail)			
		249 60,245	00. Never attended; kindergarten only 01-12. Grades 1-12			
			College:			
		8,980 12,918 5,053 16,460 3,671 11,260 795	 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown 			
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode			
		249 6,322 10,295 43,628 26,951 16,460 14,931 795	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown 			
1	- 27 - NHIS PUBLIC USE TAPE RECORDS PERSON RECORD					
Tape Locations	Item No.	Frequency	Items and Codes			
57	L-8		FAMILY INCOME \$20,000 OR MORE			
		39,527 76,620 3,484	 Less than \$20,000 \$20,000 or more Unknown 			
58-59	58-59 L-8		FAMILY INCOME			
		596 722 833 984 1,425 1,441 1,635 1,578	00. Less than \$1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999			

- 28 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes		
60	Recode		FAMILY	FAMILY INCOME RECODE		
		4,560 3,076 4,821 9,411 10,300 9,036 16,696 18,887 22,872 19,972	3. 4. 5. 6. 7. 8.	\$ 5,000 - \$ 6,999 7,000 - 9,999 10,000 - 14,999 15,000 - 19,999 20,000 - 24,999		
61	Generated		NHIS POVERTY INDEX*			
		95,234 13,466 10,931		At or above poverty threshold Below poverty threshold Unknown		
62-63		FAMILY RELATIONSHIP				
62	A-2	12,193 1,317 105,952 169	&. 0.	F FAMILY Primary individual Secondary individual Primary family Secondary family		
63	A-2	11,607 35,532		ONSHIP TO REFERENCE PERSON Reference person, living alone Reference person, 2+ persons in household		

26,567	1.	Spouse, other spouse NOT in Armed Forces and living at home
303	2.	Spouse, other spouse IN Armed Forces and living at home
39,535	3.	Child of reference person or spouse
2,165	4.	Grandchild of reference person or
		spouse
1,071	5.	Parent of reference person or spouse
2,835	6.	Other relative
16	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1989 poverty levels derived from the August, 1990 Current Population Survey.

- 29 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	equency Items and Codes		
64	Recode		FAMILY RELATIONSHIP RECODE		
		11,607 1,903	 Living alone Living only with non-relative 		
		54,430	3. Living with spouse		
		51,691	4. Living with relative - other		
65-66	Generated		SIZE OF FAMILY*		
			Unrelated individuals are coded 01		
67 Generated			SIZE OF FAMILY RECODE		
			1-8. Number of members 9. 9+ members		
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)		
		25,447	1. Both parents, no other relative		
		6,622	2. Mother only		
		424	3. Father only		
		2,859	 Both parents and other 21+ year old adult relative 		
		2,283	5. Mother and other 21+ year old adult relative		
		158	6. Father and other 21+ year old adult relative		
adult		472	7. No parent, but one 21+ year old		
adult 687		687	relative 8. No parent, but two or more 21+ year old adult relatives		

391	9.	Unknown
1,855	0.	Other
78,433	Blank.	Not applicable (25+ years old or ever married)

*Count includes spouse in military but living at home. 1 - 30 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes		
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)	
	2 0	53,115	1.	Working	
		16,110	2.	Keeping house	
		4,838	3.		
		11,664	4.	-	
		661	5.		
		33,243	Blank.	Not applicable (Under 18 years)	
70	G-4		HEALTH	STATUS	
		46,584	1	Excellent	
		33,648		Very Good	
		27,114		Good	
		8,460	4.		
		3,197		Poor	
		628	6.		
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)		
		5,012	1.	Unable to perform major activity	
		6,327		Limited in kind/amount major activity	
		5,268	3	Limited in other activities	
		103,024	4.		
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)		
		4,807	1.	Unable to work	
		3,493	2.		
		2,899	3.		
		65,496	4.	Not limited (includes unknowns)	
		42,936	Blank.	Not applicable	
		,		(under 18 years, 70+ years)	

1 - 31 -

Tape Locations	Item No.	Items and Codes			
	D 11		I TMITTATION OF COUOOI ACTIVITATES /E 17		
73	B-11	100	LIMITATION OF SCHOOL ACTIVITIES (5-17 years		
		102	1. Unable to attend school		
		649	2. Attends special school/classes		
		79	 Needs special school/classes 		
		243	 Limited in school attendance 		
		394	Limited in other activities		
		22,030	6. Not limited (includes unknowns)		
		96,134	Blank. Not applicable (under 5 years or 18-		
		,	years)		
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*		
		646	1. Unable to perform personal care		
		1 261	needs		
		1,361	 Limited in performing other routine needs 		
		16,754	3. Not limited in performing personal or routine needs		
		548	4. Unknown		
		100,322	Blank. Not applicable (under 5 years; 5-59		
		100,322	years not limited; 70+ years old)		
75	D 1		EMDIOVMENT CHATHE IN DACT 2 MEERC /10.		
75 years)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+		
			In the Labor Force: (1-7)		
			Currently employed: (1-3)		
		54,319	1. Worked in past 2 weeks		
		1,140	2. Did not work, has job; not on		
		1,110	lay-off and not looking for		
work		35	3. Did not work, has job; looking		
			for work		
			Unemployed: (4-7)		
		140	4. Did not work, has job; on lay- off		
		11	5. Did not work, has job; on lay-		
		529	off and looking for work 6. Did not work, has job; unknown		
		322	if looking or on lay-off		
		1,988	7. Did not work, has no job;		
		1,500	looking for work or on lay-off		
			Not in Labor Force (18+ years): (8)		
		28,226	8. Not in Labor Force (18+ years		
		33,243	Blank. Not applicable (Under 18 year)		

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74. 1

- 32 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		28,226	0. Not in labor force
		41,285	1. Private company
		1,744	2. Federal Government employee
		2,239	3. State Government employee
		4,741	4. Local Government employee
		1,489	5. Incorporated business
		5,119	6. Self-employed
		132	7. Without pay
		75	8. Never worked
		1,338	9. Unknown
		33,243	Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		58,162	010-996. Code number
		61,469	Blank. Not applicable
80-81	Recode		TNDUGEDY DEGODE 1
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		58,162	003-999. Code number
		61,469	Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
	 		- 33 -
		NHIS PUBL	IC USE TAPE RECORDS
			RSON RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2

91	L-R		RESPONDENT		
		31,478	0. Under	17	
		54,024	1. Self-e	ntirely	
		5,319	2. Self-pa	artly	
		27,645	 Proxy 		
		1,165	4. Unknow	n	
92	Recode		CONDITION LIST	ASSIGNED AND ASKED	
		19,896		ion List 1, Skin and musculoskeletal	
		19,775		ion List 2, Impairments	
		19,869		ion List 3, Digestive	
		19,894		ion List 4, Miscellaneous	
		19,910		ion List 5, Circulatory	
		19,709 578	7. Unknow	ion List 6, Respiratory n	
93-94	G-5		HEIGHT WITHOUT	SHOES (18+ years)	
			36-98. Number	of inches	
			99. Unknow		
			Blank. Under	18 years of age	
95-97	G-5		WEIGHT WITHOUT	SHOES (18+ years)	
			050-500. Numb	er of pounds	
			501. Unkn		
			Blank. Unde	r 18 years of age	
					
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAS		
		107,380	00. None		
		12,251	01-14. Days		
1			- 34 -		
1					
			C USE TAPE RECO SON RECORD	RDS	
Tape					
Locations	Item No.	Frequency	Items and	Codes	
100-101	D-4		BED DAYS IN PA	ST TWO WEEKS	
		112,538	00. None		
		7,093	01-14. Days		
102-103	D-2		WORK-LOSS DAYS Currently Empl	IN PAST TWO WEEKS (control on oyed, 75:1-3)	
		116,473 3,158	00. None 01-14. Days		
104-105	D-3		SCHOOL-LOSS DA	YS IN PAST TWO WEEKS	

		1,921	01-14. Days
106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		113,904	00. None
		5,727	01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		66,227	000. None
		52,366	001-365. 1-365 days
		1,038	366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS - Recode
		66,227	0. None
		40,273	1. 1-7 days
		8,983	2. 8-30 days
		2,462	3. 31-180 days
		648	4. 181-365 days
		1,038	5. Unknown
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		28,264	000. None
		90,928	001-996. Visits
		1	997. 997+ visits
		438	998. Unknown
			- 35 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequer	acy Items and Codes
115	G-3	INTERVAL SINCE LAST DOCTOR VISIT
	234 91,951 11,770 9,691 4,027 1,958	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated	NUMBER OF CONDITIONS
118-119	Generated	NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated	NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS
124-126	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST

12 MONTHS

127-128	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

*Based on operation codes and reason entered hospital.

1 - 36 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
142-143			BLANK
144	L-9b		YEARS LIVED IN STATE OF PRESENT RESIDENCE
		1,149 3,654 3,043 3,156 63,608 2,927 42,094	 Less than 1 year 1 yr., less than 5 years. 5 yrs., less than 10 yrs 10 yrs., less than 15 yrs. 15 years or more Unknown Blank. Not applicable (Foreign born or lethan 18 years of age)
145	L-9c		YEARS LIVED IN UNITED STATES
		326 1,203 1,436 1,226 4,366 294 110,780	 Less than 1 year 1 yr., less than 5 years. 5 yrs., less than 10 yrs 10 yrs., less than 15 yrs. 15 years or more Unknown Blank. Not applicable (U.S. born or less than 18 years of age)
146-171		_	BLANK
172-177			QUARTER BASIC WEIGHT BEFORE AGE-SEX-RACE

ADJUSTMENT (Has one implied decimal)

178	Master Record		TYPE OF	SUBSTRATUM
		15,234	0.	Permit
		12,081	1.	Area, oversampled for blacks
		92,316	2.	Area, not oversampled for blacks
179-181	_		FULL SAI	MPLE STRATUM IDENTIFIER
182	Master Record		REGION	
		24,155	1.	Northeast
		00 000	_	
		29,961	2.	Midwest
		29,961 40,114	2. 3.	Midwest South

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
183	Master Record		GEOGRAP	HIC DISTRIBUTION
	necora		MSA	Size
		51,577	1.	1,000,000 or more 250,000 - 999,999
		31,364		
		7,492 1,831	3.	Under 100,000
		27,367		Non-MSA
184			BLANK	
185	Master Record		TYPE OF	PSU
		65,659	1.	MSA - Self-representing
		26,605	3.	MSA - Nonself-representing
		2	4.	1 2
		27,365	6.	Non-MSA - Nonself-representing
186	Recode		MSA - No	ON-MSA RESIDENCE
		38,371	1.	MSA - Central City
		53,893		MSA - Not Central City
		25,873		Non-MSA - Nonfarm
		1,494	4.	Non-MSA - Farm
187-189			PSEUDO :	PSU CODES
190-200			FACTOR	CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXXX) - character format plied decimal

FINAL BASIC WEIGHT

1	- 38 -
219-227	ANNUAL (WT/4)
210-218	SEMI-ANNUAL (WT/2)
201-209	QUARTER

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL, AND ANNUAL
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281			QUARTER
282-290			SEMI-ANNUAL
291-299			ANNUAL
			ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308			QUARTER
309-317			SEMI-ANNUAL
318-326			ANNUAL
327-335			ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
			- 39 -

CONDITION RECORD

1NOTES:

1

- 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

NHIS Code

Category Title

019

Tuberculosis, arrested or inactive

Psychic	fac	ctors	assoc	ciat	ced	with	di	seases	
classifi	.ed	elsev	where	in	spe	ecifie	ed	system	:

	316.0	Musculoskeletal
	316.1	Respiratory
	316.2	Cardiovascular
1	316.3	Skin 42 -
	316.4	Gastrointestinal
	316.5	Genitourinary
	316.6	Endocrine
	316.7	Organs of special sense
	316.8	Other
	316.9	Unspecified
	399	Rheumatic fever, inactive
	477.7	Allergies with multiple causes
	693.2	Skin allergies with multiple causes
	799.5	Observation with no condition found

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

Unused ICD	Coded To:
009.1	558
009.3	558
137-139	Impairment, as appropriate
230-234	Not applicable (not reported in NHIS)
235-238	Benign, malignant or unspecified, by site
268.1	Not applicable (not reported in NHIS)
306.0,6,7,8,9	Code as if non-psychogenic
315.0-2	X14
317-319	X19
326	Code residual effect to appropriate impairment or ICD 320-325

	331.3,4	X93
	342	X41
1	343	X50 - 43 -
	344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	X70-X79, by site
	369	X00-X03, by severity and site
	388.2	X05-X09, by severity and site
	389	X05-X09, by severity and site
	391	Usually 398.9 (see Short Index)
	410-412	414
	429.6	414
	436	437
	438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
	520.0-2,5	X92
	521.6	X92
	524	X92
	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77
	735	X76
	736	Impairment, by type, site and cause
	737	X70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
	741	X71.9
	742.0,1,3	X93.9

743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment
	(see Appendix III)
744.5	X79.9
744.8,9	of face, coded to X90.9 of neck, coded to X79.9
749	X91.9
750.0,1	X11.9
753.0	X31.9
754.2	X70.9
754.3	X75.9
754.4	X76.9
754.5-7	X78.9 except flatfoot coded to X77
754.8	Appropriate impairment, by type and site
755	Appropriate impairment, by type and site
756.0-3	Appropriate impairment, by type and site
758.0	X19.9
759.7.9	X99.9
761.6	Not applicable
779.6	Not applicable (for fetus)
781.5	X74
783.1	278.0
798	Not applicable
871.3	X00-X03
885-887	Appropriate impairment, by site
895-897	Appropriate impairment, by site
905.6-8	X80-89, by site
905.9	X20-29, X35, by site - 45 -
908.6	Code to effect
	744.5 744.8,9 749 750.0,1 753.0 754.2 754.3 754.4 754.5-7 754.8 755 756.0-3 758.0 759.7.9 761.6 779.6 781.5 783.1 798 871.3 885-887 895-897 905.6-8

909.0,1,3,9	Code to effect
958	Code injury only
960-979	977.9
980.987	989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

1 - 46 -

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

NHIS PUBLIC USE TAPE RECORDS

Outline of Items and Codes Number of Records = 92,534

CONDITION RECORD

Tape
Locations Item No. Frequency Items and Codes

1-2	-		RECORD TYPE
		92,534	30. Condition Record
3-4	-		PROCESSING YEAR
		92,534	90. 1990
5	-		PROCESSING QUARTER
		22,202	1. Quarter 1
		23,551 22,846	2. Quarter 23. Quarter 3
		23,935	4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01
			02, 22, 42, 62, 82 Week 02
			03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04
			05, 25, 45, 65, 85 Week 05
			06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07
			08, 28, 48, 68, 88 Week 08
			09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10
			11, 31, 51, 71, 91 Week 11
			12, 32, 52, 72, 92 Week 12
			13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 48 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
-------------------	----------	-----------	-----------------

11-12 HH-5 SEGMENT NUMBER

Week plus Segment Number identifies the segment

13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	_		CONDITION SERIAL NUMBER 01-99. Serial Number
			01-99. Serial Number
19-20	нн-5	5,394 7,791 7,342 7,235 7,644 7,395 7,240 6,931 7,268 7,272 6,929 7,066 7,027	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10. Week 11. Week 12. Week 13.
21	Recode	63,809 23,485 3,830 1,410	LATE INTERVIEW (OR LAST ATTEMPT) FLAG 0. Interview not late 1. One week late 2. Two weeks late 3. Unknown
1			- 49 -
			USE TAPE RECORDS ION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
22-23	HH-10d		TYPE OF LIVING QUARTERS:

Housing Unit = (00-07)

			110 ac	,	(00 07)
		797		00.	Housing unit; kind unknown
		85,667		01.	
		47		02.	<pre>HU in nontransient hotel, motel, etc.</pre>
		15		03.	
		37		04.	
		4,507		05.	Mobile home or trailer with no permanent room added
		880		06.	Mobile home or trailer with one or more permanent rooms added
		50		07.	HU not specified above
			Othe	er Ui	nit = (08-13)
		51		08.	Quarters not HU in rooming or boarding house
		0		09.	
		18		10.	
		320		11.	
		137		12.	
		8		13.	Other unit; kind unknown
24	HH-11		пус	י דיםייי	EPHONE
24	1111 11		IIAS	11111	EF HOME
		85,014		1.	Yes, phone number given
		2,239		2.	Yes, no phone number given
		4,887 394		3. 4.	No Unknown
		371		1.	OHAHO WII
25	A-1		SEX		
		39,692		1.	Male
		52,842		2.	Female
		32,012		۷.	1 cma1c
26	_		BLAN	JK	
1			- 5	50 -	
		NHIS PU	BLIC US	SE TA	APE RECORDS
		С	ONDITIC	N R	ECORD
Tape					
Locations	Item No.	Frequency		Ite	ms and Codes
27-28	Person Column		AGE		
	COLUMI				

		711 91,790 33	01-98.	Under 1 year Number of years 99+ years of age
29	Recode		AGE REC	ODE #1
		3,113 8,393 4,916 23,831 24,980 8,188 6,781 12,332	2. 3. 4. 5. 6. 7.	Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years 75 years and over
30	Recode		AGE REC	ODE #2
		3,711 7,091 5,620 11,041 12,790 11,515 13,465 14,969 12,332	2. 3. 4. 5. 6. 7.	25-34 years 35-44 years 45-54 years 55-64 years 65-74 years
31-32	Recode		AGE REC	ODE #3
		1,973 90,561		Months Over 3 years
33	-		BLANK	······································
1			- 51 -	
			LIC USE T	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
34-39	A-3		MONTH A	ND YEAR OF BIRTH
34-35			MONTH	
			01. Ja	nuary 08. August

36-39			03. March 10 04. April 11 05. May 12	91
40-41			BLANK	
42	L-3	767 1,068 12,444 77,008 768 103 376	MAIN RACIAL BACKGROU (See notation for lo 1. Aleut, Eskim 2. Asian/Pacifi 3. Black 4. White 5. Other 6. Multiple rac 7. Unknown	ocations 43-45) no, or American Indian nc Islander
1			- 52 - IC USE TAPE RECORDS IDITION RECORD	
Tape Locations	Item No.	Frequency	Items and Codes	
43-45	Recode		RACE RECODES	
43		78,147 12,517 1,870	RECODE 1 1. White 2. Black 3. Other	Persons whose Main Racial Background (location 42) was "other" or "unknown" were classified in the
44		78,147	RECODE 2	following recodes by using the racial background observed by the interviewer. Use
of 45		14,387	2. Non-white RECODE 3	these recodes is recommended for estimating statistics for the groups shown
		12,517 80,017	1. Black 2. Non-black	for the groups shown here.

46-47	L-4		HISPANIC	CORIGIN
		79	00.	Multiple Hispanic
		789	01.	Puerto Rican
		364	02.	Cuban
		902	03.	Mexican-Mexicano
		1,768	04.	Mexican-American
		51	05.	Chicano
		505	06.	Other Latin American
		832	07.	Other Spanish
		180	08.	Spanish, DK type
		545	09.	
	86,519	10.	Not Spanish origin	
48	L-7		MARITAL	STATUS
		8,814	0.	Under 14 years
		48,227		Married - spouse in household
		793		Married - spouse not in household
		12,687		Widowed
		7,539	4.	Divorced
		2,130	5.	Separated
		12,040	6.	Never married
		304	7.	Unknown
			- 53 -	
		NHIS PU	BLIC USE TA	APE RECORDS
		C	ONDITION RE	CORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
49	L-1		VETERAN	STATUS
		65,049 63 6,556 2,552 3,184 709 1,833 266 816	6. 7. 8.	Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		65,049 830	0. 1.	Non-veteran All service in Guard/Reserve

	2,385	2.	Some service in Guard/Reserve
	35	3.	Unknown if all service in
			Guard/Reserve
	11,157	4.	No active service in Guard/Reserve
	1,572	5.	Unknown if ever active member in
			Guard/Reserve or if served in Armed
			Forces
	11,506	Blank.	Under 18 years of age
51-52 L-2		EDUCATION	ON OF INDIVIDUAL - COMPLETED YEARS
	0.110		
	2,119		Never attended; kindergarten only
	60,082	01-12.	Grades 1-12
		College	:
	5,175	13.	1 year
	6,341		2 years
	2,437		3 years
	6,718		4 years
	1,586		5 years
	3,961	18.	
	1,002	19.	
	3,113	Blank.	Under 5 years of age
1		- 54 -	

Tape Locations	Item No.	Frequency	Ite	ms and Codes
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		2,119 18,365 13,276 28,441 13,953 6,718 5,547 1,002 3,113	1. 2. 3. 4. 5. 6.	None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	-			EDUCATION OF RESPONSIBLE ADULT
		264 51,324		Never attended; kindergarten only Grades 1-12

College:

		College:
	6,648 9,250 3,713 10,653 2,674 7,582 426	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 - FAMILY		HIGHEST EDUCATION OF RESPONSIBLE ADULT
	264 8,356 10,016 32,952 19,611 10,653 10,256 426	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1		- 55 -
		BLIC USE TAPE RECORDS ONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		40,604 49,631 2,299	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		517 566 761 1,090 2,021 1,818 2,187 2,207 1,925 1,987 2,332 1,668	00. Less than \$ 1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999

2,562	12.	12,000	-	12,999
1,538	13.	13,000	-	13,999
1,594	14.	14,000	-	14,999
1,927	15.	15,000	-	15,999
1,480	16.	16,000	-	16,999
1,390	17.	17,000	-	17,999
1,792	18.	18,000	-	18,999
2,170	19.	19,000	-	19,999
7,166	20.	20,000	-	24,999
5,703	21.	25,000	-	29,999
5,488	22.	30,000	-	34,999
4,545	23.	35,000	-	39,999
4,092	24.	40,000	-	44,999
3,436	25.	45,000	-	49,999
13,804	26.	\$50,000	and	lover
14,768	27.	Unknown		

1 - 56 -

				
Tape Locations	Item No.	Frequency	Items a	and Codes
60	Recode		FAMILY INCO	DME RECODE
		4,955 4,005 6,119 9,694 8,759 7,166 11,191 12,073 13,804 14,768	1. \$ 5 2. 7 3. 10 4. 15 5. 20 6. 25 7. 35 8. \$50	der \$5,000 5,000 - \$ 6,999 7,000 - 9,999 0,000 - 14,999 5,000 - 19,999 0,000 - 24,999 5,000 - 34,999 5,000 - 49,999 0,000 or more
61	Generated		NHIS POVERT	TY INDEX*
		71,548 11,597 9,389	2. Bel	ove poverty threshold low poverty threshold known
62-63			FAMILY RELA	ATIONSHIP
62	A-2	17,505 1,083 73,886 60	Sec 0. Pri	MILY imary individual condary individual imary family condary family
63	A-2	16,933		IP TO REFERENCE PERSON Terence person, living alone

34,015	0.	Reference person, 2+ persons in household
22,839	1.	Spouse, other spouse NOT in Armed Forces and living at home
222	2.	Spouse, other spouse IN Armed Forces and living at home
14,615	3.	Child of reference person or spouse
648	4.	Grandchild of reference person or spouse
1,716	5.	Parent of reference person or spouse
1,539	6.	Other relative
7	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1989 poverty levels derived from the August, 1990 Current Population Survey. 1

- 57 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		16,933 1,655 48,197 25,749	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
		8,630 2,763 127 823	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative

	664	5.	Mother and other 21+ year old adult relative
	39	6.	Father and other 21+ year old adult relative
	174	7.	No parent, but one 21+ year old
adult			
			relative
	198	8.	No parent, but two or more 21+ year old adult relatives
	207	9.	Unknown
	1,155	0.	Other
	77,754	Blank.	Not applicable (25+ years old or
ever			
			married)

*Count includes spouse in military but living at home.

1 - 58 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	5 0	34,040 21,405 2,456 22,338 789 11,506	4. 5.	5
70	G-4		HEALTH	STATUS
		16,517 20,670 25,779 17,651 11,592 325	2. 3. 4. 5.	Excellent Very Good Good Fair Poor Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
activity		15,678 16,341 12,713 47,802	2. 3.	Unable to perform major activity Limited in kind/amount major Limited in other activities Not limited (includes unknowns)

72	Recode			Y LIMITATION STATUS MEASURED BY Y TO WORK" (18-69 years)
		14,881 8,216 6,384 32,434 30,619	2. 3.	Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Not applicable (under 18 years, 70+ years)
1			- 59 -	
			BLIC USE T ONDITION R	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
73	B-11		LIMITAT	TION OF SCHOOL ACTIVITIES (5-17 years)
		189 1,123 141 433 619 5,888 84,141	2. 3. 4. 5.	

		84,141	Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
oiu			and limited, or age 60-69 years)*
needs		2,201	1. Unable to perform personal care
needs		4,639	2. Limited in performing other routine needs
0.70		30,199	3. Not limited in performing personal
or			routine needs
		18	4. Unknown
		55,477	Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)

Currently Employed: (1-3)

1. Worked in past 2 weeks

2. Did not work, has job; not on lay-

off and not looking for work

34,158 1,552

34	3. Did not work, has job; looking for					
	work					
	Unemployed: (4-7)					
129	4. Did not work, has job; on lay-off					
17	5. Did not work, has job; on lay-off and looking for work					
401	Did not work, has job; unknown if looking or on lay-off					
1,402 for	7. Did not work, has no job; looking					
	work or on lay-off					
	Not in Labor Force (18+ years): (8)					
43,335	8. Not in Labor Force (18+ years)					
11,506	Blank. Not applicable (Under 18 years old)					
*For persons 70+ years, codes loc. 74	1 and 2 in loc. 71 correspond to codes 1 and 2 in					
1	- 60 -					
NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD					

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6	CLASS OF WORKER	
		43,335	0. Not in labor force
		25,452	1. Private company
		1,320	2. Federal Government employee
		1,700	3. State Government employee
		3,440	4. Local Government employee
		958	5. Incorporated business
		3,926	6. Self-employed
		121	7. Without pay
		22	8. Never worked
		754	9. Unknown
		11,506	Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		37,693	010-996. Code number
		54,841	Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B

82-83	Recode		INDUSTRY RECODE 2 SEE APPENDIX B
84-86	L-6	37,693 54,841	OCCUPATION DETAIL CODE 003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1 SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2 SEE APPENDIX C
1			- 61 - LIC USE TAPE RECORDS IDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R	10,802 59,350 4,670 16,975 737	RESPONDENT 0. Under 17 1. Self-entirely 2. Self-partly 3. Proxy 4. Unknown
92	Recode	18,163 15,175 12,831 14,414 14,432 17,067 452	CONDITION LIST ASSIGNED AND ASKED 1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown

93-96	K-3		ICD/NHI	S CODE (DIAGNOSTIC CODE)
				D-9 rubric and NHIS Medical Coding Part III of documentation)
97-99	Recode		for NHI	
			(See Di	agnostic Recodes Section)
100-103	Recode			ECODE (A)
			(See Di	agnostic Recodes Section)
104-106	Recode		CHRONIC	RECODE (C)
			(See Di	agnostic Recodes Section)
1			- 62 -	
			JIC USE T NDITION R	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
107	K-3		CHRONIC	ACUTE CODE
		79,868 12,666	1. 2.	
108	K-5		ONSET	
		8,370 5,809 10,290 22,141 45,924	1. 2. 3. 4. 5.	Over 2 weeks to 3 months Over 3 months to 12 months Over 1 year to 5 years
109	K-2		DOCTOR	LAST SEEN FOR THIS CONDITION
		306 21,970 26,252 9,369 6,650 6,280 6,845	0. 1. 2. 3. 4. 5.	2-week reference period Over 2 weeks, less than 6 months 6 months, less than 1 year 1 year, less than 2 years

		1,537 1,053 12,272	7. Doctor seen, DK when 8. DK if doctor seen 9. Doctor never seen
110	Recode		DOCTOR EVER SEEN FOR THIS CONDITION
		80,262 12,272	1. Yes 2. No
111-112	K-6		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		77,506 15,028	00. None 01-14. 1-14 days
113-114	K-7		BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		84,276 8,258	00. None 01-14. 1-14 days
1			- 63 -
			BLIC USE TAPE RECORDS DNDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
		Frequency	UORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
Locations		Frequency 89,254 3,280	WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed,
Locations		89,254	WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
Locations 115-116	K-8	89,254	WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3) 00. None 01-14. 1-14 days SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS
Locations 115-116	K-8	89,254 3,280 90,609	WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3) 00. None 01-14. 1-14 days SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION 00. None

		12,666	Blank	x. Not a chronic condition
100	11			
122	K-11		EVER HO	OSPITALIZED FOR THIS CONDITION*
		7,404	1	Yes
		40,359	2.	
		32,105		Unknown/not a "check-list" condition
		12,666		Not a chronic condition
123	K-12		CONDIT	ION STATUS*
123	K-12	41,542		ION STATUS* Still has condition
123	K-12	41,542 850	1.	
123	K-12	· · · · · · · · · · · · · · · · · · ·	1.	Still has condition
123	K-12	850	1. 2. 3.	Still has condition Condition cured
123	K-12	850 3,252	1. 2. 3. 4.	Still has condition Condition cured Condition under control

*Use only for check-list conditions.

Tape Locations	Item No.	Frequency	It∈	ems and Codes
124	K-12		_	OF TIME HAD CONDITION BEFORE CURED*
		38	0.	Less than 1 month
		97	1.	1-3 months
		146	2.	Over 3 to 6 months
		37	3.	Over 6 to 12 months
		122		1 year
		118		2-4 years
		63		5-9 years
		60		10 years or more
		169		Unknown
		91,684	Blank.	Not applicable/not a chronic condition
125	K-12		CONDITI	ON PRESENT IN PAST 12 MONTHS*
		45,348	1.	Yes
		200	2.	
		34,320		Unknown/not a "check-list" condition
		12,666	Blank.	Not a chronic condition

	126	Recode		(all ag	ON CAUSES ACTIVITY LIMITATION (res) (Refer to loc. 71 in all records household for activity limitation)
of			16,607	1.	Limited, this condition main cause
0_					limitation
			10,062	2.	Limited, this condition secondary cause of limitation
			18,063	3.	Limited, but not caused by this condition
			47,802	4.	Not limited

*Use only for check-list conditions.

- 65 -

Tape Locations	Item No.	Frequency	It∈	ems and Codes
127	Recode			ON CAUSES LIMITATION IN ABILITY TO for all persons 18-69 years of age)
		8,300	1.	Limited in work, this condition main cause of this limitation
		5,083	2.	Limited in work, this condition secondary cause of this limitation
		9,714	3.	Limited in work but not caused by this condition
		38,818	4.	Not limited in work
		30,619	Blank.	Not applicable
128			ALL INJ	TURIES*
		0.005	_	_1
		9,906		First
		1,153 81,475	— ·	Not first Not an injury
		01,4/5	Blank.	NOC all Injury
129	Recode			JRY ADVERSE REACTION OR COMPLICATION CAL CARE
		81	1	Yes, adverse reaction**
		448	2.	
		10,530	3.	-
		81,475	Blank.	Not an injury

130	K-14		PLACE O	F ACCIDENT
		1,119 1,079 2,696		At home (inside house) At home (adjacent premises) Street and highway (including
roadway		_	3.	boroco dira irrgirma, (ricordaring
				and public sidewalks)
		187	4.	Farm
		1,869	5.	Industrial place (including
premises)				
		469	6.	School (including premises)
		616	7.	Place of recreation and sports, except school
		1,290	8.	Other
		1,734	9.	Unknown
		81,475	Blank.	Not an injury

^{*}Includes all conditions reported as caused by an accident or injury, conditions $\ensuremath{\text{conditions}}$

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items and Codes
131	K-15		AT WORK AT TIME OF ACCIDENT
		2,652 4,485 1,611 453 1,858 81,475	 Yes No Not applicable, under 18 at time of accident Not applicable, in Armed Forces Unknown Blank. Not an injury
132	K-16		MOTOR VEHICLE INVOLVED
		2,722 7,050 1,287 81,475	1. Yes 2. No 3. Unknown Blank. Not an injury
133	K-16		NUMBER OF VEHICLES INVOLVED
		1,676 1,015	1. One 2. Two or more

^{**}Locations 130-134 are coded 'Unknown' for these injuries.

		31 89,812	3. Unknown Blank. Not an injury/no or unknown if moto vehicle involved
134	K-16		MOVING MOTOR VEHICLE INVOLVED
		2,393 251 78 89,812	1. Yes 2. No 3. Unknown Blank. Not an injury/no or unknown if moto
			vehicle involved
1			- 67 -
			LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
135-137	Recode		CLASS OF ACCIDENT
		10,077 453 448 81 81,475	111-322. 400. SEE APPENDIX D 500. 600. Blank. Not an injury
138	Recode		SELECTED FIRST INJURY*
		7,727 773 84,034	 First Not first Blank. Not a selected injury
139	Recode		CONDITION CAUSES PERSONAL CARE ACTIVITY LIMITATION (5-59 years old and limited, or age 60-69 years)
		2,007	 Limited, condition main cause of limitation
of		1,064	2. Limited, condition secondary cause
J-		3,769	limitation3. Limited, but not caused by this condition
		30,217 55,477	4. Not limited Blank. Not applicable (under 5 years, 5-59 years not limited, 70+ years old)

140-177 - BLANK

178	Master		TYPE OF	SUBSTRATUM	
	Record				
		9,601	0.	Permit	
		9,072	1.	Area, oversampled for blacks	
		73,861	2.	<u>-</u>	
		73,001	۷.	Area, not oversampled for blacks	
150 101					
179-181			FULL SA	MPLE STRATUM IDENTIFIER	
179-181			FULL SA	MPLE STRATUM IDENTIFIER	
179-181			FULL SA	MPLE STRATUM IDENTIFIER	
179-181	Master		FULL SA	MPLE STRATUM IDENTIFIER	
	Master Record			MPLE STRATUM IDENTIFIER	
		16,807		MPLE STRATUM IDENTIFIER Northeast	
		•	REGION	Northeast	
		24,328	REGION 1. 2.	Northeast Midwest	
		•	REGION	Northeast	

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 68 -

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION
	Record		MSA Size
		36,424 24,824 5,653 1,466 24,167	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184	-		BLANK
185	Master Record		TYPE OF PSU
		47,277	1. MSA - Self-representing
		21,090	3. MSA - Nonself-representing
		1	4. Non-MSA - Self-representing
		24,166	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE

	28,997 39,370 22,996 1,171	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189		PSEUDO PSU CODES
190-200 with		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format implied decimal
1		- 69 - LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No. Frequency	Items and Codes
		FINAL BASIC WEIGHT
201-209		QUARTER
210-218		SEMI-ANNUAL (WT/2)
219-227		ANNUAL (WT/4)
		6.5 WEIGHT
228-236		QUARTER, SEMI-ANNUAL AND ANNUAL
237-245		ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS OUARTER, SEMI-ANNUAL AND ANNUAL
246-254		ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL

ESTIMATED WORK-LOSS IN PAST 2 WEEKS

$^{\circ}$	ᄃ	ᄃ		$^{\circ}$	_	3
_	2	2	_	4	О	2

QUARTER, SEMI-ANNUAL AND ANNUAL

	ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
300-335	BLANK
1NOTES:	
1	- 71 -

DOCTOR VISIT RECORD

1NOTES:

- 73 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 25,312
DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		25,312	40. Two-week Doctor Visit Record

3-4	_	PROCESSING YEAR
		25,312 90. 1990
5		PROCESSING QUARTER
		6,076 1. Quarter 1 6,457 2. Quarter 2 6,344 3. Quarter 3 6,435 4. Quarter 4
6-8	НН-5	RANDOM RECODE OF PSU NUMBER
9-10	нн-5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which

Tape Locations	Item No.	Frequency	Items and Codes
11-12	HH-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment

reflects the actual week assigned for conducting the interview. 1 $\,$ – $\,74$ –

13-14	HH-5	HOUSEHOLD NUMBER			
		Numbered within PSU-Week-Segment			
15-16	-		PERSON NUMBER		
17-18	-		DOCTOR VISIT SERIAL NUMBER		
			01-99. Serial Number		
19-20	нн−5		PROCESSING WEEK CODE (Numbered within Quarter		
		1,615	Week 01.		
		2,014 2,106	Week 02. Week 03.		
		2,042 2,076	Week 04. Week 05.		
		1,888	Week 06. Week 07.		
		1,856	Week 08.		
		1,848 1,891	Week 09. Week 10.		
		2,037 2,052	Week 11. Week 12.		
		1,837	Week 13.		
21			LATE INTERVIEW (OR LAST ATTEMPT) FLAG		
		17,187	0. Interview not late		
		6,695 1,120	 One week late Two weeks late 		
		310	3. Unknown		
1			- 75 -		
			LIC USE TAPE RECORDS OR VISIT RECORD		
Tape Locations	Item No.	Frequency	Items and Codes		
22-23	нн-10d		TYPE OF LIVING QUARTERS:		
			Housing Unit = (00-07)		
		217 23,687	00. Housing unit; kind unknown 01. House, apartment, flat		

		8		02.	
		3		03.	± ,
		6		04.	motel, etc. HU in rooming house
		1,022		05.	
		203		06.	
		13		07.	
			Othe	er U	nit = (08-13)
		35		08.	Quarters not HU in rooming or boarding house
		0		09.	hotel, motel, etc.
		4		10.	trailer, or tent
		88		11.	dormitory
		24 2		12. 13.	<u> </u>
24	нн-11		HAS	TEL	EPHONE
		23,353		1.	Yes, phone number given
		625		2.	Yes, no phone number given
		1,226		3.	No
		108		4.	Unknown
25	A-1		SEX		
		10,225 15,087		1.	Male Female
		13,007		۷.	remare
26	_		BLAI	ΝK	
1				76	
					TAPE RECORDS RECORD
Tape					
Locations	Item No.	Frequency			Items and Codes
27-28	Person		AGE		
	Column	830		00.	Under 1 year
		24,477	01-	-98.	
		5		99.	99+ years of age

2,483 2,889 2.5-17 years 1,835 3.18-24 years 7,372 4.25-44 years 5,541 5.45-64 years 1,586 6.65-69 years 1,335 7.70-74 years 2,271 8.75 years and over AGE RECODE #2 2,763 2,356 2.6-16 years 2,088 3.17-24 years 3,712 4.25-34 years 3,660 5.35-44 years 2,782 6.45-54 years	
2,889 2. 5-17 years 1,835 3. 18-24 years 7,372 4. 25-44 years 5,541 5. 45-64 years 1,586 6. 65-69 years 1,335 7. 70-74 years 2,271 8. 75 years and over AGE RECODE #2 2,763 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
7,372 4. 25-44 years 5,541 5. 45-64 years 1,586 6. 65-69 years 1,335 7. 70-74 years 2,271 8. 75 years and over AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
5,541 5. 45-64 years 1,586 6. 65-69 years 1,335 7. 70-74 years 2,271 8. 75 years and over AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
1,586 6. 65-69 years 1,335 7. 70-74 years 2,271 8. 75 years and over AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
1,335 7. 70-74 years 2,271 8. 75 years and over AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
2,271 8. 75 years and over AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
AGE RECODE #2 2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
2,763 1. Under 6 years 2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
2,356 2. 6-16 years 2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
2,088 3. 17-24 years 3,712 4. 25-34 years 3,660 5. 35-44 years	
3,712 4. 25-34 years 3,660 5. 35-44 years	
3,660 5. 35-44 years	
2,759 7. 55-64 years	
2,921 8. 65-74 years	
2,271 9. 75 years and over	
AGE RECODE #3	
4 005	
1,837 00-35. Months	
23,475 36. Over 3 years	
BLANK	
- 77 -	
NULTA DUDI TA HAD BADD DEGADDA	
NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD	
No. Frequency Items and Codes	
MONTH AND YEAR OF BIRTH	
MONTH	
01 January	
02. February 03. March	
MONTH AND YEAR OF BIRTH MONTH 01. January	

			08. 09. 10. 11.	June July
36-39			YEAR OF	BIRTH
			1900-19	99. 1800-1899 91. 1900-1991 99. DK or refused
40-41			BLANK	
42	L-3	250 378 3,453 20,742 272 32 185	(See not. 1. 2. 3. 4. 5. 6.	IA1 BACKGROUND - Reported ation for locations 43-45) Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

- 78 -

	ape ations	Item No.	Frequency	requency Items and Codes			
4	13-45	Recode		RACE RECODES			
	43				Persons whose Main Racial Background		
			21,196		(location 42) was		
			3,477		"other" or "unknown"		
			639		were classified in the following recodes by		
	44			RECODE 2	using the racial background observed by		
of			21,196		the interviewer. Use		
			4,116	_, _,	these recodes is recommended for		
	45			RECODE 3	estimating statistics for the groups shown		
			3,477		here.		

21,835 2. Non-black

46-47	L-4		HISPANIC	ORIGIN
		33	00.	Multiple Hispanic
		248	01.	Puerto Rican
		94	02.	Cuban
		343	03.	Mexican-Mexicano
		617	04.	Mexican-American
		17	05.	Chicano
		203	06.	Other Latin American
		257	07.	Other Spanish
		28	08.	Spanish, DK type
		252	09.	
		23,220	10.	
48	L-7		MARITAL	STATUS
		4,509	0.	Under 14 years
		12,323		Married - spouse in household
		219		Married - spouse not in household
		2,378		Widowed
		1,742	4.	Divorced
		578	5.	Separated
		3,438	6.	Never married
		125	7.	Unknown
			- 79 -	

Tape Locations	Itom No	Frequency		Items and Codes
Locacions	reem no.	rrequency		Items and codes
49	L-1		VETERAN	STATUS
		16,564	1.	Non-veteran
		14	2.	WW I
		1,168	3.	WW II
		502	4.	Korean War
		770	5.	Vietnam veteran
		193	6.	Post-Vietnam
		422	7.	Other service
		35	8.	Served in Armed Forces, unknown if war veteran
		272	9.	Unknown if served in Armed Forces
		5,372	Blank.	Under 18 years of age
50	L-1		ACTIVE (GUARD/RESERVE STATUS FOR PERSONS ON
			ACTIVE 1	DUTY IN ARMED FORCES
		16,564	0.	Non-veteran
		171	1.	All service in Guard/Reserve

	528	2.	Some service in Guard/Reserve
	8	3.	Unknown if all service in
			Guard/Reserve
	2,270	4.	No active service in Guard/Reserve
	399	5.	Unknown if ever active member in
			Guard/Reserve or if served in Armed
			Forces
	5,372	Blank.	Under 18 years of age
51-52 L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
	726	00.	Never attended; kindergarten only
	14,208		Grades 1-12
		College	:
	1,385	13.	1 year
	1,835		2 years
	716	15.	
	2,042	16.	1
	430	17.	
	1,196	18.	2
	291	19.	1
	2,483	Blank.	Under 5 years of age
1			

Tape Locations	Item No.	Frequency		Items and Codes
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		726 4,007 3,047 7,154 3,936 2,042 1,626 291 2,483	1. 2. 3. 4. 5. 6. 7.	None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	-	63 12,347	MEMBER	EDUCATION OF RESPONSIBLE ADULT (Detail) Never attended; kindergarten only Grades 1-12

College:

		6011696
	1,931 2,802 1,215 3,408 847 2,532 167	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 - FAMILY		HIGHEST EDUCATION OF RESPONSIBLE ADULT
	63 1,519 2,211 8,617 5,948 3,408 3,379 167	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1		- 81 -

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		9,368	1. Less than \$20,000
		15,277	2. \$20,000 or more
		667	3. Unknown
58-59	L-8		FAMILY INCOME
		95	00. Less than \$1,000
		157	01. \$ 1,000 - \$ 1,999
		212	02. 2,000 - 2,999
		247	03. 3,000 - 3,999
		402	04. 4,000 - 4,999
		387	05. 5,000 - 5,999
		443	06. 6,000 - 6,999
		477	07. 7,000 - 7,999
		416	08. 8,000 - 8,999
		400	09. 9,000 - 9,999
		507	10. 10,000 - 10,999
		388	11. 11,000 - 11,999

658	12.	12,000	-	12,999
371	13.	13,000	-	13,999
317	14.	14,000	-	14,999
479	15.	15,000	-	15,999
397	16.	16,000	-	16,999
356	17.	17,000	-	17,999
521	18.	18,000	-	18,999
581	19.	19,000	-	19,999
1,865	20.	20,000	-	24,999
1,692	21.	25,000	-	29,999
1,628	22.	30,000	-	34,999
1,474	23.	35,000	-	39,999
1,312	24.	40,000	-	44,999
1,127	25.	45,000	-	49,999
4,721	26.	\$50,000	and	over
3,682	27.	Unknown		

1 - 82 -

Tape Locations	Item No.	Frequency	Items and Codes
LOCACIONS	TCEIII NO.	rrequency	Items and codes
60	Donado		DAMILY INCOME DECODE
60	Recode		FAMILY INCOME RECODE
		1,113	0. Under \$5,000
		830	1. \$ 5,000 - \$ 6,999
		1,293	2. 7,000 - 9,999
		2,241	3. 10,000 - 14,999
		2,334	4. 15,000 - 19,999
		1,865	5. 20,000 - 24,999
		3,320	6. 25,000 - 34,999
		3,913	7. 35,000 - 49,999
		4,721	8. \$50,000 or more
		3,682	9. Unknown
		,	
61	Generated		NHIS POVERTY INDEX*
		20,232	1. Above poverty threshold
		2,850	2. Below poverty threshold
		•	3. Unknown
		2,230	3. UTIKTIOWII
62-63			FAMILY RELATIONSHIP
62	A-2		TYPE OF FAMILY
02	11 2	3,707	&. Primary individual
		297	Secondary individual
		21,287	0. Primary family
		21,207	1-9. Secondary family
		21	1). Becommany family
63	A-2		RELATIONSHIP TO REFERENCE PERSON
		3,553	&. Reference person, living alone
		7,976	0. Reference person, 2+ persons in
		•	

		household
6,423	1.	
86	2.	_
6,186	3.	Child of reference person or spouse
331	4.	Grandchild of reference person or
		spouse
316	5.	Parent of reference person or spouse
439	6.	Other relative
2	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age and family income using the 1989 poverty levels derived from the August, 1990 Current Population Survey. 1

- 83 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		3,553 451 12,314 8,994	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE 1-8. Number of members
			9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		4,135 1,044 36 338	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult
		J ± 1	J. Modifier and other Zir year old addit

			relative
	18	6.	Father and other 21+ year old adult
			relative
	70	7.	No parent, but one 21+ year old
adult			
			relative
	79	8.	No parent, but two or more 21+ year
			old adult relatives
	83	9.	Unknown
	368	0.	Other
	18,824	Blank.	Not applicable (25+ years old or
			ever married)

*Count includes spouse in military but living at home.

1 - 84 -

Tape Locations	Item No.	Frequency		Items and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
		9,676	1.	Working
		4,692		Keeping house
		768		Going to school
		4,637	4.	-
		167	5.	Unknown
		5,372	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		5,701	1.	Excellent
		5,873	2.	Very Good
		6,900		Good
		3,866	4.	Fair
		2,836	5.	Poor
		136	6.	Unknown
71	Recode		ACTIVI	TY LIMITATION STATUS - (all ages)
		4,136	1	Unable to perform major activity
		2,983	2.	
activity				
		1,913		Limited in other activities
		16,280	4.	Not limited (includes unknowns)

"ABILITY TO WORK" (18-69 years)

3,607	1.	Unable to work
1,473	2.	Limited in kind/amount of work
1,140	3.	Limited in other activities
10,114	4.	Not limited (includes unknowns)
8,978	Blank.	Not applicable
		(under 18 years, 70+ years)

1 - 85 -

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		82 187 19 129 122 2,350 22,423	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
oid			and limited, or age 60-69 years)*
1		672	1. Unable to perform personal care
needs		1,176	2. Limited in performing other routine needs
		6,106	3. Not limited in performing personal
or		27 17,331	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)
0.5.5		8,912 1,026	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-
off		6	and not looking for work3. Did not work, has job; looking for work

mployed: (4-7)
4. Did not work, has job; on lay-off
5. Did not work, has job; on lay-off
looking for work
6. Did not work, has job; unknown if
looking or on lay-off
7. Did not work, has no job; looking
work or on lay-off
in Labor Force (18+ years): (8)
8. Not in Labor Force (18+ years)
nk. Not applicable (Under 18 years
old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 86 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		9,434 7,157 412 513 1,074 240 868 23 3 216 5,372	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		10,506 14,806	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			CHE ADDENDIA D

SEE APPENDIX B

84-86	L-6		OCCUPATION DETAIL CODE
		10,506	003-999. Code number
		14,806	Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
69-90	Recode		
			SEE APPENDIX C
1			- 87 -
		NHIS PU	BLIC USE TAPE RECORDS
			OCTOR VISIT RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		5,119	0. Under 17
		14,396	1. Self-entirely
		1,244	2. Self-partly
		4,281 272	3. Proxy 4. Unknown
		272	i. dimiowii
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		4,206	 Condition List 1, Skin and musculoskeletal
		4,314	2. Condition List 2, Impairments
		4,163	3. Condition List 3, Digestive
		4,216	4. Condition List 4, Miscellaneous
		4,063	5. Condition List 5, Circulatory
		4,233 117	6. Condition List 6, Respiratory 7. Unknown
93-96	F-1		DATE OF VISIT
		0	6666. During 2 weeks, DK when
		2,171	7777. Last week, DK day
		2,343	8888. Week before, DK day
93-94			MONTH
		1,516	01. January
		1,702	02. February
		1,945	03. March
		1,822	04. April

1,76	51 (05. May
1,73	L4 (06. June
1,73	37 (7. July
1,76	51 (08. August
1,64	19 (9. September
1,90)6 1	.O. October
1,69	96 1	1. November
1,40)3 1	.2. December
18	36 9	9. DK month
95-96	DAY	
20,63	12 01-31	Day of month
18	36 99	DK day codes for Unknown in month and day

1 - 88 -

Tape Locations	Item No.	Frequency	Items and Codes
97-98	Recode		DOCTOR VISIT VALUES (Number of days between Date of Visit and Interview)
period		232	00. Visit on last Sunday of reference
period		538	01. Visit on second Saturday of reference period
		2,244	02. Visit on second Friday of reference period
		2,034	03. Visit on second Thursday of reference period
		2,040	04. Visit on second Wednesday of reference period
		2,032	05. Visit on second Tuesday of reference period
		2,192	06. Visit on second Monday of reference period
		236	07. Visit on first Sunday of reference period
		499	08. Visit on first Saturday of reference period
		1,782	09. Visit on first Friday of reference period
		1,677	 Visit on first Thursday of reference period
		1,598	11. Visit on first Wednesday of reference period
		1,660	12. Visit on first Tuesday of reference period
		1,848	13. Visit on first Monday of reference period
		4,700	14. No value (records not coded 01-31 in

Day of Month of Visit)

99	Recode		DAY OF	WEEK OF VISIT
		4,040	1.	Monday
		3,692	2.	Tuesday
		3,638	3.	Wednesday
		3,711	4.	Thursday
		4,026	5.	Friday
		1,037	6.	
		468	7.	
		4,700	8.	Unknown
1			- 89	_
				TAPE RECORDS
		DOC	TOR VISIT	RECORD
Tape				
Locations	Item No.	Frequency		Items and Codes
100	Recode		WEEK OF	VISIT
		13,483	1.	
		11,643	2.	Week before
		186	3.	During 2 weeks, DK when
101-102			PLACE O	F VISIT
		2,952	01.	Telephone
				Hospital
		0.01		
		881	02.	
		14,963	03. 04.	
		341 1,544	05.	1 2
		107	06.	
		474	07.	
			In Hosp	ital
		1,907	08.	
		969	09.	
		582	10.	
		161	11.	
		245	12.	
		186	13.	Unknown
103	Recode		PLACE O	F VISIT
		2,952	1.	Telephone
		14,963	2.	Doctor's office (not in hospital)
		TT, 703	۷.	Poccor a office (not in nospical)

3.	Hospital Outpatient clinic
4.	Hospital Emergency Room
5.	Doctor's office in hospital
6.	Company or Industry clinic
7.	Home
8.	Other place (Loc. 101-102 = 5,6,7,11,12)
9.	Unknown
	4. 5. 6. 7. 8.

- 90 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
104	F-3		MEDICAL DOCTOR ACTUALLY TALKED TO
		19,012 5,944 356	1. Yes 2. No 3. Unknown
105-106	F-3		KIND OF MEDICAL DOCTOR FOR THIS DOCTOR VISIT/CONTACT
		1,687 9,355 25 475 2,769 401 1,574 817 1,355 136 449 1 2,167 16 442 489 584 472 205 298 36 1,465 94	00. M.D., DK if G.P. or specialist 01. General practitioner 02. Anesthesiologist 03. Dermatologist 04. Internist 05. Neurologist 06. Obstetrician/Gynecologist 07. Ophthalmologist 08. Orthopedist 09. Osteopath 10. Otolaryngologist 11. Pathologist 12. Pediatrician 13. Proctologist 14. Psychiatrist 15. Radiologist 16. Surgeon (not listed above) 18. Urologist 19. Other M.D. specialist 20. Specialist, DK kind 21. Family Practice (specialist) 22. DK if medical doctor Blank. Not applicable; no medical doctor reported for this visit/contact

1 - 91 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		81 88 2,668 211 6 651 9 14 132 124 34 49 846 218 8 128 8 128 8 129 14 132 124 124 124 124 124 125 126 127 128 128 128 128 128 128 128 128	31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. Blank.	Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist Naprapath Orthoptic technician/Orthopist

1 - 92 -

Tape Locations	Item No.	Frequency	Items and Codes
109-110	F-3		TYPE OF PERSON TALKED TO/SEEN
		769 7,809 21 432 2,124 300 1,324 778 939 110	00. M.D., DK if G.P. or specialist 01. General practitioner 02. Anesthesiologist 03. Dermatologist 04. Internist 05. Neurologist 06. Obstetrician/Gynecologist 07. Ophthalmologist 08. Orthopedist 09. Osteopath

372 0		Otolaryngologist
-		Pathologist Pediatrician
1,865 15		
356		Proctologist
		Psychiatrist
396		Radiologist
496		Surgeon (not listed above)
372		Urologist
151		Other M.D. specialist
239		Specialist, DK kind
28		Family Practice (specialist)
81		Nurse practitioner
88		Physician's assistant
2,668		Nurse
211		Laboratory technician
6		Paramedic
651	36.	Physical therapist
9		Social worker
14	38.	Pharmacist
132	39.	X-ray technician
124	40.	Other technician
34	41.	Dentist/Oral surgeon
49	42.	Optometrist/Optician
846	43.	Chiropractor
218	44.	Foot specialist
8	45.	Dietician
128	46.	Psychologist
8	47.	Nutritionist
1	48.	Naprapath
0	49.	Orthoptic technician/Orthoptist
402	50.	
622	51.	
		assistant
116	52.	Unknown if MD

1 - 93 -

Tape Locations	Item No.	Frequency		Items and Codes
111-161			CONDITI	ONS FOR WHICH DOCTOR VISITED
111-127			CONDITI	CON NO. 1
111-112	F-4		SERIAL	NUMBER
			01-99. Blank.	Condition Serial Number
113-116	Condition Record		ICD/NHI	S CODE
	Record	234 20,696 4,382	0000. Blank.	No matched condition record ICD/NHIS Code (note Unknown = 7999) No condition for this visit

117	Condition Record		CHRONIC/A	CUTE CODE
	Record	234 12,714 7,982 4,382	1. C 2. A	o matched condition record hronic cute o condition for this visit
118-121	Condition Record		ACUTE REC	ODE (A)
		234 7,204 778 17,096	1001-5931	 No matched condition record Acute Recode All other acute conditions including unknowns Chronic condition or no
condition		·		for this visit
122-124	Condition Record		CHRONIC R	ECODE (C)
		234 9,558 3,156	101-615.	No matched condition record Chronic Recode All other chronic conditions including unknowns
for		12,364	Blank.	Acute condition or no condition
				this visit
125-127	Condition Record		CONDITION	RECODE (B)
		234 20,521 175	010-570.	No matched condition record Condition recode All other conditions including unknown
1		4,382	Blank. - 94 -	No condition for this visit

Item No.	Frequency		Items and Codes
		CONDITI	ONS FOR WHICH DOCTOR VISITED -
		CONDITI	ON NO. 2
F-4		SERIAL	NUMBER
		01-99. Blank.	Condition Serial Number
Condition		ICD/NHI	S CODE
needla	60 3,254 21,998	0000. Blank.	No matched condition record ICD/NHIS Code (note Unknown = 7999) No condition for this visit
	F-4	F-4 Condition Record 60 3,254	CONDITI CONDITI F-4 SERIAL 01-99. Blank. Condition Record 60 3,254

134	Condition Record		CHRONIC/A	CUTE CODE
	Record	60 2,388 866 21,998	1. C 2. A	o matched condition record hronic cute o condition for this visit
135-138	Condition Record		ACUTE REC	ODE (A)
	Record	60 738 128 24,386	1001-5931	 No matched condition record Acute Recode All other acute conditions including unknowns Chronic condition or no
condition				for this visit
139-141	Condition Record		CHRONIC R	ECODE (C)
		60 1,860 528		No matched condition record Chronic Recode All other chronic conditions including unknowns
for		22,864	Blank.	Acute condition or no condition
				this visit
142-144	Condition Record		CONDITION	RECODE (B)
		60 3,229 25	010-570.	No matched condition record Condition recode All other conditions including unknown
1		21,998	Blank. - 95 -	No condition for this visit

Tape Locations	Item No.	Frequency		Items and Codes
111-161 cont			CONDITI	ONS FOR WHICH DOCTOR VISITED -
145-161			CONDITI	ON NO. 3
145-146	F-4		SERIAL	NUMBER
			01-99. Blank.	Condition Serial Number
147-150	Condition Record		ICD/NHI	S CODE
	necet u	11 762 24,539	0000. Blank.	No matched condition record ICD/NHIS Code (note Unknown = 7999) No condition for this visit

151	Condition Record		CHRONIC/A	CUTE CODE
	Record	11 618 144 24,539	1. C 2. A	o matched condition record hronic cute o condition for this visit
152-155	Condition Record		ACUTE REC	ODE (A)
	Redozu	11 113 31	0000 1001-5931 5932	. Acute Recode
condition		25,157	Blank	. Chronic condition or no
Condition				for this visit
156-158	Condition Record		CHRONIC R	ECODE (C)
		11 489 129 24,683	000. 101-615. 999. Blank.	Chronic Recode All other chronic conditions including unknowns Acute condition or no condition
				for this visit
159-161	Condition Record		CONDITION	RECODE (B)
		11 760 2	000. 010-570. 990.	Condition recode
		24,539	Blank.	No condition for this visit
1			- 96 -	

Tape			
Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		960	1. Yes
		20,588	2. No
		812	3. Unknown
		2,952	Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE
163-164			OPERATION NO. 1
			See Appendix E

165-166			OPERATI(ON NO. 2
			See Appe	endiv F
167-168				ON NO. 3
10/-100				
			See Appe	endix E
169-177			BLANK	
178	Master Record		TYPE OF	SUBSTRATUM
	Record	3,265	0	Permit
		2,398		Area, oversampled for blacks
		19,649		Area, not oversampled for blacks
179-181			FULL SA	MPLE STRATUM IDENTIFIER
182	Master		REGION	
	Record			
		4,947	1.	Northeast
		6,215		Midwest
		8,686	3.	South
		5,464	4.	
183	Master Record		GEOGRAPI	HIC DISTRIBUTION
			MSA Size	e
		10,926	1.	1,000,000 or more
		7,105		250,000 - 999,999
		1,513		100,000 - 249,999
		322		Under 100,000
		5,446	Blank.	Non-MSA
L			- 97 -	_
				TAPE RECORDS
		DOC	TOR VISIT	RECORD
Tape Locations	Item No.	Frequency		Items and Codes
184			BLANK	
101				
185	Master		TYPE OF	PSU
_00	Record			
		14,106	1.	MSA - Self-representing

		5,760 0 5,446	 MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		8,289 11,577 5,239 207	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUA1 (WT/2)
219-227			ANNUAL (WT/4)
1			- 98 -
			BLIC USE TAPE RECORDS TOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
237-335			BLANK
1			- 99 -

HOSPITAL RECORD

1NOTES: 1

- 101 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 12,524HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	12,524	RECORD TYPE 50. Hospital Record
		, 	
3-4	-		PROCESSING YEAR
		12,524	90. 1990
5	-		PROCESSING QUARTER
		2,846 3,221 3,281 3,176	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	НН-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07

```
08, 28, 48, 68, 88 ... Week 08
09, 29, 49, 69, 89 ... Week 09
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		HOSPITAL SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)
		694 960	01. Week 01 02. Week 02
		986 946	03. Week 03 04. Week 04
		1,167 1,004	05. Week 05 06. Week 06
		950 962	07. Week 07 08. Week 08
		918 1,003 941	09. Week 09 10. Week 10 11. Week 11

		1,005 988		Teek 12 Teek 13
21			LATE I	NTERVIEW (OR LAST ATTEMPT) FLAG
		8,609 3,220 507 188	1. O 2. T	interview not late one week late owo weeks late onknown
1			- 103	
			BLIC USE OSPITAL	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	It	ems and Codes
22-23	HH-10d		TYPE C	F LIVING QUARTERS:
			Housin	g Unit = (00-07)
		117 11,565 8		Housing unit; kind unknownHouse, apartment, flatHU in nontransient hotel, motel, etc.
		0	03	
		10 629	04 05	. HU in rooming house
		138 7	06	. Mobile home or trailer with one or more permanent rooms added
		7		. HU not specified above Unit = (08-13)
		13	08	
		0	09	
		1	10	<u>-</u>
		16	11	_
		20 0	12 13	±
24	нн-11		HAS TE	LEPHONE
		11,253 271	1. 2.	. 1

		950 50	3. 4.	No Unknown	
25	A-1		SEX		
		4,900 7,624	1. 2.	Male Female	
26	-		BLANK		
1			- 104	_	
			BLIC USE OSPITAL R	TAPE RECORDS ECORD	
Tape Locations	Item No.	Frequency	Ite	ms and Codes	
27-28	Person Column		AGE		
		284 12,229 11	00. 01-98. 99.	-	
29	Recode		AGE REC	ODE #1	
		713 760 1,218 3,623 2,812 947 852 1,599	1. 2. 3. 4. 5. 6. 7. 8.	Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years 75 years and over	
30	Recode		AGE REC	ODE #2	
		766 597 1,328 2,116 1,507 1,244 1,568 1,799 1,599	1. 2. 3. 4. 5. 6. 7. 8. 9.	Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years 65-74 years 75 years and over	

31-32	Recode		AGE RECODE #3
		577 11,947	00-35. Months 36. Over 3 years
33	_		BLANK
1			- 105 -
			LIC USE TAPE RECORDS SPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1991. 1900-1991 9999. DK or refused
40-41			BLANK
42	L-3	117 140 2,108 9,949 122 7	MAIN RACIAL BACKGROUND - Reported (See notation for locations 43-45) 1. Aleut, Eskimo, or American Indian 2. Asian/Pacific Islander 3. Black 4. White 5. Other 6. Multiple race 7. Unknown

NHIS PUBLIC USE TAPE RECORDS

- 106 -

HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes	
43-45	Recode		RACE RE	CODES	
43			RECODE	1	Persons whose Main
					Racial Background
		10,151	1.		(location 42) was
		2,112 261	2. 3.	Black Other	"other" or "unknown" were classified in the
		201	٥.	Other	following recodes by
44			RECODE	2	using the racial background observed by
- E		10,151	1.	White	the interviewer. Use
of		2,373	2.	Non-white	these recodes is recommended for
45			RECODE	3	estimating statistics for the groups shown
		2,112	1.	Black	here.
		10,412	2.	Non-black	
46-47	L-4		HISPANIO	C ORIGIN	
		13	00.	Multiple Hi	spanic
		152	01.		
		46	02.		
		222	03.		
		239	04.		rican
		16	05.		-
		90 108	06. 07.		
		28	07.		
		105	00.		cype Spanish origin
		11,505	10.		
				_	
48	L-7			_ STATUS	
48	L-7	1.147	MARITAI		ars
48	L-7	1,147 6,949		Under 14 ye	
48	L-7	1,147 6,949 117	MARITAI	Under 14 ye Married - s	ars pouse in household pouse not in household
48	L-7	6,949	MARITAI 0. 1.	Under 14 ye Married - s Married - s	pouse in household
48	L-7	6,949 117	MARITAI 0. 1. 2. 3. 4.	Under 14 ye Married - s Married - s Widowed Divorced	pouse in household
48	L-7	6,949 117 1,526 863 350	MARITAI 0. 1. 2. 3. 4.	Under 14 ye Married - s Married - s Widowed	pouse in household
48	L-7	6,949 117 1,526 863	MARITAI 0. 1. 2. 3. 4.	Under 14 ye Married - s Married - s Widowed Divorced Separated	pouse in household pouse not in household

- 107 -

HOSPITAL RECORD

A9	Tape Locations	Item No.	Frequency	Items and Codes
13 2. WW I 936 3. WW II 323 4. Korean War 345 5. Vietnam veteran 88 6. Post-Vietnam 197 7. Other service 24 8. Served in Armed Forces, unknown if war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age 50 L-1 ACTIVE GUARD/RESERVE STATUS FOR PERSONS OF ACTIVE DUTY IN ARMED FORCES 8,973 0. Non-veteran 81 1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 349 37. 5 years 3410 18. 6 years or more 340 3410	49	L-1		VETERAN STATUS
13 2. WW I 936 3. WW II 323 4. Korean War 345 5. Vietnam veteran 88 6. Post-Vietnam 197 7. Other service 24 8. Served in Armed Forces, unknown if war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age 50 L-1 ACTIVE GUARD/RESERVE STATUS FOR PERSONS OF ACTIVE DUTY IN ARMED FORCES 8,973 0. Non-veteran 81 1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 349 37. 5 years 3410 18. 6 years or more 340 3410			8,973	1. Non-veteran
323 4. Korean War 345 5. Vietnam veteran 88 6. Post-Vietnam 197 7. Other service 24 8. Served in Armed Forces, unknown in war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age 50 L-1 ACTIVE GUARD/RESERVE STATUS FOR PERSONS OF ACTIVE DUTY IN ARMED FORCES 8,973 0. Non-veteran 81 1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Armer Forces 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 349 17. 5 years 410 18. 6 years or more 10 Unknown				2. WW I
345 5. Vietnam veteran 6. Post-Vietnam 197 7. Other service 24 8. Served in Armed Forces, unknown in war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age			936	3. WW II
88			323	4. Korean War
197 7. Other service 8. Served in Armed Forces, unknown is war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age			345	5. Vietnam veteran
Served in Armed Forces, unknown in war veteran 152 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age			88	6. Post-Vietnam
### War veteran 9. Unknown if served in Armed Forces 1,473 Blank. Under 18 years of age 50 L-1 ACTIVE GUARD/RESERVE STATUS FOR PERSONS OF ACTIVE DUTY IN ARMED FORCES 8,973 0. Non-veteran 1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Arme Forces 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 349 17. 5 years 410 18. 6 years or more 168 19. Unknown 19. Unknown 19. Example 19. Unknown 10. Example 19. Unknown 10. Example 19. Unknown 10. Example 19. Unknown 10. Example 10. E			197	7. Other service
152			24	
1,473 Blank. Under 18 years of age			152	
ACTIVE DUTY IN ARMED FORCES				
1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Arms Forces 1,473 Blank. Under 18 years of age	50	L-1		
1. All service in Guard/Reserve 300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Arms Forces 1,473 Blank. Under 18 years of age			8.973	0. Non-veteran
300 2. Some service in Guard/Reserve 3 3. Unknown if all service in Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Armore Forces 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 348 15. 3 years 348 15. 3 years 357 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown				
Guard/Reserve 1,446 4. No active service in Guard/Reserve 248 5. Unknown if ever active member in Guard/Reserve or if served in Arme Forces 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown			300	
1,446			3	
5. Unknown if ever active member in Guard/Reserve or if served in Armore Forces 1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 348 15. 3 years 16. 4 years 159 17. 5 years 160 18. 6 years or more 168 19. Unknown			1,446	4. No active service in Guard/Reserv
1,473 Blank. Under 18 years of age 51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 348 15. 3 years 159 17. 5 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown				Guard/Reserve or if served in Arm
51-52 L-2 EDUCATION OF INDIVIDUAL - COMPLETED YEARS 218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 15. 3 years 16. 4 years 15. 5 years 15. 5 years 16. 6 years or more 168 19. Unknown			1 472	
218 00. Never attended; kindergarten only 8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown			1,4/3	Blank. Under 18 years of age
8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown	51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
8,160 01-12. Grades 1-12 College: 648 13. 1 year 843 14. 2 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown			218	00 Never attended; kindergarten onl
648 13. 1 year 843 14. 2 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown			_	
843 14. 2 years 348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown				College:
348 15. 3 years 857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown				
857 16. 4 years 159 17. 5 years 410 18. 6 years or more 168 19. Unknown				<u>-</u>
159 17. 5 years 410 18. 6 years or more 168 19. Unknown				2
410 18. 6 years or more 168 19. Unknown				<u>-</u>
168 19. Unknown				<u>-</u>
				2
ALA DIGUK HUMERA VEGES OF GOE				

1 - 108 -

Tape Locations 53	Item No.	Frequency	Items and Codes
53			
	Recode		EDUCATION OF INDIVIDUAL RECODE
		218	0. None; kindergarten only
		2,142	1. 1-8 years (elementary)
		1,980	2. 9-11 years (high school)
		4,038	3. 12 years (high school graduate)
		1,839	4. 1-3 years (college)
		857	4 years (college graduate)
		569	<pre>6. 5+ years (post-college)</pre>
		168	7. Unknown
		713	Blank. Under 5 years of age
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)
			1111111 1111111 (200411)
		38	00. Never attended; kindergarten only
		7,378	01-12. Grades 1-12
			College:
		821	13. 1 year
		1,239	14. 2 years
		511	15. 3 years
		1,339	16. 4 years
		284	17. 5 years
		827	18. 6 years or more 19. Unknown
		87	19. Unknown
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER RECODE
		38	0. None; kindergarten only
		1,102	1. 1-8 years (elementary)
		1,620	2. 9-11 years (high school)
		4,656	3. 12 years (high school graduate)
		2,571	4. 1-3 years (college)
		1,339	5. 4 years (college graduate)
		1,111	6. 5+ years (post-college)
		87	7. Unknown
			- 109 -

- 109 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		5,831	1. Less than \$20,000
		6,336	2. \$20,000 or more
		357	3. Unknown
58-59	L-8		FAMILY INCOME
		79	00. Less than \$1,000
		97	01. \$ 1,000 - \$ 1,999
		105	02. 2,000 - 2,999
		155	03. 3,000 - 3,999
		292	04. 4,000 - 4,999
		255	05. 5,000 - 5,999
		312	06. 6,000 - 6,999
		253	07. 7,000 - 7,999
		243 278	08. 8,000 - 8,999
		318	09. 9,000 - 9,999 10. 10,000 - 10,999
		242	11. 11,000 - 11,999
		354	12. 12,000 - 12,999
		239	13. 13,000 - 13,999
		191	14. 14,000 - 14,999
		294	15. 15,000 - 15,999
		209	16. 16,000 - 16,999
		235	17. 17,000 - 17,999
		259	18. 18,000 - 18,999
		318	19. 19,000 - 19,999
		872	20. 20,000 - 24,999
		818	21. 25,000 - 29,999
		737	22. 30,000 - 34,999
		575 480	23. 35,000 - 39,999
		480 418	24. 40,000 - 44,999 25. 45,000 - 49,999
		1,658	25. 45,000 - 49,999 26. \$50,000 and over
		2,238	27. Unknown
			110
_			- 110 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
		I.	MOSTIAL KECOKD

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		728 567 774	0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999

	1,344 1,315 872 1,555 1,473 1,658 2,238	4. 15 5. 20 6. 25 7. 35 8. \$50	0,000 - 14,999 5,000 - 19,999 0,000 - 24,999 5,000 - 34,999 0,000 or more
61	Generated	NHIS POVERT	TY INDEX*
	9,166 1,893 1,465	2. Bel	ove poverty threshold low poverty threshold known
62-63		FAMILY RELA	ATIONSHIP
62	A-2	TYPE OF FAM	MILY
	1,829 84 10,591 20	Sec 0. Pri	mary individual condary individual mary family condary family
63	A-2	RELATIONSHI	IP TO REFERENCE PERSON
	1,775 4,500	0. Ref	Terence person, living alone Terence person, 2+ persons in usehold
	3,521		ouse, other spouse NOT in Armed ces and living at home
	65		ouse, other spouse IN Armed Forces living at home
	1,939 172	3. Chi 4. Gra	ald of reference person or spouse andchild of reference person or buse
	285 266 1 0	5. Par 6. Oth 7. Chi	rent of reference person or spouse her relative ald of ineligible reference person or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1989 poverty levels derived from the August, 1990 Current Population Survey.

1 - 111 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes

	1,775 138 6,940 3,671	2. 3.	Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated	SIZE OF	FAMILY*
		Unrelat	ed individuals are coded 01
67	Generated	SIZE OF	FAMILY RECODE
		1-8	. Number of members . 9+ members
68	A-2		OTHER ADULT RELATIVE (under 25 years never married)
	1,014 442		Both parents, no other relative Mother only
	20 101		Father only Both parents and other 21+ year old adult relative
	163	5.	Mother and other 21+ year old adult relative
	9		Father and other 21+ year old adult relative
adult	29	7.	No parent, but one 21+ year old relative
	37	8.	No parent, but two or more 21+ year old adult relatives
	63		Unknown
	139 10,507		Other Not applicable (25+ years old or
ever			married)

^{*}Count includes spouse in military but living at home.

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		4,097 3,196 310	 Working Keeping house Going to school

^{- 112 -}

		3,333 115 1,473	4. 5. Blank.	Unknown
70	G-4		HEALTH	STATUS
		2,191 2,411 3,419 2,303	1. 2. 3. 4.	Good
		2,159 41	5. 6.	
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
activity		2,827 1,631	1. 2.	Unable to perform major activity Limited in kind/amount major
accivity		1,097 6,969	3. 4.	
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		2,326 711 592 4,971 3,924	1. 2. 3. 4. Blank.	Limited in kind/amount of work Limited in other activities.
73	B-11		LIMITAT	TION OF SCHOOL ACTIVITIES (5-17 years)
		48 94 12 30 34 542 11,764	1. 2. 3. 4. 5. 6. Blank.	Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities
1			- 113	
			BLIC USE OSPITAL F	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	Ite	ems and Codes

old	74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
oid				and limited, or age 60-69 years)*
need	la.		506	1. Unable to perform personal care
need	ıs		671	2. Limited in performing other routine needs
or			3,221	3. Not limited in performing personal
Of			19 8,107	routine needs 4. Unkown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
year	75 `s)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
				In the Labor Force: (1-7)
				Comment las application (1, 2)
			3,744	Currently employed: (1-3) 1. Worked in past 2 weeks
off			442	2. Did not work, has job; not on lay-
OII			4	and not looking for work3. Did not work, has job; looking for work
				Unemployed: (4-7)
			30	4. Did not work, has job; on lay-off
			8	5. Did not work, has job; on lay-off
and			J	5. Pla not worm, nas jost on la, orr
			98	looking for work6. Did not work, has job; unknown if looking or on lay-off
			232	7. Did not work, has no job; looking
for			252	Did not work, has no job, tooking
				work or on lay-off
				Not in Labor Force (18+ years): (8)
			6,493	8. Not in Labor Force (18+ years)
			1,473	Blank. Not applicable (Under 18 years old)
*Fo	r perso	ons 70+	years, codes 1	and 2 in loc. 71 correspond to codes 1 and 2 in

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1 - 114 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER

		6,493 3,194	 Not in labor force Private company
		152 190	 Federal Government employee State Government employee
		415 117	4. Local Government employee5. Incorporated business
		359	6. Self-employed
		13 6	7. Without pay8. Never worked
		112 1,473	9. Unknown Blank. Under 18
		_, _,	
77-79	L-6		INDUSTRY DETAIL CODE
		4,558	010-996. Code number
		7,966	Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		4,558	003-999. Code number
		7,966	Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 115 -
			BLIC USE TAPE RECORDS DSPITAL RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		1,363	0. Under 17

		7,875 721 2,474 91		Self-partly Proxy
92	Recode		CONDITI	ON LIST ASSIGNED AND ASKED
		2,115	1.	Musculoskeletal
		1,998	2.	· ±
		2,029	3.	, 5
		2,153	4.	·
		2,078 2,092	5. 6.	,
		59	7.	
93-94	Recode			L EPISODE NUMBER FOR SHORT-STAY LS IN PAST YEAR
		10.000	0.5	,
		12,303 221		Number Long-stay hospitals
		221	brank.	nong stay nospitais
1			- 116	
			JBLIC USE IOSPITAL R	TAPE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
95-96	J-6		TYPE OF	SERVICE
		11,520 69 0 32 12 179 6 0 2 74 0 145	01. 02. 03. 04. 06. 07. 08. 09. 10. 11. 12. 89. 90.	Tuberculosis Maternity Ear, Eye, Nose and Throat Children's Orthopedic Contagious Disease Chronic Disease Hospital department of institution All other In index, unknown type

26

30

nights in hospital

92. DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)

93. Hospitalized in Foreign Country,

		0 16 14 399	care homes 95. Nursing hor 98. Osteopathic	rsonal, and domiciliary me, assumed from title
97	Recode		RECODE FOR TYPE OF S	SERVICE
		12,303		nospitals (Codes 01, 04,
		191	2. Long-stay ho	89, 90, 98, 99) espitals (Codes 02, 03,
		30	08, 09, 10, 3. Not in index	12, 92, 94, 95) c (Code 93)
1			- 117 -	
			C USE TAPE RECORDS	
Tape Locations	Item No.	Frequency	Items and Codes	
98-99	J-6		TYPE OF OWNERSHIP	
		327 480 265 25 663	Governmental, no 12. State 13. County 14. City 15. City-county 16. Hospita	
		2,180 6,459 0	23. Other r	operated or related nonprofit
		5 58 1,124 0		
		33 43 26 0 15 191 0	71. Public	nent of Defense, N.O.S. Health Service ns Administration

Country, title		0 145 26 30 16 14 399	5. All	92. 93. 95. 98. 99.	In index, unknown type DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital) DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital) Hospitalized in Foreign not in index Nursing home, assumed from Osteopathic
		NHIS PUE	BLIC USE		RECORDS
			SPITAL R		
Tape Locations	Item No.	Frequency	Ite	ems ar	nd Codes
100-105	J-2		DATE OF	' ADMI	SSION
100-101			MONTH		
		1,065 980 1,037 1,049 1,052 1,048 1,078 1,002 982 1,122 1,075 1,034	01. 02. 03. 04. 05. 06. 07. 08. 09. 10.	Fek Mar Apr May Jur Jul Aug Ser Oct	ril Zue
102-103			DAY OF	MONTH	I
			01-31.	Day	of month
104-105			YEAR		
		0 1 5 5,719 6,795 4	86 87 88 89 90	7. 19 8. 19 9. 19	986 987 988 989 990

Derived		NUMERICAL VALUE OF DATE OF ADMISSION
		0001-1839. Date Values
Derived		ADMISSION RECODE
	525 11,682 317	 Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months
		- 119 -
		BLIC USE TAPE RECORDS OSPITAL RECORD
Item No.	Frequency	Items and Codes
Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW
	12,524 0	1468-1839. Values 9999. Unknown
Derived		DERIVED DATE OF DISCHARGE
	12,524 0	0002-1839. Values 9999. Unknown
Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
		000-365. Number of nights
Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
		00-14. Number of nights
Derived		J - VALUE
	74 12,450	Blank. Negative value 000-364. Value
	Derived Derived Derived	Derived 11,682 317 NHIS PU H Item No. Frequency Derived 12,524 0 Derived 12,524 0 Derived Derived 12,7524 0

127	Recode		J - RECODE
		74 675 6,125	 Still in hospital Discharges past 2 weeks (000-013) Discharges in 2 weeks to 6 months (014-181)
		5,650	3. Discharges in 6-12 months (182-364)
128-131	J-3		TOTAL NIGHTS IN HOSPITAL
			0001-1839. Nights
1			- 120 -
			LIC USE TAPE RECORDS SPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*
		6,679 5,845	1. Yes 2. No
133	J-5		OPERATION PERFORMED DURING STAY
		6,278 6,062 184	1. Yes 2. No 3. Unknown
134-139	J-5		OPERATION CODES (See Appendix E)
134-135			OPERATION NUMBER 1
		6,278 6,246	00-99. Blank.
136-137			OPERATION NUMBER 2
		572 11,952	00-99. Blank.
138-139			OPERATION NUMBER 3
		67 12,457	00-99. Blank.

140-144			BLANK
145	Recode		HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital)
		1,729 10,795	1. Yes, delivery 2. No
*Use weigh	t field 21	0-218 for ann	ual estimate. - 121 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
146-177			BLANK
178	Master Record		TYPE OF SUBSTRATUM
	Record	1,288 1,473 9,763	 Permit Area, oversampled for blacks Area, not oversampled for blacks
179-181	_		FULL SAMPLE STRATUM IDENTIFIER
182	Master Record		REGION
	VECOLA	2,481 3,218 4,707 2,118	 Northeast Midwest South West
183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size
		4,960 3,240 775	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999

187 4. Under 100,000 3,362 Blank. Non-MSA

184 BLANK

1 - 122 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
185	Master Record	6,385 2,777 0 3,362	TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode	3,972 5,190 3,206 156	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218*			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)

6.5 WEIGHT

 ${}^{\star}\text{Use}$ these locations for estimates of hospital discharges and days based on a 6-month period. 1

- 123 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
237-245			ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254			QUARTER
255-263			SEMI-ANNUAL
264-272			ANNUAL
-			
			ESTIMATED TOTAL NIGHTS IN HOSPITAL
273-281			QUARTER
282-290*			SEMI-ANNUAL
291-299			ANNUAL
300-335			BLANK

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1NOTES:

- 125 -1

DIAGNOSTIC RECODES

1NOTES:

1

- 127 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982. 1NOTES:

1

Recode

- 129 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105	Common Cold	460

2106	Other Acute Upper Respiratory Infections	461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411	Dental Conditions	520. ,6-9, 521. ,0-5,7-9, 522, 523, 525
3412 3413	Indigestion, Nausea and Vomiting Other Digestive Conditions	536.8, 787.0 (520-579, and 787, except for above)*
	INJURIES	
4514 4515 4516 4517 4518	Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries	800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

- 130 -

1

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes	
	ALL OTHER ACUTE CONDITIONS		
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 379. ,0,1,3,4,8,9	
5620	Acute Ear Infections	380.1, 381, 382,	

		383. ,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8, 384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595. ,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598.,1-9, 599.,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709
1	- 131 -	/ - / - / - / - / - / - / - / - / -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS (Continued)
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

*Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS

**NHIS codes tension headache to 784.0 1NOTES:

1 - 133 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982. 1NOTES:

- 135 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
01		Intestinal Infectious Diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0

	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
1	029	Residual - 136 -	017, 018, 019-A

National Health Interview Survey
Diagnostic Recode B

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaenia	038

	039	Residual		021, 022, 024-027, 031, 039-041
04		Viral Diseases		045-057, 060-066, 070-079
	040	Acute poliomyel	itis	045
	041	Smallpox		050
	042	Measles		055
	043	Rubella		056
	044	Yellow fever		060
	045	Arthropod-borne	e encephalitis	062-064
	046	Viral hepatitis	3	070
	047	Rabies		071
	048	Trachoma		076
	049	Residual		046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079
1			- 137 -	000, 0.2 0.0, 0.7 079

National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other Infectious and Parasitic	100-104, 110-112,

		Diseases and Late Effects of Infectious and Parasitic Diseases	114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
1	079	Residual - 138 -	130-136

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm or small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165

	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
1	109	Residual - 139 -	160, 163-165

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191
_	139	Residual - 140 -	190, 192-199

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279
		- 141 -	,,

2-digit 3-digit		NHIS Diagnostic
Recode Recode	Category	Code Inclusions

19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	296
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14
1		- 142 -	

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
22	Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1-

		8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
220	Meningitis	320, 322
221	Parkinson's disease	332
222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
223	Multiple sclerosis	340
224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
225	Epilepsy	345
229	Residual	323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359, X41.1-8,.X,.Y, X61***

^{*}Excludes .0

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	X00*
	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377,

^{***}Includes all 4th digits except .9
- 143 -

			379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, X06, X07, X09)*
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398
	259	Residual	399-A

*Excludes .0

- 144 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430

291	Intracerebral and other intracranial haemorrhage	431, 432
292	Cerebral infarction	433, 434
294	Cerebral atherosclerosis	437.0
299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9

1 - 145 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Hemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory infections	460-462, 465
	313	Deflected nasal septum and nasal polyps	470, 471
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
	315	Chronic diseases of tonsils and adenoids	474

- 146 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
32		Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
	320	Acute bronchitis and bronchiolitis	466
	321	Pheumonia	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pheumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,6-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,6-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

^{***}Includes all 4th digits except .9
1 - 147 -

2-digit	3-digit	Category	NHIS Diagnostic
Recode	Recode		Code Inclusions
34		Diseases of Other Parts of the	530-537, 540-543,

		Digestive System	550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35	Diseases	s of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

***Includes all 4th digits except .9
- 148 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605

	363	Infertility, male	606
608	369	Residual	601, 602, 604, 607,
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639

***Includes all 4th digits except .9
- 149 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660

	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709
1		- 150 -	074 090, 100-109

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
43		Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
	430	Rheumatoid arthritis, except spine	714
	431	Other arthropathies	710-712, 715, 716
	432	Other disorders of joints	717-719
	433	Ankylosing spondylitis	720.0
	434	Other dorsopathies	720.1-724, X80
	435	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
	436	Osteomyelitis, periostitis and other infections involving bone	730
	437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***

***Includes all 4th digits except .9
1 - 151 -

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9,744.4, 745-748,750.2-9, 751,752,753.1-9, 754.0,1,756.4-9, 757,758.1-9,759.0- 6,8,(x20-x29,x33- x35,x70,x73,x74, x76-x78,x93)**, x71.9,x75.9, (x30-x32,x79, x90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751
	445	Undescended testicle	752.5
	446	Congenital dislocation of hip	X75.9
	447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
	449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)**

^{**}Includes 4th digit .9 only.

Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, X61.9
	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
	462	Renal colic	788.0
	463	Retention of urine	788.2
	464	Abdominal pain	789.0
	465	Senility without mention of psychosis	797
	467	Respiratory failure	799.1
_	469	Residual	780.0-5,7-9, 781.0-
,6,			7,9, 782, 783.0,2-6,9 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-
,9,			790-796, 799.0,2-
,8,9,			799.5-A, X11, X12
		- 153 -	

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813
	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)****
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, X00.0, X05.0, X08.0
	499	Residual	860-869, 952-957, (X42-X49,X51-X60, X63, X64)***

****Includes 4th digit .0 only.

- 154 -

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
50	Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
500	Open wound of eye, ear and head	870-873****
501	Open wound of upper limb	880-884

	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

^{*****871.3} is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of	905.0-5, 906, 907, 908.0-5,9, 909.2,4

^{*****}Anything classifiable to 960-978 is coded by NHIS to 977.9.

^{******}Anything classifiable to 980-987 is coded by NHIS to 989.9. - 155 -

other external causes

57		Present Effects of Injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes

1NOTES:

1 - 157 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982. 1NOTES:

1 - 159 -

Revised April 30, 1983

Recode	I	CD Inclusio	n as modified
Number	Title	by th	e NHIS

101	Arthritis	711. ,0,9, 712. ,8,9, 714-716, 720.0, 721
102	Rheumatism, unspecified	729.0
103	Gout, including gouty arthritis	274
104	Sciatica (including lumbago)	724.2,3
105	Intervertebral disc disorders	722
106	Bone spur/tendinitis NOS	726. ,9
107	Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108	Bunion	727.1
109	Bursitis, NEC	726.0-8, 727. ,0,2-9
110	Sebaceous skin cyst	706.2
111	Acne	706.0,1
112	Psoriasis	696
113	Dermatitis	690-694 (693.2 NHIS code)
114	Dry (itching) skin NEC	698.9
115	Chronic ulcer of skin	707
116	Ingrown nails	703.0
117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119 1	Malignant neoplasms of the skin - 160 -	172, 173

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS	
201	Blind - Both eyes	X00
202	Other Visual Impairment	X01-X03
203	Deaf - Both ears	x05
204	Other Hearing Impairments	x06-x09

205 206	Stammering and Stuttering Other Speech Impairments	X10 X11
207	Impairment of Sensation	X12
208	Mental Retardation	X19
209 210 211	Absence Upper Extremities Both Arms/Hands One Hand/Arm Fingers - One or Both Hands	X20,X21 X23,X24 X22,X25
212 213	Absence Lower Extremities One or Both Legs Feet/Toes - One or Both Limbs	X26,X28 X27,X29
214 215 216 217	Absence Lung Kidney Breast Bone, Joint, Muscle of extremity	X30 X31 X32 X34
218	Tips of Fingers, Toes	X35
219 220 221 222	Paralysis of Extremities - Complete Entire Body One Side of Body - Hemiplegia Both Legs - Paraplegia Other paralysis	X40 X41 X46 X42-X45, X47-X49
223 224 225 226	Paralysis of Extremities - Partial Cerebral Palsy One Side of Body Only - Hemiparesis Legs - Both or Paraparesis Other paralysis - 161 -	X50 X51 X56 X52-X55, X57-X59

Revised June 12, 1984

Recode Number	Title	CD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial - Other site	x60-x64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of	
000	<u>-</u>	==: *
	± ±	
230	Spina Bifida	X71
	Other Upper Extremities	
231		x74
232	Orthopedic Impairment - Shoulder	
229 230 231	back or spine Orthopedic Impairment Spina Bifida Other Upper Extremities Hands, Fingers only	X70 X80 X71 X74 X84

233	Other	X73
234 235 236	Lower Extremities Flatfeet Clubfoot Other	X77 X78 X75,X76,X85,X86
237	Other Deformities/ Orthopedic Impairment	X79,X89
238	Cleft Palate	X91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243 1	Diseases of Retina - 162 -	361,362. ,1-9

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST III: SELECTED DIGESTIVE CONDITIONS	
301	Gallbladder stones	574
302	Liver diseases including cirrhosis	571, 572, 573. ,0,3-9
303	Gastric ulcer	531
304	Duodenal ulcer	532
305	Peptic ulcer	533
306	Hernia of abdominal cavity	550-553
307	Disease of the esophagus	530
308	Gastritis and duodenitis	535
309	Indigestion	536.8
310	Other functional disorders of stomach and digestive system	536 (except .8), 787
311	Enteritis and colitis	555, 556, 558
312	Spastic colon	564.1
313	Diverticula of intestines	562

314	Constipation	564.0
315	Other stomach and intestinal disorders	534, 537, 560, 569
316 1	Malignant neoplasms of stomach, intestines, colon, and rectum - 163 -	151-154

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOOMETABOLIC AND BLOOD AND BLOOD	
401	Goiter	240, 241, 242.0-3
402	Other disorders of the thyroid	242.4,8,9, 243-246
403	Diabetes	250
404	Anemias	280-285
405	Epilepsy	345
406	Migraine headache	346
407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624

418	Menstrual	disorders	626
1		- 164 -	

Revised May 1, 1983

	National Health Interview Survey Chronic Condition Recode C	
Recode Number	IC Title	D Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRI METABOLIC AND BLOOD AND BLOOD F SYSTEMS (Continued)	
419	Other disorders of female genital organs	617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184
423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217
425 1	Benign neoplasms of female genital organs - 165 -	218-221
		Revised April 30, 1983
	National Health Interview Survey Chronic Condition Recode C	
Recode Number	Title	D Inclusion as modified by the NHIS
	LIST V: SELECTED CIRCULATORY CONDITIONS	
501	Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502	Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505	Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1

rhythm disorders

506	Congenital heart disease	745, 746
507	Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508	High blood pressure (hypertension)	401-405
509	Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510	Hardening of the arteries	440
511	Aneurysm	441. ,0-6, 442
512	Phlebitis, thrombophlebitis	451
513	Varicose veins of lower extremities	454
514	Hemorrhoids	455
515 1	Poor circulation - 166 -	459. ,8,9

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST VI: SELECTED RESPIRATORY CONDITIONS	
601	Chronic Bronchitis	490, 491
602	Asthma	493
603	Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604	Nasal polyps	471
605	Chronic sinusitis	473
606	Deviated Nasal Septum	470
607	Chronic disease of tonsils and adenoids	474
608	Chronic laryngitis	476
609	Emphysema	492

610	Pleurisy	511
611	Pneumoconiosis and asbestosis	500-505
612	Tuberculosis (pulmonary)	011, 019 (NHIS code)
613	Malignant neoplasms of lung and bronchus	162. ,2-9
614	Other diseases of lung	515, 518
615	Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999	ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

^{*}Excludes always acute codes and ICD codes not used by NHIS. 1 $\,$ - 167 -

HEALTH INTERVIEW SURVEY - 1990

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight (divide basic quarter weight by 4 to get annual weight).

To illustrate the use of reference periods, suppose we have a person whose basic weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution

to the annual volume of hospital discharges would be 1,500 x 2 or 3,000 for the full year's sample, or 6,000 x 2 or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

- 168 -

1

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

A table summarizing these tape locations and their uses follows:

SUMMARY OF WEIGHTS IN THE 1990 NHIS PERSON RECORD

Tape location	Name of Weight Field	Notes:
190-200 weight	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR	Multiply by final basic to obtain prevalence of chronic conditions
	FINAL BASIC WEIGHT	
201-209	QUARTER	Use one quarter of data
210-218	SEMI-ANNUAL	Use two quarters of data
219-227	ANNUAL	Use entire data file
228-236	6.5 WEIGHT Content of field is 6.5 times the Quarter Weight.	Use for event data with 2-week recall period
237-245	ESTIMATED RESTRICTED ACTIVITY DAYES (BASED ON TWO-WEEK RECALL) Content of field is number of restricted activity days times 6.5 Weight.	Use one quarter to produce estimate for the quarter; use entire file to produce annual estimate. This field is already weighted.

1 - 169 -

The accompanying instructions show procedures for deriving estimates from Health Interview Survey data tapes. The publication, "Current Estimates", for the year 1990 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable,

for example, persons injured, the variables needed will be listed. ${\tt 1NOTES:}$

1

- 171 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
1-15	Incidence of Acute Conditions		
	Inclusions:		
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1
	Use:		
1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications	100-103	1001-5932
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1
	Weight:		
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236	
16-25	Restricted Activity Days Associated With Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		

16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
1	2 week restricted activity days - 172 -	237-245	
	TABULATING DATA FOR CURRENT ESTIMATES TA	ABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
26-35	Bed Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
26-30	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week bed days	246-254	
36-45	Work-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932
	Weight:		
1	2 week work-loss days - 173 -	255-263	
	TABULATING DATA FOR CURRENT ESTIMATES	S TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES

ANNUAL ESTIMATES

46-49	School-Loss Days Associated of Conditions	with Acute			
	Inclusions:				
	Condition records Acute			1-2 107	30 2
	Use:				
46-47	Acute Condition Recode A Denominator is population age see Table 78 specification			100-103	1001-5932
	Weight:				
	2 week school-loss days			264-272	
50	Acute Conditions per Quarter				
	Use specifications for Tables but also use processing quart			5	1,2,3 or 4
51-52	Episodes of Persons Injured				
	Inclusions:				
	Condition records Onset in 2 weeks First injury			1-2 108 128	30 1 1
	and Acute Condition Recode A (injuries)	i		100-103	4514-4518
	or Impairments due to injury			93	X
1	- 174 -			96	0
	TABULATING DATA FOR CUR	RENT ESTIMA	TES T	ABLES	
TABLE NUMBERS	ITEMS		L	TAPE OCATIONS	CODES
	ANNUAL ESTIMATES				
51-52	Episodes of Persons Injured -	continued			
	Use:				
	Type/place of accident (all included records) Moving motor vehicle involved	(total) (traffic)	and and	134 130 134 130	1 1-9 1 3
	At work (yes)	(no)	and	134 131	2,4 1

1

51	(no) Place of accident (home)	131 130 130 130 130	2 1-2 3 5 4,6-8
	see specifications for Table 78		
	Weight:		
	6.5 weight (2 week reference)	228-236	
53-54	Restricted Activity Days Associated with Persons Injured		
	Use:		
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1,2		
	Weight:	237-245	
55-56	Bed Days Associated with Persons Injured		
	Use:		
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so that 128:1		
	Weight: - 175 -	246-254	
	TABULATING DATA FOR CURRENT ESTIMATES	TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		_
57-66	Prevalence of Selected Chronic Conditions		
	Inclusions:		
	Condition records Chronic	1-2 107	30 1
	Use:		
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 104-106	1,2,3,4,5 or 6
	Weight:		
	Chronic condition factor	190-200	

57-61	Multiplied by final basic weight Denominator is population: see specification for Table 78	219-227	
67-68	Limitation of Activity Due to Chronic Cond	itions	
	Inclusions:		
	Person records	1-2	20
	Use:		
	LA-1 Unable to perform major activity	71	1
	LA-2 Limited in kind/amount of major activity	71	2
	LA-3 Limited in other activity	71	3
	LA-4 Not Limited (includes unknowns)	71	4
	Weight:	219-227	
67	Denominator for percent distribution is population 176 -		
	TABULATING DATA FOR CURRENT ESTIMA	TES TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
69	Person Disability Days		
	Inclusions:		
	Person records	1-2	20
	Weight:		
	Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	
70	Respondent Assessed Health Status		
	Inclusions:		
	Person records	1-2	20
	rerbon records	± 2	20

71 Physician Contacts: Place and Rate

Inclusions:

Doctor Visit records 1-2 40

Use:

Place of visit 103 1-8(9)

Weight:

6.5 weight (2 week) 228-236

Denominator for rate columns are population:
see specifications for Table 78

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 177 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
72	Interval Since Physician Contact		
	Inclusions:		
	Person records	1-2	20
	Use:		
	<pre>Interval since doctor seen NOTE: 5 years and over</pre>	115 115	0-4(5) 0,4
	Weight:	219-227	
73-74	Short Stay Hospital Episodes (12 month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution	219-227	

is population

75-76 Short Stay Hospital Episode Days

Inclusions:

Person records 1-2 20

Use:

To define number of episodes 122-123
To define non-delivery episodes 127-128

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

- 178 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE		TAPE	
NUMBERS	ITEMS	LOCATIONS	CODES

ANNUAL ESTIMATES

Weight:

	318-326	
75	Denominator for rates is population with	
	appropriate number of episodes	
	(from Table 74)	

77 Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)

Inclusions:

Hospital Records		1-2	50
	with	132	1

Use:

All specified records for hospitalizations for all reasons

Denominator for ALOS is discharges

Hospitalizations for deliveries 145 1

Weight:

Short stay hospital discharges	210-218
Short stay hospital days	282-290
Denominator for discharge rate is	
nonulation	

78 Population

Inclusions: Person records 1-2 20 IIge: All records for total population 75 Currently employed population 1-3 Weight: 219-227 - 179 -1 APPENDIX A 11/14/85 CODES FOR TYPES OF SPECIAL PLACES CODES TYPES I. SPECIFIED INSTITUTIONS Correctional Institutions 11-----State and Federal penitentiaries, prisons, and reformatories 11-----State and Federal prison farms and camps 11-----County and city jails, workhouses, penitentiaries 11-----County and city prison farms and camps 11-----Federal detention headquarters 12----State and Federal training or industrial schools 12-----County and municipal training or industrial schools 12-----Private schools for delinquents, such as "House of the Good Shepherd, " "Boys Town, " etc. Mental Institutions 21-----Homes and training schools for mentally handicapped 21-----Homes, training schools, colonies, and villages for epileptics 21-----State, Federal, county and city hospitals for mentally ill 21-----Private hospitals and sanitariums for mentally ill 22-----Hospitals and centers for the treatment of alcoholics and drug addicts 23-----Veterans Administration mental hospitals Home for the Aged, Infirm, and Needy 31----Orphan asylums 31-----Children's homes 32-----County homes, almshouses, poor farms, etc. 33-----Fraternal or religious homes for the aged 34-----Commercial homes for the aged 35-----Homes and schools for the blind 36-----Homes and schools for the deaf 37-----Hospital or resident schools, orthopedic hospitals, and homes for the crippled 38-----Soldiers' and sailors' homes 39-----Veterans Administration homes (domiciliary care) 40-----Nursing, Convalescent, and Rest Homes Other Hospitals and Homes Providing Specialized Care 51----Tuberculosis sanitariums 52-----Veterans Administration tuberculosis hospitals 53----Homes for incurables 53----Hospices

```
54-----Chronic and cancer hospitals
55-----Maternity homes for unmarried mothers
56-----Detention and receiving homes
57-----Hospitals and homes for other specialized care
                             - 180 -
                            APPENDIX A
                                                                11/14/85
          CODES FOR TYPES OF SPECIAL PLACES (continued)
CODES
                   TYPES
         II. OTHER SPECIAL PLACES
         Other Special Places
61-----Veterans Administration General Medical and Surgical Hospitals
62-----Facilities for the Treatment of the Physically ill
         This type of facility treats physical disorders and is one in
         which the patient stays for a relatively short period of time.
         Examples of this type of special place are:
         1. General or emergency hospital; children's hospital;
            maternity hospital
         2. Infirmary
71-----Hotels, transient-type
71-----Motels, transient-type
71-----Tourist camp or court (like motels except units are detached),
        transient-type
72-----Hotels, nontransient type
72-----Motels, nontransient type
72-----Tourist camp or court, nontransient type
73-----YMCA, YMHA, YWCA, transient type
74----YMCA, YMHA, YWCA, nontransient type
75-----Private residential clubs
76-----Rooming and boarding houses. Those that meet the special place
76-----Tourist homes
                                      definition.
         A private residential club, rooming or boarding house, or
         tourist home is to be classified as a special place only if it
         contains five or more rooms or groups of rooms to be rented out.
         If there are fewer than five rooms or groups of rooms for rent,
         combine these rooms or groups of rooms with the landlord's
         quarters (or with each other if the landlord does not live
         in the structure).
77-----Combination tourist-trailer court, transient-type
78-----Combination tourist-trailer court, nontransient type
79-----Groups of five or more vacation cabins under single management,
         transient-type
        Facilities for Housing Students
81----School dormitory
81----Fraternity
81-----Sorority
                            - 181 -
                           APPENDIX A
                                                               11/14/85
```

1

1

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

II. OTHER SPECIAL PLACES

Facilities for Housing Studentscontinued
82School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84see below).*
83Schools with resident students and with predominantly non-salaried faculty such as nuns or priests.*
84Schools with resident students and operated primarily for religious training (other than those with predominantly non-salaried faculty) such as Bible Institutes.*
Facilities for Housing Workers 85Dormitory for workers (other than specified for codes 86, 87 and 88).
86Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands).
87Labor camp 87Logging camp
88Migratory workers' camp (those that meet the special place definition).
Additional Other Places 91Convents and other sisters' residences (those that meet the special place definition).
91Monasteries, other brothers' residences, and rectories (those that meet the special place definition).
92Communes 93Halfway houseswhen occupants live there on a voluntary basis (assign halfway houses for persons not there on a voluntary basis to the appropriate institutional code).
00Nurses' Homes 01Flophouses, railroad stations 01Missions, Salvation Army Shelters
02Recreational and religious camps (adults or family) 03Recreational and religious camps (children's)
04Trailer camps 05Tent camps
06Armed forces installations 07Armed forces hospitals

1NOTES:

1 - 183 -

APPENDIX

В

INDUSTRY RECODES OUTLINE

Recodes
----No. 1 No. 2

^{*}For a school with resident faculty only, assign code 82, 83, or 84 as appropriate.

		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
01	01	010-011,020-021	AGRICULTURE	01-02,07,078
02	01	030-031	FORESTRY AND FISHERIES	08-09
10	02	040-042,050	MINING	10-14
20	03	060	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	-	MANUFACTURING:	
(30-34)			NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212,	Other nondurable goods	21,261-266,291,295, 299,301-304,306-
307,		220-222		311,313-317,319
*Standa	rd Indı	ustrial Classifica	tion	
1			- 184 -	
В		IND	USTRY RECODES OUTLINE	APPENDIX

Recodes
-----No. 1 No. 2
Chrs. Chrs. Detail Code Industry Title SIC Code*
80-81 82-83 (Chrs. 77-79)

(30-34, 40-46) (04) - MANUFACTURING: - continued

(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	
41	04	270-272,280	Primary metal industries	331-332,334,3331-
3334,3339	,3351	,3353-		3357,3361-
3362,3369),			339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
(50-54)	(05)		TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES	ONS
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47
53	05	440-442	Communications	481-483,489
54	05	460-462,470-472	Utilities and sanitary	491-497

*Standard Industrial Classification

- 185 -

APPENDIX В

INDUSTRY RECODES OUTLINE

Recodes

No. 1 No. 2

Chrs. Chrs. Detail Code Industry Title SIC Code* 80-81 82-83 (Chrs. 77-79)

60	06	500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199
(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58
65	07	580-582,590, 630-632,640,642, 650-652,660-662,	Other and not specified retail trade	521,523,525-527,56 571-573,591-593, 5941-5949,5961-
5963,		670-672,681-682, 691		598,5992-5994,5999
(70-71)	(08)	-	FINANCE, INSURANCE, AND REA	ıL
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67
*Standa:	rd Ind	ustrial Classifica	tion - 186 -	

Reco	odes		
	No. 2 Chrs. Detail Code 82-83 (Chrs. 77-79		SIC Code*
(75-85)	(09-12) -	SERVICES:	
(75-76)	(09)	BUSINESS AND REPAIR SERVICES	

75	09	721-722,730-732, 740-742,750	Business services	731-737,7391-7397, 7399,751,752,754
76	09	751-752,760	Repair services	753,762-764,7692, 7694,7699
(77-78)	(10) –	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802	ENTERTAINMENT AND RECREATION SERVICES	78,791-794,799
(80-85)	(12) –	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806
81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899

*Standard Industrial Classification 1

- 187 -

APPENDIX

В

INDUSTRY RECODES OUTLINE

Reco	des			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	990 and all	UNKNOWN INDUSTRY	_

other codes except 996

96	14	996	NEW WORKER
97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).
98	16	942	ARMED FORCES (excludes Reserves and National Guard)

*Standard Industrial Classification

1 - 188 -

APPENDIX

В

INDUSTRY RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85

13	PUBL	IC ADMINISTRATION	9	0
14	UNKNO	OWN (includes new	workers) 9	5-96
15	NOT I	IN LABOR FORCE	9	7
16 1	ARMEI	O FORCES	- 189 -	
		occi	JPATION RECODE OUTLINE	APPENDIX C
Rec	odes			
No. 1 Chrs. 87-88	Chrs.		Occupation Title	SOC Code*
(01-03)	(01)		EXECUTIVE, ADMINISTRATIVE,	
01	01	003-006	AND MANAGERIAL OCCUPATIONS Officials and administrators, public administration	111-113
02	01	007-009,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029,033-037	Management related occupations	s 1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-
1473,149				,
(04-11)	(02)	-	PROFESSIONAL SPECIALTY OCCUPATIONS	_
04	02	044-049,053-059	Engineers	1622-1628,1632- 1637,1639
05	02	043,063	Architects and surveyors	161,164
06	02	064-069,073-079 083	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089	Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119,123-129, 133-139,143-149 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252

10 02 183-189,193-195, Writers, artists, 34,321-329,331-197-199 entertainers and athletes 333,398

11	02	166-169,173-179	Other professional specialty	1912-1916,1919,
			occupations	192,2032-2033,
				2042,2049,211-

*Standard Occupational Classification.
1 - 190 -

212

APPENDIX C

OCCUPATION RECODE OUTLINE

	odes				
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90			Occupation Title	SOC Code*
(12-13)	03)	203-208		TECHNICIANS AND RELATED SUPPORT OCCUPATIONS Health technologists and technicians	362-366,369
13	03	213-218 233-235	,223-229,	Technologists, technicians except health	3711-3713,3719, 372-
373,382,3831- 3833,384,389,392-					393,396,3971-
3972,397	4,399,	825			
(14-16)	(04)			SALES OCCUPATIONS	
14	04	243		Supervisors and proprietors	40
15	04	253-259		Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269 283-285	,274-278,	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
(17-21)	(05)			ADMINISTRATIVE SUPPORT	
17	05	308-309		OCCUPATIONS, INCLUDING CLERICAL Computer equipment operators	L 4612-4613
18	05	313-315		Secretaries, stenographers and typists	4622-4624
19	05	337-339	,343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357		Mail and message distributing	4742-4745

21	05	303-307,316-319, 323,325-329, 335-336,345-349, 353,359,363-366, 368-369,373-379, 383-387,389	Other adm	ministrative	 4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722- 4723,4729,4732- 4733,4739,4751- 4759,4782-4784, 4786-4787,4791- 4795,4799
					1100,1100

*Standard Occupational Classification. - 191 -

APPENDIX

С

OCCUPATION RECODE OUTLINE

Rec	odes			
No. 1 Chrs. 87-88	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-	PROTECTIVE SERVICE OCCUPATIONS	}
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	-	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	80	433-439,443-444	Food service	5211-5219
26	80	445-447	Health service	5232-5233,5236
27	08	448-449,453-455	Cleaning and building service	5241-5242,5244- 5246,5249
28	08	456-459,463-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	-	FARMING, FORESTRY AND FISHING	

OCCUPATIONS

	29	09	473-476	Farm operators and managers	5512-5515,5522- 5525
	30	09	477,479,483-489	Farm workers and other agricultural workers	5611-5619,5621- 5622,5624-5625, 5627
	31	09	494-499	Forestry and fishing occupations	571-573,579, 583-
584,	8241(p	ot.)		•	

*Standard Occupational Classification.
1 - 192 -

APPENDIX

С

OCCUPATION RECODE OUTLINE

Rec	odes				
No. 1 Chrs. 87-88	Chrs.	Detail (Chrs.		Occupation Title	SOC Code*
(32-34)	(10)	-		PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10		,523,	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	569,573 579,583	,563-567, ,575-577, -585, ,593-599,		6311-6316,6318, 632,6412-6414, 6422,6424,6432- 6433,6442-6444, 645,6462-6468, 6472,6476,6479, 652-654,656
34	10	673-679	•	Precision production occupations	67,71,6811-6814, 6816-6817,6821- 6824,6829,6831- 6832,6835,6839, 6844,6852-6854, 6856,6859,6861- 6862,6864-6867, 6869,6871-6873, 6879,6881-6882, 691-696,7447, 7668,7677,7752, 828

```
*Standard Occupational Classification
```

С

1 - 193 -

APPENDIX

OCCUPATION RECODE OUTLINE

R	ecodes	5		
No. Chrs 87-8		rs. Detail Code	Occupation Title	SOC Code*
			OPERATORS, FABRICATORS AND LAR	BORERS
(35-3	6) (11	L)	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7677(pt.), 7678-7679
36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787
(37-3	9) (12	2) –	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	
37	12	803-806,808-809, 813-814	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	843-845,848-849, 853,855-856,859	Material moving equipment operators	812,8312-8319

*Standa 1	rd Occ	upational Classifi	cation - 194 -	
C				APPENDIX
		occi	JPATION RECODE OUTLINE	
Rec	odes			
	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	
40	13	869	Construction laborers	871
41	13	863-867,873, 875-878,883,885, 887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769
95	14	999 and all other codes except 990	UNKNOWN OCCUPATION	
96	14	990	NEW WORKER	
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity reco (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	905	MILITARY	
*Standa 1	rd Occ	upational Classifi	cation - 195 -	

OCCUPATION RECODE TITLES

APPENDIX C

Code	Titles	Recode No. 1 Inclusions
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS	
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS	
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13
04	SALES OCCUPATIONS	14-16
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21
	SERVICE OCCUPATIONS	
06	PRIVATE HOUSEHOLD OCCUPATIONS	22
07	PROTECTIVE SERVICE OCCUPATIONS	23-24
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34
	OPERATORS, FABRICATORS AND LABORERS	
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41
14	UNKNOWN OCCUPATION (includes New Workers)	95-96
15	NOT IN LABOR FORCE	97
16 1NOTES: 1	MILITARY - 197 -	98
_	27,	

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	Degarintion	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137	Description	132 MV	134 MMV	130 Where?	131 Work?
111	Moving motor vehicle - at work - at home	1	1	1,2	1
112	Moving motor vehicle - at work- not at home- street or highway	1	1	3	1
113	Moving motor vehicle - at work - not at home - not on street or highway	1	1	Not 1-3	1
121	Moving motor vehicle - not at work - at home - not on street or highway	1	1	1,2	Not 1,4
122	Moving motor vehicle - not at work - not at home - on street or highway	1	1	3	Not 1
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4
1	- 198 -				

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of	Dogguintion	SOURCE - TAPE LOCATIONS				
Accident Recode Loc. 135-137	Description	132 MV	134 MMV	130 Where?	131 Work?	
211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1	
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1	

1	- 199 -				
600	Injury Condition/Adverse Reaction	_	_	_	Not 4
500	Therapeutic misadventure	_	-	_	Not 4
400	Injured in Armed Forces	_	-	-	4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
321	Non-motor vehicle not at work - at home	Not 1	_	1,2	Not 1,4
312	Non-motor vehicle - at work - not at home	Not 1	_	Not 1,2	1
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

 \mathbf{E}

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves
- 05 Operations on sympathetic nerves or ganglia

OPERATIONS ON THE ENDOCRINE SYSTEM (06-07)

06 Operations on thyroid and parathyroid glands

07 Operations on other endocrine glands

OPERATIONS ON THE EYE (08-16)

- 08 Operations on eyelids
- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball 200 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue
- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm 201 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver

- 51 Operations on gallbladder and biliary tract
 Includes: operations on common bile duct, cystic duct and hepatic duct
- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region, inguinal

region, loin region, male pelvic cavity, mesentery, omentum,

peritoneum and retroperitoneal tissue space

1 - 202 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)

- 65 Operations on ovary
- 66 Operations on fallopian tubes
- 67 Operations on cervix
- 68 Other incision and excision of uterus
- 69 Other operations on uterus and supporting structures

```
70 Operations on vagina and cul-de-sac
```

71 Operations on vulva and perineum 1 - 203 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OBSTETRICAL PROCEDURES (72-75) 72 Forceps, vacuum, and breech delivery 73 Other procedures inducing or assisting delivery Includes: spontaneous delivery with manual assistance 74 Caesarean section and removal of fetus 75 Other obstetric operations For HIS, includes also "normal delivery" OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) 76 Operations on facial bones and joints Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02) 77 Incision, excision and division of other bones Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02) 78 Other operations on bones, except facial bones Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02) 79 Reduction of fracture and dislocation Includes: application of cast or splint; reduction with insertion of traction device Excludes: external fixation alone for immobilization of fracture (93); internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit (76);skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for reduction of fracture (93) 80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle; ligament;

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

meniscus; and synovial membrane

- 204 -

Е

when

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when
 condition is not specified and tissue (such as skin, bone,
 etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous glands subcutaneous fat pads; and superficial fossae.

leg; neck; scalp; temple: temporal region; and thigh

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose (21);

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as brain) is mentioned

1 - 205 -

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

diagnostic X-rays of face, head, neck, brain, skull, spine, Includes:

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

diagnostic interviews; neurological exams; gynecological

exams: dental exams; digital exams of rectum; pacemaker

checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

microscopic examination of specimen from nervous system, Includes:

spinal fluid, endocrine glands, eye, ear, nose, throat,

larynx, trachea, bronchus, pleura, lung, of sputum, and

blood.

91 Microscopic examination - II

microscopic examination of specimen from liver, bile ducts or

passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related

procedures

Includes: diagnostic physical therapy; physical therapy exercises such

> as breathing exercises; manual traction; training in use of prosthesis; whirlpool treatments; heat therapy; skeletal

traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

1 - 206 -

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing;
 insertion of vaginal diaphragm; rectal packing; dilation of
 rectum and anus; manual reduction of hernia; gastric lavage;
 irrigation of ostomies; cleaning of eye, ear and nose; lavage
 of bronchus and trachea

97 Replacement and removal of therapeutic appliances

Includes: replacement of ostomy tubes; replacement of casts; removal of
 nasal packing, removal of dental wiring; removal of sutures
 from head and neck; removal of drainage tubes; removal of IUD
 and removal of sutures from genital tract.

98 Nonoperative removal of foreign body

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or
 infusions of therapeutic or prophylactic substances; cardiac
 pacemaker (battery and sensing types), acupuncture and

fitting

of dentures.

1