1991

NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested cita-

tion, "Source: National Center for Health Statistics, National Health Interview Survey, 1991," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1992). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1991 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Field Representative's Manual, 1991. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1991. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Massey JT, Moore TF, Parsons VL, Tadros W. Design and Estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital

Health Stat 2(110). 1989.

Adams PF, Benson V. Current Estimates from the National Health Interview Survey, 1991. National Center for Health Statistics. Vital Health Stat 10(184). 1992.

i ii

1

1 PREFACE

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes

for each record type. Note that Household items in tape locations 3-24, 178 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

- 1. Type of Record (Tape Locations 1-2)
- 10 = Household Record The Household file contains one household record

 for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
 - 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
 - 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

Item	Tape Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and	17-18
Person Records)	

12. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household. Records belonging

to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unrelated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

- 3. Other Tape Characteristics
 - .1 Headers and trailers = Standard IBM labels
 - .2 Density = 1600 BPI
 - .3 Record length = Fixed length of 335 bytes
 - .4 Blocksize = 3350 (10 records per block)
 - .5 Tape format = All fields are in character format.
 - .6 Data Set Names:

HOUSEHOLD = HISY1991.HOUSEHLD

PERSON = HISY1991.PERSONSX

CONDITION = HISY1991.CONDITON

HOSPITAL = HISY1991.HOSPITAL

DOCTOR VISIT = HISY1991.DRVISITX

NOTE: Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.

iv

1 NATIONAL HEALTH INTERVIEW SURVEY

Calendar Year 1991 Computer Processing

Public Use Data Tape

TABLE OF CONTENTS - PART I

INTRODUCTION	1
REFERENCES	3
COMPARED CHANGES	5
TAPE FORMATS	
Household Record	7
Person Record	17
Condition Record	39
Doctor Visit Record	71
Hospital Record	99
DIAGNOSTIC RECODES	
Recode A. Acute Conditions	127
Recode B. Diseases, Injuries and Impairments	133
Recode C. Chronic Conditions and Impairments	157
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	167
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	169
TABULATING DATA FOR CURRENT ESTIMATES TABLES	171
APPENDICES	
Appendix A. Codes for Types of Special Places	179
Appendix B. Industry Recodes	183
Appendix C. Occupation Recodes	189
Appendix D. Description of Class of Accident Code	197
Appendix E. Classification of Operations and Non-operative Procedures for HIS	199
v	
1NOTES: 1 - 1 -	

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables.

Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1991 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) SURREGR and SUDAAN(4,5) are programs that calculate the variance-covariance matrix using the linearization approach(6,7,8) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided the Basic Weight Before Age-Sex-Race Adjustment (loc. 172-177 - Person Record only), Substratum Identifier (loc. 178), Full Sample Stratum Identifier (loc. 179-181), and Strata and Pseudo Primary Sampling Unit (PSU) (loc. 187-189) codes on the data tapes. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user

pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

1 - 3 -

REFERENCES

- (1) McCarthy PJ. Replication: An Approach to the Analysis of Data from Complex Surveys. National Center for Health Statistics. Vital Health Stat 2(14). 1966.
- (2) Survey Research Center Computer Support Group. OSIRIS IV User's Manual. Institute for Social Research. 1979.
- (3) Shah BV. "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. RTI/5250-00-01S. April, 1981.
- (4) Holt, Mary Margaret (revised April 1982 by B.V. Shah). "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May, 1977.
- (5) Shah BV, LaVange LM, Barnwell BG, Killinger JE, and Wheeless SC. "Software for Survey Data Analysis." Research Triangle Institute, Research Triangle Park, N.C. March, 1989.
- (6) Hidiroglou MA, Fuller WA, and Hickman RD. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University. Sixth edition. October, 1980.
- (7) Fuller WA. "PC CARP". Statistical Laboratory and Department of Statistics, Iowa State University, Ames, Iowa. September, 1989.
- (8) Contingency Table Analysis for Complex Sample Designs (CPLX). U.S. Bureau of the Census.

1NOTES:

- 5 -

CHANGES IN THE 1991 PUBLIC USE TAPE COMPARED TO 1990

The 1991 Public Use Tape resembles the 1990 version, with only one exception. The difference is described below:

Person, Condition, Doctor Visit, and Hospital Record Variables

Tape Location

Item and Codes

91

RESPONDENT

- 1. Self-entirely
- 2. Self-partly
- 3. Proxy
- 4. Unknown

1NOTES:

1

- 7 -

HOUSEHOLD RECORD

1NOTES:

1 - 9 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 48,853 HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes			
1-2	-	48,853	RECORD TYPE 10. Household Record			
3-4			PROCESSING YEAR			
		48,853	91. 1991			
5	-		PROCESSING QUARTER			
		11,274 12,554 12,508 12,517	 Quarter 1 Quarter 2 Quarter 3 Quarter 4 			
6-8	нн-5		RANDOM RECODE OF PSU NUMBER			
9-10	НН−5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11			
			12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13			

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 10 -

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	НН-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		BLANK (Person Number on other record types
17-18	-		BLANK (Record Serial Number on other record types)
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)
		2,864	01. Week 01
		3,829	02. Week 02
		3,835	03. Week 03
		3,785 3,884	04. Week 04 05. Week 05
		3,832	06. Week 06
		3,870	07. Week 07
		3,749	08. Week 08
		3,755	09. Week 09
		3,866 3,817	10. Week 10 11. Week 11
		3,817	12. Week 12
		3,865	13. Week 13
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		30,538	0. Interview not late
		14,359	1. One week late
		2,986 970	2. Two weeks late3. Unknown
			- 11 -

Tape			
Locations	Item No.	Frequency	Items and Codes

2	2-23	нн-10d	TYPE OF LIVING QUARTERS:				
			Housing Unit = (00-07)				
			899 44,915 31	00. 01. 02.	House, apartment, flat		
			20	03.			
			15	04.	•		
			2,204				
				05.	permanent room added		
			345	06.	more permanent rooms added		
			18	07.	HU not specified above		
				Other Ur	nit = (08-13)		
			14	08.	Quarters not HU in rooming or boarding house		
			0	09.			
			11	10.			
			314	11.			
			55	12	Other unit not specified above		
			12	13.			
_	24	HH-11		HAS TELE	EPHONE		
			41 050	-			
			41,850	1.	, <u> </u>		
			2,007	2.	, , , , , , , , , , , , , , , , , , , ,		
			2,727	3.			
			177	4.	Unknown		
			2,092	Blank.	Non-interview		
_	25-26	НН-6		SDFCTAL.	PLACE (Unedited)		
	25 20	1111 0		OI LCIIII	The (onearcea)		
				SEE APPE	ENDIX A		
				Blank.	Not applicable		
1				- 12 -	-		
			NILL C. T	NIDI TO TICE .	TARE REGORDS		
			NHIS F	OBLIC USE 1	TAPE RECORDS		

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
27	HH-15		COMPLETED INTERVIEW
		46,348	 Completed interview - non-military household
		2,092 413	 Non-interview Completed interview - military

household*

28-29	HH-14		NON-INTE	CRVIEW REASON	1		
			Type A				
		1,341 329 328 94 46,761	02. 03. 04.	01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed interview)			
30-33	нн-15			COMPLETION (INTERVIEW (AST ATTEMPT) OF ced)	
30-31			MONTH				
			01. 02. 03. 04. 05.	February March April May	09. 10. 11. 12.	August September October November	
32-33			DAY 01-31. Blank.	Day of Month	n		
34-35	Generated		NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families).				
			Blank. Non-interview				

^{*}Spouse or parent is in the Armed Forces.
1 - 13 -

NHIS PUBLIC USE TAPE RECORDS

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items	and Codes
36-55	Generate	ed	SIZE OF	FAMILY
			01+	Not applicable or only unrelated individuals Number of persons in family Non-interview
36-37			SIZE OF	FAMILY - Primary Family

1			- 14 -			
	56-57	Generated	NUMBER OF UNRELATED INDIVIDUALS 00. Not applicable 01+ Number of unrelated individuals Blank. Non-interview			
_	54-55		SIZE OF FAMILY - Secondary Family No. 9			
	52-53		SIZE OF FAMILY - Secondary Family No. 8			
	50-51		SIZE OF FAMILY - Secondary Family No. 7			
	48-49		SIZE OF FAMILY - Secondary Family No. 6			
	46-47		SIZE OF FAMILY - Secondary Family No. 5			
	44-45		SIZE OF FAMILY - Secondary Family No. 4			
	42-43		SIZE OF FAMILY - Secondary Family No. 3			
	40-41		SIZE OF FAMILY - Secondary Family No. 2			
	38-39		SIZE OF FAMILY - Secondary Family No. 1			

Tape Locations	Item No.	Frequency	Items and Codes
58	Generated		REFERENCE PERSON PRESENT - Primary Family
			 Yes or all adult family members in Armed Forces Blank. Household with unrelated individuals only or non-interviewed household
59			REFERENCE PERSON PRESENT -
			Secondary Family No. 1
60			REFERENCE PERSON PRESENT -
			Secondary Family No. 2
61			REFERENCE PERSON PRESENT -
			Secondary Family No. 3
62			REFERENCE PERSON PRESENT -
			Secondary Family No. 4

1	- 15 -		
	Secondary Family No	. 9	
67	REFERENCE PERSON PRESENT	-	
	Secondary Family	No.	8
66	REFERENCE PERSON PRESENT	-	
	Secondary Family	No.	7
65	REFERENCE PERSON PRESENT	-	
	Secondary Family	No.	6
64	REFERENCE PERSON PRESENT	-	
	Secondary Family	No.	5
63	REFERENCE PERSON PRESENT	-	

Tape			
Locations	Item No.	Frequency	Items and Codes
68-69	Generated		NUMBER OF PERSON RECORDS FOR THE HOUSEHOLD
70-71	Generated		NUMBER OF CONDITION RECORDS FOR THE HOUSEHOLD
72-73	Generated		NUMBER OF TWO-WEEK DOCTOR VISIT RECORDS FOR THE HOUSEHOLD
74-75	Generated		NUMBER OF HOSPITAL RECORDS FOR THE HOUSEHOLD
76	A-A2		CONDITION LIST ASSIGNED
		7,745	 Condition List 1, Skin and Musculoskeletal
		7,781	2. Condition List 2, Impairments
		7,763	3. Condition List 3, Digestive
		7,836	4. Condition List 4, Miscellaneous
		7,792	5. Condition List 5, Circulatory
		7,788	6. Condition List 6, Respiratory
		56	7. Unknown
		2,092	Blank. Non-interview
77-177	_		BLANK
178	Master Record		TYPE OF SUBSTRATUM
		6,504	0. Permit
		4,542	1. Area, oversampled for blacks
		37,807	2. Area, not oversampled for blacks
		- 1 , 0 0 .	= 1 1100, 1100 over bump 100 101 bidons

179-183	1		BLANK	
182	Master Record		REGION	
		10,165	1.	Northeast
		12,178	2.	Midwest
		16,265	3.	South
		10,245	4.	West
			- 16 -	

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION
	Record		MSA Size
		21,144 12,836 3,034 781 11,058	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184			BLANK
185	Master Record		TYPE OF PSU
		26,930 10,865	 MSA - Self-representing MSA - Nonself-representing
		10,003	4. Non-MSA - Self-representing
		11,057	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		15,669	1. MSA - Central City
		20,312	2. MSA - Not Central City
		10,194	3. Non-MSA - Nonfarm
		586 2,092	4. Non-MSA - Farm Blank. Non-interview
187-200			BLANK
201-206			QUARTER BASIC WEIGHT
			Adjusted by Segment and Special HH Sampling Factors (XXXXX.X)

207-335 BLANK

1 - 17 -

PERSON RECORD

1 NOTES:

1

- 19 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 120,032
PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		120,032	20. Person Record
3-4	-		PROCESSING YEAR
		120,032	91. 1991
5	_		PROCESSING QUARTER
		27,367 31,129 30,889 30,647	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 20 -

1

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations Item No. Frequency Items and Codes 11-12 HH-5 SEGMENT NUMBER Week plus Segment Number identifies the segment 13-14 HH-5 HOUSEHOLD NUMBER Numbered within PSU-Week-Segment 15-16 - PERSON NUMBER 17-18 - BLANK (Record Serial Number on other types).	
Week plus Segment Number identifies the segment 13-14 HH-5 HOUSEHOLD NUMBER Numbered within PSU-Week-Segment 15-16 - PERSON NUMBER 17-18 - BLANK (Record Serial Number on other	
13-14 HH-5 HOUSEHOLD NUMBER Numbered within PSU-Week-Segment 15-16 - PERSON NUMBER 17-18 - BLANK (Record Serial Number on other	
Numbered within PSU-Week-Segment 15-16 - PERSON NUMBER 17-18 - BLANK (Record Serial Number on other	ne
15-16 - PERSON NUMBER 17-18 - BLANK (Record Serial Number on other	
17-18 - BLANK (Record Serial Number on other	
·	
Cypes,.	record
19-20 HH-5 PROCESSING WEEK CODE (Numbered within Quarter)	
7,050 01. Week 01	
9,559 02. Week 02	
9,335 03. Week 03	
9,345 04. Week 04	
9,349 05. Week 05	
9,568 06. Week 06 9,493 07. Week 07	
9,184 08. Week 08	
9,169 09. Week 09	
9,514 10. Week 10	
9,382 11. Week 11	
9,651 12. Week 12	
9,433 13. Week 13	
21 Recode LATE INTERVIEW (OR LAST ATTEMPT) FLAC	G
78,194 0. Interview not late	
33,390 1. One week late	
6,308 2. Two weeks late	
2,140 3. Unknown	
- 21 -	

Tape Locations	Item No.	Frequency	Ite	ms and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		1,397 111,841	00. 01.	- · · · · · · · · · · · · · · · · · · ·
		51	02.	
		33	03.	<pre>HU-permanent in transient hotel, motel, etc.</pre>
		16	04.	
		5,293	05.	
		829	06.	permanent room added Mobile home or trailer with one
		28	07.	or more permanent rooms added
				nit = (08-13)
		15	08.	Quarters not HU in rooming or
		0	09.	boarding house
		0.5	4.0	hotel, motel, etc.
		26	10.	Unoccupied site for mobile home, trailer, or tent
		400	11.	
		85	12.	-
		18	13.	Other unit; kind unknown
24	HH-11		HAS TEL	EPHONE
		107,734	1.	Yes, phone number given
		4,586	2.	Yes, no phone number given
		7,303	3.	No
		409	4.	Unknown
25	A-1		SEX	
		57,324	1.	Male
		62,708	2.	Female
26	_		BLANK	
			- 22 -	
			LIC USE TA ERSON RECO	PE RECORDS RD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
27-28	Person		AGE	
	Column	1,993	00.	Under 1 year
		-1773	50.	onact i jear

			118,023 16	01-98. 99.	Number of ye		
	29	Recode		AGE REC	ODE #1		
			9,866	1.	Under 5 year	s	
			23,802	2.		~	
			10,955	3.	-		
			37,686	4.			
			23,007	5.			
			4,798	6.	_		
			4,134	7.			
			5,784	8.	75 years and	over	
	30	Recode		AGE REC	ODE #2		
			11,841	1.	Under 6 year	s	
			20,201	2.	6-16 years		
			12,581	3.	17-24 years		
			19,439	4.	_		
			18,247	5.			
			12,772	6.			
			10,235	7.			
			8,932	8.			
			5,784	9.	75 years and	over	
	31-32	Recode		AGE REC	ODE #3		
			6,015	00-35.	Months		
			114,017	36.	Over 3 years		
	33	_		BLANK			
1				- 23 -			
				IC USE TA	PE RECORDS RD		
	Tape cations	Item No.	Frequency	Ite	ms and Codes		
	34-39	A-3		MONTH A	ND YEAR OF BI	RTH	
	34-35			MONTH			
				04.	February March April May	07. 08. 09. 10. 11. 12. 99.	July August September October November December DK or refused
	36-39			YEAR OF	BIRTH		

1800-1899. 1800-1899 1900-1992. 1900-1992 9999. DK or refused

40-41			BLANK	
42	L-3	1,106 3,105 17,731 94,599 2,195 227 1,069	(See no 1. 2. 3. 4. 5. 6.	ACIAL BACKGROUND - Reported Dtation for locations 43-45) Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown
1			- 24 -	

Tape Locations	Item No.	Frequency	Iter	ms and Codes	
43-45	Recode		RACE REC	CODES	
43			RECODE 1	1*	Persons whose Main Racial Background
		97,866	1.		(location 42) was
		17,839		Black	"other" or "unknown"
		4,327	3.	Other	were classified in the following recodes by
44			RECODE 2	2	using the racial background observed by
of		97,866	1.	White	the interviewer. Use
OI		22,166	2.	Non-white	these recodes is recommended for
45			RECODE 3		estimating statistics for the groups shown
		17,839	1.	Black	here.
		102,193	2.	Non-black	
46-47	L-4		HISPANIO	CORIGIN	
		221 1,208	00. 01.	-	-
		495	02.		311
		2,602	03.		ricano
		3,949	04.		
		132	05.		2 2 3 3 1 1
		1,376	06.		n American
		1,348	07.	Other Spani	lsh
		249	08.		
		1,121	09.	Unknown if	Spanish origin
		107,331	10.	Not Spanish	n origin

48	L-7		MARITAL	STATUS
		26,872	0.	Under 14 years
		54,827	1.	Married - spouse in household
		794	2.	Married - spouse not in household
		6,433	3.	Widowed
		6,176	4.	Divorced
		1,936	5.	Separated
		22,260	6.	Never married
		734	7.	Unknown

^{*}This recode is used to categorize race in Current Estimates tables.

- 25 -

Tape Locations	Item No.	Frequency	It∈	ems and Codes		
49	L-1	VETERAN STATUS				
		71,982	1.	Non-veteran		
		49	2.	WW I		
		3,640	3.	WW II		
		2,043	4.	Korean War		
		3,603	5.	Vietnam veteran		
		1,168	6.	Post-Vietnam		
		2,125	7.	Other service		
		320	8.	Served in Armed Forces, unknown if war veteran		
		1,434	9.	Unknown if served in Armed Forces		
		33,668	Blank.			
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES		
		71,982	0.	Non-veteran		
		948		All service in Guard/Reserve		
		1,864	2.			
		61	3.	Unknown if all service in Guard/Reserve		
		9,209	4.	No active service in Guard/Reserve		
		2,300	5.	Unknown if ever active member in Guard/Reserve or served in Armed Forces		
		33,668	Blank.	Under 18 years of age		
51-52	L-2		EDUCATI	ION OF INDIVIDUAL - COMPLETED YEARS		
		4,833	00.	Never attended; kindergarten only		
		69,709	01-12.	Grades 1-12		
			College	e:		
		6,314	13.	1 year		
		8,167	14.	2 years		
		2,998	15.	3 years		

9,825	16.	4 years
1,971	17.	5 years
4,979	18.	6 years or more
1,370	19.	Unknown
9,866	Blank.	Under 5 years of age

- 26 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes		
53	Recode		EDUCATION OF INDIVIDUAL RECODE		
		4,833	0. None; kindergarten only		
		22,665	1. 1-8 years (elementary)		
		14,334	2. 9-11 years (high school)		
		32,710	3. 12 years (high school graduate)		
		17,479	4. 1-3 years (college)		
		9,825	5. 4 years (college graduate)		
		6,950	6. 5+ years (post-college)		
		1,370	7. Unknown		
		9,866	Blank. Under 5 years of age		
54-55 AMILY	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT		
			MEMBER - (Detail)		
		260	00. Never attended; kindergarten only		
		58,495	01-12. Grades 1-12		
			College:		
		9,248	13. 1 year		
		13,478	14. 2 years		
		4,854	15. 3 years		
		17,573	16. 4 years		
		4,097	17. 5 years		
		11,170	18. 6 years or more		
		857	19. Unknown		
56	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT		
			FAMILY MEMBER - Recode		
		260	0. None; kindergarten only		
		6,191	1. 1-8 years (elementary)		
		10,289	2. 9-11 years (high school)		
		42,015	3. 12 years (high school graduate)		
		27,580	4. 1-3 years (college)		
		17,573	5. 4 years (college graduate)		
		15,267	6. 5+ years (post-college)		
		857	7. Unknown		

- 27 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape cations	Item No.	Frequency	Items and Codes	
57	L-8		FAMILY INCOME \$20,000 OR N	MORE
		00 150		_
		38,152	1. Less than \$20,000	U
		77,872	2. \$20,000 or more	
		4,008	3. Unknown	
3-59	L-8		FAMILY INCOME	
		613	00. Less than \$1,000	0
		680	01. \$ 1,000 - \$ 1,999	
		732	02. 2,000 - 2,999	
		966	03. 3,000 - 3,999	
		1,301	04. 4,000 - 4,999	
		1,406	05. 5,000 - 5,999	
		1,620	06. 6,000 - 6,999	
		1,623	07. 7,000 - 7,999	9
		1,548	08. 8,000 - 8,999	9
		1,670	09. 9,000 - 9,999	9
		1,945	10. 10,000 - 10,999	9
		1,420	11. 11,000 - 11,999	9
		2,497	12. 12,000 - 12,999	
		1,491	13. 13,000 - 13,999	
		1,574	14. 14,000 - 14,999	
		2,054	15. 15,000 - 15,999	
		1,554	16. 16,000 - 16,999	
		1,529	17. 17,000 - 17,999	
		2,125	18. 18,000 - 18,999	
		2,429	19. 19,000 - 19,999	
		9,146	20. 20,000 - 24,999	
		7,995	21. 25,000 - 29,999	
		8,448	22. 30,000 - 34,999	
		6,677	23. 35,000 - 39,999	
		6,460	24. 40,000 - 44,999	
		5,559 23,287	25. 45,000 - 49,999 26. \$50,000 and over	
		21,683	26. \$50,000 and over 27. Unknown	
		21,000	Z7. OIIIIIOWII	

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		4,292 3,026	0. Under \$5,000 1. \$ 5,000 - \$ 6,999

	8,927	3.	10,000 - 14,999
	9,691	4.	15,000 - 19,999
	9,146	5.	20,000 - 24,999
	16,443	6.	25,000 - 34,999
	18,696	7.	35,000 - 49,999
	23,287	8.	\$50,000 or more
	21,683	9.	Unknown
61	Generated	NHIS PO	VERTY INDEX*
	93,996	1.	At or above poverty threshold
	14,536	2.	Below poverty threshold
	11,500	3.	Unknown
62-63		FAMILY	RELATIONSHIP
62	A-2	TYPE O	F FAMILY
	12,491	&.	2
	1,314		1
	106,050	0.	1
	177	1-9.	Secondary family
63	A-2	RELATI	ONSHIP TO REFERENCE PERSON
	11,894	&.	Reference person, living alone
	35,558	0.	Reference person, 2+ persons in household
	26,766	1.	Spouse, other spouse NOT in Armed Forces and living at home
	294	2.	Spouse, other spouse IN Armed Forces and living at home
	39,607	3.	Child of reference person or spouse
	2,202	4.	Grandchild of reference person or spouse
	1,004	5.	-
	2,677		Other relative
	30	7.	Child of ineligible reference person
	0	9.	DK or refused

4,841 2. 7,000 - 9,999

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

- 29 -

1

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		11,894 1,911 54,781 51,446	 Living alone Living only with non-relative Living with spouse Living with relative - other

^{*}Based on family size, number of children under 18 years of age & family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

	65-66	Generated	SIZE OF FAMILY*	
			Unrelated individuals are coded 01	
	67	Generated	SIZE OF FAMILY RECODE	
			1-8. Number of members9. 9+ members	
	68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 year old and never married)	ars
		25,815 6,596	 Both parents, no other relative Mother only 	
		517	3. Father only	
		2,653	4. Both parents and other 21+ year of adult relative	old
		2,168	Mother and other 21+ year old add relative	ılt
		172	Father and other 21+ year old add relative	ılt
ac	dult	490	7. No parent, but one 21+ year old	
ac	aurc		relative	
		660	8. No parent, but two or more 21+ ye old adult relatives	ear
		578	9. Unknown	
		1,712	0. Other	
		78,671	Blank. Not applicable (25+ years old or ever married)	

*Count includes spouse in military but living at home.

1 - 30 -

Tape Locations	Item No.	Frequency	It∈	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
		52,668	1.	Working
		15,851	2.	Keeping house
		4,968		Going to school
		12,289		Something else
		588		Unknown
		33,668	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		45,522	1	Excellent
		33,780	— ·	Very Good
		27,873		Good
		8,735		Fair
		3,412		Poor
		-		

710	6.	Unknown

Recode		ACTIVITY LIMITATION STATUS - (all ages)*
	5,177 6,496	 Unable to perform major activity Limited in kind/amount major activity
	5,590	3. Limited in other activities
	102,769	4. Not limited (includes unknowns)
Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
	4,967 3,482 2,951 65,046 43,586	 Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)
		5,177 6,496 5,590 102,769 Recode 4,967 3,482 2,951 65,046

^{*}This code is used to categorize persons with limitation of activity in the Current Estimates tables.

- 31 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape				
-	Item No.	Frequency	Ite	ems and Codes
73	B-11		LIMITAT	TION OF SCHOOL ACTIVITIES (5-17 years)
		114	1.	-
		704	2.	Attends special school/classes
		110	3.	
		302		Limited in school attendance
		459	5.	Limited in other activities
		22,113	6.	Not limited (includes unknowns)
		96,230	Blank.	·
		,		years)
				2
74	B-14			HELP WITH PERSONAL CARE (5-59 years and limited, or age 60-69 years)*
		714	1.	Unable to perform personal care
needs		1,389	2.	Limited in performing other routine needs
		17,146	3.	Not limited in performing personal or routine needs
		528	4.	Unknown
		100,255	Blank.	Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75 years)	D-1		EMPLOYN	MENT STATUS IN PAST 2 WEEKS (18+

In the Labor Force: (1-7)

	Currently employed: (1-3)
53,284	1. Worked in past 2 weeks
1,160	2. Did not work, has job; not on
	lay-off and not looking for work
39	3. Did not work, has job; looking
	for work
	Unemployed: (4-7)
176	4. Did not work, has job; on lay-
off	
16	5. Did not work, has job; on lay-
	off and looking for work
491	6. Did not work, has job; unknown
	if looking or on lay-off
2,230	7. Did not work, has no job;
	looking for work or on lay-off
	Not in Labor Force (18+ years): (8)
28,968	8. Not in Labor Force (18+ years)
33,668	Blank. Not applicable (Under 18 years
	old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 32 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		28,968	0. Not in labor force
		40,312	1. Private company
		1,626	2. Federal Government employee
		2,417	3. State Government employee
		4,496	4. Local Government employee
		1,473	5. Incorporated business
		5,462	6. Self-employed
		106	7. Without pay
		72	8. Never worked
		1,432	9. Unknown
		33,668	Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		57,396	010-996. Code number
		62,636	Blank. Not applicable
			Brain. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
			SEE MELENDIY D
82-83	Recode		INDUSTRY RECODE 2

SEE APPENDIX B

84-86	L-6		OCCUPATION DETAIL CODE
		57,396	003-999. Code number
		62,636	Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
 1			- 33 -
			IC USE TAPE RECORDS RSON RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
91	L-R		RESPONDENT
		53,957	1. Self-entirely
		7,090	2. Self-partly
		58,061	3. Proxy
		924	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		20,026	 Condition List 1, Skin and musculoskeletal
		19,789	2. Condition List 2, Impairments
		19,749	3. Condition List 3, Digestive
		20,164	4. Condition List 4, Miscellaneous
		19,886	5. Condition List 5, Circulatory
		19,661 757	6. Condition List 6, Respiratory7. Unknown
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)
			36-98. Number of inches
			99. Unknown Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)
			050-500. Number of pounds
			501. Unknown
			Blank. Under 18 years of age
00.00			
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO

WEEKS

106,792	00.	None
13,240	01-14.	Days

1 - 34 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		112,434 7,598	00. None 01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control or Currently Employed, 75:1-3)
		116,681 3,351	00. None 01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		117,869 2,163	00. None 01-14. Days
106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		113,707 6,325	00. None 01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		66,439 52,535 1,058	000. None 001-365. 1-365 days 366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS - Recode
		66,439 40,557 8,870 2,439 669 1,058	 None 1-7 days 8-30 days 31-180 days 181-365 days Unknown
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		27,638 91,941 0 453	000. None 001-996. Visits 997. 997+ visits 998. Unknown

1 - 35 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		195 92,951 11,612 9,453 3,748 2,073	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS
124-126	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

^{*}Based on operation codes and reason entered hospital. 1 $$ - 36 -

Tape Locations	Item No.	Frequency	Items and Codes
142-143		_	BLANK

144	L-9b		YEARS L	IVED IN STATE OF PRESENT RESIDENCE
	_ /~		121110 2	
		1,152	1.	2
		3,446	2.	1 yr., less than 5 years.
		3,243	3.	<u> </u>
		3,125	4.	<u> </u>
		63,124	5.	2
		2,943	9.	
		42,999	Blank.	Not applicable (Foreign born or less than 18 years of age)
145	L-9c		YEARS L	IVED IN UNITED STATES
		287	1.	Less than 1 year
		1,302	2.	
		1,404	3.	
		1,481	4.	
		4,564	5.	15 years or more
		293	9.	
		110,701	Blank.	Not applicable (U.S. born or less
				than 18 years of age)
146-171		-	BLANK	
172-177				BASIC WEIGHT BEFORE AGE-SEX-RACE ENT (Has one implied decimal)
178	Master Record		TYPE OF	SUBSTRATUM
		16,009	0.	Permit
		11,786	1.	Area, oversampled for blacks
		92,237	2.	Area, not oversampled for blacks
179-181	_		FULL SA	MPLE STRATUM IDENTIFIER
182	Master Record		REGION	
		24,486	1.	Northeast
		29,638	2.	
		39,808	3.	South
		26,100	4.	West
1			- 37 -	
			IC USE TA	PE RECORDS RD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
183	Master Record		GEOGRAP	HIC DISTRIBUTION
	100014		MSA	Size

51,734

31,324 7,656 1,797 1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999

4. Under 100,000

		27,521	Blank. Non-MSA
184			BLANK
185	Master Record		TYPE OF PSU
		65,873	1. MSA - Self-representing
		26,638	3. MSA - Nonself-representing
		0	4. Non-MSA - Self-representing
		27,521	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		38,451	1. MSA - Central City
		54,060	2. MSA - Not Central City
		25,821	Non-MSA - Nonfarm
		1,700	4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)
			- 38 -
			BLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL, AND ANNUAL
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS

264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
	ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308	QUARTER
309-317	SEMI-ANNUAL
318-326	ANNUAL
327-335	ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS

1 - 39 -

CONDITION RECORD

1NOTES:

1

- 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location

created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

NHIS Code	Category Title
019	Tuberculosis, arrested or inactive
	Psychic factors associated with diseases classified elsewhere in specified system:
316.0	Musculoskeletal
316.1	Respiratory
316.2	Cardiovascular
316.3 1	Skin - 42 -
316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

Unused ICD	Coded To:
009.1	558
009.3	558
137-139	Impairment, as appropriate
230-234	Not applicable (not reported in NHIS)

	235-238	Benign, malignant or unspecified, by site
	268.1	Not applicable (not reported in NHIS)
	306.0,6,7,8,9	Code as if non-psychogenic
	315.0-2	X14
	317-319	X19
	326	Code residual effect to appropriate impairment or ICD 320-325
	331.3,4	X93
	342	X41
1	343	X50 - 43 -
	344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	X70-X79, by site
	369	X00-X03, by severity and site
	388.2	X05-X09, by severity and site
	389	X05-X09, by severity and site
	391	Usually 398.9 (see Short Index)
	410-412	414
	429.6	414
	436	437
	438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
	520.0-2,5	X92
	521.6	X92
	524	X92
	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77

	735	x76
	736	Impairment, by type, site and cause
	737	x70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
	741	X71.9
1	742.0,1,3	X93.9 - 44 -
	743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment
		(see Appendix III)
	744.5	X79.9
	744.8,9	of face, coded to X90.9 of neck, coded to X79.9
	749	X91.9
	750.0,1	X11.9
	753.0	X31.9
	754.2	x70.9
	754.3	x75.9
	754.4	x76.9
	754.5-7	X78.9 except flatfoot coded to X77
	754.8	Appropriate impairment, by type and site
	755	Appropriate impairment, by type and site
	756.0-3	Appropriate impairment, by type and site
	758.0	X19.9
	759.7.9	X99.9
	761.6	Not applicable
	779.6	Not applicable (for fetus)
	781.5	X74
	783.1	278.0
	798	Not applicable

	871.3	X00-X03
	885-887	Appropriate impairment, by site
	895-897	Appropriate impairment, by site
	905.6-8	X80-89, by site
1	905.9	X20-29, X35, by site - 45 -
	908.6	Code to effect
	909.0,1,3,9	Code to effect
	958	Code injury only
	960-979	977.9
	980.987	989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of

activity, recent disability days, or doctor visits will be included.

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

1 - 46 -

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

1

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode C - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

- 47 -

NHIS PUBLIC USE TAPE RECORDS

Outline of Items and Codes Number of Records = 88,074

CONDITION RECORD

	 		
Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		88,074	30. Condition Record
3-4	_		PROCESSING YEAR
		88,074	91. 1991
5	_		PROCESSING QUARTER
		20,547 22,677 21,820 23,030	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	HH-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 48 -

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	_		CONDITION SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5	4,954 6,956	PROCESSING WEEK CODE (Numbered within Quarter) 01. Week 01 02. Week 02
		7,173 6,848	03. Week 03 04. Week 04
		6,770	05. Week 05
		6,840 6,858	06. Week 06 07. Week 07
		6,641	08. Week 08
		6,772 6,907	09. Week 09 10. Week 10
		6,937	11. Week 11
		7,263 7,155	12. Week 12 13. Week 13
21	Recode	50 OF1	LATE INTERVIEW (OR LAST ATTEMPT) FLAG 0. Interview not late
		59,951 22,659	1. One week late
		3,980 1,484	2. Two weeks late3. Unknown

1 - 49 -

26

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		949	00.	5 5
		81,248	01.	· +
		38	02.	<pre>HU in nontransient hotel, motel, etc.</pre>
		22	03.	<pre>HU-permanent in transient hotel, motel, etc.</pre>
		18	04.	
		4,571	05.	_
		786	06.	
		56	07.	
			Other U	nit = (08-13)
		31	08.	Quarters not HU in rooming or boarding house
		0	09.	Unit not permanent in transient
		16	10.	<u>.</u>
		250	11	trailer, or tent
		258	11.	Student quarters in college dormitory
		58	12.	
		23	13.	
24	HH-11		HAS TEL	EPHONE
		80,172		, 1
		2,830	2.	Yes, no phone number given
		4,832	3.	No University
		240	4.	Unknown
25	A-1		SEX	
		37,156	1.	Male
		50,918	2.	Female

BLANK

1 - 50 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
27-28	Person Column		AGE	
		705	00.	Under 1 year
		87,339		Number of years
		30	99.	99+ years of age
29	Recode		AGE REC	CODE #1
		2 215	-	1
		3,315 8,557		Under 5 years 5-17 years
		4,847	3.	-
		22,728		25-44 years
		24,086		45-64 years
		7,052		65-69 years
		6,517	7.	70-74 years
		10,972	8.	75 years and over
30	Recode		AGE REC	CODE #2
		4,009	1	Under 6 years
		7,225		6-16 years
		5,485		17-24 years
		10,312		25-34 years
		12,416		35-44 years
		11,501		45-54 years
		12,585		55-64 years
		13,569		65-74 years
		10,972	9.	75 years and over
31-32	Recode		AGE REC	CODE #3
		2,118	00-35.	Months
		85,956	36.	Over 3 years
33	-		BLANK	

1 - 51 -

	 		
Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1992. 1900-1992 9999. DK or refused
40-41			BLANK
42	L-3	854 1,161 11,962 72,419 1,038 162 478	MAIN RACIAL BACKGROUND - Reported (See notation for locations 43-45) 1. Aleut, Eskimo, or American Indian 2. Asian/Pacific Islander 3. Black 4. White 5. Other 6. Multiple race 7. Unknown
1			- 52 -
			LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1* Persons whose Main

44		73,954 12,051 2,069 73,954	— ·	Black Other	Racial Background (location 42) was "other" or "unknown" were classified in the following recodes by using the racial background observed by the interviewer. Use
of		14,120	2.	Non-white	these recodes is
45			RECODE		recommended for estimating statistics for the groups shown
		12,051 76,023	1. 2.		here.
46-47	L-4		HISPANI	C ORIGIN	
		163 783 312 923 2,122 79 584 778 171 490 81,669	00. 01. 02. 03. 04. 05. 06. 07. 08. 09.	Puerto Rica Cuban Mexican-Mex Mexican-Ame Chicano Other Latir Other Spani Spanish, Dr Unknown if Not Spanish	an kicano erican n American ish K type Spanish origin
48	L-7		MARITAL	STATUS	
		9,235 44,808 762 11,723 7,105 2,002 12,109 330	0. 1. 2. 3. 4. 5. 6. 7.	Married - sp Married - sp Widowed Divorced Separated Never marrie	pouse in household pouse not in household

^{*}This recode is used to categorize race in the Current Estimates tables.

1 - 53 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes	
49	L-1		VETERAN	STATUS	
		62,059 80	1. 2.	Non-veteran WW I	

		E E 2 2	2	LILL TT
		5,523 2,401	3. 4.	WW II Korean War
		2,688	5.	
		698	6.	
		1,682	7.	
		238	8.	Served in Armed Forces, unknown if war veteran
		833	9.	
		11,872	Blank.	Under 18 years of age
50	L-1		ACTIVE	GUARD/RESERVE STATUS FOR PERSONS ON
			ACTIVE	DUTY IN ARMED FORCES
		62,059	0.	Non-veteran
		693	1.	All service in Guard/Reserve
		1,999	2.	Some service in Guard/Reserve
		34	3.	Unknown if all service in Guard/Reserve
		9,726	4.	
		1,691	5.	Unknown if ever active member in Guard/Reserve or if served in Armed
				Forces
		11,872	Blank.	Under 18 years of age
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		2,449	00.	Novem attended: kindergenten enler
		55,637	01-12.	5 1
			College	:
		4,990	13.	1 year
		6,176	14.	-
		2,423	15.	-
		6,773	16.	-
		1,495	17.	-
		3,971	18.	
		845	19.	-
		3,315	Blank.	Under 5 years of age
1			- 54 -	
		NHIS PUE	BLIC USE T	APE RECORDS
		CC	NDITION R	RECORD
Tape				
Locations	Item No.	Frequency	Ite	ems and Codes
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		0.440	•	
		2,449	0.	None; kindergarten only
		16,960	1.	1 (1 ,
		12,406	2.	9-11 years (high school)

		26,271 13,589 6,773 5,466 845 3,315	5.	12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55	_		HIGHEST	EDUCATION OF RESPONSIBLE ADULT
FAMILY			MEMBER	(Detail)
		274 47,357		Never attended; kindergarten only Grades 1-12
			College	:
		6,630 8,990 3,542	13. 14. 15	4
		10,748	16.	4 years
		2,660 7,476		5 years 6 years or more
		397		Unknown
56	_		HIGHEST	EDUCATION OF RESPONSIBLE ADULT
PAMILLI			MEMBER	- Recode
		274	0.	None; kindergarten only
		7,765	1.	1-8 years (elementary)
		9,593 29,999	2. 3.	9-11 years (high school) 12 years (high school graduate)
		19,162		1-3 years (college)
		10,748		4 years (college graduate)
		10,136	6.	
		397	7.	Unknown
1			- 55 -	
			BLIC USE T ONDITION R	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
57	L-8		FAMILY	INCOME \$20,000 OR MORE
		37,417	1.	Less than \$20,000
		48,141	2.	\$20,000 or more
		2,516	3.	Unknown

58-59	L-8		FAMILY I	NCOME
		520	00.	Less than \$ 1,000
		587	01.	\$ 1,000 - \$ 1,999
		641	02.	2,000 - 2,999
		873	03.	3,000 - 3,999
		1,725	04.	4,000 - 4,999
		1,929	05.	5,000 - 5,999
		2,069	06.	6,000 - 6,999
		2,136	07.	7,000 - 7,999
		1,775	08.	8,000 - 8,999
		1,734	09.	9,000 - 9,999
		1,951	10.	10,000 - 10,999
		1,458	11.	11,000 - 11,999
		2,434	12.	12,000 - 12,999
		1,346	13.	13,000 - 13,999
		1,480	14.	14,000 - 14,999
		1,768	15.	15,000 - 15,999
		1,359	16.	16,000 - 16,999
		1,194	17.	17,000 - 17,999
		1,675	18.	-,
		1,993	19.	-,
		6,848	20.	·
		5,523	21.	·
		5,276	22.	30,000 - 34,999
		4,245	23.	35,000 - 39,999
		3,805	24.	, , , , , , , , , , , , , , , , , , , ,
		3,252	25.	·
		13,363	26.	\$50,000 and over
		15,115	27.	Unknown

1 - 56 -

Tape Locations	Item No.	Frequency	Items and Codes	
60	Recode		FAMILY INCOME RECODE	
		4,346 3,998 5,645 8,669 7,989 6,848 10,799 11,302 13,363 15,115	<pre>0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown</pre>	

61	Generated		NHIS PO	VERTY INDEX*
		66,089 12,651 9,334	2.	Above poverty threshold Below poverty threshold Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2	16,992 1,041 69,948 93	&. 0.	FAMILY Primary individual Secondary individual Primary family Secondary family
63	A-2	16,387 30,985 21,857 228 15,042 699 1,518 1,337 21 0	 &. 0. 1. 2. 3. 4. 5. 6. 	Forces and living at home Spouse, other spouse IN Armed Forces and living at home Child of reference person or spouse Grandchild of reference person or spouse Parent of reference person or spouse Other relative Child of ineligible reference person

^{*}Based on family size, number of children under 18 years of age & family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

- 57 -

1

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		16,387 1,646 44,765 25,276	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*

Unrelated individuals are coded 01

67	Generated	SIZE OF FAMILY RECODE 1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
	9,029 2,783 155 795	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult
	42	relative 6. Father and other 21+ year old adult relative
adult	165 177 312	7. No parent, but one 21+ year old relative8. No parent, but two or more 21+ year old adult relatives9. Unknown
ever	942 72,970	0. Other Blank. Not applicable (25+ years old or married)

^{*}Count includes spouse in military but living at home.

1 - 58 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
		31,669	1.	Working
		19,724	2.	Keeping house
		2,656	3.	Going to school
		21,421	4.	Something else
		732	5.	Unknown
		11,872	Blank.	Not applicable (Under 18 years)

70 G-4

HEALTH STATUS

		15,305 19,028 24,860 17,014 11,487 380	 Excellent Very Good Good Fair Poor Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)*
		15,497 16,000	 Unable to perform major activity Limited in kind/amount major
activity		12,701 43,876	3. Limited in other activities4. Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		14,777 7,992 6,217 29,727 29,361	 Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)

^{*}This code is used to categorize persons with limitation of activity in the Current Estimates tables.

- 59 -

Tape			······
Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		232 1,194 182 504 690 5,755 79,517	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
0.20			and limited, or age 60-69 years)*
needs		2,528	1. Unable to perform personal care

	4,607	2.	Limited in performing other routine needs
o.r.	29,095	3.	
or	20 51,824	4. Blank.	
75 years)	D-1	EMPLOYN	MENT STATUS IN PAST 2 WEEKS (18+
		In the	Labor Force: (1-7)
	31,636 1,448		cly Employed: (1-3) Worked in past 2 weeks Did not work, has job; not on lay-
off	33	3.	and not looking for work Did not work, has job; looking for work
		Unemplo	pyed: (4-7)
	181		Did not work, has job; on lay-off
	12	5.	Did not work, has job; on lay-off and looking for work
	362	6.	
-	1,530	7.	
for			work or on lay-off
		Not in	Labor Force (18+ years): (8)
	41,000		Not in Labor Force (18+ years)
	11,872	Blank.	Not applicable (Under 18 years old)
*For persor	ng 70+ wears godos	1 and 2 in 1	loc. 71 correspond to codes 1 and 2 in
loc. 74	io , o , years, codes	- 60 -	
±		00 -	
	NHIS	PUBLIC USE 7	
		CONDITION F	RECORD

CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
76	L-6	41,000 23,408	CLASS OF WORKER 0. Not in labor force 1. Private company	
		1,079 1,814 3,166 902	2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business	

		3,794 107 41 891 11,872	6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		35,202 52,872	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		35,202 52,872	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 61 -
			IC USE TAPE RECORDS IDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		55,935	1. Self-entirely

		5,510 26,017 612	2. Self-partly3. Proxy4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		16,999 15,893 11,864 13,055 13,796 15,945 522	1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-96	K-3		ICD/NHIS CODE (DIAGNOSTIC CODE) (See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation)
97-99	Recode		CONDITION RECODE (B) (ICD Recode, modified for NHIS) (See Diagnostic Recodes Section)
100-103	Recode		ACUTE RECODE (A) (See Diagnostic Recodes Section)
104-106	Recode		CHRONIC RECODE (C) (See Diagnostic Recodes Section)
1			- 62 - LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
107	K-3		CHRONIC/ACUTE CODE
		74,511 13,563	 Chronic Acute

108	K-5		ONSET
		0 222	
		9,330	1. During the past 2 weeks
		5,864	2. Over 2 weeks to 3 months
		10,290	3. Over 3 months to 12 months
		20,677	4. Over 1 year to 5 years
		41,913	5. Over 5 years
		11,513	5. Over 5 fears
109	K-2		DOCTOR LAST SEEN FOR THIS CONDITION
		311	0. Interview week
		22,971	 2-week reference period
		25,898	2. Over 2 weeks, less than 6 months
		9,086	3. 6 months, less than 1 year
		5,891	4. 1 year, less than 2 years
		5,221	5. 2 years, less than 5 years
		5,726	6. 5 years or more
			_
		1,589	7. Doctor seen, DK when
		999	8. DK if doctor seen
		10,382	9. Doctor never seen
110	Recode		DOCTOR EVER SEEN FOR THIS CONDITION
		77,692	1. Yes
		10,382	2. No
		10,001	
111-112	 К-б		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2
111-112	K-0		WEEKS FOR THIS CONDITION
		71,597	00. None
		16,477	01-14. 1-14 days
		•	•
113-114	K-7		BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		79,164	00. None
		8,910	01-14. 1-14 days
1			- 63 -
		NHIS PUBI	IC USE TAPE RECORDS
			IDITION RECORD
		301	- ·
Tape			
Locations	Item No.	Frequency	Items and Codes
115 116	TT 0		WORK 1000 DAVIS TV DAGE 3
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS
			CONDITION (control on Currently Employed,
			75:1-3)

		84,581 3,493	00. None 01-14. 1-14 days
117-118	K-9		SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		85,904 2,170	00. None 01-14. 1-14 days
119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION*
		34,835	000. None
		5,540	001-365. Days
		34,136	366. Unknown/not a "check-list"
			condition
		13,563	Blank. Not a chronic condition
122	K-11		EVER HOSPITALIZED FOR THIS CONDITION*
		6,693	1. Yes
		34,097	2. No
		33,721	3. Unknown/not a "check-list" condition
		13,563	Blank. Not a chronic condition
123	K-12		CONDITION STATUS*
		34,618	1. Still has condition
		948	2. Condition cured
		3,176	3. Condition under control
		348	4. Other
		35,421	5. Unknown status/not a "check-list" condition
		13,563	Blank. Not a chronic condition
*Use only	for chec	k-list condit	ions. - 64 -

Tape Locations	Item No.	Frequency	Items and Codes
124	K-12		LENGTH OF TIME HAD CONDITION BEFORE CURED* (Location 123 coded 2)

			58 128 149 33 113 129 56 69 213 87,126		Less than 1 month 1-3 months Over 3 to 6 months Over 6 to 12 months 1 year 2-4 years 5-9 years 10 years or more Unknown Not applicable/not a chronic condition
	125	K-12		CONDITI	ON PRESENT IN PAST 12 MONTHS*
			38,361 234 35,916 13,563		Yes No Unknown/not a "check-list" condition Not a chronic condition
	126	Recode		(all ag	ON CAUSES ACTIVITY LIMITATION (ses) (Refer to loc. 71 in all records household for activity limitation)
of			17,263	1.	Limited, this condition main cause
			10,626	2.	limitation Limited, this condition secondary cause of limitation
			16,309	3.	Limited, but not caused by this condition
			43,876	4.	Not limited

*Use only for check-list conditions.
1 - 65 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes
127	Recode			ON CAUSES LIMITATION IN ABILITY TO or all persons 18-69 years of age)
		8,449	1.	Limited in work, this condition main cause of this limitation
		5,454	2.	Limited in work, this condition secondary cause of this limitation
		8,866	3.	Limited in work but not caused by this condition
		35,944	4.	Not limited in work

29,361	Blank.	Not	applicable
--------	--------	-----	------------

		9,732	1.	First
		1,318		Not first
		77,024	— ·	Not an injury
		77,021	Diam.	Not all Illjury
129	Recode		IS INJU	JRY ADVERSE REACTION OR COMPLICATION
			OF MEDI	CCAL CARE
		95	1.	Yes, adverse reaction**
		392	2.	Yes, complication of medical care (therapeutic misadventure)**
		10,563	3.	
		77,024	Blank.	_ _
130	K-14		PLACE C	OF ACCIDENT
		1,052	1.	At home (inside house)
		989	2.	At home (adjacent premises)
		2,596	3.	Street and highway (including
coadway				
				and public sidewalks)
		195	4.	Farm
		2,013	5.	Industrial place (including
oremises)				
,		443	6.	School (including premises)
		604	7.	
		1,263	8.	
		1,895	9.	
		77,024	Blank.	

^{*}Includes all conditions reported as caused by an accident or injury, conditions

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items and Codes
131	K-15		AT WORK AT TIME OF ACCIDENT
		2,807 4,359 1,568	 Yes No Not applicable, under 18 at time of

^{**}Locations 130-134 are coded 'Unknown' for these injuries.

		354 1,962 77,024		accident Not applicable, in Armed Forces Unknown Not an injury
132	K-16		MOTOR V	VEHICLE INVOLVED
		2,703	1	Yes
		6,834		No
		1,513		Unknown
		77,024	Blank.	Not an injury
133	K-16		NUMBER	OF VEHICLES INVOLVED
		1,666	1.	One
		994		Two or more
		43		Unknown
		85,371	Blank.	Not an injury/no or unknown if motor vehicle involved
134	K-16		MOVING	MOTOR VEHICLE INVOLVED
		2,351	1.	Yes
		269		No
		83		Unknown
		85,371	Blank.	Not an injury/no or unknown if motor vehicle involved
1			- 67 -	·
			LIC USE T NDITION R	CAPE RECORDS RECORD
Tape				
Locations	Item No.	Frequency	Ite	ems and Codes
135-137	Recode		CLASS C	OF ACCIDENT
		10,209	111-322	2.
		354	400	
		392	500	
		95 77,024	600 Blank	
138	Recode		SELECTE	D FIRST INJURY*
		E 460	-	
		7,463 791	1. 2.	
		79,820	Blank.	
				J 1

139	Recode		LIMITAT	ON CAUSES PERSONAL CARE ACTIVITY ION (5-59 years old and limited, or 69 years)
		2,103	1.	Limited, condition main cause of limitation
of		1,221	2.	Limited, condition secondary cause
01				limitation
		3,811	3.	Limited, but not caused by this condition
		29,115	4.	Not limited
		51,824	Blank.	Not applicable (under 5 years, 5-59 years not limited, 70+ years old)
140-177	_		BLANK	
178	Master Record		TYPE OF	SUBSTRATUM
		9,738	0.	Permit
		8,782		Area, oversampled for blacks
		69,554	2.	Area, not oversampled for blacks
179-181			FULL SAI	MPLE STRATUM IDENTIFIER
182	Master		REGION	
	Record	16 053	1	27 11
		16,053		Northeast Midwest
		22,504 30,922		South
		18,595	3. 4.	
		10,333	± •	

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 68 -

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION MSA Size
		35,493 23,521 5,490	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999

		1,357 22,213		Under 100,000 Non-MSA
184	_		BLANK	
185	Master Record	45,929	TYPE OF	MSA - Self-representing
		19,932 0 22,213	4.	MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode		MSA - N	ON-MSA RESIDENCE
		28,262 37,599 21,141 1,072	2. 3.	MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189			PSEUDO	PSU CODES
190-200 with			FACTOR	CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXXX) - character format decimal
1			- 69 -	
			LIC USE T NDITION R	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
			FINAL B	ASIC WEIGHT
201-209			QUARTER	
210-218			SEMI-AN	NUAL (WT/2)
219-227			ANNUAL	(WT/4)

228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST WEEKS
237-245	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED WORK-LOSS IN PAST 2 WEEKS
255-263	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
300-335	BLANK
1NOTES:	
4	71

2

- 71 -1

DOCTOR VISIT RECORD

1NOTES:

1

- 73 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 26,559DOCTOR VISIT RECORD

Tape Locations Item No. Frequency Items and Codes

-			
1-2	-	RECORD TYPE	
		26,559 40. Two-week Doctor Visit Record	
3-4	-	PROCESSING YEAR	
		26,559 91. 1991	
5	-	PROCESSING QUARTER	
		6,155	
6-8	нн-5	RANDOM RECODE OF PSU NUMBER	
9-10	нн-5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13	

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Locations Item No. Frequency Items and Codes

reflects the actual week assigned for conducting the interview. 1 - 74 -

11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the
			segment
13-14	нн-5		HOUSEHOLD NUMBER
13 11	1111 3		1000011015 110115111
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18			DOCTOR VISIT SERIAL NUMBER
1, 10			DOCION VIDII DENIAL NOMBEN
			01-99. Serial Number
10.00			
19-20	HH-5		PROCESSING WEEK CODE (Numbered within Quarter
		1,453	01. Week 01
		2,070	02. Week 02
		2,089	03. Week 03
		2,039 2,184	04. Week 04 05. Week 05
		2,041	06. Week 06
		2,204	07. Week 07
		2,045	08. Week 08
		1,957	09. Week 09
		1,979	10. Week 10
		2,243	11. Week 11
		2,125	12. Week 12
		2,130	13. Week 13
21			LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		17,969	0. Interview not late
		6,910	1. One week late
		1,305	2. Two weeks late
		375	3. Unknown

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

посастопь	reciii No.	ricquency		Teems and codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		352	00.	Housing unit; kind unknown
		24,616	01.	
		11	02.	
				etc.
		12	03.	± '
		3	04.	motel, etc. HU in rooming house
		1,169	05.	
		_,		permanent room added
		197	06.	Mobile home or trailer with one or
				more permanent rooms added
		17	07.	HU not specified above
			Other U	nit = (08-13)
		63	08.	Quarters not HU in rooming or
		03	00.	boarding house
		0	09.	
				hotel, motel, etc.
		3	10.	· · · · · · · · · · · · · · · · · · ·
		81	11.	trailer, or tent Student quarters in college
		01	тт.	dormitory
		32	12.	-
		3	13.	Other unit; kind unknown
24	нн-11		HAS TEL	EPHONE
		24,258	1.	Yes, phone number given
		892 1,341	2. 3.	Yes, no phone number given No
		68	4.	Unknown
				0-2-2-2-0 11-2
25	A-1		SEX	
		10,838	1.	Male
		15,721	2.	Female
			DT 7 NT/	
26	_		BLANK	
1			- 76	-

Locations Item No. Frequency Items and Codes

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations Item No. Frequency Items and Codes

27-28	Person Column		AGE	
		869	00.	
		25,680	01-98.	-
		10	99.	99+ years of age
29	Recode		AGE REC	ODE #1
		2,632	1.	_
		3,117		5-17 years
		1,680		18-24 years
		7,439		25-44 years
		5,907	5.	45-64 years
		1,577		65-69 years
		1,540	7.	70-74 years
		2,667	8.	75 years and over
30	Recode		AGE REC	ODE #2
		2.046	1	II-day Caraga
		2,946		Under 6 years
		2,599		6-16 years
		1,884		17-24 years
		3,636		25-34 years
		3,803		35-44 years
		3,087		45-54 years
		2,820		55-64 years
		3,117		65-74 years
		2,667	9.	75 years and over
31-32	Recode		AGE REC	ODE #3
		1,924	00-35.	Months
		24,635	36.	
22			DI ANIZ	
33			BLANK	
			- 77	
			BLIC USE TOR VISIT	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency		Items and Codes

34-39	A-3		MONTH AND YEAR OF BIRTH		
34-35			MONTH		
			01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK or refused		
36-39			YEAR OF BIRTH		
		1800-1899. 1800-1899 1900-1992. 1900-1992 9999. DK or refused			
40-41			BLANK		
42	L-3	225 390 3,475 21,834 369 49 217	MAIN RACIAL BACKGROUND - Reported (See notation for locations 43-45) 1. Aleut, Eskimo, or American Indian 2. Asian/Pacific Islander 3. Black 4. White 5. Other 6. Multiple race 7. Unknown		
1			- 78 -		
			BLIC USE TAPE RECORDS FOR VISIT RECORD		
Tape Locations	Item No.	Frequency	Items and Codes		
43-45	Recode		RACE RECODES		
43		22,413 3,513 633	RECODE 1* Persons whose Main Racial Background 1. White (location 42) was 2. Black "other" or "unknown" 3. Other were classified in the following recodes by		
44			RECODE 2 using the racial		

of		22,413	background observed by 1. White the interviewer. Use
OI		4,146	2. Non-white these recodes is recommended for
45			RECODE 3 estimating statistics for the groups shown
		3,513 23,046	 Black here. Non-black
46-47	L-4		HISPANIC ORIGIN
		113 272 109 331 666 30 236 279 54 197 24,272	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	ь-7	4,852 12,823 188 2,630 1,821 521 3,583 141	MARITAL STATUS 0. Under 14 years 1. Married - spouse in household 2. Married - spouse not in household 3. Widowed 4. Divorced 5. Separated 6. Never married 7. Unknown

^{*}This recode is used to categorize race in the Current Estimates tables.

- 79 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
49	L-1		VETERAN	STATUS
		17,223 36 1,261 532 733 183 497 89		Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran

		256 5,749	9. Blank.	
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		17,223 192 537 3	0. 1. 2. 3.	Some service in Guard/Reserve
		2,384 471	4. 5.	No active service in Guard/Reserve
		5,749	Blank.	
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		861 14,664	00. 01-12.	9 1
			College	::
		1,542 1,966 723 2,174 487 1,294 216 2,632	13. 14. 15. 16. 17. 18. 19. Blank.	2 years 3 years 4 years 5 years 6 years or more Unknown
1			- 80	-
			BLIC USE TOR VISIT	TAPE RECORDS
Tape Locations	Item No.	Frequency		Items and Codes
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		861 4,255 3,182 7,227 4,231 2,174 1,781 216 2,632	0. 1. 2. 3. 4. 5. 6. 7. Blank.	9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown

54-55 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
1711111			MEMBER (Detail)
		66 12,736	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		2,065 3,040 1,166 3,724 966 2,660 136	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
PAMILI			MEMBER - Recode
		66 1,599 2,421 8,716 6,271 3,724 3,626 136	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1			- 81 -
		-	UBLIC USE TAPE RECORDS CTOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		9,539 16,260 760	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		168 176	00. Less than \$1,000 01. \$ 1,000 - \$ 1,999

178	0	2. 2	2,000	_	2,999
248	0	3. 3	3,000	_	3,999
410	0	4. 4	1,000	_	4,999
440	0	5. 5	5,000	-	5,999
527	0	6. 6	5,000	-	6,999
515	0	7. 7	7,000	-	7,999
510	0	8. 8	3,000	-	8,999
372	0	9.	9,000	-	9,999
468	1	0. 10	0,000	-	10,999
340	1	1. 11	1,000	-	11,999
562	1	2. 12	2,000	-	12,999
376	1	3. 13	3,000	-	13,999
366	1	4. 14	1,000	-	14,999
450	1	5. 15	5,000	-	15,999
368	1	6. 16	5,000	-	16,999
324	1	7. 17	7,000	-	17,999
453	1	8. 18	3,000	-	18,999
517	1	9. 19	9,000	-	19,999
2,082	2	0. 20	0,000	-	24,999
1,737	2	1. 25	5,000	-	29,999
1,698	2	2. 30	0,000	-	34,999
1,422	2	3. 35	5,000	-	39,999
1,384	2	4. 40	0,000	-	44,999
1,166	2	5. 45	5,000	-	49,999
4,984	2	6. \$50	0,000	and	over
4,318	2	7. Unk	known		

- 82 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
60	Recode		FAMILY	INCOME RECODE
		1,180	0.	Under \$5,000
		967	1.	\$ 5,000 - \$ 6,999
		1,397	2.	7,000 - 9,999
		2,112	3.	
		2,112	4.	
		2,082		20,000 - 24,999
		3,435		25,000 - 34,999
		3,972		35,000 - 49,999
		4,984		\$50,000 or more
		4,318	9.	, ,
		4,310	9.	Ulikilowii
61	Generated		NHIS PO	OVERTY INDEX*
		20,590		Above poverty threshold
		3,404	2.	Below poverty threshold
		2,565	3.	Unknown

62-63

62	A-2		TYPE OF	'FAMILY
		4,093	&.	Primary individual
		349		Secondary individual
		22,087	0.	Primary family
		30	1-9.	Secondary family
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		3,980	&.	Reference person, living alone
		8,403	0.	Reference person, 2+ persons in
				household
		6,527	1.	Spouse, other spouse NOT in Armed
				Forces and living at home
		79	2.	Spouse, other spouse IN Armed Forces and living at home
		6,429	3.	Child of reference person or spouse
		314	4.	Grandchild of reference person or spouse
		354	5.	Parent of reference person or spouse
		467	6.	Other relative
		6	7.	Child of ineligible reference person
		0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age and family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

- 83 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		3,980 462 12,809 9,308	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY* Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE 1-8. Number of members 9. 9+ members

68	A-2			OTHER ADULT RELATIVE (under 25 years d never married)
		4,409		Both parents, no other relative
		1,101	2.	Mother only
		40	3.	Father only
		334	4.	Both parents and other 21+ year old adult relative
		340	5.	Mother and other 21+ year old adult relative
		9	6.	Father and other 21+ year old adult relative
adult		52	7.	No parent, but one 21+ year old
				relative
		92	8.	
		99	9.	Unknown
		304	0.	Other
		19,779	Blank.	Not applicable (25+ years old or ever married)

^{*}Count includes spouse in military but living at home.
1 - 84 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8	9,707 4,854 779 5,292 178 5,749	MAJOR ACTIVITY (18+ years old) 1. Working 2. Keeping house 3. Going to school 4. Something else 5. Unknown Blank. Not applicable (Under 18 years)
70	G-4	5,740 6,141 7,066 4,276 3,156 180	HEALTH STATUS 1. Excellent 2. Very Good 3. Good 4. Fair 5. Poor 6. Unknown

activity		4,583 3,133 2,245 16,598	2. 3.	Unable to perform major activity Limited in kind/amount major Limited in other activities Not limited (includes unknowns)	
72	Recode	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 3,999 1. Unable to work			
		1,559 1,077 9,968 9,956	2.	Limited in kind/amount of work Limited in other activities Not limited (includes unknowns)	

^{*}This code is used to categorize persons with limitation of activity in the Current Estimates tables.

- 85 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes	
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)		
		95 185 32 142 155 2,508 23,442	2. 3. 4. 5.	Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns)	
74	B-14	NEEDS HELP WITH PERSONAL CARE (5-59 years			
old			and limited, or age 60-69 years)*		
		865	1.	Unable to perform personal care	
needs		1,314	2.	Limited in performing other routine needs	
or		6,285	3.	Not limited in performing personal	
		23 18,072	4. Blank.	routine needs Unknown Not applicable (under 5 years; 5-59 years not limited; 70+ years old)	

years	75 s)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
				In the Labor Force: (1-7)
off	off		9,011 973	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay- and not looking for work
			12	Did not work, has job; looking for work
and			98 3	Unemployed: (4-7) 4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off
			147	looking for work6. Did not work, has job; unknown if looking or on lay-off
for			354	7. Did not work, has no job; looking work or on lay-off
			10,212 5,749	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 86 -

Tape				T. 1 G 1
Locations	Item No.	Frequency		Items and Codes
76	L-6		CLASS C	OF WORKER
		10,212	0.	Not in labor force
		7,209	1.	Private company
		347		Federal Government employee
		549		State Government employee
		989		Local Government employee
		243		Incorporated business
		950		Self-employed
		28		Without pay
		8		Never worked
		275		Unknown
		5,749		Under 18
77-79	L-6		INDUSTR	RY DETAIL CODE
		10,598	010-996	. Code number

		15,961	Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		10,598 15,961	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
			- 87 -
			JBLIC USE TAPE RECORDS DOCTOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		14,988 1,556 9,802 213	 Self-entirely Self-partly Proxy Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		4,408 4,338 4,506 4,289 4,405 4,462 151	1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-96	F-1		DATE OF VISIT

	14 2,418 2,690	6666. During 2 weeks, DK when 7777. Last week, DK day 8888. Week before, DK day
93-94		MONTH
	1,692 1,696 1,828 1,907 1,872 1,654 1,743 1,677 1,845 1,936 1,818 1,573	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK month
95-96		DAY
	21,241 196	01-31. Day of month 99. DK day codes for Unknown in month and day

- 88 -

Tape Locations	Item No.	Frequency		Items and Codes
97-98	Recode			OR VISIT VALUES (Number of days between of Visit and Interview)
period		264	00.	Visit on last Sunday of reference
		554	01.	Visit on second Saturday of reference period
		2,284	02.	Visit on second Friday of reference period
		2,008	03.	Visit on second Thursday of reference period
		2,093	04.	Visit on second Wednesday of reference period
		2,078	05.	Visit on second Tuesday of reference period
		2,391	06.	Visit on second Monday of reference period
		276	07.	Visit on first Sunday of reference period
		488	08.	Visit on first Saturday of reference period
		1,873	09.	Visit on first Friday of reference

	1	,547	10.	period Visit on first Thursday of reference period
	1	,712	11.	Visit on first Wednesday of reference period
	1	,717	12.	Visit on first Tuesday of reference period
	1	,956	13.	Visit on first Monday of reference period
	5	,318	14.	No value (records not coded 01-31 in Day of Month of Visit)
99	Recode		DAY (OF WEEK OF VISIT
	3 3 3 4 1	,347 ,795 ,805 ,555 ,157 ,042 540 ,318	!	1. Monday 2. Tuesday 3. Wednesday 4. Thursday 5. Friday 6. Saturday 7. Sunday 8. Unknown
1			- 8	89 -

Tape Locations	Item No.	Frequency		Items and Codes
100	Recode		WEEK OF	VISIT
		14,090 12,259 210	2.	Last week Week before During 2 weeks, DK when
101-102			PLACE OF	F VISIT
		2,998	01.	Telephone
			Not in H	Hospital
		1,113 15,346 400 1,590 110 539	03. 04. 05.	Company or Industrial clinic Other clinic Laboratory
			In Hospi	ital
		2,167 961	08. 09.	±

		679 188 287 181	10. 11. 12. 13.	Other
103	Recode		PLACE O	F VISIT
		2,998 15,346 2,167 961 679 400 1,113 2,714	5.	Doctor's office (not in hospital) Hospital Outpatient clinic Hospital Emergency Room Doctor's office in hospital Company or Industry clinic Home
1		NHIS P	- 90 UBLIC USE	TAPE RECORDS

Tape Locations	Item No.	Frequency		Items and Codes
104	F-3		MEDICAL	DOCTOR ACTUALLY TALKED TO
		19,688 6,418 453		Yes No Unknown
105-106	F-3		KIND OF VISIT/CO	MEDICAL DOCTOR FOR THIS DOCTOR
		1,750 9,833 8 440 2,869 432 1,541 785 1,348 122 454 5 2,395 29 647 573 544	00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14.	General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist

		576 287 324 56 1,419 122	18. 19. 20. 21. 22. Blank.	Other M.D. specialist Specialist, DK kind Family Practice (specialist) DK if medical doctor
1			- 91	_
			BLIC USE '	TAPE RECORDS RECORD
Tape				
Locations	Item No.	Frequency		Items and Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		101	31.	Nurse practitioner
		99	32.	-
		2,827	33.	Nurse
		225	34.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		2	35.	
		794	36.	2 · · · · · · · · · · · · · · · · · · ·
		28	37.	
		34 94	38. 39.	Pharmacist
		188	39. 40.	2
		60	41.	
		26	42.	
		768	43.	_
		225	44.	
		2	45.	Dietician
		166	46.	1 5
		5	47.	
		3	48.	I I
		7	49.	Orthoptic technician/Orthopist
		511 706	50. 51.	Other non-medical person Unknown type of medical assistant
		19,688	Blank.	Not applicable; medical assistant not talked to (Location 104 = 1)
1			- 92	
			BLIC USE 'TOR VISIT	TAPE RECORDS RECORD
Tape				
Locations	Item No.	Frequency		Items and Codes

TYPE OF PERSON TALKED TO/SEEN

109-110 F-3

745	00.	M.D., DK if G.P. or specialist
8,125	01.	General practitioner
8	02.	Anesthesiologist
414	03.	Dermatologist
2,183	04.	Internist
315	05.	Neurologist
1,309	06.	Obstetrician/Gynecologist
744	07.	Ophthalmologist
877	08.	Orthopedist
105	09.	Osteopath
404	10.	Otolaryngologist
5	11.	Pathologist
2,059	12.	Pediatrician
21	13.	Proctologist
457	14.	Psychiatrist
429	15.	Radiologist
463	16.	Surgeon (not listed above)
439	18.	Urologist
174	19.	Other M.D. specialist
269	20.	Specialist, DK kind
41	21.	Family Practice (specialist)
101	31.	Nurse practitioner
99	32.	Physician's assistant
2,827	33.	Nurse
225	34.	Laboratory technician
2	35.	Paramedic
794	36.	Physical therapist
28	37.	Social worker
34	38.	Pharmacist
94	39.	X-ray technician
188	40.	Other technician
60	41.	Dentist/Oral surgeon
26	42.	Optometrist/Optician
768	43.	Chiropractor
225	44.	Foot specialist
2	45.	Dietician
166	46.	Psychologist
5	47.	Nutritionist
3	48.	Naprapath
7	49.	Orthoptic technician/Orthoptist
511	50.	Other non-medical person
706	51.	Not MD; unknown type of medical
		assistant
102	52.	Unknown if MD

- 93 -

Tape			
Locations	Item No.	Frequency	Items and Codes
111-161			CONDITIONS FOR WHICH DOCTOR VISITED
111-127			CONDITION NO. 1

111-112	F-4		SERIAL NU	IMBER
			01-99. C Blank.	ondition Serial Number
113-116	Condition Record		ICD/NHIS	CODE
	Record	322 21,321 4,916	I	No matched condition record (CD/NHIS Code (note Unknown = 7999) No condition for this visit
117	Condition Record		CHRONIC/A	CUTE CODE
		322 13,357 7,964 4,916	1. C 2. A	To matched condition record Chronic Acute To condition for this visit
118-121	Condition Record	4,910	ACUTE REC	
	Record	322 7,203 761	0000 1001-5931 5932	
condition		18,273	Blank	
				for this visit
122-124	Condition Record		CHRONIC R	RECODE (C)
		322 9,847 3,510	000. 101-615. 999.	
for		12,880	Blank.	Acute condition or no condition
				this visit
125-127	Condition Record		CONDITION	I RECODE (B)
		322 21,135 186	000. 010-570. 990.	Condition recode
1		4,916	Blank. - 94 -	

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
128-144			CONDITION NO. 2

128-129	F-4		SERIAL NU	MBER
			01-99. C Blank.	ondition Serial Number
130-133	Condition Record		ICD/NHIS	CODE
	Record	78 3,722 22,759	I	o matched condition record CD/NHIS Code (note Unknown = 7999) o condition for this visit
134	Condition Record		CHRONIC/A	CUTE CODE
		78 2,775 947	1. C 2. A	o matched condition record hronic cute
		22,759	Blank. N	o condition for this visit
135-138	Condition Record		ACUTE REC	ODE (A)
		78 763 184		No matched condition recordAcute RecodeAll other acute conditions including unknowns
condition		25,534	Blank	_
Condition				for this visit
139-141	Condition Record		CHRONIC R	ECODE (C)
		78 2,097 678		No matched condition record Chronic Recode All other chronic conditions including unknowns
		23,706	Blank.	5
for				this visit
142-144	Condition Record		CONDITION	RECODE (B)
		78 3,685 37	000. 010-570. 990.	Condition recode
1		22,759	Blank. - 95 -	

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
145-161			CONDITION NO. 3

145-146	F-4		SERIAL N	UMBER
			01-99. Blank.	Condition Serial Number
147-150	Condition		ICD/NHIS	CODE
	Record	25 917		No matched condition record ICD/NHIS Code (note Unknown = 7999)
		25,617	Blank.	No condition for this visit
151	Condition Record		CHRONIC/	ACUTE CODE
		25		No matched condition record
		760 157		Chronic Acute
		25,617		No condition for this visit
152-155	Condition Record		ACUTE RE	CODE (A)
	1100010	25	000	0. No matched condition record
		113		1. Acute Recode
		44	593	All other acute conditions including unknowns
		26,377	Blan	
condition				for this visit
156-158	Condition		СПРОИТС	RECODE (C)
130-136	Record		CHRONIC	RECODE (C)
		25	000.	
		573		Chronic Recode
		187	999.	
		05 774	D]}-	including unknowns
		25,774	Blank.	Acute condition or no condition for this visit
159-161	Condition Record		CONDITIO	N RECODE (B)
		25	000.	No matched condition record
		912	010-570.	Condition recode
		5	990.	All other conditions including unknown
		25,617	Blank.	No condition for this visit
1				
1			- 96 -	
		NHIS PUE	BLIC USE T.	APE RECORDS

Tape Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		1,043 21,783	1. Yes 2. No

		735 2,998	3. Unknown Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE
163-164			OPERATION NO. 1
			See Appendix E
165-166			OPERATION NO. 2
			See Appendix E
167-168			OPERATION NO. 3
			See Appendix E
169-177			BLANK
150			
178	Master Record		TYPE OF SUBSTRATUM
		3,435 2,487	 Permit Area, oversampled for blacks
		20,637	2. Area, not oversampled for blacks
179-181			FULL SAMPLE STRATUM IDENTIFIER
182	Master		REGION
	Record	5,255	1. Northeast
		6,606	2. Midwest
		8,875 5,933	3. South 4. West
183	 Master		GEOGRAPHIC DISTRIBUTION
103	Record		
			MSA Size
		11,722	1. 1,000,000 or more
		7,081	2. 250,000 - 999,999
		1,655 379	3. 100,000 - 249,999 4. Under 100,000
		5,722	Blank. Non-MSA
1			- 97 -
		NHIS I	PUBLIC USE TAPE RECORDS

DOCTOR VISIT RECORD

Tape Locations Item No. Frequency Items and Codes

184			BLANK
185	Master Record		TYPE OF PSU
	necolu	14,892	1. MSA - Self-representing
		5,945	3. MSA - Nonself-representing
		0	4. Non-MSA - Self-representing
		5,722	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		8,871	1. MSA - Central City
		11,966	2. MSA - Not Central City
		5,445	3. Non-MSA - Nonfarm
		277	4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUA1 (WT/2)
219-227			ANNUAL (WT/4)
1			- 98 -
			BLIC USE TAPE RECORDS TOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT

228-236 QUARTER, SEMI-ANNUAL AND ANNUAL

237-335			BLANK
1			- 99 -
		HOSPI	T A L R E C O R D
1NOTES:			- 101 -
		Outline Number	LIC USE TAPE RECORDS of Items and Codes of Records = 12,261 SPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		12,261	50. Hospital Record
3-4	-		PROCESSING YEAR
		12,261	91. 1991
5	_		PROCESSING QUARTER
		2,738	1. Quarter 1
		3,148 3,257 3,118	2. Quarter 23. Quarter 34. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08

```
09, 29, 49, 69, 89 ... Week 09
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

*This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 102 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		HOSPITAL SERIAL NUMBER 01-99. Serial Number
19-20	нн-5	672 965 1,044 942 946 972 960 952 944 932 994	PROCESSING WEEK CODE (Numbered within Quarter) 01. Week 01 02. Week 02 03. Week 03 04. Week 04 05. Week 05 06. Week 05 06. Week 06 07. Week 07 08. Week 08 09. Week 09 10. Week 10 11. Week 11 12. Week 12

1.010	13	Week	1 3

1		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
	8,382	 Interview not late
	3,111	1. One week late
	553	2. Two weeks late
	215	3. Unknown
	215	3. Unknown

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Iter	ms and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		124 11,288 4	00. 01. 02.	House, apartment, flat
		3	03.	
		0 697	04. 05.	HU in rooming house
		110	06.	-
		3	07.	-
			Other U	nit = (08-13)
		2	08.	Quarters not HU in rooming or boarding house
		0	09.	_
		8	10.	
		8	11.	Student quarters in college dormitory
		11	12.	Other unit not specified above
		3	13.	Other unit; kind unknown
	11			
24	HH-11		HAS TELI	EPHONE
		11,011	1.	Yes, phone number given
		342	2.	Yes, no phone number given
		876	3.	No
		32	4.	Unknown

25	A-1		SEX		
		4,899	1.	Male	
		7,362	2.	Female	
26	_		BLANK		
1			- 104	-	
			BLIC USE OSPITAL R	TAPE RECORDS ECORD	
Tape					
Locations	Item No.	Frequency	Ite	ms and Codes	
27-28	Person		AGE		
27-20	Column		AGL		
		287	00.	4	
		11,970	01-98.		
		4	99.	99+ years of age	
29	Recode		AGE REC	ODE #1	
		708	1.	Under 5 years	
		756	2.	5-17 years	
		1,163	3.	-	
		3,527	4.		
		2,585	5.		
		924 917	6. 7.	-	
		1,681	8.	-	
30	Recode		AGE REC	10DE #2	
30	Recode		AGE REC	ODE #2	
		778	1.	Under 6 years	
		582	2.	-	
		1,267	3.		
		2,110	4. 5.	25-34 years	
		1,417 1,213	5. 6.		
		1,372	7.		
		1,841	8.		
		1,681	9.	75 years and over	

```
572
                                  00-35. Months
                                     36. Over 3 years
                      11,689
    33
                                  BLANK
1
                                   - 105 -
                         NHIS PUBLIC USE TAPE RECORDS
                               HOSPITAL RECORD
  Tape
Locations Item No. Frequency
                                Items and Codes
  34-39 A-3
                                  MONTH AND YEAR OF BIRTH
  34-35
                                  MONTH
                                                        08. August
                                      01. January
                                                       09. September
                                      02. February
                                      03. March
                                                       10. October
                                      04. April
                                                       11. November
                                      05. May
                                                       12. December
                                      06. June
                                                       99. DK or refused
                                      07. July
  36-39
                                  YEAR OF BIRTH
                                  1800-1899. 1800-1899
                                  1900-1992. 1900-1992
                                       9999. DK or refused
  40-41
                                  BLANK
    42
          L-3
                                  MAIN RACIAL BACKGROUND - Reported
                                  (See notation for locations 43-45)
                                      1. Aleut, Eskimo, or American Indian
                         147
                         149
                                      2. Asian/Pacific Islander
                       1,843
                                      3. Black
                       9,838
                                      4. White
                                      5. Other
                         162
                                      6. Multiple race
                         26
                                      7. Unknown
                         96
```

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

- 106 -

1

Tape Locations	Item No.	Frequency	It€	ems and Codes	
43-45	Recode		RACE RI	ECODES	
43			RECODE	1*	Persons whose Main Racial Background
		10,101	1.		(location 42) was
		1,859		Black	"other" or "unknown"
		301	3.		were classified in the following recodes by
44			RECODE	2	using the racial
of		10,101	1.	White	background observed by the interviewer. Use
OL		2,160	2.	Non-white	these recodes is recommended for
45			RECODE	3	estimating statistics for the groups shown
		1,859	1.	Black	here.
		10,402	2.	Non-black	
46-47	L-4		HISPANI	IC ORIGIN	
		27	00.	_	
		133 56	01. 02.		n
		213	02.		icano
		346	04.		
		11	05.		
		107	06.		
		105	07.		
		25	08.		
		89 11,149	09. 10.		Spanish origin origin
48	L-7		MARITAI	L STATUS	
		1,159	0.	Under 14 ye	ars
		6,850	1.		pouse in household
		135	2.	Married - s	pouse not in household
		1,466	3.		
		731		Divorced	
		308 1,555	5. 6.	Separated Never marri	- a

^{*}This recode is used to categorize race in the Current Estimates tables.

1 - 107 -

HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		8,734	1. Non-veteran
		13	2. WW I
		915	3. WW II
		303	4. Korean War
		319	5. Vietnam veteran
		80	6. Post-Vietnam
		227	7. Other service
		35	Served in Armed Forces, unknown if war veteran
		171	9. Unknown if served in Armed Forces
		1,464	Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		8,734	0. Non-veteran
		88	1. All service in Guard/Reserve
		278	2. Some service in Guard/Reserve
		4	3. Unknown if all service in Guard/Reserve
		1,381	4. No active service in Guard/Reserve
		312	5. Unknown if ever active member in Guard/Reserve or if served in Arme
		1,464	Forces Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		221	00. Never attended; kindergarten only
		7,953	01-12. Grades 1-12
			College:
		664	13. 1 year
		794	14. 2 years
		276	15. 3 years
		884	16. 4 years
		165	17. 5 years
		479	18. 6 years or more
		117	19. Unknown Blank. Under 5 years of age
		708	Blank. Under 5 years of age

1 - 108 -

Tape Locations	Item No.	Frequency	Itoms and Codos
		rrequestoy	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		221	0. None; kindergarten only
		2,000	1. 1-8 years (elementary)
		2,055	2. 9-11 years (high school)
		3,898	3. 12 years (high school graduate)
		1,734	4. 1-3 years (college)
		884	4 years (college graduate)
		644	6. 5+ years (post-college)
		117	7. Unknown
		708	Blank. Under 5 years of age
54-55	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)
		25	00. Never attended; kindergarten only
		7,113	01-12. Grades 1-12
			College:
		842	13. 1 year
		1,146	14. 2 years
		450	15. 3 years
		1,428	16. 4 years
		314	17. 5 years
		864	18. 6 years or more 19. Unknown
		79	19. Unknown
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER RECODE
		25	0. None; kindergarten only
		961	1. 1-8 years (elementary)
		1,518	2. 9-11 years (high school)
		4,634	3. 12 years (high school graduate)
		2,438	4. 1-3 years (college)
		1,428	4 years (college graduate)
		1,178	6. 5+ years (post-college)
		79	7. Unknown

- 109 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

57 L-8 FAMILY INCOME \$20,000 OR MORE 5,364 1. Less than \$20,000 6,464 2. \$20,000 or more 433 3. Unknown 58-59 L-8 FAMILY INCOME 97 00. Less than \$1,000 85 01. \$1,000 - \$1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 224 05. 5,000 - 5,999 252 06. 6,000 - 6,999 333 07. 7,000 - 7,999 251 08. 8,000 - 8,999 252 09. 9,000 - 9,999 251 08. 8,000 - 8,999 252 09. 9,000 - 10,999 265 10. 10,000 - 10,999 215 11. 11,000 - 11,999 232 12. 12,000 - 12,999 2332 12. 12,000 - 12,999 235 13. 13,000 - 13,999 240 14. 14,000 - 14,999 251 13. 13,000 - 13,999 252 15 13. 13,000 - 15,999 253 15 15,000 - 15,999 256 16. 16,000 - 16,999 257 17,000 - 17,999 258 17,000 - 17,999 269 18 18,000 - 18,999 276 19,1000 - 19,999 276 19,1000 - 19,999 276 29,999 276 19,1000 - 19,999 276 29,999 276 20, 20,000 - 24,999 276 21, 25,000 - 29,999 276 22, 30,000 - 34,999 252 44, 40,000 - 44,999 253 45,000 - 44,999 254 45,000 - 44,999 255 45,000 - 44,999 25,501 27. Unknown	Tape Locations	Item No.	Frequency	Items and Codes
58-59 L-8 FAMILY INCOME 97 00. Less than \$1,000 85 01. \$1,000 - \$1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 224 05. 5,000 - 5,999 252 06. 6,000 - 6,999 253 08. 8,000 - 8,999 251 08. 8,000 - 8,999 222 09. 9,000 - 9,999 251 01. 11,000 - 10,999 210 11. 11,000 - 11,999 210 11. 11,000 - 11,999 215 13. 13,000 - 13,999 215 13. 13,000 - 13,999 216 15. 15.000 - 12,999 217 14. 14,000 - 14,999 236 15. 15,000 - 15,999 236 15. 15,000 - 15,999 242 18. 18. 18,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 20. 20,000 - 24,999 276 21. 25,000 - 29,999 276 22. 30,000 - 34,999 276 23. 35,000 - 34,999 277 24. 40,000 - 44,999 278 27. Unknown	57	L-8		FAMILY INCOME \$20,000 OR MORE
58-59 L-8 FAMILY INCOME 97 00. Less than \$1,000 85 01. \$1,000 - \$1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 224 05. 5,000 - 5,999 252 06. 6,000 - 6,999 253 08. 8,000 - 8,999 251 08. 8,000 - 8,999 222 09. 9,000 - 9,999 251 01. 11,000 - 10,999 210 11. 11,000 - 11,999 210 11. 11,000 - 11,999 215 13. 13,000 - 13,999 215 13. 13,000 - 13,999 216 15. 15.000 - 12,999 217 14. 14,000 - 14,999 236 15. 15,000 - 15,999 236 15. 15,000 - 15,999 242 18. 18. 18,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 20. 20,000 - 24,999 276 21. 25,000 - 29,999 276 22. 30,000 - 34,999 276 23. 35,000 - 34,999 277 24. 40,000 - 44,999 278 27. Unknown			5 364	1 Less than \$20 000
58-59 L-8 FAMILY INCOME 97 00. Less than \$1,000 85 01. \$1,000 - \$1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 252 06. 6,000 - 6,999 333 07. 7,000 - 7,999 251 08. 8,000 - 8,999 251 08. 8,000 - 8,999 251 08. 8,000 - 10,999 251 08. 000 - 10,999 251 11. 11,000 - 11,999 265 10. 10,000 - 10,999 210 11. 11,000 - 11,999 215 13. 13,000 - 13,999 215 13. 13,000 - 13,999 215 13. 13,000 - 15,999 216 15. 15,000 - 15,999 217 14. 14,000 - 14,999 228 15. 15,000 - 16,999 236 15. 15,000 - 16,999 242 18. 18,000 - 18,999 242 18. 18,000 - 18,999 242 18. 18,000 - 18,999 242 18. 18,000 - 19,999 256 20. 20,000 - 24,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 29,999 276 29,999 270 22,30,000 - 34,999 271 22,000 - 34,999 272 34,40,000 - 44,999 273 25. 45,000 - 39,999 274 49,000 - 44,999 275 27. Unknown				
97				
97				
85 01. \$ 1,000 - \$ 1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 224 05. 5,000 - 5,999 252 06. 6,000 - 6,999 251 08. 8,000 - 8,999 252 09. 9,000 - 9,999 265 10. 10,000 - 10,999 210 11. 11,000 - 11,999 210 11. 11,000 - 12,999 215 13. 13,000 - 13,999 215 13. 13,000 - 13,999 216 15. 15,000 - 15,999 216 16. 16,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 256 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 20. 20,000 - 24,999 276 21. 25,000 - 29,999 276 22. 30,000 - 34,999 276 23. 35,000 - 39,999 270 22. 30,000 - 34,999 270 22. 30,000 - 34,999 271 22. 30,000 - 34,999 272 24. 40,000 - 44,999 273 25. 45,000 - 49,999 275 26. \$50,000 and over 2,501 Unknown	58-59	L-8		FAMILY INCOME
85 01. \$ 1,000 - \$ 1,999 87 02. 2,000 - 2,999 157 03. 3,000 - 3,999 235 04. 4,000 - 4,999 224 05. 5,000 - 5,999 252 06. 6,000 - 6,999 333 07. 7,000 - 7,999 251 08. 8,000 - 8,999 265 10. 10,000 - 10,999 210 11. 11,000 - 11,999 210 11. 11,000 - 12,999 215 13. 13,000 - 13,999 215 13. 13,000 - 13,999 215 13. 13,000 - 14,999 216 15. 15,000 - 16,999 134 14,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 19,999 276 19. 19,000 - 24,999 276 19. 19,000 - 24,999 276 20. 20,000 - 24,999 276 21. 25,000 - 29,999 276 22. 30,000 - 34,999 250 23. 35,000 - 39,999 251 24. 40,000 - 44,999 255 26. \$50,000 and over 2,501 Unknown			97	00. Less than \$1,000
87				01. \$ 1,000 - \$ 1,999
235			87	02. 2,000 - 2,999
224				
252				
333				
251				
222 09. 9,000 - 9,999 265 10. 10,000 - 10,999 210 11. 11,000 - 11,999 332 12. 12,000 - 12,999 215 13. 13,000 - 13,999 219 14. 14,000 - 14,999 236 15. 15,000 - 15,999 206 16. 16,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 956 20. 20,000 - 24,999 759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 Unknown				
265 210 11. 11,000 - 10,999 210 11. 11,000 - 11,999 332 12. 12,000 - 12,999 215 13. 13,000 - 13,999 219 14. 14,000 - 14,999 236 15. 15,000 - 15,999 206 16. 16,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 956 20. 20,000 - 24,999 759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 - 110 -				
210 332 12. 12,000 - 12,999 215 13. 13,000 - 13,999 219 14. 14,000 - 14,999 236 15. 15,000 - 15,999 206 16. 16,000 - 16,999 134 17. 17,000 - 17,999 242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 956 20. 20,000 - 24,999 759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 Unknown				
332				
215				
219				
236				
206				
242 18. 18,000 - 18,999 276 19. 19,000 - 19,999 956 20. 20,000 - 24,999 759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown			206	
276			134	17. 17,000 - 17,999
956 20. 20,000 - 24,999 759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown				
759 21. 25,000 - 29,999 701 22. 30,000 - 34,999 560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown				
701				
560 23. 35,000 - 39,999 512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown - 110 -				
512 24. 40,000 - 44,999 439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown				
439 25. 45,000 - 49,999 1,555 26. \$50,000 and over 2,501 27. Unknown - 110 -				
1,555 26. \$50,000 and over 2,501 27. Unknown - 110 -				
2,501 27. Unknown - 110 -				
- 110 -				
			2,501	Z. OIIIIOWII
	-			- 110 -
NHIS PUBLIC USE TAPE RECORDS			NHIS PU	BLIC USE TAPE RECORDS
HOSPITAL RECORD				

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		661 476 806	0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999

	1,241 1,094 956 1,460 1,511 1,555 2,501	3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown
61	Generated	NHIS POVERTY INDEX*
	8,781 1,949 1,531	 Above poverty threshold Below poverty threshold Unknown
62-63		FAMILY RELATIONSHIP
62	A-2 1,759 70 10,402 30	TYPE OF FAMILY &. Primary individual Secondary individual 0. Primary family 1-9. Secondary family
63	A-2 1,707 4,415 3,464 57 1,955 155 257 248 3 0	RELATIONSHIP TO REFERENCE PERSON &. Reference person, living alone 0. Reference person, 2+ persons in household 1. Spouse, other spouse NOT in Armed Forces and living at home 2. Spouse, other spouse IN Armed Forces and living at home 3. Child of reference person or spouse 4. Grandchild of reference person or spouse 5. Parent of reference person or spouse 6. Other relative 7. Child of ineligible reference person 9. DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

- 111 -

1

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		1,707 122	 Living alone Living only with non-relative

	6,843 3,589	3. Living with spouse4. Living with relative - other
65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
		1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
	1,046 421 16 119	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult relative
	8	6. Father and other 21+ year old adult relative 7. No parent, but one 21+ year old
adult		relative
	34 96 105	8. No parent, but two or more 21+ year old adult relatives9. Unknown0. Other
ever	10,243	Blank. Not applicable (25+ years old or married)

^{*}Count includes spouse in military but living at home.

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape			
Locations	Item No.	Frequency	Items and Codes
69	B-1		MAJOR ACTIVITY (18+ years old)
	B-8		
		3,882	1. Working
		3,062	2. Keeping house
		282	3. Going to school
		3,482	4. Something else
		89	5. Unknown

^{- 112 -}

1,464 Blank. I	Not	applicable	(Under	18	years)
----------------	-----	------------	--------	----	--------

70	G-4		HEALTH	STATUS
		2,143 2,420 3,266 2,285 2,081 66	1. 2. 3. 4. 5. 6.	Good Fair Poor
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)*
activity		2,692 1,627 1,128 6,814	1. 2. 3. 4.	Limited in kind/amount major Limited in other activities
72	Recode	0,011	ACTIVIT	TY LIMITATION STATUS MEASURED BY
		2,261 653 466 4,819 4,062	1. 2.	Limited in kind/amount of work Limited in other activities.
73	B-11	34 49 4 75 61 533 11,505	1. 2. 3. 4. 5. 6. Blank.	Needs special school/classes Limited in school attendance Limited in other activities

^{*}This code is used to categorize persons with limitation of activity in the Current Estimates tables.

- 113 -

1

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Item No. Frequency Items and Codes

آء آ ۽	74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
old				and limited, or age 60-69 years)*
	l		515	1. Unable to perform personal care
need	ıs		699	2. Limited in performing other routine
0.70			2,879	needs 3. Not limited in performing personal
or			27	routine needs 4. Unkown
			8,141	Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
year	75 `s)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
				In the Labor Force: (1-7)
				Currently employed: (1-3)
			3,590	1. Worked in past 2 weeks
			395	2. Did not work, has job; not on lay-
off				and not looking for work
			4	3. Did not work, has job; looking for work
				Unemployed: (4-7)
			46	4. Did not work, has job; on lay-off
_			2	5. Did not work, has job; on lay-off
and				looking for work
			66	6. Did not work, has job; unknown if
				looking or on lay-off
£			267	7. Did not work, has no job; looking
for				work or on lay-off
				Not in Labor Force (18+ years): (8)
			6,427	8. Not in Labor Force (18+ years)
			1,464	Blank. Not applicable (Under 18 years old)
*Fo	r perso	ons 70+ y	ears, codes 1	and 2 in loc. 71 correspond to codes 1 and 2 in

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1 - 114 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER

		6,427 3,046	0. Not in labor force1. Private company
		118 209	 Federal Government employee State Government employee
		346 91	4. Local Government employee5. Incorporated business
		385	6. Self-employed
		9 15	7. Without pay 8. Never worked
		151	9. Unknown
		1,464	Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		4,370	010-996. Code number
		7,891	Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
01 00	ПО	4 250	
		4,370 7,891	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
09 90	Recode		
			SEE APPENDIX C
1			- 115 -
			BLIC USE TAPE RECORDS
		НС	OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
		-	
91	L-R		RESPONDENT
		7,594	1. Self-entirely

		898 3,659 110	2. 3. 4.			
92	Recode		CONDITIO	ON LIST ASSIGNED AND ASKED		
		2,018	1.	Condition List 1, Skin and		
		2,120	2.	Musculoskeletal Condition List 2, Impairments		
		1,964	3.			
		2,094	4.			
		1,954	5.			
		2,033	6.	Condition List 6, Respiratory		
		78	7.	Unknown		
93-94	Recode	HOSPITAL EPISODE NUMBER FOR SHORT-STAY HOSPITALS IN PAST YEAR				
			11021 1111			
		11,993	01+.	Number		
		268	Blank.	Long-stay hospitals		
1			- 116 -			
Tape						
Locations	Item No.	Frequency	Iter	ms and Codes		
95-96	J-6		TYPE OF	SERVICE		
		11 072	0.1	Camanal		
		11,073 112	01.	General Psychiatric		
		0	02.			
		38	04.			
		15	06.	-		
		159	07.	Children's		
		11	08.			
		0	09.	3		
		2	10.			
		3 73	11. 12.	1 1		
		0	12. 89.			
		191	90.	• • • • • • • • • • • • • • • • • • • •		
		-		and Not Reported, less than 31		
				nights in hospital		
		40	92.	DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)		

nights in hospital)
93. Hospitalized in Foreign Country,

not in index

21

		0 9 6 508	9	 Nursing personal, and domiciliary care homes Nursing home, assumed from title Osteopathic Not identified as a hospital, not in index
97	Recode		RECOD	E FOR TYPE OF SERVICE
		11,993	1	. Short-stay hospitals (Codes 01, 04,
		247	2	06, 07, 11, 89, 90, 98, 99) Long-stay hospitals (Codes 02, 03, 08, 09, 10, 12, 92, 94, 95)
		21	3	08, 09, 10, 12, 92, 94, 95) Not in index (Code 93)
1			- 11	7 -
				E TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	I	tems and Codes
98-99	J-6		TYPE	OF OWNERSHIP
		295 413 247 33 598	1. G	overnmental, nonfederal 12. State 13. County 14. City 15. City-county 16. Hospital district
		2,068 6,142 0	2. N	onprofit 21. Church operated or related 23. Other nonprofit 24. Nonprofit, N.O.S.
		6 42 1,273 0	3. P	roprietary 31. Individual 32. Partnership 33. Corporation (profit) 34. Proprietary, N.O.S.
		47 78 17 0 24 201	4. G	overnment, Federal 41. Air Force 51. Army 61. Navy 62. Department of Defense, N.O.S. 71. Public Health Service 81. Veterans Administration 91. Other Federal
			5. A	ll other

	0 191	89. 90.	In index, unknown type DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
	40	92.	DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)
	21	93.	Hospitalized in Foreign
Country,			
			not in index
	9	95.	Nursing home, assumed from
title			
	6	98.	Osteopathic
	508	99.	Not identified as a hospital, not in index

1 - 118 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
100-105	J-2		DATE OF ADMISSION
100-101			MONTH
		1,050 971 1,044 994 1,059 1,078 1,054 1,007 912 1,091 1,028 973	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December
102-103			DAY OF MONTH
			01-31. Day of month
104-105			YEAR
		0 1 5 5,554 6,699 2	87. 1987 88. 1988 89. 1989 90. 1990 91. 1991 92. 1992

106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION
			0001-1838. Date Values
110	Derived		ADMISSION RECODE
		482 11,476 303	 Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months
1			- 119 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
111-114	Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW
		12,261 0	1467-1838. Values 9999. Unknown
115-118	Derived		DERIVED DATE OF DISCHARGE
		12,261 0	0002-1838. Values 9999. Unknown
119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
			00-14. Number of nights
124-126	Derived		J - VALUE
		80 12,181	Blank. Negative value 000-364. Value
127	Recode		J - RECODE

		80 602 6,030	 Still in hospital Discharges past 2 weeks (000-013) Discharges in 2 weeks to 6 months
		5,549	(014-181) 3. Discharges in 6-12 months (182-364)
128-131	J-3		TOTAL NIGHTS IN HOSPITAL
			0001-1838. Nights
			- 120 -
			BLIC USE TAPE RECORDS COSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*
		6,478 5,783	1. Yes 2. No
133	J-5		OPERATION PERFORMED DURING STAY
		6,307	1. Yes
		5,781 173	2. No 3. Unknown
134-139	J-5		OPERATION CODES (See Appendix E)
134-135			OPERATION NUMBER 1
		6,307	00-99.
		5,954	Blank.
136-137			OPERATION NUMBER 2
		614 11,647	00-99. Blank.
138-139		•	OPERATION NUMBER 3
		60	00-99.

140-144 BLANK

145	Recode		Operati	LIZATION FOR DELIVERY (Based on on Codes, Appendix E and reason hospital)
		1,688 10,573	1. 2.	Yes, delivery No
*Use weigh	nt field 21	0-218 for ann	ual estim - 121	
			BLIC USE OSPITAL R	TAPE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
146-177			BLANK	
178	Master Record	1,300 1,350 9,611	0. 1.	SUBSTRATUM Permit Area, oversampled for blacks Area, not oversampled for blacks
179-181	-		FULL SA	MPLE STRATUM IDENTIFIER
182	Master Record	2,403 3,131 4,527 2,200	REGION 1. 2. 3. 4.	Northeast Midwest South West
183	Master Record		GEOGRAP MSA Siz	HIC DISTRIBUTION
		4,770 3,263 734 191 3,303	1. 2. 3. 4. Blank.	1,000,000 or more 250,000 - 999,999 100,000 - 249,999 Under 100,000 Non-MSA

184 BLANK

1 - 122 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
185	Master Record		TYPE OF PSU	
	Record	6,302 2,656 0 3,303	 MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing 	
186	Recode		MSA - NON-MSA RESIDENCE	
		3,995 4,963 3,141 162	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm 	
187-189			PSEUDO PSU CODES	
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal	
			FINAL BASIC WEIGHT	
201-209			QUARTER	
210-218*			SEMI-ANNUAL (WT/2)	
219-227			ANNUAL (WT/4)	
			6.5 WEIGHT	

6.5 WEIGHT

228-236 QUARTER, SEMI-ANNUAL AND ANNUAL

*Use these locations for estimates of hospital discharges and days based on a 6-month period.

- 123 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
237-245			ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254			QUARTER
255-263			SEMI-ANNUAL
264-272			ANNUAL
			ESTIMATED TOTAL NIGHTS IN HOSPITAL
273-281			QUARTER
282-290*			SEMI-ANNUAL
291-299			ANNUAL
300-335			BLANK

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1NOTES:

1

- 125 -

DIAGNOSTIC RECODES

1NOTES:

- 127 -

- 127 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982. 1NOTES:

1

- 129 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105 2106	Common Cold	460
	Other Acute Upper Respiratory Infections	461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	

3411 3412 3413	Dental Conditions Indigestion, Nausea and Vomiting Other Digestive Conditions	520.,6-9, 521.,0-5,7-9, 522,523,525 536.8,787.0 (520-579, and 787,
	INJURIES	except for above)*
4514	Fractures, Dislocations	800-839
4515	Sprains and Strains	840-848
4516	Open Wounds and Lacerations	870-884, 890-894
4517	Contusions and Superficial Injuries	910-929
4518	Other Current Injuries	(800-999, except for above)*

*Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS. 1

- 130 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 378. ,0-6,8,9, 379. ,0,1,3,4,8,9
5620	Acute Ear Infections	380.1, 381, 382, 383.,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8, 384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595. ,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9

5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709
1	- 131 -	

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS (Continued))
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by

- 133 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

^{**}NHIS codes tension headache to 784.0 1NOTES:

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982. 1NOTES:

- 135 -

1

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
01		Intestinal Infectious Diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9

02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
1	029	Residual - 136 -	017, 018, 019-A

National Health Interview Survey Diagnostic Recode B

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaenia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056

044	Yellow fever		060
045	Arthropod-borne en	ncephalitis	062-064
046	Viral hepatitis		070
047	Rabies		071
048	Trachoma		076
049	Residual		046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079
		1 2 7	

1 - 137 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126

	076	Other helminthia	sis	121, 123, 124, 127-129
1	079	Residual	- 138 -	130-136

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm or small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
1	109	Residual - 139 -	160, 163-165
		National Health Interview Survey Diagnostic Recode B	

_	3-digit Recode	Catagory		Diagnostic Inclusions
Recode	Recode	Category	Code	IIICIUSIOIIS

11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191
1	139	Residual - 140 -	190, 192-199

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229

	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279
1		- 141 -	

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289

	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	296
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14
1		- 142 -	- ,

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
22		Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1-8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
	220	Meningitis	320, 322
	221	Parkinson's disease	332
	222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
	223	Multiple sclerosis	340

224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
225	Epilepsy	345
229	Residual	323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359, X41.1-8,.X,.Y, X61***

^{*}Excludes .0

***Includes all 4th digits except .9 - 143 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	X00*
	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, X06, X07, X09)*

25	Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
250	Acute rheumatic fever	390, 392
251	Chronic rheumatic heart disease	393-398
259	Residual	399-A

*Excludes .0

- 144 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9 - 145 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Hemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory infections	460-462, 465
	313	Deflected nasal septum and nasal polyps	470, 471
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
	315	Chronic diseases of tonsils and adenoids	474
	319	Residual - 146 -	475-478, 477.7-A
		National Health Interview Survey Diagnostic Recode B	
2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
32		Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 51 519, X30***

	320	Acute bronchitis and bronchiolitis	466
	321	Pheumonia	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pheumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,6-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,6-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529
	331	Diseases of teeth and supporting structures Disease of the jaw	520.3,4,6-9, 521-523, 525, X92 526

***Includes all 4th digits except .9
1 - 147 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560

	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35	Disease	s of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

***Includes all 4th digits except .9 - 148 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
608	369	Residual	601, 602, 604, 607,
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9

	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	382 389	Illegally induced abortion Residual	636 630-633, 637-639

***Includes all 4th digits except .9
- 149 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650

42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A,
			694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709
1		- 150 -	

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
43		Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
	430	Rheumatoid arthritis, except spine	714
	431	Other arthropathies	710-712, 715, 716
	432	Other disorders of joints	717-719
	433	Ankylosing spondylitis	720.0
	434	Other dorsopathies	720.1-724, X80
	435	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
	436	Osteomyelitis, periostitis and other infections involving bone	730
	437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
	439	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

***Includes all 4th digits except .9 - 151 -

Recode	Recode	Category	Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9,744.4, 745-748,750.2-9, 751,752,753.1-9, 754.0,1,756.4-9, 757,758.1-9,759.0- 6,8,(x20-x29,x33- x35,x70,x73,x74, x76-x78,x93)**, x71.9,x75.9, (x30-x32,x79, x90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751
	445	Undescended testicle	752.5
	446	Congenital dislocation of hip	X75.9
	447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
	449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)**

^{**}Includes 4th digit .9 only.

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763

	452	Slow fetal growth malnutrition and		764, 765
	453	Birth trauma		767, X61.9
	454	Hypoxia, birth as respiratory cond	sphyxia and other itions	768-770
	455	Haemolytic diseas	se of fetus or	773
	459	Residual		766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms a Conditions	and Ill-Defined	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknow	wn origin	780.6
	461	Symptoms involvi	ng heart	785.0-3
	462	Renal colic		788.0
	463	Retention of uri	ne	788.2
	464	Abdominal pain		789.0
	465	Senility without psychosis	mention of	797
	467	Respiratory fail	ure	799.1
4,6,	469	Residual		780.0-5,7-9, 781.0-
				7,9, 782, 783.0,2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-
5,9,				790-796, 799.0,2-
4,8,9, 1			- 153 -	799.5-A, X11, X12

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813

	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)****
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, X00.0, X05.0, X08.0
	499	Residual	860-869, 952-957, (X42-X49,X51-X60, X63, X64)****

****Includes 4th digit .0 only.

1 - 154 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940

	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

*****871.3 is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

*****Anything classifiable to 960-978 is coded by NHIS to 977.9.

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
NOTES:	990	Residual, all other conditions	All other not listed codes

1 - 157 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982. 1NOTES:

1 - 159 -

Recode

Revised April 30, 1983

ICD Inclusion as modified

Number	Title	by the NHIS
	LIST I: SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS	
101	Arthritis	711. ,0,9, 712. ,8,9, 714-716, 720.0, 721
102	Rheumatism, unspecified	729.0
103	Gout, including gouty arthritis	274
104	Sciatica (including lumbago)	724.2,3
105	Intervertebral disc disorders	722
106	Bone spur/tendinitis NOS	726. ,9

107	Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108	Bunion	727.1
109	Bursitis, NEC	726.0-8, 727. ,0,2-9
110	Sebaceous skin cyst	706.2
111	Acne	706.0,1
112	Psoriasis	696
113	Dermatitis	690-694 (693.2 NHIS code)
114	Dry (itching) skin NEC	698.9
115	Chronic ulcer of skin	707
116	Ingrown nails	703.0
117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119 1	Malignant neoplasms of the skin - 160 -	172, 173
		Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS	
201 202	Blind - Both eyes Other Visual Impairment	X00 X01-X03
203 204	Deaf - Both ears Other Hearing Impairments	X05 X06-X09
205 206	Stammering and Stuttering Other Speech Impairments	X10 X11
207	Impairment of Sensation	X12
208	Mental Retardation	X19
209 210 211	Absence Upper Extremities Both Arms/Hands One Hand/Arm Fingers - One or Both Hands	X20,X21 X23,X24 X22,X25
212	Absence Lower Extremities One or Both Legs	X26,X28

213	Feet/Toes - One or Both Limbs	X27,X29
214	Absence Lung	X30
215	Kidney	X31
216	Breast	X32
217	Bone, Joint,	
	Muscle of extremity	X34
218	Tips of Fingers, Toes	X35
	Paralysis of Extremities - Complete	
219	Entire Body	X40
220	One Side of Body - Hemiplegia	X41
221	Both Legs - Paraplegia	X46
222	Other paralysis	X42-X45, X47-X49
	Paralysis of Extremities - Partial	
223	Cerebral Palsy	X50
224	One Side of Body Only - Hemiparesis	X51
225	Legs - Both or Paraparesis	X56
226	Other paralysis	X52-X55, X57-X59
1	- 161 -	

Revised June 12, 1984

Recode Number	Title) Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial -	
	Other site	X60-X64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of	
	back or spine	x70
229	Orthopedic Impairment	X80
230	Spina Bifida	X71
	Other Upper Extremities	
231	Hands, Fingers only	X74
232	Orthopedic Impairment - Shoulder(s	s) X84
233	Other	X73
	Lower Extremities	
234	Flatfeet	X77
235	Clubfoot	X78
236	Other	X75,X76,X85,X86
237	Other Deformities/	
	Orthopedic Impairment	X79,X89
238	Cleft Palate	X91
239	Color Blindness	368.5

240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243 1	Diseases of Retina - 162 -	361,362. ,1-9

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD	Inclusion by the	as modified NHIS
	LIST III: SELECTED DIGESTIVE CONDITIONS			
301	Gallbladder stones		574	
302	Liver diseases including cirrhosis		571, 572,	573. ,0,3-9
303	Gastric ulcer		531	
304	Duodenal ulcer		532	
305	Peptic ulcer		533	
306	Hernia of abdominal cavity		550-553	
307	Disease of the esophagus		530	
308	Gastritis and duodenitis		535	
309	Indigestion		536.8	
310	Other functional disorders of stomach and digestive system		536 (exce)	pt .8), 787
311	Enteritis and colitis		555, 556,	558
312	Spastic colon		564.1	
313	Diverticula of intestines		562	
314	Constipation		564.0	
315	Other stomach and intestinal disorders		534, 537,	560, 569
316	Malignant neoplasms of stomach, intestines, colon, and rectum		151-154	
1	- 163 -		131 131	
				' 1 20 1002

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOC METABOLIC AND BLOOD AND BLOOD	
401	Goiter	240, 241, 242.0-3
402	Other disorders of the thyroid	242.4,8,9, 243-246
403	Diabetes	250
404	Anemias	280-285
405	Epilepsy	345
406	Migraine headache	346
407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624
418	Menstrual disorders - 164 -	626

Revised May 1, 1983

Recode		ICD	Inclusion	as	modified
Number	Title		by the	NH:	IS

GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD AND BLOOD FORMING SYSTEMS (Continued)

419	Other disorders of female genital organs	617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184
423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217
425	Benign neoplasms of female genital organs - 165 -	218-221

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST V: SELECTED CIRCULATORY CONDITIONS	
501	Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502	Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505	Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart rhythm disorders	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1
506	Congenital heart disease	745, 746
507	Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508	High blood pressure (hypertension)	401-405
509	Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438

		in 437)
510	Hardening of the arteries	440
511	Aneurysm	441. ,0-6, 442
512	Phlebitis, thrombophlebitis	451
513	Varicose veins of lower extremities	454
514	Hemorrhoids	455
515 1	Poor circulation - 166 -	459. ,8,9

Revised April 30, 1983

Recode Number	I Title	CD Inclusion as modified by the NHIS
	LIST VI: SELECTED RESPIRATORY CONDITIONS	
601	Chronic Bronchitis	490, 491
602	Asthma	493
603	Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604	Nasal polyps	471
605	Chronic sinusitis	473
606	Deviated Nasal Septum	470
607	Chronic disease of tonsils and adenoids	474
608	Chronic laryngitis	476
609	Emphysema	492
610	Pleurisy	511
611	Pneumoconiosis and asbestosis	500-505
612	Tuberculosis (pulmonary)	011, 019 (NHIS code)
613	Malignant neoplasms of lung and bronchus	162. ,2-9
614	Other diseases of lung	515, 518
615	Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163

*Excludes always acute codes and ICD codes not used by NHIS. - 167 -

HEALTH INTERVIEW SURVEY - 1991

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight (divide basic quarter weight by 4 to get annual weight).

To illustrate the use of reference periods, suppose we have a person whose basic weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4=1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

- 168 -

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

1

A table summarizing these tape locations and their uses follows: SUMMARY OF WEIGHTS IN THE 1991 NHIS PERSON RECORD

Tape location	Name of Weight Field	Notes:
190-200 weight	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR	Multiply by final basic to obtain prevalence of chronic conditions
	FINAL BASIC WEIGHT	
201-209	QUARTER	Use one quarter of data
210-218	SEMI-ANNUAL	Use two quarters of data
219-227	ANNUAL	Use entire data file
228-236	6.5 WEIGHT Content of field is 6.5 times the Quarter Weight.	Use for event data with 2-week recall period
237-245	ESTIMATED RESTRICTED ACTIVITY DAYES (BASED ON TWO-WEEK RECALL) Content of field is number of restricted activity days times 6.5 Weight.	Use one quarter to produce estimate for the quarter; use entire file to produce annual estimate. This field is already weighted.

1 - 169 -

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from Health Interview Survey data tapes. The publication, "Current Estimates", for the year 1991 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable,

for example, persons injured, the variables needed will be listed.

1NOTES:

1 - 171 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
1-15	Incidence of Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Onset in 2 weeks	108	1
	Use:		
1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications	100-103	1001-5932
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1
	Weight:		
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236	
16-25	Restricted Activity Days Associated With Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
1	2 week restricted activity days - 172 -	237-245	
	TABULATING DATA FOR CURRENT ESTIMATES	ΓABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES

	ANNUAL ESTIMATES		
26-35	Bed Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
26-30	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week bed days	246-254	
36-45	Work-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932
	Weight:		
1	2 week work-loss days - 173 -	255-263	
	TABULATING DATA FOR CURRENT ESTIMATE	ES TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
46-49	School-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		

46-47	Acute Condition Recode A Denominator is population ages 5-17 see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week school-loss days	264-272	
50	Acute Conditions per Quarter		
	Use specifications for Tables 1-10 but also use processing quarter	5	1,2,3 or 4
51-52	Episodes of Persons Injured		
	Inclusions:		
	Condition records Onset in 2 weeks First injury and	1-2 108 128	30 1 1
	Acute Condition Recode A (injuries)	100-103	4514-4518
	Impairments due to injury	93 96	Х 0
1	- 174 -		
	TABULATING DATA FOR CURRENT ESTI	MATES TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ITEMS ANNUAL ESTIMATES		CODES
		LOCATIONS	CODES
NUMBERS	ANNUAL ESTIMATES	LOCATIONS	CODES
NUMBERS	ANNUAL ESTIMATES Episodes of Persons Injured - continue Use: Type/place of accident (all included records) Moving motor vehicle involved (total) (traffic	LOCATIONS and 134 and 130 134 and 130	1 1-9 1 3
NUMBERS	ANNUAL ESTIMATES Episodes of Persons Injured - continue Use: Type/place of accident (all included records) Moving motor vehicle involved (total)	LOCATIONS and 134 and 130 134	1 1-9 1
NUMBERS	ANNUAL ESTIMATES Episodes of Persons Injured - continue Use: Type/place of accident (all included records) Moving motor vehicle involved (total) (traffic (no) At work (yes) (no) Place of accident (home) (street) (industrial place)	LOCATIONS and 134 and 130 134 and 130 134 131 131 130 130 130	1 1-9 1 3 2,4 1 2 1-2 3 5
NUMBERS	ANNUAL ESTIMATES Episodes of Persons Injured - continue Use: Type/place of accident (all included records) Moving motor vehicle involved (total) (traffic (no) At work (yes) (no) Place of accident (home) (street)	LOCATIONS and 134 and 130 134 and 130 134 131 131 130 130	1 1-9 1 3 2,4 1 2 1-2 3

Weight:

	6.5 weight (2 week reference)	228-236	
53-54	Restricted Activity Days Associated with Persons Injured		
	Use:		
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1		
	Weight:	237-245	
55-56	Bed Days Associated with Persons Injured		
	Use:		
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so that 128:1	-	
1	Weight: - 175 -	246-254	
1	TABULATING DATA FOR CURRENT ESTIMATES	. TARLEC	
	TABOLATING DATA FOR CORRENT BUTTAFALE		
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
57-66	Prevalence of Selected Chronic Conditions		
	Inclusions:		
	Condition records Chronic	1-2 107	30 1
	Use:		
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 1, 104-106	2,3,4,5 or 6
	Weight:		
57-61	Chronic condition factor Multiplied by final basic weight Denominator is population: see specification for Table 78	190-200 219-227	
67-68	Limitation of Activity Due to Chronic Condit	ions	
	Inclusions:		
	Person records	1-2	20
	Use:		
	LA-1 Unable to perform major activity	71	1

		LA-2 Limited in kind/amount of major activity	71	2
		LA-3 Limited in other activity	71	3
		LA-4 Not Limited (includes unknowns)	71	4
		Weight:	219-227	
	67	Denominator for percent distribution is		
1		population 176 -		
		TABULATING DATA FOR CURRENT ESTIMAT	ES TABLES	
N	TABLE IUMBERS	ITEMS	TAPE LOCATIONS	CODES
		ANNUAL ESTIMATES		
	69	Person Disability Days		
		Inclusions:		
		Person records	1-2	20
		Weight:		
		Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	
	70	Respondent Assessed Health Status		
		Inclusions:		
		Person records	1-2	20
		Weight:	219-227	
	71	Physician Contacts: Place and Rate		
		Inclusions:		
		Doctor Visit records	1-2	40
		Use:		
		Place of visit	103	1-8(9)
		Weight:		
		6.5 weight (2 week)	228-236	

Denominator for rate columns are population: see specifications for Table 78

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 177 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
72	Interval Since Physician Contact		
	Inclusions:		
	Person records	1-2	20
	Use:		
	<pre>Interval since doctor seen NOTE: 5 years and over (includes never)</pre>	115 115	0-4(5) 0,4
	Weight:	219-227	
73-74	Short Stay Hospital Episodes (12 month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution is population	219-227	
75-76	Short Stay Hospital Episode Days		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 178 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
	Weight:		
75	Short stay hospital episode days (all episodes)* Short stay hospital episode days (excluding deliveries)* Denominator for rates is population with appropriate number of episodes	124-126 x 129-131 x	
	(from Table 74)		
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		
	Inclusions:		
	Hospital Records with	1-2 132	50 1
	Use:		
	All specified records for hospitalizations for all reasons		
	Hospitalizations for deliveries	145	1
	Weight:		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
78	Population		
	Inclusions:		
	Person records	1-2	20
	Use:		
	All records for total population Currently employed population	75	1-3

Weight: 219-227

```
*These weights reflect a modification from previous years (1982-1990).
                                  - 179 -
                                 APPENDIX A
                                                                    11/14/85
                     CODES FOR TYPES OF SPECIAL PLACES
     CODES
                        TYPES
             I. SPECIFIED INSTITUTIONS
             Correctional Institutions
     11-----State and Federal penitentiaries, prisons, and reformatories
     11-----State and Federal prison farms and camps
     11-----County and city jails, workhouses, penitentiaries
     11-----County and city prison farms and camps
     11-----Federal detention headquarters
     12-----State and Federal training or industrial schools
     12-----County and municipal training or industrial schools
     12-----Private schools for delinquents, such as "House of the Good
             Shepherd, " "Boys Town, " etc.
             Mental Institutions
     21-----Homes and training schools for mentally handicapped
     21-----Homes, training schools, colonies, and villages for epileptics
     21-----State, Federal, county and city hospitals for mentally ill
     21-----Private hospitals and sanitariums for mentally ill
     22-----Hospitals and centers for the treatment of alcoholics and drug
             addicts
     23-----Veterans Administration mental hospitals
             Home for the Aged, Infirm, and Needy
     31----Orphan asylums
     31-----Children's homes
     32-----County homes, almshouses, poor farms, etc.
     33-----Fraternal or religious homes for the aged
     34-----Commercial homes for the aged
     35-----Homes and schools for the blind
     36-----Homes and schools for the deaf
     37-----Hospital or resident schools, orthopedic hospitals, and homes
             for the crippled
     38-----Soldiers' and sailors' homes
     39-----Veterans Administration homes (domiciliary care)
     40----- Nursing, Convalescent, and Rest Homes
             Other Hospitals and Homes Providing Specialized Care
     51----Tuberculosis sanitariums
     52-----Veterans Administration tuberculosis hospitals
     53-----Homes for incurables
     53----Hospices
     54-----Chronic and cancer hospitals
     55-----Maternity homes for unmarried mothers
```

57-----Hospitals and homes for other specialized care - 180 -

1

56-----Detention and receiving homes

APPENDIX A 11/14/85

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

II. OTHER SPECIAL PLACES

Other Special Places

- 61-----Veterans Administration General Medical and Surgical Hospitals
- 62-----Facilities for the Treatment of the Physically ill
 This type of facility treats physical disorders and is one in
 which the patient stays for a relatively short period of time.

Examples of this type of special place are:

General or emergency hospital; children's hospital;

- maternity hospital
- 2. Infirmary
- 71-----Hotels, transient-type
- 71-----Motels, transient-type
- 71----Tourist camp or court (like motels except units are detached), transient-type
- 72-----Hotels, nontransient type
- 72-----Motels, nontransient type
- 72-----Tourist camp or court, nontransient type
- 73-----YMCA, YMHA, YWCA, transient type
- 74----YMCA, YMHA, YWCA, nontransient type
- 75-----Private residential clubs
- 76-----Rooming and boarding houses. Those that meet the special place
- 76-----Tourist homes definition.

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

- 77-----Combination tourist-trailer court, transient-type
- 78-----Combination tourist-trailer court, nontransient type
- 79-----Groups of five or more vacation cabins under single management, transient-type

Facilities for Housing Students

- 81----School dormitory
- 81-----Fraternity
- 81----Sorority

1

- 181 -

APPENDIX A

11/14/85

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

II. OTHER SPECIAL PLACES

Facilities for Housing Students---continued

```
82-----School with resident students (other than for the needy or
              infirm and other than resident schools with separate codes 83
              and 84----see below).*
     83-----Schools with resident students and with predominantly non-
              salaried faculty such as nuns or priests.*
     84-----Schools with resident students and operated primarily for
              religious training (other than those with predominantly non-
              salaried faculty) such as Bible Institutes.*
              Facilities for Housing Workers
     85-----Dormitory for workers (other than specified for codes 86, 87 and
              88).
     86-----Bunkhouse (provided that it has or is expected to have quarters
              for 5 or more farm or ranch hands).
     87-----Labor camp
     87-----Logging camp
     88-----Migratory workers' camp (those that meet the special place
              definition).
              Additional Other Places
     91-----Convents and other sisters' residences (those that meet the
              special place definition).
     91-----Monasteries, other brothers' residences, and rectories (those
              that meet the special place definition).
     92----Communes
     93-----Halfway houses--when occupants live there on a voluntary basis
              (assign halfway houses for persons not there on a voluntary
              basis to the appropriate institutional code).
     00----Nurses' Homes
     01-----Flophouses, railroad stations
     01-----Missions, Salvation Army Shelters
     02-----Recreational and religious camps (adults or family)
     03----Recreational and religious camps (children's)
     04----Trailer camps
     05----Tent camps
     06----Armed forces installations
     07-----Armed forces hospitals
 *For a school with resident faculty only, assign code 82, 83, or 84 as
 appropriate.
1NOTES:
                                   - 183 -
                                                                    APPENDIX
R
                           INDUSTRY RECODES OUTLINE
    Recodes
 ______
 No. 1 No. 2
                                     Industry Title SIC Code*
 Chrs. Chrs. Detail Code
 80-81 82-83 (Chrs. 77-79)
```

02	01	030-031	FORESTRY AND FISHERIES	08-09
10	02	040-042,050	MINING	10-14
20	03	060	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	-	MANUFACTURING: NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34 307,	04	130,160-162, 200-201,210-212,	Other nondurable goods	21,261-266,291,295, 299,301-304,306-
307,		220-222		311,313-317,319
*Standa:	rd Ind	dustrial Classifica	ation - 184 -	·
В				APPENDIX

INDUSTRY RECODES OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
(30-34, 40-46)	(04)	-	MANUFACTURING: - continued	
(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	
41	04	270-272,280	Primary metal industries	331-332,334,3331-

3334,333	9,3351	,3353-		2255 2261
3362,336	9,			3357,3361-
				339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
(50-54)	(05)	-	TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES	ONS
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47
53	05	440-442	Communications	481-483,489
54	05	460-462,470-472	Utilities and sanitary	491-497
*Standa 1	rd Ind	ustrial Classifica	tion - 185 -	
				APPENDIX
В		IND	USTRY RECODES OUTLINE	
Rec	odes			
No. 1	No. 2			
		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
60	06	500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199

(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58
65 5963,	07	580-582,590, 630-632,640,642, 650-652,660-662,	Other and not specified retail trade	521,523,525-527,56, 571-573,591-593, 5941-5949,5961-
		670-672,681-682, 691		598,5992-5994,5999
(70-71)	(08)	_	FINANCE, INSURANCE, AND REA	L
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67

*Standard Industrial Classification 1 - 186 -

INDUSTRY RECODES OUTLINE

APPENDIX B

Recodes							
	Chrs	2 s. Detail Code 33 (Chrs. 77-79)	Industry Title	SIC Code*			
(75-85)	(09-1		SERVICES:				
(75-76) (09)			BUSINESS AND REPAIR SERVICES				
75	09	721-722,730-732, 740-742,750	Business services	731-737,7391-7397, 7399,751,752,754			
76	09	751-752,760	Repair services	753,762-764,7692, 7694,7699			

(77-78)	(10) –	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802	ENTERTAINMENT AND RECREATION SERVICES	78,791-794,799
(80-85)	(12) –	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806
81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899
*Standar	d Ind	ustrial Classifica	tion	
1			- 187 -	

1

APPENDIX

В

INDUSTRY RECODES OUTLINE

Reco	odes			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	990 and all other codes except 996	UNKNOWN INDUSTRY	-
96	14	996	NEW WORKER	

97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).
98	16	942	ARMED FORCES (excludes Reserves and National Guard)

*Standard Industrial Classification

1 - 188 -

APPENDIX

В

INDUSTRY RECODE TITLES

Code	e Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	UNKNOWN (includes new workers)	95-96
15	NOT IN LABOR FORCE	97

APPENDIX C

Reco	odes				
No. 1 Chrs. 87-88				Occupation Title	SOC Code*
(01-03)	(01)	- 003-006		EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS Officials and administrators, public administration	- 111-113
02	01	007-009	,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029	,033-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-
1473,149					·
(04-11)	(02)			PROFESSIONAL SPECIALTY	_
04	02	044-049	,053-059	OCCUPATIONS Engineers	1622-1628,1632- 1637,1639
05	02	043,063		Architects and surveyors	161,164
06	02	064-069 083	,073-079	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089		Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099	,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119 133-139 153-159		Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252
10	02	183-189 197-199	,193-195,	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169	,173-179	Other professional specialty occupations	1912-1916,1919, 192,2032-2033, 2042,2049,211-

*Standard Occupational Classification.

1 - 190 -

C APPENDIX

Rec	odes				
No. 1 Chrs. 87-88				Occupation Title	SOC Code*
(12-13)	(03)			TECHNICIANS AND RELATED	
12	03	203-208		SUPPORT OCCUPATIONS Health technologists and technicians	362-366,369
13	03	213-218 233-235	,223-229,	Technologists, technicians except health	3711-3713,3719, 372-
373,382,	3831-			-	
3833,384	,389,3	92-			393,396,3971-
3972,397	4,399,	825			
(14-16)	(04)	_		SALES OCCUPATIONS	_
14	04	243		Supervisors and proprietors	40
15	04	253-259		Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269 283-285	,274-278,	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
/17 01)	(05)			ADMINITURD ARTHUR GUIDDODE	
(17-21)	(05)	_		ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICA	_ L
17	05	308-309		Computer equipment operators	4612-4613
18	05	313-315		Secretaries, stenographers and typists	4622-4624
19	05	337-339	,343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357		Mail and message distributing	4742-4745
21	05	323,325 335-336 353,359	,316-319, -329, ,345-349, ,363-366, ,373-379,	Other administrative support	4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722-

4723,4729,4732-4733,4739,4751-4759,4782-4784, 4786-4787,4791-4795,4799

*Standard Occupational Classification.

1 - 191 -

APPENDIX

С

Rec	odes				
No. 1 Chrs.	No. 2 Chrs.	Detail C (Chrs. 8		Occupation Title	SOC Code*
22	06	403-407		PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-		PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,4 423-424	16-418,	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-4	127	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	-		SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	08	433-439,4	443-444	Food service	5211-5219
26	08	445-447		Health service	5232-5233,5236
27	08	448-449,4	153-455	Cleaning and building service	5241-5242,5244- 5246,5249
28	80	456-459,4	463-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	-		FARMING, FORESTRY AND FISHING OCCUPATIONS	
29	09	473-476		Farm operators and managers	5512-5515,5522- 5525
30	09	477,479,4	183-489	Farm workers and other	5611-5619,5621-

```
agricultural workers
                                                                5622,5624-5625,
                                                                5627
    31
        09
             494-499
                                 Forestry and fishing
                                                                571-573,579,
                                 occupations
                                                                583-
584,8241(pt.)
*Standard Occupational Classification.
1
                                     - 192 -
                                                                       APPENDIX
С
                            OCCUPATION RECODE OUTLINE
    Recodes
 ______
  No. 1 No. 2
  Chrs. Chrs. Detail Code
                                       Occupation Title SOC Code*
  87-88 89-90 (Chrs. 84-86)
 (32-34) (10)
                                 PRECISION PRODUCTION, CRAFT
                                 AND REPAIR OCCUPATIONS
    32
         10
               503,505-509,
                                 Mechanics and repairers
                                                                60,6111-6118,
                                                                613-614,6151-
               514-519,523,
               525-527,529
                                                                6159,616,6171-
               533-536,538-539,
                                                                6179
               543-544,547,549
    33
               553-558,563-567, Construction and extractive
                                                                6311-6316,6318,
         10
               569,573,575-577, trades
                                                                632,6412-6414,
               579,583-585,
                                                                6422,6424,6432-
               587-589,593-599,
                                                                6433,6442-6444,
               613-617
                                                                645,6462-6468,
                                                                6472,6476,6479,
                                                                652-654,656
    34
         10
               633-637,639,
                                 Precision production
                                                                67,71,6811-6814,
               643-647,649,
                                 occupations
                                                                6816-6817,6821-
               653-659,666-669,
                                                                6824,6829,6831-
                                                                6832,6835,6839,
               673-679,683-684,
               686-689,693-696,
                                                                6844,6852-6854,
               699
                                                                6856,6859,6861-
                                                                6862,6864-6867,
                                                                6869,6871-6873,
                                                                6879,6881-6882,
                                                                691-696,7447,
                                                                7668,7677,7752,
                                                                828
```

1 - 193 -

APPENDIX

^{*}Standard Occupational Classification

R	ecodes	5		
	1 No. . Chr 8 89-	rs. Detail Code	Occupation Title	SOC Code*
			OPERATORS, FABRICATORS AND LAR	BORERS
(35-3	6) (11	L)	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779	Machine operators and	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7677(pt.), 7678-7679
36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787
(37-3	9) (12	2) –	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	
37	12	803-806,808-809, 813-814	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	843-845,848-849, 853,855-856,859	Material moving equipment operators	812,8312-8319

^{*}Standard Occupational Classification - 194 -

Rec	odes			
Chrs.		Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	
40	13	869	Construction laborers	871
41	13	863-867,873, 875-878,883,885, 887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769
95	14	999 and all other codes except 990	UNKNOWN OCCUPATION	
96	14	990	NEW WORKER	
97	15	Not applicable	NOT IN LABOR FORCE - codes Blaand 8 in current activity reconstitution (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	905	MILITARY	
*Standa	rd Occi	upational Classifi	ication - 195 -	
		occi	JPATION RECODE TITLES	APPENDIX C
Code			Titles	Recode No. 1 Inclusions

01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS	
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13
04	SALES OCCUPATIONS	14-16
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21
	SERVICE OCCUPATIONS	
06	PRIVATE HOUSEHOLD OCCUPATIONS	22
07	PROTECTIVE SERVICE OCCUPATIONS	23-24
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34
	OPERATORS, FABRICATORS AND LABORERS	
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41
14	UNKNOWN OCCUPATION (includes New Workers)	95-96
15	NOT IN LABOR FORCE	97
16 NOTES:	MILITARY	98

MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

- 197 -

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	Description	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137	Description	132 MV	134 MMV	130 Where?	131 Work?
111	Moving motor vehicle - at work - at home	1	1	1,2	1
112	Moving motor vehicle - at work- not at home- street or highway	1	1	3	1
113	Moving motor vehicle - at work - not at home - not on street or highway	1	1	Not 1-3	1
121	Moving motor vehicle - not at work - at home - not on street or highway	1	1	1,2	Not 1,4
122	Moving motor vehicle - not at work - not at home - on street or highway	1	1	3	Not 1
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4
	- 198 -				

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of Accident	Description	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137		132 MV	134 MMV	130 Where?	131 Work?
211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4

1	_ 100 _				
600	Injury Condition/Adverse Reaction	-	-	-	Not 4
500	Therapeutic misadventure	-	-	_	Not 4
400	Injured in Armed Forces	-	-	-	4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4
312	Non-motor vehicle - at work - not at home	Not 1	-	Not 1,2	1
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1

1 - 199 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very illdefined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves
- 05 Operations on sympathetic nerves or ganglia

OPERATIONS ON THE ENDOCRINE SYSTEM (06-07)

- 06 Operations on thyroid and parathyroid glands
- 07 Operations on other endocrine glands

OPERATIONS ON THE EYE (08-16)

08 Operations on eyelids

- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball - 200 -

APPENDIX

 \mathbf{E}

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue
- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm 201 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract
 Includes: operations on common bile duct, cystic duct and hepatic duct
- 52 Operations on pancreas

- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region,

inguinal

region, loin region, male pelvic cavity, mesentery, omentum, peritoneum and retroperitoneal tissue space

peritoneum and retroperitonea - 202 -

APPENDIX

Е

1

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)

- 65 Operations on ovary
- 66 Operations on fallopian tubes
- 67 Operations on cervix
- 68 Other incision and excision of uterus
- 69 Other operations on uterus and supporting structures
- 70 Operations on vagina and cul-de-sac
- 71 Operations on vulva and perineum
- 1 203 -

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

```
OBSTETRICAL PROCEDURES (72-75)
72 Forceps, vacuum, and breech delivery
73 Other procedures inducing or assisting delivery
       Includes: spontaneous delivery with manual assistance
74 Caesarean section and removal of fetus
75 Other obstetric operations
       For HIS, includes also "normal delivery"
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)
76 Operations on facial bones and joints
       Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)
77 Incision, excision and division of other bones
                  operations on facial bones (76); joint structures (80-81);
       Excludes:
                  nasal bones (21); and skull (01-02)
78 Other operations on bones, except facial bones
                  operations on joint structures (80-81); nasal bones (21); and
       Excludes:
                  skull (01-02)
79 Reduction of fracture and dislocation
       Includes: application of cast or splint; reduction with insertion of
                  traction device
       Excludes:
                  external fixation alone for immobilization of fracture (93);
                  internal fixation without reduction of fracture (78);
                  operations on facial bones (76); nasal bones (21); orbit
(76);
                  skull (02); vertebrae (03); removal of cast or splint (97);
                  replacement of cast or splint (97); and traction alone for
                  reduction of fracture (93)
80 Incision and excision of joint structures
                  operations on capsule of joint; cartilage; condyle; ligament;
       Includes:
                  meniscus; and synovial membrane
       Excludes: cartilage of ear (18); nose (21); and joints of face (76)
                                    - 204 -
```

APPENDIX

1

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when
 condition is not specified and tissue (such as skin, bone,
 etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site
 (female or male).

86 Operations on skin and subcutaneous tissue

Includes also: operations on regions such as arm; armpit; back; cheek;
 buttock; chin; feet; forearm; forehead; hand; head;

heel;

leg; neck; scalp; temple: temporal region; and thigh

when

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose (21);

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as brain) is mentioned

- 205 -

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Includes: diagnostic X-rays of face, head, neck, brain, skull, spine,

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams; gynecological

exams: dental exams; digital exams of rectum; pacemaker checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

Includes: microscopic examination of specimen from nervous system,

spinal fluid, endocrine glands, eye, ear, nose, throat,

larynx, trachea, bronchus, pleura, lung, of sputum, and blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts or

passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related

procedures

Includes: diagnostic physical therapy; physical therapy exercises such

as breathing exercises; manual traction; training in use of prosthesis; whirlpool treatments; heat therapy; skeletal traction; speech and reading training for blind; play

traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

1 - 206 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing;
 insertion of vaginal diaphragm; rectal packing; dilation of
 rectum and anus; manual reduction of hernia; gastric lavage;
 irrigation of ostomies; cleaning of eye, ear and nose; lavage
 of bronchus and trachea

97 Replacement and removal of therapeutic appliances

98 Nonoperative removal of foreign body

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or
 infusions of therapeutic or prophylactic substances; cardiac
 pacemaker (battery and sensing types), acupuncture and

fitting

of dentures.

1