1993

NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested cita-

tion, "Source: National Center for Health Statistics, National Health Interview Survey, 1993," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1994). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1993 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Field Representative's Manual, 1993. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1993. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Massey JT, Moore TF, Parsons VL, Tadros W. Design and Estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital

Health Stat 2(110). 1989.

Benson V, Marano M. Current Estimates from the National Health Interview Survey, 1993. National Center for Health Statistics. Vital Health Stat 10(190). 1994.

i

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes

for each record type. Note that Household items in tape locations 3-24, 178 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

- 1. Type of Record (Tape Locations 1-2)
- 10 = Household Record The Household file contains one household record

 for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
 - 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- - 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

Item	Tape Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and	17-18
Person Records)	

1

2. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household. Records belonging

to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unrelated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

3. Other Tape Characteristics

- .1 Headers and trailers = Standard IBM labels
- .2 Density = 1600 BPI
- .3 Record length = Fixed length of 335 bytes
- .4 Blocksize = 3350 (10 records per block)
- .5 Tape format = All fields are in character format.
- .6 Data Set Names:

HOUSEHOLD = HISY1993.HOUSEHLD

PERSON = HISY1993.PERSONSX

CONDITION = HISY1993.CONDITON

HOSPITAL = HISY1993.HOSPITAL

DOCTOR VISIT = HISY1993.DRVISITX

NOTE: Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.

1

iv NATIONAL HEALTH INTERVIEW SURVEY

Calendar Year 1993 Computer Processing

Public Use Data Tape

TABLE OF CONTENTS - PART I

	Page
INTRODUCTION	1
REFERENCES	3
COMPARED CHANGES	5
TAPE FORMATS	
Household Record	7
Person Record	17
Condition Record	41
Doctor Visit Record	75
Hospital Record	105
DIAGNOSTIC RECODES	
Recode A. Acute Conditions	133
Recode B. Diseases, Injuries and Impairments	139
Recode C. Chronic Conditions and Impairments	163
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	173
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	175
TABULATING DATA FOR CURRENT ESTIMATES TABLES	177
APPENDICES	
Appendix A. Codes for Types of Special Places	185
Appendix B. Industry Recodes	189
Appendix C. Occupation Recodes	195

Appendix D.	Description of Class of Accident Code	203
Appendix E.	Classification of Operations and Non-operative	
	Procedures for HIS	205

V

1NOTES:

- 1 -

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1993 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) SURREGR and SUDAAN(4,5) are programs that calculate the variance-covariance matrix using the linearization approach(6,7,8) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided the Basic Weight Before Age-Sex-Race Adjustment (loc. 172-177 - Person Record only), Substratum Identifier (loc. 178), Full Sample Stratum Identifier (loc. 179-181), and Strata and Pseudo Primary Sampling Unit (PSU) (loc. 187-189) codes on the data tapes. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs. -3 -

REFERENCES

- (1) McCarthy PJ. Replication: An Approach to the Analysis of Data from Complex Surveys. National Center for Health Statistics. Vital Health Stat 2(14). 1966.
- (2) Survey Research Center Computer Support Group. OSIRIS IV User's Manual. Institute for Social Research. 1979.
- (3) Shah BV. "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. RTI/5250-00-01S. April, 1981.
- (4) Holt, Mary Margaret (revised April 1982 by B.V. Shah). "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May, 1977.
- (5) Shah BV, LaVange LM, Barnwell BG, Killinger JE, and Wheeless SC. "Software for Survey Data Analysis." Research Triangle Institute, Research Triangle Park, N.C. March, 1989.
- (6) Hidiroglou MA, Fuller WA, and Hickman RD. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University. Sixth edition. October, 1980.
- (7) Fuller WA. "PC CARP". Statistical Laboratory and Department of

Statistics, Iowa State University, Ames, Iowa. September, 1989.

(8) Contingency Table Analysis for Complex Sample Designs (CPLX). U.S. Bureau of the Census.

1NOTES:

1 - 5 -

CHANGES IN THE 1993 PUBLIC USE TAPE COMPARED TO 1992

The 1993 Public Use Tape resembles the 1992 version, with a few exceptions. The most notable change was the expansion of the race categories. The location and code differences are described below:

PERSON, CONDITION, DOCTOR VISIT, AND HOSPITAL RECORD VARIABLE:

Tape Location Item and Codes

41-42 Main Racial Background - Reported

(In 1992, the Main Racial Background field was expanded from a one position

field to a two position field)

169 Blank

NOTE: In 1992 some deletions and additions occurred to the Detail and Standard Industrial Classification and Standard Occupational Classification codes which caused changes to occupation and industry recode categories. Please see appendixes B and C for complete listing of these codes.

PERSON RECORD VARIABLE

Tape Location Item and Codes

144 YEARS LIVED IN STATE OF PRESENT RESIDENCE

(This field now includes all persons

except foreign born)

145 YEARS LIVED IN UNITED STATES

(This field now includes all persons

except U.S. born)

CONDITION RECORD VARIABLE

Tape Location Item and Codes

140-144 EXTERNAL CAUSE OF INJURY

145 ICD-9 (E-CODE) PLACE OF OCCURRENCE

1NOTES:

1 - 7 -

HOUSEHOLD RECORD

1NOTES:

- 9 -

1

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 44,978
HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	44,978	RECORD TYPE 10. Household Record
3-4	-	44,978	PROCESSING YEAR 93. 1993
5	-	12,631 6,976 12,693 12,678	PROCESSING QUARTER 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	HH-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

* This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 10 -

NHIS PUBLIC USE TAPE RECORD HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5	SEGMENT NUMBER	
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		BLANK (Person Number on other record types)
17-18	-		BLANK (Record Serial Number on other record types)
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)
		3,992	01. Week 01
		3,012	02. Week 02
		3,883 2,909	03. Week 03 04. Week 04
		4,103	05. Week 05
		2,961	06. Week 06
		3,890	07. Week 07
		2,875 3,860	08. Week 08 09. Week 09
		2,904	10. Week 10
		3,907	11. Week 11
		2,814 3,868	12. Week 12 13. Week 13
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		27,865	0. Interview not late
		12,420 3,803	 One week late Two weeks late
		890	3. Unknown

1

1

NHIS PUBLIC USE TAPE RECORD HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
22-23	HH-10d		TYPE OF LIVING QUARTERS:	
			Housing Unit = (00-07)	
		884	00. Housing unit; kind unknown	
		41,279 46	<pre>01. House, apartment, flat 02. HU in nontransient hotel, mo etc.</pre>	otel,
		30	03. HU-permanent in transient ho motel, etc.	otel,
		36	04. HU in rooming house	
		1,958	05. Mobile home or trailer with permanent room added	no
		287	06. Mobile home or trailer with more permanent rooms added	one
		12	07. HU not specified above	
			Other Unit = (08-13)	
		14	08. Quarters not HU in rooming of boarding house	or
		0	09. Unit not permanent in transi hotel, motel, etc.	lent
		0	10. Unoccupied site for mobile he trailer, or tent	nome,
		343	11. Student quarters in college dormitory	
		75	12. Other unit not specified abo	ove
		14	13. Other unit; kind unknown	
24	HH-11		HAS TELEPHONE	
		38,799	1. Yes, phone number given	
		1,844	2. Yes, no phone number given	
		2,243	3. No	
		121	4. Unknown	
		1,971	Blank. Non-interview	
25-26	нн-6		SPECIAL PLACE (Unedited)	
			SEE APPENDIX A	
			Blank. Not applicable	
			- 12 -	

Tape Locations	Item No.	Frequency	Items and Codes
27	нн-15		COMPLETED INTERVIEW
		42,692	 Completed interview - non-milita: household
		1,971	2. Non-interview
		315	3. Completed interview - military household*
28-29	HH-14		NON-INTERVIEW REASON
			Type A
		1,333	01. Refused
		295	02. No one at home
		236	03. Temporarily absent
		107	04. Other
		43,007	Blank. Not applicable (completed interview)
30-33	нн-15		DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)
30-31			MONTH
			01. January 07. July
			02. February 08. August
			03. March 09. September
			04. April 10. October
			05. May 11. November
			06. June 12. December Blank.
32-33			DAY
			01-31. Day of Month Blank.
34-35	Generated		NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families).
			Blank. Non-interview
Spouse or p	parent is in	the Armed F	
			- 13 -
		NHIS	PUBLIC USE TAPE RECORD

Tape Locations	Item No.	Frequency	Items and Codes

36-55	Generated	SIZE OF FAMILY
		00. Not applicable or only unrelated individuals 01+ Number of persons in family Blank. Non-interview
36-37		SIZE OF FAMILY - Primary Family
38-39		SIZE OF FAMILY - Secondary Family No. 1
40-41		SIZE OF FAMILY - Secondary Family No. 2
42-43		SIZE OF FAMILY - Secondary Family No. 3
44-45		SIZE OF FAMILY - Secondary Family No. 4
46-47		SIZE OF FAMILY - Secondary Family No. 5
48-49		SIZE OF FAMILY - Secondary Family No. 6
50-51		SIZE OF FAMILY - Secondary Family No. 7
52-53		SIZE OF FAMILY - Secondary Family No. 8
54-55		SIZE OF FAMILY - Secondary Family No. 9
56-57	Generated	NUMBER OF UNRELATED INDIVIDUALS 00. Not applicable
		01+ Number of unrelated individuals Blank. Non-interview

- 14 -

1

Tape Locations	Item No.	Frequency	Items and Codes
58	Generated		REFERENCE PERSON PRESENT - Primary Family
			 Yes or all adult family members in Armed Forces Blank. Household with unrelated individuals only or non- interviewed household
59			REFERENCE PERSON PRESENT -
			Secondary Family No. 1
60			REFERENCE PERSON PRESENT -

	Secondary Family No. 2
61	REFERENCE PERSON PRESENT -
	Secondary Family No. 3
62	REFERENCE PERSON PRESENT -
	Secondary Family No. 4
63	REFERENCE PERSON PRESENT -
	Secondary Family No. 5
64	REFERENCE PERSON PRESENT -
	Secondary Family No. 6
65	REFERENCE PERSON PRESENT -
	Secondary Family No. 7
66	REFERENCE PERSON PRESENT -
	Secondary Family No. 8
67	REFERENCE PERSON PRESENT -
	Secondary Family No. 9
1	- 15 -

Tape Locations	Item No. Freq	quency Items	s and Codes
68-69	Generated	NUMBER OF	PERSON RECORDS FOR THE HOUSEHOLD
70-71	Generated	NUMBER OF HOUSEHOLD	F CONDITION RECORDS FOR THE
72-73	Generated	NUMBER OF FOR THE E	T TWO-WEEK DOCTOR VISIT RECORDS
74-75	Generated	NUMBER OF HOUSEHOLD	F HOSPITAL RECORDS FOR THE
76	A-A2	CONDITION	I LIST ASSIGNED
		•	Condition List 1, Skin and Musculoskeletal
			Condition List 2, Impairments

		7,133	3.	
		7,119	4.	, , , , , , , , , , , , , , , , , , , ,
		7,163	5.	, ,
		7,130	6.	, 1
		104	7.	
		1,971	Blank.	Non-interview
77-177	-		BLANK	
178	Master		TVDF (F SUBSTRATUM
170	Record		III O	I BODDIKATOM
	Record	6,976	0	Permit
		3,961		Area, oversampled for blacks
		34,041		Area, not oversampled for blacks
				Area, not oversampled for black
179-181	_		BLANK	
182	Master		REGION	
	Record			
		9,128	1.	Northeast
		11,214		Midwest
		14,989		South
		9,647		West
				16 -

Tape			
Locations	Item No.	Frequency	Items and Codes
		-	
183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size
		19,552 11,821 2,872 685 10,048	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184	_		BLANK
185	Master Record		TYPE OF PSU
		24,825 10,105 7 10,041	1 3

186	Recode		MSA - NON-MSA RESIDENCE
		14,412 18,857 9,236 502 1,971	1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm Blank. Non-interview
187-200	-		BLANK
201-206	-		QUARTER BASIC WEIGHT
			Adjusted by Segment and Special HH Sampling Factors (XXXXXX.X)
207-335	-		BLANK
1			- 17 -

PERSON RECORD

1NOTES:

1

- 19 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 109,671
PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes			
1-2	-	RECORD TYPE				
		109,671	20. Person Record			
3-4	-		PROCESSING YEAR			
		109,671	93. 1993			
5	-		PROCESSING QUARTER			
		31,002 17,382 31,011	 Quarter 1 Quarter 2 Quarter 3 			

30,276 4. Quarter 4

6-8	нн-5	RANDOM RECODE OF PSU NUMBER
9-10	нн-5	WEEK - CENSUS CODE*
		01, 21, 41, 61, 81 Week 01
		02, 22, 42, 62, 82 Week 02
		03, 23, 43, 63, 83 Week 03
		04, 24, 44, 64, 84 Week 04
		05, 25, 45, 65, 85 Week 05
		06, 26, 46, 66, 86 Week 06
		07, 27, 47, 67, 87 Week 07
		08, 28, 48, 68, 88 Week 08
		09, 29, 49, 69, 89 Week 09
		10, 30, 50, 70, 90 Week 10
		11, 31, 51, 71, 91 Week 11
		12, 32, 52, 72, 92 Week 12
		13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 20 -

NHIS PUBLIC USE TAPE RECORD PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	-		BLANK (Record Serial Number on other record types).
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)

9,755 01. Week 01

		7,361 9,339 7,231 10,049 7,271 9,539 7,194 9,314 7,091 9,379 6,905 9,243	02. Week 02 03. Week 03 04. Week 04 05. Week 05 06. Week 06 07. Week 07 08. Week 08 09. Week 09 10. Week 10 11. Week 11 12. Week 12 13. Week 13
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		70,719	0. Interview not late
		28,973	1. One week late
		8,153	2. Two weeks late
		1,826	3. Unknown

- 21 -

1

Tape Locations	Item No.	Frequency	Items and Codes
22-23	HH-10d		TYPE OF LIVING QUARTERS:
			Housing Unit = (00-07)
		1,402 102,125 87	00. Housing unit; kind unknown01. House, apartment, flat02. HU in nontransient hotel,motel, etc.
		57	03. HU-permanent in transient hotel, motel, etc.
		41	04. HU in rooming house
		4,594	05. Mobile home or trailer with no permanent room added
		741	06. Mobile home or trailer with one or more permanent rooms added
		18	07. HU not specified above
			Other Unit = (08-13)
		20	08. Quarters not HU in rooming or boarding house
		0	09. Unit not permanent in transient hotel, motel, etc.
		0	10. Unoccupied site for mobile home, trailer, or tent
		463	11. Student quarters in college dormitory
		100 23	12. Other unit not specified above 13. Other unit; kind unknown

24	нн-11	HAS TELEPHONE
		99,181 1. Yes, phone number given 4,214 2. Yes, no phone number given 5,993 3. No 283 4. Unknown
25	A-1	SEX
		52,467 1. Male 57,204 2. Female
26	-	BLANK
1		- 22 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
27-28	Person		AGE	
	Column			
		1,691		Under 1 year
		107,971		Number of years
		9	99.	99+ years of age
29	Recode		AGE REC	CODE #1
		8,700	1.	Under 5 years
		21,812		5-17 years
		9,795	3.	18-24 years
		34,503		25-44 years
		21,428		45-64 years
		4,395		65-69 years
		3,728		70-74 years
		5,310	8.	75 years and over
30	Recode		AGE REC	CODE #2
		10,514	1.	Under 6 years
		18,590		6-16 years
		11,203		17-24 years
		17,187		25-34 years
		17,316		35-44 years
		12,431		45-54 years
		8,997		55-64 years
		8,123		65-74 years
		5,310	9.	75 years and over

	31-32	Recode		AGE REC	ODE #3
			5,161 104,510		Months Over 3 years
	33	_		BLANK	
1				- 23 -	

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. Unknown
36-39			YEAR OF BIRTH 1800-1899. 1800-1899 1900-1994. 1900-1994 9999. Unknown
40	Recode		HISPANIC ORIGIN IMPUTED FLAG
		108,045 1,626	 Hispanic Origin Known Hispanic Origin Imputed from Reference Person
41-42	L-3	86,097 15,860 907 22 8 764 652 75 290 384 325 469 43 35 384 2,137	MAIN RACIAL BACKGROUND* (See notation for locations 43-45) 01. White 02. Black 03. Indian (American) 04. Eskimo 05. Aleut 06. Chinese 07. Filipino 08. Hawaiian 09. Korean 10. Vietnamese 11. Japanese 12. Asian Indian 13. Samoan 14. Guamanian 15. Other API 16. Other race

186 17. Multiple race 1,033 99. Unknown

*Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

- 24 -

1

1

NHIS PUBLIC USE TAPE RECORD PERSON RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Code	es
43-45	Recode		RACE RI	ECODES	
43			RECODE	1*	Persons whose Main Racial Background
		89,292	1.	White	(location 41-42) was
		15,925		Black	"other" or "unknown"
		4,454		Other	were classified in the following recodes by
44			RECODE	2	using the racial background observed by
		89,292	1.	White	the interviewer. Use
		20,379	2.	Non-white	of these recodes is recommended for
45			RECODE	3	estimating statistics for the groups shown
		15,925	1.	Black	here.
		93,746	2.	Non-black	
46-47	A-4		HISPAN	NIC ORIGIN**	
		74	00.	Multiple H	lispanic
		1,222	01.	_	
		482	02.		.411
		2,403	03.		exicano
		3,668	04.		
		76	05.		-
		1,095	06.	Other Lati	n American
		969	07.	Other Span	nish
		75	08.	Spanish, D	OK type
		451	09.		Spanish origin
		99,156	10.	Not Spanis	sh origin

^{*}This recode is used to categorize race in Current Estimates tables.

- 25 -

^{**}If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

Tape Locations	Item No.	Frequency	Ite	ms and Codes
48	L-7		MARITAL	STATUS
		24,252 49,891 765 5,801 6,103	0. 1. 2. 3. 4.	Married - spouse not in household Widowed Divorced
		1,632 20,552 675	5. 6. 7.	Never married
49	L-1		VETERAN	STATUS
		66,231 33 3,006 1,789 3,399 1,319 1,879 290 1,213 30,512	6.	war veteran Unknown if served in Armed Forces
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		66,231 887 1,700 37 8,270 2,034	2. 3. 4. 5.	All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in Guard/Reserve No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or served in Armed Forces
		30,512		Guard/Reserve or served in A Forces

- 26 -

NHIS PUBLIC USE TAPE RECORD PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		4,309 62,919	00. Never attended; kindergarten only 01-12. Grades 1-12

1

				College	<u>.</u>
			5,989	13.	
			7,736	14.	-
			2,941	15.	4
			9,262	16.	-
			1,865	17.	
			4,785		6 years or more
			1,165		Unknown
			8,700		Under 5 years of age
-	53	Recode		EDUCATI	ION OF INDIVIDUAL RECODE
			4,309	0.	None; kindergarten only
			20,235	1.	1-8 years (elementary)
			12,907	2.	
			29,777	3.	
			16,666	4.	
			9,262	5.	
			6,650	6.	
			1,165	7.	Unknown
			8,700	Blank.	Under 5 years of age
_	54-55	_		HTGHEST	F EDUCATION OF RESPONSIBLE
					FAMILY MEMBER - (Detail)
			184	00.	
			51,751	01-12.	Grades 1-12
				College	:
			8,735	13.	
			12,889	14.	2
			4,635	15.	-
			16,363	16.	4
			3,665	17.	-
			10,704		6 years or more
			745	19.	Unknown
1				- 27 -	
_				- ,	

Tape Locations	Item No.	Frequency	Items and Codes
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode
		184 4,981 9,021 37,749 26,259 16,363 14,369 745	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown

57	L-8		FAMILY	INCOME \$20,000 OR MORE
		33,962 72,206 3,503	2.	Less than \$20,000 \$20,000 or more Unknown
1		_	- 28 -	

NHIS PUBLIC USE TAPE RECORD PERSON RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
58-59	L-8		FAMILY	INCOME
		576	00.	Less than \$1,000
		619	01.	\$ 1,000 - \$ 1,999
		775	02.	2,000 - 2,999
		813	03.	3,000 - 3,999
		1,017	04.	4,000 - 4,999
		1,360	05.	5,000 - 5,999
		1,408	06.	6,000 - 6,999
		1,398	07.	7,000 - 7,999
		1,386	08.	8,000 - 8,999
		1,750	09.	9,000 - 9,999
		1,994	10.	10,000 - 10,999
		1,208	11.	11,000 - 11,999
		2,128	12.	12,000 - 12,999
		1,306	13.	13,000 - 13,999
		1,387	14.	14,000 - 14,999
		1,793	15.	15,000 - 15,999
		1,300	16.	16,000 - 16,999
		1,447	17.	17,000 - 17,999
		1,871	18.	18,000 - 18,999
		2,358	19.	19,000 - 19,999
		8,301	20.	20,000 - 24,999
		6,998	21.	25,000 - 29,999
		7,746	22.	30,000 - 34,999
		5,992	23.	35,000 - 39,999
		6,052	24.	40,000 - 44,999
		5,486	25.	45,000 - 49,999
		23,574	26.	\$50,000 = 49,999 \$50,000 and over
		17,628	20. 27.	Unknown

1 - 29 -

Tape Locations	Item No.	Frequency	Items and	Codes
60	Recode		FAMILY INCOME	RECODE

		3,800 2,768 4,534 8,023 8,769 8,301 14,744 17,530 23,574 17,628	0. 1. 2. 3. 4. 5. 6. 7. 8. 9.	20,000 - 24,999 25,000 - 34,999 35,000 - 49,999 \$50,000 or more
61	Generated		NHIS P	OVERTY INDEX*
		85,803 14,179 9,689	1. 2. 3.	1 1
62-63			FAMILY	RELATIONSHIP
62	A-2	11,792 1,299 96,373 207	&. 	Primary family
63	A-2	11,234 32,531 24,314 263 35,915 1,921 995 2,476 22	RELATI &. 0. 1. 2. 3. 4. 5. 6. 7.	Forces and living at home Spouse, other spouse IN Armed Forces and living at home
person		0	9.	Unknown

^{*}Based on family size, number of children under 18 years of age & family income using the 1992 poverty levels derived from the August, 1993 Current Population Survey.

- 30 -

1

Tape Locations	Item No.	Frequency	Items and Codes	
64	Recode		FAMILY RELATIONSHIP RECODE	

		11,234 1,857 49,868 46,712	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE 1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25
			years old and never married)
		23,063	1. Both parents, no other relative
		6,100	2. Mother only
		425 2,676	 Father only Both parents and other 21+ year
		2,070	 Both parents and other 21+ year old adult relative
		1,964	5. Mother and other 21+ year old adult relative
		169	6. Father and other 21+ year old adult relative
		451	 No parent, but one 21+ year old adult relative
		580	No parent, but two or more 21+ year old adult relatives
		359	9. Unknown
		1,700	0. Other
		72,184	Blank. Not applicable (25+ years old or ever married)
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		48,263	1. Working
		13,883	2. Keeping house
		4,625	3. Going to school
		11,846	4. Something else
		542	5. Unknown
		30,512	Blank. Not applicable (Under 18 years)

^{*}Count includes spouse in military but living at home.
1 - 31 -

Tape Locations	Item No.	Frequency	Items and Codes
70	G-4		HEALTH STATUS
		40,769	1. Excellent

		30,693 26,099 8,522 3,111 477	 Very Good Good Fair Poor Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)*
		5,024 6,652	 Unable to perform major activity Limited in kind/amount major activity
		5,296 92,699	 Limited in other activities Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		4,953 3,647 2,728 58,793 39,550	 Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		132 740 94 280 515 20,051 87,859	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)

^{*}This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

- 32 -

Tape Locations	Item No.	Frequency Items and Codes	
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		652	 Unable to perform personal care needs
		1,655	 Limited in performing other routine needs
		16,005	 Not limited in performing personal or routine needs

		479 90,880	4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
			In the Labor Force: (1-7)
			Currently employed: (1-3)
		49,183 1,039	 Worked in past 2 weeks Did not work, has job; not on lay-off and not looking for work
		39	3. Did not work, has job; looking for work Unemployed: (4-7)
		170 8	4. Did not work, has job; on lay-off5. Did not work, has job; on lay-off and looking for work
		385	6. Did not work, has job; unknown if looking or on lay-off
		2,064	7. Did not work, has no job; looking for work or on lay-off
			Not in Labor Force (18+ years): (8)
		26,271 30,512	8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 33 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		26,271 37,286 1,430 2,299 4,394 1,402 4,767 80 74 1,156 30,512	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18

	77-79	L-6	INDUSTRY DETAIL CODE
_			010-998. Code number Blank. Not applicable
	80-81	Recode	INDUSTRY RECODE 1
			SEE APPENDIX B
_	82-83	Recode	INDUSTRY RECODE 2
			SEE APPENDIX B
	84-86	L-6	OCCUPATION DETAIL CODE
			001-998. Code number Blank. Not applicable
	87-88	Recode	OCCUPATION RECODE 1
			SEE APPENDIX C
1			- 34 -

Tape Locations	Item No.	Frequency	Items and Codes
89-90	Recode	OCCUPATION RECODE 2	
			SEE APPENDIX C
91	L-R		RESPONDENT
		49,690 5,546 53,637 798	 Self-entirely Self-partly Proxy Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		18,210	 Condition List 1, Skin and musculoskeletal
		18,246	2. Condition List 2, Impairments
		18,270	3. Condition List 3, Digestive
		18,063	4. Condition List 4, Miscellaneous
		18,108	5. Condition List 5, Circulatory
		17,891 883	6. Condition List 6, Respiratory7. Unknown

93-94	G-5	HEIGHT WITHOUT SHOES (18+ years)
		36-98. Number of inches
		99. Unknown Blank. Under 18 years of age
95-97	G-5	WEIGHT WITHOUT SHOES (18+ years)
		050-500. Number of pounds
		501. Unknown Blank. Under 18 years of age
98-99	Recode	TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS
		96,559 00. None
		13,112 01-14. Days
1		- 35 -

Tape Locations	Item No.	Frequency	Items and Codes
100-101	D-4	BED DAYS IN PAST TWO WEEKS	
		102,136 7,535	
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3)
		106,330 3,341	00. None 01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		107,662 2,009	00. None 01-14. Days
106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		103,185 6,486	00. None 01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS

		59,284 49,503 884	000. 001-365. 366.	
111	Recode		BED DAYS	IN PAST 12 MONTHS - Recode
		59,284	0.	None
		38,278		1-7 days
		8,335		8-30 days
		2,311		31-180 days
		579		181-365 days
		884	5.	Unknown
112-114	G-3		DOCTOR VI	SITS IN PAST 12 MONTHS
		24,998	000.	
		84,238	001-996.	
		0		997+ visits
		435		Unknown
 1			- 36 -	

Tape Locations	Item No.	Frequency	Items and Codes
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		191 85,163 10,440 8,778 3,519 1,580	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS

1

134-136	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

^{*}Based on operation codes and reason entered hospital.

Tape Locations	Item No.	Frequency	Items and Codes
142-143	-		BLANK
144	L-9b		YEARS LIVED IN STATE OF PRESENT RESIDENCE
		3,022 10,370 10,609 9,257 61,170 5,147 10,096	 Less than 1 year 1 yr., less than 5 years 5 yrs., less than 10 yrs. 10 yrs., less than 15 yrs. 15 years or more Unknown Blank. Not applicable (Foreign born)
145	L-9c		YEARS LIVED IN UNITED STATES
		334 1,721 1,730 1,736 4,373 202 99,575	 Less than 1 year 1 yr., less than 5 years 5 yrs., less than 10 yrs. 10 yrs., less than 15 yrs. 15 years or more Unknown Blank. Not applicable (U.S. born)
146	L-2		NOW GOING TO SCHOOL OR ON VACATION FROM SCHOOL
		8,719 1,976 1,339 3,052 94,585	 Yes, going to school Yes, on vacation from school No Unknown Under 12 years or 22+ years)
147-171	-		BLANK

- 38 -

NHIS PUBLIC USE TAPE RECORD PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
172-177	-		QUARTER BASIC WEIGHT BEFORE AGE-SEX-RAC ADJUSTMENT (Has one implied decimal)
178	Master Record		TYPE OF SUBSTRATUM
		17,616	0. Permit
		10,032	1. Area, oversampled for blacks
		82,023	2. Area, not oversampled for blacks
179-181	-		FULL SAMPLE STRATUM IDENTIFIER
182	Master Record		REGION
		21,916	1. Northeast
		27,109	2. Midwest
		36,270	3. South
		24,376	4. West
			- 39 -

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size
		47,808	1. 1,000,000 or more
		28,715	2. 250,000 - 999,999
		7,039	3. 100,000 - 249,999
		1,587	4. Under 100,000
		24,522	Blank. Non-MSA
184			BLANK
185	Master		TYPE OF PSU
	Record	60,658	1. MSA - Self-representing
		24,491	3. MSA - Nonself-representing
		12	4. Non-MSA - Self-representing
		24,510	6. Non-MSA - Nonself-representing

1			- 40 -
219-227			ANNUAL (WT/4)
210-218			SEMI-ANNUAL (WT/2)
201-209			QUARTER
			FINAL BASIC WEIGHT
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
187-189			PSEUDO PSU CODES
		35,411 49,738 23,120 1,402	2. MSA - Not Central City
186	Recode		MSA - NON-MSA RESIDENCE

2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL QUARTER, SEMI-ANNUAL AND ANNUAL				
QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS IN PAS 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS		Item No.	Frequency	Items and Codes
ESTIMATED RESTRICTED ACTIVITY DAYS IN PAS 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS				6.5 WEIGHT
2 WEEKS 237-245 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK	228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
ESTIMATED BED DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK				ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
246-254 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK	237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK				ESTIMATED BED DAYS IN PAST 2 WEEKS
255-263 QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK	246-254			QUARTER, SEMI-ANNUAL AND ANNUAL
ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEK				ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
	255-263			QUARTER, SEMI-ANNUAL AND ANNUAL
264-272 QUARTER, SEMI-ANNUAL AND ANNUAL				ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
	264-272			QUARTER, SEMI-ANNUAL AND ANNUAL

	ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
	ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308	QUARTER
309-317	SEMI-ANNUAL
318-326	ANNUAL
327-335	ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS

CONDITION RECORD

1NOTES:

1

1

- 43 -

- 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Condition and Doctor Visit Records. The X of the Impairment Codes (represented by a hyphen '-') is in the first of the four columns.

NHIS Code	Category Title
019	Tuberculosis, arrested or inactive Psychic factors associated with diseases classified elsewhere in specified system:
316.0	Musculoskeletal
316.1	Respiratory
316.2	Cardiovascular
316.3 1 -	Skin 44 -
316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

Unused ICD

	009.1	558
	009.3	558
	042-044	799.9
	137-139	Impairment, as appropriate
	230-234	Not applicable (not reported in NHIS)
	235-238	Benign, malignant or unspecified, by site
	268.1	Not applicable (not reported in NHIS)
	306.0,6,7,8,9	Code as if non-psychogenic
	315.0-2	X14
	317-319	X19
	326	Code residual effect to appropriate impairment or ICD 320-325
	331.3,4	х93
1	342	X41 - 45 -
	343	X50
	344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	344.0,2-6,8,9 353.5	Manual, Appendix III If greater than 3 months, code as
		Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site
	353.5 369	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site
	353.5 369 388.2	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site
	353.5 369 388.2 389	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site
	353.5 369 388.2 389	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site Usually 398.9 (see Short Index)
	353.5 369 388.2 389 391 410-412	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site Usually 398.9 (see Short Index) 414
	353.5 369 388.2 389 391 410-412 429.6	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site Usually 398.9 (see Short Index) 414 414
	353.5 369 388.2 389 391 410-412 429.6	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site Usually 398.9 (see Short Index) 414 414 437 Appropriate impairment usually (see
	353.5 369 388.2 389 391 410-412 429.6 436	Manual, Appendix III If greater than 3 months, code as impairment, by site and extent X70-X79, by site X00-X03, by severity and site X05-X09, by severity and site X05-X09, by severity and site Usually 398.9 (see Short Index) 414 414 417 Appropriate impairment usually (see Medical Coding Manual, Appendix III)

	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77
	735	X76
	736	Impairment, by type, site and cause
	737	X70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
1	741	X71.9 - 46 -
	742.0,1,3	X93.9
	743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment
		(see Appendix III)
	744.5	X79.9
	744.8,9	of face, coded to X90.9 of neck, coded to X79.9
	749	X91.9
	750.0,1	X11.9
	753.0	X31.9
	754.2	X70.9
	754.3	X75.9
	754.4	X76.9
	754.5-7	X78.9 except flatfoot coded to X77
	754.8	Appropriate impairment, by type and site
	755	Appropriate impairment, by type and site
	756.0-3	Appropriate impairment, by type and site
	758.0	X19.9
	759.7.9	X99.9

	761.6	Not applicable		
	779.6	Not applicable (for fetus)		
	781.5	X74		
	783.1	278.0		
	798	Not applicable		
	871.3	X00-X03		
	885-887	Appropriate impairment, by site		
	895-897	Appropriate impairment, by site		
1	905.6-8	X80-89, by site - 47 -		
	905.9	X20-29, X35, by site		
	908.6	Code to effect		
	909.0,1,3,9	Code to effect		
	958	Code injury only		
	960-979	977.9		
	980.987	989.9		

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the

collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

1 - 48 -

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200 divided by 1,000,000,000 to adjust for the implied decimal) times the annual basic weight in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 84,757
CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	84,757	RECORD TYPE 30. Condition Record
		01,737	
3-4	-		PROCESSING YEAR
		84,757	93. 1993
5	-		PROCESSING QUARTER
		24,576	1. Quarter 1
		13,338	2. Quarter 2
		23,195	3. Quarter 3
		23,648	4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	HH-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 50 -

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes				
11-12	нн-5	SEGMENT NUMBER					
		Week plus Segment Number identifies the segment					
13-14	нн-5		HOUSEHOLD NUMBER				
			Numbered within PSU-Week-Segment				
15-16	-		PERSON NUMBER				
17-18	-		CONDITION SERIAL NUMBER				
			01-99. Serial Number				
19-20	HH-5		PROCESSING WEEK CODE (Numbered within Quarter)				
		7,531 5,782	01. Week 01 02. Week 02				
		7,285	03. Week 03				
		5,748	04. Week 04				
		7,676	05. Week 05				
		5,585	06. Week 06				
		7,464	07. Week 07				
		5,304	08. Week 08				
		7,305 5,337	09. Week 09 10. Week 10				
		7,238	11. Week 11				
		5,485	12. Week 12				
		7,017	13. Week 13				
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG				
		57,228	0. Interview not late				
		20,658	1. One week late				
		5,585 1,286	2. Two weeks late3. Unknown				

Tape Locations	Item No.	Frequency	Ite	ms and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		960	00.	Housing unit; kind unknown
		78,341		House, apartment, flat
		76,341	02.	
		7 1	02.	etc.
		45	03.	
		38	04.	HU in rooming house
		4,008	05.	Mobile home or trailer with no
		•		permanent room added
		788	06.	
				more permanent rooms added
		23	07.	HU not specified above
			Other U	nit = (08-13)
		26	08.	Quarters not HU in rooming or
				boarding house
		0	09.	Unit not permanent in transient
				hotel, motel, etc.
		0	10.	trailer, or tent
		305	11.	-
				dormitory
		130		Other unit not specified above
		19	13.	Other unit; kind unknown
24	нн-11		HAS TEL	EPHONE
		77,592	1.	Yes, phone number given
		2,763		Yes, no phone number given
		4,218		No
		184		Unknown
25	A-1		SEX	
23	АІ		DEA	
		35,660	1.	Male
		49,097	2.	Female
26			BLANK	
			- 52 -	
		NHIS PUBLI	O 110E E.S.	E DEGODD

CONDITION RECORD

	Tape Locations	Item No.	Frequency	Items and Codes
--	-------------------	----------	-----------	-----------------

27-28	Person Column		AGE	
	0010	622	00. Under 1 year	
		84,116	01-98. Number of years	
		19	99. 99+ years of age	
29	Recode		AGE RECODE #1	
		3,005	1. Under 5 years	
		8,512	2. 5-17 years	
		4,401	3. 18-24 years	
		22,760	4. 25-44 years	
		23,112	5. 45-64 years	
		6,849	6. 65-69 years	
		5,897	7. 70-74 years	
		10,221	8. 75 years and over	
30	Recode		AGE RECODE #2	
		3,649	1. Under 6 years	
		7,227	2. 6-16 years	
		5,042	3. 17-24 years	
		10,017	4. 25-34 years	
		12,743	5. 35-44 years	
		11,702	6. 45-54 years	
		11,410	7. 55-64 years	
		12,746	8. 65-74 years	
		10,221	9. 75 years and over	
31-32	Recode		AGE RECODE #3	
		1,849	00-35. Months	
		82,908	36. Over 3 years	
33	_		BLANK	

Tape Locations	Item No.	Frequency	Items and Codes
34-39 34-35	A-3		MONTH AND YEAR OF BIRTH MONTH 01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. Unknown

YEAR OF BIRTH

1800-1899. 1800-1899 1900-1994. 1900-1994 9999. Unknown

40	Recode	83,868 889	HISPANIC ORIGIN IMPUTED FLAG 0. Hispanic Origin Known 1. Hispanic Origin Imputed from Reference Person
41-42	L-3	69,271 11,597 723 8 7 264 291 54 104 144 173 188 14 24 158 1,127	MAIN RACIAL BACKGROUND* (See notation for locations 43-45) 01. White 02. Black 03. Indian (American) 04. Eskimo 05. Aleut 06. Chinese 07. Filipino 08. Hawaiian 09. Korean 10. Vietnamese 11. Japanese 12. Asian Indian 13. Samoan 14. Guamanian 15. Other API 16. Other race 17. Multiple race
		491	99. Unknown

^{*}Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

- 54 -

Tape Locations	Item No.	Frequency	Ite	ems and Code	es
43-45	Recode		RACE RI	ECODES	
43			RECODE	1*	Persons whose Main Racial Background
		70,882 11,673 2,202	2.	White Black Other	(location 41-42) was "other" or "unknown" were classified in the following recodes by
44			RECODE	2	using the racial background observed by
		70,882 13,875		White Non-white	the interviewer. Use of these recodes is

45			RECODE	3	recommended for estimating statistics for the groups shown
		11,673	1.	Black	here.
		73,084	2.	Non-black	
46-47	A-4		HISPANI	C ORIGIN**	
		48	00.	Multiple H	ispanic
		812	01.	Puerto Ric	an
		359		Cuban	
		925		Mexican-Me	
		1,841		Mexican-Am	erican
		36	05.		
		511		Other Lati	
		571		Other Span	
		43	08.	- <u>-</u> - ,	
		380			Spanish origin
		79,231	10.	Not Spanis	n origin
48	L-7		MARITAL	STATUS	
		8,806	0.	Under 14 y	ears
		42,856	1.	Married -	spouse in household
		794	2.	Married -	spouse not in household
		10,892	3.		
		7,341		Divorced	
		1,742		Separated	
		12,005		Never marr	ied
		321	7.	Unknown	

^{*}This recode is used to categorize race in the Current Estimates tables.

- 55 -

Tape Locations	Item No.	Frequency	It∈	ems and Codes
49	L-1		VETERAN	I STATUS
		59,566	1.	Non-veteran
		50	2.	WW I
		4,758	3.	WW II
		2,233	4.	Korean War
		2,936	5.	Vietnam veteran
		889	6.	Post-Vietnam
		1,757	7.	Other service
		220	8.	Served in Armed Forces, unknown if
				war veteran
		831	9.	Unknown if served in Armed Forces
		11,517	Blank.	Under 18 years of age

^{**}If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63. 1

50	L-1			GUARD/RESERVE STATUS FOR PERSONS (DUTY IN ARMED FORCES
			7101111	DOTT IN THEMED TOROLD
		59,566	0.	Non-veteran
		740	1.	All service in Guard/Reserve
		1,922	2.	Some service in Guard/Reserve
		18	3.	Unknown if all service in Guard/Reserve
		9,327	4.	No active service in Guard/Reserv
		1,667	5.	Unknown if ever active member in
				Guard/Reserve or if served in
				Armed Forces
		11,517	Blank.	Under 18 years of age
51-52	L-2		FDIICATI	ION OF INDIVIDUAL - COMPLETED YEAR
J1 J2	1 2		EDUCATI	TON OF INDIVIDUAL COMPLETED TEAK
		2,039	00.	Never attended; kindergarten onl
		53,036	01-12.	Grades 1-12
			Coll	Lege:
		5,071	13.	1 year
		6,269	14.	-
		2,413	15.	3 years
		6,685	16.	4 years
		1,469	17.	5 years
		3,951	18.	6 years or more
		819	19.	Unknown
		3,005	Blank.	Under 5 years of age
			- 56 -	
			5 0	

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		2,039 15,198 12,006 25,832 13,753 6,685 5,420 819 3,005	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT

FAMILY MEMBER (Detail)

	223 44,166	00. Never attended; kindergarten onl: 01-12. Grades 1-12
		College:
	6,706 9,426 3,466 10,462 2,512 7,354 442	17. 5 years
56 -		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode
	223	0. None; kindergarten only
	6,240	1. 1-8 years (elementary)
	8,617	2. 9-11 years (high school)
	29,309	3. 12 years (high school graduate)
	19,598	4. 1-3 years (college)
	10,462	5. 4 years (college graduate)
	9,866	6. 5+ years (post-college)
	442	7. Unknown

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

- 57 -

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		34,571 47,990 2,196	, · ·
58-59	L-8		FAMILY INCOME
		500 439 746 760 1,262 1,986 1,818 1,892 1,599 1,924 2,052 1,284 2,296 1,252 1,429	00. Less than \$ 1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999 12. 12,000 - 12,999 13. 13,000 - 13,999 14. 14,000 - 14,999

1,873	15.	15,000	- 15,999
1,213	16.	16,000	- 16,999
1,246	17.	17,000	- 17,999
1,573	18.	18,000	- 18,999
2,024	19.	20,000	- 19,999
6,737	20.		- 24,999
5,412	21.	25,000	29,99934,99939,999
5,434	22.	30,000	
3,939	23.	35,000	
3,894	24.	40,000	- 44,999
3,394	25.		- 49,999
14,163	26.	\$50,000	and over
12,616	27.	Unknown	

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape		_		1 - 1
Locations	Item No.	Frequency	It:	ems and Codes
60	Recode		FAMILY	INCOME RECODE
		3,707	0.	Under \$5,000
		3,804	1.	\$ 5,000 - \$ 6,999
		5,415	2.	7,000 - 9,999
		8,313	3.	
		7,929	4.	15,000 - 19,999
		6,737	5.	
		10,846	6.	25,000 - 34,999
		11,227	7.	35,000 - 49,999
		14,163	8.	\$50,000 or more
		12,616	9.	Unknown
61	Generated		NHIS P	OVERTY INDEX*
		64,603	1.	Above poverty threshold
		12,512	2.	Below poverty threshold
		7,642	3.	Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE O	F FAMILY
		16,414	&.	Primary individual
		990		Secondary individual
		67,225	0.	Primary family
		128	1-9.	
63	A-2		RELATI	ONSHIP TO REFERENCE PERSON
		15,872	&.	Reference person, living alone
		30,159	0.	Reference person, 2+ persons in household
		20,721	1.	Spouse, other spouse NOT in Armed Forces and living at home

٠,

	208	2.	Spouse, other spouse IN Armed
Forces			
			and living at home
	14,394	3.	Child of reference person or spouse
	650	4.	Grandchild of reference person or spouse
	1,418	5.	Parent of reference person or
spouse			
	1,321	6.	Other relative
	14	7.	Child of ineligible reference
person			
	0	9.	Unknown

^{*}Based on family size, number of children under 18 years of age & family income using the 1992 poverty levels derived from the August, 1993 Current Population Survey.

- 59 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		15,872 1,532 42,831 24,522	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
		8,459	1. Both parents, no other relative
		2,726	2. Mother only
		150	3. Father only
		835	 Both parents and other 21+ year old adult relative
		687	5. Mother and other 21+ year old adult relative
		56	Father and other 21+ year old adult relative
		137	7. No parent, but one 21+ year old adult relative
		173	8. No parent, but two or more 21+

year old adult relatives
218 9. Unknown
940 0. Other
70,376 Blank. Not applicable (25+ years old or ever married)

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		30,762	1. Working
		18,109	2. Keeping house
		2,504	3. Going to school
		21,255	4. Something else
		610	5. Unknown
		11,517	Blank. Not applicable (Under 18 years)
70	G-4		HEALTH STATUS
		14,090	1. Excellent
		18,235	2. Very Good
		24,249	3. Good
		17,294	4. Fair
		10,555	5. Poor
		334	6. Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)*
		15,051	1. Unable to perform major activity
		16,568	2. Limited in kind/amount major activity
		12,162	3. Limited in other activities
		40,976	4. Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		14,820 8,433 5,944 27,925 27,635	 Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)

^{*}This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		276 1,235 170 481 825 5,525 76,245	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		2,280	1. Unable to perform personal care needs
		5,438	2. Limited in performing other routine needs
		28,292	3. Not limited in performing personal or routine needs
		25 48,722	4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74

- 62 -

Tape Locations	Item No.	Frequency	Items and Codes
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
			In the Labor Force: (1-7)
			Currently Employed: (1-3)
		30,968 1,348	 Worked in past 2 weeks Did not work, has job; not on lay-off and not looking for work
		34	 Did not work, has job; looking for work

Unemployed: (4-7)

			144 6	4. 5.	Did not work, has job; on lay-off Did not work, has job; on lay-off and looking for work
			268	6.	_
			1,574	7.	
				Not in	Labor Force (18+ years): (8)
			38,898 11,517	8. Blank.	` <u> </u>
	76	L-6		CLASS (OF WORKER
			38,898	0.	Not in labor force
			23,206	1.	Private company
			1,134	2.	Federal Government employee
			1,861	3.	State Government employee
			3,195	4.	Local Government employee
			846	5.	Incorporated business
			3,365	6.	Self-employed
			78	7.	Without pay
			38	8.	Never worked
			619	9.	Unknown
			11,517	Blank.	Under 18
1				- 63 -	

Tape Locations	Item No.	Frequency	Items and Codes
77-79	L-6		INDUSTRY DETAIL CODE
			010-998. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE

			34,342 001-998. Code number 50,415 Blank. Not applicable
	87-88	Recode	OCCUPATION RECODE 1
			SEE APPENDIX C
	89-90	Recode	OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 64 -

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		54,043 4,689 25,481 544	 Self-entirely Self-partly Proxy Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		16,306 15,059 11,467	 Condition List 1, Skin and musculoskeletal Condition List 2, Impairments Condition List 3, Digestive
		12,960 13,013 15,218 734	4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-96	K-3		ICD/NHIS CODE (DIAGNOSTIC CODE) (See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation)
97-99	Recode		CONDITION RECODE (B) (ICD Recode, modified for NHIS) (See Diagnostic Recodes Section)
100-103	Recode		ACUTE RECODE (A) (See Diagnostic Recodes Section)
104-106	Recode		CHRONIC RECODE (C) (See Diagnostic Recodes Section)
			65 _

- 65 -1

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
107	K-3		CHRONI	C/ACUTE CODE
		71,789 12,968	1. 2.	Chronic Acute
108	K-5		ONSET	
		8,784	1.	During the past 2 weeks
		5,728	2.	Over 2 weeks to 3 months
		9,751		Over 3 months to 12 months
		20,379		Over 1 year to 5 years
		40,115	5.	Over 5 years
109	K-2		DOCTOR	LAST SEEN FOR THIS CONDITION
		249	0.	Interview week
		22,254	1.	2-week reference period
		24,797	2.	Over 2 weeks, less than 6 months
		8,865	3.	6 months, less than 1 year
		5,654	4.	1 year, less than 2 years
		5,147	5.	2 years, less than 5 years
		5,444		5 years or more
		1,306		Doctor seen, DK when
		1,052 9,989	8. 9.	DK if doctor seen Doctor never seen
110	Recode		DOCTOR	EVER SEEN FOR THIS CONDITION
		74,768	1.	Yes
		9,989	2.	
111-112	K-6			RESTRICTED ACTIVITY DAYS IN PAST FOR THIS CONDITION
		68,535	00.	None
		16,222	01-14.	
113-114	K-7		BED DA'	YS IN PAST 2 WEEKS FOR THIS ION
		75,982 8,775	00. 01-14.	None 1-14 days
			- 66 -	

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape			
Locations	Item No.	Frequency	Items and Codes
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
		81,296 3,461	00. None 01-14. 1-14 days
117-118	K-9		SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		82,749 2,008	00. None 01-14. 1-14 days
119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION*
		32,906 5,584 33,299	000. None 001-365. Days 366. Unknown/not a "check-list" condition
		12,968	Blank. Not a chronic condition
122	K-11		EVER HOSPITALIZED FOR THIS CONDITION*
		6,434	1. Yes
		32,473	2. No
		32,882	
		12,968	
123	K-12		CONDITION STATUS*
		32,849	1. Still has condition
		801	2. Condition cured
		3,253	3. Condition under control
		303	4. Other
		34,583	5. Unknown status/not a "check-list" condition
		12,968	Blank. Not a chronic condition

*Use only for check-list conditions.

- 67 -

Locations	Item No.	Frequency	Items and Codes
124	K-12		LENGTH OF TIME HAD CONDITION BEFORE CURED (Location 123 coded 2)
		51 104 124 43 99 103 45 56 176 83,956	 Less than 1 month 1-3 months Over 3 to 6 months Over 6 to 12 months 1 year 2-4 years 5-9 years 10 years or more Unknown Blank. Not applicable/not a chronic condition
125	K-12		CONDITION PRESENT IN PAST 12 MONTHS*
		36,639 162 34,988 12,968	 Yes No Unknown/not a "check-list" condition Blank. Not a chronic condition
126	Recode		CONDITION CAUSES ACTIVITY LIMITATION (all ages) (Refer to loc. 71 in all records except household for activity limitation status.)
		16,972	 Limited, this condition main cause of limitation
		10,381	2. Limited, this condition secondary cause of limitation
		16,428	Limited, but not caused by this condition
		40,976	4. Not limited

			_
Tape Locations	Item No.	Frequency	Items and Codes
127	Recode		CONDITION CAUSES LIMITATION IN ABILITY TO WORK (for all persons 18-69 years of age)
		8,600	 Limited in work, this condition main cause of this limitation
		5,485	Limited in work, this condition secondary cause of this limitation
		9,168	3. Limited in work but not caused by

^{*}Use only for check-list conditions.
1 - 68 -

		33,869 27,635		this condition Not limited in work Not applicable
128	-		ALL INC	TURIES*
		9,333 1,437 73,987	2.	First Not first Not an injury
129	Recode			JRY ADVERSE REACTION OR COMPLICATION
		78 360 10,332 73,987	2.	Yes, adverse reaction** Yes, complication of medical care (therapeutic misadventure)** No, other injury Not an injury
		, 5 , 5 5 7		1.00 0.11 111) 0.11

^{*}Includes all conditions reported as caused by an accident or injury, conditions with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items and Codes
130	K-14		PLACE OF ACCIDENT
		1,009	1. At home (inside house)
		977	2. At home (adjacent premises)
		2,688	3. Street and highway (including roadway and public sidewalks)
		194	4. Farm
		2,049	Industrial place (including premises)
		424	6. School (including premises)
		644	7. Place of recreation and sports, except school
		1,226	8. Other
		1,559	9. Unknown
		73,987	Blank. Not an injury
131	K-15		AT WORK AT TIME OF ACCIDENT
		2,847	1. Yes

^{**}Locations 130-134 are coded 'Unknown' for these injuries.

Most adverse reactions and therapeutic misadventures were not originally classified as an accident or inury and have been given the 'unspecified' E-code (E0009) in locs. 140-144 in accordance with ICDA guidelines; most will also have the place code of '9' (unspecified) in loc. 145.

- 69 -

		4,439 1,459	2. 3.	
		381 1,644 73,987	5.	Not applicable, in Armed Forces
132	K-16		MOTOR	VEHICLE INVOLVED
		2,829 6,769 1,172 73,987	2.	Yes No Unknown Not an injury
133	К-16		NUMBER	OF VEHICLES INVOLVED
		1,732 1,062 35 81,928	2. 3.	One Two or more Unknown Not an injury/no or unknown if motor vehicle involved
1			- 70 -	

Tape Locations	Item No.	Frequency	Items and Codes
134	к-16		MOVING MOTOR VEHICLE INVOLVED
		2,463	1. Yes
		292	2. No
		74	3. Unknown
		81,928	Blank. Not an injury/no or unknown if motor vehicle involved
135-137	Recode		CLASS OF ACCIDENT
		9,951	111-322.
		381	400. SEE APPENDIX D
		360	500.
		78	600.
		73,987	Blank. Not an injury
138	Recode		SELECTED FIRST INJURY*
		7,310	1. First
		839	2. Not first
		76,608	Blank. Not a selected injury
139	Recode		CONDITION CAUSES PERSONAL CARE ACTIVITY

LIMITATION (5-59 years old and limited, or age 60-69 years)

2,307	1.	Limited, condition main cause of limitation
1,352	2.	Limited, condition secondary cause
		of limitation
4,059	3.	Limited, but not caused by this
		condition
28,317	4.	Not limited
48,722	Blank.	Not applicable (under 5 years,
		5-59 years not limited, 70+ years
		old)

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 71 -

Tape	T 3.		Thomas and Godon
Locations	Item No.	Frequency	Items and Codes
140-144	Recode		EXTERNAL CAUSE OF INJURY*
		1,394	
		9,376	E800-E998. ICD-9 External Causes of Injury (E-Code) (with 5th digit in range 0-9
			for some categories)
		73,987	Blank. Not an injury
145	Recode		ICD-9 (E-CODE) PLACE OF OCCURRENCE
		2,013	0. Home
		210	1. Farm
		19	2. Mine and quarry
		2,132	 Industrial place and premises
		629	4. Place for recreation and sports
		2,689	Street and highway
		733	6. Public building
		162	7. Residential institution
		664	8. Other specified places
		1,519	9. Unspecified Place, Unknown
		73,987	Blank. Not an injury
146-177	-		BLANK
178	Master		TYPE OF SUBSTRATUM
	Record	11 105	
		11,137	0. Permit
		8,039 65,581	 Area, oversampled for blacks Area, not oversampled for blacks
		05,561	2. Area, not oversampred for blacks

*Includes all listed E-codes except late effects (929, 959, 969, 977, 989, 999), and death (978). In addition, NHIS added '9' (Unknown) to the 4th digit of those E-Codes without an 'Other or unspecified' category (854, 881, 944 and 951).

**Many of the 'unspecified' E-codes (E0009) in locs. 140-144 are due to adverse reactions and therapeutic misadventures (loc. 129) and most of these will also receive a '9' (unspecified) as a place code in loc. 145.

1 - 72 -

NHIS PUBLIC USE TAPE RECORD CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
182	Master		DECTON
102	Record		REGION
	nccora	15,565	1. Northeast
		21,263	2. Midwest
		29,173	3. South
		18,756	4. West
183	Master Record		GEOGRAPHIC DISTRIBUTION
	Record		MSA Size
		34,169	1. 1,000,000 or more
		23,022	2. 250,000 - 999,999
		5,684	3. 100,000 - 249,999
		1,277	4. Under 100,000
		20,605	Blank. Non-MSA
184	_		BLANK
185	Master Record		TYPE OF PSU
		44,046	1. MSA - Self-representing
		20,106	3. MSA - Nonself-representing
		16	4. Non-MSA - Self-representing
		20,589	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		27,962	1. MSA - Central City
		36,190	2. MSA - Not Central City
		19,644	3. Non-MSA - Nonfarm
		961	4. Non-MSA - Farm
1			_ 73 _

1

Tape Locations	Item No.	Frequency	Items and Codes
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281			QUARTER
282-290			SEMI-ANNUAL
291-299			ANNUAL
300-335			BLANK
NOTES:			75

DOCTOR VISIT RECORD

1NOTES:

1

- 77 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 25,815
DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	25,815	RECORD TYPE 40. Two-week Doctor Visit Record
3-4	-	25,815	PROCESSING YEAR 93. 1993
5	-	7,637 3,918 6,961 7,299	PROCESSING QUARTER 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

	Item No.	Frequency	Items and Codes			
11-12	нн-5		SEGMENT NUMBER			
			Week plus Segment Number identifies the segment			
13-14	нн-5		HOUSEHOLD NUMBER			
			Numbered within PSU-Week-Segment			
15-16	-		PERSON NUMBER			
17-18	-		DOCTOR VISIT SERIAL NUMBER			
			01-99. Serial Number			
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)			
		2,230	01. Week 01			
		1,817	02. Week 02			
		2,332	03. Week 03			
		1,758	04. Week 04			
		2,271 1,780	05. Week 05 06. Week 06			
		2,485	07. Week 07			
		1,611	08. Week 08			
		2,067	09. Week 09			
		1,591	10. Week 10			
		2,257	11. Week 11			
		1,548 2,068	12. Week 12 13. Week 13			
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG			
		17,557	0. Interview not late			
		6,287	1. One week late			
		1,647	 Two weeks late Unknown 			
		324	3. UIIKIIUWII			

1 - 79 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	g Unit = (00-07)
		312	00.	Housing unit; kind unknown
		24,017	01.	
		8	02.	motel, etc.
		13	03.	motel, etc.
		5	04.	3
		1,035	05.	permanent room added
		171	06.	
		12	07.	more permanent rooms added HU not specified above
			Other (Jnit = (08-13)
		5	08.	~
		0	09.	±
		0	10.	hotel, motel, etc. Unoccupied site for mobile home, trailer, or tent
		87	11.	
		144	12.	Other unit not specified above
		6	13.	
24	нн-11		HAS TEI	LEPHONE
		23,741	1.	Yes, phone number given
		847	2.	Yes, no phone number given
		1,174	3.	No
		53	4.	Unknown
25	A-1		SEX	
		10,399	1.	Male
		15,416	2.	Female
26	_		BLANK	
			- 80 -	
		NHIS PUBLIC	C USE TAI R VISIT I	
Tape Locations	Item No.	Frequency	Ite	ems and Codes

27-28	Person		AGE			
	Column	743	00.	Under 1 year		
		25,071	01-98.			
		1	99.	-		
29	Recode		AGE REC	CODE #1		
		2,399	1.	Under 5 years		
		3,050		5-17 years		
		1,534		18-24 years		
		7,300		25-44 years		
		5,853		45-64 years		
		1,608		65-69 years		
		1,513		70-74 years		
		2,558	8.	75 years and over		
30	Recode		AGE REC	CODE #2		
		2,733	1.	Under 6 years		
		2,531	2.	6-16 years		
		1,719	3.	17-24 years		
		3,405	4.	25-34 years		
		3,895		35-44 years		
		3,150		45-54 years		
		2,703		55-64 years		
		3,121		65-74 years		
		2,558	9.	75 years and over		
31-32	Recode		AGE REC	CODE #3		
		1,739	00-35.	Months		
		24,076	36.			
33			DI ANIZ			
	<u>-</u> 		BLANK			
1		-	81 -			
	NHIS PUBLIC USE TAPE RECORD					

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 02. February 03. March 04. April 05. May

		06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. Unknown	
36-39		YEAR OF BIRTH 1800-1899. 1800-1899 1900-1994. 1900-1994 9999. Unknown	
40	Recode	HISPANIC ORIGIN IMPUTED FLAG 25,486 0. Hispanic Origin Known 329 1. Hispanic Origin Imputed from Reference Person	
1		- 82 -	

Tape Locations	Item No.	Frequency Items and Codes		
41-42	L-3		MAIN RACIAL BACKGROUND* (See notation for locations 43-45)	
		20,801 3,545 265 4 0 83 87 32 49 62 58 90 3 3 55 447 32 199	01. White 02. Black 03. Indian (American) 04. Eskimo 05. Aleut 06. Chinese 07. Filipino 08. Hawaiian 09. Korean 10. Vietnamese 11. Japanese 12. Asian Indian 13. Samoan 14. Guamanian 15. Other API 16. Other race 17. Multiple race 99. Unknown	
43-45	Recode		RACE RECODES	
43			RECODE 1** Persons whose Main Racial Background	
		21,411	1. White (location 41-42) was	

	3,601 803		Black Other	"other" or "unknown" were classified in the following recodes by
44		RECODE	2	using the racial background observed by
	21,411 4,404	1. 2.	White Non-white	the interviewer. Use of these recodes is recommended for
45		RECODE	3	estimating statistics for the groups shown
	3,601 22,214		Black Non-black	here.

^{*}Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

Tape			
Locations	Item No.	Frequency	Items and Codes
46-47	A-4		HISPANIC ORIGIN*
		24	00. Multiple Hispanic
		256	01. Puerto Rican
		107	02. Cuban
		308	03. Mexican-Mexicano
		664	04. Mexican-American
		18	05. Chicano
		184	06. Other Latin American
		201	07. Other Spanish
		18	08. Spanish, DK type
		110	09. Unknown if Spanish origin
		23,925	10. Not Spanish origin
48	L-7		MARITAL STATUS
		4,555	0. Under 14 years
		12,197	1. Married - spouse in household
		222	2. Married - spouse not in household
		2,575	3. Widowed
		1,984	4. Divorced
		519	5. Separated
		3,617	6. Never married
		146	7. Unknown
49	L-1		VETERAN STATUS
		16,888	1. Non-veteran
		11	2. WW I

1,153	3.	WW II			
553	4.	Korean War			
736	5.	Vietnam veteran			
247	6.	Post-Vietnam			
419	7.	Other service			
89	8.	Served in Armed Forces, unknown if			
		war veteran			
270	9.	Unknown if served in Armed Forces			
5,449	Blank.	Under 18 years of age			

^{*}If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

- 84 -

Tape Locations	Item No.	Frequency	It	ems and Codes
50	L-1			GUARD/RESERVE STATUS FOR PERSONS OF DUTY IN ARMED FORCES
		16,888	0.	Non-veteran
		195	1.	
		450	2.	Some service in Guard/Reserve
		5	3.	
		2,317	4.	
		511	5.	
		5449	Blank.	Under 18 years of age
51-52	L-2		EDUCAT	ION OF INDIVIDUAL - COMPLETED YEARS
		787	00.	Never attended; kindergarten only
		14,054	01-12.	
			College	e:
		1,483	13.	1 year
		1,975	14.	2 years
		800	15.	4
		2,179	16.	-
		524	17.	- 1
		1,266	18.	-
		348	19. Blank.	
		2,399	Blank.	Under 5 years of age
53	Recode		EDUCAT	ION OF INDIVIDUAL RECODE
		787	0.	None; kindergarten only
		3,812	1.	1-8 years (elementary)
		3,053	2.	9-11 years (high school)

7,189	3.	12 years (high school graduate)
4,258	4.	1-3 years (college)
2,179	5.	4 years (college graduate)
1,790	6.	5+ years (post-college)
348	7.	Unknown
2,399	Blank.	Under 5 years of age

1 - 85 -

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes		
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)		
		34 12,157	00. Never attended; kindergarten only 01-12. Grades 1-12		
			College:		
		1,939 3,180 1,143 3,615 919 2,597 231	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown		
56	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - Recode		
		34 1,328 2,266 8,563 6,262 3,615 3,516 231	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown 		
57	L-8		FAMILY INCOME \$20,000 OR MORE		
		9,084 15,966 765	 Less than \$20,000 \$20,000 or more Unknown 		

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

Tape

Locations	Item No.	Frequency	It	ems and Codes	
58-59	L-8		FAMILY	INCOME	
		125	00.	Less than	\$1,000
		136	01.	\$ 1,000 - \$	1,999
		231	02.	2,000 -	2,999
		190	03.		
		319	04.	4,000 -	4,999
		531	05.	5,000 -	
		478	06.	6,000 -	6,999
		472	07.		7,999
		435	08.	8,000 -	8,999
		531	09.	9,000 -	
		576	10.	10,000 -	
		312	11.	•	11,999
		638	12.		12,999
		220	13.		
		304	14.		
		462	15.		15,999
		340	16.		16,999
		291	17.	17,000 -	
		401	18.		
		579 1,953	19. 20.		19,999 24,999
		1,663	20.	25,000 -	
		1,707	22.		
		1,322	23.		
		1,368	24.		
		1,170	25.		49,999
		5,144	26.	\$50,000 and	
		3,917	27.		
60	Recode		FAMILY	INCOME RECOI	DE
		1,001	0.	Under \$5,000	
		1,009	1.		6,999
		1,438	2.		
		2,050	3.	10,000 - 1	
		2,073		15,000 - 1	
		1,953	5.		24,999
		3,370	6.		34,999
		3,860	7.		19,999
		5,144 3,917	8. 9.	\$50,000 or n Unknown	nore
				I Inc I was a war	

Tape Locations	Item No.	Frequency	Items and Codes
61	Generate	d	NHIS POVERTY INDEX*

		20,012 3,515 2,288	 Above poverty threshold Below poverty threshold Unknown
62-63			FAMILY RELATIONSHIP
62	A-2		TYPE OF FAMILY
		4,190 292 21,293 40	&. Primary individual Secondary individual0. Primary family1-9. Secondary family
63	A-2		RELATIONSHIP TO REFERENCE PERSON
		3,876 8,484	&. Reference person, living alone0. Reference person, 2+ persons in household
		6,247	 Spouse, other spouse NOT in Armed Forces and living at home
		67	Spouse, other spouse IN Armed Forces and living at home
		6,039 338	 Child of reference person or spouse Grandchild of reference person or spouse
		374	5. Parent of reference person or spouse
		382	6. Other relative
		8	 Child of ineligible reference person
		0	9. Unknown
64	Recode		FAMILY RELATIONSHIP RECODE
		3,876 606 12,194	 Living alone Living only with non-relative Living with spouse
		9,139	4. Living with relative - other

^{*}Based on family size, number of children under 18 years of age and family income using the 1992 poverty levels derived from the August, 1993 Current Population Survey.

- 88 -

1

Tape Locations	Item No.	Frequency	Items and Codes
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01

67	Generated		SIZE OF	FAMILY RECODE
			1-8. 9.	
68	A-2			OTHER ADULT RELATIVE (under 25 old and never married)
		4,015 1,088 56 322 329 19 61 79 90 354 19,402	3. 4. 5. 6. 7. 8.	Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult relative Father and other 21+ year old adult relative No parent, but one 21+ year old adult relative No parent, but two or more 21+ year old adult relatives Unknown Other
69	B-1 B-8	9,323 4,379 798 5,704 162 5,449	1. 2. 3. 4. 5.	Keeping house Going to school

^{*}Count includes spouse in military but living at home.

1 - 89 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
70	G-4		HEALTH	STATUS
		5,133	1.	Excellent
		6,035	2.	Very Good
		7,075	3.	Good
		4,296	4.	Fair
		3,167	5.	Poor
		109		Unknown

		4,681 3,384 2,158 15,592	 Unable to perform major activity Limited in kind/amount major activity Limited in other activities Not limited (includes unknowns)
72	Recode	3,971 1,658 1,133 9,533 9,520	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 1. Unable to work 2. Limited in kind/amount of work 3. Limited in other activities 4. Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)
73	B-11	114 183 51 129 179 2,394 22,765	LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 1. Unable to attend school 2. Attends special school/classes 3. Needs special school/classes 4. Limited in school attendance 5. Limited in other activities 6. Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)

^{*}This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

- 90 -

Tape Locations	Item No.	Frequency	Items and Codes
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		818	 Unable to perform personal care needs
		1,583	 Limited in performing other routine needs
		6,193	 Not limited in performing personal or routine needs
		37	4. Unknown
		17,184	Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)

	In	the	Labor	Force:	(1-7))
--	----	-----	-------	--------	-------	---

Currently employed: (1-3)

8,722	1.	Worked in past 2 weeks
860	2.	Did not work, has job; not on

lay-off and not looking for work

12 3. Did not work, has job; looking for work

Unemployed: (4-7)

- 4. Did not work, has job; on lay-off
 - 5. Did not work, has job; on lay-off and looking for work
- 106 6. Did not work, has job; unknown if looking or on lay-off
- 7. Did not work, has no job; looking for work or on lay-off

Not in Labor Force (18+ years): (8)

10,159 8. Not in Labor Force (18+ years) 5,449 Blank. Not applicable (Under 18 years old)

- 91 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		10,159 6,920 313 608 1,019 274 868 22 8 175 5,449	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		10,207 15,608	010-998. Code number Blank. Not applicable

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

	80-81	Recode	INDUSTRY RECODE 1 SEE APPENDIX B
	82-83	Recode	INDUSTRY RECODE 2 SEE APPENDIX B
	84-86	L-6	OCCUPATION DETAIL CODE 001-998. Code number Blank. Not applicable
	87-88	Recode	OCCUPATION RECODE 1 SEE APPENDIX C
_	89-90	Recode	OCCUPATION RECODE 2 SEE APPENDIX C
1			- 92 -

Tape Locations	Item No.	Frequency	Items and Codes
91	L-R	14,781 1,409 9,460 165	RESPONDENT 1. Self-entirely 2. Self-partly 3. Proxy 4. Unknown
92	Recode	4,309 4,338 4,269 4,401 4,061 4,224 213	CONDITION LIST ASSIGNED AND ASKED 1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown

93-96	F-1		DATE OF	F VISIT
		0	6666.	During 2 weeks, DK when
		2,850		Last week, DK day
		3,027		Week before, DK day
93-94			MONTH	
		1,796	01.	January
		1,859	02.	February
		2,129	03.	March
		1,209	04.	
		1,054	05.	May
		921	06.	
		1,770	07.	July
		1,795	08.	5
		1,638	09.	±
		1,823		October
		1,936		November
		1,745		December
		263	99.	DK month
95-96			DAY	
		19,675	01-31.	Day of month
		263	99.	DK day codes for Unknown in month and day
1			- 93 -	

	Tape Locations	Item No.	Frequency	It∈	ems and Codes
b	97-98 etween	Recode		DOCTOR	VISIT VALUES (Number of days
				Date of	Visit and Interview)
			246	00.	Visit on last Sunday of reference period
			513	01.	Visit on second Saturday of reference period
			2,041	02.	<u>-</u>
			1,957	03.	<u>-</u>
			1,972	04.	<u>-</u>
			1,975	05.	
			2,092	06.	-
			251	07.	<u>-</u>

				period
		440	08.	±
				reference period
		1,545	09.	2
				period
		1,550	10.	
				reference period
		1,637	11.	Visit on first Wednesday of
		1 560	1.0	reference period
		1,568	12.	Visit on first Tuesday of
		1,888	1.2	reference period
		1,000	13.	Visit on first Monday of reference period
		6,140	14.	-
		0,140	11.	in Day of Month of Visit)
				· · · · · · · · · · · · · · · · · · ·
99	Recode		DAY OF	WEEK OF VISIT
		2 000	1	Maradana
		3,980	1.	Monday
		3,543	2.	Tuesday
		3,609	3.	Wednesday
		3,507	4.	Thursday
		3,586 953	5.	Friday
		953 497	6.	Saturday
		6,140	7. 8.	Sunday Unknown
		0,140	٥.	UIIAIIOWII

- 94 -

1

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
100	Recode		WEEK OF VISIT
		13,646 11,906 263	 Last week Week before During 2 weeks, DK when
101-102			PLACE OF VISIT
		3,074	01. Telephone
			Not in Hospital
		1,485 14,186 361 1,849 118 617	02. Home 03. Doctor's office 04. Company or Industrial clinic 05. Other clinic 06. Laboratory 07. Other

In Hospital

		1,865 912 702 162 299 185	08. Outpatient clinic 09. Emergency Room 10. Doctor's office 11. Laboratory 12. Other 13. Unknown
103	Recode		PLACE OF VISIT
		3,074	1. Telephone
		14,186	2. Doctor's office (not in hospital)
		1,865	3. Hospital Outpatient clinic
		912	4. Hospital Emergency Room
		702	5. Doctor's office in hospital
		361	6. Company or Industry clinic
		1,485	7. Home
		3,045	8. Other place (Loc. 101-102 = 5,6,7,11,12)
		185	9. Unknown

- 95 -

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

			
Tape Locations	Thom No	E	Thomas and Codos
Locations	Item No.	Frequency	Items and Codes
104	F-3		MEDICAL DOCTOR ACTUALLY TALKED TO
		18,565	1. Yes
		6,801	2. No
		449	3. Unknown
105-106	F-3		KIND OF MEDICAL DOCTOR FOR THIS DOCTOR VISIT/CONTACT
		1,908	00. M.D., DK if G.P. or specialist
		9,781	01. General practitioner
		25	02. Anesthesiologist
		410	03. Dermatologist
		2,917	04. Internist
		363	05. Neurologist
		1,493	06. Obstetrician/Gynecologist
		753	07. Ophthalmologist
		1,221	08. Orthopedist
		85	09. Osteopath
		390	10. Otolaryngologist
		5	11. Pathologist
		2,117	12. Pediatrician 13. Proctologist
		18 713	13. Proctologist14. Psychiatrist
		622	14. Psychiatrist 15. Radiologist
		480	16. Surgeon (not listed above)
		452	18. Urologist
		734	TO. OLOTOGISC

1

```
311 19. Other M.D. specialist
334 20. Specialist, DK kind
44 21. Family Practice (specialist)
1,235 22. DK if medical doctor
138 Blank. Not applicable; no medical doctor reported for this visit/contact
```

1 - 96 -

NHIS PUBLIC USE TAPE RECORD DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		163	31.	Nurse practitioner
		119	32.	Physician's assistant
		3,190	33.	Nurse
		223	34.	Laboratory technician
		6		Paramedic
		628	36.	Physical therapist
		5	37.	Social worker
		38	38.	Pharmacist
		111	39.	X-ray technician
		218	40.	Other technician
		66	41.	Dentist/oral surgeon
		67	42.	Optometrist/Optician
		554	43.	Chiropractor
		242	44.	Foot specialist
		0	45.	Dietician
		133	46.	Psychologist
		10	47.	Nutritionist
		0	48.	Naprapath
		1	49.	Orthoptic technician/Orthopist
		748	50.	
		728	51.	Unknown type of medical assistan
		18,565	Blank.	Not applicable; medical assistant not talked to (Location 104 = 1)

- 97 -

Tape Locations	Item No.	Frequency	Items and Codes
109-110	F-3		TYPE OF PERSON TALKED TO/SEEN
		699 7,849 25 383	00. M.D., DK if G.P. or specialist 01. General practitioner 02. Anesthesiologist 03. Dermatologist

2,117	04.	Internist
271	05.	Neurologist
1,212	06.	Obstetrician/Gynecologist
709	07.	Ophthalmologist
863	08.	Orthopedist
63	09.	Osteopath
326	10.	Otolaryngologist
4	11.	Pathologist
1,802	12.	Pediatrician
17	13.	Proctologist
474	14.	Psychiatrist
412	15.	Radiologist
421	16.	Surgeon (not listed above)
323	18.	Urologist
212	19.	Other M.D. specialist
277	20.	Specialist, DK kind
39	21.	Family Practice (specialist)
163	31.	Nurse practitioner
119	32.	Physician's assistant
3,190	33.	Nurse
223	34.	Laboratory technician
6	35.	Paramedic
628	36.	Physical therapist
5	37.	
38	38.	Pharmacist
111	39.	X-ray technician
218	40.	Other technician
66	41.	Dentist/Oral surgeon
67	42.	Optometrist/Optician
554	43.	Chiropractor
242	44.	Foot specialist
0	45.	Dietician
133	46.	Psychologist
10	47.	Nutritionist
0	48.	Naprapath
1	49.	
748	50.	Other non-medical person
728	51.	Not MD; unknown type of medical
		assistant
67	52.	Unknown if MD

1 - 98 -

Tape Locations	Item No.	Frequency	Items and Codes
111-161			CONDITIONS FOR WHICH DOCTOR VISITED
111-127			CONDITION NO. 1
111-112	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.

113-	116	Condition Record		ICD/NHIS	CODE
			275 21,259	-	No matched condition record ICD/NHIS Code (note Unknown = 7999)
			4,281		No condition for this visit
11	7	Condition Record		CHRONIC/A	ACUTE CODE
		Record	275 13,459 7,800 4,281	1. (2. <i>i</i>	No matched condition record Chronic Acute No condition for this visit
118-	121	Condition Record		ACUTE REG	CODE (A)
		Record	275 7,098 702 17,740	0000 1001-5933 5932 Blank	 Acute Recode All other acute conditions including unknowns
122-	124	Condition Record		CHRONIC I	RECODE (C)
		Record	275 9,771 3,688 12,081	000. 101-615. 999. Blank.	Chronic Recode
125-	127	Condition Record		CONDITION	N RECODE (B)
		RECOLU	275 21,092 167 4,281	000. 010-570. 990. Blank.	Condition recode All other conditions including unknown
1				- 99 -	

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
128-144			CONDITION NO. 2
128-129	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.

130	-133	Condition Record		ICD/NHIS CODE
		10002 u	65 3,782	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999)
			21,968	Blank. No condition for this visit
1	.34	Condition Record		CHRONIC/ACUTE CODE
			65 2,732 1,050 21,968	0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit
135	-138	Condition Record		ACUTE RECODE (A)
			65 898 152 24,700	0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns Blank. Chronic condition or no condition for this visit
139	-141	Condition Record		CHRONIC RECODE (C)
			65 2,080 652 23,018	000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns Blank. Acute condition or no condition for this visit
142	-144	Condition Record		CONDITION RECODE (B)
		RECOLU	65 3,749 33	000. No matched condition record 010-570. Condition recode 990. All other conditions including unknown
1			21,968	Blank. No condition for this visit

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED-
145-161			CONDITION NO. 3
145-146	F-4		SERIAL NUMBER 01-99. Condition Serial Number Blank.

	147-150	Condition Record		ICD/NHIS	CODE
			19 944	:	No matched condition record ICD/NHIS Code (note Unknown = 7999)
			24,852	Blank. I	No condition for this visit
	151	Condition Record		CHRONIC/	ACUTE CODE
			19 783 161	1. 0	No matched condition record Chronic Acute
			24,852	Blank. 1	No condition for this visit
	152-155	Condition Record		ACUTE REG	CODE (A)
			19 106 55	0000 1001-593 593	1. Acute Recode
			25,635	Blanl	k. Chronic condition or no condition for this visit
	156-158	Condition Record		CHRONIC I	RECODE (C)
			19 615 168	000. 101-615. 999.	Chronic Recode
			25,013	Blank.	including unknowns Acute condition or no condition for this visit
	159-161	Condition Record		CONDITION	N RECODE (B)
		-	19 923 21 24,852	000. 010-570. 990.	Condition recode
_				- 101 -	The condition for this vibit
1				- 101 -	

Tape Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		958 21,000 783 3,074	1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE

1				- 102 -
	179-181	_		FULL SAMPLE STRATUM IDENTIFIER
_	178	Master Record	3,974 2,333 19,508	
_				
	169-177	-		BLANK
_				See Appendix E
	167-168			OPERATION NO. 3
				See Appendix E
	165-166			OPERATION NO. 2
				See Appendix E
	163-164			OPERATION NO. 1

Tape Locations	Item No.	Frequency	Items and Codes
182	Master Record		REGION
		5,186	1. Northeast
		6,562	
		8,437	
		5,630	4. West
183	Master Record		GEOGRAPHIC DISTRIBUTION
	1100014		MSA Size
		10,979 7,242 1,689	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999
		340	4. Under 100,000
			Blank. Non-MSA
		5,505	Blank. Non-MBA
184	-		BLANK
185	Master		TYPE OF PSU

		Record		
			14,033 6,217 4 5,561	 MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
	186	Recode		MSA - NON-MSA RESIDENCE
			8,687 11,563 5,313 252	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
	187-189	-		PSEUDO PSU CODES
	190-200	_		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) character format with implied decimal
1				- 103 -

Tape Locations	Item No.	Frequency	Items and Codes
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUA1 (WT/2)
219-227			ANNUAL (WT/4)
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
237-335			BLANK
NOTES:			- 105 -

1NOTES:

1

- 107 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 11,098
HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		11,098	50. Hospital Record
3-4	-		PROCESSING YEAR
		11,098	93. 1993
5	-		PROCESSING QUARTER
		3,148	1. Quarter 1
		1,709	2. Quarter 2
		3,141	3. Quarter 3
		3,100	4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	HH-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01
			02, 22, 42, 62, 82 Week 02
			03, 23, 43, 63, 83 Week 03
			04, 24, 44, 64, 84 Week 04
			05, 25, 45, 65, 85 Week 05
			06, 26, 46, 66, 86 Week 06
			07, 27, 47, 67, 87 Week 07
			08, 28, 48, 68, 88 Week 08
			09, 29, 49, 69, 89 Week 09
			10, 30, 50, 70, 90 Week 10
			11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12
			12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13
			13, 33, 33, 73, 33 NCCL 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		HOSPITAL SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)
		1,074	01. Week 01
		802	02. Week 02
		913 734	03. Week 03 04. Week 04
		994	04. Week 04 05. Week 05
		738	06. Week 06
		941	07. Week 07
		702	08. Week 08
		1,025	09. Week 09
		646 908	10. Week 10 11. Week 11
		688	12. Week 12
		933	13. Week 13
21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		7,535	0. Interview not late
		2,666	1. One week late
		714 183	2. Two weeks late3. Unknown
			- 109 -

Tape Locations Item No. Frequency Items and Codes	- .	No. Frequency	Items and Cod	es
---	------------	---------------	---------------	----

	22-23	HH-10d		TYPE OF LIVING QUARTERS:
				Housing Unit = (00-07)
			149	00. Housing unit; kind unknown
			10,203	01. House, apartment, flat
			14	02. HU in nontransient hotel, motel, etc.
			9	03. HU-permanent in transient hotel, motel, etc.
			2	04. HU in rooming house
			564	05. Mobile home or trailer with no
			301	permanent room added
			92	06. Mobile home or trailer with one or
			72	more permanent rooms added
			4	
			4	07. HU not specified above
				Other Unit = (08-13)
			2	08. Quarters not HU in rooming or boarding house
			0	09. Unit not permanent in transient
			ŭ	hotel, motel, etc.
			0	10. Unoccupied site for mobile home,
			Ŭ	trailer, or tent
			34	11. Student quarters in college
			51	dormitory
			22	12. Other unit not specified above
			3	13. Other unit; kind unknown
_	24	нн-11		HAS TELEPHONE
			9,996	1. Yes, phone number given
			329	2. Yes, no phone number given
			746	3. No
			27	4. Unknown
-				1. Officioni
	25	A-1		SEX
			4,404	1. Male
			6,694	2. Female
-				
	26	-		BLANK
1				- 110 -
_				-

Tape Locations	Item No.	Frequency	Items and Codes
27-28	Person Column		AGE

		250 10,847 1	00. 01-98. 99.	Under 1 year Number of years 99+ years of age
29	Recode		AGE REC	CODE #1
		654	1.	Under 5 years
		687		5-17 years
		939	3.	
		3,167		25-44 years
		2,486	5.	
		890	6.	
		831		70-74 years
		1,444		75 years and over
30	Recode		AGE REC	CODE #2
		706	1.	Under 6 years
		551	2.	6-16 years
		1,023	3.	17-24 years
		1,805	4.	25-34 years
		1,362	5.	35-44 years
		1,246	6.	45-54 years
		1,240	7.	55-64 years
		1,721	8.	65-74 years
		1,444	9.	75 years and over
31-32	Recode		AGE REC	CODE #3
		512	00-35.	Months
		10,586	36.	Over 3 years
33	-		BLANK	
			- 111 -	-

Tape Locations	Item No.	Frequency	Items and Codes
34-39 34-35	A-3		MONTH AND YEAR OF BIRTH
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. Unknown 07. July

36-39 YEAR OF BIRTH

1800-1899. 1800-1899 1900-1994. 1900-1994

9999. Unknown

40 Recode HISPANIC ORIGIN IMPUTED FLAG

10,970 0. Hispanic Origin Known
128 1. Hispanic Origin Imputed from
Reference Person

1 - 112 -

Tape Locations	Item No.	Frequency	Items and Codes
41-42	L-3		MAIN RACIAL BACKGROUND* (See notation for locations 43-45)
		8,767 1,776 100 0 1 27 41 4 14 19 21 33 1 0 25 181 18 70	01. White 02. Black 03. Indian (American) 04. Eskimo 05. Aleut 06. Chinese 07. Filipino 08. Hawaiian 09. Korean 10. Vietnamese 11. Japanese 12. Asian Indian 13. Samoan 14. Guamanian 15. Other API 16. Other race 17. Multiple race 99. Unknown
43-45	Recode		RACE RECODES
43		9,018 1,785	RECODE 1** Persons whose Main Racial Background 1. White (location 41-42) was 2. Black "other" or "unknown"
he		295	3. Other were classified in
44			following recodes by RECODE 2 using the racial background observed
У		9,018	1. White the interviewer. Use

		2,080	2.	Non-white	of these recodes is
4	15		RECODE	3	recommended for estimating statistics for the groups shown
		1,785	1.	Black	here.
		9,313	2.	Non-black	

^{*}Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

Tape Locations	Item No.	Frequency	Items and Codes
46-47	A-4		HISPANIC ORIGIN*
		7 125 61 198 299 7 74 72 1 55	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		1,029 5,993 148 1,358 829 246 1,441 54	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown
49	L-1		VETERAN STATUS
		7,816 7 798 285 316 102 238	 Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service

^{**}This recode is used to categorize race in the Current Estimates tables.
- 113 -

8. Served in Armed Forces, unknown if war veteran

9. Unknown if served in Armed Forces

1,341 Blank. Under 18 years of age

- 114 -

1

1

NHIS PUBLIC USE TAPE RECORD HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		7,816 81 223 2	2.	Non-veteran All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in
		1,352 283	4. 5.	Guard/Reserve No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or if served in Armed Forces
		1,341	Blank.	Under 18 years of age
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		185 6,939		Never attended; kindergarten only Grades 1-12
			College	2:
		623 797 275 877 163 433 152 654	13. 14. 15. 16. 17. 18. 19. Blank.	<pre>1 year 2 years 3 years 4 years 5 years 6 years or more Unknown Under 5 years of age</pre>

- 115 -

Tape Locations	Item No.	Frequency	Items and Codes

^{*}If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

53	Recode	EDUCATION OF INDIVIDUAL RECODE
		185 0. None; kindergarten only 1,686 1. 1-8 years (elementary) 1,621 2. 9-11 years (high school) 3,632 3. 12 years (high school graduate) 1,695 4. 1-3 years (college) 877 5. 4 years (college graduate) 596 6. 5+ years (post-college) 152 7. Unknown 654 Blank. Under 5 years of age
54-55	-	HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)
		24 00. Never attended; kindergarten only 6,152 01-12. Grades 1-12
		College:
		770 13. 1 year 1,171 14. 2 years 424 15. 3 years 1,343 16. 4 years 264 17. 5 years 851 18. 6 years or more 99 19. Unknown
56	-	HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER RECODE
		24 0. None; kindergarten only 791 1. 1-8 years (elementary) 1,288 2. 9-11 years (high school) 4,073 3. 12 years (high school graduate) 2,365 4. 1-3 years (college) 1,343 5. 4 years (college graduate) 1,115 6. 5+ years (post-college) 99 7. Unknown

- 116 -

1

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		4,927 5,815 356	 Less than \$20,000 \$20,000 or more Unknown

58-59	L-8	FAMILY INCOME	
		55 00. Less than \$1,000	
		97 01. \$ 1,000 - \$ 1,999	
		110 02. 2,000 - 2,999	
		111 03. 3,000 - 3,999	
		178 04. 4,000 - 4,999	
		250 05. 5,000 - 5,999	
		243 06. 6,000 - 6,999	
		297 07. 7,000 - 7,999	
		205 08. 8,000 - 8,999	
		271 09. 9,000 - 9,999	
		283 10. 10,000 - 10,999	
		181 11. 11,000 - 11,999	
		302 12. 12,000 - 12,999	
		166 13. 13,000 - 13,999	
		177 14. 14,000 - 14,999	
		237 15. 15,000 - 15,999	
		186 16. 16,000 - 16,999	
		175 17. 17,000 - 17,999	
		231 18. 18,000 - 18,999	
		301 19. 19,000 - 19,999	
		829 20. 20,000 - 24,999	
		647 21. 25,000 - 29,999	
		677 22. 30,000 - 34,999	
		467 23. 35,000 - 39,999	
		480 24. 40,000 - 44,999	
		405 25. 45,000 - 49,999	
		1,582 26. \$50,000 and over	
		1,955 27. Unknown	
1		- 117 -	

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode	551 493 773 1,109 1,130 829 1,324 1,352 1,582 1,955	FAMILY INCOME RECODE 0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown
61	Generated	7,963 1,905 1,230	NHIS POVERTY INDEX* 1. Above poverty threshold 2. Below poverty threshold 3. Unknown

62-63			FAMILY RELATIONSHIP
62	A-2	1,788 77 9,209 24	TYPE OF FAMILY &. Primary individual Secondary individual 0. Primary family 1-9. Secondary family
63	A-2	1,746 3,871 3,095 58 1,773 117 244 193	RELATIONSHIP TO REFERENCE PERSON &. Reference person, living alone 0. Reference person, 2+ persons in household 1. Spouse, other spouse NOT in Armed Forces and living at home 2. Spouse, other spouse IN Armed Forces and living at home 3. Child of reference person or spouse 4. Grandchild of reference person or spouse 5. Parent of reference person or spouse 6. Other relative 7. Child of ineligible reference person
		0	9. Unknown

^{*}Based on family size, number of children under 18 years of age & family income using the 1992 poverty levels derived from the August, 1993 Current Population Survey.

- 118 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		1,746 119 5,991 3,242	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE 1-8. Number of members
			9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)

933 388 20		Both parents, no other relative Mother only Father only
94	4.	Both parents and other 21+ year old adult relative
124	5.	Mother and other 21+ year old adult relative
11	6.	Father and other 21+ year old adult relative
26	7.	No parent, but one 21+ year old adult relative
20	8.	No parent, but two or more 21+ year old adult relatives
55	9.	Unknown
108	0.	Other
9,319	Blank.	Not applicable (25+ years old or ever married)

*Count includes spouse in military but living at home.

1 - 119 -

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		3,431	1. Working
		2,515	2. Keeping house
		291	3. Going to school
		3,423	4. Something else
		97	5. Unknown
		1,341	Blank. Not applicable (Under 18 years)
70	G-4		HEALTH STATUS
		1,797	1. Excellent
		1,913	2. Very Good
		3,008	3. Good
		2,331	4. Fair
		1,993	5. Poor
		56	6. Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)*
		2,646	1. Unable to perform major activity
		1,529	 Limited in kind/amount major activity
		1,048	3. Limited in other activities
		5,875	4. Not limited (includes unknowns)
			4. NOC IIMITEA (INCIACES MIKHOWIIS)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY
		0.04-	"ABILITY TO WORK" (18-69 years)
		2,243	1. Unable to work

		603 442 4,194 3,616	2. 3. 4. Blank.	Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Not applicable (under 18 years; 70+ years)
73	B-11		LIMITAT	TION OF SCHOOL ACTIVITIES
		74		Unable to attend school
		56	2.	Attends special school/classes
		10	3.	Needs special school/classes
		54	4.	Limited in school attendance
		58	5.	Limited in other activities
		435	6.	Not limited (includes unknowns)
		10,411	Blank.	Not applicable (under 5 years; 18+ years)

^{*}This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

1 - 120 -

NHIS PUBLIC USE TAPE RECORD HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		484	 Unable to perform personal care needs
		766	2. Limited in performing other routine needs
		2,716	3. Not limited in performing personal or routine needs
		27	4. Unknown
		7,105	Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
			In the Labor Force: (1-7)
			Currently employed: (1-3)
		3,128 373	 Worked in past 2 weeks Did not work, has job; not on lay-off and not looking for work
		7	3. Did not work, has job; looking for work

Unemployed: (4-7)

	33	4. Did not work, has job; on lay-off
	0	5. Did not work, has job; on lay-off
		and looking for work
	53	6. Did not work, has job; unknown if
		looking or on lay-off
	240	7. Did not work, has no job; looking
		for work or on lay-off
		Not in Labor Force (18+ years): (8)
	5,923	8. Not in Labor Force (18+ years)
7.7	1,341	Blank. Not applicable (Under 18 years
old)		

old)

- 121 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		5,923 2,701 98 186 345 79 331 6 7 81	 Federal Government employee State Government employee Local Government employee Incorporated business
77-79	L-6		INDUSTRY DETAIL CODE
		3,834 7,264	
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74. 1

84-86	L-6		OCCUPATION DETAIL CODE
		3,834 7,264	001-998. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
			- 122 -
			IC USE TAPE RECORD PITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		6,917	1. Self-entirely
		668	2. Self-partly
		3,422 91	3. Proxy 4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		1,873	1. Condition List 1, Skin and Musculoskeletal
		1,770	2. Condition List 2, Impairments
		1,875	3. Condition List 3, Digestive
		1,803	4. Condition List 4, Miscellaneous
		1,808 1,845	 Condition List 5, Circulatory Condition List 6, Respiratory
		124	7. Unknown
93-94	Recode		HOSPITAL EPISODE NUMBER FOR SHORT-STAY
		10,902 196	01+. Number Blank. Long-stay hospitals
			- 123 -
			IC USE TAPE RECORD
		HOS	PITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes

	95-96	J-6		TYPE OI	F SERVICE
			10,074	01.	General
			80	02.	
			1	03.	-
			37	04.	
			4	06.	Ear, Eye, Nose and Throat
			185	07.	Children's
			10	08.	Orthopedic
			0	09.	
			3	10.	Chronic Disease
			1	11.	Hospital department of institution
			57		All other
			0	89.	In index, unknown type
			142	90.	
					and Not Reported, less than 31
					nights in hospital
			21	92.	DK (entry of DK for hospital name
					and Not Reported - 31 or more
					nights in hospital)
			21	93.	Hospitalized in Foreign Country,
					not in index
			0	94.	Nursing personal, and domiciliary
					care homes
			3	95.	Nursing home, assumed from title
			7	98.	±
			452	99.	Not identified as a hospital, not
					in index
-					
	97	Recode		RECODE	FOR TYPE OF SERVICE
			10,902	1.	Short-stay hospitals (Codes 01, 04,
					06, 07, 11, 89, 90, 98, 99)
			175	2.	Long-stay hospitals (Codes 02, 03,
					08, 09, 10, 12, 92, 94, 95)
			21	3.	Not in index (Code 93)
1				- 124 -	
-				=	

Tape			
Locations	Item No.	Frequency	Items and Codes
98-99	J-6		TYPE OF OWNERSHIP
90-99	0-0		TIPE OF OWNERSHIP
			1. Governmental, nonfederal
		285	12. State
		409	13. County
		201	14. City
		25	15. City-county
		520	16. Hospital district
			2. Nonprofit
		1,859	21. Church operated or related

	5,843 0		23. 24.	Other nonprofit Nonprofit, N.O.S.
	5 62 977 0	3.		etary Individual Partnership Corporation (profit) Proprietary, N.O.S.
	32 51 11 0 7 165	4.	41. 51. 61. 62. 71. 81.	ment, Federal Air Force Army Navy Department of Defense, N.O.S. Public Health Service Veterans Administration Other Federal
Country	0 142 21	5.	All ot 89. 90. 92.	
Country,	3		95.	not in index Nursing home, assumed from
title	7 452		98. 99.	Osteopathic Not identified as a hospital, not in index

- 125 -

1

Tape Locations	Item No.	Frequency	Items and Codes
100-105	J-2		DATE OF ADMISSION
100-101			MONTH
		952 817 979 878 871 913 985 913 879 961 956	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November

1				- 126 -
			414 10,465 219	 Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months
	110	Derived		ADMISSION RECODE
	106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION 0001-1842. Date Values
			0 0 3 5,001 6,090 4	89. 1989 90. 1990 91. 1991 92. 1992 93. 1993 94. 1994
	104-105			01-31. Day of month YEAR
	102-103			DAY OF MONTH
			994	12. December

Tape Locations	Item No.	Frequency	Items and Codes
111-114	Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW
		11,098 0	1471-1842. Values 9999. Unknown
115-118	Derived		DERIVED DATE OF DISCHARGE
		11,098 0	0002-1842. Values 9999. Unknown
119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
			00-14. Number of nights
124-126	Derived		J - VALUE

		65 11,033	Blank. Negative value 000-364. Value
127	Recode		J - RECODE
		65 550 5,466	0. Still in hospital1. Discharges past 2 weeks (000-013)2. Discharges in 2 weeks to 6 months (014-181)
		5,017	3. Discharges in 6-12 months (182-364)
128-131	J-3	TOTAL NIGHTS IN HOSPITAL	
			0001-0365. Nights
1			- 127 -

Tape Locations	Item No.	Frequency	Items and Codes	
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*	
		5,901 5,197	1. Yes 2. No	
133	J-5		OPERATION PERFORMED DURING STAY	
		5,562 5,374 162	 Yes No Unknown 	
134-139	J-5		OPERATION CODES (See Appendix E)	
134-135			OPERATION NUMBER 1	
		5,562 5,536	00-99. Blank.	
136-137			OPERATION NUMBER 2	
		507 10,591	00-99. Blank.	
138-139			OPERATION NUMBER 3	
		61 11,037	00-99. Blank.	

140-144	-		BLANK	
145	Recode		HOSPITALIZATION FOR DELIVERY(Based on Operation Codes, Appendix E and reason entered hospital)	
		1,491 9,607	1. Yes, delivery 2. No	
*Use weight 1	field 210-	218 for annua	l estimate. - 128 -	
			IC USE TAPE RECORD PITAL RECORD	
Tape Locations	Item No.	Frequency	Items and Codes	
146-177	-		BLANK	
178	Master Record		TYPE OF SUBSTRATUM	
		1,383 1,228 8,487	 Permit Area, oversampled for blacks Area, not oversampled for blacks 	
179-181	-		FULL SAMPLE STRATUM IDENTIFIER	
182	Master Record	2,150 2,935 4,031 1,982	REGION 1. Northeast 2. Midwest 3. South 4. West	
183	Master Record	1,502	GEOGRAPHIC DISTRIBUTION MSA Size	
		4,464 2,893 688 176 2,877	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA	
184	-		BLANK	

NHIS PUBLIC USE TAPE RECORD

- 129 -

HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
185	Master Record		TYPE OF PSU	
	1.00014	5,663 2,558 0 2,877	 MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing 	
186	Recode		MSA - NON-MSA RESIDENCE	
		3,721 4,500 2,739 138	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm 	
187-189			PSEUDO PSU CODES	
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal	
			FINAL BASIC WEIGHT	
201-209			QUARTER	
210-218*		SEMI-ANNUAL (WT/2)		
219-227		ANNUAL (WT/4)		
			6.5 WEIGHT	
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL	

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

- 130 -

1

Tape Locations	Item No.	Frequency	Items and Codes
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL

	ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254	QUARTER
255-263	SEMI-ANNUAL
264-272	ANNUAL
	ESTIMATED TOTAL NIGHTS IN HOSPITAL
273-281	QUARTER
282-290*	SEMI-ANNUAL
291-299	ANNUAL
300-335	BLANK

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

- 131 -

DIAGNOSTIC RECODES

1NOTES:

- 133 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified

as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982. 1NOTES:

1 - 135 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105	Common Cold	460
2106	Other Acute Upper Respiratory Infections	461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478.,0-7,9, 495, 500-508, 510-515, 516.,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411	Dental Conditions	520. ,6-9, 521. ,0-5,7-9, 522, 523, 525
3412 3413	Indigestion, Nausea and Vomiting Other Digestive Conditions	536.8, 787.0 (520-579, and 787, except for above)*
	INJURIES	
4514	Fractures, Dislocations	800-839
4515	Sprains and Strains	840-848
4516	Open Wounds and Lacerations	870-884, 890-894
4517	Contusions and Superficial Injuries	910-929
4518	Other Current Injuries	(800-999, except for above)*

*Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

1 - 136 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 378. ,0-6,8,9, 379. ,0,1,3,4,8,9
5620	Acute Ear Infections	380.1, 381, 382, 383.,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8, 384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595.,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827 1	Skin Conditions - 137 -	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes	
	ALL OTHER ACUTE CONDITIONS (Continu	ied)	
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5	
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739	
5930	Headache, excluding migraine	307.8, 784.0**	
5931	Fever, NOS	780.6	
5932	All Other Acute Conditions	(All remaining ICD Codes)*	

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS

1

- 139 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be

^{**}NHIS codes tension headache to 784.0 1NOTES:

tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3digit number - from 010-570 and 990 -is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the Xcodes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982. 1NOTES:

1 - 141 -

	git 3-0 ode Red	-	NHIS Diagnostic Code Inclusions
01		Intestinal Infectious Diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015

025 Tuberculosis of genitourinary 016 system

029 Residual 017, 018, 019-A

- 142 -

National Health Interview Survey Diagnostic Recode B

	git 3-0 de Red		NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaenia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	070
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079

1

1 - 143 -

National Health Interview Survey Diagnostic Recode B

	git 3-d de Red		NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
L	079	Residual - 144 -	130-136

Reco	de Red	code Category	Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm of small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
1	109	Residual - 145 -	160, 163-165

2-digit Recode	2	Category		NHIS Diagnostic Code Inclusions
11	_	eoplasm of Bone, Tissue, Skin and I		170-175
11	0 Malignant n articular c	eoplasm of bone, a	and	170
11	1 Malignant m	elanoma of skin		172
11	.2 Other malig	nant neoplasm of	skin	173

113	Malignant	neoplasm	of	female breast	174
119	Residual				171, 175
	Malignant Organs	Neoplasm	of	Genitourinary	179-189
120	Malignant	neoplasm	of	cervix uteri	180
121	Malignant	neoplasm	of	placenta	181
122	_	_		uterus,	179, 182
123	_	_		ovary and	183
124	Malignant	neoplasm	of	prostate	185
125	Malignant	neoplasm	of	testis	186
126	Malignant	neoplasm	of	bladder	188
129	Residual				184, 187, 189
	_	_	of	Other and	190-199
130	Malignant	neoplasm	of	brain	191
139	Residual			- 146 -	190, 192-199
	119 120 121 122 123 124 125 126 129	Malignant Organs 120 Malignant 121 Malignant 122 Malignant other and 123 Malignant other uter 124 Malignant 125 Malignant 126 Malignant 127 Malignant 128 Malignant 129 Residual Malignant Unspecifie 130 Malignant	Malignant Neoplasm Organs 120 Malignant neoplasm 121 Malignant neoplasm 122 Malignant neoplasm other and unspecifi 123 Malignant neoplasm other uterine adnex 124 Malignant neoplasm 125 Malignant neoplasm 126 Malignant neoplasm 127 Malignant neoplasm 128 Malignant neoplasm 129 Residual Malignant Neoplasm Unspecified Sites 130 Malignant neoplasm	Malignant Neoplasm of Organs 120 Malignant neoplasm of 121 Malignant neoplasm of 122 Malignant neoplasm of other and unspecified 123 Malignant neoplasm of other uterine adnexa 124 Malignant neoplasm of 125 Malignant neoplasm of 126 Malignant neoplasm of 127 Malignant neoplasm of 128 Malignant neoplasm of 129 Residual Malignant Neoplasm of 130 Malignant neoplasm of	Malignant Neoplasm of Genitourinary Organs 120 Malignant neoplasm of cervix uteri 121 Malignant neoplasm of placenta 122 Malignant neoplasm of uterus, other and unspecified 123 Malignant neoplasm of ovary and other uterine adnexa 124 Malignant neoplasm of prostate 125 Malignant neoplasm of testis 126 Malignant neoplasm of bladder 129 Residual Malignant Neoplasm of Other and Unspecified Sites 130 Malignant neoplasm of brain 139 Residual

National Health Interview Survey Diagnostic Recode B

_	rit 3-d le Rec	5	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other	223

urinary organs

	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279
1		- 147 -	·

	git 3-d le Red		NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290

211	Schizophrenic psychoses	295
212	Affective psychoses	296
213	Other psychoses	291-294, 297-299
214	Neurotic and personality disorders	300, 301
215	Alcohol dependence syndrome	303
216	Drug dependence	304
217	Physiological malnutrition arising from mental factors	306.1-5
218	Mental retardation	X19
219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14

- 148 -

National Health Interview Survey Diagnostic Recode B

2-digit 3-0 Recode Rec	_	NHIS Diagnostic Code Inclusions
22	Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1- 8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
220	Meningitis	320, 322
221	Parkinson's disease	332
222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
223	Multiple sclerosis	340
224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
225	Epilepsy	345
229	Residual	323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359,

1

*Excludes .0

***Includes all 4th digits except .9 - 149 -

National Health Interview Survey Diagnostic Recode B

2-digit 3-digit Recode Recode Category Code Inclusions					
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*		
	230	Glaucoma	365		
	231	Cataract	366		
	232	Blindness and low vision	X00*		
	233	Conjunctivitis	372.0-3		
	234	Disorders of lacrimal system	375		
	235	Strabismus and other disorders of binocular eye movements	378		
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*		
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*		
	240	Otitis media and mastoiditis	381-383		
	241	Deafness	(X05, X08)*		
	249	Residual	380, 384-387, 388.0.1,3-9, (X06, X07, X09)*		
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A		
	250	Acute rheumatic fever	390, 392		
	251	Chronic rheumatic heart disease	393-398		
	259	Residual	399-A		

*Excludes .0

1 - 150 -

National Health Interview Survey Diagnostic Recode B

_	git 3-c de Rec	-	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9
1 - 151 -

2-digit 3- Recode Re		Category	NHIS Diagnostic Code Inclusions	
30		seases of the ory System	440-444, 446-448, 451-459	
300	Atherosc	lerosis	440	

	301	Arterial embolism and thrombosis	444	
	302	Other diseases of arteries, arterioles and capillaries	441-443,	446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453	
	304	Varicose veins of lower extremities	454	
	305	Hemorrhoids	455	
	309	Residual	456-459	
31		Diseases of the Upper Respiratory Tract	460-465, 477.7-A	470-478,
	310	Acute tonsillitis	463	
	311	Acute laryngitis and tracheitis	464	
	312	Other acute upper respiratory infections	460-462,	465
	313	Deflected nasal septum and nasal polyps	470, 471	
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473	
	315	Chronic diseases of tonsils and adenoids	474	
1	319	Residual - 152 -	475-478,	477.7-A

National Health Interview Survey Diagnostic Recode B

2-digit 3-d Recode Rec	_	NHIS Diagnostic Code Inclusions
32	Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
320	Acute bronchitis and bronchiolitis	466
321	Pneumonia	480-483, 485, 486
322	Influenza	487
323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
324	Bronchietasis	494
325	Other chronic obstructive	495, 496

pulmonary disease

	326	Pneumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,6-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,6-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

***Includes all 4th digits except .9 - 153 -

2-digit 3-digit Recode Recode			NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579

35		Diseases of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

***Includes all 4th digits except .9

- 154 -

2-digit 3-digit Recode Recode Category			NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
	369	Residual	601, 602, 604, 607, 608
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639

	Spontaneous abortion Legally induced abortion	634
382	Illegally induced abortion	636
389	Residual	630-633, 637-639

***Includes all 4th digits except .9
1 - 155 -

National Health Interview Survey Diagnostic Recode B

	it 3-d: e Reco		NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
1	429	Residual - 156 -	690-693, 693.2-A, 694-698, 700-709

Recode	Rec	ode Category	Code Inclusions
43		Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
4	130	Rheumatoid arthritis, except spine	714
4	131	Other arthropathies	710-712, 715, 716
4	132	Other disorders of joints	717-719
4	133	Ankylosing spondylitis	720.0
4	134	Other dorsopathies	720.1-724, X80
4	135	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
4	136	Osteomyelitis, periostitis and other infections involving bone	730
4	137	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
4	139	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

***Includes all 4th digits except .9 - 157 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44	Congenita	l Anomalies	742.2,4,5,8,9,744.4, 745-748,750.2-9, 751,752,753.1-9, 754.0,1,756.4-9, 757,758.1-9,759.0- 6,8,(x20-x29,x33- x35,x70,x73,x74, x76-x78,x93)**, x71.9,x75.9, (x30-x32,x41,x79, x90)**
4	40 Spina bif	ida and hydrocephalus	X71.9
4	41 Other def	ormities of central	742.2,4,5,8,9

nervous system

442	Congenital anomalies of heart and circulatory system	745-747
443	Cleft palate and cleft lip	749, X91.9
444	Other deformities of digestive system	750.2-9, 751
445	Undescended testicle	752.5
446	Congenital dislocation of hip	X75.9
447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X41, X79, X90)**

^{**}Includes 4th digit .9 only.

- 158 -

2-digit Recode		5	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
4	50	Maternal conditions affecting fetus or newborn	760
4	51	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
4		Slow fetal growth, fetal malnutrition and immaturity	764, 765
4	53	Birth trauma	767, X61.9
4	54	Hypoxia, birth asphyxia and other respiratory conditions	768-770
4		Haemolytic disease of fetus or newborn	773
4	59	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9

		784-797, 799, 799.5-A, X11, X12
460	Pyrexia of unknown origin	780.6
461	Symptoms involving heart	785.0-3
462	Renal colic	788.0
463	Retention of urine	788.2
464	Abdominal pain	789.0
465	Senility without mention of psychosis	797
467	Respiratory failure	799.1
469	Residual	780.0-5,7-9, 781.0-4,6, 7,9, 782, 783.0,2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12

- 159 -

National Health Interview Survey Diagnostic Recode B

		2103110201101010	_
2-digi Recode		5	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813
	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0,

1

		(X41-X49, X51-X60, X63, X64)****
490	Concussion	850
491	Other intracranial injuries	851-854, 950, 951, X00.0, X05.0, X08.0
499	Residual	860-869, 952-957, (X41-X49,X51-X60, X63, X64)****

****Includes 4th digit .0 only.

	git 3-d le Red		NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

^{*****871.3} is not used by NHIS. Instead these conditions are assigned to the

appropriate visual impairment X-code.

*****Anything classifiable to 960-978 is coded by NHIS to 977.9.

******Anything classifiable to 980-987 is coded by NHIS to 989.9. $^{\rm -}$ 161 $^{\rm -}$

National Health Interview Survey Diagnostic Recode B

_	it 3-c e Rec	5	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X03.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X03.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes
1NOTES	:	- 163 -	

- 163 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each

condition group contains between 15 and 43 2-digit categories.

III. Definition of Chronic Condition and Impairment - In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.1NOTES

1 - 165 -

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
LIST I:	SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS	
101	Arthritis	711. ,0,9, 712. ,8,9, 714-716, 720.0, 721
102	Rheumatism, unspecified	729.0
103	Gout, including gouty arthritis	274
104	Sciatica (including lumbago)	724.2,3
105	Intervertebral disc disorders	722
106	Bone spur/tendinitis NOS	726. ,9
107	Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108	Bunion	727.1
109	Bursitis, NEC	726.0-8, 727. ,0,2-9
110	Sebaceous skin cyst	706.2
111	Acne	706.0,1
112	Psoriasis	696
113	Dermatitis	690-694 (693.2 NHIS code)
114	Dry (itching) skin NEC	698.9
115	Chronic ulcer of skin	707

116	Ingrown nails	703.0
117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119 1	Malignant neoplasms of the skin - 166 -	172, 173

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS	
LIST II:	IMPAIRMENTS	······································	
201	Blind - Both eyes	X00	
202	Other Visual Impairment	X01-X03	
203	Deaf - Both ears	X05	
204	Other Hearing Impairments	X06-X09	
205	Stammering and Stuttering	X10	
206	Other Speech Impairments	X11	
207	Impairment of Sensation	X12	
208	Mental Retardation	X19	
	Absence Upper Extremities		
209	Both Arms/Hands	X20,X21	
210	One Hand/Arm	X23,X24	
211	Fingers - One or Both Hands	X22,X25	
01.0	Absence Lower Extremities	W0.5 W0.0	
212	One or Both Legs	X26,X28	
213	Feet/Toes - One or Both Limbs	X27,X29	
214	Absence Lung	X30	
215	Kidney	X31	
216	Breast	X32	
217	Bone, Joint,		
010	Muscle of extremity	X34	
218	Tips of Fingers, Toes	X35	
010	Paralysis of Extremities - Complete		
219	Entire Body	X40	
220 221	One Side of Body - Hemiplegia	X41 X46	
222	Both Legs - Paraplegia Other paralysis	x46 X42-X45, X47-X49	
<u> </u>		A12-A13, A17-A49	
223	Paralysis of Extremities - Partial	VE O	
-	Cerebral Palsy	X50	
224 225	One Side of Body Only-Hemiparesis Legs - Both or Paraparesis	x51 x56	
226	Other paralysis	x50 X52-X55, X57-X59	
22V	orner bararyara	AJZ AJJ, AJ/-AJ9	

1 - 167 -

Revised June 12, 1984

Recode Number	Title	ICD Inclusion as modified by the NHIS
LIST I	I: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial - Other site	X60-X64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of back or spine	X70
229	Orthopedic Impairment	X80
230	Spina Bifida	X71
	Other Upper Extremities	
231	Hands, Fingers only	X74
232	Orthopedic Impairment-Shoulder(
233	Other	X73
	Lower Extremities	
234	Flatfeet	X77
235	Clubfoot	X78
236	Other	X75,X76,X85,X86
237	Other Deformities/ Orthopedic Impairment	X79,X89
238	Cleft Palate	X91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243 L	Diseases of Retina - 168 -	361,362. ,1-9
		Revised April 30, 1983
	National Health Interview Su: Chronic Condition Recode (-
Recode Number	Title	ICD Inclusion as modified by the NHIS

301	Gallbladder stones	574
302	Liver diseases including cirrhosis	571, 572, 573. ,0,3-9
303	Gastric ulcer	531
304	Duodenal ulcer	532
305	Peptic ulcer	533
306	Hernia of abdominal cavity	550-553
307	Disease of the esophagus	530
308	Gastritis and duodenitis	535
309	Indigestion	536.8
310	Other functional disorders of stomach and digestive system	536 (except .8), 787
311	Enteritis and colitis	555, 556, 558
312	Spastic colon	564.1
313	Diverticula of intestines	562
314	Constipation	564.0
315	Other stomach and intestinal disorders	534, 537, 560, 569
316 1	Malignant neoplasms of stomach, intestines, colon, and rectum - 169 -	151-154
		Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

ICD Inclusion as modified

Recode

Numbe	er	Title	by the NHIS
	LIST IV:	SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE METABOLIC AND BLOOD AND BLOOD FOR	
401		Goiter	240, 241, 242.0-3
402		Other disorders of the thyroid	242.4,8,9, 243-246
403		Diabetes	250
404		Anemias	280-285
405		Epilepsy	345
406		Migraine headache	346

407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624
418 1	Menstrual disorders - 170 -	626

Revised May 1, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
LIST IV:	SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD AND BLOOD FORMI SYSTEMS (Continued)	NG
419	Other disorders of female genital organs	617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184
423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217

Benign neoplasms of female

1

genital organs

- 171 -

Revised April 30, 1983

218-221

National Health Interview Survey Chronic Condition Recode C

Recoo		Title	ICD Inclusion as modified by the NHIS
	LIST V:	SELECTED CIRCULATORY CONDITIONS	
501		Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502		Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505		Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart rhythm disorders	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1
506		Congenital heart disease	745, 746
507		Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508		High blood pressure (hypertension)	401-405
509		Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510		Hardening of the arteries	440
511		Aneurysm	441. ,0-6, 442
512		Phlebitis, thrombophlebitis	451
513		Varicose veins of lower extremities	3 454
514		Hemorrhoids	455
515 L		Poor circulation - 172 -	459. ,8,9

Revised April 30, 1983

Recode Number		Title	ICD Inclusion as modified by the NHIS
LIST	: VI:	SELECTED RESPIRATORY CONDITIONS	
601		Chronic Bronchitis	490, 491
602		Asthma	493
603		Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604		Nasal polyps	471
605		Chronic sinusitis	473
606		Deviated Nasal Septum	470
607		Chronic disease of tonsils and adenoids	474
608		Chronic laryngitis	476
609		Emphysema	492
610		Pleurisy	511
611		Pneumoconiosis and asbestosis	500-505
612		Tuberculosis (pulmonary)	011, 019 (NHIS code)
613		Malignant neoplasms of lung and bronchus	162. ,2-9
614		Other diseases of lung	515, 518
615		Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999		ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

^{*}Excludes always acute codes and ICD codes not used by NHIS.
- 173 -

HEALTH INTERVIEW SURVEY - 1993

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the

event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight (divide basic quarter weight by 4 to get annual weight).

To illustrate the use of reference periods, suppose we have a person whose basic weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

- 174 -

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

A table summarizing these tape locations and their uses follows:

SUMMARY OF WEIGHTS IN THE 1993 NHIS PERSON RECORD

Tape location Name of Weight Field Notes:

190-200 CHRONIC CONDITION PREVALENCE Multiply by final basic weight to obtain prevalence of chronic conditions

FINAL BASIC WEIGHT

1

201-209	QUARTER	Use one quarter of data
210-218	SEMI-ANNUAL	Use two quarters of data
219-227	ANNUAL	Use entire data file
228-236	6.5 WEIGHT Content of field is 6.5 times the Quarter Weight.	Use for event data with 2-week recall period
237-245	ESTIMATED RESTRICTED ACTIVITY DAYS (BASED ON TWO-WEEK RECALL) Content of field is number of restricted activity days times 6.5 Weight.	Use one quarter to produce estimate for the quarter; use entire file to produce annual estimate. This field is already weighted.
1	- 175	

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from Health Interview Survey data tapes. The publication, "Current Estimates", for the year 1993 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable, for example, persons injured, the variables needed will be listed.

1NOTES:

TABULATING DATA FOR CURRENT ESTIMATES TABLES

- 177 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
1-15	Incidence of Acute Conditions		
	Inclusions:		
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1
	Use:		

1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications		1001-5932
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1
	Weight:		
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236	
16-25	Restricted Activity Days Associated With Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week restricted activity days	237-245	
1	- 178 -		
1	- 178 - TABULATING DATA FOR CURRENT ESTIMATES	TABLES	
TABLE NUMBERS	-	TABLES TAPE LOCATIONS	S CODES
TABLE	TABULATING DATA FOR CURRENT ESTIMATES	TAPE	S CODES
TABLE	TABULATING DATA FOR CURRENT ESTIMATES ITEMS	TAPE	S CODES
TABLE NUMBERS	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES	TAPE	S CODES
TABLE NUMBERS	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions	TAPE	S CODES 30 2
TABLE NUMBERS	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records	TAPE LOCATIONS	30
TABLE NUMBERS	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute	TAPE LOCATIONS	30
TABLE NUMBERS 26-35	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute Use: Acute Condition Recode A Denominator is population:	TAPE LOCATIONS 1-2 107	30 2
TABLE NUMBERS 26-35	TABULATING DATA FOR CURRENT ESTIMATES ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute Use: Acute Condition Recode A Denominator is population: see Table 78 specifications	TAPE LOCATIONS 1-2 107	30 2

Conditions

Inclusions:

Condition records Acute	1-2 107	30 2
Use:		
Annt - Condition Donale A	100 102	1001 5

100-103 1001-5932 Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications 36-40

Weight:

2 week work-loss days 255-263

1 - 179 -

TABLE NUMBERS	ITEMS	TAPE LOCATION	S CODES
	ANNUAL ESTIMATES		
46-49	School-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
46-47	Acute Condition Recode A Denominator is population ages 5-17 see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week school-loss days	264-272	
50	Acute Conditions per Quarter		
	Use specifications for Tables 1-10 but also use processing quarter	5	1,2,3 or 4
51-52	Episodes of Persons Injured		
	Inclusions:		
	Condition records Onset in 2 weeks First injury and	1-2 108 128	30 1 1
	Acute Condition Recode A (injuries)	100-103	4514-4518
	OL		

1 - 180 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMA	res	
51-52	Episodes of Persons Injured -	continued	
	Use:		
51		and 130 (traffic) 134 and 130 (no) 134 131 131 130 130 place) 130	1-9 1 3 2,4 1 2 1-2 3 5
	see specifications for Table	78	
	Weight: 6.5 weight (2 week reference)	228-236	
53-54	Restricted Activity Days Assoc with Persons Injured	iated	
	Use:		
	Specifications for Tables 51-5 weight for days, delete specifand change specification so the	ication 108:1	
	Weight:	237-245	
55-56	Bed Days Associated with Perso	ns Injured	
	Use: Specifications for Tables 51-5 weight for days, delete specif and change specifications so the	ication 108:1	
1	Weight: - 181	246-254	

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES			
ANNUAL ESTIMATES						
57-66	Prevalence of Selected Chronic Conditions					
	Inclusions:					
	Condition records Chronic	1-2 107	30 1			
	Use:					
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 104-106	1,2,3,4,5 or 6			
	Weight:					
57-61	Chronic condition factor Multiplied by final basic weight Denominator is population: see specification for Table 78	190-200 219-227				
67-68	Limitation of Activity Due to Chronic Conditions					
	Inclusions:					
	Person records	1-2	20			
	Use:					
	LA-1 Unable to perform major activity	71	1			
	LA-2 Limited in kind/amount of major activity	71	2			
	LA-3 Limited in other activity	71	3			
	LA-4 Not Limited (includes unknowns)	71	4			
	Weight:	219-227				
67 1	Denominator for percent distribution is population 182 -					
	TABULATING DATA FOR CURRENT ESTIMATES	S TABLES				
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES			

69	Person Disability Days				
	Inclusions:				
	Person records	1-2	20		
	Weight:				
	Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263			
70	Respondent Assessed Health Status				
	Inclusions:				
	Person records	1-2	20		
	Weight:	219-227			
71	Physician Contacts: Place and Rate				
	Inclusions:				
	Doctor Visit records	1-2	40		
	Use:				
	Place of visit	103	1-8(9)		
	Weight:				
	<pre>6.5 weight (2 week) Denominator for rate columns are populat see specifications for Table 78</pre>	228-236 ion:			
Codes in parenthesis are unknowns which are included in totals but not in specific categories. - 183 -					
	TABULATING DATA FOR CURRENT ESTIMATE	S TABLES			
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES		
ANNUAL ESTIMATES					
72	Interval Since Physician Contact				
	Inclusions:				
	Person records	1-2	20		
	Use:				

	<pre>Interval since doctor seen NOTE: 5 years and over</pre>	115 115	0-4(5) 0,4
	Weight:	219-227	
73-74	Short Stay Hospital Episodes (12 Month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution is population	219-227	
75-76	Short Stay Hospital Episode Days		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
Codes in parenthesis are unknowns which are included in totals but not in			

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

- 184 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
	Weight:		
	Short stay hospital episode days (all episodes)*	124-126 x	219-227
	Short stay hospital episode days (excluding deliveries)*	129-131 x	219-227
75	Denominator for rates is population with appropriate number of episodes (from Table 74)		
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		

_	-			
Tn	~ 1	1191	ong	:

	Weight:	219-227	
	Use: All records for total population Currently employed population	75	1-3
	Person records	1-2	20
	Inclusions:		
78	Population		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
	Weight:		
	Hospitalizations for deliveries	145	1
	Use: All specified records for hospitaliza for all reasons	tions	
	Hospital Records with	1-2 132	50 1

^{*}These weights reflect a modification from previous years (1982-1990). - 185 -

APPENDIX A 11/14/85

CODES FOR TYPES OF SPECIAL PLACES

CODES TYPES

I. SPECIFIED INSTITUTIONS

Correctional Institutions
11-----State and Federal penitentiaries, prisons, and reformatories
11-----State and Federal prison farms and camps

11-----County and city jails, workhouses, penitentiaries

11-----County and city prison farms and camps

11-----Federal detention headquarters

12-----State and Federal training or industrial schools

12-----County and municipal training or industrial schools

12-----Private schools for delinquents, such as "House of the Good Shepherd," "Boys Town," etc.

Mental Institutions

21-----Homes and training schools for mentally handicapped

21-----Homes, training schools, colonies, and villages for epileptics

21-----State, Federal, county and city hospitals for mentally ill

21-----Private hospitals and sanitariums for mentally ill

22-----Hospitals and centers for the treatment of alcoholics and drug addicts $% \left(1\right) =\left(1\right) +\left(1$

```
23-----Veterans Administration mental hospitals
        Home for the Aged, Infirm, and Needy
31----Orphan asylums
31-----Children's homes
32-----County homes, almshouses, poor farms, etc.
33----Fraternal or religious homes for the aged
34-----Commercial homes for the aged
35-----Homes and schools for the blind
36-----Homes and schools for the deaf
37-----Hospital or resident schools, orthopedic hospitals, and homes
        for the crippled
38-----Soldiers' and sailors' homes
39-----Veterans Administration homes (domiciliary care)
40-----Nursing, Convalescent, and Rest Homes
        Other Hospitals and Homes Providing Specialized Care
51----Tuberculosis sanitariums
52-----Veterans Administration tuberculosis hospitals
53-----Homes for incurables
53-----Hospices
54-----Chronic and cancer hospitals
55-----Maternity homes for unmarried mothers
56-----Detention and receiving homes
57-----Hospitals and homes for other specialized care
                             - 186 -
                            APPENDIX A
                                                              11/14/85
          CODES FOR TYPES OF SPECIAL PLACES (continued)
CODES
                   TYPES
        II. OTHER SPECIAL PLACES
        Other Special Places
61-----Veterans Administration General Medical and Surgical Hospitals
62-----Facilities for the Treatment of the Physically ill
        This type of facility treats physical disorders and is one in
        which the patient stays for a relatively short period of time.
        Examples of this type of special place are:
            General or emergency hospital; children's hospital;
            maternity hospital
           Infirmary
        2.
71-----Hotels, transient-type
71-----Motels, transient-type
71-----Tourist camp or court (like motels except units are detached),
        transient-type
72-----Hotels, nontransient type
72-----Motels, nontransient type
72-----Tourist camp or court, nontransient type
73-----YMCA, YMHA, YWCA, transient type
74-----YMCA, YMHA, YWCA, nontransient type
75-----Private residential clubs
76-----Rooming and boarding houses. Those that meet the special place
76-----Tourist homes
                                     definition.
```

1

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

77-----Combination tourist-trailer court, transient-type
78-----Combination tourist-trailer court, nontransient type
79-----Groups of five or more vacation cabins under single management,
transient-type

Facilities for Housing Students
81-----School dormitory
81-----Fraternity
81-----Sorority
- 187 -

- 187 -

APPENDIX A

11/14/85

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

1

II. OTHER SPECIAL PLACES

Facilities for Housing Students---continued
82-----School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84----see below).*
83-----Schools with resident students and with predominantly non-

salaried faculty such as nuns or priests.*

84-----Schools with resident students and operated primarily for religious training (other than those with predominantly non-salaried faculty) such as Bible Institutes.*

Facilities for Housing Workers

85-----Dormitory for workers (other than specified for codes 86, 87 and 88).

86-----Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands).

87-----Labor camp

87-----Logging camp

88-----Migratory workers' camp (those that meet the special place definition).

Additional Other Places

91-----Convents and other sisters' residences (those that meet the special place definition).

91-----Monasteries, other brothers' residences, and rectories (those that meet the special place definition).

92----Communes

93----Halfway houses

94-----Independent Group Residences for the elderly, handicapped, and functionally disabled (Christian Retirement Home).

00----Nurses' Homes

01-----Flophouses, railroad stations

```
01-----Missions, Salvation Army Shelters
02-----Recreational and religious camps (adults or family)
03-----Recreational and religious camps (children's)
04-----Trailer camps
05-----Tent camps
06-----Armed forces installations
07-----Armed forces hospitals
```

1NOTES:

1 - 189 -

APPENDIX B

INDUSTRY RECODES OUTLINE

No. 1 Chrs.	Chrs	2 s. Detail Code 33 (Chrs. 77-79)	Industry Title	SIC Code*
01	01	010-012,020,030 031-032	AGRICULTURE FORESTRY AND FISHERIES	01-02,071-072,074- 076,078 08-09
10	02	040-042,050	MINING	10,12-14
20	03	060	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	-	MANUFACTURING: NONDURABLE GOODS	
30	04	100-102,110- 112,120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212 220-222	Other nondurable goods	21,261-263,265,267, 291,295,299,301- 306,308,311,313-

^{*}For a school with resident faculty only, assign code 82, 83, or 84 as appropriate.

317,319

*Standard Industrial Classification

1 - 190 -

INDUSTRY RECODES OUTLINE

APPENDIX B

Rec	odes			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
(30-34,			MANUFACTURING: - continued	
(40-46)	,		DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	241-245,249,25
41	04	270-272,280	Primary metal industries	331-332,334,3331, 3334,3339,3351, 3353-3357,3363- 3366,3369,339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-381,390-392	Other and not specified durable goods	321-329,381-382, 384-387,39
(50-54)	(05)	-	TRANSPORTATION, COMMUNICATION AND OTHER PUBLIC UTILITIES	S
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47

53	05	440-442	Communications	481-484,489
54	05	450-452,470-472	Utilities and sanitary	491-497

*Standard Industrial Classification

1 - 191 -

APPENDIX B

INDUSTRY RECODES OUTLINE

Rec	odes			
	Chrs	2 . Detail Code 3 (Chrs. 77-79)	Industry Title	SIC Code*
60	06	500-502,510-512, 521,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-509,511-519
(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58
65	07	580-582,590,623,	Other and not specified	521,523,525-
527,56,		630-633,640,642, 650-652,660-663, 670-672,681-682,	retail trade	571-572,5731,5734- 5736,591-594,5961- 5963,598,5992-
5995,		691		5999
(70-71)	(08)	-	FINANCE, INSURANCE, AND REAL ESTATE	
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-65,67

^{*}Standard Industrial Classification

1 - 192 -

APPENDIX B INDUSTRY RECODES OUTLINE

Reco	odes			
No. 1 Chrs. 80-81	Chrs	2 . Detail Code 3 (Chrs. 77-79)	Industry Title	SIC Code*
(75-85)	(09-1	2) –	SERVICES:	
(75-76)	(09)		BUSINESS AND REPAIR SERVICES	5
75	09	721-722,731-732, 740-742,750	Business services	731-738,751,752, 7542
76	09	751-752,760	Repair services	753,7549,762-764, 7692,7694,7699
(77-78)	(10)	-	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802,810	ENTERTAINMENT AND RECREATION SERVICES	781-784,791-794,799
(80-85)	(12)	-	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806
81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8043, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-863,870-873, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-893	Legal, engineering and other professional services	81,871-874,899

^{*}Standard Industrial Classification

1 - 193 -

INDUSTRY RECODES OUTLINE

APPENDIX B

Recodes

Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	998 and all other codes except 997	UNKNOWN INDUSTRY (Includes never worked)	_
96	14	997	REFUSED, CLASSIFIED, ETC.	
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity reco (loc. 75) (Under 18 or 18+ and not in Labor Force).	ode
98	16	991	ARMED FORCES (excludes Reserve and National Guard)	es

^{*}Standard Industrial Classification

1 – 194 –

INDUSTRY RECODE TITLES

APPENDIX B

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78

11	ENT	ERTAINMENT	AND RECI	REATION SERVICES	79
12	PROI	FESSIONAL A	ND RELA	TED SERVICES	80-85
13	PUB	LIC ADMINIS	TRATION		90
14		NOWN (inclu ssified, et		er worked, refused,	95-96
15	NOT	IN LABOR F	'ORCE		97
16	ARMI	ED FORCES		- 195 -	98
			OCCUI	PATION RECODE OUTLINE	APPENDIX C
Rec	odes				·····
	Chrs.	Detail Co (Chrs. 84		Occupation Title	SOC Code*
(01-03)	(01)	-		EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS Officials and administrators, public administration	- 111-113
02	01	007-009,01	3-019,	Managers and administrators,	121-128,131-
1344,		021-022		except public administration	1351-1354,1359, 136-139
03	01	023-029,03	3-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-1473, 149
(04-11)	(02)			PROFESSIONAL SPECIALTY	
04	02	044-049,05	3-059	OCCUPATIONS Engineers	1622-1628,1632- 1637,1639
05	02	043,063		Architects and surveyors	161,164
06	02	064-069,07 083	3-079,	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089		Health diagnosing occupations	261-262,27,281, 283,289
80	02	095-099,10	3-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304

09	02	113-119,123-129, 133-139,143-149, 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252
10	02	183-189,193-195, 197-199	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169,173-179	Other professional specialty occupations	1912-1916,1919, 192,2032-2033, 2042,2049,211- 212
*Standa	rd Occ	upational Classifi	cation.	
1			- 196 -	
С				APPENDIX
		OCCU	PATION RECODE OUTLINE	
Rec	odes 			
No. 1 Chrs. 87-88	Chrs.	Detail Code	Occupation Title	SOC Code*
(12-13)	(03)	_	TECHNICIANS AND RELATED	_
12	03	203-208	SUPPORT OCCUPATIONS Health technologists and technicians	362-366,369
13	03	213-218,223-229, 233-235	Technologists, technicians except health	3711-3713,3719, 372-
373,382,	3831-			
3833,384	,389,3	92-		393,396,3971-
3972,397	4,399,	825		
(14-16)	(04)	243	SALES OCCUPATIONS Supervisors and proprietors	- 40
15	04	253-259	Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269,274-278, 283-285	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
(17-21)	(05)		ADMINISTRATIVE SUPPORT	
17	05	308-309	OCCUPATIONS, INCLUDING CLERICA Computer equipment operators	L 4612-4613

18	05	313-315	Secretaries, stenographers and typists	4622-4624
19	05	337-339,343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357	Mail and message distributing	4742-4745
21	05	303-307,316-319, 323,325-329, 335-336,345-348, 353,359,363-366, 368,373-379,383- 387,389	Other administrative support	4511-4514,4516, 4519,4521-4529, 463,4642-4645, 4649,4662-4664, 4692,4694,4696, 4699,4722-4723, 4729,4732-4733, 4739,4751-4759, 4782-4784,4786- 4787,4791-4795,

*Standard Occupational Classification.

1 - 197 -

APPENDIX

C OCCUPATION RECODE OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	_	PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	-	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	08	433-436,438-439, 443-444	Food service	5211-5219
26	08	445-447	Health service	5232-5233,5236

27	08	448-449,453-455	Cleaning and building service	5241-5242,5244- 5246,5249
28	08	456-459,461-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	-	FARMING, FORESTRY AND FISHING OCCUPATIONS	
29	09	473-476	Farm operators and managers	5512-5515,5522- 5525
30	09	477,479,483-489	Farm workers and other agricultural workers	5611-5619,5621- 5622,5624-5625, 5627
31 584,8241	09 (pt.)	494-499	Forestry and fishing occupations	571-573,579, 583-
*Standa:	rd Occ	upational Classifi	cation. - 198 -	
1			- 190 -	
С				APPENDIX
		OCCU	PATION RECODE OUTLINE	
Rec	odes			
No. 1 Chrs.	No. 2 Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
No. 1 Chrs.	No. 2 Chrs. 89-90	Detail Code	Occupation Title PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	SOC Code*
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code	PRECISION PRODUCTION, CRAFT	SOC Code* 60,6111-6118, 613-614,6151- 6159,616,6171- 6179
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86) - 503,505-509, 514-519,523, 525-527,529, 533-536,538-539,	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	60,6111-6118, 613-614,6151- 6159,616,6171-

```
686-689,693-696,
                                                                 6844,6852-6854,
               699
                                                                 6856,6859,6861-
                                                                 6862,6864-6867,
                                                                 6869,6871-6873,
                                                                 6879,6881-6882,
                                                                 691-696,
                                                                 7477(pt.),7668,
                                                                 7677(pt.),7752,
                                                                 828
 *Standard Occupational Classification
                                    - 199 -
                                                                        APPENDIX
С
                            OCCUPATION RECODE OUTLINE
     Recodes
 ______
  No. 1 No. 2
  Chrs. Chrs. Detail Code
                                        Occupation Title
                                                                 SOC Code*
  87-88 89-90 (Chrs. 84-86)
                                 OPERATORS, FABRICATORS AND LABORERS
 (35-36) (11)
                                 MACHINE OPERATORS, ASSEMBLERS
                                 AND INSPECTORS
    35
               703-709,713-715,
                                                                 6841-6842,6849,
          11
                                 Machine operators and
               717,719,723-729,
                                tenderers, except precision
                                                                 6855,6863,6868,
               733-739,743-745,
                                                                 7312-7319,7322,
               747-749,753-759,
                                                                 7324,7326,7329,
               763-766,768-769,
                                                                 7339,7342-7344,
               773-774,777,779
                                                                 7349,7431-7435,
                                                                 7439,7443-7444,
                                                                 7449,7451-7452,
                                                                 7459,7462-7463,
                                                                 7467,7472,7474,
                                                                 7476-7478,7479,
                                                                 7512-7519,7522,
                                                                 7529,7539,7542-
                                                                 7544,7549,7631-
                                                                 7636,7639,7642-
                                                                 7644,7649,7651-
                                                                 7652,7654-7659,
                                                                 7661-7667,7669,
                                                                 7671-7676,
                                                                 7677(pt.),
                                                                 7678-7679
    36
          11
               783-787,789,
                                 Fabricators, assemblers,
                                                                 7332-7333,7532-
               793,795-799
                                 inspectors and samplers
                                                                 7533,7714,7717,
                                                                 772,774,7753-
                                                                 7759,782-785,787
```

6832,6835,6839,

674-679,683-684,

(37-39)	(12)	-	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS						
37	12	803-804,806,808- 809,813-814	Motor vehicle operators 8111,8212-8 8218-8219,8						
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245					
39	12	843-845,848-849, 853,855-856,859	Material moving equipment 812,8312-8319 operators						
*Standard Occupational Classification									
1			- 200 -						
С				APPENDIX					
OCCUPATION RECODE OUTLINE									
Rec	odes								
No. 1									
Chrs.	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*					
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS						
40	13	869	Construction laborers 871						
41	13	864-868,874-878, 883,885,887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769					
95	14	998 and all other codes except 997	UNKNOWN OCCUPATION (Includes never worked)						
96	14	997	REFUSED, CLASSIFIED, ETC.						
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity rec (Loc. 75). (Under 18 or 18+ and Not in Labor Force)						

*Standard Occupational Classification

1 - 201 -

APPENDIX C

OCCUPATION RECODE TITLES

Code	Titles	Recode No. 1 Inclusions	
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03	
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11	
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS		
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13	
04	SALES OCCUPATIONS	14-16	
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21	
	SERVICE OCCUPATIONS		
06	PRIVATE HOUSEHOLD OCCUPATIONS	22	
07	PROTECTIVE SERVICE OCCUPATIONS	23-24	
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28	
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31	
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34	
	OPERATORS, FABRICATORS AND LABORERS		
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36	
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39	
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41	
14	UNKNOWN OCCUPATION (includes never worked, refused, classified, etc.)	95-96	
15	NOT IN LABOR FORCE	97	

16 MILITARY

1NOTES:

1

- 203 -

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

98

= Code 1 in second digit of recode Total Work Accidents

Total Home Accidents = Code 1 in third digit of recode

Class of SOURCE - TAPE LOCATIONS Accident Description Recode 134 130 132 131 Loc. 135-137 MV MMV Where? Work? Moving motor vehicle -1 1,2 1 111 1 at work - at home 112 Moving motor vehicle -1 3 1 1 at work- not at homestreet or highway 113 Moving motor vehicle -1 1 Not 1-3 1 at work - not at home not on street or highway 121 Moving motor vehicle -1 1,2 Not 1,4 1 not at work - at home not on street or highway 122 Moving motor vehicle -1 1 3 Not 1 not at work - not at home on street or highway Moving motor vehicle -1 1 Not 1-3 123 Not 1-4 not at work - not at home not on street or highway - 204 -

Class of Accident Description Recode Loc. 135-137		SOURCE - TAPE LOCATIONS				
		132 MV			131 Work?	
211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1	
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1	
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4	
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4	
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1	
312	Non-motor vehicle - at work - not at home	Not 1	-	Not 1,2	1	
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4	
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4	
400	Injured in Armed Forces	_	_	-	4	
500	Therapeutic misadventure	-	-	-	Not 4	
600	Injury Condition/Adverse Reaction	-	_	-	Not 4	

1 - 205 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or

part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges

- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves
- 05 Operations on sympathetic nerves or ganglia

OPERATIONS ON THE ENDOCRINE SYSTEM (06-07)

- 06 Operations on thyroid and parathyroid glands
- 07 Operations on other endocrine glands

OPERATIONS ON THE EYE (08-16)

- 08 Operations on eyelids
- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball

1 - 206 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue

- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

Includes: operations on lips, palate and soft tissue
 of face and mouth, except tongue and
 gingiva.

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm 1 - 207 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine

- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract
 Includes: operations on common bile duct, cystic duct and hepatic duct
- 52 Operations on pancreas
- 53 Repair of hernia

1

54 Other operations on abdominal region
Includes: operations on epigastric region, flank,
groin region, inguinal region, loin region,
male pelvic cavity, mesentery, omentum,
peritoneum and retroperitoneal tissue space

- 208 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)

- 65 Operations on ovary
- 66 Operations on fallopian tubes

- 67 Operations on cervix
- 68 Other incision and excision of uterus
- 69 Other operations on uterus and supporting structures
- 70 Operations on vagina and cul-de-sac
- 71 Operations on vulva and perineum 1 - 209 -

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

APPENDIX E

OBSTETRICAL PROCEDURES (72-75)

- 72 Forceps, vacuum, and breech delivery
- 73 Other procedures inducing or assisting delivery

Includes: spontaneous delivery with manual assistance

- 74 Caesarean section and removal of fetus
- 75 Other obstetric operations

For HIS, includes also "normal delivery"

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)

76 Operations on facial bones and joints

Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)

77 Incision, excision and division of other bones

Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02)

78 Other operations on bones, except facial bones

Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02)

79 Reduction of fracture and dislocation

Excludes: external fixation alone for immobilization of fracture (93); internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit(76); skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for reduction of fracture (93)

80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle;

ligament;

meniscus; and synovial membrane

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

1 - 210 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist;
 hip; vertebrae; fingers; and toes not codable
 elsewhere and when condition is not specified and
 tissue (such as skin, bone, etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous glands subcutaneous fat pads; and superficial fossae.

Includes also: operations on regions such as arm; armpit;
 back; cheek; buttock; chin; feet; forearm; forehead;
 hand; head; heel; leg; neck; scalp; temple: temporal
 region; and thigh when specific tissue (such as bone;
 cartilage; joint; etc.) involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose (21); penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of

extremities; arteriograms using contrast material;

and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams;

gynecological exams: dental exams; digital exams of rectum; pacemaker checks; electrocardiograms and

general physical exams.

90 Microscopic examination-I

lung, of sputum, and blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver,

bile ducts or passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

1

Includes: scans radiation therapy (cobalt) (iodine).

- 212 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy
 exercises such as breathing exercises; manual
 traction; training in use of prosthesis; whirlpool
 treatments; heat therapy; skeletal traction; speech
 and reading training for blind; play therapy;
 education therapy; artificial respiration, mouth to
 mouth resuscitation; oxygen and helium therapy.

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal
 packing; insertion of vaginal diaphragm; rectal
 packing; dilation of rectum and anus; manual
 reduction of hernia; gastric lavage; irrigation of
 ostomies; cleaning of eye, ear and nose; lavage of
 bronchus and trachea

97 Replacement and removal of therapeutic appliances

Includes: replacement of ostomy tubes; replacement of casts;
 removal of nasal packing, removal of dental wiring;
 removal of sutures from head and neck; removal of
 drainage tubes; removal of IUD and removal of sutures
 from genital tract.

98 Nonoperative removal of foreign body

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections
 or infusions of therapeutic or prophylactic substances;
 cardiac pacemaker (battery and sensing types),
 acupuncture and fitting of dentures.