#### 2005 National Health Interview Survey (NHIS) 1 Sample Adult Public Use File (samadult) IDN Variables Wednesday, May 31, 2006 Unweighted Frequencies

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	31428	100.00
31 Sample Adult Cancer	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
2005	31428	100.00
2005	51120	100.00

IDN.000\_04.000: HH identifier

HHX	Frequency	Percent
All Values	31428	100.00

### IDN.000\_25.000: Interview Quarter

INTV_QRT		Frequency	Percent
1 Quarter 2 Quarter 3 Quarter 4 Quarter	2 3	7005 8155 8238 8030	22.29 25.95 26.21 25.55

IDN.000\_30.000: Assignment Week

ASSIGNWK		Frequency	Percent
01 Week 02 Week 03 Week 04 Week 05 Week 06 Week	 1 2 3 4 5 6	1899 1842 2599 2649 2584 2539 2477	6.04 5.86 8.27 8.43 8.22 8.08 7.88
07 Week 08 Week 09 Week 10 Week 11 Week 12 Week 13 Week	8 9 10 11 12	2440 2595 2454 2496 2413 2441	7.76 8.26 7.81 7.94 7.68 7.77

#### 2005 National Health Interview Survey (NHIS) 2 Sample Adult Public Use File (samadult) IDN Variables Wednesday, May 31, 2006 Unweighted Frequencies

IDN.000\_35.000: Family Serial Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	31428	100.00

IDN.000\_40.000: Person Number (in family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	31428	100.00

IDN.000\_65.000: Weight - Interim Annual

WTIA_SA	Frequency	Percent
All Values	31428	100.00

IDN.000\_70.000: Weight - Final Annual

WTFA_SA	Frequency	Percent
All Values	31428	100.00

#### 2005 National Health Interview Survey (NHIS) 3 Sample Adult Public Use File (samadult) UCF Variables Wednesday, May 31, 2006 Unweighted Frequencies

RI	EGION	Frequency	Percent
1	Northeast	5402	17.19
2	Midwest	7328	23.32
3	South	11608	36.94
4	West	7090	22.56

## UCF.000\_00.000: Region

UCF.000\_00.000: Stratum for variance estimation

STRATUM	Frequency	Percent
Stratum for variance estimation	31428	100.00

# UCF.000\_00.000: PSU for variance estimation

PSU	Frequency	Percent
PSU for variance estimation	31428	100.00

# 2005 National Health Interview Survey (NHIS) 4 Sample Adult Public Use File (samadult) HHC Variables Wednesday, May 31, 2006 Unweighted Frequencies

## HHC.110\_00.000: Sex

SEX	Frequency	Percent
1 Male	13762	43.79
2 Female	17666	56.21

## HHC.180\_00.000: Hispanic subgroup detail

HISPAN_I	Frequency	Percent
00 Multiple Hispanic	69	0.22
01 Puerto Rico	535	1.70
02 Mexican	2087	6.64
03 Mexican-American	1342	4.27
04 Cuban/Cuban American	318	1.01
05 Dominican (Republic)	149	0.47
06 Central or South American	826	2.63
07 Other Latin American, type not specified	10	0.03
08 Other Spanish	170	0.54
09 Hispanic/Latino/Spanish, non-specific type	0	0.00
10 Hispanic/Latino/Spanish, type refused	0	0.00
11 Hispanic/Latino/Spanish, type not ascertained	0	0.00
12 Not Hispanic/Spanish origin	25922	82.48

## HHC.200\_01.000: OMB groups w/multiple race

RACERPI2	Frequency	Percent
01 White only 02 Black/African American only	25408 4407	80.85 14.02
03 AIAN only	221	0.70
04 Asian only	986	3.14
05 Race group not releasable (See file layout) 06 Multiple race	45 361	0.14 1.15

## HHC.200\_01.000: Race coded to single/multiple race group

MRACRP12	Frequency	Percent
01 White	25562 4481	81.34 14.26
02 Black/African American 03 Indian (American), Alaska Native	273	0.87
09 Asian Indian 10 Chinese	188 188	0.60
11 Filipino 15 Other Asian (See file layout)	236 389	0.75 1.24
16 Primary race not releasable (See file layout) 17 Multiple race, no primary race selected	59 52	0.19 0.17

# 2005 National Health Interview Survey (NHIS) 5 Sample Adult Public Use File (samadult) HHC Variables Wednesday, May 31, 2006 Unweighted Frequencies

HHC.200\_01.000: Race coded to single/multiple race group

MRACBP12	Frequency	Percent
01 White	23873	75.96
02 Black/African American	4418	14.06
03 Indian (American) (includes Eskimo, Aleut)	222	0.71
06 Chinese	183	0.58
07 Filipino	226	0.72
12 Asian Indian	186	0.59
16 Other race (See file layout) 17 Multiple race, no primary race selected	2260 60	7.19

# HHC.420\_00.000: Age

AGE_P	Frequency	Percent
00 Under 1 year	0	0.00
01-84 1-84 years	30677	97.61
85 85+ years	751	2.39

# 2005 National Health Interview Survey (NHIS) б Sample Adult Public Use File (samadult) FID Variables Wednesday, May 31, 2006 Unweighted Frequencies

# FID.250\_00.000: Marital Status

R_MARITL	Frequency	Percent
0 Under 14 years	0	0.00
1 Married - spouse in household	14381	45.76
2 Married - spouse not in household	493	1.57
3 Married - spouse in household unknown	0	0.00
4 Widowed	3094	9.84
5 Divorced	4192	13.34
6 Separated	1008	3.21
7 Never married	6585	20.95
8 Living with partner	1510	4.80
9 Unknown marital status	165	0.53

#### 2005 National Health Interview Survey (NHIS) 7 Sample Adult Public Use File (samadult) AID Variables Wednesday, May 31, 2006 Unweighted Frequencies

# AID.005\_00.000: Sample adult status

PROXYSA	Frequency	Percent
1 Physical or mental condition prohibits responding	327	1.04
2 Sample adult is able to respond	30565	97.25
3 Unknown	536	1.71

AID.010\_00.000: Knowledgeable proxy for Sample Adult available

PROX1	Frequency	Percent
 1 Yes	326	99.69
2 No	1	0.31

Frequency Missing = 31101

## AID.015\_00.000: Relationship of SA proxy to SA

PROX2	Frequency	Percent
1 Relative who lives in household	272	83.44
2 Relative who doesn't live in household	36	11.04
3 Other caregiver	15	4.60
4 Other	3	0.92
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

#### 2005 National Health Interview Survey (NHIS) 8 Sample Adult Public Use File (samadult) ASD Variables Wednesday, May 31, 2006 Unweighted Frequencies

## ASD.062\_00.000: Corrected employment status last week

DOINGLWA	Frequency	Percent
l Working for pay at a job or business	18422	58.62
2 With a job or business but not at work	797	2.54
3 Looking for work	990	3.15
4 Working, but not for pay, at a job or business	226	0.72
5 Not working at a job or business and not looking for work	10922	34.75
7 Refused	68	0.22
8 Not ascertained	0	0.00
9 Don't know	3	0.01

ASD.065\_00.000: Main reason for not working last week

WHYNOWKA	Frequency	Percent
01 Taking care of house or family	2339	19.96
02 Going to school	684	5.84
03 Retired	5395	46.04
04 On a planned vacation from work	406	3.46
05 On family or maternity leave	65	0.55
06 Temporarily unable to work for health reasons	326	2.78
07 Have job/contract and off-season	132	1.13
08 On layoff	150	1.28
09 Disabled	1935	16.51
10 Other	277	2.36
97 Refused	7	0.06
98 Not ascertained	0	0.00
99 Don't know	3	0.03

### Frequency Missing = 19709

### ASD.066\_00.000: Ever worked

E١	/ERWRK	Frequency	Percent
1	Yes	9921	82.79
2	No	1968	16.42
7	Refused	78	0.65
8	Not ascertained	0	0.00
9	Don't know	16	0.13

# Frequency Missing = 19445

# ASD.080\_00.000: Detailed industry classification (2002 NAICS)

INDSTRN1	Frequency	Percent
See NAICS Industry Recode Appendix in file layout	29366	100.00

### 2005 National Health Interview Survey (NHIS) 9 Sample Adult Public Use File (samadult) ASD Variables Wednesday, May 31, 2006 Unweighted Frequencies

ASD.080\_00.000: Simple industry classification (2002 NAICS)

INDSTRN2	Frequency	Percent
See NAICS Industry Recode Appendix in file layout	29366	100.00

Frequency Missing = 2062

ASD.090\_00.000: Detailed occupation classification (2000 SOC)

OCCUPN1	Frequency	Percent
See 2000 SOC Occupation Recode Appendix in file layout	29366	100.00

Frequency Missing = 2062

ASD.090\_00.000: Simple occupation classification (2000 SOC)

OCCUPN2	Frequency	Percent
See 2000 SOC Occupation Recode Appendix in file layout	29366	100.00

Frequency Missing = 2062

# ASD.110\_00.000: Class of worker

WRKCATA	Frequency
1 Employee of a PRIVATE company for wages 2 A FEDERAL government employee	21460 942
3 A STATE government employee	1769
4 A LOCAL government employee	2219
5 Self-employed in OWN business, professional practice or farm	2587
6 Working WITHOUT PAY in a family-owned business or farm	78
7 Refused	205
8 Not ascertained	0
9 Don't know	106

ASD.110_00.000:	Class	of	worker
-----------------	-------	----	--------

WRKCATA	Percent
1 Employee of a DELIVATE company for ward	
1 Employee of a PRIVATE company for wages	73.08
2 A FEDERAL government employee	3.21
3 A STATE government employee	6.02
4 A LOCAL government employee	7.56
5 Self-employed in OWN business, professional practice or farm	8.81
6 Working WITHOUT PAY in a family-owned business or farm	0.27
7 Refused	0.70
8 Not ascertained	0.00
9 Don't know	0.36

#### 2005 National Health Interview Survey (NHIS) 10 Sample Adult Public Use File (samadult) ASD Variables Wednesday, May 31, 2006 Unweighted Frequencies

ASD.112\_00.000: Current job an incorporated business

Frequency	Percent
657	25.40
1899	73.41
16	0.62
0	0.00
15	0.58
	657 1899 16 0

# Frequency Missing = 28841

ASD.120\_00.000: Number of employees at work

LOCALL1A	Frequency	Percent
01 1-9 employees	7192	24.49
02 10-24 employees	3870	13.18
03 25-49 employees	3058	10.41
04 50-99 employees	2821	9.61
05 100-249 employees	3251	11.07
06 250-499 employees	1806	6.15
07 500-999 employees	1405	4.78
08 1000 employees or more	3732	12.71
97 Refused	433	1.47
98 Not ascertained	0	0.00
99 Don't know	1798	6.12

Frequency Missing = 2062

## ASD Recode: Years on the job

YRSWRKPA	Frequency	Percent
00 Less than 1 year	4602	15.67
01-34 years	22820	77.71
35 35 or more years	1048	3.57
97 Refused	528	1.80
98 Not ascertained	3	0.01
99 Don't know	365	1.24

#### 2005 National Health Interview Survey (NHIS) 11 Sample Adult Public Use File (samadult) ASD Variables Wednesday, May 31, 2006 Unweighted Frequencies

ASD.146\_00.000: Current/most recent job also longest held job

WRKLONGH	Frequency	Percent
1	14000	
1 Yes	14029	58.52
2 No	9574	39.94
7 Refused	272	1.13
8 Not ascertained	3	0.01
9 Don't know	95	0.40

## Frequency Missing = 7455

ASD.150\_00.000: Paid by the hour at current/most recent job

Frequency	Percent
1 2 2 2 2	
	59.21
11540	39.30
310	1.06
0	0.00
127	0.43
	17389 11540 310 0

Frequency Missing = 2062

ASD.160\_00.000: Paid sick leave at current/most recent job

PDSICKA	Frequency	Percent
1 Yes	15592	53.10
2 No	13073	44.52
7 Refused	261	0.89
8 Not ascertained	0	0.00
9 Don't know	440	1.50

Frequency Missing = 2062

ASD.170\_00.000: Have more than one job

ONEJOB	Frequency	Percent
1 Yes	 1548	7.96
2 No	17753	91.30
7 Refused	136	0.70
8 Not ascertained	0	0.00
9 Don't know	8	0.04

#### 2005 National Health Interview Survey (NHIS) 12 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.010\_00.000: Ever been told you have hypertension

HYPEV	Frequency	Percent
l Yes	8814	28.05
2 No	22563	71.79
7 Refused	18	0.06
8 Not ascertained	0	0.00
9 Don't know	33	0.11

ACN.020\_00.000: Ever had hypertension on 2+ visits

HYPDIFV	Frequency	Percent
1 Yes	7726	87.66
2 No	1072	12.16
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	15	0.17

Frequency Missing = 22614

ACN.031\_01.000: Ever been told you had coronary heart disease

CHDEV	Frequency	Percent
1	·	
l Yes	1555	4.95
2 No	29805	94.84
7 Refused	13	0.04
8 Not ascertained	0	0.00
9 Don't know	55	0.18

ACN.031\_02.000: Ever been told you had angina pectoris

ANGEV	Frequency	Percent
1 Yes	850	2.70
2 No	30524	97.12
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	42	0.13

ACN.031\_03.000: Ever been told you had a heart attack

MIEV	Frequency	Percent
1 Yes	1122	3.57
2 No	30267	96.31
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	28	0.09

# 2005 National Health Interview Survey (NHIS) 13 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.031\_04.000: Ever been told you had a heart condition/disease

HRTEV	Frequency	Percent
1 37	2560	0 1 5
1 Yes	2560	8.15
2 No	28836	91.75
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	21	0.07

ACN.031\_05.000: Ever been told you had a stroke

STREV	Frequency	Percent
1 Yes	862	2.74
2 No	30526	97.13
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	29	0.09

ACN.031\_06.000: Ever been told you had emphysema

EPHEV	Frequency	Percent
1 Yes	620	1.97
2 No	30784	97.95
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	13	0.04

### ACN.080\_00.000: Ever been told you had asthma

AASMEV	Frequency	Percent
1 Yes	3365	10.71
2 No	28032	89.19
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	20	0.06

## ACN.085\_00.000: Still have asthma

AASSTILL	Frequency	Percent
1 Yes	2342	69.60
2 No	994	29.54
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	29	0.86

### 2005 National Health Interview Survey (NHIS) 14 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.090\_00.000: Had an asthma episode/attack past 12 m

Frequency	Percent
1243 2109	36.94 62.67
0	0.00
0	0.00
13	0.39
	1243 2109 0 0

## Frequency Missing = 28063

ACN.100\_00.000: Had visit to ER due to asthma past 12 m

AASMERYR	Frequency	Percent
1 Yes	354	28.48
2 No	888	71.44
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.08

## Frequency Missing = 30185

ACN.110\_00.000: Ever been told you have an ulcer

ULCEV	Frequency	Percent
1 Yes	2290	7.29
2 No	29089	92.56
7 Refused	11	0.04
8 Not ascertained	0	0.00
9 Don't know	38	0.12

ACN.120\_00.000: Had ulcer in past 12 m

ULCYR	Frequency	Percent
1 Yes	614	26.81
2 No	1657	72.36
7 Refused	1	0.04
8 Not ascertained	0	0.00
9 Don't know	18	0.79

#### 2005 National Health Interview Survey (NHIS) 15 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.130\_00.000: Ever told by a doctor you had cancer

CANEV	Frequency	Percent
1 Yes	2428	7.73
2 No	28969	92.18
7 Refused	13	0.04
8 Not ascertained	0	0.00
9 Don't know	18	0.06

ACN.140\_01.000: What kind of cancer ... Bladder

CNKIND1	Frequency	Percent
1 Mentioned	62	2.55
2 Not mentioned	2349	96.75
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

Frequency Missing = 29000

ACN.140\_02.000: What kind of cancer ... Blood

CNKIND2	Frequency	Percent
1 Mentioned	5	0.21
2 Not mentioned	2406	99.09
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

Frequency Missing = 29000

ACN.140\_03.000: What kind of cancer ... Bone

CNKIND3	Frequency	Percent
1 Mentioned	15	0.62
2 Not mentioned 7 Refused	2396 4	98.68 0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

#### 2005 National Health Interview Survey (NHIS) 16 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_04.000: What kind of cancer ... Brain

CNKIND4	Frequency	Percent
1 Mentioned	19	0.78
2 Not mentioned	2392	98.52
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_05.000: What kind of cancer ... Breast

CNKIND5	Frequency	Percent
1 Mentioned	442	18.20
2 Not mentioned	1969	81.10
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_06.000: What kind of cancer ... Cervix

CNKIND6	Frequency	Percent
1 Mentioned 2 Not mentioned	 183 1284	12.40 86.99
7 Refused	2	0.14
8 Not ascertained	0	0.00
9 Don't know	7	0.47

### Frequency Missing = 29952

ACN.140\_07.000: What kind of cancer ... Colon

CNKIND7	Frequency	Percent
1 Mentioned	178	7.33
2 Not mentioned	2233	91.97
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

#### 2005 National Health Interview Survey (NHIS) 17 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_08.000: What kind of cancer ... Esophagus

CNKIND8	Frequency	Percent
1 Mentioned	12	0.49
2 Not mentioned	2399	98.81
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_09.000: What kind of cancer ... Gallbladder

1 Mentioned         7         0.29           2 Not mentioned         2404         99.01           7 Refused         4         0.16	CNKIND9	Frequency	Percent
8 Not ascertained 0 0.00 9 Don't know 13 0.54	2 Not mentioned 7 Refused 8 Not ascertained	4 0	99.01 0.16 0.00

Frequency Missing = 29000

ACN.140\_10.000: What kind of cancer ... Kidney

CNKIND10	Frequency	Percent
1 Mentioned	42	1.73
2 Not mentioned	2369	97.57
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

Frequency Missing = 29000

## ACN.140\_11.000: What kind of cancer ... larynx-windpipe

CNKIND11	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused	4 2407 4	0.16 99.14 0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

#### 2005 National Health Interview Survey (NHIS) 18 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_12.000: What kind of cancer ... Leukemia

1 Mentioned 35 1.44	CNKIND12	Frequency	Percent
2 Not mentioned         2376         97.86           7 Refused         4         0.16           8 Not ascertained         0         0.00           9 Don't know         13         0.54	2 Not mentioned	2376	97.86
	7 Refused	4	0.16
	8 Not ascertained	0	0.00

## Frequency Missing = 29000

ACN.140\_13.000: What kind of cancer ... Liver

1 Mentioned 15 0.62 2 Not mentioned 2396 98.68	CNKIND13	Frequency	Percent
7 Refused         4         0.16           8 Not ascertained         0         0.00           9 Don't know         13         0.54	2 Not mentioned	2396	98.68
	7 Refused	4	0.16
	8 Not ascertained	0	0.00

## Frequency Missing = 29000

ACN.140\_14.000: What kind of cancer ... Lung

CNKIND14	Frequency	Percent
1 Mentioned	69	2.84
2 Not mentioned	2342	96.46
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

### Frequency Missing = 29000

ACN.140\_15.000: What kind of cancer ... Lymphoma

CNKIND15	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	80 2331 4 0	3.29 96.00 0.16 0.00 0.54

#### 2005 National Health Interview Survey (NHIS) 19 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_16.000: What kind of cancer ... Melanoma

CNKIND16	Frequency	Percent
1 Mentioned	165	6.80
2 Not mentioned	2246	92.50
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_17.000: What kind of cancer ... mouth/tongue/lip

CNKIND17	Frequency	Percent
1 Mentioned	19	0.78
2 Not mentioned	2392	98.52
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_18.000: What kind of cancer ... Ovary

CNKIND18	Frequency	Percent
1 Mentioned	81	5.49
2 Not mentioned	1386	93.90
7 Refused	2	0.14
8 Not ascertained	0	0.00
9 Don't know	7	0.47

### Frequency Missing = 29952

ACN.140\_19.000: What kind of cancer ... Pancreas

CNKIND19	Frequency	Percent
1 Mentioned	14	0.58
2 Not mentioned	2397	98.72
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

#### 2005 National Health Interview Survey (NHIS) 20 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_20.000: What kind of cancer ... Prostate

CNKIND20	Frequency	Percent
1 Mentioned	286	30.04
2 Not mentioned	658	69.12
7 Refused	2	0.21
8 Not ascertained	0	0.00
9 Don't know	6	0.63

## Frequency Missing = 30476

ACN.140\_21.000: What kind of cancer ... Rectum

CNKIND21	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	13 2398 4 0 13	0.54 98.76 0.16 0.00 0.54

## Frequency Missing = 29000

ACN.140\_22.000: What kind of cancer ... skin (non-melanoma)

CNKIND22	Frequency	Percent
1 Mentioned 2 Not mentioned	372 2039	15.32 83.98
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

### Frequency Missing = 29000

ACN.140\_23.000: What kind of cancer ... skin (DK kind)

CNKIND23	Frequency	Percent
1 Mentioned	227	9.35
2 Not mentioned	2184	89.95
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

#### 2005 National Health Interview Survey (NHIS) 21 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_24.000: What kind of cancer ... soft tissue (muscle or fat)

CNKIND24	Frequency	Percent
1 Mentioned	5	0.21
2 Not mentioned	2406	99.09
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_25.000: What kind of cancer ... Stomach

CNKIND25	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained	18 2393 4 0	0.74 98.56 0.16 0.00
9 Don't know	13	0.54

Frequency Missing = 29000

ACN.140\_26.000: What kind of cancer ... Testis

CNKIND26	Frequency	Percent
1 Mentioned	12	1.26
2 Not mentioned	932	97.90
7 Refused	2	0.21
8 Not ascertained	0	0.00
9 Don't know	6	0.63

Frequency Missing = 30476

ACN.140\_27.000: What kind of cancer ... throat - pharynx

CNKIND27	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	26 2385 4 0	1.07 98.23 0.16 0.00 0.54

#### 2005 National Health Interview Survey (NHIS) 22 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.140\_28.000: What kind of cancer ... Thyroid

CNKIND28	Frequency	Percent
1 Mentioned	58	2.39
2 Not mentioned	2353	96.91
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

## Frequency Missing = 29000

ACN.140\_29.000: What kind of cancer ... Uterus

CNKIND29	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained	137 1330 2 0	9.28 90.11 0.14 0.00
9 Don't know	7	0.47

## Frequency Missing = 29952

ACN.140\_30.000: What kind of cancer ... Other

CNKIND30	Frequency	Percent
1 Mentioned	112	4.61
2 Not mentioned	2299	94.69
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	13	0.54

# Frequency Missing = 29000

### ACN.140\_31.000: What kind of cancer ... more than 3 kinds

CNKIND31	Frequency	Percent
1 Mentioned	3	7.32
2 Not mentioned	38	92.68
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

#### 2005 National Health Interview Survey (NHIS) 23 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_01.000: Age first diagnosed w/bladder cancer

CANAGE1	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	59 3 0 0	95.16 4.84 0.00 0.00 0.00
99 DOIL C KHOW	0	0.00

## Frequency Missing = 31366

ACN.150\_02.000: Age first diagnosed w/blood cancer

CANAGE2	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	5 0 0 0	100.00 0.00 0.00 0.00 0.00
JJ Don e miow	9	0.00

Frequency Missing = 31423

ACN.150\_03.000: Age first diagnosed w/bone cancer

CANAGE 3	Frequency	Percent
01-84 1-84 years	15	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31413

ACN.150\_04.000: Age first diagnosed w/brain cancer

CANAGE4	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused	19 0 0	100.00 0.00 0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

#### 2005 National Health Interview Survey (NHIS) 24 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_05.000: Age first diagnosed w/breast cancer

CANAGE5	Frequency	Percent
01-84 1-84 years	428	96.83
85 85+ years	9	2.04
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	1.13

## Frequency Missing = 30986

ACN.150\_06.000: Age first diagnosed w/cervical cancer

CANAGE6	Frequency	Percent
01-84 1-84 years	181	98.91
85 85+ years	0	0.00
97 Refused 98 Not ascertained	0	0.00 0.00
99 Don't know	2	1.09

Frequency Missing = 31245

ACN.150\_07.000: Age first diagnosed w/colon cancer

CANAGE7	Frequency	Percent
01-84 1-84 years	166	93.26
85 85+ years	8	4.49
97 Refused	1	0.56
98 Not ascertained	0	0.00
99 Don't know	3	1.69

Frequency Missing = 31250

ACN.150\_08.000: Age first diagnosed w/esophageal cancer

CANAGE8	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused	12 0 0	100.00 0.00 0.00
98 Not ascertained 99 Don't know	0 0	0.00

#### 2005 National Health Interview Survey (NHIS) 25 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_09.000: Age first diagnosed w/gallbladder cancer

01-84       1-84       years       7         85       85+       years       0         97       Refused       0         98       Not ascertained       0         99       Don't know       0	100.00 0.00 0.00 0.00 0.00

## Frequency Missing = 31421

ACN.150\_10.000: Age first diagnosed w/kidney cancer

CANAGE10	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	41 1 0 0 0	97.62 2.38 0.00 0.00 0.00

Frequency Missing = 31386

ACN.150\_11.000: Age first diagnosed w/larynx-windpipe cancer

CANAGE11	Frequency	Percent
01-84 1-84 years	4	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31424

ACN.150\_12.000: Age first diagnosed w/leukemia

CANAGE12	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	32 1 1 0	91.43 2.86 2.86 0.00 2.86
	-	2.00

#### 2005 National Health Interview Survey (NHIS) 26 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_13.000: Age first diagnosed w/liver cancer

CANAGE13	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused	14 0 0	93.33 0.00 0.00
98 Not ascertained 99 Don't know	0	0.00 6.67
JUDII C KIIOW	1	0.07

### Frequency Missing = 31413

ACN.150\_14.000: Age first diagnosed w/lung cancer

CANAGE14	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	65 3 1 0	94.20 4.35 1.45 0.00 0.00
JJ DOIL C MILOW	0	0.00

Frequency Missing = 31359

ACN.150\_15.000: Age first diagnosed w/lymphoma

CANAGE15	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	79 1 0 0	98.75 1.25 0.00 0.00 0.00

Frequency Missing = 31348

ACN.150\_16.000: Age first diagnosed w/melanoma

CANAGE16	Frequency	Percent
01-84 1-84 years 85 85+ years	162 2	98.18 1.21
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.61

#### 2005 National Health Interview Survey (NHIS) 27 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_17.000: Age first diagnosed w/mouth/tongue/lip cancer

CANAGE17	Frequency	Percent
01-84 1-84 years 85 85+ years	19 0	100.00 0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

## Frequency Missing = 31409

ACN.150\_18.000: Age first diagnosed w/ovarian cancer

CANAGE18	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained	79 0 0 0	97.53 0.00 0.00 0.00
99 Don't know	2	2.47

Frequency Missing = 31347

ACN.150\_19.000: Age first diagnosed w/pancreatic cancer

CANAGE19	Frequency	Percent
01-84 1-84 years 85 85+ years	14 0	100.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31414

ACN.150\_20.000: Age first diagnosed w/prostate cancer

01-84 1-84 years       279       97.55         85 85+ years       3       1.05         97 Refused       0       0.00	CANAGE20	Frequency	Percent
98 Not ascertained00.0099 Don't know41.40	85 85+ years 97 Refused 98 Not ascertained	272	1.05 0.00 0.00

#### 2005 National Health Interview Survey (NHIS) 28 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_21.000: Age first diagnosed w/rectal cancer

CANAGE21	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained	13 0 0 0	100.00 0.00 0.00 0.00
99 Don't know	0	0.00

### Frequency Missing = 31415

ACN.150\_22.000: Age first diagnosed w/skin (non-melanoma) cancer

CANAGE22	Frequency	Percent
01-84 1-84 years	361	97.04
85 85+ years	4	1.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	7	1.88

## Frequency Missing = 31056

ACN.150\_23.000: Age first diagnosed w/skin (DK kind) cancer

CANAGE23	Frequency	Percent
01-84 1-84 years 85 85+ years	216 5	95.15
97 Refused	0	0.00
98 Not ascertained 99 Don't know	0 6	$0.00 \\ 2.64$

Frequency Missing = 31201

ACN.150\_24.000: Age first diagnosed w/soft tissue cancer

CANAGE24 F:	requency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	5 0 0 0	100.00 0.00 0.00 0.00 0.00

#### 2005 National Health Interview Survey (NHIS) 29 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_25.000: Age first diagnosed w/stomach cancer

CANAGE25	Frequency	Percent
01-84 1-84 years 85 85+ years	17 1	94.44 5.56
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

## Frequency Missing = 31410

ACN.150\_26.000: Age first diagnosed w/testicular cancer

01-84 1-84 years 12 85 85+ years 0 97 Refused 0 98 Not ascertained 0 99 Don't know 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

## Frequency Missing = 31416

ACN.150\_27.000: Age first diagnosed w/throat/pharynx cancer

CANAGE27	Frequency	Percent
01-84 1-84 years	26	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31402

ACN.150\_28.000: Age first diagnosed w/thyroid cancer

CANAGE28	Frequency	Percent
01-84 1-84 years 85 85+ years	58 0	100.00 0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

### 2005 National Health Interview Survey (NHIS) 30 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.150\_29.000: Age first diagnosed w/uterine cancer

CANAGE29	Frequency	Percent
01-84 1-84 years 85 85+ years	136	99.27 0.00
97 Refused	0	0.00
98 Not ascertained 99 Don't know	0 1	0.00 0.73

## Frequency Missing = 31291

ACN.150\_30.000: Age first diagnosed w/other cancer

CANAGE30	Frequency	Percent
01-84 1-84 years 85 85+ years 97 Refused 98 Not ascertained 99 Don't know	106 2 1 0 3	94.64 1.79 0.89 0.00 2.68

## Frequency Missing = 31316

ACN.160\_00.000: Ever been told that you have diabetes

DIBEV	Frequency	Percent
1 Yes	2596	8.26
2 No 3 Borderline	28461 347	90.56 1.10
7 Refused 8 Not ascertained	10 0	0.03 0.00
9 Don't know	14	0.04

ACN.170\_00.000: Age first diagnosed w/diabetes

DIBAGE	Frequency	Percent
01-84 1-84 years 85 85+ years	2498 11	96.22 0.42
97 Refused	6	0.23
98 Not ascertained	2	0.08
99 Don't know	79	3.04

### 2005 National Health Interview Survey (NHIS) 31 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.170\_00.000: Years since first diagnosed w/diabetes

DIFAGE2	Frequency	Percent
00 Within past year 01-84 1-84 years 85 85+ years 96 1+ year(s) with diabetes and age is 85+ 97 Refused 98 Not ascertained	110queney 153 2346 0 10 6 2	5.89 90.37 0.00 0.39 0.23 0.08
99 Don't know	79	3.04

Frequency Missing = 28832

# ACN.180\_00.000: NOW taking insulin

INSLN	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know	717 1873 4 0 2	27.62 72.15 0.15 0.00 0.08

Frequency Missing = 28832

## ACN.190\_00.000: NOW taking diabetic pills

DIBPILL	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know	1865 723 3 0 5	71.84 27.85 0.12 0.00 0.19

Frequency Missing = 28832

## ACN.201\_01.000: Told that you had hay fever, past 12 m

AHAYFYR	Frequency	Percent
1 Yes	2645	8.42
2 No	28750	91.48
7 Refused	20750	0.03
8 Not ascertained	0	0.00
9 Don't know	24	0.08

#### 2005 National Health Interview Survey (NHIS) 32 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.201\_02.000: Told that you had sinusitis, past 12 m

SINYR	Frequency	Percent
1 37	4060	12 55
1 Yes	4260	13.55
2 No	27127	86.31
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	32	0.10

ACN.201\_03.000: Told you had chronic bronchitis, 12 m

CBRCHYR	Frequency	Percent
1 Yes	1407	4.48
2 No	29995	95.44
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	17	0.05

ACN.201\_04.000: Told you had weak/failing kidneys, 12 m

KIDWKYR	Frequency	Percent
l Yes	641	2.04
2 No	30760	97.87
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	18	0.06

ACN.201\_05.000: Told you had liver condition, past 12 m

LIVYR	Frequency	Percent
1 Yes	463	1.47
2 No	30933	98.42
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	23	0.07

# ACN.250\_00.000: Symptoms of joint pain/aching/stiffness past 30 d

JNTSYMP	Frequency	Percent
1 Yes	10015	31.87
2 No	21369	67.99
7 Refused	20	0.06
8 Not ascertained	0	0.00
9 Don't know	24	0.08

#### 2005 National Health Interview Survey (NHIS) 33 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.260\_01.000: Which joint affected...shoulder-right

JMTHP1	Frequency	Percent
1 Mentioned	2611	26.07
2 Not mentioned	7367	73.56
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

### Frequency Missing = 21413

ACN.260\_02.000: Which joint affected...shoulder-left

JMTHP2	Frequency	Percent
1 Mentioned	2350	23.46
2 Not mentioned	7628	76.17
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

Frequency Missing = 21413

ACN.260\_03.000: Which joint affected...elbow-right

JMTHP3	Frequency	Percent
1 Mentioned	1396	13.94
2 Not mentioned	8582	85.69
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

Frequency Missing = 21413

ACN.260\_04.000: Which joint affected...elbow-left

JMTHP4	Frequency	Percent
1 Mentioned 2 Not mentioned	1281 8697	12.79 86.84
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

#### 2005 National Health Interview Survey (NHIS) 34 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.260\_05.000: Which joint affected...hip-right

JMTHP5	Frequency	Percent
1 Mentioned 2 Not mentioned	1993 7985	19.90 79.73
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

### Frequency Missing = 21413

ACN.260\_06.000: Which joint affected...hip-left

JMTHP6	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	1927 8051 7 0 30	19.24 80.39 0.07 0.00 0.30

Frequency Missing = 21413

ACN.260\_07.000: Which joint affected...wrist-right

JMTHP7	Frequency	Percent
1 Mentioned	1594	15.92
2 Not mentioned	8384	83.71
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

Frequency Missing = 21413

ACN.260\_08.000: Which joint affected...wrist-left

JMTHP8	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	1513 8465 7 0 30	$ \begin{array}{c} 15.11\\ 84.52\\ 0.07\\ 0.00\\ 0.30\\ \end{array} $

#### 2005 National Health Interview Survey (NHIS) 35 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.260\_09.000: Which joint affected...knee-right

JMTHP9	Frequency	Percent
1 Mentioned	5069	50.61
2 Not mentioned	4909	49.02
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

## Frequency Missing = 21413

ACN.260\_10.000: Which joint affected...knee-left

JMTHP10	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	4928 5050 7 0 30	49.21 50.42 0.07 0.00 0.30

Frequency Missing = 21413

## ACN.260\_11.000: Which joint affected...ankle-right

JMTHP11	Frequency	Percent
1 Mentioned	1702	16.99
2 Not mentioned	8276	82.64
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

Frequency Missing = 21413

ACN.260\_12.000: Which joint affected...ankle-left

JMTHP12	Frequency	Percent
1 Mentioned	1640	16.38
2 Not mentioned	8338	83.26
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

#### 2005 National Health Interview Survey (NHIS) 36 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.260\_13.000: Which joint affected...toes-right

JMTHP13	Frequency	Percent
1 Mentioned	784	7.83
2 Not mentioned	9194	91.80
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

### Frequency Missing = 21413

ACN.260\_14.000: Which joint affected...toes-left

JMTHP14	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	764 9214 7 0 30	7.63 92.00 0.07 0.00 0.30

Frequency Missing = 21413

ACN.260\_15.000: Which joint affected...fingers/thumb-right

JMTHP15	Frequency	Percent
1 Mentioned 2 Not mentioned	2316 7662	23.13
7 Refused	7002	0.07
8 Not ascertained 9 Don't know	0 30	0.00 0.30

Frequency Missing = 21413

ACN.260\_16.000: Which joint affected...fingers/thumb-left

JMTHP16	Frequency	Percent
1 Mentioned	2157	21.54
2 Not mentioned	7821	78.09
7 Refused	7021	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

#### 2005 National Health Interview Survey (NHIS) 37 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.260\_17.000: Which joint affected...other joint not listed

JMTHP17	Frequency	Percent
1 Mentioned 2 Not mentioned	513 9465	5.12 94.51
7 Refused	7	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.30

### Frequency Missing = 21413

ACN.270\_00.000: Symptoms begin more than 3 m ago

JNTCHR	Frequency	Percent
1 Yes 2 No	8789 1212	87.76 12.10
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	13	0.13

Frequency Missing = 21413

ACN.280\_00.000: Ever seen doctor or hlth prof for joint symptoms

JNTHP	Frequency	Percent
1 Yes	7241	72.30
2 No 7 Refused	2769 1	27.65 0.01
8 Not ascertained	0	0.00
9 Don't know	4	0.04

Frequency Missing = 21413

ACN.290\_00.000: Ever been told you had arthritis

ARTH1 F	requency	Percent
1 Yes	7243	23.05
2 No	24109	76.71
7 Refused	18	0.06
8 Not ascertained	0	0.00
9 Don't know	58	0.18

#### 2005 National Health Interview Survey (NHIS) 38 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.295\_00.000: Limited due to arthritis or joint symptoms

ARTHLMT	Frequency	Percent
1 Yes 2 No	4431 7383	37.47 62.42
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	11	0.09

# Frequency Missing = 19601

ACN.300\_00.000: Had neck pain, past 3 m

PAINECK	Frequency	Percent
1 Yes	4759	15.14
2 No	26611	84.67
7 Refused	24	0.08
8 Not ascertained	0	0.00
9 Don't know	34	0.11

ACN.310\_00.000: Had low back pain, past 3 m

PAINLB	Frequency	Percent
1 Yes	9067	28.85
2 No	22308	70.98
7 Refused	23	0.07
8 Not ascertained	0	0.00
9 Don't know	30	0.10

ACN.320\_00.000: Pain spread down leg/below knees

PAINLEG	Frequency	Percent
1 Yes 2 No	3171 5871	34.97 64.75
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	25	0.28

### 2005 National Health Interview Survey (NHIS) 39 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.331\_01.000: Had pain in jaw/front of ear, past 3 m

PAINFACE	Frequency	Percent
1 Yes	1441	4.59
2 No	29936	95.25
7 Refused	23	0.07
8 Not ascertained	0	0.00
9 Don't know	28	0.09

ACN.331\_02.000: Had severe headache/migraine, past 3 m

1 Yes 4749 15.11 2 No 26631 84.74 7 Refused 24 0.08	AMIGR	Frequency	Percent
8 Not ascertained         1         0.00           9 Don't know         23         0.07	2 No	26631	84.74
	7 Refused	24	0.08
	8 Not ascertained	1	0.00

ACN.350\_00.000: Had a head/chest cold past 2 w  $\,$ 

ACOLD2W	Frequency	Percent
1 Yes	3950	12.57
2 No	27443	87.32
7 Refused	12	0.04
8 Not ascertained	1	0.00
9 Don't know	22	0.07

ACN.360\_00.000: Had stomach prob w/vomit/diarrhea, 2 w

AINTIL2W	Frequency	Percent
1 Yes	1505	4.79
2 No	29889	95.10
7 Refused	14	0.04
8 Not ascertained	1	0.00
9 Don't know	19	0.06

# ACN.370\_00.000: Currently pregnant

PREGNOW	Frequency	Percent
1 Yes	355	3.59
2 No	9511	96.10
7 Refused	10	0.10
8 Not ascertained	2	0.02
9 Don't know	19	0.19

#### 2005 National Health Interview Survey (NHIS) 40 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.410\_00.000: Have ever worn a hearing aid

HEARAID	Frequency	Percent
1 Yes 2 No	1207 30202	3.84 96.10
7 Refused	12	0.04
8 Not ascertained	1	0.00
9 Don't know	6	0.02

ACN.420\_00.000: Description of hearing w/o hearing aid

AHEARST	Frequency	Percent
1 Good	26047	82.88
2 A little trouble	4200	13.36
3 A lot of trouble	1070	3.40
4 Deaf	85	0.27
7 Refused	9	0.03
8 Not ascertained	1	0.00
9 Don't know	16	0.05

ACN.430\_00.000: Trouble seeing even w/glasses/lenses

AVISION	Frequency	Percent
l Yes	3145	10.01
2 No	28263	89.93
7 Refused	8	0.03
8 Not ascertained	1	0.00
9 Don't know	11	0.04

ACN.440\_00.000: Blind or unable to see at all

ABLIND	Frequency	Percent
1 Yes 2 No	128 3014	4.07 95.83
7 Refused 8 Not ascertained	0	0.00
9 Don't know	3	0.10

#### 2005 National Health Interview Survey (NHIS) 41 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.451\_00.000: Lost all upper & lower natural teeth

LUPPRT	Frequency	Percent
1 Yes	2691	8.56
2 No	28694	91.30
7 Refused	20	0.06
8 Not ascertained	1	0.00
9 Don't know	22	0.07

ACN.471\_01.000: So sad nothing cheers you up, past 30 days

SAD	Frequency	Percent
1 ALL of the time	358	1.14
2 MOST of the time	798	2.54
3 SOME of the time	2840	9.04
4 A LITTLE of the time	4142	13.18
5 NONE of the time	22859	72.73
7 Refused	281	0.89
8 Not ascertained	3	0.01
9 Don't know	147	0.47

ACN.471\_02.000: How often felt nervous, past 30 days

NERVOUS	Frequency	Percent
1 ALL of the time 2 MOST of the time 3 SOME of the time 4 A LITTLE of the time 5 NONE of the time 7 Refused 8 Not ascertained 9 Don't know	527 900 3563 5366 20637 271 3 161	1.68 2.86 11.34 17.07 65.66 0.86 0.01 0.51

ACN.471\_03.000: How often restless/fidgety, past 30 days

RESTLESS	Frequency	Percent
1 ALL of the time 2 MOST of the time 3 SOME of the time	733 1131 3698	2.33 3.60 11.77
4 A LITTLE of the time 5 NONE of the time	4573 20857	14.55 66.36
7 Refused	273	0.87
8 Not ascertained	4	0.01
9 Don't know	159	0.51

## 2005 National Health Interview Survey (NHIS) 42 Sample Adult Public Use File (samadult) ACN Variables Wednesday, May 31, 2006 Unweighted Frequencies

ACN.471\_04.000: How often felt hopeless, past 30 days

HOPELESS	Frequency	Percent
1 ALL of the time	276	0.88
2 MOST of the time	467	1.49
3 SOME of the time	1411	4.49
4 A LITTLE of the time	1798	5.72
5 NONE of the time	27032	86.01
7 Refused	279	0.89
8 Not ascertained	4	0.01
9 Don't know	161	0.51

ACN.471\_05.000: How often felt everything was an effort, past 30 days

EFFORT	Frequency	Percent
1 ALL of the time	774	2.46
2 MOST of the time	1044	3.32
3 SOME of the time	2612	8.31
4 A LITTLE of the time	3183	10.13
5 NONE of the time	23362	74.33
7 Refused	278	0.88
8 Not ascertained	4	0.01
9 Don't know	171	0.54

ACN.471\_06.000: How often felt worthless, past 30 days

WORTHLS	Frequency	Percent
1 ALL of the time	258	0.82
2 MOST of the time	363	1.16
3 SOME of the time	1076	3.42
4 A LITTLE of the time	1317	4.19
5 NONE of the time	27962	88.97
7 Refused	283	0.90
8 Not ascertained	4	0.01
9 Don't know	165	0.53

ACN.530\_00.000: Feelings interfered w/life, past 30 days

МНАМТМО	Frequency	Percent
1 A lot	1267	13.64
2 Some	2206	23.74
3 A little	2553	27.48
4 Not at all	3246	34.93
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	20	0.22

## 2005 National Health Interview Survey (NHIS) 43 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.030\_00.000: Work status: last week, past 12 m

WRKLYR3	Frequency	Percent
0 Had job last week	19445	61.87
1 No job last week, had job past 12 m	1951	6.21
2 No job last week, no job past 12 m	7919	25.20
3 Never worked	1967	6.26
7 Refused	123	0.39
8 Not ascertained	3	0.01
9 Don't know	20	0.06

AHS.040\_00.000: Number of work loss days, past 12 m

WKDAYR	Frequency	Percent
000 None 001-366 1-366 days	11801 9344	55.16 43.67
997 Refused	71	0.33
998 Not ascertained	2	0.01
999 Don't know	178	0.83

Frequency Missing = 10032

AHS.050\_00.000: Number of bed days, past 12 m

BEDDAYR	Frequency	Percent
000 None	20008	63.66
001-366 1-366 days	10905	34.70
997 Refused	89	0.28
998 Not ascertained	7	0.02
999 Don't know	419	1.33

AHS.060\_00.000: Health better/worse/same, compared w/ 12 m ago

AHSTATYR	Frequency	Percent
1 Better	5216	16.60
2 Worse	3087	9.82
3 About the same	23035	73.29
7 Refused	34	0.11
8 Not ascertained	8	0.03
9 Don't know	48	0.15

## 2005 National Health Interview Survey (NHIS) 44 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.070\_00.000: Have health problem that requires special equipment

SPECEQ	Frequency	Percent
1 Yes	2180	6.94
2 No	29210	92.94
7 Refused	22	0.07
8 Not ascertained	8	0.03
9 Don't know	8	0.03

AHS.091\_01.000: How difficult to walk 1/4 mile w/o special equipment

FLWALK	Frequency	Percent
0 Not at all difficult	25364	80.71
1 Only a little difficult	1517	4.83
2 Somewhat difficult	1323	4.21
3 Very difficult	969	3.08
4 Can't do at all	1612	5.13
6 Do not do this activity	569	1.81
7 Refused	35	0.11
8 Not ascertained 9 Don't know	17 22	0.05

AHS.091\_02.000: How difficult to climb 10 steps w/o special equipment

FLCLIMB	Frequency	Percent
0 Not at all difficult	26607	84.66
1 Only a little difficult	1318	4.19
2 Somewhat difficult	1054	3.35
3 Very difficult	947	3.01
4 Can't do at all	1089	3.47
6 Do not do this activity	332	1.06
7 Refused	35	0.11
8 Not ascertained	18	0.06
9 Don't know	28	0.09

# AHS.091\_03.000: How difficult to stand 2 hours w/o special equipment

FLSTAND	Frequency	Percent
0 Not at all difficult	24443	77.77
1 Only a little difficult	1785	5.68
2 Somewhat difficult	1416	4.51
3 Very difficult	1191	3.79
4 Can't do at all	1963	6.25
6 Do not do this activity	524	1.67
7 Refused	33	0.11
8 Not ascertained	18	0.06
9 Don't know	55	0.18

# 2005 National Health Interview Survey (NHIS) 45 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.091\_04.000: How difficult to sit 2 hours w/o special equipment

FLSIT		Frequency	Percent
0 Not at al 1 Only a l 2 Somewhat 3 Very diff 4 Can't do 6 Do not do 7 Refused 8 Not ascen	at all o this activity	27583 1374 1115 650 464 163 35 19 25	87.77 4.37 3.55 2.07 1.48 0.52 0.11 0.06
9 Don't kno	JW	20	0.08

AHS.091\_05.000: How difficult to stoop, bend or kneel w/o special equipment

FLSTOOP	Frequency	Percent
0 Not at all difficult	23429	74.55
1 Only a little difficult	2530	8.05
2 Somewhat difficult	2104	6.69
3 Very difficult	1643	5.23
4 Can't do at all	1442	4.59
6 Do not do this activity	202	0.64
7 Refused	34	0.11
8 Not ascertained	20	0.06
9 Don't know	24	0.08

AHS.091\_06.000: How difficult to reach over head w/o special equipment

FLREACH	Frequency	Percent
0 Not at all difficult 1 Only a little difficult 2 Somewhat difficult	28298 1077 980	90.04 3.43 3.12
3 Very difficult 4 Can't do at all	555 334	1.77
6 Do not do this activity 7 Refused	110 34	0.35
8 Not ascertained 9 Don't know	20 20	0.06

## 2005 National Health Interview Survey (NHIS) 46 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.141\_01.000: How difficult to grasp small objects w/o special equipment

FLGRASP	Frequency	Percent
0 Not at all difficult	28392	90.34
1 Only a little difficult	1244	3.96
2 Somewhat difficult	994	3.16
3 Very difficult	508	1.62
4 Can't do at all	166	0.53
6 Do not do this activity	45	0.14
7 Refused	34	0.11
8 Not ascertained	20	0.06
9 Don't know	25	0.08

AHS.141\_02.000: How difficult lift/carry 10 lbs w/o special equipment

F	LCARRY	Frequency	Percent
- 0 1 2 3 4 6	Not at all difficult Only a little difficult Somewhat difficult Very difficult Can't do at all Do not do this activity Refused	Frequency 27239 1160 949 639 997 362 35	Percent 86.67 3.69 3.02 2.03 3.17 1.15 0.11
	Not ascertained	20	0.06
-		20	
9	Don't know	27	0.09

AHS.141\_03.000: How difficult to push large objects w/o special equipment

FLPUSH	Frequency	Percent
0 Not at all difficult	25653	81.62
1 Only a little difficult	1360	4.33
2 Somewhat difficult	1046	3.33
3 Very difficult	804	2.56
4 Can't do at all	1619	5.15
6 Do not do this activity	867	2.76
7 Refused	35	0.11
8 Not ascertained	20	0.06
9 Don't know	24	0.08

## 2005 National Health Interview Survey (NHIS) 47 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.171\_01.000: How difficult to go out to events w/o special equipment

FLSHOP	Frequency	Percent
0 Not at all difficult	27678	88.07
1 Only a little difficult	931	2.96
2 Somewhat difficult	981	3.12
3 Very difficult	674	2.14
4 Can't do at all	577	1.84
6 Do not do this activity	515	1.64
7 Refused	34	0.11
8 Not ascertained	21	0.07
9 Don't know	17	0.05

AHS.171\_02.000: How difficult to participate in social activities w/o sp eq

FLSOCL	Frequency	Percent
<pre>0 Not at all difficult</pre>	28095	89.39
1 Only a little difficult	833	2.65
2 Somewhat difficult	771	2.45
3 Very difficult	490	1.56
4 Can't do at all	449	1.43
6 Do not do this activity	713	2.27
7 Refused	33	0.11
8 Not ascertained	21	0.07
9 Don't know	23	0.07
> DOIL C IVIOM	23	0.07

# AHS.171\_03.000: How difficult to relax at home w/o special equipment

FLRELAX	Frequency	Percent
0 Not at all difficult	29751	94.66
1 Only a little difficult	670	2.13
2 Somewhat difficult	528	1.68
3 Very difficult	212	0.67
4 Can't do at all	116	0.37
6 Do not do this activity	69	0.22
7 Refused	34	0.11
8 Not ascertained	23	0.07
9 Don't know	25	0.08

AHS.171\_00.000: Any functional limitation, all conds

FLA1AR	Frequency	Percent
1 Limited in any way	10835	34.48
2 Not limited in any way	20497	65.22
3 Unknown if limited	96	0.31

#### 2005 National Health Interview Survey (NHIS) 48 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_01.000: Vision problem causes difficulty with activity

AFLHCA1	Frequency	Percent
1 Mentioned	395	3.65
2 Not mentioned	10300	95.06
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_02.000: Hearing problem causes difficulty with activity

Frequency	Percent
193 10502	1.78 96.93
13	0.12
17	0.16
110	1.02
	193 10502 13 17

# Frequency Missing = 20593

AHS.200\_03.000: Arthritis/rheumatism causes difficulty with activity

AFLHCA3	Frequency	Percent
1 Mentioned 2 Not mentioned	3850 6845	35.53 63.17
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

### AHS.200\_04.000: Back/neck prob causes difficulty with activity

AFLHCA4	Frequency	Percent
1 Mentioned 2 Not mentioned	2913 7782	26.89 71.82
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

#### 2005 National Health Interview Survey (NHIS) 49 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_05.000: Fract/bone/joint inj causes difficulty with activity

AFLHCA5	Frequency	Percent
1 Mentioned	 1218	11.24
2 Not mentioned	9477	87.47
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_06.000: Other injury causes difficulty with activity

Frequency	Percent
335	3.09
10360	95.62
13	0.12
17	0.16
110	1.02
	335 10360 13 17

### Frequency Missing = 20593

AHS.200\_07.000: Heart prob causes difficulty with activity

AFLHCA7	Frequency	Percent
1 Mentioned 2 Not mentioned	774 9921	 7.14 91.56
7 Refused	13	0.12
8 Not ascertained 9 Don't know	17 110	0.16 1.02

Frequency Missing = 20593

### AHS.200\_08.000: Stroke causes difficulty with activity

AFLHCA8	Frequency	Percent
1 Mentioned	264	2.44
2 Not mentioned	10431	96.27
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

#### 2005 National Health Interview Survey (NHIS) 50 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_09.000: Hypertension causes difficulty with activity

AFLHCA9	Frequency	Percent
1 Mentioned	602	5.56
2 Not mentioned	10093	93.15
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_10.000: Diabetes causes difficulty with activity

AFLHCA10	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	485 10210 13 17 110	4.48 94.23 0.12 0.16 1.02

# Frequency Missing = 20593

AHS.200\_11.000: Lung/breath prob causes difficulty with activity

AFLHCA11	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused	732 9963 13	6.76 91.95 0.12
8 Not ascertained 9 Don't know	17 110	0.16

Frequency Missing = 20593

### AHS.200\_12.000: Cancer causes difficulty with activity

AFLHCA12	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained	176 10519 13 17	1.62 97.08 0.12 0.16
9 Don't know	110	1.02

#### 2005 National Health Interview Survey (NHIS) 51 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_13.000: Birth defect causes difficulty with activity

AFLHCA13	Frequency	Percent
1 Mentioned	51	0.47
2 Not mentioned	10644	98.24
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_14.000: Mental retardation causes difficulty with activity

AFLHCA14	Frequency	Percent
1 Mentioned	35	0.32
2 Not mentioned	10660	98.38
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_15.000: Otr dev prob causes difficulty with activity

AFLHCA15	Frequency	Percent
1 Mentioned	26	0.24
2 Not mentioned	10669	98.47
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_16.000: Senility/dementia/alzheimers causes difficulty with activity

AFLHCA16	Frequency	Percent
1 Mentioned	95	0.88
2 Not mentioned	10600	97.83
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

#### 2005 National Health Interview Survey (NHIS) 52 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_17.000: Dep/anx/emot prob causes difficulty with activity

AFLHCA17	Frequency	Percent
1 Mentioned	832	7.68
2 Not mentioned	9863	91.03
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_18.000: Weight prob causes difficulty with activity

AFLHCA18	Frequency	Percent
1 Mentioned	568	5.24
2 Not mentioned	10127	93.47
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Missing or amputated limb/finger/digit

AFLHC19_	Frequency	Percent
1 Mentioned	43	0.40
2 Not mentioned	10652	98.31
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

Frequency Missing = 20593

### AHS.200\_00.000: Musculoskeletal/connective tissue prob

AFLHC20_	Frequency	Percent
1 Mentioned	1570	14.49
2 Not mentioned	9125	84.22
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_00.000: Circulation problem

AFLHC21_	Frequency	Percent
1 Mentioned	240	2.22
2 Not mentioned	10455	96.49
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Endocrine/nutritional/metabolic prob

AFLHC22_	Frequency	Percent
1 Mentioned	89	0.82
2 Not mentioned	10606	97.89
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Nervous system/sensory organ condition

AFLHC23_	Frequency	Percent
1 Mentioned	588	5.43
2 Not mentioned	10107	93.28
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

Frequency Missing = 20593

AHS.200\_00.000: Digestive system problem

AFLHC24_	Frequency	Percent
1 Mentioned 2 Not mentioned	150 10545	1.38 97.32
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

#### 2005 National Health Interview Survey (NHIS) 54 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_00.000: Genitourinary system problem

AFLHC25_	Frequency	Percent
1 Mentioned	124	1.14
2 Not mentioned	10571	97.56
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Skin/subcutaneous system problem

AFLHC26_	Frequency	Percent
1 Mentioned	7	0.06
2 Not mentioned	10688	98.64
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

Frequency Missing = 20593

AHS.200\_00.000: Blood or blood-forming organ problem

AFLHC27_	Frequency	Percent
1 Mentioned 2 Not mentioned	20 10675	0.18
7 Refused	13	0.12
8 Not ascertained 9 Don't know	17 110	0.16 1.02

Frequency Missing = 20593

AHS.200\_00.000: Benign tumor/cyst

AFLHC28_	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	26 10669 13 17 110	0.24 98.47 0.12 0.16 1.02

#### 2005 National Health Interview Survey (NHIS) 55 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_00.000: Alcohol/drug/substance abuse problem

AFLHC29_	Frequency	Percent
1 Mentioned	3	0.03
2 Not mentioned	10692	98.68
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Otr mental prob/ADD/Bipolar/Schizophrenic

AFLHC30_	Frequency	Percent
1 Mentioned	18	0.17
2 Not mentioned	10677	98.54
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

# Frequency Missing = 20593

AHS.200\_00.000: Surgical after-effects/medical treatment

AFLHC31_	Frequency	Percent
1 Mentioned	39	0.36
2 Not mentioned	10656	98.35
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_00.000: "Old age"/elderly/aging-related problem

AFLHC32_	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	164 10531 13 17 110	1.51 97.19 0.12 0.16 1.02
J DOIL C MIIOW	±±0	1.02

#### 2005 National Health Interview Survey (NHIS) 56 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.200\_00.000: Fatigue/tiredness/weakness

AFLHC33_	Frequency	Percent
1 Mentioned	79	0.73
2 Not mentioned	10616	97.98
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_00.000: Pregnancy related problem

AFLHC34_	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know	43 10652 13 17 110	0.40 98.31 0.12 0.16 1.02

# Frequency Missing = 20593

AHS.200\_90.000: Other impair/prob(1) causes difficulty with activity

AFLHCA90	Frequency	Percent
1 Mentioned 2 Not mentioned	341 10354	3.15 95.56
7 Refused	13	0.12
8 Not ascertained	17	0.16
9 Don't know	110	1.02

### Frequency Missing = 20593

AHS.200\_91.000: Other impair/prob(2) causes difficulty with activity

AFLHCA91	Frequency	Percent
1 Mentioned 2 Not mentioned 7 Refused	1 10694 13	0.01 98.70 0.12
8 Not ascertained 9 Don't know	17 110	0.16

### 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.300\_01.000: Duration of vision prob: Number of units

ALTIME1	Frequency	Percent
01-94 1-94	360	91.14
95 95+	0	0.00
96 Since birth	21	5.32
97 Refused	1	0.25
98 Not ascertained	0	0.00
99 Don't know	13	3.29

### Frequency Missing = 31033

AHS.300\_02.000: Duration of vision prob: Time unit

ALUNIT1	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.51
3 Month(s)	22	5.57
4 Year(s)	345	87.34
6 Since birth	21	5.32
7 Refused	1	0.25
8 Not ascertained	0	0.00
9 Don't know	4	1.01

Frequency Missing = 31033

AHS.300\_02.000: Duration of vision prob (in years)

ALDURA1	Frequency	Percent
00 Less than 1 year	20	5.06
01-84 years	359	90.89
85 85+ years	2	0.51
96 Unknown number of years	9	2.28
97 Refused	1	0.25
98 Not ascertained	0	0.00
99 Don't know	4	1.01

#### 2005 National Health Interview Survey (NHIS) 58 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.300\_02.000: Duration of vision prob recode 2

ALDURB1	Frequency	Percent
1 Less than 3 months	7	1.77
2 3-5 months	5	1.27
3 6-12 months	31	7.85
4 More than 1 year	347	87.85
7 Refused	1	0.25
8 Not ascertained	0	0.00
9 Don't know	4	1.01

Frequency Missing = 31033

AHS.300\_02.000: Vision problem condition status

ALCHRC1	Frequency	Percent
1 Chronic	383	96.96
2 Not chronic	7	1.77
9 Unknown if chronic	5	1.27

Frequency Missing = 31033

AHS.301\_01.000: Duration of hearing prob: Number of units

ALTIME2	Frequency	Percent
01-94 1-94	174	90.16
95 95+	0	0.00
96 Since birth	11	5.70
97 Refused	1	0.52
98 Not ascertained	0	0.00
99 Don't know	7	3.63

Frequency Missing = 31235

AHS.301\_02.000: Duration of hearing prob: Time unit

ALUNIT2	Frequency	Percent
1 Day(s) 2 Week(s) 3 Month(s)	1 0 7	0.52 0.00 3.63
4 Year(s) 6 Since birth	168 11	87.05 5.70
7 Refused	1	0.52
8 Not ascertained	0	0.00
9 Don't know	5	2.59

### 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.301\_02.000: Duration of hearing prob (in years)

ALDURA2	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years 96 Unknown number of years 97 Refused 98 Not ascertained	5 179 1 2 1 0 5	2.59 92.75 0.52 1.04 0.52 0.00 2.59
99 Don't know	5	2.59

Frequency Missing = 31235

AHS.301\_02.000: Duration of hearing prob recode 2

ALDURB2	Frequency	Percent
1 Less than 3 months	1	0.52
2 3-5 months	1	0.52
3 6-12 months	12	6.22
4 More than 1 year	173	89.64
7 Refused	1	0.52
8 Not ascertained	0	0.00
9 Don't know	5	2.59

Frequency Missing = 31235

AHS.301\_02.000: Hearing problem condition status

ALCHRC2	Frequency	Percent
1 Chronic	186	96.37
2 Not chronic	1	0.52
9 Unknown if chronic	6	3.11

Frequency Missing = 31235

AHS.302\_01.000: Duration of arthritis/rheumatism: Number of units

ALTIME3	Frequency	Percent
01-94 1-94	3671	95.35
95 95+	0	0.00
96 Since birth	30	0.78
97 Refused	7	0.18
98 Not ascertained	2	0.05
99 Don't know	140	3.64

#### 2005 National Health Interview Survey (NHIS) 60 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.302\_02.000: Duration of arthritis/rheumatism: Time unit

ALUNIT3	Frequency	Percent
1 Day(s)	2	0.05
2 Week(s)	6	0.16
3 Month(s)	151	3.92
4 Year(s)	3594	93.35
6 Since birth	30	0.78
7 Refused	7	0.18
8 Not ascertained	2	0.05
9 Don't know	58	1.51

Frequency Missing = 27578

AHS.302\_02.000: Duration of arthritis or rheumatism prob (in years)

ALDURA3	Frequency	Percent
00 Less than 1 year	130	3.38
01-84 years	3569	92.70
85 85+ years	2	0.05
96 Unknown number of years	82	2.13
97 Refused	7	0.18
98 Not ascertained	2	0.05
99 Don't know	58	1.51

Frequency Missing = 27578

AHS.302\_02.000: Duration of arthritis or rheumatism prob recode 2

ALDURB3	Frequency	Percent
1 Less than 3 months	35	0.91
2 3-5 months	37	0.96
3 6-12 months	237	6.16
4 More than 1 year	3474	90.23
7 Refused	7	0.18
8 Not ascertained	2	0.05
9 Don't know	58	1.51

Frequency Missing = 27578

AHS.302\_02.000: Arthritis or rheumatism problem condition status

ALCHRC3	Frequency	Percent
1 Chronic	3850	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

# 2005 National Health Interview Survey (NHIS) 61 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.303\_01.000: Duration of back or neck problem: Number of units

ALTIME4	Frequency	Percent
01-94 1-94	2804	96.26
95 95+	1	0.03
96 Since birth	46	1.58
97 Refused	3	0.10
98 Not ascertained	0	0.00
99 Don't know	59	2.03

Frequency Missing = 28515

AHS.303\_02.000: Duration of back or neck problem: Time unit

ALUNIT4	Frequency	Percent
1 Day(s)	8	0.27
2 Week(s)	29	1.00
3 Month(s)	239	8.20
4 Year(s)	2568	88.16
6 Since birth	46	1.58
7 Refused	3	0.10
8 Not ascertained	0	0.00
9 Don't know	20	0.69

Frequency Missing = 28515

AHS.303\_02.000: Duration of back or neck prob (in years)

ALDURA4	Frequency	Percent
00 Less than 1 year	226	7.76
01-84 years	2621	89.98
85 85+ years	4	0.14
96 Unknown number of years	39	1.34
97 Refused	3	0.10
98 Not ascertained	0	0.00
99 Don't know	20	0.69

#### 2005 National Health Interview Survey (NHIS) 62 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.303\_02.000: Duration of back or neck prob recode 2

ALDURB4	Frequency	Percent
1 Less than 3 months	75	2.57
2 3-5 months	71	2.44
3 6-12 months	231	7.93
4 More than 1 year	2513	86.27
7 Refused	3	0.10
8 Not ascertained	0	0.00
9 Don't know	20	0.69

Frequency Missing = 28515

AHS.303\_02.000: Back or neck condition status

ALCHRC4	Frequency	Percent
1 Chronic	2815	96.64
2 Not chronic	75	2.57
9 Unknown if chronic	23	0.79

Frequency Missing = 28515

AHS.304\_01.000: Duration of fracture, bone/joint injury: Number of units

ALTIME5	Frequency	Percent
01-94 1-94	1199	98.44
95 95+	1	0.08
96 Since birth	6	0.49
97 Refused	1	0.08
98 Not ascertained	0	0.00
99 Don't know	11	0.90

Frequency Missing = 30210

AHS.304\_02.000: Duration of fracture, bone/joint injury: Time unit

ALUNIT5	Frequency	Percent
1 Day(s) 2 Week(s) 3 Month(s)	10 41 222	0.82 3.37 18.23
4 Year(s) 6 Since birth	933	76.60
7 Refused 8 Not ascertained	1 0	0.08
9 Don't know	5	0.41

#### 2005 National Health Interview Survey (NHIS) 63 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.304\_02.000: Duration of fracture, bone/joint injury prob (in years)

ALDURA5	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years 96 Unknown number of years 97 Refused 98 Not ascertained	235 970 1 6 1 0	19.29 79.64 0.08 0.49 0.08 0.00
99 Don't know	5	0.41

Frequency Missing = 30210

AHS.304\_02.000: Duration of fracture, bone/joint injury prob recode 2

ALDURB5	Frequency	Percent
1 Less than 3 months	99	8.13
2 3-5 months	67	5.50
3 6-12 months	155	12.73
4 More than 1 year	891	73.15
7 Refused	1	0.08
8 Not ascertained	0	0.00
9 Don't know	5	0.41

Frequency Missing = 30210

### AHS.304\_02.000: Fracture, bone/joint injury condition status

ALCHRC5	Frequency	Percent
1 Chronic	1113	91.38
2 Not chronic	99	8.13
9 Unknown if chronic	б	0.49

Frequency Missing = 30210

AHS.305\_01.000: Duration of other injury: Number of units

Frequency	Percent
323	96.42
1	0.30
3	0.90
1	0.30
0	0.00
7	2.09

### 64 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.305\_02.000: Duration of other injury: Time unit

ALUNIT6	Frequency	Percent
1 Day(s)	5	1.49
2 Week(s)	17	5.07
3 Month(s)	81	24.18
4 Year(s)	226	67.46
6 Since birth	3	0.90
7 Refused	1	0.30
8 Not ascertained	0	0.00
9 Don't know	2	0.60

Frequency Missing = 31093

AHS.305\_02.000: Duration of other injury problem (in years)

ALDURA6	Frequency	Percent
00 Less than 1 year	91	27.16
01-84 years	236	70.45
85 85+ years	0	0.00
96 Unknown number of years	5	1.49
97 Refused	1	0.30
98 Not ascertained	0	0.00
99 Don't know	2	0.60

Frequency Missing = 31093

AHS.305\_02.000: Duration of other injury problem recode 2

ALDURB6	Frequency	Percent
1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused 8 Not ascertained 9 Don't know	42 27 45 218 1 0 2	12.54 8.06 13.43 65.07 0.30 0.00 0.60
2011 0 1110	-	5.00

# Frequency Missing = 31093

AHS.305\_02.000: Other injury condition status

ALCHRC6	Frequency	Percent
1 Chronic	290	86.57
2 Not chronic	42	12.54
9 Unknown if chronic	3	0.90

### 2005 National Health Interview Survey (NHIS) 65 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.306\_01.000: Duration of heart problem: Number of units

ALTIME7	Frequency	Percent
01-94 1-94	734	94.83
95 95+	0	0.00
96 Since birth	20	2.58
97 Refused	2	0.26
98 Not ascertained	0	0.00
99 Don't know	18	2.33

Frequency Missing = 30654

AHS.306\_02.000: Duration of heart problem: Time unit

ALUNIT7	Frequency	Percent
1 Day(s)	5	0.65
2 Week(s)	2	0.26
3 Month(s)	56	7.24
4 Year(s)	681	87.98
6 Since birth	20	2.58
7 Refused	2	0.26
8 Not ascertained	0	0.00
9 Don't know	8	1.03

Frequency Missing = 30654

AHS.306\_02.000: Duration of heart problem (in years)

ALDURA7	Frequency	Percent
00 Less than 1 year	58	7.49
01-84 years	694	89.66
85 85+ years	2	0.26
96 Unknown number of years	10	1.29
97 Refused	2	0.26
98 Not ascertained	0	0.00
99 Don't know	8	1.03

## 2005 National Health Interview Survey (NHIS) 66 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.306\_02.000: Duration of heart problem recode 2

ALDURB7	Frequency	Percent
1 Less than 3 months	23	2.97
2 3-5 months	16	2.07
3 6-12 months	50	6.46
4 More than 1 year	675	87.21
7 Refused	2	0.26
8 Not ascertained	0	0.00
9 Don't know	8	1.03

Frequency Missing = 30654

AHS.306\_02.000: Heart problem condition status

ALCHRC7	Frequency	Percent
1 Chronic	774	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	c 0	0.00

Frequency Missing = 30654

AHS.307\_01.000: Duration of stroke problem: Number of units

ALTIME8	Frequency	Percent
01-94 1-94	261	98.86
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	1	0.38
99 Don't know	2	0.76

Frequency Missing = 31164

AHS.307\_02.000: Duration of stroke problem: Time unit

ALUNIT8	Frequency	Percent
1 Day(s)	2	0.76
2 Week(s)	3	1.14
3 Month(s)	34	12.88
4 Year(s)	224	84.85
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	1	0.38
9 Don't know	0	0.00

#### 2005 National Health Interview Survey (NHIS) 67 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.307\_02.000: Duration of stroke problem (in years)

ALDURA8	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years 96 Unknown number of years 97 Refused 98 Not ascertained 99 Don't know	29 232 0 2 0 1 0	10.98 87.88 0.00 0.76 0.00 0.38 0.00

Frequency Missing = 31164

AHS.307\_02.000: Duration of stroke problem recode 2

ALDURB8	Frequency	Percent
1 Less than 3 months	9	3.41
2 3-5 months	11	4.17
3 6-12 months	25	9.47
4 More than 1 year	218	82.58
7 Refused	0	0.00
8 Not ascertained	1	0.38
9 Don't know	0	0.00

Frequency Missing = 31164

AHS.307\_02.000: Stroke problem condition status

ALCHRC8	Frequency	Percent
1 Chronic	264	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31164

AHS.308\_01.000: Duration of hypertension/hgh blood pressure problem: Number of units

ALTIME9	Frequency	Percent
01-94 1-94	576	95.68
95 95+	0	0.00
96 Since birth	3	0.50
97 Refused	3	0.50
98 Not ascertained	1	0.17
99 Don't know	19	3.16

#### 2005 National Health Interview Survey (NHIS) 68 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.308\_02.000: Duration of hypertension/hgh blood pressure problem: Time unit

ALUNIT9	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.33
3 Month(s)	21	3.49
4 Year(s)	570	94.68
6 Since birth	3	0.50
7 Refused	3	0.50
8 Not ascertained	1	0.17
9 Don't know	2	0.33

Frequency Missing = 30826

AHS.308\_02.000: Duration of hypertension/hgh blood pressure problem (in years)

ALDURA9	Frequency	Percent
00 Less than 1 year	17	2.82
01-84 years	561	93.19
85 85+ years	1	0.17
96 Unknown number of years	17	2.82
97 Refused	3	0.50
98 Not ascertained	1	0.17
99 Don't know	2	0.33

Frequency Missing = 30826

AHS.308\_02.000: Duration of hypertension/hgh problem recode 2

ALDURB9	Frequency	Percent
1 Less than 3 months	5	0.83
2 3-5 months	5	0.83
3 6-12 months	35	5.81
4 More than 1 year	551	91.53
7 Refused	3	0.50
8 Not ascertained	1	0.17
9 Don't know	2	0.33

Frequency Missing = 30826

AHS.308\_02.000: Hypertension/hgh blood pressure problem condition status

ALCHRC9	Frequency	Percent
1 Chronic	602	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

### 2005 National Health Interview Survey (NHIS) 69 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.309\_01.000: Duration of diabetes: Number of units

ALTIME10	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth	474 1	97.73 0.00 0.21
97 Refused 98 Not ascertained 99 Don't know	2 0 8	0.41 0.00 1.65

Frequency Missing = 30943

AHS.309\_02.000: Duration of diabetes: Time unit

ALUNIT10	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.41
3 Month(s)	23	4.74
4 Year(s)	454	93.61
6 Since birth	1	0.21
7 Refused	2	0.41
8 Not ascertained	0	0.00
9 Don't know	3	0.62

Frequency Missing = 30943

AHS.309\_02.000: Duration of diabetes (in years)

ALDURA10	Frequency	Percent
00 Less than 1 year	22	4.54
01-84 years	453	93.40
85 85+ years	0	0.00
96 Unknown number of years	5	1.03
97 Refused	2	0.41
98 Not ascertained	0	0.00
99 Don't know	3	0.62

#### 2005 National Health Interview Survey (NHIS) 70 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.309\_02.000: Duration of diabetes prob recode 2

ALDURB10	Frequency	Percent
1 Less than 3 months	8	1.65
2 3-5 months	8	1.65
3 6-12 months	27	5.57
4 More than 1 year	437	90.10
7 Refused	2	0.41
8 Not ascertained	0	0.00
9 Don't know	3	0.62

Frequency Missing = 30943

AHS.309\_02.000: Diabetes problem condition status

Frequency Missing = 30943

AHS.310\_01.000: Duration of lung/breathing problem: Number of units

ALTIME11	Frequency	Percent
01-94 1-94	658	89.89
95 95+	0	0.00
96 Since birth	56	7.65
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	18	2.46

Frequency Missing = 30696

AHS.310\_02.000: Duration of lung/breathing problem: Time unit

ALUNIT11	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.27
3 Month(s)	33	4.51
4 Year(s)	634	86.61
6 Since birth	56	7.65
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	0.96

#### 2005 National Health Interview Survey (NHIS) 71 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.310\_02.000: Duration of lung/breathing problem (in years)

ALDURA11	Frequency	Percent
00 Less than 1 year	31	4.23
01-84 years	682	93.17
85 85+ years	1	0.14
96 Unknown number of years	11	1.50
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	7	0.96

Frequency Missing = 30696

AHS.310\_02.000: Duration of lung/breathing problem recode 2

ALDURB11	Frequency	Percent
1 Less than 3 months	8	1.09
2 3-5 months	7	0.96
3 6-12 months	72	9.84
4 More than 1 year	638	87.16
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	0.96

Frequency Missing = 30696

AHS.310\_02.000: Lung/breathing problem condition status

ALCHRC11	Frequency	Percent
1 Chronic	717	97.95
2 Not chronic	8	1.09
9 Unknown if chronic	7	0.96

Frequency Missing = 30696

AHS.311\_01.000: Duration of cancer: Number of units

ALTIME12	Frequency	Percent
01-94 1-94	172	97.73
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	4	2.27

### 72 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.311\_02.000: Duration of cancer: Time unit

ALUNIT12	Frequency	Percent
<pre>1 Day(s) 2 Week(s) 3 Month(s) 4 Year(s) 6 Since birth 7 Refused 8 Not ascertained 9 Don't know</pre>	1 0 25 148 0 0 0 0 2	0.57 0.00 14.20 84.09 0.00 0.00 0.00 0.00 1.14

Frequency Missing = 31252

AHS.311\_02.000: Duration of cancer problem (in years)

ALDURA12	Frequency	Percent
00 Less than 1 year	21	11.93
01-84 years	151	85.80
85 85+ years	0	0.00
96 Unknown number of years	2	1.14
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.14

### Frequency Missing = 31252

AHS.311\_02.000: Duration of cancer problem recode 2

ALDURB12	Frequency	Percent
1 Less than 3 months	2	1.14
2 3-5 months	б	3.41
3 6-12 months	34	19.32
4 More than 1 year	132	75.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.14

# Frequency Missing = 31252

AHS.311\_02.000: Cancer problem condition status

ALCHRC12	Frequency	Percent
1 Chronic	176	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

## 2005 National Health Interview Survey (NHIS) 73 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.312\_01.000: Duration of birth defect: Number of units

ALTIME13	Frequency	Percent
01-94 1-94		0.00
95 95+	0	0.00
96 Since birth	51	100.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31377

AHS.312\_02.000: Duration of birth defect: Time unit

ALUNIT13	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	0	0.00
6 Since birth	51	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31377

AHS.312\_02.000: Duration of birth defect problem (in years)

ALDURA13	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	49	96.08
85 85+ years	2	3.92
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

### 2005 National Health Interview Survey (NHIS) 74 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.312\_02.000: Duration of birth defect problem prob recode 2

ALDURB13	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	0	0.00
4 More than 1 year	51	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31377

AHS.312\_02.000: Birth defect problem condition status

ALCHRC13	Frequency	Percent
1 Chronic	 51	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31377

AHS.313\_01.000: Duration of mental retardation: Number of units

ALTIME14	Frequency	Percent
01-94 1-94 95 95+	12 0	34.29 0.00
96 Since birth	20	57.14
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	8.57

Frequency Missing = 31393

AHS.313\_02.000: Duration of mental retardation: Time unit

ALUNIT14	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	1	2.86
4 Year(s)	13	37.14
6 Since birth	20	57.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.86

#### 2005 National Health Interview Survey (NHIS) 75 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.313\_02.000: Duration of mental retardation problem (in years)

ALDURA14	Frequency	Percent
00 Logg then 1 week		2.86
00 Less than 1 year 01-84 years	31	88.57
85 85+ years	0	0.00
96 Unknown number of years	2	5.71
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	2.86

Frequency Missing = 31393

AHS.313\_02.000: Duration of mental retardation problem prob recode 2

ALDURB14	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	2.86
4 More than 1 year	33	94.29
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.86

Frequency Missing = 31393

AHS.313\_02.000: Mental retardation problem condition status

ALCHRC14	Frequency	Percent
1 Chronic	35	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31393

AHS.314\_01.000: Duration of other developmental problem: Number of units

ALTIME15	Frequency	Percent
01-94 1-94	16	61.54
95 95+	0	0.00
96 Since birth	10	38.46
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

## 2005 National Health Interview Survey (NHIS) 76 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.314\_02.000: Duration of other developmental problem: Time unit

ALUNIT15	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	16	61.54
6 Since birth	10	38.46
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31402

AHS.314\_02.000: Duration of other developmental problem (in years)

ALDURA15	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	26	100.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31402

AHS.314\_02.000: Duration of other developmental problem recode 2

ALDURB15	Frequency	Percent
1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused 8 Not ascertained	0 0 0 26 0 0	0.00 0.00 0.00 100.00 0.00 0.00 0.00
9 Don't know	0	0.00

Frequency Missing = 31402

AHS.314\_02.000: Other developmental problem condition status

ALCHRC15	Frequency	Percent
1 Chronic	26	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

## 2005 National Health Interview Survey (NHIS) 77 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.315\_01.000: Duration of senility: Number of units

ALTIME16	Frequency	Percent
01-94 1-94	83	87.37
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	1	1.05
98 Not ascertained	1	1.05
99 Don't know	10	10.53

Frequency Missing = 31333

AHS.315\_02.000: Duration of senility: Time unit

ALUNIT16	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	88	92.63
6 Since birth	0	0.00
7 Refused	1	1.05
8 Not ascertained	1	1.05
9 Don't know	5	5.26

Frequency Missing = 31333

AHS.315\_02.000: Duration of senility problem (in years)

ALDURA16	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	83	87.37
85 85+ years	0	0.00
96 Unknown number of years	5	5.26
97 Refused	1	1.05
98 Not ascertained	1	1.05
99 Don't know	5	5.26

# 2005 National Health Interview Survey (NHIS) 78 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.315\_02.000: Duration of senility problem recode 2

ALDURB16	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	8	8.42
4 More than 1 year	80	84.21
7 Refused	1	1.05
8 Not ascertained	1	1.05
9 Don't know	5	5.26

Frequency Missing = 31333

AHS.315\_02.000: Senility problem condition status

ALCHRC16	Frequency	Percent
1 Chronic 2 Not chronic	95 0	100.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31333

AHS.316\_01.000: Duration of depression/anxiety/emotnl prob: Number of units

ALTIME17	Frequency	Percent
01-94 1-94	720	86.54
95 95+	0	0.00
96 Since birth	78	9.38
97 Refused	3	0.36
98 Not ascertained	1	0.12
99 Don't know	30	3.61

Frequency Missing = 30596

AHS.316\_02.000: Duration of depression/anxiety/emotional problem: Time unit

ALUNIT17	Frequency	Percent
1 Day(s)	2	0.24
2 Week(s)	3	0.36
3 Month(s)	63	7.57
4 Year(s)	666	80.05
6 Since birth	78	9.38
7 Refused	3	0.36
8 Not ascertained	1	0.12
9 Don't know	16	1.92

#### 2005 National Health Interview Survey (NHIS) 79 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.316\_02.000: Duration of depression/anxiety/emotional problem (in years)

ALDURA17	Frequency	Percent
00 Less than 1 year	48	5.77
01-84 years	749	90.02 0.12
85 85+ years 96 Unknown number of years	14	1.68
97 Refused	3	0.36
98 Not ascertained	1	0.12
99 Don't know	16	1.92

Frequency Missing = 30596

AHS.316\_02.000: Duration of depression/anxiety/emotional problem recode 2

ALDURB17	Frequency	Percent
1 Less than 3 months	12	1.44
2 3-5 months	17	2.04
3 6-12 months	61	7.33
4 More than 1 year	722	86.78
7 Refused	3	0.36
8 Not ascertained	1	0.12
9 Don't know	16	1.92

Frequency Missing = 30596

AHS.316\_02.000: Depression/anxiety/emotional problem condition status

ALCHRC17	Frequency	Percent
1 Chronic	800	96.15
2 Not chronic	12	1.44
9 Unknown if chronic	20	2.40

Frequency Missing = 30596

AHS.317\_01.000: Duration of weight problem: Number of units

ALTIME18	Frequency	Percent
01-94 1-94	500	88.03
95 95+	0	0.00
96 Since birth	50	8.80
97 Refused	2	0.35
98 Not ascertained	0	0.00
99 Don't know	16	2.82

### 2005 National Health Interview Survey (NHIS) 80 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.317\_02.000: Duration of weight problem: Time unit

ALUNIT18	Frequency	Percent
<pre>1 Day(s) 2 Week(s) 3 Month(s) 4 Year(s) 6 Since birth 7 Refused 8 Not ascertained</pre>	1 0 26 480 50 2 0	0.18 0.00 4.58 84.51 8.80 0.35 0.00
9 Don't know	9	1.58

Frequency Missing = 30860

AHS.317\_02.000: Duration of weight problem (in years)

ALDURA18	Frequency	Percent
00 Less than 1 year	20	3.52
01-84 years	530	93.31
85 85+ years	0	0.00
96 Unknown number of years	7	1.23
97 Refused	2	0.35
98 Not ascertained	0	0.00
99 Don't know	9	1.58

# Frequency Missing = 30860

AHS.317\_02.000: Duration of weight problem recode 2

ALDURB18	Frequency	Percent
1 Less than 3 months	5	0.88
2 3-5 months	7	1.23
3 6-12 months	40	7.04
4 More than 1 year	505	88.91
7 Refused	2	0.35
8 Not ascertained	0	0.00
9 Don't know	9	1.58

# Frequency Missing = 30860

AHS.317\_02.000: Weight problem condition status

ALCHRC18	Frequency	Percent
1 Chronic	552	97.18
2 Not chronic	5	0.88
9 Unknown if chronic	11	1.94

## 2005 National Health Interview Survey (NHIS) 81 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.318\_01.000: Duration of missing limbs: Number of units

ALTIME19	Frequency	Percent
01-94 1-94	43	100.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

# Frequency Missing = 31385

AHS.318\_02.000: Duration of missing limbs: Time unit

ALUNIT19	Frequency	Percent
1 Day(s)	1	2.33
2 Week(s)	2	4.65
3 Month(s)	5	11.63
4 Year(s)	35	81.40
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31385

AHS.318\_02.000: Duration of missing limbs problem (in years)

ALDURA19	Frequency	Percent
00 Less than 1 year	7	16.28
01-84 years	36	83.72
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

#### 2005 National Health Interview Survey (NHIS) 82 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.318\_02.000: Duration of missing limbs problem recode 2

ALDURB19	Frequency	Percent
1 Less than 3 months	3	6.98
2 3-5 months	1	2.33
3 6-12 months	5	11.63
4 More than 1 year	34	79.07
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31385

AHS.318\_02.000: Missing limbs problem condition status

ALCHRC19	Frequency	Percent
1 Chronic	43	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31385

AHS.319\_01.000: Duration of musculoskeletal problem: Number of units

ALTIME20	Frequency	Percent
01-94 1-94	1483	94.46
95 95+	0	0.00
96 Since birth	39	2.48
97 Refused	3	0.19
98 Not ascertained	1	0.06
99 Don't know	44	2.80

Frequency Missing = 29858

AHS.319\_02.000: Duration of musculoskeletal problem: Time unit

ALUNIT20	Frequency	Percent
1 Day(s)	5	0.32
2 Week(s)	22	1.40
3 Month(s)	174	11.08
4 Year(s)	1298	82.68
6 Since birth	39	2.48
7 Refused	3	0.19
8 Not ascertained	1	0.06
9 Don't know	28	1.78

#### 2005 National Health Interview Survey (NHIS) 83 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.319\_02.000: Duration of musculoskeletal problem (in years)

ALDURA20	Frequency	Percent
00 Less than 1 year	179	11.40
01-84 years	1343	85.54
85 85+ years	0	0.00
96 Unknown number of years	16	1.02
97 Refused	3	0.19
98 Not ascertained	1	0.06
99 Don't know	28	1.78

Frequency Missing = 29858

AHS.319\_02.000: Duration of musculoskeletal problem recode 2

ALDURB20	Frequency	Percent
1 Less than 3 months	66	4.20
2 3-5 months	43	2.74
3 6-12 months	204	12.99
4 More than 1 year	1225	78.03
7 Refused	3	0.19
8 Not ascertained	1	0.06
9 Don't know	28	1.78

Frequency Missing = 29858

AHS.319\_02.000: Musculoskeletal problem condition status

ALCHRC20	Frequency	Percent
1 Chronic	1472	93.76
2 Not chronic	66	4.20
9 Unknown if chronic	32	2.04

Frequency Missing = 29858

AHS.320\_01.000: Duration of circulatory problem: Number of units

ALTIME21	Frequency	Percent
01-94 1-94	230	95.83
95 95+	0	0.00
96 Since birth	2	0.83
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	8	3.33

### 2005 National Health Interview Survey (NHIS) 84 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.320\_02.000: Duration of circulatory problem: Time unit

ALUNIT21	Frequency	Percent
1 Day(s) 2 Week(s) 3 Month(s) 4 Year(s)	0 3 16 213	0.00 1.25 6.67 88.75
6 Since birth	2	0.83
7 Refused	0	0.00
8 Not ascertained 9 Don't know	0 6	0.00 2.50

Frequency Missing = 31188

AHS.320\_02.000: Duration of circulatory problem (in years)

ALDURA21	Frequency	Percent
00 Less than 1 year	17	7.08
01-84 years	215	89.58
85 85+ years	0	0.00
96 Unknown number of years	2	0.83
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	6	2.50

Frequency Missing = 31188

AHS.320\_02.000: Duration of circulatory problem recode 2

ALDURB21	Frequency	Percent
1 Less than 3 months	б	2.50
2 3-5 months	5	2.08
3 6-12 months	27	11.25
4 More than 1 year	196	81.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	б	2.50

Frequency Missing = 31188

AHS.320\_02.000: Circulatory problem condition status

ALCHRC21	Frequency	Percent
1 Chronic	228	95.00
2 Not chronic	6	2.50
9 Unknown if chronic	б	2.50

## 2005 National Health Interview Survey (NHIS) 85 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.321\_01.000: Duration of endocrine problem: Number of units

ALTIME22	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth	86 0 2	96.63 0.00 2.25
97 Refused 98 Not ascertained 99 Don't know	2 0 0 1	0.00 0.00 1.12

# Frequency Missing = 31339

AHS.321\_02.000: Duration of endocrine problem: Time unit

ALUNIT22	Frequency	Percent
1 Day(s)	2	2.25
2 Week(s)	1	1.12
3 Month(s)	9	10.11
4 Year(s)	75	84.27
6 Since birth	2	2.25
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31339

AHS.321\_02.000: Duration of endocrine problem (in years)

ALDURA22	Frequency	Percent
00 Less than 1 year	12	13.48
01-84 years	75	84.27
85 85+ years	1	1.12
96 Unknown number of years	1	1.12
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

### 2005 National Health Interview Survey (NHIS) 86 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.321\_02.000: Duration of endocrine problem recode 2

ALDURB22	Frequency	Percent
1 Less than 3 months	5	5.62
2 3-5 months	3	3.37
3 6-12 months	7	7.87
4 More than 1 year	74	83.15
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31339

AHS.321\_02.000: Endocrine problem condition status

ALCHRC22	Frequency	Percent
1 Chronic	84	94.38
2 Not chronic	5	5.62
9 Unknown if chronic	0	0.00

Frequency Missing = 31339

AHS.322\_01.000: Duration of nervous system condition: Number of units

ALTIME23	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth	562 0 18 3	95.58 0.00 3.06
97 Refused 98 Not ascertained 99 Don't know	0 5	0.51 0.00 0.85

Frequency Missing = 30840

AHS.322\_02.000: Duration of nervous system condition: Time unit

ALUNIT23	Frequency	Percent
1 Day(s)	1	0.17
2 Week(s)	2	0.34
3 Month(s)	49	8.33
4 Year(s)	511	86.90
6 Since birth	18	3.06
7 Refused	3	0.51
8 Not ascertained	0	0.00
9 Don't know	4	0.68

#### 2005 National Health Interview Survey (NHIS) 87 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.322\_02.000: Duration of nervous system condition (in years)

ALDURA23	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years 96 Unknown number of years 97 Refused 98 Not ascertained 99 Don't know	33 547 0 1 3 0 4	5.61 93.03 0.00 0.17 0.51 0.00 0.68
JJ DOII C KIIOW	I	0.00

Frequency Missing = 30840

AHS.322\_02.000: Duration of nervous system condition recode 2

ALDURB23	Frequency	Percent
1 Less than 3 months	11	1.87
2 3-5 months	13	2.21
3 6-12 months	42	7.14
4 More than 1 year	515	87.59
7 Refused	3	0.51
8 Not ascertained	0	0.00
9 Don't know	4	0.68

Frequency Missing = 30840

AHS.322\_02.000: Nervous system condition status

ALCHRC23	Frequency	Percent
1 Chronic	570	96.94
2 Not chronic	11	1.87
9 Unknown if chronic	7	1.19

Frequency Missing = 30840

AHS.323\_01.000: Duration of digestive problems: Number of units

ALTIME24	Frequency	Percent
01-94 1-94	144	96.00
95 95+	0	0.00
96 Since birth	3	2.00
97 Refused	1	0.67
98 Not ascertained	0	0.00
99 Don't know	2	1.33

### 2005 National Health Interview Survey (NHIS) 88 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.323\_02.000: Duration of digestive problems: Number of units

ALUNIT24	Frequency	Percent
<pre>1 Day(s) 2 Week(s) 3 Month(s) 4 Year(s) 6 Since birth 7 Refused 8 Not ascertained 9 Don't know</pre>	1 1 18 124 3 1 0 2	0.67 0.67 12.00 82.67 2.00 0.67 0.00 1.33

Frequency Missing = 31278

AHS.323\_02.000: Duration of digestive problem (in years)

ALDURA24	Frequency	Percent
00 Less than 1 year	16	10.67
01-84 years	131	87.33
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	1	0.67
98 Not ascertained	0	0.00
99 Don't know	2	1.33

Frequency Missing = 31278

AHS.323\_02.000: Duration of digestive problem recode 2

ALDURB24	Frequency	Percent
<pre>1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused</pre>	119 118 1	2.00 4.67 12.67 78.67 0.67
8 Not ascertained 9 Don't know	0 2	0.00 1.33

Frequency Missing = 31278

AHS.323\_02.000: Digestive problem condition status

ALCHRC24	Frequency	Percent
1 Chronic	144	96.00
2 Not chronic	3	2.00
9 Unknown if chronic	3	2.00

# 2005 National Health Interview Survey (NHIS) 89 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.324\_01.000: Duration of genitourinary problem: Number of units

ALTIME25	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained	115 0 6 0 0	92.74 0.00 4.84 0.00 0.00
99 Don't know	3	2.42

# Frequency Missing = 31304

AHS.324\_02.000: Duration of genitourinary problem: Time unit

ALUNIT25	Frequency	Percent
1 Day(s)	1	0.81
2 Week(s)	0	0.00
3 Month(s)	13	10.48
4 Year(s)	103	83.06
6 Since birth	6	4.84
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.81

Frequency Missing = 31304

AHS.324\_02.000: Duration of genitourinary problem (in years)

ALDURA25	Frequency	Percent
00 Less than 1 year	12	9.68
01-84 years	109	87.90
85 85+ years	0	0.00
96 Unknown number of years	2	1.61
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.81

#### 2005 National Health Interview Survey (NHIS) 90 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.324\_02.000: Duration of genitourinary problem recode 2

ALDURB25	Frequency	Percent
1 Less than 3 months	6	4.84
2 3-5 months	3	2.42
3 6-12 months	15	12.10
4 More than 1 year	99	79.84
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.81

Frequency Missing = 31304

AHS.324\_02.000: Genitourinary problem condition status

ALCHRC25	Frequency	Percent
1 Chronic	117	94.35
2 Not chronic	6	4.84
9 Unknown if chronic	1	0.81

Frequency Missing = 31304

AHS.325\_01.000: Duration of skin problems: Number of units

ALTIME26	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained	7 0 0 0 0	100.00 0.00 0.00 0.00 0.00
99 Don't know	0	0.00

Frequency Missing = 31421

AHS.325\_02.000: Duration of skin problems: Time unit

ALUNIT26	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	1	14.29
4 Year(s)	6	85.71
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

### 2005 National Health Interview Survey (NHIS) 91 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.325\_02.000: Duration of skin problem (in years)

ALDURA26	Frequency	Percent
00 Less than 1 year	1	14.29
01-84 years	6	85.71
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31421

AHS.325\_02.000: Duration of skin problem recode 2

ALDURB26	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	14.29
4 More than 1 year	б	85.71
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31421

AHS.325\_02.000: Skin problems condition status

ALCHRC26 Frequer	icy Per	cent
1 Chronic 2 Not chronic 9 Unknown if chronic	0 0	).00 ).00 ).00

Frequency Missing = 31421

AHS.326\_01.000: Duration of blood problem: Number of units

ALTIME27	Frequency	Percent
01-94 1-94	16	80.00
95 95+	0	0.00
96 Since birth	3	15.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	5.00

### 2005 National Health Interview Survey (NHIS) 92 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.326\_02.000: Duration of blood problem: Time unit

ALUNIT27	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	16	80.00
6 Since birth	3	15.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	5.00

Frequency Missing = 31408

AHS.326\_02.000: Duration of blood problem (in years)

ALDURA27	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	19	95.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	5.00

# Frequency Missing = 31408

AHS.326\_02.000: Duration of blood problem recode 2

ALDURB27	Frequency	Percent
1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused	0 0 2 17 0	0.00 0.00 10.00 85.00 0.00
8 Not ascertained 9 Don't know	0	0.00 5.00
5 2011 C 11110W	±	5.00

# Frequency Missing = 31408

AHS.326\_02.000: Blood problem condition status

ALCHRC27	Frequency	Percent
1 Chronic	19	95.00
2 Not chronic	0	0.00
9 Unknown if chronic	1	5.00

## 2005 National Health Interview Survey (NHIS) 93 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.327\_01.000: Duration of benign tumor: Number of units

ALTIME28	Frequency	Percent
ALTIME28 01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained	Frequency 24 0 2 0 0	92.31 0.00 7.69 0.00 0.00
99 Don't know	0	0.00

# Frequency Missing = 31402

AHS.327\_02.000: Duration of benign tumor: Time unit

ALUNIT28	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	3.85
3 Month(s)	4	15.38
4 Year(s)	19	73.08
6 Since birth	2	7.69
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31402

AHS.327\_02.000: Duration of benign tumor (in years)

ALDURA28	Frequency	Percent
00 Less than 1 year	5	19.23
01-84 years	21	80.77
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

### 2005 National Health Interview Survey (NHIS) 94 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.327\_02.000: Duration of benign tumor recode 2

ALDURB28	Frequency	Percent
1 Less than 3 months	2	7.69
2 3-5 months	0	0.00
3 6-12 months	4	15.38
4 More than 1 year	20	76.92
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31402

AHS.327\_02.000: Benign tumor condition status

ALCHRC28	Frequency	Percent
1 Chronic	24	92.31
2 Not chronic	2	7.69
9 Unknown if chronic	0	0.00

Frequency Missing = 31402

AHS.328\_01.000: Duration of alcohol or drug problem: Number of units

ALTIME29	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained 99 Don't know	3 0 0 0 0 0	100.00 0.00 0.00 0.00 0.00 0.00

Frequency Missing = 31425

AHS.328\_02.000: Duration of alcohol or drug problem: Time unit

ALUNIT29	Frequency	Percent
1 Day(s) 2 Week(s) 3 Month(s)	0 0 1	0.00 0.00 33.33
4 Year(s)	2	66.67
6 Since birth 7 Refused	0	0.00 0.00
8 Not ascertained 9 Don't know	0 0	0.00 0.00

### 2005 National Health Interview Survey (NHIS) 95 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.328\_02.000: Duration of alcohol or drug problem (in years)

ALDURA29	Frequency	Percent
00 Less than 1 year	1	33.33
01-84 years	2	66.67
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

# Frequency Missing = 31425

AHS.328\_02.000: Duration of alcohol or drug problem recode 2

ALDURB29	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	1	33.33
3 6-12 months	0	0.00
4 More than 1 year	2	66.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31425

AHS.328\_02.000: Alcohol or drug problem condition status

ALCHRC29	Frequency	Percent
1 Chronic	3	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31425

AHS.329\_01.000: Duration of other mental problem: Number of units

ALTIME30	Frequency	Percent
01-94 1-94	10	55.56
95 95+	0	0.00
96 Since birth	7	38.89
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	5.56

### 2005 National Health Interview Survey (NHIS) 96 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.329\_02.000: Duration of other mental problem: Time unit

ALUNIT30	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	11	61.11
6 Since birth	7	38.89
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31410

AHS.329\_02.000: Duration of other mental problem (in years)

ALDURA30	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	17	94.44
85 85+ years	0	0.00
96 Unknown number of years	1	5.56
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31410

AHS.329\_02.000: Duration of other mental problem recode 2

ALDURB30	Frequency	Percent
1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused 8 Not ascertained	0 0 1 17 0 0	0.00 0.00 5.56 94.44 0.00 0.00
9 Don't know	0	0.00

Frequency Missing = 31410

AHS.329\_02.000: Other mental problem condition status

ALCHRC30	Frequency	Percent
1 Chronic	18	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

# 2005 National Health Interview Survey (NHIS) 97 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.330\_01.000: Duration of surgical after-effects: Number of units

ALTIME31	Frequency	Percent
01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained	38 0 0 0 0 0	97.44 0.00 0.00 0.00 0.00
99 Don't know	1	2.56

# Frequency Missing = 31389

AHS.330\_02.000: Duration of surgical after-effects: Time unit

ALUNIT31	Frequency	Percent
1 Day(s)	8	20.51
2 Week(s)	4	10.26
3 Month(s)	14	35.90
4 Year(s)	12	30.77
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.56

Frequency Missing = 31389

AHS.330\_02.000: Duration of surgical after-effects (in years)

ALDURA31	Frequency	Percent
00 Less than 1 year	25	64.10
01-84 years	13	33.33
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	2.56

### 2005 National Health Interview Survey (NHIS) 98 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.330\_02.000: Duration of surgical after-effects recode 2

ALDURB31	Frequency	Percent
1 Less than 3 months	16	41.03
2 3-5 months	6	15.38
3 6-12 months	8	20.51
4 More than 1 year	8	20.51
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.56

Frequency Missing = 31389

AHS.330\_02.000: Surgical after-effects condition status

ALCHRC31	Frequency	Percent
1 Chronic	22	56.41
2 Not chronic	16	41.03
9 Unknown if chronic	1	2.56

Frequency Missing = 31389

AHS.331\_01.000: Duration of "old age": Number of units

ALTIME32	Frequency	Percent
01-94 1-94	123	75.00
95 95+	0	0.00
96 Since birth	2	1.22
97 Refused	3	1.83
98 Not ascertained	0	0.00
99 Don't know	36	21.95

Frequency Missing = 31264

AHS.331\_02.000: Duration of "old age": Number of units

Frequency	Percent
0 0	0.00
5 131 2	3.05 79.88 1.22
3 0 23	1.83 0.00 14.02
	0 0 5 131 2 3 0

### 2005 National Health Interview Survey (NHIS) 99 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.331\_02.000: Duration of "old age" (in years)

ALDURA32	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years 96 Unknown number of years 97 Refused 98 Not ascertained	5 117 3 13 3 0	3.05 71.34 1.83 7.93 1.83 0.00
99 Don't know	23	14.02

Frequency Missing = 31264

AHS.331\_02.000: Duration of "old age", recode 2

ALDURB32	Frequency	Percent
1 Less than 3 months	1	0.61
2 3-5 months	3	1.83
3 6-12 months	21	12.80
4 More than 1 year	113	68.90
7 Refused	3	1.83
8 Not ascertained	0	0.00
9 Don't know	23	14.02

Frequency Missing = 31264

AHS.331\_02.000: "Old age" condition status

ALCHRC32	Frequency	Percent
1 Chronic	164	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31264

AHS.332\_01.000: Duration of fatigue problem: Number of units

ALTIME33	Frequency	Percent
01-94 1-94	65	82.28
95 95+	0	0.00
96 Since birth	4	5.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	10	12.66

# 2005 National Health Interview Survey (NHIS) 100 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.332\_02.000: Duration of fatigue problem: Time unit

ALUNIT33	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	1.27
3 Month(s)	9	11.39
4 Year(s)	59	74.68
6 Since birth	4	5.06
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	7.59

Frequency Missing = 31349

AHS.332\_02.000: Duration of fatigue problem (in years)

ALDURA33	Frequency	Percent
00 Less than 1 year	10	12.66
01-84 years	59	74.68
85 85+ years	0	0.00
96 Unknown number of years	4	5.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	6	7.59

Frequency Missing = 31349

AHS.332\_02.000: Duration of fatigue problem recode 2

ALDURB33	Frequency	Percent
1 Less than 3 months 2 3-5 months 3 6-12 months 4 More than 1 year 7 Refused 8 Not ascertained	4 1 16 52 0	5.06 1.27 20.25 65.82 0.00 0.00
9 Don't know	6	7.59

Frequency Missing = 31349

AHS.332\_02.000: Fatigue problem condition status

ALCHRC33	Frequency	Percent
1 Chronic	69	87.34
2 Not chronic	4	5.06
9 Unknown if chronic	б	7.59

# 2005 National Health Interview Survey (NHIS) 101 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.333\_01.000: Duration of pregnancy-related problem: Number of units

01-94       1-94       43       100.00         95       95+       0       0.00         96       Since birth       0       0.00         97       Refused       0       0.00         98       Not ascertained       0       0.00	ALTIME34	Frequency	Percent
99 Don't know 0 0.00	01-94 1-94 95 95+ 96 Since birth 97 Refused 98 Not ascertained		100.00 0.00 0.00 0.00 0.00 0.00

# Frequency Missing = 31385

AHS.333\_02.000: Duration of pregnancy-related problem: Time unit

ALUNIT34	Frequency	Percent
1 Day(s)	1	2.33
2 Week(s)	5	11.63
3 Month(s)	37	86.05
4 Year(s)	0	0.00
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31385

AHS.333\_02.000: Duration of pregnancy-related problem (in years)

ALDURA34	Frequency	Percent
00 Less than 1 year	43	100.00
01-84 years	0	0.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

# 2005 National Health Interview Survey (NHIS) 102 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.333\_02.000: Duration of pregnancy-related problem recode 2

ALDURB34	Frequency	Percent
1 Less than 3 months	8	18.60
2 3-5 months	8	18.60
3 6-12 months	27	62.79
4 More than 1 year	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31385

AHS.333\_02.000: Pregnancy-related condition status

ALCHRC34	Frequency	Percent
1 Chronic	0	0.00
2 Not chronic	43	100.00
9 Unknown if chronic	0	0.00

Frequency Missing = 31385

AHS.335\_01.000: Duration of other N.E.C. problem (1): Number of units

ALTIME90	Frequency	Percent
01-94 1-94	293	85.92
95 95+	1	0.29
96 Since birth	29	8.50
97 Refused	1	0.29
98 Not ascertained	0	0.00
99 Don't know	17	4.99

Frequency Missing = 31087

AHS.335\_02.000: Duration of other N.E.C. problem (1): Time unit

ALUNIT90	Frequency	Percent
1 Day(s)	б	1.76
2 Week(s)	б	1.76
3 Month(s)	35	10.26
4 Year(s)	255	74.78
6 Since birth	29	8.50
7 Refused	1	0.29
8 Not ascertained	0	0.00
9 Don't know	9	2.64

# 2005 National Health Interview Survey (NHIS) 103 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.335\_02.000: Duration of other N.E.C. problem (1) (in years)

ALDURA90	Frequency	Percent
00 Less than 1 year 01-84 years 85 85+ years		10.85 83.87 0.00
96 Unknown number of years	8	2.35
97 Refused	1	0.29
98 Not ascertained	0	0.00
99 Don't know	9	2.64

Frequency Missing = 31087

AHS.335\_02.000: Duration of other N.E.C. problem (1) recode 2

ALDURB90	Frequency	Percent
1 Less than 3 months 2 3-5 months	18 8	5.28 2.35
3 6-12 months	38	11.14
4 More than 1 year	267	78.30
7 Refused	1	0.29
8 Not ascertained	0	0.00
9 Don't know	9	2.64

Frequency Missing = 31087

AHS.335\_02.000: Other N.E.C. problem (1) condition status

ALCHRC90	Frequency	Percent
1 Chronic	313	91.79
2 Not chronic	18	5.28
9 Unknown if chronic	10	2.93

Frequency Missing = 31087

AHS.336\_01.000: Duration of other N.E.C. problem (2): Number of units

ALTIME91	Frequency	Percent
01-94 1-94	1	100.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

# 2005 National Health Interview Survey (NHIS) 104 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.336\_02.000: Duration of other N.E.C. problem (2): Time unit

ALUNIT91	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	1	100.00
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31427

AHS.336\_02.000: Duration of other N.E.C. problem (2) (in years)

ALDURA91	Frequency	Percent
	·	
00 Less than 1 year	0	0.00
01-84 years 85 85+ years	1 0	100.00 0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31427

AHS.336\_02.000: Duration of other N.E.C. problem (2) recode2

ALDURB91	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	0	0.00
4 More than 1 year	1	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31427

AHS.336\_02.000: Other N.E.C. problem (2) condition status

ALCHRC91	Frequency	Percent
1 Chronic	1	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

# 2005 National Health Interview Survey (NHIS) 105 Sample Adult Public Use File (samadult) AHS Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHS.336\_02.000: Chronic cond rec for ind w/functl lim

ALCNDRT	Frequency	Percent
1 At least one chronic cond causes functl lim 2 No chronic cond causes functl lim	 10296 312	95.03 2.88
9 Unk if any chronic cond causes functl lim	227	2.10

Frequency Missing = 20593

AHS.336\_02.000: Overall functl lim recode by cond status

ALCHRONR	Frequency	Percent
0 Not limited in any way (incl unk if limited)	20593	65.52
1 Limited; caused by at least one chronic cond	10296	32.76
2 Limited; not caused by chronic cond	312	0.99
3 Limited; unk if cond is chronic	227	0.72

# 2005 National Health Interview Survey (NHIS) 106 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.010\_00.000: Ever smoked 100 cigarettes

SMKEV	Frequency	Percent
1 Yes	13304	42.33
2 No	17847	56.79
7 Refused	149	0.47
8 Not ascertained	78	0.25
9 Don't know	50	0.16

AHB.020\_00.000: Age first smoked fairly regularly

SMKREG	Frequency	Percent
06-84 6 - 84 years	12680	95.31
85 85 years or older	0	0.00
96 Never smoked regularly	351	2.64
97 Refused	32	0.24
98 Not ascertained	6	0.05
99 Don't know	235	1.77

Frequency Missing = 18124

AHB.030\_00.000: Smoke freq: everyday/some days/not at all

SMKNOW	Frequency	Percent
1 Every day	 5171	38.87
2 Some days	1340	10.07
3 Not at all	6774	50.92
7 Refused	11	0.08
8 Not ascertained	7	0.05
9 Don't know	1	0.01

Frequency Missing = 18124

AHB.030\_00.000: Smoking Status: Recode

SMKSTAT2	Frequency	Percent
1 Current every day smoker	5171	16.45
2 Current some day smoker	1340	4.26
3 Former smoker	6774	21.55
4 Never smoker	17847	56.79
5 Smoker, current status unknown	19	0.06
9 Unknown if ever smoked	277	0.88

### 2005 National Health Interview Survey (NHIS) 107 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.040\_01.000: Time since quit: # of units

SMKQTNO	Frequency	Percent
01-94 1 - 94 95 95+	6672 0	98.49
97 Refused	8	0.12
98 Not ascertained 99 Don't know	1 93	0.01 1.37

# Frequency Missing = 24654

AHB.040\_02.000: Time since quit: time period

SMKQTTP	Frequency	Percent
1 Day(s)	31	0.46
2 Week(s)	56	0.83
3 Month(s)	458	6.76
4 Year(s)	6127	90.45
7 Refused	8	0.12
8 Not ascertained	1	0.01
9 Don't know	93	1.37

Frequency Missing = 24654

AHB.040\_02.000: Time since quit smoking (in years)

SMKQTY	Frequency	Percent
00 Less than 1 year	477	7.04
01-69 1-69 years	6193	91.42
70 70+ years	2	0.03
97 Refused	8	0.12
98 Not ascertained	1	0.01
99 Don't know	93	1.37

Frequency Missing = 24654

AHB.050\_00.000: Number cigs per day (daily smokers)

CIGSDA1	Frequency	Percent
01-94 1 - 94 cigarettes 95 95+ cigarettes 97 Refused 98 Not ascertained 99 Don't know	5111 0 11 1 48	98.84 0.00 0.21 0.02 0.93

### 2005 National Health Interview Survey (NHIS) 108 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.060\_00.000: Number days smoked in past 30 days

CIGDAMO	Frequency	Percent
00 None 01-30 1-30 days 97 Refused	40 1236 4	2.99 92.24 0.30
98 Not ascertained 99 Don't know	0 60	$0.00 \\ 4.48$

# Frequency Missing = 30088

AHB.070\_00.000: Number cigs per day (some day smokers)

CIGSDA2 Fr	equency	Percent
01-94 1 - 94 cigarettes	1255	96.54
95 95+ cigarettes	0	0.00
97 Refused	5	0.38
98 Not ascertained	0	0.00
99 Don't know	40	3.08

# Frequency Missing = 30128

AHB.070\_00.000: Number of cigarettes a day (all current smokers)

CIGSDAY	Frequency	Percent
01-94 1 - 94 cigarettes 95 95+ cigarettes 97 Refused 98 Not ascertained 99 Don't know	6366 0 16 1 88	98.38 0.00 0.25 0.02 1.36

Frequency Missing = 24957

AHB.080\_00.000: Tried quit smoking 1+ days, past 12 m

CIGQTYR	Frequency	Percent
1 Yes	2747	42.19
2 No	3746	57.53
7 Refused	7	0.11
8 Not ascertained	2	0.03
9 Don't know	9	0.14

# 2005 National Health Interview Survey (NHIS) 109 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.090\_01.000: Freq vigorous activity: # of units

VIGNO	Frequency	Percent
000 Never	18934	60.25
001-995 1-995 time(s)	10912	34.72
996 Unable to do this type activity	1044	3.32
997 Refused	151	0.48
998 Not ascertained	237	0.75
999 Don't know	150	0.48

AHB.090\_02.000: Freq vigorous activity: Time units

VIGTP	Frequency	Percent
0 Never	18934	60.25
1 Per day	1431	4.55
2 Per week	8518	27.10
3 Per month	747	2.38
4 Per year	216	0.69
6 Unable to do this activity	1044	3.32
7 Refused	151	0.48
8 Not ascertained	237	0.75
9 Don't know	150	0.48

AHB.090\_02.000: Freq vigorous activity (times per wk)

VIGFREQW	Frequency	Percent
00 Less than once per week	701	2.23
01-28 1-28 times per week	10211	32.49
95 Never	18934	60.25
96 Unable to do vigorous activity	1044	3.32
97 Refused	151	0.48
98 Not ascertained	237	0.75
99 Don't know	150	0.48

AHB.100\_01.000: Duration vigorous activity: # units

VIGLNGNO	Frequency	Percent
001-995 1-995	10824	99.19
997 Refused	0	0.00
998 Not ascertained	12	0.11
999 Don't know	76	0.70

# 2005 National Health Interview Survey (NHIS) 110 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.100\_02.000: Duration vigorous activity: Time unit

VIGLNGTP	Frequency	Percent
1 Minutes	6950	63.69
2 Hours	3874	35.50
7 Refused	0	0.00
8 Not ascertained	12	0.11
9 Don't know	76	0.70

### Frequency Missing = 20516

AHB.100\_02.000: Duration vigorous activity (in minutes)

Frequency	Percent
10824	99.19
0	0.00
12	0.11
76	0.70
	10824 0 12

Frequency Missing = 20516

AHB.110\_01.000: Freq moderate activity: # of units

MODNO	Frequency	Percent
000 Never	14948	47.56
001-995 1-995 time(s)	14957	47.59
996 Unable to do this type activity	748	2.38
997 Refused	146	0.46
998 Not ascertained	338	1.08
999 Don't know	291	0.93

AHB.110\_02.000: Freq moderate activity: Time units

MODTP	Frequency	Percent
0 Never	14948	47.56
1 Per day	3533	11.24
2 Per week	10645	33.87
3 Per month	642	2.04
4 Per year	137	0.44
6 Unable to do this activity	748	2.38
7 Refused	146	0.46
8 Not ascertained	338	1.08
9 Don't know	291	0.93

# 2005 National Health Interview Survey (NHIS) 111 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.110\_02.000: Freq light/moderate activity (times per wk)

MODFREQW	Frequency	Percent
00 Less than once per week	505	1.61
01-28 1-28 times per week	14452	45.98
95 Never	14948	47.56
96 Unable to do light or moderate activity	748	2.38
97 Refused	146	0.46
98 Not ascertained	338	1.08
99 Don't know	291	0.93

AHB.120\_01.000: Duration moderate activity: # of units

MODLNGNO	Frequency	Percent
001-995 1-995	14741	98.56
997 Refused	1	0.01
998 Not ascertained	15	0.10
999 Don't know	200	1.34

Frequency Missing = 16471

AHB.120\_02.000: Duration moderate activity: Time unit

MODLNGTP	Frequency	Percent
1 Minutes	10635	71.10
2 Hours	4106	27.45
7 Refused	1	0.01
8 Not ascertained	15	0.10
9 Don't know	200	1.34

Frequency Missing = 16471

AHB.120\_02.000: Duration light/moderate activity (in minutes)

MODMIN	Frequency	Percent
010-720 10-720 minutes	14741	98.56
997 Refused	1	0.01
998 Not ascertained	15	0.10
999 Don't know	200	1.34

# 2005 National Health Interview Survey (NHIS) 112 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.130\_01.000: Strength activity freq: # of units

STRNGNO	Frequency	Percent
000 Never	23307	74.16
001-995 1-995 time(s)	6934	22.06
996 Unable to do this type activity	746	2.37
997 Refused	148	0.47
998 Not ascertained	184	0.59
999 Don't know	109	0.35

AHB.130\_02.000: Strength activity freq: Time units

STRNGTP	Frequency	Percent
0 Never	23307	74.16
1 Per day	867	2.76
2 Per week	5584	17.77
3 Per month	392	1.25
4 Per year	91	0.29
6 Unable to do this activity	746	2.37
7 Refused	148	0.47
8 Not ascertained	184	0.59
9 Don't know	109	0.35

AHB.130\_02.000: Freq strength activity (times per wk)

STRFREQW	Frequency	Percent
00 Less than once per week	358	1.14
01-28 1-28 times per week	6576	20.92
95 Never	23307	74.16
96 Unable to do strength activity	746	2.37
97 Refused	148	0.47
98 Not ascertained	184	0.59
99 Don't know	109	0.35

AHB.140\_00.000: Ever had 12+ drinks in any one year

ALC1YR	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know	18584 12334 268 166 76	59.13 39.25 0.85 0.53 0.24

#### 2005 National Health Interview Survey (NHIS) 113 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.150\_00.000: Had 12+ drinks in ENTIRE LIFE

ALCLIFE	Frequency	Percent
1 Voc	ле <del>л</del> 1	25 50
1 Yes	4571	35.59
2 No	7750	60.34
7 Refused	266	2.07
8 Not ascertained	167	1.30
9 Don't know	90	0.70

# Frequency Missing = 18584

AHB.160\_01.000: Freq drank alcohol pst yr: # of units

ALC12MNO	Frequency	Percent
000 Never 001-365 1-365 day(s) 997 Refused 998 Not ascertained	4681 18076 102 7	20.22 78.07 0.44 0.03
999 Don't know	289	1.25

Frequency Missing = 8273

AHB.160\_02.000: Freq drank alcohol pst yr: Time unit

ALC12MTP	Frequency	Percent
0 Never/None	4681	20.22
1 Week	8232	35.55
2 Month	4742	20.48
3 Year	5102	22.03
7 Refused	102	0.44
8 Not ascertained	7	0.03
9 Don't know	289	1.25

Frequency Missing = 8273

AHB.160\_02.000: Freq drank alcohol: Days per week

ALC12MWK	Frequency	Percent
00 Less than one day per week	8678	37.48
01-07 1-7 days per week	9398	40.59
95 Did not drink in past year	4681	20.22
97 Refused	102	0.44
98 Not ascertained	7	0.03
99 Don't know	289	1.25

# 2005 National Health Interview Survey (NHIS) 114 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.160\_02.000: Freq drank alcohol: Days in past year

ALC12MYR	Frequency	Percent
000 Never/none 001-365 1-365 days 997 Refused 998 Not ascertained	4681 18076 102 7	20.22 78.07 0.44 0.03
999 Don't know	289	1.25

# Frequency Missing = 8273

AHB.170\_00.000: Average # drinks on days drank

ALCAMT	Frequency	Percent
01-94 1-94 drinks 95 95+ drinks 97 Refused 98 Not ascertained 99 Don't know	17952 2 19 2 101	99.31 0.01 0.11 0.01 0.56

Frequency Missing = 13352

# AHB.170\_00.000: Alcohol drinking status: Recode

ALCSTAT	Frequency	Percent
01 Lifetime abstainer	7750	24.66
02 Former infrequent	2613	8.31
03 Former regular	2062	6.56
04 Former, unknown frequency	6	0.02
05 Current infrequent	3634	11.56
06 Current light	8558	27.23
07 Current moderate	4249	13.52
08 Current heavier	1513	4.81
09 Current drinker, frequency/level unknown	122	0.39
10 Drinking status unknown	921	2.93

AHB.180\_01.000: Days 5+ drinks, past yr: # days

Frequency	Percent
12138 5629	67.15 31.14
25	0.14
3	0.02
281	1.55
	12138 5629 25 3

# 2005 National Health Interview Survey (NHIS) 115 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.180\_02.000: Days 5+ drinks, past yr: Time unit

ALC5UPTP	Frequency	Percent
0 Never/None	12138	67.15
1 Per week	843	4.66
2 Per month	560	3.10
3 Per year	4226	23.38
7 Refused	25	0.14
8 Not ascertained	3	0.02
9 Don't know	281	1.55

Frequency Missing = 13352

AHB.180\_02.000: Number of days had 5+ drinks past year

ALC5UPYR	Frequency	Percent
000 Never/none	12138	67.15
001-365 1-365 days	5629	31.14
997 Refused	25	0.14
998 Not ascertained	3	0.02
999 Don't know	281	1.55

Frequency Missing = 13352

AHB.190\_04.000: Total height in inches

AHEIGHT	Frequency	Percent
59-76 inches	28902	91.96
96 Not available	1917	6.10
97 Refused	188	0.60
98 Not ascertained	231	0.74
99 Don't know	190	0.60

AHB.200\_02.000: Weight without shoes (pounds)

AWEIGHTP	Frequency	Percent
099-285 99-285 pounds	28206	89.75
996 Not available	1917	6.10
997 Refused	656	2.09
998 Not ascertained	200	0.64
999 Don't know	449	1.43

# 2005 National Health Interview Survey (NHIS) 116 Sample Adult Public Use File (samadult) AHB Variables Wednesday, May 31, 2006 Unweighted Frequencies

AHB.200\_02.000: Body Mass Index (BMI)

BMI	Frequency	Percent
0001-9994 00.01-99.94	29998	95.45
9995 99.95+	0	0.00
9999 Unknown	1430	4.55

# AHB.210\_00.000: Hours of sleep

SLEEP	Frequency	Percent
01-24 1-24 hours	30741	97.81
97 Refused	158	0.50
98 Not ascertained	204	0.65
99 Don't know	325	1.03

# 2005 National Health Interview Survey (NHIS) 117 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.020\_00.000: Place USUALLY go when sick

AUSUALPL	Frequency	Percent
1 Yes 2 There is NO place 3 There is MORE THAN ONE place 7 Refused 8 Not ascertained 9 Don't know	26055 4670 404 62 229 8	82.90 14.86 1.29 0.20 0.73 0.03
J DOIL C MIIOW	0	0.05

AAU.030\_00.000: Place to go when sick (most often)

APLKIND	Frequency	Percent
1 Clinic or health center	4694	17.74
2 Doctor's office or HMO	20555	77.69
3 Hospital emergency room	264	1.00
4 Hospital outpatient department	456	1.72
5 Some other place	221	0.84
6 Doesn't go to one place most often	255	0.96
7 Refused	6	0.02
8 Not ascertained	1	0.00
9 Don't know	7	0.03

Frequency Missing = 4969

AAU.035\_00.000: USUALLY go there for routine/preventive care

AHCPLROU	Frequency	Percent
1 Yes	24626	94.03
2 No 7 Refused	1548 2	5.91 0.01
8 Not ascertained	6	0.02
9 Don't know	8	0.03

# 2005 National Health Interview Survey (NHIS) 118 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.037\_00.000: Place USUALLY go for routine/preventive care

AHCPLKND	Frequency	Percent
0 Doesn't get preventive care anywhere	3652	53.69
1 Clinic or health center	688	10.11
2 Doctor's office or HMO	1408	20.70
3 Hospital emergency room	136	2.00
4 Hospital outpatient department	84	1.23
5 Some other place	86	1.26
6 Doesn't go to one place most often	432	6.35
7 Refused	66	0.97
8 Not ascertained	237	3.48
9 Don't know	13	0.19

Frequency Missing = 24626

AAU.040\_00.000: Change health care place, past 12 m

Frequency	Percent
2108 24307	7.97 91.87
16	0.06
10	0.04
18	0.07
	2108 24307 16 10

Frequency Missing = 4969

AAU.050\_00.000: Change related to health insurance

AHCCHGHI	Frequency	Percent
1 Yes	638	30.27
2 No	1468	69.64
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.09

Frequency Missing = 29320

AAU.061\_01.000: Couldn't get through on phone, past 12 m

AHCDLYR1	Frequency	Percent
l Yes	749	2.38
2 No	30334	96.52
7 Refused	67	0.21
8 Not ascertained	250	0.80
9 Don't know	28	0.09

# 2005 National Health Interview Survey (NHIS) 119 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.061\_02.000: Couldn't get appt soon enough, past 12 m

AHCDLYR2	Frequency	Percent
1 Yes 2 No	1570 29514	5.00 93.91
7 Refused	67	0.21
8 Not ascertained	251	0.80
9 Don't know	26	0.08

AAU.061\_03.000: Wait too long in dr's office, past 12 m

AHCDLYR3	Frequency	Percent
1 Yes	1515	4.82
2 No	29565	94.07
7 Refused	68	0.22
8 Not ascertained	252	0.80
9 Don't know	28	0.09

AAU.061\_04.000: Not open when you could go, past 12  $\rm m$ 

AHCDLYR4	Frequency	Percent
1		
1 Yes	875	2.78
2 No	30202	96.10
7 Refused	67	0.21
8 Not ascertained	253	0.81
9 Don't know	31	0.10

AAU.061\_05.000: No transportation, past 12 m

AHCDLYR5	Frequency	Percent
1 Yes	647	2.06
2 No	30439	96.85
7 Refused	66	0.21
8 Not ascertained	253	0.81
9 Don't know	23	0.07

# AAU.111\_01.000: Can't afford prescription medicine, past 12 m

AHCAFYR1	Frequency	Percent
1 Yes	2933	9.33
2 No	28162	89.61
7 Refused	60	0.19
8 Not ascertained	259	0.82
9 Don't know	14	0.04

# 2005 National Health Interview Survey (NHIS) 120 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.111\_02.000: Can't afford mental health care/counseling, 12 m

AHCAFYR2	Frequency	Percent
1 Yes	867	2.76
	001	
2 No	30225	96.17
7 Refused	59	0.19
8 Not ascertained	259	0.82
9 Don't know	18	0.06

AAU.111\_03.000: Can't afford dental care, past 12 m

AHCAFYR3	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained	3902 27186 57 262 21	12.42 86.50 0.18 0.83
9 Don't know	21	0.07

AAU.111\_04.000: Can't afford eyeglasses, past 12 m

AHCAFYR4	Frequency	Percent
1 Yes	2304	7.33
2 No	28777	91.56
7 Refused	59	0.19
8 Not ascertained	262	0.83
9 Don't know	26	0.08

# AAU.135\_00.000: Time since last saw a dentist

ADNLONG2	Frequency	Percent
<pre>0 Never 1 6 months or less 2 More than 6 mos, but not more than 1 yr ago 3 More than 1 yr, but not more than 2 yrs ago 4 More than 2 yrs, but not more than 5 yrs ago 5 More than 5 years ago 7 Refused 8 Not ascertained</pre>	354 13289 5379 3951 3673 4149 136 272	1.13 42.28 17.12 12.57 11.69 13.20 0.43 0.87
9 Don't know	225	0.72

# 2005 National Health Interview Survey (NHIS) 121 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.141\_01.000: Seen/talked to mental health professional, past 12 m

AHCSYR1	Frequency	Percent
1 Yes 2 No	2242 28764	7.13
7 Refused	28764 117	0.37
8 Not ascertained	285	0.91
9 Don't know	20	0.06

AAU.141\_02.000: Seen/talked to eye doctor, past 12 m

AHCSYR2	Frequency	Percent
1 Yes	11536	36.71
2 No	19443	61.87
7 Refused	109	0.35
8 Not ascertained	291	0.93
9 Don't know	49	0.16

AAU.141\_03.000: Seen/talked to foot doctor, past 12 m

AHCSYR3	Frequency	Percent
1 Yes	2299	7.32
2 No	28701	91.32
7 Refused	109	0.35
8 Not ascertained	291	0.93
9 Don't know	28	0.09

AAU.141\_04.000: Seen/talked to a chiropractor, past 12 m

AHCSYR4	Frequency	Percent
1 Yes	2705	8.61
2 No	28294	90.03
7 Refused	109	0.35
8 Not ascertained	292	0.93
9 Don't know	28	0.09

# AAU.141\_05.000: Seen/talked to therapist (PT/OT/etc.), past 12 m

AHCSYR5	Frequency	Percent
1 Yes	2617	8.33
2 No	28373	90.28
7 Refused	110	0.35
8 Not ascertained	295	0.94
9 Don't know	33	0.11

# 2005 National Health Interview Survey (NHIS) 122 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.141\_06.000: Seen/talked to a NP/PA/midwife, past 12 m

AHCSYR6	Frequency	Percent
1 Yes	4652	14.80
2 No	26293	83.66
7 Refused	106	0.34
8 Not ascertained	298	0.95
9 Don't know	79	0.25

AAU.200\_00.000: Seen/talked to OB/GYN, past 12 m

AHCSYR7	Frequency	Percent
1 Voc	7266	41.13
1 Yes		
2 No	10148	57.44
7 Refused	73	0.41
8 Not ascertained	157	0.89
9 Don't know	22	0.12

Frequency Missing = 13762

AAU.211\_01.000: Seen/talked to a medical specialist, past 12 m

AHCSYR8	Frequency	Percent
1 Yes	8364	26.61
2 No	22609	71.94
7 Refused	113	0.36
8 Not ascertained	304	0.97
9 Don't know	38	0.12

AAU.211\_02.000: Seen/talked to a general doctor, past 12 m

AHCSYR9	Frequency	Percent
1 Yes	20853	66.35
2 No	10121	32.20
7 Refused	104	0.33
8 Not ascertained	305	0.97
9 Don't know	45	0.14

# 2005 National Health Interview Survey (NHIS) 123 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.230\_00.000: Doctor treats both kids and adults

AHCSYR10	Frequency	Percent
1 Yes 2 No	11000 7838	52.75 37.59
7 Refused	8	0.04
8 Not ascertained	1	0.00
9 Don't know	2006	9.62

# Frequency Missing = 10575

AAU.240\_00.000: # times in ER/ED, past 12 m

AHERNOY2	Frequency	Percent
00 None	24422	77.71
01 1 02 2-3	4214 1680	13.41 5.35
03 4-5	379	1.21
04 6-7	131	0.42
05 8-9	47	0.15
06 10-12	51	0.16
07 13-15	15	0.05
08 16 or more	37	0.12
97 Refused	81	0.26
98 Not ascertained	319	1.02
99 Don't know	52	0.17

AAU.250\_00.000: Received home care from health professional, past 12 m

AHCHYR	Frequency	Percent
1 Yes	717	2.28
2 No	30316	96.46
7 Refused	63	0.20
8 Not ascertained	319	1.02
9 Don't know	13	0.04

AAU.260\_00.000: # months of home care, past 12 m

AHCHMOYR	Frequency	Percent
01-12 months	690	96.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	27	3.77

# 2005 National Health Interview Survey (NHIS) 124 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.270\_00.000: Total number of home visits

AHCHNOY2	Frequency	Percent
01 1	75	10.46
02 2-3	86	11.99
03 4-5	66	9.21
04 6-7	71	9.90
05 8-9	36	5.02
06 10-12	72	10.04
07 13-15	25	3.49
08 16 or more	264	36.82
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	22	3.07

Frequency Missing = 30711

AAU.280\_00.000: Total number of office visits, past 12 m

AHCNOYR2	Frequency	Percent
00 None 01 1 02 2-3 03 4-5	5721 5083 7605 4343	18.20 16.17 24.20 13.82
04 6-7 05 8-9	2202 1150	7.01
06 10-12 07 13-15	1852 716	5.89
08 16 or more 97 Refused 98 Not ascertained	2114 112 335	6.73 0.36 1.07
99 Don't know	195	0.62

AAU.290\_00.000: Surgery/surgical procedure, past 12 m

ASRGYR	Frequency	Percent
1 Yes 2 No	3992 26990	12.70 85.88
7 Refused	84	0.27
8 Not ascertained	339	1.08
9 Don't know	23	0.07

### 2005 National Health Interview Survey (NHIS) 125 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.300\_00.000: # of surgeries, past 12 m

01-94       1-94       Times       3984       99.80         95       95+       times       0       0.00         97       Refused       2       0.05         02       Net       0       0.2	ASRGNOYR	Frequency	Percent
99 Don't know 5 0.13	95 95+ times	0	0.00
	97 Refused	2	0.05
	98 Not ascertained	1	0.03

Frequency Missing = 27436

AAU.305\_00.000: Time since last seen/talked to health professional

AMDLONGR	Frequency	Percent
0 Never	339	1.08
1 6 months or less	21334	67.88
2 More than 6 mos, but not more than 1 yr ago	4273	13.60
3 More than 1 yr, but not more than 2 yrs ago	2499	7.95
4 More than 2 yrs, but not more than 5 yrs ago	1579	5.02
5 More than 5 years ago	859	2.73
7 Refused	107	0.34
8 Not ascertained	344	1.09
9 Don't know	94	0.30

### AAU.310\_00.000: Flu shot past 12 m

SHTFLUYR	Frequency	Percent
1 Yes	6961	22.15
2 No	23883	75.99
7 Refused	120	0.38
8 Not ascertained	358	1.14
9 Don't know	106	0.34

AAU.312\_01.000: Month of most recent flu shot

ASHFLU_M	Frequency	Percent
01 January	373	5.36
02 February	168	2.41
03 March	61	0.88
04 April	26	0.37
05 May	22	0.32
06 June	25	0.36
07 July	22	0.32
08 August	60	0.86
09 September	396	5.69
10 October	2906	41.75
11 November	2231	32.05
12 December	556	7.99
97 Refused	20	0.29
98 Not ascertained	0	0.00
99 Don't know	95	1.36

# Frequency Missing = 24467

AAU.312\_02.000: Year of most recent flu shot

ASHFLU_Y	Frequency	Percent
2004	4889	70.23
2005	2048	29.42
2006	0	0.00
9997 Refused	20	0.29
9998 Not ascertained	1	0.01
9999 Don't know	3	0.04

# Frequency Missing = 24467

AAU.315\_00.000: Flu spray past 12 m

SPRFLUYR	Frequency	Percent
1 Yes	70	0.22
2 No	30810	98.03
7 Refused	120	0.38
8 Not ascertained	368	1.17
9 Don't know	60	0.19

AAU.318\_01.000: Month of most recent flu nasal vaccine

ASPFLU_M	Frequency	Percent
01 January	8	11.43
02 February	6	8.57
03 March	1	1.43
04 April	3	4.29
05 May 06 June 07 July	0 0 1 2	0.00 0.00 1.43
08 August	2	2.86
09 September	6	8.57
10 October	11	15.71
11 November	23	32.86
12 December	7	10.00
97 Refused	1	1.43
98 Not ascertained	0	0.00
99 Don't know	1	1.43

# Frequency Missing = 31358

AAU.318\_02.000: Year of most recent flu nasal vaccine

ASPFLU_Y	Frequency	Percent
2004	42	60.00
2005	27	38.57
2006	0	0.00
9997 Refused	0	0.00
9998 Not ascertained	1	1.43
9999 Don't know	0	0.00

# Frequency Missing = 31358

AAU.320\_00.000: Pneumonia shot (EVER)

SHTPNUYR	Frequency	Percent
1 Yes	5412	17.22
2 No	24926	79.31
7 Refused	121	0.39
8 Not ascertained	373	1.19
9 Don't know	596	1.90

### 128 2005 National Health Interview Survey (NHIS) Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.330\_00.000: Ever had chickenpox

APOX	Frequency	Percent
1 Yes 2 No	23754 5574	75.58 17.74
7 Refused	124	0.39
8 Not ascertained	381	1.21
9 Don't know	1595	5.08

AAU.340\_00.000: Chickenpox, past 12 m

APOX12MO	Frequency	Percent
1 Yes	78	0.33
2 No	23667	99.63
7 Refused	1	0.00
8 Not ascertained	0	0.00
9 Don't know	8	0.03

Frequency Missing = 7674

AAU.350\_00.000: Ever had hepatitis

AHEP	Frequency	Percent
1 Yes	979	3.12
2 No	29773	94.73
7 Refused	139	0.44
8 Not ascertained	390	1.24
9 Don't know	147	0.47

AAU.360\_00.000: Ever lived w/ someone w/ hepatitis

AHEPLIV	Frequency	Percent
1 Yes 2 No	1168 28551	3.84 93.77
7 Refused	143	0.47
8 Not ascertained	392	1.29
9 Don't know	195	0.64

# 2005 National Health Interview Survey (NHIS) 129 Sample Adult Public Use File (samadult) AAU Variables Wednesday, May 31, 2006 Unweighted Frequencies

AAU.370\_00.000: Hepatitis B vaccine (EVER)

Frequency	Percent
7562	24.06
22115	70.37
144	0.46
400	1.27
1207	3.84
	7562 22115 144 400

AAU.380\_00.000: # doses of hepatitis B vaccine received

SHEPDOS	Frequency	Percent
1 Received at least 3 doses	6238	82.49
2 Received less than 3 doses	916	12.11
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	408	5.40

# 2005 National Health Interview Survey (NHIS) 130 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.010\_00.000: Donated blood since March 1985

BLDGV	Frequency	Percent
1 Yes	7558	24.05
2 No	23105	73.52
7 Refused	166	0.53
8 Not ascertained	413	1.31
9 Don't know	186	0.59

ADS.020\_00.000: Donated blood past 12 months

BLDG12M	Frequency	Percent
1 Yes	1692	22.39
2 No	5853	77.44
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	12	0.16

Frequency Missing = 23870

ADS.040\_00.000: Ever been tested for HIV

HIVTST	Frequency	Percent
1 Yes 2 No 7 Refused	10932 19002 266	34.78 60.46 0.85
8 Not ascertained	435	1.38
9 Don't know	793	2.52

ADS.050\_00.000: Reason why you have not been tested for HIV/AIDS

WHYTST_R	Frequency	Percent
01 It's unlikely you've been exposed to HIV	14948	78.67
02 You were afraid to find out if you were HIV positive (that you had HIV)	75	0.39
03 You didn't want to think about HIV or about being HIV positive	68	0.36
04 You were worried your name would be reported to the government if you tested positive	5	0.03
05 You didn't know where to get tested	43	0.23
06 You don't like needles	63	0.33
07 You were afraid of losing job, insurance, housing,	9	0.05
friends, family, if people knew you were positive for AIDS infection		
08 Some other reason	108	0.57
09 No particular reason	3522	18.53
97 Refused	60	0.32
98 Not ascertained	2	0.01
99 Don't know	99	0.52

# 2005 National Health Interview Survey (NHIS) 131 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.060\_01.000: Month of last test for HIV

TST12M_M	Frequency	Percent
01 January	707	6.47
02 February	545	4.99
03 March	621	5.68
04 April	539	4.93
05 May	538	4.92
06 June	647	5.92
07 July	485	4.44
08 August	483	4.42
09 September	420	3.84
10 October	493	4.51
11 November	436	3.99
12 December	315	2.88
96 Time period format	1984	18.15
97 Refused	67	0.61
98 Not ascertained	3	0.03
99 Don't know	2649	24.23

### Frequency Missing = 20496

ADS.060\_02.000: Year of last test for HIV

TST12M_Y	Frequency	Percent
1985-2006 9996 Time period format 9997 Refused 9998 Not ascertained 9999 Don't know	8499 1984 0 119 330	77.74 18.15 0.00 1.09 3.02

Frequency Missing = 20496

ADS.061\_00.000: Time period of most recent HIV test

TIMETST	Frequency	Percent
1 6 months or less	 70	2.94
2 More than 6 months but not more than 1 year ago	142	5.95
3 More than 1 year, but not more than 2 years ago	284	11.91
4 More than 2 years, but not more than 5 years ago	731	30.65
5 More than 5 years ago	1081	45.32
7 Refused	0	0.00
8 Not ascertained	28	1.17
9 Don't know	49	2.05

# 2005 National Health Interview Survey (NHIS) 132 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.065\_00.000: Main reason for last HIV test

REATST_C	Frequency	Percent
01 Someone suggested you should be tested	576	5.27
02 You might have been exposed through sex or drug use	513	4.69
03 You might have been exposed through your work or at work	388	3.55
04 You just wanted to find out if you were infected or not	1224	11.20
05 For part of a routine medical check-up, or for	3181	29.10
hospitalization or surgical procedure		
06 You were sick or had a medical problem	201	1.84
07 You were pregnant or delivered a baby	1842	16.85
08 For health or life insurance coverage	718	6.57
09 For military induction, separation, or military service	274	2.51
10 For immigration	365	3.34
11 For marriage license or to get married	407	3.72
12 You were concerned you could give HIV to someone	26	0.24
13 You wanted medical care or new treatments if you tested	17	0.16
positive		
14 Some other reason	554	5.07
15 No particular reason	570	
97 Refused	41	
98 Not ascertained	6	0.05
99 Don't know	29	0.27

Frequency Missing = 20496

ADS.066\_00.000: Who suggested you should be tested

REASWHOR	Frequency	Percent
· · · · · · · · · · · · · · · · · · ·		
1 Doctor, nurse or other health care professional	318	55.21
2 Sex partner	109	18.92
3 Someone at health department	21	3.65
4 Family member or friend	78	13.54
5 Other	41	7.12
7 Refused	4	0.69
8 Not ascertained	0	0.00
9 Don't know	5	0.87

# 2005 National Health Interview Survey (NHIS) 133 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.070\_00.000: Location of last HIV test

LASTST_C	Frequency	Percent
01 Private doctor/HMO	5407	49.46
02 AIDS clinic/counseling/testing site	603	5.52
03 Hospital, emergency room, outpatient clinic	1960	17.93
04 Other type of clinic	835	7.64
05 Public health department	651	5.95
06 At home	424	3.88
07 Drug treatment facility	21	0.19
08 Military induction or military service site	333	3.05
09 Immigration site	134	1.23
10 In a correctional facility (jail or prison)	78	0.71
11 Other location	342	3.13
97 Refused	39	0.36
98 Not ascertained	11	0.10
99 Don't know	94	0.86

Frequency Missing = 20496

ADS.072\_00.000: Type of clinic for last HIV test

CLNTYP_C	Frequency	Percent
01 Family planning clinic 02 Prenatal clinic	187 63	22.40 7.54
03 Tuberculosis clinic	0	0.00
04 STD clinic	10	1.20
05 Community health clinic	323	38.68
06 Clinic run by employer or insurance company	77	9.22
07 Other	159	19.04
97 Refused	1	0.12
98 Not ascertained	1	0.12
99 Don't know	14	1.68

Frequency Missing = 30593

ADS.074\_00.000: Who administered the test

WHOADM	Frequency	Percent
1 Nurse or health worker	385	90.80
2 Self-sampling kit	36	8.49
7 Refused	0	0.00
8 Not ascertained	1	0.24
9 Don't know	2	0.47

#### 2005 National Health Interview Survey (NHIS) 134 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.080\_00.000: Gave your first and last names

GIVNAM	Frequency	Percent
l Yes	9599	87.81
2 No	915	8.37
7 Refused	24	0.22
8 Not ascertained	13	0.12
9 Don't know	381	3.49

# Frequency Missing = 20496

ADS.110\_00.000: HIV test in the next 12 months

EXTST12M	Frequency	Percent
1 Yes	2618	8.33
2 No	27478	87.43
7 Refused	298	0.95
8 Not ascertained	456	1.45
9 Don't know	578	1.84

ADS.140\_00.001: Chances of getting AIDS virus

CHNSADSP	Frequency	Percent
1 High/Already have HIV/AIDS	169	0.54
2 Medium	491	1.56
3 Low	6659	21.19
4 None	22885	72.82
7 Refused	316	1.01
8 Not ascertained	464	1.48
9 Don't know	444	1.41

ADS.150\_00.000: Are any of these statements true

STMTRU	Frequency	Percent
1 Yes, at least one statement is true 2 No, none of these statements are true 7 Refused 8 Not ascertained 9 Don't know	834 29123 694 477 300	2.65 92.67 2.21 1.52 0.95

# 2005 National Health Interview Survey (NHIS) 135 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.160\_00.000: Had STD other than HIV/AIDS, past 5 yrs

STD	Frequency	Percent
1 Yes	428	2.38
2 No	16871	94.00
7 Refused	318	1.77
8 Not ascertained	271	1.51
9 Don't know	60	0.33

# Frequency Missing = 13480

ADS.170\_00.000: Saw a doctor or other health professional

STDDOC	Frequency	Percent
1 Yes	381	89.02
2 No	46	10.75
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.23

# Frequency Missing = 31000

ADS.180\_00.000: Place where checked

STDWHER	Frequency	Percent
1 Private doctor	225	59.06
2 Family planning clinic 3 STD clinic	62 29	16.27 7.61
4 Emergency room	9	2.36
5 Health department	37	9.71
6 Some other place	19	4.99
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31047

ADS.200\_00.000: Ever heard of tuberculosis

TBHRD	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know	26625 4004 202 504 93	84.72 12.74 0.64 1.60 0.30
	20	5.00

# 2005 National Health Interview Survey (NHIS) 136 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.210\_00.000: Ever personally known anyone who had TB

TBKNOW	Frequency	Percent
1 Yes	5946	22.33
2 No	20496	76.98
7 Refused	18	0.07
8 Not ascertained	2	0.01
9 Don't know	163	0.61

# Frequency Missing = 4803

ADS.220\_00.000: How much do you know about TB

ТВ	Frequency	Percent
1 A lot	2642	9.92
2 Some	5863	22.02
3 A little	10813	40.61
4 Nothing	7170	26.93
7 Refused	19	0.07
8 Not ascertained	5	0.02
9 Don't know	113	0.42

Frequency Missing = 4803

ADS.230\_01.000: Breathing air around person sick with TB

TBSPRD1	Frequency	Percent
	1 2 2 2 2	
1 Mentioned	13333	69.02
2 Not mentioned	2956	15.30
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

Frequency Missing = 12110

# ADS.230\_02.000: Sharing eating/drinking utensils

TBSPRD2	Frequency	Percent
1 Mentioned	 5715	29.58
2 Not mentioned	10574	54.74
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

# 2005 National Health Interview Survey (NHIS) 137 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.230\_03.000: Through semen/vaginal secretions (sex)

TBSPRD3	Frequency	Percent
1 Mentioned	1640	8.49
2 Not mentioned	14649	75.83
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

Frequency Missing = 12110

ADS.230\_04.000: From smoking

TBSPRD4	Frequency	Percent
1 Mentioned	895	4.63
2 Not mentioned	15394	79.69
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

Frequency Missing = 12110

ADS.230\_05.000: From mosquito or other insect bites

TBSPRD5	Frequency	Percent
1 Mentioned	950	4.92
2 Not mentioned	15339	79.40
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

Frequency Missing = 12110

# ADS.230\_06.000: Other

TBSPRD6	Frequency	Percent
1. Marst i an a d		4 02
1 Mentioned	933	4.83
2 Not mentioned	15356	79.49
7 Refused	18	0.09
8 Not ascertained	3	0.02
9 Don't know	3008	15.57

# 2005 National Health Interview Survey (NHIS) 138 Sample Adult Public Use File (samadult) ADS Variables Wednesday, May 31, 2006 Unweighted Frequencies

ADS.240\_00.000: Can TB be cured

TBCURED	Frequency	Percent
1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know	9470 6764 8 7 3069	49.02 35.01 0.04 0.04 15.89
J Don e miow	5005	±0:0)

Frequency Missing = 12110

ADS.250\_00.000: Chances of getting TB

TBCHANC	Frequency	Percent
1 High	288	1.09
2 Medium	1202	4.54
3 Low	10373	39.16
4 None	13061	49.31
5 Already have TB	104	0.39
7 Refused	10	0.04
8 Not ascertained	11	0.04
9 Don't know	1439	5.43

Frequency Missing = 4940

ADS.260\_00.000: Ashamed if you/family diagnosed with TB

TBSHAME	Frequency	Percent
l Yes	638	2.41
2 No	25394	95.87
7 Refused	12	0.05
8 Not ascertained	12	0.05
9 Don't know	432	1.63

Frequency Missing = 4940

ADS.270\_00.000: Spent 24+ hrs living in street, shelter, jail/prison

HOMELESS	Frequency	Percent
1 Yes	1651	5.25
2 No	28945	92.10
7 Refused	249	0.79
8 Not ascertained	526	1.67
9 Don't know	57	0.18