Healthy People 2010 Operational Definition

1-4. Increase the proportion of persons who have a specific source of ongoing care.

Children and youth aged 17 years and under. 1-4b.

National Data Source National Health Interview Survey (NHIS), CDC,

NCHS.

State Data Source Not identified.

Healthy People 2000

Objective

Adapted from 21.3 (Clinical Preventive Services).

Changes since the

2000 Publication

Revised methodology (see Comments). Revised baseline (see Comments).

Measure Percent.

Baseline (Year) 94 (1998)

Target 97

Target-Setting Method Better than the best racial/ethnic subgroup.

For a discussion of target-setting methods, see Part

A, section 4.

Numerator Number of persons aged 17 years and under who

report having a specific source of primary care.

Denominator Number of persons aged 17 years and under.

Population Targeted U.S. civilian, noninstitutionalized population.

Questions Used to Obtain the National **Baseline Data**

From the 1998 National Health Interview Survey:

- Is there a place that you usually go when you are sick or need advice about your health?
- What kind of place is it?
 - (a) Clinic or health center
 - (b) Doctor's office or HMO
 - (c) Hospital emergency room
 - (d) Hospital outpatient department
 - (e) Some other place

Expected Periodicity Annual.

Comments

In 1998, a specific source of primary care included responses (a), (b), (d), and (e) listed above.

The survey question was modified slightly in 1999 when the response category "(f) Doesn't go to one place most often" was added. Since 1999, the definition of a specific source of primary care includes responses (a), (b), (d), (e), and (f).

There have been no changes to the survey question since 1999.

Originally, this subobjective was measured using age-adjusted percents. The measure was revised to use crude percents after the Healthy People 2010 Midcourse Review. The baseline and tracking data have been recomputed in terms of crude percents.

The original baseline of 93 percent was revised to 94 percent as a result of the change from crude to age-adjusted rates mentioned above. The target (97 percent) did not change.

This subobjective is used to track the Access to Health Care Leading Health Indicator. See Appendix E for a complete list.

Objective 1-4 is similar to Healthy People 2000 objective 21.3, which tracked the proportion of persons aged 18 years and older with a specific source of ongoing care. Objective 1-4 tracks persons of all ages, through 3 subobjectives targeting all ages, persons aged 17 years and under, and persons aged 18 years and older.

For some measures, data do not meet the criteria for statistical reliability, data quality, or confidentiality and have been suppressed. Information on suppression of data for the major Healthy People 2010 data systems has been published in a *Healthy People Statistical Note*.¹

See Part C for a description of NHIS and Appendix A for focus area contact information.

References

 Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; Turczyn, K.M. Healthy People 2010 Criteria for Data Suppression. Statistical Notes No. 24. Hyattsville, MD: National Center for Health Statistics. 2002.

Operational Definition: Objective 1-4b