1995-2000 Detail Matched Multiple Birth File Record

ItemFieldLocationNameItem and Code Outline

1 [BIRTHID] BIRTH ID

- 1 ... Live multiple birth/survived first year
- 2 ... Live multiple birth/did not survive first year
- 3 ... Fetal death

2-5 RESERVED POSITIONS

6 [TABFLAG] TABULATION INCLUSION FLAG

The majority of fetal death tables published by NCHS/DVS include only those fetal deaths with stated or presumed gestation of 20 weeks or more, see the Technical Appendix. This position is used to indicate which records to exclude in these tables.

- 1 ... Under 20 weeks (excluded)
- 2 ... 20 weeks or more (included)

7 [PLURALITY]

- 2 ... Twin
- 3 ... Triplet
- 4 ... Quadruplet

8-13 [SETID] SET IDENTIFICATION NUMBER

- 000001 ... Unique number assigned to each set of twins, triplets,
 to quadruplets, quintuplets, and other higher order multiple
 999999 births.
- 14 [SEQNO] SEQUENCE NUMBER

1 - 4 ... The sequence number of the birth within the set. Ordered by certificate number unless a fetal death.

15-20 RESERVED POSITIONS

21 [PLUIMP] PLURALITY IMPUTATION FLAG

- 0 ... Plurality is not imputed
- 1 ... Plurality is imputed

22 [FLGCOMP] SET COMPLETENESS FLAG

- 0 ... Record is member of a complete set
- 1 ... Record is member of an incomplete set
- 2 ... Record is unmatched

23 [FLGRECS] NUMBER OF RECORDS IN THE SET

This field allows the correct number of records in the set to be read for processing. This field must be used when programming incomplete sets or unmatched records.

- 2-4 ...Value equals plurality (for complete sets).
- 1-3 ... Value equals the number of records in the set (for incomplete sets)
- 1 ...Value equals 1 (for single unmatched records).

24 [SETORDER] SET BIRTH ORDER

- 0 ... Single unmatched births
- 1-4 ... Order of the fetuses delivered within the set
- 9 ... Not stated

25 [RECTYPE] RECORD TYPE

- 1 ... RESIDENT: State and county of occurrence and residence are the same.
- 2 ... NONRESIDENT: State and/or county

of occurrence and residence are different.

26 [RESTATUS] RESIDENT STATUS

- 1 ... RESIDENT: State and county of occurrence and residence are the same.
- 2 ... INTRASTATE NONRESIDENT: State of occurrence and residence are the same, but county is different.
- 3 ... INTERSTATE NONRESIDENT: State of occurrence and residence are different, but both are in the U.S.
- 4 ... FOREIGN RESIDENT: State of occurrence is one of the 50 States or the District of Columbia, but the residence of the mother is outside of the U.S.

27 [PLDEL] PLACE OR FACILITY OF BIRTH

- 1 ... Hospital
- 2 ... Freestanding Birthing Center
- 3 ... Clinic or Doctor's Office
- 4 ... A Residence
- 5 ... Other
- 9 ... Unknown or Not Stated

28 [BIRATTND] ATTENDANT AT BIRTH

- 1 ... Doctor of Medicine (M.D.)
- 2 ... Doctor of Osteopathy (D.O.)
- 3 ... Certified Nurse Midwife (C.N.M.)
- 4 ... Other Midwife
- 5 ... Other
- 9 ... Unknown or Not Stated

29-38 RESERVED POSITIONS

39 [MAGERFLG] REPORTED AGE OF MOTHER USED FLAG

This position is flagged whenever the mother's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is outside of the 10-49 code range for 1995 and 1996, and outside the 10-54 code range for 1997 to 2000.

Blank ... Reported age is not used

1 ... Reported age is used

40 [MAGEIMP] AGE OF MOTHER IMPUTATION FLAG

- Blank ... Age is not imputed
- 1 ... Age is imputed

41-42 [DMAGE] AGE OF MOTHER

This item is: a) computed using dates of birth of mother and of child when available and if valid; b) reported and valid; or c) imputed. This is the age item used in NCHS publications.

15 ... Under 15 years

- 16-49 ... 16-49 years. Age in single years
- 50 ...50 years and greater (births to women of this age group available for 1997 to 2000 only)

43-45 RESERVED POSITIONS

46 [ORRACEM] HISPANIC ORIGIN AND RACE OF MOTHER RECODE

Origin is not reported by all areas for fetal Deaths. See reporting flags.

- 1 ... Total Hispanic
- 2 ... Non-Hispanic White
- 3 ... Non-Hispanic Black
- 4 ... Non-Hispanic other races
- 9 ... Origin unknown or not stated

47 [MRACEIMP] RACE OF MOTHER IMPUTATION FLAG

Blank ... Race is not imputed

1 ... Unknown race is imputed

2 ... All other races, formerly code 09, is imputed

48-49 [MRACE] RACE OF MOTHER

Beginning with 1992 data, some areas started Reporting additional Asian or Pacific Islander Codes for race. See reporting flags. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census races, code 09 (all other races) used prior to 1992 has been imputed.

- 01 ... White
- 02 ... Black
- 03 ... Other races

50-57 RESERVED POSITIONS

58-59 [DMEDUC] EDUCATION OF MOTHER DETAIL

- 00 ... No formal education
- 01-08 ... Years of elementary school
- 09 ... 1 year of high school
- 10 ... 2 years of high school
- 11 ... 3 years of high school
- 12 ... 4 years of high school
- 13 ... 1 year of college
- 14 ... 2 years of college
- 15 ... 3 years of college
- 16 ... 4 years of college
- 17 ... 5 or more years of college
- 99 ... Not stated

60 [MEDUC6] EDUCATION OF MOTHER RECODE

- 1 ... 0 8 years
- 2 ... 9 11 years
- 3 ... 12 years
- 4 ... 13 15 years
- 5 ... 16 years and over
- 6 ... Not stated

61 [DMARIMP] MARITAL STATUS OF MOTHER IMPUTATION FLAG Not applicable to fetal deaths.

> Blank ... Marital Status is not imputed 1

... Marital Status is imputed

62 [DMAR] MARITAL STATUS OF MOTHER

- 1 ... Married
- 2 ... Unmarried
- 9 ... Unknown or not stated

63 [MPLBIRR] PLACE OF BIRTH OF MOTHER RECODE

- 1 ... Native born
- 2 ... Foreign born
- 3 ... Unknown or not stated

64-65 [DMAGERPT] REPORTED AGE OF MOTHER

- ... Under 15 years 15
- 16-49 ... 16-49 years. Age in single years
- ...50 years and greater (births to women of this age group 50 available for 1997 to 2000 only)
- 99 ... Unknown or not stated

[DLIVORD] DETAIL LIVE BIRTH ORDER 66-67

Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.

- 00-31 ... Number of children born alive to mother
- 99 ... Unknown

[LIVORD9] LIVE BIRTH ORDER RECODE 68

- 1 ... First Child
- 2 ... Second Child
- 3 ... Third Child
- 4 ... Fourth Child
- 5 ... Fifth Child
- ... Sixth Child 6
- 7 ... Seventh Child
- 8 ... Eighth Child and over

9 ... Unknown or not stated

69-70 [DTOTORD] DETAIL TOTAL BIRTH ORDER

Sum of live birth order and other terminations. If either item is unknown, this item is made unknown.

- 01-40 ... Total number of live births and other terminations.
- 99 ... Unknown

71 [TOTORD9] TOTAL BIRTH ORDER RECODE

- 1 ... First Child
- 2 ... Second Child
- 3 ... Third Child
- 4 ... Fourth Child
- 5 ... Fifth Child
- 6 ... Sixth Child
- 7 ... Seventh Child
- 8 ... Eighth Child and over
- 9 ... Unknown or not stated

72-73 [MONPRE] DETAIL MONTH OF PREGNANCY PRENATAL CARE BEGAN

- 00 ... No prenatal care
- 01 ... 1st month
- 02 ... 2nd month
- 03 ... 3rd month
- 04 ... 4th month
- 05 ... 5th month
- 06 ... 6th month
- 07 ... 7th month
- 08 ... 8th month
- 09 ... 9th month
- 99 ... Unknown or not stated

74-75 [NPREVIST] TOTAL NUMBER OF PRENATAL VISITS

- 00 ... No prenatal visits
- 01-48 ... Stated number of visits
- 49 ... 49 or more visits
- 99 ... Unknown or not stated

76-83 RESERVED POSITIONS

84 [FAGERFLG] REPORTED AGE OF FATHER USED FLAG

This position is flagged whenever the father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.

85-86 [DFAGE] AGE OF FATHER

This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.

- 19 ... Under 20
- 20-59 ...20-59. Age in single years
- 6060 years and greater
- 99Unknown or not stated

87-88 [FRACE] RACE OF FATHER

- 01 ... White
- 02 ... Black
- 03 ... Other races
- 99 ... Unknown or not stated

89-90 [DFAGERPT] REPORTED AGE OF FATHER

- 10-98 ... Age in single years
- 99Unknown or not stated

91 [FRACEIMP] RACE OF FATHER IMPUTATION FLAG

(Unknown race of father is not imputed. However, the all other races code is changed to unknown.)

- Blank ... Race is not changed
- 3 ... All other races, formerly code 09, is changed to code 99

92-99 RESERVED POSITIONS

100 [GESTESTM] CLINICAL ESTIMATE OF GESTATION USED FLAG

This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.

... Clinical Estimate is not used Blank ... Clinical Estimate is used 1

101 [GESTIMP] GESTATION IMPUTATION FLAG

Blank	Gestation is not imputed
1	Gestation is imputed

... Gestation is imputed

102-103 [GESTAT] GESTATION - DETAIL IN WEEKS

This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.

... 17th through 47th week of gestation 17-47 99 ... Unknown

[CSEXIMP] SEX IMPUTATION FLAG 104 ... Sex is not imputed Blank 1

- ... Sex is imputed
- 105 [CSEX] SEX
 - 1 ... Male
 - 2 ... Female
 - 9 ... Unknown (fetal deaths of < 20 weeks gestation only)

106-109 [DBIRWT] BIRTH WEIGHT - DETAIL IN GRAMS

- 0227-8165 ... Number of grams (Range edited for 227-8165 for live births and infant deaths.) 9999 ... Not stated birth weight
- [BIRWT12] BIRTH WEIGHT RECODE 12 110-111

- 01 ... 499 grams or less
- 02 ... 500 999 grams
- 03 ... 1000 1499 grams
- 04 ... 1500 1999 grams
- 05 ... 2000 2499 grams
- 06 ... 2500 2999 grams
- 07 ... 3000 3499 grams
- 08 ... 3500 3999 grams
- 09 ... 4000 4499 grams
- 10 ... 4500 4999 grams
- 11 ... 5000 8165 grams
- 12 ... Not stated

112-113 [FMAPS] FIVE MINUTE APGAR SCORE

Apgar Score is not reported by all areas. See reporting flags.

- 00-10 ... A score of 0-10
- 99 ... Unknown or not stated

114 [FMAPSR] FIVE MINUTE APGAR SCORE RECODE

Apgar score is not reported by all areas. See reporting flags

- 1 ... A score of 0-3
- 2 ... A score of 4-6
- 3 ... A score of 7-8
- 4 ... A score of 9-10
- 5 ... Not stated

115-116 [CLINGEST] CLINICAL ESTIMATE OF GESTATION

Clinical estimate is not reported by all areas. See reporting flags.

- 17-47 ... Estimated gestation in weeks
- 99 ... Unknown or not stated

117-123 [DELMETH] METHOD OF DELIVERY

Each method is assigned a separate position, and the code structure for each method (position) is:

1 ... The method was used

- 2 ... The method was not used
- 8 ... Method not on certificate
- 9 ... Method unknown or not stated
- 117 [VAGINAL] VAGINAL
- 118 [VBAC] VAGINAL BIRTH AFTER PREVIOUS C-SECTION
- 119 [PRIMAC] PRIMARY C -SECTION
- 120 [REPEAC] REPEAT C -SECTION
- 121 [FORCEP] FORCEPS
- 122 [VACUUM] VACUUM
- 123 [HYSTER] HYSTEROTOMY/HYSTERECTOMY (Applicable only to fetal deaths)

124 [DELMETH6] METHOD OF DELIVERY RECODE

- 1 ... Vaginal (excludes vaginal after previous C-section)
- 2 ... Vaginal birth after previous C-section
- 3 ... Primary C -section
- 4 ... Repeat C -section
- 5 ... Not stated
- 6 ... Hysterotomy/Hysterectomy (fetal deaths only)

125-141 [MEDRISK] MEDICAL RISK FACTORS

Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:

- 1 ... Factor reported
- 2 ... Factor not reported
- 8 ... Factor not on certificate
- 9 ... Factor not classifiable

125 [ANEMIA] ANEMIA (HCT.<30/HGB.<10)

126 [CARDIAC] CARDIAC DISEASE

- 127 [LUNG] ACUTE OR CHRONIC LUNG DISEASE
- 128 [DIABETES] DIABETES
- 129 [HERPES] GENITAL HERPES
- 130 [HYDRA] HYDRAMNIOS/OLIGOHYDRAMNIOS
- 131 [HEMO] HEMOGLOBINOPATHY
- 132 [CHYPER] HYPERTENSION, CHRONIC
- 133 [PHYPER] HYPERTENSION, PREGNANCY-ASSOCIATED
- 134 [ECLAMP] ECLAMPSIA
- 135 [INCERVIX] INCOMPETENT CERVIX
- 136 [PRE4000] PREVIOUS INFANT 4000+ GRAMS
- 137 [PRETERM] PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE
 - INFANT
- 138 [RENAL] RENAL DISEASE
- 139 [RH] RH SENSITIZATION
- 140 [UTERINE] UTERINE BLEEDING
- 141 [OTHERMR] OTHER MEDICAL RISK FACTORS
- 142-145 [TOBACRSK] TOBACCO RISKS
- 142 [TOBACCO] TOBACCO USE DURING PREGNANCY
 - 1 ... Yes
 - 2 ... No
 - 9 ... Unknown or not stated
- 143-144 [CIGAR] AVERAGE NUMBER OF CIGARETTES PER DAY
 - 00-97 ... As stated
 - 98 ... 98 or more cigarettes per day
 - 99 ... Unknown or not stated
- 145 [CIGAR6] AVERAGE NUMBER OF CIGARETTES PER DAY RECODE

- 0 ... Nonsmoker
- 1 ... 1 5 cigarettes per day
- 2 ... 6 10 cigarettes per day
- 3 ... 11 20 cigarettes per day
- 4 ... 21 40 cigarettes per day
- 5 ... 41 or more cigarettes per day
- 6 ... Unknown or not stated

146-149 [ALCOHRSK] ALCOHOL

146 [ALCOHOL] ALCOHOL USE DURING PREGNANCY

- 1 ... Yes
- 2 ... No
- 9 ... Unknown or not stated

147-148 [DRINK] AVERAGE NUMBER OF DRINKS PER WEEK

- 00-97 ... As stated
- 98 ... 98 or more drinks per week
- 99 ... Unknown or not stated

149 [DRINK5] AVERAGE NUMBER OF DRINKS PER WEEK RECODE

- 0 ... Non drinker
- 1 ... 1 drink per week
- 2 ... 2 drinks per week
- 3 ... 3 4 drinks per week
- 4 ... 5 or more drinks per week
- 5 ... Unknown or not stated

150-152 [WTGANRSK] WEIGHT GAIN DURING PREGNANCY

- 150-151 [WTGAIN] WEIGHT GAIN
 - 00-97 ... Stated number of pounds
 - 98 ... 98 pounds or more
 - 99 ... Unknown or not stated

152 [WTGAIN9] WEIGHT GAIN RECODE

- 1 ... Less than 16 pounds
- 2 ... 16 20 pounds
- 3 ... 21 25 pounds

- 4 ... 26 30 pounds
- 5 ... 31 35 pounds
- 6 ... 36 40 pounds
- 7 ... 41 45 pounds
- 8 ... 46 or more pounds
- 9 ... Unknown or not stated

153-159 [OBSTETRC] OBSTETRIC PROCEDURES

Each procedure is assigned a separate position, and the code structure for each procedure (position) is:

- 1 ... Procedure reported
- 2 ... Procedure not reported
- 8 ... Procedure not on certificate
- 9 ... Procedure not classifiable
- 153 [AMNIO] AMNIOCENTESIS
- 154 [MONITOR] ELECTRONIC FETAL MONITORING
- 155 [INDUCT] INDUCTION OF LABOR
- 156 [STIMULA] STIMULATION OF LABOR
- 157 [TOCOL] TOCOLYSIS
- 158 [ULTRAS] ULTRASOUND

159 [OTHEROB] OTHER OBSTETRIC PROCEDURES

160-175 [LABOR] COMPLICATIONS OF LABOR AND/OR DELIVERY

Each complication is assigned a separate position, and the code structure for each complication (position) is:

- 1 ... Complication reported
- 2 ... Complication not reported
- 8 ... Complication not on certificate
- 9 ... Complication not classifiable

160 [FEBRILE] FEBRILE (>100 DEGREES F. OR 38 DEGREES C.)

- 161 [MECONIUM] MECONIUM, MODERATE/HEAVY
- 162 [RUPTURE] PREMATURE RUPTURE OF MEMBRANE (>12 HOURS)
- 163 [ABRUPTIO] ABRUPTIO PLACENTA
- 164 [PREPLACE] PLACENTA PREVIA
- 165 [EXCEBLD] OTHER EXCESSIVE BLEEDING
- 166 [SEIZURE] SEIZURES DURING LABOR
- 167 [PRECIP] PRECIPITOUS LABOR (<3 HOURS)
- 168 [PROLONG] PROLONGED LABOR (>20 HOURS)
- 169 [DYSFUNC] DYSFUNCTIONAL LABOR
- 170 [BREECH] BREECH/MALPRESENTATION
- 171 [CEPHALO] CEPHALOPELVIC DISPROPORTION
- 172 [CORD] CORD PROLAPSE
- 173 [ANESTHE] ANESTHETIC COMPLICATIONS
- 174 [DISTRESS] FETAL DISTRESS
- 175 [OTHERLB] OTHER COMPLICATION OF LABOR AND/OR DELIVERY
- 176-184 [NEWBORN] ABNORMAL CONDITIONS OF THE NEWBORN

Not applicable to fetal deaths. Each condition is assigned a separate position, and the code structure for each condition (position) is:

- 1 ... Condition reported
- 2 ... Condition not reported
- 8 ... Condition not on certificate
- 9 ... Condition not classifiable

176 [NANEMIA] ANEMIA (HCT.<39/HGB.<13)

- 177 [INJURY] BIRTH INJURY
- 178 [ALCOSYN] FETAL ALCOHOL SYNDROME
- 179 [HYALINE] HYALINE MEMBRANE DISEASE
- 180 [MECONSYN] MECONIUM ASPIRATION SYNDROME
- 181 [VENL30] ASSISTED VENTILATION, LESS THAN 30 MINUTES
- 182 [VEN30M] ASSISTED VENTILATION, 30 MINUTES OR MORE
- 183 [NSEIZ] SEIZURES
- 184 [OTHERAB] OTHER ABNORMAL CONDITIONS OF THE NEWBORN
- 185-206 [CONGENIT] CONGENITAL ANOMALIES

Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:

- 1 ... Anomaly reported
- 2 ... Anomaly not reported
- 8 ... Anomaly not on certificate
- 9 ... Anomaly not classifiable
- 185 [ANEN] ANENCEPHALUS
- 186 [SPINA] SPINA BIFIDA/MENINGOCELE
- 187 [HYDRO] HYDROCEPHALUS
- 188 [MICROCE] MICROCEPHALUS
- 189 [NERVOUS] OTHER CENTRAL NERVOUS SYSTEM ANOMALIES
- 190 [HEART] HEART MALFORMATIONS
- 191 [CIRCUL] OTHER CIRCULATORY/RESPIRATORY ANOMALIES
- 192 [RECTAL] RECTAL ATRESIA/STENOSIS
- 193 [TRACHEO] TRACHEO ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA

- 194 [OMPHALO] OMPHALOCELE/GASTROSCHISIS
- 195 [GASTRO] OTHER GASTROINTESTINAL ANOMALIES
- 196 [GENITAL] MALFORMED GENITALIA
- 197 [RENALAGE] RENAL AGENESIS
- 198 [UROGEN] OTHER UROGENITAL ANOMALIES
- 199 [CLEFTLP] CLEFT LIP/PALATE
- 200 [ADACTYLY] POLYDACTYLY/SYNDACTYLY/ADACTYLY
- 201 [CLUBFOOT] CLUB FOOT
- 202 [HERNIA] DIAPHRAGMATIC HERNIA
- 203 [MUSCULO] OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES
- 204 [DOWNS] DOWN'S SYNDROME
- 205 [CHROMO] OTHER CHROMOSOMAL ANOMALIES
- 206 [OTHERCON] OTHER CONGENITAL ANOMALIES
- 207-227 [FLRES] REPORTING FLAGS FOR PLACE OF RESIDENCE

These positions contain flags to indicate whether or not the specified item is included in the report of fetal death or live birth certificate of the State of residence.

The code structure for each flag (position) is:

- 0 ... The item is not reported.
- 1 ... The item is reported or partially reported.
- 207 [FLGESTALL] ALL GESTATIONS REPORTED (Applicable only to fetal deaths)
 208 [FLGORIGM] ORIGIN OF MOTHER
- 209 [FLGORIGF] ORIGIN OF FATHER

210	[FLGDMARF] MARITAL STATUS (Applicable only to fetal deaths)
211	[FLGLMP] DATE OF LAST NORMAL MENSES (Applicable only to fetal deaths)
212	[FLGPNVF] NUMBER OF PRENATAL VISITS (Applicable only to fetal deaths)
213	[FLGGESTE] CLINICAL ESTIMATE OF GESTATION
214	[FLGFMAPS] 5 - MINUTE APGAR SCORE
215	[FLGDELMT] METHOD OF DELIVERY
216	[FLGMEDRS] MEDICAL RISK FACTORS
217	[FLGTOBUSE] TOBACCO USE
218	[FLGCIGARS] NUMBER OF CIGARETTES (Applicable only to fetal deaths)
219	[FLGALCUSE] ALCOHOL USE
220	[FLGDRINKS] NUMBER OF DRINKS (Applicable only to fetal deaths)
221	[FLGWTGN] WEIGHT GAIN
222	[FLGOBSTRC] OBSTETRIC PROCEDURES
223	[FLGLABOR] COMPLICATIONS OF LABOR AND/OR DELIVERY
224	[FLGABNML] ABNORMAL CONDITIONS OF NEWBORN
225	[FLGCONG] CONGENITAL ANOMALIES
226	[FLGEDUC] EDUCATION OF MOTHER (BASED ON MSA)
227	RESERVED POSITION

Locations 1 - 227 contain data from the fetal death records, the infant death records, and multiple live births from the natality file. The remaining fields on the record are from the infant death record only.

228-230 [AGED] AGE AT DEATH IN DAYS

The generated age at death in days is calculated from the date of death on the death certificate minus the date of birth on the birth certificate unless the reported age of death is less than 2 days, then the reported age is used. If the exact date of birth and/or death is unknown, the age is imputed.

000-364 ... Number of days

231 [AGER5] INFANT AGE RECODE 5

- 1 ... Under 1 hour
- 2 ... 1-23 hours
- 3 ... 1-6 days
- 4 ... 7-27 days (late neonatal)
- 5 ... 28 days and over (post-neonatal)

232-735 CAUSE OF DEATH DATA

Locations 323-735 contain data on cause of death. Cause of death data located in positions 232-483 were coded according to the 9^{th} Revision of the ICD. Cause of death data located in positions 484-735 were coded according to the 10^{th} Revision of the ICD.

232-483 ICD-9 DATA

- 232 [ACCIDPL9] PLACE OF ACCIDENT FOR CAUSES E850-E869 AND E880-E928
 - Blank ... Causes other than E850-E869 and E880-E928
 - 0 ... Home
 - ... Farm

1

4

8

- 2 ... Mine and quarry
- 3 ... Industrial place and premises
 - ... Place for recreation and sport
- 5 ... Street and highway
- 6 ... Public building
- 7 ... Resident institution
 - ... Other specified places
- 9 ... Place of accident not specified

233-236 [UCOD9] ICD CODE (9th REVISION)

See the International Classification of Diseases, 1975 Revision, Volume 1. For injuries and poisoning, the external cause is coded (E800-E999) rather than the Nature of Injury (800-999). These positions do not include the letter E for the external cause of injury. For those causes that do not have a 4th digit, location 236 is blank.

237-239 [UCODR61] 61 INFANT CAUSE RECODE

A recode of the ICD cause code into 61 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.

010-680 ... Code range(not inclusive)

240 - 381 [MULTCOND9] MULTIPLE CONDITIONS

See the "International Classification of Diseases", 1975 Revision, Volume 1. Both the entity-axis and record-axis conditions are coded according to this revision (9th).

240-241 [EANUM9] NUMBER OF ENTITY-AXIS CONDITIONS

00-20 ... Code range

242-381 [ENTITY9] ENTITY - AXIS CONDITIONS

Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. Records that do not have 20 conditions are blank in the unused area.

Position 1: Part/line number on certificate

1 Part I,	line 1	(a)
-----------	--------	-----

2 ... Part I, line 2 (b)

3 ... Part I, line 3 (c)

	 4 Part I, line 4 (d) 5 Part I, line 5 (e) 6 Part II, 		
	Position 2: Sequence of condition within part/line		
	1-7 Code range		
	Position 3 - 6:Condition code (ICD 9th Revision) The codes are available online. Position 7: Nature of Injury Flag		
	 Indicates that the code in positions 3-6 is a Nature of Injury code Indicates that the code in positions All other codes 		
242-248	1st Condition (9 th)		
249-255	2nd Condition (9 th)		
256-262	3rd Condition (9 th)		
263-269	4th Condition (9 th)		
270-276	5th Condition (9 th)		
277-283	6th Condition (9 th)		
284-290	7th Condition (9 th)		
291-297	8th Condition (9 th)		
298-304	9th Condition (9 th)		
305-311	10th Condition (9 th)		
312-318	11th Condition (9 th)		
319-325	12th Condition (9 th)		
326-332	13th Condition (9 th)		
333-339	14th Condition (9 th)		

- 347-353 16th Condition (9th)
- 354-360 17th Condition (9th)
- 361-367 18th Condition (9th)
- 368-374 19th Condition (9th)
- 375-381 20th Condition (9th)

382-383 [RANUM9] NUMBER OF RECORD-AXIS CONDITIONS

00-20 ... Code range

384-483 [RECORD9] RECORD - AXIS CONDITIONS

Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. Records that do not have 20 conditions are blank in the unused area.

Positions 1-4: Condition code (ICD 9th Revision)

Position 5: Nature of Injury Flag

- 1 ... Indicates that the code in positions 2-5 is a Nature of Injury code
- 0 ... All other codes
- 384-388 1st Condition (9th)
- 389-393 2nd Condition (9th)
- 394-398 3rd Condition (9th)
- 399-403 4th Condition (9th)
- 404-408 5th Condition (9th)
- 409-413 6th Condition (9th)
- 414-418 7th Condition (9^{th})

- 419-423 8th Condition (9th)
- 424-428 9th Condition (9th)
- 429-433 10th Condition (9th)
- 434-438 11th Condition (9th)
- 439-443 12th Condition (9th)
- 444-448 13th Condition (9th)
- 449-453 14th Condition (9th)
- 454-458 15th Condition (9th)
- 459-463 16th Condition (9th)
- 464-468 17th Condition (9th)
- 469-473 18th Condition (9th)
- 474-478 19th Condition (9th)
- 479-483 20th Condition (9th)

2

- 484-736 ICD-10 DATA
- 484 [ACCIDPL10] PLACE OF INJURY FOR CAUSES W00-Y34, except Y06.- and Y07.-
 - 0 ... Home
 - 1 ... Residential institution
 - ... School, other institution and public administrative area
 - 3 ... Sports and athletic area
 - 4 ... Street and highway
 - 5 ... Trade and service area
 - 6 ... Industrial and construction area
 - 7 ... Farm
 - 8 ... Other specified places
 - 9 ... Unspecified place
 - Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
- 485-488 [UCOD10] ICD Code (10th Revision)

See the International Classification of Diseases, 1992 Revision, Volume 1.

489-491 [UCODR130] 130 Infant Cause Recode

A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.

001-158 ... Code range (not inclusive)

492-735 [MULTCOND10] Multiple Conditions

See the <u>International Classification of Diseases</u>, 1992 Revision, Volume 1. Both the entity-axis and record-axis conditions are coded according to this revision (10th).

492-493 [EANUM10] Number of Entity-Axis Conditions

00-20 ... Code range

494-633 [ENTITY10] ENTITY - AXIS CONDITIONS

Space has been provided for a maximum of 20 conditions. Each condition takes 7 positions in the record. **The 7th position will be blank.** Records that do not have 20 conditions are blank in the unused area.

Position 1: Part/line number on certificate

1	•••	Part I, line 1 (a)
2		Part I, line 2 (b)
3		Part I, line 3 (c)
4		Part I, line 4 (d)
5		Part I, line 5 (e)
6		Part II,

Position 2: Sequence of condition within part/line

1-7 ... Code range

Position 3 - 6: Condition code (ICD 10th Revision)

494-500 1st Condition (10^{th})

501-507 2nd Condition (10^{th})

- 508-514 3rd Condition (10th)
- 515-521 4th Condition (10^{th})
- 522-528 5th Condition (10^{th})
- 529-535 6th Condition (10^{th})
- 536-542 7th Condition (10^{th})
- 543-549 8th Condition (10^{th})
- 550-556 9th Condition (10^{th})
- 557-563 10th Condition (10th)
- 564-570 11th Condition (10th)
- 571-577 12th Condition (10th)
- 578-584 13th Condition (10th)
- 585-591 14th Condition (10th)
- 592-598 15th Condition (10th)
- 599-605 16th Condition (10th)
- 606-612 17th Condition (10th)
- 613-619 18th Condition (10th)
- 620-626 19th Condition (10th)
- 627-633 20th Condition (10th)
- 634-635 [RANUM10] Number of Record-Axis Conditions
 - 00-20 ... Code range
- 636-735 [RECORD] RECORD AXIS CONDITIONS

Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5^{th} position will be blank. Records that

do not have 20 conditions are blank in the unused area.

Positions 1-4: Condition code (ICD10th Revision)

636-640	1st Condition (10 th)
641-645	2nd Condition (10 th)
646-650	3rd Condition (10 th)
651-655	4th Condition (10 th)
656-660	5th Condition (10 th)
661-665	6th Condition (10 th)
666-670	7th Condition (10 th)
671-675	8th Condition (10 th)
676-680	9th Condition (10 th)
681-685	10th Condition (10 th)
686-690	11th Condition (10 th)
691-695	12th Condition (10 th)
696-700	13th Condition (10 th)
701-705	14th Condition (10 th)

- 706-710 15th Condition (10th)
- 711-715 16th Condition (10th)
- 716-720 17th Condition (10th)
- 721-725 18th Condition (10th)
- 726-730 19th Condition (10th)
- 731-735 20th Condition (10th)
- 736 [RESSTATD] RESIDENT STATUS DEATH

- 1 ... RESIDENTS: State and county of occurrence and residence are the same.
- 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.
- 3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the 50 States and D.C.
- 4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the 50 States and D.C.

737-753 RESERVED POSITIONS

754 [HOSPD] HOSPITAL AND PATIENT STATUS

- 1 ... Hospital, Clinic or Medical Center - Inpatient
- 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
- 3 ... Hospital, clinic or medical center Dead on arrival
- 4 ... Hospital, Clinic or Medical Center - patient status unknown
- 5 ... Nursing home
- 6 ... Residence
- 7 ... Other
- 9 ... Place of death unknown